




# BOLTED HORIZONTAL ROOF FRAME FOR




## ENERGENCE "D" BOX ENERGENCE/ LANDMARK "C" BOX 300 ONLY

SHIPPED KNOCKDOWN FOR  
FIELD ASSEMBLY


ASSEMBLY PARTS LIST	
QTY	DESCRIPTION
2	CURB SIDES
2	CURB ENDS
1	VERTICAL SCOOP PIECE
1	DIAGONAL SCOOP PIECE
1	HORIZONTAL SCOOP PIECE
2	DEFLECTOR PIECES
20	#11000 5/16" BOLT X 3/4" LONG
20	#11205 5/16" NUT
20	#11405 5/16" WASHER
1	ASSEMBLY INSTRUCTION
85	SCREWS (#10 x 1/2")




CURB SIDES  
W/ OPENING - 75" X 18" -(x1)  
W/ O OPENING - (x1)




CURB ENDS (x2)




VERTI. SCOOP PIECE (x1)




DUCT COLLARS  
74 7/8" LONG- (x2)  
17 7/8" LONG- (x2)




DIAGONAL SCOOP PIECE (x1)




HORIZONTAL SCOOP PIECE (x1)



AIR DEFLECTOR  
PIECE-SMALL



AIR DEFLECTOR  
PIECE-BIG



5000286 P1  
MAY. 13, 2014




INSTALLATION INSTRUCTION FOR  
HORIZONTAL ROOF FRAME  
FOR



ENERGENCE "D" BOX  
ENERGENCE/ LANDMARK "C" BOX 300 ONLY



INSTALLATION INSTRUCTION FOR  
HORIZONTAL ROOF FRAME  
FOR  
**LENNOX**  
ENERGENCE "D" BOX  
ENERGENCE/ LANDMARK "C" BOX 300 ONLY




**FIG.3**

**STEP #3 :-** PLACE VERTI. SCOOP PIECE OVER THE FLANGE OF DIAGONAL SCOOP PIECE SO THAT #10 SCREW CLEARANCE HOLES IN VERTICAL PIECE LINE UP WITH 1/8" SCREW HOLES IN DIAGONAL PIECE.

**STEP #4:-** USE #10 HOLES PROVIDED IN OUTSIDE WALLS TO SECURE VERTICAL PIECE FIRMLY IN PLACE. MAKE SURE THE FLANGES IN VERTICAL PIECE ARE FACING DOWN( FIG. 3)

**STEP #5:-** ALIGN #10 CLEARANCE HOLES PROVIDED IN THE HORI. PIECE WITH 1/8" HOLES IN DIAGONAL PIECE FLANGE.

**STEP #6:-** LOCATE CORRESPONDING HOLES IN THE OUTSIDE WALLS AND SECURE HORI. PIECE IN PLACE. (FIG. 3 )



**FIG.4**

**DETAIL 'A'**

**STEP #7:-** SLIDE BOTTOM DUCT COLLAR IN BETWEEN WALL ( WITH OPENING-75" x 18") & HORI. SCOOP PIECE. SCREW ALL THREE PIECES TOGETHER AT THE SAME TIME. (DETAIL 'A').



INSTALLATION INSTRUCTION FOR  
HORIZONTAL ROOF FRAME  
FOR



ENERGENCE "D" BOX  
ENERGENCE/ LANDMARK "C" BOX 300 ONLY




FIG.5

STEP #8:- INSTALL AIR DEFLECTOR PIECES ON BOTH SIDES USING #10 SCREWS PROVIDED.  
(SEE FIG. 6)

STEP #9:- INSTALL OTHER DUCT COLLAR PIECES. (SEE FIG. 5)