



PRODUCT SPECIFICATIONS

HEAT PUMPS

AHRI SYSTEM MATCHES - LENNOX + ADP COILS

Bulletin No. 210860

August 2020A

Supersedes All Previous Versions

NOTES:

Ratings are AHRI certified to AHRI Standard 210/240 (with 25 ft. of connecting refrigerant lines);

- Cooling Ratings - 95°F outdoor air temperature and 80 °F db/67° F wb entering indoor coil air.
- High Temperature Heating Ratings - 47° F db/43° F wb outdoor air temperature and 70 °F db entering indoor coil air.
- Low Temperature Heating Ratings - 17 °F db/15° F wb outdoor air temperature and 70 °F db entering indoor coil air.

All ratings include the use of a blower time delay relay (TDR). All Lennox variable-speed Furnaces and Air Handlers have time delay capabilities. Other Furnaces and Air Handlers may require an optional time delay relay (58M81) for field installation. See furnace or air handler specifications to determine if relay is needed.

When used with gas furnaces, a dual-fuel control, a control system with dual-fuel capabilities (LZP-2 or LZP-4), or a thermostat with dual-fuel capabilities must be used (ordered extra).

To convert HSPF from Region IV to Region V - Divide by 1.15.

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-024-230	23400	15	12.2	21000	12300	8.5	L*18/36T9	EL296UH070XV36B	202393246
16HPX-024-230	23600	16	12.2	21000	12300	8.5	L*18/36T9	ML180UH090V48B	205094043
16HPX-024-230	23200	15	11.7	20000	11900	8.2	L*18/36T9	ML193UH070XE36B	205094039
16HPX-024-230	23400	15	12.2	20800	12300	8.5	L*18/36T9	ML296UH070XV36B	205093136
16HPX-024-230	23600	16	12.2	21000	12100	9	L*18/36T9	SL280UH060NV36A-	202393266
16HPX-024-230	23600	16	12.2	21000	12300	8.5	L*18/36T9	SL280UH070V36A	202393286
16HPX-024-230	23600	16	12.2	21000	12300	8.5	L*18/36T9	SL280UH070XV36A	202393306
16HPX-024-230	23400	15	12.2	21000	12200	8.5	L*18/36T9	SL280UH090V36B	202393326
16HPX-024-230	23600	16	12.2	21600	12300	8.2	L*18/36T9	SLP99DF070XV36B	205760858
16HPX-024-230	23600	16	12.2	21600	12300	8.2	L*18/36T9	SLP99DF090XV36C	205760889
16HPX-024-230	23400	15	12.2	21200	12300	8.5	L*18/36T9	SLP99UH070XV36B	205761691
16HPX-024-230	23600	16	12.2	21000	11700	8.5	L*19/36S9	EL296UH070XV36B	202393250
16HPX-024-230	23800	16	12.2	21000	12100	9	L*19/36S9	SL280UH060NV36A-	202393270
16HPX-024-230	23800	16	12.2	21000	12300	8.5	L*19/36S9	SL280UH070V36A	202393290
16HPX-024-230	23800	16	12.2	21000	12300	8.5	L*19/36S9	SL280UH070XV36A	202393310
16HPX-024-230	23600	16	12.2	21000	11700	8.5	L*19/36S9	SL280UH090V36B	202393330
16HPX-024-230	23600	16	12.2	21600	12300	8.2	L*19/36S9	SLP99DF070XV36B	205760860
16HPX-024-230	23600	16	12.2	21600	12300	8.2	L*19/36S9	SLP99DF090XV36C	205760891
16HPX-024-230	23600	15	12.2	21200	12300	8.5	L*19/36S9	SLP99UH070XV36B	205761700
16HPX-024-230	24000	16	13	21000	11700	8.5	L*24/36Y9	EL296UH070XV36B	202393265
16HPX-024-230	24000	16	13	21000	11700	8.5	L*24/36Y9	SL280UH060NV36A-	202393285
16HPX-024-230	24000	16	13	21000	11700	8.5	L*24/36Y9	SL280UH070V36A	202393305
16HPX-024-230	24000	16	13	21000	11700	8.5	L*24/36Y9	SL280UH070XV36A	202393325
16HPX-024-230	24000	16	13	21000	11700	8.5	L*24/36Y9	SL280UH090V36B	202393345
16HPX-024-230	23600	16	12.5	21600	12300	8.2	L*24/36Y9	SLP99DF070XV36B	205760887
16HPX-024-230	23600	16	12.5	21600	12300	8.2	L*24/36Y9	SLP99DF090XV36C	205760911
16HPX-024-230	23600	16	12.5	21200	12300	8.5	L*24/36Y9	SLP99UH070XV36B	205761731
16HPX-024-230	24000	16	13	21000	11800	8.5	L*24/36Z9	EL296UH070XV36B	202393264
16HPX-024-230	24000	16	13	21000	11800	8.5	L*24/36Z9	ML296UH070XV36B	204603096
16HPX-024-230	24000	16	13	21000	11700	8.5	L*24/36Z9	SL280UH060NV36A-	202393284
16HPX-024-230	24000	16	13	21000	11700	8.5	L*24/36Z9	SL280UH070V36A	202393304
16HPX-024-230	24000	16	13	21000	11700	8.5	L*24/36Z9	SL280UH070XV36A	202393324
16HPX-024-230	24000	16	13	21000	11800	8.5	L*24/36Z9	SL280UH090V36B	202393344
16HPX-024-230	23600	16	12.5	21600	12300	8.2	L*24/36Z9	SLP99DF070XV36B	205760885
16HPX-024-230	23600	16	12.5	21600	12300	8.2	L*24/36Z9	SLP99DF090XV36C	205760908
16HPX-024-230	23600	16	12.5	21200	12300	8.5	L*24/36Z9	SLP99UH070XV36B	205761728
16HPX-024-230	23600	16	12.2	21000	11700	8.5	L*24/42S9	EL296UH070XV36B	202393251

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-024-230	23800	16	12.2	21000	12100	9	L*24/42S9	SL280UH060NV36A-	202393271
16HPX-024-230	23800	16	12.2	21000	12300	8.5	L*24/42S9	SL280UH070V36A	202393291
16HPX-024-230	23800	16	12.2	21000	12300	8.5	L*24/42S9	SL280UH070XV36A	202393311
16HPX-024-230	23600	16	12.2	21000	11700	8.5	L*24/42S9	SL280UH090V36B	202393331
16HPX-024-230	23600	16	12.2	21600	12300	8.2	L*24/42S9	SLP99DF070XV36B	205760864
16HPX-024-230	23600	16	12.2	21600	12300	8.2	L*24/42S9	SLP99DF090XV36C	205760894
16HPX-024-230	23600	15	12.2	21200	12300	8.5	L*24/42S9	SLP99UH070XV36B	205761702
16HPX-024-230	24000	16	13	21000	11700	8.5	L*25/37Z9	EL296UH070XV36B	202393263
16HPX-024-230	23800	16	13	21000	12100	9	L*25/37Z9	SL280UH060NV36A-	202393283
16HPX-024-230	24000	16	13	21000	11700	8.5	L*25/37Z9	SL280UH070V36A	202393303
16HPX-024-230	24000	16	13	21000	11700	8.5	L*25/37Z9	SL280UH070XV36A	202393323
16HPX-024-230	24000	16	13	21000	11800	8.5	L*25/37Z9	SL280UH090V36B	202393343
16HPX-024-230	23600	16	12.5	21600	12300	8.2	L*25/37Z9	SLP99DF070XV36B	205760883
16HPX-024-230	23600	16	12.5	21600	12300	8.2	L*25/37Z9	SLP99DF090XV36C	205760906
16HPX-024-230	24000	16	12.5	21000	12100	8.5	L*25/37Z9	SLP99UH070XV36B	205761726
16HPX-024-230	24000	16	12.5	21000	11700	8.5	L*29/36S9	EL296UH070XV36B	202393259
16HPX-024-230	23800	16	12.5	21000	12100	9	L*29/36S9	SL280UH060NV36A-	202393279
16HPX-024-230	24000	16	12.5	21000	12100	8.5	L*29/36S9	SL280UH070V36A	202393299
16HPX-024-230	24000	16	12.5	21000	12100	8.5	L*29/36S9	SL280UH070XV36A	202393319
16HPX-024-230	24000	16	12.5	21000	11700	8.5	L*29/36S9	SL280UH090V36B	202393339
16HPX-024-230	23600	16	12.5	21600	12300	8.2	L*29/36S9	SLP99DF070XV36B	205760879
16HPX-024-230	23600	16	12.5	21600	12300	8.2	L*29/36S9	SLP99DF090XV36C	205760904
16HPX-024-230	24000	15	12.5	21000	12100	8.5	L*29/36S9	SLP99UH070XV36B	205761718
16HPX-024-230	24000	16	12.5	21000	11700	8.5	L*29/36U9	EL296UH070XV36B	202393257
16HPX-024-230	23800	16	12.5	21000	12100	9	L*29/36U9	SL280UH060NV36A-	202393277
16HPX-024-230	24000	16	12.5	21000	12100	8.5	L*29/36U9	SL280UH070V36A	202393297
16HPX-024-230	24000	16	12.5	21000	12100	8.5	L*29/36U9	SL280UH070XV36A	202393317
16HPX-024-230	24000	16	12.5	21000	11700	8.5	L*29/36U9	SL280UH090V36B	202393337
16HPX-024-230	23600	16	12.5	21600	12300	8.2	L*29/36U9	SLP99DF070XV36B	205760875
16HPX-024-230	23600	16	12.5	21600	12300	8.2	L*29/36U9	SLP99DF090XV36C	205760900
16HPX-024-230	24000	15	12.5	21000	12100	8.5	L*29/36U9	SLP99UH070XV36B	205761714
16HPX-024-230	24000	16	12.5	21000	11700	8.5	L*30/36S9	EL296UH070XV36B	202393256
16HPX-024-230	23800	16	12.5	21000	12100	9	L*30/36S9	SL280UH060NV36A-	202393276
16HPX-024-230	24000	16	12.5	21000	11700	8.5	L*30/36S9	SL280UH070V36A	202393296
16HPX-024-230	24000	16	12.5	21000	11700	8.5	L*30/36S9	SL280UH070XV36A	202393316
16HPX-024-230	24000	16	12.5	21000	11700	8.5	L*30/36S9	SL280UH090V36B	202393336
16HPX-024-230	23600	16	12.5	21600	12300	8.2	L*30/36S9	SLP99DF070XV36B	205760872
16HPX-024-230	23600	16	12.5	21600	12300	8.2	L*30/36S9	SLP99DF090XV36C	205760898
16HPX-024-230	23600	15	12.5	21200	12300	8.5	L*30/36S9	SLP99UH070XV36B	205761712
16HPX-024-230	24000	16	12.5	21000	11800	8.5	L*30/36U9	EL296UH070XV36B	202393255
16HPX-024-230	23800	16	12.5	21000	12100	9	L*30/36U9	SL280UH060NV36A-	202393275
16HPX-024-230	24000	16	12.5	21000	11700	8.5	L*30/36U9	SL280UH070V36A	202393295
16HPX-024-230	24000	16	12.5	21000	11700	8.5	L*30/36U9	SL280UH070XV36A	202393315
16HPX-024-230	24000	16	12.5	21000	11700	8.5	L*30/36U9	SL280UH090V36B	202393335
16HPX-024-230	23600	16	12.5	21600	12300	8.2	L*30/36U9	SLP99DF070XV36B	205760868
16HPX-024-230	23600	16	12.5	21600	12300	8.2	L*30/36U9	SLP99DF090XV36C	205760896
16HPX-024-230	23600	15	12.5	21200	12300	8.5	L*30/36U9	SLP99UH070XV36B	205761711
16HPX-024-230	24000	16	12.5	21000	11700	8.5	L*35/36S9	EL296UH070XV36B	202393260
16HPX-024-230	23800	16	12.5	21000	12100	9	L*35/36S9	SL280UH060NV36A-	202393280
16HPX-024-230	24000	16	12.5	21000	12100	8.5	L*35/36S9	SL280UH070V36A	202393300
16HPX-024-230	24000	16	12.5	21000	12100	8.5	L*35/36S9	SL280UH070XV36A	202393320
16HPX-024-230	24000	16	12.5	21000	11700	8.5	L*35/36S9	SL280UH090V36B	202393340
16HPX-024-230	23600	16	12.5	21600	12300	8.2	L*35/36S9	SLP99DF070XV36B	205760881
16HPX-024-230	23600	16	12.5	21600	12300	8.2	L*35/36S9	SLP99DF090XV36C	205760905

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-024-230	24000	15	12.5	21000	12100	8.5	L*35/36S9	SLP99UH070XV36B	205761720
16HPX-024-230	24000	16	12.5	21000	11700	8.5	L*35/36U9	EL296UH070XV36B	202393258
16HPX-024-230	24000	16	12.5	21000	11700	8.5	L*35/36U9	ML296UH070XV36B	204603095
16HPX-024-230	23800	16	12.5	21000	12100	9	L*35/36U9	SL280UH060NV36A-	202393278
16HPX-024-230	24000	16	12.5	21000	12100	8.5	L*35/36U9	SL280UH070V36A	202393298
16HPX-024-230	24000	16	12.5	21000	12100	8.5	L*35/36U9	SL280UH070XV36A	202393318
16HPX-024-230	24000	16	12.5	21000	11700	8.5	L*35/36U9	SL280UH090V36B	202393338
16HPX-024-230	23600	16	12.5	21600	12300	8.2	L*35/36U9	SLP99DF070XV36B	205760876
16HPX-024-230	23600	16	12.5	21600	12300	8.2	L*35/36U9	SLP99DF090XV36C	205760903
16HPX-024-230	24000	15	12.5	21000	12100	8.5	L*35/36U9	SLP99UH070XV36B	205761716
16HPX-024-230	24000	16	12.5	21000	11800	8.5	LH18/37D9	EL296UH070XV36B	202393262
16HPX-024-230	23600	16	12.5	20800	12300	9	LH18/37D9	ML180UH070V36B	205747582
16HPX-024-230	23800	16	12.5	21000	12100	9	LH18/37D9	SL280UH060NV36A-	202393282
16HPX-024-230	24000	16	12.5	21000	11700	8.5	LH18/37D9	SL280UH070V36A	202393302
16HPX-024-230	24000	16	12.5	21000	11700	8.5	LH18/37D9	SL280UH070XV36A	202393322
16HPX-024-230	24000	16	12.5	21000	11700	8.5	LH18/37D9	SL280UH090V36B	202393342
16HPX-024-230	23600	15	12.5	21200	12300	8.5	LH18/37D9	SLP99UH070XV36B	205761724
16HPX-024-230	24000	16	12.5	21000	11800	8.5	LH18/37R9	EL296UH070XV36B	202393261
16HPX-024-230	24000	15	12.2	20400	12000	8.5	LH18/37R9	ML180UH070V36A	204741499
16HPX-024-230	23600	16	12.5	20800	12300	9	LH18/37R9	ML180UH070V36B	205747581
16HPX-024-230	23800	16	12.5	21000	12100	9	LH18/37R9	SL280UH060NV36A-	202393281
16HPX-024-230	24000	16	12.5	21000	11700	8.5	LH18/37R9	SL280UH070V36A	202393301
16HPX-024-230	24000	16	12.5	21000	11700	8.5	LH18/37R9	SL280UH070XV36A	202393321
16HPX-024-230	24000	16	12.5	21000	11800	8.5	LH18/37R9	SL280UH090V36B	202393341
16HPX-024-230	23600	15	12.5	21200	12300	8.5	LH18/37R9	SLP99UH070XV36B	205761722
16HPX-024-230	23600	16	12.2	21000	11700	8.5	LH29/36F9	EL296UH070XV36B	202393247
16HPX-024-230	23800	16	12.2	21000	12100	9	LH29/36F9	SL280UH060NV36A-	202393267
16HPX-024-230	23800	16	12.2	21000	12300	8.5	LH29/36F9	SL280UH070V36A	202393287
16HPX-024-230	23800	16	12.2	21000	12300	8.5	LH29/36F9	SL280UH070XV36A	202393307
16HPX-024-230	23600	16	12.2	21000	11700	8.5	LH29/36F9	SL280UH090V36B	202393327
16HPX-024-230	23600	15	12.2	21200	12300	8.5	LH29/36F9	SLP99UH070XV36B	205761693
16HPX-024-230	24000	16	12.5	21000	11700	8.5	LH35/36F9	EL296UH070XV36B	202393249
16HPX-024-230	23800	16	12.5	21000	12100	9	LH35/36F9	SL280UH060NV36A-	202393269
16HPX-024-230	24000	16	12.5	21000	11700	8.5	LH35/36F9	SL280UH070V36A	202393289
16HPX-024-230	24000	16	12.5	21000	11700	8.5	LH35/36F9	SL280UH070XV36A	202393309
16HPX-024-230	24000	16	12.5	21000	11700	8.5	LH35/36F9	SL280UH090V36B	202393329
16HPX-024-230	23600	15	12.5	21200	12300	8.5	LH35/36F9	SLP99UH070XV36B	205761697
16HPX-024-230	24000	16	12.5	21000	11700	8.5	LH35/36X9	EL296UH070XV36B	202393248
16HPX-024-230	24000	16	12.5	21000	11700	8.5	LH35/36X9	ML296UH070XV36B	204603094
16HPX-024-230	23800	16	12.5	21000	12100	9	LH35/36X9	SL280UH060NV36A-	202393268
16HPX-024-230	24000	16	12.5	21000	11700	8.5	LH35/36X9	SL280UH070V36A	202393288
16HPX-024-230	24000	16	12.5	21000	11700	8.5	LH35/36X9	SL280UH070XV36A	202393308
16HPX-024-230	24000	16	12.5	21000	11700	8.5	LH35/36X9	SL280UH090V36B	202393328
16HPX-024-230	23600	15	12.5	21200	12300	8.5	LH35/36X9	SLP99UH070XV36B	205761695
16HPX-024-230	24000	16	12.5	21000	11800	8.5	LH35/37D9	EL296UH070XV36B	202393252
16HPX-024-230	23800	16	12.5	21000	12100	9	LH35/37D9	SL280UH060NV36A-	202393272
16HPX-024-230	24000	16	12.5	21000	11700	8.5	LH35/37D9	SL280UH070V36A	202393292
16HPX-024-230	24000	16	12.5	21000	11700	8.5	LH35/37D9	SL280UH070XV36A	202393312
16HPX-024-230	24000	16	12.5	21000	11800	8.5	LH35/37D9	SL280UH090V36B	202393332
16HPX-024-230	23600	15	12.5	21200	12300	8.5	LH35/37D9	SLP99UH070XV36B	205761704
16HPX-024-230	24000	16	12.5	21000	11800	8.5	LH35/38F9	EL296UH070XV36B	202393254
16HPX-024-230	23400	16	12.5	20800	12300	8.5	LH35/38F9	ML180UH070V36A	205747580
16HPX-024-230	23800	16	12.5	21000	12100	9	LH35/38F9	SL280UH060NV36A-	202393274
16HPX-024-230	24000	16	12.5	21000	12100	8.5	LH35/38F9	SL280UH070V36A	202393294

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-024-230	24000	16	12.5	21000	12100	8.5	LH35/38F9	SL280UH070XV36A	202393314
16HPX-024-230	24000	16	12.5	21000	11800	8.5	LH35/38F9	SL280UH090V36B	202393334
16HPX-024-230	23600	16	12.5	21200	12300	8.5	LH35/38F9	SLP99UH070XV36B	205761708
16HPX-024-230	24000	16	12.5	21000	11700	8.5	LH35/38X9	EL296UH070XV36B	202393253
16HPX-024-230	23400	16	12.5	20800	12300	8.5	LH35/38X9	ML180UH070V36A	205747579
16HPX-024-230	23800	16	12.5	21000	12100	9	LH35/38X9	SL280UH060NV36A-	202393273
16HPX-024-230	24000	16	12.5	21000	12100	8.5	LH35/38X9	SL280UH070V36A	202393293
16HPX-024-230	24000	16	12.5	21000	12100	8.5	LH35/38X9	SL280UH070XV36A	202393313
16HPX-024-230	24000	16	12.5	21000	11700	8.5	LH35/38X9	SL280UH090V36B	202393333
16HPX-024-230	23600	16	12.5	21200	12300	8.5	LH35/38X9	SLP99UH070XV36B	205761706
16HPX-036-230	34600	15	12	32400	20800	8.2	L*18/36T9	EL196UH045XE36B	202393547
16HPX-036-230	34600	15	12	32400	21000	8.2	L*18/36T9	EL196UH070XE36B	202393570
16HPX-036-230	34600	15	12.5	32400	20200	8.5	L*18/36T9	EL196UH090XE48C	202393593
16HPX-036-230	34600	15	12	32400	20400	8.2	L*18/36T9	EL280UH070XE36A	203366286
16HPX-036-230	35200	15	11.7	32400	21400	8.5	L*18/36T9	EL296DF045XE36B	202393616
16HPX-036-230	35200	15	12.2	32400	21000	8.5	L*18/36T9	EL296DF070XE48B	202393630
16HPX-036-230	35200	14.5	12.2	32400	21200	8.5	L*18/36T9	EL296DF070XV48B	202393644
16HPX-036-230	34600	15	12	32400	20800	8.2	L*18/36T9	EL296UH045XE36B	202393658
16HPX-036-230	34600	15	12	32400	20800	8.2	L*18/36T9	EL296UH045XV36B	202393681
16HPX-036-230	34600	15	12	32400	20800	8.2	L*18/36T9	EL296UH070XE36B	202393704
16HPX-036-230	34600	15	12	32400	20600	8.2	L*18/36T9	EL296UH070XV36B	202393727
16HPX-036-230	34600	15	12.5	32400	20200	8.5	L*18/36T9	EL296UH090XE48C	202393750
16HPX-036-230	34600	15	12.5	32400	20200	8.5	L*18/36T9	EL296UH090XV36C	202393773
16HPX-036-230	34600	15	12.5	32400	20200	8.5	L*18/36T9	EL296UH090XV48C	202393796
16HPX-036-230	34600	15	12.5	32400	20200	8.5	L*18/36T9	EL296UH110XV60C	202393841
16HPX-036-230	35200	15	12.5	32400	20800	8.5	L*18/36T9	ML180DF070E36B	202393864
16HPX-036-230	34600	15	12.5	32400	20600	8.2	L*18/36T9	ML180UH070E36B	202393878
16HPX-036-230	34600	15	12.5	32400	20600	8.5	L*18/36T9	ML180UH090E48B	202393901
16HPX-036-230	34600	15	12	31400	20400	8.2	L*18/36T9	ML296UH070XV36B	204667994
16HPX-036-230	34600	15	12.5	31200	20200	8.5	L*18/36T9	ML296UH090XV48C	205416014
16HPX-036-230	35200	15	12.2	32400	21000	8.5	L*18/36T9	SL280DF090V48B	202393924
16HPX-036-230	35400	15	12.5	32400	21000	8.5	L*18/36T9	SL280DF090V60C	202393938
16HPX-036-230	35200	15	12.5	32400	21000	8.5	L*18/36T9	SL280DF110V60C	202393952
16HPX-036-230	34600	15	12.5	32400	20400	8.2	L*18/36T9	SL280UH090V36B	202393966
16HPX-036-230	34600	15	12.5	32400	20400	8.2	L*18/36T9	SL280UH090V48B	202393989
16HPX-036-230	34600	15	12.5	32400	20400	8.5	L*18/36T9	SL280UH090V60C	202394012
16HPX-036-230	34600	15	12.5	32400	20400	8.2	L*18/36T9	SL280UH090XV48B	202394035
16HPX-036-230	34600	15	12.5	32400	20400	8.5	L*18/36T9	SL280UH110V60C	202394080
16HPX-036-230	34600	15	12.5	32400	20400	8.5	L*18/36T9	SL280UH110XV60C	202394103
16HPX-036-230	35200	15	12.2	34400	21000	8.5	L*18/36T9	SLP99DF070XV36B	205760113
16HPX-036-230	35200	15	12.2	34400	21000	8.5	L*18/36T9	SLP99DF090XV36C	205760144
16HPX-036-230	35200	15	12.2	34400	21000	8.5	L*18/36T9	SLP99DF090XV48C	205760175
16HPX-036-230	35200	15	12.2	34400	21000	8.5	L*18/36T9	SLP99DF090XV60C	205760204
16HPX-036-230	35200	15	12.2	34400	21200	8.5	L*18/36T9	SLP99DF110XV60C	205760235
16HPX-036-230	35000	14	11.7	32400	21800	8.5	L*18/36T9		202395048
16HPX-036-230	35000	15	12.2	32400	20800	8.2	L*19/36S9	EL196UH045XE36B	202393551
16HPX-036-230	35000	15	12.2	32400	21000	8.2	L*19/36S9	EL196UH070XE36B	202393574
16HPX-036-230	35000	15	12.5	32400	20200	8.5	L*19/36S9	EL196UH090XE48C	202393597
16HPX-036-230	35000	15	12.2	32400	20400	8.5	L*19/36S9	EL280UH070XE36A	203366290
16HPX-036-230	35800	15	12	32400	21400	8.5	L*19/36S9	EL296DF045XE36B	202393617
16HPX-036-230	35600	15	12.2	32400	21000	8.5	L*19/36S9	EL296DF070XE48B	202393631
16HPX-036-230	35600	15	12.2	32400	21200	8.5	L*19/36S9	EL296DF070XV48B	202393645
16HPX-036-230	35000	15	12.2	32400	20600	8.2	L*19/36S9	EL296UH045XE36B	202393662
16HPX-036-230	35000	15	12.2	32400	20800	8.2	L*19/36S9	EL296UH045XV36B	202393685

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-036-230	35000	15	12.2	32400	20200	8.2	L*19/36S9	EL296UH070XE36B	202393708
16HPX-036-230	35000	15	12.2	32400	20400	8.2	L*19/36S9	EL296UH070XV36B	202393731
16HPX-036-230	35000	15	12.5	32400	20200	8.5	L*19/36S9	EL296UH090XE48C	202393754
16HPX-036-230	35000	15	12.5	32400	20200	8.5	L*19/36S9	EL296UH090XV36C	202393777
16HPX-036-230	35000	15	12.5	32400	20200	8.5	L*19/36S9	EL296UH090XV48C	202393800
16HPX-036-230	35400	15	12.5	32400	21400	8.2	L*19/36S9	EL296UH090XV60C	202393822
16HPX-036-230	35000	15	12.5	32400	20200	8.5	L*19/36S9	EL296UH110XV60C	202393845
16HPX-036-230	35600	16	12.5	32400	20800	8.5	L*19/36S9	ML180DF070E36B	202393865
16HPX-036-230	35000	15	12.5	32400	20000	8.2	L*19/36S9	ML180UH070E36B	202393882
16HPX-036-230	35000	15	12.5	32400	20600	8.5	L*19/36S9	ML180UH090E48B	202393905
16HPX-036-230	35600	15	12.2	34400	21200	8.5	L*19/36S9	ML296DF070XV48B	204667989
16HPX-036-230	35000	15	12.2	31200	20600	8.2	L*19/36S9	ML296UH070XV36B	204667997
16HPX-036-230	35000	15	12.5	31200	20200	8.5	L*19/36S9	ML296UH090XV48C	205416015
16HPX-036-230	35600	16	12.2	32400	21000	8.5	L*19/36S9	SL280DF090V48B	202393925
16HPX-036-230	35800	16	13	32400	21000	8.5	L*19/36S9	SL280DF090V60C	202393939
16HPX-036-230	35600	16	12.5	32400	21000	8.5	L*19/36S9	SL280DF110V60C	202393953
16HPX-036-230	35000	15	12.5	32400	20000	8.2	L*19/36S9	SL280UH090V36B	202393970
16HPX-036-230	35000	15	12.5	32400	20200	8.2	L*19/36S9	SL280UH090V48B	202393993
16HPX-036-230	35200	15	12.5	32400	20400	8.5	L*19/36S9	SL280UH090V60C	202394016
16HPX-036-230	35000	15	12.5	32400	20200	8.2	L*19/36S9	SL280UH090XV48B	202394039
16HPX-036-230	35200	16	12.5	32400	21200	8.2	L*19/36S9	SL280UH090XV60C	202394061
16HPX-036-230	35000	15	12.5	32400	20400	8.5	L*19/36S9	SL280UH110V60C	202394084
16HPX-036-230	35000	15	12.5	32400	20400	8.5	L*19/36S9	SL280UH110XV60C	202394107
16HPX-036-230	35600	16	12.2	34400	21000	8.5	L*19/36S9	SLP99DF070XV36B	205760115
16HPX-036-230	35600	16	12.2	34400	21000	8.5	L*19/36S9	SLP99DF090XV36C	205760147
16HPX-036-230	35600	16	12.2	34400	21000	8.5	L*19/36S9	SLP99DF090XV48C	205760178
16HPX-036-230	35800	16	12.5	34400	21000	8.5	L*19/36S9	SLP99DF090XV60C	205760206
16HPX-036-230	35800	16	12.5	34400	21200	8.5	L*19/36S9	SLP99DF110XV60C	205760237
16HPX-036-230	35400	14.5	12	32400	21800	8.5	L*19/36S9		202395052
16HPX-036-230	36000	16	13	32400	20800	8.5	L*23/37Z9	EL196UH045XE36B	202393565
16HPX-036-230	36000	16	13	32400	20200	8.5	L*23/37Z9	EL196UH070XE36B	202393588
16HPX-036-230	36000	16	13	32400	20200	8.5	L*23/37Z9	EL196UH090XE48C	202393611
16HPX-036-230	36000	16	13	32400	20400	8.5	L*23/37Z9	EL280UH070XE36A	203366304
16HPX-036-230	36000	16	12.5	32400	21400	8.5	L*23/37Z9	EL296DF045XE36B	202393625
16HPX-036-230	36000	16	13	32400	21000	8.5	L*23/37Z9	EL296DF070XE48B	202393639
16HPX-036-230	36000	15	12.5	32400	21200	8.5	L*23/37Z9	EL296DF070XV48B	202393653
16HPX-036-230	36000	16	13	32400	20600	8.5	L*23/37Z9	EL296UH045XE36B	202393676
16HPX-036-230	36000	16	13	32400	20800	8.5	L*23/37Z9	EL296UH045XV36B	202393699
16HPX-036-230	36000	16	13	32400	20200	8.5	L*23/37Z9	EL296UH070XE36B	202393722
16HPX-036-230	36000	16	13	32400	20400	8.5	L*23/37Z9	EL296UH070XV36B	202393745
16HPX-036-230	36000	16	13	32400	20200	8.5	L*23/37Z9	EL296UH090XE48C	202393768
16HPX-036-230	36000	16	13	32400	20200	8.5	L*23/37Z9	EL296UH090XV36C	202393791
16HPX-036-230	36000	16	13	32400	20200	8.5	L*23/37Z9	EL296UH090XV48C	202393814
16HPX-036-230	36000	16	13	32400	20400	8.5	L*23/37Z9	EL296UH090XV60C	202393836
16HPX-036-230	36000	16	13	32400	20200	8.5	L*23/37Z9	EL296UH110XV60C	202393859
16HPX-036-230	36000	16	13	32400	20800	8.5	L*23/37Z9	ML180DF070E36B	202393873
16HPX-036-230	36000	16	13	32400	20000	8.5	L*23/37Z9	ML180UH070E36B	202393896
16HPX-036-230	36000	16	13	32400	20600	9	L*23/37Z9	ML180UH090E48B	202393919
16HPX-036-230	36000	15	12.5	34400	21200	8.5	L*23/37Z9	ML296DF070XV48B	204667993
16HPX-036-230	36000	16	13	31400	20600	8.5	L*23/37Z9	ML296UH070XV36B	204668001
16HPX-036-230	36000	16	13	31200	20200	8.5	L*23/37Z9	ML296UH090XV48C	205416023
16HPX-036-230	36000	16	13	32400	21000	8.5	L*23/37Z9	SL280DF090V48B	202393933
16HPX-036-230	36000	16	13	32400	21000	8.5	L*23/37Z9	SL280DF090V60C	202393947
16HPX-036-230	36000	16	13	32400	21000	8.5	L*23/37Z9	SL280DF110V60C	202393961

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-036-230	36000	16	13	32400	20000	8.5	L*23/37Z9	SL280UH090V36B	202393984
16HPX-036-230	36000	16	13	32400	20200	8.5	L*23/37Z9	SL280UH090V48B	202394007
16HPX-036-230	36000	16	13	32400	20400	8.5	L*23/37Z9	SL280UH090V60C	202394030
16HPX-036-230	36000	16	13	32400	20200	8.5	L*23/37Z9	SL280UH090XV48B	202394053
16HPX-036-230	36000	16	13	32400	20400	8.5	L*23/37Z9	SL280UH090XV60C	202394075
16HPX-036-230	36000	16	13	32400	20400	8.5	L*23/37Z9	SL280UH110V60C	202394098
16HPX-036-230	36000	16	13	32400	20400	8.5	L*23/37Z9	SL280UH110XV60C	202394121
16HPX-036-230	36000	16	13	34400	21000	8.5	L*23/37Z9	SLP99DF070XV36B	205760133
16HPX-036-230	36000	16	13	34400	21000	8.5	L*23/37Z9	SLP99DF090XV36C	205760164
16HPX-036-230	36000	16	13	34400	21000	8.5	L*23/37Z9	SLP99DF090XV48C	205760194
16HPX-036-230	36000	16	13	34400	21000	8.5	L*23/37Z9	SLP99DF090XV60C	205760223
16HPX-036-230	36000	16	13	34400	21200	8.5	L*23/37Z9	SLP99DF110XV60C	205760255
16HPX-036-230	36000	15	12.5	32400	21000	8.5	L*23/37Z9		202395066
16HPX-036-230	36000	15	12.5	32400	20600	8.5	L*24/36Y9	EL196UH045XE36B	202393569
16HPX-036-230	36000	16	12.5	32400	20200	8.5	L*24/36Y9	EL196UH070XE36B	202393592
16HPX-036-230	36000	16	13	32400	20200	8.5	L*24/36Y9	EL196UH090XE48C	202393615
16HPX-036-230	36000	16	12.5	32400	20400	8.5	L*24/36Y9	EL280UH070XE36A	203366308
16HPX-036-230	36000	16	12.5	32400	21400	8.5	L*24/36Y9	EL296DF045XE36B	202393629
16HPX-036-230	36000	16	13	32400	21000	8.5	L*24/36Y9	EL296DF070XE48B	202393643
16HPX-036-230	36000	15	12.5	32400	21200	8.5	L*24/36Y9	EL296DF070XV48B	202393657
16HPX-036-230	36000	15	12.5	32400	20600	8.5	L*24/36Y9	EL296UH045XE36B	202393680
16HPX-036-230	36000	16	12.5	32400	20800	8.5	L*24/36Y9	EL296UH045XV36B	202393703
16HPX-036-230	36000	16	12.5	32400	20200	8.5	L*24/36Y9	EL296UH070XE36B	202393726
16HPX-036-230	36000	16	12.5	32400	20400	8.5	L*24/36Y9	EL296UH070XV36B	202393749
16HPX-036-230	36000	16	13	32400	20200	8.5	L*24/36Y9	EL296UH090XE48C	202393772
16HPX-036-230	36000	16	13	32400	20200	8.5	L*24/36Y9	EL296UH090XV36C	202393795
16HPX-036-230	36000	16	13	32400	20200	8.5	L*24/36Y9	EL296UH090XV48C	202393818
16HPX-036-230	36000	16	13	32400	20400	8.5	L*24/36Y9	EL296UH090XV60C	202393840
16HPX-036-230	36000	16	13	32400	20200	8.5	L*24/36Y9	EL296UH110XV60C	202393863
16HPX-036-230	36000	16	13	32400	20800	8.5	L*24/36Y9	ML180DF070E36B	202393877
16HPX-036-230	36000	16	13	32400	20000	8.5	L*24/36Y9	ML180UH070E36B	202393900
16HPX-036-230	36000	16	13	32400	20600	9	L*24/36Y9	ML180UH090E48B	202393923
16HPX-036-230	36000	16	13	31400	20000	8.5	L*24/36Y9	ML296UH090XV48C	205416027
16HPX-036-230	36000	16	13	32400	21000	8.5	L*24/36Y9	SL280DF090V48B	202393937
16HPX-036-230	36000	16	13	32400	21000	8.5	L*24/36Y9	SL280DF090V60C	202393951
16HPX-036-230	36000	16	13	32400	21000	8.5	L*24/36Y9	SL280DF110V60C	202393965
16HPX-036-230	36000	16	13	32400	20000	8.5	L*24/36Y9	SL280UH090V36B	202393988
16HPX-036-230	36000	16	13	32400	20200	8.5	L*24/36Y9	SL280UH090V48B	202394011
16HPX-036-230	36000	16	13	32400	20400	8.5	L*24/36Y9	SL280UH090V60C	202394034
16HPX-036-230	36000	16	13	32400	20400	8.5	L*24/36Y9	SL280UH090XV48B	202394057
16HPX-036-230	36000	16	13	32400	20400	8.5	L*24/36Y9	SL280UH090XV60C	202394079
16HPX-036-230	36000	16	13	32400	20400	8.5	L*24/36Y9	SL280UH110V60C	202394102
16HPX-036-230	36000	16	13	32400	20400	8.5	L*24/36Y9	SL280UH110XV60C	202394125
16HPX-036-230	36000	16	13	34400	21000	8.5	L*24/36Y9	SLP99DF070XV36B	205760142
16HPX-036-230	36000	16	13	34400	21000	8.5	L*24/36Y9	SLP99DF090XV36C	205760173
16HPX-036-230	36000	16	13	34400	21000	8.5	L*24/36Y9	SLP99DF090XV48C	205760202
16HPX-036-230	36000	16	13	34400	21000	8.5	L*24/36Y9	SLP99DF090XV60C	205760233
16HPX-036-230	36000	16	13	34400	21200	8.5	L*24/36Y9	SLP99DF110XV60C	205760263
16HPX-036-230	35600	15	12.5	32400	21800	8.5	L*24/36Y9		202395070
16HPX-036-230	36000	15	12.5	32400	20600	8.5	L*24/36Z9	EL196UH045XE36B	202393568
16HPX-036-230	36000	16	12.5	32400	20200	8.5	L*24/36Z9	EL196UH070XE36B	202393591
16HPX-036-230	36000	16	13	32400	20200	8.5	L*24/36Z9	EL196UH090XE48C	202393614
16HPX-036-230	36000	16	12.5	32400	20400	8.5	L*24/36Z9	EL280UH070XE36A	203366307
16HPX-036-230	36000	16	12.5	32400	21400	8.5	L*24/36Z9	EL296DF045XE36B	202393628

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-036-230	36000	16	13	32400	21000	8.5	L*24/36Z9	EL296DF070XE48B	202393642
16HPX-036-230	36000	15	12.5	32400	21200	8.5	L*24/36Z9	EL296DF070XV48B	202393656
16HPX-036-230	36000	15	12.5	32400	20600	8.5	L*24/36Z9	EL296UH045XE36B	202393679
16HPX-036-230	36000	16	12.5	32400	20800	8.5	L*24/36Z9	EL296UH045XV36B	202393702
16HPX-036-230	36000	16	12.5	32400	20200	8.5	L*24/36Z9	EL296UH070XE36B	202393725
16HPX-036-230	36000	16	12.5	32400	20400	8.5	L*24/36Z9	EL296UH070XV36B	202393748
16HPX-036-230	36000	16	13	32400	20200	8.5	L*24/36Z9	EL296UH090XE48C	202393771
16HPX-036-230	36000	16	13	32400	20200	8.5	L*24/36Z9	EL296UH090XV36C	202393794
16HPX-036-230	36000	16	13	32400	20200	8.5	L*24/36Z9	EL296UH090XV48C	202393817
16HPX-036-230	36000	16	13	32400	20400	8.5	L*24/36Z9	EL296UH090XV60C	202393839
16HPX-036-230	36000	16	13	32400	20200	8.5	L*24/36Z9	EL296UH110XV60C	202393862
16HPX-036-230	36000	16	13	32400	20800	8.5	L*24/36Z9	ML180DF070E36B	202393876
16HPX-036-230	36000	16	13	32400	20000	8.5	L*24/36Z9	ML180UH070E36B	202393899
16HPX-036-230	36000	16	13	32400	20600	9	L*24/36Z9	ML180UH090E48B	202393922
16HPX-036-230	36000	16	13	31400	20000	8.5	L*24/36Z9	ML296UH090XV48C	205416026
16HPX-036-230	36000	16	13	32400	21000	8.5	L*24/36Z9	SL280DF090V48B	202393936
16HPX-036-230	36000	16	13	32400	21000	8.5	L*24/36Z9	SL280DF090V60C	202393950
16HPX-036-230	36000	16	13	32400	21000	8.5	L*24/36Z9	SL280DF110V60C	202393964
16HPX-036-230	36000	16	13	32400	20000	8.5	L*24/36Z9	SL280UH090V36B	202393987
16HPX-036-230	36000	16	13	32400	20200	8.5	L*24/36Z9	SL280UH090V48B	202394010
16HPX-036-230	36000	16	13	32400	20200	8.5	L*24/36Z9	SL280UH090V60C	202394033
16HPX-036-230	36000	16	13	32400	20400	8.5	L*24/36Z9	SL280UH090XV48B	202394056
16HPX-036-230	36000	16	13	32400	20200	8.5	L*24/36Z9	SL280UH090XV60C	202394078
16HPX-036-230	36000	16	13	32400	20200	8.5	L*24/36Z9	SL280UH110V60C	202394101
16HPX-036-230	36000	16	13	32400	20200	8.5	L*24/36Z9	SL280UH110XV60C	202394124
16HPX-036-230	36000	16	13	34400	21000	8.5	L*24/36Z9	SLP99DF070XV36B	205760140
16HPX-036-230	36000	16	13	34400	21000	8.5	L*24/36Z9	SLP99DF090XV36C	205760171
16HPX-036-230	36000	16	13	34400	21000	8.5	L*24/36Z9	SLP99DF090XV48C	205760200
16HPX-036-230	36000	16	13	34400	21000	8.5	L*24/36Z9	SLP99DF090XV60C	205760230
16HPX-036-230	36000	16	13	34400	21200	8.5	L*24/36Z9	SLP99DF110XV60C	205760261
16HPX-036-230	35600	15	12.5	32400	21800	8.5	L*24/36Z9		202395069
16HPX-036-230	35000	15	12.2	32400	20800	8.2	L*24/42S9	EL196UH045XE36B	202393552
16HPX-036-230	35000	15	12.2	32400	21000	8.2	L*24/42S9	EL196UH070XE36B	202393575
16HPX-036-230	35000	15	12.5	32400	20200	8.5	L*24/42S9	EL196UH090XE48C	202393598
16HPX-036-230	35000	15	12.2	32400	20400	8.5	L*24/42S9	EL280UH070XE36A	203366291
16HPX-036-230	35800	15	12	32400	21400	8.5	L*24/42S9	EL296DF045XE36B	202393618
16HPX-036-230	35600	15	12.2	32400	21000	8.5	L*24/42S9	EL296DF070XE48B	202393632
16HPX-036-230	35600	15	12.2	32400	21200	8.5	L*24/42S9	EL296DF070XV48B	202393646
16HPX-036-230	35000	15	12.2	32400	20600	8.2	L*24/42S9	EL296UH045XE36B	202393663
16HPX-036-230	35000	15	12.2	32400	20800	8.2	L*24/42S9	EL296UH045XV36B	202393686
16HPX-036-230	35000	15	12.2	32400	20200	8.2	L*24/42S9	EL296UH070XE36B	202393709
16HPX-036-230	35000	15	12.2	32400	20400	8.2	L*24/42S9	EL296UH070XV36B	202393732
16HPX-036-230	35000	15	12.5	32400	20200	8.5	L*24/42S9	EL296UH090XE48C	202393755
16HPX-036-230	35000	15	12.5	32400	20200	8.5	L*24/42S9	EL296UH090XV36C	202393778
16HPX-036-230	35000	15	12.5	32400	20200	8.5	L*24/42S9	EL296UH090XV48C	202393801
16HPX-036-230	35400	15	12.5	32400	21400	8.2	L*24/42S9	EL296UH090XV60C	202393823
16HPX-036-230	35000	15	12.5	32400	20200	8.5	L*24/42S9	EL296UH110XV60C	202393846
16HPX-036-230	35600	16	12.5	32400	20800	8.5	L*24/42S9	ML180DF070E36B	202393866
16HPX-036-230	35000	15	12.5	32400	20000	8.2	L*24/42S9	ML180UH070E36B	202393883
16HPX-036-230	35000	15	12.5	32400	20600	8.5	L*24/42S9	ML180UH090E48B	202393906
16HPX-036-230	35000	15	12.5	31200	20200	8.5	L*24/42S9	ML296UH090XV48C	205416016
16HPX-036-230	35600	16	12.2	32400	21000	8.5	L*24/42S9	SL280DF090V48B	202393926
16HPX-036-230	35800	16	13	32400	21000	8.5	L*24/42S9	SL280DF090V60C	202393940
16HPX-036-230	35600	16	12.5	32400	21000	8.5	L*24/42S9	SL280DF110V60C	202393954

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-036-230	35000	15	12.5	32400	20000	8.2	L*24/42S9	SL280UH090V36B	202393971
16HPX-036-230	35000	15	12.5	32400	20200	8.2	L*24/42S9	SL280UH090V48B	202393994
16HPX-036-230	35200	15	12.5	32400	20400	8.5	L*24/42S9	SL280UH090V60C	202394017
16HPX-036-230	35000	15	12.5	32400	20200	8.2	L*24/42S9	SL280UH090XV48B	202394040
16HPX-036-230	35200	16	12.5	32400	21200	8.2	L*24/42S9	SL280UH090XV60C	202394062
16HPX-036-230	35000	15	12.5	32400	20400	8.5	L*24/42S9	SL280UH110V60C	202394085
16HPX-036-230	35000	15	12.5	32400	20400	8.5	L*24/42S9	SL280UH110XV60C	202394108
16HPX-036-230	35600	16	12.2	34400	21000	8.5	L*24/42S9	SLP99DF070XV36B	205760117
16HPX-036-230	35600	16	12.2	34400	21000	8.5	L*24/42S9	SLP99DF090XV36C	205760149
16HPX-036-230	35600	16	12.2	34400	21000	8.5	L*24/42S9	SLP99DF090XV48C	205760180
16HPX-036-230	35800	16	12.5	34400	21000	8.5	L*24/42S9	SLP99DF090XV60C	205760209
16HPX-036-230	35800	16	12.5	34400	21200	8.5	L*24/42S9	SLP99DF110XV60C	205760240
16HPX-036-230	35400	14.5	12	32400	21800	8.5	L*24/42S9		202395053
16HPX-036-230	36000	15	12.5	32400	20600	8.5	L*25/37Y9	EL196UH045XE36B	202393567
16HPX-036-230	36000	16	13	32400	20200	8.5	L*25/37Y9	EL196UH070XE36B	202393590
16HPX-036-230	36000	16	13	32400	20200	8.5	L*25/37Y9	EL196UH090XE48C	202393613
16HPX-036-230	36000	16	13	32400	20400	8.5	L*25/37Y9	EL280UH070XE36A	203366306
16HPX-036-230	36000	16	12.5	32400	21400	8.5	L*25/37Y9	EL296DF045XE36B	202393627
16HPX-036-230	36000	16	13	32400	21000	8.5	L*25/37Y9	EL296DF070XE48B	202393641
16HPX-036-230	36000	15	12.5	32400	21200	8.5	L*25/37Y9	EL296DF070XV48B	202393655
16HPX-036-230	36000	15	12.5	32400	20600	8.5	L*25/37Y9	EL296UH045XE36B	202393678
16HPX-036-230	36000	16	13	32400	20800	8.5	L*25/37Y9	EL296UH045XV36B	202393701
16HPX-036-230	36000	16	13	32400	20200	8.5	L*25/37Y9	EL296UH070XE36B	202393724
16HPX-036-230	36000	16	13	32400	20400	8.5	L*25/37Y9	EL296UH070XV36B	202393747
16HPX-036-230	36000	16	13	32400	20200	8.5	L*25/37Y9	EL296UH090XE48C	202393770
16HPX-036-230	36000	16	13	32400	20200	8.5	L*25/37Y9	EL296UH090XV36C	202393793
16HPX-036-230	36000	16	13	32400	20000	8.5	L*25/37Y9	EL296UH090XV48C	202393816
16HPX-036-230	36000	16	13	32400	20400	8.5	L*25/37Y9	EL296UH090XV60C	202393838
16HPX-036-230	36000	16	13	32400	20200	8.5	L*25/37Y9	EL296UH110XV60C	202393861
16HPX-036-230	36000	16	13	32400	20800	8.5	L*25/37Y9	ML180DF070E36B	202393875
16HPX-036-230	36000	16	13	32400	20000	8.5	L*25/37Y9	ML180UH070E36B	202393898
16HPX-036-230	36000	16	13	32400	20600	9	L*25/37Y9	ML180UH090E48B	202393921
16HPX-036-230	36000	16	13	31400	20000	8.5	L*25/37Y9	ML296UH090XV48C	205416025
16HPX-036-230	36000	16	13	32400	21000	8.5	L*25/37Y9	SL280DF090V48B	202393935
16HPX-036-230	36000	16	13	32400	21000	8.5	L*25/37Y9	SL280DF090V60C	202393949
16HPX-036-230	36000	16	13	32400	21000	8.5	L*25/37Y9	SL280DF110V60C	202393963
16HPX-036-230	36000	16	13	32400	20000	8.5	L*25/37Y9	SL280UH090V36B	202393986
16HPX-036-230	36000	16	13	32400	20200	8.5	L*25/37Y9	SL280UH090V48B	202394009
16HPX-036-230	36000	16	13	32400	20200	8.5	L*25/37Y9	SL280UH090V60C	202394032
16HPX-036-230	36000	16	13	32400	20200	8.5	L*25/37Y9	SL280UH090XV48B	202394055
16HPX-036-230	36000	16	13	32400	20200	8.5	L*25/37Y9	SL280UH090XV60C	202394077
16HPX-036-230	36000	16	13	32400	20200	8.5	L*25/37Y9	SL280UH110V60C	202394100
16HPX-036-230	36000	16	13	32400	20200	8.5	L*25/37Y9	SL280UH110XV60C	202394123
16HPX-036-230	36000	16	13	34400	21000	8.5	L*25/37Y9	SLP99DF070XV36B	205760138
16HPX-036-230	36000	16	13	34400	21000	8.5	L*25/37Y9	SLP99DF090XV36C	205760168
16HPX-036-230	36000	16	13	34400	21000	8.5	L*25/37Y9	SLP99DF090XV48C	205760198
16HPX-036-230	36000	16	13	34400	21000	8.5	L*25/37Y9	SLP99DF090XV60C	205760228
16HPX-036-230	36000	16	13	34400	21200	8.5	L*25/37Y9	SLP99DF110XV60C	205760259
16HPX-036-230	35600	15	12.5	32400	21800	8.5	L*25/37Y9		202395068
16HPX-036-230	36000	15	12.5	32400	20600	8.5	L*25/37Z9	EL196UH045XE36B	202393566
16HPX-036-230	36000	16	13	32400	20200	8.5	L*25/37Z9	EL196UH070XE36B	202393589
16HPX-036-230	36000	16	13	32400	20200	8.5	L*25/37Z9	EL196UH090XE48C	202393612
16HPX-036-230	36000	16	13	32400	20400	8.5	L*25/37Z9	EL280UH070XE36A	203366305
16HPX-036-230	36000	16	12.5	32400	21400	8.5	L*25/37Z9	EL296DF045XE36B	202393626

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-036-230	36000	16	13	32400	21000	8.5	L*25/37Z9	EL296DF070XE48B	202393640
16HPX-036-230	36000	15	12.5	32400	21200	8.5	L*25/37Z9	EL296DF070XV48B	202393654
16HPX-036-230	36000	15	12.5	32400	20800	8.5	L*25/37Z9	EL296UH045XE36B	202393677
16HPX-036-230	36000	16	13	32400	20800	8.5	L*25/37Z9	EL296UH045XV36B	202393700
16HPX-036-230	36000	16	13	32400	20200	8.5	L*25/37Z9	EL296UH070XE36B	202393723
16HPX-036-230	36000	16	13	32400	20600	8.5	L*25/37Z9	EL296UH070XV36B	202393746
16HPX-036-230	36000	16	13	32400	20200	8.5	L*25/37Z9	EL296UH090XE48C	202393769
16HPX-036-230	36000	16	13	32400	20200	8.5	L*25/37Z9	EL296UH090XV36C	202393792
16HPX-036-230	36000	16	13	32400	20200	8.5	L*25/37Z9	EL296UH090XV48C	202393815
16HPX-036-230	36000	16	13	32400	20400	8.5	L*25/37Z9	EL296UH090XV60C	202393837
16HPX-036-230	36000	16	13	32400	20400	8.5	L*25/37Z9	EL296UH110XV60C	202393860
16HPX-036-230	36000	16	13	32400	20800	8.5	L*25/37Z9	ML180DF070E36B	202393874
16HPX-036-230	36000	16	13	32400	20600	8.5	L*25/37Z9	ML180UH070E36B	202393897
16HPX-036-230	36000	16	13	32400	20600	9	L*25/37Z9	ML180UH090E48B	202393920
16HPX-036-230	36000	16	13	31400	20000	8.5	L*25/37Z9	ML296UH090XV48C	205416024
16HPX-036-230	36000	16	13	32400	21000	8.5	L*25/37Z9	SL280DF090V48B	202393934
16HPX-036-230	36000	16	13	32400	21000	8.5	L*25/37Z9	SL280DF090V60C	202393948
16HPX-036-230	36000	16	13	32400	21000	8.5	L*25/37Z9	SL280DF110V60C	202393962
16HPX-036-230	36000	16	13	32400	20400	8.5	L*25/37Z9	SL280UH090V36B	202393985
16HPX-036-230	36000	16	13	32400	20400	8.5	L*25/37Z9	SL280UH090V48B	202394008
16HPX-036-230	36000	16	13	32400	20400	8.5	L*25/37Z9	SL280UH090V60C	202394031
16HPX-036-230	36000	16	13	32400	20200	8.5	L*25/37Z9	SL280UH090XV48B	202394054
16HPX-036-230	36000	16	13	32400	20400	8.5	L*25/37Z9	SL280UH090XV60C	202394076
16HPX-036-230	36000	16	13	32400	20400	8.5	L*25/37Z9	SL280UH110V60C	202394099
16HPX-036-230	36000	16	13	32400	20400	8.5	L*25/37Z9	SL280UH110XV60C	202394122
16HPX-036-230	36000	16	13	34400	21000	8.5	L*25/37Z9	SLP99DF070XV36B	205760135
16HPX-036-230	36000	16	13	34400	21000	8.5	L*25/37Z9	SLP99DF090XV36C	205760167
16HPX-036-230	36000	16	13	34400	21000	8.5	L*25/37Z9	SLP99DF090XV48C	205760197
16HPX-036-230	36000	16	13	34400	21000	8.5	L*25/37Z9	SLP99DF090XV60C	205760225
16HPX-036-230	36000	16	13	34400	21200	8.5	L*25/37Z9	SLP99DF110XV60C	205760257
16HPX-036-230	35600	15	12.5	32400	21800	8.5	L*25/37Z9		202395067
16HPX-036-230	36000	15	12.5	32400	20800	8.5	L*29/36S9	EL196UH045XE36B	202393560
16HPX-036-230	36000	16	12.5	32400	20200	8.5	L*29/36S9	EL196UH070XE36B	202393583
16HPX-036-230	36000	16	13	32400	20200	8.5	L*29/36S9	EL196UH090XE48C	202393606
16HPX-036-230	36000	16	12.5	32400	20400	8.5	L*29/36S9	EL280UH070XE36A	203366299
16HPX-036-230	36000	15	12.2	32400	21400	8.5	L*29/36S9	EL296DF045XE36B	202393623
16HPX-036-230	36000	15	12.5	32400	21000	8.5	L*29/36S9	EL296DF070XE48B	202393637
16HPX-036-230	36000	15	12.5	32400	21200	8.5	L*29/36S9	EL296DF070XV48B	202393651
16HPX-036-230	36000	15	12.5	32400	20600	8.5	L*29/36S9	EL296UH045XE36B	202393671
16HPX-036-230	36000	16	12.5	32400	20800	8.5	L*29/36S9	EL296UH045XV36B	202393694
16HPX-036-230	36000	16	12.5	32400	20200	8.5	L*29/36S9	EL296UH070XE36B	202393717
16HPX-036-230	36000	16	12.5	32400	20400	8.5	L*29/36S9	EL296UH070XV36B	202393740
16HPX-036-230	36000	16	13	32400	20200	8.5	L*29/36S9	EL296UH090XE48C	202393763
16HPX-036-230	36000	16	13	32400	20200	8.5	L*29/36S9	EL296UH090XV36C	202393786
16HPX-036-230	36000	16	13	32400	20200	8.5	L*29/36S9	EL296UH090XV48C	202393809
16HPX-036-230	36000	16	13	32400	20400	8.5	L*29/36S9	EL296UH090XV60C	202393831
16HPX-036-230	36000	16	13	32400	20200	8.5	L*29/36S9	EL296UH110XV60C	202393854
16HPX-036-230	36000	16	13	32400	20800	8.5	L*29/36S9	ML180DF070E36B	202393871
16HPX-036-230	36000	16	13	32400	20000	8.5	L*29/36S9	ML180UH070E36B	202393891
16HPX-036-230	36000	16	13	32400	20600	9	L*29/36S9	ML180UH090E48B	202393914
16HPX-036-230	36000	16	13	31400	20000	8.5	L*29/36S9	ML296UH090XV48C	205416021
16HPX-036-230	36000	16	12.5	32400	21000	8.5	L*29/36S9	SL280DF090V48B	202393931
16HPX-036-230	36000	16	13	32400	21000	8.5	L*29/36S9	SL280DF090V60C	202393945
16HPX-036-230	36000	16	13	32400	21000	8.5	L*29/36S9	SL280DF110V60C	202393959

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-036-230	36000	16	13	32400	20000	8.5	L*29/36S9	SL280UH090V36B	202393979
16HPX-036-230	36000	16	13	32400	20200	8.5	L*29/36S9	SL280UH090V48B	202394002
16HPX-036-230	36000	16	13	32400	20400	8.5	L*29/36S9	SL280UH090V60C	202394025
16HPX-036-230	36000	16	13	32400	20200	8.5	L*29/36S9	SL280UH090XV48B	202394048
16HPX-036-230	36000	16	13	32400	20400	8.5	L*29/36S9	SL280UH090XV60C	202394070
16HPX-036-230	36000	16	13	32400	20400	8.5	L*29/36S9	SL280UH110V60C	202394093
16HPX-036-230	36000	16	13	32400	20400	8.5	L*29/36S9	SL280UH110XV60C	202394116
16HPX-036-230	36000	16	12.5	34400	21000	8.5	L*29/36S9	SLP99DF070XV36B	205760130
16HPX-036-230	36000	16	12.5	34400	21000	8.5	L*29/36S9	SLP99DF090XV36C	205760160
16HPX-036-230	36000	16	12.5	34400	21000	8.5	L*29/36S9	SLP99DF090XV48C	205760190
16HPX-036-230	36000	16	12.5	34400	21000	8.5	L*29/36S9	SLP99DF090XV60C	205760219
16HPX-036-230	36000	16	12.5	34400	21200	8.5	L*29/36S9	SLP99DF110XV60C	205760251
16HPX-036-230	35600	14.5	12.2	32400	21800	8.5	L*29/36S9		202395061
16HPX-036-230	36000	15	12.5	32400	20800	8.5	L*29/36U9	EL196UH045XE36B	202393558
16HPX-036-230	36000	16	12.5	32400	20200	8.5	L*29/36U9	EL196UH070XE36B	202393581
16HPX-036-230	36000	16	13	32400	20200	8.5	L*29/36U9	EL196UH090XE48C	202393604
16HPX-036-230	36000	16	12.5	32400	20400	8.5	L*29/36U9	EL280UH070XE36A	203366297
16HPX-036-230	36000	15	12.2	32400	21400	8.5	L*29/36U9	EL296DF045XE36B	202393621
16HPX-036-230	36000	15	12.5	32400	21000	8.5	L*29/36U9	EL296DF070XE48B	202393635
16HPX-036-230	36000	15	12.5	32400	21200	8.5	L*29/36U9	EL296DF070XV48B	202393649
16HPX-036-230	36000	15	12.5	32400	20800	8.5	L*29/36U9	EL296UH045XE36B	202393669
16HPX-036-230	36000	16	12.5	32400	20800	8.5	L*29/36U9	EL296UH045XV36B	202393692
16HPX-036-230	36000	16	12.5	32400	20200	8.5	L*29/36U9	EL296UH070XE36B	202393715
16HPX-036-230	36000	16	12.5	32400	20600	8.5	L*29/36U9	EL296UH070XV36B	202393738
16HPX-036-230	36000	16	13	32400	20200	8.5	L*29/36U9	EL296UH090XE48C	202393761
16HPX-036-230	36000	16	13	32400	20200	8.5	L*29/36U9	EL296UH090XV36C	202393784
16HPX-036-230	36000	16	13	32400	20200	8.5	L*29/36U9	EL296UH090XV48C	202393807
16HPX-036-230	36000	16	13	32400	20400	8.5	L*29/36U9	EL296UH090XV60C	202393829
16HPX-036-230	36000	16	13	32400	20400	8.5	L*29/36U9	EL296UH110XV60C	202393852
16HPX-036-230	36000	16	13	32400	20800	8.5	L*29/36U9	ML180DF070E36B	202393869
16HPX-036-230	36000	16	13	32400	20600	8.5	L*29/36U9	ML180UH070E36B	202393889
16HPX-036-230	36000	16	13	32400	20600	9	L*29/36U9	ML180UH090E48B	202393912
16HPX-036-230	36000	16	13	31200	20200	8.5	L*29/36U9	ML296UH090XV48C	205416019
16HPX-036-230	36000	16	12.5	32400	21000	8.5	L*29/36U9	SL280DF090V48B	202393929
16HPX-036-230	36000	16	13	32400	21000	8.5	L*29/36U9	SL280DF090V60C	202393943
16HPX-036-230	36000	16	13	32400	21000	8.5	L*29/36U9	SL280DF110V60C	202393957
16HPX-036-230	36000	16	13	32400	20400	8.5	L*29/36U9	SL280UH090V36B	202393977
16HPX-036-230	36000	16	13	32400	20400	8.5	L*29/36U9	SL280UH090V48B	202394000
16HPX-036-230	36000	16	13	32400	20400	8.5	L*29/36U9	SL280UH090V60C	202394023
16HPX-036-230	36000	16	13	32400	20200	8.5	L*29/36U9	SL280UH090XV48B	202394046
16HPX-036-230	36000	16	13	32400	20400	8.5	L*29/36U9	SL280UH090XV60C	202394068
16HPX-036-230	36000	16	13	32400	20400	8.5	L*29/36U9	SL280UH110V60C	202394091
16HPX-036-230	36000	16	13	32400	20400	8.5	L*29/36U9	SL280UH110XV60C	202394114
16HPX-036-230	36000	16	12.5	34400	21000	8.5	L*29/36U9	SLP99DF070XV36B	205760124
16HPX-036-230	36000	16	12.5	34400	21000	8.5	L*29/36U9	SLP99DF090XV36C	205760156
16HPX-036-230	36000	16	12.5	34400	21000	8.5	L*29/36U9	SLP99DF090XV48C	205760186
16HPX-036-230	36000	16	12.5	34400	21000	8.5	L*29/36U9	SLP99DF090XV60C	205760214
16HPX-036-230	36000	16	12.5	34400	21200	8.5	L*29/36U9	SLP99DF110XV60C	205760247
16HPX-036-230	35600	14.5	12.2	32400	21800	8.5	L*29/36U9		202395059
16HPX-036-230	35800	15	12.5	32400	20800	8.5	L*30/36S9	EL196UH045XE36B	202393557
16HPX-036-230	35800	16	12.5	32400	20200	8.5	L*30/36S9	EL196UH070XE36B	202393580
16HPX-036-230	35800	16	13	32400	20200	8.5	L*30/36S9	EL196UH090XE48C	202393603
16HPX-036-230	35800	16	12.5	32400	20400	8.5	L*30/36S9	EL280UH070XE36A	203366296
16HPX-036-230	36000	15	12.2	32400	21400	8.5	L*30/36S9	EL296DF045XE36B	202393620

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-036-230	36000	15	12.5	32400	21000	8.5	L*30/36S9	EL296DF070XE48B	202393634
16HPX-036-230	36000	15	12.5	32400	21200	8.5	L*30/36S9	EL296DF070XV48B	202393648
16HPX-036-230	35800	15	12.5	32400	20600	8.5	L*30/36S9	EL296UH045XE36B	202393668
16HPX-036-230	35800	16	12.5	32400	20800	8.5	L*30/36S9	EL296UH045XV36B	202393691
16HPX-036-230	35800	16	12.5	32400	20200	8.5	L*30/36S9	EL296UH070XE36B	202393714
16HPX-036-230	35800	16	12.5	32400	20400	8.5	L*30/36S9	EL296UH070XV36B	202393737
16HPX-036-230	35800	16	13	32400	20200	8.5	L*30/36S9	EL296UH090XE48C	202393760
16HPX-036-230	35800	16	13	32400	20200	8.5	L*30/36S9	EL296UH090XV36C	202393783
16HPX-036-230	35800	16	13	32400	20200	8.5	L*30/36S9	EL296UH090XV48C	202393806
16HPX-036-230	36000	16	13	32400	20400	8.5	L*30/36S9	EL296UH090XV60C	202393828
16HPX-036-230	35800	16	13	32400	20200	8.5	L*30/36S9	EL296UH110XV60C	202393851
16HPX-036-230	36000	16	13	32400	20800	8.5	L*30/36S9	ML180DF070E36B	202393868
16HPX-036-230	35800	16	13	32400	20000	8.5	L*30/36S9	ML180UH070E36B	202393888
16HPX-036-230	35800	16	13	32400	20600	9	L*30/36S9	ML180UH090E48B	202393911
16HPX-036-230	35800	16	13	31200	20200	8.5	L*30/36S9	ML296UH090XV48C	205416018
16HPX-036-230	36000	16	12.5	32400	21000	8.5	L*30/36S9	SL280DF090V48B	202393928
16HPX-036-230	36000	16	13	32400	21000	8.5	L*30/36S9	SL280DF090V60C	202393942
16HPX-036-230	36000	16	13	32400	21000	8.5	L*30/36S9	SL280DF110V60C	202393956
16HPX-036-230	35800	16	13	32400	20000	8.5	L*30/36S9	SL280UH090V36B	202393976
16HPX-036-230	35800	16	13	32400	20200	8.5	L*30/36S9	SL280UH090V48B	202393999
16HPX-036-230	35800	16	13	32400	20400	8.5	L*30/36S9	SL280UH090V60C	202394022
16HPX-036-230	35800	16	13	32400	20200	8.5	L*30/36S9	SL280UH090XV48B	202394045
16HPX-036-230	35800	16	13	32400	20400	8.5	L*30/36S9	SL280UH090XV60C	202394067
16HPX-036-230	35800	16	13	32400	20400	8.5	L*30/36S9	SL280UH110V60C	202394090
16HPX-036-230	35800	16	13	32400	20400	8.5	L*30/36S9	SL280UH110XV60C	202394113
16HPX-036-230	36000	16	12.5	34400	21000	8.5	L*30/36S9	SLP99DF070XV36B	205760122
16HPX-036-230	36000	16	12.5	34400	21000	8.5	L*30/36S9	SLP99DF090XV36C	205760154
16HPX-036-230	36000	16	12.5	34400	21000	8.5	L*30/36S9	SLP99DF090XV48C	205760184
16HPX-036-230	36000	16	12.5	34400	21000	8.5	L*30/36S9	SLP99DF090XV60C	205760212
16HPX-036-230	36000	16	12.5	34400	21200	8.5	L*30/36S9	SLP99DF110XV60C	205760245
16HPX-036-230	35600	14.5	12.2	32400	21800	8.5	L*30/36S9		202395058
16HPX-036-230	35800	15	12.5	32400	20800	8.5	L*30/36U9	EL196UH045XE36B	202393556
16HPX-036-230	35800	16	12.5	32400	20200	8.5	L*30/36U9	EL196UH070XE36B	202393579
16HPX-036-230	35800	16	13	32400	20200	8.5	L*30/36U9	EL196UH090XE48C	202393602
16HPX-036-230	35800	16	12.5	32400	20400	8.5	L*30/36U9	EL280UH070XE36A	203366295
16HPX-036-230	36000	15	12.2	32400	21400	8.5	L*30/36U9	EL296DF045XE36B	202393619
16HPX-036-230	36000	15	12.5	32400	21000	8.5	L*30/36U9	EL296DF070XE48B	202393633
16HPX-036-230	36000	15	12.5	32400	21200	8.5	L*30/36U9	EL296DF070XV48B	202393647
16HPX-036-230	35800	15	12.5	32400	20800	8.5	L*30/36U9	EL296UH045XE36B	202393667
16HPX-036-230	35800	16	12.5	32400	20800	8.5	L*30/36U9	EL296UH045XV36B	202393690
16HPX-036-230	35800	16	12.5	32400	20200	8.5	L*30/36U9	EL296UH070XE36B	202393713
16HPX-036-230	35800	16	12.5	32400	20600	8.5	L*30/36U9	EL296UH070XV36B	202393736
16HPX-036-230	35800	16	13	32400	20200	8.5	L*30/36U9	EL296UH090XE48C	202393759
16HPX-036-230	35800	16	13	32400	20200	8.5	L*30/36U9	EL296UH090XV36C	202393782
16HPX-036-230	35800	16	13	32400	20200	8.5	L*30/36U9	EL296UH090XV48C	202393805
16HPX-036-230	36000	16	13	32400	20400	8.5	L*30/36U9	EL296UH090XV60C	202393827
16HPX-036-230	35800	16	13	32400	20200	8.5	L*30/36U9	EL296UH110XV60C	202393850
16HPX-036-230	36000	16	13	32400	20800	8.5	L*30/36U9	ML180DF070E36B	202393867
16HPX-036-230	35800	16	13	32400	20600	8.5	L*30/36U9	ML180UH070E36B	202393887
16HPX-036-230	35800	16	13	32400	20600	9	L*30/36U9	ML180UH090E48B	202393910
16HPX-036-230	35800	16	13	31200	20200	8.5	L*30/36U9	ML296UH090XV48C	205416017
16HPX-036-230	36000	16	12.5	32400	21000	8.5	L*30/36U9	SL280DF090V48B	202393927
16HPX-036-230	36000	16	13	32400	21000	8.5	L*30/36U9	SL280DF090V60C	202393941
16HPX-036-230	36000	16	13	32400	21000	8.5	L*30/36U9	SL280DF110V60C	202393955

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-036-230	35800	16	13	32400	20400	8.5	L*30/36U9	SL280UH090V36B	202393975
16HPX-036-230	35800	16	13	32400	20400	8.5	L*30/36U9	SL280UH090V48B	202393998
16HPX-036-230	35800	16	13	32400	20200	8.5	L*30/36U9	SL280UH090V60C	202394021
16HPX-036-230	35800	16	13	32400	20200	8.5	L*30/36U9	SL280UH090XV48B	202394044
16HPX-036-230	35800	16	13	32400	20200	8.5	L*30/36U9	SL280UH090XV60C	202394066
16HPX-036-230	35800	16	13	32400	20200	8.5	L*30/36U9	SL280UH110V60C	202394089
16HPX-036-230	35800	16	13	32400	20200	8.5	L*30/36U9	SL280UH110XV60C	202394112
16HPX-036-230	36000	16	12.5	34400	21000	8.5	L*30/36U9	SLP99DF070XV36B	205760120
16HPX-036-230	36000	16	12.5	34400	21000	8.5	L*30/36U9	SLP99DF090XV36C	205760151
16HPX-036-230	36000	16	12.5	34400	21000	8.5	L*30/36U9	SLP99DF090XV48C	205760182
16HPX-036-230	36000	16	12.5	34400	21000	8.5	L*30/36U9	SLP99DF090XV60C	205760210
16HPX-036-230	36000	16	12.5	34400	21200	8.5	L*30/36U9	SLP99DF110XV60C	205760242
16HPX-036-230	35600	14.5	12.2	32400	21800	8.5	L*30/36U9		202395057
16HPX-036-230	36000	15	12.5	32400	20800	8.5	L*35/36S9	EL196UH045XE36B	202393561
16HPX-036-230	36000	16	12.5	32400	20200	8.5	L*35/36S9	EL196UH070XE36B	202393584
16HPX-036-230	36000	16	13	32400	20200	8.5	L*35/36S9	EL196UH090XE48C	202393607
16HPX-036-230	36000	16	12.5	32400	20400	8.5	L*35/36S9	EL280UH070XE36A	203366300
16HPX-036-230	36000	15	12.2	32400	21400	8.5	L*35/36S9	EL296DF045XE36B	202393624
16HPX-036-230	36000	15	12.5	32400	21000	8.5	L*35/36S9	EL296DF070XE48B	202393638
16HPX-036-230	36000	15	12.5	32400	21200	8.5	L*35/36S9	EL296DF070XV48B	202393652
16HPX-036-230	36000	15	12.5	32400	20600	8.5	L*35/36S9	EL296UH045XE36B	202393672
16HPX-036-230	36000	16	12.5	32400	20800	8.5	L*35/36S9	EL296UH045XV36B	202393695
16HPX-036-230	36000	16	12.5	32400	20200	8.5	L*35/36S9	EL296UH070XE36B	202393718
16HPX-036-230	36000	16	12.5	32400	20400	8.5	L*35/36S9	EL296UH070XV36B	202393741
16HPX-036-230	36000	16	13	32400	20200	8.5	L*35/36S9	EL296UH090XE48C	202393764
16HPX-036-230	36000	16	13	32400	20200	8.5	L*35/36S9	EL296UH090XV36C	202393787
16HPX-036-230	36000	16	13	32400	20200	8.5	L*35/36S9	EL296UH090XV48C	202393810
16HPX-036-230	36000	16	13	32400	20400	8.5	L*35/36S9	EL296UH090XV60C	202393832
16HPX-036-230	36000	16	13	32400	20200	8.5	L*35/36S9	EL296UH110XV60C	202393855
16HPX-036-230	36000	16	13	32400	20800	8.5	L*35/36S9	ML180DF070E36B	202393872
16HPX-036-230	36000	16	13	32400	20000	8.5	L*35/36S9	ML180UH070E36B	202393892
16HPX-036-230	36000	16	13	32400	20600	9	L*35/36S9	ML180UH090E48B	202393915
16HPX-036-230	36000	15	12.5	34400	21200	8.5	L*35/36S9	ML296DF070XV48B	204667992
16HPX-036-230	36000	16	12.5	31400	20600	8.5	L*35/36S9	ML296UH070XV36B	204668000
16HPX-036-230	36000	16	13	31400	20000	8.5	L*35/36S9	ML296UH090XV48C	205416022
16HPX-036-230	36000	16	12.5	32400	21000	8.5	L*35/36S9	SL280DF090V48B	202393932
16HPX-036-230	36000	16	13	32400	21000	8.5	L*35/36S9	SL280DF090V60C	202393946
16HPX-036-230	36000	16	13	32400	21000	8.5	L*35/36S9	SL280DF110V60C	202393960
16HPX-036-230	36000	16	13	32400	20000	8.5	L*35/36S9	SL280UH090V36B	202393980
16HPX-036-230	36000	16	13	32400	20200	8.5	L*35/36S9	SL280UH090V48B	202394003
16HPX-036-230	36000	16	13	32400	20400	8.5	L*35/36S9	SL280UH090V60C	202394026
16HPX-036-230	36000	16	13	32400	20200	8.5	L*35/36S9	SL280UH090XV48B	202394049
16HPX-036-230	36000	16	13	32400	20400	8.5	L*35/36S9	SL280UH090XV60C	202394071
16HPX-036-230	36000	16	13	32400	20400	8.5	L*35/36S9	SL280UH110V60C	202394094
16HPX-036-230	36000	16	13	32400	20400	8.5	L*35/36S9	SL280UH110XV60C	202394117
16HPX-036-230	36000	16	12.5	34400	21000	8.5	L*35/36S9	SLP99DF070XV36B	205760131
16HPX-036-230	36000	16	12.5	34400	21000	8.5	L*35/36S9	SLP99DF090XV36C	205760162
16HPX-036-230	36000	16	12.5	34400	21000	8.5	L*35/36S9	SLP99DF090XV48C	205760193
16HPX-036-230	36000	16	12.5	34400	21000	8.5	L*35/36S9	SLP99DF090XV60C	205760221
16HPX-036-230	36000	16	12.5	34400	21200	8.5	L*35/36S9	SLP99DF110XV60C	205760253
16HPX-036-230	35600	14.5	12.2	32400	21800	8.5	L*35/36S9		202395062
16HPX-036-230	36000	15	12.5	32400	20800	8.5	L*35/36U9	EL196UH045XE36B	202393559
16HPX-036-230	36000	16	12.5	32400	20200	8.5	L*35/36U9	EL196UH070XE36B	202393582
16HPX-036-230	36000	16	13	32400	20200	8.5	L*35/36U9	EL196UH090XE48C	202393605

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-036-230	36000	16	12.5	32400	20400	8.5	L*35/36U9	EL280UH070XE36A	203366298
16HPX-036-230	36000	15	12.2	32400	21400	8.5	L*35/36U9	EL296DF045XE36B	202393622
16HPX-036-230	36000	15	12.5	32400	21000	8.5	L*35/36U9	EL296DF070XE48B	202393636
16HPX-036-230	36000	15	12.5	32400	21200	8.5	L*35/36U9	EL296DF070XV48B	202393650
16HPX-036-230	36000	15	12.5	32400	20800	8.5	L*35/36U9	EL296UH045XE36B	202393670
16HPX-036-230	36000	16	12.5	32400	20800	8.5	L*35/36U9	EL296UH045XV36B	202393693
16HPX-036-230	36000	16	12.5	32400	20200	8.5	L*35/36U9	EL296UH070XE36B	202393716
16HPX-036-230	36000	16	12.5	32400	20600	8.5	L*35/36U9	EL296UH070XV36B	202393739
16HPX-036-230	36000	16	13	32400	20200	8.5	L*35/36U9	EL296UH090XE48C	202393762
16HPX-036-230	36000	16	13	32400	20200	8.5	L*35/36U9	EL296UH090XV36C	202393785
16HPX-036-230	36000	16	13	32400	20200	8.5	L*35/36U9	EL296UH090XV48C	202393808
16HPX-036-230	36000	16	13	32400	20400	8.5	L*35/36U9	EL296UH090XV60C	202393830
16HPX-036-230	36000	16	13	32400	20400	8.5	L*35/36U9	EL296UH110XV60C	202393853
16HPX-036-230	36000	16	13	32400	20800	8.5	L*35/36U9	ML180DF070E36B	202393870
16HPX-036-230	36000	16	13	32400	20600	8.5	L*35/36U9	ML180UH070E36B	202393890
16HPX-036-230	36000	16	13	32400	20600	9	L*35/36U9	ML180UH090E48B	202393913
16HPX-036-230	36000	15	12.5	34400	21200	8.5	L*35/36U9	ML296DF070XV48B	204667991
16HPX-036-230	36000	16	12.5	31600	20400	8.5	L*35/36U9	ML296UH070XV36B	204667999
16HPX-036-230	36000	16	13	31200	20200	8.5	L*35/36U9	ML296UH090XV48C	205416020
16HPX-036-230	36000	16	12.5	32400	21000	8.5	L*35/36U9	SL280DF090V48B	202393930
16HPX-036-230	36000	16	13	32400	21000	8.5	L*35/36U9	SL280DF090V60C	202393944
16HPX-036-230	36000	16	13	32400	21000	8.5	L*35/36U9	SL280DF110V60C	202393958
16HPX-036-230	36000	16	13	32400	20400	8.5	L*35/36U9	SL280UH090V36B	202393978
16HPX-036-230	36000	16	13	32400	20400	8.5	L*35/36U9	SL280UH090V48B	202394001
16HPX-036-230	36000	16	13	32400	20400	8.5	L*35/36U9	SL280UH090V60C	202394024
16HPX-036-230	36000	16	13	32400	20200	8.5	L*35/36U9	SL280UH090XV48B	202394047
16HPX-036-230	36000	16	13	32400	20400	8.5	L*35/36U9	SL280UH090XV60C	202394069
16HPX-036-230	36000	16	13	32400	20400	8.5	L*35/36U9	SL280UH110V60C	202394092
16HPX-036-230	36000	16	13	32400	20400	8.5	L*35/36U9	SL280UH110XV60C	202394115
16HPX-036-230	36000	16	12.5	34400	21000	8.5	L*35/36U9	SLP99DF070XV36B	205760127
16HPX-036-230	36000	16	12.5	34400	21000	8.5	L*35/36U9	SLP99DF090XV36C	205760158
16HPX-036-230	36000	16	12.5	34400	21000	8.5	L*35/36U9	SLP99DF090XV48C	205760188
16HPX-036-230	36000	16	12.5	34400	21000	8.5	L*35/36U9	SLP99DF090XV60C	205760217
16HPX-036-230	36000	16	12.5	34400	21200	8.5	L*35/36U9	SLP99DF110XV60C	205760249
16HPX-036-230	35600	14.5	12.2	32400	21800	8.5	L*35/36U9		202395060
16HPX-036-230	35600	14.5	12	33200	21800	8.5	LD24/35Z9		204756332
16HPX-036-230	36000	14.5	12.2	31600	21000	8.5	LD31/36Z9		204756334
16HPX-036-230	35600	15	12.2	32400	20800	8.5	LH18/37D9	EL196UH045XE36B	202393563
16HPX-036-230	35600	16	12.2	32400	20200	8.5	LH18/37D9	EL196UH070XE36B	202393586
16HPX-036-230	35600	16	12.5	32400	20200	8.5	LH18/37D9	EL196UH090XE48C	202393609
16HPX-036-230	35600	16	12.2	32400	20400	8.5	LH18/37D9	EL280UH070XE36A	203366302
16HPX-036-230	35600	15	12.2	32400	20800	8.5	LH18/37D9	EL296UH045XE36B	202393674
16HPX-036-230	35600	16	12.2	32400	20800	8.5	LH18/37D9	EL296UH045XV36B	202393697
16HPX-036-230	35600	16	12.2	32400	20200	8.5	LH18/37D9	EL296UH070XE36B	202393720
16HPX-036-230	35600	16	12.2	32400	20600	8.5	LH18/37D9	EL296UH070XV36B	202393743
16HPX-036-230	35600	16	12.5	32400	20200	8.5	LH18/37D9	EL296UH090XE48C	202393766
16HPX-036-230	35600	16	12.5	32400	20200	8.5	LH18/37D9	EL296UH090XV36C	202393789
16HPX-036-230	35600	16	12.5	32400	20000	8.5	LH18/37D9	EL296UH090XV48C	202393812
16HPX-036-230	35800	16	13	32400	21400	8.2	LH18/37D9	EL296UH090XV60C	202393834
16HPX-036-230	35800	16	13	32400	21200	8.2	LH18/37D9	EL296UH110XV60C	202393857
16HPX-036-230	35600	16	12.5	32400	20600	8.5	LH18/37D9	ML180UH070E36B	202393894
16HPX-036-230	35600	16	12.5	32400	20600	9	LH18/37D9	ML180UH090E48B	202393917
16HPX-036-230	35600	16	12.5	32400	20400	8.5	LH18/37D9	SL280UH090V36B	202393982
16HPX-036-230	35600	16	12.5	32400	20400	8.5	LH18/37D9	SL280UH090V48B	202394005

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-036-230	35800	16	13	32400	21200	8.2	LH18/37D9	SL280UH090V60C	202394028
16HPX-036-230	35600	16	12.5	32400	20200	8.5	LH18/37D9	SL280UH090XV48B	202394051
16HPX-036-230	35800	16	13	32400	21200	8.2	LH18/37D9	SL280UH090XV60C	202394073
16HPX-036-230	35600	16	12.5	32400	20200	8.5	LH18/37D9	SL280UH110V60C	202394096
16HPX-036-230	35600	16	12.5	32400	20200	8.5	LH18/37D9	SL280UH110XV60C	202394119
16HPX-036-230	35600	14.5	12	32400	21800	8.5	LH18/37D9		202395064
16HPX-036-230	35600	15	12.2	32400	20800	8.5	LH18/37R9	EL196UH045XE36B	202393562
16HPX-036-230	35600	16	12.2	32400	20200	8.5	LH18/37R9	EL196UH070XE36B	202393585
16HPX-036-230	35600	16	12.5	32400	20200	8.5	LH18/37R9	EL196UH090XE48C	202393608
16HPX-036-230	35600	16	12.2	32400	20400	8.5	LH18/37R9	EL280UH070XE36A	203366301
16HPX-036-230	35600	15	12.2	32400	20600	8.5	LH18/37R9	EL296UH045XE36B	202393673
16HPX-036-230	35600	16	12.2	32400	20800	8.5	LH18/37R9	EL296UH045XV36B	202393696
16HPX-036-230	35600	16	12.2	32400	20200	8.5	LH18/37R9	EL296UH070XE36B	202393719
16HPX-036-230	35600	16	12.2	32400	20400	8.5	LH18/37R9	EL296UH070XV36B	202393742
16HPX-036-230	35600	16	12.5	32400	20200	8.5	LH18/37R9	EL296UH090XE48C	202393765
16HPX-036-230	35600	16	12.5	32400	20200	8.5	LH18/37R9	EL296UH090XV36C	202393788
16HPX-036-230	35600	16	12.5	32400	20000	8.5	LH18/37R9	EL296UH090XV48C	202393811
16HPX-036-230	35800	16	13	32400	21400	8.2	LH18/37R9	EL296UH090XV60C	202393833
16HPX-036-230	35800	16	13	32400	21200	8.2	LH18/37R9	EL296UH110XV60C	202393856
16HPX-036-230	35600	16	12.5	32400	20000	8.5	LH18/37R9	ML180UH070E36B	202393893
16HPX-036-230	35600	16	12.5	32400	20600	9	LH18/37R9	ML180UH090E48B	202393916
16HPX-036-230	35600	16	12.5	32400	20000	8.5	LH18/37R9	SL280UH090V36B	202393981
16HPX-036-230	35600	16	12.5	32400	20200	8.5	LH18/37R9	SL280UH090V48B	202394004
16HPX-036-230	35800	16	13	32400	21200	8.2	LH18/37R9	SL280UH090V60C	202394027
16HPX-036-230	35600	16	12.5	32400	20200	8.5	LH18/37R9	SL280UH090XV48B	202394050
16HPX-036-230	35800	16	13	32400	21200	8.2	LH18/37R9	SL280UH090XV60C	202394072
16HPX-036-230	35600	16	12.5	32400	20200	8.5	LH18/37R9	SL280UH110V60C	202394095
16HPX-036-230	35600	16	12.5	32400	20200	8.5	LH18/37R9	SL280UH110XV60C	202394118
16HPX-036-230	35600	14.5	12	32400	21800	8.5	LH18/37R9		202395063
16HPX-036-230	36000	16	13	32400	20800	8.5	LH23/37W9	EL196UH045XE36B	202393564
16HPX-036-230	36000	16	13	32400	21000	8.5	LH23/37W9	EL196UH070XE36B	202393587
16HPX-036-230	36000	16	13	32400	20200	8.5	LH23/37W9	EL196UH090XE48C	202393610
16HPX-036-230	36000	16	13	32400	20400	8.5	LH23/37W9	EL280UH070XE36A	203366303
16HPX-036-230	36000	16	13	32400	20800	8.5	LH23/37W9	EL296UH045XE36B	202393675
16HPX-036-230	36000	16	13	32400	20800	8.5	LH23/37W9	EL296UH045XV36B	202393698
16HPX-036-230	36000	16	13	32400	20800	8.5	LH23/37W9	EL296UH070XE36B	202393721
16HPX-036-230	36000	16	13	32400	20600	8.5	LH23/37W9	EL296UH070XV36B	202393744
16HPX-036-230	36000	16	13	32400	20200	8.5	LH23/37W9	EL296UH090XE48C	202393767
16HPX-036-230	36000	16	13	32400	20200	8.5	LH23/37W9	EL296UH090XV36C	202393790
16HPX-036-230	36000	16	13	32400	20000	8.5	LH23/37W9	EL296UH090XV48C	202393813
16HPX-036-230	36000	16	13	32400	20400	8.5	LH23/37W9	EL296UH090XV60C	202393835
16HPX-036-230	36000	16	13	32400	20200	8.5	LH23/37W9	EL296UH110XV60C	202393858
16HPX-036-230	36000	16	13	32400	20600	8.5	LH23/37W9	ML180UH070E36B	202393895
16HPX-036-230	35800	16	13	32200	19800	8.5	LH23/37W9	ML180UH070V36B	204741500
16HPX-036-230	36000	16	13	32400	20600	9	LH23/37W9	ML180UH090E48B	202393918
16HPX-036-230	36000	16	13	32400	20800	8.5	LH23/37W9	ML296UH045XV36B	204603099
16HPX-036-230	36000	16	13	32400	20400	8.5	LH23/37W9	ML296UH070XV36B	204603102
16HPX-036-230	36000	16	13	32400	20400	8.5	LH23/37W9	SL280UH090V36B	202393983
16HPX-036-230	36000	16	13	32400	20400	8.5	LH23/37W9	SL280UH090V48B	202394006
16HPX-036-230	36000	16	13	32400	20200	8.5	LH23/37W9	SL280UH090V60C	202394029
16HPX-036-230	36000	16	13	32400	20200	8.5	LH23/37W9	SL280UH090XV48B	202394052
16HPX-036-230	36000	16	13	32400	20200	8.5	LH23/37W9	SL280UH090XV60C	202394074
16HPX-036-230	36000	16	13	32400	20200	8.5	LH23/37W9	SL280UH110V60C	202394097
16HPX-036-230	36000	16	13	32400	20200	8.5	LH23/37W9	SL280UH110XV60C	202394120

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-036-230	36000	15	12.5	32400	21000	8.5	LH23/37W9		202395065
16HPX-036-230	35000	15	12.2	32400	20800	8.2	LH29/36F9	EL196UH045XE36B	202393548
16HPX-036-230	35000	15	12.2	32400	20200	8.2	LH29/36F9	EL196UH070XE36B	202393571
16HPX-036-230	35000	15	12.5	32400	20200	8.5	LH29/36F9	EL196UH090XE48C	202393594
16HPX-036-230	35000	15	12.2	32400	20400	8.5	LH29/36F9	EL280UH070XE36A	203366287
16HPX-036-230	35000	15	12.2	32400	20800	8.2	LH29/36F9	EL296UH045XE36B	202393659
16HPX-036-230	35000	15	12.2	32400	20800	8.2	LH29/36F9	EL296UH045XV36B	202393682
16HPX-036-230	35000	15	12.2	32400	20800	8.2	LH29/36F9	EL296UH070XE36B	202393705
16HPX-036-230	35000	15	12.2	32400	20600	8.2	LH29/36F9	EL296UH070XV36B	202393728
16HPX-036-230	35000	15	12.5	32400	20200	8.5	LH29/36F9	EL296UH090XE48C	202393751
16HPX-036-230	35000	15	12.5	32400	20200	8.5	LH29/36F9	EL296UH090XV36C	202393774
16HPX-036-230	35000	15	12.5	32400	20200	8.5	LH29/36F9	EL296UH090XV48C	202393797
16HPX-036-230	35400	15	12.5	32400	21400	8.2	LH29/36F9	EL296UH090XV60C	202393819
16HPX-036-230	35000	15	12.5	32400	20200	8.5	LH29/36F9	EL296UH110XV60C	202393842
16HPX-036-230	35000	15	12.5	32400	20600	8.2	LH29/36F9	ML180UH070E36B	202393879
16HPX-036-230	35000	15	12.5	32400	20600	8.5	LH29/36F9	ML180UH090E48B	202393902
16HPX-036-230	35000	15	12.2	31200	20600	8.2	LH29/36F9	ML296UH070XV36B	204667995
16HPX-036-230	35000	15	12.5	32400	20400	8.2	LH29/36F9	SL280UH090V36B	202393967
16HPX-036-230	35000	15	12.5	32400	20400	8.2	LH29/36F9	SL280UH090V48B	202393990
16HPX-036-230	35200	15	12.5	32400	20400	8.5	LH29/36F9	SL280UH090V60C	202394013
16HPX-036-230	35000	15	12.5	32400	20200	8.2	LH29/36F9	SL280UH090XV48B	202394036
16HPX-036-230	35200	16	12.5	32400	21200	8.2	LH29/36F9	SL280UH090XV60C	202394058
16HPX-036-230	35000	15	12.5	32400	20400	8.5	LH29/36F9	SL280UH110V60C	202394081
16HPX-036-230	35000	15	12.5	32400	20400	8.5	LH29/36F9	SL280UH110XV60C	202394104
16HPX-036-230	35400	14.5	12	32400	21800	8.5	LH29/36F9		202395049
16HPX-036-230	35600	15	12.2	32400	20800	8.5	LH35/36F9	EL196UH045XE36B	202393550
16HPX-036-230	35600	16	12.2	32400	20200	8.5	LH35/36F9	EL196UH070XE36B	202393573
16HPX-036-230	35600	16	12.5	32400	20200	8.5	LH35/36F9	EL196UH090XE48C	202393596
16HPX-036-230	35600	16	12.2	32400	20400	8.5	LH35/36F9	EL280UH070XE36A	203366289
16HPX-036-230	35600	15	12.2	32400	20600	8.5	LH35/36F9	EL296UH045XE36B	202393661
16HPX-036-230	35600	16	12.2	32400	20800	8.5	LH35/36F9	EL296UH045XV36B	202393684
16HPX-036-230	35600	16	12.2	32400	20200	8.5	LH35/36F9	EL296UH070XE36B	202393707
16HPX-036-230	35600	16	12.2	32400	20400	8.5	LH35/36F9	EL296UH070XV36B	202393730
16HPX-036-230	35600	16	12.5	32400	20200	8.5	LH35/36F9	EL296UH090XE48C	202393753
16HPX-036-230	35600	16	12.5	32400	20200	8.5	LH35/36F9	EL296UH090XV36C	202393776
16HPX-036-230	35600	16	12.5	32400	20200	8.5	LH35/36F9	EL296UH090XV48C	202393799
16HPX-036-230	35800	16	13	32400	20400	8.5	LH35/36F9	EL296UH090XV60C	202393821
16HPX-036-230	35800	16	13	32400	21200	8.2	LH35/36F9	EL296UH110XV60C	202393844
16HPX-036-230	35600	16	12.5	32400	20000	8.5	LH35/36F9	ML180UH070E36B	202393881
16HPX-036-230	35600	16	12.5	32400	20600	9	LH35/36F9	ML180UH090E48B	202393904
16HPX-036-230	35600	16	12.2	31600	20400	8.5	LH35/36F9	ML296UH070XV36B	204667996
16HPX-036-230	35600	16	12.5	32400	20000	8.5	LH35/36F9	SL280UH090V36B	202393969
16HPX-036-230	35600	16	12.5	32400	20200	8.5	LH35/36F9	SL280UH090V48B	202393992
16HPX-036-230	35800	16	13	32400	20400	8.5	LH35/36F9	SL280UH090V60C	202394015
16HPX-036-230	35600	16	12.5	32400	20200	8.5	LH35/36F9	SL280UH090XV48B	202394038
16HPX-036-230	35800	16	13	32400	20400	8.5	LH35/36F9	SL280UH090XV60C	202394060
16HPX-036-230	35600	16	12.5	32400	20400	8.5	LH35/36F9	SL280UH110V60C	202394083
16HPX-036-230	35600	16	12.5	32400	20400	8.5	LH35/36F9	SL280UH110XV60C	202394106
16HPX-036-230	35600	14.5	12.2	32400	21800	8.5	LH35/36F9		202395051
16HPX-036-230	35600	15	12.2	32400	20800	8.5	LH35/36X9	EL196UH045XE36B	202393549
16HPX-036-230	35600	16	12.2	32400	20200	8.5	LH35/36X9	EL196UH070XE36B	202393572
16HPX-036-230	35600	16	12.5	32400	20200	8.5	LH35/36X9	EL196UH090XE48C	202393595
16HPX-036-230	35600	16	12.2	32400	20400	8.5	LH35/36X9	EL280UH070XE36A	203366288
16HPX-036-230	35600	15	12.2	32400	20600	8.5	LH35/36X9	EL296UH045XE36B	202393660

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-036-230	35600	16	12.2	32400	20800	8.5	LH35/36X9	EL296UH045XV36B	202393683
16HPX-036-230	35600	16	12.2	32400	20200	8.5	LH35/36X9	EL296UH070XE36B	202393706
16HPX-036-230	35600	16	12.2	32400	20400	8.5	LH35/36X9	EL296UH070XV36B	202393729
16HPX-036-230	35600	16	12.5	32400	20200	8.5	LH35/36X9	EL296UH090XE48C	202393752
16HPX-036-230	35600	16	12.5	32400	20200	8.5	LH35/36X9	EL296UH090XV36C	202393775
16HPX-036-230	35600	16	12.5	32400	20200	8.5	LH35/36X9	EL296UH090XV48C	202393798
16HPX-036-230	35800	16	13	32400	20400	8.5	LH35/36X9	EL296UH090XV60C	202393820
16HPX-036-230	35800	16	13	32400	21200	8.2	LH35/36X9	EL296UH110XV60C	202393843
16HPX-036-230	35600	16	12.5	32400	20000	8.5	LH35/36X9	ML180UH070E36B	202393880
16HPX-036-230	35600	16	12.5	32400	20600	9	LH35/36X9	ML180UH090E48B	202393903
16HPX-036-230	35600	16	12.2	32400	20800	8.5	LH35/36X9	ML296UH045XV36B	204603097
16HPX-036-230	35600	16	12.2	32400	20600	8.5	LH35/36X9	ML296UH070XV36B	204603100
16HPX-036-230	35600	16	12.5	32400	20000	8.5	LH35/36X9	SL280UH090V36B	202393968
16HPX-036-230	35600	16	12.5	32400	20200	8.5	LH35/36X9	SL280UH090V48B	202393991
16HPX-036-230	35800	16	13	32400	20400	8.5	LH35/36X9	SL280UH090V60C	202394014
16HPX-036-230	35600	16	12.5	32400	20200	8.5	LH35/36X9	SL280UH090XV48B	202394037
16HPX-036-230	35800	16	13	32400	20400	8.5	LH35/36X9	SL280UH090XV60C	202394059
16HPX-036-230	35600	16	12.5	32400	20400	8.5	LH35/36X9	SL280UH110V60C	202394082
16HPX-036-230	35600	16	12.5	32400	20400	8.5	LH35/36X9	SL280UH110XV60C	202394105
16HPX-036-230	35600	14.5	12.2	32400	21800	8.5	LH35/36X9		202395050
16HPX-036-230	36000	15	12.5	32400	20800	8.5	LH35/37D9	EL196UH045XE36B	202393553
16HPX-036-230	35800	16	12.5	32400	20200	8.5	LH35/37D9	EL196UH070XE36B	202393576
16HPX-036-230	36000	16	13	32400	20200	8.5	LH35/37D9	EL196UH090XE48C	202393599
16HPX-036-230	36000	16	12.5	32400	20400	8.5	LH35/37D9	EL280UH070XE36A	203366292
16HPX-036-230	36000	15	12.5	32400	20600	8.5	LH35/37D9	EL296UH045XE36B	202393664
16HPX-036-230	36000	16	12.5	32400	20800	8.5	LH35/37D9	EL296UH045XV36B	202393687
16HPX-036-230	35800	16	12.5	32400	20200	8.5	LH35/37D9	EL296UH070XE36B	202393710
16HPX-036-230	36000	16	12.5	32400	20400	8.5	LH35/37D9	EL296UH070XV36B	202393733
16HPX-036-230	36000	16	13	32400	20200	8.5	LH35/37D9	EL296UH090XE48C	202393756
16HPX-036-230	36000	16	13	32400	20200	8.5	LH35/37D9	EL296UH090XV36C	202393779
16HPX-036-230	35800	16	13	32400	20000	8.5	LH35/37D9	EL296UH090XV48C	202393802
16HPX-036-230	36000	16	13	32400	20400	8.5	LH35/37D9	EL296UH090XV60C	202393824
16HPX-036-230	36000	16	13	32400	20200	8.5	LH35/37D9	EL296UH110XV60C	202393847
16HPX-036-230	36000	16	13	32400	20600	8.5	LH35/37D9	ML180UH070E36B	202393884
16HPX-036-230	36000	16	13	32400	20600	9	LH35/37D9	ML180UH090E48B	202393907
16HPX-036-230	35800	16	13	32400	20000	8.5	LH35/37D9	SL280UH090V36B	202393972
16HPX-036-230	36000	16	13	32400	20200	8.5	LH35/37D9	SL280UH090V48B	202393995
16HPX-036-230	36000	16	13	32400	20200	8.5	LH35/37D9	SL280UH090V60C	202394018
16HPX-036-230	36000	16	13	32400	20200	8.5	LH35/37D9	SL280UH090XV48B	202394041
16HPX-036-230	36000	16	13	32400	20200	8.5	LH35/37D9	SL280UH090XV60C	202394063
16HPX-036-230	36000	16	13	32400	20200	8.5	LH35/37D9	SL280UH110V60C	202394086
16HPX-036-230	36000	16	13	32400	20200	8.5	LH35/37D9	SL280UH110XV60C	202394109
16HPX-036-230	35600	14.5	12.2	32400	21800	8.5	LH35/37D9		202395054
16HPX-036-230	36000	15	12.5	32400	20600	8.5	LH35/38F9	EL196UH045XE36B	202393555
16HPX-036-230	36000	16	12.5	32400	20200	8.5	LH35/38F9	EL196UH070XE36B	202393578
16HPX-036-230	36000	16	13	32400	20200	8.5	LH35/38F9	EL196UH090XE48C	202393601
16HPX-036-230	36000	16	12.5	32400	20400	8.5	LH35/38F9	EL280UH070XE36A	203366294
16HPX-036-230	36000	15	12.5	32400	20600	8.5	LH35/38F9	EL296UH045XE36B	202393666
16HPX-036-230	36000	16	12.5	32400	20800	8.5	LH35/38F9	EL296UH045XV36B	202393689
16HPX-036-230	36000	16	12.5	32400	20200	8.5	LH35/38F9	EL296UH070XE36B	202393712
16HPX-036-230	36000	16	12.5	32400	20400	8.5	LH35/38F9	EL296UH070XV36B	202393735
16HPX-036-230	36000	16	13	32400	20200	8.5	LH35/38F9	EL296UH090XE48C	202393758
16HPX-036-230	36000	16	13	32400	20200	8.5	LH35/38F9	EL296UH090XV36C	202393781
16HPX-036-230	36000	16	13	32400	20200	8.5	LH35/38F9	EL296UH090XV48C	202393804

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-036-230	36000	16	13	32400	20400	8.5	LH35/38F9	EL296UH090XV60C	202393826
16HPX-036-230	36000	16	13	32400	20200	8.5	LH35/38F9	EL296UH110XV60C	202393849
16HPX-036-230	36000	16	13	32400	20000	8.5	LH35/38F9	ML180UH070E36B	202393886
16HPX-036-230	36000	16	13	32400	20600	9	LH35/38F9	ML180UH090E48B	202393909
16HPX-036-230	36000	16	12.5	31400	20600	8.5	LH35/38F9	ML296UH070XV36B	204667998
16HPX-036-230	36000	16	13	32400	20000	8.5	LH35/38F9	SL280UH090V36B	202393974
16HPX-036-230	36000	16	13	32400	20200	8.5	LH35/38F9	SL280UH090V48B	202393997
16HPX-036-230	36000	16	13	32400	20200	8.5	LH35/38F9	SL280UH090V60C	202394020
16HPX-036-230	36000	16	13	32400	20400	8.5	LH35/38F9	SL280UH090XV48B	202394043
16HPX-036-230	36000	16	13	32400	20200	8.5	LH35/38F9	SL280UH090XV60C	202394065
16HPX-036-230	36000	16	13	32400	20200	8.5	LH35/38F9	SL280UH110V60C	202394088
16HPX-036-230	36000	16	13	32400	20200	8.5	LH35/38F9	SL280UH110XV60C	202394111
16HPX-036-230	36000	14.5	12.2	32400	21000	8.5	LH35/38F9		202395056
16HPX-036-230	36000	15	12.5	32400	20600	8.5	LH35/38X9	EL196UH045XE36B	202393554
16HPX-036-230	36000	16	12.5	32400	20200	8.5	LH35/38X9	EL196UH070XE36B	202393577
16HPX-036-230	36000	16	13	32400	20200	8.5	LH35/38X9	EL196UH090XE48C	202393600
16HPX-036-230	36000	16	12.5	32400	20400	8.5	LH35/38X9	EL280UH070XE36A	203366293
16HPX-036-230	36000	15	12.5	32400	20800	8.5	LH35/38X9	EL296UH045XE36B	202393665
16HPX-036-230	36000	16	12.5	32400	20800	8.5	LH35/38X9	EL296UH045XV36B	202393688
16HPX-036-230	36000	16	12.5	32400	20200	8.5	LH35/38X9	EL296UH070XE36B	202393711
16HPX-036-230	36000	16	12.5	32400	20600	8.5	LH35/38X9	EL296UH070XV36B	202393734
16HPX-036-230	36000	16	13	32400	20200	8.5	LH35/38X9	EL296UH090XE48C	202393757
16HPX-036-230	36000	16	13	32400	20200	8.5	LH35/38X9	EL296UH090XV36C	202393780
16HPX-036-230	36000	16	13	32400	20000	8.5	LH35/38X9	EL296UH090XV48C	202393803
16HPX-036-230	36000	16	13	32400	20400	8.5	LH35/38X9	EL296UH090XV60C	202393825
16HPX-036-230	36000	16	13	32400	20400	8.5	LH35/38X9	EL296UH110XV60C	202393848
16HPX-036-230	36000	16	13	32400	20600	8.5	LH35/38X9	ML180UH070E36B	202393885
16HPX-036-230	36000	16	13	32400	20600	9	LH35/38X9	ML180UH090E48B	202393908
16HPX-036-230	36000	16	12.5	32400	20800	8.5	LH35/38X9	ML296UH045XV36B	204603098
16HPX-036-230	36000	16	12.5	32400	20400	8.5	LH35/38X9	ML296UH070XV36B	204603101
16HPX-036-230	36000	16	13	32400	20400	8.5	LH35/38X9	SL280UH090V36B	202393973
16HPX-036-230	36000	16	13	32400	20400	8.5	LH35/38X9	SL280UH090V48B	202393996
16HPX-036-230	36000	16	13	32400	20200	8.5	LH35/38X9	SL280UH090V60C	202394019
16HPX-036-230	36000	16	13	32400	20200	8.5	LH35/38X9	SL280UH090XV48B	202394042
16HPX-036-230	36000	16	13	32400	20200	8.5	LH35/38X9	SL280UH090XV60C	202394064
16HPX-036-230	36000	16	13	32400	20200	8.5	LH35/38X9	SL280UH110V60C	202394087
16HPX-036-230	36000	16	13	32400	20200	8.5	LH35/38X9	SL280UH110XV60C	202394110
16HPX-036-230	36000	14.5	12.2	32400	21000	8.5	LH35/38X9		202395055
16HPX-048-230	46000	15	11.7	41000	27600	8.2	L*42/49K9	EL280UH090XE48B	203366315
16HPX-048-230	46000	15	11.7	41000	27400	8.2	L*42/49K9	EL280UH110XE60C	203366338
16HPX-048-230	45500	15	11	40000	26800	8.2	L*42/49K9	ML296UH090XV48C	204668004
16HPX-048-230	45500	15	11.5	40500	26800	8.2	L*42/49K9	ML296UH110XV60C	204668014
16HPX-048-230	45000	15	11	39500	26600	8.2	L*42/60S9	ML296UH090XV48C	204668003
16HPX-048-230	48000	16	12	41000	27800	8.5	L*42/60Y9	EL196UH090XE48C	202394431
16HPX-048-230	48000	16	12	41000	27800	9	L*42/60Y9	EL196UH110XE60C	202394451
16HPX-048-230	47000	16	12.2	41000	27600	8.2	L*42/60Y9	EL280UH090XE48B	203366320
16HPX-048-230	47000	16	12.2	41000	27400	8.2	L*42/60Y9	EL280UH110XE60C	203366343
16HPX-048-230	47000	16	12.5	41000	28800	9	L*42/60Y9	EL296DF090XE48C	202394464
16HPX-048-230	47000	16	12.5	41000	28600	9	L*42/60Y9	EL296DF110XE60C	202394473
16HPX-048-230	47000	16	12.5	41000	29000	9	L*42/60Y9	EL296DF110XV60C	202394482
16HPX-048-230	48000	16	12	41000	27800	8.5	L*42/60Y9	EL296UH090XE48C	202394498
16HPX-048-230	46500	15	11.7	41000	26800	8.2	L*42/60Y9	EL296UH090XV48C	202394518
16HPX-048-230	46500	15	11.7	41000	26800	8.2	L*42/60Y9	EL296UH090XV60C	202394538
16HPX-048-230	48000	16	12	41000	27800	9	L*42/60Y9	EL296UH110XE60C	202394558

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-048-230	47000	15	12	41000	26600	8.5	L*42/60Y9	EL296UH110XV48C	202394578
16HPX-048-230	47500	15	11.7	41000	27600	8.2	L*42/60Y9	EL296UH110XV60C	202394598
16HPX-048-230	48000	16	12.2	41000	26000	8.5	L*42/60Y9	EL296UH135XV60D	202394618
16HPX-048-230	47500	16	13	41000	28600	9.5	L*42/60Y9	ML180DF110E60C	202394631
16HPX-048-230	48000	16	12.5	41000	27600	9	L*42/60Y9	ML180UH090E60C	202394647
16HPX-048-230	48000	16	12.5	41000	27600	9	L*42/60Y9	ML180UH110E60C	202394667
16HPX-048-230	46500	15	11.7	40500	26800	8.2	L*42/60Y9	ML296UH090XV48C	204668006
16HPX-048-230	46500	16	12	40500	26800	8.2	L*42/60Y9	ML296UH110XV60C	204668016
16HPX-048-230	47500	15	12.2	41000	27400	8.2	L*42/60Y9	SL280UH090V60C	202394687
16HPX-048-230	47500	15	12.2	41000	27400	8.2	L*42/60Y9	SL280UH090XV60C	202394707
16HPX-048-230	47000	15	12	41000	26600	8.5	L*42/60Y9	SL280UH110V60C	202394727
16HPX-048-230	47000	15	12	41000	26600	8.5	L*42/60Y9	SL280UH110XV60C	202394747
16HPX-048-230	48000	16	12.2	41000	26000	8.5	L*42/60Y9	SL280UH135V60D	202394767
16HPX-048-230	47000	16	12.5	42500	28800	9	L*42/60Y9	SLP99DF090XV60C	205760923
16HPX-048-230	47000	16	12.5	42500	29000	9	L*42/60Y9	SLP99DF110XV60C	205760944
16HPX-048-230	47500	15	11.7	41000	27600	8.2	L*42/60Y9	SLP99UH090XV48C	205760975
16HPX-048-230	47000	15	11.5	41500	24600	8.2	L*42/60Y9	SLP99UH090XV60C	205761004
16HPX-048-230	47500	15	11.7	41000	27600	8.2	L*42/60Y9	SLP99UH110XV60C	205761041
16HPX-048-230	48000	16	12	43500	27800	9	L*42/60Y9	SLP99UH135XV60D	205761078
16HPX-048-230	47000	15	12	41000	29200	9	L*42/60Y9		202395082
16HPX-048-230	48000	16	12	41000	27800	8.5	L*42/60Z9	EL196UH090XE48C	202394430
16HPX-048-230	48000	16	12	41000	27800	9	L*42/60Z9	EL196UH110XE60C	202394450
16HPX-048-230	47000	16	12.2	41000	27600	8.2	L*42/60Z9	EL280UH090XE48B	203366319
16HPX-048-230	47000	16	12.2	41000	27400	8.2	L*42/60Z9	EL280UH110XE60C	203366342
16HPX-048-230	47000	16	12.5	41000	28800	9	L*42/60Z9	EL296DF090XE48C	202394463
16HPX-048-230	47000	16	12.5	41000	28600	9	L*42/60Z9	EL296DF110XE60C	202394472
16HPX-048-230	47000	16	12.5	41000	29000	9	L*42/60Z9	EL296DF110XV60C	202394481
16HPX-048-230	48000	16	12	41000	27800	8.5	L*42/60Z9	EL296UH090XE48C	202394497
16HPX-048-230	46500	15	11.7	41000	26800	8.2	L*42/60Z9	EL296UH090XV48C	202394517
16HPX-048-230	46500	15	11.7	41000	26800	8.2	L*42/60Z9	EL296UH090XV60C	202394537
16HPX-048-230	48000	16	12	41000	27800	9	L*42/60Z9	EL296UH110XE60C	202394557
16HPX-048-230	47000	15	12	41000	26600	8.5	L*42/60Z9	EL296UH110XV48C	202394577
16HPX-048-230	47500	15	11.7	41000	27600	8.2	L*42/60Z9	EL296UH110XV60C	202394597
16HPX-048-230	48000	16	12.2	41000	26000	8.5	L*42/60Z9	EL296UH135XV60D	202394617
16HPX-048-230	47500	16	13	41000	28600	9.5	L*42/60Z9	ML180DF110E60C	202394630
16HPX-048-230	48000	16	12.5	41000	27600	9	L*42/60Z9	ML180UH090E60C	202394646
16HPX-048-230	48000	16	12.5	41000	27600	9	L*42/60Z9	ML180UH110E60C	202394666
16HPX-048-230	46500	15	11.7	40500	26800	8.2	L*42/60Z9	ML296UH090XV48C	204668005
16HPX-048-230	46500	16	12	40500	26800	8.2	L*42/60Z9	ML296UH110XV60C	204668015
16HPX-048-230	47500	15	12.2	41000	27400	8.2	L*42/60Z9	SL280UH090V60C	202394686
16HPX-048-230	47500	15	12.2	41000	27400	8.2	L*42/60Z9	SL280UH090XV60C	202394706
16HPX-048-230	47000	15	12	41000	26600	8.5	L*42/60Z9	SL280UH110V60C	202394726
16HPX-048-230	47000	15	12	41000	26600	8.5	L*42/60Z9	SL280UH110XV60C	202394746
16HPX-048-230	48000	16	12.2	41000	26000	8.5	L*42/60Z9	SL280UH135V60D	202394766
16HPX-048-230	47000	16	12.5	42500	28800	9	L*42/60Z9	SLP99DF090XV60C	205760922
16HPX-048-230	47000	16	12.5	42500	28800	9	L*42/60Z9	SLP99DF110XV60C	205760942
16HPX-048-230	47500	15	11.7	41000	27600	8.2	L*42/60Z9	SLP99UH090XV48C	205760973
16HPX-048-230	47000	15	11.5	41500	24600	8.2	L*42/60Z9	SLP99UH090XV60C	205761002
16HPX-048-230	47500	15	11.7	41000	27600	8.2	L*42/60Z9	SLP99UH110XV60C	205761040
16HPX-048-230	48000	16	12	43500	27800	9	L*42/60Z9	SLP99UH135XV60D	205761076
16HPX-048-230	47000	15	12	41000	29200	9	L*42/60Z9		202395081
16HPX-048-230	46000	15	11.7	41000	27600	8.2	L*42/61K9	EL280UH090XE48B	203366316
16HPX-048-230	46000	15	11.7	41000	27400	8.2	L*42/61K9	EL280UH110XE60C	203366339
16HPX-048-230	48000	16	12.2	41000	27800	8.5	L*43/61Y9	EL196UH090XE48C	202394433

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-048-230	48000	16	12.2	41000	27800	9	L*43/61Y9	EL196UH110XE60C	202394453
16HPX-048-230	47000	16	12.5	41000	27600	8.2	L*43/61Y9	EL280UH090XE48B	203366322
16HPX-048-230	47000	16	12.5	41000	27400	8.2	L*43/61Y9	EL280UH110XE60C	203366345
16HPX-048-230	47000	16	12.5	41000	28800	9	L*43/61Y9	EL296DF090XE48C	202394466
16HPX-048-230	47000	16	12.5	41000	28600	9	L*43/61Y9	EL296DF110XE60C	202394475
16HPX-048-230	47000	16	12.5	41000	29000	9	L*43/61Y9	EL296DF110XV60C	202394484
16HPX-048-230	48000	16	12.2	41000	27800	8.5	L*43/61Y9	EL296UH090XE48C	202394500
16HPX-048-230	47000	15	11.7	41000	26800	8.5	L*43/61Y9	EL296UH090XV48C	202394520
16HPX-048-230	47000	15	11.7	41000	26800	8.5	L*43/61Y9	EL296UH090XV60C	202394540
16HPX-048-230	48000	16	12.2	41000	27800	9	L*43/61Y9	EL296UH110XE60C	202394560
16HPX-048-230	47000	15	12.2	41000	26600	8.5	L*43/61Y9	EL296UH110XV48C	202394580
16HPX-048-230	47000	15	11.7	41000	26800	8.5	L*43/61Y9	EL296UH110XV60C	202394600
16HPX-048-230	48000	16	12.2	41000	27800	9	L*43/61Y9	EL296UH135XV60D	202394620
16HPX-048-230	47500	16	13	41000	28600	9.5	L*43/61Y9	ML180DF110E60C	202394633
16HPX-048-230	48000	16	12.5	41000	27600	9	L*43/61Y9	ML180UH090E60C	202394649
16HPX-048-230	48000	16	12.5	41000	27600	9	L*43/61Y9	ML180UH110E60C	202394669
16HPX-048-230	47500	15	12.5	41000	27400	8.2	L*43/61Y9	SL280UH090V60C	202394689
16HPX-048-230	47500	15	12.5	41000	27400	8.2	L*43/61Y9	SL280UH090XV60C	202394709
16HPX-048-230	47000	15	12.2	41000	26600	9	L*43/61Y9	SL280UH110V60C	202394729
16HPX-048-230	47000	15	12.2	41000	26600	9	L*43/61Y9	SL280UH110XV60C	202394749
16HPX-048-230	48000	16	12.2	41000	27600	9	L*43/61Y9	SL280UH135V60D	202394769
16HPX-048-230	47000	16	12.5	42500	28800	9	L*43/61Y9	SLP99DF090XV60C	205760928
16HPX-048-230	47000	16	12.5	42500	28800	9	L*43/61Y9	SLP99DF110XV60C	205760949
16HPX-048-230	47500	15	11.7	41000	27600	8.2	L*43/61Y9	SLP99UH090XV48C	205760980
16HPX-048-230	47000	15	11.7	41500	24600	8.2	L*43/61Y9	SLP99UH090XV60C	205761008
16HPX-048-230	47500	15	11.7	41000	27600	8.2	L*43/61Y9	SLP99UH110XV60C	205761045
16HPX-048-230	48000	16	12.2	43500	27800	9	L*43/61Y9	SLP99UH135XV60D	205761082
16HPX-048-230	47000	15	12	41000	29200	9	L*43/61Y9		202395084
16HPX-048-230	48000	16	12.2	41000	27800	8.5	L*43/61Z9	EL196UH090XE48C	202394432
16HPX-048-230	48000	16	12.2	41000	27800	9	L*43/61Z9	EL196UH110XE60C	202394452
16HPX-048-230	47000	16	12.5	41000	27600	8.2	L*43/61Z9	EL280UH090XE48B	203366321
16HPX-048-230	47000	16	12.5	41000	27400	8.2	L*43/61Z9	EL280UH110XE60C	203366344
16HPX-048-230	47000	16	12.5	41000	28800	9	L*43/61Z9	EL296DF090XE48C	202394465
16HPX-048-230	47000	16	12.5	41000	28600	9	L*43/61Z9	EL296DF110XE60C	202394474
16HPX-048-230	47000	16	12.5	41000	29000	9	L*43/61Z9	EL296DF110XV60C	202394483
16HPX-048-230	48000	16	12.2	41000	27800	8.5	L*43/61Z9	EL296UH090XE48C	202394499
16HPX-048-230	47000	15	11.7	41000	26800	8.5	L*43/61Z9	EL296UH090XV48C	202394519
16HPX-048-230	47000	15	11.7	41000	26800	8.5	L*43/61Z9	EL296UH090XV60C	202394539
16HPX-048-230	48000	16	12.2	41000	27800	9	L*43/61Z9	EL296UH110XE60C	202394559
16HPX-048-230	47000	15	12.2	41000	26600	8.5	L*43/61Z9	EL296UH110XV48C	202394579
16HPX-048-230	47000	15	11.7	41000	26800	8.5	L*43/61Z9	EL296UH110XV60C	202394599
16HPX-048-230	48000	16	12.2	41000	27800	9	L*43/61Z9	EL296UH135XV60D	202394619
16HPX-048-230	47500	16	13	41000	28600	9.5	L*43/61Z9	ML180DF110E60C	202394632
16HPX-048-230	48000	16	12.5	41000	27600	9	L*43/61Z9	ML180UH090E60C	202394648
16HPX-048-230	48000	16	12.5	41000	27600	9	L*43/61Z9	ML180UH110E60C	202394668
16HPX-048-230	47500	15	12.5	41000	27400	8.2	L*43/61Z9	SL280UH090V60C	202394688
16HPX-048-230	47500	15	12.5	41000	27400	8.2	L*43/61Z9	SL280UH090XV60C	202394708
16HPX-048-230	47000	15	12.2	41000	26600	9	L*43/61Z9	SL280UH110V60C	202394728
16HPX-048-230	47000	15	12.2	41000	26600	9	L*43/61Z9	SL280UH110XV60C	202394748
16HPX-048-230	48000	16	12.2	41000	27600	9	L*43/61Z9	SL280UH135V60D	202394768
16HPX-048-230	47000	16	12.5	42500	28800	9	L*43/61Z9	SLP99DF090XV60C	205760925
16HPX-048-230	47000	16	12.5	42500	29000	9	L*43/61Z9	SLP99DF110XV60C	205760946
16HPX-048-230	47500	15	11.7	41000	27600	8.2	L*43/61Z9	SLP99UH090XV48C	205760977
16HPX-048-230	47000	15	11.7	41500	24600	8.2	L*43/61Z9	SLP99UH090XV60C	205761006

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-048-230	47500	15	11.7	41000	27600	8.2	L*43/61Z9	SLP99UH110XV60C	205761043
16HPX-048-230	48000	16	12.2	43500	27800	9	L*43/61Z9	SLP99UH135XV60D	205761080
16HPX-048-230	47000	15	12	41000	29200	9	L*43/61Z9		202395083
16HPX-048-230	48000	16	12.5	41000	27800	8.5	L*48/60Y9	EL196UH090XE48C	202394438
16HPX-048-230	48000	16	12.5	41000	27800	9	L*48/60Y9	EL196UH110XE60C	202394458
16HPX-048-230	48000	16	12.5	41000	28000	9	L*48/60Y9	EL280UH090XE48B	203366329
16HPX-048-230	48000	16	12.5	41000	27800	9	L*48/60Y9	EL280UH110XE60C	203366352
16HPX-048-230	47000	16	12.5	41000	28800	9	L*48/60Y9	EL296DF090XE48C	202394468
16HPX-048-230	47000	16	12.5	41000	28600	9	L*48/60Y9	EL296DF110XE60C	202394477
16HPX-048-230	47000	16	12.5	41000	29000	9	L*48/60Y9	EL296DF110XV60C	202394486
16HPX-048-230	48000	16	12.5	41000	27800	8.5	L*48/60Y9	EL296UH090XE48C	202394505
16HPX-048-230	46500	15	12	41000	26800	8.2	L*48/60Y9	EL296UH090XV48C	202394525
16HPX-048-230	46500	15	12	41000	26800	8.2	L*48/60Y9	EL296UH090XV60C	202394545
16HPX-048-230	48000	16	12.5	41000	27800	9	L*48/60Y9	EL296UH110XE60C	202394565
16HPX-048-230	47000	15	12.5	41000	26600	8.5	L*48/60Y9	EL296UH110XV48C	202394585
16HPX-048-230	47500	16	12	41000	27600	8.2	L*48/60Y9	EL296UH110XV60C	202394605
16HPX-048-230	48000	16	12.5	41000	27800	9	L*48/60Y9	EL296UH135XV60D	202394625
16HPX-048-230	47500	16	13	41000	28600	9.5	L*48/60Y9	ML180DF110E60C	202394635
16HPX-048-230	48000	16	13	41000	27600	9	L*48/60Y9	ML180UH090E60C	202394654
16HPX-048-230	48000	16	13	41000	27600	9	L*48/60Y9	ML180UH110E60C	202394674
16HPX-048-230	47500	16	12.5	41000	27400	8.2	L*48/60Y9	SL280UH090V60C	202394694
16HPX-048-230	47500	16	12.5	41000	27400	8.2	L*48/60Y9	SL280UH090XV60C	202394714
16HPX-048-230	46500	16	12	41000	26400	8.2	L*48/60Y9	SL280UH110V60C	202394734
16HPX-048-230	46500	16	12	41000	26400	8.2	L*48/60Y9	SL280UH110XV60C	202394754
16HPX-048-230	48000	16	12.5	41000	27600	9	L*48/60Y9	SL280UH135V60D	202394774
16HPX-048-230	47000	16	12.5	42500	28800	9	L*48/60Y9	SLP99DF090XV60C	205760932
16HPX-048-230	47000	16	12.5	42500	28800	9	L*48/60Y9	SLP99DF110XV60C	205760952
16HPX-048-230	47500	16	12	41000	27600	8.2	L*48/60Y9	SLP99UH090XV48C	205760993
16HPX-048-230	47000	15	11.7	41500	24600	8.2	L*48/60Y9	SLP99UH090XV60C	205761021
16HPX-048-230	47500	16	12	41000	27600	8.2	L*48/60Y9	SLP99UH110XV60C	205761057
16HPX-048-230	48000	16	12.5	43500	27800	9	L*48/60Y9	SLP99UH135XV60D	205761096
16HPX-048-230	47000	15	12	41000	29200	9	L*48/60Y9		202395089
16HPX-048-230	48000	16	12.5	41000	27800	8.5	L*48/60Z9	EL196UH090XE48C	202394437
16HPX-048-230	48000	16	12.5	41000	27800	9	L*48/60Z9	EL196UH110XE60C	202394457
16HPX-048-230	48000	16	12.5	41000	28000	9	L*48/60Z9	EL280UH090XE48B	203366328
16HPX-048-230	48000	16	12.5	41000	27800	9	L*48/60Z9	EL280UH110XE60C	203366351
16HPX-048-230	47000	16	12.5	41000	28800	9	L*48/60Z9	EL296DF090XE48C	202394467
16HPX-048-230	47000	16	12.5	41000	28600	9	L*48/60Z9	EL296DF110XE60C	202394476
16HPX-048-230	47000	16	12.5	41000	29000	9	L*48/60Z9	EL296DF110XV60C	202394485
16HPX-048-230	48000	16	12.5	41000	27800	8.5	L*48/60Z9	EL296UH090XE48C	202394504
16HPX-048-230	46500	15	12	41000	26800	8.2	L*48/60Z9	EL296UH090XV48C	202394524
16HPX-048-230	46500	15	12	41000	26800	8.2	L*48/60Z9	EL296UH090XV60C	202394544
16HPX-048-230	48000	16	12.5	41000	27800	9	L*48/60Z9	EL296UH110XE60C	202394564
16HPX-048-230	47000	15	12.5	41000	26600	8.5	L*48/60Z9	EL296UH110XV48C	202394584
16HPX-048-230	47500	16	12	41000	27600	8.2	L*48/60Z9	EL296UH110XV60C	202394604
16HPX-048-230	48000	16	12.5	41000	27800	9	L*48/60Z9	EL296UH135XV60D	202394624
16HPX-048-230	47500	16	13	41000	28600	9.5	L*48/60Z9	ML180DF110E60C	202394634
16HPX-048-230	48000	16	13	41000	27600	9	L*48/60Z9	ML180UH090E60C	202394653
16HPX-048-230	48000	16	13	41000	27600	9	L*48/60Z9	ML180UH110E60C	202394673
16HPX-048-230	47500	16	12.5	41000	27400	8.2	L*48/60Z9	SL280UH090V60C	202394693
16HPX-048-230	47500	16	12.5	41000	27400	8.2	L*48/60Z9	SL280UH090XV60C	202394713
16HPX-048-230	46500	16	12	41000	26400	8.2	L*48/60Z9	SL280UH110V60C	202394733
16HPX-048-230	46500	16	12	41000	26400	8.2	L*48/60Z9	SL280UH110XV60C	202394753
16HPX-048-230	48000	16	12.5	41000	27600	9	L*48/60Z9	SL280UH135V60D	202394773

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-048-230	47000	16	12.5	42500	28800	9	L*48/60Z9	SLP99DF090XV60C	205760930
16HPX-048-230	47000	16	12.5	42500	28800	9	L*48/60Z9	SLP99DF110XV60C	205760950
16HPX-048-230	47500	16	12	41000	27600	8.2	L*48/60Z9	SLP99UH090XV48C	205760992
16HPX-048-230	47000	15	11.7	41500	24600	8.2	L*48/60Z9	SLP99UH090XV60C	205761019
16HPX-048-230	47500	16	12	41000	27600	8.2	L*48/60Z9	SLP99UH110XV60C	205761055
16HPX-048-230	48000	16	12.5	43500	27800	9	L*48/60Z9	SLP99UH135XV60D	205761094
16HPX-048-230	47000	15	12	41000	29200	9	L*48/60Z9		202395088
16HPX-048-230	47500	16	12	41000	27800	8.5	L*49/62Y9	EL196UH090XE48C	202394429
16HPX-048-230	47500	16	12	41000	27800	9	L*49/62Y9	EL196UH110XE60C	202394449
16HPX-048-230	47000	16	12.2	41000	27600	8.2	L*49/62Y9	EL280UH090XE48B	203366318
16HPX-048-230	47000	16	12.2	41000	27400	8.2	L*49/62Y9	EL280UH110XE60C	203366341
16HPX-048-230	47000	15	12.5	41000	28800	9	L*49/62Y9	EL296DF090XE48C	202394462
16HPX-048-230	47000	16	12.5	41000	28600	9	L*49/62Y9	EL296DF110XE60C	202394471
16HPX-048-230	47000	16	12.5	41000	29000	9	L*49/62Y9	EL296DF110XV60C	202394480
16HPX-048-230	47500	16	12	41000	27800	8.5	L*49/62Y9	EL296UH090XE48C	202394496
16HPX-048-230	46500	15	11.7	41000	26800	8.2	L*49/62Y9	EL296UH090XV48C	202394516
16HPX-048-230	46500	15	11.7	41000	26800	8.2	L*49/62Y9	EL296UH090XV60C	202394536
16HPX-048-230	47500	16	12	41000	27800	9	L*49/62Y9	EL296UH110XE60C	202394556
16HPX-048-230	47000	15	12	41000	26600	8.5	L*49/62Y9	EL296UH110XV48C	202394576
16HPX-048-230	47500	15	11.7	41000	27600	8.2	L*49/62Y9	EL296UH110XV60C	202394596
16HPX-048-230	47500	16	12	41000	27800	9	L*49/62Y9	EL296UH135XV60D	202394616
16HPX-048-230	47500	16	13	41000	28600	9.5	L*49/62Y9	ML180DF110E60C	202394629
16HPX-048-230	47500	16	12.2	41000	27600	9	L*49/62Y9	ML180UH090E60C	202394645
16HPX-048-230	47500	16	12.2	41000	27600	9	L*49/62Y9	ML180UH110E60C	202394665
16HPX-048-230	47500	15	12.2	41000	27400	8.2	L*49/62Y9	SL280UH090V60C	202394685
16HPX-048-230	47500	15	12.2	41000	27400	8.2	L*49/62Y9	SL280UH090XV60C	202394705
16HPX-048-230	47000	15	12	41000	26600	8.5	L*49/62Y9	SL280UH110V60C	202394725
16HPX-048-230	47000	15	12	41000	26600	8.5	L*49/62Y9	SL280UH110XV60C	202394745
16HPX-048-230	47500	16	12	41000	27600	9	L*49/62Y9	SL280UH135V60D	202394765
16HPX-048-230	47000	16	12.5	42500	28800	9	L*49/62Y9	SLP99DF090XV60C	205760921
16HPX-048-230	47000	16	12.5	42500	28800	9	L*49/62Y9	SLP99DF110XV60C	205760940
16HPX-048-230	47500	15	11.7	41000	27600	8.2	L*49/62Y9	SLP99UH090XV48C	205760971
16HPX-048-230	47500	15	11.7	41000	27600	8.2	L*49/62Y9	SLP99UH110XV60C	205761038
16HPX-048-230	47500	16	12	43500	27800	9	L*49/62Y9	SLP99UH135XV60D	205761074
16HPX-048-230	48000	15	12	41000	28600	8.5	L*49/62Y9		202395080
16HPX-048-230	47500	16	12	41000	27800	8.5	L*49/62Z9	EL196UH090XE48C	202394428
16HPX-048-230	47500	16	12	41000	27800	9	L*49/62Z9	EL196UH110XE60C	202394448
16HPX-048-230	47000	16	12.2	41000	27600	8.2	L*49/62Z9	EL280UH090XE48B	203366317
16HPX-048-230	47000	16	12.2	41000	27400	8.2	L*49/62Z9	EL280UH110XE60C	203366340
16HPX-048-230	47000	15	12.5	41000	28800	9	L*49/62Z9	EL296DF090XE48C	202394461
16HPX-048-230	47000	16	12.5	41000	28600	9	L*49/62Z9	EL296DF110XE60C	202394470
16HPX-048-230	47000	16	12.5	41000	29000	9	L*49/62Z9	EL296DF110XV60C	202394479
16HPX-048-230	47500	16	12	41000	27800	8.5	L*49/62Z9	EL296UH090XE48C	202394495
16HPX-048-230	46500	15	11.7	41000	26800	8.2	L*49/62Z9	EL296UH090XV48C	202394515
16HPX-048-230	46500	15	11.7	41000	26800	8.2	L*49/62Z9	EL296UH090XV60C	202394535
16HPX-048-230	47500	16	12	41000	27800	9	L*49/62Z9	EL296UH110XE60C	202394555
16HPX-048-230	47000	15	12	41000	26600	8.5	L*49/62Z9	EL296UH110XV48C	202394575
16HPX-048-230	47500	15	11.7	41000	27600	8.2	L*49/62Z9	EL296UH110XV60C	202394595
16HPX-048-230	47500	16	12	41000	27800	9	L*49/62Z9	EL296UH135XV60D	202394615
16HPX-048-230	47500	16	13	41000	28600	9.5	L*49/62Z9	ML180DF110E60C	202394628
16HPX-048-230	47500	16	12.2	41000	27600	9	L*49/62Z9	ML180UH090E60C	202394644
16HPX-048-230	47500	16	12.2	41000	27600	9	L*49/62Z9	ML180UH110E60C	202394664
16HPX-048-230	47500	15	12.2	41000	27400	8.2	L*49/62Z9	SL280UH090V60C	202394684
16HPX-048-230	47500	15	12.2	41000	27400	8.2	L*49/62Z9	SL280UH090XV60C	202394704

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-048-230	47000	15	12	41000	26600	8.5	L*49/62Z9	SL280UH110V60C	202394724
16HPX-048-230	47000	15	12	41000	26600	8.5	L*49/62Z9	SL280UH110XV60C	202394744
16HPX-048-230	47500	16	12	41000	27600	9	L*49/62Z9	SL280UH135V60D	202394764
16HPX-048-230	47000	16	12.5	42500	28800	9	L*49/62Z9	SLP99DF090XV60C	205760919
16HPX-048-230	47000	16	12.5	42500	29000	9	L*49/62Z9	SLP99DF110XV60C	205760938
16HPX-048-230	47500	15	11.7	41000	27600	8.2	L*49/62Z9	SLP99UH090XV48C	205760968
16HPX-048-230	47500	15	11.7	41000	27600	8.2	L*49/62Z9	SLP99UH110XV60C	205761036
16HPX-048-230	47500	16	12	43500	27800	9	L*49/62Z9	SLP99UH135XV60D	205761072
16HPX-048-230	48000	15	12	41000	28600	8.5	L*49/62Z9		202395079
16HPX-048-230	48000	16	12.5	41000	27800	8.5	L*49/63Z9	EL196UH090XE48C	202394439
16HPX-048-230	48000	16	12.5	41000	27800	9	L*49/63Z9	EL196UH110XE60C	202394459
16HPX-048-230	48000	16	12.5	41000	28000	9	L*49/63Z9	EL280UH090XE48B	203366330
16HPX-048-230	48000	16	12.5	41000	27800	9	L*49/63Z9	EL280UH110XE60C	203366353
16HPX-048-230	47000	16	12.5	41000	28800	9	L*49/63Z9	EL296DF090XE48C	202394469
16HPX-048-230	47000	16	12.5	41000	28600	9	L*49/63Z9	EL296DF110XE60C	202394478
16HPX-048-230	47000	16	12.5	41000	29000	9	L*49/63Z9	EL296DF110XV60C	202394487
16HPX-048-230	48000	16	12.5	41000	27800	8.5	L*49/63Z9	EL296UH090XE48C	202394506
16HPX-048-230	47000	16	12	41000	26800	8.5	L*49/63Z9	EL296UH090XV48C	202394526
16HPX-048-230	47000	16	12	41000	26800	8.5	L*49/63Z9	EL296UH090XV60C	202394546
16HPX-048-230	48000	16	12.5	41000	27800	9	L*49/63Z9	EL296UH110XE60C	202394566
16HPX-048-230	47000	15	12.5	41000	26600	8.5	L*49/63Z9	EL296UH110XV48C	202394586
16HPX-048-230	47000	16	12	41000	26800	8.5	L*49/63Z9	EL296UH110XV60C	202394606
16HPX-048-230	48000	16	12.5	41000	27800	9	L*49/63Z9	EL296UH135XV60D	202394626
16HPX-048-230	47500	16	13	41000	28600	9.5	L*49/63Z9	ML180DF110E60C	202394636
16HPX-048-230	48000	16	13	41000	27600	9	L*49/63Z9	ML180UH090E60C	202394655
16HPX-048-230	48000	16	13	41000	27600	9	L*49/63Z9	ML180UH110E60C	202394675
16HPX-048-230	48000	16	13	41000	27400	8.2	L*49/63Z9	ML180UH110V60C	204741501
16HPX-048-230	47000	16	12	40000	26800	8.5	L*49/63Z9	ML296UH090XV48C	204668012
16HPX-048-230	46500	16	12.2	40500	26800	8.2	L*49/63Z9	ML296UH110XV60C	204668019
16HPX-048-230	47000	16	12.5	41000	26600	9	L*49/63Z9	SL280UH090V60C	202394695
16HPX-048-230	47000	16	12.5	41000	26600	9	L*49/63Z9	SL280UH090XV60C	202394715
16HPX-048-230	46500	16	12.2	41000	26400	8.2	L*49/63Z9	SL280UH110V60C	202394735
16HPX-048-230	46500	16	12.2	41000	26400	8.2	L*49/63Z9	SL280UH110XV60C	202394755
16HPX-048-230	48000	16	12.5	41000	27600	9	L*49/63Z9	SL280UH135V60D	202394775
16HPX-048-230	47000	16	12.5	42500	28800	9	L*49/63Z9	SLP99DF090XV60C	205760934
16HPX-048-230	47000	16	12.5	42500	29000	9	L*49/63Z9	SLP99DF110XV60C	205760955
16HPX-048-230	47500	16	12	41000	27600	8.2	L*49/63Z9	SLP99UH090XV48C	205760995
16HPX-048-230	47000	15	12	41500	24600	8.2	L*49/63Z9	SLP99UH090XV60C	205761023
16HPX-048-230	47500	16	12	41000	27600	8.2	L*49/63Z9	SLP99UH110XV60C	205761059
16HPX-048-230	48000	16	12.5	43500	27800	9	L*49/63Z9	SLP99UH135XV60D	205761098
16HPX-048-230	47000	15	12	41000	29200	9	L*49/63Z9		202395090
16HPX-048-230	47000	15	12.5	42500	28800	9	LD42/61Z9	EL296DF090XE48C	205147373
16HPX-048-230	47000	16	12.5	42000	28600	9	LD42/61Z9	EL296DF110XE60C	205147374
16HPX-048-230	47000	16	12.5	42500	29000	9	LD42/61Z9	EL296DF110XV60C	205147375
16HPX-048-230	47500	16	13	42000	28600	9.5	LD42/61Z9	ML180DF110E60C	205147376
16HPX-048-230	47000	16	12.5	42000	28800	9	LD42/61Z9	ML193DF090XE48C	205147377
16HPX-048-230	47000	16	12.5	42500	28800	9	LD42/61Z9	SLP99DF090XV60C	205760917
16HPX-048-230	47000	16	12.5	42500	28800	9	LD42/61Z9	SLP99DF110XV60C	205760936
16HPX-048-230	48000	15	12	43500	28600	8.5	LD42/61Z9		204756335
16HPX-048-230	47500	16	12	41000	27800	8.5	LH40/61E9	EL196UH090XE48C	202394424
16HPX-048-230	47500	16	12	41000	27800	9	LH40/61E9	EL196UH110XE60C	202394444
16HPX-048-230	47000	16	12.2	41000	27600	8.2	LH40/61E9	EL280UH090XE48B	203366312
16HPX-048-230	47000	16	12.2	41000	27400	8.2	LH40/61E9	EL280UH110XE60C	203366335
16HPX-048-230	47500	16	12	41000	27800	8.5	LH40/61E9	EL296UH090XE48C	202394491

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-048-230	46500	15	11.7	41000	26800	8.2	LH40/61E9	EL296UH090XV48C	202394511
16HPX-048-230	46500	15	11.7	41000	26800	8.2	LH40/61E9	EL296UH090XV60C	202394531
16HPX-048-230	47500	16	12	41000	27800	9	LH40/61E9	EL296UH110XE60C	202394551
16HPX-048-230	47000	15	12	41000	26600	8.5	LH40/61E9	EL296UH110XV48C	202394571
16HPX-048-230	47500	15	11.7	41000	27600	8.2	LH40/61E9	EL296UH110XV60C	202394591
16HPX-048-230	47500	16	12	41000	27800	9	LH40/61E9	EL296UH135XV60D	202394611
16HPX-048-230	47500	16	12.2	41000	27600	9	LH40/61E9	ML180UH090E60C	202394640
16HPX-048-230	47500	16	12.2	41000	27600	9	LH40/61E9	ML180UH110E60C	202394660
16HPX-048-230	47500	15	12.2	41000	27400	8.2	LH40/61E9	SL280UH090V60C	202394680
16HPX-048-230	47500	15	12.2	41000	27400	8.2	LH40/61E9	SL280UH090XV60C	202394700
16HPX-048-230	47000	15	12	41000	26600	9	LH40/61E9	SL280UH110V60C	202394720
16HPX-048-230	47000	15	12	41000	26600	9	LH40/61E9	SL280UH110XV60C	202394740
16HPX-048-230	47500	16	12	41000	27600	9	LH40/61E9	SL280UH135V60D	202394760
16HPX-048-230	47500	15	11.7	41000	27600	8.2	LH40/61E9	SLP99UH090XV48C	205760964
16HPX-048-230	47000	15	11.5	41500	24600	8.2	LH40/61E9	SLP99UH090XV60C	205761000
16HPX-048-230	47500	15	11.7	41000	27600	8.2	LH40/61E9	SLP99UH110XV60C	205761032
16HPX-048-230	47500	16	12	43500	27800	9	LH40/61E9	SLP99UH135XV60D	205761069
16HPX-048-230	48000	15	12	41000	28600	8.5	LH40/61E9		202395075
16HPX-048-230	47500	16	12	41000	27800	8.5	LH40/61W9	EL196UH090XE48C	202394423
16HPX-048-230	47500	16	12	41000	27800	9	LH40/61W9	EL196UH110XE60C	202394443
16HPX-048-230	47000	16	12.2	41000	27600	8.2	LH40/61W9	EL280UH090XE48B	203366311
16HPX-048-230	47000	16	12.2	41000	27400	8.2	LH40/61W9	EL280UH110XE60C	203366334
16HPX-048-230	47500	16	12	41000	27800	8.5	LH40/61W9	EL296UH090XE48C	202394490
16HPX-048-230	46500	15	11.7	41000	26800	8.2	LH40/61W9	EL296UH090XV48C	202394510
16HPX-048-230	46500	15	11.7	41000	26800	8.2	LH40/61W9	EL296UH090XV60C	202394530
16HPX-048-230	47500	16	12	41000	27800	9	LH40/61W9	EL296UH110XE60C	202394550
16HPX-048-230	47000	15	12	41000	26600	8.5	LH40/61W9	EL296UH110XV48C	202394570
16HPX-048-230	47500	15	11.7	41000	27600	8.2	LH40/61W9	EL296UH110XV60C	202394590
16HPX-048-230	47500	16	12	41000	27800	9	LH40/61W9	EL296UH135XV60D	202394610
16HPX-048-230	47500	16	12.2	41000	27600	9	LH40/61W9	ML180UH090E60C	202394639
16HPX-048-230	47500	16	12.2	41000	27600	9	LH40/61W9	ML180UH110E60C	202394659
16HPX-048-230	47500	15	12.2	41000	27400	8.2	LH40/61W9	SL280UH090V60C	202394679
16HPX-048-230	47500	15	12.2	41000	27400	8.2	LH40/61W9	SL280UH090XV60C	202394699
16HPX-048-230	47000	15	12	41000	26600	9	LH40/61W9	SL280UH110V60C	202394719
16HPX-048-230	47000	15	12	41000	26600	9	LH40/61W9	SL280UH110XV60C	202394739
16HPX-048-230	47500	16	12	41000	27600	9	LH40/61W9	SL280UH135V60D	202394759
16HPX-048-230	47500	15	11.7	41000	27600	8.2	LH40/61W9	SLP99UH090XV48C	205760962
16HPX-048-230	47000	15	11.5	41500	24600	8.2	LH40/61W9	SLP99UH090XV60C	205760999
16HPX-048-230	47500	15	11.7	41000	27600	8.2	LH40/61W9	SLP99UH110XV60C	205761030
16HPX-048-230	47500	16	12	43500	27800	9	LH40/61W9	SLP99UH135XV60D	205761067
16HPX-048-230	48000	15	12	41000	28600	8.5	LH40/61W9		202395074
16HPX-048-230	48000	15	12	41000	28600	8.5	LH40/62E9		202395072
16HPX-048-230	47500	15	12	41000	27800	8.5	LH40/62W9	EL196UH090XE48C	202394421
16HPX-048-230	47500	15	12	41000	27800	9	LH40/62W9	EL196UH110XE60C	202394441
16HPX-048-230	47000	16	12.2	41000	27600	8.2	LH40/62W9	EL280UH090XE48B	203366309
16HPX-048-230	47000	16	12.2	41000	27400	8.2	LH40/62W9	EL280UH110XE60C	203366332
16HPX-048-230	47500	15	12	41000	27800	8.5	LH40/62W9	EL296UH090XE48C	202394488
16HPX-048-230	46500	15	11.5	41000	26800	8.2	LH40/62W9	EL296UH090XV48C	202394508
16HPX-048-230	46500	15	11.5	41000	26800	8.2	LH40/62W9	EL296UH090XV60C	202394528
16HPX-048-230	47500	15	12	41000	27800	9	LH40/62W9	EL296UH110XE60C	202394548
16HPX-048-230	46500	15	11.7	41000	26600	8.5	LH40/62W9	EL296UH110XV48C	202394568
16HPX-048-230	47500	15	11.7	41000	27600	8.2	LH40/62W9	EL296UH110XV60C	202394588
16HPX-048-230	47500	16	12	41000	26000	8.5	LH40/62W9	EL296UH135XV60D	202394608
16HPX-048-230	47500	15	12.2	41000	27600	9	LH40/62W9	ML180UH090E60C	202394637

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-048-230	47500	16	12.2	41000	27600	9	LH40/62W9	ML180UH110E60C	202394657
16HPX-048-230	47500	15	12.2	41000	27400	8.2	LH40/62W9	SL280UH090V60C	202394677
16HPX-048-230	47500	15	12.2	41000	27400	8.2	LH40/62W9	SL280UH090XV60C	202394697
16HPX-048-230	46500	15	11.7	41000	26600	8.5	LH40/62W9	SL280UH110V60C	202394717
16HPX-048-230	46500	15	11.7	41000	26600	8.5	LH40/62W9	SL280UH110XV60C	202394737
16HPX-048-230	47500	16	12	41000	26000	8.5	LH40/62W9	SL280UH135V60D	202394757
16HPX-048-230	47500	15	11.7	41000	27600	8.2	LH40/62W9	SLP99UH090XV48C	205760957
16HPX-048-230	47500	15	11.7	41000	27600	8.2	LH40/62W9	SLP99UH110XV60C	205761027
16HPX-048-230	47500	15	12	43500	27800	9	LH40/62W9	SLP99UH135XV60D	205761063
16HPX-048-230	48000	15	12	41000	28600	8.5	LH40/62W9		202395071
16HPX-048-230	46500	15	11.7	41000	27800	8.5	LH41/61D9	EL196UH090XE48C	202394422
16HPX-048-230	46500	15	11.7	41000	27800	8.5	LH41/61D9	EL196UH110XE60C	202394442
16HPX-048-230	46500	16	11.7	41000	27600	8.2	LH41/61D9	EL280UH090XE48B	203366310
16HPX-048-230	46500	16	11.7	41000	27400	8.2	LH41/61D9	EL280UH110XE60C	203366333
16HPX-048-230	46500	15	11.7	41000	27800	8.5	LH41/61D9	EL296UH090XE48C	202394489
16HPX-048-230	46000	15	11	41000	26800	8.2	LH41/61D9	EL296UH090XV48C	202394509
16HPX-048-230	46000	15	11	41000	26800	8.2	LH41/61D9	EL296UH090XV60C	202394529
16HPX-048-230	46500	15	11.7	41000	27800	8.5	LH41/61D9	EL296UH110XE60C	202394549
16HPX-048-230	46000	15	11.7	41000	26600	8.2	LH41/61D9	EL296UH110XV48C	202394569
16HPX-048-230	47000	15	11	41000	27600	8.2	LH41/61D9	EL296UH110XV60C	202394589
16HPX-048-230	48000	15	12.2	41000	30000	8.5	LH41/61D9	EL296UH135XV60D	202394609
16HPX-048-230	46500	15	12.2	41000	27600	9	LH41/61D9	ML180UH090E60C	202394638
16HPX-048-230	46500	15	12.2	41000	27600	9	LH41/61D9	ML180UH110E60C	202394658
16HPX-048-230	46000	15	11.7	41000	26600	8.5	LH41/61D9	SL280UH090V60C	202394678
16HPX-048-230	46000	15	11.7	41000	26600	8.5	LH41/61D9	SL280UH090XV60C	202394698
16HPX-048-230	46000	15	11.7	41000	26600	8.5	LH41/61D9	SL280UH110V60C	202394718
16HPX-048-230	46000	15	11.7	41000	26600	8.5	LH41/61D9	SL280UH110XV60C	202394738
16HPX-048-230	48000	15	12.2	41000	29800	8.5	LH41/61D9	SL280UH135V60D	202394758
16HPX-048-230	47000	15	11	41000	27600	8.2	LH41/61D9	SLP99UH090XV48C	205760959
16HPX-048-230	47000	15	11	41000	27600	8.2	LH41/61D9	SLP99UH110XV60C	205761028
16HPX-048-230	46500	15	11.7	43500	27800	8.5	LH41/61D9	SLP99UH135XV60D	205761065
16HPX-048-230	48000	15	12	41000	28600	8.5	LH41/61D9		202395073
16HPX-048-230	45000	15	11	39500	26600	8.2	LH42/60D9	ML296UH090XV48C	204668002
16HPX-048-230	48000	16	12.2	41000	27800	8.5	LH42/62E9	EL196UH090XE48C	202394435
16HPX-048-230	48000	16	12.2	41000	27800	9	LH42/62E9	EL196UH110XE60C	202394455
16HPX-048-230	47000	16	12.5	41000	27600	8.2	LH42/62E9	EL280UH090XE48B	203366326
16HPX-048-230	47000	16	12.5	41000	27400	8.2	LH42/62E9	EL280UH110XE60C	203366349
16HPX-048-230	48000	16	12.2	41000	27800	8.5	LH42/62E9	EL296UH090XE48C	202394502
16HPX-048-230	47000	15	11.7	41000	26800	8.5	LH42/62E9	EL296UH090XV48C	202394522
16HPX-048-230	47000	15	11.7	41000	26800	8.5	LH42/62E9	EL296UH090XV60C	202394542
16HPX-048-230	48000	16	12.2	41000	27800	9	LH42/62E9	EL296UH110XE60C	202394562
16HPX-048-230	47000	15	12.2	41000	26600	8.5	LH42/62E9	EL296UH110XV48C	202394582
16HPX-048-230	47000	15	11.7	41000	26800	8.5	LH42/62E9	EL296UH110XV60C	202394602
16HPX-048-230	48000	16	12.2	41000	27800	9	LH42/62E9	EL296UH135XV60D	202394622
16HPX-048-230	48000	16	12.5	41000	27600	9	LH42/62E9	ML180UH090E60C	202394651
16HPX-048-230	48000	16	12.5	41000	27600	9	LH42/62E9	ML180UH110E60C	202394671
16HPX-048-230	47000	15	11.7	40000	26800	8.5	LH42/62E9	ML296UH090XV48C	204668011
16HPX-048-230	46500	16	12.2	40500	26800	8.2	LH42/62E9	ML296UH110XV60C	204668018
16HPX-048-230	47500	15	12.5	41000	27400	8.2	LH42/62E9	SL280UH090V60C	202394691
16HPX-048-230	47500	15	12.5	41000	27400	8.2	LH42/62E9	SL280UH090XV60C	202394711
16HPX-048-230	47000	15	12.2	41000	26600	9	LH42/62E9	SL280UH110V60C	202394731
16HPX-048-230	47000	15	12.2	41000	26600	9	LH42/62E9	SL280UH110XV60C	202394751
16HPX-048-230	48000	16	12.2	41000	27600	9	LH42/62E9	SL280UH135V60D	202394771
16HPX-048-230	47500	15	11.7	41000	27600	8.2	LH42/62E9	SLP99UH090XV48C	205760988

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-048-230	47000	15	11.7	41500	24600	8.2	LH42/62E9	SLP99UH090XV60C	205761016
16HPX-048-230	47500	15	11.7	41000	27600	8.2	LH42/62E9	SLP99UH110XV60C	205761052
16HPX-048-230	48000	16	12.2	43500	27800	9	LH42/62E9	SLP99UH135XV60D	205761091
16HPX-048-230	47000	15	12	41000	29200	9	LH42/62E9		202395086
16HPX-048-230	48000	16	12.2	41000	27800	8.5	LH42/62W9	EL196UH090XE48C	202394434
16HPX-048-230	48000	16	12.2	41000	27800	9	LH42/62W9	EL196UH110XE60C	202394454
16HPX-048-230	47000	16	12.5	41000	27600	8.2	LH42/62W9	EL280UH090XE48B	203366325
16HPX-048-230	47000	16	12.5	41000	27400	8.2	LH42/62W9	EL280UH110XE60C	203366348
16HPX-048-230	48000	16	12.2	41000	27800	8.5	LH42/62W9	EL296UH090XE48C	202394501
16HPX-048-230	47000	15	11.7	41000	26800	8.5	LH42/62W9	EL296UH090XV48C	202394521
16HPX-048-230	47000	15	11.7	41000	26800	8.5	LH42/62W9	EL296UH090XV60C	202394541
16HPX-048-230	48000	16	12.2	41000	27800	9	LH42/62W9	EL296UH110XE60C	202394561
16HPX-048-230	47000	15	12.2	41000	26600	8.5	LH42/62W9	EL296UH110XV48C	202394581
16HPX-048-230	47000	15	11.7	41000	26800	8.5	LH42/62W9	EL296UH110XV60C	202394601
16HPX-048-230	48000	16	12.2	41000	27800	9	LH42/62W9	EL296UH135XV60D	202394621
16HPX-048-230	48000	16	12.5	41000	27600	9	LH42/62W9	ML180UH090E60C	202394650
16HPX-048-230	48000	16	12.5	41000	27600	9	LH42/62W9	ML180UH110E60C	202394670
16HPX-048-230	47000	15	11.7	40000	26800	8.5	LH42/62W9	ML296UH090XV48C	204668010
16HPX-048-230	46500	16	12.2	41000	26800	8.2	LH42/62W9	ML296UH110XV60C	204603104
16HPX-048-230	47500	15	12.5	41000	27400	8.2	LH42/62W9	SL280UH090V60C	202394690
16HPX-048-230	47500	15	12.5	41000	27400	8.2	LH42/62W9	SL280UH090XV60C	202394710
16HPX-048-230	47000	15	12.2	41000	26600	9	LH42/62W9	SL280UH110V60C	202394730
16HPX-048-230	47000	15	12.2	41000	26600	9	LH42/62W9	SL280UH110XV60C	202394750
16HPX-048-230	48000	16	12.2	41000	27600	9	LH42/62W9	SL280UH135V60D	202394770
16HPX-048-230	47500	15	11.7	41000	27600	8.2	LH42/62W9	SLP99UH090XV48C	205760986
16HPX-048-230	47000	15	11.7	41500	24600	8.2	LH42/62W9	SLP99UH090XV60C	205761014
16HPX-048-230	47500	15	11.7	41000	27600	8.2	LH42/62W9	SLP99UH110XV60C	205761050
16HPX-048-230	48000	16	12.2	43500	27800	9	LH42/62W9	SLP99UH135XV60D	205761089
16HPX-048-230	47000	15	12	41000	29200	9	LH42/62W9		202395085
16HPX-048-230	48000	16	12.2	41000	27800	8.5	LH48/60E9	EL196UH090XE48C	202394436
16HPX-048-230	48000	16	12.2	41000	27800	9	LH48/60E9	EL196UH110XE60C	202394456
16HPX-048-230	47000	16	12.5	41000	27600	8.2	LH48/60E9	EL280UH090XE48B	203366327
16HPX-048-230	47000	16	12.5	41000	27400	8.2	LH48/60E9	EL280UH110XE60C	203366350
16HPX-048-230	48000	16	12.2	41000	27800	8.5	LH48/60E9	EL296UH090XE48C	202394503
16HPX-048-230	46500	15	12	41000	26800	8.2	LH48/60E9	EL296UH090XV48C	202394523
16HPX-048-230	46500	15	12	41000	26800	8.2	LH48/60E9	EL296UH090XV60C	202394543
16HPX-048-230	48000	16	12.2	41000	27800	9	LH48/60E9	EL296UH110XE60C	202394563
16HPX-048-230	47000	15	12.2	41000	26600	8.5	LH48/60E9	EL296UH110XV48C	202394583
16HPX-048-230	47500	16	12	41000	27600	8.2	LH48/60E9	EL296UH110XV60C	202394603
16HPX-048-230	48000	16	12.5	41000	26000	8.5	LH48/60E9	EL296UH135XV60D	202394623
16HPX-048-230	48000	16	12.5	41000	27600	9	LH48/60E9	ML180UH090E60C	202394652
16HPX-048-230	48000	16	12.5	41000	27600	9	LH48/60E9	ML180UH110E60C	202394672
16HPX-048-230	47500	16	12.5	41000	27400	8.2	LH48/60E9	SL280UH090V60C	202394692
16HPX-048-230	47500	16	12.5	41000	27400	8.2	LH48/60E9	SL280UH090XV60C	202394712
16HPX-048-230	47000	15	12.2	41000	26600	9	LH48/60E9	SL280UH110V60C	202394732
16HPX-048-230	47000	15	12.2	41000	26600	9	LH48/60E9	SL280UH110XV60C	202394752
16HPX-048-230	48000	16	12.5	41000	26000	8.5	LH48/60E9	SL280UH135V60D	202394772
16HPX-048-230	47500	16	12	41000	27600	8.2	LH48/60E9	SLP99UH090XV48C	205760989
16HPX-048-230	47000	15	11.7	41500	24600	8.2	LH48/60E9	SLP99UH090XV60C	205761018
16HPX-048-230	47500	16	12	41000	27600	8.2	LH48/60E9	SLP99UH110XV60C	205761054
16HPX-048-230	48000	16	12.2	43500	27800	9	LH48/60E9	SLP99UH135XV60D	205761093
16HPX-048-230	47000	15	12	41000	29200	9	LH48/60E9		202395087
16HPX-048-230	47000	15	11.7	41000	27800	8.5	LH48/60F9	EL196UH090XE48C	202394425
16HPX-048-230	47000	15	11.7	41000	27800	9	LH48/60F9	EL196UH110XE60C	202394445

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-048-230	47000	16	12	41000	27600	8.2	LH48/60F9	EL280UH090XE48B	203366314
16HPX-048-230	47000	16	12	41000	27400	8.2	LH48/60F9	EL280UH110XE60C	203366337
16HPX-048-230	47000	15	11.7	41000	27800	8.5	LH48/60F9	EL296UH090XE48C	202394492
16HPX-048-230	46500	15	11.5	41000	26800	8.2	LH48/60F9	EL296UH090XV48C	202394512
16HPX-048-230	46500	15	11.5	41000	26800	8.2	LH48/60F9	EL296UH090XV60C	202394532
16HPX-048-230	47000	15	11.7	41000	27800	9	LH48/60F9	EL296UH110XE60C	202394552
16HPX-048-230	46500	15	11.7	41000	26600	8.5	LH48/60F9	EL296UH110XV48C	202394572
16HPX-048-230	47500	15	11.5	41000	27600	8.2	LH48/60F9	EL296UH110XV60C	202394592
16HPX-048-230	48000	15	12.2	41000	30000	8.5	LH48/60F9	EL296UH135XV60D	202394612
16HPX-048-230	47000	15	12.2	41000	27600	9	LH48/60F9	ML180UH090E60C	202394641
16HPX-048-230	47000	15	12.2	41000	27600	9	LH48/60F9	ML180UH110E60C	202394661
16HPX-048-230	47500	15	12	41000	27400	8.2	LH48/60F9	SL280UH090V60C	202394681
16HPX-048-230	47500	15	12	41000	27400	8.2	LH48/60F9	SL280UH090XV60C	202394701
16HPX-048-230	46500	15	11.7	41000	26600	8.5	LH48/60F9	SL280UH110V60C	202394721
16HPX-048-230	46500	15	11.7	41000	26600	8.5	LH48/60F9	SL280UH110XV60C	202394741
16HPX-048-230	48000	15	12.2	41000	29800	8.5	LH48/60F9	SL280UH135V60D	202394761
16HPX-048-230	47500	15	11.5	41000	27600	8.2	LH48/60F9	SLP99UH090XV48C	205760966
16HPX-048-230	47500	15	11.5	41000	27600	8.2	LH48/60F9	SLP99UH110XV60C	205761034
16HPX-048-230	47500	15	12	41000	26800	8.2	LH48/60F9	SLP99UH135XV60D	205761071
16HPX-048-230	48000	15	12	41000	28600	8.5	LH48/60F9		202395076
16HPX-048-230	47000	16	12	41000	27600	8.2	LH48/60X9	EL280UH090XE48B	203366313
16HPX-048-230	47000	16	12	41000	27400	8.2	LH48/60X9	EL280UH110XE60C	203366336
16HPX-048-230	48000	16	12.2	41000	27800	8.5	LH49/61E9	EL196UH090XE48C	202394427
16HPX-048-230	48000	16	12.2	41000	27800	9	LH49/61E9	EL196UH110XE60C	202394447
16HPX-048-230	47000	16	12.5	41000	27600	8.2	LH49/61E9	EL280UH090XE48B	203366324
16HPX-048-230	47000	16	12.5	41000	24400	8.2	LH49/61E9	EL280UH110XE60C	203366347
16HPX-048-230	48000	16	12.2	41000	27800	8.5	LH49/61E9	EL296UH090XE48C	202394494
16HPX-048-230	46500	15	12	41000	26800	8.2	LH49/61E9	EL296UH090XV48C	202394514
16HPX-048-230	46500	15	12	41000	26800	8.2	LH49/61E9	EL296UH090XV60C	202394534
16HPX-048-230	48000	16	12.2	41000	27800	9	LH49/61E9	EL296UH110XE60C	202394554
16HPX-048-230	47000	15	12.5	41000	26600	8.5	LH49/61E9	EL296UH110XV48C	202394574
16HPX-048-230	47500	16	12	41000	27600	8.2	LH49/61E9	EL296UH110XV60C	202394594
16HPX-048-230	48000	16	12.5	41000	26000	8.5	LH49/61E9	EL296UH135XV60D	202394614
16HPX-048-230	48000	16	12.5	41000	27600	9	LH49/61E9	ML180UH090E60C	202394643
16HPX-048-230	48000	16	12.5	41000	27600	9	LH49/61E9	ML180UH110E60C	202394663
16HPX-048-230	46500	15	12	40500	26800	8.2	LH49/61E9	ML296UH090XV48C	204668008
16HPX-048-230	46500	16	12.2	40500	26800	8.2	LH49/61E9	ML296UH110XV60C	204668017
16HPX-048-230	47500	16	12.5	41000	27400	8.2	LH49/61E9	SL280UH090V60C	202394683
16HPX-048-230	47500	16	12.5	41000	27400	8.2	LH49/61E9	SL280UH090XV60C	202394703
16HPX-048-230	47000	15	12.5	41000	26600	9	LH49/61E9	SL280UH110V60C	202394723
16HPX-048-230	47000	15	12.5	41000	26600	9	LH49/61E9	SL280UH110XV60C	202394743
16HPX-048-230	48000	16	12.5	41000	26000	8.5	LH49/61E9	SL280UH135V60D	202394763
16HPX-048-230	47500	16	12	41000	27600	8.2	LH49/61E9	SLP99UH090XV48C	205760984
16HPX-048-230	47000	15	11.7	41500	24600	8.2	LH49/61E9	SLP99UH090XV60C	205761012
16HPX-048-230	47500	16	12	41000	27600	8.2	LH49/61E9	SLP99UH110XV60C	205761048
16HPX-048-230	48000	16	12.5	43500	27800	9	LH49/61E9	SLP99UH135XV60D	205761087
16HPX-048-230	47000	15	12	41000	29200	9	LH49/61E9		202395078
16HPX-048-230	48000	16	12.2	41000	27800	8.5	LH49/61W9	EL196UH090XE48C	202394426
16HPX-048-230	48000	16	12.2	41000	27800	9	LH49/61W9	EL196UH110XE60C	202394446
16HPX-048-230	47000	16	12.5	41000	27600	8.2	LH49/61W9	EL280UH090XE48B	203366323
16HPX-048-230	47000	16	12.5	41000	24400	8.2	LH49/61W9	EL280UH110XE60C	203366346
16HPX-048-230	48000	16	12.2	41000	27800	8.5	LH49/61W9	EL296UH090XE48C	202394493
16HPX-048-230	46500	15	12	41000	26800	8.2	LH49/61W9	EL296UH090XV48C	202394513
16HPX-048-230	46500	15	12	41000	26800	8.2	LH49/61W9	EL296UH090XV60C	202394533

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-048-230	48000	16	12.2	41000	27800	9	LH49/61W9	EL296UH110XE60C	202394553
16HPX-048-230	47000	15	12.5	41000	26600	8.5	LH49/61W9	EL296UH110XV48C	202394573
16HPX-048-230	47500	16	12	41000	27600	8.2	LH49/61W9	EL296UH110XV60C	202394593
16HPX-048-230	48000	16	12.5	41000	26000	8.5	LH49/61W9	EL296UH135XV60D	202394613
16HPX-048-230	48000	16	12.5	41000	27600	9	LH49/61W9	ML180UH090E60C	202394642
16HPX-048-230	48000	16	12.5	41000	27600	9	LH49/61W9	ML180UH110E60C	202394662
16HPX-048-230	46500	15	12	40500	26800	8.2	LH49/61W9	ML296UH090XV48C	204668007
16HPX-048-230	46500	16	12.2	41000	24800	8.2	LH49/61W9	ML296UH110XV60C	204603103
16HPX-048-230	47500	16	12.5	41000	27400	8.2	LH49/61W9	SL280UH090V60C	202394682
16HPX-048-230	47500	16	12.5	41000	27400	8.2	LH49/61W9	SL280UH090XV60C	202394702
16HPX-048-230	47000	15	12.5	41000	26600	9	LH49/61W9	SL280UH110V60C	202394722
16HPX-048-230	47000	15	12.5	41000	26600	9	LH49/61W9	SL280UH110XV60C	202394742
16HPX-048-230	48000	16	12.5	41000	26000	8.5	LH49/61W9	SL280UH135V60D	202394762
16HPX-048-230	47500	16	12	41000	27600	8.2	LH49/61W9	SLP99UH090XV48C	205760982
16HPX-048-230	47000	15	11.7	41500	24600	8.2	LH49/61W9	SLP99UH090XV60C	205761010
16HPX-048-230	47500	16	12	41000	27600	8.2	LH49/61W9	SLP99UH110XV60C	205761046
16HPX-048-230	48000	16	12.5	43500	27800	9	LH49/61W9	SLP99UH135XV60D	205761084
16HPX-048-230	47000	15	12	41000	29200	9	LH49/61W9		202395077
16HPX-048-230	48000	16	12.5	41000	27800	8.5	LH49/62W9	EL196UH090XE48C	202394440
16HPX-048-230	48000	16	12.5	41000	27800	9	LH49/62W9	EL196UH110XE60C	202394460
16HPX-048-230	48000	16	12.5	41000	28000	9	LH49/62W9	EL280UH090XE48B	203366331
16HPX-048-230	48000	16	12.5	41000	27800	9	LH49/62W9	EL280UH110XE60C	203366354
16HPX-048-230	48000	16	12.5	41000	27800	8.5	LH49/62W9	EL296UH090XE48C	202394507
16HPX-048-230	47000	16	12	41000	26800	8.5	LH49/62W9	EL296UH090XV48C	202394527
16HPX-048-230	47000	16	12	41000	26800	8.5	LH49/62W9	EL296UH090XV60C	202394547
16HPX-048-230	48000	16	12.5	41000	27800	9	LH49/62W9	EL296UH110XE60C	202394567
16HPX-048-230	47000	16	12.5	41000	26600	8.5	LH49/62W9	EL296UH110XV48C	202394587
16HPX-048-230	47000	16	12	41000	26800	8.5	LH49/62W9	EL296UH110XV60C	202394607
16HPX-048-230	48000	16	12.5	41000	27800	9	LH49/62W9	EL296UH135XV60D	202394627
16HPX-048-230	48000	16	13	41000	27600	9	LH49/62W9	ML180UH090E60C	202394656
16HPX-048-230	48000	16	13	41000	27600	9	LH49/62W9	ML180UH110E60C	202394676
16HPX-048-230	47000	16	12	40000	26800	8.5	LH49/62W9	ML296UH090XV48C	204668013
16HPX-048-230	46500	16	12.2	40000	26800	8.5	LH49/62W9	ML296UH110XV60C	204668020
16HPX-048-230	47000	16	12.5	41000	26600	9	LH49/62W9	SL280UH090V60C	202394696
16HPX-048-230	47000	16	12.5	41000	26600	9	LH49/62W9	SL280UH090XV60C	202394716
16HPX-048-230	47000	16	12.5	41000	26600	9	LH49/62W9	SL280UH110V60C	202394736
16HPX-048-230	47000	16	12.5	41000	26600	9	LH49/62W9	SL280UH110XV60C	202394756
16HPX-048-230	48000	16	12.5	41000	27600	9	LH49/62W9	SL280UH135V60D	202394776
16HPX-048-230	47500	16	12	41000	27600	8.2	LH49/62W9	SLP99UH090XV48C	205760997
16HPX-048-230	47000	16	12	41500	24600	8.2	LH49/62W9	SLP99UH090XV60C	205761025
16HPX-048-230	47500	16	12	41000	27600	8.2	LH49/62W9	SLP99UH110XV60C	205761061
16HPX-048-230	48000	16	12.5	43500	27800	9	LH49/62W9	SLP99UH135XV60D	205761101
16HPX-048-230	47000	15	12	41000	29200	9	LH49/62W9		202395091
16HPX-060-230	58500	15	12	54500	34200	8.2	L*42/60Y9	EL180UH100NE60C	205726883
16HPX-060-230	57500	16	12.2	50500	33000	8.5	L*42/60Y9	EL280UH110E60C	205726908
16HPX-060-230	57500	16	12.2	52000	33000	8.5	L*42/60Y9	EL280UH110XE60C	203366363
16HPX-060-230	56500	15	12	52500	35800	8.2	L*42/60Y9	EL296DF090XV60C	202394927
16HPX-060-230	57000	15	12	52500	35600	8.2	L*42/60Y9	EL296DF110XE60C	202394934
16HPX-060-230	56500	15	12	52500	35800	8.2	L*42/60Y9	EL296DF110XV60C	202394941
16HPX-060-230	58500	15	12	54500	34600	8.2	L*42/60Y9	EL296UH090XV48C	205726920
16HPX-060-230	58500	15	11.5	55000	34800	8.2	L*42/60Y9	EL296UH090XV60C	205726931
16HPX-060-230	58500	15	12	54500	34200	8.2	L*42/60Y9	EL296UH110XE60C	205726942
16HPX-060-230	58500	15	12	54500	34400	8.2	L*42/60Y9	EL296UH110XV48C	205726953
16HPX-060-230	58500	15	12	54500	34600	8.2	L*42/60Y9	EL296UH110XV60C	205726964

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-060-230	58000	15	11.7	52500	33600	8.2	L*42/60Y9	EL296UH135XE60D	202394951
16HPX-060-230	58500	15	12.2	52500	33400	8.2	L*42/60Y9	EL296UH135XV60D	202394964
16HPX-060-230	57500	15	12.5	52500	35800	8.5	L*42/60Y9	ML180DF110E60C	202394974
16HPX-060-230	58500	15	12	54500	34200	8.2	L*42/60Y9	ML180UH090E60C	205726986
16HPX-060-230	58000	15	12	54500	34200	8.2	L*42/60Y9	ML180UH110E60C	205726997
16HPX-060-230	59000	15	12	54500	34200	8.2	L*42/60Y9	ML180UH110V60C	205727010
16HPX-060-230	58000	15	12	54500	34200	8.2	L*42/60Y9	ML180UH110XE60C	205727021
16HPX-060-230	58500	15	12.2	52500	33200	8.5	L*42/60Y9	ML180UH135E60D	202394984
16HPX-060-230	56500	14	11.7	54500	33800	8.2	L*42/60Y9	ML180UH135E60D	205727035
16HPX-060-230	57500	15	12.2	50500	33200	8.2	L*42/60Y9	ML193UH110XE60C	205727054
16HPX-060-230	58500	15	12	54500	34600	8.2	L*42/60Y9	ML296UH090XV48C	205727065
16HPX-060-230	59000	15	12	54500	34400	8.2	L*42/60Y9	ML296UH110XV60C	205727076
16HPX-060-230	57000	15	12	52500	35800	8.2	L*42/60Y9	SL280DF090V60C	202394994
16HPX-060-230	57000	15	12	52500	35800	8.2	L*42/60Y9	SL280DF110V60C	202395001
16HPX-060-230	59000	15	12	54500	34200	8.2	L*42/60Y9	SL280UH080NV60C	205727089
16HPX-060-230	59000	15	12	54500	34400	8.2	L*42/60Y9	SL280UH090V60C	205727100
16HPX-060-230	59000	15	12	54500	34400	8.2	L*42/60Y9	SL280UH090XV60C	205727111
16HPX-060-230	59000	15	12	54500	34200	8.2	L*42/60Y9	SL280UH100NV60C	205727122
16HPX-060-230	59000	15	12	55000	34600	8.2	L*42/60Y9	SL280UH110V60C	205727133
16HPX-060-230	59000	15	12	55000	34600	8.2	L*42/60Y9	SL280UH110XV60C	205727144
16HPX-060-230	58000	15	12.2	52500	33400	8.5	L*42/60Y9	SL280UH135V60D	202395011
16HPX-060-230	58500	15	12	54500	34200	8.2	L*42/60Y9	SL297UH080NV48C	205727161
16HPX-060-230	59000	15	12	55000	34600	8.2	L*42/60Y9	SL297UH080NV60C	205727172
16HPX-060-230	56500	15	12	55000	35800	8.2	L*42/60Y9	SLP99DF090XV60C	205760725
16HPX-060-230	56500	15	12	55000	35800	8.2	L*42/60Y9	SLP99DF110XV60C	205760742
16HPX-060-230	58500	15	12	54500	34600	8.2	L*42/60Y9	SLP99UH110XV60C	205727221
16HPX-060-230	59000	15	11.5	58000	36000	8.5	L*42/60Y9	SLP99UH135XV60D	205760774
16HPX-060-230	57000	14.5	12	52500	36000	8.2	L*42/60Y9		202395097
16HPX-060-230	58500	15	12	54500	34200	8.2	L*42/60Z9	EL180UH100NE60C	205726882
16HPX-060-230	57500	16	12.2	50500	33000	8.5	L*42/60Z9	EL280UH110E60C	205726907
16HPX-060-230	57500	16	12.2	52000	33000	8.5	L*42/60Z9	EL280UH110XE60C	203366362
16HPX-060-230	58500	15	12	54500	34600	8.2	L*42/60Z9	EL296UH090XV48C	205726919
16HPX-060-230	58500	15	11.5	55000	34800	8.2	L*42/60Z9	EL296UH090XV60C	205726930
16HPX-060-230	58500	15	12	54500	34200	8.2	L*42/60Z9	EL296UH110XE60C	205726941
16HPX-060-230	58500	15	12	54500	34400	8.2	L*42/60Z9	EL296UH110XV48C	205726952
16HPX-060-230	58500	15	12	54500	34600	8.2	L*42/60Z9	EL296UH110XV60C	205726963
16HPX-060-230	58000	15	11.7	51000	33600	8.2	L*42/60Z9	EL296UH135XE60D	205726976
16HPX-060-230	58500	15	12.2	51000	33400	8.2	L*42/60Z9	EL296UH135XV60D	205726981
16HPX-060-230	58500	15	12	54500	34200	8.2	L*42/60Z9	ML180UH090E60C	205726985
16HPX-060-230	58000	15	12	54500	34200	8.2	L*42/60Z9	ML180UH110E60C	205726996
16HPX-060-230	59000	15	12	54500	34200	8.2	L*42/60Z9	ML180UH110V60C	205727009
16HPX-060-230	58000	15	12	54500	34200	8.2	L*42/60Z9	ML180UH110XE60C	205727020
16HPX-060-230	58500	15	12.2	51000	33200	8.5	L*42/60Z9	ML180UH135E60D	205727047
16HPX-060-230	56500	14	11.7	54500	33800	8.2	L*42/60Z9	ML180UH135E60D	205727034
16HPX-060-230	57500	15	12.2	50500	33200	8.2	L*42/60Z9	ML193UH110XE60C	205727053
16HPX-060-230	58500	15	12	54500	34600	8.2	L*42/60Z9	ML296UH090XV48C	205727064
16HPX-060-230	59000	15	12	54500	34400	8.2	L*42/60Z9	ML296UH110XV60C	205727075
16HPX-060-230	59000	15	12	54500	34200	8.2	L*42/60Z9	SL280UH080NV60C	205727088
16HPX-060-230	59000	15	12	54500	34400	8.2	L*42/60Z9	SL280UH090V60C	205727099
16HPX-060-230	59000	15	12	54500	34400	8.2	L*42/60Z9	SL280UH090XV60C	205727110
16HPX-060-230	59000	15	12	54500	34200	8.2	L*42/60Z9	SL280UH100NV60C	205727121
16HPX-060-230	59000	15	12	55000	34600	8.2	L*42/60Z9	SL280UH110V60C	205727132
16HPX-060-230	59000	15	12	55000	34600	8.2	L*42/60Z9	SL280UH110XV60C	205727143
16HPX-060-230	58000	15	12.2	51000	33400	8.5	L*42/60Z9	SL280UH135V60D	205727156

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-060-230	58500	15	12	54500	34200	8.2	L*42/60Z9	SL297UH080NV48C	205727160
16HPX-060-230	59000	15	12	55000	34600	8.2	L*42/60Z9	SL297UH080NV60C	205727171
16HPX-060-230	58500	15	12	54500	34600	8.2	L*42/60Z9	SLP99UH110XV60C	205727220
16HPX-060-230	59000	15	11.5	58000	36000	8.5	L*42/60Z9	SLP99UH135XV60D	205760771
16HPX-060-230	58500	15	12.2	54500	34200	8.2	L*43/61Y9	EL180UH100NE60C	205726885
16HPX-060-230	57500	16	12.2	50500	33000	8.5	L*43/61Y9	EL280UH110E60C	205726910
16HPX-060-230	57500	16	12.2	52000	33000	8.5	L*43/61Y9	EL280UH110XE60C	203366365
16HPX-060-230	56500	15	12	52500	35800	8.2	L*43/61Y9	EL296DF090XV60C	202394929
16HPX-060-230	57000	15	12	52500	35600	8.2	L*43/61Y9	EL296DF110XE60C	202394936
16HPX-060-230	56500	15	12	52500	35800	8.2	L*43/61Y9	EL296DF110XV60C	202394943
16HPX-060-230	58500	15	12.2	54500	34600	8.2	L*43/61Y9	EL296UH090XV48C	205726922
16HPX-060-230	58500	15	11.7	55000	34800	8.2	L*43/61Y9	EL296UH090XV60C	205726933
16HPX-060-230	58500	15	12.2	54500	34200	8.2	L*43/61Y9	EL296UH110XE60C	205726944
16HPX-060-230	58500	15	12.2	54500	34400	8.2	L*43/61Y9	EL296UH110XV48C	205726955
16HPX-060-230	58500	15	12.2	54500	34600	8.2	L*43/61Y9	EL296UH110XV60C	205726966
16HPX-060-230	58500	15	11.7	52500	36000	8.5	L*43/61Y9	EL296UH135XE60D	202394953
16HPX-060-230	58500	15	12.2	52500	33400	8.2	L*43/61Y9	EL296UH135XV60D	202394966
16HPX-060-230	57500	15	12.5	52500	35800	8.5	L*43/61Y9	ML180DF110E60C	202394976
16HPX-060-230	58500	15	12.2	54500	34200	8.2	L*43/61Y9	ML180UH090E60C	205726988
16HPX-060-230	58000	15	12.2	54500	34200	8.2	L*43/61Y9	ML180UH110E60C	205726999
16HPX-060-230	59000	15	12.2	54500	34200	8.2	L*43/61Y9	ML180UH110V60C	205727012
16HPX-060-230	58000	15	12.2	54500	34200	8.2	L*43/61Y9	ML180UH110XE60C	205727023
16HPX-060-230	58500	15	12.5	52500	33200	8.5	L*43/61Y9	ML180UH135E60D	202394986
16HPX-060-230	56500	14.5	11.7	54500	33800	8.2	L*43/61Y9	ML180UH135E60D	205727037
16HPX-060-230	57500	15	12.2	50500	33200	8.2	L*43/61Y9	ML193UH110XE60C	205727056
16HPX-060-230	58500	15	12.2	54500	34600	8.2	L*43/61Y9	ML296UH090XV48C	205727067
16HPX-060-230	59000	15	12.2	54500	34400	8.2	L*43/61Y9	ML296UH110XV60C	205727078
16HPX-060-230	57000	15	12	52500	35800	8.2	L*43/61Y9	SL280DF090V60C	202394996
16HPX-060-230	57000	15	12	52500	35800	8.2	L*43/61Y9	SL280DF110V60C	202395003
16HPX-060-230	59000	15	12.2	54500	34200	8.2	L*43/61Y9	SL280UH080NV60C	205727091
16HPX-060-230	59000	15	12.2	54500	34400	8.2	L*43/61Y9	SL280UH090V60C	205727102
16HPX-060-230	59000	15	12.2	54500	34400	8.2	L*43/61Y9	SL280UH090XV60C	205727113
16HPX-060-230	59000	15	12.2	54500	34200	8.2	L*43/61Y9	SL280UH100NV60C	205727124
16HPX-060-230	59000	15	12.2	55000	34600	8.2	L*43/61Y9	SL280UH110V60C	205727135
16HPX-060-230	59000	15	12.2	55000	34600	8.2	L*43/61Y9	SL280UH110XV60C	205727146
16HPX-060-230	58000	15	12.2	52500	33400	8.5	L*43/61Y9	SL280UH135V60D	202395013
16HPX-060-230	58500	15	12.2	54500	34200	8.2	L*43/61Y9	SL297UH080NV48C	205727163
16HPX-060-230	59000	15	12.2	55000	34600	8.2	L*43/61Y9	SL297UH080NV60C	205727174
16HPX-060-230	56500	15	12	55000	35800	8.2	L*43/61Y9	SLP99DF090XV60C	205760729
16HPX-060-230	56500	15	12	55000	35800	8.2	L*43/61Y9	SLP99DF110XV60C	205760747
16HPX-060-230	58500	15	12.2	54500	34600	8.2	L*43/61Y9	SLP99UH110XV60C	205727223
16HPX-060-230	59000	15	11.7	58000	36000	8.5	L*43/61Y9	SLP99UH135XV60D	205760777
16HPX-060-230	57000	14.5	12	52500	34600	8.5	L*43/61Y9		202395099
16HPX-060-230	58500	15	12.2	54500	34200	8.2	L*43/61Z9	EL180UH100NE60C	205726884
16HPX-060-230	57500	16	12.2	50500	33000	8.5	L*43/61Z9	EL280UH110E60C	205726909
16HPX-060-230	57500	16	12.2	52000	33000	8.5	L*43/61Z9	EL280UH110XE60C	203366364
16HPX-060-230	56500	15	12	52500	35800	8.2	L*43/61Z9	EL296DF090XV60C	202394928
16HPX-060-230	57000	15	12	52500	35600	8.2	L*43/61Z9	EL296DF110XE60C	202394935
16HPX-060-230	56500	15	12	52500	35800	8.2	L*43/61Z9	EL296DF110XV60C	202394942
16HPX-060-230	58500	15	12.2	54500	34600	8.2	L*43/61Z9	EL296UH090XV48C	205726921
16HPX-060-230	58500	15	11.7	55000	34800	8.2	L*43/61Z9	EL296UH090XV60C	205726932
16HPX-060-230	58500	15	12.2	54500	34200	8.2	L*43/61Z9	EL296UH110XE60C	205726943
16HPX-060-230	58500	15	12.2	54500	34400	8.2	L*43/61Z9	EL296UH110XV48C	205726954
16HPX-060-230	58500	15	12.2	54500	34600	8.2	L*43/61Z9	EL296UH110XV60C	205726965

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-060-230	58500	15	11.7	52500	36000	8.5	L*43/61Z9	EL296UH135XE60D	202394952
16HPX-060-230	58500	15	12.2	52500	33400	8.2	L*43/61Z9	EL296UH135XV60D	202394965
16HPX-060-230	57500	15	12.5	52500	35800	8.5	L*43/61Z9	ML180DF110E60C	202394975
16HPX-060-230	58500	15	12.2	54500	34200	8.2	L*43/61Z9	ML180UH090E60C	205726987
16HPX-060-230	58000	15	12.2	54500	34200	8.2	L*43/61Z9	ML180UH110E60C	205726998
16HPX-060-230	59000	15	12.2	54500	34200	8.2	L*43/61Z9	ML180UH110V60C	205727011
16HPX-060-230	58000	15	12.2	54500	34200	8.2	L*43/61Z9	ML180UH110XE60C	205727022
16HPX-060-230	56500	14.5	11.7	54500	33800	8.2	L*43/61Z9	ML180UH135E60D	205727036
16HPX-060-230	58500	15	12.5	52500	33200	8.5	L*43/61Z9	ML180UH135E60D	202394985
16HPX-060-230	57500	15	12.2	50500	33200	8.2	L*43/61Z9	ML193UH110XE60C	205727055
16HPX-060-230	58500	15	12.2	54500	34600	8.2	L*43/61Z9	ML296UH090XV48C	205727066
16HPX-060-230	59000	15	12.2	54500	34400	8.2	L*43/61Z9	ML296UH110XV60C	205727077
16HPX-060-230	57000	15	12	52500	35800	8.2	L*43/61Z9	SL280DF090V60C	202394995
16HPX-060-230	57000	15	12	52500	35800	8.2	L*43/61Z9	SL280DF110V60C	202395002
16HPX-060-230	59000	15	12.2	54500	34200	8.2	L*43/61Z9	SL280UH080NV60C	205727090
16HPX-060-230	59000	15	12.2	54500	34400	8.2	L*43/61Z9	SL280UH090V60C	205727101
16HPX-060-230	59000	15	12.2	54500	34400	8.2	L*43/61Z9	SL280UH090XV60C	205727112
16HPX-060-230	59000	15	12.2	54500	34200	8.2	L*43/61Z9	SL280UH100NV60C	205727123
16HPX-060-230	59000	15	12.2	55000	34600	8.2	L*43/61Z9	SL280UH110V60C	205727134
16HPX-060-230	59000	15	12.2	55000	34600	8.2	L*43/61Z9	SL280UH110XV60C	205727145
16HPX-060-230	58000	15	12.2	52500	33400	8.5	L*43/61Z9	SL280UH135V60D	202395012
16HPX-060-230	58500	15	12.2	54500	34200	8.2	L*43/61Z9	SL297UH080NV48C	205727162
16HPX-060-230	59000	15	12.2	55000	34600	8.2	L*43/61Z9	SL297UH080NV60C	205727173
16HPX-060-230	56500	15	12	55000	35800	8.2	L*43/61Z9	SLP99DF090XV60C	205760727
16HPX-060-230	56500	15	12	55000	35800	8.2	L*43/61Z9	SLP99DF110XV60C	205760745
16HPX-060-230	58500	15	12.2	54500	34600	8.2	L*43/61Z9	SLP99UH110XV60C	205727222
16HPX-060-230	59000	15	11.7	58000	36000	8.5	L*43/61Z9	SLP99UH135XV60D	205760775
16HPX-060-230	57000	14.5	12	52500	34600	8.5	L*43/61Z9		202395098
16HPX-060-230	57500	16	12.5	52000	33000	8.5	L*48/60Y9	EL280UH110XE60C	203366372
16HPX-060-230	56500	15	12	52500	35800	8.2	L*48/60Y9	EL296DF090XV60C	202394931
16HPX-060-230	57000	15	12	52500	35600	8.2	L*48/60Y9	EL296DF110XE60C	202394938
16HPX-060-230	56500	15	12	52500	35800	8.2	L*48/60Y9	EL296DF110XV60C	202394945
16HPX-060-230	58000	15	12	52500	33600	8.2	L*48/60Y9	EL296UH135XE60D	202394957
16HPX-060-230	58500	16	12.5	52500	33400	8.2	L*48/60Y9	EL296UH135XV60D	202394970
16HPX-060-230	57500	16	12.5	52500	35800	8.5	L*48/60Y9	ML180DF110E60C	202394978
16HPX-060-230	58500	16	12.5	52500	33200	8.5	L*48/60Y9	ML180UH135E60D	202394990
16HPX-060-230	57000	16	12	52500	35800	8.2	L*48/60Y9	SL280DF090V60C	202394998
16HPX-060-230	57000	16	12	52500	35800	8.2	L*48/60Y9	SL280DF110V60C	202395005
16HPX-060-230	58000	16	12.5	52500	33400	8.5	L*48/60Y9	SL280UH135V60D	202395017
16HPX-060-230	56500	15	12	55000	35800	8.2	L*48/60Y9	SLP99DF090XV60C	205760733
16HPX-060-230	56500	15	12	55000	35800	8.2	L*48/60Y9	SLP99DF110XV60C	205760751
16HPX-060-230	59000	15	11.7	58000	36000	8.5	L*48/60Y9	SLP99UH135XV60D	205760792
16HPX-060-230	57000	15	12	52500	34600	8.5	L*48/60Y9		202395103
16HPX-060-230	57500	16	12.5	52000	33000	8.5	L*48/60Z9	EL280UH110XE60C	203366371
16HPX-060-230	56500	15	12	52500	35800	8.2	L*48/60Z9	EL296DF090XV60C	202394930
16HPX-060-230	57000	15	12	52500	35600	8.2	L*48/60Z9	EL296DF110XE60C	202394937
16HPX-060-230	56500	15	12	52500	35800	8.2	L*48/60Z9	EL296DF110XV60C	202394944
16HPX-060-230	58000	15	12	52500	33600	8.2	L*48/60Z9	EL296UH135XE60D	202394956
16HPX-060-230	58500	16	12.5	52500	33400	8.2	L*48/60Z9	EL296UH135XV60D	202394969
16HPX-060-230	57500	16	12.5	52500	35800	8.5	L*48/60Z9	ML180DF110E60C	202394977
16HPX-060-230	58500	16	12.5	52500	33200	8.5	L*48/60Z9	ML180UH135E60D	202394989
16HPX-060-230	57000	16	12	52500	35800	8.2	L*48/60Z9	SL280DF090V60C	202394997
16HPX-060-230	57000	16	12	52500	35800	8.2	L*48/60Z9	SL280DF110V60C	202395004
16HPX-060-230	58000	16	12.5	52500	33400	8.5	L*48/60Z9	SL280UH135V60D	202395016

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-060-230	56500	15	12	55000	35800	8.2	L*48/60Z9	SLP99DF090XV60C	205760731
16HPX-060-230	56500	15	12	55000	35800	8.2	L*48/60Z9	SLP99DF110XV60C	205760749
16HPX-060-230	59000	15	11.7	58000	36000	8.5	L*48/60Z9	SLP99UH135XV60D	205760790
16HPX-060-230	57000	15	12	52500	34600	8.5	L*48/60Z9		202395102
16HPX-060-230	58000	15	12	54500	34200	8.2	L*49/62Y9	EL180UH100NE60C	205726881
16HPX-060-230	57500	16	12	50500	33000	8.5	L*49/62Y9	EL280UH110E60C	205726906
16HPX-060-230	57500	16	12	52000	33000	8.5	L*49/62Y9	EL280UH110XE60C	203366361
16HPX-060-230	56500	15	12	52500	35800	8.2	L*49/62Y9	EL296DF090XV60C	202394926
16HPX-060-230	57000	15	12	52500	35600	8.2	L*49/62Y9	EL296DF110XE60C	202394933
16HPX-060-230	56500	15	12	52500	35800	8.2	L*49/62Y9	EL296DF110XV60C	202394940
16HPX-060-230	58000	15	12	54500	34600	8.2	L*49/62Y9	EL296UH090XV48C	205726918
16HPX-060-230	58000	15	11.5	55000	34800	8.2	L*49/62Y9	EL296UH090XV60C	205726929
16HPX-060-230	58000	15	12	54500	34200	8.2	L*49/62Y9	EL296UH110XE60C	205726940
16HPX-060-230	58000	15	12	54500	34400	8.2	L*49/62Y9	EL296UH110XV48C	205726951
16HPX-060-230	58000	15	12	54500	34600	8.2	L*49/62Y9	EL296UH110XV60C	205726962
16HPX-060-230	58000	15	11.5	52500	36000	8.5	L*49/62Y9	EL296UH135XE60D	202394950
16HPX-060-230	58500	15	12	52500	33400	8.2	L*49/62Y9	EL296UH135XV60D	202394963
16HPX-060-230	57500	15	12.5	52500	35800	8.5	L*49/62Y9	ML180DF110E60C	202394973
16HPX-060-230	58000	15	12	54500	34200	8.2	L*49/62Y9	ML180UH090E60C	205726984
16HPX-060-230	57500	15	12	54500	34200	8.2	L*49/62Y9	ML180UH110E60C	205726995
16HPX-060-230	58500	15	12	54500	34200	8.2	L*49/62Y9	ML180UH110V60C	205727008
16HPX-060-230	57500	15	12	54500	34200	8.2	L*49/62Y9	ML180UH110XE60C	205727019
16HPX-060-230	56500	14	11.7	54500	33800	8.2	L*49/62Y9	ML180UH135E60D	205727033
16HPX-060-230	58500	15	12.2	52500	33200	8.5	L*49/62Y9	ML180UH135E60D	202394983
16HPX-060-230	57500	15	12	50500	33200	8.2	L*49/62Y9	ML193UH110XE60C	205727052
16HPX-060-230	58000	15	12	54500	34600	8.2	L*49/62Y9	ML296UH090XV48C	205727063
16HPX-060-230	58500	15	12	54500	34400	8.2	L*49/62Y9	ML296UH110XV60C	205727074
16HPX-060-230	57000	15	12	52500	35800	8.2	L*49/62Y9	SL280DF090V60C	202394993
16HPX-060-230	57000	15	12	52500	35800	8.2	L*49/62Y9	SL280DF110V60C	202395000
16HPX-060-230	58500	15	12	54500	34200	8.2	L*49/62Y9	SL280UH080NV60C	205727087
16HPX-060-230	58500	15	12	54500	34400	8.2	L*49/62Y9	SL280UH090V60C	205727098
16HPX-060-230	58500	15	12	54500	34400	8.2	L*49/62Y9	SL280UH090XV60C	205727109
16HPX-060-230	58500	15	12	54500	34200	8.2	L*49/62Y9	SL280UH100NV60C	205727120
16HPX-060-230	58500	15	12	55000	34600	8.2	L*49/62Y9	SL280UH110V60C	205727131
16HPX-060-230	58500	15	12	55000	34600	8.2	L*49/62Y9	SL280UH110XV60C	205727142
16HPX-060-230	58000	15	12	52500	33400	8.5	L*49/62Y9	SL280UH135V60D	202395010
16HPX-060-230	58000	15	12	54500	34200	8.2	L*49/62Y9	SL297UH080NV48C	205727159
16HPX-060-230	58500	15	12	55000	34600	8.2	L*49/62Y9	SL297UH080NV60C	205727170
16HPX-060-230	56500	15	12	55000	35800	8.2	L*49/62Y9	SLP99DF090XV60C	205760723
16HPX-060-230	56500	15	12	55000	35800	8.2	L*49/62Y9	SLP99DF110XV60C	205760740
16HPX-060-230	58000	15	12	54500	34600	8.2	L*49/62Y9	SLP99UH110XV60C	205727219
16HPX-060-230	58500	15	11.5	58000	36000	8.5	L*49/62Y9	SLP99UH135XV60D	205760769
16HPX-060-230	57000	14.5	12	52500	36000	8.2	L*49/62Y9		202395096
16HPX-060-230	58000	15	12	54500	34200	8.2	L*49/62Z9	EL180UH100NE60C	205726880
16HPX-060-230	57500	16	12	50500	33000	8.5	L*49/62Z9	EL280UH110E60C	205726905
16HPX-060-230	57500	16	12	52000	33000	8.5	L*49/62Z9	EL280UH110XE60C	203366360
16HPX-060-230	58000	15	12	54500	34600	8.2	L*49/62Z9	EL296UH090XV48C	205726917
16HPX-060-230	58000	15	11.5	55000	34800	8.2	L*49/62Z9	EL296UH090XV60C	205726928
16HPX-060-230	58000	15	12	54500	34200	8.2	L*49/62Z9	EL296UH110XE60C	205726939
16HPX-060-230	58000	15	12	54500	34400	8.2	L*49/62Z9	EL296UH110XV48C	205726950
16HPX-060-230	58000	15	12	54500	34600	8.2	L*49/62Z9	EL296UH110XV60C	205726961
16HPX-060-230	58000	15	11.5	58000	36000	8.5	L*49/62Z9	EL296UH135XE60D	205726975
16HPX-060-230	58500	15	12	51000	33400	8.2	L*49/62Z9	EL296UH135XV60D	205726980
16HPX-060-230	58000	15	12	54500	34200	8.2	L*49/62Z9	ML180UH090E60C	205726983

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-060-230	57500	15	12	54500	34200	8.2	L*49/62Z9	ML180UH110E60C	205726994
16HPX-060-230	58500	15	12	54500	34200	8.2	L*49/62Z9	ML180UH110V60C	205727007
16HPX-060-230	57500	15	12	54500	34200	8.2	L*49/62Z9	ML180UH110XE60C	205727018
16HPX-060-230	56500	14	11.7	54500	33800	8.2	L*49/62Z9	ML180UH135E60D	205727032
16HPX-060-230	58500	15	12.2	51000	33200	8.5	L*49/62Z9	ML180UH135E60D	205727046
16HPX-060-230	57500	15	12	50500	33200	8.2	L*49/62Z9	ML193UH110XE60C	205727051
16HPX-060-230	58000	15	12	54500	34600	8.2	L*49/62Z9	ML296UH090XV48C	205727062
16HPX-060-230	58500	15	12	54500	34400	8.2	L*49/62Z9	ML296UH110XV60C	205727073
16HPX-060-230	58500	15	12	54500	34200	8.2	L*49/62Z9	SL280UH080NV60C	205727086
16HPX-060-230	58500	15	12	54500	34400	8.2	L*49/62Z9	SL280UH090V60C	205727097
16HPX-060-230	58500	15	12	54500	34400	8.2	L*49/62Z9	SL280UH090XV60C	205727108
16HPX-060-230	58500	15	12	54500	34200	8.2	L*49/62Z9	SL280UH100NV60C	205727119
16HPX-060-230	58500	15	12	55000	34600	8.2	L*49/62Z9	SL280UH110V60C	205727130
16HPX-060-230	58500	15	12	55000	34600	8.2	L*49/62Z9	SL280UH110XV60C	205727141
16HPX-060-230	58000	15	12	51000	33400	8.5	L*49/62Z9	SL280UH135V60D	205727155
16HPX-060-230	58000	15	12	54500	34200	8.2	L*49/62Z9	SL297UH080NV48C	205727158
16HPX-060-230	58500	15	12	55000	34600	8.2	L*49/62Z9	SL297UH080NV60C	205727169
16HPX-060-230	58000	15	12	54500	34600	8.2	L*49/62Z9	SLP99UH110XV60C	205727218
16HPX-060-230	58500	15	11.5	58000	36000	8.5	L*49/62Z9	SLP99UH135XV60D	205760767
16HPX-060-230	57500	16	12.5	52000	33000	8.5	L*49/63Z9	EL280UH110XE60C	203366373
16HPX-060-230	56500	15	12	52500	35800	8.2	L*49/63Z9	EL296DF090XV60C	202394932
16HPX-060-230	57000	15	12	52500	35600	8.2	L*49/63Z9	EL296DF110XE60C	202394939
16HPX-060-230	56500	15	12	52500	35800	8.2	L*49/63Z9	EL296DF110XV60C	202394946
16HPX-060-230	58500	15	12	52500	36000	8.5	L*49/63Z9	EL296UH135XE60D	202394958
16HPX-060-230	58500	16	12.5	52500	33400	8.2	L*49/63Z9	EL296UH135XV60D	202394971
16HPX-060-230	57500	16	12.5	52500	35800	8.5	L*49/63Z9	ML180DF110E60C	202394979
16HPX-060-230	58500	16	12.5	52500	33200	8.5	L*49/63Z9	ML180UH135E60D	202394991
16HPX-060-230	57000	16	12	52500	35800	8.2	L*49/63Z9	SL280DF090V60C	202394999
16HPX-060-230	57000	16	12	52500	35800	8.2	L*49/63Z9	SL280DF110V60C	202395006
16HPX-060-230	58000	16	12.5	52500	33400	8.5	L*49/63Z9	SL280UH135V60D	202395018
16HPX-060-230	56500	15	12	55000	35800	8.2	L*49/63Z9	SLP99DF090XV60C	205760736
16HPX-060-230	56500	15	12	55000	35800	8.2	L*49/63Z9	SLP99DF110XV60C	205760753
16HPX-060-230	59000	15	12	58000	36000	8.5	L*49/63Z9	SLP99UH135XV60D	205760794
16HPX-060-230	57000	15	12	52500	34600	8.5	L*49/63Z9		202395104
16HPX-060-230	56500	15	12	55000	35800	8.2	LD42/61Z9	EL296DF090XV60C	205147160
16HPX-060-230	57000	15	12	55000	35600	8.2	LD42/61Z9	EL296DF110XE60C	205147161
16HPX-060-230	56500	15	12	55000	35800	8.2	LD42/61Z9	EL296DF110XV60C	205147162
16HPX-060-230	57500	15	12.5	55500	35800	8.5	LD42/61Z9	ML180DF110E60C	205147163
16HPX-060-230	56500	15	12	55000	35800	8.2	LD42/61Z9	ML296DF090XV60C	205147164
16HPX-060-230	57000	15	12	55000	35800	8.2	LD42/61Z9	SL280DF090V60C	205147165
16HPX-060-230	57000	15	12	55000	35800	8.2	LD42/61Z9	SL280DF110V60C	205147166
16HPX-060-230	56500	15	12	55000	35800	8.2	LD42/61Z9	SLP99DF090XV60C	205760721
16HPX-060-230	56500	15	12	55000	35800	8.2	LD42/61Z9	SLP99DF110XV60C	205760738
16HPX-060-230	57000	14.5	12	55500	36000	8.2	LD42/61Z9		204755162
16HPX-060-230	57500	16	12	52000	33000	8.5	LH40/61E9	EL280UH110XE60C	203366358
16HPX-060-230	58000	15	11.5	52500	36000	8.5	LH40/61E9	EL296UH135XE60D	202394947
16HPX-060-230	58500	15	12	52500	33400	8.2	LH40/61E9	EL296UH135XV60D	202394960
16HPX-060-230	58500	15	12.2	52500	33200	8.5	LH40/61E9	ML180UH135E60D	202394980
16HPX-060-230	58000	15	12	52500	33400	8.5	LH40/61E9	SL280UH135V60D	202395007
16HPX-060-230	58500	15	11.5	58000	36000	8.5	LH40/61E9	SLP99UH135XV60D	205760764
16HPX-060-230	57000	14.5	12	52500	36000	8.2	LH40/61E9		202395093
16HPX-060-230	57500	16	12	52000	33000	8.5	LH40/61W9	EL280UH110XE60C	203366357
16HPX-060-230	57000	16	12	50500	33000	8.5	LH40/62E9	EL280UH110E60C	205726903
16HPX-060-230	57000	16	12	50500	33000	8.5	LH40/62E9	EL280UH110XE60C	205726916

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-060-230	57500	15	11.5	51000	33600	8.2	LH40/62E9	EL296UH135XE60D	205726973
16HPX-060-230	58000	15	12	51000	33400	8.2	LH40/62E9	EL296UH135XV60D	205726979
16HPX-060-230	58500	15	12	54500	34200	8.2	LH40/62E9	ML180UH110V60C	205727006
16HPX-060-230	58000	15	12.2	51000	33200	8.5	LH40/62E9	ML180UH135E60D	205727044
16HPX-060-230	56500	14	11.5	54500	33800	8.2	LH40/62E9	ML180UH135E60D	205727030
16HPX-060-230	57000	15	12	50500	33200	8.2	LH40/62E9	ML193UH110XE60C	205727050
16HPX-060-230	58500	15	12	54500	34200	8.2	LH40/62E9	SL280UH080NV60C	205727085
16HPX-060-230	57500	15	12	51000	33400	8.5	LH40/62E9	SL280UH135V60D	205727153
16HPX-060-230	58000	15	11	58000	36000	8.5	LH40/62E9	SLP99UH135XV60D	205760762
16HPX-060-230	57000	14.5	12	52500	36000	8.2	LH40/62E9		202395092
16HPX-060-230	57000	16	12	50500	33000	8.5	LH40/62W9	EL280UH110E60C	205726902
16HPX-060-230	57000	16	12	52000	33000	8.5	LH40/62W9	EL280UH110XE60C	203366355
16HPX-060-230	57500	15	11.5	51000	33600	8.2	LH40/62W9	EL296UH135XE60D	205726972
16HPX-060-230	58000	15	12	51000	33400	8.2	LH40/62W9	EL296UH135XV60D	205726978
16HPX-060-230	58500	15	12	54500	34200	8.2	LH40/62W9	ML180UH110V60C	205727005
16HPX-060-230	56500	14	11.5	54500	33800	8.2	LH40/62W9	ML180UH135E60D	205727029
16HPX-060-230	58000	15	12.2	51000	33200	8.5	LH40/62W9	ML180UH135E60D	205727043
16HPX-060-230	57000	15	12	50500	33200	8.2	LH40/62W9	ML193UH110XE60C	205727049
16HPX-060-230	58500	15	12	54500	34200	8.2	LH40/62W9	SL280UH080NV60C	205727084
16HPX-060-230	57500	15	12	51000	33400	8.5	LH40/62W9	SL280UH135V60D	205727152
16HPX-060-230	58000	15	11	58000	36000	8.5	LH40/62W9	SLP99UH135XV60D	205760760
16HPX-060-230	56000	15	11.7	50500	33000	8.2	LH41/61D9	EL280UH110E60C	205726904
16HPX-060-230	56000	15	11.7	52000	33000	8.2	LH41/61D9	EL280UH110XE60C	203366356
16HPX-060-230	56500	15	11	58000	36000	8.2	LH41/61D9	EL296UH135XE60D	205726974
16HPX-060-230	57000	15	12	51000	33200	8.2	LH41/61D9	ML180UH135E60D	205727045
16HPX-060-230	55500	14	11	54500	33800	8.2	LH41/61D9	ML180UH135E60D	205727031
16HPX-060-230	56500	15	11.7	51000	33400	8.2	LH41/61D9	SL280UH135V60D	205727154
16HPX-060-230	58500	15	12.2	54500	34200	8.2	LH42/62E9	EL180UH100NE60C	205726889
16HPX-060-230	57500	16	12.2	50500	33000	8.5	LH42/62E9	EL280UH110E60C	205726914
16HPX-060-230	57500	16	12.2	52000	33000	8.5	LH42/62E9	EL280UH110XE60C	203366369
16HPX-060-230	58500	15	12.2	54500	34600	8.2	LH42/62E9	EL296UH090XV48C	205726926
16HPX-060-230	58500	15	11.7	55000	34800	8.2	LH42/62E9	EL296UH090XV60C	205726937
16HPX-060-230	58500	15	12.2	54500	34200	8.2	LH42/62E9	EL296UH110XE60C	205726948
16HPX-060-230	58500	15	12.2	54500	34400	8.2	LH42/62E9	EL296UH110XV48C	205726959
16HPX-060-230	58500	15	12.2	54500	34600	8.2	LH42/62E9	EL296UH110XV60C	205726970
16HPX-060-230	58500	15	11.7	52500	36000	8.5	LH42/62E9	EL296UH135XE60D	202394954
16HPX-060-230	58500	16	12.2	52500	33400	8.2	LH42/62E9	EL296UH135XV60D	202394967
16HPX-060-230	58500	15	12.2	54500	34200	8.2	LH42/62E9	ML180UH090E60C	205726992
16HPX-060-230	58000	15	12.2	54500	34200	8.2	LH42/62E9	ML180UH110E60C	205727003
16HPX-060-230	59000	15	12.2	54500	34200	8.2	LH42/62E9	ML180UH110V60C	205727016
16HPX-060-230	58000	15	12.2	54500	34200	8.2	LH42/62E9	ML180UH110XE60C	205727027
16HPX-060-230	56500	14.5	11.7	54500	33800	8.2	LH42/62E9	ML180UH135E60D	205727041
16HPX-060-230	58500	16	12.5	52500	33200	8.5	LH42/62E9	ML180UH135E60D	202394987
16HPX-060-230	57500	15	12.2	50500	33200	8.2	LH42/62E9	ML193UH110XE60C	205727060
16HPX-060-230	58500	15	12.2	54500	34600	8.2	LH42/62E9	ML296UH090XV48C	205727071
16HPX-060-230	59000	15	12.2	54500	34400	8.2	LH42/62E9	ML296UH110XV60C	205727082
16HPX-060-230	59000	15	12.2	54500	34200	8.2	LH42/62E9	SL280UH080NV60C	205727095
16HPX-060-230	59000	15	12.2	54500	34400	8.2	LH42/62E9	SL280UH090V60C	205727106
16HPX-060-230	59000	15	12.2	54500	34400	8.2	LH42/62E9	SL280UH090XV60C	205727117
16HPX-060-230	59000	15	12.2	54500	34200	8.2	LH42/62E9	SL280UH100NV60C	205727128
16HPX-060-230	59000	15	12.2	55000	34600	8.2	LH42/62E9	SL280UH110V60C	205727139
16HPX-060-230	59000	15	12.2	55000	34600	8.2	LH42/62E9	SL280UH110XV60C	205727150
16HPX-060-230	58000	16	12.2	52500	33400	8.5	LH42/62E9	SL280UH135V60D	202395014
16HPX-060-230	58500	15	12.2	54500	34200	8.2	LH42/62E9	SL297UH080NV48C	205727167

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-060-230	59000	15	12.2	55000	34600	8.2	LH42/62E9	SL297UH080NV60C	205727178
16HPX-060-230	58500	15	12.2	54500	34600	8.2	LH42/62E9	SLP99UH110XV60C	205727227
16HPX-060-230	59000	15	11.7	58000	36000	8.5	LH42/62E9	SLP99UH135XV60D	205760786
16HPX-060-230	57000	14.5	12	52500	34600	8.5	LH42/62E9		202395100
16HPX-060-230	58500	15	12.2	54500	34200	8.2	LH42/62W9	EL180UH100NE60C	205726888
16HPX-060-230	57500	16	12.2	50500	33000	8.5	LH42/62W9	EL280UH110E60C	205726913
16HPX-060-230	57500	16	12.2	52000	33000	8.5	LH42/62W9	EL280UH110XE60C	203366368
16HPX-060-230	58500	15	12.2	54500	34600	8.2	LH42/62W9	EL296UH090XV48C	205726925
16HPX-060-230	58500	15	11.7	55000	34800	8.2	LH42/62W9	EL296UH090XV60C	205726936
16HPX-060-230	58500	15	12.2	54500	34200	8.2	LH42/62W9	EL296UH110XE60C	205726947
16HPX-060-230	58500	15	12.2	54500	34400	8.2	LH42/62W9	EL296UH110XV48C	205726958
16HPX-060-230	58500	15	12.2	54500	34600	8.2	LH42/62W9	EL296UH110XV60C	205726969
16HPX-060-230	58500	15	11.7	58000	36000	8.5	LH42/62W9	EL296UH135XE60D	205726977
16HPX-060-230	58500	16	12.2	51000	33400	8.2	LH42/62W9	EL296UH135XV60D	205726982
16HPX-060-230	58500	15	12.2	54500	34200	8.2	LH42/62W9	ML180UH090E60C	205726991
16HPX-060-230	58000	15	12.2	54500	34200	8.2	LH42/62W9	ML180UH110E60C	205727002
16HPX-060-230	59000	15	12.2	54500	34200	8.2	LH42/62W9	ML180UH110V60C	205727015
16HPX-060-230	58000	15	12.2	54500	34200	8.2	LH42/62W9	ML180UH110XE60C	205727026
16HPX-060-230	58500	16	12.5	51000	33200	8.5	LH42/62W9	ML180UH135E60D	205727048
16HPX-060-230	56500	14.5	11.7	54500	33800	8.2	LH42/62W9	ML180UH135E60D	205727040
16HPX-060-230	57500	15	12.2	50500	33200	8.2	LH42/62W9	ML193UH110XE60C	205727059
16HPX-060-230	58500	15	12.2	54500	34600	8.2	LH42/62W9	ML296UH090XV48C	205727070
16HPX-060-230	59000	15	12.2	54500	34400	8.2	LH42/62W9	ML296UH110XV60C	205727081
16HPX-060-230	59000	15	12.2	54500	34200	8.2	LH42/62W9	SL280UH080NV60C	205727094
16HPX-060-230	59000	15	12.2	54500	34400	8.2	LH42/62W9	SL280UH090V60C	205727105
16HPX-060-230	59000	15	12.2	54500	34400	8.2	LH42/62W9	SL280UH090XV60C	205727116
16HPX-060-230	59000	15	12.2	54500	34200	8.2	LH42/62W9	SL280UH100NV60C	205727127
16HPX-060-230	59000	15	12.2	55000	34600	8.2	LH42/62W9	SL280UH110V60C	205727138
16HPX-060-230	59000	15	12.2	55000	34600	8.2	LH42/62W9	SL280UH110XV60C	205727149
16HPX-060-230	58000	16	12.2	51000	33400	8.5	LH42/62W9	SL280UH135V60D	205727157
16HPX-060-230	58500	15	12.2	54500	34200	8.2	LH42/62W9	SL297UH080NV48C	205727166
16HPX-060-230	59000	15	12.2	55000	34600	8.2	LH42/62W9	SL297UH080NV60C	205727177
16HPX-060-230	58500	15	12.2	54500	34600	8.2	LH42/62W9	SLP99UH110XV60C	205727226
16HPX-060-230	59000	15	11.7	58000	36000	8.5	LH42/62W9	SLP99UH135XV60D	205760784
16HPX-060-230	58500	15	12.2	54500	34200	8.2	LH48/60E9	EL180UH100NE60C	205726890
16HPX-060-230	57500	16	12.2	50500	33000	8.5	LH48/60E9	EL280UH110E60C	205726915
16HPX-060-230	57500	16	12.2	52000	33000	8.5	LH48/60E9	EL280UH110XE60C	203366370
16HPX-060-230	58500	15	12.2	54500	34600	8.2	LH48/60E9	EL296UH090XV48C	205726927
16HPX-060-230	58500	15	11.7	55000	34800	8.2	LH48/60E9	EL296UH090XV60C	205726938
16HPX-060-230	58500	15	12.2	54500	34200	8.2	LH48/60E9	EL296UH110XE60C	205726949
16HPX-060-230	58500	15	12.2	54500	34400	8.2	LH48/60E9	EL296UH110XV48C	205726960
16HPX-060-230	58500	15	12.2	54500	34600	8.2	LH48/60E9	EL296UH110XV60C	205726971
16HPX-060-230	58500	15	11.7	52500	36000	8.5	LH48/60E9	EL296UH135XE60D	202394955
16HPX-060-230	58500	16	12.2	52500	33400	8.2	LH48/60E9	EL296UH135XV60D	202394968
16HPX-060-230	58500	15	12.2	54500	34200	8.2	LH48/60E9	ML180UH090E60C	205726993
16HPX-060-230	58000	15	12.2	54500	34200	8.2	LH48/60E9	ML180UH110E60C	205727004
16HPX-060-230	59000	15	12.2	54500	34200	8.2	LH48/60E9	ML180UH110V60C	205727017
16HPX-060-230	58000	15	12.2	54500	34200	8.2	LH48/60E9	ML180UH110XE60C	205727028
16HPX-060-230	56500	14.5	12	54500	33800	8.2	LH48/60E9	ML180UH135E60D	205727042
16HPX-060-230	58500	16	12.5	52500	33200	8.5	LH48/60E9	ML180UH135E60D	202394988
16HPX-060-230	57500	15	12.2	50500	33200	8.2	LH48/60E9	ML193UH110XE60C	205727061
16HPX-060-230	58500	15	12.2	54500	34600	8.2	LH48/60E9	ML296UH090XV48C	205727072
16HPX-060-230	59000	15	12.2	54500	34400	8.2	LH48/60E9	ML296UH110XV60C	205727083
16HPX-060-230	59000	15	12.2	54500	34200	8.2	LH48/60E9	SL280UH080NV60C	205727096

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-060-230	59000	15	12.2	54500	34400	8.2	LH48/60E9	SL280UH090V60C	205727107
16HPX-060-230	59000	15	12.2	54500	34400	8.2	LH48/60E9	SL280UH090XV60C	205727118
16HPX-060-230	59000	15	12.2	54500	34200	8.2	LH48/60E9	SL280UH100NV60C	205727129
16HPX-060-230	59000	15	12.2	55000	34600	8.2	LH48/60E9	SL280UH110V60C	205727140
16HPX-060-230	59000	15	12.2	55000	34600	8.2	LH48/60E9	SL280UH110XV60C	205727151
16HPX-060-230	58000	16	12.2	52500	33400	8.5	LH48/60E9	SL280UH135V60D	202395015
16HPX-060-230	58500	15	12.2	54500	34200	8.2	LH48/60E9	SL297UH080NV48C	205727168
16HPX-060-230	59000	15	12.2	55000	34600	8.2	LH48/60E9	SL297UH080NV60C	205727179
16HPX-060-230	58500	15	12.2	54500	34600	8.2	LH48/60E9	SLP99UH110XV60C	205727228
16HPX-060-230	59000	15	11.7	58000	36000	8.5	LH48/60E9	SLP99UH135XV60D	205760788
16HPX-060-230	57000	15	12	52500	34600	8.5	LH48/60E9		202395101
16HPX-060-230	56500	15	11.7	52000	33000	8.5	LH48/60F9	EL280UH110XE60C	203366359
16HPX-060-230	58500	15	12.5	54500	34200	8.2	LH49/61E9	EL180UH100NE60C	205726887
16HPX-060-230	57500	16	12.5	50500	33000	8.5	LH49/61E9	EL280UH110E60C	205726912
16HPX-060-230	57500	16	12.5	52000	33000	8.5	LH49/61E9	EL280UH110XE60C	203366367
16HPX-060-230	58500	15	12.5	54500	34600	8.2	LH49/61E9	EL296UH090XV48C	205726924
16HPX-060-230	58500	15	12	55000	34800	8.2	LH49/61E9	EL296UH090XV60C	205726935
16HPX-060-230	58500	15	12.5	54500	34200	8.2	LH49/61E9	EL296UH110XE60C	205726946
16HPX-060-230	58500	15	12.5	54500	34400	8.2	LH49/61E9	EL296UH110XV48C	205726957
16HPX-060-230	58500	15	12.5	54500	34600	8.2	LH49/61E9	EL296UH110XV60C	205726968
16HPX-060-230	58500	15	11.7	52500	36000	8.5	LH49/61E9	EL296UH135XE60D	202394949
16HPX-060-230	58500	16	12.2	52500	33400	8.2	LH49/61E9	EL296UH135XV60D	202394962
16HPX-060-230	58500	15	12.5	54500	34200	8.2	LH49/61E9	ML180UH090E60C	205726990
16HPX-060-230	58000	15	12.5	54500	34200	8.2	LH49/61E9	ML180UH110E60C	205727001
16HPX-060-230	59000	15	12.5	54500	34200	8.2	LH49/61E9	ML180UH110V60C	205727014
16HPX-060-230	58000	15	12.5	54500	34200	8.2	LH49/61E9	ML180UH110XE60C	205727025
16HPX-060-230	56500	14.5	12	54500	33800	8.2	LH49/61E9	ML180UH135E60D	205727039
16HPX-060-230	58500	16	12.5	52500	33200	8.5	LH49/61E9	ML180UH135E60D	202394982
16HPX-060-230	57500	15	12.5	50500	33200	8.2	LH49/61E9	ML193UH110XE60C	205727058
16HPX-060-230	58500	15	12.5	54500	34600	8.2	LH49/61E9	ML296UH090XV48C	205727069
16HPX-060-230	59000	15	12.5	54500	34400	8.2	LH49/61E9	ML296UH110XV60C	205727080
16HPX-060-230	59000	15	12.5	54500	34200	8.2	LH49/61E9	SL280UH080NV60C	205727093
16HPX-060-230	59000	15	12.5	54500	34400	8.2	LH49/61E9	SL280UH090V60C	205727104
16HPX-060-230	59000	15	12.5	54500	34400	8.2	LH49/61E9	SL280UH090XV60C	205727115
16HPX-060-230	59000	15	12.5	54500	34200	8.2	LH49/61E9	SL280UH100NV60C	205727126
16HPX-060-230	59000	15	12.5	55000	34600	8.2	LH49/61E9	SL280UH110V60C	205727137
16HPX-060-230	59000	15	12.5	55000	34600	8.2	LH49/61E9	SL280UH110XV60C	205727148
16HPX-060-230	58000	16	12.2	52500	33400	8.5	LH49/61E9	SL280UH135V60D	202395009
16HPX-060-230	58500	15	12.5	54500	34200	8.2	LH49/61E9	SL297UH080NV48C	205727165
16HPX-060-230	59000	15	12.5	55000	34600	8.2	LH49/61E9	SL297UH080NV60C	205727176
16HPX-060-230	58500	15	12.5	54500	34600	8.2	LH49/61E9	SLP99UH110XV60C	205727225
16HPX-060-230	59000	15	11.7	58000	36000	8.5	LH49/61E9	SLP99UH135XV60D	205760782
16HPX-060-230	57000	15	12	52500	34600	8.5	LH49/61E9		202395095
16HPX-060-230	58500	15	12.5	54500	34200	8.2	LH49/61W9	EL180UH100NE60C	205726886
16HPX-060-230	57500	16	12.5	50500	33000	8.5	LH49/61W9	EL280UH110E60C	205726911
16HPX-060-230	57500	16	12.5	52000	33000	8.5	LH49/61W9	EL280UH110XE60C	203366366
16HPX-060-230	58500	15	12.5	54500	34600	8.2	LH49/61W9	EL296UH090XV48C	205726923
16HPX-060-230	58500	15	12	55000	34800	8.2	LH49/61W9	EL296UH090XV60C	205726934
16HPX-060-230	58500	15	12.5	54500	34200	8.2	LH49/61W9	EL296UH110XE60C	205726945
16HPX-060-230	58500	15	12.5	54500	34400	8.2	LH49/61W9	EL296UH110XV48C	205726956
16HPX-060-230	58500	15	12.5	54500	34600	8.2	LH49/61W9	EL296UH110XV60C	205726967
16HPX-060-230	58500	15	11.7	52500	36000	8.5	LH49/61W9	EL296UH135XE60D	202394948
16HPX-060-230	58500	16	12.2	52500	33400	8.2	LH49/61W9	EL296UH135XV60D	202394961
16HPX-060-230	58500	15	12.5	54500	34200	8.2	LH49/61W9	ML180UH090E60C	205726989

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-060-230	58000	15	12.5	54500	34200	8.2	LH49/61W9	ML180UH110E60C	205727000
16HPX-060-230	59000	15	12.5	54500	34200	8.2	LH49/61W9	ML180UH110V60C	205727013
16HPX-060-230	58000	15	12.5	54500	34200	8.2	LH49/61W9	ML180UH110XE60C	205727024
16HPX-060-230	56500	14.5	12	54500	33800	8.2	LH49/61W9	ML180UH135E60D	205727038
16HPX-060-230	58500	16	12.5	52500	33200	8.5	LH49/61W9	ML180UH135E60D	202394981
16HPX-060-230	57500	15	12.5	50500	33200	8.2	LH49/61W9	ML193UH110XE60C	205727057
16HPX-060-230	58500	15	12.5	54500	34600	8.2	LH49/61W9	ML296UH090XV48C	205727068
16HPX-060-230	59000	15	12.5	54500	34400	8.2	LH49/61W9	ML296UH110XV60C	205727079
16HPX-060-230	59000	15	12.5	54500	34200	8.2	LH49/61W9	SL280UH080NV60C	205727092
16HPX-060-230	59000	15	12.5	54500	34400	8.2	LH49/61W9	SL280UH090V60C	205727103
16HPX-060-230	59000	15	12.5	54500	34400	8.2	LH49/61W9	SL280UH090XV60C	205727114
16HPX-060-230	59000	15	12.5	54500	34200	8.2	LH49/61W9	SL280UH100NV60C	205727125
16HPX-060-230	59000	15	12.5	55000	34600	8.2	LH49/61W9	SL280UH110V60C	205727136
16HPX-060-230	59000	15	12.5	55000	34600	8.2	LH49/61W9	SL280UH110XV60C	205727147
16HPX-060-230	58000	16	12.2	52500	33400	8.5	LH49/61W9	SL280UH135V60D	202395008
16HPX-060-230	58500	15	12.5	54500	34200	8.2	LH49/61W9	SL297UH080NV48C	205727164
16HPX-060-230	59000	15	12.5	55000	34600	8.2	LH49/61W9	SL297UH080NV60C	205727175
16HPX-060-230	58500	15	12.5	54500	34600	8.2	LH49/61W9	SLP99UH110XV60C	205727224
16HPX-060-230	59000	15	11.7	58000	36000	8.5	LH49/61W9	SLP99UH135XV60D	205760779
16HPX-060-230	57000	15	12	52500	34600	8.5	LH49/61W9		202395094
16HPX-060-230	57500	16	12.5	52000	33000	8.5	LH49/62W9	EL280UH110XE60C	203366374
16HPX-060-230	58500	15	12	52500	36000	8.5	LH49/62W9	EL296UH135XE60D	202394959
16HPX-060-230	58500	16	12.5	52500	33400	8.2	LH49/62W9	EL296UH135XV60D	202394972
16HPX-060-230	58500	16	12.5	52500	33200	8.5	LH49/62W9	ML180UH135E60D	202394992
16HPX-060-230	58000	16	12.5	52500	33400	8.5	LH49/62W9	SL280UH135V60D	202395019
16HPX-060-230	59000	16	12	58000	36000	8.5	LH49/62W9	SLP99UH135XV60D	205760796
16HPX-060-230	57000	15	12	52500	34600	8.5	LH49/62W9		202395105
EL15XP1-018-230	17000	16	12.2	16600	9000	8.2	CE2403C		202902156
EL15XP1-018-230	18000	15	12.5	16400	10000	9	LD19/25Z9	EL280DF070E36A	205147380
EL15XP1-018-230	18000	15	12.5	16400	10000	8.5	LD19/25Z9	ML180DF045E36A	205147382
EL15XP1-018-230	18000	14	12	16000	9200	8.2	LD19/25Z9		205147448
EL15XP1-018-230	18000	15	12.5	16400	10200	8.5	LD19/36Z9	EL296DF045XE36B	205147381
EL15XP1-018-230	18000	14.5	12.2	16400	10200	8.5	LD19/36Z9	ML180DF070E36B	205147383
EL15XP1-018-230	18000	15	12.5	16400	9900	8.5	LD19/36Z9	ML193DF045XE36B	205147384
EL15XP1-018-230	18000	15	12.5	16400	9900	8.5	LD19/36Z9	ML193DF070XE36B	205147385
EL15XP1-018-230	18000	14	12	16000	9200	8.2	LD19/36Z9		204755163
EL15XP1-018-230	17000	16	12.2	16600	9000	8.2	LEC249C03		203263873
EL15XP1-018-230	17900	14	12	16400	10400	8.2	LS*25933E		205484234
EL15XP1-024-230	23400	14.5	12	19200	12600	8.2	CE2403C		202902107
EL15XP1-024-230	23400	14.5	12	19200	12600	8.5	CE2903C		204118538
EL15XP1-024-230	23400	14.5	12.2	19200	12600	8.5	CE3005A		204118539
EL15XP1-024-230	23400	14.5	12.2	19200	12600	8.2	CE3005C		202902108
EL15XP1-024-230	23200	14	12	19200	12600	8.2	CP2403C		202902090
EL15XP1-024-230	23400	14	12.2	19200	12600	8.2	CP2505C		202902257
EL15XP1-024-230	23200	14	12	19200	12600	8.2	CP2903C		202902091
EL15XP1-024-230	23400	14	12.2	19200	12600	8.5	CP3005A		204118534
EL15XP1-024-230	23400	14	12.2	19200	12600	8.2	CP3005C		202902093
EL15XP1-024-230	23400	14	12.2	19200	12600	8.5	L*19/36S9		203449377
EL15XP1-024-230	23600	15	12.5	20600	12000	9	LD19/25Z9	EL280DF070E36A	205147169
EL15XP1-024-230	23400	15	12.5	20400	11900	8.5	LD19/25Z9	ML180DF045E36A	205147173
EL15XP1-024-230	24000	15	12.5	20800	12100	9	LD19/25Z9	ML180DF070E36A	205147174
EL15XP1-024-230	23600	15	12.5	20600	12000	8.5	LD19/25Z9	SL280DF070V36A	205147176
EL15XP1-024-230	23400	14	12.2	20600	12600	8.5	LD19/25Z9		205147340
EL15XP1-024-230	23600	15	12.5	20600	12000	8.5	LD19/36Z9	EL296DF045XE36B	205147170

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-024-230	23600	15	12.5	20600	12000	9	LD19/36Z9	EL296DF045XV36B	205147171
EL15XP1-024-230	23800	15	12.5	20600	12000	9	LD19/36Z9	EL296DF070XE48B	205147172
EL15XP1-024-230	23800	16	13	20600	12000	9	LD19/36Z9	ML180DF070E36B	205147175
EL15XP1-024-230	23800	15	12.5	19800	11600	8.5	LD19/36Z9	SLP99DF070XV36B	205760265
EL15XP1-024-230	23400	14	12.2	20600	12600	8.5	LD19/36Z9		204755165
EL15XP1-024-230	23400	14	12.2	20600	12600	8.5	LD24/35Z9		204755166
EL15XP1-024-230	23400	14.5	12	19200	12600	8.2	LEC249C03		203263875
EL15XP1-024-230	23400	14.5	12	19200	12600	8.2	LEC299C03		203355240
EL15XP1-024-230	23400	14.5	12.2	19200	12600	8.2	LEC309C05		203263877
EL15XP1-024-230	23400	14	12	20600	12600	8.5	LS*24923E		205484243
EL15XP1-024-230	23400	14	12.2	20600	12600	8.5	LS*25933E		205484257
EL15XP1-024-230	23400	14	12.2	22200	12600	8.5	LS*30943E		205957998
EL15XP1-024-230	23200	14	12	19200	12600	8.2	LSC249C03		203263854
EL15XP1-024-230	23400	14	12.2	19200	12600	8.2	LSC259C05		203263858
EL15XP1-024-230	23200	14	12	19200	12600	8.2	LSC299C03		203263856
EL15XP1-024-230	23400	14	12.2	19200	12600	8.2	LSC309C05		203263860
EL15XP1-024-230	23400	14	12.2	19200	12600	8.2	M36E34(1,2)		202777557
EL15XP1-030-230	28600	15	11	26200	17000	8.2	CE2903C		204118540
EL15XP1-030-230	29000	15	11.5	26200	17000	8.5	CE3005A		204118541
EL15XP1-030-230	28200	15	12.2	26200	15400	8.2	CE3005C		204118542
EL15XP1-030-230	28600	14	11.7	26400	16900	8.2	CP2903C		202902095
EL15XP1-030-230	29000	14	11.7	26200	17000	8.5	CP3005A		204118535
EL15XP1-030-230	29000	14	11.7	26400	17000	8.5	CP3005C		202902096
EL15XP1-030-230	29400	14.5	12.2	26400	16800	9	LD19/36Z9	EL280DF090E48B	205147350
EL15XP1-030-230	29600	15	12.5	26600	16700	9	LD19/36Z9	EL296DF045XE36B	205147351
EL15XP1-030-230	29600	15	12.5	26600	16600	9	LD19/36Z9	EL296DF045XV36B	205147352
EL15XP1-030-230	30000	15	12.5	26600	16700	9	LD19/36Z9	EL296DF070XE48B	205147353
EL15XP1-030-230	29600	15	12.5	26600	16700	9	LD19/36Z9	EL296DF070XV48B	205147354
EL15XP1-030-230	30000	15	12.5	26600	16500	9	LD19/36Z9	ML180DF070E36B	205147355
EL15XP1-030-230	29600	15	12.5	26400	16500	9	LD19/36Z9	ML180DF090E48B	205147356
EL15XP1-030-230	28800	14.5	12.2	26200	16700	8.5	LD19/36Z9	ML193DF045XE36B	205147357
EL15XP1-030-230	28800	14.5	12.2	26200	16700	8.5	LD19/36Z9	ML193DF070XE36B	205147358
EL15XP1-030-230	29600	15	12.5	26400	16500	9	LD19/36Z9	SL280DF090V48B	205147359
EL15XP1-030-230	29600	15	12.5	26600	16600	9	LD19/36Z9	SLP99DF070XV36B	205760267
EL15XP1-030-230	29000	14	11.7	26200	16700	8.5	LD19/36Z9		204755167
EL15XP1-030-230	29400	14	12.2	26200	16700	8.5	LD24/35Z9		204755169
EL15XP1-030-230	29000	14.5	12.2	27000	17000	8.5	LD31/36Z9		204756169
EL15XP1-030-230	28600	15	11	26400	17000	8.2	LEC299C03		203355241
EL15XP1-030-230	28200	15	12.2	26400	15400	8.2	LEC309C05		203263898
EL15XP1-030-230	29200	14	12	27000	16700	8.5	LS*30943E		205958005
EL15XP1-030-230	29200	14	12	26200	16700	8.5	LS*36943E		205484182
EL15XP1-030-230	28800	14	11.5	26400	17000	8.5	LSC299C03		203263894
EL15XP1-030-230	29000	14	11.7	26400	17000	8.5	LSC309C05		203263896
EL15XP1-030-230	29400	14	12	26400	16900	8.5	M36E34(1,2)		202777735
EL15XP1-036-230	33800	14	11.5	30200	18400	8.2	A36VEA		203371535
EL15XP1-036-230	34200	14	11.5	30800	20000	8.5	L*30/36S9		205663333
EL15XP1-036-230	34200	14	11.7	30800	20000	8.5	L*35/36S9		205663334
EL15XP1-036-230	34200	14	11.7	30800	20000	8.5	LD31/36Z9		204756170
EL15XP1-036-230	34200	14.5	12.2	30800	20000	8.5	LH23/37W9		205663335
EL15XP1-036-230	34200	14	11.7	30800	20000	8.5	LH35/38F9		205663332
EL15XP1-036-230	34200	14	12	30800	20000	8.5	LS*3791CC		205483294
EL15XP1-036-230	33800	14	11	30800	20000	8.5	LS*3799BB		205483293
EL15XP1-036-230	33800	14	11.7	30200	18400	8.2	M36E59(1,2)		202777733
EL15XP1-036-230	33800	14	11.7	30200	18400	8.2	M36E66(1,2)		202777734

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-042-230	41500	14	12	37800	25800	8.2	A42VEA		203371538
EL15XP1-042-230	41000	14.5	12.2	37400	24200	8.5	LD41/42Z9	EL296DF090XE48C	205147178
EL15XP1-042-230	41500	14.5	12.2	37800	24400	8.5	LD41/42Z9	EL296DF090XV60C	205147180
EL15XP1-042-230	41500	14.5	12.2	37400	24200	9	LD41/42Z9	EL296DF110XE60C	205147182
EL15XP1-042-230	41500	14.5	12.2	37800	24400	8.5	LD41/42Z9	EL296DF110XV60C	205147184
EL15XP1-042-230	41500	15	12.5	37400	24200	9	LD41/42Z9	ML180DF110E60C	205147186
EL15XP1-042-230	41000	14	12.2	37400	24200	9	LD41/42Z9	ML193DF090XE48C	205147188
EL15XP1-042-230	41500	15	12.5	37400	24200	9	LD41/42Z9	SL280DF090V60C	205147190
EL15XP1-042-230	41500	15	12.5	37400	24200	9	LD41/42Z9	SL280DF110V60C	205147192
EL15XP1-042-230	41500	14.5	12.2	37800	24400	8.5	LD41/42Z9	SLP99DF090XV48C	205760269
EL15XP1-042-230	41500	14.5	12.2	37800	24400	8.5	LD41/42Z9	SLP99DF090XV60C	205760273
EL15XP1-042-230	41500	14.5	12.2	37800	24400	8.5	LD41/42Z9	SLP99DF110XV60C	205760278
EL15XP1-042-230	41500	14	12	38500	25800	8.2	LD41/42Z9		205147341
EL15XP1-042-230	41500	14	12.2	38500	25800	8.2	LD41/43Z9		204756171
EL15XP1-042-230	41000	14.5	12.2	37400	24200	8.5	LD42/61Z9	EL296DF090XE48C	205147179
EL15XP1-042-230	41500	14.5	12.2	37800	24400	8.5	LD42/61Z9	EL296DF090XV60C	205147181
EL15XP1-042-230	41500	14.5	12.2	37400	24200	9	LD42/61Z9	EL296DF110XE60C	205147183
EL15XP1-042-230	41500	14.5	12.2	37800	24400	8.5	LD42/61Z9	EL296DF110XV60C	205147185
EL15XP1-042-230	41500	15	12.5	37400	24200	9	LD42/61Z9	ML180DF110E60C	205147187
EL15XP1-042-230	41000	14.5	12.2	37400	24200	9	LD42/61Z9	ML193DF090XE48C	205147189
EL15XP1-042-230	41500	15	12.5	37400	24200	9	LD42/61Z9	SL280DF090V60C	205147191
EL15XP1-042-230	41500	15	12.5	37400	24200	9	LD42/61Z9	SL280DF110V60C	205147193
EL15XP1-042-230	41500	14.5	12.2	37800	24400	8.5	LD42/61Z9	SLP99DF090XV48C	205760271
EL15XP1-042-230	41500	14.5	12.2	37800	24400	8.5	LD42/61Z9	SLP99DF090XV60C	205760275
EL15XP1-042-230	41500	14.5	12.2	37800	24400	8.5	LD42/61Z9	SLP99DF110XV60C	205760280
EL15XP1-042-230	42000	14	12.2	38000	25600	8.2	LD42/61Z9		204755170
EL15XP1-042-230	42000	14	12.2	39500	25600	8.2	LS*4891CC		205957621
EL15XP1-042-230	40500	14	11.7	37400	24800	8.2	LS*4899BB		205484121
EL15XP1-042-230	41500	14	12.2	37800	25800	8.2	M42E59(1,2)		202777558
EL15XP1-042-230	41500	14	12.2	37800	25800	8.2	M42E66(1,2)		202777732
EL15XP1-042-230	40500	14.5	12.2	37400	24800	8.2	M60E49(1,2)		205725954
EL15XP1-048-230	48000	14.5	12.2	42000	27200	8.5	LD42/61Z9	EL296DF090XE48C	205147200
EL15XP1-048-230	48000	14.5	12.2	45500	30800	9	LD42/61Z9	EL296DF090XV60C	205147201
EL15XP1-048-230	48000	14.5	12.2	45500	30400	9	LD42/61Z9	EL296DF110XE60C	205147202
EL15XP1-048-230	48000	14.5	12.2	45500	30800	9	LD42/61Z9	EL296DF110XV60C	205147203
EL15XP1-048-230	48000	15	12.5	42000	27000	9	LD42/61Z9	ML180DF110E60C	205147204
EL15XP1-048-230	47500	14.5	12.2	41500	27200	9	LD42/61Z9	ML193DF090XE48C	205147205
EL15XP1-048-230	48000	15	12.5	42000	27000	9	LD42/61Z9	SL280DF090V60C	205147206
EL15XP1-048-230	48000	15	12.5	42000	27000	9	LD42/61Z9	SL280DF110V60C	205147207
EL15XP1-048-230	48000	14.5	12.2	42500	27400	8.5	LD42/61Z9	SLP99DF090XV48C	205760282
EL15XP1-048-230	48000	14.5	12.2	45500	30800	9	LD42/61Z9	SLP99DF090XV60C	205760284
EL15XP1-048-230	48000	14.5	12.2	45500	30800	9	LD42/61Z9	SLP99DF110XV60C	205760286
EL15XP1-048-230	48000	14.5	12	41000	25800	8.2	LD42/61Z9		204755171
EL15XP1-048-230	48000	14.5	12	46000	25800	8.2	LS*4891CC		205957622
EL15XP1-048-230	48000	14.5	12.2	43500	28400	8.2	LS*6094CC		205484044
EL15XP1-048-230	48000	14.5	12.2	41000	25800	8.2	M60E49(1,2)		205725955
EL15XP1-060-230	56000	14	12	57500	37800	8.5	LD42/61Z9	EL296DF110XE60C	205147729
EL15XP1-060-230	57000	14.5	12.2	57500	37400	9	LD42/61Z9	ML180DF110E60C	205147211
EL15XP1-060-230	57000	14	12.2	58000	37800	9	LD42/61Z9	SL280DF090V60C	205147730
EL15XP1-060-230	56500	14	12.2	57500	37800	9	LD42/61Z9	SL280DF110V60C	205147731
EL15XP1-060-230	57000	14	11.7	56000	35600	8.2	LD42/61Z9		204755172
EL15XP1-060-230	58000	14	12.2	56500	35800	8.2	LS*6094CC		205484055
EL15XP1-060-230	58000	14	12	56500	35800	8.2	M60E49(1,2)		205725956
EL16XP1-018-230	17000	16	12.2	16900	9200	8.5	CE2403C		204118533

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-018-230	17600	15	12.5	16900	9500	9	L*18/30S9	EL280UH070XE36A	203366377
EL16XP1-018-230	17900	16	13	16900	9500	9	L*18/36S9	EL280UH070XE36A	203366381
EL16XP1-018-230	18000	16	13	16900	9500	9	L*18/36T9	EL280UH070XE36A	203366383
EL16XP1-018-230	17900	16	13	16900	9500	9	L*18/36U9	EL280UH070XE36A	203366380
EL16XP1-018-230	18000	16	13	16900	9500	9	L*18/36V9	EL280UH070XE36A	203366382
EL16XP1-018-230	18000	16	13	16900	9600	9	L*19/36S9	EL180UH040NE36A	203240843
EL16XP1-018-230	18000	16	13	16900	9600	9	L*19/36S9	EL180UH060NE36A	203240848
EL16XP1-018-230	18000	14.5	12.2	16900	9800	8.5	L*19/36S9	EL195UH040NE36B	203240853
EL16XP1-018-230	18000	16	13	16900	9500	9	L*19/36S9	EL196UH030XE24B	203240858
EL16XP1-018-230	18000	16	13	16900	9500	9	L*19/36S9	EL196UH045XE24B	203240863
EL16XP1-018-230	18000	15	12.5	16900	9600	9	L*19/36S9	EL196UH045XE36B	203240868
EL16XP1-018-230	18000	15	12.5	16900	9600	9	L*19/36S9	EL196UH070XE36B	203240873
EL16XP1-018-230	18000	15	12.5	16900	9300	9	L*19/36S9	EL280DF070E36A	203240878
EL16XP1-018-230	18000	16	13	16900	9500	9	L*19/36S9	EL280UH045E36A	203240883
EL16XP1-018-230	18000	16	13	16900	9500	9	L*19/36S9	EL280UH070E36A	203240888
EL16XP1-018-230	18000	16	13	16900	9500	9	L*19/36S9	EL280UH070XE36A	203366389
EL16XP1-018-230	18000	15	12.5	16900	9600	9	L*19/36S9	EL280UH090E36B	203240893
EL16XP1-018-230	18000	15	12.5	16900	9900	9	L*19/36S9	EL296DF045XE36B	203240898
EL16XP1-018-230	18000	15	12.5	16900	9600	8.5	L*19/36S9	EL296UH045XE36B	203240903
EL16XP1-018-230	17800	14.5	12.2	16900	9800	8.5	L*19/36S9	EL296UH070XE36B	203240908
EL16XP1-018-230	18000	15	12.5	16900	9700	9	L*19/36S9	ML180DF045E36A	203240913
EL16XP1-018-230	18000	15	12.5	16900	9900	9	L*19/36S9	ML180DF070E36B	203240918
EL16XP1-018-230	18000	16	13	16900	9700	9	L*19/36S9	ML180UH045E36A	203240923
EL16XP1-018-230	18000	15	12.5	16900	9700	8.5	L*19/36S9	ML180UH070E36B	203240928
EL16XP1-018-230	18000	15	12.5	16900	9700	9	L*19/36S9	ML193DF045XE36B	203240933
EL16XP1-018-230	18000	15	12.5	16900	9700	9	L*19/36S9	ML193DF070XE36B	203240938
EL16XP1-018-230	18000	16	13	16900	9500	9	L*19/36S9	ML193UH030XE36B	203240943
EL16XP1-018-230	18000	15	12.5	16900	9600	9	L*19/36S9	ML193UH045XE36B	203240948
EL16XP1-018-230	18000	15	12.5	16900	9600	9	L*19/36S9	ML193UH070XE36B	203240953
EL16XP1-018-230	18000	16	13	16900	9400	9	L*19/36U9	EL180UH040NE36A	203240842
EL16XP1-018-230	18000	16	13	16900	9400	9	L*19/36U9	EL180UH060NE36A	203240847
EL16XP1-018-230	18000	14.5	12.2	16900	9700	8.5	L*19/36U9	EL195UH040NE36B	203240852
EL16XP1-018-230	18000	16	13	16900	9500	9	L*19/36U9	EL196UH030XE24B	203240857
EL16XP1-018-230	18000	16	13	16900	9500	9	L*19/36U9	EL196UH045XE24B	203240862
EL16XP1-018-230	18000	15	12.5	16900	9600	9	L*19/36U9	EL196UH045XE36B	203240867
EL16XP1-018-230	18000	15	12.5	16900	9600	9	L*19/36U9	EL196UH070XE36B	203240872
EL16XP1-018-230	18000	15	12.5	16900	9700	9	L*19/36U9	EL280DF070E36A	203240877
EL16XP1-018-230	18000	16	13	16900	9500	9	L*19/36U9	EL280UH045E36A	203240882
EL16XP1-018-230	18000	16	13	16900	9400	9	L*19/36U9	EL280UH070E36A	203240887
EL16XP1-018-230	18000	16	13	16900	9500	9	L*19/36U9	EL280UH070XE36A	203366388
EL16XP1-018-230	18000	15	12.5	16900	9500	9	L*19/36U9	EL280UH090E36B	203240892
EL16XP1-018-230	18000	15	12.5	16900	9900	9	L*19/36U9	EL296DF045XE36B	203240897
EL16XP1-018-230	18000	15	12.5	16900	9600	8.5	L*19/36U9	EL296UH045XE36B	203240902
EL16XP1-018-230	17800	14.5	12.2	16900	9800	8.5	L*19/36U9	EL296UH070XE36B	203240907
EL16XP1-018-230	18000	15	12.5	16900	9700	9	L*19/36U9	ML180DF045E36A	203240912
EL16XP1-018-230	18000	15	12.5	16900	9900	9	L*19/36U9	ML180DF070E36B	203240917
EL16XP1-018-230	18000	16	13	16900	9700	9	L*19/36U9	ML180UH045E36A	203240922
EL16XP1-018-230	18000	15	12.5	16900	9700	8.5	L*19/36U9	ML180UH070E36B	203240927
EL16XP1-018-230	18000	15	12.5	16900	9700	9	L*19/36U9	ML193DF045XE36B	203240932
EL16XP1-018-230	18000	15	12.5	16900	9700	9	L*19/36U9	ML193DF070XE36B	203240937
EL16XP1-018-230	18000	16	13	16900	9600	9	L*19/36U9	ML193UH030XE36B	203240942
EL16XP1-018-230	18000	15	12.5	16900	9500	9	L*19/36U9	ML193UH045XE36B	203240947
EL16XP1-018-230	18000	15	12.5	16900	9500	9	L*19/36U9	ML193UH070XE36B	203240952
EL16XP1-018-230	18000	16	13	16900	9500	9	L*29/36U9	EL280UH070XE36A	203366392

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-018-230	18000	16	13	16900	9400	9	L*30/36U9	EL180UH040NE36A	203240844
EL16XP1-018-230	18000	16	13	16900	9400	9	L*30/36U9	EL180UH060NE36A	203240849
EL16XP1-018-230	18000	14.5	12.2	16900	9700	8.5	L*30/36U9	EL195UH040NE36B	203240854
EL16XP1-018-230	18000	16	13	16900	9500	9	L*30/36U9	EL196UH030XE24B	203240859
EL16XP1-018-230	18000	16	13	16900	9500	9	L*30/36U9	EL196UH045XE24B	203240864
EL16XP1-018-230	18000	15	12.5	16900	9600	9	L*30/36U9	EL196UH045XE36B	203240869
EL16XP1-018-230	18000	15	12.5	16900	9600	9	L*30/36U9	EL196UH070XE36B	203240874
EL16XP1-018-230	18000	16	13	16900	9300	9	L*30/36U9	EL280DF070E36A	203240879
EL16XP1-018-230	18000	16	13	16900	9500	9	L*30/36U9	EL280UH045E36A	203240884
EL16XP1-018-230	18000	16	13	16900	9400	9	L*30/36U9	EL280UH070E36A	203240889
EL16XP1-018-230	18000	16	13	16900	9500	9	L*30/36U9	EL280UH070XE36A	203366391
EL16XP1-018-230	18000	16	13	16900	9600	9	L*30/36U9	EL280UH090E36B	203240894
EL16XP1-018-230	18000	15	12.5	16900	9900	9	L*30/36U9	EL296DF045XE36B	203240899
EL16XP1-018-230	18000	15	12.5	16900	9600	8.5	L*30/36U9	EL296UH045XE36B	203240904
EL16XP1-018-230	18000	14.5	12.2	16900	9800	8.5	L*30/36U9	EL296UH070XE36B	203240909
EL16XP1-018-230	18000	16	13	16900	9300	9	L*30/36U9	ML180DF045E36A	203240914
EL16XP1-018-230	18000	15	12.5	16900	9900	9	L*30/36U9	ML180DF070E36B	203240919
EL16XP1-018-230	18000	16	13	16900	9700	9	L*30/36U9	ML180UH045E36A	203240924
EL16XP1-018-230	18000	15	12.5	16900	9700	8.5	L*30/36U9	ML180UH070E36B	203240929
EL16XP1-018-230	18000	15	12.5	16900	9700	9	L*30/36U9	ML193DF045XE36B	203240934
EL16XP1-018-230	18000	15	12.5	16900	9700	9	L*30/36U9	ML193DF070XE36B	203240939
EL16XP1-018-230	18000	16	13	16900	9500	9	L*30/36U9	ML193UH030XE36B	203240944
EL16XP1-018-230	18000	16	13	16900	9600	9	L*30/36U9	ML193UH045XE36B	203240949
EL16XP1-018-230	18000	16	13	16900	9600	9	L*30/36U9	ML193UH070XE36B	203240954
EL16XP1-018-230	18000	16	13	16900	9500	9	L*35/36U9	EL280UH070XE36A	203366393
EL16XP1-018-230	18000	15	12.5	15700	9300	9	LD19/25Z9	EL280DF070E36A	205147386
EL16XP1-018-230	18000	15	12.5	15800	9300	9	LD19/25Z9	ML180DF045E36A	205147388
EL16XP1-018-230	18000	15	12.5	16300	9900	9	LD19/36Z9	EL296DF045XE36B	205147387
EL16XP1-018-230	18000	15	12.5	16300	9900	9	LD19/36Z9	ML180DF070E36B	205147389
EL16XP1-018-230	18000	15	12.5	16100	9700	9	LD19/36Z9	ML193DF045XE36B	205147390
EL16XP1-018-230	18000	15	12.5	16100	9700	9	LD19/36Z9	ML193DF070XE36B	205147391
EL16XP1-018-230	17000	16	12.2	16900	9200	8.5	LEC249C03		203353940
EL16XP1-018-230	17900	16	13	16900	9500	9	LH18/36D9	EL280UH070XE36A	203366379
EL16XP1-018-230	17900	16	13	16900	9500	9	LH18/36R9	EL280UH070XE36A	203366378
EL16XP1-018-230	18000	16	13	16900	9500	9	LH18/37D9	EL280UH070XE36A	203366395
EL16XP1-018-230	18000	16	13	16900	9500	9	LH18/37R9	EL280UH070XE36A	203366394
EL16XP1-018-230	18000	16	13	16900	9400	9	LH29/36F9	EL180UH040NE36A	203240841
EL16XP1-018-230	18000	16	13	16900	9400	9	LH29/36F9	EL180UH060NE36A	203240846
EL16XP1-018-230	18000	14.5	12.2	16900	9700	8.5	LH29/36F9	EL195UH040NE36B	203240851
EL16XP1-018-230	18000	16	13	16900	9500	9	LH29/36F9	EL196UH030XE24B	203240856
EL16XP1-018-230	18000	16	13	16900	9500	9	LH29/36F9	EL196UH045XE24B	203240861
EL16XP1-018-230	18000	15	12.5	16900	9600	9	LH29/36F9	EL196UH045XE36B	203240866
EL16XP1-018-230	18000	15	12.5	16900	9600	9	LH29/36F9	EL196UH070XE36B	203240871
EL16XP1-018-230	18000	15	12.5	16900	9300	9	LH29/36F9	EL280DF070E36A	203240876
EL16XP1-018-230	18000	16	13	16900	9500	9	LH29/36F9	EL280UH045E36A	203240881
EL16XP1-018-230	18000	16	13	16900	9400	9	LH29/36F9	EL280UH070E36A	203240886
EL16XP1-018-230	18000	16	13	16900	9500	9	LH29/36F9	EL280UH070XE36A	203366385
EL16XP1-018-230	18000	15	12.5	16900	9600	9	LH29/36F9	EL280UH090E36B	203240891
EL16XP1-018-230	18000	15	12.5	16900	9900	9	LH29/36F9	EL296DF045XE36B	203240896
EL16XP1-018-230	18000	15	12.5	16900	9600	8.5	LH29/36F9	EL296UH045XE36B	203240901
EL16XP1-018-230	17800	14.5	12.2	16900	9800	8.5	LH29/36F9	EL296UH070XE36B	203240906
EL16XP1-018-230	18000	15	12.5	16900	9300	9	LH29/36F9	ML180DF045E36A	203240911
EL16XP1-018-230	18000	15	12.5	16900	9900	9	LH29/36F9	ML180DF070E36B	203240916
EL16XP1-018-230	18000	16	13	16900	9700	9	LH29/36F9	ML180UH045E36A	203240921

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-018-230	18000	15	12.5	16900	9700	8.5	LH29/36F9	ML180UH070E36B	203240926
EL16XP1-018-230	18000	15	12.5	16900	9700	9	LH29/36F9	ML193DF045XE36B	203240931
EL16XP1-018-230	18000	15	12.5	16900	9700	9	LH29/36F9	ML193DF070XE36B	203240936
EL16XP1-018-230	18000	16	13	16900	9600	9	LH29/36F9	ML193UH030XE36B	203240941
EL16XP1-018-230	18000	15	12.5	16900	9600	9	LH29/36F9	ML193UH045XE36B	203240946
EL16XP1-018-230	18000	15	12.5	16900	9600	9	LH29/36F9	ML193UH070XE36B	203240951
EL16XP1-018-230	18000	16	13	16900	9500	9	LH29/36X9	EL180UH040NE36A	203240840
EL16XP1-018-230	18000	16	13	16900	9500	9	LH29/36X9	EL180UH060NE36A	203240845
EL16XP1-018-230	18000	14.5	12.2	16900	9700	8.5	LH29/36X9	EL195UH040NE36B	203240850
EL16XP1-018-230	18000	16	13	16900	9500	9	LH29/36X9	EL196UH030XE24B	203240855
EL16XP1-018-230	18000	16	13	16900	9500	9	LH29/36X9	EL196UH045XE24B	203240860
EL16XP1-018-230	18000	15	12.5	16900	9600	9	LH29/36X9	EL196UH045XE36B	203240865
EL16XP1-018-230	18000	15	12.5	16900	9600	9	LH29/36X9	EL196UH070XE36B	203240870
EL16XP1-018-230	18000	15	12.5	16900	9300	9	LH29/36X9	EL280DF070E36A	203240875
EL16XP1-018-230	18000	16	13	16900	9500	9	LH29/36X9	EL280UH045E36A	203240880
EL16XP1-018-230	18000	16	13	16900	9500	9	LH29/36X9	EL280UH070E36A	203240885
EL16XP1-018-230	18000	16	13	16900	9500	9	LH29/36X9	EL280UH070XE36A	203366384
EL16XP1-018-230	18000	15	12.5	16900	9500	9	LH29/36X9	EL280UH090E36B	203240890
EL16XP1-018-230	18000	15	12.5	16900	9900	9	LH29/36X9	EL296DF045XE36B	203240895
EL16XP1-018-230	18000	15	12.5	16900	9600	8.5	LH29/36X9	EL296UH045XE36B	203240900
EL16XP1-018-230	17800	14.5	12.2	16900	9800	8.5	LH29/36X9	EL296UH070XE36B	203240905
EL16XP1-018-230	18000	15	12.5	16900	9300	9	LH29/36X9	ML180DF045E36A	203240910
EL16XP1-018-230	18000	15	12.5	16900	9900	9	LH29/36X9	ML180DF070E36B	203240915
EL16XP1-018-230	18000	16	13	16900	9700	9	LH29/36X9	ML180UH045E36A	203240920
EL16XP1-018-230	18000	15	12.5	16900	9700	8.5	LH29/36X9	ML180UH070E36B	203240925
EL16XP1-018-230	18000	15	12.5	16900	9700	9	LH29/36X9	ML193DF045XE36B	203240930
EL16XP1-018-230	18000	15	12.5	16900	9700	9	LH29/36X9	ML193DF070XE36B	203240935
EL16XP1-018-230	18000	16	13	16900	9500	9	LH29/36X9	ML193UH030XE36B	203240940
EL16XP1-018-230	18000	15	12.5	16900	9500	9	LH29/36X9	ML193UH045XE36B	203240945
EL16XP1-018-230	18000	15	12.5	16900	9500	9	LH29/36X9	ML193UH070XE36B	203240950
EL16XP1-018-230	18000	16	13	16900	9500	9	LH35/36E9	EL280UH070XE36A	203366376
EL16XP1-018-230	18000	16	13	16900	9500	9	LH35/36F9	EL280UH070XE36A	203366387
EL16XP1-018-230	18000	16	13	16900	9500	9	LH35/36W9	EL280UH070XE36A	203366375
EL16XP1-018-230	18000	16	13	16900	9500	9	LH35/36X9	EL280UH070XE36A	203366386
EL16XP1-018-230	18000	16	13	16900	9500	9	LH35/38X9	EL280UH070XE36A	203366390
EL16XP1-024-230	23800	17	13	21800	12700	8.5	L*18/36T9	EL280UH070XE36A	203366396
EL16XP1-024-230	24000	17	13	21800	12700	9	L*19/36S9	EL180UH040NE36A	203240956
EL16XP1-024-230	23800	17	13	21800	12700	9	L*19/36S9	EL180UH060NE36A	203240959
EL16XP1-024-230	23800	17	13	21800	12200	9	L*19/36S9	EL195UH040NE36B	203240962
EL16XP1-024-230	23800	17	13	21800	12300	9	L*19/36S9	EL195UH060NE36B	203240965
EL16XP1-024-230	24000	17	13	21800	12700	8.5	L*19/36S9	EL196UH030XE24B	203240968
EL16XP1-024-230	24000	17	13	21800	12700	8.5	L*19/36S9	EL196UH045XE24B	203240971
EL16XP1-024-230	23800	17	13	21800	12200	9	L*19/36S9	EL196UH045XE36B	203240974
EL16XP1-024-230	23800	17	13	21800	12200	9	L*19/36S9	EL196UH070XE36B	203240977
EL16XP1-024-230	24000	16	13	21800	13100	9	L*19/36S9	EL280DF070E36A	203240980
EL16XP1-024-230	23800	17	13	21800	13000	9	L*19/36S9	EL280UH045E36A	203240983
EL16XP1-024-230	23800	17	13	21800	12900	9	L*19/36S9	EL280UH070E36A	203240986
EL16XP1-024-230	23800	17	13	21800	12900	9	L*19/36S9	EL280UH070XE36A	203366400
EL16XP1-024-230	24000	17	13	21800	12800	9	L*19/36S9	EL280UH090E36B	203240989
EL16XP1-024-230	24000	16	13	21800	13000	9	L*19/36S9	EL296DF045XE36B	203240992
EL16XP1-024-230	24000	16	13	21800	13100	9	L*19/36S9	EL296DF045XV36B	203240995
EL16XP1-024-230	24000	16	13	21800	13000	9	L*19/36S9	EL296DF070XE48B	203240998
EL16XP1-024-230	24000	16	13	21800	12700	8.5	L*19/36S9	EL296UH045XE36B	203241001
EL16XP1-024-230	23800	17	13	21800	12200	9	L*19/36S9	EL296UH045XV36B	203241004

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-024-230	23800	17	13	21800	12300	9	L*19/36S9	EL296UH070XE36B	203241007
EL16XP1-024-230	23800	17	13	21800	12200	9	L*19/36S9	EL296UH070XV36B	203241010
EL16XP1-024-230	24000	16	13	21800	13200	9	L*19/36S9	ML180DF045E36A	203241013
EL16XP1-024-230	24000	16	13	21800	13000	9	L*19/36S9	ML180DF070E36B	203241016
EL16XP1-024-230	23800	17	13	21800	13000	9	L*19/36S9	ML180UH045E36A	203241019
EL16XP1-024-230	23800	17	13	21800	12200	9	L*19/36S9	ML180UH070E36B	203241022
EL16XP1-024-230	24000	16	13	21800	13000	8.5	L*19/36S9	ML193DF045XE36B	203241025
EL16XP1-024-230	24000	16	13	21800	13000	8.5	L*19/36S9	ML193DF070XE36B	203241028
EL16XP1-024-230	23800	17	13	21800	12400	9	L*19/36S9	ML193UH030XE36B	203241031
EL16XP1-024-230	24000	17	13	21800	12700	8.5	L*19/36S9	ML193UH045XE36B	203241034
EL16XP1-024-230	23800	17	13	21800	12200	9	L*19/36S9	ML193UH070XE36B	203241037
EL16XP1-024-230	24000	16	13	21800	13100	9	L*19/36S9	ML296DF045XV36B	203241040
EL16XP1-024-230	23800	17	13	21800	12200	9	L*19/36S9	ML296UH045XV36B	203241043
EL16XP1-024-230	23800	17	13	21800	12200	9	L*19/36S9	ML296UH070XV36B	203241046
EL16XP1-024-230	24000	16	13	21800	13100	9	L*19/36S9	SL280DF070V36A	203241049
EL16XP1-024-230	24000	17	13	21800	12600	9	L*19/36S9	SL280UH060NV36A	203241052
EL16XP1-024-230	24000	17	13	21800	12700	9	L*19/36S9	SL280UH070V36A	203241055
EL16XP1-024-230	24000	17	13	21800	12700	9	L*19/36S9	SL280UH070XV36A	203241058
EL16XP1-024-230	24000	17	13	21800	12600	9	L*19/36S9	SL280UH090V36B	203241061
EL16XP1-024-230	23800	17	13	21800	12200	9	L*19/36S9	SL297UH040NV36B	203241064
EL16XP1-024-230	23800	17	13	21800	12200	9	L*19/36S9	SL297UH060NV36B	203241067
EL16XP1-024-230	24000	16	13	22400	13100	9	L*19/36S9	SLP99DF070XV36B	205760288
EL16XP1-024-230	23800	17	13	21800	12200	9	L*19/36S9	SLP99UH070XV36B	205763615
EL16XP1-024-230	23800	14.5	12.2	21800	13500	8.5	L*19/36S9		203242177
EL16XP1-024-230	23800	17	13	21800	12900	9	L*24/42S9	EL280UH070XE36A	203366401
EL16XP1-024-230	24000	17	13	21800	12900	9	L*29/36U9	EL280UH070XE36A	203366404
EL16XP1-024-230	24000	17	13	21800	12700	9	L*30/36U9	EL180UH040NE36A	203240957
EL16XP1-024-230	24000	17	13	21800	12600	9	L*30/36U9	EL180UH060NE36A	203240960
EL16XP1-024-230	24000	17	13	21800	12700	9	L*30/36U9	EL195UH040NE36B	203240963
EL16XP1-024-230	24000	17	13	21800	12800	9	L*30/36U9	EL195UH060NE36B	203240966
EL16XP1-024-230	24000	17	13	21800	12700	8.5	L*30/36U9	EL196UH030XE24B	203240969
EL16XP1-024-230	24000	17	13	21800	12200	8.5	L*30/36U9	EL196UH045XE24B	203240972
EL16XP1-024-230	24000	17	13	21800	12200	9	L*30/36U9	EL196UH045XE36B	203240975
EL16XP1-024-230	24000	17	13	21800	12200	9	L*30/36U9	EL196UH070XE36B	203240978
EL16XP1-024-230	24000	16	13	21800	13100	9	L*30/36U9	EL280DF070E36A	203240981
EL16XP1-024-230	24000	17	13	21800	13000	9	L*30/36U9	EL280UH045E36A	203240984
EL16XP1-024-230	24000	17	13	21800	12900	9	L*30/36U9	EL280UH070E36A	203240987
EL16XP1-024-230	24000	17	13	21800	12900	9	L*30/36U9	EL280UH070XE36A	203366403
EL16XP1-024-230	24000	17	13	21800	12300	9	L*30/36U9	EL280UH090E36B	203240990
EL16XP1-024-230	24000	16	13	21800	13000	9	L*30/36U9	EL296DF045XE36B	203240993
EL16XP1-024-230	24000	16	13	21800	13100	9	L*30/36U9	EL296DF045XV36B	203240996
EL16XP1-024-230	24000	16	13	21800	13000	9	L*30/36U9	EL296DF070XE48B	203240999
EL16XP1-024-230	24000	16	13	21800	12800	9	L*30/36U9	EL296UH045XE36B	203241002
EL16XP1-024-230	24000	17	13	21800	12700	9	L*30/36U9	EL296UH045XV36B	203241005
EL16XP1-024-230	24000	17	13	21800	12800	9	L*30/36U9	EL296UH070XE36B	203241008
EL16XP1-024-230	24000	17	13	21800	12800	9	L*30/36U9	EL296UH070XV36B	203241011
EL16XP1-024-230	24000	16	13	21800	13200	9	L*30/36U9	ML180DF045E36A	203241014
EL16XP1-024-230	24000	16	13	21800	13000	9	L*30/36U9	ML180DF070E36B	203241017
EL16XP1-024-230	24000	17	13	21800	12900	9	L*30/36U9	ML180UH045E36A	203241020
EL16XP1-024-230	24000	17	13	21800	12700	9	L*30/36U9	ML180UH070E36B	203241023
EL16XP1-024-230	24000	16	13	21800	13000	8.5	L*30/36U9	ML193DF045XE36B	203241026
EL16XP1-024-230	24000	16	13	21800	13000	8.5	L*30/36U9	ML193DF070XE36B	203241029
EL16XP1-024-230	24000	17	13	21800	12400	9	L*30/36U9	ML193UH030XE36B	203241032
EL16XP1-024-230	24000	17	13	21800	12700	8.5	L*30/36U9	ML193UH045XE36B	203241035

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-024-230	24000	17	13	21800	12200	9	L*30/36U9	ML193UH070XE36B	203241038
EL16XP1-024-230	24000	16	13	21800	13100	9	L*30/36U9	ML296DF045XV36B	203241041
EL16XP1-024-230	24000	17	13	21800	12700	9	L*30/36U9	ML296UH045XV36B	203241044
EL16XP1-024-230	24000	17	13	21800	12800	9	L*30/36U9	ML296UH070XV36B	203241047
EL16XP1-024-230	24000	16	13	21800	13100	9	L*30/36U9	SL280DF070V36A	203241050
EL16XP1-024-230	24000	17	13	21800	12900	9	L*30/36U9	SL280UH060NV36A	203241053
EL16XP1-024-230	24000	17	13	21800	13000	9	L*30/36U9	SL280UH070V36A	203241056
EL16XP1-024-230	24000	17	13	21800	13000	9	L*30/36U9	SL280UH070XV36A	203241059
EL16XP1-024-230	24000	17	13	21800	12700	9	L*30/36U9	SL280UH090V36B	203241062
EL16XP1-024-230	24000	17	13	21800	12700	9	L*30/36U9	SL297UH040NV36B	203241065
EL16XP1-024-230	24000	17	13	21800	12800	9	L*30/36U9	SL297UH060NV36B	203241068
EL16XP1-024-230	24000	16	13	22400	13100	9	L*30/36U9	SLP99DF070XV36B	205760290
EL16XP1-024-230	24000	17	13	22000	12800	9	L*30/36U9	SLP99UH070XV36B	205763617
EL16XP1-024-230	24000	14.5	12.2	21800	12800	8.5	L*30/36U9		203242178
EL16XP1-024-230	24000	17	13	21800	12900	9	L*35/36U9	EL280UH070XE36A	203366405
EL16XP1-024-230	24000	14.5	12.2	20800	13400	8.5	LD24/35Z9		204755173
EL16XP1-024-230	24000	17	13	21800	12900	9	LH18/37D9	EL280UH070XE36A	203366407
EL16XP1-024-230	24000	17	13	21800	12900	9	LH18/37R9	EL280UH070XE36A	203366406
EL16XP1-024-230	24000	17	13	21800	12700	9	LH29/36F9	EL180UH040NE36A	203240955
EL16XP1-024-230	23800	17	13	21800	12700	9	LH29/36F9	EL180UH060NE36A	203240958
EL16XP1-024-230	23800	17	13	21800	12200	9	LH29/36F9	EL195UH040NE36B	203240961
EL16XP1-024-230	23800	17	13	21800	12300	9	LH29/36F9	EL195UH060NE36B	203240964
EL16XP1-024-230	24000	17	13	21800	12700	8.5	LH29/36F9	EL196UH030XE24B	203240967
EL16XP1-024-230	24000	17	13	21800	12700	8.5	LH29/36F9	EL196UH045XE24B	203240970
EL16XP1-024-230	23800	17	13	21800	12200	9	LH29/36F9	EL196UH045XE36B	203240973
EL16XP1-024-230	23800	17	13	21800	12200	9	LH29/36F9	EL196UH070XE36B	203240976
EL16XP1-024-230	24000	16	13	21800	13100	9	LH29/36F9	EL280DF070E36A	203240979
EL16XP1-024-230	23800	17	13	21800	13000	9	LH29/36F9	EL280UH045E36A	203240982
EL16XP1-024-230	23800	17	13	21800	12900	9	LH29/36F9	EL280UH070E36A	203240985
EL16XP1-024-230	23800	17	13	21800	12900	9	LH29/36F9	EL280UH070XE36A	203366397
EL16XP1-024-230	24000	17	13	21800	12800	9	LH29/36F9	EL280UH090E36B	203240988
EL16XP1-024-230	24000	16	13	21800	13000	9	LH29/36F9	EL296DF045XE36B	203240991
EL16XP1-024-230	24000	16	13	21800	13100	9	LH29/36F9	EL296DF045XV36B	203240994
EL16XP1-024-230	24000	16	13	21800	13000	9	LH29/36F9	EL296DF070XE48B	203240997
EL16XP1-024-230	24000	16	13	21800	12700	8.5	LH29/36F9	EL296UH045XE36B	203241000
EL16XP1-024-230	23800	17	13	21800	12200	9	LH29/36F9	EL296UH045XV36B	203241003
EL16XP1-024-230	23800	17	13	21800	12300	9	LH29/36F9	EL296UH070XE36B	203241006
EL16XP1-024-230	23800	17	13	21800	12200	9	LH29/36F9	EL296UH070XV36B	203241009
EL16XP1-024-230	24000	16	13	21800	13200	9	LH29/36F9	ML180DF045E36A	203241012
EL16XP1-024-230	24000	16	13	21800	13000	9	LH29/36F9	ML180DF070E36B	203241015
EL16XP1-024-230	23800	17	13	21800	13000	9	LH29/36F9	ML180UH045E36A	203241018
EL16XP1-024-230	23800	17	13	21800	12200	9	LH29/36F9	ML180UH070E36B	203241021
EL16XP1-024-230	24000	16	13	21800	13000	8.5	LH29/36F9	ML193DF045XE36B	203241024
EL16XP1-024-230	24000	16	13	21800	13000	8.5	LH29/36F9	ML193DF070XE36B	203241027
EL16XP1-024-230	23800	17	13	21800	12400	9	LH29/36F9	ML193UH030XE36B	203241030
EL16XP1-024-230	24000	17	13	21800	12700	8.5	LH29/36F9	ML193UH045XE36B	203241033
EL16XP1-024-230	23800	17	13	21800	12200	9	LH29/36F9	ML193UH070XE36B	203241036
EL16XP1-024-230	24000	16	13	21800	13100	9	LH29/36F9	ML296DF045XV36B	203241039
EL16XP1-024-230	23800	17	13	21800	12200	9	LH29/36F9	ML296UH045XV36B	203241042
EL16XP1-024-230	23800	17	13	21800	12200	9	LH29/36F9	ML296UH070XV36B	203241045
EL16XP1-024-230	24000	16	13	21800	13100	9	LH29/36F9	SL280DF070V36A	203241048
EL16XP1-024-230	24000	17	13	21800	12600	9	LH29/36F9	SL280UH060NV36A	203241051
EL16XP1-024-230	24000	17	13	21800	12700	9	LH29/36F9	SL280UH070V36A	203241054
EL16XP1-024-230	24000	17	13	21800	12700	9	LH29/36F9	SL280UH070XV36A	203241057

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-024-230	24000	17	13	21800	12600	9	LH29/36F9	SL280UH090V36B	203241060
EL16XP1-024-230	23800	17	13	21800	12200	9	LH29/36F9	SL297UH040NV36B	203241063
EL16XP1-024-230	23800	17	13	21800	12200	9	LH29/36F9	SL297UH060NV36B	203241066
EL16XP1-024-230	23800	17	13	21800	12200	9	LH29/36F9	SLP99UH070XV36B	205763613
EL16XP1-024-230	23800	14.5	12.2	21800	13500	8.5	LH29/36F9		203242174
EL16XP1-024-230	24000	17	13	21800	12900	9	LH35/36F9	EL280UH070XE36A	203366399
EL16XP1-024-230	24000	17	13	21800	12900	9	LH35/36X9	EL280UH070XE36A	203366398
EL16XP1-024-230	24000	17	13	21800	12900	9	LH35/38X9	EL280UH070XE36A	203366402
EL16XP1-024-230	23800	14.5	12.2	21000	13300	8.2	LS*25933E		205304027
EL16XP1-024-230	23800	14.5	12.2	22200	13600	8.5	LS*30943E		205958000
EL16XP1-030-230	29600	15	12	28400	17900	8.5	CE3005C		204829264
EL16XP1-030-230	29600	14	12.2	28400	17900	8.5	CP3005C		204829261
EL16XP1-030-230	28800	15	12.5	27000	16800	8.5	L*18/36S9	EL280UH090XE48B	203366424
EL16XP1-030-230	29800	15	12.5	27000	16800	8.5	L*18/36T9	EL280UH070XE36A	203366408
EL16XP1-030-230	29800	16	13	27000	16600	8.5	L*18/36T9	EL280UH090XE48B	203366425
EL16XP1-030-230	29800	16	13	27000	16600	9	L*19/36S9	EL180UH040NE36A	203241078
EL16XP1-030-230	29800	16	13	27000	16600	9	L*19/36S9	EL180UH060NE36A	203241083
EL16XP1-030-230	30000	16	13	27000	16600	8.5	L*19/36S9	EL180UH080NE48B	203241088
EL16XP1-030-230	29600	16	12.5	27000	17200	9	L*19/36S9	EL195UH040NE36B	203241093
EL16XP1-030-230	29600	16	12.5	27000	17100	9	L*19/36S9	EL195UH060NE36B	203241098
EL16XP1-030-230	29200	15	12.5	27000	16300	8.5	L*19/36S9	EL195UH080NE48C	203241103
EL16XP1-030-230	29600	16	12.5	27000	16900	8.5	L*19/36S9	EL196UH030XE24B	203241108
EL16XP1-030-230	29600	16	12.5	27000	16900	8.5	L*19/36S9	EL196UH045XE24B	203241113
EL16XP1-030-230	29600	16	12.5	27000	17100	9	L*19/36S9	EL196UH045XE36B	203241118
EL16XP1-030-230	29600	16	12.5	27000	17100	9	L*19/36S9	EL196UH070XE36B	203241123
EL16XP1-030-230	29200	16	13	27000	16200	8.5	L*19/36S9	EL196UH090XE48C	203241128
EL16XP1-030-230	30000	15	12.5	27000	17400	9	L*19/36S9	EL280DF070E36A	203241133
EL16XP1-030-230	30000	16	13	27000	17500	9	L*19/36S9	EL280DF090E48B	203241138
EL16XP1-030-230	30000	16	13	27000	16800	8.5	L*19/36S9	EL280UH045E36A	203241143
EL16XP1-030-230	29600	16	12.5	27000	17100	8.5	L*19/36S9	EL280UH070E36A	203241148
EL16XP1-030-230	29600	16	12.5	27000	17100	8.5	L*19/36S9	EL280UH070XE36A	203366414
EL16XP1-030-230	30000	16	13	27000	16900	8.5	L*19/36S9	EL280UH090E36B	203241153
EL16XP1-030-230	30000	16	13	27000	16600	8.5	L*19/36S9	EL280UH090E48B	203241158
EL16XP1-030-230	30000	16	13	27000	16600	8.5	L*19/36S9	EL280UH090XE48B	203366431
EL16XP1-030-230	29200	15	12.5	27000	16300	8.5	L*19/36S9	EL280UH110E48C	203241163
EL16XP1-030-230	30000	15	12.5	27000	17400	9	L*19/36S9	EL296DF045XE36B	203241168
EL16XP1-030-230	30000	15	12.5	27000	17400	9	L*19/36S9	EL296DF045XV36B	203241173
EL16XP1-030-230	30000	16	13	27000	17400	9	L*19/36S9	EL296DF070XE48B	203241178
EL16XP1-030-230	30000	15	12.5	27000	17400	9	L*19/36S9	EL296DF070XV48B	203241183
EL16XP1-030-230	29200	15	12.5	27000	16600	9	L*19/36S9	EL296UH045XE36B	203241188
EL16XP1-030-230	29600	16	12.5	27000	17100	8.5	L*19/36S9	EL296UH045XV36B	203241193
EL16XP1-030-230	29600	16	12.5	27000	17100	8.5	L*19/36S9	EL296UH070XE36B	203241198
EL16XP1-030-230	29600	16	12.5	27000	17100	9	L*19/36S9	EL296UH070XV36B	203241203
EL16XP1-030-230	30000	15	12.5	27000	16500	8.5	L*19/36S9	EL296UH090XE48C	203241208
EL16XP1-030-230	29400	15	12.5	27000	16300	8.5	L*19/36S9	EL296UH090XV36C	203241213
EL16XP1-030-230	29800	16	13	27000	16300	8.5	L*19/36S9	EL296UH090XV48C	203241218
EL16XP1-030-230	30000	15	12.5	27000	17500	9	L*19/36S9	ML180DF045E36A	203241223
EL16XP1-030-230	30000	16	13	27000	17300	9	L*19/36S9	ML180DF070E36B	203241228
EL16XP1-030-230	30000	16	13	27000	17200	9	L*19/36S9	ML180DF090E48B	203241233
EL16XP1-030-230	29600	16	12.5	27000	17000	8.5	L*19/36S9	ML180UH045E36A	203241238
EL16XP1-030-230	29400	16	13	27000	16500	9	L*19/36S9	ML180UH070E36B	203241243
EL16XP1-030-230	29400	16	13	27000	16400	9	L*19/36S9	ML180UH090E48B	203241248
EL16XP1-030-230	30000	15	12.5	27000	17400	9	L*19/36S9	ML193DF045XE36B	203241253
EL16XP1-030-230	30000	15	12.5	27000	17400	9	L*19/36S9	ML193DF070XE36B	203241258

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-030-230	29200	15	12.5	27000	16700	9	L*19/36S9	ML193UH030XE36B	203241263
EL16XP1-030-230	29200	15	12.5	27000	16700	9	L*19/36S9	ML193UH045XE36B	203241268
EL16XP1-030-230	29600	16	12.5	27000	17100	9	L*19/36S9	ML193UH070XE36B	203241273
EL16XP1-030-230	29400	15	12.5	27000	16300	8.5	L*19/36S9	ML193UH090XE36C	203241279
EL16XP1-030-230	29200	15	12.5	27000	16200	8.5	L*19/36S9	ML193UH090XE48C	203241287
EL16XP1-030-230	29200	15	12.5	27000	16200	8.5	L*19/36S9	ML193UH110XE48C	203241296
EL16XP1-030-230	30000	15	12.5	27000	17400	9	L*19/36S9	ML296DF045XV36B	203241304
EL16XP1-030-230	30000	15	12.5	27000	17400	9	L*19/36S9	ML296DF070XV48B	203241311
EL16XP1-030-230	29600	16	12.5	27000	17100	8.5	L*19/36S9	ML296UH045XV36B	203241319
EL16XP1-030-230	29600	16	12.5	27000	17100	9	L*19/36S9	ML296UH070XV36B	203241327
EL16XP1-030-230	29800	16	13	27000	16300	8.5	L*19/36S9	ML296UH090XV48C	203241336
EL16XP1-030-230	30000	15	12.5	27000	17400	9	L*19/36S9	SL280DF070V36A	203241344
EL16XP1-030-230	30000	16	13	27000	17300	9	L*19/36S9	SL280DF090V48B	203241353
EL16XP1-030-230	29800	16	13	27000	16700	9	L*19/36S9	SL280UH060NV36A	203241361
EL16XP1-030-230	29600	16	12.5	27000	17100	9	L*19/36S9	SL280UH070V36A	203241370
EL16XP1-030-230	29600	16	12.5	27000	17100	9	L*19/36S9	SL280UH070XV36A	203241378
EL16XP1-030-230	29400	16	13	27000	16400	9	L*19/36S9	SL280UH080NV48B	203241386
EL16XP1-030-230	29400	16	13	27000	16400	9	L*19/36S9	SL280UH090V36B	203241394
EL16XP1-030-230	29400	16	13	27000	16500	9	L*19/36S9	SL280UH090V48B	203241402
EL16XP1-030-230	30000	16	13	27000	16700	8.5	L*19/36S9	SL297UH040NV36B	203241411
EL16XP1-030-230	29600	16	12.5	27000	17200	9	L*19/36S9	SL297UH060NV36B	203241419
EL16XP1-030-230	29800	15	12.5	27000	16300	8.5	L*19/36S9	SL297UH080NV48C	203241428
EL16XP1-030-230	30000	15	12.5	28400	17500	9	L*19/36S9	SLP99DF070XV36B	205760296
EL16XP1-030-230	29600	16	12.5	27000	17100	9	L*19/36S9	SLP99UH070XV36B	205761549
EL16XP1-030-230	29400	15	12.5	27000	16300	8.5	L*19/36S9	SLP99UH090XV36C	205760308
EL16XP1-030-230	29800	16	13	27000	16300	8.5	L*19/36S9	SLP99UH090XV48C	205760318
EL16XP1-030-230	29600	14	12.2	27000	17900	8.5	L*19/36S9		203242182
EL16XP1-030-230	29800	16	13	27000	16600	9	L*19/36U9	EL180UH040NE36A	203241077
EL16XP1-030-230	29800	16	13	27000	16600	9	L*19/36U9	EL180UH060NE36A	203241082
EL16XP1-030-230	30000	16	13	27000	16600	8.5	L*19/36U9	EL180UH080NE48B	203241087
EL16XP1-030-230	29600	16	12.5	27000	17200	9	L*19/36U9	EL195UH040NE36B	203241092
EL16XP1-030-230	29600	16	12.5	27000	17100	9	L*19/36U9	EL195UH060NE36B	203241097
EL16XP1-030-230	29200	15	12.5	27000	16300	8.5	L*19/36U9	EL195UH080NE48C	203241102
EL16XP1-030-230	29600	16	12.5	27000	16900	8.5	L*19/36U9	EL196UH030XE24B	203241107
EL16XP1-030-230	29600	16	12.5	27000	16900	8.5	L*19/36U9	EL196UH045XE24B	203241112
EL16XP1-030-230	29600	16	12.5	27000	17100	9	L*19/36U9	EL196UH045XE36B	203241117
EL16XP1-030-230	29600	16	12.5	27000	17100	9	L*19/36U9	EL196UH070XE36B	203241122
EL16XP1-030-230	29200	16	13	27000	16200	8.5	L*19/36U9	EL196UH090XE48C	203241127
EL16XP1-030-230	30000	15	12.5	27000	17400	9	L*19/36U9	EL280DF070E36A	203241132
EL16XP1-030-230	30000	16	13	27000	17500	9	L*19/36U9	EL280DF090E48B	203241137
EL16XP1-030-230	30000	16	13	27000	16800	8.5	L*19/36U9	EL280UH045E36A	203241142
EL16XP1-030-230	29600	16	12.5	27000	17100	8.5	L*19/36U9	EL280UH070E36A	203241147
EL16XP1-030-230	29600	16	12.5	27000	17100	8.5	L*19/36U9	EL280UH070XE36A	203366413
EL16XP1-030-230	30000	16	13	27000	16900	8.5	L*19/36U9	EL280UH090E36B	203241152
EL16XP1-030-230	30000	16	13	27000	16600	8.5	L*19/36U9	EL280UH090E48B	203241157
EL16XP1-030-230	30000	16	13	27000	16600	8.5	L*19/36U9	EL280UH090XE48B	203366430
EL16XP1-030-230	29200	15	12.5	27000	16300	8.5	L*19/36U9	EL280UH110E48C	203241162
EL16XP1-030-230	30000	15	12.5	27000	17400	9	L*19/36U9	EL296DF045XE36B	203241167
EL16XP1-030-230	30000	15	12.5	27000	17400	9	L*19/36U9	EL296DF045XV36B	203241172
EL16XP1-030-230	30000	16	13	27000	17400	9	L*19/36U9	EL296DF070XE48B	203241177
EL16XP1-030-230	30000	15	12.5	27000	17400	9	L*19/36U9	EL296DF070XV48B	203241182
EL16XP1-030-230	29200	15	12.5	27000	16600	9	L*19/36U9	EL296UH045XE36B	203241187
EL16XP1-030-230	29600	16	12.5	27000	17100	8.5	L*19/36U9	EL296UH045XV36B	203241192
EL16XP1-030-230	29600	16	12.5	27000	17100	8.5	L*19/36U9	EL296UH070XE36B	203241197

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-030-230	29600	16	12.5	27000	17100	9	L*19/36U9	EL296UH070XV36B	203241202
EL16XP1-030-230	30000	15	12.5	27000	16500	8.5	L*19/36U9	EL296UH090XE48C	203241207
EL16XP1-030-230	29400	15	12.5	27000	16300	8.5	L*19/36U9	EL296UH090XV36C	203241212
EL16XP1-030-230	29800	16	13	27000	16300	8.5	L*19/36U9	EL296UH090XV48C	203241217
EL16XP1-030-230	30000	15	12.5	27000	17500	9	L*19/36U9	ML180DF045E36A	203241222
EL16XP1-030-230	30000	16	13	27000	17300	9	L*19/36U9	ML180DF070E36B	203241227
EL16XP1-030-230	30000	16	13	27000	17200	9	L*19/36U9	ML180DF090E48B	203241232
EL16XP1-030-230	29600	16	12.5	27000	17000	8.5	L*19/36U9	ML180UH045E36A	203241237
EL16XP1-030-230	29400	16	13	27000	16500	9	L*19/36U9	ML180UH070E36B	203241242
EL16XP1-030-230	29400	16	13	27000	16400	9	L*19/36U9	ML180UH090E48B	203241247
EL16XP1-030-230	30000	15	12.5	27000	17400	9	L*19/36U9	ML193DF045XE36B	203241252
EL16XP1-030-230	30000	15	12.5	27000	17400	9	L*19/36U9	ML193DF070XE36B	203241257
EL16XP1-030-230	29200	15	12.5	27000	16700	9	L*19/36U9	ML193UH030XE36B	203241262
EL16XP1-030-230	29200	15	12.5	27000	16700	9	L*19/36U9	ML193UH045XE36B	203241267
EL16XP1-030-230	29600	16	12.5	27000	17100	9	L*19/36U9	ML193UH070XE36B	203241272
EL16XP1-030-230	29400	15	12.5	27000	16300	8.5	L*19/36U9	ML193UH090XE36C	203241278
EL16XP1-030-230	29200	15	12.5	27000	16200	8.5	L*19/36U9	ML193UH090XE48C	203241285
EL16XP1-030-230	29200	15	12.5	27000	16200	8.5	L*19/36U9	ML193UH110XE48C	203241294
EL16XP1-030-230	30000	15	12.5	27000	17400	9	L*19/36U9	ML296DF045XV36B	203241302
EL16XP1-030-230	30000	15	12.5	27000	17400	9	L*19/36U9	ML296DF070XV48B	203241309
EL16XP1-030-230	29600	16	12.5	27000	17100	8.5	L*19/36U9	ML296UH045XV36B	203241318
EL16XP1-030-230	29600	16	12.5	27000	17100	9	L*19/36U9	ML296UH070XV36B	203241326
EL16XP1-030-230	29800	16	13	27000	16300	8.5	L*19/36U9	ML296UH090XV48C	203241334
EL16XP1-030-230	30000	15	12.5	27000	17400	9	L*19/36U9	SL280DF070V36A	203241343
EL16XP1-030-230	30000	16	13	27000	17300	9	L*19/36U9	SL280DF090V48B	203241351
EL16XP1-030-230	29800	16	13	27000	16700	9	L*19/36U9	SL280UH060NV36A	203241360
EL16XP1-030-230	29600	16	12.5	27000	17100	9	L*19/36U9	SL280UH070V36A	203241368
EL16XP1-030-230	29600	16	12.5	27000	17100	9	L*19/36U9	SL280UH070XV36A	203241376
EL16XP1-030-230	29400	16	13	27000	16400	9	L*19/36U9	SL280UH080NV48B	203241384
EL16XP1-030-230	29400	16	13	27000	16400	9	L*19/36U9	SL280UH090V36B	203241393
EL16XP1-030-230	29400	16	13	27000	16500	9	L*19/36U9	SL280UH090V48B	203241401
EL16XP1-030-230	30000	16	13	27000	16700	8.5	L*19/36U9	SL297UH040NV36B	203241409
EL16XP1-030-230	29600	16	12.5	27000	17200	9	L*19/36U9	SL297UH060NV36B	203241417
EL16XP1-030-230	29800	15	12.5	27000	16300	8.5	L*19/36U9	SL297UH080NV48C	203241426
EL16XP1-030-230	30000	15	12.5	28400	17500	9	L*19/36U9	SLP99DF070XV36B	205760294
EL16XP1-030-230	29600	16	12.5	27000	17100	9	L*19/36U9	SLP99UH070XV36B	205761547
EL16XP1-030-230	29400	15	12.5	27000	16300	8.5	L*19/36U9	SLP99UH090XV36C	205760306
EL16XP1-030-230	29800	16	13	27000	16300	8.5	L*19/36U9	SLP99UH090XV48C	205760316
EL16XP1-030-230	29600	14	12.2	27000	17900	8.5	L*19/36U9		203242181
EL16XP1-030-230	29600	16	12.5	27000	17100	8.5	L*24/42S9	EL280UH070XE36A	203366415
EL16XP1-030-230	30000	16	13	27000	16600	8.5	L*24/42S9	EL280UH090XE48B	203366432
EL16XP1-030-230	30000	16	13	27000	17100	8.5	L*29/36U9	EL280UH070XE36A	203366418
EL16XP1-030-230	30000	16	13	27000	16900	9	L*29/36U9	EL280UH090XE48B	203366435
EL16XP1-030-230	30000	16	13	27000	17000	9	L*30/36U9	EL180UH040NE36A	203241079
EL16XP1-030-230	30000	16	13	27000	17000	9	L*30/36U9	EL180UH060NE36A	203241084
EL16XP1-030-230	30000	16	13	27000	16900	9	L*30/36U9	EL180UH080NE48B	203241089
EL16XP1-030-230	30000	16	13	27000	17200	9	L*30/36U9	EL195UH040NE36B	203241094
EL16XP1-030-230	30000	16	13	27000	17100	9	L*30/36U9	EL195UH060NE36B	203241099
EL16XP1-030-230	29400	15	12.5	27000	16300	8.5	L*30/36U9	EL195UH080NE48C	203241104
EL16XP1-030-230	30000	16	13	27000	16900	8.5	L*30/36U9	EL196UH030XE24B	203241109
EL16XP1-030-230	30000	16	13	27000	16900	8.5	L*30/36U9	EL196UH045XE24B	203241114
EL16XP1-030-230	30000	16	13	27000	17100	9	L*30/36U9	EL196UH045XE36B	203241119
EL16XP1-030-230	30000	16	13	27000	17100	9	L*30/36U9	EL196UH070XE36B	203241124
EL16XP1-030-230	29400	16	13	27000	16200	8.5	L*30/36U9	EL196UH090XE48C	203241129

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-030-230	30000	16	13	27000	17400	9	L*30/36U9	EL280DF070E36A	203241134
EL16XP1-030-230	30000	16	13	27000	17500	9	L*30/36U9	EL280DF090E48B	203241139
EL16XP1-030-230	30000	16	13	27000	17100	9	L*30/36U9	EL280UH045E36A	203241144
EL16XP1-030-230	30000	16	13	27000	17100	8.5	L*30/36U9	EL280UH070E36A	203241149
EL16XP1-030-230	30000	16	13	27000	17100	8.5	L*30/36U9	EL280UH070XE36A	203366417
EL16XP1-030-230	30000	16	13	27000	17100	9	L*30/36U9	EL280UH090E36B	203241154
EL16XP1-030-230	30000	16	13	27000	16900	9	L*30/36U9	EL280UH090E48B	203241159
EL16XP1-030-230	30000	16	13	27000	16900	9	L*30/36U9	EL280UH090XE48B	203366434
EL16XP1-030-230	29400	15	12.5	27000	16300	8.5	L*30/36U9	EL280UH110E48C	203241164
EL16XP1-030-230	30000	15	12.5	27000	17400	9	L*30/36U9	EL296DF045XE36B	203241169
EL16XP1-030-230	30000	15	12.5	27000	17400	9	L*30/36U9	EL296DF045XV36B	203241174
EL16XP1-030-230	30000	16	13	27000	17400	9	L*30/36U9	EL296DF070XE48B	203241179
EL16XP1-030-230	30000	15	12.5	27000	17400	9	L*30/36U9	EL296DF070XV48B	203241184
EL16XP1-030-230	29400	15	12.5	27000	16600	9	L*30/36U9	EL296UH045XE36B	203241189
EL16XP1-030-230	30000	16	13	27000	17100	8.5	L*30/36U9	EL296UH045XV36B	203241194
EL16XP1-030-230	30000	16	13	27000	17100	8.5	L*30/36U9	EL296UH070XE36B	203241199
EL16XP1-030-230	30000	16	13	27000	17100	9	L*30/36U9	EL296UH070XV36B	203241204
EL16XP1-030-230	30000	15	12.5	27000	16500	8.5	L*30/36U9	EL296UH090XE48C	203241209
EL16XP1-030-230	29600	15	12.5	27000	16300	8.5	L*30/36U9	EL296UH090XV36C	203241214
EL16XP1-030-230	29800	16	13	27000	16300	8.5	L*30/36U9	EL296UH090XV48C	203241219
EL16XP1-030-230	30000	16	13	27000	17500	9	L*30/36U9	ML180DF045E36A	203241224
EL16XP1-030-230	30000	16	13	27000	17300	9	L*30/36U9	ML180DF070E36B	203241229
EL16XP1-030-230	30000	16	13	27000	17200	9	L*30/36U9	ML180DF090E48B	203241234
EL16XP1-030-230	30000	16	13	27000	17000	8.5	L*30/36U9	ML180UH045E36A	203241239
EL16XP1-030-230	30000	16	13	27000	16900	9	L*30/36U9	ML180UH070E36B	203241244
EL16XP1-030-230	30000	16	13	27000	16900	9	L*30/36U9	ML180UH090E48B	203241249
EL16XP1-030-230	30000	15	12.5	27000	17400	9	L*30/36U9	ML193DF045XE36B	203241254
EL16XP1-030-230	30000	15	12.5	27000	17400	9	L*30/36U9	ML193DF070XE36B	203241259
EL16XP1-030-230	29400	15	12.5	27000	16700	9	L*30/36U9	ML193UH030XE36B	203241264
EL16XP1-030-230	29400	15	12.5	27000	16700	9	L*30/36U9	ML193UH045XE36B	203241269
EL16XP1-030-230	30000	16	13	27000	17100	9	L*30/36U9	ML193UH070XE36B	203241274
EL16XP1-030-230	29600	15	12.5	27000	16300	8.5	L*30/36U9	ML193UH090XE36C	203241281
EL16XP1-030-230	29400	15	12.5	27000	16200	8.5	L*30/36U9	ML193UH090XE48C	203241289
EL16XP1-030-230	29400	15	12.5	27000	16200	8.5	L*30/36U9	ML193UH110XE48C	203241297
EL16XP1-030-230	30000	15	12.5	27000	17400	9	L*30/36U9	ML296DF045XV36B	203241305
EL16XP1-030-230	30000	15	12.5	27000	17400	9	L*30/36U9	ML296DF070XV48B	203241313
EL16XP1-030-230	30000	16	13	27000	17100	8.5	L*30/36U9	ML296UH045XV36B	203241321
EL16XP1-030-230	30000	16	13	27000	17100	9	L*30/36U9	ML296UH070XV36B	203241329
EL16XP1-030-230	29800	16	13	27000	16300	8.5	L*30/36U9	ML296UH090XV48C	203241337
EL16XP1-030-230	30000	15	12.5	27000	17400	9	L*30/36U9	SL280DF070V36A	203241346
EL16XP1-030-230	30000	16	13	27000	17300	9	L*30/36U9	SL280DF090V48B	203241355
EL16XP1-030-230	30000	16	13	27000	17000	9	L*30/36U9	SL280UH060NV36A	203241363
EL16XP1-030-230	30000	16	13	27000	17100	9	L*30/36U9	SL280UH070V36A	203241372
EL16XP1-030-230	30000	16	13	27000	17100	9	L*30/36U9	SL280UH070XV36A	203241379
EL16XP1-030-230	30000	16	13	27000	16900	9	L*30/36U9	SL280UH080NV48B	203241387
EL16XP1-030-230	30000	16	13	27000	16900	9	L*30/36U9	SL280UH090V36B	203241396
EL16XP1-030-230	29600	16	13	27000	16500	9	L*30/36U9	SL280UH090V48B	203241404
EL16XP1-030-230	30000	16	13	27000	17100	9	L*30/36U9	SL297UH040NV36B	203241412
EL16XP1-030-230	30000	16	13	27000	17200	9	L*30/36U9	SL297UH060NV36B	203241421
EL16XP1-030-230	29800	15	12.5	27000	16300	8.5	L*30/36U9	SL297UH080NV48C	203241430
EL16XP1-030-230	30000	16	13	28400	17500	9	L*30/36U9	SLP99DF070XV36B	205760298
EL16XP1-030-230	30000	16	13	27000	17100	9	L*30/36U9	SLP99UH070XV36B	205761552
EL16XP1-030-230	29600	15	12.5	27000	16300	8.5	L*30/36U9	SLP99UH090XV36C	205760310
EL16XP1-030-230	29800	16	13	27000	16300	8.5	L*30/36U9	SLP99UH090XV48C	205760320

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-030-230	30000	14.5	12.2	27000	17500	8.5	L*30/36U9		203242183
EL16XP1-030-230	30000	16	13	27000	17100	8.5	L*35/36U9	EL280UH070XE36A	203366419
EL16XP1-030-230	30000	16	13	27000	16900	9	L*35/36U9	EL280UH090XE48B	203366436
EL16XP1-030-230	30000	16	13	28400	17500	9	LD19/36Z9	EL280DF090E48B	205147212
EL16XP1-030-230	30000	15	12.5	28400	17400	9	LD19/36Z9	EL296DF045XE36B	205147213
EL16XP1-030-230	30000	15	12.5	28400	17400	9	LD19/36Z9	EL296DF045XV36B	205147214
EL16XP1-030-230	30000	16	13	28400	17400	9	LD19/36Z9	EL296DF070XE48B	205147215
EL16XP1-030-230	30000	15	12.5	28400	17400	9	LD19/36Z9	EL296DF070XV48B	205147216
EL16XP1-030-230	30000	16	13	28400	17300	9	LD19/36Z9	ML180DF070E36B	205147217
EL16XP1-030-230	30000	16	13	28400	17200	9	LD19/36Z9	ML180DF090E48B	205147218
EL16XP1-030-230	30000	15	12.5	28400	17400	9	LD19/36Z9	ML193DF045XE36B	205147219
EL16XP1-030-230	30000	15	12.5	28400	17400	9	LD19/36Z9	ML193DF070XE36B	205147220
EL16XP1-030-230	30000	15	12.5	28400	17400	9	LD19/36Z9	ML296DF045XV36B	205147221
EL16XP1-030-230	30000	15	12.5	28400	17400	9	LD19/36Z9	ML296DF070XV48B	205147222
EL16XP1-030-230	30000	16	13	28400	17300	9	LD19/36Z9	SL280DF090V48B	205147223
EL16XP1-030-230	30000	15	12.5	28400	17500	9	LD19/36Z9	SLP99DF070XV36B	205760293
EL16XP1-030-230	29600	14	12.2	28400	17900	8.5	LD19/36Z9		204755175
EL16XP1-030-230	29600	14.5	12.2	28400	17900	8.5	LD24/35Z9		204755176
EL16XP1-030-230	30000	14.5	12.2	26600	17500	8.5	LD31/36Z9		204756172
EL16XP1-030-230	28800	15	12.5	27000	16800	8.5	LH18/36D9	EL280UH090XE48B	203366423
EL16XP1-030-230	30000	16	13	27000	17100	8.5	LH18/37D9	EL280UH070XE36A	203366421
EL16XP1-030-230	30000	16	13	27000	16900	9	LH18/37D9	EL280UH090XE48B	203366438
EL16XP1-030-230	30000	16	13	27000	17100	8.5	LH18/37R9	EL280UH070XE36A	203366420
EL16XP1-030-230	30000	16	13	27000	16900	9	LH18/37R9	EL280UH090XE48B	203366437
EL16XP1-030-230	29800	16	13	27000	16600	9	LH29/36F9	EL180UH040NE36A	203241076
EL16XP1-030-230	29800	16	13	27000	16600	9	LH29/36F9	EL180UH060NE36A	203241081
EL16XP1-030-230	30000	16	13	27000	16600	8.5	LH29/36F9	EL180UH080NE48B	203241086
EL16XP1-030-230	29600	16	12.5	27000	17200	9	LH29/36F9	EL195UH040NE36B	203241091
EL16XP1-030-230	29600	16	12.5	27000	17100	9	LH29/36F9	EL195UH060NE36B	203241096
EL16XP1-030-230	29200	15	12.5	27000	16300	8.5	LH29/36F9	EL195UH080NE48C	203241101
EL16XP1-030-230	29600	16	12.5	27000	16900	8.5	LH29/36F9	EL196UH030XE24B	203241106
EL16XP1-030-230	29600	16	12.5	27000	16900	8.5	LH29/36F9	EL196UH045XE24B	203241111
EL16XP1-030-230	29600	16	12.5	27000	17100	9	LH29/36F9	EL196UH045XE36B	203241116
EL16XP1-030-230	29600	16	12.5	27000	17100	9	LH29/36F9	EL196UH070XE36B	203241121
EL16XP1-030-230	29200	16	13	27000	16200	8.5	LH29/36F9	EL196UH090XE48C	203241126
EL16XP1-030-230	30000	15	12.5	27000	17400	9	LH29/36F9	EL280DF070E36A	203241131
EL16XP1-030-230	30000	16	13	27000	17500	9	LH29/36F9	EL280DF090E48B	203241136
EL16XP1-030-230	30000	16	13	27000	16800	8.5	LH29/36F9	EL280UH045E36A	203241141
EL16XP1-030-230	29600	16	12.5	27000	17100	8.5	LH29/36F9	EL280UH070E36A	203241146
EL16XP1-030-230	29600	16	12.5	27000	17100	8.5	LH29/36F9	EL280UH070XE36A	203366410
EL16XP1-030-230	30000	16	13	27000	16900	8.5	LH29/36F9	EL280UH090E36B	203241151
EL16XP1-030-230	30000	16	13	27000	16600	8.5	LH29/36F9	EL280UH090E48B	203241156
EL16XP1-030-230	30000	16	13	27000	16600	8.5	LH29/36F9	EL280UH090XE48B	203366427
EL16XP1-030-230	29200	15	12.5	27000	16300	8.5	LH29/36F9	EL280UH110E48C	203241161
EL16XP1-030-230	30000	15	12.5	27000	17400	9	LH29/36F9	EL296DF045XE36B	203241166
EL16XP1-030-230	30000	15	12.5	27000	17400	9	LH29/36F9	EL296DF045XV36B	203241171
EL16XP1-030-230	30000	16	13	27000	17400	9	LH29/36F9	EL296DF070XE48B	203241176
EL16XP1-030-230	30000	15	12.5	27000	17400	9	LH29/36F9	EL296DF070XV48B	203241181
EL16XP1-030-230	29200	15	12.5	27000	16600	9	LH29/36F9	EL296UH045XE36B	203241186
EL16XP1-030-230	29600	16	12.5	27000	17100	8.5	LH29/36F9	EL296UH045XV36B	203241191
EL16XP1-030-230	29600	16	12.5	27000	17100	8.5	LH29/36F9	EL296UH070XE36B	203241196
EL16XP1-030-230	29600	16	12.5	27000	17100	9	LH29/36F9	EL296UH070XV36B	203241201
EL16XP1-030-230	30000	15	12.5	27000	16500	8.5	LH29/36F9	EL296UH090XE48C	203241206
EL16XP1-030-230	29400	15	12.5	27000	16300	8.5	LH29/36F9	EL296UH090XV36C	203241211

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-030-230	29800	16	13	27000	16300	8.5	LH29/36F9	EL296UH090XV48C	203241216
EL16XP1-030-230	30000	15	12.5	27000	17500	9	LH29/36F9	ML180DF045E36A	203241221
EL16XP1-030-230	30000	16	13	27000	17300	9	LH29/36F9	ML180DF070E36B	203241226
EL16XP1-030-230	30000	16	13	27000	17200	9	LH29/36F9	ML180DF090E48B	203241231
EL16XP1-030-230	29600	16	12.5	27000	17000	8.5	LH29/36F9	ML180UH045E36A	203241236
EL16XP1-030-230	29400	16	13	27000	16500	9	LH29/36F9	ML180UH070E36B	203241241
EL16XP1-030-230	29400	16	13	27000	16400	9	LH29/36F9	ML180UH090E48B	203241246
EL16XP1-030-230	30000	15	12.5	27000	17400	9	LH29/36F9	ML193DF045XE36B	203241251
EL16XP1-030-230	30000	15	12.5	27000	17400	9	LH29/36F9	ML193DF070XE36B	203241256
EL16XP1-030-230	29200	15	12.5	27000	16700	9	LH29/36F9	ML193UH030XE36B	203241261
EL16XP1-030-230	29200	15	12.5	27000	16700	9	LH29/36F9	ML193UH045XE36B	203241266
EL16XP1-030-230	29600	16	12.5	27000	17100	9	LH29/36F9	ML193UH070XE36B	203241271
EL16XP1-030-230	29400	15	12.5	27000	16300	8.5	LH29/36F9	ML193UH090XE36C	203241277
EL16XP1-030-230	29200	15	12.5	27000	16200	8.5	LH29/36F9	ML193UH090XE48C	203241284
EL16XP1-030-230	29200	15	12.5	27000	16200	8.5	LH29/36F9	ML193UH110XE48C	203241293
EL16XP1-030-230	30000	15	12.5	27000	17400	9	LH29/36F9	ML296DF045XV36B	203241301
EL16XP1-030-230	30000	15	12.5	27000	17400	9	LH29/36F9	ML296DF070XV48B	203241308
EL16XP1-030-230	29600	16	12.5	27000	17100	8.5	LH29/36F9	ML296UH045XV36B	203241316
EL16XP1-030-230	29600	16	12.5	27000	17100	9	LH29/36F9	ML296UH070XV36B	203241324
EL16XP1-030-230	29800	16	13	27000	16300	8.5	LH29/36F9	ML296UH090XV48C	203241332
EL16XP1-030-230	30000	15	12.5	27000	17400	9	LH29/36F9	SL280DF070V36A	203241341
EL16XP1-030-230	30000	16	13	27000	17300	9	LH29/36F9	SL280DF090V48B	203241350
EL16XP1-030-230	29800	16	13	27000	16700	9	LH29/36F9	SL280UH060NV36A	203241358
EL16XP1-030-230	29600	16	12.5	27000	17100	9	LH29/36F9	SL280UH070V36A	203241367
EL16XP1-030-230	29600	16	12.5	27000	17100	9	LH29/36F9	SL280UH070XV36A	203241374
EL16XP1-030-230	29400	16	13	27000	16400	9	LH29/36F9	SL280UH080NV48B	203241383
EL16XP1-030-230	29400	16	13	27000	16400	9	LH29/36F9	SL280UH090V36B	203241391
EL16XP1-030-230	29400	16	13	27000	16500	9	LH29/36F9	SL280UH090V48B	203241399
EL16XP1-030-230	30000	16	13	27000	16700	8.5	LH29/36F9	SL297UH040NV36B	203241408
EL16XP1-030-230	29600	16	12.5	27000	17200	9	LH29/36F9	SL297UH060NV36B	203241415
EL16XP1-030-230	29800	15	12.5	27000	16300	8.5	LH29/36F9	SL297UH080NV48C	203241425
EL16XP1-030-230	29600	16	12.5	27000	17100	9	LH29/36F9	SLP99UH070XV36B	205761543
EL16XP1-030-230	29400	15	12.5	27000	16300	8.5	LH29/36F9	SLP99UH090XV36C	205760304
EL16XP1-030-230	29800	16	13	27000	16300	8.5	LH29/36F9	SLP99UH090XV48C	205760314
EL16XP1-030-230	29600	14	12.2	27000	17900	8.5	LH29/36F9		203242180
EL16XP1-030-230	29800	16	13	27000	16600	9	LH29/36X9	EL180UH040NE36A	203241075
EL16XP1-030-230	29800	16	13	27000	16600	9	LH29/36X9	EL180UH060NE36A	203241080
EL16XP1-030-230	30000	16	13	27000	16600	8.5	LH29/36X9	EL180UH080NE48B	203241085
EL16XP1-030-230	29600	16	12.5	27000	17200	9	LH29/36X9	EL195UH040NE36B	203241090
EL16XP1-030-230	29600	16	12.5	27000	17100	9	LH29/36X9	EL195UH060NE36B	203241095
EL16XP1-030-230	29200	15	12.5	27000	16300	8.5	LH29/36X9	EL195UH080NE48C	203241100
EL16XP1-030-230	29600	16	12.5	27000	16900	8.5	LH29/36X9	EL196UH030XE24B	203241105
EL16XP1-030-230	29600	16	12.5	27000	16900	8.5	LH29/36X9	EL196UH045XE24B	203241110
EL16XP1-030-230	29600	16	12.5	27000	17100	9	LH29/36X9	EL196UH045XE36B	203241115
EL16XP1-030-230	29600	16	12.5	27000	17100	9	LH29/36X9	EL196UH070XE36B	203241120
EL16XP1-030-230	29200	16	13	27000	16200	8.5	LH29/36X9	EL196UH090XE48C	203241125
EL16XP1-030-230	30000	15	12.5	27000	17400	9	LH29/36X9	EL280DF070E36A	203241130
EL16XP1-030-230	30000	16	13	27000	17500	9	LH29/36X9	EL280DF090E48B	203241135
EL16XP1-030-230	30000	16	13	27000	16800	8.5	LH29/36X9	EL280UH045E36A	203241140
EL16XP1-030-230	29600	16	12.5	27000	17100	8.5	LH29/36X9	EL280UH070E36A	203241145
EL16XP1-030-230	29600	16	12.5	27000	17100	8.5	LH29/36X9	EL280UH070XE36A	203366409
EL16XP1-030-230	30000	16	13	27000	16900	8.5	LH29/36X9	EL280UH090E36B	203241150
EL16XP1-030-230	30000	16	13	27000	16600	8.5	LH29/36X9	EL280UH090E48B	203241155
EL16XP1-030-230	30000	16	13	27000	16600	8.5	LH29/36X9	EL280UH090XE48B	203366426

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-030-230	29200	15	12.5	27000	16300	8.5	LH29/36X9	EL280UH110E48C	203241160
EL16XP1-030-230	30000	15	12.5	27000	17400	9	LH29/36X9	EL296DF045XE36B	203241165
EL16XP1-030-230	30000	15	12.5	27000	17400	9	LH29/36X9	EL296DF045XV36B	203241170
EL16XP1-030-230	30000	16	13	27000	17400	9	LH29/36X9	EL296DF070XE48B	203241175
EL16XP1-030-230	30000	15	12.5	27000	17400	9	LH29/36X9	EL296DF070XV48B	203241180
EL16XP1-030-230	29200	15	12.5	27000	16600	9	LH29/36X9	EL296UH045XE36B	203241185
EL16XP1-030-230	29600	16	12.5	27000	17100	8.5	LH29/36X9	EL296UH045XV36B	203241190
EL16XP1-030-230	29600	16	12.5	27000	17100	8.5	LH29/36X9	EL296UH070XE36B	203241195
EL16XP1-030-230	29600	16	12.5	27000	17100	9	LH29/36X9	EL296UH070XV36B	203241200
EL16XP1-030-230	30000	15	12.5	27000	16500	8.5	LH29/36X9	EL296UH090XE48C	203241205
EL16XP1-030-230	29400	15	12.5	27000	16300	8.5	LH29/36X9	EL296UH090XV36C	203241210
EL16XP1-030-230	29800	16	13	27000	16300	8.5	LH29/36X9	EL296UH090XV48C	203241215
EL16XP1-030-230	30000	15	12.5	27000	17500	9	LH29/36X9	ML180DF045E36A	203241220
EL16XP1-030-230	30000	16	13	27000	17300	9	LH29/36X9	ML180DF070E36B	203241225
EL16XP1-030-230	30000	16	13	27000	17200	9	LH29/36X9	ML180DF090E48B	203241230
EL16XP1-030-230	29600	16	12.5	27000	17000	8.5	LH29/36X9	ML180UH045E36A	203241235
EL16XP1-030-230	29400	16	13	27000	16500	9	LH29/36X9	ML180UH070E36B	203241240
EL16XP1-030-230	29400	16	13	27000	16400	9	LH29/36X9	ML180UH090E48B	203241245
EL16XP1-030-230	30000	15	12.5	27000	17400	9	LH29/36X9	ML193DF045XE36B	203241250
EL16XP1-030-230	30000	15	12.5	27000	17400	9	LH29/36X9	ML193DF070XE36B	203241255
EL16XP1-030-230	29200	15	12.5	27000	16700	9	LH29/36X9	ML193UH030XE36B	203241260
EL16XP1-030-230	29200	15	12.5	27000	16700	9	LH29/36X9	ML193UH045XE36B	203241265
EL16XP1-030-230	29600	16	12.5	27000	17100	9	LH29/36X9	ML193UH070XE36B	203241270
EL16XP1-030-230	29400	15	12.5	27000	16300	8.5	LH29/36X9	ML193UH090XE36C	203241275
EL16XP1-030-230	29200	15	12.5	27000	16200	8.5	LH29/36X9	ML193UH090XE48C	203241282
EL16XP1-030-230	29200	15	12.5	27000	16200	8.5	LH29/36X9	ML193UH110XE48C	203241291
EL16XP1-030-230	30000	15	12.5	27000	17400	9	LH29/36X9	ML296DF045XV36B	203241299
EL16XP1-030-230	30000	15	12.5	27000	17400	9	LH29/36X9	ML296DF070XV48B	203241307
EL16XP1-030-230	29600	16	12.5	27000	17100	8.5	LH29/36X9	ML296UH045XV36B	203241314
EL16XP1-030-230	29600	16	12.5	27000	17100	9	LH29/36X9	ML296UH070XV36B	203241323
EL16XP1-030-230	29800	16	13	27000	16300	8.5	LH29/36X9	ML296UH090XV48C	203241331
EL16XP1-030-230	30000	15	12.5	27000	17400	9	LH29/36X9	SL280DF070V36A	203241339
EL16XP1-030-230	30000	16	13	27000	17300	9	LH29/36X9	SL280DF090V48B	203241348
EL16XP1-030-230	29800	16	13	27000	16700	9	LH29/36X9	SL280UH060NV36A	203241356
EL16XP1-030-230	29600	16	12.5	27000	17100	9	LH29/36X9	SL280UH070V36A	203241365
EL16XP1-030-230	29600	16	12.5	27000	17100	9	LH29/36X9	SL280UH070XV36A	203241373
EL16XP1-030-230	29400	16	13	27000	16400	9	LH29/36X9	SL280UH080NV48B	203241381
EL16XP1-030-230	29400	16	13	27000	16400	9	LH29/36X9	SL280UH090V36B	203241389
EL16XP1-030-230	29400	16	13	27000	16500	9	LH29/36X9	SL280UH090V48B	203241397
EL16XP1-030-230	30000	16	13	27000	16700	8.5	LH29/36X9	SL297UH040NV36B	203241406
EL16XP1-030-230	29600	16	12.5	27000	17200	9	LH29/36X9	SL297UH060NV36B	203241414
EL16XP1-030-230	29800	15	12.5	27000	16300	8.5	LH29/36X9	SL297UH080NV48C	203241423
EL16XP1-030-230	29600	16	12.5	27000	17100	9	LH29/36X9	SLP99UH070XV36B	205761540
EL16XP1-030-230	29400	15	12.5	27000	16300	8.5	LH29/36X9	SLP99UH090XV36C	205760302
EL16XP1-030-230	29800	16	13	27000	16300	8.5	LH29/36X9	SLP99UH090XV48C	205760312
EL16XP1-030-230	29600	14	12.2	27000	17900	8.5	LH29/36X9		203242179
EL16XP1-030-230	29200	15	12.5	27000	16600	8.5	LH35/36E9	EL280UH090XE48B	203366422
EL16XP1-030-230	30000	16	13	27000	17100	8.5	LH35/36F9	EL280UH070XE36A	203366412
EL16XP1-030-230	30000	16	13	27000	16900	9	LH35/36F9	EL280UH090XE48B	203366429
EL16XP1-030-230	30000	16	13	27000	17100	8.5	LH35/36X9	EL280UH070XE36A	203366411
EL16XP1-030-230	30000	16	13	27000	16900	9	LH35/36X9	EL280UH090XE48B	203366428
EL16XP1-030-230	30000	16	13	27000	16800	8.5	LH35/38X9	EL280UH070XE36A	203366416
EL16XP1-030-230	30000	16	13	27000	16900	9	LH35/38X9	EL280UH090XE48B	203366433
EL16XP1-030-230	29600	14	12.2	27600	17900	8.5	LS*30943E		205958211

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-030-230	29600	14	12.2	28400	17900	8.5	LS*36943E		205304028
EL16XP1-036-230	35800	14.5	12.2	33400	21800	9	A36VEA		203371542
EL16XP1-036-230	35600	16	12.5	33400	21800	9.5	L*19/36S9	EL180UH040NE36A	203241470
EL16XP1-036-230	35600	16	12.5	33400	21800	9	L*19/36S9	EL180UH060NE36A	203241481
EL16XP1-036-230	35600	16	12.5	33400	21400	9.5	L*19/36S9	EL180UH080NE48B	203241491
EL16XP1-036-230	35400	16	12.5	33400	21800	9	L*19/36S9	EL195UH040NE36B	203241502
EL16XP1-036-230	35400	16	12.5	33400	21800	9	L*19/36S9	EL195UH060NE36B	203241512
EL16XP1-036-230	35200	15	12.2	33400	21800	9	L*19/36S9	EL195UH080NE48C	203241523
EL16XP1-036-230	35400	16	12.5	33400	21600	9	L*19/36S9	EL196UH045XE36B	203241531
EL16XP1-036-230	35400	16	12.5	33400	21600	9	L*19/36S9	EL196UH070XE36B	203241537
EL16XP1-036-230	35200	16	12.5	33400	20800	9	L*19/36S9	EL196UH090XE48C	203241543
EL16XP1-036-230	35200	16	12.5	33400	22600	9.5	L*19/36S9	EL280DF090E48B	203241549
EL16XP1-036-230	35600	16	12.5	33400	21800	9	L*19/36S9	EL280UH070E36A	203241559
EL16XP1-036-230	35600	16	12.5	33400	21800	9	L*19/36S9	EL280UH070XE36A	203366441
EL16XP1-036-230	35600	16	12.5	33400	21800	9.5	L*19/36S9	EL280UH090E36B	203241565
EL16XP1-036-230	35600	16	12.5	33400	21600	9.5	L*19/36S9	EL280UH090E48B	203241571
EL16XP1-036-230	35600	16	12.5	33400	21600	9.5	L*19/36S9	EL280UH090XE48B	203366460
EL16XP1-036-230	35000	16	12.5	33400	21000	9	L*19/36S9	EL280UH110E48C	203241577
EL16XP1-036-230	34800	15	12.5	33400	21200	9	L*19/36S9	EL280UH110E60C	203241583
EL16XP1-036-230	34800	15	12.5	33400	21200	9	L*19/36S9	EL280UH110XE60C	203366479
EL16XP1-036-230	34600	15	12.5	33400	22200	9	L*19/36S9	EL296DF045XE36B	203241589
EL16XP1-036-230	35000	15	12.5	33400	22400	9	L*19/36S9	EL296DF045XV36B	203241595
EL16XP1-036-230	35200	16	12.5	33400	22400	9.5	L*19/36S9	EL296DF070XE48B	203241601
EL16XP1-036-230	35000	15	12.5	33400	22600	9	L*19/36S9	EL296DF070XV48B	203241607
EL16XP1-036-230	35400	16	12.5	33400	22400	9.5	L*19/36S9	EL296DF090XE48C	203241613
EL16XP1-036-230	35000	16	12.5	33400	21600	9	L*19/36S9	EL296UH045XE36B	203241619
EL16XP1-036-230	35600	16	12.5	33400	21800	9	L*19/36S9	EL296UH045XV36B	203241625
EL16XP1-036-230	35200	16	12.5	33400	21800	9	L*19/36S9	EL296UH070XE36B	203241631
EL16XP1-036-230	35600	16	12.5	33400	21800	9	L*19/36S9	EL296UH070XV36B	203241637
EL16XP1-036-230	35200	16	12.5	33400	20800	9	L*19/36S9	EL296UH090XE48C	203241649
EL16XP1-036-230	35200	16	12.5	33400	20800	9	L*19/36S9	EL296UH090XV36C	203241661
EL16XP1-036-230	35200	16	12.5	33400	20800	9	L*19/36S9	EL296UH090XV48C	203241671
EL16XP1-036-230	34200	16	12.2	33400	20400	9	L*19/36S9	EL296UH110XV48C	203241679
EL16XP1-036-230	34800	16	13	33400	22000	9	L*19/36S9	ML180DF070E36B	203241685
EL16XP1-036-230	35800	16	13	33400	22400	9.5	L*19/36S9	ML180DF090E48B	203241691
EL16XP1-036-230	35600	16	12.5	33400	21800	9	L*19/36S9	ML180UH045E36A	203241697
EL16XP1-036-230	35600	16	12.5	33400	21800	9	L*19/36S9	ML180UH070E36B	203241703
EL16XP1-036-230	35600	16	12.5	33400	21600	9.5	L*19/36S9	ML180UH090E48B	203241709
EL16XP1-036-230	34600	15	12.5	33400	22400	9	L*19/36S9	ML193DF045XE36B	203241715
EL16XP1-036-230	34600	15	12.5	33400	22400	9	L*19/36S9	ML193DF070XE36B	203241721
EL16XP1-036-230	35400	16	12.5	33400	22400	9.5	L*19/36S9	ML193DF090XE48C	203241727
EL16XP1-036-230	35600	15	12.2	33400	22200	9	L*19/36S9	ML193UH030XE36B	203241734
EL16XP1-036-230	35600	15	12.2	33400	22000	9	L*19/36S9	ML193UH045XE36B	203241740
EL16XP1-036-230	35400	16	12.5	33400	21800	9	L*19/36S9	ML193UH070XE36B	203241746
EL16XP1-036-230	35000	15	12.5	33400	21200	9	L*19/36S9	ML193UH090XE36C	203241752
EL16XP1-036-230	35200	16	12.5	33400	20800	9	L*19/36S9	ML193UH090XE48C	203241758
EL16XP1-036-230	35200	16	12.5	33400	20800	9	L*19/36S9	ML193UH110XE48C	203241764
EL16XP1-036-230	35200	15	12.5	33400	21000	9	L*19/36S9	ML193UH110XE60C	203241770
EL16XP1-036-230	35600	16	12.5	33400	21800	9	L*19/36S9	ML296UH045XV36B	203241776
EL16XP1-036-230	35600	16	12.5	33400	21800	9	L*19/36S9	ML296UH070XV36B	203241783
EL16XP1-036-230	35200	16	12.5	33400	20800	9	L*19/36S9	ML296UH090XV48C	203241790
EL16XP1-036-230	35200	16	12.5	33400	22400	9.5	L*19/36S9	SL280DF090V48B	203241796
EL16XP1-036-230	35600	16	12.5	33400	21600	9.5	L*19/36S9	SL280UH060NV36A	203241803
EL16XP1-036-230	35600	16	12.5	33400	21800	9	L*19/36S9	SL280UH070V36A	203241809

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-036-230	35600	16	12.5	33400	21800	9	L*19/36S9	SL280UH070XV36A	203241815
EL16XP1-036-230	35600	16	12.5	33400	21400	9.5	L*19/36S9	SL280UH080NV48B	203241821
EL16XP1-036-230	35600	16	12.5	33400	21600	9.5	L*19/36S9	SL280UH090V36B	203241827
EL16XP1-036-230	35600	16	12.5	33400	21600	9.5	L*19/36S9	SL280UH090V48B	203241834
EL16XP1-036-230	35600	16	12.5	33400	21800	9	L*19/36S9	SL297UH040NV36B	203241840
EL16XP1-036-230	35600	16	12.5	33400	21800	9	L*19/36S9	SL297UH060NV36B	203241846
EL16XP1-036-230	35200	16	12.5	33400	20800	9	L*19/36S9	SL297UH080NV48C	203241853
EL16XP1-036-230	35200	15	12.5	34400	22400	9	L*19/36S9	SLP99DF070XV36B	205760322
EL16XP1-036-230	35200	16	12.5	34400	22600	9.5	L*19/36S9	SLP99DF090XV36C	205760332
EL16XP1-036-230	35400	16	12.5	34400	22400	9.5	L*19/36S9	SLP99DF090XV48C	205760342
EL16XP1-036-230	35600	16	12.5	33400	21800	9	L*19/36S9	SLP99UH070XV36B	205760353
EL16XP1-036-230	35200	16	12.5	33600	20800	9	L*19/36S9	SLP99UH090XV36C	205763622
EL16XP1-036-230	35200	16	12.5	33600	20800	9	L*19/36S9	SLP99UH090XV48C	205763626
EL16XP1-036-230	34400	14.5	11.7	33400	23200	9	L*19/36S9		203242185
EL16XP1-036-230	36000	16	13	33400	21800	9	L*23/37Z9	EL280UH070XE36A	203366454
EL16XP1-036-230	36000	16	13	33400	21600	9.5	L*23/37Z9	EL280UH090XE48B	203366473
EL16XP1-036-230	36000	16	13	33400	21600	9	L*23/37Z9	EL280UH110XE60C	203366492
EL16XP1-036-230	36000	16	13	33400	21800	9.5	L*24/36Y9	EL180UH040NE36A	203241478
EL16XP1-036-230	36000	16	13	33400	21800	9	L*24/36Y9	EL180UH060NE36A	203241488
EL16XP1-036-230	36000	16	13	33400	21400	9.5	L*24/36Y9	EL180UH080NE48B	203241498
EL16XP1-036-230	35800	16	13	33400	21800	9	L*24/36Y9	EL195UH040NE36B	203241508
EL16XP1-036-230	36000	16	13	33400	21200	9	L*24/36Y9	EL195UH060NE36B	203241519
EL16XP1-036-230	36000	16	13	33400	20600	9	L*24/36Y9	EL195UH080NE48C	203241529
EL16XP1-036-230	36000	16	13	33400	21200	9	L*24/36Y9	EL196UH045XE36B	203241535
EL16XP1-036-230	36000	16	13	33400	21200	9.5	L*24/36Y9	EL196UH070XE36B	203241541
EL16XP1-036-230	36000	16	13	33400	21200	9.5	L*24/36Y9	EL196UH090XE48C	203241547
EL16XP1-036-230	35600	16	13	33400	22600	9.5	L*24/36Y9	EL280DF090E48B	203241553
EL16XP1-036-230	36000	16	13	33400	22000	9	L*24/36Y9	EL280UH045E36A	203241557
EL16XP1-036-230	36000	16	13	33400	21800	9	L*24/36Y9	EL280UH070E36A	203241563
EL16XP1-036-230	36000	16	13	33400	21800	9	L*24/36Y9	EL280UH070XE36A	203366457
EL16XP1-036-230	36000	16	13	33400	21800	9.5	L*24/36Y9	EL280UH090E36B	203241569
EL16XP1-036-230	36000	16	13	33400	21200	9.5	L*24/36Y9	EL280UH090E48B	203241575
EL16XP1-036-230	36000	16	13	33400	21600	9.5	L*24/36Y9	EL280UH090XE48B	203366476
EL16XP1-036-230	36000	16	13	33400	21000	9.5	L*24/36Y9	EL280UH110E48C	203241581
EL16XP1-036-230	36000	16	13	33400	20600	9	L*24/36Y9	EL280UH110E60C	203241587
EL16XP1-036-230	36000	16	13	33400	20400	9	L*24/36Y9	EL280UH110XE60C	203366495
EL16XP1-036-230	35200	16	13	33400	22600	9.5	L*24/36Y9	EL296DF045XE36B	203241593
EL16XP1-036-230	35600	16	13	33400	22600	9.5	L*24/36Y9	EL296DF045XV36B	203241599
EL16XP1-036-230	35600	16	13	33400	22400	9.5	L*24/36Y9	EL296DF070XE48B	203241605
EL16XP1-036-230	35600	16	13	33400	22800	9.5	L*24/36Y9	EL296DF070XV48B	203241611
EL16XP1-036-230	35800	16	13	33400	22400	9.5	L*24/36Y9	EL296DF090XE48C	203241617
EL16XP1-036-230	35400	16	13	33400	21600	9	L*24/36Y9	EL296UH045XE36B	203241623
EL16XP1-036-230	36000	16	13	33400	21800	9	L*24/36Y9	EL296UH045XV36B	203241629
EL16XP1-036-230	36000	16	13	33400	21200	9	L*24/36Y9	EL296UH070XE36B	203241635
EL16XP1-036-230	36000	16	13	33400	21400	9.5	L*24/36Y9	EL296UH070XV36B	203241645
EL16XP1-036-230	36000	16	13	33400	21200	9.5	L*24/36Y9	EL296UH090XE48C	203241657
EL16XP1-036-230	36000	16	13	33400	21200	9.5	L*24/36Y9	EL296UH090XV36C	203241669
EL16XP1-036-230	36000	16	13	33400	20600	9.5	L*24/36Y9	EL296UH090XV48C	203241677
EL16XP1-036-230	36000	16	13	33400	20400	9.5	L*24/36Y9	EL296UH110XV48C	203241683
EL16XP1-036-230	35400	16	13	33400	22200	9.5	L*24/36Y9	ML180DF070E36B	203241689
EL16XP1-036-230	36000	16	13	33400	22400	9.5	L*24/36Y9	ML180DF090E48B	203241695
EL16XP1-036-230	36000	16	13	33400	21800	9	L*24/36Y9	ML180UH045E36A	203241701
EL16XP1-036-230	36000	16	13	33400	21400	9.5	L*24/36Y9	ML180UH070E36B	203241707
EL16XP1-036-230	36000	16	13	33400	21200	9.5	L*24/36Y9	ML180UH090E48B	203241713

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-036-230	35400	16	13	33400	22600	9.5	L*24/36Y9	ML193DF045XE36B	203241719
EL16XP1-036-230	35400	16	13	33400	22600	9.5	L*24/36Y9	ML193DF070XE36B	203241725
EL16XP1-036-230	35800	16	13	33400	22400	9.5	L*24/36Y9	ML193DF090XE48C	203241732
EL16XP1-036-230	36000	16	13	33400	22200	9	L*24/36Y9	ML193UH030XE36B	203241738
EL16XP1-036-230	36000	16	13	33400	22000	9	L*24/36Y9	ML193UH045XE36B	203241744
EL16XP1-036-230	36000	16	13	33400	21200	9	L*24/36Y9	ML193UH070XE36B	203241750
EL16XP1-036-230	36000	16	13	33400	21200	9	L*24/36Y9	ML193UH090XE36C	203241756
EL16XP1-036-230	36000	16	13	33400	21200	9.5	L*24/36Y9	ML193UH090XE48C	203241762
EL16XP1-036-230	36000	16	13	33400	20800	9.5	L*24/36Y9	ML193UH110XE48C	203241768
EL16XP1-036-230	36000	16	13	33400	21000	9	L*24/36Y9	ML193UH110XE60C	203241774
EL16XP1-036-230	36000	16	13	33400	21800	9	L*24/36Y9	ML296UH045XV36B	203241781
EL16XP1-036-230	36000	16	13	33400	21400	9.5	L*24/36Y9	ML296UH070XV36B	203241788
EL16XP1-036-230	36000	16	13	33400	20600	9.5	L*24/36Y9	ML296UH090XV48C	203241794
EL16XP1-036-230	35600	16	13	33400	22400	9.5	L*24/36Y9	SL280DF090V48B	203241800
EL16XP1-036-230	36000	16	13	33400	21600	9.5	L*24/36Y9	SL280UH060NV36A	203241807
EL16XP1-036-230	36000	16	13	33400	21800	9	L*24/36Y9	SL280UH070V36A	203241813
EL16XP1-036-230	36000	16	13	33400	21800	9	L*24/36Y9	SL280UH070XV36A	203241819
EL16XP1-036-230	36000	16	13	33400	21000	9.5	L*24/36Y9	SL280UH080NV48B	203241825
EL16XP1-036-230	36000	16	13	33400	21600	9.5	L*24/36Y9	SL280UH090V36B	203241832
EL16XP1-036-230	36000	16	13	33400	21600	9.5	L*24/36Y9	SL280UH090V48B	203241838
EL16XP1-036-230	36000	16	13	33400	21400	9.5	L*24/36Y9	SL297UH040NV36B	203241844
EL16XP1-036-230	36000	16	13	33400	21400	9.5	L*24/36Y9	SL297UH060NV36B	203241850
EL16XP1-036-230	36000	16	13	33400	20600	9.5	L*24/36Y9	SL297UH080NV48C	203241857
EL16XP1-036-230	35600	16	13	34400	22600	9.5	L*24/36Y9	SLP99DF070XV36B	205760330
EL16XP1-036-230	35600	16	13	34400	22600	9.5	L*24/36Y9	SLP99DF090XV36C	205760340
EL16XP1-036-230	35800	16	13	34400	22400	9.5	L*24/36Y9	SLP99DF090XV48C	205760349
EL16XP1-036-230	36000	16	13	33600	21400	9.5	L*24/36Y9	SLP99UH070XV36B	205761560
EL16XP1-036-230	36000	16	13	33400	21200	9.5	L*24/36Y9	SLP99UH090XV36C	205761572
EL16XP1-036-230	36000	16	13	33400	20600	9.5	L*24/36Y9	SLP99UH090XV48C	205763357
EL16XP1-036-230	34800	15	12.5	33400	23200	9	L*24/36Y9		203242189
EL16XP1-036-230	36000	16	13	33400	21800	9	L*24/36Z9	EL280UH070XE36A	203366456
EL16XP1-036-230	36000	16	13	33400	21600	9.5	L*24/36Z9	EL280UH090XE48B	203366475
EL16XP1-036-230	36000	16	13	33400	20400	9	L*24/36Z9	EL280UH110XE60C	203366494
EL16XP1-036-230	35600	16	12.5	33400	21800	9	L*24/42S9	EL280UH070XE36A	203366442
EL16XP1-036-230	35600	16	12.5	33400	21600	9.5	L*24/42S9	EL280UH090XE48B	203366461
EL16XP1-036-230	34800	15	12.5	33400	21200	9	L*24/42S9	EL280UH110XE60C	203366480
EL16XP1-036-230	36000	16	13	33400	21800	9	L*25/37Z9	EL280UH070XE36A	203366455
EL16XP1-036-230	36000	16	13	33400	21600	9.5	L*25/37Z9	EL280UH090XE48B	203366474
EL16XP1-036-230	36000	16	13	33400	20400	9	L*25/37Z9	EL280UH110XE60C	203366493
EL16XP1-036-230	36000	16	13	33400	21800	9	L*29/36S9	EL280UH070XE36A	203366450
EL16XP1-036-230	36000	16	13	33400	21600	9.5	L*29/36S9	EL280UH090XE48B	203366469
EL16XP1-036-230	36000	16	13	33400	20400	9	L*29/36S9	EL280UH110XE60C	203366488
EL16XP1-036-230	36000	16	13	33400	21800	9	L*29/36U9	EL280UH070XE36A	203366448
EL16XP1-036-230	36000	16	13	33400	21600	9.5	L*29/36U9	EL280UH090XE48B	203366467
EL16XP1-036-230	36000	16	13	33400	20400	9	L*29/36U9	EL280UH110XE60C	203366486
EL16XP1-036-230	36000	16	13	33400	21800	9.5	L*30/36S9	EL180UH040NE36A	203241474
EL16XP1-036-230	36000	16	13	33400	21800	9	L*30/36S9	EL180UH060NE36A	203241485
EL16XP1-036-230	36000	16	13	33400	21400	9.5	L*30/36S9	EL180UH080NE48B	203241494
EL16XP1-036-230	35800	16	13	33400	21800	9	L*30/36S9	EL195UH040NE36B	203241505
EL16XP1-036-230	36000	16	13	33400	21200	9	L*30/36S9	EL195UH060NE36B	203241516
EL16XP1-036-230	36000	15	12.5	33400	21800	9	L*30/36S9	EL195UH080NE48C	203241526
EL16XP1-036-230	36000	16	13	33400	21200	9	L*30/36S9	EL196UH045XE36B	203241533
EL16XP1-036-230	36000	16	13	33400	21200	9.5	L*30/36S9	EL196UH070XE36B	203241539
EL16XP1-036-230	36000	16	13	33400	20800	9.5	L*30/36S9	EL196UH090XE48C	203241545

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-036-230	35600	16	13	33400	22600	9.5	L*30/36S9	EL280DF090E48B	203241551
EL16XP1-036-230	36000	16	13	33400	22000	9	L*30/36S9	EL280UH045E36A	203241555
EL16XP1-036-230	36000	16	13	33400	21800	9	L*30/36S9	EL280UH070E36A	203241561
EL16XP1-036-230	36000	16	13	33400	21800	9	L*30/36S9	EL280UH070XE36A	203366447
EL16XP1-036-230	36000	16	13	33400	21800	9.5	L*30/36S9	EL280UH090E36B	203241567
EL16XP1-036-230	36000	16	13	33400	21600	9.5	L*30/36S9	EL280UH090E48B	203241573
EL16XP1-036-230	36000	16	13	33400	21600	9.5	L*30/36S9	EL280UH090XE48B	203366466
EL16XP1-036-230	35800	16	13	33400	21000	9.5	L*30/36S9	EL280UH110E48C	203241579
EL16XP1-036-230	35800	16	13	33400	20400	9	L*30/36S9	EL280UH110E60C	203241585
EL16XP1-036-230	35800	16	13	33400	20400	9	L*30/36S9	EL280UH110XE60C	203366485
EL16XP1-036-230	35200	15	12.5	33400	22600	9.5	L*30/36S9	EL296DF045XE36B	203241591
EL16XP1-036-230	35600	15	12.5	33400	22600	9.5	L*30/36S9	EL296DF045XV36B	203241597
EL16XP1-036-230	35600	16	13	33400	22400	9.5	L*30/36S9	EL296DF070XE48B	203241603
EL16XP1-036-230	35600	15	12.5	33400	22800	9.5	L*30/36S9	EL296DF070XV48B	203241609
EL16XP1-036-230	35800	16	13	33400	22400	9.5	L*30/36S9	EL296DF090XE48C	203241615
EL16XP1-036-230	35400	16	13	33400	21600	9	L*30/36S9	EL296UH045XE36B	203241621
EL16XP1-036-230	36000	16	13	33400	21800	9	L*30/36S9	EL296UH045XV36B	203241627
EL16XP1-036-230	36000	16	13	33400	21200	9	L*30/36S9	EL296UH070XE36B	203241633
EL16XP1-036-230	36000	16	13	33400	21400	9.5	L*30/36S9	EL296UH070XV36B	203241641
EL16XP1-036-230	35800	16	13	33400	21200	9.5	L*30/36S9	EL296UH090XE48C	203241653
EL16XP1-036-230	35800	16	13	33400	21200	9.5	L*30/36S9	EL296UH090XV36C	203241665
EL16XP1-036-230	36000	16	13	33400	21800	9	L*30/36S9	EL296UH090XV48C	203241675
EL16XP1-036-230	36000	16	13	33400	21600	9	L*30/36S9	EL296UH110XV48C	203241681
EL16XP1-036-230	35400	16	13	33400	22200	9.5	L*30/36S9	ML180DF070E36B	203241687
EL16XP1-036-230	36000	16	13	33400	22400	9.5	L*30/36S9	ML180DF090E48B	203241693
EL16XP1-036-230	36000	16	13	33400	21800	9	L*30/36S9	ML180UH045E36A	203241699
EL16XP1-036-230	36000	16	13	33400	21400	9.5	L*30/36S9	ML180UH070E36B	203241705
EL16XP1-036-230	36000	16	13	33400	21600	9.5	L*30/36S9	ML180UH090E48B	203241711
EL16XP1-036-230	35400	15	12.5	33400	22600	9.5	L*30/36S9	ML193DF045XE36B	203241717
EL16XP1-036-230	35400	15	12.5	33400	22600	9.5	L*30/36S9	ML193DF070XE36B	203241723
EL16XP1-036-230	35800	16	13	33400	22400	9.5	L*30/36S9	ML193DF090XE48C	203241729
EL16XP1-036-230	36000	15	12.5	33400	22200	9	L*30/36S9	ML193UH030XE36B	203241736
EL16XP1-036-230	36000	15	12.5	33400	22000	9	L*30/36S9	ML193UH045XE36B	203241742
EL16XP1-036-230	36000	16	13	33400	21200	9	L*30/36S9	ML193UH070XE36B	203241748
EL16XP1-036-230	35800	16	13	33400	20400	9	L*30/36S9	ML193UH090XE36C	203241754
EL16XP1-036-230	35800	16	13	33400	21200	9.5	L*30/36S9	ML193UH090XE48C	203241760
EL16XP1-036-230	36000	16	13	33400	20800	9.5	L*30/36S9	ML193UH110XE48C	203241766
EL16XP1-036-230	36000	16	13	33400	21000	9	L*30/36S9	ML193UH110XE60C	203241772
EL16XP1-036-230	36000	16	13	33400	21800	9	L*30/36S9	ML296UH045XV36B	203241779
EL16XP1-036-230	36000	16	13	33400	21400	9.5	L*30/36S9	ML296UH070XV36B	203241785
EL16XP1-036-230	36000	16	13	33400	21800	9	L*30/36S9	ML296UH090XV48C	203241792
EL16XP1-036-230	35600	16	13	33400	22400	9.5	L*30/36S9	SL280DF090V48B	203241798
EL16XP1-036-230	36000	16	13	33400	21600	9.5	L*30/36S9	SL280UH060NV36A	203241805
EL16XP1-036-230	36000	16	13	33400	21800	9	L*30/36S9	SL280UH070V36A	203241811
EL16XP1-036-230	36000	16	13	33400	21800	9	L*30/36S9	SL280UH070XV36A	203241817
EL16XP1-036-230	36000	16	13	33400	21000	9.5	L*30/36S9	SL280UH080NV48B	203241823
EL16XP1-036-230	36000	16	13	33400	21200	9.5	L*30/36S9	SL280UH090V36B	203241830
EL16XP1-036-230	36000	16	13	33400	21200	9.5	L*30/36S9	SL280UH090V48B	203241836
EL16XP1-036-230	36000	16	13	33400	21400	9.5	L*30/36S9	SL297UH040NV36B	203241842
EL16XP1-036-230	36000	16	13	33400	21400	9.5	L*30/36S9	SL297UH060NV36B	203241848
EL16XP1-036-230	36000	16	13	33400	21600	9	L*30/36S9	SL297UH080NV48C	203241855
EL16XP1-036-230	35200	16	13	34400	22400	9	L*30/36S9	SLP99DF070XV36B	205760326
EL16XP1-036-230	35600	16	13	34400	22600	9.5	L*30/36S9	SLP99DF090XV36C	205760336
EL16XP1-036-230	35800	16	13	34400	22400	9.5	L*30/36S9	SLP99DF090XV48C	205760345

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-036-230	36000	16	13	33600	21400	9.5	L*30/36S9	SLP99UH070XV36B	205761555
EL16XP1-036-230	35800	16	13	33400	21200	9.5	L*30/36S9	SLP99UH090XV36C	205761566
EL16XP1-036-230	36000	16	13	33600	20800	9	L*30/36S9	SLP99UH090XV48C	205763630
EL16XP1-036-230	35800	14.5	12.2	33400	21800	9	L*30/36S9		203242187
EL16XP1-036-230	36000	16	13	33400	21800	9.5	L*30/36U9	EL180UH040NE36A	203241472
EL16XP1-036-230	36000	16	13	33400	21800	9	L*30/36U9	EL180UH060NE36A	203241483
EL16XP1-036-230	36000	16	13	33400	21400	9.5	L*30/36U9	EL180UH080NE48B	203241493
EL16XP1-036-230	35800	16	13	33400	21800	9	L*30/36U9	EL195UH040NE36B	203241503
EL16XP1-036-230	36000	16	13	33400	21200	9	L*30/36U9	EL195UH060NE36B	203241514
EL16XP1-036-230	36000	15	12.5	33400	21800	9	L*30/36U9	EL195UH080NE48C	203241524
EL16XP1-036-230	36000	16	13	33400	21200	9	L*30/36U9	EL196UH045XE36B	203241532
EL16XP1-036-230	36000	16	13	33400	21200	9.5	L*30/36U9	EL196UH070XE36B	203241538
EL16XP1-036-230	36000	16	13	33400	20800	9.5	L*30/36U9	EL196UH090XE48C	203241544
EL16XP1-036-230	35600	16	13	33400	22600	9.5	L*30/36U9	EL280DF090E48B	203241550
EL16XP1-036-230	36000	16	13	33400	22000	9	L*30/36U9	EL280UH045E36A	203241554
EL16XP1-036-230	36000	16	13	33400	21800	9	L*30/36U9	EL280UH070E36A	203241560
EL16XP1-036-230	36000	16	13	33400	21800	9	L*30/36U9	EL280UH070XE36A	203366446
EL16XP1-036-230	36000	16	13	33400	21800	9.5	L*30/36U9	EL280UH090E36B	203241566
EL16XP1-036-230	36000	16	13	33400	21600	9.5	L*30/36U9	EL280UH090E48B	203241572
EL16XP1-036-230	36000	16	13	33400	21600	9.5	L*30/36U9	EL280UH090XE48B	203366465
EL16XP1-036-230	35800	16	13	33400	21000	9.5	L*30/36U9	EL280UH110E48C	203241578
EL16XP1-036-230	35800	16	13	33400	20400	9	L*30/36U9	EL280UH110E60C	203241584
EL16XP1-036-230	35800	16	13	33400	20400	9	L*30/36U9	EL280UH110XE60C	203366484
EL16XP1-036-230	35200	15	12.5	33400	22600	9.5	L*30/36U9	EL296DF045XE36B	203241590
EL16XP1-036-230	35600	15	12.5	33400	22600	9.5	L*30/36U9	EL296DF045XV36B	203241596
EL16XP1-036-230	35600	16	13	33400	22400	9.5	L*30/36U9	EL296DF070XE48B	203241602
EL16XP1-036-230	35600	15	12.5	33400	22800	9.5	L*30/36U9	EL296DF070XV48B	203241608
EL16XP1-036-230	35800	16	13	33400	22400	9.5	L*30/36U9	EL296DF090XE48C	203241614
EL16XP1-036-230	35400	16	13	33400	21600	9	L*30/36U9	EL296UH045XE36B	203241620
EL16XP1-036-230	36000	16	13	33400	21800	9	L*30/36U9	EL296UH045XV36B	203241626
EL16XP1-036-230	36000	16	13	33400	21200	9	L*30/36U9	EL296UH070XE36B	203241632
EL16XP1-036-230	36000	16	13	33400	21400	9.5	L*30/36U9	EL296UH070XV36B	203241639
EL16XP1-036-230	35800	16	13	33400	21200	9.5	L*30/36U9	EL296UH090XE48C	203241651
EL16XP1-036-230	35800	16	13	33400	21200	9.5	L*30/36U9	EL296UH090XV36C	203241663
EL16XP1-036-230	36000	16	13	33400	21800	9	L*30/36U9	EL296UH090XV48C	203241673
EL16XP1-036-230	36000	16	13	33400	21600	9	L*30/36U9	EL296UH110XV48C	203241680
EL16XP1-036-230	35400	16	13	33400	22200	9.5	L*30/36U9	ML180DF070E36B	203241686
EL16XP1-036-230	36000	16	13	33400	22400	9.5	L*30/36U9	ML180DF090E48B	203241692
EL16XP1-036-230	36000	16	13	33400	21800	9	L*30/36U9	ML180UH045E36A	203241698
EL16XP1-036-230	36000	16	13	33400	21400	9.5	L*30/36U9	ML180UH070E36B	203241704
EL16XP1-036-230	36000	16	13	33400	21600	9.5	L*30/36U9	ML180UH090E48B	203241710
EL16XP1-036-230	35400	15	12.5	33400	22600	9.5	L*30/36U9	ML193DF045XE36B	203241716
EL16XP1-036-230	35400	15	12.5	33400	22600	9.5	L*30/36U9	ML193DF070XE36B	203241722
EL16XP1-036-230	35800	16	13	33400	22400	9.5	L*30/36U9	ML193DF090XE48C	203241728
EL16XP1-036-230	36000	15	12.5	33400	22200	9	L*30/36U9	ML193UH030XE36B	203241735
EL16XP1-036-230	36000	15	12.5	33400	22000	9	L*30/36U9	ML193UH045XE36B	203241741
EL16XP1-036-230	36000	16	13	33400	21200	9	L*30/36U9	ML193UH070XE36B	203241747
EL16XP1-036-230	35800	16	13	33400	20400	9	L*30/36U9	ML193UH090XE36C	203241753
EL16XP1-036-230	35800	16	13	33400	21200	9.5	L*30/36U9	ML193UH090XE48C	203241759
EL16XP1-036-230	36000	16	13	33400	20800	9.5	L*30/36U9	ML193UH110XE48C	203241765
EL16XP1-036-230	36000	16	13	33400	21000	9	L*30/36U9	ML193UH110XE60C	203241771
EL16XP1-036-230	36000	16	13	33400	21800	9	L*30/36U9	ML296UH045XV36B	203241778
EL16XP1-036-230	36000	16	13	33400	21400	9.5	L*30/36U9	ML296UH070XV36B	203241784
EL16XP1-036-230	36000	16	13	33400	21800	9	L*30/36U9	ML296UH090XV48C	203241791

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-036-230	35600	16	13	33400	22400	9.5	L*30/36U9	SL280DF090V48B	203241797
EL16XP1-036-230	36000	16	13	33400	21600	9.5	L*30/36U9	SL280UH060NV36A	203241804
EL16XP1-036-230	36000	16	13	33400	21800	9	L*30/36U9	SL280UH070V36A	203241810
EL16XP1-036-230	36000	16	13	33400	21800	9	L*30/36U9	SL280UH070XV36A	203241816
EL16XP1-036-230	36000	16	13	33400	21400	9.5	L*30/36U9	SL280UH080NV48B	203241822
EL16XP1-036-230	36000	16	13	33400	21600	9.5	L*30/36U9	SL280UH090V36B	203241829
EL16XP1-036-230	36000	16	13	33400	21600	9.5	L*30/36U9	SL280UH090V48B	203241835
EL16XP1-036-230	36000	16	13	33400	21400	9.5	L*30/36U9	SL297UH040NV36B	203241841
EL16XP1-036-230	36000	16	13	33400	21400	9.5	L*30/36U9	SL297UH060NV36B	203241847
EL16XP1-036-230	36000	16	13	33400	21600	9	L*30/36U9	SL297UH080NV48C	203241854
EL16XP1-036-230	35200	16	13	34400	22400	9	L*30/36U9	SLP99DF070XV36B	205760324
EL16XP1-036-230	35600	16	13	34400	22600	9.5	L*30/36U9	SLP99DF090XV36C	205760334
EL16XP1-036-230	35800	16	13	34400	22400	9.5	L*30/36U9	SLP99DF090XV48C	205760344
EL16XP1-036-230	36000	16	13	33600	21400	9.5	L*30/36U9	SLP99UH070XV36B	205761554
EL16XP1-036-230	35800	16	13	33400	21200	9.5	L*30/36U9	SLP99UH090XV36C	205761563
EL16XP1-036-230	36000	16	13	33600	20800	9	L*30/36U9	SLP99UH090XV48C	205763628
EL16XP1-036-230	35800	14.5	12.2	33400	21800	9	L*30/36U9		203242186
EL16XP1-036-230	36000	16	13	33400	21800	9.5	L*35/36S9	EL180UH040NE36A	203241476
EL16XP1-036-230	36000	16	13	33400	21800	9	L*35/36S9	EL180UH060NE36A	203241487
EL16XP1-036-230	36000	16	13	33400	21000	9.5	L*35/36S9	EL180UH080NE48B	203241496
EL16XP1-036-230	35800	16	13	33400	21800	9	L*35/36S9	EL195UH040NE36B	203241507
EL16XP1-036-230	36000	16	13	33400	21200	9	L*35/36S9	EL195UH060NE36B	203241518
EL16XP1-036-230	36000	15	12.5	33400	21800	9	L*35/36S9	EL195UH080NE48C	203241528
EL16XP1-036-230	36000	16	13	33400	21200	9	L*35/36S9	EL196UH045XE36B	203241534
EL16XP1-036-230	36000	16	13	33400	21200	9.5	L*35/36S9	EL196UH070XE36B	203241540
EL16XP1-036-230	36000	16	13	33400	21200	9.5	L*35/36S9	EL196UH090XE48C	203241546
EL16XP1-036-230	35600	16	13	33400	22600	9.5	L*35/36S9	EL280DF090E48B	203241552
EL16XP1-036-230	36000	16	13	33400	22000	9	L*35/36S9	EL280UH045E36A	203241556
EL16XP1-036-230	36000	16	13	33400	21800	9	L*35/36S9	EL280UH070E36A	203241562
EL16XP1-036-230	36000	16	13	33400	21800	9	L*35/36S9	EL280UH070XE36A	203366451
EL16XP1-036-230	36000	16	13	33400	21400	9.5	L*35/36S9	EL280UH090E36B	203241568
EL16XP1-036-230	36000	16	13	33400	21200	9.5	L*35/36S9	EL280UH090E48B	203241574
EL16XP1-036-230	36000	16	13	33400	21600	9.5	L*35/36S9	EL280UH090XE48B	203366470
EL16XP1-036-230	36000	16	13	33400	21000	9.5	L*35/36S9	EL280UH110E48C	203241580
EL16XP1-036-230	36000	16	13	33400	20400	9	L*35/36S9	EL280UH110E60C	203241586
EL16XP1-036-230	36000	16	13	33400	20400	9	L*35/36S9	EL280UH110XE60C	203366489
EL16XP1-036-230	35200	15	12.5	33400	22600	9.5	L*35/36S9	EL296DF045XE36B	203241592
EL16XP1-036-230	35600	15	12.5	33400	22600	9.5	L*35/36S9	EL296DF045XV36B	203241598
EL16XP1-036-230	35600	16	13	33400	22400	9.5	L*35/36S9	EL296DF070XE48B	203241604
EL16XP1-036-230	35600	15	12.5	33400	22800	9.5	L*35/36S9	EL296DF070XV48B	203241610
EL16XP1-036-230	35800	16	13	33400	22400	9.5	L*35/36S9	EL296DF090XE48C	203241616
EL16XP1-036-230	35400	16	13	33400	21600	9	L*35/36S9	EL296UH045XE36B	203241622
EL16XP1-036-230	36000	16	13	33400	21800	9	L*35/36S9	EL296UH045XV36B	203241628
EL16XP1-036-230	36000	16	13	33400	21200	9	L*35/36S9	EL296UH070XE36B	203241634
EL16XP1-036-230	36000	16	13	33400	21400	9.5	L*35/36S9	EL296UH070XV36B	203241643
EL16XP1-036-230	36000	16	13	33400	21200	9.5	L*35/36S9	EL296UH090XE48C	203241655
EL16XP1-036-230	36000	16	13	33400	21200	9.5	L*35/36S9	EL296UH090XV36C	203241667
EL16XP1-036-230	36000	16	13	33400	21800	9	L*35/36S9	EL296UH090XV48C	203241676
EL16XP1-036-230	36000	16	13	33400	21600	9	L*35/36S9	EL296UH110XV48C	203241682
EL16XP1-036-230	35400	16	13	33400	22200	9.5	L*35/36S9	ML180DF070E36B	203241688
EL16XP1-036-230	36000	16	13	33400	22400	9.5	L*35/36S9	ML180DF090E48B	203241694
EL16XP1-036-230	36000	16	13	33400	21800	9	L*35/36S9	ML180UH045E36A	203241700
EL16XP1-036-230	36000	16	13	33400	21400	9.5	L*35/36S9	ML180UH070E36B	203241706
EL16XP1-036-230	36000	16	13	33400	21600	9.5	L*35/36S9	ML180UH090E48B	203241712

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-036-230	35400	15	12.5	33400	22600	9.5	L*35/36S9	ML193DF045XE36B	203241718
EL16XP1-036-230	35400	15	12.5	33400	22600	9.5	L*35/36S9	ML193DF070XE36B	203241724
EL16XP1-036-230	35800	16	13	33400	22400	9.5	L*35/36S9	ML193DF090XE48C	203241730
EL16XP1-036-230	36000	15	12.5	33400	22200	9	L*35/36S9	ML193UH030XE36B	203241737
EL16XP1-036-230	36000	15	12.5	33400	22000	9	L*35/36S9	ML193UH045XE36B	203241743
EL16XP1-036-230	36000	16	13	33400	21200	9	L*35/36S9	ML193UH070XE36B	203241749
EL16XP1-036-230	36000	16	13	33400	21200	9	L*35/36S9	ML193UH090XE36C	203241755
EL16XP1-036-230	36000	16	13	33400	21200	9.5	L*35/36S9	ML193UH090XE48C	203241761
EL16XP1-036-230	36000	16	13	33400	21000	9.5	L*35/36S9	ML193UH110XE48C	203241767
EL16XP1-036-230	36000	16	13	33400	21000	9	L*35/36S9	ML193UH110XE60C	203241773
EL16XP1-036-230	36000	16	13	33400	21800	9	L*35/36S9	ML296UH045XV36B	203241780
EL16XP1-036-230	36000	16	13	33400	21400	9.5	L*35/36S9	ML296UH070XV36B	203241787
EL16XP1-036-230	36000	16	13	33400	21800	9	L*35/36S9	ML296UH090XV48C	203241793
EL16XP1-036-230	35600	16	13	33400	22400	9.5	L*35/36S9	SL280DF090V48B	203241799
EL16XP1-036-230	36000	16	13	33400	21600	9.5	L*35/36S9	SL280UH060NV36A	203241806
EL16XP1-036-230	36000	16	13	33400	21800	9	L*35/36S9	SL280UH070V36A	203241812
EL16XP1-036-230	36000	16	13	33400	21800	9	L*35/36S9	SL280UH070XV36A	203241818
EL16XP1-036-230	36000	16	13	33400	21400	9.5	L*35/36S9	SL280UH080NV48B	203241824
EL16XP1-036-230	36000	16	13	33400	21200	9.5	L*35/36S9	SL280UH090V36B	203241831
EL16XP1-036-230	36000	16	13	33400	21200	9.5	L*35/36S9	SL280UH090V48B	203241837
EL16XP1-036-230	36000	16	13	33400	21400	9.5	L*35/36S9	SL297UH040NV36B	203241843
EL16XP1-036-230	36000	16	13	33400	21400	9.5	L*35/36S9	SL297UH060NV36B	203241849
EL16XP1-036-230	36000	16	13	33400	21600	9	L*35/36S9	SL297UH080NV48C	203241856
EL16XP1-036-230	35200	16	13	34400	22400	9	L*35/36S9	SLP99DF070XV36B	205760328
EL16XP1-036-230	35600	16	13	34400	22600	9.5	L*35/36S9	SLP99DF090XV36C	205760339
EL16XP1-036-230	35800	16	13	34400	22400	9.5	L*35/36S9	SLP99DF090XV48C	205760347
EL16XP1-036-230	36000	16	13	33600	21400	9.5	L*35/36S9	SLP99UH070XV36B	205761558
EL16XP1-036-230	36000	16	13	33400	21200	9.5	L*35/36S9	SLP99UH090XV36C	205761569
EL16XP1-036-230	36000	16	13	33600	20400	9	L*35/36S9	SLP99UH090XV48C	205763354
EL16XP1-036-230	35800	14.5	12.2	33400	21800	9	L*35/36S9		203242188
EL16XP1-036-230	36000	16	13	33400	21800	9	L*35/36U9	EL280UH070XE36A	203366449
EL16XP1-036-230	36000	16	13	33400	21600	9.5	L*35/36U9	EL280UH090XE48B	203366468
EL16XP1-036-230	36000	16	13	33400	20400	9	L*35/36U9	EL280UH110XE60C	203366487
EL16XP1-036-230	35800	14.5	12.2	33200	21800	9	LD31/36Z9		204756173
EL16XP1-036-230	36000	16	13	33400	21800	9	LH18/37D9	EL280UH070XE36A	203366452
EL16XP1-036-230	36000	16	13	33400	21600	9.5	LH18/37D9	EL280UH090XE48B	203366471
EL16XP1-036-230	35400	16	12.5	33400	20400	9	LH18/37D9	EL280UH110XE60C	203366490
EL16XP1-036-230	36000	16	13	33400	21800	9	LH23/37W9	EL280UH070XE36A	203366453
EL16XP1-036-230	36000	16	13	33400	21600	9.5	LH23/37W9	EL280UH090XE48B	203366472
EL16XP1-036-230	36000	16	13	33400	21600	9	LH23/37W9	EL280UH110XE60C	203366491
EL16XP1-036-230	35600	16	12.5	33400	21800	9.5	LH29/36F9	EL180UH040NE36A	203241468
EL16XP1-036-230	35600	16	12.5	33400	21800	9	LH29/36F9	EL180UH060NE36A	203241479
EL16XP1-036-230	35600	16	12.5	33400	21400	9.5	LH29/36F9	EL180UH080NE48B	203241490
EL16XP1-036-230	35400	16	12.5	33400	21800	9	LH29/36F9	EL195UH040NE36B	203241500
EL16XP1-036-230	35400	16	12.5	33400	21800	9	LH29/36F9	EL195UH060NE36B	203241510
EL16XP1-036-230	35200	15	12.2	33400	21800	9	LH29/36F9	EL195UH080NE48C	203241521
EL16XP1-036-230	35400	16	12.5	33400	21600	9	LH29/36F9	EL196UH045XE36B	203241530
EL16XP1-036-230	35400	16	12.5	33400	21600	9	LH29/36F9	EL196UH070XE36B	203241536
EL16XP1-036-230	35200	16	12.5	33400	20800	9	LH29/36F9	EL196UH090XE48C	203241542
EL16XP1-036-230	35200	16	12.5	33400	22600	9.5	LH29/36F9	EL280DF090E48B	203241548
EL16XP1-036-230	35600	16	12.5	33400	21800	9	LH29/36F9	EL280UH070E36A	203241558
EL16XP1-036-230	35600	16	12.5	33400	21800	9	LH29/36F9	EL280UH070XE36A	203366439
EL16XP1-036-230	35600	16	12.5	33400	21800	9.5	LH29/36F9	EL280UH090E36B	203241564
EL16XP1-036-230	35600	16	12.5	33400	21600	9.5	LH29/36F9	EL280UH090E48B	203241570

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-036-230	35600	16	12.5	33400	21600	9.5	LH29/36F9	EL280UH090XE48B	203366458
EL16XP1-036-230	35000	16	12.5	33400	21000	9	LH29/36F9	EL280UH110E48C	203241576
EL16XP1-036-230	34800	15	12.5	33400	21200	9	LH29/36F9	EL280UH110E60C	203241582
EL16XP1-036-230	34800	15	12.5	33400	21200	9	LH29/36F9	EL280UH110XE60C	203366477
EL16XP1-036-230	34600	15	12.5	33400	22200	9	LH29/36F9	EL296DF045XE36B	203241588
EL16XP1-036-230	35000	15	12.5	33400	22400	9	LH29/36F9	EL296DF045XV36B	203241594
EL16XP1-036-230	35200	16	12.5	33400	22400	9.5	LH29/36F9	EL296DF070XE48B	203241600
EL16XP1-036-230	35000	15	12.5	33400	22600	9	LH29/36F9	EL296DF070XV48B	203241606
EL16XP1-036-230	35400	16	12.5	33400	22400	9.5	LH29/36F9	EL296DF090XE48C	203241612
EL16XP1-036-230	35000	16	12.5	33400	21600	9	LH29/36F9	EL296UH045XE36B	203241618
EL16XP1-036-230	35600	16	12.5	33400	21800	9	LH29/36F9	EL296UH045XV36B	203241624
EL16XP1-036-230	35200	16	12.5	33400	21800	9	LH29/36F9	EL296UH070XE36B	203241630
EL16XP1-036-230	35600	16	12.5	33400	21800	9	LH29/36F9	EL296UH070XV36B	203241636
EL16XP1-036-230	35200	16	12.5	33400	20800	9	LH29/36F9	EL296UH090XE48C	203241647
EL16XP1-036-230	35200	16	12.5	33400	20800	9	LH29/36F9	EL296UH090XV36C	203241659
EL16XP1-036-230	35200	16	12.5	33400	20800	9	LH29/36F9	EL296UH090XV48C	203241670
EL16XP1-036-230	34200	16	12.2	33400	20400	9	LH29/36F9	EL296UH110XV48C	203241678
EL16XP1-036-230	34800	16	13	33400	22000	9	LH29/36F9	ML180DF070E36B	203241684
EL16XP1-036-230	35800	16	13	33400	22400	9.5	LH29/36F9	ML180DF090E48B	203241690
EL16XP1-036-230	35600	16	12.5	33400	21800	9	LH29/36F9	ML180UH045E36A	203241696
EL16XP1-036-230	35600	16	12.5	33400	21800	9	LH29/36F9	ML180UH070E36B	203241702
EL16XP1-036-230	35600	16	12.5	33400	21600	9.5	LH29/36F9	ML180UH090E48B	203241708
EL16XP1-036-230	34600	15	12.5	33400	22400	9	LH29/36F9	ML193DF045XE36B	203241714
EL16XP1-036-230	34600	15	12.5	33400	22400	9	LH29/36F9	ML193DF070XE36B	203241720
EL16XP1-036-230	35400	16	12.5	33400	22400	9.5	LH29/36F9	ML193DF090XE48C	203241726
EL16XP1-036-230	35600	15	12.2	33400	22200	9	LH29/36F9	ML193UH030XE36B	203241733
EL16XP1-036-230	35600	15	12.2	33400	22000	9	LH29/36F9	ML193UH045XE36B	203241739
EL16XP1-036-230	35400	16	12.5	33400	21800	9	LH29/36F9	ML193UH070XE36B	203241745
EL16XP1-036-230	35000	15	12.5	33400	21200	9	LH29/36F9	ML193UH090XE36C	203241751
EL16XP1-036-230	35200	16	12.5	33400	20800	9	LH29/36F9	ML193UH090XE48C	203241757
EL16XP1-036-230	35200	16	12.5	33400	20800	9	LH29/36F9	ML193UH110XE48C	203241763
EL16XP1-036-230	35200	15	12.5	33400	21000	9	LH29/36F9	ML193UH110XE60C	203241769
EL16XP1-036-230	35600	16	12.5	33400	21800	9	LH29/36F9	ML296UH045XV36B	203241775
EL16XP1-036-230	35600	16	12.5	33400	21800	9	LH29/36F9	ML296UH070XV36B	203241782
EL16XP1-036-230	35200	16	12.5	33400	20800	9	LH29/36F9	ML296UH090XV48C	203241789
EL16XP1-036-230	35200	16	12.5	33400	22400	9.5	LH29/36F9	SL280DF090V48B	203241795
EL16XP1-036-230	35600	16	12.5	33400	21600	9.5	LH29/36F9	SL280UH060NV36A	203241801
EL16XP1-036-230	35600	16	12.5	33400	21800	9	LH29/36F9	SL280UH070V36A	203241808
EL16XP1-036-230	35600	16	12.5	33400	21800	9	LH29/36F9	SL280UH070XV36A	203241814
EL16XP1-036-230	35600	16	12.5	33400	21400	9.5	LH29/36F9	SL280UH080NV48B	203241820
EL16XP1-036-230	35600	16	12.5	33400	21600	9.5	LH29/36F9	SL280UH090V36B	203241826
EL16XP1-036-230	35600	16	12.5	33400	21600	9.5	LH29/36F9	SL280UH090V48B	203241833
EL16XP1-036-230	35600	16	12.5	33400	21800	9	LH29/36F9	SL297UH040NV36B	203241839
EL16XP1-036-230	35600	16	12.5	33400	21800	9	LH29/36F9	SL297UH060NV36B	203241845
EL16XP1-036-230	35200	16	12.5	33400	20800	9	LH29/36F9	SL297UH080NV48C	203241851
EL16XP1-036-230	35600	16	12.5	33400	21800	9	LH29/36F9	SLP99UH070XV36B	205760351
EL16XP1-036-230	35200	16	12.5	33600	20800	9	LH29/36F9	SLP99UH090XV36C	205763619
EL16XP1-036-230	35200	16	12.5	33600	20800	9	LH29/36F9	SLP99UH090XV48C	205763624
EL16XP1-036-230	34400	14.5	11.7	33400	23200	9	LH29/36F9		203242184
EL16XP1-036-230	36000	16	13	33400	21800	9	LH35/36F9	EL280UH070XE36A	203366440
EL16XP1-036-230	36000	16	13	33400	21600	9.5	LH35/36F9	EL280UH090XE48B	203366459
EL16XP1-036-230	35600	16	12.5	33400	20400	9	LH35/36F9	EL280UH110XE60C	203366478
EL16XP1-036-230	36000	16	13	33400	21800	9	LH35/37D9	EL280UH070XE36A	203366443
EL16XP1-036-230	36000	16	13	33400	21600	9.5	LH35/37D9	EL280UH090XE48B	203366462

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-036-230	35800	16	13	33400	20400	9	LH35/37D9	EL280UH110XE60C	203366481
EL16XP1-036-230	36000	16	13	33400	21800	9	LH35/38F9	EL280UH070XE36A	203366445
EL16XP1-036-230	36000	16	13	33400	21600	9.5	LH35/38F9	EL280UH090XE48B	203366464
EL16XP1-036-230	36000	16	13	33400	20400	9	LH35/38F9	EL280UH110XE60C	203366483
EL16XP1-036-230	36000	16	13	33400	21800	9	LH35/38X9	EL280UH070XE36A	203366444
EL16XP1-036-230	36000	16	13	33400	21600	9.5	LH35/38X9	EL280UH090XE48B	203366463
EL16XP1-036-230	36000	16	13	33400	20400	9	LH35/38X9	EL280UH110XE60C	203366482
EL16XP1-036-230	34400	14.5	11.7	34400	23200	9	LS*36943E		205304019
EL16XP1-036-230	35200	15	12.5	33800	22200	9	LS*3791CC		205484068
EL16XP1-036-230	35400	14.5	12.2	33200	21800	9	LS*3799BB		205304046
EL16XP1-042-230	40500	16	12.5	37800	23600	8.5	L*42/49K9	EL280UH090XE48B	203366507
EL16XP1-042-230	41000	16	13	37800	23400	8.5	L*42/49K9	EL280UH110XE60C	203366525
EL16XP1-042-230	40000	16	12.5	37800	23600	8.2	L*42/60S9	EL280UH090XE48B	203366503
EL16XP1-042-230	41000	16	13	37800	23400	8.5	L*42/60S9	EL280UH110XE60C	203366521
EL16XP1-042-230	42000	16	13	37800	23600	9	L*42/60Z9	EL180UH080NE48B	203241894
EL16XP1-042-230	42000	16	13	37800	23800	8.5	L*42/60Z9	EL180UH100NE60C	203241896
EL16XP1-042-230	41500	16	13	37800	24000	8.5	L*42/60Z9	EL195UH080NE48C	203241898
EL16XP1-042-230	42000	16	13	37800	24200	8.5	L*42/60Z9	EL195UH100NE60C	203241900
EL16XP1-042-230	41500	16	13	37800	23400	8.5	L*42/60Z9	EL196UH090XE48C	203241902
EL16XP1-042-230	42000	16	13	37800	23600	9	L*42/60Z9	EL196UH110XE60C	203241904
EL16XP1-042-230	42000	16	13	37800	23800	8.5	L*42/60Z9	EL280UH090XE36B	203241906
EL16XP1-042-230	42000	16	13	37800	23600	8.5	L*42/60Z9	EL280UH090XE48B	203241908
EL16XP1-042-230	42000	16	13	37800	23600	8.5	L*42/60Z9	EL280UH090XE48B	203366511
EL16XP1-042-230	42000	16	13	37800	24000	8.5	L*42/60Z9	EL280UH110E48C	203241910
EL16XP1-042-230	42000	16	13	37800	23600	9	L*42/60Z9	EL280UH110E60C	203241912
EL16XP1-042-230	42000	16	13	37800	23600	9	L*42/60Z9	EL280UH110XE60C	203366529
EL16XP1-042-230	39500	15	12.5	37800	24600	8.2	L*42/60Z9	EL296DF070XE48B	203241914
EL16XP1-042-230	40500	16	13	37800	23400	9	L*42/60Z9	EL296DF090XE48C	203241916
EL16XP1-042-230	40500	16	13	37800	23600	9	L*42/60Z9	EL296DF090XV60C	203241918
EL16XP1-042-230	41000	16	13	37800	23600	9	L*42/60Z9	EL296DF110XE60C	203241920
EL16XP1-042-230	40500	16	13	37800	23600	9	L*42/60Z9	EL296DF110XV60C	203241922
EL16XP1-042-230	41000	16	13	37800	23600	8.5	L*42/60Z9	EL296UH090XE48C	203241924
EL16XP1-042-230	42000	16	13	37800	24000	8.5	L*42/60Z9	EL296UH090XV48C	203241926
EL16XP1-042-230	42000	16	13	37800	24200	8.5	L*42/60Z9	EL296UH090XV60C	203241928
EL16XP1-042-230	42000	16	13	37800	23600	8.5	L*42/60Z9	EL296UH110XE60C	203241930
EL16XP1-042-230	41500	16	13	37800	23600	8.5	L*42/60Z9	EL296UH110XV48C	203241932
EL16XP1-042-230	42000	16	13	37800	24000	8.5	L*42/60Z9	EL296UH110XV60C	203241934
EL16XP1-042-230	40000	16	13	37800	24400	8.5	L*42/60Z9	ML180DF090E48B	203241936
EL16XP1-042-230	41000	16	13	37800	23400	9	L*42/60Z9	ML180DF110E60C	203241938
EL16XP1-042-230	42000	16	13	37800	23800	9	L*42/60Z9	ML180UH090E48B	203241940
EL16XP1-042-230	42000	16	13	37800	23800	8.5	L*42/60Z9	ML180UH090E60C	203241942
EL16XP1-042-230	41500	16	13	37800	23400	8.5	L*42/60Z9	ML180UH110E60C	203241944
EL16XP1-042-230	40500	16	13	37800	23400	9	L*42/60Z9	ML193DF090XE48C	203241946
EL16XP1-042-230	41000	15	12.5	37800	23800	8.5	L*42/60Z9	ML193UH030XE36B	203241948
EL16XP1-042-230	41000	15	12.5	37800	23800	8.5	L*42/60Z9	ML193UH045XE36B	203241950
EL16XP1-042-230	41500	15	12.5	37800	23800	8.5	L*42/60Z9	ML193UH070XE36B	203241952
EL16XP1-042-230	40500	16	13	37800	23400	8.5	L*42/60Z9	ML193UH090XE36C	203241954
EL16XP1-042-230	41500	16	13	37800	23400	8.5	L*42/60Z9	ML193UH090XE48C	203241956
EL16XP1-042-230	42000	16	13	37800	24000	8.5	L*42/60Z9	ML193UH110XE48C	203241958
EL16XP1-042-230	42000	16	13	37800	23600	8.5	L*42/60Z9	ML193UH110XE60C	203241960
EL16XP1-042-230	42000	16	13	37800	24000	8.5	L*42/60Z9	ML296UH090XV48C	203241962
EL16XP1-042-230	40000	16	13	37800	24600	8.2	L*42/60Z9	SL280DF090V48B	203241964
EL16XP1-042-230	40500	16	13	37800	23400	9	L*42/60Z9	SL280DF090V60C	203241966
EL16XP1-042-230	40500	16	13	37800	23400	9	L*42/60Z9	SL280DF110V60C	203241968

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-042-230	42000	16	13	37800	23600	9	L*42/60Z9	SL280UH080NV48B	203241970
EL16XP1-042-230	42000	17	13	37800	23400	9	L*42/60Z9	SL280UH080NV60C	203241972
EL16XP1-042-230	42000	16	13	37800	23800	9	L*42/60Z9	SL280UH090V48B	203241974
EL16XP1-042-230	42000	16	13	37800	23400	9	L*42/60Z9	SL280UH090V60C	203241976
EL16XP1-042-230	42000	16	13	37800	23400	9	L*42/60Z9	SL280UH090XV60C	203241978
EL16XP1-042-230	42000	17	13	37800	23400	9	L*42/60Z9	SL280UH100NV60C	203241980
EL16XP1-042-230	42000	16	13	37800	23800	8.5	L*42/60Z9	SL280UH110V60C	203241982
EL16XP1-042-230	42000	16	13	37800	23800	8.5	L*42/60Z9	SL280UH110XV60C	203241984
EL16XP1-042-230	41500	16	13	37800	23800	8.5	L*42/60Z9	SL297UH080NV48C	203241986
EL16XP1-042-230	42000	16	13	37800	23600	8.5	L*42/60Z9	SL297UH080NV60C	203241988
EL16XP1-042-230	40500	16	13	38000	23600	9	L*42/60Z9	SLP99DF090XV48C	205763359
EL16XP1-042-230	40500	16	13	38000	23600	9	L*42/60Z9	SLP99DF090XV60C	205763361
EL16XP1-042-230	40500	16	13	38000	23600	9	L*42/60Z9	SLP99DF110XV60C	205763365
EL16XP1-042-230	42000	16	13	37800	24000	8.5	L*42/60Z9	SLP99UH090XV48C	205761306
EL16XP1-042-230	42000	16	13	37800	24200	8.5	L*42/60Z9	SLP99UH090XV60C	205760358
EL16XP1-042-230	42000	16	13	37800	24000	8.5	L*42/60Z9	SLP99UH110XV60C	205761311
EL16XP1-042-230	41000	15	12.5	37800	24200	8.5	L*42/60Z9		203242190
EL16XP1-042-230	40500	16	12.5	37800	23600	8.5	L*42/61K9	EL280UH090XE48B	203366508
EL16XP1-042-230	41000	16	13	37800	23400	8.5	L*42/61K9	EL280UH110XE60C	203366526
EL16XP1-042-230	40000	16	12.5	37800	23600	8.2	L*43/48S9	EL280UH090XE48B	203366504
EL16XP1-042-230	41000	16	13	37800	23400	8.5	L*43/48S9	EL280UH110XE60C	203366522
EL16XP1-042-230	42000	16	13	37800	23600	8.5	L*43/61Z9	EL280UH090XE48B	203366512
EL16XP1-042-230	42000	16	13	37800	23600	9	L*43/61Z9	EL280UH110XE60C	203366530
EL16XP1-042-230	42000	16	13	37800	23600	8.5	L*49/62Y9	EL280UH090XE48B	203366510
EL16XP1-042-230	42000	16	13	37800	23600	9	L*49/62Y9	EL280UH110XE60C	203366528
EL16XP1-042-230	42000	16	13	37800	23600	8.5	L*49/62Z9	EL280UH090XE48B	203366509
EL16XP1-042-230	42000	16	13	37800	23600	9	L*49/62Z9	EL280UH110XE60C	203366527
EL16XP1-042-230	40000	14.5	12.2	37400	24200	8.5	LD41/43Z9		204756175
EL16XP1-042-230	40500	16	13	36800	23400	9	LD42/61Z9	EL296DF090XE48C	205147392
EL16XP1-042-230	40000	16	13	40000	24800	8.2	LD42/61Z9	EL296DF090XV60C	205147393
EL16XP1-042-230	41000	16	13	36800	23600	9	LD42/61Z9	EL296DF110XE60C	205147394
EL16XP1-042-230	40500	16	13	36800	23600	9	LD42/61Z9	EL296DF110XV60C	205147395
EL16XP1-042-230	41000	16	13	36800	23400	9	LD42/61Z9	ML180DF110E60C	205147396
EL16XP1-042-230	40500	16	13	36800	23400	9	LD42/61Z9	ML193DF090XE48C	205147397
EL16XP1-042-230	40500	16	13	36800	23400	9	LD42/61Z9	SL280DF090V60C	205147398
EL16XP1-042-230	40500	16	13	36800	23400	9	LD42/61Z9	SL280DF110V60C	205147399
EL16XP1-042-230	40000	16	13	40000	24800	8.2	LD42/61Z9	SLP99DF090XV48C	205760356
EL16XP1-042-230	40000	16	13	40000	24800	8.2	LD42/61Z9	SLP99DF090XV60C	205760357
EL16XP1-042-230	40500	16	13	38000	23600	9	LD42/61Z9	SLP99DF110XV60C	205763363
EL16XP1-042-230	40500	15	12.2	37400	24200	8.5	LD42/61Z9		204755177
EL16XP1-042-230	42000	16	13	37800	23600	8.5	LH40/61W9	EL280UH090XE48B	203366502
EL16XP1-042-230	42000	16	13	37800	23600	9	LH40/61W9	EL280UH110XE60C	203366520
EL16XP1-042-230	42000	16	13	37800	23600	8.5	LH40/62W9	EL280UH090XE48B	203366496
EL16XP1-042-230	41500	16	13	37800	23800	9	LH40/62W9	EL280UH110XE60C	203366514
EL16XP1-042-230	40500	16	12.5	37800	23600	8.2	LH41/49F9	EL280UH090XE48B	203366498
EL16XP1-042-230	41000	16	13	37800	23400	8.5	LH41/49F9	EL280UH110XE60C	203366516
EL16XP1-042-230	41000	16	12.5	37800	23600	8.5	LH41/61D9	EL280UH090XE48B	203366501
EL16XP1-042-230	41000	16	13	37800	23400	8.5	LH41/61D9	EL280UH110XE60C	203366519
EL16XP1-042-230	41000	16	12.5	37800	23600	8.5	LH41/61R9	EL280UH090XE48B	203366500
EL16XP1-042-230	41000	16	13	37800	23800	8.5	LH41/61R9	EL280UH110XE60C	203366518
EL16XP1-042-230	40000	16	12.5	37800	23600	8.2	LH42/49F9	EL280UH090XE48B	203366497
EL16XP1-042-230	41000	16	13	37800	23400	8.5	LH42/49F9	EL280UH110XE60C	203366515
EL16XP1-042-230	40500	16	12.5	37800	23600	8.2	LH42/60D9	EL280UH090XE48B	203366499
EL16XP1-042-230	41000	16	13	37800	23800	8.5	LH42/60D9	EL280UH110XE60C	203366517

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-042-230	42000	16	13	37800	23600	9	LH42/62W9	EL180UH080NE48B	203241895
EL16XP1-042-230	41500	16	13	37800	23400	9	LH42/62W9	EL180UH100NE60C	203241897
EL16XP1-042-230	41000	16	13	37800	23600	9	LH42/62W9	EL195UH080NE48C	203241899
EL16XP1-042-230	41500	16	13	37800	23800	9	LH42/62W9	EL195UH100NE60C	203241901
EL16XP1-042-230	41500	16	13	37800	23400	9	LH42/62W9	EL196UH090XE48C	203241903
EL16XP1-042-230	42000	16	13	37800	23600	9	LH42/62W9	EL196UH110XE60C	203241905
EL16XP1-042-230	42000	16	13	37800	23800	8.5	LH42/62W9	EL280UH090E36B	203241907
EL16XP1-042-230	42000	16	13	37800	23600	8.5	LH42/62W9	EL280UH090E48B	203241909
EL16XP1-042-230	42000	16	13	37800	23600	8.5	LH42/62W9	EL280UH090XE48B	203366513
EL16XP1-042-230	41500	16	13	37800	23400	9	LH42/62W9	EL280UH110E48C	203241911
EL16XP1-042-230	42000	16	13	37800	23600	9	LH42/62W9	EL280UH110E60C	203241913
EL16XP1-042-230	42000	16	13	37800	23600	9	LH42/62W9	EL280UH110XE60C	203366531
EL16XP1-042-230	39500	15	12.5	37800	24600	8.2	LH42/62W9	EL296DF070XE48B	203241915
EL16XP1-042-230	40500	16	13	37800	23400	9	LH42/62W9	EL296DF090XE48C	203241917
EL16XP1-042-230	40500	16	13	37800	23600	9	LH42/62W9	EL296DF090XV60C	203241919
EL16XP1-042-230	41000	16	13	37800	23600	9	LH42/62W9	EL296DF110XE60C	203241921
EL16XP1-042-230	40500	16	13	37800	23600	9	LH42/62W9	EL296DF110XV60C	203241923
EL16XP1-042-230	41000	16	13	37800	23600	8.5	LH42/62W9	EL296UH090XE48C	203241925
EL16XP1-042-230	41500	16	13	37800	23600	9	LH42/62W9	EL296UH090XV48C	203241927
EL16XP1-042-230	41500	16	13	37800	23600	9	LH42/62W9	EL296UH090XV60C	203241929
EL16XP1-042-230	42000	16	13	37800	23600	9	LH42/62W9	EL296UH110XE60C	203241931
EL16XP1-042-230	41500	16	13	37800	23600	9	LH42/62W9	EL296UH110XV48C	203241933
EL16XP1-042-230	41500	16	13	37800	23600	9	LH42/62W9	EL296UH110XV60C	203241935
EL16XP1-042-230	40000	16	13	37800	24400	8.5	LH42/62W9	ML180DF090E48B	203241937
EL16XP1-042-230	41000	16	13	37800	23400	9	LH42/62W9	ML180DF110E60C	203241939
EL16XP1-042-230	42000	16	13	37800	23800	9	LH42/62W9	ML180UH090E48B	203241941
EL16XP1-042-230	41500	16	13	37800	23400	9	LH42/62W9	ML180UH090E60C	203241943
EL16XP1-042-230	41500	16	13	37800	23400	9	LH42/62W9	ML180UH110E60C	203241945
EL16XP1-042-230	40500	16	13	37800	23400	9	LH42/62W9	ML193DF090XE48C	203241947
EL16XP1-042-230	41000	15	12.5	37800	23800	8.5	LH42/62W9	ML193UH030XE36B	203241949
EL16XP1-042-230	41000	15	12.5	37800	23800	8.5	LH42/62W9	ML193UH045XE36B	203241951
EL16XP1-042-230	41500	15	12.5	37800	23800	8.5	LH42/62W9	ML193UH070XE36B	203241953
EL16XP1-042-230	40500	16	13	37800	23400	9	LH42/62W9	ML193UH090XE36C	203241955
EL16XP1-042-230	41500	16	13	37800	23400	9	LH42/62W9	ML193UH090XE48C	203241957
EL16XP1-042-230	41500	16	13	37800	23400	9	LH42/62W9	ML193UH110XE48C	203241959
EL16XP1-042-230	42000	16	13	37800	23600	9	LH42/62W9	ML193UH110XE60C	203241961
EL16XP1-042-230	41500	16	13	37800	23600	9	LH42/62W9	ML296UH090XV48C	203241963
EL16XP1-042-230	40000	16	13	37800	24600	8.2	LH42/62W9	SL280DF090V48B	203241965
EL16XP1-042-230	40500	16	13	37800	23400	9	LH42/62W9	SL280DF090V60C	203241967
EL16XP1-042-230	40500	16	13	37800	23400	9	LH42/62W9	SL280DF110V60C	203241969
EL16XP1-042-230	42000	16	13	37800	23600	9	LH42/62W9	SL280UH080NV48B	203241971
EL16XP1-042-230	42000	17	13	37800	23400	9	LH42/62W9	SL280UH080NV60C	203241973
EL16XP1-042-230	42000	16	13	37800	23800	9	LH42/62W9	SL280UH090V48B	203241975
EL16XP1-042-230	42000	16	13	37800	23400	9	LH42/62W9	SL280UH090V60C	203241977
EL16XP1-042-230	42000	16	13	37800	23400	9	LH42/62W9	SL280UH090XV60C	203241979
EL16XP1-042-230	42000	17	13	37800	23400	9	LH42/62W9	SL280UH100NV60C	203241981
EL16XP1-042-230	41500	16	13	37800	23400	9	LH42/62W9	SL280UH110V60C	203241983
EL16XP1-042-230	41500	16	13	37800	23400	9	LH42/62W9	SL280UH110XV60C	203241985
EL16XP1-042-230	41500	16	13	37800	23800	8.5	LH42/62W9	SL297UH080NV48C	203241987
EL16XP1-042-230	42000	16	13	37800	23600	9	LH42/62W9	SL297UH080NV60C	203241989
EL16XP1-042-230	41500	16	13	38000	23600	9	LH42/62W9	SLP99UH090XV48C	205763368
EL16XP1-042-230	41500	16	13	38000	23600	9	LH42/62W9	SLP99UH090XV60C	205763370
EL16XP1-042-230	41500	16	13	38000	23600	9	LH42/62W9	SLP99UH110XV60C	205763372
EL16XP1-042-230	40500	15	12.5	37800	24200	9	LH42/62W9		203242191

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-042-230	41500	16	12.5	37800	23600	8.5	LH48/60F9	EL280UH090XE48B	203366506
EL16XP1-042-230	41500	16	13	37800	23800	9	LH48/60F9	EL280UH110XE60C	203366524
EL16XP1-042-230	41500	16	12.5	37800	23600	8.5	LH48/60X9	EL280UH090XE48B	203366505
EL16XP1-042-230	41500	16	13	37800	23800	9	LH48/60X9	EL280UH110XE60C	203366523
EL16XP1-042-230	40500	15	12.2	37400	24200	8.5	LS*4891CC		205304050
EL16XP1-042-230	39500	14.5	12	37800	24400	8.2	LS*4899BB		205484092
EL16XP1-048-230	45500	15	12.5	42500	27600	9	L*42/49K9	EL280UH110XE60C	203366541
EL16XP1-048-230	45000	15	12.5	42500	27600	9	L*42/60S9	EL280UH110XE60C	203366537
EL16XP1-048-230	47000	16	13	42500	27600	9.5	L*42/60Z9	EL180UH100NE60C	203242002
EL16XP1-048-230	46500	15	12.5	42500	28000	9	L*42/60Z9	EL195UH080NE48C	203242004
EL16XP1-048-230	46500	15	12.5	42500	28000	9	L*42/60Z9	EL195UH100NE60C	203242006
EL16XP1-048-230	47000	15	12.5	42500	28000	9.5	L*42/60Z9	EL196UH090XE48C	203242008
EL16XP1-048-230	47000	15	12.5	42500	27800	9.5	L*42/60Z9	EL196UH110XE60C	203242010
EL16XP1-048-230	47000	15	12.5	42500	27800	9.5	L*42/60Z9	EL280UH110E48C	203242012
EL16XP1-048-230	47000	16	13	42500	27800	9.5	L*42/60Z9	EL280UH110E60C	203242014
EL16XP1-048-230	47000	16	13	42500	27800	9.5	L*42/60Z9	EL280UH110XE60C	203366545
EL16XP1-048-230	45000	15	12.5	42500	27800	9.5	L*42/60Z9	EL296DF090XE48C	203242016
EL16XP1-048-230	45000	15	12.5	42500	28000	9.5	L*42/60Z9	EL296DF090XV60C	203242018
EL16XP1-048-230	45500	16	13	42500	28200	9.5	L*42/60Z9	EL296DF110XE60C	203242020
EL16XP1-048-230	45500	15	12.5	42500	28600	9.5	L*42/60Z9	EL296DF110XV60C	203242022
EL16XP1-048-230	47000	15	12.5	42500	28000	9.5	L*42/60Z9	EL296UH090XE48C	203242024
EL16XP1-048-230	47000	15	12.5	42500	28000	9.5	L*42/60Z9	EL296UH090XV48C	203242026
EL16XP1-048-230	47000	15	12.5	42500	28000	9.5	L*42/60Z9	EL296UH090XV60C	203242028
EL16XP1-048-230	47000	15	12.5	42500	27800	9.5	L*42/60Z9	EL296UH110XE60C	203242030
EL16XP1-048-230	47000	15	12.5	42500	27800	9.5	L*42/60Z9	EL296UH110XV48C	203242032
EL16XP1-048-230	47000	15	12.5	42500	28000	9.5	L*42/60Z9	EL296UH110XV60C	203242034
EL16XP1-048-230	46000	15	12.5	42500	27400	9	L*42/60Z9	EL296UH135XE60D	203242036
EL16XP1-048-230	46000	15	12.5	42500	26800	9	L*42/60Z9	EL296UH135XV60D	203242038
EL16XP1-048-230	45500	16	13	42500	27600	9.5	L*42/60Z9	ML180DF110E60C	203242040
EL16XP1-048-230	47000	16	13	42500	27800	9.5	L*42/60Z9	ML180UH090E60C	203242042
EL16XP1-048-230	47500	15	12.5	42500	28200	9.5	L*42/60Z9	ML180UH110E60C	203242044
EL16XP1-048-230	46500	15	12.5	42500	27000	9	L*42/60Z9	ML180UH135E60D	203242046
EL16XP1-048-230	45000	15	12.5	42500	27800	9.5	L*42/60Z9	ML193DF090XE48C	203242048
EL16XP1-048-230	47000	15	12.5	42500	27800	9.5	L*42/60Z9	ML193UH090XE48C	203242050
EL16XP1-048-230	47000	15	12.5	42500	27800	9.5	L*42/60Z9	ML193UH110XE48C	203242052
EL16XP1-048-230	47000	15	12.5	42500	27800	9.5	L*42/60Z9	ML193UH110XE60C	203242054
EL16XP1-048-230	45000	15	12.5	42500	28000	9.5	L*42/60Z9	ML296DF090XV60C	203242056
EL16XP1-048-230	47000	15	12.5	42500	28000	9.5	L*42/60Z9	ML296UH090XV48C	203242058
EL16XP1-048-230	47000	15	12.5	42500	28000	9.5	L*42/60Z9	ML296UH110XV60C	203242060
EL16XP1-048-230	45500	16	13	42500	27800	9.5	L*42/60Z9	SL280DF090V60C	203242062
EL16XP1-048-230	46000	16	13	42500	28200	9.5	L*42/60Z9	SL280DF110V60C	203242064
EL16XP1-048-230	47000	16	13	42500	27600	9.5	L*42/60Z9	SL280UH080NV60C	203242066
EL16XP1-048-230	47000	15	12.5	42500	27800	9.5	L*42/60Z9	SL280UH090V60C	203242068
EL16XP1-048-230	47000	15	12.5	42500	27800	9.5	L*42/60Z9	SL280UH090XV60C	203242070
EL16XP1-048-230	47500	16	13	42500	27600	9.5	L*42/60Z9	SL280UH100NV60C	203242072
EL16XP1-048-230	47000	16	13	42500	27800	9.5	L*42/60Z9	SL280UH110V60C	203242074
EL16XP1-048-230	47000	16	13	42500	27800	9.5	L*42/60Z9	SL280UH110XV60C	203242076
EL16XP1-048-230	46500	15	12.5	42500	27200	9	L*42/60Z9	SL280UH135V60D	203242078
EL16XP1-048-230	47000	15	12.5	42500	28000	9.5	L*42/60Z9	SL297UH080NV48C	203242080
EL16XP1-048-230	47000	15	12.5	42500	27800	9.5	L*42/60Z9	SL297UH080NV60C	203242082
EL16XP1-048-230	45000	15	12.5	43000	28000	9.5	L*42/60Z9	SLP99DF090XV48C	205763376
EL16XP1-048-230	45000	15	12.5	42500	28000	9.5	L*42/60Z9	SLP99DF090XV60C	205763381
EL16XP1-048-230	45500	15	12.5	42500	28400	9.5	L*42/60Z9	SLP99DF110XV60C	205760362
EL16XP1-048-230	47000	15	12.5	43000	28000	9.5	L*42/60Z9	SLP99UH090XV48C	205763382

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-048-230	47000	15	12.5	43000	28000	9.5	L*42/60Z9	SLP99UH090XV60C	205763387
EL16XP1-048-230	47000	15	12.5	43000	28000	9.5	L*42/60Z9	SLP99UH110XV60C	205763391
EL16XP1-048-230	46500	15	12.5	42500	27200	9	L*42/60Z9	SLP99UH135XV60D	205763394
EL16XP1-048-230	45000	15	12.5	42500	28800	9.5	L*42/60Z9		203242192
EL16XP1-048-230	45500	15	12.5	42500	27600	9	L*42/61K9	EL280UH110XE60C	203366542
EL16XP1-048-230	45000	15	12.5	42500	27600	9	L*43/48S9	EL280UH110XE60C	203366538
EL16XP1-048-230	47000	16	13	42500	27800	9.5	L*43/61Z9	EL280UH110XE60C	203366546
EL16XP1-048-230	47000	16	13	42500	27800	9.5	L*49/62Y9	EL280UH110XE60C	203366544
EL16XP1-048-230	47000	16	13	42500	27800	9.5	L*49/62Z9	EL280UH110XE60C	203366543
EL16XP1-048-230	45000	15	12.5	41500	27800	9.5	LD42/61Z9	EL296DF090XE48C	205147225
EL16XP1-048-230	45000	14.5	12.2	41500	28000	9.5	LD42/61Z9	EL296DF090XV60C	205147226
EL16XP1-048-230	45500	15	12.5	42500	28200	9.5	LD42/61Z9	EL296DF110XE60C	205147227
EL16XP1-048-230	45000	15	12.5	41500	27800	9.5	LD42/61Z9	EL296DF110XV60C	205147228
EL16XP1-048-230	45500	15	12.5	41500	27600	9.5	LD42/61Z9	ML180DF110E60C	205147229
EL16XP1-048-230	45000	15	12.5	41500	27800	9.5	LD42/61Z9	ML193DF090XE48C	205147230
EL16XP1-048-230	45000	14.5	12.2	41500	28000	9.5	LD42/61Z9	ML296DF090XV60C	205147231
EL16XP1-048-230	45500	15	12.5	41500	27800	9.5	LD42/61Z9	SL280DF090V60C	205147232
EL16XP1-048-230	46000	15	12.5	42500	28200	9.5	LD42/61Z9	SL280DF110V60C	205147233
EL16XP1-048-230	45000	14.5	12.2	43000	28000	9.5	LD42/61Z9	SLP99DF090XV48C	205763374
EL16XP1-048-230	45000	14.5	12.2	42500	28000	9.5	LD42/61Z9	SLP99DF090XV60C	205763378
EL16XP1-048-230	45500	15	12.5	42500	28400	9.5	LD42/61Z9	SLP99DF110XV60C	205760360
EL16XP1-048-230	45000	14.5	12.2	43000	28800	9.5	LD42/61Z9		204755178
EL16XP1-048-230	47000	16	13	42500	27800	9.5	LH40/61W9	EL280UH110XE60C	203366536
EL16XP1-048-230	46500	16	12.5	42500	27800	9.5	LH40/62W9	EL280UH110XE60C	203366532
EL16XP1-048-230	45000	15	12.5	42500	27600	9	LH41/49F9	EL280UH110XE60C	203366533
EL16XP1-048-230	46000	15	12.5	42500	27800	9	LH41/61D9	EL280UH110XE60C	203366535
EL16XP1-048-230	45000	15	12.5	42500	27600	9	LH42/60D9	EL280UH110XE60C	203366534
EL16XP1-048-230	47000	16	13	42500	27600	9.5	LH42/62W9	EL180UH100NE60C	203242003
EL16XP1-048-230	46500	15	12.5	42500	28000	9.5	LH42/62W9	EL195UH080NE48C	203242005
EL16XP1-048-230	46500	15	12.5	42500	28000	9.5	LH42/62W9	EL195UH100NE60C	203242007
EL16XP1-048-230	47000	15	12.5	42500	28000	9.5	LH42/62W9	EL196UH090XE48C	203242009
EL16XP1-048-230	47000	15	12.5	42500	27800	9.5	LH42/62W9	EL196UH110XE60C	203242011
EL16XP1-048-230	47000	15	12.5	42500	27800	9.5	LH42/62W9	EL280UH110E48C	203242013
EL16XP1-048-230	47000	16	13	42500	27800	9.5	LH42/62W9	EL280UH110E60C	203242015
EL16XP1-048-230	47000	16	13	42500	27800	9.5	LH42/62W9	EL280UH110XE60C	203366547
EL16XP1-048-230	45000	15	12.5	42500	27800	9.5	LH42/62W9	EL296DF090XE48C	203242017
EL16XP1-048-230	45000	15	12.5	42500	28000	9.5	LH42/62W9	EL296DF090XV60C	203242019
EL16XP1-048-230	45500	16	13	42500	28200	9.5	LH42/62W9	EL296DF110XE60C	203242021
EL16XP1-048-230	45500	15	12.5	42500	28600	9.5	LH42/62W9	EL296DF110XV60C	203242023
EL16XP1-048-230	47000	15	12.5	42500	28000	9.5	LH42/62W9	EL296UH090XE48C	203242025
EL16XP1-048-230	47000	15	12.5	42500	28000	9.5	LH42/62W9	EL296UH090XV48C	203242027
EL16XP1-048-230	47000	15	12.5	42500	28000	9.5	LH42/62W9	EL296UH090XV60C	203242029
EL16XP1-048-230	47000	15	12.5	42500	27800	9.5	LH42/62W9	EL296UH110XE60C	203242031
EL16XP1-048-230	47000	15	12.5	42500	27800	9.5	LH42/62W9	EL296UH110XV48C	203242033
EL16XP1-048-230	47000	15	12.5	42500	28000	9.5	LH42/62W9	EL296UH110XV60C	203242035
EL16XP1-048-230	46000	15	12.5	42500	27400	9	LH42/62W9	EL296UH135XE60D	203242037
EL16XP1-048-230	46000	15	12.5	42500	26800	9	LH42/62W9	EL296UH135XV60D	203242039
EL16XP1-048-230	45500	16	13	42500	28200	9.5	LH42/62W9	ML180DF110E60C	203242041
EL16XP1-048-230	47000	16	13	42500	27800	9.5	LH42/62W9	ML180UH090E60C	203242043
EL16XP1-048-230	47500	15	12.5	42500	28200	9.5	LH42/62W9	ML180UH110E60C	203242045
EL16XP1-048-230	46500	15	12.5	42500	27000	9	LH42/62W9	ML180UH135E60D	203242047
EL16XP1-048-230	45000	15	12.5	42500	27800	9.5	LH42/62W9	ML193DF090XE48C	203242049
EL16XP1-048-230	47000	15	12.5	42500	27800	9.5	LH42/62W9	ML193UH090XE48C	203242051
EL16XP1-048-230	47000	15	12.5	42500	27800	9.5	LH42/62W9	ML193UH110XE48C	203242053

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-048-230	47000	15	12.5	42500	27800	9.5	LH42/62W9	ML193UH110XE60C	203242055
EL16XP1-048-230	45000	15	12.5	42500	28000	9.5	LH42/62W9	ML296DF090XV60C	203242057
EL16XP1-048-230	47000	15	12.5	42500	28000	9.5	LH42/62W9	ML296UH090XV48C	203242059
EL16XP1-048-230	47000	15	12.5	42500	28000	9.5	LH42/62W9	ML296UH110XV60C	203242061
EL16XP1-048-230	45500	16	13	42500	27800	9.5	LH42/62W9	SL280DF090V60C	203242063
EL16XP1-048-230	46000	16	13	42500	28200	9.5	LH42/62W9	SL280DF110V60C	203242065
EL16XP1-048-230	47000	16	13	42500	27600	9.5	LH42/62W9	SL280UH080NV60C	203242067
EL16XP1-048-230	47000	15	12.5	42500	27800	9.5	LH42/62W9	SL280UH090V60C	203242069
EL16XP1-048-230	47000	15	12.5	42500	27800	9.5	LH42/62W9	SL280UH090XV60C	203242071
EL16XP1-048-230	47500	16	13	42500	27600	9.5	LH42/62W9	SL280UH100NV60C	203242073
EL16XP1-048-230	47000	16	13	42500	27800	9.5	LH42/62W9	SL280UH110V60C	203242075
EL16XP1-048-230	47000	16	13	42500	27800	9.5	LH42/62W9	SL280UH110XV60C	203242077
EL16XP1-048-230	46500	15	12.5	42500	27200	9	LH42/62W9	SL280UH135V60D	203242079
EL16XP1-048-230	47000	15	12.5	42500	28000	9.5	LH42/62W9	SL297UH080NV48C	203242081
EL16XP1-048-230	47000	15	12.5	42500	27800	9.5	LH42/62W9	SL297UH080NV60C	203242083
EL16XP1-048-230	47000	15	12.5	43000	28000	9.5	LH42/62W9	SLP99UH090XV48C	205763384
EL16XP1-048-230	47000	15	12.5	43000	28000	9.5	LH42/62W9	SLP99UH090XV60C	205763389
EL16XP1-048-230	47000	15	12.5	43000	28000	9.5	LH42/62W9	SLP99UH110XV60C	205763393
EL16XP1-048-230	46500	15	12.5	42500	27200	9	LH42/62W9	SLP99UH135XV60D	205763396
EL16XP1-048-230	45000	15	12.5	42500	28800	9.5	LH42/62W9		203242193
EL16XP1-048-230	46500	15	12.5	42500	27800	9.5	LH48/60F9	EL280UH110XE60C	203366540
EL16XP1-048-230	46500	15	12.5	42500	27800	9.5	LH48/60X9	EL280UH110XE60C	203366539
EL16XP1-048-230	45000	14.5	12.2	43000	28800	9.5	LS*4891CC		205304047
EL16XP1-048-230	45000	15	12.5	43000	28800	9.5	LS*6094CC		205304021
EL16XP1-060-230	57500	15	12.5	52500	36200	9	L*42/60Z9	EL180UH100NE60C	203242098
EL16XP1-060-230	57000	14.5	12.2	52500	36400	8.5	L*42/60Z9	EL195UH100NE60C	203242102
EL16XP1-060-230	56500	15	12.5	52500	35800	9	L*42/60Z9	EL196UH110XE60C	203242104
EL16XP1-060-230	57500	15	12.5	52500	36200	9	L*42/60Z9	EL280UH110E60C	203242106
EL16XP1-060-230	57500	15	12.5	52500	36200	9	L*42/60Z9	EL280UH110XE60C	203366554
EL16XP1-060-230	55500	14	12.2	52500	34000	9	L*42/60Z9	EL296DF090XV60C	203242108
EL16XP1-060-230	56000	15	12.5	52500	34600	9	L*42/60Z9	EL296DF110XE60C	203242110
EL16XP1-060-230	55500	14	12.2	52500	34200	9	L*42/60Z9	EL296DF110XV60C	203242112
EL16XP1-060-230	57500	14.5	12.2	52500	35800	9	L*42/60Z9	EL296UH090XV60C	203242114
EL16XP1-060-230	58000	15	12.2	52500	35800	9.5	L*42/60Z9	EL296UH110XE60C	203242116
EL16XP1-060-230	58000	15	12.2	52500	36000	9.5	L*42/60Z9	EL296UH110XV60C	203242118
EL16XP1-060-230	56500	14.5	12.2	52500	35800	9	L*42/60Z9	EL296UH135XE60D	203242120
EL16XP1-060-230	57000	14.5	12.2	52500	35800	9	L*42/60Z9	EL296UH135XV60D	203242122
EL16XP1-060-230	56500	15	12.5	52500	34200	9	L*42/60Z9	ML180DF110E60C	203242124
EL16XP1-060-230	58000	15	12.2	52500	35800	9.5	L*42/60Z9	ML180UH090E60C	203242126
EL16XP1-060-230	58000	15	12.2	52500	35800	9.5	L*42/60Z9	ML180UH110E60C	203242128
EL16XP1-060-230	56500	15	12.5	52500	34000	8.5	L*42/60Z9	ML180UH135E60D	203242130
EL16XP1-060-230	56500	14.5	12.2	52500	34000	8.5	L*42/60Z9	ML193UH110XE60C	203242132
EL16XP1-060-230	57500	14.5	12.2	52500	36400	9	L*42/60Z9	ML296UH110XV60C	203242134
EL16XP1-060-230	56500	15	12.5	52500	34200	9	L*42/60Z9	SL280DF090V60C	203242136
EL16XP1-060-230	56500	15	12.5	52500	34600	9	L*42/60Z9	SL280DF110V60C	203242138
EL16XP1-060-230	58500	15	12.5	52500	35600	9.5	L*42/60Z9	SL280UH080NV60C	203242140
EL16XP1-060-230	57000	15	12.5	52500	35800	9	L*42/60Z9	SL280UH090V60C	203242142
EL16XP1-060-230	57000	15	12.5	52500	35800	9	L*42/60Z9	SL280UH090XV60C	203242144
EL16XP1-060-230	58500	15	12.5	52500	35800	9.5	L*42/60Z9	SL280UH100NV60C	203242146
EL16XP1-060-230	58000	15	12.2	52500	35800	9.5	L*42/60Z9	SL280UH110V60C	203242148
EL16XP1-060-230	58000	15	12.2	52500	35800	9.5	L*42/60Z9	SL280UH110XV60C	203242150
EL16XP1-060-230	57500	15	12.5	52500	35800	9	L*42/60Z9	SL280UH135V60D	203242152
EL16XP1-060-230	58000	15	12.2	52500	35800	9.5	L*42/60Z9	SL297UH080NV60C	203242154
EL16XP1-060-230	55500	14	12.2	54000	34200	9	L*42/60Z9	SLP99DF110XV60C	205760367

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-060-230	57500	14.5	12.2	52500	35800	9	L*42/60Z9	SLP99UH090XV60C	205763398
EL16XP1-060-230	58000	15	12.2	52500	36000	9.5	L*42/60Z9	SLP99UH110XV60C	205760370
EL16XP1-060-230	57000	14.5	12	52500	36200	9.5	L*42/60Z9		203242194
EL16XP1-060-230	57500	15	12.5	52500	36200	9	L*43/61Z9	EL280UH110XE60C	203366555
EL16XP1-060-230	57500	15	12.2	52500	36200	9	L*49/62Y9	EL280UH110XE60C	203366553
EL16XP1-060-230	57500	15	12.2	52500	36200	9	L*49/62Z9	EL280UH110XE60C	203366552
EL16XP1-060-230	55500	14	12.2	53500	34000	9	LD42/61Z9	EL296DF090XV60C	205147237
EL16XP1-060-230	56000	14.5	12.2	54000	34600	9	LD42/61Z9	EL296DF110XE60C	205147238
EL16XP1-060-230	55500	14	12.2	54000	34200	9	LD42/61Z9	EL296DF110XV60C	205147239
EL16XP1-060-230	56500	14.5	12.2	54000	34600	9	LD42/61Z9	ML180DF110E60C	205147240
EL16XP1-060-230	56500	14.5	12.2	54000	34200	9	LD42/61Z9	SL280DF090V60C	205147241
EL16XP1-060-230	56500	14.5	12.2	54000	34000	9	LD42/61Z9	SL280DF110V60C	205147242
EL16XP1-060-230	55500	14	12.2	54000	34200	9	LD42/61Z9	SLP99DF110XV60C	205760366
EL16XP1-060-230	56500	14	12	52500	36200	9	LD42/61Z9		204755180
EL16XP1-060-230	57500	15	12.2	52500	36200	9	LH40/61W9	EL280UH110XE60C	203366550
EL16XP1-060-230	57500	15	12.2	52500	36200	9	LH40/62W9	EL280UH110XE60C	203366548
EL16XP1-060-230	56500	15	12	52500	36200	8.5	LH41/61D9	EL280UH110XE60C	203366549
EL16XP1-060-230	58000	15	12.5	52500	35800	9.5	LH42/62W9	EL180UH100NE60C	203242099
EL16XP1-060-230	57500	14.5	12.2	52500	36000	9	LH42/62W9	EL195UH100NE60C	203242103
EL16XP1-060-230	58000	15	12.5	52500	35800	9.5	LH42/62W9	EL196UH110XE60C	203242105
EL16XP1-060-230	57500	15	12.5	52500	36200	9	LH42/62W9	EL280UH110E60C	203242107
EL16XP1-060-230	57500	15	12.5	52500	36200	9	LH42/62W9	EL280UH110XE60C	203366556
EL16XP1-060-230	55500	14.5	12.2	52500	34000	9	LH42/62W9	EL296DF090XV60C	203242109
EL16XP1-060-230	56000	15	12.5	52500	34600	9	LH42/62W9	EL296DF110XE60C	203242111
EL16XP1-060-230	55500	14.5	12.2	52500	34600	9	LH42/62W9	EL296DF110XV60C	203242113
EL16XP1-060-230	57500	14.5	12.2	52500	35800	9	LH42/62W9	EL296UH090XV60C	203242115
EL16XP1-060-230	58000	15	12.5	52500	35800	9.5	LH42/62W9	EL296UH110XE60C	203242117
EL16XP1-060-230	58000	15	12.5	52500	36000	9.5	LH42/62W9	EL296UH110XV60C	203242119
EL16XP1-060-230	56500	14.5	12.2	52500	35800	9	LH42/62W9	EL296UH135XE60D	203242121
EL16XP1-060-230	57000	14.5	12.2	52500	35800	9	LH42/62W9	EL296UH135XV60D	203242123
EL16XP1-060-230	56500	15	12.5	52500	34600	9	LH42/62W9	ML180DF110E60C	203242125
EL16XP1-060-230	58000	15	12.5	52500	35800	9.5	LH42/62W9	ML180UH090E60C	203242127
EL16XP1-060-230	58000	15	12.5	52500	35800	9.5	LH42/62W9	ML180UH110E60C	203242129
EL16XP1-060-230	56500	15	12.5	52500	34000	8.5	LH42/62W9	ML180UH135E60D	203242131
EL16XP1-060-230	56500	14.5	12.2	52500	34000	8.5	LH42/62W9	ML193UH110XE60C	203242133
EL16XP1-060-230	57500	14.5	12.2	52500	36400	9	LH42/62W9	ML296UH110XV60C	203242135
EL16XP1-060-230	56500	15	12.5	52500	34200	9	LH42/62W9	SL280DF090V60C	203242137
EL16XP1-060-230	56500	15	12.5	52500	34600	9	LH42/62W9	SL280DF110V60C	203242139
EL16XP1-060-230	58500	15	12.5	52500	35600	9.5	LH42/62W9	SL280UH080NV60C	203242141
EL16XP1-060-230	58000	15	12.5	52500	35800	9.5	LH42/62W9	SL280UH090V60C	203242143
EL16XP1-060-230	58000	15	12.5	52500	35800	9.5	LH42/62W9	SL280UH090XV60C	203242145
EL16XP1-060-230	58500	15	12.5	52500	35800	9.5	LH42/62W9	SL280UH100NV60C	203242147
EL16XP1-060-230	58000	15	12.5	52500	35800	9.5	LH42/62W9	SL280UH110V60C	203242149
EL16XP1-060-230	58000	15	12.5	52500	35800	9.5	LH42/62W9	SL280UH110XV60C	203242151
EL16XP1-060-230	57500	15	12.5	52500	35800	9	LH42/62W9	SL280UH135V60D	203242153
EL16XP1-060-230	58000	15	12.5	52500	35800	9.5	LH42/62W9	SL297UH080NV60C	203242155
EL16XP1-060-230	57500	14.5	12.2	52500	35800	9	LH42/62W9	SLP99UH090XV60C	205763401
EL16XP1-060-230	58000	15	12.5	52500	36000	9.5	LH42/62W9	SLP99UH110XV60C	205760372
EL16XP1-060-230	57000	14.5	12.2	52500	36200	9.5	LH42/62W9		203242195
EL16XP1-060-230	57000	15	12.2	52500	36200	9	LH48/60F9	EL280UH110XE60C	203366551
EL16XP1-060-230	57000	14.5	12	52500	36200	9.5	LS*6094CC		205304022
ML14XP1-018-230	17000	16	12.2	16600	9000	8.2	CE2403C		202902158
ML14XP1-018-230	17900	14	12	16600	10400	8.2	L*18/36V9		202743262
ML14XP1-018-230	18000	15	12.5	16400	10000	9	LD19/25Z9	EL280DF070E36A	205147403

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-018-230	18000	15	12.5	16400	10000	8.5	LD19/25Z9	ML180DF045E36A	205147405
ML14XP1-018-230	18000	14	12	16000	9200	8.2	LD19/25Z9		205147449
ML14XP1-018-230	18000	15	12.5	16400	10200	8.5	LD19/36Z9	EL296DF045XE36B	205147404
ML14XP1-018-230	18000	14.5	12.2	16400	10200	8.5	LD19/36Z9	ML180DF070E36B	205147406
ML14XP1-018-230	18000	15	12.5	16400	9900	8.5	LD19/36Z9	ML193DF045XE36B	205147407
ML14XP1-018-230	18000	15	12.5	16400	9900	8.5	LD19/36Z9	ML193DF070XE36B	205147408
ML14XP1-018-230	18000	14	12	16000	9200	8.2	LD19/36Z9		204755181
ML14XP1-018-230	17000	16	12.2	16600	9000	8.2	LEC249C03		203263880
ML14XP1-018-230	17900	14	12	17600	10400	8.2	LS*25(1,2)33E		205807158
ML14XP1-018-230	17900	14	12	16600	10400	8.2	LS*25933E		202860978
ML14XP1-018-230	18000	14	12	16600	10400	8.2	M36E34(1,2)		202760736
ML14XP1-018-230	18000	14	12.2	16600	10400	8.2	M36E58(1,2)		202760739
ML14XP1-018-230	18000	14	12.2	16600	10400	8.2	M36E589		202760742
ML14XP1-024-230	23000	15	12.5	19800	12100	8.5	CE2403C		202902110
ML14XP1-024-230	23000	15	12.5	19800	12100	8.5	CE2903C		204118543
ML14XP1-024-230	23400	15.5	12.5	20000	12100	8.5	CE3005A		204118544
ML14XP1-024-230	23400	15.5	12.5	20000	12100	8.5	CE3005C		202902112
ML14XP1-024-230	23200	14	12	19200	12600	8.2	CP2403C		202902098
ML14XP1-024-230	23400	14	12.2	20600	12600	8.5	CP2505A		204631294
ML14XP1-024-230	23400	14	12.2	19200	12600	8.2	CP2505C		202902258
ML14XP1-024-230	23200	14	12	19200	12600	8.2	CP2903C		202902100
ML14XP1-024-230	23400	14	12.2	19200	12600	8.5	CP3005A		204118536
ML14XP1-024-230	23400	14	12.2	19200	12600	8.2	CP3005C		202902101
ML14XP1-024-230	23400	14	12.2	19200	12600	8.2	L*18/36V9		202743263
ML14XP1-024-230	23600	15	12.5	20600	12000	9	LD19/25Z9	EL280DF070E36A	205147244
ML14XP1-024-230	23400	15	12.5	20400	11900	8.5	LD19/25Z9	ML180DF045E36A	205147248
ML14XP1-024-230	24000	15	12.5	20800	12100	9	LD19/25Z9	ML180DF070E36A	205147249
ML14XP1-024-230	23600	15	12.5	20600	12000	8.5	LD19/25Z9	SL280DF070V36A	205147251
ML14XP1-024-230	23400	14	12.2	20600	12600	8.5	LD19/25Z9		205147342
ML14XP1-024-230	23600	15	12.5	20600	12000	8.5	LD19/36Z9	EL296DF045XE36B	205147245
ML14XP1-024-230	23600	15	12.5	20600	12000	9	LD19/36Z9	EL296DF045XV36B	205147246
ML14XP1-024-230	23800	15	12.5	20600	12000	9	LD19/36Z9	EL296DF070XE48B	205147247
ML14XP1-024-230	23800	16	13	20600	12000	9	LD19/36Z9	ML180DF070E36B	205147250
ML14XP1-024-230	23800	15	12.5	19800	11600	8.5	LD19/36Z9	SLP99DF070XV36B	205760610
ML14XP1-024-230	23400	14	12.2	20600	12600	8.5	LD19/36Z9		204755182
ML14XP1-024-230	23400	15	12.5	20600	12000	9	LD24/35Z9	ML196DF045XE36B	205707594
ML14XP1-024-230	23600	15	12.5	20600	12000	9	LD24/35Z9	ML196DF070XE48B	205707595
ML14XP1-024-230	23400	14	12.2	20600	12600	8.5	LD24/35Z9		204755183
ML14XP1-024-230	23400	14.5	12	20600	12600	8.5	LEC24(6,9)C03		203383954
ML14XP1-024-230	23400	14.5	12	19200	12600	8.2	LEC249C03		203263881
ML14XP1-024-230	23400	14.5	12	19200	12600	8.2	LEC299C03		203355242
ML14XP1-024-230	23400	14.5	12.2	19200	12600	8.2	LEC309C05		203263883
ML14XP1-024-230	23400	14	12	20600	12600	8.5	LS*24(1,2)23E		205146785
ML14XP1-024-230	23400	14	12	19200	12600	8.2	LS*24923E		202848465
ML14XP1-024-230	23400	14	12.2	19200	12600	8.2	LS*25933E		202848801
ML14XP1-024-230	23400	14	12.2	19200	12600	8.2	LS*25943E		202848466
ML14XP1-024-230	23400	14	12.2	22200	12600	8.5	LS*30943E		205958003
ML14XP1-024-230	23200	14	12	19200	12600	8.2	LSC249C03		203263862
ML14XP1-024-230	23400	14	12.2	19200	12600	8.2	LSC259C05		203263867
ML14XP1-024-230	23200	14	12	19200	12600	8.2	LSC299C03		203263864
ML14XP1-024-230	23400	14	12.2	19200	12600	8.2	LSC309C05		203263869
ML14XP1-024-230	23400	14	12.2	19200	12600	8.2	M36E34(1,2)		202760745
ML14XP1-024-230	23600	14	12.2	19200	12300	8.2	M36E58(1,2)		202760748
ML14XP1-024-230	23600	14	12.2	19200	12300	8.2	M36E589		202760750

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-030-230	28600	15	11	26200	17000	8.2	CE2903C		204118545
ML14XP1-030-230	29000	15	11.5	26200	17000	8.5	CE3005A		204118546
ML14XP1-030-230	28200	15	12.2	24400	15100	8.2	CE3005C		202917717
ML14XP1-030-230	28600	14	11.7	26400	16900	8.2	CP2903C		202902103
ML14XP1-030-230	29000	14	11.7	26200	17000	8.5	CP3005A		204118537
ML14XP1-030-230	29000	14	11.7	26400	17000	8.5	CP3005C		202902105
ML14XP1-030-230	29000	14	11.7	26400	17000	8.5	L*18/36V9		202743269
ML14XP1-030-230	29200	14	12	26400	16700	8.5	L*19/36S9		203324235
ML14XP1-030-230	29400	14.5	12.2	26400	16800	9	LD19/36Z9	EL280DF090E48B	205147361
ML14XP1-030-230	29600	15	12.5	26600	16700	9	LD19/36Z9	EL296DF045XE36B	205147362
ML14XP1-030-230	29600	15	12.5	26600	16600	9	LD19/36Z9	EL296DF045XV36B	205147363
ML14XP1-030-230	30000	15	12.5	26600	16700	9	LD19/36Z9	EL296DF070XE48B	205147364
ML14XP1-030-230	29600	15	12.5	26600	16700	9	LD19/36Z9	EL296DF070XV48B	205147365
ML14XP1-030-230	30000	15	12.5	26600	16500	9	LD19/36Z9	ML180DF070E36B	205147366
ML14XP1-030-230	29600	15	12.5	26400	16500	9	LD19/36Z9	ML180DF090E48B	205147367
ML14XP1-030-230	28800	14.5	12.2	26200	16700	8.5	LD19/36Z9	ML193DF045XE36B	205147368
ML14XP1-030-230	28800	14.5	12.2	26200	16700	8.5	LD19/36Z9	ML193DF070XE36B	205147369
ML14XP1-030-230	29600	15	12.5	26400	16500	9	LD19/36Z9	SL280DF090V48B	205147370
ML14XP1-030-230	29600	15	12.5	26600	16600	9	LD19/36Z9	SLP99DF070XV36B	205760611
ML14XP1-030-230	29000	14	11.7	26200	16700	8.5	LD19/36Z9		204755184
ML14XP1-030-230	29600	14.5	12.2	26600	16700	9	LD24/35Z9	ML196DF045XE36B	205707596
ML14XP1-030-230	29600	14.5	12.2	26600	16700	9	LD24/35Z9	ML196DF070XE48B	205707597
ML14XP1-030-230	29400	14	12.2	26200	16700	8.5	LD24/35Z9		204755186
ML14XP1-030-230	29000	14.5	12.2	27000	17000	8.5	LD31/36Z9		204756176
ML14XP1-030-230	28600	15	11	26400	17000	8.2	LEC299C03		203355243
ML14XP1-030-230	28200	15	12.2	26400	15400	8.2	LEC309C05		203263892
ML14XP1-030-230	29200	14	12	27000	16700	8.5	LS*30943E		205958007
ML14XP1-030-230	29400	14	12.2	26200	16700	8.5	LS*31(1,2)9BB		205807074
ML14XP1-030-230	29000	14	11.7	27000	17000	8.5	LS*36(1,2)33E		205808602
ML14XP1-030-230	29200	14	12	26200	16700	8.5	LS*36943E		205304029
ML14XP1-030-230	28800	14	11.5	26400	17000	8.5	LSC299C03		203263886
ML14XP1-030-230	29000	14	11.7	26400	17000	8.5	LSC309C05		203263889
ML14XP1-030-230	29400	14	12	26400	16900	8.5	M36E34(1,2)		202760789
ML14XP1-030-230	29600	14	12.2	26400	16800	8.5	M36E58(1,2)		202760791
ML14XP1-030-230	29600	14	12.2	26400	16800	8.5	M36E589		202760794
ML14XP1-036-230	34200	14	11.5	30800	20000	8.5	L*30/36S9		205663337
ML14XP1-036-230	33800	14	11.5	30200	18400	8.2	L*30/36U9		202743266
ML14XP1-036-230	34200	14	11.7	30800	20000	8.5	L*35/36S9		205663338
ML14XP1-036-230	34200	14	11.7	30800	20000	8.5	LD31/36Z9		204756177
ML14XP1-036-230	34200	14.5	12.2	30800	20000	8.5	LH23/37W9		205663339
ML14XP1-036-230	33800	14	12	29800	18600	8.2	LH35/38F9		205663336
ML14XP1-036-230	33800	14	11	30800	20000	8.5	LS*37(1,2)9BB		205807073
ML14XP1-036-230	34200	14	12	30800	20000	8.5	LS*3791CC		205484139
ML14XP1-036-230	33800	14	11	30800	20000	8.5	LS*3799BB		205304052
ML14XP1-036-230	33800	14	11.5	30200	18400	8.2	M36E58(1,2)		202760765
ML14XP1-036-230	33800	14	11.5	30200	18400	8.2	M36E589		202760768
ML14XP1-036-230	33800	14	11.7	30200	18400	8.2	M36E59(1,2)		202760726
ML14XP1-042-230	41500	14	12	37800	25800	8.2	L*42/60U9		202743264
ML14XP1-042-230	40500	14.5	12.2	37800	24800	8.2	L*49/62Z9		202743265
ML14XP1-042-230	41000	14.5	12.2	37400	24200	8.5	LD41/42Z9	EL296DF090XE48C	205147409
ML14XP1-042-230	41500	14.5	12.2	37800	24400	8.5	LD41/42Z9	EL296DF090XV60C	205147411
ML14XP1-042-230	41500	14.5	12.2	37400	24200	9	LD41/42Z9	EL296DF110XE60C	205147413
ML14XP1-042-230	41500	14.5	12.2	37800	24400	8.5	LD41/42Z9	EL296DF110XV60C	205147415
ML14XP1-042-230	41500	15	12.5	37400	24200	9	LD41/42Z9	ML180DF110E60C	205147417

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-042-230	41000	14	12.2	37400	24200	9	LD41/42Z9	ML193DF090XE48C	205147419
ML14XP1-042-230	41500	15	12.5	37400	24200	9	LD41/42Z9	SL280DF090V60C	205147421
ML14XP1-042-230	41500	15	12.5	37400	24200	9	LD41/42Z9	SL280DF110V60C	205147423
ML14XP1-042-230	41500	14.5	12.2	37800	24400	8.5	LD41/42Z9	SLP99DF090XV48C	205760614
ML14XP1-042-230	41500	14.5	12.2	37800	24400	8.5	LD41/42Z9	SLP99DF090XV60C	205760618
ML14XP1-042-230	41500	14.5	12.2	37800	24400	8.5	LD41/42Z9	SLP99DF110XV60C	205760621
ML14XP1-042-230	41500	14	12	38500	25800	8.2	LD41/42Z9		205147450
ML14XP1-042-230	41500	14	12.2	38500	25800	8.2	LD41/43Z9		204756178
ML14XP1-042-230	41000	14.5	12.2	37400	24200	8.5	LD42/61Z9	EL296DF090XE48C	205147410
ML14XP1-042-230	41500	14.5	12.2	37800	24400	8.5	LD42/61Z9	EL296DF090XV60C	205147412
ML14XP1-042-230	41500	14.5	12.2	37400	24200	9	LD42/61Z9	EL296DF110XE60C	205147414
ML14XP1-042-230	41500	14.5	12.2	37800	24400	8.5	LD42/61Z9	EL296DF110XV60C	205147416
ML14XP1-042-230	41500	15	12.5	37400	24200	9	LD42/61Z9	ML180DF110E60C	205147418
ML14XP1-042-230	41000	14.5	12.2	37400	24200	9	LD42/61Z9	ML193DF090XE48C	205147420
ML14XP1-042-230	41500	15	12.5	37400	24200	9	LD42/61Z9	SL280DF090V60C	205147422
ML14XP1-042-230	41500	15	12.5	37400	24200	9	LD42/61Z9	SL280DF110V60C	205147424
ML14XP1-042-230	41500	14.5	12.2	37800	24400	8.5	LD42/61Z9	SLP99DF090XV48C	205760615
ML14XP1-042-230	41500	14.5	12.2	37800	24400	8.5	LD42/61Z9	SLP99DF090XV60C	205760620
ML14XP1-042-230	41500	14.5	12.2	37800	24400	8.5	LD42/61Z9	SLP99DF110XV60C	205760624
ML14XP1-042-230	42000	14	12.2	38000	25600	8.2	LD42/61Z9		204755187
ML14XP1-042-230	42000	14	12.2	38000	25600	8.2	LS*4891CC		205304053
ML14XP1-042-230	40500	14	11.7	37400	24800	8.2	LS*4899BB		205484154
ML14XP1-042-230	41500	14	12.2	37800	25800	8.2	M42E66(1,2)		202760722
ML14XP1-042-230	41500	14	12	37800	25800	8.2	M48E36(1,2)		202760753
ML14XP1-042-230	41500	14	12	37800	25800	8.2	M48E369		202760755
ML14XP1-042-230	40500	14.5	12.2	37800	24800	8.2	M60E49(1,2)		202760758
ML14XP1-042-230	40500	14.5	12.2	37800	24800	8.2	M60E499		202760762
ML14XP1-048-230	48000	14	12.2	41000	25800	8.2	L*49/62Y9		204748587
ML14XP1-048-230	48000	14	12.2	41500	28400	8.2	L*49/62Z9		202743268
ML14XP1-048-230	48000	14.5	12.2	42000	27200	8.5	LD42/61Z9	EL296DF090XE48C	205147253
ML14XP1-048-230	48000	14.5	12.2	45500	30800	9	LD42/61Z9	EL296DF090XV60C	205147254
ML14XP1-048-230	48000	14.5	12.2	45500	30400	9	LD42/61Z9	EL296DF110XE60C	205147255
ML14XP1-048-230	48000	14.5	12.2	45500	30800	9	LD42/61Z9	EL296DF110XV60C	205147256
ML14XP1-048-230	48000	15	12.5	42000	27000	9	LD42/61Z9	ML180DF110E60C	205147257
ML14XP1-048-230	47500	14.5	12.2	41500	27200	9	LD42/61Z9	ML193DF090XE48C	205147258
ML14XP1-048-230	48000	15	12.5	42000	27000	9	LD42/61Z9	SL280DF090V60C	205147259
ML14XP1-048-230	48000	15	12.5	42000	27000	9	LD42/61Z9	SL280DF110V60C	205147260
ML14XP1-048-230	48000	14.5	12.2	42500	27400	8.5	LD42/61Z9	SLP99DF090XV48C	205760625
ML14XP1-048-230	48000	14.5	12.2	45500	30800	9	LD42/61Z9	SLP99DF090XV60C	205760627
ML14XP1-048-230	48000	14.5	12.2	45500	30800	9	LD42/61Z9	SLP99DF110XV60C	205760629
ML14XP1-048-230	48000	14	12.2	43500	28400	8.2	LD42/61Z9		204755188
ML14XP1-048-230	48000	14	12.2	43500	28400	8.2	LS*4891CC		205304054
ML14XP1-048-230	48000	14	12.2	41000	25800	8.2	LS*6094CC		205304026
ML14XP1-048-230	48000	14	11.5	41500	27600	8.2	M48E36(1,2)		202760776
ML14XP1-048-230	48000	14	11.5	41500	27600	8.2	M48E369		202760779
ML14XP1-048-230	48000	14	12.2	41500	28400	8.2	M60E49(1,2)		202760782
ML14XP1-048-230	48000	14	12.2	41500	28400	8.2	M60E499		202760785
ML14XP1-060-230	58000	14	12	56500	35800	8.2	L*42/60Z9		205801393
ML14XP1-060-230	58000	14	12	54500	35800	8.2	L*49/62Z9		202743267
ML14XP1-060-230	56000	14	12	57500	37800	8.5	LD42/61Z9	EL296DF110XE60C	205147732
ML14XP1-060-230	57000	14.5	12.2	57500	37400	9	LD42/61Z9	ML180DF110E60C	205147264
ML14XP1-060-230	57000	14	12.2	58000	37800	9	LD42/61Z9	SL280DF090V60C	205147733
ML14XP1-060-230	56500	14	12.2	57500	37800	9	LD42/61Z9	SL280DF110V60C	205147734
ML14XP1-060-230	57000	14	11.7	56000	35600	8.2	LD42/61Z9		204755189

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-060-230	58000	14	12.2	56500	35800	8.2	LS*6094CC		205304023
ML14XP1-060-230	58000	14	12	54500	35800	8.2	M60E49(1,2)		202760771
ML14XP1-060-230	58000	14	12	54500	35800	8.2	M60E499		202760773
ML16XP1-018-230	17000	16	12.2	16900	9200	8.5	CE2403C		203383971
ML16XP1-018-230	17600	15	12.5	16900	9500	9	L*18/30S9	EL280UH070XE36A	203366559
ML16XP1-018-230	17900	16	13	16900	9500	9	L*18/36S9	EL280UH070XE36A	203366563
ML16XP1-018-230	18000	16	13	16900	9500	9	L*18/36T9	EL280UH070XE36A	203366565
ML16XP1-018-230	17900	16	13	16900	9500	9	L*18/36U9	EL280UH070XE36A	203366562
ML16XP1-018-230	18000	16	13	16900	9500	9	L*18/36V9	EL280UH070XE36A	203366564
ML16XP1-018-230	18000	16	13	16900	9500	9	L*19/36S9	EL180UH040NE36A	203239627
ML16XP1-018-230	18000	16	13	16900	9600	9	L*19/36S9	EL180UH060NE36A	203239632
ML16XP1-018-230	18000	14.5	12.2	16900	9800	8.5	L*19/36S9	EL195UH040NE36B	203239637
ML16XP1-018-230	18000	16	13	16900	9500	9	L*19/36S9	EL196UH030XE24B	203239642
ML16XP1-018-230	18000	16	13	16900	9500	9	L*19/36S9	EL196UH045XE24B	203239647
ML16XP1-018-230	18000	15	12.5	16900	9600	9	L*19/36S9	EL196UH045XE36B	203239652
ML16XP1-018-230	18000	15	12.5	16900	9600	9	L*19/36S9	EL196UH070XE36B	203239657
ML16XP1-018-230	18000	15	12.5	16900	9700	9	L*19/36S9	EL280DF070E36A	203239662
ML16XP1-018-230	18000	16	13	16900	9500	9	L*19/36S9	EL280UH045E36A	203239667
ML16XP1-018-230	18000	16	13	16900	9500	9	L*19/36S9	EL280UH070E36A	203239672
ML16XP1-018-230	18000	16	13	16900	9500	9	L*19/36S9	EL280UH070XE36A	203366571
ML16XP1-018-230	18000	15	12.5	16900	9600	9	L*19/36S9	EL280UH090E36B	203239677
ML16XP1-018-230	18000	15	12.5	16900	9900	9	L*19/36S9	EL296DF045XE36B	203239682
ML16XP1-018-230	18000	15	12.5	16900	9600	8.5	L*19/36S9	EL296UH045XE36B	203239687
ML16XP1-018-230	17800	14.5	12.2	16900	9800	8.5	L*19/36S9	EL296UH070XE36B	203239692
ML16XP1-018-230	18000	15	12.5	16900	9700	9	L*19/36S9	ML180DF045E36A	203239697
ML16XP1-018-230	18000	15	12.5	16900	9900	9	L*19/36S9	ML180DF070E36B	203239702
ML16XP1-018-230	18000	16	13	16900	9700	9	L*19/36S9	ML180UH045E36A	203239707
ML16XP1-018-230	18000	15	12.5	16900	9700	8.5	L*19/36S9	ML180UH070E36B	203239712
ML16XP1-018-230	18000	15	12.5	16900	9700	9	L*19/36S9	ML193DF045XE36B	203239717
ML16XP1-018-230	18000	15	12.5	16900	9700	9	L*19/36S9	ML193DF070XE36B	203239722
ML16XP1-018-230	18000	16	13	16900	9500	9	L*19/36S9	ML193UH030XE36B	203239727
ML16XP1-018-230	18000	15	12.5	16900	9500	9	L*19/36S9	ML193UH045XE36B	203239732
ML16XP1-018-230	18000	15	12.5	16900	9500	9	L*19/36S9	ML193UH070XE36B	203239737
ML16XP1-018-230	18000	16	13	16900	9400	9	L*19/36U9	EL180UH040NE36A	203239626
ML16XP1-018-230	18000	16	13	16900	9400	9	L*19/36U9	EL180UH060NE36A	203239631
ML16XP1-018-230	18000	14.5	12.2	16900	9700	8.5	L*19/36U9	EL195UH040NE36B	203239636
ML16XP1-018-230	18000	16	13	16900	9500	9	L*19/36U9	EL196UH030XE24B	203239641
ML16XP1-018-230	18000	16	13	16900	9500	9	L*19/36U9	EL196UH045XE24B	203239646
ML16XP1-018-230	18000	15	12.5	16900	9600	9	L*19/36U9	EL196UH045XE36B	203239651
ML16XP1-018-230	18000	15	12.5	16900	9600	9	L*19/36U9	EL196UH070XE36B	203239656
ML16XP1-018-230	18000	15	12.5	16900	9700	9	L*19/36U9	EL280DF070E36A	203239661
ML16XP1-018-230	18000	16	13	16900	9600	9	L*19/36U9	EL280UH045E36A	203239666
ML16XP1-018-230	18000	16	13	16900	9400	9	L*19/36U9	EL280UH070E36A	203239671
ML16XP1-018-230	18000	16	13	16900	9500	9	L*19/36U9	EL280UH070XE36A	203366570
ML16XP1-018-230	18000	15	12.5	16900	9500	9	L*19/36U9	EL280UH090E36B	203239676
ML16XP1-018-230	18000	15	12.5	16900	9900	9	L*19/36U9	EL296DF045XE36B	203239681
ML16XP1-018-230	18000	15	12.5	16900	9600	8.5	L*19/36U9	EL296UH045XE36B	203239686
ML16XP1-018-230	17800	14.5	12.2	16900	9800	8.5	L*19/36U9	EL296UH070XE36B	203239691
ML16XP1-018-230	18000	15	12.5	16900	9700	9	L*19/36U9	ML180DF045E36A	203239696
ML16XP1-018-230	18000	15	12.5	16900	9900	9	L*19/36U9	ML180DF070E36B	203239701
ML16XP1-018-230	18000	16	13	16900	9700	9	L*19/36U9	ML180UH045E36A	203239706
ML16XP1-018-230	18000	15	12.5	16900	9700	8.5	L*19/36U9	ML180UH070E36B	203239711
ML16XP1-018-230	18000	15	12.5	16900	9700	9	L*19/36U9	ML193DF045XE36B	203239716
ML16XP1-018-230	18000	15	12.5	16900	9700	9	L*19/36U9	ML193DF070XE36B	203239721

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-018-230	18000	16	13	16900	9600	9	L*19/36U9	ML193UH030XE36B	203239726
ML16XP1-018-230	18000	15	12.5	16900	9600	9	L*19/36U9	ML193UH045XE36B	203239731
ML16XP1-018-230	18000	15	12.5	16900	9600	9	L*19/36U9	ML193UH070XE36B	203239736
ML16XP1-018-230	18000	16	13	16900	9500	9	L*29/36U9	EL280UH070XE36A	203366574
ML16XP1-018-230	18000	16	13	16900	9400	9	L*30/36U9	EL180UH040NE36A	203239628
ML16XP1-018-230	18000	16	13	16900	9400	9	L*30/36U9	EL180UH060NE36A	203239633
ML16XP1-018-230	18000	14.5	12.2	16900	9700	8.5	L*30/36U9	EL195UH040NE36B	203239638
ML16XP1-018-230	18000	16	13	16900	9500	9	L*30/36U9	EL196UH030XE24B	203239643
ML16XP1-018-230	18000	16	13	16900	9500	9	L*30/36U9	EL196UH045XE24B	203239648
ML16XP1-018-230	18000	15	12.5	16900	9600	9	L*30/36U9	EL196UH045XE36B	203239653
ML16XP1-018-230	18000	15	12.5	16900	9600	9	L*30/36U9	EL196UH070XE36B	203239658
ML16XP1-018-230	18000	16	13	16900	9300	9	L*30/36U9	EL280DF070E36A	203239663
ML16XP1-018-230	18000	16	13	16900	9500	9	L*30/36U9	EL280UH045E36A	203239668
ML16XP1-018-230	18000	16	13	16900	9400	9	L*30/36U9	EL280UH070E36A	203239673
ML16XP1-018-230	18000	16	13	16900	9500	9	L*30/36U9	EL280UH070XE36A	203366573
ML16XP1-018-230	18000	16	13	16900	9600	9	L*30/36U9	EL280UH090E36B	203239678
ML16XP1-018-230	18000	15	12.5	16900	9900	9	L*30/36U9	EL296DF045XE36B	203239683
ML16XP1-018-230	18000	15	12.5	16900	9600	8.5	L*30/36U9	EL296UH045XE36B	203239688
ML16XP1-018-230	18000	14.5	12.2	16900	9800	8.5	L*30/36U9	EL296UH070XE36B	203239693
ML16XP1-018-230	18000	16	13	16900	9300	9	L*30/36U9	ML180DF045E36A	203239698
ML16XP1-018-230	18000	15	12.5	16900	9900	9	L*30/36U9	ML180DF070E36B	203239703
ML16XP1-018-230	18000	16	13	16900	9700	9	L*30/36U9	ML180UH045E36A	203239708
ML16XP1-018-230	18000	15	12.5	16900	9700	8.5	L*30/36U9	ML180UH070E36B	203239713
ML16XP1-018-230	18000	15	12.5	16900	9700	9	L*30/36U9	ML193DF045XE36B	203239718
ML16XP1-018-230	18000	15	12.5	16900	9700	9	L*30/36U9	ML193DF070XE36B	203239723
ML16XP1-018-230	18000	16	13	16900	9500	9	L*30/36U9	ML193UH030XE36B	203239728
ML16XP1-018-230	18000	16	13	16900	9600	9	L*30/36U9	ML193UH045XE36B	203239733
ML16XP1-018-230	18000	16	13	16900	9600	9	L*30/36U9	ML193UH070XE36B	203239738
ML16XP1-018-230	18000	16	13	16900	9500	9	L*35/36U9	EL280UH070XE36A	203366575
ML16XP1-018-230	18000	15	12.5	15700	9300	9	LD19/25Z9	EL280DF070E36A	205147431
ML16XP1-018-230	18000	15	12.5	15800	9300	9	LD19/25Z9	ML180DF045E36A	205147433
ML16XP1-018-230	18000	15	12.5	16300	9900	9	LD19/36Z9	EL296DF045XE36B	205147432
ML16XP1-018-230	18000	15	12.5	16300	9900	9	LD19/36Z9	ML180DF070E36B	205147434
ML16XP1-018-230	18000	15	12.5	16100	9700	9	LD19/36Z9	ML193DF045XE36B	205147435
ML16XP1-018-230	18000	15	12.5	16100	9700	9	LD19/36Z9	ML193DF070XE36B	205147436
ML16XP1-018-230	17000	16	12.2	16900	9200	8.5	LEC249C03		203353941
ML16XP1-018-230	17900	16	13	16900	9500	9	LH18/36D9	EL280UH070XE36A	203366561
ML16XP1-018-230	17900	16	13	16900	9500	9	LH18/36R9	EL280UH070XE36A	203366560
ML16XP1-018-230	18000	16	13	16900	9500	9	LH18/37D9	EL280UH070XE36A	203366577
ML16XP1-018-230	18000	16	13	16900	9500	9	LH18/37R9	EL280UH070XE36A	203366576
ML16XP1-018-230	18000	16	13	16900	9400	9	LH29/36F9	EL180UH040NE36A	203239625
ML16XP1-018-230	18000	16	13	16900	9400	9	LH29/36F9	EL180UH060NE36A	203239630
ML16XP1-018-230	18000	14.5	12.2	16900	9700	8.5	LH29/36F9	EL195UH040NE36B	203239635
ML16XP1-018-230	18000	16	13	16900	9500	9	LH29/36F9	EL196UH030XE24B	203239640
ML16XP1-018-230	18000	16	13	16900	9500	9	LH29/36F9	EL196UH045XE24B	203239645
ML16XP1-018-230	18000	15	12.5	16900	9600	9	LH29/36F9	EL196UH045XE36B	203239650
ML16XP1-018-230	18000	15	12.5	16900	9600	9	LH29/36F9	EL196UH070XE36B	203239655
ML16XP1-018-230	18000	15	12.5	16900	9700	9	LH29/36F9	EL280DF070E36A	203239660
ML16XP1-018-230	18000	16	13	16900	9500	9	LH29/36F9	EL280UH045E36A	203239665
ML16XP1-018-230	18000	16	13	16900	9400	9	LH29/36F9	EL280UH070E36A	203239670
ML16XP1-018-230	18000	16	13	16900	9500	9	LH29/36F9	EL280UH070XE36A	203366567
ML16XP1-018-230	18000	15	12.5	16900	9500	9	LH29/36F9	EL280UH090E36B	203239675
ML16XP1-018-230	18000	15	12.5	16900	9900	9	LH29/36F9	EL296DF045XE36B	203239680
ML16XP1-018-230	18000	15	12.5	16900	9600	8.5	LH29/36F9	EL296UH045XE36B	203239685

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-018-230	17800	14.5	12.2	16900	9800	8.5	LH29/36F9	EL296UH070XE36B	203239690
ML16XP1-018-230	18000	15	12.5	16900	9300	9	LH29/36F9	ML180DF045E36A	203239695
ML16XP1-018-230	18000	15	12.5	16900	9900	9	LH29/36F9	ML180DF070E36B	203239700
ML16XP1-018-230	18000	16	13	16900	9700	9	LH29/36F9	ML180UH045E36A	203239705
ML16XP1-018-230	18000	15	12.5	16900	9700	8.5	LH29/36F9	ML180UH070E36B	203239710
ML16XP1-018-230	18000	15	12.5	16900	9700	9	LH29/36F9	ML193DF045XE36B	203239715
ML16XP1-018-230	18000	15	12.5	16900	9700	9	LH29/36F9	ML193DF070XE36B	203239720
ML16XP1-018-230	18000	16	13	16900	9500	9	LH29/36F9	ML193UH030XE36B	203239725
ML16XP1-018-230	18000	15	12.5	16900	9500	9	LH29/36F9	ML193UH045XE36B	203239730
ML16XP1-018-230	18000	15	12.5	16900	9500	9	LH29/36F9	ML193UH070XE36B	203239735
ML16XP1-018-230	18000	16	13	16900	9600	9	LH29/36X9	EL180UH040NE36A	203239624
ML16XP1-018-230	18000	16	13	16900	9600	9	LH29/36X9	EL180UH060NE36A	203239629
ML16XP1-018-230	18000	14.5	12.2	16900	9800	8.5	LH29/36X9	EL195UH040NE36B	203239634
ML16XP1-018-230	18000	16	13	16900	9500	9	LH29/36X9	EL196UH030XE24B	203239639
ML16XP1-018-230	18000	16	13	16900	9500	9	LH29/36X9	EL196UH045XE24B	203239644
ML16XP1-018-230	18000	15	12.5	16900	9600	9	LH29/36X9	EL196UH045XE36B	203239649
ML16XP1-018-230	18000	15	12.5	16900	9600	9	LH29/36X9	EL196UH070XE36B	203239654
ML16XP1-018-230	18000	15	12.5	16900	9300	9	LH29/36X9	EL280DF070E36A	203239659
ML16XP1-018-230	18000	16	13	16900	9500	9	LH29/36X9	EL280UH045E36A	203239664
ML16XP1-018-230	18000	16	13	16900	9500	9	LH29/36X9	EL280UH070E36A	203239669
ML16XP1-018-230	18000	16	13	16900	9500	9	LH29/36X9	EL280UH070XE36A	203366566
ML16XP1-018-230	18000	15	12.5	16900	9600	9	LH29/36X9	EL280UH090E36B	203239674
ML16XP1-018-230	18000	15	12.5	16900	9900	9	LH29/36X9	EL296DF045XE36B	203239679
ML16XP1-018-230	18000	15	12.5	16900	9600	8.5	LH29/36X9	EL296UH045XE36B	203239684
ML16XP1-018-230	17800	14.5	12.2	16900	9800	8.5	LH29/36X9	EL296UH070XE36B	203239689
ML16XP1-018-230	18000	15	12.5	16900	9300	9	LH29/36X9	ML180DF045E36A	203239694
ML16XP1-018-230	18000	15	12.5	16900	9900	9	LH29/36X9	ML180DF070E36B	203239699
ML16XP1-018-230	18000	16	13	16900	9700	9	LH29/36X9	ML180UH045E36A	203239704
ML16XP1-018-230	18000	15	12.5	16900	9700	8.5	LH29/36X9	ML180UH070E36B	203239709
ML16XP1-018-230	18000	15	12.5	16900	9700	9	LH29/36X9	ML193DF045XE36B	203239714
ML16XP1-018-230	18000	15	12.5	16900	9700	9	LH29/36X9	ML193DF070XE36B	203239719
ML16XP1-018-230	18000	16	13	16900	9600	9	LH29/36X9	ML193UH030XE36B	203239724
ML16XP1-018-230	18000	15	12.5	16900	9600	9	LH29/36X9	ML193UH045XE36B	203239729
ML16XP1-018-230	18000	15	12.5	16900	9600	9	LH29/36X9	ML193UH070XE36B	203239734
ML16XP1-018-230	18000	16	13	16900	9500	9	LH35/36E9	EL280UH070XE36A	203366558
ML16XP1-018-230	18000	16	13	16900	9500	9	LH35/36F9	EL280UH070XE36A	203366569
ML16XP1-018-230	18000	16	13	16900	9500	9	LH35/36W9	EL280UH070XE36A	203366557
ML16XP1-018-230	18000	16	13	16900	9500	9	LH35/36X9	EL280UH070XE36A	203366568
ML16XP1-018-230	18000	16	13	16900	9500	9	LH35/38X9	EL280UH070XE36A	203366572
ML16XP1-024-230	23800	17	13	21800	12700	8.5	L*18/36T9	EL280UH070XE36A	203366578
ML16XP1-024-230	24000	17	13	21800	12700	9	L*19/36S9	EL180UH040NE36A	203239740
ML16XP1-024-230	23800	17	13	21800	12700	9	L*19/36S9	EL180UH060NE36A	203239743
ML16XP1-024-230	23800	17	13	21800	12200	9	L*19/36S9	EL195UH040NE36B	203239746
ML16XP1-024-230	23800	17	13	21800	12300	9	L*19/36S9	EL195UH060NE36B	203239749
ML16XP1-024-230	24000	17	13	21800	12700	8.5	L*19/36S9	EL196UH030XE24B	203239752
ML16XP1-024-230	24000	17	13	21800	12700	8.5	L*19/36S9	EL196UH045XE24B	203239755
ML16XP1-024-230	23800	17	13	21800	12200	9	L*19/36S9	EL196UH045XE36B	203239758
ML16XP1-024-230	23800	17	13	21800	12200	9	L*19/36S9	EL196UH070XE36B	203239761
ML16XP1-024-230	24000	16	13	21800	13100	9	L*19/36S9	EL280DF070E36A	203239764
ML16XP1-024-230	23800	17	13	21800	13000	9	L*19/36S9	EL280UH045E36A	203239767
ML16XP1-024-230	23800	17	13	21800	12900	9	L*19/36S9	EL280UH070E36A	203239770
ML16XP1-024-230	23800	17	13	21800	12900	9	L*19/36S9	EL280UH070XE36A	203366582
ML16XP1-024-230	24000	17	13	21800	12800	9	L*19/36S9	EL280UH090E36B	203239773
ML16XP1-024-230	24000	16	13	21800	13000	9	L*19/36S9	EL296DF045XE36B	203239776

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-024-230	24000	16	13	21800	13100	9	L*19/36S9	EL296DF045XV36B	203239779
ML16XP1-024-230	24000	16	13	21800	13000	9	L*19/36S9	EL296DF070XE48B	203239782
ML16XP1-024-230	24000	16	13	21800	12700	8.5	L*19/36S9	EL296UH045XE36B	203239785
ML16XP1-024-230	23800	17	13	21800	12200	9	L*19/36S9	EL296UH045XV36B	203239788
ML16XP1-024-230	23800	17	13	21800	12300	9	L*19/36S9	EL296UH070XE36B	203239791
ML16XP1-024-230	23800	17	13	21800	12200	9	L*19/36S9	EL296UH070XV36B	203239794
ML16XP1-024-230	24000	16	13	21800	13200	9	L*19/36S9	ML180DF045E36A	203239797
ML16XP1-024-230	24000	16	13	21800	13000	9	L*19/36S9	ML180DF070E36B	203239800
ML16XP1-024-230	23800	17	13	21800	13000	9	L*19/36S9	ML180UH045E36A	203239803
ML16XP1-024-230	23800	17	13	21800	12200	9	L*19/36S9	ML180UH070E36B	203239806
ML16XP1-024-230	24000	16	13	21800	13000	8.5	L*19/36S9	ML193DF045XE36B	203239809
ML16XP1-024-230	24000	16	13	21800	13000	8.5	L*19/36S9	ML193DF070XE36B	203239812
ML16XP1-024-230	23800	17	13	21800	12400	9	L*19/36S9	ML193UH030XE36B	203239815
ML16XP1-024-230	24000	17	13	21800	12700	8.5	L*19/36S9	ML193UH045XE36B	203239818
ML16XP1-024-230	23800	17	13	21800	12200	9	L*19/36S9	ML193UH070XE36B	203239821
ML16XP1-024-230	24000	16	13	21800	13100	9	L*19/36S9	ML296DF045XV36B	203239824
ML16XP1-024-230	23800	17	13	21800	12200	9	L*19/36S9	ML296UH045XV36B	203239827
ML16XP1-024-230	23800	17	13	21800	12200	9	L*19/36S9	ML296UH070XV36B	203239830
ML16XP1-024-230	24000	16	13	21800	13100	9	L*19/36S9	SL280DF070V36A	203239833
ML16XP1-024-230	24000	17	13	21800	12600	9	L*19/36S9	SL280UH060NV36A	203239836
ML16XP1-024-230	24000	17	13	21800	12700	9	L*19/36S9	SL280UH070V36A	203239839
ML16XP1-024-230	24000	17	13	21800	12700	9	L*19/36S9	SL280UH070XV36A	203239842
ML16XP1-024-230	24000	17	13	21800	12600	9	L*19/36S9	SL280UH090V36B	203239845
ML16XP1-024-230	23800	17	13	21800	12200	9	L*19/36S9	SL297UH040NV36B	203239848
ML16XP1-024-230	23800	17	13	21800	12200	9	L*19/36S9	SL297UH060NV36B	203239851
ML16XP1-024-230	24000	16	13	22400	13100	9	L*19/36S9	SLP99DF070XV36B	205760631
ML16XP1-024-230	23800	17	13	21800	12200	9	L*19/36S9	SLP99UH070XV36B	205763756
ML16XP1-024-230	23800	14.5	12.2	21800	13600	8.5	L*19/36S9		203240821
ML16XP1-024-230	23800	17	13	21800	12900	9	L*24/42S9	EL280UH070XE36A	203366583
ML16XP1-024-230	24000	17	13	21800	12900	9	L*29/36U9	EL280UH070XE36A	203366586
ML16XP1-024-230	24000	17	13	21800	12700	9	L*30/36U9	EL180UH040NE36A	203239741
ML16XP1-024-230	24000	17	13	21800	12600	9	L*30/36U9	EL180UH060NE36A	203239744
ML16XP1-024-230	24000	17	13	21800	12200	9	L*30/36U9	EL195UH040NE36B	203239747
ML16XP1-024-230	24000	17	13	21800	12300	9	L*30/36U9	EL195UH060NE36B	203239750
ML16XP1-024-230	24000	17	13	21800	12200	8.5	L*30/36U9	EL196UH030XE24B	203239753
ML16XP1-024-230	24000	17	13	21800	12200	8.5	L*30/36U9	EL196UH045XE24B	203239756
ML16XP1-024-230	24000	17	13	21800	12200	9	L*30/36U9	EL196UH045XE36B	203239759
ML16XP1-024-230	24000	17	13	21800	12200	9	L*30/36U9	EL196UH070XE36B	203239762
ML16XP1-024-230	24000	16	13	21800	13100	9	L*30/36U9	EL280DF070E36A	203239765
ML16XP1-024-230	24000	17	13	21800	13000	9	L*30/36U9	EL280UH045E36A	203239768
ML16XP1-024-230	24000	17	13	21800	12900	9	L*30/36U9	EL280UH070E36A	203239771
ML16XP1-024-230	24000	17	13	21800	12900	9	L*30/36U9	EL280UH070XE36A	203366585
ML16XP1-024-230	24000	17	13	21800	12300	9	L*30/36U9	EL280UH090E36B	203239774
ML16XP1-024-230	24000	16	13	21800	13000	9	L*30/36U9	EL296DF045XE36B	203239777
ML16XP1-024-230	24000	16	13	21800	13100	9	L*30/36U9	EL296DF045XV36B	203239780
ML16XP1-024-230	24000	16	13	21800	13000	9	L*30/36U9	EL296DF070XE48B	203239783
ML16XP1-024-230	24000	16	13	21800	12800	9	L*30/36U9	EL296UH045XE36B	203239786
ML16XP1-024-230	24000	17	13	21800	12700	9	L*30/36U9	EL296UH045XV36B	203239789
ML16XP1-024-230	24000	17	13	21800	12300	9	L*30/36U9	EL296UH070XE36B	203239792
ML16XP1-024-230	24000	17	13	21800	12200	9	L*30/36U9	EL296UH070XV36B	203239795
ML16XP1-024-230	24000	16	13	21800	13200	9	L*30/36U9	ML180DF045E36A	203239798
ML16XP1-024-230	24000	16	13	21800	13000	9	L*30/36U9	ML180DF070E36B	203239801
ML16XP1-024-230	24000	17	13	21800	12900	9	L*30/36U9	ML180UH045E36A	203239804
ML16XP1-024-230	24000	17	13	21800	12200	9	L*30/36U9	ML180UH070E36B	203239807

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-024-230	24000	16	13	21800	13000	8.5	L*30/36U9	ML193DF045XE36B	203239810
ML16XP1-024-230	24000	16	13	21800	13000	8.5	L*30/36U9	ML193DF070XE36B	203239813
ML16XP1-024-230	24000	17	13	21800	12400	9	L*30/36U9	ML193UH030XE36B	203239816
ML16XP1-024-230	24000	17	13	21800	12700	8.5	L*30/36U9	ML193UH045XE36B	203239819
ML16XP1-024-230	24000	17	13	21800	12200	9	L*30/36U9	ML193UH070XE36B	203239822
ML16XP1-024-230	24000	16	13	21800	13100	9	L*30/36U9	ML296DF045XV36B	203239825
ML16XP1-024-230	24000	17	13	21800	12700	9	L*30/36U9	ML296UH045XV36B	203239828
ML16XP1-024-230	24000	17	13	21800	12800	9	L*30/36U9	ML296UH070XV36B	203239831
ML16XP1-024-230	24000	16	13	21800	13100	9	L*30/36U9	SL280DF070V36A	203239834
ML16XP1-024-230	24000	17	13	21800	12600	9	L*30/36U9	SL280UH060NV36A	203239837
ML16XP1-024-230	24000	17	13	21800	12700	9	L*30/36U9	SL280UH070V36A	203239840
ML16XP1-024-230	24000	17	13	21800	12700	9	L*30/36U9	SL280UH070XV36A	203239843
ML16XP1-024-230	24000	17	13	21800	12600	9	L*30/36U9	SL280UH090V36B	203239846
ML16XP1-024-230	24000	17	13	21800	12200	9	L*30/36U9	SL297UH040NV36B	203239849
ML16XP1-024-230	24000	17	13	21800	12200	9	L*30/36U9	SL297UH060NV36B	203239852
ML16XP1-024-230	24000	16	13	22400	13100	9	L*30/36U9	SLP99DF070XV36B	205760633
ML16XP1-024-230	24000	17	13	21800	12200	9	L*30/36U9	SLP99UH070XV36B	205763758
ML16XP1-024-230	24000	14.5	12.2	21800	13400	8.5	L*30/36U9		203240822
ML16XP1-024-230	24000	17	13	21800	12900	9	L*35/36U9	EL280UH070XE36A	203366587
ML16XP1-024-230	24000	16	13	22200	13000	9	LD24/35Z9	ML196DF045XE36B	205707598
ML16XP1-024-230	24000	16	13	22200	13100	9	LD24/35Z9	ML196DF070XE48B	205707599
ML16XP1-024-230	24000	14.5	12.2	20800	13400	8.5	LD24/35Z9		204755190
ML16XP1-024-230	24000	17	13	21800	12900	9	LH18/37D9	EL280UH070XE36A	203366589
ML16XP1-024-230	24000	17	13	21800	12900	9	LH18/37R9	EL280UH070XE36A	203366588
ML16XP1-024-230	24000	17	13	21800	12700	9	LH29/36F9	EL180UH040NE36A	203239739
ML16XP1-024-230	23800	17	13	21800	12700	9	LH29/36F9	EL180UH060NE36A	203239742
ML16XP1-024-230	23800	17	13	21800	12200	9	LH29/36F9	EL195UH040NE36B	203239745
ML16XP1-024-230	23800	17	13	21800	12300	9	LH29/36F9	EL195UH060NE36B	203239748
ML16XP1-024-230	24000	17	13	21800	12700	8.5	LH29/36F9	EL196UH030XE24B	203239751
ML16XP1-024-230	24000	17	13	21800	12700	8.5	LH29/36F9	EL196UH045XE24B	203239754
ML16XP1-024-230	23800	17	13	21800	12200	9	LH29/36F9	EL196UH045XE36B	203239757
ML16XP1-024-230	23800	17	13	21800	12200	9	LH29/36F9	EL196UH070XE36B	203239760
ML16XP1-024-230	24000	16	13	21800	13100	9	LH29/36F9	EL280DF070E36A	203239763
ML16XP1-024-230	23800	17	13	21800	13000	9	LH29/36F9	EL280UH045E36A	203239766
ML16XP1-024-230	23800	17	13	21800	12900	9	LH29/36F9	EL280UH070E36A	203239769
ML16XP1-024-230	23800	17	13	21800	12900	9	LH29/36F9	EL280UH070XE36A	203366579
ML16XP1-024-230	24000	17	13	21800	12800	9	LH29/36F9	EL280UH090E36B	203239772
ML16XP1-024-230	24000	16	13	21800	13000	9	LH29/36F9	EL296DF045XE36B	203239775
ML16XP1-024-230	24000	16	13	21800	13100	9	LH29/36F9	EL296DF045XV36B	203239778
ML16XP1-024-230	24000	16	13	21800	13000	9	LH29/36F9	EL296DF070XE48B	203239781
ML16XP1-024-230	24000	16	13	21800	12700	8.5	LH29/36F9	EL296UH045XE36B	203239784
ML16XP1-024-230	23800	17	13	21800	12200	9	LH29/36F9	EL296UH045XV36B	203239787
ML16XP1-024-230	23800	17	13	21800	12300	9	LH29/36F9	EL296UH070XE36B	203239790
ML16XP1-024-230	23800	17	13	21800	12200	9	LH29/36F9	EL296UH070XV36B	203239793
ML16XP1-024-230	24000	16	13	21800	13200	9	LH29/36F9	ML180DF045E36A	203239796
ML16XP1-024-230	24000	16	13	21800	13000	9	LH29/36F9	ML180DF070E36B	203239799
ML16XP1-024-230	23800	17	13	21800	13000	9	LH29/36F9	ML180UH045E36A	203239802
ML16XP1-024-230	23800	17	13	21800	12200	9	LH29/36F9	ML180UH070E36B	203239805
ML16XP1-024-230	24000	16	13	21800	13000	8.5	LH29/36F9	ML193DF045XE36B	203239808
ML16XP1-024-230	24000	16	13	21800	13000	8.5	LH29/36F9	ML193DF070XE36B	203239811
ML16XP1-024-230	23800	17	13	21800	12400	9	LH29/36F9	ML193UH030XE36B	203239814
ML16XP1-024-230	24000	17	13	21800	12700	8.5	LH29/36F9	ML193UH045XE36B	203239817
ML16XP1-024-230	23800	17	13	21800	12200	9	LH29/36F9	ML193UH070XE36B	203239820
ML16XP1-024-230	24000	16	13	21800	13100	9	LH29/36F9	ML296DF045XV36B	203239823

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-024-230	23800	17	13	21800	12200	9	LH29/36F9	ML296UH045XV36B	203239826
ML16XP1-024-230	23800	17	13	21800	12200	9	LH29/36F9	ML296UH070XV36B	203239829
ML16XP1-024-230	24000	16	13	21800	13100	9	LH29/36F9	SL280DF070V36A	203239832
ML16XP1-024-230	24000	17	13	21800	12600	9	LH29/36F9	SL280UH060NV36A	203239835
ML16XP1-024-230	24000	17	13	21800	12700	9	LH29/36F9	SL280UH070V36A	203239838
ML16XP1-024-230	24000	17	13	21800	12700	9	LH29/36F9	SL280UH070XV36A	203239841
ML16XP1-024-230	24000	17	13	21800	12600	9	LH29/36F9	SL280UH090V36B	203239844
ML16XP1-024-230	23800	17	13	21800	12200	9	LH29/36F9	SL297UH040NV36B	203239847
ML16XP1-024-230	23800	17	13	21800	12200	9	LH29/36F9	SL297UH060NV36B	203239850
ML16XP1-024-230	23800	17	13	21800	12200	9	LH29/36F9	SLP99UH070XV36B	205763753
ML16XP1-024-230	23800	14.5	12.2	21800	13500	8.5	LH29/36F9		203240820
ML16XP1-024-230	24000	17	13	21800	12900	9	LH35/36F9	EL280UH070XE36A	203366581
ML16XP1-024-230	24000	17	13	21800	12900	9	LH35/36X9	EL280UH070XE36A	203366580
ML16XP1-024-230	24000	17	13	21800	12900	9	LH35/38X9	EL280UH070XE36A	203366584
ML16XP1-024-230	23800	14.5	12.2	21000	13300	8.2	LS*25933E		205304030
ML16XP1-030-230	29600	15	12	27000	17900	8.5	CE3005C		203383972
ML16XP1-030-230	29600	14	12.2	27000	17900	8.5	CP3005C		204118532
ML16XP1-030-230	28800	15	12.5	27000	16800	8.5	L*18/36S9	EL280UH090XE48B	203366606
ML16XP1-030-230	29800	15	12.5	27000	16800	8.5	L*18/36T9	EL280UH070XE36A	203366590
ML16XP1-030-230	29800	16	13	27000	16600	8.5	L*18/36T9	EL280UH090XE48B	203366607
ML16XP1-030-230	29800	16	13	27000	16600	9	L*19/36S9	EL180UH040NE36A	203239862
ML16XP1-030-230	29800	16	13	27000	16600	9	L*19/36S9	EL180UH060NE36A	203239867
ML16XP1-030-230	30000	16	13	27000	16600	8.5	L*19/36S9	EL180UH080NE48B	203239872
ML16XP1-030-230	29600	16	12.5	27000	17200	9	L*19/36S9	EL195UH040NE36B	203239877
ML16XP1-030-230	29600	16	12.5	27000	17100	9	L*19/36S9	EL195UH060NE36B	203239882
ML16XP1-030-230	29200	15	12.5	27000	16300	8.5	L*19/36S9	EL195UH080NE48C	203239887
ML16XP1-030-230	29600	16	12.5	27000	16900	8.5	L*19/36S9	EL196UH030XE24B	203239892
ML16XP1-030-230	29600	16	12.5	27000	16900	8.5	L*19/36S9	EL196UH045XE24B	203239897
ML16XP1-030-230	29600	16	12.5	27000	17100	9	L*19/36S9	EL196UH045XE36B	203239902
ML16XP1-030-230	29600	16	12.5	27000	17100	9	L*19/36S9	EL196UH070XE36B	203239907
ML16XP1-030-230	29200	16	13	27000	16200	8.5	L*19/36S9	EL196UH090XE48C	203239912
ML16XP1-030-230	30000	15	12.5	27000	17400	9	L*19/36S9	EL280DF070E36A	203239917
ML16XP1-030-230	30000	16	13	27000	17500	9	L*19/36S9	EL280DF090E48B	203239922
ML16XP1-030-230	30000	16	13	27000	16800	8.5	L*19/36S9	EL280UH045E36A	203239927
ML16XP1-030-230	29600	16	12.5	27000	17100	8.5	L*19/36S9	EL280UH070E36A	203239932
ML16XP1-030-230	29600	16	12.5	27000	17100	8.5	L*19/36S9	EL280UH070XE36A	203366596
ML16XP1-030-230	30000	16	13	27000	16900	8.5	L*19/36S9	EL280UH090E36B	203239937
ML16XP1-030-230	30000	16	13	27000	16600	8.5	L*19/36S9	EL280UH090E48B	203239942
ML16XP1-030-230	30000	16	13	27000	16600	8.5	L*19/36S9	EL280UH090XE48B	203366613
ML16XP1-030-230	29200	15	12.5	27000	16300	8.5	L*19/36S9	EL280UH110E48C	203239947
ML16XP1-030-230	30000	15	12.5	27000	17400	9	L*19/36S9	EL296DF045XE36B	203239952
ML16XP1-030-230	30000	15	12.5	27000	17400	9	L*19/36S9	EL296DF045XV36B	203239957
ML16XP1-030-230	30000	16	13	27000	17400	9	L*19/36S9	EL296DF070XE48B	203239962
ML16XP1-030-230	30000	15	12.5	27000	17400	9	L*19/36S9	EL296DF070XV48B	203239967
ML16XP1-030-230	29200	15	12.5	27000	16600	9	L*19/36S9	EL296UH045XE36B	203239972
ML16XP1-030-230	29600	16	12.5	27000	17100	8.5	L*19/36S9	EL296UH045XV36B	203239977
ML16XP1-030-230	29600	16	12.5	27000	17100	8.5	L*19/36S9	EL296UH070XE36B	203239982
ML16XP1-030-230	29600	16	12.5	27000	17100	9	L*19/36S9	EL296UH070XV36B	203239987
ML16XP1-030-230	30000	15	12.5	27000	16500	8.5	L*19/36S9	EL296UH090XE48C	203239992
ML16XP1-030-230	29400	15	12.5	27000	16300	8.5	L*19/36S9	EL296UH090XV36C	203239997
ML16XP1-030-230	29800	16	13	27000	16300	8.5	L*19/36S9	EL296UH090XV48C	203240002
ML16XP1-030-230	30000	15	12.5	27000	17500	9	L*19/36S9	ML180DF045E36A	203240007
ML16XP1-030-230	30000	16	13	27000	17300	9	L*19/36S9	ML180DF070E36B	203240012
ML16XP1-030-230	30000	16	13	27000	17200	9	L*19/36S9	ML180DF090E48B	203240017

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-030-230	29600	16	12.5	27000	17000	8.5	L*19/36S9	ML180UH045E36A	203240022
ML16XP1-030-230	29400	16	13	27000	16500	9	L*19/36S9	ML180UH070E36B	203240027
ML16XP1-030-230	29400	16	13	27000	16400	9	L*19/36S9	ML180UH090E48B	203240032
ML16XP1-030-230	30000	15	12.5	27000	17400	9	L*19/36S9	ML193DF045XE36B	203240037
ML16XP1-030-230	30000	15	12.5	27000	17400	9	L*19/36S9	ML193DF070XE36B	203240042
ML16XP1-030-230	29200	15	12.5	27000	16700	9	L*19/36S9	ML193UH030XE36B	203240047
ML16XP1-030-230	29200	15	12.5	27000	16700	9	L*19/36S9	ML193UH045XE36B	203240052
ML16XP1-030-230	29600	16	12.5	27000	17100	9	L*19/36S9	ML193UH070XE36B	203240057
ML16XP1-030-230	29400	15	12.5	27000	16300	8.5	L*19/36S9	ML193UH090XE36C	203240062
ML16XP1-030-230	29200	15	12.5	27000	16200	8.5	L*19/36S9	ML193UH090XE48C	203240067
ML16XP1-030-230	29200	15	12.5	27000	16200	8.5	L*19/36S9	ML193UH110XE48C	203240072
ML16XP1-030-230	30000	15	12.5	27000	17400	9	L*19/36S9	ML296DF045XV36B	203240077
ML16XP1-030-230	30000	15	12.5	27000	17400	9	L*19/36S9	ML296DF070XV48B	203240082
ML16XP1-030-230	29600	16	12.5	27000	17100	8.5	L*19/36S9	ML296UH045XV36B	203240087
ML16XP1-030-230	29600	16	12.5	27000	17100	9	L*19/36S9	ML296UH070XV36B	203240092
ML16XP1-030-230	29800	16	13	27000	16300	8.5	L*19/36S9	ML296UH090XV48C	203240097
ML16XP1-030-230	30000	15	12.5	27000	17400	9	L*19/36S9	SL280DF070V36A	203240102
ML16XP1-030-230	30000	16	13	27000	17300	9	L*19/36S9	SL280DF090V48B	203240107
ML16XP1-030-230	29800	16	13	27000	16700	9	L*19/36S9	SL280UH060NV36A	203240112
ML16XP1-030-230	29600	16	12.5	27000	17100	9	L*19/36S9	SL280UH070V36A	203240117
ML16XP1-030-230	29600	16	12.5	27000	17100	9	L*19/36S9	SL280UH070XV36A	203240122
ML16XP1-030-230	29400	16	13	27000	16400	9	L*19/36S9	SL280UH080NV48B	203240127
ML16XP1-030-230	29400	16	13	27000	16400	9	L*19/36S9	SL280UH090V36B	203240132
ML16XP1-030-230	29400	16	13	27000	16500	9	L*19/36S9	SL280UH090V48B	203240137
ML16XP1-030-230	30000	16	13	27000	16700	8.5	L*19/36S9	SL297UH040NV36B	203240142
ML16XP1-030-230	29600	16	12.5	27000	17200	9	L*19/36S9	SL297UH060NV36B	203240147
ML16XP1-030-230	29800	15	12.5	27000	16300	8.5	L*19/36S9	SL297UH080NV48C	203240152
ML16XP1-030-230	30000	15	12.5	28400	17500	9	L*19/36S9	SLP99DF070XV36B	205760640
ML16XP1-030-230	29600	16	12.5	27000	17100	9	L*19/36S9	SLP99UH070XV36B	205761664
ML16XP1-030-230	29400	15	12.5	27000	16300	8.5	L*19/36S9	SLP99UH090XV36C	205760652
ML16XP1-030-230	29800	16	13	27000	16300	8.5	L*19/36S9	SLP99UH090XV48C	205760663
ML16XP1-030-230	29600	14	12.2	27000	17900	8.5	L*19/36S9		203240826
ML16XP1-030-230	29800	16	13	27000	16600	9	L*19/36U9	EL180UH040NE36A	203239861
ML16XP1-030-230	29800	16	13	27000	16600	9	L*19/36U9	EL180UH060NE36A	203239866
ML16XP1-030-230	30000	16	13	27000	16600	8.5	L*19/36U9	EL180UH080NE48B	203239871
ML16XP1-030-230	29600	16	12.5	27000	17200	9	L*19/36U9	EL195UH040NE36B	203239876
ML16XP1-030-230	29600	16	12.5	27000	17100	9	L*19/36U9	EL195UH060NE36B	203239881
ML16XP1-030-230	29200	15	12.5	27000	16300	8.5	L*19/36U9	EL195UH080NE48C	203239886
ML16XP1-030-230	29600	16	12.5	27000	16900	8.5	L*19/36U9	EL196UH030XE24B	203239891
ML16XP1-030-230	29600	16	12.5	27000	16900	8.5	L*19/36U9	EL196UH045XE24B	203239896
ML16XP1-030-230	29600	16	12.5	27000	17100	9	L*19/36U9	EL196UH045XE36B	203239901
ML16XP1-030-230	29600	16	12.5	27000	17100	9	L*19/36U9	EL196UH070XE36B	203239906
ML16XP1-030-230	29200	16	13	27000	16200	8.5	L*19/36U9	EL196UH090XE48C	203239911
ML16XP1-030-230	30000	15	12.5	27000	17400	9	L*19/36U9	EL280DF070E36A	203239916
ML16XP1-030-230	30000	16	13	27000	17500	9	L*19/36U9	EL280DF090E48B	203239921
ML16XP1-030-230	30000	16	13	27000	16800	8.5	L*19/36U9	EL280UH045E36A	203239926
ML16XP1-030-230	29600	16	12.5	27000	17100	8.5	L*19/36U9	EL280UH070E36A	203239931
ML16XP1-030-230	29600	16	12.5	27000	17100	8.5	L*19/36U9	EL280UH070XE36A	203366595
ML16XP1-030-230	30000	16	13	27000	16900	8.5	L*19/36U9	EL280UH090E36B	203239936
ML16XP1-030-230	30000	16	13	27000	16600	8.5	L*19/36U9	EL280UH090E48B	203239941
ML16XP1-030-230	30000	16	13	27000	16600	8.5	L*19/36U9	EL280UH090XE48B	203366612
ML16XP1-030-230	29200	15	12.5	27000	16300	8.5	L*19/36U9	EL280UH110E48C	203239946
ML16XP1-030-230	30000	15	12.5	27000	17400	9	L*19/36U9	EL296DF045XE36B	203239951
ML16XP1-030-230	30000	15	12.5	27000	17400	9	L*19/36U9	EL296DF045XV36B	203239956

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-030-230	30000	16	13	27000	17400	9	L*19/36U9	EL296DF070XE48B	203239961
ML16XP1-030-230	30000	15	12.5	27000	17400	9	L*19/36U9	EL296DF070XV48B	203239966
ML16XP1-030-230	29200	15	12.5	27000	16600	9	L*19/36U9	EL296UH045XE36B	203239971
ML16XP1-030-230	29600	16	12.5	27000	17100	8.5	L*19/36U9	EL296UH045XV36B	203239976
ML16XP1-030-230	29600	16	12.5	27000	17100	8.5	L*19/36U9	EL296UH070XE36B	203239981
ML16XP1-030-230	29600	16	12.5	27000	17100	9	L*19/36U9	EL296UH070XV36B	203239986
ML16XP1-030-230	30000	15	12.5	27000	16500	8.5	L*19/36U9	EL296UH090XE48C	203239991
ML16XP1-030-230	29400	15	12.5	27000	16300	8.5	L*19/36U9	EL296UH090XV36C	203239996
ML16XP1-030-230	29800	16	13	27000	16300	8.5	L*19/36U9	EL296UH090XV48C	203240001
ML16XP1-030-230	30000	15	12.5	27000	17500	9	L*19/36U9	ML180DF045E36A	203240006
ML16XP1-030-230	30000	16	13	27000	17300	9	L*19/36U9	ML180DF070E36B	203240011
ML16XP1-030-230	30000	16	13	27000	17200	9	L*19/36U9	ML180DF090E48B	203240016
ML16XP1-030-230	29600	16	12.5	27000	17000	8.5	L*19/36U9	ML180UH045E36A	203240021
ML16XP1-030-230	29400	16	13	27000	16500	9	L*19/36U9	ML180UH070E36B	203240026
ML16XP1-030-230	29400	16	13	27000	16400	9	L*19/36U9	ML180UH090E48B	203240031
ML16XP1-030-230	30000	15	12.5	27000	17400	9	L*19/36U9	ML193DF045XE36B	203240036
ML16XP1-030-230	30000	15	12.5	27000	17400	9	L*19/36U9	ML193DF070XE36B	203240041
ML16XP1-030-230	29200	15	12.5	27000	16700	9	L*19/36U9	ML193UH030XE36B	203240046
ML16XP1-030-230	29200	15	12.5	27000	16700	9	L*19/36U9	ML193UH045XE36B	203240051
ML16XP1-030-230	29600	16	12.5	27000	17100	9	L*19/36U9	ML193UH070XE36B	203240056
ML16XP1-030-230	29400	15	12.5	27000	16300	8.5	L*19/36U9	ML193UH090XE36C	203240061
ML16XP1-030-230	29200	15	12.5	27000	16200	8.5	L*19/36U9	ML193UH090XE48C	203240066
ML16XP1-030-230	29200	15	12.5	27000	16200	8.5	L*19/36U9	ML193UH110XE48C	203240071
ML16XP1-030-230	30000	15	12.5	27000	17400	9	L*19/36U9	ML296DF045XV36B	203240076
ML16XP1-030-230	30000	15	12.5	27000	17400	9	L*19/36U9	ML296DF070XV48B	203240081
ML16XP1-030-230	29600	16	12.5	27000	17100	8.5	L*19/36U9	ML296UH045XV36B	203240086
ML16XP1-030-230	29600	16	12.5	27000	17100	9	L*19/36U9	ML296UH070XV36B	203240091
ML16XP1-030-230	29800	16	13	27000	16300	8.5	L*19/36U9	ML296UH090XV48C	203240096
ML16XP1-030-230	30000	15	12.5	27000	17400	9	L*19/36U9	SL280DF070V36A	203240101
ML16XP1-030-230	30000	16	13	27000	17300	9	L*19/36U9	SL280DF090V48B	203240106
ML16XP1-030-230	29800	16	13	27000	16700	9	L*19/36U9	SL280UH060NV36A	203240111
ML16XP1-030-230	29600	16	12.5	27000	17100	9	L*19/36U9	SL280UH070V36A	203240116
ML16XP1-030-230	29600	16	12.5	27000	17100	9	L*19/36U9	SL280UH070XV36A	203240121
ML16XP1-030-230	29400	16	13	27000	16400	9	L*19/36U9	SL280UH080NV48B	203240126
ML16XP1-030-230	29400	16	13	27000	16400	9	L*19/36U9	SL280UH090V36B	203240131
ML16XP1-030-230	29400	16	13	27000	16500	9	L*19/36U9	SL280UH090V48B	203240136
ML16XP1-030-230	30000	16	13	27000	16700	8.5	L*19/36U9	SL297UH040NV36B	203240141
ML16XP1-030-230	29600	16	12.5	27000	17200	9	L*19/36U9	SL297UH060NV36B	203240146
ML16XP1-030-230	29800	15	12.5	27000	16300	8.5	L*19/36U9	SL297UH080NV48C	203240151
ML16XP1-030-230	30000	15	12.5	28400	17500	9	L*19/36U9	SLP99DF070XV36B	205760638
ML16XP1-030-230	29600	16	12.5	27000	17100	9	L*19/36U9	SLP99UH070XV36B	205761662
ML16XP1-030-230	29400	15	12.5	27000	16300	8.5	L*19/36U9	SLP99UH090XV36C	205760650
ML16XP1-030-230	29800	16	13	27000	16300	8.5	L*19/36U9	SLP99UH090XV48C	205760661
ML16XP1-030-230	29600	14	12.2	27000	17900	8.5	L*19/36U9		203240825
ML16XP1-030-230	29600	16	12.5	27000	17100	8.5	L*24/42S9	EL280UH070XE36A	203366597
ML16XP1-030-230	30000	16	13	27000	16600	8.5	L*24/42S9	EL280UH090XE48B	203366614
ML16XP1-030-230	30000	16	13	27000	17100	8.5	L*29/36U9	EL280UH070XE36A	203366600
ML16XP1-030-230	30000	16	13	27000	16900	9	L*29/36U9	EL280UH090XE48B	203366617
ML16XP1-030-230	30000	16	13	27000	16600	9	L*30/36U9	EL180UH040NE36A	203239863
ML16XP1-030-230	30000	16	13	27000	17000	9	L*30/36U9	EL180UH060NE36A	203239868
ML16XP1-030-230	30000	16	13	27000	16900	9	L*30/36U9	EL180UH080NE48B	203239873
ML16XP1-030-230	30000	16	13	27000	17200	9	L*30/36U9	EL195UH040NE36B	203239878
ML16XP1-030-230	30000	16	13	27000	17100	9	L*30/36U9	EL195UH060NE36B	203239883
ML16XP1-030-230	29400	15	12.5	27000	16300	8.5	L*30/36U9	EL195UH080NE48C	203239888

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-030-230	30000	16	13	27000	16900	8.5	L*30/36U9	EL196UH030XE24B	203239893
ML16XP1-030-230	30000	16	13	27000	16900	8.5	L*30/36U9	EL196UH045XE24B	203239898
ML16XP1-030-230	30000	16	13	27000	17100	9	L*30/36U9	EL196UH045XE36B	203239903
ML16XP1-030-230	30000	16	13	27000	17100	9	L*30/36U9	EL196UH070XE36B	203239908
ML16XP1-030-230	29400	16	13	27000	16200	8.5	L*30/36U9	EL196UH090XE48C	203239913
ML16XP1-030-230	30000	16	13	27000	17400	9	L*30/36U9	EL280DF070E36A	203239918
ML16XP1-030-230	30000	16	13	27000	17500	9	L*30/36U9	EL280DF090E48B	203239923
ML16XP1-030-230	30000	16	13	27000	17100	9	L*30/36U9	EL280UH045E36A	203239928
ML16XP1-030-230	30000	16	13	27000	17100	8.5	L*30/36U9	EL280UH070E36A	203239933
ML16XP1-030-230	30000	16	13	27000	17100	8.5	L*30/36U9	EL280UH070XE36A	203366599
ML16XP1-030-230	30000	16	13	27000	17100	9	L*30/36U9	EL280UH090E36B	203239938
ML16XP1-030-230	30000	16	13	27000	16900	9	L*30/36U9	EL280UH090E48B	203239943
ML16XP1-030-230	30000	16	13	27000	16900	9	L*30/36U9	EL280UH090XE48B	203366616
ML16XP1-030-230	29400	15	12.5	27000	16300	8.5	L*30/36U9	EL280UH110E48C	203239948
ML16XP1-030-230	30000	15	12.5	27000	17400	9	L*30/36U9	EL296DF045XE36B	203239953
ML16XP1-030-230	30000	15	12.5	27000	17400	9	L*30/36U9	EL296DF045XV36B	203239958
ML16XP1-030-230	30000	16	13	27000	17400	9	L*30/36U9	EL296DF070XE48B	203239963
ML16XP1-030-230	30000	15	12.5	27000	17400	9	L*30/36U9	EL296DF070XV48B	203239968
ML16XP1-030-230	29400	15	12.5	27000	16600	9	L*30/36U9	EL296UH045XE36B	203239973
ML16XP1-030-230	30000	16	13	27000	17100	8.5	L*30/36U9	EL296UH045XV36B	203239978
ML16XP1-030-230	30000	16	13	27000	17100	8.5	L*30/36U9	EL296UH070XE36B	203239983
ML16XP1-030-230	30000	16	13	27000	17100	9	L*30/36U9	EL296UH070XV36B	203239988
ML16XP1-030-230	30000	15	12.5	27000	16500	8.5	L*30/36U9	EL296UH090XE48C	203239993
ML16XP1-030-230	29600	15	12.5	27000	16300	8.5	L*30/36U9	EL296UH090XV36C	203239998
ML16XP1-030-230	29800	16	13	27000	16300	8.5	L*30/36U9	EL296UH090XV48C	203240003
ML16XP1-030-230	30000	16	13	27000	17500	9	L*30/36U9	ML180DF045E36A	203240008
ML16XP1-030-230	30000	16	13	27000	17300	9	L*30/36U9	ML180DF070E36B	203240013
ML16XP1-030-230	30000	16	13	27000	17200	9	L*30/36U9	ML180DF090E48B	203240018
ML16XP1-030-230	30000	16	13	27000	17000	8.5	L*30/36U9	ML180UH045E36A	203240023
ML16XP1-030-230	30000	16	13	27000	16900	9	L*30/36U9	ML180UH070E36B	203240028
ML16XP1-030-230	30000	16	13	27000	16900	9	L*30/36U9	ML180UH090E48B	203240033
ML16XP1-030-230	30000	15	12.5	27000	17400	9	L*30/36U9	ML193DF045XE36B	203240038
ML16XP1-030-230	30000	15	12.5	27000	17400	9	L*30/36U9	ML193DF070XE36B	203240043
ML16XP1-030-230	29400	15	12.5	27000	16700	9	L*30/36U9	ML193UH030XE36B	203240048
ML16XP1-030-230	29400	15	12.5	27000	16700	9	L*30/36U9	ML193UH045XE36B	203240053
ML16XP1-030-230	30000	16	13	27000	17100	9	L*30/36U9	ML193UH070XE36B	203240058
ML16XP1-030-230	29600	15	12.5	27000	16300	8.5	L*30/36U9	ML193UH090XE36C	203240063
ML16XP1-030-230	29400	15	12.5	27000	16200	8.5	L*30/36U9	ML193UH090XE48C	203240068
ML16XP1-030-230	29400	15	12.5	27000	16200	8.5	L*30/36U9	ML193UH110XE48C	203240073
ML16XP1-030-230	30000	15	12.5	27000	17400	9	L*30/36U9	ML296DF045XV36B	203240078
ML16XP1-030-230	30000	15	12.5	27000	17400	9	L*30/36U9	ML296DF070XV48B	203240083
ML16XP1-030-230	30000	16	13	27000	17100	8.5	L*30/36U9	ML296UH045XV36B	203240088
ML16XP1-030-230	30000	16	13	27000	17100	9	L*30/36U9	ML296UH070XV36B	203240093
ML16XP1-030-230	29800	16	13	27000	16300	8.5	L*30/36U9	ML296UH090XV48C	203240098
ML16XP1-030-230	30000	15	12.5	27000	17400	9	L*30/36U9	SL280DF070V36A	203240103
ML16XP1-030-230	30000	16	13	27000	17300	9	L*30/36U9	SL280DF090V48B	203240108
ML16XP1-030-230	30000	16	13	27000	17000	9	L*30/36U9	SL280UH060NV36A	203240113
ML16XP1-030-230	30000	16	13	27000	17100	9	L*30/36U9	SL280UH070V36A	203240118
ML16XP1-030-230	30000	16	13	27000	17100	9	L*30/36U9	SL280UH070XV36A	203240123
ML16XP1-030-230	30000	16	13	27000	16900	9	L*30/36U9	SL280UH080NV48B	203240128
ML16XP1-030-230	30000	16	13	27000	16900	9	L*30/36U9	SL280UH090V36B	203240133
ML16XP1-030-230	29600	16	13	27000	16500	9	L*30/36U9	SL280UH090V48B	203240138
ML16XP1-030-230	30000	16	13	27000	17100	9	L*30/36U9	SL297UH040NV36B	203240143
ML16XP1-030-230	30000	16	13	27000	17200	9	L*30/36U9	SL297UH060NV36B	203240148

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-030-230	29800	15	12.5	27000	16300	8.5	L*30/36U9	SL297UH080NV48C	203240153
ML16XP1-030-230	30000	16	13	28400	17500	9	L*30/36U9	SLP99DF070XV36B	205760642
ML16XP1-030-230	30000	16	13	27000	17100	9	L*30/36U9	SLP99UH070XV36B	205761666
ML16XP1-030-230	29600	15	12.5	27000	16300	8.5	L*30/36U9	SLP99UH090XV36C	205760654
ML16XP1-030-230	29800	16	13	27000	16300	8.5	L*30/36U9	SLP99UH090XV48C	205760665
ML16XP1-030-230	30000	14.5	12.2	27000	17500	8.5	L*30/36U9		203240827
ML16XP1-030-230	30000	16	13	27000	17100	8.5	L*35/36U9	EL280UH070XE36A	203366601
ML16XP1-030-230	30000	16	13	27000	16900	9	L*35/36U9	EL280UH090XE48B	203366618
ML16XP1-030-230	30000	16	13	28400	17500	9	LD19/36Z9	EL280DF090E48B	205147265
ML16XP1-030-230	30000	15	12.5	28400	17400	9	LD19/36Z9	EL296DF045XE36B	205147266
ML16XP1-030-230	30000	15	12.5	28400	17400	9	LD19/36Z9	EL296DF045XV36B	205147267
ML16XP1-030-230	30000	16	13	28400	17400	9	LD19/36Z9	EL296DF070XE48B	205147268
ML16XP1-030-230	30000	15	12.5	28400	17400	9	LD19/36Z9	EL296DF070XV48B	205147269
ML16XP1-030-230	30000	16	13	28400	17300	9	LD19/36Z9	ML180DF070E36B	205147270
ML16XP1-030-230	30000	16	13	28400	17200	9	LD19/36Z9	ML180DF090E48B	205147271
ML16XP1-030-230	30000	15	12.5	28400	17400	9	LD19/36Z9	ML193DF045XE36B	205147272
ML16XP1-030-230	30000	15	12.5	28400	17400	9	LD19/36Z9	ML193DF070XE36B	205147273
ML16XP1-030-230	30000	15	12.5	28400	17400	9	LD19/36Z9	ML296DF045XV36B	205147274
ML16XP1-030-230	30000	15	12.5	28400	17400	9	LD19/36Z9	ML296DF070XV48B	205147275
ML16XP1-030-230	30000	16	13	28400	17300	9	LD19/36Z9	SL280DF090V48B	205147276
ML16XP1-030-230	30000	15	12.5	28400	17500	9	LD19/36Z9	SLP99DF070XV36B	205760636
ML16XP1-030-230	29600	14	12.2	28400	17900	8.5	LD19/36Z9		204755192
ML16XP1-030-230	30000	15	12.5	28600	17500	8.5	LD24/35Z9	ML196DF045XE36B	205707600
ML16XP1-030-230	30000	15	12.5	28600	17400	9	LD24/35Z9	ML196DF070XE48B	205707601
ML16XP1-030-230	29600	14.5	12.2	28400	17900	8.5	LD24/35Z9		204755193
ML16XP1-030-230	30000	14.5	12.2	26600	17500	8.5	LD31/36Z9		204756179
ML16XP1-030-230	28800	15	12.5	27000	16800	8.5	LH18/36D9	EL280UH090XE48B	203366605
ML16XP1-030-230	30000	16	13	27000	17100	8.5	LH18/37D9	EL280UH070XE36A	203366603
ML16XP1-030-230	30000	16	13	27000	16900	9	LH18/37D9	EL280UH090XE48B	203366620
ML16XP1-030-230	30000	16	13	27000	17100	8.5	LH18/37R9	EL280UH070XE36A	203366602
ML16XP1-030-230	30000	16	13	27000	16900	9	LH18/37R9	EL280UH090XE48B	203366619
ML16XP1-030-230	29800	16	13	27000	16600	9	LH29/36F9	EL180UH040NE36A	203239860
ML16XP1-030-230	29800	16	13	27000	16600	9	LH29/36F9	EL180UH060NE36A	203239865
ML16XP1-030-230	30000	16	13	27000	16600	8.5	LH29/36F9	EL180UH080NE48B	203239870
ML16XP1-030-230	29600	16	12.5	27000	17200	9	LH29/36F9	EL195UH040NE36B	203239875
ML16XP1-030-230	29600	16	12.5	27000	17100	9	LH29/36F9	EL195UH060NE36B	203239880
ML16XP1-030-230	29200	15	12.5	27000	16300	8.5	LH29/36F9	EL195UH080NE48C	203239885
ML16XP1-030-230	29600	16	12.5	27000	16900	8.5	LH29/36F9	EL196UH030XE24B	203239890
ML16XP1-030-230	29600	16	12.5	27000	16900	8.5	LH29/36F9	EL196UH045XE24B	203239895
ML16XP1-030-230	29600	16	12.5	27000	17100	9	LH29/36F9	EL196UH045XE36B	203239900
ML16XP1-030-230	29600	16	12.5	27000	17100	9	LH29/36F9	EL196UH070XE36B	203239905
ML16XP1-030-230	29200	16	13	27000	16200	8.5	LH29/36F9	EL196UH090XE48C	203239910
ML16XP1-030-230	30000	15	12.5	27000	17400	9	LH29/36F9	EL280DF070E36A	203239915
ML16XP1-030-230	30000	16	13	27000	17500	9	LH29/36F9	EL280DF090E48B	203239920
ML16XP1-030-230	30000	16	13	27000	16800	8.5	LH29/36F9	EL280UH045E36A	203239925
ML16XP1-030-230	29600	16	12.5	27000	17100	8.5	LH29/36F9	EL280UH070E36A	203239930
ML16XP1-030-230	29600	16	12.5	27000	17100	8.5	LH29/36F9	EL280UH070XE36A	203366592
ML16XP1-030-230	30000	16	13	27000	16900	8.5	LH29/36F9	EL280UH090E36B	203239935
ML16XP1-030-230	30000	16	13	27000	16600	8.5	LH29/36F9	EL280UH090E48B	203239940
ML16XP1-030-230	30000	16	13	27000	16600	8.5	LH29/36F9	EL280UH090XE48B	203366609
ML16XP1-030-230	29200	15	12.5	27000	16300	8.5	LH29/36F9	EL280UH110E48C	203239945
ML16XP1-030-230	30000	15	12.5	27000	17400	9	LH29/36F9	EL296DF045XE36B	203239950
ML16XP1-030-230	30000	15	12.5	27000	17400	9	LH29/36F9	EL296DF045XV36B	203239955
ML16XP1-030-230	30000	16	13	27000	17400	9	LH29/36F9	EL296DF070XE48B	203239960

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-030-230	30000	15	12.5	27000	17400	9	LH29/36F9	EL296DF070XV48B	203239965
ML16XP1-030-230	29200	15	12.5	27000	16600	9	LH29/36F9	EL296UH045XE36B	203239970
ML16XP1-030-230	29600	16	12.5	27000	17100	8.5	LH29/36F9	EL296UH045XV36B	203239975
ML16XP1-030-230	29600	16	12.5	27000	17100	8.5	LH29/36F9	EL296UH070XE36B	203239980
ML16XP1-030-230	29600	16	12.5	27000	17100	9	LH29/36F9	EL296UH070XV36B	203239985
ML16XP1-030-230	30000	15	12.5	27000	16500	8.5	LH29/36F9	EL296UH090XE48C	203239990
ML16XP1-030-230	29400	15	12.5	27000	16300	8.5	LH29/36F9	EL296UH090XV36C	203239995
ML16XP1-030-230	29800	16	13	27000	16300	8.5	LH29/36F9	EL296UH090XV48C	203240000
ML16XP1-030-230	30000	15	12.5	27000	17500	9	LH29/36F9	ML180DF045E36A	203240005
ML16XP1-030-230	30000	16	13	27000	17300	9	LH29/36F9	ML180DF070E36B	203240010
ML16XP1-030-230	30000	16	13	27000	17200	9	LH29/36F9	ML180DF090E48B	203240015
ML16XP1-030-230	29600	16	12.5	27000	17000	8.5	LH29/36F9	ML180UH045E36A	203240020
ML16XP1-030-230	29400	16	13	27000	16500	9	LH29/36F9	ML180UH070E36B	203240025
ML16XP1-030-230	29400	16	13	27000	16400	9	LH29/36F9	ML180UH090E48B	203240030
ML16XP1-030-230	30000	15	12.5	27000	17400	9	LH29/36F9	ML193DF045XE36B	203240035
ML16XP1-030-230	30000	15	12.5	27000	17400	9	LH29/36F9	ML193DF070XE36B	203240040
ML16XP1-030-230	29200	15	12.5	27000	16700	9	LH29/36F9	ML193UH030XE36B	203240045
ML16XP1-030-230	29200	15	12.5	27000	16700	9	LH29/36F9	ML193UH045XE36B	203240050
ML16XP1-030-230	29600	16	12.5	27000	17100	9	LH29/36F9	ML193UH070XE36B	203240055
ML16XP1-030-230	29400	15	12.5	27000	16300	8.5	LH29/36F9	ML193UH090XE36C	203240060
ML16XP1-030-230	29200	15	12.5	27000	16200	8.5	LH29/36F9	ML193UH090XE48C	203240065
ML16XP1-030-230	29200	15	12.5	27000	16200	8.5	LH29/36F9	ML193UH110XE48C	203240070
ML16XP1-030-230	30000	15	12.5	27000	17400	9	LH29/36F9	ML296DF045XV36B	203240075
ML16XP1-030-230	30000	15	12.5	27000	17400	9	LH29/36F9	ML296DF070XV48B	203240080
ML16XP1-030-230	29600	16	12.5	27000	17100	8.5	LH29/36F9	ML296UH045XV36B	203240085
ML16XP1-030-230	29600	16	12.5	27000	17100	9	LH29/36F9	ML296UH070XV36B	203240090
ML16XP1-030-230	29800	16	13	27000	16300	8.5	LH29/36F9	ML296UH090XV48C	203240095
ML16XP1-030-230	30000	15	12.5	27000	17400	9	LH29/36F9	SL280DF070V36A	203240100
ML16XP1-030-230	30000	16	13	27000	17300	9	LH29/36F9	SL280DF090V48B	203240105
ML16XP1-030-230	29800	16	13	27000	16700	9	LH29/36F9	SL280UH060NV36A	203240110
ML16XP1-030-230	29600	16	12.5	27000	17100	9	LH29/36F9	SL280UH070V36A	203240115
ML16XP1-030-230	29600	16	12.5	27000	17100	9	LH29/36F9	SL280UH070XV36A	203240120
ML16XP1-030-230	29400	16	13	27000	16400	9	LH29/36F9	SL280UH080NV48B	203240125
ML16XP1-030-230	29400	16	13	27000	16400	9	LH29/36F9	SL280UH090V36B	203240130
ML16XP1-030-230	29400	16	13	27000	16500	9	LH29/36F9	SL280UH090V48B	203240135
ML16XP1-030-230	30000	16	13	27000	16700	8.5	LH29/36F9	SL297UH040NV36B	203240140
ML16XP1-030-230	29600	16	12.5	27000	17200	9	LH29/36F9	SL297UH060NV36B	203240145
ML16XP1-030-230	29800	15	12.5	27000	16300	8.5	LH29/36F9	SL297UH080NV48C	203240150
ML16XP1-030-230	29600	16	12.5	27000	17100	9	LH29/36F9	SLP99UH070XV36B	205761660
ML16XP1-030-230	29400	15	12.5	27000	16300	8.5	LH29/36F9	SLP99UH090XV36C	205760648
ML16XP1-030-230	29800	16	13	27000	16300	8.5	LH29/36F9	SLP99UH090XV48C	205760658
ML16XP1-030-230	29600	14	12.2	27000	17900	8.5	LH29/36F9		203240824
ML16XP1-030-230	29800	16	13	27000	16600	9	LH29/36X9	EL180UH040NE36A	203239859
ML16XP1-030-230	29800	16	13	27000	16600	9	LH29/36X9	EL180UH060NE36A	203239864
ML16XP1-030-230	30000	16	13	27000	16600	8.5	LH29/36X9	EL180UH080NE48B	203239869
ML16XP1-030-230	29600	16	12.5	27000	17200	9	LH29/36X9	EL195UH040NE36B	203239874
ML16XP1-030-230	29600	16	12.5	27000	17100	9	LH29/36X9	EL195UH060NE36B	203239879
ML16XP1-030-230	29200	15	12.5	27000	16300	8.5	LH29/36X9	EL195UH080NE48C	203239884
ML16XP1-030-230	29600	16	12.5	27000	16900	8.5	LH29/36X9	EL196UH030XE24B	203239889
ML16XP1-030-230	29600	16	12.5	27000	16900	8.5	LH29/36X9	EL196UH045XE24B	203239894
ML16XP1-030-230	29600	16	12.5	27000	17100	9	LH29/36X9	EL196UH045XE36B	203239899
ML16XP1-030-230	29600	16	12.5	27000	17100	9	LH29/36X9	EL196UH070XE36B	203239904
ML16XP1-030-230	29200	16	13	27000	16200	8.5	LH29/36X9	EL196UH090XE48C	203239909
ML16XP1-030-230	30000	15	12.5	27000	17400	9	LH29/36X9	EL280DF070E36A	203239914

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-030-230	30000	16	13	27000	17500	9	LH29/36X9	EL280DF090E48B	203239919
ML16XP1-030-230	30000	16	13	27000	16800	8.5	LH29/36X9	EL280UH045E36A	203239924
ML16XP1-030-230	29600	16	12.5	27000	17100	8.5	LH29/36X9	EL280UH070E36A	203239929
ML16XP1-030-230	29600	16	12.5	27000	17100	8.5	LH29/36X9	EL280UH070XE36A	203366591
ML16XP1-030-230	30000	16	13	27000	16900	8.5	LH29/36X9	EL280UH090E36B	203239934
ML16XP1-030-230	30000	16	13	27000	16600	8.5	LH29/36X9	EL280UH090E48B	203239939
ML16XP1-030-230	30000	16	13	27000	16600	8.5	LH29/36X9	EL280UH090XE48B	203366608
ML16XP1-030-230	29200	15	12.5	27000	16300	8.5	LH29/36X9	EL280UH110E48C	203239944
ML16XP1-030-230	30000	15	12.5	27000	17400	9	LH29/36X9	EL296DF045XE36B	203239949
ML16XP1-030-230	30000	15	12.5	27000	17400	9	LH29/36X9	EL296DF045XV36B	203239954
ML16XP1-030-230	30000	16	13	27000	17400	9	LH29/36X9	EL296DF070XE48B	203239959
ML16XP1-030-230	30000	15	12.5	27000	17400	9	LH29/36X9	EL296DF070XV48B	203239964
ML16XP1-030-230	29200	15	12.5	27000	16600	9	LH29/36X9	EL296UH045XE36B	203239969
ML16XP1-030-230	29600	16	12.5	27000	17100	8.5	LH29/36X9	EL296UH045XV36B	203239974
ML16XP1-030-230	29600	16	12.5	27000	17100	8.5	LH29/36X9	EL296UH070XE36B	203239979
ML16XP1-030-230	29600	16	12.5	27000	17100	9	LH29/36X9	EL296UH070XV36B	203239984
ML16XP1-030-230	30000	15	12.5	27000	16500	8.5	LH29/36X9	EL296UH090XE48C	203239989
ML16XP1-030-230	29400	15	12.5	27000	16300	8.5	LH29/36X9	EL296UH090XV36C	203239994
ML16XP1-030-230	29800	16	13	27000	16300	8.5	LH29/36X9	EL296UH090XV48C	203239999
ML16XP1-030-230	30000	15	12.5	27000	17500	9	LH29/36X9	ML180DF045E36A	203240004
ML16XP1-030-230	30000	16	13	27000	17300	9	LH29/36X9	ML180DF070E36B	203240009
ML16XP1-030-230	30000	16	13	27000	17200	9	LH29/36X9	ML180DF090E48B	203240014
ML16XP1-030-230	29600	16	12.5	27000	17000	8.5	LH29/36X9	ML180UH045E36A	203240019
ML16XP1-030-230	29400	16	13	27000	16500	9	LH29/36X9	ML180UH070E36B	203240024
ML16XP1-030-230	29400	16	13	27000	16400	9	LH29/36X9	ML180UH090E48B	203240029
ML16XP1-030-230	30000	15	12.5	27000	17400	9	LH29/36X9	ML193DF045XE36B	203240034
ML16XP1-030-230	30000	15	12.5	27000	17400	9	LH29/36X9	ML193DF070XE36B	203240039
ML16XP1-030-230	29200	15	12.5	27000	16700	9	LH29/36X9	ML193UH030XE36B	203240044
ML16XP1-030-230	29200	15	12.5	27000	16700	9	LH29/36X9	ML193UH045XE36B	203240049
ML16XP1-030-230	29600	16	12.5	27000	17100	9	LH29/36X9	ML193UH070XE36B	203240054
ML16XP1-030-230	29400	15	12.5	27000	16300	8.5	LH29/36X9	ML193UH090XE36C	203240059
ML16XP1-030-230	29200	15	12.5	27000	16200	8.5	LH29/36X9	ML193UH090XE48C	203240064
ML16XP1-030-230	29200	15	12.5	27000	16200	8.5	LH29/36X9	ML193UH110XE48C	203240069
ML16XP1-030-230	30000	15	12.5	27000	17400	9	LH29/36X9	ML296DF045XV36B	203240074
ML16XP1-030-230	30000	15	12.5	27000	17400	9	LH29/36X9	ML296DF070XV48B	203240079
ML16XP1-030-230	29600	16	12.5	27000	17100	8.5	LH29/36X9	ML296UH045XV36B	203240084
ML16XP1-030-230	29600	16	12.5	27000	17100	9	LH29/36X9	ML296UH070XV36B	203240089
ML16XP1-030-230	29800	16	13	27000	16300	8.5	LH29/36X9	ML296UH090XV48C	203240094
ML16XP1-030-230	30000	15	12.5	27000	17400	9	LH29/36X9	SL280DF070V36A	203240099
ML16XP1-030-230	30000	16	13	27000	17300	9	LH29/36X9	SL280DF090V48B	203240104
ML16XP1-030-230	29800	16	13	27000	16700	9	LH29/36X9	SL280UH060NV36A	203240109
ML16XP1-030-230	29600	16	12.5	27000	17100	9	LH29/36X9	SL280UH070V36A	203240114
ML16XP1-030-230	29600	16	12.5	27000	17100	9	LH29/36X9	SL280UH070XV36A	203240119
ML16XP1-030-230	29400	16	13	27000	16400	9	LH29/36X9	SL280UH080NV48B	203240124
ML16XP1-030-230	29400	16	13	27000	16400	9	LH29/36X9	SL280UH090V36B	203240129
ML16XP1-030-230	29400	16	13	27000	16500	9	LH29/36X9	SL280UH090V48B	203240134
ML16XP1-030-230	30000	16	13	27000	16700	8.5	LH29/36X9	SL297UH040NV36B	203240139
ML16XP1-030-230	29600	16	12.5	27000	17200	9	LH29/36X9	SL297UH060NV36B	203240144
ML16XP1-030-230	29800	15	12.5	27000	16300	8.5	LH29/36X9	SL297UH080NV48C	203240149
ML16XP1-030-230	29600	16	12.5	27000	17100	9	LH29/36X9	SLP99UH070XV36B	205761658
ML16XP1-030-230	29400	15	12.5	27000	16300	8.5	LH29/36X9	SLP99UH090XV36C	205760646
ML16XP1-030-230	29800	16	13	27000	16300	8.5	LH29/36X9	SLP99UH090XV48C	205760656
ML16XP1-030-230	29600	14	12.2	27000	17900	8.5	LH29/36X9		203240823
ML16XP1-030-230	29200	15	12.5	27000	16600	8.5	LH35/36E9	EL280UH090XE48B	203366604

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-030-230	30000	16	13	27000	17100	8.5	LH35/36F9	EL280UH070XE36A	203366594
ML16XP1-030-230	30000	16	13	27000	16900	9	LH35/36F9	EL280UH090XE48B	203366611
ML16XP1-030-230	30000	16	13	27000	17100	8.5	LH35/36X9	EL280UH070XE36A	203366593
ML16XP1-030-230	30000	16	13	27000	16900	9	LH35/36X9	EL280UH090XE48B	203366610
ML16XP1-030-230	30000	16	13	27000	16800	8.5	LH35/38X9	EL280UH070XE36A	203366598
ML16XP1-030-230	30000	16	13	27000	16900	9	LH35/38X9	EL280UH090XE48B	203366615
ML16XP1-030-230	29600	14	12.2	28400	17900	8.5	LS*36943E		205304031
ML16XP1-036-230	35600	16	12.5	33400	21800	9.5	L*19/36S9	EL180UH040NE36A	203240175
ML16XP1-036-230	35600	16	12.5	33400	21800	9	L*19/36S9	EL180UH060NE36A	203240181
ML16XP1-036-230	35600	16	12.5	33400	21400	9.5	L*19/36S9	EL180UH080NE48B	203240187
ML16XP1-036-230	35400	16	12.5	33400	21800	9	L*19/36S9	EL195UH040NE36B	203240193
ML16XP1-036-230	35400	16	12.5	33400	21800	9	L*19/36S9	EL195UH060NE36B	203240199
ML16XP1-036-230	35200	15	12.2	33400	21800	9	L*19/36S9	EL195UH080NE48C	203240205
ML16XP1-036-230	35400	16	12.5	33400	21600	9	L*19/36S9	EL196UH045XE36B	203240211
ML16XP1-036-230	35400	16	12.5	33400	21600	9	L*19/36S9	EL196UH070XE36B	203240217
ML16XP1-036-230	35200	16	12.5	33400	20800	9	L*19/36S9	EL196UH090XE48C	203240223
ML16XP1-036-230	35200	16	12.5	33400	22600	9.5	L*19/36S9	EL280DF090E48B	203240229
ML16XP1-036-230	35600	16	12.5	33400	21800	9	L*19/36S9	EL280UH070E36A	203240239
ML16XP1-036-230	35600	16	12.5	33400	21800	9	L*19/36S9	EL280UH070XE36A	203366623
ML16XP1-036-230	35600	16	12.5	33400	21800	9.5	L*19/36S9	EL280UH090E36B	203240245
ML16XP1-036-230	35600	16	12.5	33400	21600	9.5	L*19/36S9	EL280UH090E48B	203240251
ML16XP1-036-230	35600	16	12.5	33400	21600	9.5	L*19/36S9	EL280UH090XE48B	203366642
ML16XP1-036-230	35000	16	12.5	33400	21000	9	L*19/36S9	EL280UH110E48C	203240257
ML16XP1-036-230	34800	15	12.5	33400	21200	9	L*19/36S9	EL280UH110E60C	203240263
ML16XP1-036-230	34800	15	12.5	33400	21200	9	L*19/36S9	EL280UH110XE60C	203366661
ML16XP1-036-230	34600	15	12.5	33400	22200	9	L*19/36S9	EL296DF045XE36B	203240269
ML16XP1-036-230	35000	15	12.5	33400	22400	9	L*19/36S9	EL296DF045XV36B	203240275
ML16XP1-036-230	35200	16	12.5	33400	22400	9.5	L*19/36S9	EL296DF070XE48B	203240281
ML16XP1-036-230	35000	15	12.5	33400	22600	9	L*19/36S9	EL296DF070XV48B	203240287
ML16XP1-036-230	35400	16	12.5	33400	22400	9.5	L*19/36S9	EL296DF090XE48C	203240293
ML16XP1-036-230	35000	16	12.5	33400	21600	9	L*19/36S9	EL296UH045XE36B	203240299
ML16XP1-036-230	35600	16	12.5	33400	21800	9	L*19/36S9	EL296UH045XV36B	203240305
ML16XP1-036-230	35200	16	12.5	33400	21800	9	L*19/36S9	EL296UH070XE36B	203240311
ML16XP1-036-230	35600	16	12.5	33400	21800	9	L*19/36S9	EL296UH070XV36B	203240317
ML16XP1-036-230	35200	16	12.5	33400	20800	9	L*19/36S9	EL296UH090XE48C	203240323
ML16XP1-036-230	35200	16	12.5	33400	20800	9	L*19/36S9	EL296UH090XV36C	203240329
ML16XP1-036-230	35200	16	12.5	33400	20800	9	L*19/36S9	EL296UH090XV48C	203240335
ML16XP1-036-230	34200	16	12.2	33400	20400	9	L*19/36S9	EL296UH110XV48C	203240341
ML16XP1-036-230	34800	16	13	33400	22000	9	L*19/36S9	ML180DF070E36B	203240347
ML16XP1-036-230	35800	16	13	33400	22400	9.5	L*19/36S9	ML180DF090E48B	203240353
ML16XP1-036-230	35600	16	12.5	33400	21800	9	L*19/36S9	ML180UH045E36A	203240359
ML16XP1-036-230	35600	16	12.5	33400	21800	9	L*19/36S9	ML180UH070E36B	203240365
ML16XP1-036-230	35600	16	12.5	33400	21600	9.5	L*19/36S9	ML180UH090E48B	203240371
ML16XP1-036-230	34600	15	12.5	33400	22400	9	L*19/36S9	ML193DF045XE36B	203240377
ML16XP1-036-230	34600	15	12.5	33400	22400	9	L*19/36S9	ML193DF070XE36B	203240383
ML16XP1-036-230	35400	16	12.5	33400	22400	9.5	L*19/36S9	ML193DF090XE48C	203240389
ML16XP1-036-230	35600	15	12.2	33400	22200	9	L*19/36S9	ML193UH030XE36B	203240395
ML16XP1-036-230	35600	15	12.2	33400	22000	9	L*19/36S9	ML193UH045XE36B	203240401
ML16XP1-036-230	35400	16	12.5	33400	21800	9	L*19/36S9	ML193UH070XE36B	203240407
ML16XP1-036-230	35000	15	12.5	33400	21200	9	L*19/36S9	ML193UH090XE36C	203240413
ML16XP1-036-230	35200	16	12.5	33400	20800	9	L*19/36S9	ML193UH090XE48C	203240419
ML16XP1-036-230	35200	16	12.5	33400	20800	9	L*19/36S9	ML193UH110XE48C	203240425
ML16XP1-036-230	35200	15	12.5	33400	21000	9	L*19/36S9	ML193UH110XE60C	203240431
ML16XP1-036-230	35600	16	12.5	33400	21800	9	L*19/36S9	ML296UH045XV36B	203240437

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-036-230	35600	16	12.5	33400	21800	9	L*19/36S9	ML296UH070XV36B	203240443
ML16XP1-036-230	35200	16	12.5	33400	20800	9	L*19/36S9	ML296UH090XV48C	203240449
ML16XP1-036-230	35200	16	12.5	33400	22400	9.5	L*19/36S9	SL280DF090V48B	203240455
ML16XP1-036-230	35600	16	12.5	33400	21600	9.5	L*19/36S9	SL280UH060NV36A	203240461
ML16XP1-036-230	35600	16	12.5	33400	21800	9	L*19/36S9	SL280UH070V36A	203240467
ML16XP1-036-230	35600	16	12.5	33400	21800	9	L*19/36S9	SL280UH070XV36A	203240473
ML16XP1-036-230	35600	16	12.5	33400	21400	9.5	L*19/36S9	SL280UH080NV48B	203240479
ML16XP1-036-230	35600	16	12.5	33400	21600	9.5	L*19/36S9	SL280UH090V36B	203240485
ML16XP1-036-230	35600	16	12.5	33400	21600	9.5	L*19/36S9	SL280UH090V48B	203240491
ML16XP1-036-230	35600	16	12.5	33400	21800	9	L*19/36S9	SL297UH040NV36B	203240497
ML16XP1-036-230	35600	16	12.5	33400	21800	9	L*19/36S9	SL297UH060NV36B	203240503
ML16XP1-036-230	35200	16	12.5	33400	20800	9	L*19/36S9	SL297UH080NV48C	203240509
ML16XP1-036-230	35200	15	12.5	34400	22400	9	L*19/36S9	SLP99DF070XV36B	205760667
ML16XP1-036-230	35200	16	12.5	34400	22600	9.5	L*19/36S9	SLP99DF090XV36C	205760677
ML16XP1-036-230	35400	16	12.5	34400	22400	9.5	L*19/36S9	SLP99DF090XV48C	205760687
ML16XP1-036-230	35600	16	12.5	33400	21800	9	L*19/36S9	SLP99UH070XV36B	205760699
ML16XP1-036-230	35200	16	12.5	33600	20800	9	L*19/36S9	SLP99UH090XV36C	205763762
ML16XP1-036-230	35200	16	12.5	33600	20800	9	L*19/36S9	SLP99UH090XV48C	205763768
ML16XP1-036-230	34400	14.5	11.7	33400	23200	9	L*19/36S9		203240829
ML16XP1-036-230	36000	16	13	33400	21800	9	L*23/37Z9	EL280UH070XE36A	203366636
ML16XP1-036-230	36000	16	13	33400	21600	9.5	L*23/37Z9	EL280UH090XE48B	203366655
ML16XP1-036-230	36000	16	13	33400	20400	9	L*23/37Z9	EL280UH110XE60C	203366674
ML16XP1-036-230	36000	16	13	33400	21800	9.5	L*24/36Y9	EL180UH040NE36A	203240179
ML16XP1-036-230	36000	16	13	33400	21800	9	L*24/36Y9	EL180UH060NE36A	203240185
ML16XP1-036-230	36000	16	13	33400	21000	9.5	L*24/36Y9	EL180UH080NE48B	203240191
ML16XP1-036-230	35800	16	13	33400	21800	9	L*24/36Y9	EL195UH040NE36B	203240197
ML16XP1-036-230	36000	16	13	33400	21200	9	L*24/36Y9	EL195UH060NE36B	203240203
ML16XP1-036-230	36000	16	13	33400	20600	9	L*24/36Y9	EL195UH080NE48C	203240209
ML16XP1-036-230	36000	16	13	33400	21200	9	L*24/36Y9	EL196UH045XE36B	203240215
ML16XP1-036-230	36000	16	13	33400	21200	9.5	L*24/36Y9	EL196UH070XE36B	203240221
ML16XP1-036-230	36000	16	13	33400	20600	9.5	L*24/36Y9	EL196UH090XE48C	203240227
ML16XP1-036-230	35600	16	13	33400	22600	9.5	L*24/36Y9	EL280DF090E48B	203240233
ML16XP1-036-230	36000	16	13	33400	22000	9	L*24/36Y9	EL280UH045E36A	203240237
ML16XP1-036-230	36000	16	13	33400	21800	9	L*24/36Y9	EL280UH070E36A	203240243
ML16XP1-036-230	36000	16	13	33400	21800	9	L*24/36Y9	EL280UH070XE36A	203366639
ML16XP1-036-230	36000	16	13	33400	21400	9.5	L*24/36Y9	EL280UH090E36B	203240249
ML16XP1-036-230	36000	16	13	33400	21600	9.5	L*24/36Y9	EL280UH090E48B	203240255
ML16XP1-036-230	36000	16	13	33400	21600	9.5	L*24/36Y9	EL280UH090XE48B	203366658
ML16XP1-036-230	36000	16	13	33400	20400	9.5	L*24/36Y9	EL280UH110E48C	203240261
ML16XP1-036-230	36000	16	13	33400	20600	9	L*24/36Y9	EL280UH110E60C	203240267
ML16XP1-036-230	36000	16	13	33400	20600	9	L*24/36Y9	EL280UH110XE60C	203366677
ML16XP1-036-230	35200	16	13	33400	22600	9.5	L*24/36Y9	EL296DF045XE36B	203240273
ML16XP1-036-230	35600	16	13	33400	22600	9.5	L*24/36Y9	EL296DF045XV36B	203240279
ML16XP1-036-230	35600	16	13	33400	22400	9.5	L*24/36Y9	EL296DF070XE48B	203240285
ML16XP1-036-230	35600	16	13	33400	22800	9.5	L*24/36Y9	EL296DF070XV48B	203240291
ML16XP1-036-230	35800	16	13	33400	22400	9.5	L*24/36Y9	EL296DF090XE48C	203240297
ML16XP1-036-230	35400	16	13	33400	21600	9	L*24/36Y9	EL296UH045XE36B	203240303
ML16XP1-036-230	36000	16	13	33400	21800	9	L*24/36Y9	EL296UH045XV36B	203240309
ML16XP1-036-230	36000	16	13	33400	21200	9	L*24/36Y9	EL296UH070XE36B	203240315
ML16XP1-036-230	36000	16	13	33400	21400	9.5	L*24/36Y9	EL296UH070XV36B	203240321
ML16XP1-036-230	36000	16	13	33400	21200	9.5	L*24/36Y9	EL296UH090XE48C	203240327
ML16XP1-036-230	36000	16	13	33400	21200	9.5	L*24/36Y9	EL296UH090XV36C	203240333
ML16XP1-036-230	36000	16	13	33400	20600	9.5	L*24/36Y9	EL296UH090XV48C	203240339
ML16XP1-036-230	36000	16	13	33400	20400	9.5	L*24/36Y9	EL296UH110XV48C	203240345

AHRI SYSTEM MATCHESNOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-036-230	35400	16	13	33400	22200	9.5	L*24/36Y9	ML180DF070E36B	203240351
ML16XP1-036-230	36000	16	13	33400	22400	9.5	L*24/36Y9	ML180DF090E48B	203240357
ML16XP1-036-230	36000	16	13	33400	21800	9	L*24/36Y9	ML180UH045E36A	203240363
ML16XP1-036-230	36000	16	13	33400	21400	9.5	L*24/36Y9	ML180UH070E36B	203240369
ML16XP1-036-230	36000	16	13	33400	21600	9.5	L*24/36Y9	ML180UH090E48B	203240375
ML16XP1-036-230	35400	16	13	33400	22600	9.5	L*24/36Y9	ML193DF045XE36B	203240381
ML16XP1-036-230	35400	16	13	33400	22600	9.5	L*24/36Y9	ML193DF070XE36B	203240387
ML16XP1-036-230	35800	16	13	33400	22400	9.5	L*24/36Y9	ML193DF090XE48C	203240393
ML16XP1-036-230	36000	16	13	33400	22200	9	L*24/36Y9	ML193UH030XE36B	203240399
ML16XP1-036-230	36000	16	13	33400	22000	9	L*24/36Y9	ML193UH045XE36B	203240405
ML16XP1-036-230	36000	16	13	33400	21200	9	L*24/36Y9	ML193UH070XE36B	203240411
ML16XP1-036-230	36000	16	13	33400	20600	9	L*24/36Y9	ML193UH090XE36C	203240417
ML16XP1-036-230	36000	16	13	33400	21200	9.5	L*24/36Y9	ML193UH090XE48C	203240423
ML16XP1-036-230	36000	16	13	33400	20600	9.5	L*24/36Y9	ML193UH110XE48C	203240429
ML16XP1-036-230	36000	16	13	33400	20400	9	L*24/36Y9	ML193UH110XE60C	203240435
ML16XP1-036-230	36000	16	13	33400	21800	9	L*24/36Y9	ML296UH045XV36B	203240441
ML16XP1-036-230	36000	16	13	33400	21400	9.5	L*24/36Y9	ML296UH070XV36B	203240447
ML16XP1-036-230	36000	16	13	33400	20600	9.5	L*24/36Y9	ML296UH090XV48C	203240453
ML16XP1-036-230	35600	16	13	33400	22400	9.5	L*24/36Y9	SL280DF090V48B	203240459
ML16XP1-036-230	36000	16	13	33400	21600	9.5	L*24/36Y9	SL280UH060NV36A	203240465
ML16XP1-036-230	36000	16	13	33400	21800	9	L*24/36Y9	SL280UH070V36A	203240471
ML16XP1-036-230	36000	16	13	33400	21800	9	L*24/36Y9	SL280UH070XV36A	203240477
ML16XP1-036-230	36000	16	13	33400	21400	9.5	L*24/36Y9	SL280UH080NV48B	203240483
ML16XP1-036-230	36000	16	13	33400	21600	9.5	L*24/36Y9	SL280UH090V36B	203240489
ML16XP1-036-230	36000	16	13	33400	21200	9.5	L*24/36Y9	SL280UH090V48B	203240495
ML16XP1-036-230	36000	16	13	33400	21400	9.5	L*24/36Y9	SL297UH040NV36B	203240501
ML16XP1-036-230	36000	16	13	33400	21400	9.5	L*24/36Y9	SL297UH060NV36B	203240507
ML16XP1-036-230	36000	16	13	33400	20600	9.5	L*24/36Y9	SL297UH080NV48C	203240513
ML16XP1-036-230	35600	16	13	34400	22600	9.5	L*24/36Y9	SLP99DF070XV36B	205760675
ML16XP1-036-230	35600	16	13	34400	22600	9.5	L*24/36Y9	SLP99DF090XV36C	205760685
ML16XP1-036-230	35800	16	13	34400	22400	9.5	L*24/36Y9	SLP99DF090XV48C	205760695
ML16XP1-036-230	36000	16	13	33600	21400	9.5	L*24/36Y9	SLP99UH070XV36B	205761673
ML16XP1-036-230	36000	16	13	33400	21200	9.5	L*24/36Y9	SLP99UH090XV36C	205761682
ML16XP1-036-230	36000	16	13	33400	20600	9.5	L*24/36Y9	SLP99UH090XV48C	205763486
ML16XP1-036-230	34800	15	12.5	33400	23200	9	L*24/36Y9		203240833
ML16XP1-036-230	36000	16	13	33400	21800	9	L*24/36Z9	EL280UH070XE36A	203366638
ML16XP1-036-230	36000	16	13	33400	21600	9.5	L*24/36Z9	EL280UH090XE48B	203366657
ML16XP1-036-230	36000	16	13	33400	20400	9	L*24/36Z9	EL280UH110XE60C	203366676
ML16XP1-036-230	35600	16	12.5	33400	21800	9	L*24/42S9	EL280UH070XE36A	203366624
ML16XP1-036-230	35600	16	12.5	33400	21600	9.5	L*24/42S9	EL280UH090XE48B	203366643
ML16XP1-036-230	34800	15	12.5	33400	21200	9	L*24/42S9	EL280UH110XE60C	203366662
ML16XP1-036-230	36000	16	13	33400	21800	9	L*25/37Z9	EL280UH070XE36A	203366637
ML16XP1-036-230	36000	16	13	33400	21600	9.5	L*25/37Z9	EL280UH090XE48B	203366656
ML16XP1-036-230	36000	16	13	33400	20400	9	L*25/37Z9	EL280UH110XE60C	203366675
ML16XP1-036-230	36000	16	13	33400	21800	9	L*29/36S9	EL280UH070XE36A	203366632
ML16XP1-036-230	36000	16	13	33400	21600	9.5	L*29/36S9	EL280UH090XE48B	203366651
ML16XP1-036-230	36000	16	13	33400	20400	9	L*29/36S9	EL280UH110XE60C	203366670
ML16XP1-036-230	36000	16	13	33400	21800	9	L*29/36U9	EL280UH070XE36A	203366630
ML16XP1-036-230	36000	16	13	33400	21600	9.5	L*29/36U9	EL280UH090XE48B	203366649
ML16XP1-036-230	36000	16	13	33400	20400	9	L*29/36U9	EL280UH110XE60C	203366668
ML16XP1-036-230	36000	16	13	33400	21800	9.5	L*30/36S9	EL180UH040NE36A	203240177
ML16XP1-036-230	36000	16	13	33400	21800	9	L*30/36S9	EL180UH060NE36A	203240183
ML16XP1-036-230	36000	16	13	33400	21400	9.5	L*30/36S9	EL180UH080NE48B	203240189
ML16XP1-036-230	35800	16	13	33400	21800	9	L*30/36S9	EL195UH040NE36B	203240195

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-036-230	36000	16	13	33400	21200	9	L*30/36S9	EL195UH060NE36B	203240201
ML16XP1-036-230	36000	15	12.5	33400	21800	9	L*30/36S9	EL195UH080NE48C	203240207
ML16XP1-036-230	36000	16	13	33400	21200	9	L*30/36S9	EL196UH045XE36B	203240213
ML16XP1-036-230	36000	16	13	33400	21200	9.5	L*30/36S9	EL196UH070XE36B	203240219
ML16XP1-036-230	36000	16	13	33400	20800	9.5	L*30/36S9	EL196UH090XE48C	203240225
ML16XP1-036-230	35600	16	13	33400	22600	9.5	L*30/36S9	EL280DF090E48B	203240231
ML16XP1-036-230	36000	16	13	33400	22000	9	L*30/36S9	EL280UH045E36A	203240235
ML16XP1-036-230	36000	16	13	33400	21800	9	L*30/36S9	EL280UH070E36A	203240241
ML16XP1-036-230	36000	16	13	33400	21800	9	L*30/36S9	EL280UH070XE36A	203366629
ML16XP1-036-230	36000	16	13	33400	21800	9.5	L*30/36S9	EL280UH090E36B	203240247
ML16XP1-036-230	36000	16	13	33400	21600	9.5	L*30/36S9	EL280UH090E48B	203240253
ML16XP1-036-230	36000	16	13	33400	21600	9.5	L*30/36S9	EL280UH090XE48B	203366648
ML16XP1-036-230	35800	16	13	33400	21000	9.5	L*30/36S9	EL280UH110E48C	203240259
ML16XP1-036-230	35800	16	13	33400	20400	9	L*30/36S9	EL280UH110E60C	203240265
ML16XP1-036-230	35800	16	13	33400	20400	9	L*30/36S9	EL280UH110XE60C	203366667
ML16XP1-036-230	35200	15	12.5	33400	22600	9.5	L*30/36S9	EL296DF045XE36B	203240271
ML16XP1-036-230	35600	15	12.5	33400	22600	9.5	L*30/36S9	EL296DF045XV36B	203240277
ML16XP1-036-230	35600	16	13	33400	22400	9.5	L*30/36S9	EL296DF070XE48B	203240283
ML16XP1-036-230	35600	15	12.5	33400	22800	9.5	L*30/36S9	EL296DF070XV48B	203240289
ML16XP1-036-230	35800	16	13	33400	22400	9.5	L*30/36S9	EL296DF090XE48C	203240295
ML16XP1-036-230	35400	16	13	33400	21600	9	L*30/36S9	EL296UH045XE36B	203240301
ML16XP1-036-230	36000	16	13	33400	21800	9	L*30/36S9	EL296UH045XV36B	203240307
ML16XP1-036-230	36000	16	13	33400	21200	9	L*30/36S9	EL296UH070XE36B	203240313
ML16XP1-036-230	36000	16	13	33400	21400	9.5	L*30/36S9	EL296UH070XV36B	203240319
ML16XP1-036-230	35800	16	13	33400	21200	9.5	L*30/36S9	EL296UH090XE48C	203240325
ML16XP1-036-230	35800	16	13	33400	21200	9.5	L*30/36S9	EL296UH090XV36C	203240331
ML16XP1-036-230	36000	16	13	33400	20800	9	L*30/36S9	EL296UH090XV48C	203240337
ML16XP1-036-230	36000	16	13	33400	21600	9	L*30/36S9	EL296UH110XV48C	203240343
ML16XP1-036-230	35400	16	13	33400	22200	9.5	L*30/36S9	ML180DF070E36B	203240349
ML16XP1-036-230	36000	16	13	33400	22400	9.5	L*30/36S9	ML180DF090E48B	203240355
ML16XP1-036-230	36000	16	13	33400	21800	9	L*30/36S9	ML180UH045E36A	203240361
ML16XP1-036-230	36000	16	13	33400	21400	9.5	L*30/36S9	ML180UH070E36B	203240367
ML16XP1-036-230	36000	16	13	33400	21600	9.5	L*30/36S9	ML180UH090E48B	203240373
ML16XP1-036-230	35400	15	12.5	33400	22600	9.5	L*30/36S9	ML193DF045XE36B	203240379
ML16XP1-036-230	35400	15	12.5	33400	22600	9.5	L*30/36S9	ML193DF070XE36B	203240385
ML16XP1-036-230	35800	16	13	33400	22400	9.5	L*30/36S9	ML193DF090XE48C	203240391
ML16XP1-036-230	36000	15	12.5	33400	22200	9	L*30/36S9	ML193UH030XE36B	203240397
ML16XP1-036-230	36000	15	12.5	33400	22000	9	L*30/36S9	ML193UH045XE36B	203240403
ML16XP1-036-230	36000	16	13	33400	21200	9	L*30/36S9	ML193UH070XE36B	203240409
ML16XP1-036-230	35800	16	13	33400	21200	9	L*30/36S9	ML193UH090XE36C	203240415
ML16XP1-036-230	35800	16	13	33400	21200	9.5	L*30/36S9	ML193UH090XE48C	203240421
ML16XP1-036-230	36000	16	13	33400	20800	9.5	L*30/36S9	ML193UH110XE48C	203240427
ML16XP1-036-230	36000	16	13	33400	21000	9	L*30/36S9	ML193UH110XE60C	203240433
ML16XP1-036-230	36000	16	13	33400	21800	9	L*30/36S9	ML296UH045XV36B	203240439
ML16XP1-036-230	36000	16	13	33400	21400	9.5	L*30/36S9	ML296UH070XV36B	203240445
ML16XP1-036-230	36000	16	13	33400	20800	9	L*30/36S9	ML296UH090XV48C	203240451
ML16XP1-036-230	35600	16	13	33400	22400	9.5	L*30/36S9	SL280DF090V48B	203240457
ML16XP1-036-230	36000	16	13	33400	21600	9.5	L*30/36S9	SL280UH060NV36A	203240463
ML16XP1-036-230	36000	16	13	33400	21800	9	L*30/36S9	SL280UH070V36A	203240469
ML16XP1-036-230	36000	16	13	33400	21800	9	L*30/36S9	SL280UH070XV36A	203240475
ML16XP1-036-230	36000	16	13	33400	21400	9.5	L*30/36S9	SL280UH080NV48B	203240481
ML16XP1-036-230	36000	16	13	33400	21600	9.5	L*30/36S9	SL280UH090V36B	203240487
ML16XP1-036-230	36000	16	13	33400	21600	9.5	L*30/36S9	SL280UH090V48B	203240493
ML16XP1-036-230	36000	16	13	33400	21400	9.5	L*30/36S9	SL297UH040NV36B	203240499

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-036-230	36000	16	13	33400	21400	9.5	L*30/36S9	SL297UH060NV36B	203240505
ML16XP1-036-230	36000	16	13	33400	20800	9	L*30/36S9	SL297UH080NV48C	203240511
ML16XP1-036-230	35200	16	13	34400	22400	9	L*30/36S9	SLP99DF070XV36B	205760670
ML16XP1-036-230	35600	16	13	34400	22600	9.5	L*30/36S9	SLP99DF090XV36C	205760681
ML16XP1-036-230	35800	16	13	34400	22400	9.5	L*30/36S9	SLP99DF090XV48C	205760691
ML16XP1-036-230	36000	16	13	33600	21400	9.5	L*30/36S9	SLP99UH070XV36B	205761670
ML16XP1-036-230	35800	16	13	33400	21200	9.5	L*30/36S9	SLP99UH090XV36C	205761678
ML16XP1-036-230	36000	16	13	33600	20800	9	L*30/36S9	SLP99UH090XV48C	205763773
ML16XP1-036-230	35800	14.5	12.2	33400	21800	9	L*30/36S9		203240831
ML16XP1-036-230	36000	16	13	33400	21800	9.5	L*30/36U9	EL180UH040NE36A	203240176
ML16XP1-036-230	36000	16	13	33400	21800	9	L*30/36U9	EL180UH060NE36A	203240182
ML16XP1-036-230	36000	16	13	33400	21400	9.5	L*30/36U9	EL180UH080NE48B	203240188
ML16XP1-036-230	35800	16	13	33400	21800	9	L*30/36U9	EL195UH040NE36B	203240194
ML16XP1-036-230	36000	16	13	33400	21200	9	L*30/36U9	EL195UH060NE36B	203240200
ML16XP1-036-230	36000	15	12.5	33400	21800	9	L*30/36U9	EL195UH080NE48C	203240206
ML16XP1-036-230	36000	16	13	33400	21200	9	L*30/36U9	EL196UH045XE36B	203240212
ML16XP1-036-230	36000	16	13	33400	21200	9.5	L*30/36U9	EL196UH070XE36B	203240218
ML16XP1-036-230	36000	16	13	33400	20800	9.5	L*30/36U9	EL196UH090XE48C	203240224
ML16XP1-036-230	35600	16	13	33400	22600	9.5	L*30/36U9	EL280DF090E48B	203240230
ML16XP1-036-230	36000	16	13	33400	22000	9	L*30/36U9	EL280UH045E36A	203240234
ML16XP1-036-230	36000	16	13	33400	21800	9	L*30/36U9	EL280UH070E36A	203240240
ML16XP1-036-230	36000	16	13	33400	21800	9	L*30/36U9	EL280UH070XE36A	203366628
ML16XP1-036-230	36000	16	13	33400	21800	9.5	L*30/36U9	EL280UH090E36B	203240246
ML16XP1-036-230	36000	16	13	33400	21200	9.5	L*30/36U9	EL280UH090E48B	203240252
ML16XP1-036-230	36000	16	13	33400	21600	9.5	L*30/36U9	EL280UH090XE48B	203366647
ML16XP1-036-230	35800	16	13	33400	21000	9.5	L*30/36U9	EL280UH110E48C	203240258
ML16XP1-036-230	35800	16	13	33400	20400	9	L*30/36U9	EL280UH110E60C	203240264
ML16XP1-036-230	35800	16	13	33400	20400	9	L*30/36U9	EL280UH110XE60C	203366666
ML16XP1-036-230	35200	15	12.5	33400	22600	9.5	L*30/36U9	EL296DF045XE36B	203240270
ML16XP1-036-230	35600	15	12.5	33400	22600	9.5	L*30/36U9	EL296DF045XV36B	203240276
ML16XP1-036-230	35600	16	13	33400	22400	9.5	L*30/36U9	EL296DF070XE48B	203240282
ML16XP1-036-230	35600	15	12.5	33400	22800	9.5	L*30/36U9	EL296DF070XV48B	203240288
ML16XP1-036-230	35800	16	13	33400	22400	9.5	L*30/36U9	EL296DF090XE48C	203240294
ML16XP1-036-230	35400	16	13	33400	21600	9	L*30/36U9	EL296UH045XE36B	203240300
ML16XP1-036-230	36000	16	13	33400	21800	9	L*30/36U9	EL296UH045XV36B	203240306
ML16XP1-036-230	36000	16	13	33400	21200	9	L*30/36U9	EL296UH070XE36B	203240312
ML16XP1-036-230	36000	16	13	33400	21400	9.5	L*30/36U9	EL296UH070XV36B	203240318
ML16XP1-036-230	35800	16	13	33400	21200	9.5	L*30/36U9	EL296UH090XE48C	203240324
ML16XP1-036-230	35800	16	13	33400	21200	9.5	L*30/36U9	EL296UH090XV36C	203240330
ML16XP1-036-230	36000	16	13	33400	20800	9	L*30/36U9	EL296UH090XV48C	203240336
ML16XP1-036-230	36000	16	13	33400	21600	9	L*30/36U9	EL296UH110XV48C	203240342
ML16XP1-036-230	35400	16	13	33400	22200	9.5	L*30/36U9	ML180DF070E36B	203240348
ML16XP1-036-230	36000	16	13	33400	22400	9.5	L*30/36U9	ML180DF090E48B	203240354
ML16XP1-036-230	36000	16	13	33400	21800	9	L*30/36U9	ML180UH045E36A	203240360
ML16XP1-036-230	36000	16	13	33400	21400	9.5	L*30/36U9	ML180UH070E36B	203240366
ML16XP1-036-230	36000	16	13	33400	21200	9.5	L*30/36U9	ML180UH090E48B	203240372
ML16XP1-036-230	35400	15	12.5	33400	22600	9.5	L*30/36U9	ML193DF045XE36B	203240378
ML16XP1-036-230	35400	15	12.5	33400	22600	9.5	L*30/36U9	ML193DF070XE36B	203240384
ML16XP1-036-230	35800	16	13	33400	22400	9.5	L*30/36U9	ML193DF090XE48C	203240390
ML16XP1-036-230	36000	15	12.5	33400	21600	9	L*30/36U9	ML193UH030XE36B	203240396
ML16XP1-036-230	36000	15	12.5	33400	21400	9	L*30/36U9	ML193UH045XE36B	203240402
ML16XP1-036-230	36000	16	13	33400	21200	9	L*30/36U9	ML193UH070XE36B	203240408
ML16XP1-036-230	35800	16	13	33400	21200	9	L*30/36U9	ML193UH090XE36C	203240414
ML16XP1-036-230	35800	16	13	33400	21200	9.5	L*30/36U9	ML193UH090XE48C	203240420

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-036-230	36000	16	13	33400	20800	9.5	L*30/36U9	ML193UH110XE48C	203240426
ML16XP1-036-230	36000	16	13	33400	21000	9	L*30/36U9	ML193UH110XE60C	203240432
ML16XP1-036-230	36000	16	13	33400	21800	9	L*30/36U9	ML296UH045XV36B	203240438
ML16XP1-036-230	36000	16	13	33400	21400	9.5	L*30/36U9	ML296UH070XV36B	203240444
ML16XP1-036-230	36000	16	13	33400	20800	9	L*30/36U9	ML296UH090XV48C	203240450
ML16XP1-036-230	35600	16	13	33400	22400	9.5	L*30/36U9	SL280DF090V48B	203240456
ML16XP1-036-230	36000	16	13	33400	21600	9.5	L*30/36U9	SL280UH060NV36A	203240462
ML16XP1-036-230	36000	16	13	33400	21800	9	L*30/36U9	SL280UH070V36A	203240468
ML16XP1-036-230	36000	16	13	33400	21800	9	L*30/36U9	SL280UH070XV36A	203240474
ML16XP1-036-230	36000	16	13	33400	21000	9.5	L*30/36U9	SL280UH080NV48B	203240480
ML16XP1-036-230	36000	16	13	33400	21200	9.5	L*30/36U9	SL280UH090V36B	203240486
ML16XP1-036-230	36000	16	13	33400	21600	9.5	L*30/36U9	SL280UH090V48B	203240492
ML16XP1-036-230	36000	16	13	33400	21400	9.5	L*30/36U9	SL297UH040NV36B	203240498
ML16XP1-036-230	36000	16	13	33400	21400	9.5	L*30/36U9	SL297UH060NV36B	203240504
ML16XP1-036-230	36000	16	13	33400	20800	9	L*30/36U9	SL297UH080NV48C	203240510
ML16XP1-036-230	35200	16	13	34400	22400	9	L*30/36U9	SLP99DF070XV36B	205760669
ML16XP1-036-230	35600	16	13	34400	22600	9.5	L*30/36U9	SLP99DF090XV36C	205760679
ML16XP1-036-230	35800	16	13	34400	22400	9.5	L*30/36U9	SLP99DF090XV48C	205760689
ML16XP1-036-230	36000	16	13	33600	21400	9.5	L*30/36U9	SLP99UH070XV36B	205761668
ML16XP1-036-230	35800	16	13	33400	21200	9.5	L*30/36U9	SLP99UH090XV36C	205761676
ML16XP1-036-230	36000	16	13	33600	20800	9	L*30/36U9	SLP99UH090XV48C	205763770
ML16XP1-036-230	35800	14.5	12.2	33400	21800	9	L*30/36U9		203240830
ML16XP1-036-230	36000	16	13	33400	21800	9.5	L*35/36S9	EL180UH040NE36A	203240178
ML16XP1-036-230	36000	16	13	33400	21800	9	L*35/36S9	EL180UH060NE36A	203240184
ML16XP1-036-230	36000	16	13	33400	21000	9.5	L*35/36S9	EL180UH080NE48B	203240190
ML16XP1-036-230	35800	16	13	33400	21800	9	L*35/36S9	EL195UH040NE36B	203240196
ML16XP1-036-230	36000	16	13	33400	21200	9	L*35/36S9	EL195UH060NE36B	203240202
ML16XP1-036-230	36000	15	12.5	33400	21800	9	L*35/36S9	EL195UH080NE48C	203240208
ML16XP1-036-230	36000	16	13	33400	21200	9	L*35/36S9	EL196UH045XE36B	203240214
ML16XP1-036-230	36000	16	13	33400	21200	9.5	L*35/36S9	EL196UH070XE36B	203240220
ML16XP1-036-230	36000	16	13	33400	21200	9.5	L*35/36S9	EL196UH090XE48C	203240226
ML16XP1-036-230	35600	16	13	33400	22600	9.5	L*35/36S9	EL280DF090E48B	203240232
ML16XP1-036-230	36000	16	13	33400	22000	9	L*35/36S9	EL280UH045E36A	203240236
ML16XP1-036-230	36000	16	13	33400	21800	9	L*35/36S9	EL280UH070E36A	203240242
ML16XP1-036-230	36000	16	13	33400	21800	9	L*35/36S9	EL280UH070XE36A	203366633
ML16XP1-036-230	36000	16	13	33400	21400	9.5	L*35/36S9	EL280UH090E36B	203240248
ML16XP1-036-230	36000	16	13	33400	21600	9.5	L*35/36S9	EL280UH090E48B	203240254
ML16XP1-036-230	36000	16	13	33400	21600	9.5	L*35/36S9	EL280UH090XE48B	203366652
ML16XP1-036-230	36000	16	13	33400	21000	9.5	L*35/36S9	EL280UH110E48C	203240260
ML16XP1-036-230	36000	16	13	33400	20400	9	L*35/36S9	EL280UH110E60C	203240266
ML16XP1-036-230	36000	16	13	33400	20400	9	L*35/36S9	EL280UH110XE60C	203366671
ML16XP1-036-230	35200	15	12.5	33400	22600	9.5	L*35/36S9	EL296DF045XE36B	203240272
ML16XP1-036-230	35600	15	12.5	33400	22600	9.5	L*35/36S9	EL296DF045XV36B	203240278
ML16XP1-036-230	35600	16	13	33400	22400	9.5	L*35/36S9	EL296DF070XE48B	203240284
ML16XP1-036-230	35600	15	12.5	33400	22800	9.5	L*35/36S9	EL296DF070XV48B	203240290
ML16XP1-036-230	35800	16	13	33400	22400	9.5	L*35/36S9	EL296DF090XE48C	203240296
ML16XP1-036-230	35400	16	13	33400	21600	9	L*35/36S9	EL296UH045XE36B	203240302
ML16XP1-036-230	36000	16	13	33400	21800	9	L*35/36S9	EL296UH045XV36B	203240308
ML16XP1-036-230	36000	16	13	33400	21200	9	L*35/36S9	EL296UH070XE36B	203240314
ML16XP1-036-230	36000	16	13	33400	21400	9.5	L*35/36S9	EL296UH070XV36B	203240320
ML16XP1-036-230	36000	16	13	33400	21200	9.5	L*35/36S9	EL296UH090XE48C	203240326
ML16XP1-036-230	36000	16	13	33400	21200	9.5	L*35/36S9	EL296UH090XV36C	203240332
ML16XP1-036-230	36000	16	13	33400	20800	9	L*35/36S9	EL296UH090XV48C	203240338
ML16XP1-036-230	36000	16	13	33400	21600	9	L*35/36S9	EL296UH110XV48C	203240344

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-036-230	35400	16	13	33400	22200	9.5	L*35/36S9	ML180DF070E36B	203240350
ML16XP1-036-230	36000	16	13	33400	22400	9.5	L*35/36S9	ML180DF090E48B	203240356
ML16XP1-036-230	36000	16	13	33400	21800	9	L*35/36S9	ML180UH045E36A	203240362
ML16XP1-036-230	36000	16	13	33400	21400	9.5	L*35/36S9	ML180UH070E36B	203240368
ML16XP1-036-230	36000	16	13	33400	21600	9.5	L*35/36S9	ML180UH090E48B	203240374
ML16XP1-036-230	35400	15	12.5	33400	22600	9.5	L*35/36S9	ML193DF045XE36B	203240380
ML16XP1-036-230	35400	15	12.5	33400	22600	9.5	L*35/36S9	ML193DF070XE36B	203240386
ML16XP1-036-230	35800	16	13	33400	22400	9.5	L*35/36S9	ML193DF090XE48C	203240392
ML16XP1-036-230	36000	15	12.5	33400	22200	9	L*35/36S9	ML193UH030XE36B	203240398
ML16XP1-036-230	36000	15	12.5	33400	22000	9	L*35/36S9	ML193UH045XE36B	203240404
ML16XP1-036-230	36000	16	13	33400	21200	9	L*35/36S9	ML193UH070XE36B	203240410
ML16XP1-036-230	36000	16	13	33400	21200	9	L*35/36S9	ML193UH090XE36C	203240416
ML16XP1-036-230	36000	16	13	33400	21200	9.5	L*35/36S9	ML193UH090XE48C	203240422
ML16XP1-036-230	36000	16	13	33400	21000	9.5	L*35/36S9	ML193UH110XE48C	203240428
ML16XP1-036-230	36000	16	13	33400	21000	9	L*35/36S9	ML193UH110XE60C	203240434
ML16XP1-036-230	36000	16	13	33400	21800	9	L*35/36S9	ML296UH045XV36B	203240440
ML16XP1-036-230	36000	16	13	33400	21400	9.5	L*35/36S9	ML296UH070XV36B	203240446
ML16XP1-036-230	36000	16	13	33400	20800	9	L*35/36S9	ML296UH090XV48C	203240452
ML16XP1-036-230	35600	16	13	33400	22400	9.5	L*35/36S9	SL280DF090V48B	203240458
ML16XP1-036-230	36000	16	13	33400	21600	9.5	L*35/36S9	SL280UH060NV36A	203240464
ML16XP1-036-230	36000	16	13	33400	21800	9	L*35/36S9	SL280UH070V36A	203240470
ML16XP1-036-230	36000	16	13	33400	21800	9	L*35/36S9	SL280UH070XV36A	203240476
ML16XP1-036-230	36000	16	13	33400	21400	9.5	L*35/36S9	SL280UH080NV48B	203240482
ML16XP1-036-230	36000	16	13	33400	21600	9.5	L*35/36S9	SL280UH090V36B	203240488
ML16XP1-036-230	36000	16	13	33400	21600	9.5	L*35/36S9	SL280UH090V48B	203240494
ML16XP1-036-230	36000	16	13	33400	21400	9.5	L*35/36S9	SL297UH040NV36B	203240500
ML16XP1-036-230	36000	16	13	33400	21400	9.5	L*35/36S9	SL297UH060NV36B	203240506
ML16XP1-036-230	36000	16	13	33400	20800	9	L*35/36S9	SL297UH080NV48C	203240512
ML16XP1-036-230	35200	16	13	34400	22400	9	L*35/36S9	SLP99DF070XV36B	205760672
ML16XP1-036-230	35600	16	13	34400	22600	9.5	L*35/36S9	SLP99DF090XV36C	205760683
ML16XP1-036-230	35800	16	13	34400	22400	9.5	L*35/36S9	SLP99DF090XV48C	205760693
ML16XP1-036-230	36000	16	13	33600	21400	9.5	L*35/36S9	SLP99UH070XV36B	205761671
ML16XP1-036-230	36000	16	13	33400	21200	9.5	L*35/36S9	SLP99UH090XV36C	205761680
ML16XP1-036-230	36000	16	13	33600	20400	9	L*35/36S9	SLP99UH090XV48C	205763484
ML16XP1-036-230	35800	14.5	12.2	33400	21800	9	L*35/36S9		203240832
ML16XP1-036-230	36000	16	13	33400	21800	9	L*35/36U9	EL280UH070XE36A	203366631
ML16XP1-036-230	36000	16	13	33400	21600	9.5	L*35/36U9	EL280UH090XE48B	203366650
ML16XP1-036-230	36000	16	13	33400	20400	9	L*35/36U9	EL280UH110XE60C	203366669
ML16XP1-036-230	35800	14.5	12.2	33200	21800	9	LD31/36Z9		204756180
ML16XP1-036-230	36000	16	13	33400	21800	9	LH18/37D9	EL280UH070XE36A	203366634
ML16XP1-036-230	36000	16	13	33400	21600	9.5	LH18/37D9	EL280UH090XE48B	203366653
ML16XP1-036-230	35400	16	12.5	33400	21200	9	LH18/37D9	EL280UH110XE60C	203366672
ML16XP1-036-230	36000	16	13	33400	21800	9	LH23/37W9	EL280UH070XE36A	203366635
ML16XP1-036-230	36000	16	13	33400	21600	9.5	LH23/37W9	EL280UH090XE48B	203366654
ML16XP1-036-230	36000	16	13	33400	21600	9	LH23/37W9	EL280UH110XE60C	203366673
ML16XP1-036-230	35600	16	12.5	33400	21800	9.5	LH29/36F9	EL180UH040NE36A	203240174
ML16XP1-036-230	35600	16	12.5	33400	21800	9	LH29/36F9	EL180UH060NE36A	203240180
ML16XP1-036-230	35600	16	12.5	33400	21400	9.5	LH29/36F9	EL180UH080NE48B	203240186
ML16XP1-036-230	35400	16	12.5	33400	21800	9	LH29/36F9	EL195UH040NE36B	203240192
ML16XP1-036-230	35400	16	12.5	33400	21800	9	LH29/36F9	EL195UH060NE36B	203240198
ML16XP1-036-230	35200	15	12.2	33400	21800	9	LH29/36F9	EL195UH080NE48C	203240204
ML16XP1-036-230	35400	16	12.5	33400	21600	9	LH29/36F9	EL196UH045XE36B	203240210
ML16XP1-036-230	35400	16	12.5	33400	21600	9	LH29/36F9	EL196UH070XE36B	203240216
ML16XP1-036-230	35200	16	12.5	33400	20800	9	LH29/36F9	EL196UH090XE48C	203240222

AHRI SYSTEM MATCHESNOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-036-230	35200	16	12.5	33400	22600	9.5	LH29/36F9	EL280DF090E48B	203240228
ML16XP1-036-230	35600	16	12.5	33400	21800	9	LH29/36F9	EL280UH070E36A	203240238
ML16XP1-036-230	35600	16	12.5	33400	21800	9	LH29/36F9	EL280UH070XE36A	203366621
ML16XP1-036-230	35600	16	12.5	33400	21800	9.5	LH29/36F9	EL280UH090E36B	203240244
ML16XP1-036-230	35600	16	12.5	33400	21600	9.5	LH29/36F9	EL280UH090E48B	203240250
ML16XP1-036-230	35600	16	12.5	33400	21600	9.5	LH29/36F9	EL280UH090XE48B	203366640
ML16XP1-036-230	35000	16	12.5	33400	21000	9	LH29/36F9	EL280UH110E48C	203240256
ML16XP1-036-230	34800	15	12.5	33400	21200	9	LH29/36F9	EL280UH110E60C	203240262
ML16XP1-036-230	34800	15	12.5	33400	21200	9	LH29/36F9	EL280UH110XE60C	203366659
ML16XP1-036-230	34600	15	12.5	33400	22200	9	LH29/36F9	EL296DF045XE36B	203240268
ML16XP1-036-230	35000	15	12.5	33400	22400	9	LH29/36F9	EL296DF045XV36B	203240274
ML16XP1-036-230	35200	16	12.5	33400	22400	9.5	LH29/36F9	EL296DF070XE48B	203240280
ML16XP1-036-230	35000	15	12.5	33400	22600	9	LH29/36F9	EL296DF070XV48B	203240286
ML16XP1-036-230	35400	16	12.5	33400	22400	9.5	LH29/36F9	EL296DF090XE48C	203240292
ML16XP1-036-230	35000	16	12.5	33400	21600	9	LH29/36F9	EL296UH045XE36B	203240298
ML16XP1-036-230	35600	16	12.5	33400	21800	9	LH29/36F9	EL296UH045XV36B	203240304
ML16XP1-036-230	35200	16	12.5	33400	21800	9	LH29/36F9	EL296UH070XE36B	203240310
ML16XP1-036-230	35600	16	12.5	33400	21800	9	LH29/36F9	EL296UH070XV36B	203240316
ML16XP1-036-230	35200	16	12.5	33400	20800	9	LH29/36F9	EL296UH090XE48C	203240322
ML16XP1-036-230	35200	16	12.5	33400	20800	9	LH29/36F9	EL296UH090XV36C	203240328
ML16XP1-036-230	35200	16	12.5	33400	20800	9	LH29/36F9	EL296UH090XV48C	203240334
ML16XP1-036-230	34200	16	12.2	33400	20400	9	LH29/36F9	EL296UH110XV48C	203240340
ML16XP1-036-230	34800	16	13	33400	22000	9	LH29/36F9	ML180DF070E36B	203240346
ML16XP1-036-230	35800	16	13	33400	22400	9.5	LH29/36F9	ML180DF090E48B	203240352
ML16XP1-036-230	35600	16	12.5	33400	21800	9	LH29/36F9	ML180UH045E36A	203240358
ML16XP1-036-230	35600	16	12.5	33400	21800	9	LH29/36F9	ML180UH070E36B	203240364
ML16XP1-036-230	35600	16	12.5	33400	21600	9.5	LH29/36F9	ML180UH090E48B	203240370
ML16XP1-036-230	34600	15	12.5	33400	22400	9	LH29/36F9	ML193DF045XE36B	203240376
ML16XP1-036-230	34600	15	12.5	33400	22400	9	LH29/36F9	ML193DF070XE36B	203240382
ML16XP1-036-230	35400	16	12.5	33400	22400	9.5	LH29/36F9	ML193DF090XE48C	203240388
ML16XP1-036-230	35600	15	12.2	33400	22200	9	LH29/36F9	ML193UH030XE36B	203240394
ML16XP1-036-230	35600	15	12.2	33400	22000	9	LH29/36F9	ML193UH045XE36B	203240400
ML16XP1-036-230	35400	16	12.5	33400	21800	9	LH29/36F9	ML193UH070XE36B	203240406
ML16XP1-036-230	35000	15	12.5	33400	21200	9	LH29/36F9	ML193UH090XE36C	203240412
ML16XP1-036-230	35200	16	12.5	33400	20800	9	LH29/36F9	ML193UH090XE48C	203240418
ML16XP1-036-230	35200	16	12.5	33400	20800	9	LH29/36F9	ML193UH110XE48C	203240424
ML16XP1-036-230	35200	15	12.5	33400	21000	9	LH29/36F9	ML193UH110XE60C	203240430
ML16XP1-036-230	35600	16	12.5	33400	21800	9	LH29/36F9	ML296UH045XV36B	203240436
ML16XP1-036-230	35600	16	12.5	33400	21800	9	LH29/36F9	ML296UH070XV36B	203240442
ML16XP1-036-230	35200	16	12.5	33400	20800	9	LH29/36F9	ML296UH090XV48C	203240448
ML16XP1-036-230	35200	16	12.5	33400	22400	9.5	LH29/36F9	SL280DF090V48B	203240454
ML16XP1-036-230	35600	16	12.5	33400	21600	9.5	LH29/36F9	SL280UH060NV36A	203240460
ML16XP1-036-230	35600	16	12.5	33400	21800	9	LH29/36F9	SL280UH070V36A	203240466
ML16XP1-036-230	35600	16	12.5	33400	21800	9	LH29/36F9	SL280UH070XV36A	203240472
ML16XP1-036-230	35600	16	12.5	33400	21400	9.5	LH29/36F9	SL280UH080NV48B	203240478
ML16XP1-036-230	35600	16	12.5	33400	21600	9.5	LH29/36F9	SL280UH090V36B	203240484
ML16XP1-036-230	35600	16	12.5	33400	21600	9.5	LH29/36F9	SL280UH090V48B	203240490
ML16XP1-036-230	35600	16	12.5	33400	21800	9	LH29/36F9	SL297UH040NV36B	203240496
ML16XP1-036-230	35600	16	12.5	33400	21800	9	LH29/36F9	SL297UH060NV36B	203240502
ML16XP1-036-230	35200	16	12.5	33400	20800	9	LH29/36F9	SL297UH080NV48C	203240508
ML16XP1-036-230	35600	16	12.5	33400	21800	9	LH29/36F9	SLP99UH070XV36B	205760697
ML16XP1-036-230	35200	16	12.5	33600	20800	9	LH29/36F9	SLP99UH090XV36C	205763761
ML16XP1-036-230	35200	16	12.5	33600	20800	9	LH29/36F9	SLP99UH090XV48C	205763765
ML16XP1-036-230	34400	14.5	11.7	33400	23200	9	LH29/36F9		203240828

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-036-230	36000	16	13	33400	21800	9	LH35/36F9	EL280UH070XE36A	203366622
ML16XP1-036-230	36000	16	13	33400	21600	9.5	LH35/36F9	EL280UH090XE48B	203366641
ML16XP1-036-230	35600	16	12.5	33400	20400	9	LH35/36F9	EL280UH110XE60C	203366660
ML16XP1-036-230	36000	16	13	33400	21800	9	LH35/37D9	EL280UH070XE36A	203366625
ML16XP1-036-230	36000	16	13	33400	21600	9.5	LH35/37D9	EL280UH090XE48B	203366644
ML16XP1-036-230	35800	16	13	33400	20400	9	LH35/37D9	EL280UH110XE60C	203366663
ML16XP1-036-230	36000	16	13	33400	21800	9	LH35/38F9	EL280UH070XE36A	203366627
ML16XP1-036-230	36000	16	13	33400	21600	9.5	LH35/38F9	EL280UH090XE48B	203366646
ML16XP1-036-230	36000	16	13	33400	20400	9	LH35/38F9	EL280UH110XE60C	203366665
ML16XP1-036-230	36000	16	13	33400	21800	9	LH35/38X9	EL280UH070XE36A	203366626
ML16XP1-036-230	36000	16	13	33400	21600	9.5	LH35/38X9	EL280UH090XE48B	203366645
ML16XP1-036-230	36000	16	13	33400	20400	9	LH35/38X9	EL280UH110XE60C	203366664
ML16XP1-036-230	34400	14.5	11.7	34400	23200	9	LS*36943E		205304020
ML16XP1-036-230	35200	15	12.5	33800	22200	9	LS*3791CC		205484079
ML16XP1-036-230	35400	14.5	12.2	33200	21800	9	LS*3799BB		205304048
ML16XP1-042-230	40500	16	12.5	37800	23600	8.5	L*42/49K9	EL280UH090XE48B	203366689
ML16XP1-042-230	41000	16	13	37800	23400	8.5	L*42/49K9	EL280UH110XE60C	203366707
ML16XP1-042-230	40000	16	12.5	37800	23600	8.2	L*42/60S9	EL280UH090XE48B	203366685
ML16XP1-042-230	41000	16	13	37800	23400	8.5	L*42/60S9	EL280UH110XE60C	203366703
ML16XP1-042-230	42000	16	13	37800	23600	9	L*42/60Z9	EL180UH080NE48B	203240550
ML16XP1-042-230	42000	16	13	37800	23800	8.5	L*42/60Z9	EL180UH100NE60C	203240552
ML16XP1-042-230	41500	16	13	37800	24000	8.5	L*42/60Z9	EL195UH080NE48C	203240554
ML16XP1-042-230	42000	16	13	37800	24200	8.5	L*42/60Z9	EL195UH100NE60C	203240556
ML16XP1-042-230	41500	16	13	37800	23800	8.5	L*42/60Z9	EL196UH090XE48C	203240558
ML16XP1-042-230	42000	16	13	37800	23600	9	L*42/60Z9	EL196UH110XE60C	203240560
ML16XP1-042-230	42000	16	13	37800	23800	8.5	L*42/60Z9	EL280UH090E36B	203240562
ML16XP1-042-230	42000	16	13	37800	23600	8.5	L*42/60Z9	EL280UH090E48B	203240564
ML16XP1-042-230	42000	16	13	37800	23600	8.5	L*42/60Z9	EL280UH090XE48B	203366693
ML16XP1-042-230	42000	16	13	37800	24000	8.5	L*42/60Z9	EL280UH110E48C	203240566
ML16XP1-042-230	42000	16	13	37800	23600	9	L*42/60Z9	EL280UH110E60C	203240568
ML16XP1-042-230	42000	16	13	37800	23600	9	L*42/60Z9	EL280UH110XE60C	203366711
ML16XP1-042-230	39500	15	12.5	37800	24600	8.2	L*42/60Z9	EL296DF070XE48B	203240570
ML16XP1-042-230	40500	16	13	37800	23400	9	L*42/60Z9	EL296DF090XE48C	203240572
ML16XP1-042-230	40500	16	13	37800	23600	9	L*42/60Z9	EL296DF090XV60C	203240574
ML16XP1-042-230	41000	16	13	37800	23600	9	L*42/60Z9	EL296DF110XE60C	203240576
ML16XP1-042-230	40500	16	13	37800	23600	9	L*42/60Z9	EL296DF110XV60C	203240578
ML16XP1-042-230	41000	16	13	37800	23600	8.5	L*42/60Z9	EL296UH090XE48C	203240580
ML16XP1-042-230	42000	16	13	37800	24000	8.5	L*42/60Z9	EL296UH090XV48C	203240582
ML16XP1-042-230	42000	16	13	37800	24200	8.5	L*42/60Z9	EL296UH090XV60C	203240584
ML16XP1-042-230	42000	16	13	37800	23600	8.5	L*42/60Z9	EL296UH110XE60C	203240586
ML16XP1-042-230	41500	16	13	37800	23800	8.5	L*42/60Z9	EL296UH110XV48C	203240588
ML16XP1-042-230	42000	16	13	37800	24000	8.5	L*42/60Z9	EL296UH110XV60C	203240590
ML16XP1-042-230	40000	16	13	37800	24400	8.5	L*42/60Z9	ML180DF090E48B	203240592
ML16XP1-042-230	41000	16	13	37800	23400	9	L*42/60Z9	ML180DF110E60C	203240594
ML16XP1-042-230	42000	16	13	37800	23800	9	L*42/60Z9	ML180UH090E48B	203240596
ML16XP1-042-230	42000	16	13	37800	23800	8.5	L*42/60Z9	ML180UH090E60C	203240598
ML16XP1-042-230	41500	16	13	37800	23400	8.5	L*42/60Z9	ML180UH110E60C	203240600
ML16XP1-042-230	40500	16	13	37800	23400	9	L*42/60Z9	ML193DF090XE48C	203240602
ML16XP1-042-230	41000	15	12.5	37800	23800	8.5	L*42/60Z9	ML193UH030XE36B	203240604
ML16XP1-042-230	41000	15	12.5	37800	23800	8.5	L*42/60Z9	ML193UH045XE36B	203240606
ML16XP1-042-230	41500	15	12.5	37800	23800	8.5	L*42/60Z9	ML193UH070XE36B	203240608
ML16XP1-042-230	40500	16	13	37800	23400	8.5	L*42/60Z9	ML193UH090XE36C	203240610
ML16XP1-042-230	41500	16	13	37800	23400	8.5	L*42/60Z9	ML193UH090XE48C	203240612
ML16XP1-042-230	42000	16	13	37800	24000	8.5	L*42/60Z9	ML193UH110XE48C	203240614

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-042-230	42000	16	13	37800	23600	8.5	L*42/60Z9	ML193UH110XE60C	203240616
ML16XP1-042-230	42000	16	13	37800	24000	8.5	L*42/60Z9	ML296UH090XV48C	203240618
ML16XP1-042-230	40000	16	13	37800	24600	8.2	L*42/60Z9	SL280DF090V48B	203240620
ML16XP1-042-230	40500	16	13	37800	23400	9	L*42/60Z9	SL280DF090V60C	203240622
ML16XP1-042-230	40500	16	13	37800	23400	9	L*42/60Z9	SL280DF110V60C	203240624
ML16XP1-042-230	42000	16	13	37800	23600	9	L*42/60Z9	SL280UH080NV48B	203240626
ML16XP1-042-230	42000	17	13	37800	23400	9	L*42/60Z9	SL280UH080NV60C	203240628
ML16XP1-042-230	42000	16	13	37800	23800	9	L*42/60Z9	SL280UH090V48B	203240630
ML16XP1-042-230	42000	16	13	37800	23400	9	L*42/60Z9	SL280UH090V60C	203240632
ML16XP1-042-230	42000	16	13	37800	23400	9	L*42/60Z9	SL280UH090XV60C	203240634
ML16XP1-042-230	42000	17	13	37800	23400	9	L*42/60Z9	SL280UH100NV60C	203240636
ML16XP1-042-230	42000	16	13	37800	23800	8.5	L*42/60Z9	SL280UH110V60C	203240638
ML16XP1-042-230	42000	16	13	37800	23800	8.5	L*42/60Z9	SL280UH110XV60C	203240640
ML16XP1-042-230	41500	16	13	37800	23800	8.5	L*42/60Z9	SL297UH080NV48C	203240642
ML16XP1-042-230	42000	16	13	37800	23600	8.5	L*42/60Z9	SL297UH080NV60C	203240644
ML16XP1-042-230	40500	16	13	38000	23600	9	L*42/60Z9	SLP99DF090XV48C	205763488
ML16XP1-042-230	40500	16	13	38000	23600	9	L*42/60Z9	SLP99DF090XV60C	205763491
ML16XP1-042-230	40500	16	13	38000	23600	9	L*42/60Z9	SLP99DF110XV60C	205763494
ML16XP1-042-230	42000	16	13	37800	24000	8.5	L*42/60Z9	SLP99UH090XV48C	205761412
ML16XP1-042-230	42000	16	13	37800	24200	8.5	L*42/60Z9	SLP99UH090XV60C	205760711
ML16XP1-042-230	42000	16	13	37800	24000	8.5	L*42/60Z9	SLP99UH110XV60C	205761417
ML16XP1-042-230	41000	15	12.5	37800	24200	8.5	L*42/60Z9		203240834
ML16XP1-042-230	40500	16	12.5	37800	23600	8.5	L*42/61K9	EL280UH090XE48B	203366690
ML16XP1-042-230	41000	16	13	37800	23400	8.5	L*42/61K9	EL280UH110XE60C	203366708
ML16XP1-042-230	40000	16	12.5	37800	23600	8.2	L*43/48S9	EL280UH090XE48B	203366686
ML16XP1-042-230	41000	16	13	37800	23400	8.5	L*43/48S9	EL280UH110XE60C	203366704
ML16XP1-042-230	42000	16	13	37800	23600	8.5	L*43/61Z9	EL280UH090XE48B	203366694
ML16XP1-042-230	42000	16	13	37800	23600	9	L*43/61Z9	EL280UH110XE60C	203366712
ML16XP1-042-230	42000	16	13	37800	23600	8.5	L*49/62Y9	EL280UH090XE48B	203366692
ML16XP1-042-230	42000	16	13	37800	23600	9	L*49/62Y9	EL280UH110XE60C	203366710
ML16XP1-042-230	42000	16	13	37800	23600	8.5	L*49/62Z9	EL280UH090XE48B	203366691
ML16XP1-042-230	42000	16	13	37800	23600	9	L*49/62Z9	EL280UH110XE60C	203366709
ML16XP1-042-230	40000	14.5	12.2	37400	24200	8.5	LD41/43Z9		204756181
ML16XP1-042-230	40500	16	13	36800	23400	9	LD42/61Z9	EL296DF090XE48C	205147437
ML16XP1-042-230	40000	16	13	40000	24800	8.2	LD42/61Z9	EL296DF090XV60C	205147438
ML16XP1-042-230	41000	16	13	36800	23600	9	LD42/61Z9	EL296DF110XE60C	205147439
ML16XP1-042-230	40500	16	13	36800	23600	9	LD42/61Z9	EL296DF110XV60C	205147440
ML16XP1-042-230	41000	16	13	36800	23400	9	LD42/61Z9	ML180DF110E60C	205147441
ML16XP1-042-230	40500	16	13	36800	23400	9	LD42/61Z9	ML193DF090XE48C	205147442
ML16XP1-042-230	40500	16	13	36800	23400	9	LD42/61Z9	SL280DF090V60C	205147443
ML16XP1-042-230	40500	16	13	36800	23400	9	LD42/61Z9	SL280DF110V60C	205147444
ML16XP1-042-230	40000	16	13	40000	24800	8.2	LD42/61Z9	SLP99DF090XV48C	205760705
ML16XP1-042-230	40000	16	13	40000	24800	8.2	LD42/61Z9	SLP99DF090XV60C	205760708
ML16XP1-042-230	40500	16	13	38000	23600	9	LD42/61Z9	SLP99DF110XV60C	205763492
ML16XP1-042-230	40500	15	12.2	37400	24200	8.5	LD42/61Z9		204755194
ML16XP1-042-230	42000	16	13	37800	23600	8.5	LH40/61W9	EL280UH090XE48B	203366684
ML16XP1-042-230	42000	16	13	37800	23600	9	LH40/61W9	EL280UH110XE60C	203366702
ML16XP1-042-230	42000	16	13	37800	23600	8.5	LH40/62W9	EL280UH090XE48B	203366678
ML16XP1-042-230	41500	16	13	37800	23800	9	LH40/62W9	EL280UH110XE60C	203366696
ML16XP1-042-230	40500	16	12.5	37800	23600	8.2	LH41/49F9	EL280UH090XE48B	203366680
ML16XP1-042-230	41000	16	13	37800	23800	8.5	LH41/49F9	EL280UH110XE60C	203366698
ML16XP1-042-230	41000	16	12.5	37800	23600	8.5	LH41/61D9	EL280UH090XE48B	203366683
ML16XP1-042-230	41000	16	13	37800	23400	8.5	LH41/61D9	EL280UH110XE60C	203366701
ML16XP1-042-230	41000	16	12.5	37800	23600	8.5	LH41/61R9	EL280UH090XE48B	203366682

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-042-230	41000	16	13	37800	23400	8.5	LH41/61R9	EL280UH110XE60C	203366700
ML16XP1-042-230	40000	16	12.5	37800	23600	8.2	LH42/49F9	EL280UH090XE48B	203366679
ML16XP1-042-230	41000	16	13	37800	23400	8.5	LH42/49F9	EL280UH110XE60C	203366697
ML16XP1-042-230	40500	16	12.5	37800	23600	8.2	LH42/60D9	EL280UH090XE48B	203366681
ML16XP1-042-230	41000	16	13	37800	23400	8.5	LH42/60D9	EL280UH110XE60C	203366699
ML16XP1-042-230	42000	16	13	37800	23600	9	LH42/62W9	EL180UH080NE48B	203240551
ML16XP1-042-230	41500	16	13	37800	23400	9	LH42/62W9	EL180UH100NE60C	203240553
ML16XP1-042-230	41000	16	13	37800	23600	9	LH42/62W9	EL195UH080NE48C	203240555
ML16XP1-042-230	41500	16	13	37800	23800	9	LH42/62W9	EL195UH100NE60C	203240557
ML16XP1-042-230	41500	16	13	37800	23400	9	LH42/62W9	EL196UH090XE48C	203240559
ML16XP1-042-230	42000	16	13	37800	23600	9	LH42/62W9	EL196UH110XE60C	203240561
ML16XP1-042-230	42000	16	13	37800	23800	8.5	LH42/62W9	EL280UH090E36B	203240563
ML16XP1-042-230	42000	16	13	37800	23600	8.5	LH42/62W9	EL280UH090E48B	203240565
ML16XP1-042-230	42000	16	13	37800	23600	8.5	LH42/62W9	EL280UH090XE48B	203366695
ML16XP1-042-230	41500	16	13	37800	23400	9	LH42/62W9	EL280UH110E48C	203240567
ML16XP1-042-230	42000	16	13	37800	23600	9	LH42/62W9	EL280UH110E60C	203240569
ML16XP1-042-230	42000	16	13	37800	23600	9	LH42/62W9	EL280UH110XE60C	203366713
ML16XP1-042-230	39500	15	12.5	37800	24600	8.2	LH42/62W9	EL296DF070XE48B	203240571
ML16XP1-042-230	40500	16	13	37800	23400	9	LH42/62W9	EL296DF090XE48C	203240573
ML16XP1-042-230	40500	16	13	37800	23600	9	LH42/62W9	EL296DF090XV60C	203240575
ML16XP1-042-230	41000	16	13	37800	23600	9	LH42/62W9	EL296DF110XE60C	203240577
ML16XP1-042-230	40500	16	13	37800	23600	9	LH42/62W9	EL296DF110XV60C	203240579
ML16XP1-042-230	41000	16	13	37800	23600	8.5	LH42/62W9	EL296UH090XE48C	203240581
ML16XP1-042-230	41500	16	13	37800	23600	9	LH42/62W9	EL296UH090XV48C	203240583
ML16XP1-042-230	41500	16	13	37800	23600	9	LH42/62W9	EL296UH090XV60C	203240585
ML16XP1-042-230	42000	16	13	37800	23600	9	LH42/62W9	EL296UH110XE60C	203240587
ML16XP1-042-230	41500	16	13	37800	23600	9	LH42/62W9	EL296UH110XV48C	203240589
ML16XP1-042-230	41500	16	13	37800	23600	9	LH42/62W9	EL296UH110XV60C	203240591
ML16XP1-042-230	40000	16	13	37800	24400	8.5	LH42/62W9	ML180DF090E48B	203240593
ML16XP1-042-230	41000	16	13	37800	23400	9	LH42/62W9	ML180DF110E60C	203240595
ML16XP1-042-230	42000	16	13	37800	23800	9	LH42/62W9	ML180UH090E48B	203240597
ML16XP1-042-230	41500	16	13	37800	23400	9	LH42/62W9	ML180UH090E60C	203240599
ML16XP1-042-230	41500	16	13	37800	23400	9	LH42/62W9	ML180UH110E60C	203240601
ML16XP1-042-230	40500	16	13	37800	23400	9	LH42/62W9	ML193DF090XE48C	203240603
ML16XP1-042-230	41000	15	12.5	37800	23800	8.5	LH42/62W9	ML193UH030XE36B	203240605
ML16XP1-042-230	41000	15	12.5	37800	23800	8.5	LH42/62W9	ML193UH045XE36B	203240607
ML16XP1-042-230	41500	15	12.5	37800	23800	8.5	LH42/62W9	ML193UH070XE36B	203240609
ML16XP1-042-230	40500	16	13	37800	23400	9	LH42/62W9	ML193UH090XE36C	203240611
ML16XP1-042-230	41500	16	13	37800	23400	9	LH42/62W9	ML193UH090XE48C	203240613
ML16XP1-042-230	41500	16	13	37800	23400	9	LH42/62W9	ML193UH110XE48C	203240615
ML16XP1-042-230	42000	16	13	37800	23600	9	LH42/62W9	ML193UH110XE60C	203240617
ML16XP1-042-230	41500	16	13	37800	23600	9	LH42/62W9	ML296UH090XV48C	203240619
ML16XP1-042-230	40000	16	13	37800	24600	8.2	LH42/62W9	SL280DF090V48B	203240621
ML16XP1-042-230	40500	16	13	37800	23400	9	LH42/62W9	SL280DF090V60C	203240623
ML16XP1-042-230	40500	16	13	37800	23400	9	LH42/62W9	SL280DF110V60C	203240625
ML16XP1-042-230	42000	16	13	37800	23600	9	LH42/62W9	SL280UH080NV48B	203240627
ML16XP1-042-230	42000	17	13	37800	23400	9	LH42/62W9	SL280UH080NV60C	203240629
ML16XP1-042-230	42000	16	13	37800	23800	9	LH42/62W9	SL280UH090V48B	203240631
ML16XP1-042-230	42000	16	13	37800	23400	9	LH42/62W9	SL280UH090V60C	203240633
ML16XP1-042-230	42000	16	13	37800	23400	9	LH42/62W9	SL280UH090XV60C	203240635
ML16XP1-042-230	42000	17	13	37800	23400	9	LH42/62W9	SL280UH100NV60C	203240637
ML16XP1-042-230	41500	16	13	37800	23400	9	LH42/62W9	SL280UH110V60C	203240639
ML16XP1-042-230	41500	16	13	37800	23400	9	LH42/62W9	SL280UH110XV60C	203240641
ML16XP1-042-230	41500	16	13	37800	23800	8.5	LH42/62W9	SL297UH080NV48C	203240643

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-042-230	42000	16	13	37800	23600	9	LH42/62W9	SL297UH080NV60C	203240645
ML16XP1-042-230	41500	16	13	38000	23600	9	LH42/62W9	SLP99UH090XV48C	205763496
ML16XP1-042-230	41500	16	13	38000	23600	9	LH42/62W9	SLP99UH090XV60C	205763498
ML16XP1-042-230	41500	16	13	38000	23600	9	LH42/62W9	SLP99UH110XV60C	205763501
ML16XP1-042-230	40500	15	12.5	37800	24200	9	LH42/62W9		203240835
ML16XP1-042-230	41500	16	12.5	37800	23600	8.5	LH48/60F9	EL280UH090XE48B	203366688
ML16XP1-042-230	41500	16	13	37800	23800	9	LH48/60F9	EL280UH110XE60C	203366706
ML16XP1-042-230	41500	16	12.5	37800	23600	8.5	LH48/60X9	EL280UH090XE48B	203366687
ML16XP1-042-230	41500	16	13	37800	23800	9	LH48/60X9	EL280UH110XE60C	203366705
ML16XP1-042-230	40500	15	12.2	37400	24200	8.5	LS*4891CC		205304051
ML16XP1-042-230	39500	14.5	12	37800	24400	8.2	LS*4899BB		205484105
ML16XP1-048-230	45500	15	12.5	42500	27600	9	L*42/49K9	EL280UH110XE60C	203366723
ML16XP1-048-230	45000	15	12.5	42500	27600	9	L*42/60S9	EL280UH110XE60C	203366719
ML16XP1-048-230	47000	16	13	42500	27600	9.5	L*42/60Z9	EL180UH100NE60C	203240658
ML16XP1-048-230	46500	15	12.5	42500	28000	9	L*42/60Z9	EL195UH080NE48C	203240660
ML16XP1-048-230	46500	15	12.5	42500	28000	9	L*42/60Z9	EL195UH100NE60C	203240662
ML16XP1-048-230	47000	15	12.5	42500	28000	9.5	L*42/60Z9	EL196UH090XE48C	203240664
ML16XP1-048-230	47000	15	12.5	42500	27800	9.5	L*42/60Z9	EL196UH110XE60C	203240666
ML16XP1-048-230	47000	15	12.5	42500	27800	9.5	L*42/60Z9	EL280UH110E48C	203240668
ML16XP1-048-230	47000	16	13	42500	27800	9.5	L*42/60Z9	EL280UH110E60C	203240670
ML16XP1-048-230	47000	16	13	42500	27800	9.5	L*42/60Z9	EL280UH110XE60C	203366727
ML16XP1-048-230	45000	15	12.5	42500	27800	9.5	L*42/60Z9	EL296DF090XE48C	203240672
ML16XP1-048-230	45000	15	12.5	42500	28000	9.5	L*42/60Z9	EL296DF090XV60C	203240674
ML16XP1-048-230	45500	16	13	42500	28200	9.5	L*42/60Z9	EL296DF110XE60C	203240676
ML16XP1-048-230	45500	15	12.5	42500	28600	9.5	L*42/60Z9	EL296DF110XV60C	203240678
ML16XP1-048-230	47000	15	12.5	42500	28000	9.5	L*42/60Z9	EL296UH090XE48C	203240680
ML16XP1-048-230	47000	15	12.5	42500	28000	9.5	L*42/60Z9	EL296UH090XV48C	203240682
ML16XP1-048-230	47000	15	12.5	42500	28000	9.5	L*42/60Z9	EL296UH090XV60C	203240684
ML16XP1-048-230	47000	15	12.5	42500	27800	9.5	L*42/60Z9	EL296UH110XE60C	203240686
ML16XP1-048-230	47000	15	12.5	42500	27800	9.5	L*42/60Z9	EL296UH110XV48C	203240688
ML16XP1-048-230	47000	15	12.5	42500	28000	9.5	L*42/60Z9	EL296UH110XV60C	203240690
ML16XP1-048-230	46000	15	12.5	42500	27400	9	L*42/60Z9	EL296UH135XE60D	203240692
ML16XP1-048-230	46000	15	12.5	42500	26800	9	L*42/60Z9	EL296UH135XV60D	203240694
ML16XP1-048-230	45500	16	13	42500	27600	9.5	L*42/60Z9	ML180DF110E60C	203240696
ML16XP1-048-230	47000	16	13	42500	27800	9.5	L*42/60Z9	ML180UH090E60C	203240698
ML16XP1-048-230	47500	15	12.5	42500	28200	9.5	L*42/60Z9	ML180UH110E60C	203240700
ML16XP1-048-230	46500	15	12.5	42500	27000	9	L*42/60Z9	ML180UH135E60D	203240702
ML16XP1-048-230	45000	15	12.5	42500	27800	9.5	L*42/60Z9	ML193DF090XE48C	203240704
ML16XP1-048-230	47000	15	12.5	42500	27800	9.5	L*42/60Z9	ML193UH090XE48C	203240706
ML16XP1-048-230	47000	15	12.5	42500	27800	9.5	L*42/60Z9	ML193UH110XE48C	203240708
ML16XP1-048-230	47000	15	12.5	42500	27800	9.5	L*42/60Z9	ML193UH110XE60C	203240710
ML16XP1-048-230	45000	15	12.5	42500	28000	9.5	L*42/60Z9	ML296DF090XV60C	203240712
ML16XP1-048-230	47000	15	12.5	42500	28000	9.5	L*42/60Z9	ML296UH090XV48C	203240714
ML16XP1-048-230	47000	15	12.5	42500	28000	9.5	L*42/60Z9	ML296UH110XV60C	203240716
ML16XP1-048-230	45500	16	13	42500	27800	9.5	L*42/60Z9	SL280DF090V60C	203240718
ML16XP1-048-230	46000	16	13	42500	28200	9.5	L*42/60Z9	SL280DF110V60C	203240720
ML16XP1-048-230	47000	16	13	42500	27600	9.5	L*42/60Z9	SL280UH080NV60C	203240722
ML16XP1-048-230	47000	15	12.5	42500	27800	9.5	L*42/60Z9	SL280UH090V60C	203240724
ML16XP1-048-230	47000	15	12.5	42500	27800	9.5	L*42/60Z9	SL280UH090XV60C	203240726
ML16XP1-048-230	47500	16	13	42500	27600	9.5	L*42/60Z9	SL280UH100NV60C	203240728
ML16XP1-048-230	47000	16	13	42500	27800	9.5	L*42/60Z9	SL280UH110V60C	203240730
ML16XP1-048-230	47000	16	13	42500	27800	9.5	L*42/60Z9	SL280UH110XV60C	203240732
ML16XP1-048-230	46500	15	12.5	42500	27200	9	L*42/60Z9	SL280UH135V60D	203240734
ML16XP1-048-230	47000	15	12.5	42500	28000	9.5	L*42/60Z9	SL297UH080NV48C	203240736

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-048-230	47000	15	12.5	42500	27800	9.5	L*42/60Z9	SL297UH080NV60C	203240738
ML16XP1-048-230	45000	15	12.5	43000	28000	9.5	L*42/60Z9	SLP99DF090XV48C	205763505
ML16XP1-048-230	45000	15	12.5	42500	28000	9.5	L*42/60Z9	SLP99DF090XV60C	205763509
ML16XP1-048-230	45500	15	12.5	42500	28400	9.5	L*42/60Z9	SLP99DF110XV60C	205760717
ML16XP1-048-230	47000	15	12.5	43000	28000	9.5	L*42/60Z9	SLP99UH090XV48C	205763511
ML16XP1-048-230	47000	15	12.5	43000	28000	9.5	L*42/60Z9	SLP99UH090XV60C	205763516
ML16XP1-048-230	47000	15	12.5	43000	28000	9.5	L*42/60Z9	SLP99UH110XV60C	205763520
ML16XP1-048-230	46500	15	12.5	42500	27200	9	L*42/60Z9	SLP99UH135XV60D	205763525
ML16XP1-048-230	45000	15	12.5	42500	28800	9.5	L*42/60Z9		203240836
ML16XP1-048-230	45500	15	12.5	42500	27600	9	L*42/61K9	EL280UH110XE60C	203366724
ML16XP1-048-230	45000	15	12.5	42500	27600	9	L*43/48S9	EL280UH110XE60C	203366720
ML16XP1-048-230	47000	16	13	42500	27800	9.5	L*43/61Z9	EL280UH110XE60C	203366728
ML16XP1-048-230	47000	16	13	42500	27800	9.5	L*49/62Y9	EL280UH110XE60C	203366726
ML16XP1-048-230	47000	16	13	42500	27800	9.5	L*49/62Z9	EL280UH110XE60C	203366725
ML16XP1-048-230	45000	15	12.5	41500	27800	9.5	LD42/61Z9	EL296DF090XE48C	205147278
ML16XP1-048-230	45000	14.5	12.2	41500	28000	9.5	LD42/61Z9	EL296DF090XV60C	205147279
ML16XP1-048-230	45500	15	12.5	42500	28200	9.5	LD42/61Z9	EL296DF110XE60C	205147280
ML16XP1-048-230	45000	15	12.5	41500	27800	9.5	LD42/61Z9	EL296DF110XV60C	205147281
ML16XP1-048-230	45500	15	12.5	42500	28200	9.5	LD42/61Z9	ML180DF110E60C	205147282
ML16XP1-048-230	45000	15	12.5	41500	27800	9.5	LD42/61Z9	ML193DF090XE48C	205147283
ML16XP1-048-230	45000	14.5	12.2	41500	28000	9.5	LD42/61Z9	ML296DF090XV60C	205147284
ML16XP1-048-230	45500	15	12.5	41500	27800	9.5	LD42/61Z9	SL280DF090V60C	205147285
ML16XP1-048-230	46000	15	12.5	42500	28200	9.5	LD42/61Z9	SL280DF110V60C	205147286
ML16XP1-048-230	45000	14.5	12.2	43000	28000	9.5	LD42/61Z9	SLP99DF090XV48C	205763503
ML16XP1-048-230	45000	14.5	12.2	42500	28000	9.5	LD42/61Z9	SLP99DF090XV60C	205763507
ML16XP1-048-230	45500	15	12.5	42500	28400	9.5	LD42/61Z9	SLP99DF110XV60C	205760715
ML16XP1-048-230	45000	14.5	12.2	43000	28800	9.5	LD42/61Z9		204755195
ML16XP1-048-230	47000	16	13	42500	27800	9.5	LH40/61W9	EL280UH110XE60C	203366718
ML16XP1-048-230	46500	16	12.5	42500	27800	9.5	LH40/62W9	EL280UH110XE60C	203366714
ML16XP1-048-230	45000	15	12.5	42500	27600	9	LH41/49F9	EL280UH110XE60C	203366715
ML16XP1-048-230	46000	15	12.5	42500	27800	9	LH41/61D9	EL280UH110XE60C	203366717
ML16XP1-048-230	45000	15	12.5	42500	27600	9	LH42/60D9	EL280UH110XE60C	203366716
ML16XP1-048-230	47000	16	13	42500	27600	9.5	LH42/62W9	EL180UH100NE60C	203240659
ML16XP1-048-230	46500	15	12.5	42500	28000	9.5	LH42/62W9	EL195UH080NE48C	203240661
ML16XP1-048-230	46500	15	12.5	42500	28000	9.5	LH42/62W9	EL195UH100NE60C	203240663
ML16XP1-048-230	47000	15	12.5	42500	28000	9.5	LH42/62W9	EL196UH090XE48C	203240665
ML16XP1-048-230	47000	15	12.5	42500	27800	9.5	LH42/62W9	EL196UH110XE60C	203240667
ML16XP1-048-230	47000	15	12.5	42500	27800	9.5	LH42/62W9	EL280UH110E48C	203240669
ML16XP1-048-230	47000	16	13	42500	27800	9.5	LH42/62W9	EL280UH110E60C	203240671
ML16XP1-048-230	47000	16	13	42500	27800	9.5	LH42/62W9	EL280UH110XE60C	203366729
ML16XP1-048-230	45000	15	12.5	42500	27800	9.5	LH42/62W9	EL296DF090XE48C	203240673
ML16XP1-048-230	45000	15	12.5	42500	28000	9.5	LH42/62W9	EL296DF090XV60C	203240675
ML16XP1-048-230	45500	16	13	42500	28200	9.5	LH42/62W9	EL296DF110XE60C	203240677
ML16XP1-048-230	45500	15	12.5	42500	28600	9.5	LH42/62W9	EL296DF110XV60C	203240679
ML16XP1-048-230	47000	15	12.5	42500	28000	9.5	LH42/62W9	EL296UH090XE48C	203240681
ML16XP1-048-230	47000	15	12.5	42500	28000	9.5	LH42/62W9	EL296UH090XV48C	203240683
ML16XP1-048-230	47000	15	12.5	42500	28000	9.5	LH42/62W9	EL296UH090XV60C	203240685
ML16XP1-048-230	47000	15	12.5	42500	27800	9.5	LH42/62W9	EL296UH110XE60C	203240687
ML16XP1-048-230	47000	15	12.5	42500	27800	9.5	LH42/62W9	EL296UH110XV48C	203240689
ML16XP1-048-230	47000	15	12.5	42500	28000	9.5	LH42/62W9	EL296UH110XV60C	203240691
ML16XP1-048-230	46000	15	12.5	42500	27400	9	LH42/62W9	EL296UH135XE60D	203240693
ML16XP1-048-230	46000	15	12.5	42500	26800	9	LH42/62W9	EL296UH135XV60D	203240695
ML16XP1-048-230	45500	16	13	42500	27600	9.5	LH42/62W9	ML180DF110E60C	203240697
ML16XP1-048-230	47000	16	13	42500	27800	9.5	LH42/62W9	ML180UH090E60C	203240699

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-048-230	47500	15	12.5	42500	28200	9.5	LH42/62W9	ML180UH110E60C	203240701
ML16XP1-048-230	46500	15	12.5	42500	27000	9	LH42/62W9	ML180UH135E60D	203240703
ML16XP1-048-230	45000	15	12.5	42500	27800	9.5	LH42/62W9	ML193DF090XE48C	203240705
ML16XP1-048-230	47000	15	12.5	42500	27800	9.5	LH42/62W9	ML193UH090XE48C	203240707
ML16XP1-048-230	47000	15	12.5	42500	27800	9.5	LH42/62W9	ML193UH110XE48C	203240709
ML16XP1-048-230	47000	15	12.5	42500	27800	9.5	LH42/62W9	ML193UH110XE60C	203240711
ML16XP1-048-230	45000	15	12.5	42500	28000	9.5	LH42/62W9	ML296DF090XV60C	203240713
ML16XP1-048-230	47000	15	12.5	42500	28000	9.5	LH42/62W9	ML296UH090XV48C	203240715
ML16XP1-048-230	47000	15	12.5	42500	28000	9.5	LH42/62W9	ML296UH110XV60C	203240717
ML16XP1-048-230	45500	16	13	42500	27800	9.5	LH42/62W9	SL280DF090V60C	203240719
ML16XP1-048-230	46000	16	13	42500	28200	9.5	LH42/62W9	SL280DF110V60C	203240721
ML16XP1-048-230	47000	16	13	42500	27600	9.5	LH42/62W9	SL280UH080NV60C	203240723
ML16XP1-048-230	47000	15	12.5	42500	27800	9.5	LH42/62W9	SL280UH090V60C	203240725
ML16XP1-048-230	47000	15	12.5	42500	27800	9.5	LH42/62W9	SL280UH090XV60C	203240727
ML16XP1-048-230	47500	16	13	42500	27600	9.5	LH42/62W9	SL280UH100NV60C	203240729
ML16XP1-048-230	47000	16	13	42500	27800	9.5	LH42/62W9	SL280UH110V60C	203240731
ML16XP1-048-230	47000	16	13	42500	27800	9.5	LH42/62W9	SL280UH110XV60C	203240733
ML16XP1-048-230	46500	15	12.5	42500	27200	9	LH42/62W9	SL280UH135V60D	203240735
ML16XP1-048-230	47000	15	12.5	42500	28000	9.5	LH42/62W9	SL297UH080NV48C	203240737
ML16XP1-048-230	47000	15	12.5	42500	27800	9.5	LH42/62W9	SL297UH080NV60C	203240739
ML16XP1-048-230	47000	15	12.5	43000	28000	9.5	LH42/62W9	SLP99UH090XV48C	205763513
ML16XP1-048-230	47000	15	12.5	43000	28000	9.5	LH42/62W9	SLP99UH090XV60C	205763518
ML16XP1-048-230	47000	15	12.5	43000	28000	9.5	LH42/62W9	SLP99UH110XV60C	205763523
ML16XP1-048-230	46500	15	12.5	42500	27200	9	LH42/62W9	SLP99UH135XV60D	205763526
ML16XP1-048-230	45000	15	12.5	42500	28800	9.5	LH42/62W9		203240837
ML16XP1-048-230	46500	15	12.5	42500	27800	9.5	LH48/60F9	EL280UH110XE60C	203366722
ML16XP1-048-230	46500	15	12.5	42500	27800	9.5	LH48/60X9	EL280UH110XE60C	203366721
ML16XP1-048-230	45000	14.5	12.2	43000	28800	9.5	LS*4891CC		205304049
ML16XP1-048-230	45000	15	12.5	43000	28800	9.5	LS*6094CC		205304024
ML16XP1-060-230	57500	15	12.5	52500	36200	9	L*42/60Z9	EL180UH100NE60C	203240754
ML16XP1-060-230	57000	14.5	12.2	52500	36400	8.5	L*42/60Z9	EL195UH100NE60C	203240758
ML16XP1-060-230	56500	15	12.5	52500	35800	9	L*42/60Z9	EL196UH110XE60C	203240760
ML16XP1-060-230	57500	15	12.5	52500	36200	9	L*42/60Z9	EL280UH110E60C	203240762
ML16XP1-060-230	57500	15	12.5	52500	36200	9	L*42/60Z9	EL280UH110XE60C	203366736
ML16XP1-060-230	55500	14	12.2	52500	34000	9	L*42/60Z9	EL296DF090XV60C	203240764
ML16XP1-060-230	56000	15	12.5	52500	34600	9	L*42/60Z9	EL296DF110XE60C	203240766
ML16XP1-060-230	55500	14	12.2	52500	34200	9	L*42/60Z9	EL296DF110XV60C	203240768
ML16XP1-060-230	57500	14.5	12.2	52500	35800	9	L*42/60Z9	EL296UH090XV60C	203240770
ML16XP1-060-230	58000	15	12.2	52500	35800	9.5	L*42/60Z9	EL296UH110XE60C	203240772
ML16XP1-060-230	58000	15	12.2	52500	36000	9.5	L*42/60Z9	EL296UH110XV60C	203240774
ML16XP1-060-230	56500	14.5	12.2	52500	35800	9	L*42/60Z9	EL296UH135XE60D	203240776
ML16XP1-060-230	57000	14.5	12.2	52500	35800	9	L*42/60Z9	EL296UH135XV60D	203240778
ML16XP1-060-230	56500	15	12.5	52500	34600	9	L*42/60Z9	ML180DF110E60C	203240780
ML16XP1-060-230	58000	15	12.2	52500	35800	9.5	L*42/60Z9	ML180UH090E60C	203240782
ML16XP1-060-230	58000	15	12.2	52500	35800	9.5	L*42/60Z9	ML180UH110E60C	203240784
ML16XP1-060-230	56500	15	12.5	52500	34000	8.5	L*42/60Z9	ML180UH135E60D	203240786
ML16XP1-060-230	56500	14.5	12.2	52500	34000	8.5	L*42/60Z9	ML193UH110XE60C	203240788
ML16XP1-060-230	57500	14.5	12.2	52500	36400	9	L*42/60Z9	ML296UH110XV60C	203240790
ML16XP1-060-230	56500	15	12.5	52500	34200	9	L*42/60Z9	SL280DF090V60C	203240792
ML16XP1-060-230	56500	15	12.5	52500	34000	9	L*42/60Z9	SL280DF110V60C	203240794
ML16XP1-060-230	58500	15	12.5	52500	35600	9.5	L*42/60Z9	SL280UH080NV60C	203240796
ML16XP1-060-230	57000	15	12.5	52500	35800	9	L*42/60Z9	SL280UH090V60C	203240798
ML16XP1-060-230	57000	15	12.5	52500	35800	9	L*42/60Z9	SL280UH090XV60C	203240800
ML16XP1-060-230	58500	15	12.5	52500	35800	9.5	L*42/60Z9	SL280UH100NV60C	203240802

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-060-230	58000	15	12.2	52500	35800	9.5	L*42/60Z9	SL280UH110V60C	203240804
ML16XP1-060-230	58000	15	12.2	52500	35800	9.5	L*42/60Z9	SL280UH110XV60C	203240806
ML16XP1-060-230	57500	15	12.5	52500	35800	9	L*42/60Z9	SL280UH135V60D	203240808
ML16XP1-060-230	58000	15	12.2	52500	35800	9.5	L*42/60Z9	SL297UH080NV60C	203240810
ML16XP1-060-230	55500	14	12.2	54000	34200	9	L*42/60Z9	SLP99DF110XV60C	205760376
ML16XP1-060-230	57500	14.5	12.2	52500	35800	9	L*42/60Z9	SLP99UH090XV60C	205763403
ML16XP1-060-230	58000	15	12.2	52500	36000	9.5	L*42/60Z9	SLP99UH110XV60C	205760379
ML16XP1-060-230	57000	14.5	12	52500	36200	9.5	L*42/60Z9		203240838
ML16XP1-060-230	57500	15	12.5	52500	36200	9	L*43/61Z9	EL280UH110XE60C	203366737
ML16XP1-060-230	57500	15	12.2	52500	36200	9	L*49/62Y9	EL280UH110XE60C	203366735
ML16XP1-060-230	57500	15	12.2	52500	36200	9	L*49/62Z9	EL280UH110XE60C	203366734
ML16XP1-060-230	55500	14	12.2	53500	34000	9	LD42/61Z9	EL296DF090XV60C	205147290
ML16XP1-060-230	56000	14.5	12.2	54000	34600	9	LD42/61Z9	EL296DF110XE60C	205147291
ML16XP1-060-230	55500	14	12.2	54000	34200	9	LD42/61Z9	EL296DF110XV60C	205147292
ML16XP1-060-230	56500	14.5	12.2	54000	34600	9	LD42/61Z9	ML180DF110E60C	205147293
ML16XP1-060-230	56500	14.5	12.2	54000	34200	9	LD42/61Z9	SL280DF090V60C	205147294
ML16XP1-060-230	56500	14.5	12.2	54000	34600	9	LD42/61Z9	SL280DF110V60C	205147295
ML16XP1-060-230	55500	14	12.2	54000	34200	9	LD42/61Z9	SLP99DF110XV60C	205760375
ML16XP1-060-230	56500	14	12	52500	36200	9	LD42/61Z9		204755197
ML16XP1-060-230	57500	15	12.2	52500	36200	9	LH40/61W9	EL280UH110XE60C	203366732
ML16XP1-060-230	57500	15	12.2	52500	36200	9	LH40/62W9	EL280UH110XE60C	203366730
ML16XP1-060-230	56500	15	12	52500	36200	8.5	LH41/61D9	EL280UH110XE60C	203366731
ML16XP1-060-230	58000	15	12.5	52500	35800	9.5	LH42/62W9	EL180UH100NE60C	203240755
ML16XP1-060-230	57500	14.5	12.2	52500	36000	9	LH42/62W9	EL195UH100NE60C	203240759
ML16XP1-060-230	58000	15	12.5	52500	35800	9.5	LH42/62W9	EL196UH110XE60C	203240761
ML16XP1-060-230	57500	15	12.5	52500	36200	9	LH42/62W9	EL280UH110E60C	203240763
ML16XP1-060-230	57500	15	12.5	52500	36200	9	LH42/62W9	EL280UH110XE60C	203366738
ML16XP1-060-230	55500	14.5	12.2	52500	34000	9	LH42/62W9	EL296DF090XV60C	203240765
ML16XP1-060-230	56000	15	12.5	52500	34600	9	LH42/62W9	EL296DF110XE60C	203240767
ML16XP1-060-230	55500	14.5	12.2	52500	34600	9	LH42/62W9	EL296DF110XV60C	203240769
ML16XP1-060-230	57500	14.5	12.2	52500	35800	9	LH42/62W9	EL296UH090XV60C	203240771
ML16XP1-060-230	58000	15	12.5	52500	35800	9.5	LH42/62W9	EL296UH110XE60C	203240773
ML16XP1-060-230	58000	15	12.5	52500	36000	9.5	LH42/62W9	EL296UH110XV60C	203240775
ML16XP1-060-230	56500	14.5	12.2	52500	35800	9	LH42/62W9	EL296UH135XE60D	203240777
ML16XP1-060-230	57000	14.5	12.2	52500	35800	9	LH42/62W9	EL296UH135XV60D	203240779
ML16XP1-060-230	56500	15	12.5	52500	34600	9	LH42/62W9	ML180DF110E60C	203240781
ML16XP1-060-230	58000	15	12.5	52500	35800	9.5	LH42/62W9	ML180UH090E60C	203240783
ML16XP1-060-230	58000	15	12.5	52500	35800	9.5	LH42/62W9	ML180UH110E60C	203240785
ML16XP1-060-230	56500	15	12.5	52500	34000	8.5	LH42/62W9	ML180UH135E60D	203240787
ML16XP1-060-230	56500	14.5	12.2	52500	34000	8.5	LH42/62W9	ML193UH110XE60C	203240789
ML16XP1-060-230	57500	14.5	12.2	52500	36400	9	LH42/62W9	ML296UH110XV60C	203240791
ML16XP1-060-230	56500	15	12.5	52500	34200	9	LH42/62W9	SL280DF090V60C	203240793
ML16XP1-060-230	56500	15	12.5	52500	34600	9	LH42/62W9	SL280DF110V60C	203240795
ML16XP1-060-230	58500	15	12.5	52500	35600	9.5	LH42/62W9	SL280UH080NV60C	203240797
ML16XP1-060-230	58000	15	12.5	52500	35800	9.5	LH42/62W9	SL280UH090V60C	203240799
ML16XP1-060-230	58000	15	12.5	52500	35800	9.5	LH42/62W9	SL280UH090XV60C	203240801
ML16XP1-060-230	58500	15	12.5	52500	35800	9.5	LH42/62W9	SL280UH100NV60C	203240803
ML16XP1-060-230	58000	15	12.5	52500	35800	9.5	LH42/62W9	SL280UH110V60C	203240805
ML16XP1-060-230	58000	15	12.5	52500	35800	9.5	LH42/62W9	SL280UH110XV60C	203240807
ML16XP1-060-230	57500	15	12.5	52500	35800	9	LH42/62W9	SL280UH135V60D	203240809
ML16XP1-060-230	58000	15	12.5	52500	35800	9.5	LH42/62W9	SL297UH080NV60C	203240811
ML16XP1-060-230	57500	14.5	12.2	52500	35800	9	LH42/62W9	SLP99UH090XV60C	205763405
ML16XP1-060-230	58000	15	12.5	52500	36000	9.5	LH42/62W9	SLP99UH110XV60C	205760381
ML16XP1-060-230	57000	14.5	12.2	52500	36200	9.5	LH42/62W9		203240839

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-060-230	57000	15	12.2	52500	36200	9	LH48/60F9	EL280UH110XE60C	203366733
ML16XP1-060-230	57000	14.5	12	52500	36200	9.5	LS*6094CC		205304025
SL18XP1-024-230	23400	17	13	21200	12100	9.5	L*18/36T9	EL280UH070XE36A	203366739
SL18XP1-024-230	23800	18	14	21200	12400	9.5	L*19/36S9	EL280UH070XE36A	203366743
SL18XP1-024-230	24000	18	14	21200	12400	9.5	L*23/37Y9	EL280UH070XE36A	203366759
SL18XP1-024-230	24000	18	14	21200	12400	9.5	L*23/37Z9	EL280UH070XE36A	203366758
SL18XP1-024-230	24000	18	14	21200	12100	9.5	L*24/36Y9	EL280UH070XE36A	203366763
SL18XP1-024-230	24000	18	14	21200	12100	9.5	L*24/36Z9	EL280UH070XE36A	203366762
SL18XP1-024-230	23800	18	14	21200	12400	9.5	L*24/42S9	EL280UH070XE36A	203366744
SL18XP1-024-230	24000	18	14	21200	12100	9.5	L*25/37Y9	EL280UH070XE36A	203366761
SL18XP1-024-230	24000	18	14	21200	12100	9.5	L*25/37Z9	EL280UH070XE36A	203366760
SL18XP1-024-230	24000	18	14	21200	12100	9.5	L*29/36S9	EL280UH070XE36A	203366752
SL18XP1-024-230	24000	18	14	21200	12100	9.5	L*29/36U9	EL280UH070XE36A	203366750
SL18XP1-024-230	24000	18	14	21200	12100	9.5	L*30/36S9	EL280UH070XE36A	203366749
SL18XP1-024-230	24000	18	14	21200	12100	9.5	L*30/36U9	EL280UH070XE36A	203366748
SL18XP1-024-230	24000	18	14	21200	12100	9.5	L*35/36S9	EL280UH070XE36A	203366753
SL18XP1-024-230	24000	18	14	21200	12100	9.5	L*35/36U9	EL280UH070XE36A	203366751
SL18XP1-024-230	24000	16	13	21200	13400	9.5	LD24/35Z9		204755198
SL18XP1-024-230	24000	18	14	21200	12100	9.5	LH18/37D9	EL280UH070XE36A	203366755
SL18XP1-024-230	24000	18	14	21200	12100	9.5	LH18/37R9	EL280UH070XE36A	203366754
SL18XP1-024-230	24000	18	14	21200	12100	9.5	LH23/37E9	EL280UH070XE36A	203366757
SL18XP1-024-230	24000	18	14	21200	12400	9.5	LH23/37W9	EL280UH070XE36A	203366756
SL18XP1-024-230	23800	18	14	21200	12400	9.5	LH29/36F9	EL280UH070XE36A	203366740
SL18XP1-024-230	24000	18	14	21200	12100	9.5	LH35/36F9	EL280UH070XE36A	203366742
SL18XP1-024-230	24000	18	14	21200	12100	9.5	LH35/36X9	EL280UH070XE36A	203366741
SL18XP1-024-230	24000	18	14	21200	12100	9.5	LH35/37D9	EL280UH070XE36A	203366745
SL18XP1-024-230	24000	18	14	21200	12100	9.5	LH35/38F9	EL280UH070XE36A	203366747
SL18XP1-024-230	24000	18	14	21200	12100	9.5	LH35/38X9	EL280UH070XE36A	203366746
SL18XP1-024-230	23400	16	13	21200	13400	9.5	LS*25933E		205484270
SL18XP1-030-230	29000	16	13	26000	17000	10	A36VDC	EL280DF070E36A	203189130
SL18XP1-030-230	28600	16	13	26000	16800	10	A36VDC	EL280DF090E48B	203189137
SL18XP1-030-230	29000	15	12.5	26000	17000	9.5	A36VDC	EL296DF045XE36B	203189143
SL18XP1-030-230	28800	16	13	26000	16800	9.5	A36VDC	EL296DF045XV36B	203189151
SL18XP1-030-230	29000	16	13	26000	17000	9.5	A36VDC	EL296DF070XE48B	203189158
SL18XP1-030-230	28800	15	12.5	26000	16900	9.5	A36VDC	EL296DF070XV48B	203189165
SL18XP1-030-230	29600	16	13	26000	16800	9.5	A36VDC	ML180DF070E36B	203189175
SL18XP1-030-230	29200	16	13	26000	16800	9.5	A36VDC	ML180DF090E48B	203189182
SL18XP1-030-230	29200	16	13	26000	16800	9.5	A36VDC	SL280DF070V36A	203189191
SL18XP1-030-230	29000	16	13	26000	16800	9.5	A36VDC	SL280DF090V48B	203189199
SL18XP1-030-230	29600	15	12.5	26000	16500	9.5	A36VDC		203189404
SL18XP1-030-230	29400	15	12.5	26000	16300	9	L*18/36T9	EL280UH070XE36A	203366764
SL18XP1-030-230	29000	16	13	26000	15200	9	L*18/36T9	EL280UH090XE48B	203366789
SL18XP1-030-230	29200	16	13	26000	16100	9.5	L*19/36S9	EL280UH070XE36A	203366768
SL18XP1-030-230	29000	16	13	26000	15900	9.5	L*19/36S9	EL280UH090XE48B	203366793
SL18XP1-030-230	30000	16	13	26000	15700	9.5	L*23/37Y9	EL280UH070XE36A	203366784
SL18XP1-030-230	30000	16	13	26000	15600	9.5	L*23/37Y9	EL280UH090XE48B	203366809
SL18XP1-030-230	30000	16	13	25200	15400	9.5	L*23/37Y9	EL296UH090XV36C	205660139
SL18XP1-030-230	30000	17	13	26200	16300	9.5	L*23/37Y9	SLP99UH090XV36C	205900983
SL18XP1-030-230	28800	15	12.5	26000	17500	9.5	L*23/37Y9		202072423
SL18XP1-030-230	30000	16	13	26000	15700	9.5	L*23/37Z9	EL280UH070XE36A	203366783
SL18XP1-030-230	30000	16	13	26000	15600	9.5	L*23/37Z9	EL280UH090XE48B	203366808
SL18XP1-030-230	30000	16	13	26000	15700	9.5	L*24/36Y9	EL280UH070XE36A	203366788
SL18XP1-030-230	30000	16	13	26000	15600	9.5	L*24/36Y9	EL280UH090XE48B	203366813
SL18XP1-030-230	30000	16	13	26000	15700	9.5	L*24/36Z9	EL280UH070XE36A	203366787

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-030-230	30000	16	13	26000	15600	9.5	L*24/36Z9	EL280UH090XE48B	203366812
SL18XP1-030-230	29200	16	13	26000	16100	9.5	L*24/42S9	EL280UH070XE36A	203366769
SL18XP1-030-230	29000	16	13	26000	15900	9.5	L*24/42S9	EL280UH090XE48B	203366794
SL18XP1-030-230	30000	16	13	26000	15700	9.5	L*25/37Y9	EL280UH070XE36A	203366786
SL18XP1-030-230	30000	16	13	26000	15600	9.5	L*25/37Y9	EL280UH090XE48B	203366811
SL18XP1-030-230	30000	16	13	26000	15700	9.5	L*25/37Z9	EL280UH070XE36A	203366785
SL18XP1-030-230	30000	16	13	26000	15600	9.5	L*25/37Z9	EL280UH090XE48B	203366810
SL18XP1-030-230	30000	16	13	26000	15700	9.5	L*29/36S9	EL280UH070XE36A	203366777
SL18XP1-030-230	30000	16	13	26000	15600	9.5	L*29/36S9	EL280UH090XE48B	203366802
SL18XP1-030-230	30000	16	13	26000	15700	9.5	L*29/36U9	EL280UH070XE36A	203366775
SL18XP1-030-230	30000	16	13	26000	15600	9.5	L*29/36U9	EL280UH090XE48B	203366800
SL18XP1-030-230	29800	16	13	26000	15700	9.5	L*30/36S9	EL280UH070XE36A	203366774
SL18XP1-030-230	29800	16	13	26000	15600	9.5	L*30/36S9	EL280UH090XE48B	203366799
SL18XP1-030-230	30000	16	13	25200	15500	9.5	L*30/36S9	EL296UH090XV36C	205660134
SL18XP1-030-230	29800	16	13	26000	15700	9.5	L*30/36U9	EL280UH070XE36A	203366773
SL18XP1-030-230	29800	16	13	26000	15600	9.5	L*30/36U9	EL280UH090XE48B	203366798
SL18XP1-030-230	30000	16	13	26000	15700	9.5	L*35/36S9	EL280UH070XE36A	203366778
SL18XP1-030-230	30000	16	13	26000	15600	9.5	L*35/36S9	EL280UH090XE48B	203366803
SL18XP1-030-230	30000	16	13	25400	15700	9.5	L*35/36S9	EL296UH090XV36C	205660137
SL18XP1-030-230	30000	17	13	26200	16300	9.5	L*35/36S9	SLP99UH090XV36C	205900978
SL18XP1-030-230	30000	16	13	26000	15700	9.5	L*35/36U9	EL280UH070XE36A	203366776
SL18XP1-030-230	30000	16	13	26000	15600	9.5	L*35/36U9	EL280UH090XE48B	203366801
SL18XP1-030-230	29600	15	12.5	26000	16500	9.5	LD24/35Z9		204755199
SL18XP1-030-230	29200	15	12.5	26000	17000	9.5	LD30/36Z9	EL196DF045XE36B	204012356
SL18XP1-030-230	29200	16	13	26000	17000	9.5	LD30/36Z9	EL196DF070XE48B	204012358
SL18XP1-030-230	30000	16	13	26000	15800	9.5	LD30/36Z9	EL196UH045XE36B	204012360
SL18XP1-030-230	30000	16	13	26000	16300	9.5	LD30/36Z9	EL196UH070XE36B	204012362
SL18XP1-030-230	30000	16	13	26000	15500	9.5	LD30/36Z9	EL196UH090XE48C	204012364
SL18XP1-030-230	29200	16	13	26000	17000	10	LD30/36Z9	EL280DF070E36A	204012366
SL18XP1-030-230	28800	16	13	26000	16800	10	LD30/36Z9	EL280DF090E48B	204012368
SL18XP1-030-230	30000	16	13	26000	16400	9.5	LD30/36Z9	EL280UH045E36A	204012370
SL18XP1-030-230	30000	16	13	26000	15700	9.5	LD30/36Z9	EL280UH070E36A	204012372
SL18XP1-030-230	30000	16	13	26000	15700	9.5	LD30/36Z9	EL280UH070XE36A	204012374
SL18XP1-030-230	30000	16	13	26000	16400	9.5	LD30/36Z9	EL280UH090E36B	204012376
SL18XP1-030-230	30000	16	13	26000	15600	9.5	LD30/36Z9	EL280UH090E48B	204012378
SL18XP1-030-230	30000	16	13	26000	15600	9.5	LD30/36Z9	EL280UH090XE48B	204012380
SL18XP1-030-230	30000	17	13	26000	16200	9.5	LD30/36Z9	EL280UH110E48C	204012382
SL18XP1-030-230	29200	15	12.5	26000	17000	9.5	LD30/36Z9	EL296DF045XE36B	204012384
SL18XP1-030-230	29000	16	13	26000	16800	9.5	LD30/36Z9	EL296DF045XV36B	204012386
SL18XP1-030-230	29200	16	13	26000	17000	9.5	LD30/36Z9	EL296DF070XE48B	204012388
SL18XP1-030-230	29000	15	12.5	26000	16900	9.5	LD30/36Z9	EL296DF070XV48B	204012390
SL18XP1-030-230	30000	16	13	26000	16300	9.5	LD30/36Z9	EL296UH045XE36B	204012392
SL18XP1-030-230	30000	16	13	26000	16300	9.5	LD30/36Z9	EL296UH045XV36B	204012395
SL18XP1-030-230	30000	16	13	26000	16300	9.5	LD30/36Z9	EL296UH070XE36B	204012397
SL18XP1-030-230	30000	16	13	26000	16100	9.5	LD30/36Z9	EL296UH070XV36B	204012399
SL18XP1-030-230	30000	16	13	26000	15500	9.5	LD30/36Z9	EL296UH090XE48C	204012401
SL18XP1-030-230	30000	16	13	26000	15400	9.5	LD30/36Z9	EL296UH090XV36C	204012403
SL18XP1-030-230	29600	16	13	26000	16800	9.5	LD30/36Z9	ML180DF070E36B	204012405
SL18XP1-030-230	29400	16	13	26000	16800	9.5	LD30/36Z9	ML180DF090E48B	204012407
SL18XP1-030-230	29800	16	13	26000	16000	9.5	LD30/36Z9	ML180UH045E36A	204012409
SL18XP1-030-230	29800	16	13	26000	16000	9.5	LD30/36Z9	ML180UH045XE36A	204012411
SL18XP1-030-230	30000	16	13	26000	15500	9.5	LD30/36Z9	ML180UH070E36B	204012413
SL18XP1-030-230	30000	16	13	26000	15500	9.5	LD30/36Z9	ML180UH070XE36B	204012415
SL18XP1-030-230	30000	16	13	26000	16100	9.5	LD30/36Z9	ML180UH090E48B	204012417

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-030-230	30000	16	13	26000	16100	9.5	LD30/36Z9	ML180UH090XE48B	204012419
SL18XP1-030-230	29400	16	13	26000	16800	9.5	LD30/36Z9	SL280DF070V36A	204012421
SL18XP1-030-230	29200	16	13	26000	16800	9.5	LD30/36Z9	SL280DF090V48B	204012423
SL18XP1-030-230	29600	17	13	26000	16200	9.5	LD30/36Z9	SL280UH060NV36A-	204012425
SL18XP1-030-230	29600	16	13	26000	15900	9.5	LD30/36Z9	SL280UH070V36A	204012427
SL18XP1-030-230	29600	16	13	26000	15900	9.5	LD30/36Z9	SL280UH070XV36A	204012429
SL18XP1-030-230	30000	16	13	26000	15900	9.5	LD30/36Z9	SL280UH090V36B	204012431
SL18XP1-030-230	30000	16	13	26000	15400	9.5	LD30/36Z9	SL280UH090V48B	204012433
SL18XP1-030-230	30000	16	13	26000	15400	9.5	LD30/36Z9	SL280UH090XV48B	204012435
SL18XP1-030-230	29000	16	13	26000	16800	9.5	LD30/36Z9	SLP99DF070XV36B	205761642
SL18XP1-030-230	28800	16	13	26200	16600	9.5	LD30/36Z9	SLP99DF090XV36C	205763457
SL18XP1-030-230	28800	16	13	26200	16600	9.5	LD30/36Z9	SLP99DF090XV48C	205763459
SL18XP1-030-230	29600	15	12.5	26000	16500	9.5	LD30/36Z9		204012447
SL18XP1-030-230	29600	15	12.5	26000	16500	9.5	LD31/36Z9		204756183
SL18XP1-030-230	29600	16	13	26000	16100	9.5	LH18/37D9	EL280UH070XE36A	203366780
SL18XP1-030-230	29600	16	13	26000	15600	9.5	LH18/37D9	EL280UH090XE48B	203366805
SL18XP1-030-230	29600	16	13	26000	16100	9.5	LH18/37R9	EL280UH070XE36A	203366779
SL18XP1-030-230	29600	16	13	26000	15600	9.5	LH18/37R9	EL280UH090XE48B	203366804
SL18XP1-030-230	30000	16	13	26000	15700	9.5	LH23/37E9	EL280UH070XE36A	203366782
SL18XP1-030-230	30000	16	13	26000	15600	9.5	LH23/37E9	EL280UH090XE48B	203366807
SL18XP1-030-230	30000	16	13	26000	15700	9.5	LH23/37W9	EL280UH070XE36A	203366781
SL18XP1-030-230	30000	16	13	26000	15600	9.5	LH23/37W9	EL280UH090XE48B	203366806
SL18XP1-030-230	29200	16	13	26000	16100	9.5	LH29/36F9	EL280UH070XE36A	203366765
SL18XP1-030-230	29000	16	13	26000	15900	9.5	LH29/36F9	EL280UH090XE48B	203366790
SL18XP1-030-230	29600	16	13	26000	16100	9.5	LH35/36F9	EL280UH070XE36A	203366767
SL18XP1-030-230	29600	16	13	26000	15600	9.5	LH35/36F9	EL280UH090XE48B	203366792
SL18XP1-030-230	29600	16	13	26000	16100	9.5	LH35/36X9	EL280UH070XE36A	203366766
SL18XP1-030-230	29600	16	13	26000	15600	9.5	LH35/36X9	EL280UH090XE48B	203366791
SL18XP1-030-230	30000	16	13	26000	15700	9.5	LH35/37D9	EL280UH070XE36A	203366770
SL18XP1-030-230	29800	16	13	26000	15600	9.5	LH35/37D9	EL280UH090XE48B	203366795
SL18XP1-030-230	30000	16	13	26000	15700	9.5	LH35/38F9	EL280UH070XE36A	203366772
SL18XP1-030-230	30000	16	13	26000	15600	9.5	LH35/38F9	EL280UH090XE48B	203366797
SL18XP1-030-230	30000	16	13	26000	15700	9.5	LH35/38X9	EL280UH070XE36A	203366771
SL18XP1-030-230	30000	16	13	26000	15600	9.5	LH35/38X9	EL280UH090XE48B	203366796
SL18XP1-030-230	29600	15	12.5	26000	16500	9.5	LS*36943E		205484284
SL18XP1-036-230	35000	15	12.2	32400	20600	9	A36VDC	EL280DF070E36A	203189242
SL18XP1-036-230	35000	15	12.2	32400	20400	9	A36VDC	EL280DF090E48B	203189245
SL18XP1-036-230	35200	15	12.5	32400	20400	9	A36VDC	EL296DF090XE48C	203189250
SL18XP1-036-230	35200	15	12.5	32400	20400	9	A36VDC	EL296DF090XV60C	203189254
SL18XP1-036-230	35200	15	12.5	32400	20400	9	A36VDC	EL296DF110XE60C	203189258
SL18XP1-036-230	35200	15	12.5	32400	20400	9	A36VDC	ML180DF110E60C	203189263
SL18XP1-036-230	35200	15	12.5	32400	20400	9	A36VDC	SL280DF110V60C	203189267
SL18XP1-036-230	35600	14.5	12.2	32400	20600	8.2	A36VDC		203189408
SL18XP1-036-230	35000	14.5	12	32400	21000	9	L*19/36S9		205661174
SL18XP1-036-230	36000	16	13	32400	20200	9	L*23/37Z9	EL280UH070XE36A	203366824
SL18XP1-036-230	36000	16	13	32400	19800	9	L*23/37Z9	EL280UH090XE48B	203366839
SL18XP1-036-230	36000	16	13	32400	20000	9	L*23/37Z9	EL280UH110XE60C	203366854
SL18XP1-036-230	36000	16	13	31600	20000	9	L*23/37Z9	EL296UH090XE48C	205660141
SL18XP1-036-230	36000	16	13	31600	20000	9	L*23/37Z9	EL296UH090XV36C	205660144
SL18XP1-036-230	36000	16	13	31400	20000	9	L*23/37Z9	EL296UH090XV48C	205660150
SL18XP1-036-230	36000	16	13	32400	20800	9	L*23/37Z9	EL296UH110XE60C	205660156
SL18XP1-036-230	36000	16	13	31200	20200	9	L*23/37Z9	EL296UH110XV48C	205660163
SL18XP1-036-230	36000	16	13	32400	20800	9	L*23/37Z9	EL296UH110XV60C	205660170
SL18XP1-036-230	35200	15	12.5	32400	21000	9	L*23/37Z9		205661182

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-036-230	36000	16	13	32400	20400	8.5	L*24/36Y9	EL280UH070XE36A	203366828
SL18XP1-036-230	36000	16	13	32400	20200	8.5	L*24/36Y9	EL280UH090XE48B	203366843
SL18XP1-036-230	36000	16	13	32400	20000	9	L*24/36Y9	EL280UH110XE60C	203366858
SL18XP1-036-230	36000	16	13	32400	20400	8.5	L*24/36Z9	EL280UH070XE36A	203366827
SL18XP1-036-230	36000	16	13	32400	20200	8.5	L*24/36Z9	EL280UH090XE48B	203366842
SL18XP1-036-230	36000	16	13	32400	20000	9	L*24/36Z9	EL280UH110XE60C	203366857
SL18XP1-036-230	36000	16	13	32400	20400	8.5	L*25/37Y9	EL280UH070XE36A	203366826
SL18XP1-036-230	36000	16	13	32400	20200	9	L*25/37Y9	EL280UH090XE48B	203366841
SL18XP1-036-230	36000	16	13	32400	20400	9	L*25/37Y9	EL280UH110XE60C	203366856
SL18XP1-036-230	36000	16	13	32400	20400	8.5	L*25/37Z9	EL280UH070XE36A	203366825
SL18XP1-036-230	36000	16	13	32400	20200	9	L*25/37Z9	EL280UH090XE48B	203366840
SL18XP1-036-230	36000	16	13	32400	20400	9	L*25/37Z9	EL280UH110XE60C	203366855
SL18XP1-036-230	36000	15	12.5	32400	20200	9	L*29/36S9	EL280UH070XE36A	203366821
SL18XP1-036-230	36000	16	13	32400	20200	8.5	L*29/36S9	EL280UH090XE48B	203366836
SL18XP1-036-230	36000	16	13	32400	20200	9	L*29/36S9	EL280UH110XE60C	203366851
SL18XP1-036-230	36000	15	12.5	32400	20200	9	L*29/36U9	EL280UH070XE36A	203366819
SL18XP1-036-230	36000	16	13	32400	20200	8.5	L*29/36U9	EL280UH090XE48B	203366834
SL18XP1-036-230	36000	16	13	32400	20000	9	L*29/36U9	EL280UH110XE60C	203366849
SL18XP1-036-230	35800	15	12.5	32400	20200	9	L*30/36S9	EL280UH070XE36A	203366818
SL18XP1-036-230	36000	16	13	32400	20200	8.5	L*30/36S9	EL280UH090XE48B	203366833
SL18XP1-036-230	36000	16	13	32400	20200	9	L*30/36S9	EL280UH110XE60C	203366848
SL18XP1-036-230	36000	16	13	31400	20000	9	L*30/36S9	EL296UH090XV48C	205660146
SL18XP1-036-230	36000	16	13	31600	20200	9	L*30/36S9	EL296UH110XE60C	205660152
SL18XP1-036-230	36000	16	13	31600	20200	9	L*30/36S9	EL296UH110XV48C	205660159
SL18XP1-036-230	36000	16	13	31600	20200	9	L*30/36S9	EL296UH110XV60C	205660165
SL18XP1-036-230	35200	14.5	12.2	32400	21000	9	L*30/36S9		205661178
SL18XP1-036-230	36000	15	12.5	32400	20200	9	L*35/36S9	EL280UH070XE36A	203366822
SL18XP1-036-230	36000	16	13	32400	20200	8.5	L*35/36S9	EL280UH090XE48B	203366837
SL18XP1-036-230	36000	16	13	32400	20200	9	L*35/36S9	EL280UH110XE60C	203366852
SL18XP1-036-230	36000	16	13	31400	20000	9	L*35/36S9	EL296UH090XV48C	205660148
SL18XP1-036-230	36000	16	13	31600	20200	9	L*35/36S9	EL296UH110XE60C	205660154
SL18XP1-036-230	36000	16	13	31600	20200	9	L*35/36S9	EL296UH110XV48C	205660161
SL18XP1-036-230	36000	16	13	31600	20200	9	L*35/36S9	EL296UH110XV60C	205660167
SL18XP1-036-230	35200	14.5	12.2	32400	21000	9	L*35/36S9		205661180
SL18XP1-036-230	36000	15	12.5	32400	20200	9	L*35/36U9	EL280UH070XE36A	203366820
SL18XP1-036-230	36000	16	13	32400	20200	8.5	L*35/36U9	EL280UH090XE48B	203366835
SL18XP1-036-230	36000	16	13	32400	20000	9	L*35/36U9	EL280UH110XE60C	203366850
SL18XP1-036-230	35200	14.5	12.2	32400	21000	9	LD31/36Z9		204756184
SL18XP1-036-230	36000	16	13	32400	20200	9	LH23/37W9	EL280UH070XE36A	203366823
SL18XP1-036-230	36000	16	13	32400	19800	9	LH23/37W9	EL280UH090XE48B	203366838
SL18XP1-036-230	36000	16	13	32400	20000	9	LH23/37W9	EL280UH110XE60C	203366853
SL18XP1-036-230	36000	15	12.5	32400	20400	8.5	LH35/36F9	EL280UH070XE36A	203366814
SL18XP1-036-230	36000	16	13	32400	20200	8.5	LH35/36F9	EL280UH090XE48B	203366829
SL18XP1-036-230	35800	16	13	32400	20200	9	LH35/36F9	EL280UH110XE60C	203366844
SL18XP1-036-230	36000	15	12.5	32400	20200	9	LH35/37D9	EL280UH070XE36A	203366815
SL18XP1-036-230	36000	16	13	32400	20200	8.5	LH35/37D9	EL280UH090XE48B	203366830
SL18XP1-036-230	36000	16	13	32400	20000	9	LH35/37D9	EL280UH110XE60C	203366845
SL18XP1-036-230	36000	15	12.5	32400	20200	9	LH35/38F9	EL280UH070XE36A	203366817
SL18XP1-036-230	36000	16	13	32400	20200	8.5	LH35/38F9	EL280UH090XE48B	203366832
SL18XP1-036-230	36000	16	13	32400	20000	9	LH35/38F9	EL280UH110XE60C	203366847
SL18XP1-036-230	36000	15	12.5	32400	20200	9	LH35/38X9	EL280UH070XE36A	203366816
SL18XP1-036-230	36000	16	13	32400	20200	8.5	LH35/38X9	EL280UH090XE48B	203366831
SL18XP1-036-230	36000	16	13	32400	20000	9	LH35/38X9	EL280UH110XE60C	203366846
SL18XP1-036-230	35000	14.5	12	32400	21000	9	LS*36943E		205484294

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-036-230	35200	15	12.5	32400	21000	9	LS*3791CC		205484329
SL18XP1-036-230	35600	14.5	12.2	32600	20600	8.2	LS*3799BB		205484315
SL18XP1-042-230	39500	14	12.2	35000	21800	9	A48VEC	EL280DF070E36A	203189300
SL18XP1-042-230	39500	14.5	12.2	35000	21600	9	A48VEC	EL280DF090E48B	203189304
SL18XP1-042-230	40000	15	12.5	35000	21600	9	A48VEC	EL296DF090XE48C	203189309
SL18XP1-042-230	40500	15	12.5	35000	21600	9.5	A48VEC	EL296DF110XE60C	203189313
SL18XP1-042-230	40500	15	12.5	35000	21400	9.5	A48VEC	ML180DF110E60C	203189317
SL18XP1-042-230	40500	15	12.5	35000	21400	9.5	A48VEC	SL280DF090V60C	203189320
SL18XP1-042-230	40500	15	12.5	35000	21400	9.5	A48VEC	SL280DF110V60C	203189324
SL18XP1-042-230	40000	14	12.2	35000	22800	9	A48VEC		203189411
SL18XP1-042-230	40000	15	12.5	35000	22400	8.5	L*42/49K9	EL280UH070XE36A	203366871
SL18XP1-042-230	40000	15	12.5	35000	22800	9	L*42/49K9	EL280UH090XE48B	203366890
SL18XP1-042-230	41000	15	12.5	35000	23000	9	L*42/49K9	EL280UH110XE60C	203366909
SL18XP1-042-230	40000	15	12.5	35000	22400	8.5	L*42/60S9	EL280UH070XE36A	203366867
SL18XP1-042-230	40000	15	12.5	35000	22800	9	L*42/60S9	EL280UH090XE48B	203366886
SL18XP1-042-230	41000	15	12.5	35000	23000	9	L*42/60S9	EL280UH110XE60C	203366905
SL18XP1-042-230	40500	15	12.5	35000	22800	9	L*42/60Z9	EL280UH070XE36A	203366875
SL18XP1-042-230	41500	15	12.5	35000	23200	9	L*42/60Z9	EL280UH090XE48B	203366894
SL18XP1-042-230	42000	16	13	35000	23200	9	L*42/60Z9	EL280UH110XE60C	203366913
SL18XP1-042-230	40000	15	12.5	35000	22400	8.5	L*42/61K9	EL280UH070XE36A	203366872
SL18XP1-042-230	40000	15	12.5	35000	22800	9	L*42/61K9	EL280UH090XE48B	203366891
SL18XP1-042-230	41000	15	12.5	35000	23000	9	L*42/61K9	EL280UH110XE60C	203366910
SL18XP1-042-230	40000	15	12.5	35000	22400	8.5	L*43/48S9	EL280UH070XE36A	203366868
SL18XP1-042-230	40000	15	12.5	35000	22800	9	L*43/48S9	EL280UH090XE48B	203366887
SL18XP1-042-230	41000	15	12.5	35000	23000	9	L*43/48S9	EL280UH110XE60C	203366906
SL18XP1-042-230	40500	15	12.5	35000	22800	9	L*43/61Z9	EL280UH070XE36A	203366876
SL18XP1-042-230	41500	15	12.5	35000	23200	9	L*43/61Z9	EL280UH090XE48B	203366895
SL18XP1-042-230	42000	16	13	35000	23200	9	L*43/61Z9	EL280UH110XE60C	203366914
SL18XP1-042-230	40500	15	12.5	35000	22800	9	L*49/62Y9	EL280UH070XE36A	203366874
SL18XP1-042-230	41500	15	12.5	35000	23200	9	L*49/62Y9	EL280UH090XE48B	203366893
SL18XP1-042-230	42000	16	13	35000	23200	9	L*49/62Y9	EL280UH110XE60C	203366912
SL18XP1-042-230	40500	15	12.5	35000	22800	9	L*49/62Z9	EL280UH070XE36A	203366873
SL18XP1-042-230	41500	15	12.5	35000	23200	9	L*49/62Z9	EL280UH090XE48B	203366892
SL18XP1-042-230	42000	16	13	35000	23200	9	L*49/62Z9	EL280UH110XE60C	203366911
SL18XP1-042-230	40500	14	12.2	35000	23000	9	LD41/43Z9		204756185
SL18XP1-042-230	40000	15	12.5	35000	21600	9	LD42/61Z9	EL196DF090XE48C	205147298
SL18XP1-042-230	40000	15	12.5	35000	21600	9	LD42/61Z9	EL296DF090XE48C	205147299
SL18XP1-042-230	40500	15	12.5	35200	21600	9.5	LD42/61Z9	EL296DF110XE60C	205147300
SL18XP1-042-230	40500	15	12.5	35000	21400	9.5	LD42/61Z9	SL280DF090V60C	205147301
SL18XP1-042-230	40500	15	12.5	35000	21400	9.5	LD42/61Z9	SL280DF110V60C	205147302
SL18XP1-042-230	40500	14.5	12.2	35200	21600	9	LD42/61Z9	SLP99DF090XV36C	205760384
SL18XP1-042-230	40500	15	12.5	35000	21600	9	LD42/61Z9	SLP99DF090XV48C	205760386
SL18XP1-042-230	40500	15	12.5	35400	21800	9	LD42/61Z9	SLP99DF090XV60C	205760388
SL18XP1-042-230	40500	15	12.5	35200	21600	9.5	LD42/61Z9	SLP99DF110XV60C	205760390
SL18XP1-042-230	41000	14.5	12.2	35600	22800	9	LD42/61Z9		204755200
SL18XP1-042-230	41000	15	12.5	35000	23200	9	LH40/61E9	EL280UH070XE36A	203366866
SL18XP1-042-230	41500	15	12.5	35000	23200	9	LH40/61E9	EL280UH090XE48B	203366885
SL18XP1-042-230	42000	16	13	35000	23200	9	LH40/61E9	EL280UH110XE60C	203366904
SL18XP1-042-230	41000	15	12.5	35000	23200	9	LH40/61W9	EL280UH070XE36A	203366865
SL18XP1-042-230	41500	15	12.5	35000	23200	9	LH40/61W9	EL280UH090XE48B	203366884
SL18XP1-042-230	42000	16	13	35000	23200	9	LH40/61W9	EL280UH110XE60C	203366903
SL18XP1-042-230	41000	15	12.5	35000	23200	9	LH40/62W9	EL280UH070XE36A	203366859
SL18XP1-042-230	41500	15	12.5	35000	23200	9	LH40/62W9	EL280UH090XE48B	203366878
SL18XP1-042-230	41500	16	13	35000	23200	9	LH40/62W9	EL280UH110XE60C	203366897

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-042-230	40000	15	12.5	35000	22400	8.5	LH41/49F9	EL280UH070XE36A	203366861
SL18XP1-042-230	40000	15	12.5	35000	22800	9	LH41/49F9	EL280UH090XE48B	203366880
SL18XP1-042-230	41000	15	12.5	35000	23000	9	LH41/49F9	EL280UH110XE60C	203366899
SL18XP1-042-230	40000	15	12.5	35000	22400	8.5	LH41/61D9	EL280UH070XE36A	203366864
SL18XP1-042-230	40000	15	12.5	35000	22800	9	LH41/61D9	EL280UH090XE48B	203366883
SL18XP1-042-230	41000	15	12.5	35000	23000	9	LH41/61D9	EL280UH110XE60C	203366902
SL18XP1-042-230	40000	15	12.5	35000	22400	8.5	LH41/61R9	EL280UH070XE36A	203366863
SL18XP1-042-230	40000	15	12.5	35000	22800	9	LH41/61R9	EL280UH090XE48B	203366882
SL18XP1-042-230	41000	15	12.5	35000	23000	9	LH41/61R9	EL280UH110XE60C	203366901
SL18XP1-042-230	40000	15	12.5	35000	22400	8.5	LH42/49F9	EL280UH070XE36A	203366860
SL18XP1-042-230	40000	15	12.5	35000	22800	9	LH42/49F9	EL280UH090XE48B	203366879
SL18XP1-042-230	40500	15	12.5	35000	23000	9	LH42/49F9	EL280UH110XE60C	203366898
SL18XP1-042-230	40000	15	12.5	35000	22400	8.5	LH42/60D9	EL280UH070XE36A	203366862
SL18XP1-042-230	40000	15	12.5	35000	22800	9	LH42/60D9	EL280UH090XE48B	203366881
SL18XP1-042-230	41000	15	12.5	35000	23000	9	LH42/60D9	EL280UH110XE60C	203366900
SL18XP1-042-230	41000	15	12.5	35000	23200	9	LH42/62W9	EL280UH070XE36A	203366877
SL18XP1-042-230	41500	15	12.5	35000	23200	9	LH42/62W9	EL280UH090XE48B	203366896
SL18XP1-042-230	42000	16	13	35000	23200	9	LH42/62W9	EL280UH110XE60C	203366915
SL18XP1-042-230	40500	15	12.5	35000	22800	9	LH48/60F9	EL280UH070XE36A	203366870
SL18XP1-042-230	41000	15	12.5	35000	22800	9	LH48/60F9	EL280UH090XE48B	203366889
SL18XP1-042-230	41500	15	12.5	35000	23200	9	LH48/60F9	EL280UH110XE60C	203366908
SL18XP1-042-230	40500	15	12.5	35000	22800	9	LH48/60X9	EL280UH070XE36A	203366869
SL18XP1-042-230	41000	15	12.5	35000	22800	9	LH48/60X9	EL280UH090XE48B	203366888
SL18XP1-042-230	41500	15	12.5	35000	23200	9	LH48/60X9	EL280UH110XE60C	203366907
SL18XP1-042-230	39500	14	12	35600	22800	9	LS*4899BB		205484346
SL18XP1-048-230	47000	14.5	12	44500	29600	9	A48VEC	EL280DF090E48B	203189352
SL18XP1-048-230	47500	14.5	12	44500	29600	9	A48VEC	EL296DF090XE48C	203189356
SL18XP1-048-230	47500	14.5	12.2	44500	29400	9	A48VEC	EL296DF110XE60C	203189359
SL18XP1-048-230	48000	15	12.5	44500	29400	9	A48VEC	ML180DF110E60C	203189363
SL18XP1-048-230	48000	15	12.5	44500	29400	9	A48VEC	SL280DF090V60C	203189366
SL18XP1-048-230	48000	15	12.5	44500	29200	9	A48VEC	SL280DF110V60C	203189370
SL18XP1-048-230	46500	14.5	11.7	44500	29000	9	A48VEC		203189415
SL18XP1-048-230	47000	15	12.5	44500	29200	8.5	L*42/49K9	EL280UH090XE48B	203366928
SL18XP1-048-230	47000	15	12.5	44500	29000	9	L*42/49K9	EL280UH110XE60C	203366957
SL18XP1-048-230	47000	15	12.5	44500	29200	8.5	L*42/60S9	EL280UH090XE48B	203366924
SL18XP1-048-230	47000	15	12.5	44500	29000	9	L*42/60S9	EL280UH110XE60C	203366953
SL18XP1-048-230	48000	15	12.5	44500	29200	9	L*42/60Y9	EL280UH090XE48B	203366933
SL18XP1-048-230	48000	15	12.5	44500	29000	9	L*42/60Y9	EL280UH110XE60C	203366962
SL18XP1-048-230	47500	15	12.5	45000	29600	9	L*42/60Y9	EL296DF090XE48C	10156298
SL18XP1-048-230	48000	15	12.5	45000	29600	9	L*42/60Y9	SLP99DF090XV60C	205760395
SL18XP1-048-230	48000	15	12.5	44500	29200	9	L*42/60Z9	EL280UH090XE48B	203366932
SL18XP1-048-230	48000	15	12.5	44500	29000	9	L*42/60Z9	EL280UH110XE60C	203366961
SL18XP1-048-230	47000	15	12.5	44500	29200	8.5	L*42/61K9	EL280UH090XE48B	203366929
SL18XP1-048-230	47000	15	12.5	44500	29000	9	L*42/61K9	EL280UH110XE60C	203366958
SL18XP1-048-230	47000	15	12.5	44500	29200	8.5	L*43/48S9	EL280UH090XE48B	203366925
SL18XP1-048-230	47000	15	12.5	44500	29000	9	L*43/48S9	EL280UH110XE60C	203366954
SL18XP1-048-230	48000	15	12.5	44500	29200	9	L*43/61Y9	EL280UH090XE48B	203366935
SL18XP1-048-230	48000	15	12.5	44500	29000	9	L*43/61Y9	EL280UH110XE60C	203366964
SL18XP1-048-230	48000	15	12.5	44500	29200	9	L*43/61Z9	EL280UH090XE48B	203366934
SL18XP1-048-230	48000	15	12.5	44500	29000	9	L*43/61Z9	EL280UH110XE60C	203366963
SL18XP1-048-230	48000	15	12.5	44500	29200	9	L*48/60Y9	EL280UH090XE48B	203366942
SL18XP1-048-230	48000	16	13	44500	29000	9	L*48/60Y9	EL280UH110XE60C	203366971
SL18XP1-048-230	48000	16	13	44000	29600	8.5	L*48/60Y9	SL280UH090V60C	10156309
SL18XP1-048-230	48000	16	13	44000	29600	8.5	L*48/60Y9	SL280UH090XV60C	10156310

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-048-230	48000	16	13	42500	28800	9	L*48/60Y9	SL280UH135V60D	10156311
SL18XP1-048-230	48000	15	12.5	44500	29200	9	L*48/60Z9	EL280UH090XE48B	203366941
SL18XP1-048-230	48000	16	13	44500	29000	9	L*48/60Z9	EL280UH110XE60C	203366970
SL18XP1-048-230	48000	15	12.5	44500	29200	9	L*49/62Y9	EL280UH090XE48B	203366931
SL18XP1-048-230	48000	15	12.5	44500	29000	9	L*49/62Y9	EL280UH110XE60C	203366960
SL18XP1-048-230	48000	15	12.5	44500	29200	9	L*49/62Z9	EL280UH090XE48B	203366930
SL18XP1-048-230	48000	15	12.5	44500	29000	9	L*49/62Z9	EL280UH110XE60C	203366959
SL18XP1-048-230	48000	15	12.5	44500	29200	9	L*49/63Z9	EL280UH090XE48B	203366943
SL18XP1-048-230	48000	16	13	44500	29000	9	L*49/63Z9	EL280UH110XE60C	203366972
SL18XP1-048-230	47500	14.5	12.2	45000	29600	9	LD42/61Z9	EL196DF090XE48C	205147308
SL18XP1-048-230	47500	14.5	12.2	45000	29600	9	LD42/61Z9	EL296DF090XE48C	205147309
SL18XP1-048-230	47500	14.5	12.2	44500	29400	9	LD42/61Z9	EL296DF110XE60C	205147310
SL18XP1-048-230	48000	15	12.5	44500	29400	9	LD42/61Z9	SL280DF090V60C	205147311
SL18XP1-048-230	48000	15	12.5	44500	29200	9	LD42/61Z9	SL280DF110V60C	205147312
SL18XP1-048-230	48000	14.5	12.2	45000	29600	9	LD42/61Z9	SLP99DF090XV60C	205760393
SL18XP1-048-230	48000	14.5	12.2	45000	29600	9	LD42/61Z9	SLP99DF110XV60C	205760397
SL18XP1-048-230	48000	14.5	12	44500	28800	9	LD42/61Z9		204755202
SL18XP1-048-230	48000	15	12.5	44500	29200	9	LH40/61E9	EL280UH090XE48B	203366923
SL18XP1-048-230	48000	15	12.5	44500	29000	9	LH40/61E9	EL280UH110XE60C	203366952
SL18XP1-048-230	48000	15	12.5	44500	29200	9	LH40/61W9	EL280UH090XE48B	203366922
SL18XP1-048-230	48000	15	12.5	44500	29000	9	LH40/61W9	EL280UH110XE60C	203366951
SL18XP1-048-230	48000	15	12.5	44500	29200	9	LH40/62W9	EL280UH090XE48B	203366916
SL18XP1-048-230	48000	15	12.5	44500	29000	9	LH40/62W9	EL280UH110XE60C	203366945
SL18XP1-048-230	47000	15	12.5	44500	29200	8.5	LH41/49F9	EL280UH090XE48B	203366918
SL18XP1-048-230	47000	15	12.5	44500	29000	9	LH41/49F9	EL280UH110XE60C	203366947
SL18XP1-048-230	47000	15	12.5	44500	29200	8.5	LH41/61D9	EL280UH090XE48B	203366921
SL18XP1-048-230	47000	15	12.5	44500	29000	9	LH41/61D9	EL280UH110XE60C	203366950
SL18XP1-048-230	47000	15	12.5	44500	29200	8.5	LH41/61R9	EL280UH090XE48B	203366920
SL18XP1-048-230	47000	15	12.5	44500	29000	9	LH41/61R9	EL280UH110XE60C	203366949
SL18XP1-048-230	46500	15	12.2	44500	29200	8.5	LH42/49F9	EL280UH090XE48B	203366917
SL18XP1-048-230	46500	15	12.5	44500	29000	8.5	LH42/49F9	EL280UH110XE60C	203366946
SL18XP1-048-230	47000	15	12.5	44500	29200	8.5	LH42/60D9	EL280UH090XE48B	203366919
SL18XP1-048-230	47000	15	12.5	44500	29000	9	LH42/60D9	EL280UH110XE60C	203366948
SL18XP1-048-230	48000	15	12.5	44500	29200	9	LH42/62E9	EL280UH090XE48B	203366939
SL18XP1-048-230	48000	15	12.5	44500	29000	9	LH42/62E9	EL280UH110XE60C	203366968
SL18XP1-048-230	48000	15	12.5	44500	29200	9	LH42/62W9	EL280UH090XE48B	203366938
SL18XP1-048-230	48000	15	12.5	44500	29000	9	LH42/62W9	EL280UH110XE60C	203366967
SL18XP1-048-230	48000	15	12.5	44500	29200	9	LH48/60E9	EL280UH090XE48B	203366940
SL18XP1-048-230	48000	16	13	44500	29400	8.5	LH48/60E9	EL280UH110XE60C	203366969
SL18XP1-048-230	48000	15	12.5	44500	29200	9	LH48/60F9	EL280UH090XE48B	203366927
SL18XP1-048-230	48000	15	12.5	44500	29000	9	LH48/60F9	EL280UH110XE60C	203366956
SL18XP1-048-230	48000	15	12.5	44500	29200	9	LH48/60X9	EL280UH090XE48B	203366926
SL18XP1-048-230	48000	15	12.5	44500	29000	9	LH48/60X9	EL280UH110XE60C	203366955
SL18XP1-048-230	48000	15	12.5	44500	29200	9	LH49/61E9	EL280UH090XE48B	203366937
SL18XP1-048-230	48000	16	13	44500	29000	9	LH49/61E9	EL280UH110XE60C	203366966
SL18XP1-048-230	48000	15	12.5	44500	29200	9	LH49/61W9	EL280UH090XE48B	203366936
SL18XP1-048-230	48000	16	13	44500	29000	9	LH49/61W9	EL280UH110XE60C	203366965
SL18XP1-048-230	48000	15	12.5	44500	29200	9	LH49/62W9	EL280UH090XE48B	203366944
SL18XP1-048-230	48000	16	13	44500	29000	9	LH49/62W9	EL280UH110XE60C	203366973
SL18XP1-048-230	46000	14.5	11.7	45000	29000	9	LS*4899BB		205484357
SL18XP1-048-230	47500	15	12.2	45000	29000	9	LS*6094CC		205484368
SL18XP1-060-230	54500	14	11.7	51000	33800	9	A60VGC	EL296DF110XE60C	203189387
SL18XP1-060-230	55000	14.5	12.2	51000	33800	9.5	A60VGC	ML180DF110E60C	203189390
SL18XP1-060-230	55000	14	11.7	51000	33800	9.5	A60VGC	SL280DF090V60C	203189394

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-060-230	55000	14.5	12.2	51000	33600	9.5	A60VGC	SL280DF110V60C	203189397
SL18XP1-060-230	54500	14	11.7	51000	34200	9	A60VGC		203189418
SL18XP1-060-230	57000	15	12.5	51000	32800	9	L*42/60Y9	EL280UH110XE60C	203366982
SL18XP1-060-230	55000	15	12.5	53000	33600	9.5	L*42/60Y9	SL280DF110V60C	9951993
SL18XP1-060-230	57000	15	12.5	51000	32800	9	L*42/60Z9	EL280UH110XE60C	203366981
SL18XP1-060-230	57000	15	12.5	51000	32800	9	L*43/61Y9	EL280UH110XE60C	203366984
SL18XP1-060-230	57000	15	12.5	51000	32800	9	L*43/61Z9	EL280UH110XE60C	203366983
SL18XP1-060-230	57000	15	12.5	51000	32800	9	L*48/60Y9	EL280UH110XE60C	203366991
SL18XP1-060-230	57000	15	12.5	51000	32800	9	L*48/60Z9	EL280UH110XE60C	203366990
SL18XP1-060-230	57000	15	12.5	51000	32800	9	L*49/62Y9	EL280UH110XE60C	203366980
SL18XP1-060-230	57000	15	12.5	51000	32800	9	L*49/62Z9	EL280UH110XE60C	203366979
SL18XP1-060-230	57000	15	12.5	51000	32800	9	L*49/63Z9	EL280UH110XE60C	203366992
SL18XP1-060-230	54500	14	12	53000	33800	9	LD42/61Z9	EL296DF110XE60C	205147316
SL18XP1-060-230	55000	14	12	53000	33800	9.5	LD42/61Z9	SL280DF090V60C	205147317
SL18XP1-060-230	55000	14.5	12.2	53000	33600	9.5	LD42/61Z9	SL280DF110V60C	205147318
SL18XP1-060-230	54500	14	12	53500	34200	9	LD42/61Z9		204755203
SL18XP1-060-230	57000	15	12.5	51000	32800	9	LH40/61E9	EL280UH110XE60C	203366977
SL18XP1-060-230	57000	15	12.5	51000	32800	9	LH40/61W9	EL280UH110XE60C	203366976
SL18XP1-060-230	56500	15	12.5	51000	32800	9	LH40/62W9	EL280UH110XE60C	203366974
SL18XP1-060-230	55000	15	12.2	51000	32600	8.5	LH41/61D9	EL280UH110XE60C	203366975
SL18XP1-060-230	57000	15	12.5	51000	32800	9	LH42/62E9	EL280UH110XE60C	203366988
SL18XP1-060-230	57000	15	12.5	51000	32800	9	LH42/62W9	EL280UH110XE60C	203366987
SL18XP1-060-230	57000	15	12.5	51000	32800	9	LH48/60E9	EL280UH110XE60C	203366989
SL18XP1-060-230	54500	15	12.2	51000	32600	9	LH48/60F9	EL280UH110XE60C	203366978
SL18XP1-060-230	57000	15	12.5	51000	32800	9	LH49/61E9	EL280UH110XE60C	203366986
SL18XP1-060-230	57000	15	12.5	51000	32800	9	LH49/61W9	EL280UH110XE60C	203366985
SL18XP1-060-230	57000	15	12.5	51000	32800	9	LH49/62W9	EL280UH110XE60C	203366993
SL18XP1-060-230	56500	14.5	12.2	51500	33000	9	LS*6094CC		205484374
SPB036H4 (208/230V)	35000	15	12.2	32400	20400	8.5	L*19/36S9	EL280UH070XE36A	203372232
SPB036H4 (208/230V)	36000	16	13	32400	20400	8.5	L*23/37Z9	EL280UH070XE36A	203372246
SPB036H4 (208/230V)	36000	16	13	32400	21400	8.2	L*24/36Y9	EL280UH070XE36A	203372250
SPB036H4 (208/230V)	36000	16	13	32400	21400	8.2	L*24/36Z9	EL280UH070XE36A	203372249
SPB036H4 (208/230V)	35000	15	12.2	32400	20400	8.5	L*24/42S9	EL280UH070XE36A	203372233
SPB036H4 (208/230V)	36000	16	13	32400	20400	8.5	L*25/37Y9	EL280UH070XE36A	203372248
SPB036H4 (208/230V)	36000	16	13	32400	20400	8.5	L*25/37Z9	EL280UH070XE36A	203372247
SPB036H4 (208/230V)	36000	16	12.5	32400	20400	8.5	L*29/36S9	EL280UH070XE36A	203372241
SPB036H4 (208/230V)	36000	16	12.5	32400	20400	8.5	L*29/36U9	EL280UH070XE36A	203372239
SPB036H4 (208/230V)	35800	16	12.5	32400	20400	8.5	L*30/36S9	EL280UH070XE36A	203372238
SPB036H4 (208/230V)	35800	16	12.5	32400	20400	8.5	L*30/36U9	EL280UH070XE36A	203372237
SPB036H4 (208/230V)	36000	16	12.5	32400	20400	8.5	L*35/36S9	EL280UH070XE36A	203372242
SPB036H4 (208/230V)	36000	16	12.5	32400	20400	8.5	L*35/36U9	EL280UH070XE36A	203372240
SPB036H4 (208/230V)	35800	16	12.5	32400	21400	8.2	LH18/37D9	EL280UH070XE36A	203372244
SPB036H4 (208/230V)	35800	16	12.5	32400	21400	8.2	LH18/37R9	EL280UH070XE36A	203372243
SPB036H4 (208/230V)	36000	16	13	32400	20400	8.5	LH23/37W9	EL280UH070XE36A	203372245
SPB036H4 (208/230V)	35000	15	12.2	32400	20400	8.5	LH29/36F9	EL280UH070XE36A	203372229
SPB036H4 (208/230V)	35800	16	12.5	32400	21400	8.2	LH35/36F9	EL280UH070XE36A	203372231
SPB036H4 (208/230V)	35800	16	12.5	32400	21400	8.2	LH35/36X9	EL280UH070XE36A	203372230
SPB036H4 (208/230V)	36000	16	12.5	32400	20400	8.5	LH35/37D9	EL280UH070XE36A	203372234
SPB036H4 (208/230V)	36000	16	12.5	32400	20400	8.5	LH35/38F9	EL280UH070XE36A	203372236
SPB036H4 (208/230V)	36000	16	12.5	32400	20400	8.5	LH35/38X9	EL280UH070XE36A	203372235
SPB048H4 (208/230V)	48000	16	12	41000	28000	9	L*42/60Y9	EL280UH090XE48B	203372259
SPB048H4 (208/230V)	48000	16	12	41000	27800	9	L*42/60Y9	EL280UH110XE60C	203372279
SPB048H4 (208/230V)	48000	16	12	41000	28000	9	L*42/60Z9	EL280UH090XE48B	203372258
SPB048H4 (208/230V)	48000	16	12	41000	27800	9	L*42/60Z9	EL280UH110XE60C	203372278

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SPB048H4 (208/230V)	48000	16	12.2	41000	28000	9	L*43/61Y9	EL280UH090XE48B	203372261
SPB048H4 (208/230V)	48000	16	12.2	41000	27800	9	L*43/61Y9	EL280UH110XE60C	203372281
SPB048H4 (208/230V)	48000	16	12.2	41000	28000	9	L*43/61Z9	EL280UH090XE48B	203372260
SPB048H4 (208/230V)	48000	16	12.2	41000	27800	9	L*43/61Z9	EL280UH110XE60C	203372280
SPB048H4 (208/230V)	48000	16	12.5	41000	28000	9	L*48/60Y9	EL280UH090XE48B	203372268
SPB048H4 (208/230V)	48000	16	12.5	41000	27800	9	L*48/60Y9	EL280UH110XE60C	203372288
SPB048H4 (208/230V)	48000	16	12.5	41000	28000	9	L*48/60Z9	EL280UH090XE48B	203372267
SPB048H4 (208/230V)	48000	16	12.5	41000	27800	9	L*48/60Z9	EL280UH110XE60C	203372287
SPB048H4 (208/230V)	47500	16	12	41000	28000	9	L*49/62Y9	EL280UH090XE48B	203372257
SPB048H4 (208/230V)	47500	16	12	41000	27800	9	L*49/62Y9	EL280UH110XE60C	203372277
SPB048H4 (208/230V)	47500	16	12	41000	28000	9	L*49/62Z9	EL280UH090XE48B	203372256
SPB048H4 (208/230V)	47500	16	12	41000	27800	9	L*49/62Z9	EL280UH110XE60C	203372276
SPB048H4 (208/230V)	48000	16	12.5	41000	28000	9	L*49/63Z9	EL280UH090XE48B	203372269
SPB048H4 (208/230V)	48000	16	12.5	41000	27800	9	L*49/63Z9	EL280UH110XE60C	203372289
SPB048H4 (208/230V)	47500	16	12	41000	28000	9	LH40/61E9	EL280UH090XE48B	203372254
SPB048H4 (208/230V)	47500	16	12	41000	27800	9	LH40/61E9	EL280UH110XE60C	203372274
SPB048H4 (208/230V)	47500	16	12	41000	28000	9	LH40/61W9	EL280UH090XE48B	203372253
SPB048H4 (208/230V)	47500	16	12	41000	27800	9	LH40/61W9	EL280UH110XE60C	203372273
SPB048H4 (208/230V)	47500	15	12	41000	28000	9	LH40/62W9	EL280UH090XE48B	203372251
SPB048H4 (208/230V)	47500	16	12	41000	27800	9	LH40/62W9	EL280UH110XE60C	203372271
SPB048H4 (208/230V)	46500	15	11.7	41000	28000	9	LH41/61D9	EL280UH090XE48B	203372252
SPB048H4 (208/230V)	46500	15	11.7	41000	27800	9	LH41/61D9	EL280UH110XE60C	203372272
SPB048H4 (208/230V)	48000	16	12.2	41000	28000	9	LH42/62E9	EL280UH090XE48B	203372265
SPB048H4 (208/230V)	48000	16	12.2	41000	27800	9	LH42/62E9	EL280UH110XE60C	203372285
SPB048H4 (208/230V)	48000	16	12.2	41000	28000	9	LH42/62W9	EL280UH090XE48B	203372264
SPB048H4 (208/230V)	48000	16	12.2	41000	27800	9	LH42/62W9	EL280UH110XE60C	203372284
SPB048H4 (208/230V)	48000	16	12.2	41000	28000	9	LH48/60E9	EL280UH090XE48B	203372266
SPB048H4 (208/230V)	48000	16	12.2	41000	27800	9	LH48/60E9	EL280UH110XE60C	203372286
SPB048H4 (208/230V)	47000	15	11.7	41000	28000	9	LH48/60F9	EL280UH090XE48B	203372255
SPB048H4 (208/230V)	47000	15	11.7	41000	27800	9	LH48/60F9	EL280UH110XE60C	203372275
SPB048H4 (208/230V)	48000	16	12.2	41000	28000	9	LH49/61E9	EL280UH090XE48B	203372263
SPB048H4 (208/230V)	48000	16	12.2	41000	27800	9	LH49/61E9	EL280UH110XE60C	203372283
SPB048H4 (208/230V)	48000	16	12.2	41000	28000	9	LH49/61W9	EL280UH090XE48B	203372262
SPB048H4 (208/230V)	48000	16	12.2	41000	27800	9	LH49/61W9	EL280UH110XE60C	203372282
SPB048H4 (208/230V)	48000	16	12.5	41000	28000	9	LH49/62W9	EL280UH090XE48B	203372270
SPB048H4 (208/230V)	48000	16	12.5	41000	27800	9	LH49/62W9	EL280UH110XE60C	203372290
SPB060H4 (208/230V)	57500	16	12.2	52000	33000	8.5	L*42/60Y9	EL280UH110XE60C	203372293
SPB060H4 (208/230V)	57500	16	12.2	52000	33000	8.5	L*43/61Y9	EL280UH110XE60C	203372295
SPB060H4 (208/230V)	57500	16	12.2	52000	33000	8.5	L*43/61Z9	EL280UH110XE60C	203372294
SPB060H4 (208/230V)	57500	16	12.5	52000	33000	8.5	L*48/60Y9	EL280UH110XE60C	203372301
SPB060H4 (208/230V)	57500	16	12.5	52000	33000	8.5	L*48/60Z9	EL280UH110XE60C	203372300
SPB060H4 (208/230V)	57500	16	12	52000	33000	8.5	L*49/62Y9	EL280UH110XE60C	203372292
SPB060H4 (208/230V)	57500	16	12.5	52000	33000	8.5	L*49/63Z9	EL280UH110XE60C	203372302
SPB060H4 (208/230V)	57500	16	12	52000	33000	8.5	LH40/61E9	EL280UH110XE60C	203372291
SPB060H4 (208/230V)	57500	16	12.2	52000	33000	8.5	LH42/62E9	EL280UH110XE60C	203372298
SPB060H4 (208/230V)	57500	16	12.2	52000	33000	8.5	LH48/60E9	EL280UH110XE60C	203372299
SPB060H4 (208/230V)	57500	16	12.5	52000	33000	8.5	LH49/61E9	EL280UH110XE60C	203372297
SPB060H4 (208/230V)	57500	16	12.5	52000	33000	8.5	LH49/61W9	EL280UH110XE60C	203372296
SPB060H4 (208/230V)	57500	16	12.5	52000	33000	8.5	LH49/62W9	EL280UH110XE60C	203372303
TPA036H4 (208/230V)	34000	15	12.5	31000	19000	8.2	L*19/36S9	EL280UH070XE36A	203371679
TPA036H4 (208/230V)	34000	15	12.5	31000	19000	8.2	L*19/36S9	EL280UH090XE48B	203371701
TPA036H4 (208/230V)	34200	15	12.5	31000	19000	8.2	L*19/36S9	EL280UH110XE60C	203371723
TPA036H4 (208/230V)	35000	15	12.5	31000	18800	8.5	L*23/37Y9	EL280UH070XE36A	203371694
TPA036H4 (208/230V)	35400	16	13	31000	18800	8.2	L*23/37Y9	EL280UH090XE48B	203371716

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036H4 (460V)	35600	16	13	31000	18800	8.5	LH23/37E9	EL280UH110XE60C	203371670
TPA036H4 (460V)	35000	15	12.5	31000	18800	8.5	LH23/37W9	EL280UH070XE36A	203371623
TPA036H4 (460V)	35400	16	13	31000	18800	8.2	LH23/37W9	EL280UH090XE48B	203371645
TPA036H4 (460V)	35600	16	13	31000	18800	8.5	LH23/37W9	EL280UH110XE60C	203371669
TPA036H4 (460V)	34000	15	12.5	31000	19000	8.2	LH29/36F9	EL280UH070XE36A	203371609
TPA036H4 (460V)	34000	15	12.5	31000	19000	8.2	LH29/36F9	EL280UH090XE48B	203371631
TPA036H4 (460V)	34200	15	12.5	31000	19000	8.2	LH29/36F9	EL280UH110XE60C	203371653
TPA036H4 (460V)	34000	15	12.5	31000	18800	8.5	LH35/36F9	EL280UH070XE36A	203371610
TPA036H4 (460V)	34000	15	12.5	31000	18800	8.5	LH35/36F9	EL280UH090XE48B	203371632
TPA036H4 (460V)	34400	15	12.5	31000	18800	8.5	LH35/36F9	EL280UH110XE60C	203371654
TPA036H4 (460V)	34200	15	12.5	31000	18800	8.5	LH35/37D9	EL280UH070XE36A	203371613
TPA036H4 (460V)	34200	15	12.5	31000	18800	8.5	LH35/37D9	EL280UH090XE48B	203371635
TPA036H4 (460V)	35600	15	12.5	31000	18800	8.5	LH35/37D9	EL280UH110XE60C	203371658
TPA036H4 (460V)	34200	15	12.5	31000	18800	8.5	LH35/38F9	EL280UH070XE36A	203371615
TPA036H4 (460V)	34200	15	12.5	31000	18800	8.5	LH35/38F9	EL280UH090XE48B	203371637
TPA036H4 (460V)	35600	15	12.5	31000	18800	8.5	LH35/38F9	EL280UH110XE60C	203371660
TPA036H4 (460V)	34200	15	12.5	31000	18800	8.5	LH35/38X9	EL280UH070XE36A	203371614
TPA036H4 (460V)	34200	15	12.5	31000	18800	8.5	LH35/38X9	EL280UH090XE48B	203371636
TPA036H4 (460V)	35600	15	12.5	31000	18800	8.5	LH35/38X9	EL280UH110XE60C	203371659
TPA042H4 (208/230V)	42000	15	12.5	40000	26000	9	L*42/60Y9	EL280UH070XE36A	203371811
TPA042H4 (208/230V)	42000	15	12.5	40000	25800	9	L*42/60Y9	EL280UH090XE48B	203371831
TPA042H4 (208/230V)	42000	16	13	40000	25200	8.5	L*42/60Y9	EL280UH110XE60C	203371851
TPA042H4 (208/230V)	42000	15	12.5	40000	26000	9	L*42/60Z9	EL280UH070XE36A	203371810
TPA042H4 (208/230V)	42000	15	12.5	40000	25800	9	L*42/60Z9	EL280UH090XE48B	203371830
TPA042H4 (208/230V)	42000	16	13	40000	25200	8.5	L*42/60Z9	EL280UH110XE60C	203371850
TPA042H4 (208/230V)	42000	15	12.5	40000	26000	9	L*43/61Y9	EL280UH070XE36A	203371813
TPA042H4 (208/230V)	42000	15	12.5	40000	25800	9	L*43/61Y9	EL280UH090XE48B	203371833
TPA042H4 (208/230V)	42000	16	13	40000	25200	8.5	L*43/61Y9	EL280UH110XE60C	203371853
TPA042H4 (208/230V)	42000	15	12.5	40000	26000	9	L*43/61Z9	EL280UH070XE36A	203371812
TPA042H4 (208/230V)	42000	15	12.5	40000	25800	9	L*43/61Z9	EL280UH090XE48B	203371832
TPA042H4 (208/230V)	42000	16	13	40000	25200	8.5	L*43/61Z9	EL280UH110XE60C	203371852
TPA042H4 (208/230V)	42000	15	12.5	40000	26000	9	L*48/60Y9	EL280UH070XE36A	203371820
TPA042H4 (208/230V)	42000	15	12.5	40000	25800	9	L*48/60Y9	EL280UH090XE48B	203371840
TPA042H4 (208/230V)	42000	16	13	40000	25200	8.5	L*48/60Y9	EL280UH110XE60C	203371860
TPA042H4 (208/230V)	42000	15	12.5	40000	26000	9	L*48/60Z9	EL280UH070XE36A	203371819
TPA042H4 (208/230V)	42000	15	12.5	40000	25800	9	L*48/60Z9	EL280UH090XE48B	203371839
TPA042H4 (208/230V)	42000	16	13	40000	25200	8.5	L*48/60Z9	EL280UH110XE60C	203371859
TPA042H4 (208/230V)	42000	15	12.5	40000	25200	8.2	L*49/62Y9	EL280UH070XE36A	203371809
TPA042H4 (208/230V)	42000	15	12.5	40000	25200	8.5	L*49/62Y9	EL280UH090XE48B	203371829
TPA042H4 (208/230V)	42000	15	12.5	40000	25200	8.5	L*49/62Y9	EL280UH110XE60C	203371849
TPA042H4 (208/230V)	42000	15	12.5	40000	25200	8.2	L*49/62Z9	EL280UH070XE36A	203371808
TPA042H4 (208/230V)	42000	15	12.5	40000	25200	8.5	L*49/62Z9	EL280UH090XE48B	203371828
TPA042H4 (208/230V)	42000	15	12.5	40000	25400	8.5	L*49/62Z9	EL280UH110XE60C	203371848
TPA042H4 (208/230V)	42000	15	12.5	40000	26000	9	L*49/63Z9	EL280UH070XE36A	203371821
TPA042H4 (208/230V)	42000	15	12.5	40000	25800	9	L*49/63Z9	EL280UH090XE48B	203371841
TPA042H4 (208/230V)	42000	16	13	40000	25200	8.5	L*49/63Z9	EL280UH110XE60C	203371861
TPA042H4 (208/230V)	41500	15	12.5	40000	25400	8.5	LH40/61E9	EL280UH070XE36A	203371806
TPA042H4 (208/230V)	42000	15	12.5	40000	25200	8.5	LH40/61E9	EL280UH090XE48B	203371826
TPA042H4 (208/230V)	42000	15	12.5	40000	25400	8.5	LH40/61E9	EL280UH110XE60C	203371846
TPA042H4 (208/230V)	41500	15	12.5	40000	25400	8.5	LH40/61W9	EL280UH070XE36A	203371805
TPA042H4 (208/230V)	42000	15	12.5	40000	25200	8.5	LH40/61W9	EL280UH090XE48B	203371825
TPA042H4 (208/230V)	42000	15	12.5	40000	25200	8.5	LH40/61W9	EL280UH110XE60C	203371845
TPA042H4 (208/230V)	42000	15	12.5	40000	25200	8.2	LH40/62W9	EL280UH070XE36A	203371803
TPA042H4 (208/230V)	42000	15	12.5	40000	25200	8.5	LH40/62W9	EL280UH090XE48B	203371823

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA048H4 (208/230V)	47500	15	12.2	43500	29400	9	LH40/62W9	EL280UH110XE60C	203371923
TPA048H4 (208/230V)	46500	14	12.2	43500	29600	9	LH41/61D9	EL280UH090XE48B	203371904
TPA048H4 (208/230V)	46500	14.5	12.2	43500	29400	9	LH41/61D9	EL280UH110XE60C	203371924
TPA048H4 (208/230V)	48000	14.5	12.2	43500	29000	9	LH42/62E9	EL280UH090XE48B	203371917
TPA048H4 (208/230V)	48000	15	12.5	43500	29400	9	LH42/62E9	EL280UH110XE60C	203371937
TPA048H4 (208/230V)	48000	14.5	12.2	43500	29000	9	LH42/62W9	EL280UH090XE48B	203371916
TPA048H4 (208/230V)	48000	15	12.5	43500	29400	9	LH42/62W9	EL280UH110XE60C	203371936
TPA048H4 (208/230V)	48000	14.5	12.2	43500	29000	9	LH48/60E9	EL280UH090XE48B	203371918
TPA048H4 (208/230V)	48000	15	12.5	43500	29400	9	LH48/60E9	EL280UH110XE60C	203371938
TPA048H4 (208/230V)	48000	14.5	12.2	43500	28600	8.5	LH48/60F9	EL280UH090XE48B	203371907
TPA048H4 (208/230V)	47000	14.5	12.2	43500	29400	9	LH48/60F9	EL280UH110XE60C	203371927
TPA048H4 (208/230V)	48000	14.5	12.2	43500	29000	9	LH49/61E9	EL280UH090XE48B	203371915
TPA048H4 (208/230V)	48000	15	12.5	43500	29400	9	LH49/61E9	EL280UH110XE60C	203371935
TPA048H4 (208/230V)	48000	14.5	12.2	43500	29000	9	LH49/61W9	EL280UH090XE48B	203371914
TPA048H4 (208/230V)	48000	15	12.5	43500	29400	9	LH49/61W9	EL280UH110XE60C	203371934
TPA048H4 (208/230V)	48000	15	12.5	43500	29000	9	LH49/62W9	EL280UH090XE48B	203371922
TPA048H4 (208/230V)	48000	15	12.5	43500	28800	9	LH49/62W9	EL280UH110XE60C	203371942
TPA048H4 (460V)	48000	14.5	12.2	43500	29600	9	L*42/60Y9	EL280UH090XE48B	203371871
TPA048H4 (460V)	48000	15	12.5	43500	29400	9	L*42/60Y9	EL280UH110XE60C	203371891
TPA048H4 (460V)	48000	14.5	12.2	43500	29600	9	L*42/60Z9	EL280UH090XE48B	203371870
TPA048H4 (460V)	48000	15	12.5	43500	29400	9	L*42/60Z9	EL280UH110XE60C	203371890
TPA048H4 (460V)	48000	14.5	12.2	43500	29000	9	L*43/61Y9	EL280UH090XE48B	203371873
TPA048H4 (460V)	48000	15	12.5	43500	29400	9	L*43/61Y9	EL280UH110XE60C	203371893
TPA048H4 (460V)	48000	14.5	12.2	43500	29000	9	L*43/61Z9	EL280UH090XE48B	203371872
TPA048H4 (460V)	48000	15	12.5	43500	29400	9	L*43/61Z9	EL280UH110XE60C	203371892
TPA048H4 (460V)	48000	15	12.5	43500	28600	8.5	L*48/60Y9	EL280UH090XE48B	203371880
TPA048H4 (460V)	48000	15	12.5	43500	29400	9	L*48/60Y9	EL280UH110XE60C	203371900
TPA048H4 (460V)	48000	15	12.5	43500	28600	8.5	L*48/60Z9	EL280UH090XE48B	203371879
TPA048H4 (460V)	48000	15	12.5	43500	29400	9	L*48/60Z9	EL280UH110XE60C	203371899
TPA048H4 (460V)	47500	14.5	12.2	43500	29600	9	L*49/62Y9	EL280UH090XE48B	203371869
TPA048H4 (460V)	47500	15	12.2	43500	29400	9	L*49/62Y9	EL280UH110XE60C	203371889
TPA048H4 (460V)	47500	14.5	12.2	43500	29600	9	L*49/62Z9	EL280UH090XE48B	203371868
TPA048H4 (460V)	47500	15	12.2	43500	29400	9	L*49/62Z9	EL280UH110XE60C	203371888
TPA048H4 (460V)	48000	15	12.5	43500	28600	8.5	L*49/63Z9	EL280UH090XE48B	203371881
TPA048H4 (460V)	48000	15	12.5	43500	29400	9	L*49/63Z9	EL280UH110XE60C	203371901
TPA048H4 (460V)	48000	14.5	12.2	43500	29000	9	LH40/61E9	EL280UH090XE48B	203371866
TPA048H4 (460V)	47500	15	12.2	43500	29400	9	LH40/61E9	EL280UH110XE60C	203371886
TPA048H4 (460V)	48000	14.5	12.2	43500	29000	9	LH40/61W9	EL280UH090XE48B	203371865
TPA048H4 (460V)	47500	15	12.2	43500	29400	9	LH40/61W9	EL280UH110XE60C	203371885
TPA048H4 (460V)	48000	14.5	12.2	43500	28600	8.5	LH40/62W9	EL280UH090XE48B	203371863
TPA048H4 (460V)	47500	15	12.2	43500	29400	9	LH40/62W9	EL280UH110XE60C	203371883
TPA048H4 (460V)	46500	14	12.2	43500	29600	9	LH41/61D9	EL280UH090XE48B	203371864
TPA048H4 (460V)	46500	14.5	12.2	43500	29400	9	LH41/61D9	EL280UH110XE60C	203371884
TPA048H4 (460V)	48000	14.5	12.2	43500	29000	9	LH42/62E9	EL280UH090XE48B	203371877
TPA048H4 (460V)	48000	15	12.5	43500	29400	9	LH42/62E9	EL280UH110XE60C	203371897
TPA048H4 (460V)	48000	14.5	12.2	43500	29000	9	LH42/62W9	EL280UH090XE48B	203371876
TPA048H4 (460V)	48000	15	12.5	43500	29400	9	LH42/62W9	EL280UH110XE60C	203371896
TPA048H4 (460V)	48000	14.5	12.2	43500	29000	9	LH48/60E9	EL280UH090XE48B	203371878
TPA048H4 (460V)	48000	15	12.5	43500	29400	9	LH48/60E9	EL280UH110XE60C	203371898
TPA048H4 (460V)	48000	14.5	12.2	43500	28600	8.5	LH48/60F9	EL280UH090XE48B	203371867
TPA048H4 (460V)	47000	14.5	12.2	43500	29400	9	LH48/60F9	EL280UH110XE60C	203371887
TPA048H4 (460V)	48000	14.5	12.2	43500	29000	9	LH49/61E9	EL280UH090XE48B	203371875
TPA048H4 (460V)	48000	15	12.5	43500	29400	9	LH49/61E9	EL280UH110XE60C	203371895
TPA048H4 (460V)	48000	14.5	12.2	43500	29000	9	LH49/61W9	EL280UH090XE48B	203371874

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA048H4 (460V)	48000	15	12.5	43500	29400	9	LH49/61W9	EL280UH110XE60C	203371894
TPA048H4 (460V)	48000	15	12.5	43500	29000	9	LH49/62W9	EL280UH090XE48B	203371882
TPA048H4 (460V)	48000	15	12.5	43500	29400	9	LH49/62W9	EL280UH110XE60C	203371902
TPA060H4 (208/230V)	59500	15	12.5	53000	35000	9	L*42/60Y9	EL280UH110XE60C	203371965
TPA060H4 (208/230V)	59500	15	12.5	53000	35000	9	L*42/60Z9	EL280UH110XE60C	203371964
TPA060H4 (208/230V)	59500	15	12.5	53000	35000	9	L*43/61Y9	EL280UH110XE60C	203371967
TPA060H4 (208/230V)	59500	15	12.5	53000	35000	9	L*43/61Z9	EL280UH110XE60C	203371966
TPA060H4 (208/230V)	59500	15	12.5	53000	35000	9	L*48/60Y9	EL280UH110XE60C	203371974
TPA060H4 (208/230V)	59500	15	12.5	53000	35000	9	L*48/60Z9	EL280UH110XE60C	203371973
TPA060H4 (208/230V)	59000	15	12.5	53000	35000	9	L*49/62Y9	EL280UH110XE60C	203371963
TPA060H4 (208/230V)	59500	15	12.5	53000	35000	9	L*49/63Z9	EL280UH110XE60C	203371975
TPA060H4 (208/230V)	59000	15	12.5	53000	35000	9	LH40/61E9	EL280UH110XE60C	203371961
TPA060H4 (208/230V)	58500	14.5	12.2	53000	35000	9	LH40/62W9	EL280UH110XE60C	203371960
TPA060H4 (208/230V)	59500	15	12.5	53000	35000	9	LH42/62E9	EL280UH110XE60C	203371971
TPA060H4 (208/230V)	59500	15	12.5	53000	35000	9	LH42/62W9	EL280UH110XE60C	203371970
TPA060H4 (208/230V)	59500	15	12.5	53000	35000	9	LH48/60E9	EL280UH110XE60C	203371972
TPA060H4 (208/230V)	58000	14.5	12.2	53000	35000	9	LH48/60F9	EL280UH110XE60C	203371962
TPA060H4 (208/230V)	59500	15	12.5	53000	35000	9	LH49/61E9	EL280UH110XE60C	203371969
TPA060H4 (208/230V)	59500	15	12.5	53000	35000	9	LH49/61W9	EL280UH110XE60C	203371968
TPA060H4 (208/230V)	59500	15	12.5	53000	35000	9	LH49/62W9	EL280UH110XE60C	203371976
TPA060H4 (460V)	59500	15	12.5	52500	35400	9	L*42/60Y9	EL280UH110XE60C	203371948
TPA060H4 (460V)	59500	15	12.5	52500	35400	9	L*42/60Z9	EL280UH110XE60C	203371947
TPA060H4 (460V)	59500	15	12.5	52500	35400	9	L*43/61Y9	EL280UH110XE60C	203371950
TPA060H4 (460V)	59500	15	12.5	52500	35400	9	L*43/61Z9	EL280UH110XE60C	203371949
TPA060H4 (460V)	59500	15	12.5	52500	35400	9	L*48/60Y9	EL280UH110XE60C	203371957
TPA060H4 (460V)	59500	15	12.5	52500	35400	9	L*48/60Z9	EL280UH110XE60C	203371956
TPA060H4 (460V)	59000	15	12.5	52500	35400	9	L*49/62Y9	EL280UH110XE60C	203371946
TPA060H4 (460V)	59500	15	12.5	52500	35400	9	L*49/63Z9	EL280UH110XE60C	203371958
TPA060H4 (460V)	59000	15	12.5	52500	35400	9	LH40/61E9	EL280UH110XE60C	203371944
TPA060H4 (460V)	58500	15	12.2	52500	35400	9	LH40/62W9	EL280UH110XE60C	203371943
TPA060H4 (460V)	59500	15	12.5	52500	35400	9	LH42/62E9	EL280UH110XE60C	203371954
TPA060H4 (460V)	59500	15	12.5	52500	35400	9	LH42/62W9	EL280UH110XE60C	203371953
TPA060H4 (460V)	59500	15	12.5	52500	35400	9	LH48/60E9	EL280UH110XE60C	203371955
TPA060H4 (460V)	58000	15	12.2	52500	35400	9	LH48/60F9	EL280UH110XE60C	203371945
TPA060H4 (460V)	59500	15	12.5	52500	35400	9	LH49/61E9	EL280UH110XE60C	203371952
TPA060H4 (460V)	59500	15	12.5	52500	35400	9	LH49/61W9	EL280UH110XE60C	203371951
TPA060H4 (460V)	59500	15	12.5	52500	35400	9	LH49/62W9	EL280UH110XE60C	203371959
XP16-024-230	23600	15	12.2	20800	12300	8.5	L*18/36T9	EL296UH070XV36B	204631317
XP16-024-230	23800	16	12.2	20000	11800	8.5	L*19/36S9	EL296UH070XV36B	204631320
XP16-024-230	23800	16	12.2	20000	11700	8.5	L*19/36S9	SL280UH070XV36A	10258419
XP16-024-230	23600	16	12.5	21600	12300	8.2	L*19/36S9	SLP99DF070XV36B	205760603
XP16-024-230	24200	16	13	20000	11700	8.5	L*24/36Y9	SL280UH070XV36A	10260340
XP16-024-230	24200	16	13	21000	11800	8.5	L*24/36Z9	EL296UH070XV36B	204603106
XP16-024-230	24200	16	13	20000	11700	8.5	L*24/36Z9	SL280UH070XV36A	10260339
XP16-024-230	24200	16	12.5	21000	11800	8.5	L*29/36U9	EL296UH070XV36B	204603105
XP16-024-230	24200	16	12.5	20000	11800	8.5	LH18/37D9	EL296UH070XV36B	204631324
XP16-024-230	24200	16	12.5	20000	11800	8.5	LH18/37R9	EL296UH070XV36B	204631323
XP16-024-230	24200	16	12.5	20000	11700	8.5	LH18/37R9	SL280UH070V36A	10061585
XP16-024-230	24200	16	12.5	20000	11700	8.5	LH18/37R9	SL280UH070XV36A	10579961
XP16-024-230	23800	16	12.2	20000	11800	8.5	LH29/36F9	EL296UH070XV36B	204631318
XP16-024-230	23800	16	12.2	20000	11700	8.5	LH29/36F9	SL280UH070XV36A	10260337
XP16-024-230	24200	16	12.5	20000	11800	8.5	LH35/36F9	EL296UH070XV36B	204631319
XP16-024-230	24200	16	12.5	20000	11700	8.5	LH35/36F9	SL280UH070XV36A	10260338
XP16-024-230	24200	16	12.5	20000	11800	8.5	LH35/36X9	EL296UH070XV36B	10477249

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-024-230	24200	16	12.5	20000	11700	8.5	LH35/36X9	SL280UH070XV36A	10579959
XP16-024-230	24200	16	12.5	20000	11800	8.5	LH35/38F9	EL296UH070XV36B	204631322
XP16-024-230	24200	16	12.5	20000	11800	8.5	LH35/38X9	EL296UH070XV36B	204631321
XP16-024-230	24200	16	12.5	20000	11700	8.5	LH35/38X9	SL280UH070XV36A	10579960
XP16-036-230	35200	15	11.7	34600	20400	8.5	L*19/36S9	EL296UH045XV36B	204631141
XP16-036-230	35400	15	11.7	34600	20200	8.5	L*19/36S9	EL296UH070XV36B	204631152
XP16-036-230	34400	14.5	11.7	32600	20200	8.5	L*19/36S9		204631298
XP16-036-230	34400	14.5	11.7	34600	20200	8.5	L*19/36S9		204631162
XP16-036-230	34400	14.5	11.7	34600	20200	8.5	L*19/36S9		204631173
XP16-036-230	34400	14.5	11.7	32600	20200	8.5	L*19/36S9		204631309
XP16-036-230	35600	15	12.5	34600	20400	8.5	L*23/37Z9	EL296UH045XV36B	204631148
XP16-036-230	35800	15	12.5	34600	20200	8.5	L*23/37Z9	EL296UH070XV36B	204631158
XP16-036-230	35800	16	12.5	32800	20200	8.5	L*23/37Z9	SLP99UH070XV36B	205760399
XP16-036-230	35200	15	12.5	34600	20200	8.5	L*23/37Z9		204631179
XP16-036-230	35200	15	12.5	32600	20200	8.5	L*23/37Z9		204631315
XP16-036-230	35200	15	12.5	34600	20200	8.5	L*23/37Z9		204631169
XP16-036-230	35200	15	12.5	32600	20200	8.5	L*23/37Z9		204631305
XP16-036-230	35600	15	12.2	34600	20400	8.5	L*35/36S9	EL296UH045XV36B	204631145
XP16-036-230	35800	15	12.2	34600	20200	8.5	L*35/36S9	EL296UH070XV36B	204631155
XP16-036-230	35200	15	12.2	34600	20200	8.5	L*35/36S9		204631176
XP16-036-230	35200	15	12.2	32600	20200	8.5	L*35/36S9		204631302
XP16-036-230	35200	15	12.2	32600	20200	8.5	L*35/36S9		204631312
XP16-036-230	35200	15	12.2	34600	20200	8.5	L*35/36S9		204631166
XP16-036-230	35600	15	12.2	34600	20400	8.5	L*35/36U9	EL296UH045XV36B	204631144
XP16-036-230	35800	15	12.2	32800	20200	8.5	L*35/36U9	EL296UH070XV36B	204603107
XP16-036-230	35200	15	12.2	34600	20200	8.5	L*35/36U9		204631165
XP16-036-230	35200	15	12.2	32600	20200	8.5	L*35/36U9		204631301
XP16-036-230	35200	15	12.2	32800	20200	8.5	L*35/36U9		204603115
XP16-036-230	35600	15	12.5	32400	20000	8.5	LD24/35Z9		204756324
XP16-036-230	35600	15	12.5	32400	20000	8.5	LD31/36Z9		204756326
XP16-036-230	35600	15	12	34600	20400	8.5	LH18/37D9	EL296UH045XV36B	204631146
XP16-036-230	35800	15	12	34600	20200	8.5	LH18/37D9	EL296UH070XV36B	204631156
XP16-036-230	35000	15	12	34600	20200	8.5	LH18/37D9		204631177
XP16-036-230	35000	15	12	32600	20200	8.5	LH18/37D9		204631313
XP16-036-230	35000	15	12	32600	20200	8.5	LH18/37D9		204631303
XP16-036-230	35000	15	12	34600	20200	8.5	LH18/37D9		204631167
XP16-036-230	35600	15	12.5	34600	20400	8.5	LH23/37W9	EL296UH045XV36B	204631147
XP16-036-230	35800	15	12.5	34600	20200	8.5	LH23/37W9	EL296UH070XV36B	204631157
XP16-036-230	35200	15	12.5	34600	20200	8.5	LH23/37W9		204631178
XP16-036-230	35200	15	12.5	32600	20200	8.5	LH23/37W9		204631314
XP16-036-230	35200	15	12.5	34600	20200	8.5	LH23/37W9		204631168
XP16-036-230	35200	15	12.5	32600	20200	8.5	LH23/37W9		204631304
XP16-036-230	35200	15	11.7	34600	20400	8.5	LH29/36F9	EL296UH045XV36B	204631127
XP16-036-230	35400	15	11.7	34600	20200	8.5	LH29/36F9	EL296UH070XV36B	204631149
XP16-036-230	34400	14.5	11.7	34600	20200	8.5	LH29/36F9		204631170
XP16-036-230	34400	14.5	11.7	34600	20200	8.5	LH29/36F9		204631159
XP16-036-230	34400	14.5	11.7	32600	20200	8.5	LH29/36F9		204631295
XP16-036-230	34400	14.5	11.7	32600	20200	8.5	LH29/36F9		204631306
XP16-036-230	35600	15	12	34600	20400	8.5	LH35/36F9	EL296UH045XV36B	204631140
XP16-036-230	35800	15	12	34600	20200	8.5	LH35/36F9	EL296UH070XV36B	204631151
XP16-036-230	35000	15	12	32600	20200	8.5	LH35/36F9		204631297
XP16-036-230	35000	15	12	34600	20200	8.5	LH35/36F9		204631161
XP16-036-230	35000	15	12	34600	20200	8.5	LH35/36F9		204631172
XP16-036-230	35000	15	12	32600	20200	8.5	LH35/36F9		204631308

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-036-230	35600	15	12	34600	20400	8.5	LH35/36X9	EL296UH045XV36B	204631139
XP16-036-230	35800	15	12	34600	20200	8.5	LH35/36X9	EL296UH070XV36B	204631150
XP16-036-230	35000	15	12	32600	20200	8.5	LH35/36X9		204631307
XP16-036-230	35000	15	12	34600	20200	8.5	LH35/36X9		204631171
XP16-036-230	35000	15	12	32800	20200	8.5	LH35/36X9		204603114
XP16-036-230	35000	15	12	34600	20200	8.5	LH35/36X9		204631160
XP16-036-230	35000	15	12	32600	20200	8.5	LH35/36X9		204631296
XP16-036-230	35000	15	12	32800	20200	8.5	LH35/36X9		204603116
XP16-036-230	35600	15	12.2	34600	20400	8.5	LH35/38F9	EL296UH045XV36B	204631143
XP16-036-230	35800	15	12.2	34600	20200	8.5	LH35/38F9	EL296UH070XV36B	204631154
XP16-036-230	35200	15	12.2	34600	20200	8.5	LH35/38F9		204631164
XP16-036-230	35200	15	12.2	32600	20200	8.5	LH35/38F9		204631300
XP16-036-230	35200	15	12.2	34600	20200	8.5	LH35/38F9		204631175
XP16-036-230	35200	15	12.2	32600	20200	8.5	LH35/38F9		204631311
XP16-036-230	35600	15	12.2	34600	20400	8.5	LH35/38X9	EL296UH045XV36B	204631142
XP16-036-230	35800	15	12.2	34600	20200	8.5	LH35/38X9	EL296UH070XV36B	204631153
XP16-036-230	35200	15	12.2	34600	20200	8.5	LH35/38X9		204631163
XP16-036-230	35200	15	12.2	34600	20200	8.5	LH35/38X9		204631174
XP16-036-230	35200	15	12.2	32600	20200	8.5	LH35/38X9		204631310
XP16-036-230	35200	15	12.2	32600	20200	8.5	LH35/38X9		204631299
XP16-048-230	46500	15	11.7	40500	26800	8.2	L*42/60Y9	EL296UH090XV48C	204631326
XP16-048-230	47500	15	11.7	41000	27600	8.2	L*42/60Y9	EL296UH110XV60C	204631337
XP16-048-230	46500	15	11.7	40500	26800	8.2	L*42/60Z9	EL296UH090XV48C	204631325
XP16-048-230	47500	15	11.7	41000	27600	8.2	L*42/60Z9	EL296UH110XV60C	204631336
XP16-048-230	46500	15	12	40500	26800	8.2	L*48/60Y9	EL296UH090XV48C	204631332
XP16-048-230	47500	16	12	41000	27600	8.2	L*48/60Y9	EL296UH110XV60C	204631343
XP16-048-230	46500	15	12	40500	26800	8.2	L*48/60Z9	EL296UH090XV48C	204631331
XP16-048-230	47500	16	12	41000	27600	8.2	L*48/60Z9	EL296UH110XV60C	204631342
XP16-048-230	47000	16	12	42000	24800	8.2	L*49/63Z9	EL296UH090XV48C	204631333
XP16-048-230	47500	16	12	41000	27600	8.2	L*49/63Z9	EL296UH110XV60C	204631344
XP16-048-230	47000	15	12.5	42500	28800	9	LD42/61Z9	EL296DF090XE48C	205147343
XP16-048-230	47000	16	12.5	42000	28600	9	LD42/61Z9	EL296DF110XE60C	205147344
XP16-048-230	47000	16	12.5	42500	29000	9	LD42/61Z9	EL296DF110XV60C	205147345
XP16-048-230	47500	16	13	42000	28600	9.5	LD42/61Z9	ML180DF110E60C	205147346
XP16-048-230	47000	16	12.5	42000	28800	9	LD42/61Z9	ML193DF090XE48C	205147347
XP16-048-230	47000	16	12.5	42500	28800	9	LD42/61Z9	SLP99DF090XV60C	205761103
XP16-048-230	47000	16	12.5	42500	29000	9	LD42/61Z9	SLP99DF110XV60C	205761104
XP16-048-230	48000	15	12	43500	28600	8.5	LD42/61Z9		204756338
XP16-048-230	47000	15	11.7	42000	24800	8.2	LH42/62E9	EL296UH090XV48C	204631330
XP16-048-230	47500	15	11.7	41000	27600	8.2	LH42/62E9	EL296UH110XV60C	204631341
XP16-048-230	47000	15	11.7	42000	24800	8.2	LH42/62W9	EL296UH090XV48C	204631329
XP16-048-230	47500	15	11.7	41000	27600	8.2	LH42/62W9	EL296UH110XV60C	204631340
XP16-048-230	46500	15	12	40500	26800	8.2	LH49/61E9	EL296UH090XV48C	204631328
XP16-048-230	47500	16	12	41000	27600	8.2	LH49/61E9	EL296UH110XV60C	204631339
XP16-048-230	46500	15	12	40500	26800	8.2	LH49/61W9	EL296UH090XV48C	204631327
XP16-048-230	47500	16	12	41000	27600	8.2	LH49/61W9	EL296UH110XV60C	204631338
XP16-048-230	47000	16	12	42000	24800	8.2	LH49/62W9	EL296UH090XV48C	204631335
XP16-048-230	47500	16	12	41000	27600	8.2	LH49/62W9	EL296UH110XV60C	204631346
XP16-048-230	47000	16	12	42000	24800	8.2	LH60/61W9	EL296UH090XV48C	204631334
XP16-048-230	47500	16	12	41000	27600	8.2	LH60/61W9	EL296UH110XV60C	204631345
XP16-060-230	58500	15	12	54500	34200	8.2	L*42/60Y9	EL180UH100NE60C	205727232
XP16-060-230	57500	16	12.2	50500	33000	8.5	L*42/60Y9	EL280UH110E60C	205727257
XP16-060-230	57500	16	12.2	52000	33000	8.5	L*42/60Y9	EL280UH110XE60C	203372054
XP16-060-230	58500	15	12	54500	34600	8.2	L*42/60Y9	EL296UH090XV48C	205727269

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-060-230	58500	15	11.5	55000	34800	8.2	L*42/60Y9	EL296UH090XV60C	205727280
XP16-060-230	58500	15	12	54500	34200	8.2	L*42/60Y9	EL296UH110XE60C	205727291
XP16-060-230	58500	15	12	54500	34400	8.2	L*42/60Y9	EL296UH110XV48C	205727304
XP16-060-230	58500	15	12	54500	34600	8.2	L*42/60Y9	EL296UH110XV60C	205727315
XP16-060-230	58000	15	11.7	51000	33600	8.2	L*42/60Y9	EL296UH135XE60D	205727329
XP16-060-230	58500	15	12.2	51000	33200	8.5	L*42/60Y9	EL296UH135XV60D	205727343
XP16-060-230	58500	15	12	54500	34200	8.2	L*42/60Y9	ML180UH090E60C	205727354
XP16-060-230	58000	15	12	54500	34200	8.2	L*42/60Y9	ML180UH110E60C	205727365
XP16-060-230	59000	15	12.5	54500	34200	8.2	L*42/60Y9	ML180UH110V60C	205727378
XP16-060-230	58000	15	12	54500	34200	8.2	L*42/60Y9	ML180UH110XE60C	205727389
XP16-060-230	56500	14.5	11.7	54500	33800	8.2	L*42/60Y9	ML180UH135E60D	205727403
XP16-060-230	58500	15	12.2	51000	33200	8.5	L*42/60Y9	ML180UH135E60D	205727417
XP16-060-230	57500	15	12.2	50500	33200	8.5	L*42/60Y9	ML193UH110XE60C	205727431
XP16-060-230	58500	15	12	54500	34600	8.2	L*42/60Y9	ML296UH090XV48C	205727442
XP16-060-230	59000	15	12	54500	34400	8.2	L*42/60Y9	ML296UH110XV60C	205727455
XP16-060-230	57000	15	12	55500	35800	8.5	L*42/60Y9	SL280DF090V60C	10258421
XP16-060-230	59000	15	12	54500	34200	8.2	L*42/60Y9	SL280UH080NV60C	205727468
XP16-060-230	59000	15	12	54500	34400	8.2	L*42/60Y9	SL280UH090V60C	205727479
XP16-060-230	59000	15	12	54500	34400	8.2	L*42/60Y9	SL280UH090XV60C	205727490
XP16-060-230	59000	15	12.5	54500	34200	8.2	L*42/60Y9	SL280UH100NV60C	205727503
XP16-060-230	59000	15	12	55000	34600	8.2	L*42/60Y9	SL280UH110V60C	205727514
XP16-060-230	59000	15	12	55000	34600	8.2	L*42/60Y9	SL280UH110XV60C	205727525
XP16-060-230	58000	15	12.2	51000	33400	8.5	L*42/60Y9	SL280UH135V60D	205727539
XP16-060-230	58500	15	12	54500	34200	8.2	L*42/60Y9	SL297UH080NV48C	205727549
XP16-060-230	59000	15	12	55000	34600	8.2	L*42/60Y9	SL297UH080NV60C	205727560
XP16-060-230	58500	15	12	54500	34600	8.2	L*42/60Y9	SLP99UH110XV60C	205727623
XP16-060-230	59000	15	11.5	59500	36000	8.5	L*42/60Y9	SLP99UH135XV60D	205760817
XP16-060-230	58500	15	12	54500	34200	8.2	L*42/60Z9	EL180UH100NE60C	205727231
XP16-060-230	57500	16	12.2	50500	33000	8.5	L*42/60Z9	EL280UH110E60C	205727256
XP16-060-230	57500	16	12.2	52000	33000	8.5	L*42/60Z9	EL280UH110XE60C	203372053
XP16-060-230	58500	15	12	54500	34600	8.2	L*42/60Z9	EL296UH090XV48C	205727268
XP16-060-230	58500	15	11.5	55000	34800	8.2	L*42/60Z9	EL296UH090XV60C	205727279
XP16-060-230	58500	15	12	54500	34200	8.2	L*42/60Z9	EL296UH110XE60C	205727290
XP16-060-230	58500	15	12	54500	34400	8.2	L*42/60Z9	EL296UH110XV48C	205727303
XP16-060-230	58500	15	12	54500	34600	8.2	L*42/60Z9	EL296UH110XV60C	205727314
XP16-060-230	58000	15	11.7	51000	33600	8.2	L*42/60Z9	EL296UH135XE60D	205727328
XP16-060-230	58500	15	12.2	51000	33200	8.5	L*42/60Z9	EL296UH135XV60D	205727342
XP16-060-230	58500	15	12	54500	34200	8.2	L*42/60Z9	ML180UH090E60C	205727353
XP16-060-230	58000	15	12	54500	34200	8.2	L*42/60Z9	ML180UH110E60C	205727364
XP16-060-230	59000	15	12.5	54500	34200	8.2	L*42/60Z9	ML180UH110V60C	205727377
XP16-060-230	58000	15	12	54500	34200	8.2	L*42/60Z9	ML180UH110XE60C	205727388
XP16-060-230	58500	15	12.2	51000	33200	8.5	L*42/60Z9	ML180UH135E60D	205727416
XP16-060-230	56500	14.5	11.7	54500	33800	8.2	L*42/60Z9	ML180UH135E60D	205727402
XP16-060-230	57500	15	12.2	50500	33200	8.5	L*42/60Z9	ML193UH110XE60C	205727430
XP16-060-230	58500	15	12	54500	34600	8.2	L*42/60Z9	ML296UH090XV48C	205727441
XP16-060-230	59000	15	12	54500	34400	8.2	L*42/60Z9	ML296UH110XV60C	205727454
XP16-060-230	59000	15	12	54500	34200	8.2	L*42/60Z9	SL280UH080NV60C	205727467
XP16-060-230	59000	15	12	54500	34400	8.2	L*42/60Z9	SL280UH090V60C	205727478
XP16-060-230	59000	15	12	54500	34400	8.2	L*42/60Z9	SL280UH090XV60C	205727489
XP16-060-230	59000	15	12.5	54500	34200	8.2	L*42/60Z9	SL280UH100NV60C	205727502
XP16-060-230	59000	15	12	55000	34600	8.2	L*42/60Z9	SL280UH110V60C	205727513
XP16-060-230	59000	15	12	55000	34600	8.2	L*42/60Z9	SL280UH110XV60C	205727524
XP16-060-230	58000	15	12.2	51000	33400	8.5	L*42/60Z9	SL280UH135V60D	205727538
XP16-060-230	58500	15	12	54500	34200	8.2	L*42/60Z9	SL297UH080NV48C	205727548

AHRI SYSTEM MATCHESNOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-060-230	59000	15	12	55000	34600	8.2	L*42/60Z9	SL297UH080NV60C	205727559
XP16-060-230	58500	15	12	54500	34600	8.2	L*42/60Z9	SLP99UH110XV60C	205727622
XP16-060-230	59000	15	11.5	59500	36000	8.5	L*42/60Z9	SLP99UH135XV60D	205760815
XP16-060-230	58500	15	12.2	54500	34200	8.2	L*43/61Y9	EL180UH100NE60C	205727234
XP16-060-230	57500	16	12.2	50500	33000	8.5	L*43/61Y9	EL280UH110E60C	205727259
XP16-060-230	57500	16	12.2	52000	33000	8.5	L*43/61Y9	EL280UH110XE60C	203372056
XP16-060-230	58500	15	12.2	54500	34600	8.2	L*43/61Y9	EL296UH090XV48C	205727271
XP16-060-230	58500	15	11.7	55000	34800	8.2	L*43/61Y9	EL296UH090XV60C	205727282
XP16-060-230	58500	15	12.2	54500	34200	8.2	L*43/61Y9	EL296UH110XE60C	205727293
XP16-060-230	58500	15	12.2	54500	34400	8.2	L*43/61Y9	EL296UH110XV48C	205727306
XP16-060-230	58500	15	12.2	54500	34600	8.2	L*43/61Y9	EL296UH110XV60C	205727317
XP16-060-230	58500	15	11.7	59500	36000	8.5	L*43/61Y9	EL296UH135XE60D	205727331
XP16-060-230	58500	15	12.2	51000	33200	8.5	L*43/61Y9	EL296UH135XV60D	205727345
XP16-060-230	58500	15	12.2	54500	34200	8.2	L*43/61Y9	ML180UH090E60C	205727356
XP16-060-230	58000	15	12.2	54500	34200	8.2	L*43/61Y9	ML180UH110E60C	205727367
XP16-060-230	59000	15	12.5	54500	34200	8.2	L*43/61Y9	ML180UH110V60C	205727380
XP16-060-230	58000	15	12.2	54500	34200	8.2	L*43/61Y9	ML180UH110XE60C	205727391
XP16-060-230	56500	14.5	11.7	54500	33800	8.2	L*43/61Y9	ML180UH135E60D	205727405
XP16-060-230	58500	15	12.5	51000	33200	8.5	L*43/61Y9	ML180UH135E60D	205727419
XP16-060-230	57500	15	12.2	50500	33200	8.5	L*43/61Y9	ML193UH110XE60C	205727433
XP16-060-230	58500	15	12.2	54500	34600	8.2	L*43/61Y9	ML296UH090XV48C	205727444
XP16-060-230	59000	15	12.2	54500	34400	8.2	L*43/61Y9	ML296UH110XV60C	205727457
XP16-060-230	59000	15	12.2	54500	34200	8.2	L*43/61Y9	SL280UH080NV60C	205727470
XP16-060-230	59000	15	12.2	54500	34400	8.2	L*43/61Y9	SL280UH090V60C	205727481
XP16-060-230	59000	15	12.2	54500	34400	8.2	L*43/61Y9	SL280UH090XV60C	205727492
XP16-060-230	59000	15	12.5	54500	34200	8.2	L*43/61Y9	SL280UH100NV60C	205727505
XP16-060-230	59000	15	12.2	55000	34600	8.2	L*43/61Y9	SL280UH110V60C	205727516
XP16-060-230	59000	15	12.2	55000	34600	8.2	L*43/61Y9	SL280UH110XV60C	205727527
XP16-060-230	58000	15	12.2	51000	33400	8.5	L*43/61Y9	SL280UH135V60D	205727541
XP16-060-230	58500	15	12.2	54500	34200	8.2	L*43/61Y9	SL297UH080NV48C	205727551
XP16-060-230	59000	15	12.2	55000	34600	8.2	L*43/61Y9	SL297UH080NV60C	205727562
XP16-060-230	58500	15	12.2	54500	34600	8.2	L*43/61Y9	SLP99UH110XV60C	205727625
XP16-060-230	59000	15	11.7	59500	36000	8.5	L*43/61Y9	SLP99UH135XV60D	205760821
XP16-060-230	58500	15	12.2	54500	34200	8.2	L*43/61Z9	EL180UH100NE60C	205727233
XP16-060-230	57500	16	12.2	50500	33000	8.5	L*43/61Z9	EL280UH110E60C	205727258
XP16-060-230	57500	16	12.2	52000	33000	8.5	L*43/61Z9	EL280UH110XE60C	203372055
XP16-060-230	58500	15	12.2	54500	34600	8.2	L*43/61Z9	EL296UH090XV48C	205727270
XP16-060-230	58500	15	11.7	55000	34800	8.2	L*43/61Z9	EL296UH090XV60C	205727281
XP16-060-230	58500	15	12.2	54500	34200	8.2	L*43/61Z9	EL296UH110XE60C	205727292
XP16-060-230	58500	15	12.2	54500	34400	8.2	L*43/61Z9	EL296UH110XV48C	205727305
XP16-060-230	58500	15	12.2	54500	34600	8.2	L*43/61Z9	EL296UH110XV60C	205727316
XP16-060-230	58500	15	11.7	59500	36000	8.5	L*43/61Z9	EL296UH135XE60D	205727330
XP16-060-230	58500	15	12.2	51000	33200	8.5	L*43/61Z9	EL296UH135XV60D	205727344
XP16-060-230	58500	15	12.2	54500	34200	8.2	L*43/61Z9	ML180UH090E60C	205727355
XP16-060-230	58000	15	12.2	54500	34200	8.2	L*43/61Z9	ML180UH110E60C	205727366
XP16-060-230	59000	15	12.5	54500	34200	8.2	L*43/61Z9	ML180UH110V60C	205727379
XP16-060-230	58000	15	12.2	54500	34200	8.2	L*43/61Z9	ML180UH110XE60C	205727390
XP16-060-230	56500	14.5	11.7	54500	33800	8.2	L*43/61Z9	ML180UH135E60D	205727404
XP16-060-230	58500	15	12.5	51000	33200	8.5	L*43/61Z9	ML180UH135E60D	205727418
XP16-060-230	57500	15	12.2	50500	33200	8.5	L*43/61Z9	ML193UH110XE60C	205727432
XP16-060-230	58500	15	12.2	54500	34600	8.2	L*43/61Z9	ML296UH090XV48C	205727443
XP16-060-230	59000	15	12.2	54500	34400	8.2	L*43/61Z9	ML296UH110XV60C	205727456
XP16-060-230	59000	15	12.2	54500	34200	8.2	L*43/61Z9	SL280UH080NV60C	205727469
XP16-060-230	59000	15	12.2	54500	34400	8.2	L*43/61Z9	SL280UH090V60C	205727480

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-060-230	59000	15	12.2	54500	34400	8.2	L*43/61Z9	SL280UH090XV60C	205727491
XP16-060-230	59000	15	12.5	54500	34200	8.2	L*43/61Z9	SL280UH100NV60C	205727504
XP16-060-230	59000	15	12.2	55000	34600	8.2	L*43/61Z9	SL280UH110V60C	205727515
XP16-060-230	59000	15	12.2	55000	34600	8.2	L*43/61Z9	SL280UH110XV60C	205727526
XP16-060-230	58000	15	12.2	51000	33400	8.5	L*43/61Z9	SL280UH135V60D	205727540
XP16-060-230	58500	15	12.2	54500	34200	8.2	L*43/61Z9	SL297UH080NV48C	205727550
XP16-060-230	59000	15	12.2	55000	34600	8.2	L*43/61Z9	SL297UH080NV60C	205727561
XP16-060-230	58500	15	12.2	54500	34600	8.2	L*43/61Z9	SLP99UH110XV60C	205727624
XP16-060-230	59000	15	11.7	59500	36000	8.5	L*43/61Z9	SLP99UH135XV60D	205760819
XP16-060-230	57500	16	12.5	52000	33000	8.5	L*48/60Y9	EL280UH110XE60C	203372063
XP16-060-230	58500	16	12.5	51000	33200	8.5	L*48/60Y9	EL296UH135XV60D	8106822
XP16-060-230	58000	16	12.5	51000	33400	8.5	L*48/60Y9	SL280UH135V60D	10260341
XP16-060-230	57500	16	12.5	52000	33000	8.5	L*48/60Z9	EL280UH110XE60C	203372062
XP16-060-230	58500	16	12.5	51000	33200	8.5	L*48/60Z9	EL296UH135XV60D	204720374
XP16-060-230	58000	16	12.5	51000	33400	8.5	L*48/60Z9	SL280UH135V60D	10032742
XP16-060-230	58000	15	12	54500	34200	8.2	L*49/62Y9	EL180UH100NE60C	205727230
XP16-060-230	57500	16	12	50500	33000	8.5	L*49/62Y9	EL280UH110E60C	205727255
XP16-060-230	57500	16	12	52000	33000	8.5	L*49/62Y9	EL280UH110XE60C	203372052
XP16-060-230	58000	15	12	54500	34600	8.2	L*49/62Y9	EL296UH090XV48C	205727267
XP16-060-230	58000	15	11.5	55000	34800	8.2	L*49/62Y9	EL296UH090XV60C	205727278
XP16-060-230	58000	15	12	54500	34200	8.2	L*49/62Y9	EL296UH110XE60C	205727289
XP16-060-230	58000	15	12	54500	34400	8.2	L*49/62Y9	EL296UH110XV48C	205727302
XP16-060-230	58000	15	12	54500	34600	8.2	L*49/62Y9	EL296UH110XV60C	205727313
XP16-060-230	58000	15	11.5	59500	36000	8.5	L*49/62Y9	EL296UH135XE60D	205727327
XP16-060-230	58500	15	12	51000	33200	8.5	L*49/62Y9	EL296UH135XV60D	205727341
XP16-060-230	58000	15	12	54500	34200	8.2	L*49/62Y9	ML180UH090E60C	205727351
XP16-060-230	57500	15	12	54500	34200	8.2	L*49/62Y9	ML180UH110E60C	205727363
XP16-060-230	58500	15	12.5	54500	34200	8.2	L*49/62Y9	ML180UH110V60C	205727376
XP16-060-230	57500	15	12	54500	34200	8.2	L*49/62Y9	ML180UH110XE60C	205727387
XP16-060-230	56500	14.5	11.7	54500	33800	8.2	L*49/62Y9	ML180UH135E60D	205727401
XP16-060-230	58500	15	12.2	51000	33200	8.5	L*49/62Y9	ML180UH135E60D	205727415
XP16-060-230	57500	15	12	50500	33200	8.5	L*49/62Y9	ML193UH110XE60C	205727429
XP16-060-230	58000	15	12	54500	34600	8.2	L*49/62Y9	ML296UH090XV48C	205727440
XP16-060-230	58500	15	12	54500	34400	8.2	L*49/62Y9	ML296UH110XV60C	205727453
XP16-060-230	58500	15	12	54500	34200	8.2	L*49/62Y9	SL280UH080NV60C	205727466
XP16-060-230	58500	15	12	54500	34400	8.2	L*49/62Y9	SL280UH090V60C	205727477
XP16-060-230	58500	15	12	54500	34400	8.2	L*49/62Y9	SL280UH090XV60C	205727488
XP16-060-230	58500	15	12.5	54500	34200	8.2	L*49/62Y9	SL280UH100NV60C	205727501
XP16-060-230	58500	15	12	55000	34600	8.2	L*49/62Y9	SL280UH110V60C	205727512
XP16-060-230	58500	15	12	55000	34600	8.2	L*49/62Y9	SL280UH110XV60C	205727523
XP16-060-230	58000	15	12	51000	33400	8.5	L*49/62Y9	SL280UH135V60D	205727537
XP16-060-230	58000	15	12	54500	34200	8.2	L*49/62Y9	SL297UH080NV48C	205727547
XP16-060-230	58500	15	12	55000	34600	8.2	L*49/62Y9	SL297UH080NV60C	205727558
XP16-060-230	58000	15	12	54500	34600	8.2	L*49/62Y9	SLP99UH110XV60C	205727621
XP16-060-230	58500	15	11.5	59500	36000	8.5	L*49/62Y9	SLP99UH135XV60D	205760813
XP16-060-230	58000	15	12	54500	34200	8.2	L*49/62Z9	EL180UH100NE60C	205727229
XP16-060-230	57500	16	12	50500	33000	8.5	L*49/62Z9	EL280UH110E60C	205727254
XP16-060-230	57500	16	12	52000	33000	8.5	L*49/62Z9	EL280UH110XE60C	203372051
XP16-060-230	58000	15	12	54500	34600	8.2	L*49/62Z9	EL296UH090XV48C	205727266
XP16-060-230	58000	15	11.5	55000	34800	8.2	L*49/62Z9	EL296UH090XV60C	205727277
XP16-060-230	58000	15	12	54500	34200	8.2	L*49/62Z9	EL296UH110XE60C	205727288
XP16-060-230	58000	15	12	54500	34400	8.2	L*49/62Z9	EL296UH110XV48C	205727301
XP16-060-230	58000	15	12	54500	34600	8.2	L*49/62Z9	EL296UH110XV60C	205727312
XP16-060-230	58000	15	11.5	59500	36000	8.5	L*49/62Z9	EL296UH135XE60D	205727326

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-060-230	58500	15	12	51000	33200	8.5	L*49/62Z9	EL296UH135XV60D	205727340
XP16-060-230	58000	15	12	54500	34200	8.2	L*49/62Z9	ML180UH090E60C	205727350
XP16-060-230	57500	15	12	54500	34200	8.2	L*49/62Z9	ML180UH110E60C	205727362
XP16-060-230	58500	15	12.5	54500	34200	8.2	L*49/62Z9	ML180UH110V60C	205727375
XP16-060-230	57500	15	12	54500	34200	8.2	L*49/62Z9	ML180UH110XE60C	205727386
XP16-060-230	56500	14.5	11.7	54500	33800	8.2	L*49/62Z9	ML180UH135E60D	205727400
XP16-060-230	58500	15	12.2	51000	33200	8.5	L*49/62Z9	ML180UH135E60D	205727414
XP16-060-230	57500	15	12	50500	33200	8.5	L*49/62Z9	ML193UH110XE60C	205727428
XP16-060-230	58000	15	12	54500	34600	8.2	L*49/62Z9	ML296UH090XV48C	205727439
XP16-060-230	58500	15	12	54500	34400	8.2	L*49/62Z9	ML296UH110XV60C	205727452
XP16-060-230	58500	15	12	54500	34200	8.2	L*49/62Z9	SL280UH080NV60C	205727465
XP16-060-230	58500	15	12	54500	34400	8.2	L*49/62Z9	SL280UH090V60C	205727476
XP16-060-230	58500	15	12	54500	34400	8.2	L*49/62Z9	SL280UH090XV60C	205727487
XP16-060-230	58500	15	12.5	54500	34200	8.2	L*49/62Z9	SL280UH100NV60C	205727500
XP16-060-230	58500	15	12	55000	34600	8.2	L*49/62Z9	SL280UH110V60C	205727511
XP16-060-230	58500	15	12	55000	34600	8.2	L*49/62Z9	SL280UH110XV60C	205727522
XP16-060-230	58000	15	12	51000	33400	8.5	L*49/62Z9	SL280UH135V60D	205727536
XP16-060-230	58000	15	12	54500	34200	8.2	L*49/62Z9	SL297UH080NV48C	205727546
XP16-060-230	58500	15	12	55000	34600	8.2	L*49/62Z9	SL297UH080NV60C	205727557
XP16-060-230	58000	15	12	54500	34600	8.2	L*49/62Z9	SLP99UH110XV60C	205727620
XP16-060-230	58500	15	11.5	59500	36000	8.5	L*49/62Z9	SLP99UH135XV60D	205760811
XP16-060-230	57500	16	12.5	52000	33000	8.5	L*49/63Z9	EL280UH110XE60C	203372064
XP16-060-230	56500	15	12	55000	35800	8.2	LD42/61Z9	EL296DF090XV60C	205147320
XP16-060-230	57000	15	12.5	55000	35600	8.2	LD42/61Z9	EL296DF110XE60C	205147321
XP16-060-230	56500	15	12	55000	35800	8.2	LD42/61Z9	EL296DF110XV60C	205147322
XP16-060-230	57500	15	12.5	55500	35600	8.5	LD42/61Z9	ML180DF110E60C	205147323
XP16-060-230	56500	15	12	55000	35800	8.2	LD42/61Z9	ML296DF090XV60C	205147324
XP16-060-230	57000	15	12	55500	35800	8.5	LD42/61Z9	SL280DF090V60C	205147325
XP16-060-230	57000	15	12.5	55500	35600	8.5	LD42/61Z9	SL280DF110V60C	205147326
XP16-060-230	56500	15	12	55000	35800	8.2	LD42/61Z9	SLP99DF090XV60C	205760798
XP16-060-230	56500	15	12	55000	35800	8.2	LD42/61Z9	SLP99DF110XV60C	205760800
XP16-060-230	57000	14.5	12	55500	36000	8.2	LD42/61Z9		204756328
XP16-060-230	57500	16	12	52000	33000	8.5	LH40/61E9	EL280UH110XE60C	203372049
XP16-060-230	57500	16	12	52000	33000	8.5	LH40/61W9	EL280UH110XE60C	203372048
XP16-060-230	57000	16	12	50500	33000	8.5	LH40/62E9	EL280UH110E60C	205727252
XP16-060-230	57000	16	12	50500	33000	8.5	LH40/62E9	EL280UH110XE60C	205727265
XP16-060-230	57500	15	11.5	51000	33600	8.2	LH40/62E9	EL296UH135XE60D	205727324
XP16-060-230	58000	15	12	51000	33200	8.5	LH40/62E9	EL296UH135XV60D	205727338
XP16-060-230	58500	15	12.5	54500	34200	8.2	LH40/62E9	ML180UH110V60C	205727374
XP16-060-230	56500	14.5	11.5	54500	33800	8.2	LH40/62E9	ML180UH135E60D	205727398
XP16-060-230	58000	15	12.2	51000	33200	8.5	LH40/62E9	ML180UH135E60D	205727412
XP16-060-230	57000	15	12	50500	33200	8.5	LH40/62E9	ML193UH110XE60C	205727426
XP16-060-230	58500	15	12	54500	34400	8.2	LH40/62E9	ML296UH110XV60C	205727451
XP16-060-230	58500	15	12	54500	34200	8.2	LH40/62E9	SL280UH080NV60C	205727464
XP16-060-230	58500	15	12.5	54500	34200	8.2	LH40/62E9	SL280UH100NV60C	205727499
XP16-060-230	57500	15	12	51000	33400	8.5	LH40/62E9	SL280UH135V60D	205727534
XP16-060-230	58000	15	11	59500	36000	8.5	LH40/62E9	SLP99UH135XV60D	205760806
XP16-060-230	57000	16	12	50500	33000	8.5	LH40/62W9	EL280UH110E60C	205727251
XP16-060-230	57000	16	12	52000	33000	8.5	LH40/62W9	EL280UH110XE60C	203372046
XP16-060-230	57500	15	11.5	51000	33600	8.2	LH40/62W9	EL296UH135XE60D	205727323
XP16-060-230	58000	15	12	51000	33200	8.5	LH40/62W9	EL296UH135XV60D	205727337
XP16-060-230	58500	15	12.5	54500	34200	8.2	LH40/62W9	ML180UH110V60C	205727373
XP16-060-230	56500	14.5	11.5	54500	33800	8.2	LH40/62W9	ML180UH135E60D	205727397
XP16-060-230	58000	15	12.2	51000	33200	8.5	LH40/62W9	ML180UH135E60D	205727411

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-060-230	57000	15	12	50500	33200	8.5	LH40/62W9	ML193UH110XE60C	205727425
XP16-060-230	58500	15	12	54500	34400	8.2	LH40/62W9	ML296UH110XV60C	205727450
XP16-060-230	58500	15	12	54500	34200	8.2	LH40/62W9	SL280UH080NV60C	205727463
XP16-060-230	58500	15	12.5	54500	34200	8.2	LH40/62W9	SL280UH100NV60C	205727498
XP16-060-230	57500	15	12	51000	33400	8.5	LH40/62W9	SL280UH135V60D	205727533
XP16-060-230	58000	15	11	59500	36000	8.5	LH40/62W9	SLP99UH135XV60D	205760804
XP16-060-230	56000	15	11.7	50500	33000	8.2	LH41/61D9	EL280UH110E60C	205727253
XP16-060-230	56000	15	11.7	52000	33000	8.2	LH41/61D9	EL280UH110XE60C	203372047
XP16-060-230	56500	15	11	59500	36000	8.2	LH41/61D9	EL296UH135XE60D	205727325
XP16-060-230	57000	15	11.7	51000	33200	8.2	LH41/61D9	EL296UH135XV60D	205727339
XP16-060-230	55500	14	11	54500	33800	8.2	LH41/61D9	ML180UH135E60D	205727399
XP16-060-230	57000	15	12	51000	33200	8.2	LH41/61D9	ML180UH135E60D	205727413
XP16-060-230	56000	15	11.7	50500	33200	8.2	LH41/61D9	ML193UH110XE60C	205727427
XP16-060-230	56500	15	11.7	51000	33400	8.2	LH41/61D9	SL280UH135V60D	205727535
XP16-060-230	57000	15	11	59500	36000	8.2	LH41/61D9	SLP99UH135XV60D	205760808
XP16-060-230	58500	15	12.2	54500	34200	8.2	LH42/62E9	EL180UH100NE60C	205727238
XP16-060-230	57500	16	12.2	50500	33000	8.5	LH42/62E9	EL280UH110E60C	205727263
XP16-060-230	57500	16	12.2	52000	33000	8.5	LH42/62E9	EL280UH110XE60C	203372060
XP16-060-230	58500	15	12.2	54500	34600	8.2	LH42/62E9	EL296UH090XV48C	205727275
XP16-060-230	58500	15	11.7	55000	34800	8.2	LH42/62E9	EL296UH090XV60C	205727286
XP16-060-230	58500	15	12.2	54500	34200	8.2	LH42/62E9	EL296UH110XE60C	205727299
XP16-060-230	58500	15	12.2	54500	34400	8.2	LH42/62E9	EL296UH110XV48C	205727310
XP16-060-230	58500	15	12.2	54500	34600	8.2	LH42/62E9	EL296UH110XV60C	205727321
XP16-060-230	58500	15	11.7	59500	36000	8.5	LH42/62E9	EL296UH135XE60D	205727335
XP16-060-230	58500	16	12.2	51000	33200	8.5	LH42/62E9	EL296UH135XV60D	205727348
XP16-060-230	58500	15	12.2	54500	34200	8.2	LH42/62E9	ML180UH090E60C	205727360
XP16-060-230	58000	15	12.2	54500	34200	8.2	LH42/62E9	ML180UH110E60C	205727371
XP16-060-230	59000	15	12.5	54500	34200	8.2	LH42/62E9	ML180UH110V60C	205727384
XP16-060-230	58000	15	12.2	54500	34200	8.2	LH42/62E9	ML180UH110XE60C	205727395
XP16-060-230	56500	14.5	11.7	54500	33800	8.2	LH42/62E9	ML180UH135E60D	205727409
XP16-060-230	58500	16	12.5	51000	33200	8.5	LH42/62E9	ML180UH135E60D	205727423
XP16-060-230	57500	15	12.2	50500	33200	8.5	LH42/62E9	ML193UH110XE60C	205727437
XP16-060-230	58500	15	12.2	54500	34600	8.2	LH42/62E9	ML296UH090XV48C	205727448
XP16-060-230	59000	15	12.2	54500	34400	8.2	LH42/62E9	ML296UH110XV60C	205727461
XP16-060-230	59000	15	12.2	54500	34200	8.2	LH42/62E9	SL280UH080NV60C	205727474
XP16-060-230	59000	15	12.2	54500	34400	8.2	LH42/62E9	SL280UH090V60C	205727485
XP16-060-230	59000	15	12.2	54500	34400	8.2	LH42/62E9	SL280UH090XV60C	205727496
XP16-060-230	59000	15	12.5	54500	34200	8.2	LH42/62E9	SL280UH100NV60C	205727509
XP16-060-230	59000	15	12.2	55000	34600	8.2	LH42/62E9	SL280UH110V60C	205727520
XP16-060-230	59000	15	12.2	55000	34600	8.2	LH42/62E9	SL280UH110XV60C	205727531
XP16-060-230	58000	16	12.2	51000	33400	8.5	LH42/62E9	SL280UH135V60D	205727544
XP16-060-230	58500	15	12.2	54500	34200	8.2	LH42/62E9	SL297UH080NV48C	205727555
XP16-060-230	59000	15	12.2	55000	34600	8.2	LH42/62E9	SL297UH080NV60C	205727566
XP16-060-230	58500	15	12.2	54500	34600	8.2	LH42/62E9	SLP99UH110XV60C	205727629
XP16-060-230	59000	15	11.7	59500	36000	8.5	LH42/62E9	SLP99UH135XV60D	205760844
XP16-060-230	58500	15	12.2	54500	34200	8.2	LH42/62W9	EL180UH100NE60C	205727237
XP16-060-230	57500	16	12.2	50500	33000	8.5	LH42/62W9	EL280UH110E60C	205727262
XP16-060-230	57500	16	12.2	52000	33000	8.5	LH42/62W9	EL280UH110XE60C	203372059
XP16-060-230	58500	15	12.2	54500	34600	8.2	LH42/62W9	EL296UH090XV48C	205727274
XP16-060-230	58500	15	11.7	55000	34800	8.2	LH42/62W9	EL296UH090XV60C	205727285
XP16-060-230	58500	15	12.2	54500	34200	8.2	LH42/62W9	EL296UH110XE60C	205727296
XP16-060-230	58500	15	12.2	54500	34400	8.2	LH42/62W9	EL296UH110XV48C	205727309
XP16-060-230	58500	15	12.2	54500	34600	8.2	LH42/62W9	EL296UH110XV60C	205727320
XP16-060-230	58500	15	11.7	59500	36000	8.5	LH42/62W9	EL296UH135XE60D	205727334

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-060-230	58500	16	12.2	51000	33200	8.5	LH42/62W9	EL296UH135XV60D	205727347
XP16-060-230	58500	15	12.2	54500	34200	8.2	LH42/62W9	ML180UH090E60C	205727359
XP16-060-230	58000	15	12.2	54500	34200	8.2	LH42/62W9	ML180UH110E60C	205727370
XP16-060-230	59000	15	12.5	54500	34200	8.2	LH42/62W9	ML180UH110V60C	205727383
XP16-060-230	58000	15	12.2	54500	34200	8.2	LH42/62W9	ML180UH110XE60C	205727394
XP16-060-230	58500	16	12.5	51000	33200	8.5	LH42/62W9	ML180UH135E60D	205727422
XP16-060-230	56500	14.5	11.7	54500	33800	8.2	LH42/62W9	ML180UH135E60D	205727408
XP16-060-230	57500	15	12.2	50500	33200	8.5	LH42/62W9	ML193UH110XE60C	205727436
XP16-060-230	58500	15	12.2	54500	34600	8.2	LH42/62W9	ML296UH090XV48C	205727447
XP16-060-230	59000	15	12.2	54500	34400	8.2	LH42/62W9	ML296UH110XV60C	205727460
XP16-060-230	59000	15	12.2	54500	34200	8.2	LH42/62W9	SL280UH080NV60C	205727473
XP16-060-230	59000	15	12.2	54500	34400	8.2	LH42/62W9	SL280UH090V60C	205727484
XP16-060-230	59000	15	12.2	54500	34400	8.2	LH42/62W9	SL280UH090XV60C	205727495
XP16-060-230	59000	15	12.5	54500	34200	8.2	LH42/62W9	SL280UH100NV60C	205727508
XP16-060-230	59000	15	12.2	55000	34600	8.2	LH42/62W9	SL280UH110V60C	205727519
XP16-060-230	59000	15	12.2	55000	34600	8.2	LH42/62W9	SL280UH110XV60C	205727530
XP16-060-230	58000	16	12.2	51000	33400	8.5	LH42/62W9	SL280UH135V60D	205727543
XP16-060-230	58500	15	12.2	54500	34200	8.2	LH42/62W9	SL297UH080NV48C	205727554
XP16-060-230	59000	15	12.2	55000	34600	8.2	LH42/62W9	SL297UH080NV60C	205727565
XP16-060-230	58500	15	12.2	54500	34600	8.2	LH42/62W9	SLP99UH110XV60C	205727628
XP16-060-230	59000	15	11.7	59500	36000	8.5	LH42/62W9	SLP99UH135XV60D	205760837
XP16-060-230	58500	15	12.2	54500	34200	8.2	LH48/60E9	EL180UH100NE60C	205727239
XP16-060-230	57500	16	12.2	50500	33000	8.5	LH48/60E9	EL280UH110E60C	205727264
XP16-060-230	57500	16	12.2	52000	33000	8.5	LH48/60E9	EL280UH110XE60C	203372061
XP16-060-230	58500	15	12.2	54500	34600	8.2	LH48/60E9	EL296UH090XV48C	205727276
XP16-060-230	58500	15	11.7	55000	34800	8.2	LH48/60E9	EL296UH090XV60C	205727287
XP16-060-230	58500	15	12.2	54500	34200	8.2	LH48/60E9	EL296UH110XE60C	205727300
XP16-060-230	58500	15	12.2	54500	34400	8.2	LH48/60E9	EL296UH110XV48C	205727311
XP16-060-230	58500	15	12.2	54500	34600	8.2	LH48/60E9	EL296UH110XV60C	205727322
XP16-060-230	58500	15	11.7	59500	36000	8.5	LH48/60E9	EL296UH135XE60D	205727336
XP16-060-230	58500	16	12.2	51000	33200	8.5	LH48/60E9	EL296UH135XV60D	205727349
XP16-060-230	58500	15	12.2	54500	34200	8.2	LH48/60E9	ML180UH090E60C	205727361
XP16-060-230	58000	15	12.2	54500	34200	8.2	LH48/60E9	ML180UH110E60C	205727372
XP16-060-230	59000	15	12.5	54500	34200	8.2	LH48/60E9	ML180UH110V60C	205727385
XP16-060-230	58000	15	12.2	54500	34200	8.2	LH48/60E9	ML180UH110XE60C	205727396
XP16-060-230	58500	16	12.5	51000	33200	8.5	LH48/60E9	ML180UH135E60D	205727424
XP16-060-230	56500	14.5	12	54500	33800	8.2	LH48/60E9	ML180UH135E60D	205727410
XP16-060-230	57500	15	12.2	50500	33200	8.5	LH48/60E9	ML193UH110XE60C	205727438
XP16-060-230	58500	15	12.2	54500	34600	8.2	LH48/60E9	ML296UH090XV48C	205727449
XP16-060-230	59000	15	12.2	54500	34400	8.2	LH48/60E9	ML296UH110XV60C	205727462
XP16-060-230	59000	15	12.2	54500	34200	8.2	LH48/60E9	SL280UH080NV60C	205727475
XP16-060-230	59000	15	12.2	54500	34400	8.2	LH48/60E9	SL280UH090V60C	205727486
XP16-060-230	59000	15	12.2	54500	34400	8.2	LH48/60E9	SL280UH090XV60C	205727497
XP16-060-230	59000	15	12.5	54500	34200	8.2	LH48/60E9	SL280UH100NV60C	205727510
XP16-060-230	59000	15	12.2	55000	34600	8.2	LH48/60E9	SL280UH110V60C	205727521
XP16-060-230	59000	15	12.2	55000	34600	8.2	LH48/60E9	SL280UH110XV60C	205727532
XP16-060-230	58000	16	12.2	51000	33400	8.5	LH48/60E9	SL280UH135V60D	205727545
XP16-060-230	58500	15	12.2	54500	34200	8.2	LH48/60E9	SL297UH080NV48C	205727556
XP16-060-230	59000	15	12.2	55000	34600	8.2	LH48/60E9	SL297UH080NV60C	205727567
XP16-060-230	58500	15	12.2	54500	34600	8.2	LH48/60E9	SLP99UH110XV60C	205727630
XP16-060-230	59000	15	11.7	59500	36000	8.5	LH48/60E9	SLP99UH135XV60D	205760849
XP16-060-230	56500	15	11.7	52000	33000	8.5	LH48/60F9	EL280UH110XE60C	203372050
XP16-060-230	58500	15	12.5	54500	34200	8.2	LH49/61E9	EL180UH100NE60C	205727236
XP16-060-230	57500	16	12.5	50500	33000	8.5	LH49/61E9	EL280UH110E60C	205727261

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-060-230	57500	16	12.5	52000	33000	8.5	LH49/61E9	EL280UH110XE60C	203372058
XP16-060-230	58500	15	12.5	54500	34600	8.2	LH49/61E9	EL296UH090XV48C	205727273
XP16-060-230	58500	15	12	55000	34800	8.2	LH49/61E9	EL296UH090XV60C	205727284
XP16-060-230	58500	15	12.5	54500	34200	8.2	LH49/61E9	EL296UH110XE60C	205727295
XP16-060-230	58500	15	12.5	54500	34400	8.2	LH49/61E9	EL296UH110XV48C	205727308
XP16-060-230	58500	15	12.5	54500	34600	8.2	LH49/61E9	EL296UH110XV60C	205727319
XP16-060-230	58000	15	12	51000	33600	8.2	LH49/61E9	EL296UH135XE60D	205727333
XP16-060-230	58500	16	12.5	51000	33200	8.5	LH49/61E9	EL296UH135XV60D	205727346
XP16-060-230	58500	15	12.5	54500	34200	8.2	LH49/61E9	ML180UH090E60C	205727358
XP16-060-230	58000	15	12.5	54500	34200	8.2	LH49/61E9	ML180UH110E60C	205727369
XP16-060-230	59000	15	12.5	54500	34200	8.2	LH49/61E9	ML180UH110V60C	205727382
XP16-060-230	58000	15	12.5	54500	34200	8.2	LH49/61E9	ML180UH110XE60C	205727393
XP16-060-230	56500	14.5	12	54500	33800	8.2	LH49/61E9	ML180UH135E60D	205727407
XP16-060-230	58500	16	12.5	51000	33200	8.5	LH49/61E9	ML180UH135E60D	205727421
XP16-060-230	57500	15	12.5	50500	33200	8.5	LH49/61E9	ML193UH110XE60C	205727435
XP16-060-230	58500	15	12.5	54500	34600	8.2	LH49/61E9	ML296UH090XV48C	205727446
XP16-060-230	59000	15	12.5	54500	34400	8.2	LH49/61E9	ML296UH110XV60C	205727459
XP16-060-230	59000	15	12.5	54500	34200	8.2	LH49/61E9	SL280UH080NV60C	205727472
XP16-060-230	59000	15	12.5	54500	34400	8.2	LH49/61E9	SL280UH090V60C	205727483
XP16-060-230	59000	15	12.5	54500	34400	8.2	LH49/61E9	SL280UH090XV60C	205727494
XP16-060-230	59000	15	12.5	54500	34200	8.2	LH49/61E9	SL280UH100NV60C	205727507
XP16-060-230	59000	15	12.5	55000	34600	8.2	LH49/61E9	SL280UH110V60C	205727518
XP16-060-230	59000	15	12.5	55000	34600	8.2	LH49/61E9	SL280UH110XV60C	205727529
XP16-060-230	58000	16	12.5	51000	33400	8.5	LH49/61E9	SL280UH135V60D	205727542
XP16-060-230	58500	15	12.5	54500	34200	8.2	LH49/61E9	SL297UH080NV48C	205727553
XP16-060-230	59000	15	12.5	55000	34600	8.2	LH49/61E9	SL297UH080NV60C	205727564
XP16-060-230	58500	15	12.5	54500	34600	8.2	LH49/61E9	SLP99UH110XV60C	205727627
XP16-060-230	59000	15	11.7	59500	36000	8.5	LH49/61E9	SLP99UH135XV60D	205760831
XP16-060-230	58500	15	12.5	54500	34200	8.2	LH49/61W9	EL180UH100NE60C	205727235
XP16-060-230	57500	16	12.5	50500	33000	8.5	LH49/61W9	EL280UH110E60C	205727260
XP16-060-230	57500	16	12.5	52000	33000	8.5	LH49/61W9	EL280UH110XE60C	203372057
XP16-060-230	58500	15	12.5	54500	34600	8.2	LH49/61W9	EL296UH090XV48C	205727272
XP16-060-230	58500	15	12	55000	34800	8.2	LH49/61W9	EL296UH090XV60C	205727283
XP16-060-230	58500	15	12.5	54500	34200	8.2	LH49/61W9	EL296UH110XE60C	205727294
XP16-060-230	58500	15	12.5	54500	34400	8.2	LH49/61W9	EL296UH110XV48C	205727307
XP16-060-230	58500	15	12.5	54500	34600	8.2	LH49/61W9	EL296UH110XV60C	205727318
XP16-060-230	58000	15	12	51000	33600	8.2	LH49/61W9	EL296UH135XE60D	205727332
XP16-060-230	58500	16	12.2	51000	33200	8.5	LH49/61W9	EL296UH135XV60D	8106824
XP16-060-230	58500	15	12.5	54500	34200	8.2	LH49/61W9	ML180UH090E60C	205727357
XP16-060-230	58000	15	12.5	54500	34200	8.2	LH49/61W9	ML180UH110E60C	205727368
XP16-060-230	59000	15	12.5	54500	34200	8.2	LH49/61W9	ML180UH110V60C	205727381
XP16-060-230	58000	15	12.5	54500	34200	8.2	LH49/61W9	ML180UH110XE60C	205727392
XP16-060-230	56500	14.5	12	54500	33800	8.2	LH49/61W9	ML180UH135E60D	205727406
XP16-060-230	58500	16	12.5	51000	33200	8.5	LH49/61W9	ML180UH135E60D	205727420
XP16-060-230	57500	15	12.5	50500	33200	8.5	LH49/61W9	ML193UH110XE60C	205727434
XP16-060-230	58500	15	12.5	54500	34600	8.2	LH49/61W9	ML296UH090XV48C	205727445
XP16-060-230	59000	15	12.5	54500	34400	8.2	LH49/61W9	ML296UH110XV60C	205727458
XP16-060-230	59000	15	12.5	54500	34200	8.2	LH49/61W9	SL280UH080NV60C	205727471
XP16-060-230	59000	15	12.5	54500	34400	8.2	LH49/61W9	SL280UH090V60C	205727482
XP16-060-230	59000	15	12.5	54500	34400	8.2	LH49/61W9	SL280UH090XV60C	205727493
XP16-060-230	59000	15	12.5	54500	34200	8.2	LH49/61W9	SL280UH100NV60C	205727506
XP16-060-230	59000	15	12.5	55000	34600	8.2	LH49/61W9	SL280UH110V60C	205727517
XP16-060-230	59000	15	12.5	55000	34600	8.2	LH49/61W9	SL280UH110XV60C	205727528
XP16-060-230	58000	16	12.2	51000	33400	8.5	LH49/61W9	SL280UH135V60D	10032741

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-060-230	58500	15	12.5	54500	34200	8.2	LH49/61W9	SL297UH080NV48C	205727552
XP16-060-230	59000	15	12.5	55000	34600	8.2	LH49/61W9	SL297UH080NV60C	205727563
XP16-060-230	58500	15	12.5	54500	34600	8.2	LH49/61W9	SLP99UH110XV60C	205727626
XP16-060-230	59000	15	11.7	59500	36000	8.5	LH49/61W9	SLP99UH135XV60D	205760825
XP16-060-230	57500	16	12.5	52000	33000	8.5	LH49/62W9	EL280UH110XE60C	203372065
XP16-060-230	58500	16	12.5	51000	33200	8.5	LH49/62W9	EL296UH135XV60D	9134529
XP16-060-230	58000	16	12.5	51000	33400	8.5	LH49/62W9	SL280UH135V60D	10260342
XP16-060-230	59000	16	12	59500	36000	8.5	LH49/62W9	SLP99UH135XV60D	205760853
XP20-024-230	22600	19	13	21400	12800	9	L*18/36T9	SLP99UH070XV36B	205761596
XP20-024-230	22600	18	13.5	20000	11900	9	L*19/36S9	SL280UH070XV36A	10258429
XP20-024-230	22600	18	13.5	20000	11900	9	L*19/36S9	SL280UH070XV36A	10258431
XP20-024-230	22000	18	13	21600	13100	9.5	L*19/36S9	SLP99DF070XV36B	205763409
XP20-024-230	22800	19	13.5	21400	12800	9.5	L*19/36S9	SLP99UH070XV36B	205761604
XP20-024-230	22600	19	13.5	21600	13100	9.5	L*29/36S9	SLP99DF070XV36B	205763413
XP20-024-230	22600	19	13.5	21600	13100	9.5	L*29/36U9	SLP99DF070XV36B	205763411
XP20-024-230	23000	19	13.5	21400	12800	9.5	L*35/36S9	SLP99UH070XV36B	205761611
XP20-024-230	23000	19	13.5	21400	12800	9.5	L*35/36U9	SLP99UH070XV36B	205761609
XP20-024-230	22600	18	13.5	20000	11900	9	LH29/36F9	SL280UH070XV36A	10258428
XP20-024-230	22600	18	13.5	20000	11900	9	LH29/36F9	SL280UH070XV36A	10258430
XP20-024-230	22800	19	13.5	21400	12800	9.5	LH29/36F9	SLP99UH070XV36B	205761598
XP20-024-230	23000	19	13.5	21400	12800	9.5	LH35/36F9	SLP99UH070XV36B	205761602
XP20-024-230	23000	19	13.5	21400	12800	9.5	LH35/36X9	SLP99UH070XV36B	205761600
XP20-024-230	23000	19	14	21400	12800	9.5	LH35/38F9	SLP99UH070XV36B	205761607
XP20-024-230	23000	19	14	21400	12800	9.5	LH35/38X9	SLP99UH070XV36B	205761606
XP20-036-230	34200	20	13.5	31000	20200	9.5	L*23/37Y9	SL280UH090V36B	10258432
XP20-036-230	35000	20	13.5	32000	19600	10	L*23/37Y9	SLP99DF090XV36C	205761337
XP20-036-230	34400	19	13	32000	20800	8.5	L*23/37Y9	SLP99UH070XV36B	205760416
XP20-036-230	34000	19	12.5	31800	20200	8.5	L*23/37Z9	EL296UH090XV36C	204603088
XP20-036-230	35000	20	13.5	32000	19600	10	L*23/37Z9	SLP99DF090XV36C	205761335
XP20-036-230	34400	19	13	32000	20800	8.5	L*23/37Z9	SLP99UH070XV36B	205760415
XP20-036-230	33800	19	12.5	31800	20200	8.5	L*24/36Z9	EL296UH090XV36C	204603089
XP20-036-230	33800	18	13	30800	19000	9.5	L*35/36S9	EL296UH090XV60C	205957602
XP20-036-230	34400	19	12.5	32000	20800	8.5	L*35/36S9	SLP99UH070XV36B	205760409
XP20-036-230	34400	19	13	32000	20800	8.5	LH23/37E9	SLP99UH070XV36B	205760412
XP20-036-230	34000	19	12.5	30200	20200	8.5	LH23/37W9	EL296UH090XV36C	10318039
XP20-036-230	34400	19	13	32000	20800	8.5	LH23/37W9	SLP99UH070XV36B	205760411
XP20-036-230	34200	19	12.5	32000	20800	8.5	LH35/36F9	SLP99UH070XV36B	205760404
XP20-036-230	34000	20	13	31400	20400	9.5	LH35/38F9	EL296UH070XV36B	205422980
XP20-036-230	34400	19	12.5	32000	20800	8.5	LH35/38F9	SLP99UH070XV36B	205760408
XP20-036-230	34000	20	13	31400	20400	9.5	LH35/38X9	EL296UH070XV36B	205422979
XP20-036-230	33400	18	12.2	30200	20200	8.5	LH35/38X9	EL296UH090XV36C	10318038
XP20-036-230	34400	19	12.5	32000	20800	8.5	LH35/38X9	SLP99UH070XV36B	205760406
XP20-048-230	47000	17	12.5	43500	28000	8.5	L*42/60Y9	EL296DF090XV60C	10156302
XP20-048-230	47500	19	12.5	43000	26800	9	L*42/60Y9	EL296UH090XV48C	202917427
XP20-048-230	46000	17	12	41000	26800	8.2	L*42/60Y9	EL296UH090XV60C	204667954
XP20-048-230	47000	18	12.5	43500	27600	8.5	L*42/60Y9	SL280DF090V60C	10258435
XP20-048-230	47000	18	12.5	43500	28000	8.5	L*42/60Y9	SLP99DF090XV48C	205760418
XP20-048-230	47000	17	12.5	43500	28000	8.5	L*42/60Y9	SLP99DF090XV60C	205760419
XP20-048-230	47500	19	12.5	43000	26800	9	L*42/60Z9	EL296UH090XV48C	202917426
XP20-048-230	46000	17	12	41000	26800	8.2	L*42/60Z9	EL296UH090XV60C	204667953
XP20-048-230	48000	19	12.5	42500	26800	9	L*49/63Z9	EL296UH090XV48C	204667951
XP20-048-230	46000	17	12.5	41000	26800	8.2	L*49/63Z9	EL296UH090XV60C	204667958
XP20-048-230	48000	19	12.2	42000	26600	9	LH40/61E9	SL280UH090V60C	205726844
XP20-048-230	48000	18	12.5	41500	25400	9	LH40/61E9	SL280UH090V60C	205726841

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP20-048-230	46000	17	12	41000	26800	8.2	LH40/61E9	SL280UH090V60C	205726838
XP20-048-230	48000	18	12.5	41500	25400	9	LH40/61E9	SL280UH090XV60C	205726850
XP20-048-230	48000	19	12.2	42000	26600	9	LH40/61E9	SL280UH090XV60C	205726853
XP20-048-230	46000	17	12	41000	26800	8.2	LH40/61E9	SL280UH090XV60C	205726847
XP20-048-230	46000	17	12	41000	26800	8.2	LH40/61E9	SL280UH110V60C	205726856
XP20-048-230	48000	18	12.2	42500	26800	9	LH40/61E9	SL280UH110V60C	205726862
XP20-048-230	47000	18	12.2	41500	26200	9	LH40/61E9	SL280UH110V60C	205726859
XP20-048-230	48000	18	12.2	42500	26800	9	LH40/61E9	SL280UH110XV60C	205726871
XP20-048-230	46000	17	12	41000	26800	8.2	LH40/61E9	SL280UH110XV60C	205726865
XP20-048-230	47000	18	12.2	41500	26200	9	LH40/61E9	SL280UH110XV60C	205726868
XP20-048-230	47500	18	12	42000	26600	9.5	LH40/61E9	SL280UH135V60D	205726874
XP20-048-230	48000	18	12.2	42000	27600	9	LH40/61E9	SL280UH135V60D	205726877
XP20-048-230	48000	19	12.5	42500	26800	9	LH42/62E9	EL296UH090XV48C	204667950
XP20-048-230	46000	17	12.2	41000	26800	8.2	LH42/62E9	EL296UH090XV60C	204667956
XP20-048-230	48000	19	12.5	42000	26600	9	LH42/62E9	SL280UH090V60C	205726846
XP20-048-230	46000	17	12.2	41000	26800	8.2	LH42/62E9	SL280UH090V60C	205726840
XP20-048-230	47000	18	13	41500	26200	9	LH42/62E9	SL280UH090V60C	205726843
XP20-048-230	46000	17	12.2	41000	26800	8.2	LH42/62E9	SL280UH090XV60C	205726849
XP20-048-230	48000	19	12.5	42000	26600	9	LH42/62E9	SL280UH090XV60C	205726855
XP20-048-230	47000	18	13	41500	26200	9	LH42/62E9	SL280UH090XV60C	205726852
XP20-048-230	48000	18	12.5	42500	26800	9	LH42/62E9	SL280UH110V60C	205726864
XP20-048-230	47000	18	12.5	41500	26200	9	LH42/62E9	SL280UH110V60C	205726861
XP20-048-230	46000	17	12.2	41000	26800	8.2	LH42/62E9	SL280UH110V60C	205726858
XP20-048-230	48000	18	12.5	42500	26800	9	LH42/62E9	SL280UH110XV60C	205726873
XP20-048-230	46000	17	12.2	41000	26800	8.2	LH42/62E9	SL280UH110XV60C	205726867
XP20-048-230	47000	18	12.5	41500	26200	9	LH42/62E9	SL280UH110XV60C	205726870
XP20-048-230	48000	18	12.5	42000	27600	9	LH42/62E9	SL280UH135V60D	205726879
XP20-048-230	47500	18	12.2	42000	26600	9.5	LH42/62E9	SL280UH135V60D	205726876
XP20-048-230	48000	18	12.5	43000	27600	9	LH42/62E9	SLP99UH135XV60D	205763418
XP20-048-230	48000	19	12.5	43000	26800	9	LH42/62W9	EL296UH090XV48C	204603091
XP20-048-230	46000	17	12.2	43000	26800	8.2	LH42/62W9	EL296UH090XV60C	204603093
XP20-048-230	48000	19	12.5	42500	26800	9	LH42/62W9	EL296UH090XV60C	204717085
XP20-048-230	46000	17	12.2	41000	26800	8.2	LH42/62W9	SL280UH090V60C	205726839
XP20-048-230	48000	19	12.5	42000	26600	9	LH42/62W9	SL280UH090V60C	205726845
XP20-048-230	47000	18	13	41500	26200	9	LH42/62W9	SL280UH090V60C	205726842
XP20-048-230	47000	18	13	41500	26200	9	LH42/62W9	SL280UH090XV60C	205726851
XP20-048-230	48000	19	12.5	42000	26600	9	LH42/62W9	SL280UH090XV60C	205726854
XP20-048-230	46000	17	12.2	41000	26800	8.2	LH42/62W9	SL280UH090XV60C	205726848
XP20-048-230	48000	18	12.5	42500	26800	9	LH42/62W9	SL280UH110V60C	205726863
XP20-048-230	47000	18	12.5	41500	26200	9	LH42/62W9	SL280UH110V60C	205726860
XP20-048-230	46000	17	12.2	41000	26800	8.2	LH42/62W9	SL280UH110V60C	205726857
XP20-048-230	47000	18	12.5	41500	26200	9	LH42/62W9	SL280UH110XV60C	205726869
XP20-048-230	48000	18	12.5	42500	26800	9	LH42/62W9	SL280UH110XV60C	205726872
XP20-048-230	46000	17	12.2	41000	26800	8.2	LH42/62W9	SL280UH110XV60C	205726866
XP20-048-230	47500	18	12.2	42000	26600	9.5	LH42/62W9	SL280UH135V60D	205726875
XP20-048-230	48000	18	12.5	42000	27600	9	LH42/62W9	SL280UH135V60D	205726878
XP20-048-230	48000	19	12.5	42500	26800	9	LH49/61E9	EL296UH090XV48C	204667949
XP20-048-230	46000	17	12.5	41000	26800	8.2	LH49/61E9	EL296UH090XV60C	204667955
XP20-048-230	48000	19	12.5	43000	26800	9	LH49/61W9	EL296UH090XV48C	204603090
XP20-048-230	46000	17	12.5	43000	26800	8.2	LH49/61W9	EL296UH090XV60C	204603092
XP20-048-230	48000	19	12.5	42500	26800	9	LH49/62W9	EL296UH090XV48C	204667952
XP20-048-230	46000	17	12.5	41000	26800	8.2	LH49/62W9	EL296UH090XV60C	204667959
XP20-060-230	57000	19	12.2	52500	34400	9	L*42/60Y9	SL280UH090XV60C	10258424
XP20-060-230	57000	18	12.2	52000	33400	9	L*42/60Y9	SL280UH090XV60C	10258423

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP20-060-230	56000	18	12.5	52000	34800	9.5	L*42/60Z9	EL296DF110XV60C	205333351
XP20-060-230	57500	18	12	52500	33400	9.5	L*42/60Z9	EL296UH110XV60C	10323992
XP20-060-230	56500	19	12.5	51500	34400	9.5	L*42/60Z9	SL280DF090V60C	10258422
XP20-060-230	57000	19	12.2	52500	34400	9	L*42/60Z9	SL280UH090XV60C	10263336
XP20-060-230	57500	18	12.2	52500	33400	9.5	L*43/61Z9	EL296UH110XV60C	10323993
XP20-060-230	57000	19	12.5	52500	34400	9	L*43/61Z9	SL280UH090XV60C	10258425
XP20-060-230	57500	18	12.5	52500	33400	9.5	L*48/60Z9	EL296UH110XV60C	10323994
XP20-060-230	57500	18	12.5	52500	33400	9.5	L*49/63Z9	EL296UH110XV60C	10323995
XP20-060-230	57000	18	12	52500	33400	9	LH40/62W9	EL296UH110XV60C	10318034
XP20-060-230	57500	18	12.2	52000	33200	9.5	LH42/62E9	SL280UH090V60C	205724869
XP20-060-230	57000	19	12.5	52500	34400	9	LH42/62E9	SL280UH090XV60C	10263337
XP20-060-230	56500	18	12.5	53000	35000	9	LH42/62E9	SLP99UH135XV60D	205760423
XP20-060-230	57500	18	12.2	52500	33400	9.5	LH42/62W9	EL296UH110XV60C	10318036
XP20-060-230	57500	18	12.2	52000	33200	9.5	LH42/62W9	SL280UH090V60C	205724868
XP20-060-230	57000	19	12.5	52500	34400	9	LH42/62W9	SL280UH090XV60C	10263338
XP20-060-230	57500	18	12.2	52500	33400	9.5	LH49/61W9	EL296UH110XV60C	10318035
XP20-060-230	57500	18	12.5	52500	33400	9.5	LH49/62W9	EL296UH110XV60C	10318037
XP21-024-230	23000	16	13	22000	13700	8.5	L*18/36T9	EL280UH070XE36A	203372066
XP21-024-230	24400	16	12.2	22000	12600	9	L*18/36T9	SL280DF090V48B	5436283
XP21-024-230	25400	19	13	22000	12300	8.5	L*18/36T9	SL280UH070V36A	5436284
XP21-024-230	25400	19	13	22000	12300	8.5	L*18/36T9	SL280UH070XV36A	5436285
XP21-024-230	24200	17	12.2	22200	12500	9	L*18/36T9	SLP99DF070XV36B	205763461
XP21-024-230	23800	17	12.2	22200	12500	9	L*18/36T9	SLP99DF090XV36C	205763470
XP21-024-230	24400	17	12.2	22000	12600	9	L*18/36T9	SLP99DF090XV48C	205761647
XP21-024-230	23600	17	12.2	22200	12300	8.2	L*18/36T9	SLP99UH070XV36B	205763740
XP21-024-230	23400	16	13	22000	13700	8.5	L*19/36S9	EL280UH070XE36A	203372070
XP21-024-230	24600	16	12.5	21200	12600	9	L*19/36S9	SL280DF090V48B	5436299
XP21-024-230	25600	19	13	22000	12300	8.5	L*19/36S9	SL280UH070V36A	5436300
XP21-024-230	25600	19	13	20600	12300	8.5	L*19/36S9	SL280UH070XV36A	10258427
XP21-024-230	25600	19	13	22000	12300	8.5	L*19/36S9	SL280UH070XV36A	5436301
XP21-024-230	24400	17	12.2	22200	12500	9	L*19/36S9	SLP99DF070XV36B	205763463
XP21-024-230	24200	17	12.5	22200	12500	9	L*19/36S9	SLP99DF090XV36C	205763472
XP21-024-230	24600	17	12.5	22000	12600	9	L*19/36S9	SLP99DF090XV48C	205761649
XP21-024-230	23800	17	12.2	22200	12300	8.2	L*19/36S9	SLP99UH070XV36B	205763746
XP21-024-230	24000	17	13	22000	13700	9	L*23/37Z9	EL280UH070XE36A	203372096
XP21-024-230	25600	18	13	20400	12200	8.5	L*23/37Z9	EL296UH045XV36B	7470207
XP21-024-230	24000	17	13	22000	13700	9	L*24/36Y9	EL280UH070XE36A	203372104
XP21-024-230	24000	17	13	22000	13700	9	L*24/36Z9	EL280UH070XE36A	203372102
XP21-024-230	23400	16	13	22000	13700	8.5	L*24/42S9	EL280UH070XE36A	203372071
XP21-024-230	24000	17	13	22000	13700	9	L*25/37Y9	EL280UH070XE36A	203372100
XP21-024-230	24000	17	13	22000	13700	9	L*25/37Z9	EL280UH070XE36A	203372098
XP21-024-230	24000	17	13	22000	13700	9	L*29/36S9	EL280UH070XE36A	203372086
XP21-024-230	25200	17	12.5	21200	12600	9	L*29/36S9	SL280DF090V48B	5436315
XP21-024-230	25600	19	13.5	22000	12300	8.5	L*29/36S9	SL280UH070V36A	5436316
XP21-024-230	25600	19	13.5	22000	12300	8.5	L*29/36S9	SL280UH070XV36A	5436317
XP21-024-230	25400	18	13.5	22000	12300	8.2	L*29/36S9	SL280UH090V36B	5436318
XP21-024-230	25400	18	13.5	22000	12400	8.2	L*29/36S9	SL280UH090V48B	5436319
XP21-024-230	25400	18	13.5	22000	12400	8.2	L*29/36S9	SL280UH090XV48B	5436320
XP21-024-230	25000	18	12.5	22200	12500	9	L*29/36S9	SLP99DF070XV36B	205763466
XP21-024-230	25000	17	12.5	22200	12500	9	L*29/36S9	SLP99DF090XV36C	205763474
XP21-024-230	25400	17	12.5	22000	12600	9	L*29/36S9	SLP99DF090XV48C	205761651
XP21-024-230	25600	17	13	22200	13700	8.5	L*29/36S9	SLP99UH070XV36B	205763749
XP21-024-230	24000	17	13	22000	13700	9	L*29/36U9	EL280UH070XE36A	203372082
XP21-024-230	23800	17	13	22000	13700	9	L*30/36S9	EL280UH070XE36A	203372080

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-024-230	23800	17	13	22000	13700	9	L*30/36U9	EL280UH070XE36A	203372078
XP21-024-230	24000	17	13	22000	13700	9	L*35/36S9	EL280UH070XE36A	203372088
XP21-024-230	25200	17	12.5	21200	12600	9	L*35/36S9	SL280DF090V48B	5436331
XP21-024-230	25600	19	13.5	22000	12300	8.5	L*35/36S9	SL280UH070V36A	5436332
XP21-024-230	25600	19	13.5	22000	12300	8.5	L*35/36S9	SL280UH070XV36A	5436333
XP21-024-230	25400	18	13.5	22000	12300	8.2	L*35/36S9	SL280UH090V36B	5436334
XP21-024-230	25400	18	13.5	22000	12400	8.2	L*35/36S9	SL280UH090V48B	5436335
XP21-024-230	25400	18	13.5	22000	12400	8.2	L*35/36S9	SL280UH090XV48B	5436336
XP21-024-230	25000	18	12.5	22200	12500	9	L*35/36S9	SLP99DF070XV36B	205763468
XP21-024-230	25000	17	12.5	22200	12500	9	L*35/36S9	SLP99DF090XV36C	205763476
XP21-024-230	25400	17	12.5	22000	12600	9	L*35/36S9	SLP99DF090XV48C	205761653
XP21-024-230	25600	17	13	22200	13700	8.5	L*35/36S9	SLP99UH070XV36B	205763751
XP21-024-230	24000	17	13	22000	13700	9	L*35/36U9	EL280UH070XE36A	203372084
XP21-024-230	24600	16	12.2	21600	13000	8.5	LD24/35Z9		204756329
XP21-024-230	23600	16	13	22000	13700	9	LH18/37D9	EL280UH070XE36A	203372092
XP21-024-230	25400	18	13	22000	12300	8.2	LH18/37D9	EL296UH045XV36B	7470208
XP21-024-230	26000	19	13	22000	12600	8.5	LH18/37D9	EL296UH070XV36B	7470210
XP21-024-230	23600	16	13	22000	13700	9	LH18/37R9	EL280UH070XE36A	203372090
XP21-024-230	25400	18	13	22000	12300	8.2	LH18/37R9	EL296UH045XV36B	7470209
XP21-024-230	26000	19	13	22000	12600	8.5	LH18/37R9	EL296UH070XV36B	7470211
XP21-024-230	24000	17	13	22000	13700	9	LH23/37W9	EL280UH070XE36A	203372094
XP21-024-230	25400	19	13	22000	12300	8.5	LH24/37F9	SL280UH070V36A	5436345
XP21-024-230	25400	19	13	22000	12300	8.5	LH24/37F9	SL280UH070XV36A	5436346
XP21-024-230	23400	16	13	22000	13700	8.5	LH29/36F9	EL280UH070XE36A	203372067
XP21-024-230	25600	19	13	22000	12300	8.5	LH29/36F9	SL280UH070V36A	5436355
XP21-024-230	25600	19	13	20600	12300	8.5	LH29/36F9	SL280UH070XV36A	10258426
XP21-024-230	25600	19	13	22000	12300	8.5	LH29/36F9	SL280UH070XV36A	5436356
XP21-024-230	23800	17	12.2	22200	12300	8.2	LH29/36F9	SLP99UH070XV36B	205763742
XP21-024-230	23800	17	13	22000	13700	9	LH35/36F9	EL280UH070XE36A	203372069
XP21-024-230	25600	19	13	22000	12300	8.5	LH35/36F9	SL280UH070V36A	5436365
XP21-024-230	25600	19	13	22000	12300	8.5	LH35/36F9	SL280UH070XV36A	5436366
XP21-024-230	25400	18	13	22000	12300	8.2	LH35/36F9	SL280UH090V36B	5436367
XP21-024-230	25400	18	13	22000	12400	8.2	LH35/36F9	SL280UH090V48B	5436368
XP21-024-230	25400	18	13	22000	12400	8.2	LH35/36F9	SL280UH090XV48B	5436369
XP21-024-230	25200	17	12.5	22200	13700	8.5	LH35/36F9	SLP99UH070XV36B	205763744
XP21-024-230	23800	17	13	22000	13700	9	LH35/36X9	EL280UH070XE36A	203372068
XP21-024-230	23800	17	13	22000	13700	9	LH35/37D9	EL280UH070XE36A	203372072
XP21-024-230	24000	17	13	22000	13700	9	LH35/38F9	EL280UH070XE36A	203372076
XP21-024-230	24000	17	13	22000	13700	9	LH35/38X9	EL280UH070XE36A	203372074
XP21-036-230	36000	17	13	29600	19200	9	L*23/37Y9	EL280UH070XE36A	203372117
XP21-036-230	35400	18	13	29600	19000	9	L*23/37Y9	EL280UH090XE48B	203372132
XP21-036-230	34600	16	12.5	31000	19200	9	L*23/37Y9	EL296DF045XE36B	7470288
XP21-036-230	35000	17	12.5	31000	19200	9	L*23/37Y9	EL296DF070XE48B	7470212
XP21-036-230	35400	17	13	31200	19200	9	L*23/37Y9	EL296DF090XE48C	7470215
XP21-036-230	36600	17	13	31200	19400	8.5	L*23/37Y9	EL296UH045XV36B	7470220
XP21-036-230	36600	17	13	30800	19000	9	L*23/37Y9	EL296UH090XE48C	7470221
XP21-036-230	35200	17	13	30800	19200	9	L*23/37Y9	SL280DF090V48B	5436394
XP21-036-230	36600	18	13.5	31000	19200	9.5	L*23/37Y9	SL280DF090V60C	5436395
XP21-036-230	35800	17	13	31000	19200	8.5	L*23/37Y9	SL280UH070V36A	5436397
XP21-036-230	35800	17	13	31000	19200	8.5	L*23/37Y9	SL280UH070XV36A	10258493
XP21-036-230	35800	17	13	31000	19200	8.5	L*23/37Y9	SL280UH070XV36A	5436398
XP21-036-230	36800	17	13	31000	19200	9	L*23/37Y9	SL280UH090V36B	5436399
XP21-036-230	36800	17	13	31000	19200	9	L*23/37Y9	SL280UH090V48B	5436400
XP21-036-230	37200	18	13.5	31000	19000	9	L*23/37Y9	SL280UH090V60C	5436401

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-036-230	36800	17	13	31000	19200	9	L*23/37Y9	SL280UH090XV48B	5436402
XP21-036-230	37200	18	13.5	31000	19000	9	L*23/37Y9	SL280UH090XV60C	5436403
XP21-036-230	37000	18	13	31000	19200	9	L*23/37Y9	SL280UH110V60C	5436404
XP21-036-230	37000	17	13	31000	19200	9	L*23/37Y9	SL280UH110XV60C	5436405
XP21-036-230	35200	17	13	31200	19200	9	L*23/37Y9	SLP99DF070XV36B	205760426
XP21-036-230	36000	17	13	31200	19200	9	L*23/37Y9	SLP99DF090XV36C	205760430
XP21-036-230	36200	17	13	31200	19200	9	L*23/37Y9	SLP99DF090XV48C	205760434
XP21-036-230	36400	17	13	31200	19200	9	L*23/37Y9	SLP99DF090XV60C	205760437
XP21-036-230	36400	17	13	31400	19400	9	L*23/37Y9	SLP99DF110XV60C	205760441
XP21-036-230	35200	16	13	32600	21600	9	L*23/37Y9	SLP99UH070XV36B	205760448
XP21-036-230	35400	16	13	32000	20600	8.5	L*23/37Y9	SLP99UH090XV36C	205760455
XP21-036-230	35600	16	13	32200	20600	9	L*23/37Y9	SLP99UH090XV48C	205760461
XP21-036-230	36800	17	12.5	32200	19400	9	L*23/37Y9	SLP99UH090XV60C	205760469
XP21-036-230	36800	17	12.5	32000	19200	9	L*23/37Y9	SLP99UH110XV60C	205760478
XP21-036-230	36400	16	12.5	31400	19600	8.5	L*23/37Y9		5436264
XP21-036-230	36000	17	13	29600	19200	9	L*23/37Z9	EL280UH070XE36A	203372116
XP21-036-230	35400	18	13	29600	19000	9	L*23/37Z9	EL280UH090XE48B	203372131
XP21-036-230	34600	16	12.5	31000	19200	9	L*23/37Z9	EL296DF045XE36B	7470289
XP21-036-230	35000	17	12.5	31000	19200	9	L*23/37Z9	EL296DF070XE48B	7470213
XP21-036-230	35400	17	13	31200	19200	9	L*23/37Z9	EL296DF090XE48C	7470216
XP21-036-230	36600	17	13	31200	19400	8.5	L*23/37Z9	EL296UH045XE36B	7470217
XP21-036-230	36600	17	13	30800	19000	9	L*23/37Z9	EL296UH090XE48C	7470222
XP21-036-230	36000	17	13	29600	19200	9	L*24/36Y9	EL280UH070XE36A	203372121
XP21-036-230	35400	18	13	29600	19000	9	L*24/36Y9	EL280UH090XE48B	203372136
XP21-036-230	36000	17	13	29600	19200	9	L*24/36Z9	EL280UH070XE36A	203372120
XP21-036-230	35400	18	13	29600	19000	9	L*24/36Z9	EL280UH090XE48B	203372135
XP21-036-230	36000	17	13	29600	19200	9	L*25/37Y9	EL280UH070XE36A	203372119
XP21-036-230	35400	18	13	29600	19000	9	L*25/37Y9	EL280UH090XE48B	203372134
XP21-036-230	36000	17	13	29600	19200	9	L*25/37Z9	EL280UH070XE36A	203372118
XP21-036-230	35400	18	13	29600	19000	9	L*25/37Z9	EL280UH090XE48B	203372133
XP21-036-230	35800	17	13	29600	19200	8.5	L*29/36S9	EL280UH070XE36A	203372112
XP21-036-230	35400	18	12.5	29600	19000	9	L*29/36S9	EL280UH090XE48B	203372127
XP21-036-230	35600	15	12	31400	19600	8.5	L*29/36S9		5436265
XP21-036-230	36000	17	12.5	29600	19200	9	L*30/36S9	EL280UH070XE36A	203372111
XP21-036-230	35400	18	12.5	29600	19000	9	L*30/36S9	EL280UH090XE48B	203372126
XP21-036-230	35800	17	13	29600	19200	8.5	L*35/36S9	EL280UH070XE36A	203372113
XP21-036-230	35400	18	12.5	29600	19000	9	L*35/36S9	EL280UH090XE48B	203372128
XP21-036-230	34600	16	12.2	31000	19200	9	L*35/36S9	EL296DF045XE36B	7470290
XP21-036-230	35000	17	12.2	31000	19200	9	L*35/36S9	EL296DF070XE48B	7470214
XP21-036-230	35200	17	12.5	30800	19200	9	L*35/36S9	SL280DF090V48B	5436439
XP21-036-230	36400	18	13	31000	19200	9.5	L*35/36S9	SL280DF090V60C	5436440
XP21-036-230	35800	17	12.5	31000	19200	8.5	L*35/36S9	SL280UH070V36A	5436441
XP21-036-230	35800	17	12.5	31000	19200	8.5	L*35/36S9	SL280UH070XV36A	5436442
XP21-036-230	36800	17	13	30600	19000	9	L*35/36S9	SL280UH090V36B	5436443
XP21-036-230	36800	17	13	30800	19000	9	L*35/36S9	SL280UH090V48B	5436444
XP21-036-230	36800	17	13	31000	19000	9	L*35/36S9	SL280UH090V60C	5436445
XP21-036-230	36800	17	13	30800	19000	9	L*35/36S9	SL280UH090XV48B	5436446
XP21-036-230	36800	18	13	31000	19000	9	L*35/36S9	SL280UH090XV60C	5436447
XP21-036-230	36600	18	12.5	31000	19200	8.5	L*35/36S9	SL280UH110V60C	5436448
XP21-036-230	36600	18	12.5	31000	19200	8.5	L*35/36S9	SL280UH110XV60C	5436449
XP21-036-230	35200	17	12.5	31200	19200	9	L*35/36S9	SLP99DF070XV36B	205760425
XP21-036-230	35800	17	12.5	31200	19200	9	L*35/36S9	SLP99DF090XV36C	205760428
XP21-036-230	36000	17	12.5	31200	19200	9	L*35/36S9	SLP99DF090XV48C	205760432
XP21-036-230	36200	17	12.5	31200	19200	9	L*35/36S9	SLP99DF090XV60C	205760435

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-036-230	36200	17	12.5	31400	19400	9	L*35/36S9	SLP99DF110XV60C	205760439
XP21-036-230	35200	16	12.5	32600	21600	9	L*35/36S9	SLP99UH070XV36B	205760445
XP21-036-230	35400	16	12.5	32000	20600	8.5	L*35/36S9	SLP99UH090XV36C	205760451
XP21-036-230	35600	16	12.5	32200	20600	9	L*35/36S9	SLP99UH090XV48C	205760459
XP21-036-230	35800	16	12.5	32400	20800	9	L*35/36S9	SLP99UH090XV60C	205760465
XP21-036-230	35600	16	12.5	32000	20600	9	L*35/36S9	SLP99UH110XV60C	205760473
XP21-036-230	35600	15	12	31400	19600	8.5	L*35/36S9		5436266
XP21-036-230	35000	16	12.5	31000	19400	8.2	LD31/36Z9		204756330
XP21-036-230	36000	17	13	29600	19200	9	LH23/37E9	EL280UH070XE36A	203372115
XP21-036-230	35400	18	13	29600	19000	9	LH23/37E9	EL280UH090XE48B	203372130
XP21-036-230	36600	17	13	31400	19600	8.5	LH23/37E9	EL296UH045XE36B	7470218
XP21-036-230	36600	17	13	30800	19000	9	LH23/37E9	EL296UH090XE48C	7470223
XP21-036-230	35800	17	13	31000	19200	8.5	LH23/37E9	SL280UH070V36A	5436475
XP21-036-230	35800	17	13	31000	19200	8.5	LH23/37E9	SL280UH070XV36A	5436476
XP21-036-230	36800	17	13	31000	19200	9	LH23/37E9	SL280UH090V36B	5436477
XP21-036-230	36800	17	13	31000	19200	9	LH23/37E9	SL280UH090V48B	5436478
XP21-036-230	37200	18	13	31000	19000	9	LH23/37E9	SL280UH090V60C	5436479
XP21-036-230	36800	17	13	31000	19200	9	LH23/37E9	SL280UH090XV48B	5436480
XP21-036-230	36400	18	13	31000	19000	8.5	LH23/37E9	SL280UH090XV60C	10258495
XP21-036-230	36800	18	13.5	31000	19000	9	LH23/37E9	SL280UH090XV60C	5436481
XP21-036-230	37000	18	13	31000	19200	9	LH23/37E9	SL280UH110V60C	5436482
XP21-036-230	37000	17	13	31000	19200	9	LH23/37E9	SL280UH110XV60C	5436483
XP21-036-230	35200	16	13	32600	21600	9	LH23/37E9	SLP99UH070XV36B	205760446
XP21-036-230	35400	16	13	32000	20600	8.5	LH23/37E9	SLP99UH090XV36C	205760453
XP21-036-230	35600	16	13	32200	20600	9	LH23/37E9	SLP99UH090XV48C	205760460
XP21-036-230	36800	17	12.5	32200	19400	9	LH23/37E9	SLP99UH090XV60C	205760467
XP21-036-230	36800	17	12.5	32000	19200	9	LH23/37E9	SLP99UH110XV60C	205760475
XP21-036-230	35600	16	12	31400	19600	8.5	LH23/37E9		5436267
XP21-036-230	36000	17	13	29600	19200	9	LH23/37W9	EL280UH070XE36A	203372114
XP21-036-230	35400	18	13	29600	19000	9	LH23/37W9	EL280UH090XE48B	203372129
XP21-036-230	36600	17	13	31400	19600	8.5	LH23/37W9	EL296UH045XE36B	7470219
XP21-036-230	36600	17	13	30800	19000	9	LH23/37W9	EL296UH090XE48C	7470225
XP21-036-230	36400	18	13	31000	19000	8.5	LH23/37W9	SL280UH090XV60C	10258494
XP21-036-230	36800	18	13.5	31000	19000	9	LH23/37W9	SL280UH090XV60C	10258496
XP21-036-230	35800	17	12.5	29600	19200	9	LH35/36F9	EL280UH070XE36A	203372105
XP21-036-230	35400	18	12.5	29600	19000	9	LH35/36F9	EL280UH090XE48B	203372122
XP21-036-230	36000	17	12.5	29600	19200	9	LH35/37D9	EL280UH070XE36A	203372107
XP21-036-230	35400	18	12.5	29600	19000	9	LH35/37D9	EL280UH090XE48B	203372123
XP21-036-230	35800	17	13	29600	19200	8.5	LH35/38F9	EL280UH070XE36A	203372110
XP21-036-230	35400	18	12.5	29600	19000	9	LH35/38F9	EL280UH090XE48B	203372125
XP21-036-230	35800	17	12.5	31000	19200	8.5	LH35/38F9	SL280UH070V36A	5436504
XP21-036-230	35800	17	12.5	31000	19200	8.5	LH35/38F9	SL280UH070XV36A	5436505
XP21-036-230	36800	17	13	30600	19000	9	LH35/38F9	SL280UH090V36B	5436506
XP21-036-230	36800	17	13	30800	19000	9	LH35/38F9	SL280UH090V48B	5436507
XP21-036-230	36800	18	12.5	31000	19200	9	LH35/38F9	SL280UH090V60C	5436508
XP21-036-230	36800	17	13	30800	19000	9	LH35/38F9	SL280UH090XV48B	5436509
XP21-036-230	36800	18	13	31000	19000	9	LH35/38F9	SL280UH090XV60C	5436510
XP21-036-230	36600	18	12.5	31000	19200	9	LH35/38F9	SL280UH110V60C	5436511
XP21-036-230	36600	17	13	31000	19200	9	LH35/38F9	SL280UH110XV60C	5436512
XP21-036-230	35200	16	12.5	32600	21600	9	LH35/38F9	SLP99UH070XV36B	205760443
XP21-036-230	35400	16	12.5	32000	20600	8.5	LH35/38F9	SLP99UH090XV36C	205760450
XP21-036-230	35600	16	12.5	32200	20600	9	LH35/38F9	SLP99UH090XV48C	205760457
XP21-036-230	36400	17	12.2	32200	19400	9	LH35/38F9	SLP99UH090XV60C	205760463
XP21-036-230	36400	17	12.2	32000	19200	9	LH35/38F9	SLP99UH110XV60C	205760471

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-036-230	35600	15	12	31400	19600	8.5	LH35/38F9		5436268
XP21-036-230	35800	17	13	29600	19200	8.5	LH35/38X9	EL280UH070XE36A	203372109
XP21-036-230	35400	18	12.5	29600	19000	9	LH35/38X9	EL280UH090XE48B	203372124
XP21-048-230	48000	17	12.5	45000	26800	8.2	L*42/60Y9	EL280UH090XE48B	203372145
XP21-048-230	48000	17	12.5	45000	26800	8.5	L*42/60Y9	EL280UH110XE60C	203372165
XP21-048-230	47000	16	12.2	45000	27200	9	L*42/60Y9	EL296DF090XE48C	7470230
XP21-048-230	47000	16	12.2	44000	27000	9	L*42/60Y9	EL296DF110XE60C	7470231
XP21-048-230	49000	17	12.5	43500	26800	8.2	L*42/60Y9	EL296UH090XV48C	204667977
XP21-048-230	49000	17	12.5	43500	26800	8.2	L*42/60Y9	EL296UH090XV60C	204667983
XP21-048-230	47000	16	13	45000	27000	9	L*42/60Y9	SL280DF090V60C	5436531
XP21-048-230	47000	16	13	45000	27000	9	L*42/60Y9	SL280DF110V60C	5436532
XP21-048-230	49000	17	12.5	43500	26800	8.2	L*42/60Y9	SL280UH090V60C	5436533
XP21-048-230	49000	17	12.5	43500	26800	8.2	L*42/60Y9	SL280UH090XV60C	10258451
XP21-048-230	49000	17	12.5	43500	26800	8.2	L*42/60Y9	SL280UH090XV60C	5436534
XP21-048-230	49000	17	12.5	43000	26600	8.2	L*42/60Y9	SL280UH110V60C	5436535
XP21-048-230	49000	17	12.5	43000	26600	8.2	L*42/60Y9	SL280UH110XV60C	5436536
XP21-048-230	48000	16	12.5	43500	26800	8.5	L*42/60Y9	SL280UH135V60D	5436537
XP21-048-230	47000	16	12.5	45000	27400	9	L*42/60Y9	SLP99DF090XV48C	205763640
XP21-048-230	47000	16	12.2	45000	27400	9	L*42/60Y9	SLP99DF090XV60C	205763647
XP21-048-230	47000	16	12.2	45000	27400	9	L*42/60Y9	SLP99DF110XV60C	205763653
XP21-048-230	45000	16	11.7	45000	30200	8.5	L*42/60Y9	SLP99UH090XV48C	205763657
XP21-048-230	45000	16	11.7	45000	30200	8.5	L*42/60Y9	SLP99UH090XV60C	205763665
XP21-048-230	45000	16	11.7	45000	30400	8.5	L*42/60Y9	SLP99UH110XV60C	205763427
XP21-048-230	46500	16	12.2	47000	30600	8.2	L*42/60Y9	SLP99UH135XV60D	205760487
XP21-048-230	46500	15	12.2	45000	27600	8.5	L*42/60Y9		5436269
XP21-048-230	48000	17	12.5	45000	26800	8.2	L*42/60Z9	EL280UH090XE48B	203372144
XP21-048-230	48000	17	12.5	45000	26800	8.5	L*42/60Z9	EL280UH110XE60C	203372164
XP21-048-230	49000	17	12.5	45000	26800	8.2	L*42/60Z9	EL296UH090XV48C	204603108
XP21-048-230	49000	17	12.5	45000	26800	8.2	L*42/60Z9	EL296UH090XV60C	204603111
XP21-048-230	48000	17	12.5	45000	26800	8.5	L*43/61Y9	EL280UH090XE48B	203372147
XP21-048-230	48000	17	12.5	45000	26600	8.5	L*43/61Y9	EL280UH110XE60C	203372167
XP21-048-230	48000	17	12.5	45000	26800	8.5	L*43/61Z9	EL280UH090XE48B	203372146
XP21-048-230	48000	17	12.5	45000	26600	8.5	L*43/61Z9	EL280UH110XE60C	203372166
XP21-048-230	48000	17	13	45000	26800	8.5	L*48/60Y9	EL280UH090XE48B	203372154
XP21-048-230	48000	17	13	45000	26600	8.5	L*48/60Y9	EL280UH110XE60C	203372177
XP21-048-230	47000	16	12.2	45000	27200	9	L*48/60Y9	EL296DF090XE48C	7470291
XP21-048-230	47000	16	13	45000	27000	9	L*48/60Y9	SL280DF090V60C	5436558
XP21-048-230	47000	16	13	45000	27000	9	L*48/60Y9	SL280DF110V60C	5436559
XP21-048-230	49000	17	13	45000	6800	8.2	L*48/60Y9	SL280UH090V60C	5436560
XP21-048-230	49000	17	13	45000	26800	8.2	L*48/60Y9	SL280UH090XV60C	5436561
XP21-048-230	49000	17	13	45000	26600	8.2	L*48/60Y9	SL280UH110V60C	5436562
XP21-048-230	49000	17	13	45000	26600	8.2	L*48/60Y9	SL280UH110XV60C	5436563
XP21-048-230	48000	16	13	45000	26800	8.5	L*48/60Y9	SL280UH135V60D	5436564
XP21-048-230	47000	16	12.5	45000	27400	9	L*48/60Y9	SLP99DF090XV48C	205763642
XP21-048-230	47000	16	12.2	45000	27400	9	L*48/60Y9	SLP99DF090XV60C	205763649
XP21-048-230	47000	16	12.2	45000	27400	9	L*48/60Y9	SLP99DF110XV60C	205763655
XP21-048-230	45000	16	12	45000	30200	8.5	L*48/60Y9	SLP99UH090XV48C	205763662
XP21-048-230	45000	16	12	45000	30200	8.5	L*48/60Y9	SLP99UH090XV60C	205763671
XP21-048-230	45000	16	12	45000	30400	8.5	L*48/60Y9	SLP99UH110XV60C	205763433
XP21-048-230	46500	16	12.5	47000	30600	8.2	L*48/60Y9	SLP99UH135XV60D	205760492
XP21-048-230	48500	16	12.2	44000	27400	8.2	L*48/60Y9		5436270
XP21-048-230	48000	17	13	45000	26800	8.5	L*48/60Z9	EL280UH090XE48B	203372153
XP21-048-230	48000	17	13	45000	26600	8.5	L*48/60Z9	EL280UH110XE60C	203372176
XP21-048-230	47000	16	12.2	45000	27200	9	L*48/60Z9	EL296DF090XE48C	7470292

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-048-230	49000	17	13	45000	26800	8.2	L*48/60Z9	EL296UH090XV48C	204603109
XP21-048-230	49000	17	13	45000	26800	8.2	L*48/60Z9	EL296UH090XV60C	204603112
XP21-048-230	48000	17	12.5	45000	26800	8.2	L*49/62Y9	EL280UH090XE48B	203372143
XP21-048-230	48000	17	12.5	45000	26800	8.5	L*49/62Y9	EL280UH110XE60C	203372163
XP21-048-230	48000	17	12.5	45000	26800	8.2	L*49/62Z9	EL280UH090XE48B	203372142
XP21-048-230	48000	17	12.5	45000	26800	8.5	L*49/62Z9	EL280UH110XE60C	203372162
XP21-048-230	48000	17	13	45000	26800	8.5	L*49/63Z9	EL280UH090XE48B	203372155
XP21-048-230	48000	17	13	45000	26600	8.5	L*49/63Z9	EL280UH110XE60C	203372178
XP21-048-230	49000	17	13	45000	26800	8.2	L*49/63Z9	EL296UH090XV48C	204603110
XP21-048-230	49000	17	13	45000	26800	8.2	L*49/63Z9	EL296UH090XV60C	204603113
XP21-048-230	47000	16	12	44000	27200	9	LD42/61Z9	EL296DF090XE48C	205147329
XP21-048-230	47000	16	12	44000	27000	9	LD42/61Z9	EL296DF110XE60C	205147330
XP21-048-230	47000	16	13	44000	27000	9	LD42/61Z9	SL280DF090V60C	205147331
XP21-048-230	47000	16	13	44000	27000	9	LD42/61Z9	SL280DF110V60C	205147332
XP21-048-230	47000	16	12.5	45000	27400	9	LD42/61Z9	SLP99DF090XV48C	205763638
XP21-048-230	47000	16	12	45000	27400	9	LD42/61Z9	SLP99DF090XV60C	205763645
XP21-048-230	47000	16	12	45000	27400	9	LD42/61Z9	SLP99DF110XV60C	205763651
XP21-048-230	48000	17	12.5	45000	26800	8.5	LH40/61E9	EL280UH090XE48B	203372140
XP21-048-230	48000	17	12.5	45000	26600	8.5	LH40/61E9	EL280UH110XE60C	203372160
XP21-048-230	48000	17	12.5	45000	26800	8.5	LH40/61W9	EL280UH090XE48B	203372139
XP21-048-230	48000	17	12.5	45000	26600	8.5	LH40/61W9	EL280UH110XE60C	203372159
XP21-048-230	47500	17	12.2	45000	26800	8.2	LH40/62W9	EL280UH090XE48B	203372137
XP21-048-230	47500	17	12.5	45000	26600	8.5	LH40/62W9	EL280UH110XE60C	203372157
XP21-048-230	47000	16	12.2	45000	26800	8.2	LH41/61D9	EL280UH090XE48B	203372138
XP21-048-230	47000	16	12.2	45000	26600	8.5	LH41/61D9	EL280UH110XE60C	203372158
XP21-048-230	48000	17	12.5	45000	26800	8.5	LH42/62E9	EL280UH090XE48B	203372151
XP21-048-230	47500	17	13	45000	26600	8.5	LH42/62E9	EL280UH110XE60C	203372173
XP21-048-230	49000	17	12.5	43500	26800	8.2	LH42/62E9	EL296UH090XV48C	204667981
XP21-048-230	49000	17	12.5	43500	26800	8.2	LH42/62E9	EL296UH090XV60C	204667987
XP21-048-230	49000	17	12.5	43500	26800	8.2	LH42/62E9	SL280UH090V60C	5436583
XP21-048-230	49000	17	12.5	43500	26800	8.2	LH42/62E9	SL280UH090XV60C	5436584
XP21-048-230	49000	17	12.5	43000	26600	8.2	LH42/62E9	SL280UH110V60C	5436585
XP21-048-230	49000	17	12.5	43000	26600	8.2	LH42/62E9	SL280UH110XV60C	5436586
XP21-048-230	48000	16	12.5	43500	26800	8.5	LH42/62E9	SL280UH135V60D	5436587
XP21-048-230	45000	16	12	45000	30200	8.5	LH42/62E9	SLP99UH090XV48C	205763661
XP21-048-230	45000	16	12	45000	30200	8.5	LH42/62E9	SLP99UH090XV60C	205763669
XP21-048-230	45000	16	12	45000	30400	8.5	LH42/62E9	SLP99UH110XV60C	205763432
XP21-048-230	46500	16	12.5	47000	30600	8.2	LH42/62E9	SLP99UH135XV60D	205760490
XP21-048-230	46500	15	12.2	45000	27600	8.5	LH42/62E9		5436271
XP21-048-230	48000	17	12.5	45000	26800	8.5	LH42/62W9	EL280UH090XE48B	203372150
XP21-048-230	47500	17	13	45000	26600	8.5	LH42/62W9	EL280UH110XE60C	203372172
XP21-048-230	49000	17	12.5	43500	26800	8.2	LH42/62W9	EL296UH090XV48C	204667980
XP21-048-230	49000	17	12.5	43500	26800	8.2	LH42/62W9	EL296UH090XV60C	204667986
XP21-048-230	49000	17	12.5	43500	26800	8.2	LH42/62W9	SL280UH090V60C	205744734
XP21-048-230	48000	16	13	43500	26800	8.2	LH42/62W9	SL280UH090V60C	205744735
XP21-048-230	48000	17	12.5	45000	26800	8.5	LH48/60E9	EL280UH090XE48B	203372152
XP21-048-230	48000	17	13	45000	26800	8.5	LH48/60E9	EL280UH110XE60C	203372175
XP21-048-230	47500	16	12.2	45000	26800	8.2	LH48/60F9	EL280UH090XE48B	203372141
XP21-048-230	47500	17	12.5	45000	26600	8.5	LH48/60F9	EL280UH110XE60C	203372161
XP21-048-230	48000	17	13	45000	26800	8.5	LH49/61E9	EL280UH090XE48B	203372149
XP21-048-230	48000	17	13	45000	26600	8.5	LH49/61E9	EL280UH110XE60C	203372170
XP21-048-230	49000	17	13	43500	26800	8.2	LH49/61E9	EL296UH090XV48C	204667979
XP21-048-230	49000	17	13	43500	26800	8.2	LH49/61E9	EL296UH090XV60C	204667985
XP21-048-230	49000	17	13	45000	6800	8.2	LH49/61E9	SL280UH090V60C	5436603

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP25-024-230	22200	21	14	21000	12200	9	L*19/36S9	SLP99UH070XV36B	205763437
XP25-024-230	23000	22	14	20800	13400	8.5	L*23/37Z9	EL296DF045XV36B	204325777
XP25-024-230	22400	23	14	20600	13000	10	L*35/36S9	EL296UH045XV36B	6109202
XP25-024-230	22400	23	14	20600	13000	10	L*35/36S9	EL296UH070XV36B	6109207
XP25-024-230	23000	22	14	22000	13400	8.5	L*35/36S9	SL280DF070V36A	6109212
XP25-024-230	22400	23	14	20800	13000	10	L*35/36S9	SL280UH070V36A	6109214
XP25-024-230	22400	23	14	20600	12900	10	L*35/36S9	SL280UH090V36B	6109219
XP25-024-230	23000	23	14	20800	12100	9	L*35/36S9	SL280UH090V48B	6317186
XP25-024-230	23000	23	14	22000	13400	8.5	L*35/36S9	SLP99DF070XV36B	205760533
XP25-024-230	23000	23	14	22000	13300	8.5	L*35/36S9	SLP99DF090XV36C	205760538
XP25-024-230	22400	21	14	21000	12200	9	L*35/36S9	SLP99UH070XV36B	205763444
XP25-024-230	23000	22	14	20800	13400	8.5	L*35/36U9	EL296DF045XV36B	204325776
XP25-024-230	22400	21	14	21000	12200	9	L*35/36U9	SLP99UH070XV36B	205763442
XP25-024-230	22400	23	14	20800	13000	10	LH18/37D9	EL296UH045XV36B	7470267
XP25-024-230	22400	23	14	20800	13000	10	LH18/37R9	EL296UH045XV36B	7470268
XP25-024-230	21800	23	14	20800	13000	9.5	LH24/37F9	EL296UH045XV36B	6109203
XP25-024-230	21800	23	14	20800	13000	9.5	LH24/37F9	EL296UH070XV36B	6109208
XP25-024-230	22000	22	14	20600	13000	10	LH24/37F9	SL280UH070V36A	6109215
XP25-024-230	22000	23	14	20800	12100	10	LH24/37F9	SL280UH090V36B	6109220
XP25-024-230	22000	23	14	20800	13000	9.5	LH29/36F9	EL296UH045XV36B	6109204
XP25-024-230	22000	23	14	20800	13000	9.5	LH29/36F9	EL296UH070XV36B	6109209
XP25-024-230	22200	22	14	20600	13000	10	LH29/36F9	SL280UH070V36A	6109216
XP25-024-230	22200	23	14	20800	13000	10	LH29/36F9	SL280UH090V36B	6109221
XP25-024-230	22200	21	14	21000	12200	9	LH29/36F9	SLP99UH070XV36B	205763435
XP25-024-230	22400	23	14	20800	13000	10	LH35/38F9	EL296UH045XV36B	6109205
XP25-024-230	22400	23	14	20800	13000	10	LH35/38F9	EL296UH070XV36B	6109210
XP25-024-230	22400	23	14	20800	13000	10	LH35/38F9	SL280UH070V36A	6109217
XP25-024-230	22400	23	14	20800	12900	10	LH35/38F9	SL280UH090V36B	6109222
XP25-024-230	22400	21	14	21000	12200	9	LH35/38F9	SLP99UH070XV36B	205763440
XP25-036-230	34400	20	13	30200	18300	9.5	A36VDC	SL280DF090V48B	203189433
XP25-036-230	35000	21	13.5	30000	18400	8.5	L*23/37Y9	EL296UH045XV36B	6109232
XP25-036-230	35000	21	13.5	30200	18400	8.5	L*23/37Y9	EL296UH070XV36B	6109236
XP25-036-230	35200	21	14	29400	19000	9	L*23/37Y9	EL296UH090XV36C	6109240
XP25-036-230	35200	20	14	28600	18300	9.5	L*23/37Y9	SL280DF090V48B	10258437
XP25-036-230	35000	21	13.5	30000	18400	8.5	L*23/37Y9	SL280UH070V36A	6109244
XP25-036-230	35200	21	14	30200	18200	8.5	L*23/37Y9	SL280UH090V36B	6109248
XP25-036-230	35000	20	13.5	30200	18400	9.5	L*23/37Y9	SLP99DF070XV36B	205763672
XP25-036-230	35200	21	14	30200	18400	10	L*23/37Y9	SLP99DF090XV36C	205763676
XP25-036-230	35200	20	12.5	32000	18000	9.5	L*23/37Y9	SLP99UH070XV36B	205760550
XP25-036-230	34600	20	13.5	32000	18800	8.5	L*23/37Y9	SLP99UH090XV36C	205760558
XP25-036-230	35000	21	13.5	30000	18400	8.5	L*23/37Z9	EL296UH045XV36B	7470269
XP25-036-230	35200	21	14	29400	19000	9	L*23/37Z9	EL296UH090XV36C	7470271
XP25-036-230	35200	20	14	28600	18300	9.5	L*23/37Z9	SL280DF090V48B	10258436
XP25-036-230	35000	21	13.5	30000	18400	8.5	L*23/37Z9	SL280UH070V36A	10258438
XP25-036-230	34600	20	13.5	32000	18800	8.5	L*23/37Z9	SLP99UH090XV36C	205760556
XP25-036-230	35000	21	13	30200	18400	8.5	L*35/36S9	EL296UH045XV36B	6109233
XP25-036-230	34600	21	13.5	30000	18800	8.5	L*35/36S9	EL296UH070XV36B	6109237
XP25-036-230	35000	21	13	30200	18400	8.5	L*35/36S9	SL280UH070V36A	6109245
XP25-036-230	34800	21	14	29800	18600	8.5	L*35/36S9	SL280UH090V36B	6109249
XP25-036-230	35000	21	13.5	30200	18400	10	L*35/36S9	SLP99DF090XV36C	205763675
XP25-036-230	34000	19	12	32000	18000	9.5	L*35/36S9	SLP99UH070XV36B	205760544
XP25-036-230	35000	22	13	30200	18400	8.5	LH23/37E9	EL296UH045XV36B	6109234
XP25-036-230	35000	22	13	30200	18400	8.5	LH23/37E9	EL296UH070XV36B	6109238
XP25-036-230	34800	22	14	30200	18600	8.5	LH23/37E9	EL296UH090XV36C	6109242

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP25-036-230	35000	22	13	30200	18400	8.5	LH23/37E9	SL280UH070V36A	6109246
XP25-036-230	35200	22	14	30200	18200	8.5	LH23/37E9	SL280UH090V36B	6109250
XP25-036-230	35200	20	12.5	32000	18000	9.5	LH23/37E9	SLP99UH070XV36B	205760548
XP25-036-230	34600	20	13.5	32000	18800	8.5	LH23/37E9	SLP99UH090XV36C	205760555
XP25-036-230	35000	21	13.5	30000	18400	8.5	LH23/37W9	EL296UH045XV36B	7470270
XP25-036-230	35200	21	14	29400	19000	9	LH23/37W9	EL296UH090XV36C	7470272
XP25-036-230	35200	20	12.5	32000	18000	9.5	LH23/37W9	SLP99UH070XV36B	205760546
XP25-036-230	35000	21	13.5	30200	18400	8.5	LH35/38F9	EL296UH045XV36B	6109235
XP25-036-230	35000	21	13.5	30200	18400	8.5	LH35/38F9	EL296UH070XV36B	6109239
XP25-036-230	35200	21	13.5	30200	19000	9	LH35/38F9	EL296UH090XV36C	6109243
XP25-036-230	35000	21	13.5	30200	18400	8.5	LH35/38F9	SL280UH070V36A	6109247
XP25-036-230	35200	21	14	30200	18200	8.5	LH35/38F9	SL280UH090V36B	6109251
XP25-036-230	34200	19	12.2	32000	18000	9.5	LH35/38F9	SLP99UH070XV36B	205760542
XP25-036-230	34600	20	13	32000	18800	8.5	LH35/38F9	SLP99UH090XV36C	205760553
XP25-048-230	46500	19	12.5	45000	28800	9	A48VFC	EL296DF090XV60C	203189441
XP25-048-230	46500	19	12.5	45000	28800	9	A48VFC	EL296DF110XV60C	203189444
XP25-048-230	46500	19	12.5	45000	28400	9	A48VFC	SL280DF090V60C	203189447
XP25-048-230	47000	20	12.5	45000	28400	9	A48VFC	SL280DF110V60C	203189450
XP25-048-230	46500	19	13	45000	28800	9	L*42/60Y9	EL296DF090XV60C	6109262
XP25-048-230	46500	19	13	45000	28800	9	L*42/60Y9	EL296DF110XV60C	6109264
XP25-048-230	48000	20	12.5	44500	28800	9.5	L*42/60Y9	EL296UH090XV48C	6109266
XP25-048-230	49000	20	13	45000	28000	9	L*42/60Y9	EL296UH090XV60C	6109270
XP25-048-230	49000	20	13	45000	28000	9	L*42/60Y9	EL296UH110XV48C	6109274
XP25-048-230	49000	20	13	45000	28000	9	L*42/60Y9	EL296UH110XV60C	6109278
XP25-048-230	47500	19	13	45000	27000	9.5	L*42/60Y9	EL296UH135XV60D	6109286
XP25-048-230	46500	19	13	45000	28400	9	L*42/60Y9	SL280DF090V60C	6109290
XP25-048-230	47000	20	13	45000	28400	9	L*42/60Y9	SL280DF110V60C	6109292
XP25-048-230	48000	20	13	45000	28600	9.5	L*42/60Y9	SL280UH090V60C	6109294
XP25-048-230	47500	20	13	45000	27800	9	L*42/60Y9	SL280UH090XV60C	6109298
XP25-048-230	47500	20	13	43000	27800	9	L*42/60Y9	SL280UH090XV60C	10258441
XP25-048-230	48000	20	12.5	44500	28800	9	L*42/60Y9	SL280UH110V60C	6109302
XP25-048-230	47500	19	13	45000	26800	9.5	L*42/60Y9	SL280UH135V60D	6109306
XP25-048-230	46500	20	12.5	45000	28800	9	L*42/60Y9	SLP99DF090XV48C	205763683
XP25-048-230	46500	19	13	45000	28800	9	L*42/60Y9	SLP99DF090XV60C	205763689
XP25-048-230	46500	19	13	45000	28800	9	L*42/60Y9	SLP99DF110XV60C	205763696
XP25-048-230	46000	19	12	45000	26400	8.2	L*42/60Y9	SLP99UH090XV48C	205763699
XP25-048-230	48000	19	12.5	45000	28400	9	L*42/60Y9	SLP99UH090XV60C	205763708
XP25-048-230	48000	19	12.5	45000	28400	9	L*42/60Y9	SLP99UH110XV60C	205763722
XP25-048-230	47000	18	12.5	45000	28600	9	L*42/60Y9	SLP99UH135XV60D	205763731
XP25-048-230	46500	19	13	45000	28800	9	L*42/60Z9	EL296DF090XV60C	204325780
XP25-048-230	46500	19	13	43500	28400	9	L*42/60Z9	SL280DF090V60C	10258439
XP25-048-230	47500	20	13	43000	27800	9	L*42/60Z9	SL280UH090XV60C	10258442
XP25-048-230	47500	20	13	43000	27800	9	L*42/60Z9	SL280UH090XV60C	10258440
XP25-048-230	46500	20	12.5	45000	28800	9	L*42/60Z9	SLP99DF090XV48C	205763680
XP25-048-230	48000	19	12.5	45000	28400	9	L*43/61Z9	SLP99UH090XV60C	205763710
XP25-048-230	46500	19	13	45000	28800	9	L*48/60Y9	EL296DF090XV60C	6109263
XP25-048-230	46500	19	13	45000	28800	9	L*48/60Y9	EL296DF110XV60C	6109265
XP25-048-230	49000	20	13.5	45000	28400	9.5	L*48/60Y9	EL296UH090XV48C	6109267
XP25-048-230	49000	20	13.5	45000	28400	9.5	L*48/60Y9	EL296UH090XV60C	6109271
XP25-048-230	49000	20	13.5	44000	28400	9.5	L*48/60Y9	EL296UH110XV48C	6109275
XP25-048-230	49000	20	13.5	45000	28400	9.5	L*48/60Y9	EL296UH110XV60C	6109279
XP25-048-230	47500	19	13.5	45000	27000	9.5	L*48/60Y9	EL296UH135XV60D	6109287
XP25-048-230	46500	19	13	45000	28400	9	L*48/60Y9	SL280DF090V60C	6109291
XP25-048-230	47000	20	13	45000	28400	9	L*48/60Y9	SL280DF110V60C	6109293

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP25-060-230	60500	19	12.5	51500	31600	10	LH49/61E9	SL280UH090V60C	6109347
XP25-060-230	60000	19	12.5	52000	31600	10	LH49/61E9	SL280UH110V60C	6109351
XP25-060-230	59000	19	12.2	53000	33800	8.5	LH49/61E9	SL280UH135V60D	6109359
XP25-060-230	58500	19	12.5	51000	31800	9.5	LH49/61E9	SL280UH135V60D	6109355
XP25-060-230	59500	19	12.5	52000	30400	9	LH49/61E9	SLP99UH090XV60C	205760574
XP25-060-230	59500	19	12.5	52000	30400	9	LH49/61E9	SLP99UH110XV60C	205760585
XP25-060-230	59000	19	12.5	52000	33400	8.5	LH49/61E9	SLP99UH135XV60D	205760595
XP25-060-230	60000	19	12.2	52000	31800	9.5	LH49/61W9	EL296UH090XV60C	7470279
XP25-060-230	60000	19	12.2	52000	31800	10	LH49/61W9	EL296UH110XV60C	7470280