



PRODUCT SPECIFICATIONS

HEAT PUMPS

AHRI SYSTEM MATCHES - LENNOX + ADP COILS

Bulletin No. 210860

May 2021A

Supersedes All Previous Versions

NOTES:

Ratings are AHRI certified to AHRI Standard 210/240 (with 25 ft. of connecting refrigerant lines);

- Cooling Ratings - 95°F outdoor air temperature and 80 °F db/67° F wb entering indoor coil air.
- High Temperature Heating Ratings - 47° F db/43° F wb outdoor air temperature and 70 °F db entering indoor coil air.
- Low Temperature Heating Ratings - 17 °F db/15° F wb outdoor air temperature and 70 °F db entering indoor coil air.

All ratings include the use of a blower time delay relay (TDR). All Lennox variable-speed Furnaces and Air Handlers have time delay capabilities. Other Furnaces and Air Handlers may require an optional time delay relay (58M81) for field installation. See furnace or air handler specifications to determine if relay is needed.

When used with gas furnaces, a dual-fuel control, a control system with dual-fuel capabilities (LZP-2 or LZP-4), or a thermostat with dual-fuel capabilities must be used (ordered extra).

To convert HSPF from Region IV to Region V - Divide by 1.15.

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-018-230	18000	12.2	14	17500	10200	8.2	L*30/36U9		202179260
14HPX-018-230	18000	13	16	16400	9800	8.5	LD19/25Z9	EL180DF045E36A	205147095
14HPX-018-230	18000	13	16	16400	9800	8.5	LD19/25Z9	ML180DF045E36A	205147096
14HPX-024-230	23200	12	14	21200	12400	8.2	L*19/36S9		202179262
14HPX-024-230	23200	12	14	21200	12400	8.2	L*19/36U9		202179261
14HPX-024-230	23200	12.2	14.5	21200	12400	8.2	L*24/36Y9		202443446
14HPX-024-230	23200	12.2	14	21200	12400	8.2	L*30/36S9		202179264
14HPX-024-230	23200	12.2	14	21200	12400	8.2	L*30/36U9		202179263
14HPX-024-230	24800	12.5	15	20400	12000	8.5	LD19/25Z9	EL180DF045E36A	205147104
14HPX-024-230	24800	12.5	15	20400	12000	8.5	LD19/25Z9	ML180DF045E36A	205147110
14HPX-024-230	25200	12.5	15	20600	12100	8.5	LD19/25Z9	SL280DF070V36A	205147116
14HPX-024-230	25400	13	16	20600	12000	9	LD19/36Z9	EL180DF070E36B	205147105
14HPX-024-230	25200	13	16	20600	12000	8.5	LD19/36Z9	EL296DF045XE36B	205147106
14HPX-024-230	25200	13	16	20600	12000	8.5	LD19/36Z9	EL296DF045XV36B	205147107
14HPX-024-230	25400	13	16	20600	12000	9	LD19/36Z9	EL296DF070XE48B	205147108
14HPX-024-230	25600	12.5	15	20800	12200	8.5	LD19/36Z9	EL296DF070XV48B	205147109
14HPX-024-230	25400	13	16	20600	12000	9	LD19/36Z9	ML180DF070E36B	205147111
14HPX-024-230	25200	13	16	20400	12000	8.5	LD19/36Z9	ML196DF045XE36B	205147112
14HPX-024-230	25400	13	16	20600	12000	9	LD19/36Z9	ML196DF070XE48B	205147113
14HPX-024-230	25200	13	16	20600	12000	8.5	LD19/36Z9	ML296DF045XV36B	205147114
14HPX-024-230	25600	12.5	15	20800	12200	8.5	LD19/36Z9	ML296DF070XV48B	205147115
14HPX-024-230	25600	12.5	15	20600	12100	9	LD19/36Z9	SL280DF090V48B	205147117
14HPX-024-230	25400	13	16	20600	12000	9	LD19/36Z9	SLP98DF070XV36B	205147118
14HPX-024-230	25400	13	16	20600	12000	9	LD19/36Z9	SLP99DF070XV36B	205761639
14HPX-024-230	23200	11.7	14	20600	12400	8.2	LS*25933E		205484163
14HPX-030-230	29000	12.5	15	24600	15300	8.5	CE3005C		202340458
14HPX-030-230	29000	12.2	14.5	24600	15300	8.5	CP3005C		202340457
14HPX-030-230	28200	12.2	14.5	24800	15500	8.2	L*24/36Y9		202443447
14HPX-030-230	29800	12.5	15	25200	15500	9	LD19/36Z9	EL180DF070E36B	205147119
14HPX-030-230	29800	12.5	15	25200	15500	9	LD19/36Z9	EL180DF090E48B	205147120
14HPX-030-230	29600	12.5	15	25400	15700	8.5	LD19/36Z9	EL296DF045XE36B	205147121
14HPX-030-230	29600	12.5	15	25200	15500	8.5	LD19/36Z9	EL296DF045XV36B	205147122
14HPX-030-230	30000	12.5	15	25400	15700	9	LD19/36Z9	EL296DF070XE48B	205147123
14HPX-030-230	29600	12.5	15	25200	15600	8.5	LD19/36Z9	EL296DF070XV48B	205147124
14HPX-030-230	29800	12.5	15	25200	15500	9	LD19/36Z9	ML180DF070E36B	205147125
14HPX-030-230	29800	12.5	15	25200	15500	9	LD19/36Z9	ML180DF090E48B	205147126
14HPX-030-230	29600	12.5	15	25400	15700	8.5	LD19/36Z9	ML196DF045XE36B	205147127

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-030-230	29800	12.5	15	25400	15700	8.5	LD19/36Z9	ML196DF070XE48B	205147128
14HPX-030-230	29600	12.5	15	25200	15500	8.5	LD19/36Z9	ML296DF045XV36B	205147129
14HPX-030-230	29600	12.5	15	25200	15600	8.5	LD19/36Z9	ML296DF070XV48B	205147130
14HPX-030-230	29600	12.5	15	25200	15500	8.5	LD19/36Z9	SL280DF090V48B	205147131
14HPX-030-230	29600	12.5	15	25200	15600	8.5	LD19/36Z9	SLP98DF070XV36B	205147132
14HPX-030-230	29600	12.5	15	25200	15600	8.5	LD19/36Z9	SLP99DF070XV36B	205760600
14HPX-030-230	29000	12.5	15	24600	15300	8.5	LEC309C05		203263852
14HPX-030-230	28200	12.2	14	24600	15500	8.2	LS*36943E		205484174
14HPX-030-230	29000	12.2	14.5	24600	15300	8.5	LSC309C05		203263849
14HPX-030-230	28200	12.2	14	26200	15500	8.2	M36E34(1,2)		205788378
14HPX-036-230	34600	12.2	14	31200	19800	8.2	L*24/36Y9		202443448
14HPX-036-230	34200	12.5	15	30200	18600	8.5	LH29/36F9	ML180UH070E36B	202263596
14HPX-036-230	34600	12.2	14	33000	19800	8.2	LS*3791CC		205483292
14HPX-036-230	34000	11.7	14	31200	19400	8.2	M36E34(1,2)		205782077
14HPX-042-230	42500	12.2	14	41500	26600	8.2	L*48/60Y9		202443449
14HPX-042-230	44500	12.5	15	41000	25400	9	LD42/61Z9	EL180DF110E60C	205147133
14HPX-042-230	44000	12.5	15	41000	25600	8.5	LD42/61Z9	EL196DF090XE48C	205147134
14HPX-042-230	44000	12.5	15	41000	25600	8.5	LD42/61Z9	EL296DF090XE48C	205147135
14HPX-042-230	44500	12.5	15	41500	25600	9	LD42/61Z9	EL296DF090XV60C	205147136
14HPX-042-230	44500	12.5	15	41500	25600	9	LD42/61Z9	EL296DF110XE60C	205147137
14HPX-042-230	44500	12.5	15	41000	25600	9	LD42/61Z9	EL296DF110XV60C	205147138
14HPX-042-230	44500	12.5	15	41000	25400	9	LD42/61Z9	ML180DF110E60C	205147139
14HPX-042-230	44000	12.5	15	41000	25600	8.5	LD42/61Z9	ML196DF090XE48C	205147140
14HPX-042-230	44500	12.5	15	41500	25600	9	LD42/61Z9	ML296DF090XV60C	205147141
14HPX-042-230	44000	13	16	41000	25400	9	LD42/61Z9	SL280DF090V60C	205147142
14HPX-042-230	44500	13	16	41000	25400	9	LD42/61Z9	SL280DF110V60C	205147143
14HPX-042-230	44000	12.5	15	41000	25600	9	LD42/61Z9	SLP98DF090XV36C	205147144
14HPX-042-230	44500	12.5	15	41000	25600	9	LD42/61Z9	SLP98DF090XV48C	205147145
14HPX-042-230	44500	12.5	15	41500	25600	9	LD42/61Z9	SLP98DF090XV60C	205147146
14HPX-042-230	44500	12.5	15	41000	25600	9	LD42/61Z9	SLP98DF110XV60C	205147147
14HPX-042-230	44000	12.5	15	41000	25600	9	LD42/61Z9	SLP99DF090XV36C	205760100
14HPX-042-230	44500	12.5	15	41000	25600	9	LD42/61Z9	SLP99DF090XV48C	205760102
14HPX-042-230	44500	12.5	15	41500	25600	9	LD42/61Z9	SLP99DF090XV60C	205760104
14HPX-042-230	44500	12.5	15	41000	25600	9	LD42/61Z9	SLP99DF110XV60C	205760105
14HPX-048-230	49500	12.5	15	46500	29600	9	LD42/61Z9	EL180DF110E60C	205147148
14HPX-048-230	49500	12.2	14	47000	30000	8.5	LD42/61Z9	EL196DF090XE48C	205147149
14HPX-048-230	49500	12.2	14.5	47000	29800	8.5	LD42/61Z9	EL296DF090XE48C	205147150
14HPX-048-230	49500	12.2	14.5	46500	29600	8.5	LD42/61Z9	EL296DF110XE60C	205147151
14HPX-048-230	49500	12.5	15	46500	29600	9	LD42/61Z9	ML180DF110E60C	205147152
14HPX-048-230	49500	12.2	14	47000	30000	8.5	LD42/61Z9	ML196DF090XE48C	205147153
14HPX-048-230	49500	12.5	15	46500	29400	8.5	LD42/61Z9	SL280DF090V60C	205147154
14HPX-048-230	49500	12.5	15	46500	29400	8.5	LD42/61Z9	SL280DF110V60C	205147155
14HPX-048-230	49500	12.2	14.5	47000	29800	8.5	LD42/61Z9	SLP98DF090XV48C	205147156
14HPX-048-230	49500	12.2	14.5	47000	29800	8.5	LD42/61Z9	SLP98DF090XV60C	205147157
14HPX-048-230	49500	12.2	14.5	46500	29600	8.5	LD42/61Z9	SLP98DF110XV60C	205147158
14HPX-048-230	49500	12.2	14.5	47000	29800	8.5	LD42/61Z9	SLP99DF090XV48C	205760107
14HPX-048-230	49500	12.2	14.5	47000	29800	8.5	LD42/61Z9	SLP99DF090XV60C	205760110
14HPX-048-230	49500	12.2	14.5	46500	29600	8.5	LD42/61Z9	SLP99DF110XV60C	205760111
14HPX-060-230	58500	12.2	14	53500	34200	8.2	L*42/60Y9		202443450
14HPX-060-230	58500	12.2	14	53500	34200	8.2	L*48/60Y9		202443451
14HPX-060-230	60500	12.5	15	52500	34600	8.5	LH42/62E9	ML180UH110XE60C	202359029
14HPX-060-230	58500	12.2	14	53500	34200	8.2	LH42/62E9		202491664
14HPX-060-230	58500	12.2	14	53500	34200	8.2	LH42/62W9		202491663
14HPX-060-230	58500	12.2	14	53500	34200	8.2	LS*60(1,2)4CC		206338329

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-060-230	58500	12.2	14	53500	34200	8.2	LS*6094CC		205484304
16HPX-024-230	23400	12.2	15	20800	12300	8.5	L*18/36T9	EL296UH070XV36B	202393246
16HPX-024-230	23200	12	15	20800	12300	8.5	L*18/36T9	ML180UH070V36A	206217033
16HPX-024-230	23600	12.2	16	21000	12300	8.5	L*18/36T9	ML180UH090V48B	205094043
16HPX-024-230	23200	11.7	15	20000	11900	8.2	L*18/36T9	ML193UH070XE36B	205094039
16HPX-024-230	23400	12.2	15	20800	12300	8.5	L*18/36T9	ML296UH070XV36B	205093136
16HPX-024-230	23600	12.2	16	20600	12100	9	L*18/36T9	SL280UH060NV36A-	202393266
16HPX-024-230	23600	12.2	16	20800	12300	8.5	L*18/36T9	SL280UH070V36A	202393286
16HPX-024-230	23600	12.2	16	20800	12300	8.5	L*18/36T9	SL280UH070XV36A	202393306
16HPX-024-230	23400	12.2	15	20800	12200	8.5	L*18/36T9	SL280UH090V36B	202393326
16HPX-024-230	23600	12.2	16	21000	12300	8.2	L*18/36T9	SLP98DF070XV36B	202393346
16HPX-024-230	23600	12.2	16	21000	12300	8.2	L*18/36T9	SLP98DF090XV36C	202393358
16HPX-024-230	23400	12.2	15	20800	12300	8.5	L*18/36T9	SLP98UH070XV36B	202393370
16HPX-024-230	23600	12.2	16	21600	12300	8.2	L*18/36T9	SLP99DF070XV36B	205760858
16HPX-024-230	23600	12.2	16	21600	12300	8.2	L*18/36T9	SLP99DF090XV36C	205760889
16HPX-024-230	23400	12.2	15	20800	12300	8.5	L*18/36T9	SLP99UH070XV36B	205761691
16HPX-024-230	23600	12.2	16	20000	11700	8.5	L*19/36S9	EL296UH070XV36B	202393250
16HPX-024-230	23600	12	15	22400	12000	8.5	L*19/36S9	ML180UH070V36A	206188238
16HPX-024-230	23800	12.2	16	20600	12100	9	L*19/36S9	SL280UH060NV36A-	202393270
16HPX-024-230	23800	12.2	16	20800	12300	8.5	L*19/36S9	SL280UH070V36A	202393290
16HPX-024-230	23800	12.2	16	20800	12300	8.5	L*19/36S9	SL280UH070XV36A	202393310
16HPX-024-230	23600	12.2	16	20200	11700	8.5	L*19/36S9	SL280UH090V36B	202393330
16HPX-024-230	23600	12.2	16	21000	12300	8.2	L*19/36S9	SLP98DF070XV36B	202393347
16HPX-024-230	23600	12.2	16	21000	12300	8.2	L*19/36S9	SLP98DF090XV36C	202393359
16HPX-024-230	23600	12.2	16	20000	11700	8.5	L*19/36S9	SLP98UH070XV36B	202393374
16HPX-024-230	23600	12.2	16	21600	12300	8.2	L*19/36S9	SLP99DF070XV36B	205760860
16HPX-024-230	23600	12.2	16	21600	12300	8.2	L*19/36S9	SLP99DF090XV36C	205760891
16HPX-024-230	23600	12.2	15	20800	12300	8.5	L*19/36S9	SLP99UH070XV36B	205761700
16HPX-024-230	24000	13	16	20000	11700	8.5	L*24/36Y9	EL296UH070XV36B	202393265
16HPX-024-230	23400	12.5	16	20800	12300	8.5	L*24/36Y9	ML180UH070V36A	206217032
16HPX-024-230	24000	13	16	21000	11700	8.5	L*24/36Y9	SL280UH060NV36A-	202393285
16HPX-024-230	24000	13	16	20000	11700	8.5	L*24/36Y9	SL280UH070V36A	202393305
16HPX-024-230	24000	13	16	20000	11700	8.5	L*24/36Y9	SL280UH070XV36A	202393325
16HPX-024-230	24000	13	16	20200	11700	8.5	L*24/36Y9	SL280UH090V36B	202393345
16HPX-024-230	23600	12.5	16	21000	12300	8.2	L*24/36Y9	SLP98DF070XV36B	202393357
16HPX-024-230	23600	12.5	16	21000	12300	8.2	L*24/36Y9	SLP98DF090XV36C	202393369
16HPX-024-230	24000	13	16	20000	11700	8.5	L*24/36Y9	SLP98UH070XV36B	202393389
16HPX-024-230	23600	12.5	16	21600	12300	8.2	L*24/36Y9	SLP99DF070XV36B	205760887
16HPX-024-230	23600	12.5	16	21600	12300	8.2	L*24/36Y9	SLP99DF090XV36C	205760911
16HPX-024-230	23600	12.5	16	20800	12300	8.5	L*24/36Y9	SLP99UH070XV36B	205761731
16HPX-024-230	24000	13	16	20000	11800	8.5	L*24/36Z9	EL296UH070XV36B	202393264
16HPX-024-230	23400	12.5	16	20800	12300	8.5	L*24/36Z9	ML180UH070V36A	206217031
16HPX-024-230	24000	13	16	21000	11800	8.5	L*24/36Z9	ML296UH070XV36B	204603096
16HPX-024-230	24000	13	16	21000	11700	8.5	L*24/36Z9	SL280UH060NV36A-	202393284
16HPX-024-230	24000	13	16	20000	11700	8.5	L*24/36Z9	SL280UH070V36A	202393304
16HPX-024-230	24000	13	16	20000	11700	8.5	L*24/36Z9	SL280UH070XV36A	202393324
16HPX-024-230	24000	13	16	20200	11800	8.5	L*24/36Z9	SL280UH090V36B	202393344
16HPX-024-230	23600	12.5	16	21000	12300	8.2	L*24/36Z9	SLP98DF070XV36B	202393356
16HPX-024-230	23600	12.5	16	21000	12300	8.2	L*24/36Z9	SLP98DF090XV36C	202393368
16HPX-024-230	24000	13	16	20000	11700	8.5	L*24/36Z9	SLP98UH070XV36B	202393388
16HPX-024-230	23600	12.5	16	21600	12300	8.2	L*24/36Z9	SLP99DF070XV36B	205760885
16HPX-024-230	23600	12.5	16	21600	12300	8.2	L*24/36Z9	SLP99DF090XV36C	205760908
16HPX-024-230	23600	12.5	16	20800	12300	8.5	L*24/36Z9	SLP99UH070XV36B	205761728
16HPX-024-230	23600	12.2	16	20000	11700	8.5	L*24/42S9	EL296UH070XV36B	202393251

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-024-230	23800	12.2	16	20600	12100	9	L*24/42S9	SL280UH060NV36A-	202393271
16HPX-024-230	23800	12.2	16	20800	12300	8.5	L*24/42S9	SL280UH070V36A	202393291
16HPX-024-230	23800	12.2	16	20800	12300	8.5	L*24/42S9	SL280UH070XV36A	202393311
16HPX-024-230	23600	12.2	16	20200	11700	8.5	L*24/42S9	SL280UH090V36B	202393331
16HPX-024-230	23600	12.2	16	21000	12300	8.2	L*24/42S9	SLP98DF070XV36B	202393348
16HPX-024-230	23600	12.2	16	21000	12300	8.2	L*24/42S9	SLP98DF090XV36C	202393360
16HPX-024-230	23600	12.2	16	20000	11700	8.5	L*24/42S9	SLP98UH070XV36B	202393375
16HPX-024-230	23600	12.2	16	21600	12300	8.2	L*24/42S9	SLP99DF070XV36B	205760864
16HPX-024-230	23600	12.2	16	21600	12300	8.2	L*24/42S9	SLP99DF090XV36C	205760894
16HPX-024-230	23600	12.2	15	20800	12300	8.5	L*24/42S9	SLP99UH070XV36B	205761702
16HPX-024-230	24000	13	16	20000	11700	8.5	L*25/37Z9	EL296UH070XV36B	202393263
16HPX-024-230	24000	12.5	16	20400	12000	8.5	L*25/37Z9	ML180UH070V36A	206217030
16HPX-024-230	23800	13	16	20600	12100	9	L*25/37Z9	SL280UH060NV36A-	202393283
16HPX-024-230	24000	13	16	20000	11700	8.5	L*25/37Z9	SL280UH070V36A	202393303
16HPX-024-230	24000	13	16	20000	11700	8.5	L*25/37Z9	SL280UH070XV36A	202393323
16HPX-024-230	24000	13	16	20200	11800	8.5	L*25/37Z9	SL280UH090V36B	202393343
16HPX-024-230	23600	12.5	16	21000	12300	8.2	L*25/37Z9	SLP98DF070XV36B	202393355
16HPX-024-230	23600	12.5	16	21000	12300	8.2	L*25/37Z9	SLP98DF090XV36C	202393367
16HPX-024-230	24000	13	16	20000	11700	8.5	L*25/37Z9	SLP98UH070XV36B	202393387
16HPX-024-230	23600	12.5	16	21600	12300	8.2	L*25/37Z9	SLP99DF070XV36B	205760883
16HPX-024-230	23600	12.5	16	21600	12300	8.2	L*25/37Z9	SLP99DF090XV36C	205760906
16HPX-024-230	24000	12.5	16	20600	12100	8.5	L*25/37Z9	SLP99UH070XV36B	205761726
16HPX-024-230	24000	12.5	16	20000	11700	8.5	L*29/36S9	EL296UH070XV36B	202393259
16HPX-024-230	23800	12.5	16	20600	12100	9	L*29/36S9	SL280UH060NV36A-	202393279
16HPX-024-230	24000	12.5	16	20600	12100	8.5	L*29/36S9	SL280UH070V36A	202393299
16HPX-024-230	24000	12.5	16	20600	12100	8.5	L*29/36S9	SL280UH070XV36A	202393319
16HPX-024-230	24000	12.5	16	20200	11700	8.5	L*29/36S9	SL280UH090V36B	202393339
16HPX-024-230	23600	12.5	16	21000	12300	8.2	L*29/36S9	SLP98DF070XV36B	202393353
16HPX-024-230	23600	12.5	16	21000	12300	8.2	L*29/36S9	SLP98DF090XV36C	202393365
16HPX-024-230	24000	12.5	16	20000	11700	8.5	L*29/36S9	SLP98UH070XV36B	202393383
16HPX-024-230	23600	12.5	16	21600	12300	8.2	L*29/36S9	SLP99DF070XV36B	205760879
16HPX-024-230	23600	12.5	16	21600	12300	8.2	L*29/36S9	SLP99DF090XV36C	205760904
16HPX-024-230	24000	12.5	15	20600	12100	8.5	L*29/36S9	SLP99UH070XV36B	205761718
16HPX-024-230	24000	12.5	16	20000	11700	8.5	L*29/36U9	EL296UH070XV36B	202393257
16HPX-024-230	23800	12.5	16	20600	12100	9	L*29/36U9	SL280UH060NV36A-	202393277
16HPX-024-230	24000	12.5	16	20600	12100	8.5	L*29/36U9	SL280UH070V36A	202393297
16HPX-024-230	24000	12.5	16	20600	12100	8.5	L*29/36U9	SL280UH070XV36A	202393317
16HPX-024-230	24000	12.5	16	20200	11700	8.5	L*29/36U9	SL280UH090V36B	202393337
16HPX-024-230	23600	12.5	16	21000	12300	8.2	L*29/36U9	SLP98DF070XV36B	202393351
16HPX-024-230	23600	12.5	16	21000	12300	8.2	L*29/36U9	SLP98DF090XV36C	202393363
16HPX-024-230	24000	12.5	16	20000	11700	8.5	L*29/36U9	SLP98UH070XV36B	202393381
16HPX-024-230	23600	12.5	16	21600	12300	8.2	L*29/36U9	SLP99DF070XV36B	205760875
16HPX-024-230	23600	12.5	16	21600	12300	8.2	L*29/36U9	SLP99DF090XV36C	205760900
16HPX-024-230	24000	12.5	15	20600	12100	8.5	L*29/36U9	SLP99UH070XV36B	205761714
16HPX-024-230	24000	12.5	16	20000	11700	8.5	L*30/36S9	EL296UH070XV36B	202393256
16HPX-024-230	23800	12.5	16	20600	12100	9	L*30/36S9	SL280UH060NV36A-	202393276
16HPX-024-230	24000	12.5	16	20000	11700	8.5	L*30/36S9	SL280UH070V36A	202393296
16HPX-024-230	24000	12.5	16	20000	11700	8.5	L*30/36S9	SL280UH070XV36A	202393316
16HPX-024-230	24000	12.5	16	20200	11700	8.5	L*30/36S9	SL280UH090V36B	202393336
16HPX-024-230	23600	12.5	16	21000	12300	8.2	L*30/36S9	SLP98DF070XV36B	202393350
16HPX-024-230	23600	12.5	16	21000	12300	8.2	L*30/36S9	SLP98DF090XV36C	202393362
16HPX-024-230	24000	12.5	16	20000	11700	8.5	L*30/36S9	SLP98UH070XV36B	202393380
16HPX-024-230	23600	12.5	16	21600	12300	8.2	L*30/36S9	SLP99DF070XV36B	205760872
16HPX-024-230	23600	12.5	16	21600	12300	8.2	L*30/36S9	SLP99DF090XV36C	205760898

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-024-230	23600	12.5	15	20800	12300	8.5	L*30/36S9	SLP99UH070XV36B	205761712
16HPX-024-230	24000	12.5	16	20000	11800	8.5	L*30/36U9	EL296UH070XV36B	202393255
16HPX-024-230	23800	12.5	16	20600	12100	9	L*30/36U9	SL280UH060NV36A-	202393275
16HPX-024-230	24000	12.5	16	20000	11700	8.5	L*30/36U9	SL280UH070V36A	202393295
16HPX-024-230	24000	12.5	16	20000	11700	8.5	L*30/36U9	SL280UH070XV36A	202393315
16HPX-024-230	24000	12.5	16	20200	11700	8.5	L*30/36U9	SL280UH090V36B	202393335
16HPX-024-230	23600	12.5	16	21000	12300	8.2	L*30/36U9	SLP98DF070XV36B	202393349
16HPX-024-230	23600	12.5	16	21000	12300	8.2	L*30/36U9	SLP98DF090XV36C	202393361
16HPX-024-230	24000	12.5	16	20000	11700	8.5	L*30/36U9	SLP98UH070XV36B	202393379
16HPX-024-230	23600	12.5	16	21600	12300	8.2	L*30/36U9	SLP99DF070XV36B	205760868
16HPX-024-230	23600	12.5	16	21600	12300	8.2	L*30/36U9	SLP99DF090XV36C	205760896
16HPX-024-230	23600	12.5	15	20800	12300	8.5	L*30/36U9	SLP99UH070XV36B	205761711
16HPX-024-230	24000	12.5	16	20000	11700	8.5	L*35/36S9	EL296UH070XV36B	202393260
16HPX-024-230	23600	13	16	20800	12300	9	L*35/36S9	ML180UH070V36B	206776419
16HPX-024-230	23800	12.5	16	20600	12100	9	L*35/36S9	SL280UH060NV36A-	202393280
16HPX-024-230	24000	12.5	16	20600	12100	8.5	L*35/36S9	SL280UH070V36A	202393300
16HPX-024-230	24000	12.5	16	20600	12100	8.5	L*35/36S9	SL280UH070XV36A	202393320
16HPX-024-230	24000	12.5	16	20200	11700	8.5	L*35/36S9	SL280UH090V36B	202393340
16HPX-024-230	23600	12.5	16	21000	12300	8.2	L*35/36S9	SLP98DF070XV36B	202393354
16HPX-024-230	23600	12.5	16	21000	12300	8.2	L*35/36S9	SLP98DF090XV36C	202393366
16HPX-024-230	24000	12.5	16	20000	11700	8.5	L*35/36S9	SLP98UH070XV36B	202393384
16HPX-024-230	23600	12.5	16	21600	12300	8.2	L*35/36S9	SLP99DF070XV36B	205760881
16HPX-024-230	23600	12.5	16	21600	12300	8.2	L*35/36S9	SLP99DF090XV36C	205760905
16HPX-024-230	24000	12.5	15	20600	12100	8.5	L*35/36S9	SLP99UH070XV36B	205761720
16HPX-024-230	24000	12.5	16	20000	11700	8.5	L*35/36U9	EL296UH070XV36B	202393258
16HPX-024-230	23600	13	16	20800	12300	9	L*35/36U9	ML180UH070V36B	206776418
16HPX-024-230	24000	12.5	16	20000	11700	8.5	L*35/36U9	ML296UH070XV36B	204603095
16HPX-024-230	23800	12.5	16	20600	12100	9	L*35/36U9	SL280UH060NV36A-	202393278
16HPX-024-230	24000	12.5	16	20600	12100	8.5	L*35/36U9	SL280UH070V36A	202393298
16HPX-024-230	24000	12.5	16	20600	12100	8.5	L*35/36U9	SL280UH070XV36A	202393318
16HPX-024-230	24000	12.5	16	20200	11700	8.5	L*35/36U9	SL280UH090V36B	202393338
16HPX-024-230	23600	12.5	16	21000	12300	8.2	L*35/36U9	SLP98DF070XV36B	202393352
16HPX-024-230	23600	12.5	16	21000	12300	8.2	L*35/36U9	SLP98DF090XV36C	202393364
16HPX-024-230	24000	12.5	16	20000	11700	8.5	L*35/36U9	SLP98UH070XV36B	202393382
16HPX-024-230	23600	12.5	16	21600	12300	8.2	L*35/36U9	SLP99DF070XV36B	205760876
16HPX-024-230	23600	12.5	16	21600	12300	8.2	L*35/36U9	SLP99DF090XV36C	205760903
16HPX-024-230	24000	12.5	15	20600	12100	8.5	L*35/36U9	SLP99UH070XV36B	205761716
16HPX-024-230	24000	12.5	16	20000	11800	8.5	LH18/37D9	EL296UH070XV36B	202393262
16HPX-024-230	23600	12.5	16	20800	12300	9	LH18/37D9	ML180UH070V36B	205747582
16HPX-024-230	23800	12.5	16	20600	12100	9	LH18/37D9	SL280UH060NV36A-	202393282
16HPX-024-230	24000	12.5	16	20000	11700	8.5	LH18/37D9	SL280UH070V36A	202393302
16HPX-024-230	24000	12.5	16	20000	11700	8.5	LH18/37D9	SL280UH070XV36A	202393322
16HPX-024-230	24000	12.5	16	20200	11700	8.5	LH18/37D9	SL280UH090V36B	202393342
16HPX-024-230	24000	12.5	16	20000	11700	8.5	LH18/37D9	SLP98UH070XV36B	202393386
16HPX-024-230	23600	12.5	15	20800	12300	8.5	LH18/37D9	SLP99UH070XV36B	205761724
16HPX-024-230	24000	12.5	16	20000	11800	8.5	LH18/37R9	EL296UH070XV36B	202393261
16HPX-024-230	24000	12.2	15	20400	12000	8.5	LH18/37R9	ML180UH070V36A	204741499
16HPX-024-230	23600	12.5	16	20800	12300	9	LH18/37R9	ML180UH070V36B	205747581
16HPX-024-230	23800	12.5	16	20600	12100	9	LH18/37R9	SL280UH060NV36A-	202393281
16HPX-024-230	24000	12.5	16	20000	11700	8.5	LH18/37R9	SL280UH070V36A	202393301
16HPX-024-230	24000	12.5	16	20000	11700	8.5	LH18/37R9	SL280UH070XV36A	202393321
16HPX-024-230	24000	12.5	16	20200	11800	8.5	LH18/37R9	SL280UH090V36B	202393341
16HPX-024-230	24000	12.5	16	20000	11700	8.5	LH18/37R9	SLP98UH070XV36B	202393385
16HPX-024-230	23600	12.5	15	20800	12300	8.5	LH18/37R9	SLP99UH070XV36B	205761722

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-024-230	23600	12.2	16	20000	11700	8.5	LH29/36F9	EL296UH070XV36B	202393247
16HPX-024-230	23600	12.5	16	20800	12300	9	LH29/36F9	ML180UH070V36B	206400199
16HPX-024-230	23800	12.2	16	20600	12100	9	LH29/36F9	SL280UH060NV36A-	202393267
16HPX-024-230	23800	12.2	16	20800	12300	8.5	LH29/36F9	SL280UH070V36A	202393287
16HPX-024-230	23800	12.2	16	20800	12300	8.5	LH29/36F9	SL280UH070XV36A	202393307
16HPX-024-230	23600	12.2	16	20200	11700	8.5	LH29/36F9	SL280UH090V36B	202393327
16HPX-024-230	23600	12.2	16	20000	11700	8.5	LH29/36F9	SLP98UH070XV36B	202393371
16HPX-024-230	23600	12.2	15	20800	12300	8.5	LH29/36F9	SLP99UH070XV36B	205761693
16HPX-024-230	24000	12.5	16	20000	11700	8.5	LH35/36F9	EL296UH070XV36B	202393249
16HPX-024-230	23600	12.5	16	20800	12300	9	LH35/36F9	ML180UH070V36B	206400200
16HPX-024-230	23800	12.5	16	20600	12100	9	LH35/36F9	SL280UH060NV36A-	202393269
16HPX-024-230	24000	12.5	16	20000	11700	8.5	LH35/36F9	SL280UH070V36A	202393289
16HPX-024-230	24000	12.5	16	20000	11700	8.5	LH35/36F9	SL280UH070XV36A	202393309
16HPX-024-230	24000	12.5	16	20200	11700	8.5	LH35/36F9	SL280UH090V36B	202393329
16HPX-024-230	24000	12.5	16	20000	11700	8.5	LH35/36F9	SLP98UH070XV36B	202393373
16HPX-024-230	23600	12.5	15	20800	12300	8.5	LH35/36F9	SLP99UH070XV36B	205761697
16HPX-024-230	24000	12.5	16	20000	11700	8.5	LH35/36X9	EL296UH070XV36B	202393248
16HPX-024-230	23600	12.5	16	22400	12300	9	LH35/36X9	ML180UH070V36B	206191885
16HPX-024-230	24000	12.5	16	21000	11700	8.5	LH35/36X9	ML296UH070XV36B	204603094
16HPX-024-230	23800	12.5	16	20600	12100	9	LH35/36X9	SL280UH060NV36A-	202393268
16HPX-024-230	24000	12.5	16	20000	11700	8.5	LH35/36X9	SL280UH070V36A	202393288
16HPX-024-230	24000	12.5	16	20000	11700	8.5	LH35/36X9	SL280UH070XV36A	202393308
16HPX-024-230	24000	12.5	16	20200	11700	8.5	LH35/36X9	SL280UH090V36B	202393328
16HPX-024-230	24000	12.5	16	20000	11700	8.5	LH35/36X9	SLP98UH070XV36B	202393372
16HPX-024-230	23600	12.5	15	20800	12300	8.5	LH35/36X9	SLP99UH070XV36B	205761695
16HPX-024-230	24000	12.5	16	20000	11800	8.5	LH35/37D9	EL296UH070XV36B	202393252
16HPX-024-230	23600	12.5	16	20800	12300	9	LH35/37D9	ML180UH070V36B	206400201
16HPX-024-230	23800	12.5	16	20600	12100	9	LH35/37D9	SL280UH060NV36A-	202393272
16HPX-024-230	24000	12.5	16	20000	11700	8.5	LH35/37D9	SL280UH070V36A	202393292
16HPX-024-230	24000	12.5	16	20000	11700	8.5	LH35/37D9	SL280UH070XV36A	202393312
16HPX-024-230	24000	12.5	16	20200	11800	8.5	LH35/37D9	SL280UH090V36B	202393332
16HPX-024-230	24000	12.5	16	20000	11700	8.5	LH35/37D9	SLP98UH070XV36B	202393376
16HPX-024-230	23600	12.5	15	20800	12300	8.5	LH35/37D9	SLP99UH070XV36B	205761704
16HPX-024-230	24000	12.5	16	20000	11800	8.5	LH35/38F9	EL296UH070XV36B	202393254
16HPX-024-230	23400	12.5	16	20800	12300	8.5	LH35/38F9	ML180UH070V36A	205747580
16HPX-024-230	23600	13	16	20800	12300	9	LH35/38F9	ML180UH070V36B	206217029
16HPX-024-230	23800	12.5	16	20600	12100	9	LH35/38F9	SL280UH060NV36A-	202393274
16HPX-024-230	24000	12.5	16	20600	12100	8.5	LH35/38F9	SL280UH070V36A	202393294
16HPX-024-230	24000	12.5	16	20600	12100	8.5	LH35/38F9	SL280UH070XV36A	202393314
16HPX-024-230	24000	12.5	16	20200	11800	8.5	LH35/38F9	SL280UH090V36B	202393334
16HPX-024-230	24000	12.5	16	20000	11700	8.5	LH35/38F9	SLP98UH070XV36B	202393378
16HPX-024-230	23600	12.5	16	20800	12300	8.5	LH35/38F9	SLP99UH070XV36B	205761708
16HPX-024-230	24000	12.5	16	20000	11700	8.5	LH35/38X9	EL296UH070XV36B	202393253
16HPX-024-230	23400	12.5	16	20800	12300	8.5	LH35/38X9	ML180UH070V36A	205747579
16HPX-024-230	23600	13	16	22400	12300	9	LH35/38X9	ML180UH070V36B	206191886
16HPX-024-230	23800	12.5	16	20600	12100	9	LH35/38X9	SL280UH060NV36A-	202393273
16HPX-024-230	24000	12.5	16	20600	12100	8.5	LH35/38X9	SL280UH070V36A	202393293
16HPX-024-230	24000	12.5	16	20600	12100	8.5	LH35/38X9	SL280UH070XV36A	202393313
16HPX-024-230	24000	12.5	16	20200	11700	8.5	LH35/38X9	SL280UH090V36B	202393333
16HPX-024-230	24000	12.5	16	20000	11700	8.5	LH35/38X9	SLP98UH070XV36B	202393377
16HPX-024-230	23600	12.5	16	20800	12300	8.5	LH35/38X9	SLP99UH070XV36B	205761706
16HPX-024-230	24000	13	16	20000	11700	8.5	PL36H210P29	EL296UH070XV36B	206776416
16HPX-024-230	23600	13	16	20800	12300	9	PL36H210P29	ML180UH070V36B	206776417
16HPX-024-230	24000	13	16	20600	12100	8.5	PL36H210P29	ML180UH090V48B	206776420

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-036-230	34600	12.5	15	31400	20200	8.5	L*18/36T9	EL195UH090XE48C	202393524
16HPX-036-230	34600	12	15	31400	20800	8.2	L*18/36T9	EL196UH045XE36B	202393547
16HPX-036-230	34600	12	15	31400	21000	8.2	L*18/36T9	EL196UH070XE36B	202393570
16HPX-036-230	34600	12.5	15	31400	20200	8.5	L*18/36T9	EL196UH090XE48C	202393593
16HPX-036-230	34600	12	15	31400	20400	8.2	L*18/36T9	EL280UH070XE36A	203366286
16HPX-036-230	35200	11.7	15	32400	21400	8.5	L*18/36T9	EL296DF045XE36B	202393616
16HPX-036-230	35200	12.2	15	32400	21000	8.5	L*18/36T9	EL296DF070XE48B	202393630
16HPX-036-230	35200	12.2	14.5	32400	21200	8.5	L*18/36T9	EL296DF070XV48B	202393644
16HPX-036-230	34600	12	15	32400	20800	8.2	L*18/36T9	EL296UH045XE36B	202393658
16HPX-036-230	34600	12	15	31200	20800	8.2	L*18/36T9	EL296UH045XV36B	202393681
16HPX-036-230	34600	12	15	32400	20800	8.2	L*18/36T9	EL296UH070XE36B	202393704
16HPX-036-230	34600	12	15	32400	20600	8.2	L*18/36T9	EL296UH070XV36B	202393727
16HPX-036-230	34600	12.5	15	31400	20200	8.5	L*18/36T9	EL296UH090XE48C	202393750
16HPX-036-230	34600	12.5	15	31400	20200	8.5	L*18/36T9	EL296UH090XV36C	202393773
16HPX-036-230	34600	12.5	15	31200	20200	8.5	L*18/36T9	EL296UH090XV48C	202393796
16HPX-036-230	34600	12.5	15	31400	20200	8.5	L*18/36T9	EL296UH110XV60C	202393841
16HPX-036-230	35200	12.5	15	32400	20800	8.5	L*18/36T9	ML180DF070E36B	202393864
16HPX-036-230	34600	12.5	15	31200	20600	8.2	L*18/36T9	ML180UH070E36B	202393878
16HPX-036-230	34600	12.5	15	31200	20600	8.5	L*18/36T9	ML180UH090E48B	202393901
16HPX-036-230	34600	12	15	31400	20400	8.2	L*18/36T9	ML296UH070XV36B	204667994
16HPX-036-230	34600	12.5	15	31200	20200	8.5	L*18/36T9	ML296UH090XV48C	205416014
16HPX-036-230	35200	12.2	15	32400	21000	8.5	L*18/36T9	SL280DF090V48B	202393924
16HPX-036-230	35400	12.5	15	32400	21000	8.5	L*18/36T9	SL280DF090V60C	202393938
16HPX-036-230	35200	12.5	15	32400	21000	8.5	L*18/36T9	SL280DF110V60C	202393952
16HPX-036-230	34600	12.5	15	32400	20400	8.2	L*18/36T9	SL280UH090V36B	202393966
16HPX-036-230	34600	12.5	15	32400	20400	8.2	L*18/36T9	SL280UH090V48B	202393989
16HPX-036-230	34600	12.5	15	31600	20400	8.5	L*18/36T9	SL280UH090V60C	202394012
16HPX-036-230	34600	12.5	15	32400	20400	8.2	L*18/36T9	SL280UH090XV48B	202394035
16HPX-036-230	34600	12.5	15	31600	20400	8.5	L*18/36T9	SL280UH110V60C	202394080
16HPX-036-230	34600	12.5	15	31600	20400	8.5	L*18/36T9	SL280UH110XV60C	202394103
16HPX-036-230	35200	12.2	15	32400	21000	8.5	L*18/36T9	SLP98DF070XV36B	202394126
16HPX-036-230	35200	12.2	15	32400	21000	8.5	L*18/36T9	SLP98DF090XV36C	202394144
16HPX-036-230	35200	12.2	15	32400	21000	8.5	L*18/36T9	SLP98DF090XV48C	202394158
16HPX-036-230	35200	12.2	15	32400	21000	8.5	L*18/36T9	SLP98DF090XV60C	202394172
16HPX-036-230	35200	12.2	15	32400	21200	8.5	L*18/36T9	SLP98DF110XV60C	202394186
16HPX-036-230	34600	12	15	31400	20400	8.2	L*18/36T9	SLP98UH070XV36B	202394200
16HPX-036-230	34600	12.5	15	31400	20200	8.5	L*18/36T9	SLP98UH090XV36C	202394223
16HPX-036-230	34600	12.5	15	31200	20200	8.5	L*18/36T9	SLP98UH090XV48C	202394246
16HPX-036-230	34600	12.5	15	31400	20200	8.5	L*18/36T9	SLP98UH110XV60C	202394291
16HPX-036-230	35200	12.2	15	34400	21000	8.5	L*18/36T9	SLP99DF070XV36B	205760113
16HPX-036-230	35200	12.2	15	34400	21000	8.5	L*18/36T9	SLP99DF090XV36C	205760144
16HPX-036-230	35200	12.2	15	34400	21000	8.5	L*18/36T9	SLP99DF090XV48C	205760175
16HPX-036-230	35200	12.2	15	34400	21000	8.5	L*18/36T9	SLP99DF090XV60C	205760204
16HPX-036-230	35200	12.2	15	34400	21200	8.5	L*18/36T9	SLP99DF110XV60C	205760235
16HPX-036-230	35000	11.7	14	32400	21800	8.5	L*18/36T9		202395048
16HPX-036-230	35000	12.5	15	31400	20200	8.5	L*19/36S9	EL195UH090XE48C	202393528
16HPX-036-230	35000	12.2	15	31400	20800	8.2	L*19/36S9	EL196UH045XE36B	202393551
16HPX-036-230	35000	12.2	15	31400	21000	8.2	L*19/36S9	EL196UH070XE36B	202393574
16HPX-036-230	35000	12.5	15	31400	20200	8.5	L*19/36S9	EL196UH090XE48C	202393597
16HPX-036-230	35000	12.2	15	31600	20400	8.5	L*19/36S9	EL280UH070XE36A	203366290
16HPX-036-230	35800	12	15	32400	21400	8.5	L*19/36S9	EL296DF045XE36B	202393617
16HPX-036-230	35600	12.2	15	32400	21000	8.5	L*19/36S9	EL296DF070XE48B	202393631
16HPX-036-230	35600	12.2	15	32400	21200	8.5	L*19/36S9	EL296DF070XV48B	202393645
16HPX-036-230	35000	12.2	15	31800	20600	8.2	L*19/36S9	EL296UH045XE36B	202393662

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-036-230	35000	12.2	15	31200	20800	8.2	L*19/36S9	EL296UH045XV36B	202393685
16HPX-036-230	35000	12.2	15	31600	20200	8.2	L*19/36S9	EL296UH070XE36B	202393708
16HPX-036-230	35000	12.2	15	31600	20400	8.2	L*19/36S9	EL296UH070XV36B	202393731
16HPX-036-230	35000	12.5	15	31400	20200	8.5	L*19/36S9	EL296UH090XE48C	202393754
16HPX-036-230	35000	12.5	15	31400	20200	8.5	L*19/36S9	EL296UH090XV36C	202393777
16HPX-036-230	35000	12.5	15	31200	20200	8.5	L*19/36S9	EL296UH090XV48C	202393800
16HPX-036-230	35400	12.5	15	32400	21400	8.2	L*19/36S9	EL296UH090XV60C	202393822
16HPX-036-230	35000	12.5	15	31400	20200	8.5	L*19/36S9	EL296UH110XV60C	202393845
16HPX-036-230	35600	12.5	16	32400	20800	8.5	L*19/36S9	ML180DF070E36B	202393865
16HPX-036-230	35000	12.5	15	31200	20000	8.2	L*19/36S9	ML180UH070E36B	202393882
16HPX-036-230	35000	12.5	15	31200	20600	8.5	L*19/36S9	ML180UH090E48B	202393905
16HPX-036-230	35600	12.2	15	34400	21200	8.5	L*19/36S9	ML296DF070XV48B	204667989
16HPX-036-230	35000	12.2	15	31200	20600	8.2	L*19/36S9	ML296UH070XV36B	204667997
16HPX-036-230	35000	12.5	15	31200	20200	8.5	L*19/36S9	ML296UH090XV48C	205416015
16HPX-036-230	35600	12.2	16	32400	21000	8.5	L*19/36S9	SL280DF090V48B	202393925
16HPX-036-230	35800	13	16	32400	21000	8.5	L*19/36S9	SL280DF090V60C	202393939
16HPX-036-230	35600	12.5	16	32400	21000	8.5	L*19/36S9	SL280DF110V60C	202393953
16HPX-036-230	35000	12.5	15	31200	20000	8.2	L*19/36S9	SL280UH090V36B	202393970
16HPX-036-230	35000	12.5	15	31400	20200	8.2	L*19/36S9	SL280UH090V48B	202393993
16HPX-036-230	35200	12.5	15	31600	20400	8.5	L*19/36S9	SL280UH090V60C	202394016
16HPX-036-230	35000	12.5	15	31400	20200	8.2	L*19/36S9	SL280UH090XV48B	202394039
16HPX-036-230	35200	12.5	16	32200	21200	8.2	L*19/36S9	SL280UH090XV60C	202394061
16HPX-036-230	35000	12.5	15	31600	20400	8.5	L*19/36S9	SL280UH110V60C	202394084
16HPX-036-230	35000	12.5	15	31600	20400	8.5	L*19/36S9	SL280UH110XV60C	202394107
16HPX-036-230	35600	12.2	16	32400	21000	8.5	L*19/36S9	SLP98DF070XV36B	202394128
16HPX-036-230	35600	12.2	16	32400	21000	8.5	L*19/36S9	SLP98DF090XV36C	202394145
16HPX-036-230	35600	12.2	16	32400	21000	8.5	L*19/36S9	SLP98DF090XV48C	202394159
16HPX-036-230	35800	12.5	16	32400	21000	8.5	L*19/36S9	SLP98DF090XV60C	202394173
16HPX-036-230	35800	12.5	16	32400	21200	8.5	L*19/36S9	SLP98DF110XV60C	202394187
16HPX-036-230	35000	12.2	15	31600	20400	8.2	L*19/36S9	SLP98UH070XV36B	202394204
16HPX-036-230	35000	12.5	15	31400	20200	8.5	L*19/36S9	SLP98UH090XV36C	202394227
16HPX-036-230	35000	12.5	15	31200	20200	8.5	L*19/36S9	SLP98UH090XV48C	202394250
16HPX-036-230	35400	12.5	15	32400	21400	8.2	L*19/36S9	SLP98UH090XV60C	202394272
16HPX-036-230	35000	12.5	15	31400	20200	8.5	L*19/36S9	SLP98UH110XV60C	202394295
16HPX-036-230	35600	12.2	16	34400	21000	8.5	L*19/36S9	SLP99DF070XV36B	205760115
16HPX-036-230	35600	12.2	16	34400	21000	8.5	L*19/36S9	SLP99DF090XV36C	205760147
16HPX-036-230	35600	12.2	16	34400	21000	8.5	L*19/36S9	SLP99DF090XV48C	205760178
16HPX-036-230	35800	12.5	16	34400	21000	8.5	L*19/36S9	SLP99DF090XV60C	205760206
16HPX-036-230	35800	12.5	16	34400	21200	8.5	L*19/36S9	SLP99DF110XV60C	205760237
16HPX-036-230	35400	12	14.5	32400	21800	8.5	L*19/36S9		202395052
16HPX-036-230	36000	13	16	31400	20200	8.5	L*23/37Z9	EL195UH090XE48C	202393542
16HPX-036-230	36000	13	16	32400	20800	8.5	L*23/37Z9	EL196UH045XE36B	202393565
16HPX-036-230	36000	13	16	31600	20200	8.5	L*23/37Z9	EL196UH070XE36B	202393588
16HPX-036-230	36000	13	16	31600	20200	8.5	L*23/37Z9	EL196UH090XE48C	202393611
16HPX-036-230	36000	13	16	31600	20400	8.5	L*23/37Z9	EL280UH070XE36A	203366304
16HPX-036-230	36000	13	16	31600	20400	8.5	L*23/37Z9	EL280UH090E36B	206775474
16HPX-036-230	36000	12.5	16	32400	21400	8.5	L*23/37Z9	EL296DF045XE36B	202393625
16HPX-036-230	36000	13	16	32400	21000	8.5	L*23/37Z9	EL296DF070XE48B	202393639
16HPX-036-230	36000	12.5	15	32400	21200	8.5	L*23/37Z9	EL296DF070XV48B	202393653
16HPX-036-230	36000	13	16	31800	20600	8.5	L*23/37Z9	EL296UH045XE36B	202393676
16HPX-036-230	36000	13	16	31400	20800	8.5	L*23/37Z9	EL296UH045XV36B	202393699
16HPX-036-230	36000	13	16	31600	20200	8.5	L*23/37Z9	EL296UH070XE36B	202393722
16HPX-036-230	36000	13	16	31600	20400	8.5	L*23/37Z9	EL296UH070XV36B	202393745
16HPX-036-230	36000	13	16	31400	20200	8.5	L*23/37Z9	EL296UH090XE48C	202393768

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-036-230	36000	13	16	31400	20200	8.5	L*23/37Z9	EL296UH090XV36C	202393791
16HPX-036-230	36000	13	16	32400	20200	8.5	L*23/37Z9	EL296UH090XV48C	202393814
16HPX-036-230	36000	13	16	31800	20400	8.5	L*23/37Z9	EL296UH090XV60C	202393836
16HPX-036-230	36000	13	16	31600	20200	8.5	L*23/37Z9	EL296UH110XV60C	202393859
16HPX-036-230	36000	13	16	32400	20800	8.5	L*23/37Z9	ML180DF070E36B	202393873
16HPX-036-230	36000	13	16	31400	20000	8.5	L*23/37Z9	ML180UH070E36B	202393896
16HPX-036-230	35800	13	16	33200	19800	8.5	L*23/37Z9	ML180UH070V36B	206188363
16HPX-036-230	36000	13	16	32400	20000	8.5	L*23/37Z9	ML180UH070V48B	206188357
16HPX-036-230	36000	13	16	31400	20600	9	L*23/37Z9	ML180UH090E48B	202393919
16HPX-036-230	36000	13	16	32400	20000	8.5	L*23/37Z9	ML180UH090V48B	206188359
16HPX-036-230	36000	13	16	33200	20000	9	L*23/37Z9	ML180UH110V60C	206188365
16HPX-036-230	36000	12.5	15	34400	21200	8.5	L*23/37Z9	ML296DF070XV48B	204667993
16HPX-036-230	36000	13	16	31400	20600	8.5	L*23/37Z9	ML296UH070XV36B	204668001
16HPX-036-230	36000	13	16	31200	20200	8.5	L*23/37Z9	ML296UH090XV48C	205416023
16HPX-036-230	36000	13	16	32400	21000	8.5	L*23/37Z9	SL280DF090V48B	202393933
16HPX-036-230	36000	13	16	32400	21000	8.5	L*23/37Z9	SL280DF090V60C	202393947
16HPX-036-230	36000	13	16	32400	21000	8.5	L*23/37Z9	SL280DF110V60C	202393961
16HPX-036-230	36000	13	16	31200	20000	8.5	L*23/37Z9	SL280UH090V36B	202393984
16HPX-036-230	36000	13	16	31400	20200	8.5	L*23/37Z9	SL280UH090V48B	202394007
16HPX-036-230	36000	13	16	31600	20400	8.5	L*23/37Z9	SL280UH090V60C	202394030
16HPX-036-230	36000	13	16	31400	20200	8.5	L*23/37Z9	SL280UH090XV48B	202394053
16HPX-036-230	36000	13	16	31600	20400	8.5	L*23/37Z9	SL280UH090XV60C	202394075
16HPX-036-230	36000	13	16	31600	20400	8.5	L*23/37Z9	SL280UH110V60C	202394098
16HPX-036-230	36000	13	16	31600	20400	8.5	L*23/37Z9	SL280UH110XV60C	202394121
16HPX-036-230	36000	13	16	32400	21000	8.5	L*23/37Z9	SLP98DF070XV36B	202394139
16HPX-036-230	36000	13	16	32400	21000	8.5	L*23/37Z9	SLP98DF090XV36C	202394153
16HPX-036-230	36000	13	16	32400	21000	8.5	L*23/37Z9	SLP98DF090XV48C	202394167
16HPX-036-230	36000	13	16	32400	21000	8.5	L*23/37Z9	SLP98DF090XV60C	202394181
16HPX-036-230	36000	13	16	32400	21200	8.5	L*23/37Z9	SLP98DF110XV60C	202394195
16HPX-036-230	36000	13	16	31600	20400	8.5	L*23/37Z9	SLP98UH070XV36B	202394218
16HPX-036-230	36000	13	16	31400	20200	8.5	L*23/37Z9	SLP98UH090XV36C	202394241
16HPX-036-230	36000	13	16	32400	20200	8.5	L*23/37Z9	SLP98UH090XV48C	202394264
16HPX-036-230	36000	13	16	31800	20400	8.5	L*23/37Z9	SLP98UH090XV60C	202394286
16HPX-036-230	36000	13	16	31600	20200	8.5	L*23/37Z9	SLP98UH110XV60C	202394309
16HPX-036-230	36000	13	16	34400	21000	8.5	L*23/37Z9	SLP99DF070XV36B	205760133
16HPX-036-230	36000	13	16	34400	21000	8.5	L*23/37Z9	SLP99DF090XV36C	205760164
16HPX-036-230	36000	13	16	34400	21000	8.5	L*23/37Z9	SLP99DF090XV48C	205760194
16HPX-036-230	36000	13	16	34400	21000	8.5	L*23/37Z9	SLP99DF090XV60C	205760223
16HPX-036-230	36000	13	16	34400	21200	8.5	L*23/37Z9	SLP99DF110XV60C	205760255
16HPX-036-230	36000	13	16	31400	20200	8.5	L*24/36Y9	EL195UH090XE48C	202393546
16HPX-036-230	36000	12.5	15	32000	20600	8.5	L*24/36Y9	EL196UH045XE36B	202393569
16HPX-036-230	36000	12.5	16	31400	20200	8.5	L*24/36Y9	EL196UH070XE36B	202393592
16HPX-036-230	36000	13	16	31600	20200	8.5	L*24/36Y9	EL196UH090XE48C	202393615
16HPX-036-230	36000	12.5	16	31600	20400	8.5	L*24/36Y9	EL280UH070XE36A	203366308
16HPX-036-230	36000	12.5	16	32400	21400	8.5	L*24/36Y9	EL296DF045XE36B	202393629
16HPX-036-230	36000	13	16	32400	21000	8.5	L*24/36Y9	EL296DF070XE48B	202393643
16HPX-036-230	36000	12.5	15	32400	21200	8.5	L*24/36Y9	EL296DF070XV48B	202393657
16HPX-036-230	36000	12.5	15	31800	20600	8.5	L*24/36Y9	EL296UH045XE36B	202393680
16HPX-036-230	36000	12.5	16	31400	20800	8.5	L*24/36Y9	EL296UH045XV36B	202393703
16HPX-036-230	36000	12.5	16	31600	20200	8.5	L*24/36Y9	EL296UH070XE36B	202393726
16HPX-036-230	36000	12.5	16	31600	20400	8.5	L*24/36Y9	EL296UH070XV36B	202393749
16HPX-036-230	36000	13	16	31400	20200	8.5	L*24/36Y9	EL296UH090XE48C	202393772
16HPX-036-230	36000	13	16	31400	20200	8.5	L*24/36Y9	EL296UH090XV36C	202393795
16HPX-036-230	36000	13	16	32400	20200	8.5	L*24/36Y9	EL296UH090XV48C	202393818

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-036-230	36000	13	16	31800	20400	8.5	L*24/36Y9	EL296UH090XV60C	202393840
16HPX-036-230	36000	13	16	31600	20200	8.5	L*24/36Y9	EL296UH110XV60C	202393863
16HPX-036-230	36000	13	16	32400	20800	8.5	L*24/36Y9	ML180DF070E36B	202393877
16HPX-036-230	36000	13	16	31400	20000	8.5	L*24/36Y9	ML180UH070E36B	202393900
16HPX-036-230	36000	13	16	31400	20600	9	L*24/36Y9	ML180UH090E48B	202393923
16HPX-036-230	36000	13	16	31200	20000	8.5	L*24/36Y9	ML296UH090XV48C	205416027
16HPX-036-230	36000	13	16	32400	21000	8.5	L*24/36Y9	SL280DF090V48B	202393937
16HPX-036-230	36000	13	16	32400	21000	8.5	L*24/36Y9	SL280DF090V60C	202393951
16HPX-036-230	36000	13	16	32400	21000	8.5	L*24/36Y9	SL280DF110V60C	202393965
16HPX-036-230	36000	13	16	31200	20000	8.5	L*24/36Y9	SL280UH090V36B	202393988
16HPX-036-230	36000	13	16	31400	20200	8.5	L*24/36Y9	SL280UH090V48B	202394011
16HPX-036-230	36000	13	16	31600	20400	8.5	L*24/36Y9	SL280UH090V60C	202394034
16HPX-036-230	36000	13	16	32400	20400	8.5	L*24/36Y9	SL280UH090XV48B	202394057
16HPX-036-230	36000	13	16	31600	20400	8.5	L*24/36Y9	SL280UH090XV60C	202394079
16HPX-036-230	36000	13	16	31600	20400	8.5	L*24/36Y9	SL280UH110V60C	202394102
16HPX-036-230	36000	13	16	31600	20400	8.5	L*24/36Y9	SL280UH110XV60C	202394125
16HPX-036-230	36000	13	16	32400	21000	8.5	L*24/36Y9	SLP98DF070XV36B	202394143
16HPX-036-230	36000	13	16	32400	21000	8.5	L*24/36Y9	SLP98DF090XV36C	202394157
16HPX-036-230	36000	13	16	32400	21000	8.5	L*24/36Y9	SLP98DF090XV48C	202394171
16HPX-036-230	36000	13	16	32400	21000	8.5	L*24/36Y9	SLP98DF090XV60C	202394185
16HPX-036-230	36000	13	16	32400	21200	8.5	L*24/36Y9	SLP98DF110XV60C	202394199
16HPX-036-230	36000	12.5	16	32400	20600	8.5	L*24/36Y9	SLP98UH070XV36B	202394222
16HPX-036-230	36000	13	16	31400	20200	8.5	L*24/36Y9	SLP98UH090XV36C	202394245
16HPX-036-230	36000	13	16	32400	20200	8.5	L*24/36Y9	SLP98UH090XV48C	202394268
16HPX-036-230	36000	13	16	31800	20400	8.5	L*24/36Y9	SLP98UH090XV60C	202394290
16HPX-036-230	36000	13	16	32400	20400	8.5	L*24/36Y9	SLP98UH110XV60C	202394313
16HPX-036-230	36000	13	16	34400	21000	8.5	L*24/36Y9	SLP99DF070XV36B	205760142
16HPX-036-230	36000	13	16	34400	21000	8.5	L*24/36Y9	SLP99DF090XV36C	205760173
16HPX-036-230	36000	13	16	34400	21000	8.5	L*24/36Y9	SLP99DF090XV48C	205760202
16HPX-036-230	36000	13	16	34400	21000	8.5	L*24/36Y9	SLP99DF090XV60C	205760233
16HPX-036-230	36000	13	16	34400	21200	8.5	L*24/36Y9	SLP99DF110XV60C	205760263
16HPX-036-230	35600	12.5	15	32400	21800	8.5	L*24/36Y9		202395070
16HPX-036-230	36000	13	16	31400	20200	8.5	L*24/36Z9	EL195UH090XE48C	202393545
16HPX-036-230	36000	12.5	15	32000	20600	8.5	L*24/36Z9	EL196UH045XE36B	202393568
16HPX-036-230	36000	12.5	16	31400	20200	8.5	L*24/36Z9	EL196UH070XE36B	202393591
16HPX-036-230	36000	13	16	31600	20200	8.5	L*24/36Z9	EL196UH090XE48C	202393614
16HPX-036-230	36000	12.5	16	31600	20400	8.5	L*24/36Z9	EL280UH070XE36A	203366307
16HPX-036-230	36000	12.5	16	32400	21400	8.5	L*24/36Z9	EL296DF045XE36B	202393628
16HPX-036-230	36000	13	16	32400	21000	8.5	L*24/36Z9	EL296DF070XE48B	202393642
16HPX-036-230	36000	12.5	15	32400	21200	8.5	L*24/36Z9	EL296DF070XV48B	202393656
16HPX-036-230	36000	12.5	15	31800	20600	8.5	L*24/36Z9	EL296UH045XE36B	202393679
16HPX-036-230	36000	12.5	16	31400	20800	8.5	L*24/36Z9	EL296UH045XV36B	202393702
16HPX-036-230	36000	12.5	16	31600	20200	8.5	L*24/36Z9	EL296UH070XE36B	202393725
16HPX-036-230	36000	12.5	16	31600	20400	8.5	L*24/36Z9	EL296UH070XV36B	202393748
16HPX-036-230	36000	13	16	31400	20200	8.5	L*24/36Z9	EL296UH090XE48C	202393771
16HPX-036-230	36000	13	16	31400	20200	8.5	L*24/36Z9	EL296UH090XV36C	202393794
16HPX-036-230	36000	13	16	32400	20200	8.5	L*24/36Z9	EL296UH090XV48C	202393817
16HPX-036-230	36000	13	16	31800	20400	8.5	L*24/36Z9	EL296UH090XV60C	202393839
16HPX-036-230	36000	13	16	31600	20200	8.5	L*24/36Z9	EL296UH110XV60C	202393862
16HPX-036-230	36000	13	16	32400	20800	8.5	L*24/36Z9	ML180DF070E36B	202393876
16HPX-036-230	36000	13	16	31400	20000	8.5	L*24/36Z9	ML180UH070E36B	202393899
16HPX-036-230	36000	13	16	31400	20600	9	L*24/36Z9	ML180UH090E48B	202393922
16HPX-036-230	36000	13	16	31200	20000	8.5	L*24/36Z9	ML296UH090XV48C	205416026
16HPX-036-230	36000	13	16	32400	21000	8.5	L*24/36Z9	SL280DF090V48B	202393936

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-036-230	36000	13	16	32400	21000	8.5	L*24/36Z9	SL280DF090V60C	202393950
16HPX-036-230	36000	13	16	32400	21000	8.5	L*24/36Z9	SL280DF110V60C	202393964
16HPX-036-230	36000	13	16	31200	20000	8.5	L*24/36Z9	SL280UH090V36B	202393987
16HPX-036-230	36000	13	16	31400	20200	8.5	L*24/36Z9	SL280UH090V48B	202394010
16HPX-036-230	36000	13	16	31600	20200	8.5	L*24/36Z9	SL280UH090V60C	202394033
16HPX-036-230	36000	13	16	32400	20400	8.5	L*24/36Z9	SL280UH090XV48B	202394056
16HPX-036-230	36000	13	16	31600	20200	8.5	L*24/36Z9	SL280UH090XV60C	202394078
16HPX-036-230	36000	13	16	31600	20200	8.5	L*24/36Z9	SL280UH110V60C	202394101
16HPX-036-230	36000	13	16	31600	20200	8.5	L*24/36Z9	SL280UH110XV60C	202394124
16HPX-036-230	36000	13	16	32400	21000	8.5	L*24/36Z9	SLP98DF070XV36B	202394142
16HPX-036-230	36000	13	16	32400	21000	8.5	L*24/36Z9	SLP98DF090XV36C	202394156
16HPX-036-230	36000	13	16	32400	21000	8.5	L*24/36Z9	SLP98DF090XV48C	202394170
16HPX-036-230	36000	13	16	32400	21000	8.5	L*24/36Z9	SLP98DF090XV60C	202394184
16HPX-036-230	36000	13	16	32400	21200	8.5	L*24/36Z9	SLP98DF110XV60C	202394198
16HPX-036-230	36000	12.5	16	32400	20600	8.5	L*24/36Z9	SLP98UH070XV36B	202394221
16HPX-036-230	36000	13	16	31400	20200	8.5	L*24/36Z9	SLP98UH090XV36C	202394244
16HPX-036-230	36000	13	16	32400	20200	8.5	L*24/36Z9	SLP98UH090XV48C	202394267
16HPX-036-230	36000	13	16	31800	20400	8.5	L*24/36Z9	SLP98UH090XV60C	202394289
16HPX-036-230	36000	13	16	31600	20200	8.5	L*24/36Z9	SLP98UH110XV60C	202394312
16HPX-036-230	36000	13	16	34400	21000	8.5	L*24/36Z9	SLP99DF070XV36B	205760140
16HPX-036-230	36000	13	16	34400	21000	8.5	L*24/36Z9	SLP99DF090XV36C	205760171
16HPX-036-230	36000	13	16	34400	21000	8.5	L*24/36Z9	SLP99DF090XV48C	205760200
16HPX-036-230	36000	13	16	34400	21000	8.5	L*24/36Z9	SLP99DF090XV60C	205760230
16HPX-036-230	36000	13	16	34400	21200	8.5	L*24/36Z9	SLP99DF110XV60C	205760261
16HPX-036-230	35600	12.5	15	32400	21800	8.5	L*24/36Z9		202395069
16HPX-036-230	35000	12.5	15	31400	20200	8.5	L*24/42S9	EL195UH090XE48C	202393529
16HPX-036-230	35000	12.2	15	31400	20800	8.2	L*24/42S9	EL196UH045XE36B	202393552
16HPX-036-230	35000	12.2	15	31400	21000	8.2	L*24/42S9	EL196UH070XE36B	202393575
16HPX-036-230	35000	12.5	15	31400	20200	8.5	L*24/42S9	EL196UH090XE48C	202393598
16HPX-036-230	35000	12.2	15	31600	20400	8.5	L*24/42S9	EL280UH070XE36A	203366291
16HPX-036-230	35800	12	15	32400	21400	8.5	L*24/42S9	EL296DF045XE36B	202393618
16HPX-036-230	35600	12.2	15	32400	21000	8.5	L*24/42S9	EL296DF070XE48B	202393632
16HPX-036-230	35600	12.2	15	32400	21200	8.5	L*24/42S9	EL296DF070XV48B	202393646
16HPX-036-230	35000	12.2	15	31800	20600	8.2	L*24/42S9	EL296UH045XE36B	202393663
16HPX-036-230	35000	12.2	15	31200	20800	8.2	L*24/42S9	EL296UH045XV36B	202393686
16HPX-036-230	35000	12.2	15	31600	20200	8.2	L*24/42S9	EL296UH070XE36B	202393709
16HPX-036-230	35000	12.2	15	31600	20400	8.2	L*24/42S9	EL296UH070XV36B	202393732
16HPX-036-230	35000	12.5	15	31400	20200	8.5	L*24/42S9	EL296UH090XE48C	202393755
16HPX-036-230	35000	12.5	15	31400	20200	8.5	L*24/42S9	EL296UH090XV36C	202393778
16HPX-036-230	35000	12.5	15	31200	20200	8.5	L*24/42S9	EL296UH090XV48C	202393801
16HPX-036-230	35400	12.5	15	32400	21400	8.2	L*24/42S9	EL296UH090XV60C	202393823
16HPX-036-230	35000	12.5	15	31400	20200	8.5	L*24/42S9	EL296UH110XV60C	202393846
16HPX-036-230	35600	12.5	16	32400	20800	8.5	L*24/42S9	ML180DF070E36B	202393866
16HPX-036-230	35000	12.5	15	31200	20000	8.2	L*24/42S9	ML180UH070E36B	202393883
16HPX-036-230	35000	12.5	15	31200	20600	8.5	L*24/42S9	ML180UH090E48B	202393906
16HPX-036-230	35000	12.5	15	31200	20200	8.5	L*24/42S9	ML296UH090XV48C	205416016
16HPX-036-230	35600	12.2	16	32400	21000	8.5	L*24/42S9	SL280DF090V48B	202393926
16HPX-036-230	35800	13	16	32400	21000	8.5	L*24/42S9	SL280DF090V60C	202393940
16HPX-036-230	35600	12.5	16	32400	21000	8.5	L*24/42S9	SL280DF110V60C	202393954
16HPX-036-230	35000	12.5	15	31200	20000	8.2	L*24/42S9	SL280UH090V36B	202393971
16HPX-036-230	35000	12.5	15	31400	20200	8.2	L*24/42S9	SL280UH090V48B	202393994
16HPX-036-230	35200	12.5	15	31600	20400	8.5	L*24/42S9	SL280UH090V60C	202394017
16HPX-036-230	35000	12.5	15	31400	20200	8.2	L*24/42S9	SL280UH090XV48B	202394040
16HPX-036-230	35200	12.5	16	32200	21200	8.2	L*24/42S9	SL280UH090XV60C	202394062

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-036-230	35000	12.5	15	31600	20400	8.5	L*24/42S9	SL280UH110V60C	202394085
16HPX-036-230	35000	12.5	15	31600	20400	8.5	L*24/42S9	SL280UH110XV60C	202394108
16HPX-036-230	35600	12.2	16	32400	21000	8.5	L*24/42S9	SLP98DF070XV36B	202394129
16HPX-036-230	35600	12.2	16	32400	21000	8.5	L*24/42S9	SLP98DF090XV36C	202394146
16HPX-036-230	35600	12.2	16	32400	21000	8.5	L*24/42S9	SLP98DF090XV48C	202394160
16HPX-036-230	35800	12.5	16	32400	21000	8.5	L*24/42S9	SLP98DF090XV60C	202394174
16HPX-036-230	35800	12.5	16	32400	21200	8.5	L*24/42S9	SLP98DF110XV60C	202394188
16HPX-036-230	35000	12.2	15	31600	20400	8.2	L*24/42S9	SLP98UH070XV36B	202394205
16HPX-036-230	35000	12.5	15	31400	20200	8.5	L*24/42S9	SLP98UH090XV36C	202394228
16HPX-036-230	35000	12.5	15	31200	20200	8.5	L*24/42S9	SLP98UH090XV48C	202394251
16HPX-036-230	35400	12.5	15	32400	21400	8.2	L*24/42S9	SLP98UH090XV60C	202394273
16HPX-036-230	35000	12.5	15	31400	20200	8.5	L*24/42S9	SLP98UH110XV60C	202394296
16HPX-036-230	35600	12.2	16	34400	21000	8.5	L*24/42S9	SLP99DF070XV36B	205760117
16HPX-036-230	35600	12.2	16	34400	21000	8.5	L*24/42S9	SLP99DF090XV36C	205760149
16HPX-036-230	35600	12.2	16	34400	21000	8.5	L*24/42S9	SLP99DF090XV48C	205760180
16HPX-036-230	35800	12.5	16	34400	21000	8.5	L*24/42S9	SLP99DF090XV60C	205760209
16HPX-036-230	35800	12.5	16	34400	21200	8.5	L*24/42S9	SLP99DF110XV60C	205760240
16HPX-036-230	35400	12	14.5	32400	21800	8.5	L*24/42S9		202395053
16HPX-036-230	36000	13	16	31400	20200	8.5	L*25/37Y9	EL195UH090XE48C	202393544
16HPX-036-230	36000	12.5	15	32000	20600	8.5	L*25/37Y9	EL196UH045XE36B	202393567
16HPX-036-230	36000	13	16	31400	20200	8.5	L*25/37Y9	EL196UH070XE36B	202393590
16HPX-036-230	36000	13	16	31600	20200	8.5	L*25/37Y9	EL196UH090XE48C	202393613
16HPX-036-230	36000	13	16	31600	20400	8.5	L*25/37Y9	EL280UH070XE36A	203366306
16HPX-036-230	36000	12.5	16	32400	21400	8.5	L*25/37Y9	EL296DF045XE36B	202393627
16HPX-036-230	36000	13	16	32400	21000	8.5	L*25/37Y9	EL296DF070XE48B	202393641
16HPX-036-230	36000	12.5	15	32400	21200	8.5	L*25/37Y9	EL296DF070XV48B	202393655
16HPX-036-230	36000	12.5	15	31800	20600	8.5	L*25/37Y9	EL296UH045XE36B	202393678
16HPX-036-230	36000	13	16	31400	20800	8.5	L*25/37Y9	EL296UH045XV36B	202393701
16HPX-036-230	36000	13	16	31600	20200	8.5	L*25/37Y9	EL296UH070XE36B	202393724
16HPX-036-230	36000	13	16	31600	20400	8.5	L*25/37Y9	EL296UH070XV36B	202393747
16HPX-036-230	36000	13	16	31400	20200	8.5	L*25/37Y9	EL296UH090XE48C	202393770
16HPX-036-230	36000	13	16	31400	20200	8.5	L*25/37Y9	EL296UH090XV36C	202393793
16HPX-036-230	36000	13	16	31400	20000	8.5	L*25/37Y9	EL296UH090XV48C	202393816
16HPX-036-230	36000	13	16	31800	20400	8.5	L*25/37Y9	EL296UH090XV60C	202393838
16HPX-036-230	36000	13	16	31600	20200	8.5	L*25/37Y9	EL296UH110XV60C	202393861
16HPX-036-230	36000	13	16	32400	20800	8.5	L*25/37Y9	ML180DF070E36B	202393875
16HPX-036-230	36000	13	16	31400	20000	8.5	L*25/37Y9	ML180UH070E36B	202393898
16HPX-036-230	36000	13	16	31400	20600	9	L*25/37Y9	ML180UH090E48B	202393921
16HPX-036-230	36000	13	16	31200	20000	8.5	L*25/37Y9	ML296UH090XV48C	205416025
16HPX-036-230	36000	13	16	32400	21000	8.5	L*25/37Y9	SL280DF090V48B	202393935
16HPX-036-230	36000	13	16	32400	21000	8.5	L*25/37Y9	SL280DF090V60C	202393949
16HPX-036-230	36000	13	16	32400	21000	8.5	L*25/37Y9	SL280DF110V60C	202393963
16HPX-036-230	36000	13	16	31200	20000	8.5	L*25/37Y9	SL280UH090V36B	202393986
16HPX-036-230	36000	13	16	31400	20200	8.5	L*25/37Y9	SL280UH090V48B	202394009
16HPX-036-230	36000	13	16	31600	20200	8.5	L*25/37Y9	SL280UH090V60C	202394032
16HPX-036-230	36000	13	16	31400	20200	8.5	L*25/37Y9	SL280UH090XV48B	202394055
16HPX-036-230	36000	13	16	31600	20200	8.5	L*25/37Y9	SL280UH090XV60C	202394077
16HPX-036-230	36000	13	16	31600	20200	8.5	L*25/37Y9	SL280UH110V60C	202394100
16HPX-036-230	36000	13	16	31600	20200	8.5	L*25/37Y9	SL280UH110XV60C	202394123
16HPX-036-230	36000	13	16	32400	21000	8.5	L*25/37Y9	SLP98DF070XV36B	202394141
16HPX-036-230	36000	13	16	32400	21000	8.5	L*25/37Y9	SLP98DF090XV36C	202394155
16HPX-036-230	36000	13	16	32400	21000	8.5	L*25/37Y9	SLP98DF090XV48C	202394169
16HPX-036-230	36000	13	16	32400	21000	8.5	L*25/37Y9	SLP98DF090XV60C	202394183
16HPX-036-230	36000	13	16	32400	21200	8.5	L*25/37Y9	SLP98DF110XV60C	202394197

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-036-230	36000	13	16	31600	20400	8.5	L*25/37Y9	SLP98UH070XV36B	202394220
16HPX-036-230	36000	13	16	31400	20200	8.5	L*25/37Y9	SLP98UH090XV36C	202394243
16HPX-036-230	36000	13	16	31400	20000	8.5	L*25/37Y9	SLP98UH090XV48C	202394266
16HPX-036-230	36000	13	16	31800	20400	8.5	L*25/37Y9	SLP98UH090XV60C	202394288
16HPX-036-230	36000	13	16	31600	20200	8.5	L*25/37Y9	SLP98UH110XV60C	202394311
16HPX-036-230	36000	13	16	34400	21000	8.5	L*25/37Y9	SLP99DF070XV36B	205760138
16HPX-036-230	36000	13	16	34400	21000	8.5	L*25/37Y9	SLP99DF090XV36C	205760168
16HPX-036-230	36000	13	16	34400	21000	8.5	L*25/37Y9	SLP99DF090XV48C	205760198
16HPX-036-230	36000	13	16	34400	21000	8.5	L*25/37Y9	SLP99DF090XV60C	205760228
16HPX-036-230	36000	13	16	34400	21200	8.5	L*25/37Y9	SLP99DF110XV60C	205760259
16HPX-036-230	35600	12.5	15	32400	21800	8.5	L*25/37Y9		202395068
16HPX-036-230	36000	13	16	31400	20200	8.5	L*25/37Z9	EL195UH090XE48C	202393543
16HPX-036-230	36000	12.5	15	32000	20600	8.5	L*25/37Z9	EL196UH045XE36B	202393566
16HPX-036-230	36000	13	16	31400	20200	8.5	L*25/37Z9	EL196UH070XE36B	202393589
16HPX-036-230	36000	13	16	31600	20200	8.5	L*25/37Z9	EL196UH090XE48C	202393612
16HPX-036-230	36000	13	16	31600	20400	8.5	L*25/37Z9	EL280UH070XE36A	203366305
16HPX-036-230	36000	12.5	16	32400	21400	8.5	L*25/37Z9	EL296DF045XE36B	202393626
16HPX-036-230	36000	13	16	32400	21000	8.5	L*25/37Z9	EL296DF070XE48B	202393640
16HPX-036-230	36000	12.5	15	32400	21200	8.5	L*25/37Z9	EL296DF070XV48B	202393654
16HPX-036-230	36000	12.5	15	32400	20800	8.5	L*25/37Z9	EL296UH045XE36B	202393677
16HPX-036-230	36000	13	16	31400	20800	8.5	L*25/37Z9	EL296UH045XV36B	202393700
16HPX-036-230	36000	13	16	31600	20200	8.5	L*25/37Z9	EL296UH070XE36B	202393723
16HPX-036-230	36000	13	16	32400	20600	8.5	L*25/37Z9	EL296UH070XV36B	202393746
16HPX-036-230	36000	13	16	31400	20200	8.5	L*25/37Z9	EL296UH090XE48C	202393769
16HPX-036-230	36000	13	16	31400	20200	8.5	L*25/37Z9	EL296UH090XV36C	202393792
16HPX-036-230	36000	13	16	32400	20200	8.5	L*25/37Z9	EL296UH090XV48C	202393815
16HPX-036-230	36000	13	16	31800	20400	8.5	L*25/37Z9	EL296UH090XV60C	202393837
16HPX-036-230	36000	13	16	32400	20400	8.5	L*25/37Z9	EL296UH110XV60C	202393860
16HPX-036-230	36000	13	16	32400	20800	8.5	L*25/37Z9	ML180DF070E36B	202393874
16HPX-036-230	36000	13	16	31400	20600	8.5	L*25/37Z9	ML180UH070E36B	202393897
16HPX-036-230	36000	13	16	31400	20600	9	L*25/37Z9	ML180UH090E48B	202393920
16HPX-036-230	36000	13	16	31200	20000	8.5	L*25/37Z9	ML296UH090XV48C	205416024
16HPX-036-230	36000	13	16	32400	21000	8.5	L*25/37Z9	SL280DF090V48B	202393934
16HPX-036-230	36000	13	16	32400	21000	8.5	L*25/37Z9	SL280DF090V60C	202393948
16HPX-036-230	36000	13	16	32400	21000	8.5	L*25/37Z9	SL280DF110V60C	202393962
16HPX-036-230	36000	13	16	32400	20400	8.5	L*25/37Z9	SL280UH090V36B	202393985
16HPX-036-230	36000	13	16	32400	20400	8.5	L*25/37Z9	SL280UH090V48B	202394008
16HPX-036-230	36000	13	16	31600	20400	8.5	L*25/37Z9	SL280UH090V60C	202394031
16HPX-036-230	36000	13	16	31400	20200	8.5	L*25/37Z9	SL280UH090XV48B	202394054
16HPX-036-230	36000	13	16	31600	20400	8.5	L*25/37Z9	SL280UH090XV60C	202394076
16HPX-036-230	36000	13	16	31600	20400	8.5	L*25/37Z9	SL280UH110V60C	202394099
16HPX-036-230	36000	13	16	31600	20400	8.5	L*25/37Z9	SL280UH110XV60C	202394122
16HPX-036-230	36000	13	16	32400	21000	8.5	L*25/37Z9	SLP98DF070XV36B	202394140
16HPX-036-230	36000	13	16	32400	21000	8.5	L*25/37Z9	SLP98DF090XV36C	202394154
16HPX-036-230	36000	13	16	32400	21000	8.5	L*25/37Z9	SLP98DF090XV48C	202394168
16HPX-036-230	36000	13	16	32400	21000	8.5	L*25/37Z9	SLP98DF090XV60C	202394182
16HPX-036-230	36000	13	16	32400	21200	8.5	L*25/37Z9	SLP98DF110XV60C	202394196
16HPX-036-230	36000	13	16	31600	20400	8.5	L*25/37Z9	SLP98UH070XV36B	202394219
16HPX-036-230	36000	13	16	31400	20200	8.5	L*25/37Z9	SLP98UH090XV36C	202394242
16HPX-036-230	36000	13	16	32400	20200	8.5	L*25/37Z9	SLP98UH090XV48C	202394265
16HPX-036-230	36000	13	16	31800	20400	8.5	L*25/37Z9	SLP98UH090XV60C	202394287
16HPX-036-230	36000	13	16	31600	20200	8.5	L*25/37Z9	SLP98UH110XV60C	202394310
16HPX-036-230	36000	13	16	34400	21000	8.5	L*25/37Z9	SLP99DF070XV36B	205760135
16HPX-036-230	36000	13	16	34400	21000	8.5	L*25/37Z9	SLP99DF090XV36C	205760167

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-036-230	36000	13	16	34400	21000	8.5	L*25/37Z9	SLP99DF090XV48C	205760197
16HPX-036-230	36000	13	16	34400	21000	8.5	L*25/37Z9	SLP99DF090XV60C	205760225
16HPX-036-230	36000	13	16	34400	21200	8.5	L*25/37Z9	SLP99DF110XV60C	205760257
16HPX-036-230	35600	12.5	15	32400	21800	8.5	L*25/37Z9		202395067
16HPX-036-230	36000	13	16	31400	20200	8.5	L*29/36S9	EL195UH090XE48C	202393537
16HPX-036-230	36000	12.5	15	31600	20800	8.5	L*29/36S9	EL196UH045XE36B	202393560
16HPX-036-230	36000	12.5	16	31400	20200	8.5	L*29/36S9	EL196UH070XE36B	202393583
16HPX-036-230	36000	13	16	31600	20200	8.5	L*29/36S9	EL196UH090XE48C	202393606
16HPX-036-230	36000	12.5	16	31600	20400	8.5	L*29/36S9	EL280UH070XE36A	203366299
16HPX-036-230	36000	12.2	15	32400	21400	8.5	L*29/36S9	EL296DF045XE36B	202393623
16HPX-036-230	36000	12.5	15	32400	21000	8.5	L*29/36S9	EL296DF070XE48B	202393637
16HPX-036-230	36000	12.5	15	32400	21200	8.5	L*29/36S9	EL296DF070XV48B	202393651
16HPX-036-230	36000	12.5	15	31800	20600	8.5	L*29/36S9	EL296UH045XE36B	202393671
16HPX-036-230	36000	12.5	16	31400	20800	8.5	L*29/36S9	EL296UH045XV36B	202393694
16HPX-036-230	36000	12.5	16	31600	20200	8.5	L*29/36S9	EL296UH070XE36B	202393717
16HPX-036-230	36000	12.5	16	31600	20400	8.5	L*29/36S9	EL296UH070XV36B	202393740
16HPX-036-230	36000	13	16	31400	20200	8.5	L*29/36S9	EL296UH090XE48C	202393763
16HPX-036-230	36000	13	16	31400	20200	8.5	L*29/36S9	EL296UH090XV36C	202393786
16HPX-036-230	36000	13	16	32400	20200	8.5	L*29/36S9	EL296UH090XV48C	202393809
16HPX-036-230	36000	13	16	31800	20400	8.5	L*29/36S9	EL296UH090XV60C	202393831
16HPX-036-230	36000	13	16	31600	20200	8.5	L*29/36S9	EL296UH110XV60C	202393854
16HPX-036-230	36000	13	16	32400	20800	8.5	L*29/36S9	ML180DF070E36B	202393871
16HPX-036-230	36000	13	16	31400	20000	8.5	L*29/36S9	ML180UH070E36B	202393891
16HPX-036-230	36000	13	16	31400	20600	9	L*29/36S9	ML180UH090E48B	202393914
16HPX-036-230	36000	13	16	31200	20000	8.5	L*29/36S9	ML296UH090XV48C	205416021
16HPX-036-230	36000	12.5	16	32400	21000	8.5	L*29/36S9	SL280DF090V48B	202393931
16HPX-036-230	36000	13	16	32400	21000	8.5	L*29/36S9	SL280DF090V60C	202393945
16HPX-036-230	36000	13	16	32400	21000	8.5	L*29/36S9	SL280DF110V60C	202393959
16HPX-036-230	36000	13	16	31200	20000	8.5	L*29/36S9	SL280UH090V36B	202393979
16HPX-036-230	36000	13	16	31400	20200	8.5	L*29/36S9	SL280UH090V48B	202394002
16HPX-036-230	36000	13	16	31600	20400	8.5	L*29/36S9	SL280UH090V60C	202394025
16HPX-036-230	36000	13	16	31400	20200	8.5	L*29/36S9	SL280UH090XV48B	202394048
16HPX-036-230	36000	13	16	31600	20400	8.5	L*29/36S9	SL280UH090XV60C	202394070
16HPX-036-230	36000	13	16	31600	20400	8.5	L*29/36S9	SL280UH110V60C	202394093
16HPX-036-230	36000	13	16	31600	20400	8.5	L*29/36S9	SL280UH110XV60C	202394116
16HPX-036-230	36000	12.5	16	32400	21000	8.5	L*29/36S9	SLP98DF070XV36B	202394137
16HPX-036-230	36000	12.5	16	32400	21000	8.5	L*29/36S9	SLP98DF090XV36C	202394151
16HPX-036-230	36000	12.5	16	32400	21000	8.5	L*29/36S9	SLP98DF090XV48C	202394165
16HPX-036-230	36000	12.5	16	32400	21000	8.5	L*29/36S9	SLP98DF090XV60C	202394179
16HPX-036-230	36000	12.5	16	32400	21200	8.5	L*29/36S9	SLP98DF110XV60C	202394193
16HPX-036-230	36000	12.5	16	31600	20400	8.5	L*29/36S9	SLP98UH070XV36B	202394213
16HPX-036-230	36000	13	16	31400	20200	8.5	L*29/36S9	SLP98UH090XV36C	202394236
16HPX-036-230	36000	13	16	32400	20200	8.5	L*29/36S9	SLP98UH090XV48C	202394259
16HPX-036-230	36000	13	16	31800	20400	8.5	L*29/36S9	SLP98UH090XV60C	202394281
16HPX-036-230	36000	13	16	31600	20200	8.5	L*29/36S9	SLP98UH110XV60C	202394304
16HPX-036-230	36000	12.5	16	34400	21000	8.5	L*29/36S9	SLP99DF070XV36B	205760130
16HPX-036-230	36000	12.5	16	34400	21000	8.5	L*29/36S9	SLP99DF090XV36C	205760160
16HPX-036-230	36000	12.5	16	34400	21000	8.5	L*29/36S9	SLP99DF090XV48C	205760190
16HPX-036-230	36000	12.5	16	34400	21000	8.5	L*29/36S9	SLP99DF090XV60C	205760219
16HPX-036-230	36000	12.5	16	34400	21200	8.5	L*29/36S9	SLP99DF110XV60C	205760251
16HPX-036-230	35600	12.2	14.5	32400	21800	8.5	L*29/36S9		202395061
16HPX-036-230	36000	13	16	31400	20200	8.5	L*29/36U9	EL195UH090XE48C	202393535
16HPX-036-230	36000	12.5	15	31600	20800	8.5	L*29/36U9	EL196UH045XE36B	202393558
16HPX-036-230	36000	12.5	16	31400	20200	8.5	L*29/36U9	EL196UH070XE36B	202393581

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-036-230	36000	13	16	31600	20200	8.5	L*29/36U9	EL196UH090XE48C	202393604
16HPX-036-230	36000	12.5	16	31600	20400	8.5	L*29/36U9	EL280UH070XE36A	203366297
16HPX-036-230	36000	12.2	15	32400	21400	8.5	L*29/36U9	EL296DF045XE36B	202393621
16HPX-036-230	36000	12.5	15	32400	21000	8.5	L*29/36U9	EL296DF070XE48B	202393635
16HPX-036-230	36000	12.5	15	32400	21200	8.5	L*29/36U9	EL296DF070XV48B	202393649
16HPX-036-230	36000	12.5	15	32400	20800	8.5	L*29/36U9	EL296UH045XE36B	202393669
16HPX-036-230	36000	12.5	16	31400	20800	8.5	L*29/36U9	EL296UH045XV36B	202393692
16HPX-036-230	36000	12.5	16	31600	20200	8.5	L*29/36U9	EL296UH070XE36B	202393715
16HPX-036-230	36000	12.5	16	32400	20600	8.5	L*29/36U9	EL296UH070XV36B	202393738
16HPX-036-230	36000	13	16	31400	20200	8.5	L*29/36U9	EL296UH090XE48C	202393761
16HPX-036-230	36000	13	16	31400	20200	8.5	L*29/36U9	EL296UH090XV36C	202393784
16HPX-036-230	36000	13	16	32400	20200	8.5	L*29/36U9	EL296UH090XV48C	202393807
16HPX-036-230	36000	13	16	31800	20400	8.5	L*29/36U9	EL296UH090XV60C	202393829
16HPX-036-230	36000	13	16	32400	20400	8.5	L*29/36U9	EL296UH110XV60C	202393852
16HPX-036-230	36000	13	16	32400	20800	8.5	L*29/36U9	ML180DF070E36B	202393869
16HPX-036-230	36000	13	16	31400	20600	8.5	L*29/36U9	ML180UH070E36B	202393889
16HPX-036-230	36000	13	16	31400	20600	9	L*29/36U9	ML180UH090E48B	202393912
16HPX-036-230	36000	13	16	31200	20200	8.5	L*29/36U9	ML296UH090XV48C	205416019
16HPX-036-230	36000	12.5	16	32400	21000	8.5	L*29/36U9	SL280DF090V48B	202393929
16HPX-036-230	36000	13	16	32400	21000	8.5	L*29/36U9	SL280DF090V60C	202393943
16HPX-036-230	36000	13	16	32400	21000	8.5	L*29/36U9	SL280DF110V60C	202393957
16HPX-036-230	36000	13	16	32400	20400	8.5	L*29/36U9	SL280UH090V36B	202393977
16HPX-036-230	36000	13	16	32400	20400	8.5	L*29/36U9	SL280UH090V48B	202394000
16HPX-036-230	36000	13	16	31600	20400	8.5	L*29/36U9	SL280UH090V60C	202394023
16HPX-036-230	36000	13	16	31400	20200	8.5	L*29/36U9	SL280UH090XV48B	202394046
16HPX-036-230	36000	13	16	31600	20400	8.5	L*29/36U9	SL280UH090XV60C	202394068
16HPX-036-230	36000	13	16	31600	20400	8.5	L*29/36U9	SL280UH110V60C	202394091
16HPX-036-230	36000	13	16	31600	20400	8.5	L*29/36U9	SL280UH110XV60C	202394114
16HPX-036-230	36000	12.5	16	32400	21000	8.5	L*29/36U9	SLP98DF070XV36B	202394134
16HPX-036-230	36000	12.5	16	32400	21000	8.5	L*29/36U9	SLP98DF090XV36C	202394149
16HPX-036-230	36000	12.5	16	32400	21000	8.5	L*29/36U9	SLP98DF090XV48C	202394163
16HPX-036-230	36000	12.5	16	32400	21000	8.5	L*29/36U9	SLP98DF090XV60C	202394177
16HPX-036-230	36000	12.5	16	32400	21200	8.5	L*29/36U9	SLP98DF110XV60C	202394191
16HPX-036-230	36000	12.5	16	31600	20400	8.5	L*29/36U9	SLP98UH070XV36B	202394211
16HPX-036-230	36000	13	16	31400	20200	8.5	L*29/36U9	SLP98UH090XV36C	202394234
16HPX-036-230	36000	13	16	32400	20200	8.5	L*29/36U9	SLP98UH090XV48C	202394257
16HPX-036-230	36000	13	16	31800	20400	8.5	L*29/36U9	SLP98UH090XV60C	202394279
16HPX-036-230	36000	13	16	31600	20200	8.5	L*29/36U9	SLP98UH110XV60C	202394302
16HPX-036-230	36000	12.5	16	34400	21000	8.5	L*29/36U9	SLP99DF070XV36B	205760124
16HPX-036-230	36000	12.5	16	34400	21000	8.5	L*29/36U9	SLP99DF090XV36C	205760156
16HPX-036-230	36000	12.5	16	34400	21000	8.5	L*29/36U9	SLP99DF090XV48C	205760186
16HPX-036-230	36000	12.5	16	34400	21000	8.5	L*29/36U9	SLP99DF090XV60C	205760214
16HPX-036-230	36000	12.5	16	34400	21200	8.5	L*29/36U9	SLP99DF110XV60C	205760247
16HPX-036-230	35600	12.2	14.5	32400	21800	8.5	L*29/36U9		202395059
16HPX-036-230	35800	13	16	32400	20200	8.5	L*30/36S9	EL195UH090XE48C	202393534
16HPX-036-230	35800	12.5	15	32400	20800	8.5	L*30/36S9	EL196UH045XE36B	202393557
16HPX-036-230	35800	12.5	16	32400	20200	8.5	L*30/36S9	EL196UH070XE36B	202393580
16HPX-036-230	35800	13	16	32400	20200	8.5	L*30/36S9	EL196UH090XE48C	202393603
16HPX-036-230	35800	12.5	16	32400	20400	8.5	L*30/36S9	EL280UH070XE36A	203366296
16HPX-036-230	36000	12.2	15	32400	21400	8.5	L*30/36S9	EL296DF045XE36B	202393620
16HPX-036-230	36000	12.5	15	32400	21000	8.5	L*30/36S9	EL296DF070XE48B	202393634
16HPX-036-230	36000	12.5	15	32400	21200	8.5	L*30/36S9	EL296DF070XV48B	202393648
16HPX-036-230	35800	12.5	15	32400	20600	8.5	L*30/36S9	EL296UH045XE36B	202393668
16HPX-036-230	35800	12.5	16	32400	20800	8.5	L*30/36S9	EL296UH045XV36B	202393691

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-036-230	35800	12.5	16	32400	20200	8.5	L*30/36S9	EL296UH070XE36B	202393714
16HPX-036-230	35800	12.5	16	32400	20400	8.5	L*30/36S9	EL296UH070XV36B	202393737
16HPX-036-230	35800	13	16	32400	20200	8.5	L*30/36S9	EL296UH090XE48C	202393760
16HPX-036-230	35800	13	16	32400	20200	8.5	L*30/36S9	EL296UH090XV36C	202393783
16HPX-036-230	35800	13	16	32400	20200	8.5	L*30/36S9	EL296UH090XV48C	202393806
16HPX-036-230	36000	13	16	31600	20400	8.5	L*30/36S9	EL296UH090XV60C	202393828
16HPX-036-230	35800	13	16	32400	20200	8.5	L*30/36S9	EL296UH110XV60C	202393851
16HPX-036-230	36000	13	16	32400	20800	8.5	L*30/36S9	ML180DF070E36B	202393868
16HPX-036-230	35800	13	16	32400	20000	8.5	L*30/36S9	ML180UH070E36B	202393888
16HPX-036-230	35800	13	16	32400	20600	9	L*30/36S9	ML180UH090E48B	202393911
16HPX-036-230	35800	13	16	31200	20200	8.5	L*30/36S9	ML296UH090XV48C	205416018
16HPX-036-230	36000	12.5	16	32400	21000	8.5	L*30/36S9	SL280DF090V48B	202393928
16HPX-036-230	36000	13	16	32400	21000	8.5	L*30/36S9	SL280DF090V60C	202393942
16HPX-036-230	36000	13	16	32400	21000	8.5	L*30/36S9	SL280DF110V60C	202393956
16HPX-036-230	35800	13	16	32400	20000	8.5	L*30/36S9	SL280UH090V36B	202393976
16HPX-036-230	35800	13	16	32400	20200	8.5	L*30/36S9	SL280UH090V48B	202393999
16HPX-036-230	35800	13	16	32400	20400	8.5	L*30/36S9	SL280UH090V60C	202394022
16HPX-036-230	35800	13	16	32400	20200	8.5	L*30/36S9	SL280UH090XV48B	202394045
16HPX-036-230	35800	13	16	32400	20400	8.5	L*30/36S9	SL280UH090XV60C	202394067
16HPX-036-230	35800	13	16	32400	20400	8.5	L*30/36S9	SL280UH110V60C	202394090
16HPX-036-230	35800	13	16	32400	20400	8.5	L*30/36S9	SL280UH110XV60C	202394113
16HPX-036-230	36000	12.5	16	32400	21000	8.5	L*30/36S9	SLP98DF070XV36B	202394132
16HPX-036-230	36000	12.5	16	32400	21000	8.5	L*30/36S9	SLP98DF090XV36C	202394148
16HPX-036-230	36000	12.5	16	32400	21000	8.5	L*30/36S9	SLP98DF090XV48C	202394162
16HPX-036-230	36000	12.5	16	32400	21000	8.5	L*30/36S9	SLP98DF090XV60C	202394176
16HPX-036-230	36000	12.5	16	32400	21200	8.5	L*30/36S9	SLP98DF110XV60C	202394190
16HPX-036-230	35800	12.5	16	32400	20400	8.5	L*30/36S9	SLP98UH070XV36B	202394210
16HPX-036-230	35800	13	16	32400	20200	8.5	L*30/36S9	SLP98UH090XV36C	202394233
16HPX-036-230	35800	13	16	32400	20200	8.5	L*30/36S9	SLP98UH090XV48C	202394256
16HPX-036-230	36000	13	16	31600	20400	8.5	L*30/36S9	SLP98UH090XV60C	202394278
16HPX-036-230	35800	13	16	32400	20200	8.5	L*30/36S9	SLP98UH110XV60C	202394301
16HPX-036-230	36000	12.5	16	34400	21000	8.5	L*30/36S9	SLP99DF070XV36B	205760122
16HPX-036-230	36000	12.5	16	34400	21000	8.5	L*30/36S9	SLP99DF090XV36C	205760154
16HPX-036-230	36000	12.5	16	34400	21000	8.5	L*30/36S9	SLP99DF090XV48C	205760184
16HPX-036-230	36000	12.5	16	34400	21000	8.5	L*30/36S9	SLP99DF090XV60C	205760212
16HPX-036-230	36000	12.5	16	34400	21200	8.5	L*30/36S9	SLP99DF110XV60C	205760245
16HPX-036-230	35600	12.2	14.5	32400	21800	8.5	L*30/36S9		202395058
16HPX-036-230	35800	13	16	31400	20200	8.5	L*30/36U9	EL195UH090XE48C	202393533
16HPX-036-230	35800	12.5	15	31600	20800	8.5	L*30/36U9	EL196UH045XE36B	202393556
16HPX-036-230	35800	12.5	16	31400	20200	8.5	L*30/36U9	EL196UH070XE36B	202393579
16HPX-036-230	35800	13	16	31600	20200	8.5	L*30/36U9	EL196UH090XE48C	202393602
16HPX-036-230	35800	12.5	16	31600	20400	8.5	L*30/36U9	EL280UH070XE36A	203366295
16HPX-036-230	36000	12.2	15	32400	21400	8.5	L*30/36U9	EL296DF045XE36B	202393619
16HPX-036-230	36000	12.5	15	32400	21000	8.5	L*30/36U9	EL296DF070XE48B	202393633
16HPX-036-230	36000	12.5	15	32400	21200	8.5	L*30/36U9	EL296DF070XV48B	202393647
16HPX-036-230	35800	12.5	15	32400	20800	8.5	L*30/36U9	EL296UH045XE36B	202393667
16HPX-036-230	35800	12.5	16	31400	20800	8.5	L*30/36U9	EL296UH045XV36B	202393690
16HPX-036-230	35800	12.5	16	31600	20200	8.5	L*30/36U9	EL296UH070XE36B	202393713
16HPX-036-230	35800	12.5	16	32400	20600	8.5	L*30/36U9	EL296UH070XV36B	202393736
16HPX-036-230	35800	13	16	31400	20200	8.5	L*30/36U9	EL296UH090XE48C	202393759
16HPX-036-230	35800	13	16	31400	20200	8.5	L*30/36U9	EL296UH090XV36C	202393782
16HPX-036-230	35800	13	16	32400	20200	8.5	L*30/36U9	EL296UH090XV48C	202393805
16HPX-036-230	36000	13	16	31600	20400	8.5	L*30/36U9	EL296UH090XV60C	202393827
16HPX-036-230	35800	13	16	31600	20200	8.5	L*30/36U9	EL296UH110XV60C	202393850

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-036-230	36000	13	16	32400	20800	8.5	L*30/36U9	ML180DF070E36B	202393867
16HPX-036-230	35800	13	16	31400	20600	8.5	L*30/36U9	ML180UH070E36B	202393887
16HPX-036-230	35800	13	16	31400	20600	9	L*30/36U9	ML180UH090E48B	202393910
16HPX-036-230	35800	13	16	31200	20200	8.5	L*30/36U9	ML296UH090XV48C	205416017
16HPX-036-230	36000	12.5	16	32400	21000	8.5	L*30/36U9	SL280DF090V48B	202393927
16HPX-036-230	36000	13	16	32400	21000	8.5	L*30/36U9	SL280DF090V60C	202393941
16HPX-036-230	36000	13	16	32400	21000	8.5	L*30/36U9	SL280DF110V60C	202393955
16HPX-036-230	35800	13	16	32400	20400	8.5	L*30/36U9	SL280UH090V36B	202393975
16HPX-036-230	35800	13	16	32400	20400	8.5	L*30/36U9	SL280UH090V48B	202393998
16HPX-036-230	35800	13	16	31600	20200	8.5	L*30/36U9	SL280UH090V60C	202394021
16HPX-036-230	35800	13	16	31400	20200	8.5	L*30/36U9	SL280UH090XV48B	202394044
16HPX-036-230	35800	13	16	31600	20200	8.5	L*30/36U9	SL280UH090XV60C	202394066
16HPX-036-230	35800	13	16	31600	20200	8.5	L*30/36U9	SL280UH110V60C	202394089
16HPX-036-230	35800	13	16	31600	20200	8.5	L*30/36U9	SL280UH110XV60C	202394112
16HPX-036-230	36000	12.5	16	32400	21000	8.5	L*30/36U9	SLP98DF070XV36B	202394131
16HPX-036-230	36000	12.5	16	32400	21000	8.5	L*30/36U9	SLP98DF090XV36C	202394147
16HPX-036-230	36000	12.5	16	32400	21000	8.5	L*30/36U9	SLP98DF090XV48C	202394161
16HPX-036-230	36000	12.5	16	32400	21000	8.5	L*30/36U9	SLP98DF090XV60C	202394175
16HPX-036-230	36000	12.5	16	32400	21200	8.5	L*30/36U9	SLP98DF110XV60C	202394189
16HPX-036-230	35800	12.5	16	31600	20400	8.5	L*30/36U9	SLP98UH070XV36B	202394209
16HPX-036-230	35800	13	16	31400	20200	8.5	L*30/36U9	SLP98UH090XV36C	202394232
16HPX-036-230	35800	13	16	31400	20000	8.5	L*30/36U9	SLP98UH090XV48C	202394255
16HPX-036-230	36000	13	16	31600	20400	8.5	L*30/36U9	SLP98UH090XV60C	202394277
16HPX-036-230	35800	13	16	31600	20200	8.5	L*30/36U9	SLP98UH110XV60C	202394300
16HPX-036-230	36000	12.5	16	34400	21000	8.5	L*30/36U9	SLP99DF070XV36B	205760120
16HPX-036-230	36000	12.5	16	34400	21000	8.5	L*30/36U9	SLP99DF090XV36C	205760151
16HPX-036-230	36000	12.5	16	34400	21000	8.5	L*30/36U9	SLP99DF090XV48C	205760182
16HPX-036-230	36000	12.5	16	34400	21000	8.5	L*30/36U9	SLP99DF090XV60C	205760210
16HPX-036-230	36000	12.5	16	34400	21200	8.5	L*30/36U9	SLP99DF110XV60C	205760242
16HPX-036-230	35600	12.2	14.5	32400	21800	8.5	L*30/36U9		202395057
16HPX-036-230	36000	13	16	31400	20200	8.5	L*35/36S9	EL195UH090XE48C	202393538
16HPX-036-230	36000	12.5	15	31600	20800	8.5	L*35/36S9	EL196UH045XE36B	202393561
16HPX-036-230	36000	12.5	16	31400	20200	8.5	L*35/36S9	EL196UH070XE36B	202393584
16HPX-036-230	36000	13	16	31600	20200	8.5	L*35/36S9	EL196UH090XE48C	202393607
16HPX-036-230	36000	13	16	31000	20000	8.5	L*35/36S9	EL280UH045E36A	206775468
16HPX-036-230	36000	12.5	16	31600	20400	8.5	L*35/36S9	EL280UH070XE36A	203366300
16HPX-036-230	36000	13	16	31600	20400	8.5	L*35/36S9	EL280UH090E36B	206775473
16HPX-036-230	36000	12.2	15	32400	21400	8.5	L*35/36S9	EL296DF045XE36B	202393624
16HPX-036-230	36000	12.5	15	32400	21000	8.5	L*35/36S9	EL296DF070XE48B	202393638
16HPX-036-230	36000	12.5	15	32400	21200	8.5	L*35/36S9	EL296DF070XV48B	202393652
16HPX-036-230	36000	12.5	15	31800	20600	8.5	L*35/36S9	EL296UH045XE36B	202393672
16HPX-036-230	36000	12.5	16	31400	20800	8.5	L*35/36S9	EL296UH045XV36B	202393695
16HPX-036-230	36000	12.5	16	31600	20200	8.5	L*35/36S9	EL296UH070XE36B	202393718
16HPX-036-230	36000	12.5	16	31600	20400	8.5	L*35/36S9	EL296UH070XV36B	202393741
16HPX-036-230	36000	13	16	31400	20200	8.5	L*35/36S9	EL296UH090XE48C	202393764
16HPX-036-230	36000	13	16	31400	20200	8.5	L*35/36S9	EL296UH090XV36C	202393787
16HPX-036-230	36000	13	16	32400	20200	8.5	L*35/36S9	EL296UH090XV48C	202393810
16HPX-036-230	36000	13	16	31800	20400	8.5	L*35/36S9	EL296UH090XV60C	202393832
16HPX-036-230	36000	13	16	31600	20200	8.5	L*35/36S9	EL296UH110XV60C	202393855
16HPX-036-230	36000	13	16	32400	20800	8.5	L*35/36S9	ML180DF070E36B	202393872
16HPX-036-230	36000	13	16	31400	20000	8.5	L*35/36S9	ML180UH070E36B	202393892
16HPX-036-230	36000	13	16	31400	20600	9	L*35/36S9	ML180UH090E48B	202393915
16HPX-036-230	36000	12.5	15	34400	21200	8.5	L*35/36S9	ML296DF070XV48B	204667992
16HPX-036-230	36000	12.5	16	31400	20600	8.5	L*35/36S9	ML296UH070XV36B	204668000

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-036-230	36000	13	16	31200	20000	8.5	L*35/36S9	ML296UH090XV48C	205416022
16HPX-036-230	36000	12.5	16	32400	21000	8.5	L*35/36S9	SL280DF090V48B	202393932
16HPX-036-230	36000	13	16	32400	21000	8.5	L*35/36S9	SL280DF090V60C	202393946
16HPX-036-230	36000	13	16	32400	21000	8.5	L*35/36S9	SL280DF110V60C	202393960
16HPX-036-230	36000	13	16	31200	20000	8.5	L*35/36S9	SL280UH090V36B	202393980
16HPX-036-230	36000	13	16	31400	20200	8.5	L*35/36S9	SL280UH090V48B	202394003
16HPX-036-230	36000	13	16	31600	20400	8.5	L*35/36S9	SL280UH090V60C	202394026
16HPX-036-230	36000	13	16	31400	20200	8.5	L*35/36S9	SL280UH090XV48B	202394049
16HPX-036-230	36000	13	16	31600	20400	8.5	L*35/36S9	SL280UH090XV60C	202394071
16HPX-036-230	36000	13	16	31600	20400	8.5	L*35/36S9	SL280UH110V60C	202394094
16HPX-036-230	36000	13	16	31600	20400	8.5	L*35/36S9	SL280UH110XV60C	202394117
16HPX-036-230	36000	12.5	16	32400	21000	8.5	L*35/36S9	SLP98DF070XV36B	202394138
16HPX-036-230	36000	12.5	16	32400	21000	8.5	L*35/36S9	SLP98DF090XV36C	202394152
16HPX-036-230	36000	12.5	16	32400	21000	8.5	L*35/36S9	SLP98DF090XV48C	202394166
16HPX-036-230	36000	12.5	16	32400	21000	8.5	L*35/36S9	SLP98DF090XV60C	202394180
16HPX-036-230	36000	12.5	16	32400	21200	8.5	L*35/36S9	SLP98DF110XV60C	202394194
16HPX-036-230	36000	12.5	16	31600	20400	8.5	L*35/36S9	SLP98UH070XV36B	202394214
16HPX-036-230	36000	13	16	31400	20200	8.5	L*35/36S9	SLP98UH090XV36C	202394237
16HPX-036-230	36000	13	16	32400	20200	8.5	L*35/36S9	SLP98UH090XV48C	202394260
16HPX-036-230	36000	13	16	31800	20400	8.5	L*35/36S9	SLP98UH090XV60C	202394282
16HPX-036-230	36000	13	16	31600	20200	8.5	L*35/36S9	SLP98UH110XV60C	202394305
16HPX-036-230	36000	12.5	16	34400	21000	8.5	L*35/36S9	SLP99DF070XV36B	205760131
16HPX-036-230	36000	12.5	16	34400	21000	8.5	L*35/36S9	SLP99DF090XV36C	205760162
16HPX-036-230	36000	12.5	16	34400	21000	8.5	L*35/36S9	SLP99DF090XV48C	205760193
16HPX-036-230	36000	12.5	16	34400	21000	8.5	L*35/36S9	SLP99DF090XV60C	205760221
16HPX-036-230	36000	12.5	16	34400	21200	8.5	L*35/36S9	SLP99DF110XV60C	205760253
16HPX-036-230	35600	12.2	14.5	32400	21800	8.5	L*35/36S9		202395062
16HPX-036-230	36000	13	16	31400	20200	8.5	L*35/36U9	EL195UH090XE48C	202393536
16HPX-036-230	36000	12.5	15	31600	20800	8.5	L*35/36U9	EL196UH045XE36B	202393559
16HPX-036-230	36000	12.5	16	31400	20200	8.5	L*35/36U9	EL196UH070XE36B	202393582
16HPX-036-230	36000	13	16	31600	20200	8.5	L*35/36U9	EL196UH090XE48C	202393605
16HPX-036-230	36000	13	16	31000	20000	8.5	L*35/36U9	EL280UH045E36A	206775467
16HPX-036-230	36000	12.5	16	31600	20400	8.5	L*35/36U9	EL280UH070XE36A	203366298
16HPX-036-230	36000	13	16	31600	20400	8.5	L*35/36U9	EL280UH090E36B	206775472
16HPX-036-230	36000	12.2	15	32400	21400	8.5	L*35/36U9	EL296DF045XE36B	202393622
16HPX-036-230	36000	12.5	15	32400	21000	8.5	L*35/36U9	EL296DF070XE48B	202393636
16HPX-036-230	36000	12.5	15	32400	21200	8.5	L*35/36U9	EL296DF070XV48B	202393650
16HPX-036-230	36000	12.5	15	32400	20800	8.5	L*35/36U9	EL296UH045XE36B	202393670
16HPX-036-230	36000	12.5	16	31400	20800	8.5	L*35/36U9	EL296UH045XV36B	202393693
16HPX-036-230	36000	12.5	16	31600	20200	8.5	L*35/36U9	EL296UH070XE36B	202393716
16HPX-036-230	36000	12.5	16	32400	20600	8.5	L*35/36U9	EL296UH070XV36B	202393739
16HPX-036-230	36000	13	16	31400	20200	8.5	L*35/36U9	EL296UH090XE48C	202393762
16HPX-036-230	36000	13	16	31400	20200	8.5	L*35/36U9	EL296UH090XV36C	202393785
16HPX-036-230	36000	13	16	32400	20200	8.5	L*35/36U9	EL296UH090XV48C	202393808
16HPX-036-230	36000	13	16	31800	20400	8.5	L*35/36U9	EL296UH090XV60C	202393830
16HPX-036-230	36000	13	16	32400	20400	8.5	L*35/36U9	EL296UH110XV60C	202393853
16HPX-036-230	36000	13	16	32400	20800	8.5	L*35/36U9	ML180DF070E36B	202393870
16HPX-036-230	36000	13	16	31400	20600	8.5	L*35/36U9	ML180UH070E36B	202393890
16HPX-036-230	36000	13	16	31400	20600	9	L*35/36U9	ML180UH090E48B	202393913
16HPX-036-230	36000	12.5	15	34400	21200	8.5	L*35/36U9	ML296DF070XV48B	204667991
16HPX-036-230	36000	12.5	16	31600	20400	8.5	L*35/36U9	ML296UH070XV36B	204667999
16HPX-036-230	36000	13	16	31200	20200	8.5	L*35/36U9	ML296UH090XV48C	205416020
16HPX-036-230	36000	12.5	16	32400	21000	8.5	L*35/36U9	SL280DF090V48B	202393930
16HPX-036-230	36000	13	16	32400	21000	8.5	L*35/36U9	SL280DF090V60C	202393944

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-036-230	36000	13	16	32400	21000	8.5	L*35/36U9	SL280DF110V60C	202393958
16HPX-036-230	36000	13	16	32400	20400	8.5	L*35/36U9	SL280UH090V36B	202393978
16HPX-036-230	36000	13	16	32400	20400	8.5	L*35/36U9	SL280UH090V48B	202394001
16HPX-036-230	36000	13	16	31600	20400	8.5	L*35/36U9	SL280UH090V60C	202394024
16HPX-036-230	36000	13	16	31400	20200	8.5	L*35/36U9	SL280UH090XV48B	202394047
16HPX-036-230	36000	13	16	31600	20400	8.5	L*35/36U9	SL280UH090XV60C	202394069
16HPX-036-230	36000	13	16	31600	20400	8.5	L*35/36U9	SL280UH110V60C	202394092
16HPX-036-230	36000	13	16	31600	20400	8.5	L*35/36U9	SL280UH110XV60C	202394115
16HPX-036-230	36000	12.5	16	32400	21000	8.5	L*35/36U9	SLP98DF070XV36B	202394135
16HPX-036-230	36000	12.5	16	32400	21000	8.5	L*35/36U9	SLP98DF090XV36C	202394150
16HPX-036-230	36000	12.5	16	32400	21000	8.5	L*35/36U9	SLP98DF090XV48C	202394164
16HPX-036-230	36000	12.5	16	32400	21000	8.5	L*35/36U9	SLP98DF090XV60C	202394178
16HPX-036-230	36000	12.5	16	32400	21200	8.5	L*35/36U9	SLP98DF110XV60C	202394192
16HPX-036-230	36000	12.5	16	31600	20400	8.5	L*35/36U9	SLP98UH070XV36B	202394212
16HPX-036-230	36000	13	16	31400	20200	8.5	L*35/36U9	SLP98UH090XV36C	202394235
16HPX-036-230	36000	13	16	32400	20200	8.5	L*35/36U9	SLP98UH090XV48C	202394258
16HPX-036-230	36000	13	16	31800	20400	8.5	L*35/36U9	SLP98UH090XV60C	202394280
16HPX-036-230	36000	13	16	31600	20200	8.5	L*35/36U9	SLP98UH110XV60C	202394303
16HPX-036-230	36000	12.5	16	34400	21000	8.5	L*35/36U9	SLP99DF070XV36B	205760127
16HPX-036-230	36000	12.5	16	34400	21000	8.5	L*35/36U9	SLP99DF090XV36C	205760158
16HPX-036-230	36000	12.5	16	34400	21000	8.5	L*35/36U9	SLP99DF090XV48C	205760188
16HPX-036-230	36000	12.5	16	34400	21000	8.5	L*35/36U9	SLP99DF090XV60C	205760217
16HPX-036-230	36000	12.5	16	34400	21200	8.5	L*35/36U9	SLP99DF110XV60C	205760249
16HPX-036-230	35600	12.2	14.5	32400	21800	8.5	L*35/36U9		202395060
16HPX-036-230	35600	12	14.5	33200	21800	8.5	LD24/35Z9		204756332
16HPX-036-230	36000	12.2	14.5	31600	21000	8.5	LD31/36Z9		204756334
16HPX-036-230	35600	12.5	16	31400	20200	8.5	LH18/37D9	EL195UH090XE48C	202393540
16HPX-036-230	35600	12.2	15	31600	20800	8.5	LH18/37D9	EL196UH045XE36B	202393563
16HPX-036-230	35600	12.2	16	31400	20200	8.5	LH18/37D9	EL196UH070XE36B	202393586
16HPX-036-230	35600	12.5	16	31600	20200	8.5	LH18/37D9	EL196UH090XE48C	202393609
16HPX-036-230	35600	12.2	16	31600	20400	8.5	LH18/37D9	EL280UH070XE36A	203366302
16HPX-036-230	35600	12.2	15	32400	20800	8.5	LH18/37D9	EL296UH045XE36B	202393674
16HPX-036-230	35600	12.2	16	31400	20800	8.5	LH18/37D9	EL296UH045XV36B	202393697
16HPX-036-230	35600	12.2	16	31600	20200	8.5	LH18/37D9	EL296UH070XE36B	202393720
16HPX-036-230	35600	12.2	16	32400	20600	8.5	LH18/37D9	EL296UH070XV36B	202393743
16HPX-036-230	35600	12.5	16	31400	20200	8.5	LH18/37D9	EL296UH090XE48C	202393766
16HPX-036-230	35600	12.5	16	31400	20200	8.5	LH18/37D9	EL296UH090XV36C	202393789
16HPX-036-230	35600	12.5	16	31400	20000	8.5	LH18/37D9	EL296UH090XV48C	202393812
16HPX-036-230	35800	13	16	32400	21400	8.2	LH18/37D9	EL296UH090XV60C	202393834
16HPX-036-230	35800	13	16	32400	21200	8.2	LH18/37D9	EL296UH110XV60C	202393857
16HPX-036-230	35600	12.5	16	31400	20600	8.5	LH18/37D9	ML180UH070E36B	202393894
16HPX-036-230	35600	12.5	16	31400	20600	9	LH18/37D9	ML180UH090E48B	202393917
16HPX-036-230	35600	12.5	16	32400	20400	8.5	LH18/37D9	SL280UH090V36B	202393982
16HPX-036-230	35600	12.5	16	32400	20400	8.5	LH18/37D9	SL280UH090V48B	202394005
16HPX-036-230	35800	13	16	32400	21200	8.2	LH18/37D9	SL280UH090V60C	202394028
16HPX-036-230	35600	12.5	16	31400	20200	8.5	LH18/37D9	SL280UH090XV48B	202394051
16HPX-036-230	35800	13	16	32400	21200	8.2	LH18/37D9	SL280UH090XV60C	202394073
16HPX-036-230	35600	12.5	16	31600	20200	8.5	LH18/37D9	SL280UH110V60C	202394096
16HPX-036-230	35600	12.5	16	31600	20200	8.5	LH18/37D9	SL280UH110XV60C	202394119
16HPX-036-230	35600	12.2	16	31600	20400	8.5	LH18/37D9	SLP98UH070XV36B	202394216
16HPX-036-230	35600	12.5	16	31400	20200	8.5	LH18/37D9	SLP98UH090XV36C	202394239
16HPX-036-230	35600	12.5	16	31400	20000	8.5	LH18/37D9	SLP98UH090XV48C	202394262
16HPX-036-230	35800	13	16	32400	21400	8.2	LH18/37D9	SLP98UH090XV60C	202394284
16HPX-036-230	35800	13	16	32400	21200	8.2	LH18/37D9	SLP98UH110XV60C	202394307

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-036-230	35600	12	14.5	32400	21800	8.5	LH18/37D9		202395064
16HPX-036-230	35600	12.5	16	31400	20200	8.5	LH18/37R9	EL195UH090XE48C	202393539
16HPX-036-230	35600	12.2	15	31600	20800	8.5	LH18/37R9	EL196UH045XE36B	202393562
16HPX-036-230	35600	12.2	16	31400	20200	8.5	LH18/37R9	EL196UH070XE36B	202393585
16HPX-036-230	35600	12.5	16	31600	20200	8.5	LH18/37R9	EL196UH090XE48C	202393608
16HPX-036-230	35600	12.2	16	31600	20400	8.5	LH18/37R9	EL280UH070XE36A	203366301
16HPX-036-230	35600	12.2	15	31800	20600	8.5	LH18/37R9	EL296UH045XE36B	202393673
16HPX-036-230	35600	12.2	16	31400	20800	8.5	LH18/37R9	EL296UH045XV36B	202393696
16HPX-036-230	35600	12.2	16	31600	20200	8.5	LH18/37R9	EL296UH070XE36B	202393719
16HPX-036-230	35600	12.2	16	31600	20400	8.5	LH18/37R9	EL296UH070XV36B	202393742
16HPX-036-230	35600	12.5	16	31400	20200	8.5	LH18/37R9	EL296UH090XE48C	202393765
16HPX-036-230	35600	12.5	16	31400	20200	8.5	LH18/37R9	EL296UH090XV36C	202393788
16HPX-036-230	35600	12.5	16	31400	20000	8.5	LH18/37R9	EL296UH090XV48C	202393811
16HPX-036-230	35800	13	16	32400	21400	8.2	LH18/37R9	EL296UH090XV60C	202393833
16HPX-036-230	35800	13	16	32400	21200	8.2	LH18/37R9	EL296UH110XV60C	202393856
16HPX-036-230	35600	12.5	16	31400	20000	8.5	LH18/37R9	ML180UH070E36B	202393893
16HPX-036-230	35600	12.5	16	31400	20600	9	LH18/37R9	ML180UH090E48B	202393916
16HPX-036-230	35600	12.5	16	31200	20000	8.5	LH18/37R9	SL280UH090V36B	202393981
16HPX-036-230	35600	12.5	16	31400	20200	8.5	LH18/37R9	SL280UH090V48B	202394004
16HPX-036-230	35800	13	16	32400	21200	8.2	LH18/37R9	SL280UH090V60C	202394027
16HPX-036-230	35600	12.5	16	31400	20200	8.5	LH18/37R9	SL280UH090XV48B	202394050
16HPX-036-230	35800	13	16	32400	21200	8.2	LH18/37R9	SL280UH090XV60C	202394072
16HPX-036-230	35600	12.5	16	31600	20200	8.5	LH18/37R9	SL280UH110V60C	202394095
16HPX-036-230	35600	12.5	16	31600	20200	8.5	LH18/37R9	SL280UH110XV60C	202394118
16HPX-036-230	35600	12.2	16	31600	20400	8.5	LH18/37R9	SLP98UH070XV36B	202394215
16HPX-036-230	35600	12.5	16	31400	20200	8.5	LH18/37R9	SLP98UH090XV36C	202394238
16HPX-036-230	35600	12.5	16	31400	20000	8.5	LH18/37R9	SLP98UH090XV48C	202394261
16HPX-036-230	35800	13	16	32400	21400	8.2	LH18/37R9	SLP98UH090XV60C	202394283
16HPX-036-230	35800	13	16	32400	21200	8.2	LH18/37R9	SLP98UH110XV60C	202394306
16HPX-036-230	35600	12	14.5	32400	21800	8.5	LH18/37R9		202395063
16HPX-036-230	36000	13	16	31400	20200	8.5	LH23/37W9	EL195UH090XE48C	202393541
16HPX-036-230	36000	13	16	31600	20800	8.5	LH23/37W9	EL196UH045XE36B	202393564
16HPX-036-230	36000	13	16	31600	21000	8.5	LH23/37W9	EL196UH070XE36B	202393587
16HPX-036-230	36000	13	16	31600	20200	8.5	LH23/37W9	EL196UH090XE48C	202393610
16HPX-036-230	36000	13	16	31600	20400	8.5	LH23/37W9	EL280UH070XE36A	203366303
16HPX-036-230	36000	13	16	32400	20800	8.5	LH23/37W9	EL296UH045XE36B	202393675
16HPX-036-230	36000	13	16	31400	20800	8.5	LH23/37W9	EL296UH045XV36B	202393698
16HPX-036-230	36000	13	16	32400	20800	8.5	LH23/37W9	EL296UH070XE36B	202393721
16HPX-036-230	36000	13	16	32400	20600	8.5	LH23/37W9	EL296UH070XV36B	202393744
16HPX-036-230	36000	13	16	31400	20200	8.5	LH23/37W9	EL296UH090XE48C	202393767
16HPX-036-230	36000	13	16	31400	20200	8.5	LH23/37W9	EL296UH090XV36C	202393790
16HPX-036-230	36000	13	16	31400	20000	8.5	LH23/37W9	EL296UH090XV48C	202393813
16HPX-036-230	36000	13	16	31800	20400	8.5	LH23/37W9	EL296UH090XV60C	202393835
16HPX-036-230	36000	13	16	31600	20200	8.5	LH23/37W9	EL296UH110XV60C	202393858
16HPX-036-230	36000	13	16	31400	20600	8.5	LH23/37W9	ML180UH070E36B	202393895
16HPX-036-230	35800	13	16	32200	19800	8.5	LH23/37W9	ML180UH070V36B	204741500
16HPX-036-230	36000	13	16	32400	20000	8.5	LH23/37W9	ML180UH070V48B	206188356
16HPX-036-230	36000	13	16	31400	20600	9	LH23/37W9	ML180UH090E48B	202393918
16HPX-036-230	36000	13	16	32400	20000	8.5	LH23/37W9	ML180UH090V48B	206188358
16HPX-036-230	36000	13	16	33200	20000	9	LH23/37W9	ML180UH110V60C	206188364
16HPX-036-230	36000	13	16	32400	20800	8.5	LH23/37W9	ML296UH045XV36B	204603099
16HPX-036-230	36000	13	16	31600	20400	8.5	LH23/37W9	ML296UH070XV36B	204603102
16HPX-036-230	36000	13	16	31200	20000	8.5	LH23/37W9	ML296UH090XV48C	206596606
16HPX-036-230	36000	13	16	32400	20400	8.5	LH23/37W9	SL280UH090V36B	202393983

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-036-230	36000	13	16	32400	20400	8.5	LH23/37W9	SL280UH090V48B	202394006
16HPX-036-230	36000	13	16	31600	20200	8.5	LH23/37W9	SL280UH090V60C	202394029
16HPX-036-230	36000	13	16	31400	20200	8.5	LH23/37W9	SL280UH090XV48B	202394052
16HPX-036-230	36000	13	16	31600	20200	8.5	LH23/37W9	SL280UH090XV60C	202394074
16HPX-036-230	36000	13	16	31600	20200	8.5	LH23/37W9	SL280UH110V60C	202394097
16HPX-036-230	36000	13	16	31600	20200	8.5	LH23/37W9	SL280UH110XV60C	202394120
16HPX-036-230	36000	13	16	31600	20400	8.5	LH23/37W9	SLP98UH070XV36B	202394217
16HPX-036-230	36000	13	16	31400	20200	8.5	LH23/37W9	SLP98UH090XV36C	202394240
16HPX-036-230	36000	13	16	31400	20000	8.5	LH23/37W9	SLP98UH090XV48C	202394263
16HPX-036-230	36000	13	16	31800	20400	8.5	LH23/37W9	SLP98UH090XV60C	202394285
16HPX-036-230	36000	13	16	31600	20200	8.5	LH23/37W9	SLP98UH110XV60C	202394308
16HPX-036-230	35000	12.5	15	31400	20200	8.5	LH29/36F9	EL195UH090XE48C	202393525
16HPX-036-230	35000	12.2	15	31400	20800	8.2	LH29/36F9	EL196UH045XE36B	202393548
16HPX-036-230	35000	12.2	15	31400	20200	8.2	LH29/36F9	EL196UH070XE36B	202393571
16HPX-036-230	35000	12.5	15	31400	20200	8.5	LH29/36F9	EL196UH090XE48C	202393594
16HPX-036-230	35000	12.2	15	31600	20400	8.5	LH29/36F9	EL280UH070XE36A	203366287
16HPX-036-230	35000	12.2	15	32400	20800	8.2	LH29/36F9	EL296UH045XE36B	202393659
16HPX-036-230	35000	12.2	15	31200	20800	8.2	LH29/36F9	EL296UH045XV36B	202393682
16HPX-036-230	35000	12.2	15	32400	20800	8.2	LH29/36F9	EL296UH070XE36B	202393705
16HPX-036-230	35000	12.2	15	32400	20600	8.2	LH29/36F9	EL296UH070XV36B	202393728
16HPX-036-230	35000	12.5	15	31400	20200	8.5	LH29/36F9	EL296UH090XE48C	202393751
16HPX-036-230	35000	12.5	15	31400	20200	8.5	LH29/36F9	EL296UH090XV36C	202393774
16HPX-036-230	35000	12.5	15	31200	20200	8.5	LH29/36F9	EL296UH090XV48C	202393797
16HPX-036-230	35400	12.5	15	32400	21400	8.2	LH29/36F9	EL296UH090XV60C	202393819
16HPX-036-230	35000	12.5	15	31400	20200	8.5	LH29/36F9	EL296UH110XV60C	202393842
16HPX-036-230	35000	12.5	15	31200	20600	8.2	LH29/36F9	ML180UH070E36B	202393879
16HPX-036-230	35000	12.5	15	31200	20600	8.5	LH29/36F9	ML180UH090E48B	202393902
16HPX-036-230	35000	12.2	15	31200	20600	8.2	LH29/36F9	ML296UH070XV36B	204667995
16HPX-036-230	35000	12.5	15	32400	20400	8.2	LH29/36F9	SL280UH090V36B	202393967
16HPX-036-230	35000	12.5	15	32400	20400	8.2	LH29/36F9	SL280UH090V48B	202393990
16HPX-036-230	35200	12.5	15	31600	20400	8.5	LH29/36F9	SL280UH090V60C	202394013
16HPX-036-230	35000	12.5	15	31400	20200	8.2	LH29/36F9	SL280UH090XV48B	202394036
16HPX-036-230	35200	12.5	16	32200	21200	8.2	LH29/36F9	SL280UH090XV60C	202394058
16HPX-036-230	35000	12.5	15	31600	20400	8.5	LH29/36F9	SL280UH110V60C	202394081
16HPX-036-230	35000	12.5	15	31600	20400	8.5	LH29/36F9	SL280UH110XV60C	202394104
16HPX-036-230	35000	12.2	15	31600	20400	8.2	LH29/36F9	SLP98UH070XV36B	202394201
16HPX-036-230	35000	12.5	15	31400	20200	8.5	LH29/36F9	SLP98UH090XV36C	202394224
16HPX-036-230	35000	12.5	15	31200	20200	8.5	LH29/36F9	SLP98UH090XV48C	202394247
16HPX-036-230	35400	12.5	15	32400	21400	8.2	LH29/36F9	SLP98UH090XV60C	202394269
16HPX-036-230	35000	12.5	15	31400	20200	8.5	LH29/36F9	SLP98UH110XV60C	202394292
16HPX-036-230	35400	12	14.5	32400	21800	8.5	LH29/36F9		202395049
16HPX-036-230	35600	12.5	16	31400	20200	8.5	LH35/36F9	EL195UH090XE48C	202393527
16HPX-036-230	35600	12.2	15	31600	20800	8.5	LH35/36F9	EL196UH045XE36B	202393550
16HPX-036-230	35600	12.2	16	31400	20200	8.5	LH35/36F9	EL196UH070XE36B	202393573
16HPX-036-230	35600	12.5	16	31600	20200	8.5	LH35/36F9	EL196UH090XE48C	202393596
16HPX-036-230	35600	12.2	16	31600	20400	8.5	LH35/36F9	EL280UH070XE36A	203366289
16HPX-036-230	35600	12.2	15	31800	20600	8.5	LH35/36F9	EL296UH045XE36B	202393661
16HPX-036-230	35600	12.2	16	31400	20800	8.5	LH35/36F9	EL296UH045XV36B	202393684
16HPX-036-230	35600	12.2	16	31600	20200	8.5	LH35/36F9	EL296UH070XE36B	202393707
16HPX-036-230	35600	12.2	16	31600	20400	8.5	LH35/36F9	EL296UH070XV36B	202393730
16HPX-036-230	35600	12.5	16	31400	20200	8.5	LH35/36F9	EL296UH090XE48C	202393753
16HPX-036-230	35600	12.5	16	31400	20200	8.5	LH35/36F9	EL296UH090XV36C	202393776
16HPX-036-230	35600	12.5	16	32400	20200	8.5	LH35/36F9	EL296UH090XV48C	202393799
16HPX-036-230	35800	13	16	31600	20400	8.5	LH35/36F9	EL296UH090XV60C	202393821

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-036-230	35800	13	16	32400	21200	8.2	LH35/36F9	EL296UH110XV60C	202393844
16HPX-036-230	35600	12.5	16	31400	20000	8.5	LH35/36F9	ML180UH070E36B	202393881
16HPX-036-230	35600	12.5	16	31400	20600	9	LH35/36F9	ML180UH090E48B	202393904
16HPX-036-230	35600	12.2	16	31600	20400	8.5	LH35/36F9	ML296UH070XV36B	204667996
16HPX-036-230	35600	12.5	16	31200	20000	8.5	LH35/36F9	SL280UH090V36B	202393969
16HPX-036-230	35600	12.5	16	31400	20200	8.5	LH35/36F9	SL280UH090V48B	202393992
16HPX-036-230	35800	13	16	31600	20400	8.5	LH35/36F9	SL280UH090V60C	202394015
16HPX-036-230	35600	12.5	16	31400	20200	8.5	LH35/36F9	SL280UH090XV48B	202394038
16HPX-036-230	35800	13	16	31600	20400	8.5	LH35/36F9	SL280UH090XV60C	202394060
16HPX-036-230	35600	12.5	16	31600	20400	8.5	LH35/36F9	SL280UH110V60C	202394083
16HPX-036-230	35600	12.5	16	31600	20400	8.5	LH35/36F9	SL280UH110XV60C	202394106
16HPX-036-230	35600	12.2	16	31600	20400	8.5	LH35/36F9	SLP98UH070XV36B	202394203
16HPX-036-230	35600	12.5	16	31400	20200	8.5	LH35/36F9	SLP98UH090XV36C	202394226
16HPX-036-230	35600	12.5	16	32400	20200	8.5	LH35/36F9	SLP98UH090XV48C	202394249
16HPX-036-230	35800	13	16	31600	20400	8.5	LH35/36F9	SLP98UH090XV60C	202394271
16HPX-036-230	35800	13	16	32400	21200	8.2	LH35/36F9	SLP98UH110XV60C	202394294
16HPX-036-230	35600	12.2	14.5	32400	21800	8.5	LH35/36F9		202395051
16HPX-036-230	35600	12.5	16	31400	20200	8.5	LH35/36X9	EL195UH090XE48C	202393526
16HPX-036-230	35600	12.2	15	31600	20800	8.5	LH35/36X9	EL196UH045XE36B	202393549
16HPX-036-230	35600	12.2	16	31400	20200	8.5	LH35/36X9	EL196UH070XE36B	202393572
16HPX-036-230	35600	12.5	16	31600	20200	8.5	LH35/36X9	EL196UH090XE48C	202393595
16HPX-036-230	35600	12.2	16	31600	20400	8.5	LH35/36X9	EL280UH070XE36A	203366288
16HPX-036-230	35600	12.2	15	31800	20600	8.5	LH35/36X9	EL296UH045XE36B	202393660
16HPX-036-230	35600	12.2	16	31400	20800	8.5	LH35/36X9	EL296UH045XV36B	202393683
16HPX-036-230	35600	12.2	16	31600	20200	8.5	LH35/36X9	EL296UH070XE36B	202393706
16HPX-036-230	35600	12.2	16	31600	20400	8.5	LH35/36X9	EL296UH070XV36B	202393729
16HPX-036-230	35600	12.5	16	31400	20200	8.5	LH35/36X9	EL296UH090XE48C	202393752
16HPX-036-230	35600	12.5	16	31400	20200	8.5	LH35/36X9	EL296UH090XV36C	202393775
16HPX-036-230	35600	12.5	16	32400	20200	8.5	LH35/36X9	EL296UH090XV48C	202393798
16HPX-036-230	35800	13	16	31600	20400	8.5	LH35/36X9	EL296UH090XV60C	202393820
16HPX-036-230	35800	13	16	32400	21200	8.2	LH35/36X9	EL296UH110XV60C	202393843
16HPX-036-230	35600	12.5	16	31400	20000	8.5	LH35/36X9	ML180UH070E36B	202393880
16HPX-036-230	35600	12.5	16	31400	20600	9	LH35/36X9	ML180UH090E48B	202393903
16HPX-036-230	35600	12.2	16	32400	20800	8.5	LH35/36X9	ML296UH045XV36B	204603097
16HPX-036-230	35600	12.2	16	32400	20600	8.5	LH35/36X9	ML296UH070XV36B	204603100
16HPX-036-230	35600	12.5	16	31200	20000	8.5	LH35/36X9	SL280UH090V36B	202393968
16HPX-036-230	35600	12.5	16	31400	20200	8.5	LH35/36X9	SL280UH090V48B	202393991
16HPX-036-230	35800	13	16	31600	20400	8.5	LH35/36X9	SL280UH090V60C	202394014
16HPX-036-230	35600	12.5	16	31400	20200	8.5	LH35/36X9	SL280UH090XV48B	202394037
16HPX-036-230	35800	13	16	31600	20400	8.5	LH35/36X9	SL280UH090XV60C	202394059
16HPX-036-230	35600	12.5	16	31600	20400	8.5	LH35/36X9	SL280UH110V60C	202394082
16HPX-036-230	35600	12.5	16	31600	20400	8.5	LH35/36X9	SL280UH110XV60C	202394105
16HPX-036-230	35600	12.2	16	31600	20400	8.5	LH35/36X9	SLP98UH070XV36B	202394202
16HPX-036-230	35600	12.5	16	31400	20200	8.5	LH35/36X9	SLP98UH090XV36C	202394225
16HPX-036-230	35600	12.5	16	32400	20200	8.5	LH35/36X9	SLP98UH090XV48C	202394248
16HPX-036-230	35800	13	16	31600	20400	8.5	LH35/36X9	SLP98UH090XV60C	202394270
16HPX-036-230	35800	13	16	32400	21200	8.2	LH35/36X9	SLP98UH110XV60C	202394293
16HPX-036-230	35600	12.2	14.5	32400	21800	8.5	LH35/36X9		202395050
16HPX-036-230	36000	13	16	31400	20200	8.5	LH35/37D9	EL195UH090XE48C	202393530
16HPX-036-230	36000	12.5	15	31600	20800	8.5	LH35/37D9	EL196UH045XE36B	202393553
16HPX-036-230	35800	12.5	16	31400	20200	8.5	LH35/37D9	EL196UH070XE36B	202393576
16HPX-036-230	36000	13	16	31600	20200	8.5	LH35/37D9	EL196UH090XE48C	202393599
16HPX-036-230	36000	12.5	16	31600	20400	8.5	LH35/37D9	EL280UH070XE36A	203366292
16HPX-036-230	36000	12.5	15	31800	20600	8.5	LH35/37D9	EL296UH045XE36B	202393664

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-036-230	36000	12.5	16	31400	20800	8.5	LH35/37D9	EL296UH045XV36B	202393687
16HPX-036-230	35800	12.5	16	31600	20200	8.5	LH35/37D9	EL296UH070XE36B	202393710
16HPX-036-230	36000	12.5	16	31600	20400	8.5	LH35/37D9	EL296UH070XV36B	202393733
16HPX-036-230	36000	13	16	31400	20200	8.5	LH35/37D9	EL296UH090XE48C	202393756
16HPX-036-230	36000	13	16	31400	20200	8.5	LH35/37D9	EL296UH090XV36C	202393779
16HPX-036-230	35800	13	16	31400	20000	8.5	LH35/37D9	EL296UH090XV48C	202393802
16HPX-036-230	36000	13	16	31800	20400	8.5	LH35/37D9	EL296UH090XV60C	202393824
16HPX-036-230	36000	13	16	31600	20200	8.5	LH35/37D9	EL296UH110XV60C	202393847
16HPX-036-230	36000	13	16	31400	20600	8.5	LH35/37D9	ML180UH070E36B	202393884
16HPX-036-230	36000	13	16	31400	20600	9	LH35/37D9	ML180UH090E48B	202393907
16HPX-036-230	35800	13	16	31200	20000	8.5	LH35/37D9	ML296UH090XV48C	206596605
16HPX-036-230	35800	13	16	31200	20000	8.5	LH35/37D9	SL280UH090V36B	202393972
16HPX-036-230	36000	13	16	31400	20200	8.5	LH35/37D9	SL280UH090V48B	202393995
16HPX-036-230	36000	13	16	31600	20200	8.5	LH35/37D9	SL280UH090V60C	202394018
16HPX-036-230	36000	13	16	31400	20200	8.5	LH35/37D9	SL280UH090XV48B	202394041
16HPX-036-230	36000	13	16	31600	20200	8.5	LH35/37D9	SL280UH090XV60C	202394063
16HPX-036-230	36000	13	16	31600	20200	8.5	LH35/37D9	SL280UH110V60C	202394086
16HPX-036-230	36000	13	16	31600	20200	8.5	LH35/37D9	SL280UH110XV60C	202394109
16HPX-036-230	36000	12.5	16	31600	20400	8.5	LH35/37D9	SLP98UH070XV36B	202394206
16HPX-036-230	36000	13	16	31400	20200	8.5	LH35/37D9	SLP98UH090XV36C	202394229
16HPX-036-230	35800	13	16	31400	20000	8.5	LH35/37D9	SLP98UH090XV48C	202394252
16HPX-036-230	36000	13	16	31800	20400	8.5	LH35/37D9	SLP98UH090XV60C	202394274
16HPX-036-230	36000	13	16	31600	20200	8.5	LH35/37D9	SLP98UH110XV60C	202394297
16HPX-036-230	35600	12.2	14.5	32400	21800	8.5	LH35/37D9		202395054
16HPX-036-230	36000	13	16	31400	20200	8.5	LH35/38F9	EL195UH090XE48C	202393532
16HPX-036-230	36000	12.5	15	32000	20600	8.5	LH35/38F9	EL196UH045XE36B	202393555
16HPX-036-230	36000	12.5	16	31400	20200	8.5	LH35/38F9	EL196UH070XE36B	202393578
16HPX-036-230	36000	13	16	31600	20200	8.5	LH35/38F9	EL196UH090XE48C	202393601
16HPX-036-230	36000	12.5	16	31600	20400	8.5	LH35/38F9	EL280UH070XE36A	203366294
16HPX-036-230	36000	13	16	31600	20400	8.5	LH35/38F9	EL280UH090E36B	206775471
16HPX-036-230	36000	12.5	15	31800	20600	8.5	LH35/38F9	EL296UH045XE36B	202393666
16HPX-036-230	36000	12.5	16	31400	20800	8.5	LH35/38F9	EL296UH045XV36B	202393689
16HPX-036-230	36000	12.5	16	31600	20200	8.5	LH35/38F9	EL296UH070XE36B	202393712
16HPX-036-230	36000	12.5	16	31600	20400	8.5	LH35/38F9	EL296UH070XV36B	202393735
16HPX-036-230	36000	13	16	31400	20200	8.5	LH35/38F9	EL296UH090XE48C	202393758
16HPX-036-230	36000	13	16	31400	20200	8.5	LH35/38F9	EL296UH090XV36C	202393781
16HPX-036-230	36000	13	16	32400	20200	8.5	LH35/38F9	EL296UH090XV48C	202393804
16HPX-036-230	36000	13	16	31800	20400	8.5	LH35/38F9	EL296UH090XV60C	202393826
16HPX-036-230	36000	13	16	31600	20200	8.5	LH35/38F9	EL296UH110XV60C	202393849
16HPX-036-230	36000	13	16	31400	20000	8.5	LH35/38F9	ML180UH070E36B	202393886
16HPX-036-230	35800	12.5	15	32200	19800	8.5	LH35/38F9	ML180UH070V36B	206217028
16HPX-036-230	36000	13	16	31400	20600	9	LH35/38F9	ML180UH090E48B	202393909
16HPX-036-230	36000	12.5	16	31400	20600	8.5	LH35/38F9	ML296UH070XV36B	204667998
16HPX-036-230	36000	13	16	31200	20000	8.5	LH35/38F9	SL280UH090V36B	202393974
16HPX-036-230	36000	13	16	31400	20200	8.5	LH35/38F9	SL280UH090V48B	202393997
16HPX-036-230	36000	13	16	31600	20200	8.5	LH35/38F9	SL280UH090V60C	202394020
16HPX-036-230	36000	13	16	32400	20400	8.5	LH35/38F9	SL280UH090XV48B	202394043
16HPX-036-230	36000	13	16	31600	20200	8.5	LH35/38F9	SL280UH090XV60C	202394065
16HPX-036-230	36000	13	16	31600	20200	8.5	LH35/38F9	SL280UH110V60C	202394088
16HPX-036-230	36000	13	16	31600	20200	8.5	LH35/38F9	SL280UH110XV60C	202394111
16HPX-036-230	36000	12.5	16	31600	20400	8.5	LH35/38F9	SLP98UH070XV36B	202394208
16HPX-036-230	36000	13	16	31400	20200	8.5	LH35/38F9	SLP98UH090XV36C	202394231
16HPX-036-230	36000	13	16	31400	20000	8.5	LH35/38F9	SLP98UH090XV48C	202394254
16HPX-036-230	36000	13	16	31800	20400	8.5	LH35/38F9	SLP98UH090XV60C	202394276

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-036-230	36000	13	16	31600	20200	8.5	LH35/38F9	SLP98UH110XV60C	202394299
16HPX-036-230	36000	13	16	31400	20200	8.5	LH35/38X9	EL195UH090XE48C	202393531
16HPX-036-230	36000	12.5	15	32000	20600	8.5	LH35/38X9	EL196UH045XE36B	202393554
16HPX-036-230	36000	12.5	16	31400	20200	8.5	LH35/38X9	EL196UH070XE36B	202393577
16HPX-036-230	36000	13	16	31600	20200	8.5	LH35/38X9	EL196UH090XE48C	202393600
16HPX-036-230	36000	12.5	16	31600	20400	8.5	LH35/38X9	EL280UH070XE36A	203366293
16HPX-036-230	36000	13	16	31600	20400	8.5	LH35/38X9	EL280UH090E36B	206775470
16HPX-036-230	36000	12.5	15	32400	20800	8.5	LH35/38X9	EL296UH045XE36B	202393665
16HPX-036-230	36000	12.5	16	31400	20800	8.5	LH35/38X9	EL296UH045XV36B	202393688
16HPX-036-230	36000	12.5	16	31600	20200	8.5	LH35/38X9	EL296UH070XE36B	202393711
16HPX-036-230	36000	12.5	16	32400	20600	8.5	LH35/38X9	EL296UH070XV36B	202393734
16HPX-036-230	36000	13	16	31400	20200	8.5	LH35/38X9	EL296UH090XE48C	202393757
16HPX-036-230	36000	13	16	31400	20200	8.5	LH35/38X9	EL296UH090XV36C	202393780
16HPX-036-230	36000	13	16	31400	20000	8.5	LH35/38X9	EL296UH090XV48C	202393803
16HPX-036-230	36000	13	16	31800	20400	8.5	LH35/38X9	EL296UH090XV60C	202393825
16HPX-036-230	36000	13	16	32400	20400	8.5	LH35/38X9	EL296UH110XV60C	202393848
16HPX-036-230	36000	13	16	31400	20600	8.5	LH35/38X9	ML180UH070E36B	202393885
16HPX-036-230	36000	13	16	31400	20600	9	LH35/38X9	ML180UH090E48B	202393908
16HPX-036-230	36000	12.5	16	32400	20800	8.5	LH35/38X9	ML296UH045XV36B	204603098
16HPX-036-230	36000	12.5	16	31600	20400	8.5	LH35/38X9	ML296UH070XV36B	204603101
16HPX-036-230	36000	13	16	32400	20400	8.5	LH35/38X9	SL280UH090V36B	202393973
16HPX-036-230	36000	13	16	32400	20400	8.5	LH35/38X9	SL280UH090V48B	202393996
16HPX-036-230	36000	13	16	31600	20200	8.5	LH35/38X9	SL280UH090V60C	202394019
16HPX-036-230	36000	13	16	31400	20200	8.5	LH35/38X9	SL280UH090XV48B	202394042
16HPX-036-230	36000	13	16	31600	20200	8.5	LH35/38X9	SL280UH090XV60C	202394064
16HPX-036-230	36000	13	16	31600	20200	8.5	LH35/38X9	SL280UH110V60C	202394087
16HPX-036-230	36000	13	16	31600	20200	8.5	LH35/38X9	SL280UH110XV60C	202394110
16HPX-036-230	36000	12.5	16	31600	20400	8.5	LH35/38X9	SLP98UH070XV36B	202394207
16HPX-036-230	36000	13	16	31400	20200	8.5	LH35/38X9	SLP98UH090XV36C	202394230
16HPX-036-230	36000	13	16	31400	20000	8.5	LH35/38X9	SLP98UH090XV48C	202394253
16HPX-036-230	36000	13	16	31800	20400	8.5	LH35/38X9	SLP98UH090XV60C	202394275
16HPX-036-230	36000	13	16	31600	20200	8.5	LH35/38X9	SLP98UH110XV60C	202394298
16HPX-036-230	36000	13	16	31200	20000	8.5	PL36H210P29	EL180UH070E36B	206775463
16HPX-036-230	36000	13	16	31400	20600	9	PL36H210P29	EL180UH090E48B	206775464
16HPX-036-230	36000	13	16	31400	20200	8.5	PL36H210P29	EL195UH090XE48C	206775465
16HPX-036-230	36000	13	16	31400	20200	8.5	PL36H210P29	EL196UH090XE48C	206775466
16HPX-036-230	36000	13	16	31600	20400	8.5	PL36H210P29	EL280UH090E36B	206775469
16HPX-036-230	36000	13	16	31400	20200	8.5	PL36H210P29	EL296UH090XE48C	206775475
16HPX-036-230	36000	13	16	31400	20200	8.5	PL36H210P29	EL296UH090XV36C	206775476
16HPX-036-230	36000	13	16	31400	20000	8.5	PL36H210P29	EL296UH090XV48C	206775477
16HPX-036-230	36000	13	16	31800	20400	8.5	PL36H210P29	EL296UH090XV60C	206775478
16HPX-036-230	36000	13	16	31600	20200	8.5	PL36H210P29	EL296UH110XV60C	206775480
16HPX-036-230	36000	13	16	31400	20600	8.5	PL36H210P29	ML180UH070E36B	206775481
16HPX-036-230	36000	13	16	31400	20600	9	PL36H210P29	ML180UH090E48B	206775482
16HPX-036-230	35800	13	16	32400	21400	8.2	PL36H210P75	EL296UH090XV60C	206775479
16HPX-048-230	46000	11.7	15	41000	27600	8.2	L*42/49K9	EL280UH090XE48B	203366315
16HPX-048-230	46000	11.7	15	41000	27400	8.2	L*42/49K9	EL280UH110XE60C	203366338
16HPX-048-230	45500	11	15	40000	26800	8.2	L*42/49K9	ML296UH090XV48C	204668004
16HPX-048-230	45500	11.5	15	40500	26800	8.2	L*42/49K9	ML296UH110XV60C	204668014
16HPX-048-230	45000	11	15	39500	26600	8.2	L*42/60S9	ML296UH090XV48C	204668003
16HPX-048-230	47000	12.5	16	41000	28800	9	L*42/60Y9	EL195DF090XE48C	202394366
16HPX-048-230	48000	12	16	41000	27800	8.5	L*42/60Y9	EL195UH090XE48C	202394391
16HPX-048-230	48000	12	16	41000	27800	8.5	L*42/60Y9	EL196UH090XE48C	202394431
16HPX-048-230	48000	12	16	41000	27800	9	L*42/60Y9	EL196UH110XE60C	202394451

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-048-230	47000	12.2	16	41000	27600	8.2	L*42/60Y9	EL280UH090XE48B	203366320
16HPX-048-230	47000	12.2	16	41000	27400	8.2	L*42/60Y9	EL280UH110XE60C	203366343
16HPX-048-230	47000	12.5	16	41000	28800	9	L*42/60Y9	EL296DF090XE48C	202394464
16HPX-048-230	47000	12.5	16	41000	28600	9	L*42/60Y9	EL296DF110XE60C	202394473
16HPX-048-230	47000	12.5	16	41000	29000	9	L*42/60Y9	EL296DF110XV60C	202394482
16HPX-048-230	48000	12	16	41000	27800	8.5	L*42/60Y9	EL296UH090XE48C	202394498
16HPX-048-230	46500	11.7	15	41000	26800	8.2	L*42/60Y9	EL296UH090XV48C	202394518
16HPX-048-230	46500	11.7	15	41000	26800	8.2	L*42/60Y9	EL296UH090XV60C	202394538
16HPX-048-230	48000	12	16	41000	27800	9	L*42/60Y9	EL296UH110XE60C	202394558
16HPX-048-230	47000	12	15	39500	26600	8.5	L*42/60Y9	EL296UH110XV48C	202394578
16HPX-048-230	47500	11.7	15	41000	27600	8.2	L*42/60Y9	EL296UH110XV60C	202394598
16HPX-048-230	48000	12.2	16	41000	26000	8.5	L*42/60Y9	EL296UH135XV60D	202394618
16HPX-048-230	47500	13	16	41000	28600	9.5	L*42/60Y9	ML180DF110E60C	202394631
16HPX-048-230	48000	12.5	16	41000	27600	9	L*42/60Y9	ML180UH090E60C	202394647
16HPX-048-230	48000	12.5	16	41000	27600	9	L*42/60Y9	ML180UH110E60C	202394667
16HPX-048-230	46500	11.7	15	40500	26800	8.2	L*42/60Y9	ML296UH090XV48C	204668006
16HPX-048-230	46500	12	16	40500	26800	8.2	L*42/60Y9	ML296UH110XV60C	204668016
16HPX-048-230	47500	12.2	15	41000	27400	8.2	L*42/60Y9	SL280UH090V60C	202394687
16HPX-048-230	47500	12.2	15	41000	27400	8.2	L*42/60Y9	SL280UH090XV60C	202394707
16HPX-048-230	47000	12	15	39500	26600	8.5	L*42/60Y9	SL280UH110V60C	202394727
16HPX-048-230	47000	12	15	39500	26600	8.5	L*42/60Y9	SL280UH110XV60C	202394747
16HPX-048-230	48000	12.2	16	41000	26000	8.5	L*42/60Y9	SL280UH135V60D	202394767
16HPX-048-230	47000	12.5	16	41000	28800	9	L*42/60Y9	SLP98DF090XV60C	202394780
16HPX-048-230	47000	12.5	16	41000	29000	9	L*42/60Y9	SLP98DF110XV60C	202394789
16HPX-048-230	47500	11.7	15	41000	27600	8.2	L*42/60Y9	SLP98UH090XV48C	202394805
16HPX-048-230	47000	11.5	15	40000	26600	8.5	L*42/60Y9	SLP98UH090XV60C	202394823
16HPX-048-230	47500	11.7	15	41000	27600	8.2	L*42/60Y9	SLP98UH110XV60C	202394843
16HPX-048-230	48000	12.2	16	41000	26200	8.5	L*42/60Y9	SLP98UH135XV60D	202394863
16HPX-048-230	47000	12.5	16	42500	28800	9	L*42/60Y9	SLP99DF090XV60C	205760923
16HPX-048-230	47000	12.5	16	42500	29000	9	L*42/60Y9	SLP99DF110XV60C	205760944
16HPX-048-230	47500	11.7	15	41000	27600	8.2	L*42/60Y9	SLP99UH090XV48C	205760975
16HPX-048-230	47000	11.5	15	41500	24600	8.2	L*42/60Y9	SLP99UH090XV60C	205761004
16HPX-048-230	47500	11.7	15	41000	27600	8.2	L*42/60Y9	SLP99UH110XV60C	205761041
16HPX-048-230	48000	12	16	43500	27800	9	L*42/60Y9	SLP99UH135XV60D	205761078
16HPX-048-230	47000	12	15	41000	29200	9	L*42/60Y9		202395082
16HPX-048-230	47000	12.5	16	41000	28800	9	L*42/60Z9	EL195DF090XE48C	202394365
16HPX-048-230	48000	12	16	41000	27800	8.5	L*42/60Z9	EL195UH090XE48C	202394390
16HPX-048-230	48000	12	16	41000	27800	8.5	L*42/60Z9	EL196UH090XE48C	202394430
16HPX-048-230	48000	12	16	41000	27800	9	L*42/60Z9	EL196UH110XE60C	202394450
16HPX-048-230	47000	12.2	16	41000	27600	8.2	L*42/60Z9	EL280UH090XE48B	203366319
16HPX-048-230	47000	12.2	16	41000	27400	8.2	L*42/60Z9	EL280UH110XE60C	203366342
16HPX-048-230	47000	12.5	16	41000	28800	9	L*42/60Z9	EL296DF090XE48C	202394463
16HPX-048-230	47000	12.5	16	41000	28600	9	L*42/60Z9	EL296DF110XE60C	202394472
16HPX-048-230	47000	12.5	16	41000	29000	9	L*42/60Z9	EL296DF110XV60C	202394481
16HPX-048-230	48000	12	16	41000	27800	8.5	L*42/60Z9	EL296UH090XE48C	202394497
16HPX-048-230	46500	11.7	15	41000	26800	8.2	L*42/60Z9	EL296UH090XV48C	202394517
16HPX-048-230	46500	11.7	15	41000	26800	8.2	L*42/60Z9	EL296UH090XV60C	202394537
16HPX-048-230	48000	12	16	41000	27800	9	L*42/60Z9	EL296UH110XE60C	202394557
16HPX-048-230	47000	12	15	39500	26600	8.5	L*42/60Z9	EL296UH110XV48C	202394577
16HPX-048-230	47500	11.7	15	41000	27600	8.2	L*42/60Z9	EL296UH110XV60C	202394597
16HPX-048-230	48000	12.2	16	41000	26000	8.5	L*42/60Z9	EL296UH135XV60D	202394617
16HPX-048-230	47500	13	16	41000	28600	9.5	L*42/60Z9	ML180DF110E60C	202394630
16HPX-048-230	48000	12.5	16	41000	27600	9	L*42/60Z9	ML180UH090E60C	202394646
16HPX-048-230	48000	12.5	16	41000	27600	9	L*42/60Z9	ML180UH110E60C	202394666

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-048-230	46500	11.7	15	40500	26800	8.2	L*42/60Z9	ML296UH090XV48C	204668005
16HPX-048-230	46500	12	16	40500	26800	8.2	L*42/60Z9	ML296UH110XV60C	204668015
16HPX-048-230	47500	12.2	15	41000	27400	8.2	L*42/60Z9	SL280UH090V60C	202394686
16HPX-048-230	47500	12.2	15	41000	27400	8.2	L*42/60Z9	SL280UH090XV60C	202394706
16HPX-048-230	47000	12	15	39500	26600	8.5	L*42/60Z9	SL280UH110V60C	202394726
16HPX-048-230	47000	12	15	39500	26600	8.5	L*42/60Z9	SL280UH110XV60C	202394746
16HPX-048-230	48000	12.2	16	41000	26000	8.5	L*42/60Z9	SL280UH135V60D	202394766
16HPX-048-230	47000	12.5	16	41000	28800	9	L*42/60Z9	SLP98DF090XV60C	202394779
16HPX-048-230	47000	12.5	16	41000	28800	9	L*42/60Z9	SLP98DF110XV60C	202394788
16HPX-048-230	47500	11.7	15	41000	27600	8.2	L*42/60Z9	SLP98UH090XV48C	202394804
16HPX-048-230	47000	11.5	15	40000	26600	8.5	L*42/60Z9	SLP98UH090XV60C	202394822
16HPX-048-230	47500	11.7	15	41000	27600	8.2	L*42/60Z9	SLP98UH110XV60C	202394842
16HPX-048-230	48000	12.2	16	41000	26200	8.5	L*42/60Z9	SLP98UH135XV60D	202394862
16HPX-048-230	47000	12.5	16	42500	28800	9	L*42/60Z9	SLP99DF090XV60C	205760922
16HPX-048-230	47000	12.5	16	42500	28800	9	L*42/60Z9	SLP99DF110XV60C	205760942
16HPX-048-230	47500	11.7	15	41000	27600	8.2	L*42/60Z9	SLP99UH090XV48C	205760973
16HPX-048-230	47000	11.5	15	41500	24600	8.2	L*42/60Z9	SLP99UH090XV60C	205761002
16HPX-048-230	47500	11.7	15	41000	27600	8.2	L*42/60Z9	SLP99UH110XV60C	205761040
16HPX-048-230	48000	12	16	43500	27800	9	L*42/60Z9	SLP99UH135XV60D	205761076
16HPX-048-230	47000	12	15	41000	29200	9	L*42/60Z9		202395081
16HPX-048-230	46000	11.7	15	41000	27600	8.2	L*42/61K9	EL280UH090XE48B	203366316
16HPX-048-230	46000	11.7	15	41000	27400	8.2	L*42/61K9	EL280UH110XE60C	203366339
16HPX-048-230	47000	12.5	16	41000	28800	9	L*43/61Y9	EL195DF090XE48C	202394368
16HPX-048-230	48000	12.2	16	41000	27800	8.5	L*43/61Y9	EL195UH090XE48C	202394393
16HPX-048-230	48000	12.2	16	41000	27800	8.5	L*43/61Y9	EL196UH090XE48C	202394433
16HPX-048-230	48000	12.2	16	41000	27800	9	L*43/61Y9	EL196UH110XE60C	202394453
16HPX-048-230	47000	12.5	16	41000	27600	8.2	L*43/61Y9	EL280UH090XE48B	203366322
16HPX-048-230	47000	12.5	16	41000	27400	8.2	L*43/61Y9	EL280UH110XE60C	203366345
16HPX-048-230	47000	12.5	16	41000	28800	9	L*43/61Y9	EL296DF090XE48C	202394466
16HPX-048-230	47000	12.5	16	41000	28600	9	L*43/61Y9	EL296DF110XE60C	202394475
16HPX-048-230	47000	12.5	16	41000	29000	9	L*43/61Y9	EL296DF110XV60C	202394484
16HPX-048-230	48000	12.2	16	41000	27800	8.5	L*43/61Y9	EL296UH090XE48C	202394500
16HPX-048-230	47000	11.7	15	40000	26800	8.5	L*43/61Y9	EL296UH090XV48C	202394520
16HPX-048-230	47000	11.7	15	40000	26800	8.5	L*43/61Y9	EL296UH090XV60C	202394540
16HPX-048-230	48000	12.2	16	41000	27800	9	L*43/61Y9	EL296UH110XE60C	202394560
16HPX-048-230	47000	12.2	15	39500	26600	8.5	L*43/61Y9	EL296UH110XV48C	202394580
16HPX-048-230	47000	11.7	15	40000	26800	8.5	L*43/61Y9	EL296UH110XV60C	202394600
16HPX-048-230	48000	12.2	16	41000	27800	9	L*43/61Y9	EL296UH135XV60D	202394620
16HPX-048-230	47500	13	16	41000	28600	9.5	L*43/61Y9	ML180DF110E60C	202394633
16HPX-048-230	48000	12.5	16	41000	27600	9	L*43/61Y9	ML180UH090E60C	202394649
16HPX-048-230	48000	12.5	16	41000	27600	9	L*43/61Y9	ML180UH110E60C	202394669
16HPX-048-230	47500	12.5	15	41000	27400	8.2	L*43/61Y9	SL280UH090V60C	202394689
16HPX-048-230	47500	12.5	15	41000	27400	8.2	L*43/61Y9	SL280UH090XV60C	202394709
16HPX-048-230	47000	12.2	15	39500	26600	9	L*43/61Y9	SL280UH110V60C	202394729
16HPX-048-230	47000	12.2	15	39500	26600	9	L*43/61Y9	SL280UH110XV60C	202394749
16HPX-048-230	48000	12.2	16	41000	27600	9	L*43/61Y9	SL280UH135V60D	202394769
16HPX-048-230	47000	12.5	16	41000	28800	9	L*43/61Y9	SLP98DF090XV60C	202394782
16HPX-048-230	47000	12.5	16	41000	29000	9	L*43/61Y9	SLP98DF110XV60C	202394791
16HPX-048-230	47000	11.7	15	40000	26600	8.5	L*43/61Y9	SLP98UH090XV48C	202394807
16HPX-048-230	47000	11.7	15	40000	26600	8.5	L*43/61Y9	SLP98UH090XV60C	202394825
16HPX-048-230	47000	11.7	15	40000	26800	8.5	L*43/61Y9	SLP98UH110XV60C	202394845
16HPX-048-230	48000	12.2	16	41000	27800	9	L*43/61Y9	SLP98UH135XV60D	202394865
16HPX-048-230	47000	12.5	16	42500	28800	9	L*43/61Y9	SLP99DF090XV60C	205760928
16HPX-048-230	47000	12.5	16	42500	28800	9	L*43/61Y9	SLP99DF110XV60C	205760949

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-048-230	47500	11.7	15	41000	27600	8.2	L*43/61Y9	SLP99UH090XV48C	205760980
16HPX-048-230	47000	11.7	15	41500	24600	8.2	L*43/61Y9	SLP99UH090XV60C	205761008
16HPX-048-230	47500	11.7	15	41000	27600	8.2	L*43/61Y9	SLP99UH110XV60C	205761045
16HPX-048-230	48000	12.2	16	43500	27800	9	L*43/61Y9	SLP99UH135XV60D	205761082
16HPX-048-230	47000	12	15	41000	29200	9	L*43/61Y9		202395084
16HPX-048-230	47000	12.5	16	41000	28800	9	L*43/61Z9	EL195DF090XE48C	202394367
16HPX-048-230	48000	12.2	16	41000	27800	8.5	L*43/61Z9	EL195UH090XE48C	202394392
16HPX-048-230	48000	12.2	16	41000	27800	8.5	L*43/61Z9	EL196UH090XE48C	202394432
16HPX-048-230	48000	12.2	16	41000	27800	9	L*43/61Z9	EL196UH110XE60C	202394452
16HPX-048-230	47000	12.5	16	41000	27600	8.2	L*43/61Z9	EL280UH090XE48B	203366321
16HPX-048-230	47000	12.5	16	41000	27400	8.2	L*43/61Z9	EL280UH110XE60C	203366344
16HPX-048-230	47000	12.5	16	41000	28800	9	L*43/61Z9	EL296DF090XE48C	202394465
16HPX-048-230	47000	12.5	16	41000	28600	9	L*43/61Z9	EL296DF110XE60C	202394474
16HPX-048-230	47000	12.5	16	41000	29000	9	L*43/61Z9	EL296DF110XV60C	202394483
16HPX-048-230	48000	12.2	16	41000	27800	8.5	L*43/61Z9	EL296UH090XE48C	202394499
16HPX-048-230	47000	11.7	15	40000	26800	8.5	L*43/61Z9	EL296UH090XV48C	202394519
16HPX-048-230	47000	11.7	15	40000	26800	8.5	L*43/61Z9	EL296UH090XV60C	202394539
16HPX-048-230	48000	12.2	16	41000	27800	9	L*43/61Z9	EL296UH110XE60C	202394559
16HPX-048-230	47000	12.2	15	39500	26600	8.5	L*43/61Z9	EL296UH110XV48C	202394579
16HPX-048-230	47000	11.7	15	40000	26800	8.5	L*43/61Z9	EL296UH110XV60C	202394599
16HPX-048-230	48000	12.2	16	41000	27800	9	L*43/61Z9	EL296UH135XV60D	202394619
16HPX-048-230	47500	13	16	41000	28600	9.5	L*43/61Z9	ML180DF110E60C	202394632
16HPX-048-230	48000	12.5	16	41000	27600	9	L*43/61Z9	ML180UH090E60C	202394648
16HPX-048-230	48000	12.5	16	41000	27600	9	L*43/61Z9	ML180UH110E60C	202394668
16HPX-048-230	47500	12.5	15	41000	27400	8.2	L*43/61Z9	SL280UH090V60C	202394688
16HPX-048-230	47500	12.5	15	41000	27400	8.2	L*43/61Z9	SL280UH090XV60C	202394708
16HPX-048-230	47000	12.2	15	39500	26600	9	L*43/61Z9	SL280UH110V60C	202394728
16HPX-048-230	47000	12.2	15	39500	26600	9	L*43/61Z9	SL280UH110XV60C	202394748
16HPX-048-230	48000	12.2	16	41000	27600	9	L*43/61Z9	SL280UH135V60D	202394768
16HPX-048-230	47000	12.5	16	41000	28800	9	L*43/61Z9	SLP98DF090XV60C	202394781
16HPX-048-230	47000	12.5	16	41000	29000	9	L*43/61Z9	SLP98DF110XV60C	202394790
16HPX-048-230	47000	11.7	15	40000	26600	8.5	L*43/61Z9	SLP98UH090XV48C	202394806
16HPX-048-230	47000	11.7	15	40000	26600	8.5	L*43/61Z9	SLP98UH090XV60C	202394824
16HPX-048-230	47000	11.7	15	40000	26800	8.5	L*43/61Z9	SLP98UH110XV60C	202394844
16HPX-048-230	48000	12.2	16	41000	27800	9	L*43/61Z9	SLP98UH135XV60D	202394864
16HPX-048-230	47000	12.5	16	42500	28800	9	L*43/61Z9	SLP99DF090XV60C	205760925
16HPX-048-230	47000	12.5	16	42500	29000	9	L*43/61Z9	SLP99DF110XV60C	205760946
16HPX-048-230	47500	11.7	15	41000	27600	8.2	L*43/61Z9	SLP99UH090XV48C	205760977
16HPX-048-230	47000	11.7	15	41500	24600	8.2	L*43/61Z9	SLP99UH090XV60C	205761006
16HPX-048-230	47500	11.7	15	41000	27600	8.2	L*43/61Z9	SLP99UH110XV60C	205761043
16HPX-048-230	48000	12.2	16	43500	27800	9	L*43/61Z9	SLP99UH135XV60D	205761080
16HPX-048-230	47000	12	15	41000	29200	9	L*43/61Z9		202395083
16HPX-048-230	47000	12.5	16	41000	28800	9	L*48/60Y9	EL195DF090XE48C	202394370
16HPX-048-230	48000	12.5	16	41000	27800	8.5	L*48/60Y9	EL195UH090XE48C	202394398
16HPX-048-230	48000	12.5	16	41000	27800	8.5	L*48/60Y9	EL196UH090XE48C	202394438
16HPX-048-230	48000	12.5	16	41000	27800	9	L*48/60Y9	EL196UH110XE60C	202394458
16HPX-048-230	48000	12.5	16	41000	28000	9	L*48/60Y9	EL280UH090XE48B	203366329
16HPX-048-230	48000	12.5	16	41000	27800	9	L*48/60Y9	EL280UH110XE60C	203366352
16HPX-048-230	47000	12.5	16	41000	28800	9	L*48/60Y9	EL296DF090XE48C	202394468
16HPX-048-230	47000	12.5	16	41000	28600	9	L*48/60Y9	EL296DF110XE60C	202394477
16HPX-048-230	47000	12.5	16	41000	29000	9	L*48/60Y9	EL296DF110XV60C	202394486
16HPX-048-230	48000	12.5	16	41000	27800	8.5	L*48/60Y9	EL296UH090XE48C	202394505
16HPX-048-230	46500	12	15	41000	26800	8.2	L*48/60Y9	EL296UH090XV48C	202394525
16HPX-048-230	46500	12	15	41000	26800	8.2	L*48/60Y9	EL296UH090XV60C	202394545

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-048-230	48000	12.5	16	41000	27800	9	L*48/60Y9	EL296UH110XE60C	202394565
16HPX-048-230	47000	12.5	15	39500	26600	8.5	L*48/60Y9	EL296UH110XV48C	202394585
16HPX-048-230	47500	12	16	41000	27600	8.2	L*48/60Y9	EL296UH110XV60C	202394605
16HPX-048-230	48000	12.5	16	41000	27800	9	L*48/60Y9	EL296UH135XV60D	202394625
16HPX-048-230	47500	13	16	41000	28600	9.5	L*48/60Y9	ML180DF110E60C	202394635
16HPX-048-230	48000	13	16	41000	27600	9	L*48/60Y9	ML180UH090E60C	202394654
16HPX-048-230	48000	13	16	41000	27600	9	L*48/60Y9	ML180UH110E60C	202394674
16HPX-048-230	47500	12.5	16	41000	27400	8.2	L*48/60Y9	SL280UH090V60C	202394694
16HPX-048-230	47500	12.5	16	41000	27400	8.2	L*48/60Y9	SL280UH090XV60C	202394714
16HPX-048-230	46500	12	16	40000	26400	8.2	L*48/60Y9	SL280UH110V60C	202394734
16HPX-048-230	46500	12	16	40000	26400	8.2	L*48/60Y9	SL280UH110XV60C	202394754
16HPX-048-230	48000	12.5	16	41000	27600	9	L*48/60Y9	SL280UH135V60D	202394774
16HPX-048-230	47000	12.5	16	41000	28800	9	L*48/60Y9	SLP98DF090XV60C	202394784
16HPX-048-230	47000	12.5	16	41000	29000	9	L*48/60Y9	SLP98DF110XV60C	202394793
16HPX-048-230	47500	12	16	41000	27600	8.2	L*48/60Y9	SLP98UH090XV48C	202394812
16HPX-048-230	47000	11.7	15	40000	26600	8.5	L*48/60Y9	SLP98UH090XV60C	202394830
16HPX-048-230	47500	12	16	41000	27600	8.2	L*48/60Y9	SLP98UH110XV60C	202394850
16HPX-048-230	48000	12.5	16	41000	27800	9	L*48/60Y9	SLP98UH135XV60D	202394870
16HPX-048-230	47000	12.5	16	42500	28800	9	L*48/60Y9	SLP99DF090XV60C	205760932
16HPX-048-230	47000	12.5	16	42500	28800	9	L*48/60Y9	SLP99DF110XV60C	205760952
16HPX-048-230	47500	12	16	41000	27600	8.2	L*48/60Y9	SLP99UH090XV48C	205760993
16HPX-048-230	47000	11.7	15	41500	24600	8.2	L*48/60Y9	SLP99UH090XV60C	205761021
16HPX-048-230	47500	12	16	41000	27600	8.2	L*48/60Y9	SLP99UH110XV60C	205761057
16HPX-048-230	48000	12.5	16	43500	27800	9	L*48/60Y9	SLP99UH135XV60D	205761096
16HPX-048-230	47000	12	15	41000	29200	9	L*48/60Y9		202395089
16HPX-048-230	47000	12.5	16	41000	28800	9	L*48/60Z9	EL195DF090XE48C	202394369
16HPX-048-230	48000	12.5	16	41000	27800	8.5	L*48/60Z9	EL195UH090XE48C	202394397
16HPX-048-230	48000	12.5	16	41000	27800	8.5	L*48/60Z9	EL196UH090XE48C	202394437
16HPX-048-230	48000	12.5	16	41000	27800	9	L*48/60Z9	EL196UH110XE60C	202394457
16HPX-048-230	48000	12.5	16	41000	28000	9	L*48/60Z9	EL280UH090XE48B	203366328
16HPX-048-230	48000	12.5	16	41000	27800	9	L*48/60Z9	EL280UH110XE60C	203366351
16HPX-048-230	47000	12.5	16	41000	28800	9	L*48/60Z9	EL296DF090XE48C	202394467
16HPX-048-230	47000	12.5	16	41000	28600	9	L*48/60Z9	EL296DF110XE60C	202394476
16HPX-048-230	47000	12.5	16	41000	29000	9	L*48/60Z9	EL296DF110XV60C	202394485
16HPX-048-230	48000	12.5	16	41000	27800	8.5	L*48/60Z9	EL296UH090XE48C	202394504
16HPX-048-230	46500	12	15	41000	26800	8.2	L*48/60Z9	EL296UH090XV48C	202394524
16HPX-048-230	46500	12	15	41000	26800	8.2	L*48/60Z9	EL296UH090XV60C	202394544
16HPX-048-230	48000	12.5	16	41000	27800	9	L*48/60Z9	EL296UH110XE60C	202394564
16HPX-048-230	47000	12.5	15	39500	26600	8.5	L*48/60Z9	EL296UH110XV48C	202394584
16HPX-048-230	47500	12	16	41000	27600	8.2	L*48/60Z9	EL296UH110XV60C	202394604
16HPX-048-230	48000	12.5	16	41000	27800	9	L*48/60Z9	EL296UH135XV60D	202394624
16HPX-048-230	47500	13	16	41000	28600	9.5	L*48/60Z9	ML180DF110E60C	202394634
16HPX-048-230	48000	13	16	41000	27600	9	L*48/60Z9	ML180UH090E60C	202394653
16HPX-048-230	48000	13	16	41000	27600	9	L*48/60Z9	ML180UH110E60C	202394673
16HPX-048-230	47500	12.5	16	41000	27400	8.2	L*48/60Z9	SL280UH090V60C	202394693
16HPX-048-230	47500	12.5	16	41000	27400	8.2	L*48/60Z9	SL280UH090XV60C	202394713
16HPX-048-230	46500	12	16	40000	26400	8.2	L*48/60Z9	SL280UH110V60C	202394733
16HPX-048-230	46500	12	16	40000	26400	8.2	L*48/60Z9	SL280UH110XV60C	202394753
16HPX-048-230	48000	12.5	16	41000	27600	9	L*48/60Z9	SL280UH135V60D	202394773
16HPX-048-230	47000	12.5	16	41000	28800	9	L*48/60Z9	SLP98DF090XV60C	202394783
16HPX-048-230	47000	12.5	16	41000	29000	9	L*48/60Z9	SLP98DF110XV60C	202394792
16HPX-048-230	47500	12	16	41000	27600	8.2	L*48/60Z9	SLP98UH090XV48C	202394811
16HPX-048-230	47000	11.7	15	40000	26600	8.5	L*48/60Z9	SLP98UH090XV60C	202394829
16HPX-048-230	47500	12	16	41000	27600	8.2	L*48/60Z9	SLP98UH110XV60C	202394849

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-048-230	48000	12.5	16	41000	27800	9	L*48/60Z9	SLP98UH135XV60D	202394869
16HPX-048-230	47000	12.5	16	42500	28800	9	L*48/60Z9	SLP99DF090XV60C	205760930
16HPX-048-230	47000	12.5	16	42500	28800	9	L*48/60Z9	SLP99DF110XV60C	205760950
16HPX-048-230	47500	12	16	41000	27600	8.2	L*48/60Z9	SLP99UH090XV48C	205760992
16HPX-048-230	47000	11.7	15	41500	24600	8.2	L*48/60Z9	SLP99UH090XV60C	205761019
16HPX-048-230	47500	12	16	41000	27600	8.2	L*48/60Z9	SLP99UH110XV60C	205761055
16HPX-048-230	48000	12.5	16	43500	27800	9	L*48/60Z9	SLP99UH135XV60D	205761094
16HPX-048-230	47000	12	15	41000	29200	9	L*48/60Z9		202395088
16HPX-048-230	47000	12.5	15	41000	28800	9	L*49/62Y9	EL195DF090XE48C	202394364
16HPX-048-230	47500	12	16	41000	27800	8.5	L*49/62Y9	EL195UH090XE48C	202394389
16HPX-048-230	47500	12	16	41000	27800	8.5	L*49/62Y9	EL196UH090XE48C	202394429
16HPX-048-230	47500	12	16	41000	27800	9	L*49/62Y9	EL196UH110XE60C	202394449
16HPX-048-230	47000	12.2	16	41000	27600	8.2	L*49/62Y9	EL280UH090XE48B	203366318
16HPX-048-230	47000	12.2	16	41000	27400	8.2	L*49/62Y9	EL280UH110XE60C	203366341
16HPX-048-230	47000	12.5	15	41000	28800	9	L*49/62Y9	EL296DF090XE48C	202394462
16HPX-048-230	47000	12.5	16	41000	28600	9	L*49/62Y9	EL296DF110XE60C	202394471
16HPX-048-230	47000	12.5	16	41000	29000	9	L*49/62Y9	EL296DF110XV60C	202394480
16HPX-048-230	47500	12	16	41000	27800	8.5	L*49/62Y9	EL296UH090XE48C	202394496
16HPX-048-230	46500	11.7	15	41000	26800	8.2	L*49/62Y9	EL296UH090XV48C	202394516
16HPX-048-230	46500	11.7	15	41000	26800	8.2	L*49/62Y9	EL296UH090XV60C	202394536
16HPX-048-230	47500	12	16	41000	27800	9	L*49/62Y9	EL296UH110XE60C	202394556
16HPX-048-230	47000	12	15	39500	26600	8.5	L*49/62Y9	EL296UH110XV48C	202394576
16HPX-048-230	47500	11.7	15	41000	27600	8.2	L*49/62Y9	EL296UH110XV60C	202394596
16HPX-048-230	47500	12	16	41000	27800	9	L*49/62Y9	EL296UH135XV60D	202394616
16HPX-048-230	47500	13	16	41000	28600	9.5	L*49/62Y9	ML180DF110E60C	202394629
16HPX-048-230	47500	12.2	16	41000	27600	9	L*49/62Y9	ML180UH090E60C	202394645
16HPX-048-230	47500	12.2	16	41000	27600	9	L*49/62Y9	ML180UH110E60C	202394665
16HPX-048-230	47500	12.2	15	41000	27400	8.2	L*49/62Y9	SL280UH090V60C	202394685
16HPX-048-230	47500	12.2	15	41000	27400	8.2	L*49/62Y9	SL280UH090XV60C	202394705
16HPX-048-230	47000	12	15	39500	26600	8.5	L*49/62Y9	SL280UH110V60C	202394725
16HPX-048-230	47000	12	15	39500	26600	8.5	L*49/62Y9	SL280UH110XV60C	202394745
16HPX-048-230	47500	12	16	41000	27600	9	L*49/62Y9	SL280UH135V60D	202394765
16HPX-048-230	47000	12.5	16	41000	28800	9	L*49/62Y9	SLP98DF090XV60C	202394778
16HPX-048-230	47000	12.5	16	41000	29000	9	L*49/62Y9	SLP98DF110XV60C	202394787
16HPX-048-230	47500	11.7	15	41000	27600	8.2	L*49/62Y9	SLP98UH090XV48C	202394803
16HPX-048-230	47000	11.5	15	40000	26600	8.5	L*49/62Y9	SLP98UH090XV60C	202394821
16HPX-048-230	47500	11.7	15	41000	27600	8.2	L*49/62Y9	SLP98UH110XV60C	202394841
16HPX-048-230	47500	12	16	41000	27800	9	L*49/62Y9	SLP98UH135XV60D	202394861
16HPX-048-230	47000	12.5	16	42500	28800	9	L*49/62Y9	SLP99DF090XV60C	205760921
16HPX-048-230	47000	12.5	16	42500	28800	9	L*49/62Y9	SLP99DF110XV60C	205760940
16HPX-048-230	47500	11.7	15	41000	27600	8.2	L*49/62Y9	SLP99UH090XV48C	205760971
16HPX-048-230	47500	11.7	15	41000	27600	8.2	L*49/62Y9	SLP99UH110XV60C	205761038
16HPX-048-230	47500	12	16	43500	27800	9	L*49/62Y9	SLP99UH135XV60D	205761074
16HPX-048-230	48000	12	15	41000	28600	8.5	L*49/62Y9		202395080
16HPX-048-230	47000	12.5	15	41000	28800	9	L*49/62Z9	EL195DF090XE48C	202394363
16HPX-048-230	47500	12	16	41000	27800	8.5	L*49/62Z9	EL195UH090XE48C	202394388
16HPX-048-230	47500	12	16	41000	27800	8.5	L*49/62Z9	EL196UH090XE48C	202394428
16HPX-048-230	47500	12	16	41000	27800	9	L*49/62Z9	EL196UH110XE60C	202394448
16HPX-048-230	47000	12.2	16	41000	27600	8.2	L*49/62Z9	EL280UH090XE48B	203366317
16HPX-048-230	47000	12.2	16	41000	27400	8.2	L*49/62Z9	EL280UH110XE60C	203366340
16HPX-048-230	47000	12.5	15	41000	28800	9	L*49/62Z9	EL296DF090XE48C	202394461
16HPX-048-230	47000	12.5	16	41000	28600	9	L*49/62Z9	EL296DF110XE60C	202394470
16HPX-048-230	47000	12.5	16	41000	29000	9	L*49/62Z9	EL296DF110XV60C	202394479
16HPX-048-230	47500	12	16	41000	27800	8.5	L*49/62Z9	EL296UH090XE48C	202394495

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-048-230	46500	11.7	15	41000	26800	8.2	L*49/62Z9	EL296UH090XV48C	202394515
16HPX-048-230	46500	11.7	15	41000	26800	8.2	L*49/62Z9	EL296UH090XV60C	202394535
16HPX-048-230	47500	12	16	41000	27800	9	L*49/62Z9	EL296UH110XE60C	202394555
16HPX-048-230	47000	12	15	39500	26600	8.5	L*49/62Z9	EL296UH110XV48C	202394575
16HPX-048-230	47500	11.7	15	41000	27600	8.2	L*49/62Z9	EL296UH110XV60C	202394595
16HPX-048-230	47500	12	16	41000	27800	9	L*49/62Z9	EL296UH135XV60D	202394615
16HPX-048-230	47500	13	16	41000	28600	9.5	L*49/62Z9	ML180DF110E60C	202394628
16HPX-048-230	47500	12.2	16	41000	27600	9	L*49/62Z9	ML180UH090E60C	202394644
16HPX-048-230	47500	12.2	16	41000	27600	9	L*49/62Z9	ML180UH110E60C	202394664
16HPX-048-230	47500	12.2	15	41000	27400	8.2	L*49/62Z9	SL280UH090V60C	202394684
16HPX-048-230	47500	12.2	15	41000	27400	8.2	L*49/62Z9	SL280UH090XV60C	202394704
16HPX-048-230	47000	12	15	39500	26600	8.5	L*49/62Z9	SL280UH110V60C	202394724
16HPX-048-230	47000	12	15	39500	26600	8.5	L*49/62Z9	SL280UH110XV60C	202394744
16HPX-048-230	47500	12	16	41000	27600	9	L*49/62Z9	SL280UH135V60D	202394764
16HPX-048-230	47000	12.5	16	41000	28800	9	L*49/62Z9	SLP98DF090XV60C	202394777
16HPX-048-230	47000	12.5	16	41000	29000	9	L*49/62Z9	SLP98DF110XV60C	202394786
16HPX-048-230	47500	11.7	15	41000	27600	8.2	L*49/62Z9	SLP98UH090XV48C	202394802
16HPX-048-230	47000	11.5	15	40000	26600	8.5	L*49/62Z9	SLP98UH090XV60C	202394820
16HPX-048-230	47500	11.7	15	41000	27600	8.2	L*49/62Z9	SLP98UH110XV60C	202394840
16HPX-048-230	47500	12	16	41000	27800	9	L*49/62Z9	SLP98UH135XV60D	202394860
16HPX-048-230	47000	12.5	16	42500	28800	9	L*49/62Z9	SLP99DF090XV60C	205760919
16HPX-048-230	47000	12.5	16	42500	29000	9	L*49/62Z9	SLP99DF110XV60C	205760938
16HPX-048-230	47500	11.7	15	41000	27600	8.2	L*49/62Z9	SLP99UH090XV48C	205760968
16HPX-048-230	47500	11.7	15	41000	27600	8.2	L*49/62Z9	SLP99UH110XV60C	205761036
16HPX-048-230	47500	12	16	43500	27800	9	L*49/62Z9	SLP99UH135XV60D	205761072
16HPX-048-230	48000	12	15	41000	28600	8.5	L*49/62Z9		202395079
16HPX-048-230	47000	12.5	16	41000	28800	9	L*49/63Z9	EL195DF090XE48C	202394371
16HPX-048-230	48000	12.5	16	41000	27800	8.5	L*49/63Z9	EL195UH090XE48C	202394399
16HPX-048-230	48000	12.5	16	41000	27800	8.5	L*49/63Z9	EL196UH090XE48C	202394439
16HPX-048-230	48000	12.5	16	41000	27800	9	L*49/63Z9	EL196UH110XE60C	202394459
16HPX-048-230	48000	12.5	16	41000	28000	9	L*49/63Z9	EL280UH090XE48B	203366330
16HPX-048-230	48000	12.5	16	41000	27800	9	L*49/63Z9	EL280UH110XE60C	203366353
16HPX-048-230	47000	12.5	16	41000	28800	9	L*49/63Z9	EL296DF090XE48C	202394469
16HPX-048-230	47000	12.5	16	41000	28600	9	L*49/63Z9	EL296DF110XE60C	202394478
16HPX-048-230	47000	12.5	16	41000	29000	9	L*49/63Z9	EL296DF110XV60C	202394487
16HPX-048-230	48000	12.5	16	41000	27800	8.5	L*49/63Z9	EL296UH090XE48C	202394506
16HPX-048-230	47000	12	16	40000	26800	8.5	L*49/63Z9	EL296UH090XV48C	202394526
16HPX-048-230	47000	12	16	40000	26800	8.5	L*49/63Z9	EL296UH090XV60C	202394546
16HPX-048-230	48000	12.5	16	41000	27800	9	L*49/63Z9	EL296UH110XE60C	202394566
16HPX-048-230	47000	12.5	15	39500	26600	8.5	L*49/63Z9	EL296UH110XV48C	202394586
16HPX-048-230	47000	12	16	40000	26800	8.5	L*49/63Z9	EL296UH110XV60C	202394606
16HPX-048-230	48000	12.5	16	41000	27800	9	L*49/63Z9	EL296UH135XV60D	202394626
16HPX-048-230	47500	13	16	41000	28600	9.5	L*49/63Z9	ML180DF110E60C	202394636
16HPX-048-230	48000	13	16	41000	27600	9	L*49/63Z9	ML180UH090E60C	202394655
16HPX-048-230	48000	13	16	41000	27600	9	L*49/63Z9	ML180UH110E60C	202394675
16HPX-048-230	48000	13	16	41000	27400	8.2	L*49/63Z9	ML180UH110V60C	204741501
16HPX-048-230	47000	12	16	40000	26800	8.5	L*49/63Z9	ML296UH090XV48C	204668012
16HPX-048-230	46500	12.2	16	40500	26800	8.2	L*49/63Z9	ML296UH110XV60C	204668019
16HPX-048-230	47000	12.5	16	39500	26600	9	L*49/63Z9	SL280UH090V60C	202394695
16HPX-048-230	47000	12.5	16	39500	26600	9	L*49/63Z9	SL280UH090XV60C	202394715
16HPX-048-230	46500	12.2	16	40000	26400	8.2	L*49/63Z9	SL280UH110V60C	202394735
16HPX-048-230	46500	12.2	16	40000	26400	8.2	L*49/63Z9	SL280UH110XV60C	202394755
16HPX-048-230	48000	12.5	16	41000	27600	9	L*49/63Z9	SL280UH135V60D	202394775
16HPX-048-230	47000	12.5	16	41000	28800	9	L*49/63Z9	SLP98DF090XV60C	202394785

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-048-230	47000	12.5	16	41000	29000	9	L*49/63Z9	SLP98DF110XV60C	202394794
16HPX-048-230	47500	12	16	41000	27600	8.2	L*49/63Z9	SLP98UH090XV48C	202394813
16HPX-048-230	47000	12	15	40000	26600	8.5	L*49/63Z9	SLP98UH090XV60C	202394831
16HPX-048-230	47000	12	16	40000	26800	8.5	L*49/63Z9	SLP98UH110XV60C	202394851
16HPX-048-230	48000	12.5	16	41000	27800	9	L*49/63Z9	SLP98UH135XV60D	202394871
16HPX-048-230	47000	12.5	16	42500	28800	9	L*49/63Z9	SLP99DF090XV60C	205760934
16HPX-048-230	47000	12.5	16	42500	29000	9	L*49/63Z9	SLP99DF110XV60C	205760955
16HPX-048-230	47500	12	16	41000	27600	8.2	L*49/63Z9	SLP99UH090XV48C	205760995
16HPX-048-230	47000	12	15	41500	24600	8.2	L*49/63Z9	SLP99UH090XV60C	205761023
16HPX-048-230	47500	12	16	41000	27600	8.2	L*49/63Z9	SLP99UH110XV60C	205761059
16HPX-048-230	48000	12.5	16	43500	27800	9	L*49/63Z9	SLP99UH135XV60D	205761098
16HPX-048-230	47000	12	15	41000	29200	9	L*49/63Z9		202395090
16HPX-048-230	47500	13	16	42000	28600	9.5	LD42/61Z9	EL180DF110E60C	205147372
16HPX-048-230	47000	12.5	15	42500	28800	9	LD42/61Z9	EL296DF090XE48C	205147373
16HPX-048-230	47000	12.5	16	42000	28600	9	LD42/61Z9	EL296DF110XE60C	205147374
16HPX-048-230	47000	12.5	16	42500	29000	9	LD42/61Z9	EL296DF110XV60C	205147375
16HPX-048-230	47500	13	16	42000	28600	9.5	LD42/61Z9	ML180DF110E60C	205147376
16HPX-048-230	47000	12.5	16	42000	28800	9	LD42/61Z9	ML193DF090XE48C	205147377
16HPX-048-230	47000	12.5	16	42500	28800	9	LD42/61Z9	SLP98DF090XV60C	205147378
16HPX-048-230	47000	12.5	16	42500	29000	9	LD42/61Z9	SLP98DF110XV60C	205147379
16HPX-048-230	47000	12.5	16	42500	28800	9	LD42/61Z9	SLP99DF090XV60C	205760917
16HPX-048-230	47000	12.5	16	42500	28800	9	LD42/61Z9	SLP99DF110XV60C	205760936
16HPX-048-230	48000	12	15	43500	28600	8.5	LD42/61Z9		204756335
16HPX-048-230	47500	12	16	41000	27800	8.5	LH40/61E9	EL195UH090XE48C	202394384
16HPX-048-230	47500	12	16	41000	27800	8.5	LH40/61E9	EL196UH090XE48C	202394424
16HPX-048-230	47500	12	16	41000	27800	9	LH40/61E9	EL196UH110XE60C	202394444
16HPX-048-230	47000	12.2	16	41000	27600	8.2	LH40/61E9	EL280UH090XE48B	203366312
16HPX-048-230	47000	12.2	16	41000	27400	8.2	LH40/61E9	EL280UH110XE60C	203366335
16HPX-048-230	47500	12	16	41000	27800	8.5	LH40/61E9	EL296UH090XE48C	202394491
16HPX-048-230	46500	11.7	15	41000	26800	8.2	LH40/61E9	EL296UH090XV48C	202394511
16HPX-048-230	46500	11.7	15	41000	26800	8.2	LH40/61E9	EL296UH090XV60C	202394531
16HPX-048-230	47500	12	16	41000	27800	9	LH40/61E9	EL296UH110XE60C	202394551
16HPX-048-230	47000	12	15	39500	26600	8.5	LH40/61E9	EL296UH110XV48C	202394571
16HPX-048-230	47500	11.7	15	41000	27600	8.2	LH40/61E9	EL296UH110XV60C	202394591
16HPX-048-230	47500	12	16	41000	27800	9	LH40/61E9	EL296UH135XV60D	202394611
16HPX-048-230	47500	12.2	16	41000	27600	9	LH40/61E9	ML180UH090E60C	202394640
16HPX-048-230	47500	12.2	16	41000	27600	9	LH40/61E9	ML180UH110E60C	202394660
16HPX-048-230	47500	12.2	15	41000	27400	8.2	LH40/61E9	SL280UH090V60C	202394680
16HPX-048-230	47500	12.2	15	41000	27400	8.2	LH40/61E9	SL280UH090XV60C	202394700
16HPX-048-230	47000	12	15	39500	26600	9	LH40/61E9	SL280UH110V60C	202394720
16HPX-048-230	47000	12	15	39500	26600	9	LH40/61E9	SL280UH110XV60C	202394740
16HPX-048-230	47500	12	16	41000	27600	9	LH40/61E9	SL280UH135V60D	202394760
16HPX-048-230	47500	11.7	15	41000	27600	8.2	LH40/61E9	SLP98UH090XV48C	202394798
16HPX-048-230	47000	11.5	15	40000	26600	8.5	LH40/61E9	SLP98UH090XV60C	202394817
16HPX-048-230	47500	11.7	15	41000	27600	8.2	LH40/61E9	SLP98UH110XV60C	202394836
16HPX-048-230	47500	12	16	41000	27800	9	LH40/61E9	SLP98UH135XV60D	202394856
16HPX-048-230	47500	11.7	15	41000	27600	8.2	LH40/61E9	SLP99UH090XV48C	205760964
16HPX-048-230	47000	11.5	15	41500	24600	8.2	LH40/61E9	SLP99UH090XV60C	205761000
16HPX-048-230	47500	11.7	15	41000	27600	8.2	LH40/61E9	SLP99UH110XV60C	205761032
16HPX-048-230	47500	12	16	43500	27800	9	LH40/61E9	SLP99UH135XV60D	205761069
16HPX-048-230	48000	12	15	41000	28600	8.5	LH40/61E9		202395075
16HPX-048-230	47500	12	16	41000	27800	8.5	LH40/61W9	EL195UH090XE48C	202394383
16HPX-048-230	47500	12	16	41000	27800	8.5	LH40/61W9	EL196UH090XE48C	202394423
16HPX-048-230	47500	12	16	41000	27800	9	LH40/61W9	EL196UH110XE60C	202394443

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-048-230	47000	12.2	16	41000	27600	8.2	LH40/61W9	EL280UH090XE48B	203366311
16HPX-048-230	47000	12.2	16	41000	27400	8.2	LH40/61W9	EL280UH110XE60C	203366334
16HPX-048-230	47500	12	16	41000	27800	8.5	LH40/61W9	EL296UH090XE48C	202394490
16HPX-048-230	46500	11.7	15	41000	26800	8.2	LH40/61W9	EL296UH090XV48C	202394510
16HPX-048-230	46500	11.7	15	41000	26800	8.2	LH40/61W9	EL296UH090XV60C	202394530
16HPX-048-230	47500	12	16	41000	27800	9	LH40/61W9	EL296UH110XE60C	202394550
16HPX-048-230	47000	12	15	39500	26600	8.5	LH40/61W9	EL296UH110XV48C	202394570
16HPX-048-230	47500	11.7	15	41000	27600	8.2	LH40/61W9	EL296UH110XV60C	202394590
16HPX-048-230	47500	12	16	41000	27800	9	LH40/61W9	EL296UH135XV60D	202394610
16HPX-048-230	47500	12.2	16	41000	27600	9	LH40/61W9	ML180UH090E60C	202394639
16HPX-048-230	47500	12.2	16	41000	27600	9	LH40/61W9	ML180UH110E60C	202394659
16HPX-048-230	48000	12.5	16	41000	27400	8.2	LH40/61W9	ML180UH110V60C	205983853
16HPX-048-230	47500	12.2	15	41000	27400	8.2	LH40/61W9	SL280UH090V60C	202394679
16HPX-048-230	47500	12.2	15	41000	27400	8.2	LH40/61W9	SL280UH090XV60C	202394699
16HPX-048-230	47000	12	15	39500	26600	9	LH40/61W9	SL280UH110V60C	202394719
16HPX-048-230	47000	12	15	39500	26600	9	LH40/61W9	SL280UH110XV60C	202394739
16HPX-048-230	47500	12	16	41000	27600	9	LH40/61W9	SL280UH135V60D	202394759
16HPX-048-230	47500	11.7	15	41000	27600	8.2	LH40/61W9	SLP98UH090XV48C	202394797
16HPX-048-230	47000	11.5	15	40000	26600	8.5	LH40/61W9	SLP98UH090XV60C	202394816
16HPX-048-230	47500	11.7	15	41000	27600	8.2	LH40/61W9	SLP98UH110XV60C	202394835
16HPX-048-230	47500	12	16	41000	27800	9	LH40/61W9	SLP98UH135XV60D	202394855
16HPX-048-230	47500	11.7	15	41000	27600	8.2	LH40/61W9	SLP99UH090XV48C	205760962
16HPX-048-230	47000	11.5	15	41500	24600	8.2	LH40/61W9	SLP99UH090XV60C	205760999
16HPX-048-230	47500	11.7	15	41000	27600	8.2	LH40/61W9	SLP99UH110XV60C	205761030
16HPX-048-230	47500	12	16	43500	27800	9	LH40/61W9	SLP99UH135XV60D	205761067
16HPX-048-230	48000	12	15	41000	28600	8.5	LH40/61W9		202395074
16HPX-048-230	48000	12	15	41000	28600	8.5	LH40/62E9		202395072
16HPX-048-230	47500	12	15	41000	27800	8.5	LH40/62W9	EL195UH090XE48C	202394381
16HPX-048-230	47500	12	15	41000	27800	8.5	LH40/62W9	EL196UH090XE48C	202394421
16HPX-048-230	47500	12	15	41000	27800	9	LH40/62W9	EL196UH110XE60C	202394441
16HPX-048-230	47000	12.2	16	41000	27600	8.2	LH40/62W9	EL280UH090XE48B	203366309
16HPX-048-230	47000	12.2	16	41000	27400	8.2	LH40/62W9	EL280UH110XE60C	203366332
16HPX-048-230	47500	12	15	41000	27800	8.5	LH40/62W9	EL296UH090XE48C	202394488
16HPX-048-230	46500	11.5	15	41000	26800	8.2	LH40/62W9	EL296UH090XV48C	202394508
16HPX-048-230	46500	11.5	15	41000	26800	8.2	LH40/62W9	EL296UH090XV60C	202394528
16HPX-048-230	47500	12	15	41000	27800	9	LH40/62W9	EL296UH110XE60C	202394548
16HPX-048-230	46500	11.7	15	39500	26600	8.5	LH40/62W9	EL296UH110XV48C	202394568
16HPX-048-230	47500	11.7	15	41000	27600	8.2	LH40/62W9	EL296UH110XV60C	202394588
16HPX-048-230	47500	12	16	41000	26000	8.5	LH40/62W9	EL296UH135XV60D	202394608
16HPX-048-230	47500	12.2	15	41000	27600	9	LH40/62W9	ML180UH090E60C	202394637
16HPX-048-230	47500	12.2	16	41000	27600	9	LH40/62W9	ML180UH110E60C	202394657
16HPX-048-230	47500	12.2	15	41000	27400	8.2	LH40/62W9	SL280UH090V60C	202394677
16HPX-048-230	47500	12.2	15	41000	27400	8.2	LH40/62W9	SL280UH090XV60C	202394697
16HPX-048-230	46500	11.7	15	39500	26600	8.5	LH40/62W9	SL280UH110V60C	202394717
16HPX-048-230	46500	11.7	15	39500	26600	8.5	LH40/62W9	SL280UH110XV60C	202394737
16HPX-048-230	47500	12	16	40500	26000	8.5	LH40/62W9	SL280UH135V60D	202394757
16HPX-048-230	47500	11.7	15	41000	27600	8.2	LH40/62W9	SLP98UH090XV48C	202394795
16HPX-048-230	46500	11	15	40000	26600	8.5	LH40/62W9	SLP98UH090XV60C	202394815
16HPX-048-230	47500	11.7	15	41000	27600	8.2	LH40/62W9	SLP98UH110XV60C	202394833
16HPX-048-230	47500	12	16	41000	26200	8.5	LH40/62W9	SLP98UH135XV60D	202394853
16HPX-048-230	47500	11.7	15	41000	27600	8.2	LH40/62W9	SLP99UH090XV48C	205760957
16HPX-048-230	47500	11.7	15	41000	27600	8.2	LH40/62W9	SLP99UH110XV60C	205761027
16HPX-048-230	47500	12	15	43500	27800	9	LH40/62W9	SLP99UH135XV60D	205761063
16HPX-048-230	48000	12	15	41000	28600	8.5	LH40/62W9		202395071

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-048-230	46500	11.7	15	41000	27800	8.5	LH41/61D9	EL195UH090XE48C	202394382
16HPX-048-230	46500	11.7	15	41000	27800	8.5	LH41/61D9	EL196UH090XE48C	202394422
16HPX-048-230	46500	11.7	15	41000	27800	8.5	LH41/61D9	EL196UH110XE60C	202394442
16HPX-048-230	46500	11.7	16	41000	27600	8.2	LH41/61D9	EL280UH090XE48B	203366310
16HPX-048-230	46500	11.7	16	40500	27400	8.2	LH41/61D9	EL280UH110XE60C	203366333
16HPX-048-230	46500	11.7	15	41000	27800	8.5	LH41/61D9	EL296UH090XE48C	202394489
16HPX-048-230	46000	11	15	40500	26800	8.2	LH41/61D9	EL296UH090XV48C	202394509
16HPX-048-230	46000	11	15	40500	26800	8.2	LH41/61D9	EL296UH090XV60C	202394529
16HPX-048-230	46500	11.7	15	41000	27800	8.5	LH41/61D9	EL296UH110XE60C	202394549
16HPX-048-230	46000	11.7	15	39500	26600	8.2	LH41/61D9	EL296UH110XV48C	202394569
16HPX-048-230	47000	11	15	41000	27600	8.2	LH41/61D9	EL296UH110XV60C	202394589
16HPX-048-230	48000	12.2	15	41000	30000	8.5	LH41/61D9	EL296UH135XV60D	202394609
16HPX-048-230	46500	12.2	15	41000	27600	9	LH41/61D9	ML180UH090E60C	202394638
16HPX-048-230	46500	12.2	15	41000	27600	9	LH41/61D9	ML180UH110E60C	202394658
16HPX-048-230	46000	11.7	15	39500	26600	8.5	LH41/61D9	SL280UH090V60C	202394678
16HPX-048-230	46000	11.7	15	39500	26600	8.5	LH41/61D9	SL280UH090XV60C	202394698
16HPX-048-230	46000	11.7	15	39500	26600	8.5	LH41/61D9	SL280UH110V60C	202394718
16HPX-048-230	46000	11.7	15	39500	26600	8.5	LH41/61D9	SL280UH110XV60C	202394738
16HPX-048-230	48000	12.2	15	41000	29800	8.5	LH41/61D9	SL280UH135V60D	202394758
16HPX-048-230	47000	11	15	41000	27600	8.2	LH41/61D9	SLP98UH090XV48C	202394796
16HPX-048-230	47000	11	15	41000	27600	8.2	LH41/61D9	SLP98UH110XV60C	202394834
16HPX-048-230	46500	11.7	16	41000	27400	8.5	LH41/61D9	SLP98UH135XV60D	202394854
16HPX-048-230	47000	11	15	41000	27600	8.2	LH41/61D9	SLP99UH090XV48C	205760959
16HPX-048-230	47000	11	15	41000	27600	8.2	LH41/61D9	SLP99UH110XV60C	205761028
16HPX-048-230	46500	11.7	15	43500	27800	8.5	LH41/61D9	SLP99UH135XV60D	205761065
16HPX-048-230	48000	12	15	41000	28600	8.5	LH41/61D9		202395073
16HPX-048-230	45000	11	15	39500	26600	8.2	LH42/60D9	ML296UH090XV48C	204668002
16HPX-048-230	48000	12.2	16	41000	27800	8.5	LH42/62E9	EL195UH090XE48C	202394395
16HPX-048-230	48000	12.2	16	41000	27800	8.5	LH42/62E9	EL196UH090XE48C	202394435
16HPX-048-230	48000	12.2	16	41000	27800	9	LH42/62E9	EL196UH110XE60C	202394455
16HPX-048-230	47000	12.5	16	41000	27600	8.2	LH42/62E9	EL280UH090XE48B	203366326
16HPX-048-230	47000	12.5	16	41000	27400	8.2	LH42/62E9	EL280UH110XE60C	203366349
16HPX-048-230	48000	12.2	16	41000	27800	8.5	LH42/62E9	EL296UH090XE48C	202394502
16HPX-048-230	47000	11.7	15	40000	26800	8.5	LH42/62E9	EL296UH090XV48C	202394522
16HPX-048-230	47000	11.7	15	40000	26800	8.5	LH42/62E9	EL296UH090XV60C	202394542
16HPX-048-230	48000	12.2	16	41000	27800	9	LH42/62E9	EL296UH110XE60C	202394562
16HPX-048-230	47000	12.2	15	39500	26600	8.5	LH42/62E9	EL296UH110XV48C	202394582
16HPX-048-230	47000	11.7	15	40000	26800	8.5	LH42/62E9	EL296UH110XV60C	202394602
16HPX-048-230	48000	12.2	16	41000	27800	9	LH42/62E9	EL296UH135XV60D	202394622
16HPX-048-230	48000	12.5	16	41000	27600	9	LH42/62E9	ML180UH090E60C	202394651
16HPX-048-230	48000	12.5	16	41000	27600	9	LH42/62E9	ML180UH110E60C	202394671
16HPX-048-230	48000	13	16	41000	27400	8.2	LH42/62E9	ML180UH110V60C	206776429
16HPX-048-230	47000	11.7	15	40000	26800	8.5	LH42/62E9	ML296UH090XV48C	204668011
16HPX-048-230	46500	12.2	16	40500	26800	8.2	LH42/62E9	ML296UH110XV60C	204668018
16HPX-048-230	47500	12.5	15	41000	27400	8.2	LH42/62E9	SL280UH090V60C	202394691
16HPX-048-230	47500	12.5	15	41000	27400	8.2	LH42/62E9	SL280UH090XV60C	202394711
16HPX-048-230	47000	12.2	15	39500	26600	9	LH42/62E9	SL280UH110V60C	202394731
16HPX-048-230	47000	12.2	15	39500	26600	9	LH42/62E9	SL280UH110XV60C	202394751
16HPX-048-230	48000	12.2	16	41000	27600	9	LH42/62E9	SL280UH135V60D	202394771
16HPX-048-230	47000	11.7	15	40000	26600	8.5	LH42/62E9	SLP98UH090XV48C	202394809
16HPX-048-230	47000	11.7	15	40000	26600	8.5	LH42/62E9	SLP98UH090XV60C	202394827
16HPX-048-230	47000	11.7	15	40000	26800	8.5	LH42/62E9	SLP98UH110XV60C	202394847
16HPX-048-230	48000	12.2	16	41000	27800	9	LH42/62E9	SLP98UH135XV60D	202394867
16HPX-048-230	47500	11.7	15	41000	27600	8.2	LH42/62E9	SLP99UH090XV48C	205760988

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-048-230	47000	11.7	15	41500	24600	8.2	LH42/62E9	SLP99UH090XV60C	205761016
16HPX-048-230	47500	11.7	15	41000	27600	8.2	LH42/62E9	SLP99UH110XV60C	205761052
16HPX-048-230	48000	12.2	16	43500	27800	9	LH42/62E9	SLP99UH135XV60D	205761091
16HPX-048-230	47000	12	15	41000	29200	9	LH42/62E9		202395086
16HPX-048-230	48000	12.2	16	41000	27800	8.5	LH42/62W9	EL195UH090XE48C	202394394
16HPX-048-230	48000	12.2	16	41000	27800	8.5	LH42/62W9	EL196UH090XE48C	202394434
16HPX-048-230	48000	12.2	16	41000	27800	9	LH42/62W9	EL196UH110XE60C	202394454
16HPX-048-230	47000	12.5	16	41000	27600	8.2	LH42/62W9	EL280UH090XE48B	203366325
16HPX-048-230	47000	12.5	16	41000	27400	8.2	LH42/62W9	EL280UH110XE60C	203366348
16HPX-048-230	48000	12.2	16	41000	27800	8.5	LH42/62W9	EL296UH090XE48C	202394501
16HPX-048-230	47000	11.7	15	40000	26800	8.5	LH42/62W9	EL296UH090XV48C	202394521
16HPX-048-230	47000	11.7	15	40000	26800	8.5	LH42/62W9	EL296UH090XV60C	202394541
16HPX-048-230	48000	12.2	16	41000	27800	9	LH42/62W9	EL296UH110XE60C	202394561
16HPX-048-230	47000	12.2	15	39500	26600	8.5	LH42/62W9	EL296UH110XV48C	202394581
16HPX-048-230	47000	11.7	15	40000	26800	8.5	LH42/62W9	EL296UH110XV60C	202394601
16HPX-048-230	48000	12.2	16	41000	27800	9	LH42/62W9	EL296UH135XV60D	202394621
16HPX-048-230	48000	12.5	16	41000	27600	9	LH42/62W9	ML180UH090E60C	202394650
16HPX-048-230	48000	12.5	16	41000	27600	9	LH42/62W9	ML180UH110E60C	202394670
16HPX-048-230	48000	13	16	41000	27400	8.2	LH42/62W9	ML180UH110V60C	206776427
16HPX-048-230	47000	11.7	15	40000	26800	8.5	LH42/62W9	ML296UH090XV48C	204668010
16HPX-048-230	46500	12.2	16	40500	26800	8.2	LH42/62W9	ML296UH110XV60C	204603104
16HPX-048-230	47500	12.5	15	41000	27400	8.2	LH42/62W9	SL280UH090V60C	202394690
16HPX-048-230	47500	12.5	15	41000	27400	8.2	LH42/62W9	SL280UH090XV60C	202394710
16HPX-048-230	47000	12.2	15	39500	26600	9	LH42/62W9	SL280UH110V60C	202394730
16HPX-048-230	47000	12.2	15	39500	26600	9	LH42/62W9	SL280UH110XV60C	202394750
16HPX-048-230	48000	12.2	16	41000	27600	9	LH42/62W9	SL280UH135V60D	202394770
16HPX-048-230	47000	11.7	15	40000	26600	8.5	LH42/62W9	SLP98UH090XV48C	202394808
16HPX-048-230	47000	11.7	15	40000	26600	8.5	LH42/62W9	SLP98UH090XV60C	202394826
16HPX-048-230	47000	11.7	15	40000	26800	8.5	LH42/62W9	SLP98UH110XV60C	202394846
16HPX-048-230	48000	12.2	16	41000	27800	9	LH42/62W9	SLP98UH135XV60D	202394866
16HPX-048-230	47500	11.7	15	41000	27600	8.2	LH42/62W9	SLP99UH090XV48C	205760986
16HPX-048-230	47000	11.7	15	41500	24600	8.2	LH42/62W9	SLP99UH090XV60C	205761014
16HPX-048-230	47500	11.7	15	41000	27600	8.2	LH42/62W9	SLP99UH110XV60C	205761050
16HPX-048-230	48000	12.2	16	43500	27800	9	LH42/62W9	SLP99UH135XV60D	205761089
16HPX-048-230	47000	12	15	41000	29200	9	LH42/62W9		202395085
16HPX-048-230	48000	12.2	16	41000	27800	8.5	LH48/60E9	EL195UH090XE48C	202394396
16HPX-048-230	48000	12.2	16	41000	27800	8.5	LH48/60E9	EL196UH090XE48C	202394436
16HPX-048-230	48000	12.2	16	41000	27800	9	LH48/60E9	EL196UH110XE60C	202394456
16HPX-048-230	47000	12.5	16	41000	27600	8.2	LH48/60E9	EL280UH090XE48B	203366327
16HPX-048-230	47000	12.5	16	41000	27400	8.2	LH48/60E9	EL280UH110XE60C	203366350
16HPX-048-230	48000	12.2	16	41000	27800	8.5	LH48/60E9	EL296UH090XE48C	202394503
16HPX-048-230	46500	12	15	41000	26800	8.2	LH48/60E9	EL296UH090XV48C	202394523
16HPX-048-230	46500	12	15	41000	26800	8.2	LH48/60E9	EL296UH090XV60C	202394543
16HPX-048-230	48000	12.2	16	41000	27800	9	LH48/60E9	EL296UH110XE60C	202394563
16HPX-048-230	47000	12.2	15	39500	26600	8.5	LH48/60E9	EL296UH110XV48C	202394583
16HPX-048-230	47500	12	16	41000	27600	8.2	LH48/60E9	EL296UH110XV60C	202394603
16HPX-048-230	48000	12.5	16	41000	26000	8.5	LH48/60E9	EL296UH135XV60D	202394623
16HPX-048-230	48000	12.5	16	41000	27600	9	LH48/60E9	ML180UH090E60C	202394652
16HPX-048-230	48000	12.5	16	41000	27600	9	LH48/60E9	ML180UH110E60C	202394672
16HPX-048-230	47500	12.5	16	41000	27400	8.2	LH48/60E9	SL280UH090V60C	202394692
16HPX-048-230	47500	12.5	16	41000	27400	8.2	LH48/60E9	SL280UH090XV60C	202394712
16HPX-048-230	47000	12.2	15	39500	26600	9	LH48/60E9	SL280UH110V60C	202394732
16HPX-048-230	47000	12.2	15	39500	26600	9	LH48/60E9	SL280UH110XV60C	202394752
16HPX-048-230	48000	12.5	16	41000	26000	8.5	LH48/60E9	SL280UH135V60D	202394772

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-048-230	47500	12	16	41000	27600	8.2	LH48/60E9	SLP98UH090XV48C	202394810
16HPX-048-230	47000	11.7	15	40000	26600	8.5	LH48/60E9	SLP98UH090XV60C	202394828
16HPX-048-230	47500	12	16	41000	27600	8.2	LH48/60E9	SLP98UH110XV60C	202394848
16HPX-048-230	48000	12.5	16	41000	26200	8.5	LH48/60E9	SLP98UH135XV60D	202394868
16HPX-048-230	47500	12	16	41000	27600	8.2	LH48/60E9	SLP99UH090XV48C	205760989
16HPX-048-230	47000	11.7	15	41500	24600	8.2	LH48/60E9	SLP99UH090XV60C	205761018
16HPX-048-230	47500	12	16	41000	27600	8.2	LH48/60E9	SLP99UH110XV60C	205761054
16HPX-048-230	48000	12.2	16	43500	27800	9	LH48/60E9	SLP99UH135XV60D	205761093
16HPX-048-230	47000	12	15	41000	29200	9	LH48/60E9		202395087
16HPX-048-230	47000	11.7	15	41000	27800	8.5	LH48/60F9	EL195UH090XE48C	202394385
16HPX-048-230	47000	11.7	15	41000	27800	8.5	LH48/60F9	EL196UH090XE48C	202394425
16HPX-048-230	47000	11.7	15	41000	27800	9	LH48/60F9	EL196UH110XE60C	202394445
16HPX-048-230	47000	12	16	41000	27600	8.2	LH48/60F9	EL280UH090XE48B	203366314
16HPX-048-230	47000	12	16	40500	27400	8.2	LH48/60F9	EL280UH110XE60C	203366337
16HPX-048-230	47000	11.7	15	41000	27800	8.5	LH48/60F9	EL296UH090XE48C	202394492
16HPX-048-230	46500	11.5	15	41000	26800	8.2	LH48/60F9	EL296UH090XV48C	202394512
16HPX-048-230	46500	11.5	15	41000	26800	8.2	LH48/60F9	EL296UH090XV60C	202394532
16HPX-048-230	47000	11.7	15	41000	27800	9	LH48/60F9	EL296UH110XE60C	202394552
16HPX-048-230	46500	11.7	15	39500	26600	8.5	LH48/60F9	EL296UH110XV48C	202394572
16HPX-048-230	47500	11.5	15	41000	27600	8.2	LH48/60F9	EL296UH110XV60C	202394592
16HPX-048-230	48000	12.2	15	41000	30000	8.5	LH48/60F9	EL296UH135XV60D	202394612
16HPX-048-230	47000	12.2	15	41000	27600	9	LH48/60F9	ML180UH090E60C	202394641
16HPX-048-230	47000	12.2	15	41000	27600	9	LH48/60F9	ML180UH110E60C	202394661
16HPX-048-230	47500	12	15	41000	27400	8.2	LH48/60F9	SL280UH090V60C	202394681
16HPX-048-230	47500	12	15	41000	27400	8.2	LH48/60F9	SL280UH090XV60C	202394701
16HPX-048-230	46500	11.7	15	39500	26600	8.5	LH48/60F9	SL280UH110V60C	202394721
16HPX-048-230	46500	11.7	15	39500	26600	8.5	LH48/60F9	SL280UH110XV60C	202394741
16HPX-048-230	48000	12.2	15	41000	29800	8.5	LH48/60F9	SL280UH135V60D	202394761
16HPX-048-230	47500	11.5	15	41000	27600	8.2	LH48/60F9	SLP98UH090XV48C	202394799
16HPX-048-230	47500	11.5	15	41000	27600	8.2	LH48/60F9	SLP98UH110XV60C	202394837
16HPX-048-230	46500	11.7	16	41000	27400	8.5	LH48/60F9	SLP98UH135XV60D	202394857
16HPX-048-230	47500	11.5	15	41000	27600	8.2	LH48/60F9	SLP99UH090XV48C	205760966
16HPX-048-230	47500	11.5	15	41000	27600	8.2	LH48/60F9	SLP99UH110XV60C	205761034
16HPX-048-230	47500	12	15	41000	26800	8.2	LH48/60F9	SLP99UH135XV60D	205761071
16HPX-048-230	48000	12	15	41000	28600	8.5	LH48/60F9		202395076
16HPX-048-230	47000	12	16	41000	27600	8.2	LH48/60X9	EL280UH090XE48B	203366313
16HPX-048-230	47000	12	16	40500	27400	8.2	LH48/60X9	EL280UH110XE60C	203366336
16HPX-048-230	48000	12.2	16	41000	27800	8.5	LH49/61E9	EL195UH090XE48C	202394387
16HPX-048-230	48000	12.2	16	41000	27800	8.5	LH49/61E9	EL196UH090XE48C	202394427
16HPX-048-230	48000	12.2	16	41000	27800	9	LH49/61E9	EL196UH110XE60C	202394447
16HPX-048-230	47000	12.5	16	41000	27600	8.2	LH49/61E9	EL280UH090XE48B	203366324
16HPX-048-230	47000	12.5	16	41000	24400	8.2	LH49/61E9	EL280UH110XE60C	203366347
16HPX-048-230	48000	12.2	16	41000	27800	8.5	LH49/61E9	EL296UH090XE48C	202394494
16HPX-048-230	46500	12	15	41000	26800	8.2	LH49/61E9	EL296UH090XV48C	202394514
16HPX-048-230	46500	12	15	41000	26800	8.2	LH49/61E9	EL296UH090XV60C	202394534
16HPX-048-230	48000	12.2	16	41000	27800	9	LH49/61E9	EL296UH110XE60C	202394554
16HPX-048-230	47000	12.5	15	39500	26600	8.5	LH49/61E9	EL296UH110XV48C	202394574
16HPX-048-230	47500	12	16	41000	27600	8.2	LH49/61E9	EL296UH110XV60C	202394594
16HPX-048-230	48000	12.5	16	41000	26000	8.5	LH49/61E9	EL296UH135XV60D	202394614
16HPX-048-230	48000	12.5	16	41000	27600	9	LH49/61E9	ML180UH090E60C	202394643
16HPX-048-230	48000	12.5	16	41000	27600	9	LH49/61E9	ML180UH110E60C	202394663
16HPX-048-230	48000	13	16	41000	27400	8.2	LH49/61E9	ML180UH110V60C	206776426
16HPX-048-230	46500	12	15	40500	26800	8.2	LH49/61E9	ML296UH090XV48C	204668008
16HPX-048-230	46500	12.2	16	40500	26800	8.2	LH49/61E9	ML296UH110XV60C	204668017

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-048-230	47500	12.5	16	41000	27400	8.2	LH49/61E9	SL280UH090V60C	202394683
16HPX-048-230	47500	12.5	16	41000	27400	8.2	LH49/61E9	SL280UH090XV60C	202394703
16HPX-048-230	47000	12.5	15	41000	26600	9	LH49/61E9	SL280UH110V60C	202394723
16HPX-048-230	47000	12.5	15	41000	26600	9	LH49/61E9	SL280UH110XV60C	202394743
16HPX-048-230	48000	12.5	16	41000	26000	8.5	LH49/61E9	SL280UH135V60D	202394763
16HPX-048-230	47500	12	16	41000	27600	8.2	LH49/61E9	SLP98UH090XV48C	202394801
16HPX-048-230	47000	11.7	15	40000	26600	8.5	LH49/61E9	SLP98UH090XV60C	202394819
16HPX-048-230	47500	12	16	41000	27600	8.2	LH49/61E9	SLP98UH110XV60C	202394839
16HPX-048-230	48000	12.5	16	41000	26200	8.5	LH49/61E9	SLP98UH135XV60D	202394859
16HPX-048-230	47500	12	16	41000	27600	8.2	LH49/61E9	SLP99UH090XV48C	205760984
16HPX-048-230	47000	11.7	15	41500	24600	8.2	LH49/61E9	SLP99UH090XV60C	205761012
16HPX-048-230	47500	12	16	41000	27600	8.2	LH49/61E9	SLP99UH110XV60C	205761048
16HPX-048-230	48000	12.5	16	43500	27800	9	LH49/61E9	SLP99UH135XV60D	205761087
16HPX-048-230	47000	12	15	41000	29200	9	LH49/61E9		202395078
16HPX-048-230	48000	12.2	16	41000	27800	8.5	LH49/61W9	EL195UH090XE48C	202394386
16HPX-048-230	48000	12.2	16	41000	27800	8.5	LH49/61W9	EL196UH090XE48C	202394426
16HPX-048-230	48000	12.2	16	41000	27800	9	LH49/61W9	EL196UH110XE60C	202394446
16HPX-048-230	47000	12.5	16	41000	27600	8.2	LH49/61W9	EL280UH090XE48B	203366323
16HPX-048-230	47000	12.5	16	41000	24400	8.2	LH49/61W9	EL280UH110XE60C	203366346
16HPX-048-230	48000	12.2	16	41000	27800	8.5	LH49/61W9	EL296UH090XE48C	202394493
16HPX-048-230	46500	12	15	41000	26800	8.2	LH49/61W9	EL296UH090XV48C	202394513
16HPX-048-230	46500	12	15	41000	26800	8.2	LH49/61W9	EL296UH090XV60C	202394533
16HPX-048-230	48000	12.2	16	41000	27800	9	LH49/61W9	EL296UH110XE60C	202394553
16HPX-048-230	47000	12.5	15	39500	26600	8.5	LH49/61W9	EL296UH110XV48C	202394573
16HPX-048-230	47500	12	16	41000	27600	8.2	LH49/61W9	EL296UH110XV60C	202394593
16HPX-048-230	48000	12.5	16	41000	26000	8.5	LH49/61W9	EL296UH135XV60D	202394613
16HPX-048-230	48000	12.5	16	41000	27600	9	LH49/61W9	ML180UH090E60C	202394642
16HPX-048-230	48000	12.5	16	41000	27600	9	LH49/61W9	ML180UH110E60C	202394662
16HPX-048-230	48000	13	16	41000	27400	8.2	LH49/61W9	ML180UH110V60C	206776425
16HPX-048-230	46500	12	15	40500	26800	8.2	LH49/61W9	ML296UH090XV48C	204668007
16HPX-048-230	46500	12.2	16	41000	24800	8.2	LH49/61W9	ML296UH110XV60C	204603103
16HPX-048-230	47500	12.5	16	41000	27400	8.2	LH49/61W9	SL280UH090V60C	202394682
16HPX-048-230	47500	12.5	16	41000	27400	8.2	LH49/61W9	SL280UH090XV60C	202394702
16HPX-048-230	47000	12.5	15	41000	26600	9	LH49/61W9	SL280UH110V60C	202394722
16HPX-048-230	47000	12.5	15	41000	26600	9	LH49/61W9	SL280UH110XV60C	202394742
16HPX-048-230	48000	12.5	16	41000	26000	8.5	LH49/61W9	SL280UH135V60D	202394762
16HPX-048-230	47500	12	16	41000	27600	8.2	LH49/61W9	SLP98UH090XV48C	202394800
16HPX-048-230	47000	11.7	15	40000	26600	8.5	LH49/61W9	SLP98UH090XV60C	202394818
16HPX-048-230	47500	12	16	41000	27600	8.2	LH49/61W9	SLP98UH110XV60C	202394838
16HPX-048-230	48000	12.5	16	41000	26200	8.5	LH49/61W9	SLP98UH135XV60D	202394858
16HPX-048-230	47500	12	16	41000	27600	8.2	LH49/61W9	SLP99UH090XV48C	205760982
16HPX-048-230	47000	11.7	15	41500	24600	8.2	LH49/61W9	SLP99UH090XV60C	205761010
16HPX-048-230	47500	12	16	41000	27600	8.2	LH49/61W9	SLP99UH110XV60C	205761046
16HPX-048-230	48000	12.5	16	43500	27800	9	LH49/61W9	SLP99UH135XV60D	205761084
16HPX-048-230	47000	12	15	41000	29200	9	LH49/61W9		202395077
16HPX-048-230	48000	12.5	16	41000	27800	8.5	LH49/62W9	EL195UH090XE48C	202394400
16HPX-048-230	48000	12.5	16	41000	27800	8.5	LH49/62W9	EL196UH090XE48C	202394440
16HPX-048-230	48000	12.5	16	41000	27800	9	LH49/62W9	EL196UH110XE60C	202394460
16HPX-048-230	48000	12.5	16	41000	28000	9	LH49/62W9	EL280UH090XE48B	203366331
16HPX-048-230	48000	12.5	16	41000	27800	9	LH49/62W9	EL280UH110XE60C	203366354
16HPX-048-230	48000	12.5	16	41000	27800	8.5	LH49/62W9	EL296UH090XE48C	202394507
16HPX-048-230	47000	12	16	40000	26800	8.5	LH49/62W9	EL296UH090XV48C	202394527
16HPX-048-230	47000	12	16	40000	26800	8.5	LH49/62W9	EL296UH090XV60C	202394547
16HPX-048-230	48000	12.5	16	41000	27800	9	LH49/62W9	EL296UH110XE60C	202394567

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-048-230	47000	12.5	16	39500	26600	8.5	LH49/62W9	EL296UH110XV48C	202394587
16HPX-048-230	47000	12	16	40000	26800	8.5	LH49/62W9	EL296UH110XV60C	202394607
16HPX-048-230	48000	12.5	16	41000	27800	9	LH49/62W9	EL296UH135XV60D	202394627
16HPX-048-230	48000	13	16	41000	27600	9	LH49/62W9	ML180UH090E60C	202394656
16HPX-048-230	48000	13	16	41000	27600	9	LH49/62W9	ML180UH110E60C	202394676
16HPX-048-230	47000	12	16	40000	26800	8.5	LH49/62W9	ML296UH090XV48C	204668013
16HPX-048-230	46500	12.2	16	40000	26800	8.5	LH49/62W9	ML296UH110XV60C	204668020
16HPX-048-230	47000	12.5	16	39500	26600	9	LH49/62W9	SL280UH090V60C	202394696
16HPX-048-230	47000	12.5	16	39500	26600	9	LH49/62W9	SL280UH090XV60C	202394716
16HPX-048-230	47000	12.5	16	39500	26600	9	LH49/62W9	SL280UH110V60C	202394736
16HPX-048-230	47000	12.5	16	39500	26600	9	LH49/62W9	SL280UH110XV60C	202394756
16HPX-048-230	48000	12.5	16	41000	27600	9	LH49/62W9	SL280UH135V60D	202394776
16HPX-048-230	47000	12	16	40000	26600	8.5	LH49/62W9	SLP98UH090XV48C	202394814
16HPX-048-230	47000	12	16	41000	24600	8.2	LH49/62W9	SLP98UH090XV60C	202394832
16HPX-048-230	47000	12	16	40000	26800	8.5	LH49/62W9	SLP98UH110XV60C	202394852
16HPX-048-230	48000	12.5	16	41000	27800	9	LH49/62W9	SLP98UH135XV60D	202394872
16HPX-048-230	47500	12	16	41000	27600	8.2	LH49/62W9	SLP99UH090XV48C	205760997
16HPX-048-230	47000	12	16	41500	24600	8.2	LH49/62W9	SLP99UH090XV60C	205761025
16HPX-048-230	47500	12	16	41000	27600	8.2	LH49/62W9	SLP99UH110XV60C	205761061
16HPX-048-230	48000	12.5	16	43500	27800	9	LH49/62W9	SLP99UH135XV60D	205761101
16HPX-048-230	47000	12	15	41000	29200	9	LH49/62W9		202395091
16HPX-048-230	48000	13	16	41000	27400	8.2	PL60H210P19	ML180UH110V60C	206776428
16HPX-048-230	48000	13	16	43000	27600	9	PL60H210P30	EL180UH090E60C	206776421
16HPX-048-230	48000	13	16	43000	27600	9	PL60H210P30	EL180UH110E60C	206776422
16HPX-048-230	48000	13	16	43000	27600	9	PL60H210P30	ML180UH090E60C	206776423
16HPX-048-230	48000	13	16	43000	27600	9	PL60H210P30	ML180UH110E60C	206776424
16HPX-048-230	48000	13	16	41000	27400	8.2	PL60H210P30	ML180UH110V60C	206776430
16HPX-060-230	58500	12	15	54500	34200	8.2	L*42/60Y9	EL180UH100NE60C	205726883
16HPX-060-230	58500	12	15	54500	34200	8.2	L*42/60Y9	EL195UH110XE60C	205726894
16HPX-060-230	57500	12.2	16	50500	33000	8.5	L*42/60Y9	EL280UH110E60C	205726908
16HPX-060-230	57500	12.2	16	50500	33000	8.5	L*42/60Y9	EL280UH110XE60C	203366363
16HPX-060-230	56500	12	15	52500	35800	8.2	L*42/60Y9	EL296DF090XV60C	202394927
16HPX-060-230	57000	12	15	52500	35600	8.2	L*42/60Y9	EL296DF110XE60C	202394934
16HPX-060-230	56500	12	15	52500	35800	8.2	L*42/60Y9	EL296DF110XV60C	202394941
16HPX-060-230	58500	12	15	54500	34600	8.2	L*42/60Y9	EL296UH090XV48C	205726920
16HPX-060-230	58500	11.5	15	55000	34800	8.2	L*42/60Y9	EL296UH090XV60C	205726931
16HPX-060-230	58500	12	15	54500	34200	8.2	L*42/60Y9	EL296UH110XE60C	205726942
16HPX-060-230	58500	12	15	54500	34400	8.2	L*42/60Y9	EL296UH110XV48C	205726953
16HPX-060-230	58500	12	15	54500	34600	8.2	L*42/60Y9	EL296UH110XV60C	205726964
16HPX-060-230	58000	11.7	15	52500	33600	8.2	L*42/60Y9	EL296UH135XE60D	202394951
16HPX-060-230	58500	12.2	15	52500	33400	8.2	L*42/60Y9	EL296UH135XV60D	202394964
16HPX-060-230	57500	12.5	15	52500	35800	8.5	L*42/60Y9	ML180DF110E60C	202394974
16HPX-060-230	58500	12	15	54500	34200	8.2	L*42/60Y9	ML180UH090E60C	205726986
16HPX-060-230	58000	12	15	54500	34200	8.2	L*42/60Y9	ML180UH110E60C	205726997
16HPX-060-230	59000	12	15	54500	34200	8.2	L*42/60Y9	ML180UH110V60C	205727010
16HPX-060-230	58000	12	15	54500	34200	8.2	L*42/60Y9	ML180UH110XE60C	205727021
16HPX-060-230	58500	12.2	15	51000	33200	8.5	L*42/60Y9	ML180UH135E60D	202394984
16HPX-060-230	56500	11.7	14	54500	33800	8.2	L*42/60Y9	ML180UH135E60D	205727035
16HPX-060-230	57500	12.2	15	50500	33200	8.2	L*42/60Y9	ML193UH110XE60C	205727054
16HPX-060-230	58500	12	15	54500	34600	8.2	L*42/60Y9	ML296UH090XV48C	205727065
16HPX-060-230	59000	12	15	54500	34400	8.2	L*42/60Y9	ML296UH110XV60C	205727076
16HPX-060-230	57000	12	15	52500	35800	8.2	L*42/60Y9	SL280DF090V60C	202394994
16HPX-060-230	57000	12	15	52500	35800	8.2	L*42/60Y9	SL280DF110V60C	202395001
16HPX-060-230	59000	12	15	54500	34200	8.2	L*42/60Y9	SL280UH080NV60C	205727089

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-060-230	59000	12	15	54500	34400	8.2	L*42/60Y9	SL280UH090V60C	205727100
16HPX-060-230	59000	12	15	54500	34400	8.2	L*42/60Y9	SL280UH090XV60C	205727111
16HPX-060-230	59000	12	15	54500	34200	8.2	L*42/60Y9	SL280UH100NV60C	205727122
16HPX-060-230	59000	12	15	55000	34600	8.2	L*42/60Y9	SL280UH110V60C	205727133
16HPX-060-230	59000	12	15	55000	34600	8.2	L*42/60Y9	SL280UH110XV60C	205727144
16HPX-060-230	58000	12.2	15	51000	33400	8.5	L*42/60Y9	SL280UH135V60D	202395011
16HPX-060-230	58500	12	15	54500	34200	8.2	L*42/60Y9	SL297UH080NV48C	205727161
16HPX-060-230	59000	12	15	55000	34600	8.2	L*42/60Y9	SL297UH080NV60C	205727172
16HPX-060-230	56500	12	15	52500	35800	8.2	L*42/60Y9	SLP98DF090XV60C	202395021
16HPX-060-230	56500	12	15	52500	35800	8.2	L*42/60Y9	SLP98DF110XV60C	202395028
16HPX-060-230	58500	12	15	54500	34600	8.2	L*42/60Y9	SLP98UH090XV48C	205727183
16HPX-060-230	58500	11.5	15	55000	34800	8.2	L*42/60Y9	SLP98UH090XV60C	205727194
16HPX-060-230	58500	12	15	54500	34600	8.2	L*42/60Y9	SLP98UH110XV60C	205727205
16HPX-060-230	58500	12.2	15	52500	33400	8.2	L*42/60Y9	SLP98UH135XV60D	202395038
16HPX-060-230	56500	12	15	55000	35800	8.2	L*42/60Y9	SLP99DF090XV60C	205760725
16HPX-060-230	56500	12	15	55000	35800	8.2	L*42/60Y9	SLP99DF110XV60C	205760742
16HPX-060-230	58500	12	15	54500	34600	8.2	L*42/60Y9	SLP99UH110XV60C	205727221
16HPX-060-230	59000	11.5	15	58000	36000	8.5	L*42/60Y9	SLP99UH135XV60D	205760774
16HPX-060-230	57000	12	14.5	52500	36000	8.2	L*42/60Y9		202395097
16HPX-060-230	58500	12	15	54500	34200	8.2	L*42/60Z9	EL180UH100NE60C	205726882
16HPX-060-230	58500	12	15	54500	34200	8.2	L*42/60Z9	EL195UH110XE60C	205726893
16HPX-060-230	57500	12.2	16	50500	33000	8.5	L*42/60Z9	EL280UH110E60C	205726907
16HPX-060-230	57500	12.2	16	50500	33000	8.5	L*42/60Z9	EL280UH110XE60C	203366362
16HPX-060-230	58500	12	15	54500	34600	8.2	L*42/60Z9	EL296UH090XV48C	205726919
16HPX-060-230	58500	11.5	15	55000	34800	8.2	L*42/60Z9	EL296UH090XV60C	205726930
16HPX-060-230	58500	12	15	54500	34200	8.2	L*42/60Z9	EL296UH110XE60C	205726941
16HPX-060-230	58500	12	15	54500	34400	8.2	L*42/60Z9	EL296UH110XV48C	205726952
16HPX-060-230	58500	12	15	54500	34600	8.2	L*42/60Z9	EL296UH110XV60C	205726963
16HPX-060-230	58000	11.7	15	51000	33600	8.2	L*42/60Z9	EL296UH135XE60D	205726976
16HPX-060-230	58500	12.2	15	51000	33400	8.2	L*42/60Z9	EL296UH135XV60D	205726981
16HPX-060-230	58500	12	15	54500	34200	8.2	L*42/60Z9	ML180UH090E60C	205726985
16HPX-060-230	58000	12	15	54500	34200	8.2	L*42/60Z9	ML180UH110E60C	205726996
16HPX-060-230	59000	12	15	54500	34200	8.2	L*42/60Z9	ML180UH110V60C	205727009
16HPX-060-230	58000	12	15	54500	34200	8.2	L*42/60Z9	ML180UH110XE60C	205727020
16HPX-060-230	56500	11.7	14	54500	33800	8.2	L*42/60Z9	ML180UH135E60D	205727034
16HPX-060-230	58500	12.2	15	51000	33200	8.5	L*42/60Z9	ML180UH135E60D	205727047
16HPX-060-230	57500	12.2	15	50500	33200	8.2	L*42/60Z9	ML193UH110XE60C	205727053
16HPX-060-230	58500	12	15	54500	34600	8.2	L*42/60Z9	ML296UH090XV48C	205727064
16HPX-060-230	59000	12	15	54500	34400	8.2	L*42/60Z9	ML296UH110XV60C	205727075
16HPX-060-230	59000	12	15	54500	34200	8.2	L*42/60Z9	SL280UH080NV60C	205727088
16HPX-060-230	59000	12	15	54500	34400	8.2	L*42/60Z9	SL280UH090V60C	205727099
16HPX-060-230	59000	12	15	54500	34400	8.2	L*42/60Z9	SL280UH090XV60C	205727110
16HPX-060-230	59000	12	15	54500	34200	8.2	L*42/60Z9	SL280UH100NV60C	205727121
16HPX-060-230	59000	12	15	55000	34600	8.2	L*42/60Z9	SL280UH110V60C	205727132
16HPX-060-230	59000	12	15	55000	34600	8.2	L*42/60Z9	SL280UH110XV60C	205727143
16HPX-060-230	58000	12.2	15	51000	33400	8.5	L*42/60Z9	SL280UH135V60D	205727156
16HPX-060-230	58500	12	15	54500	34200	8.2	L*42/60Z9	SL297UH080NV48C	205727160
16HPX-060-230	59000	12	15	55000	34600	8.2	L*42/60Z9	SL297UH080NV60C	205727171
16HPX-060-230	58500	12	15	54500	34600	8.2	L*42/60Z9	SLP98UH090XV48C	205727182
16HPX-060-230	58500	11.5	15	55000	34800	8.2	L*42/60Z9	SLP98UH090XV60C	205727193
16HPX-060-230	58500	12	15	54500	34600	8.2	L*42/60Z9	SLP98UH110XV60C	205727204
16HPX-060-230	58500	12.2	15	51000	33400	8.2	L*42/60Z9	SLP98UH135XV60D	205727216
16HPX-060-230	58500	12	15	54500	34600	8.2	L*42/60Z9	SLP99UH110XV60C	205727220
16HPX-060-230	59000	11.5	15	58000	36000	8.5	L*42/60Z9	SLP99UH135XV60D	205760771

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-060-230	58500	12.2	15	54500	34200	8.2	L*43/61Y9	EL180UH100NE60C	205726885
16HPX-060-230	58500	12.2	15	54500	34200	8.2	L*43/61Y9	EL195UH110XE60C	205726896
16HPX-060-230	57500	12.2	16	50500	33000	8.5	L*43/61Y9	EL280UH110E60C	205726910
16HPX-060-230	57500	12.2	16	50500	33000	8.5	L*43/61Y9	EL280UH110XE60C	203366365
16HPX-060-230	56500	12	15	52500	35800	8.2	L*43/61Y9	EL296DF090XV60C	202394929
16HPX-060-230	57000	12	15	52500	35600	8.2	L*43/61Y9	EL296DF110XE60C	202394936
16HPX-060-230	56500	12	15	52500	35800	8.2	L*43/61Y9	EL296DF110XV60C	202394943
16HPX-060-230	58500	12.2	15	54500	34600	8.2	L*43/61Y9	EL296UH090XV48C	205726922
16HPX-060-230	58500	11.7	15	55000	34800	8.2	L*43/61Y9	EL296UH090XV60C	205726933
16HPX-060-230	58500	12.2	15	54500	34200	8.2	L*43/61Y9	EL296UH110XE60C	205726944
16HPX-060-230	58500	12.2	15	54500	34400	8.2	L*43/61Y9	EL296UH110XV48C	205726955
16HPX-060-230	58500	12.2	15	54500	34600	8.2	L*43/61Y9	EL296UH110XV60C	205726966
16HPX-060-230	58500	11.7	15	52500	36000	8.5	L*43/61Y9	EL296UH135XE60D	202394953
16HPX-060-230	58500	12.2	15	52500	33400	8.2	L*43/61Y9	EL296UH135XV60D	202394966
16HPX-060-230	57500	12.5	15	52500	35800	8.5	L*43/61Y9	ML180DF110E60C	202394976
16HPX-060-230	58500	12.2	15	54500	34200	8.2	L*43/61Y9	ML180UH090E60C	205726988
16HPX-060-230	58000	12.2	15	54500	34200	8.2	L*43/61Y9	ML180UH110E60C	205726999
16HPX-060-230	59000	12.2	15	54500	34200	8.2	L*43/61Y9	ML180UH110V60C	205727012
16HPX-060-230	58000	12.2	15	54500	34200	8.2	L*43/61Y9	ML180UH110XE60C	205727023
16HPX-060-230	56500	11.7	14.5	54500	33800	8.2	L*43/61Y9	ML180UH135E60D	205727037
16HPX-060-230	58500	12.5	15	51000	33200	8.5	L*43/61Y9	ML180UH135E60D	202394986
16HPX-060-230	57500	12.2	15	50500	33200	8.2	L*43/61Y9	ML193UH110XE60C	205727056
16HPX-060-230	58500	12.2	15	54500	34600	8.2	L*43/61Y9	ML296UH090XV48C	205727067
16HPX-060-230	59000	12.2	15	54500	34400	8.2	L*43/61Y9	ML296UH110XV60C	205727078
16HPX-060-230	57000	12	15	52500	35800	8.2	L*43/61Y9	SL280DF090V60C	202394996
16HPX-060-230	57000	12	15	52500	35800	8.2	L*43/61Y9	SL280DF110V60C	202395003
16HPX-060-230	59000	12.2	15	54500	34200	8.2	L*43/61Y9	SL280UH080NV60C	205727091
16HPX-060-230	59000	12.2	15	54500	34400	8.2	L*43/61Y9	SL280UH090V60C	205727102
16HPX-060-230	59000	12.2	15	54500	34400	8.2	L*43/61Y9	SL280UH090XV60C	205727113
16HPX-060-230	59000	12.2	15	54500	34200	8.2	L*43/61Y9	SL280UH100NV60C	205727124
16HPX-060-230	59000	12.2	15	55000	34600	8.2	L*43/61Y9	SL280UH110V60C	205727135
16HPX-060-230	59000	12.2	15	55000	34600	8.2	L*43/61Y9	SL280UH110XV60C	205727146
16HPX-060-230	58000	12.2	15	51000	33400	8.5	L*43/61Y9	SL280UH135V60D	202395013
16HPX-060-230	58500	12.2	15	54500	34200	8.2	L*43/61Y9	SL297UH080NV48C	205727163
16HPX-060-230	59000	12.2	15	55000	34600	8.2	L*43/61Y9	SL297UH080NV60C	205727174
16HPX-060-230	56500	12	15	52500	35800	8.2	L*43/61Y9	SLP98DF090XV60C	202395023
16HPX-060-230	56500	12	15	52500	35800	8.2	L*43/61Y9	SLP98DF110XV60C	202395030
16HPX-060-230	58500	12.2	15	54500	34600	8.2	L*43/61Y9	SLP98UH090XV48C	205727185
16HPX-060-230	58500	11.7	15	55000	34800	8.2	L*43/61Y9	SLP98UH090XV60C	205727196
16HPX-060-230	58500	12.2	15	54500	34600	8.2	L*43/61Y9	SLP98UH110XV60C	205727207
16HPX-060-230	58500	12.2	15	52500	33400	8.2	L*43/61Y9	SLP98UH135XV60D	202395040
16HPX-060-230	56500	12	15	55000	35800	8.2	L*43/61Y9	SLP99DF090XV60C	205760729
16HPX-060-230	56500	12	15	55000	35800	8.2	L*43/61Y9	SLP99DF110XV60C	205760747
16HPX-060-230	58500	12.2	15	54500	34600	8.2	L*43/61Y9	SLP99UH110XV60C	205727223
16HPX-060-230	59000	11.7	15	58000	36000	8.5	L*43/61Y9	SLP99UH135XV60D	205760777
16HPX-060-230	57000	12	14.5	52500	34600	8.5	L*43/61Y9		202395099
16HPX-060-230	58500	12.2	15	54500	34200	8.2	L*43/61Z9	EL180UH100NE60C	205726884
16HPX-060-230	58500	12.2	15	54500	34200	8.2	L*43/61Z9	EL195UH110XE60C	205726895
16HPX-060-230	57500	12.2	16	50500	33000	8.5	L*43/61Z9	EL280UH110E60C	205726909
16HPX-060-230	57500	12.2	16	50500	33000	8.5	L*43/61Z9	EL280UH110XE60C	203366364
16HPX-060-230	56500	12	15	52500	35800	8.2	L*43/61Z9	EL296DF090XV60C	202394928
16HPX-060-230	57000	12	15	52500	35600	8.2	L*43/61Z9	EL296DF110XE60C	202394935
16HPX-060-230	56500	12	15	52500	35800	8.2	L*43/61Z9	EL296DF110XV60C	202394942
16HPX-060-230	58500	12.2	15	54500	34600	8.2	L*43/61Z9	EL296UH090XV48C	205726921

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-060-230	58500	11.7	15	55000	34800	8.2	L*43/61Z9	EL296UH090XV60C	205726932
16HPX-060-230	58500	12.2	15	54500	34200	8.2	L*43/61Z9	EL296UH110XE60C	205726943
16HPX-060-230	58500	12.2	15	54500	34400	8.2	L*43/61Z9	EL296UH110XV48C	205726954
16HPX-060-230	58500	12.2	15	54500	34600	8.2	L*43/61Z9	EL296UH110XV60C	205726965
16HPX-060-230	58500	11.7	15	52500	36000	8.5	L*43/61Z9	EL296UH135XE60D	202394952
16HPX-060-230	58500	12.2	15	52500	33400	8.2	L*43/61Z9	EL296UH135XV60D	202394965
16HPX-060-230	57500	12.5	15	52500	35800	8.5	L*43/61Z9	ML180DF110E60C	202394975
16HPX-060-230	58500	12.2	15	54500	34200	8.2	L*43/61Z9	ML180UH090E60C	205726987
16HPX-060-230	58000	12.2	15	54500	34200	8.2	L*43/61Z9	ML180UH110E60C	205726998
16HPX-060-230	59000	12.2	15	54500	34200	8.2	L*43/61Z9	ML180UH110V60C	205727011
16HPX-060-230	58000	12.2	15	54500	34200	8.2	L*43/61Z9	ML180UH110XE60C	205727022
16HPX-060-230	56500	11.7	14.5	54500	33800	8.2	L*43/61Z9	ML180UH135E60D	205727036
16HPX-060-230	58500	12.5	15	51000	33200	8.5	L*43/61Z9	ML180UH135E60D	202394985
16HPX-060-230	57500	12.2	15	50500	33200	8.2	L*43/61Z9	ML193UH110XE60C	205727055
16HPX-060-230	58500	12.2	15	54500	34600	8.2	L*43/61Z9	ML296UH090XV48C	205727066
16HPX-060-230	59000	12.2	15	54500	34400	8.2	L*43/61Z9	ML296UH110XV60C	205727077
16HPX-060-230	57000	12	15	52500	35800	8.2	L*43/61Z9	SL280DF090V60C	202394995
16HPX-060-230	57000	12	15	52500	35800	8.2	L*43/61Z9	SL280DF110V60C	202395002
16HPX-060-230	59000	12.2	15	54500	34200	8.2	L*43/61Z9	SL280UH080NV60C	205727090
16HPX-060-230	59000	12.2	15	54500	34400	8.2	L*43/61Z9	SL280UH090V60C	205727101
16HPX-060-230	59000	12.2	15	54500	34400	8.2	L*43/61Z9	SL280UH090XV60C	205727112
16HPX-060-230	59000	12.2	15	54500	34200	8.2	L*43/61Z9	SL280UH100NV60C	205727123
16HPX-060-230	59000	12.2	15	55000	34600	8.2	L*43/61Z9	SL280UH110V60C	205727134
16HPX-060-230	59000	12.2	15	55000	34600	8.2	L*43/61Z9	SL280UH110XV60C	205727145
16HPX-060-230	58000	12.2	15	51000	33400	8.5	L*43/61Z9	SL280UH135V60D	202395012
16HPX-060-230	58500	12.2	15	54500	34200	8.2	L*43/61Z9	SL297UH080NV48C	205727162
16HPX-060-230	59000	12.2	15	55000	34600	8.2	L*43/61Z9	SL297UH080NV60C	205727173
16HPX-060-230	56500	12	15	52500	35800	8.2	L*43/61Z9	SLP98DF090XV60C	202395022
16HPX-060-230	56500	12	15	52500	35800	8.2	L*43/61Z9	SLP98DF110XV60C	202395029
16HPX-060-230	58500	12.2	15	54500	34600	8.2	L*43/61Z9	SLP98UH090XV48C	205727184
16HPX-060-230	58500	11.7	15	55000	34800	8.2	L*43/61Z9	SLP98UH090XV60C	205727195
16HPX-060-230	58500	12.2	15	54500	34600	8.2	L*43/61Z9	SLP98UH110XV60C	205727206
16HPX-060-230	58500	12.2	15	52500	33400	8.2	L*43/61Z9	SLP98UH135XV60D	202395039
16HPX-060-230	56500	12	15	55000	35800	8.2	L*43/61Z9	SLP99DF090XV60C	205760727
16HPX-060-230	56500	12	15	55000	35800	8.2	L*43/61Z9	SLP99DF110XV60C	205760745
16HPX-060-230	58500	12.2	15	54500	34600	8.2	L*43/61Z9	SLP99UH110XV60C	205727222
16HPX-060-230	59000	11.7	15	58000	36000	8.5	L*43/61Z9	SLP99UH135XV60D	205760775
16HPX-060-230	57000	12	14.5	52500	34600	8.5	L*43/61Z9		202395098
16HPX-060-230	57500	12.5	16	50500	33000	8.5	L*48/60Y9	EL280UH110XE60C	203366372
16HPX-060-230	56500	12	15	52500	35800	8.2	L*48/60Y9	EL296DF090XV60C	202394931
16HPX-060-230	57000	12	15	52500	35600	8.2	L*48/60Y9	EL296DF110XE60C	202394938
16HPX-060-230	56500	12	15	52500	35800	8.2	L*48/60Y9	EL296DF110XV60C	202394945
16HPX-060-230	58000	12	15	52500	33600	8.2	L*48/60Y9	EL296UH135XE60D	202394957
16HPX-060-230	58500	12.5	16	51000	33400	8.2	L*48/60Y9	EL296UH135XV60D	202394970
16HPX-060-230	57500	12.5	16	52500	35800	8.5	L*48/60Y9	ML180DF110E60C	202394978
16HPX-060-230	58500	12.5	16	51000	33200	8.5	L*48/60Y9	ML180UH135E60D	202394990
16HPX-060-230	57000	12	16	52500	35800	8.2	L*48/60Y9	SL280DF090V60C	202394998
16HPX-060-230	57000	12	16	52500	35800	8.2	L*48/60Y9	SL280DF110V60C	202395005
16HPX-060-230	58000	12.5	16	51000	33400	8.5	L*48/60Y9	SL280UH135V60D	202395017
16HPX-060-230	56500	12	15	52500	35800	8.2	L*48/60Y9	SLP98DF090XV60C	202395025
16HPX-060-230	56500	12	15	52500	35800	8.2	L*48/60Y9	SLP98DF110XV60C	202395032
16HPX-060-230	58500	12.5	16	51000	33400	8.2	L*48/60Y9	SLP98UH135XV60D	202395044
16HPX-060-230	56500	12	15	55000	35800	8.2	L*48/60Y9	SLP99DF090XV60C	205760733
16HPX-060-230	56500	12	15	55000	35800	8.2	L*48/60Y9	SLP99DF110XV60C	205760751

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-060-230	59000	11.7	15	58000	36000	8.5	L*48/60Y9	SLP99UH135XV60D	205760792
16HPX-060-230	57000	12	15	52500	34600	8.5	L*48/60Y9		202395103
16HPX-060-230	57500	12.5	16	50500	33000	8.5	L*48/60Z9	EL280UH110XE60C	203366371
16HPX-060-230	56500	12	15	52500	35800	8.2	L*48/60Z9	EL296DF090XV60C	202394930
16HPX-060-230	57000	12	15	52500	35600	8.2	L*48/60Z9	EL296DF110XE60C	202394937
16HPX-060-230	56500	12	15	52500	35800	8.2	L*48/60Z9	EL296DF110XV60C	202394944
16HPX-060-230	58000	12	15	52500	33600	8.2	L*48/60Z9	EL296UH135XE60D	202394956
16HPX-060-230	58500	12.5	16	51000	33400	8.2	L*48/60Z9	EL296UH135XV60D	202394969
16HPX-060-230	57500	12.5	16	52500	35800	8.5	L*48/60Z9	ML180DF110E60C	202394977
16HPX-060-230	58500	12.5	16	51000	33200	8.5	L*48/60Z9	ML180UH135E60D	202394989
16HPX-060-230	57000	12	16	52500	35800	8.2	L*48/60Z9	SL280DF090V60C	202394997
16HPX-060-230	57000	12	16	52500	35800	8.2	L*48/60Z9	SL280DF110V60C	202395004
16HPX-060-230	58000	12.5	16	51000	33400	8.5	L*48/60Z9	SL280UH135V60D	202395016
16HPX-060-230	56500	12	15	52500	35800	8.2	L*48/60Z9	SLP98DF090XV60C	202395024
16HPX-060-230	56500	12	15	52500	35800	8.2	L*48/60Z9	SLP98DF110XV60C	202395031
16HPX-060-230	58500	12.5	16	51000	33400	8.2	L*48/60Z9	SLP98UH135XV60D	202395043
16HPX-060-230	56500	12	15	55000	35800	8.2	L*48/60Z9	SLP99DF090XV60C	205760731
16HPX-060-230	56500	12	15	55000	35800	8.2	L*48/60Z9	SLP99DF110XV60C	205760749
16HPX-060-230	59000	11.7	15	58000	36000	8.5	L*48/60Z9	SLP99UH135XV60D	205760790
16HPX-060-230	57000	12	15	52500	34600	8.5	L*48/60Z9		202395102
16HPX-060-230	58000	12	15	54500	34200	8.2	L*49/62Y9	EL180UH100NE60C	205726881
16HPX-060-230	58000	12	15	54500	34200	8.2	L*49/62Y9	EL195UH110XE60C	205726892
16HPX-060-230	57500	12	16	50500	33000	8.5	L*49/62Y9	EL280UH110E60C	205726906
16HPX-060-230	57500	12	16	50500	33000	8.5	L*49/62Y9	EL280UH110XE60C	203366361
16HPX-060-230	56500	12	15	52500	35800	8.2	L*49/62Y9	EL296DF090XV60C	202394926
16HPX-060-230	57000	12	15	52500	35600	8.2	L*49/62Y9	EL296DF110XE60C	202394933
16HPX-060-230	56500	12	15	52500	35800	8.2	L*49/62Y9	EL296DF110XV60C	202394940
16HPX-060-230	58000	12	15	54500	34600	8.2	L*49/62Y9	EL296UH090XV48C	205726918
16HPX-060-230	58000	11.5	15	55000	34800	8.2	L*49/62Y9	EL296UH090XV60C	205726929
16HPX-060-230	58000	12	15	54500	34200	8.2	L*49/62Y9	EL296UH110XE60C	205726940
16HPX-060-230	58000	12	15	54500	34400	8.2	L*49/62Y9	EL296UH110XV48C	205726951
16HPX-060-230	58000	12	15	54500	34600	8.2	L*49/62Y9	EL296UH110XV60C	205726962
16HPX-060-230	58000	11.5	15	52500	36000	8.5	L*49/62Y9	EL296UH135XE60D	202394950
16HPX-060-230	58500	12	15	52500	33400	8.2	L*49/62Y9	EL296UH135XV60D	202394963
16HPX-060-230	57500	12.5	15	52500	35800	8.5	L*49/62Y9	ML180DF110E60C	202394973
16HPX-060-230	58000	12	15	54500	34200	8.2	L*49/62Y9	ML180UH090E60C	205726984
16HPX-060-230	57500	12	15	54500	34200	8.2	L*49/62Y9	ML180UH110E60C	205726995
16HPX-060-230	58500	12	15	54500	34200	8.2	L*49/62Y9	ML180UH110V60C	205727008
16HPX-060-230	57500	12	15	54500	34200	8.2	L*49/62Y9	ML180UH110XE60C	205727019
16HPX-060-230	56500	11.7	14	54500	33800	8.2	L*49/62Y9	ML180UH135E60D	205727033
16HPX-060-230	58500	12.2	15	51000	33200	8.5	L*49/62Y9	ML180UH135E60D	202394983
16HPX-060-230	57500	12	15	50500	33200	8.2	L*49/62Y9	ML193UH110XE60C	205727052
16HPX-060-230	58000	12	15	54500	34600	8.2	L*49/62Y9	ML296UH090XV48C	205727063
16HPX-060-230	58500	12	15	54500	34400	8.2	L*49/62Y9	ML296UH110XV60C	205727074
16HPX-060-230	57000	12	15	52500	35800	8.2	L*49/62Y9	SL280DF090V60C	202394993
16HPX-060-230	57000	12	15	52500	35800	8.2	L*49/62Y9	SL280DF110V60C	202395000
16HPX-060-230	58500	12	15	54500	34200	8.2	L*49/62Y9	SL280UH080NV60C	205727087
16HPX-060-230	58500	12	15	54500	34400	8.2	L*49/62Y9	SL280UH090V60C	205727098
16HPX-060-230	58500	12	15	54500	34400	8.2	L*49/62Y9	SL280UH090XV60C	205727109
16HPX-060-230	58500	12	15	54500	34200	8.2	L*49/62Y9	SL280UH100NV60C	205727120
16HPX-060-230	58500	12	15	55000	34600	8.2	L*49/62Y9	SL280UH110V60C	205727131
16HPX-060-230	58500	12	15	55000	34600	8.2	L*49/62Y9	SL280UH110XV60C	205727142
16HPX-060-230	58000	12	15	51000	33400	8.5	L*49/62Y9	SL280UH135V60D	202395010
16HPX-060-230	58000	12	15	54500	34200	8.2	L*49/62Y9	SL297UH080NV48C	205727159

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-060-230	58500	12	15	55000	34600	8.2	L*49/62Y9	SL297UH080NV60C	205727170
16HPX-060-230	56500	12	15	52500	35800	8.2	L*49/62Y9	SLP98DF090XV60C	202395020
16HPX-060-230	56500	12	15	52500	35800	8.2	L*49/62Y9	SLP98DF110XV60C	202395027
16HPX-060-230	58000	12	15	54500	34600	8.2	L*49/62Y9	SLP98UH090XV48C	205727181
16HPX-060-230	58000	11.5	15	55000	34800	8.2	L*49/62Y9	SLP98UH090XV60C	205727192
16HPX-060-230	58000	12	15	54500	34600	8.2	L*49/62Y9	SLP98UH110XV60C	205727203
16HPX-060-230	58500	12	15	52500	33400	8.2	L*49/62Y9	SLP98UH135XV60D	202395037
16HPX-060-230	56500	12	15	55000	35800	8.2	L*49/62Y9	SLP99DF090XV60C	205760723
16HPX-060-230	56500	12	15	55000	35800	8.2	L*49/62Y9	SLP99DF110XV60C	205760740
16HPX-060-230	58000	12	15	54500	34600	8.2	L*49/62Y9	SLP99UH110XV60C	205727219
16HPX-060-230	58500	11.5	15	58000	36000	8.5	L*49/62Y9	SLP99UH135XV60D	205760769
16HPX-060-230	57000	12	14.5	52500	36000	8.2	L*49/62Y9		202395096
16HPX-060-230	58000	12	15	54500	34200	8.2	L*49/62Z9	EL180UH100NE60C	205726880
16HPX-060-230	58000	12	15	54500	34200	8.2	L*49/62Z9	EL195UH110XE60C	205726891
16HPX-060-230	57500	12	16	50500	33000	8.5	L*49/62Z9	EL280UH110E60C	205726905
16HPX-060-230	57500	12	16	50500	33000	8.5	L*49/62Z9	EL280UH110XE60C	203366360
16HPX-060-230	58000	12	15	54500	34600	8.2	L*49/62Z9	EL296UH090XV48C	205726917
16HPX-060-230	58000	11.5	15	55000	34800	8.2	L*49/62Z9	EL296UH090XV60C	205726928
16HPX-060-230	58000	12	15	54500	34200	8.2	L*49/62Z9	EL296UH110XE60C	205726939
16HPX-060-230	58000	12	15	54500	34400	8.2	L*49/62Z9	EL296UH110XV48C	205726950
16HPX-060-230	58000	12	15	54500	34600	8.2	L*49/62Z9	EL296UH110XV60C	205726961
16HPX-060-230	58000	11.5	15	58000	36000	8.5	L*49/62Z9	EL296UH135XE60D	205726975
16HPX-060-230	58500	12	15	51000	33400	8.2	L*49/62Z9	EL296UH135XV60D	205726980
16HPX-060-230	58000	12	15	54500	34200	8.2	L*49/62Z9	ML180UH090E60C	205726983
16HPX-060-230	57500	12	15	54500	34200	8.2	L*49/62Z9	ML180UH110E60C	205726994
16HPX-060-230	58500	12	15	54500	34200	8.2	L*49/62Z9	ML180UH110V60C	205727007
16HPX-060-230	57500	12	15	54500	34200	8.2	L*49/62Z9	ML180UH110XE60C	205727018
16HPX-060-230	56500	11.7	14	54500	33800	8.2	L*49/62Z9	ML180UH135E60D	205727032
16HPX-060-230	58500	12.2	15	51000	33200	8.5	L*49/62Z9	ML180UH135E60D	205727046
16HPX-060-230	57500	12	15	50500	33200	8.2	L*49/62Z9	ML193UH110XE60C	205727051
16HPX-060-230	58000	12	15	54500	34600	8.2	L*49/62Z9	ML296UH090XV48C	205727062
16HPX-060-230	58500	12	15	54500	34400	8.2	L*49/62Z9	ML296UH110XV60C	205727073
16HPX-060-230	58500	12	15	54500	34200	8.2	L*49/62Z9	SL280UH080NV60C	205727086
16HPX-060-230	58500	12	15	54500	34400	8.2	L*49/62Z9	SL280UH090V60C	205727097
16HPX-060-230	58500	12	15	54500	34400	8.2	L*49/62Z9	SL280UH090XV60C	205727108
16HPX-060-230	58500	12	15	54500	34200	8.2	L*49/62Z9	SL280UH100NV60C	205727119
16HPX-060-230	58500	12	15	55000	34600	8.2	L*49/62Z9	SL280UH110V60C	205727130
16HPX-060-230	58500	12	15	55000	34600	8.2	L*49/62Z9	SL280UH110XV60C	205727141
16HPX-060-230	58000	12	15	51000	33400	8.5	L*49/62Z9	SL280UH135V60D	205727155
16HPX-060-230	58000	12	15	54500	34200	8.2	L*49/62Z9	SL297UH080NV48C	205727158
16HPX-060-230	58500	12	15	55000	34600	8.2	L*49/62Z9	SL297UH080NV60C	205727169
16HPX-060-230	58000	12	15	54500	34600	8.2	L*49/62Z9	SLP98UH090XV48C	205727180
16HPX-060-230	58000	11.5	15	55000	34800	8.2	L*49/62Z9	SLP98UH090XV60C	205727191
16HPX-060-230	58000	12	15	54500	34600	8.2	L*49/62Z9	SLP98UH110XV60C	205727202
16HPX-060-230	58500	12	15	51000	33400	8.2	L*49/62Z9	SLP98UH135XV60D	205727215
16HPX-060-230	58000	12	15	54500	34600	8.2	L*49/62Z9	SLP99UH110XV60C	205727218
16HPX-060-230	58500	11.5	15	58000	36000	8.5	L*49/62Z9	SLP99UH135XV60D	205760767
16HPX-060-230	57500	12.5	16	50500	33000	8.5	L*49/63Z9	EL280UH110XE60C	203366373
16HPX-060-230	56500	12	15	52500	35800	8.2	L*49/63Z9	EL296DF090XV60C	202394932
16HPX-060-230	57000	12	15	52500	35600	8.2	L*49/63Z9	EL296DF110XE60C	202394939
16HPX-060-230	56500	12	15	52500	35800	8.2	L*49/63Z9	EL296DF110XV60C	202394946
16HPX-060-230	58500	12	15	52500	36000	8.5	L*49/63Z9	EL296UH135XE60D	202394958
16HPX-060-230	58500	12.5	16	51000	33400	8.2	L*49/63Z9	EL296UH135XV60D	202394971
16HPX-060-230	57500	12.5	16	52500	35800	8.5	L*49/63Z9	ML180DF110E60C	202394979

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-060-230	59000	12.5	16	54500	34200	8.2	L*49/63Z9	ML180UH110V60C	206188360
16HPX-060-230	58500	12.5	16	51000	33200	8.5	L*49/63Z9	ML180UH135E60D	202394991
16HPX-060-230	57000	12	16	52500	35800	8.2	L*49/63Z9	SL280DF090V60C	202394999
16HPX-060-230	57000	12	16	52500	35800	8.2	L*49/63Z9	SL280DF110V60C	202395006
16HPX-060-230	58000	12.5	16	51000	33400	8.5	L*49/63Z9	SL280UH135V60D	202395018
16HPX-060-230	56500	12	15	52500	35800	8.2	L*49/63Z9	SLP98DF090XV60C	202395026
16HPX-060-230	56500	12	15	52500	35800	8.2	L*49/63Z9	SLP98DF110XV60C	202395033
16HPX-060-230	58500	12.5	16	51000	33400	8.2	L*49/63Z9	SLP98UH135XV60D	202395045
16HPX-060-230	56500	12	15	55000	35800	8.2	L*49/63Z9	SLP99DF090XV60C	205760736
16HPX-060-230	56500	12	15	55000	35800	8.2	L*49/63Z9	SLP99DF110XV60C	205760753
16HPX-060-230	59000	12	15	58000	36000	8.5	L*49/63Z9	SLP99UH135XV60D	205760794
16HPX-060-230	57000	12	15	52500	34600	8.5	L*49/63Z9		202395104
16HPX-060-230	57500	12.5	15	55500	35800	8.5	LD42/61Z9	EL180DF110E60C	205147159
16HPX-060-230	56500	12	15	55000	35800	8.2	LD42/61Z9	EL296DF090XV60C	205147160
16HPX-060-230	57000	12	15	55000	35600	8.2	LD42/61Z9	EL296DF110XE60C	205147161
16HPX-060-230	56500	12	15	55000	35800	8.2	LD42/61Z9	EL296DF110XV60C	205147162
16HPX-060-230	57500	12.5	15	55500	35800	8.5	LD42/61Z9	ML180DF110E60C	205147163
16HPX-060-230	56500	12	15	55000	35800	8.2	LD42/61Z9	ML296DF090XV60C	205147164
16HPX-060-230	57000	12	15	55000	35800	8.2	LD42/61Z9	SL280DF090V60C	205147165
16HPX-060-230	57000	12	15	55000	35800	8.2	LD42/61Z9	SL280DF110V60C	205147166
16HPX-060-230	56500	12	15	55000	35800	8.2	LD42/61Z9	SLP98DF090XV60C	205147167
16HPX-060-230	56500	12	15	55000	35800	8.2	LD42/61Z9	SLP98DF110XV60C	205147168
16HPX-060-230	56500	12	15	55000	35800	8.2	LD42/61Z9	SLP99DF090XV60C	205760721
16HPX-060-230	56500	12	15	55000	35800	8.2	LD42/61Z9	SLP99DF110XV60C	205760738
16HPX-060-230	57000	12	14.5	55500	36000	8.2	LD42/61Z9		204755162
16HPX-060-230	57500	12	16	50500	33000	8.5	LH40/61E9	EL280UH110XE60C	203366358
16HPX-060-230	58000	11.5	15	52500	36000	8.5	LH40/61E9	EL296UH135XE60D	202394947
16HPX-060-230	58500	12	15	52500	33400	8.2	LH40/61E9	EL296UH135XV60D	202394960
16HPX-060-230	58500	12.2	15	51000	33200	8.5	LH40/61E9	ML180UH135E60D	202394980
16HPX-060-230	58000	12	15	51000	33400	8.5	LH40/61E9	SL280UH135V60D	202395007
16HPX-060-230	58500	12	15	52500	33400	8.2	LH40/61E9	SLP98UH135XV60D	202395034
16HPX-060-230	58500	11.5	15	58000	36000	8.5	LH40/61E9	SLP99UH135XV60D	205760764
16HPX-060-230	57000	12	14.5	52500	36000	8.2	LH40/61E9		202395093
16HPX-060-230	57500	12	16	50500	33000	8.5	LH40/61W9	EL280UH110XE60C	203366357
16HPX-060-230	57000	12	16	50500	33000	8.5	LH40/62E9	EL280UH110E60C	205726903
16HPX-060-230	57000	12	16	50500	33000	8.5	LH40/62E9	EL280UH110XE60C	205726916
16HPX-060-230	57500	11.5	15	51000	33600	8.2	LH40/62E9	EL296UH135XE60D	205726973
16HPX-060-230	58000	12	15	51000	33400	8.2	LH40/62E9	EL296UH135XV60D	205726979
16HPX-060-230	58500	12	15	54500	34200	8.2	LH40/62E9	ML180UH110V60C	205727006
16HPX-060-230	58000	12.2	15	51000	33200	8.5	LH40/62E9	ML180UH135E60D	205727044
16HPX-060-230	56500	11.5	14	54500	33800	8.2	LH40/62E9	ML180UH135E60D	205727030
16HPX-060-230	57000	12	15	50500	33200	8.2	LH40/62E9	ML193UH110XE60C	205727050
16HPX-060-230	58500	12	15	54500	34200	8.2	LH40/62E9	SL280UH080NV60C	205727085
16HPX-060-230	57500	12	15	51000	33400	8.5	LH40/62E9	SL280UH135V60D	205727153
16HPX-060-230	58000	12	15	51000	33400	8.2	LH40/62E9	SLP98UH135XV60D	205727214
16HPX-060-230	58000	11	15	58000	36000	8.5	LH40/62E9	SLP99UH135XV60D	205760762
16HPX-060-230	57000	12	14.5	52500	36000	8.2	LH40/62E9		202395092
16HPX-060-230	57000	12	16	50500	33000	8.5	LH40/62W9	EL280UH110E60C	205726902
16HPX-060-230	57000	12	16	50500	33000	8.5	LH40/62W9	EL280UH110XE60C	203366355
16HPX-060-230	57500	11.5	15	51000	33600	8.2	LH40/62W9	EL296UH135XE60D	205726972
16HPX-060-230	58000	12	15	51000	33400	8.2	LH40/62W9	EL296UH135XV60D	205726978
16HPX-060-230	58500	12	15	54500	34200	8.2	LH40/62W9	ML180UH110V60C	205727005
16HPX-060-230	56500	11.5	14	54500	33800	8.2	LH40/62W9	ML180UH135E60D	205727029
16HPX-060-230	58000	12.2	15	51000	33200	8.5	LH40/62W9	ML180UH135E60D	205727043

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-060-230	57000	12	15	50500	33200	8.2	LH40/62W9	ML193UH110XE60C	205727049
16HPX-060-230	58500	12	15	54500	34200	8.2	LH40/62W9	SL280UH080NV60C	205727084
16HPX-060-230	57500	12	15	51000	33400	8.5	LH40/62W9	SL280UH135V60D	205727152
16HPX-060-230	58000	12	15	51000	33400	8.2	LH40/62W9	SLP98UH135XV60D	205727213
16HPX-060-230	58000	11	15	58000	36000	8.5	LH40/62W9	SLP99UH135XV60D	205760760
16HPX-060-230	56000	11.7	15	50500	33000	8.2	LH41/61D9	EL280UH110E60C	205726904
16HPX-060-230	56000	11.7	15	50500	33000	8.2	LH41/61D9	EL280UH110XE60C	203366356
16HPX-060-230	56500	11	15	58000	36000	8.2	LH41/61D9	EL296UH135XE60D	205726974
16HPX-060-230	57000	12	15	51000	33200	8.2	LH41/61D9	ML180UH135E60D	205727045
16HPX-060-230	55500	11	14	54500	33800	8.2	LH41/61D9	ML180UH135E60D	205727031
16HPX-060-230	56500	11.7	15	51000	33400	8.2	LH41/61D9	SL280UH135V60D	205727154
16HPX-060-230	58500	12.2	15	54500	34200	8.2	LH42/62E9	EL180UH100NE60C	205726889
16HPX-060-230	58500	12.2	15	54500	34200	8.2	LH42/62E9	EL195UH110XE60C	205726900
16HPX-060-230	57500	12.2	16	50500	33000	8.5	LH42/62E9	EL280UH110E60C	205726914
16HPX-060-230	57500	12.2	16	50500	33000	8.5	LH42/62E9	EL280UH110XE60C	203366369
16HPX-060-230	58500	12.2	15	54500	34600	8.2	LH42/62E9	EL296UH090XV48C	205726926
16HPX-060-230	58500	11.7	15	55000	34800	8.2	LH42/62E9	EL296UH090XV60C	205726937
16HPX-060-230	58500	12.2	15	54500	34200	8.2	LH42/62E9	EL296UH110XE60C	205726948
16HPX-060-230	58500	12.2	15	54500	34400	8.2	LH42/62E9	EL296UH110XV48C	205726959
16HPX-060-230	58500	12.2	15	54500	34600	8.2	LH42/62E9	EL296UH110XV60C	205726970
16HPX-060-230	58500	11.7	15	52500	36000	8.5	LH42/62E9	EL296UH135XE60D	202394954
16HPX-060-230	58500	12.2	16	51000	33400	8.2	LH42/62E9	EL296UH135XV60D	202394967
16HPX-060-230	58500	12.2	15	54500	34200	8.2	LH42/62E9	ML180UH090E60C	205726992
16HPX-060-230	58000	12.2	15	54500	34200	8.2	LH42/62E9	ML180UH110E60C	205727003
16HPX-060-230	59000	12.2	15	54500	34200	8.2	LH42/62E9	ML180UH110V60C	205727016
16HPX-060-230	58000	12.2	15	54500	34200	8.2	LH42/62E9	ML180UH110XE60C	205727027
16HPX-060-230	58500	12.5	16	51000	33200	8.5	LH42/62E9	ML180UH135E60D	202394987
16HPX-060-230	56500	11.7	14.5	54500	33800	8.2	LH42/62E9	ML180UH135E60D	205727041
16HPX-060-230	57500	12.2	15	50500	33200	8.2	LH42/62E9	ML193UH110XE60C	205727060
16HPX-060-230	58500	12.2	15	54500	34600	8.2	LH42/62E9	ML296UH090XV48C	205727071
16HPX-060-230	59000	12.2	15	54500	34400	8.2	LH42/62E9	ML296UH110XV60C	205727082
16HPX-060-230	59000	12.2	15	54500	34200	8.2	LH42/62E9	SL280UH080NV60C	205727095
16HPX-060-230	59000	12.2	15	54500	34400	8.2	LH42/62E9	SL280UH090V60C	205727106
16HPX-060-230	59000	12.2	15	54500	34400	8.2	LH42/62E9	SL280UH090XV60C	205727117
16HPX-060-230	59000	12.2	15	54500	34200	8.2	LH42/62E9	SL280UH100NV60C	205727128
16HPX-060-230	59000	12.2	15	55000	34600	8.2	LH42/62E9	SL280UH110V60C	205727139
16HPX-060-230	59000	12.2	15	55000	34600	8.2	LH42/62E9	SL280UH110XV60C	205727150
16HPX-060-230	58000	12.2	16	51000	33400	8.5	LH42/62E9	SL280UH135V60D	202395014
16HPX-060-230	58500	12.2	15	54500	34200	8.2	LH42/62E9	SL297UH080NV48C	205727167
16HPX-060-230	59000	12.2	15	55000	34600	8.2	LH42/62E9	SL297UH080NV60C	205727178
16HPX-060-230	58500	12.2	15	54500	34600	8.2	LH42/62E9	SLP98UH090XV48C	205727189
16HPX-060-230	58500	11.7	15	55000	34800	8.2	LH42/62E9	SLP98UH090XV60C	205727200
16HPX-060-230	58500	12.2	15	54500	34600	8.2	LH42/62E9	SLP98UH110XV60C	205727211
16HPX-060-230	58500	12.2	16	51000	33400	8.2	LH42/62E9	SLP98UH135XV60D	202395041
16HPX-060-230	58500	12.2	15	54500	34600	8.2	LH42/62E9	SLP99UH110XV60C	205727227
16HPX-060-230	59000	11.7	15	58000	36000	8.5	LH42/62E9	SLP99UH135XV60D	205760786
16HPX-060-230	57000	12	14.5	52500	34600	8.5	LH42/62E9		202395100
16HPX-060-230	58500	12.2	15	54500	34200	8.2	LH42/62W9	EL180UH100NE60C	205726888
16HPX-060-230	58500	12.2	15	54500	34200	8.2	LH42/62W9	EL195UH110XE60C	205726899
16HPX-060-230	57500	12.2	16	50500	33000	8.5	LH42/62W9	EL280UH110E60C	205726913
16HPX-060-230	57500	12.2	16	50500	33000	8.5	LH42/62W9	EL280UH110XE60C	203366368
16HPX-060-230	58500	12.2	15	54500	34600	8.2	LH42/62W9	EL296UH090XV48C	205726925
16HPX-060-230	58500	11.7	15	55000	34800	8.2	LH42/62W9	EL296UH090XV60C	205726936
16HPX-060-230	58500	12.2	15	54500	34200	8.2	LH42/62W9	EL296UH110XE60C	205726947

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-060-230	58500	12.2	15	54500	34400	8.2	LH42/62W9	EL296UH110XV48C	205726958
16HPX-060-230	58500	12.2	15	54500	34600	8.2	LH42/62W9	EL296UH110XV60C	205726969
16HPX-060-230	58500	11.7	15	58000	36000	8.5	LH42/62W9	EL296UH135XE60D	205726977
16HPX-060-230	58500	12.2	16	51000	33400	8.2	LH42/62W9	EL296UH135XV60D	205726982
16HPX-060-230	58500	12.2	15	54500	34200	8.2	LH42/62W9	ML180UH090E60C	205726991
16HPX-060-230	58000	12.2	15	54500	34200	8.2	LH42/62W9	ML180UH110E60C	205727002
16HPX-060-230	59000	12.2	15	54500	34200	8.2	LH42/62W9	ML180UH110V60C	205727015
16HPX-060-230	58000	12.2	15	54500	34200	8.2	LH42/62W9	ML180UH110XE60C	205727026
16HPX-060-230	56500	11.7	14.5	54500	33800	8.2	LH42/62W9	ML180UH135E60D	205727040
16HPX-060-230	58500	12.5	16	51000	33200	8.5	LH42/62W9	ML180UH135E60D	205727048
16HPX-060-230	57500	12.2	15	50500	33200	8.2	LH42/62W9	ML193UH110XE60C	205727059
16HPX-060-230	58500	12.2	15	54500	34600	8.2	LH42/62W9	ML296UH090XV48C	205727070
16HPX-060-230	59000	12.2	15	54500	34400	8.2	LH42/62W9	ML296UH110XV60C	205727081
16HPX-060-230	59000	12.2	15	54500	34200	8.2	LH42/62W9	SL280UH080NV60C	205727094
16HPX-060-230	59000	12.2	15	54500	34400	8.2	LH42/62W9	SL280UH090V60C	205727105
16HPX-060-230	59000	12.2	15	54500	34400	8.2	LH42/62W9	SL280UH090XV60C	205727116
16HPX-060-230	59000	12.2	15	54500	34200	8.2	LH42/62W9	SL280UH100NV60C	205727127
16HPX-060-230	59000	12.2	15	55000	34600	8.2	LH42/62W9	SL280UH110V60C	205727138
16HPX-060-230	59000	12.2	15	55000	34600	8.2	LH42/62W9	SL280UH110XV60C	205727149
16HPX-060-230	58000	12.2	16	51000	33400	8.5	LH42/62W9	SL280UH135V60D	205727157
16HPX-060-230	58500	12.2	15	54500	34200	8.2	LH42/62W9	SL297UH080NV48C	205727166
16HPX-060-230	59000	12.2	15	55000	34600	8.2	LH42/62W9	SL297UH080NV60C	205727177
16HPX-060-230	58500	12.2	15	54500	34600	8.2	LH42/62W9	SLP98UH090XV48C	205727188
16HPX-060-230	58500	11.7	15	55000	34800	8.2	LH42/62W9	SLP98UH090XV60C	205727199
16HPX-060-230	58500	12.2	15	54500	34600	8.2	LH42/62W9	SLP98UH110XV60C	205727210
16HPX-060-230	58500	12.2	16	51000	33400	8.2	LH42/62W9	SLP98UH135XV60D	205727217
16HPX-060-230	58500	12.2	15	54500	34600	8.2	LH42/62W9	SLP99UH110XV60C	205727226
16HPX-060-230	59000	11.7	15	58000	36000	8.5	LH42/62W9	SLP99UH135XV60D	205760784
16HPX-060-230	58500	12.2	15	54500	34200	8.2	LH48/60E9	EL180UH100NE60C	205726890
16HPX-060-230	58500	12.2	15	54500	34200	8.2	LH48/60E9	EL195UH110XE60C	205726901
16HPX-060-230	57500	12.2	16	50500	33000	8.5	LH48/60E9	EL280UH110E60C	205726915
16HPX-060-230	57500	12.2	16	50500	33000	8.5	LH48/60E9	EL280UH110XE60C	203366370
16HPX-060-230	58500	12.2	15	54500	34600	8.2	LH48/60E9	EL296UH090XV48C	205726927
16HPX-060-230	58500	11.7	15	55000	34800	8.2	LH48/60E9	EL296UH090XV60C	205726938
16HPX-060-230	58500	12.2	15	54500	34200	8.2	LH48/60E9	EL296UH110XE60C	205726949
16HPX-060-230	58500	12.2	15	54500	34400	8.2	LH48/60E9	EL296UH110XV48C	205726960
16HPX-060-230	58500	12.2	15	54500	34600	8.2	LH48/60E9	EL296UH110XV60C	205726971
16HPX-060-230	58500	11.7	15	52500	36000	8.5	LH48/60E9	EL296UH135XE60D	202394955
16HPX-060-230	58500	12.2	16	51000	33400	8.2	LH48/60E9	EL296UH135XV60D	202394968
16HPX-060-230	58500	12.2	15	54500	34200	8.2	LH48/60E9	ML180UH090E60C	205726993
16HPX-060-230	58000	12.2	15	54500	34200	8.2	LH48/60E9	ML180UH110E60C	205727004
16HPX-060-230	59000	12.2	15	54500	34200	8.2	LH48/60E9	ML180UH110V60C	205727017
16HPX-060-230	58000	12.2	15	54500	34200	8.2	LH48/60E9	ML180UH110XE60C	205727028
16HPX-060-230	58500	12.5	16	51000	33200	8.5	LH48/60E9	ML180UH135E60D	202394988
16HPX-060-230	56500	12	14.5	54500	33800	8.2	LH48/60E9	ML180UH135E60D	205727042
16HPX-060-230	57500	12.2	15	50500	33200	8.2	LH48/60E9	ML193UH110XE60C	205727061
16HPX-060-230	58500	12.2	15	54500	34600	8.2	LH48/60E9	ML296UH090XV48C	205727072
16HPX-060-230	59000	12.2	15	54500	34400	8.2	LH48/60E9	ML296UH110XV60C	205727083
16HPX-060-230	59000	12.2	15	54500	34200	8.2	LH48/60E9	SL280UH080NV60C	205727096
16HPX-060-230	59000	12.2	15	54500	34400	8.2	LH48/60E9	SL280UH090V60C	205727107
16HPX-060-230	59000	12.2	15	54500	34400	8.2	LH48/60E9	SL280UH090XV60C	205727118
16HPX-060-230	59000	12.2	15	54500	34200	8.2	LH48/60E9	SL280UH100NV60C	205727129
16HPX-060-230	59000	12.2	15	55000	34600	8.2	LH48/60E9	SL280UH110V60C	205727140
16HPX-060-230	59000	12.2	15	55000	34600	8.2	LH48/60E9	SL280UH110XV60C	205727151

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-060-230	58000	12.2	16	51000	33400	8.5	LH48/60E9	SL280UH135V60D	202395015
16HPX-060-230	58500	12.2	15	54500	34200	8.2	LH48/60E9	SL297UH080NV48C	205727168
16HPX-060-230	59000	12.2	15	55000	34600	8.2	LH48/60E9	SL297UH080NV60C	205727179
16HPX-060-230	58500	12.2	15	54500	34600	8.2	LH48/60E9	SLP98UH090XV48C	205727190
16HPX-060-230	58500	11.7	15	55000	34800	8.2	LH48/60E9	SLP98UH090XV60C	205727201
16HPX-060-230	58500	12.2	15	54500	34600	8.2	LH48/60E9	SLP98UH110XV60C	205727212
16HPX-060-230	58500	12.2	16	51000	33400	8.2	LH48/60E9	SLP98UH135XV60D	202395042
16HPX-060-230	58500	12.2	15	54500	34600	8.2	LH48/60E9	SLP99UH110XV60C	205727228
16HPX-060-230	59000	11.7	15	58000	36000	8.5	LH48/60E9	SLP99UH135XV60D	205760788
16HPX-060-230	57000	12	15	52500	34600	8.5	LH48/60E9		202395101
16HPX-060-230	56500	11.7	15	50500	33000	8.5	LH48/60F9	EL280UH110XE60C	203366359
16HPX-060-230	58500	12.5	15	54500	34200	8.2	LH49/61E9	EL180UH100NE60C	205726887
16HPX-060-230	58500	12.5	15	54500	34200	8.2	LH49/61E9	EL195UH110XE60C	205726898
16HPX-060-230	57500	12.5	16	50500	33000	8.5	LH49/61E9	EL280UH110E60C	205726912
16HPX-060-230	57500	12.5	16	50500	33000	8.5	LH49/61E9	EL280UH110XE60C	203366367
16HPX-060-230	58500	12.5	15	54500	34600	8.2	LH49/61E9	EL296UH090XV48C	205726924
16HPX-060-230	58500	12	15	55000	34800	8.2	LH49/61E9	EL296UH090XV60C	205726935
16HPX-060-230	58500	12.5	15	54500	34200	8.2	LH49/61E9	EL296UH110XE60C	205726946
16HPX-060-230	58500	12.5	15	54500	34400	8.2	LH49/61E9	EL296UH110XV48C	205726957
16HPX-060-230	58500	12.5	15	54500	34600	8.2	LH49/61E9	EL296UH110XV60C	205726968
16HPX-060-230	58500	11.7	15	52500	36000	8.5	LH49/61E9	EL296UH135XE60D	202394949
16HPX-060-230	58500	12.2	16	51000	33400	8.2	LH49/61E9	EL296UH135XV60D	202394962
16HPX-060-230	58500	12.5	15	54500	34200	8.2	LH49/61E9	ML180UH090E60C	205726990
16HPX-060-230	58000	12.5	15	54500	34200	8.2	LH49/61E9	ML180UH110E60C	205727001
16HPX-060-230	59000	12.5	15	54500	34200	8.2	LH49/61E9	ML180UH110V60C	205727014
16HPX-060-230	58000	12.5	15	54500	34200	8.2	LH49/61E9	ML180UH110XE60C	205727025
16HPX-060-230	56500	12	14.5	54500	33800	8.2	LH49/61E9	ML180UH135E60D	205727039
16HPX-060-230	58500	12.5	16	51000	33200	8.5	LH49/61E9	ML180UH135E60D	202394982
16HPX-060-230	57500	12.5	15	50500	33200	8.2	LH49/61E9	ML193UH110XE60C	205727058
16HPX-060-230	58500	12.5	15	54500	34600	8.2	LH49/61E9	ML296UH090XV48C	205727069
16HPX-060-230	59000	12.5	15	54500	34400	8.2	LH49/61E9	ML296UH110XV60C	205727080
16HPX-060-230	59000	12.5	15	54500	34200	8.2	LH49/61E9	SL280UH080NV60C	205727093
16HPX-060-230	59000	12.5	15	54500	34400	8.2	LH49/61E9	SL280UH090V60C	205727104
16HPX-060-230	59000	12.5	15	54500	34400	8.2	LH49/61E9	SL280UH090XV60C	205727115
16HPX-060-230	59000	12.5	15	54500	34200	8.2	LH49/61E9	SL280UH100NV60C	205727126
16HPX-060-230	59000	12.5	15	55000	34600	8.2	LH49/61E9	SL280UH110V60C	205727137
16HPX-060-230	59000	12.5	15	55000	34600	8.2	LH49/61E9	SL280UH110XV60C	205727148
16HPX-060-230	58000	12.2	16	51000	33400	8.5	LH49/61E9	SL280UH135V60D	202395009
16HPX-060-230	58500	12.5	15	54500	34200	8.2	LH49/61E9	SL297UH080NV48C	205727165
16HPX-060-230	59000	12.5	15	55000	34600	8.2	LH49/61E9	SL297UH080NV60C	205727176
16HPX-060-230	58500	12.5	15	54500	34600	8.2	LH49/61E9	SLP98UH090XV48C	205727187
16HPX-060-230	58500	12	15	55000	34800	8.2	LH49/61E9	SLP98UH090XV60C	205727198
16HPX-060-230	58500	12.5	15	54500	34600	8.2	LH49/61E9	SLP98UH110XV60C	205727209
16HPX-060-230	58500	12.2	16	51000	33400	8.2	LH49/61E9	SLP98UH135XV60D	202395036
16HPX-060-230	58500	12.5	15	54500	34600	8.2	LH49/61E9	SLP99UH110XV60C	205727225
16HPX-060-230	59000	11.7	15	58000	36000	8.5	LH49/61E9	SLP99UH135XV60D	205760782
16HPX-060-230	57000	12	15	52500	34600	8.5	LH49/61E9		202395095
16HPX-060-230	58500	12.5	15	54500	34200	8.2	LH49/61W9	EL180UH100NE60C	205726886
16HPX-060-230	58500	12.5	15	54500	34200	8.2	LH49/61W9	EL195UH110XE60C	205726897
16HPX-060-230	57500	12.5	16	50500	33000	8.5	LH49/61W9	EL280UH110E60C	205726911
16HPX-060-230	57500	12.5	16	50500	33000	8.5	LH49/61W9	EL280UH110XE60C	203366366
16HPX-060-230	58500	12.5	15	54500	34600	8.2	LH49/61W9	EL296UH090XV48C	205726923
16HPX-060-230	58500	12	15	55000	34800	8.2	LH49/61W9	EL296UH090XV60C	205726934
16HPX-060-230	58500	12.5	15	54500	34200	8.2	LH49/61W9	EL296UH110XE60C	205726945

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-060-230	58500	12.5	15	54500	34400	8.2	LH49/61W9	EL296UH110XV48C	205726956
16HPX-060-230	58500	12.5	15	54500	34600	8.2	LH49/61W9	EL296UH110XV60C	205726967
16HPX-060-230	58500	11.7	15	52500	36000	8.5	LH49/61W9	EL296UH135XE60D	202394948
16HPX-060-230	58500	12.2	16	51000	33400	8.2	LH49/61W9	EL296UH135XV60D	202394961
16HPX-060-230	58500	12.5	15	54500	34200	8.2	LH49/61W9	ML180UH090E60C	205726989
16HPX-060-230	58000	12.5	15	54500	34200	8.2	LH49/61W9	ML180UH110E60C	205727000
16HPX-060-230	59000	12.5	15	54500	34200	8.2	LH49/61W9	ML180UH110V60C	205727013
16HPX-060-230	58000	12.5	15	54500	34200	8.2	LH49/61W9	ML180UH110XE60C	205727024
16HPX-060-230	56500	12	14.5	54500	33800	8.2	LH49/61W9	ML180UH135E60D	205727038
16HPX-060-230	58500	12.5	16	51000	33200	8.5	LH49/61W9	ML180UH135E60D	202394981
16HPX-060-230	57500	12.5	15	50500	33200	8.2	LH49/61W9	ML193UH110XE60C	205727057
16HPX-060-230	58500	12.5	15	54500	34600	8.2	LH49/61W9	ML296UH090XV48C	205727068
16HPX-060-230	59000	12.5	15	54500	34400	8.2	LH49/61W9	ML296UH110XV60C	205727079
16HPX-060-230	59000	12.5	15	54500	34200	8.2	LH49/61W9	SL280UH080NV60C	205727092
16HPX-060-230	59000	12.5	15	54500	34400	8.2	LH49/61W9	SL280UH090V60C	205727103
16HPX-060-230	59000	12.5	15	54500	34400	8.2	LH49/61W9	SL280UH090XV60C	205727114
16HPX-060-230	59000	12.5	15	54500	34200	8.2	LH49/61W9	SL280UH100NV60C	205727125
16HPX-060-230	59000	12.5	15	55000	34600	8.2	LH49/61W9	SL280UH110V60C	205727136
16HPX-060-230	59000	12.5	15	55000	34600	8.2	LH49/61W9	SL280UH110XV60C	205727147
16HPX-060-230	58000	12.2	16	51000	33400	8.5	LH49/61W9	SL280UH135V60D	202395008
16HPX-060-230	58500	12.5	15	54500	34200	8.2	LH49/61W9	SL297UH080NV48C	205727164
16HPX-060-230	59000	12.5	15	55000	34600	8.2	LH49/61W9	SL297UH080NV60C	205727175
16HPX-060-230	58500	12.5	15	54500	34600	8.2	LH49/61W9	SLP98UH090XV48C	205727186
16HPX-060-230	58500	12	15	55000	34800	8.2	LH49/61W9	SLP98UH090XV60C	205727197
16HPX-060-230	58500	12.5	15	54500	34600	8.2	LH49/61W9	SLP98UH110XV60C	205727208
16HPX-060-230	58500	12.2	16	51000	33400	8.2	LH49/61W9	SLP98UH135XV60D	202395035
16HPX-060-230	58500	12.5	15	54500	34600	8.2	LH49/61W9	SLP99UH110XV60C	205727224
16HPX-060-230	59000	11.7	15	58000	36000	8.5	LH49/61W9	SLP99UH135XV60D	205760779
16HPX-060-230	57000	12	15	52500	34600	8.5	LH49/61W9		202395094
16HPX-060-230	57500	12.5	16	50500	33000	8.5	LH49/62W9	EL280UH110XE60C	203366374
16HPX-060-230	58500	12	15	52500	36000	8.5	LH49/62W9	EL296UH135XE60D	202394959
16HPX-060-230	58500	12.5	16	52500	33400	8.2	LH49/62W9	EL296UH135XV60D	202394972
16HPX-060-230	59000	12.5	16	54500	34200	8.2	LH49/62W9	ML180UH110V60C	206188362
16HPX-060-230	58500	12.5	16	51000	33200	8.5	LH49/62W9	ML180UH135E60D	202394992
16HPX-060-230	59000	12.5	15	54500	34400	8.2	LH49/62W9	ML296UH110XV60C	206377738
16HPX-060-230	58000	12.5	16	51000	33400	8.5	LH49/62W9	SL280UH135V60D	202395019
16HPX-060-230	58500	12.5	16	52500	33400	8.2	LH49/62W9	SLP98UH135XV60D	202395046
16HPX-060-230	59000	12	16	58000	36000	8.5	LH49/62W9	SLP99UH135XV60D	205760796
16HPX-060-230	57000	12	15	52500	34600	8.5	LH49/62W9		202395105
16HPX-060-230	59000	12.5	16	54500	34200	8.2	LH60/61W9	ML180UH110V60C	206188361
EL15XP1-018-230	17000	12.2	16	15500	9000	8.2	CE2403C		202902156
EL15XP1-018-230	18000	13	16	15900	9100	8.5	L*18/36T9	EL280UH045E36A	206776439
EL15XP1-018-230	17700	13	16	15200	8600	8.5	L*18/36T9	ML180UH030V36A	206776454
EL15XP1-018-230	17700	13	16	15200	8600	8.5	L*18/36T9	ML180UH045V36A	206776462
EL15XP1-018-230	17700	13	16	15300	8700	8.5	L*18/36T9	ML180UH070V36A	206776470
EL15XP1-018-230	17700	13	16	15200	8600	8.5	L*18/36T9	ML180UH070V36B	206776479
EL15XP1-018-230	18000	13	16	15900	9100	8.5	L*18/36V9	EL280UH045E36A	206776438
EL15XP1-018-230	17700	13	16	15200	8600	8.5	L*18/36V9	ML180UH030V36A	206776453
EL15XP1-018-230	17700	13	16	15200	8600	8.5	L*18/36V9	ML180UH045V36A	206776461
EL15XP1-018-230	17700	13	16	15300	8700	8.5	L*18/36V9	ML180UH070V36A	206776469
EL15XP1-018-230	17700	13	16	15200	8600	8.5	L*18/36V9	ML180UH070V36B	206776478
EL15XP1-018-230	17900	13	16	15700	9500	9	L*19/36S9	EL180UH040NE36A	206776432
EL15XP1-018-230	17900	13	16	15800	9600	9	L*19/36S9	EL280UH045E36A	206776441
EL15XP1-018-230	17900	13	16	15700	9500	9	L*19/36S9	EL280UH070E36A	206776447

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-018-230	17900	13	16	15600	9500	9	L*19/36S9	ML180UH030V36A	206776456
EL15XP1-018-230	17900	13	16	15600	9500	9	L*19/36S9	ML180UH045V36A	206776464
EL15XP1-018-230	17900	13	16	15700	9500	9	L*19/36S9	ML180UH070V36A	206776472
EL15XP1-018-230	17800	13	16	15900	9300	9	L*19/36S9	ML180UH070V36B	206776485
EL15XP1-018-230	17900	13	16	15700	9500	9	L*19/36U9	EL180UH040NE36A	206776431
EL15XP1-018-230	17900	13	16	15800	9600	9	L*19/36U9	EL280UH045E36A	206776440
EL15XP1-018-230	17900	13	16	15700	9500	9	L*19/36U9	EL280UH070E36A	206776446
EL15XP1-018-230	17900	13	16	15600	9500	9	L*19/36U9	ML180UH030V36A	206776455
EL15XP1-018-230	17900	13	16	15600	9500	9	L*19/36U9	ML180UH045V36A	206776463
EL15XP1-018-230	17900	13	16	15700	9500	9	L*19/36U9	ML180UH070V36A	206776471
EL15XP1-018-230	17800	13	16	15900	9300	9	L*19/36U9	ML180UH070V36B	206776484
EL15XP1-018-230	18000	13	16	15700	9500	9	L*35/36U9	EL180UH040NE36A	206776433
EL15XP1-018-230	18000	13	16	15800	9600	9	L*35/36U9	EL280UH045E36A	206776442
EL15XP1-018-230	18000	13	16	15700	9500	9	L*35/36U9	EL280UH070E36A	206776448
EL15XP1-018-230	18000	13	16	15600	9500	9	L*35/36U9	ML180UH030V36A	206776457
EL15XP1-018-230	18000	13	16	15600	9500	9	L*35/36U9	ML180UH045V36A	206776465
EL15XP1-018-230	18000	13	16	15700	9500	9	L*35/36U9	ML180UH070V36A	206776473
EL15XP1-018-230	18000	13	16	15900	9300	9	L*35/36U9	ML180UH070V36B	206776489
EL15XP1-018-230	18000	12.5	15	16400	10200	8.5	LD19/25Z9	EL195DF045XE36B	206842831
EL15XP1-018-230	18000	12.2	14.5	16400	10200	8.5	LD19/25Z9	EL195DF070XE48B	206842832
EL15XP1-018-230	18000	12.5	15	16400	10000	9	LD19/25Z9	EL280DF070E36A	205147380
EL15XP1-018-230	18000	12.5	15	16400	10200	8.5	LD19/25Z9	EL296DF045XE36B	206842833
EL15XP1-018-230	18000	12.5	15	16400	10000	8.5	LD19/25Z9	ML180DF045E36A	205147382
EL15XP1-018-230	18000	12	14	16000	9200	8.2	LD19/25Z9		205147448
EL15XP1-018-230	18000	12.5	15	16400	10200	8.5	LD19/36Z9	EL296DF045XE36B	205147381
EL15XP1-018-230	18000	12.2	14.5	16400	10200	8.5	LD19/36Z9	ML180DF070E36B	205147383
EL15XP1-018-230	18000	12.5	15	16400	9900	8.5	LD19/36Z9	ML193DF045XE36B	205147384
EL15XP1-018-230	18000	12.5	15	16400	9900	8.5	LD19/36Z9	ML193DF070XE36B	205147385
EL15XP1-018-230	18000	12	14	16000	9200	8.2	LD19/36Z9		204755163
EL15XP1-018-230	17000	12.2	16	15500	9000	8.2	LEC249C03		203263873
EL15XP1-018-230	18000	13	16	15700	9500	9	LH18/37D9	EL180UH040NE36A	206776436
EL15XP1-018-230	18000	13	16	15800	9600	9	LH18/37D9	EL280UH045E36A	206776445
EL15XP1-018-230	18000	13	16	15700	9500	9	LH18/37D9	EL280UH070E36A	206776451
EL15XP1-018-230	18000	13	16	15600	9500	9	LH18/37D9	ML180UH030V36A	206776460
EL15XP1-018-230	18000	13	16	15600	9500	9	LH18/37D9	ML180UH045V36A	206776468
EL15XP1-018-230	18000	13	16	15700	9500	9	LH18/37D9	ML180UH070V36A	206776476
EL15XP1-018-230	18000	13	16	15700	9500	9	LH18/37R9	EL180UH040NE36A	206776434
EL15XP1-018-230	18000	13	16	15800	9600	9	LH18/37R9	EL280UH045E36A	206776443
EL15XP1-018-230	18000	13	16	15700	9500	9	LH18/37R9	EL280UH070E36A	206776449
EL15XP1-018-230	18000	13	16	15600	9500	9	LH18/37R9	ML180UH030V36A	206776458
EL15XP1-018-230	18000	13	16	15600	9500	9	LH18/37R9	ML180UH045V36A	206776466
EL15XP1-018-230	18000	13	16	15700	9500	9	LH18/37R9	ML180UH070V36A	206776474
EL15XP1-018-230	17800	13	16	15900	9300	9	LH29/36F9	ML180UH070V36B	206776481
EL15XP1-018-230	17800	13	16	15900	9300	9	LH29/36X9	ML180UH070V36B	206776480
EL15XP1-018-230	18000	13	16	15900	9300	9	LH35/36F9	ML180UH070V36B	206776483
EL15XP1-018-230	18000	13	16	15900	9300	9	LH35/36X9	ML180UH070V36B	206776482
EL15XP1-018-230	18000	13	16	15900	9300	9	LH35/38X9	ML180UH070V36B	206776488
EL15XP1-018-230	17900	12	14	16400	10400	8.2	LS*25933E		205484234
EL15XP1-018-230	18000	13	16	15700	9500	9	PL36H***P449	EL180UH040NE36A	206776435
EL15XP1-018-230	18000	13	16	15800	9600	9	PL36H***P449	EL280UH045E36A	206776444
EL15XP1-018-230	18000	13	16	15700	9500	9	PL36H***P449	EL280UH070E36A	206776450
EL15XP1-018-230	18000	13	16	15600	9500	9	PL36H***P449	ML180UH030V36A	206776459
EL15XP1-018-230	18000	13	16	15600	9500	9	PL36H***P449	ML180UH045V36A	206776467
EL15XP1-018-230	18000	13	16	15700	9500	9	PL36H***P449	ML180UH070V36A	206776475

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-018-230	18000	13	16	15400	8900	8.2	PL36H210P29	EL196UH070XE36B	206776437
EL15XP1-018-230	18000	13	16	15300	8700	8.2	PL36H210P29	EL280UH090E36B	206776452
EL15XP1-018-230	18000	13	16	15900	9300	9	PL36H210P29	ML180UH070V36B	206776477
EL15XP1-018-230	17700	13	16	15900	9300	9	PL36H210P74	ML180UH070V36B	206776486
EL15XP1-018-230	18000	13	16	15900	9300	9	PL36H210P75	ML180UH070V36B	206776487
EL15XP1-024-230	23400	12	14.5	19200	12600	8.2	CE2403C		202902107
EL15XP1-024-230	23400	12	14.5	19200	12600	8.5	CE2903C		204118538
EL15XP1-024-230	23400	12.2	14.5	19200	12600	8.5	CE3005A		204118539
EL15XP1-024-230	23400	12.2	14.5	19200	12600	8.2	CE3005C		202902108
EL15XP1-024-230	23200	12	14	19200	12600	8.2	CP2403C		202902090
EL15XP1-024-230	23400	12.2	14	19200	12600	8.2	CP2505C		202902257
EL15XP1-024-230	23200	12	14	19200	12600	8.2	CP2903C		202902091
EL15XP1-024-230	23400	12.2	14	19200	12600	8.5	CP3005A		204118534
EL15XP1-024-230	23400	12.2	14	19200	12600	8.2	CP3005C		202902093
EL15XP1-024-230	23600	13	16	19800	11800	8.5	L*18/36S9	EL180UH040NE36A	206776493
EL15XP1-024-230	24000	13	16	20000	12000	9	L*18/36S9	ML180UH030V36A	206776634
EL15XP1-024-230	24000	13	16	20000	12000	9	L*18/36S9	ML180UH045V36A	206776646
EL15XP1-024-230	23400	13	16	20000	12000	9	L*18/36S9	ML180UH070V36B	206776673
EL15XP1-024-230	23800	13	16	20400	12400	9	L*18/36S9	ML180UH070V48B	206776688
EL15XP1-024-230	23800	13	16	20200	12100	9	L*18/36S9	ML180UH090V48B	206776711
EL15XP1-024-230	23800	13	16	19400	11500	8.5	L*18/36T9	EL180UH040NE36A	206776495
EL15XP1-024-230	23800	13	16	19600	11600	8.5	L*18/36T9	EL195UH040NE36B	206776504
EL15XP1-024-230	23800	13	16	19600	11600	8.5	L*18/36T9	EL195UH060NE36B	206776528
EL15XP1-024-230	23800	13	16	19600	11700	8.5	L*18/36T9	EL196UH045XE36B	206776541
EL15XP1-024-230	23800	13	16	20200	12000	9	L*18/36T9	EL196UH070XE36B	206776554
EL15XP1-024-230	23800	13	16	20000	11800	9	L*18/36T9	EL280UH045E36A	206776566
EL15XP1-024-230	23800	13	16	19600	11600	8.5	L*18/36T9	EL296UH045XV36B	206776594
EL15XP1-024-230	23800	13	16	19800	11700	8.5	L*18/36T9	EL296UH070XE36B	206776607
EL15XP1-024-230	23800	13	16	19600	11600	8.5	L*18/36T9	EL296UH070XV36B	206776620
EL15XP1-024-230	24000	13	16	20000	12000	9	L*18/36T9	ML180UH030V36A	206776636
EL15XP1-024-230	24000	13	16	20000	12000	9	L*18/36T9	ML180UH045V36A	206776648
EL15XP1-024-230	23800	13	16	19600	11600	9	L*18/36T9	ML180UH070E36A	206776656
EL15XP1-024-230	23800	13	16	19600	11600	8.5	L*18/36T9	ML180UH070V36A	206776664
EL15XP1-024-230	23800	13	16	20000	12000	9	L*18/36T9	ML180UH070V36B	206776675
EL15XP1-024-230	24000	13	16	20400	12400	9	L*18/36T9	ML180UH070V48B	206776690
EL15XP1-024-230	23800	13	16	19600	11600	9	L*18/36T9	ML180UH070XE36A	206776702
EL15XP1-024-230	24000	13	16	20200	12100	9	L*18/36T9	ML180UH090V48B	206776713
EL15XP1-024-230	23600	13	16	19800	11800	8.5	L*18/36U9	EL180UH040NE36A	206776492
EL15XP1-024-230	24000	13	16	20000	12000	9	L*18/36U9	ML180UH030V36A	206776633
EL15XP1-024-230	24000	13	16	20000	12000	9	L*18/36U9	ML180UH045V36A	206776645
EL15XP1-024-230	23400	13	16	20000	12000	9	L*18/36U9	ML180UH070V36B	206776672
EL15XP1-024-230	23800	13	16	20400	12400	9	L*18/36U9	ML180UH070V48B	206776687
EL15XP1-024-230	23800	13	16	20200	12100	9	L*18/36U9	ML180UH090V48B	206776710
EL15XP1-024-230	23800	13	16	19400	11500	8.5	L*18/36V9	EL180UH040NE36A	206776494
EL15XP1-024-230	23800	13	16	19600	11600	8.5	L*18/36V9	EL195UH040NE36B	206776503
EL15XP1-024-230	23800	13	16	19600	11600	8.5	L*18/36V9	EL195UH060NE36B	206776527
EL15XP1-024-230	23800	13	16	19600	11700	8.5	L*18/36V9	EL196UH045XE36B	206776540
EL15XP1-024-230	23800	13	16	20200	12000	9	L*18/36V9	EL196UH070XE36B	206776553
EL15XP1-024-230	23800	13	16	20000	11800	9	L*18/36V9	EL280UH045E36A	206776565
EL15XP1-024-230	23800	13	16	19600	11600	8.5	L*18/36V9	EL296UH045XV36B	206776593
EL15XP1-024-230	23800	13	16	19800	11700	8.5	L*18/36V9	EL296UH070XE36B	206776606
EL15XP1-024-230	23800	13	16	19600	11600	8.5	L*18/36V9	EL296UH070XV36B	206776619
EL15XP1-024-230	24000	13	16	20000	12000	9	L*18/36V9	ML180UH030V36A	206776635
EL15XP1-024-230	24000	13	16	20000	12000	9	L*18/36V9	ML180UH045V36A	206776647

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-024-230	23800	13	16	19600	11600	9	L*18/36V9	ML180UH070E36A	206776655
EL15XP1-024-230	23800	13	16	19600	11600	8.5	L*18/36V9	ML180UH070V36A	206776663
EL15XP1-024-230	23800	13	16	19600	11600	9	L*18/36V9	ML180UH070V36B	206776674
EL15XP1-024-230	24000	13	16	20200	12000	9	L*18/36V9	ML180UH070V48B	206776689
EL15XP1-024-230	23800	13	16	19600	11600	9	L*18/36V9	ML180UH070XE36A	206776701
EL15XP1-024-230	24000	13	16	20200	12100	9	L*18/36V9	ML180UH090V48B	206776712
EL15XP1-024-230	24000	13	16	19400	11500	8.5	L*19/36S9	EL180UH040NE36A	206776497
EL15XP1-024-230	24000	13	16	19600	11600	8.5	L*19/36S9	EL195UH040NE36B	206776510
EL15XP1-024-230	23800	13	16	19800	11800	8.5	L*19/36S9	EL195UH045XE36B	206776521
EL15XP1-024-230	24000	13	16	19600	11600	8.5	L*19/36S9	EL195UH060NE36B	206776534
EL15XP1-024-230	24000	13	16	19600	11700	8.5	L*19/36S9	EL196UH045XE36B	206776547
EL15XP1-024-230	23800	13	16	20200	12000	9	L*19/36S9	EL196UH070XE36B	206776560
EL15XP1-024-230	24000	13	16	20000	11800	9	L*19/36S9	EL280UH045E36A	206776568
EL15XP1-024-230	23800	13	16	20000	11800	9	L*19/36S9	EL280UH070E36A	206776574
EL15XP1-024-230	23800	13	16	19800	11800	8.5	L*19/36S9	EL296UH045XE36B	206776587
EL15XP1-024-230	24000	13	16	19600	11600	8.5	L*19/36S9	EL296UH045XV36B	206776600
EL15XP1-024-230	24000	13	16	19800	11700	8.5	L*19/36S9	EL296UH070XE36B	206776613
EL15XP1-024-230	24000	13	16	19600	11600	8.5	L*19/36S9	EL296UH070XV36B	206776626
EL15XP1-024-230	24000	13	16	19600	11600	9	L*19/36S9	ML180UH030V36A	206776638
EL15XP1-024-230	24000	13	16	19600	11600	9	L*19/36S9	ML180UH045V36A	206776650
EL15XP1-024-230	24000	13	16	19600	11600	9	L*19/36S9	ML180UH070E36A	206776658
EL15XP1-024-230	24000	13	16	19600	11600	8.5	L*19/36S9	ML180UH070V36A	206776666
EL15XP1-024-230	24000	13	16	19600	11600	9	L*19/36S9	ML180UH070V36B	206776681
EL15XP1-024-230	24000	13	16	19800	11600	9	L*19/36S9	ML180UH070V48B	206776696
EL15XP1-024-230	24000	13	16	19600	11600	9	L*19/36S9	ML180UH070XE36A	206776704
EL15XP1-024-230	24000	13	16	19800	11700	9	L*19/36S9	ML180UH090V48B	206776719
EL15XP1-024-230	23400	12.2	14	19200	12600	8.5	L*19/36S9		203449377
EL15XP1-024-230	24000	13	16	19400	11500	8.5	L*19/36U9	EL180UH040NE36A	206776496
EL15XP1-024-230	24000	13	16	19600	11600	8.5	L*19/36U9	EL195UH040NE36B	206776509
EL15XP1-024-230	23800	13	16	19800	11800	8.5	L*19/36U9	EL195UH045XE36B	206776520
EL15XP1-024-230	24000	13	16	19600	11600	8.5	L*19/36U9	EL195UH060NE36B	206776533
EL15XP1-024-230	24000	13	16	19600	11700	8.5	L*19/36U9	EL196UH045XE36B	206776546
EL15XP1-024-230	23800	13	16	20200	12000	9	L*19/36U9	EL196UH070XE36B	206776559
EL15XP1-024-230	24000	13	16	20000	11800	9	L*19/36U9	EL280UH045E36A	206776567
EL15XP1-024-230	23800	13	16	20000	11800	9	L*19/36U9	EL280UH070E36A	206776573
EL15XP1-024-230	23800	13	16	19800	11800	8.5	L*19/36U9	EL296UH045XE36B	206776586
EL15XP1-024-230	24000	13	16	19600	11600	8.5	L*19/36U9	EL296UH045XV36B	206776599
EL15XP1-024-230	24000	13	16	19800	11700	8.5	L*19/36U9	EL296UH070XE36B	206776612
EL15XP1-024-230	24000	13	16	19600	11600	8.5	L*19/36U9	EL296UH070XV36B	206776625
EL15XP1-024-230	24000	13	16	19600	11600	9	L*19/36U9	ML180UH030V36A	206776637
EL15XP1-024-230	24000	13	16	19600	11600	9	L*19/36U9	ML180UH045V36A	206776649
EL15XP1-024-230	24000	13	16	19600	11600	9	L*19/36U9	ML180UH070E36A	206776657
EL15XP1-024-230	24000	13	16	19600	11600	8.5	L*19/36U9	ML180UH070V36A	206776665
EL15XP1-024-230	24000	13	16	19600	11600	9	L*19/36U9	ML180UH070V36B	206776680
EL15XP1-024-230	24000	13	16	20400	12400	9	L*19/36U9	ML180UH070V48B	206776695
EL15XP1-024-230	24000	13	16	19600	11600	9	L*19/36U9	ML180UH070XE36A	206776703
EL15XP1-024-230	24000	13	16	19800	11700	9	L*19/36U9	ML180UH090V48B	206776718
EL15XP1-024-230	24000	13	16	19800	11600	8.5	L*35/36U9	EL180UH040NE36A	206776498
EL15XP1-024-230	24000	13	16	19600	11600	8.5	L*35/36U9	EL195UH040NE36B	206776514
EL15XP1-024-230	24000	13	16	19800	11800	8.5	L*35/36U9	EL195UH045XE36B	206776525
EL15XP1-024-230	24000	13	16	19600	11600	8.5	L*35/36U9	EL195UH060NE36B	206776538
EL15XP1-024-230	23800	13	16	20200	12100	9	L*35/36U9	EL196UH045XE36B	206776551
EL15XP1-024-230	23800	13	16	20200	12000	9	L*35/36U9	EL196UH070XE36B	206776564
EL15XP1-024-230	24000	13	16	20000	11800	9	L*35/36U9	EL280UH045E36A	206776569

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-024-230	24000	13	16	20000	11800	9	L*35/36U9	EL280UH070E36A	206776575
EL15XP1-024-230	24000	13	16	19800	11800	8.5	L*35/36U9	EL296UH045XE36B	206776591
EL15XP1-024-230	24000	13	16	19600	11600	8.5	L*35/36U9	EL296UH045XV36B	206776604
EL15XP1-024-230	24000	13	16	19800	11700	8.5	L*35/36U9	EL296UH070XE36B	206776617
EL15XP1-024-230	24000	13	16	19600	11600	8.5	L*35/36U9	EL296UH070XV36B	206776630
EL15XP1-024-230	24000	13	16	20000	11800	9	L*35/36U9	ML180UH030V36A	206776639
EL15XP1-024-230	24000	13	16	19600	11600	9	L*35/36U9	ML180UH045V36A	206776651
EL15XP1-024-230	24000	13	16	19600	11600	9	L*35/36U9	ML180UH070E36A	206776659
EL15XP1-024-230	24000	13	16	19600	11600	8.5	L*35/36U9	ML180UH070V36A	206776667
EL15XP1-024-230	24000	13	16	19600	11600	9	L*35/36U9	ML180UH070V36B	206776685
EL15XP1-024-230	24000	13	16	19800	11800	9	L*35/36U9	ML180UH070V48B	206776700
EL15XP1-024-230	24000	13	16	19600	11600	9	L*35/36U9	ML180UH070XE36A	206776705
EL15XP1-024-230	24000	13	16	19800	11700	9	L*35/36U9	ML180UH090V48B	206776723
EL15XP1-024-230	23600	12.5	15	20600	12000	8.5	LD19/25Z9	EL195DF045XE36B	206842840
EL15XP1-024-230	23600	12.5	15	20600	12000	9	LD19/25Z9	EL280DF070E36A	205147169
EL15XP1-024-230	23600	12.5	15	20600	12000	8.5	LD19/25Z9	EL296DF045XE36B	206842841
EL15XP1-024-230	23600	12.5	15	20600	12000	9	LD19/25Z9	EL296DF045XV36B	206842842
EL15XP1-024-230	23400	12.5	15	20400	11900	8.5	LD19/25Z9	ML180DF045E36A	205147173
EL15XP1-024-230	24000	12.5	15	20800	12100	9	LD19/25Z9	ML180DF070E36A	205147174
EL15XP1-024-230	23800	13	16	20600	12000	9	LD19/25Z9	ML180DF070E36B	206842843
EL15XP1-024-230	23600	12.5	15	20600	12000	9	LD19/25Z9	ML296DF045XV36B	206842844
EL15XP1-024-230	23600	12.5	15	20600	12000	8.5	LD19/25Z9	SL280DF070V36A	205147176
EL15XP1-024-230	23800	12.5	15	19800	11600	8.5	LD19/25Z9	SLP99DF070XV36B	206842846
EL15XP1-024-230	23400	12.2	14	20600	12600	8.5	LD19/25Z9		205147340
EL15XP1-024-230	23600	12.5	15	20600	12000	8.5	LD19/36Z9	EL296DF045XE36B	205147170
EL15XP1-024-230	23600	12.5	15	20600	12000	9	LD19/36Z9	EL296DF045XV36B	205147171
EL15XP1-024-230	23800	12.5	15	20600	12000	9	LD19/36Z9	EL296DF070XE48B	205147172
EL15XP1-024-230	23800	13	16	20600	12000	9	LD19/36Z9	ML180DF070E36B	205147175
EL15XP1-024-230	23800	12.5	15	19800	11600	8.5	LD19/36Z9	SLP98DF070XV36B	205147177
EL15XP1-024-230	23800	12.5	15	19800	11600	8.5	LD19/36Z9	SLP99DF070XV36B	205760265
EL15XP1-024-230	23400	12.2	14	20600	12600	8.5	LD19/36Z9		204755165
EL15XP1-024-230	23400	12.2	14	20600	12600	8.5	LD24/35Z9		204755166
EL15XP1-024-230	23400	12	14.5	19200	12600	8.2	LEC249C03		203263875
EL15XP1-024-230	23400	12	14.5	19200	12600	8.2	LEC299C03		203355240
EL15XP1-024-230	23400	12.2	14.5	19200	12600	8.2	LEC309C05		203263877
EL15XP1-024-230	23600	13	16	19800	11800	8.5	LH18/36D9	EL180UH040NE36A	206776491
EL15XP1-024-230	24000	13	16	20000	12000	9	LH18/36D9	ML180UH030V36A	206776632
EL15XP1-024-230	24000	13	16	20000	12000	9	LH18/36D9	ML180UH045V36A	206776644
EL15XP1-024-230	23600	13	16	19800	11800	8.5	LH18/36R9	EL180UH040NE36A	206776490
EL15XP1-024-230	24000	13	16	20000	12000	9	LH18/36R9	ML180UH030V36A	206776631
EL15XP1-024-230	24000	13	16	20000	12000	9	LH18/36R9	ML180UH045V36A	206776643
EL15XP1-024-230	24000	13	16	19400	11500	8.5	LH18/37D9	EL180UH040NE36A	206776501
EL15XP1-024-230	24000	13	16	20000	11800	9	LH18/37D9	EL280UH045E36A	206776572
EL15XP1-024-230	24000	13	16	20000	11800	9	LH18/37D9	EL280UH070E36A	206776578
EL15XP1-024-230	24000	13	16	19600	11600	9	LH18/37D9	ML180UH030V36A	206776642
EL15XP1-024-230	24000	13	16	19600	11600	9	LH18/37D9	ML180UH045V36A	206776654
EL15XP1-024-230	24000	13	16	20000	11800	9	LH18/37D9	ML180UH070E36A	206776662
EL15XP1-024-230	24000	13	16	20000	11800	8.5	LH18/37D9	ML180UH070V36A	206776670
EL15XP1-024-230	24000	13	16	20000	11800	9	LH18/37D9	ML180UH070XE36A	206776708
EL15XP1-024-230	24000	13	16	19800	11600	8.5	LH18/37R9	EL180UH040NE36A	206776499
EL15XP1-024-230	24000	13	16	20000	11800	9	LH18/37R9	EL280UH045E36A	206776570
EL15XP1-024-230	24000	13	16	20000	11800	9	LH18/37R9	EL280UH070E36A	206776576
EL15XP1-024-230	24000	13	16	20000	11800	9	LH18/37R9	ML180UH030V36A	206776640
EL15XP1-024-230	24000	13	16	20000	12000	9	LH18/37R9	ML180UH045V36A	206776652

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-024-230	24000	13	16	20000	11800	9	LH18/37R9	ML180UH070E36A	206776660
EL15XP1-024-230	24000	13	16	20000	11800	8.5	LH18/37R9	ML180UH070V36A	206776668
EL15XP1-024-230	24000	13	16	20000	11800	9	LH18/37R9	ML180UH070XE36A	206776706
EL15XP1-024-230	24000	13	16	19600	11600	8.5	LH29/36F9	EL195UH040NE36B	206776506
EL15XP1-024-230	23800	13	16	19800	11800	8.5	LH29/36F9	EL195UH045XE36B	206776517
EL15XP1-024-230	24000	13	16	19600	11600	8.5	LH29/36F9	EL195UH060NE36B	206776530
EL15XP1-024-230	24000	13	16	19600	11700	8.5	LH29/36F9	EL196UH045XE36B	206776543
EL15XP1-024-230	23800	13	16	20200	12000	9	LH29/36F9	EL196UH070XE36B	206776556
EL15XP1-024-230	23800	13	16	19800	11800	8.5	LH29/36F9	EL296UH045XE36B	206776583
EL15XP1-024-230	24000	13	16	19600	11600	8.5	LH29/36F9	EL296UH045XV36B	206776596
EL15XP1-024-230	24000	13	16	19800	11700	8.5	LH29/36F9	EL296UH070XE36B	206776609
EL15XP1-024-230	24000	13	16	19600	11600	8.5	LH29/36F9	EL296UH070XV36B	206776622
EL15XP1-024-230	24000	13	16	19600	11600	9	LH29/36F9	ML180UH070V36B	206776677
EL15XP1-024-230	24000	13	16	20200	12000	9	LH29/36F9	ML180UH070V48B	206776692
EL15XP1-024-230	24000	13	16	19800	11700	9	LH29/36F9	ML180UH090V48B	206776715
EL15XP1-024-230	24000	13	16	19600	11600	8.5	LH29/36X9	EL195UH040NE36B	206776505
EL15XP1-024-230	23800	13	16	19800	11800	8.5	LH29/36X9	EL195UH045XE36B	206776516
EL15XP1-024-230	24000	13	16	19600	11600	8.5	LH29/36X9	EL195UH060NE36B	206776529
EL15XP1-024-230	24000	13	16	19600	11700	8.5	LH29/36X9	EL196UH045XE36B	206776542
EL15XP1-024-230	23800	13	16	20200	12000	9	LH29/36X9	EL196UH070XE36B	206776555
EL15XP1-024-230	23800	13	16	19800	11800	8.5	LH29/36X9	EL296UH045XE36B	206776582
EL15XP1-024-230	24000	13	16	19600	11600	8.5	LH29/36X9	EL296UH045XV36B	206776595
EL15XP1-024-230	24000	13	16	19800	11700	8.5	LH29/36X9	EL296UH070XE36B	206776608
EL15XP1-024-230	24000	13	16	19600	11600	8.5	LH29/36X9	EL296UH070XV36B	206776621
EL15XP1-024-230	24000	13	16	19600	11600	9	LH29/36X9	ML180UH070V36B	206776676
EL15XP1-024-230	24000	13	16	20400	12400	9	LH29/36X9	ML180UH070V48B	206776691
EL15XP1-024-230	24000	13	16	19800	11700	9	LH29/36X9	ML180UH090V48B	206776714
EL15XP1-024-230	24000	13	16	19800	11800	8.5	LH35/36F9	EL195UH040NE36B	206776508
EL15XP1-024-230	24000	13	16	19800	11800	8.5	LH35/36F9	EL195UH045XE36B	206776519
EL15XP1-024-230	24000	13	16	19800	11800	8.5	LH35/36F9	EL195UH060NE36B	206776532
EL15XP1-024-230	24000	13	16	19800	11800	8.5	LH35/36F9	EL196UH045XE36B	206776545
EL15XP1-024-230	23800	13	16	20200	12000	9	LH35/36F9	EL196UH070XE36B	206776558
EL15XP1-024-230	24000	13	16	19800	11800	8.5	LH35/36F9	EL296UH045XE36B	206776585
EL15XP1-024-230	24000	13	16	19800	11800	8.5	LH35/36F9	EL296UH045XV36B	206776598
EL15XP1-024-230	24000	13	16	20000	11900	8.5	LH35/36F9	EL296UH070XE36B	206776611
EL15XP1-024-230	24000	13	16	19800	11800	8.5	LH35/36F9	EL296UH070XV36B	206776624
EL15XP1-024-230	24000	13	16	19600	11600	9	LH35/36F9	ML180UH070V36B	206776679
EL15XP1-024-230	24000	13	16	19800	11800	9	LH35/36F9	ML180UH070V48B	206776694
EL15XP1-024-230	24000	13	16	19800	11700	9	LH35/36F9	ML180UH090V48B	206776717
EL15XP1-024-230	24000	13	16	19800	11800	8.5	LH35/36X9	EL195UH040NE36B	206776507
EL15XP1-024-230	24000	13	16	19800	11800	8.5	LH35/36X9	EL195UH045XE36B	206776518
EL15XP1-024-230	24000	13	16	19800	11800	8.5	LH35/36X9	EL195UH060NE36B	206776531
EL15XP1-024-230	24000	13	16	19800	11800	8.5	LH35/36X9	EL196UH045XE36B	206776544
EL15XP1-024-230	23800	13	16	20200	12000	9	LH35/36X9	EL196UH070XE36B	206776557
EL15XP1-024-230	24000	13	16	19800	11800	8.5	LH35/36X9	EL296UH045XE36B	206776584
EL15XP1-024-230	24000	13	16	19800	11800	8.5	LH35/36X9	EL296UH045XV36B	206776597
EL15XP1-024-230	24000	13	16	20000	11900	8.5	LH35/36X9	EL296UH070XE36B	206776610
EL15XP1-024-230	24000	13	16	19800	11800	8.5	LH35/36X9	EL296UH070XV36B	206776623
EL15XP1-024-230	24000	13	16	19800	11700	9	LH35/36X9	ML180UH070V36B	206776678
EL15XP1-024-230	24000	13	16	19800	11800	9	LH35/36X9	ML180UH070V48B	206776693
EL15XP1-024-230	24000	13	16	20000	11900	9	LH35/36X9	ML180UH090V48B	206776716
EL15XP1-024-230	24000	13	16	19600	11600	8.5	LH35/38X9	EL195UH040NE36B	206776513
EL15XP1-024-230	24000	13	16	19600	11600	8.5	LH35/38X9	EL195UH045XE36B	206776524
EL15XP1-024-230	24000	13	16	19600	11600	8.5	LH35/38X9	EL195UH060NE36B	206776537

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-024-230	23800	13	16	20200	12100	9	LH35/38X9	EL196UH045XE36B	206776550
EL15XP1-024-230	23800	13	16	20200	12000	9	LH35/38X9	EL196UH070XE36B	206776563
EL15XP1-024-230	24000	13	16	19600	11700	8.5	LH35/38X9	EL280UH090E36B	206776580
EL15XP1-024-230	24000	13	16	19800	11800	8.5	LH35/38X9	EL296UH045XE36B	206776590
EL15XP1-024-230	24000	13	16	19800	11800	8.5	LH35/38X9	EL296UH045XV36B	206776603
EL15XP1-024-230	24000	13	16	20000	11900	8.5	LH35/38X9	EL296UH070XE36B	206776616
EL15XP1-024-230	24000	13	16	19800	11800	8.5	LH35/38X9	EL296UH070XV36B	206776629
EL15XP1-024-230	24000	13	16	20200	12300	9	LH35/38X9	ML180UH070V36B	206776684
EL15XP1-024-230	24000	13	16	19800	11800	9	LH35/38X9	ML180UH070V48B	206776699
EL15XP1-024-230	24000	13	16	20400	12500	9	LH35/38X9	ML180UH090V48B	206776722
EL15XP1-024-230	23400	12	14	20600	12600	8.5	LS*24923E		205484243
EL15XP1-024-230	23400	12.2	14	20600	12600	8.5	LS*25933E		205484257
EL15XP1-024-230	23400	12.2	14	20600	12600	8.5	LS*30943E		205957998
EL15XP1-024-230	23200	12	14	19200	12600	8.2	LSC249C03		203263854
EL15XP1-024-230	23400	12.2	14	19200	12600	8.2	LSC259C05		203263858
EL15XP1-024-230	23200	12	14	19200	12600	8.2	LSC299C03		203263856
EL15XP1-024-230	23400	12.2	14	19200	12600	8.2	LSC309C05		203263860
EL15XP1-024-230	23400	12.2	14	19200	12600	8.2	M36E34(1,2)		202777557
EL15XP1-024-230	24000	13	16	19800	11600	8.5	PL36H***P449	EL180UH040NE36A	206776500
EL15XP1-024-230	24000	13	16	20000	11800	9	PL36H***P449	EL280UH045E36A	206776571
EL15XP1-024-230	24000	13	16	20000	11800	9	PL36H***P449	EL280UH070E36A	206776577
EL15XP1-024-230	24000	13	16	20000	11800	9	PL36H***P449	ML180UH030V36A	206776641
EL15XP1-024-230	24000	13	16	20000	12000	9	PL36H***P449	ML180UH045V36A	206776653
EL15XP1-024-230	24000	13	16	20000	11800	9	PL36H***P449	ML180UH070E36A	206776661
EL15XP1-024-230	24000	13	16	20000	11800	8.5	PL36H***P449	ML180UH070V36A	206776669
EL15XP1-024-230	24000	13	16	20000	11800	9	PL36H***P449	ML180UH070XE36A	206776707
EL15XP1-024-230	24000	13	16	19600	11600	8.5	PL36H210P29	EL195UH040NE36B	206776502
EL15XP1-024-230	24000	13	16	19600	11600	8.5	PL36H210P29	EL195UH045XE36B	206776515
EL15XP1-024-230	24000	13	16	19600	11600	8.5	PL36H210P29	EL195UH060NE36B	206776526
EL15XP1-024-230	23800	13	16	20200	12100	9	PL36H210P29	EL196UH045XE36B	206776539
EL15XP1-024-230	23800	13	16	20200	12000	9	PL36H210P29	EL196UH070XE36B	206776552
EL15XP1-024-230	24000	13	16	19600	11700	8.5	PL36H210P29	EL280UH090E36B	206776579
EL15XP1-024-230	24000	13	16	19600	11600	8.5	PL36H210P29	EL296UH045XE36B	206776581
EL15XP1-024-230	24000	13	16	19800	11800	8.5	PL36H210P29	EL296UH045XV36B	206776592
EL15XP1-024-230	24000	13	16	20000	11900	8.5	PL36H210P29	EL296UH070XE36B	206776605
EL15XP1-024-230	24000	13	16	19800	11800	8.5	PL36H210P29	EL296UH070XV36B	206776618
EL15XP1-024-230	24000	13	16	19800	11700	9	PL36H210P29	ML180UH070V36B	206776671
EL15XP1-024-230	24000	13	16	20400	12400	9	PL36H210P29	ML180UH070V48B	206776686
EL15XP1-024-230	24000	13	16	20000	11900	9	PL36H210P29	ML180UH090V48B	206776709
EL15XP1-024-230	24000	13	16	19600	11600	8.5	PL36H210P74	EL195UH040NE36B	206776511
EL15XP1-024-230	23800	13	16	19800	11800	8.5	PL36H210P74	EL195UH045XE36B	206776522
EL15XP1-024-230	24000	13	16	19600	11600	8.5	PL36H210P74	EL195UH060NE36B	206776535
EL15XP1-024-230	24000	13	16	19600	11700	8.5	PL36H210P74	EL196UH045XE36B	206776548
EL15XP1-024-230	23800	13	16	20200	12000	9	PL36H210P74	EL196UH070XE36B	206776561
EL15XP1-024-230	23800	13	16	19800	11800	8.5	PL36H210P74	EL296UH045XE36B	206776588
EL15XP1-024-230	24000	13	16	19600	11600	8.5	PL36H210P74	EL296UH045XV36B	206776601
EL15XP1-024-230	24000	13	16	19800	11700	8.5	PL36H210P74	EL296UH070XE36B	206776614
EL15XP1-024-230	24000	13	16	19600	11600	8.5	PL36H210P74	EL296UH070XV36B	206776627
EL15XP1-024-230	24000	13	16	19600	11600	9	PL36H210P74	ML180UH070V36B	206776682
EL15XP1-024-230	24000	13	16	20400	12400	9	PL36H210P74	ML180UH070V48B	206776697
EL15XP1-024-230	24000	13	16	19800	11700	9	PL36H210P74	ML180UH090V48B	206776720
EL15XP1-024-230	24000	13	16	19800	11800	8.5	PL36H210P75	EL195UH040NE36B	206776512
EL15XP1-024-230	24000	13	16	19800	11800	8.5	PL36H210P75	EL195UH045XE36B	206776523
EL15XP1-024-230	24000	13	16	19800	11800	8.5	PL36H210P75	EL195UH060NE36B	206776536

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-024-230	24000	13	16	19800	11800	8.5	PL36H210P75	EL196UH045XE36B	206776549
EL15XP1-024-230	23800	13	16	20200	12000	9	PL36H210P75	EL196UH070XE36B	206776562
EL15XP1-024-230	24000	13	16	19800	11800	8.5	PL36H210P75	EL296UH045XE36B	206776589
EL15XP1-024-230	24000	13	16	19800	11800	8.5	PL36H210P75	EL296UH045XV36B	206776602
EL15XP1-024-230	24000	13	16	20000	11900	8.5	PL36H210P75	EL296UH070XE36B	206776615
EL15XP1-024-230	24000	13	16	19800	11800	8.5	PL36H210P75	EL296UH070XV36B	206776628
EL15XP1-024-230	24000	13	16	19800	11700	9	PL36H210P75	ML180UH070V36B	206776683
EL15XP1-024-230	24000	13	16	19800	11800	9	PL36H210P75	ML180UH070V48B	206776698
EL15XP1-024-230	24000	13	16	20000	11900	9	PL36H210P75	ML180UH090V48B	206776721
EL15XP1-030-230	28600	11	15	26200	17000	8.2	CE2903C		204118540
EL15XP1-030-230	29000	11.5	15	26200	17000	8.5	CE3005A		204118541
EL15XP1-030-230	28200	12.2	15	26200	15400	8.2	CE3005C		204118542
EL15XP1-030-230	28600	11.7	14	26400	16900	8.2	CP2903C		202902095
EL15XP1-030-230	29000	11.7	14	26200	17000	8.5	CP3005A		204118535
EL15XP1-030-230	29000	11.7	14	26400	17000	8.5	CP3005C		202902096
EL15XP1-030-230	29800	13	16	25800	16300	9	L*35/36U9	EL180UH040NE36A	206777915
EL15XP1-030-230	29600	13	16	25600	16200	9	L*35/36U9	EL180UH080NE48B	206777923
EL15XP1-030-230	29800	13	16	25800	16200	9	L*35/36U9	ML180UH070V48B	206777944
EL15XP1-030-230	29400	13	16	25600	16100	9	L*35/36U9	ML180UH090E48B	206777950
EL15XP1-030-230	29400	12.2	14.5	26400	16800	9	LD19/36Z9	EL280DF090E48B	205147350
EL15XP1-030-230	29600	12.5	15	26600	16700	9	LD19/36Z9	EL296DF045XE36B	205147351
EL15XP1-030-230	29600	12.5	15	26600	16600	9	LD19/36Z9	EL296DF045XV36B	205147352
EL15XP1-030-230	30000	12.5	15	26600	16700	9	LD19/36Z9	EL296DF070XE48B	205147353
EL15XP1-030-230	29600	12.5	15	26600	16700	9	LD19/36Z9	EL296DF070XV48B	205147354
EL15XP1-030-230	30000	12.5	15	26600	16500	9	LD19/36Z9	ML180DF070E36B	205147355
EL15XP1-030-230	29600	12.5	15	26400	16500	9	LD19/36Z9	ML180DF090E48B	205147356
EL15XP1-030-230	28800	12.2	14.5	26200	16700	8.5	LD19/36Z9	ML193DF045XE36B	205147357
EL15XP1-030-230	28800	12.2	14.5	26200	16700	8.5	LD19/36Z9	ML193DF070XE36B	205147358
EL15XP1-030-230	29600	12.5	15	26400	16500	9	LD19/36Z9	SL280DF090V48B	205147359
EL15XP1-030-230	29600	12.5	15	26600	16600	9	LD19/36Z9	SLP98DF070XV36B	205147360
EL15XP1-030-230	29600	12.5	15	26600	16600	9	LD19/36Z9	SLP99DF070XV36B	205760267
EL15XP1-030-230	29000	11.7	14	26200	16700	8.5	LD19/36Z9		204755167
EL15XP1-030-230	29400	12.2	14	26200	16700	8.5	LD24/35Z9		204755169
EL15XP1-030-230	29000	12.2	14.5	27000	17000	8.5	LD31/36Z9		204756169
EL15XP1-030-230	28600	11	15	26400	17000	8.2	LEC299C03		203355241
EL15XP1-030-230	28200	12.2	15	26400	15400	8.2	LEC309C05		203263898
EL15XP1-030-230	29800	13	16	25800	16300	9	LH18/37D9	EL180UH040NE36A	206777918
EL15XP1-030-230	29800	13	16	25800	16300	9	LH18/37R9	EL180UH040NE36A	206777916
EL15XP1-030-230	29800	12.5	15	25400	16200	9	LH29/36X9	EL280UH090E36B	206840455
EL15XP1-030-230	29600	13	16	25600	16200	9	LH35/36F9	EL180UH080NE48B	206777921
EL15XP1-030-230	29800	13	16	25800	16200	9	LH35/36F9	ML180UH070V48B	206777941
EL15XP1-030-230	29400	13	16	25600	16100	9	LH35/36F9	ML180UH090E48B	206777947
EL15XP1-030-230	29600	13	16	25600	16200	9	LH35/36X9	EL180UH080NE48B	206777920
EL15XP1-030-230	29800	13	16	25800	16200	9	LH35/36X9	ML180UH070V48B	206777940
EL15XP1-030-230	29400	13	16	25600	16100	9	LH35/36X9	ML180UH090E48B	206777946
EL15XP1-030-230	29600	13	16	25600	16200	9	LH35/38X9	EL180UH080NE48B	206777922
EL15XP1-030-230	30000	13	16	25800	16200	8.5	LH35/38X9	EL296UH070XV36B	206777933
EL15XP1-030-230	30000	13	16	25200	15700	9	LH35/38X9	ML180UH070V36B	206777938
EL15XP1-030-230	30000	13	16	25200	15800	9	LH35/38X9	ML180UH070V48B	206777943
EL15XP1-030-230	29400	13	16	25600	16100	9	LH35/38X9	ML180UH090E48B	206777949
EL15XP1-030-230	30000	13	16	25200	15700	8.5	LH35/38X9	ML180UH090V48B	206777952
EL15XP1-030-230	29200	12	14	26200	16700	8.5	LS*30943E		205958005
EL15XP1-030-230	29200	12	14	26200	16700	8.5	LS*36943E		205484182
EL15XP1-030-230	28800	11.5	14	26400	17000	8.5	LSC299C03		203263894

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-030-230	29000	11.7	14	26400	17000	8.5	LSC309C05		203263896
EL15XP1-030-230	29400	12	14	26400	16900	8.5	M36E34(1,2)		202777735
EL15XP1-030-230	29800	13	16	25800	16300	9	PL36H***P449	EL180UH040NE36A	206777917
EL15XP1-030-230	30000	13	16	25600	16200	9	PL36H210P29	EL180UH080NE48B	206777919
EL15XP1-030-230	30000	13	16	25600	16100	9	PL36H210P29	EL195UH040NE36B	206777924
EL15XP1-030-230	30000	13	16	25600	16100	9	PL36H210P29	EL195UH060NE36B	206777925
EL15XP1-030-230	29800	13	16	25600	16100	9	PL36H210P29	EL195UH080NE48C	206777926
EL15XP1-030-230	29600	13	16	25400	16000	9	PL36H210P29	EL195UH090XE48C	206777927
EL15XP1-030-230	30000	13	16	25400	16000	9	PL36H210P29	EL196UH045XE36B	206777928
EL15XP1-030-230	30000	13	16	25800	16400	9	PL36H210P29	EL196UH070XE36B	206777929
EL15XP1-030-230	29800	13	16	25400	16000	9	PL36H210P29	EL196UH090XE48C	206777930
EL15XP1-030-230	30000	13	16	25600	16100	9	PL36H210P29	EL296UH070XE36B	206777931
EL15XP1-030-230	30000	13	16	26000	16300	9	PL36H210P29	EL296UH070XV36B	206777932
EL15XP1-030-230	29600	13	16	25400	16000	9	PL36H210P29	EL296UH090XE48C	206777934
EL15XP1-030-230	30000	13	16	25600	16100	9	PL36H210P29	EL296UH090XV36C	206777935
EL15XP1-030-230	30000	13	16	25600	16200	9	PL36H210P29	EL296UH090XV48C	206777936
EL15XP1-030-230	30000	13	16	25200	15700	9	PL36H210P29	ML180UH070V36B	206777937
EL15XP1-030-230	30000	13	16	25200	15800	9	PL36H210P29	ML180UH070V48B	206777939
EL15XP1-030-230	30000	13	16	25400	15900	9	PL36H210P29	ML180UH090E48B	206777945
EL15XP1-030-230	30000	13	16	25200	15800	9	PL36H210P29	ML180UH090V48B	206777951
EL15XP1-030-230	29600	13	16	25600	16100	9	PL36H210P75	ML180UH070V48B	206777942
EL15XP1-030-230	29400	13	16	25600	16100	9	PL36H210P75	ML180UH090E48B	206777948
EL15XP1-036-230	33800	11.5	14	30200	18400	8.2	A36VEA		203371535
EL15XP1-036-230	34400	13	16	28800	17600	8.5	L*23/37Z9	EL180UH080NE48B	206776724
EL15XP1-036-230	35200	13	16	30000	19000	8.5	L*23/37Z9	EL180UH100NE60C	206776726
EL15XP1-036-230	35400	13	16	30200	19200	8.5	L*23/37Z9	EL196UH090XE48C	206776728
EL15XP1-036-230	35600	13	16	30400	19200	8.5	L*23/37Z9	EL196UH110XE60C	206776730
EL15XP1-036-230	35000	13	16	30000	19000	8.5	L*23/37Z9	EL280UH110E48C	206776732
EL15XP1-036-230	35600	13	16	30400	19200	8.5	L*23/37Z9	EL280UH110E60C	206776734
EL15XP1-036-230	35000	13	16	30200	19200	8.5	L*23/37Z9	EL296UH090XV36C	206776736
EL15XP1-036-230	34400	13	16	28800	17600	8.2	L*23/37Z9	EL296UH090XV48C	206776738
EL15XP1-036-230	35200	13	16	30200	19200	8.5	L*23/37Z9	EL296UH110XE60C	206776740
EL15XP1-036-230	35400	13	16	30400	19200	8.5	L*23/37Z9	EL296UH110XV60C	206776742
EL15XP1-036-230	35200	13	16	30200	19200	8.5	L*23/37Z9	ML180UH110V60C	206776744
EL15XP1-036-230	35000	13	16	30000	19000	8.5	L*23/37Z9	ML180UH110XE60C	206776746
EL15XP1-036-230	34200	11.5	14	30800	20000	8.5	L*30/36S9		205663333
EL15XP1-036-230	34200	11.7	14	30800	20000	8.5	L*35/36S9		205663334
EL15XP1-036-230	34200	11.7	14	30800	20000	8.5	LD31/36Z9		204756170
EL15XP1-036-230	35200	13	16	30000	19000	8.5	LH23/37W9	EL180UH100NE60C	206776725
EL15XP1-036-230	35400	13	16	30200	19200	8.5	LH23/37W9	EL196UH090XE48C	206776727
EL15XP1-036-230	35600	13	16	30400	19200	8.5	LH23/37W9	EL196UH110XE60C	206776729
EL15XP1-036-230	35000	13	16	30000	19000	8.5	LH23/37W9	EL280UH110E48C	206776731
EL15XP1-036-230	35600	13	16	30400	19200	8.5	LH23/37W9	EL280UH110E60C	206776733
EL15XP1-036-230	35000	13	16	30200	19200	8.5	LH23/37W9	EL296UH090XV36C	206776735
EL15XP1-036-230	34400	13	16	28800	17600	8.2	LH23/37W9	EL296UH090XV48C	206776737
EL15XP1-036-230	35200	13	16	30200	19200	8.5	LH23/37W9	EL296UH110XE60C	206776739
EL15XP1-036-230	35400	13	16	30400	19200	8.5	LH23/37W9	EL296UH110XV60C	206776741
EL15XP1-036-230	35200	13	16	30200	19200	8.5	LH23/37W9	ML180UH110V60C	206776743
EL15XP1-036-230	35000	13	16	30000	19000	8.5	LH23/37W9	ML180UH110XE60C	206776745
EL15XP1-036-230	34200	12.2	14.5	30800	20000	8.5	LH23/37W9		205663335
EL15XP1-036-230	34200	11.7	14	30800	20000	8.5	LH35/38F9		205663332
EL15XP1-036-230	34200	12	14	30800	20000	8.5	LS*3791CC		205483294
EL15XP1-036-230	33800	11	14	30800	20000	8.5	LS*3799BB		205483293
EL15XP1-036-230	33800	11.7	14	30200	18400	8.2	M36E59(1,2)		202777733

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-036-230	33800	11.7	14	30200	18400	8.2	M36E66(1,2)		202777734
EL15XP1-042-230	41500	12	14	37800	25800	8.2	A42VEA		203371538
EL15XP1-042-230	41000	12.2	14.5	37400	24200	8.5	LD41/4Z29	EL296DF090XE48C	205147178
EL15XP1-042-230	41500	12.2	14.5	37800	24400	8.5	LD41/4Z29	EL296DF090XV60C	205147180
EL15XP1-042-230	41500	12.2	14.5	37400	24200	9	LD41/4Z29	EL296DF110XE60C	205147182
EL15XP1-042-230	41500	12.2	14.5	37800	24400	8.5	LD41/4Z29	EL296DF110XV60C	205147184
EL15XP1-042-230	41500	12.5	15	37400	24200	9	LD41/4Z29	ML180DF110E60C	205147186
EL15XP1-042-230	41000	12.2	14	37400	24200	9	LD41/4Z29	ML193DF090XE48C	205147188
EL15XP1-042-230	41500	12.5	15	37400	24200	9	LD41/4Z29	SL280DF090V60C	205147190
EL15XP1-042-230	41500	12.5	15	37400	24200	9	LD41/4Z29	SL280DF110V60C	205147192
EL15XP1-042-230	41500	12.2	14.5	37800	24400	8.5	LD41/4Z29	SLP98DF090XV48C	205147194
EL15XP1-042-230	41500	12.2	14.5	37800	24400	8.5	LD41/4Z29	SLP98DF090XV60C	205147196
EL15XP1-042-230	41500	12.2	14.5	37800	24400	8.5	LD41/4Z29	SLP98DF110XV60C	205147198
EL15XP1-042-230	41500	12.2	14.5	37800	24400	8.5	LD41/4Z29	SLP99DF090XV48C	205760269
EL15XP1-042-230	41500	12.2	14.5	37800	24400	8.5	LD41/4Z29	SLP99DF090XV60C	205760273
EL15XP1-042-230	41500	12.2	14.5	37800	24400	8.5	LD41/4Z29	SLP99DF110XV60C	205760278
EL15XP1-042-230	41500	12	14	38500	25800	8.2	LD41/4Z29		205147341
EL15XP1-042-230	41500	12.2	14	38500	25800	8.2	LD41/4Z39		204756171
EL15XP1-042-230	41000	12.2	14.5	37400	24200	8.5	LD42/61Z9	EL296DF090XE48C	205147179
EL15XP1-042-230	41500	12.2	14.5	37800	24400	8.5	LD42/61Z9	EL296DF090XV60C	205147181
EL15XP1-042-230	41500	12.2	14.5	37400	24200	9	LD42/61Z9	EL296DF110XE60C	205147183
EL15XP1-042-230	41500	12.2	14.5	37800	24400	8.5	LD42/61Z9	EL296DF110XV60C	205147185
EL15XP1-042-230	41500	12.5	15	37400	24200	9	LD42/61Z9	ML180DF110E60C	205147187
EL15XP1-042-230	41000	12.2	14.5	37400	24200	9	LD42/61Z9	ML193DF090XE48C	205147189
EL15XP1-042-230	41500	12.5	15	37400	24200	9	LD42/61Z9	SL280DF090V60C	205147191
EL15XP1-042-230	41500	12.5	15	37400	24200	9	LD42/61Z9	SL280DF110V60C	205147193
EL15XP1-042-230	41500	12.2	14.5	37800	24400	8.5	LD42/61Z9	SLP98DF090XV48C	205147195
EL15XP1-042-230	41500	12.2	14.5	37800	24400	8.5	LD42/61Z9	SLP98DF090XV60C	205147197
EL15XP1-042-230	41500	12.2	14.5	37800	24400	8.5	LD42/61Z9	SLP98DF110XV60C	205147199
EL15XP1-042-230	41500	12.2	14.5	37800	24400	8.5	LD42/61Z9	SLP99DF090XV48C	205760271
EL15XP1-042-230	41500	12.2	14.5	37800	24400	8.5	LD42/61Z9	SLP99DF090XV60C	205760275
EL15XP1-042-230	41500	12.2	14.5	37800	24400	8.5	LD42/61Z9	SLP99DF110XV60C	205760280
EL15XP1-042-230	42000	12.2	14	38000	25600	8.2	LD42/61Z9		204755170
EL15XP1-042-230	42000	12.2	14	39500	25600	8.2	LS*4891CC		205957621
EL15XP1-042-230	40500	11.7	14	37400	24800	8.2	LS*4899BB		205484121
EL15XP1-042-230	41500	12.2	14	37800	25800	8.2	M42E59(1,2)		202777558
EL15XP1-042-230	41500	12.2	14	37800	25800	8.2	M42E66(1,2)		202777732
EL15XP1-042-230	40500	12.2	14.5	37400	24800	8.2	M60E49(1,2)		205725954
EL15XP1-048-230	48000	12.2	14.5	42000	27200	8.5	LD42/61Z9	EL296DF090XE48C	205147200
EL15XP1-048-230	48000	12.2	14.5	45500	30800	9	LD42/61Z9	EL296DF090XV60C	205147201
EL15XP1-048-230	48000	12.2	14.5	45500	30400	9	LD42/61Z9	EL296DF110XE60C	205147202
EL15XP1-048-230	48000	12.2	14.5	45500	30800	9	LD42/61Z9	EL296DF110XV60C	205147203
EL15XP1-048-230	48000	12.5	15	42000	27000	9	LD42/61Z9	ML180DF110E60C	205147204
EL15XP1-048-230	47500	12.2	14.5	41500	27200	9	LD42/61Z9	ML193DF090XE48C	205147205
EL15XP1-048-230	48000	12.5	15	42000	27000	9	LD42/61Z9	SL280DF090V60C	205147206
EL15XP1-048-230	48000	12.5	15	42000	27000	9	LD42/61Z9	SL280DF110V60C	205147207
EL15XP1-048-230	48000	12.2	14.5	42500	27400	8.5	LD42/61Z9	SLP98DF090XV48C	205147208
EL15XP1-048-230	48000	12.2	14.5	45500	30800	9	LD42/61Z9	SLP98DF090XV60C	205147209
EL15XP1-048-230	48000	12.2	14.5	45500	30800	9	LD42/61Z9	SLP98DF110XV60C	205147210
EL15XP1-048-230	48000	12.2	14.5	42500	27400	8.5	LD42/61Z9	SLP99DF090XV48C	205760282
EL15XP1-048-230	48000	12.2	14.5	45500	30800	9	LD42/61Z9	SLP99DF090XV60C	205760284
EL15XP1-048-230	48000	12.2	14.5	45500	30800	9	LD42/61Z9	SLP99DF110XV60C	205760286
EL15XP1-048-230	48000	12	14.5	41000	25800	8.2	LD42/61Z9		204755171
EL15XP1-048-230	48000	12	14.5	46000	25800	8.2	LS*4891CC		205957622

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-048-230	48000	12.2	14.5	43500	28400	8.2	LS*6094CC		205484044
EL15XP1-048-230	48000	12.2	14.5	41000	25800	8.2	M60E49(1,2)		205725955
EL15XP1-060-230	56000	12	14	57500	37800	8.5	LD42/61Z9	EL296DF110XE60C	205147729
EL15XP1-060-230	57000	12.2	14.5	57500	37400	9	LD42/61Z9	ML180DF110E60C	205147211
EL15XP1-060-230	57000	12.2	14	58000	37800	9	LD42/61Z9	SL280DF090V60C	205147730
EL15XP1-060-230	56500	12.2	14	57500	37800	9	LD42/61Z9	SL280DF110V60C	205147731
EL15XP1-060-230	57000	11.7	14	56000	35600	8.2	LD42/61Z9		204755172
EL15XP1-060-230	58000	12.2	14	56500	35800	8.2	LS*6094CC		205484055
EL15XP1-060-230	58000	12	14	56500	35800	8.2	M60E49(1,2)		205725956
EL16XP1-018-230	17000	12.2	16	15400	9200	8.5	CE2403C		204118533
EL16XP1-018-230	17600	12.5	15	15700	9500	9	L*18/30S9	EL280UH070XE36A	203366377
EL16XP1-018-230	17900	13	16	15800	9500	9	L*18/36S9	EL180UH040NE36A	206776750
EL16XP1-018-230	17900	13	16	15800	9500	9	L*18/36S9	EL280UH070E36A	206776768
EL16XP1-018-230	17900	13	16	15800	9500	9	L*18/36S9	EL280UH070XE36A	203366381
EL16XP1-018-230	17900	13	16	15800	9500	9	L*18/36S9	ML180UH030V36A	206776783
EL16XP1-018-230	17900	13	16	15800	9500	9	L*18/36S9	ML180UH045V36A	206776795
EL16XP1-018-230	17900	13	16	15800	9500	9	L*18/36S9	ML180UH070V36A	206776807
EL16XP1-018-230	17900	13	16	15800	9500	9	L*18/36S9	ML180UH070V36B	206776818
EL16XP1-018-230	18000	13	16	15800	9500	9	L*18/36T9	EL180UH040NE36A	206776752
EL16XP1-018-230	18000	13	16	16100	9600	9	L*18/36T9	EL280UH045E36A	206776760
EL16XP1-018-230	18000	13	16	15800	9500	9	L*18/36T9	EL280UH070E36A	206776770
EL16XP1-018-230	18000	13	16	15800	9500	9	L*18/36T9	EL280UH070XE36A	203366383
EL16XP1-018-230	18000	13	16	15800	9500	9	L*18/36T9	ML180UH030V36A	206776785
EL16XP1-018-230	18000	13	16	15800	9500	9	L*18/36T9	ML180UH045V36A	206776797
EL16XP1-018-230	18000	13	16	15800	9500	9	L*18/36T9	ML180UH070V36A	206776809
EL16XP1-018-230	18000	13	16	15800	9500	9	L*18/36T9	ML180UH070V36B	206776820
EL16XP1-018-230	17900	13	16	15800	9500	9	L*18/36U9	EL180UH040NE36A	206776749
EL16XP1-018-230	17900	13	16	15800	9500	9	L*18/36U9	EL280UH070E36A	206776767
EL16XP1-018-230	17900	13	16	15800	9500	9	L*18/36U9	EL280UH070XE36A	203366380
EL16XP1-018-230	17900	13	16	15800	9500	9	L*18/36U9	ML180UH030V36A	206776782
EL16XP1-018-230	17900	13	16	15800	9500	9	L*18/36U9	ML180UH045V36A	206776794
EL16XP1-018-230	17900	13	16	15800	9500	9	L*18/36U9	ML180UH070V36A	206776806
EL16XP1-018-230	17900	13	16	15800	9500	9	L*18/36U9	ML180UH070V36B	206776817
EL16XP1-018-230	18000	13	16	16000	9600	9	L*18/36V9	EL180UH040NE36A	206776751
EL16XP1-018-230	18000	13	16	16100	9600	9	L*18/36V9	EL280UH045E36A	206776759
EL16XP1-018-230	18000	13	16	15800	9500	9	L*18/36V9	EL280UH070E36A	206776769
EL16XP1-018-230	18000	13	16	15800	9500	9	L*18/36V9	EL280UH070XE36A	203366382
EL16XP1-018-230	18000	13	16	15800	9500	9	L*18/36V9	ML180UH030V36A	206776784
EL16XP1-018-230	18000	13	16	15800	9500	9	L*18/36V9	ML180UH045V36A	206776796
EL16XP1-018-230	18000	13	16	15800	9500	9	L*18/36V9	ML180UH070V36A	206776808
EL16XP1-018-230	18000	13	16	15800	9500	9	L*18/36V9	ML180UH070V36B	206776819
EL16XP1-018-230	18000	13	16	16000	9600	9	L*19/36S9	EL180UH040NE36A	203240843
EL16XP1-018-230	18000	13	16	16000	9600	9	L*19/36S9	EL180UH060NE36A	203240848
EL16XP1-018-230	18000	12.2	14.5	16100	9800	8.5	L*19/36S9	EL195UH040NE36B	203240853
EL16XP1-018-230	18000	13	16	15800	9500	9	L*19/36S9	EL196UH030XE24B	203240858
EL16XP1-018-230	18000	13	16	15800	9500	9	L*19/36S9	EL196UH045XE24B	203240863
EL16XP1-018-230	18000	12.5	15	15800	9600	9	L*19/36S9	EL196UH045XE36B	203240868
EL16XP1-018-230	18000	12.5	15	15800	9600	9	L*19/36S9	EL196UH070XE36B	203240873
EL16XP1-018-230	18000	12.5	15	16100	9300	9	L*19/36S9	EL280DF070E36A	203240878
EL16XP1-018-230	18000	13	16	16100	9500	9	L*19/36S9	EL280UH045E36A	203240883
EL16XP1-018-230	18000	13	16	15800	9500	9	L*19/36S9	EL280UH070E36A	203240888
EL16XP1-018-230	18000	13	16	15800	9500	9	L*19/36S9	EL280UH070XE36A	203366389
EL16XP1-018-230	18000	12.5	15	15900	9600	9	L*19/36S9	EL280UH090E36B	203240893
EL16XP1-018-230	18000	12.5	15	16300	9900	9	L*19/36S9	EL296DF045XE36B	203240898

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-018-230	18000	12.5	15	15800	9600	8.5	L*19/36S9	EL296UH045XE36B	203240903
EL16XP1-018-230	17800	12.2	14.5	16200	9800	8.5	L*19/36S9	EL296UH070XE36B	203240908
EL16XP1-018-230	18000	12.5	15	16200	9700	9	L*19/36S9	ML180DF045E36A	203240913
EL16XP1-018-230	18000	12.5	15	16300	9900	9	L*19/36S9	ML180DF070E36B	203240918
EL16XP1-018-230	18000	13	16	15800	9500	9	L*19/36S9	ML180UH030V36A	206776787
EL16XP1-018-230	18000	13	16	16000	9700	9	L*19/36S9	ML180UH045E36A	203240923
EL16XP1-018-230	18000	13	16	15800	9500	9	L*19/36S9	ML180UH045V36A	206776799
EL16XP1-018-230	18000	12.5	15	15800	9700	8.5	L*19/36S9	ML180UH070E36B	203240928
EL16XP1-018-230	18000	13	16	15800	9500	9	L*19/36S9	ML180UH070V36A	206776811
EL16XP1-018-230	18000	13	16	15800	9500	9	L*19/36S9	ML180UH070V36B	206776826
EL16XP1-018-230	18000	12.5	15	16100	9700	9	L*19/36S9	ML193DF045XE36B	203240933
EL16XP1-018-230	18000	12.5	15	16100	9700	9	L*19/36S9	ML193DF070XE36B	203240938
EL16XP1-018-230	18000	13	16	16000	9500	9	L*19/36S9	ML193UH030XE36B	203240943
EL16XP1-018-230	18000	12.5	15	15900	9600	9	L*19/36S9	ML193UH045XE36B	203240948
EL16XP1-018-230	18000	12.5	15	15900	9600	9	L*19/36S9	ML193UH070XE36B	203240953
EL16XP1-018-230	18000	13	16	16000	9400	9	L*19/36U9	EL180UH040NE36A	203240842
EL16XP1-018-230	18000	13	16	16000	9400	9	L*19/36U9	EL180UH060NE36A	203240847
EL16XP1-018-230	18000	12.2	14.5	16100	9700	8.5	L*19/36U9	EL195UH040NE36B	203240852
EL16XP1-018-230	18000	13	16	15800	9500	9	L*19/36U9	EL196UH030XE24B	203240857
EL16XP1-018-230	18000	13	16	15800	9500	9	L*19/36U9	EL196UH045XE24B	203240862
EL16XP1-018-230	18000	12.5	15	15800	9600	9	L*19/36U9	EL196UH045XE36B	203240867
EL16XP1-018-230	18000	12.5	15	15800	9600	9	L*19/36U9	EL196UH070XE36B	203240872
EL16XP1-018-230	18000	12.5	15	16100	9700	9	L*19/36U9	EL280DF070E36A	203240877
EL16XP1-018-230	18000	13	16	16100	9500	9	L*19/36U9	EL280UH045E36A	203240882
EL16XP1-018-230	18000	13	16	15800	9400	9	L*19/36U9	EL280UH070E36A	203240887
EL16XP1-018-230	18000	13	16	15800	9500	9	L*19/36U9	EL280UH070XE36A	203366388
EL16XP1-018-230	18000	12.5	15	15900	9500	9	L*19/36U9	EL280UH090E36B	203240892
EL16XP1-018-230	18000	12.5	15	16300	9900	9	L*19/36U9	EL296DF045XE36B	203240897
EL16XP1-018-230	18000	12.5	15	15800	9600	8.5	L*19/36U9	EL296UH045XE36B	203240902
EL16XP1-018-230	17800	12.2	14.5	16200	9800	8.5	L*19/36U9	EL296UH070XE36B	203240907
EL16XP1-018-230	18000	12.5	15	16200	9700	9	L*19/36U9	ML180DF045E36A	203240912
EL16XP1-018-230	18000	12.5	15	16300	9900	9	L*19/36U9	ML180DF070E36B	203240917
EL16XP1-018-230	18000	13	16	15800	9500	9	L*19/36U9	ML180UH030V36A	206776786
EL16XP1-018-230	18000	13	16	16000	9700	9	L*19/36U9	ML180UH045E36A	203240922
EL16XP1-018-230	18000	13	16	15800	9500	9	L*19/36U9	ML180UH045V36A	206776798
EL16XP1-018-230	18000	12.5	15	15800	9700	8.5	L*19/36U9	ML180UH070E36B	203240927
EL16XP1-018-230	18000	13	16	15800	9500	9	L*19/36U9	ML180UH070V36A	206776810
EL16XP1-018-230	18000	13	16	15600	9400	9	L*19/36U9	ML180UH070V36B	206776825
EL16XP1-018-230	18000	12.5	15	16100	9700	9	L*19/36U9	ML193DF045XE36B	203240932
EL16XP1-018-230	18000	12.5	15	16100	9700	9	L*19/36U9	ML193DF070XE36B	203240937
EL16XP1-018-230	18000	13	16	16000	9600	9	L*19/36U9	ML193UH030XE36B	203240942
EL16XP1-018-230	18000	12.5	15	15900	9500	9	L*19/36U9	ML193UH045XE36B	203240947
EL16XP1-018-230	18000	12.5	15	15900	9500	9	L*19/36U9	ML193UH070XE36B	203240952
EL16XP1-018-230	18000	13	16	15800	9500	9	L*29/36U9	EL280UH070XE36A	203366392
EL16XP1-018-230	18000	13	16	16000	9400	9	L*30/36U9	EL180UH040NE36A	203240844
EL16XP1-018-230	18000	13	16	16000	9400	9	L*30/36U9	EL180UH060NE36A	203240849
EL16XP1-018-230	18000	12.2	14.5	16100	9700	8.5	L*30/36U9	EL195UH040NE36B	203240854
EL16XP1-018-230	18000	13	16	15900	9500	9	L*30/36U9	EL196UH030XE24B	203240859
EL16XP1-018-230	18000	13	16	15900	9500	9	L*30/36U9	EL196UH045XE24B	203240864
EL16XP1-018-230	18000	12.5	15	15800	9600	9	L*30/36U9	EL196UH045XE36B	203240869
EL16XP1-018-230	18000	12.5	15	15800	9600	9	L*30/36U9	EL196UH070XE36B	203240874
EL16XP1-018-230	18000	13	16	15700	9300	9	L*30/36U9	EL280DF070E36A	203240879
EL16XP1-018-230	18000	13	16	16100	9500	9	L*30/36U9	EL280UH045E36A	203240884
EL16XP1-018-230	18000	13	16	15800	9400	9	L*30/36U9	EL280UH070E36A	203240889

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-018-230	18000	13	16	15800	9500	9	L*30/36U9	EL280UH070XE36A	203366391
EL16XP1-018-230	18000	13	16	15900	9600	9	L*30/36U9	EL280UH090E36B	203240894
EL16XP1-018-230	18000	12.5	15	16300	9900	9	L*30/36U9	EL296DF045XE36B	203240899
EL16XP1-018-230	18000	12.5	15	15800	9600	8.5	L*30/36U9	EL296UH045XE36B	203240904
EL16XP1-018-230	18000	12.2	14.5	16200	9800	8.5	L*30/36U9	EL296UH070XE36B	203240909
EL16XP1-018-230	18000	13	16	15800	9300	9	L*30/36U9	ML180DF045E36A	203240914
EL16XP1-018-230	18000	12.5	15	16300	9900	9	L*30/36U9	ML180DF070E36B	203240919
EL16XP1-018-230	18000	13	16	16000	9700	9	L*30/36U9	ML180UH045E36A	203240924
EL16XP1-018-230	18000	12.5	15	15800	9700	8.5	L*30/36U9	ML180UH070E36B	203240929
EL16XP1-018-230	18000	12.5	15	16100	9700	9	L*30/36U9	ML193DF045XE36B	203240934
EL16XP1-018-230	18000	12.5	15	16100	9700	9	L*30/36U9	ML193DF070XE36B	203240939
EL16XP1-018-230	18000	13	16	16000	9500	9	L*30/36U9	ML193UH030XE36B	203240944
EL16XP1-018-230	18000	13	16	15900	9600	9	L*30/36U9	ML193UH045XE36B	203240949
EL16XP1-018-230	18000	13	16	15900	9600	9	L*30/36U9	ML193UH070XE36B	203240954
EL16XP1-018-230	18000	13	16	15600	9400	9	L*35/36U9	EL180UH040NE36A	206776753
EL16XP1-018-230	18000	13	16	15800	9500	9	L*35/36U9	EL280UH045E36A	206776761
EL16XP1-018-230	18000	13	16	15600	9400	9	L*35/36U9	EL280UH070E36A	206776771
EL16XP1-018-230	18000	13	16	15800	9500	9	L*35/36U9	EL280UH070XE36A	203366393
EL16XP1-018-230	18000	13	16	15900	9600	9	L*35/36U9	EL280UH090E36B	206776778
EL16XP1-018-230	18000	13	16	15500	9400	9	L*35/36U9	ML180UH030V36A	206776788
EL16XP1-018-230	18000	13	16	15500	9400	9	L*35/36U9	ML180UH045V36A	206776800
EL16XP1-018-230	18000	13	16	15800	9500	9	L*35/36U9	ML180UH070V36A	206776812
EL16XP1-018-230	18000	13	16	15900	9500	9	L*35/36U9	ML180UH070V36B	206776830
EL16XP1-018-230	18000	12.5	15	15700	9300	9	LD19/25Z9	EL280DF070E36A	205147386
EL16XP1-018-230	18000	12.5	15	15800	9300	9	LD19/25Z9	ML180DF045E36A	205147388
EL16XP1-018-230	18000	12.5	15	16300	9900	9	LD19/36Z9	EL296DF045XE36B	205147387
EL16XP1-018-230	18000	12.5	15	16300	9900	9	LD19/36Z9	ML180DF070E36B	205147389
EL16XP1-018-230	18000	12.5	15	16100	9700	9	LD19/36Z9	ML193DF045XE36B	205147390
EL16XP1-018-230	18000	12.5	15	16100	9700	9	LD19/36Z9	ML193DF070XE36B	205147391
EL16XP1-018-230	17000	12.2	16	15400	9200	8.5	LEC249C03		203353940
EL16XP1-018-230	17900	13	16	15800	9500	9	LH18/36D9	EL180UH040NE36A	206776748
EL16XP1-018-230	17900	13	16	15800	9500	9	LH18/36D9	EL280UH070E36A	206776766
EL16XP1-018-230	17900	13	16	15800	9500	9	LH18/36D9	EL280UH070XE36A	203366379
EL16XP1-018-230	17900	13	16	15800	9500	9	LH18/36D9	ML180UH030V36A	206776781
EL16XP1-018-230	17900	13	16	15800	9500	9	LH18/36D9	ML180UH045V36A	206776793
EL16XP1-018-230	17900	13	16	15800	9500	9	LH18/36D9	ML180UH070V36A	206776805
EL16XP1-018-230	17900	13	16	15800	9500	9	LH18/36R9	EL180UH040NE36A	206776747
EL16XP1-018-230	17900	13	16	15800	9500	9	LH18/36R9	EL280UH070E36A	206776765
EL16XP1-018-230	17900	13	16	15800	9500	9	LH18/36R9	EL280UH070XE36A	203366378
EL16XP1-018-230	17900	13	16	15800	9500	9	LH18/36R9	ML180UH030V36A	206776780
EL16XP1-018-230	17900	13	16	15800	9500	9	LH18/36R9	ML180UH045V36A	206776792
EL16XP1-018-230	17900	13	16	15800	9500	9	LH18/36R9	ML180UH070V36A	206776804
EL16XP1-018-230	18000	13	16	15800	9500	9	LH18/37D9	EL180UH040NE36A	206776756
EL16XP1-018-230	18000	13	16	15800	9500	9	LH18/37D9	EL280UH045E36A	206776764
EL16XP1-018-230	18000	13	16	15800	9500	9	LH18/37D9	EL280UH070E36A	206776774
EL16XP1-018-230	18000	13	16	15800	9500	9	LH18/37D9	EL280UH070XE36A	203366395
EL16XP1-018-230	18000	13	16	15500	9400	9	LH18/37D9	ML180UH030V36A	206776791
EL16XP1-018-230	18000	13	16	15800	9500	9	LH18/37D9	ML180UH045V36A	206776803
EL16XP1-018-230	18000	13	16	15800	9500	9	LH18/37D9	ML180UH070V36A	206776815
EL16XP1-018-230	18000	13	16	15600	9400	9	LH18/37R9	EL180UH040NE36A	206776754
EL16XP1-018-230	18000	13	16	16100	9600	9	LH18/37R9	EL280UH045E36A	206776762
EL16XP1-018-230	18000	13	16	15600	9400	9	LH18/37R9	EL280UH070E36A	206776772
EL16XP1-018-230	18000	13	16	15800	9500	9	LH18/37R9	EL280UH070XE36A	203366394
EL16XP1-018-230	18000	13	16	15500	9400	9	LH18/37R9	ML180UH030V36A	206776789

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-018-230	18000	13	16	15500	9400	9	LH18/37R9	ML180UH045V36A	206776801
EL16XP1-018-230	18000	13	16	15600	9400	9	LH18/37R9	ML180UH070V36A	206776813
EL16XP1-018-230	18000	13	16	16000	9400	9	LH29/36F9	EL180UH040NE36A	203240841
EL16XP1-018-230	18000	13	16	16000	9400	9	LH29/36F9	EL180UH060NE36A	203240846
EL16XP1-018-230	18000	12.2	14.5	16100	9700	8.5	LH29/36F9	EL195UH040NE36B	203240851
EL16XP1-018-230	18000	13	16	15800	9500	9	LH29/36F9	EL196UH030XE24B	203240856
EL16XP1-018-230	18000	13	16	15800	9500	9	LH29/36F9	EL196UH045XE24B	203240861
EL16XP1-018-230	18000	12.5	15	15800	9600	9	LH29/36F9	EL196UH045XE36B	203240866
EL16XP1-018-230	18000	12.5	15	15800	9600	9	LH29/36F9	EL196UH070XE36B	203240871
EL16XP1-018-230	18000	12.5	15	16100	9300	9	LH29/36F9	EL280DF070E36A	203240876
EL16XP1-018-230	18000	13	16	16100	9500	9	LH29/36F9	EL280UH045E36A	203240881
EL16XP1-018-230	18000	13	16	15800	9400	9	LH29/36F9	EL280UH070E36A	203240886
EL16XP1-018-230	18000	13	16	15800	9500	9	LH29/36F9	EL280UH070XE36A	203366385
EL16XP1-018-230	18000	12.5	15	15900	9600	9	LH29/36F9	EL280UH090E36B	203240891
EL16XP1-018-230	18000	12.5	15	16300	9900	9	LH29/36F9	EL296DF045XE36B	203240896
EL16XP1-018-230	18000	12.5	15	15800	9600	8.5	LH29/36F9	EL296UH045XE36B	203240901
EL16XP1-018-230	17800	12.2	14.5	16200	9800	8.5	LH29/36F9	EL296UH070XE36B	203240906
EL16XP1-018-230	18000	12.5	15	16200	9300	9	LH29/36F9	ML180DF045E36A	203240911
EL16XP1-018-230	18000	12.5	15	16300	9900	9	LH29/36F9	ML180DF070E36B	203240916
EL16XP1-018-230	18000	13	16	16000	9700	9	LH29/36F9	ML180UH045E36A	203240921
EL16XP1-018-230	18000	12.5	15	15800	9700	8.5	LH29/36F9	ML180UH070E36B	203240926
EL16XP1-018-230	18000	13	16	15600	9400	9	LH29/36F9	ML180UH070V36B	206776822
EL16XP1-018-230	18000	12.5	15	16100	9700	9	LH29/36F9	ML193DF045XE36B	203240931
EL16XP1-018-230	18000	12.5	15	16100	9700	9	LH29/36F9	ML193DF070XE36B	203240936
EL16XP1-018-230	18000	13	16	16000	9600	9	LH29/36F9	ML193UH030XE36B	203240941
EL16XP1-018-230	18000	12.5	15	15900	9600	9	LH29/36F9	ML193UH045XE36B	203240946
EL16XP1-018-230	18000	12.5	15	15900	9600	9	LH29/36F9	ML193UH070XE36B	203240951
EL16XP1-018-230	18000	13	16	16000	9500	9	LH29/36X9	EL180UH040NE36A	203240840
EL16XP1-018-230	18000	13	16	16000	9500	9	LH29/36X9	EL180UH060NE36A	203240845
EL16XP1-018-230	18000	12.2	14.5	16100	9700	8.5	LH29/36X9	EL195UH040NE36B	203240850
EL16XP1-018-230	18000	13	16	15800	9500	9	LH29/36X9	EL196UH030XE24B	203240855
EL16XP1-018-230	18000	13	16	15800	9500	9	LH29/36X9	EL196UH045XE24B	203240860
EL16XP1-018-230	18000	12.5	15	15800	9600	9	LH29/36X9	EL196UH045XE36B	203240865
EL16XP1-018-230	18000	12.5	15	15800	9600	9	LH29/36X9	EL196UH070XE36B	203240870
EL16XP1-018-230	18000	12.5	15	16100	9300	9	LH29/36X9	EL280DF070E36A	203240875
EL16XP1-018-230	18000	13	16	16100	9500	9	LH29/36X9	EL280UH045E36A	203240880
EL16XP1-018-230	18000	13	16	15800	9500	9	LH29/36X9	EL280UH070E36A	203240885
EL16XP1-018-230	18000	13	16	15800	9500	9	LH29/36X9	EL280UH070XE36A	203366384
EL16XP1-018-230	18000	12.5	15	15900	9500	9	LH29/36X9	EL280UH090E36B	203240890
EL16XP1-018-230	18000	12.5	15	16300	9900	9	LH29/36X9	EL296DF045XE36B	203240895
EL16XP1-018-230	18000	12.5	15	15800	9600	8.5	LH29/36X9	EL296UH045XE36B	203240900
EL16XP1-018-230	17800	12.2	14.5	16200	9800	8.5	LH29/36X9	EL296UH070XE36B	203240905
EL16XP1-018-230	18000	12.5	15	16200	9300	9	LH29/36X9	ML180DF045E36A	203240910
EL16XP1-018-230	18000	12.5	15	16300	9900	9	LH29/36X9	ML180DF070E36B	203240915
EL16XP1-018-230	18000	13	16	16000	9700	9	LH29/36X9	ML180UH045E36A	203240920
EL16XP1-018-230	18000	12.5	15	15800	9700	8.5	LH29/36X9	ML180UH070E36B	203240925
EL16XP1-018-230	18000	13	16	15800	9500	9	LH29/36X9	ML180UH070V36B	206776821
EL16XP1-018-230	18000	12.5	15	16100	9700	9	LH29/36X9	ML193DF045XE36B	203240930
EL16XP1-018-230	18000	12.5	15	16100	9700	9	LH29/36X9	ML193DF070XE36B	203240935
EL16XP1-018-230	18000	13	16	16000	9500	9	LH29/36X9	ML193UH030XE36B	203240940
EL16XP1-018-230	18000	12.5	15	15900	9500	9	LH29/36X9	ML193UH045XE36B	203240945
EL16XP1-018-230	18000	12.5	15	15900	9500	9	LH29/36X9	ML193UH070XE36B	203240950
EL16XP1-018-230	18000	13	16	15800	9500	9	LH35/36E9	EL280UH070XE36A	203366376
EL16XP1-018-230	18000	13	16	15800	9500	9	LH35/36F9	EL280UH070XE36A	203366387

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-018-230	18000	13	16	15900	9500	9	LH35/36F9	ML180UH070V36B	206776824
EL16XP1-018-230	18000	13	16	15800	9500	9	LH35/36W9	EL280UH070XE36A	203366375
EL16XP1-018-230	18000	13	16	15800	9500	9	LH35/36X9	EL280UH070XE36A	203366386
EL16XP1-018-230	18000	13	16	15900	9500	9	LH35/36X9	ML180UH070V36B	206776823
EL16XP1-018-230	18000	13	16	15800	9500	9	LH35/38X9	EL280UH070XE36A	203366390
EL16XP1-018-230	18000	13	16	15900	9600	9	LH35/38X9	EL280UH090E36B	206776777
EL16XP1-018-230	18000	13	16	15900	9500	9	LH35/38X9	ML180UH070V36B	206776829
EL16XP1-018-230	18000	13	16	15600	9400	9	PL36H***P449	EL180UH040NE36A	206776755
EL16XP1-018-230	18000	13	16	16100	9600	9	PL36H***P449	EL280UH045E36A	206776763
EL16XP1-018-230	18000	13	16	15600	9400	9	PL36H***P449	EL280UH070E36A	206776773
EL16XP1-018-230	18000	13	16	15600	9400	9	PL36H***P449	EL280UH070XE36A	206776775
EL16XP1-018-230	18000	13	16	15500	9400	9	PL36H***P449	ML180UH030V36A	206776790
EL16XP1-018-230	18000	13	16	15500	9400	9	PL36H***P449	ML180UH045V36A	206776802
EL16XP1-018-230	18000	13	16	15600	9400	9	PL36H***P449	ML180UH070V36A	206776814
EL16XP1-018-230	18000	13	16	15800	9600	9	PL36H210P29	EL196UH045XE36B	206776757
EL16XP1-018-230	18000	13	16	15800	9600	9	PL36H210P29	EL196UH070XE36B	206776758
EL16XP1-018-230	18000	13	16	15600	9500	9	PL36H210P29	EL280UH090E36B	206776776
EL16XP1-018-230	18000	13	16	15800	9600	8.5	PL36H210P29	EL296UH045XE36B	206776779
EL16XP1-018-230	18000	13	16	15600	9400	9	PL36H210P29	ML180UH070V36B	206776816
EL16XP1-018-230	18000	13	16	15800	9500	9	PL36H210P74	ML180UH070V36B	206776827
EL16XP1-018-230	18000	13	16	15900	9500	9	PL36H210P75	ML180UH070V36B	206776828
EL16XP1-024-230	23800	13	17	20600	12700	9	L*18/36T9	EL180UH040NE36A	206776831
EL16XP1-024-230	23800	13	17	20400	12700	8.5	L*18/36T9	EL195UH040NE36B	206776837
EL16XP1-024-230	23800	13	17	20600	12700	8.5	L*18/36T9	EL195UH060NE36B	206776844
EL16XP1-024-230	23800	13	17	20400	12700	8.5	L*18/36T9	EL196UH045XE36B	206776851
EL16XP1-024-230	23800	13	17	20400	12700	8.5	L*18/36T9	EL196UH070XE36B	206776858
EL16XP1-024-230	23800	13	17	20800	12800	8.5	L*18/36T9	EL280UH045E36A	206776864
EL16XP1-024-230	23800	13	17	20600	12700	8.5	L*18/36T9	EL280UH070E36A	206776869
EL16XP1-024-230	23800	13	17	20600	12700	8.5	L*18/36T9	EL280UH070XE36A	203366396
EL16XP1-024-230	23800	13	17	20600	12800	9	L*18/36T9	EL280UH090E36B	206776876
EL16XP1-024-230	23800	13	16	20400	12700	8.5	L*18/36T9	EL296UH045XE36B	206776883
EL16XP1-024-230	23800	13	17	20400	12700	8.5	L*18/36T9	EL296UH045XV36B	206776890
EL16XP1-024-230	23800	13	17	20600	12700	8.5	L*18/36T9	EL296UH070XE36B	206776897
EL16XP1-024-230	23800	13	17	20400	12600	8.5	L*18/36T9	EL296UH070XV36B	206776904
EL16XP1-024-230	23800	13	17	20400	12700	9	L*18/36T9	ML180UH030V36A	206776910
EL16XP1-024-230	23800	13	17	20400	12700	9	L*18/36T9	ML180UH045V36A	206776916
EL16XP1-024-230	23800	13	17	20400	12700	9	L*18/36T9	ML180UH070E36A	206776922
EL16XP1-024-230	23800	13	17	20400	12600	8.5	L*18/36T9	ML180UH070V36A	206776928
EL16XP1-024-230	23800	13	17	20400	12600	9	L*18/36T9	ML180UH070V36B	206776935
EL16XP1-024-230	23800	13	17	20400	12700	9	L*18/36T9	ML180UH070V48B	206776944
EL16XP1-024-230	23800	13	17	20400	12700	9	L*18/36T9	ML180UH070XE36A	206776952
EL16XP1-024-230	23800	13	17	20600	12700	9	L*18/36T9	ML180UH090V48B	206776959
EL16XP1-024-230	24000	13	17	20600	12700	9	L*19/36S9	EL180UH040NE36A	203240956
EL16XP1-024-230	23800	13	17	20200	12700	9	L*19/36S9	EL180UH060NE36A	203240959
EL16XP1-024-230	23800	13	17	20200	12200	9	L*19/36S9	EL195UH040NE36B	203240962
EL16XP1-024-230	23800	13	17	20200	12300	9	L*19/36S9	EL195UH060NE36B	203240965
EL16XP1-024-230	24000	13	17	20400	12700	8.5	L*19/36S9	EL196UH030XE24B	203240968
EL16XP1-024-230	24000	13	17	20400	12700	8.5	L*19/36S9	EL196UH045XE24B	203240971
EL16XP1-024-230	23800	13	17	20200	12200	9	L*19/36S9	EL196UH045XE36B	203240974
EL16XP1-024-230	23800	13	17	20200	12200	9	L*19/36S9	EL196UH070XE36B	203240977
EL16XP1-024-230	24000	13	16	21800	13100	9	L*19/36S9	EL280DF070E36A	203240980
EL16XP1-024-230	23800	13	17	20600	13000	9	L*19/36S9	EL280UH045E36A	203240983
EL16XP1-024-230	23800	13	17	20400	12900	9	L*19/36S9	EL280UH070E36A	203240986
EL16XP1-024-230	23800	13	17	20400	12900	9	L*19/36S9	EL280UH070XE36A	203366400

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-024-230	24000	13	17	20600	12800	9	L*19/36S9	EL280UH090E36B	203240989
EL16XP1-024-230	24000	13	16	21800	13000	9	L*19/36S9	EL296DF045XE36B	203240992
EL16XP1-024-230	24000	13	16	21800	13100	9	L*19/36S9	EL296DF045XV36B	203240995
EL16XP1-024-230	24000	13	16	21800	13000	9	L*19/36S9	EL296DF070XE48B	203240998
EL16XP1-024-230	24000	13	16	21800	12700	8.5	L*19/36S9	EL296UH045XE36B	203241001
EL16XP1-024-230	23800	13	17	20200	12200	9	L*19/36S9	EL296UH045XV36B	203241004
EL16XP1-024-230	23800	13	17	20200	12300	9	L*19/36S9	EL296UH070XE36B	203241007
EL16XP1-024-230	23800	13	17	20200	12200	9	L*19/36S9	EL296UH070XV36B	203241010
EL16XP1-024-230	24000	13	16	21800	13200	9	L*19/36S9	ML180DF045E36A	203241013
EL16XP1-024-230	24000	13	16	21800	13000	9	L*19/36S9	ML180DF070E36B	203241016
EL16XP1-024-230	24000	13	17	20400	12700	9	L*19/36S9	ML180UH030V36A	206776911
EL16XP1-024-230	23800	13	17	20600	13000	9	L*19/36S9	ML180UH045E36A	203241019
EL16XP1-024-230	24000	13	17	20400	12700	9	L*19/36S9	ML180UH045V36A	206776917
EL16XP1-024-230	24000	13	17	20400	12700	9	L*19/36S9	ML180UH070E36A	206776923
EL16XP1-024-230	23800	13	17	20200	12200	9	L*19/36S9	ML180UH070E36B	203241022
EL16XP1-024-230	23800	13	17	20400	12900	9	L*19/36S9	ML180UH070V36A	206776929
EL16XP1-024-230	24000	13	17	20400	12600	9	L*19/36S9	ML180UH070V36B	206776939
EL16XP1-024-230	24000	13	17	20400	12700	9	L*19/36S9	ML180UH070V48B	206776948
EL16XP1-024-230	24000	13	17	20400	12700	9	L*19/36S9	ML180UH070XE36A	206776953
EL16XP1-024-230	24000	13	17	20600	12700	9	L*19/36S9	ML180UH090V48B	206776963
EL16XP1-024-230	24000	13	16	21800	13000	8.5	L*19/36S9	ML193DF045XE36B	203241025
EL16XP1-024-230	24000	13	16	21800	13000	8.5	L*19/36S9	ML193DF070XE36B	203241028
EL16XP1-024-230	23800	13	17	20400	12400	9	L*19/36S9	ML193UH030XE36B	203241031
EL16XP1-024-230	24000	13	17	20400	12700	8.5	L*19/36S9	ML193UH045XE36B	203241034
EL16XP1-024-230	23800	13	17	20200	12200	9	L*19/36S9	ML193UH070XE36B	203241037
EL16XP1-024-230	24000	13	16	21800	13100	9	L*19/36S9	ML296DF045XV36B	203241040
EL16XP1-024-230	23800	13	17	21800	12200	9	L*19/36S9	ML296UH045XV36B	203241043
EL16XP1-024-230	23800	13	17	20200	12200	9	L*19/36S9	ML296UH070XV36B	203241046
EL16XP1-024-230	24000	13	16	21800	13100	9	L*19/36S9	SL280DF070V36A	203241049
EL16XP1-024-230	24000	13	17	20400	12600	9	L*19/36S9	SL280UH060NV36A	203241052
EL16XP1-024-230	24000	13	17	20600	12700	9	L*19/36S9	SL280UH070V36A	203241055
EL16XP1-024-230	24000	13	17	20600	12700	9	L*19/36S9	SL280UH070XV36A	203241058
EL16XP1-024-230	24000	13	17	20400	12600	9	L*19/36S9	SL280UH090V36B	203241061
EL16XP1-024-230	23800	13	17	20200	12200	9	L*19/36S9	SL297UH040NV36B	203241064
EL16XP1-024-230	23800	13	17	20200	12200	9	L*19/36S9	SL297UH060NV36B	203241067
EL16XP1-024-230	24000	13	16	21800	13100	9	L*19/36S9	SLP98DF070XV36B	203241070
EL16XP1-024-230	23800	13	17	20200	12200	9	L*19/36S9	SLP98UH070XV36B	203241073
EL16XP1-024-230	24000	13	16	22400	13100	9	L*19/36S9	SLP99DF070XV36B	205760288
EL16XP1-024-230	23800	13	17	20200	12200	9	L*19/36S9	SLP99UH070XV36B	205763615
EL16XP1-024-230	23800	12.2	14.5	21800	13500	8.5	L*19/36S9		203242177
EL16XP1-024-230	23800	13	17	20400	12900	9	L*24/42S9	EL280UH070XE36A	203366401
EL16XP1-024-230	24000	13	17	20400	12900	9	L*29/36U9	EL280UH070XE36A	203366404
EL16XP1-024-230	24000	13	17	20600	12700	9	L*30/36U9	EL180UH040NE36A	203240957
EL16XP1-024-230	24000	13	17	20200	12600	9	L*30/36U9	EL180UH060NE36A	203240960
EL16XP1-024-230	24000	13	17	20200	12700	9	L*30/36U9	EL195UH040NE36B	203240963
EL16XP1-024-230	24000	13	17	20400	12800	9	L*30/36U9	EL195UH060NE36B	203240966
EL16XP1-024-230	24000	13	17	20400	12700	8.5	L*30/36U9	EL196UH030XE24B	203240969
EL16XP1-024-230	24000	13	17	20400	12200	8.5	L*30/36U9	EL196UH045XE24B	203240972
EL16XP1-024-230	24000	13	17	20200	12200	9	L*30/36U9	EL196UH045XE36B	203240975
EL16XP1-024-230	24000	13	17	20200	12200	9	L*30/36U9	EL196UH070XE36B	203240978
EL16XP1-024-230	24000	13	16	21800	13100	9	L*30/36U9	EL280DF070E36A	203240981
EL16XP1-024-230	24000	13	17	20600	13000	9	L*30/36U9	EL280UH045E36A	203240984
EL16XP1-024-230	24000	13	17	20400	12900	9	L*30/36U9	EL280UH070E36A	203240987
EL16XP1-024-230	24000	13	17	20400	12900	9	L*30/36U9	EL280UH070XE36A	203366403

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-024-230	24000	13	17	20600	12300	9	L*30/36U9	EL280UH090E36B	203240990
EL16XP1-024-230	24000	13	16	21800	13000	9	L*30/36U9	EL296DF045XE36B	203240993
EL16XP1-024-230	24000	13	16	21800	13100	9	L*30/36U9	EL296DF045XV36B	203240996
EL16XP1-024-230	24000	13	16	21800	13000	9	L*30/36U9	EL296DF070XE48B	203240999
EL16XP1-024-230	24000	13	16	20200	12800	9	L*30/36U9	EL296UH045XE36B	203241002
EL16XP1-024-230	24000	13	17	20200	12700	9	L*30/36U9	EL296UH045XV36B	203241005
EL16XP1-024-230	24000	13	17	20400	12800	9	L*30/36U9	EL296UH070XE36B	203241008
EL16XP1-024-230	24000	13	17	20400	12800	9	L*30/36U9	EL296UH070XV36B	203241011
EL16XP1-024-230	24000	13	16	21800	13200	9	L*30/36U9	ML180DF045E36A	203241014
EL16XP1-024-230	24000	13	16	21800	13000	9	L*30/36U9	ML180DF070E36B	203241017
EL16XP1-024-230	24000	13	17	20600	12900	9	L*30/36U9	ML180UH045E36A	203241020
EL16XP1-024-230	24000	13	17	20200	12700	9	L*30/36U9	ML180UH070E36B	203241023
EL16XP1-024-230	24000	13	16	21800	13000	8.5	L*30/36U9	ML193DF045XE36B	203241026
EL16XP1-024-230	24000	13	16	21800	13000	8.5	L*30/36U9	ML193DF070XE36B	203241029
EL16XP1-024-230	24000	13	17	20400	12400	9	L*30/36U9	ML193UH030XE36B	203241032
EL16XP1-024-230	24000	13	17	20400	12700	8.5	L*30/36U9	ML193UH045XE36B	203241035
EL16XP1-024-230	24000	13	17	20200	12200	9	L*30/36U9	ML193UH070XE36B	203241038
EL16XP1-024-230	24000	13	16	21800	13100	9	L*30/36U9	ML296DF045XV36B	203241041
EL16XP1-024-230	24000	13	17	21800	12700	9	L*30/36U9	ML296UH045XV36B	203241044
EL16XP1-024-230	24000	13	17	21800	12800	9	L*30/36U9	ML296UH070XV36B	203241047
EL16XP1-024-230	24000	13	16	21800	13100	9	L*30/36U9	SL280DF070V36A	203241050
EL16XP1-024-230	24000	13	17	20400	12900	9	L*30/36U9	SL280UH060NV36A	203241053
EL16XP1-024-230	24000	13	17	21800	13000	9	L*30/36U9	SL280UH070V36A	203241056
EL16XP1-024-230	24000	13	17	21800	13000	9	L*30/36U9	SL280UH070XV36A	203241059
EL16XP1-024-230	24000	13	17	21800	12700	9	L*30/36U9	SL280UH090V36B	203241062
EL16XP1-024-230	24000	13	17	20200	12700	9	L*30/36U9	SL297UH040NV36B	203241065
EL16XP1-024-230	24000	13	17	20200	12800	9	L*30/36U9	SL297UH060NV36B	203241068
EL16XP1-024-230	24000	13	16	21800	13100	9	L*30/36U9	SLP98DF070XV36B	203241071
EL16XP1-024-230	24000	13	17	20400	12800	9	L*30/36U9	SLP98UH070XV36B	203241074
EL16XP1-024-230	24000	13	16	22400	13100	9	L*30/36U9	SLP99DF070XV36B	205760290
EL16XP1-024-230	24000	13	17	20400	12800	9	L*30/36U9	SLP99UH070XV36B	205763617
EL16XP1-024-230	24000	12.2	14.5	21000	12800	8.5	L*30/36U9		203242178
EL16XP1-024-230	24000	13	17	20200	12700	9	L*35/36U9	EL180UH040NE36A	206776832
EL16XP1-024-230	24000	13	17	20200	12700	9	L*35/36U9	EL195UH040NE36B	206776842
EL16XP1-024-230	24000	13	17	20400	12800	9	L*35/36U9	EL195UH060NE36B	206776849
EL16XP1-024-230	24000	13	17	20200	12800	9	L*35/36U9	EL196UH045XE36B	206776856
EL16XP1-024-230	24000	13	17	20200	12700	9	L*35/36U9	EL196UH070XE36B	206776863
EL16XP1-024-230	24000	13	17	20600	13000	9	L*35/36U9	EL280UH045E36A	206776865
EL16XP1-024-230	24000	13	17	20400	12900	9	L*35/36U9	EL280UH070E36A	206776870
EL16XP1-024-230	24000	13	17	20400	12900	9	L*35/36U9	EL280UH070XE36A	203366405
EL16XP1-024-230	24000	13	17	20400	12300	9	L*35/36U9	EL280UH090E36B	206776881
EL16XP1-024-230	24000	13	16	20200	12800	9	L*35/36U9	EL296UH045XE36B	206776888
EL16XP1-024-230	24000	13	17	20200	12700	9	L*35/36U9	EL296UH045XV36B	206776895
EL16XP1-024-230	24000	13	17	20400	12800	9	L*35/36U9	EL296UH070XE36B	206776902
EL16XP1-024-230	24000	13	17	20400	12800	9	L*35/36U9	EL296UH070XV36B	206776909
EL16XP1-024-230	24000	13	17	20200	12700	9	L*35/36U9	ML180UH030V36A	206776912
EL16XP1-024-230	24000	13	17	20200	12700	9	L*35/36U9	ML180UH045V36A	206776918
EL16XP1-024-230	24000	13	17	20200	12700	9	L*35/36U9	ML180UH070E36A	206776924
EL16XP1-024-230	24000	13	17	20200	12700	9	L*35/36U9	ML180UH070V36A	206776930
EL16XP1-024-230	24000	13	17	20200	12700	9	L*35/36U9	ML180UH070V36B	206776942
EL16XP1-024-230	24000	13	17	20200	12700	9	L*35/36U9	ML180UH070V48B	206776951
EL16XP1-024-230	24000	13	17	20200	12700	9	L*35/36U9	ML180UH070XE36A	206776954
EL16XP1-024-230	24000	13	17	20400	12800	9	L*35/36U9	ML180UH090V48B	206776966
EL16XP1-024-230	24000	12.2	14.5	20800	13400	8.5	LD24/35Z9		204755173

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-024-230	24000	13	17	20600	12700	9	LH18/37D9	EL180UH040NE36A	206776835
EL16XP1-024-230	24000	13	17	20600	13000	9	LH18/37D9	EL280UH045E36A	206776868
EL16XP1-024-230	24000	13	17	20400	12900	9	LH18/37D9	EL280UH070E36A	206776873
EL16XP1-024-230	24000	13	17	20400	12900	9	LH18/37D9	EL280UH070XE36A	203366407
EL16XP1-024-230	24000	13	17	20400	12700	9	LH18/37D9	ML180UH030V36A	206776915
EL16XP1-024-230	24000	13	17	20200	12700	9	LH18/37D9	ML180UH045V36A	206776921
EL16XP1-024-230	24000	13	17	20200	12700	9	LH18/37D9	ML180UH070E36A	206776927
EL16XP1-024-230	24000	13	17	20200	12700	9	LH18/37D9	ML180UH070V36A	206776933
EL16XP1-024-230	24000	13	17	20400	12700	9	LH18/37D9	ML180UH070XE36A	206776957
EL16XP1-024-230	24000	13	17	20400	12800	9	LH18/37R9	EL180UH040NE36A	206776833
EL16XP1-024-230	24000	13	17	20600	13000	9	LH18/37R9	EL280UH045E36A	206776866
EL16XP1-024-230	24000	13	17	20400	12900	9	LH18/37R9	EL280UH070E36A	206776871
EL16XP1-024-230	24000	13	17	20400	12900	9	LH18/37R9	EL280UH070XE36A	203366406
EL16XP1-024-230	24000	13	17	20400	12900	9	LH18/37R9	ML180UH030V36A	206776913
EL16XP1-024-230	24000	13	17	20400	12700	9	LH18/37R9	ML180UH045V36A	206776919
EL16XP1-024-230	24000	13	17	20400	12900	9	LH18/37R9	ML180UH070E36A	206776925
EL16XP1-024-230	24000	13	17	20400	12900	9	LH18/37R9	ML180UH070V36A	206776931
EL16XP1-024-230	24000	13	17	20400	12900	9	LH18/37R9	ML180UH070XE36A	206776955
EL16XP1-024-230	24000	13	17	20600	12700	9	LH29/36F9	EL180UH040NE36A	203240955
EL16XP1-024-230	23800	13	17	20200	12700	9	LH29/36F9	EL180UH060NE36A	203240958
EL16XP1-024-230	23800	13	17	20200	12200	9	LH29/36F9	EL195UH040NE36B	203240961
EL16XP1-024-230	23800	13	17	20200	12300	9	LH29/36F9	EL195UH060NE36B	203240964
EL16XP1-024-230	24000	13	17	20400	12700	8.5	LH29/36F9	EL196UH030XE24B	203240967
EL16XP1-024-230	24000	13	17	20400	12700	8.5	LH29/36F9	EL196UH045XE24B	203240970
EL16XP1-024-230	23800	13	17	20200	12200	9	LH29/36F9	EL196UH045XE36B	203240973
EL16XP1-024-230	23800	13	17	20200	12200	9	LH29/36F9	EL196UH070XE36B	203240976
EL16XP1-024-230	24000	13	16	21800	13100	9	LH29/36F9	EL280DF070E36A	203240979
EL16XP1-024-230	23800	13	17	20600	13000	9	LH29/36F9	EL280UH045E36A	203240982
EL16XP1-024-230	23800	13	17	20400	12900	9	LH29/36F9	EL280UH070E36A	203240985
EL16XP1-024-230	23800	13	17	20400	12900	9	LH29/36F9	EL280UH070XE36A	203366397
EL16XP1-024-230	24000	13	17	20600	12800	9	LH29/36F9	EL280UH090E36B	203240988
EL16XP1-024-230	24000	13	16	21800	13000	9	LH29/36F9	EL296DF045XE36B	203240991
EL16XP1-024-230	24000	13	16	21800	13100	9	LH29/36F9	EL296DF045XV36B	203240994
EL16XP1-024-230	24000	13	16	21800	13000	9	LH29/36F9	EL296DF070XE48B	203240997
EL16XP1-024-230	24000	13	16	21800	12700	8.5	LH29/36F9	EL296UH045XE36B	203241000
EL16XP1-024-230	23800	13	17	20200	12200	9	LH29/36F9	EL296UH045XV36B	203241003
EL16XP1-024-230	23800	13	17	20200	12300	9	LH29/36F9	EL296UH070XE36B	203241006
EL16XP1-024-230	23800	13	17	20200	12200	9	LH29/36F9	EL296UH070XV36B	203241009
EL16XP1-024-230	24000	13	16	21800	13200	9	LH29/36F9	ML180DF045E36A	203241012
EL16XP1-024-230	24000	13	16	21800	13000	9	LH29/36F9	ML180DF070E36B	203241015
EL16XP1-024-230	23800	13	17	20600	13000	9	LH29/36F9	ML180UH045E36A	203241018
EL16XP1-024-230	23800	13	17	20200	12200	9	LH29/36F9	ML180UH070E36B	203241021
EL16XP1-024-230	24000	13	17	20400	12600	9	LH29/36F9	ML180UH070V36B	206776936
EL16XP1-024-230	24000	13	17	20400	12700	9	LH29/36F9	ML180UH070V48B	206776945
EL16XP1-024-230	24000	13	17	20600	12700	9	LH29/36F9	ML180UH090V48B	206776960
EL16XP1-024-230	24000	13	16	21800	13000	8.5	LH29/36F9	ML193DF045XE36B	203241024
EL16XP1-024-230	24000	13	16	21800	13000	8.5	LH29/36F9	ML193DF070XE36B	203241027
EL16XP1-024-230	23800	13	17	20400	12400	9	LH29/36F9	ML193UH030XE36B	203241030
EL16XP1-024-230	24000	13	17	20400	12700	8.5	LH29/36F9	ML193UH045XE36B	203241033
EL16XP1-024-230	23800	13	17	20200	12200	9	LH29/36F9	ML193UH070XE36B	203241036
EL16XP1-024-230	24000	13	16	21800	13100	9	LH29/36F9	ML296DF045XV36B	203241039
EL16XP1-024-230	23800	13	17	21800	12200	9	LH29/36F9	ML296UH045XV36B	203241042
EL16XP1-024-230	23800	13	17	20200	12200	9	LH29/36F9	ML296UH070XV36B	203241045
EL16XP1-024-230	24000	13	16	21800	13100	9	LH29/36F9	SL280DF070V36A	203241048

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-024-230	24000	13	17	20400	12600	9	LH29/36F9	SL280UH060NV36A	203241051
EL16XP1-024-230	24000	13	17	20600	12700	9	LH29/36F9	SL280UH070V36A	203241054
EL16XP1-024-230	24000	13	17	20600	12700	9	LH29/36F9	SL280UH070XV36A	203241057
EL16XP1-024-230	24000	13	17	20400	12600	9	LH29/36F9	SL280UH090V36B	203241060
EL16XP1-024-230	23800	13	17	20200	12200	9	LH29/36F9	SL297UH040NV36B	203241063
EL16XP1-024-230	23800	13	17	20200	12200	9	LH29/36F9	SL297UH060NV36B	203241066
EL16XP1-024-230	24000	13	16	21800	13100	9	LH29/36F9	SLP98DF070XV36B	203241069
EL16XP1-024-230	23800	13	17	20200	12200	9	LH29/36F9	SLP98UH070XV36B	203241072
EL16XP1-024-230	23800	13	17	20200	12200	9	LH29/36F9	SLP99UH070XV36B	205763613
EL16XP1-024-230	23800	12.2	14.5	21800	13500	8.5	LH29/36F9		203242174
EL16XP1-024-230	24000	13	17	20200	12700	9	LH35/36F9	EL195UH040NE36B	206776839
EL16XP1-024-230	24000	13	17	20400	12800	9	LH35/36F9	EL195UH060NE36B	206776846
EL16XP1-024-230	24000	13	17	20200	12800	9	LH35/36F9	EL196UH045XE36B	206776853
EL16XP1-024-230	24000	13	17	20200	12700	9	LH35/36F9	EL196UH070XE36B	206776860
EL16XP1-024-230	24000	13	17	20400	12900	9	LH35/36F9	EL280UH070XE36A	203366399
EL16XP1-024-230	24000	13	17	20400	12300	9	LH35/36F9	EL280UH090E36B	206776878
EL16XP1-024-230	24000	13	16	20200	12800	9	LH35/36F9	EL296UH045XE36B	206776885
EL16XP1-024-230	24000	13	17	20200	12700	9	LH35/36F9	EL296UH045XV36B	206776892
EL16XP1-024-230	24000	13	17	20400	12800	9	LH35/36F9	EL296UH070XE36B	206776899
EL16XP1-024-230	24000	13	17	20400	12800	9	LH35/36F9	EL296UH070XV36B	206776906
EL16XP1-024-230	24000	13	17	20200	12700	9	LH35/36F9	ML180UH070V36B	206776938
EL16XP1-024-230	24000	13	17	20200	12700	9	LH35/36F9	ML180UH070V48B	206776947
EL16XP1-024-230	24000	13	17	20400	12800	9	LH35/36F9	ML180UH090V48B	206776962
EL16XP1-024-230	24000	13	17	20200	12700	9	LH35/36X9	EL195UH040NE36B	206776838
EL16XP1-024-230	24000	13	17	20400	12800	9	LH35/36X9	EL195UH060NE36B	206776845
EL16XP1-024-230	24000	13	17	20200	12800	9	LH35/36X9	EL196UH045XE36B	206776852
EL16XP1-024-230	24000	13	17	20200	12200	9	LH35/36X9	EL196UH070XE36B	206776859
EL16XP1-024-230	24000	13	17	20400	12900	9	LH35/36X9	EL280UH070XE36A	203366398
EL16XP1-024-230	24000	13	17	20600	12800	9	LH35/36X9	EL280UH090E36B	206776877
EL16XP1-024-230	24000	13	16	20200	12800	9	LH35/36X9	EL296UH045XE36B	206776884
EL16XP1-024-230	24000	13	17	20200	12200	9	LH35/36X9	EL296UH045XV36B	206776891
EL16XP1-024-230	24000	13	17	20400	12800	9	LH35/36X9	EL296UH070XE36B	206776898
EL16XP1-024-230	24000	13	17	20200	12200	9	LH35/36X9	EL296UH070XV36B	206776905
EL16XP1-024-230	24000	13	17	20200	12200	9	LH35/36X9	ML180UH070V36B	206776937
EL16XP1-024-230	24000	13	17	20200	12200	9	LH35/36X9	ML180UH070V48B	206776946
EL16XP1-024-230	24000	13	17	20400	12800	9	LH35/36X9	ML180UH090V48B	206776961
EL16XP1-024-230	24000	13	17	20200	12700	9	LH35/38X9	EL195UH040NE36B	206776841
EL16XP1-024-230	24000	13	17	20400	12800	9	LH35/38X9	EL195UH060NE36B	206776848
EL16XP1-024-230	24000	13	17	20200	12800	9	LH35/38X9	EL196UH045XE36B	206776855
EL16XP1-024-230	24000	13	17	20200	12700	9	LH35/38X9	EL196UH070XE36B	206776862
EL16XP1-024-230	24000	13	17	20400	12900	9	LH35/38X9	EL280UH070XE36A	203366402
EL16XP1-024-230	24000	13	17	20400	12300	9	LH35/38X9	EL280UH090E36B	206776880
EL16XP1-024-230	24000	13	16	20200	12800	9	LH35/38X9	EL296UH045XE36B	206776887
EL16XP1-024-230	24000	13	17	20200	12700	9	LH35/38X9	EL296UH045XV36B	206776894
EL16XP1-024-230	24000	13	17	20400	12800	9	LH35/38X9	EL296UH070XE36B	206776901
EL16XP1-024-230	24000	13	17	20400	12800	9	LH35/38X9	EL296UH070XV36B	206776908
EL16XP1-024-230	24000	13	17	20200	12700	9	LH35/38X9	ML180UH070V36B	206776941
EL16XP1-024-230	24000	13	17	20200	12700	9	LH35/38X9	ML180UH070V48B	206776950
EL16XP1-024-230	24000	13	17	20400	12800	9	LH35/38X9	ML180UH090V48B	206776965
EL16XP1-024-230	23800	12.2	14.5	21000	13300	8.2	LS*25933E		205304027
EL16XP1-024-230	23800	12.2	14.5	22200	13600	8.5	LS*30943E		205958000
EL16XP1-024-230	24000	13	17	20400	12800	9	PL36H***P449	EL180UH040NE36A	206776834
EL16XP1-024-230	24000	13	17	20600	13000	9	PL36H***P449	EL280UH045E36A	206776867
EL16XP1-024-230	24000	13	17	20400	12900	9	PL36H***P449	EL280UH070E36A	206776872

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-024-230	24000	13	17	20400	12900	9	PL36H***P449	EL280UH070XE36A	206776874
EL16XP1-024-230	24000	13	17	20400	12900	9	PL36H***P449	ML180UH030V36A	206776914
EL16XP1-024-230	24000	13	17	20400	12700	9	PL36H***P449	ML180UH045V36A	206776920
EL16XP1-024-230	24000	13	17	20400	12900	9	PL36H***P449	ML180UH070E36A	206776926
EL16XP1-024-230	24000	13	17	20400	12900	9	PL36H***P449	ML180UH070V36A	206776932
EL16XP1-024-230	24000	13	17	20400	12900	9	PL36H***P449	ML180UH070XE36A	206776956
EL16XP1-024-230	24000	13	17	20200	12200	9	PL36H210P29	EL195UH040NE36B	206776836
EL16XP1-024-230	24000	13	17	20200	12300	9	PL36H210P29	EL195UH060NE36B	206776843
EL16XP1-024-230	24000	13	17	20200	12800	9	PL36H210P29	EL196UH045XE36B	206776850
EL16XP1-024-230	24000	13	17	20200	12700	9	PL36H210P29	EL196UH070XE36B	206776857
EL16XP1-024-230	24000	13	17	20600	12800	9	PL36H210P29	EL280UH090E36B	206776875
EL16XP1-024-230	24000	13	16	20200	12800	9	PL36H210P29	EL296UH045XE36B	206776882
EL16XP1-024-230	24000	13	17	20200	12200	9	PL36H210P29	EL296UH045XV36B	206776889
EL16XP1-024-230	24000	13	17	20200	12300	9	PL36H210P29	EL296UH070XE36B	206776896
EL16XP1-024-230	24000	13	17	20200	12200	9	PL36H210P29	EL296UH070XV36B	206776903
EL16XP1-024-230	24000	13	17	20400	12600	9	PL36H210P29	ML180UH070V36B	206776934
EL16XP1-024-230	24000	13	17	20200	12700	9	PL36H210P29	ML180UH070V48B	206776943
EL16XP1-024-230	24000	13	17	20400	12800	9	PL36H210P29	ML180UH090V48B	206776958
EL16XP1-024-230	24000	13	17	20200	12700	9	PL36H210P75	EL195UH040NE36B	206776840
EL16XP1-024-230	24000	13	17	20400	12800	9	PL36H210P75	EL195UH060NE36B	206776847
EL16XP1-024-230	24000	13	17	20200	12800	9	PL36H210P75	EL196UH045XE36B	206776854
EL16XP1-024-230	24000	13	17	20200	12700	9	PL36H210P75	EL196UH070XE36B	206776861
EL16XP1-024-230	24000	13	17	20400	12300	9	PL36H210P75	EL280UH090E36B	206776879
EL16XP1-024-230	24000	13	16	20200	12800	9	PL36H210P75	EL296UH045XE36B	206776886
EL16XP1-024-230	24000	13	17	20200	12700	9	PL36H210P75	EL296UH045XV36B	206776893
EL16XP1-024-230	24000	13	17	20400	12800	9	PL36H210P75	EL296UH070XE36B	206776900
EL16XP1-024-230	24000	13	17	20400	12800	9	PL36H210P75	EL296UH070XV36B	206776907
EL16XP1-024-230	24000	13	17	20200	12200	9	PL36H210P75	ML180UH070V36B	206776940
EL16XP1-024-230	24000	13	17	20200	12700	9	PL36H210P75	ML180UH070V48B	206776949
EL16XP1-024-230	24000	13	17	20400	12800	9	PL36H210P75	ML180UH090V48B	206776964
EL16XP1-030-230	29600	12	15	28400	17900	8.5	CE3005C		204829264
EL16XP1-030-230	29600	12.2	14	28400	17900	8.5	CP3005C		204829261
EL16XP1-030-230	28800	12.5	15	25800	16800	8.5	L*18/36S9	EL280UH090XE48B	203366424
EL16XP1-030-230	29800	13	16	26400	16700	8.5	L*18/36T9	EL180UH040NE36A	206776967
EL16XP1-030-230	29800	13	16	26200	16600	8.5	L*18/36T9	EL180UH080NE48B	206776973
EL16XP1-030-230	29800	13	16	26600	16800	8.5	L*18/36T9	EL280UH045E36A	206777010
EL16XP1-030-230	29800	12.5	15	26400	16800	8.5	L*18/36T9	EL280UH070XE36A	203366408
EL16XP1-030-230	29800	13	16	26200	16600	8.5	L*18/36T9	EL280UH090E48B	206777028
EL16XP1-030-230	29800	13	16	26200	16600	8.5	L*18/36T9	EL280UH090XE48B	203366425
EL16XP1-030-230	29800	13	16	26400	16700	8.5	L*18/36T9	ML180UH030V36A	206777067
EL16XP1-030-230	29800	13	16	26400	16700	8.5	L*18/36T9	ML180UH045V36A	206777074
EL16XP1-030-230	29800	13	16	26600	16800	8.5	L*18/36T9	ML180UH070E36A	206777081
EL16XP1-030-230	29800	13	16	26200	16600	8.5	L*18/36T9	ML180UH070V36B	206777093
EL16XP1-030-230	29800	13	16	26400	16700	8.5	L*18/36T9	ML180UH070V48B	206777105
EL16XP1-030-230	29800	13	16	26600	16800	8.5	L*18/36T9	ML180UH070XE36A	206777116
EL16XP1-030-230	29800	13	16	26200	16600	8.5	L*18/36T9	ML180UH090E48B	206777124
EL16XP1-030-230	29800	13	16	26200	16600	8.5	L*18/36T9	ML180UH090V48B	206777132
EL16XP1-030-230	29800	13	16	26200	16600	9	L*19/36S9	EL180UH040NE36A	203241078
EL16XP1-030-230	29800	13	16	26000	16600	9	L*19/36S9	EL180UH060NE36A	203241083
EL16XP1-030-230	30000	13	16	27000	16600	8.5	L*19/36S9	EL180UH080NE48B	203241088
EL16XP1-030-230	29600	12.5	16	26400	17200	9	L*19/36S9	EL195UH040NE36B	203241093
EL16XP1-030-230	29600	12.5	16	26400	17100	9	L*19/36S9	EL195UH060NE36B	203241098
EL16XP1-030-230	29200	12.5	15	26800	16300	8.5	L*19/36S9	EL195UH080NE48C	203241103
EL16XP1-030-230	29600	12.5	16	26000	16900	8.5	L*19/36S9	EL196UH030XE24B	203241108

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-030-230	29600	12.5	16	26000	16900	8.5	L*19/36S9	EL196UH045XE24B	203241113
EL16XP1-030-230	29600	12.5	16	26400	17100	9	L*19/36S9	EL196UH045XE36B	203241118
EL16XP1-030-230	29600	12.5	16	26200	17100	9	L*19/36S9	EL196UH070XE36B	203241123
EL16XP1-030-230	29200	13	16	26800	16200	8.5	L*19/36S9	EL196UH090XE48C	203241128
EL16XP1-030-230	30000	12.5	15	27000	17400	9	L*19/36S9	EL280DF070E36A	203241133
EL16XP1-030-230	30000	13	16	27000	17500	9	L*19/36S9	EL280DF090E48B	203241138
EL16XP1-030-230	30000	13	16	27000	16800	8.5	L*19/36S9	EL280UH045E36A	203241143
EL16XP1-030-230	29600	12.5	16	26200	17100	8.5	L*19/36S9	EL280UH070E36A	203241148
EL16XP1-030-230	29600	12.5	16	26200	17100	8.5	L*19/36S9	EL280UH070XE36A	203366414
EL16XP1-030-230	30000	13	16	26600	16900	8.5	L*19/36S9	EL280UH090E36B	203241153
EL16XP1-030-230	30000	13	16	27000	16600	8.5	L*19/36S9	EL280UH090E48B	203241158
EL16XP1-030-230	30000	13	16	27000	16600	8.5	L*19/36S9	EL280UH090XE48B	203366431
EL16XP1-030-230	29200	12.5	15	26800	16300	8.5	L*19/36S9	EL280UH110E48C	203241163
EL16XP1-030-230	30000	12.5	15	27000	17400	9	L*19/36S9	EL296DF045XE36B	203241168
EL16XP1-030-230	30000	12.5	15	27000	17400	9	L*19/36S9	EL296DF045XV36B	203241173
EL16XP1-030-230	30000	13	16	27000	17400	9	L*19/36S9	EL296DF070XE48B	203241178
EL16XP1-030-230	30000	12.5	15	27000	17400	9	L*19/36S9	EL296DF070XV48B	203241183
EL16XP1-030-230	29200	12.5	15	26200	16600	9	L*19/36S9	EL296UH045XE36B	203241188
EL16XP1-030-230	29600	12.5	16	26200	17100	8.5	L*19/36S9	EL296UH045XV36B	203241193
EL16XP1-030-230	29600	12.5	16	26400	17100	8.5	L*19/36S9	EL296UH070XE36B	203241198
EL16XP1-030-230	29600	12.5	16	26200	17100	9	L*19/36S9	EL296UH070XV36B	203241203
EL16XP1-030-230	30000	12.5	15	27000	16500	8.5	L*19/36S9	EL296UH090XE48C	203241208
EL16XP1-030-230	29400	12.5	15	27000	16300	8.5	L*19/36S9	EL296UH090XV36C	203241213
EL16XP1-030-230	29800	13	16	27000	16300	8.5	L*19/36S9	EL296UH090XV48C	203241218
EL16XP1-030-230	30000	12.5	15	27000	17500	9	L*19/36S9	ML180DF045E36A	203241223
EL16XP1-030-230	30000	13	16	27000	17300	9	L*19/36S9	ML180DF070E36B	203241228
EL16XP1-030-230	30000	13	16	27000	17200	9	L*19/36S9	ML180DF090E48B	203241233
EL16XP1-030-230	29600	13	16	26200	17000	9	L*19/36S9	ML180UH030V36A	206777069
EL16XP1-030-230	29600	12.5	16	26200	17000	8.5	L*19/36S9	ML180UH045E36A	203241238
EL16XP1-030-230	29600	13	16	26200	17000	9	L*19/36S9	ML180UH045V36A	206777076
EL16XP1-030-230	30000	13	16	26600	16800	8.5	L*19/36S9	ML180UH070E36A	206777083
EL16XP1-030-230	29400	13	16	26000	16500	9	L*19/36S9	ML180UH070E36B	203241243
EL16XP1-030-230	29600	13	16	26200	16900	9	L*19/36S9	ML180UH070V36B	206777099
EL16XP1-030-230	29600	13	16	26200	16900	9	L*19/36S9	ML180UH070V48B	206777111
EL16XP1-030-230	30000	13	16	26600	16800	8.5	L*19/36S9	ML180UH070XE36A	206777118
EL16XP1-030-230	29400	13	16	26000	16400	9	L*19/36S9	ML180UH090E48B	203241248
EL16XP1-030-230	29600	13	16	26000	16900	9	L*19/36S9	ML180UH090V48B	206777138
EL16XP1-030-230	30000	12.5	15	27000	17400	9	L*19/36S9	ML193DF045XE36B	203241253
EL16XP1-030-230	30000	12.5	15	27000	17400	9	L*19/36S9	ML193DF070XE36B	203241258
EL16XP1-030-230	29200	12.5	15	26200	16700	9	L*19/36S9	ML193UH030XE36B	203241263
EL16XP1-030-230	29200	12.5	15	26200	16700	9	L*19/36S9	ML193UH045XE36B	203241268
EL16XP1-030-230	29600	12.5	16	26200	17100	9	L*19/36S9	ML193UH070XE36B	203241273
EL16XP1-030-230	29400	12.5	15	27000	16300	8.5	L*19/36S9	ML193UH090XE36C	203241279
EL16XP1-030-230	29200	12.5	15	26800	16200	8.5	L*19/36S9	ML193UH090XE48C	203241287
EL16XP1-030-230	29200	12.5	15	26800	16200	8.5	L*19/36S9	ML193UH110XE48C	203241296
EL16XP1-030-230	30000	12.5	15	27000	17400	9	L*19/36S9	ML296DF045XV36B	203241304
EL16XP1-030-230	30000	12.5	15	27000	17400	9	L*19/36S9	ML296DF070XV48B	203241311
EL16XP1-030-230	29600	12.5	16	27000	17100	8.5	L*19/36S9	ML296UH045XV36B	203241319
EL16XP1-030-230	29600	12.5	16	27000	17100	9	L*19/36S9	ML296UH070XV36B	203241327
EL16XP1-030-230	29800	13	16	27000	16300	8.5	L*19/36S9	ML296UH090XV48C	203241336
EL16XP1-030-230	30000	12.5	15	27000	17400	9	L*19/36S9	SL280DF070V36A	203241344
EL16XP1-030-230	30000	13	16	27000	17300	9	L*19/36S9	SL280DF090V48B	203241353
EL16XP1-030-230	29800	13	16	26200	16700	9	L*19/36S9	SL280UH060NV36A	203241361
EL16XP1-030-230	29600	12.5	16	26200	17100	9	L*19/36S9	SL280UH070V36A	203241370

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-030-230	29600	12.5	16	26200	17100	9	L*19/36S9	SL280UH070XV36A	203241378
EL16XP1-030-230	29400	13	16	26000	16400	9	L*19/36S9	SL280UH080NV48B	203241386
EL16XP1-030-230	29400	13	16	26000	16400	9	L*19/36S9	SL280UH090V36B	203241394
EL16XP1-030-230	29400	13	16	26200	16500	9	L*19/36S9	SL280UH090V48B	203241402
EL16XP1-030-230	30000	13	16	27000	16700	8.5	L*19/36S9	SL297UH040NV36B	203241411
EL16XP1-030-230	29600	12.5	16	26400	17200	9	L*19/36S9	SL297UH060NV36B	203241419
EL16XP1-030-230	29800	12.5	15	27000	16300	8.5	L*19/36S9	SL297UH080NV48C	203241428
EL16XP1-030-230	30000	12.5	15	27000	17500	9	L*19/36S9	SLP98DF070XV36B	203241438
EL16XP1-030-230	29600	12.5	16	26200	17100	9	L*19/36S9	SLP98UH070XV36B	203241447
EL16XP1-030-230	29400	12.5	15	27000	16300	8.5	L*19/36S9	SLP98UH090XV36C	203241455
EL16XP1-030-230	29800	13	16	27000	16300	8.5	L*19/36S9	SLP98UH090XV48C	203241465
EL16XP1-030-230	30000	12.5	15	28400	17500	9	L*19/36S9	SLP99DF070XV36B	205760296
EL16XP1-030-230	29600	12.5	16	26200	17100	9	L*19/36S9	SLP99UH070XV36B	205761549
EL16XP1-030-230	29400	12.5	15	27000	16300	8.5	L*19/36S9	SLP99UH090XV36C	205760308
EL16XP1-030-230	29800	13	16	27000	16300	8.5	L*19/36S9	SLP99UH090XV48C	205760318
EL16XP1-030-230	29600	12.2	14	27000	17900	8.5	L*19/36S9		203242182
EL16XP1-030-230	29800	13	16	26200	16600	9	L*19/36U9	EL180UH040NE36A	203241077
EL16XP1-030-230	29800	13	16	26000	16600	9	L*19/36U9	EL180UH060NE36A	203241082
EL16XP1-030-230	30000	13	16	27000	16600	8.5	L*19/36U9	EL180UH080NE48B	203241087
EL16XP1-030-230	29600	12.5	16	26400	17200	9	L*19/36U9	EL195UH040NE36B	203241092
EL16XP1-030-230	29600	12.5	16	26400	17100	9	L*19/36U9	EL195UH060NE36B	203241097
EL16XP1-030-230	29200	12.5	15	26800	16300	8.5	L*19/36U9	EL195UH080NE48C	203241102
EL16XP1-030-230	29600	12.5	16	26000	16900	8.5	L*19/36U9	EL196UH030XE24B	203241107
EL16XP1-030-230	29600	12.5	16	26000	16900	8.5	L*19/36U9	EL196UH045XE24B	203241112
EL16XP1-030-230	29600	12.5	16	26400	17100	9	L*19/36U9	EL196UH045XE36B	203241117
EL16XP1-030-230	29600	12.5	16	26200	17100	9	L*19/36U9	EL196UH070XE36B	203241122
EL16XP1-030-230	29200	13	16	26800	16200	8.5	L*19/36U9	EL196UH090XE48C	203241127
EL16XP1-030-230	30000	12.5	15	27000	17400	9	L*19/36U9	EL280DF070E36A	203241132
EL16XP1-030-230	30000	13	16	27000	17500	9	L*19/36U9	EL280DF090E48B	203241137
EL16XP1-030-230	30000	13	16	27000	16800	8.5	L*19/36U9	EL280UH045E36A	203241142
EL16XP1-030-230	29600	12.5	16	26200	17100	8.5	L*19/36U9	EL280UH070E36A	203241147
EL16XP1-030-230	29600	12.5	16	26200	17100	8.5	L*19/36U9	EL280UH070XE36A	203366413
EL16XP1-030-230	30000	13	16	26600	16900	8.5	L*19/36U9	EL280UH090E36B	203241152
EL16XP1-030-230	30000	13	16	27000	16600	8.5	L*19/36U9	EL280UH090E48B	203241157
EL16XP1-030-230	30000	13	16	27000	16600	8.5	L*19/36U9	EL280UH090XE48B	203366430
EL16XP1-030-230	29200	12.5	15	26800	16300	8.5	L*19/36U9	EL280UH110E48C	203241162
EL16XP1-030-230	30000	12.5	15	27000	17400	9	L*19/36U9	EL296DF045XE36B	203241167
EL16XP1-030-230	30000	12.5	15	27000	17400	9	L*19/36U9	EL296DF045XV36B	203241172
EL16XP1-030-230	30000	13	16	27000	17400	9	L*19/36U9	EL296DF070XE48B	203241177
EL16XP1-030-230	30000	12.5	15	27000	17400	9	L*19/36U9	EL296DF070XV48B	203241182
EL16XP1-030-230	29200	12.5	15	26200	16600	9	L*19/36U9	EL296UH045XE36B	203241187
EL16XP1-030-230	29600	12.5	16	26200	17100	8.5	L*19/36U9	EL296UH045XV36B	203241192
EL16XP1-030-230	29600	12.5	16	26400	17100	8.5	L*19/36U9	EL296UH070XE36B	203241197
EL16XP1-030-230	29600	12.5	16	26200	17100	9	L*19/36U9	EL296UH070XV36B	203241202
EL16XP1-030-230	30000	12.5	15	27000	16500	8.5	L*19/36U9	EL296UH090XE48C	203241207
EL16XP1-030-230	29400	12.5	15	27000	16300	8.5	L*19/36U9	EL296UH090XV36C	203241212
EL16XP1-030-230	29800	13	16	27000	16300	8.5	L*19/36U9	EL296UH090XV48C	203241217
EL16XP1-030-230	30000	12.5	15	27000	17500	9	L*19/36U9	ML180DF045E36A	203241222
EL16XP1-030-230	30000	13	16	27000	17300	9	L*19/36U9	ML180DF070E36B	203241227
EL16XP1-030-230	30000	13	16	27000	17200	9	L*19/36U9	ML180DF090E48B	203241232
EL16XP1-030-230	29600	13	16	26200	17000	9	L*19/36U9	ML180UH030V36A	206777068
EL16XP1-030-230	29600	12.5	16	26200	17000	8.5	L*19/36U9	ML180UH045E36A	203241237
EL16XP1-030-230	29600	13	16	26200	17000	9	L*19/36U9	ML180UH045V36A	206777075
EL16XP1-030-230	30000	13	16	26600	16800	8.5	L*19/36U9	ML180UH070E36A	206777082

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-030-230	29400	13	16	26000	16500	9	L*19/36U9	ML180UH070XE36B	203241242
EL16XP1-030-230	29600	13	16	26200	16900	9	L*19/36U9	ML180UH070V36B	206777098
EL16XP1-030-230	29600	13	16	26200	16900	9	L*19/36U9	ML180UH070V48B	206777110
EL16XP1-030-230	30000	13	16	26600	16800	8.5	L*19/36U9	ML180UH070XE36A	206777117
EL16XP1-030-230	29400	13	16	26000	16400	9	L*19/36U9	ML180UH090E48B	203241247
EL16XP1-030-230	29600	13	16	26000	16900	9	L*19/36U9	ML180UH090V48B	206777137
EL16XP1-030-230	30000	12.5	15	27000	17400	9	L*19/36U9	ML193DF045XE36B	203241252
EL16XP1-030-230	30000	12.5	15	27000	17400	9	L*19/36U9	ML193DF070XE36B	203241257
EL16XP1-030-230	29200	12.5	15	26200	16700	9	L*19/36U9	ML193UH030XE36B	203241262
EL16XP1-030-230	29200	12.5	15	26200	16700	9	L*19/36U9	ML193UH045XE36B	203241267
EL16XP1-030-230	29600	12.5	16	26200	17100	9	L*19/36U9	ML193UH070XE36B	203241272
EL16XP1-030-230	29400	12.5	15	27000	16300	8.5	L*19/36U9	ML193UH090XE36C	203241278
EL16XP1-030-230	29200	12.5	15	26800	16200	8.5	L*19/36U9	ML193UH090XE48C	203241285
EL16XP1-030-230	29200	12.5	15	26800	16200	8.5	L*19/36U9	ML193UH110XE48C	203241294
EL16XP1-030-230	30000	12.5	15	27000	17400	9	L*19/36U9	ML296DF045XV36B	203241302
EL16XP1-030-230	30000	12.5	15	27000	17400	9	L*19/36U9	ML296DF070XV48B	203241309
EL16XP1-030-230	29600	12.5	16	27000	17100	8.5	L*19/36U9	ML296UH045XV36B	203241318
EL16XP1-030-230	29600	12.5	16	27000	17100	9	L*19/36U9	ML296UH070XV36B	203241326
EL16XP1-030-230	29800	13	16	27000	16300	8.5	L*19/36U9	ML296UH090XV48C	203241334
EL16XP1-030-230	30000	12.5	15	27000	17400	9	L*19/36U9	SL280DF070V36A	203241343
EL16XP1-030-230	30000	13	16	27000	17300	9	L*19/36U9	SL280DF090V48B	203241351
EL16XP1-030-230	29800	13	16	26200	16700	9	L*19/36U9	SL280UH060NV36A	203241360
EL16XP1-030-230	29600	12.5	16	26200	17100	9	L*19/36U9	SL280UH070V36A	203241368
EL16XP1-030-230	29600	12.5	16	26200	17100	9	L*19/36U9	SL280UH070XV36A	203241376
EL16XP1-030-230	29400	13	16	26000	16400	9	L*19/36U9	SL280UH080NV48B	203241384
EL16XP1-030-230	29400	13	16	26000	16400	9	L*19/36U9	SL280UH090V36B	203241393
EL16XP1-030-230	29400	13	16	26200	16500	9	L*19/36U9	SL280UH090V48B	203241401
EL16XP1-030-230	30000	13	16	27000	16700	8.5	L*19/36U9	SL297UH040NV36B	203241409
EL16XP1-030-230	29600	12.5	16	26400	17200	9	L*19/36U9	SL297UH060NV36B	203241417
EL16XP1-030-230	29800	12.5	15	27000	16300	8.5	L*19/36U9	SL297UH080NV48C	203241426
EL16XP1-030-230	30000	12.5	15	27000	17500	9	L*19/36U9	SLP98DF070XV36B	203241436
EL16XP1-030-230	29600	12.5	16	26200	17100	9	L*19/36U9	SLP98UH070XV36B	203241445
EL16XP1-030-230	29400	12.5	15	27000	16300	8.5	L*19/36U9	SLP98UH090XV36C	203241454
EL16XP1-030-230	29800	13	16	27000	16300	8.5	L*19/36U9	SLP98UH090XV48C	203241463
EL16XP1-030-230	30000	12.5	15	28400	17500	9	L*19/36U9	SLP99DF070XV36B	205760294
EL16XP1-030-230	29600	12.5	16	26200	17100	9	L*19/36U9	SLP99UH070XV36B	205761547
EL16XP1-030-230	29400	12.5	15	27000	16300	8.5	L*19/36U9	SLP99UH090XV36C	205760306
EL16XP1-030-230	29800	13	16	27000	16300	8.5	L*19/36U9	SLP99UH090XV48C	205760316
EL16XP1-030-230	29600	12.2	14	27000	17900	8.5	L*19/36U9		203242181
EL16XP1-030-230	29600	12.5	16	26200	17100	8.5	L*24/42S9	EL280UH070XE36A	203366415
EL16XP1-030-230	30000	13	16	27000	16600	8.5	L*24/42S9	EL280UH090XE48B	203366432
EL16XP1-030-230	30000	13	16	26200	17100	8.5	L*29/36U9	EL280UH070XE36A	203366418
EL16XP1-030-230	30000	13	16	26000	16900	9	L*29/36U9	EL280UH090XE48B	203366435
EL16XP1-030-230	30000	13	16	26200	17000	9	L*30/36U9	EL180UH040NE36A	203241079
EL16XP1-030-230	30000	13	16	26200	17000	9	L*30/36U9	EL180UH060NE36A	203241084
EL16XP1-030-230	30000	13	16	26000	16900	9	L*30/36U9	EL180UH080NE48B	203241089
EL16XP1-030-230	30000	13	16	26400	17200	9	L*30/36U9	EL195UH040NE36B	203241094
EL16XP1-030-230	30000	13	16	26400	17100	9	L*30/36U9	EL195UH060NE36B	203241099
EL16XP1-030-230	29400	12.5	15	26800	16300	8.5	L*30/36U9	EL195UH080NE48C	203241104
EL16XP1-030-230	30000	13	16	26000	16900	8.5	L*30/36U9	EL196UH030XE24B	203241109
EL16XP1-030-230	30000	13	16	26000	16900	8.5	L*30/36U9	EL196UH045XE24B	203241114
EL16XP1-030-230	30000	13	16	26400	17100	9	L*30/36U9	EL196UH045XE36B	203241119
EL16XP1-030-230	30000	13	16	26200	17100	9	L*30/36U9	EL196UH070XE36B	203241124
EL16XP1-030-230	29400	13	16	26800	16200	8.5	L*30/36U9	EL196UH090XE48C	203241129

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-030-230	30000	13	16	27000	17400	9	L*30/36U9	EL280DF070E36A	203241134
EL16XP1-030-230	30000	13	16	27000	17500	9	L*30/36U9	EL280DF090E48B	203241139
EL16XP1-030-230	30000	13	16	26400	17100	9	L*30/36U9	EL280UH045E36A	203241144
EL16XP1-030-230	30000	13	16	26200	17100	8.5	L*30/36U9	EL280UH070E36A	203241149
EL16XP1-030-230	30000	13	16	26200	17100	8.5	L*30/36U9	EL280UH070XE36A	203366417
EL16XP1-030-230	30000	13	16	26400	17100	9	L*30/36U9	EL280UH090E36B	203241154
EL16XP1-030-230	30000	13	16	26000	16900	9	L*30/36U9	EL280UH090E48B	203241159
EL16XP1-030-230	30000	13	16	26000	16900	9	L*30/36U9	EL280UH090XE48B	203366434
EL16XP1-030-230	29400	12.5	15	26800	16300	8.5	L*30/36U9	EL280UH110E48C	203241164
EL16XP1-030-230	30000	12.5	15	27000	17400	9	L*30/36U9	EL296DF045XE36B	203241169
EL16XP1-030-230	30000	12.5	15	27000	17400	9	L*30/36U9	EL296DF045XV36B	203241174
EL16XP1-030-230	30000	13	16	27000	17400	9	L*30/36U9	EL296DF070XE48B	203241179
EL16XP1-030-230	30000	12.5	15	27000	17400	9	L*30/36U9	EL296DF070XV48B	203241184
EL16XP1-030-230	29400	12.5	15	26200	16600	9	L*30/36U9	EL296UH045XE36B	203241189
EL16XP1-030-230	30000	13	16	26200	17100	8.5	L*30/36U9	EL296UH045XV36B	203241194
EL16XP1-030-230	30000	13	16	26400	17100	8.5	L*30/36U9	EL296UH070XE36B	203241199
EL16XP1-030-230	30000	13	16	26200	17100	9	L*30/36U9	EL296UH070XV36B	203241204
EL16XP1-030-230	30000	12.5	15	27000	16500	8.5	L*30/36U9	EL296UH090XE48C	203241209
EL16XP1-030-230	29600	12.5	15	27000	16300	8.5	L*30/36U9	EL296UH090XV36C	203241214
EL16XP1-030-230	29800	13	16	27000	16300	8.5	L*30/36U9	EL296UH090XV48C	203241219
EL16XP1-030-230	30000	13	16	27000	17500	9	L*30/36U9	ML180DF045E36A	203241224
EL16XP1-030-230	30000	13	16	27000	17300	9	L*30/36U9	ML180DF070E36B	203241229
EL16XP1-030-230	30000	13	16	27000	17200	9	L*30/36U9	ML180DF090E48B	203241234
EL16XP1-030-230	30000	13	16	26200	17000	8.5	L*30/36U9	ML180UH045E36A	203241239
EL16XP1-030-230	30000	13	16	26200	16900	9	L*30/36U9	ML180UH070E36B	203241244
EL16XP1-030-230	30000	13	16	26000	16900	9	L*30/36U9	ML180UH090E48B	203241249
EL16XP1-030-230	30000	12.5	15	27000	17400	9	L*30/36U9	ML193DF045XE36B	203241254
EL16XP1-030-230	30000	12.5	15	27000	17400	9	L*30/36U9	ML193DF070XE36B	203241259
EL16XP1-030-230	29400	12.5	15	26200	16700	9	L*30/36U9	ML193UH030XE36B	203241264
EL16XP1-030-230	29400	12.5	15	26200	16700	9	L*30/36U9	ML193UH045XE36B	203241269
EL16XP1-030-230	30000	13	16	26200	17100	9	L*30/36U9	ML193UH070XE36B	203241274
EL16XP1-030-230	29600	12.5	15	27000	16300	8.5	L*30/36U9	ML193UH090XE36C	203241281
EL16XP1-030-230	29400	12.5	15	26800	16200	8.5	L*30/36U9	ML193UH090XE48C	203241289
EL16XP1-030-230	29400	12.5	15	26800	16200	8.5	L*30/36U9	ML193UH110XE48C	203241297
EL16XP1-030-230	30000	12.5	15	27000	17400	9	L*30/36U9	ML296DF045XV36B	203241305
EL16XP1-030-230	30000	12.5	15	27000	17400	9	L*30/36U9	ML296DF070XV48B	203241313
EL16XP1-030-230	30000	13	16	27000	17100	8.5	L*30/36U9	ML296UH045XV36B	203241321
EL16XP1-030-230	30000	13	16	27000	17100	9	L*30/36U9	ML296UH070XV36B	203241329
EL16XP1-030-230	29800	13	16	27000	16300	8.5	L*30/36U9	ML296UH090XV48C	203241337
EL16XP1-030-230	30000	12.5	15	27000	17400	9	L*30/36U9	SL280DF070V36A	203241346
EL16XP1-030-230	30000	13	16	27000	17300	9	L*30/36U9	SL280DF090V48B	203241355
EL16XP1-030-230	30000	13	16	26200	17000	9	L*30/36U9	SL280UH060NV36A	203241363
EL16XP1-030-230	30000	13	16	26200	17100	9	L*30/36U9	SL280UH070V36A	203241372
EL16XP1-030-230	30000	13	16	26200	17100	9	L*30/36U9	SL280UH070XV36A	203241379
EL16XP1-030-230	30000	13	16	26200	16900	9	L*30/36U9	SL280UH080NV48B	203241387
EL16XP1-030-230	30000	13	16	26000	16900	9	L*30/36U9	SL280UH090V36B	203241396
EL16XP1-030-230	29600	13	16	26200	16500	9	L*30/36U9	SL280UH090V48B	203241404
EL16XP1-030-230	30000	13	16	26400	17100	9	L*30/36U9	SL297UH040NV36B	203241412
EL16XP1-030-230	30000	13	16	26400	17200	9	L*30/36U9	SL297UH060NV36B	203241421
EL16XP1-030-230	29800	12.5	15	27000	16300	8.5	L*30/36U9	SL297UH080NV48C	203241430
EL16XP1-030-230	30000	13	16	27000	17500	9	L*30/36U9	SLP98DF070XV36B	203241440
EL16XP1-030-230	30000	13	16	26200	17100	9	L*30/36U9	SLP98UH070XV36B	203241449
EL16XP1-030-230	29600	12.5	15	27000	16300	8.5	L*30/36U9	SLP98UH090XV36C	203241457
EL16XP1-030-230	29800	13	16	27000	16300	8.5	L*30/36U9	SLP98UH090XV48C	203241466

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-030-230	30000	13	16	28400	17500	9	L*30/36U9	SLP99DF070XV36B	205760298
EL16XP1-030-230	30000	13	16	26200	17100	9	L*30/36U9	SLP99UH070XV36B	205761552
EL16XP1-030-230	29600	12.5	15	27000	16300	8.5	L*30/36U9	SLP99UH090XV36C	205760310
EL16XP1-030-230	29800	13	16	27000	16300	8.5	L*30/36U9	SLP99UH090XV48C	205760320
EL16XP1-030-230	30000	12.2	14.5	26600	17500	8.5	L*30/36U9		203242183
EL16XP1-030-230	30000	13	16	26200	17000	9	L*35/36U9	EL180UH040NE36A	206776968
EL16XP1-030-230	30000	13	16	26000	16900	9	L*35/36U9	EL180UH080NE48B	206776979
EL16XP1-030-230	30000	13	16	26400	17200	9	L*35/36U9	EL195UH040NE36B	206776985
EL16XP1-030-230	30000	13	16	26400	17100	9	L*35/36U9	EL195UH060NE36B	206776991
EL16XP1-030-230	30000	13	16	26400	17100	9	L*35/36U9	EL196UH045XE36B	206776998
EL16XP1-030-230	30000	13	16	26200	17100	9	L*35/36U9	EL196UH070XE36B	206777004
EL16XP1-030-230	29400	13	16	26800	16200	8.5	L*35/36U9	EL196UH090XE48C	206777009
EL16XP1-030-230	30000	13	16	26400	17100	9	L*35/36U9	EL280UH045E36A	206777011
EL16XP1-030-230	30000	13	16	26200	17100	8.5	L*35/36U9	EL280UH070E36A	206777015
EL16XP1-030-230	30000	13	16	26200	17100	8.5	L*35/36U9	EL280UH070XE36A	203366419
EL16XP1-030-230	30000	13	16	26400	17100	9	L*35/36U9	EL280UH090E36B	206777026
EL16XP1-030-230	30000	13	16	26000	16900	9	L*35/36U9	EL280UH090E48B	206777034
EL16XP1-030-230	30000	13	16	26000	16900	9	L*35/36U9	EL280UH090XE48B	203366436
EL16XP1-030-230	30000	13	16	26200	17100	8.5	L*35/36U9	EL296UH045XV36B	206777046
EL16XP1-030-230	30000	13	16	26400	17100	8.5	L*35/36U9	EL296UH070XE36B	206777052
EL16XP1-030-230	30000	13	16	26200	17100	9	L*35/36U9	EL296UH070XV36B	206777058
EL16XP1-030-230	29800	13	16	27000	16300	8.5	L*35/36U9	EL296UH090XV48C	206777066
EL16XP1-030-230	30000	13	16	26200	17000	9	L*35/36U9	ML180UH030V36A	206777070
EL16XP1-030-230	30000	13	16	26200	17000	9	L*35/36U9	ML180UH045V36A	206777077
EL16XP1-030-230	30000	13	16	26400	17100	9	L*35/36U9	ML180UH070E36A	206777084
EL16XP1-030-230	30000	13	16	26200	17000	9	L*35/36U9	ML180UH070V36A	206777088
EL16XP1-030-230	30000	13	16	26200	16900	9	L*35/36U9	ML180UH070V36B	206777103
EL16XP1-030-230	30000	13	16	26200	16900	9	L*35/36U9	ML180UH070V48B	206777115
EL16XP1-030-230	30000	13	16	26400	17100	9	L*35/36U9	ML180UH070XE36A	206777119
EL16XP1-030-230	30000	13	16	26000	16900	9	L*35/36U9	ML180UH090E48B	206777130
EL16XP1-030-230	30000	13	16	26000	16900	9	L*35/36U9	ML180UH090V48B	206777142
EL16XP1-030-230	30000	13	16	28400	17500	9	LD19/36Z9	EL280DF090E48B	205147212
EL16XP1-030-230	30000	12.5	15	28400	17400	9	LD19/36Z9	EL296DF045XE36B	205147213
EL16XP1-030-230	30000	12.5	15	28400	17400	9	LD19/36Z9	EL296DF045XV36B	205147214
EL16XP1-030-230	30000	13	16	28400	17400	9	LD19/36Z9	EL296DF070XE48B	205147215
EL16XP1-030-230	30000	12.5	15	28400	17400	9	LD19/36Z9	EL296DF070XV48B	205147216
EL16XP1-030-230	30000	13	16	28400	17300	9	LD19/36Z9	ML180DF070E36B	205147217
EL16XP1-030-230	30000	13	16	28400	17200	9	LD19/36Z9	ML180DF090E48B	205147218
EL16XP1-030-230	30000	12.5	15	28400	17400	9	LD19/36Z9	ML193DF045XE36B	205147219
EL16XP1-030-230	30000	12.5	15	28400	17400	9	LD19/36Z9	ML193DF070XE36B	205147220
EL16XP1-030-230	30000	12.5	15	28400	17400	9	LD19/36Z9	ML296DF045XV36B	205147221
EL16XP1-030-230	30000	12.5	15	28400	17400	9	LD19/36Z9	ML296DF070XV48B	205147222
EL16XP1-030-230	30000	13	16	28400	17300	9	LD19/36Z9	SL280DF090V48B	205147223
EL16XP1-030-230	30000	12.5	15	28400	17500	9	LD19/36Z9	SLP98DF070XV36B	205147224
EL16XP1-030-230	30000	12.5	15	28400	17500	9	LD19/36Z9	SLP99DF070XV36B	205760293
EL16XP1-030-230	29600	12.2	14	28400	17900	8.5	LD19/36Z9		204755175
EL16XP1-030-230	29600	12.2	14.5	28400	17900	8.5	LD24/35Z9		204755176
EL16XP1-030-230	30000	12.2	14.5	26600	17500	8.5	LD31/36Z9		204756172
EL16XP1-030-230	28800	12.5	15	25800	16800	8.5	LH18/36D9	EL280UH090XE48B	203366423
EL16XP1-030-230	30000	13	16	26200	17000	9	LH18/37D9	EL180UH040NE36A	206776971
EL16XP1-030-230	30000	13	16	26400	17100	9	LH18/37D9	EL280UH045E36A	206777014
EL16XP1-030-230	30000	13	16	26200	17100	8.5	LH18/37D9	EL280UH070E36A	206777018
EL16XP1-030-230	30000	13	16	26200	17100	8.5	LH18/37D9	EL280UH070XE36A	203366421
EL16XP1-030-230	30000	13	16	26000	16900	9	LH18/37D9	EL280UH090XE48B	203366438

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-030-230	30000	13	16	26200	17000	9	LH18/37D9	ML180UH030V36A	206777073
EL16XP1-030-230	30000	13	16	26200	17000	9	LH18/37D9	ML180UH045V36A	206777080
EL16XP1-030-230	30000	13	16	26400	17100	9	LH18/37D9	ML180UH070E36A	206777087
EL16XP1-030-230	30000	13	16	26200	17000	9	LH18/37D9	ML180UH070V36A	206777091
EL16XP1-030-230	30000	13	16	26400	17100	9	LH18/37D9	ML180UH070XE36A	206777122
EL16XP1-030-230	30000	13	16	26200	17000	9	LH18/37R9	EL180UH040NE36A	206776969
EL16XP1-030-230	30000	13	16	26400	17100	9	LH18/37R9	EL280UH045E36A	206777012
EL16XP1-030-230	30000	13	16	26200	17100	8.5	LH18/37R9	EL280UH070E36A	206777016
EL16XP1-030-230	30000	13	16	26200	17100	8.5	LH18/37R9	EL280UH070XE36A	203366420
EL16XP1-030-230	30000	13	16	26000	16900	9	LH18/37R9	EL280UH090XE48B	203366437
EL16XP1-030-230	30000	13	16	26200	17000	9	LH18/37R9	ML180UH030V36A	206777071
EL16XP1-030-230	30000	13	16	26200	17000	9	LH18/37R9	ML180UH045V36A	206777078
EL16XP1-030-230	30000	13	16	26400	17100	9	LH18/37R9	ML180UH070E36A	206777085
EL16XP1-030-230	30000	13	16	26200	17000	9	LH18/37R9	ML180UH070V36A	206777089
EL16XP1-030-230	30000	13	16	26400	17100	9	LH18/37R9	ML180UH070XE36A	206777120
EL16XP1-030-230	29800	13	16	26200	16600	9	LH29/36F9	EL180UH040NE36A	203241076
EL16XP1-030-230	29800	13	16	26000	16600	9	LH29/36F9	EL180UH060NE36A	203241081
EL16XP1-030-230	30000	13	16	27000	16600	8.5	LH29/36F9	EL180UH080NE48B	203241086
EL16XP1-030-230	29600	12.5	16	26400	17200	9	LH29/36F9	EL195UH040NE36B	203241091
EL16XP1-030-230	29600	12.5	16	26400	17100	9	LH29/36F9	EL195UH060NE36B	203241096
EL16XP1-030-230	29200	12.5	15	26800	16300	8.5	LH29/36F9	EL195UH080NE48C	203241101
EL16XP1-030-230	29600	12.5	16	26000	16900	8.5	LH29/36F9	EL196UH030XE24B	203241106
EL16XP1-030-230	29600	12.5	16	26000	16900	8.5	LH29/36F9	EL196UH045XE24B	203241111
EL16XP1-030-230	29600	12.5	16	26400	17100	9	LH29/36F9	EL196UH045XE36B	203241116
EL16XP1-030-230	29600	12.5	16	26200	17100	9	LH29/36F9	EL196UH070XE36B	203241121
EL16XP1-030-230	29200	13	16	26800	16200	8.5	LH29/36F9	EL196UH090XE48C	203241126
EL16XP1-030-230	30000	12.5	15	27000	17400	9	LH29/36F9	EL280DF070E36A	203241131
EL16XP1-030-230	30000	13	16	27000	17500	9	LH29/36F9	EL280DF090E48B	203241136
EL16XP1-030-230	30000	13	16	27000	16800	8.5	LH29/36F9	EL280UH045E36A	203241141
EL16XP1-030-230	29600	12.5	16	26200	17100	8.5	LH29/36F9	EL280UH070E36A	203241146
EL16XP1-030-230	29600	12.5	16	26200	17100	8.5	LH29/36F9	EL280UH070XE36A	203366410
EL16XP1-030-230	30000	13	16	26600	16900	8.5	LH29/36F9	EL280UH090E36B	203241151
EL16XP1-030-230	30000	13	16	27000	16600	8.5	LH29/36F9	EL280UH090E48B	203241156
EL16XP1-030-230	30000	13	16	27000	16600	8.5	LH29/36F9	EL280UH090XE48B	203366427
EL16XP1-030-230	29200	12.5	15	26800	16300	8.5	LH29/36F9	EL280UH110E48C	203241161
EL16XP1-030-230	30000	12.5	15	27000	17400	9	LH29/36F9	EL296DF045XE36B	203241166
EL16XP1-030-230	30000	12.5	15	27000	17400	9	LH29/36F9	EL296DF045XV36B	203241171
EL16XP1-030-230	30000	13	16	27000	17400	9	LH29/36F9	EL296DF070XE48B	203241176
EL16XP1-030-230	30000	12.5	15	27000	17400	9	LH29/36F9	EL296DF070XV48B	203241181
EL16XP1-030-230	29200	12.5	15	26200	16600	9	LH29/36F9	EL296UH045XE36B	203241186
EL16XP1-030-230	29600	12.5	16	26200	17100	8.5	LH29/36F9	EL296UH045XV36B	203241191
EL16XP1-030-230	29600	12.5	16	26400	17100	8.5	LH29/36F9	EL296UH070XE36B	203241196
EL16XP1-030-230	29600	12.5	16	26200	17100	9	LH29/36F9	EL296UH070XV36B	203241201
EL16XP1-030-230	30000	12.5	15	27000	16500	8.5	LH29/36F9	EL296UH090XE48C	203241206
EL16XP1-030-230	29400	12.5	15	27000	16300	8.5	LH29/36F9	EL296UH090XV36C	203241211
EL16XP1-030-230	29800	13	16	27000	16300	8.5	LH29/36F9	EL296UH090XV48C	203241216
EL16XP1-030-230	30000	12.5	15	27000	17500	9	LH29/36F9	ML180DF045E36A	203241221
EL16XP1-030-230	30000	13	16	27000	17300	9	LH29/36F9	ML180DF070E36B	203241226
EL16XP1-030-230	30000	13	16	27000	17200	9	LH29/36F9	ML180DF090E48B	203241231
EL16XP1-030-230	29600	12.5	16	26200	17000	8.5	LH29/36F9	ML180UH045E36A	203241236
EL16XP1-030-230	29400	13	16	26000	16500	9	LH29/36F9	ML180UH070E36B	203241241
EL16XP1-030-230	29600	13	16	26200	16900	9	LH29/36F9	ML180UH070V36B	206777095
EL16XP1-030-230	29600	13	16	26200	16900	9	LH29/36F9	ML180UH070V48B	206777107
EL16XP1-030-230	29400	13	16	26000	16400	9	LH29/36F9	ML180UH090E48B	203241246

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-030-230	29600	13	16	26000	16900	9	LH29/36F9	ML180UH090V48B	206777134
EL16XP1-030-230	30000	12.5	15	27000	17400	9	LH29/36F9	ML193DF045XE36B	203241251
EL16XP1-030-230	30000	12.5	15	27000	17400	9	LH29/36F9	ML193DF070XE36B	203241256
EL16XP1-030-230	29200	12.5	15	26200	16700	9	LH29/36F9	ML193UH030XE36B	203241261
EL16XP1-030-230	29200	12.5	15	26200	16700	9	LH29/36F9	ML193UH045XE36B	203241266
EL16XP1-030-230	29600	12.5	16	26200	17100	9	LH29/36F9	ML193UH070XE36B	203241271
EL16XP1-030-230	29400	12.5	15	27000	16300	8.5	LH29/36F9	ML193UH090XE36C	203241277
EL16XP1-030-230	29200	12.5	15	26800	16200	8.5	LH29/36F9	ML193UH090XE48C	203241284
EL16XP1-030-230	29200	12.5	15	26800	16200	8.5	LH29/36F9	ML193UH110XE48C	203241293
EL16XP1-030-230	30000	12.5	15	27000	17400	9	LH29/36F9	ML296DF045XV36B	203241301
EL16XP1-030-230	30000	12.5	15	27000	17400	9	LH29/36F9	ML296DF070XV48B	203241308
EL16XP1-030-230	29600	12.5	16	27000	17100	8.5	LH29/36F9	ML296UH045XV36B	203241316
EL16XP1-030-230	29600	12.5	16	27000	17100	9	LH29/36F9	ML296UH070XV36B	203241324
EL16XP1-030-230	29800	13	16	27000	16300	8.5	LH29/36F9	ML296UH090XV48C	203241332
EL16XP1-030-230	30000	12.5	15	27000	17400	9	LH29/36F9	SL280DF070V36A	203241341
EL16XP1-030-230	30000	13	16	27000	17300	9	LH29/36F9	SL280DF090V48B	203241350
EL16XP1-030-230	29800	13	16	26200	16700	9	LH29/36F9	SL280UH060NV36A	203241358
EL16XP1-030-230	29600	12.5	16	26200	17100	9	LH29/36F9	SL280UH070V36A	203241367
EL16XP1-030-230	29600	12.5	16	26200	17100	9	LH29/36F9	SL280UH070XV36A	203241374
EL16XP1-030-230	29400	13	16	26000	16400	9	LH29/36F9	SL280UH080NV48B	203241383
EL16XP1-030-230	29400	13	16	26000	16400	9	LH29/36F9	SL280UH090V36B	203241391
EL16XP1-030-230	29400	13	16	26200	16500	9	LH29/36F9	SL280UH090V48B	203241399
EL16XP1-030-230	30000	13	16	27000	16700	8.5	LH29/36F9	SL297UH040NV36B	203241408
EL16XP1-030-230	29600	12.5	16	26400	17200	9	LH29/36F9	SL297UH060NV36B	203241415
EL16XP1-030-230	29800	12.5	15	27000	16300	8.5	LH29/36F9	SL297UH080NV48C	203241425
EL16XP1-030-230	30000	12.5	15	27000	17500	9	LH29/36F9	SLP98DF070XV36B	203241434
EL16XP1-030-230	29600	12.5	16	26200	17100	9	LH29/36F9	SLP98UH070XV36B	203241444
EL16XP1-030-230	29400	12.5	15	27000	16300	8.5	LH29/36F9	SLP98UH090XV36C	203241452
EL16XP1-030-230	29800	13	16	27000	16300	8.5	LH29/36F9	SLP98UH090XV48C	203241461
EL16XP1-030-230	29600	12.5	16	26200	17100	9	LH29/36F9	SLP99UH070XV36B	205761543
EL16XP1-030-230	29400	12.5	15	27000	16300	8.5	LH29/36F9	SLP99UH090XV36C	205760304
EL16XP1-030-230	29800	13	16	27000	16300	8.5	LH29/36F9	SLP99UH090XV48C	205760314
EL16XP1-030-230	29600	12.2	14	27000	17900	8.5	LH29/36F9		203242180
EL16XP1-030-230	29800	13	16	26200	16600	9	LH29/36X9	EL180UH040NE36A	203241075
EL16XP1-030-230	29800	13	16	26000	16600	9	LH29/36X9	EL180UH060NE36A	203241080
EL16XP1-030-230	30000	13	16	27000	16600	8.5	LH29/36X9	EL180UH080NE48B	203241085
EL16XP1-030-230	29600	12.5	16	26400	17200	9	LH29/36X9	EL195UH040NE36B	203241090
EL16XP1-030-230	29600	12.5	16	26400	17100	9	LH29/36X9	EL195UH060NE36B	203241095
EL16XP1-030-230	29200	12.5	15	26800	16300	8.5	LH29/36X9	EL195UH080NE48C	203241100
EL16XP1-030-230	29600	12.5	16	26000	16900	8.5	LH29/36X9	EL196UH030XE24B	203241105
EL16XP1-030-230	29600	12.5	16	26000	16900	8.5	LH29/36X9	EL196UH045XE24B	203241110
EL16XP1-030-230	29600	12.5	16	26400	17100	9	LH29/36X9	EL196UH045XE36B	203241115
EL16XP1-030-230	29600	12.5	16	26200	17100	9	LH29/36X9	EL196UH070XE36B	203241120
EL16XP1-030-230	29200	13	16	26800	16200	8.5	LH29/36X9	EL196UH090XE48C	203241125
EL16XP1-030-230	30000	12.5	15	27000	17400	9	LH29/36X9	EL280DF070E36A	203241130
EL16XP1-030-230	30000	13	16	27000	17500	9	LH29/36X9	EL280DF090E48B	203241135
EL16XP1-030-230	30000	13	16	27000	16800	8.5	LH29/36X9	EL280UH045E36A	203241140
EL16XP1-030-230	29600	12.5	16	26200	17100	8.5	LH29/36X9	EL280UH070E36A	203241145
EL16XP1-030-230	29600	12.5	16	26200	17100	8.5	LH29/36X9	EL280UH070XE36A	203366409
EL16XP1-030-230	30000	13	16	26600	16900	8.5	LH29/36X9	EL280UH090E36B	203241150
EL16XP1-030-230	30000	13	16	27000	16600	8.5	LH29/36X9	EL280UH090E48B	203241155
EL16XP1-030-230	30000	13	16	27000	16600	8.5	LH29/36X9	EL280UH090XE48B	203366426
EL16XP1-030-230	29200	12.5	15	26800	16300	8.5	LH29/36X9	EL280UH110E48C	203241160
EL16XP1-030-230	30000	12.5	15	27000	17400	9	LH29/36X9	EL296DF045XE36B	203241165

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-030-230	30000	12.5	15	27000	17400	9	LH29/36X9	EL296DF045XV36B	203241170
EL16XP1-030-230	30000	13	16	27000	17400	9	LH29/36X9	EL296DF070XE48B	203241175
EL16XP1-030-230	30000	12.5	15	27000	17400	9	LH29/36X9	EL296DF070XV48B	203241180
EL16XP1-030-230	29200	12.5	15	26200	16600	9	LH29/36X9	EL296UH045XE36B	203241185
EL16XP1-030-230	29600	12.5	16	26200	17100	8.5	LH29/36X9	EL296UH045XV36B	203241190
EL16XP1-030-230	29600	12.5	16	26400	17100	8.5	LH29/36X9	EL296UH070XE36B	203241195
EL16XP1-030-230	29600	12.5	16	26200	17100	9	LH29/36X9	EL296UH070XV36B	203241200
EL16XP1-030-230	30000	12.5	15	27000	16500	8.5	LH29/36X9	EL296UH090XE48C	203241205
EL16XP1-030-230	29400	12.5	15	27000	16300	8.5	LH29/36X9	EL296UH090XV36C	203241210
EL16XP1-030-230	29800	13	16	27000	16300	8.5	LH29/36X9	EL296UH090XV48C	203241215
EL16XP1-030-230	30000	12.5	15	27000	17500	9	LH29/36X9	ML180DF045E36A	203241220
EL16XP1-030-230	30000	13	16	27000	17300	9	LH29/36X9	ML180DF070E36B	203241225
EL16XP1-030-230	30000	13	16	27000	17200	9	LH29/36X9	ML180DF090E48B	203241230
EL16XP1-030-230	29600	12.5	16	26200	17000	8.5	LH29/36X9	ML180UH045E36A	203241235
EL16XP1-030-230	29400	13	16	26000	16500	9	LH29/36X9	ML180UH070E36B	203241240
EL16XP1-030-230	29600	13	16	26200	16900	9	LH29/36X9	ML180UH070V36B	206777094
EL16XP1-030-230	29600	13	16	26200	16900	9	LH29/36X9	ML180UH070V48B	206777106
EL16XP1-030-230	29400	13	16	26000	16400	9	LH29/36X9	ML180UH090E48B	203241245
EL16XP1-030-230	29600	13	16	26000	16900	9	LH29/36X9	ML180UH090V48B	206777133
EL16XP1-030-230	30000	12.5	15	27000	17400	9	LH29/36X9	ML193DF045XE36B	203241250
EL16XP1-030-230	30000	12.5	15	27000	17400	9	LH29/36X9	ML193DF070XE36B	203241255
EL16XP1-030-230	29200	12.5	15	26200	16700	9	LH29/36X9	ML193UH030XE36B	203241260
EL16XP1-030-230	29200	12.5	15	26200	16700	9	LH29/36X9	ML193UH045XE36B	203241265
EL16XP1-030-230	29600	12.5	16	26200	17100	9	LH29/36X9	ML193UH070XE36B	203241270
EL16XP1-030-230	29400	12.5	15	27000	16300	8.5	LH29/36X9	ML193UH090XE36C	203241275
EL16XP1-030-230	29200	12.5	15	26800	16200	8.5	LH29/36X9	ML193UH090XE48C	203241282
EL16XP1-030-230	29200	12.5	15	26800	16200	8.5	LH29/36X9	ML193UH110XE48C	203241291
EL16XP1-030-230	30000	12.5	15	27000	17400	9	LH29/36X9	ML296DF045XV36B	203241299
EL16XP1-030-230	30000	12.5	15	27000	17400	9	LH29/36X9	ML296DF070XV48B	203241307
EL16XP1-030-230	29600	12.5	16	27000	17100	8.5	LH29/36X9	ML296UH045XV36B	203241314
EL16XP1-030-230	29600	12.5	16	27000	17100	9	LH29/36X9	ML296UH070XV36B	203241323
EL16XP1-030-230	29800	13	16	27000	16300	8.5	LH29/36X9	ML296UH090XV48C	203241331
EL16XP1-030-230	30000	12.5	15	27000	17400	9	LH29/36X9	SL280DF070V36A	203241339
EL16XP1-030-230	30000	13	16	27000	17300	9	LH29/36X9	SL280DF090V48B	203241348
EL16XP1-030-230	29800	13	16	26200	16700	9	LH29/36X9	SL280UH060NV36A	203241356
EL16XP1-030-230	29600	12.5	16	26200	17100	9	LH29/36X9	SL280UH070V36A	203241365
EL16XP1-030-230	29600	12.5	16	26200	17100	9	LH29/36X9	SL280UH070XV36A	203241373
EL16XP1-030-230	29400	13	16	26000	16400	9	LH29/36X9	SL280UH080NV48B	203241381
EL16XP1-030-230	29400	13	16	26000	16400	9	LH29/36X9	SL280UH090V36B	203241389
EL16XP1-030-230	29400	13	16	26200	16500	9	LH29/36X9	SL280UH090V48B	203241397
EL16XP1-030-230	30000	13	16	27000	16700	8.5	LH29/36X9	SL297UH040NV36B	203241406
EL16XP1-030-230	29600	12.5	16	26400	17200	9	LH29/36X9	SL297UH060NV36B	203241414
EL16XP1-030-230	29800	12.5	15	27000	16300	8.5	LH29/36X9	SL297UH080NV48C	203241423
EL16XP1-030-230	30000	12.5	15	27000	17500	9	LH29/36X9	SLP98DF070XV36B	203241432
EL16XP1-030-230	29600	12.5	16	26200	17100	9	LH29/36X9	SLP98UH070XV36B	203241442
EL16XP1-030-230	29400	12.5	15	27000	16300	8.5	LH29/36X9	SLP98UH090XV36C	203241450
EL16XP1-030-230	29800	13	16	27000	16300	8.5	LH29/36X9	SLP98UH090XV48C	203241459
EL16XP1-030-230	29600	12.5	16	26200	17100	9	LH29/36X9	SLP99UH070XV36B	205761540
EL16XP1-030-230	29400	12.5	15	27000	16300	8.5	LH29/36X9	SLP99UH090XV36C	205760302
EL16XP1-030-230	29800	13	16	27000	16300	8.5	LH29/36X9	SLP99UH090XV48C	205760312
EL16XP1-030-230	29600	12.2	14	27000	17900	8.5	LH29/36X9		203242179
EL16XP1-030-230	29200	12.5	15	26200	16600	8.5	LH35/36E9	EL280UH090XE48B	203366422
EL16XP1-030-230	30000	13	16	26000	16900	9	LH35/36F9	EL180UH080NE48B	206776975
EL16XP1-030-230	30000	13	16	26400	17200	9	LH35/36F9	EL195UH040NE36B	206776982

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-030-230	30000	13	16	26400	17100	9	LH35/36F9	EL195UH060NE36B	206776988
EL16XP1-030-230	30000	13	16	26400	17100	9	LH35/36F9	EL196UH045XE36B	206776995
EL16XP1-030-230	30000	13	16	26200	17100	9	LH35/36F9	EL196UH070XE36B	206777001
EL16XP1-030-230	30000	13	16	26200	17100	8.5	LH35/36F9	EL280UH070XE36A	203366412
EL16XP1-030-230	30000	13	16	26400	17100	9	LH35/36F9	EL280UH090E36B	206777022
EL16XP1-030-230	30000	13	16	26000	16900	9	LH35/36F9	EL280UH090E48B	206777030
EL16XP1-030-230	30000	13	16	26000	16900	9	LH35/36F9	EL280UH090XE48B	203366429
EL16XP1-030-230	30000	13	16	26200	17100	8.5	LH35/36F9	EL296UH045XV36B	206777043
EL16XP1-030-230	30000	13	16	26400	17100	8.5	LH35/36F9	EL296UH070XE36B	206777049
EL16XP1-030-230	30000	13	16	26200	17100	9	LH35/36F9	EL296UH070XV36B	206777055
EL16XP1-030-230	30000	13	16	26200	16900	9	LH35/36F9	ML180UH070V36B	206777097
EL16XP1-030-230	30000	13	16	26200	16900	9	LH35/36F9	ML180UH070V48B	206777109
EL16XP1-030-230	30000	13	16	26000	16900	9	LH35/36F9	ML180UH090E48B	206777126
EL16XP1-030-230	30000	13	16	26000	16900	9	LH35/36F9	ML180UH090V48B	206777136
EL16XP1-030-230	30000	13	16	26000	16900	9	LH35/36X9	EL180UH080NE48B	206776974
EL16XP1-030-230	30000	13	16	26400	17200	9	LH35/36X9	EL195UH040NE36B	206776981
EL16XP1-030-230	30000	13	16	26400	17100	9	LH35/36X9	EL195UH060NE36B	206776987
EL16XP1-030-230	30000	13	16	26400	17100	9	LH35/36X9	EL196UH045XE36B	206776994
EL16XP1-030-230	30000	13	16	26200	17100	9	LH35/36X9	EL196UH070XE36B	206777000
EL16XP1-030-230	30000	13	16	26200	17100	8.5	LH35/36X9	EL280UH070XE36A	203366411
EL16XP1-030-230	30000	13	16	26400	17100	9	LH35/36X9	EL280UH090E36B	206777021
EL16XP1-030-230	30000	13	16	26000	16900	9	LH35/36X9	EL280UH090E48B	206777029
EL16XP1-030-230	30000	13	16	26000	16900	9	LH35/36X9	EL280UH090XE48B	203366428
EL16XP1-030-230	30000	13	16	26200	17100	8.5	LH35/36X9	EL296UH045XV36B	206777042
EL16XP1-030-230	30000	13	16	26400	17100	8.5	LH35/36X9	EL296UH070XE36B	206777048
EL16XP1-030-230	30000	13	16	26200	17100	9	LH35/36X9	EL296UH070XV36B	206777054
EL16XP1-030-230	30000	13	16	26200	16900	9	LH35/36X9	ML180UH070V36B	206777096
EL16XP1-030-230	30000	13	16	26200	16900	9	LH35/36X9	ML180UH070V48B	206777108
EL16XP1-030-230	30000	13	16	26000	16900	9	LH35/36X9	ML180UH090E48B	206777125
EL16XP1-030-230	30000	13	16	26000	16900	9	LH35/36X9	ML180UH090V48B	206777135
EL16XP1-030-230	30000	13	16	26000	16900	9	LH35/38X9	EL180UH080NE48B	206776978
EL16XP1-030-230	30000	13	16	26400	17200	9	LH35/38X9	EL195UH040NE36B	206776984
EL16XP1-030-230	30000	13	16	26400	17100	9	LH35/38X9	EL195UH060NE36B	206776990
EL16XP1-030-230	30000	13	16	26400	17100	9	LH35/38X9	EL196UH045XE36B	206776997
EL16XP1-030-230	30000	13	16	26200	17100	9	LH35/38X9	EL196UH070XE36B	206777003
EL16XP1-030-230	29400	13	16	26800	16200	8.5	LH35/38X9	EL196UH090XE48C	206777008
EL16XP1-030-230	30000	13	16	26400	16800	8.5	LH35/38X9	EL280UH070XE36A	203366416
EL16XP1-030-230	30000	13	16	26400	17100	9	LH35/38X9	EL280UH090E36B	206777025
EL16XP1-030-230	30000	13	16	26000	16900	9	LH35/38X9	EL280UH090E48B	206777033
EL16XP1-030-230	30000	13	16	26000	16900	9	LH35/38X9	EL280UH090XE48B	203366433
EL16XP1-030-230	30000	13	16	26400	16800	8.5	LH35/38X9	EL296UH045XE36B	206777040
EL16XP1-030-230	30000	13	16	26400	16800	8.5	LH35/38X9	EL296UH045XV36B	206777045
EL16XP1-030-230	30000	13	16	26600	16900	8.5	LH35/38X9	EL296UH070XE36B	206777051
EL16XP1-030-230	30000	13	16	26200	17100	9	LH35/38X9	EL296UH070XV36B	206777057
EL16XP1-030-230	30000	13	16	27200	16500	8.5	LH35/38X9	EL296UH090XE48C	206777060
EL16XP1-030-230	29800	13	16	27000	16300	8.5	LH35/38X9	EL296UH090XV48C	206777065
EL16XP1-030-230	30000	13	16	26200	16900	9	LH35/38X9	ML180UH070V36B	206777102
EL16XP1-030-230	30000	13	16	26200	16900	9	LH35/38X9	ML180UH070V48B	206777114
EL16XP1-030-230	30000	13	16	26000	16900	9	LH35/38X9	ML180UH090E48B	206777129
EL16XP1-030-230	30000	13	16	26000	16900	9	LH35/38X9	ML180UH090V48B	206777141
EL16XP1-030-230	29600	12.2	14	27600	17900	8.5	LS*30943E		205958211
EL16XP1-030-230	29600	12.2	14	28400	17900	8.5	LS*36943E		205304028
EL16XP1-030-230	30000	13	16	26200	17000	9	PL36H***P449	EL180UH040NE36A	206776970
EL16XP1-030-230	30000	13	16	26400	17100	9	PL36H***P449	EL280UH045E36A	206777013

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-030-230	30000	13	16	26200	17100	8.5	PL36H***P449	EL280UH070E36A	206777017
EL16XP1-030-230	30000	13	16	26200	17100	8.5	PL36H***P449	EL280UH070XE36A	206777019
EL16XP1-030-230	30000	13	16	26200	17000	9	PL36H***P449	ML180UH030V36A	206777072
EL16XP1-030-230	30000	13	16	26200	17000	9	PL36H***P449	ML180UH045V36A	206777079
EL16XP1-030-230	30000	13	16	26400	17100	9	PL36H***P449	ML180UH070E36A	206777086
EL16XP1-030-230	30000	13	16	26200	17000	9	PL36H***P449	ML180UH070V36A	206777090
EL16XP1-030-230	30000	13	16	26400	17100	9	PL36H***P449	ML180UH070XE36A	206777121
EL16XP1-030-230	30000	13	16	26000	16900	9	PL36H210P29	EL180UH080NE48B	206776972
EL16XP1-030-230	30000	13	16	26400	17200	9	PL36H210P29	EL195UH040NE36B	206776980
EL16XP1-030-230	30000	13	16	26400	17100	9	PL36H210P29	EL195UH060NE36B	206776986
EL16XP1-030-230	29400	13	16	26800	16300	8.5	PL36H210P29	EL195UH080NE48C	206776992
EL16XP1-030-230	30000	13	16	26400	17100	9	PL36H210P29	EL196UH045XE36B	206776993
EL16XP1-030-230	30000	13	16	26200	17100	9	PL36H210P29	EL196UH070XE36B	206776999
EL16XP1-030-230	29400	13	16	26800	16200	8.5	PL36H210P29	EL196UH090XE48C	206777005
EL16XP1-030-230	30000	13	16	26400	16700	9	PL36H210P29	EL280UH090E36B	206777020
EL16XP1-030-230	30000	13	16	26000	16900	9	PL36H210P29	EL280UH090E48B	206777027
EL16XP1-030-230	30000	13	16	26000	16900	9	PL36H210P29	EL280UH090XE48B	206777035
EL16XP1-030-230	29400	13	16	26800	16300	8.5	PL36H210P29	EL280UH110E48C	206777038
EL16XP1-030-230	29400	13	16	26200	16600	9	PL36H210P29	EL296UH045XE36B	206777039
EL16XP1-030-230	29400	13	16	26200	16600	9	PL36H210P29	EL296UH045XV36B	206777041
EL16XP1-030-230	29600	13	16	26400	16700	9	PL36H210P29	EL296UH070XE36B	206777047
EL16XP1-030-230	30000	13	16	26200	17100	9	PL36H210P29	EL296UH070XV36B	206777053
EL16XP1-030-230	30000	13	16	27200	16500	8.5	PL36H210P29	EL296UH090XE48C	206777059
EL16XP1-030-230	29600	13	16	27000	16300	8.5	PL36H210P29	EL296UH090XV36C	206777061
EL16XP1-030-230	29800	13	16	27000	16300	8.5	PL36H210P29	EL296UH090XV48C	206777062
EL16XP1-030-230	30000	13	16	26200	16900	9	PL36H210P29	ML180UH070V36B	206777092
EL16XP1-030-230	30000	13	16	26200	16900	9	PL36H210P29	ML180UH070V48B	206777104
EL16XP1-030-230	30000	13	16	26000	16900	9	PL36H210P29	ML180UH090E48B	206777123
EL16XP1-030-230	30000	13	16	26000	16900	9	PL36H210P29	ML180UH090V48B	206777131
EL16XP1-030-230	30000	13	16	26200	16600	8.5	PL36H210P74	EL180UH080NE48B	206776976
EL16XP1-030-230	29200	13	16	26800	16200	8.5	PL36H210P74	EL196UH090XE48C	206777006
EL16XP1-030-230	30000	13	16	26600	16900	8.5	PL36H210P74	EL280UH090E36B	206777023
EL16XP1-030-230	30000	13	16	26200	16600	8.5	PL36H210P74	EL280UH090E48B	206777031
EL16XP1-030-230	30000	13	16	26200	16600	8.5	PL36H210P74	EL280UH090XE48B	206777036
EL16XP1-030-230	29600	13	16	27000	16300	8.5	PL36H210P74	EL296UH090XV48C	206777063
EL16XP1-030-230	29200	13	16	26000	16500	9	PL36H210P74	ML180UH070V36B	206777100
EL16XP1-030-230	29200	13	16	26000	16500	9	PL36H210P74	ML180UH070V48B	206777112
EL16XP1-030-230	30000	13	16	26200	16600	8.5	PL36H210P74	ML180UH090E48B	206777127
EL16XP1-030-230	30000	13	16	26200	16600	8.5	PL36H210P74	ML180UH090V48B	206777139
EL16XP1-030-230	30000	13	16	26000	16900	9	PL36H210P75	EL180UH080NE48B	206776977
EL16XP1-030-230	30000	13	16	26400	17200	9	PL36H210P75	EL195UH040NE36B	206776983
EL16XP1-030-230	30000	13	16	26400	17100	9	PL36H210P75	EL195UH060NE36B	206776989
EL16XP1-030-230	30000	13	16	26400	17100	9	PL36H210P75	EL196UH045XE36B	206776996
EL16XP1-030-230	30000	13	16	26200	17100	9	PL36H210P75	EL196UH070XE36B	206777002
EL16XP1-030-230	29400	13	16	26800	16200	8.5	PL36H210P75	EL196UH090XE48C	206777007
EL16XP1-030-230	30000	13	16	26400	17100	9	PL36H210P75	EL280UH090E36B	206777024
EL16XP1-030-230	30000	13	16	26000	16900	9	PL36H210P75	EL280UH090E48B	206777032
EL16XP1-030-230	30000	13	16	26000	16900	9	PL36H210P75	EL280UH090XE48B	206777037
EL16XP1-030-230	30000	13	16	26200	17100	8.5	PL36H210P75	EL296UH045XV36B	206777044
EL16XP1-030-230	30000	13	16	26400	17100	8.5	PL36H210P75	EL296UH070XE36B	206777050
EL16XP1-030-230	30000	13	16	26200	17100	9	PL36H210P75	EL296UH070XV36B	206777056
EL16XP1-030-230	29800	13	16	27000	16300	8.5	PL36H210P75	EL296UH090XV48C	206777064
EL16XP1-030-230	30000	13	16	26200	16900	9	PL36H210P75	ML180UH070V36B	206777101
EL16XP1-030-230	30000	13	16	26200	16900	9	PL36H210P75	ML180UH070V48B	206777113

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-030-230	30000	13	16	26000	16900	9	PL36H210P75	ML180UH090E48B	206777128
EL16XP1-030-230	30000	13	16	26000	16900	9	PL36H210P75	ML180UH090V48B	206777140
EL16XP1-036-230	35800	12.2	14.5	33200	21800	9	A36VEA		203371542
EL16XP1-036-230	35600	12.5	16	33400	21800	9.5	L*19/36S9	EL180UH040NE36A	203241470
EL16XP1-036-230	35600	12.5	16	33400	21800	9	L*19/36S9	EL180UH060NE36A	203241481
EL16XP1-036-230	35600	12.5	16	33000	21400	9.5	L*19/36S9	EL180UH080NE48B	203241491
EL16XP1-036-230	35400	12.5	16	33200	21800	9	L*19/36S9	EL195UH040NE36B	203241502
EL16XP1-036-230	35400	12.5	16	33200	21800	9	L*19/36S9	EL195UH060NE36B	203241512
EL16XP1-036-230	35200	12.2	15	33400	21800	9	L*19/36S9	EL195UH080NE48C	203241523
EL16XP1-036-230	35400	12.5	16	33200	21600	9	L*19/36S9	EL196UH045XE36B	203241531
EL16XP1-036-230	35400	12.5	16	33200	21600	9	L*19/36S9	EL196UH070XE36B	203241537
EL16XP1-036-230	35200	12.5	16	32200	20800	9	L*19/36S9	EL196UH090XE48C	203241543
EL16XP1-036-230	35200	12.5	16	33400	22600	9.5	L*19/36S9	EL280DF090E48B	203241549
EL16XP1-036-230	35600	12.5	16	33200	21800	9	L*19/36S9	EL280UH070E36A	203241559
EL16XP1-036-230	35600	12.5	16	33200	21800	9	L*19/36S9	EL280UH070XE36A	203366441
EL16XP1-036-230	35600	12.5	16	33400	21800	9.5	L*19/36S9	EL280UH090E36B	203241565
EL16XP1-036-230	35600	12.5	16	33200	21600	9.5	L*19/36S9	EL280UH090E48B	203241571
EL16XP1-036-230	35600	12.5	16	33200	21600	9.5	L*19/36S9	EL280UH090XE48B	203366460
EL16XP1-036-230	35000	12.5	16	32400	21000	9	L*19/36S9	EL280UH110E48C	203241577
EL16XP1-036-230	34800	12.5	15	32400	21200	9	L*19/36S9	EL280UH110E60C	203241583
EL16XP1-036-230	34800	12.5	15	32400	21200	9	L*19/36S9	EL280UH110XE60C	203366479
EL16XP1-036-230	34600	12.5	15	33400	22200	9	L*19/36S9	EL296DF045XE36B	203241589
EL16XP1-036-230	35000	12.5	15	33400	22400	9	L*19/36S9	EL296DF045XV36B	203241595
EL16XP1-036-230	35200	12.5	16	33400	22400	9.5	L*19/36S9	EL296DF070XE48B	203241601
EL16XP1-036-230	35000	12.5	15	33400	22600	9	L*19/36S9	EL296DF070XV48B	203241607
EL16XP1-036-230	35400	12.5	16	33400	22400	9.5	L*19/36S9	EL296DF090XE48C	203241613
EL16XP1-036-230	35000	12.5	16	33000	21600	9	L*19/36S9	EL296UH045XE36B	203241619
EL16XP1-036-230	35600	12.5	16	33400	21800	9	L*19/36S9	EL296UH045XV36B	203241625
EL16XP1-036-230	35200	12.5	16	33200	21800	9	L*19/36S9	EL296UH070XE36B	203241631
EL16XP1-036-230	35600	12.5	16	33400	21800	9	L*19/36S9	EL296UH070XV36B	203241637
EL16XP1-036-230	35200	12.5	16	32000	20800	9	L*19/36S9	EL296UH090XE48C	203241649
EL16XP1-036-230	35200	12.5	16	32000	20800	9	L*19/36S9	EL296UH090XV36C	203241661
EL16XP1-036-230	35200	12.5	16	32000	20800	9	L*19/36S9	EL296UH090XV48C	203241671
EL16XP1-036-230	34200	12.2	16	31400	20400	9	L*19/36S9	EL296UH110XV48C	203241679
EL16XP1-036-230	34800	13	16	33400	22000	9	L*19/36S9	ML180DF070E36B	203241685
EL16XP1-036-230	35800	13	16	33400	22400	9.5	L*19/36S9	ML180DF090E48B	203241691
EL16XP1-036-230	35600	13	16	33200	21600	9.5	L*19/36S9	ML180UH030V36A	206777252
EL16XP1-036-230	35600	12.5	16	33400	21800	9	L*19/36S9	ML180UH045E36A	203241697
EL16XP1-036-230	35600	13	16	33200	21600	9.5	L*19/36S9	ML180UH045V36A	206777256
EL16XP1-036-230	35600	12.5	16	33400	21800	9	L*19/36S9	ML180UH070E36B	203241703
EL16XP1-036-230	35400	13	16	33000	21600	9.5	L*19/36S9	ML180UH070V36B	206777269
EL16XP1-036-230	35600	13	16	33200	21600	9.5	L*19/36S9	ML180UH070V48B	206777278
EL16XP1-036-230	35600	12.5	16	33200	21600	9.5	L*19/36S9	ML180UH090E48B	203241709
EL16XP1-036-230	34600	12.5	15	33400	22400	9	L*19/36S9	ML193DF045XE36B	203241715
EL16XP1-036-230	34600	12.5	15	33400	22400	9	L*19/36S9	ML193DF070XE36B	203241721
EL16XP1-036-230	35400	12.5	16	33400	22400	9.5	L*19/36S9	ML193DF090XE48C	203241727
EL16XP1-036-230	35600	12.2	15	33400	22200	9	L*19/36S9	ML193UH030XE36B	203241734
EL16XP1-036-230	35600	12.2	15	33400	22000	9	L*19/36S9	ML193UH045XE36B	203241740
EL16XP1-036-230	35400	12.5	16	33200	21800	9	L*19/36S9	ML193UH070XE36B	203241746
EL16XP1-036-230	35000	12.5	15	32600	21200	9	L*19/36S9	ML193UH090XE36C	203241752
EL16XP1-036-230	35200	12.5	16	32200	20800	9	L*19/36S9	ML193UH090XE48C	203241758
EL16XP1-036-230	35200	12.5	16	32200	20800	9	L*19/36S9	ML193UH110XE48C	203241764
EL16XP1-036-230	35200	12.5	15	32000	21000	9	L*19/36S9	ML193UH110XE60C	203241770
EL16XP1-036-230	35600	12.5	16	33400	21800	9	L*19/36S9	ML296UH045XV36B	203241776

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-036-230	35600	12.5	16	33400	21800	9	L*19/36S9	ML296UH070XV36B	203241783
EL16XP1-036-230	35200	12.5	16	33400	20800	9	L*19/36S9	ML296UH090XV48C	203241790
EL16XP1-036-230	35200	12.5	16	33400	22400	9.5	L*19/36S9	SL280DF090V48B	203241796
EL16XP1-036-230	35600	12.5	16	33200	21600	9.5	L*19/36S9	SL280UH060NV36A	203241803
EL16XP1-036-230	35600	12.5	16	33400	21800	9	L*19/36S9	SL280UH070V36A	203241809
EL16XP1-036-230	35600	12.5	16	33400	21800	9	L*19/36S9	SL280UH070XV36A	203241815
EL16XP1-036-230	35600	12.5	16	33000	21400	9.5	L*19/36S9	SL280UH080NV48B	203241821
EL16XP1-036-230	35600	12.5	16	33000	21600	9.5	L*19/36S9	SL280UH090V36B	203241827
EL16XP1-036-230	35600	12.5	16	33200	21600	9.5	L*19/36S9	SL280UH090V48B	203241834
EL16XP1-036-230	35600	12.5	16	33400	21800	9	L*19/36S9	SL297UH040NV36B	203241840
EL16XP1-036-230	35600	12.5	16	33200	21800	9	L*19/36S9	SL297UH060NV36B	203241846
EL16XP1-036-230	35200	12.5	16	32000	20800	9	L*19/36S9	SL297UH080NV48C	203241853
EL16XP1-036-230	35200	12.5	15	33400	22400	9	L*19/36S9	SLP98DF070XV36B	203241859
EL16XP1-036-230	35200	12.5	16	33400	22600	9.5	L*19/36S9	SLP98DF090XV36C	203241865
EL16XP1-036-230	35400	12.5	16	33400	22400	9.5	L*19/36S9	SLP98DF090XV48C	203241871
EL16XP1-036-230	35600	12.5	16	33400	21800	9	L*19/36S9	SLP98UH070XV36B	203241877
EL16XP1-036-230	35200	12.5	16	32000	20800	9	L*19/36S9	SLP98UH090XV36C	203241883
EL16XP1-036-230	35200	12.5	16	32000	20800	9	L*19/36S9	SLP98UH090XV48C	203241889
EL16XP1-036-230	35200	12.5	15	34400	22400	9	L*19/36S9	SLP99DF070XV36B	205760322
EL16XP1-036-230	35200	12.5	16	34400	22600	9.5	L*19/36S9	SLP99DF090XV36C	205760332
EL16XP1-036-230	35400	12.5	16	34400	22400	9.5	L*19/36S9	SLP99DF090XV48C	205760342
EL16XP1-036-230	35600	12.5	16	33400	21800	9	L*19/36S9	SLP99UH070XV36B	205760353
EL16XP1-036-230	35200	12.5	16	32000	20800	9	L*19/36S9	SLP99UH090XV36C	205763622
EL16XP1-036-230	35200	12.5	16	32000	20800	9	L*19/36S9	SLP99UH090XV48C	205763626
EL16XP1-036-230	34400	11.7	14.5	33400	23200	9	L*19/36S9		203242185
EL16XP1-036-230	36000	13	16	32800	21200	9.5	L*23/37Z9	EL180UH080NE48B	206777152
EL16XP1-036-230	35800	13	16	32800	21200	9	L*23/37Z9	EL195UH040NE36B	206777158
EL16XP1-036-230	36000	13	16	32600	21200	9	L*23/37Z9	EL195UH060NE36B	206777164
EL16XP1-036-230	36000	13	16	32000	20600	9	L*23/37Z9	EL195UH080NE48C	206777167
EL16XP1-036-230	36000	13	16	32600	21200	9	L*23/37Z9	EL196UH045XE36B	206777173
EL16XP1-036-230	36000	13	16	32600	21200	9.5	L*23/37Z9	EL196UH070XE36B	206777179
EL16XP1-036-230	36000	13	16	32000	20600	9.5	L*23/37Z9	EL196UH090XE48C	206777184
EL16XP1-036-230	36000	13	16	33200	21800	9	L*23/37Z9	EL280UH070XE36A	203366454
EL16XP1-036-230	36000	13	16	33200	21400	9.5	L*23/37Z9	EL280UH090E36B	206777194
EL16XP1-036-230	36000	13	16	33000	21200	9.5	L*23/37Z9	EL280UH090E48B	206777200
EL16XP1-036-230	36000	13	16	33200	21600	9.5	L*23/37Z9	EL280UH090XE48B	203366473
EL16XP1-036-230	36000	13	16	31800	20400	9.5	L*23/37Z9	EL280UH110E48C	206777206
EL16XP1-036-230	36000	13	16	32000	20600	9	L*23/37Z9	EL280UH110E60C	206777211
EL16XP1-036-230	36000	13	16	33200	21600	9	L*23/37Z9	EL280UH110XE60C	203366492
EL16XP1-036-230	35400	13	16	33000	21600	9	L*23/37Z9	EL296UH045XE36B	206777218
EL16XP1-036-230	36000	13	16	32800	21400	9	L*23/37Z9	EL296UH045XV36B	206777224
EL16XP1-036-230	36000	13	16	32600	21200	9	L*23/37Z9	EL296UH070XE36B	206777230
EL16XP1-036-230	36000	13	16	32800	21400	9.5	L*23/37Z9	EL296UH070XV36B	206777236
EL16XP1-036-230	36000	13	16	32600	21200	9.5	L*23/37Z9	EL296UH090XE48C	206777241
EL16XP1-036-230	36000	13	16	32000	20600	9.5	L*23/37Z9	EL296UH090XV36C	206777246
EL16XP1-036-230	36000	13	16	32200	20600	9.5	L*23/37Z9	EL296UH090XV48C	206777251
EL16XP1-036-230	36000	13	16	32800	21200	9.5	L*23/37Z9	ML180UH070V36B	206777274
EL16XP1-036-230	36000	13	16	33000	21400	9.5	L*23/37Z9	ML180UH070V48B	206777283
EL16XP1-036-230	36000	13	16	33000	21200	9.5	L*23/37Z9	ML180UH090E48B	206777292
EL16XP1-036-230	36000	13	16	33000	21200	9.5	L*23/37Z9	ML180UH090V48B	206777299
EL16XP1-036-230	36000	13	17	32200	20800	9.5	L*23/37Z9	ML180UH110V60C	206777305
EL16XP1-036-230	36000	13	16	33400	21800	9.5	L*24/36Y9	EL180UH040NE36A	203241478
EL16XP1-036-230	36000	13	16	33400	21800	9	L*24/36Y9	EL180UH060NE36A	203241488
EL16XP1-036-230	36000	13	16	33000	21400	9.5	L*24/36Y9	EL180UH080NE48B	203241498

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-036-230	35800	13	16	33200	21800	9	L*24/36Y9	EL195UH040NE36B	203241508
EL16XP1-036-230	36000	13	16	32600	21200	9	L*24/36Y9	EL195UH060NE36B	203241519
EL16XP1-036-230	36000	13	16	32000	20600	9	L*24/36Y9	EL195UH080NE48C	203241529
EL16XP1-036-230	36000	13	16	32600	21200	9	L*24/36Y9	EL196UH045XE36B	203241535
EL16XP1-036-230	36000	13	16	32600	21200	9.5	L*24/36Y9	EL196UH070XE36B	203241541
EL16XP1-036-230	36000	13	16	32800	21200	9.5	L*24/36Y9	EL196UH090XE48C	203241547
EL16XP1-036-230	35600	13	16	33400	22600	9.5	L*24/36Y9	EL280DF090E48B	203241553
EL16XP1-036-230	36000	13	16	33400	22000	9	L*24/36Y9	EL280UH045E36A	203241557
EL16XP1-036-230	36000	13	16	33200	21800	9	L*24/36Y9	EL280UH070E36A	203241563
EL16XP1-036-230	36000	13	16	33200	21800	9	L*24/36Y9	EL280UH070XE36A	203366457
EL16XP1-036-230	36000	13	16	33400	21800	9.5	L*24/36Y9	EL280UH090E36B	203241569
EL16XP1-036-230	36000	13	16	33200	21200	9.5	L*24/36Y9	EL280UH090E48B	203241575
EL16XP1-036-230	36000	13	16	33200	21600	9.5	L*24/36Y9	EL280UH090XE48B	203366476
EL16XP1-036-230	36000	13	16	32600	21000	9.5	L*24/36Y9	EL280UH110E48C	203241581
EL16XP1-036-230	36000	13	16	33400	20600	9	L*24/36Y9	EL280UH110E60C	203241587
EL16XP1-036-230	36000	13	16	32200	20400	9	L*24/36Y9	EL280UH110XE60C	203366495
EL16XP1-036-230	35200	13	16	33400	22600	9.5	L*24/36Y9	EL296DF045XE36B	203241593
EL16XP1-036-230	35600	13	16	33400	22600	9.5	L*24/36Y9	EL296DF045XV36B	203241599
EL16XP1-036-230	35600	13	16	33400	22400	9.5	L*24/36Y9	EL296DF070XE48B	203241605
EL16XP1-036-230	35600	13	16	33400	22800	9.5	L*24/36Y9	EL296DF070XV48B	203241611
EL16XP1-036-230	35800	13	16	33400	22400	9.5	L*24/36Y9	EL296DF090XE48C	203241617
EL16XP1-036-230	35400	13	16	33000	21600	9	L*24/36Y9	EL296UH045XE36B	203241623
EL16XP1-036-230	36000	13	16	33400	21800	9	L*24/36Y9	EL296UH045XV36B	203241629
EL16XP1-036-230	36000	13	16	32600	21200	9	L*24/36Y9	EL296UH070XE36B	203241635
EL16XP1-036-230	36000	13	16	32800	21400	9.5	L*24/36Y9	EL296UH070XV36B	203241645
EL16XP1-036-230	36000	13	16	32600	21200	9.5	L*24/36Y9	EL296UH090XE48C	203241657
EL16XP1-036-230	36000	13	16	32600	21200	9.5	L*24/36Y9	EL296UH090XV36C	203241669
EL16XP1-036-230	36000	13	16	32200	20600	9.5	L*24/36Y9	EL296UH090XV48C	203241677
EL16XP1-036-230	36000	13	16	31800	20400	9.5	L*24/36Y9	EL296UH110XV48C	203241683
EL16XP1-036-230	35400	13	16	33400	22200	9.5	L*24/36Y9	ML180DF070E36B	203241689
EL16XP1-036-230	36000	13	16	33400	22400	9.5	L*24/36Y9	ML180DF090E48B	203241695
EL16XP1-036-230	36000	13	16	33400	21800	9	L*24/36Y9	ML180UH045E36A	203241701
EL16XP1-036-230	36000	13	16	32800	21400	9.5	L*24/36Y9	ML180UH070E36B	203241707
EL16XP1-036-230	36000	13	16	33200	21200	9.5	L*24/36Y9	ML180UH090E48B	203241713
EL16XP1-036-230	35400	13	16	33400	22600	9.5	L*24/36Y9	ML193DF045XE36B	203241719
EL16XP1-036-230	35400	13	16	33400	22600	9.5	L*24/36Y9	ML193DF070XE36B	203241725
EL16XP1-036-230	35800	13	16	33400	22400	9.5	L*24/36Y9	ML193DF090XE48C	203241732
EL16XP1-036-230	36000	13	16	33400	22200	9	L*24/36Y9	ML193UH030XE36B	203241738
EL16XP1-036-230	36000	13	16	33400	22000	9	L*24/36Y9	ML193UH045XE36B	203241744
EL16XP1-036-230	36000	13	16	32600	21200	9	L*24/36Y9	ML193UH070XE36B	203241750
EL16XP1-036-230	36000	13	16	32800	21200	9	L*24/36Y9	ML193UH090XE36C	203241756
EL16XP1-036-230	36000	13	16	32600	21200	9.5	L*24/36Y9	ML193UH090XE48C	203241762
EL16XP1-036-230	36000	13	16	32400	20800	9.5	L*24/36Y9	ML193UH110XE48C	203241768
EL16XP1-036-230	36000	13	16	33400	21000	9	L*24/36Y9	ML193UH110XE60C	203241774
EL16XP1-036-230	36000	13	16	33400	21800	9	L*24/36Y9	ML296UH045XV36B	203241781
EL16XP1-036-230	36000	13	16	33400	21400	9.5	L*24/36Y9	ML296UH070XV36B	203241788
EL16XP1-036-230	36000	13	16	32200	20600	9.5	L*24/36Y9	ML296UH090XV48C	203241794
EL16XP1-036-230	35600	13	16	33400	22400	9.5	L*24/36Y9	SL280DF090V48B	203241800
EL16XP1-036-230	36000	13	16	33200	21600	9.5	L*24/36Y9	SL280UH060NV36A	203241807
EL16XP1-036-230	36000	13	16	33400	21800	9	L*24/36Y9	SL280UH070V36A	203241813
EL16XP1-036-230	36000	13	16	33400	21800	9	L*24/36Y9	SL280UH070XV36A	203241819
EL16XP1-036-230	36000	13	16	33000	21000	9.5	L*24/36Y9	SL280UH080NV48B	203241825
EL16XP1-036-230	36000	13	16	33000	21600	9.5	L*24/36Y9	SL280UH090V36B	203241832
EL16XP1-036-230	36000	13	16	33200	21600	9.5	L*24/36Y9	SL280UH090V48B	203241838

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-036-230	36000	13	16	32800	21400	9.5	L*24/36Y9	SL297UH040NV36B	203241844
EL16XP1-036-230	36000	13	16	32800	21400	9.5	L*24/36Y9	SL297UH060NV36B	203241850
EL16XP1-036-230	36000	13	16	32000	20600	9.5	L*24/36Y9	SL297UH080NV48C	203241857
EL16XP1-036-230	35600	13	16	33400	22600	9.5	L*24/36Y9	SLP98DF070XV36B	203241863
EL16XP1-036-230	35600	13	16	33400	22600	9.5	L*24/36Y9	SLP98DF090XV36C	203241869
EL16XP1-036-230	35800	13	16	33400	22400	9.5	L*24/36Y9	SLP98DF090XV48C	203241875
EL16XP1-036-230	36000	13	16	32800	21400	9.5	L*24/36Y9	SLP98UH070XV36B	203241881
EL16XP1-036-230	36000	13	16	32600	21200	9.5	L*24/36Y9	SLP98UH090XV36C	203241887
EL16XP1-036-230	36000	13	16	32200	20600	9.5	L*24/36Y9	SLP98UH090XV48C	203241893
EL16XP1-036-230	35600	13	16	34400	22600	9.5	L*24/36Y9	SLP99DF070XV36B	205760330
EL16XP1-036-230	35600	13	16	34400	22600	9.5	L*24/36Y9	SLP99DF090XV36C	205760340
EL16XP1-036-230	35800	13	16	34400	22400	9.5	L*24/36Y9	SLP99DF090XV48C	205760349
EL16XP1-036-230	36000	13	16	32800	21400	9.5	L*24/36Y9	SLP99UH070XV36B	205761560
EL16XP1-036-230	36000	13	16	32600	21200	9.5	L*24/36Y9	SLP99UH090XV36C	205761572
EL16XP1-036-230	36000	13	16	32200	20600	9.5	L*24/36Y9	SLP99UH090XV48C	205763357
EL16XP1-036-230	34800	12.5	15	33400	23200	9	L*24/36Y9		203242189
EL16XP1-036-230	36000	13	16	33200	21800	9	L*24/36Z9	EL280UH070XE36A	203366456
EL16XP1-036-230	36000	13	16	33200	21600	9.5	L*24/36Z9	EL280UH090XE48B	203366475
EL16XP1-036-230	36000	13	16	32200	20400	9	L*24/36Z9	EL280UH110XE60C	203366494
EL16XP1-036-230	35600	12.5	16	33200	21800	9	L*24/42S9	EL280UH070XE36A	203366442
EL16XP1-036-230	35600	12.5	16	33200	21600	9.5	L*24/42S9	EL280UH090XE48B	203366461
EL16XP1-036-230	34800	12.5	15	32400	21200	9	L*24/42S9	EL280UH110XE60C	203366480
EL16XP1-036-230	36000	13	16	33200	21800	9	L*25/37Z9	EL280UH070XE36A	203366455
EL16XP1-036-230	36000	13	16	33200	21600	9.5	L*25/37Z9	EL280UH090XE48B	203366474
EL16XP1-036-230	36000	13	16	33200	20400	9	L*25/37Z9	EL280UH110XE60C	203366493
EL16XP1-036-230	36000	13	16	33200	21800	9	L*29/36S9	EL280UH070XE36A	203366450
EL16XP1-036-230	36000	13	16	33200	21600	9.5	L*29/36S9	EL280UH090XE48B	203366469
EL16XP1-036-230	36000	13	16	32200	20400	9	L*29/36S9	EL280UH110XE60C	203366488
EL16XP1-036-230	36000	13	16	33200	21800	9	L*29/36U9	EL280UH070XE36A	203366448
EL16XP1-036-230	36000	13	16	33200	21600	9.5	L*29/36U9	EL280UH090XE48B	203366467
EL16XP1-036-230	36000	13	16	32200	20400	9	L*29/36U9	EL280UH110XE60C	203366486
EL16XP1-036-230	36000	13	16	33400	21800	9.5	L*30/36S9	EL180UH040NE36A	203241474
EL16XP1-036-230	36000	13	16	33400	21800	9	L*30/36S9	EL180UH060NE36A	203241485
EL16XP1-036-230	36000	13	16	33000	21400	9.5	L*30/36S9	EL180UH080NE48B	203241494
EL16XP1-036-230	35800	13	16	33200	21800	9	L*30/36S9	EL195UH040NE36B	203241505
EL16XP1-036-230	36000	13	16	32600	21200	9	L*30/36S9	EL195UH060NE36B	203241516
EL16XP1-036-230	36000	12.5	15	33400	21800	9	L*30/36S9	EL195UH080NE48C	203241526
EL16XP1-036-230	36000	13	16	32600	21200	9	L*30/36S9	EL196UH045XE36B	203241533
EL16XP1-036-230	36000	13	16	32600	21200	9.5	L*30/36S9	EL196UH070XE36B	203241539
EL16XP1-036-230	36000	13	16	32200	20800	9.5	L*30/36S9	EL196UH090XE48C	203241545
EL16XP1-036-230	35600	13	16	33400	22600	9.5	L*30/36S9	EL280DF090E48B	203241551
EL16XP1-036-230	36000	13	16	33400	22000	9	L*30/36S9	EL280UH045E36A	203241555
EL16XP1-036-230	36000	13	16	33200	21800	9	L*30/36S9	EL280UH070E36A	203241561
EL16XP1-036-230	36000	13	16	33200	21800	9	L*30/36S9	EL280UH070XE36A	203366447
EL16XP1-036-230	36000	13	16	33400	21800	9.5	L*30/36S9	EL280UH090E36B	203241567
EL16XP1-036-230	36000	13	16	33200	21600	9.5	L*30/36S9	EL280UH090E48B	203241573
EL16XP1-036-230	36000	13	16	33200	21600	9.5	L*30/36S9	EL280UH090XE48B	203366466
EL16XP1-036-230	35800	13	16	33400	21000	9.5	L*30/36S9	EL280UH110E48C	203241579
EL16XP1-036-230	35800	13	16	33400	20400	9	L*30/36S9	EL280UH110E60C	203241585
EL16XP1-036-230	35800	13	16	33400	20400	9	L*30/36S9	EL280UH110XE60C	203366485
EL16XP1-036-230	35200	12.5	15	33400	22600	9.5	L*30/36S9	EL296DF045XE36B	203241591
EL16XP1-036-230	35600	12.5	15	33400	22600	9.5	L*30/36S9	EL296DF045XV36B	203241597
EL16XP1-036-230	35600	13	16	33400	22400	9.5	L*30/36S9	EL296DF070XE48B	203241603
EL16XP1-036-230	35600	12.5	15	33400	22800	9.5	L*30/36S9	EL296DF070XV48B	203241609

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-036-230	35800	13	16	33400	22400	9.5	L*30/36S9	EL296DF090XE48C	203241615
EL16XP1-036-230	35400	13	16	33400	21600	9	L*30/36S9	EL296UH045XE36B	203241621
EL16XP1-036-230	36000	13	16	33400	21800	9	L*30/36S9	EL296UH045XV36B	203241627
EL16XP1-036-230	36000	13	16	32600	21200	9	L*30/36S9	EL296UH070XE36B	203241633
EL16XP1-036-230	36000	13	16	32800	21400	9.5	L*30/36S9	EL296UH070XV36B	203241641
EL16XP1-036-230	35800	13	16	33400	21200	9.5	L*30/36S9	EL296UH090XE48C	203241653
EL16XP1-036-230	35800	13	16	33400	21200	9.5	L*30/36S9	EL296UH090XV36C	203241665
EL16XP1-036-230	36000	13	16	33400	21800	9	L*30/36S9	EL296UH090XV48C	203241675
EL16XP1-036-230	36000	13	16	33200	21600	9	L*30/36S9	EL296UH110XV48C	203241681
EL16XP1-036-230	35400	13	16	33400	22200	9.5	L*30/36S9	ML180DF070E36B	203241687
EL16XP1-036-230	36000	13	16	33400	22400	9.5	L*30/36S9	ML180DF090E48B	203241693
EL16XP1-036-230	36000	13	16	33400	21800	9	L*30/36S9	ML180UH045E36A	203241699
EL16XP1-036-230	36000	13	16	32800	21400	9.5	L*30/36S9	ML180UH070E36B	203241705
EL16XP1-036-230	36000	13	16	33200	21600	9.5	L*30/36S9	ML180UH090E48B	203241711
EL16XP1-036-230	35400	12.5	15	33400	22600	9.5	L*30/36S9	ML193DF045XE36B	203241717
EL16XP1-036-230	35400	12.5	15	33400	22600	9.5	L*30/36S9	ML193DF070XE36B	203241723
EL16XP1-036-230	35800	13	16	33400	22400	9.5	L*30/36S9	ML193DF090XE48C	203241729
EL16XP1-036-230	36000	12.5	15	33400	22200	9	L*30/36S9	ML193UH030XE36B	203241736
EL16XP1-036-230	36000	12.5	15	33400	22000	9	L*30/36S9	ML193UH045XE36B	203241742
EL16XP1-036-230	36000	13	16	32600	21200	9	L*30/36S9	ML193UH070XE36B	203241748
EL16XP1-036-230	35800	13	16	32800	20400	9	L*30/36S9	ML193UH090XE36C	203241754
EL16XP1-036-230	35800	13	16	33400	21200	9.5	L*30/36S9	ML193UH090XE48C	203241760
EL16XP1-036-230	36000	13	16	32200	20800	9.5	L*30/36S9	ML193UH110XE48C	203241766
EL16XP1-036-230	36000	13	16	32000	21000	9	L*30/36S9	ML193UH110XE60C	203241772
EL16XP1-036-230	36000	13	16	33400	21800	9	L*30/36S9	ML296UH045XV36B	203241779
EL16XP1-036-230	36000	13	16	33400	21400	9.5	L*30/36S9	ML296UH070XV36B	203241785
EL16XP1-036-230	36000	13	16	33400	21800	9	L*30/36S9	ML296UH090XV48C	203241792
EL16XP1-036-230	35600	13	16	33400	22400	9.5	L*30/36S9	SL280DF090V48B	203241798
EL16XP1-036-230	36000	13	16	33200	21600	9.5	L*30/36S9	SL280UH060NV36A	203241805
EL16XP1-036-230	36000	13	16	33400	21800	9	L*30/36S9	SL280UH070V36A	203241811
EL16XP1-036-230	36000	13	16	33400	21800	9	L*30/36S9	SL280UH070XV36A	203241817
EL16XP1-036-230	36000	13	16	33000	21000	9.5	L*30/36S9	SL280UH080NV48B	203241823
EL16XP1-036-230	36000	13	16	33000	21200	9.5	L*30/36S9	SL280UH090V36B	203241830
EL16XP1-036-230	36000	13	16	33200	21200	9.5	L*30/36S9	SL280UH090V48B	203241836
EL16XP1-036-230	36000	13	16	32800	21400	9.5	L*30/36S9	SL297UH040NV36B	203241842
EL16XP1-036-230	36000	13	16	32800	21400	9.5	L*30/36S9	SL297UH060NV36B	203241848
EL16XP1-036-230	36000	13	16	33200	21600	9	L*30/36S9	SL297UH080NV48C	203241855
EL16XP1-036-230	35200	13	16	33400	22400	9	L*30/36S9	SLP98DF070XV36B	203241861
EL16XP1-036-230	35600	13	16	33400	22600	9.5	L*30/36S9	SLP98DF090XV36C	203241867
EL16XP1-036-230	35800	13	16	33400	22400	9.5	L*30/36S9	SLP98DF090XV48C	203241873
EL16XP1-036-230	36000	13	16	32800	21400	9.5	L*30/36S9	SLP98UH070XV36B	203241879
EL16XP1-036-230	35800	13	16	32600	21200	9.5	L*30/36S9	SLP98UH090XV36C	203241885
EL16XP1-036-230	36000	13	16	32000	20800	9	L*30/36S9	SLP98UH090XV48C	203241891
EL16XP1-036-230	35200	13	16	34400	22400	9	L*30/36S9	SLP99DF070XV36B	205760326
EL16XP1-036-230	35600	13	16	34400	22600	9.5	L*30/36S9	SLP99DF090XV36C	205760336
EL16XP1-036-230	35800	13	16	34400	22400	9.5	L*30/36S9	SLP99DF090XV48C	205760345
EL16XP1-036-230	36000	13	16	32800	21400	9.5	L*30/36S9	SLP99UH070XV36B	205761555
EL16XP1-036-230	35800	13	16	32600	21200	9.5	L*30/36S9	SLP99UH090XV36C	205761566
EL16XP1-036-230	36000	13	16	32000	20800	9	L*30/36S9	SLP99UH090XV48C	205763630
EL16XP1-036-230	35800	12.2	14.5	33200	21800	9	L*30/36S9		203242187
EL16XP1-036-230	36000	13	16	33400	21800	9.5	L*30/36U9	EL180UH040NE36A	203241472
EL16XP1-036-230	36000	13	16	33400	21800	9	L*30/36U9	EL180UH060NE36A	203241483
EL16XP1-036-230	36000	13	16	33000	21400	9.5	L*30/36U9	EL180UH080NE48B	203241493
EL16XP1-036-230	35800	13	16	33200	21800	9	L*30/36U9	EL195UH040NE36B	203241503

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-036-230	36000	13	16	32600	21200	9	L*30/36U9	EL195UH060NE36B	203241514
EL16XP1-036-230	36000	12.5	15	33400	21800	9	L*30/36U9	EL195UH080NE48C	203241524
EL16XP1-036-230	36000	13	16	32600	21200	9	L*30/36U9	EL196UH045XE36B	203241532
EL16XP1-036-230	36000	13	16	32600	21200	9.5	L*30/36U9	EL196UH070XE36B	203241538
EL16XP1-036-230	36000	13	16	32200	20800	9.5	L*30/36U9	EL196UH090XE48C	203241544
EL16XP1-036-230	35600	13	16	33400	22600	9.5	L*30/36U9	EL280DF090E48B	203241550
EL16XP1-036-230	36000	13	16	33400	22000	9	L*30/36U9	EL280UH045E36A	203241554
EL16XP1-036-230	36000	13	16	33200	21800	9	L*30/36U9	EL280UH070E36A	203241560
EL16XP1-036-230	36000	13	16	33200	21800	9	L*30/36U9	EL280UH070XE36A	203366446
EL16XP1-036-230	36000	13	16	33400	21800	9.5	L*30/36U9	EL280UH090E36B	203241566
EL16XP1-036-230	36000	13	16	33200	21600	9.5	L*30/36U9	EL280UH090E48B	203241572
EL16XP1-036-230	36000	13	16	33200	21600	9.5	L*30/36U9	EL280UH090XE48B	203366465
EL16XP1-036-230	35800	13	16	32600	21000	9.5	L*30/36U9	EL280UH110E48C	203241578
EL16XP1-036-230	35800	13	16	32200	20400	9	L*30/36U9	EL280UH110E60C	203241584
EL16XP1-036-230	35800	13	16	32200	20400	9	L*30/36U9	EL280UH110XE60C	203366484
EL16XP1-036-230	35200	12.5	15	33400	22600	9.5	L*30/36U9	EL296DF045XE36B	203241590
EL16XP1-036-230	35600	12.5	15	33400	22600	9.5	L*30/36U9	EL296DF045XV36B	203241596
EL16XP1-036-230	35600	13	16	33400	22400	9.5	L*30/36U9	EL296DF070XE48B	203241602
EL16XP1-036-230	35600	12.5	15	33400	22800	9.5	L*30/36U9	EL296DF070XV48B	203241608
EL16XP1-036-230	35800	13	16	33400	22400	9.5	L*30/36U9	EL296DF090XE48C	203241614
EL16XP1-036-230	35400	13	16	33000	21600	9	L*30/36U9	EL296UH045XE36B	203241620
EL16XP1-036-230	36000	13	16	33400	21800	9	L*30/36U9	EL296UH045XV36B	203241626
EL16XP1-036-230	36000	13	16	32600	21200	9	L*30/36U9	EL296UH070XE36B	203241632
EL16XP1-036-230	36000	13	16	32800	21400	9.5	L*30/36U9	EL296UH070XV36B	203241639
EL16XP1-036-230	35800	13	16	32600	21200	9.5	L*30/36U9	EL296UH090XE48C	203241651
EL16XP1-036-230	35800	13	16	32600	21200	9.5	L*30/36U9	EL296UH090XV36C	203241663
EL16XP1-036-230	36000	13	16	33400	21800	9	L*30/36U9	EL296UH090XV48C	203241673
EL16XP1-036-230	36000	13	16	33200	21600	9	L*30/36U9	EL296UH110XV48C	203241680
EL16XP1-036-230	35400	13	16	33400	22200	9.5	L*30/36U9	ML180DF070E36B	203241686
EL16XP1-036-230	36000	13	16	33400	22400	9.5	L*30/36U9	ML180DF090E48B	203241692
EL16XP1-036-230	36000	13	16	33400	21800	9	L*30/36U9	ML180UH045E36A	203241698
EL16XP1-036-230	36000	13	16	32800	21400	9.5	L*30/36U9	ML180UH070E36B	203241704
EL16XP1-036-230	36000	13	16	33200	21600	9.5	L*30/36U9	ML180UH090E48B	203241710
EL16XP1-036-230	35400	12.5	15	33400	22600	9.5	L*30/36U9	ML193DF045XE36B	203241716
EL16XP1-036-230	35400	12.5	15	33400	22600	9.5	L*30/36U9	ML193DF070XE36B	203241722
EL16XP1-036-230	35800	13	16	33400	22400	9.5	L*30/36U9	ML193DF090XE48C	203241728
EL16XP1-036-230	36000	12.5	15	33400	22200	9	L*30/36U9	ML193UH030XE36B	203241735
EL16XP1-036-230	36000	12.5	15	33400	22000	9	L*30/36U9	ML193UH045XE36B	203241741
EL16XP1-036-230	36000	13	16	32600	21200	9	L*30/36U9	ML193UH070XE36B	203241747
EL16XP1-036-230	35800	13	16	32800	20400	9	L*30/36U9	ML193UH090XE36C	203241753
EL16XP1-036-230	35800	13	16	32600	21200	9.5	L*30/36U9	ML193UH090XE48C	203241759
EL16XP1-036-230	36000	13	16	32200	20800	9.5	L*30/36U9	ML193UH110XE48C	203241765
EL16XP1-036-230	36000	13	16	32000	21000	9	L*30/36U9	ML193UH110XE60C	203241771
EL16XP1-036-230	36000	13	16	33400	21800	9	L*30/36U9	ML296UH045XV36B	203241778
EL16XP1-036-230	36000	13	16	33400	21400	9.5	L*30/36U9	ML296UH070XV36B	203241784
EL16XP1-036-230	36000	13	16	33400	21800	9	L*30/36U9	ML296UH090XV48C	203241791
EL16XP1-036-230	35600	13	16	33400	22400	9.5	L*30/36U9	SL280DF090V48B	203241797
EL16XP1-036-230	36000	13	16	33200	21600	9.5	L*30/36U9	SL280UH060NV36A	203241804
EL16XP1-036-230	36000	13	16	33400	21800	9	L*30/36U9	SL280UH070V36A	203241810
EL16XP1-036-230	36000	13	16	33400	21800	9	L*30/36U9	SL280UH070XV36A	203241816
EL16XP1-036-230	36000	13	16	33000	21400	9.5	L*30/36U9	SL280UH080NV48B	203241822
EL16XP1-036-230	36000	13	16	33000	21600	9.5	L*30/36U9	SL280UH090V36B	203241829
EL16XP1-036-230	36000	13	16	33200	21600	9.5	L*30/36U9	SL280UH090V48B	203241835
EL16XP1-036-230	36000	13	16	32800	21400	9.5	L*30/36U9	SL297UH040NV36B	203241841

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-036-230	36000	13	16	32800	21400	9.5	L*30/36U9	SL297UH060NV36B	203241847
EL16XP1-036-230	36000	13	16	33200	21600	9	L*30/36U9	SL297UH080NV48C	203241854
EL16XP1-036-230	35200	13	16	33400	22400	9	L*30/36U9	SLP98DF070XV36B	203241860
EL16XP1-036-230	35600	13	16	33400	22600	9.5	L*30/36U9	SLP98DF090XV36C	203241866
EL16XP1-036-230	35800	13	16	33400	22400	9.5	L*30/36U9	SLP98DF090XV48C	203241872
EL16XP1-036-230	36000	13	16	32800	21400	9.5	L*30/36U9	SLP98UH070XV36B	203241878
EL16XP1-036-230	35800	13	16	32600	21200	9.5	L*30/36U9	SLP98UH090XV36C	203241884
EL16XP1-036-230	36000	13	16	32000	20800	9	L*30/36U9	SLP98UH090XV48C	203241890
EL16XP1-036-230	35200	13	16	34400	22400	9	L*30/36U9	SLP99DF070XV36B	205760324
EL16XP1-036-230	35600	13	16	34400	22600	9.5	L*30/36U9	SLP99DF090XV36C	205760334
EL16XP1-036-230	35800	13	16	34400	22400	9.5	L*30/36U9	SLP99DF090XV48C	205760344
EL16XP1-036-230	36000	13	16	32800	21400	9.5	L*30/36U9	SLP99UH070XV36B	205761554
EL16XP1-036-230	35800	13	16	32600	21200	9.5	L*30/36U9	SLP99UH090XV36C	205761563
EL16XP1-036-230	36000	13	16	32000	20800	9	L*30/36U9	SLP99UH090XV48C	205763628
EL16XP1-036-230	35800	12.2	14.5	33200	21800	9	L*30/36U9		203242186
EL16XP1-036-230	36000	13	16	33400	21800	9.5	L*35/36S9	EL180UH040NE36A	203241476
EL16XP1-036-230	36000	13	16	33400	21800	9	L*35/36S9	EL180UH060NE36A	203241487
EL16XP1-036-230	36000	13	16	33000	21000	9.5	L*35/36S9	EL180UH080NE48B	203241496
EL16XP1-036-230	35800	13	16	33200	21800	9	L*35/36S9	EL195UH040NE36B	203241507
EL16XP1-036-230	36000	13	16	32600	21200	9	L*35/36S9	EL195UH060NE36B	203241518
EL16XP1-036-230	36000	12.5	15	33400	21800	9	L*35/36S9	EL195UH080NE48C	203241528
EL16XP1-036-230	36000	13	16	32600	21200	9	L*35/36S9	EL196UH045XE36B	203241534
EL16XP1-036-230	36000	13	16	32600	21200	9.5	L*35/36S9	EL196UH070XE36B	203241540
EL16XP1-036-230	36000	13	16	32800	21200	9.5	L*35/36S9	EL196UH090XE48C	203241546
EL16XP1-036-230	35600	13	16	33400	22600	9.5	L*35/36S9	EL280DF090E48B	203241552
EL16XP1-036-230	36000	13	16	33400	22000	9	L*35/36S9	EL280UH045E36A	203241556
EL16XP1-036-230	36000	13	16	33200	21800	9	L*35/36S9	EL280UH070E36A	203241562
EL16XP1-036-230	36000	13	16	33200	21800	9	L*35/36S9	EL280UH070XE36A	203366451
EL16XP1-036-230	36000	13	16	33400	21400	9.5	L*35/36S9	EL280UH090E36B	203241568
EL16XP1-036-230	36000	13	16	33200	21200	9.5	L*35/36S9	EL280UH090E48B	203241574
EL16XP1-036-230	36000	13	16	33200	21600	9.5	L*35/36S9	EL280UH090XE48B	203366470
EL16XP1-036-230	36000	13	16	32600	21000	9.5	L*35/36S9	EL280UH110E48C	203241580
EL16XP1-036-230	36000	13	16	32200	20400	9	L*35/36S9	EL280UH110E60C	203241586
EL16XP1-036-230	36000	13	16	32200	20400	9	L*35/36S9	EL280UH110XE60C	203366489
EL16XP1-036-230	35200	12.5	15	33400	22600	9.5	L*35/36S9	EL296DF045XE36B	203241592
EL16XP1-036-230	35600	12.5	15	33400	22600	9.5	L*35/36S9	EL296DF045XV36B	203241598
EL16XP1-036-230	35600	13	16	33400	22400	9.5	L*35/36S9	EL296DF070XE48B	203241604
EL16XP1-036-230	35600	12.5	15	33400	22800	9.5	L*35/36S9	EL296DF070XV48B	203241610
EL16XP1-036-230	35800	13	16	33400	22400	9.5	L*35/36S9	EL296DF090XE48C	203241616
EL16XP1-036-230	35400	13	16	33000	21600	9	L*35/36S9	EL296UH045XE36B	203241622
EL16XP1-036-230	36000	13	16	33400	21800	9	L*35/36S9	EL296UH045XV36B	203241628
EL16XP1-036-230	36000	13	16	32600	21200	9	L*35/36S9	EL296UH070XE36B	203241634
EL16XP1-036-230	36000	13	16	32800	21400	9.5	L*35/36S9	EL296UH070XV36B	203241643
EL16XP1-036-230	36000	13	16	32600	21200	9.5	L*35/36S9	EL296UH090XE48C	203241655
EL16XP1-036-230	36000	13	16	32600	21200	9.5	L*35/36S9	EL296UH090XV36C	203241667
EL16XP1-036-230	36000	13	16	33400	21800	9	L*35/36S9	EL296UH090XV48C	203241676
EL16XP1-036-230	36000	13	16	33200	21600	9	L*35/36S9	EL296UH110XV48C	203241682
EL16XP1-036-230	35400	13	16	33400	22200	9.5	L*35/36S9	ML180DF070E36B	203241688
EL16XP1-036-230	36000	13	16	33400	22400	9.5	L*35/36S9	ML180DF090E48B	203241694
EL16XP1-036-230	36000	13	16	33200	21600	9.5	L*35/36S9	ML180UH030V36A	206777254
EL16XP1-036-230	36000	13	16	33400	21800	9	L*35/36S9	ML180UH045E36A	203241700
EL16XP1-036-230	36000	13	16	33200	21600	9.5	L*35/36S9	ML180UH045V36A	206777258
EL16XP1-036-230	36000	13	16	33600	22000	9.5	L*35/36S9	ML180UH070E36A	206777261
EL16XP1-036-230	36000	13	16	32800	21400	9.5	L*35/36S9	ML180UH070E36B	203241706

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-036-230	36000	13	16	33200	21800	9	L*35/36S9	ML180UH070V36A	206777264
EL16XP1-036-230	36000	13	16	32400	21200	9.5	L*35/36S9	ML180UH070V36B	206777273
EL16XP1-036-230	36000	13	16	33200	21600	9.5	L*35/36S9	ML180UH070V48B	206777282
EL16XP1-036-230	36000	13	16	33600	22000	9.5	L*35/36S9	ML180UH070XE36A	206777285
EL16XP1-036-230	36000	13	16	33200	21600	9.5	L*35/36S9	ML180UH090E48B	203241712
EL16XP1-036-230	36000	13	16	33000	21600	9.5	L*35/36S9	ML180UH090V48B	206777298
EL16XP1-036-230	36000	13	17	32200	20800	9.5	L*35/36S9	ML180UH110V60C	206777303
EL16XP1-036-230	35400	12.5	15	33400	22600	9.5	L*35/36S9	ML193DF045XE36B	203241718
EL16XP1-036-230	35400	12.5	15	33400	22600	9.5	L*35/36S9	ML193DF070XE36B	203241724
EL16XP1-036-230	35800	13	16	33400	22400	9.5	L*35/36S9	ML193DF090XE48C	203241730
EL16XP1-036-230	36000	12.5	15	33400	22200	9	L*35/36S9	ML193UH030XE36B	203241737
EL16XP1-036-230	36000	12.5	15	33400	22000	9	L*35/36S9	ML193UH045XE36B	203241743
EL16XP1-036-230	36000	13	16	32600	21200	9	L*35/36S9	ML193UH070XE36B	203241749
EL16XP1-036-230	36000	13	16	32800	21200	9	L*35/36S9	ML193UH090XE36C	203241755
EL16XP1-036-230	36000	13	16	32600	21200	9.5	L*35/36S9	ML193UH090XE48C	203241761
EL16XP1-036-230	36000	13	16	32400	21000	9.5	L*35/36S9	ML193UH110XE48C	203241767
EL16XP1-036-230	36000	13	16	33400	21000	9	L*35/36S9	ML193UH110XE60C	203241773
EL16XP1-036-230	36000	13	16	33400	21800	9	L*35/36S9	ML296UH045XV36B	203241780
EL16XP1-036-230	36000	13	16	33400	21400	9.5	L*35/36S9	ML296UH070XV36B	203241787
EL16XP1-036-230	36000	13	16	33400	21800	9	L*35/36S9	ML296UH090XV48C	203241793
EL16XP1-036-230	35600	13	16	33400	22400	9.5	L*35/36S9	SL280DF090V48B	203241799
EL16XP1-036-230	36000	13	16	33200	21600	9.5	L*35/36S9	SL280UH060NV36A	203241806
EL16XP1-036-230	36000	13	16	33400	21800	9	L*35/36S9	SL280UH070V36A	203241812
EL16XP1-036-230	36000	13	16	33400	21800	9	L*35/36S9	SL280UH070XV36A	203241818
EL16XP1-036-230	36000	13	16	33000	21400	9.5	L*35/36S9	SL280UH080NV48B	203241824
EL16XP1-036-230	36000	13	16	33000	21200	9.5	L*35/36S9	SL280UH090V36B	203241831
EL16XP1-036-230	36000	13	16	33200	21200	9.5	L*35/36S9	SL280UH090V48B	203241837
EL16XP1-036-230	36000	13	16	32800	21400	9.5	L*35/36S9	SL297UH040NV36B	203241843
EL16XP1-036-230	36000	13	16	32800	21400	9.5	L*35/36S9	SL297UH060NV36B	203241849
EL16XP1-036-230	36000	13	16	33200	21600	9	L*35/36S9	SL297UH080NV48C	203241856
EL16XP1-036-230	35200	13	16	33400	22400	9	L*35/36S9	SLP98DF070XV36B	203241862
EL16XP1-036-230	35600	13	16	33400	22600	9.5	L*35/36S9	SLP98DF090XV36C	203241868
EL16XP1-036-230	35800	13	16	33400	22400	9.5	L*35/36S9	SLP98DF090XV48C	203241874
EL16XP1-036-230	36000	13	16	32800	21400	9.5	L*35/36S9	SLP98UH070XV36B	203241880
EL16XP1-036-230	36000	13	16	32600	21200	9.5	L*35/36S9	SLP98UH090XV36C	203241886
EL16XP1-036-230	36000	13	16	33400	20800	9	L*35/36S9	SLP98UH090XV48C	203241892
EL16XP1-036-230	35200	13	16	34400	22400	9	L*35/36S9	SLP99DF070XV36B	205760328
EL16XP1-036-230	35600	13	16	34400	22600	9.5	L*35/36S9	SLP99DF090XV36C	205760339
EL16XP1-036-230	35800	13	16	34400	22400	9.5	L*35/36S9	SLP99DF090XV48C	205760347
EL16XP1-036-230	36000	13	16	32800	21400	9.5	L*35/36S9	SLP99UH070XV36B	205761558
EL16XP1-036-230	36000	13	16	32600	21200	9.5	L*35/36S9	SLP99UH090XV36C	205761569
EL16XP1-036-230	36000	13	16	32400	20400	9	L*35/36S9	SLP99UH090XV48C	205763354
EL16XP1-036-230	35800	12.2	14.5	33200	21800	9	L*35/36S9		203242188
EL16XP1-036-230	36000	13	16	33400	21800	9.5	L*35/36U9	EL180UH040NE36A	206777143
EL16XP1-036-230	36000	13	16	33400	21800	9	L*35/36U9	EL180UH060NE36A	206777145
EL16XP1-036-230	36000	13	16	33000	21400	9.5	L*35/36U9	EL180UH080NE48B	206777151
EL16XP1-036-230	35800	13	16	33200	21800	9	L*35/36U9	EL195UH040NE36B	206777157
EL16XP1-036-230	36000	13	16	32600	21200	9	L*35/36U9	EL195UH060NE36B	206777163
EL16XP1-036-230	36000	13	16	32600	21200	9	L*35/36U9	EL196UH045XE36B	206777172
EL16XP1-036-230	36000	13	16	32600	21200	9.5	L*35/36U9	EL196UH070XE36B	206777178
EL16XP1-036-230	36000	13	16	32800	21200	9.5	L*35/36U9	EL196UH090XE48C	206777182
EL16XP1-036-230	36000	13	16	33800	22000	9	L*35/36U9	EL280UH045E36A	206777185
EL16XP1-036-230	36000	13	16	33200	21800	9	L*35/36U9	EL280UH070E36A	206777187
EL16XP1-036-230	36000	13	16	33200	21800	9	L*35/36U9	EL280UH070XE36A	203366449

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-036-230	36000	13	16	33400	21800	9.5	L*35/36U9	EL280UH090E36B	206777193
EL16XP1-036-230	36000	13	16	33200	21600	9.5	L*35/36U9	EL280UH090E48B	206777199
EL16XP1-036-230	36000	13	16	33200	21600	9.5	L*35/36U9	EL280UH090XE48B	203366468
EL16XP1-036-230	36000	13	16	32600	21000	9.5	L*35/36U9	EL280UH110E48C	206777204
EL16XP1-036-230	36000	13	16	32200	20400	9	L*35/36U9	EL280UH110E60C	206777209
EL16XP1-036-230	36000	13	16	32200	20400	9	L*35/36U9	EL280UH110XE60C	203366487
EL16XP1-036-230	35400	13	16	33000	21600	9	L*35/36U9	EL296UH045XE36B	206777217
EL16XP1-036-230	36000	13	16	33400	21800	9	L*35/36U9	EL296UH045XV36B	206777223
EL16XP1-036-230	36000	13	16	32600	21200	9	L*35/36U9	EL296UH070XE36B	206777229
EL16XP1-036-230	36000	13	16	32800	21400	9.5	L*35/36U9	EL296UH070XV36B	206777235
EL16XP1-036-230	36000	13	16	32600	21200	9.5	L*35/36U9	EL296UH090XE48C	206777239
EL16XP1-036-230	36000	13	16	32600	21200	9.5	L*35/36U9	EL296UH090XV36C	206777244
EL16XP1-036-230	36000	13	16	32000	20800	9	L*35/36U9	EL296UH090XV48C	206777249
EL16XP1-036-230	36000	13	16	33200	21600	9.5	L*35/36U9	ML180UH030V36A	206777253
EL16XP1-036-230	36000	13	16	33200	21600	9.5	L*35/36U9	ML180UH045V36A	206777257
EL16XP1-036-230	36000	13	16	33600	22000	9.5	L*35/36U9	ML180UH070E36A	206777260
EL16XP1-036-230	36000	13	16	33200	21800	9	L*35/36U9	ML180UH070V36A	206777263
EL16XP1-036-230	36000	13	16	32400	21200	9.5	L*35/36U9	ML180UH070V36B	206777272
EL16XP1-036-230	36000	13	16	32600	21200	9.5	L*35/36U9	ML180UH070V48B	206777281
EL16XP1-036-230	36000	13	16	33600	22000	9.5	L*35/36U9	ML180UH070XE36A	206777284
EL16XP1-036-230	36000	13	16	32600	21200	9.5	L*35/36U9	ML180UH090E48B	206777291
EL16XP1-036-230	36000	13	16	32400	21200	9.5	L*35/36U9	ML180UH090V48B	206777297
EL16XP1-036-230	36000	13	17	32200	20800	9.5	L*35/36U9	ML180UH110V60C	206777302
EL16XP1-036-230	35800	12.2	14.5	33200	21800	9	LD31/36Z9		204756173
EL16XP1-036-230	36000	13	16	33400	21800	9.5	LH18/37D9	EL180UH040NE36A	206777144
EL16XP1-036-230	36000	13	16	33400	21800	9	LH18/37D9	EL180UH060NE36A	206777146
EL16XP1-036-230	36000	13	16	33800	22000	9	LH18/37D9	EL280UH045E36A	206777186
EL16XP1-036-230	36000	13	16	33200	21800	9	LH18/37D9	EL280UH070E36A	206777188
EL16XP1-036-230	36000	13	16	33200	21800	9	LH18/37D9	EL280UH070XE36A	203366452
EL16XP1-036-230	36000	13	16	33200	21600	9.5	LH18/37D9	EL280UH090XE48B	203366471
EL16XP1-036-230	35400	12.5	16	32600	20400	9	LH18/37D9	EL280UH110XE60C	203366490
EL16XP1-036-230	36000	13	16	33200	21600	9.5	LH18/37D9	ML180UH030V36A	206777255
EL16XP1-036-230	36000	13	16	33200	21600	9.5	LH18/37D9	ML180UH045V36A	206777259
EL16XP1-036-230	36000	13	16	33600	22000	9.5	LH18/37D9	ML180UH070E36A	206777262
EL16XP1-036-230	36000	13	16	33200	21800	9	LH18/37D9	ML180UH070V36A	206777265
EL16XP1-036-230	36000	13	16	33600	22000	9.5	LH18/37D9	ML180UH070XE36A	206777286
EL16XP1-036-230	36000	13	16	33400	21800	9	LH23/37W9	EL195UH080NE48C	206777166
EL16XP1-036-230	36000	13	16	32000	20600	9.5	LH23/37W9	EL196UH090XE48C	206777183
EL16XP1-036-230	36000	13	16	33200	21800	9	LH23/37W9	EL280UH070XE36A	203366453
EL16XP1-036-230	36000	13	16	33200	21600	9.5	LH23/37W9	EL280UH090XE48B	203366472
EL16XP1-036-230	36000	13	16	31800	20400	9.5	LH23/37W9	EL280UH110E48C	206777205
EL16XP1-036-230	36000	13	16	33200	21600	9	LH23/37W9	EL280UH110E60C	206777210
EL16XP1-036-230	36000	13	16	33200	21600	9	LH23/37W9	EL280UH110XE60C	203366491
EL16XP1-036-230	36000	13	16	32600	21200	9.5	LH23/37W9	EL296UH090XE48C	206777240
EL16XP1-036-230	36000	13	16	32000	20600	9.5	LH23/37W9	EL296UH090XV36C	206777245
EL16XP1-036-230	36000	13	16	32200	20600	9.5	LH23/37W9	EL296UH090XV48C	206777250
EL16XP1-036-230	36000	13	17	32200	20800	9.5	LH23/37W9	ML180UH110V60C	206777304
EL16XP1-036-230	35600	12.5	16	33400	21800	9.5	LH29/36F9	EL180UH040NE36A	203241468
EL16XP1-036-230	35600	12.5	16	33400	21800	9	LH29/36F9	EL180UH060NE36A	203241479
EL16XP1-036-230	35600	12.5	16	33000	21400	9.5	LH29/36F9	EL180UH080NE48B	203241490
EL16XP1-036-230	35400	12.5	16	33200	21800	9	LH29/36F9	EL195UH040NE36B	203241500
EL16XP1-036-230	35400	12.5	16	33200	21800	9	LH29/36F9	EL195UH060NE36B	203241510
EL16XP1-036-230	35200	12.2	15	33400	21800	9	LH29/36F9	EL195UH080NE48C	203241521
EL16XP1-036-230	35400	12.5	16	33200	21600	9	LH29/36F9	EL196UH045XE36B	203241530

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-036-230	35400	12.5	16	33200	21600	9	LH29/36F9	EL196UH070XE36B	203241536
EL16XP1-036-230	35200	12.5	16	32200	20800	9	LH29/36F9	EL196UH090XE48C	203241542
EL16XP1-036-230	35200	12.5	16	33400	22600	9.5	LH29/36F9	EL280DF090E48B	203241548
EL16XP1-036-230	35600	12.5	16	33200	21800	9	LH29/36F9	EL280UH070E36A	203241558
EL16XP1-036-230	35600	12.5	16	33200	21800	9	LH29/36F9	EL280UH070XE36A	203366439
EL16XP1-036-230	35600	12.5	16	33400	21800	9.5	LH29/36F9	EL280UH090E36B	203241564
EL16XP1-036-230	35600	12.5	16	33200	21600	9.5	LH29/36F9	EL280UH090E48B	203241570
EL16XP1-036-230	35600	12.5	16	33200	21600	9.5	LH29/36F9	EL280UH090XE48B	203366458
EL16XP1-036-230	35000	12.5	16	32400	21000	9	LH29/36F9	EL280UH110E48C	203241576
EL16XP1-036-230	34800	12.5	15	32400	21200	9	LH29/36F9	EL280UH110E60C	203241582
EL16XP1-036-230	34800	12.5	15	32400	21200	9	LH29/36F9	EL280UH110XE60C	203366477
EL16XP1-036-230	34600	12.5	15	33400	22200	9	LH29/36F9	EL296DF045XE36B	203241588
EL16XP1-036-230	35000	12.5	15	33400	22400	9	LH29/36F9	EL296DF045XV36B	203241594
EL16XP1-036-230	35200	12.5	16	33400	22400	9.5	LH29/36F9	EL296DF070XE48B	203241600
EL16XP1-036-230	35000	12.5	15	33400	22600	9	LH29/36F9	EL296DF070XV48B	203241606
EL16XP1-036-230	35400	12.5	16	33400	22400	9.5	LH29/36F9	EL296DF090XE48C	203241612
EL16XP1-036-230	35000	12.5	16	33000	21600	9	LH29/36F9	EL296UH045XE36B	203241618
EL16XP1-036-230	35600	12.5	16	33400	21800	9	LH29/36F9	EL296UH045XV36B	203241624
EL16XP1-036-230	35200	12.5	16	33200	21800	9	LH29/36F9	EL296UH070XE36B	203241630
EL16XP1-036-230	35600	12.5	16	33400	21800	9	LH29/36F9	EL296UH070XV36B	203241636
EL16XP1-036-230	35200	12.5	16	32000	20800	9	LH29/36F9	EL296UH090XE48C	203241647
EL16XP1-036-230	35200	12.5	16	32000	20800	9	LH29/36F9	EL296UH090XV36C	203241659
EL16XP1-036-230	35200	12.5	16	32000	20800	9	LH29/36F9	EL296UH090XV48C	203241670
EL16XP1-036-230	34200	12.2	16	31400	20400	9	LH29/36F9	EL296UH110XV48C	203241678
EL16XP1-036-230	34800	13	16	33400	22000	9	LH29/36F9	ML180DF070E36B	203241684
EL16XP1-036-230	35800	13	16	33400	22400	9.5	LH29/36F9	ML180DF090E48B	203241690
EL16XP1-036-230	35600	12.5	16	33400	21800	9	LH29/36F9	ML180UH045E36A	203241696
EL16XP1-036-230	35600	12.5	16	33400	21800	9	LH29/36F9	ML180UH070E36B	203241702
EL16XP1-036-230	35400	13	16	33000	21600	9.5	LH29/36F9	ML180UH070V36B	206777267
EL16XP1-036-230	35600	13	16	33200	21600	9.5	LH29/36F9	ML180UH070V48B	206777276
EL16XP1-036-230	35600	12.5	16	33200	21600	9.5	LH29/36F9	ML180UH090E48B	203241708
EL16XP1-036-230	34600	12.5	15	33400	22400	9	LH29/36F9	ML193DF045XE36B	203241714
EL16XP1-036-230	34600	12.5	15	33400	22400	9	LH29/36F9	ML193DF070XE36B	203241720
EL16XP1-036-230	35400	12.5	16	33400	22400	9.5	LH29/36F9	ML193DF090XE48C	203241726
EL16XP1-036-230	35600	12.2	15	33400	22200	9	LH29/36F9	ML193UH030XE36B	203241733
EL16XP1-036-230	35600	12.2	15	33400	22000	9	LH29/36F9	ML193UH045XE36B	203241739
EL16XP1-036-230	35400	12.5	16	33200	21800	9	LH29/36F9	ML193UH070XE36B	203241745
EL16XP1-036-230	35000	12.5	15	32600	21200	9	LH29/36F9	ML193UH090XE36C	203241751
EL16XP1-036-230	35200	12.5	16	32200	20800	9	LH29/36F9	ML193UH090XE48C	203241757
EL16XP1-036-230	35200	12.5	16	32200	20800	9	LH29/36F9	ML193UH110XE48C	203241763
EL16XP1-036-230	35200	12.5	15	32000	21000	9	LH29/36F9	ML193UH110XE60C	203241769
EL16XP1-036-230	35600	12.5	16	33400	21800	9	LH29/36F9	ML296UH045XV36B	203241775
EL16XP1-036-230	35600	12.5	16	33400	21800	9	LH29/36F9	ML296UH070XV36B	203241782
EL16XP1-036-230	35200	12.5	16	33400	20800	9	LH29/36F9	ML296UH090XV48C	203241789
EL16XP1-036-230	35200	12.5	16	33400	22400	9.5	LH29/36F9	SL280DF090V48B	203241795
EL16XP1-036-230	35600	12.5	16	33200	21600	9.5	LH29/36F9	SL280UH060NV36A	203241801
EL16XP1-036-230	35600	12.5	16	33400	21800	9	LH29/36F9	SL280UH070V36A	203241808
EL16XP1-036-230	35600	12.5	16	33400	21800	9	LH29/36F9	SL280UH070XV36A	203241814
EL16XP1-036-230	35600	12.5	16	33000	21400	9.5	LH29/36F9	SL280UH080NV48B	203241820
EL16XP1-036-230	35600	12.5	16	33000	21600	9.5	LH29/36F9	SL280UH090V36B	203241826
EL16XP1-036-230	35600	12.5	16	33200	21600	9.5	LH29/36F9	SL280UH090V48B	203241833
EL16XP1-036-230	35600	12.5	16	33400	21800	9	LH29/36F9	SL297UH040NV36B	203241839
EL16XP1-036-230	35600	12.5	16	33200	21800	9	LH29/36F9	SL297UH060NV36B	203241845
EL16XP1-036-230	35200	12.5	16	32000	20800	9	LH29/36F9	SL297UH080NV48C	203241851

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-036-230	35200	12.5	15	33400	22400	9	LH29/36F9	SLP98DF070XV36B	203241858
EL16XP1-036-230	35200	12.5	16	33400	22600	9.5	LH29/36F9	SLP98DF090XV36C	203241864
EL16XP1-036-230	35400	12.5	16	33400	22400	9.5	LH29/36F9	SLP98DF090XV48C	203241870
EL16XP1-036-230	35600	12.5	16	33400	21800	9	LH29/36F9	SLP98UH070XV36B	203241876
EL16XP1-036-230	35200	12.5	16	32000	20800	9	LH29/36F9	SLP98UH090XV36C	203241882
EL16XP1-036-230	35200	12.5	16	32000	20800	9	LH29/36F9	SLP98UH090XV48C	203241888
EL16XP1-036-230	35600	12.5	16	33400	21800	9	LH29/36F9	SLP99UH070XV36B	205760351
EL16XP1-036-230	35200	12.5	16	32000	20800	9	LH29/36F9	SLP99UH090XV36C	205763619
EL16XP1-036-230	35200	12.5	16	32000	20800	9	LH29/36F9	SLP99UH090XV48C	205763624
EL16XP1-036-230	34400	11.7	14.5	33400	23200	9	LH29/36F9		203242184
EL16XP1-036-230	36000	13	16	33000	21400	9.5	LH35/36F9	EL180UH080NE48B	206777148
EL16XP1-036-230	35800	13	16	33200	21800	9	LH35/36F9	EL195UH040NE36B	206777154
EL16XP1-036-230	35800	13	16	33200	21800	9	LH35/36F9	EL195UH060NE36B	206777160
EL16XP1-036-230	35800	13	16	33200	21600	9	LH35/36F9	EL196UH045XE36B	206777169
EL16XP1-036-230	35800	13	16	32600	21200	9.5	LH35/36F9	EL196UH070XE36B	206777175
EL16XP1-036-230	36000	13	16	33200	21800	9	LH35/36F9	EL280UH070XE36A	203366440
EL16XP1-036-230	36000	13	16	33400	21800	9.5	LH35/36F9	EL280UH090E36B	206777190
EL16XP1-036-230	36000	13	16	33200	21600	9.5	LH35/36F9	EL280UH090E48B	206777196
EL16XP1-036-230	36000	13	16	33200	21600	9.5	LH35/36F9	EL280UH090XE48B	203366459
EL16XP1-036-230	35600	12.5	16	32200	20400	9	LH35/36F9	EL280UH110XE60C	203366478
EL16XP1-036-230	35400	13	16	33000	21600	9	LH35/36F9	EL296UH045XE36B	206777214
EL16XP1-036-230	36000	13	16	33400	21800	9	LH35/36F9	EL296UH045XV36B	206777220
EL16XP1-036-230	35800	13	16	32600	21200	9	LH35/36F9	EL296UH070XE36B	206777226
EL16XP1-036-230	35800	13	16	32800	21400	9.5	LH35/36F9	EL296UH070XV36B	206777232
EL16XP1-036-230	35800	13	16	33000	21600	9.5	LH35/36F9	ML180UH070V36B	206777268
EL16XP1-036-230	36000	13	16	33200	21600	9.5	LH35/36F9	ML180UH070V48B	206777277
EL16XP1-036-230	36000	13	16	33200	21600	9.5	LH35/36F9	ML180UH090E48B	206777288
EL16XP1-036-230	36000	13	16	33000	21600	9.5	LH35/36F9	ML180UH090V48B	206777294
EL16XP1-036-230	36000	13	16	33200	21800	9	LH35/37D9	EL280UH070XE36A	203366443
EL16XP1-036-230	36000	13	16	33200	21600	9.5	LH35/37D9	EL280UH090XE48B	203366462
EL16XP1-036-230	35800	13	16	32600	20400	9	LH35/37D9	EL280UH110XE60C	203366481
EL16XP1-036-230	36000	13	16	32600	21000	9.5	LH35/38F9	EL180UH080NE48B	206777150
EL16XP1-036-230	35800	13	16	33200	21800	9	LH35/38F9	EL195UH040NE36B	206777156
EL16XP1-036-230	36000	13	16	32600	21200	9	LH35/38F9	EL195UH060NE36B	206777162
EL16XP1-036-230	36000	13	16	32600	21200	9	LH35/38F9	EL196UH045XE36B	206777171
EL16XP1-036-230	36000	13	16	32600	21200	9.5	LH35/38F9	EL196UH070XE36B	206777177
EL16XP1-036-230	36000	13	16	33200	21800	9	LH35/38F9	EL280UH070XE36A	203366445
EL16XP1-036-230	36000	13	16	33000	21400	9.5	LH35/38F9	EL280UH090E36B	206777192
EL16XP1-036-230	36000	13	16	32800	21200	9.5	LH35/38F9	EL280UH090E48B	206777198
EL16XP1-036-230	36000	13	16	33200	21600	9.5	LH35/38F9	EL280UH090XE48B	203366464
EL16XP1-036-230	36000	13	16	32200	20400	9	LH35/38F9	EL280UH110XE60C	203366483
EL16XP1-036-230	35400	13	16	33000	21600	9	LH35/38F9	EL296UH045XE36B	206777216
EL16XP1-036-230	36000	13	16	33400	21800	9	LH35/38F9	EL296UH045XV36B	206777222
EL16XP1-036-230	36000	13	16	32600	21200	9	LH35/38F9	EL296UH070XE36B	206777228
EL16XP1-036-230	36000	13	16	32800	21400	9.5	LH35/38F9	EL296UH070XV36B	206777234
EL16XP1-036-230	36000	13	16	32400	21200	9.5	LH35/38F9	ML180UH070V36B	206777271
EL16XP1-036-230	36000	13	16	33200	21600	9.5	LH35/38F9	ML180UH070V48B	206777280
EL16XP1-036-230	36000	13	16	32600	21200	9.5	LH35/38F9	ML180UH090E48B	206777290
EL16XP1-036-230	36000	13	16	33000	21600	9.5	LH35/38F9	ML180UH090V48B	206777296
EL16XP1-036-230	36000	13	16	32600	21000	9.5	LH35/38X9	EL180UH080NE48B	206777149
EL16XP1-036-230	35800	13	16	33200	21800	9	LH35/38X9	EL195UH040NE36B	206777155
EL16XP1-036-230	36000	13	16	32600	21200	9	LH35/38X9	EL195UH060NE36B	206777161
EL16XP1-036-230	36000	13	16	32600	21200	9	LH35/38X9	EL196UH045XE36B	206777170
EL16XP1-036-230	36000	13	16	32600	21200	9.5	LH35/38X9	EL196UH070XE36B	206777176

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-036-230	36000	13	16	32800	21200	9.5	LH35/38X9	EL196UH090XE48C	206777181
EL16XP1-036-230	36000	13	16	33200	21800	9	LH35/38X9	EL280UH070XE36A	203366444
EL16XP1-036-230	36000	13	16	33000	21400	9.5	LH35/38X9	EL280UH090E36B	206777191
EL16XP1-036-230	36000	13	16	32800	21200	9.5	LH35/38X9	EL280UH090E48B	206777197
EL16XP1-036-230	36000	13	16	33200	21600	9.5	LH35/38X9	EL280UH090XE48B	203366463
EL16XP1-036-230	36000	13	16	32600	21000	9.5	LH35/38X9	EL280UH110E48C	206777203
EL16XP1-036-230	36000	13	16	32200	20400	9	LH35/38X9	EL280UH110E60C	206777208
EL16XP1-036-230	36000	13	16	32200	20400	9	LH35/38X9	EL280UH110XE60C	203366482
EL16XP1-036-230	35400	13	16	33000	21600	9	LH35/38X9	EL296UH045XE36B	206777215
EL16XP1-036-230	36000	13	16	33400	21800	9	LH35/38X9	EL296UH045XV36B	206777221
EL16XP1-036-230	36000	13	16	32600	21200	9	LH35/38X9	EL296UH070XE36B	206777227
EL16XP1-036-230	36000	13	16	32800	21400	9.5	LH35/38X9	EL296UH070XV36B	206777233
EL16XP1-036-230	36000	13	16	32600	21200	9.5	LH35/38X9	EL296UH090XE48C	206777238
EL16XP1-036-230	36000	13	16	32600	21200	9.5	LH35/38X9	EL296UH090XV36C	206777243
EL16XP1-036-230	36000	13	16	33400	21800	9	LH35/38X9	EL296UH090XV48C	206777248
EL16XP1-036-230	36000	13	16	32400	21200	9.5	LH35/38X9	ML180UH070V36B	206777270
EL16XP1-036-230	36000	13	16	33200	21600	9.5	LH35/38X9	ML180UH070V48B	206777279
EL16XP1-036-230	36000	13	16	32600	21200	9.5	LH35/38X9	ML180UH090E48B	206777289
EL16XP1-036-230	36000	13	16	33000	21600	9.5	LH35/38X9	ML180UH090V48B	206777295
EL16XP1-036-230	36000	13	17	32200	20800	9.5	LH35/38X9	ML180UH110V60C	206777301
EL16XP1-036-230	34400	11.7	14.5	34400	23200	9	LS*36943E		205304019
EL16XP1-036-230	35200	12.5	15	33800	22200	9	LS*3791CC		205484068
EL16XP1-036-230	35400	12.2	14.5	33200	21800	9	LS*3799BB		205304046
EL16XP1-036-230	36000	13	16	33000	21400	9.5	PL36H210P29	EL180UH080NE48B	206777147
EL16XP1-036-230	35800	13	16	33200	21800	9	PL36H210P29	EL195UH040NE36B	206777153
EL16XP1-036-230	36000	13	16	32600	21200	9	PL36H210P29	EL195UH060NE36B	206777159
EL16XP1-036-230	35800	13	16	32000	20600	9	PL36H210P29	EL195UH080NE48C	206777165
EL16XP1-036-230	36000	13	16	32600	21200	9	PL36H210P29	EL196UH045XE36B	206777168
EL16XP1-036-230	36000	13	16	32600	21200	9.5	PL36H210P29	EL196UH070XE36B	206777174
EL16XP1-036-230	36000	13	16	32200	20800	9.5	PL36H210P29	EL196UH090XE48C	206777180
EL16XP1-036-230	36000	13	16	33400	21800	9.5	PL36H210P29	EL280UH090E36B	206777189
EL16XP1-036-230	36000	13	16	32600	21200	9.5	PL36H210P29	EL280UH090E48B	206777195
EL16XP1-036-230	36000	13	16	33200	21600	9.5	PL36H210P29	EL280UH090XE48B	206777201
EL16XP1-036-230	36000	13	16	32600	21000	9.5	PL36H210P29	EL280UH110E48C	206777202
EL16XP1-036-230	36000	13	16	32200	20400	9	PL36H210P29	EL280UH110E60C	206777207
EL16XP1-036-230	36000	13	16	32200	20400	9	PL36H210P29	EL280UH110XE60C	206777212
EL16XP1-036-230	35400	13	16	33000	21600	9	PL36H210P29	EL296UH045XE36B	206777213
EL16XP1-036-230	36000	13	16	33400	21800	9	PL36H210P29	EL296UH045XV36B	206777219
EL16XP1-036-230	36000	13	16	32600	21200	9	PL36H210P29	EL296UH070XE36B	206777225
EL16XP1-036-230	36000	13	16	32800	21400	9.5	PL36H210P29	EL296UH070XV36B	206777231
EL16XP1-036-230	36000	13	16	32600	21200	9.5	PL36H210P29	EL296UH090XE48C	206777237
EL16XP1-036-230	36000	13	16	32600	21200	9.5	PL36H210P29	EL296UH090XV36C	206777242
EL16XP1-036-230	35800	13	16	32200	20600	9.5	PL36H210P29	EL296UH090XV48C	206777247
EL16XP1-036-230	36000	13	16	32400	21200	9.5	PL36H210P29	ML180UH070V36B	206777266
EL16XP1-036-230	36000	13	16	33200	21600	9.5	PL36H210P29	ML180UH070V48B	206777275
EL16XP1-036-230	36000	13	16	32600	21200	9.5	PL36H210P29	ML180UH090E48B	206777287
EL16XP1-036-230	36000	13	16	33000	21600	9.5	PL36H210P29	ML180UH090V48B	206777293
EL16XP1-036-230	36000	13	17	32200	20800	9.5	PL36H210P29	ML180UH110V60C	206777300
EL16XP1-042-230	40500	13	16	38000	24000	8.5	L*42/49K9	EL180UH080NE48B	206777993
EL16XP1-042-230	40500	12.5	16	36800	23600	8.5	L*42/49K9	EL280UH090XE48B	203366507
EL16XP1-042-230	41000	13	16	37800	23400	8.5	L*42/49K9	EL280UH110XE60C	203366525
EL16XP1-042-230	40500	13	16	38000	24200	8.5	L*42/49K9	ML180UH070V48B	206778074
EL16XP1-042-230	41000	13	16	37800	23200	8.5	L*42/60S9	EL180UH100NE60C	206778000
EL16XP1-042-230	41000	13	16	37800	23200	8.5	L*42/60S9	EL196UH090XE48C	206778013

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-042-230	41000	13	16	37400	23800	8.5	L*42/60S9	EL196UH110XE60C	206778020
EL16XP1-042-230	40000	12.5	16	36800	23600	8.2	L*42/60S9	EL280UH090XE48B	203366503
EL16XP1-042-230	41000	13	16	37800	23200	8.5	L*42/60S9	EL280UH110E48C	206778029
EL16XP1-042-230	41000	13	16	37800	23400	8.5	L*42/60S9	EL280UH110E60C	206778036
EL16XP1-042-230	41000	13	16	37800	23400	8.5	L*42/60S9	EL280UH110XE60C	203366521
EL16XP1-042-230	40500	13	16	37800	23200	8.5	L*42/60S9	EL296UH090XE48C	206778045
EL16XP1-042-230	41000	13	16	37800	23400	8.5	L*42/60S9	EL296UH090XV48C	206778051
EL16XP1-042-230	41000	13	16	37800	23600	8.5	L*42/60S9	EL296UH090XV60C	206778057
EL16XP1-042-230	41000	13	16	37800	23400	8.5	L*42/60S9	EL296UH110XE60C	206778063
EL16XP1-042-230	41000	13	16	37800	23400	8.5	L*42/60S9	EL296UH110XV60C	206778070
EL16XP1-042-230	41000	13	16	37800	23200	8.5	L*42/60S9	ML180UH110V60C	206778083
EL16XP1-042-230	42000	13	16	36800	23600	9	L*42/60Z9	EL180UH080NE48B	203241894
EL16XP1-042-230	42000	13	16	37400	23800	8.5	L*42/60Z9	EL180UH100NE60C	203241896
EL16XP1-042-230	41500	13	16	37400	24000	8.5	L*42/60Z9	EL195UH080NE48C	203241898
EL16XP1-042-230	42000	13	16	37800	24200	8.5	L*42/60Z9	EL195UH100NE60C	203241900
EL16XP1-042-230	41500	13	16	37400	23400	8.5	L*42/60Z9	EL196UH090XE48C	203241902
EL16XP1-042-230	42000	13	16	36800	23600	9	L*42/60Z9	EL196UH110XE60C	203241904
EL16XP1-042-230	42000	13	16	37400	23800	8.5	L*42/60Z9	EL280UH090E36B	203241906
EL16XP1-042-230	42000	13	16	36800	23600	8.5	L*42/60Z9	EL280UH090E48B	203241908
EL16XP1-042-230	42000	13	16	36800	23600	8.5	L*42/60Z9	EL280UH090XE48B	203366511
EL16XP1-042-230	42000	13	16	37400	24000	8.5	L*42/60Z9	EL280UH110E48C	203241910
EL16XP1-042-230	42000	13	16	36800	23600	9	L*42/60Z9	EL280UH110E60C	203241912
EL16XP1-042-230	42000	13	16	36800	23600	9	L*42/60Z9	EL280UH110XE60C	203366529
EL16XP1-042-230	39500	12.5	15	37800	24600	8.2	L*42/60Z9	EL296DF070XE48B	203241914
EL16XP1-042-230	40500	13	16	36800	23400	9	L*42/60Z9	EL296DF090XE48C	203241916
EL16XP1-042-230	40500	13	16	36800	23600	9	L*42/60Z9	EL296DF090XV60C	203241918
EL16XP1-042-230	41000	13	16	36800	23600	9	L*42/60Z9	EL296DF110XE60C	203241920
EL16XP1-042-230	40500	13	16	36800	23600	9	L*42/60Z9	EL296DF110XV60C	203241922
EL16XP1-042-230	41000	13	16	37400	23600	8.5	L*42/60Z9	EL296UH090XE48C	203241924
EL16XP1-042-230	42000	13	16	37400	24000	8.5	L*42/60Z9	EL296UH090XV48C	203241926
EL16XP1-042-230	42000	13	16	37800	24200	8.5	L*42/60Z9	EL296UH090XV60C	203241928
EL16XP1-042-230	42000	13	16	37400	23600	8.5	L*42/60Z9	EL296UH110XE60C	203241930
EL16XP1-042-230	41500	13	16	37800	23600	8.5	L*42/60Z9	EL296UH110XV48C	203241932
EL16XP1-042-230	42000	13	16	37400	24000	8.5	L*42/60Z9	EL296UH110XV60C	203241934
EL16XP1-042-230	40000	13	16	37800	24400	8.5	L*42/60Z9	ML180DF090E48B	203241936
EL16XP1-042-230	41000	13	16	36800	23400	9	L*42/60Z9	ML180DF110E60C	203241938
EL16XP1-042-230	42000	13	16	36800	23800	9	L*42/60Z9	ML180UH090E48B	203241940
EL16XP1-042-230	42000	13	16	37400	23800	8.5	L*42/60Z9	ML180UH090E60C	203241942
EL16XP1-042-230	41500	13	16	37400	23400	8.5	L*42/60Z9	ML180UH110E60C	203241944
EL16XP1-042-230	42000	13	16	37400	23800	8.5	L*42/60Z9	ML180UH110V60C	206778084
EL16XP1-042-230	40500	13	16	36800	23400	9	L*42/60Z9	ML193DF090XE48C	203241946
EL16XP1-042-230	41000	12.5	15	36800	23800	8.5	L*42/60Z9	ML193UH030XE36B	203241948
EL16XP1-042-230	41000	12.5	15	36800	23800	8.5	L*42/60Z9	ML193UH045XE36B	203241950
EL16XP1-042-230	41500	12.5	15	36800	23800	8.5	L*42/60Z9	ML193UH070XE36B	203241952
EL16XP1-042-230	40500	13	16	36200	23400	8.5	L*42/60Z9	ML193UH090XE36C	203241954
EL16XP1-042-230	41500	13	16	37400	23400	8.5	L*42/60Z9	ML193UH090XE48C	203241956
EL16XP1-042-230	42000	13	16	37400	24000	8.5	L*42/60Z9	ML193UH110XE48C	203241958
EL16XP1-042-230	42000	13	16	37400	23600	8.5	L*42/60Z9	ML193UH110XE60C	203241960
EL16XP1-042-230	42000	13	16	37400	24000	8.5	L*42/60Z9	ML296UH090XV48C	203241962
EL16XP1-042-230	40000	13	16	37800	24600	8.2	L*42/60Z9	SL280DF090V48B	203241964
EL16XP1-042-230	40500	13	16	36800	23400	9	L*42/60Z9	SL280DF090V60C	203241966
EL16XP1-042-230	40500	13	16	36800	23400	9	L*42/60Z9	SL280DF110V60C	203241968
EL16XP1-042-230	42000	13	16	36800	23600	9	L*42/60Z9	SL280UH080NV48B	203241970
EL16XP1-042-230	42000	13	17	36800	23400	9	L*42/60Z9	SL280UH080NV60C	203241972

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-042-230	42000	13	16	37400	23800	9	L*42/60Z9	SL280UH090V48B	203241974
EL16XP1-042-230	42000	13	16	36800	23400	9	L*42/60Z9	SL280UH090V60C	203241976
EL16XP1-042-230	42000	13	16	36800	23400	9	L*42/60Z9	SL280UH090XV60C	203241978
EL16XP1-042-230	42000	13	17	36800	23400	9	L*42/60Z9	SL280UH100NV60C	203241980
EL16XP1-042-230	42000	13	16	37400	23800	8.5	L*42/60Z9	SL280UH110V60C	203241982
EL16XP1-042-230	42000	13	16	37400	23800	8.5	L*42/60Z9	SL280UH110XV60C	203241984
EL16XP1-042-230	41500	13	16	37800	23800	8.5	L*42/60Z9	SL297UH080NV48C	203241986
EL16XP1-042-230	42000	13	16	37400	23600	8.5	L*42/60Z9	SL297UH080NV60C	203241988
EL16XP1-042-230	40500	13	16	36800	23600	9	L*42/60Z9	SLP98DF090XV48C	203241990
EL16XP1-042-230	40500	13	16	36800	23600	9	L*42/60Z9	SLP98DF090XV60C	203241992
EL16XP1-042-230	40500	13	16	36800	23600	9	L*42/60Z9	SLP98DF110XV60C	203241994
EL16XP1-042-230	42000	13	16	37400	24000	8.5	L*42/60Z9	SLP98UH090XV48C	203241996
EL16XP1-042-230	42000	13	16	37800	24200	8.5	L*42/60Z9	SLP98UH090XV60C	203241998
EL16XP1-042-230	42000	13	16	37400	24000	8.5	L*42/60Z9	SLP98UH110XV60C	203242000
EL16XP1-042-230	40500	13	16	36800	23600	9	L*42/60Z9	SLP99DF090XV48C	205763359
EL16XP1-042-230	40500	13	16	36800	23600	9	L*42/60Z9	SLP99DF090XV60C	205763361
EL16XP1-042-230	40500	13	16	36800	23600	9	L*42/60Z9	SLP99DF110XV60C	205763365
EL16XP1-042-230	42000	13	16	37400	24000	8.5	L*42/60Z9	SLP99UH090XV48C	205761306
EL16XP1-042-230	42000	13	16	37800	24200	8.5	L*42/60Z9	SLP99UH090XV60C	205760358
EL16XP1-042-230	42000	13	16	37400	24000	8.5	L*42/60Z9	SLP99UH110XV60C	205761311
EL16XP1-042-230	41000	12.5	15	37400	24200	8.5	L*42/60Z9		203242190
EL16XP1-042-230	40500	12.5	16	36800	23600	8.5	L*42/61K9	EL280UH090XE48B	203366508
EL16XP1-042-230	41000	13	16	37800	23400	8.5	L*42/61K9	EL280UH110XE60C	203366526
EL16XP1-042-230	40000	12.5	16	36800	23600	8.2	L*43/48S9	EL280UH090XE48B	203366504
EL16XP1-042-230	41000	13	16	37800	23400	8.5	L*43/48S9	EL280UH110XE60C	203366522
EL16XP1-042-230	42000	13	16	36800	23600	8.5	L*43/61Z9	EL280UH090XE48B	203366512
EL16XP1-042-230	42000	13	16	36800	23600	9	L*43/61Z9	EL280UH110XE60C	203366530
EL16XP1-042-230	42000	13	16	36800	23600	8.5	L*49/62Y9	EL280UH090XE48B	203366510
EL16XP1-042-230	42000	13	16	36800	23600	9	L*49/62Y9	EL280UH110XE60C	203366528
EL16XP1-042-230	42000	13	16	36800	23600	8.5	L*49/62Z9	EL280UH090XE48B	203366509
EL16XP1-042-230	42000	13	16	36800	23600	9	L*49/62Z9	EL280UH110XE60C	203366527
EL16XP1-042-230	40000	12.2	14.5	37400	24200	8.5	LD41/43Z9		204756175
EL16XP1-042-230	40500	13	16	36800	23400	9	LD42/61Z9	EL296DF090XE48C	205147392
EL16XP1-042-230	40000	13	16	40000	24800	8.2	LD42/61Z9	EL296DF090XV60C	205147393
EL16XP1-042-230	41000	13	16	36800	23600	9	LD42/61Z9	EL296DF110XE60C	205147394
EL16XP1-042-230	40500	13	16	36800	23600	9	LD42/61Z9	EL296DF110XV60C	205147395
EL16XP1-042-230	41000	13	16	36800	23400	9	LD42/61Z9	ML180DF110E60C	205147396
EL16XP1-042-230	40500	13	16	36800	23400	9	LD42/61Z9	ML193DF090XE48C	205147397
EL16XP1-042-230	40500	13	16	36800	23400	9	LD42/61Z9	SL280DF090V60C	205147398
EL16XP1-042-230	40500	13	16	36800	23400	9	LD42/61Z9	SL280DF110V60C	205147399
EL16XP1-042-230	40000	13	16	40000	24800	8.2	LD42/61Z9	SLP98DF090XV48C	205147400
EL16XP1-042-230	40000	13	16	40000	24800	8.2	LD42/61Z9	SLP98DF090XV60C	205147401
EL16XP1-042-230	40500	13	16	36800	23600	9	LD42/61Z9	SLP98DF110XV60C	205147402
EL16XP1-042-230	40000	13	16	40000	24800	8.2	LD42/61Z9	SLP99DF090XV48C	205760356
EL16XP1-042-230	40000	13	16	40000	24800	8.2	LD42/61Z9	SLP99DF090XV60C	205760357
EL16XP1-042-230	40500	13	16	36800	23600	9	LD42/61Z9	SLP99DF110XV60C	205763363
EL16XP1-042-230	40500	12.2	15	37400	24200	8.5	LD42/61Z9		204755177
EL16XP1-042-230	41500	13	16	36800	23400	9	LH40/61E9	EL180UH100NE60C	206777999
EL16XP1-042-230	41000	13	16	36800	23600	9	LH40/61E9	EL195UH080NE48C	206778003
EL16XP1-042-230	41500	13	16	36800	23800	9	LH40/61E9	EL195UH100NE60C	206778006
EL16XP1-042-230	41500	13	16	36800	23400	9	LH40/61E9	EL196UH090XE48C	206778012
EL16XP1-042-230	42000	13	16	36800	23600	9	LH40/61E9	EL196UH110XE60C	206778019
EL16XP1-042-230	41500	13	16	36800	23400	9	LH40/61E9	EL280UH110E48C	206778028
EL16XP1-042-230	42000	13	16	36800	23600	9	LH40/61E9	EL280UH110E60C	206778035

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-042-230	42000	13	16	36800	23600	9	LH40/61E9	EL280UH110XE60C	206778039
EL16XP1-042-230	41000	13	16	37400	23600	8.5	LH40/61E9	EL296UH090XE48C	206778044
EL16XP1-042-230	41500	13	16	36800	23600	9	LH40/61E9	EL296UH090XV48C	206778050
EL16XP1-042-230	41500	13	16	36800	23600	9	LH40/61E9	EL296UH090XV60C	206778056
EL16XP1-042-230	42000	13	16	36800	23600	9	LH40/61E9	EL296UH110XE60C	206778062
EL16XP1-042-230	41500	13	16	36800	23600	9	LH40/61E9	EL296UH110XV60C	206778069
EL16XP1-042-230	41500	13	16	36800	23400	9	LH40/61E9	ML180UH110V60C	206778082
EL16XP1-042-230	41500	13	16	36800	23400	9	LH40/61W9	EL180UH100NE60C	206777998
EL16XP1-042-230	41000	13	16	36800	23600	9	LH40/61W9	EL195UH080NE48C	206778002
EL16XP1-042-230	41500	13	16	36800	23800	9	LH40/61W9	EL195UH100NE60C	206778005
EL16XP1-042-230	41500	13	16	36800	23400	9	LH40/61W9	EL196UH090XE48C	206778011
EL16XP1-042-230	42000	13	16	36800	23600	9	LH40/61W9	EL196UH110XE60C	206778018
EL16XP1-042-230	42000	13	16	36800	23600	8.5	LH40/61W9	EL280UH090XE48B	203366502
EL16XP1-042-230	41500	13	16	36800	23400	9	LH40/61W9	EL280UH110E48C	206778027
EL16XP1-042-230	42000	13	16	36800	23600	9	LH40/61W9	EL280UH110E60C	206778034
EL16XP1-042-230	42000	13	16	36800	23600	9	LH40/61W9	EL280UH110XE60C	203366520
EL16XP1-042-230	41000	13	16	37400	23600	8.5	LH40/61W9	EL296UH090XE48C	206778043
EL16XP1-042-230	41500	13	16	36800	23600	9	LH40/61W9	EL296UH090XV48C	206778049
EL16XP1-042-230	41500	13	16	36800	23600	9	LH40/61W9	EL296UH090XV60C	206778055
EL16XP1-042-230	42000	13	16	36800	23600	9	LH40/61W9	EL296UH110XE60C	206778061
EL16XP1-042-230	41500	13	16	36800	23600	9	LH40/61W9	EL296UH110XV60C	206778068
EL16XP1-042-230	41500	13	16	36800	23400	9	LH40/61W9	ML180UH110V60C	206778081
EL16XP1-042-230	42000	13	16	36800	23600	8.5	LH40/62W9	EL280UH090XE48B	203366496
EL16XP1-042-230	41500	13	16	37800	23800	9	LH40/62W9	EL280UH110XE60C	203366514
EL16XP1-042-230	40500	12.5	16	36800	23600	8.2	LH41/49F9	EL280UH090XE48B	203366498
EL16XP1-042-230	41000	13	16	37800	23400	8.5	LH41/49F9	EL280UH110XE60C	203366516
EL16XP1-042-230	41000	12.5	16	36800	23600	8.5	LH41/61D9	EL280UH090XE48B	203366501
EL16XP1-042-230	41000	13	16	37800	23400	8.5	LH41/61D9	EL280UH110XE60C	203366519
EL16XP1-042-230	41000	12.5	16	36800	23600	8.5	LH41/61R9	EL280UH090XE48B	203366500
EL16XP1-042-230	41000	13	16	37800	23800	8.5	LH41/61R9	EL280UH110XE60C	203366518
EL16XP1-042-230	40500	13	16	38000	24000	8.5	LH42/49F9	EL180UH080NE48B	206777991
EL16XP1-042-230	40500	13	16	36800	23600	8.5	LH42/49F9	EL180UH100NE60C	206777995
EL16XP1-042-230	40500	13	16	36800	23600	8.5	LH42/49F9	EL196UH090XE48C	206778008
EL16XP1-042-230	41000	13	16	37400	23800	8.5	LH42/49F9	EL196UH110XE60C	206778015
EL16XP1-042-230	40000	12.5	16	36800	23600	8.2	LH42/49F9	EL280UH090XE48B	203366497
EL16XP1-042-230	40500	13	16	36800	23600	8.5	LH42/49F9	EL280UH110E48C	206778024
EL16XP1-042-230	41000	13	16	36800	23800	8.5	LH42/49F9	EL280UH110E60C	206778031
EL16XP1-042-230	41000	13	16	37800	23400	8.5	LH42/49F9	EL280UH110XE60C	203366515
EL16XP1-042-230	40500	13	16	36800	23800	8.5	LH42/49F9	EL296UH110XV60C	206778065
EL16XP1-042-230	40500	13	16	38000	24200	8.5	LH42/49F9	ML180UH070V48B	206778072
EL16XP1-042-230	40500	13	16	36800	23800	8.5	LH42/49F9	ML180UH110V60C	206778078
EL16XP1-042-230	41000	13	16	37800	23200	8.5	LH42/60D9	EL180UH100NE60C	206777996
EL16XP1-042-230	41000	13	16	37800	23200	8.5	LH42/60D9	EL196UH090XE48C	206778009
EL16XP1-042-230	41000	13	16	37400	23800	8.5	LH42/60D9	EL196UH110XE60C	206778016
EL16XP1-042-230	40500	12.5	16	36800	23600	8.2	LH42/60D9	EL280UH090XE48B	203366499
EL16XP1-042-230	41000	13	16	37800	23200	8.5	LH42/60D9	EL280UH110E48C	206778025
EL16XP1-042-230	41000	13	16	36800	23800	8.5	LH42/60D9	EL280UH110E60C	206778032
EL16XP1-042-230	41000	13	16	37800	23800	8.5	LH42/60D9	EL280UH110XE60C	203366517
EL16XP1-042-230	40500	13	16	37800	23200	8.5	LH42/60D9	EL296UH090XE48C	206778041
EL16XP1-042-230	41000	13	16	37800	23400	8.5	LH42/60D9	EL296UH090XV48C	206778047
EL16XP1-042-230	41000	13	16	37800	23600	8.5	LH42/60D9	EL296UH090XV60C	206778053
EL16XP1-042-230	41000	13	16	37800	23400	8.5	LH42/60D9	EL296UH110XE60C	206778059
EL16XP1-042-230	41000	13	16	37800	23400	8.5	LH42/60D9	EL296UH110XV60C	206778066
EL16XP1-042-230	41000	13	16	37800	23200	8.5	LH42/60D9	ML180UH110V60C	206778079

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-042-230	42000	13	16	36800	23600	9	LH42/62W9	EL180UH080NE48B	203241895
EL16XP1-042-230	41500	13	16	36800	23400	9	LH42/62W9	EL180UH100NE60C	203241897
EL16XP1-042-230	41000	13	16	36800	23600	9	LH42/62W9	EL195UH080NE48C	203241899
EL16XP1-042-230	41500	13	16	36800	23800	9	LH42/62W9	EL195UH100NE60C	203241901
EL16XP1-042-230	41500	13	16	36800	23400	9	LH42/62W9	EL196UH090XE48C	203241903
EL16XP1-042-230	42000	13	16	36800	23600	9	LH42/62W9	EL196UH110XE60C	203241905
EL16XP1-042-230	42000	13	16	37400	23800	8.5	LH42/62W9	EL280UH090E36B	203241907
EL16XP1-042-230	42000	13	16	36800	23600	8.5	LH42/62W9	EL280UH090E48B	203241909
EL16XP1-042-230	42000	13	16	36800	23600	8.5	LH42/62W9	EL280UH090XE48B	203366513
EL16XP1-042-230	41500	13	16	36800	23400	9	LH42/62W9	EL280UH110E48C	203241911
EL16XP1-042-230	42000	13	16	36800	23600	9	LH42/62W9	EL280UH110E60C	203241913
EL16XP1-042-230	42000	13	16	36800	23600	9	LH42/62W9	EL280UH110XE60C	203366531
EL16XP1-042-230	39500	12.5	15	37800	24600	8.2	LH42/62W9	EL296DF070XE48B	203241915
EL16XP1-042-230	40500	13	16	36800	23400	9	LH42/62W9	EL296DF090XE48C	203241917
EL16XP1-042-230	40500	13	16	36800	23600	9	LH42/62W9	EL296DF090XV60C	203241919
EL16XP1-042-230	41000	13	16	36800	23600	9	LH42/62W9	EL296DF110XE60C	203241921
EL16XP1-042-230	40500	13	16	36800	23600	9	LH42/62W9	EL296DF110XV60C	203241923
EL16XP1-042-230	41000	13	16	37400	23600	8.5	LH42/62W9	EL296UH090XE48C	203241925
EL16XP1-042-230	41500	13	16	36800	23600	9	LH42/62W9	EL296UH090XV48C	203241927
EL16XP1-042-230	41500	13	16	36800	23600	9	LH42/62W9	EL296UH090XV60C	203241929
EL16XP1-042-230	42000	13	16	36800	23600	9	LH42/62W9	EL296UH110XE60C	203241931
EL16XP1-042-230	41500	13	16	36800	23600	9	LH42/62W9	EL296UH110XV48C	203241933
EL16XP1-042-230	41500	13	16	36800	23600	9	LH42/62W9	EL296UH110XV60C	203241935
EL16XP1-042-230	40000	13	16	37800	24400	8.5	LH42/62W9	ML180DF090E48B	203241937
EL16XP1-042-230	41000	13	16	36800	23400	9	LH42/62W9	ML180DF110E60C	203241939
EL16XP1-042-230	42000	13	16	36800	23800	9	LH42/62W9	ML180UH090E48B	203241941
EL16XP1-042-230	41500	13	16	36800	23400	9	LH42/62W9	ML180UH090E60C	203241943
EL16XP1-042-230	41500	13	16	36800	23400	9	LH42/62W9	ML180UH110E60C	203241945
EL16XP1-042-230	41500	13	16	36800	23400	9	LH42/62W9	ML180UH110V60C	206778085
EL16XP1-042-230	40500	13	16	36800	23400	9	LH42/62W9	ML193DF090XE48C	203241947
EL16XP1-042-230	41000	12.5	15	36800	23800	8.5	LH42/62W9	ML193UH030XE36B	203241949
EL16XP1-042-230	41000	12.5	15	36800	23800	8.5	LH42/62W9	ML193UH045XE36B	203241951
EL16XP1-042-230	41500	12.5	15	36800	23800	8.5	LH42/62W9	ML193UH070XE36B	203241953
EL16XP1-042-230	40500	13	16	36400	23400	9	LH42/62W9	ML193UH090XE36C	203241955
EL16XP1-042-230	41500	13	16	36800	23400	9	LH42/62W9	ML193UH090XE48C	203241957
EL16XP1-042-230	41500	13	16	36800	23400	9	LH42/62W9	ML193UH110XE48C	203241959
EL16XP1-042-230	42000	13	16	36800	23600	9	LH42/62W9	ML193UH110XE60C	203241961
EL16XP1-042-230	41500	13	16	37800	23600	9	LH42/62W9	ML296UH090XV48C	203241963
EL16XP1-042-230	40000	13	16	37800	24600	8.2	LH42/62W9	SL280DF090V48B	203241965
EL16XP1-042-230	40500	13	16	36800	23400	9	LH42/62W9	SL280DF090V60C	203241967
EL16XP1-042-230	40500	13	16	36800	23400	9	LH42/62W9	SL280DF110V60C	203241969
EL16XP1-042-230	42000	13	16	36800	23600	9	LH42/62W9	SL280UH080NV48B	203241971
EL16XP1-042-230	42000	13	17	36800	23400	9	LH42/62W9	SL280UH080NV60C	203241973
EL16XP1-042-230	42000	13	16	37400	23800	9	LH42/62W9	SL280UH090V48B	203241975
EL16XP1-042-230	42000	13	16	36800	23400	9	LH42/62W9	SL280UH090V60C	203241977
EL16XP1-042-230	42000	13	16	36800	23400	9	LH42/62W9	SL280UH090XV60C	203241979
EL16XP1-042-230	42000	13	17	36800	23400	9	LH42/62W9	SL280UH100NV60C	203241981
EL16XP1-042-230	41500	13	16	36800	23400	9	LH42/62W9	SL280UH110V60C	203241983
EL16XP1-042-230	41500	13	16	36800	23400	9	LH42/62W9	SL280UH110XV60C	203241985
EL16XP1-042-230	41500	13	16	37800	23800	8.5	LH42/62W9	SL297UH080NV48C	203241987
EL16XP1-042-230	42000	13	16	36800	23600	9	LH42/62W9	SL297UH080NV60C	203241989
EL16XP1-042-230	40500	13	16	36800	23600	9	LH42/62W9	SLP98DF090XV48C	203241991
EL16XP1-042-230	40500	13	16	36800	23600	9	LH42/62W9	SLP98DF090XV60C	203241993
EL16XP1-042-230	40500	13	16	36800	23600	9	LH42/62W9	SLP98DF110XV60C	203241995

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-042-230	41500	13	16	36800	23600	9	LH42/62W9	SLP98UH090XV48C	203241997
EL16XP1-042-230	41500	13	16	36800	23600	9	LH42/62W9	SLP98UH090XV60C	203241999
EL16XP1-042-230	41500	13	16	36800	23600	9	LH42/62W9	SLP98UH110XV60C	203242001
EL16XP1-042-230	41500	13	16	36800	23600	9	LH42/62W9	SLP99UH090XV48C	205763368
EL16XP1-042-230	41500	13	16	36800	23600	9	LH42/62W9	SLP99UH090XV60C	205763370
EL16XP1-042-230	41500	13	16	36800	23600	9	LH42/62W9	SLP99UH110XV60C	205763372
EL16XP1-042-230	40500	12.5	15	37400	24200	9	LH42/62W9		203242191
EL16XP1-042-230	41500	12.5	16	36800	23600	8.5	LH48/60F9	EL280UH090XE48B	203366506
EL16XP1-042-230	41500	13	16	37800	23800	9	LH48/60F9	EL280UH110XE60C	203366524
EL16XP1-042-230	41500	12.5	16	36800	23600	8.5	LH48/60X9	EL280UH090XE48B	203366505
EL16XP1-042-230	41500	13	16	37800	23800	9	LH48/60X9	EL280UH110XE60C	203366523
EL16XP1-042-230	40500	12.2	15	37400	24200	8.5	LS*4891CC		205304050
EL16XP1-042-230	39500	12	14.5	37800	24400	8.2	LS*4899BB		205484092
EL16XP1-042-230	40500	13	16	38000	24000	8.5	PL60H210P17	EL180UH080NE48B	206777992
EL16XP1-042-230	41000	13	16	37800	23200	8.5	PL60H210P17	EL180UH100NE60C	206777997
EL16XP1-042-230	41000	13	16	37800	23200	8.5	PL60H210P17	EL196UH090XE48C	206778010
EL16XP1-042-230	41000	13	16	37800	23400	8.5	PL60H210P17	EL196UH110XE60C	206778017
EL16XP1-042-230	41000	13	16	37800	23200	8.5	PL60H210P17	EL280UH110E48C	206778026
EL16XP1-042-230	41000	13	16	37800	23400	8.5	PL60H210P17	EL280UH110E60C	206778033
EL16XP1-042-230	41000	13	16	37800	23400	8.5	PL60H210P17	EL280UH110XE60C	206778038
EL16XP1-042-230	40500	13	16	37800	23200	8.5	PL60H210P17	EL296UH090XE48C	206778042
EL16XP1-042-230	41000	13	16	37800	23400	8.5	PL60H210P17	EL296UH090XV48C	206778048
EL16XP1-042-230	41000	13	16	37800	23600	8.5	PL60H210P17	EL296UH090XV60C	206778054
EL16XP1-042-230	41000	13	16	37800	23400	8.5	PL60H210P17	EL296UH110XE60C	206778060
EL16XP1-042-230	41000	13	16	37800	23400	8.5	PL60H210P17	EL296UH110XV60C	206778067
EL16XP1-042-230	40500	13	16	38000	24200	8.5	PL60H210P17	ML180UH070V48B	206778073
EL16XP1-042-230	41000	13	16	37800	23200	8.5	PL60H210P17	ML180UH110V60C	206778080
EL16XP1-042-230	42000	13	16	36800	23600	9	PL60H210P19	EL180UH080NE48B	206777994
EL16XP1-042-230	41500	13	16	36800	23400	9	PL60H210P19	EL180UH100NE60C	206778001
EL16XP1-042-230	41000	13	16	36800	23600	9	PL60H210P19	EL195UH080NE48C	206778004
EL16XP1-042-230	41500	13	16	36800	23800	9	PL60H210P19	EL195UH100NE60C	206778007
EL16XP1-042-230	41500	13	16	36800	23400	9	PL60H210P19	EL196UH090XE48C	206778014
EL16XP1-042-230	42000	13	16	36800	23600	9	PL60H210P19	EL196UH110XE60C	206778021
EL16XP1-042-230	42000	13	16	36800	23600	8.5	PL60H210P19	EL280UH090E48B	206778022
EL16XP1-042-230	42000	13	16	36800	23600	8.5	PL60H210P19	EL280UH090XE48B	206778023
EL16XP1-042-230	41500	13	16	36800	23400	9	PL60H210P19	EL280UH110E48C	206778030
EL16XP1-042-230	42000	13	16	36800	23600	9	PL60H210P19	EL280UH110E60C	206778037
EL16XP1-042-230	42000	13	16	36800	23600	9	PL60H210P19	EL280UH110XE60C	206778040
EL16XP1-042-230	41000	13	16	37400	23600	8.5	PL60H210P19	EL296UH090XE48C	206778046
EL16XP1-042-230	41500	13	16	36800	23600	9	PL60H210P19	EL296UH090XV48C	206778052
EL16XP1-042-230	41500	13	16	36800	23600	9	PL60H210P19	EL296UH090XV60C	206778058
EL16XP1-042-230	42000	13	16	36800	23600	9	PL60H210P19	EL296UH110XE60C	206778064
EL16XP1-042-230	41500	13	16	36800	23600	9	PL60H210P19	EL296UH110XV60C	206778071
EL16XP1-042-230	42000	13	16	36800	24000	9	PL60H210P19	ML180UH070V48B	206778075
EL16XP1-042-230	42000	13	16	36800	23800	9	PL60H210P19	ML180UH090E48B	206778076
EL16XP1-042-230	42000	13	16	37400	23800	9	PL60H210P19	ML180UH090V48B	206778077
EL16XP1-042-230	41500	13	16	36800	23400	9	PL60H210P19	ML180UH110V60C	206778086
EL16XP1-048-230	45500	12.5	15	42500	27600	9	L*42/49K9	EL280UH110XE60C	203366541
EL16XP1-048-230	45000	12.5	15	41000	27600	9	L*42/60S9	EL280UH110XE60C	203366537
EL16XP1-048-230	47000	13	16	41500	27600	9.5	L*42/60Z9	EL180UH100NE60C	203242002
EL16XP1-048-230	46500	12.5	15	42000	28000	9	L*42/60Z9	EL195UH080NE48C	203242004
EL16XP1-048-230	46500	12.5	15	42000	28000	9	L*42/60Z9	EL195UH100NE60C	203242006
EL16XP1-048-230	47000	12.5	15	42000	28000	9.5	L*42/60Z9	EL196UH090XE48C	203242008
EL16XP1-048-230	47000	12.5	15	42000	27800	9.5	L*42/60Z9	EL196UH110XE60C	203242010

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-048-230	47000	12.5	15	42000	27800	9.5	L*42/60Z9	EL280UH110E48C	203242012
EL16XP1-048-230	47000	13	16	41500	27800	9.5	L*42/60Z9	EL280UH110E60C	203242014
EL16XP1-048-230	47000	13	16	41500	27800	9.5	L*42/60Z9	EL280UH110XE60C	203366545
EL16XP1-048-230	45000	12.5	15	41500	27800	9.5	L*42/60Z9	EL296DF090XE48C	203242016
EL16XP1-048-230	45000	12.5	15	41500	28000	9.5	L*42/60Z9	EL296DF090XV60C	203242018
EL16XP1-048-230	45500	13	16	42500	28200	9.5	L*42/60Z9	EL296DF110XE60C	203242020
EL16XP1-048-230	45500	12.5	15	42500	28600	9.5	L*42/60Z9	EL296DF110XV60C	203242022
EL16XP1-048-230	47000	12.5	15	42000	28000	9.5	L*42/60Z9	EL296UH090XE48C	203242024
EL16XP1-048-230	47000	12.5	15	42000	28000	9.5	L*42/60Z9	EL296UH090XV48C	203242026
EL16XP1-048-230	47000	12.5	15	42000	28000	9.5	L*42/60Z9	EL296UH090XV60C	203242028
EL16XP1-048-230	47000	12.5	15	41500	27800	9.5	L*42/60Z9	EL296UH110XE60C	203242030
EL16XP1-048-230	47000	12.5	15	42000	27800	9.5	L*42/60Z9	EL296UH110XV48C	203242032
EL16XP1-048-230	47000	12.5	15	42000	28000	9.5	L*42/60Z9	EL296UH110XV60C	203242034
EL16XP1-048-230	46000	12.5	15	41500	27400	9	L*42/60Z9	EL296UH135XE60D	203242036
EL16XP1-048-230	46000	12.5	15	41000	26800	9	L*42/60Z9	EL296UH135XV60D	203242038
EL16XP1-048-230	45500	13	16	42500	27600	9.5	L*42/60Z9	ML180DF110E60C	203242040
EL16XP1-048-230	47000	13	16	41500	27800	9.5	L*42/60Z9	ML180UH090E60C	203242042
EL16XP1-048-230	47500	12.5	15	42500	28200	9.5	L*42/60Z9	ML180UH110E60C	203242044
EL16XP1-048-230	47000	13	16	41500	27600	9.5	L*42/60Z9	ML180UH110V60C	206777316
EL16XP1-048-230	46500	12.5	15	41500	27000	9	L*42/60Z9	ML180UH135E60D	203242046
EL16XP1-048-230	45000	12.5	15	41500	27800	9.5	L*42/60Z9	ML193DF090XE48C	203242048
EL16XP1-048-230	47000	12.5	15	41500	27800	9.5	L*42/60Z9	ML193UH090XE48C	203242050
EL16XP1-048-230	47000	12.5	15	42000	27800	9.5	L*42/60Z9	ML193UH110XE48C	203242052
EL16XP1-048-230	47000	12.5	15	41500	27800	9.5	L*42/60Z9	ML193UH110XE60C	203242054
EL16XP1-048-230	45000	12.5	15	42500	28000	9.5	L*42/60Z9	ML296DF090XV60C	203242056
EL16XP1-048-230	47000	12.5	15	42500	28000	9.5	L*42/60Z9	ML296UH090XV48C	203242058
EL16XP1-048-230	47000	12.5	15	42000	28000	9.5	L*42/60Z9	ML296UH110XV60C	203242060
EL16XP1-048-230	45500	13	16	41500	27800	9.5	L*42/60Z9	SL280DF090V60C	203242062
EL16XP1-048-230	46000	13	16	42500	28200	9.5	L*42/60Z9	SL280DF110V60C	203242064
EL16XP1-048-230	47000	13	16	41500	27600	9.5	L*42/60Z9	SL280UH080NV60C	203242066
EL16XP1-048-230	47000	12.5	15	42000	27800	9.5	L*42/60Z9	SL280UH090V60C	203242068
EL16XP1-048-230	47000	12.5	15	42000	27800	9.5	L*42/60Z9	SL280UH090XV60C	203242070
EL16XP1-048-230	47500	13	16	41500	27600	9.5	L*42/60Z9	SL280UH100NV60C	203242072
EL16XP1-048-230	47000	13	16	41500	27800	9.5	L*42/60Z9	SL280UH110V60C	203242074
EL16XP1-048-230	47000	13	16	41500	27800	9.5	L*42/60Z9	SL280UH110XV60C	203242076
EL16XP1-048-230	46500	12.5	15	41500	27200	9	L*42/60Z9	SL280UH135V60D	203242078
EL16XP1-048-230	47000	12.5	15	42000	28000	9.5	L*42/60Z9	SL297UH080NV48C	203242080
EL16XP1-048-230	47000	12.5	15	42000	27800	9.5	L*42/60Z9	SL297UH080NV60C	203242082
EL16XP1-048-230	45000	12.5	15	42000	28000	9.5	L*42/60Z9	SLP98DF090XV48C	203242084
EL16XP1-048-230	45000	12.5	15	41500	28000	9.5	L*42/60Z9	SLP98DF090XV60C	203242086
EL16XP1-048-230	45500	12.5	15	42500	28400	9.5	L*42/60Z9	SLP98DF110XV60C	203242088
EL16XP1-048-230	47000	12.5	15	42000	28000	9.5	L*42/60Z9	SLP98UH090XV48C	203242090
EL16XP1-048-230	47000	12.5	15	42000	28000	9.5	L*42/60Z9	SLP98UH090XV60C	203242092
EL16XP1-048-230	47000	12.5	15	42000	28000	9.5	L*42/60Z9	SLP98UH110XV60C	203242094
EL16XP1-048-230	46500	12.5	15	41500	27200	9	L*42/60Z9	SLP98UH135XV60D	203242096
EL16XP1-048-230	45000	12.5	15	42000	28000	9.5	L*42/60Z9	SLP99DF090XV48C	205763376
EL16XP1-048-230	45000	12.5	15	41500	28000	9.5	L*42/60Z9	SLP99DF090XV60C	205763381
EL16XP1-048-230	45500	12.5	15	42500	28400	9.5	L*42/60Z9	SLP99DF110XV60C	205760362
EL16XP1-048-230	47000	12.5	15	42000	28000	9.5	L*42/60Z9	SLP99UH090XV48C	205763382
EL16XP1-048-230	47000	12.5	15	42000	28000	9.5	L*42/60Z9	SLP99UH090XV60C	205763387
EL16XP1-048-230	47000	12.5	15	42000	28000	9.5	L*42/60Z9	SLP99UH110XV60C	205763391
EL16XP1-048-230	46500	12.5	15	41500	27200	9	L*42/60Z9	SLP99UH135XV60D	205763394
EL16XP1-048-230	45000	12.5	15	42500	28800	9.5	L*42/60Z9		203242192
EL16XP1-048-230	45500	12.5	15	42500	27600	9	L*42/61K9	EL280UH110XE60C	203366542

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-048-230	45000	12.5	15	41000	27600	9	L*43/48S9	EL280UH110XE60C	203366538
EL16XP1-048-230	47000	13	16	41500	27800	9.5	L*43/61Z9	EL280UH110XE60C	203366546
EL16XP1-048-230	47000	13	16	41500	27800	9.5	L*49/62Y9	EL280UH110XE60C	203366544
EL16XP1-048-230	47000	13	16	41500	27800	9.5	L*49/62Z9	EL280UH110XE60C	203366543
EL16XP1-048-230	45000	12.5	15	41500	27800	9.5	LD42/61Z9	EL296DF090XE48C	205147225
EL16XP1-048-230	45000	12.2	14.5	41500	28000	9.5	LD42/61Z9	EL296DF090XV60C	205147226
EL16XP1-048-230	45500	12.5	15	42500	28200	9.5	LD42/61Z9	EL296DF110XE60C	205147227
EL16XP1-048-230	45000	12.5	15	41500	27800	9.5	LD42/61Z9	EL296DF110XV60C	205147228
EL16XP1-048-230	45500	12.5	15	41500	27600	9.5	LD42/61Z9	ML180DF110E60C	205147229
EL16XP1-048-230	45000	12.5	15	41500	27800	9.5	LD42/61Z9	ML193DF090XE48C	205147230
EL16XP1-048-230	45000	12.2	14.5	41500	28000	9.5	LD42/61Z9	ML296DF090XV60C	205147231
EL16XP1-048-230	45500	12.5	15	41500	27800	9.5	LD42/61Z9	SL280DF090V60C	205147232
EL16XP1-048-230	46000	12.5	15	42500	28200	9.5	LD42/61Z9	SL280DF110V60C	205147233
EL16XP1-048-230	45000	12.2	14.5	42000	28000	9.5	LD42/61Z9	SLP98DF090XV48C	205147234
EL16XP1-048-230	45000	12.2	14.5	41500	28000	9.5	LD42/61Z9	SLP98DF090XV60C	205147235
EL16XP1-048-230	45500	12.5	15	42500	28400	9.5	LD42/61Z9	SLP98DF110XV60C	205147236
EL16XP1-048-230	45000	12.2	14.5	42000	28000	9.5	LD42/61Z9	SLP99DF090XV48C	205763374
EL16XP1-048-230	45000	12.2	14.5	41500	28000	9.5	LD42/61Z9	SLP99DF090XV60C	205763378
EL16XP1-048-230	45500	12.5	15	42500	28400	9.5	LD42/61Z9	SLP99DF110XV60C	205760360
EL16XP1-048-230	45000	12.2	14.5	43000	28800	9.5	LD42/61Z9		204755178
EL16XP1-048-230	47000	13	16	41500	27600	9.5	LH40/61E9	EL180UH100NE60C	206777307
EL16XP1-048-230	47000	13	16	41500	27800	9.5	LH40/61E9	EL280UH110E60C	206777310
EL16XP1-048-230	47000	13	16	41500	27800	9.5	LH40/61E9	EL280UH110XE60C	206777312
EL16XP1-048-230	47000	13	16	41500	27600	9.5	LH40/61E9	ML180UH110V60C	206777315
EL16XP1-048-230	47000	13	16	41500	27600	9.5	LH40/61W9	EL180UH100NE60C	206777306
EL16XP1-048-230	47000	13	16	41500	27800	9.5	LH40/61W9	EL280UH110E60C	206777309
EL16XP1-048-230	47000	13	16	41500	27800	9.5	LH40/61W9	EL280UH110XE60C	203366536
EL16XP1-048-230	47000	13	16	41500	27600	9.5	LH40/61W9	ML180UH110V60C	206777314
EL16XP1-048-230	46500	12.5	16	41500	27800	9.5	LH40/62W9	EL280UH110XE60C	203366532
EL16XP1-048-230	45000	12.5	15	41000	27600	9	LH41/49F9	EL280UH110XE60C	203366533
EL16XP1-048-230	46000	12.5	15	42500	27800	9	LH41/61D9	EL280UH110XE60C	203366535
EL16XP1-048-230	45000	12.5	15	41000	27600	9	LH42/60D9	EL280UH110XE60C	203366534
EL16XP1-048-230	47000	13	16	41500	27600	9.5	LH42/62W9	EL180UH100NE60C	203242003
EL16XP1-048-230	46500	12.5	15	42000	28000	9.5	LH42/62W9	EL195UH080NE48C	203242005
EL16XP1-048-230	46500	12.5	15	42000	28000	9.5	LH42/62W9	EL195UH100NE60C	203242007
EL16XP1-048-230	47000	12.5	15	42000	28000	9.5	LH42/62W9	EL196UH090XE48C	203242009
EL16XP1-048-230	47000	12.5	15	42000	27800	9.5	LH42/62W9	EL196UH110XE60C	203242011
EL16XP1-048-230	47000	12.5	15	42000	27800	9.5	LH42/62W9	EL280UH110E48C	203242013
EL16XP1-048-230	47000	13	16	41500	27800	9.5	LH42/62W9	EL280UH110E60C	203242015
EL16XP1-048-230	47000	13	16	41500	27800	9.5	LH42/62W9	EL280UH110XE60C	203366547
EL16XP1-048-230	45000	12.5	15	41500	27800	9.5	LH42/62W9	EL296DF090XE48C	203242017
EL16XP1-048-230	45000	12.5	15	41500	28000	9.5	LH42/62W9	EL296DF090XV60C	203242019
EL16XP1-048-230	45500	13	16	42500	28200	9.5	LH42/62W9	EL296DF110XE60C	203242021
EL16XP1-048-230	45500	12.5	15	42500	28600	9.5	LH42/62W9	EL296DF110XV60C	203242023
EL16XP1-048-230	47000	12.5	15	42000	28000	9.5	LH42/62W9	EL296UH090XE48C	203242025
EL16XP1-048-230	47000	12.5	15	42000	28000	9.5	LH42/62W9	EL296UH090XV48C	203242027
EL16XP1-048-230	47000	12.5	15	42000	28000	9.5	LH42/62W9	EL296UH090XV60C	203242029
EL16XP1-048-230	47000	12.5	15	41500	27800	9.5	LH42/62W9	EL296UH110XE60C	203242031
EL16XP1-048-230	47000	12.5	15	42000	27800	9.5	LH42/62W9	EL296UH110XV48C	203242033
EL16XP1-048-230	47000	12.5	15	42000	28000	9.5	LH42/62W9	EL296UH110XV60C	203242035
EL16XP1-048-230	46000	12.5	15	41500	27400	9	LH42/62W9	EL296UH135XE60D	203242037
EL16XP1-048-230	46000	12.5	15	41000	26800	9	LH42/62W9	EL296UH135XV60D	203242039
EL16XP1-048-230	45500	13	16	42500	28200	9.5	LH42/62W9	ML180DF110E60C	203242041
EL16XP1-048-230	47000	13	16	41500	27800	9.5	LH42/62W9	ML180UH090E60C	203242043

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-048-230	47500	12.5	15	42500	28200	9.5	LH42/62W9	ML180UH110E60C	203242045
EL16XP1-048-230	47000	13	16	41500	27600	9.5	LH42/62W9	ML180UH110V60C	206777317
EL16XP1-048-230	46500	12.5	15	41500	27000	9	LH42/62W9	ML180UH135E60D	203242047
EL16XP1-048-230	45000	12.5	15	41500	27800	9.5	LH42/62W9	ML193DF090XE48C	203242049
EL16XP1-048-230	47000	12.5	15	41500	27800	9.5	LH42/62W9	ML193UH090XE48C	203242051
EL16XP1-048-230	47000	12.5	15	42000	27800	9.5	LH42/62W9	ML193UH110XE48C	203242053
EL16XP1-048-230	47000	12.5	15	41500	27800	9.5	LH42/62W9	ML193UH110XE60C	203242055
EL16XP1-048-230	45000	12.5	15	42500	28000	9.5	LH42/62W9	ML296DF090XV60C	203242057
EL16XP1-048-230	47000	12.5	15	42500	28000	9.5	LH42/62W9	ML296UH090XV48C	203242059
EL16XP1-048-230	47000	12.5	15	42000	28000	9.5	LH42/62W9	ML296UH110XV60C	203242061
EL16XP1-048-230	45500	13	16	41500	27800	9.5	LH42/62W9	SL280DF090V60C	203242063
EL16XP1-048-230	46000	13	16	42500	28200	9.5	LH42/62W9	SL280DF110V60C	203242065
EL16XP1-048-230	47000	13	16	41500	27600	9.5	LH42/62W9	SL280UH080NV60C	203242067
EL16XP1-048-230	47000	12.5	15	42000	27800	9.5	LH42/62W9	SL280UH090V60C	203242069
EL16XP1-048-230	47000	12.5	15	42000	27800	9.5	LH42/62W9	SL280UH090XV60C	203242071
EL16XP1-048-230	47500	13	16	41500	27600	9.5	LH42/62W9	SL280UH100NV60C	203242073
EL16XP1-048-230	47000	13	16	41500	27800	9.5	LH42/62W9	SL280UH110V60C	203242075
EL16XP1-048-230	47000	13	16	41500	27800	9.5	LH42/62W9	SL280UH110XV60C	203242077
EL16XP1-048-230	46500	12.5	15	41500	27200	9	LH42/62W9	SL280UH135V60D	203242079
EL16XP1-048-230	47000	12.5	15	42000	28000	9.5	LH42/62W9	SL297UH080NV48C	203242081
EL16XP1-048-230	47000	12.5	15	42000	27800	9.5	LH42/62W9	SL297UH080NV60C	203242083
EL16XP1-048-230	45000	12.5	15	42000	28000	9.5	LH42/62W9	SLP98DF090XV48C	203242085
EL16XP1-048-230	45000	12.5	15	41500	28000	9.5	LH42/62W9	SLP98DF090XV60C	203242087
EL16XP1-048-230	45500	12.5	15	42500	28400	9.5	LH42/62W9	SLP98DF110XV60C	203242089
EL16XP1-048-230	47000	12.5	15	42000	28000	9.5	LH42/62W9	SLP98UH090XV48C	203242091
EL16XP1-048-230	47000	12.5	15	42000	28000	9.5	LH42/62W9	SLP98UH090XV60C	203242093
EL16XP1-048-230	47000	12.5	15	42000	28000	9.5	LH42/62W9	SLP98UH110XV60C	203242095
EL16XP1-048-230	46500	12.5	15	41500	27200	9	LH42/62W9	SLP98UH135XV60D	203242097
EL16XP1-048-230	47000	12.5	15	42000	28000	9.5	LH42/62W9	SLP99UH090XV48C	205763384
EL16XP1-048-230	47000	12.5	15	42000	28000	9.5	LH42/62W9	SLP99UH090XV60C	205763389
EL16XP1-048-230	47000	12.5	15	42000	28000	9.5	LH42/62W9	SLP99UH110XV60C	205763393
EL16XP1-048-230	46500	12.5	15	41500	27200	9	LH42/62W9	SLP99UH135XV60D	205763396
EL16XP1-048-230	45000	12.5	15	42500	28800	9.5	LH42/62W9		203242193
EL16XP1-048-230	46500	12.5	15	41500	27800	9.5	LH48/60F9	EL280UH110XE60C	203366540
EL16XP1-048-230	46500	12.5	15	41500	27800	9.5	LH48/60X9	EL280UH110XE60C	203366539
EL16XP1-048-230	45000	12.2	14.5	43000	28800	9.5	LS*4891CC		205304047
EL16XP1-048-230	45000	12.5	15	43000	28800	9.5	LS*6094CC		205304021
EL16XP1-048-230	47000	13	16	41500	27600	9.5	PL60H210P19	EL180UH100NE60C	206777308
EL16XP1-048-230	47000	13	16	41500	27800	9.5	PL60H210P19	EL280UH110E60C	206777311
EL16XP1-048-230	47000	13	16	41500	27800	9.5	PL60H210P19	EL280UH110XE60C	206777313
EL16XP1-048-230	47000	13	16	41500	27600	9.5	PL60H210P19	ML180UH110V60C	206777318
EL16XP1-060-230	57500	12.5	15	52500	36200	9	L*42/60Z9	EL180UH100NE60C	203242098
EL16XP1-060-230	57000	12.2	14.5	52500	36400	8.5	L*42/60Z9	EL195UH100NE60C	203242102
EL16XP1-060-230	56500	12.5	15	52500	35800	9	L*42/60Z9	EL196UH110XE60C	203242104
EL16XP1-060-230	57500	12.5	15	52500	36200	9	L*42/60Z9	EL280UH110E60C	203242106
EL16XP1-060-230	57500	12.5	15	52500	36200	9	L*42/60Z9	EL280UH110XE60C	203366554
EL16XP1-060-230	55500	12.2	14	52500	34000	9	L*42/60Z9	EL296DF090XV60C	203242108
EL16XP1-060-230	56000	12.5	15	52500	34600	9	L*42/60Z9	EL296DF110XE60C	203242110
EL16XP1-060-230	55500	12.2	14	52500	34200	9	L*42/60Z9	EL296DF110XV60C	203242112
EL16XP1-060-230	57500	12.2	14.5	52000	35800	9	L*42/60Z9	EL296UH090XV60C	203242114
EL16XP1-060-230	58000	12.2	15	52500	35800	9.5	L*42/60Z9	EL296UH110XE60C	203242116
EL16XP1-060-230	58000	12.2	15	52500	36000	9.5	L*42/60Z9	EL296UH110XV60C	203242118
EL16XP1-060-230	56500	12.2	14.5	52500	35800	9	L*42/60Z9	EL296UH135XE60D	203242120
EL16XP1-060-230	57000	12.2	14.5	52500	35800	9	L*42/60Z9	EL296UH135XV60D	203242122

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-060-230	56500	12.5	15	52500	34200	9	L*42/60Z9	ML180DF110E60C	203242124
EL16XP1-060-230	58000	12.2	15	52500	35800	9.5	L*42/60Z9	ML180UH090E60C	203242126
EL16XP1-060-230	58000	12.2	15	52500	35800	9.5	L*42/60Z9	ML180UH110E60C	203242128
EL16XP1-060-230	56500	12.5	15	50500	34000	8.5	L*42/60Z9	ML180UH135E60D	203242130
EL16XP1-060-230	56500	12.2	14.5	52000	34000	8.5	L*42/60Z9	ML193UH110XE60C	203242132
EL16XP1-060-230	57500	12.2	14.5	52500	36400	9	L*42/60Z9	ML296UH110XV60C	203242134
EL16XP1-060-230	56500	12.5	15	52500	34200	9	L*42/60Z9	SL280DF090V60C	203242136
EL16XP1-060-230	56500	12.5	15	52500	34600	9	L*42/60Z9	SL280DF110V60C	203242138
EL16XP1-060-230	58500	12.5	15	52000	35600	9.5	L*42/60Z9	SL280UH080NV60C	203242140
EL16XP1-060-230	57000	12.5	15	52500	35800	9	L*42/60Z9	SL280UH090V60C	203242142
EL16XP1-060-230	57000	12.5	15	52500	35800	9	L*42/60Z9	SL280UH090XV60C	203242144
EL16XP1-060-230	58500	12.5	15	52500	35800	9.5	L*42/60Z9	SL280UH100NV60C	203242146
EL16XP1-060-230	58000	12.2	15	52500	35800	9.5	L*42/60Z9	SL280UH110V60C	203242148
EL16XP1-060-230	58000	12.2	15	52500	35800	9.5	L*42/60Z9	SL280UH110XV60C	203242150
EL16XP1-060-230	57500	12.5	15	52500	35800	9	L*42/60Z9	SL280UH135V60D	203242152
EL16XP1-060-230	58000	12.2	15	52000	35800	9.5	L*42/60Z9	SL297UH080NV60C	203242154
EL16XP1-060-230	55500	12.2	14	52500	34200	9	L*42/60Z9	SLP98DF110XV60C	203242156
EL16XP1-060-230	57500	12.2	14.5	52000	35800	9	L*42/60Z9	SLP98UH090XV60C	203242159
EL16XP1-060-230	58000	12.2	15	52500	36000	9.5	L*42/60Z9	SLP98UH110XV60C	203242163
EL16XP1-060-230	57000	12.5	15	51000	34200	8.5	L*42/60Z9	SLP98UH135XV60D	203242168
EL16XP1-060-230	55500	12.2	14	54000	34200	9	L*42/60Z9	SLP99DF110XV60C	205760367
EL16XP1-060-230	57500	12.2	14.5	52000	35800	9	L*42/60Z9	SLP99UH090XV60C	205763398
EL16XP1-060-230	58000	12.2	15	52500	36000	9.5	L*42/60Z9	SLP99UH110XV60C	205760370
EL16XP1-060-230	57000	12	14.5	52500	36200	9.5	L*42/60Z9		203242194
EL16XP1-060-230	57500	12.5	15	52500	36200	9	L*43/61Z9	EL280UH110XE60C	203366555
EL16XP1-060-230	57500	12.2	15	52500	36200	9	L*49/62Y9	EL280UH110XE60C	203366553
EL16XP1-060-230	57500	12.2	15	52500	36200	9	L*49/62Z9	EL280UH110XE60C	203366552
EL16XP1-060-230	55500	12.2	14	53500	34000	9	LD42/61Z9	EL296DF090XV60C	205147237
EL16XP1-060-230	56000	12.2	14.5	54000	34600	9	LD42/61Z9	EL296DF110XE60C	205147238
EL16XP1-060-230	55500	12.2	14	54000	34200	9	LD42/61Z9	EL296DF110XV60C	205147239
EL16XP1-060-230	56500	12.2	14.5	54000	34600	9	LD42/61Z9	ML180DF110E60C	205147240
EL16XP1-060-230	56500	12.2	14.5	54000	34200	9	LD42/61Z9	SL280DF090V60C	205147241
EL16XP1-060-230	56500	12.2	14.5	54000	34000	9	LD42/61Z9	SL280DF110V60C	205147242
EL16XP1-060-230	55500	12.2	14	54000	34200	9	LD42/61Z9	SLP98DF110XV60C	205147243
EL16XP1-060-230	55500	12.2	14	54000	34200	9	LD42/61Z9	SLP99DF110XV60C	205760366
EL16XP1-060-230	56500	12	14	52500	36200	9	LD42/61Z9		204755180
EL16XP1-060-230	57500	12.2	15	52500	36200	9	LH40/61W9	EL280UH110XE60C	203366550
EL16XP1-060-230	57500	12.2	15	52500	36200	9	LH40/62W9	EL280UH110XE60C	203366548
EL16XP1-060-230	56500	12	15	52500	36200	8.5	LH41/61D9	EL280UH110XE60C	203366549
EL16XP1-060-230	58000	12.5	15	52500	35800	9.5	LH42/62W9	EL180UH100NE60C	203242099
EL16XP1-060-230	57500	12.2	14.5	52500	36000	9	LH42/62W9	EL195UH100NE60C	203242103
EL16XP1-060-230	58000	12.5	15	52500	35800	9.5	LH42/62W9	EL196UH110XE60C	203242105
EL16XP1-060-230	57500	12.5	15	52500	36200	9	LH42/62W9	EL280UH110E60C	203242107
EL16XP1-060-230	57500	12.5	15	52500	36200	9	LH42/62W9	EL280UH110XE60C	203366556
EL16XP1-060-230	55500	12.2	14.5	52500	34000	9	LH42/62W9	EL296DF090XV60C	203242109
EL16XP1-060-230	56000	12.5	15	52500	34600	9	LH42/62W9	EL296DF110XE60C	203242111
EL16XP1-060-230	55500	12.2	14.5	52500	34600	9	LH42/62W9	EL296DF110XV60C	203242113
EL16XP1-060-230	57500	12.2	14.5	52000	35800	9	LH42/62W9	EL296UH090XV60C	203242115
EL16XP1-060-230	58000	12.5	15	52500	35800	9.5	LH42/62W9	EL296UH110XE60C	203242117
EL16XP1-060-230	58000	12.5	15	52500	36000	9.5	LH42/62W9	EL296UH110XV60C	203242119
EL16XP1-060-230	56500	12.2	14.5	52500	35800	9	LH42/62W9	EL296UH135XE60D	203242121
EL16XP1-060-230	57000	12.2	14.5	52500	35800	9	LH42/62W9	EL296UH135XV60D	203242123
EL16XP1-060-230	56500	12.5	15	52500	34600	9	LH42/62W9	ML180DF110E60C	203242125
EL16XP1-060-230	58000	12.5	15	52500	35800	9.5	LH42/62W9	ML180UH090E60C	203242127

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-060-230	58000	12.5	15	52500	35800	9.5	LH42/62W9	ML180UH110E60C	203242129
EL16XP1-060-230	56500	12.5	15	50500	34000	8.5	LH42/62W9	ML180UH135E60D	203242131
EL16XP1-060-230	56500	12.2	14.5	52000	34000	8.5	LH42/62W9	ML193UH110XE60C	203242133
EL16XP1-060-230	57500	12.2	14.5	52500	36400	9	LH42/62W9	ML296UH110XV60C	203242135
EL16XP1-060-230	56500	12.5	15	52500	34200	9	LH42/62W9	SL280DF090V60C	203242137
EL16XP1-060-230	56500	12.5	15	52500	34600	9	LH42/62W9	SL280DF110V60C	203242139
EL16XP1-060-230	58500	12.5	15	52000	35600	9.5	LH42/62W9	SL280UH080NV60C	203242141
EL16XP1-060-230	58000	12.5	15	52500	35800	9.5	LH42/62W9	SL280UH090V60C	203242143
EL16XP1-060-230	58000	12.5	15	52500	35800	9.5	LH42/62W9	SL280UH090XV60C	203242145
EL16XP1-060-230	58500	12.5	15	52500	35800	9.5	LH42/62W9	SL280UH100NV60C	203242147
EL16XP1-060-230	58000	12.5	15	52500	35800	9.5	LH42/62W9	SL280UH110V60C	203242149
EL16XP1-060-230	58000	12.5	15	52500	35800	9.5	LH42/62W9	SL280UH110XV60C	203242151
EL16XP1-060-230	57500	12.5	15	52500	35800	9	LH42/62W9	SL280UH135V60D	203242153
EL16XP1-060-230	58000	12.5	15	52000	35800	9.5	LH42/62W9	SL297UH080NV60C	203242155
EL16XP1-060-230	55500	12.2	14.5	52500	34600	9	LH42/62W9	SLP98DF110XV60C	203242157
EL16XP1-060-230	57500	12.2	14.5	52000	35800	9	LH42/62W9	SLP98UH090XV60C	203242160
EL16XP1-060-230	58000	12.5	15	52500	36000	9.5	LH42/62W9	SLP98UH110XV60C	203242166
EL16XP1-060-230	57000	12.5	15	51000	34200	8.5	LH42/62W9	SLP98UH135XV60D	203242171
EL16XP1-060-230	57500	12.2	14.5	52000	35800	9	LH42/62W9	SLP99UH090XV60C	205763401
EL16XP1-060-230	58000	12.5	15	52500	36000	9.5	LH42/62W9	SLP99UH110XV60C	205760372
EL16XP1-060-230	57000	12.2	14.5	52500	36200	9.5	LH42/62W9		203242195
EL16XP1-060-230	57000	12.2	15	52500	36200	9	LH48/60F9	EL280UH110XE60C	203366551
EL16XP1-060-230	57000	12	14.5	52500	36200	9.5	LS*6094CC		205304022
EL18XPV-024-230	23800	13	19	21200	13000	9.5	L*18/36V9	EL180UH040NE36A	207045813
EL18XPV-024-230	23800	13	20	21400	13000	9.5	L*18/36V9	EL180UH060NE36A	207045816
EL18XPV-024-230	23600	13	18	22000	13200	9.5	L*18/36V9	EL196UH045XE36B	207045820
EL18XPV-024-230	23600	13	18	22000	13200	9.5	L*18/36V9	EL196UH070XE36B	207045824
EL18XPV-024-230	22600	12.5	18	22000	13700	9.5	L*18/36V9	EL280DF070E36A	207045828
EL18XPV-024-230	24000	13	19	22200	13900	10	L*18/36V9	EL280UH045E36A	207045830
EL18XPV-024-230	23800	13	20	21600	13200	9.5	L*18/36V9	EL280UH070E36A	207045835
EL18XPV-024-230	23800	13	20	21600	13200	9.5	L*18/36V9	EL280UH070XE36A	207045839
EL18XPV-024-230	23800	13	20	22200	13300	10	L*18/36V9	EL280UH090E36B	207045843
EL18XPV-024-230	23800	13	18	21400	13100	9	L*18/36V9	EL296UH045XE36B	207045849
EL18XPV-024-230	23800	13	19	21600	13200	9.5	L*18/36V9	EL296UH045XV36B	207045854
EL18XPV-024-230	23800	13	18	21600	13200	9	L*18/36V9	EL296UH070XE36B	207045856
EL18XPV-024-230	23800	13	20	21600	13100	9.5	L*18/36V9	EL296UH070XV36B	207045859
EL18XPV-024-230	22400	13	19	22000	13600	9	L*18/36V9	EL296UH090XV36C	207045869
EL18XPV-024-230	22400	12.5	18	21800	13600	9.5	L*18/36V9	ML180DF045E36A	207045873
EL18XPV-024-230	23800	13	20	21600	13200	10	L*18/36V9	ML180UH030V36A	207045875
EL18XPV-024-230	23800	13	19	21600	13300	9.5	L*18/36V9	ML180UH045E36A	207045880
EL18XPV-024-230	23800	13	20	21600	13200	10	L*18/36V9	ML180UH045V36A	207045886
EL18XPV-024-230	23200	13	20	22000	13800	10	L*18/36V9	ML180UH070V36A	207045892
EL18XPV-024-230	23800	13	20	21400	13100	10	L*18/36V9	ML180UH070V36B	207045897
EL18XPV-024-230	23800	13	20	21800	13300	9.5	L*18/36V9	ML193UH030XE36B	207045902
EL18XPV-024-230	23800	13	19	21600	13200	9.5	L*18/36V9	ML193UH045XE36B	207045905
EL18XPV-024-230	23800	13	19	21600	13200	9.5	L*18/36V9	ML193UH070XE36B	207045909
EL18XPV-024-230	22400	13	17	21800	13600	9	L*18/36V9	ML193UH090XE36C	207045918
EL18XPV-024-230	23600	13	18	22000	13200	9.5	L*18/36V9	ML196UH045XE36B	207045925
EL18XPV-024-230	23600	13	18	22000	13200	9.5	L*18/36V9	ML196UH070XE36B	207045931
EL18XPV-024-230	23800	13	20	21600	13200	9.5	L*18/36V9	ML296UH045XV36B	207045937
EL18XPV-024-230	23800	13	20	21800	13300	9.5	L*18/36V9	ML296UH070XV36B	207045942
EL18XPV-024-230	22600	12.5	18	22000	13800	9	L*18/36V9	SL280DF070V36A	207045950
EL18XPV-024-230	23800	13	20	21400	13100	9.5	L*18/36V9	SL280UH060NV36A	207045952
EL18XPV-024-230	23800	13	19	21600	13100	9.5	L*18/36V9	SL280UH070V36A	207045958

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL18XPV-024-230	23800	13	19	21600	13100	9.5	L*18/36V9	SL280UH070XV36A	207045965
EL18XPV-024-230	23800	13	20	21400	13100	9.5	L*18/36V9	SL280UH090V36B	207045971
EL18XPV-024-230	23800	13	20	21600	13200	9.5	L*18/36V9	SL297UH040NV36B	207045977
EL18XPV-024-230	23800	13	19	21600	13200	9.5	L*18/36V9	SL297UH060NV36B	207045982
EL18XPV-024-230	23800	13	20	21600	13100	9.5	L*18/36V9	SLP99UH070XV36B	207045989
EL18XPV-024-230	22400	13	19	22000	13600	9	L*18/36V9	SLP99UH090XV36C	207045994
EL18XPV-024-230	23400	13	20	21600	12600	9.5	L*19/36U9	EL180UH040NE36A	207045641
EL18XPV-024-230	24000	13	20	21400	13000	9.5	L*19/36U9	EL180UH060NE36A	207045644
EL18XPV-024-230	23800	13	18	22400	13300	9.5	L*19/36U9	EL196UH045XE36B	207045648
EL18XPV-024-230	23800	13	18	22400	13300	9.5	L*19/36U9	EL196UH070XE36B	207045652
EL18XPV-024-230	22600	12.5	18	22000	13700	9.5	L*19/36U9	EL280DF070E36A	207045672
EL18XPV-024-230	24000	13	19	22200	13900	10	L*19/36U9	EL280UH045E36A	207045685
EL18XPV-024-230	23800	13	20	22000	12800	10	L*19/36U9	EL280UH070E36A	207045702
EL18XPV-024-230	23800	13	20	22000	12800	10	L*19/36U9	EL280UH070XE36A	207045706
EL18XPV-024-230	23800	13	20	22200	13300	10	L*19/36U9	EL280UH090E36B	207045710
EL18XPV-024-230	24000	13	18	21400	13100	9	L*19/36U9	EL296UH045XE36B	207045714
EL18XPV-024-230	24000	13	19	21600	13200	9.5	L*19/36U9	EL296UH045XV36B	207045718
EL18XPV-024-230	24000	13	18	21600	13200	9	L*19/36U9	EL296UH070XE36B	207045722
EL18XPV-024-230	24000	13	20	21600	13100	9.5	L*19/36U9	EL296UH070XV36B	207045726
EL18XPV-024-230	22400	13	19	22000	13600	9	L*19/36U9	EL296UH090XV36C	207045729
EL18XPV-024-230	22400	12.5	18	21800	13600	9.5	L*19/36U9	ML180DF045E36A	207045734
EL18XPV-024-230	24000	13	20	21600	13200	10	L*19/36U9	ML180UH030V36A	207045736
EL18XPV-024-230	23800	13	20	22000	12800	9.5	L*19/36U9	ML180UH045E36A	207045739
EL18XPV-024-230	24000	13	20	21600	13200	10	L*19/36U9	ML180UH045V36A	207045742
EL18XPV-024-230	23200	13	20	22000	13800	10	L*19/36U9	ML180UH070V36A	207045745
EL18XPV-024-230	24000	13	20	21400	13100	10	L*19/36U9	ML180UH070V36B	207045749
EL18XPV-024-230	24000	13	20	21800	13300	9.5	L*19/36U9	ML193UH030XE36B	207045752
EL18XPV-024-230	24000	13	19	21600	13200	9.5	L*19/36U9	ML193UH045XE36B	207045755
EL18XPV-024-230	24000	13	19	21600	13200	9.5	L*19/36U9	ML193UH070XE36B	207045758
EL18XPV-024-230	22400	13	17	21800	13600	9	L*19/36U9	ML193UH090XE36C	207045761
EL18XPV-024-230	23600	13	18	22000	13200	9.5	L*19/36U9	ML196UH045XE36B	207045764
EL18XPV-024-230	23600	13	18	22000	13200	9.5	L*19/36U9	ML196UH070XE36B	207045767
EL18XPV-024-230	24000	13	20	21600	13200	9.5	L*19/36U9	ML296UH045XV36B	207045770
EL18XPV-024-230	24000	13	20	21800	13300	9.5	L*19/36U9	ML296UH070XV36B	207045773
EL18XPV-024-230	22600	12.5	18	22000	13800	9	L*19/36U9	SL280DF070V36A	207045778
EL18XPV-024-230	24000	13	20	21400	13100	9.5	L*19/36U9	SL280UH060NV36A	207045780
EL18XPV-024-230	24000	13	19	21600	13100	9.5	L*19/36U9	SL280UH070V36A	207045784
EL18XPV-024-230	24000	13	19	21600	13100	9.5	L*19/36U9	SL280UH070XV36A	207045788
EL18XPV-024-230	24000	13	20	21400	13100	9.5	L*19/36U9	SL280UH090V36B	207045793
EL18XPV-024-230	24000	13	20	21600	13200	9.5	L*19/36U9	SL297UH040NV36B	207045796
EL18XPV-024-230	24000	13	19	21600	13200	9.5	L*19/36U9	SL297UH060NV36B	207045818
EL18XPV-024-230	24000	13	20	21600	13100	9.5	L*19/36U9	SLP99UH070XV36B	207045825
EL18XPV-024-230	22400	13	19	22000	13600	9	L*19/36U9	SLP99UH090XV36C	207045832
EL18XPV-024-230	23600	13	20	21600	12600	9.5	L*30/36U9	EL180UH040NE36A	207045642
EL18XPV-024-230	24000	13	20	21400	13000	9.5	L*30/36U9	EL180UH060NE36A	207045645
EL18XPV-024-230	24000	13	18	22400	13300	9.5	L*30/36U9	EL196UH045XE36B	207045649
EL18XPV-024-230	24000	13	18	22400	13300	9.5	L*30/36U9	EL196UH070XE36B	207045654
EL18XPV-024-230	22600	12.5	18	22000	13700	9.5	L*30/36U9	EL280DF070E36A	207045678
EL18XPV-024-230	24000	13	19	22200	13900	10	L*30/36U9	EL280UH045E36A	207045690
EL18XPV-024-230	24000	13	20	22000	12800	10	L*30/36U9	EL280UH070E36A	207045703
EL18XPV-024-230	24000	13	20	22000	12800	10	L*30/36U9	EL280UH070XE36A	207045707
EL18XPV-024-230	23800	13	20	22200	13300	10	L*30/36U9	EL280UH090E36B	207045711
EL18XPV-024-230	24000	13	18	21400	13100	9	L*30/36U9	EL296UH045XE36B	207045715
EL18XPV-024-230	24000	13	19	21600	13200	9.5	L*30/36U9	EL296UH045XV36B	207045719

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL18XPV-024-230	24000	13	18	21600	13200	9	L*30/36U9	EL296UH070XE36B	207045723
EL18XPV-024-230	24000	13	20	21600	13100	9.5	L*30/36U9	EL296UH070XV36B	207045727
EL18XPV-024-230	22400	13	19	22000	13600	9	L*30/36U9	EL296UH090XV36C	207045730
EL18XPV-024-230	22400	12.5	18	21800	13600	9.5	L*30/36U9	ML180DF045E36A	207045735
EL18XPV-024-230	24000	13	20	21600	13200	10	L*30/36U9	ML180UH030V36A	207045737
EL18XPV-024-230	24000	13	20	22000	12800	9.5	L*30/36U9	ML180UH045E36A	207045740
EL18XPV-024-230	24000	13	20	21600	13200	10	L*30/36U9	ML180UH045V36A	207045743
EL18XPV-024-230	23200	13	20	22000	13800	10	L*30/36U9	ML180UH070V36A	207045746
EL18XPV-024-230	24000	13	20	21400	13100	10	L*30/36U9	ML180UH070V36B	207045750
EL18XPV-024-230	24000	13	20	21800	13300	9.5	L*30/36U9	ML193UH030XE36B	207045753
EL18XPV-024-230	24000	13	19	21600	13200	9.5	L*30/36U9	ML193UH045XE36B	207045756
EL18XPV-024-230	24000	13	19	21600	13200	9.5	L*30/36U9	ML193UH070XE36B	207045759
EL18XPV-024-230	22400	13	17	21800	13600	9	L*30/36U9	ML193UH090XE36C	207045762
EL18XPV-024-230	23600	13	18	22000	13200	9.5	L*30/36U9	ML196UH045XE36B	207045765
EL18XPV-024-230	23600	13	18	22000	13200	9.5	L*30/36U9	ML196UH070XE36B	207045768
EL18XPV-024-230	24000	13	20	21600	13200	9.5	L*30/36U9	ML296UH045XV36B	207045771
EL18XPV-024-230	24000	13	20	21800	13300	9.5	L*30/36U9	ML296UH070XV36B	207045774
EL18XPV-024-230	22600	12.5	18	22000	13800	9	L*30/36U9	SL280DF070V36A	207045779
EL18XPV-024-230	24000	13	20	21400	13100	9.5	L*30/36U9	SL280UH060NV36A	207045782
EL18XPV-024-230	24000	13	19	21600	13100	9.5	L*30/36U9	SL280UH070V36A	207045785
EL18XPV-024-230	24000	13	19	21600	13100	9.5	L*30/36U9	SL280UH070XV36A	207045790
EL18XPV-024-230	24000	13	20	21400	13100	9.5	L*30/36U9	SL280UH090V36B	207045794
EL18XPV-024-230	24000	13	20	21600	13200	9.5	L*30/36U9	SL297UH040NV36B	207045797
EL18XPV-024-230	24000	13	19	21600	13200	9.5	L*30/36U9	SL297UH060NV36B	207045821
EL18XPV-024-230	24000	13	20	21600	13100	9.5	L*30/36U9	SLP99UH070XV36B	207045827
EL18XPV-024-230	22400	13	19	22000	13600	9	L*30/36U9	SLP99UH090XV36C	207045834
EL18XPV-024-230	22600	12.5	18	22000	13700	9.5	LD19/36Z9	EL280DF070E36A	207045659
EL18XPV-024-230	22400	12.5	18	21800	13600	9.5	LD19/36Z9	ML180DF045E36A	207045732
EL18XPV-024-230	22600	12.5	18	22000	13800	9	LD19/36Z9	SL280DF070V36A	207045776
EL18XPV-024-230	22600	12.5	18	22000	13700	9.5	LD24/35Z9	EL280DF070E36A	207045667
EL18XPV-024-230	22400	12.5	18	21800	13600	9.5	LD24/35Z9	ML180DF045E36A	207045733
EL18XPV-024-230	22600	12.5	18	22000	13800	9	LD24/35Z9	SL280DF070V36A	207045777
EL18XPV-024-230	23600	13	20	21600	12600	9.5	LH18/37R9	EL180UH040NE36A	207045643
EL18XPV-024-230	24000	13	20	21400	13000	9.5	LH18/37R9	EL180UH060NE36A	207045646
EL18XPV-024-230	24000	13	18	22400	13300	9.5	LH18/37R9	EL196UH045XE36B	207045650
EL18XPV-024-230	24000	13	18	22400	13300	9.5	LH18/37R9	EL196UH070XE36B	207045656
EL18XPV-024-230	24000	13	19	22200	13900	10	LH18/37R9	EL280UH045E36A	207045697
EL18XPV-024-230	24000	13	20	22000	12800	10	LH18/37R9	EL280UH070E36A	207045704
EL18XPV-024-230	24000	13	20	22000	12800	10	LH18/37R9	EL280UH070XE36A	207045708
EL18XPV-024-230	23800	13	20	22200	13300	10	LH18/37R9	EL280UH090E36B	207045712
EL18XPV-024-230	24000	13	18	21400	13100	9	LH18/37R9	EL296UH045XE36B	207045716
EL18XPV-024-230	24000	13	19	21600	13200	9.5	LH18/37R9	EL296UH045XV36B	207045720
EL18XPV-024-230	24000	13	18	21600	13200	9	LH18/37R9	EL296UH070XE36B	207045724
EL18XPV-024-230	24000	13	20	21600	13100	9.5	LH18/37R9	EL296UH070XV36B	207045728
EL18XPV-024-230	22400	13	19	22000	13600	9	LH18/37R9	EL296UH090XV36C	207045731
EL18XPV-024-230	24000	13	20	21600	13200	10	LH18/37R9	ML180UH030V36A	207045738
EL18XPV-024-230	24000	13	20	22000	12800	9.5	LH18/37R9	ML180UH045E36A	207045741
EL18XPV-024-230	24000	13	20	21600	13200	10	LH18/37R9	ML180UH045V36A	207045744
EL18XPV-024-230	23200	13	20	22000	13800	10	LH18/37R9	ML180UH070V36A	207045747
EL18XPV-024-230	24000	13	20	21400	13100	10	LH18/37R9	ML180UH070V36B	207045751
EL18XPV-024-230	24000	13	20	21800	13300	9.5	LH18/37R9	ML193UH030XE36B	207045754
EL18XPV-024-230	24000	13	19	21600	13200	9.5	LH18/37R9	ML193UH045XE36B	207045757
EL18XPV-024-230	24000	13	19	21600	13200	9.5	LH18/37R9	ML193UH070XE36B	207045760
EL18XPV-024-230	22400	13	17	21800	13600	9	LH18/37R9	ML193UH090XE36C	207045763

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL18XPV-024-230	23600	13	18	22000	13200	9.5	LH18/37R9	ML196UH045XE36B	207045766
EL18XPV-024-230	23600	13	18	22000	13200	9.5	LH18/37R9	ML196UH070XE36B	207045769
EL18XPV-024-230	24000	13	20	21600	13200	9.5	LH18/37R9	ML296UH045XV36B	207045772
EL18XPV-024-230	24000	13	20	21800	13300	9.5	LH18/37R9	ML296UH070XV36B	207045775
EL18XPV-024-230	24000	13	20	21400	13100	9.5	LH18/37R9	SL280UH060NV36A	207045783
EL18XPV-024-230	24000	13	19	21600	13100	9.5	LH18/37R9	SL280UH070V36A	207045786
EL18XPV-024-230	24000	13	19	21600	13100	9.5	LH18/37R9	SL280UH070XV36A	207045792
EL18XPV-024-230	24000	13	20	21400	13100	9.5	LH18/37R9	SL280UH090V36B	207045795
EL18XPV-024-230	24000	13	20	21600	13200	9.5	LH18/37R9	SL297UH040NV36B	207045798
EL18XPV-024-230	24000	13	19	21600	13200	9.5	LH18/37R9	SL297UH060NV36B	207045823
EL18XPV-024-230	24000	13	20	21600	13100	9.5	LH18/37R9	SLP99UH070XV36B	207045829
EL18XPV-024-230	22400	13	19	22000	13600	9	LH18/37R9	SLP99UH090XV36C	207045837
EL18XPV-024-230	23400	13	20	21600	12600	9.5	LH29/36X9	EL180UH040NE36A	207045814
EL18XPV-024-230	24000	13	20	21400	13000	9.5	LH29/36X9	EL180UH060NE36A	207045817
EL18XPV-024-230	23800	13	18	22400	13300	9.5	LH29/36X9	EL196UH045XE36B	207045822
EL18XPV-024-230	23800	13	18	22400	13300	9.5	LH29/36X9	EL196UH070XE36B	207045826
EL18XPV-024-230	24000	13	19	22200	13900	10	LH29/36X9	EL280UH045E36A	207045831
EL18XPV-024-230	23800	13	20	22000	12800	10	LH29/36X9	EL280UH070E36A	207045836
EL18XPV-024-230	23800	13	20	22000	12800	10	LH29/36X9	EL280UH070XE36A	207045840
EL18XPV-024-230	23800	13	20	22200	13300	10	LH29/36X9	EL280UH090E36B	207045845
EL18XPV-024-230	24000	13	18	21400	13100	9	LH29/36X9	EL296UH045XE36B	207045852
EL18XPV-024-230	24000	13	19	21600	13200	9.5	LH29/36X9	EL296UH045XV36B	207045855
EL18XPV-024-230	24000	13	18	21600	13200	9	LH29/36X9	EL296UH070XE36B	207045857
EL18XPV-024-230	24000	13	20	21600	13100	9.5	LH29/36X9	EL296UH070XV36B	207045861
EL18XPV-024-230	22400	13	19	22000	13600	9	LH29/36X9	EL296UH090XV36C	207045870
EL18XPV-024-230	24000	13	20	21600	13200	10	LH29/36X9	ML180UH030V36A	207045877
EL18XPV-024-230	23800	13	20	22000	12800	9.5	LH29/36X9	ML180UH045E36A	207045882
EL18XPV-024-230	24000	13	20	21600	13200	10	LH29/36X9	ML180UH045V36A	207045889
EL18XPV-024-230	23200	13	20	22000	13800	10	LH29/36X9	ML180UH070V36A	207045894
EL18XPV-024-230	24000	13	20	21400	13100	10	LH29/36X9	ML180UH070V36B	207045900
EL18XPV-024-230	24000	13	20	21800	13300	9.5	LH29/36X9	ML193UH030XE36B	207045903
EL18XPV-024-230	24000	13	19	21600	13200	9.5	LH29/36X9	ML193UH045XE36B	207045906
EL18XPV-024-230	24000	13	19	21600	13200	9.5	LH29/36X9	ML193UH070XE36B	207045915
EL18XPV-024-230	22400	13	17	21800	13600	9	LH29/36X9	ML193UH090XE36C	207045920
EL18XPV-024-230	23600	13	18	22000	13200	9.5	LH29/36X9	ML196UH045XE36B	207045927
EL18XPV-024-230	23600	13	18	22000	13200	9.5	LH29/36X9	ML196UH070XE36B	207045933
EL18XPV-024-230	24000	13	20	21600	13200	9.5	LH29/36X9	ML296UH045XV36B	207045938
EL18XPV-024-230	24000	13	20	21800	13300	9.5	LH29/36X9	ML296UH070XV36B	207045945
EL18XPV-024-230	24000	13	20	21400	13100	9.5	LH29/36X9	SL280UH060NV36A	207045954
EL18XPV-024-230	24000	13	19	21600	13100	9.5	LH29/36X9	SL280UH070V36A	207045960
EL18XPV-024-230	24000	13	19	21600	13100	9.5	LH29/36X9	SL280UH070XV36A	207045967
EL18XPV-024-230	24000	13	20	21400	13100	9.5	LH29/36X9	SL280UH090V36B	207045972
EL18XPV-024-230	24000	13	20	21600	13200	9.5	LH29/36X9	SL297UH040NV36B	207045978
EL18XPV-024-230	24000	13	19	21600	13200	9.5	LH29/36X9	SL297UH060NV36B	207045984
EL18XPV-024-230	24000	13	20	21600	13100	9.5	LH29/36X9	SLP99UH070XV36B	207045991
EL18XPV-024-230	22400	13	19	22000	13600	9	LH29/36X9	SLP99UH090XV36C	207045995
EL18XPV-024-230	23600	13	20	21600	12600	9.5	LH35/36X9	EL180UH040NE36A	207045815
EL18XPV-024-230	24000	13	20	21400	13000	9.5	LH35/36X9	EL180UH060NE36A	207045819
EL18XPV-024-230	24000	13	18	22400	13300	9.5	LH35/36X9	EL196UH045XE36B	207045647
EL18XPV-024-230	24000	13	18	22400	13300	9.5	LH35/36X9	EL196UH070XE36B	207045651
EL18XPV-024-230	24000	13	19	22200	13900	10	LH35/36X9	EL280UH045E36A	207045833
EL18XPV-024-230	24000	13	20	22000	12800	10	LH35/36X9	EL280UH070E36A	207045838
EL18XPV-024-230	24000	13	20	22000	12800	10	LH35/36X9	EL280UH070XE36A	207045705
EL18XPV-024-230	23800	13	20	22200	13300	10	LH35/36X9	EL280UH090E36B	207045709

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL18XPV-024-230	24000	13	18	21400	13100	9	LH35/36X9	EL296UH045XE36B	207045713
EL18XPV-024-230	24000	13	19	21600	13200	9.5	LH35/36X9	EL296UH045XV36B	207045717
EL18XPV-024-230	24000	13	18	21600	13200	9	LH35/36X9	EL296UH070XE36B	207045721
EL18XPV-024-230	24000	13	20	21600	13100	9.5	LH35/36X9	EL296UH070XV36B	207045725
EL18XPV-024-230	22400	13	19	22000	13600	9	LH35/36X9	EL296UH090XV36C	207045871
EL18XPV-024-230	24000	13	20	21600	13200	10	LH35/36X9	ML180UH030V36A	207045878
EL18XPV-024-230	24000	13	20	22000	12800	9.5	LH35/36X9	ML180UH045E36A	207045884
EL18XPV-024-230	24000	13	20	21600	13200	10	LH35/36X9	ML180UH045V36A	207045890
EL18XPV-024-230	23200	13	20	22000	13800	10	LH35/36X9	ML180UH070V36A	207045896
EL18XPV-024-230	24000	13	20	21400	13100	10	LH35/36X9	ML180UH070V36B	207045748
EL18XPV-024-230	24000	13	20	21800	13300	9.5	LH35/36X9	ML193UH030XE36B	207045904
EL18XPV-024-230	24000	13	19	21600	13200	9.5	LH35/36X9	ML193UH045XE36B	207045907
EL18XPV-024-230	24000	13	19	21600	13200	9.5	LH35/36X9	ML193UH070XE36B	207045917
EL18XPV-024-230	22400	13	17	21800	13600	9	LH35/36X9	ML193UH090XE36C	207045923
EL18XPV-024-230	23600	13	18	22000	13200	9.5	LH35/36X9	ML196UH045XE36B	207045929
EL18XPV-024-230	23600	13	18	22000	13200	9.5	LH35/36X9	ML196UH070XE36B	207045934
EL18XPV-024-230	24000	13	20	21600	13200	9.5	LH35/36X9	ML296UH045XV36B	207045940
EL18XPV-024-230	24000	13	20	21800	13300	9.5	LH35/36X9	ML296UH070XV36B	207045946
EL18XPV-024-230	24000	13	20	21400	13100	9.5	LH35/36X9	SL280UH060NV36A	207045956
EL18XPV-024-230	24000	13	19	21600	13100	9.5	LH35/36X9	SL280UH070V36A	207045963
EL18XPV-024-230	24000	13	19	21600	13100	9.5	LH35/36X9	SL280UH070XV36A	207045968
EL18XPV-024-230	24000	13	20	21400	13100	9.5	LH35/36X9	SL280UH090V36B	207045974
EL18XPV-024-230	24000	13	20	21600	13200	9.5	LH35/36X9	SL297UH040NV36B	207045980
EL18XPV-024-230	24000	13	19	21600	13200	9.5	LH35/36X9	SL297UH060NV36B	207045987
EL18XPV-024-230	24000	13	20	21600	13100	9.5	LH35/36X9	SLP99UH070XV36B	207045993
EL18XPV-024-230	22400	13	19	22000	13600	9	LH35/36X9	SLP99UH090XV36C	207045997
EL18XPV-036-230	33200	10	18	30600	19000	9.5	L*18/36V9	EL180UH060NE36A	207045999
EL18XPV-036-230	32600	10	17	31200	19200	9	L*18/36V9	EL195UH040NE36B	207046006
EL18XPV-036-230	32800	10	17	31000	19600	9.5	L*18/36V9	EL195UH060NE36B	207046013
EL18XPV-036-230	33400	10	17	31400	20200	9.5	L*18/36V9	EL196DF045XE36B	207046018
EL18XPV-036-230	33400	10	17	31400	20200	9.5	L*18/36V9	EL196DF070XE48B	207046023
EL18XPV-036-230	32800	10	18	30200	18800	9.5	L*18/36V9	EL196UH045XE36B	207046026
EL18XPV-036-230	32800	10	18	30200	18800	9.5	L*18/36V9	EL196UH070XE36B	207046032
EL18XPV-036-230	33600	10	16	30800	19200	9.5	L*18/36V9	EL196UH090XE48C	207046037
EL18XPV-036-230	33400	10	17	31600	20200	9.5	L*18/36V9	EL280DF070E36A	207046042
EL18XPV-036-230	33600	10	16	31600	20200	9	L*18/36V9	EL280DF090E48B	207046046
EL18XPV-036-230	33000	10	18	30400	19000	9.5	L*18/36V9	EL280UH070E36A	207046049
EL18XPV-036-230	33000	10	18	30400	19000	9.5	L*18/36V9	EL280UH070XE36A	207046057
EL18XPV-036-230	33400	10	16	30600	19000	9	L*18/36V9	EL280UH090E36B	207046062
EL18XPV-036-230	33200	10	16	31200	19600	9	L*18/36V9	EL280UH090E48B	207046068
EL18XPV-036-230	33200	10	16	31200	19600	9	L*18/36V9	EL280UH090XE48B	207046074
EL18XPV-036-230	33600	10	15	32000	20400	9	L*18/36V9	EL296DF045XE36B	207046080
EL18XPV-036-230	33600	10	18	31800	20400	9.5	L*18/36V9	EL296DF045XV36B	207046084
EL18XPV-036-230	33600	10	17	31600	20200	9.5	L*18/36V9	EL296DF070XE48B	207046089
EL18XPV-036-230	33400	10	17	32000	20400	9.5	L*18/36V9	EL296DF070XV48B	207046092
EL18XPV-036-230	32800	10	18	30600	19200	9.5	L*18/36V9	EL296UH045XV36B	207046096
EL18XPV-036-230	32600	10	17	31000	19200	9	L*18/36V9	EL296UH070XE36B	207046103
EL18XPV-036-230	32800	10	18	31200	19800	9.5	L*18/36V9	EL296UH070XV36B	207046109
EL18XPV-036-230	33200	10	16	30800	19000	9	L*18/36V9	EL296UH090XE48C	207046114
EL18XPV-036-230	33200	10	18	30800	19200	9.5	L*18/36V9	EL296UH090XV36C	207046120
EL18XPV-036-230	33800	10	17	32000	20400	9.5	L*18/36V9	ML180DF045E36A	207046126
EL18XPV-036-230	33800	10	16	32000	20400	9	L*18/36V9	ML180DF070E36A	207046130
EL18XPV-036-230	34000	10	16	32000	20400	9.5	L*18/36V9	ML180DF070E36B	207046135
EL18XPV-036-230	33800	10	16	31600	20200	9.5	L*18/36V9	ML180DF090E48B	207046138

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL18XPV-036-230	33000	10	18	30400	19000	9.5	L*18/36V9	ML180UH030V36A	207046142
EL18XPV-036-230	33000	10	18	30400	19000	9.5	L*18/36V9	ML180UH045V36A	207046150
EL18XPV-036-230	32800	10	17	31200	19400	9	L*18/36V9	ML180UH045XE36A	207046158
EL18XPV-036-230	33400	10	17	30800	19200	9.5	L*18/36V9	ML180UH070E36A	207046168
EL18XPV-036-230	33200	10	16	30600	19200	9	L*18/36V9	ML180UH070E36B	207046175
EL18XPV-036-230	33000	10	18	30400	19000	9.5	L*18/36V9	ML180UH070V36A	207046185
EL18XPV-036-230	33000	10	18	31000	19600	9.5	L*18/36V9	ML180UH070V36B	207046193
EL18XPV-036-230	33400	10	18	30400	19000	9.5	L*18/36V9	ML180UH070V48B	207046200
EL18XPV-036-230	33200	10	16	31400	19800	9	L*18/36V9	ML180UH070XE36B	207046206
EL18XPV-036-230	33200	10	16	31000	19600	9	L*18/36V9	ML180UH090E48B	207046216
EL18XPV-036-230	33200	10	18	31000	19600	9.5	L*18/36V9	ML180UH090V48B	207046222
EL18XPV-036-230	33200	10	16	31000	19600	9	L*18/36V9	ML180UH090XE48B	207046228
EL18XPV-036-230	33800	10	15	32200	20600	9	L*18/36V9	ML193DF045XE36B	207046238
EL18XPV-036-230	33800	10	15	32200	20600	9	L*18/36V9	ML193DF070XE36B	207046242
EL18XPV-036-230	33800	10	16	31600	20200	9.5	L*18/36V9	ML193DF090XE48C	207046247
EL18XPV-036-230	33000	10	15	31600	19600	8.5	L*18/36V9	ML193UH045XE36B	207046251
EL18XPV-036-230	33200	10	15	30800	19200	9	L*18/36V9	ML193UH070XE36B	207046261
EL18XPV-036-230	33400	10	16	31200	19400	9	L*18/36V9	ML193UH090XE36C	207046270
EL18XPV-036-230	33400	10	17	31400	20200	9.5	L*18/36V9	ML196DF045XE36B	207046281
EL18XPV-036-230	33400	10	17	31400	20200	9.5	L*18/36V9	ML196DF070XE48B	207046285
EL18XPV-036-230	32600	10	17	31000	19200	9	L*18/36V9	ML196UH045XE36B	207046288
EL18XPV-036-230	32800	10	18	31000	19600	9.5	L*18/36V9	ML196UH070XE36B	207046299
EL18XPV-036-230	33400	10	16	32000	20400	9.5	L*18/36V9	ML296DF045XV36B	207046309
EL18XPV-036-230	33800	10	17	31800	20200	9.5	L*18/36V9	ML296DF070XV48B	207046312
EL18XPV-036-230	33000	10	17	31200	19800	9.5	L*18/36V9	ML296UH045XV36B	207046317
EL18XPV-036-230	32800	10	17	30600	19200	9.5	L*18/36V9	ML296UH070XV36B	207046326
EL18XPV-036-230	33400	10	18	31000	19200	9.5	L*18/36V9	ML296UH090XV48C	207046336
EL18XPV-036-230	33600	10	18	31800	20400	9.5	L*18/36V9	SL280DF070V36A	207046346
EL18XPV-036-230	33600	10	18	31800	20200	9.5	L*18/36V9	SL280DF090V48B	207046350
EL18XPV-036-230	33400	10	18	30800	19000	9.5	L*18/36V9	SL280UH060NV36A	207046354
EL18XPV-036-230	32800	10	18	30600	19000	9.5	L*18/36V9	SL280UH070V36A	207046364
EL18XPV-036-230	32800	10	18	30600	19000	9.5	L*18/36V9	SL280UH070XV36A	207046374
EL18XPV-036-230	33200	10	18	31000	19600	9.5	L*18/36V9	SL280UH080NV48B	207046384
EL18XPV-036-230	33000	10	18	31000	19600	9.5	L*18/36V9	SL280UH090V36B	207046394
EL18XPV-036-230	33000	10	18	30400	19000	9.5	L*18/36V9	SL280UH090V48B	207046404
EL18XPV-036-230	33000	10	18	30400	19000	9.5	L*18/36V9	SL280UH090XV48B	207046412
EL18XPV-036-230	33000	10	18	30400	19000	9.5	L*18/36V9	SL297UH040NV36B	207046423
EL18XPV-036-230	32800	10	18	30600	19000	9.5	L*18/36V9	SL297UH060NV36B	207046432
EL18XPV-036-230	33200	10	18	30800	19200	9.5	L*18/36V9	SL297UH080NV48C	207046443
EL18XPV-036-230	33600	10	18	31800	20400	9.5	L*18/36V9	SLP99DF070XV36B	207046453
EL18XPV-036-230	33600	10	18	31800	20200	9.5	L*18/36V9	SLP99DF090XV36C	207046457
EL18XPV-036-230	33600	10	18	31800	20400	9.5	L*18/36V9	SLP99DF090XV48C	207046461
EL18XPV-036-230	32800	10	18	31200	19800	9.5	L*18/36V9	SLP99UH070XV36B	207046465
EL18XPV-036-230	33200	10	18	30800	19200	9.5	L*18/36V9	SLP99UH090XV36C	207046475
EL18XPV-036-230	33400	10	18	30600	19000	9.5	L*19/36U9	EL180UH060NE36A	207045841
EL18XPV-036-230	32600	10	17	31200	19200	9	L*19/36U9	EL195UH040NE36B	207045847
EL18XPV-036-230	32800	10	17	31000	19600	9.5	L*19/36U9	EL195UH060NE36B	207045858
EL18XPV-036-230	33400	10	17	31400	20200	9.5	L*19/36U9	EL196DF045XE36B	207045867
EL18XPV-036-230	33400	10	17	31400	20200	9.5	L*19/36U9	EL196DF070XE48B	207045876
EL18XPV-036-230	33000	10	18	30200	18800	9.5	L*19/36U9	EL196UH045XE36B	207045881
EL18XPV-036-230	33000	10	18	30200	18800	9.5	L*19/36U9	EL196UH070XE36B	207045891
EL18XPV-036-230	33800	10	16	30800	19200	9.5	L*19/36U9	EL196UH090XE48C	207045901
EL18XPV-036-230	33400	10	17	31600	20200	9.5	L*19/36U9	EL280DF070E36A	207045916
EL18XPV-036-230	33600	10	16	31600	20200	9	L*19/36U9	EL280DF090E48B	207045924

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL18XPV-036-230	33200	10	18	30400	19000	9.5	L*19/36U9	EL280UH070E36A	207045928
EL18XPV-036-230	33200	10	18	30400	19000	9.5	L*19/36U9	EL280UH070XE36A	207045936
EL18XPV-036-230	33600	10	16	30600	19000	9	L*19/36U9	EL280UH090E36B	207045949
EL18XPV-036-230	33200	10	16	31200	19600	9	L*19/36U9	EL280UH090E48B	207045959
EL18XPV-036-230	33200	10	16	31200	19600	9	L*19/36U9	EL280UH090XE48B	207045969
EL18XPV-036-230	33600	10	15	32000	20400	9	L*19/36U9	EL296DF045XE36B	207045985
EL18XPV-036-230	33600	10	18	31800	20400	9.5	L*19/36U9	EL296DF045XV36B	207045992
EL18XPV-036-230	33600	10	17	31600	20200	9.5	L*19/36U9	EL296DF070XE48B	207046003
EL18XPV-036-230	33400	10	17	32000	20400	9.5	L*19/36U9	EL296DF070XV48B	207046010
EL18XPV-036-230	33000	10	18	30600	19200	9.5	L*19/36U9	EL296UH045XV36B	207046014
EL18XPV-036-230	32600	10	17	31000	19200	9	L*19/36U9	EL296UH070XE36B	207046025
EL18XPV-036-230	33000	10	18	30600	19000	9.5	L*19/36U9	EL296UH070XV36B	207046035
EL18XPV-036-230	33400	10	16	30800	19000	9	L*19/36U9	EL296UH090XE48C	207046047
EL18XPV-036-230	33400	10	18	30800	19200	9.5	L*19/36U9	EL296UH090XV36C	207046058
EL18XPV-036-230	33800	10	17	32000	20400	9.5	L*19/36U9	ML180DF045E36A	207046071
EL18XPV-036-230	33800	10	16	32000	20400	9	L*19/36U9	ML180DF070E36A	207046077
EL18XPV-036-230	34000	10	16	32000	20400	9.5	L*19/36U9	ML180DF070E36B	207046082
EL18XPV-036-230	33800	10	16	31600	20200	9.5	L*19/36U9	ML180DF090E48B	207046088
EL18XPV-036-230	33200	10	18	30400	19000	9.5	L*19/36U9	ML180UH030V36A	207046093
EL18XPV-036-230	33200	10	18	30400	19000	9.5	L*19/36U9	ML180UH045V36A	207046100
EL18XPV-036-230	32800	10	17	31200	19400	9	L*19/36U9	ML180UH045XE36A	207046108
EL18XPV-036-230	33600	10	17	30800	19200	9.5	L*19/36U9	ML180UH070E36A	207046115
EL18XPV-036-230	33400	10	16	30600	19200	9	L*19/36U9	ML180UH070E36B	207046122
EL18XPV-036-230	33200	10	18	30400	19000	9.5	L*19/36U9	ML180UH070V36A	207046129
EL18XPV-036-230	33000	10	18	31000	19600	9.5	L*19/36U9	ML180UH070V36B	207046136
EL18XPV-036-230	33600	10	18	30400	19000	9.5	L*19/36U9	ML180UH070V48B	207046146
EL18XPV-036-230	33400	10	16	30600	19200	9	L*19/36U9	ML180UH070XE36B	207046157
EL18XPV-036-230	33200	10	16	31000	19600	9	L*19/36U9	ML180UH090E48B	207046163
EL18XPV-036-230	33200	10	18	31000	19600	9.5	L*19/36U9	ML180UH090V48B	207046174
EL18XPV-036-230	33200	10	16	31000	19600	9	L*19/36U9	ML180UH090XE48B	207046184
EL18XPV-036-230	33800	10	15	32200	20600	9	L*19/36U9	ML193DF045XE36B	207046192
EL18XPV-036-230	33800	10	15	32200	20600	9	L*19/36U9	ML193DF070XE36B	207046197
EL18XPV-036-230	33800	10	16	31600	20200	9.5	L*19/36U9	ML193DF090XE48C	207046204
EL18XPV-036-230	33000	10	15	31600	19600	8.5	L*19/36U9	ML193UH045XE36B	207046207
EL18XPV-036-230	33400	10	15	30800	19200	9	L*19/36U9	ML193UH070XE36B	207046213
EL18XPV-036-230	33600	10	16	31200	19400	9	L*19/36U9	ML193UH090XE36C	207046219
EL18XPV-036-230	33400	10	17	31400	20200	9.5	L*19/36U9	ML196DF045XE36B	207046229
EL18XPV-036-230	33400	10	17	31400	20200	9.5	L*19/36U9	ML196DF070XE48B	207046237
EL18XPV-036-230	32600	10	17	31000	19200	9	L*19/36U9	ML196UH045XE36B	207046241
EL18XPV-036-230	33000	10	18	30200	18800	9.5	L*19/36U9	ML196UH070XE36B	207046246
EL18XPV-036-230	33400	10	16	32000	20400	9.5	L*19/36U9	ML296DF045XV36B	207046256
EL18XPV-036-230	33800	10	17	31800	20200	9.5	L*19/36U9	ML296DF070XV48B	207046262
EL18XPV-036-230	33200	10	17	30600	19000	9.5	L*19/36U9	ML296UH045XV36B	207046266
EL18XPV-036-230	33000	10	17	30600	19200	9.5	L*19/36U9	ML296UH070XV36B	207046272
EL18XPV-036-230	33600	10	18	31000	19200	9.5	L*19/36U9	ML296UH090XV48C	207046278
EL18XPV-036-230	33600	10	18	31800	20400	9.5	L*19/36U9	SL280DF070V36A	207046289
EL18XPV-036-230	33600	10	18	31800	20200	9.5	L*19/36U9	SL280DF090V48B	207046296
EL18XPV-036-230	33400	10	18	30800	19000	9.5	L*19/36U9	SL280UH060NV36A	207046301
EL18XPV-036-230	33000	10	18	30600	19000	9.5	L*19/36U9	SL280UH070V36A	207046307
EL18XPV-036-230	33000	10	18	30600	19000	9.5	L*19/36U9	SL280UH070XV36A	207046313
EL18XPV-036-230	33200	10	18	30200	18800	9.5	L*19/36U9	SL280UH080NV48B	207046319
EL18XPV-036-230	33000	10	18	31000	19600	9.5	L*19/36U9	SL280UH090V36B	207046325
EL18XPV-036-230	33200	10	18	30400	19000	9.5	L*19/36U9	SL280UH090V48B	207046331
EL18XPV-036-230	33200	10	18	30400	19000	9.5	L*19/36U9	SL280UH090XV48B	207046337

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL18XPV-036-230	33200	10	18	30400	19000	9.5	L*19/36U9	SL297UH040NV36B	207046343
EL18XPV-036-230	33000	10	18	30600	19000	9.5	L*19/36U9	SL297UH060NV36B	207046349
EL18XPV-036-230	33400	10	18	30800	19200	9.5	L*19/36U9	SL297UH080NV48C	207046355
EL18XPV-036-230	33600	10	18	31800	20400	9.5	L*19/36U9	SLP99DF070XV36B	207046365
EL18XPV-036-230	33600	10	18	31800	20200	9.5	L*19/36U9	SLP99DF090XV36C	207046373
EL18XPV-036-230	33600	10	18	31800	20400	9.5	L*19/36U9	SLP99DF090XV48C	207046381
EL18XPV-036-230	33000	10	18	30600	19000	9.5	L*19/36U9	SLP99UH070XV36B	207046385
EL18XPV-036-230	33400	10	18	30800	19200	9.5	L*19/36U9	SLP99UH090XV36C	207046391
EL18XPV-036-230	33200	10	18	30400	19000	9.5	L*24/36Z9	EL280UH070XE36A	207045948
EL18XPV-036-230	33200	10	16	31200	19600	9	L*24/36Z9	EL280UH090XE48B	207045981
EL18XPV-036-230	33200	10	18	30400	19000	9.5	L*29/36U9	EL280UH070XE36A	207045943
EL18XPV-036-230	33200	10	16	31200	19600	9	L*29/36U9	EL280UH090XE48B	207045975
EL18XPV-036-230	33400	10	18	30600	19000	9.5	L*30/36U9	EL180UH060NE36A	207045842
EL18XPV-036-230	32600	10	17	31200	19200	9	L*30/36U9	EL195UH040NE36B	207045850
EL18XPV-036-230	34200	10	17	30400	18800	9.5	L*30/36U9	EL195UH060NE36B	207045862
EL18XPV-036-230	33400	10	17	31400	20200	9.5	L*30/36U9	EL196DF045XE36B	207045868
EL18XPV-036-230	33400	10	17	31400	20200	9.5	L*30/36U9	EL196DF070XE48B	207045879
EL18XPV-036-230	33000	10	18	30200	18800	9.5	L*30/36U9	EL196UH045XE36B	207045885
EL18XPV-036-230	33000	10	18	30200	18800	9.5	L*30/36U9	EL196UH070XE36B	207045895
EL18XPV-036-230	33800	10	16	30800	19200	9.5	L*30/36U9	EL196UH090XE48C	207045910
EL18XPV-036-230	33400	10	17	31600	20200	9.5	L*30/36U9	EL280DF070E36A	207045919
EL18XPV-036-230	33600	10	16	31600	20200	9	L*30/36U9	EL280DF090E48B	207045926
EL18XPV-036-230	33200	10	18	30400	19000	9.5	L*30/36U9	EL280UH070E36A	207045930
EL18XPV-036-230	33200	10	18	30400	19000	9.5	L*30/36U9	EL280UH070XE36A	207045941
EL18XPV-036-230	33600	10	16	30600	19000	9	L*30/36U9	EL280UH090E36B	207045953
EL18XPV-036-230	33200	10	16	31200	19600	9	L*30/36U9	EL280UH090E48B	207045962
EL18XPV-036-230	33200	10	16	31200	19600	9	L*30/36U9	EL280UH090XE48B	207045973
EL18XPV-036-230	33600	10	15	32000	20400	9	L*30/36U9	EL296DF045XE36B	207045986
EL18XPV-036-230	33600	10	18	31800	20400	9.5	L*30/36U9	EL296DF045XV36B	207045996
EL18XPV-036-230	33600	10	17	31600	20200	9.5	L*30/36U9	EL296DF070XE48B	207046005
EL18XPV-036-230	33400	10	17	32000	20400	9.5	L*30/36U9	EL296DF070XV48B	207046012
EL18XPV-036-230	34200	10	18	30600	19000	9.5	L*30/36U9	EL296UH045XV36B	207046019
EL18XPV-036-230	34200	10	17	30400	18800	9.5	L*30/36U9	EL296UH070XE36B	207046029
EL18XPV-036-230	34400	10	18	30600	18800	9.5	L*30/36U9	EL296UH070XV36B	207046041
EL18XPV-036-230	33400	10	16	30800	19000	9	L*30/36U9	EL296UH090XE48C	207046052
EL18XPV-036-230	33400	10	18	30800	19200	9.5	L*30/36U9	EL296UH090XV36C	207046063
EL18XPV-036-230	33800	10	17	32000	20400	9.5	L*30/36U9	ML180DF045E36A	207046073
EL18XPV-036-230	33800	10	16	32000	20400	9	L*30/36U9	ML180DF070E36A	207046079
EL18XPV-036-230	34000	10	16	32000	20400	9.5	L*30/36U9	ML180DF070E36B	207046085
EL18XPV-036-230	33800	10	16	31600	20200	9.5	L*30/36U9	ML180DF090E48B	207046091
EL18XPV-036-230	33200	10	18	30400	19000	9.5	L*30/36U9	ML180UH030V36A	207046094
EL18XPV-036-230	33200	10	18	30400	19000	9.5	L*30/36U9	ML180UH045V36A	207046102
EL18XPV-036-230	32800	10	17	31200	19400	9	L*30/36U9	ML180UH045XE36A	207046110
EL18XPV-036-230	33600	10	17	30800	19200	9.5	L*30/36U9	ML180UH070E36A	207046117
EL18XPV-036-230	34600	10	16	30600	18800	9	L*30/36U9	ML180UH070E36B	207046124
EL18XPV-036-230	33200	10	18	30400	19000	9.5	L*30/36U9	ML180UH070V36A	207046131
EL18XPV-036-230	34400	10	18	30200	18600	9.5	L*30/36U9	ML180UH070V36B	207046140
EL18XPV-036-230	33600	10	18	30400	19000	9.5	L*30/36U9	ML180UH070V48B	207046151
EL18XPV-036-230	34600	10	16	30600	18800	9	L*30/36U9	ML180UH070XE36B	207046159
EL18XPV-036-230	34600	10	16	30400	18600	9	L*30/36U9	ML180UH090E48B	207046167
EL18XPV-036-230	34600	10	18	30400	18600	9.5	L*30/36U9	ML180UH090V48B	207046178
EL18XPV-036-230	34600	10	16	30400	18600	9	L*30/36U9	ML180UH090XE48B	207046186
EL18XPV-036-230	33800	10	15	32200	20600	9	L*30/36U9	ML193DF045XE36B	207046194
EL18XPV-036-230	33800	10	15	32200	20600	9	L*30/36U9	ML193DF070XE36B	207046199

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL18XPV-036-230	33800	10	16	31600	20200	9.5	L*30/36U9	ML193DF090XE48C	207046205
EL18XPV-036-230	34600	10	15	30800	19000	9	L*30/36U9	ML193UH045XE36B	207046209
EL18XPV-036-230	34600	10	15	30800	19000	9	L*30/36U9	ML193UH070XE36B	207046215
EL18XPV-036-230	33600	10	16	31200	19400	9	L*30/36U9	ML193UH090XE36C	207046221
EL18XPV-036-230	33400	10	17	31400	20200	9.5	L*30/36U9	ML196DF045XE36B	207046231
EL18XPV-036-230	33400	10	17	31400	20200	9.5	L*30/36U9	ML196DF070XE48B	207046239
EL18XPV-036-230	34200	10	17	30200	18600	9.5	L*30/36U9	ML196UH045XE36B	207046243
EL18XPV-036-230	33000	10	18	30200	18800	9.5	L*30/36U9	ML196UH070XE36B	207046248
EL18XPV-036-230	33400	10	16	32000	20400	9.5	L*30/36U9	ML296DF045XV36B	207046258
EL18XPV-036-230	33800	10	17	31800	20200	9.5	L*30/36U9	ML296DF070XV48B	207046264
EL18XPV-036-230	34400	10	17	30600	18800	9.5	L*30/36U9	ML296UH045XV36B	207046269
EL18XPV-036-230	33000	10	17	30600	19200	9.5	L*30/36U9	ML296UH070XV36B	207046274
EL18XPV-036-230	33600	10	18	31000	19200	9.5	L*30/36U9	ML296UH090XV48C	207046280
EL18XPV-036-230	33600	10	18	31800	20400	9.5	L*30/36U9	SL280DF070V36A	207046291
EL18XPV-036-230	33600	10	18	31800	20200	9.5	L*30/36U9	SL280DF090V48B	207046298
EL18XPV-036-230	33400	10	18	30800	19000	9.5	L*30/36U9	SL280UH060NV36A	207046302
EL18XPV-036-230	33000	10	18	30600	19000	9.5	L*30/36U9	SL280UH070V36A	207046308
EL18XPV-036-230	33000	10	18	30600	19000	9.5	L*30/36U9	SL280UH070XV36A	207046314
EL18XPV-036-230	34600	10	18	30400	18600	9.5	L*30/36U9	SL280UH080NV48B	207046321
EL18XPV-036-230	34600	10	18	30400	18600	9.5	L*30/36U9	SL280UH090V36B	207046327
EL18XPV-036-230	33200	10	18	30400	19000	9.5	L*30/36U9	SL280UH090V48B	207046333
EL18XPV-036-230	33200	10	18	30400	19000	9.5	L*30/36U9	SL280UH090XV48B	207046339
EL18XPV-036-230	34400	10	18	30600	18800	9.5	L*30/36U9	SL297UH040NV36B	207046345
EL18XPV-036-230	33000	10	18	30600	19000	9.5	L*30/36U9	SL297UH060NV36B	207046351
EL18XPV-036-230	33400	10	18	30800	19200	9.5	L*30/36U9	SL297UH080NV48C	207046357
EL18XPV-036-230	33600	10	18	31800	20400	9.5	L*30/36U9	SLP99DF070XV36B	207046367
EL18XPV-036-230	33600	10	18	31800	20200	9.5	L*30/36U9	SLP99DF090XV36C	207046375
EL18XPV-036-230	33600	10	18	31800	20400	9.5	L*30/36U9	SLP99DF090XV48C	207046383
EL18XPV-036-230	34400	10	18	30600	18800	9.5	L*30/36U9	SLP99UH070XV36B	207046387
EL18XPV-036-230	33400	10	18	30800	19200	9.5	L*30/36U9	SLP99UH090XV36C	207046393
EL18XPV-036-230	33400	10	18	30600	19000	9.5	L*35/36U9	EL180UH060NE36A	207045844
EL18XPV-036-230	32600	10	17	31200	19200	9	L*35/36U9	EL195UH040NE36B	207045851
EL18XPV-036-230	34200	10	17	30400	18800	9.5	L*35/36U9	EL195UH060NE36B	207045863
EL18XPV-036-230	33400	10	17	31400	20200	9.5	L*35/36U9	EL196DF045XE36B	207046020
EL18XPV-036-230	33400	10	17	31400	20200	9.5	L*35/36U9	EL196DF070XE48B	207046024
EL18XPV-036-230	33000	10	18	30200	18800	9.5	L*35/36U9	EL196UH045XE36B	207045887
EL18XPV-036-230	33000	10	18	30200	18800	9.5	L*35/36U9	EL196UH070XE36B	207045898
EL18XPV-036-230	33800	10	16	30800	19200	9.5	L*35/36U9	EL196UH090XE48C	207045911
EL18XPV-036-230	33400	10	17	31600	20200	9.5	L*35/36U9	EL280DF070E36A	207046045
EL18XPV-036-230	33600	10	16	31600	20200	9	L*35/36U9	EL280DF090E48B	207046048
EL18XPV-036-230	33200	10	18	30400	19000	9.5	L*35/36U9	EL280UH070E36A	207045932
EL18XPV-036-230	33200	10	18	30400	19000	9.5	L*35/36U9	EL280UH070XE36A	207045944
EL18XPV-036-230	33600	10	16	30600	19000	9	L*35/36U9	EL280UH090E36B	207045955
EL18XPV-036-230	33200	10	16	31200	19600	9	L*35/36U9	EL280UH090E48B	207045964
EL18XPV-036-230	33200	10	16	31200	19600	9	L*35/36U9	EL280UH090XE48B	207045976
EL18XPV-036-230	33600	10	15	32000	20400	9	L*35/36U9	EL296DF045XE36B	207046083
EL18XPV-036-230	33600	10	18	31800	20400	9.5	L*35/36U9	EL296DF045XV36B	207046086
EL18XPV-036-230	33600	10	17	31600	20200	9.5	L*35/36U9	EL296DF070XE48B	207046090
EL18XPV-036-230	33400	10	17	32000	20400	9.5	L*35/36U9	EL296DF070XV48B	207046095
EL18XPV-036-230	34200	10	18	30600	19000	9.5	L*35/36U9	EL296UH045XV36B	207046021
EL18XPV-036-230	34200	10	17	30400	18800	9.5	L*35/36U9	EL296UH070XE36B	207046031
EL18XPV-036-230	34400	10	18	30600	18800	9.5	L*35/36U9	EL296UH070XV36B	207046043
EL18XPV-036-230	33400	10	16	30800	19000	9	L*35/36U9	EL296UH090XE48C	207046054
EL18XPV-036-230	33400	10	18	30800	19200	9.5	L*35/36U9	EL296UH090XV36C	207046064

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL18XPV-036-230	33800	10	17	32000	20400	9.5	L*35/36U9	ML180DF045E36A	207046128
EL18XPV-036-230	33800	10	16	32000	20400	9	L*35/36U9	ML180DF070E36A	207046133
EL18XPV-036-230	34000	10	16	32000	20400	9.5	L*35/36U9	ML180DF070E36B	207046137
EL18XPV-036-230	33800	10	16	31600	20200	9.5	L*35/36U9	ML180DF090E48B	207046141
EL18XPV-036-230	33200	10	18	30400	19000	9.5	L*35/36U9	ML180UH030V36A	207046097
EL18XPV-036-230	33200	10	18	30400	19000	9.5	L*35/36U9	ML180UH045V36A	207046105
EL18XPV-036-230	32800	10	17	31200	19400	9	L*35/36U9	ML180UH045XE36A	207046160
EL18XPV-036-230	33600	10	17	30800	19200	9.5	L*35/36U9	ML180UH070E36A	207046119
EL18XPV-036-230	34600	10	16	30600	18800	9	L*35/36U9	ML180UH070E36B	207046177
EL18XPV-036-230	33200	10	18	30400	19000	9.5	L*35/36U9	ML180UH070V36A	207046132
EL18XPV-036-230	34400	10	18	30200	18600	9.5	L*35/36U9	ML180UH070V36B	207046143
EL18XPV-036-230	33600	10	18	30400	19000	9.5	L*35/36U9	ML180UH070V48B	207046153
EL18XPV-036-230	34600	10	16	30600	18800	9	L*35/36U9	ML180UH070XE36B	207046208
EL18XPV-036-230	34600	10	16	30400	18600	9	L*35/36U9	ML180UH090E48B	207046169
EL18XPV-036-230	34600	10	18	30400	18600	9.5	L*35/36U9	ML180UH090V48B	207046180
EL18XPV-036-230	34600	10	16	30400	18600	9	L*35/36U9	ML180UH090XE48B	207046230
EL18XPV-036-230	33800	10	15	32200	20600	9	L*35/36U9	ML193DF045XE36B	207046240
EL18XPV-036-230	33800	10	15	32200	20600	9	L*35/36U9	ML193DF070XE36B	207046245
EL18XPV-036-230	33800	10	16	31600	20200	9.5	L*35/36U9	ML193DF090XE48C	207046249
EL18XPV-036-230	34600	10	15	30800	19000	9	L*35/36U9	ML193UH045XE36B	207046253
EL18XPV-036-230	34600	10	15	30800	19000	9	L*35/36U9	ML193UH070XE36B	207046263
EL18XPV-036-230	33600	10	16	31200	19400	9	L*35/36U9	ML193UH090XE36C	207046273
EL18XPV-036-230	33400	10	17	31400	20200	9.5	L*35/36U9	ML196DF045XE36B	207046283
EL18XPV-036-230	33400	10	17	31400	20200	9.5	L*35/36U9	ML196DF070XE48B	207046286
EL18XPV-036-230	34200	10	17	30200	18600	9.5	L*35/36U9	ML196UH045XE36B	207046290
EL18XPV-036-230	33000	10	18	30200	18800	9.5	L*35/36U9	ML196UH070XE36B	207046300
EL18XPV-036-230	33400	10	16	32000	20400	9.5	L*35/36U9	ML296DF045XV36B	207046311
EL18XPV-036-230	33800	10	17	31800	20200	9.5	L*35/36U9	ML296DF070XV48B	207046315
EL18XPV-036-230	34400	10	17	30600	18800	9.5	L*35/36U9	ML296UH045XV36B	207046318
EL18XPV-036-230	33000	10	17	30600	19200	9.5	L*35/36U9	ML296UH070XV36B	207046328
EL18XPV-036-230	33600	10	18	31000	19200	9.5	L*35/36U9	ML296UH090XV48C	207046338
EL18XPV-036-230	33600	10	18	31800	20400	9.5	L*35/36U9	SL280DF070V36A	207046348
EL18XPV-036-230	33600	10	18	31800	20200	9.5	L*35/36U9	SL280DF090V48B	207046352
EL18XPV-036-230	33400	10	18	30800	19000	9.5	L*35/36U9	SL280UH060NV36A	207046356
EL18XPV-036-230	33000	10	18	30600	19000	9.5	L*35/36U9	SL280UH070V36A	207046366
EL18XPV-036-230	33000	10	18	30600	19000	9.5	L*35/36U9	SL280UH070XV36A	207046376
EL18XPV-036-230	34600	10	18	30400	18600	9.5	L*35/36U9	SL280UH080NV48B	207046386
EL18XPV-036-230	34600	10	18	30400	18600	9.5	L*35/36U9	SL280UH090V36B	207046396
EL18XPV-036-230	33200	10	18	30400	19000	9.5	L*35/36U9	SL280UH090V48B	207046405
EL18XPV-036-230	33200	10	18	30400	19000	9.5	L*35/36U9	SL280UH090XV48B	207046414
EL18XPV-036-230	34400	10	18	30600	18800	9.5	L*35/36U9	SL297UH040NV36B	207046424
EL18XPV-036-230	33000	10	18	30600	19000	9.5	L*35/36U9	SL297UH060NV36B	207046434
EL18XPV-036-230	33400	10	18	30800	19200	9.5	L*35/36U9	SL297UH080NV48C	207046444
EL18XPV-036-230	33600	10	18	31800	20400	9.5	L*35/36U9	SLP99DF070XV36B	207046455
EL18XPV-036-230	33600	10	18	31800	20200	9.5	L*35/36U9	SLP99DF090XV36C	207046459
EL18XPV-036-230	33600	10	18	31800	20400	9.5	L*35/36U9	SLP99DF090XV48C	207046463
EL18XPV-036-230	34400	10	18	30600	18800	9.5	L*35/36U9	SLP99UH070XV36B	207046466
EL18XPV-036-230	33400	10	18	30800	19200	9.5	L*35/36U9	SLP99UH090XV36C	207046476
EL18XPV-036-230	33400	10	17	31400	20200	9.5	LD19/36Z9	EL196DF045XE36B	207045865
EL18XPV-036-230	33400	10	17	31400	20200	9.5	LD19/36Z9	EL196DF070XE48B	207045872
EL18XPV-036-230	33400	10	17	31600	20200	9.5	LD19/36Z9	EL280DF070E36A	207045913
EL18XPV-036-230	33600	10	16	31600	20200	9	LD19/36Z9	EL280DF090E48B	207045921
EL18XPV-036-230	33600	10	18	31800	20400	9.5	LD19/36Z9	EL296DF045XV36B	207045988
EL18XPV-036-230	33600	10	17	31600	20200	9.5	LD19/36Z9	EL296DF070XE48B	207045998

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL18XPV-036-230	33400	10	17	32000	20400	9.5	LD19/36Z9	EL296DF070XV48B	207046007
EL18XPV-036-230	33400	10	17	31400	20200	9.5	LD19/36Z9	ML196DF045XE36B	207046225
EL18XPV-036-230	33400	10	17	31400	20200	9.5	LD19/36Z9	ML196DF070XE48B	207046233
EL18XPV-036-230	33400	10	16	32000	20400	9.5	LD19/36Z9	ML296DF045XV36B	207046252
EL18XPV-036-230	33600	10	18	31800	20400	9.5	LD19/36Z9	SL280DF070V36A	207046284
EL18XPV-036-230	33600	10	18	31800	20200	9.5	LD19/36Z9	SL280DF090V48B	207046292
EL18XPV-036-230	33600	10	18	31800	20400	9.5	LD19/36Z9	SLP99DF070XV36B	207046361
EL18XPV-036-230	33600	10	18	31800	20200	9.5	LD19/36Z9	SLP99DF090XV36C	207046369
EL18XPV-036-230	33600	10	18	31800	20400	9.5	LD19/36Z9	SLP99DF090XV48C	207046377
EL18XPV-036-230	33400	10	17	31400	20200	9.5	LD24/35Z9	EL196DF045XE36B	207045866
EL18XPV-036-230	33400	10	17	31400	20200	9.5	LD24/35Z9	EL196DF070XE48B	207045874
EL18XPV-036-230	33400	10	17	31600	20200	9.5	LD24/35Z9	EL280DF070E36A	207045914
EL18XPV-036-230	33600	10	16	31600	20200	9	LD24/35Z9	EL280DF090E48B	207045922
EL18XPV-036-230	33600	10	15	32000	20400	9	LD24/35Z9	EL296DF045XE36B	207045983
EL18XPV-036-230	33600	10	18	31800	20400	9.5	LD24/35Z9	EL296DF045XV36B	207045990
EL18XPV-036-230	33600	10	17	31600	20200	9.5	LD24/35Z9	EL296DF070XE48B	207046001
EL18XPV-036-230	33400	10	17	32000	20400	9.5	LD24/35Z9	EL296DF070XV48B	207046009
EL18XPV-036-230	33800	10	17	32000	20400	9.5	LD24/35Z9	ML180DF045E36A	207046069
EL18XPV-036-230	33800	10	16	32000	20400	9	LD24/35Z9	ML180DF070E36A	207046075
EL18XPV-036-230	34000	10	16	32000	20400	9.5	LD24/35Z9	ML180DF070E36B	207046081
EL18XPV-036-230	33800	10	16	31600	20200	9.5	LD24/35Z9	ML180DF090E48B	207046087
EL18XPV-036-230	33800	10	15	32200	20600	9	LD24/35Z9	ML193DF045XE36B	207046190
EL18XPV-036-230	33800	10	15	32200	20600	9	LD24/35Z9	ML193DF070XE36B	207046196
EL18XPV-036-230	33800	10	16	31600	20200	9.5	LD24/35Z9	ML193DF090XE48C	207046201
EL18XPV-036-230	33400	10	17	31400	20200	9.5	LD24/35Z9	ML196DF045XE36B	207046227
EL18XPV-036-230	33400	10	17	31400	20200	9.5	LD24/35Z9	ML196DF070XE48B	207046235
EL18XPV-036-230	33400	10	16	32000	20400	9.5	LD24/35Z9	ML296DF045XV36B	207046254
EL18XPV-036-230	33800	10	17	31800	20200	9.5	LD24/35Z9	ML296DF070XV48B	207046260
EL18XPV-036-230	33600	10	18	31800	20400	9.5	LD24/35Z9	SL280DF070V36A	207046287
EL18XPV-036-230	33600	10	18	31800	20200	9.5	LD24/35Z9	SL280DF090V48B	207046294
EL18XPV-036-230	33600	10	18	31800	20400	9.5	LD24/35Z9	SLP99DF070XV36B	207046363
EL18XPV-036-230	33600	10	18	31800	20200	9.5	LD24/35Z9	SLP99DF090XV36C	207046371
EL18XPV-036-230	33600	10	18	31800	20400	9.5	LD24/35Z9	SLP99DF090XV48C	207046379
EL18XPV-036-230	33400	10	18	30600	19000	9.5	LH18/37R9	EL180UH060NE36A	207045846
EL18XPV-036-230	32600	10	17	31200	19200	9	LH18/37R9	EL195UH040NE36B	207045853
EL18XPV-036-230	34000	10	17	30400	18800	9.5	LH18/37R9	EL195UH060NE36B	207045864
EL18XPV-036-230	33000	10	18	30200	18800	9.5	LH18/37R9	EL196UH045XE36B	207045888
EL18XPV-036-230	33000	10	18	30200	18800	9.5	LH18/37R9	EL196UH070XE36B	207045899
EL18XPV-036-230	33800	10	16	30800	19200	9.5	LH18/37R9	EL196UH090XE48C	207045912
EL18XPV-036-230	33200	10	18	30400	19000	9.5	LH18/37R9	EL280UH070E36A	207045935
EL18XPV-036-230	33200	10	18	30400	19000	9.5	LH18/37R9	EL280UH070XE36A	207045947
EL18XPV-036-230	33600	10	16	30600	19000	9	LH18/37R9	EL280UH090E36B	207045957
EL18XPV-036-230	33200	10	16	31200	19600	9	LH18/37R9	EL280UH090E48B	207045966
EL18XPV-036-230	33200	10	16	31200	19600	9	LH18/37R9	EL280UH090XE48B	207045979
EL18XPV-036-230	34000	10	18	30600	19000	9.5	LH18/37R9	EL296UH045XV36B	207046022
EL18XPV-036-230	34000	10	17	30400	18800	9.5	LH18/37R9	EL296UH070XE36B	207046033
EL18XPV-036-230	34200	10	18	30600	18800	9.5	LH18/37R9	EL296UH070XV36B	207046044
EL18XPV-036-230	33400	10	16	30800	19000	9	LH18/37R9	EL296UH090XE48C	207046056
EL18XPV-036-230	33400	10	18	30800	19200	9.5	LH18/37R9	EL296UH090XV36C	207046066
EL18XPV-036-230	33200	10	18	30400	19000	9.5	LH18/37R9	ML180UH030V36A	207046098
EL18XPV-036-230	33200	10	18	30400	19000	9.5	LH18/37R9	ML180UH045V36A	207046107
EL18XPV-036-230	32800	10	17	31200	19400	9	LH18/37R9	ML180UH045XE36A	207046112
EL18XPV-036-230	33600	10	17	30800	19200	9.5	LH18/37R9	ML180UH070E36A	207046121
EL18XPV-036-230	34400	10	16	30600	18800	9	LH18/37R9	ML180UH070E36B	207046127

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL18XPV-036-230	33200	10	18	30400	19000	9.5	LH18/37R9	ML180UH070V36A	207046134
EL18XPV-036-230	34200	10	18	30200	18600	9.5	LH18/37R9	ML180UH070V36B	207046144
EL18XPV-036-230	33600	10	18	30400	19000	9.5	LH18/37R9	ML180UH070V48B	207046155
EL18XPV-036-230	34400	10	16	30600	18800	9	LH18/37R9	ML180UH070XE36B	207046161
EL18XPV-036-230	34400	10	16	30400	18600	9	LH18/37R9	ML180UH090E48B	207046172
EL18XPV-036-230	34400	10	18	30400	18600	9.5	LH18/37R9	ML180UH090V48B	207046182
EL18XPV-036-230	34400	10	16	30400	18600	9	LH18/37R9	ML180UH090XE48B	207046188
EL18XPV-036-230	34400	10	15	30800	19000	9	LH18/37R9	ML193UH045XE36B	207046211
EL18XPV-036-230	34400	10	15	30800	19000	9	LH18/37R9	ML193UH070XE36B	207046217
EL18XPV-036-230	33600	10	16	31200	19400	9	LH18/37R9	ML193UH090XE36C	207046223
EL18XPV-036-230	34000	10	17	30200	18600	9.5	LH18/37R9	ML196UH045XE36B	207046244
EL18XPV-036-230	33000	10	18	30200	18800	9.5	LH18/37R9	ML196UH070XE36B	207046250
EL18XPV-036-230	34200	10	17	30600	18800	9.5	LH18/37R9	ML296UH045XV36B	207046271
EL18XPV-036-230	33000	10	17	30600	19200	9.5	LH18/37R9	ML296UH070XV36B	207046276
EL18XPV-036-230	33600	10	18	31000	19200	9.5	LH18/37R9	ML296UH090XV48C	207046282
EL18XPV-036-230	33400	10	18	30800	19000	9.5	LH18/37R9	SL280UH060NV36A	207046304
EL18XPV-036-230	33000	10	18	30600	19000	9.5	LH18/37R9	SL280UH070V36A	207046310
EL18XPV-036-230	33000	10	18	30600	19000	9.5	LH18/37R9	SL280UH070XV36A	207046316
EL18XPV-036-230	34400	10	18	30400	18600	9.5	LH18/37R9	SL280UH080NV48B	207046322
EL18XPV-036-230	34400	10	18	30400	18600	9.5	LH18/37R9	SL280UH090V36B	207046329
EL18XPV-036-230	33200	10	18	30400	19000	9.5	LH18/37R9	SL280UH090V48B	207046335
EL18XPV-036-230	33200	10	18	30400	19000	9.5	LH18/37R9	SL280UH090XV48B	207046341
EL18XPV-036-230	34200	10	18	30600	18800	9.5	LH18/37R9	SL297UH040NV36B	207046347
EL18XPV-036-230	33000	10	18	30600	19000	9.5	LH18/37R9	SL297UH060NV36B	207046353
EL18XPV-036-230	33400	10	18	30800	19200	9.5	LH18/37R9	SL297UH080NV48C	207046359
EL18XPV-036-230	34200	10	18	30600	18800	9.5	LH18/37R9	SLP99UH070XV36B	207046389
EL18XPV-036-230	33400	10	18	30800	19200	9.5	LH18/37R9	SLP99UH090XV36C	207046395
EL18XPV-036-230	33400	10	18	30600	19000	9.5	LH29/36X9	EL180UH060NE36A	207046000
EL18XPV-036-230	32600	10	17	31200	19200	9	LH29/36X9	EL195UH040NE36B	207046008
EL18XPV-036-230	32800	10	17	31000	19600	9.5	LH29/36X9	EL195UH060NE36B	207046015
EL18XPV-036-230	33000	10	18	30200	18800	9.5	LH29/36X9	EL196UH045XE36B	207046028
EL18XPV-036-230	33000	10	18	30200	18800	9.5	LH29/36X9	EL196UH070XE36B	207046034
EL18XPV-036-230	33800	10	16	30800	19200	9.5	LH29/36X9	EL196UH090XE48C	207046038
EL18XPV-036-230	33200	10	18	30400	19000	9.5	LH29/36X9	EL280UH070E36A	207046051
EL18XPV-036-230	33200	10	18	30400	19000	9.5	LH29/36X9	EL280UH070XE36A	207046059
EL18XPV-036-230	33600	10	16	30600	19000	9	LH29/36X9	EL280UH090E36B	207046065
EL18XPV-036-230	33200	10	16	31200	19600	9	LH29/36X9	EL280UH090E48B	207046070
EL18XPV-036-230	33200	10	16	31200	19600	9	LH29/36X9	EL280UH090XE48B	207046076
EL18XPV-036-230	33000	10	18	30600	19200	9.5	LH29/36X9	EL296UH045XV36B	207046099
EL18XPV-036-230	32600	10	17	31000	19200	9	LH29/36X9	EL296UH070XE36B	207046104
EL18XPV-036-230	33000	10	18	30600	19000	9.5	LH29/36X9	EL296UH070XV36B	207046111
EL18XPV-036-230	33400	10	16	30800	19000	9	LH29/36X9	EL296UH090XE48C	207046116
EL18XPV-036-230	33400	10	18	30800	19200	9.5	LH29/36X9	EL296UH090XV36C	207046123
EL18XPV-036-230	33200	10	18	30400	19000	9.5	LH29/36X9	ML180UH030V36A	207046145
EL18XPV-036-230	33200	10	18	30400	19000	9.5	LH29/36X9	ML180UH045V36A	207046152
EL18XPV-036-230	32800	10	17	31200	19400	9	LH29/36X9	ML180UH045XE36A	207046162
EL18XPV-036-230	33600	10	17	30800	19200	9.5	LH29/36X9	ML180UH070E36A	207046170
EL18XPV-036-230	33400	10	16	30600	19200	9	LH29/36X9	ML180UH070E36B	207046179
EL18XPV-036-230	33200	10	18	30400	19000	9.5	LH29/36X9	ML180UH070V36A	207046187
EL18XPV-036-230	33000	10	18	31000	19600	9.5	LH29/36X9	ML180UH070V36B	207046195
EL18XPV-036-230	33600	10	18	30400	19000	9.5	LH29/36X9	ML180UH070V48B	207046202
EL18XPV-036-230	33400	10	16	30600	19200	9	LH29/36X9	ML180UH070XE36B	207046210
EL18XPV-036-230	33200	10	16	31000	19600	9	LH29/36X9	ML180UH090E48B	207046218
EL18XPV-036-230	33200	10	18	31000	19600	9.5	LH29/36X9	ML180UH090V48B	207046224

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL18XPV-036-230	33200	10	16	31000	19600	9	LH29/36X9	ML180UH090XE48B	207046232
EL18XPV-036-230	33000	10	15	31600	19600	8.5	LH29/36X9	ML193UH045XE36B	207046255
EL18XPV-036-230	33400	10	15	30800	19200	9	LH29/36X9	ML193UH070XE36B	207046265
EL18XPV-036-230	33600	10	16	31200	19400	9	LH29/36X9	ML193UH090XE36C	207046275
EL18XPV-036-230	32600	10	17	31000	19200	9	LH29/36X9	ML196UH045XE36B	207046293
EL18XPV-036-230	33000	10	18	30200	18800	9.5	LH29/36X9	ML196UH070XE36B	207046303
EL18XPV-036-230	33200	10	17	30600	19000	9.5	LH29/36X9	ML296UH045XV36B	207046320
EL18XPV-036-230	33000	10	17	30600	19200	9.5	LH29/36X9	ML296UH070XV36B	207046330
EL18XPV-036-230	33600	10	18	31000	19200	9.5	LH29/36X9	ML296UH090XV48C	207046340
EL18XPV-036-230	33400	10	18	30800	19000	9.5	LH29/36X9	SL280UH060NV36A	207046358
EL18XPV-036-230	33000	10	18	30600	19000	9.5	LH29/36X9	SL280UH070V36A	207046368
EL18XPV-036-230	33000	10	18	30600	19000	9.5	LH29/36X9	SL280UH070XV36A	207046378
EL18XPV-036-230	33200	10	18	30200	18800	9.5	LH29/36X9	SL280UH080NV48B	207046388
EL18XPV-036-230	33000	10	18	31000	19600	9.5	LH29/36X9	SL280UH090V36B	207046398
EL18XPV-036-230	33200	10	18	30400	19000	9.5	LH29/36X9	SL280UH090V48B	207046407
EL18XPV-036-230	33200	10	18	30400	19000	9.5	LH29/36X9	SL280UH090XV48B	207046417
EL18XPV-036-230	33200	10	18	30400	19000	9.5	LH29/36X9	SL297UH040NV36B	207046427
EL18XPV-036-230	33000	10	18	30600	19000	9.5	LH29/36X9	SL297UH060NV36B	207046437
EL18XPV-036-230	33400	10	18	30800	19200	9.5	LH29/36X9	SL297UH080NV48C	207046446
EL18XPV-036-230	33000	10	18	30600	19000	9.5	LH29/36X9	SLP99UH070XV36B	207046468
EL18XPV-036-230	33400	10	18	30800	19200	9.5	LH29/36X9	SLP99UH090XV36C	207046479
EL18XPV-036-230	33400	10	18	30600	19000	9.5	LH35/36X9	EL180UH060NE36A	207046002
EL18XPV-036-230	32600	10	17	31200	19200	9	LH35/36X9	EL195UH040NE36B	207046011
EL18XPV-036-230	34000	10	17	30400	18800	9.5	LH35/36X9	EL195UH060NE36B	207046017
EL18XPV-036-230	33000	10	18	30200	18800	9.5	LH35/36X9	EL196UH045XE36B	207046030
EL18XPV-036-230	33000	10	18	30200	18800	9.5	LH35/36X9	EL196UH070XE36B	207046036
EL18XPV-036-230	33800	10	16	30800	19200	9.5	LH35/36X9	EL196UH090XE48C	207046040
EL18XPV-036-230	33200	10	18	30400	19000	9.5	LH35/36X9	EL280UH070E36A	207046053
EL18XPV-036-230	33200	10	18	30400	19000	9.5	LH35/36X9	EL280UH070XE36A	207046060
EL18XPV-036-230	33600	10	16	30600	19000	9	LH35/36X9	EL280UH090E36B	207046067
EL18XPV-036-230	33200	10	16	31200	19600	9	LH35/36X9	EL280UH090E48B	207046072
EL18XPV-036-230	33200	10	16	31200	19600	9	LH35/36X9	EL280UH090XE48B	207046078
EL18XPV-036-230	34000	10	18	30600	19000	9.5	LH35/36X9	EL296UH045XV36B	207046101
EL18XPV-036-230	34000	10	17	30400	18800	9.5	LH35/36X9	EL296UH070XE36B	207046106
EL18XPV-036-230	34200	10	18	30600	18800	9.5	LH35/36X9	EL296UH070XV36B	207046113
EL18XPV-036-230	33400	10	16	30800	19000	9	LH35/36X9	EL296UH090XE48C	207046118
EL18XPV-036-230	33400	10	18	30800	19200	9.5	LH35/36X9	EL296UH090XV36C	207046125
EL18XPV-036-230	33200	10	18	30400	19000	9.5	LH35/36X9	ML180UH030V36A	207046147
EL18XPV-036-230	33200	10	18	30400	19000	9.5	LH35/36X9	ML180UH045V36A	207046154
EL18XPV-036-230	32800	10	17	31200	19400	9	LH35/36X9	ML180UH045XE36A	207046164
EL18XPV-036-230	33600	10	17	30800	19200	9.5	LH35/36X9	ML180UH070E36A	207046171
EL18XPV-036-230	34400	10	16	30600	18800	9	LH35/36X9	ML180UH070E36B	207046181
EL18XPV-036-230	33200	10	18	30400	19000	9.5	LH35/36X9	ML180UH070V36A	207046189
EL18XPV-036-230	34200	10	18	30200	18600	9.5	LH35/36X9	ML180UH070V36B	207046198
EL18XPV-036-230	33600	10	18	30400	19000	9.5	LH35/36X9	ML180UH070V48B	207046203
EL18XPV-036-230	34400	10	16	30600	18800	9	LH35/36X9	ML180UH070XE36B	207046212
EL18XPV-036-230	34400	10	16	30400	18600	9	LH35/36X9	ML180UH090E48B	207046220
EL18XPV-036-230	34400	10	18	30400	18600	9.5	LH35/36X9	ML180UH090V48B	207046226
EL18XPV-036-230	34400	10	16	30400	18600	9	LH35/36X9	ML180UH090XE48B	207046234
EL18XPV-036-230	34400	10	15	30800	19000	9	LH35/36X9	ML193UH045XE36B	207046257
EL18XPV-036-230	34400	10	15	30800	19000	9	LH35/36X9	ML193UH070XE36B	207046267
EL18XPV-036-230	33600	10	16	31200	19400	9	LH35/36X9	ML193UH090XE36C	207046277
EL18XPV-036-230	34000	10	17	30200	18600	9.5	LH35/36X9	ML196UH045XE36B	207046295
EL18XPV-036-230	33000	10	18	30200	18800	9.5	LH35/36X9	ML196UH070XE36B	207046305

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL18XPV-036-230	34200	10	17	30600	18800	9.5	LH35/36X9	ML296UH045XV36B	207046323
EL18XPV-036-230	33000	10	17	30600	19200	9.5	LH35/36X9	ML296UH070XV36B	207046332
EL18XPV-036-230	33600	10	18	31000	19200	9.5	LH35/36X9	ML296UH090XV48C	207046342
EL18XPV-036-230	33400	10	18	30800	19000	9.5	LH35/36X9	SL280UH060NV36A	207046360
EL18XPV-036-230	33000	10	18	30600	19000	9.5	LH35/36X9	SL280UH070V36A	207046370
EL18XPV-036-230	33000	10	18	30600	19000	9.5	LH35/36X9	SL280UH070XV36A	207046380
EL18XPV-036-230	34400	10	18	30400	18600	9.5	LH35/36X9	SL280UH080NV48B	207046390
EL18XPV-036-230	34400	10	18	30400	18600	9.5	LH35/36X9	SL280UH090V36B	207046400
EL18XPV-036-230	33200	10	18	30400	19000	9.5	LH35/36X9	SL280UH090V48B	207046408
EL18XPV-036-230	33200	10	18	30400	19000	9.5	LH35/36X9	SL280UH090XV48B	207046419
EL18XPV-036-230	34200	10	18	30600	18800	9.5	LH35/36X9	SL297UH040NV36B	207046429
EL18XPV-036-230	33000	10	18	30600	19000	9.5	LH35/36X9	SL297UH060NV36B	207046439
EL18XPV-036-230	33400	10	18	30800	19200	9.5	LH35/36X9	SL297UH080NV48C	207046449
EL18XPV-036-230	34200	10	18	30600	18800	9.5	LH35/36X9	SLP99UH070XV36B	207046470
EL18XPV-036-230	33400	10	18	30800	19200	9.5	LH35/36X9	SLP99UH090XV36C	207046480
EL18XPV-036-230	33400	10	18	30600	19000	9.5	LH35/38X9	EL180UH060NE36A	207046004
EL18XPV-036-230	32600	10	17	31200	19200	9	LH35/38X9	EL195UH040NE36B	207045848
EL18XPV-036-230	34200	10	17	30400	18800	9.5	LH35/38X9	EL195UH060NE36B	207045860
EL18XPV-036-230	33000	10	18	30200	18800	9.5	LH35/38X9	EL196UH045XE36B	207045883
EL18XPV-036-230	33000	10	18	30200	18800	9.5	LH35/38X9	EL196UH070XE36B	207045893
EL18XPV-036-230	33800	10	16	30800	19200	9.5	LH35/38X9	EL196UH090XE48C	207045908
EL18XPV-036-230	33200	10	18	30400	19000	9.5	LH35/38X9	EL280UH070E36A	207046055
EL18XPV-036-230	33200	10	18	30400	19000	9.5	LH35/38X9	EL280UH070XE36A	207045939
EL18XPV-036-230	33600	10	16	30600	19000	9	LH35/38X9	EL280UH090E36B	207045951
EL18XPV-036-230	33200	10	16	31200	19600	9	LH35/38X9	EL280UH090E48B	207045961
EL18XPV-036-230	33200	10	16	31200	19600	9	LH35/38X9	EL280UH090XE48B	207045970
EL18XPV-036-230	34200	10	18	30600	19000	9.5	LH35/38X9	EL296UH045XV36B	207046016
EL18XPV-036-230	34200	10	17	30400	18800	9.5	LH35/38X9	EL296UH070XE36B	207046027
EL18XPV-036-230	34400	10	18	30600	18800	9.5	LH35/38X9	EL296UH070XV36B	207046039
EL18XPV-036-230	33400	10	16	30800	19000	9	LH35/38X9	EL296UH090XE48C	207046050
EL18XPV-036-230	33400	10	18	30800	19200	9.5	LH35/38X9	EL296UH090XV36C	207046061
EL18XPV-036-230	33200	10	18	30400	19000	9.5	LH35/38X9	ML180UH030V36A	207046148
EL18XPV-036-230	33200	10	18	30400	19000	9.5	LH35/38X9	ML180UH045V36A	207046156
EL18XPV-036-230	32800	10	17	31200	19400	9	LH35/38X9	ML180UH045XE36A	207046166
EL18XPV-036-230	33600	10	17	30800	19200	9.5	LH35/38X9	ML180UH070E36A	207046173
EL18XPV-036-230	34600	10	16	30600	18800	9	LH35/38X9	ML180UH070E36B	207046183
EL18XPV-036-230	33200	10	18	30400	19000	9.5	LH35/38X9	ML180UH070V36A	207046191
EL18XPV-036-230	34400	10	18	30200	18600	9.5	LH35/38X9	ML180UH070V36B	207046139
EL18XPV-036-230	33600	10	18	30400	19000	9.5	LH35/38X9	ML180UH070V48B	207046149
EL18XPV-036-230	34600	10	16	30600	18800	9	LH35/38X9	ML180UH070XE36B	207046214
EL18XPV-036-230	34600	10	16	30400	18600	9	LH35/38X9	ML180UH090E48B	207046165
EL18XPV-036-230	34600	10	18	30400	18600	9.5	LH35/38X9	ML180UH090V48B	207046176
EL18XPV-036-230	34600	10	16	30400	18600	9	LH35/38X9	ML180UH090XE48B	207046236
EL18XPV-036-230	34600	10	15	30800	19000	9	LH35/38X9	ML193UH045XE36B	207046259
EL18XPV-036-230	34600	10	15	30800	19000	9	LH35/38X9	ML193UH070XE36B	207046268
EL18XPV-036-230	33600	10	16	31200	19400	9	LH35/38X9	ML193UH090XE36C	207046279
EL18XPV-036-230	34200	10	17	30200	18600	9.5	LH35/38X9	ML196UH045XE36B	207046297
EL18XPV-036-230	33000	10	18	30200	18800	9.5	LH35/38X9	ML196UH070XE36B	207046306
EL18XPV-036-230	34400	10	17	30600	18800	9.5	LH35/38X9	ML296UH045XV36B	207046324
EL18XPV-036-230	33000	10	17	30600	19200	9.5	LH35/38X9	ML296UH070XV36B	207046334
EL18XPV-036-230	33600	10	18	31000	19200	9.5	LH35/38X9	ML296UH090XV48C	207046344
EL18XPV-036-230	33400	10	18	30800	19000	9.5	LH35/38X9	SL280UH060NV36A	207046362
EL18XPV-036-230	33000	10	18	30600	19000	9.5	LH35/38X9	SL280UH070V36A	207046372
EL18XPV-036-230	33000	10	18	30600	19000	9.5	LH35/38X9	SL280UH070XV36A	207046382

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL18XPV-036-230	34600	10	18	30400	18600	9.5	LH35/38X9	SL280UH080NV48B	207046392
EL18XPV-036-230	34600	10	18	30400	18600	9.5	LH35/38X9	SL280UH090V36B	207046402
EL18XPV-036-230	33200	10	18	30400	19000	9.5	LH35/38X9	SL280UH090V48B	207046411
EL18XPV-036-230	33200	10	18	30400	19000	9.5	LH35/38X9	SL280UH090XV48B	207046421
EL18XPV-036-230	34400	10	18	30600	18800	9.5	LH35/38X9	SL297UH040NV36B	207046430
EL18XPV-036-230	33000	10	18	30600	19000	9.5	LH35/38X9	SL297UH060NV36B	207046441
EL18XPV-036-230	33400	10	18	30800	19200	9.5	LH35/38X9	SL297UH080NV48C	207046451
EL18XPV-036-230	34400	10	18	30600	18800	9.5	LH35/38X9	SLP99UH070XV36B	207046473
EL18XPV-036-230	33400	10	18	30800	19200	9.5	LH35/38X9	SLP99UH090XV36C	207046482
EL18XPV-048-230	45500	10	16	45000	29600	9	L*42/60Z9	EL180UH080NE48B	207046484
EL18XPV-048-230	46500	10	16	43500	29200	9	L*42/60Z9	EL180UH100NE60C	207046399
EL18XPV-048-230	46000	10	15	44000	29600	8.5	L*42/60Z9	EL195UH080NE48C	207046403
EL18XPV-048-230	47000	10	16	44500	30000	9	L*42/60Z9	EL195UH100NE60C	207046409
EL18XPV-048-230	46500	10	16	44000	29000	9	L*42/60Z9	EL196DF090XE48C	207046488
EL18XPV-048-230	46500	10	16	44000	29200	9	L*42/60Z9	EL196UH090XE48C	207046416
EL18XPV-048-230	45000	10	15	45000	29600	9	L*42/60Z9	EL280UH090E48B	207046490
EL18XPV-048-230	45000	10	15	45000	29600	9	L*42/60Z9	EL280UH090XE48B	207046494
EL18XPV-048-230	46500	10	16	43500	29400	9.5	L*42/60Z9	EL280UH110E48C	207046420
EL18XPV-048-230	46000	10	15	44000	29000	9	L*42/60Z9	EL296DF090XE48C	207046428
EL18XPV-048-230	46000	10	17	44000	29200	9.5	L*42/60Z9	EL296DF090XV60C	207046435
EL18XPV-048-230	46500	10	15	44000	28800	9	L*42/60Z9	EL296DF110XE60C	207046440
EL18XPV-048-230	46000	10	17	44000	29200	9.5	L*42/60Z9	EL296DF110XV60C	207046447
EL18XPV-048-230	46500	10	15	43500	29400	9	L*42/60Z9	EL296UH090XE48C	207046448
EL18XPV-048-230	46500	10	17	44000	29600	9.5	L*42/60Z9	EL296UH090XV48C	207046452
EL18XPV-048-230	46500	10	17	44000	29600	9.5	L*42/60Z9	EL296UH090XV60C	207046456
EL18XPV-048-230	46500	10	17	44000	29600	9.5	L*42/60Z9	EL296UH110XV48C	207046460
EL18XPV-048-230	46500	10	17	44000	29600	9.5	L*42/60Z9	EL296UH110XV60C	207046464
EL18XPV-048-230	46500	10	16	44000	28600	9	L*42/60Z9	ML180DF110E60C	207046472
EL18XPV-048-230	45000	10	15	45000	29600	9	L*42/60Z9	ML180UH090E48B	207046498
EL18XPV-048-230	46500	10	15	43500	29200	9	L*42/60Z9	ML180UH090E60C	207046474
EL18XPV-048-230	45000	10	16	45500	29800	9	L*42/60Z9	ML180UH090V48B	207046502
EL18XPV-048-230	45000	10	15	45000	29600	9	L*42/60Z9	ML180UH090XE48B	207046506
EL18XPV-048-230	46000	10	16	43500	29200	9	L*42/60Z9	ML180UH110E60C	207046478
EL18XPV-048-230	47000	10	17	43500	29200	9.5	L*42/60Z9	ML180UH110V60C	207046485
EL18XPV-048-230	46500	10	16	44000	29000	9	L*42/60Z9	ML193UH090XE48C	207046489
EL18XPV-048-230	46500	10	16	43500	29400	9	L*42/60Z9	ML193UH110XE48C	207046493
EL18XPV-048-230	46500	10	16	44000	29000	9	L*42/60Z9	ML196DF090XE48C	207046510
EL18XPV-048-230	46500	10	16	44500	29200	9	L*42/60Z9	ML196DF110XE60C	207046512
EL18XPV-048-230	46500	10	16	44000	29200	9	L*42/60Z9	ML196UH090XE48C	207046514
EL18XPV-048-230	46000	10	15	43500	29400	8.5	L*42/60Z9	ML196UH090XE60C	207046518
EL18XPV-048-230	46500	10	16	44500	29200	9.5	L*42/60Z9	ML296DF090XV60C	207046509
EL18XPV-048-230	46500	10	16	44000	29600	9.5	L*42/60Z9	ML296UH090XV48C	207046511
EL18XPV-048-230	46500	10	17	43500	29400	9.5	L*42/60Z9	ML296UH110XV60C	207046515
EL18XPV-048-230	46500	10	17	44000	29000	9.5	L*42/60Z9	SL280DF090V60C	207046523
EL18XPV-048-230	46500	10	17	44000	28800	9.5	L*42/60Z9	SL280DF110V60C	207046529
EL18XPV-048-230	45500	10	17	45500	29800	9.5	L*42/60Z9	SL280UH080NV48B	207046522
EL18XPV-048-230	46500	10	17	43500	29400	9.5	L*42/60Z9	SL280UH080NV60C	207046531
EL18XPV-048-230	45000	10	16	45500	30000	9	L*42/60Z9	SL280UH090V48B	207046526
EL18XPV-048-230	46500	10	17	44000	29600	9.5	L*42/60Z9	SL280UH090V60C	207046535
EL18XPV-048-230	45000	10	16	45500	30000	9	L*42/60Z9	SL280UH090XV48B	207046530
EL18XPV-048-230	46500	10	17	44000	29200	9.5	L*42/60Z9	SL280UH090XV60C	207046539
EL18XPV-048-230	46500	10	17	44000	29000	9.5	L*42/60Z9	SL280UH100NV60C	207046543
EL18XPV-048-230	46500	10	17	44000	29200	9.5	L*42/60Z9	SL280UH110V60C	207046547
EL18XPV-048-230	46500	10	17	44000	29200	9.5	L*42/60Z9	SL280UH110XV60C	207046551

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL18XPV-048-230	46500	10	17	44000	29200	9.5	L*42/60Z9	SL297UH080NV48C	207046555
EL18XPV-048-230	46500	10	17	44000	29600	9.5	L*42/60Z9	SL297UH080NV60C	207046557
EL18XPV-048-230	46000	10	17	44000	29200	9.5	L*42/60Z9	SLP99DF090XV48C	207046561
EL18XPV-048-230	46000	10	17	44000	29200	9.5	L*42/60Z9	SLP99DF090XV60C	207046564
EL18XPV-048-230	46000	10	17	44000	29200	9.5	L*42/60Z9	SLP99DF110XV60C	207046567
EL18XPV-048-230	46500	10	17	44000	29600	9.5	L*42/60Z9	SLP99UH090XV48C	207046568
EL18XPV-048-230	46500	10	17	44000	29600	9.5	L*42/60Z9	SLP99UH090XV60C	207046570
EL18XPV-048-230	46500	10	17	44000	29600	9.5	L*42/60Z9	SLP99UH110XV60C	207046572
EL18XPV-048-230	46500	10	16	44000	29000	9	LD41/59Z9	EL196DF090XE48C	207046413
EL18XPV-048-230	46000	10	15	44000	29000	9	LD41/59Z9	EL296DF090XE48C	207046425
EL18XPV-048-230	46000	10	17	44000	29200	9.5	LD41/59Z9	EL296DF090XV60C	207046431
EL18XPV-048-230	46500	10	15	44000	28800	9	LD41/59Z9	EL296DF110XE60C	207046436
EL18XPV-048-230	46000	10	17	44000	29200	9.5	LD41/59Z9	EL296DF110XV60C	207046442
EL18XPV-048-230	46500	10	16	44000	28600	9	LD41/59Z9	ML180DF110E60C	207046469
EL18XPV-048-230	46500	10	16	44000	29000	9	LD41/59Z9	ML196DF090XE48C	207046497
EL18XPV-048-230	46500	10	16	44500	29200	9	LD41/59Z9	ML196DF110XE60C	207046501
EL18XPV-048-230	46500	10	16	44500	29200	9.5	LD41/59Z9	ML296DF090XV60C	207046505
EL18XPV-048-230	46500	10	17	44000	29000	9.5	LD41/59Z9	SL280DF090V60C	207046519
EL18XPV-048-230	46500	10	17	44000	28800	9.5	LD41/59Z9	SL280DF110V60C	207046525
EL18XPV-048-230	46000	10	17	44000	29200	9.5	LD41/59Z9	SLP99DF090XV48C	207046559
EL18XPV-048-230	46000	10	17	44000	29200	9.5	LD41/59Z9	SLP99DF090XV60C	207046562
EL18XPV-048-230	46000	10	17	44000	29200	9.5	LD41/59Z9	SLP99DF110XV60C	207046565
EL18XPV-048-230	46500	10	16	44000	29000	9	LD42/61Z9	EL196DF090XE48C	207046415
EL18XPV-048-230	46000	10	15	44000	29000	9	LD42/61Z9	EL296DF090XE48C	207046426
EL18XPV-048-230	46000	10	17	44000	29200	9.5	LD42/61Z9	EL296DF090XV60C	207046433
EL18XPV-048-230	46500	10	15	44000	28800	9	LD42/61Z9	EL296DF110XE60C	207046438
EL18XPV-048-230	46000	10	17	44000	29200	9.5	LD42/61Z9	EL296DF110XV60C	207046445
EL18XPV-048-230	46500	10	16	44000	28600	9	LD42/61Z9	ML180DF110E60C	207046471
EL18XPV-048-230	46500	10	16	44000	29000	9	LD42/61Z9	ML196DF090XE48C	207046499
EL18XPV-048-230	46500	10	16	44500	29200	9	LD42/61Z9	ML196DF110XE60C	207046503
EL18XPV-048-230	46500	10	16	44500	29200	9.5	LD42/61Z9	ML296DF090XV60C	207046507
EL18XPV-048-230	46500	10	17	44000	29000	9.5	LD42/61Z9	SL280DF090V60C	207046521
EL18XPV-048-230	46500	10	17	44000	28800	9.5	LD42/61Z9	SL280DF110V60C	207046527
EL18XPV-048-230	46000	10	17	44000	29200	9.5	LD42/61Z9	SLP99DF090XV48C	207046560
EL18XPV-048-230	46000	10	17	44000	29200	9.5	LD42/61Z9	SLP99DF090XV60C	207046563
EL18XPV-048-230	46000	10	17	44000	29200	9.5	LD42/61Z9	SLP99DF110XV60C	207046566
EL18XPV-048-230	46500	10	16	43500	29200	9	LH40/61W9	EL180UH100NE60C	207046397
EL18XPV-048-230	47000	10	17	43500	29200	9.5	LH40/61W9	ML180UH110V60C	207046483
EL18XPV-048-230	45500	10	16	45000	29600	9	LH42/62W9	EL180UH080NE48B	207046486
EL18XPV-048-230	46500	10	16	43500	29200	9	LH42/62W9	EL180UH100NE60C	207046401
EL18XPV-048-230	46000	10	15	44000	29600	8.5	LH42/62W9	EL195UH080NE48C	207046406
EL18XPV-048-230	47000	10	16	44500	30000	9	LH42/62W9	EL195UH100NE60C	207046410
EL18XPV-048-230	46500	10	16	44000	29200	9	LH42/62W9	EL196UH090XE48C	207046418
EL18XPV-048-230	45000	10	15	45000	29600	9	LH42/62W9	EL280UH090E48B	207046492
EL18XPV-048-230	45000	10	15	45000	29600	9	LH42/62W9	EL280UH090XE48B	207046496
EL18XPV-048-230	46500	10	16	43500	29400	9.5	LH42/62W9	EL280UH110E48C	207046422
EL18XPV-048-230	46500	10	15	43500	29400	9	LH42/62W9	EL296UH090XE48C	207046450
EL18XPV-048-230	46500	10	17	44000	29600	9.5	LH42/62W9	EL296UH090XV48C	207046454
EL18XPV-048-230	46500	10	17	44000	29600	9.5	LH42/62W9	EL296UH090XV60C	207046458
EL18XPV-048-230	46500	10	17	44000	29600	9.5	LH42/62W9	EL296UH110XV48C	207046462
EL18XPV-048-230	46500	10	17	44000	29600	9.5	LH42/62W9	EL296UH110XV60C	207046467
EL18XPV-048-230	45000	10	15	45000	29600	9	LH42/62W9	ML180UH090E48B	207046500
EL18XPV-048-230	46500	10	15	43500	29200	9	LH42/62W9	ML180UH090E60C	207046477
EL18XPV-048-230	45000	10	16	45500	29800	9	LH42/62W9	ML180UH090V48B	207046504

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL18XPV-048-230	45000	10	15	45000	29600	9	LH42/62W9	ML180UH090XE48B	207046508
EL18XPV-048-230	46000	10	16	43500	29200	9	LH42/62W9	ML180UH110E60C	207046481
EL18XPV-048-230	47000	10	17	43500	29200	9.5	LH42/62W9	ML180UH110V60C	207046487
EL18XPV-048-230	46500	10	16	44000	29000	9	LH42/62W9	ML193UH090XE48C	207046491
EL18XPV-048-230	46500	10	16	43500	29400	9	LH42/62W9	ML193UH110XE48C	207046495
EL18XPV-048-230	46500	10	16	44000	29200	9	LH42/62W9	ML196UH090XE48C	207046516
EL18XPV-048-230	46000	10	15	43500	29400	8.5	LH42/62W9	ML196UH090XE60C	207046520
EL18XPV-048-230	46500	10	16	44000	29600	9.5	LH42/62W9	ML296UH090XV48C	207046513
EL18XPV-048-230	46500	10	17	43500	29400	9.5	LH42/62W9	ML296UH110XV60C	207046517
EL18XPV-048-230	45500	10	17	45500	29800	9.5	LH42/62W9	SL280UH080NV48B	207046524
EL18XPV-048-230	46500	10	17	43500	29400	9.5	LH42/62W9	SL280UH080NV60C	207046533
EL18XPV-048-230	45000	10	16	45500	30000	9	LH42/62W9	SL280UH090V48B	207046528
EL18XPV-048-230	46500	10	17	44000	29600	9.5	LH42/62W9	SL280UH090V60C	207046537
EL18XPV-048-230	45000	10	16	45500	30000	9	LH42/62W9	SL280UH090XV48B	207046532
EL18XPV-048-230	46500	10	17	44000	29200	9.5	LH42/62W9	SL280UH090XV60C	207046541
EL18XPV-048-230	46500	10	17	44000	29000	9.5	LH42/62W9	SL280UH100NV60C	207046545
EL18XPV-048-230	46500	10	17	44000	29200	9.5	LH42/62W9	SL280UH110V60C	207046549
EL18XPV-048-230	46500	10	17	44000	29200	9.5	LH42/62W9	SL280UH110XV60C	207046553
EL18XPV-048-230	46500	10	17	44000	29200	9.5	LH42/62W9	SL297UH080NV48C	207046556
EL18XPV-048-230	46500	10	17	44000	29200	9.5	LH42/62W9	SL297UH080NV60C	207046558
EL18XPV-048-230	46500	10	17	44000	29400	9.5	LH42/62W9	SLP99UH090XV48C	207046569
EL18XPV-048-230	46500	10	17	44000	29200	9.5	LH42/62W9	SLP99UH090XV60C	207046571
EL18XPV-048-230	46500	10	17	44000	29200	9.5	LH42/62W9	SLP99UH110XV60C	207046573
EL18XPV-060-230	57000	10	17	54500	35000	9	L*42/60Z9	EL180UH100NE60C	207046574
EL18XPV-060-230	57500	10	15	53500	34400	8.5	L*42/60Z9	EL180UH135E60D	207046578
EL18XPV-060-230	57500	10	16	54000	34800	9	L*42/60Z9	EL195UH100NE60C	207046585
EL18XPV-060-230	58000	10	16	54000	34600	9	L*42/60Z9	EL196UH110XE60C	207046591
EL18XPV-060-230	58000	10	16	54000	34400	9	L*42/60Z9	EL280UH110E60C	207046597
EL18XPV-060-230	58000	10	16	54000	34400	9	L*42/60Z9	EL280UH110XE60C	207046605
EL18XPV-060-230	57500	10	17	54000	33800	8.5	L*42/60Z9	EL296DF090XV60C	207046610
EL18XPV-060-230	57500	10	16	53500	33200	9	L*42/60Z9	EL296DF110XE60C	207046613
EL18XPV-060-230	57500	10	17	54000	33800	8.5	L*42/60Z9	EL296DF110XV60C	207046616
EL18XPV-060-230	58000	10	17	54500	35200	9	L*42/60Z9	EL296UH090XV60C	207046617
EL18XPV-060-230	57500	10	16	54000	34600	9	L*42/60Z9	EL296UH110XE60C	207046619
EL18XPV-060-230	58000	10	17	54500	35200	9	L*42/60Z9	EL296UH110XV60C	207046621
EL18XPV-060-230	57000	10	15	53500	34000	8.5	L*42/60Z9	EL296UH135XE60D	207046623
EL18XPV-060-230	57000	10	17	53000	34000	9	L*42/60Z9	EL296UH135XV60D	207046625
EL18XPV-060-230	58000	10	15	53500	33200	9	L*42/60Z9	ML180DF110E60C	207046630
EL18XPV-060-230	58000	10	16	54000	34600	9	L*42/60Z9	ML180UH090E60C	207046631
EL18XPV-060-230	57500	10	16	54000	34600	9.5	L*42/60Z9	ML180UH110E60C	207046538
EL18XPV-060-230	57000	10	17	54000	34800	9	L*42/60Z9	ML180UH110V60C	207046534
EL18XPV-060-230	57500	10	16	54000	34600	9.5	L*42/60Z9	ML180UH110XE60C	207046633
EL18XPV-060-230	57500	10	15	53500	34400	8.5	L*42/60Z9	ML180UH135E60D	207046635
EL18XPV-060-230	55500	10	16	54000	34000	9	L*42/60Z9	ML193UH110XE60C	207046637
EL18XPV-060-230	57000	10	16	53500	33000	9	L*42/60Z9	ML196DF110XE60C	207046542
EL18XPV-060-230	57500	10	16	53500	34600	9	L*42/60Z9	ML196UH090XE60C	207046544
EL18XPV-060-230	57500	10	16	54000	33400	9	L*42/60Z9	ML296DF090XV60C	207046548
EL18XPV-060-230	58500	10	16	54000	34800	9.5	L*42/60Z9	ML296UH110XV60C	207046643
EL18XPV-060-230	58000	10	17	54000	33400	9	L*42/60Z9	SL280DF090V60C	207046647
EL18XPV-060-230	58000	10	17	54000	33400	9	L*42/60Z9	SL280DF110V60C	207046650
EL18XPV-060-230	58000	10	17	54000	34600	9.5	L*42/60Z9	SL280UH080NV60C	207046651
EL18XPV-060-230	58000	10	17	54000	34800	9	L*42/60Z9	SL280UH090V60C	207046653
EL18XPV-060-230	58000	10	17	54000	34800	9	L*42/60Z9	SL280UH090XV60C	207046655
EL18XPV-060-230	58000	10	17	54000	34600	9.5	L*42/60Z9	SL280UH100NV60C	207046657

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL18XPV-060-230	58000	10	17	54500	35000	9	L*42/60Z9	SL280UH110V60C	207046659
EL18XPV-060-230	58000	10	17	54500	35000	9	L*42/60Z9	SL280UH110XV60C	207046661
EL18XPV-060-230	57500	10	17	53500	34600	9	L*42/60Z9	SL280UH135V60D	207046663
EL18XPV-060-230	58000	10	17	54500	35000	9	L*42/60Z9	SL297UH080NV60C	207046665
EL18XPV-060-230	57500	10	17	54000	33800	8.5	L*42/60Z9	SLP99DF090XV60C	207046550
EL18XPV-060-230	57500	10	17	54000	33800	8.5	L*42/60Z9	SLP99DF110XV60C	207046671
EL18XPV-060-230	58000	10	17	54500	35200	9	L*42/60Z9	SLP99UH090XV60C	207046672
EL18XPV-060-230	58000	10	17	54500	35200	9	L*42/60Z9	SLP99UH110XV60C	207046674
EL18XPV-060-230	57500	10	17	53500	34400	9	L*42/60Z9	SLP99UH135XV60D	207046552
EL18XPV-060-230	58000	10	16	54000	34400	9	L*43/61Z9	EL280UH110XE60C	207046606
EL18XPV-060-230	57500	10	16	53500	34000	9	L*49/62Z9	EL280UH110XE60C	207046604
EL18XPV-060-230	57500	10	17	54000	33800	8.5	LD41/59Z9	EL296DF090XV60C	207046608
EL18XPV-060-230	57500	10	16	53500	33200	9	LD41/59Z9	EL296DF110XE60C	207046611
EL18XPV-060-230	57500	10	17	54000	33800	8.5	LD41/59Z9	EL296DF110XV60C	207046614
EL18XPV-060-230	58000	10	15	53500	33200	9	LD41/59Z9	ML180DF110E60C	207046627
EL18XPV-060-230	57000	10	16	53500	33000	9	LD41/59Z9	ML196DF110XE60C	207046639
EL18XPV-060-230	57500	10	16	54000	33400	9	LD41/59Z9	ML296DF090XV60C	207046641
EL18XPV-060-230	58000	10	17	54000	33400	9	LD41/59Z9	SL280DF090V60C	207046645
EL18XPV-060-230	58000	10	17	54000	33400	9	LD41/59Z9	SL280DF110V60C	207046648
EL18XPV-060-230	57500	10	17	54000	33800	8.5	LD41/59Z9	SLP99DF090XV60C	207046667
EL18XPV-060-230	57500	10	17	54000	33800	8.5	LD41/59Z9	SLP99DF110XV60C	207046669
EL18XPV-060-230	57500	10	17	54000	33800	8.5	LD42/61Z9	EL296DF090XV60C	207046609
EL18XPV-060-230	57500	10	16	53500	33200	9	LD42/61Z9	EL296DF110XE60C	207046612
EL18XPV-060-230	57500	10	17	54000	33800	8.5	LD42/61Z9	EL296DF110XV60C	207046615
EL18XPV-060-230	58000	10	15	53500	33200	9	LD42/61Z9	ML180DF110E60C	207046628
EL18XPV-060-230	57000	10	16	53500	33000	9	LD42/61Z9	ML196DF110XE60C	207046640
EL18XPV-060-230	57500	10	16	54000	33400	9	LD42/61Z9	ML296DF090XV60C	207046642
EL18XPV-060-230	58000	10	17	54000	33400	9	LD42/61Z9	SL280DF090V60C	207046646
EL18XPV-060-230	58000	10	17	54000	33400	9	LD42/61Z9	SL280DF110V60C	207046649
EL18XPV-060-230	57500	10	17	54000	33800	8.5	LD42/61Z9	SLP99DF090XV60C	207046668
EL18XPV-060-230	57500	10	17	54000	33800	8.5	LD42/61Z9	SLP99DF110XV60C	207046670
EL18XPV-060-230	58000	10	16	54000	34400	9	LH40/61W9	EL280UH110XE60C	207046603
EL18XPV-060-230	57500	10	16	53500	34000	9	LH40/62W9	EL280UH110XE60C	207046602
EL18XPV-060-230	57000	10	17	54500	35000	9	LH42/62W9	EL180UH100NE60C	207046576
EL18XPV-060-230	57500	10	15	53500	34400	8.5	LH42/62W9	EL180UH135E60D	207046582
EL18XPV-060-230	57500	10	16	54000	34800	9	LH42/62W9	EL195UH100NE60C	207046588
EL18XPV-060-230	58000	10	16	54000	34600	9	LH42/62W9	EL196UH110XE60C	207046594
EL18XPV-060-230	58000	10	16	54000	34400	9	LH42/62W9	EL280UH110E60C	207046600
EL18XPV-060-230	58000	10	16	54000	34400	9	LH42/62W9	EL280UH110XE60C	207046607
EL18XPV-060-230	58000	10	17	54500	35200	9	LH42/62W9	EL296UH090XV60C	207046618
EL18XPV-060-230	57500	10	16	54000	34200	9	LH42/62W9	EL296UH110XE60C	207046620
EL18XPV-060-230	58000	10	17	54500	35200	9	LH42/62W9	EL296UH110XV60C	207046622
EL18XPV-060-230	57000	10	15	53500	34000	8.5	LH42/62W9	EL296UH135XE60D	207046624
EL18XPV-060-230	57000	10	17	53500	34600	9	LH42/62W9	EL296UH135XV60D	207046626
EL18XPV-060-230	58000	10	16	54000	34600	9	LH42/62W9	ML180UH090E60C	207046632
EL18XPV-060-230	57500	10	16	54000	34600	9.5	LH42/62W9	ML180UH110E60C	207046540
EL18XPV-060-230	57000	10	17	54000	34800	9	LH42/62W9	ML180UH110V60C	207046536
EL18XPV-060-230	57500	10	16	54000	34600	9.5	LH42/62W9	ML180UH110XE60C	207046634
EL18XPV-060-230	57500	10	15	53500	34400	8.5	LH42/62W9	ML180UH135E60D	207046636
EL18XPV-060-230	55500	10	16	54000	34000	9	LH42/62W9	ML193UH110XE60C	207046638
EL18XPV-060-230	57500	10	16	53500	34600	9	LH42/62W9	ML196UH090XE60C	207046546
EL18XPV-060-230	58500	10	16	54000	34800	9.5	LH42/62W9	ML296UH110XV60C	207046644
EL18XPV-060-230	58000	10	17	54000	34600	9.5	LH42/62W9	SL280UH080NV60C	207046652
EL18XPV-060-230	58000	10	17	54000	34800	9	LH42/62W9	SL280UH090V60C	207046654

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL18XPV-060-230	58000	10	17	54000	34800	9	LH42/62W9	SL280UH090XV60C	207046656
EL18XPV-060-230	58000	10	17	54000	34600	9.5	LH42/62W9	SL280UH100NV60C	207046658
EL18XPV-060-230	58000	10	17	54500	35000	9	LH42/62W9	SL280UH110V60C	207046660
EL18XPV-060-230	58000	10	17	54500	35000	9	LH42/62W9	SL280UH110XV60C	207046662
EL18XPV-060-230	57500	10	17	53500	34600	9	LH42/62W9	SL280UH135V60D	207046664
EL18XPV-060-230	58000	10	17	54500	35000	9	LH42/62W9	SL297UH080NV60C	207046666
EL18XPV-060-230	58000	10	17	54500	35200	9	LH42/62W9	SLP99UH090XV60C	207046673
EL18XPV-060-230	58000	10	17	54500	35200	9	LH42/62W9	SLP99UH110XV60C	207046675
EL18XPV-060-230	57500	10	17	53500	34400	9	LH42/62W9	SLP99UH135XV60D	207046554
ML14XP1-018-230	17000	12.2	16	15500	9000	8.2	CE2403C		202902158
ML14XP1-018-230	17700	13	16	15200	8600	8.5	L*18/36T9	ML180UH030V36A	206777352
ML14XP1-018-230	17700	13	16	15200	8600	8.5	L*18/36T9	ML180UH045V36A	206777364
ML14XP1-018-230	17700	13	16	15300	8700	8.5	L*18/36T9	ML180UH070V36A	206777372
ML14XP1-018-230	17700	13	16	15200	8600	8.5	L*18/36T9	ML180UH070V36B	206777381
ML14XP1-018-230	17700	13	16	15200	8600	8.5	L*18/36V9	ML180UH030V36A	206777349
ML14XP1-018-230	17700	13	16	15200	8600	8.5	L*18/36V9	ML180UH045V36A	206777363
ML14XP1-018-230	17700	13	16	15300	8700	8.5	L*18/36V9	ML180UH070V36A	206777371
ML14XP1-018-230	17700	13	16	15200	8600	8.5	L*18/36V9	ML180UH070V36B	206777380
ML14XP1-018-230	17900	12	14	16400	10400	8.2	L*18/36V9		202743262
ML14XP1-018-230	17900	13	16	15700	9500	9	L*19/36S9	EL180UH040NE36A	206777320
ML14XP1-018-230	17900	13	16	15800	9600	9	L*19/36S9	EL280UH045E36A	206777327
ML14XP1-018-230	17900	13	16	15700	9500	9	L*19/36S9	EL280UH070E36A	206777333
ML14XP1-018-230	17900	13	16	15600	9500	9	L*19/36S9	ML180UH030V36A	206777358
ML14XP1-018-230	17900	13	16	15600	9500	9	L*19/36S9	ML180UH045V36A	206777366
ML14XP1-018-230	17900	13	16	15700	9500	9	L*19/36S9	ML180UH070V36A	206777374
ML14XP1-018-230	17800	13	16	15900	9300	9	L*19/36S9	ML180UH070V36B	206777387
ML14XP1-018-230	17900	13	16	15700	9500	9	L*19/36U9	EL180UH040NE36A	206777319
ML14XP1-018-230	17900	13	16	15800	9600	9	L*19/36U9	EL280UH045E36A	206777326
ML14XP1-018-230	17900	13	16	15700	9500	9	L*19/36U9	EL280UH070E36A	206777332
ML14XP1-018-230	17900	13	16	15600	9500	9	L*19/36U9	ML180UH030V36A	206777355
ML14XP1-018-230	17900	13	16	15600	9500	9	L*19/36U9	ML180UH045V36A	206777365
ML14XP1-018-230	17900	13	16	15700	9500	9	L*19/36U9	ML180UH070V36A	206777373
ML14XP1-018-230	17800	13	16	15900	9300	9	L*19/36U9	ML180UH070V36B	206777386
ML14XP1-018-230	18000	13	16	15700	9500	9	L*35/36U9	EL180UH040NE36A	206777321
ML14XP1-018-230	18000	13	16	15800	9600	9	L*35/36U9	EL280UH045E36A	206777328
ML14XP1-018-230	18000	13	16	15700	9500	9	L*35/36U9	EL280UH070E36A	206777335
ML14XP1-018-230	18000	13	16	15600	9500	9	L*35/36U9	ML180UH030V36A	206777359
ML14XP1-018-230	18000	13	16	15600	9500	9	L*35/36U9	ML180UH045V36A	206777367
ML14XP1-018-230	18000	13	16	15700	9500	9	L*35/36U9	ML180UH070V36A	206777375
ML14XP1-018-230	18000	13	16	15900	9300	9	L*35/36U9	ML180UH070V36B	206777391
ML14XP1-018-230	18000	12.5	15	16400	10200	8.5	LD19/25Z9	EL195DF045XE36B	206842834
ML14XP1-018-230	18000	12.2	14.5	16400	10200	8.5	LD19/25Z9	EL195DF070XE48B	206842835
ML14XP1-018-230	18000	12.5	15	16400	10000	9	LD19/25Z9	EL280DF070E36A	205147403
ML14XP1-018-230	18000	12.5	15	16400	10200	8.5	LD19/25Z9	EL296DF045XE36B	206842836
ML14XP1-018-230	18000	12.5	15	16400	10000	8.5	LD19/25Z9	ML180DF045E36A	205147405
ML14XP1-018-230	18000	12.2	14.5	17200	10200	8.5	LD19/25Z9	ML196DF045XE36B	206842837
ML14XP1-018-230	18000	12.2	14.5	17200	10200	8.5	LD19/25Z9	ML196DF070XE48B	206842838
ML14XP1-018-230	18000	12	14	16000	9200	8.2	LD19/25Z9		205147449
ML14XP1-018-230	18000	12.5	15	16400	10200	8.5	LD19/36Z9	EL296DF045XE36B	205147404
ML14XP1-018-230	18000	12.2	14.5	16400	10200	8.5	LD19/36Z9	ML180DF070E36B	205147406
ML14XP1-018-230	18000	12.5	15	16400	9900	8.5	LD19/36Z9	ML193DF045XE36B	205147407
ML14XP1-018-230	18000	12.5	15	16400	9900	8.5	LD19/36Z9	ML193DF070XE36B	205147408
ML14XP1-018-230	18000	12	14	16000	9200	8.2	LD19/36Z9		204755181
ML14XP1-018-230	17000	12.2	16	15500	9000	8.2	LEC249C03		203263880

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-018-230	18000	13	16	15700	9500	9	LH18/37D9	EL180UH040NE36A	206777324
ML14XP1-018-230	18000	13	16	15800	9600	9	LH18/37D9	EL280UH045E36A	206777331
ML14XP1-018-230	18000	13	16	15700	9500	9	LH18/37D9	EL280UH070E36A	206777343
ML14XP1-018-230	18000	13	16	15600	9500	9	LH18/37D9	ML180UH030V36A	206777362
ML14XP1-018-230	18000	13	16	15600	9500	9	LH18/37D9	ML180UH045V36A	206777370
ML14XP1-018-230	18000	13	16	15700	9500	9	LH18/37D9	ML180UH070V36A	206777378
ML14XP1-018-230	18000	13	16	15700	9500	9	LH18/37R9	EL180UH040NE36A	206777322
ML14XP1-018-230	18000	13	16	15800	9600	9	LH18/37R9	EL280UH045E36A	206777329
ML14XP1-018-230	18000	13	16	15700	9500	9	LH18/37R9	EL280UH070E36A	206777337
ML14XP1-018-230	18000	13	16	15600	9500	9	LH18/37R9	ML180UH030V36A	206777360
ML14XP1-018-230	18000	13	16	15600	9500	9	LH18/37R9	ML180UH045V36A	206777368
ML14XP1-018-230	18000	13	16	15700	9500	9	LH18/37R9	ML180UH070V36A	206777376
ML14XP1-018-230	17800	13	16	15900	9300	9	LH29/36F9	ML180UH070V36B	206777383
ML14XP1-018-230	17800	13	16	15900	9300	9	LH29/36X9	ML180UH070V36B	206777382
ML14XP1-018-230	18000	13	16	15900	9300	9	LH35/36F9	ML180UH070V36B	206777385
ML14XP1-018-230	18000	13	16	15900	9300	9	LH35/36X9	ML180UH070V36B	206777384
ML14XP1-018-230	18000	13	16	15900	9300	9	LH35/38X9	ML180UH070V36B	206777390
ML14XP1-018-230	17900	12	14	16400	10400	8.2	LS*25(1,2)33E		205807158
ML14XP1-018-230	17900	12	14	16400	10400	8.2	LS*25933E		202860978
ML14XP1-018-230	18000	12	14	16600	10400	8.2	M36E34(1,2)		202760736
ML14XP1-018-230	18000	12.2	14	16400	10400	8.2	M36E58(1,2)		202760739
ML14XP1-018-230	18000	12.2	14	16400	10400	8.2	M36E589		202760742
ML14XP1-018-230	18000	13	16	15700	9500	9	PL36H***P449	EL180UH040NE36A	206777323
ML14XP1-018-230	18000	13	16	15800	9600	9	PL36H***P449	EL280UH045E36A	206777330
ML14XP1-018-230	18000	13	16	15700	9500	9	PL36H***P449	EL280UH070E36A	206777340
ML14XP1-018-230	18000	13	16	15600	9500	9	PL36H***P449	ML180UH030V36A	206777361
ML14XP1-018-230	18000	13	16	15600	9500	9	PL36H***P449	ML180UH045V36A	206777369
ML14XP1-018-230	18000	13	16	15700	9500	9	PL36H***P449	ML180UH070V36A	206777377
ML14XP1-018-230	18000	13	16	15500	9000	8.2	PL36H210P29	EL196UH070XE36B	206777325
ML14XP1-018-230	18000	13	16	15300	8700	8.2	PL36H210P29	EL280UH090E36B	206777346
ML14XP1-018-230	18000	13	16	15900	9300	9	PL36H210P29	ML180UH070V36B	206777379
ML14XP1-018-230	17700	13	16	15900	9300	9	PL36H210P74	ML180UH070V36B	206777388
ML14XP1-018-230	18000	13	16	15900	9300	9	PL36H210P75	ML180UH070V36B	206777389
ML14XP1-024-230	23000	12.5	15	19800	12100	8.5	CE2403C		202902110
ML14XP1-024-230	23000	12.5	15	19800	12100	8.5	CE2903C		204118543
ML14XP1-024-230	23400	12.5	15.5	20000	12100	8.5	CE3005A		204118544
ML14XP1-024-230	23400	12.5	15.5	20000	12100	8.5	CE3005C		202902112
ML14XP1-024-230	23200	12	14	19200	12600	8.2	CP2403C		202902098
ML14XP1-024-230	23400	12.2	14	20600	12600	8.5	CP2505A		204631294
ML14XP1-024-230	23400	12.2	14	19200	12600	8.2	CP2505C		202902258
ML14XP1-024-230	23200	12	14	19200	12600	8.2	CP2903C		202902100
ML14XP1-024-230	23400	12.2	14	19200	12600	8.5	CP3005A		204118536
ML14XP1-024-230	23400	12.2	14	19200	12600	8.2	CP3005C		202902101
ML14XP1-024-230	23600	13	16	19800	11800	8.5	L*18/36S9	EL180UH040NE36A	206777395
ML14XP1-024-230	24000	13	16	20000	12000	9	L*18/36S9	ML180UH030V36A	206777536
ML14XP1-024-230	24000	13	16	20000	12000	9	L*18/36S9	ML180UH045V36A	206777548
ML14XP1-024-230	23400	13	16	20000	12000	9	L*18/36S9	ML180UH070V36B	206777575
ML14XP1-024-230	23800	13	16	20400	12400	9	L*18/36S9	ML180UH070V48B	206777590
ML14XP1-024-230	23800	13	16	20200	12100	9	L*18/36S9	ML180UH090V48B	206777613
ML14XP1-024-230	23800	13	16	19400	11500	8.5	L*18/36T9	EL180UH040NE36A	206777397
ML14XP1-024-230	23800	13	16	19600	11600	8.5	L*18/36T9	EL195UH040NE36B	206777406
ML14XP1-024-230	23800	13	16	19600	11600	8.5	L*18/36T9	EL195UH060NE36B	206777430
ML14XP1-024-230	23800	13	16	19600	11700	8.5	L*18/36T9	EL196UH045XE36B	206777443
ML14XP1-024-230	23800	13	16	20200	12000	9	L*18/36T9	EL196UH070XE36B	206777456

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-024-230	23800	13	16	20000	11800	9	L*18/36T9	EL280UH045E36A	206777468
ML14XP1-024-230	23800	13	16	19600	11600	8.5	L*18/36T9	EL296UH045XV36B	206777496
ML14XP1-024-230	23800	13	16	19800	11700	8.5	L*18/36T9	EL296UH070XE36B	206777509
ML14XP1-024-230	23800	13	16	19600	11600	8.5	L*18/36T9	EL296UH070XV36B	206777522
ML14XP1-024-230	24000	13	16	20000	12000	9	L*18/36T9	ML180UH030V36A	206777538
ML14XP1-024-230	24000	13	16	20000	12000	9	L*18/36T9	ML180UH045V36A	206777550
ML14XP1-024-230	23800	13	16	19600	11600	9	L*18/36T9	ML180UH070E36A	206777558
ML14XP1-024-230	23800	13	16	19600	11600	8.5	L*18/36T9	ML180UH070V36A	206777566
ML14XP1-024-230	23800	13	16	19600	11600	9	L*18/36T9	ML180UH070V36B	206777577
ML14XP1-024-230	24000	13	16	20200	12000	9	L*18/36T9	ML180UH070V48B	206777592
ML14XP1-024-230	23800	13	16	19600	11600	9	L*18/36T9	ML180UH070XE36A	206777604
ML14XP1-024-230	24000	13	16	20200	12100	9	L*18/36T9	ML180UH090V48B	206777615
ML14XP1-024-230	23600	13	16	19800	11800	8.5	L*18/36U9	EL180UH040NE36A	206777394
ML14XP1-024-230	24000	13	16	20000	12000	9	L*18/36U9	ML180UH030V36A	206777535
ML14XP1-024-230	24000	13	16	20000	12000	9	L*18/36U9	ML180UH045V36A	206777547
ML14XP1-024-230	23400	13	16	20000	12000	9	L*18/36U9	ML180UH070V36B	206777574
ML14XP1-024-230	23800	13	16	20400	12400	9	L*18/36U9	ML180UH070V48B	206777589
ML14XP1-024-230	23800	13	16	20200	12100	9	L*18/36U9	ML180UH090V48B	206777612
ML14XP1-024-230	23800	13	16	19400	11500	8.5	L*18/36V9	EL180UH040NE36A	206777396
ML14XP1-024-230	23800	13	16	19600	11600	8.5	L*18/36V9	EL195UH040NE36B	206777405
ML14XP1-024-230	23800	13	16	19600	11600	8.5	L*18/36V9	EL195UH060NE36B	206777429
ML14XP1-024-230	23800	13	16	19600	11700	8.5	L*18/36V9	EL196UH045XE36B	206777442
ML14XP1-024-230	23800	13	16	20200	12000	9	L*18/36V9	EL196UH070XE36B	206777455
ML14XP1-024-230	23800	13	16	20000	11800	9	L*18/36V9	EL280UH045E36A	206777467
ML14XP1-024-230	23800	13	16	19600	11600	8.5	L*18/36V9	EL296UH045XV36B	206777495
ML14XP1-024-230	23800	13	16	19800	11700	8.5	L*18/36V9	EL296UH070XE36B	206777508
ML14XP1-024-230	23800	13	16	19600	11600	8.5	L*18/36V9	EL296UH070XV36B	206777521
ML14XP1-024-230	24000	13	16	20000	12000	9	L*18/36V9	ML180UH030V36A	206777537
ML14XP1-024-230	24000	13	16	20000	12000	9	L*18/36V9	ML180UH045V36A	206777549
ML14XP1-024-230	23800	13	16	19600	11600	9	L*18/36V9	ML180UH070E36A	206777557
ML14XP1-024-230	23800	13	16	19600	11600	8.5	L*18/36V9	ML180UH070V36A	206777565
ML14XP1-024-230	23800	13	16	19600	11600	9	L*18/36V9	ML180UH070V36B	206777576
ML14XP1-024-230	24000	13	16	20400	12400	9	L*18/36V9	ML180UH070V48B	206777591
ML14XP1-024-230	23800	13	16	19600	11600	9	L*18/36V9	ML180UH070XE36A	206777603
ML14XP1-024-230	24000	13	16	20200	12100	9	L*18/36V9	ML180UH090V48B	206777614
ML14XP1-024-230	23400	12.2	14	19200	12600	8.2	L*18/36V9		202743263
ML14XP1-024-230	24000	13	16	19400	11500	8.5	L*19/36S9	EL180UH040NE36A	206777399
ML14XP1-024-230	24000	13	16	19600	11600	8.5	L*19/36S9	EL195UH040NE36B	206777412
ML14XP1-024-230	23800	13	16	19800	11800	8.5	L*19/36S9	EL195UH045XE36B	206777423
ML14XP1-024-230	24000	13	16	19600	11600	8.5	L*19/36S9	EL195UH060NE36B	206777436
ML14XP1-024-230	24000	13	16	19600	11700	8.5	L*19/36S9	EL196UH045XE36B	206777449
ML14XP1-024-230	23800	13	16	20200	12000	9	L*19/36S9	EL196UH070XE36B	206777462
ML14XP1-024-230	24000	13	16	20000	11800	9	L*19/36S9	EL280UH045E36A	206777470
ML14XP1-024-230	23800	13	16	20000	11800	9	L*19/36S9	EL280UH070E36A	206777476
ML14XP1-024-230	23800	13	16	19800	11800	8.5	L*19/36S9	EL296UH045XE36B	206777489
ML14XP1-024-230	24000	13	16	19600	11600	8.5	L*19/36S9	EL296UH045XV36B	206777502
ML14XP1-024-230	24000	13	16	19800	11700	8.5	L*19/36S9	EL296UH070XE36B	206777515
ML14XP1-024-230	24000	13	16	19600	11600	8.5	L*19/36S9	EL296UH070XV36B	206777528
ML14XP1-024-230	24000	13	16	20000	12000	9	L*19/36S9	ML180UH030V36A	206777540
ML14XP1-024-230	24000	13	16	19600	11600	9	L*19/36S9	ML180UH045V36A	206777552
ML14XP1-024-230	24000	13	16	19600	11600	9	L*19/36S9	ML180UH070E36A	206777560
ML14XP1-024-230	24000	13	16	19600	11600	8.5	L*19/36S9	ML180UH070V36A	206777568
ML14XP1-024-230	24000	13	16	19600	11600	9	L*19/36S9	ML180UH070V36B	206777583
ML14XP1-024-230	24000	13	16	19800	11600	9	L*19/36S9	ML180UH070V48B	206777598

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-024-230	24000	13	16	19600	11600	9	L*19/36S9	ML180UH070XE36A	206777606
ML14XP1-024-230	24000	13	16	20200	12100	9	L*19/36S9	ML180UH090V48B	206777621
ML14XP1-024-230	24000	13	16	19400	11500	8.5	L*19/36U9	EL180UH040NE36A	206777398
ML14XP1-024-230	24000	13	16	19600	11600	8.5	L*19/36U9	EL195UH040NE36B	206777411
ML14XP1-024-230	23800	13	16	19800	11800	8.5	L*19/36U9	EL195UH045XE36B	206777422
ML14XP1-024-230	24000	13	16	19600	11600	8.5	L*19/36U9	EL195UH060NE36B	206777435
ML14XP1-024-230	24000	13	16	19600	11700	8.5	L*19/36U9	EL196UH045XE36B	206777448
ML14XP1-024-230	23800	13	16	20200	12000	9	L*19/36U9	EL196UH070XE36B	206777461
ML14XP1-024-230	24000	13	16	20000	11800	9	L*19/36U9	EL280UH045E36A	206777469
ML14XP1-024-230	23800	13	16	20000	11800	9	L*19/36U9	EL280UH070E36A	206777475
ML14XP1-024-230	23800	13	16	19800	11800	8.5	L*19/36U9	EL296UH045XE36B	206777488
ML14XP1-024-230	24000	13	16	19600	11600	8.5	L*19/36U9	EL296UH045XV36B	206777501
ML14XP1-024-230	24000	13	16	19800	11700	8.5	L*19/36U9	EL296UH070XE36B	206777514
ML14XP1-024-230	24000	13	16	19600	11600	8.5	L*19/36U9	EL296UH070XV36B	206777527
ML14XP1-024-230	24000	13	16	19600	11600	9	L*19/36U9	ML180UH030V36A	206777539
ML14XP1-024-230	24000	13	16	19600	11600	9	L*19/36U9	ML180UH045V36A	206777551
ML14XP1-024-230	24000	13	16	19600	11600	9	L*19/36U9	ML180UH070E36A	206777559
ML14XP1-024-230	24000	13	16	19600	11600	8.5	L*19/36U9	ML180UH070V36A	206777567
ML14XP1-024-230	24000	13	16	19600	11600	9	L*19/36U9	ML180UH070V36B	206777582
ML14XP1-024-230	24000	13	16	20200	12000	9	L*19/36U9	ML180UH070V48B	206777597
ML14XP1-024-230	24000	13	16	19600	11600	9	L*19/36U9	ML180UH070XE36A	206777605
ML14XP1-024-230	24000	13	16	20200	12100	9	L*19/36U9	ML180UH090V48B	206777620
ML14XP1-024-230	24000	13	16	19800	11600	8.5	L*35/36U9	EL180UH040NE36A	206777400
ML14XP1-024-230	24000	13	16	19800	11800	8.5	L*35/36U9	EL195UH040NE36B	206777416
ML14XP1-024-230	24000	13	16	19800	11800	8.5	L*35/36U9	EL195UH045XE36B	206777427
ML14XP1-024-230	24000	13	16	19800	11800	8.5	L*35/36U9	EL195UH060NE36B	206777440
ML14XP1-024-230	23800	13	16	20200	12100	9	L*35/36U9	EL196UH045XE36B	206777453
ML14XP1-024-230	23800	13	16	20200	12000	9	L*35/36U9	EL196UH070XE36B	206777466
ML14XP1-024-230	24000	13	16	20200	12000	9	L*35/36U9	EL280UH045E36A	206777471
ML14XP1-024-230	24000	13	16	20000	11800	9	L*35/36U9	EL280UH070E36A	206777477
ML14XP1-024-230	24000	13	16	19800	11800	8.5	L*35/36U9	EL296UH045XE36B	206777493
ML14XP1-024-230	24000	13	16	19800	11800	8.5	L*35/36U9	EL296UH045XV36B	206777506
ML14XP1-024-230	24000	13	16	20000	11900	8.5	L*35/36U9	EL296UH070XE36B	206777519
ML14XP1-024-230	24000	13	16	19800	11800	8.5	L*35/36U9	EL296UH070XV36B	206777532
ML14XP1-024-230	24000	13	16	19600	11600	9	L*35/36U9	ML180UH030V36A	206777541
ML14XP1-024-230	24000	13	16	20000	11800	9	L*35/36U9	ML180UH045V36A	206777553
ML14XP1-024-230	24000	13	16	20000	11800	9	L*35/36U9	ML180UH070E36A	206777561
ML14XP1-024-230	24000	13	16	19600	11600	8.5	L*35/36U9	ML180UH070V36A	206777569
ML14XP1-024-230	24000	13	16	20200	12300	9	L*35/36U9	ML180UH070V36B	206777587
ML14XP1-024-230	24000	13	16	20200	12000	9	L*35/36U9	ML180UH070V48B	206777602
ML14XP1-024-230	24000	13	16	20000	11800	9	L*35/36U9	ML180UH070XE36A	206777607
ML14XP1-024-230	24000	13	16	20000	11900	9	L*35/36U9	ML180UH090V48B	206777625
ML14XP1-024-230	23600	12.5	15	20600	12000	8.5	LD19/25Z9	EL195DF045XE36B	206842847
ML14XP1-024-230	23600	12.5	15	20600	12000	9	LD19/25Z9	EL280DF070E36A	205147244
ML14XP1-024-230	23600	12.5	15	20600	12000	8.5	LD19/25Z9	EL296DF045XE36B	206842848
ML14XP1-024-230	23600	12.5	15	20600	12000	9	LD19/25Z9	EL296DF045XV36B	206842849
ML14XP1-024-230	23400	12.5	15	20400	11900	8.5	LD19/25Z9	ML180DF045E36A	205147248
ML14XP1-024-230	24000	12.5	15	20800	12100	9	LD19/25Z9	ML180DF070E36A	205147249
ML14XP1-024-230	23800	13	16	20600	12000	9	LD19/25Z9	ML180DF070E36B	206842850
ML14XP1-024-230	23400	12.5	15	20600	12000	9	LD19/25Z9	ML196DF045XE36B	206842851
ML14XP1-024-230	23600	12.5	15	20600	12000	9	LD19/25Z9	ML196DF070XE48B	206842852
ML14XP1-024-230	23600	12.5	15	20600	12000	9	LD19/25Z9	ML296DF045XV36B	206842853
ML14XP1-024-230	23600	12.5	15	20600	12000	8.5	LD19/25Z9	SL280DF070V36A	205147251
ML14XP1-024-230	23800	12.5	15	19800	11600	8.5	LD19/25Z9	SLP99DF070XV36B	206842855

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-024-230	23400	12.2	14	20600	12600	8.5	LD19/25Z9		205147342
ML14XP1-024-230	23600	12.5	15	20600	12000	8.5	LD19/36Z9	EL296DF045XE36B	205147245
ML14XP1-024-230	23600	12.5	15	20600	12000	9	LD19/36Z9	EL296DF045XV36B	205147246
ML14XP1-024-230	23800	12.5	15	20600	12000	9	LD19/36Z9	EL296DF070XE48B	205147247
ML14XP1-024-230	23800	13	16	20600	12000	9	LD19/36Z9	ML180DF070E36B	205147250
ML14XP1-024-230	23800	12.5	15	19800	11600	8.5	LD19/36Z9	SLP98DF070XV36B	205147252
ML14XP1-024-230	23800	12.5	15	19800	11600	8.5	LD19/36Z9	SLP99DF070XV36B	205760610
ML14XP1-024-230	23400	12.2	14	20600	12600	8.5	LD19/36Z9		204755182
ML14XP1-024-230	23400	12.5	15	20600	12000	9	LD24/35Z9	ML196DF045XE36B	205707594
ML14XP1-024-230	23600	12.5	15	20600	12000	9	LD24/35Z9	ML196DF070XE48B	205707595
ML14XP1-024-230	23400	12.2	14	20600	12600	8.5	LD24/35Z9		204755183
ML14XP1-024-230	23400	12	14.5	20600	12600	8.5	LEC24(6,9)C03		203383954
ML14XP1-024-230	23400	12	14.5	19200	12600	8.2	LEC249C03		203263881
ML14XP1-024-230	23400	12	14.5	19200	12600	8.2	LEC299C03		203355242
ML14XP1-024-230	23400	12.2	14.5	19200	12600	8.2	LEC309C05		203263883
ML14XP1-024-230	23600	13	16	19800	11800	8.5	LH18/36D9	EL180UH040NE36A	206777393
ML14XP1-024-230	24000	13	16	20000	12000	9	LH18/36D9	ML180UH030V36A	206777534
ML14XP1-024-230	24000	13	16	20000	12000	9	LH18/36D9	ML180UH045V36A	206777546
ML14XP1-024-230	23600	13	16	19800	11800	8.5	LH18/36R9	EL180UH040NE36A	206777392
ML14XP1-024-230	24000	13	16	20000	12000	9	LH18/36R9	ML180UH030V36A	206777533
ML14XP1-024-230	24000	13	16	20000	12000	9	LH18/36R9	ML180UH045V36A	206777545
ML14XP1-024-230	24000	13	16	19400	11500	8.5	LH18/37D9	EL180UH040NE36A	206777403
ML14XP1-024-230	24000	13	16	20200	12000	9	LH18/37D9	EL280UH045E36A	206777474
ML14XP1-024-230	24000	13	16	20000	11800	9	LH18/37D9	EL280UH070E36A	206777480
ML14XP1-024-230	24000	13	16	20000	12000	9	LH18/37D9	ML180UH030V36A	206777544
ML14XP1-024-230	24000	13	16	20000	12000	9	LH18/37D9	ML180UH045V36A	206777556
ML14XP1-024-230	24000	13	16	20000	11800	9	LH18/37D9	ML180UH070E36A	206777564
ML14XP1-024-230	24000	13	16	19600	11600	8.5	LH18/37D9	ML180UH070V36A	206777572
ML14XP1-024-230	24000	13	16	19600	11600	9	LH18/37D9	ML180UH070XE36A	206777610
ML14XP1-024-230	24000	13	16	19400	11500	8.5	LH18/37R9	EL180UH040NE36A	206777401
ML14XP1-024-230	24000	13	16	20200	12000	9	LH18/37R9	EL280UH045E36A	206777472
ML14XP1-024-230	24000	13	16	20000	11800	9	LH18/37R9	EL280UH070E36A	206777478
ML14XP1-024-230	24000	13	16	20000	11800	9	LH18/37R9	ML180UH030V36A	206777542
ML14XP1-024-230	24000	13	16	20000	11800	9	LH18/37R9	ML180UH045V36A	206777554
ML14XP1-024-230	24000	13	16	20000	11800	9	LH18/37R9	ML180UH070E36A	206777562
ML14XP1-024-230	24000	13	16	20000	11800	8.5	LH18/37R9	ML180UH070V36A	206777570
ML14XP1-024-230	24000	13	16	20000	11800	9	LH18/37R9	ML180UH070XE36A	206777608
ML14XP1-024-230	24000	13	16	19600	11600	8.5	LH29/36F9	EL195UH040NE36B	206777408
ML14XP1-024-230	23800	13	16	19800	11800	8.5	LH29/36F9	EL195UH045XE36B	206777419
ML14XP1-024-230	24000	13	16	19600	11600	8.5	LH29/36F9	EL195UH060NE36B	206777432
ML14XP1-024-230	24000	13	16	19600	11700	8.5	LH29/36F9	EL196UH045XE36B	206777445
ML14XP1-024-230	23800	13	16	20200	12000	9	LH29/36F9	EL196UH070XE36B	206777458
ML14XP1-024-230	23800	13	16	19800	11800	8.5	LH29/36F9	EL296UH045XE36B	206777485
ML14XP1-024-230	24000	13	16	19600	11600	8.5	LH29/36F9	EL296UH045XV36B	206777498
ML14XP1-024-230	24000	13	16	19800	11700	8.5	LH29/36F9	EL296UH070XE36B	206777511
ML14XP1-024-230	24000	13	16	19600	11600	8.5	LH29/36F9	EL296UH070XV36B	206777524
ML14XP1-024-230	24000	13	16	19600	11600	9	LH29/36F9	ML180UH070V36B	206777579
ML14XP1-024-230	24000	13	16	20200	12000	9	LH29/36F9	ML180UH070V48B	206777594
ML14XP1-024-230	24000	13	16	20200	12100	9	LH29/36F9	ML180UH090V48B	206777617
ML14XP1-024-230	24000	13	16	19600	11600	8.5	LH29/36X9	EL195UH040NE36B	206777407
ML14XP1-024-230	23800	13	16	19800	11800	8.5	LH29/36X9	EL195UH045XE36B	206777418
ML14XP1-024-230	24000	13	16	19600	11600	8.5	LH29/36X9	EL195UH060NE36B	206777431
ML14XP1-024-230	24000	13	16	19600	11700	8.5	LH29/36X9	EL196UH045XE36B	206777444
ML14XP1-024-230	23800	13	16	20200	12000	9	LH29/36X9	EL196UH070XE36B	206777457

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-024-230	23800	13	16	19800	11800	8.5	LH29/36X9	EL296UH045XE36B	206777484
ML14XP1-024-230	24000	13	16	19600	11600	8.5	LH29/36X9	EL296UH045XV36B	206777497
ML14XP1-024-230	24000	13	16	19800	11700	8.5	LH29/36X9	EL296UH070XE36B	206777510
ML14XP1-024-230	24000	13	16	19600	11600	8.5	LH29/36X9	EL296UH070XV36B	206777523
ML14XP1-024-230	24000	13	16	19600	11600	9	LH29/36X9	ML180UH070V36B	206777578
ML14XP1-024-230	24000	13	16	19800	11600	9	LH29/36X9	ML180UH070V48B	206777593
ML14XP1-024-230	24000	13	16	20200	12100	9	LH29/36X9	ML180UH090V48B	206777616
ML14XP1-024-230	24000	13	16	19800	11800	8.5	LH35/36F9	EL195UH040NE36B	206777410
ML14XP1-024-230	24000	13	16	19800	11800	8.5	LH35/36F9	EL195UH045XE36B	206777421
ML14XP1-024-230	24000	13	16	19800	11800	8.5	LH35/36F9	EL195UH060NE36B	206777434
ML14XP1-024-230	24000	13	16	19800	11800	8.5	LH35/36F9	EL196UH045XE36B	206777447
ML14XP1-024-230	23800	13	16	20200	12000	9	LH35/36F9	EL196UH070XE36B	206777460
ML14XP1-024-230	24000	13	16	19800	11800	8.5	LH35/36F9	EL296UH045XE36B	206777487
ML14XP1-024-230	24000	13	16	19800	11800	8.5	LH35/36F9	EL296UH045XV36B	206777500
ML14XP1-024-230	24000	13	16	20000	11900	8.5	LH35/36F9	EL296UH070XE36B	206777513
ML14XP1-024-230	24000	13	16	19800	11800	8.5	LH35/36F9	EL296UH070XV36B	206777526
ML14XP1-024-230	24000	13	16	19600	11600	9	LH35/36F9	ML180UH070V36B	206777581
ML14XP1-024-230	24000	13	16	19800	11800	9	LH35/36F9	ML180UH070V48B	206777596
ML14XP1-024-230	24000	13	16	20000	11900	9	LH35/36F9	ML180UH090V48B	206777619
ML14XP1-024-230	24000	13	16	19600	11600	8.5	LH35/36X9	EL195UH040NE36B	206777409
ML14XP1-024-230	24000	13	16	19800	11800	8.5	LH35/36X9	EL195UH045XE36B	206777420
ML14XP1-024-230	24000	13	16	19600	11600	8.5	LH35/36X9	EL195UH060NE36B	206777433
ML14XP1-024-230	24000	13	16	19600	11700	8.5	LH35/36X9	EL196UH045XE36B	206777446
ML14XP1-024-230	23800	13	16	20200	12000	9	LH35/36X9	EL196UH070XE36B	206777459
ML14XP1-024-230	24000	13	16	19800	11800	8.5	LH35/36X9	EL296UH045XE36B	206777486
ML14XP1-024-230	24000	13	16	19600	11600	8.5	LH35/36X9	EL296UH045XV36B	206777499
ML14XP1-024-230	24000	13	16	19800	11700	8.5	LH35/36X9	EL296UH070XE36B	206777512
ML14XP1-024-230	24000	13	16	19600	11600	8.5	LH35/36X9	EL296UH070XV36B	206777525
ML14XP1-024-230	24000	13	16	19800	11700	9	LH35/36X9	ML180UH070V36B	206777580
ML14XP1-024-230	24000	13	16	19800	11800	9	LH35/36X9	ML180UH070V48B	206777595
ML14XP1-024-230	24000	13	16	20000	11900	9	LH35/36X9	ML180UH090V48B	206777618
ML14XP1-024-230	24000	13	16	19800	11800	8.5	LH35/38X9	EL195UH040NE36B	206777415
ML14XP1-024-230	24000	13	16	19800	11800	8.5	LH35/38X9	EL195UH045XE36B	206777426
ML14XP1-024-230	24000	13	16	19800	11800	8.5	LH35/38X9	EL195UH060NE36B	206777439
ML14XP1-024-230	23800	13	16	20200	12100	9	LH35/38X9	EL196UH045XE36B	206777452
ML14XP1-024-230	23800	13	16	20200	12000	9	LH35/38X9	EL196UH070XE36B	206777465
ML14XP1-024-230	24000	13	16	19600	11700	8.5	LH35/38X9	EL280UH090E36B	206777482
ML14XP1-024-230	24000	13	16	19800	11800	8.5	LH35/38X9	EL296UH045XE36B	206777492
ML14XP1-024-230	24000	13	16	19600	11600	8.5	LH35/38X9	EL296UH045XV36B	206777505
ML14XP1-024-230	24000	13	16	19800	11700	8.5	LH35/38X9	EL296UH070XE36B	206777518
ML14XP1-024-230	24000	13	16	19800	11800	8.5	LH35/38X9	EL296UH070XV36B	206777531
ML14XP1-024-230	24000	13	16	20200	12300	9	LH35/38X9	ML180UH070V36B	206777586
ML14XP1-024-230	24000	13	16	19800	11800	9	LH35/38X9	ML180UH070V48B	206777601
ML14XP1-024-230	24000	13	16	20400	12500	9	LH35/38X9	ML180UH090V48B	206777624
ML14XP1-024-230	23400	12	14	20600	12600	8.5	LS*24(1,2)23E		205146785
ML14XP1-024-230	23400	12	14	19200	12600	8.2	LS*24923E		202848465
ML14XP1-024-230	23400	12.2	14	19200	12600	8.2	LS*25933E		202848801
ML14XP1-024-230	23400	12.2	14	19200	12600	8.2	LS*25943E		202848466
ML14XP1-024-230	23400	12.2	14	20600	12600	8.5	LS*30943E		205958003
ML14XP1-024-230	23200	12	14	19200	12600	8.2	LSC249C03		203263862
ML14XP1-024-230	23400	12.2	14	19200	12600	8.2	LSC259C05		203263867
ML14XP1-024-230	23200	12	14	19200	12600	8.2	LSC299C03		203263864
ML14XP1-024-230	23400	12.2	14	19200	12600	8.2	LSC309C05		203263869
ML14XP1-024-230	23400	12.2	14	19200	12600	8.2	M36E34(1,2)		202760745

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-024-230	23600	12.2	14	19200	12300	8.2	M36E58(1,2)		202760748
ML14XP1-024-230	23600	12.2	14	19200	12300	8.2	M36E589		202760750
ML14XP1-024-230	24000	13	16	19400	11500	8.5	PL36H***P449	EL180UH040NE36A	206777402
ML14XP1-024-230	24000	13	16	20200	12000	9	PL36H***P449	EL280UH045E36A	206777473
ML14XP1-024-230	24000	13	16	20000	11800	9	PL36H***P449	EL280UH070E36A	206777479
ML14XP1-024-230	24000	13	16	20000	11800	9	PL36H***P449	ML180UH030V36A	206777543
ML14XP1-024-230	24000	13	16	20000	11800	9	PL36H***P449	ML180UH045V36A	206777555
ML14XP1-024-230	24000	13	16	20000	11800	9	PL36H***P449	ML180UH070E36A	206777563
ML14XP1-024-230	24000	13	16	20000	11800	8.5	PL36H***P449	ML180UH070V36A	206777571
ML14XP1-024-230	24000	13	16	20000	11800	9	PL36H***P449	ML180UH070XE36A	206777609
ML14XP1-024-230	24000	13	16	19600	11600	8.5	PL36H210P29	EL195UH040NE36B	206777404
ML14XP1-024-230	24000	13	16	19600	11600	8.5	PL36H210P29	EL195UH045XE36B	206777417
ML14XP1-024-230	24000	13	16	19600	11600	8.5	PL36H210P29	EL195UH060NE36B	206777428
ML14XP1-024-230	23800	13	16	20200	12100	9	PL36H210P29	EL196UH045XE36B	206777441
ML14XP1-024-230	23800	13	16	20200	12000	9	PL36H210P29	EL196UH070XE36B	206777454
ML14XP1-024-230	24000	13	16	19600	11700	8.5	PL36H210P29	EL280UH090E36B	206777481
ML14XP1-024-230	24000	13	16	19600	11600	8.5	PL36H210P29	EL296UH045XE36B	206777483
ML14XP1-024-230	24000	13	16	19600	11600	8.5	PL36H210P29	EL296UH045XV36B	206777494
ML14XP1-024-230	24000	13	16	19800	11700	8.5	PL36H210P29	EL296UH070XE36B	206777507
ML14XP1-024-230	24000	13	16	19600	11600	8.5	PL36H210P29	EL296UH070XV36B	206777520
ML14XP1-024-230	24000	13	16	19600	11600	9	PL36H210P29	ML180UH070V36B	206777573
ML14XP1-024-230	24000	13	16	20400	12400	9	PL36H210P29	ML180UH070V48B	206777588
ML14XP1-024-230	24000	13	16	20000	11900	9	PL36H210P29	ML180UH090V48B	206777611
ML14XP1-024-230	24000	13	16	19600	11600	8.5	PL36H210P74	EL195UH040NE36B	206777413
ML14XP1-024-230	23800	13	16	19800	11800	8.5	PL36H210P74	EL195UH045XE36B	206777424
ML14XP1-024-230	24000	13	16	19600	11600	8.5	PL36H210P74	EL195UH060NE36B	206777437
ML14XP1-024-230	24000	13	16	19600	11700	8.5	PL36H210P74	EL196UH045XE36B	206777450
ML14XP1-024-230	23800	13	16	20200	12000	9	PL36H210P74	EL196UH070XE36B	206777463
ML14XP1-024-230	23800	13	16	19800	11800	8.5	PL36H210P74	EL296UH045XE36B	206777490
ML14XP1-024-230	24000	13	16	19600	11600	8.5	PL36H210P74	EL296UH045XV36B	206777503
ML14XP1-024-230	24000	13	16	19800	11700	8.5	PL36H210P74	EL296UH070XE36B	206777516
ML14XP1-024-230	24000	13	16	19600	11600	8.5	PL36H210P74	EL296UH070XV36B	206777529
ML14XP1-024-230	24000	13	16	19600	11600	9	PL36H210P74	ML180UH070V36B	206777584
ML14XP1-024-230	24000	13	16	20200	12000	9	PL36H210P74	ML180UH070V48B	206777599
ML14XP1-024-230	24000	13	16	19800	11700	9	PL36H210P74	ML180UH090V48B	206777622
ML14XP1-024-230	24000	13	16	19600	11600	8.5	PL36H210P75	EL195UH040NE36B	206777414
ML14XP1-024-230	24000	13	16	19800	11800	8.5	PL36H210P75	EL195UH045XE36B	206777425
ML14XP1-024-230	24000	13	16	19600	11600	8.5	PL36H210P75	EL195UH060NE36B	206777438
ML14XP1-024-230	24000	13	16	19600	11700	8.5	PL36H210P75	EL196UH045XE36B	206777451
ML14XP1-024-230	23800	13	16	20200	12000	9	PL36H210P75	EL196UH070XE36B	206777464
ML14XP1-024-230	24000	13	16	19800	11800	8.5	PL36H210P75	EL296UH045XE36B	206777491
ML14XP1-024-230	24000	13	16	19600	11600	8.5	PL36H210P75	EL296UH045XV36B	206777504
ML14XP1-024-230	24000	13	16	19800	11700	8.5	PL36H210P75	EL296UH070XE36B	206777517
ML14XP1-024-230	24000	13	16	19600	11600	8.5	PL36H210P75	EL296UH070XV36B	206777530
ML14XP1-024-230	24000	13	16	19800	11700	9	PL36H210P75	ML180UH070V36B	206777585
ML14XP1-024-230	24000	13	16	19800	11800	9	PL36H210P75	ML180UH070V48B	206777600
ML14XP1-024-230	24000	13	16	20000	11900	9	PL36H210P75	ML180UH090V48B	206777623
ML14XP1-030-230	28600	11	15	26200	17000	8.2	CE2903C		204118545
ML14XP1-030-230	29000	11.5	15	26200	17000	8.5	CE3005A		204118546
ML14XP1-030-230	28200	12.2	15	24400	15100	8.2	CE3005C		202917717
ML14XP1-030-230	28600	11.7	14	26400	16900	8.2	CP2903C		202902103
ML14XP1-030-230	29000	11.7	14	26200	17000	8.5	CP3005A		204118537
ML14XP1-030-230	29000	11.7	14	26400	17000	8.5	CP3005C		202902105
ML14XP1-030-230	29000	11.7	14	26400	17000	8.5	L*18/36V9		202743269

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-030-230	29200	12	14	26200	16700	8.5	L*19/36S9		203324235
ML14XP1-030-230	29800	13	16	25800	16300	9	L*35/36U9	EL180UH040NE36A	206777953
ML14XP1-030-230	29600	13	16	25600	16200	9	L*35/36U9	EL180UH080NE48B	206777961
ML14XP1-030-230	29800	13	16	25800	16200	9	L*35/36U9	ML180UH070V48B	206777982
ML14XP1-030-230	29400	13	16	25600	16100	9	L*35/36U9	ML180UH090E48B	206777988
ML14XP1-030-230	29400	12.2	14.5	26400	16800	9	LD19/36Z9	EL280DF090E48B	205147361
ML14XP1-030-230	29600	12.5	15	26600	16700	9	LD19/36Z9	EL296DF045XE36B	205147362
ML14XP1-030-230	29600	12.5	15	26600	16600	9	LD19/36Z9	EL296DF045XV36B	205147363
ML14XP1-030-230	30000	12.5	15	26600	16700	9	LD19/36Z9	EL296DF070XE48B	205147364
ML14XP1-030-230	29600	12.5	15	26600	16700	9	LD19/36Z9	EL296DF070XV48B	205147365
ML14XP1-030-230	30000	12.5	15	26600	16500	9	LD19/36Z9	ML180DF070E36B	205147366
ML14XP1-030-230	29600	12.5	15	26400	16500	9	LD19/36Z9	ML180DF090E48B	205147367
ML14XP1-030-230	28800	12.2	14.5	26200	16700	8.5	LD19/36Z9	ML193DF045XE36B	205147368
ML14XP1-030-230	28800	12.2	14.5	26200	16700	8.5	LD19/36Z9	ML193DF070XE36B	205147369
ML14XP1-030-230	29600	12.5	15	26400	16500	9	LD19/36Z9	SL280DF090V48B	205147370
ML14XP1-030-230	29600	12.5	15	26600	16600	9	LD19/36Z9	SLP98DF070XV36B	205147371
ML14XP1-030-230	29600	12.5	15	26600	16600	9	LD19/36Z9	SLP99DF070XV36B	205760611
ML14XP1-030-230	29000	11.7	14	26200	16700	8.5	LD19/36Z9		204755184
ML14XP1-030-230	29600	12.2	14.5	26600	16700	9	LD24/35Z9	ML196DF045XE36B	205707596
ML14XP1-030-230	29600	12.2	14.5	26600	16700	9	LD24/35Z9	ML196DF070XE48B	205707597
ML14XP1-030-230	29400	12.2	14	26200	16700	8.5	LD24/35Z9		204755186
ML14XP1-030-230	29000	12.2	14.5	27000	17000	8.5	LD31/36Z9		204756176
ML14XP1-030-230	28600	11	15	26400	17000	8.2	LEC299C03		203355243
ML14XP1-030-230	28200	12.2	15	26400	15400	8.2	LEC309C05		203263892
ML14XP1-030-230	29800	13	16	25800	16300	9	LH18/37D9	EL180UH040NE36A	206777956
ML14XP1-030-230	29800	13	16	25800	16300	9	LH18/37R9	EL180UH040NE36A	206777954
ML14XP1-030-230	29600	13	16	25600	16200	9	LH35/36F9	EL180UH080NE48B	206777959
ML14XP1-030-230	29800	13	16	25800	16200	9	LH35/36F9	ML180UH070V48B	206777979
ML14XP1-030-230	29400	13	16	25600	16100	9	LH35/36F9	ML180UH090E48B	206777985
ML14XP1-030-230	29600	13	16	25600	16200	9	LH35/36X9	EL180UH080NE48B	206777958
ML14XP1-030-230	29800	13	16	25800	16200	9	LH35/36X9	ML180UH070V48B	206777978
ML14XP1-030-230	29400	13	16	25600	16100	9	LH35/36X9	ML180UH090E48B	206777984
ML14XP1-030-230	29600	13	16	25600	16200	9	LH35/38X9	EL180UH080NE48B	206777960
ML14XP1-030-230	30000	13	16	25800	16200	8.5	LH35/38X9	EL296UH070XV36B	206777971
ML14XP1-030-230	30000	13	16	25200	15700	9	LH35/38X9	ML180UH070V36B	206777976
ML14XP1-030-230	30000	13	16	25200	15800	9	LH35/38X9	ML180UH070V48B	206777981
ML14XP1-030-230	29400	13	16	25600	16100	9	LH35/38X9	ML180UH090E48B	206777987
ML14XP1-030-230	30000	13	16	25200	15700	8.5	LH35/38X9	ML180UH090V48B	206777990
ML14XP1-030-230	29200	12	14	26200	16700	8.5	LS*30943E		205958007
ML14XP1-030-230	29400	12.2	14	26200	16700	8.5	LS*31(1,2)9BB		205807074
ML14XP1-030-230	29000	11.7	14	27000	17000	8.5	LS*36(1,2)33E		205808602
ML14XP1-030-230	29200	12	14	26200	16700	8.5	LS*36943E		205304029
ML14XP1-030-230	28800	11.5	14	26400	17000	8.5	LSC299C03		203263886
ML14XP1-030-230	29000	11.7	14	26400	17000	8.5	LSC309C05		203263889
ML14XP1-030-230	29400	12	14	26400	16900	8.5	M36E34(1,2)		202760789
ML14XP1-030-230	29600	12.2	14	26400	16800	8.5	M36E58(1,2)		202760791
ML14XP1-030-230	29600	12.2	14	26400	16800	8.5	M36E589		202760794
ML14XP1-030-230	29800	13	16	25800	16300	9	PL36H***P449	EL180UH040NE36A	206777955
ML14XP1-030-230	30000	13	16	26000	16300	9	PL36H210P29	EL180UH080NE48B	206777957
ML14XP1-030-230	30000	13	16	25600	16100	9	PL36H210P29	EL195UH040NE36B	206777962
ML14XP1-030-230	30000	13	16	26200	16500	9	PL36H210P29	EL195UH060NE36B	206777963
ML14XP1-030-230	29800	13	16	25600	16100	9	PL36H210P29	EL195UH080NE48C	206777964
ML14XP1-030-230	29600	13	16	25400	16000	9	PL36H210P29	EL195UH090XE48C	206777965
ML14XP1-030-230	30000	13	16	26200	16500	9	PL36H210P29	EL196UH045XE36B	206777966

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-030-230	30000	13	16	26200	16400	9	PL36H210P29	EL196UH070XE36B	206777967
ML14XP1-030-230	29800	13	16	25400	16000	9	PL36H210P29	EL196UH090XE48C	206777968
ML14XP1-030-230	30000	13	16	25600	16100	9	PL36H210P29	EL296UH070XE36B	206777969
ML14XP1-030-230	30000	13	16	26000	16300	9	PL36H210P29	EL296UH070XV36B	206777970
ML14XP1-030-230	29600	13	16	25400	16000	9	PL36H210P29	EL296UH090XE48C	206777972
ML14XP1-030-230	30000	13	16	25600	16100	9	PL36H210P29	EL296UH090XV36C	206777973
ML14XP1-030-230	30000	13	16	25600	16200	9	PL36H210P29	EL296UH090XV48C	206777974
ML14XP1-030-230	30000	13	16	25200	15700	9	PL36H210P29	ML180UH070V36B	206777975
ML14XP1-030-230	30000	13	16	25200	15800	9	PL36H210P29	ML180UH070V48B	206777977
ML14XP1-030-230	30000	13	16	25400	15900	9	PL36H210P29	ML180UH090E48B	206777983
ML14XP1-030-230	30000	13	16	25200	15800	9	PL36H210P29	ML180UH090V48B	206777989
ML14XP1-030-230	29600	13	16	25600	16100	9	PL36H210P75	ML180UH070V48B	206777980
ML14XP1-030-230	29400	13	16	25600	16100	9	PL36H210P75	ML180UH090E48B	206777986
ML14XP1-036-230	34400	13	16	28800	17600	8.5	L*23/37Z9	EL180UH080NE48B	206777626
ML14XP1-036-230	35200	13	16	30000	19000	8.5	L*23/37Z9	EL180UH100NE60C	206777628
ML14XP1-036-230	35400	13	16	30200	19200	8.5	L*23/37Z9	EL196UH090XE48C	206777630
ML14XP1-036-230	35600	13	16	30400	19200	8.5	L*23/37Z9	EL196UH110XE60C	206777632
ML14XP1-036-230	35000	13	16	30000	19000	8.5	L*23/37Z9	EL280UH110E48C	206777634
ML14XP1-036-230	35600	13	16	30400	19200	8.5	L*23/37Z9	EL280UH110E60C	206777636
ML14XP1-036-230	35000	13	16	30200	19200	8.5	L*23/37Z9	EL296UH090XV36C	206777638
ML14XP1-036-230	34400	13	16	28800	17600	8.2	L*23/37Z9	EL296UH090XV48C	206777640
ML14XP1-036-230	35200	13	16	30200	19200	8.5	L*23/37Z9	EL296UH110XE60C	206777642
ML14XP1-036-230	35400	13	16	30400	19200	8.5	L*23/37Z9	EL296UH110XV60C	206777644
ML14XP1-036-230	35200	13	16	30200	19200	8.5	L*23/37Z9	ML180UH110V60C	206777646
ML14XP1-036-230	35000	13	16	30000	19000	8.5	L*23/37Z9	ML180UH110XE60C	206777648
ML14XP1-036-230	34200	11.5	14	30800	20000	8.5	L*30/36S9		205663337
ML14XP1-036-230	33800	11.5	14	30200	18400	8.2	L*30/36U9		202743266
ML14XP1-036-230	34200	11.7	14	30800	20000	8.5	L*35/36S9		205663338
ML14XP1-036-230	34200	11.7	14	30800	20000	8.5	LD31/36Z9		204756177
ML14XP1-036-230	35200	13	16	30000	19000	8.5	LH23/37W9	EL180UH100NE60C	206777627
ML14XP1-036-230	35400	13	16	30200	19200	8.5	LH23/37W9	EL196UH090XE48C	206777629
ML14XP1-036-230	35600	13	16	30400	19200	8.5	LH23/37W9	EL196UH110XE60C	206777631
ML14XP1-036-230	35000	13	16	30000	19000	8.5	LH23/37W9	EL280UH110E48C	206777633
ML14XP1-036-230	35600	13	16	30400	19200	8.5	LH23/37W9	EL280UH110E60C	206777635
ML14XP1-036-230	35000	13	16	30200	19200	8.5	LH23/37W9	EL296UH090XV36C	206777637
ML14XP1-036-230	34400	13	16	28800	17600	8.2	LH23/37W9	EL296UH090XV48C	206777639
ML14XP1-036-230	35200	13	16	30200	19200	8.5	LH23/37W9	EL296UH110XE60C	206777641
ML14XP1-036-230	35400	13	16	30400	19200	8.5	LH23/37W9	EL296UH110XV60C	206777643
ML14XP1-036-230	35200	13	16	30200	19200	8.5	LH23/37W9	ML180UH110V60C	206777645
ML14XP1-036-230	35000	13	16	30000	19000	8.5	LH23/37W9	ML180UH110XE60C	206777647
ML14XP1-036-230	34200	12.2	14.5	30800	20000	8.5	LH23/37W9		205663339
ML14XP1-036-230	33800	12	14	29800	18600	8.2	LH35/38F9		205663336
ML14XP1-036-230	33800	11	14	30800	20000	8.5	LS*37(1,2)9BB		205807073
ML14XP1-036-230	34200	12	14	30800	20000	8.5	LS*3791CC		205484139
ML14XP1-036-230	33800	11	14	30800	20000	8.5	LS*3799BB		205304052
ML14XP1-036-230	33800	11.5	14	30200	18400	8.2	M36E58(1,2)		202760765
ML14XP1-036-230	33800	11.5	14	30200	18400	8.2	M36E589		202760768
ML14XP1-036-230	33800	11.7	14	30200	18400	8.2	M36E59(1,2)		202760726
ML14XP1-042-230	41500	12	14	37800	25800	8.2	L*42/60U9		202743264
ML14XP1-042-230	40500	12.2	14.5	37400	24800	8.2	L*49/62Z9		202743265
ML14XP1-042-230	41000	12.2	14.5	37400	24200	8.5	LD41/42Z9	EL296DF090XE48C	205147409
ML14XP1-042-230	41500	12.2	14.5	37800	24400	8.5	LD41/42Z9	EL296DF090XV60C	205147411
ML14XP1-042-230	41500	12.2	14.5	37400	24200	9	LD41/42Z9	EL296DF110XE60C	205147413
ML14XP1-042-230	41500	12.2	14.5	37800	24400	8.5	LD41/42Z9	EL296DF110XV60C	205147415

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-042-230	41500	12.5	15	37400	24200	9	LD41/42Z9	ML180DF110E60C	205147417
ML14XP1-042-230	41000	12.2	14	37400	24200	9	LD41/42Z9	ML193DF090XE48C	205147419
ML14XP1-042-230	41500	12.5	15	37400	24200	9	LD41/42Z9	SL280DF090V60C	205147421
ML14XP1-042-230	41500	12.5	15	37400	24200	9	LD41/42Z9	SL280DF110V60C	205147423
ML14XP1-042-230	41500	12.2	14.5	37800	24400	8.5	LD41/42Z9	SLP98DF090XV48C	205147425
ML14XP1-042-230	41500	12.2	14.5	37800	24400	8.5	LD41/42Z9	SLP98DF090XV60C	205147427
ML14XP1-042-230	41500	12.2	14.5	37800	24400	8.5	LD41/42Z9	SLP98DF110XV60C	205147429
ML14XP1-042-230	41500	12.2	14.5	37800	24400	8.5	LD41/42Z9	SLP99DF090XV48C	205760614
ML14XP1-042-230	41500	12.2	14.5	37800	24400	8.5	LD41/42Z9	SLP99DF090XV60C	205760618
ML14XP1-042-230	41500	12.2	14.5	37800	24400	8.5	LD41/42Z9	SLP99DF110XV60C	205760621
ML14XP1-042-230	41500	12	14	38500	25800	8.2	LD41/42Z9		205147450
ML14XP1-042-230	41500	12.2	14	38500	25800	8.2	LD41/43Z9		204756178
ML14XP1-042-230	41000	12.2	14.5	37400	24200	8.5	LD42/61Z9	EL296DF090XE48C	205147410
ML14XP1-042-230	41500	12.2	14.5	37800	24400	8.5	LD42/61Z9	EL296DF090XV60C	205147412
ML14XP1-042-230	41500	12.2	14.5	37400	24200	9	LD42/61Z9	EL296DF110XE60C	205147414
ML14XP1-042-230	41500	12.2	14.5	37800	24400	8.5	LD42/61Z9	EL296DF110XV60C	205147416
ML14XP1-042-230	41500	12.5	15	37400	24200	9	LD42/61Z9	ML180DF110E60C	205147418
ML14XP1-042-230	41000	12.2	14.5	37400	24200	9	LD42/61Z9	ML193DF090XE48C	205147420
ML14XP1-042-230	41500	12.5	15	37400	24200	9	LD42/61Z9	SL280DF090V60C	205147422
ML14XP1-042-230	41500	12.5	15	37400	24200	9	LD42/61Z9	SL280DF110V60C	205147424
ML14XP1-042-230	41500	12.2	14.5	37800	24400	8.5	LD42/61Z9	SLP98DF090XV48C	205147426
ML14XP1-042-230	41500	12.2	14.5	37800	24400	8.5	LD42/61Z9	SLP98DF090XV60C	205147428
ML14XP1-042-230	41500	12.2	14.5	37800	24400	8.5	LD42/61Z9	SLP98DF110XV60C	205147430
ML14XP1-042-230	41500	12.2	14.5	37800	24400	8.5	LD42/61Z9	SLP99DF090XV48C	205760615
ML14XP1-042-230	41500	12.2	14.5	37800	24400	8.5	LD42/61Z9	SLP99DF090XV60C	205760620
ML14XP1-042-230	41500	12.2	14.5	37800	24400	8.5	LD42/61Z9	SLP99DF110XV60C	205760624
ML14XP1-042-230	42000	12.2	14	38000	25600	8.2	LD42/61Z9		204755187
ML14XP1-042-230	42000	12.2	14	38000	25600	8.2	LS*4891CC		205304053
ML14XP1-042-230	40500	11.7	14	37400	24800	8.2	LS*4899BB		205484154
ML14XP1-042-230	41500	12.2	14	37800	25800	8.2	M42E66(1,2)		202760722
ML14XP1-042-230	41500	12	14	37800	25800	8.2	M48E36(1,2)		202760753
ML14XP1-042-230	41500	12	14	37800	25800	8.2	M48E369		202760755
ML14XP1-042-230	40500	12.2	14.5	37400	24800	8.2	M60E49(1,2)		202760758
ML14XP1-042-230	40500	12.2	14.5	37400	24800	8.2	M60E499		202760762
ML14XP1-048-230	48000	12.2	14	41000	25800	8.2	L*49/62Y9		204748587
ML14XP1-048-230	48000	12.2	14	41500	28400	8.2	L*49/62Z9		202743268
ML14XP1-048-230	48000	12.2	14.5	42000	27200	8.5	LD42/61Z9	EL296DF090XE48C	205147253
ML14XP1-048-230	48000	12.2	14.5	45500	30800	9	LD42/61Z9	EL296DF090XV60C	205147254
ML14XP1-048-230	48000	12.2	14.5	45500	30400	9	LD42/61Z9	EL296DF110XE60C	205147255
ML14XP1-048-230	48000	12.2	14.5	45500	30800	9	LD42/61Z9	EL296DF110XV60C	205147256
ML14XP1-048-230	48000	12.5	15	42000	27000	9	LD42/61Z9	ML180DF110E60C	205147257
ML14XP1-048-230	47500	12.2	14.5	41500	27200	9	LD42/61Z9	ML193DF090XE48C	205147258
ML14XP1-048-230	48000	12.5	15	42000	27000	9	LD42/61Z9	SL280DF090V60C	205147259
ML14XP1-048-230	48000	12.5	15	42000	27000	9	LD42/61Z9	SL280DF110V60C	205147260
ML14XP1-048-230	48000	12.2	14.5	42500	27400	8.5	LD42/61Z9	SLP98DF090XV48C	205147261
ML14XP1-048-230	48000	12.2	14.5	45500	30800	9	LD42/61Z9	SLP98DF090XV60C	205147262
ML14XP1-048-230	48000	12.2	14.5	45500	30800	9	LD42/61Z9	SLP98DF110XV60C	205147263
ML14XP1-048-230	48000	12.2	14.5	42500	27400	8.5	LD42/61Z9	SLP99DF090XV48C	205760625
ML14XP1-048-230	48000	12.2	14.5	45500	30800	9	LD42/61Z9	SLP99DF090XV60C	205760627
ML14XP1-048-230	48000	12.2	14.5	45500	30800	9	LD42/61Z9	SLP99DF110XV60C	205760629
ML14XP1-048-230	48000	12.2	14	43500	28400	8.2	LD42/61Z9		204755188
ML14XP1-048-230	48000	12.2	14	43500	28400	8.2	LS*4891CC		205304054
ML14XP1-048-230	48000	12.2	14	41000	25800	8.2	LS*6094CC		205304026
ML14XP1-048-230	48000	11.5	14	41500	27600	8.2	M48E36(1,2)		202760776

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-048-230	48000	11.5	14	41500	27600	8.2	M48E369		202760779
ML14XP1-048-230	48000	12.2	14	41500	28400	8.2	M60E49(1,2)		202760782
ML14XP1-048-230	48000	12.2	14	41500	28400	8.2	M60E499		202760785
ML14XP1-060-230	58000	12	14	56500	35800	8.2	L*42/60Z9		205801393
ML14XP1-060-230	58000	12	14	54500	35800	8.2	L*49/62Z9		202743267
ML14XP1-060-230	56000	12	14	57500	37800	8.5	LD42/61Z9	EL296DF110XE60C	205147732
ML14XP1-060-230	57000	12.2	14.5	57500	37400	9	LD42/61Z9	ML180DF110E60C	205147264
ML14XP1-060-230	57000	12.2	14	58000	37800	9	LD42/61Z9	SL280DF090V60C	205147733
ML14XP1-060-230	56500	12.2	14	57500	37800	9	LD42/61Z9	SL280DF110V60C	205147734
ML14XP1-060-230	57000	11.7	14	56000	35600	8.2	LD42/61Z9		204755189
ML14XP1-060-230	57500	12.2	14.5	56000	35400	8.5	LH41/61R9	EL180UH100NE60C	206322016
ML14XP1-060-230	56500	11.5	14	56000	35600	8.2	LH41/61R9		206322017
ML14XP1-060-230	58000	12.2	14	56500	35800	8.2	LS*60(1,2)4CC		206346142
ML14XP1-060-230	58000	12.2	14	56500	35800	8.2	LS*6094CC		205304023
ML14XP1-060-230	58000	12	14	54500	35800	8.2	M60E49(1,2)		202760771
ML14XP1-060-230	58000	12	14	54500	35800	8.2	M60E499		202760773
ML16XP1-018-230	17000	12.2	16	15400	9200	8.5	CE2403C		203383971
ML16XP1-018-230	17600	12.5	15	15700	9500	9	L*18/30S9	EL280UH070XE36A	203366559
ML16XP1-018-230	17900	13	16	15800	9500	9	L*18/36S9	EL180UH040NE36A	206777652
ML16XP1-018-230	17900	13	16	15800	9500	9	L*18/36S9	EL280UH070E36A	206777670
ML16XP1-018-230	17900	13	16	15800	9500	9	L*18/36S9	EL280UH070XE36A	203366563
ML16XP1-018-230	17900	13	16	15800	9500	9	L*18/36S9	ML180UH030V36A	206777685
ML16XP1-018-230	17900	13	16	15800	9500	9	L*18/36S9	ML180UH045V36A	206777697
ML16XP1-018-230	17900	13	16	15800	9500	9	L*18/36S9	ML180UH070V36A	206777709
ML16XP1-018-230	17900	13	16	15800	9500	9	L*18/36S9	ML180UH070V36B	206777720
ML16XP1-018-230	18000	13	16	16000	9600	9	L*18/36T9	EL180UH040NE36A	206777654
ML16XP1-018-230	18000	13	16	16100	9600	9	L*18/36T9	EL280UH045E36A	206777662
ML16XP1-018-230	18000	13	16	15800	9500	9	L*18/36T9	EL280UH070E36A	206777672
ML16XP1-018-230	18000	13	16	15800	9500	9	L*18/36T9	EL280UH070XE36A	203366565
ML16XP1-018-230	18000	13	16	15800	9500	9	L*18/36T9	ML180UH030V36A	206777687
ML16XP1-018-230	18000	13	16	15800	9500	9	L*18/36T9	ML180UH045V36A	206777699
ML16XP1-018-230	18000	13	16	15800	9500	9	L*18/36T9	ML180UH070V36A	206777711
ML16XP1-018-230	18000	13	16	15800	9500	9	L*18/36T9	ML180UH070V36B	206777722
ML16XP1-018-230	17900	13	16	15800	9500	9	L*18/36U9	EL180UH040NE36A	206777651
ML16XP1-018-230	17900	13	16	15800	9500	9	L*18/36U9	EL280UH070E36A	206777669
ML16XP1-018-230	17900	13	16	15800	9500	9	L*18/36U9	EL280UH070XE36A	203366562
ML16XP1-018-230	17900	13	16	15800	9500	9	L*18/36U9	ML180UH030V36A	206777684
ML16XP1-018-230	17900	13	16	15800	9500	9	L*18/36U9	ML180UH045V36A	206777696
ML16XP1-018-230	17900	13	16	15800	9500	9	L*18/36U9	ML180UH070V36A	206777708
ML16XP1-018-230	17900	13	16	15800	9500	9	L*18/36U9	ML180UH070V36B	206777719
ML16XP1-018-230	18000	13	16	15800	9500	9	L*18/36V9	EL180UH040NE36A	206777653
ML16XP1-018-230	18000	13	16	16100	9600	9	L*18/36V9	EL280UH045E36A	206777661
ML16XP1-018-230	18000	13	16	15800	9500	9	L*18/36V9	EL280UH070E36A	206777671
ML16XP1-018-230	18000	13	16	15800	9500	9	L*18/36V9	EL280UH070XE36A	203366564
ML16XP1-018-230	18000	13	16	15800	9500	9	L*18/36V9	ML180UH030V36A	206777686
ML16XP1-018-230	18000	13	16	15800	9500	9	L*18/36V9	ML180UH045V36A	206777698
ML16XP1-018-230	18000	13	16	15800	9500	9	L*18/36V9	ML180UH070V36A	206777710
ML16XP1-018-230	18000	13	16	15800	9500	9	L*18/36V9	ML180UH070V36B	206777721
ML16XP1-018-230	18000	13	16	16000	9500	9	L*19/36S9	EL180UH040NE36A	203239627
ML16XP1-018-230	18000	13	16	16000	9600	9	L*19/36S9	EL180UH060NE36A	203239632
ML16XP1-018-230	18000	12.2	14.5	16100	9800	8.5	L*19/36S9	EL195UH040NE36B	203239637
ML16XP1-018-230	18000	13	16	15800	9500	9	L*19/36S9	EL196UH030XE24B	203239642
ML16XP1-018-230	18000	13	16	15800	9500	9	L*19/36S9	EL196UH045XE24B	203239647
ML16XP1-018-230	18000	12.5	15	15800	9600	9	L*19/36S9	EL196UH045XE36B	203239652

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-018-230	18000	12.5	15	15800	9600	9	L*19/36S9	EL196UH070XE36B	203239657
ML16XP1-018-230	18000	12.5	15	16100	9700	9	L*19/36S9	EL280DF070E36A	203239662
ML16XP1-018-230	18000	13	16	16100	9500	9	L*19/36S9	EL280UH045E36A	203239667
ML16XP1-018-230	18000	13	16	15800	9500	9	L*19/36S9	EL280UH070E36A	203239672
ML16XP1-018-230	18000	13	16	15800	9500	9	L*19/36S9	EL280UH070XE36A	203366571
ML16XP1-018-230	18000	12.5	15	15900	9600	9	L*19/36S9	EL280UH090E36B	203239677
ML16XP1-018-230	18000	12.5	15	16300	9900	9	L*19/36S9	EL296DF045XE36B	203239682
ML16XP1-018-230	18000	12.5	15	15800	9600	8.5	L*19/36S9	EL296UH045XE36B	203239687
ML16XP1-018-230	17800	12.2	14.5	16200	9800	8.5	L*19/36S9	EL296UH070XE36B	203239692
ML16XP1-018-230	18000	12.5	15	16200	9700	9	L*19/36S9	ML180DF045E36A	203239697
ML16XP1-018-230	18000	12.5	15	16300	9900	9	L*19/36S9	ML180DF070E36B	203239702
ML16XP1-018-230	18000	13	16	15800	9500	9	L*19/36S9	ML180UH030V36A	206777689
ML16XP1-018-230	18000	13	16	16000	9700	9	L*19/36S9	ML180UH045E36A	203239707
ML16XP1-018-230	18000	13	16	15800	9500	9	L*19/36S9	ML180UH045V36A	206777701
ML16XP1-018-230	18000	12.5	15	15800	9700	8.5	L*19/36S9	ML180UH070E36B	203239712
ML16XP1-018-230	18000	13	16	15800	9500	9	L*19/36S9	ML180UH070V36A	206777713
ML16XP1-018-230	18000	13	16	15800	9500	9	L*19/36S9	ML180UH070V36B	206777728
ML16XP1-018-230	18000	12.5	15	16100	9700	9	L*19/36S9	ML193DF045XE36B	203239717
ML16XP1-018-230	18000	12.5	15	16100	9700	9	L*19/36S9	ML193DF070XE36B	203239722
ML16XP1-018-230	18000	13	16	16000	9500	9	L*19/36S9	ML193UH030XE36B	203239727
ML16XP1-018-230	18000	12.5	15	15900	9500	9	L*19/36S9	ML193UH045XE36B	203239732
ML16XP1-018-230	18000	12.5	15	15900	9500	9	L*19/36S9	ML193UH070XE36B	203239737
ML16XP1-018-230	18000	13	16	16000	9400	9	L*19/36U9	EL180UH040NE36A	203239626
ML16XP1-018-230	18000	13	16	16000	9400	9	L*19/36U9	EL180UH060NE36A	203239631
ML16XP1-018-230	18000	12.2	14.5	16100	9700	8.5	L*19/36U9	EL195UH040NE36B	203239636
ML16XP1-018-230	18000	13	16	15800	9500	9	L*19/36U9	EL196UH030XE24B	203239641
ML16XP1-018-230	18000	13	16	15800	9500	9	L*19/36U9	EL196UH045XE24B	203239646
ML16XP1-018-230	18000	12.5	15	15800	9600	9	L*19/36U9	EL196UH045XE36B	203239651
ML16XP1-018-230	18000	12.5	15	15800	9600	9	L*19/36U9	EL196UH070XE36B	203239656
ML16XP1-018-230	18000	12.5	15	16100	9700	9	L*19/36U9	EL280DF070E36A	203239661
ML16XP1-018-230	18000	13	16	16100	9600	9	L*19/36U9	EL280UH045E36A	203239666
ML16XP1-018-230	18000	13	16	15800	9400	9	L*19/36U9	EL280UH070E36A	203239671
ML16XP1-018-230	18000	13	16	15800	9500	9	L*19/36U9	EL280UH070XE36A	203366570
ML16XP1-018-230	18000	12.5	15	15900	9500	9	L*19/36U9	EL280UH090E36B	203239676
ML16XP1-018-230	18000	12.5	15	16300	9900	9	L*19/36U9	EL296DF045XE36B	203239681
ML16XP1-018-230	18000	12.5	15	15800	9600	8.5	L*19/36U9	EL296UH045XE36B	203239686
ML16XP1-018-230	17800	12.2	14.5	16200	9800	8.5	L*19/36U9	EL296UH070XE36B	203239691
ML16XP1-018-230	18000	12.5	15	16200	9700	9	L*19/36U9	ML180DF045E36A	203239696
ML16XP1-018-230	18000	12.5	15	16300	9900	9	L*19/36U9	ML180DF070E36B	203239701
ML16XP1-018-230	18000	13	16	15800	9500	9	L*19/36U9	ML180UH030V36A	206777688
ML16XP1-018-230	18000	13	16	16000	9700	9	L*19/36U9	ML180UH045E36A	203239706
ML16XP1-018-230	18000	13	16	15800	9500	9	L*19/36U9	ML180UH045V36A	206777700
ML16XP1-018-230	18000	12.5	15	15800	9700	8.5	L*19/36U9	ML180UH070E36B	203239711
ML16XP1-018-230	18000	13	16	15800	9500	9	L*19/36U9	ML180UH070V36A	206777712
ML16XP1-018-230	18000	13	16	15600	9400	9	L*19/36U9	ML180UH070V36B	206777727
ML16XP1-018-230	18000	12.5	15	16100	9700	9	L*19/36U9	ML193DF045XE36B	203239716
ML16XP1-018-230	18000	12.5	15	16100	9700	9	L*19/36U9	ML193DF070XE36B	203239721
ML16XP1-018-230	18000	13	16	16000	9600	9	L*19/36U9	ML193UH030XE36B	203239726
ML16XP1-018-230	18000	12.5	15	15900	9600	9	L*19/36U9	ML193UH045XE36B	203239731
ML16XP1-018-230	18000	12.5	15	15900	9600	9	L*19/36U9	ML193UH070XE36B	203239736
ML16XP1-018-230	18000	13	16	15800	9500	9	L*29/36U9	EL280UH070XE36A	203366574
ML16XP1-018-230	18000	13	16	16000	9400	9	L*30/36U9	EL180UH040NE36A	203239628
ML16XP1-018-230	18000	13	16	16000	9400	9	L*30/36U9	EL180UH060NE36A	203239633
ML16XP1-018-230	18000	12.2	14.5	16100	9700	8.5	L*30/36U9	EL195UH040NE36B	203239638

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-018-230	18000	13	16	15900	9500	9	L*30/36U9	EL196UH030XE24B	203239643
ML16XP1-018-230	18000	13	16	15900	9500	9	L*30/36U9	EL196UH045XE24B	203239648
ML16XP1-018-230	18000	12.5	15	15800	9600	9	L*30/36U9	EL196UH045XE36B	203239653
ML16XP1-018-230	18000	12.5	15	15800	9600	9	L*30/36U9	EL196UH070XE36B	203239658
ML16XP1-018-230	18000	13	16	15700	9300	9	L*30/36U9	EL280DF070E36A	203239663
ML16XP1-018-230	18000	13	16	16100	9500	9	L*30/36U9	EL280UH045E36A	203239668
ML16XP1-018-230	18000	13	16	15800	9400	9	L*30/36U9	EL280UH070E36A	203239673
ML16XP1-018-230	18000	13	16	15800	9500	9	L*30/36U9	EL280UH070XE36A	203366573
ML16XP1-018-230	18000	13	16	15900	9600	9	L*30/36U9	EL280UH090E36B	203239678
ML16XP1-018-230	18000	12.5	15	16300	9900	9	L*30/36U9	EL296DF045XE36B	203239683
ML16XP1-018-230	18000	12.5	15	15800	9600	8.5	L*30/36U9	EL296UH045XE36B	203239688
ML16XP1-018-230	18000	12.2	14.5	16200	9800	8.5	L*30/36U9	EL296UH070XE36B	203239693
ML16XP1-018-230	18000	13	16	15800	9300	9	L*30/36U9	ML180DF045E36A	203239698
ML16XP1-018-230	18000	12.5	15	16300	9900	9	L*30/36U9	ML180DF070E36B	203239703
ML16XP1-018-230	18000	13	16	16000	9700	9	L*30/36U9	ML180UH045E36A	203239708
ML16XP1-018-230	18000	12.5	15	15800	9700	8.5	L*30/36U9	ML180UH070E36B	203239713
ML16XP1-018-230	18000	12.5	15	16100	9700	9	L*30/36U9	ML193DF045XE36B	203239718
ML16XP1-018-230	18000	12.5	15	16100	9700	9	L*30/36U9	ML193DF070XE36B	203239723
ML16XP1-018-230	18000	13	16	16000	9500	9	L*30/36U9	ML193UH030XE36B	203239728
ML16XP1-018-230	18000	13	16	15900	9600	9	L*30/36U9	ML193UH045XE36B	203239733
ML16XP1-018-230	18000	13	16	15900	9600	9	L*30/36U9	ML193UH070XE36B	203239738
ML16XP1-018-230	18000	13	16	15800	9500	9	L*35/36U9	EL180UH040NE36A	206777655
ML16XP1-018-230	18000	13	16	15800	9500	9	L*35/36U9	EL280UH045E36A	206777663
ML16XP1-018-230	18000	13	16	15600	9400	9	L*35/36U9	EL280UH070E36A	206777673
ML16XP1-018-230	18000	13	16	15800	9500	9	L*35/36U9	EL280UH070XE36A	203366575
ML16XP1-018-230	18000	13	16	15900	9600	9	L*35/36U9	EL280UH090E36B	206777680
ML16XP1-018-230	18000	13	16	15500	9400	9	L*35/36U9	ML180UH030V36A	206777690
ML16XP1-018-230	18000	13	16	15800	9500	9	L*35/36U9	ML180UH045V36A	206777702
ML16XP1-018-230	18000	13	16	15800	9500	9	L*35/36U9	ML180UH070V36A	206777714
ML16XP1-018-230	18000	13	16	15900	9500	9	L*35/36U9	ML180UH070V36B	206777732
ML16XP1-018-230	18000	12.5	15	15700	9300	9	LD19/25Z9	EL280DF070E36A	205147431
ML16XP1-018-230	18000	12.5	15	16300	9900	9	LD19/25Z9	EL296DF045XE36B	206842839
ML16XP1-018-230	18000	12.5	15	15800	9300	9	LD19/25Z9	ML180DF045E36A	205147433
ML16XP1-018-230	18000	12.5	15	16300	9900	9	LD19/36Z9	EL296DF045XE36B	205147432
ML16XP1-018-230	18000	12.5	15	16300	9900	9	LD19/36Z9	ML180DF070E36B	205147434
ML16XP1-018-230	18000	12.5	15	16100	9700	9	LD19/36Z9	ML193DF045XE36B	205147435
ML16XP1-018-230	18000	12.5	15	16100	9700	9	LD19/36Z9	ML193DF070XE36B	205147436
ML16XP1-018-230	17000	12.2	16	15400	9200	8.5	LEC249C03		203353941
ML16XP1-018-230	17900	13	16	15800	9500	9	LH18/36D9	EL180UH040NE36A	206777650
ML16XP1-018-230	17900	13	16	15800	9500	9	LH18/36D9	EL280UH070E36A	206777668
ML16XP1-018-230	17900	13	16	15800	9500	9	LH18/36D9	EL280UH070XE36A	203366561
ML16XP1-018-230	17900	13	16	15800	9500	9	LH18/36D9	ML180UH030V36A	206777683
ML16XP1-018-230	17900	13	16	15800	9500	9	LH18/36D9	ML180UH045V36A	206777695
ML16XP1-018-230	17900	13	16	15800	9500	9	LH18/36D9	ML180UH070V36A	206777707
ML16XP1-018-230	17900	13	16	15800	9500	9	LH18/36R9	EL180UH040NE36A	206777649
ML16XP1-018-230	17900	13	16	15800	9500	9	LH18/36R9	EL280UH070E36A	206777667
ML16XP1-018-230	17900	13	16	15800	9500	9	LH18/36R9	EL280UH070XE36A	203366560
ML16XP1-018-230	17900	13	16	15800	9500	9	LH18/36R9	ML180UH030V36A	206777682
ML16XP1-018-230	17900	13	16	15800	9500	9	LH18/36R9	ML180UH045V36A	206777694
ML16XP1-018-230	17900	13	16	15800	9500	9	LH18/36R9	ML180UH070V36A	206777706
ML16XP1-018-230	18000	13	16	16000	9600	9	LH18/37D9	EL180UH040NE36A	206777658
ML16XP1-018-230	18000	13	16	16100	9600	9	LH18/37D9	EL280UH045E36A	206777666
ML16XP1-018-230	18000	13	16	15800	9500	9	LH18/37D9	EL280UH070E36A	206777676
ML16XP1-018-230	18000	13	16	15800	9500	9	LH18/37D9	EL280UH070XE36A	203366577

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-018-230	18000	13	16	15800	9500	9	LH18/37D9	ML180UH030V36A	206777693
ML16XP1-018-230	18000	13	16	15800	9500	9	LH18/37D9	ML180UH045V36A	206777705
ML16XP1-018-230	18000	13	16	15800	9500	9	LH18/37D9	ML180UH070V36A	206777717
ML16XP1-018-230	18000	13	16	15800	9500	9	LH18/37R9	EL180UH040NE36A	206777656
ML16XP1-018-230	18000	13	16	15800	9500	9	LH18/37R9	EL280UH045E36A	206777664
ML16XP1-018-230	18000	13	16	15600	9400	9	LH18/37R9	EL280UH070E36A	206777674
ML16XP1-018-230	18000	13	16	15800	9500	9	LH18/37R9	EL280UH070XE36A	203366576
ML16XP1-018-230	18000	13	16	15500	9400	9	LH18/37R9	ML180UH030V36A	206777691
ML16XP1-018-230	18000	13	16	15500	9400	9	LH18/37R9	ML180UH045V36A	206777703
ML16XP1-018-230	18000	13	16	15600	9400	9	LH18/37R9	ML180UH070V36A	206777715
ML16XP1-018-230	18000	13	16	16000	9400	9	LH29/36F9	EL180UH040NE36A	203239625
ML16XP1-018-230	18000	13	16	16000	9400	9	LH29/36F9	EL180UH060NE36A	203239630
ML16XP1-018-230	18000	12.2	14.5	16100	9700	8.5	LH29/36F9	EL195UH040NE36B	203239635
ML16XP1-018-230	18000	13	16	15800	9500	9	LH29/36F9	EL196UH030XE24B	203239640
ML16XP1-018-230	18000	13	16	15800	9500	9	LH29/36F9	EL196UH045XE24B	203239645
ML16XP1-018-230	18000	12.5	15	15800	9600	9	LH29/36F9	EL196UH045XE36B	203239650
ML16XP1-018-230	18000	12.5	15	15800	9600	9	LH29/36F9	EL196UH070XE36B	203239655
ML16XP1-018-230	18000	12.5	15	16100	9700	9	LH29/36F9	EL280DF070E36A	203239660
ML16XP1-018-230	18000	13	16	16100	9500	9	LH29/36F9	EL280UH045E36A	203239665
ML16XP1-018-230	18000	13	16	15800	9400	9	LH29/36F9	EL280UH070E36A	203239670
ML16XP1-018-230	18000	13	16	15800	9500	9	LH29/36F9	EL280UH070XE36A	203366567
ML16XP1-018-230	18000	12.5	15	15900	9500	9	LH29/36F9	EL280UH090E36B	203239675
ML16XP1-018-230	18000	12.5	15	16300	9900	9	LH29/36F9	EL296DF045XE36B	203239680
ML16XP1-018-230	18000	12.5	15	15800	9600	8.5	LH29/36F9	EL296UH045XE36B	203239685
ML16XP1-018-230	17800	12.2	14.5	16200	9800	8.5	LH29/36F9	EL296UH070XE36B	203239690
ML16XP1-018-230	18000	12.5	15	16200	9300	9	LH29/36F9	ML180DF045E36A	203239695
ML16XP1-018-230	18000	12.5	15	16300	9900	9	LH29/36F9	ML180DF070E36B	203239700
ML16XP1-018-230	18000	13	16	16000	9700	9	LH29/36F9	ML180UH045E36A	203239705
ML16XP1-018-230	18000	12.5	15	15800	9700	8.5	LH29/36F9	ML180UH070E36B	203239710
ML16XP1-018-230	18000	13	16	15600	9400	9	LH29/36F9	ML180UH070V36B	206777724
ML16XP1-018-230	18000	12.5	15	16100	9700	9	LH29/36F9	ML193DF045XE36B	203239715
ML16XP1-018-230	18000	12.5	15	16100	9700	9	LH29/36F9	ML193DF070XE36B	203239720
ML16XP1-018-230	18000	13	16	16000	9500	9	LH29/36F9	ML193UH030XE36B	203239725
ML16XP1-018-230	18000	12.5	15	15900	9500	9	LH29/36F9	ML193UH045XE36B	203239730
ML16XP1-018-230	18000	12.5	15	15900	9500	9	LH29/36F9	ML193UH070XE36B	203239735
ML16XP1-018-230	18000	13	16	16000	9600	9	LH29/36X9	EL180UH040NE36A	203239624
ML16XP1-018-230	18000	13	16	16000	9600	9	LH29/36X9	EL180UH060NE36A	203239629
ML16XP1-018-230	18000	12.2	14.5	16100	9800	8.5	LH29/36X9	EL195UH040NE36B	203239634
ML16XP1-018-230	18000	13	16	15800	9500	9	LH29/36X9	EL196UH030XE24B	203239639
ML16XP1-018-230	18000	13	16	15800	9500	9	LH29/36X9	EL196UH045XE24B	203239644
ML16XP1-018-230	18000	12.5	15	15800	9600	9	LH29/36X9	EL196UH045XE36B	203239649
ML16XP1-018-230	18000	12.5	15	15800	9600	9	LH29/36X9	EL196UH070XE36B	203239654
ML16XP1-018-230	18000	12.5	15	16100	9300	9	LH29/36X9	EL280DF070E36A	203239659
ML16XP1-018-230	18000	13	16	16100	9500	9	LH29/36X9	EL280UH045E36A	203239664
ML16XP1-018-230	18000	13	16	15800	9500	9	LH29/36X9	EL280UH070E36A	203239669
ML16XP1-018-230	18000	13	16	15800	9500	9	LH29/36X9	EL280UH070XE36A	203366566
ML16XP1-018-230	18000	12.5	15	15900	9600	9	LH29/36X9	EL280UH090E36B	203239674
ML16XP1-018-230	18000	12.5	15	16300	9900	9	LH29/36X9	EL296DF045XE36B	203239679
ML16XP1-018-230	18000	12.5	15	15800	9600	8.5	LH29/36X9	EL296UH045XE36B	203239684
ML16XP1-018-230	17800	12.2	14.5	16200	9800	8.5	LH29/36X9	EL296UH070XE36B	203239689
ML16XP1-018-230	18000	12.5	15	16200	9300	9	LH29/36X9	ML180DF045E36A	203239694
ML16XP1-018-230	18000	12.5	15	16300	9900	9	LH29/36X9	ML180DF070E36B	203239699
ML16XP1-018-230	18000	13	16	16000	9700	9	LH29/36X9	ML180UH045E36A	203239704
ML16XP1-018-230	18000	12.5	15	15800	9700	8.5	LH29/36X9	ML180UH070E36B	203239709

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-018-230	18000	13	16	15600	9400	9	LH29/36X9	ML180UH070V36B	206777723
ML16XP1-018-230	18000	12.5	15	16100	9700	9	LH29/36X9	ML193DF045XE36B	203239714
ML16XP1-018-230	18000	12.5	15	16100	9700	9	LH29/36X9	ML193DF070XE36B	203239719
ML16XP1-018-230	18000	13	16	16000	9600	9	LH29/36X9	ML193UH030XE36B	203239724
ML16XP1-018-230	18000	12.5	15	15900	9600	9	LH29/36X9	ML193UH045XE36B	203239729
ML16XP1-018-230	18000	12.5	15	15900	9600	9	LH29/36X9	ML193UH070XE36B	203239734
ML16XP1-018-230	18000	13	16	15800	9500	9	LH35/36E9	EL280UH070XE36A	203366558
ML16XP1-018-230	18000	13	16	15800	9500	9	LH35/36F9	EL280UH070XE36A	203366569
ML16XP1-018-230	18000	13	16	15900	9500	9	LH35/36F9	ML180UH070V36B	206777726
ML16XP1-018-230	18000	13	16	15800	9500	9	LH35/36W9	EL280UH070XE36A	203366557
ML16XP1-018-230	18000	13	16	15800	9500	9	LH35/36X9	EL280UH070XE36A	203366568
ML16XP1-018-230	18000	13	16	15900	9500	9	LH35/36X9	ML180UH070V36B	206777725
ML16XP1-018-230	18000	13	16	15800	9500	9	LH35/38X9	EL280UH070XE36A	203366572
ML16XP1-018-230	18000	13	16	15900	9600	9	LH35/38X9	EL280UH090E36B	206777679
ML16XP1-018-230	18000	13	16	15900	9500	9	LH35/38X9	ML180UH070V36B	206777731
ML16XP1-018-230	18000	13	16	15800	9500	9	PL36H***P449	EL180UH040NE36A	206777657
ML16XP1-018-230	18000	13	16	15800	9500	9	PL36H***P449	EL280UH045E36A	206777665
ML16XP1-018-230	18000	13	16	15600	9400	9	PL36H***P449	EL280UH070E36A	206777675
ML16XP1-018-230	18000	13	16	15600	9400	9	PL36H***P449	EL280UH070XE36A	206777677
ML16XP1-018-230	18000	13	16	15500	9400	9	PL36H***P449	ML180UH030V36A	206777692
ML16XP1-018-230	18000	13	16	15500	9400	9	PL36H***P449	ML180UH045V36A	206777704
ML16XP1-018-230	18000	13	16	15600	9400	9	PL36H***P449	ML180UH070V36A	206777716
ML16XP1-018-230	18000	13	16	15800	9600	9	PL36H210P29	EL196UH045XE36B	206777659
ML16XP1-018-230	18000	13	16	15800	9600	9	PL36H210P29	EL196UH070XE36B	206777660
ML16XP1-018-230	18000	13	16	15600	9500	9	PL36H210P29	EL280UH090E36B	206777678
ML16XP1-018-230	18000	13	16	15800	9600	8.5	PL36H210P29	EL296UH045XE36B	206777681
ML16XP1-018-230	18000	13	16	15800	9500	9	PL36H210P29	ML180UH070V36B	206777718
ML16XP1-018-230	18000	13	16	15800	9500	9	PL36H210P74	ML180UH070V36B	206777729
ML16XP1-018-230	18000	13	16	15900	9500	9	PL36H210P75	ML180UH070V36B	206777730
ML16XP1-024-230	23800	13	17	20600	12700	9	L*18/36T9	EL180UH040NE36A	206778183
ML16XP1-024-230	23800	13	17	20400	12700	8.5	L*18/36T9	EL195UH040NE36B	206778189
ML16XP1-024-230	23800	13	17	20600	12700	8.5	L*18/36T9	EL195UH060NE36B	206778196
ML16XP1-024-230	23800	13	17	20400	12700	8.5	L*18/36T9	EL196UH045XE36B	206778203
ML16XP1-024-230	23800	13	17	20400	12700	8.5	L*18/36T9	EL196UH070XE36B	206778210
ML16XP1-024-230	23800	13	17	20800	12800	8.5	L*18/36T9	EL280UH045E36A	206778216
ML16XP1-024-230	23800	13	17	20600	12700	8.5	L*18/36T9	EL280UH070E36A	206778221
ML16XP1-024-230	23800	13	17	20600	12700	8.5	L*18/36T9	EL280UH070XE36A	203366578
ML16XP1-024-230	23800	13	17	20600	12800	9	L*18/36T9	EL280UH090E36B	206778228
ML16XP1-024-230	23800	13	16	20400	12700	8.5	L*18/36T9	EL296UH045XE36B	206778235
ML16XP1-024-230	23800	13	17	20400	12700	8.5	L*18/36T9	EL296UH045XV36B	206778242
ML16XP1-024-230	23800	13	17	20600	12700	8.5	L*18/36T9	EL296UH070XE36B	206778249
ML16XP1-024-230	23800	13	17	20400	12600	8.5	L*18/36T9	EL296UH070XV36B	206778256
ML16XP1-024-230	23800	13	17	20400	12700	9	L*18/36T9	ML180UH030V36A	206778262
ML16XP1-024-230	23800	13	17	20400	12700	9	L*18/36T9	ML180UH045V36A	206778268
ML16XP1-024-230	23800	13	17	20400	12700	9	L*18/36T9	ML180UH070E36A	206778274
ML16XP1-024-230	23800	13	17	20400	12600	8.5	L*18/36T9	ML180UH070V36A	206778280
ML16XP1-024-230	23800	13	17	20400	12600	9	L*18/36T9	ML180UH070V36B	206778287
ML16XP1-024-230	23800	13	17	20400	12700	9	L*18/36T9	ML180UH070V48B	206778296
ML16XP1-024-230	23800	13	17	20400	12700	9	L*18/36T9	ML180UH070XE36A	206778304
ML16XP1-024-230	23800	13	17	20600	12700	9	L*18/36T9	ML180UH090V48B	206778311
ML16XP1-024-230	24000	13	17	20600	12700	9	L*19/36S9	EL180UH040NE36A	203239740
ML16XP1-024-230	23800	13	17	20200	12700	9	L*19/36S9	EL180UH060NE36A	203239743
ML16XP1-024-230	23800	13	17	20200	12200	9	L*19/36S9	EL195UH040NE36B	203239746
ML16XP1-024-230	23800	13	17	20200	12300	9	L*19/36S9	EL195UH060NE36B	203239749

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-024-230	24000	13	17	20400	12700	8.5	L*19/36S9	EL196UH030XE24B	203239752
ML16XP1-024-230	24000	13	17	20400	12700	8.5	L*19/36S9	EL196UH045XE24B	203239755
ML16XP1-024-230	23800	13	17	20200	12200	9	L*19/36S9	EL196UH045XE36B	203239758
ML16XP1-024-230	23800	13	17	20200	12200	9	L*19/36S9	EL196UH070XE36B	203239761
ML16XP1-024-230	24000	13	16	21800	13100	9	L*19/36S9	EL280DF070E36A	203239764
ML16XP1-024-230	23800	13	17	20600	13000	9	L*19/36S9	EL280UH045E36A	203239767
ML16XP1-024-230	23800	13	17	20400	12900	9	L*19/36S9	EL280UH070E36A	203239770
ML16XP1-024-230	23800	13	17	20400	12900	9	L*19/36S9	EL280UH070XE36A	203366582
ML16XP1-024-230	24000	13	17	20600	12800	9	L*19/36S9	EL280UH090E36B	203239773
ML16XP1-024-230	24000	13	16	21800	13000	9	L*19/36S9	EL296DF045XE36B	203239776
ML16XP1-024-230	24000	13	16	21800	13100	9	L*19/36S9	EL296DF045XV36B	203239779
ML16XP1-024-230	24000	13	16	21800	13000	9	L*19/36S9	EL296DF070XE48B	203239782
ML16XP1-024-230	24000	13	16	21800	12700	8.5	L*19/36S9	EL296UH045XE36B	203239785
ML16XP1-024-230	23800	13	17	20200	12200	9	L*19/36S9	EL296UH045XV36B	203239788
ML16XP1-024-230	23800	13	17	20200	12300	9	L*19/36S9	EL296UH070XE36B	203239791
ML16XP1-024-230	23800	13	17	20200	12200	9	L*19/36S9	EL296UH070XV36B	203239794
ML16XP1-024-230	24000	13	16	21800	13200	9	L*19/36S9	ML180DF045E36A	203239797
ML16XP1-024-230	24000	13	16	21800	13000	9	L*19/36S9	ML180DF070E36B	203239800
ML16XP1-024-230	24000	13	17	20400	12700	9	L*19/36S9	ML180UH030V36A	206778263
ML16XP1-024-230	23800	13	17	20600	13000	9	L*19/36S9	ML180UH045E36A	203239803
ML16XP1-024-230	24000	13	17	20400	12700	9	L*19/36S9	ML180UH045V36A	206778269
ML16XP1-024-230	24000	13	17	20400	12700	9	L*19/36S9	ML180UH070E36A	206778275
ML16XP1-024-230	23800	13	17	20200	12200	9	L*19/36S9	ML180UH070E36B	203239806
ML16XP1-024-230	23800	13	17	20400	12900	9	L*19/36S9	ML180UH070V36A	206778281
ML16XP1-024-230	24000	13	17	20400	12600	9	L*19/36S9	ML180UH070V36B	206778291
ML16XP1-024-230	24000	13	17	20400	12700	9	L*19/36S9	ML180UH070V48B	206778300
ML16XP1-024-230	24000	13	17	20400	12700	9	L*19/36S9	ML180UH070XE36A	206778305
ML16XP1-024-230	24000	13	17	20600	12700	9	L*19/36S9	ML180UH090V48B	206778315
ML16XP1-024-230	24000	13	16	21800	13000	8.5	L*19/36S9	ML193DF045XE36B	203239809
ML16XP1-024-230	24000	13	16	21800	13000	8.5	L*19/36S9	ML193DF070XE36B	203239812
ML16XP1-024-230	23800	13	17	20400	12400	9	L*19/36S9	ML193UH030XE36B	203239815
ML16XP1-024-230	24000	13	17	20400	12700	8.5	L*19/36S9	ML193UH045XE36B	203239818
ML16XP1-024-230	23800	13	17	20200	12200	9	L*19/36S9	ML193UH070XE36B	203239821
ML16XP1-024-230	24000	13	16	21800	13100	9	L*19/36S9	ML296DF045XV36B	203239824
ML16XP1-024-230	23800	13	17	21800	12200	9	L*19/36S9	ML296UH045XV36B	203239827
ML16XP1-024-230	23800	13	17	20200	12200	9	L*19/36S9	ML296UH070XV36B	203239830
ML16XP1-024-230	24000	13	16	21800	13100	9	L*19/36S9	SL280DF070V36A	203239833
ML16XP1-024-230	24000	13	17	20400	12600	9	L*19/36S9	SL280UH060NV36A	203239836
ML16XP1-024-230	24000	13	17	20600	12700	9	L*19/36S9	SL280UH070V36A	203239839
ML16XP1-024-230	24000	13	17	20600	12700	9	L*19/36S9	SL280UH070XV36A	203239842
ML16XP1-024-230	24000	13	17	20400	12600	9	L*19/36S9	SL280UH090V36B	203239845
ML16XP1-024-230	23800	13	17	20200	12200	9	L*19/36S9	SL297UH040NV36B	203239848
ML16XP1-024-230	23800	13	17	20200	12200	9	L*19/36S9	SL297UH060NV36B	203239851
ML16XP1-024-230	24000	13	16	21800	13100	9	L*19/36S9	SLP98DF070XV36B	203239854
ML16XP1-024-230	23800	13	17	20200	12200	9	L*19/36S9	SLP98UH070XV36B	203239857
ML16XP1-024-230	24000	13	16	22400	13100	9	L*19/36S9	SLP99DF070XV36B	205760631
ML16XP1-024-230	23800	13	17	20200	12200	9	L*19/36S9	SLP99UH070XV36B	205763756
ML16XP1-024-230	23800	12.2	14.5	21800	13600	8.5	L*19/36S9		203240821
ML16XP1-024-230	23800	13	17	20400	12900	9	L*24/42S9	EL280UH070XE36A	203366583
ML16XP1-024-230	24000	13	17	20400	12900	9	L*29/36U9	EL280UH070XE36A	203366586
ML16XP1-024-230	24000	13	17	20600	12700	9	L*30/36U9	EL180UH040NE36A	203239741
ML16XP1-024-230	24000	13	17	20200	12600	9	L*30/36U9	EL180UH060NE36A	203239744
ML16XP1-024-230	24000	13	17	20200	12200	9	L*30/36U9	EL195UH040NE36B	203239747
ML16XP1-024-230	24000	13	17	20400	12300	9	L*30/36U9	EL195UH060NE36B	203239750

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-024-230	24000	13	17	20400	12200	8.5	L*30/36U9	EL196UH030XE24B	203239753
ML16XP1-024-230	24000	13	17	20400	12200	8.5	L*30/36U9	EL196UH045XE24B	203239756
ML16XP1-024-230	24000	13	17	20200	12200	9	L*30/36U9	EL196UH045XE36B	203239759
ML16XP1-024-230	24000	13	17	20200	12200	9	L*30/36U9	EL196UH070XE36B	203239762
ML16XP1-024-230	24000	13	16	21800	13100	9	L*30/36U9	EL280DF070E36A	203239765
ML16XP1-024-230	24000	13	17	20600	13000	9	L*30/36U9	EL280UH045E36A	203239768
ML16XP1-024-230	24000	13	17	20400	12900	9	L*30/36U9	EL280UH070E36A	203239771
ML16XP1-024-230	24000	13	17	20400	12900	9	L*30/36U9	EL280UH070XE36A	203366585
ML16XP1-024-230	24000	13	17	20600	12300	9	L*30/36U9	EL280UH090E36B	203239774
ML16XP1-024-230	24000	13	16	21800	13000	9	L*30/36U9	EL296DF045XE36B	203239777
ML16XP1-024-230	24000	13	16	21800	13100	9	L*30/36U9	EL296DF045XV36B	203239780
ML16XP1-024-230	24000	13	16	21800	13000	9	L*30/36U9	EL296DF070XE48B	203239783
ML16XP1-024-230	24000	13	16	20200	12800	9	L*30/36U9	EL296UH045XE36B	203239786
ML16XP1-024-230	24000	13	17	20200	12700	9	L*30/36U9	EL296UH045XV36B	203239789
ML16XP1-024-230	24000	13	17	20400	12300	9	L*30/36U9	EL296UH070XE36B	203239792
ML16XP1-024-230	24000	13	17	20400	12200	9	L*30/36U9	EL296UH070XV36B	203239795
ML16XP1-024-230	24000	13	16	21800	13200	9	L*30/36U9	ML180DF045E36A	203239798
ML16XP1-024-230	24000	13	16	21800	13000	9	L*30/36U9	ML180DF070E36B	203239801
ML16XP1-024-230	24000	13	17	20600	12900	9	L*30/36U9	ML180UH045E36A	203239804
ML16XP1-024-230	24000	13	17	20200	12200	9	L*30/36U9	ML180UH070E36B	203239807
ML16XP1-024-230	24000	13	16	21800	13000	8.5	L*30/36U9	ML193DF045XE36B	203239810
ML16XP1-024-230	24000	13	16	21800	13000	8.5	L*30/36U9	ML193DF070XE36B	203239813
ML16XP1-024-230	24000	13	17	20400	12400	9	L*30/36U9	ML193UH030XE36B	203239816
ML16XP1-024-230	24000	13	17	20400	12700	8.5	L*30/36U9	ML193UH045XE36B	203239819
ML16XP1-024-230	24000	13	17	20200	12200	9	L*30/36U9	ML193UH070XE36B	203239822
ML16XP1-024-230	24000	13	16	21800	13100	9	L*30/36U9	ML296DF045XV36B	203239825
ML16XP1-024-230	24000	13	17	21800	12700	9	L*30/36U9	ML296UH045XV36B	203239828
ML16XP1-024-230	24000	13	17	21800	12800	9	L*30/36U9	ML296UH070XV36B	203239831
ML16XP1-024-230	24000	13	16	21800	13100	9	L*30/36U9	SL280DF070V36A	203239834
ML16XP1-024-230	24000	13	17	20400	12600	9	L*30/36U9	SL280UH060NV36A	203239837
ML16XP1-024-230	24000	13	17	20600	12700	9	L*30/36U9	SL280UH070V36A	203239840
ML16XP1-024-230	24000	13	17	20600	12700	9	L*30/36U9	SL280UH070XV36A	203239843
ML16XP1-024-230	24000	13	17	20400	12600	9	L*30/36U9	SL280UH090V36B	203239846
ML16XP1-024-230	24000	13	17	20200	12200	9	L*30/36U9	SL297UH040NV36B	203239849
ML16XP1-024-230	24000	13	17	20200	12200	9	L*30/36U9	SL297UH060NV36B	203239852
ML16XP1-024-230	24000	13	16	21800	13100	9	L*30/36U9	SLP98DF070XV36B	203239855
ML16XP1-024-230	24000	13	17	20400	12200	9	L*30/36U9	SLP98UH070XV36B	203239858
ML16XP1-024-230	24000	13	16	22400	13100	9	L*30/36U9	SLP99DF070XV36B	205760633
ML16XP1-024-230	24000	13	17	20400	12200	9	L*30/36U9	SLP99UH070XV36B	205763758
ML16XP1-024-230	24000	12.2	14.5	21000	13400	8.5	L*30/36U9		203240822
ML16XP1-024-230	24000	13	17	20400	12800	9	L*35/36U9	EL180UH040NE36A	206778184
ML16XP1-024-230	24000	13	17	20200	12700	9	L*35/36U9	EL195UH040NE36B	206778194
ML16XP1-024-230	24000	13	17	20400	12800	9	L*35/36U9	EL195UH060NE36B	206778201
ML16XP1-024-230	24000	13	17	20200	12800	9	L*35/36U9	EL196UH045XE36B	206778208
ML16XP1-024-230	24000	13	17	20200	12700	9	L*35/36U9	EL196UH070XE36B	206778215
ML16XP1-024-230	24000	13	17	20600	13000	9	L*35/36U9	EL280UH045E36A	206778217
ML16XP1-024-230	24000	13	17	20400	12900	9	L*35/36U9	EL280UH070E36A	206778222
ML16XP1-024-230	24000	13	17	20400	12900	9	L*35/36U9	EL280UH070XE36A	203366587
ML16XP1-024-230	24000	13	17	20600	12800	9	L*35/36U9	EL280UH090E36B	206778233
ML16XP1-024-230	24000	13	16	20200	12800	9	L*35/36U9	EL296UH045XE36B	206778240
ML16XP1-024-230	24000	13	17	20200	12700	9	L*35/36U9	EL296UH045XV36B	206778247
ML16XP1-024-230	24000	13	17	20400	12800	9	L*35/36U9	EL296UH070XE36B	206778254
ML16XP1-024-230	24000	13	17	20400	12800	9	L*35/36U9	EL296UH070XV36B	206778261
ML16XP1-024-230	24000	13	17	20400	12900	9	L*35/36U9	ML180UH030V36A	206778264

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-024-230	24000	13	17	20200	12700	9	L*35/36U9	ML180UH045V36A	206778270
ML16XP1-024-230	24000	13	17	20400	12900	9	L*35/36U9	ML180UH070E36A	206778276
ML16XP1-024-230	24000	13	17	20200	12700	9	L*35/36U9	ML180UH070V36A	206778282
ML16XP1-024-230	24000	13	17	20200	12700	9	L*35/36U9	ML180UH070V36B	206778294
ML16XP1-024-230	24000	13	17	20200	12200	9	L*35/36U9	ML180UH070V48B	206778303
ML16XP1-024-230	24000	13	17	20200	12700	9	L*35/36U9	ML180UH070XE36A	206778306
ML16XP1-024-230	24000	13	17	20600	12700	9	L*35/36U9	ML180UH090V48B	206778318
ML16XP1-024-230	24000	13	16	22200	13000	9	LD24/35Z9	ML196DF045XE36B	205707598
ML16XP1-024-230	24000	13	16	22200	13100	9	LD24/35Z9	ML196DF070XE48B	205707599
ML16XP1-024-230	24000	12.2	14.5	20800	13400	8.5	LD24/35Z9		204755190
ML16XP1-024-230	24000	13	17	20400	12800	9	LH18/37D9	EL180UH040NE36A	206778187
ML16XP1-024-230	24000	13	17	20600	13000	9	LH18/37D9	EL280UH045E36A	206778220
ML16XP1-024-230	24000	13	17	20400	12900	9	LH18/37D9	EL280UH070E36A	206778225
ML16XP1-024-230	24000	13	17	20400	12900	9	LH18/37D9	EL280UH070XE36A	203366589
ML16XP1-024-230	24000	13	17	20400	12700	9	LH18/37D9	ML180UH030V36A	206778267
ML16XP1-024-230	24000	13	17	20400	12900	9	LH18/37D9	ML180UH045V36A	206778273
ML16XP1-024-230	24000	13	17	20400	12700	9	LH18/37D9	ML180UH070E36A	206778279
ML16XP1-024-230	24000	13	17	20200	12700	9	LH18/37D9	ML180UH070V36A	206778285
ML16XP1-024-230	24000	13	17	20400	12900	9	LH18/37D9	ML180UH070XE36A	206778309
ML16XP1-024-230	24000	13	17	20400	12800	9	LH18/37R9	EL180UH040NE36A	206778185
ML16XP1-024-230	24000	13	17	20600	13000	9	LH18/37R9	EL280UH045E36A	206778218
ML16XP1-024-230	24000	13	17	20400	12900	9	LH18/37R9	EL280UH070E36A	206778223
ML16XP1-024-230	24000	13	17	20400	12900	9	LH18/37R9	EL280UH070XE36A	203366588
ML16XP1-024-230	24000	13	17	20400	12700	9	LH18/37R9	ML180UH030V36A	206778265
ML16XP1-024-230	24000	13	17	20200	12700	9	LH18/37R9	ML180UH045V36A	206778271
ML16XP1-024-230	24000	13	17	20400	12700	9	LH18/37R9	ML180UH070E36A	206778277
ML16XP1-024-230	24000	13	17	20200	12700	9	LH18/37R9	ML180UH070V36A	206778283
ML16XP1-024-230	24000	13	17	20400	12700	9	LH18/37R9	ML180UH070XE36A	206778307
ML16XP1-024-230	24000	13	17	20600	12700	9	LH29/36F9	EL180UH040NE36A	203239739
ML16XP1-024-230	23800	13	17	20200	12700	9	LH29/36F9	EL180UH060NE36A	203239742
ML16XP1-024-230	23800	13	17	20200	12200	9	LH29/36F9	EL195UH040NE36B	203239745
ML16XP1-024-230	23800	13	17	20200	12300	9	LH29/36F9	EL195UH060NE36B	203239748
ML16XP1-024-230	24000	13	17	20400	12700	8.5	LH29/36F9	EL196UH030XE24B	203239751
ML16XP1-024-230	24000	13	17	20400	12700	8.5	LH29/36F9	EL196UH045XE24B	203239754
ML16XP1-024-230	23800	13	17	20200	12200	9	LH29/36F9	EL196UH045XE36B	203239757
ML16XP1-024-230	23800	13	17	20200	12200	9	LH29/36F9	EL196UH070XE36B	203239760
ML16XP1-024-230	24000	13	16	21800	13100	9	LH29/36F9	EL280DF070E36A	203239763
ML16XP1-024-230	23800	13	17	20600	13000	9	LH29/36F9	EL280UH045E36A	203239766
ML16XP1-024-230	23800	13	17	20400	12900	9	LH29/36F9	EL280UH070E36A	203239769
ML16XP1-024-230	23800	13	17	20400	12900	9	LH29/36F9	EL280UH070XE36A	203366579
ML16XP1-024-230	24000	13	17	20600	12800	9	LH29/36F9	EL280UH090E36B	203239772
ML16XP1-024-230	24000	13	16	21800	13000	9	LH29/36F9	EL296DF045XE36B	203239775
ML16XP1-024-230	24000	13	16	21800	13100	9	LH29/36F9	EL296DF045XV36B	203239778
ML16XP1-024-230	24000	13	16	21800	13000	9	LH29/36F9	EL296DF070XE48B	203239781
ML16XP1-024-230	24000	13	16	21800	12700	8.5	LH29/36F9	EL296UH045XE36B	203239784
ML16XP1-024-230	23800	13	17	20200	12200	9	LH29/36F9	EL296UH045XV36B	203239787
ML16XP1-024-230	23800	13	17	20200	12300	9	LH29/36F9	EL296UH070XE36B	203239790
ML16XP1-024-230	23800	13	17	20200	12200	9	LH29/36F9	EL296UH070XV36B	203239793
ML16XP1-024-230	24000	13	16	21800	13200	9	LH29/36F9	ML180DF045E36A	203239796
ML16XP1-024-230	24000	13	16	21800	13000	9	LH29/36F9	ML180DF070E36B	203239799
ML16XP1-024-230	23800	13	17	20600	13000	9	LH29/36F9	ML180UH045E36A	203239802
ML16XP1-024-230	23800	13	17	20200	12200	9	LH29/36F9	ML180UH070E36B	203239805
ML16XP1-024-230	24000	13	17	20400	12600	9	LH29/36F9	ML180UH070V36B	206778288
ML16XP1-024-230	24000	13	17	20400	12700	9	LH29/36F9	ML180UH070V48B	206778297

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-024-230	24000	13	17	20600	12700	9	LH29/36F9	ML180UH090V48B	206778312
ML16XP1-024-230	24000	13	16	21800	13000	8.5	LH29/36F9	ML193DF045XE36B	203239808
ML16XP1-024-230	24000	13	16	21800	13000	8.5	LH29/36F9	ML193DF070XE36B	203239811
ML16XP1-024-230	23800	13	17	20400	12400	9	LH29/36F9	ML193UH030XE36B	203239814
ML16XP1-024-230	24000	13	17	20400	12700	8.5	LH29/36F9	ML193UH045XE36B	203239817
ML16XP1-024-230	23800	13	17	20200	12200	9	LH29/36F9	ML193UH070XE36B	203239820
ML16XP1-024-230	24000	13	16	21800	13100	9	LH29/36F9	ML296DF045XV36B	203239823
ML16XP1-024-230	23800	13	17	21800	12200	9	LH29/36F9	ML296UH045XV36B	203239826
ML16XP1-024-230	23800	13	17	20200	12200	9	LH29/36F9	ML296UH070XV36B	203239829
ML16XP1-024-230	24000	13	16	21800	13100	9	LH29/36F9	SL280DF070V36A	203239832
ML16XP1-024-230	24000	13	17	20400	12600	9	LH29/36F9	SL280UH060NV36A	203239835
ML16XP1-024-230	24000	13	17	20600	12700	9	LH29/36F9	SL280UH070V36A	203239838
ML16XP1-024-230	24000	13	17	20600	12700	9	LH29/36F9	SL280UH070XV36A	203239841
ML16XP1-024-230	24000	13	17	20400	12600	9	LH29/36F9	SL280UH090V36B	203239844
ML16XP1-024-230	23800	13	17	20200	12200	9	LH29/36F9	SL297UH040NV36B	203239847
ML16XP1-024-230	23800	13	17	20200	12200	9	LH29/36F9	SL297UH060NV36B	203239850
ML16XP1-024-230	24000	13	16	21800	13100	9	LH29/36F9	SLP98DF070XV36B	203239853
ML16XP1-024-230	23800	13	17	20200	12200	9	LH29/36F9	SLP98UH070XV36B	203239856
ML16XP1-024-230	23800	13	17	20200	12200	9	LH29/36F9	SLP99UH070XV36B	205763753
ML16XP1-024-230	23800	12.2	14.5	21800	13500	8.5	LH29/36F9		203240820
ML16XP1-024-230	24000	13	17	20200	12200	9	LH35/36F9	EL195UH040NE36B	206778191
ML16XP1-024-230	24000	13	17	20200	12300	9	LH35/36F9	EL195UH060NE36B	206778198
ML16XP1-024-230	24000	13	17	20200	12800	9	LH35/36F9	EL196UH045XE36B	206778205
ML16XP1-024-230	24000	13	17	20200	12200	9	LH35/36F9	EL196UH070XE36B	206778212
ML16XP1-024-230	24000	13	17	20400	12900	9	LH35/36F9	EL280UH070XE36A	203366581
ML16XP1-024-230	24000	13	17	20600	12800	9	LH35/36F9	EL280UH090E36B	206778230
ML16XP1-024-230	24000	13	16	20200	12800	9	LH35/36F9	EL296UH045XE36B	206778237
ML16XP1-024-230	24000	13	17	20200	12200	9	LH35/36F9	EL296UH045XV36B	206778244
ML16XP1-024-230	24000	13	17	20200	12300	9	LH35/36F9	EL296UH070XE36B	206778251
ML16XP1-024-230	24000	13	17	20200	12200	9	LH35/36F9	EL296UH070XV36B	206778258
ML16XP1-024-230	24000	13	17	20400	12600	9	LH35/36F9	ML180UH070V36B	206778290
ML16XP1-024-230	24000	13	17	20200	12700	9	LH35/36F9	ML180UH070V48B	206778299
ML16XP1-024-230	24000	13	17	20400	12300	9	LH35/36F9	ML180UH090V48B	206778314
ML16XP1-024-230	24000	13	17	20200	12700	9	LH35/36X9	EL195UH040NE36B	206778190
ML16XP1-024-230	24000	13	17	20400	12800	9	LH35/36X9	EL195UH060NE36B	206778197
ML16XP1-024-230	24000	13	17	20200	12800	9	LH35/36X9	EL196UH045XE36B	206778204
ML16XP1-024-230	24000	13	17	20200	12700	9	LH35/36X9	EL196UH070XE36B	206778211
ML16XP1-024-230	24000	13	17	20400	12900	9	LH35/36X9	EL280UH070XE36A	203366580
ML16XP1-024-230	24000	13	17	20400	12300	9	LH35/36X9	EL280UH090E36B	206778229
ML16XP1-024-230	24000	13	16	20200	12800	9	LH35/36X9	EL296UH045XE36B	206778236
ML16XP1-024-230	24000	13	17	20200	12200	9	LH35/36X9	EL296UH045XV36B	206778243
ML16XP1-024-230	24000	13	17	20200	12300	9	LH35/36X9	EL296UH070XE36B	206778250
ML16XP1-024-230	24000	13	17	20200	12200	9	LH35/36X9	EL296UH070XV36B	206778257
ML16XP1-024-230	24000	13	17	20200	12700	9	LH35/36X9	ML180UH070V36B	206778289
ML16XP1-024-230	24000	13	17	20400	12700	9	LH35/36X9	ML180UH070V48B	206778298
ML16XP1-024-230	24000	13	17	20600	12700	9	LH35/36X9	ML180UH090V48B	206778313
ML16XP1-024-230	24000	13	17	20200	12200	9	LH35/38X9	EL195UH040NE36B	206778193
ML16XP1-024-230	24000	13	17	20200	12300	9	LH35/38X9	EL195UH060NE36B	206778200
ML16XP1-024-230	24000	13	17	20200	12800	9	LH35/38X9	EL196UH045XE36B	206778207
ML16XP1-024-230	24000	13	17	20200	12200	9	LH35/38X9	EL196UH070XE36B	206778214
ML16XP1-024-230	24000	13	17	20400	12900	9	LH35/38X9	EL280UH070XE36A	203366584
ML16XP1-024-230	24000	13	17	20600	12800	9	LH35/38X9	EL280UH090E36B	206778232
ML16XP1-024-230	24000	13	16	20200	12800	9	LH35/38X9	EL296UH045XE36B	206778239
ML16XP1-024-230	24000	13	17	20200	12200	9	LH35/38X9	EL296UH045XV36B	206778246

AHRI SYSTEM MATCHESNOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-024-230	24000	13	17	20400	12800	9	LH35/38X9	EL296UH070XE36B	206778253
ML16XP1-024-230	24000	13	17	20400	12800	9	LH35/38X9	EL296UH070XV36B	206778260
ML16XP1-024-230	24000	13	17	20400	12600	9	LH35/38X9	ML180UH070V36B	206778293
ML16XP1-024-230	24000	13	17	20200	12200	9	LH35/38X9	ML180UH070V48B	206778302
ML16XP1-024-230	24000	13	17	20600	12700	9	LH35/38X9	ML180UH090V48B	206778317
ML16XP1-024-230	23800	12.2	14.5	21000	13300	8.2	LS*25933E		205304030
ML16XP1-024-230	24000	13	17	20400	12800	9	PL36H***P449	EL180UH040NE36A	206778186
ML16XP1-024-230	24000	13	17	20600	13000	9	PL36H***P449	EL280UH045E36A	206778219
ML16XP1-024-230	24000	13	17	20400	12900	9	PL36H***P449	EL280UH070E36A	206778224
ML16XP1-024-230	24000	13	17	20400	12900	9	PL36H***P449	EL280UH070XE36A	206778226
ML16XP1-024-230	24000	13	17	20400	12700	9	PL36H***P449	ML180UH030V36A	206778266
ML16XP1-024-230	24000	13	17	20200	12700	9	PL36H***P449	ML180UH045V36A	206778272
ML16XP1-024-230	24000	13	17	20400	12700	9	PL36H***P449	ML180UH070E36A	206778278
ML16XP1-024-230	24000	13	17	20200	12700	9	PL36H***P449	ML180UH070V36A	206778284
ML16XP1-024-230	24000	13	17	20400	12700	9	PL36H***P449	ML180UH070XE36A	206778308
ML16XP1-024-230	24000	13	17	20200	12200	9	PL36H210P29	EL195UH040NE36B	206778188
ML16XP1-024-230	24000	13	17	20200	12300	9	PL36H210P29	EL195UH060NE36B	206778195
ML16XP1-024-230	24000	13	17	20200	12800	9	PL36H210P29	EL196UH045XE36B	206778202
ML16XP1-024-230	24000	13	17	20200	12200	9	PL36H210P29	EL196UH070XE36B	206778209
ML16XP1-024-230	24000	13	17	20400	12300	9	PL36H210P29	EL280UH090E36B	206778227
ML16XP1-024-230	24000	13	16	20200	12800	9	PL36H210P29	EL296UH045XE36B	206778234
ML16XP1-024-230	24000	13	17	20200	12700	9	PL36H210P29	EL296UH045XV36B	206778241
ML16XP1-024-230	24000	13	17	20200	12300	9	PL36H210P29	EL296UH070XE36B	206778248
ML16XP1-024-230	24000	13	17	20200	12200	9	PL36H210P29	EL296UH070XV36B	206778255
ML16XP1-024-230	24000	13	17	20200	12700	9	PL36H210P29	ML180UH070V36B	206778286
ML16XP1-024-230	24000	13	17	20200	12200	9	PL36H210P29	ML180UH070V48B	206778295
ML16XP1-024-230	24000	13	17	20400	12300	9	PL36H210P29	ML180UH090V48B	206778310
ML16XP1-024-230	24000	13	17	20200	12200	9	PL36H210P75	EL195UH040NE36B	206778192
ML16XP1-024-230	24000	13	17	20200	12300	9	PL36H210P75	EL195UH060NE36B	206778199
ML16XP1-024-230	24000	13	17	20200	12800	9	PL36H210P75	EL196UH045XE36B	206778206
ML16XP1-024-230	24000	13	17	20200	12200	9	PL36H210P75	EL196UH070XE36B	206778213
ML16XP1-024-230	24000	13	17	20600	12800	9	PL36H210P75	EL280UH090E36B	206778231
ML16XP1-024-230	24000	13	16	20200	12800	9	PL36H210P75	EL296UH045XE36B	206778238
ML16XP1-024-230	24000	13	17	20200	12200	9	PL36H210P75	EL296UH045XV36B	206778245
ML16XP1-024-230	24000	13	17	20400	12800	9	PL36H210P75	EL296UH070XE36B	206778252
ML16XP1-024-230	24000	13	17	20200	12200	9	PL36H210P75	EL296UH070XV36B	206778259
ML16XP1-024-230	24000	13	17	20200	12200	9	PL36H210P75	ML180UH070V36B	206778292
ML16XP1-024-230	24000	13	17	20400	12700	9	PL36H210P75	ML180UH070V48B	206778301
ML16XP1-024-230	24000	13	17	20400	12800	9	PL36H210P75	ML180UH090V48B	206778316
ML16XP1-030-230	29600	12	15	27000	17900	8.5	CE3005C		203383972
ML16XP1-030-230	29600	12.2	14	27000	17900	8.5	CP3005C		204118532
ML16XP1-030-230	28800	12.5	15	25800	16800	8.5	L*18/36S9	EL280UH090XE48B	203366606
ML16XP1-030-230	29800	13	16	26400	16700	8.5	L*18/36T9	EL180UH040NE36A	206778319
ML16XP1-030-230	29800	13	16	26200	16600	8.5	L*18/36T9	EL180UH080NE48B	206778325
ML16XP1-030-230	29800	13	16	26600	16800	8.5	L*18/36T9	EL280UH045E36A	206778362
ML16XP1-030-230	29800	12.5	15	26400	16800	8.5	L*18/36T9	EL280UH070XE36A	203366590
ML16XP1-030-230	29800	13	16	26200	16600	8.5	L*18/36T9	EL280UH090E48B	206778380
ML16XP1-030-230	29800	13	16	26200	16600	8.5	L*18/36T9	EL280UH090XE48B	203366607
ML16XP1-030-230	29800	13	16	26400	16700	8.5	L*18/36T9	ML180UH030V36A	206778419
ML16XP1-030-230	29800	13	16	26400	16700	8.5	L*18/36T9	ML180UH045V36A	206778426
ML16XP1-030-230	29800	13	16	26600	16800	8.5	L*18/36T9	ML180UH070E36A	206778433
ML16XP1-030-230	29800	13	16	26200	16600	8.5	L*18/36T9	ML180UH070V36B	206778445
ML16XP1-030-230	29800	13	16	26400	16700	8.5	L*18/36T9	ML180UH070V48B	206778457
ML16XP1-030-230	29800	13	16	26600	16800	8.5	L*18/36T9	ML180UH070XE36A	206778468

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-030-230	29800	13	16	26200	16600	8.5	L*18/36T9	ML180UH090E48B	206778476
ML16XP1-030-230	29800	13	16	26200	16600	8.5	L*18/36T9	ML180UH090V48B	206778484
ML16XP1-030-230	29800	13	16	26200	16600	9	L*19/36S9	EL180UH040NE36A	203239862
ML16XP1-030-230	29800	13	16	26000	16600	9	L*19/36S9	EL180UH060NE36A	203239867
ML16XP1-030-230	30000	13	16	27000	16600	8.5	L*19/36S9	EL180UH080NE48B	203239872
ML16XP1-030-230	29600	12.5	16	26400	17200	9	L*19/36S9	EL195UH040NE36B	203239877
ML16XP1-030-230	29600	12.5	16	26400	17100	9	L*19/36S9	EL195UH060NE36B	203239882
ML16XP1-030-230	29200	12.5	15	26800	16300	8.5	L*19/36S9	EL195UH080NE48C	203239887
ML16XP1-030-230	29600	12.5	16	26000	16900	8.5	L*19/36S9	EL196UH030XE24B	203239892
ML16XP1-030-230	29600	12.5	16	26000	16900	8.5	L*19/36S9	EL196UH045XE24B	203239897
ML16XP1-030-230	29600	12.5	16	26400	17100	9	L*19/36S9	EL196UH045XE36B	203239902
ML16XP1-030-230	29600	12.5	16	26200	17100	9	L*19/36S9	EL196UH070XE36B	203239907
ML16XP1-030-230	29200	13	16	26800	16200	8.5	L*19/36S9	EL196UH090XE48C	203239912
ML16XP1-030-230	30000	12.5	15	27000	17400	9	L*19/36S9	EL280DF070E36A	203239917
ML16XP1-030-230	30000	13	16	27000	17500	9	L*19/36S9	EL280DF090E48B	203239922
ML16XP1-030-230	30000	13	16	27000	16800	8.5	L*19/36S9	EL280UH045E36A	203239927
ML16XP1-030-230	29600	12.5	16	26200	17100	8.5	L*19/36S9	EL280UH070E36A	203239932
ML16XP1-030-230	29600	12.5	16	26200	17100	8.5	L*19/36S9	EL280UH070XE36A	203366596
ML16XP1-030-230	30000	13	16	26600	16900	8.5	L*19/36S9	EL280UH090E36B	203239937
ML16XP1-030-230	30000	13	16	27000	16600	8.5	L*19/36S9	EL280UH090E48B	203239942
ML16XP1-030-230	30000	13	16	27000	16600	8.5	L*19/36S9	EL280UH090XE48B	203366613
ML16XP1-030-230	29200	12.5	15	26800	16300	8.5	L*19/36S9	EL280UH110E48C	203239947
ML16XP1-030-230	30000	12.5	15	27000	17400	9	L*19/36S9	EL296DF045XE36B	203239952
ML16XP1-030-230	30000	12.5	15	27000	17400	9	L*19/36S9	EL296DF045XV36B	203239957
ML16XP1-030-230	30000	13	16	27000	17400	9	L*19/36S9	EL296DF070XE48B	203239962
ML16XP1-030-230	30000	12.5	15	27000	17400	9	L*19/36S9	EL296DF070XV48B	203239967
ML16XP1-030-230	29200	12.5	15	26200	16600	9	L*19/36S9	EL296UH045XE36B	203239972
ML16XP1-030-230	29600	12.5	16	26200	17100	8.5	L*19/36S9	EL296UH045XV36B	203239977
ML16XP1-030-230	29600	12.5	16	26400	17100	8.5	L*19/36S9	EL296UH070XE36B	203239982
ML16XP1-030-230	29600	12.5	16	26200	17100	9	L*19/36S9	EL296UH070XV36B	203239987
ML16XP1-030-230	30000	12.5	15	27000	16500	8.5	L*19/36S9	EL296UH090XE48C	203239992
ML16XP1-030-230	29400	12.5	15	27000	16300	8.5	L*19/36S9	EL296UH090XV36C	203239997
ML16XP1-030-230	29800	13	16	27000	16300	8.5	L*19/36S9	EL296UH090XV48C	203240002
ML16XP1-030-230	30000	12.5	15	27000	17500	9	L*19/36S9	ML180DF045E36A	203240007
ML16XP1-030-230	30000	13	16	27000	17300	9	L*19/36S9	ML180DF070E36B	203240012
ML16XP1-030-230	30000	13	16	27000	17200	9	L*19/36S9	ML180DF090E48B	203240017
ML16XP1-030-230	29600	13	16	26200	17000	9	L*19/36S9	ML180UH030V36A	206778421
ML16XP1-030-230	29600	12.5	16	26200	17000	8.5	L*19/36S9	ML180UH045E36A	203240022
ML16XP1-030-230	29600	13	16	26200	17000	9	L*19/36S9	ML180UH045V36A	206778428
ML16XP1-030-230	30000	13	16	26600	16800	8.5	L*19/36S9	ML180UH070E36A	206778435
ML16XP1-030-230	29400	13	16	26000	16500	9	L*19/36S9	ML180UH070E36B	203240027
ML16XP1-030-230	29600	13	16	26200	16900	9	L*19/36S9	ML180UH070V36B	206778451
ML16XP1-030-230	29600	13	16	26200	16900	9	L*19/36S9	ML180UH070V48B	206778463
ML16XP1-030-230	30000	13	16	26600	16800	8.5	L*19/36S9	ML180UH070XE36A	206778470
ML16XP1-030-230	29400	13	16	26000	16400	9	L*19/36S9	ML180UH090E48B	203240032
ML16XP1-030-230	29600	13	16	26000	16900	9	L*19/36S9	ML180UH090V48B	206778490
ML16XP1-030-230	30000	12.5	15	27000	17400	9	L*19/36S9	ML193DF045XE36B	203240037
ML16XP1-030-230	30000	12.5	15	27000	17400	9	L*19/36S9	ML193DF070XE36B	203240042
ML16XP1-030-230	29200	12.5	15	26200	16700	9	L*19/36S9	ML193UH030XE36B	203240047
ML16XP1-030-230	29200	12.5	15	26200	16700	9	L*19/36S9	ML193UH045XE36B	203240052
ML16XP1-030-230	29600	12.5	16	26200	17100	9	L*19/36S9	ML193UH070XE36B	203240057
ML16XP1-030-230	29400	12.5	15	27000	16300	8.5	L*19/36S9	ML193UH090XE36C	203240062
ML16XP1-030-230	29200	12.5	15	26800	16200	8.5	L*19/36S9	ML193UH090XE48C	203240067
ML16XP1-030-230	29200	12.5	15	26800	16200	8.5	L*19/36S9	ML193UH110XE48C	203240072

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-030-230	30000	12.5	15	27000	17400	9	L*19/36S9	ML296DF045XV36B	203240077
ML16XP1-030-230	30000	12.5	15	27000	17400	9	L*19/36S9	ML296DF070XV48B	203240082
ML16XP1-030-230	29600	12.5	16	27000	17100	8.5	L*19/36S9	ML296UH045XV36B	203240087
ML16XP1-030-230	29600	12.5	16	27000	17100	9	L*19/36S9	ML296UH070XV36B	203240092
ML16XP1-030-230	29800	13	16	27000	16300	8.5	L*19/36S9	ML296UH090XV48C	203240097
ML16XP1-030-230	30000	12.5	15	27000	17400	9	L*19/36S9	SL280DF070V36A	203240102
ML16XP1-030-230	30000	13	16	27000	17300	9	L*19/36S9	SL280DF090V48B	203240107
ML16XP1-030-230	29800	13	16	26200	16700	9	L*19/36S9	SL280UH060NV36A	203240112
ML16XP1-030-230	29600	12.5	16	26200	17100	9	L*19/36S9	SL280UH070V36A	203240117
ML16XP1-030-230	29600	12.5	16	26200	17100	9	L*19/36S9	SL280UH070XV36A	203240122
ML16XP1-030-230	29400	13	16	26000	16400	9	L*19/36S9	SL280UH080NV48B	203240127
ML16XP1-030-230	29400	13	16	26000	16400	9	L*19/36S9	SL280UH090V36B	203240132
ML16XP1-030-230	29400	13	16	26200	16500	9	L*19/36S9	SL280UH090V48B	203240137
ML16XP1-030-230	30000	13	16	27000	16700	8.5	L*19/36S9	SL297UH040NV36B	203240142
ML16XP1-030-230	29600	12.5	16	26400	17200	9	L*19/36S9	SL297UH060NV36B	203240147
ML16XP1-030-230	29800	12.5	15	27000	16300	8.5	L*19/36S9	SL297UH080NV48C	203240152
ML16XP1-030-230	30000	12.5	15	27000	17500	9	L*19/36S9	SLP98DF070XV36B	203240157
ML16XP1-030-230	29600	12.5	16	26200	17100	9	L*19/36S9	SLP98UH070XV36B	203240162
ML16XP1-030-230	29400	12.5	15	27000	16300	8.5	L*19/36S9	SLP98UH090XV36C	203240167
ML16XP1-030-230	29800	13	16	27000	16300	8.5	L*19/36S9	SLP98UH090XV48C	203240172
ML16XP1-030-230	30000	12.5	15	28400	17500	9	L*19/36S9	SLP99DF070XV36B	205760640
ML16XP1-030-230	29600	12.5	16	26200	17100	9	L*19/36S9	SLP99UH070XV36B	205761664
ML16XP1-030-230	29400	12.5	15	27000	16300	8.5	L*19/36S9	SLP99UH090XV36C	205760652
ML16XP1-030-230	29800	13	16	27000	16300	8.5	L*19/36S9	SLP99UH090XV48C	205760663
ML16XP1-030-230	29600	12.2	14	27000	17900	8.5	L*19/36S9		203240826
ML16XP1-030-230	29800	13	16	26200	16600	9	L*19/36U9	EL180UH040NE36A	203239861
ML16XP1-030-230	29800	13	16	26000	16600	9	L*19/36U9	EL180UH060NE36A	203239866
ML16XP1-030-230	30000	13	16	27000	16600	8.5	L*19/36U9	EL180UH080NE48B	203239871
ML16XP1-030-230	29600	12.5	16	26400	17200	9	L*19/36U9	EL195UH040NE36B	203239876
ML16XP1-030-230	29600	12.5	16	26400	17100	9	L*19/36U9	EL195UH060NE36B	203239881
ML16XP1-030-230	29200	12.5	15	26800	16300	8.5	L*19/36U9	EL195UH080NE48C	203239886
ML16XP1-030-230	29600	12.5	16	26000	16900	8.5	L*19/36U9	EL196UH030XE24B	203239891
ML16XP1-030-230	29600	12.5	16	26000	16900	8.5	L*19/36U9	EL196UH045XE24B	203239896
ML16XP1-030-230	29600	12.5	16	26400	17100	9	L*19/36U9	EL196UH045XE36B	203239901
ML16XP1-030-230	29600	12.5	16	26200	17100	9	L*19/36U9	EL196UH070XE36B	203239906
ML16XP1-030-230	29200	13	16	26800	16200	8.5	L*19/36U9	EL196UH090XE48C	203239911
ML16XP1-030-230	30000	12.5	15	27000	17400	9	L*19/36U9	EL280DF070E36A	203239916
ML16XP1-030-230	30000	13	16	27000	17500	9	L*19/36U9	EL280DF090E48B	203239921
ML16XP1-030-230	30000	13	16	27000	16800	8.5	L*19/36U9	EL280UH045E36A	203239926
ML16XP1-030-230	29600	12.5	16	26200	17100	8.5	L*19/36U9	EL280UH070E36A	203239931
ML16XP1-030-230	29600	12.5	16	26200	17100	8.5	L*19/36U9	EL280UH070XE36A	203366595
ML16XP1-030-230	30000	13	16	26600	16900	8.5	L*19/36U9	EL280UH090E36B	203239936
ML16XP1-030-230	30000	13	16	27000	16600	8.5	L*19/36U9	EL280UH090E48B	203239941
ML16XP1-030-230	30000	13	16	27000	16600	8.5	L*19/36U9	EL280UH090XE48B	203366612
ML16XP1-030-230	29200	12.5	15	26800	16300	8.5	L*19/36U9	EL280UH110E48C	203239946
ML16XP1-030-230	30000	12.5	15	27000	17400	9	L*19/36U9	EL296DF045XE36B	203239951
ML16XP1-030-230	30000	12.5	15	27000	17400	9	L*19/36U9	EL296DF045XV36B	203239956
ML16XP1-030-230	30000	13	16	27000	17400	9	L*19/36U9	EL296DF070XE48B	203239961
ML16XP1-030-230	30000	12.5	15	27000	17400	9	L*19/36U9	EL296DF070XV48B	203239966
ML16XP1-030-230	29200	12.5	15	26200	16600	9	L*19/36U9	EL296UH045XE36B	203239971
ML16XP1-030-230	29600	12.5	16	26200	17100	8.5	L*19/36U9	EL296UH045XV36B	203239976
ML16XP1-030-230	29600	12.5	16	26400	17100	8.5	L*19/36U9	EL296UH070XE36B	203239981
ML16XP1-030-230	29600	12.5	16	26200	17100	9	L*19/36U9	EL296UH070XV36B	203239986
ML16XP1-030-230	30000	12.5	15	27000	16500	8.5	L*19/36U9	EL296UH090XE48C	203239991

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-030-230	29400	12.5	15	27000	16300	8.5	L*19/36U9	EL296UH090XV36C	203239996
ML16XP1-030-230	29800	13	16	27000	16300	8.5	L*19/36U9	EL296UH090XV48C	203240001
ML16XP1-030-230	30000	12.5	15	27000	17500	9	L*19/36U9	ML180DF045E36A	203240006
ML16XP1-030-230	30000	13	16	27000	17300	9	L*19/36U9	ML180DF070E36B	203240011
ML16XP1-030-230	30000	13	16	27000	17200	9	L*19/36U9	ML180DF090E48B	203240016
ML16XP1-030-230	29600	13	16	26200	17000	9	L*19/36U9	ML180UH030V36A	206778420
ML16XP1-030-230	29600	12.5	16	26200	17000	8.5	L*19/36U9	ML180UH045E36A	203240021
ML16XP1-030-230	29600	13	16	26200	17000	9	L*19/36U9	ML180UH045V36A	206778427
ML16XP1-030-230	30000	13	16	26600	16800	8.5	L*19/36U9	ML180UH070E36A	206778434
ML16XP1-030-230	29400	13	16	26000	16500	9	L*19/36U9	ML180UH070E36B	203240026
ML16XP1-030-230	29600	13	16	26200	16900	9	L*19/36U9	ML180UH070V36B	206778450
ML16XP1-030-230	29600	13	16	26200	16900	9	L*19/36U9	ML180UH070V48B	206778462
ML16XP1-030-230	30000	13	16	26600	16800	8.5	L*19/36U9	ML180UH070XE36A	206778469
ML16XP1-030-230	29400	13	16	26000	16400	9	L*19/36U9	ML180UH090E48B	203240031
ML16XP1-030-230	29600	13	16	26000	16900	9	L*19/36U9	ML180UH090V48B	206778489
ML16XP1-030-230	30000	12.5	15	27000	17400	9	L*19/36U9	ML193DF045XE36B	203240036
ML16XP1-030-230	30000	12.5	15	27000	17400	9	L*19/36U9	ML193DF070XE36B	203240041
ML16XP1-030-230	29200	12.5	15	26200	16700	9	L*19/36U9	ML193UH030XE36B	203240046
ML16XP1-030-230	29200	12.5	15	26200	16700	9	L*19/36U9	ML193UH045XE36B	203240051
ML16XP1-030-230	29600	12.5	16	26200	17100	9	L*19/36U9	ML193UH070XE36B	203240056
ML16XP1-030-230	29400	12.5	15	27000	16300	8.5	L*19/36U9	ML193UH090XE36C	203240061
ML16XP1-030-230	29200	12.5	15	26800	16200	8.5	L*19/36U9	ML193UH090XE48C	203240066
ML16XP1-030-230	29200	12.5	15	26800	16200	8.5	L*19/36U9	ML193UH110XE48C	203240071
ML16XP1-030-230	30000	12.5	15	27000	17400	9	L*19/36U9	ML296DF045XV36B	203240076
ML16XP1-030-230	30000	12.5	15	27000	17400	9	L*19/36U9	ML296DF070XV48B	203240081
ML16XP1-030-230	29600	12.5	16	27000	17100	8.5	L*19/36U9	ML296UH045XV36B	203240086
ML16XP1-030-230	29600	12.5	16	27000	17100	9	L*19/36U9	ML296UH070XV36B	203240091
ML16XP1-030-230	29800	13	16	27000	16300	8.5	L*19/36U9	ML296UH090XV48C	203240096
ML16XP1-030-230	30000	12.5	15	27000	17400	9	L*19/36U9	SL280DF070V36A	203240101
ML16XP1-030-230	30000	13	16	27000	17300	9	L*19/36U9	SL280DF090V48B	203240106
ML16XP1-030-230	29800	13	16	26200	16700	9	L*19/36U9	SL280UH060NV36A	203240111
ML16XP1-030-230	29600	12.5	16	26200	17100	9	L*19/36U9	SL280UH070V36A	203240116
ML16XP1-030-230	29600	12.5	16	26200	17100	9	L*19/36U9	SL280UH070XV36A	203240121
ML16XP1-030-230	29400	13	16	26000	16400	9	L*19/36U9	SL280UH080NV48B	203240126
ML16XP1-030-230	29400	13	16	26000	16400	9	L*19/36U9	SL280UH090V36B	203240131
ML16XP1-030-230	29400	13	16	26200	16500	9	L*19/36U9	SL280UH090V48B	203240136
ML16XP1-030-230	30000	13	16	27000	16700	8.5	L*19/36U9	SL297UH040NV36B	203240141
ML16XP1-030-230	29600	12.5	16	26400	17200	9	L*19/36U9	SL297UH060NV36B	203240146
ML16XP1-030-230	29800	12.5	15	27000	16300	8.5	L*19/36U9	SL297UH080NV48C	203240151
ML16XP1-030-230	30000	12.5	15	27000	17500	9	L*19/36U9	SLP98DF070XV36B	203240156
ML16XP1-030-230	29600	12.5	16	26200	17100	9	L*19/36U9	SLP98UH070XV36B	203240161
ML16XP1-030-230	29400	12.5	15	27000	16300	8.5	L*19/36U9	SLP98UH090XV36C	203240166
ML16XP1-030-230	29800	13	16	27000	16300	8.5	L*19/36U9	SLP98UH090XV48C	203240171
ML16XP1-030-230	30000	12.5	15	28400	17500	9	L*19/36U9	SLP99DF070XV36B	205760638
ML16XP1-030-230	29600	12.5	16	26200	17100	9	L*19/36U9	SLP99UH070XV36B	205761662
ML16XP1-030-230	29400	12.5	15	27000	16300	8.5	L*19/36U9	SLP99UH090XV36C	205760650
ML16XP1-030-230	29800	13	16	27000	16300	8.5	L*19/36U9	SLP99UH090XV48C	205760661
ML16XP1-030-230	29600	12.2	14	27000	17900	8.5	L*19/36U9		203240825
ML16XP1-030-230	29600	12.5	16	26200	17100	8.5	L*24/42S9	EL280UH070XE36A	203366597
ML16XP1-030-230	30000	13	16	27000	16600	8.5	L*24/42S9	EL280UH090XE48B	203366614
ML16XP1-030-230	30000	13	16	26200	17100	8.5	L*29/36U9	EL280UH070XE36A	203366600
ML16XP1-030-230	30000	13	16	26000	16900	9	L*29/36U9	EL280UH090XE48B	203366617
ML16XP1-030-230	30000	13	16	26200	16600	9	L*30/36U9	EL180UH040NE36A	203239863
ML16XP1-030-230	30000	13	16	26200	17000	9	L*30/36U9	EL180UH060NE36A	203239868

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-030-230	30000	13	16	26000	16900	9	L*30/36U9	EL180UH080NE48B	203239873
ML16XP1-030-230	30000	13	16	26400	17200	9	L*30/36U9	EL195UH040NE36B	203239878
ML16XP1-030-230	30000	13	16	26400	17100	9	L*30/36U9	EL195UH060NE36B	203239883
ML16XP1-030-230	29400	12.5	15	26800	16300	8.5	L*30/36U9	EL195UH080NE48C	203239888
ML16XP1-030-230	30000	13	16	26000	16900	8.5	L*30/36U9	EL196UH030XE24B	203239893
ML16XP1-030-230	30000	13	16	26000	16900	8.5	L*30/36U9	EL196UH045XE24B	203239898
ML16XP1-030-230	30000	13	16	26400	17100	9	L*30/36U9	EL196UH045XE36B	203239903
ML16XP1-030-230	30000	13	16	26200	17100	9	L*30/36U9	EL196UH070XE36B	203239908
ML16XP1-030-230	29400	13	16	26800	16200	8.5	L*30/36U9	EL196UH090XE48C	203239913
ML16XP1-030-230	30000	13	16	27000	17400	9	L*30/36U9	EL280DF070E36A	203239918
ML16XP1-030-230	30000	13	16	27000	17500	9	L*30/36U9	EL280DF090E48B	203239923
ML16XP1-030-230	30000	13	16	26400	17100	9	L*30/36U9	EL280UH045E36A	203239928
ML16XP1-030-230	30000	13	16	26200	17100	8.5	L*30/36U9	EL280UH070E36A	203239933
ML16XP1-030-230	30000	13	16	26200	17100	8.5	L*30/36U9	EL280UH070XE36A	203366599
ML16XP1-030-230	30000	13	16	26400	17100	9	L*30/36U9	EL280UH090E36B	203239938
ML16XP1-030-230	30000	13	16	26000	16900	9	L*30/36U9	EL280UH090E48B	203239943
ML16XP1-030-230	30000	13	16	26000	16900	9	L*30/36U9	EL280UH090XE48B	203366616
ML16XP1-030-230	29400	12.5	15	26800	16300	8.5	L*30/36U9	EL280UH110E48C	203239948
ML16XP1-030-230	30000	12.5	15	27000	17400	9	L*30/36U9	EL296DF045XE36B	203239953
ML16XP1-030-230	30000	12.5	15	27000	17400	9	L*30/36U9	EL296DF045XV36B	203239958
ML16XP1-030-230	30000	13	16	27000	17400	9	L*30/36U9	EL296DF070XE48B	203239963
ML16XP1-030-230	30000	12.5	15	27000	17400	9	L*30/36U9	EL296DF070XV48B	203239968
ML16XP1-030-230	29400	12.5	15	26200	16600	9	L*30/36U9	EL296UH045XE36B	203239973
ML16XP1-030-230	30000	13	16	26200	17100	8.5	L*30/36U9	EL296UH045XV36B	203239978
ML16XP1-030-230	30000	13	16	26400	17100	8.5	L*30/36U9	EL296UH070XE36B	203239983
ML16XP1-030-230	30000	13	16	26200	17100	9	L*30/36U9	EL296UH070XV36B	203239988
ML16XP1-030-230	30000	12.5	15	27000	16500	8.5	L*30/36U9	EL296UH090XE48C	203239993
ML16XP1-030-230	29600	12.5	15	27000	16300	8.5	L*30/36U9	EL296UH090XV36C	203239998
ML16XP1-030-230	29800	13	16	27000	16300	8.5	L*30/36U9	EL296UH090XV48C	203240003
ML16XP1-030-230	30000	13	16	27000	17500	9	L*30/36U9	ML180DF045E36A	203240008
ML16XP1-030-230	30000	13	16	27000	17300	9	L*30/36U9	ML180DF070E36B	203240013
ML16XP1-030-230	30000	13	16	27000	17200	9	L*30/36U9	ML180DF090E48B	203240018
ML16XP1-030-230	30000	13	16	26200	17000	8.5	L*30/36U9	ML180UH045E36A	203240023
ML16XP1-030-230	30000	13	16	26200	16900	9	L*30/36U9	ML180UH070E36B	203240028
ML16XP1-030-230	30000	13	16	26000	16900	9	L*30/36U9	ML180UH090E48B	203240033
ML16XP1-030-230	30000	12.5	15	27000	17400	9	L*30/36U9	ML193DF045XE36B	203240038
ML16XP1-030-230	30000	12.5	15	27000	17400	9	L*30/36U9	ML193DF070XE36B	203240043
ML16XP1-030-230	29400	12.5	15	26200	16700	9	L*30/36U9	ML193UH030XE36B	203240048
ML16XP1-030-230	29400	12.5	15	26200	16700	9	L*30/36U9	ML193UH045XE36B	203240053
ML16XP1-030-230	30000	13	16	26200	17100	9	L*30/36U9	ML193UH070XE36B	203240058
ML16XP1-030-230	29600	12.5	15	27000	16300	8.5	L*30/36U9	ML193UH090XE36C	203240063
ML16XP1-030-230	29400	12.5	15	26800	16200	8.5	L*30/36U9	ML193UH090XE48C	203240068
ML16XP1-030-230	29400	12.5	15	26800	16200	8.5	L*30/36U9	ML193UH110XE48C	203240073
ML16XP1-030-230	30000	12.5	15	27000	17400	9	L*30/36U9	ML296DF045XV36B	203240078
ML16XP1-030-230	30000	12.5	15	27000	17400	9	L*30/36U9	ML296DF070XV48B	203240083
ML16XP1-030-230	30000	13	16	27000	17100	8.5	L*30/36U9	ML296UH045XV36B	203240088
ML16XP1-030-230	30000	13	16	27000	17100	9	L*30/36U9	ML296UH070XV36B	203240093
ML16XP1-030-230	29800	13	16	27000	16300	8.5	L*30/36U9	ML296UH090XV48C	203240098
ML16XP1-030-230	30000	12.5	15	27000	17400	9	L*30/36U9	SL280DF070V36A	203240103
ML16XP1-030-230	30000	13	16	27000	17300	9	L*30/36U9	SL280DF090V48B	203240108
ML16XP1-030-230	30000	13	16	26200	17000	9	L*30/36U9	SL280UH060NV36A	203240113
ML16XP1-030-230	30000	13	16	26200	17100	9	L*30/36U9	SL280UH070V36A	203240118
ML16XP1-030-230	30000	13	16	26200	17100	9	L*30/36U9	SL280UH070XV36A	203240123
ML16XP1-030-230	30000	13	16	26200	16900	9	L*30/36U9	SL280UH080NV48B	203240128

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-030-230	30000	13	16	26000	16900	9	L*30/36U9	SL280UH090V36B	203240133
ML16XP1-030-230	29600	13	16	26200	16500	9	L*30/36U9	SL280UH090V48B	203240138
ML16XP1-030-230	30000	13	16	26400	17100	9	L*30/36U9	SL297UH040NV36B	203240143
ML16XP1-030-230	30000	13	16	26400	17200	9	L*30/36U9	SL297UH060NV36B	203240148
ML16XP1-030-230	29800	12.5	15	27000	16300	8.5	L*30/36U9	SL297UH080NV48C	203240153
ML16XP1-030-230	30000	13	16	27000	17500	9	L*30/36U9	SLP98DF070XV36B	203240158
ML16XP1-030-230	30000	13	16	26200	17100	9	L*30/36U9	SLP98UH070XV36B	203240163
ML16XP1-030-230	29600	12.5	15	27000	16300	8.5	L*30/36U9	SLP98UH090XV36C	203240168
ML16XP1-030-230	29800	13	16	27000	16300	8.5	L*30/36U9	SLP98UH090XV48C	203240173
ML16XP1-030-230	30000	13	16	28400	17500	9	L*30/36U9	SLP99DF070XV36B	205760642
ML16XP1-030-230	30000	13	16	26200	17100	9	L*30/36U9	SLP99UH070XV36B	205761666
ML16XP1-030-230	29600	12.5	15	27000	16300	8.5	L*30/36U9	SLP99UH090XV36C	205760654
ML16XP1-030-230	29800	13	16	27000	16300	8.5	L*30/36U9	SLP99UH090XV48C	205760665
ML16XP1-030-230	30000	12.2	14.5	26600	17500	8.5	L*30/36U9		203240827
ML16XP1-030-230	30000	13	16	26200	16600	9	L*35/36U9	EL180UH040NE36A	206778320
ML16XP1-030-230	30000	13	16	26000	16900	9	L*35/36U9	EL180UH080NE48B	206778331
ML16XP1-030-230	30000	13	16	26400	17200	9	L*35/36U9	EL195UH040NE36B	206778337
ML16XP1-030-230	30000	13	16	26400	17100	9	L*35/36U9	EL195UH060NE36B	206778343
ML16XP1-030-230	30000	13	16	26400	17100	9	L*35/36U9	EL196UH045XE36B	206778350
ML16XP1-030-230	30000	13	16	26200	17100	9	L*35/36U9	EL196UH070XE36B	206778356
ML16XP1-030-230	29400	13	16	26800	16200	8.5	L*35/36U9	EL196UH090XE48C	206778361
ML16XP1-030-230	30000	13	16	26400	17100	9	L*35/36U9	EL280UH045E36A	206778363
ML16XP1-030-230	30000	13	16	26200	17100	8.5	L*35/36U9	EL280UH070E36A	206778367
ML16XP1-030-230	30000	13	16	26200	17100	8.5	L*35/36U9	EL280UH070XE36A	203366601
ML16XP1-030-230	30000	13	16	26400	17100	9	L*35/36U9	EL280UH090E36B	206778378
ML16XP1-030-230	30000	13	16	26000	16900	9	L*35/36U9	EL280UH090E48B	206778386
ML16XP1-030-230	30000	13	16	26000	16900	9	L*35/36U9	EL280UH090XE48B	203366618
ML16XP1-030-230	30000	13	16	26200	17100	8.5	L*35/36U9	EL296UH045XV36B	206778398
ML16XP1-030-230	30000	13	16	26400	17100	8.5	L*35/36U9	EL296UH070XE36B	206778404
ML16XP1-030-230	30000	13	16	26200	17100	9	L*35/36U9	EL296UH070XV36B	206778410
ML16XP1-030-230	29800	13	16	27000	16300	8.5	L*35/36U9	EL296UH090XV48C	206778418
ML16XP1-030-230	30000	13	16	26200	17000	9	L*35/36U9	ML180UH030V36A	206778422
ML16XP1-030-230	30000	13	16	26200	17000	9	L*35/36U9	ML180UH045V36A	206778429
ML16XP1-030-230	30000	13	16	26400	17100	9	L*35/36U9	ML180UH070E36A	206778436
ML16XP1-030-230	30000	13	16	26200	17000	9	L*35/36U9	ML180UH070V36A	206778440
ML16XP1-030-230	30000	13	16	26200	16900	9	L*35/36U9	ML180UH070V36B	206778455
ML16XP1-030-230	30000	13	16	26200	16900	9	L*35/36U9	ML180UH070V48B	206778467
ML16XP1-030-230	30000	13	16	26400	17100	9	L*35/36U9	ML180UH070XE36A	206778471
ML16XP1-030-230	30000	13	16	26000	16900	9	L*35/36U9	ML180UH090E48B	206778482
ML16XP1-030-230	30000	13	16	26000	16900	9	L*35/36U9	ML180UH090V48B	206778494
ML16XP1-030-230	30000	13	16	28400	17500	9	LD19/36Z9	EL280DF090E48B	205147265
ML16XP1-030-230	30000	12.5	15	28400	17400	9	LD19/36Z9	EL296DF045XE36B	205147266
ML16XP1-030-230	30000	12.5	15	28400	17400	9	LD19/36Z9	EL296DF045XV36B	205147267
ML16XP1-030-230	30000	13	16	28400	17400	9	LD19/36Z9	EL296DF070XE48B	205147268
ML16XP1-030-230	30000	12.5	15	28400	17400	9	LD19/36Z9	EL296DF070XV48B	205147269
ML16XP1-030-230	30000	13	16	28400	17300	9	LD19/36Z9	ML180DF070E36B	205147270
ML16XP1-030-230	30000	13	16	28400	17200	9	LD19/36Z9	ML180DF090E48B	205147271
ML16XP1-030-230	30000	12.5	15	28400	17400	9	LD19/36Z9	ML193DF045XE36B	205147272
ML16XP1-030-230	30000	12.5	15	28400	17400	9	LD19/36Z9	ML193DF070XE36B	205147273
ML16XP1-030-230	30000	12.5	15	28400	17400	9	LD19/36Z9	ML296DF045XV36B	205147274
ML16XP1-030-230	30000	12.5	15	28400	17400	9	LD19/36Z9	ML296DF070XV48B	205147275
ML16XP1-030-230	30000	13	16	28400	17300	9	LD19/36Z9	SL280DF090V48B	205147276
ML16XP1-030-230	30000	12.5	15	28400	17500	9	LD19/36Z9	SLP98DF070XV36B	205147277
ML16XP1-030-230	30000	12.5	15	28400	17500	9	LD19/36Z9	SLP99DF070XV36B	205760636

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-030-230	29600	12.2	14	28400	17900	8.5	LD19/36Z9		204755192
ML16XP1-030-230	30000	12.5	15	28600	17500	8.5	LD24/35Z9	ML196DF045XE36B	205707600
ML16XP1-030-230	30000	12.5	15	28600	17400	9	LD24/35Z9	ML196DF070XE48B	205707601
ML16XP1-030-230	29600	12.2	14.5	28400	17900	8.5	LD24/35Z9		204755193
ML16XP1-030-230	30000	12.2	14.5	26600	17500	8.5	LD31/36Z9		204756179
ML16XP1-030-230	28800	12.5	15	25800	16800	8.5	LH18/36D9	EL280UH090XE48B	203366605
ML16XP1-030-230	30000	13	16	26200	17000	9	LH18/37D9	EL180UH040NE36A	206778323
ML16XP1-030-230	30000	13	16	26400	17100	9	LH18/37D9	EL280UH045E36A	206778366
ML16XP1-030-230	30000	13	16	26200	17100	8.5	LH18/37D9	EL280UH070E36A	206778370
ML16XP1-030-230	30000	13	16	26200	17100	8.5	LH18/37D9	EL280UH070XE36A	203366603
ML16XP1-030-230	30000	13	16	26000	16900	9	LH18/37D9	EL280UH090XE48B	203366620
ML16XP1-030-230	30000	13	16	26200	17000	9	LH18/37D9	ML180UH030V36A	206778425
ML16XP1-030-230	30000	13	16	26200	17000	9	LH18/37D9	ML180UH045V36A	206778432
ML16XP1-030-230	30000	13	16	26400	17100	9	LH18/37D9	ML180UH070E36A	206778439
ML16XP1-030-230	30000	13	16	26200	17000	9	LH18/37D9	ML180UH070V36A	206778443
ML16XP1-030-230	30000	13	16	26400	17100	9	LH18/37D9	ML180UH070XE36A	206778474
ML16XP1-030-230	30000	13	16	26200	16600	9	LH18/37R9	EL180UH040NE36A	206778321
ML16XP1-030-230	30000	13	16	26400	17100	9	LH18/37R9	EL280UH045E36A	206778364
ML16XP1-030-230	30000	13	16	26200	17100	8.5	LH18/37R9	EL280UH070E36A	206778368
ML16XP1-030-230	30000	13	16	26200	17100	8.5	LH18/37R9	EL280UH070XE36A	203366602
ML16XP1-030-230	30000	13	16	26000	16900	9	LH18/37R9	EL280UH090XE48B	203366619
ML16XP1-030-230	30000	13	16	26200	17000	9	LH18/37R9	ML180UH030V36A	206778423
ML16XP1-030-230	30000	13	16	26200	17000	9	LH18/37R9	ML180UH045V36A	206778430
ML16XP1-030-230	30000	13	16	26400	17100	9	LH18/37R9	ML180UH070E36A	206778437
ML16XP1-030-230	30000	13	16	26200	17000	9	LH18/37R9	ML180UH070V36A	206778441
ML16XP1-030-230	30000	13	16	26400	17100	9	LH18/37R9	ML180UH070XE36A	206778472
ML16XP1-030-230	29800	13	16	26200	16600	9	LH29/36F9	EL180UH040NE36A	203239860
ML16XP1-030-230	29800	13	16	26000	16600	9	LH29/36F9	EL180UH060NE36A	203239865
ML16XP1-030-230	30000	13	16	27000	16600	8.5	LH29/36F9	EL180UH080NE48B	203239870
ML16XP1-030-230	29600	12.5	16	26400	17200	9	LH29/36F9	EL195UH040NE36B	203239875
ML16XP1-030-230	29600	12.5	16	26400	17100	9	LH29/36F9	EL195UH060NE36B	203239880
ML16XP1-030-230	29200	12.5	15	26800	16300	8.5	LH29/36F9	EL195UH080NE48C	203239885
ML16XP1-030-230	29600	12.5	16	26000	16900	8.5	LH29/36F9	EL196UH030XE24B	203239890
ML16XP1-030-230	29600	12.5	16	26000	16900	8.5	LH29/36F9	EL196UH045XE24B	203239895
ML16XP1-030-230	29600	12.5	16	26400	17100	9	LH29/36F9	EL196UH045XE36B	203239900
ML16XP1-030-230	29600	12.5	16	26200	17100	9	LH29/36F9	EL196UH070XE36B	203239905
ML16XP1-030-230	29200	13	16	26800	16200	8.5	LH29/36F9	EL196UH090XE48C	203239910
ML16XP1-030-230	30000	12.5	15	27000	17400	9	LH29/36F9	EL280DF070E36A	203239915
ML16XP1-030-230	30000	13	16	27000	17500	9	LH29/36F9	EL280DF090E48B	203239920
ML16XP1-030-230	30000	13	16	27000	16800	8.5	LH29/36F9	EL280UH045E36A	203239925
ML16XP1-030-230	29600	12.5	16	26200	17100	8.5	LH29/36F9	EL280UH070E36A	203239930
ML16XP1-030-230	29600	12.5	16	26200	17100	8.5	LH29/36F9	EL280UH070XE36A	203366592
ML16XP1-030-230	30000	13	16	26600	16900	8.5	LH29/36F9	EL280UH090E36B	203239935
ML16XP1-030-230	30000	13	16	27000	16600	8.5	LH29/36F9	EL280UH090E48B	203239940
ML16XP1-030-230	30000	13	16	27000	16600	8.5	LH29/36F9	EL280UH090XE48B	203366609
ML16XP1-030-230	29200	12.5	15	26800	16300	8.5	LH29/36F9	EL280UH110E48C	203239945
ML16XP1-030-230	30000	12.5	15	27000	17400	9	LH29/36F9	EL296DF045XE36B	203239950
ML16XP1-030-230	30000	12.5	15	27000	17400	9	LH29/36F9	EL296DF045XV36B	203239955
ML16XP1-030-230	30000	13	16	27000	17400	9	LH29/36F9	EL296DF070XE48B	203239960
ML16XP1-030-230	30000	12.5	15	27000	17400	9	LH29/36F9	EL296DF070XV48B	203239965
ML16XP1-030-230	29200	12.5	15	26200	16600	9	LH29/36F9	EL296UH045XE36B	203239970
ML16XP1-030-230	29600	12.5	16	26200	17100	8.5	LH29/36F9	EL296UH045XV36B	203239975
ML16XP1-030-230	29600	12.5	16	26400	17100	8.5	LH29/36F9	EL296UH070XE36B	203239980
ML16XP1-030-230	29600	12.5	16	26200	17100	9	LH29/36F9	EL296UH070XV36B	203239985

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-030-230	30000	12.5	15	27000	16500	8.5	LH29/36F9	EL296UH090XE48C	203239990
ML16XP1-030-230	29400	12.5	15	27000	16300	8.5	LH29/36F9	EL296UH090XV36C	203239995
ML16XP1-030-230	29800	13	16	27000	16300	8.5	LH29/36F9	EL296UH090XV48C	203240000
ML16XP1-030-230	30000	12.5	15	27000	17500	9	LH29/36F9	ML180DF045E36A	203240005
ML16XP1-030-230	30000	13	16	27000	17300	9	LH29/36F9	ML180DF070E36B	203240010
ML16XP1-030-230	30000	13	16	27000	17200	9	LH29/36F9	ML180DF090E48B	203240015
ML16XP1-030-230	29600	12.5	16	26200	17000	8.5	LH29/36F9	ML180UH045E36A	203240020
ML16XP1-030-230	29400	13	16	26000	16500	9	LH29/36F9	ML180UH070E36B	203240025
ML16XP1-030-230	29600	13	16	26200	16900	9	LH29/36F9	ML180UH070V36B	206778447
ML16XP1-030-230	29600	13	16	26200	16900	9	LH29/36F9	ML180UH070V48B	206778459
ML16XP1-030-230	29400	13	16	26000	16400	9	LH29/36F9	ML180UH090E48B	203240030
ML16XP1-030-230	29600	13	16	26000	16900	9	LH29/36F9	ML180UH090V48B	206778486
ML16XP1-030-230	30000	12.5	15	27000	17400	9	LH29/36F9	ML193DF045XE36B	203240035
ML16XP1-030-230	30000	12.5	15	27000	17400	9	LH29/36F9	ML193DF070XE36B	203240040
ML16XP1-030-230	29200	12.5	15	26200	16700	9	LH29/36F9	ML193UH030XE36B	203240045
ML16XP1-030-230	29200	12.5	15	26200	16700	9	LH29/36F9	ML193UH045XE36B	203240050
ML16XP1-030-230	29600	12.5	16	26200	17100	9	LH29/36F9	ML193UH070XE36B	203240055
ML16XP1-030-230	29400	12.5	15	27000	16300	8.5	LH29/36F9	ML193UH090XE36C	203240060
ML16XP1-030-230	29200	12.5	15	26800	16200	8.5	LH29/36F9	ML193UH090XE48C	203240065
ML16XP1-030-230	29200	12.5	15	26800	16200	8.5	LH29/36F9	ML193UH110XE48C	203240070
ML16XP1-030-230	30000	12.5	15	27000	17400	9	LH29/36F9	ML296DF045XV36B	203240075
ML16XP1-030-230	30000	12.5	15	27000	17400	9	LH29/36F9	ML296DF070XV48B	203240080
ML16XP1-030-230	29600	12.5	16	27000	17100	8.5	LH29/36F9	ML296UH045XV36B	203240085
ML16XP1-030-230	29600	12.5	16	27000	17100	9	LH29/36F9	ML296UH070XV36B	203240090
ML16XP1-030-230	29800	13	16	27000	16300	8.5	LH29/36F9	ML296UH090XV48C	203240095
ML16XP1-030-230	30000	12.5	15	27000	17400	9	LH29/36F9	SL280DF070V36A	203240100
ML16XP1-030-230	30000	13	16	27000	17300	9	LH29/36F9	SL280DF090V48B	203240105
ML16XP1-030-230	29800	13	16	26200	16700	9	LH29/36F9	SL280UH060NV36A	203240110
ML16XP1-030-230	29600	12.5	16	26200	17100	9	LH29/36F9	SL280UH070V36A	203240115
ML16XP1-030-230	29600	12.5	16	26200	17100	9	LH29/36F9	SL280UH070XV36A	203240120
ML16XP1-030-230	29400	13	16	26000	16400	9	LH29/36F9	SL280UH080NV48B	203240125
ML16XP1-030-230	29400	13	16	26000	16400	9	LH29/36F9	SL280UH090V36B	203240130
ML16XP1-030-230	29400	13	16	26200	16500	9	LH29/36F9	SL280UH090V48B	203240135
ML16XP1-030-230	30000	13	16	27000	16700	8.5	LH29/36F9	SL297UH040NV36B	203240140
ML16XP1-030-230	29600	12.5	16	26400	17200	9	LH29/36F9	SL297UH060NV36B	203240145
ML16XP1-030-230	29800	12.5	15	27000	16300	8.5	LH29/36F9	SL297UH080NV48C	203240150
ML16XP1-030-230	30000	12.5	15	27000	17500	9	LH29/36F9	SLP98DF070XV36B	203240155
ML16XP1-030-230	29600	12.5	16	26200	17100	9	LH29/36F9	SLP98UH070XV36B	203240160
ML16XP1-030-230	29400	12.5	15	27000	16300	8.5	LH29/36F9	SLP98UH090XV36C	203240165
ML16XP1-030-230	29800	13	16	27000	16300	8.5	LH29/36F9	SLP98UH090XV48C	203240170
ML16XP1-030-230	29600	12.5	16	26200	17100	9	LH29/36F9	SLP99UH070XV36B	205761660
ML16XP1-030-230	29400	12.5	15	27000	16300	8.5	LH29/36F9	SLP99UH090XV36C	205760648
ML16XP1-030-230	29800	13	16	27000	16300	8.5	LH29/36F9	SLP99UH090XV48C	205760658
ML16XP1-030-230	29600	12.2	14	27000	17900	8.5	LH29/36F9		203240824
ML16XP1-030-230	29800	13	16	26200	16600	9	LH29/36X9	EL180UH040NE36A	203239859
ML16XP1-030-230	29800	13	16	26000	16600	9	LH29/36X9	EL180UH060NE36A	203239864
ML16XP1-030-230	30000	13	16	27000	16600	8.5	LH29/36X9	EL180UH080NE48B	203239869
ML16XP1-030-230	29600	12.5	16	26400	17200	9	LH29/36X9	EL195UH040NE36B	203239874
ML16XP1-030-230	29600	12.5	16	26400	17100	9	LH29/36X9	EL195UH060NE36B	203239879
ML16XP1-030-230	29200	12.5	15	26800	16300	8.5	LH29/36X9	EL195UH080NE48C	203239884
ML16XP1-030-230	29600	12.5	16	26000	16900	8.5	LH29/36X9	EL196UH030XE24B	203239889
ML16XP1-030-230	29600	12.5	16	26000	16900	8.5	LH29/36X9	EL196UH045XE24B	203239894
ML16XP1-030-230	29600	12.5	16	26400	17100	9	LH29/36X9	EL196UH045XE36B	203239899
ML16XP1-030-230	29600	12.5	16	26200	17100	9	LH29/36X9	EL196UH070XE36B	203239904

AHRI SYSTEM MATCHESNOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-030-230	29200	13	16	26800	16200	8.5	LH29/36X9	EL196UH090XE48C	203239909
ML16XP1-030-230	30000	12.5	15	27000	17400	9	LH29/36X9	EL280DF070E36A	203239914
ML16XP1-030-230	30000	13	16	27000	17500	9	LH29/36X9	EL280DF090E48B	203239919
ML16XP1-030-230	30000	13	16	27000	16800	8.5	LH29/36X9	EL280UH045E36A	203239924
ML16XP1-030-230	29600	12.5	16	26200	17100	8.5	LH29/36X9	EL280UH070E36A	203239929
ML16XP1-030-230	29600	12.5	16	26200	17100	8.5	LH29/36X9	EL280UH070XE36A	203366591
ML16XP1-030-230	30000	13	16	26600	16900	8.5	LH29/36X9	EL280UH090E36B	203239934
ML16XP1-030-230	30000	13	16	27000	16600	8.5	LH29/36X9	EL280UH090E48B	203239939
ML16XP1-030-230	30000	13	16	27000	16600	8.5	LH29/36X9	EL280UH090XE48B	203366608
ML16XP1-030-230	29200	12.5	15	26800	16300	8.5	LH29/36X9	EL280UH110E48C	203239944
ML16XP1-030-230	30000	12.5	15	27000	17400	9	LH29/36X9	EL296DF045XE36B	203239949
ML16XP1-030-230	30000	12.5	15	27000	17400	9	LH29/36X9	EL296DF045XV36B	203239954
ML16XP1-030-230	30000	13	16	27000	17400	9	LH29/36X9	EL296DF070XE48B	203239959
ML16XP1-030-230	30000	12.5	15	27000	17400	9	LH29/36X9	EL296DF070XV48B	203239964
ML16XP1-030-230	29200	12.5	15	26200	16600	9	LH29/36X9	EL296UH045XE36B	203239969
ML16XP1-030-230	29600	12.5	16	26200	17100	8.5	LH29/36X9	EL296UH045XV36B	203239974
ML16XP1-030-230	29600	12.5	16	26400	17100	8.5	LH29/36X9	EL296UH070XE36B	203239979
ML16XP1-030-230	29600	12.5	16	26200	17100	9	LH29/36X9	EL296UH070XV36B	203239984
ML16XP1-030-230	30000	12.5	15	27000	16500	8.5	LH29/36X9	EL296UH090XE48C	203239989
ML16XP1-030-230	29400	12.5	15	27000	16300	8.5	LH29/36X9	EL296UH090XV36C	203239994
ML16XP1-030-230	29800	13	16	27000	16300	8.5	LH29/36X9	EL296UH090XV48C	203239999
ML16XP1-030-230	30000	12.5	15	27000	17500	9	LH29/36X9	ML180DF045E36A	203240004
ML16XP1-030-230	30000	13	16	27000	17300	9	LH29/36X9	ML180DF070E36B	203240009
ML16XP1-030-230	30000	13	16	27000	17200	9	LH29/36X9	ML180DF090E48B	203240014
ML16XP1-030-230	29600	12.5	16	26200	17000	8.5	LH29/36X9	ML180UH045E36A	203240019
ML16XP1-030-230	29400	13	16	26000	16500	9	LH29/36X9	ML180UH070E36B	203240024
ML16XP1-030-230	29600	13	16	26200	16900	9	LH29/36X9	ML180UH070V36B	206778446
ML16XP1-030-230	29600	13	16	26200	16900	9	LH29/36X9	ML180UH070V48B	206778458
ML16XP1-030-230	29400	13	16	26000	16400	9	LH29/36X9	ML180UH090E48B	203240029
ML16XP1-030-230	29600	13	16	26000	16900	9	LH29/36X9	ML180UH090V48B	206778485
ML16XP1-030-230	30000	12.5	15	27000	17400	9	LH29/36X9	ML193DF045XE36B	203240034
ML16XP1-030-230	30000	12.5	15	27000	17400	9	LH29/36X9	ML193DF070XE36B	203240039
ML16XP1-030-230	29200	12.5	15	26200	16700	9	LH29/36X9	ML193UH030XE36B	203240044
ML16XP1-030-230	29200	12.5	15	26200	16700	9	LH29/36X9	ML193UH045XE36B	203240049
ML16XP1-030-230	29600	12.5	16	26200	17100	9	LH29/36X9	ML193UH070XE36B	203240054
ML16XP1-030-230	29400	12.5	15	27000	16300	8.5	LH29/36X9	ML193UH090XE36C	203240059
ML16XP1-030-230	29200	12.5	15	26800	16200	8.5	LH29/36X9	ML193UH090XE48C	203240064
ML16XP1-030-230	29200	12.5	15	26800	16200	8.5	LH29/36X9	ML193UH110XE48C	203240069
ML16XP1-030-230	30000	12.5	15	27000	17400	9	LH29/36X9	ML296DF045XV36B	203240074
ML16XP1-030-230	30000	12.5	15	27000	17400	9	LH29/36X9	ML296DF070XV48B	203240079
ML16XP1-030-230	29600	12.5	16	27000	17100	8.5	LH29/36X9	ML296UH045XV36B	203240084
ML16XP1-030-230	29600	12.5	16	27000	17100	9	LH29/36X9	ML296UH070XV36B	203240089
ML16XP1-030-230	29800	13	16	27000	16300	8.5	LH29/36X9	ML296UH090XV48C	203240094
ML16XP1-030-230	30000	12.5	15	27000	17400	9	LH29/36X9	SL280DF070V36A	203240099
ML16XP1-030-230	30000	13	16	27000	17300	9	LH29/36X9	SL280DF090V48B	203240104
ML16XP1-030-230	29800	13	16	26200	16700	9	LH29/36X9	SL280UH060NV36A	203240109
ML16XP1-030-230	29600	12.5	16	26200	17100	9	LH29/36X9	SL280UH070V36A	203240114
ML16XP1-030-230	29600	12.5	16	26200	17100	9	LH29/36X9	SL280UH070XV36A	203240119
ML16XP1-030-230	29400	13	16	26000	16400	9	LH29/36X9	SL280UH080NV48B	203240124
ML16XP1-030-230	29400	13	16	26000	16400	9	LH29/36X9	SL280UH090V36B	203240129
ML16XP1-030-230	29400	13	16	26200	16500	9	LH29/36X9	SL280UH090V48B	203240134
ML16XP1-030-230	30000	13	16	27000	16700	8.5	LH29/36X9	SL297UH040NV36B	203240139
ML16XP1-030-230	29600	12.5	16	26400	17200	9	LH29/36X9	SL297UH060NV36B	203240144
ML16XP1-030-230	29800	12.5	15	27000	16300	8.5	LH29/36X9	SL297UH080NV48C	203240149

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-030-230	30000	12.5	15	27000	17500	9	LH29/36X9	SLP98DF070XV36B	203240154
ML16XP1-030-230	29600	12.5	16	26200	17100	9	LH29/36X9	SLP98UH070XV36B	203240159
ML16XP1-030-230	29400	12.5	15	27000	16300	8.5	LH29/36X9	SLP98UH090XV36C	203240164
ML16XP1-030-230	29800	13	16	27000	16300	8.5	LH29/36X9	SLP98UH090XV48C	203240169
ML16XP1-030-230	29600	12.5	16	26200	17100	9	LH29/36X9	SLP99UH070XV36B	205761658
ML16XP1-030-230	29400	12.5	15	27000	16300	8.5	LH29/36X9	SLP99UH090XV36C	205760646
ML16XP1-030-230	29800	13	16	27000	16300	8.5	LH29/36X9	SLP99UH090XV48C	205760656
ML16XP1-030-230	29600	12.2	14	27000	17900	8.5	LH29/36X9		203240823
ML16XP1-030-230	29200	12.5	15	26200	16600	8.5	LH35/36E9	EL280UH090XE48B	203366604
ML16XP1-030-230	30000	13	16	26000	16900	9	LH35/36F9	EL180UH080NE48B	206778327
ML16XP1-030-230	30000	13	16	26400	17200	9	LH35/36F9	EL195UH040NE36B	206778334
ML16XP1-030-230	30000	13	16	26400	17100	9	LH35/36F9	EL195UH060NE36B	206778340
ML16XP1-030-230	30000	13	16	26400	17100	9	LH35/36F9	EL196UH045XE36B	206778347
ML16XP1-030-230	30000	13	16	26200	17100	9	LH35/36F9	EL196UH070XE36B	206778353
ML16XP1-030-230	30000	13	16	26200	17100	8.5	LH35/36F9	EL280UH070XE36A	203366594
ML16XP1-030-230	30000	13	16	26400	17100	9	LH35/36F9	EL280UH090E36B	206778374
ML16XP1-030-230	30000	13	16	26000	16900	9	LH35/36F9	EL280UH090E48B	206778382
ML16XP1-030-230	30000	13	16	26000	16900	9	LH35/36F9	EL280UH090XE48B	203366611
ML16XP1-030-230	30000	13	16	26200	17100	8.5	LH35/36F9	EL296UH045XV36B	206778395
ML16XP1-030-230	30000	13	16	26400	17100	8.5	LH35/36F9	EL296UH070XE36B	206778401
ML16XP1-030-230	30000	13	16	26200	17100	9	LH35/36F9	EL296UH070XV36B	206778407
ML16XP1-030-230	30000	13	16	26200	16900	9	LH35/36F9	ML180UH070V36B	206778449
ML16XP1-030-230	30000	13	16	26200	16900	9	LH35/36F9	ML180UH070V48B	206778461
ML16XP1-030-230	30000	13	16	26000	16900	9	LH35/36F9	ML180UH090E48B	206778478
ML16XP1-030-230	30000	13	16	26000	16900	9	LH35/36F9	ML180UH090V48B	206778488
ML16XP1-030-230	30000	13	16	26000	16900	9	LH35/36X9	EL180UH080NE48B	206778326
ML16XP1-030-230	30000	13	16	26400	17200	9	LH35/36X9	EL195UH040NE36B	206778333
ML16XP1-030-230	30000	13	16	26400	17100	9	LH35/36X9	EL195UH060NE36B	206778339
ML16XP1-030-230	30000	13	16	26400	17100	9	LH35/36X9	EL196UH045XE36B	206778346
ML16XP1-030-230	30000	13	16	26200	17100	9	LH35/36X9	EL196UH070XE36B	206778352
ML16XP1-030-230	30000	13	16	26200	17100	8.5	LH35/36X9	EL280UH070XE36A	203366593
ML16XP1-030-230	30000	13	16	26400	17100	9	LH35/36X9	EL280UH090E36B	206778373
ML16XP1-030-230	30000	13	16	26000	16900	9	LH35/36X9	EL280UH090E48B	206778381
ML16XP1-030-230	30000	13	16	26000	16900	9	LH35/36X9	EL280UH090XE48B	203366610
ML16XP1-030-230	30000	13	16	26200	17100	8.5	LH35/36X9	EL296UH045XV36B	206778394
ML16XP1-030-230	30000	13	16	26400	17100	8.5	LH35/36X9	EL296UH070XE36B	206778400
ML16XP1-030-230	30000	13	16	26200	17100	9	LH35/36X9	EL296UH070XV36B	206778406
ML16XP1-030-230	30000	13	16	26200	16900	9	LH35/36X9	ML180UH070V36B	206778448
ML16XP1-030-230	30000	13	16	26200	16900	9	LH35/36X9	ML180UH070V48B	206778460
ML16XP1-030-230	30000	13	16	26000	16900	9	LH35/36X9	ML180UH090E48B	206778477
ML16XP1-030-230	30000	13	16	26000	16900	9	LH35/36X9	ML180UH090V48B	206778487
ML16XP1-030-230	30000	13	16	26000	16900	9	LH35/38X9	EL180UH080NE48B	206778330
ML16XP1-030-230	30000	13	16	26400	17200	9	LH35/38X9	EL195UH040NE36B	206778336
ML16XP1-030-230	30000	13	16	26400	17100	9	LH35/38X9	EL195UH060NE36B	206778342
ML16XP1-030-230	30000	13	16	26400	17100	9	LH35/38X9	EL196UH045XE36B	206778349
ML16XP1-030-230	30000	13	16	26200	17100	9	LH35/38X9	EL196UH070XE36B	206778355
ML16XP1-030-230	29400	13	16	26800	16200	8.5	LH35/38X9	EL196UH090XE48C	206778360
ML16XP1-030-230	30000	13	16	26400	16800	8.5	LH35/38X9	EL280UH070XE36A	203366598
ML16XP1-030-230	30000	13	16	26400	17100	9	LH35/38X9	EL280UH090E36B	206778377
ML16XP1-030-230	30000	13	16	26000	16900	9	LH35/38X9	EL280UH090E48B	206778385
ML16XP1-030-230	30000	13	16	26000	16900	9	LH35/38X9	EL280UH090XE48B	203366615
ML16XP1-030-230	30000	13	16	26400	16800	8.5	LH35/38X9	EL296UH045XE36B	206778392
ML16XP1-030-230	30000	13	16	26400	16800	8.5	LH35/38X9	EL296UH045XV36B	206778397
ML16XP1-030-230	30000	13	16	26600	16900	8.5	LH35/38X9	EL296UH070XE36B	206778403

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-030-230	30000	13	16	26200	17100	9	LH35/38X9	EL296UH070XV36B	206778409
ML16XP1-030-230	30000	13	16	27200	16500	8.5	LH35/38X9	EL296UH090XE48C	206778412
ML16XP1-030-230	29800	13	16	27000	16300	8.5	LH35/38X9	EL296UH090XV48C	206778417
ML16XP1-030-230	30000	13	16	26200	16900	9	LH35/38X9	ML180UH070V36B	206778454
ML16XP1-030-230	30000	13	16	26200	16900	9	LH35/38X9	ML180UH070V48B	206778466
ML16XP1-030-230	30000	13	16	26000	16900	9	LH35/38X9	ML180UH090E48B	206778481
ML16XP1-030-230	30000	13	16	26000	16900	9	LH35/38X9	ML180UH090V48B	206778493
ML16XP1-030-230	29600	12.2	14	28400	17900	8.5	LS*36943E		205304031
ML16XP1-030-230	30000	13	16	26200	16600	9	PL36H***P449	EL180UH040NE36A	206778322
ML16XP1-030-230	30000	13	16	26400	17100	9	PL36H***P449	EL280UH045E36A	206778365
ML16XP1-030-230	30000	13	16	26200	17100	8.5	PL36H***P449	EL280UH070E36A	206778369
ML16XP1-030-230	30000	13	16	26200	17100	8.5	PL36H***P449	EL280UH070XE36A	206778371
ML16XP1-030-230	30000	13	16	26200	17000	9	PL36H***P449	ML180UH030V36A	206778424
ML16XP1-030-230	30000	13	16	26200	17000	9	PL36H***P449	ML180UH045V36A	206778431
ML16XP1-030-230	30000	13	16	26400	17100	9	PL36H***P449	ML180UH070E36A	206778438
ML16XP1-030-230	30000	13	16	26200	17000	9	PL36H***P449	ML180UH070V36A	206778442
ML16XP1-030-230	30000	13	16	26400	17100	9	PL36H***P449	ML180UH070XE36A	206778473
ML16XP1-030-230	30000	13	16	26000	16900	9	PL36H210P29	EL180UH080NE48B	206778324
ML16XP1-030-230	30000	13	16	26400	17200	9	PL36H210P29	EL195UH040NE36B	206778332
ML16XP1-030-230	30000	13	16	26400	17100	9	PL36H210P29	EL195UH060NE36B	206778338
ML16XP1-030-230	29400	13	16	26800	16300	8.5	PL36H210P29	EL195UH080NE48C	206778344
ML16XP1-030-230	30000	13	16	26400	17100	9	PL36H210P29	EL196UH045XE36B	206778345
ML16XP1-030-230	30000	13	16	26200	17100	9	PL36H210P29	EL196UH070XE36B	206778351
ML16XP1-030-230	29400	13	16	26800	16200	8.5	PL36H210P29	EL196UH090XE48C	206778357
ML16XP1-030-230	30000	13	16	26400	17100	9	PL36H210P29	EL280UH090E36B	206778372
ML16XP1-030-230	30000	13	16	26000	16900	9	PL36H210P29	EL280UH090E48B	206778379
ML16XP1-030-230	30000	13	16	26000	16900	9	PL36H210P29	EL280UH090XE48B	206778387
ML16XP1-030-230	29400	13	16	26800	16300	8.5	PL36H210P29	EL280UH110E48C	206778390
ML16XP1-030-230	29400	13	16	26200	16600	9	PL36H210P29	EL296UH045XE36B	206778391
ML16XP1-030-230	29400	13	16	26200	16600	9	PL36H210P29	EL296UH045XV36B	206778393
ML16XP1-030-230	29600	13	16	26400	16700	9	PL36H210P29	EL296UH070XE36B	206778399
ML16XP1-030-230	30000	13	16	26200	17100	9	PL36H210P29	EL296UH070XV36B	206778405
ML16XP1-030-230	30000	13	16	27200	16500	8.5	PL36H210P29	EL296UH090XE48C	206778411
ML16XP1-030-230	29600	13	16	27000	16300	8.5	PL36H210P29	EL296UH090XV36C	206778413
ML16XP1-030-230	29800	13	16	27000	16300	8.5	PL36H210P29	EL296UH090XV48C	206778414
ML16XP1-030-230	30000	13	16	26200	16900	9	PL36H210P29	ML180UH070V36B	206778444
ML16XP1-030-230	30000	13	16	26200	16900	9	PL36H210P29	ML180UH070V48B	206778456
ML16XP1-030-230	30000	13	16	26000	16900	9	PL36H210P29	ML180UH090E48B	206778475
ML16XP1-030-230	30000	13	16	26000	16900	9	PL36H210P29	ML180UH090V48B	206778483
ML16XP1-030-230	30000	13	16	26200	16600	8.5	PL36H210P74	EL180UH080NE48B	206778328
ML16XP1-030-230	29200	13	16	26800	16200	8.5	PL36H210P74	EL196UH090XE48C	206778358
ML16XP1-030-230	30000	13	16	26600	16900	8.5	PL36H210P74	EL280UH090E36B	206778375
ML16XP1-030-230	30000	13	16	26200	16600	8.5	PL36H210P74	EL280UH090E48B	206778383
ML16XP1-030-230	30000	13	16	26200	16600	8.5	PL36H210P74	EL280UH090XE48B	206778388
ML16XP1-030-230	29600	13	16	27000	16300	8.5	PL36H210P74	EL296UH090XV48C	206778415
ML16XP1-030-230	29200	13	16	26000	16500	9	PL36H210P74	ML180UH070V36B	206778452
ML16XP1-030-230	29200	13	16	26000	16500	9	PL36H210P74	ML180UH070V48B	206778464
ML16XP1-030-230	30000	13	16	26200	16600	8.5	PL36H210P74	ML180UH090E48B	206778479
ML16XP1-030-230	30000	13	16	26200	16600	8.5	PL36H210P74	ML180UH090V48B	206778491
ML16XP1-030-230	30000	13	16	26000	16900	9	PL36H210P75	EL180UH080NE48B	206778329
ML16XP1-030-230	30000	13	16	26400	17200	9	PL36H210P75	EL195UH040NE36B	206778335
ML16XP1-030-230	30000	13	16	26400	17100	9	PL36H210P75	EL195UH060NE36B	206778341
ML16XP1-030-230	30000	13	16	26400	17100	9	PL36H210P75	EL196UH045XE36B	206778348
ML16XP1-030-230	30000	13	16	26200	17100	9	PL36H210P75	EL196UH070XE36B	206778354

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-030-230	29400	13	16	26800	16200	8.5	PL36H210P75	EL196UH090XE48C	206778359
ML16XP1-030-230	30000	13	16	26400	17100	9	PL36H210P75	EL280UH090E36B	206778376
ML16XP1-030-230	30000	13	16	26000	16900	9	PL36H210P75	EL280UH090E48B	206778384
ML16XP1-030-230	30000	13	16	26000	16900	9	PL36H210P75	EL280UH090XE48B	206778389
ML16XP1-030-230	30000	13	16	26200	17100	8.5	PL36H210P75	EL296UH045XV36B	206778396
ML16XP1-030-230	30000	13	16	26400	17100	8.5	PL36H210P75	EL296UH070XE36B	206778402
ML16XP1-030-230	30000	13	16	26200	17100	9	PL36H210P75	EL296UH070XV36B	206778408
ML16XP1-030-230	29800	13	16	27000	16300	8.5	PL36H210P75	EL296UH090XV48C	206778416
ML16XP1-030-230	30000	13	16	26200	16900	9	PL36H210P75	ML180UH070V36B	206778453
ML16XP1-030-230	30000	13	16	26200	16900	9	PL36H210P75	ML180UH070V48B	206778465
ML16XP1-030-230	30000	13	16	26000	16900	9	PL36H210P75	ML180UH090E48B	206778480
ML16XP1-030-230	30000	13	16	26000	16900	9	PL36H210P75	ML180UH090V48B	206778492
ML16XP1-036-230	35600	12.5	16	33400	21800	9.5	L*19/36S9	EL180UH040NE36A	203240175
ML16XP1-036-230	35600	12.5	16	33400	21800	9	L*19/36S9	EL180UH060NE36A	203240181
ML16XP1-036-230	35600	12.5	16	33000	21400	9.5	L*19/36S9	EL180UH080NE48B	203240187
ML16XP1-036-230	35400	12.5	16	33200	21800	9	L*19/36S9	EL195UH040NE36B	203240193
ML16XP1-036-230	35400	12.5	16	33200	21800	9	L*19/36S9	EL195UH060NE36B	203240199
ML16XP1-036-230	35200	12.2	15	33400	21800	9	L*19/36S9	EL195UH080NE48C	203240205
ML16XP1-036-230	35400	12.5	16	33200	21600	9	L*19/36S9	EL196UH045XE36B	203240211
ML16XP1-036-230	35400	12.5	16	33200	21600	9	L*19/36S9	EL196UH070XE36B	203240217
ML16XP1-036-230	35200	12.5	16	32200	20800	9	L*19/36S9	EL196UH090XE48C	203240223
ML16XP1-036-230	35200	12.5	16	33400	22600	9.5	L*19/36S9	EL280DF090E48B	203240229
ML16XP1-036-230	35600	12.5	16	33200	21800	9	L*19/36S9	EL280UH070E36A	203240239
ML16XP1-036-230	35600	12.5	16	33200	21800	9	L*19/36S9	EL280UH070XE36A	203366623
ML16XP1-036-230	35600	12.5	16	33400	21800	9.5	L*19/36S9	EL280UH090E36B	203240245
ML16XP1-036-230	35600	12.5	16	33200	21600	9.5	L*19/36S9	EL280UH090E48B	203240251
ML16XP1-036-230	35600	12.5	16	33200	21600	9.5	L*19/36S9	EL280UH090XE48B	203366642
ML16XP1-036-230	35000	12.5	16	32400	21000	9	L*19/36S9	EL280UH110E48C	203240257
ML16XP1-036-230	34800	12.5	15	32400	21200	9	L*19/36S9	EL280UH110E60C	203240263
ML16XP1-036-230	34800	12.5	15	32400	21200	9	L*19/36S9	EL280UH110XE60C	203366661
ML16XP1-036-230	34600	12.5	15	33400	22200	9	L*19/36S9	EL296DF045XE36B	203240269
ML16XP1-036-230	35000	12.5	15	33400	22400	9	L*19/36S9	EL296DF045XV36B	203240275
ML16XP1-036-230	35200	12.5	16	33400	22400	9.5	L*19/36S9	EL296DF070XE48B	203240281
ML16XP1-036-230	35000	12.5	15	33400	22600	9	L*19/36S9	EL296DF070XV48B	203240287
ML16XP1-036-230	35400	12.5	16	33400	22400	9.5	L*19/36S9	EL296DF090XE48C	203240293
ML16XP1-036-230	35000	12.5	16	33000	21600	9	L*19/36S9	EL296UH045XE36B	203240299
ML16XP1-036-230	35600	12.5	16	33400	21800	9	L*19/36S9	EL296UH045XV36B	203240305
ML16XP1-036-230	35200	12.5	16	33200	21800	9	L*19/36S9	EL296UH070XE36B	203240311
ML16XP1-036-230	35600	12.5	16	33400	21800	9	L*19/36S9	EL296UH070XV36B	203240317
ML16XP1-036-230	35200	12.5	16	32000	20800	9	L*19/36S9	EL296UH090XE48C	203240323
ML16XP1-036-230	35200	12.5	16	32000	20800	9	L*19/36S9	EL296UH090XV36C	203240329
ML16XP1-036-230	35200	12.5	16	32000	20800	9	L*19/36S9	EL296UH090XV48C	203240335
ML16XP1-036-230	34200	12.2	16	31400	20400	9	L*19/36S9	EL296UH110XV48C	203240341
ML16XP1-036-230	34800	13	16	33400	22000	9	L*19/36S9	ML180DF070E36B	203240347
ML16XP1-036-230	35800	13	16	33400	22400	9.5	L*19/36S9	ML180DF090E48B	203240353
ML16XP1-036-230	35600	13	16	33200	21600	9.5	L*19/36S9	ML180UH030V36A	206777842
ML16XP1-036-230	35600	12.5	16	33400	21800	9	L*19/36S9	ML180UH045E36A	203240359
ML16XP1-036-230	35600	13	16	33200	21600	9.5	L*19/36S9	ML180UH045V36A	206777846
ML16XP1-036-230	35600	12.5	16	33600	22000	9.5	L*19/36S9	ML180UH070E36A	206362031
ML16XP1-036-230	35600	12.5	16	33400	21800	9	L*19/36S9	ML180UH070E36B	203240365
ML16XP1-036-230	35400	13	16	33000	21600	9.5	L*19/36S9	ML180UH070V36B	206777858
ML16XP1-036-230	35600	13	16	33200	21600	9.5	L*19/36S9	ML180UH070V48B	206777867
ML16XP1-036-230	35600	12.5	16	33200	21600	9.5	L*19/36S9	ML180UH090E48B	203240371
ML16XP1-036-230	34600	12.5	15	33400	22400	9	L*19/36S9	ML193DF045XE36B	203240377

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-036-230	34600	12.5	15	33400	22400	9	L*19/36S9	ML193DF070XE36B	203240383
ML16XP1-036-230	35400	12.5	16	33400	22400	9.5	L*19/36S9	ML193DF090XE48C	203240389
ML16XP1-036-230	35600	12.2	15	33400	22200	9	L*19/36S9	ML193UH030XE36B	203240395
ML16XP1-036-230	35600	12.2	15	33400	22000	9	L*19/36S9	ML193UH045XE36B	203240401
ML16XP1-036-230	35400	12.5	16	33200	21800	9	L*19/36S9	ML193UH070XE36B	203240407
ML16XP1-036-230	35000	12.5	15	32600	21200	9	L*19/36S9	ML193UH090XE36C	203240413
ML16XP1-036-230	35200	12.5	16	32200	20800	9	L*19/36S9	ML193UH090XE48C	203240419
ML16XP1-036-230	35200	12.5	16	32200	20800	9	L*19/36S9	ML193UH110XE48C	203240425
ML16XP1-036-230	35200	12.5	15	32000	21000	9	L*19/36S9	ML193UH110XE60C	203240431
ML16XP1-036-230	35600	12.5	16	33400	21800	9	L*19/36S9	ML296UH045XV36B	203240437
ML16XP1-036-230	35600	12.5	16	33400	21800	9	L*19/36S9	ML296UH070XV36B	203240443
ML16XP1-036-230	35200	12.5	16	32000	20800	9	L*19/36S9	ML296UH090XV48C	203240449
ML16XP1-036-230	35200	12.5	16	33400	22400	9.5	L*19/36S9	SL280DF090V48B	203240455
ML16XP1-036-230	35600	12.5	16	33200	21600	9.5	L*19/36S9	SL280UH060NV36A	203240461
ML16XP1-036-230	35600	12.5	16	33400	21800	9	L*19/36S9	SL280UH070V36A	203240467
ML16XP1-036-230	35600	12.5	16	33400	21800	9	L*19/36S9	SL280UH070XV36A	203240473
ML16XP1-036-230	35600	12.5	16	33000	21400	9.5	L*19/36S9	SL280UH080NV48B	203240479
ML16XP1-036-230	35600	12.5	16	33000	21600	9.5	L*19/36S9	SL280UH090V36B	203240485
ML16XP1-036-230	35600	12.5	16	33200	21600	9.5	L*19/36S9	SL280UH090V48B	203240491
ML16XP1-036-230	35600	12.5	16	33400	21800	9	L*19/36S9	SL297UH040NV36B	203240497
ML16XP1-036-230	35600	12.5	16	33200	21800	9	L*19/36S9	SL297UH060NV36B	203240503
ML16XP1-036-230	35200	12.5	16	32000	20800	9	L*19/36S9	SL297UH080NV48C	203240509
ML16XP1-036-230	35200	12.5	15	33400	22400	9	L*19/36S9	SLP98DF070XV36B	203240515
ML16XP1-036-230	35200	12.5	16	33400	22600	9.5	L*19/36S9	SLP98DF090XV36C	203240521
ML16XP1-036-230	35400	12.5	16	33400	22400	9.5	L*19/36S9	SLP98DF090XV48C	203240527
ML16XP1-036-230	35600	12.5	16	33400	21800	9	L*19/36S9	SLP98UH070XV36B	203240533
ML16XP1-036-230	35200	12.5	16	32000	20800	9	L*19/36S9	SLP98UH090XV36C	203240539
ML16XP1-036-230	35200	12.5	16	32000	20800	9	L*19/36S9	SLP98UH090XV48C	203240545
ML16XP1-036-230	35200	12.5	15	34400	22400	9	L*19/36S9	SLP99DF070XV36B	205760667
ML16XP1-036-230	35200	12.5	16	34400	22600	9.5	L*19/36S9	SLP99DF090XV36C	205760677
ML16XP1-036-230	35400	12.5	16	34400	22400	9.5	L*19/36S9	SLP99DF090XV48C	205760687
ML16XP1-036-230	35600	12.5	16	33400	21800	9	L*19/36S9	SLP99UH070XV36B	205760699
ML16XP1-036-230	35200	12.5	16	32000	20800	9	L*19/36S9	SLP99UH090XV36C	205763762
ML16XP1-036-230	35200	12.5	16	32000	20800	9	L*19/36S9	SLP99UH090XV48C	205763768
ML16XP1-036-230	34400	11.7	14.5	33400	23200	9	L*19/36S9		203240829
ML16XP1-036-230	36000	13	16	33000	21400	9.5	L*23/37Z9	EL180UH080NE48B	206777742
ML16XP1-036-230	35800	13	16	32800	21200	9	L*23/37Z9	EL195UH040NE36B	206777748
ML16XP1-036-230	36000	13	16	32600	21200	9	L*23/37Z9	EL195UH060NE36B	206777754
ML16XP1-036-230	36000	13	16	32000	20600	9	L*23/37Z9	EL195UH080NE48C	206777757
ML16XP1-036-230	36000	13	16	32600	21200	9	L*23/37Z9	EL196UH045XE36B	206777763
ML16XP1-036-230	36000	13	16	32600	21200	9.5	L*23/37Z9	EL196UH070XE36B	206777769
ML16XP1-036-230	36000	13	16	32000	20600	9.5	L*23/37Z9	EL196UH090XE48C	206777774
ML16XP1-036-230	36000	13	16	33200	21800	9	L*23/37Z9	EL280UH070XE36A	203366636
ML16XP1-036-230	36000	13	16	33200	21400	9.5	L*23/37Z9	EL280UH090E36B	206777784
ML16XP1-036-230	36000	13	16	33000	21200	9.5	L*23/37Z9	EL280UH090E48B	206777790
ML16XP1-036-230	36000	13	16	33200	21600	9.5	L*23/37Z9	EL280UH090XE48B	203366655
ML16XP1-036-230	36000	13	16	31800	20400	9.5	L*23/37Z9	EL280UH110E48C	206777796
ML16XP1-036-230	36000	13	16	32000	20600	9	L*23/37Z9	EL280UH110E60C	206777801
ML16XP1-036-230	36000	13	16	33200	20400	9	L*23/37Z9	EL280UH110XE60C	203366674
ML16XP1-036-230	35400	13	16	33000	21600	9	L*23/37Z9	EL296UH045XE36B	206777808
ML16XP1-036-230	36000	13	16	33400	21800	9	L*23/37Z9	EL296UH045XV36B	206777814
ML16XP1-036-230	36000	13	16	32600	21200	9	L*23/37Z9	EL296UH070XE36B	206777820
ML16XP1-036-230	36000	13	16	32800	21400	9.5	L*23/37Z9	EL296UH070XV36B	206777826
ML16XP1-036-230	36000	13	16	32600	21200	9.5	L*23/37Z9	EL296UH090XE48C	206777831

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-036-230	36000	13	16	32000	20600	9.5	L*23/37Z9	EL296UH090XV36C	206777836
ML16XP1-036-230	36000	13	16	32200	20600	9.5	L*23/37Z9	EL296UH090XV48C	206777841
ML16XP1-036-230	36000	13	16	32800	21200	9.5	L*23/37Z9	ML180UH070V36B	206777863
ML16XP1-036-230	36000	13	16	33000	21400	9.5	L*23/37Z9	ML180UH070V48B	206777872
ML16XP1-036-230	36000	13	16	33200	21600	9.5	L*23/37Z9	ML180UH090E48B	206777881
ML16XP1-036-230	36000	13	16	33000	21200	9.5	L*23/37Z9	ML180UH090V48B	206777888
ML16XP1-036-230	36000	13	17	32200	20800	9.5	L*23/37Z9	ML180UH110V60C	206777894
ML16XP1-036-230	36000	13	16	33400	21800	9.5	L*24/36Y9	EL180UH040NE36A	203240179
ML16XP1-036-230	36000	13	16	33400	21800	9	L*24/36Y9	EL180UH060NE36A	203240185
ML16XP1-036-230	36000	13	16	33000	21000	9.5	L*24/36Y9	EL180UH080NE48B	203240191
ML16XP1-036-230	35800	13	16	33200	21800	9	L*24/36Y9	EL195UH040NE36B	203240197
ML16XP1-036-230	36000	13	16	32600	21200	9	L*24/36Y9	EL195UH060NE36B	203240203
ML16XP1-036-230	36000	13	16	32000	20600	9	L*24/36Y9	EL195UH080NE48C	203240209
ML16XP1-036-230	36000	13	16	32600	21200	9	L*24/36Y9	EL196UH045XE36B	203240215
ML16XP1-036-230	36000	13	16	32600	21200	9.5	L*24/36Y9	EL196UH070XE36B	203240221
ML16XP1-036-230	36000	13	16	32800	20600	9.5	L*24/36Y9	EL196UH090XE48C	203240227
ML16XP1-036-230	35600	13	16	33400	22600	9.5	L*24/36Y9	EL280DF090E48B	203240233
ML16XP1-036-230	36000	13	16	33400	22000	9	L*24/36Y9	EL280UH045E36A	203240237
ML16XP1-036-230	36000	13	16	33200	21800	9	L*24/36Y9	EL280UH070E36A	203240243
ML16XP1-036-230	36000	13	16	33200	21800	9	L*24/36Y9	EL280UH070XE36A	203366639
ML16XP1-036-230	36000	13	16	33400	21400	9.5	L*24/36Y9	EL280UH090E36B	203240249
ML16XP1-036-230	36000	13	16	33200	21600	9.5	L*24/36Y9	EL280UH090E48B	203240255
ML16XP1-036-230	36000	13	16	33200	21600	9.5	L*24/36Y9	EL280UH090XE48B	203366658
ML16XP1-036-230	36000	13	16	32600	20400	9.5	L*24/36Y9	EL280UH110E48C	203240261
ML16XP1-036-230	36000	13	16	33400	20600	9	L*24/36Y9	EL280UH110E60C	203240267
ML16XP1-036-230	36000	13	16	33400	20600	9	L*24/36Y9	EL280UH110XE60C	203366677
ML16XP1-036-230	35200	13	16	33400	22600	9.5	L*24/36Y9	EL296DF045XE36B	203240273
ML16XP1-036-230	35600	13	16	33400	22600	9.5	L*24/36Y9	EL296DF045XV36B	203240279
ML16XP1-036-230	35600	13	16	33400	22400	9.5	L*24/36Y9	EL296DF070XE48B	203240285
ML16XP1-036-230	35600	13	16	33400	22800	9.5	L*24/36Y9	EL296DF070XV48B	203240291
ML16XP1-036-230	35800	13	16	33400	22400	9.5	L*24/36Y9	EL296DF090XE48C	203240297
ML16XP1-036-230	35400	13	16	33000	21600	9	L*24/36Y9	EL296UH045XE36B	203240303
ML16XP1-036-230	36000	13	16	33400	21800	9	L*24/36Y9	EL296UH045XV36B	203240309
ML16XP1-036-230	36000	13	16	32600	21200	9	L*24/36Y9	EL296UH070XE36B	203240315
ML16XP1-036-230	36000	13	16	32800	21400	9.5	L*24/36Y9	EL296UH070XV36B	203240321
ML16XP1-036-230	36000	13	16	32600	21200	9.5	L*24/36Y9	EL296UH090XE48C	203240327
ML16XP1-036-230	36000	13	16	32600	21200	9.5	L*24/36Y9	EL296UH090XV36C	203240333
ML16XP1-036-230	36000	13	16	32200	20600	9.5	L*24/36Y9	EL296UH090XV48C	203240339
ML16XP1-036-230	36000	13	16	31800	20400	9.5	L*24/36Y9	EL296UH110XV48C	203240345
ML16XP1-036-230	35400	13	16	33400	22200	9.5	L*24/36Y9	ML180DF070E36B	203240351
ML16XP1-036-230	36000	13	16	33400	22400	9.5	L*24/36Y9	ML180DF090E48B	203240357
ML16XP1-036-230	36000	13	16	33400	21800	9	L*24/36Y9	ML180UH045E36A	203240363
ML16XP1-036-230	36000	13	16	33600	22000	9.5	L*24/36Y9	ML180UH070E36A	206362033
ML16XP1-036-230	36000	13	16	32800	21400	9.5	L*24/36Y9	ML180UH070E36B	203240369
ML16XP1-036-230	36000	13	16	33200	21600	9.5	L*24/36Y9	ML180UH090E48B	203240375
ML16XP1-036-230	35400	13	16	33400	22600	9.5	L*24/36Y9	ML193DF045XE36B	203240381
ML16XP1-036-230	35400	13	16	33400	22600	9.5	L*24/36Y9	ML193DF070XE36B	203240387
ML16XP1-036-230	35800	13	16	33400	22400	9.5	L*24/36Y9	ML193DF090XE48C	203240393
ML16XP1-036-230	36000	13	16	33400	22200	9	L*24/36Y9	ML193UH030XE36B	203240399
ML16XP1-036-230	36000	13	16	33400	22000	9	L*24/36Y9	ML193UH045XE36B	203240405
ML16XP1-036-230	36000	13	16	32600	21200	9	L*24/36Y9	ML193UH070XE36B	203240411
ML16XP1-036-230	36000	13	16	32800	20600	9	L*24/36Y9	ML193UH090XE36C	203240417
ML16XP1-036-230	36000	13	16	32600	21200	9.5	L*24/36Y9	ML193UH090XE48C	203240423
ML16XP1-036-230	36000	13	16	32400	20600	9.5	L*24/36Y9	ML193UH110XE48C	203240429

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-036-230	36000	13	16	32200	20400	9	L*24/36Y9	ML193UH110XE60C	203240435
ML16XP1-036-230	36000	13	16	33400	21800	9	L*24/36Y9	ML296UH045XV36B	203240441
ML16XP1-036-230	36000	13	16	33400	21400	9.5	L*24/36Y9	ML296UH070XV36B	203240447
ML16XP1-036-230	36000	13	16	32200	20600	9.5	L*24/36Y9	ML296UH090XV48C	203240453
ML16XP1-036-230	35600	13	16	33400	22400	9.5	L*24/36Y9	SL280DF090V48B	203240459
ML16XP1-036-230	36000	13	16	33200	21600	9.5	L*24/36Y9	SL280UH060NV36A	203240465
ML16XP1-036-230	36000	13	16	33400	21800	9	L*24/36Y9	SL280UH070V36A	203240471
ML16XP1-036-230	36000	13	16	33400	21800	9	L*24/36Y9	SL280UH070XV36A	203240477
ML16XP1-036-230	36000	13	16	33000	21400	9.5	L*24/36Y9	SL280UH080NV48B	203240483
ML16XP1-036-230	36000	13	16	33000	21600	9.5	L*24/36Y9	SL280UH090V36B	203240489
ML16XP1-036-230	36000	13	16	33200	21200	9.5	L*24/36Y9	SL280UH090V48B	203240495
ML16XP1-036-230	36000	13	16	32800	21400	9.5	L*24/36Y9	SL297UH040NV36B	203240501
ML16XP1-036-230	36000	13	16	32800	21400	9.5	L*24/36Y9	SL297UH060NV36B	203240507
ML16XP1-036-230	36000	13	16	32000	20600	9.5	L*24/36Y9	SL297UH080NV48C	203240513
ML16XP1-036-230	35600	13	16	33400	22600	9.5	L*24/36Y9	SLP98DF070XV36B	203240519
ML16XP1-036-230	35600	13	16	33400	22600	9.5	L*24/36Y9	SLP98DF090XV36C	203240525
ML16XP1-036-230	35800	13	16	33400	22400	9.5	L*24/36Y9	SLP98DF090XV48C	203240531
ML16XP1-036-230	36000	13	16	32800	21400	9.5	L*24/36Y9	SLP98UH070XV36B	203240537
ML16XP1-036-230	36000	13	16	32600	21200	9.5	L*24/36Y9	SLP98UH090XV36C	203240543
ML16XP1-036-230	36000	13	16	32200	20600	9.5	L*24/36Y9	SLP98UH090XV48C	203240549
ML16XP1-036-230	35600	13	16	34400	22600	9.5	L*24/36Y9	SLP99DF070XV36B	205760675
ML16XP1-036-230	35600	13	16	34400	22600	9.5	L*24/36Y9	SLP99DF090XV36C	205760685
ML16XP1-036-230	35800	13	16	34400	22400	9.5	L*24/36Y9	SLP99DF090XV48C	205760695
ML16XP1-036-230	36000	13	16	32800	21400	9.5	L*24/36Y9	SLP99UH070XV36B	205761673
ML16XP1-036-230	36000	13	16	32600	21200	9.5	L*24/36Y9	SLP99UH090XV36C	205761682
ML16XP1-036-230	36000	13	16	32200	20600	9.5	L*24/36Y9	SLP99UH090XV48C	205763486
ML16XP1-036-230	34800	12.5	15	33400	23200	9	L*24/36Y9		203240833
ML16XP1-036-230	36000	13	16	33200	21800	9	L*24/36Z9	EL280UH070XE36A	203366638
ML16XP1-036-230	36000	13	16	33200	21600	9.5	L*24/36Z9	EL280UH090XE48B	203366657
ML16XP1-036-230	36000	13	16	32200	20400	9	L*24/36Z9	EL280UH110XE60C	203366676
ML16XP1-036-230	35600	12.5	16	33200	21800	9	L*24/42S9	EL280UH070XE36A	203366624
ML16XP1-036-230	35600	12.5	16	33200	21600	9.5	L*24/42S9	EL280UH090XE48B	203366643
ML16XP1-036-230	34800	12.5	15	32400	21200	9	L*24/42S9	EL280UH110XE60C	203366662
ML16XP1-036-230	36000	13	16	33200	21800	9	L*25/37Z9	EL280UH070XE36A	203366637
ML16XP1-036-230	36000	13	16	33200	21600	9.5	L*25/37Z9	EL280UH090XE48B	203366656
ML16XP1-036-230	36000	13	16	33200	20400	9	L*25/37Z9	EL280UH110XE60C	203366675
ML16XP1-036-230	36000	13	16	33200	21800	9	L*29/36S9	EL280UH070XE36A	203366632
ML16XP1-036-230	36000	13	16	33200	21600	9.5	L*29/36S9	EL280UH090XE48B	203366651
ML16XP1-036-230	36000	13	16	32200	20400	9	L*29/36S9	EL280UH110XE60C	203366670
ML16XP1-036-230	36000	13	16	33200	21800	9	L*29/36U9	EL280UH070XE36A	203366630
ML16XP1-036-230	36000	13	16	33200	21600	9.5	L*29/36U9	EL280UH090XE48B	203366649
ML16XP1-036-230	36000	13	16	32200	20400	9	L*29/36U9	EL280UH110XE60C	203366668
ML16XP1-036-230	36000	13	16	33400	21800	9.5	L*30/36S9	EL180UH040NE36A	203240177
ML16XP1-036-230	36000	13	16	33400	21800	9	L*30/36S9	EL180UH060NE36A	203240183
ML16XP1-036-230	36000	13	16	33000	21400	9.5	L*30/36S9	EL180UH080NE48B	203240189
ML16XP1-036-230	35800	13	16	33400	21800	9	L*30/36S9	EL195UH040NE36B	203240195
ML16XP1-036-230	36000	13	16	32600	21200	9	L*30/36S9	EL195UH060NE36B	203240201
ML16XP1-036-230	36000	12.5	15	33400	21800	9	L*30/36S9	EL195UH080NE48C	203240207
ML16XP1-036-230	36000	13	16	32600	21200	9	L*30/36S9	EL196UH045XE36B	203240213
ML16XP1-036-230	36000	13	16	32600	21200	9.5	L*30/36S9	EL196UH070XE36B	203240219
ML16XP1-036-230	36000	13	16	32200	20800	9.5	L*30/36S9	EL196UH090XE48C	203240225
ML16XP1-036-230	35600	13	16	33400	22600	9.5	L*30/36S9	EL280DF090E48B	203240231
ML16XP1-036-230	36000	13	16	33400	22000	9	L*30/36S9	EL280UH045E36A	203240235
ML16XP1-036-230	36000	13	16	33200	21800	9	L*30/36S9	EL280UH070E36A	203240241

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-036-230	36000	13	16	33200	21800	9	L*30/36S9	EL280UH070XE36A	203366629
ML16XP1-036-230	36000	13	16	33400	21800	9.5	L*30/36S9	EL280UH090E36B	203240247
ML16XP1-036-230	36000	13	16	33200	21600	9.5	L*30/36S9	EL280UH090E48B	203240253
ML16XP1-036-230	36000	13	16	33200	21600	9.5	L*30/36S9	EL280UH090XE48B	203366648
ML16XP1-036-230	35800	13	16	33400	21000	9.5	L*30/36S9	EL280UH110E48C	203240259
ML16XP1-036-230	35800	13	16	33400	20400	9	L*30/36S9	EL280UH110E60C	203240265
ML16XP1-036-230	35800	13	16	33400	20400	9	L*30/36S9	EL280UH110XE60C	203366667
ML16XP1-036-230	35200	12.5	15	33400	22600	9.5	L*30/36S9	EL296DF045XE36B	203240271
ML16XP1-036-230	35600	12.5	15	33400	22600	9.5	L*30/36S9	EL296DF045XV36B	203240277
ML16XP1-036-230	35600	13	16	33400	22400	9.5	L*30/36S9	EL296DF070XE48B	203240283
ML16XP1-036-230	35600	12.5	15	33400	22800	9.5	L*30/36S9	EL296DF070XV48B	203240289
ML16XP1-036-230	35800	13	16	33400	22400	9.5	L*30/36S9	EL296DF090XE48C	203240295
ML16XP1-036-230	35400	13	16	33400	21600	9	L*30/36S9	EL296UH045XE36B	203240301
ML16XP1-036-230	36000	13	16	33400	21800	9	L*30/36S9	EL296UH045XV36B	203240307
ML16XP1-036-230	36000	13	16	32600	21200	9	L*30/36S9	EL296UH070XE36B	203240313
ML16XP1-036-230	36000	13	16	32800	21400	9.5	L*30/36S9	EL296UH070XV36B	203240319
ML16XP1-036-230	35800	13	16	33400	21200	9.5	L*30/36S9	EL296UH090XE48C	203240325
ML16XP1-036-230	35800	13	16	33400	21200	9.5	L*30/36S9	EL296UH090XV36C	203240331
ML16XP1-036-230	36000	13	16	33400	20800	9	L*30/36S9	EL296UH090XV48C	203240337
ML16XP1-036-230	36000	13	16	33200	21600	9	L*30/36S9	EL296UH110XV48C	203240343
ML16XP1-036-230	35400	13	16	33400	22200	9.5	L*30/36S9	ML180DF070E36B	203240349
ML16XP1-036-230	36000	13	16	33400	22400	9.5	L*30/36S9	ML180DF090E48B	203240355
ML16XP1-036-230	36000	13	16	33400	21800	9	L*30/36S9	ML180UH045E36A	203240361
ML16XP1-036-230	36000	13	16	32800	21400	9.5	L*30/36S9	ML180UH070E36B	203240367
ML16XP1-036-230	36000	13	16	33200	21600	9.5	L*30/36S9	ML180UH090E48B	203240373
ML16XP1-036-230	35400	12.5	15	33400	22600	9.5	L*30/36S9	ML193DF045XE36B	203240379
ML16XP1-036-230	35400	12.5	15	33400	22600	9.5	L*30/36S9	ML193DF070XE36B	203240385
ML16XP1-036-230	35800	13	16	33400	22400	9.5	L*30/36S9	ML193DF090XE48C	203240391
ML16XP1-036-230	36000	12.5	15	33400	22200	9	L*30/36S9	ML193UH030XE36B	203240397
ML16XP1-036-230	36000	12.5	15	33400	22000	9	L*30/36S9	ML193UH045XE36B	203240403
ML16XP1-036-230	36000	13	16	32600	21200	9	L*30/36S9	ML193UH070XE36B	203240409
ML16XP1-036-230	35800	13	16	33400	21200	9	L*30/36S9	ML193UH090XE36C	203240415
ML16XP1-036-230	35800	13	16	33400	21200	9.5	L*30/36S9	ML193UH090XE48C	203240421
ML16XP1-036-230	36000	13	16	32200	20800	9.5	L*30/36S9	ML193UH110XE48C	203240427
ML16XP1-036-230	36000	13	16	32000	21000	9	L*30/36S9	ML193UH110XE60C	203240433
ML16XP1-036-230	36000	13	16	33400	21800	9	L*30/36S9	ML296UH045XV36B	203240439
ML16XP1-036-230	36000	13	16	33400	21400	9.5	L*30/36S9	ML296UH070XV36B	203240445
ML16XP1-036-230	36000	13	16	33200	20800	9	L*30/36S9	ML296UH090XV48C	203240451
ML16XP1-036-230	35600	13	16	33400	22400	9.5	L*30/36S9	SL280DF090V48B	203240457
ML16XP1-036-230	36000	13	16	33200	21600	9.5	L*30/36S9	SL280UH060NV36A	203240463
ML16XP1-036-230	36000	13	16	33400	21800	9	L*30/36S9	SL280UH070V36A	203240469
ML16XP1-036-230	36000	13	16	33400	21800	9	L*30/36S9	SL280UH070XV36A	203240475
ML16XP1-036-230	36000	13	16	33000	21400	9.5	L*30/36S9	SL280UH080NV48B	203240481
ML16XP1-036-230	36000	13	16	33000	21600	9.5	L*30/36S9	SL280UH090V36B	203240487
ML16XP1-036-230	36000	13	16	33200	21600	9.5	L*30/36S9	SL280UH090V48B	203240493
ML16XP1-036-230	36000	13	16	32800	21400	9.5	L*30/36S9	SL297UH040NV36B	203240499
ML16XP1-036-230	36000	13	16	32800	21400	9.5	L*30/36S9	SL297UH060NV36B	203240505
ML16XP1-036-230	36000	13	16	33200	20800	9	L*30/36S9	SL297UH080NV48C	203240511
ML16XP1-036-230	35200	13	16	33400	22400	9	L*30/36S9	SLP98DF070XV36B	203240517
ML16XP1-036-230	35600	13	16	33400	22600	9.5	L*30/36S9	SLP98DF090XV36C	203240523
ML16XP1-036-230	35800	13	16	33400	22400	9.5	L*30/36S9	SLP98DF090XV48C	203240529
ML16XP1-036-230	36000	13	16	32800	21400	9.5	L*30/36S9	SLP98UH070XV36B	203240535
ML16XP1-036-230	35800	13	16	33400	21200	9.5	L*30/36S9	SLP98UH090XV36C	203240541
ML16XP1-036-230	36000	13	16	32000	20800	9	L*30/36S9	SLP98UH090XV48C	203240547

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-036-230	35200	13	16	34400	22400	9	L*30/36S9	SLP99DF070XV36B	205760670
ML16XP1-036-230	35600	13	16	34400	22600	9.5	L*30/36S9	SLP99DF090XV36C	205760681
ML16XP1-036-230	35800	13	16	34400	22400	9.5	L*30/36S9	SLP99DF090XV48C	205760691
ML16XP1-036-230	36000	13	16	32800	21400	9.5	L*30/36S9	SLP99UH070XV36B	205761670
ML16XP1-036-230	35800	13	16	32600	21200	9.5	L*30/36S9	SLP99UH090XV36C	205761678
ML16XP1-036-230	36000	13	16	32000	20800	9	L*30/36S9	SLP99UH090XV48C	205763773
ML16XP1-036-230	35800	12.2	14.5	33200	21800	9	L*30/36S9		203240831
ML16XP1-036-230	36000	13	16	33400	21800	9.5	L*30/36U9	EL180UH040NE36A	203240176
ML16XP1-036-230	36000	13	16	33400	21800	9	L*30/36U9	EL180UH060NE36A	203240182
ML16XP1-036-230	36000	13	16	33000	21400	9.5	L*30/36U9	EL180UH080NE48B	203240188
ML16XP1-036-230	35800	13	16	33200	21800	9	L*30/36U9	EL195UH040NE36B	203240194
ML16XP1-036-230	36000	13	16	32600	21200	9	L*30/36U9	EL195UH060NE36B	203240200
ML16XP1-036-230	36000	12.5	15	33400	21800	9	L*30/36U9	EL195UH080NE48C	203240206
ML16XP1-036-230	36000	13	16	32600	21200	9	L*30/36U9	EL196UH045XE36B	203240212
ML16XP1-036-230	36000	13	16	32600	21200	9.5	L*30/36U9	EL196UH070XE36B	203240218
ML16XP1-036-230	36000	13	16	32200	20800	9.5	L*30/36U9	EL196UH090XE48C	203240224
ML16XP1-036-230	35600	13	16	33400	22600	9.5	L*30/36U9	EL280DF090E48B	203240230
ML16XP1-036-230	36000	13	16	33400	22000	9	L*30/36U9	EL280UH045E36A	203240234
ML16XP1-036-230	36000	13	16	33200	21800	9	L*30/36U9	EL280UH070E36A	203240240
ML16XP1-036-230	36000	13	16	33200	21800	9	L*30/36U9	EL280UH070XE36A	203366628
ML16XP1-036-230	36000	13	16	33400	21800	9.5	L*30/36U9	EL280UH090E36B	203240246
ML16XP1-036-230	36000	13	16	33200	21200	9.5	L*30/36U9	EL280UH090E48B	203240252
ML16XP1-036-230	36000	13	16	33200	21600	9.5	L*30/36U9	EL280UH090XE48B	203366647
ML16XP1-036-230	35800	13	16	32600	21000	9.5	L*30/36U9	EL280UH110E48C	203240258
ML16XP1-036-230	35800	13	16	32200	20400	9	L*30/36U9	EL280UH110E60C	203240264
ML16XP1-036-230	35800	13	16	32200	20400	9	L*30/36U9	EL280UH110XE60C	203366666
ML16XP1-036-230	35200	12.5	15	33400	22600	9.5	L*30/36U9	EL296DF045XE36B	203240270
ML16XP1-036-230	35600	12.5	15	33400	22600	9.5	L*30/36U9	EL296DF045XV36B	203240276
ML16XP1-036-230	35600	13	16	33400	22400	9.5	L*30/36U9	EL296DF070XE48B	203240282
ML16XP1-036-230	35600	12.5	15	33400	22800	9.5	L*30/36U9	EL296DF070XV48B	203240288
ML16XP1-036-230	35800	13	16	33400	22400	9.5	L*30/36U9	EL296DF090XE48C	203240294
ML16XP1-036-230	35400	13	16	33000	21600	9	L*30/36U9	EL296UH045XE36B	203240300
ML16XP1-036-230	36000	13	16	33400	21800	9	L*30/36U9	EL296UH045XV36B	203240306
ML16XP1-036-230	36000	13	16	32600	21200	9	L*30/36U9	EL296UH070XE36B	203240312
ML16XP1-036-230	36000	13	16	32800	21400	9.5	L*30/36U9	EL296UH070XV36B	203240318
ML16XP1-036-230	35800	13	16	32600	21200	9.5	L*30/36U9	EL296UH090XE48C	203240324
ML16XP1-036-230	35800	13	16	32600	21200	9.5	L*30/36U9	EL296UH090XV36C	203240330
ML16XP1-036-230	36000	13	16	33400	20800	9	L*30/36U9	EL296UH090XV48C	203240336
ML16XP1-036-230	36000	13	16	33200	21600	9	L*30/36U9	EL296UH110XV48C	203240342
ML16XP1-036-230	35400	13	16	33400	22200	9.5	L*30/36U9	ML180DF070E36B	203240348
ML16XP1-036-230	36000	13	16	33400	22400	9.5	L*30/36U9	ML180DF090E48B	203240354
ML16XP1-036-230	36000	13	16	33400	21800	9	L*30/36U9	ML180UH045E36A	203240360
ML16XP1-036-230	36000	13	16	32800	21400	9.5	L*30/36U9	ML180UH070E36B	203240366
ML16XP1-036-230	36000	13	16	33200	21200	9.5	L*30/36U9	ML180UH090E48B	203240372
ML16XP1-036-230	35400	12.5	15	33400	22600	9.5	L*30/36U9	ML193DF045XE36B	203240378
ML16XP1-036-230	35400	12.5	15	33400	22600	9.5	L*30/36U9	ML193DF070XE36B	203240384
ML16XP1-036-230	35800	13	16	33400	22400	9.5	L*30/36U9	ML193DF090XE48C	203240390
ML16XP1-036-230	36000	12.5	15	33400	21600	9	L*30/36U9	ML193UH030XE36B	203240396
ML16XP1-036-230	36000	12.5	15	33400	21400	9	L*30/36U9	ML193UH045XE36B	203240402
ML16XP1-036-230	36000	13	16	32600	21200	9	L*30/36U9	ML193UH070XE36B	203240408
ML16XP1-036-230	35800	13	16	32800	21200	9	L*30/36U9	ML193UH090XE36C	203240414
ML16XP1-036-230	35800	13	16	32600	21200	9.5	L*30/36U9	ML193UH090XE48C	203240420
ML16XP1-036-230	36000	13	16	32200	20800	9.5	L*30/36U9	ML193UH110XE48C	203240426
ML16XP1-036-230	36000	13	16	32000	21000	9	L*30/36U9	ML193UH110XE60C	203240432

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-036-230	36000	13	16	33400	21800	9	L*30/36U9	ML296UH045XV36B	203240438
ML16XP1-036-230	36000	13	16	33400	21400	9.5	L*30/36U9	ML296UH070XV36B	203240444
ML16XP1-036-230	36000	13	16	33200	20800	9	L*30/36U9	ML296UH090XV48C	203240450
ML16XP1-036-230	35600	13	16	33400	22400	9.5	L*30/36U9	SL280DF090V48B	203240456
ML16XP1-036-230	36000	13	16	33200	21600	9.5	L*30/36U9	SL280UH060NV36A	203240462
ML16XP1-036-230	36000	13	16	33400	21800	9	L*30/36U9	SL280UH070V36A	203240468
ML16XP1-036-230	36000	13	16	33400	21800	9	L*30/36U9	SL280UH070XV36A	203240474
ML16XP1-036-230	36000	13	16	33000	21000	9.5	L*30/36U9	SL280UH080NV48B	203240480
ML16XP1-036-230	36000	13	16	33000	21200	9.5	L*30/36U9	SL280UH090V36B	203240486
ML16XP1-036-230	36000	13	16	33200	21600	9.5	L*30/36U9	SL280UH090V48B	203240492
ML16XP1-036-230	36000	13	16	32800	21400	9.5	L*30/36U9	SL297UH040NV36B	203240498
ML16XP1-036-230	36000	13	16	32800	21400	9.5	L*30/36U9	SL297UH060NV36B	203240504
ML16XP1-036-230	36000	13	16	33200	20800	9	L*30/36U9	SL297UH080NV48C	203240510
ML16XP1-036-230	35200	13	16	33400	22400	9	L*30/36U9	SLP98DF070XV36B	203240516
ML16XP1-036-230	35600	13	16	33400	22600	9.5	L*30/36U9	SLP98DF090XV36C	203240522
ML16XP1-036-230	35800	13	16	33400	22400	9.5	L*30/36U9	SLP98DF090XV48C	203240528
ML16XP1-036-230	36000	13	16	32800	21400	9.5	L*30/36U9	SLP98UH070XV36B	203240534
ML16XP1-036-230	35800	13	16	32600	21200	9.5	L*30/36U9	SLP98UH090XV36C	203240540
ML16XP1-036-230	36000	13	16	32000	20800	9	L*30/36U9	SLP98UH090XV48C	203240546
ML16XP1-036-230	35200	13	16	34400	22400	9	L*30/36U9	SLP99DF070XV36B	205760669
ML16XP1-036-230	35600	13	16	34400	22600	9.5	L*30/36U9	SLP99DF090XV36C	205760679
ML16XP1-036-230	35800	13	16	34400	22400	9.5	L*30/36U9	SLP99DF090XV48C	205760689
ML16XP1-036-230	36000	13	16	32800	21400	9.5	L*30/36U9	SLP99UH070XV36B	205761668
ML16XP1-036-230	35800	13	16	32600	21200	9.5	L*30/36U9	SLP99UH090XV36C	205761676
ML16XP1-036-230	36000	13	16	32000	20800	9	L*30/36U9	SLP99UH090XV48C	205763770
ML16XP1-036-230	35800	12.2	14.5	33200	21800	9	L*30/36U9		203240830
ML16XP1-036-230	36000	13	16	33400	21800	9.5	L*35/36S9	EL180UH040NE36A	203240178
ML16XP1-036-230	36000	13	16	33400	21800	9	L*35/36S9	EL180UH060NE36A	203240184
ML16XP1-036-230	36000	13	16	33000	21000	9.5	L*35/36S9	EL180UH080NE48B	203240190
ML16XP1-036-230	35800	13	16	33200	21800	9	L*35/36S9	EL195UH040NE36B	203240196
ML16XP1-036-230	36000	13	16	32600	21200	9	L*35/36S9	EL195UH060NE36B	203240202
ML16XP1-036-230	36000	12.5	15	33400	21800	9	L*35/36S9	EL195UH080NE48C	203240208
ML16XP1-036-230	36000	13	16	32600	21200	9	L*35/36S9	EL196UH045XE36B	203240214
ML16XP1-036-230	36000	13	16	32600	21200	9.5	L*35/36S9	EL196UH070XE36B	203240220
ML16XP1-036-230	36000	13	16	32800	21200	9.5	L*35/36S9	EL196UH090XE48C	203240226
ML16XP1-036-230	35600	13	16	33400	22600	9.5	L*35/36S9	EL280DF090E48B	203240232
ML16XP1-036-230	36000	13	16	33400	22000	9	L*35/36S9	EL280UH045E36A	203240236
ML16XP1-036-230	36000	13	16	33200	21800	9	L*35/36S9	EL280UH070E36A	203240242
ML16XP1-036-230	36000	13	16	33200	21800	9	L*35/36S9	EL280UH070XE36A	203366633
ML16XP1-036-230	36000	13	16	33400	21400	9.5	L*35/36S9	EL280UH090E36B	203240248
ML16XP1-036-230	36000	13	16	33200	21600	9.5	L*35/36S9	EL280UH090E48B	203240254
ML16XP1-036-230	36000	13	16	33200	21600	9.5	L*35/36S9	EL280UH090XE48B	203366652
ML16XP1-036-230	36000	13	16	32600	21000	9.5	L*35/36S9	EL280UH110E48C	203240260
ML16XP1-036-230	36000	13	16	32200	20400	9	L*35/36S9	EL280UH110E60C	203240266
ML16XP1-036-230	36000	13	16	32200	20400	9	L*35/36S9	EL280UH110XE60C	203366671
ML16XP1-036-230	35200	12.5	15	33400	22600	9.5	L*35/36S9	EL296DF045XE36B	203240272
ML16XP1-036-230	35600	12.5	15	33400	22600	9.5	L*35/36S9	EL296DF045XV36B	203240278
ML16XP1-036-230	35600	13	16	33400	22400	9.5	L*35/36S9	EL296DF070XE48B	203240284
ML16XP1-036-230	35600	12.5	15	33400	22800	9.5	L*35/36S9	EL296DF070XV48B	203240290
ML16XP1-036-230	35800	13	16	33400	22400	9.5	L*35/36S9	EL296DF090XE48C	203240296
ML16XP1-036-230	35400	13	16	33000	21600	9	L*35/36S9	EL296UH045XE36B	203240302
ML16XP1-036-230	36000	13	16	33400	21800	9	L*35/36S9	EL296UH045XV36B	203240308
ML16XP1-036-230	36000	13	16	32600	21200	9	L*35/36S9	EL296UH070XE36B	203240314
ML16XP1-036-230	36000	13	16	32800	21400	9.5	L*35/36S9	EL296UH070XV36B	203240320

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-036-230	36000	13	16	32600	21200	9.5	L*35/36S9	EL296UH090XE48C	203240326
ML16XP1-036-230	36000	13	16	32600	21200	9.5	L*35/36S9	EL296UH090XV36C	203240332
ML16XP1-036-230	36000	13	16	33400	20800	9	L*35/36S9	EL296UH090XV48C	203240338
ML16XP1-036-230	36000	13	16	33200	21600	9	L*35/36S9	EL296UH110XV48C	203240344
ML16XP1-036-230	35400	13	16	33400	22200	9.5	L*35/36S9	ML180DF070E36B	203240350
ML16XP1-036-230	36000	13	16	33400	22400	9.5	L*35/36S9	ML180DF090E48B	203240356
ML16XP1-036-230	36000	13	16	33200	21600	9.5	L*35/36S9	ML180UH030V36A	206777844
ML16XP1-036-230	36000	13	16	33400	21800	9	L*35/36S9	ML180UH045E36A	203240362
ML16XP1-036-230	36000	13	16	33200	21600	9.5	L*35/36S9	ML180UH045V36A	206777848
ML16XP1-036-230	36000	13	16	33600	22000	9.5	L*35/36S9	ML180UH070E36A	206362032
ML16XP1-036-230	36000	13	16	32800	21400	9.5	L*35/36S9	ML180UH070E36B	203240368
ML16XP1-036-230	36000	13	16	33200	21800	9	L*35/36S9	ML180UH070V36A	206777853
ML16XP1-036-230	36000	13	16	32400	21200	9.5	L*35/36S9	ML180UH070V36B	206777862
ML16XP1-036-230	36000	13	16	32600	21200	9.5	L*35/36S9	ML180UH070V48B	206777871
ML16XP1-036-230	36000	13	16	33600	22000	9.5	L*35/36S9	ML180UH070XE36A	206777874
ML16XP1-036-230	36000	13	16	33200	21600	9.5	L*35/36S9	ML180UH090E48B	203240374
ML16XP1-036-230	36000	13	16	32400	21200	9.5	L*35/36S9	ML180UH090V48B	206777887
ML16XP1-036-230	36000	13	17	32200	20800	9.5	L*35/36S9	ML180UH110V60C	206777892
ML16XP1-036-230	35400	12.5	15	33400	22600	9.5	L*35/36S9	ML193DF045XE36B	203240380
ML16XP1-036-230	35400	12.5	15	33400	22600	9.5	L*35/36S9	ML193DF070XE36B	203240386
ML16XP1-036-230	35800	13	16	33400	22400	9.5	L*35/36S9	ML193DF090XE48C	203240392
ML16XP1-036-230	36000	12.5	15	33400	22200	9	L*35/36S9	ML193UH030XE36B	203240398
ML16XP1-036-230	36000	12.5	15	33400	22000	9	L*35/36S9	ML193UH045XE36B	203240404
ML16XP1-036-230	36000	13	16	32600	21200	9	L*35/36S9	ML193UH070XE36B	203240410
ML16XP1-036-230	36000	13	16	32800	21200	9	L*35/36S9	ML193UH090XE36C	203240416
ML16XP1-036-230	36000	13	16	32600	21200	9.5	L*35/36S9	ML193UH090XE48C	203240422
ML16XP1-036-230	36000	13	16	32400	21000	9.5	L*35/36S9	ML193UH110XE48C	203240428
ML16XP1-036-230	36000	13	16	33400	21000	9	L*35/36S9	ML193UH110XE60C	203240434
ML16XP1-036-230	36000	13	16	33400	21800	9	L*35/36S9	ML296UH045XV36B	203240440
ML16XP1-036-230	36000	13	16	33400	21400	9.5	L*35/36S9	ML296UH070XV36B	203240446
ML16XP1-036-230	36000	13	16	33200	20800	9	L*35/36S9	ML296UH090XV48C	203240452
ML16XP1-036-230	35600	13	16	33400	22400	9.5	L*35/36S9	SL280DF090V48B	203240458
ML16XP1-036-230	36000	13	16	33200	21600	9.5	L*35/36S9	SL280UH060NV36A	203240464
ML16XP1-036-230	36000	13	16	33400	21800	9	L*35/36S9	SL280UH070V36A	203240470
ML16XP1-036-230	36000	13	16	33400	21800	9	L*35/36S9	SL280UH070XV36A	203240476
ML16XP1-036-230	36000	13	16	33000	21400	9.5	L*35/36S9	SL280UH080NV48B	203240482
ML16XP1-036-230	36000	13	16	33000	21600	9.5	L*35/36S9	SL280UH090V36B	203240488
ML16XP1-036-230	36000	13	16	33200	21600	9.5	L*35/36S9	SL280UH090V48B	203240494
ML16XP1-036-230	36000	13	16	32800	21400	9.5	L*35/36S9	SL297UH040NV36B	203240500
ML16XP1-036-230	36000	13	16	32800	21400	9.5	L*35/36S9	SL297UH060NV36B	203240506
ML16XP1-036-230	36000	13	16	33200	20800	9	L*35/36S9	SL297UH080NV48C	203240512
ML16XP1-036-230	35200	13	16	33400	22400	9	L*35/36S9	SLP98DF070XV36B	203240518
ML16XP1-036-230	35600	13	16	33400	22600	9.5	L*35/36S9	SLP98DF090XV36C	203240524
ML16XP1-036-230	35800	13	16	33400	22400	9.5	L*35/36S9	SLP98DF090XV48C	203240530
ML16XP1-036-230	36000	13	16	32800	21400	9.5	L*35/36S9	SLP98UH070XV36B	203240536
ML16XP1-036-230	36000	13	16	32600	21200	9.5	L*35/36S9	SLP98UH090XV36C	203240542
ML16XP1-036-230	36000	13	16	33400	20800	9	L*35/36S9	SLP98UH090XV48C	203240548
ML16XP1-036-230	35200	13	16	34400	22400	9	L*35/36S9	SLP99DF070XV36B	205760672
ML16XP1-036-230	35600	13	16	34400	22600	9.5	L*35/36S9	SLP99DF090XV36C	205760683
ML16XP1-036-230	35800	13	16	34400	22400	9.5	L*35/36S9	SLP99DF090XV48C	205760693
ML16XP1-036-230	36000	13	16	32800	21400	9.5	L*35/36S9	SLP99UH070XV36B	205761671
ML16XP1-036-230	36000	13	16	32600	21200	9.5	L*35/36S9	SLP99UH090XV36C	205761680
ML16XP1-036-230	36000	13	16	32400	20400	9	L*35/36S9	SLP99UH090XV48C	205763484
ML16XP1-036-230	35800	12.2	14.5	33200	21800	9	L*35/36S9		203240832

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-036-230	36000	13	16	33400	21800	9.5	L*35/36U9	EL180UH040NE36A	206777733
ML16XP1-036-230	36000	13	16	33400	21800	9	L*35/36U9	EL180UH060NE36A	206777735
ML16XP1-036-230	36000	13	16	33000	21400	9.5	L*35/36U9	EL180UH080NE48B	206777741
ML16XP1-036-230	35800	13	16	33200	21800	9	L*35/36U9	EL195UH040NE36B	206777747
ML16XP1-036-230	36000	13	16	32600	21200	9	L*35/36U9	EL195UH060NE36B	206777753
ML16XP1-036-230	36000	13	16	32600	21200	9	L*35/36U9	EL196UH045XE36B	206777762
ML16XP1-036-230	36000	13	16	32600	21200	9.5	L*35/36U9	EL196UH070XE36B	206777768
ML16XP1-036-230	36000	13	16	32200	20800	9.5	L*35/36U9	EL196UH090XE48C	206777772
ML16XP1-036-230	36000	13	16	33800	22000	9	L*35/36U9	EL280UH045E36A	206777775
ML16XP1-036-230	36000	13	16	33200	21800	9	L*35/36U9	EL280UH070E36A	206777777
ML16XP1-036-230	36000	13	16	33200	21800	9	L*35/36U9	EL280UH070XE36A	203366631
ML16XP1-036-230	36000	13	16	33400	21800	9.5	L*35/36U9	EL280UH090E36B	206777783
ML16XP1-036-230	36000	13	16	33200	21600	9.5	L*35/36U9	EL280UH090E48B	206777789
ML16XP1-036-230	36000	13	16	33200	21600	9.5	L*35/36U9	EL280UH090XE48B	203366650
ML16XP1-036-230	36000	13	16	32600	21000	9.5	L*35/36U9	EL280UH110E48C	206777794
ML16XP1-036-230	36000	13	16	32200	20400	9	L*35/36U9	EL280UH110E60C	206777799
ML16XP1-036-230	36000	13	16	32200	20400	9	L*35/36U9	EL280UH110XE60C	203366669
ML16XP1-036-230	35400	13	16	33000	21600	9	L*35/36U9	EL296UH045XE36B	206777807
ML16XP1-036-230	36000	13	16	33400	21800	9	L*35/36U9	EL296UH045XV36B	206777813
ML16XP1-036-230	36000	13	16	32600	21200	9	L*35/36U9	EL296UH070XE36B	206777819
ML16XP1-036-230	36000	13	16	32800	21400	9.5	L*35/36U9	EL296UH070XV36B	206777825
ML16XP1-036-230	36000	13	16	32600	21200	9.5	L*35/36U9	EL296UH090XE48C	206777829
ML16XP1-036-230	36000	13	16	32600	21200	9.5	L*35/36U9	EL296UH090XV36C	206777834
ML16XP1-036-230	36000	13	16	32000	20800	9	L*35/36U9	EL296UH090XV48C	206777839
ML16XP1-036-230	36000	13	16	33200	21600	9.5	L*35/36U9	ML180UH030V36A	206777843
ML16XP1-036-230	36000	13	16	33200	21600	9.5	L*35/36U9	ML180UH045V36A	206777847
ML16XP1-036-230	36000	13	16	33600	22000	9.5	L*35/36U9	ML180UH070E36A	206777850
ML16XP1-036-230	36000	13	16	33200	21800	9	L*35/36U9	ML180UH070V36A	206777852
ML16XP1-036-230	36000	13	16	32400	21200	9.5	L*35/36U9	ML180UH070V36B	206777861
ML16XP1-036-230	36000	13	16	32600	21200	9.5	L*35/36U9	ML180UH070V48B	206777870
ML16XP1-036-230	36000	13	16	33600	22000	9.5	L*35/36U9	ML180UH070XE36A	206777873
ML16XP1-036-230	36000	13	16	32600	21200	9.5	L*35/36U9	ML180UH090E48B	206777880
ML16XP1-036-230	36000	13	16	33000	21600	9.5	L*35/36U9	ML180UH090V48B	206777886
ML16XP1-036-230	36000	13	17	32200	20800	9.5	L*35/36U9	ML180UH110V60C	206777891
ML16XP1-036-230	35800	12.2	14.5	33200	21800	9	LD31/36Z9		204756180
ML16XP1-036-230	36000	13	16	33400	21800	9.5	LH18/37D9	EL180UH040NE36A	206777734
ML16XP1-036-230	36000	13	16	33400	21800	9	LH18/37D9	EL180UH060NE36A	206777736
ML16XP1-036-230	36000	13	16	33800	22000	9	LH18/37D9	EL280UH045E36A	206777776
ML16XP1-036-230	36000	13	16	33200	21800	9	LH18/37D9	EL280UH070E36A	206777778
ML16XP1-036-230	36000	13	16	33200	21800	9	LH18/37D9	EL280UH070XE36A	203366634
ML16XP1-036-230	36000	13	16	33200	21600	9.5	LH18/37D9	EL280UH090XE48B	203366653
ML16XP1-036-230	35400	12.5	16	32600	21200	9	LH18/37D9	EL280UH110XE60C	203366672
ML16XP1-036-230	36000	13	16	33200	21600	9.5	LH18/37D9	ML180UH030V36A	206777845
ML16XP1-036-230	36000	13	16	33200	21600	9.5	LH18/37D9	ML180UH045V36A	206777849
ML16XP1-036-230	36000	13	16	33600	22000	9.5	LH18/37D9	ML180UH070E36A	206777851
ML16XP1-036-230	36000	13	16	33200	21800	9	LH18/37D9	ML180UH070V36A	206777854
ML16XP1-036-230	36000	13	16	33600	22000	9.5	LH18/37D9	ML180UH070XE36A	206777875
ML16XP1-036-230	36000	13	16	33400	21800	9	LH23/37W9	EL195UH080NE48C	206777756
ML16XP1-036-230	36000	13	16	32200	20800	9.5	LH23/37W9	EL196UH090XE48C	206777773
ML16XP1-036-230	36000	13	16	33200	21800	9	LH23/37W9	EL280UH070XE36A	203366635
ML16XP1-036-230	36000	13	16	33200	21600	9.5	LH23/37W9	EL280UH090XE48B	203366654
ML16XP1-036-230	36000	13	16	32600	21000	9.5	LH23/37W9	EL280UH110E48C	206777795
ML16XP1-036-230	36000	13	16	33200	21600	9	LH23/37W9	EL280UH110E60C	206777800
ML16XP1-036-230	36000	13	16	33200	21600	9	LH23/37W9	EL280UH110XE60C	203366673

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-036-230	36000	13	16	32600	21200	9.5	LH23/37W9	EL296UH090XE48C	206777830
ML16XP1-036-230	36000	13	16	32600	21200	9.5	LH23/37W9	EL296UH090XV36C	206777835
ML16XP1-036-230	36000	13	16	32200	20600	9.5	LH23/37W9	EL296UH090XV48C	206777840
ML16XP1-036-230	36000	13	17	32200	20800	9.5	LH23/37W9	ML180UH110V60C	206777893
ML16XP1-036-230	35600	12.5	16	33400	21800	9.5	LH29/36F9	EL180UH040NE36A	203240174
ML16XP1-036-230	35600	12.5	16	33400	21800	9	LH29/36F9	EL180UH060NE36A	203240180
ML16XP1-036-230	35600	12.5	16	33000	21400	9.5	LH29/36F9	EL180UH080NE48B	203240186
ML16XP1-036-230	35400	12.5	16	33200	21800	9	LH29/36F9	EL195UH040NE36B	203240192
ML16XP1-036-230	35400	12.5	16	33200	21800	9	LH29/36F9	EL195UH060NE36B	203240198
ML16XP1-036-230	35200	12.2	15	33400	21800	9	LH29/36F9	EL195UH080NE48C	203240204
ML16XP1-036-230	35400	12.5	16	33200	21600	9	LH29/36F9	EL196UH045XE36B	203240210
ML16XP1-036-230	35400	12.5	16	33200	21600	9	LH29/36F9	EL196UH070XE36B	203240216
ML16XP1-036-230	35200	12.5	16	32200	20800	9	LH29/36F9	EL196UH090XE48C	203240222
ML16XP1-036-230	35200	12.5	16	33400	22600	9.5	LH29/36F9	EL280DF090E48B	203240228
ML16XP1-036-230	35600	12.5	16	33200	21800	9	LH29/36F9	EL280UH070E36A	203240238
ML16XP1-036-230	35600	12.5	16	33200	21800	9	LH29/36F9	EL280UH070XE36A	203366621
ML16XP1-036-230	35600	12.5	16	33400	21800	9.5	LH29/36F9	EL280UH090E36B	203240244
ML16XP1-036-230	35600	12.5	16	33200	21600	9.5	LH29/36F9	EL280UH090E48B	203240250
ML16XP1-036-230	35600	12.5	16	33200	21600	9.5	LH29/36F9	EL280UH090XE48B	203366640
ML16XP1-036-230	35000	12.5	16	32400	21000	9	LH29/36F9	EL280UH110E48C	203240256
ML16XP1-036-230	34800	12.5	15	32400	21200	9	LH29/36F9	EL280UH110E60C	203240262
ML16XP1-036-230	34800	12.5	15	32400	21200	9	LH29/36F9	EL280UH110XE60C	203366659
ML16XP1-036-230	34600	12.5	15	33400	22200	9	LH29/36F9	EL296DF045XE36B	203240268
ML16XP1-036-230	35000	12.5	15	33400	22400	9	LH29/36F9	EL296DF045XV36B	203240274
ML16XP1-036-230	35200	12.5	16	33400	22400	9.5	LH29/36F9	EL296DF070XE48B	203240280
ML16XP1-036-230	35000	12.5	15	33400	22600	9	LH29/36F9	EL296DF070XV48B	203240286
ML16XP1-036-230	35400	12.5	16	33400	22400	9.5	LH29/36F9	EL296DF090XE48C	203240292
ML16XP1-036-230	35000	12.5	16	33000	21600	9	LH29/36F9	EL296UH045XE36B	203240298
ML16XP1-036-230	35600	12.5	16	33400	21800	9	LH29/36F9	EL296UH045XV36B	203240304
ML16XP1-036-230	35200	12.5	16	33200	21800	9	LH29/36F9	EL296UH070XE36B	203240310
ML16XP1-036-230	35600	12.5	16	33400	21800	9	LH29/36F9	EL296UH070XV36B	203240316
ML16XP1-036-230	35200	12.5	16	32000	20800	9	LH29/36F9	EL296UH090XE48C	203240322
ML16XP1-036-230	35200	12.5	16	32000	20800	9	LH29/36F9	EL296UH090XV36C	203240328
ML16XP1-036-230	35200	12.5	16	32000	20800	9	LH29/36F9	EL296UH090XV48C	203240334
ML16XP1-036-230	34200	12.2	16	31400	20400	9	LH29/36F9	EL296UH110XV48C	203240340
ML16XP1-036-230	34800	13	16	33400	22000	9	LH29/36F9	ML180DF070E36B	203240346
ML16XP1-036-230	35800	13	16	33400	22400	9.5	LH29/36F9	ML180DF090E48B	203240352
ML16XP1-036-230	35600	12.5	16	33400	21800	9	LH29/36F9	ML180UH045E36A	203240358
ML16XP1-036-230	35600	12.5	16	33400	21800	9	LH29/36F9	ML180UH070E36B	203240364
ML16XP1-036-230	35400	13	16	33000	21600	9.5	LH29/36F9	ML180UH070V36B	206777856
ML16XP1-036-230	35600	13	16	33200	21600	9.5	LH29/36F9	ML180UH070V48B	206777865
ML16XP1-036-230	35600	12.5	16	33200	21600	9.5	LH29/36F9	ML180UH090E48B	203240370
ML16XP1-036-230	34600	12.5	15	33400	22400	9	LH29/36F9	ML193DF045XE36B	203240376
ML16XP1-036-230	34600	12.5	15	33400	22400	9	LH29/36F9	ML193DF070XE36B	203240382
ML16XP1-036-230	35400	12.5	16	33400	22400	9.5	LH29/36F9	ML193DF090XE48C	203240388
ML16XP1-036-230	35600	12.2	15	33400	22200	9	LH29/36F9	ML193UH030XE36B	203240394
ML16XP1-036-230	35600	12.2	15	33400	22000	9	LH29/36F9	ML193UH045XE36B	203240400
ML16XP1-036-230	35400	12.5	16	33200	21800	9	LH29/36F9	ML193UH070XE36B	203240406
ML16XP1-036-230	35000	12.5	15	32600	21200	9	LH29/36F9	ML193UH090XE36C	203240412
ML16XP1-036-230	35200	12.5	16	32200	20800	9	LH29/36F9	ML193UH090XE48C	203240418
ML16XP1-036-230	35200	12.5	16	32200	20800	9	LH29/36F9	ML193UH110XE48C	203240424
ML16XP1-036-230	35200	12.5	15	32000	21000	9	LH29/36F9	ML193UH110XE60C	203240430
ML16XP1-036-230	35600	12.5	16	33400	21800	9	LH29/36F9	ML296UH045XV36B	203240436
ML16XP1-036-230	35600	12.5	16	33400	21800	9	LH29/36F9	ML296UH070XV36B	203240442

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-036-230	35200	12.5	16	32000	20800	9	LH29/36F9	ML296UH090XV48C	203240448
ML16XP1-036-230	35200	12.5	16	33400	22400	9.5	LH29/36F9	SL280DF090V48B	203240454
ML16XP1-036-230	35600	12.5	16	33200	21600	9.5	LH29/36F9	SL280UH060NV36A	203240460
ML16XP1-036-230	35600	12.5	16	33400	21800	9	LH29/36F9	SL280UH070V36A	203240466
ML16XP1-036-230	35600	12.5	16	33400	21800	9	LH29/36F9	SL280UH070XV36A	203240472
ML16XP1-036-230	35600	12.5	16	33000	21400	9.5	LH29/36F9	SL280UH080NV48B	203240478
ML16XP1-036-230	35600	12.5	16	33000	21600	9.5	LH29/36F9	SL280UH090V36B	203240484
ML16XP1-036-230	35600	12.5	16	33200	21600	9.5	LH29/36F9	SL280UH090V48B	203240490
ML16XP1-036-230	35600	12.5	16	33400	21800	9	LH29/36F9	SL297UH040NV36B	203240496
ML16XP1-036-230	35600	12.5	16	33200	21800	9	LH29/36F9	SL297UH060NV36B	203240502
ML16XP1-036-230	35200	12.5	16	32000	20800	9	LH29/36F9	SL297UH080NV48C	203240508
ML16XP1-036-230	35200	12.5	15	33400	22400	9	LH29/36F9	SLP98DF070XV36B	203240514
ML16XP1-036-230	35200	12.5	16	33400	22600	9.5	LH29/36F9	SLP98DF090XV36C	203240520
ML16XP1-036-230	35400	12.5	16	33400	22400	9.5	LH29/36F9	SLP98DF090XV48C	203240526
ML16XP1-036-230	35600	12.5	16	33400	21800	9	LH29/36F9	SLP98UH070XV36B	203240532
ML16XP1-036-230	35200	12.5	16	32000	20800	9	LH29/36F9	SLP98UH090XV36C	203240538
ML16XP1-036-230	35200	12.5	16	32000	20800	9	LH29/36F9	SLP98UH090XV48C	203240544
ML16XP1-036-230	35600	12.5	16	33400	21800	9	LH29/36F9	SLP99UH070XV36B	205760697
ML16XP1-036-230	35200	12.5	16	32000	20800	9	LH29/36F9	SLP99UH090XV36C	205763761
ML16XP1-036-230	35200	12.5	16	32000	20800	9	LH29/36F9	SLP99UH090XV48C	205763765
ML16XP1-036-230	34400	11.7	14.5	33400	23200	9	LH29/36F9		203240828
ML16XP1-036-230	36000	13	16	33000	21400	9.5	LH35/36F9	EL180UH080NE48B	206777738
ML16XP1-036-230	35800	13	16	33200	21800	9	LH35/36F9	EL195UH040NE36B	206777744
ML16XP1-036-230	35800	13	16	32600	21200	9	LH35/36F9	EL195UH060NE36B	206777750
ML16XP1-036-230	35800	13	16	33200	21600	9	LH35/36F9	EL196UH045XE36B	206777759
ML16XP1-036-230	35800	13	16	32600	21200	9.5	LH35/36F9	EL196UH070XE36B	206777765
ML16XP1-036-230	36000	13	16	33200	21800	9	LH35/36F9	EL280UH070XE36A	203366622
ML16XP1-036-230	36000	13	16	33400	21800	9.5	LH35/36F9	EL280UH090E36B	206777780
ML16XP1-036-230	36000	13	16	33200	21600	9.5	LH35/36F9	EL280UH090E48B	206777786
ML16XP1-036-230	36000	13	16	33200	21600	9.5	LH35/36F9	EL280UH090XE48B	203366641
ML16XP1-036-230	35600	12.5	16	32200	20400	9	LH35/36F9	EL280UH110XE60C	203366660
ML16XP1-036-230	35400	13	16	33000	21600	9	LH35/36F9	EL296UH045XE36B	206777804
ML16XP1-036-230	36000	13	16	33400	21800	9	LH35/36F9	EL296UH045XV36B	206777810
ML16XP1-036-230	35800	13	16	32600	21200	9	LH35/36F9	EL296UH070XE36B	206777816
ML16XP1-036-230	35800	13	16	32800	21400	9.5	LH35/36F9	EL296UH070XV36B	206777822
ML16XP1-036-230	35800	13	16	32400	21200	9.5	LH35/36F9	ML180UH070V36B	206777857
ML16XP1-036-230	36000	13	16	33200	21600	9.5	LH35/36F9	ML180UH070V48B	206777866
ML16XP1-036-230	36000	13	16	33200	21600	9.5	LH35/36F9	ML180UH090E48B	206777877
ML16XP1-036-230	36000	13	16	33000	21600	9.5	LH35/36F9	ML180UH090V48B	206777883
ML16XP1-036-230	36000	13	16	33200	21800	9	LH35/37D9	EL280UH070XE36A	203366625
ML16XP1-036-230	36000	13	16	33200	21600	9.5	LH35/37D9	EL280UH090XE48B	203366644
ML16XP1-036-230	35800	13	16	32600	20400	9	LH35/37D9	EL280UH110XE60C	203366663
ML16XP1-036-230	36000	13	16	32600	21000	9.5	LH35/38F9	EL180UH080NE48B	206777740
ML16XP1-036-230	35800	13	16	33200	21800	9	LH35/38F9	EL195UH040NE36B	206777746
ML16XP1-036-230	36000	13	16	32600	21200	9	LH35/38F9	EL195UH060NE36B	206777752
ML16XP1-036-230	36000	13	16	32600	21200	9	LH35/38F9	EL196UH045XE36B	206777761
ML16XP1-036-230	36000	13	16	32600	21200	9.5	LH35/38F9	EL196UH070XE36B	206777767
ML16XP1-036-230	36000	13	16	33200	21800	9	LH35/38F9	EL280UH070XE36A	203366627
ML16XP1-036-230	36000	13	16	33000	21400	9.5	LH35/38F9	EL280UH090E36B	206777782
ML16XP1-036-230	36000	13	16	32800	21200	9.5	LH35/38F9	EL280UH090E48B	206777788
ML16XP1-036-230	36000	13	16	33200	21600	9.5	LH35/38F9	EL280UH090XE48B	203366646
ML16XP1-036-230	36000	13	16	32200	20400	9	LH35/38F9	EL280UH110XE60C	203366665
ML16XP1-036-230	35400	13	16	33000	21600	9	LH35/38F9	EL296UH045XE36B	206777806
ML16XP1-036-230	36000	13	16	33400	21800	9	LH35/38F9	EL296UH045XV36B	206777812

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-036-230	36000	13	16	32600	21200	9	LH35/38F9	EL296UH070XE36B	206777818
ML16XP1-036-230	36000	13	16	32800	21400	9.5	LH35/38F9	EL296UH070XV36B	206777824
ML16XP1-036-230	36000	13	16	32400	21200	9.5	LH35/38F9	ML180UH070V36B	206777860
ML16XP1-036-230	36000	13	16	32600	21200	9.5	LH35/38F9	ML180UH070V48B	206777869
ML16XP1-036-230	36000	13	16	33200	21600	9.5	LH35/38F9	ML180UH090E48B	206777879
ML16XP1-036-230	36000	13	16	32400	21200	9.5	LH35/38F9	ML180UH090V48B	206777885
ML16XP1-036-230	36000	13	16	32400	21000	9.5	LH35/38X9	EL180UH080NE48B	206777739
ML16XP1-036-230	35800	13	16	33200	21800	9	LH35/38X9	EL195UH040NE36B	206777745
ML16XP1-036-230	36000	13	16	32600	21200	9	LH35/38X9	EL195UH060NE36B	206777751
ML16XP1-036-230	36000	13	16	32600	21200	9	LH35/38X9	EL196UH045XE36B	206777760
ML16XP1-036-230	36000	13	16	32600	21200	9.5	LH35/38X9	EL196UH070XE36B	206777766
ML16XP1-036-230	36000	13	16	32800	21200	9.5	LH35/38X9	EL196UH090XE48C	206777771
ML16XP1-036-230	36000	13	16	33200	21800	9	LH35/38X9	EL280UH070XE36A	203366626
ML16XP1-036-230	36000	13	16	32800	21400	9.5	LH35/38X9	EL280UH090E36B	206777781
ML16XP1-036-230	36000	13	16	32600	21200	9.5	LH35/38X9	EL280UH090E48B	206777787
ML16XP1-036-230	36000	13	16	33200	21600	9.5	LH35/38X9	EL280UH090XE48B	203366645
ML16XP1-036-230	36000	13	16	32600	21000	9.5	LH35/38X9	EL280UH110E48C	206777793
ML16XP1-036-230	36000	13	16	32200	20400	9	LH35/38X9	EL280UH110E60C	206777798
ML16XP1-036-230	36000	13	16	32200	20400	9	LH35/38X9	EL280UH110XE60C	203366664
ML16XP1-036-230	35400	13	16	33000	21600	9	LH35/38X9	EL296UH045XE36B	206777805
ML16XP1-036-230	36000	13	16	33400	21800	9	LH35/38X9	EL296UH045XV36B	206777811
ML16XP1-036-230	36000	13	16	32600	21200	9	LH35/38X9	EL296UH070XE36B	206777817
ML16XP1-036-230	36000	13	16	32800	21400	9.5	LH35/38X9	EL296UH070XV36B	206777823
ML16XP1-036-230	36000	13	16	32600	21200	9.5	LH35/38X9	EL296UH090XE48C	206777828
ML16XP1-036-230	36000	13	16	32600	21200	9.5	LH35/38X9	EL296UH090XV36C	206777833
ML16XP1-036-230	36000	13	16	32000	20800	9	LH35/38X9	EL296UH090XV48C	206777838
ML16XP1-036-230	36000	13	16	32400	21200	9.5	LH35/38X9	ML180UH070V36B	206777859
ML16XP1-036-230	36000	13	16	32600	21200	9.5	LH35/38X9	ML180UH070V48B	206777868
ML16XP1-036-230	36000	13	16	32600	21200	9.5	LH35/38X9	ML180UH090E48B	206777878
ML16XP1-036-230	36000	13	16	32400	21200	9.5	LH35/38X9	ML180UH090V48B	206777884
ML16XP1-036-230	36000	13	17	32200	20800	9.5	LH35/38X9	ML180UH110V60C	206777890
ML16XP1-036-230	34400	11.7	14.5	34400	23200	9	LS*36943E		205304020
ML16XP1-036-230	35200	12.5	15	33800	22200	9	LS*3791CC		205484079
ML16XP1-036-230	35400	12.2	14.5	33200	21800	9	LS*3799BB		205304048
ML16XP1-036-230	36000	13	16	32400	21000	9.5	PL36H210P29	EL180UH080NE48B	206777737
ML16XP1-036-230	35800	13	16	33200	21800	9	PL36H210P29	EL195UH040NE36B	206777743
ML16XP1-036-230	36000	13	16	32600	21200	9	PL36H210P29	EL195UH060NE36B	206777749
ML16XP1-036-230	35800	13	16	32000	20600	9	PL36H210P29	EL195UH080NE48C	206777755
ML16XP1-036-230	36000	13	16	32600	21200	9	PL36H210P29	EL196UH045XE36B	206777758
ML16XP1-036-230	36000	13	16	32600	21200	9.5	PL36H210P29	EL196UH070XE36B	206777764
ML16XP1-036-230	36000	13	16	32200	20800	9.5	PL36H210P29	EL196UH090XE48C	206777770
ML16XP1-036-230	36000	13	16	33400	21800	9.5	PL36H210P29	EL280UH090E36B	206777779
ML16XP1-036-230	36000	13	16	32600	21200	9.5	PL36H210P29	EL280UH090E48B	206777785
ML16XP1-036-230	36000	13	16	33200	21600	9.5	PL36H210P29	EL280UH090XE48B	206777791
ML16XP1-036-230	36000	13	16	32600	21000	9.5	PL36H210P29	EL280UH110E48C	206777792
ML16XP1-036-230	36000	13	16	32200	20400	9	PL36H210P29	EL280UH110E60C	206777797
ML16XP1-036-230	36000	13	16	32200	20400	9	PL36H210P29	EL280UH110XE60C	206777802
ML16XP1-036-230	35400	13	16	33000	21600	9	PL36H210P29	EL296UH045XE36B	206777803
ML16XP1-036-230	36000	13	16	33400	21800	9	PL36H210P29	EL296UH045XV36B	206777809
ML16XP1-036-230	36000	13	16	32600	21200	9	PL36H210P29	EL296UH070XE36B	206777815
ML16XP1-036-230	36000	13	16	32800	21400	9.5	PL36H210P29	EL296UH070XV36B	206777821
ML16XP1-036-230	36000	13	16	32600	21200	9.5	PL36H210P29	EL296UH090XE48C	206777827
ML16XP1-036-230	36000	13	16	32600	21200	9.5	PL36H210P29	EL296UH090XV36C	206777832
ML16XP1-036-230	35800	13	16	32200	20600	9.5	PL36H210P29	EL296UH090XV48C	206777837

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-036-230	36000	13	16	32400	21200	9.5	PL36H210P29	ML180UH070V36B	206777855
ML16XP1-036-230	36000	13	16	33200	21600	9.5	PL36H210P29	ML180UH070V48B	206777864
ML16XP1-036-230	36000	13	16	32600	21200	9.5	PL36H210P29	ML180UH090E48B	206777876
ML16XP1-036-230	36000	13	16	33000	21600	9.5	PL36H210P29	ML180UH090V48B	206777882
ML16XP1-036-230	36000	13	17	32200	20800	9.5	PL36H210P29	ML180UH110V60C	206777889
ML16XP1-042-230	40500	13	16	38000	24000	8.5	L*42/49K9	EL180UH080NE48B	206778089
ML16XP1-042-230	40500	12.5	16	36800	23600	8.5	L*42/49K9	EL280UH090XE48B	203366689
ML16XP1-042-230	41000	13	16	37800	23400	8.5	L*42/49K9	EL280UH110XE60C	203366707
ML16XP1-042-230	40500	13	16	38000	24200	8.5	L*42/49K9	ML180UH070V48B	206778170
ML16XP1-042-230	41000	13	16	37800	23200	8.5	L*42/60S9	EL180UH100NE60C	206778096
ML16XP1-042-230	41000	13	16	37800	23200	8.5	L*42/60S9	EL196UH090XE48C	206778109
ML16XP1-042-230	41000	13	16	37400	23800	8.5	L*42/60S9	EL196UH110XE60C	206778116
ML16XP1-042-230	40000	12.5	16	36800	23600	8.2	L*42/60S9	EL280UH090XE48B	203366685
ML16XP1-042-230	41000	13	16	37800	23200	8.5	L*42/60S9	EL280UH110E48C	206778125
ML16XP1-042-230	41000	13	16	37800	23400	8.5	L*42/60S9	EL280UH110E60C	206778132
ML16XP1-042-230	41000	13	16	37800	23400	8.5	L*42/60S9	EL280UH110XE60C	203366703
ML16XP1-042-230	40500	13	16	37800	23200	8.5	L*42/60S9	EL296UH090XE48C	206778141
ML16XP1-042-230	41000	13	16	37800	23400	8.5	L*42/60S9	EL296UH090XV48C	206778147
ML16XP1-042-230	41000	13	16	37800	23600	8.5	L*42/60S9	EL296UH090XV60C	206778153
ML16XP1-042-230	41000	13	16	37800	23400	8.5	L*42/60S9	EL296UH110XE60C	206778159
ML16XP1-042-230	41000	13	16	37800	23400	8.5	L*42/60S9	EL296UH110XV60C	206778166
ML16XP1-042-230	41000	13	16	37800	23200	8.5	L*42/60S9	ML180UH110V60C	206778179
ML16XP1-042-230	42000	13	16	36800	23600	9	L*42/60Z9	EL180UH080NE48B	203240550
ML16XP1-042-230	42000	13	16	37400	23800	8.5	L*42/60Z9	EL180UH100NE60C	203240552
ML16XP1-042-230	41500	13	16	37400	24000	8.5	L*42/60Z9	EL195UH080NE48C	203240554
ML16XP1-042-230	42000	13	16	37800	24200	8.5	L*42/60Z9	EL195UH100NE60C	203240556
ML16XP1-042-230	41500	13	16	37400	23800	8.5	L*42/60Z9	EL196UH090XE48C	203240558
ML16XP1-042-230	42000	13	16	36800	23600	9	L*42/60Z9	EL196UH110XE60C	203240560
ML16XP1-042-230	42000	13	16	37400	23800	8.5	L*42/60Z9	EL280UH090E36B	203240562
ML16XP1-042-230	42000	13	16	36800	23600	8.5	L*42/60Z9	EL280UH090E48B	203240564
ML16XP1-042-230	42000	13	16	36800	23600	8.5	L*42/60Z9	EL280UH090XE48B	203366693
ML16XP1-042-230	42000	13	16	37400	24000	8.5	L*42/60Z9	EL280UH110E48C	203240566
ML16XP1-042-230	42000	13	16	36800	23600	9	L*42/60Z9	EL280UH110E60C	203240568
ML16XP1-042-230	42000	13	16	36800	23600	9	L*42/60Z9	EL280UH110XE60C	203366711
ML16XP1-042-230	39500	12.5	15	37800	24600	8.2	L*42/60Z9	EL296DF070XE48B	203240570
ML16XP1-042-230	40500	13	16	36800	23400	9	L*42/60Z9	EL296DF090XE48C	203240572
ML16XP1-042-230	40500	13	16	36800	23600	9	L*42/60Z9	EL296DF090XV60C	203240574
ML16XP1-042-230	41000	13	16	36800	23600	9	L*42/60Z9	EL296DF110XE60C	203240576
ML16XP1-042-230	40500	13	16	36800	23600	9	L*42/60Z9	EL296DF110XV60C	203240578
ML16XP1-042-230	41000	13	16	37400	23600	8.5	L*42/60Z9	EL296UH090XE48C	203240580
ML16XP1-042-230	42000	13	16	37400	24000	8.5	L*42/60Z9	EL296UH090XV48C	203240582
ML16XP1-042-230	42000	13	16	37800	24200	8.5	L*42/60Z9	EL296UH090XV60C	203240584
ML16XP1-042-230	42000	13	16	37400	23600	8.5	L*42/60Z9	EL296UH110XE60C	203240586
ML16XP1-042-230	41500	13	16	37800	23800	8.5	L*42/60Z9	EL296UH110XV48C	203240588
ML16XP1-042-230	42000	13	16	37400	24000	8.5	L*42/60Z9	EL296UH110XV60C	203240590
ML16XP1-042-230	40000	13	16	37800	24400	8.5	L*42/60Z9	ML180DF090E48B	203240592
ML16XP1-042-230	41000	13	16	36800	23400	9	L*42/60Z9	ML180DF110E60C	203240594
ML16XP1-042-230	42000	13	16	36800	23800	9	L*42/60Z9	ML180UH090E48B	203240596
ML16XP1-042-230	42000	13	16	37400	23800	8.5	L*42/60Z9	ML180UH090E60C	203240598
ML16XP1-042-230	41500	13	16	37400	23400	8.5	L*42/60Z9	ML180UH110E60C	203240600
ML16XP1-042-230	42000	13	16	37400	23800	8.5	L*42/60Z9	ML180UH110V60C	206778180
ML16XP1-042-230	40500	13	16	36800	23400	9	L*42/60Z9	ML193DF090XE48C	203240602
ML16XP1-042-230	41000	12.5	15	36800	23800	8.5	L*42/60Z9	ML193UH030XE36B	203240604
ML16XP1-042-230	41000	12.5	15	36800	23800	8.5	L*42/60Z9	ML193UH045XE36B	203240606

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-042-230	41500	12.5	15	36800	23800	8.5	L*42/60Z9	ML193UH070XE36B	203240608
ML16XP1-042-230	40500	13	16	36200	23400	8.5	L*42/60Z9	ML193UH090XE36C	203240610
ML16XP1-042-230	41500	13	16	37400	23400	8.5	L*42/60Z9	ML193UH090XE48C	203240612
ML16XP1-042-230	42000	13	16	37400	24000	8.5	L*42/60Z9	ML193UH110XE48C	203240614
ML16XP1-042-230	42000	13	16	37400	23600	8.5	L*42/60Z9	ML193UH110XE60C	203240616
ML16XP1-042-230	42000	13	16	37400	24000	8.5	L*42/60Z9	ML296UH090XV48C	203240618
ML16XP1-042-230	40000	13	16	37800	24600	8.2	L*42/60Z9	SL280DF090V48B	203240620
ML16XP1-042-230	40500	13	16	36800	23400	9	L*42/60Z9	SL280DF090V60C	203240622
ML16XP1-042-230	40500	13	16	36800	23400	9	L*42/60Z9	SL280DF110V60C	203240624
ML16XP1-042-230	42000	13	16	36800	23600	9	L*42/60Z9	SL280UH080NV48B	203240626
ML16XP1-042-230	42000	13	17	36800	23400	9	L*42/60Z9	SL280UH080NV60C	203240628
ML16XP1-042-230	42000	13	16	37400	23800	9	L*42/60Z9	SL280UH090V48B	203240630
ML16XP1-042-230	42000	13	16	36800	23400	9	L*42/60Z9	SL280UH090V60C	203240632
ML16XP1-042-230	42000	13	16	36800	23400	9	L*42/60Z9	SL280UH090XV60C	203240634
ML16XP1-042-230	42000	13	17	36800	23400	9	L*42/60Z9	SL280UH100NV60C	203240636
ML16XP1-042-230	42000	13	16	37400	23800	8.5	L*42/60Z9	SL280UH110V60C	203240638
ML16XP1-042-230	42000	13	16	37400	23800	8.5	L*42/60Z9	SL280UH110XV60C	203240640
ML16XP1-042-230	41500	13	16	37800	23800	8.5	L*42/60Z9	SL297UH080NV48C	203240642
ML16XP1-042-230	42000	13	16	37400	23600	8.5	L*42/60Z9	SL297UH080NV60C	203240644
ML16XP1-042-230	40500	13	16	36800	23600	9	L*42/60Z9	SLP98DF090XV48C	203240646
ML16XP1-042-230	40500	13	16	36800	23600	9	L*42/60Z9	SLP98DF090XV60C	203240648
ML16XP1-042-230	40500	13	16	36800	23600	9	L*42/60Z9	SLP98DF110XV60C	203240650
ML16XP1-042-230	42000	13	16	37400	24000	8.5	L*42/60Z9	SLP98UH090XV48C	203240652
ML16XP1-042-230	42000	13	16	37800	24200	8.5	L*42/60Z9	SLP98UH090XV60C	203240654
ML16XP1-042-230	42000	13	16	37400	24000	8.5	L*42/60Z9	SLP98UH110XV60C	203240656
ML16XP1-042-230	40500	13	16	36800	23600	9	L*42/60Z9	SLP99DF090XV48C	205763488
ML16XP1-042-230	40500	13	16	36800	23600	9	L*42/60Z9	SLP99DF090XV60C	205763491
ML16XP1-042-230	40500	13	16	36800	23600	9	L*42/60Z9	SLP99DF110XV60C	205763494
ML16XP1-042-230	42000	13	16	37400	24000	8.5	L*42/60Z9	SLP99UH090XV48C	205761412
ML16XP1-042-230	42000	13	16	37800	24200	8.5	L*42/60Z9	SLP99UH090XV60C	205760711
ML16XP1-042-230	42000	13	16	37400	24000	8.5	L*42/60Z9	SLP99UH110XV60C	205761417
ML16XP1-042-230	41000	12.5	15	37400	24200	8.5	L*42/60Z9		203240834
ML16XP1-042-230	40500	12.5	16	36800	23600	8.5	L*42/61K9	EL280UH090XE48B	203366690
ML16XP1-042-230	41000	13	16	37800	23400	8.5	L*42/61K9	EL280UH110XE60C	203366708
ML16XP1-042-230	40000	12.5	16	36800	23600	8.2	L*43/48S9	EL280UH090XE48B	203366686
ML16XP1-042-230	41000	13	16	37800	23400	8.5	L*43/48S9	EL280UH110XE60C	203366704
ML16XP1-042-230	42000	13	16	36800	23600	8.5	L*43/61Z9	EL280UH090XE48B	203366694
ML16XP1-042-230	42000	13	16	36800	23600	9	L*43/61Z9	EL280UH110XE60C	203366712
ML16XP1-042-230	42000	13	16	36800	23600	8.5	L*49/62Y9	EL280UH090XE48B	203366692
ML16XP1-042-230	42000	13	16	36800	23600	9	L*49/62Y9	EL280UH110XE60C	203366710
ML16XP1-042-230	42000	13	16	36800	23600	8.5	L*49/62Z9	EL280UH090XE48B	203366691
ML16XP1-042-230	42000	13	16	36800	23600	9	L*49/62Z9	EL280UH110XE60C	203366709
ML16XP1-042-230	40000	12.2	14.5	37400	24200	8.5	LD41/43Z9		204756181
ML16XP1-042-230	40500	13	16	36800	23400	9	LD42/61Z9	EL296DF090XE48C	205147437
ML16XP1-042-230	40000	13	16	40000	24800	8.2	LD42/61Z9	EL296DF090XV60C	205147438
ML16XP1-042-230	41000	13	16	36800	23600	9	LD42/61Z9	EL296DF110XE60C	205147439
ML16XP1-042-230	40500	13	16	36800	23600	9	LD42/61Z9	EL296DF110XV60C	205147440
ML16XP1-042-230	41000	13	16	36800	23400	9	LD42/61Z9	ML180DF110E60C	205147441
ML16XP1-042-230	40500	13	16	36800	23400	9	LD42/61Z9	ML193DF090XE48C	205147442
ML16XP1-042-230	40500	13	16	36800	23400	9	LD42/61Z9	SL280DF090V60C	205147443
ML16XP1-042-230	40500	13	16	36800	23400	9	LD42/61Z9	SL280DF110V60C	205147444
ML16XP1-042-230	40000	13	16	40000	24800	8.2	LD42/61Z9	SLP98DF090XV48C	205147445
ML16XP1-042-230	40000	13	16	40000	24800	8.2	LD42/61Z9	SLP98DF090XV60C	205147446
ML16XP1-042-230	40500	13	16	36800	23600	9	LD42/61Z9	SLP98DF110XV60C	205147447

AHRI SYSTEM MATCHESNOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-042-230	40000	13	16	40000	24800	8.2	LD42/61Z9	SLP99DF090XV48C	205760705
ML16XP1-042-230	40000	13	16	40000	24800	8.2	LD42/61Z9	SLP99DF090XV60C	205760708
ML16XP1-042-230	40500	13	16	36800	23600	9	LD42/61Z9	SLP99DF110XV60C	205763492
ML16XP1-042-230	40500	12.2	15	37400	24200	8.5	LD42/61Z9		204755194
ML16XP1-042-230	41500	13	16	36800	23400	9	LH40/61E9	EL180UH100NE60C	206778095
ML16XP1-042-230	41000	13	16	36800	23600	9	LH40/61E9	EL195UH080NE48C	206778099
ML16XP1-042-230	41500	13	16	36800	23800	9	LH40/61E9	EL195UH100NE60C	206778102
ML16XP1-042-230	41500	13	16	36800	23400	9	LH40/61E9	EL196UH090XE48C	206778108
ML16XP1-042-230	42000	13	16	36800	23600	9	LH40/61E9	EL196UH110XE60C	206778115
ML16XP1-042-230	41500	13	16	36800	23400	9	LH40/61E9	EL280UH110E48C	206778124
ML16XP1-042-230	42000	13	16	36800	23600	9	LH40/61E9	EL280UH110E60C	206778131
ML16XP1-042-230	42000	13	16	36800	23600	9	LH40/61E9	EL280UH110XE60C	206778135
ML16XP1-042-230	41000	13	16	37400	23600	8.5	LH40/61E9	EL296UH090XE48C	206778140
ML16XP1-042-230	41500	13	16	36800	23600	9	LH40/61E9	EL296UH090XV48C	206778146
ML16XP1-042-230	41500	13	16	36800	23600	9	LH40/61E9	EL296UH090XV60C	206778152
ML16XP1-042-230	42000	13	16	36800	23600	9	LH40/61E9	EL296UH110XE60C	206778158
ML16XP1-042-230	41500	13	16	36800	23600	9	LH40/61E9	EL296UH110XV60C	206778165
ML16XP1-042-230	41500	13	16	36800	23400	9	LH40/61E9	ML180UH110V60C	206778178
ML16XP1-042-230	41500	13	16	36800	23400	9	LH40/61W9	EL180UH100NE60C	206778094
ML16XP1-042-230	41000	13	16	36800	23600	9	LH40/61W9	EL195UH080NE48C	206778098
ML16XP1-042-230	41500	13	16	36800	23800	9	LH40/61W9	EL195UH100NE60C	206778101
ML16XP1-042-230	41500	13	16	36800	23400	9	LH40/61W9	EL196UH090XE48C	206778107
ML16XP1-042-230	42000	13	16	36800	23600	9	LH40/61W9	EL196UH110XE60C	206778114
ML16XP1-042-230	42000	13	16	36800	23600	8.5	LH40/61W9	EL280UH090XE48B	203366684
ML16XP1-042-230	41500	13	16	36800	23400	9	LH40/61W9	EL280UH110E48C	206778123
ML16XP1-042-230	42000	13	16	36800	23600	9	LH40/61W9	EL280UH110E60C	206778130
ML16XP1-042-230	42000	13	16	36800	23600	9	LH40/61W9	EL280UH110XE60C	203366702
ML16XP1-042-230	41000	13	16	37400	23600	8.5	LH40/61W9	EL296UH090XE48C	206778139
ML16XP1-042-230	41500	13	16	36800	23600	9	LH40/61W9	EL296UH090XV48C	206778145
ML16XP1-042-230	41500	13	16	36800	23600	9	LH40/61W9	EL296UH090XV60C	206778151
ML16XP1-042-230	42000	13	16	36800	23600	9	LH40/61W9	EL296UH110XE60C	206778157
ML16XP1-042-230	41500	13	16	36800	23600	9	LH40/61W9	EL296UH110XV60C	206778164
ML16XP1-042-230	41500	13	16	36800	23400	9	LH40/61W9	ML180UH110V60C	206778177
ML16XP1-042-230	42000	13	16	36800	23600	8.5	LH40/62W9	EL280UH090XE48B	203366678
ML16XP1-042-230	41500	13	16	37800	23800	9	LH40/62W9	EL280UH110XE60C	203366696
ML16XP1-042-230	40500	12.5	16	36800	23600	8.2	LH41/49F9	EL280UH090XE48B	203366680
ML16XP1-042-230	41000	13	16	37800	23800	8.5	LH41/49F9	EL280UH110XE60C	203366698
ML16XP1-042-230	41000	12.5	16	36800	23600	8.5	LH41/61D9	EL280UH090XE48B	203366683
ML16XP1-042-230	41000	13	16	37800	23400	8.5	LH41/61D9	EL280UH110XE60C	203366701
ML16XP1-042-230	41000	12.5	16	36800	23600	8.5	LH41/61R9	EL280UH090XE48B	203366682
ML16XP1-042-230	41000	13	16	37800	23400	8.5	LH41/61R9	EL280UH110XE60C	203366700
ML16XP1-042-230	40500	13	16	38000	24000	8.5	LH42/49F9	EL180UH080NE48B	206778087
ML16XP1-042-230	40500	13	16	36800	23600	8.5	LH42/49F9	EL180UH100NE60C	206778091
ML16XP1-042-230	40500	13	16	36800	23600	8.5	LH42/49F9	EL196UH090XE48C	206778104
ML16XP1-042-230	41000	13	16	37400	23800	8.5	LH42/49F9	EL196UH110XE60C	206778111
ML16XP1-042-230	40000	12.5	16	36800	23600	8.2	LH42/49F9	EL280UH090XE48B	203366679
ML16XP1-042-230	40500	13	16	36800	23600	8.5	LH42/49F9	EL280UH110E48C	206778120
ML16XP1-042-230	41000	13	16	36800	23800	8.5	LH42/49F9	EL280UH110E60C	206778127
ML16XP1-042-230	41000	13	16	37800	23400	8.5	LH42/49F9	EL280UH110XE60C	203366697
ML16XP1-042-230	40500	13	16	36800	23800	8.5	LH42/49F9	EL296UH110XV60C	206778161
ML16XP1-042-230	40500	13	16	38000	24200	8.5	LH42/49F9	ML180UH070V48B	206778168
ML16XP1-042-230	40500	13	16	36800	23800	8.5	LH42/49F9	ML180UH110V60C	206778174
ML16XP1-042-230	41000	13	16	37800	23200	8.5	LH42/60D9	EL180UH100NE60C	206778092
ML16XP1-042-230	41000	13	16	37800	23200	8.5	LH42/60D9	EL196UH090XE48C	206778105

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-042-230	41000	13	16	37400	23800	8.5	LH42/60D9	EL196UH110XE60C	206778112
ML16XP1-042-230	40500	12.5	16	36800	23600	8.2	LH42/60D9	EL280UH090XE48B	203366681
ML16XP1-042-230	41000	13	16	37800	23200	8.5	LH42/60D9	EL280UH110E48C	206778121
ML16XP1-042-230	41000	13	16	36800	23800	8.5	LH42/60D9	EL280UH110E60C	206778128
ML16XP1-042-230	41000	13	16	37800	23400	8.5	LH42/60D9	EL280UH110XE60C	203366699
ML16XP1-042-230	40500	13	16	37800	23200	8.5	LH42/60D9	EL296UH090XE48C	206778137
ML16XP1-042-230	41000	13	16	37800	23400	8.5	LH42/60D9	EL296UH090XV48C	206778143
ML16XP1-042-230	41000	13	16	37800	23600	8.5	LH42/60D9	EL296UH090XV60C	206778149
ML16XP1-042-230	41000	13	16	37800	23400	8.5	LH42/60D9	EL296UH110XE60C	206778155
ML16XP1-042-230	41000	13	16	37800	23400	8.5	LH42/60D9	EL296UH110XV60C	206778162
ML16XP1-042-230	41000	13	16	37800	23200	8.5	LH42/60D9	ML180UH110V60C	206778175
ML16XP1-042-230	42000	13	16	36800	23600	9	LH42/62W9	EL180UH080NE48B	203240551
ML16XP1-042-230	41500	13	16	36800	23400	9	LH42/62W9	EL180UH100NE60C	203240553
ML16XP1-042-230	41000	13	16	36800	23600	9	LH42/62W9	EL195UH080NE48C	203240555
ML16XP1-042-230	41500	13	16	36800	23800	9	LH42/62W9	EL195UH100NE60C	203240557
ML16XP1-042-230	41500	13	16	36800	23400	9	LH42/62W9	EL196UH090XE48C	203240559
ML16XP1-042-230	42000	13	16	36800	23600	9	LH42/62W9	EL196UH110XE60C	203240561
ML16XP1-042-230	42000	13	16	37400	23800	8.5	LH42/62W9	EL280UH090E36B	203240563
ML16XP1-042-230	42000	13	16	36800	23600	8.5	LH42/62W9	EL280UH090E48B	203240565
ML16XP1-042-230	42000	13	16	36800	23600	8.5	LH42/62W9	EL280UH090XE48B	203366695
ML16XP1-042-230	41500	13	16	36800	23400	9	LH42/62W9	EL280UH110E48C	203240567
ML16XP1-042-230	42000	13	16	36800	23600	9	LH42/62W9	EL280UH110E60C	203240569
ML16XP1-042-230	42000	13	16	36800	23600	9	LH42/62W9	EL280UH110XE60C	203366713
ML16XP1-042-230	39500	12.5	15	37800	24600	8.2	LH42/62W9	EL296DF070XE48B	203240571
ML16XP1-042-230	40500	13	16	36800	23400	9	LH42/62W9	EL296DF090XE48C	203240573
ML16XP1-042-230	40500	13	16	36800	23600	9	LH42/62W9	EL296DF090XV60C	203240575
ML16XP1-042-230	41000	13	16	36800	23600	9	LH42/62W9	EL296DF110XE60C	203240577
ML16XP1-042-230	40500	13	16	36800	23600	9	LH42/62W9	EL296DF110XV60C	203240579
ML16XP1-042-230	41000	13	16	37400	23600	8.5	LH42/62W9	EL296UH090XE48C	203240581
ML16XP1-042-230	41500	13	16	36800	23600	9	LH42/62W9	EL296UH090XV48C	203240583
ML16XP1-042-230	41500	13	16	36800	23600	9	LH42/62W9	EL296UH090XV60C	203240585
ML16XP1-042-230	42000	13	16	36800	23600	9	LH42/62W9	EL296UH110XE60C	203240587
ML16XP1-042-230	41500	13	16	36800	23600	9	LH42/62W9	EL296UH110XV48C	203240589
ML16XP1-042-230	41500	13	16	36800	23600	9	LH42/62W9	EL296UH110XV60C	203240591
ML16XP1-042-230	40000	13	16	37800	24400	8.5	LH42/62W9	ML180DF090E48B	203240593
ML16XP1-042-230	41000	13	16	36800	23400	9	LH42/62W9	ML180DF110E60C	203240595
ML16XP1-042-230	42000	13	16	36800	23800	9	LH42/62W9	ML180UH090E48B	203240597
ML16XP1-042-230	41500	13	16	36800	23400	9	LH42/62W9	ML180UH090E60C	203240599
ML16XP1-042-230	41500	13	16	36800	23400	9	LH42/62W9	ML180UH110E60C	203240601
ML16XP1-042-230	41500	13	16	36800	23400	9	LH42/62W9	ML180UH110V60C	206778181
ML16XP1-042-230	40500	13	16	36800	23400	9	LH42/62W9	ML193DF090XE48C	203240603
ML16XP1-042-230	41000	12.5	15	36800	23800	8.5	LH42/62W9	ML193UH030XE36B	203240605
ML16XP1-042-230	41000	12.5	15	36800	23800	8.5	LH42/62W9	ML193UH045XE36B	203240607
ML16XP1-042-230	41500	12.5	15	36800	23800	8.5	LH42/62W9	ML193UH070XE36B	203240609
ML16XP1-042-230	40500	13	16	36400	23400	9	LH42/62W9	ML193UH090XE36C	203240611
ML16XP1-042-230	41500	13	16	36800	23400	9	LH42/62W9	ML193UH090XE48C	203240613
ML16XP1-042-230	41500	13	16	36800	23400	9	LH42/62W9	ML193UH110XE48C	203240615
ML16XP1-042-230	42000	13	16	36800	23600	9	LH42/62W9	ML193UH110XE60C	203240617
ML16XP1-042-230	41500	13	16	37800	23600	9	LH42/62W9	ML296UH090XV48C	203240619
ML16XP1-042-230	40000	13	16	37800	24600	8.2	LH42/62W9	SL280DF090V48B	203240621
ML16XP1-042-230	40500	13	16	36800	23400	9	LH42/62W9	SL280DF090V60C	203240623
ML16XP1-042-230	40500	13	16	36800	23400	9	LH42/62W9	SL280DF110V60C	203240625
ML16XP1-042-230	42000	13	16	36800	23600	9	LH42/62W9	SL280UH080NV48B	203240627
ML16XP1-042-230	42000	13	17	36800	23400	9	LH42/62W9	SL280UH080NV60C	203240629

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-042-230	42000	13	16	37400	23800	9	LH42/62W9	SL280UH090V48B	203240631
ML16XP1-042-230	42000	13	16	36800	23400	9	LH42/62W9	SL280UH090V60C	203240633
ML16XP1-042-230	42000	13	16	36800	23400	9	LH42/62W9	SL280UH090XV60C	203240635
ML16XP1-042-230	42000	13	17	36800	23400	9	LH42/62W9	SL280UH100NV60C	203240637
ML16XP1-042-230	41500	13	16	36800	23400	9	LH42/62W9	SL280UH110V60C	203240639
ML16XP1-042-230	41500	13	16	36800	23400	9	LH42/62W9	SL280UH110XV60C	203240641
ML16XP1-042-230	41500	13	16	37800	23800	8.5	LH42/62W9	SL297UH080NV48C	203240643
ML16XP1-042-230	42000	13	16	36800	23600	9	LH42/62W9	SL297UH080NV60C	203240645
ML16XP1-042-230	40500	13	16	36800	23600	9	LH42/62W9	SLP98DF090XV48C	203240647
ML16XP1-042-230	40500	13	16	36800	23600	9	LH42/62W9	SLP98DF090XV60C	203240649
ML16XP1-042-230	40500	13	16	36800	23600	9	LH42/62W9	SLP98DF110XV60C	203240651
ML16XP1-042-230	41500	13	16	36800	23600	9	LH42/62W9	SLP98UH090XV48C	203240653
ML16XP1-042-230	41500	13	16	36800	23600	9	LH42/62W9	SLP98UH090XV60C	203240655
ML16XP1-042-230	41500	13	16	36800	23600	9	LH42/62W9	SLP98UH110XV60C	203240657
ML16XP1-042-230	41500	13	16	36800	23600	9	LH42/62W9	SLP99UH090XV48C	205763496
ML16XP1-042-230	41500	13	16	36800	23600	9	LH42/62W9	SLP99UH090XV60C	205763498
ML16XP1-042-230	41500	13	16	36800	23600	9	LH42/62W9	SLP99UH110XV60C	205763501
ML16XP1-042-230	40500	12.5	15	37400	24200	9	LH42/62W9		203240835
ML16XP1-042-230	41500	12.5	16	36800	23600	8.5	LH48/60F9	EL280UH090XE48B	203366688
ML16XP1-042-230	41500	13	16	37800	23800	9	LH48/60F9	EL280UH110XE60C	203366706
ML16XP1-042-230	41500	12.5	16	36800	23600	8.5	LH48/60X9	EL280UH090XE48B	203366687
ML16XP1-042-230	41500	13	16	37800	23800	9	LH48/60X9	EL280UH110XE60C	203366705
ML16XP1-042-230	40500	12.2	15	37400	24200	8.5	LS*4891CC		205304051
ML16XP1-042-230	39500	12	14.5	37800	24400	8.2	LS*4899BB		205484105
ML16XP1-042-230	40500	13	16	38000	24000	8.5	PL60H210P17	EL180UH080NE48B	206778088
ML16XP1-042-230	41000	13	16	37800	23200	8.5	PL60H210P17	EL180UH100NE60C	206778093
ML16XP1-042-230	41000	13	16	37800	23200	8.5	PL60H210P17	EL196UH090XE48C	206778106
ML16XP1-042-230	41000	13	16	37800	23400	8.5	PL60H210P17	EL196UH110XE60C	206778113
ML16XP1-042-230	41000	13	16	37800	23200	8.5	PL60H210P17	EL280UH110E48C	206778122
ML16XP1-042-230	41000	13	16	37800	23400	8.5	PL60H210P17	EL280UH110E60C	206778129
ML16XP1-042-230	41000	13	16	36800	23800	8.5	PL60H210P17	EL280UH110XE60C	206778134
ML16XP1-042-230	40500	13	16	37800	23200	8.5	PL60H210P17	EL296UH090XE48C	206778138
ML16XP1-042-230	41000	13	16	37800	23400	8.5	PL60H210P17	EL296UH090XV48C	206778144
ML16XP1-042-230	41000	13	16	37800	23600	8.5	PL60H210P17	EL296UH090XV60C	206778150
ML16XP1-042-230	41000	13	16	37800	23400	8.5	PL60H210P17	EL296UH110XE60C	206778156
ML16XP1-042-230	41000	13	16	37800	23400	8.5	PL60H210P17	EL296UH110XV60C	206778163
ML16XP1-042-230	40500	13	16	38000	24200	8.5	PL60H210P17	ML180UH070V48B	206778169
ML16XP1-042-230	41000	13	16	37800	23200	8.5	PL60H210P17	ML180UH110V60C	206778176
ML16XP1-042-230	42000	13	16	36800	23600	9	PL60H210P19	EL180UH080NE48B	206778090
ML16XP1-042-230	41500	13	16	36800	23400	9	PL60H210P19	EL180UH100NE60C	206778097
ML16XP1-042-230	41000	13	16	36800	23600	9	PL60H210P19	EL195UH080NE48C	206778100
ML16XP1-042-230	41500	13	16	36800	23800	9	PL60H210P19	EL195UH100NE60C	206778103
ML16XP1-042-230	41500	13	16	36800	23400	9	PL60H210P19	EL196UH090XE48C	206778110
ML16XP1-042-230	42000	13	16	36800	23600	9	PL60H210P19	EL196UH110XE60C	206778117
ML16XP1-042-230	42000	13	16	36800	23600	8.5	PL60H210P19	EL280UH090E48B	206778118
ML16XP1-042-230	42000	13	16	36800	23600	8.5	PL60H210P19	EL280UH090XE48B	206778119
ML16XP1-042-230	41500	13	16	36800	23400	9	PL60H210P19	EL280UH110E48C	206778126
ML16XP1-042-230	42000	13	16	36800	23600	9	PL60H210P19	EL280UH110E60C	206778133
ML16XP1-042-230	42000	13	16	36800	23600	9	PL60H210P19	EL280UH110XE60C	206778136
ML16XP1-042-230	41000	13	16	37400	23600	8.5	PL60H210P19	EL296UH090XE48C	206778142
ML16XP1-042-230	41500	13	16	36800	23600	9	PL60H210P19	EL296UH090XV48C	206778148
ML16XP1-042-230	41500	13	16	36800	23600	9	PL60H210P19	EL296UH090XV60C	206778154
ML16XP1-042-230	42000	13	16	36800	23600	9	PL60H210P19	EL296UH110XE60C	206778160
ML16XP1-042-230	41500	13	16	36800	23600	9	PL60H210P19	EL296UH110XV60C	206778167

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-042-230	42000	13	16	36800	24000	9	PL60H210P19	ML180UH070V48B	206778171
ML16XP1-042-230	42000	13	16	36800	23800	9	PL60H210P19	ML180UH090E48B	206778172
ML16XP1-042-230	42000	13	16	37400	23800	9	PL60H210P19	ML180UH090V48B	206778173
ML16XP1-042-230	41500	13	16	36800	23400	9	PL60H210P19	ML180UH110V60C	206778182
ML16XP1-048-230	45500	12.5	15	42500	27600	9	L*42/49K9	EL280UH110XE60C	203366723
ML16XP1-048-230	45000	12.5	15	41000	27600	9	L*42/60S9	EL280UH110XE60C	203366719
ML16XP1-048-230	47000	13	16	41500	27600	9.5	L*42/60Z9	EL180UH100NE60C	203240658
ML16XP1-048-230	46500	12.5	15	42000	28000	9	L*42/60Z9	EL195UH080NE48C	203240660
ML16XP1-048-230	46500	12.5	15	42000	28000	9	L*42/60Z9	EL195UH100NE60C	203240662
ML16XP1-048-230	47000	12.5	15	42000	28000	9.5	L*42/60Z9	EL196UH090XE48C	203240664
ML16XP1-048-230	47000	12.5	15	42000	27800	9.5	L*42/60Z9	EL196UH110XE60C	203240666
ML16XP1-048-230	47000	12.5	15	42000	27800	9.5	L*42/60Z9	EL280UH110E48C	203240668
ML16XP1-048-230	47000	13	16	41500	27800	9.5	L*42/60Z9	EL280UH110E60C	203240670
ML16XP1-048-230	47000	13	16	41500	27800	9.5	L*42/60Z9	EL280UH110XE60C	203366727
ML16XP1-048-230	45000	12.5	15	41500	27800	9.5	L*42/60Z9	EL296DF090XE48C	203240672
ML16XP1-048-230	45000	12.5	15	41500	28000	9.5	L*42/60Z9	EL296DF090XV60C	203240674
ML16XP1-048-230	45500	13	16	42500	28200	9.5	L*42/60Z9	EL296DF110XE60C	203240676
ML16XP1-048-230	45500	12.5	15	42500	28600	9.5	L*42/60Z9	EL296DF110XV60C	203240678
ML16XP1-048-230	47000	12.5	15	42000	28000	9.5	L*42/60Z9	EL296UH090XE48C	203240680
ML16XP1-048-230	47000	12.5	15	42000	28000	9.5	L*42/60Z9	EL296UH090XV48C	203240682
ML16XP1-048-230	47000	12.5	15	42000	28000	9.5	L*42/60Z9	EL296UH090XV60C	203240684
ML16XP1-048-230	47000	12.5	15	41500	27800	9.5	L*42/60Z9	EL296UH110XE60C	203240686
ML16XP1-048-230	47000	12.5	15	42000	27800	9.5	L*42/60Z9	EL296UH110XV48C	203240688
ML16XP1-048-230	47000	12.5	15	42000	28000	9.5	L*42/60Z9	EL296UH110XV60C	203240690
ML16XP1-048-230	46000	12.5	15	41500	27400	9	L*42/60Z9	EL296UH135XE60D	203240692
ML16XP1-048-230	46000	12.5	15	41000	26800	9	L*42/60Z9	EL296UH135XV60D	203240694
ML16XP1-048-230	45500	13	16	42500	27600	9.5	L*42/60Z9	ML180DF110E60C	203240696
ML16XP1-048-230	47000	13	16	41500	27800	9.5	L*42/60Z9	ML180UH090E60C	203240698
ML16XP1-048-230	47500	12.5	15	42500	28200	9.5	L*42/60Z9	ML180UH110E60C	203240700
ML16XP1-048-230	47000	13	16	41500	27600	9.5	L*42/60Z9	ML180UH110V60C	206777905
ML16XP1-048-230	46500	12.5	15	41500	27000	9	L*42/60Z9	ML180UH135E60D	203240702
ML16XP1-048-230	45000	12.5	15	41500	27800	9.5	L*42/60Z9	ML193DF090XE48C	203240704
ML16XP1-048-230	47000	12.5	15	41500	27800	9.5	L*42/60Z9	ML193UH090XE48C	203240706
ML16XP1-048-230	47000	12.5	15	42000	27800	9.5	L*42/60Z9	ML193UH110XE48C	203240708
ML16XP1-048-230	47000	12.5	15	41500	27800	9.5	L*42/60Z9	ML193UH110XE60C	203240710
ML16XP1-048-230	45000	12.5	15	42500	28000	9.5	L*42/60Z9	ML296DF090XV60C	203240712
ML16XP1-048-230	47000	12.5	15	42500	28000	9.5	L*42/60Z9	ML296UH090XV48C	203240714
ML16XP1-048-230	47000	12.5	15	42000	28000	9.5	L*42/60Z9	ML296UH110XV60C	203240716
ML16XP1-048-230	45500	13	16	41500	27800	9.5	L*42/60Z9	SL280DF090V60C	203240718
ML16XP1-048-230	46000	13	16	42500	28200	9.5	L*42/60Z9	SL280DF110V60C	203240720
ML16XP1-048-230	47000	13	16	41500	27600	9.5	L*42/60Z9	SL280UH080NV60C	203240722
ML16XP1-048-230	47000	12.5	15	42000	27800	9.5	L*42/60Z9	SL280UH090V60C	203240724
ML16XP1-048-230	47000	12.5	15	42000	27800	9.5	L*42/60Z9	SL280UH090XV60C	203240726
ML16XP1-048-230	47500	13	16	41500	27600	9.5	L*42/60Z9	SL280UH100NV60C	203240728
ML16XP1-048-230	47000	13	16	41500	27800	9.5	L*42/60Z9	SL280UH110V60C	203240730
ML16XP1-048-230	47000	13	16	41500	27800	9.5	L*42/60Z9	SL280UH110XV60C	203240732
ML16XP1-048-230	46500	12.5	15	41500	27200	9	L*42/60Z9	SL280UH135V60D	203240734
ML16XP1-048-230	47000	12.5	15	42000	28000	9.5	L*42/60Z9	SL297UH080NV48C	203240736
ML16XP1-048-230	47000	12.5	15	42000	27800	9.5	L*42/60Z9	SL297UH080NV60C	203240738
ML16XP1-048-230	45000	12.5	15	42000	28000	9.5	L*42/60Z9	SLP98DF090XV48C	203240740
ML16XP1-048-230	45000	12.5	15	41500	28000	9.5	L*42/60Z9	SLP98DF090XV60C	203240742
ML16XP1-048-230	45500	12.5	15	42500	28400	9.5	L*42/60Z9	SLP98DF110XV60C	203240744
ML16XP1-048-230	47000	12.5	15	42000	28000	9.5	L*42/60Z9	SLP98UH090XV48C	203240746
ML16XP1-048-230	47000	12.5	15	42000	28000	9.5	L*42/60Z9	SLP98UH090XV60C	203240748

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-048-230	47000	12.5	15	42000	28000	9.5	L*42/60Z9	SLP98UH110XV60C	203240750
ML16XP1-048-230	46500	12.5	15	41500	27200	9	L*42/60Z9	SLP98UH135XV60D	203240752
ML16XP1-048-230	45000	12.5	15	42000	28000	9.5	L*42/60Z9	SLP99DF090XV48C	205763505
ML16XP1-048-230	45000	12.5	15	41500	28000	9.5	L*42/60Z9	SLP99DF090XV60C	205763509
ML16XP1-048-230	45500	12.5	15	42500	28400	9.5	L*42/60Z9	SLP99DF110XV60C	205760717
ML16XP1-048-230	47000	12.5	15	42000	28000	9.5	L*42/60Z9	SLP99UH090XV48C	205763511
ML16XP1-048-230	47000	12.5	15	42000	28000	9.5	L*42/60Z9	SLP99UH090XV60C	205763516
ML16XP1-048-230	47000	12.5	15	42000	28000	9.5	L*42/60Z9	SLP99UH110XV60C	205763520
ML16XP1-048-230	46500	12.5	15	41500	27200	9	L*42/60Z9	SLP99UH135XV60D	205763525
ML16XP1-048-230	45000	12.5	15	42500	28800	9.5	L*42/60Z9		203240836
ML16XP1-048-230	45500	12.5	15	42500	27600	9	L*42/61K9	EL280UH110XE60C	203366724
ML16XP1-048-230	45000	12.5	15	41000	27600	9	L*43/48S9	EL280UH110XE60C	203366720
ML16XP1-048-230	47000	13	16	41500	27800	9.5	L*43/61Z9	EL280UH110XE60C	203366728
ML16XP1-048-230	47000	13	16	41500	27800	9.5	L*49/62Y9	EL280UH110XE60C	203366726
ML16XP1-048-230	47000	13	16	41500	27800	9.5	L*49/62Z9	EL280UH110XE60C	203366725
ML16XP1-048-230	45000	12.5	15	41500	27800	9.5	LD42/61Z9	EL296DF090XE48C	205147278
ML16XP1-048-230	45000	12.2	14.5	41500	28000	9.5	LD42/61Z9	EL296DF090XV60C	205147279
ML16XP1-048-230	45500	12.5	15	42500	28200	9.5	LD42/61Z9	EL296DF110XE60C	205147280
ML16XP1-048-230	45000	12.5	15	41500	27800	9.5	LD42/61Z9	EL296DF110XV60C	205147281
ML16XP1-048-230	45500	12.5	15	42500	28200	9.5	LD42/61Z9	ML180DF110E60C	205147282
ML16XP1-048-230	45000	12.5	15	41500	27800	9.5	LD42/61Z9	ML193DF090XE48C	205147283
ML16XP1-048-230	45000	12.2	14.5	41500	28000	9.5	LD42/61Z9	ML296DF090XV60C	205147284
ML16XP1-048-230	45500	12.5	15	41500	27800	9.5	LD42/61Z9	SL280DF090V60C	205147285
ML16XP1-048-230	46000	12.5	15	42500	28200	9.5	LD42/61Z9	SL280DF110V60C	205147286
ML16XP1-048-230	45000	12.2	14.5	42000	28000	9.5	LD42/61Z9	SLP98DF090XV48C	205147287
ML16XP1-048-230	45000	12.2	14.5	41500	28000	9.5	LD42/61Z9	SLP98DF090XV60C	205147288
ML16XP1-048-230	45500	12.5	15	42500	28400	9.5	LD42/61Z9	SLP98DF110XV60C	205147289
ML16XP1-048-230	45000	12.2	14.5	42000	28000	9.5	LD42/61Z9	SLP99DF090XV48C	205763503
ML16XP1-048-230	45000	12.2	14.5	41500	28000	9.5	LD42/61Z9	SLP99DF090XV60C	205763507
ML16XP1-048-230	45500	12.5	15	42500	28400	9.5	LD42/61Z9	SLP99DF110XV60C	205760715
ML16XP1-048-230	45000	12.2	14.5	43000	28800	9.5	LD42/61Z9		204755195
ML16XP1-048-230	47000	13	16	41500	27600	9.5	LH40/61E9	EL180UH100NE60C	206777896
ML16XP1-048-230	47000	13	16	41500	27800	9.5	LH40/61E9	EL280UH110E60C	206777899
ML16XP1-048-230	47000	13	16	41500	27800	9.5	LH40/61E9	EL280UH110XE60C	206777901
ML16XP1-048-230	47000	13	16	41500	27600	9.5	LH40/61E9	ML180UH110V60C	206777904
ML16XP1-048-230	47000	13	16	41500	27600	9.5	LH40/61W9	EL180UH100NE60C	206777895
ML16XP1-048-230	47000	13	16	41500	27800	9.5	LH40/61W9	EL280UH110E60C	206777898
ML16XP1-048-230	47000	13	16	41500	27800	9.5	LH40/61W9	EL280UH110XE60C	203366718
ML16XP1-048-230	47000	13	16	41500	27600	9.5	LH40/61W9	ML180UH110V60C	206777903
ML16XP1-048-230	46500	12.5	16	41500	27800	9.5	LH40/62W9	EL280UH110XE60C	203366714
ML16XP1-048-230	45000	12.5	15	41000	27600	9	LH41/49F9	EL280UH110XE60C	203366715
ML16XP1-048-230	46000	12.5	15	42500	27800	9	LH41/61D9	EL280UH110XE60C	203366717
ML16XP1-048-230	45000	12.5	15	41000	27600	9	LH42/60D9	EL280UH110XE60C	203366716
ML16XP1-048-230	47000	13	16	41500	27600	9.5	LH42/62W9	EL180UH100NE60C	203240659
ML16XP1-048-230	46500	12.5	15	42000	28000	9.5	LH42/62W9	EL195UH080NE48C	203240661
ML16XP1-048-230	46500	12.5	15	42000	28000	9.5	LH42/62W9	EL195UH100NE60C	203240663
ML16XP1-048-230	47000	12.5	15	42000	28000	9.5	LH42/62W9	EL196UH090XE48C	203240665
ML16XP1-048-230	47000	12.5	15	42000	27800	9.5	LH42/62W9	EL196UH110XE60C	203240667
ML16XP1-048-230	47000	12.5	15	42000	27800	9.5	LH42/62W9	EL280UH110E48C	203240669
ML16XP1-048-230	47000	13	16	41500	27800	9.5	LH42/62W9	EL280UH110E60C	203240671
ML16XP1-048-230	47000	13	16	41500	27800	9.5	LH42/62W9	EL280UH110XE60C	203366729
ML16XP1-048-230	45000	12.5	15	41500	27800	9.5	LH42/62W9	EL296DF090XE48C	203240673
ML16XP1-048-230	45000	12.5	15	41500	28000	9.5	LH42/62W9	EL296DF090XV60C	203240675
ML16XP1-048-230	45500	13	16	42500	28200	9.5	LH42/62W9	EL296DF110XE60C	203240677

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-048-230	45500	12.5	15	42500	28600	9.5	LH42/62W9	EL296DF110XV60C	203240679
ML16XP1-048-230	47000	12.5	15	42000	28000	9.5	LH42/62W9	EL296UH090XE48C	203240681
ML16XP1-048-230	47000	12.5	15	42000	28000	9.5	LH42/62W9	EL296UH090XV48C	203240683
ML16XP1-048-230	47000	12.5	15	42000	28000	9.5	LH42/62W9	EL296UH090XV60C	203240685
ML16XP1-048-230	47000	12.5	15	41500	27800	9.5	LH42/62W9	EL296UH110XE60C	203240687
ML16XP1-048-230	47000	12.5	15	42000	27800	9.5	LH42/62W9	EL296UH110XV48C	203240689
ML16XP1-048-230	47000	12.5	15	42000	28000	9.5	LH42/62W9	EL296UH110XV60C	203240691
ML16XP1-048-230	46000	12.5	15	41500	27400	9	LH42/62W9	EL296UH135XE60D	203240693
ML16XP1-048-230	46000	12.5	15	41000	26800	9	LH42/62W9	EL296UH135XV60D	203240695
ML16XP1-048-230	45500	13	16	42500	27600	9.5	LH42/62W9	ML180DF110E60C	203240697
ML16XP1-048-230	47000	13	16	41500	27800	9.5	LH42/62W9	ML180UH090E60C	203240699
ML16XP1-048-230	47500	12.5	15	42500	28200	9.5	LH42/62W9	ML180UH110E60C	203240701
ML16XP1-048-230	47000	13	16	41500	27600	9.5	LH42/62W9	ML180UH110V60C	206777906
ML16XP1-048-230	46500	12.5	15	41500	27000	9	LH42/62W9	ML180UH135E60D	203240703
ML16XP1-048-230	45000	12.5	15	41500	27800	9.5	LH42/62W9	ML193DF090XE48C	203240705
ML16XP1-048-230	47000	12.5	15	41500	27800	9.5	LH42/62W9	ML193UH090XE48C	203240707
ML16XP1-048-230	47000	12.5	15	42000	27800	9.5	LH42/62W9	ML193UH110XE48C	203240709
ML16XP1-048-230	47000	12.5	15	41500	27800	9.5	LH42/62W9	ML193UH110XE60C	203240711
ML16XP1-048-230	45000	12.5	15	42500	28000	9.5	LH42/62W9	ML296DF090XV60C	203240713
ML16XP1-048-230	47000	12.5	15	42500	28000	9.5	LH42/62W9	ML296UH090XV48C	203240715
ML16XP1-048-230	47000	12.5	15	42000	28000	9.5	LH42/62W9	ML296UH110XV60C	203240717
ML16XP1-048-230	45500	13	16	41500	27800	9.5	LH42/62W9	SL280DF090V60C	203240719
ML16XP1-048-230	46000	13	16	42500	28200	9.5	LH42/62W9	SL280DF110V60C	203240721
ML16XP1-048-230	47000	13	16	41500	27600	9.5	LH42/62W9	SL280UH080NV60C	203240723
ML16XP1-048-230	47000	12.5	15	42000	27800	9.5	LH42/62W9	SL280UH090V60C	203240725
ML16XP1-048-230	47000	12.5	15	42000	27800	9.5	LH42/62W9	SL280UH090XV60C	203240727
ML16XP1-048-230	47500	13	16	41500	27600	9.5	LH42/62W9	SL280UH100NV60C	203240729
ML16XP1-048-230	47000	13	16	41500	27800	9.5	LH42/62W9	SL280UH110V60C	203240731
ML16XP1-048-230	47000	13	16	41500	27800	9.5	LH42/62W9	SL280UH110XV60C	203240733
ML16XP1-048-230	46500	12.5	15	41500	27200	9	LH42/62W9	SL280UH135V60D	203240735
ML16XP1-048-230	47000	12.5	15	42000	28000	9.5	LH42/62W9	SL297UH080NV48C	203240737
ML16XP1-048-230	47000	12.5	15	42000	27800	9.5	LH42/62W9	SL297UH080NV60C	203240739
ML16XP1-048-230	45000	12.5	15	42000	28000	9.5	LH42/62W9	SLP98DF090XV48C	203240741
ML16XP1-048-230	45000	12.5	15	41500	28000	9.5	LH42/62W9	SLP98DF090XV60C	203240743
ML16XP1-048-230	45500	12.5	15	42500	28400	9.5	LH42/62W9	SLP98DF110XV60C	203240745
ML16XP1-048-230	47000	12.5	15	42000	28000	9.5	LH42/62W9	SLP98UH090XV48C	203240747
ML16XP1-048-230	47000	12.5	15	42000	28000	9.5	LH42/62W9	SLP98UH090XV60C	203240749
ML16XP1-048-230	47000	12.5	15	42000	28000	9.5	LH42/62W9	SLP98UH110XV60C	203240751
ML16XP1-048-230	46500	12.5	15	41500	27200	9	LH42/62W9	SLP98UH135XV60D	203240753
ML16XP1-048-230	47000	12.5	15	42000	28000	9.5	LH42/62W9	SLP99UH090XV48C	205763513
ML16XP1-048-230	47000	12.5	15	42000	28000	9.5	LH42/62W9	SLP99UH090XV60C	205763518
ML16XP1-048-230	47000	12.5	15	42000	28000	9.5	LH42/62W9	SLP99UH110XV60C	205763523
ML16XP1-048-230	46500	12.5	15	41500	27200	9	LH42/62W9	SLP99UH135XV60D	205763526
ML16XP1-048-230	45000	12.5	15	42500	28800	9.5	LH42/62W9		203240837
ML16XP1-048-230	46500	12.5	15	41500	27800	9.5	LH48/60F9	EL280UH110XE60C	203366722
ML16XP1-048-230	46500	12.5	15	41500	27800	9.5	LH48/60X9	EL280UH110XE60C	203366721
ML16XP1-048-230	45000	12.2	14.5	43000	28800	9.5	LS*4891CC		205304049
ML16XP1-048-230	45000	12.5	15	43000	28800	9.5	LS*6094CC		205304024
ML16XP1-048-230	47000	13	16	41500	27600	9.5	PL60H210P19	EL180UH100NE60C	206777897
ML16XP1-048-230	47000	13	16	41500	27800	9.5	PL60H210P19	EL280UH110E60C	206777900
ML16XP1-048-230	47000	13	16	41500	27800	9.5	PL60H210P19	EL280UH110XE60C	206777902
ML16XP1-048-230	47000	13	16	41500	27600	9.5	PL60H210P19	ML180UH110V60C	206777907
ML16XP1-060-230	57500	12.5	15	52500	36200	9	L*42/60Z9	EL180UH100NE60C	203240754
ML16XP1-060-230	57000	12.2	14.5	52500	36400	8.5	L*42/60Z9	EL195UH100NE60C	203240758

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-060-230	56500	12.5	15	52500	35800	9	L*42/60Z9	EL196UH110XE60C	203240760
ML16XP1-060-230	57500	12.5	15	52500	36200	9	L*42/60Z9	EL280UH110E60C	203240762
ML16XP1-060-230	57500	12.5	15	52500	36200	9	L*42/60Z9	EL280UH110XE60C	203366736
ML16XP1-060-230	55500	12.2	14	52500	34000	9	L*42/60Z9	EL296DF090XV60C	203240764
ML16XP1-060-230	56000	12.5	15	52500	34600	9	L*42/60Z9	EL296DF110XE60C	203240766
ML16XP1-060-230	55500	12.2	14	52500	34200	9	L*42/60Z9	EL296DF110XV60C	203240768
ML16XP1-060-230	57500	12.2	14.5	52000	35800	9	L*42/60Z9	EL296UH090XV60C	203240770
ML16XP1-060-230	58000	12.2	15	52500	35800	9.5	L*42/60Z9	EL296UH110XE60C	203240772
ML16XP1-060-230	58000	12.2	15	52500	36000	9.5	L*42/60Z9	EL296UH110XV60C	203240774
ML16XP1-060-230	56500	12.2	14.5	52500	35800	9	L*42/60Z9	EL296UH135XE60D	203240776
ML16XP1-060-230	57000	12.2	14.5	52500	35800	9	L*42/60Z9	EL296UH135XV60D	203240778
ML16XP1-060-230	56500	12.5	15	52500	34600	9	L*42/60Z9	ML180DF110E60C	203240780
ML16XP1-060-230	58000	12.2	15	52500	35800	9.5	L*42/60Z9	ML180UH090E60C	203240782
ML16XP1-060-230	58000	12.2	15	52500	35800	9.5	L*42/60Z9	ML180UH110E60C	203240784
ML16XP1-060-230	56500	12.5	15	50500	34000	8.5	L*42/60Z9	ML180UH135E60D	203240786
ML16XP1-060-230	56500	12.2	14.5	52000	34000	8.5	L*42/60Z9	ML193UH110XE60C	203240788
ML16XP1-060-230	57500	12.2	14.5	52500	36400	9	L*42/60Z9	ML296UH110XV60C	203240790
ML16XP1-060-230	56500	12.5	15	52500	34200	9	L*42/60Z9	SL280DF090V60C	203240792
ML16XP1-060-230	56500	12.5	15	52500	34000	9	L*42/60Z9	SL280DF110V60C	203240794
ML16XP1-060-230	58500	12.5	15	52000	35600	9.5	L*42/60Z9	SL280UH080NV60C	203240796
ML16XP1-060-230	57000	12.5	15	52500	35800	9	L*42/60Z9	SL280UH090V60C	203240798
ML16XP1-060-230	57000	12.5	15	52500	35800	9	L*42/60Z9	SL280UH090XV60C	203240800
ML16XP1-060-230	58500	12.5	15	52500	35800	9.5	L*42/60Z9	SL280UH100NV60C	203240802
ML16XP1-060-230	58000	12.2	15	52500	35800	9.5	L*42/60Z9	SL280UH110V60C	203240804
ML16XP1-060-230	58000	12.2	15	52500	35800	9.5	L*42/60Z9	SL280UH110XV60C	203240806
ML16XP1-060-230	57500	12.5	15	52500	35800	9	L*42/60Z9	SL280UH135V60D	203240808
ML16XP1-060-230	58000	12.2	15	52000	35800	9.5	L*42/60Z9	SL297UH080NV60C	203240810
ML16XP1-060-230	55500	12.2	14	52500	34200	9	L*42/60Z9	SLP98DF110XV60C	203240812
ML16XP1-060-230	57500	12.2	14.5	52000	35800	9	L*42/60Z9	SLP98UH090XV60C	203240814
ML16XP1-060-230	58000	12.2	15	52500	36000	9.5	L*42/60Z9	SLP98UH110XV60C	203240816
ML16XP1-060-230	57000	12.5	15	51000	34200	8.5	L*42/60Z9	SLP98UH135XV60D	203240818
ML16XP1-060-230	55500	12.2	14	54000	34200	9	L*42/60Z9	SLP99DF110XV60C	205760376
ML16XP1-060-230	57500	12.2	14.5	52000	35800	9	L*42/60Z9	SLP99UH090XV60C	205763403
ML16XP1-060-230	58000	12.2	15	52500	36000	9.5	L*42/60Z9	SLP99UH110XV60C	205760379
ML16XP1-060-230	57000	12	14.5	52500	36200	9.5	L*42/60Z9		203240838
ML16XP1-060-230	57500	12.5	15	52500	36200	9	L*43/61Z9	EL280UH110XE60C	203366737
ML16XP1-060-230	57500	12.2	15	52500	36200	9	L*49/62Y9	EL280UH110XE60C	203366735
ML16XP1-060-230	57500	12.2	15	52500	36200	9	L*49/62Z9	EL280UH110XE60C	203366734
ML16XP1-060-230	55500	12.2	14	53500	34000	9	LD42/61Z9	EL296DF090XV60C	205147290
ML16XP1-060-230	56000	12.2	14.5	54000	34600	9	LD42/61Z9	EL296DF110XE60C	205147291
ML16XP1-060-230	55500	12.2	14	54000	34200	9	LD42/61Z9	EL296DF110XV60C	205147292
ML16XP1-060-230	56500	12.2	14.5	54000	34600	9	LD42/61Z9	ML180DF110E60C	205147293
ML16XP1-060-230	56500	12.2	14.5	54000	34200	9	LD42/61Z9	SL280DF090V60C	205147294
ML16XP1-060-230	56500	12.2	14.5	54000	34600	9	LD42/61Z9	SL280DF110V60C	205147295
ML16XP1-060-230	55500	12.2	14	53500	34600	9	LD42/61Z9	SLP98DF110XV60C	205147296
ML16XP1-060-230	55500	12.2	14	54000	34200	9	LD42/61Z9	SLP99DF110XV60C	205760375
ML16XP1-060-230	56500	12	14	52500	36200	9	LD42/61Z9		204755197
ML16XP1-060-230	57500	12.2	15	52500	36200	9	LH40/61W9	EL280UH110XE60C	203366732
ML16XP1-060-230	57500	12.2	15	52500	36200	9	LH40/62W9	EL280UH110XE60C	203366730
ML16XP1-060-230	56500	12	15	52500	36200	8.5	LH41/61D9	EL280UH110XE60C	203366731
ML16XP1-060-230	58000	12.5	15	52500	35800	9.5	LH42/62W9	EL180UH100NE60C	203240755
ML16XP1-060-230	57500	12.2	14.5	52500	36000	9	LH42/62W9	EL195UH100NE60C	203240759
ML16XP1-060-230	58000	12.5	15	52500	35800	9.5	LH42/62W9	EL196UH110XE60C	203240761
ML16XP1-060-230	57500	12.5	15	52500	36200	9	LH42/62W9	EL280UH110E60C	203240763

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-060-230	57500	12.5	15	52500	36200	9	LH42/62W9	EL280UH110XE60C	203366738
ML16XP1-060-230	55500	12.2	14.5	52500	34000	9	LH42/62W9	EL296DF090XV60C	203240765
ML16XP1-060-230	56000	12.5	15	52500	34600	9	LH42/62W9	EL296DF110XE60C	203240767
ML16XP1-060-230	55500	12.2	14.5	52500	34600	9	LH42/62W9	EL296DF110XV60C	203240769
ML16XP1-060-230	57500	12.2	14.5	52000	35800	9	LH42/62W9	EL296UH090XV60C	203240771
ML16XP1-060-230	58000	12.5	15	52500	35800	9.5	LH42/62W9	EL296UH110XE60C	203240773
ML16XP1-060-230	58000	12.5	15	52500	36000	9.5	LH42/62W9	EL296UH110XV60C	203240775
ML16XP1-060-230	56500	12.2	14.5	52500	35800	9	LH42/62W9	EL296UH135XE60D	203240777
ML16XP1-060-230	57000	12.2	14.5	52500	35800	9	LH42/62W9	EL296UH135XV60D	203240779
ML16XP1-060-230	56500	12.5	15	52500	34600	9	LH42/62W9	ML180DF110E60C	203240781
ML16XP1-060-230	58000	12.5	15	52500	35800	9.5	LH42/62W9	ML180UH090E60C	203240783
ML16XP1-060-230	58000	12.5	15	52500	35800	9.5	LH42/62W9	ML180UH110E60C	203240785
ML16XP1-060-230	56500	12.5	15	50500	34000	8.5	LH42/62W9	ML180UH135E60D	203240787
ML16XP1-060-230	56500	12.2	14.5	52000	34000	8.5	LH42/62W9	ML193UH110XE60C	203240789
ML16XP1-060-230	57500	12.2	14.5	52500	36400	9	LH42/62W9	ML296UH110XV60C	203240791
ML16XP1-060-230	56500	12.5	15	52500	34200	9	LH42/62W9	SL280DF090V60C	203240793
ML16XP1-060-230	56500	12.5	15	52500	34600	9	LH42/62W9	SL280DF110V60C	203240795
ML16XP1-060-230	58500	12.5	15	52000	35600	9.5	LH42/62W9	SL280UH080NV60C	203240797
ML16XP1-060-230	58000	12.5	15	52500	35800	9.5	LH42/62W9	SL280UH090V60C	203240799
ML16XP1-060-230	58000	12.5	15	52500	35800	9.5	LH42/62W9	SL280UH090XV60C	203240801
ML16XP1-060-230	58500	12.5	15	52500	35800	9.5	LH42/62W9	SL280UH100NV60C	203240803
ML16XP1-060-230	58000	12.5	15	52500	35800	9.5	LH42/62W9	SL280UH110V60C	203240805
ML16XP1-060-230	58000	12.5	15	52500	35800	9.5	LH42/62W9	SL280UH110XV60C	203240807
ML16XP1-060-230	57500	12.5	15	52500	35800	9	LH42/62W9	SL280UH135V60D	203240809
ML16XP1-060-230	58000	12.5	15	52000	35800	9.5	LH42/62W9	SL297UH080NV60C	203240811
ML16XP1-060-230	55500	12.2	14.5	52500	34600	9	LH42/62W9	SLP98DF110XV60C	203240813
ML16XP1-060-230	57500	12.2	14.5	52000	35800	9	LH42/62W9	SLP98UH090XV60C	203240815
ML16XP1-060-230	58000	12.5	15	52500	36000	9.5	LH42/62W9	SLP98UH110XV60C	203240817
ML16XP1-060-230	57000	12.5	15	51000	34200	8.5	LH42/62W9	SLP98UH135XV60D	203240819
ML16XP1-060-230	57500	12.2	14.5	52000	35800	9	LH42/62W9	SLP99UH090XV60C	205763405
ML16XP1-060-230	58000	12.5	15	52500	36000	9.5	LH42/62W9	SLP99UH110XV60C	205760381
ML16XP1-060-230	57000	12.2	14.5	52500	36200	9.5	LH42/62W9		203240839
ML16XP1-060-230	57000	12.2	15	52500	36200	9	LH48/60F9	EL280UH110XE60C	203366733
ML16XP1-060-230	57000	12	14.5	52500	36200	9.5	LS*6094CC		205304025
SL18XP1-024-230	23600	13	17	19600	12200	9	L*18/36T9	EL180UH045E36A	206775823
SL18XP1-024-230	23600	13	17	19600	12200	9	L*18/36T9	EL180UH045XE36A	206775830
SL18XP1-024-230	23800	14	18	19800	12200	9.5	L*18/36T9	EL180UH070E36B	206775838
SL18XP1-024-230	23800	14	18	19800	12200	9.5	L*18/36T9	EL180UH070XE36B	206775851
SL18XP1-024-230	23800	13	17	19800	12200	9	L*18/36T9	EL195UH045XE36B	206775864
SL18XP1-024-230	23800	13	17	19800	12200	9	L*18/36T9	EL196UH045XE36B	206775877
SL18XP1-024-230	23600	13	17	20200	12400	9	L*18/36T9	EL196UH070XE36B	206775890
SL18XP1-024-230	23800	14	18	20000	12400	9.5	L*18/36T9	EL280UH045E36A	206775902
SL18XP1-024-230	23400	13	17	19800	12100	9.5	L*18/36T9	EL280UH070E36A	206775909
SL18XP1-024-230	23400	13	17	19800	12100	9.5	L*18/36T9	EL280UH070XE36A	203366739
SL18XP1-024-230	23800	13	17	19800	12300	9	L*18/36T9	EL280UH090E36B	206775918
SL18XP1-024-230	23800	13	17	19800	12200	9	L*18/36T9	EL296UH045XE36B	206775931
SL18XP1-024-230	23800	14	18	19800	12200	9.5	L*18/36T9	EL296UH045XV36B	206775944
SL18XP1-024-230	23800	14	18	19800	12200	9.5	L*18/36T9	EL296UH070XE36B	206775957
SL18XP1-024-230	23400	13	17	19800	11800	9	L*18/36T9	EL296UH070XV36B	206775970
SL18XP1-024-230	23400	13	16	21200	13400	9.5	L*18/36T9		206776073
SL18XP1-024-230	23600	13	17	20000	11900	9.5	L*19/36S9	EL180UH045E36A	206775824
SL18XP1-024-230	23600	13	17	20000	11900	9.5	L*19/36S9	EL180UH045XE36A	206775831
SL18XP1-024-230	24000	14	18	19800	12200	9.5	L*19/36S9	EL180UH070E36B	206775842
SL18XP1-024-230	24000	14	18	19800	12200	9.5	L*19/36S9	EL180UH070XE36B	206775855

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-024-230	23400	13	17	19800	11800	9.5	L*19/36S9	EL195UH045XE36B	206775868
SL18XP1-024-230	23800	13	17	20200	12400	9.5	L*19/36S9	EL196UH045XE36B	206775881
SL18XP1-024-230	23800	14	18	20200	12400	9.5	L*19/36S9	EL196UH070XE36B	206775894
SL18XP1-024-230	24000	14	18	20000	12400	9.5	L*19/36S9	EL280UH045E36A	206775903
SL18XP1-024-230	23800	14	18	20200	12400	9.5	L*19/36S9	EL280UH070E36A	206775910
SL18XP1-024-230	23800	14	18	20200	12400	9.5	L*19/36S9	EL280UH070XE36A	203366743
SL18XP1-024-230	23800	13	17	20200	12400	9.5	L*19/36S9	EL280UH090E36B	206775922
SL18XP1-024-230	23400	13	17	19800	11800	9.5	L*19/36S9	EL296UH045XE36B	206775935
SL18XP1-024-230	24000	14	18	19800	12200	9.5	L*19/36S9	EL296UH045XV36B	206775948
SL18XP1-024-230	24000	14	18	19800	12200	9.5	L*19/36S9	EL296UH070XE36B	206775961
SL18XP1-024-230	23600	13	17	19800	11800	9.5	L*19/36S9	EL296UH070XV36B	206775974
SL18XP1-024-230	23600	13	16	21200	13400	9.5	L*19/36S9		206776077
SL18XP1-024-230	24000	14	18	19800	12100	9.5	L*23/37Y9	EL180UH070E36B	206775849
SL18XP1-024-230	24000	14	18	19800	12100	9.5	L*23/37Y9	EL180UH070XE36B	206775862
SL18XP1-024-230	24000	13	17	19800	11900	9.5	L*23/37Y9	EL195UH045XE36B	206775875
SL18XP1-024-230	24000	13	17	20200	12400	9.5	L*23/37Y9	EL196UH045XE36B	206775888
SL18XP1-024-230	24000	14	18	19800	11900	9.5	L*23/37Y9	EL196UH070XE36B	206775901
SL18XP1-024-230	24000	14	18	20200	12400	9.5	L*23/37Y9	EL280UH070XE36A	203366759
SL18XP1-024-230	23800	14	18	19800	12100	9.5	L*23/37Y9	EL280UH090E36B	206775929
SL18XP1-024-230	24000	13	17	19800	11900	9.5	L*23/37Y9	EL296UH045XE36B	206775942
SL18XP1-024-230	24000	14	18	19800	12100	9.5	L*23/37Y9	EL296UH045XV36B	206775955
SL18XP1-024-230	24000	14	18	19800	12100	9.5	L*23/37Y9	EL296UH070XE36B	206775968
SL18XP1-024-230	24000	14	18	19800	11800	9.5	L*23/37Y9	EL296UH070XV36B	206775981
SL18XP1-024-230	24000	13	16	21200	13400	9.5	L*23/37Y9		206776089
SL18XP1-024-230	24000	14	18	19800	12100	9.5	L*23/37Z9	EL180UH070E36B	206775848
SL18XP1-024-230	24000	14	18	19800	12100	9.5	L*23/37Z9	EL180UH070XE36B	206775861
SL18XP1-024-230	24000	13	17	19800	11900	9.5	L*23/37Z9	EL195UH045XE36B	206775874
SL18XP1-024-230	24000	13	17	20200	12400	9.5	L*23/37Z9	EL196UH045XE36B	206775887
SL18XP1-024-230	24000	14	18	19800	12100	9.5	L*23/37Z9	EL196UH070XE36B	206775900
SL18XP1-024-230	24000	14	18	20200	12400	9.5	L*23/37Z9	EL280UH070XE36A	203366758
SL18XP1-024-230	23800	14	18	19800	12100	9.5	L*23/37Z9	EL280UH090E36B	206775928
SL18XP1-024-230	24000	13	17	19800	11900	9.5	L*23/37Z9	EL296UH045XE36B	206775941
SL18XP1-024-230	24000	14	18	19800	12200	9.5	L*23/37Z9	EL296UH045XV36B	206775954
SL18XP1-024-230	24000	14	18	19800	12200	9.5	L*23/37Z9	EL296UH070XE36B	206775967
SL18XP1-024-230	24000	14	18	19800	11800	9.5	L*23/37Z9	EL296UH070XV36B	206775980
SL18XP1-024-230	24000	14	18	20200	12200	9.5	L*23/37Z9	SLP99DF070XV36B	206551430
SL18XP1-024-230	24000	14	18	20200	12400	9.5	L*23/37Z9	SLP99UH070XV36B	206551434
SL18XP1-024-230	24000	13	16	21200	13400	9.5	L*23/37Z9		206776088
SL18XP1-024-230	24000	14	18	20200	12100	9.5	L*24/36Y9	EL280UH070XE36A	203366763
SL18XP1-024-230	24000	14	18	20200	12100	9.5	L*24/36Z9	EL280UH070XE36A	203366762
SL18XP1-024-230	23800	14	18	20200	12400	9.5	L*24/42S9	EL280UH070XE36A	203366744
SL18XP1-024-230	24000	14	18	20200	12100	9.5	L*25/37Y9	EL280UH070XE36A	203366761
SL18XP1-024-230	24000	14	18	20200	12100	9.5	L*25/37Z9	EL280UH070XE36A	203366760
SL18XP1-024-230	24000	14	18	20200	12100	9.5	L*29/36S9	EL280UH070XE36A	203366752
SL18XP1-024-230	24000	14	18	20200	12100	9.5	L*29/36U9	EL280UH070XE36A	203366750
SL18XP1-024-230	24000	14	18	20200	12100	9.5	L*30/36S9	EL280UH070XE36A	203366749
SL18XP1-024-230	24000	14	18	20200	12100	9.5	L*30/36U9	EL280UH070XE36A	203366748
SL18XP1-024-230	24000	14	18	20200	12200	9.5	L*30/36U9	SLP99DF070XV36B	206551428
SL18XP1-024-230	24000	14	18	19800	12200	9.5	L*30/36U9	SLP99UH070XV36B	206551432
SL18XP1-024-230	24000	13	17	20000	11900	9.5	L*35/36S9	EL180UH045E36A	206775826
SL18XP1-024-230	24000	13	17	20000	11900	9.5	L*35/36S9	EL180UH045XE36A	206775833
SL18XP1-024-230	24000	14	18	19800	11800	9.5	L*35/36S9	EL180UH070E36B	206775847
SL18XP1-024-230	24000	14	18	19800	11800	9.5	L*35/36S9	EL180UH070XE36B	206775860
SL18XP1-024-230	23800	13	17	19800	11800	9.5	L*35/36S9	EL195UH045XE36B	206775873

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-024-230	24000	13	17	20200	12400	9.5	L*35/36S9	EL196UH045XE36B	206775886
SL18XP1-024-230	24000	14	18	20200	12400	9.5	L*35/36S9	EL196UH070XE36B	206775899
SL18XP1-024-230	24000	14	18	20000	12200	9.5	L*35/36S9	EL280UH045E36A	206775905
SL18XP1-024-230	24000	14	18	19800	12100	9.5	L*35/36S9	EL280UH070E36A	206775912
SL18XP1-024-230	24000	14	18	20200	12100	9.5	L*35/36S9	EL280UH070XE36A	203366753
SL18XP1-024-230	23800	14	18	19800	12100	9.5	L*35/36S9	EL280UH090E36B	206775927
SL18XP1-024-230	23800	13	17	19800	11800	9.5	L*35/36S9	EL296UH045XE36B	206775940
SL18XP1-024-230	24000	14	18	19800	12100	9.5	L*35/36S9	EL296UH045XV36B	206775953
SL18XP1-024-230	24000	14	18	19800	12200	9.5	L*35/36S9	EL296UH070XE36B	206775966
SL18XP1-024-230	24000	14	18	19800	11800	9.5	L*35/36S9	EL296UH070XV36B	206775979
SL18XP1-024-230	24000	13	16	21200	13400	9.5	L*35/36S9		206776082
SL18XP1-024-230	24000	13	17	20000	11900	9.5	L*35/36U9	EL180UH045E36A	206775825
SL18XP1-024-230	24000	13	17	20000	11900	9.5	L*35/36U9	EL180UH045XE36A	206775832
SL18XP1-024-230	24000	14	18	19800	11800	9.5	L*35/36U9	EL180UH070E36B	206775846
SL18XP1-024-230	24000	14	18	19800	11800	9.5	L*35/36U9	EL180UH070XE36B	206775859
SL18XP1-024-230	23800	13	17	19800	11800	9.5	L*35/36U9	EL195UH045XE36B	206775872
SL18XP1-024-230	24000	13	17	20200	12400	9.5	L*35/36U9	EL196UH045XE36B	206775885
SL18XP1-024-230	24000	14	18	20200	12400	9.5	L*35/36U9	EL196UH070XE36B	206775898
SL18XP1-024-230	24000	14	18	20000	12400	9.5	L*35/36U9	EL280UH045E36A	206775904
SL18XP1-024-230	24000	14	18	19800	12100	9.5	L*35/36U9	EL280UH070E36A	206775911
SL18XP1-024-230	24000	14	18	20200	12100	9.5	L*35/36U9	EL280UH070XE36A	203366751
SL18XP1-024-230	23800	14	18	19800	12100	9.5	L*35/36U9	EL280UH090E36B	206775926
SL18XP1-024-230	23800	13	17	19800	11800	9.5	L*35/36U9	EL296UH045XE36B	206775939
SL18XP1-024-230	24000	14	18	19800	12200	9.5	L*35/36U9	EL296UH045XV36B	206775952
SL18XP1-024-230	24000	14	18	19800	12200	9.5	L*35/36U9	EL296UH070XE36B	206775965
SL18XP1-024-230	24000	14	18	19800	11800	9.5	L*35/36U9	EL296UH070XV36B	206775978
SL18XP1-024-230	24000	14	18	20200	12200	9.5	L*35/36U9	SLP99DF070XV36B	206551429
SL18XP1-024-230	24000	14	18	20200	12400	9.5	L*35/36U9	SLP99UH070XV36B	206551433
SL18XP1-024-230	24000	13	16	21200	13400	9.5	L*35/36U9		206776081
SL18XP1-024-230	24000	13	16	21200	13400	9.5	LD24/35Z9		204755198
SL18XP1-024-230	24000	13	17	20000	11900	9.5	LH18/37D9	EL180UH045E36A	206775829
SL18XP1-024-230	24000	13	17	20000	11900	9.5	LH18/37D9	EL180UH045XE36A	206775836
SL18XP1-024-230	24000	14	18	20000	12200	9.5	LH18/37D9	EL280UH045E36A	206775908
SL18XP1-024-230	24000	14	18	19800	12100	9.5	LH18/37D9	EL280UH070E36A	206775915
SL18XP1-024-230	24000	14	18	20200	12100	9.5	LH18/37D9	EL280UH070XE36A	203366755
SL18XP1-024-230	23800	13	16	21200	13400	9.5	LH18/37D9		206776085
SL18XP1-024-230	24000	13	17	20000	11900	9.5	LH18/37R9	EL180UH045E36A	206775827
SL18XP1-024-230	24000	13	17	20000	11900	9.5	LH18/37R9	EL180UH045XE36A	206775834
SL18XP1-024-230	24000	14	18	20400	12500	9.5	LH18/37R9	EL280UH045E36A	206775906
SL18XP1-024-230	24000	14	18	19800	12100	9.5	LH18/37R9	EL280UH070E36A	206775913
SL18XP1-024-230	24000	14	18	20200	12100	9.5	LH18/37R9	EL280UH070XE36A	203366754
SL18XP1-024-230	23800	13	16	21200	13400	9.5	LH18/37R9		206776083
SL18XP1-024-230	24000	14	18	20200	12100	9.5	LH23/37E9	EL280UH070XE36A	203366757
SL18XP1-024-230	24000	13	16	21200	13400	9.5	LH23/37E9		206776087
SL18XP1-024-230	24000	14	18	20200	12400	9.5	LH23/37W9	EL280UH070XE36A	203366756
SL18XP1-024-230	24000	13	16	21200	13400	9.5	LH23/37W9		206776086
SL18XP1-024-230	24000	14	18	19800	12200	9.5	LH29/36F9	EL180UH070E36B	206775839
SL18XP1-024-230	24000	14	18	19800	12200	9.5	LH29/36F9	EL180UH070XE36B	206775852
SL18XP1-024-230	23400	13	17	19800	11800	9.5	LH29/36F9	EL195UH045XE36B	206775865
SL18XP1-024-230	23800	13	17	20200	12400	9.5	LH29/36F9	EL196UH045XE36B	206775878
SL18XP1-024-230	23800	14	18	20200	12400	9.5	LH29/36F9	EL196UH070XE36B	206775891
SL18XP1-024-230	23800	14	18	20200	12400	9.5	LH29/36F9	EL280UH070XE36A	203366740
SL18XP1-024-230	23800	13	17	20200	12400	9.5	LH29/36F9	EL280UH090E36B	206775919
SL18XP1-024-230	23400	13	17	19800	11800	9.5	LH29/36F9	EL296UH045XE36B	206775932

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-024-230	24000	14	18	19800	12200	9.5	LH29/36F9	EL296UH045XV36B	206775945
SL18XP1-024-230	24000	14	18	19800	12200	9.5	LH29/36F9	EL296UH070XE36B	206775958
SL18XP1-024-230	23600	13	17	19800	11800	9.5	LH29/36F9	EL296UH070XV36B	206775971
SL18XP1-024-230	23600	13	16	21200	13400	9.5	LH29/36F9		206776074
SL18XP1-024-230	24000	14	18	19800	11800	9.5	LH35/36F9	EL180UH070E36B	206775841
SL18XP1-024-230	24000	14	18	19800	11800	9.5	LH35/36F9	EL180UH070XE36B	206775854
SL18XP1-024-230	23800	13	17	19800	11800	9.5	LH35/36F9	EL195UH045XE36B	206775867
SL18XP1-024-230	24000	13	17	20200	12400	9.5	LH35/36F9	EL196UH045XE36B	206775880
SL18XP1-024-230	24000	14	18	20200	12400	9.5	LH35/36F9	EL196UH070XE36B	206775893
SL18XP1-024-230	24000	14	18	20200	12100	9.5	LH35/36F9	EL280UH070XE36A	203366742
SL18XP1-024-230	23800	14	18	19800	12100	9.5	LH35/36F9	EL280UH090E36B	206775921
SL18XP1-024-230	23800	13	17	19800	11800	9.5	LH35/36F9	EL296UH045XE36B	206775934
SL18XP1-024-230	24000	14	18	19800	12200	9.5	LH35/36F9	EL296UH045XV36B	206775947
SL18XP1-024-230	24000	14	18	19800	12200	9.5	LH35/36F9	EL296UH070XE36B	206775960
SL18XP1-024-230	24000	14	18	19800	11800	9.5	LH35/36F9	EL296UH070XV36B	206775973
SL18XP1-024-230	24000	13	16	21200	13400	9.5	LH35/36F9		206776076
SL18XP1-024-230	24000	14	18	19800	12100	9.5	LH35/36X9	EL180UH070E36B	206775840
SL18XP1-024-230	24000	14	18	19800	12100	9.5	LH35/36X9	EL180UH070XE36B	206775853
SL18XP1-024-230	23800	13	17	19800	11800	9.5	LH35/36X9	EL195UH045XE36B	206775866
SL18XP1-024-230	24000	13	17	20200	12400	9.5	LH35/36X9	EL196UH045XE36B	206775879
SL18XP1-024-230	24000	14	18	20200	12400	9.5	LH35/36X9	EL196UH070XE36B	206775892
SL18XP1-024-230	24000	14	18	20200	12100	9.5	LH35/36X9	EL280UH070XE36A	203366741
SL18XP1-024-230	23800	14	18	19800	12100	9.5	LH35/36X9	EL280UH090E36B	206775920
SL18XP1-024-230	23800	13	17	19800	12100	9.5	LH35/36X9	EL296UH045XE36B	206775933
SL18XP1-024-230	24000	14	18	19800	12200	9.5	LH35/36X9	EL296UH045XV36B	206775946
SL18XP1-024-230	24000	14	18	19800	12200	9.5	LH35/36X9	EL296UH070XE36B	206775959
SL18XP1-024-230	24000	14	18	19800	11800	9.5	LH35/36X9	EL296UH070XV36B	206775972
SL18XP1-024-230	24000	14	18	20200	12400	9.5	LH35/36X9	SLP99UH070XV36B	206551431
SL18XP1-024-230	24000	13	16	21200	13400	9.5	LH35/36X9		206776075
SL18XP1-024-230	24000	14	18	20200	12100	9.5	LH35/37D9	EL280UH070XE36A	203366745
SL18XP1-024-230	24000	14	18	19800	12100	9.5	LH35/38F9	EL180UH070E36B	206775845
SL18XP1-024-230	24000	14	18	19800	12100	9.5	LH35/38F9	EL180UH070XE36B	206775858
SL18XP1-024-230	23800	13	17	19800	11800	9.5	LH35/38F9	EL195UH045XE36B	206775871
SL18XP1-024-230	24000	13	17	20200	12400	9.5	LH35/38F9	EL196UH045XE36B	206775884
SL18XP1-024-230	24000	14	18	20200	12400	9.5	LH35/38F9	EL196UH070XE36B	206775897
SL18XP1-024-230	24000	14	18	20200	12100	9.5	LH35/38F9	EL280UH070XE36A	203366747
SL18XP1-024-230	23800	14	18	19800	12100	9.5	LH35/38F9	EL280UH090E36B	206775925
SL18XP1-024-230	23800	13	17	19800	11800	9.5	LH35/38F9	EL296UH045XE36B	206775938
SL18XP1-024-230	24000	14	18	19800	12200	9.5	LH35/38F9	EL296UH045XV36B	206775951
SL18XP1-024-230	24000	14	18	19800	12200	9.5	LH35/38F9	EL296UH070XE36B	206775964
SL18XP1-024-230	24000	14	18	19800	11800	9.5	LH35/38F9	EL296UH070XV36B	206775977
SL18XP1-024-230	24000	13	16	21200	13400	9.5	LH35/38F9		206776080
SL18XP1-024-230	24000	14	18	19800	11800	9.5	LH35/38X9	EL180UH070E36B	206775844
SL18XP1-024-230	24000	14	18	19800	11800	9.5	LH35/38X9	EL180UH070XE36B	206775857
SL18XP1-024-230	23800	13	17	19800	11800	9.5	LH35/38X9	EL195UH045XE36B	206775870
SL18XP1-024-230	24000	13	17	20200	12400	9.5	LH35/38X9	EL196UH045XE36B	206775883
SL18XP1-024-230	24000	14	18	20200	12400	9.5	LH35/38X9	EL196UH070XE36B	206775896
SL18XP1-024-230	24000	14	18	20200	12100	9.5	LH35/38X9	EL280UH070XE36A	203366746
SL18XP1-024-230	23800	14	18	19800	12100	9.5	LH35/38X9	EL280UH090E36B	206775924
SL18XP1-024-230	23800	13	17	19800	11800	9.5	LH35/38X9	EL296UH045XE36B	206775937
SL18XP1-024-230	24000	14	18	19800	12100	9.5	LH35/38X9	EL296UH045XV36B	206775950
SL18XP1-024-230	24000	14	18	19800	12100	9.5	LH35/38X9	EL296UH070XE36B	206775963
SL18XP1-024-230	24000	14	18	19800	11800	9.5	LH35/38X9	EL296UH070XV36B	206775976
SL18XP1-024-230	24000	13	16	21200	13400	9.5	LH35/38X9		206776079

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-024-230	23400	13	16	21200	13400	9.5	LS*25933E		205484270
SL18XP1-024-230	24000	13	17	20000	11900	9.5	PL36H***P449	EL180UH045E36A	206775828
SL18XP1-024-230	24000	13	17	20000	11900	9.5	PL36H***P449	EL180UH045XE36A	206775835
SL18XP1-024-230	24000	14	18	20400	12500	9.5	PL36H***P449	EL280UH045E36A	206775907
SL18XP1-024-230	24000	14	18	19800	12100	9.5	PL36H***P449	EL280UH070E36A	206775914
SL18XP1-024-230	24000	14	18	19800	12100	9.5	PL36H***P449	EL280UH070XE36A	206775916
SL18XP1-024-230	23800	13	16	21200	13400	9.5	PL36H***P449		206776084
SL18XP1-024-230	24000	14	18	19800	12100	9.5	PL36H210P29	EL180UH070E36B	206775837
SL18XP1-024-230	24000	14	18	19800	12100	9.5	PL36H210P29	EL180UH070XE36B	206775850
SL18XP1-024-230	24000	13	17	19800	11900	9.5	PL36H210P29	EL195UH045XE36B	206775863
SL18XP1-024-230	24000	13	17	19800	11900	9.5	PL36H210P29	EL196UH045XE36B	206775876
SL18XP1-024-230	24000	14	18	19800	11900	9.5	PL36H210P29	EL196UH070XE36B	206775889
SL18XP1-024-230	23800	14	18	19800	12100	9.5	PL36H210P29	EL280UH090E36B	206775917
SL18XP1-024-230	24000	13	17	19800	11900	9.5	PL36H210P29	EL296UH045XE36B	206775930
SL18XP1-024-230	24000	14	18	19800	12100	9.5	PL36H210P29	EL296UH045XV36B	206775943
SL18XP1-024-230	24000	14	18	19800	12100	9.5	PL36H210P29	EL296UH070XE36B	206775956
SL18XP1-024-230	24000	14	18	19800	12100	9.5	PL36H210P29	EL296UH070XV36B	206775969
SL18XP1-024-230	24000	13	16	21200	13400	9.5	PL36H210P299		206776072
SL18XP1-024-230	24000	14	18	19800	11800	9.5	PL36H210P75	EL180UH070E36B	206775843
SL18XP1-024-230	24000	14	18	19800	11800	9.5	PL36H210P75	EL180UH070XE36B	206775856
SL18XP1-024-230	23800	13	17	19800	11800	9.5	PL36H210P75	EL195UH045XE36B	206775869
SL18XP1-024-230	24000	13	17	20200	12400	9.5	PL36H210P75	EL196UH045XE36B	206775882
SL18XP1-024-230	24000	14	18	20200	12400	9.5	PL36H210P75	EL196UH070XE36B	206775895
SL18XP1-024-230	23800	14	18	19800	12100	9.5	PL36H210P75	EL280UH090E36B	206775923
SL18XP1-024-230	23800	13	17	19800	11800	9.5	PL36H210P75	EL296UH045XE36B	206775936
SL18XP1-024-230	24000	14	18	19800	12200	9.5	PL36H210P75	EL296UH045XV36B	206775949
SL18XP1-024-230	24000	14	18	19800	12200	9.5	PL36H210P75	EL296UH070XE36B	206775962
SL18XP1-024-230	24000	14	18	19800	11800	9.5	PL36H210P75	EL296UH070XV36B	206775975
SL18XP1-024-230	23800	13	16	21200	13400	9.5	PL36H210P759		206776078
SL18XP1-030-230	29000	13	16	25600	17000	10	A36VDC	EL280DF070E36A	203189130
SL18XP1-030-230	28600	13	16	25200	16800	10	A36VDC	EL280DF090E48B	203189137
SL18XP1-030-230	29000	12.5	15	25600	17000	9.5	A36VDC	EL296DF045XE36B	203189143
SL18XP1-030-230	28800	13	16	25200	16800	9.5	A36VDC	EL296DF045XV36B	203189151
SL18XP1-030-230	29000	13	16	25400	17000	9.5	A36VDC	EL296DF070XE48B	203189158
SL18XP1-030-230	28800	12.5	15	25400	16900	9.5	A36VDC	EL296DF070XV48B	203189165
SL18XP1-030-230	29600	13	16	25400	16800	9.5	A36VDC	ML180DF070E36B	203189175
SL18XP1-030-230	29200	13	16	25200	16800	9.5	A36VDC	ML180DF090E48B	203189182
SL18XP1-030-230	29200	13	16	25400	16800	9.5	A36VDC	SL280DF070V36A	203189191
SL18XP1-030-230	29000	13	16	25200	16800	9.5	A36VDC	SL280DF090V48B	203189199
SL18XP1-030-230	28800	13	16	25200	16800	9.5	A36VDC	SLP98DF070XV36B	203189208
SL18XP1-030-230	28600	13	16	25000	16600	9.5	A36VDC	SLP98DF090XV36C	203189216
SL18XP1-030-230	28600	13	16	25000	16600	9.5	A36VDC	SLP98DF090XV48C	203189225
SL18XP1-030-230	29600	12.5	15	26000	16500	9.5	A36VDC		203189404
SL18XP1-030-230	29200	13	16	26600	16000	9	L*18/36T9	EL180UH070E36B	206776104
SL18XP1-030-230	29200	13	16	26600	16000	9	L*18/36T9	EL180UH070XE36B	206776117
SL18XP1-030-230	29400	13	16	26800	16100	9	L*18/36T9	EL180UH090E48B	206776130
SL18XP1-030-230	29400	13	16	26800	16100	9	L*18/36T9	EL180UH090XE48B	206776143
SL18XP1-030-230	29000	13	16	25000	15500	9	L*18/36T9	EL195UH090XE48C	206776168
SL18XP1-030-230	29000	13	16	25000	15500	9	L*18/36T9	EL196UH090XE48C	206776202
SL18XP1-030-230	29400	13	16	26600	15400	9	L*18/36T9	EL280UH045E36A	206776211
SL18XP1-030-230	29400	12.5	15	26000	16300	9	L*18/36T9	EL280UH070XE36A	203366764
SL18XP1-030-230	29400	13	16	26600	15400	9	L*18/36T9	EL280UH090E36B	206776226
SL18XP1-030-230	29000	13	16	26200	15200	9	L*18/36T9	EL280UH090E48B	206776239
SL18XP1-030-230	29000	13	16	26000	15200	9	L*18/36T9	EL280UH090XE48B	203366789

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-030-230	29200	13	16	25800	16200	9	L*18/36T9	EL280UH110E48C	206776254
SL18XP1-030-230	29400	13	16	26800	16100	9	L*18/36T9	EL296UH070XV36B	206776300
SL18XP1-030-230	29000	13	16	25000	15500	9	L*18/36T9	EL296UH090XE48C	206776313
SL18XP1-030-230	29000	13	16	25000	15500	9	L*18/36T9	EL296UH090XV36C	206776323
SL18XP1-030-230	29200	13	16	26600	16000	9	L*18/36T9	ML180UH070E36B	206776343
SL18XP1-030-230	29200	13	16	26600	16000	9	L*18/36T9	ML180UH070XE36B	206776356
SL18XP1-030-230	29400	13	16	26800	16100	9	L*18/36T9	ML180UH090E48B	206776369
SL18XP1-030-230	29400	13	16	26800	16100	9	L*18/36T9	ML180UH090XE48B	206776382
SL18XP1-030-230	29400	13	16	25600	16000	9.5	L*19/36S9	EL180UH045E36A	206776091
SL18XP1-030-230	29400	13	16	25600	16000	9.5	L*19/36S9	EL180UH045XE36A	206776097
SL18XP1-030-230	29600	13	16	26600	16000	9.5	L*19/36S9	EL180UH070E36B	206776108
SL18XP1-030-230	29600	13	16	26600	16000	9.5	L*19/36S9	EL180UH070XE36B	206776121
SL18XP1-030-230	29800	13	16	26800	16100	9.5	L*19/36S9	EL180UH090E48B	206776134
SL18XP1-030-230	29800	13	16	26800	16100	9.5	L*19/36S9	EL180UH090XE48B	206776147
SL18XP1-030-230	29800	13	16	27000	16300	9.5	L*19/36S9	EL195UH045XE36B	206776159
SL18XP1-030-230	29800	13	16	27000	16300	9.5	L*19/36S9	EL196UH045XE36B	206776181
SL18XP1-030-230	29800	13	16	27000	16300	9.5	L*19/36S9	EL196UH070XE36B	206776193
SL18XP1-030-230	29800	13	16	27000	16300	9.5	L*19/36S9	EL280UH045E36A	206776212
SL18XP1-030-230	29200	13	16	25600	16100	9.5	L*19/36S9	EL280UH070E36A	206776218
SL18XP1-030-230	29200	13	16	25600	16100	9.5	L*19/36S9	EL280UH070XE36A	203366768
SL18XP1-030-230	29800	13	16	27000	16300	9.5	L*19/36S9	EL280UH090E36B	206776230
SL18XP1-030-230	29000	13	16	25400	15900	9.5	L*19/36S9	EL280UH090E48B	206776243
SL18XP1-030-230	29000	13	16	25400	15900	9.5	L*19/36S9	EL280UH090XE48B	203366793
SL18XP1-030-230	29800	13	16	27000	16300	9.5	L*19/36S9	EL296UH045XE36B	206776267
SL18XP1-030-230	29800	13	16	27000	16300	9.5	L*19/36S9	EL296UH045XV36B	206776279
SL18XP1-030-230	29800	13	16	27000	16300	9.5	L*19/36S9	EL296UH070XE36B	206776291
SL18XP1-030-230	29800	13	16	26800	16100	9.5	L*19/36S9	EL296UH070XV36B	206776304
SL18XP1-030-230	29400	13	16	25600	16000	9.5	L*19/36S9	ML180UH045E36A	206776330
SL18XP1-030-230	29400	13	16	25600	16000	9.5	L*19/36S9	ML180UH045XE36A	206776336
SL18XP1-030-230	29600	13	16	26600	16000	9.5	L*19/36S9	ML180UH070E36B	206776347
SL18XP1-030-230	29600	13	16	26600	16000	9.5	L*19/36S9	ML180UH070XE36B	206776360
SL18XP1-030-230	29800	13	16	26800	16100	9.5	L*19/36S9	ML180UH090E48B	206776373
SL18XP1-030-230	29800	13	16	26800	16100	9.5	L*19/36S9	ML180UH090XE48B	206776386
SL18XP1-030-230	30000	13	16	25800	16200	9.5	L*23/37Y9	EL180UH070E36B	206776115
SL18XP1-030-230	30000	13	16	25800	16200	9.5	L*23/37Y9	EL180UH070XE36B	206776128
SL18XP1-030-230	30000	13	17	25400	15200	9.5	L*23/37Y9	EL180UH090E48B	206776141
SL18XP1-030-230	30000	13	17	25400	15200	9.5	L*23/37Y9	EL180UH090XE48B	206776154
SL18XP1-030-230	30000	13	16	27000	16300	9.5	L*23/37Y9	EL195UH045XE36B	206776166
SL18XP1-030-230	30000	13	16	25400	15800	9.5	L*23/37Y9	EL195UH090XE48C	206776176
SL18XP1-030-230	30000	13	16	25600	15800	9.5	L*23/37Y9	EL196UH045XE36B	206776188
SL18XP1-030-230	30000	13	16	26200	16500	9.5	L*23/37Y9	EL196UH070XE36B	206776200
SL18XP1-030-230	30000	13	16	25400	15800	9.5	L*23/37Y9	EL196UH090XE48C	206776210
SL18XP1-030-230	30000	13	16	26000	15700	9.5	L*23/37Y9	EL280UH070XE36A	203366784
SL18XP1-030-230	30000	13	16	26400	16400	9.5	L*23/37Y9	EL280UH090E36B	206776237
SL18XP1-030-230	30000	13	16	25400	15600	9.5	L*23/37Y9	EL280UH090E48B	206776250
SL18XP1-030-230	30000	13	16	25800	15600	9.5	L*23/37Y9	EL280UH090XE48B	203366809
SL18XP1-030-230	30000	13	17	25600	15800	9.5	L*23/37Y9	EL280UH110E48C	206776262
SL18XP1-030-230	30000	13	16	27000	16300	9.5	L*23/37Y9	EL296UH045XE36B	206776274
SL18XP1-030-230	30000	13	16	27000	16300	9.5	L*23/37Y9	EL296UH045XV36B	206776286
SL18XP1-030-230	30000	13	16	27000	16300	9.5	L*23/37Y9	EL296UH070XE36B	206776298
SL18XP1-030-230	30000	13	16	26800	16100	9.5	L*23/37Y9	EL296UH070XV36B	206776311
SL18XP1-030-230	30000	13	16	25400	15800	9.5	L*23/37Y9	EL296UH090XE48C	206776321
SL18XP1-030-230	30000	13	16	25200	15400	9.5	L*23/37Y9	EL296UH090XV36C	205660139
SL18XP1-030-230	30000	13	16	25200	15500	9.5	L*23/37Y9	ML180UH070E36B	206776354

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-030-230	30000	13	16	25800	16200	9.5	L*23/37Y9	ML180UH070XE36B	206776367
SL18XP1-030-230	30000	13	17	25400	15200	9.5	L*23/37Y9	ML180UH090E48B	206776380
SL18XP1-030-230	30000	13	17	25400	15200	9.5	L*23/37Y9	ML180UH090XE48B	206776393
SL18XP1-030-230	30000	13	17	26200	16300	9.5	L*23/37Y9	SLP99UH090XV36C	205900983
SL18XP1-030-230	28800	12.5	15	26000	17500	9.5	L*23/37Y9		202072423
SL18XP1-030-230	30000	13	16	25200	15200	9.5	L*23/37Z9	EL180UH070E36B	206776114
SL18XP1-030-230	30000	13	16	25200	15500	9.5	L*23/37Z9	EL180UH070XE36B	206776127
SL18XP1-030-230	30000	13	17	25400	15200	9.5	L*23/37Z9	EL180UH090E48B	206776140
SL18XP1-030-230	30000	13	17	25400	15200	9.5	L*23/37Z9	EL180UH090XE48B	206776153
SL18XP1-030-230	30000	13	16	25600	15400	9.5	L*23/37Z9	EL195UH045XE36B	206776165
SL18XP1-030-230	30000	13	16	25200	15500	9.5	L*23/37Z9	EL195UH090XE48C	206776175
SL18XP1-030-230	30000	13	16	25600	15800	9.5	L*23/37Z9	EL196UH045XE36B	206776187
SL18XP1-030-230	30000	13	16	26200	16500	9.5	L*23/37Z9	EL196UH070XE36B	206776199
SL18XP1-030-230	30000	13	16	25400	15800	9.5	L*23/37Z9	EL196UH090XE48C	206776209
SL18XP1-030-230	30000	13	16	26000	15700	9.5	L*23/37Z9	EL280UH070XE36A	203366783
SL18XP1-030-230	30000	13	16	25600	15800	9.5	L*23/37Z9	EL280UH090E36B	206776236
SL18XP1-030-230	30000	13	16	25600	15800	9.5	L*23/37Z9	EL280UH090E48B	206776249
SL18XP1-030-230	30000	13	16	25800	15600	9.5	L*23/37Z9	EL280UH090XE48B	203366808
SL18XP1-030-230	30000	13	17	25600	15800	9.5	L*23/37Z9	EL280UH110E48C	206776261
SL18XP1-030-230	30000	13	16	25600	15400	9.5	L*23/37Z9	EL296UH045XE36B	206776273
SL18XP1-030-230	30000	13	16	26000	16400	9.5	L*23/37Z9	EL296UH045XV36B	206776285
SL18XP1-030-230	30000	13	16	25800	15500	9.5	L*23/37Z9	EL296UH070XE36B	206776297
SL18XP1-030-230	30000	13	16	26800	16100	9.5	L*23/37Z9	EL296UH070XV36B	206776310
SL18XP1-030-230	30000	13	16	25200	15500	9.5	L*23/37Z9	EL296UH090XE48C	206776320
SL18XP1-030-230	30000	13	16	25400	15700	9.5	L*23/37Z9	EL296UH090XV36C	206776329
SL18XP1-030-230	30000	13	16	25800	16200	9.5	L*23/37Z9	ML180UH070E36B	206776353
SL18XP1-030-230	30000	13	16	25800	16200	9.5	L*23/37Z9	ML180UH070XE36B	206776366
SL18XP1-030-230	30000	13	17	25400	15200	9.5	L*23/37Z9	ML180UH090E48B	206776379
SL18XP1-030-230	30000	13	17	25400	15200	9.5	L*23/37Z9	ML180UH090XE48B	206776392
SL18XP1-030-230	29000	13	16	25200	16800	9.5	L*23/37Z9	SLP99DF070XV36B	206551454
SL18XP1-030-230	28800	13	16	25000	16600	9.5	L*23/37Z9	SLP99DF090XV36C	206551456
SL18XP1-030-230	30000	13	16	26800	16100	9.5	L*23/37Z9	SLP99UH070XV36B	206551460
SL18XP1-030-230	30000	13	17	26200	16300	9.5	L*23/37Z9	SLP99UH090XV36C	206551464
SL18XP1-030-230	30000	13	16	25800	15700	9.5	L*24/36Y9	EL280UH070XE36A	203366788
SL18XP1-030-230	30000	13	16	25600	15600	9.5	L*24/36Y9	EL280UH090XE48B	203366813
SL18XP1-030-230	30000	13	16	25800	15700	9.5	L*24/36Z9	EL280UH070XE36A	203366787
SL18XP1-030-230	30000	13	16	25600	15600	9.5	L*24/36Z9	EL280UH090XE48B	203366812
SL18XP1-030-230	29200	13	16	25600	16100	9.5	L*24/42S9	EL280UH070XE36A	203366769
SL18XP1-030-230	29000	13	16	25400	15900	9.5	L*24/42S9	EL280UH090XE48B	203366794
SL18XP1-030-230	30000	13	16	25800	15700	9.5	L*25/37Y9	EL280UH070XE36A	203366786
SL18XP1-030-230	30000	13	16	25600	15600	9.5	L*25/37Y9	EL280UH090XE48B	203366811
SL18XP1-030-230	30000	13	16	25800	15700	9.5	L*25/37Z9	EL280UH070XE36A	203366785
SL18XP1-030-230	30000	13	16	25600	15600	9.5	L*25/37Z9	EL280UH090XE48B	203366810
SL18XP1-030-230	30000	13	16	25800	15700	9.5	L*29/36S9	EL280UH070XE36A	203366777
SL18XP1-030-230	30000	13	16	25600	15600	9.5	L*29/36S9	EL280UH090XE48B	203366802
SL18XP1-030-230	30000	13	16	25800	15700	9.5	L*29/36U9	EL280UH070XE36A	203366775
SL18XP1-030-230	30000	13	16	25600	15600	9.5	L*29/36U9	EL280UH090XE48B	203366800
SL18XP1-030-230	29800	13	16	25800	15700	9.5	L*30/36S9	EL280UH070XE36A	203366774
SL18XP1-030-230	29800	13	16	25600	15600	9.5	L*30/36S9	EL280UH090XE48B	203366799
SL18XP1-030-230	30000	13	16	25200	15500	9.5	L*30/36S9	EL296UH090XV36C	205660134
SL18XP1-030-230	29800	13	16	25800	15700	9.5	L*30/36U9	EL280UH070XE36A	203366773
SL18XP1-030-230	29800	13	16	25600	15600	9.5	L*30/36U9	EL280UH090XE48B	203366798
SL18XP1-030-230	29000	13	16	25200	16800	9.5	L*30/36U9	SLP99DF070XV36B	206551452
SL18XP1-030-230	30000	13	16	26800	16100	9.5	L*30/36U9	SLP99UH070XV36B	206551458

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-030-230	29800	13	16	25600	16000	9.5	L*35/36S9	EL180UH045E36A	206776093
SL18XP1-030-230	29800	13	16	25600	16000	9.5	L*35/36S9	EL180UH045XE36A	206776099
SL18XP1-030-230	30000	13	16	25200	15500	9.5	L*35/36S9	EL180UH070E36B	206776113
SL18XP1-030-230	30000	13	16	25200	15500	9.5	L*35/36S9	EL180UH070XE36B	206776126
SL18XP1-030-230	30000	13	16	26800	16100	9.5	L*35/36S9	EL180UH090E48B	206776139
SL18XP1-030-230	30000	13	16	26800	16100	9.5	L*35/36S9	EL180UH090XE48B	206776152
SL18XP1-030-230	30000	13	16	27000	16300	9.5	L*35/36S9	EL195UH045XE36B	206776164
SL18XP1-030-230	30000	13	16	25200	15500	9.5	L*35/36S9	EL195UH090XE48C	206776172
SL18XP1-030-230	30000	13	16	27000	16300	9.5	L*35/36S9	EL196UH045XE36B	206776186
SL18XP1-030-230	30000	13	16	27000	16300	9.5	L*35/36S9	EL196UH070XE36B	206776198
SL18XP1-030-230	30000	13	16	25400	15800	9.5	L*35/36S9	EL196UH090XE48C	206776206
SL18XP1-030-230	30000	13	16	25600	15700	9.5	L*35/36S9	EL280UH045E36A	206776214
SL18XP1-030-230	30000	13	16	25800	16000	9.5	L*35/36S9	EL280UH070E36A	206776220
SL18XP1-030-230	30000	13	16	25800	15700	9.5	L*35/36S9	EL280UH070XE36A	203366778
SL18XP1-030-230	30000	13	16	25600	15800	9.5	L*35/36S9	EL280UH090E36B	206776235
SL18XP1-030-230	30000	13	16	25400	15600	9.5	L*35/36S9	EL280UH090E48B	206776248
SL18XP1-030-230	30000	13	16	25600	15600	9.5	L*35/36S9	EL280UH090XE48B	203366803
SL18XP1-030-230	30000	13	17	26000	16200	9.5	L*35/36S9	EL280UH110E48C	206776258
SL18XP1-030-230	30000	13	16	27000	16300	9.5	L*35/36S9	EL296UH045XE36B	206776272
SL18XP1-030-230	30000	13	16	27000	16300	9.5	L*35/36S9	EL296UH045XV36B	206776284
SL18XP1-030-230	30000	13	16	26400	16500	9.5	L*35/36S9	EL296UH070XE36B	206776296
SL18XP1-030-230	30000	13	16	26800	16100	9.5	L*35/36S9	EL296UH070XV36B	206776309
SL18XP1-030-230	30000	13	16	25400	15800	9.5	L*35/36S9	EL296UH090XE48C	206776317
SL18XP1-030-230	30000	13	16	25400	15700	9.5	L*35/36S9	EL296UH090XV36C	205660137
SL18XP1-030-230	29800	13	16	25600	16000	9.5	L*35/36S9	ML180UH045E36A	206776332
SL18XP1-030-230	29800	13	16	25600	16000	9.5	L*35/36S9	ML180UH045XE36A	206776338
SL18XP1-030-230	30000	13	16	25200	15500	9.5	L*35/36S9	ML180UH070E36B	206776352
SL18XP1-030-230	30000	13	16	25200	15500	9.5	L*35/36S9	ML180UH070XE36B	206776365
SL18XP1-030-230	30000	13	16	25400	15600	9.5	L*35/36S9	ML180UH090E48B	206776378
SL18XP1-030-230	30000	13	16	25400	15600	9.5	L*35/36S9	ML180UH090XE48B	206776391
SL18XP1-030-230	30000	13	17	26200	16300	9.5	L*35/36S9	SLP99UH090XV36C	205900978
SL18XP1-030-230	29800	13	16	25600	16000	9.5	L*35/36U9	EL180UH045E36A	206776092
SL18XP1-030-230	29800	13	16	25600	16000	9.5	L*35/36U9	EL180UH045XE36A	206776098
SL18XP1-030-230	30000	13	16	25200	15500	9.5	L*35/36U9	EL180UH070E36B	206776112
SL18XP1-030-230	30000	13	16	25200	15500	9.5	L*35/36U9	EL180UH070XE36B	206776125
SL18XP1-030-230	30000	13	16	25400	15600	9.5	L*35/36U9	EL180UH090E48B	206776138
SL18XP1-030-230	30000	13	16	25400	15600	9.5	L*35/36U9	EL180UH090XE48B	206776151
SL18XP1-030-230	30000	13	16	27000	16300	9.5	L*35/36U9	EL195UH045XE36B	206776163
SL18XP1-030-230	30000	13	16	25200	15500	9.5	L*35/36U9	EL195UH090XE48C	206776171
SL18XP1-030-230	30000	13	16	25600	15800	9.5	L*35/36U9	EL196UH045XE36B	206776185
SL18XP1-030-230	30000	13	16	27000	16300	9.5	L*35/36U9	EL196UH070XE36B	206776197
SL18XP1-030-230	30000	13	16	25400	15800	9.5	L*35/36U9	EL196UH090XE48C	206776205
SL18XP1-030-230	30000	13	16	26200	16400	9.5	L*35/36U9	EL280UH045E36A	206776213
SL18XP1-030-230	30000	13	16	25400	15700	9.5	L*35/36U9	EL280UH070E36A	206776219
SL18XP1-030-230	30000	13	16	25800	15700	9.5	L*35/36U9	EL280UH070XE36A	203366776
SL18XP1-030-230	30000	13	16	26400	16400	9.5	L*35/36U9	EL280UH090E36B	206776234
SL18XP1-030-230	30000	13	16	25400	15600	9.5	L*35/36U9	EL280UH090E48B	206776247
SL18XP1-030-230	30000	13	16	25600	15600	9.5	L*35/36U9	EL280UH090XE48B	203366801
SL18XP1-030-230	30000	13	17	26000	16200	9.5	L*35/36U9	EL280UH110E48C	206776257
SL18XP1-030-230	30000	13	16	27000	16300	9.5	L*35/36U9	EL296UH045XE36B	206776271
SL18XP1-030-230	30000	13	16	27000	16300	9.5	L*35/36U9	EL296UH045XV36B	206776283
SL18XP1-030-230	30000	13	16	25600	15800	9.5	L*35/36U9	EL296UH070XE36B	206776295
SL18XP1-030-230	30000	13	16	26800	16100	9.5	L*35/36U9	EL296UH070XV36B	206776308
SL18XP1-030-230	30000	13	16	25400	15800	9.5	L*35/36U9	EL296UH090XE48C	206776316

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-030-230	30000	13	16	25400	15700	9.5	L*35/36U9	EL296UH090XV36C	206776326
SL18XP1-030-230	29800	13	16	26200	16300	9.5	L*35/36U9	ML180UH045E36A	206776331
SL18XP1-030-230	29800	13	16	25600	16000	9.5	L*35/36U9	ML180UH045XE36A	206776337
SL18XP1-030-230	30000	13	16	25200	15500	9.5	L*35/36U9	ML180UH070E36B	206776351
SL18XP1-030-230	30000	13	16	25200	15500	9.5	L*35/36U9	ML180UH070XE36B	206776364
SL18XP1-030-230	30000	13	16	25400	15600	9.5	L*35/36U9	ML180UH090E48B	206776377
SL18XP1-030-230	30000	13	16	25400	15600	9.5	L*35/36U9	ML180UH090XE48B	206776390
SL18XP1-030-230	29000	13	16	25200	16800	9.5	L*35/36U9	SLP99DF070XV36B	206551453
SL18XP1-030-230	28800	13	16	25000	16600	9.5	L*35/36U9	SLP99DF090XV36C	206551455
SL18XP1-030-230	30000	13	16	26800	16100	9.5	L*35/36U9	SLP99UH070XV36B	206551459
SL18XP1-030-230	30000	13	17	26200	16300	9.5	L*35/36U9	SLP99UH090XV36C	206551462
SL18XP1-030-230	28800	13	16	25200	16800	9.5	LD24/35Z9	EL296DF045XV36B	206400965
SL18XP1-030-230	29600	12.5	15	26000	16500	9.5	LD24/35Z9		204755199
SL18XP1-030-230	29200	12.5	15	26000	17000	9.5	LD30/36Z9	EL196DF045XE36B	204012356
SL18XP1-030-230	29200	13	16	26000	17000	9.5	LD30/36Z9	EL196DF070XE48B	204012358
SL18XP1-030-230	29200	13	16	26000	17000	10	LD30/36Z9	EL280DF070E36A	204012366
SL18XP1-030-230	28800	13	16	26000	16800	10	LD30/36Z9	EL280DF090E48B	204012368
SL18XP1-030-230	29200	12.5	15	26000	17000	9.5	LD30/36Z9	EL296DF045XE36B	204012384
SL18XP1-030-230	29000	13	16	26000	16800	9.5	LD30/36Z9	EL296DF045XV36B	204012386
SL18XP1-030-230	29200	13	16	26000	17000	9.5	LD30/36Z9	EL296DF070XE48B	204012388
SL18XP1-030-230	29000	12.5	15	26000	16900	9.5	LD30/36Z9	EL296DF070XV48B	204012390
SL18XP1-030-230	29600	13	16	26000	16800	9.5	LD30/36Z9	ML180DF070E36B	204012405
SL18XP1-030-230	29400	13	16	26000	16800	9.5	LD30/36Z9	ML180DF090E48B	204012407
SL18XP1-030-230	29400	13	16	26000	16800	9.5	LD30/36Z9	SL280DF070V36A	204012421
SL18XP1-030-230	29200	13	16	26000	16800	9.5	LD30/36Z9	SL280DF090V48B	204012423
SL18XP1-030-230	29000	13	16	26000	16800	9.5	LD30/36Z9	SLP98DF070XV36B	204012437
SL18XP1-030-230	28800	13	16	26000	16600	9.5	LD30/36Z9	SLP98DF090XV36C	204012439
SL18XP1-030-230	28800	13	16	26000	16600	9.5	LD30/36Z9	SLP98DF090XV48C	204012441
SL18XP1-030-230	29000	13	16	26000	16800	9.5	LD30/36Z9	SLP99DF070XV36B	205761642
SL18XP1-030-230	28800	13	16	26200	16600	9.5	LD30/36Z9	SLP99DF090XV36C	205763457
SL18XP1-030-230	28800	13	16	26200	16600	9.5	LD30/36Z9	SLP99DF090XV48C	205763459
SL18XP1-030-230	29600	12.5	15	26000	16500	9.5	LD30/36Z9		204012447
SL18XP1-030-230	29600	12.5	15	26000	16500	9.5	LD31/36Z9		204756183
SL18XP1-030-230	29800	13	16	25600	16000	9.5	LH18/37D9	EL180UH045E36A	206776096
SL18XP1-030-230	29800	13	16	25600	16000	9.5	LH18/37D9	EL180UH045XE36A	206776102
SL18XP1-030-230	30000	13	16	26200	16400	9.5	LH18/37D9	EL280UH045E36A	206776217
SL18XP1-030-230	29600	13	16	25600	16100	9.5	LH18/37D9	EL280UH070E36A	206776223
SL18XP1-030-230	29600	13	16	26000	16100	9.5	LH18/37D9	EL280UH070XE36A	203366780
SL18XP1-030-230	29600	13	16	25600	15600	9.5	LH18/37D9	EL280UH090XE48B	203366805
SL18XP1-030-230	29800	13	16	25600	16000	9.5	LH18/37D9	ML180UH045E36A	206776335
SL18XP1-030-230	29800	13	16	26200	16300	9.5	LH18/37D9	ML180UH045XE36A	206776341
SL18XP1-030-230	29800	13	16	26200	16300	9.5	LH18/37R9	EL180UH045E36A	206776094
SL18XP1-030-230	29800	13	16	26200	16300	9.5	LH18/37R9	EL180UH045XE36A	206776100
SL18XP1-030-230	30000	13	16	26200	16400	9.5	LH18/37R9	EL280UH045E36A	206776215
SL18XP1-030-230	29600	13	16	25800	16000	9.5	LH18/37R9	EL280UH070E36A	206776221
SL18XP1-030-230	29600	13	16	26000	16100	9.5	LH18/37R9	EL280UH070XE36A	203366779
SL18XP1-030-230	29600	13	16	25600	15600	9.5	LH18/37R9	EL280UH090XE48B	203366804
SL18XP1-030-230	29800	13	16	26200	16300	9.5	LH18/37R9	ML180UH045E36A	206776333
SL18XP1-030-230	29800	13	16	25600	16000	9.5	LH18/37R9	ML180UH045XE36A	206776339
SL18XP1-030-230	30000	13	16	25200	15500	9.5	LH23/37E9	EL195UH090XE48C	206776174
SL18XP1-030-230	30000	13	16	25200	15500	9.5	LH23/37E9	EL196UH090XE48C	206776208
SL18XP1-030-230	30000	13	16	26000	15700	9.5	LH23/37E9	EL280UH070XE36A	203366782
SL18XP1-030-230	30000	13	16	25800	15600	9.5	LH23/37E9	EL280UH090XE48B	203366807
SL18XP1-030-230	30000	13	17	26000	16200	9.5	LH23/37E9	EL280UH110E48C	206776260

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-030-230	30000	13	16	25400	15800	9.5	LH23/37E9	EL296UH090XE48C	206776319
SL18XP1-030-230	30000	13	16	25200	15500	9.5	LH23/37E9	EL296UH090XV36C	206776328
SL18XP1-030-230	30000	13	16	25400	15800	9.5	LH23/37W9	EL195UH090XE48C	206776173
SL18XP1-030-230	30000	13	16	25200	15500	9.5	LH23/37W9	EL196UH090XE48C	206776207
SL18XP1-030-230	30000	13	16	26000	15700	9.5	LH23/37W9	EL280UH070XE36A	203366781
SL18XP1-030-230	30000	13	16	25800	15600	9.5	LH23/37W9	EL280UH090XE48B	203366806
SL18XP1-030-230	30000	13	17	26000	16200	9.5	LH23/37W9	EL280UH110E48C	206776259
SL18XP1-030-230	30000	13	16	25400	15800	9.5	LH23/37W9	EL296UH090XE48C	206776318
SL18XP1-030-230	30000	13	16	25200	15400	9.5	LH23/37W9	EL296UH090XV36C	206776327
SL18XP1-030-230	30000	13	17	26200	16300	9.5	LH23/37W9	SLP99UH090XV36C	206551463
SL18XP1-030-230	29600	13	16	26600	16000	9.5	LH29/36F9	EL180UH070E36B	206776105
SL18XP1-030-230	29600	13	16	26600	16000	9.5	LH29/36F9	EL180UH070XE36B	206776118
SL18XP1-030-230	29800	13	16	26800	16100	9.5	LH29/36F9	EL180UH090E48B	206776131
SL18XP1-030-230	29800	13	16	26800	16100	9.5	LH29/36F9	EL180UH090XE48B	206776144
SL18XP1-030-230	29800	13	16	27000	16300	9.5	LH29/36F9	EL195UH045XE36B	206776156
SL18XP1-030-230	29800	13	16	27000	16300	9.5	LH29/36F9	EL196UH045XE36B	206776178
SL18XP1-030-230	29800	13	16	27000	16300	9.5	LH29/36F9	EL196UH070XE36B	206776190
SL18XP1-030-230	29200	13	16	25600	16100	9.5	LH29/36F9	EL280UH070XE36A	203366765
SL18XP1-030-230	29800	13	16	27000	16300	9.5	LH29/36F9	EL280UH090E36B	206776227
SL18XP1-030-230	29000	13	16	25400	15900	9.5	LH29/36F9	EL280UH090E48B	206776240
SL18XP1-030-230	29000	13	16	25400	15900	9.5	LH29/36F9	EL280UH090XE48B	203366790
SL18XP1-030-230	29800	13	16	27000	16300	9.5	LH29/36F9	EL296UH045XE36B	206776264
SL18XP1-030-230	29800	13	16	27000	16300	9.5	LH29/36F9	EL296UH045XV36B	206776276
SL18XP1-030-230	29800	13	16	27000	16300	9.5	LH29/36F9	EL296UH070XE36B	206776288
SL18XP1-030-230	29800	13	16	26800	16100	9.5	LH29/36F9	EL296UH070XV36B	206776301
SL18XP1-030-230	29600	13	16	26600	16000	9.5	LH29/36F9	ML180UH070E36B	206776344
SL18XP1-030-230	29600	13	16	26600	16000	9.5	LH29/36F9	ML180UH070XE36B	206776357
SL18XP1-030-230	29800	13	16	26800	16100	9.5	LH29/36F9	ML180UH090E48B	206776370
SL18XP1-030-230	29800	13	16	26800	16100	9.5	LH29/36F9	ML180UH090XE48B	206776383
SL18XP1-030-230	29800	13	16	25400	15900	9.5	LH35/36F9	EL180UH070E36B	206776107
SL18XP1-030-230	29800	13	16	26600	16000	9.5	LH35/36F9	EL180UH070XE36B	206776120
SL18XP1-030-230	30000	13	16	26800	16100	9.5	LH35/36F9	EL180UH090E48B	206776133
SL18XP1-030-230	30000	13	16	26800	16100	9.5	LH35/36F9	EL180UH090XE48B	206776146
SL18XP1-030-230	30000	13	16	27000	16300	9.5	LH35/36F9	EL195UH045XE36B	206776158
SL18XP1-030-230	30000	13	16	27000	16300	9.5	LH35/36F9	EL196UH045XE36B	206776180
SL18XP1-030-230	30000	13	16	27000	16300	9.5	LH35/36F9	EL196UH070XE36B	206776192
SL18XP1-030-230	29600	13	16	26000	16100	9.5	LH35/36F9	EL280UH070XE36A	203366767
SL18XP1-030-230	30000	13	16	26400	16400	9.5	LH35/36F9	EL280UH090E36B	206776229
SL18XP1-030-230	29600	13	16	25400	15600	9.5	LH35/36F9	EL280UH090E48B	206776242
SL18XP1-030-230	29600	13	16	25600	15600	9.5	LH35/36F9	EL280UH090XE48B	203366792
SL18XP1-030-230	30000	13	16	27000	16300	9.5	LH35/36F9	EL296UH045XE36B	206776266
SL18XP1-030-230	30000	13	16	27000	16300	9.5	LH35/36F9	EL296UH045XV36B	206776278
SL18XP1-030-230	30000	13	16	26400	16500	9.5	LH35/36F9	EL296UH070XE36B	206776290
SL18XP1-030-230	30000	13	16	26800	16100	9.5	LH35/36F9	EL296UH070XV36B	206776303
SL18XP1-030-230	29800	13	16	25400	15900	9.5	LH35/36F9	ML180UH070E36B	206776346
SL18XP1-030-230	29800	13	16	26600	16000	9.5	LH35/36F9	ML180UH070XE36B	206776359
SL18XP1-030-230	30000	13	16	26800	16100	9.5	LH35/36F9	ML180UH090E48B	206776372
SL18XP1-030-230	30000	13	16	26800	16100	9.5	LH35/36F9	ML180UH090XE48B	206776385
SL18XP1-030-230	29800	13	16	25400	15900	9.5	LH35/36X9	EL180UH070E36B	206776106
SL18XP1-030-230	29800	13	16	25400	15900	9.5	LH35/36X9	EL180UH070XE36B	206776119
SL18XP1-030-230	30000	13	16	26800	16100	9.5	LH35/36X9	EL180UH090E48B	206776132
SL18XP1-030-230	30000	13	16	26800	16100	9.5	LH35/36X9	EL180UH090XE48B	206776145
SL18XP1-030-230	30000	13	16	27000	16300	9.5	LH35/36X9	EL195UH045XE36B	206776157
SL18XP1-030-230	30000	13	16	27000	16300	9.5	LH35/36X9	EL196UH045XE36B	206776179

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-030-230	30000	13	16	26200	16400	9.5	LH35/36X9	EL196UH070XE36B	206776191
SL18XP1-030-230	29600	13	16	26000	16100	9.5	LH35/36X9	EL280UH070XE36A	203366766
SL18XP1-030-230	30000	13	16	26400	16400	9.5	LH35/36X9	EL280UH090E36B	206776228
SL18XP1-030-230	29600	13	16	25400	15600	9.5	LH35/36X9	EL280UH090E48B	206776241
SL18XP1-030-230	29600	13	16	25600	15600	9.5	LH35/36X9	EL280UH090XE48B	203366791
SL18XP1-030-230	30000	13	16	27000	16300	9.5	LH35/36X9	EL296UH045XE36B	206776265
SL18XP1-030-230	30000	13	16	27000	16300	9.5	LH35/36X9	EL296UH045XV36B	206776277
SL18XP1-030-230	30000	13	16	25800	16100	9.5	LH35/36X9	EL296UH070XE36B	206776289
SL18XP1-030-230	30000	13	16	26800	16100	9.5	LH35/36X9	EL296UH070XV36B	206776302
SL18XP1-030-230	29800	13	16	26000	16200	9.5	LH35/36X9	ML180UH070E36B	206776345
SL18XP1-030-230	29800	13	16	26600	16000	9.5	LH35/36X9	ML180UH070XE36B	206776358
SL18XP1-030-230	30000	13	16	26800	16100	9.5	LH35/36X9	ML180UH090E48B	206776371
SL18XP1-030-230	30000	13	16	26800	16100	9.5	LH35/36X9	ML180UH090XE48B	206776384
SL18XP1-030-230	30000	13	16	26800	16100	9.5	LH35/36X9	SLP99UH070XV36B	206551457
SL18XP1-030-230	30000	13	16	25400	15700	9.5	LH35/37D9	EL280UH070XE36A	203366770
SL18XP1-030-230	29800	13	16	25600	15600	9.5	LH35/37D9	EL280UH090XE48B	203366795
SL18XP1-030-230	30000	13	16	25200	15500	9.5	LH35/38F9	EL180UH070E36B	206776111
SL18XP1-030-230	30000	13	16	25200	15500	9.5	LH35/38F9	EL180UH070XE36B	206776124
SL18XP1-030-230	29600	13	17	25400	15200	9.5	LH35/38F9	EL180UH090E48B	206776137
SL18XP1-030-230	29600	13	17	25400	15200	9.5	LH35/38F9	EL180UH090XE48B	206776150
SL18XP1-030-230	30000	13	16	27000	16300	9.5	LH35/38F9	EL195UH045XE36B	206776162
SL18XP1-030-230	30000	13	16	25600	15800	9.5	LH35/38F9	EL196UH045XE36B	206776184
SL18XP1-030-230	30000	13	16	27000	16300	9.5	LH35/38F9	EL196UH070XE36B	206776196
SL18XP1-030-230	30000	13	16	25800	15700	9.5	LH35/38F9	EL280UH070XE36A	203366772
SL18XP1-030-230	30000	13	16	25600	15800	9.5	LH35/38F9	EL280UH090E36B	206776233
SL18XP1-030-230	30000	13	16	25400	15600	9.5	LH35/38F9	EL280UH090E48B	206776246
SL18XP1-030-230	30000	13	16	25600	15600	9.5	LH35/38F9	EL280UH090XE48B	203366797
SL18XP1-030-230	30000	13	16	27000	16300	9.5	LH35/38F9	EL296UH045XE36B	206776270
SL18XP1-030-230	30000	13	16	27000	16300	9.5	LH35/38F9	EL296UH045XV36B	206776282
SL18XP1-030-230	30000	13	16	26400	16500	9.5	LH35/38F9	EL296UH070XE36B	206776294
SL18XP1-030-230	30000	13	16	26800	16100	9.5	LH35/38F9	EL296UH070XV36B	206776307
SL18XP1-030-230	30000	13	16	25200	15500	9.5	LH35/38F9	ML180UH070E36B	206776350
SL18XP1-030-230	30000	13	16	25200	15500	9.5	LH35/38F9	ML180UH070XE36B	206776363
SL18XP1-030-230	29600	13	17	25400	15200	9.5	LH35/38F9	ML180UH090E48B	206776376
SL18XP1-030-230	29600	13	17	25400	15200	9.5	LH35/38F9	ML180UH090XE48B	206776389
SL18XP1-030-230	30000	13	16	25200	15500	9.5	LH35/38X9	EL180UH070E36B	206776110
SL18XP1-030-230	30000	13	16	25200	15500	9.5	LH35/38X9	EL180UH070XE36B	206776123
SL18XP1-030-230	29600	13	17	25400	15200	9.5	LH35/38X9	EL180UH090E48B	206776136
SL18XP1-030-230	29600	13	17	25400	15200	9.5	LH35/38X9	EL180UH090XE48B	206776149
SL18XP1-030-230	30000	13	16	25600	15700	9.5	LH35/38X9	EL195UH045XE36B	206776161
SL18XP1-030-230	30000	13	16	25400	15800	9.5	LH35/38X9	EL195UH090XE48C	206776170
SL18XP1-030-230	30000	13	16	27000	16300	9.5	LH35/38X9	EL196UH045XE36B	206776183
SL18XP1-030-230	30000	13	16	27000	16300	9.5	LH35/38X9	EL196UH070XE36B	206776195
SL18XP1-030-230	30000	13	16	25400	15800	9.5	LH35/38X9	EL196UH090XE48C	206776204
SL18XP1-030-230	30000	13	16	25800	15700	9.5	LH35/38X9	EL280UH070XE36A	203366771
SL18XP1-030-230	30000	13	16	26400	16400	9.5	LH35/38X9	EL280UH090E36B	206776232
SL18XP1-030-230	30000	13	16	25400	15600	9.5	LH35/38X9	EL280UH090E48B	206776245
SL18XP1-030-230	30000	13	16	25600	15600	9.5	LH35/38X9	EL280UH090XE48B	203366796
SL18XP1-030-230	30000	13	17	25600	15800	9.5	LH35/38X9	EL280UH110E48C	206776256
SL18XP1-030-230	30000	13	16	25600	15700	9.5	LH35/38X9	EL296UH045XE36B	206776269
SL18XP1-030-230	30000	13	16	27000	16300	9.5	LH35/38X9	EL296UH045XV36B	206776281
SL18XP1-030-230	30000	13	16	25600	15800	9.5	LH35/38X9	EL296UH070XE36B	206776293
SL18XP1-030-230	30000	13	16	25200	15500	9.5	LH35/38X9	EL296UH070XV36B	206776306
SL18XP1-030-230	30000	13	16	25400	15800	9.5	LH35/38X9	EL296UH090XE48C	206776315

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-030-230	30000	13	16	25400	15700	9.5	LH35/38X9	EL296UH090XV36C	206776325
SL18XP1-030-230	30000	13	16	25200	15500	9.5	LH35/38X9	ML180UH070E36B	206776349
SL18XP1-030-230	30000	13	16	25200	15500	9.5	LH35/38X9	ML180UH070XE36B	206776362
SL18XP1-030-230	29600	13	17	25400	15200	9.5	LH35/38X9	ML180UH090E48B	206776375
SL18XP1-030-230	29600	13	17	25400	15200	9.5	LH35/38X9	ML180UH090XE48B	206776388
SL18XP1-030-230	30000	13	17	26200	16300	9.5	LH35/38X9	SLP99UH090XV36C	206551461
SL18XP1-030-230	29600	12.5	15	26000	16500	9.5	LS*36943E		205484284
SL18XP1-030-230	29800	13	16	26200	16300	9.5	PL36H***P449	EL180UH045E36A	206776095
SL18XP1-030-230	29800	13	16	26200	16300	9.5	PL36H***P449	EL180UH045XE36A	206776101
SL18XP1-030-230	30000	13	16	26200	16400	9.5	PL36H***P449	EL280UH045E36A	206776216
SL18XP1-030-230	29600	13	16	25800	16000	9.5	PL36H***P449	EL280UH070E36A	206776222
SL18XP1-030-230	29600	13	16	25600	16100	9.5	PL36H***P449	EL280UH070XE36A	206776224
SL18XP1-030-230	29800	13	16	26200	16300	9.5	PL36H***P449	ML180UH045E36A	206776334
SL18XP1-030-230	29800	13	16	25600	16000	9.5	PL36H***P449	ML180UH045XE36A	206776340
SL18XP1-030-230	30000	13	16	25200	15500	9.5	PL36H210P29	EL180UH070E36B	206776103
SL18XP1-030-230	30000	13	16	25200	15500	9.5	PL36H210P29	EL180UH070XE36B	206776116
SL18XP1-030-230	30000	13	17	25400	15200	9.5	PL36H210P29	EL180UH090E48B	206776129
SL18XP1-030-230	30000	13	17	25400	15200	9.5	PL36H210P29	EL180UH090XE48B	206776142
SL18XP1-030-230	30000	13	16	25600	15400	9.5	PL36H210P29	EL195UH045XE36B	206776155
SL18XP1-030-230	30000	13	16	25400	15800	9.5	PL36H210P29	EL195UH090XE48C	206776167
SL18XP1-030-230	30000	13	16	25600	15800	9.5	PL36H210P29	EL196UH045XE36B	206776177
SL18XP1-030-230	30000	13	16	25800	16100	9.5	PL36H210P29	EL196UH070XE36B	206776189
SL18XP1-030-230	30000	13	16	25200	15500	9.5	PL36H210P29	EL196UH090XE48C	206776201
SL18XP1-030-230	30000	13	16	26000	16100	9.5	PL36H210P29	EL280UH090E36B	206776225
SL18XP1-030-230	30000	13	16	25400	15600	9.5	PL36H210P29	EL280UH090E48B	206776238
SL18XP1-030-230	30000	13	16	25400	15600	9.5	PL36H210P29	EL280UH090XE48B	206776251
SL18XP1-030-230	30000	13	17	26000	16200	9.5	PL36H210P29	EL280UH110E48C	206776253
SL18XP1-030-230	30000	13	16	27000	16300	9.5	PL36H210P29	EL296UH045XE36B	206776263
SL18XP1-030-230	30000	13	16	27000	16300	9.5	PL36H210P29	EL296UH045XV36B	206776275
SL18XP1-030-230	30000	13	16	25800	16100	9.5	PL36H210P29	EL296UH070XE36B	206776287
SL18XP1-030-230	30000	13	16	25200	15500	9.5	PL36H210P29	EL296UH070XV36B	206776299
SL18XP1-030-230	30000	13	16	25400	15800	9.5	PL36H210P29	EL296UH090XE48C	206776312
SL18XP1-030-230	30000	13	16	25400	15700	9.5	PL36H210P29	EL296UH090XV36C	206776322
SL18XP1-030-230	30000	13	16	25200	15200	9.5	PL36H210P29	ML180UH070E36B	206776342
SL18XP1-030-230	30000	13	16	25200	15500	9.5	PL36H210P29	ML180UH070XE36B	206776355
SL18XP1-030-230	30000	13	17	25400	15200	9.5	PL36H210P29	ML180UH090E48B	206776368
SL18XP1-030-230	30000	13	17	25400	15200	9.5	PL36H210P29	ML180UH090XE48B	206776381
SL18XP1-030-230	29800	13	16	25400	15900	9.5	PL36H210P75	EL180UH070E36B	206776109
SL18XP1-030-230	29800	13	16	26600	16000	9.5	PL36H210P75	EL180UH070XE36B	206776122
SL18XP1-030-230	30000	13	16	26800	16100	9.5	PL36H210P75	EL180UH090E48B	206776135
SL18XP1-030-230	30000	13	16	26800	16100	9.5	PL36H210P75	EL180UH090XE48B	206776148
SL18XP1-030-230	30000	13	16	27000	16300	9.5	PL36H210P75	EL195UH045XE36B	206776160
SL18XP1-030-230	29600	13	16	25200	15500	9.5	PL36H210P75	EL195UH090XE48C	206776169
SL18XP1-030-230	30000	13	16	27000	16300	9.5	PL36H210P75	EL196UH045XE36B	206776182
SL18XP1-030-230	30000	13	16	27000	16300	9.5	PL36H210P75	EL196UH070XE36B	206776194
SL18XP1-030-230	29600	13	16	25200	15500	9.5	PL36H210P75	EL196UH090XE48C	206776203
SL18XP1-030-230	30000	13	16	26400	16400	9.5	PL36H210P75	EL280UH090E36B	206776231
SL18XP1-030-230	29400	13	16	25400	15900	9.5	PL36H210P75	EL280UH090E48B	206776244
SL18XP1-030-230	29400	13	16	25400	15900	9.5	PL36H210P75	EL280UH090XE48B	206776252
SL18XP1-030-230	30000	13	17	26000	16200	9.5	PL36H210P75	EL280UH110E48C	206776255
SL18XP1-030-230	30000	13	16	27000	16300	9.5	PL36H210P75	EL296UH045XE36B	206776268
SL18XP1-030-230	30000	13	16	27000	16300	9.5	PL36H210P75	EL296UH045XV36B	206776280
SL18XP1-030-230	30000	13	16	27000	16300	9.5	PL36H210P75	EL296UH070XE36B	206776292
SL18XP1-030-230	30000	13	16	26800	16100	9.5	PL36H210P75	EL296UH070XV36B	206776305

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-030-230	29600	13	16	25200	15500	9.5	PL36H210P75	EL296UH090XE48C	206776314
SL18XP1-030-230	29600	13	16	25200	15400	9.5	PL36H210P75	EL296UH090XV36C	206776324
SL18XP1-030-230	29800	13	16	25400	15900	9.5	PL36H210P75	ML180UH070E36B	206776348
SL18XP1-030-230	29800	13	16	26600	16000	9.5	PL36H210P75	ML180UH070XE36B	206776361
SL18XP1-030-230	30000	13	16	26800	16100	9.5	PL36H210P75	ML180UH090E48B	206776374
SL18XP1-030-230	30000	13	16	26800	16100	9.5	PL36H210P75	ML180UH090XE48B	206776387
SL18XP1-036-230	35200	12.5	15	31600	20400	9	A36VDC	EL195DF090XE48C	203189233
SL18XP1-036-230	35000	12.2	15	31800	20600	9	A36VDC	EL280DF070E36A	203189242
SL18XP1-036-230	35000	12.2	15	31600	20400	9	A36VDC	EL280DF090E48B	203189245
SL18XP1-036-230	35200	12.5	15	31600	20400	9	A36VDC	EL296DF090XE48C	203189250
SL18XP1-036-230	35200	12.5	15	31600	20400	9	A36VDC	EL296DF090XV60C	203189254
SL18XP1-036-230	35200	12.5	15	31600	20400	9	A36VDC	EL296DF110XE60C	203189258
SL18XP1-036-230	35200	12.5	15	31400	20400	9	A36VDC	SL280DF110V60C	203189267
SL18XP1-036-230	35000	12.5	15	31400	20400	9	A36VDC	SLP98DF090XV36C	203189271
SL18XP1-036-230	35000	12.5	15	31600	20400	9	A36VDC	SLP98DF090XV48C	203189275
SL18XP1-036-230	35200	12.5	15	31600	20400	9	A36VDC	SLP98DF090XV60C	203189279
SL18XP1-036-230	35200	12.5	15	31800	20600	9	A36VDC	SLP98DF110XV60C	203189283
SL18XP1-036-230	35600	12.2	14.5	32400	20600	8.2	A36VDC		203189408
SL18XP1-036-230	35000	12	14.5	32400	21000	9	L*19/36S9		205661174
SL18XP1-036-230	36000	13	16	31400	20200	8.5	L*23/37Z9	EL180UH070E36B	206775489
SL18XP1-036-230	36000	13	16	31400	20200	8.5	L*23/37Z9	EL180UH070XE36B	206775496
SL18XP1-036-230	36000	13	16	31800	20200	9	L*23/37Z9	EL180UH090E48B	206775503
SL18XP1-036-230	36000	13	16	31200	20200	9	L*23/37Z9	EL180UH090E60C	206775509
SL18XP1-036-230	36000	13	16	31600	20400	9	L*23/37Z9	EL180UH090XE48B	206775516
SL18XP1-036-230	36000	13	16	31000	20000	9	L*23/37Z9	EL180UH110E60C	206775522
SL18XP1-036-230	36000	13	16	31000	20000	9	L*23/37Z9	EL180UH110XE60C	206775528
SL18XP1-036-230	36000	13	16	31600	20000	9	L*23/37Z9	EL195UH090XE48C	206775534
SL18XP1-036-230	36000	13	16	32400	20800	9	L*23/37Z9	EL195UH110XE60C	206775540
SL18XP1-036-230	36000	13	16	32000	20400	8.5	L*23/37Z9	EL196UH070XE36B	206775541
SL18XP1-036-230	36000	13	16	31600	20000	9	L*23/37Z9	EL196UH090XE48C	206775546
SL18XP1-036-230	36000	13	16	31200	20400	9	L*23/37Z9	EL196UH110XE60C	206775551
SL18XP1-036-230	36000	13	16	31600	20200	9	L*23/37Z9	EL280UH070XE36A	203366824
SL18XP1-036-230	36000	13	16	32000	20000	9	L*23/37Z9	EL280UH090E36B	206775557
SL18XP1-036-230	36000	13	16	31600	20200	9	L*23/37Z9	EL280UH090E48B	206775563
SL18XP1-036-230	36000	13	16	31800	19800	9	L*23/37Z9	EL280UH090XE48B	203366839
SL18XP1-036-230	36000	13	16	31600	20200	9	L*23/37Z9	EL280UH110E48C	206775568
SL18XP1-036-230	36000	13	16	31800	20000	9	L*23/37Z9	EL280UH110E60C	206775573
SL18XP1-036-230	36000	13	16	32400	20000	9	L*23/37Z9	EL280UH110XE60C	203366854
SL18XP1-036-230	36000	13	16	32000	20400	8.5	L*23/37Z9	EL296UH045XV36B	206775574
SL18XP1-036-230	36000	13	16	31800	20000	8.5	L*23/37Z9	EL296UH070XE36B	206775575
SL18XP1-036-230	36000	13	16	31600	20400	8.5	L*23/37Z9	EL296UH070XV36B	206775576
SL18XP1-036-230	36000	13	16	31600	20000	9	L*23/37Z9	EL296UH090XE48C	205660141
SL18XP1-036-230	36000	13	16	31600	20000	9	L*23/37Z9	EL296UH090XV36C	205660144
SL18XP1-036-230	36000	13	16	31400	20000	9	L*23/37Z9	EL296UH090XV48C	205660150
SL18XP1-036-230	36000	13	16	32400	20800	9	L*23/37Z9	EL296UH110XE60C	205660156
SL18XP1-036-230	36000	13	16	31200	20200	9	L*23/37Z9	EL296UH110XV48C	205660163
SL18XP1-036-230	36000	13	16	32400	20800	9	L*23/37Z9	EL296UH110XV60C	205660170
SL18XP1-036-230	36000	12.5	15	31400	20400	9	L*23/37Z9	SLP99DF090XV36C	206551318
SL18XP1-036-230	36000	13	16	32000	20400	8.5	L*23/37Z9	SLP99UH070XV36B	206551321
SL18XP1-036-230	36000	13	16	32000	20000	8.5	L*23/37Z9	SLP99UH090XV36C	206551325
SL18XP1-036-230	35200	12.5	15	32400	21000	9	L*23/37Z9		205661182
SL18XP1-036-230	36000	13	16	32000	20400	8.5	L*24/36Y9	EL280UH070XE36A	203366828
SL18XP1-036-230	36000	13	16	32400	20200	8.5	L*24/36Y9	EL280UH090XE48B	203366843
SL18XP1-036-230	36000	13	16	32400	20000	9	L*24/36Y9	EL280UH110XE60C	203366858

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-036-230	36000	13	16	32000	20400	8.5	L*24/36Z9	EL280UH070XE36A	203366827
SL18XP1-036-230	36000	13	16	32400	20200	8.5	L*24/36Z9	EL280UH090XE48B	203366842
SL18XP1-036-230	36000	13	16	32400	20000	9	L*24/36Z9	EL280UH110XE60C	203366857
SL18XP1-036-230	36000	13	16	32200	20400	8.5	L*25/37Y9	EL280UH070XE36A	203366826
SL18XP1-036-230	36000	13	16	31600	20200	9	L*25/37Y9	EL280UH090XE48B	203366841
SL18XP1-036-230	36000	13	16	32400	20400	9	L*25/37Y9	EL280UH110XE60C	203366856
SL18XP1-036-230	36000	13	16	32200	20400	8.5	L*25/37Z9	EL280UH070XE36A	203366825
SL18XP1-036-230	36000	13	16	31600	20200	9	L*25/37Z9	EL280UH090XE48B	203366840
SL18XP1-036-230	36000	13	16	32400	20400	9	L*25/37Z9	EL280UH110XE60C	203366855
SL18XP1-036-230	36000	12.5	15	31600	20200	9	L*29/36S9	EL280UH070XE36A	203366821
SL18XP1-036-230	36000	13	16	32400	20200	8.5	L*29/36S9	EL280UH090XE48B	203366836
SL18XP1-036-230	36000	13	16	32200	20200	9	L*29/36S9	EL280UH110XE60C	203366851
SL18XP1-036-230	36000	12.5	15	31600	20200	9	L*29/36U9	EL280UH070XE36A	203366819
SL18XP1-036-230	36000	13	16	32400	20200	8.5	L*29/36U9	EL280UH090XE48B	203366834
SL18XP1-036-230	36000	13	16	32200	20000	9	L*29/36U9	EL280UH110XE60C	203366849
SL18XP1-036-230	35800	12.5	15	32400	20200	9	L*30/36S9	EL280UH070XE36A	203366818
SL18XP1-036-230	36000	13	16	32400	20200	8.5	L*30/36S9	EL280UH090XE48B	203366833
SL18XP1-036-230	36000	13	16	32200	20200	9	L*30/36S9	EL280UH110XE60C	203366848
SL18XP1-036-230	36000	13	16	31400	20000	9	L*30/36S9	EL296UH090XV48C	205660146
SL18XP1-036-230	36000	13	16	31600	20200	9	L*30/36S9	EL296UH110XE60C	205660152
SL18XP1-036-230	36000	13	16	31600	20200	9	L*30/36S9	EL296UH110XV48C	205660159
SL18XP1-036-230	36000	13	16	31600	20200	9	L*30/36S9	EL296UH110XV60C	205660165
SL18XP1-036-230	35200	12.2	14.5	32400	21000	9	L*30/36S9		205661178
SL18XP1-036-230	36000	12.5	15	32000	20400	8.5	L*30/36U9	SLP99UH070XV36B	206551319
SL18XP1-036-230	36000	13	16	31200	19800	8.5	L*35/36S9	EL180UH070E36B	206775488
SL18XP1-036-230	36000	13	16	31800	20200	8.5	L*35/36S9	EL180UH070XE36B	206775495
SL18XP1-036-230	36000	13	16	32000	20200	8.5	L*35/36S9	EL180UH090E48B	206775502
SL18XP1-036-230	36000	13	16	31400	20000	9	L*35/36S9	EL180UH090E60C	206775507
SL18XP1-036-230	36000	13	16	32200	20400	8.5	L*35/36S9	EL180UH090XE48B	206775515
SL18XP1-036-230	36000	13	16	31400	20000	9	L*35/36S9	EL180UH110E60C	206775520
SL18XP1-036-230	36000	13	16	31400	20000	9	L*35/36S9	EL180UH110XE60C	206775526
SL18XP1-036-230	36000	13	16	32000	20000	8.5	L*35/36S9	EL195UH090XE48C	206775532
SL18XP1-036-230	36000	13	16	31600	20200	9	L*35/36S9	EL195UH110XE60C	206775538
SL18XP1-036-230	36000	13	16	32000	20000	8.5	L*35/36S9	EL196UH090XE48C	206775544
SL18XP1-036-230	36000	13	16	31600	20200	9	L*35/36S9	EL196UH110XE60C	206775549
SL18XP1-036-230	36000	12.5	15	31600	20200	9	L*35/36S9	EL280UH070XE36A	203366822
SL18XP1-036-230	36000	13	16	32200	20200	8.5	L*35/36S9	EL280UH090E36B	206775556
SL18XP1-036-230	36000	13	16	31800	20600	8.5	L*35/36S9	EL280UH090E48B	206775562
SL18XP1-036-230	36000	13	16	32400	20200	8.5	L*35/36S9	EL280UH090XE48B	203366837
SL18XP1-036-230	36000	13	16	31400	20000	9	L*35/36S9	EL280UH110E48C	206775566
SL18XP1-036-230	36000	13	16	32200	20400	9	L*35/36S9	EL280UH110E60C	206775571
SL18XP1-036-230	36000	13	16	32200	20200	9	L*35/36S9	EL280UH110XE60C	203366852
SL18XP1-036-230	36000	13	16	32000	20000	8.5	L*35/36S9	EL296UH090XE48C	206775580
SL18XP1-036-230	36000	13	16	32000	20000	8.5	L*35/36S9	EL296UH090XV36C	206775585
SL18XP1-036-230	36000	13	16	31400	20000	9	L*35/36S9	EL296UH090XV48C	205660148
SL18XP1-036-230	36000	13	16	31600	20200	9	L*35/36S9	EL296UH110XE60C	205660154
SL18XP1-036-230	36000	13	16	31600	20200	9	L*35/36S9	EL296UH110XV48C	205660161
SL18XP1-036-230	36000	13	16	31600	20200	9	L*35/36S9	EL296UH110XV60C	205660167
SL18XP1-036-230	35200	12.2	14.5	32400	21000	9	L*35/36S9		205661180
SL18XP1-036-230	36000	13	16	31600	19600	8.5	L*35/36U9	EL180UH070E36B	206775487
SL18XP1-036-230	36000	13	16	31600	19600	8.5	L*35/36U9	EL180UH070XE36B	206775494
SL18XP1-036-230	36000	13	16	32000	20200	8.5	L*35/36U9	EL180UH090E48B	206775501
SL18XP1-036-230	36000	13	16	31400	20000	9	L*35/36U9	EL180UH090E60C	206775506
SL18XP1-036-230	36000	13	16	32000	20200	8.5	L*35/36U9	EL180UH090XE48B	206775514

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-036-230	36000	13	16	31400	20000	9	L*35/36U9	EL180UH110E60C	206775519
SL18XP1-036-230	36000	13	16	31400	20000	9	L*35/36U9	EL180UH110XE60C	206775525
SL18XP1-036-230	36000	13	16	32000	20000	8.5	L*35/36U9	EL195UH090XE48C	206775531
SL18XP1-036-230	36000	13	16	31600	20200	9	L*35/36U9	EL195UH110XE60C	206775537
SL18XP1-036-230	36000	13	16	32000	20000	8.5	L*35/36U9	EL196UH090XE48C	206775543
SL18XP1-036-230	36000	13	16	31600	20200	9	L*35/36U9	EL196UH110XE60C	206775548
SL18XP1-036-230	36000	12.5	15	31600	20200	9	L*35/36U9	EL280UH070XE36A	203366820
SL18XP1-036-230	36000	13	16	32200	20200	8.5	L*35/36U9	EL280UH090E36B	206775555
SL18XP1-036-230	36000	13	16	31800	20200	8.5	L*35/36U9	EL280UH090E48B	206775561
SL18XP1-036-230	36000	13	16	32400	20200	8.5	L*35/36U9	EL280UH090XE48B	203366835
SL18XP1-036-230	36000	13	16	31400	20000	9	L*35/36U9	EL280UH110E48C	206775565
SL18XP1-036-230	36000	13	16	32200	20400	9	L*35/36U9	EL280UH110E60C	206775570
SL18XP1-036-230	36000	13	16	32200	20000	9	L*35/36U9	EL280UH110XE60C	203366850
SL18XP1-036-230	36000	13	16	32000	20000	8.5	L*35/36U9	EL296UH090XE48C	206775579
SL18XP1-036-230	36000	13	16	32000	20000	8.5	L*35/36U9	EL296UH090XV36C	206775584
SL18XP1-036-230	36000	13	16	31400	20000	9	L*35/36U9	EL296UH090XV48C	206775589
SL18XP1-036-230	36000	13	16	31600	20200	9	L*35/36U9	EL296UH110XE60C	206775593
SL18XP1-036-230	36000	13	16	31600	20200	9	L*35/36U9	EL296UH110XV60C	206775597
SL18XP1-036-230	35800	12.5	15	31400	20400	9	L*35/36U9	SLP99DF090XV36C	206551317
SL18XP1-036-230	36000	12.5	15	32000	20400	8.5	L*35/36U9	SLP99UH070XV36B	206551320
SL18XP1-036-230	36000	13	16	31800	20600	8.5	L*35/36U9	SLP99UH090XV36C	206551323
SL18XP1-036-230	35200	12.2	14.5	32400	21000	9	LD31/36Z9		204756184
SL18XP1-036-230	36000	13	16	31200	20200	9	LH23/37W9	EL180UH090E60C	206775508
SL18XP1-036-230	36000	13	16	31400	20000	9	LH23/37W9	EL180UH110E60C	206775521
SL18XP1-036-230	36000	13	16	31400	20000	9	LH23/37W9	EL180UH110XE60C	206775527
SL18XP1-036-230	36000	13	16	31600	20000	9	LH23/37W9	EL195UH090XE48C	206775533
SL18XP1-036-230	36000	13	16	31600	20200	9	LH23/37W9	EL195UH110XE60C	206775539
SL18XP1-036-230	36000	13	16	31600	20000	9	LH23/37W9	EL196UH090XE48C	206775545
SL18XP1-036-230	36000	13	16	31600	20200	9	LH23/37W9	EL196UH110XE60C	206775550
SL18XP1-036-230	36000	13	16	31600	20200	9	LH23/37W9	EL280UH070XE36A	203366823
SL18XP1-036-230	36000	13	16	31800	19800	9	LH23/37W9	EL280UH090XE48B	203366838
SL18XP1-036-230	36000	13	16	31400	20000	9	LH23/37W9	EL280UH110E48C	206775567
SL18XP1-036-230	36000	13	16	31800	19800	9	LH23/37W9	EL280UH110E60C	206775572
SL18XP1-036-230	36000	13	16	32400	20000	9	LH23/37W9	EL280UH110XE60C	203366853
SL18XP1-036-230	36000	13	16	31600	20000	9	LH23/37W9	EL296UH090XE48C	206775581
SL18XP1-036-230	36000	13	16	31600	20000	9	LH23/37W9	EL296UH090XV36C	206775586
SL18XP1-036-230	36000	13	16	31400	20000	9	LH23/37W9	EL296UH090XV48C	206775590
SL18XP1-036-230	36000	13	16	31600	20200	9	LH23/37W9	EL296UH110XE60C	206775594
SL18XP1-036-230	36000	13	16	31600	20200	9	LH23/37W9	EL296UH110XV60C	206775598
SL18XP1-036-230	36000	13	16	32000	20000	8.5	LH23/37W9	SLP99UH090XV36C	206551324
SL18XP1-036-230	35800	13	16	31600	20000	8.5	LH35/36F9	EL180UH070E36B	206775484
SL18XP1-036-230	35800	13	16	31600	20000	8.5	LH35/36F9	EL180UH070XE36B	206775491
SL18XP1-036-230	36000	13	16	32000	20200	8.5	LH35/36F9	EL180UH090E48B	206775498
SL18XP1-036-230	36000	13	16	32000	20200	8.5	LH35/36F9	EL180UH090XE48B	206775511
SL18XP1-036-230	36000	12.5	15	32400	20400	8.5	LH35/36F9	EL280UH070XE36A	203366814
SL18XP1-036-230	35800	13	16	32200	20200	8.5	LH35/36F9	EL280UH090E36B	206775552
SL18XP1-036-230	36000	13	16	31800	20200	8.5	LH35/36F9	EL280UH090E48B	206775558
SL18XP1-036-230	36000	13	16	31800	20200	8.5	LH35/36F9	EL280UH090XE48B	203366829
SL18XP1-036-230	35800	13	16	32200	20200	9	LH35/36F9	EL280UH110XE60C	203366844
SL18XP1-036-230	36000	12.5	15	31600	20200	9	LH35/37D9	EL280UH070XE36A	203366815
SL18XP1-036-230	36000	13	16	32400	20200	8.5	LH35/37D9	EL280UH090XE48B	203366830
SL18XP1-036-230	36000	13	16	32200	20000	9	LH35/37D9	EL280UH110XE60C	203366845
SL18XP1-036-230	36000	13	16	31200	19800	8.5	LH35/38F9	EL180UH070E36B	206775486
SL18XP1-036-230	36000	13	16	31800	20200	8.5	LH35/38F9	EL180UH070XE36B	206775493

AHRI SYSTEM MATCHESNOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-036-230	36000	13	16	32000	20200	8.5	LH35/38F9	EL180UH090E48B	206775500
SL18XP1-036-230	36000	13	16	32200	20400	8.5	LH35/38F9	EL180UH090XE48B	206775513
SL18XP1-036-230	36000	12.5	15	31600	20200	9	LH35/38F9	EL280UH070XE36A	203366817
SL18XP1-036-230	36000	13	16	32200	20200	8.5	LH35/38F9	EL280UH090E36B	206775554
SL18XP1-036-230	36000	13	16	32000	20000	8.5	LH35/38F9	EL280UH090E48B	206775560
SL18XP1-036-230	36000	13	16	32400	20200	8.5	LH35/38F9	EL280UH090XE48B	203366832
SL18XP1-036-230	36000	13	16	32200	20000	9	LH35/38F9	EL280UH110XE60C	203366847
SL18XP1-036-230	36000	13	16	31200	19800	8.5	LH35/38X9	EL180UH070E36B	206775485
SL18XP1-036-230	36000	13	16	31800	20200	8.5	LH35/38X9	EL180UH070XE36B	206775492
SL18XP1-036-230	36000	13	16	32000	20200	8.5	LH35/38X9	EL180UH090E48B	206775499
SL18XP1-036-230	36000	13	16	31400	20000	9	LH35/38X9	EL180UH090E60C	206775505
SL18XP1-036-230	36000	13	16	32200	20400	8.5	LH35/38X9	EL180UH090XE48B	206775512
SL18XP1-036-230	36000	13	16	31400	20000	9	LH35/38X9	EL180UH110E60C	206775518
SL18XP1-036-230	36000	13	16	31400	20000	9	LH35/38X9	EL180UH110XE60C	206775524
SL18XP1-036-230	36000	13	16	32000	20000	8.5	LH35/38X9	EL195UH090XE48C	206775530
SL18XP1-036-230	36000	13	16	31600	20200	9	LH35/38X9	EL195UH110XE60C	206775536
SL18XP1-036-230	36000	13	16	32000	20000	8.5	LH35/38X9	EL196UH090XE48C	206775542
SL18XP1-036-230	36000	13	16	31600	20200	9	LH35/38X9	EL196UH110XE60C	206775547
SL18XP1-036-230	36000	12.5	15	31600	20200	9	LH35/38X9	EL280UH070XE36A	203366816
SL18XP1-036-230	36000	13	16	32200	20200	8.5	LH35/38X9	EL280UH090E36B	206775553
SL18XP1-036-230	36000	13	16	31800	20200	8.5	LH35/38X9	EL280UH090E48B	206775559
SL18XP1-036-230	36000	13	16	32400	20200	8.5	LH35/38X9	EL280UH090XE48B	203366831
SL18XP1-036-230	36000	13	16	31600	20200	9	LH35/38X9	EL280UH110E48C	206775564
SL18XP1-036-230	36000	13	16	31800	20000	9	LH35/38X9	EL280UH110E60C	206775569
SL18XP1-036-230	36000	13	16	32200	20000	9	LH35/38X9	EL280UH110XE60C	203366846
SL18XP1-036-230	36000	13	16	32000	20000	8.5	LH35/38X9	EL296UH090XE48C	206775578
SL18XP1-036-230	36000	13	16	32000	20000	8.5	LH35/38X9	EL296UH090XV36C	206775583
SL18XP1-036-230	36000	13	16	31400	20000	9	LH35/38X9	EL296UH090XV48C	206775588
SL18XP1-036-230	36000	13	16	31600	20200	9	LH35/38X9	EL296UH110XE60C	206775592
SL18XP1-036-230	36000	13	16	31600	20200	9	LH35/38X9	EL296UH110XV60C	206775596
SL18XP1-036-230	36000	13	16	32000	20000	8.5	LH35/38X9	SLP99UH090XV36C	206551322
SL18XP1-036-230	35000	12	14.5	32400	21000	9	LS*36943E		205484294
SL18XP1-036-230	35200	12.5	15	32400	21000	9	LS*3791CC		205484329
SL18XP1-036-230	35600	12.2	14.5	32600	20600	8.2	LS*3799BB		205484315
SL18XP1-036-230	36000	13	16	31600	19600	8.5	PL36H210P29	EL180UH070E36B	206775483
SL18XP1-036-230	36000	13	16	31600	19600	8.5	PL36H210P29	EL180UH070XE36B	206775490
SL18XP1-036-230	36000	13	16	32000	20200	8.5	PL36H210P29	EL180UH090E48B	206775497
SL18XP1-036-230	36000	13	16	31400	20000	9	PL36H210P29	EL180UH090E60C	206775504
SL18XP1-036-230	36000	13	16	32200	20400	8.5	PL36H210P29	EL180UH090XE48B	206775510
SL18XP1-036-230	36000	13	16	31400	20000	9	PL36H210P29	EL180UH110E60C	206775517
SL18XP1-036-230	36000	13	16	31400	20000	9	PL36H210P29	EL180UH110XE60C	206775523
SL18XP1-036-230	36000	13	16	32000	20000	8.5	PL36H210P29	EL195UH090XE48C	206775529
SL18XP1-036-230	36000	13	16	31600	20200	9	PL36H210P29	EL195UH110XE60C	206775535
SL18XP1-036-230	36000	13	16	32000	20000	8.5	PL36H210P29	EL296UH090XE48C	206775577
SL18XP1-036-230	36000	13	16	32000	20000	8.5	PL36H210P29	EL296UH090XV36C	206775582
SL18XP1-036-230	36000	13	16	31400	20000	9	PL36H210P29	EL296UH090XV48C	206775587
SL18XP1-036-230	36000	13	16	31600	20200	9	PL36H210P29	EL296UH110XE60C	206775591
SL18XP1-036-230	36000	13	16	31200	20200	9	PL36H210P29	EL296UH110XV60C	206775595
SL18XP1-042-230	40000	12.5	15	35000	21600	9	A48VEC	EL195DF090XE48C	203189292
SL18XP1-042-230	39500	12.2	14	35000	21800	9	A48VEC	EL280DF070E36A	203189300
SL18XP1-042-230	39500	12.2	14.5	35000	21600	9	A48VEC	EL280DF090E48B	203189304
SL18XP1-042-230	40000	12.5	15	35000	21600	9	A48VEC	EL296DF090XE48C	203189309
SL18XP1-042-230	40500	12.5	15	35000	21600	9.5	A48VEC	EL296DF110XE60C	203189313
SL18XP1-042-230	40500	12.5	15	35000	21400	9.5	A48VEC	SL280DF090V60C	203189320

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-042-230	40500	12.5	15	35000	21400	9.5	A48VEEC	SL280DF110V60C	203189324
SL18XP1-042-230	40500	12.2	14.5	35000	21600	9	A48VEEC	SLP98DF090XV36C	203189328
SL18XP1-042-230	40500	12.5	15	35000	21600	9	A48VEEC	SLP98DF090XV48C	203189331
SL18XP1-042-230	40500	12.5	15	35000	21800	9	A48VEEC	SLP98DF090XV60C	203189334
SL18XP1-042-230	40500	12.5	15	35000	21600	9.5	A48VEEC	SLP98DF110XV60C	203189338
SL18XP1-042-230	40000	12.2	14	35000	22800	9	A48VEEC		203189411
SL18XP1-042-230	40000	12.5	15	35000	22400	8.5	L*42/49K9	EL280UH070XE36A	203366871
SL18XP1-042-230	40000	12.5	15	34800	22800	9	L*42/49K9	EL280UH090XE48B	203366890
SL18XP1-042-230	41000	12.5	15	35000	23000	9	L*42/49K9	EL280UH110XE60C	203366909
SL18XP1-042-230	40000	12.5	15	35000	22400	8.5	L*42/60S9	EL280UH070XE36A	203366867
SL18XP1-042-230	40000	12.5	15	34800	22800	9	L*42/60S9	EL280UH090XE48B	203366886
SL18XP1-042-230	41000	12.5	15	35000	23000	9	L*42/60S9	EL280UH110XE60C	203366905
SL18XP1-042-230	40500	13	16	34800	22800	9	L*42/60Z9	EL180UH090E60C	206775601
SL18XP1-042-230	40500	13	16	34800	22800	9	L*42/60Z9	EL180UH110E60C	206775606
SL18XP1-042-230	40500	13	16	34800	22800	9	L*42/60Z9	EL180UH110XE60C	206775611
SL18XP1-042-230	40500	13	16	35000	22200	8.5	L*42/60Z9	EL195UH090XE48C	206775616
SL18XP1-042-230	40500	13	16	35000	22200	8.5	L*42/60Z9	EL196UH090XE48C	206775621
SL18XP1-042-230	40500	12.5	15	34800	22800	9	L*42/60Z9	EL280UH070XE36A	203366875
SL18XP1-042-230	41500	12.5	15	35000	23200	9	L*42/60Z9	EL280UH090XE48B	203366894
SL18XP1-042-230	42000	13	16	35200	23000	9	L*42/60Z9	EL280UH110E48C	206775626
SL18XP1-042-230	42000	13	16	35400	23200	9	L*42/60Z9	EL280UH110E60C	206775631
SL18XP1-042-230	42000	13	16	35000	23200	9	L*42/60Z9	EL280UH110XE60C	203366913
SL18XP1-042-230	40500	13	16	35000	22200	8.5	L*42/60Z9	EL296UH090XE48C	206775637
SL18XP1-042-230	41000	13	16	35200	22400	8.5	L*42/60Z9	EL296UH090XV48C	206775642
SL18XP1-042-230	41500	13	16	35200	23000	8.5	L*42/60Z9	EL296UH090XV60C	206775647
SL18XP1-042-230	40500	13	16	35000	22800	9	L*42/60Z9	EL296UH110XV60C	206775652
SL18XP1-042-230	40500	12.5	15	35000	21600	9	L*42/60Z9	SLP99DF090XV48C	206551327
SL18XP1-042-230	40500	12.5	15	35400	21800	9	L*42/60Z9	SLP99DF090XV60C	206551330
SL18XP1-042-230	41000	13	16	35200	22400	8.5	L*42/60Z9	SLP99UH090XV48C	206551335
SL18XP1-042-230	41500	13	16	35200	23000	8.5	L*42/60Z9	SLP99UH090XV60C	206551341
SL18XP1-042-230	40000	12.5	15	35000	22400	8.5	L*42/61K9	EL280UH070XE36A	203366872
SL18XP1-042-230	40000	12.5	15	34800	22800	9	L*42/61K9	EL280UH090XE48B	203366891
SL18XP1-042-230	41000	12.5	15	35000	23000	9	L*42/61K9	EL280UH110XE60C	203366910
SL18XP1-042-230	40000	12.5	15	35000	22400	8.5	L*43/48S9	EL280UH070XE36A	203366868
SL18XP1-042-230	40000	12.5	15	34800	22800	9	L*43/48S9	EL280UH090XE48B	203366887
SL18XP1-042-230	41000	12.5	15	35000	23000	9	L*43/48S9	EL280UH110XE60C	203366906
SL18XP1-042-230	40500	12.5	15	34800	22800	9	L*43/61Z9	EL280UH070XE36A	203366876
SL18XP1-042-230	41500	12.5	15	35000	23200	9	L*43/61Z9	EL280UH090XE48B	203366895
SL18XP1-042-230	42000	13	16	35000	23200	9	L*43/61Z9	EL280UH110XE60C	203366914
SL18XP1-042-230	40500	12.5	15	35000	21600	9	L*43/61Z9	SLP99DF090XV48C	206551328
SL18XP1-042-230	40500	12.5	15	35400	21800	9	L*43/61Z9	SLP99DF090XV60C	206551331
SL18XP1-042-230	41000	13	16	35200	22400	8.5	L*43/61Z9	SLP99UH090XV48C	206551336
SL18XP1-042-230	41500	13	16	35200	23000	8.5	L*43/61Z9	SLP99UH090XV60C	206551342
SL18XP1-042-230	40500	12.5	15	34800	22800	9	L*49/62Y9	EL280UH070XE36A	203366874
SL18XP1-042-230	41500	12.5	15	35000	23200	9	L*49/62Y9	EL280UH090XE48B	203366893
SL18XP1-042-230	42000	13	16	35000	23200	9	L*49/62Y9	EL280UH110XE60C	203366912
SL18XP1-042-230	40500	12.5	15	34800	22800	9	L*49/62Z9	EL280UH070XE36A	203366873
SL18XP1-042-230	41500	12.5	15	35000	23200	9	L*49/62Z9	EL280UH090XE48B	203366892
SL18XP1-042-230	42000	13	16	35000	23200	9	L*49/62Z9	EL280UH110XE60C	203366911
SL18XP1-042-230	40500	12.5	15	35000	21600	9	L*49/62Z9	SLP99DF090XV48C	206551326
SL18XP1-042-230	40500	12.5	15	35400	21800	9	L*49/62Z9	SLP99DF090XV60C	206551329
SL18XP1-042-230	41000	13	16	35200	22400	8.5	L*49/62Z9	SLP99UH090XV48C	206551334
SL18XP1-042-230	41500	13	16	35200	23000	8.5	L*49/62Z9	SLP99UH090XV60C	206551340
SL18XP1-042-230	40500	12.2	14	35000	23000	9	LD41/43Z9		204756185

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-042-230	40500	12.5	15	35000	21400	9.5	LD42/61Z9	EL180DF110E60C	205147297
SL18XP1-042-230	40000	12.5	15	35000	21600	9	LD42/61Z9	EL196DF090XE48C	205147298
SL18XP1-042-230	40000	12.5	15	35000	21600	9	LD42/61Z9	EL296DF090XE48C	205147299
SL18XP1-042-230	40500	12.5	15	35200	21600	9.5	LD42/61Z9	EL296DF110XE60C	205147300
SL18XP1-042-230	40500	12.5	15	35000	21400	9.5	LD42/61Z9	SL280DF090V60C	205147301
SL18XP1-042-230	40500	12.5	15	35000	21400	9.5	LD42/61Z9	SL280DF110V60C	205147302
SL18XP1-042-230	40500	12.2	14.5	35200	21600	9	LD42/61Z9	SLP98DF090XV36C	205147303
SL18XP1-042-230	40500	12.5	15	35000	21600	9	LD42/61Z9	SLP98DF090XV48C	205147304
SL18XP1-042-230	40500	12.5	15	35400	21800	9	LD42/61Z9	SLP98DF090XV60C	205147305
SL18XP1-042-230	40500	12.5	15	35200	21600	9.5	LD42/61Z9	SLP98DF110XV60C	205147306
SL18XP1-042-230	40500	12.2	14.5	35200	21600	9	LD42/61Z9	SLP99DF090XV36C	205760384
SL18XP1-042-230	40500	12.5	15	35000	21600	9	LD42/61Z9	SLP99DF090XV48C	205760386
SL18XP1-042-230	40500	12.5	15	35400	21800	9	LD42/61Z9	SLP99DF090XV60C	205760388
SL18XP1-042-230	40500	12.5	15	35200	21600	9.5	LD42/61Z9	SLP99DF110XV60C	205760390
SL18XP1-042-230	41000	12.2	14.5	35600	22800	9	LD42/61Z9		204755200
SL18XP1-042-230	42000	13	16	35400	23000	9	LH40/61E9	EL180UH090E60C	206775600
SL18XP1-042-230	42000	13	16	35400	23000	9	LH40/61E9	EL180UH110E60C	206775605
SL18XP1-042-230	42000	13	16	35400	23000	9	LH40/61E9	EL180UH110XE60C	206775610
SL18XP1-042-230	40500	13	16	35000	22200	8.5	LH40/61E9	EL195UH090XE48C	206775615
SL18XP1-042-230	40500	13	16	35000	22200	8.5	LH40/61E9	EL196UH090XE48C	206775620
SL18XP1-042-230	41000	12.5	15	35000	23200	9	LH40/61E9	EL280UH070XE36A	203366866
SL18XP1-042-230	41500	12.5	15	35000	23200	9	LH40/61E9	EL280UH090XE48B	203366885
SL18XP1-042-230	42000	13	16	35400	23000	9	LH40/61E9	EL280UH110E48C	206775625
SL18XP1-042-230	42000	13	16	35600	23200	9	LH40/61E9	EL280UH110E60C	206775630
SL18XP1-042-230	42000	13	16	35000	23200	9	LH40/61E9	EL280UH110XE60C	203366904
SL18XP1-042-230	40500	13	16	35000	22200	8.5	LH40/61E9	EL296UH090XE48C	206775636
SL18XP1-042-230	41000	13	16	35200	22400	8.5	LH40/61E9	EL296UH090XV48C	206775641
SL18XP1-042-230	41500	13	16	35400	23000	9	LH40/61E9	EL296UH090XV60C	206775646
SL18XP1-042-230	42000	13	16	35600	23200	9	LH40/61E9	EL296UH110XV60C	206775651
SL18XP1-042-230	42000	13	16	35400	23000	9	LH40/61W9	EL180UH090E60C	206775599
SL18XP1-042-230	42000	13	16	35400	23000	9	LH40/61W9	EL180UH110E60C	206775604
SL18XP1-042-230	42000	13	16	35400	23000	9	LH40/61W9	EL180UH110XE60C	206775609
SL18XP1-042-230	40500	13	16	35000	22200	8.5	LH40/61W9	EL195UH090XE48C	206775614
SL18XP1-042-230	40500	13	16	35000	22200	8.5	LH40/61W9	EL196UH090XE48C	206775619
SL18XP1-042-230	41000	12.5	15	35000	23200	9	LH40/61W9	EL280UH070XE36A	203366865
SL18XP1-042-230	41500	12.5	15	35000	23200	9	LH40/61W9	EL280UH090XE48B	203366884
SL18XP1-042-230	42000	13	16	35400	23000	9	LH40/61W9	EL280UH110E48C	206775624
SL18XP1-042-230	42000	13	16	35600	23200	9	LH40/61W9	EL280UH110E60C	206775629
SL18XP1-042-230	42000	13	16	35000	23200	9	LH40/61W9	EL280UH110XE60C	203366903
SL18XP1-042-230	40500	13	16	35000	22200	8.5	LH40/61W9	EL296UH090XE48C	206775635
SL18XP1-042-230	41000	13	16	35200	22400	8.5	LH40/61W9	EL296UH090XV48C	206775640
SL18XP1-042-230	41500	13	16	35400	23000	9	LH40/61W9	EL296UH090XV60C	206775645
SL18XP1-042-230	42000	13	16	35600	23200	9	LH40/61W9	EL296UH110XV60C	206775650
SL18XP1-042-230	41000	13	16	35200	22400	8.5	LH40/61W9	SLP99UH090XV48C	206551333
SL18XP1-042-230	41500	13	16	35400	23000	9	LH40/61W9	SLP99UH090XV60C	206551339
SL18XP1-042-230	41000	12.5	15	35000	23200	9	LH40/62W9	EL280UH070XE36A	203366859
SL18XP1-042-230	41500	12.5	15	35000	23200	9	LH40/62W9	EL280UH090XE48B	203366878
SL18XP1-042-230	41500	13	16	35000	23200	9	LH40/62W9	EL280UH110XE60C	203366897
SL18XP1-042-230	40000	12.5	15	35000	22400	8.5	LH41/49F9	EL280UH070XE36A	203366861
SL18XP1-042-230	40000	12.5	15	34800	22800	9	LH41/49F9	EL280UH090XE48B	203366880
SL18XP1-042-230	41000	12.5	15	35000	23000	9	LH41/49F9	EL280UH110XE60C	203366899
SL18XP1-042-230	40000	12.5	15	35000	22400	8.5	LH41/61D9	EL280UH070XE36A	203366864
SL18XP1-042-230	40000	12.5	15	34800	22800	9	LH41/61D9	EL280UH090XE48B	203366883
SL18XP1-042-230	41000	12.5	15	35000	23000	9	LH41/61D9	EL280UH110XE60C	203366902

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-042-230	40000	12.5	15	35000	22400	8.5	LH41/61R9	EL280UH070XE36A	203366863
SL18XP1-042-230	40000	12.5	15	34800	22800	9	LH41/61R9	EL280UH090XE48B	203366882
SL18XP1-042-230	41000	12.5	15	35000	23000	9	LH41/61R9	EL280UH110XE60C	203366901
SL18XP1-042-230	41000	12.5	15	35200	22400	8.5	LH41/61R9	SLP99UH090XV48C	206551332
SL18XP1-042-230	40500	12.5	15	35000	22200	8.5	LH41/61R9	SLP99UH090XV60C	206551338
SL18XP1-042-230	40000	12.5	15	35000	22400	8.5	LH42/49F9	EL280UH070XE36A	203366860
SL18XP1-042-230	40000	12.5	15	34800	22800	9	LH42/49F9	EL280UH090XE48B	203366879
SL18XP1-042-230	40500	12.5	15	35000	23000	9	LH42/49F9	EL280UH110XE60C	203366898
SL18XP1-042-230	40000	12.5	15	35000	22400	8.5	LH42/60D9	EL280UH070XE36A	203366862
SL18XP1-042-230	40000	12.5	15	34800	22800	9	LH42/60D9	EL280UH090XE48B	203366881
SL18XP1-042-230	41000	12.5	15	35000	23000	9	LH42/60D9	EL280UH110XE60C	203366900
SL18XP1-042-230	42000	13	16	35400	23000	9	LH42/62W9	EL180UH090E60C	206775602
SL18XP1-042-230	42000	13	16	35400	23000	9	LH42/62W9	EL180UH110E60C	206775607
SL18XP1-042-230	42000	13	16	35400	23000	9	LH42/62W9	EL180UH110XE60C	206775612
SL18XP1-042-230	40500	13	16	35000	22200	8.5	LH42/62W9	EL195UH090XE48C	206775617
SL18XP1-042-230	40500	13	16	35000	22200	8.5	LH42/62W9	EL196UH090XE48C	206775622
SL18XP1-042-230	41000	12.5	15	35000	23200	9	LH42/62W9	EL280UH070XE36A	203366877
SL18XP1-042-230	41500	12.5	15	35000	23200	9	LH42/62W9	EL280UH090XE48B	203366896
SL18XP1-042-230	42000	13	16	35400	23000	9	LH42/62W9	EL280UH110E48C	206775627
SL18XP1-042-230	42000	13	16	35600	23200	9	LH42/62W9	EL280UH110E60C	206775632
SL18XP1-042-230	42000	13	16	35000	23200	9	LH42/62W9	EL280UH110XE60C	203366915
SL18XP1-042-230	40500	13	16	35000	22200	8.5	LH42/62W9	EL296UH090XE48C	206775638
SL18XP1-042-230	41000	13	16	35200	22400	8.5	LH42/62W9	EL296UH090XV48C	206775643
SL18XP1-042-230	41500	13	16	35400	23000	9	LH42/62W9	EL296UH090XV60C	206775648
SL18XP1-042-230	42000	13	16	35600	23200	9	LH42/62W9	EL296UH110XV60C	206775653
SL18XP1-042-230	41000	13	16	35200	22400	8.5	LH42/62W9	SLP99UH090XV48C	206551337
SL18XP1-042-230	41500	13	16	35400	23000	9	LH42/62W9	SLP99UH090XV60C	206551343
SL18XP1-042-230	40500	12.5	15	34800	22800	9	LH48/60F9	EL280UH070XE36A	203366870
SL18XP1-042-230	41000	12.5	15	34800	22800	9	LH48/60F9	EL280UH090XE48B	203366889
SL18XP1-042-230	41500	12.5	15	35000	23200	9	LH48/60F9	EL280UH110XE60C	203366908
SL18XP1-042-230	40500	12.5	15	34800	22800	9	LH48/60X9	EL280UH070XE36A	203366869
SL18XP1-042-230	41000	12.5	15	34800	22800	9	LH48/60X9	EL280UH090XE48B	203366888
SL18XP1-042-230	41500	12.5	15	35000	23200	9	LH48/60X9	EL280UH110XE60C	203366907
SL18XP1-042-230	39500	12	14	35600	22800	9	LS*4899BB		205484346
SL18XP1-042-230	42000	13	16	35400	23000	9	PL60H210P19	EL180UH090E60C	206775603
SL18XP1-042-230	42000	13	16	35400	23000	9	PL60H210P19	EL180UH110E60C	206775608
SL18XP1-042-230	42000	13	16	35400	23000	9	PL60H210P19	EL180UH110XE60C	206775613
SL18XP1-042-230	40500	13	16	35000	22200	8.5	PL60H210P19	EL195UH090XE48C	206775618
SL18XP1-042-230	40500	13	16	35000	22200	8.5	PL60H210P19	EL196UH090XE48C	206775623
SL18XP1-042-230	42000	13	16	35400	23000	9	PL60H210P19	EL280UH110E48C	206775628
SL18XP1-042-230	42000	13	16	35600	23200	9	PL60H210P19	EL280UH110E60C	206775633
SL18XP1-042-230	42000	13	16	35600	23200	9	PL60H210P19	EL280UH110XE60C	206775634
SL18XP1-042-230	40500	13	16	35000	22200	8.5	PL60H210P19	EL296UH090XE48C	206775639
SL18XP1-042-230	41000	13	16	35200	22400	8.5	PL60H210P19	EL296UH090XV48C	206775644
SL18XP1-042-230	41500	13	16	35400	23000	9	PL60H210P19	EL296UH090XV60C	206775649
SL18XP1-042-230	42000	13	16	35600	23200	9	PL60H210P19	EL296UH110XV60C	206775654
SL18XP1-048-230	47500	12	14.5	44500	29600	9	A48VEC	EL195DF090XE48C	203189345
SL18XP1-048-230	47000	12	14.5	44500	29600	9	A48VEC	EL280DF090E48B	203189352
SL18XP1-048-230	47500	12	14.5	44500	29600	9	A48VEC	EL296DF090XE48C	203189356
SL18XP1-048-230	47500	12.2	14.5	44500	29400	9	A48VEC	EL296DF110XE60C	203189359
SL18XP1-048-230	48000	12.5	15	44500	29400	9	A48VEC	SL280DF090V60C	203189366
SL18XP1-048-230	48000	12.5	15	44500	29200	9	A48VEC	SL280DF110V60C	203189370
SL18XP1-048-230	48000	12	14.5	44500	29600	9	A48VEC	SLP98DF090XV60C	203189373
SL18XP1-048-230	48000	12	14.5	44500	29600	9	A48VEC	SLP98DF110XV60C	203189377

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-048-230	46500	11.7	14.5	44500	29000	9	A48VEC		203189415
SL18XP1-048-230	47000	12.5	15	44500	29200	8.5	L*42/49K9	EL280UH090XE48B	203366928
SL18XP1-048-230	47000	12.5	15	44000	29000	9	L*42/49K9	EL280UH110XE60C	203366957
SL18XP1-048-230	47000	12.5	15	44000	29200	8.5	L*42/60S9	EL280UH090XE48B	203366924
SL18XP1-048-230	47000	12.5	15	44000	29000	9	L*42/60S9	EL280UH110XE60C	203366953
SL18XP1-048-230	48000	12.5	15	44000	29200	9	L*42/60Y9	EL280UH090XE48B	203366933
SL18XP1-048-230	48000	12.5	15	43500	29000	9	L*42/60Y9	EL280UH110XE60C	203366962
SL18XP1-048-230	47500	12.5	15	45000	29600	9	L*42/60Y9	EL296DF090XE48C	10156298
SL18XP1-048-230	48000	12.5	15	45000	29600	9	L*42/60Y9	SLP98DF090XV60C	10156299
SL18XP1-048-230	48000	12.5	15	45000	29600	9	L*42/60Y9	SLP99DF090XV60C	205760395
SL18XP1-048-230	48000	12.5	15	44000	29200	9	L*42/60Z9	EL280UH090XE48B	203366932
SL18XP1-048-230	48000	12.5	15	43500	29000	9	L*42/60Z9	EL280UH110XE60C	203366961
SL18XP1-048-230	48000	12.5	15	45000	29600	9	L*42/60Z9	SLP99DF090XV60C	206551345
SL18XP1-048-230	47500	12.5	15	43000	28400	9	L*42/60Z9	SLP99UH090XV48C	206551350
SL18XP1-048-230	47500	12.5	15	43000	28400	9	L*42/60Z9	SLP99UH090XV60C	206551358
SL18XP1-048-230	47000	12.5	15	44500	29200	8.5	L*42/61K9	EL280UH090XE48B	203366929
SL18XP1-048-230	47000	12.5	15	44000	29000	9	L*42/61K9	EL280UH110XE60C	203366958
SL18XP1-048-230	47000	12.5	15	44000	29200	8.5	L*43/48S9	EL280UH090XE48B	203366925
SL18XP1-048-230	47000	12.5	15	44000	29000	9	L*43/48S9	EL280UH110XE60C	203366954
SL18XP1-048-230	48000	12.5	15	44000	29200	9	L*43/61Y9	EL280UH090XE48B	203366935
SL18XP1-048-230	48000	12.5	15	43500	29000	9	L*43/61Y9	EL280UH110XE60C	203366964
SL18XP1-048-230	48000	12.5	15	44000	29200	9	L*43/61Z9	EL280UH090XE48B	203366934
SL18XP1-048-230	48000	12.5	15	43500	29000	9	L*43/61Z9	EL280UH110XE60C	203366963
SL18XP1-048-230	48000	12.5	15	45000	29600	9	L*43/61Z9	SLP99DF090XV60C	206551346
SL18XP1-048-230	47500	12.5	15	43000	28400	9	L*43/61Z9	SLP99UH090XV48C	206551351
SL18XP1-048-230	47500	12.5	15	43000	28400	9	L*43/61Z9	SLP99UH090XV60C	206551359
SL18XP1-048-230	48000	12.5	15	44000	29200	9	L*48/60Y9	EL280UH090XE48B	203366942
SL18XP1-048-230	48000	13	16	42500	29000	9	L*48/60Y9	EL280UH110XE60C	203366971
SL18XP1-048-230	48000	13	16	44000	29600	8.5	L*48/60Y9	SL280UH090V60C	10156309
SL18XP1-048-230	48000	13	16	44000	29600	8.5	L*48/60Y9	SL280UH090XV60C	10156310
SL18XP1-048-230	48000	13	16	42500	28800	9	L*48/60Y9	SL280UH135V60D	10156311
SL18XP1-048-230	48000	13	16	42500	29200	9	L*48/60Y9	SLP98UH135XV60D	10156312
SL18XP1-048-230	48000	13	16	42500	29200	9	L*48/60Z9	EL180UH135E60D	206775664
SL18XP1-048-230	48000	12.5	15	44000	29200	9	L*48/60Z9	EL280UH090XE48B	203366941
SL18XP1-048-230	48000	13	16	42500	29000	9	L*48/60Z9	EL280UH110XE60C	203366970
SL18XP1-048-230	48000	12.5	15	44000	29200	9	L*49/62Y9	EL280UH090XE48B	203366931
SL18XP1-048-230	48000	12.5	15	43500	29000	9	L*49/62Y9	EL280UH110XE60C	203366960
SL18XP1-048-230	48000	12.5	15	44000	29200	9	L*49/62Z9	EL280UH090XE48B	203366930
SL18XP1-048-230	48000	12.5	15	43500	29000	9	L*49/62Z9	EL280UH110XE60C	203366959
SL18XP1-048-230	48000	12.2	14.5	45000	29600	9	L*49/62Z9	SLP99DF090XV60C	206551344
SL18XP1-048-230	47500	12.5	15	43000	28400	9	L*49/62Z9	SLP99UH090XV48C	206551349
SL18XP1-048-230	47500	12.5	15	43000	28400	9	L*49/62Z9	SLP99UH090XV60C	206551357
SL18XP1-048-230	48000	13	16	42500	29200	9	L*49/63Z9	EL180UH135E60D	206775665
SL18XP1-048-230	48000	12.5	15	44000	29200	9	L*49/63Z9	EL280UH090XE48B	203366943
SL18XP1-048-230	48000	13	16	42500	29000	9	L*49/63Z9	EL280UH110XE60C	203366972
SL18XP1-048-230	48000	12.5	15	44500	29400	9	LD42/61Z9	EL180DF110E60C	205147307
SL18XP1-048-230	47500	12.2	14.5	45000	29600	9	LD42/61Z9	EL196DF090XE48C	205147308
SL18XP1-048-230	47500	12.2	14.5	45000	29600	9	LD42/61Z9	EL296DF090XE48C	205147309
SL18XP1-048-230	47500	12.2	14.5	44500	29400	9	LD42/61Z9	EL296DF110XE60C	205147310
SL18XP1-048-230	48000	12.5	15	44500	29400	9	LD42/61Z9	SL280DF090V60C	205147311
SL18XP1-048-230	48000	12.5	15	44500	29200	9	LD42/61Z9	SL280DF110V60C	205147312
SL18XP1-048-230	48000	12.2	14.5	45000	29600	9	LD42/61Z9	SLP98DF090XV60C	205147313
SL18XP1-048-230	48000	12.2	14.5	45000	29600	9	LD42/61Z9	SLP98DF110XV60C	205147314
SL18XP1-048-230	48000	12.2	14.5	45000	29600	9	LD42/61Z9	SLP99DF090XV60C	205760393

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-048-230	48000	12.2	14.5	45000	29600	9	LD42/61Z9	SLP99DF110XV60C	205760397
SL18XP1-048-230	48000	12	14.5	44500	28800	9	LD42/61Z9		204755202
SL18XP1-048-230	48000	12.5	15	44000	29200	9	LH40/61E9	EL280UH090XE48B	203366923
SL18XP1-048-230	48000	12.5	15	43500	29000	9	LH40/61E9	EL280UH110XE60C	203366952
SL18XP1-048-230	48000	12.5	15	44000	29200	9	LH40/61W9	EL280UH090XE48B	203366922
SL18XP1-048-230	48000	12.5	15	43500	29000	9	LH40/61W9	EL280UH110XE60C	203366951
SL18XP1-048-230	47500	12.5	15	43000	28400	9	LH40/61W9	SLP99UH090XV48C	206551348
SL18XP1-048-230	47500	12.5	15	43000	28400	9	LH40/61W9	SLP99UH090XV60C	206551356
SL18XP1-048-230	48000	12.5	15	44000	29200	9	LH40/62W9	EL280UH090XE48B	203366916
SL18XP1-048-230	48000	12.5	15	43500	29000	9	LH40/62W9	EL280UH110XE60C	203366945
SL18XP1-048-230	47000	12.5	15	44500	29200	8.5	LH41/49F9	EL280UH090XE48B	203366918
SL18XP1-048-230	47000	12.5	15	44000	29000	9	LH41/49F9	EL280UH110XE60C	203366947
SL18XP1-048-230	47000	12.5	15	44500	29200	8.5	LH41/61D9	EL280UH090XE48B	203366921
SL18XP1-048-230	47000	12.5	15	44000	29000	9	LH41/61D9	EL280UH110XE60C	203366950
SL18XP1-048-230	47000	12.5	15	44500	29200	8.5	LH41/61R9	EL280UH090XE48B	203366920
SL18XP1-048-230	47000	12.5	15	44000	29000	9	LH41/61R9	EL280UH110XE60C	203366949
SL18XP1-048-230	47000	12.2	15	43000	28400	8.5	LH41/61R9	SLP99UH090XV48C	206551347
SL18XP1-048-230	47000	12.2	15	43000	28400	8.5	LH41/61R9	SLP99UH090XV60C	206551355
SL18XP1-048-230	46500	12.2	15	44000	29200	8.5	LH42/49F9	EL280UH090XE48B	203366917
SL18XP1-048-230	46500	12.5	15	44500	29000	8.5	LH42/49F9	EL280UH110XE60C	203366946
SL18XP1-048-230	47000	12.5	15	44000	29200	8.5	LH42/60D9	EL280UH090XE48B	203366919
SL18XP1-048-230	47000	12.5	15	44000	29000	9	LH42/60D9	EL280UH110XE60C	203366948
SL18XP1-048-230	48000	12.5	15	44000	29200	9	LH42/62E9	EL280UH090XE48B	203366939
SL18XP1-048-230	48000	12.5	15	43500	29000	9	LH42/62E9	EL280UH110XE60C	203366968
SL18XP1-048-230	48000	12.5	15	44000	29200	9	LH42/62W9	EL280UH090XE48B	203366938
SL18XP1-048-230	48000	12.5	15	43500	29000	9	LH42/62W9	EL280UH110XE60C	203366967
SL18XP1-048-230	47500	12.5	15	43000	28400	9	LH42/62W9	SLP99UH090XV48C	206551353
SL18XP1-048-230	47500	12.5	15	43000	28400	9	LH42/62W9	SLP99UH090XV60C	206551361
SL18XP1-048-230	48000	12.5	15	44000	29200	9	LH48/60E9	EL280UH090XE48B	203366940
SL18XP1-048-230	48000	13	16	44000	29400	8.5	LH48/60E9	EL280UH110XE60C	203366969
SL18XP1-048-230	48000	12.5	15	43000	29200	9	LH48/60F9	EL280UH090XE48B	203366927
SL18XP1-048-230	48000	12.5	15	42500	29000	9	LH48/60F9	EL280UH110XE60C	203366956
SL18XP1-048-230	48000	12.5	15	43000	29200	9	LH48/60X9	EL280UH090XE48B	203366926
SL18XP1-048-230	48000	12.5	15	42500	29000	9	LH48/60X9	EL280UH110XE60C	203366955
SL18XP1-048-230	48000	13	16	44000	29400	8.5	LH49/61E9	EL180UH090E60C	206775656
SL18XP1-048-230	47500	13	16	43500	29400	8.5	LH49/61E9	EL180UH110E60C	206775659
SL18XP1-048-230	47500	13	16	43500	29400	8.5	LH49/61E9	EL180UH110XE60C	206775662
SL18XP1-048-230	48000	12.5	15	44000	29200	9	LH49/61E9	EL280UH090XE48B	203366937
SL18XP1-048-230	48000	13	16	44000	29600	8.5	LH49/61E9	EL280UH110E48C	206775670
SL18XP1-048-230	48000	13	16	42500	29000	9	LH49/61E9	EL280UH110E60C	206775673
SL18XP1-048-230	48000	13	16	42500	29000	9	LH49/61E9	EL280UH110XE60C	203366966
SL18XP1-048-230	48000	13	16	44000	29400	8.5	LH49/61W9	EL180UH090E60C	206775655
SL18XP1-048-230	47500	13	16	43500	29400	8.5	LH49/61W9	EL180UH110E60C	206775658
SL18XP1-048-230	47500	13	16	43500	29400	8.5	LH49/61W9	EL180UH110XE60C	206775661
SL18XP1-048-230	48000	12.5	15	44000	29200	9	LH49/61W9	EL280UH090XE48B	203366936
SL18XP1-048-230	48000	13	16	44000	29600	8.5	LH49/61W9	EL280UH110E48C	206775669
SL18XP1-048-230	48000	13	16	42500	29000	9	LH49/61W9	EL280UH110E60C	206775672
SL18XP1-048-230	48000	13	16	42500	29000	9	LH49/61W9	EL280UH110XE60C	203366965
SL18XP1-048-230	47500	12.5	15	43000	28400	9	LH49/61W9	SLP99UH090XV48C	206551352
SL18XP1-048-230	47500	12.5	15	43000	28400	9	LH49/61W9	SLP99UH090XV60C	206551360
SL18XP1-048-230	48000	13	16	42500	29200	9	LH49/62W9	EL180UH135E60D	206775666
SL18XP1-048-230	48000	12.5	15	44000	29200	9	LH49/62W9	EL280UH090XE48B	203366944
SL18XP1-048-230	48000	13	16	42500	29000	9	LH49/62W9	EL280UH110XE60C	203366973
SL18XP1-048-230	47500	12.5	15	43000	28400	9	LH60/61W9	SLP99UH090XV48C	206551354

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-048-230	47500	12.5	15	43000	28400	9	LH60/61W9	SLP99UH090XV60C	206551362
SL18XP1-048-230	46000	11.7	14.5	45000	29000	9	LS*4899BB		205484357
SL18XP1-048-230	47500	12.2	15	45000	29000	9	LS*6094CC		205484368
SL18XP1-048-230	47500	13	16	44000	28800	9	PL60H210P30	EL180UH090E60C	206775657
SL18XP1-048-230	47000	13	16	43500	28800	9	PL60H210P30	EL180UH110E60C	206775660
SL18XP1-048-230	47000	13	16	43500	28800	9	PL60H210P30	EL180UH110XE60C	206775663
SL18XP1-048-230	47500	13	16	44000	29000	9	PL60H210P30	EL195UH110XE60C	206775667
SL18XP1-048-230	47500	13	16	44000	29000	9	PL60H210P30	EL196UH110XE60C	206775668
SL18XP1-048-230	47500	13	16	44000	29000	9	PL60H210P30	EL280UH110E48C	206775671
SL18XP1-048-230	48000	13	16	42500	29000	9	PL60H210P30	EL280UH110E60C	206775674
SL18XP1-048-230	48000	13	16	42500	29000	9	PL60H210P30	EL280UH110XE60C	206775675
SL18XP1-048-230	47500	13	16	44000	29000	9	PL60H210P30	EL296UH110XE60C	206775676
SL18XP1-060-230	54500	11.7	14	51000	33800	9	A60VGC	EL296DF110XE60C	203189387
SL18XP1-060-230	55000	11.7	14	51000	33800	9.5	A60VGC	SL280DF090V60C	203189394
SL18XP1-060-230	55000	12.2	14.5	51000	33600	9.5	A60VGC	SL280DF110V60C	203189397
SL18XP1-060-230	54500	11.7	14	51000	34200	9	A60VGC		203189418
SL18XP1-060-230	57000	12.5	15	50000	32800	9	L*42/60Y9	EL280UH110XE60C	203366982
SL18XP1-060-230	55000	12.5	15	53000	33600	9.5	L*42/60Y9	SL280DF110V60C	9951993
SL18XP1-060-230	57000	12.5	15	50000	32800	9	L*42/60Z9	EL280UH110XE60C	203366981
SL18XP1-060-230	56000	12	15	51000	32600	8.5	L*42/60Z9	SLP99UH090XV60C	206551365
SL18XP1-060-230	56500	12	15	51000	32800	8.5	L*42/60Z9	SLP99UH110XV60C	206551372
SL18XP1-060-230	56500	12.2	14.5	52500	34000	9	L*42/60Z9	SLP99UH135XV60D	206551378
SL18XP1-060-230	57000	12.5	15	50000	32800	9	L*43/61Y9	EL280UH110XE60C	203366984
SL18XP1-060-230	57000	12.5	15	50000	32800	9	L*43/61Z9	EL280UH110XE60C	203366983
SL18XP1-060-230	56000	12.2	15	51000	32600	8.5	L*43/61Z9	SLP99UH090XV60C	206551366
SL18XP1-060-230	56500	12.2	15	51000	32800	8.5	L*43/61Z9	SLP99UH110XV60C	206551373
SL18XP1-060-230	57000	12.5	15	50000	32800	9	L*48/60Y9	EL280UH110XE60C	203366991
SL18XP1-060-230	57000	12.5	15	50000	32800	9	L*48/60Z9	EL280UH110XE60C	203366990
SL18XP1-060-230	57000	12.5	15	50000	32800	9	L*49/62Y9	EL280UH110XE60C	203366980
SL18XP1-060-230	57000	12.5	15	50000	32800	9	L*49/62Z9	EL280UH110XE60C	203366979
SL18XP1-060-230	56000	12	15	51000	32600	8.2	L*49/62Z9	SLP99UH090XV60C	206551364
SL18XP1-060-230	56500	12	15	51000	32800	8.5	L*49/62Z9	SLP99UH110XV60C	206551371
SL18XP1-060-230	56500	12.2	14.5	52500	34000	9	L*49/62Z9	SLP99UH135XV60D	206551377
SL18XP1-060-230	57000	12.5	15	50000	32800	9	L*49/63Z9	EL280UH110XE60C	203366992
SL18XP1-060-230	55000	12.2	14.5	53000	33800	9.5	LD42/61Z9	EL180DF110E60C	205147315
SL18XP1-060-230	54500	12	14	53000	33800	9	LD42/61Z9	EL296DF110XE60C	205147316
SL18XP1-060-230	55000	12	14	53000	33800	9.5	LD42/61Z9	SL280DF090V60C	205147317
SL18XP1-060-230	55000	12.2	14.5	53000	33600	9.5	LD42/61Z9	SL280DF110V60C	205147318
SL18XP1-060-230	54500	12	14	53500	34200	9	LD42/61Z9		204755203
SL18XP1-060-230	57000	12.5	15	50000	32800	9	LH40/61E9	EL280UH110XE60C	203366977
SL18XP1-060-230	57000	12.5	15	50000	32800	9	LH40/61W9	EL280UH110XE60C	203366976
SL18XP1-060-230	56000	12	15	51000	32600	8.5	LH40/61W9	SLP99UH090XV60C	206551363
SL18XP1-060-230	56500	12	15	51000	32800	8.5	LH40/61W9	SLP99UH110XV60C	206551370
SL18XP1-060-230	56500	12.5	15	50000	32800	9	LH40/62W9	EL280UH110XE60C	203366974
SL18XP1-060-230	55000	12.2	15	51000	32600	8.5	LH41/61D9	EL280UH110XE60C	203366975
SL18XP1-060-230	57000	12.5	15	50000	32800	9	LH42/62E9	EL280UH110XE60C	203366988
SL18XP1-060-230	57000	12.5	15	50000	32800	9	LH42/62W9	EL280UH110XE60C	203366987
SL18XP1-060-230	56000	12.2	15	51000	32600	8.5	LH42/62W9	SLP99UH090XV60C	206551368
SL18XP1-060-230	56500	12.2	15	51000	32800	8.5	LH42/62W9	SLP99UH110XV60C	206551375
SL18XP1-060-230	57000	12.5	15	50000	32800	9	LH48/60E9	EL280UH110XE60C	203366989
SL18XP1-060-230	54500	12.2	15	49500	32600	9	LH48/60F9	EL280UH110XE60C	203366978
SL18XP1-060-230	57000	12.5	15	50000	32800	9	LH49/61E9	EL280UH110XE60C	203366986
SL18XP1-060-230	57000	12.5	15	50000	32800	9	LH49/61W9	EL280UH110XE60C	203366985
SL18XP1-060-230	56000	12.2	15	51000	32600	8.5	LH49/61W9	SLP99UH090XV60C	206551367

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-060-230	56500	12.5	15	51000	32800	8.5	LH49/61W9	SLP99UH110XV60C	206551374
SL18XP1-060-230	57000	12.5	15	50000	32800	9	LH49/62W9	EL280UH110XE60C	203366993
SL18XP1-060-230	56000	12.5	15	51000	32600	8.5	LH60/61W9	SLP99UH090XV60C	206551369
SL18XP1-060-230	56500	12.5	15	51000	32800	8.5	LH60/61W9	SLP99UH110XV60C	206551376
SL18XP1-060-230	56500	12.2	14.5	51500	33000	9	LS*6094CC		205484374
SPB036H4 (208/230V)	35000	12.2	15	31600	20400	8.5	L*19/36S9	EL280UH070XE36A	203372232
SPB036H4 (208/230V)	36000	13	16	31600	20400	8.5	L*23/37Z9	EL280UH070XE36A	203372246
SPB036H4 (208/230V)	36000	13	16	32400	21400	8.2	L*24/36Y9	EL280UH070XE36A	203372250
SPB036H4 (208/230V)	36000	13	16	32400	21400	8.2	L*24/36Z9	EL280UH070XE36A	203372249
SPB036H4 (208/230V)	35000	12.2	15	31600	20400	8.5	L*24/42S9	EL280UH070XE36A	203372233
SPB036H4 (208/230V)	36000	13	16	31600	20400	8.5	L*25/37Y9	EL280UH070XE36A	203372248
SPB036H4 (208/230V)	36000	13	16	31600	20400	8.5	L*25/37Z9	EL280UH070XE36A	203372247
SPB036H4 (208/230V)	36000	12.5	16	31600	20400	8.5	L*29/36S9	EL280UH070XE36A	203372241
SPB036H4 (208/230V)	36000	12.5	16	31600	20400	8.5	L*29/36U9	EL280UH070XE36A	203372239
SPB036H4 (208/230V)	35800	12.5	16	32400	20400	8.5	L*30/36S9	EL280UH070XE36A	203372238
SPB036H4 (208/230V)	35800	12.5	16	31600	20400	8.5	L*30/36U9	EL280UH070XE36A	203372237
SPB036H4 (208/230V)	36000	12.5	16	31600	20400	8.5	L*35/36S9	EL280UH070XE36A	203372242
SPB036H4 (208/230V)	36000	12.5	16	31600	20400	8.5	L*35/36U9	EL280UH070XE36A	203372240
SPB036H4 (208/230V)	35800	12.5	16	32400	21400	8.2	LH18/37D9	EL280UH070XE36A	203372244
SPB036H4 (208/230V)	35800	12.5	16	32400	21400	8.2	LH18/37R9	EL280UH070XE36A	203372243
SPB036H4 (208/230V)	36000	13	16	31600	20400	8.5	LH23/37W9	EL280UH070XE36A	203372245
SPB036H4 (208/230V)	35000	12.2	15	31600	20400	8.5	LH29/36F9	EL280UH070XE36A	203372229
SPB036H4 (208/230V)	35800	12.5	16	32400	21400	8.2	LH35/36F9	EL280UH070XE36A	203372231
SPB036H4 (208/230V)	35800	12.5	16	32400	21400	8.2	LH35/36X9	EL280UH070XE36A	203372230
SPB036H4 (208/230V)	36000	12.5	16	31600	20400	8.5	LH35/37D9	EL280UH070XE36A	203372234
SPB036H4 (208/230V)	36000	12.5	16	31600	20400	8.5	LH35/38F9	EL280UH070XE36A	203372236
SPB036H4 (208/230V)	36000	12.5	16	31600	20400	8.5	LH35/38X9	EL280UH070XE36A	203372235
SPB048H4 (208/230V)	48000	12	16	41000	28000	9	L*42/60Y9	EL280UH090XE48B	203372259
SPB048H4 (208/230V)	48000	12	16	41000	27800	9	L*42/60Y9	EL280UH110XE60C	203372279
SPB048H4 (208/230V)	48000	12	16	41000	28000	9	L*42/60Z9	EL280UH090XE48B	203372258
SPB048H4 (208/230V)	48000	12	16	41000	27800	9	L*42/60Z9	EL280UH110XE60C	203372278
SPB048H4 (208/230V)	48000	12.2	16	41000	28000	9	L*43/61Y9	EL280UH090XE48B	203372261
SPB048H4 (208/230V)	48000	12.2	16	41000	27800	9	L*43/61Y9	EL280UH110XE60C	203372281
SPB048H4 (208/230V)	48000	12.2	16	41000	28000	9	L*43/61Z9	EL280UH090XE48B	203372260
SPB048H4 (208/230V)	48000	12.2	16	41000	27800	9	L*43/61Z9	EL280UH110XE60C	203372280
SPB048H4 (208/230V)	48000	12.5	16	41000	28000	9	L*48/60Y9	EL280UH090XE48B	203372268
SPB048H4 (208/230V)	48000	12.5	16	41000	27800	9	L*48/60Y9	EL280UH110XE60C	203372288
SPB048H4 (208/230V)	48000	12.5	16	41000	28000	9	L*48/60Z9	EL280UH090XE48B	203372267
SPB048H4 (208/230V)	48000	12.5	16	41000	27800	9	L*48/60Z9	EL280UH110XE60C	203372287
SPB048H4 (208/230V)	47500	12	16	41000	28000	9	L*49/62Y9	EL280UH090XE48B	203372257
SPB048H4 (208/230V)	47500	12	16	41000	27800	9	L*49/62Y9	EL280UH110XE60C	203372277
SPB048H4 (208/230V)	47500	12	16	41000	28000	9	L*49/62Z9	EL280UH090XE48B	203372256
SPB048H4 (208/230V)	47500	12	16	41000	27800	9	L*49/62Z9	EL280UH110XE60C	203372276
SPB048H4 (208/230V)	48000	12.5	16	41000	28000	9	L*49/63Z9	EL280UH090XE48B	203372269
SPB048H4 (208/230V)	48000	12.5	16	41000	27800	9	L*49/63Z9	EL280UH110XE60C	203372289
SPB048H4 (208/230V)	47500	12	16	41000	28000	9	LH40/61E9	EL280UH090XE48B	203372254
SPB048H4 (208/230V)	47500	12	16	41000	27800	9	LH40/61E9	EL280UH110XE60C	203372274
SPB048H4 (208/230V)	47500	12	16	41000	28000	9	LH40/61W9	EL280UH090XE48B	203372253
SPB048H4 (208/230V)	47500	12	16	41000	27800	9	LH40/61W9	EL280UH110XE60C	203372273
SPB048H4 (208/230V)	47500	12	15	41000	28000	9	LH40/62W9	EL280UH090XE48B	203372251
SPB048H4 (208/230V)	47500	12	16	41000	27800	9	LH40/62W9	EL280UH110XE60C	203372271
SPB048H4 (208/230V)	46500	11.7	15	41000	28000	9	LH41/61D9	EL280UH090XE48B	203372252
SPB048H4 (208/230V)	46500	11.7	15	41000	27800	9	LH41/61D9	EL280UH110XE60C	203372272
SPB048H4 (208/230V)	48000	12.2	16	41000	28000	9	LH42/62E9	EL280UH090XE48B	203372265

AHRI SYSTEM MATCHESNOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SPB048H4 (208/230V)	48000	12.2	16	41000	27800	9	LH42/62E9	EL280UH110XE60C	203372285
SPB048H4 (208/230V)	48000	12.2	16	41000	28000	9	LH42/62W9	EL280UH090XE48B	203372264
SPB048H4 (208/230V)	48000	12.2	16	41000	27800	9	LH42/62W9	EL280UH110XE60C	203372284
SPB048H4 (208/230V)	48000	12.2	16	41000	28000	9	LH48/60E9	EL280UH090XE48B	203372266
SPB048H4 (208/230V)	48000	12.2	16	41000	27800	9	LH48/60E9	EL280UH110XE60C	203372286
SPB048H4 (208/230V)	47000	11.7	15	41000	28000	9	LH48/60F9	EL280UH090XE48B	203372255
SPB048H4 (208/230V)	47000	11.7	15	41000	27800	9	LH48/60F9	EL280UH110XE60C	203372275
SPB048H4 (208/230V)	48000	12.2	16	41000	28000	9	LH49/61E9	EL280UH090XE48B	203372263
SPB048H4 (208/230V)	48000	12.2	16	41000	27800	9	LH49/61E9	EL280UH110XE60C	203372283
SPB048H4 (208/230V)	48000	12.2	16	41000	28000	9	LH49/61W9	EL280UH090XE48B	203372262
SPB048H4 (208/230V)	48000	12.2	16	41000	27800	9	LH49/61W9	EL280UH110XE60C	203372282
SPB048H4 (208/230V)	48000	12.5	16	41000	28000	9	LH49/62W9	EL280UH090XE48B	203372270
SPB048H4 (208/230V)	48000	12.5	16	41000	27800	9	LH49/62W9	EL280UH110XE60C	203372290
SPB060H4 (208/230V)	57500	12.2	16	50500	33000	8.5	L*42/60Y9	EL280UH110XE60C	203372293
SPB060H4 (208/230V)	57500	12.2	16	50500	33000	8.5	L*43/61Y9	EL280UH110XE60C	203372295
SPB060H4 (208/230V)	57500	12.2	16	50500	33000	8.5	L*43/61Z9	EL280UH110XE60C	203372294
SPB060H4 (208/230V)	57500	12.5	16	50500	33000	8.5	L*48/60Y9	EL280UH110XE60C	203372301
SPB060H4 (208/230V)	57500	12.5	16	50500	33000	8.5	L*48/60Z9	EL280UH110XE60C	203372300
SPB060H4 (208/230V)	57500	12	16	50500	33000	8.5	L*49/62Y9	EL280UH110XE60C	203372292
SPB060H4 (208/230V)	57500	12.5	16	50500	33000	8.5	L*49/63Z9	EL280UH110XE60C	203372302
SPB060H4 (208/230V)	57500	12	16	50500	33000	8.5	LH40/61E9	EL280UH110XE60C	203372291
SPB060H4 (208/230V)	57500	12.2	16	50500	33000	8.5	LH42/62E9	EL280UH110XE60C	203372298
SPB060H4 (208/230V)	57500	12.2	16	50500	33000	8.5	LH48/60E9	EL280UH110XE60C	203372299
SPB060H4 (208/230V)	57500	12.5	16	50500	33000	8.5	LH49/61E9	EL280UH110XE60C	203372297
SPB060H4 (208/230V)	57500	12.5	16	50500	33000	8.5	LH49/61W9	EL280UH110XE60C	203372296
SPB060H4 (208/230V)	57500	12.5	16	50500	33000	8.5	LH49/62W9	EL280UH110XE60C	203372303
TPA036H4 (460V)	34000	12.5	15	30800	19000	8.2	L*19/36S9	EL280UH070XE36A	203371611
TPA036H4 (460V)	34000	12.5	15	31000	19000	8.2	L*19/36S9	EL280UH090XE48B	203371633
TPA036H4 (460V)	34200	12.5	15	31000	19000	8.2	L*19/36S9	EL280UH110XE60C	203371655
TPA036H4 (460V)	35000	12.5	15	30000	18800	8.5	L*23/37Y9	EL280UH070XE36A	203371626
TPA036H4 (460V)	35400	13	16	31000	18800	8.2	L*23/37Y9	EL280UH090XE48B	203371648
TPA036H4 (460V)	35600	13	16	31000	18800	8.5	L*23/37Y9	EL280UH110XE60C	203371672
TPA036H4 (460V)	35000	12.5	15	30000	18800	8.5	L*23/37Z9	EL280UH070XE36A	203371625
TPA036H4 (460V)	35400	13	16	31000	18800	8.2	L*23/37Z9	EL280UH090XE48B	203371647
TPA036H4 (460V)	35600	13	16	31000	18800	8.5	L*23/37Z9	EL280UH110XE60C	203371671
TPA036H4 (460V)	35000	12.5	15	30000	18800	8.5	L*24/36Y9	EL280UH070XE36A	203371630
TPA036H4 (460V)	35000	12.5	15	30000	18800	8.5	L*24/36Y9	EL280UH090XE48B	203371652
TPA036H4 (460V)	35600	12.5	15	31000	18800	8.5	L*24/36Y9	EL280UH110XE60C	203371676
TPA036H4 (460V)	35000	12.5	15	30000	18800	8.5	L*24/36Z9	EL280UH070XE36A	203371629
TPA036H4 (460V)	35000	12.5	15	30000	18800	8.5	L*24/36Z9	EL280UH090XE48B	203371651
TPA036H4 (460V)	35600	12.5	15	31000	18800	8.5	L*24/36Z9	EL280UH110XE60C	203371675
TPA036H4 (460V)	34000	12.5	15	30800	19000	8.2	L*24/42S9	EL280UH070XE36A	203371612
TPA036H4 (460V)	34000	12.5	15	31000	19000	8.2	L*24/42S9	EL280UH090XE48B	203371634
TPA036H4 (460V)	34200	12.5	15	31000	19000	8.2	L*24/42S9	EL280UH110XE60C	203371657
TPA036H4 (460V)	35000	12.5	15	30000	18800	8.5	L*25/37Y9	EL280UH070XE36A	203371628
TPA036H4 (460V)	35000	12.5	15	30000	18800	8.5	L*25/37Y9	EL280UH090XE48B	203371650
TPA036H4 (460V)	35600	12.5	15	31000	18800	8.5	L*25/37Y9	EL280UH110XE60C	203371674
TPA036H4 (460V)	35000	12.5	15	30000	18800	8.5	L*25/37Z9	EL280UH070XE36A	203371627
TPA036H4 (460V)	35000	12.5	15	30000	18800	8.5	L*25/37Z9	EL280UH090XE48B	203371649
TPA036H4 (460V)	35600	12.5	15	31000	18800	8.5	L*25/37Z9	EL280UH110XE60C	203371673
TPA036H4 (460V)	34200	12.5	15	30000	18800	8.5	L*29/36S9	EL280UH070XE36A	203371620
TPA036H4 (460V)	34200	12.5	15	29800	18800	8.5	L*29/36S9	EL280UH090XE48B	203371642
TPA036H4 (460V)	35600	12.5	15	31000	18800	8.5	L*29/36S9	EL280UH110XE60C	203371666
TPA036H4 (460V)	34200	12.5	15	30000	18800	8.5	L*29/36U9	EL280UH070XE36A	203371618

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036H4 (460V)	34200	12.5	15	29800	18800	8.5	L*29/36U9	EL280UH090XE48B	203371640
TPA036H4 (460V)	35600	12.5	15	31000	18800	8.5	L*29/36U9	EL280UH110XE60C	203371664
TPA036H4 (460V)	34200	12.5	15	30000	18800	8.5	L*30/36S9	EL280UH070XE36A	203371617
TPA036H4 (460V)	34200	12.5	15	29800	18800	8.5	L*30/36S9	EL280UH090XE48B	203371639
TPA036H4 (460V)	35400	12.5	15	31000	18800	8.5	L*30/36S9	EL280UH110XE60C	203371663
TPA036H4 (460V)	34200	12.5	15	30000	18800	8.5	L*30/36U9	EL280UH070XE36A	203371616
TPA036H4 (460V)	34200	12.5	15	29800	18800	8.5	L*30/36U9	EL280UH090XE48B	203371638
TPA036H4 (460V)	35400	12.5	15	31000	18800	8.5	L*30/36U9	EL280UH110XE60C	203371662
TPA036H4 (460V)	34200	12.5	15	30000	18800	8.5	L*35/36S9	EL280UH070XE36A	203371621
TPA036H4 (460V)	34200	12.5	15	29800	18800	8.5	L*35/36S9	EL280UH090XE48B	203371643
TPA036H4 (460V)	35600	12.5	15	31000	18800	8.5	L*35/36S9	EL280UH110XE60C	203371667
TPA036H4 (460V)	34200	12.5	15	30000	18800	8.5	L*35/36U9	EL280UH070XE36A	203371619
TPA036H4 (460V)	34200	12.5	15	29800	18800	8.5	L*35/36U9	EL280UH090XE48B	203371641
TPA036H4 (460V)	35600	12.5	15	31000	18800	8.5	L*35/36U9	EL280UH110XE60C	203371665
TPA036H4 (460V)	34000	12.5	15	30000	18800	8.5	LH18/37D9	EL280UH070XE36A	203371622
TPA036H4 (460V)	34000	12.5	15	29800	18800	8.5	LH18/37D9	EL280UH090XE48B	203371644
TPA036H4 (460V)	34400	12.5	15	30000	18800	8.5	LH18/37D9	EL280UH110XE60C	203371668
TPA036H4 (460V)	35000	12.5	15	30000	18800	8.5	LH23/37E9	EL280UH070XE36A	203371624
TPA036H4 (460V)	35400	13	16	31000	18800	8.2	LH23/37E9	EL280UH090XE48B	203371646
TPA036H4 (460V)	35600	13	16	31000	18800	8.5	LH23/37E9	EL280UH110XE60C	203371670
TPA036H4 (460V)	35000	12.5	15	30000	18800	8.5	LH23/37W9	EL280UH070XE36A	203371623
TPA036H4 (460V)	35400	13	16	31000	18800	8.2	LH23/37W9	EL280UH090XE48B	203371645
TPA036H4 (460V)	35600	13	16	31000	18800	8.5	LH23/37W9	EL280UH110XE60C	203371669
TPA036H4 (460V)	34000	12.5	15	30800	19000	8.2	LH29/36F9	EL280UH070XE36A	203371609
TPA036H4 (460V)	34000	12.5	15	31000	19000	8.2	LH29/36F9	EL280UH090XE48B	203371631
TPA036H4 (460V)	34200	12.5	15	31000	19000	8.2	LH29/36F9	EL280UH110XE60C	203371653
TPA036H4 (460V)	34000	12.5	15	30000	18800	8.5	LH35/36F9	EL280UH070XE36A	203371610
TPA036H4 (460V)	34000	12.5	15	29800	18800	8.5	LH35/36F9	EL280UH090XE48B	203371632
TPA036H4 (460V)	34400	12.5	15	30000	18800	8.5	LH35/36F9	EL280UH110XE60C	203371654
TPA036H4 (460V)	34200	12.5	15	30000	18800	8.5	LH35/37D9	EL280UH070XE36A	203371613
TPA036H4 (460V)	34200	12.5	15	29800	18800	8.5	LH35/37D9	EL280UH090XE48B	203371635
TPA036H4 (460V)	35600	12.5	15	31000	18800	8.5	LH35/37D9	EL280UH110XE60C	203371658
TPA036H4 (460V)	34200	12.5	15	30000	18800	8.5	LH35/38F9	EL280UH070XE36A	203371615
TPA036H4 (460V)	34200	12.5	15	29800	18800	8.5	LH35/38F9	EL280UH090XE48B	203371637
TPA036H4 (460V)	35600	12.5	15	31000	18800	8.5	LH35/38F9	EL280UH110XE60C	203371660
TPA036H4 (460V)	34200	12.5	15	30000	18800	8.5	LH35/38X9	EL280UH070XE36A	203371614
TPA036H4 (460V)	34200	12.5	15	29800	18800	8.5	LH35/38X9	EL280UH090XE48B	203371636
TPA036H4 (460V)	35600	12.5	15	31000	18800	8.5	LH35/38X9	EL280UH110XE60C	203371659
TPA036H4 (208/230V)	34000	12.5	15	30800	19000	8.2	L*19/36S9	EL280UH070XE36A	203371679
TPA036H4 (208/230V)	34000	12.5	15	31000	19000	8.2	L*19/36S9	EL280UH090XE48B	203371701
TPA036H4 (208/230V)	34200	12.5	15	31000	19000	8.2	L*19/36S9	EL280UH110XE60C	203371723
TPA036H4 (208/230V)	35000	12.5	15	30000	18800	8.5	L*23/37Y9	EL280UH070XE36A	203371694
TPA036H4 (208/230V)	35400	13	16	31000	18800	8.2	L*23/37Y9	EL280UH090XE48B	203371716
TPA036H4 (208/230V)	35600	13	16	31000	18800	8.5	L*23/37Y9	EL280UH110XE60C	203371738
TPA036H4 (208/230V)	35000	12.5	15	30000	18800	8.5	L*23/37Z9	EL280UH070XE36A	203371693
TPA036H4 (208/230V)	35400	13	16	31000	18800	8.2	L*23/37Z9	EL280UH090XE48B	203371715
TPA036H4 (208/230V)	35600	13	16	31000	18800	8.5	L*23/37Z9	EL280UH110XE60C	203371737
TPA036H4 (208/230V)	35000	12.5	15	30000	18800	8.5	L*24/36Y9	EL280UH070XE36A	203371698
TPA036H4 (208/230V)	35000	12.5	15	30000	18800	8.5	L*24/36Y9	EL280UH090XE48B	203371720
TPA036H4 (208/230V)	35600	12.5	15	31000	18800	8.5	L*24/36Y9	EL280UH110XE60C	203371742
TPA036H4 (208/230V)	35000	12.5	15	30000	18800	8.5	L*24/36Z9	EL280UH070XE36A	203371697
TPA036H4 (208/230V)	35000	12.5	15	30000	18800	8.5	L*24/36Z9	EL280UH090XE48B	203371719
TPA036H4 (208/230V)	35600	12.5	15	31000	18800	8.5	L*24/36Z9	EL280UH110XE60C	203371741
TPA036H4 (208/230V)	34000	12.5	15	30800	19000	8.2	L*24/42S9	EL280UH070XE36A	203371680

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036H4 (208/230V)	34000	12.5	15	31000	19000	8.2	L*24/42S9	EL280UH090XE48B	203371702
TPA036H4 (208/230V)	34200	12.5	15	31000	19000	8.2	L*24/42S9	EL280UH110XE60C	203371724
TPA036H4 (208/230V)	35000	12.5	15	30000	18800	8.5	L*25/37Y9	EL280UH070XE36A	203371696
TPA036H4 (208/230V)	35000	12.5	15	30000	18800	8.5	L*25/37Y9	EL280UH090XE48B	203371718
TPA036H4 (208/230V)	35600	12.5	15	31000	18800	8.5	L*25/37Y9	EL280UH110XE60C	203371740
TPA036H4 (208/230V)	35000	12.5	15	30000	18800	8.5	L*25/37Z9	EL280UH070XE36A	203371695
TPA036H4 (208/230V)	35000	12.5	15	30000	18800	8.5	L*25/37Z9	EL280UH090XE48B	203371717
TPA036H4 (208/230V)	35600	12.5	15	31000	18800	8.5	L*25/37Z9	EL280UH110XE60C	203371739
TPA036H4 (208/230V)	34200	12.5	15	30000	18800	8.5	L*29/36S9	EL280UH070XE36A	203371688
TPA036H4 (208/230V)	34200	12.5	15	29800	18800	8.5	L*29/36S9	EL280UH090XE48B	203371710
TPA036H4 (208/230V)	35600	12.5	15	31000	18800	8.5	L*29/36S9	EL280UH110XE60C	203371732
TPA036H4 (208/230V)	34200	12.5	15	30000	18800	8.5	L*29/36U9	EL280UH070XE36A	203371686
TPA036H4 (208/230V)	34200	12.5	15	29800	18800	8.5	L*29/36U9	EL280UH090XE48B	203371708
TPA036H4 (208/230V)	35600	12.5	15	31000	18800	8.5	L*29/36U9	EL280UH110XE60C	203371730
TPA036H4 (208/230V)	34200	12.5	15	30000	18800	8.5	L*30/36S9	EL280UH070XE36A	203371685
TPA036H4 (208/230V)	34200	12.5	15	29800	18800	8.5	L*30/36S9	EL280UH090XE48B	203371707
TPA036H4 (208/230V)	35400	12.5	15	31000	18800	8.5	L*30/36S9	EL280UH110XE60C	203371729
TPA036H4 (208/230V)	34200	12.5	15	30000	18800	8.5	L*30/36U9	EL280UH070XE36A	203371684
TPA036H4 (208/230V)	34200	12.5	15	29800	18800	8.5	L*30/36U9	EL280UH090XE48B	203371706
TPA036H4 (208/230V)	35400	12.5	15	31000	18800	8.5	L*30/36U9	EL280UH110XE60C	203371728
TPA036H4 (208/230V)	34200	12.5	15	30000	18800	8.5	L*35/36S9	EL280UH070XE36A	203371689
TPA036H4 (208/230V)	34200	12.5	15	29800	18800	8.5	L*35/36S9	EL280UH090XE48B	203371711
TPA036H4 (208/230V)	35600	12.5	15	31000	18800	8.5	L*35/36S9	EL280UH110XE60C	203371733
TPA036H4 (208/230V)	34200	12.5	15	30000	18800	8.5	L*35/36U9	EL280UH070XE36A	203371687
TPA036H4 (208/230V)	34200	12.5	15	29800	18800	8.5	L*35/36U9	EL280UH090XE48B	203371709
TPA036H4 (208/230V)	35600	12.5	15	31000	18800	8.5	L*35/36U9	EL280UH110XE60C	203371731
TPA036H4 (208/230V)	34000	12.5	15	30000	18800	8.5	LH18/37D9	EL280UH070XE36A	203371690
TPA036H4 (208/230V)	34000	12.5	15	29800	18800	8.5	LH18/37D9	EL280UH090XE48B	203371712
TPA036H4 (208/230V)	34400	12.5	15	30000	18800	8.5	LH18/37D9	EL280UH110XE60C	203371734
TPA036H4 (208/230V)	35000	12.5	15	30000	18800	8.5	LH23/37E9	EL280UH070XE36A	203371692
TPA036H4 (208/230V)	35400	13	16	31000	18800	8.2	LH23/37E9	EL280UH090XE48B	203371714
TPA036H4 (208/230V)	35600	13	16	31000	18800	8.5	LH23/37E9	EL280UH110XE60C	203371736
TPA036H4 (208/230V)	35000	12.5	15	30000	18800	8.5	LH23/37W9	EL280UH070XE36A	203371691
TPA036H4 (208/230V)	35400	13	16	31000	18800	8.2	LH23/37W9	EL280UH090XE48B	203371713
TPA036H4 (208/230V)	35600	13	16	31000	18800	8.5	LH23/37W9	EL280UH110XE60C	203371735
TPA036H4 (208/230V)	34000	12.5	15	30800	19000	8.2	LH29/36F9	EL280UH070XE36A	203371677
TPA036H4 (208/230V)	34000	12.5	15	31000	19000	8.2	LH29/36F9	EL280UH090XE48B	203371699
TPA036H4 (208/230V)	34200	12.5	15	31000	19000	8.2	LH29/36F9	EL280UH110XE60C	203371721
TPA036H4 (208/230V)	34000	12.5	15	30000	18800	8.5	LH35/36F9	EL280UH070XE36A	203371678
TPA036H4 (208/230V)	34000	12.5	15	29800	18800	8.5	LH35/36F9	EL280UH090XE48B	203371700
TPA036H4 (208/230V)	34400	12.5	15	30000	18800	8.5	LH35/36F9	EL280UH110XE60C	203371722
TPA036H4 (208/230V)	34200	12.5	15	30000	18800	8.5	LH35/37D9	EL280UH070XE36A	203371681
TPA036H4 (208/230V)	34200	12.5	15	29800	18800	8.5	LH35/37D9	EL280UH090XE48B	203371703
TPA036H4 (208/230V)	35600	12.5	15	31000	18800	8.5	LH35/37D9	EL280UH110XE60C	203371725
TPA036H4 (208/230V)	34200	12.5	15	30000	18800	8.5	LH35/38F9	EL280UH070XE36A	203371683
TPA036H4 (208/230V)	34200	12.5	15	29800	18800	8.5	LH35/38F9	EL280UH090XE48B	203371705
TPA036H4 (208/230V)	35600	12.5	15	31000	18800	8.5	LH35/38F9	EL280UH110XE60C	203371727
TPA036H4 (208/230V)	34200	12.5	15	30000	18800	8.5	LH35/38X9	EL280UH070XE36A	203371682
TPA036H4 (208/230V)	34200	12.5	15	29800	18800	8.5	LH35/38X9	EL280UH090XE48B	203371704
TPA036H4 (208/230V)	35600	12.5	15	31000	18800	8.5	LH35/38X9	EL280UH110XE60C	203371726
TPA042H4 (460V)	42000	12.5	15	39500	26000	9	L*42/60Y9	EL280UH070XE36A	203371751
TPA042H4 (460V)	42000	12.5	15	39500	25800	9	L*42/60Y9	EL280UH090XE48B	203371771
TPA042H4 (460V)	42000	13	16	39000	25200	8.5	L*42/60Y9	EL280UH110XE60C	203371791
TPA042H4 (460V)	42000	12.5	15	39500	26000	9	L*42/60Z9	EL280UH070XE36A	203371750

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA042H4 (460V)	42000	12.5	15	39500	25800	9	L*42/60Z9	EL280UH090XE48B	203371770
TPA042H4 (460V)	42000	13	16	39000	25200	8.5	L*42/60Z9	EL280UH110XE60C	203371790
TPA042H4 (460V)	42000	12.5	15	39500	26000	9	L*43/61Y9	EL280UH070XE36A	203371753
TPA042H4 (460V)	42000	12.5	15	39500	25800	9	L*43/61Y9	EL280UH090XE48B	203371773
TPA042H4 (460V)	42000	13	16	39000	25200	8.5	L*43/61Y9	EL280UH110XE60C	203371793
TPA042H4 (460V)	42000	12.5	15	39500	26000	9	L*43/61Z9	EL280UH070XE36A	203371752
TPA042H4 (460V)	42000	12.5	15	39500	25800	9	L*43/61Z9	EL280UH090XE48B	203371772
TPA042H4 (460V)	42000	13	16	39000	25200	8.5	L*43/61Z9	EL280UH110XE60C	203371792
TPA042H4 (460V)	42000	12.5	15	39500	26000	9	L*48/60Y9	EL280UH070XE36A	203371760
TPA042H4 (460V)	42000	12.5	15	39500	25800	9	L*48/60Y9	EL280UH090XE48B	203371780
TPA042H4 (460V)	42000	13	16	39000	25200	8.5	L*48/60Y9	EL280UH110XE60C	203371800
TPA042H4 (460V)	42000	12.5	15	39500	26000	9	L*48/60Z9	EL280UH070XE36A	203371759
TPA042H4 (460V)	42000	12.5	15	39500	25800	9	L*48/60Z9	EL280UH090XE48B	203371779
TPA042H4 (460V)	42000	13	16	39000	25200	8.5	L*48/60Z9	EL280UH110XE60C	203371799
TPA042H4 (460V)	42000	12.5	15	40000	25200	8.2	L*49/62Y9	EL280UH070XE36A	203371749
TPA042H4 (460V)	42000	12.5	15	40000	25200	8.5	L*49/62Y9	EL280UH090XE48B	203371769
TPA042H4 (460V)	42000	12.5	15	40000	25400	8.5	L*49/62Y9	EL280UH110XE60C	203371789
TPA042H4 (460V)	42000	12.5	15	40000	25200	8.2	L*49/62Z9	EL280UH070XE36A	203371748
TPA042H4 (460V)	42000	12.5	15	40000	25200	8.5	L*49/62Z9	EL280UH090XE48B	203371768
TPA042H4 (460V)	42000	12.5	15	40000	25200	8.5	L*49/62Z9	EL280UH110XE60C	203371788
TPA042H4 (460V)	42000	12.5	15	39500	26000	9	L*49/63Z9	EL280UH070XE36A	203371761
TPA042H4 (460V)	42000	12.5	15	39500	25800	9	L*49/63Z9	EL280UH090XE48B	203371781
TPA042H4 (460V)	42000	13	16	39000	25200	8.5	L*49/63Z9	EL280UH110XE60C	203371801
TPA042H4 (460V)	41500	12.5	15	40000	25400	8.5	LH40/61E9	EL280UH070XE36A	203371746
TPA042H4 (460V)	42000	12.5	15	40000	25200	8.5	LH40/61E9	EL280UH090XE48B	203371766
TPA042H4 (460V)	42000	12.5	15	40000	25200	8.5	LH40/61E9	EL280UH110XE60C	203371786
TPA042H4 (460V)	41500	12.5	15	40000	25400	8.5	LH40/61W9	EL280UH070XE36A	203371745
TPA042H4 (460V)	42000	12.5	15	40000	25200	8.5	LH40/61W9	EL280UH090XE48B	203371765
TPA042H4 (460V)	42000	12.5	15	40000	25400	8.5	LH40/61W9	EL280UH110XE60C	203371785
TPA042H4 (460V)	42000	12.5	15	40000	25200	8.2	LH40/62W9	EL280UH070XE36A	203371743
TPA042H4 (460V)	42000	12.5	15	40000	25200	8.5	LH40/62W9	EL280UH090XE48B	203371763
TPA042H4 (460V)	42000	12.5	15	40000	25200	8.5	LH40/62W9	EL280UH110XE60C	203371783
TPA042H4 (460V)	41500	12.2	15	38500	25200	8.2	LH41/61D9	EL280UH070XE36A	203371744
TPA042H4 (460V)	42000	12.5	15	40000	25200	8.5	LH41/61D9	EL280UH090XE48B	203371764
TPA042H4 (460V)	42000	12.5	15	40000	25200	8.5	LH41/61D9	EL280UH110XE60C	203371784
TPA042H4 (460V)	42000	12.5	15	39500	26000	9	LH42/62E9	EL280UH070XE36A	203371757
TPA042H4 (460V)	42000	12.5	15	39500	25800	9	LH42/62E9	EL280UH090XE48B	203371777
TPA042H4 (460V)	42000	13	16	39000	25200	8.5	LH42/62E9	EL280UH110XE60C	203371797
TPA042H4 (460V)	42000	12.5	15	39500	26000	9	LH42/62W9	EL280UH070XE36A	203371756
TPA042H4 (460V)	42000	12.5	15	39500	25800	9	LH42/62W9	EL280UH090XE48B	203371776
TPA042H4 (460V)	42000	13	16	39000	25200	8.5	LH42/62W9	EL280UH110XE60C	203371796
TPA042H4 (460V)	42000	12.5	15	39500	26000	9	LH48/60E9	EL280UH070XE36A	203371758
TPA042H4 (460V)	42000	12.5	15	39500	25800	9	LH48/60E9	EL280UH090XE48B	203371778
TPA042H4 (460V)	42000	13	16	39000	25200	8.5	LH48/60E9	EL280UH110XE60C	203371798
TPA042H4 (460V)	42000	12.5	15	38500	25200	8.2	LH48/60F9	EL280UH070XE36A	203371747
TPA042H4 (460V)	42000	12.5	15	40000	25200	8.5	LH48/60F9	EL280UH090XE48B	203371767
TPA042H4 (460V)	42000	12.5	15	40000	25200	8.5	LH48/60F9	EL280UH110XE60C	203371787
TPA042H4 (460V)	42000	12.5	15	39500	26000	9	LH49/61E9	EL280UH070XE36A	203371755
TPA042H4 (460V)	42000	12.5	15	39500	25800	9	LH49/61E9	EL280UH090XE48B	203371775
TPA042H4 (460V)	42000	13	16	39000	25200	8.5	LH49/61E9	EL280UH110XE60C	203371795
TPA042H4 (460V)	42000	12.5	15	39500	26000	9	LH49/61W9	EL280UH070XE36A	203371754
TPA042H4 (460V)	42000	12.5	15	39500	25800	9	LH49/61W9	EL280UH090XE48B	203371774
TPA042H4 (460V)	42000	13	16	39000	25200	8.5	LH49/61W9	EL280UH110XE60C	203371794
TPA042H4 (460V)	42000	12.5	15	39500	26000	9	LH49/62W9	EL280UH070XE36A	203371762

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA042H4 (460V)	42000	13	16	39500	25800	9	LH49/62W9	EL280UH090XE48B	203371782
TPA042H4 (460V)	42000	13	16	39500	25800	9	LH49/62W9	EL280UH110XE60C	203371802
TPA042H4 (208/230V)	42000	12.5	15	39500	26000	9	L*42/60Y9	EL280UH070XE36A	203371811
TPA042H4 (208/230V)	42000	12.5	15	39500	25800	9	L*42/60Y9	EL280UH090XE48B	203371831
TPA042H4 (208/230V)	42000	13	16	39000	25200	8.5	L*42/60Y9	EL280UH110XE60C	203371851
TPA042H4 (208/230V)	42000	12.5	15	39500	26000	9	L*42/60Z9	EL280UH070XE36A	203371810
TPA042H4 (208/230V)	42000	12.5	15	39500	25800	9	L*42/60Z9	EL280UH090XE48B	203371830
TPA042H4 (208/230V)	42000	13	16	39000	25200	8.5	L*42/60Z9	EL280UH110XE60C	203371850
TPA042H4 (208/230V)	42000	12.5	15	39500	26000	9	L*43/61Y9	EL280UH070XE36A	203371813
TPA042H4 (208/230V)	42000	12.5	15	39500	25800	9	L*43/61Y9	EL280UH090XE48B	203371833
TPA042H4 (208/230V)	42000	13	16	39000	25200	8.5	L*43/61Y9	EL280UH110XE60C	203371853
TPA042H4 (208/230V)	42000	12.5	15	39500	26000	9	L*43/61Z9	EL280UH070XE36A	203371812
TPA042H4 (208/230V)	42000	12.5	15	39500	25800	9	L*43/61Z9	EL280UH090XE48B	203371832
TPA042H4 (208/230V)	42000	13	16	39000	25200	8.5	L*43/61Z9	EL280UH110XE60C	203371852
TPA042H4 (208/230V)	42000	12.5	15	39500	26000	9	L*48/60Y9	EL280UH070XE36A	203371820
TPA042H4 (208/230V)	42000	12.5	15	39500	25800	9	L*48/60Y9	EL280UH090XE48B	203371840
TPA042H4 (208/230V)	42000	13	16	39000	25200	8.5	L*48/60Y9	EL280UH110XE60C	203371860
TPA042H4 (208/230V)	42000	12.5	15	39500	26000	9	L*48/60Z9	EL280UH070XE36A	203371819
TPA042H4 (208/230V)	42000	12.5	15	39500	25800	9	L*48/60Z9	EL280UH090XE48B	203371839
TPA042H4 (208/230V)	42000	13	16	39000	25200	8.5	L*48/60Z9	EL280UH110XE60C	203371859
TPA042H4 (208/230V)	42000	12.5	15	40000	25200	8.2	L*49/62Y9	EL280UH070XE36A	203371809
TPA042H4 (208/230V)	42000	12.5	15	40000	25200	8.5	L*49/62Y9	EL280UH090XE48B	203371829
TPA042H4 (208/230V)	42000	12.5	15	40000	25200	8.5	L*49/62Y9	EL280UH110XE60C	203371849
TPA042H4 (208/230V)	42000	12.5	15	40000	25200	8.2	L*49/62Z9	EL280UH070XE36A	203371808
TPA042H4 (208/230V)	42000	12.5	15	40000	25200	8.5	L*49/62Z9	EL280UH090XE48B	203371828
TPA042H4 (208/230V)	42000	12.5	15	40000	25400	8.5	L*49/62Z9	EL280UH110XE60C	203371848
TPA042H4 (208/230V)	42000	12.5	15	39500	26000	9	L*49/63Z9	EL280UH070XE36A	203371821
TPA042H4 (208/230V)	42000	12.5	15	39500	25800	9	L*49/63Z9	EL280UH090XE48B	203371841
TPA042H4 (208/230V)	42000	13	16	39000	25200	8.5	L*49/63Z9	EL280UH110XE60C	203371861
TPA042H4 (208/230V)	41500	12.5	15	40000	25400	8.5	LH40/61E9	EL280UH070XE36A	203371806
TPA042H4 (208/230V)	42000	12.5	15	40000	25200	8.5	LH40/61E9	EL280UH090XE48B	203371826
TPA042H4 (208/230V)	42000	12.5	15	40000	25400	8.5	LH40/61E9	EL280UH110XE60C	203371846
TPA042H4 (208/230V)	41500	12.5	15	40000	25400	8.5	LH40/61W9	EL280UH070XE36A	203371805
TPA042H4 (208/230V)	42000	12.5	15	40000	25200	8.5	LH40/61W9	EL280UH090XE48B	203371825
TPA042H4 (208/230V)	42000	12.5	15	40000	25200	8.5	LH40/61W9	EL280UH110XE60C	203371845
TPA042H4 (208/230V)	42000	12.5	15	40000	25200	8.2	LH40/62W9	EL280UH070XE36A	203371803
TPA042H4 (208/230V)	42000	12.5	15	40000	25200	8.5	LH40/62W9	EL280UH090XE48B	203371823
TPA042H4 (208/230V)	42000	12.5	15	40000	25200	8.5	LH40/62W9	EL280UH110XE60C	203371843
TPA042H4 (208/230V)	41500	12.2	15	38500	25200	8.2	LH41/61D9	EL280UH070XE36A	203371804
TPA042H4 (208/230V)	42000	12.5	15	40000	25200	8.5	LH41/61D9	EL280UH090XE48B	203371824
TPA042H4 (208/230V)	42000	12.5	15	40000	25200	8.5	LH41/61D9	EL280UH110XE60C	203371844
TPA042H4 (208/230V)	42000	12.5	15	39500	26000	9	LH42/62E9	EL280UH070XE36A	203371817
TPA042H4 (208/230V)	42000	12.5	15	39500	25800	9	LH42/62E9	EL280UH090XE48B	203371837
TPA042H4 (208/230V)	42000	13	16	39000	25200	8.5	LH42/62E9	EL280UH110XE60C	203371857
TPA042H4 (208/230V)	42000	12.5	15	39500	26000	9	LH42/62W9	EL280UH070XE36A	203371816
TPA042H4 (208/230V)	42000	12.5	15	39500	25800	9	LH42/62W9	EL280UH090XE48B	203371836
TPA042H4 (208/230V)	42000	13	16	39000	25200	8.5	LH42/62W9	EL280UH110XE60C	203371856
TPA042H4 (208/230V)	42000	12.5	15	39500	26000	9	LH48/60E9	EL280UH070XE36A	203371818
TPA042H4 (208/230V)	42000	12.5	15	39500	25800	9	LH48/60E9	EL280UH090XE48B	203371838
TPA042H4 (208/230V)	42000	13	16	39000	25200	8.5	LH48/60E9	EL280UH110XE60C	203371858
TPA042H4 (208/230V)	42000	12.5	15	38500	25200	8.2	LH48/60F9	EL280UH070XE36A	203371807
TPA042H4 (208/230V)	42000	12.5	15	40000	25000	8.5	LH48/60F9	EL280UH090XE48B	203371827
TPA042H4 (208/230V)	42000	12.5	15	40000	25200	8.5	LH48/60F9	EL280UH110XE60C	203371847
TPA042H4 (208/230V)	42000	12.5	15	39500	26000	9	LH49/61E9	EL280UH070XE36A	203371815

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA042H4 (208/230V)	42000	12.5	15	39500	25800	9	LH49/61E9	EL280UH090XE48B	203371835
TPA042H4 (208/230V)	42000	13	16	39000	25200	8.5	LH49/61E9	EL280UH110XE60C	203371855
TPA042H4 (208/230V)	42000	12.5	15	39500	26000	9	LH49/61W9	EL280UH070XE36A	203371814
TPA042H4 (208/230V)	42000	12.5	15	39500	25800	9	LH49/61W9	EL280UH090XE48B	203371834
TPA042H4 (208/230V)	42000	13	16	39000	25200	8.5	LH49/61W9	EL280UH110XE60C	203371854
TPA042H4 (208/230V)	42000	12.5	15	39500	26000	9	LH49/62W9	EL280UH070XE36A	203371822
TPA042H4 (208/230V)	42000	13	16	39500	25800	9	LH49/62W9	EL280UH090XE48B	203371842
TPA042H4 (208/230V)	42000	13	16	39500	25800	9	LH49/62W9	EL280UH110XE60C	203371862
TPA048H4 (460V)	48000	12.2	14.5	43500	29600	9	L*42/60Y9	EL280UH090XE48B	203371871
TPA048H4 (460V)	48000	12.5	15	43500	29400	9	L*42/60Y9	EL280UH110XE60C	203371891
TPA048H4 (460V)	48000	12.2	14.5	43500	29600	9	L*42/60Z9	EL280UH090XE48B	203371870
TPA048H4 (460V)	48000	12.5	15	43500	29400	9	L*42/60Z9	EL280UH110XE60C	203371890
TPA048H4 (460V)	48000	12.2	14.5	43500	29000	9	L*43/61Y9	EL280UH090XE48B	203371873
TPA048H4 (460V)	48000	12.5	15	43500	29400	9	L*43/61Y9	EL280UH110XE60C	203371893
TPA048H4 (460V)	48000	12.2	14.5	43500	29000	9	L*43/61Z9	EL280UH090XE48B	203371872
TPA048H4 (460V)	48000	12.5	15	43500	29400	9	L*43/61Z9	EL280UH110XE60C	203371892
TPA048H4 (460V)	48000	12.5	15	43500	28600	8.5	L*48/60Y9	EL280UH090XE48B	203371880
TPA048H4 (460V)	48000	12.5	15	43500	29400	9	L*48/60Y9	EL280UH110XE60C	203371900
TPA048H4 (460V)	48000	12.5	15	43500	28600	8.5	L*48/60Z9	EL280UH090XE48B	203371879
TPA048H4 (460V)	48000	12.5	15	43500	29400	9	L*48/60Z9	EL280UH110XE60C	203371899
TPA048H4 (460V)	47500	12.2	14.5	43500	29600	9	L*49/62Y9	EL280UH090XE48B	203371869
TPA048H4 (460V)	47500	12.2	15	43500	29400	9	L*49/62Y9	EL280UH110XE60C	203371889
TPA048H4 (460V)	47500	12.2	14.5	43500	29600	9	L*49/62Z9	EL280UH090XE48B	203371868
TPA048H4 (460V)	47500	12.2	15	43500	29400	9	L*49/62Z9	EL280UH110XE60C	203371888
TPA048H4 (460V)	48000	12.5	15	43500	28600	8.5	L*49/63Z9	EL280UH090XE48B	203371881
TPA048H4 (460V)	48000	12.5	15	43500	29400	9	L*49/63Z9	EL280UH110XE60C	203371901
TPA048H4 (460V)	48000	12.2	14.5	43500	29000	9	LH40/61E9	EL280UH090XE48B	203371866
TPA048H4 (460V)	47500	12.2	15	43500	29400	9	LH40/61E9	EL280UH110XE60C	203371886
TPA048H4 (460V)	48000	12.2	14.5	43500	29000	9	LH40/61W9	EL280UH090XE48B	203371865
TPA048H4 (460V)	47500	12.2	15	43500	29400	9	LH40/61W9	EL280UH110XE60C	203371885
TPA048H4 (460V)	48000	12.2	14.5	43500	28600	8.5	LH40/62W9	EL280UH090XE48B	203371863
TPA048H4 (460V)	47500	12.2	15	43500	29400	9	LH40/62W9	EL280UH110XE60C	203371883
TPA048H4 (460V)	46500	12.2	14	43500	29600	9	LH41/61D9	EL280UH090XE48B	203371864
TPA048H4 (460V)	46500	12.2	14.5	43500	29400	9	LH41/61D9	EL280UH110XE60C	203371884
TPA048H4 (460V)	48000	12.2	14.5	43500	29000	9	LH42/62E9	EL280UH090XE48B	203371877
TPA048H4 (460V)	48000	12.5	15	43500	29400	9	LH42/62E9	EL280UH110XE60C	203371897
TPA048H4 (460V)	48000	12.2	14.5	43500	29000	9	LH42/62W9	EL280UH090XE48B	203371876
TPA048H4 (460V)	48000	12.5	15	43500	29400	9	LH42/62W9	EL280UH110XE60C	203371896
TPA048H4 (460V)	48000	12.2	14.5	43500	29000	9	LH48/60E9	EL280UH090XE48B	203371878
TPA048H4 (460V)	48000	12.5	15	43500	29400	9	LH48/60E9	EL280UH110XE60C	203371898
TPA048H4 (460V)	48000	12.2	14.5	43500	28600	8.5	LH48/60F9	EL280UH090XE48B	203371867
TPA048H4 (460V)	47000	12.2	14.5	43500	29400	9	LH48/60F9	EL280UH110XE60C	203371887
TPA048H4 (460V)	48000	12.2	14.5	43500	29000	9	LH49/61E9	EL280UH090XE48B	203371875
TPA048H4 (460V)	48000	12.5	15	43500	29400	9	LH49/61E9	EL280UH110XE60C	203371895
TPA048H4 (460V)	48000	12.2	14.5	43500	29000	9	LH49/61W9	EL280UH090XE48B	203371874
TPA048H4 (460V)	48000	12.5	15	43500	29400	9	LH49/61W9	EL280UH110XE60C	203371894
TPA048H4 (460V)	48000	12.5	15	43500	29000	9	LH49/62W9	EL280UH090XE48B	203371882
TPA048H4 (460V)	48000	12.5	15	43500	29400	9	LH49/62W9	EL280UH110XE60C	203371902
TPA048H4 (208/230V)	48000	12.2	14.5	43500	29600	9	L*42/60Y9	EL280UH090XE48B	203371911
TPA048H4 (208/230V)	48000	12.5	15	43500	29400	9	L*42/60Y9	EL280UH110XE60C	203371931
TPA048H4 (208/230V)	48000	12.2	14.5	43500	29600	9	L*42/60Z9	EL280UH090XE48B	203371910
TPA048H4 (208/230V)	48000	12.5	15	43500	29400	9	L*42/60Z9	EL280UH110XE60C	203371930
TPA048H4 (208/230V)	48000	12.2	14.5	43500	29000	9	L*43/61Y9	EL280UH090XE48B	203371913
TPA048H4 (208/230V)	48000	12.5	15	43500	29400	9	L*43/61Y9	EL280UH110XE60C	203371933

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA048H4 (208/230V)	48000	12.2	14.5	43500	29000	9	L*43/61Z9	EL280UH090XE48B	203371912
TPA048H4 (208/230V)	48000	12.5	15	43500	29400	9	L*43/61Z9	EL280UH110XE60C	203371932
TPA048H4 (208/230V)	48000	12.5	15	43500	28600	8.5	L*48/60Y9	EL280UH090XE48B	203371920
TPA048H4 (208/230V)	48000	12.5	15	43500	29400	9	L*48/60Y9	EL280UH110XE60C	203371940
TPA048H4 (208/230V)	48000	12.5	15	43500	28600	8.5	L*48/60Z9	EL280UH090XE48B	203371919
TPA048H4 (208/230V)	48000	12.5	15	43500	29400	9	L*48/60Z9	EL280UH110XE60C	203371939
TPA048H4 (208/230V)	47500	12.2	14.5	43500	29600	9	L*49/62Y9	EL280UH090XE48B	203371909
TPA048H4 (208/230V)	47500	12.2	15	43500	29400	9	L*49/62Y9	EL280UH110XE60C	203371929
TPA048H4 (208/230V)	47500	12.2	14.5	43500	29600	9	L*49/62Z9	EL280UH090XE48B	203371908
TPA048H4 (208/230V)	47500	12.2	15	43500	29400	9	L*49/62Z9	EL280UH110XE60C	203371928
TPA048H4 (208/230V)	48000	12.5	15	43500	28600	8.5	L*49/63Z9	EL280UH090XE48B	203371921
TPA048H4 (208/230V)	48000	12.5	15	43500	29400	9	L*49/63Z9	EL280UH110XE60C	203371941
TPA048H4 (208/230V)	48000	12.2	14.5	43500	29000	9	LH40/61E9	EL280UH090XE48B	203371906
TPA048H4 (208/230V)	47500	12.2	15	43500	29400	9	LH40/61E9	EL280UH110XE60C	203371926
TPA048H4 (208/230V)	48000	12.2	14.5	43500	29000	9	LH40/61W9	EL280UH090XE48B	203371905
TPA048H4 (208/230V)	47500	12.2	15	43500	29400	9	LH40/61W9	EL280UH110XE60C	203371925
TPA048H4 (208/230V)	48000	12.2	14.5	43500	28600	8.5	LH40/62W9	EL280UH090XE48B	203371903
TPA048H4 (208/230V)	47500	12.2	15	43500	29400	9	LH40/62W9	EL280UH110XE60C	203371923
TPA048H4 (208/230V)	46500	12.2	14	43500	29600	9	LH41/61D9	EL280UH090XE48B	203371904
TPA048H4 (208/230V)	46500	12.2	14.5	43500	29400	9	LH41/61D9	EL280UH110XE60C	203371924
TPA048H4 (208/230V)	48000	12.2	14.5	43500	29000	9	LH42/62E9	EL280UH090XE48B	203371917
TPA048H4 (208/230V)	48000	12.5	15	43500	29400	9	LH42/62E9	EL280UH110XE60C	203371937
TPA048H4 (208/230V)	48000	12.2	14.5	43500	29000	9	LH42/62W9	EL280UH090XE48B	203371916
TPA048H4 (208/230V)	48000	12.5	15	43500	29400	9	LH42/62W9	EL280UH110XE60C	203371936
TPA048H4 (208/230V)	48000	12.2	14.5	43500	29000	9	LH48/60E9	EL280UH090XE48B	203371918
TPA048H4 (208/230V)	48000	12.5	15	43500	29400	9	LH48/60E9	EL280UH110XE60C	203371938
TPA048H4 (208/230V)	48000	12.2	14.5	43500	28600	8.5	LH48/60F9	EL280UH090XE48B	203371907
TPA048H4 (208/230V)	47000	12.2	14.5	43500	29400	9	LH48/60F9	EL280UH110XE60C	203371927
TPA048H4 (208/230V)	48000	12.2	14.5	43500	29000	9	LH49/61E9	EL280UH090XE48B	203371915
TPA048H4 (208/230V)	48000	12.5	15	43500	29400	9	LH49/61E9	EL280UH110XE60C	203371935
TPA048H4 (208/230V)	48000	12.2	14.5	43500	29000	9	LH49/61W9	EL280UH090XE48B	203371914
TPA048H4 (208/230V)	48000	12.5	15	43500	29400	9	LH49/61W9	EL280UH110XE60C	203371934
TPA048H4 (208/230V)	48000	12.5	15	43500	29000	9	LH49/62W9	EL280UH090XE48B	203371922
TPA048H4 (208/230V)	48000	12.5	15	43500	28800	9	LH49/62W9	EL280UH110XE60C	203371942
TPA060H4 (460V)	59500	12.5	15	52500	35400	9	L*42/60Y9	EL280UH110XE60C	203371948
TPA060H4 (460V)	59500	12.5	15	52500	35400	9	L*42/60Z9	EL280UH110XE60C	203371947
TPA060H4 (460V)	59500	12.5	15	52500	35400	9	L*43/61Y9	EL280UH110XE60C	203371950
TPA060H4 (460V)	59500	12.5	15	52500	35400	9	L*43/61Z9	EL280UH110XE60C	203371949
TPA060H4 (460V)	59500	12.5	15	52500	35400	9	L*48/60Y9	EL280UH110XE60C	203371957
TPA060H4 (460V)	59500	12.5	15	52500	35400	9	L*48/60Z9	EL280UH110XE60C	203371956
TPA060H4 (460V)	59000	12.5	15	52500	35400	9	L*49/62Y9	EL280UH110XE60C	203371946
TPA060H4 (460V)	59500	12.5	15	52500	35400	9	L*49/63Z9	EL280UH110XE60C	203371958
TPA060H4 (460V)	59000	12.5	15	52500	35400	9	LH40/61E9	EL280UH110XE60C	203371944
TPA060H4 (460V)	58500	12.2	15	52500	35400	9	LH40/62W9	EL280UH110XE60C	203371943
TPA060H4 (460V)	59500	12.5	15	52500	35400	9	LH42/62E9	EL280UH110XE60C	203371954
TPA060H4 (460V)	59500	12.5	15	52500	35400	9	LH42/62W9	EL280UH110XE60C	203371953
TPA060H4 (460V)	59500	12.5	15	52500	35400	9	LH48/60E9	EL280UH110XE60C	203371955
TPA060H4 (460V)	58000	12.2	15	52500	35400	9	LH48/60F9	EL280UH110XE60C	203371945
TPA060H4 (460V)	59500	12.5	15	52500	35400	9	LH49/61E9	EL280UH110XE60C	203371952
TPA060H4 (460V)	59500	12.5	15	52500	35400	9	LH49/61W9	EL280UH110XE60C	203371951
TPA060H4 (460V)	59500	12.5	15	52500	35400	9	LH49/62W9	EL280UH110XE60C	203371959
TPA060H4 (208/230V)	59500	12.5	15	53000	35000	9	L*42/60Y9	EL280UH110XE60C	203371965
TPA060H4 (208/230V)	59500	12.5	15	53000	35000	9	L*42/60Z9	EL280UH110XE60C	203371964
TPA060H4 (208/230V)	59500	12.5	15	53000	35000	9	L*43/61Y9	EL280UH110XE60C	203371967

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA060H4 (208/230V)	59500	12.5	15	53000	35000	9	L*43/61Z9	EL280UH110XE60C	203371966
TPA060H4 (208/230V)	59500	12.5	15	53000	35000	9	L*48/60Y9	EL280UH110XE60C	203371974
TPA060H4 (208/230V)	59500	12.5	15	53000	35000	9	L*48/60Z9	EL280UH110XE60C	203371973
TPA060H4 (208/230V)	59000	12.5	15	53000	35000	9	L*49/62Y9	EL280UH110XE60C	203371963
TPA060H4 (208/230V)	59500	12.5	15	53000	35000	9	L*49/63Z9	EL280UH110XE60C	203371975
TPA060H4 (208/230V)	59000	12.5	15	53000	35000	9	LH40/61E9	EL280UH110XE60C	203371961
TPA060H4 (208/230V)	58500	12.2	14.5	53000	35000	9	LH40/62W9	EL280UH110XE60C	203371960
TPA060H4 (208/230V)	59500	12.5	15	53000	35000	9	LH42/62E9	EL280UH110XE60C	203371971
TPA060H4 (208/230V)	59500	12.5	15	53000	35000	9	LH42/62W9	EL280UH110XE60C	203371970
TPA060H4 (208/230V)	59500	12.5	15	53000	35000	9	LH48/60E9	EL280UH110XE60C	203371972
TPA060H4 (208/230V)	58000	12.2	14.5	53000	35000	9	LH48/60F9	EL280UH110XE60C	203371962
TPA060H4 (208/230V)	59500	12.5	15	53000	35000	9	LH49/61E9	EL280UH110XE60C	203371969
TPA060H4 (208/230V)	59500	12.5	15	53000	35000	9	LH49/61W9	EL280UH110XE60C	203371968
TPA060H4 (208/230V)	59500	12.5	15	53000	35000	9	LH49/62W9	EL280UH110XE60C	203371976
XP14-024-230	24800	12.2	14	21000	12600	8.2	HE34936		7002092
XP14-024-230	23200	12	14.5	20600	12400	8.2	HE36936		5559177
XP14-024-230	23200	12.2	14.5	20600	12400	8.2	HE48936		5559178
XP14-024-230	23200	12.2	14.5	20600	12400	8.2	HE82936		7013148
XP14-024-230	25200	13	16	20600	12000	8.5	L*19/36S9	EL296DF045XV36B	5609519
XP14-024-230	25600	12.5	15	20800	12200	8.5	L*19/36S9	EL296DF070XV48B	5609521
XP14-024-230	24600	13	16	20000	11900	8.5	L*19/36S9	EL296UH045XV36B	5609523
XP14-024-230	24600	13	16	20000	11900	8.5	L*19/36S9	EL296UH070XV36B	5609527
XP14-024-230	24400	13	16	19800	11900	8.5	L*19/36S9	EL296UH090XV36C	5609530
XP14-024-230	25200	12.5	15	20600	12100	8.5	L*19/36S9	SL280DF070V36A	5532127
XP14-024-230	25000	13	16	20000	11900	8.5	L*19/36S9	SL280UH070V36A	8109622
XP14-024-230	25000	13	16	20400	12100	8.5	L*19/36S9	SL280UH070XV36A	10258415
XP14-024-230	24400	12.5	15	20000	12000	8.5	L*19/36S9	SL280UH090V48B	5532129
XP14-024-230	25400	13	16	20600	12000	9	L*19/36S9	SLP98DF070XV36B	5532133
XP14-024-230	25400	13	16	20600	12000	9	L*19/36S9	SLP98DF090XV36C	5532135
XP14-024-230	24600	13	16	20000	11900	8.5	L*19/36S9	SLP98UH070XV36B	5532137
XP14-024-230	24400	13	16	19800	11900	8.5	L*19/36S9	SLP98UH090XV36C	5532141
XP14-024-230	23200	12	14	20600	12400	8.2	L*19/36S9		5532056
XP14-024-230	25200	12.5	15	20600	12100	8.5	L*19/36U9	SL280DF070V36A	10258412
XP14-024-230	23200	12.2	14.5	21000	12600	8.2	L*24/36Y9		7160839
XP14-024-230	23200	12.2	14.5	20600	12400	8.2	L*30/36S9		9060524
XP14-024-230	25200	13	16	20600	12000	8.5	L*35/36S9	EL296DF045XV36B	5609520
XP14-024-230	25600	13	16	20800	12200	8.5	L*35/36S9	EL296DF070XV48B	5609522
XP14-024-230	24600	13	16	20000	11900	8.5	L*35/36S9	EL296UH045XV36B	5609524
XP14-024-230	24600	13	16	20000	11900	8.5	L*35/36S9	EL296UH070XV36B	5609528
XP14-024-230	24600	13	16	19800	11900	8.5	L*35/36S9	EL296UH090XV36C	5609531
XP14-024-230	25200	13	16	20600	12100	8.5	L*35/36S9	SL280DF070V36A	5532128
XP14-024-230	24400	12.5	15	20000	12000	8.5	L*35/36S9	SL280UH090V48B	5532130
XP14-024-230	25400	13	16	20600	12000	9	L*35/36S9	SLP98DF070XV36B	5532134
XP14-024-230	25400	13	16	20600	12000	9	L*35/36S9	SLP98DF090XV36C	5532136
XP14-024-230	24600	13	16	20000	11900	8.5	L*35/36S9	SLP98UH070XV36B	5532138
XP14-024-230	24600	13	16	19800	11900	8.5	L*35/36S9	SLP98UH090XV36C	5532142
XP14-024-230	23200	12	14	20600	12400	8.2	L*35/36S9		5532057
XP14-024-230	24600	13	16	20000	11900	8.5	LH24/37F9	EL296UH045XV36B	5609525
XP14-024-230	24400	13	16	19800	11900	8.5	LH24/37F9	EL296UH090XV36C	5609532
XP14-024-230	24600	13	16	20000	11900	8.5	LH24/37F9	SL280UH070V36A	8109624
XP14-024-230	24400	12.5	15	20000	12000	8.5	LH24/37F9	SL280UH090V48B	5532131
XP14-024-230	24600	13	16	20000	11900	8.5	LH24/37F9	SLP98UH070XV36B	5532139
XP14-024-230	24400	13	16	19800	11900	8.5	LH24/37F9	SLP98UH090XV36C	5532143
XP14-024-230	23200	11.5	14	20600	12400	8.2	LH24/37F9		5532058

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-024-230	24600	13	16	20000	11900	8.5	LH29/36F9	EL296UH045XV36B	5609526
XP14-024-230	24600	13	16	20000	11900	8.5	LH29/36F9	EL296UH070XV36B	5609529
XP14-024-230	24400	13	16	19800	11900	8.5	LH29/36F9	EL296UH090XV36C	5609533
XP14-024-230	25000	13	16	20400	12100	8.5	LH29/36F9	SL280UH070XV36A	10258414
XP14-024-230	24400	12.5	15	20000	12000	8.5	LH29/36F9	SL280UH090V48B	5532132
XP14-024-230	24600	13	16	20000	11900	8.5	LH29/36F9	SLP98UH070XV36B	5532140
XP14-024-230	24400	13	16	19800	11900	8.5	LH29/36F9	SLP98UH090XV36C	5532144
XP14-024-230	23200	12	14	20600	12400	8.2	LH29/36F9		5532059
XP14-024-230	25000	13	16	20400	12100	8.5	LH29/36X9	SL280UH070XV36A	10258413
XP14-024-230	24600	12.2	14	21000	12600	8.2	M36E339		9022699
XP14-024-230	24800	12.2	14	21000	12600	8.2	M36E34(1,2)		7613732
XP14-024-230	24800	12.2	14	21000	12600	8.2	M36E349		9022702
XP14-024-230	23200	12.2	14	20600	12400	8.2	M36E59(1,2)		10444213
XP14-030-230	29000	12.5	15	24600	15300	8.5	CE3005C		202902166
XP14-030-230	29000	12.2	14.5	24600	15300	8.5	CP3005C		202902165
XP14-030-230	30400	12.2	14	24600	15600	8.2	HE48936		5559179
XP14-030-230	28200	12.2	14.5	24600	15500	8.2	HE82936		5532043
XP14-030-230	29600	12.5	15	25200	15500	8.5	L*19/36S9	EL195DF090XE48C	5532149
XP14-030-230	29600	12.5	15	25200	15500	8.5	L*19/36S9	EL296DF045XV36B	5609534
XP14-030-230	30400	12.5	15	24200	15000	8.5	L*19/36S9	EL296UH045XV36B	5609536
XP14-030-230	30200	12.5	15	24000	14900	8.5	L*19/36S9	EL296UH070XV36B	5609541
XP14-030-230	29400	12.5	15	23800	14800	8.5	L*19/36S9	EL296UH090XV36C	5609546
XP14-030-230	29600	12.5	15	25200	15600	8.5	L*19/36S9	SL280DF070V36A	5532194
XP14-030-230	30400	12.5	15	24000	14900	8.5	L*19/36S9	SL280UH070V36A	8109627
XP14-030-230	30600	12.5	15	24000	15000	8.5	L*19/36S9	SL280UH090V48B	5532196
XP14-030-230	29600	12.5	15	25200	15600	8.5	L*19/36S9	SLP98DF070XV36B	5532201
XP14-030-230	29800	12.5	15	25200	15500	9	L*19/36S9	SLP98DF090XV36C	5532203
XP14-030-230	29600	12.5	15	25200	15500	8.5	L*19/36S9	SLP98DF090XV48C	5532205
XP14-030-230	30200	12.5	15	24000	14900	8.5	L*19/36S9	SLP98UH070XV36B	5532207
XP14-030-230	29400	12.5	15	23800	14800	8.5	L*19/36S9	SLP98UH090XV36C	5532212
XP14-030-230	28200	12.2	14	24600	15500	8.2	L*19/36S9		5532060
XP14-030-230	29600	12.5	15	25200	15600	8.5	L*19/36U9	SL280DF070V36A	10258416
XP14-030-230	28200	12.2	14.5	24600	15500	8.2	L*24/36Y9		7160840
XP14-030-230	29600	12.5	15	25200	15500	8.5	L*35/36S9	EL195DF090XE48C	5532150
XP14-030-230	29600	12.5	15	25200	15500	8.5	L*35/36S9	EL296DF045XV36B	5609535
XP14-030-230	30800	12.5	15	24200	15000	8.5	L*35/36S9	EL296UH045XV36B	5609537
XP14-030-230	30600	13	16	24000	14900	8.5	L*35/36S9	EL296UH070XV36B	5609542
XP14-030-230	29400	13	16	24000	14800	8.5	L*35/36S9	EL296UH090XV36C	5609547
XP14-030-230	29600	12.5	15	25200	15600	8.5	L*35/36S9	SL280DF070V36A	5532195
XP14-030-230	30800	13	16	24000	14900	8.5	L*35/36S9	SL280UH070XV36A	10258418
XP14-030-230	31000	13	16	24000	15000	8.5	L*35/36S9	SL280UH090V48B	5532197
XP14-030-230	29600	12.5	15	25200	15600	8.5	L*35/36S9	SLP98DF070XV36B	5532202
XP14-030-230	29800	13	16	25200	15500	9	L*35/36S9	SLP98DF090XV36C	5532204
XP14-030-230	29600	12.5	15	25200	15500	8.5	L*35/36S9	SLP98DF090XV48C	5532206
XP14-030-230	30600	13	16	24000	14900	8.5	L*35/36S9	SLP98UH070XV36B	5532208
XP14-030-230	29400	13	16	24000	14800	8.5	L*35/36S9	SLP98UH090XV36C	5532213
XP14-030-230	28200	12.2	14	24600	15500	8.2	L*35/36S9		5532061
XP14-030-230	30800	13	16	24000	14900	8.5	L*35/36U9	SL280UH070XV36A	10258417
XP14-030-230	29600	12.5	15	24000	15000	8.5	LH24/37F9	EL296UH045XV36B	5609538
XP14-030-230	29600	12.5	15	24000	14900	8.5	LH24/37F9	EL296UH070XV36B	5609543
XP14-030-230	29400	12.5	15	23800	14800	8.5	LH24/37F9	EL296UH090XV36C	5609548
XP14-030-230	29800	12.5	15	24000	14900	8.5	LH24/37F9	SL280UH070V36A	8109629
XP14-030-230	30400	12.5	15	24000	15000	8.5	LH24/37F9	SL280UH090V48B	5532198
XP14-030-230	29800	12.5	15	24000	14900	8.5	LH24/37F9	SLP98UH070XV36B	5532209

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-030-230	29400	12.5	15	23800	14800	8.5	LH24/37F9	SLP98UH090XV36C	5532214
XP14-030-230	30400	12.5	15	24200	15000	8.5	LH29/36F9	EL296UH045XV36B	5609539
XP14-030-230	30200	12.5	15	24000	14900	8.5	LH29/36F9	EL296UH070XV36B	5609544
XP14-030-230	29400	12.5	15	23800	14800	8.5	LH29/36F9	EL296UH090XV36C	5609549
XP14-030-230	30600	12.5	15	24000	15000	8.5	LH29/36F9	SL280UH090V48B	5532199
XP14-030-230	30200	12.5	15	24000	14900	8.5	LH29/36F9	SLP98UH070XV36B	5532210
XP14-030-230	29400	12.5	15	23800	14800	8.5	LH29/36F9	SLP98UH090XV36C	5532215
XP14-030-230	28200	12.2	14	24600	15500	8.2	LH29/36F9		5532063
XP14-030-230	30800	12.5	15	24200	15000	8.5	LH35/38F9	EL296UH045XV36B	5609540
XP14-030-230	30600	13	16	24000	14900	8.5	LH35/38F9	EL296UH070XV36B	5609545
XP14-030-230	29400	13	16	24000	14800	8.5	LH35/38F9	EL296UH090XV36C	5609550
XP14-030-230	31000	13	16	24000	15000	8.5	LH35/38F9	SL280UH090V48B	5532200
XP14-030-230	30600	13	16	24000	14900	8.5	LH35/38F9	SLP98UH070XV36B	5532211
XP14-030-230	29400	13	16	24000	14800	8.5	LH35/38F9	SLP98UH090XV36C	5532216
XP14-030-230	28200	12.2	14	24600	15500	8.2	LH35/38F9		5532064
XP14-030-230	28200	12.2	14	24600	15500	8.2	M36E349		9022709
XP14-030-230	28200	12.2	14	24600	15500	8.2	M36E59(1,2)		10444214
XP14-036-230	35200	12.2	14.5	31200	19400	8.5	HE82936		7013149
XP14-036-230	34800	12.5	15	32000	19600	8.2	L*19/36S9	EL296DF045XV36B	5609551
XP14-036-230	33800	12.2	15	31200	19200	8.2	L*19/36S9	SL280UH070V36A	8109631
XP14-036-230	34600	12.5	15	30600	18600	8.5	L*19/36S9	SL280UH090V48B	5532274
XP14-036-230	35000	12.5	15	32000	19600	8.5	L*19/36S9	SLP98DF070XV36B	5532280
XP14-036-230	34800	12.5	15	32200	19600	8.5	L*19/36S9	SLP98DF090XV36C	5532283
XP14-036-230	34600	12.2	15	30800	19200	8.5	L*19/36S9	SLP98UH070XV36B	5532286
XP14-036-230	35200	12.5	15	32000	19600	8.2	L*23/37Y9	EL296DF045XV36B	5609552
XP14-036-230	35400	12.5	15	31000	19200	8.5	L*23/37Y9	EL296UH045XV36B	5609555
XP14-036-230	35600	12.5	15	31000	19200	8.5	L*23/37Y9	EL296UH070XV36B	5609561
XP14-036-230	35000	13	16	30600	18800	9	L*23/37Y9	EL296UH090XV36C	5609567
XP14-036-230	35200	13	16	31800	19400	8.5	L*23/37Y9	SL280DF090V48B	10258470
XP14-036-230	34200	12.5	15	31200	19200	8.2	L*23/37Y9	SL280UH070XV36A	10258472
XP14-036-230	35600	13	16	30800	19000	9	L*23/37Y9	SL280UH090V48B	5532275
XP14-036-230	35400	12.5	15	32000	19600	8.5	L*23/37Y9	SLP98DF070XV36B	5532281
XP14-036-230	36200	13	16	31800	19400	8.5	L*23/37Y9	SLP98DF090XV36C	5532284
XP14-036-230	35600	12.5	15	31000	19200	8.5	L*23/37Y9	SLP98UH070XV36B	5532287
XP14-036-230	35000	13	16	30600	18800	9	L*23/37Y9	SLP98UH090XV36C	5532293
XP14-036-230	34600	12	14	33000	19800	8.2	L*23/37Y9		5532066
XP14-036-230	35200	13	16	31800	19400	8.5	L*23/37Z9	SL280DF090V48B	10258469
XP14-036-230	34600	12.2	14	33000	19800	8.2	L*24/36Y9		7162265
XP14-036-230	35200	12.5	15	32000	19600	8.2	L*35/36S9	EL296DF045XV36B	5609553
XP14-036-230	35400	12.5	15	31000	19200	8.5	L*35/36S9	EL296UH045XV36B	5609556
XP14-036-230	35200	12.5	15	30600	19000	8.5	L*35/36S9	EL296UH070XE36B	201928635
XP14-036-230	35600	12.5	15	31000	19200	8.5	L*35/36S9	EL296UH070XV36B	5609562
XP14-036-230	34200	12.5	15	30600	18800	9	L*35/36S9	EL296UH090XV36C	5609568
XP14-036-230	35600	12.5	15	30800	18600	9	L*35/36S9	SL280UH090V48B	5532276
XP14-036-230	35400	12.5	15	32000	19600	8.5	L*35/36S9	SLP98DF070XV36B	5532282
XP14-036-230	36000	12.5	15	31800	19400	8.5	L*35/36S9	SLP98DF090XV36C	5532285
XP14-036-230	35600	12.5	15	31000	19200	8.5	L*35/36S9	SLP98UH070XV36B	5532288
XP14-036-230	34200	12.5	15	30600	18800	9	L*35/36S9	SLP98UH090XV36C	5532294
XP14-036-230	35200	12.2	14.5	31200	19400	8.5	L*35/36S9		5532067
XP14-036-230	35400	12.5	15	31200	19200	8.2	LH23/37E9	EL296UH045XV36B	5609557
XP14-036-230	35600	12.5	15	31200	19200	8.2	LH23/37E9	EL296UH070XV36B	5609563
XP14-036-230	35400	13	16	31200	18800	8.2	LH23/37E9	EL296UH090XV36C	5609569
XP14-036-230	34200	12.5	15	31200	19200	8.2	LH23/37E9	SL280UH070XV36A	10258471
XP14-036-230	34400	13	16	31200	19000	8.2	LH23/37E9	SL280UH090V48B	5532277

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-036-230	35600	12.5	15	31200	19200	8.2	LH23/37E9	SLP98UH070XV36B	5532289
XP14-036-230	35400	13	16	31200	18800	8.2	LH23/37E9	SLP98UH090XV36C	5532295
XP14-036-230	34600	12	14	33000	19800	8.2	LH23/37E9		5532068
XP14-036-230	34600	12.5	15	30600	18600	8.5	LH29/36F9	SL280UH090V48B	5532278
XP14-036-230	34600	12.2	15	30800	19200	8.5	LH29/36F9	SLP98UH070XV36B	5532290
XP14-036-230	35400	12.5	15	31000	19200	8.5	LH35/38F9	EL296UH045XV36B	5609559
XP14-036-230	35600	12.5	15	31000	19200	8.5	LH35/38F9	EL296UH070XV36B	5609565
XP14-036-230	34600	12.5	15	30600	18800	9	LH35/38F9	EL296UH090XV36C	5609571
XP14-036-230	35600	12.5	15	30800	19000	9	LH35/38F9	SL280UH090V48B	5532279
XP14-036-230	35600	12.5	15	31000	19200	8.5	LH35/38F9	SLP98UH070XV36B	5532291
XP14-036-230	34600	12.5	15	30600	18800	9	LH35/38F9	SLP98UH090XV36C	5532297
XP14-036-230	33800	12	14	31600	19600	8.2	LH35/38F9		5532070
XP14-036-230	34600	12.2	14	33000	19800	8.2	M36E59(1,2)		10444215
XP14-042-230	42500	12.2	14	43500	26600	8.2	HE52960		7002095
XP14-042-230	44000	12.5	15	41000	25600	8.5	L*42/60Y9	EL195DF090XE48C	5533609
XP14-042-230	43500	12.5	15	40500	25800	9	L*42/60Y9	EL195UH090XE48C	5533613
XP14-042-230	44500	12.5	15	41500	25600	9	L*42/60Y9	EL296DF090XV60C	5609572
XP14-042-230	44500	13	16	41000	25600	9	L*42/60Y9	EL296DF110XV60C	5609574
XP14-042-230	43500	12.5	15	40500	25600	8.5	L*42/60Y9	EL296UH090XV48C	5609576
XP14-042-230	44000	12.5	15	40500	25600	8.5	L*42/60Y9	EL296UH090XV60C	5609580
XP14-042-230	44000	12.5	15	39500	25000	8.5	L*42/60Y9	EL296UH110XV48C	5609584
XP14-042-230	44000	12.5	15	39500	25000	8.5	L*42/60Y9	EL296UH110XV60C	5609588
XP14-042-230	44500	13	16	40000	25200	8.5	L*42/60Y9	EL296UH135XV60D	5609591
XP14-042-230	44000	13	16	41000	25400	9	L*42/60Y9	SL280DF090V60C	5533665
XP14-042-230	44500	13	16	41000	25400	9	L*42/60Y9	SL280DF110V60C	5533667
XP14-042-230	44000	12.5	15	40500	25600	8.5	L*42/60Y9	SL280UH090V48B	5533669
XP14-042-230	43000	13	16	40500	25200	8.5	L*42/60Y9	SL280UH090XV60C	10258477
XP14-042-230	44000	12.5	15	39500	25200	8.5	L*42/60Y9	SL280UH110V60C	5533673
XP14-042-230	44000	12.5	15	39500	25200	8.5	L*42/60Y9	SL280UH110XV60C	8406152
XP14-042-230	44000	13	16	39500	25000	9.5	L*42/60Y9	SL280UH135V60D	5533677
XP14-042-230	44500	12.5	15	41000	25600	9	L*42/60Y9	SLP98DF090XV48C	5533681
XP14-042-230	44500	12.5	15	41500	25600	9	L*42/60Y9	SLP98DF090XV60C	5533683
XP14-042-230	44500	13	16	41000	25600	9	L*42/60Y9	SLP98DF110XV60C	5533685
XP14-042-230	43500	12.5	15	40500	25600	8.5	L*42/60Y9	SLP98UH090XV48C	5533687
XP14-042-230	44000	12.5	15	39500	25000	8.5	L*42/60Y9	SLP98UH110XV60C	5533693
XP14-042-230	44000	13	16	39500	25200	8.5	L*42/60Y9	SLP98UH135XV60D	5533697
XP14-042-230	44000	13	16	41000	25400	9	L*42/60Z9	SL280DF090V60C	10258473
XP14-042-230	43000	13	16	40500	25200	8.5	L*42/60Z9	SL280UH090XV60C	10258476
XP14-042-230	44000	12.5	15	41000	25600	8.5	L*48/60Y9	EL195DF090XE48C	5533610
XP14-042-230	43500	12.5	15	39500	25000	9	L*48/60Y9	EL195UH090XE48C	5533614
XP14-042-230	44500	12.5	15	41500	25600	9	L*48/60Y9	EL296DF090XV60C	5609573
XP14-042-230	44500	13	16	41000	25600	9	L*48/60Y9	EL296DF110XV60C	5609575
XP14-042-230	43500	13	16	39500	25000	8.5	L*48/60Y9	EL296UH090XV48C	5609577
XP14-042-230	44000	13	16	40000	25200	8.5	L*48/60Y9	EL296UH090XV60C	5609581
XP14-042-230	44000	13	16	39500	25000	8.5	L*48/60Y9	EL296UH110XV48C	5609585
XP14-042-230	44000	13	16	40000	25200	9.5	L*48/60Y9	EL296UH135XV60D	5609592
XP14-042-230	44000	13	16	41000	25400	9	L*48/60Y9	SL280DF090V60C	5533666
XP14-042-230	44500	13	16	41000	25400	9	L*48/60Y9	SL280DF110V60C	5533668
XP14-042-230	44000	12.5	15	40500	25600	8.5	L*48/60Y9	SL280UH090V48B	5533670
XP14-042-230	43500	13	16	39500	25200	8.5	L*48/60Y9	SL280UH110V60C	5533674
XP14-042-230	44000	13	16	39500	25200	8.5	L*48/60Y9	SL280UH110XV60C	10260354
XP14-042-230	44000	13	16	39500	25000	9.5	L*48/60Y9	SL280UH135V60D	5533678
XP14-042-230	44500	12.5	15	41000	25600	9	L*48/60Y9	SLP98DF090XV48C	5533682
XP14-042-230	44500	12.5	15	41500	25600	9	L*48/60Y9	SLP98DF090XV60C	5533684

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-042-230	44500	13	16	41000	25600	9	L*48/60Y9	SLP98DF110XV60C	5533686
XP14-042-230	43500	13	16	39500	25000	8.5	L*48/60Y9	SLP98UH090XV48C	5533688
XP14-042-230	44000	13	16	39500	25000	8.5	L*48/60Y9	SLP98UH110XV60C	5533694
XP14-042-230	44000	13	16	39500	25200	9.5	L*48/60Y9	SLP98UH135XV60D	5533698
XP14-042-230	43500	12.5	15	40000	25800	8.2	L*48/60Y9		5532072
XP14-042-230	44000	13	16	39500	25200	8.5	L*48/60Z9	SL280UH110XV60C	10260353
XP14-042-230	43500	12.5	15	39500	25000	9	LH42/62E9	EL195UH090XE48C	5533615
XP14-042-230	43500	12.5	15	39500	25000	8.5	LH42/62E9	EL296UH090XV48C	5609578
XP14-042-230	44000	12.5	15	40000	25200	8.5	LH42/62E9	EL296UH090XV60C	5609582
XP14-042-230	44000	13	16	39500	25000	8.5	LH42/62E9	EL296UH110XV48C	5609586
XP14-042-230	44000	13	16	39500	25000	8.5	LH42/62E9	EL296UH110XV60C	5609589
XP14-042-230	44500	13	16	40000	25200	8.5	LH42/62E9	EL296UH135XV60D	5609593
XP14-042-230	44000	12.5	15	40500	25600	8.5	LH42/62E9	SL280UH090V48B	5533671
XP14-042-230	44000	12.5	15	40500	25600	8.5	LH42/62E9	SL280UH090XV48B	10258475
XP14-042-230	43500	12.5	15	40500	25400	8.5	LH42/62E9	SL280UH110V60C	5533675
XP14-042-230	44000	13	16	39500	25000	9.5	LH42/62E9	SL280UH135V60D	5533679
XP14-042-230	43500	12.5	15	39500	25000	8.5	LH42/62E9	SLP98UH090XV48C	5533689
XP14-042-230	44000	12.5	15	40000	25200	8.5	LH42/62E9	SLP98UH090XV60C	5533691
XP14-042-230	44000	13	16	39500	25000	8.5	LH42/62E9	SLP98UH110XV60C	5533695
XP14-042-230	44000	13	16	39500	25200	8.5	LH42/62E9	SLP98UH135XV60D	5533699
XP14-042-230	43500	12	14.5	40000	25800	8.2	LH42/62E9		5532073
XP14-042-230	44000	12.5	15	40500	25600	8.5	LH42/62W9	SL280UH090XV48B	10258474
XP14-042-230	43500	12.5	15	39500	25000	9	LH49/61E9	EL195UH090XE48C	5533616
XP14-042-230	43500	13	16	39500	25000	8.5	LH49/61E9	EL296UH090XV48C	5609579
XP14-042-230	44000	13	16	40000	25200	8.5	LH49/61E9	EL296UH090XV60C	5609583
XP14-042-230	44000	13	16	39500	25000	8.5	LH49/61E9	EL296UH110XV48C	5609587
XP14-042-230	44000	13	16	39500	25000	8.5	LH49/61E9	EL296UH110XV60C	5609590
XP14-042-230	44000	13	16	40000	25200	9.5	LH49/61E9	EL296UH135XV60D	5609594
XP14-042-230	44000	12.5	15	40500	25600	8.5	LH49/61E9	SL280UH090V48B	5533672
XP14-042-230	43500	13	16	39500	25200	8.5	LH49/61E9	SL280UH110V60C	5533676
XP14-042-230	44000	13	16	39500	25000	9.5	LH49/61E9	SL280UH135V60D	5533680
XP14-042-230	43500	13	16	39500	25000	8.5	LH49/61E9	SLP98UH090XV48C	5533690
XP14-042-230	44000	13	16	40000	25200	8.5	LH49/61E9	SLP98UH090XV60C	5533692
XP14-042-230	44000	13	16	39500	25000	8.5	LH49/61E9	SLP98UH110XV60C	5533696
XP14-042-230	44000	13	16	39500	25200	9.5	LH49/61E9	SLP98UH135XV60D	5533700
XP14-042-230	43500	12.5	15	40000	25800	8.2	LH49/61E9		5532074
XP14-042-230	42500	12.2	14	43500	26600	8.2	M60E669		9022717
XP14-048-230	49500	12.2	14.5	47000	29800	8.5	L*42/60Y9	EL195DF090XE48C	5533701
XP14-048-230	50000	12.5	15	44500	28800	9	L*42/60Y9	EL195UH090XE48C	5533703
XP14-048-230	49500	12.2	14.5	47000	29800	8.5	L*42/60Y9	EL296DF090XV60C	5609595
XP14-048-230	49500	12.2	14.5	46500	29600	8.5	L*42/60Y9	EL296DF110XV60C	5609597
XP14-048-230	48500	12.2	14.5	44000	28400	8.5	L*42/60Y9	EL296UH090XV48C	5609599
XP14-048-230	48500	12.2	14.5	44000	28400	8.5	L*42/60Y9	EL296UH090XV60C	5609603
XP14-048-230	49000	12.2	14.5	44000	28400	8.5	L*42/60Y9	EL296UH110XV48C	5609607
XP14-048-230	48500	12.2	14.5	44000	28400	8.5	L*42/60Y9	EL296UH110XV60C	5609611
XP14-048-230	51000	12.5	15	44000	28800	9	L*42/60Y9	EL296UH135XV60D	5609615
XP14-048-230	49500	12.5	15	46500	29400	8.5	L*42/60Y9	SL280DF090V60C	5533717
XP14-048-230	49500	12.5	15	46500	29400	8.5	L*42/60Y9	SL280DF110V60C	5533718
XP14-048-230	49000	12.2	14.5	44500	28600	8.5	L*42/60Y9	SL280UH090V60C	5533719
XP14-048-230	49000	12.2	14.5	44000	28400	8.5	L*42/60Y9	SL280UH090XV60C	10258479
XP14-048-230	49000	12.2	14.5	44000	28200	8.5	L*42/60Y9	SL280UH110V60C	5533720
XP14-048-230	48000	12.2	14.5	44000	28600	8.5	L*42/60Y9	SL280UH135V60D	5533721
XP14-048-230	50500	12.5	15	44000	28600	9	L*42/60Y9	SL280UH135V60D	5533722
XP14-048-230	49500	12.2	14.5	47000	29800	8.5	L*42/60Y9	SLP98DF090XV48C	5533723

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-048-230	49500	12.2	14.5	47000	29800	8.5	L*42/60Y9	SLP98DF090XV60C	5533724
XP14-048-230	49500	12.2	14.5	46500	29600	8.5	L*42/60Y9	SLP98DF110XV60C	5533725
XP14-048-230	48500	12.2	14.5	44000	28400	8.5	L*42/60Y9	SLP98UH090XV48C	5533726
XP14-048-230	48500	12.2	14.5	44000	28400	8.5	L*42/60Y9	SLP98UH090XV60C	5533727
XP14-048-230	48500	12.2	14.5	44000	28400	8.5	L*42/60Y9	SLP98UH110XV60C	5533728
XP14-048-230	50500	12.5	15	44000	28400	9	L*42/60Y9	SLP98UH135XV60D	5533729
XP14-048-230	50000	12.5	15	43500	29600	9	L*42/60Z9	EL196UH090XE48C	202425833
XP14-048-230	49500	12.5	15	46500	29400	8.5	L*42/60Z9	SL280DF090V60C	10258478
XP14-048-230	50000	12.5	15	43500	29600	9	L*43/61Z9	EL196UH090XE48C	202425834
XP14-048-230	49500	12.2	14.5	47000	29800	8.5	L*48/60Y9	EL195DF090XE48C	5533730
XP14-048-230	50000	12.5	15	44500	28800	9	L*48/60Y9	EL195UH090XE48C	5533732
XP14-048-230	49500	12.2	14.5	47000	29800	8.5	L*48/60Y9	EL296DF090XV60C	5609596
XP14-048-230	49500	12.2	14.5	46500	29600	8.5	L*48/60Y9	EL296DF110XV60C	5609598
XP14-048-230	49000	12.5	15	44000	28400	8.5	L*48/60Y9	EL296UH090XV48C	5609600
XP14-048-230	49000	12.5	15	44000	28400	8.5	L*48/60Y9	EL296UH090XV60C	5609604
XP14-048-230	48500	12.5	15	44500	28800	9	L*48/60Y9	EL296UH110XV48C	5609608
XP14-048-230	49000	12.5	15	44000	28400	8.5	L*48/60Y9	EL296UH110XV60C	5609612
XP14-048-230	51000	12.5	15	44000	28800	9	L*48/60Y9	EL296UH135XV60D	5609616
XP14-048-230	49500	12.5	15	46500	29400	8.5	L*48/60Y9	SL280DF090V60C	5533746
XP14-048-230	49500	12.5	15	46500	29400	8.5	L*48/60Y9	SL280DF110V60C	5533747
XP14-048-230	49000	12.5	15	44500	28600	9	L*48/60Y9	SL280UH090V60C	5533748
XP14-048-230	49000	12.5	15	44500	28600	9	L*48/60Y9	SL280UH090XV60C	10260356
XP14-048-230	48500	12.5	15	44000	28600	9	L*48/60Y9	SL280UH110V60C	5533749
XP14-048-230	50500	12.5	15	44000	28600	9	L*48/60Y9	SL280UH135V60D	5533751
XP14-048-230	48000	12.2	14.5	44000	28600	8.5	L*48/60Y9	SL280UH135V60D	5533750
XP14-048-230	49500	12.2	14.5	47000	29800	8.5	L*48/60Y9	SLP98DF090XV48C	5533752
XP14-048-230	49500	12.2	14.5	47000	29800	8.5	L*48/60Y9	SLP98DF090XV60C	5533753
XP14-048-230	49500	12.2	14.5	46500	29600	8.5	L*48/60Y9	SLP98DF110XV60C	5533754
XP14-048-230	49000	12.5	15	44000	28400	8.5	L*48/60Y9	SLP98UH090XV48C	5533755
XP14-048-230	49000	12.5	15	44000	28400	8.5	L*48/60Y9	SLP98UH090XV60C	5533756
XP14-048-230	49000	12.5	15	44000	28400	8.5	L*48/60Y9	SLP98UH110XV60C	5533757
XP14-048-230	50500	12.5	15	44000	28400	9	L*48/60Y9	SLP98UH135XV60D	5533758
XP14-048-230	50000	12.5	15	43500	29600	9	L*48/60Z9	EL196UH090XE48C	202425835
XP14-048-230	49000	12.5	15	44500	28600	9	L*48/60Z9	SL280UH090XV60C	10260355
XP14-048-230	49500	12.5	15	43500	29600	9	L*49/62Z9	EL196UH090XE48C	202425832
XP14-048-230	50000	12.5	15	43500	29600	9	L*49/63Z9	EL196UH090XE48C	202425836
XP14-048-230	50000	12.5	15	44500	28800	9	LH42/62E9	EL195UH090XE48C	5533759
XP14-048-230	48500	12.2	14.5	44500	28800	9	LH42/62E9	EL296UH090XV48C	5609601
XP14-048-230	48500	12.2	14.5	44500	28800	9	LH42/62E9	EL296UH090XV60C	5609605
XP14-048-230	48500	12.2	14.5	44500	28800	9	LH42/62E9	EL296UH110XV48C	5609609
XP14-048-230	48500	12.2	14.5	44500	28800	9	LH42/62E9	EL296UH110XV60C	5609613
XP14-048-230	51000	12.5	15	44000	28800	9	LH42/62E9	EL296UH135XV60D	5609617
XP14-048-230	49000	12.5	15	44000	28400	8.5	LH42/62E9	SL280UH090V60C	5533781
XP14-048-230	49000	12.5	15	44000	28400	8.5	LH42/62E9	SL280UH090XV60C	10258481
XP14-048-230	49000	12.5	15	44000	28200	8.5	LH42/62E9	SL280UH110V60C	5533783
XP14-048-230	48000	12.2	14.5	44000	28600	8.5	LH42/62E9	SL280UH135V60D	5533785
XP14-048-230	50500	12.5	15	44000	28600	9	LH42/62E9	SL280UH135V60D	5533787
XP14-048-230	48500	12.2	14.5	44500	28800	9	LH42/62E9	SLP98UH090XV48C	5533789
XP14-048-230	48500	12.2	14.5	44500	28800	9	LH42/62E9	SLP98UH090XV60C	5533791
XP14-048-230	48500	12.2	14.5	44500	28800	9	LH42/62E9	SLP98UH110XV60C	5533793
XP14-048-230	50500	12.5	15	44000	28400	9	LH42/62E9	SLP98UH135XV60D	5533795
XP14-048-230	49000	12.5	15	44000	28400	8.5	LH42/62W9	SL280UH090XV60C	10258480
XP14-048-230	50000	12.5	15	44500	28800	9	LH49/61E9	EL195UH090XE48C	5533760
XP14-048-230	48500	12.2	14.5	44500	28800	9	LH49/61E9	EL296UH090XV48C	5609602

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-048-230	48500	12.2	14.5	44500	28800	9	LH49/61E9	EL296UH090XV60C	5609606
XP14-048-230	48500	12.5	15	44500	28800	9	LH49/61E9	EL296UH110XV48C	5609610
XP14-048-230	48500	12.2	14.5	44500	28800	9	LH49/61E9	EL296UH110XV60C	5609614
XP14-048-230	51000	12.5	15	44000	28800	9	LH49/61E9	EL296UH135XV60D	5609618
XP14-048-230	49000	12.5	15	44500	28600	9	LH49/61E9	SL280UH090V60C	5533782
XP14-048-230	48500	12.5	15	44000	28600	9	LH49/61E9	SL280UH110V60C	5533784
XP14-048-230	50500	12.5	15	44000	28600	9	LH49/61E9	SL280UH135V60D	5533788
XP14-048-230	48000	12.2	14.5	44000	28600	8.5	LH49/61E9	SL280UH135V60D	5533786
XP14-048-230	48500	12.2	14.5	44500	28800	9	LH49/61E9	SLP98UH090XV48C	5533790
XP14-048-230	48500	12.2	14.5	44500	28800	9	LH49/61E9	SLP98UH090XV60C	5533792
XP14-048-230	48500	12.2	14.5	44500	28800	9	LH49/61E9	SLP98UH110XV60C	5533794
XP14-048-230	50500	12.5	15	44000	28400	9	LH49/61E9	SLP98UH135XV60D	5533796
XP14-060-230	61000	12.2	14.5	53000	35000	8.5	HE50960		5532052
XP14-060-230	58500	12.2	14	53500	34200	8.2	HE52960		7002101
XP14-060-230	58500	12.2	14.5	56500	36400	8.2	L*42/60Y9	EL296DF090XV60C	5609619
XP14-060-230	58500	12.2	14.5	56500	36400	8.2	L*42/60Y9	EL296DF110XV60C	5609621
XP14-060-230	61000	12.2	14.5	53000	35200	8.5	L*42/60Y9	EL296UH090XV60C	5609623
XP14-060-230	61000	12.2	14.5	53000	35000	8.5	L*42/60Y9	EL296UH110XV60C	5609629
XP14-060-230	60000	12.2	14.5	53000	35000	9	L*42/60Y9	EL296UH135XV60D	5609631
XP14-060-230	59000	12.5	15	56500	36200	8.2	L*42/60Y9	SL280DF090V60C	5533809
XP14-060-230	59000	12.5	15	56000	36200	8.2	L*42/60Y9	SL280DF110V60C	5533810
XP14-060-230	61000	12.5	15	53000	34800	8.5	L*42/60Y9	SL280UH090V60C	5533811
XP14-060-230	61000	12.5	15	53000	34800	8.5	L*42/60Y9	SL280UH090XV60C	10258484
XP14-060-230	61000	12.2	14.5	53000	35000	8.5	L*42/60Y9	SL280UH110V60C	5533812
XP14-060-230	60000	12.2	14.5	53000	35000	9	L*42/60Y9	SL280UH135V60D	5533813
XP14-060-230	58500	12.2	14.5	56500	36400	8.2	L*42/60Y9	SLP98DF090XV60C	5533814
XP14-060-230	58500	12.2	14.5	56500	36400	8.2	L*42/60Y9	SLP98DF110XV60C	5533815
XP14-060-230	61000	12.2	14.5	53000	35200	8.5	L*42/60Y9	SLP98UH090XV60C	5533816
XP14-060-230	61000	12.2	14.5	53000	35000	8.5	L*42/60Y9	SLP98UH110XV60C	5533817
XP14-060-230	59500	12.5	15	52500	34800	9	L*42/60Y9	SLP98UH135XV60D	5533818
XP14-060-230	59000	12.5	15	56500	36200	8.2	L*42/60Z9	SL280DF090V60C	10258482
XP14-060-230	61000	12.5	15	53000	34800	8.5	L*42/60Z9	SL280UH090XV60C	10258483
XP14-060-230	58500	12.2	14.5	56500	36400	8.2	L*48/60Y9	EL296DF090XV60C	5609620
XP14-060-230	58500	12.2	14.5	56500	36400	8.2	L*48/60Y9	EL296DF110XV60C	5609622
XP14-060-230	61000	12.2	14.5	53000	35200	8.5	L*48/60Y9	EL296UH090XV60C	5609624
XP14-060-230	61000	12.5	15	53000	35000	8.5	L*48/60Y9	EL296UH110XV60C	5609630
XP14-060-230	60000	12.5	15	53000	35000	9	L*48/60Y9	EL296UH135XV60D	5609632
XP14-060-230	59000	12.5	15	56500	36200	8.2	L*48/60Y9	SL280DF090V60C	5533831
XP14-060-230	59000	12.5	15	56000	36200	8.2	L*48/60Y9	SL280DF110V60C	5533832
XP14-060-230	61000	12.5	15	53000	34800	8.5	L*48/60Y9	SL280UH090V60C	5533833
XP14-060-230	61000	12.5	15	53000	35000	8.5	L*48/60Y9	SL280UH110V60C	5533834
XP14-060-230	60000	12.5	15	53000	35000	9	L*48/60Y9	SL280UH135V60D	5533835
XP14-060-230	58500	12.2	14.5	56500	36400	8.2	L*48/60Y9	SLP98DF090XV60C	5533836
XP14-060-230	58500	12.2	14.5	56500	36400	8.2	L*48/60Y9	SLP98DF110XV60C	5533837
XP14-060-230	61000	12.2	14.5	53000	35200	8.5	L*48/60Y9	SLP98UH090XV60C	5533838
XP14-060-230	61000	12.5	15	53000	35000	8.5	L*48/60Y9	SLP98UH110XV60C	5533839
XP14-060-230	59500	12.5	15	52500	34800	9	L*48/60Y9	SLP98UH135XV60D	5533840
XP14-060-230	58500	12	14	53500	34200	8.2	L*48/60Y9		5532080
XP14-060-230	61000	12.2	14.5	53000	35200	8.5	LH42/62E9	EL296UH090XV60C	5609625
XP14-060-230	61000	12.2	14.5	53000	35000	8.5	LH42/62E9	EL296UH110XV60C	5609627
XP14-060-230	60000	12.2	14.5	53000	35000	9	LH42/62E9	EL296UH135XV60D	5609633
XP14-060-230	61000	12.5	15	53000	34800	8.5	LH42/62E9	SL280UH090V60C	5533857
XP14-060-230	61000	12.5	15	53000	34800	8.5	LH42/62E9	SL280UH090XV60C	10258486
XP14-060-230	61000	12.2	14.5	53000	35000	8.5	LH42/62E9	SL280UH110V60C	5533859

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-060-230	60000	12.2	14.5	53000	35000	9	LH42/62E9	SL280UH135V60D	5533861
XP14-060-230	61000	12.2	14.5	53000	35200	8.5	LH42/62E9	SLP98UH090XV60C	5533863
XP14-060-230	61000	12.2	14.5	53000	35000	8.5	LH42/62E9	SLP98UH110XV60C	5533865
XP14-060-230	59500	12.5	15	52500	34800	9	LH42/62E9	SLP98UH135XV60D	5533867
XP14-060-230	58500	12	14	53500	34200	8.2	LH42/62E9		5532081
XP14-060-230	61000	12.5	15	53000	34800	8.5	LH42/62W9	SL280UH090XV60C	10258485
XP14-060-230	61000	12.2	14.5	53000	35200	8.5	LH49/61E9	EL296UH090XV60C	5609626
XP14-060-230	61000	12.5	15	53000	35000	8.5	LH49/61E9	EL296UH110XV60C	5609628
XP14-060-230	60000	12.5	15	53000	35000	9	LH49/61E9	EL296UH135XV60D	5609634
XP14-060-230	61000	12.5	15	53000	34800	8.5	LH49/61E9	SL280UH090V60C	5533858
XP14-060-230	61000	12.5	15	53000	35000	8.5	LH49/61E9	SL280UH110V60C	5533860
XP14-060-230	60000	12.5	15	53000	35000	9	LH49/61E9	SL280UH135V60D	5533862
XP14-060-230	61000	12.2	14.5	53000	35200	8.5	LH49/61E9	SLP98UH090XV60C	5533864
XP14-060-230	61000	12.5	15	53000	35000	8.5	LH49/61E9	SLP98UH110XV60C	5533866
XP14-060-230	59500	12.5	15	52500	34800	9	LH49/61E9	SLP98UH135XV60D	5533868
XP14-060-230	58500	12	14	53500	34200	8.2	LH49/61E9		5532082
XP16-024-230	23600	12.2	15	20800	12300	8.5	L*18/36T9	EL296UH070XV36B	204631317
XP16-024-230	23800	12.2	16	20000	11800	8.5	L*19/36S9	EL296UH070XV36B	204631320
XP16-024-230	23800	12.2	16	20000	11700	8.5	L*19/36S9	SL280UH070XV36A	10258419
XP16-024-230	23600	12.5	16	21600	12300	8.2	L*19/36S9	SLP98DF070XV36B	10258420
XP16-024-230	23600	12.5	16	21600	12300	8.2	L*19/36S9	SLP99DF070XV36B	205760603
XP16-024-230	24200	13	16	20000	11700	8.5	L*24/36Y9	SL280UH070XV36A	10260340
XP16-024-230	24200	13	16	20000	11800	8.5	L*24/36Z9	EL296UH070XV36B	204603106
XP16-024-230	24200	13	16	20000	11700	8.5	L*24/36Z9	SL280UH070XV36A	10260339
XP16-024-230	24200	12.5	16	20000	11800	8.5	L*29/36U9	EL296UH070XV36B	204603105
XP16-024-230	23600	13	16	21600	12300	8.2	L*30/36U9	SLP99DF070XV36B	206551481
XP16-024-230	23800	12.5	15	20800	12300	8.5	L*30/36U9	SLP99UH070XV36B	206551485
XP16-024-230	23600	13	16	21600	12300	8.2	L*35/36U9	SLP99DF070XV36B	206551482
XP16-024-230	23600	13	16	21600	12300	8.2	L*35/36U9	SLP99DF090XV36C	206551483
XP16-024-230	24200	12.5	15	20600	12100	8.5	L*35/36U9	SLP99UH070XV36B	206551486
XP16-024-230	24200	12.5	16	20000	11800	8.5	LH18/37D9	EL296UH070XV36B	204631324
XP16-024-230	24200	12.5	16	20000	11800	8.5	LH18/37R9	EL296UH070XV36B	204631323
XP16-024-230	24200	12.5	16	20000	11700	8.5	LH18/37R9	SL280UH070V36A	10061585
XP16-024-230	24200	12.5	16	20000	11700	8.5	LH18/37R9	SL280UH070XV36A	10579961
XP16-024-230	23800	12.2	16	20000	11800	8.5	LH29/36F9	EL296UH070XV36B	204631318
XP16-024-230	23800	12.2	16	20000	11700	8.5	LH29/36F9	SL280UH070XV36A	10260337
XP16-024-230	24200	12.5	16	20000	11800	8.5	LH35/36F9	EL296UH070XV36B	204631319
XP16-024-230	24200	12.5	16	20000	11700	8.5	LH35/36F9	SL280UH070XV36A	10260338
XP16-024-230	24200	12.5	16	20000	11800	8.5	LH35/36X9	EL296UH070XV36B	10477249
XP16-024-230	24200	12.5	16	20000	11700	8.5	LH35/36X9	SL280UH070XV36A	10579959
XP16-024-230	23800	12.5	15	20800	12300	8.5	LH35/36X9	SLP99UH070XV36B	206551484
XP16-024-230	24200	12.5	16	20000	11800	8.5	LH35/38F9	EL296UH070XV36B	204631322
XP16-024-230	24000	13	16	20200	12100	8.5	LH35/38F9	ML180UH090V48B	206777912
XP16-024-230	24200	12.5	16	20000	11800	8.5	LH35/38X9	EL296UH070XV36B	204631321
XP16-024-230	24000	13	16	20200	12100	8.5	LH35/38X9	ML180UH090V48B	206777911
XP16-024-230	24200	12.5	16	20000	11700	8.5	LH35/38X9	SL280UH070XV36A	10579960
XP16-024-230	24200	13	16	20000	11800	8.5	PL36H210P29	EL296UH070XV36B	206777908
XP16-024-230	23800	13	16	20000	11900	8.2	PL36H210P29	ML180UH070V36B	206777909
XP16-024-230	24000	13	16	20200	12100	8.5	PL36H210P29	ML180UH090V48B	206777910
XP16-036-230	35200	11.7	15	32800	20400	8.5	L*19/36S9	EL296UH045XV36B	204631141
XP16-036-230	35400	11.7	15	32800	20200	8.5	L*19/36S9	EL296UH070XV36B	204631152
XP16-036-230	35600	12.5	15	32800	20400	8.5	L*23/37Z9	EL296UH045XV36B	204631148
XP16-036-230	35800	12.5	15	32800	20200	8.5	L*23/37Z9	EL296UH070XV36B	204631158
XP16-036-230	35800	13	16	32200	19800	8.5	L*23/37Z9	ML180UH070V36B	206777913

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-036-230	36000	13	16	32400	20000	8.5	L*23/37Z9	ML180UH070V48B	206777914
XP16-036-230	35800	12.5	16	32800	20200	8.5	L*23/37Z9	SLP98UH070XV36B	205048784
XP16-036-230	35600	12.5	15	33200	20200	9	L*23/37Z9	SLP99DF090XV36C	206551488
XP16-036-230	35600	12.5	15	33200	20200	9	L*23/37Z9	SLP99DF090XV48C	206551490
XP16-036-230	35800	12.5	16	32800	20200	8.5	L*23/37Z9	SLP99UH070XV36B	205760399
XP16-036-230	36000	12.5	15	32200	20000	9	L*23/37Z9	SLP99UH090XV36C	206551497
XP16-036-230	35800	12	15	32800	20200	8.5	L*30/36U9	SLP99UH070XV36B	206551492
XP16-036-230	35600	12.2	15	32800	20400	8.5	L*35/36S9	EL296UH045XV36B	204631145
XP16-036-230	35800	12.2	15	32800	20200	8.5	L*35/36S9	EL296UH070XV36B	204631155
XP16-036-230	35600	12.2	15	32800	20400	8.5	L*35/36U9	EL296UH045XV36B	204631144
XP16-036-230	35800	12.2	15	32800	20200	8.5	L*35/36U9	EL296UH070XV36B	204603107
XP16-036-230	35400	12.2	15	34000	20600	9	L*35/36U9	SLP99DF090XV36C	206551487
XP16-036-230	35400	12.2	15	34000	20600	9	L*35/36U9	SLP99DF090XV48C	206551489
XP16-036-230	35800	12.2	15	32800	20200	8.5	L*35/36U9	SLP99UH070XV36B	206551493
XP16-036-230	35200	12.2	15	32200	20000	9	L*35/36U9	SLP99UH090XV36C	206551495
XP16-036-230	35600	12.5	15	32400	20000	8.5	LD24/35Z9		204756324
XP16-036-230	35600	12.5	15	32400	20000	8.5	LD31/36Z9		204756326
XP16-036-230	35600	12	15	32800	20400	8.5	LH18/37D9	EL296UH045XV36B	204631146
XP16-036-230	35800	12	15	32800	20200	8.5	LH18/37D9	EL296UH070XV36B	204631156
XP16-036-230	35600	12.5	15	32800	20400	8.5	LH23/37W9	EL296UH045XV36B	204631147
XP16-036-230	35800	12.5	15	32800	20200	8.5	LH23/37W9	EL296UH070XV36B	204631157
XP16-036-230	36000	12.5	15	32000	20000	9	LH23/37W9	EL296UH090XV48C	206764096
XP16-036-230	36000	12.5	15	32200	20000	9	LH23/37W9	SLP99UH090XV36C	206551496
XP16-036-230	35200	11.7	15	32800	20400	8.5	LH29/36F9	EL296UH045XV36B	204631127
XP16-036-230	35400	11.7	15	32800	20200	8.5	LH29/36F9	EL296UH070XV36B	204631149
XP16-036-230	35600	12	15	32800	20400	8.5	LH35/36F9	EL296UH045XV36B	204631140
XP16-036-230	35800	12	15	32800	20200	8.5	LH35/36F9	EL296UH070XV36B	204631151
XP16-036-230	35600	12	15	32800	20400	8.5	LH35/36X9	EL296UH045XV36B	204631139
XP16-036-230	35800	12	15	32800	20200	8.5	LH35/36X9	EL296UH070XV36B	204631150
XP16-036-230	35800	12	15	32800	20200	8.5	LH35/36X9	SLP99UH070XV36B	206551491
XP16-036-230	35600	12.2	15	32800	20400	8.5	LH35/38F9	EL296UH045XV36B	204631143
XP16-036-230	35800	12.2	15	32800	20200	8.5	LH35/38F9	EL296UH070XV36B	204631154
XP16-036-230	35600	12.2	15	32000	20000	9	LH35/38F9	EL296UH090XV48C	206764095
XP16-036-230	35600	12.2	15	32800	20400	8.5	LH35/38X9	EL296UH045XV36B	204631142
XP16-036-230	35800	12.2	15	32800	20200	8.5	LH35/38X9	EL296UH070XV36B	204631153
XP16-036-230	35600	12.2	15	32000	20000	9	LH35/38X9	EL296UH090XV48C	206764094
XP16-036-230	35600	12.2	15	32200	20000	9	LH35/38X9	SLP99UH090XV36C	206551494
XP16-048-230	46500	12	15	42000	28800	9	L*42/49K9	EL280DF090E48B	206350013
XP16-048-230	46000	11.7	15	41000	27600	8.2	L*42/49K9	EL280UH090E48B	206350014
XP16-048-230	46000	11.7	15	41000	27600	8.2	L*42/49K9	EL280UH090XE48B	206350015
XP16-048-230	46000	11	15	43000	27800	8.2	L*42/60S9	EL196UH110XE60C	206350005
XP16-048-230	46000	11	15	43000	27800	8.2	L*42/60S9	EL296UH090XE48C	206350044
XP16-048-230	46000	11	15	43000	27800	8.5	L*42/60S9	EL296UH110XE60C	206350060
XP16-048-230	46000	11.7	15	43000	27600	8.5	L*42/60S9	ML180UH090E60C	206350086
XP16-048-230	46000	11.7	15	43000	27600	8.5	L*42/60S9	ML180UH110E60C	206350095
XP16-048-230	47000	12	16	42500	28800	9	L*42/60S9	SLP98DF090XV60C	205807075
XP16-048-230	47000	12	16	42500	28800	9	L*42/60S9	SLP98DF110XV60C	205807076
XP16-048-230	48500	12	16	43000	27800	8.5	L*42/60Y9	EL196UH090XE48C	206349998
XP16-048-230	48500	12	16	43000	27800	8.5	L*42/60Y9	EL196UH110XE60C	206350007
XP16-048-230	47500	12.2	16	41000	27400	8.2	L*42/60Y9	EL280UH110E48C	206350017
XP16-048-230	47000	12.2	16	40500	27400	8.2	L*42/60Y9	EL280UH110E60C	206350024
XP16-048-230	47000	12.2	16	40500	27400	8.2	L*42/60Y9	EL280UH110XE60C	206350031
XP16-048-230	47000	12.5	16	42500	28800	9	L*42/60Y9	EL296DF090XE48C	206350038
XP16-048-230	47000	12.5	16	42000	28600	9	L*42/60Y9	EL296DF110XE60C	206350040

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-048-230	47000	12.5	16	42500	29000	9	L*42/60Y9	EL296DF110XV60C	206350042
XP16-048-230	48500	12	16	43000	27800	8.5	L*42/60Y9	EL296UH090XE48C	206350046
XP16-048-230	46500	11.7	15	40500	26800	8.2	L*42/60Y9	EL296UH090XV48C	204631326
XP16-048-230	46500	11.7	15	40500	26800	8.2	L*42/60Y9	EL296UH090XV60C	206350053
XP16-048-230	48500	12	16	43000	27800	9	L*42/60Y9	EL296UH110XE60C	206350062
XP16-048-230	46500	11.7	15	40000	26600	8.2	L*42/60Y9	EL296UH110XV48C	206350069
XP16-048-230	47500	11.7	15	41000	27600	8.2	L*42/60Y9	EL296UH110XV60C	204631337
XP16-048-230	48500	12	16	43000	27800	9	L*42/60Y9	EL296UH135XV60D	206350076
XP16-048-230	47500	13	16	42000	28600	9.5	L*42/60Y9	ML180DF110E60C	206350084
XP16-048-230	48500	12.5	16	43000	27600	9	L*42/60Y9	ML180UH090E60C	206350088
XP16-048-230	48500	12.5	16	43000	27600	9	L*42/60Y9	ML180UH110E60C	206350097
XP16-048-230	48000	12.5	16	41000	27400	8.2	L*42/60Y9	ML180UH110V60C	206350105
XP16-048-230	47000	12.5	16	42000	28800	9	L*42/60Y9	ML193DF090XE48C	206350112
XP16-048-230	47000	12.2	16	41000	27400	8.2	L*42/60Y9	ML193UH090XE48C	206350114
XP16-048-230	47000	12.2	16	41000	27400	8.2	L*42/60Y9	ML193UH110XE48C	206350121
XP16-048-230	47500	12.2	16	41500	27800	8.2	L*42/60Y9	ML193UH110XE60C	206350128
XP16-048-230	48000	12.5	16	42000	28800	9	L*42/60Y9	ML196DF110XE60C	206350135
XP16-048-230	47500	12.2	16	41500	27800	8.2	L*42/60Y9	ML196UH090XE60C	206350137
XP16-048-230	48000	13	16	41000	26600	8.5	L*42/60Y9	ML196UH135XE60D	206350144
XP16-048-230	47000	12	16	40500	26800	8.2	L*42/60Y9	ML296UH110XV60C	206350152
XP16-048-230	47500	12.2	15	41000	27400	8.2	L*42/60Y9	SL280UH090V60C	206350159
XP16-048-230	48000	12	15	41500	28000	8.2	L*42/60Y9	SL297UH080NV48C	206350167
XP16-048-230	48000	12.2	15	41500	27800	8.2	L*42/60Y9	SL297UH080NV60C	206350174
XP16-048-230	47000	12.5	16	42500	28800	9	L*42/60Y9	SLP98DF090XV60C	206350181
XP16-048-230	47000	12.5	16	42500	29000	9	L*42/60Y9	SLP98DF110XV60C	206350183
XP16-048-230	47500	11.7	15	41000	27600	8.2	L*42/60Y9	SLP98UH090XV48C	206350185
XP16-048-230	47000	11.5	15	41500	24600	8.2	L*42/60Y9	SLP98UH090XV60C	206350192
XP16-048-230	47500	11.7	15	41000	27600	8.2	L*42/60Y9	SLP98UH110XV60C	206350199
XP16-048-230	48500	12	16	43500	27800	9	L*42/60Y9	SLP98UH135XV60D	206350206
XP16-048-230	47000	12.5	16	42500	28800	9	L*42/60Y9	SLP99DF090XV60C	206350214
XP16-048-230	47000	12.5	16	42500	28800	9	L*42/60Y9	SLP99DF110XV60C	206350216
XP16-048-230	47500	11.7	15	41000	27600	8.2	L*42/60Y9	SLP99UH090XV48C	206350218
XP16-048-230	47000	11.5	15	41500	24600	8.2	L*42/60Y9	SLP99UH090XV60C	206350225
XP16-048-230	47500	11.7	15	41000	27600	8.2	L*42/60Y9	SLP99UH110XV60C	206350232
XP16-048-230	48500	12	16	43500	27800	9	L*42/60Y9	SLP99UH135XV60D	206350239
XP16-048-230	48500	12	16	43000	27800	8.5	L*42/60Z9	EL196UH090XE48C	206349997
XP16-048-230	48500	12	16	43000	27800	8.5	L*42/60Z9	EL196UH110XE60C	206350006
XP16-048-230	47500	12.2	16	41000	27400	8.2	L*42/60Z9	EL280UH110E48C	206350016
XP16-048-230	47000	12.2	16	40500	27400	8.2	L*42/60Z9	EL280UH110E60C	206350023
XP16-048-230	47000	12.2	16	40500	27400	8.2	L*42/60Z9	EL280UH110XE60C	206350030
XP16-048-230	47000	12.5	16	42500	28800	9	L*42/60Z9	EL296DF090XE48C	206350037
XP16-048-230	47000	12.5	16	42000	28600	9	L*42/60Z9	EL296DF110XE60C	206350039
XP16-048-230	47000	12.5	16	42500	29000	9	L*42/60Z9	EL296DF110XV60C	206350041
XP16-048-230	48500	12	16	43000	27800	8.5	L*42/60Z9	EL296UH090XE48C	206350045
XP16-048-230	46500	11.7	15	40500	26800	8.2	L*42/60Z9	EL296UH090XV48C	204631325
XP16-048-230	46500	11.7	15	40500	26800	8.2	L*42/60Z9	EL296UH090XV60C	206350052
XP16-048-230	48500	12	16	43000	27800	9	L*42/60Z9	EL296UH110XE60C	206350061
XP16-048-230	46500	11.7	15	40000	26600	8.2	L*42/60Z9	EL296UH110XV48C	206350068
XP16-048-230	47500	11.7	15	41000	27600	8.2	L*42/60Z9	EL296UH110XV60C	204631336
XP16-048-230	48500	12	16	43000	27800	9	L*42/60Z9	EL296UH135XV60D	206350075
XP16-048-230	47500	13	16	42000	28600	9.5	L*42/60Z9	ML180DF110E60C	206350083
XP16-048-230	48500	12.5	16	43000	27600	9	L*42/60Z9	ML180UH090E60C	206350087
XP16-048-230	48500	12.5	16	43000	27600	9	L*42/60Z9	ML180UH110E60C	206350096
XP16-048-230	48000	12.5	16	41000	27400	8.2	L*42/60Z9	ML180UH110V60C	206350104

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-048-230	47000	12.5	16	42000	28800	9	L*42/60Z9	ML193DF090XE48C	206350111
XP16-048-230	47000	12.2	16	41000	27400	8.2	L*42/60Z9	ML193UH090XE48C	206350113
XP16-048-230	47000	12.2	16	41000	27400	8.2	L*42/60Z9	ML193UH110XE48C	206350120
XP16-048-230	47500	12.2	16	41500	27800	8.2	L*42/60Z9	ML193UH110XE60C	206350127
XP16-048-230	48000	12.5	16	42000	28800	9	L*42/60Z9	ML196DF110XE60C	206350134
XP16-048-230	47500	12.2	16	41500	27800	8.2	L*42/60Z9	ML196UH090XE60C	206350136
XP16-048-230	48000	13	16	41000	26600	8.5	L*42/60Z9	ML196UH135XE60D	206350143
XP16-048-230	47000	12	16	40500	26800	8.2	L*42/60Z9	ML296UH110XV60C	206350151
XP16-048-230	47500	12.2	15	41000	27400	8.2	L*42/60Z9	SL280UH090V60C	206350158
XP16-048-230	48000	12	15	41500	28000	8.2	L*42/60Z9	SL297UH080NV48C	206350166
XP16-048-230	48000	12.2	15	41500	27800	8.2	L*42/60Z9	SL297UH080NV60C	206350173
XP16-048-230	47000	12.5	16	42500	28800	9	L*42/60Z9	SLP98DF090XV60C	206350180
XP16-048-230	47000	12.5	16	42500	28800	9	L*42/60Z9	SLP98DF110XV60C	206350182
XP16-048-230	47500	11.7	15	41000	27600	8.2	L*42/60Z9	SLP98UH090XV48C	206350184
XP16-048-230	47000	11.5	15	41500	24600	8.2	L*42/60Z9	SLP98UH090XV60C	206350191
XP16-048-230	47500	11.7	15	41000	27600	8.2	L*42/60Z9	SLP98UH110XV60C	206350198
XP16-048-230	48500	12	16	43500	27800	9	L*42/60Z9	SLP98UH135XV60D	206350205
XP16-048-230	47000	12.5	16	42500	28800	9	L*42/60Z9	SLP99DF090XV60C	206350213
XP16-048-230	47000	12.5	16	42500	29000	9	L*42/60Z9	SLP99DF110XV60C	206350215
XP16-048-230	47500	11.7	15	41000	27600	8.2	L*42/60Z9	SLP99UH090XV48C	206350217
XP16-048-230	47000	11.5	15	41500	24600	8.2	L*42/60Z9	SLP99UH090XV60C	206350224
XP16-048-230	47500	11.7	15	41000	27600	8.2	L*42/60Z9	SLP99UH110XV60C	206350231
XP16-048-230	48500	12	16	43500	27800	9	L*42/60Z9	SLP99UH135XV60D	206350238
XP16-048-230	47000	12.5	16	42500	28800	9	L*43/61Z9	SLP99DF090XV60C	206551511
XP16-048-230	47500	11.7	15	41000	27600	8.2	L*43/61Z9	SLP99UH090XV48C	206551514
XP16-048-230	47000	11.7	15	41500	24600	8.2	L*43/61Z9	SLP99UH090XV60C	206551516
XP16-048-230	46500	12	15	40500	26800	8.2	L*48/60Y9	EL296UH090XV48C	204631332
XP16-048-230	47500	12	16	41000	27600	8.2	L*48/60Y9	EL296UH110XV60C	204631343
XP16-048-230	48500	12.2	16	43000	27800	9	L*48/60Y9	EL296UH135XV60D	206350080
XP16-048-230	48000	13	16	41000	26600	8.5	L*48/60Y9	ML196UH135XE60D	206350148
XP16-048-230	48000	12.5	16	41000	26800	8.2	L*48/60Y9	SLP98UH135XV60D	206350210
XP16-048-230	48000	12.5	16	41000	26800	8.2	L*48/60Y9	SLP99UH135XV60D	206350243
XP16-048-230	46500	12	15	40500	26800	8.2	L*48/60Z9	EL296UH090XV48C	204631331
XP16-048-230	47500	12	16	41000	27600	8.2	L*48/60Z9	EL296UH110XV60C	204631342
XP16-048-230	48500	12.2	16	43000	27800	9	L*48/60Z9	EL296UH135XV60D	206350079
XP16-048-230	48000	13	16	41000	26600	8.5	L*48/60Z9	ML196UH135XE60D	206350147
XP16-048-230	48000	12.5	16	41000	26800	8.2	L*48/60Z9	SLP98UH135XV60D	206350209
XP16-048-230	48000	12.5	16	41000	26800	8.2	L*48/60Z9	SLP99UH135XV60D	206350242
XP16-048-230	47000	12.5	16	42500	28800	9	L*49/62Z9	SLP99DF090XV60C	206551510
XP16-048-230	47500	11.7	15	41000	27600	8.2	L*49/62Z9	SLP99UH090XV48C	206551513
XP16-048-230	47000	12	16	42000	24800	8.2	L*49/63Z9	EL296UH090XV48C	204631333
XP16-048-230	47500	12	16	41000	27600	8.2	L*49/63Z9	EL296UH110XV60C	204631344
XP16-048-230	48500	12.5	16	43000	27800	9	L*49/63Z9	EL296UH135XV60D	206350081
XP16-048-230	48000	13	16	41000	26600	8.5	L*49/63Z9	ML196UH135XE60D	206350149
XP16-048-230	48500	12.5	16	43500	27800	9	L*49/63Z9	SLP98UH135XV60D	206350211
XP16-048-230	48500	12.5	16	43500	27800	9	L*49/63Z9	SLP99UH135XV60D	206350244
XP16-048-230	47000	12.5	15	42500	28800	9	LD42/61Z9	EL296DF090XE48C	205147343
XP16-048-230	47000	12.5	16	42000	28600	9	LD42/61Z9	EL296DF110XE60C	205147344
XP16-048-230	47000	12.5	16	42500	29000	9	LD42/61Z9	EL296DF110XV60C	205147345
XP16-048-230	47500	13	16	42000	28600	9.5	LD42/61Z9	ML180DF110E60C	205147346
XP16-048-230	47000	12.5	16	42000	28800	9	LD42/61Z9	ML193DF090XE48C	205147347
XP16-048-230	47000	12.5	16	42500	28800	9	LD42/61Z9	SLP98DF090XV60C	205147348
XP16-048-230	47000	12.5	16	42500	29000	9	LD42/61Z9	SLP98DF110XV60C	205147349
XP16-048-230	47000	12.5	16	42500	28800	9	LD42/61Z9	SLP99DF090XV60C	205761103

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-048-230	47000	12.5	16	42500	29000	9	LD42/61Z9	SLP99DF110XV60C	205761104
XP16-048-230	48000	12	15	43500	28600	8.5	LD42/61Z9		204756338
XP16-048-230	47500	11.7	15	41000	27600	8.2	LH40/61W9	SLP99UH090XV48C	206551512
XP16-048-230	47000	11.5	15	41500	24600	8.2	LH40/61W9	SLP99UH090XV60C	206551515
XP16-048-230	46000	11	15	43000	27800	8.2	LH42/60D9	EL196UH090XE48C	206349996
XP16-048-230	46000	11	15	43000	27800	8.2	LH42/60D9	EL196UH110XE60C	206350004
XP16-048-230	46000	11	15	43000	27800	8.2	LH42/60D9	EL296UH090XE48C	206350043
XP16-048-230	46000	11	15	43000	27800	8.5	LH42/60D9	EL296UH110XE60C	206350059
XP16-048-230	46000	11.7	15	43000	27600	8.5	LH42/60D9	ML180UH090E60C	206350085
XP16-048-230	46000	11.7	15	43000	27600	8.5	LH42/60D9	ML180UH110E60C	206350094
XP16-048-230	47000	12.2	15	41000	27400	8.2	LH42/60D9	ML180UH110V60C	206350103
XP16-048-230	48500	12.2	16	43000	27800	8.5	LH42/62E9	EL196UH090XE48C	206350002
XP16-048-230	48500	12.2	16	43000	27800	8.5	LH42/62E9	EL196UH110XE60C	206350011
XP16-048-230	47500	12.5	16	41000	27400	8.2	LH42/62E9	EL280UH110E48C	206350021
XP16-048-230	47000	12.5	16	40500	27400	8.2	LH42/62E9	EL280UH110E60C	206350028
XP16-048-230	47000	12.5	16	40500	27400	8.2	LH42/62E9	EL280UH110XE60C	206350035
XP16-048-230	48500	12.2	16	43000	27800	8.5	LH42/62E9	EL296UH090XE48C	206350050
XP16-048-230	47000	11.7	15	42000	24800	8.2	LH42/62E9	EL296UH090XV48C	204631330
XP16-048-230	47000	11.7	15	42000	24800	8.2	LH42/62E9	EL296UH090XV60C	206350057
XP16-048-230	48500	12.2	16	43000	27800	9	LH42/62E9	EL296UH110XE60C	206350066
XP16-048-230	47000	11.7	15	41500	24600	8.2	LH42/62E9	EL296UH110XV48C	206350073
XP16-048-230	47500	11.7	15	41000	27600	8.2	LH42/62E9	EL296UH110XV60C	204631341
XP16-048-230	48500	12.2	16	43000	27800	9	LH42/62E9	EL296UH135XV60D	206350078
XP16-048-230	48500	12.5	16	43000	27600	9	LH42/62E9	ML180UH090E60C	206350092
XP16-048-230	48500	12.5	16	43000	27600	9	LH42/62E9	ML180UH110E60C	206350101
XP16-048-230	48000	13	16	41000	27400	8.2	LH42/62E9	ML180UH110V60C	206350109
XP16-048-230	47000	12.5	16	41000	27400	8.2	LH42/62E9	ML193UH090XE48C	206350118
XP16-048-230	47000	12.5	16	41000	27400	8.2	LH42/62E9	ML193UH110XE48C	206350125
XP16-048-230	47500	12.5	16	41500	27800	8.2	LH42/62E9	ML193UH110XE60C	206350132
XP16-048-230	47500	12.5	16	41500	27800	8.2	LH42/62E9	ML196UH090XE60C	206350141
XP16-048-230	48000	13	16	41000	26600	8.5	LH42/62E9	ML196UH135XE60D	206350146
XP16-048-230	47000	12.2	16	40500	26800	8.2	LH42/62E9	ML296UH110XV60C	206350156
XP16-048-230	47500	12.5	15	41000	27400	8.2	LH42/62E9	SL280UH090V60C	206350163
XP16-048-230	48000	12.2	15	41500	28000	8.2	LH42/62E9	SL297UH080NV48C	206350171
XP16-048-230	48000	12.5	15	41500	27800	8.2	LH42/62E9	SL297UH080NV60C	206350178
XP16-048-230	47500	11.7	15	41000	27600	8.2	LH42/62E9	SLP98UH090XV48C	206350189
XP16-048-230	47000	11.7	15	41500	24600	8.2	LH42/62E9	SLP98UH090XV60C	206350196
XP16-048-230	47500	11.7	15	41000	27600	8.2	LH42/62E9	SLP98UH110XV60C	206350203
XP16-048-230	48500	12.2	16	43500	27800	9	LH42/62E9	SLP98UH135XV60D	206350208
XP16-048-230	47500	11.7	15	41000	27600	8.2	LH42/62E9	SLP99UH090XV48C	206350222
XP16-048-230	47000	11.7	15	41500	24600	8.2	LH42/62E9	SLP99UH090XV60C	206350229
XP16-048-230	47500	11.7	15	41000	27600	8.2	LH42/62E9	SLP99UH110XV60C	206350236
XP16-048-230	48500	12.2	16	43500	27800	9	LH42/62E9	SLP99UH135XV60D	206350241
XP16-048-230	48500	12.2	16	43000	27800	8.5	LH42/62W9	EL196UH090XE48C	206350001
XP16-048-230	48500	12.2	16	43000	27800	8.5	LH42/62W9	EL196UH110XE60C	206350010
XP16-048-230	47500	12.5	16	41000	27400	8.2	LH42/62W9	EL280UH110E48C	206350020
XP16-048-230	47000	12.5	16	40500	27400	8.2	LH42/62W9	EL280UH110E60C	206350027
XP16-048-230	47000	12.5	16	40500	27400	8.2	LH42/62W9	EL280UH110XE60C	206350034
XP16-048-230	48500	12.2	16	43000	27800	8.5	LH42/62W9	EL296UH090XE48C	206350049
XP16-048-230	47000	11.7	15	42000	24800	8.2	LH42/62W9	EL296UH090XV48C	204631329
XP16-048-230	47000	11.7	15	42000	24800	8.2	LH42/62W9	EL296UH090XV60C	206350056
XP16-048-230	48500	12.2	16	43000	27800	9	LH42/62W9	EL296UH110XE60C	206350065
XP16-048-230	47000	11.7	15	41500	24600	8.2	LH42/62W9	EL296UH110XV48C	206350072
XP16-048-230	47500	11.7	15	41000	27600	8.2	LH42/62W9	EL296UH110XV60C	204631340

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-048-230	48500	12.2	16	43000	27800	9	LH42/62W9	EL296UH135XV60D	206350077
XP16-048-230	48500	12.5	16	43000	27600	9	LH42/62W9	ML180UH090E60C	206350091
XP16-048-230	48500	12.5	16	43000	27600	9	LH42/62W9	ML180UH110E60C	206350100
XP16-048-230	48000	13	16	41000	27400	8.2	LH42/62W9	ML180UH110V60C	206350108
XP16-048-230	47000	12.5	16	41000	27400	8.2	LH42/62W9	ML193UH090XE48C	206350117
XP16-048-230	47000	12.5	16	41000	27400	8.2	LH42/62W9	ML193UH110XE48C	206350124
XP16-048-230	47500	12.5	16	41500	27800	8.2	LH42/62W9	ML193UH110XE60C	206350131
XP16-048-230	47500	12.5	16	41500	27800	8.2	LH42/62W9	ML196UH090XE60C	206350140
XP16-048-230	48000	13	16	41000	26600	8.5	LH42/62W9	ML196UH135XE60D	206350145
XP16-048-230	47000	12.2	16	40500	26800	8.2	LH42/62W9	ML296UH110XV60C	206350155
XP16-048-230	47500	12.5	15	41000	27400	8.2	LH42/62W9	SL280UH090V60C	206350162
XP16-048-230	48000	12.2	15	41500	28000	8.2	LH42/62W9	SL297UH080NV48C	206350170
XP16-048-230	48000	12.5	15	41500	27800	8.2	LH42/62W9	SL297UH080NV60C	206350177
XP16-048-230	47500	11.7	15	41000	27600	8.2	LH42/62W9	SLP98UH090XV48C	206350188
XP16-048-230	47000	11.7	15	41500	24600	8.2	LH42/62W9	SLP98UH090XV60C	206350195
XP16-048-230	47500	11.7	15	41000	27600	8.2	LH42/62W9	SLP98UH110XV60C	206350202
XP16-048-230	48500	12.2	16	43500	27800	9	LH42/62W9	SLP98UH135XV60D	206350207
XP16-048-230	47500	11.7	15	41000	27600	8.2	LH42/62W9	SLP99UH090XV48C	206350221
XP16-048-230	47000	11.7	15	41500	24600	8.2	LH42/62W9	SLP99UH090XV60C	206350228
XP16-048-230	47500	11.7	15	41000	27600	8.2	LH42/62W9	SLP99UH110XV60C	206350235
XP16-048-230	48500	12.2	16	43500	27800	9	LH42/62W9	SLP99UH135XV60D	206350240
XP16-048-230	48500	12.2	16	43000	27800	8.5	LH49/61E9	EL196UH090XE48C	206350000
XP16-048-230	48500	12.2	16	43000	27800	8.5	LH49/61E9	EL196UH110XE60C	206350009
XP16-048-230	48000	12.5	16	43500	27800	9	LH49/61E9	EL280UH110E48C	206350019
XP16-048-230	47000	12.5	16	41500	24400	8.2	LH49/61E9	EL280UH110E60C	206350026
XP16-048-230	47000	12.5	16	41500	24400	8.2	LH49/61E9	EL280UH110XE60C	206350033
XP16-048-230	48500	12.2	16	43000	27800	8.5	LH49/61E9	EL296UH090XE48C	206350048
XP16-048-230	46500	12	15	40500	26800	8.2	LH49/61E9	EL296UH090XV48C	204631328
XP16-048-230	46500	12	15	40500	26800	8.2	LH49/61E9	EL296UH090XV60C	206350055
XP16-048-230	48500	12.2	16	43000	27800	9	LH49/61E9	EL296UH110XE60C	206350064
XP16-048-230	46500	12	15	40000	26600	8.2	LH49/61E9	EL296UH110XV48C	206350071
XP16-048-230	47500	12	16	41000	27600	8.2	LH49/61E9	EL296UH110XV60C	204631339
XP16-048-230	48500	13	16	43000	27600	9	LH49/61E9	ML180UH090E60C	206350090
XP16-048-230	48500	13	16	43000	27600	9	LH49/61E9	ML180UH110E60C	206350099
XP16-048-230	48000	13	16	41000	27400	8.2	LH49/61E9	ML180UH110V60C	206350107
XP16-048-230	47000	12.5	16	41000	27400	8.2	LH49/61E9	ML193UH090XE48C	206350116
XP16-048-230	47000	12.5	16	41000	27400	8.2	LH49/61E9	ML193UH110XE48C	206350123
XP16-048-230	47500	12.5	16	41500	27800	8.2	LH49/61E9	ML193UH110XE60C	206350130
XP16-048-230	47500	12.5	16	41500	27800	8.2	LH49/61E9	ML196UH090XE60C	206350139
XP16-048-230	47000	12.2	16	40500	26800	8.2	LH49/61E9	ML296UH110XV60C	206350154
XP16-048-230	47500	12.5	16	41000	27400	8.2	LH49/61E9	SL280UH090V60C	206350161
XP16-048-230	48000	12.2	16	41500	28000	8.2	LH49/61E9	SL297UH080NV48C	206350169
XP16-048-230	48000	12.5	16	41500	27800	8.2	LH49/61E9	SL297UH080NV60C	206350176
XP16-048-230	47500	12	16	41000	27600	8.2	LH49/61E9	SLP98UH090XV48C	206350187
XP16-048-230	47000	11.7	15	41500	24600	8.2	LH49/61E9	SLP98UH090XV60C	206350194
XP16-048-230	47500	12	16	41000	27600	8.2	LH49/61E9	SLP98UH110XV60C	206350201
XP16-048-230	47500	12	16	41000	27600	8.2	LH49/61E9	SLP99UH090XV48C	206350220
XP16-048-230	47000	11.7	15	41500	24600	8.2	LH49/61E9	SLP99UH090XV60C	206350227
XP16-048-230	47500	12	16	41000	27600	8.2	LH49/61E9	SLP99UH110XV60C	206350234
XP16-048-230	48500	12.2	16	43000	27800	8.5	LH49/61W9	EL196UH090XE48C	206349999
XP16-048-230	48500	12.2	16	43000	27800	8.5	LH49/61W9	EL196UH110XE60C	206350008
XP16-048-230	48000	12.5	16	43500	27800	9	LH49/61W9	EL280UH110E48C	206350018
XP16-048-230	47000	12.5	16	41500	24400	8.2	LH49/61W9	EL280UH110E60C	206350025
XP16-048-230	47000	12.5	16	40500	27400	8.2	LH49/61W9	EL280UH110XE60C	206350032

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-048-230	48500	12.2	16	43000	27800	8.5	LH49/61W9	EL296UH090XE48C	206350047
XP16-048-230	46500	12	15	40500	26800	8.2	LH49/61W9	EL296UH090XV48C	204631327
XP16-048-230	46500	12	15	40500	26800	8.2	LH49/61W9	EL296UH090XV60C	206350054
XP16-048-230	48500	12.2	16	43000	27800	9	LH49/61W9	EL296UH110XE60C	206350063
XP16-048-230	46500	12	15	40000	26600	8.2	LH49/61W9	EL296UH110XV48C	206350070
XP16-048-230	47500	12	16	41000	27600	8.2	LH49/61W9	EL296UH110XV60C	204631338
XP16-048-230	48500	13	16	43000	27600	9	LH49/61W9	ML180UH090E60C	206350089
XP16-048-230	48500	13	16	43000	27600	9	LH49/61W9	ML180UH110E60C	206350098
XP16-048-230	48000	13	16	41000	27400	8.2	LH49/61W9	ML180UH110V60C	206350106
XP16-048-230	47000	12.5	16	41000	27400	8.2	LH49/61W9	ML193UH090XE48C	206350115
XP16-048-230	47000	12.5	16	41000	27400	8.2	LH49/61W9	ML193UH110XE48C	206350122
XP16-048-230	47500	12.5	16	41500	27800	8.2	LH49/61W9	ML193UH110XE60C	206350129
XP16-048-230	47500	12.5	16	41500	27800	8.2	LH49/61W9	ML196UH090XE60C	206350138
XP16-048-230	47000	12.2	16	40500	26800	8.2	LH49/61W9	ML296UH110XV60C	206350153
XP16-048-230	47500	12.5	16	41000	27400	8.2	LH49/61W9	SL280UH090V60C	206350160
XP16-048-230	48000	12.2	16	41500	28000	8.2	LH49/61W9	SL297UH080NV48C	206350168
XP16-048-230	48000	12.5	16	41500	27800	8.2	LH49/61W9	SL297UH080NV60C	206350175
XP16-048-230	47500	12	16	41000	27600	8.2	LH49/61W9	SLP98UH090XV48C	206350186
XP16-048-230	47000	11.7	15	41500	24600	8.2	LH49/61W9	SLP98UH090XV60C	206350193
XP16-048-230	47500	12	16	41000	27600	8.2	LH49/61W9	SLP98UH110XV60C	206350200
XP16-048-230	47500	12	16	41000	27600	8.2	LH49/61W9	SLP99UH090XV48C	206350219
XP16-048-230	47000	11.7	15	41500	24600	8.2	LH49/61W9	SLP99UH090XV60C	206350226
XP16-048-230	47500	12	16	41000	27600	8.2	LH49/61W9	SLP99UH110XV60C	206350233
XP16-048-230	47000	12	16	42000	24800	8.2	LH49/62W9	EL296UH090XV48C	204631335
XP16-048-230	47500	12	16	41000	27600	8.2	LH49/62W9	EL296UH110XV60C	204631346
XP16-048-230	48500	12.5	16	43000	27800	9	LH49/62W9	EL296UH135XV60D	206350082
XP16-048-230	48000	13	16	41000	26600	8.5	LH49/62W9	ML196UH135XE60D	206350150
XP16-048-230	47500	12.5	16	41000	27400	8.2	LH49/62W9	SL280UH090V60C	206350165
XP16-048-230	48500	12.5	16	43500	27800	9	LH49/62W9	SLP98UH135XV60D	206350212
XP16-048-230	48500	12.5	16	43500	27800	9	LH49/62W9	SLP99UH135XV60D	206350245
XP16-048-230	48500	12.5	16	43000	27800	8.5	LH60/61W9	EL196UH090XE48C	206350003
XP16-048-230	48500	12.5	16	43000	27800	8.5	LH60/61W9	EL196UH110XE60C	206350012
XP16-048-230	48000	12.5	16	43500	27800	9	LH60/61W9	EL280UH110E48C	206350022
XP16-048-230	48000	12.5	16	43000	27800	9	LH60/61W9	EL280UH110E60C	206350029
XP16-048-230	48000	12.5	16	43000	27800	9	LH60/61W9	EL280UH110XE60C	206350036
XP16-048-230	48500	12.5	16	43000	27800	8.5	LH60/61W9	EL296UH090XE48C	206350051
XP16-048-230	47000	12	16	42000	24800	8.2	LH60/61W9	EL296UH090XV48C	204631334
XP16-048-230	47000	12	16	42000	24800	8.2	LH60/61W9	EL296UH090XV60C	206350058
XP16-048-230	48500	12.5	16	43000	27800	9	LH60/61W9	EL296UH110XE60C	206350067
XP16-048-230	47000	12	16	41500	24600	8.2	LH60/61W9	EL296UH110XV48C	206350074
XP16-048-230	47500	12	16	41000	27600	8.2	LH60/61W9	EL296UH110XV60C	204631345
XP16-048-230	48500	13	16	43000	27600	9	LH60/61W9	ML180UH090E60C	206350093
XP16-048-230	48500	13	16	43000	27600	9	LH60/61W9	ML180UH110E60C	206350102
XP16-048-230	48000	13	16	41000	27400	8.2	LH60/61W9	ML180UH110V60C	206350110
XP16-048-230	48000	12.5	16	43000	27800	9	LH60/61W9	ML193UH090XE48C	206350119
XP16-048-230	48000	12.5	16	43000	27800	9	LH60/61W9	ML193UH110XE48C	206350126
XP16-048-230	48000	12.5	16	43000	27800	9	LH60/61W9	ML193UH110XE60C	206350133
XP16-048-230	47500	12.5	16	41500	27800	8.2	LH60/61W9	ML196UH090XE60C	206350142
XP16-048-230	47000	12.2	16	40500	26800	8.2	LH60/61W9	ML296UH110XV60C	206350157
XP16-048-230	47500	12.5	16	41000	27400	8.2	LH60/61W9	SL280UH090V60C	206350164
XP16-048-230	48000	12.2	16	41500	28000	8.2	LH60/61W9	SL297UH080NV48C	206350172
XP16-048-230	48000	12.5	16	41500	27800	8.2	LH60/61W9	SL297UH080NV60C	206350179
XP16-048-230	47500	12	16	41000	27600	8.2	LH60/61W9	SLP98UH090XV48C	206350190
XP16-048-230	47000	12	16	41500	24600	8.2	LH60/61W9	SLP98UH090XV60C	206350197

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-048-230	47500	12	16	41000	27600	8.2	LH60/61W9	SLP98UH110XV60C	206350204
XP16-048-230	47500	12	16	41000	27600	8.2	LH60/61W9	SLP99UH090XV48C	206350223
XP16-048-230	47000	12	16	41500	24600	8.2	LH60/61W9	SLP99UH090XV60C	206350230
XP16-048-230	47500	12	16	41000	27600	8.2	LH60/61W9	SLP99UH110XV60C	206350237
XP16-048-230	48000	13	16	41000	27400	8.2	PL60H210P19	ML180UH110V60C	206778497
XP16-048-230	48500	13	16	43000	27600	9	PL60H210P30	ML180UH090E60C	206778495
XP16-048-230	48500	13	16	43000	27600	9	PL60H210P30	ML180UH110E60C	206778496
XP16-048-230	48000	13	16	41000	27400	8.2	PL60H210P30	ML180UH110V60C	206778498
XP16-060-230	58500	12	15	54500	34200	8.2	L*42/60Y9	EL180UH100NE60C	205727232
XP16-060-230	58500	12	15	54500	34200	8.2	L*42/60Y9	EL195UH110XE60C	205727243
XP16-060-230	57500	12.2	16	50500	33000	8.5	L*42/60Y9	EL280UH110E60C	205727257
XP16-060-230	57500	12.2	16	50500	33000	8.5	L*42/60Y9	EL280UH110XE60C	203372054
XP16-060-230	58500	12	15	54500	34600	8.2	L*42/60Y9	EL296UH090XV48C	205727269
XP16-060-230	58500	11.5	15	55000	34800	8.2	L*42/60Y9	EL296UH090XV60C	205727280
XP16-060-230	58500	12	15	54500	34200	8.2	L*42/60Y9	EL296UH110XE60C	205727291
XP16-060-230	58500	12	15	54500	34400	8.2	L*42/60Y9	EL296UH110XV48C	205727304
XP16-060-230	58500	12	15	54500	34600	8.2	L*42/60Y9	EL296UH110XV60C	205727315
XP16-060-230	58000	11.7	15	51000	33600	8.2	L*42/60Y9	EL296UH135XE60D	205727329
XP16-060-230	58500	12.2	15	51000	33200	8.5	L*42/60Y9	EL296UH135XV60D	205727343
XP16-060-230	58500	12	15	54500	34200	8.2	L*42/60Y9	ML180UH090E60C	205727354
XP16-060-230	58000	12	15	54500	34200	8.2	L*42/60Y9	ML180UH110E60C	205727365
XP16-060-230	59000	12.5	15	54500	34200	8.2	L*42/60Y9	ML180UH110V60C	205727378
XP16-060-230	58000	12	15	54500	34200	8.2	L*42/60Y9	ML180UH110XE60C	205727389
XP16-060-230	58500	12.2	15	51000	33200	8.5	L*42/60Y9	ML180UH135E60D	205727417
XP16-060-230	56500	11.7	14.5	54500	33800	8.2	L*42/60Y9	ML180UH135E60D	205727403
XP16-060-230	57500	12.2	15	50500	33200	8.5	L*42/60Y9	ML193UH110XE60C	205727431
XP16-060-230	58500	12	15	54500	34600	8.2	L*42/60Y9	ML296UH090XV48C	205727442
XP16-060-230	59000	12	15	54500	34400	8.2	L*42/60Y9	ML296UH110XV60C	205727455
XP16-060-230	57000	12	15	55500	35800	8.5	L*42/60Y9	SL280DF090V60C	10258421
XP16-060-230	59000	12	15	54500	34200	8.2	L*42/60Y9	SL280UH080NV60C	205727468
XP16-060-230	59000	12	15	54500	34400	8.2	L*42/60Y9	SL280UH090V60C	205727479
XP16-060-230	59000	12	15	54500	34400	8.2	L*42/60Y9	SL280UH090XV60C	205727490
XP16-060-230	59000	12.5	15	54500	34200	8.2	L*42/60Y9	SL280UH100NV60C	205727503
XP16-060-230	59000	12	15	55000	34600	8.2	L*42/60Y9	SL280UH110V60C	205727514
XP16-060-230	59000	12	15	55000	34600	8.2	L*42/60Y9	SL280UH110XV60C	205727525
XP16-060-230	58000	12.2	15	51000	33400	8.5	L*42/60Y9	SL280UH135V60D	205727539
XP16-060-230	58500	12	15	54500	34200	8.2	L*42/60Y9	SL297UH080NV48C	205727549
XP16-060-230	59000	12	15	55000	34600	8.2	L*42/60Y9	SL297UH080NV60C	205727560
XP16-060-230	58500	12	15	54500	34600	8.2	L*42/60Y9	SLP98UH090XV48C	205727571
XP16-060-230	58500	11.5	15	55000	34800	8.2	L*42/60Y9	SLP98UH090XV60C	205727582
XP16-060-230	58500	12	15	54500	34600	8.2	L*42/60Y9	SLP98UH110XV60C	205727593
XP16-060-230	58500	12.2	15	51000	33200	8.5	L*42/60Y9	SLP98UH135XV60D	205727612
XP16-060-230	58500	12	15	54500	34600	8.2	L*42/60Y9	SLP99UH110XV60C	205727623
XP16-060-230	59000	11.5	15	59500	36000	8.5	L*42/60Y9	SLP99UH135XV60D	205760817
XP16-060-230	58500	12	15	54500	34200	8.2	L*42/60Z9	EL180UH100NE60C	205727231
XP16-060-230	58500	12	15	54500	34200	8.2	L*42/60Z9	EL195UH110XE60C	205727242
XP16-060-230	57500	12.2	16	50500	33000	8.5	L*42/60Z9	EL280UH110E60C	205727256
XP16-060-230	57500	12.2	16	50500	33000	8.5	L*42/60Z9	EL280UH110XE60C	203372053
XP16-060-230	58500	12	15	54500	34600	8.2	L*42/60Z9	EL296UH090XV48C	205727268
XP16-060-230	58500	11.5	15	55000	34800	8.2	L*42/60Z9	EL296UH090XV60C	205727279
XP16-060-230	58500	12	15	54500	34200	8.2	L*42/60Z9	EL296UH110XE60C	205727290
XP16-060-230	58500	12	15	54500	34400	8.2	L*42/60Z9	EL296UH110XV48C	205727303
XP16-060-230	58500	12	15	54500	34600	8.2	L*42/60Z9	EL296UH110XV60C	205727314
XP16-060-230	58000	11.7	15	51000	33600	8.2	L*42/60Z9	EL296UH135XE60D	205727328

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-060-230	58500	12.2	15	51000	33200	8.5	L*42/60Z9	EL296UH135XV60D	205727342
XP16-060-230	58500	12	15	54500	34200	8.2	L*42/60Z9	ML180UH090E60C	205727353
XP16-060-230	58000	12	15	54500	34200	8.2	L*42/60Z9	ML180UH110E60C	205727364
XP16-060-230	59000	12.5	15	54500	34200	8.2	L*42/60Z9	ML180UH110V60C	205727377
XP16-060-230	58000	12	15	54500	34200	8.2	L*42/60Z9	ML180UH110XE60C	205727388
XP16-060-230	58500	12.2	15	51000	33200	8.5	L*42/60Z9	ML180UH135E60D	205727416
XP16-060-230	56500	11.7	14.5	54500	33800	8.2	L*42/60Z9	ML180UH135E60D	205727402
XP16-060-230	57500	12.2	15	50500	33200	8.5	L*42/60Z9	ML193UH110XE60C	205727430
XP16-060-230	58500	12	15	54500	34600	8.2	L*42/60Z9	ML296UH090XV48C	205727441
XP16-060-230	59000	12	15	54500	34400	8.2	L*42/60Z9	ML296UH110XV60C	205727454
XP16-060-230	59000	12	15	54500	34200	8.2	L*42/60Z9	SL280UH080NV60C	205727467
XP16-060-230	59000	12	15	54500	34400	8.2	L*42/60Z9	SL280UH090V60C	205727478
XP16-060-230	59000	12	15	54500	34400	8.2	L*42/60Z9	SL280UH090XV60C	205727489
XP16-060-230	59000	12.5	15	54500	34200	8.2	L*42/60Z9	SL280UH100NV60C	205727502
XP16-060-230	59000	12	15	55000	34600	8.2	L*42/60Z9	SL280UH110V60C	205727513
XP16-060-230	59000	12	15	55000	34600	8.2	L*42/60Z9	SL280UH110XV60C	205727524
XP16-060-230	58000	12.2	15	51000	33400	8.5	L*42/60Z9	SL280UH135V60D	205727538
XP16-060-230	58500	12	15	54500	34200	8.2	L*42/60Z9	SL297UH080NV48C	205727548
XP16-060-230	59000	12	15	55000	34600	8.2	L*42/60Z9	SL297UH080NV60C	205727559
XP16-060-230	58500	12	15	54500	34600	8.2	L*42/60Z9	SLP98UH090XV48C	205727570
XP16-060-230	58500	11.5	15	55000	34800	8.2	L*42/60Z9	SLP98UH090XV60C	205727581
XP16-060-230	58500	12	15	54500	34600	8.2	L*42/60Z9	SLP98UH110XV60C	205727592
XP16-060-230	58500	12.2	15	51000	33200	8.5	L*42/60Z9	SLP98UH135XV60D	205727610
XP16-060-230	58500	12	15	54500	34600	8.2	L*42/60Z9	SLP99UH110XV60C	205727622
XP16-060-230	59000	11.5	15	59500	36000	8.5	L*42/60Z9	SLP99UH135XV60D	205760815
XP16-060-230	58500	12.2	15	54500	34200	8.2	L*43/61Y9	EL180UH100NE60C	205727234
XP16-060-230	58500	12.2	15	54500	34200	8.2	L*43/61Y9	EL195UH110XE60C	205727245
XP16-060-230	57500	12.2	16	50500	33000	8.5	L*43/61Y9	EL280UH110E60C	205727259
XP16-060-230	57500	12.2	16	50500	33000	8.5	L*43/61Y9	EL280UH110XE60C	203372056
XP16-060-230	58500	12.2	15	54500	34600	8.2	L*43/61Y9	EL296UH090XV48C	205727271
XP16-060-230	58500	11.7	15	55000	34800	8.2	L*43/61Y9	EL296UH090XV60C	205727282
XP16-060-230	58500	12.2	15	54500	34200	8.2	L*43/61Y9	EL296UH110XE60C	205727293
XP16-060-230	58500	12.2	15	54500	34400	8.2	L*43/61Y9	EL296UH110XV48C	205727306
XP16-060-230	58500	12.2	15	54500	34600	8.2	L*43/61Y9	EL296UH110XV60C	205727317
XP16-060-230	58500	11.7	15	59500	36000	8.5	L*43/61Y9	EL296UH135XE60D	205727331
XP16-060-230	58500	12.2	15	51000	33200	8.5	L*43/61Y9	EL296UH135XV60D	205727345
XP16-060-230	58500	12.2	15	54500	34200	8.2	L*43/61Y9	ML180UH090E60C	205727356
XP16-060-230	58000	12.2	15	54500	34200	8.2	L*43/61Y9	ML180UH110E60C	205727367
XP16-060-230	59000	12.5	15	54500	34200	8.2	L*43/61Y9	ML180UH110V60C	205727380
XP16-060-230	58000	12.2	15	54500	34200	8.2	L*43/61Y9	ML180UH110XE60C	205727391
XP16-060-230	58500	12.5	15	51000	33200	8.5	L*43/61Y9	ML180UH135E60D	205727419
XP16-060-230	56500	11.7	14.5	54500	33800	8.2	L*43/61Y9	ML180UH135E60D	205727405
XP16-060-230	57500	12.2	15	50500	33200	8.5	L*43/61Y9	ML193UH110XE60C	205727433
XP16-060-230	58500	12.2	15	54500	34600	8.2	L*43/61Y9	ML296UH090XV48C	205727444
XP16-060-230	59000	12.2	15	54500	34400	8.2	L*43/61Y9	ML296UH110XV60C	205727457
XP16-060-230	59000	12.2	15	54500	34200	8.2	L*43/61Y9	SL280UH080NV60C	205727470
XP16-060-230	59000	12.2	15	54500	34400	8.2	L*43/61Y9	SL280UH090V60C	205727481
XP16-060-230	59000	12.2	15	54500	34400	8.2	L*43/61Y9	SL280UH090XV60C	205727492
XP16-060-230	59000	12.5	15	54500	34200	8.2	L*43/61Y9	SL280UH100NV60C	205727505
XP16-060-230	59000	12.2	15	55000	34600	8.2	L*43/61Y9	SL280UH110V60C	205727516
XP16-060-230	59000	12.2	15	55000	34600	8.2	L*43/61Y9	SL280UH110XV60C	205727527
XP16-060-230	58000	12.2	15	51000	33400	8.5	L*43/61Y9	SL280UH135V60D	205727541
XP16-060-230	58500	12.2	15	54500	34200	8.2	L*43/61Y9	SL297UH080NV48C	205727551
XP16-060-230	59000	12.2	15	55000	34600	8.2	L*43/61Y9	SL297UH080NV60C	205727562

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-060-230	58500	12.2	15	54500	34600	8.2	L*43/61Y9	SLP98UH090XV48C	205727573
XP16-060-230	58500	11.7	15	55000	34800	8.2	L*43/61Y9	SLP98UH090XV60C	205727584
XP16-060-230	58500	12.2	15	54500	34600	8.2	L*43/61Y9	SLP98UH110XV60C	205727595
XP16-060-230	58500	12.2	15	51000	33200	8.5	L*43/61Y9	SLP98UH135XV60D	205727615
XP16-060-230	58500	12.2	15	54500	34600	8.2	L*43/61Y9	SLP99UH110XV60C	205727625
XP16-060-230	59000	11.7	15	59500	36000	8.5	L*43/61Y9	SLP99UH135XV60D	205760821
XP16-060-230	58500	12.2	15	54500	34200	8.2	L*43/61Z9	EL180UH100NE60C	205727233
XP16-060-230	58500	12.2	15	54500	34200	8.2	L*43/61Z9	EL195UH110XE60C	205727244
XP16-060-230	57500	12.2	16	50500	33000	8.5	L*43/61Z9	EL280UH110E60C	205727258
XP16-060-230	57500	12.2	16	50500	33000	8.5	L*43/61Z9	EL280UH110XE60C	203372055
XP16-060-230	58500	12.2	15	54500	34600	8.2	L*43/61Z9	EL296UH090XV48C	205727270
XP16-060-230	58500	11.7	15	55000	34800	8.2	L*43/61Z9	EL296UH090XV60C	205727281
XP16-060-230	58500	12.2	15	54500	34200	8.2	L*43/61Z9	EL296UH110XE60C	205727292
XP16-060-230	58500	12.2	15	54500	34400	8.2	L*43/61Z9	EL296UH110XV48C	205727305
XP16-060-230	58500	12.2	15	54500	34600	8.2	L*43/61Z9	EL296UH110XV60C	205727316
XP16-060-230	58500	11.7	15	59500	36000	8.5	L*43/61Z9	EL296UH135XE60D	205727330
XP16-060-230	58500	12.2	15	51000	33200	8.5	L*43/61Z9	EL296UH135XV60D	205727344
XP16-060-230	58500	12.2	15	54500	34200	8.2	L*43/61Z9	ML180UH090E60C	205727355
XP16-060-230	58000	12.2	15	54500	34200	8.2	L*43/61Z9	ML180UH110E60C	205727366
XP16-060-230	59000	12.5	15	54500	34200	8.2	L*43/61Z9	ML180UH110V60C	205727379
XP16-060-230	58000	12.2	15	54500	34200	8.2	L*43/61Z9	ML180UH110XE60C	205727390
XP16-060-230	58500	12.5	15	51000	33200	8.5	L*43/61Z9	ML180UH135E60D	205727418
XP16-060-230	56500	11.7	14.5	54500	33800	8.2	L*43/61Z9	ML180UH135E60D	205727404
XP16-060-230	57500	12.2	15	50500	33200	8.5	L*43/61Z9	ML193UH110XE60C	205727432
XP16-060-230	58500	12.2	15	54500	34600	8.2	L*43/61Z9	ML296UH090XV48C	205727443
XP16-060-230	59000	12.2	15	54500	34400	8.2	L*43/61Z9	ML296UH110XV60C	205727456
XP16-060-230	59000	12.2	15	54500	34200	8.2	L*43/61Z9	SL280UH080NV60C	205727469
XP16-060-230	59000	12.2	15	54500	34400	8.2	L*43/61Z9	SL280UH090V60C	205727480
XP16-060-230	59000	12.2	15	54500	34400	8.2	L*43/61Z9	SL280UH090XV60C	205727491
XP16-060-230	59000	12.5	15	54500	34200	8.2	L*43/61Z9	SL280UH100NV60C	205727504
XP16-060-230	59000	12.2	15	55000	34600	8.2	L*43/61Z9	SL280UH110V60C	205727515
XP16-060-230	59000	12.2	15	55000	34600	8.2	L*43/61Z9	SL280UH110XV60C	205727526
XP16-060-230	58000	12.2	15	51000	33400	8.5	L*43/61Z9	SL280UH135V60D	205727540
XP16-060-230	58500	12.2	15	54500	34200	8.2	L*43/61Z9	SL297UH080NV48C	205727550
XP16-060-230	59000	12.2	15	55000	34600	8.2	L*43/61Z9	SL297UH080NV60C	205727561
XP16-060-230	58500	12.2	15	54500	34600	8.2	L*43/61Z9	SLP98UH090XV48C	205727572
XP16-060-230	58500	11.7	15	55000	34800	8.2	L*43/61Z9	SLP98UH090XV60C	205727583
XP16-060-230	58500	12.2	15	54500	34600	8.2	L*43/61Z9	SLP98UH110XV60C	205727594
XP16-060-230	58500	12.2	15	51000	33200	8.5	L*43/61Z9	SLP98UH135XV60D	205727614
XP16-060-230	56500	12	15	55000	35800	8.2	L*43/61Z9	SLP99DF090XV60C	206551448
XP16-060-230	56500	12	15	55000	35800	8.2	L*43/61Z9	SLP99DF110XV60C	206551449
XP16-060-230	58500	12.2	15	54500	34600	8.2	L*43/61Z9	SLP99UH110XV60C	205727624
XP16-060-230	59000	11.7	15	59500	36000	8.5	L*43/61Z9	SLP99UH135XV60D	205760819
XP16-060-230	57500	12.5	16	50500	33000	8.5	L*48/60Y9	EL280UH110XE60C	203372063
XP16-060-230	58500	12.5	16	51000	33200	8.5	L*48/60Y9	EL296UH135XV60D	8106822
XP16-060-230	58000	12.5	16	51000	33400	8.5	L*48/60Y9	SL280UH135V60D	10260341
XP16-060-230	57500	12.5	16	50500	33000	8.5	L*48/60Z9	EL280UH110XE60C	203372062
XP16-060-230	58500	12.5	16	51000	33200	8.5	L*48/60Z9	EL296UH135XV60D	204720374
XP16-060-230	58000	12.5	16	51000	33400	8.5	L*48/60Z9	SL280UH135V60D	10032742
XP16-060-230	58000	12	15	54500	34200	8.2	L*49/62Y9	EL180UH100NE60C	205727230
XP16-060-230	58000	12	15	54500	34200	8.2	L*49/62Y9	EL195UH110XE60C	205727241
XP16-060-230	57500	12	16	50500	33000	8.5	L*49/62Y9	EL280UH110E60C	205727255
XP16-060-230	57500	12	16	50500	33000	8.5	L*49/62Y9	EL280UH110XE60C	203372052
XP16-060-230	58000	12	15	54500	34600	8.2	L*49/62Y9	EL296UH090XV48C	205727267

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-060-230	58000	11.5	15	55000	34800	8.2	L*49/62Y9	EL296UH090XV60C	205727278
XP16-060-230	58000	12	15	54500	34200	8.2	L*49/62Y9	EL296UH110XE60C	205727289
XP16-060-230	58000	12	15	54500	34400	8.2	L*49/62Y9	EL296UH110XV48C	205727302
XP16-060-230	58000	12	15	54500	34600	8.2	L*49/62Y9	EL296UH110XV60C	205727313
XP16-060-230	58000	11.5	15	59500	36000	8.5	L*49/62Y9	EL296UH135XE60D	205727327
XP16-060-230	58500	12	15	51000	33200	8.5	L*49/62Y9	EL296UH135XV60D	205727341
XP16-060-230	58000	12	15	54500	34200	8.2	L*49/62Y9	ML180UH090E60C	205727351
XP16-060-230	57500	12	15	54500	34200	8.2	L*49/62Y9	ML180UH110E60C	205727363
XP16-060-230	58500	12.5	15	54500	34200	8.2	L*49/62Y9	ML180UH110V60C	205727376
XP16-060-230	57500	12	15	54500	34200	8.2	L*49/62Y9	ML180UH110XE60C	205727387
XP16-060-230	58500	12.2	15	51000	33200	8.5	L*49/62Y9	ML180UH135E60D	205727415
XP16-060-230	56500	11.7	14.5	54500	33800	8.2	L*49/62Y9	ML180UH135E60D	205727401
XP16-060-230	57500	12	15	50500	33200	8.5	L*49/62Y9	ML193UH110XE60C	205727429
XP16-060-230	58000	12	15	54500	34600	8.2	L*49/62Y9	ML296UH090XV48C	205727440
XP16-060-230	58500	12	15	54500	34400	8.2	L*49/62Y9	ML296UH110XV60C	205727453
XP16-060-230	58500	12	15	54500	34200	8.2	L*49/62Y9	SL280UH080NV60C	205727466
XP16-060-230	58500	12	15	54500	34400	8.2	L*49/62Y9	SL280UH090V60C	205727477
XP16-060-230	58500	12	15	54500	34400	8.2	L*49/62Y9	SL280UH090XV60C	205727488
XP16-060-230	58500	12.5	15	54500	34200	8.2	L*49/62Y9	SL280UH100NV60C	205727501
XP16-060-230	58500	12	15	55000	34600	8.2	L*49/62Y9	SL280UH110V60C	205727512
XP16-060-230	58500	12	15	55000	34600	8.2	L*49/62Y9	SL280UH110XV60C	205727523
XP16-060-230	58000	12	15	51000	33400	8.5	L*49/62Y9	SL280UH135V60D	205727537
XP16-060-230	58000	12	15	54500	34200	8.2	L*49/62Y9	SL297UH080NV48C	205727547
XP16-060-230	58500	12	15	55000	34600	8.2	L*49/62Y9	SL297UH080NV60C	205727558
XP16-060-230	58000	12	15	54500	34600	8.2	L*49/62Y9	SLP98UH090XV48C	205727569
XP16-060-230	58000	11.5	15	55000	34800	8.2	L*49/62Y9	SLP98UH090XV60C	205727580
XP16-060-230	58000	12	15	54500	34600	8.2	L*49/62Y9	SLP98UH110XV60C	205727591
XP16-060-230	58500	12	15	51000	33200	8.5	L*49/62Y9	SLP98UH135XV60D	205727609
XP16-060-230	58000	12	15	54500	34600	8.2	L*49/62Y9	SLP99UH110XV60C	205727621
XP16-060-230	58500	11.5	15	59500	36000	8.5	L*49/62Y9	SLP99UH135XV60D	205760813
XP16-060-230	58000	12	15	54500	34200	8.2	L*49/62Z9	EL180UH100NE60C	205727229
XP16-060-230	58000	12	15	54500	34200	8.2	L*49/62Z9	EL195UH110XE60C	205727240
XP16-060-230	57500	12	16	50500	33000	8.5	L*49/62Z9	EL280UH110E60C	205727254
XP16-060-230	57500	12	16	50500	33000	8.5	L*49/62Z9	EL280UH110XE60C	203372051
XP16-060-230	58000	12	15	54500	34600	8.2	L*49/62Z9	EL296UH090XV48C	205727266
XP16-060-230	58000	11.5	15	55000	34800	8.2	L*49/62Z9	EL296UH090XV60C	205727277
XP16-060-230	58000	12	15	54500	34200	8.2	L*49/62Z9	EL296UH110XE60C	205727288
XP16-060-230	58000	12	15	54500	34400	8.2	L*49/62Z9	EL296UH110XV48C	205727301
XP16-060-230	58000	12	15	54500	34600	8.2	L*49/62Z9	EL296UH110XV60C	205727312
XP16-060-230	58000	11.5	15	59500	36000	8.5	L*49/62Z9	EL296UH135XE60D	205727326
XP16-060-230	58500	12	15	51000	33200	8.5	L*49/62Z9	EL296UH135XV60D	205727340
XP16-060-230	58000	12	15	54500	34200	8.2	L*49/62Z9	ML180UH090E60C	205727350
XP16-060-230	57500	12	15	54500	34200	8.2	L*49/62Z9	ML180UH110E60C	205727362
XP16-060-230	58500	12.5	15	54500	34200	8.2	L*49/62Z9	ML180UH110V60C	205727375
XP16-060-230	57500	12	15	54500	34200	8.2	L*49/62Z9	ML180UH110XE60C	205727386
XP16-060-230	56500	11.7	14.5	54500	33800	8.2	L*49/62Z9	ML180UH135E60D	205727400
XP16-060-230	58500	12.2	15	51000	33200	8.5	L*49/62Z9	ML180UH135E60D	205727414
XP16-060-230	57500	12	15	50500	33200	8.5	L*49/62Z9	ML193UH110XE60C	205727428
XP16-060-230	58000	12	15	54500	34600	8.2	L*49/62Z9	ML296UH090XV48C	205727439
XP16-060-230	58500	12	15	54500	34400	8.2	L*49/62Z9	ML296UH110XV60C	205727452
XP16-060-230	58500	12	15	54500	34200	8.2	L*49/62Z9	SL280UH080NV60C	205727465
XP16-060-230	58500	12	15	54500	34400	8.2	L*49/62Z9	SL280UH090V60C	205727476
XP16-060-230	58500	12	15	54500	34400	8.2	L*49/62Z9	SL280UH090XV60C	205727487
XP16-060-230	58500	12.5	15	54500	34200	8.2	L*49/62Z9	SL280UH100NV60C	205727500

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-060-230	58500	12	15	55000	34600	8.2	L*49/62Z9	SL280UH110V60C	205727511
XP16-060-230	58500	12	15	55000	34600	8.2	L*49/62Z9	SL280UH110XV60C	205727522
XP16-060-230	58000	12	15	51000	33400	8.5	L*49/62Z9	SL280UH135V60D	205727536
XP16-060-230	58000	12	15	54500	34200	8.2	L*49/62Z9	SL297UH080NV48C	205727546
XP16-060-230	58500	12	15	55000	34600	8.2	L*49/62Z9	SL297UH080NV60C	205727557
XP16-060-230	58000	12	15	54500	34600	8.2	L*49/62Z9	SLP98UH090XV48C	205727568
XP16-060-230	58000	11.5	15	55000	34800	8.2	L*49/62Z9	SLP98UH090XV60C	205727579
XP16-060-230	58000	12	15	54500	34600	8.2	L*49/62Z9	SLP98UH110XV60C	205727590
XP16-060-230	58500	12	15	51000	33200	8.5	L*49/62Z9	SLP98UH135XV60D	205727607
XP16-060-230	58000	12	15	54500	34600	8.2	L*49/62Z9	SLP99UH110XV60C	205727620
XP16-060-230	58500	11.5	15	59500	36000	8.5	L*49/62Z9	SLP99UH135XV60D	205760811
XP16-060-230	57500	12.5	16	50500	33000	8.5	L*49/63Z9	EL280UH110XE60C	203372064
XP16-060-230	57500	12.5	15	55500	35600	8.5	LD42/61Z9	EL180DF110E60C	205147319
XP16-060-230	56500	12	15	55000	35800	8.2	LD42/61Z9	EL296DF090XV60C	205147320
XP16-060-230	57000	12.5	15	55000	35600	8.2	LD42/61Z9	EL296DF110XE60C	205147321
XP16-060-230	56500	12	15	55000	35800	8.2	LD42/61Z9	EL296DF110XV60C	205147322
XP16-060-230	57500	12.5	15	55500	35600	8.5	LD42/61Z9	ML180DF110E60C	205147323
XP16-060-230	56500	12	15	55000	35800	8.2	LD42/61Z9	ML296DF090XV60C	205147324
XP16-060-230	57000	12	15	55500	35800	8.5	LD42/61Z9	SL280DF090V60C	205147325
XP16-060-230	57000	12.5	15	55500	35600	8.5	LD42/61Z9	SL280DF110V60C	205147326
XP16-060-230	56500	12	15	55000	35800	8.2	LD42/61Z9	SLP98DF090XV60C	205147327
XP16-060-230	56500	12	15	55000	35800	8.2	LD42/61Z9	SLP98DF110XV60C	205147328
XP16-060-230	56500	12	15	55000	35800	8.2	LD42/61Z9	SLP99DF090XV60C	205760798
XP16-060-230	56500	12	15	55000	35800	8.2	LD42/61Z9	SLP99DF110XV60C	205760800
XP16-060-230	57000	12	14.5	55500	36000	8.2	LD42/61Z9		204756328
XP16-060-230	57500	12	16	50500	33000	8.5	LH40/61E9	EL280UH110XE60C	203372049
XP16-060-230	57500	12	16	50500	33000	8.5	LH40/61W9	EL280UH110XE60C	203372048
XP16-060-230	58000	12	15	54500	34600	8.2	LH40/61W9	SLP99UH110XV60C	206551450
XP16-060-230	57000	12	16	50500	33000	8.5	LH40/62E9	EL280UH110E60C	205727252
XP16-060-230	57000	12	16	50500	33000	8.5	LH40/62E9	EL280UH110XE60C	205727265
XP16-060-230	57500	11.5	15	51000	33600	8.2	LH40/62E9	EL296UH135XE60D	205727324
XP16-060-230	58000	12	15	51000	33200	8.5	LH40/62E9	EL296UH135XV60D	205727338
XP16-060-230	58500	12.5	15	54500	34200	8.2	LH40/62E9	ML180UH110V60C	205727374
XP16-060-230	56500	11.5	14.5	54500	33800	8.2	LH40/62E9	ML180UH135E60D	205727398
XP16-060-230	58000	12.2	15	51000	33200	8.5	LH40/62E9	ML180UH135E60D	205727412
XP16-060-230	57000	12	15	50500	33200	8.5	LH40/62E9	ML193UH110XE60C	205727426
XP16-060-230	58500	12	15	54500	34400	8.2	LH40/62E9	ML296UH110XV60C	205727451
XP16-060-230	58500	12	15	54500	34200	8.2	LH40/62E9	SL280UH080NV60C	205727464
XP16-060-230	58500	12.5	15	54500	34200	8.2	LH40/62E9	SL280UH100NV60C	205727499
XP16-060-230	57500	12	15	51000	33400	8.5	LH40/62E9	SL280UH135V60D	205727534
XP16-060-230	58000	12	15	51000	33200	8.5	LH40/62E9	SLP98UH135XV60D	205727603
XP16-060-230	58000	11	15	59500	36000	8.5	LH40/62E9	SLP99UH135XV60D	205760806
XP16-060-230	57000	12	16	50500	33000	8.5	LH40/62W9	EL280UH110E60C	205727251
XP16-060-230	57000	12	16	50500	33000	8.5	LH40/62W9	EL280UH110XE60C	203372046
XP16-060-230	57500	11.5	15	51000	33600	8.2	LH40/62W9	EL296UH135XE60D	205727323
XP16-060-230	58000	12	15	51000	33200	8.5	LH40/62W9	EL296UH135XV60D	205727337
XP16-060-230	58500	12.5	15	54500	34200	8.2	LH40/62W9	ML180UH110V60C	205727373
XP16-060-230	58000	12.2	15	51000	33200	8.5	LH40/62W9	ML180UH135E60D	205727411
XP16-060-230	56500	11.5	14.5	54500	33800	8.2	LH40/62W9	ML180UH135E60D	205727397
XP16-060-230	57000	12	15	50500	33200	8.5	LH40/62W9	ML193UH110XE60C	205727425
XP16-060-230	58500	12	15	54500	34400	8.2	LH40/62W9	ML296UH110XV60C	205727450
XP16-060-230	58500	12	15	54500	34200	8.2	LH40/62W9	SL280UH080NV60C	205727463
XP16-060-230	58500	12.5	15	54500	34200	8.2	LH40/62W9	SL280UH100NV60C	205727498
XP16-060-230	57500	12	15	51000	33400	8.5	LH40/62W9	SL280UH135V60D	205727533

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-060-230	58000	12	15	51000	33200	8.5	LH40/62W9	SLP98UH135XV60D	205727602
XP16-060-230	58000	11	15	59500	36000	8.5	LH40/62W9	SLP99UH135XV60D	205760804
XP16-060-230	56000	11.7	15	50500	33000	8.2	LH41/61D9	EL280UH110E60C	205727253
XP16-060-230	56000	11.7	15	50500	33000	8.2	LH41/61D9	EL280UH110XE60C	203372047
XP16-060-230	56500	11	15	59500	36000	8.2	LH41/61D9	EL296UH135XE60D	205727325
XP16-060-230	57000	11.7	15	51000	33200	8.2	LH41/61D9	EL296UH135XV60D	205727339
XP16-060-230	57000	12	15	51000	33200	8.2	LH41/61D9	ML180UH135E60D	205727413
XP16-060-230	55500	11	14	54500	33800	8.2	LH41/61D9	ML180UH135E60D	205727399
XP16-060-230	56000	11.7	15	50500	33200	8.2	LH41/61D9	ML193UH110XE60C	205727427
XP16-060-230	56500	11.7	15	51000	33400	8.2	LH41/61D9	SL280UH135V60D	205727535
XP16-060-230	57000	11.7	15	51000	33200	8.2	LH41/61D9	SLP98UH135XV60D	205727605
XP16-060-230	57000	11	15	59500	36000	8.2	LH41/61D9	SLP99UH135XV60D	205760808
XP16-060-230	58500	12.2	15	54500	34200	8.2	LH42/62E9	EL180UH100NE60C	205727238
XP16-060-230	58500	12.2	15	54500	34200	8.2	LH42/62E9	EL195UH110XE60C	205727249
XP16-060-230	57500	12.2	16	50500	33000	8.5	LH42/62E9	EL280UH110E60C	205727263
XP16-060-230	57500	12.2	16	50500	33000	8.5	LH42/62E9	EL280UH110XE60C	203372060
XP16-060-230	58500	12.2	15	54500	34600	8.2	LH42/62E9	EL296UH090XV48C	205727275
XP16-060-230	58500	11.7	15	55000	34800	8.2	LH42/62E9	EL296UH090XV60C	205727286
XP16-060-230	58500	12.2	15	54500	34200	8.2	LH42/62E9	EL296UH110XE60C	205727299
XP16-060-230	58500	12.2	15	54500	34400	8.2	LH42/62E9	EL296UH110XV48C	205727310
XP16-060-230	58500	12.2	15	54500	34600	8.2	LH42/62E9	EL296UH110XV60C	205727321
XP16-060-230	58500	11.7	15	59500	36000	8.5	LH42/62E9	EL296UH135XE60D	205727335
XP16-060-230	58500	12.2	16	51000	33200	8.5	LH42/62E9	EL296UH135XV60D	205727348
XP16-060-230	58500	12.2	15	54500	34200	8.2	LH42/62E9	ML180UH090E60C	205727360
XP16-060-230	58000	12.2	15	54500	34200	8.2	LH42/62E9	ML180UH110E60C	205727371
XP16-060-230	59000	12.5	15	54500	34200	8.2	LH42/62E9	ML180UH110V60C	205727384
XP16-060-230	58000	12.2	15	54500	34200	8.2	LH42/62E9	ML180UH110XE60C	205727395
XP16-060-230	58500	12.5	16	51000	33200	8.5	LH42/62E9	ML180UH135E60D	205727423
XP16-060-230	56500	11.7	14.5	54500	33800	8.2	LH42/62E9	ML180UH135E60D	205727409
XP16-060-230	57500	12.2	15	50500	33200	8.5	LH42/62E9	ML193UH110XE60C	205727437
XP16-060-230	58500	12.2	15	54500	34600	8.2	LH42/62E9	ML296UH090XV48C	205727448
XP16-060-230	59000	12.2	15	54500	34400	8.2	LH42/62E9	ML296UH110XV60C	205727461
XP16-060-230	59000	12.2	15	54500	34200	8.2	LH42/62E9	SL280UH080NV60C	205727474
XP16-060-230	59000	12.2	15	54500	34400	8.2	LH42/62E9	SL280UH090V60C	205727485
XP16-060-230	59000	12.2	15	54500	34400	8.2	LH42/62E9	SL280UH090XV60C	205727496
XP16-060-230	59000	12.5	15	54500	34200	8.2	LH42/62E9	SL280UH100NV60C	205727509
XP16-060-230	59000	12.2	15	55000	34600	8.2	LH42/62E9	SL280UH110V60C	205727520
XP16-060-230	59000	12.2	15	55000	34600	8.2	LH42/62E9	SL280UH110XV60C	205727531
XP16-060-230	58000	12.2	16	51000	33400	8.5	LH42/62E9	SL280UH135V60D	205727544
XP16-060-230	58500	12.2	15	54500	34200	8.2	LH42/62E9	SL297UH080NV48C	205727555
XP16-060-230	59000	12.2	15	55000	34600	8.2	LH42/62E9	SL297UH080NV60C	205727566
XP16-060-230	58500	12.2	15	54500	34600	8.2	LH42/62E9	SLP98UH090XV48C	205727577
XP16-060-230	58500	11.7	15	55000	34800	8.2	LH42/62E9	SLP98UH090XV60C	205727588
XP16-060-230	58500	12.2	15	54500	34600	8.2	LH42/62E9	SLP98UH110XV60C	205727599
XP16-060-230	58500	12.2	16	51000	33200	8.5	LH42/62E9	SLP98UH135XV60D	205727618
XP16-060-230	58500	12.2	15	54500	34600	8.2	LH42/62E9	SLP99UH110XV60C	205727629
XP16-060-230	59000	11.7	15	59500	36000	8.5	LH42/62E9	SLP99UH135XV60D	205760844
XP16-060-230	58500	12.2	15	54500	34200	8.2	LH42/62W9	EL180UH100NE60C	205727237
XP16-060-230	58500	12.2	15	54500	34200	8.2	LH42/62W9	EL195UH110XE60C	205727248
XP16-060-230	57500	12.2	16	50500	33000	8.5	LH42/62W9	EL280UH110E60C	205727262
XP16-060-230	57500	12.2	16	50500	33000	8.5	LH42/62W9	EL280UH110XE60C	203372059
XP16-060-230	58500	12.2	15	54500	34600	8.2	LH42/62W9	EL296UH090XV48C	205727274
XP16-060-230	58500	11.7	15	55000	34800	8.2	LH42/62W9	EL296UH090XV60C	205727285
XP16-060-230	58500	12.2	15	54500	34200	8.2	LH42/62W9	EL296UH110XE60C	205727296

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-060-230	58500	12.2	15	54500	34400	8.2	LH42/62W9	EL296UH110XV48C	205727309
XP16-060-230	58500	12.2	15	54500	34600	8.2	LH42/62W9	EL296UH110XV60C	205727320
XP16-060-230	58500	11.7	15	59500	36000	8.5	LH42/62W9	EL296UH135XE60D	205727334
XP16-060-230	58500	12.2	16	51000	33200	8.5	LH42/62W9	EL296UH135XV60D	205727347
XP16-060-230	58500	12.2	15	54500	34200	8.2	LH42/62W9	ML180UH090E60C	205727359
XP16-060-230	58000	12.2	15	54500	34200	8.2	LH42/62W9	ML180UH110E60C	205727370
XP16-060-230	59000	12.5	15	54500	34200	8.2	LH42/62W9	ML180UH110V60C	205727383
XP16-060-230	58000	12.2	15	54500	34200	8.2	LH42/62W9	ML180UH110XE60C	205727394
XP16-060-230	58500	12.5	16	51000	33200	8.5	LH42/62W9	ML180UH135E60D	205727422
XP16-060-230	56500	11.7	14.5	54500	33800	8.2	LH42/62W9	ML180UH135E60D	205727408
XP16-060-230	57500	12.2	15	50500	33200	8.5	LH42/62W9	ML193UH110XE60C	205727436
XP16-060-230	58500	12.2	15	54500	34600	8.2	LH42/62W9	ML296UH090XV48C	205727447
XP16-060-230	59000	12.2	15	54500	34400	8.2	LH42/62W9	ML296UH110XV60C	205727460
XP16-060-230	59000	12.2	15	54500	34200	8.2	LH42/62W9	SL280UH080NV60C	205727473
XP16-060-230	59000	12.2	15	54500	34400	8.2	LH42/62W9	SL280UH090V60C	205727484
XP16-060-230	59000	12.2	15	54500	34400	8.2	LH42/62W9	SL280UH090XV60C	205727495
XP16-060-230	59000	12.5	15	54500	34200	8.2	LH42/62W9	SL280UH100NV60C	205727508
XP16-060-230	59000	12.2	15	55000	34600	8.2	LH42/62W9	SL280UH110V60C	205727519
XP16-060-230	59000	12.2	15	55000	34600	8.2	LH42/62W9	SL280UH110XV60C	205727530
XP16-060-230	58000	12.2	16	51000	33400	8.5	LH42/62W9	SL280UH135V60D	205727543
XP16-060-230	58500	12.2	15	54500	34200	8.2	LH42/62W9	SL297UH080NV48C	205727554
XP16-060-230	59000	12.2	15	55000	34600	8.2	LH42/62W9	SL297UH080NV60C	205727565
XP16-060-230	58500	12.2	15	54500	34600	8.2	LH42/62W9	SLP98UH090XV48C	205727576
XP16-060-230	58500	11.7	15	55000	34800	8.2	LH42/62W9	SLP98UH090XV60C	205727587
XP16-060-230	58500	12.2	15	54500	34600	8.2	LH42/62W9	SLP98UH110XV60C	205727598
XP16-060-230	58500	12.2	16	51000	33200	8.5	LH42/62W9	SLP98UH135XV60D	205727617
XP16-060-230	58500	12.2	15	54500	34600	8.2	LH42/62W9	SLP99UH110XV60C	205727628
XP16-060-230	59000	11.7	15	59500	36000	8.5	LH42/62W9	SLP99UH135XV60D	205760837
XP16-060-230	58500	12.2	15	54500	34200	8.2	LH48/60E9	EL180UH100NE60C	205727239
XP16-060-230	58500	12.2	15	54500	34200	8.2	LH48/60E9	EL195UH110XE60C	205727250
XP16-060-230	57500	12.2	16	50500	33000	8.5	LH48/60E9	EL280UH110E60C	205727264
XP16-060-230	57500	12.2	16	50500	33000	8.5	LH48/60E9	EL280UH110XE60C	203372061
XP16-060-230	58500	12.2	15	54500	34600	8.2	LH48/60E9	EL296UH090XV48C	205727276
XP16-060-230	58500	11.7	15	55000	34800	8.2	LH48/60E9	EL296UH090XV60C	205727287
XP16-060-230	58500	12.2	15	54500	34200	8.2	LH48/60E9	EL296UH110XE60C	205727300
XP16-060-230	58500	12.2	15	54500	34400	8.2	LH48/60E9	EL296UH110XV48C	205727311
XP16-060-230	58500	12.2	15	54500	34600	8.2	LH48/60E9	EL296UH110XV60C	205727322
XP16-060-230	58500	11.7	15	59500	36000	8.5	LH48/60E9	EL296UH135XE60D	205727336
XP16-060-230	58500	12.2	16	51000	33200	8.5	LH48/60E9	EL296UH135XV60D	205727349
XP16-060-230	58500	12.2	15	54500	34200	8.2	LH48/60E9	ML180UH090E60C	205727361
XP16-060-230	58000	12.2	15	54500	34200	8.2	LH48/60E9	ML180UH110E60C	205727372
XP16-060-230	59000	12.5	15	54500	34200	8.2	LH48/60E9	ML180UH110V60C	205727385
XP16-060-230	58000	12.2	15	54500	34200	8.2	LH48/60E9	ML180UH110XE60C	205727396
XP16-060-230	58500	12.5	16	51000	33200	8.5	LH48/60E9	ML180UH135E60D	205727424
XP16-060-230	56500	12	14.5	54500	33800	8.2	LH48/60E9	ML180UH135E60D	205727410
XP16-060-230	57500	12.2	15	50500	33200	8.5	LH48/60E9	ML193UH110XE60C	205727438
XP16-060-230	58500	12.2	15	54500	34600	8.2	LH48/60E9	ML296UH090XV48C	205727449
XP16-060-230	59000	12.2	15	54500	34400	8.2	LH48/60E9	ML296UH110XV60C	205727462
XP16-060-230	59000	12.2	15	54500	34200	8.2	LH48/60E9	SL280UH080NV60C	205727475
XP16-060-230	59000	12.2	15	54500	34400	8.2	LH48/60E9	SL280UH090V60C	205727486
XP16-060-230	59000	12.2	15	54500	34400	8.2	LH48/60E9	SL280UH090XV60C	205727497
XP16-060-230	59000	12.5	15	54500	34200	8.2	LH48/60E9	SL280UH100NV60C	205727510
XP16-060-230	59000	12.2	15	55000	34600	8.2	LH48/60E9	SL280UH110V60C	205727521
XP16-060-230	59000	12.2	15	55000	34600	8.2	LH48/60E9	SL280UH110XV60C	205727532

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-060-230	58000	12.2	16	51000	33400	8.5	LH48/60E9	SL280UH135V60D	205727545
XP16-060-230	58500	12.2	15	54500	34200	8.2	LH48/60E9	SL297UH080NV48C	205727556
XP16-060-230	59000	12.2	15	55000	34600	8.2	LH48/60E9	SL297UH080NV60C	205727567
XP16-060-230	58500	12.2	15	54500	34600	8.2	LH48/60E9	SLP98UH090XV48C	205727578
XP16-060-230	58500	11.7	15	55000	34800	8.2	LH48/60E9	SLP98UH090XV60C	205727589
XP16-060-230	58500	12.2	15	54500	34600	8.2	LH48/60E9	SLP98UH110XV60C	205727600
XP16-060-230	58500	12.2	16	51000	33200	8.5	LH48/60E9	SLP98UH135XV60D	205727619
XP16-060-230	58500	12.2	15	54500	34600	8.2	LH48/60E9	SLP99UH110XV60C	205727630
XP16-060-230	59000	11.7	15	59500	36000	8.5	LH48/60E9	SLP99UH135XV60D	205760849
XP16-060-230	56500	11.7	15	50500	33000	8.5	LH48/60F9	EL280UH110XE60C	203372050
XP16-060-230	58500	12.5	15	54500	34200	8.2	LH49/61E9	EL180UH100NE60C	205727236
XP16-060-230	58500	12.5	15	54500	34200	8.2	LH49/61E9	EL195UH110XE60C	205727247
XP16-060-230	57500	12.5	16	50500	33000	8.5	LH49/61E9	EL280UH110E60C	205727261
XP16-060-230	57500	12.5	16	50500	33000	8.5	LH49/61E9	EL280UH110XE60C	203372058
XP16-060-230	58500	12.5	15	54500	34600	8.2	LH49/61E9	EL296UH090XV48C	205727273
XP16-060-230	58500	12	15	55000	34800	8.2	LH49/61E9	EL296UH090XV60C	205727284
XP16-060-230	58500	12.5	15	54500	34200	8.2	LH49/61E9	EL296UH110XE60C	205727295
XP16-060-230	58500	12.5	15	54500	34400	8.2	LH49/61E9	EL296UH110XV48C	205727308
XP16-060-230	58500	12.5	15	54500	34600	8.2	LH49/61E9	EL296UH110XV60C	205727319
XP16-060-230	58000	12	15	51000	33600	8.2	LH49/61E9	EL296UH135XE60D	205727333
XP16-060-230	58500	12.5	16	51000	33200	8.5	LH49/61E9	EL296UH135XV60D	205727346
XP16-060-230	58500	12.5	15	54500	34200	8.2	LH49/61E9	ML180UH090E60C	205727358
XP16-060-230	58000	12.5	15	54500	34200	8.2	LH49/61E9	ML180UH110E60C	205727369
XP16-060-230	59000	12.5	15	54500	34200	8.2	LH49/61E9	ML180UH110V60C	205727382
XP16-060-230	58000	12.5	15	54500	34200	8.2	LH49/61E9	ML180UH110XE60C	205727393
XP16-060-230	56500	12	14.5	54500	33800	8.2	LH49/61E9	ML180UH135E60D	205727407
XP16-060-230	58500	12.5	16	51000	33200	8.5	LH49/61E9	ML180UH135E60D	205727421
XP16-060-230	57500	12.5	15	50500	33200	8.5	LH49/61E9	ML193UH110XE60C	205727435
XP16-060-230	58500	12.5	15	54500	34600	8.2	LH49/61E9	ML296UH090XV48C	205727446
XP16-060-230	59000	12.5	15	54500	34400	8.2	LH49/61E9	ML296UH110XV60C	205727459
XP16-060-230	59000	12.5	15	54500	34200	8.2	LH49/61E9	SL280UH080NV60C	205727472
XP16-060-230	59000	12.5	15	54500	34400	8.2	LH49/61E9	SL280UH090V60C	205727483
XP16-060-230	59000	12.5	15	54500	34400	8.2	LH49/61E9	SL280UH090XV60C	205727494
XP16-060-230	59000	12.5	15	54500	34200	8.2	LH49/61E9	SL280UH100NV60C	205727507
XP16-060-230	59000	12.5	15	55000	34600	8.2	LH49/61E9	SL280UH110V60C	205727518
XP16-060-230	59000	12.5	15	55000	34600	8.2	LH49/61E9	SL280UH110XV60C	205727529
XP16-060-230	58000	12.5	16	51000	33400	8.5	LH49/61E9	SL280UH135V60D	205727542
XP16-060-230	58500	12.5	15	54500	34200	8.2	LH49/61E9	SL297UH080NV48C	205727553
XP16-060-230	59000	12.5	15	55000	34600	8.2	LH49/61E9	SL297UH080NV60C	205727564
XP16-060-230	58500	12.5	15	54500	34600	8.2	LH49/61E9	SLP98UH090XV48C	205727575
XP16-060-230	58500	12	15	55000	34800	8.2	LH49/61E9	SLP98UH090XV60C	205727586
XP16-060-230	58500	12.5	15	54500	34600	8.2	LH49/61E9	SLP98UH110XV60C	205727597
XP16-060-230	58500	12.5	16	51000	33200	8.5	LH49/61E9	SLP98UH135XV60D	205727616
XP16-060-230	58500	12.5	15	54500	34600	8.2	LH49/61E9	SLP99UH110XV60C	205727627
XP16-060-230	59000	11.7	15	59500	36000	8.5	LH49/61E9	SLP99UH135XV60D	205760831
XP16-060-230	58500	12.5	15	54500	34200	8.2	LH49/61W9	EL180UH100NE60C	205727235
XP16-060-230	58500	12.5	15	54500	34200	8.2	LH49/61W9	EL195UH110XE60C	205727246
XP16-060-230	57500	12.5	16	50500	33000	8.5	LH49/61W9	EL280UH110E60C	205727260
XP16-060-230	57500	12.5	16	50500	33000	8.5	LH49/61W9	EL280UH110XE60C	203372057
XP16-060-230	58500	12.5	15	54500	34600	8.2	LH49/61W9	EL296UH090XV48C	205727272
XP16-060-230	58500	12	15	55000	34800	8.2	LH49/61W9	EL296UH090XV60C	205727283
XP16-060-230	58500	12.5	15	54500	34200	8.2	LH49/61W9	EL296UH110XE60C	205727294
XP16-060-230	58500	12.5	15	54500	34400	8.2	LH49/61W9	EL296UH110XV48C	205727307
XP16-060-230	58500	12.5	15	54500	34600	8.2	LH49/61W9	EL296UH110XV60C	205727318

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-060-230	58000	12	15	51000	33600	8.2	LH49/61W9	EL296UH135XE60D	205727332
XP16-060-230	58500	12.2	16	51000	33200	8.5	LH49/61W9	EL296UH135XV60D	8106824
XP16-060-230	58500	12.5	15	54500	34200	8.2	LH49/61W9	ML180UH090E60C	205727357
XP16-060-230	58000	12.5	15	54500	34200	8.2	LH49/61W9	ML180UH110E60C	205727368
XP16-060-230	59000	12.5	15	54500	34200	8.2	LH49/61W9	ML180UH110V60C	205727381
XP16-060-230	58000	12.5	15	54500	34200	8.2	LH49/61W9	ML180UH110XE60C	205727392
XP16-060-230	58500	12.5	16	51000	33200	8.5	LH49/61W9	ML180UH135E60D	205727420
XP16-060-230	56500	12	14.5	54500	33800	8.2	LH49/61W9	ML180UH135E60D	205727406
XP16-060-230	57500	12.5	15	50500	33200	8.5	LH49/61W9	ML193UH110XE60C	205727434
XP16-060-230	58500	12.5	15	54500	34600	8.2	LH49/61W9	ML296UH090XV48C	205727445
XP16-060-230	59000	12.5	15	54500	34400	8.2	LH49/61W9	ML296UH110XV60C	205727458
XP16-060-230	59000	12.5	15	54500	34200	8.2	LH49/61W9	SL280UH080NV60C	205727471
XP16-060-230	59000	12.5	15	54500	34400	8.2	LH49/61W9	SL280UH090V60C	205727482
XP16-060-230	59000	12.5	15	54500	34400	8.2	LH49/61W9	SL280UH090XV60C	205727493
XP16-060-230	59000	12.5	15	54500	34200	8.2	LH49/61W9	SL280UH100NV60C	205727506
XP16-060-230	59000	12.5	15	55000	34600	8.2	LH49/61W9	SL280UH110V60C	205727517
XP16-060-230	59000	12.5	15	55000	34600	8.2	LH49/61W9	SL280UH110XV60C	205727528
XP16-060-230	58000	12.2	16	51000	33400	8.5	LH49/61W9	SL280UH135V60D	10032741
XP16-060-230	58500	12.5	15	54500	34200	8.2	LH49/61W9	SL297UH080NV48C	205727552
XP16-060-230	59000	12.5	15	55000	34600	8.2	LH49/61W9	SL297UH080NV60C	205727563
XP16-060-230	58500	12.5	15	54500	34600	8.2	LH49/61W9	SLP98UH090XV48C	205727574
XP16-060-230	58500	12	15	55000	34800	8.2	LH49/61W9	SLP98UH090XV60C	205727585
XP16-060-230	58500	12.5	15	54500	34600	8.2	LH49/61W9	SLP98UH110XV60C	205727596
XP16-060-230	58500	12.2	16	51000	33200	8.5	LH49/61W9	SLP98UH135XV60D	10587929
XP16-060-230	58500	12.5	15	54500	34600	8.2	LH49/61W9	SLP99UH110XV60C	205727626
XP16-060-230	59000	11.7	15	59500	36000	8.5	LH49/61W9	SLP99UH135XV60D	205760825
XP16-060-230	57500	12.5	16	50500	33000	8.5	LH49/62W9	EL280UH110XE60C	203372065
XP16-060-230	58500	12.5	16	51000	33200	8.5	LH49/62W9	EL296UH135XV60D	9134529
XP16-060-230	58000	12.5	16	51000	33400	8.5	LH49/62W9	SL280UH135V60D	10260342
XP16-060-230	58500	12.5	16	51000	33200	8.5	LH49/62W9	SLP98UH135XV60D	10587930
XP16-060-230	59000	12	16	59500	36000	8.5	LH49/62W9	SLP99UH135XV60D	205760853
XP16-060-230	58500	12.5	15	54500	34600	8.2	LH60/61W9	SLP99UH110XV60C	206551451
XP16-060-230	59000	13	16	54500	34200	8.2	PL60H210P30	ML180UH110V60C	206776090
XP20-024-230	21400	12.5	18	19800	11400	9	L*18/36T9	SLP98UH070XV36B	204667926
XP20-024-230	22600	13	19	20600	12800	9	L*18/36T9	SLP99UH070XV36B	205761596
XP20-024-230	22600	13.5	18	20000	11900	9	L*19/36S9	SL280UH070XV36A	10258429
XP20-024-230	22000	13	18	20400	13100	9.5	L*19/36S9	SLP98DF070XV36B	8966433
XP20-024-230	21600	12.5	18	19800	11400	9	L*19/36S9	SLP98UH070XV36B	204667930
XP20-024-230	22000	13	18	20400	13100	9.5	L*19/36S9	SLP99DF070XV36B	205763409
XP20-024-230	22800	13.5	19	20600	12800	9.5	L*19/36S9	SLP99UH070XV36B	205761604
XP20-024-230	22600	13.5	19	20400	13100	9.5	L*29/36S9	SLP98DF070XV36B	10260416
XP20-024-230	22600	13.5	19	20400	13100	9.5	L*29/36S9	SLP99DF070XV36B	205763413
XP20-024-230	22600	13.5	19	20400	13100	9.5	L*29/36U9	SLP98DF070XV36B	10260415
XP20-024-230	22600	13.5	19	20400	13100	9.5	L*29/36U9	SLP99DF070XV36B	205763411
XP20-024-230	22600	13.5	19	20400	13100	9.5	L*30/36U9	SLP99DF070XV36B	206551465
XP20-024-230	23000	13.5	19	20600	12800	9.5	L*30/36U9	SLP99UH070XV36B	206551468
XP20-024-230	21600	12.5	18	19800	11400	9	L*35/36S9	SLP98UH070XV36B	204667934
XP20-024-230	23000	13.5	19	20600	12800	9.5	L*35/36S9	SLP99UH070XV36B	205761611
XP20-024-230	21600	12.5	18	19800	11400	9	L*35/36U9	SLP98UH070XV36B	204667933
XP20-024-230	22600	13.5	19	20400	13100	9.5	L*35/36U9	SLP99DF070XV36B	206551466
XP20-024-230	22600	14	19	20400	13100	9.5	L*35/36U9	SLP99DF090XV36C	206551467
XP20-024-230	23000	13.5	19	20600	12800	9.5	L*35/36U9	SLP99UH070XV36B	205761609
XP20-024-230	22600	13.5	18	20000	11900	9	LH29/36F9	SL280UH070XV36A	10258428
XP20-024-230	21600	12.5	18	19800	11400	9	LH29/36F9	SLP98UH070XV36B	204667927

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP20-024-230	22800	13.5	19	20600	12800	9.5	LH29/36F9	SLP99UH070XV36B	205761598
XP20-024-230	21600	12.5	18	19800	11400	9	LH35/36F9	SLP98UH070XV36B	204667929
XP20-024-230	23000	13.5	19	20600	12800	9.5	LH35/36F9	SLP99UH070XV36B	205761602
XP20-024-230	21600	12.5	18	19800	11300	9	LH35/36X9	SL280UH090V36B	206903473
XP20-024-230	21600	12.5	18	19800	11400	9	LH35/36X9	SLP98UH070XV36B	204667928
XP20-024-230	23000	13.5	19	20600	12800	9.5	LH35/36X9	SLP99UH070XV36B	205761600
XP20-024-230	21600	12.5	18	19800	11400	9	LH35/38F9	SLP98UH070XV36B	204667932
XP20-024-230	23000	13.5	19	20600	12800	9.5	LH35/38F9	SLP99UH070XV36B	205761607
XP20-024-230	21600	12.5	18	19800	11400	9	LH35/38X9	SLP98UH070XV36B	204667931
XP20-024-230	23000	13.5	19	20600	12800	9.5	LH35/38X9	SLP99UH070XV36B	205761606
XP20-036-230	34200	13	20	31200	19800	9.5	L*23/37Z9	SLP98DF090XV48C	205920612
XP20-036-230	34200	13	20	31200	20000	9	L*23/37Z9	SLP99DF070XV36B	206551519
XP20-036-230	34200	13	20	31200	19800	9.5	L*23/37Z9	SLP99DF090XV36C	206551521
XP20-036-230	34400	13	20	30400	19000	9.5	L*23/37Z9	SLP99UH070XV36B	206551524
XP20-036-230	35000	13.5	20	29200	18600	9	L*23/37Z9	SLP99UH090XV36C	206551528
XP20-036-230	34200	13	20	31200	20000	9	L*30/36U9	SLP99DF070XV36B	206551517
XP20-036-230	34400	13	20	30400	19000	9.5	L*30/36U9	SLP99UH070XV36B	206551522
XP20-036-230	33800	13	18	30000	19000	9.5	L*35/36S9	EL296UH090XV60C	205957602
XP20-036-230	34200	13	20	31200	20000	9	L*35/36U9	SLP99DF070XV36B	206551518
XP20-036-230	34200	13	20	31200	19800	9.5	L*35/36U9	SLP99DF090XV36C	206551520
XP20-036-230	34400	13	20	30400	19000	9.5	L*35/36U9	SLP99UH070XV36B	206551523
XP20-036-230	33800	13	19	30200	19200	9.5	L*35/36U9	SLP99UH090XV36C	206551526
XP20-036-230	35000	13.5	20	29200	18600	9	LH23/37W9	SLP99UH090XV36C	206551527
XP20-036-230	34600	13	20	29200	18600	9	LH35/38X9	SLP99UH090XV36C	206551525
XP20-048-230	47000	12	17	43500	28000	8.5	L*42/60Y9	EL296DF090XV60C	10156302
XP20-048-230	48000	12	19	42500	26800	9	L*42/60Y9	EL296UH090XV48C	202917427
XP20-048-230	46000	12	17	41000	26800	8.2	L*42/60Y9	EL296UH090XV60C	204667954
XP20-048-230	47000	12	18	43500	27600	8.5	L*42/60Y9	SL280DF090V60C	10258435
XP20-048-230	48000	12	18	42000	27800	9	L*42/60Y9	SL297UH080NV48C	206350247
XP20-048-230	48000	12	18	42000	27800	9	L*42/60Y9	SL297UH080NV60C	206350261
XP20-048-230	47000	12	18	43500	28000	8.5	L*42/60Y9	SLP98DF090XV48C	10156303
XP20-048-230	47000	12	17	43500	28000	8.5	L*42/60Y9	SLP98DF090XV60C	10156304
XP20-048-230	47000	12	18	41500	26200	9	L*42/60Y9	SLP98UH090XV48C	204667961
XP20-048-230	48000	12	19	42500	26800	9	L*42/60Y9	SLP98UH090XV48C	8745040
XP20-048-230	47000	12	18	41500	26200	9	L*42/60Y9	SLP98UH090XV60C	204667969
XP20-048-230	47000	12	18	43500	28000	8.5	L*42/60Y9	SLP99DF090XV48C	205760418
XP20-048-230	47000	12	17	43500	28000	8.5	L*42/60Y9	SLP99DF090XV60C	205760419
XP20-048-230	48000	12	19	42500	26800	9	L*42/60Z9	EL296UH090XV48C	202917426
XP20-048-230	46000	12	17	41000	26800	8.2	L*42/60Z9	EL296UH090XV60C	204667953
XP20-048-230	48000	12	18	42000	27800	9	L*42/60Z9	SL297UH080NV48C	206350246
XP20-048-230	48000	12	18	42000	27800	9	L*42/60Z9	SL297UH080NV60C	206350260
XP20-048-230	47000	12	18	41500	26200	9	L*42/60Z9	SLP98UH090XV48C	204667960
XP20-048-230	47000	12	18	41500	26200	9	L*42/60Z9	SLP98UH090XV60C	204667968
XP20-048-230	47000	12	18	43500	28000	8.5	L*42/60Z9	SLP99DF090XV48C	206551498
XP20-048-230	47000	12	17	43500	28000	8.5	L*42/60Z9	SLP99DF090XV60C	206551500
XP20-048-230	46000	12	17	41000	26800	8.2	L*42/60Z9	SLP99UH090XV60C	206551502
XP20-048-230	47000	12	18	43500	28000	8.5	L*43/61Z9	SLP99DF090XV48C	206551499
XP20-048-230	47000	12	17	43500	28000	8.5	L*43/61Z9	SLP99DF090XV60C	206551501
XP20-048-230	46000	12	17	41000	26800	8.2	L*43/61Z9	SLP99UH090XV60C	206551503
XP20-048-230	48000	12	18	42000	27800	9	L*48/60Y9	SL297UH080NV48C	206350255
XP20-048-230	48000	12	18	42000	27800	9	L*48/60Y9	SL297UH080NV60C	206350269
XP20-048-230	48000	12	18	42000	27800	9	L*48/60Z9	SL297UH080NV48C	206350254
XP20-048-230	48000	12	18	42000	27800	9	L*48/60Z9	SL297UH080NV60C	206350268
XP20-048-230	48000	12	19	42500	26800	9	L*49/63Z9	EL296UH090XV48C	204667951

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP20-048-230	46000	12	17	41000	26800	8.2	L*49/63Z9	EL296UH090XV60C	204667958
XP20-048-230	48000	12	18	42000	27800	9	L*49/63Z9	SL297UH080NV48C	206350256
XP20-048-230	48000	12	18	42000	27800	9	L*49/63Z9	SL297UH080NV60C	206350270
XP20-048-230	48000	12	18	41500	25400	9	L*49/63Z9	SLP98UH090XV48C	204667966
XP20-048-230	48000	12	18	41500	25400	9	L*49/63Z9	SLP98UH090XV60C	204667975
XP20-048-230	46000	12	17	41000	26800	8.2	LH40/61E9	SL280UH090V60C	205726838
XP20-048-230	48000	12	19	42000	26600	9	LH40/61E9	SL280UH090V60C	205726844
XP20-048-230	48000	12.5	18	41500	25400	9	LH40/61E9	SL280UH090V60C	205726841
XP20-048-230	46000	12	17	41000	26800	8.2	LH40/61E9	SL280UH090XV60C	205726847
XP20-048-230	48000	12.5	18	41500	25400	9	LH40/61E9	SL280UH090XV60C	205726850
XP20-048-230	48000	12	19	42000	26600	9	LH40/61E9	SL280UH090XV60C	205726853
XP20-048-230	46000	12	17	41000	26800	8.2	LH40/61E9	SL280UH110V60C	205726856
XP20-048-230	48000	12	18	42500	26800	9	LH40/61E9	SL280UH110V60C	205726862
XP20-048-230	48000	12	18	41500	25400	9	LH40/61E9	SL280UH110V60C	205726859
XP20-048-230	48000	12	18	42500	26800	9	LH40/61E9	SL280UH110XV60C	205726871
XP20-048-230	46000	12	17	41000	26800	8.2	LH40/61E9	SL280UH110XV60C	205726865
XP20-048-230	48000	12	18	41500	25400	9	LH40/61E9	SL280UH110XV60C	205726868
XP20-048-230	47500	12	18	42000	26600	9.5	LH40/61E9	SL280UH135V60D	205726874
XP20-048-230	47500	12	18	41500	25200	9	LH40/61E9	SL280UH135V60D	205726877
XP20-048-230	48000	12	19	42500	26800	9	LH42/62E9	EL296UH090XV48C	204667950
XP20-048-230	46000	12	17	41000	26800	8.2	LH42/62E9	EL296UH090XV60C	204667956
XP20-048-230	46000	12	17	41000	26800	8.2	LH42/62E9	SL280UH090V60C	205726840
XP20-048-230	48000	12.5	18	41500	25400	9	LH42/62E9	SL280UH090V60C	205726843
XP20-048-230	48000	12	19	42000	26600	9	LH42/62E9	SL280UH090V60C	205726846
XP20-048-230	48000	12.5	18	41500	25400	9	LH42/62E9	SL280UH090XV60C	205726852
XP20-048-230	48000	12	19	42000	26600	9	LH42/62E9	SL280UH090XV60C	205726855
XP20-048-230	46000	12	17	41000	26800	8.2	LH42/62E9	SL280UH090XV60C	205726849
XP20-048-230	46000	12	17	41000	26800	8.2	LH42/62E9	SL280UH110V60C	205726858
XP20-048-230	48000	12	18	41500	25400	9	LH42/62E9	SL280UH110V60C	205726861
XP20-048-230	48000	12	18	42500	26800	9	LH42/62E9	SL280UH110V60C	205726864
XP20-048-230	48000	12	18	42500	26800	9	LH42/62E9	SL280UH110XV60C	205726873
XP20-048-230	48000	12	18	41500	25400	9	LH42/62E9	SL280UH110XV60C	205726870
XP20-048-230	46000	12	17	41000	26800	8.2	LH42/62E9	SL280UH110XV60C	205726867
XP20-048-230	48000	12	18	41500	25200	9	LH42/62E9	SL280UH135V60D	205726879
XP20-048-230	47500	12	18	42000	26600	9.5	LH42/62E9	SL280UH135V60D	205726876
XP20-048-230	48000	12	18	42000	27800	9	LH42/62E9	SL297UH080NV48C	206350253
XP20-048-230	48000	12	18	42000	27800	9	LH42/62E9	SL297UH080NV60C	206350267
XP20-048-230	48000	12	19	42500	26800	9	LH42/62E9	SLP98UH090XV48C	8704422
XP20-048-230	48000	12	18	41500	25400	9	LH42/62E9	SLP98UH090XV48C	204667965
XP20-048-230	48000	12	18	41500	25400	9	LH42/62E9	SLP98UH090XV60C	204667974
XP20-048-230	48000	12	19	42500	26800	9	LH42/62E9	SLP98UH090XV60C	8704423
XP20-048-230	48000	12	19	42500	26800	9	LH42/62E9	SLP98UH110XV60C	8704424
XP20-048-230	48000	12	18	41500	25400	9.5	LH42/62E9	SLP98UH135XV60D	8704425
XP20-048-230	48000	12	18	42000	27600	9	LH42/62E9	SLP99UH135XV60D	205763418
XP20-048-230	48000	12	19	42500	26800	9	LH42/62W9	EL296UH090XV48C	204603091
XP20-048-230	46000	12	17	41000	26800	8.2	LH42/62W9	EL296UH090XV60C	204603093
XP20-048-230	48000	12	19	42500	26800	9	LH42/62W9	EL296UH090XV60C	204717085
XP20-048-230	46000	12	17	41000	26800	8.2	LH42/62W9	SL280UH090V60C	205726839
XP20-048-230	48000	12	19	42000	26600	9	LH42/62W9	SL280UH090V60C	205726845
XP20-048-230	48000	12.5	18	41500	25400	9	LH42/62W9	SL280UH090V60C	205726842
XP20-048-230	46000	12	17	41000	26800	8.2	LH42/62W9	SL280UH090XV60C	205726848
XP20-048-230	48000	12	19	42000	26600	9	LH42/62W9	SL280UH090XV60C	205726854
XP20-048-230	48000	12.5	18	41500	25400	9	LH42/62W9	SL280UH090XV60C	205726851
XP20-048-230	46000	12	17	41000	26800	8.2	LH42/62W9	SL280UH110V60C	205726857

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP20-048-230	48000	12	18	41500	25400	9	LH42/62W9	SL280UH110V60C	205726860
XP20-048-230	48000	12	18	42500	26800	9	LH42/62W9	SL280UH110V60C	205726863
XP20-048-230	48000	12	18	41500	25400	9	LH42/62W9	SL280UH110XV60C	205726869
XP20-048-230	48000	12	18	42500	26800	9	LH42/62W9	SL280UH110XV60C	205726872
XP20-048-230	46000	12	17	41000	26800	8.2	LH42/62W9	SL280UH110XV60C	205726866
XP20-048-230	47500	12	18	42000	26600	9.5	LH42/62W9	SL280UH135V60D	205726875
XP20-048-230	48000	12	18	41500	25200	9	LH42/62W9	SL280UH135V60D	205726878
XP20-048-230	48000	12	18	42000	27800	9	LH42/62W9	SL297UH080NV48C	206350251
XP20-048-230	48000	12	18	42000	27800	9	LH42/62W9	SL297UH080NV60C	206350265
XP20-048-230	48000	12	18	41500	25400	9	LH42/62W9	SLP98UH090XV48C	204667964
XP20-048-230	48000	12	18	41500	25400	9	LH42/62W9	SLP98UH090XV60C	204667973
XP20-048-230	46000	12	17	41000	26800	8.2	LH42/62W9	SLP99UH090XV60C	206551505
XP20-048-230	48000	12	19	42500	26800	9	LH49/61E9	EL296UH090XV48C	204667949
XP20-048-230	46000	12	17	41000	26800	8.2	LH49/61E9	EL296UH090XV60C	204667955
XP20-048-230	48000	12	18	42000	27800	9	LH49/61E9	SL297UH080NV48C	206350250
XP20-048-230	48000	12	18	42000	27800	9	LH49/61E9	SL297UH080NV60C	206350264
XP20-048-230	48000	12	18	41500	25400	9	LH49/61E9	SLP98UH090XV48C	204667963
XP20-048-230	48000	12	18	41500	25400	9	LH49/61E9	SLP98UH090XV60C	204667971
XP20-048-230	48000	12	19	42500	26800	9	LH49/61W9	EL296UH090XV48C	204603090
XP20-048-230	46000	12	17	41000	26800	8.2	LH49/61W9	EL296UH090XV60C	204603092
XP20-048-230	48000	12	18	42000	27800	9	LH49/61W9	SL297UH080NV48C	206350248
XP20-048-230	48000	12	18	42000	27800	9	LH49/61W9	SL297UH080NV60C	206350262
XP20-048-230	48000	12	18	41500	25400	9	LH49/61W9	SLP98UH090XV48C	204667962
XP20-048-230	48000	12	18	41500	25400	9	LH49/61W9	SLP98UH090XV60C	204667970
XP20-048-230	46000	12	17	41000	26800	8.2	LH49/61W9	SLP99UH090XV60C	206551504
XP20-048-230	48000	12	19	42500	26800	9	LH49/62W9	EL296UH090XV48C	204667952
XP20-048-230	46000	12	17	41000	26800	8.2	LH49/62W9	EL296UH090XV60C	204667959
XP20-048-230	48000	12	18	42000	27800	9	LH49/62W9	SL297UH080NV48C	206350259
XP20-048-230	48000	12	18	42000	27800	9	LH49/62W9	SL297UH080NV60C	206350273
XP20-048-230	48000	12	18	41500	25400	9	LH49/62W9	SLP98UH090XV48C	204667967
XP20-048-230	48000	12	18	41500	25400	9	LH49/62W9	SLP98UH090XV60C	204667976
XP20-048-230	48000	12	18	42000	27800	9	LH60/61W9	SL297UH080NV48C	206350257
XP20-048-230	48000	12	18	42000	27800	9	LH60/61W9	SL297UH080NV60C	206350271
XP20-048-230	46000	12	17	41000	26800	8.2	LH60/61W9	SLP99UH090XV60C	206551506
XP20-048-230	48000	12	18	42000	27800	9	PL60H210P19	SL297UH080NV48C	206350252
XP20-048-230	48000	12	18	42000	27800	9	PL60H210P19	SL297UH080NV60C	206350266
XP20-048-230	48000	12	18	42000	27800	9	PL60H210P30	SL297UH080NV48C	206350258
XP20-048-230	48000	12	18	42000	27800	9	PL60H210P30	SL297UH080NV60C	206350272
XP20-048-230	48000	12	18	42000	27800	9	PL60H210P52	SL297UH080NV48C	206350249
XP20-048-230	48000	12	18	42000	27800	9	PL60H210P52	SL297UH080NV60C	206350263
XP20-060-230	57000	12	19	52500	34400	9	L*42/60Y9	SL280UH090XV60C	10258424
XP20-060-230	57500	12	18	52000	33200	9	L*42/60Y9	SL280UH090XV60C	10258423
XP20-060-230	56500	12	18	53000	35200	8.5	L*42/60Y9	SL297UH080NV60C	206350274
XP20-060-230	57000	12	18	52500	33600	9.5	L*42/60Y9	SLP98UH090XV60C	204667935
XP20-060-230	56000	12	18	52000	34800	9.5	L*42/60Y9	SLP99DF090XV60C	206727752
XP20-060-230	56000	12	18	52000	34800	9.5	L*42/60Z9	EL296DF110XV60C	205333351
XP20-060-230	57500	12	18	52500	33400	9.5	L*42/60Z9	EL296UH110XV60C	10323992
XP20-060-230	56500	12	19	51500	34400	9.5	L*42/60Z9	SL280DF090V60C	10258422
XP20-060-230	57000	12	19	52500	34400	9	L*42/60Z9	SL280UH090XV60C	10263336
XP20-060-230	56500	12	18	53000	35200	8.5	L*42/60Z9	SL297UH080NV60C	206349894
XP20-060-230	57000	12	18	52500	33600	9.5	L*42/60Z9	SLP98UH090XV60C	204603082
XP20-060-230	57500	12	18	52500	33400	9.5	L*42/60Z9	SLP98UH110XV60C	204603085
XP20-060-230	56500	12	18	53000	35000	9	L*42/60Z9	SLP99UH135XV60D	206551509
XP20-060-230	57500	12	18	52500	33400	9.5	L*43/61Z9	EL296UH110XV60C	10323993

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP20-060-230	57000	12	19	52500	34400	9	L*43/61Z9	SL280UH090XV60C	10258425
XP20-060-230	56000	12	18	52000	34800	9.5	L*43/61Z9	SLP99DF090XV60C	206551507
XP20-060-230	56000	12	18	52000	34800	9.5	L*43/61Z9	SLP99DF110XV60C	206551508
XP20-060-230	56500	12	18	53000	35200	8.5	L*48/60Y9	SL297UH080NV60C	206350282
XP20-060-230	57500	12	18	52500	33400	9.5	L*48/60Z9	EL296UH110XV60C	10323994
XP20-060-230	56500	12	18	53000	35200	8.5	L*48/60Z9	SL297UH080NV60C	206350281
XP20-060-230	57000	12	18	52500	33600	9.5	L*48/60Z9	SLP98UH090XV60C	204603083
XP20-060-230	57500	12	18	52500	33400	9.5	L*48/60Z9	SLP98UH110XV60C	204603086
XP20-060-230	57500	12	18	52500	33400	9.5	L*49/63Z9	EL296UH110XV60C	10323995
XP20-060-230	57000	12	19	52500	34400	9	L*49/63Z9	SL280UH090V60C	206401723
XP20-060-230	56500	12	18	53000	35200	8.5	L*49/63Z9	SL297UH080NV60C	206350283
XP20-060-230	57000	12	18	52500	33600	9.5	L*49/63Z9	SLP98UH090XV60C	204603084
XP20-060-230	57500	12	18	52500	33400	9.5	L*49/63Z9	SLP98UH110XV60C	204603087
XP20-060-230	57000	12	18	52500	33400	9	LH40/62W9	EL296UH110XV60C	10318034
XP20-060-230	57500	12	18	52000	33200	9.5	LH42/62E9	SL280UH090V60C	205724869
XP20-060-230	57000	12	19	52500	34400	9	LH42/62E9	SL280UH090XV60C	10263337
XP20-060-230	56500	12	18	53000	35200	8.5	LH42/62E9	SL297UH080NV60C	206350280
XP20-060-230	57000	12	18	52500	33600	9.5	LH42/62E9	SLP98UH090XV60C	204667937
XP20-060-230	56500	11.5	18	53000	34800	9	LH42/62E9	SLP98UH090XV60C	8704426
XP20-060-230	56500	11.5	18	53000	34800	9	LH42/62E9	SLP98UH110XV60C	8704427
XP20-060-230	56500	12	18	53000	35000	9	LH42/62E9	SLP98UH135XV60D	8704428
XP20-060-230	56500	12	18	53000	35000	9	LH42/62E9	SLP99UH135XV60D	205760423
XP20-060-230	57500	12	18	52500	33400	9.5	LH42/62W9	EL296UH110XV60C	10318036
XP20-060-230	57500	12	18	52000	33200	9.5	LH42/62W9	SL280UH090V60C	205724868
XP20-060-230	57000	12	19	52500	34400	9	LH42/62W9	SL280UH090XV60C	10263338
XP20-060-230	56500	12	18	53000	35200	8.5	LH42/62W9	SL297UH080NV60C	206350278
XP20-060-230	57000	12	18	52500	33600	9.5	LH42/62W9	SLP98UH090XV60C	204667936
XP20-060-230	56500	12	18	53000	35200	8.5	LH49/61E9	SL297UH080NV60C	206350277
XP20-060-230	57000	12	18	52500	33600	9.5	LH49/61E9	SLP98UH090XV60C	204667939
XP20-060-230	57500	12	18	52500	33400	9.5	LH49/61W9	EL296UH110XV60C	10318035
XP20-060-230	56500	12	18	53000	35200	8.5	LH49/61W9	SL297UH080NV60C	206350275
XP20-060-230	57000	12	18	52500	33600	9.5	LH49/61W9	SLP98UH090XV60C	204667938
XP20-060-230	57500	12	18	52500	33400	9.5	LH49/62W9	EL296UH110XV60C	10318037
XP20-060-230	56500	12	18	53000	35200	8.5	LH49/62W9	SL297UH080NV60C	206350286
XP20-060-230	56500	11.5	18	53000	34800	9	LH49/62W9	SLP98UH090XV60C	10260414
XP20-060-230	57000	12	18	52500	33600	9.5	LH49/62W9	SLP98UH090XV60C	10260413
XP20-060-230	56500	12	18	53000	35200	8.5	LH60/61W9	SL297UH080NV60C	206350284
XP20-060-230	56500	12	18	53000	35200	8.5	PL60H210P19	SL297UH080NV60C	206350279
XP20-060-230	56500	12	18	53000	35200	8.5	PL60H210P30	SL297UH080NV60C	206350285
XP20-060-230	56500	12	18	53000	35200	8.5	PL60H210P52	SL297UH080NV60C	206350276
XP21-024-230	25400	13	18	20800	12500	8.5	L*18/36T9	EL180UH045E36A	206775982
XP21-024-230	23000	13	16	20400	13700	8.5	L*18/36T9	EL280UH070E36A	206776011
XP21-024-230	23000	13	16	20400	13700	8.5	L*18/36T9	EL280UH070XE36A	203372066
XP21-024-230	23000	13	16	20400	13700	8.5	L*18/36T9	EL280UH090E36B	206776020
XP21-024-230	25000	13	18	20600	12300	8.2	L*18/36T9	EL296UH045XV36B	206776038
XP21-024-230	25800	13	19	21000	12600	8.5	L*18/36T9	EL296UH070XV36B	206776049
XP21-024-230	24400	12.2	16	21200	12600	9	L*18/36T9	SL280DF090V48B	5436283
XP21-024-230	25400	13	19	22000	12300	8.5	L*18/36T9	SL280UH070V36A	5436284
XP21-024-230	25400	13	19	22000	12300	8.5	L*18/36T9	SL280UH070XV36A	5436285
XP21-024-230	24200	12.2	17	21000	12500	9	L*18/36T9	SLP98DF070XV36B	5436289
XP21-024-230	23800	12.2	17	21000	12500	9	L*18/36T9	SLP98DF090XV36C	5436290
XP21-024-230	24400	12.2	17	22000	12600	9	L*18/36T9	SLP98DF090XV48C	5436291
XP21-024-230	25000	13	18	20600	12300	8.2	L*18/36T9	SLP98UH070XV36B	5436292
XP21-024-230	24200	12.2	17	21000	12500	9	L*18/36T9	SLP99DF070XV36B	205763461

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-024-230	23800	12.2	17	21000	12500	9	L*18/36T9	SLP99DF090XV36C	205763470
XP21-024-230	24400	12.2	17	21200	12600	9	L*18/36T9	SLP99DF090XV48C	205761647
XP21-024-230	23600	12.2	17	20600	12300	8.2	L*18/36T9	SLP99UH070XV36B	205763740
XP21-024-230	25600	13	18	20800	12500	8.5	L*19/36S9	EL180UH045E36A	206775983
XP21-024-230	23400	13	16	20600	13800	8.5	L*19/36S9	EL280UH045E36A	206776005
XP21-024-230	23400	13	16	20400	13700	8.5	L*19/36S9	EL280UH070E36A	206776012
XP21-024-230	23400	13	16	20400	13700	8.5	L*19/36S9	EL280UH070XE36A	203372070
XP21-024-230	23400	13	16	20400	13700	8.5	L*19/36S9	EL280UH090E36B	206776024
XP21-024-230	25200	13	18	20600	12300	8.2	L*19/36S9	EL296UH045XV36B	206776042
XP21-024-230	26000	13	19	21000	12600	8.5	L*19/36S9	EL296UH070XV36B	206776053
XP21-024-230	24600	12.5	16	21200	12600	9	L*19/36S9	SL280DF090V48B	5436299
XP21-024-230	25600	13	19	22000	12300	8.5	L*19/36S9	SL280UH070V36A	5436300
XP21-024-230	25600	13	19	20600	12300	8.5	L*19/36S9	SL280UH070XV36A	10258427
XP21-024-230	25600	13	19	22000	12300	8.5	L*19/36S9	SL280UH070XV36A	5436301
XP21-024-230	24400	12.2	17	21000	12500	9	L*19/36S9	SLP98DF070XV36B	5436305
XP21-024-230	24200	12.5	17	22000	12500	9	L*19/36S9	SLP98DF090XV36C	5436306
XP21-024-230	24600	12.5	17	22000	12600	9	L*19/36S9	SLP98DF090XV48C	5436307
XP21-024-230	25200	13	18	22000	12300	8.2	L*19/36S9	SLP98UH070XV36B	5436308
XP21-024-230	24400	12.2	17	21000	12500	9	L*19/36S9	SLP99DF070XV36B	205763463
XP21-024-230	24200	12.5	17	21000	12500	9	L*19/36S9	SLP99DF090XV36C	205763472
XP21-024-230	24600	12.5	17	21200	12600	9	L*19/36S9	SLP99DF090XV48C	205761649
XP21-024-230	23800	12.2	17	20600	12300	8.2	L*19/36S9	SLP99UH070XV36B	205763746
XP21-024-230	24600	13	16	21000	14300	8.5	L*23/37Z9	EL195UH045XE36B	206775996
XP21-024-230	24600	13	16	20400	13600	8.5	L*23/37Z9	EL196UH045XE36B	206776004
XP21-024-230	24000	13	17	20400	13700	9	L*23/37Z9	EL280UH070XE36A	203372096
XP21-024-230	24000	13	17	20400	13700	9	L*23/37Z9	EL280UH090E36B	206776030
XP21-024-230	25200	13	16	20400	13600	8.5	L*23/37Z9	EL296UH045XE36B	206776036
XP21-024-230	25600	13	18	20400	12200	8.5	L*23/37Z9	EL296UH045XV36B	7470207
XP21-024-230	26000	13.5	19	21000	12600	8.5	L*23/37Z9	EL296UH070XV36B	206776059
XP21-024-230	25200	13.5	18	20800	11600	8.5	L*23/37Z9	EL296UH090XV36C	206776065
XP21-024-230	25800	13.5	18	21000	11800	8.5	L*23/37Z9	EL296UH090XV48C	206776071
XP21-024-230	25000	13	18	21000	12500	9	L*23/37Z9	SLP99DF070XV36B	206551437
XP21-024-230	25400	13	18	21000	12500	9	L*23/37Z9	SLP99DF090XV36C	206551439
XP21-024-230	25400	13	18	20600	12300	8.5	L*23/37Z9	SLP99UH070XV36B	206551443
XP21-024-230	25200	13.5	18	20800	11600	8.5	L*23/37Z9	SLP99UH090XV36C	206551447
XP21-024-230	24000	13	17	20400	13700	9	L*24/36Y9	EL280UH070XE36A	203372104
XP21-024-230	24000	13	17	20400	13700	9	L*24/36Z9	EL280UH070XE36A	203372102
XP21-024-230	23400	13	16	20400	13700	8.5	L*24/42S9	EL280UH070XE36A	203372071
XP21-024-230	24000	13	17	20400	13700	9	L*25/37Y9	EL280UH070XE36A	203372100
XP21-024-230	24000	13	17	20400	13700	9	L*25/37Z9	EL280UH070XE36A	203372098
XP21-024-230	24000	13	17	20400	13700	9	L*29/36S9	EL280UH070XE36A	203372086
XP21-024-230	25200	12.5	17	21200	12600	9	L*29/36S9	SL280DF090V48B	5436315
XP21-024-230	25600	13.5	19	22000	12300	8.5	L*29/36S9	SL280UH070V36A	5436316
XP21-024-230	25600	13.5	19	22000	12300	8.5	L*29/36S9	SL280UH070XV36A	5436317
XP21-024-230	25400	13.5	18	20600	12300	8.2	L*29/36S9	SL280UH090V36B	5436318
XP21-024-230	25400	13.5	18	20800	12400	8.2	L*29/36S9	SL280UH090V48B	5436319
XP21-024-230	25400	13.5	18	20800	12400	8.2	L*29/36S9	SL280UH090XV48B	5436320
XP21-024-230	25000	12.5	18	21000	12500	9	L*29/36S9	SLP98DF070XV36B	5436321
XP21-024-230	25000	12.5	17	21000	12500	9	L*29/36S9	SLP98DF090XV36C	5436322
XP21-024-230	25400	12.5	17	21200	12600	9	L*29/36S9	SLP98DF090XV48C	5436323
XP21-024-230	25200	13.5	18	20600	12300	8.2	L*29/36S9	SLP98UH070XV36B	5436324
XP21-024-230	25000	12.5	18	21000	12500	9	L*29/36S9	SLP99DF070XV36B	205763466
XP21-024-230	25000	12.5	17	21000	12500	9	L*29/36S9	SLP99DF090XV36C	205763474
XP21-024-230	25400	12.5	17	21200	12600	9	L*29/36S9	SLP99DF090XV48C	205761651

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-024-230	25600	13	17	20600	13700	8.5	L*29/36S9	SLP99UH070XV36B	205763749
XP21-024-230	24000	13	17	20400	13700	9	L*29/36U9	EL280UH070XE36A	203372082
XP21-024-230	23800	13	17	20400	13700	9	L*30/36S9	EL280UH070XE36A	203372080
XP21-024-230	23800	13	17	20400	13700	9	L*30/36U9	EL280UH070XE36A	203372078
XP21-024-230	25000	12.5	18	21000	12500	9	L*30/36U9	SLP99DF070XV36B	206551435
XP21-024-230	25400	13	17	20600	13700	8.5	L*30/36U9	SLP99UH070XV36B	206551441
XP21-024-230	25600	13.5	18	20800	12500	8.5	L*35/36S9	EL180UH045E36A	206775985
XP21-024-230	24600	13	16	21000	14300	8.5	L*35/36S9	EL195UH045XE36B	206775995
XP21-024-230	24600	13	16	20400	13600	8.5	L*35/36S9	EL196UH045XE36B	206776003
XP21-024-230	24000	13	17	20600	13800	9	L*35/36S9	EL280UH045E36A	206776007
XP21-024-230	24000	13	17	20400	13700	9	L*35/36S9	EL280UH070E36A	206776014
XP21-024-230	24000	13	17	20400	13700	9	L*35/36S9	EL280UH070XE36A	203372088
XP21-024-230	24000	13	17	20400	13700	9	L*35/36S9	EL280UH090E36B	206776029
XP21-024-230	25200	13	16	20400	13600	8.5	L*35/36S9	EL296UH045XE36B	206776035
XP21-024-230	25200	13.5	18	20600	12300	8.2	L*35/36S9	EL296UH045XV36B	206776047
XP21-024-230	26000	13.5	19	21000	12600	8.5	L*35/36S9	EL296UH070XV36B	206776058
XP21-024-230	25200	13	18	20800	11600	8.5	L*35/36S9	EL296UH090XV36C	206776063
XP21-024-230	25800	13	18	21000	11800	8.5	L*35/36S9	EL296UH090XV48C	206776069
XP21-024-230	25200	12.5	17	21200	12600	9	L*35/36S9	SL280DF090V48B	5436331
XP21-024-230	25600	13.5	19	22000	12300	8.5	L*35/36S9	SL280UH070V36A	5436332
XP21-024-230	25600	13.5	19	22000	12300	8.5	L*35/36S9	SL280UH070XV36A	5436333
XP21-024-230	25400	13.5	18	20600	12300	8.2	L*35/36S9	SL280UH090V36B	5436334
XP21-024-230	25400	13.5	18	20800	12400	8.2	L*35/36S9	SL280UH090V48B	5436335
XP21-024-230	25400	13.5	18	20800	12400	8.2	L*35/36S9	SL280UH090XV48B	5436336
XP21-024-230	25000	12.5	18	21000	12500	9	L*35/36S9	SLP98DF070XV36B	5436337
XP21-024-230	25000	12.5	17	21000	12500	9	L*35/36S9	SLP98DF090XV36C	5436338
XP21-024-230	25400	12.5	17	21200	12600	9	L*35/36S9	SLP98DF090XV48C	5436339
XP21-024-230	25200	13.5	18	20600	12300	8.2	L*35/36S9	SLP98UH070XV36B	5436340
XP21-024-230	25000	12.5	18	21000	12500	9	L*35/36S9	SLP99DF070XV36B	205763468
XP21-024-230	25000	12.5	17	21000	12500	9	L*35/36S9	SLP99DF090XV36C	205763476
XP21-024-230	25400	12.5	17	21200	12600	9	L*35/36S9	SLP99DF090XV48C	205761653
XP21-024-230	25600	13	17	20600	13700	8.5	L*35/36S9	SLP99UH070XV36B	205763751
XP21-024-230	25600	13.5	18	20800	12500	8.5	L*35/36U9	EL180UH045E36A	206775984
XP21-024-230	24600	13	16	21000	14300	8.5	L*35/36U9	EL195UH045XE36B	206775994
XP21-024-230	24600	13	16	20400	13600	8.5	L*35/36U9	EL196UH045XE36B	206776002
XP21-024-230	24000	13	17	20600	13800	9	L*35/36U9	EL280UH045E36A	206776006
XP21-024-230	24000	13	17	20400	13700	9	L*35/36U9	EL280UH070E36A	206776013
XP21-024-230	24000	13	17	20400	13700	9	L*35/36U9	EL280UH070XE36A	203372084
XP21-024-230	24000	13	17	20400	13700	9	L*35/36U9	EL280UH090E36B	206776028
XP21-024-230	25200	13	16	20400	13600	8.5	L*35/36U9	EL296UH045XE36B	206776034
XP21-024-230	25200	13.5	18	20600	12300	8.2	L*35/36U9	EL296UH045XV36B	206776046
XP21-024-230	26000	13.5	19	21000	12600	8.5	L*35/36U9	EL296UH070XV36B	206776057
XP21-024-230	25200	13	18	20800	11600	8.5	L*35/36U9	EL296UH090XV36C	206776062
XP21-024-230	25800	13	18	21000	11800	8.5	L*35/36U9	EL296UH090XV48C	206776068
XP21-024-230	25000	12.5	18	21000	12500	9	L*35/36U9	SLP99DF070XV36B	206551436
XP21-024-230	25000	12.5	17	21000	12500	9	L*35/36U9	SLP99DF090XV36C	206551438
XP21-024-230	25600	13	17	20600	13700	8.5	L*35/36U9	SLP99UH070XV36B	206551442
XP21-024-230	25200	13	18	20800	11600	8.5	L*35/36U9	SLP99UH090XV36C	206551445
XP21-024-230	24600	12.2	16	21600	13000	8.5	LD24/35Z9		204756329
XP21-024-230	25800	13	18	20800	12400	8.5	LH18/37D9	EL180UH045E36A	206775988
XP21-024-230	23600	13	16	20600	13800	9	LH18/37D9	EL280UH045E36A	206776010
XP21-024-230	23600	13	16	20400	13700	9	LH18/37D9	EL280UH070E36A	206776017
XP21-024-230	23600	13	16	20400	13700	9	LH18/37D9	EL280UH070XE36A	203372092
XP21-024-230	25400	13	18	20600	12300	8.2	LH18/37D9	EL296UH045XV36B	7470208

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-024-230	26000	13	19	21000	12600	8.5	LH18/37D9	EL296UH070XV36B	7470210
XP21-024-230	25800	13	18	20800	12400	8.5	LH18/37R9	EL180UH045E36A	206775986
XP21-024-230	23600	13	16	20600	13800	9	LH18/37R9	EL280UH045E36A	206776008
XP21-024-230	23600	13	16	20400	13700	9	LH18/37R9	EL280UH070E36A	206776015
XP21-024-230	23600	13	16	20400	13700	9	LH18/37R9	EL280UH070XE36A	203372090
XP21-024-230	25400	13	18	20600	12300	8.2	LH18/37R9	EL296UH045XV36B	7470209
XP21-024-230	26000	13	19	21000	12600	8.5	LH18/37R9	EL296UH070XV36B	7470211
XP21-024-230	24000	13	17	20400	13700	9	LH23/37W9	EL280UH070XE36A	203372094
XP21-024-230	25200	13.5	18	20800	11600	8.5	LH23/37W9	EL296UH090XV36C	206776064
XP21-024-230	25800	13.5	18	21000	11800	8.5	LH23/37W9	EL296UH090XV48C	206776070
XP21-024-230	25200	13.5	18	20800	11600	8.5	LH23/37W9	SLP99UH090XV36C	206551446
XP21-024-230	25400	13	19	22000	12300	8.5	LH24/37F9	SL280UH070V36A	5436345
XP21-024-230	25400	13	19	22000	12300	8.5	LH24/37F9	SL280UH070XV36A	5436346
XP21-024-230	25000	13	18	20600	12300	8.2	LH24/37F9	SLP98UH070XV36B	5436350
XP21-024-230	23400	13	16	20400	13700	8.5	LH29/36F9	EL280UH070XE36A	203372067
XP21-024-230	23400	13	16	20400	13700	8.5	LH29/36F9	EL280UH090E36B	206776021
XP21-024-230	25200	13	18	20600	12300	8.2	LH29/36F9	EL296UH045XV36B	206776039
XP21-024-230	26000	13	19	21000	12600	8.5	LH29/36F9	EL296UH070XV36B	206776050
XP21-024-230	25600	13	19	22000	12300	8.5	LH29/36F9	SL280UH070V36A	5436355
XP21-024-230	25600	13	19	22000	12300	8.5	LH29/36F9	SL280UH070XV36A	5436356
XP21-024-230	25600	13	19	20600	12300	8.5	LH29/36F9	SL280UH070XV36A	10258426
XP21-024-230	25200	13	18	20600	12300	8.2	LH29/36F9	SLP98UH070XV36B	5436360
XP21-024-230	23800	12.2	17	20600	12300	8.2	LH29/36F9	SLP99UH070XV36B	205763742
XP21-024-230	24400	13	16	21000	14300	8.5	LH35/36F9	EL195UH045XE36B	206775991
XP21-024-230	24400	13	16	20400	13600	8.5	LH35/36F9	EL196UH045XE36B	206775999
XP21-024-230	23800	13	17	20400	13700	9	LH35/36F9	EL280UH070XE36A	203372069
XP21-024-230	23800	13	17	20400	13700	9	LH35/36F9	EL280UH090E36B	206776023
XP21-024-230	25400	13	18	20600	12300	8.2	LH35/36F9	EL296UH045XV36B	206776041
XP21-024-230	26000	13	19	21000	12600	8.5	LH35/36F9	EL296UH070XV36B	206776052
XP21-024-230	25600	13	19	22000	12300	8.5	LH35/36F9	SL280UH070V36A	5436365
XP21-024-230	25600	13	19	22000	12300	8.5	LH35/36F9	SL280UH070XV36A	5436366
XP21-024-230	25400	13	18	20600	12300	8.2	LH35/36F9	SL280UH090V36B	5436367
XP21-024-230	25400	13	18	20800	12400	8.2	LH35/36F9	SL280UH090V48B	5436368
XP21-024-230	25400	13	18	20800	12400	8.2	LH35/36F9	SL280UH090XV48B	5436369
XP21-024-230	25200	13	18	20600	12300	8.2	LH35/36F9	SLP98UH070XV36B	5436370
XP21-024-230	25200	12.5	17	20600	13700	8.5	LH35/36F9	SLP99UH070XV36B	205763744
XP21-024-230	24400	13	16	21000	14300	8.5	LH35/36X9	EL195UH045XE36B	206775990
XP21-024-230	24400	13	16	20400	13600	8.5	LH35/36X9	EL196UH045XE36B	206775998
XP21-024-230	23800	13	17	20400	13700	9	LH35/36X9	EL280UH070XE36A	203372068
XP21-024-230	23800	13	17	20400	13700	9	LH35/36X9	EL280UH090E36B	206776022
XP21-024-230	25400	13	18	20600	12300	8.2	LH35/36X9	EL296UH045XV36B	206776040
XP21-024-230	26000	13	19	21000	12600	8.5	LH35/36X9	EL296UH070XV36B	206776051
XP21-024-230	25200	12.5	17	20600	13700	8.5	LH35/36X9	SLP99UH070XV36B	206551440
XP21-024-230	23800	13	17	20400	13700	9	LH35/37D9	EL280UH070XE36A	203372072
XP21-024-230	24600	13	16	21000	14300	8.5	LH35/38F9	EL195UH045XE36B	206775993
XP21-024-230	24600	13	16	20400	13600	8.5	LH35/38F9	EL196UH045XE36B	206776001
XP21-024-230	24000	13	17	20400	13700	9	LH35/38F9	EL280UH070XE36A	203372076
XP21-024-230	24000	13	17	20400	13700	9	LH35/38F9	EL280UH090E36B	206776027
XP21-024-230	25200	13	16	20400	13600	8.5	LH35/38F9	EL296UH045XE36B	206776033
XP21-024-230	25200	13.5	18	20600	12300	8.2	LH35/38F9	EL296UH045XV36B	206776045
XP21-024-230	26000	13.5	19	21000	12600	8.5	LH35/38F9	EL296UH070XV36B	206776056
XP21-024-230	24600	13	16	21000	14300	8.5	LH35/38X9	EL195UH045XE36B	206775992
XP21-024-230	24600	13	16	20400	13600	8.5	LH35/38X9	EL196UH045XE36B	206776000
XP21-024-230	24000	13	17	20400	13700	9	LH35/38X9	EL280UH070XE36A	203372074

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-024-230	24000	13	17	20400	13700	9	LH35/38X9	EL280UH090E36B	206776026
XP21-024-230	25200	13	16	20400	13600	8.5	LH35/38X9	EL296UH045XE36B	206776032
XP21-024-230	25200	13.5	18	20600	12300	8.2	LH35/38X9	EL296UH045XV36B	206776044
XP21-024-230	26000	13.5	19	21000	12600	8.5	LH35/38X9	EL296UH070XV36B	206776055
XP21-024-230	25200	13	18	20800	11600	8.5	LH35/38X9	EL296UH090XV36C	206776061
XP21-024-230	25800	13	18	21000	11800	8.5	LH35/38X9	EL296UH090XV48C	206776067
XP21-024-230	25200	13	18	20800	11600	8.5	LH35/38X9	SLP99UH090XV36C	206551444
XP21-024-230	25800	13	18	20800	12400	8.5	PL36H***P449	EL180UH045E36A	206775987
XP21-024-230	23600	13	16	20600	13800	9	PL36H***P449	EL280UH045E36A	206776009
XP21-024-230	23600	13	16	20400	13700	9	PL36H***P449	EL280UH070E36A	206776016
XP21-024-230	23600	13	16	20400	13700	9	PL36H***P449	EL280UH070XE36A	206776018
XP21-024-230	24600	13	16	21000	14300	8.5	PL36H210P29	EL195UH045XE36B	206775989
XP21-024-230	24600	13	16	20400	13600	8.5	PL36H210P29	EL196UH045XE36B	206775997
XP21-024-230	24000	13	17	20400	13700	9	PL36H210P29	EL280UH090E36B	206776019
XP21-024-230	25200	13	16	20400	13600	8.5	PL36H210P29	EL296UH045XE36B	206776031
XP21-024-230	25400	13.5	18	20600	12300	8.2	PL36H210P29	EL296UH045XV36B	206776037
XP21-024-230	26000	13.5	19	21000	12600	8.5	PL36H210P29	EL296UH070XV36B	206776048
XP21-024-230	25200	13.5	18	20800	11600	8.5	PL36H210P29	EL296UH090XV36C	206776060
XP21-024-230	25800	13.5	18	21000	11800	8.5	PL36H210P29	EL296UH090XV48C	206776066
XP21-024-230	23600	13	16	20400	13700	9	PL36H210P75	EL280UH090E36B	206776025
XP21-024-230	25400	13	18	20600	12300	8.2	PL36H210P75	EL296UH045XV36B	206776043
XP21-024-230	26000	13	19	21000	12600	8.5	PL36H210P75	EL296UH070XV36B	206776054
XP21-036-230	37000	13	18	31400	19400	9	L*23/37Y9	EL180UH070E36B	206775678
XP21-036-230	36200	13.5	18	30800	19000	9	L*23/37Y9	EL180UH090E48B	206775684
XP21-036-230	36200	13	17	30800	19000	9	L*23/37Y9	EL195UH090XE48C	206775692
XP21-036-230	36600	13	17	31400	19600	8.5	L*23/37Y9	EL196UH045XE36B	206775696
XP21-036-230	35600	13	17	30800	19000	9	L*23/37Y9	EL196UH070XE36B	206775700
XP21-036-230	36200	13	17	30800	19000	9	L*23/37Y9	EL196UH090XE48C	206775706
XP21-036-230	36000	13	17	29600	19200	9	L*23/37Y9	EL280UH070XE36A	203372117
XP21-036-230	35200	13	17	32600	21600	9.5	L*23/37Y9	EL280UH090E36B	206775712
XP21-036-230	35400	13	18	30800	19000	9	L*23/37Y9	EL280UH090E48B	206775714
XP21-036-230	35400	13	18	29600	19000	9	L*23/37Y9	EL280UH090XE48B	203372132
XP21-036-230	34600	12.5	16	31000	19200	9	L*23/37Y9	EL296DF045XE36B	7470288
XP21-036-230	35000	12.5	17	31000	19200	9	L*23/37Y9	EL296DF070XE48B	7470212
XP21-036-230	35400	13	17	31200	19200	9	L*23/37Y9	EL296DF090XE48C	7470215
XP21-036-230	36600	13	17	31400	19600	8.5	L*23/37Y9	EL296UH045XE36B	206775715
XP21-036-230	36600	13	17	31200	19400	8.5	L*23/37Y9	EL296UH045XV36B	7470220
XP21-036-230	35600	13	17	30800	19000	9	L*23/37Y9	EL296UH070XE36B	206775720
XP21-036-230	36800	13	17	31200	19400	8.5	L*23/37Y9	EL296UH070XV36B	206775725
XP21-036-230	36600	13	17	30800	19000	9	L*23/37Y9	EL296UH090XE48C	7470221
XP21-036-230	36600	13	18	31000	19000	9	L*23/37Y9	EL296UH090XV36C	206775732
XP21-036-230	36000	13.5	18	30600	18800	9	L*23/37Y9	EL296UH090XV48C	206775738
XP21-036-230	37200	13.5	18	31200	19200	9	L*23/37Y9	EL296UH090XV60C	206775744
XP21-036-230	36600	13.5	18	30800	19000	9	L*23/37Y9	EL296UH110XV48C	206775750
XP21-036-230	36600	13.5	18	31000	19000	9	L*23/37Y9	EL296UH110XV60C	206775756
XP21-036-230	37000	13	18	31400	19400	9	L*23/37Y9	ML180UH070E36B	206775758
XP21-036-230	36200	13.5	18	30800	19000	9	L*23/37Y9	ML180UH090E48B	206775764
XP21-036-230	35200	13	17	30800	19200	9	L*23/37Y9	SL280DF090V48B	5436394
XP21-036-230	36600	13.5	18	31000	19200	9.5	L*23/37Y9	SL280DF090V60C	5436395
XP21-036-230	35800	13	17	31000	19200	8.5	L*23/37Y9	SL280UH070XV36A	10258493
XP21-036-230	36800	13	17	31000	19200	9	L*23/37Y9	SL280UH090V36B	5436399
XP21-036-230	36800	13	17	31000	19200	9	L*23/37Y9	SL280UH090V48B	5436400
XP21-036-230	37200	13.5	18	31000	19000	9	L*23/37Y9	SL280UH090V60C	5436401
XP21-036-230	36800	13	17	31000	19200	9	L*23/37Y9	SL280UH090XV48B	5436402

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-036-230	37200	13.5	18	31000	19000	9	L*23/37Y9	SL280UH090XV60C	5436403
XP21-036-230	37000	13	18	31000	19200	9	L*23/37Y9	SL280UH110V60C	5436404
XP21-036-230	37000	13	17	31000	19200	9	L*23/37Y9	SL280UH110XV60C	5436405
XP21-036-230	35200	13	17	31200	19200	9	L*23/37Y9	SLP98DF070XV36B	5436406
XP21-036-230	36000	13	17	31200	19200	9	L*23/37Y9	SLP98DF090XV36C	5436407
XP21-036-230	36200	13	17	31200	19200	9	L*23/37Y9	SLP98DF090XV48C	5436408
XP21-036-230	36400	13	17	31200	19200	9	L*23/37Y9	SLP98DF090XV60C	5436409
XP21-036-230	36400	13	17	31400	19400	9	L*23/37Y9	SLP98DF110XV60C	5436410
XP21-036-230	36800	13	17	31200	19400	8.5	L*23/37Y9	SLP98UH070XV36B	5436411
XP21-036-230	36600	13	18	30800	19000	9	L*23/37Y9	SLP98UH090XV36C	5436412
XP21-036-230	36000	13.5	18	30600	18800	9	L*23/37Y9	SLP98UH090XV48C	5436413
XP21-036-230	37200	13.5	18	31000	19200	9	L*23/37Y9	SLP98UH090XV60C	5436414
XP21-036-230	36800	13.5	18	31000	19000	9	L*23/37Y9	SLP98UH110XV60C	5436415
XP21-036-230	35200	13	17	31200	19200	9	L*23/37Y9	SLP99DF070XV36B	205760426
XP21-036-230	36000	13	17	31200	19200	9	L*23/37Y9	SLP99DF090XV36C	205760430
XP21-036-230	36200	13	17	31200	19200	9	L*23/37Y9	SLP99DF090XV48C	205760434
XP21-036-230	36400	13	17	31200	19200	9	L*23/37Y9	SLP99DF090XV60C	205760437
XP21-036-230	36400	13	17	31400	19400	9	L*23/37Y9	SLP99DF110XV60C	205760441
XP21-036-230	35200	13	16	32600	21600	9	L*23/37Y9	SLP99UH070XV36B	205760448
XP21-036-230	35400	13	16	32000	20600	8.5	L*23/37Y9	SLP99UH090XV36C	205760455
XP21-036-230	35600	13	16	32200	20600	9	L*23/37Y9	SLP99UH090XV48C	205760461
XP21-036-230	36800	12.5	17	32200	19400	9	L*23/37Y9	SLP99UH090XV60C	205760469
XP21-036-230	36800	12.5	17	32000	19200	9	L*23/37Y9	SLP99UH110XV60C	205760478
XP21-036-230	36400	12.5	16	31400	19600	8.5	L*23/37Y9		5436264
XP21-036-230	37000	13	18	31400	19400	9	L*23/37Z9	EL180UH070E36B	206775677
XP21-036-230	36200	13.5	18	30800	19000	9	L*23/37Z9	EL180UH090E48B	206775683
XP21-036-230	36600	13	17	31400	19600	8.5	L*23/37Z9	EL195UH045XE36B	206775685
XP21-036-230	35000	13	16	32800	21800	9	L*23/37Z9	EL195UH070XE36B	206775686
XP21-036-230	35200	13	16	32000	20600	8.5	L*23/37Z9	EL195UH090XE48C	206775694
XP21-036-230	36200	13	17	30800	19000	9	L*23/37Z9	EL195UH090XE48C	206775691
XP21-036-230	36600	13	17	31400	19600	8.5	L*23/37Z9	EL196UH045XE36B	206775695
XP21-036-230	35600	13	17	30800	19000	9	L*23/37Z9	EL196UH070XE36B	206775699
XP21-036-230	36200	13	17	30800	19000	9	L*23/37Z9	EL196UH090XE48C	206775705
XP21-036-230	36000	13	17	29600	19200	9	L*23/37Z9	EL280UH070XE36A	203372116
XP21-036-230	35200	13	17	32600	21600	9.5	L*23/37Z9	EL280UH090E36B	206775711
XP21-036-230	35400	13	18	30800	19000	9	L*23/37Z9	EL280UH090E48B	206775713
XP21-036-230	35400	13	18	29600	19000	9	L*23/37Z9	EL280UH090XE48B	203372131
XP21-036-230	34600	12.5	16	31000	19200	9	L*23/37Z9	EL296DF045XE36B	7470289
XP21-036-230	35000	12.5	17	31000	19200	9	L*23/37Z9	EL296DF070XE48B	7470213
XP21-036-230	35400	13	17	31200	19200	9	L*23/37Z9	EL296DF090XE48C	7470216
XP21-036-230	36600	13	17	31200	19400	8.5	L*23/37Z9	EL296UH045XE36B	7470217
XP21-036-230	36600	13	17	31200	19400	8.5	L*23/37Z9	EL296UH045XV36B	206775716
XP21-036-230	35600	13	17	30800	19000	9	L*23/37Z9	EL296UH070XE36B	206775719
XP21-036-230	36800	13	17	31200	19400	8.5	L*23/37Z9	EL296UH070XV36B	206775724
XP21-036-230	36600	13	17	30800	19000	9	L*23/37Z9	EL296UH090XE48C	7470222
XP21-036-230	36600	13	18	31000	19000	9	L*23/37Z9	EL296UH090XV36C	206775731
XP21-036-230	36000	13.5	18	30600	18800	9	L*23/37Z9	EL296UH090XV48C	206775737
XP21-036-230	37200	13.5	18	31200	19200	9	L*23/37Z9	EL296UH090XV60C	206775743
XP21-036-230	36600	13.5	18	30800	19000	9	L*23/37Z9	EL296UH110XV48C	206775749
XP21-036-230	36600	13.5	18	31000	19000	9	L*23/37Z9	EL296UH110XV60C	206775755
XP21-036-230	37000	13	18	31400	19400	9	L*23/37Z9	ML180UH070E36B	206775757
XP21-036-230	36200	13.5	18	30800	19000	9	L*23/37Z9	ML180UH090E48B	206775763
XP21-036-230	35200	13	17	31200	19200	9	L*23/37Z9	SLP99DF070XV36B	206551379
XP21-036-230	36000	13	17	31200	19200	9	L*23/37Z9	SLP99DF090XV36C	206551380

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-036-230	35200	13	16	32600	21600	9	L*23/37Z9	SLP99UH070XV36B	206551381
XP21-036-230	35400	13	16	32000	20600	8.5	L*23/37Z9	SLP99UH090XV36C	206551384
XP21-036-230	36000	13	17	29600	19200	9	L*24/36Y9	EL280UH070XE36A	203372121
XP21-036-230	35400	13	18	29600	19000	9	L*24/36Y9	EL280UH090XE48B	203372136
XP21-036-230	36000	13	17	29600	19200	9	L*24/36Z9	EL280UH070XE36A	203372120
XP21-036-230	35400	13	18	29600	19000	9	L*24/36Z9	EL280UH090XE48B	203372135
XP21-036-230	36000	13	17	29600	19200	9	L*25/37Y9	EL280UH070XE36A	203372119
XP21-036-230	35400	13	18	29600	19000	9	L*25/37Y9	EL280UH090XE48B	203372134
XP21-036-230	36000	13	17	29600	19200	9	L*25/37Z9	EL280UH070XE36A	203372118
XP21-036-230	35400	13	18	29600	19000	9	L*25/37Z9	EL280UH090XE48B	203372133
XP21-036-230	35800	13	17	29600	19200	8.5	L*29/36S9	EL280UH070XE36A	203372112
XP21-036-230	35400	12.5	18	29600	19000	9	L*29/36S9	EL280UH090XE48B	203372127
XP21-036-230	35600	12	15	31400	19600	8.5	L*29/36S9		5436265
XP21-036-230	36000	12.5	17	29600	19200	9	L*30/36S9	EL280UH070XE36A	203372111
XP21-036-230	35400	12.5	18	29600	19000	9	L*30/36S9	EL280UH090XE48B	203372126
XP21-036-230	36200	13	18	30800	19000	9	L*35/36S9	EL180UH090E48B	206775682
XP21-036-230	36200	13	17	30800	19000	9	L*35/36S9	EL195UH090XE48C	206775688
XP21-036-230	36200	13	17	30800	19000	9	L*35/36S9	EL196UH090XE48C	206775702
XP21-036-230	35800	13	17	31000	19200	8.5	L*35/36S9	EL280UH070E36A	206775707
XP21-036-230	35800	13	17	29600	19200	8.5	L*35/36S9	EL280UH070XE36A	203372113
XP21-036-230	36000	13	17	31000	19200	8.5	L*35/36S9	EL280UH090E36B	206775710
XP21-036-230	35400	12.5	18	29600	19000	9	L*35/36S9	EL280UH090XE48B	203372128
XP21-036-230	34600	12.2	16	31000	19200	9	L*35/36S9	EL296DF045XE36B	7470290
XP21-036-230	35000	12.2	17	31000	19200	9	L*35/36S9	EL296DF070XE48B	7470214
XP21-036-230	35600	13	17	30800	19000	8.5	L*35/36S9	EL296UH070XV36B	206775723
XP21-036-230	36200	13	17	30800	19000	9	L*35/36S9	EL296UH090XE48C	206775727
XP21-036-230	36400	13	17	30800	19000	9	L*35/36S9	EL296UH090XV36C	206775728
XP21-036-230	36000	13	18	30600	18800	9	L*35/36S9	EL296UH090XV48C	206775734
XP21-036-230	36800	13	18	31200	19200	9	L*35/36S9	EL296UH090XV60C	206775740
XP21-036-230	36400	13	18	30600	19000	9	L*35/36S9	EL296UH110XV48C	206775746
XP21-036-230	36600	13	18	31000	19000	9	L*35/36S9	EL296UH110XV60C	206775752
XP21-036-230	36200	13	18	30800	19000	9	L*35/36S9	ML180UH090E48B	206775762
XP21-036-230	35200	12.5	17	30800	19200	9	L*35/36S9	SL280DF090V48B	5436439
XP21-036-230	36400	13	18	31000	19200	9.5	L*35/36S9	SL280DF090V60C	5436440
XP21-036-230	36800	13	17	30600	19000	9	L*35/36S9	SL280UH090V36B	5436443
XP21-036-230	36800	13	17	30800	19000	9	L*35/36S9	SL280UH090V48B	5436444
XP21-036-230	36800	13	17	31000	19000	9	L*35/36S9	SL280UH090V60C	5436445
XP21-036-230	36800	13	17	30800	19000	9	L*35/36S9	SL280UH090XV48B	5436446
XP21-036-230	36800	13	18	31000	19000	9	L*35/36S9	SL280UH090XV60C	5436447
XP21-036-230	36600	12.5	18	31000	19200	8.5	L*35/36S9	SL280UH110V60C	5436448
XP21-036-230	36600	12.5	18	31000	19200	8.5	L*35/36S9	SL280UH110XV60C	5436449
XP21-036-230	35200	12.5	17	31200	19200	9	L*35/36S9	SLP98DF070XV36B	5436450
XP21-036-230	35800	12.5	17	31200	19200	9	L*35/36S9	SLP98DF090XV36C	5436451
XP21-036-230	35200	12.5	17	31200	19200	9	L*35/36S9	SLP98DF090XV48C	5436452
XP21-036-230	36200	12.5	17	31200	19200	9	L*35/36S9	SLP98DF090XV60C	5436453
XP21-036-230	36200	12.5	17	31400	19400	9	L*35/36S9	SLP98DF110XV60C	5436454
XP21-036-230	36800	12.5	17	31000	19200	8.5	L*35/36S9	SLP98UH070XV36B	5436455
XP21-036-230	36400	13	17	30800	19000	9	L*35/36S9	SLP98UH090XV36C	5436456
XP21-036-230	36000	13	18	30600	18800	9	L*35/36S9	SLP98UH090XV48C	5436457
XP21-036-230	36800	13	18	31200	19200	9	L*35/36S9	SLP98UH090XV60C	5436458
XP21-036-230	36600	13	18	31000	19000	9	L*35/36S9	SLP98UH110XV60C	5436459
XP21-036-230	35200	12.5	17	31200	19200	9	L*35/36S9	SLP99DF070XV36B	205760425
XP21-036-230	35800	12.5	17	31200	19200	9	L*35/36S9	SLP99DF090XV36C	205760428
XP21-036-230	36000	12.5	17	31200	19200	9	L*35/36S9	SLP99DF090XV48C	205760432

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-036-230	36200	12.5	17	31200	19200	9	L*35/36S9	SLP99DF090XV60C	205760435
XP21-036-230	36200	12.5	17	31400	19400	9	L*35/36S9	SLP99DF110XV60C	205760439
XP21-036-230	35200	12.5	16	32600	21600	9	L*35/36S9	SLP99UH070XV36B	205760445
XP21-036-230	35400	12.5	16	32000	20600	8.5	L*35/36S9	SLP99UH090XV36C	205760451
XP21-036-230	35600	12.5	16	32200	20600	9	L*35/36S9	SLP99UH090XV48C	205760459
XP21-036-230	35800	12.5	16	32400	20800	9	L*35/36S9	SLP99UH090XV60C	205760465
XP21-036-230	35600	12.5	16	32000	20600	9	L*35/36S9	SLP99UH110XV60C	205760473
XP21-036-230	35600	12	15	31400	19600	8.5	L*35/36S9		5436266
XP21-036-230	35000	12.5	16	31000	19400	8.2	LD31/36Z9		204756330
XP21-036-230	36200	13	17	30800	19000	9	LH23/37E9	EL195UH090XE48C	206775690
XP21-036-230	36200	13	17	30800	19000	9	LH23/37E9	EL196UH090XE48C	206775704
XP21-036-230	36000	13	17	29600	19200	9	LH23/37E9	EL280UH070XE36A	203372115
XP21-036-230	35400	13	18	29600	19000	9	LH23/37E9	EL280UH090XE48B	203372130
XP21-036-230	36600	13	17	31400	19600	8.5	LH23/37E9	EL296UH045XE36B	7470218
XP21-036-230	36600	13	17	30800	19000	9	LH23/37E9	EL296UH090XE48C	7470223
XP21-036-230	36600	13	18	31000	19000	9	LH23/37E9	EL296UH090XV36C	206775730
XP21-036-230	36000	13.5	18	30600	18800	9	LH23/37E9	EL296UH090XV48C	206775736
XP21-036-230	36800	13.5	18	31200	19200	9	LH23/37E9	EL296UH090XV60C	206775742
XP21-036-230	36400	13.5	18	30600	19000	9	LH23/37E9	EL296UH110XV48C	206775748
XP21-036-230	36600	13.5	18	31000	19000	9	LH23/37E9	EL296UH110XV60C	206775754
XP21-036-230	36800	13	17	31000	19200	9	LH23/37E9	SL280UH090V36B	5436477
XP21-036-230	36800	13	17	31000	19200	9	LH23/37E9	SL280UH090V48B	5436478
XP21-036-230	37200	13	18	31000	19000	9	LH23/37E9	SL280UH090V60C	5436479
XP21-036-230	36800	13	17	31000	19200	9	LH23/37E9	SL280UH090XV48B	5436480
XP21-036-230	36400	13	18	31000	19000	8.5	LH23/37E9	SL280UH090XV60C	10258495
XP21-036-230	36800	13.5	18	31000	19000	9	LH23/37E9	SL280UH090XV60C	5436481
XP21-036-230	37000	13	18	31000	19200	9	LH23/37E9	SL280UH110V60C	5436482
XP21-036-230	37000	13	17	31000	19200	9	LH23/37E9	SL280UH110XV60C	5436483
XP21-036-230	35800	13	17	31000	19200	8.5	LH23/37E9	SLP98UH070XV36B	5436484
XP21-036-230	36600	13	18	30800	19000	9	LH23/37E9	SLP98UH090XV36C	5436485
XP21-036-230	35800	13	18	30600	18800	8.5	LH23/37E9	SLP98UH090XV48C	5436486
XP21-036-230	36800	13.5	18	31000	19200	9	LH23/37E9	SLP98UH090XV60C	5436487
XP21-036-230	36600	13.5	18	31000	19000	9	LH23/37E9	SLP98UH110XV60C	5436488
XP21-036-230	35200	13	16	32600	21600	9	LH23/37E9	SLP99UH070XV36B	205760446
XP21-036-230	35400	13	16	32000	20600	8.5	LH23/37E9	SLP99UH090XV36C	205760453
XP21-036-230	35600	13	16	32200	20600	9	LH23/37E9	SLP99UH090XV48C	205760460
XP21-036-230	36800	12.5	17	32200	19400	9	LH23/37E9	SLP99UH090XV60C	205760467
XP21-036-230	36800	12.5	17	32000	19200	9	LH23/37E9	SLP99UH110XV60C	205760475
XP21-036-230	35600	12	16	31400	19600	8.5	LH23/37E9		5436267
XP21-036-230	36200	13	17	30800	19000	9	LH23/37W9	EL195UH090XE48C	206775689
XP21-036-230	35200	13	16	32000	20600	8.5	LH23/37W9	EL195UH090XE48C	206775693
XP21-036-230	36200	13	17	30800	19000	9	LH23/37W9	EL196UH090XE48C	206775703
XP21-036-230	36000	13	17	29600	19200	9	LH23/37W9	EL280UH070XE36A	203372114
XP21-036-230	35400	13	18	29600	19000	9	LH23/37W9	EL280UH090XE48B	203372129
XP21-036-230	36600	13	17	31400	19600	8.5	LH23/37W9	EL296UH045XE36B	7470219
XP21-036-230	36600	13	17	30800	19000	9	LH23/37W9	EL296UH090XE48C	7470225
XP21-036-230	36600	13	18	31000	19000	9	LH23/37W9	EL296UH090XV36C	206775729
XP21-036-230	36000	13.5	18	30600	18800	9	LH23/37W9	EL296UH090XV48C	206775735
XP21-036-230	36800	13.5	18	31200	19200	9	LH23/37W9	EL296UH090XV60C	206775741
XP21-036-230	36400	13.5	18	30600	19000	9	LH23/37W9	EL296UH110XV48C	206775747
XP21-036-230	36600	13.5	18	31000	19000	9	LH23/37W9	EL296UH110XV60C	206775753
XP21-036-230	36400	13	18	31000	19000	8.5	LH23/37W9	SL280UH090XV60C	10258494
XP21-036-230	36800	13.5	18	31000	19000	9	LH23/37W9	SL280UH090XV60C	10258496
XP21-036-230	35400	13	16	32000	20600	8.5	LH23/37W9	SLP99UH090XV36C	206551383

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-036-230	36200	13	18	30800	19000	9	LH35/36F9	EL180UH090E48B	206775679
XP21-036-230	35800	12.5	17	29600	19200	9	LH35/36F9	EL280UH070XE36A	203372105
XP21-036-230	35400	12.5	18	29600	19000	9	LH35/36F9	EL280UH090XE48B	203372122
XP21-036-230	36200	13	18	30800	19000	9	LH35/36F9	ML180UH090E48B	206775759
XP21-036-230	36000	12.5	17	29600	19200	9	LH35/37D9	EL280UH070XE36A	203372107
XP21-036-230	35400	12.5	18	29600	19000	9	LH35/37D9	EL280UH090XE48B	203372123
XP21-036-230	36200	13	18	30800	19000	9	LH35/38F9	EL180UH090E48B	206775681
XP21-036-230	35400	13	17	30400	18800	8.5	LH35/38F9	EL196UH070XE36B	206775698
XP21-036-230	35800	13	17	29600	19200	8.5	LH35/38F9	EL280UH070XE36A	203372110
XP21-036-230	36000	13	17	31000	19200	8.5	LH35/38F9	EL280UH090E36B	206775709
XP21-036-230	35400	12.5	18	29600	19000	9	LH35/38F9	EL280UH090XE48B	203372125
XP21-036-230	35400	13	17	30600	19000	8.5	LH35/38F9	EL296UH070XE36B	206775718
XP21-036-230	35600	13	17	30800	19000	8.5	LH35/38F9	EL296UH070XV36B	206775722
XP21-036-230	36200	13	18	30800	19000	9	LH35/38F9	ML180UH090E48B	206775761
XP21-036-230	36800	13	17	30600	19000	9	LH35/38F9	SL280UH090V36B	5436506
XP21-036-230	36800	13	17	30800	19000	9	LH35/38F9	SL280UH090V48B	5436507
XP21-036-230	36800	12.5	18	31000	19200	9	LH35/38F9	SL280UH090V60C	5436508
XP21-036-230	36800	13	17	30800	19000	9	LH35/38F9	SL280UH090XV48B	5436509
XP21-036-230	36800	13	18	31000	19000	9	LH35/38F9	SL280UH090XV60C	5436510
XP21-036-230	36600	12.5	18	31000	19200	9	LH35/38F9	SL280UH110V60C	5436511
XP21-036-230	36600	13	17	31000	19200	9	LH35/38F9	SL280UH110XV60C	5436512
XP21-036-230	36800	12.5	17	31000	19200	8.5	LH35/38F9	SLP98UH070XV36B	5436513
XP21-036-230	36200	13	17	30800	19000	9	LH35/38F9	SLP98UH090XV36C	5436514
XP21-036-230	36000	13	18	30600	18800	9	LH35/38F9	SLP98UH090XV48C	5436515
XP21-036-230	36800	13	18	31000	19200	9	LH35/38F9	SLP98UH090XV60C	5436516
XP21-036-230	36600	13	18	31000	19000	9	LH35/38F9	SLP98UH110XV60C	5436517
XP21-036-230	35200	12.5	16	32600	21600	9	LH35/38F9	SLP99UH070XV36B	205760443
XP21-036-230	35400	12.5	16	32000	20600	8.5	LH35/38F9	SLP99UH090XV36C	205760450
XP21-036-230	35600	12.5	16	32200	20600	9	LH35/38F9	SLP99UH090XV48C	205760457
XP21-036-230	36400	12.2	17	32200	19400	9	LH35/38F9	SLP99UH090XV60C	205760463
XP21-036-230	36400	12.2	17	32000	19200	9	LH35/38F9	SLP99UH110XV60C	205760471
XP21-036-230	35600	12	15	31400	19600	8.5	LH35/38F9		5436268
XP21-036-230	36200	13	18	30800	19000	9	LH35/38X9	EL180UH090E48B	206775680
XP21-036-230	36200	13	17	30800	19000	9	LH35/38X9	EL195UH090XE48C	206775687
XP21-036-230	35400	13	17	30400	18800	8.5	LH35/38X9	EL196UH070XE36B	206775697
XP21-036-230	36200	13	17	30800	19000	9	LH35/38X9	EL196UH090XE48C	206775701
XP21-036-230	35800	13	17	29600	19200	8.5	LH35/38X9	EL280UH070XE36A	203372109
XP21-036-230	36000	13	17	31000	19200	8.5	LH35/38X9	EL280UH090E36B	206775708
XP21-036-230	35400	12.5	18	29600	19000	9	LH35/38X9	EL280UH090XE48B	203372124
XP21-036-230	35400	13	17	30600	19000	8.5	LH35/38X9	EL296UH070XE36B	206775717
XP21-036-230	35600	13	17	30800	19000	8.5	LH35/38X9	EL296UH070XV36B	206775721
XP21-036-230	36200	13	17	30800	19000	9	LH35/38X9	EL296UH090XE48C	206775726
XP21-036-230	36000	13	18	30600	18800	9	LH35/38X9	EL296UH090XV48C	206775733
XP21-036-230	36800	13	18	31200	19200	9	LH35/38X9	EL296UH090XV60C	206775739
XP21-036-230	36400	13	18	30600	19000	9	LH35/38X9	EL296UH110XV48C	206775745
XP21-036-230	36600	13	18	31000	19000	9	LH35/38X9	EL296UH110XV60C	206775751
XP21-036-230	36200	13	18	30800	19000	9	LH35/38X9	ML180UH090E48B	206775760
XP21-036-230	35400	12.5	16	32000	20600	8.5	LH35/38X9	SLP99UH090XV36C	206551382
XP21-048-230	48000	12.5	17	45000	26800	8.2	L*42/60Y9	EL280UH090XE48B	203372145
XP21-048-230	48000	12.5	17	43000	26800	8.5	L*42/60Y9	EL280UH110XE60C	203372165
XP21-048-230	47000	12.2	16	44000	27200	9	L*42/60Y9	EL296DF090XE48C	7470230
XP21-048-230	47000	12.2	16	44000	27000	9	L*42/60Y9	EL296DF110XE60C	7470231
XP21-048-230	49000	12.5	17	43500	26800	8.2	L*42/60Y9	EL296UH090XV48C	204667977
XP21-048-230	49000	12.5	17	43500	26800	8.2	L*42/60Y9	EL296UH090XV60C	204667983

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-048-230	47000	13	16	44000	27000	9	L*42/60Y9	SL280DF090V60C	5436531
XP21-048-230	47000	13	16	44000	27000	9	L*42/60Y9	SL280DF110V60C	5436532
XP21-048-230	49000	12.5	17	43500	26800	8.2	L*42/60Y9	SL280UH090V60C	5436533
XP21-048-230	49000	12.5	17	43500	26800	8.2	L*42/60Y9	SL280UH090XV60C	5436534
XP21-048-230	49000	12.5	17	43500	26800	8.2	L*42/60Y9	SL280UH090XV60C	10258451
XP21-048-230	49000	12.5	17	43000	26600	8.2	L*42/60Y9	SL280UH110V60C	5436535
XP21-048-230	49000	12.5	17	43000	26600	8.2	L*42/60Y9	SL280UH110XV60C	5436536
XP21-048-230	48000	12.5	16	43500	26800	8.5	L*42/60Y9	SL280UH135V60D	5436537
XP21-048-230	47000	12.5	16	44000	27400	9	L*42/60Y9	SLP98DF090XV48C	5436538
XP21-048-230	47000	12.2	16	44000	27400	9	L*42/60Y9	SLP98DF090XV60C	5436539
XP21-048-230	47000	12.2	16	44000	27400	9	L*42/60Y9	SLP98DF110XV60C	5436540
XP21-048-230	49000	12.5	17	45000	26800	8.2	L*42/60Y9	SLP98UH090XV48C	5436541
XP21-048-230	49000	12.5	17	43500	26800	8.2	L*42/60Y9	SLP98UH090XV60C	5436542
XP21-048-230	49000	12.5	17	45000	27000	8.2	L*42/60Y9	SLP98UH110XV60C	5436543
XP21-048-230	48000	12.2	17	45000	27000	8.5	L*42/60Y9	SLP98UH135XV60D	5436544
XP21-048-230	47000	12.5	16	44000	27400	9	L*42/60Y9	SLP99DF090XV48C	205763640
XP21-048-230	47000	12.2	16	44000	27400	9	L*42/60Y9	SLP99DF090XV60C	205763647
XP21-048-230	47000	12.2	16	44000	27400	9	L*42/60Y9	SLP99DF110XV60C	205763653
XP21-048-230	45000	11.7	16	44000	30200	8.5	L*42/60Y9	SLP99UH090XV48C	205763657
XP21-048-230	45000	11.7	16	44000	30200	8.5	L*42/60Y9	SLP99UH090XV60C	205763665
XP21-048-230	45000	11.7	16	44500	30400	8.5	L*42/60Y9	SLP99UH110XV60C	205763427
XP21-048-230	46500	12.2	16	47000	30600	8.2	L*42/60Y9	SLP99UH135XV60D	205760487
XP21-048-230	46500	12.2	15	45000	27600	8.5	L*42/60Y9		5436269
XP21-048-230	48000	12.5	17	45000	26800	8.2	L*42/60Z9	EL280UH090XE48B	203372144
XP21-048-230	48000	12.5	17	43000	26800	8.5	L*42/60Z9	EL280UH110XE60C	203372164
XP21-048-230	49000	12.5	17	43500	26800	8.2	L*42/60Z9	EL296UH090XV48C	204603108
XP21-048-230	49000	12.5	17	43500	26800	8.2	L*42/60Z9	EL296UH090XV60C	204603111
XP21-048-230	47000	12.5	16	44000	27400	9	L*42/60Z9	SLP99DF090XV48C	206551386
XP21-048-230	47000	12.2	16	44000	27400	9	L*42/60Z9	SLP99DF090XV60C	206551389
XP21-048-230	45000	11.7	16	44000	30200	8.5	L*42/60Z9	SLP99UH090XV48C	206551393
XP21-048-230	45000	11.7	16	44000	30200	8.5	L*42/60Z9	SLP99UH090XV60C	206551400
XP21-048-230	48000	12.5	17	43500	26800	8.5	L*43/61Y9	EL280UH090XE48B	203372147
XP21-048-230	48000	12.5	17	43000	26600	8.5	L*43/61Y9	EL280UH110XE60C	203372167
XP21-048-230	48000	12.5	17	43500	26800	8.5	L*43/61Z9	EL280UH090XE48B	203372146
XP21-048-230	48000	12.5	17	43000	26600	8.5	L*43/61Z9	EL280UH110XE60C	203372166
XP21-048-230	47000	12.5	16	44000	27400	9	L*43/61Z9	SLP99DF090XV48C	206551387
XP21-048-230	47000	12.2	16	44000	27400	9	L*43/61Z9	SLP99DF090XV60C	206551390
XP21-048-230	45000	11.7	16	44000	30200	8.5	L*43/61Z9	SLP99UH090XV48C	206551394
XP21-048-230	45000	11.7	16	44000	30200	8.5	L*43/61Z9	SLP99UH090XV60C	206551401
XP21-048-230	48000	13	17	43500	26800	8.5	L*48/60Y9	EL180UH135E60D	206775772
XP21-048-230	48000	13	17	43500	26800	8.5	L*48/60Y9	EL280UH090XE48B	203372154
XP21-048-230	48000	13	17	43000	26600	8.5	L*48/60Y9	EL280UH110XE60C	203372177
XP21-048-230	47000	12.2	16	44000	27200	9	L*48/60Y9	EL296DF090XE48C	7470291
XP21-048-230	47000	13	16	44000	27000	9	L*48/60Y9	SL280DF090V60C	5436558
XP21-048-230	47000	13	16	44000	27000	9	L*48/60Y9	SL280DF110V60C	5436559
XP21-048-230	48000	13	16	43500	26800	8.2	L*48/60Y9	SL280UH090V60C	5436560
XP21-048-230	49000	13	17	45000	26800	8.2	L*48/60Y9	SL280UH090XV60C	5436561
XP21-048-230	49000	13	17	45000	26600	8.2	L*48/60Y9	SL280UH110V60C	5436562
XP21-048-230	49000	13	17	45000	26600	8.2	L*48/60Y9	SL280UH110XV60C	5436563
XP21-048-230	48000	13	16	45000	26800	8.5	L*48/60Y9	SL280UH135V60D	5436564
XP21-048-230	47000	12.5	16	44000	27400	9	L*48/60Y9	SLP98DF090XV48C	5436565
XP21-048-230	47000	12.2	16	44000	27400	9	L*48/60Y9	SLP98DF090XV60C	5436566
XP21-048-230	47000	12.2	16	44000	27400	9	L*48/60Y9	SLP98DF110XV60C	5436567
XP21-048-230	49000	13	17	45000	26800	8.2	L*48/60Y9	SLP98UH090XV48C	5436568

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-048-230	49000	13	17	45000	26800	8.2	L*48/60Y9	SLP98UH090XV60C	5436569
XP21-048-230	49000	13	17	45000	27000	8.2	L*48/60Y9	SLP98UH110XV60C	5436570
XP21-048-230	48000	12.5	17	45000	27000	8.5	L*48/60Y9	SLP98UH135XV60D	5436571
XP21-048-230	47000	12.5	16	44000	27400	9	L*48/60Y9	SLP99DF090XV48C	205763642
XP21-048-230	47000	12.2	16	44000	27400	9	L*48/60Y9	SLP99DF090XV60C	205763649
XP21-048-230	47000	12.2	16	44000	27400	9	L*48/60Y9	SLP99DF110XV60C	205763655
XP21-048-230	45000	12	16	44000	30200	8.5	L*48/60Y9	SLP99UH090XV48C	205763662
XP21-048-230	45000	12	16	44000	30200	8.5	L*48/60Y9	SLP99UH090XV60C	205763671
XP21-048-230	45000	12	16	44500	30400	8.5	L*48/60Y9	SLP99UH110XV60C	205763433
XP21-048-230	46500	12.5	16	47000	30600	8.2	L*48/60Y9	SLP99UH135XV60D	205760492
XP21-048-230	48500	12.2	16	44000	27400	8.2	L*48/60Y9		5436270
XP21-048-230	48000	13	17	43500	26800	8.5	L*48/60Z9	EL180UH135E60D	206775771
XP21-048-230	48000	13	17	43500	26800	8.5	L*48/60Z9	EL280UH090XE48B	203372153
XP21-048-230	48000	13	17	43000	26600	8.5	L*48/60Z9	EL280UH110XE60C	203372176
XP21-048-230	47000	12.2	16	44000	27200	9	L*48/60Z9	EL296DF090XE48C	7470292
XP21-048-230	49000	13	17	43500	26800	8.2	L*48/60Z9	EL296UH090XV48C	204603109
XP21-048-230	49000	13	17	43500	26800	8.2	L*48/60Z9	EL296UH090XV60C	204603112
XP21-048-230	48000	12.5	17	45000	26800	8.2	L*49/62Y9	EL280UH090XE48B	203372143
XP21-048-230	48000	12.5	17	43000	26800	8.5	L*49/62Y9	EL280UH110XE60C	203372163
XP21-048-230	48000	12.5	17	45000	26800	8.2	L*49/62Z9	EL280UH090XE48B	203372142
XP21-048-230	48000	12.5	17	43000	26800	8.5	L*49/62Z9	EL280UH110XE60C	203372162
XP21-048-230	47000	12.5	16	44000	27400	9	L*49/62Z9	SLP99DF090XV48C	206551385
XP21-048-230	47000	12.2	16	44000	27400	9	L*49/62Z9	SLP99DF090XV60C	206551388
XP21-048-230	45000	11.7	16	44000	30200	8.5	L*49/62Z9	SLP99UH090XV48C	206551392
XP21-048-230	45000	11.7	16	44000	30200	8.5	L*49/62Z9	SLP99UH090XV60C	206551399
XP21-048-230	48000	13	17	43500	26800	8.5	L*49/63Z9	EL180UH135E60D	206775773
XP21-048-230	48000	13	17	43500	26800	8.5	L*49/63Z9	EL280UH090XE48B	203372155
XP21-048-230	48000	13	17	43000	26600	8.5	L*49/63Z9	EL280UH110XE60C	203372178
XP21-048-230	49000	13	17	43500	26800	8.2	L*49/63Z9	EL296UH090XV48C	204603110
XP21-048-230	49000	13	17	43500	26800	8.2	L*49/63Z9	EL296UH090XV60C	204603113
XP21-048-230	47000	12	16	44000	27200	9	LD42/61Z9	EL296DF090XE48C	205147329
XP21-048-230	47000	12	16	44000	27000	9	LD42/61Z9	EL296DF110XE60C	205147330
XP21-048-230	47000	13	16	44000	27000	9	LD42/61Z9	SL280DF090V60C	205147331
XP21-048-230	47000	13	16	44000	27000	9	LD42/61Z9	SL280DF110V60C	205147332
XP21-048-230	47000	12.5	16	44000	27400	9	LD42/61Z9	SLP98DF090XV48C	205147333
XP21-048-230	47000	12	16	44000	27400	9	LD42/61Z9	SLP98DF090XV60C	205147334
XP21-048-230	47000	12	16	44000	27400	9	LD42/61Z9	SLP98DF110XV60C	205147335
XP21-048-230	47000	12.5	16	44000	27400	9	LD42/61Z9	SLP99DF090XV48C	205763638
XP21-048-230	47000	12	16	44000	27400	9	LD42/61Z9	SLP99DF090XV60C	205763645
XP21-048-230	47000	12	16	44000	27400	9	LD42/61Z9	SLP99DF110XV60C	205763651
XP21-048-230	48000	12.5	17	43500	26800	8.5	LH40/61E9	EL280UH090XE48B	203372140
XP21-048-230	48000	12.5	17	43000	26600	8.5	LH40/61E9	EL280UH110XE60C	203372160
XP21-048-230	48000	12.5	17	43500	26800	8.5	LH40/61W9	EL280UH090XE48B	203372139
XP21-048-230	48000	12.5	17	43000	26600	8.5	LH40/61W9	EL280UH110XE60C	203372159
XP21-048-230	45000	11.7	16	44000	30200	8.5	LH40/61W9	SLP99UH090XV48C	206551391
XP21-048-230	45000	11.7	16	44000	30200	8.5	LH40/61W9	SLP99UH090XV60C	206551398
XP21-048-230	47500	12.2	17	45000	26800	8.2	LH40/62W9	EL280UH090XE48B	203372137
XP21-048-230	47500	12.5	17	43000	26600	8.5	LH40/62W9	EL280UH110XE60C	203372157
XP21-048-230	47000	12.2	16	43500	26800	8.2	LH41/61D9	EL280UH090XE48B	203372138
XP21-048-230	47000	12.2	16	43000	26600	8.5	LH41/61D9	EL280UH110XE60C	203372158
XP21-048-230	48000	12.5	17	43500	26800	8.5	LH42/62E9	EL280UH090XE48B	203372151
XP21-048-230	47500	13	17	43000	26600	8.5	LH42/62E9	EL280UH110E60C	206775796
XP21-048-230	47500	13	17	43000	26600	8.5	LH42/62E9	EL280UH110XE60C	203372173
XP21-048-230	49000	12.5	17	43500	26800	8.2	LH42/62E9	EL296UH090XV48C	204667981

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-048-230	49000	12.5	17	43500	26800	8.2	LH42/62E9	EL296UH090XV60C	204667987
XP21-048-230	49000	12.5	17	43500	26800	8.2	LH42/62E9	SL280UH090V60C	5436583
XP21-048-230	49000	12.5	17	43500	26800	8.2	LH42/62E9	SL280UH090XV60C	5436584
XP21-048-230	49000	12.5	17	43000	26600	8.2	LH42/62E9	SL280UH110V60C	5436585
XP21-048-230	49000	12.5	17	43000	26600	8.2	LH42/62E9	SL280UH110XV60C	5436586
XP21-048-230	48000	12.5	16	43500	26800	8.5	LH42/62E9	SL280UH135V60D	5436587
XP21-048-230	49000	12.5	17	45000	26800	8.2	LH42/62E9	SLP98UH090XV48C	5436588
XP21-048-230	49000	12.5	17	43500	26800	8.2	LH42/62E9	SLP98UH090XV60C	5436589
XP21-048-230	49000	12.5	17	45000	27000	8.2	LH42/62E9	SLP98UH110XV60C	5436590
XP21-048-230	48000	12.2	17	43500	27000	8.5	LH42/62E9	SLP98UH135XV60D	5436591
XP21-048-230	45000	12	16	44000	30200	8.5	LH42/62E9	SLP99UH090XV48C	205763661
XP21-048-230	45000	12	16	44000	30200	8.5	LH42/62E9	SLP99UH090XV60C	205763669
XP21-048-230	45000	12	16	44500	30400	8.5	LH42/62E9	SLP99UH110XV60C	205763432
XP21-048-230	46500	12.5	16	47000	30600	8.2	LH42/62E9	SLP99UH135XV60D	205760490
XP21-048-230	46500	12.2	15	45000	27600	8.5	LH42/62E9		5436271
XP21-048-230	48000	12.5	17	43500	26800	8.5	LH42/62W9	EL280UH090XE48B	203372150
XP21-048-230	47500	13	17	43000	26600	8.5	LH42/62W9	EL280UH110E60C	206775794
XP21-048-230	47500	13	17	43000	26600	8.5	LH42/62W9	EL280UH110XE60C	203372172
XP21-048-230	49000	12.5	17	43500	26800	8.2	LH42/62W9	EL296UH090XV48C	204667980
XP21-048-230	49000	12.5	17	43500	26800	8.2	LH42/62W9	EL296UH090XV60C	204667986
XP21-048-230	48000	13	16	43500	26800	8.2	LH42/62W9	SL280UH090V60C	205744735
XP21-048-230	49000	12.5	17	43500	26800	8.2	LH42/62W9	SL280UH090V60C	205744734
XP21-048-230	45000	12	16	44000	30200	8.5	LH42/62W9	SLP99UH090XV48C	206551396
XP21-048-230	45000	12	16	44000	30200	8.5	LH42/62W9	SLP99UH090XV60C	206551403
XP21-048-230	48000	12.5	17	43500	26800	8.5	LH48/60E9	EL280UH090XE48B	203372152
XP21-048-230	48000	13	17	43000	26800	8.5	LH48/60E9	EL280UH110XE60C	203372175
XP21-048-230	47500	12.2	16	45000	26800	8.2	LH48/60F9	EL280UH090XE48B	203372141
XP21-048-230	47500	12.5	17	43000	26600	8.5	LH48/60F9	EL280UH110XE60C	203372161
XP21-048-230	49000	13	17	43000	26600	8.2	LH49/61E9	EL180UH090E60C	206775766
XP21-048-230	48500	13	17	43000	26600	8.5	LH49/61E9	EL180UH110E60C	206775769
XP21-048-230	48500	13	17	43500	26800	8.2	LH49/61E9	EL195UH090XE48C	206775776
XP21-048-230	49000	13	17	43000	26800	8.2	LH49/61E9	EL195UH110XE60C	206775779
XP21-048-230	48500	13	17	43500	27000	8.2	LH49/61E9	EL196UH090XE48C	206775782
XP21-048-230	49000	13	17	43000	26800	8.2	LH49/61E9	EL196UH110XE60C	206775785
XP21-048-230	48000	13	17	43500	26800	8.5	LH49/61E9	EL280UH090XE48B	203372149
XP21-048-230	48000	13	17	43500	26800	8.5	LH49/61E9	EL280UH110E48C	206775790
XP21-048-230	48000	13	17	43000	26800	8.5	LH49/61E9	EL280UH110E60C	206775793
XP21-048-230	48000	13	17	43000	26600	8.5	LH49/61E9	EL280UH110XE60C	203372170
XP21-048-230	48500	13	17	43500	26800	8.2	LH49/61E9	EL296UH090XE48C	206775801
XP21-048-230	49000	13	17	43500	26800	8.2	LH49/61E9	EL296UH090XV48C	204667979
XP21-048-230	49000	13	17	43500	26800	8.2	LH49/61E9	EL296UH090XV60C	204667985
XP21-048-230	49000	13	17	43500	27000	8.2	LH49/61E9	EL296UH110XV60C	206775806
XP21-048-230	48000	13	16	43500	26800	8.2	LH49/61E9	SL280UH090V60C	5436603
XP21-048-230	49000	13	17	45000	26800	8.2	LH49/61E9	SL280UH090XV60C	5436604
XP21-048-230	49000	13	17	45000	26600	8.2	LH49/61E9	SL280UH110V60C	5436605
XP21-048-230	49000	13	17	45000	26600	8.2	LH49/61E9	SL280UH110XV60C	5436606
XP21-048-230	48000	13	16	45000	26800	8.5	LH49/61E9	SL280UH135V60D	5436607
XP21-048-230	49000	13	17	45000	26800	8.2	LH49/61E9	SLP98UH090XV48C	5436608
XP21-048-230	49000	13	17	45000	26800	8.2	LH49/61E9	SLP98UH090XV60C	5436609
XP21-048-230	49000	13	17	45000	27000	8.2	LH49/61E9	SLP98UH110XV60C	5436610
XP21-048-230	48000	12.5	17	45000	27000	8.5	LH49/61E9	SLP98UH135XV60D	5436611
XP21-048-230	45000	12	16	44000	30200	8.5	LH49/61E9	SLP99UH090XV48C	205763659
XP21-048-230	45000	12	16	44000	30200	8.5	LH49/61E9	SLP99UH090XV60C	205763666
XP21-048-230	45000	12	16	44500	30400	8.5	LH49/61E9	SLP99UH110XV60C	205763429

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-048-230	46500	12.5	16	47000	30600	8.2	LH49/61E9	SLP99UH135XV60D	205760488
XP21-048-230	48500	12.2	16	44000	27400	8.2	LH49/61E9		5436272
XP21-048-230	49000	13	17	43000	26600	8.2	LH49/61W9	EL180UH090E60C	206775765
XP21-048-230	48500	13	17	43000	26600	8.5	LH49/61W9	EL180UH110E60C	206775768
XP21-048-230	48500	13	17	43500	26800	8.2	LH49/61W9	EL195UH090XE48C	206775775
XP21-048-230	49000	13	17	43000	26800	8.2	LH49/61W9	EL195UH110XE60C	206775778
XP21-048-230	48500	13	17	43500	27000	8.2	LH49/61W9	EL196UH090XE48C	206775781
XP21-048-230	49000	13	17	43000	26800	8.2	LH49/61W9	EL196UH110XE60C	206775784
XP21-048-230	48000	13	17	43500	26800	8.5	LH49/61W9	EL280UH090XE48B	203372148
XP21-048-230	48000	13	17	43500	26800	8.5	LH49/61W9	EL280UH110E48C	206775789
XP21-048-230	48000	13	17	43000	26800	8.5	LH49/61W9	EL280UH110E60C	206775792
XP21-048-230	48000	13	17	43000	26600	8.5	LH49/61W9	EL280UH110XE60C	203372169
XP21-048-230	48500	13	17	43500	26800	8.2	LH49/61W9	EL296UH090XE48C	206775800
XP21-048-230	49000	13	17	43500	26800	8.2	LH49/61W9	EL296UH090XV48C	204667978
XP21-048-230	49000	13	17	43500	26800	8.2	LH49/61W9	EL296UH090XV60C	204667984
XP21-048-230	49000	13	17	43500	27000	8.2	LH49/61W9	EL296UH110XV60C	206775805
XP21-048-230	45000	12	16	44000	30200	8.5	LH49/61W9	SLP99UH090XV48C	206551395
XP21-048-230	45000	12	16	44000	30200	8.5	LH49/61W9	SLP99UH090XV60C	206551402
XP21-048-230	48000	13	17	43500	26800	8.5	LH49/62W9	EL180UH135E60D	206775774
XP21-048-230	48000	13	17	43500	26800	8.5	LH49/62W9	EL280UH090XE48B	203372156
XP21-048-230	48000	13	17	43000	26600	8.5	LH49/62W9	EL280UH110XE60C	203372179
XP21-048-230	49000	13	17	43500	26800	8.2	LH49/62W9	EL296UH090XV48C	204667982
XP21-048-230	49000	13	17	43500	26800	8.2	LH49/62W9	EL296UH090XV60C	204667988
XP21-048-230	45000	12	16	44000	30200	8.5	LH60/61W9	SLP99UH090XV48C	206551397
XP21-048-230	45000	12	16	44000	30200	8.5	LH60/61W9	SLP99UH090XV60C	206551404
XP21-048-230	47500	13	17	43000	26600	8.5	PL60H210P19	EL280UH110E60C	206775795
XP21-048-230	47500	13	17	43000	26600	8.5	PL60H210P19	EL280UH110XE60C	206775798
XP21-048-230	49000	13	17	43000	26600	8.2	PL60H210P30	EL180UH090E60C	206775767
XP21-048-230	48500	13	17	43000	26600	8.5	PL60H210P30	EL180UH110E60C	206775770
XP21-048-230	48500	13	17	43500	26800	8.2	PL60H210P30	EL195UH090XE48C	206775777
XP21-048-230	49000	13	17	43000	26800	8.2	PL60H210P30	EL195UH110XE60C	206775780
XP21-048-230	48500	13	17	43500	27000	8.2	PL60H210P30	EL196UH090XE48C	206775783
XP21-048-230	49000	13	17	43000	26800	8.2	PL60H210P30	EL196UH110XE60C	206775786
XP21-048-230	48000	13	17	43500	26800	8.5	PL60H210P30	EL280UH090E48B	206775787
XP21-048-230	48000	13	17	43500	26800	8.5	PL60H210P30	EL280UH090XE48B	206775788
XP21-048-230	48000	13	17	43500	26800	8.5	PL60H210P30	EL280UH110E48C	206775791
XP21-048-230	48000	13	17	43000	26800	8.5	PL60H210P30	EL280UH110E60C	206775797
XP21-048-230	48000	13	17	43000	26800	8.5	PL60H210P30	EL280UH110XE60C	206775799
XP21-048-230	48500	13	17	43500	26800	8.2	PL60H210P30	EL296UH090XE48C	206775802
XP21-048-230	49000	13	17	43500	26800	8.2	PL60H210P30	EL296UH090XV48C	206775803
XP21-048-230	49000	13	17	43500	26800	8.2	PL60H210P30	EL296UH090XV60C	206775804
XP21-048-230	49000	13	17	43500	27000	8.2	PL60H210P30	EL296UH110XV60C	206775807
XP21-060-230	55000	12.5	16	49500	31400	8.5	L*42/60Y9	EL280UH110XE60C	203372188
XP21-060-230	55500	12.2	16	50500	31600	8.2	L*42/60Y9	EL296UH090XV60C	7470243
XP21-060-230	55500	12.2	16	51500	32200	8.5	L*42/60Y9	SL280DF090V60C	5436623
XP21-060-230	56000	12.5	16	51000	31800	8.5	L*42/60Y9	SL280UH090V60C	5436624
XP21-060-230	56000	12.5	16	51000	31800	8.5	L*42/60Y9	SL280UH090XV60C	5436625
XP21-060-230	57500	12	16	51000	31800	8.5	L*42/60Y9	SL280UH090XV60C	10258498
XP21-060-230	56500	12.2	16	51000	32000	8.5	L*42/60Y9	SL280UH110V60C	5436626
XP21-060-230	56500	12.2	16	51000	32000	8.5	L*42/60Y9	SL280UH110XV60C	5436627
XP21-060-230	56000	12	16	51000	31800	8.5	L*42/60Y9	SL280UH135V60D	5436628
XP21-060-230	54000	12	15	51000	32000	8.5	L*42/60Y9	SLP98DF090XV60C	5436629
XP21-060-230	54000	12	15	51000	32000	8.5	L*42/60Y9	SLP98DF110XV60C	5436630
XP21-060-230	56500	12.2	16	50500	31600	8.2	L*42/60Y9	SLP98UH090XV60C	5436631

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-060-230	56000	12.2	16	51000	32000	8.5	L*42/60Y9	SLP98UH110XV60C	5436632
XP21-060-230	56000	12	15	51000	31800	8.5	L*42/60Y9	SLP98UH135XV60D	5436633
XP21-060-230	54000	12	15	51000	32000	8.5	L*42/60Y9	SLP99DF090XV60C	205760497
XP21-060-230	54000	12	15	51000	32000	8.5	L*42/60Y9	SLP99DF110XV60C	205760504
XP21-060-230	53500	11.7	15	53000	34200	8.2	L*42/60Y9	SLP99UH090XV60C	205760508
XP21-060-230	54000	11.7	15	53000	34400	8.2	L*42/60Y9	SLP99UH110XV60C	205760516
XP21-060-230	55000	11.7	15	51000	32800	8.5	L*42/60Y9	SLP99UH135XV60D	205760526
XP21-060-230	56000	12.2	15	51000	32000	8.5	L*42/60Y9		5436273
XP21-060-230	55000	12.5	16	49500	31400	8.5	L*42/60Z9	EL280UH110XE60C	203372187
XP21-060-230	55500	12.2	16	50500	31600	8.2	L*42/60Z9	EL296UH090XV60C	7470244
XP21-060-230	55500	12.2	16	51500	32200	8.5	L*42/60Z9	SL280DF090V60C	10258497
XP21-060-230	53500	11.7	15	53000	34200	8.2	L*42/60Z9	SLP99UH090XV60C	206551409
XP21-060-230	54000	11.7	15	53000	34400	8.2	L*42/60Z9	SLP99UH110XV60C	206551416
XP21-060-230	55000	11.7	15	51000	32800	8.5	L*42/60Z9	SLP99UH135XV60D	206551422
XP21-060-230	55000	12.5	16	49500	31400	8.5	L*43/61Y9	EL280UH110XE60C	203372190
XP21-060-230	55000	12.5	16	49500	31400	8.5	L*43/61Z9	EL280UH110XE60C	203372189
XP21-060-230	54000	12	15	51000	32000	8.5	L*43/61Z9	SLP99DF090XV60C	206551405
XP21-060-230	54000	12	15	51000	32000	8.5	L*43/61Z9	SLP99DF110XV60C	206551406
XP21-060-230	53500	11.7	15	51000	36000	8.2	L*43/61Z9	SLP99UH090XV60C	206551410
XP21-060-230	54000	11.7	15	53000	34400	8.2	L*43/61Z9	SLP99UH110XV60C	206551417
XP21-060-230	55000	13	16	49500	31400	8.5	L*48/60Y9	EL280UH110XE60C	203372197
XP21-060-230	54500	12.2	16	51000	31800	8.5	L*48/60Y9	EL296DF110XE60C	7470240
XP21-060-230	55500	12.2	16	51500	32200	8.5	L*48/60Y9	SL280DF090V60C	5436645
XP21-060-230	56500	12.5	16	51000	31800	8.5	L*48/60Y9	SL280UH090V60C	5436646
XP21-060-230	56500	12.5	16	51000	31800	8.5	L*48/60Y9	SL280UH090XV60C	5436647
XP21-060-230	56500	12.5	16	51000	32000	8.5	L*48/60Y9	SL280UH110V60C	5436648
XP21-060-230	56500	12.5	16	51000	32000	8.5	L*48/60Y9	SL280UH110XV60C	5436649
XP21-060-230	56000	12.2	16	51000	31800	8.5	L*48/60Y9	SL280UH135V60D	5436650
XP21-060-230	54000	12	16	51000	32000	8.5	L*48/60Y9	SLP98DF090XV60C	5436651
XP21-060-230	54000	12	16	51000	32000	8.5	L*48/60Y9	SLP98DF110XV60C	5436652
XP21-060-230	56500	12.5	16	50500	31600	8.2	L*48/60Y9	SLP98UH090XV60C	5436653
XP21-060-230	56000	12.5	16	51000	32000	8.5	L*48/60Y9	SLP98UH110XV60C	5436654
XP21-060-230	56000	12.2	16	51000	31800	8.5	L*48/60Y9	SLP98UH135XV60D	5436655
XP21-060-230	54000	12	16	51000	32000	8.5	L*48/60Y9	SLP99DF090XV60C	205760500
XP21-060-230	54000	12	16	51000	32000	8.5	L*48/60Y9	SLP99DF110XV60C	205760506
XP21-060-230	53500	12	15	51000	36000	8.2	L*48/60Y9	SLP99UH090XV60C	205760514
XP21-060-230	54000	12	16	53000	34400	8.2	L*48/60Y9	SLP99UH110XV60C	205760524
XP21-060-230	55000	12	16	51000	32800	8.5	L*48/60Y9	SLP99UH135XV60D	205760531
XP21-060-230	56000	12.5	15	51000	32000	8.5	L*48/60Y9		5436274
XP21-060-230	55000	13	16	49500	31400	8.5	L*48/60Z9	EL280UH110XE60C	203372196
XP21-060-230	54500	12.2	16	51000	31800	8.5	L*48/60Z9	EL296DF110XE60C	7470242
XP21-060-230	55000	12.5	16	51000	31400	8.2	L*49/62Y9	EL280UH110XE60C	203372186
XP21-060-230	55000	12.5	16	51000	31400	8.2	L*49/62Z9	EL280UH110XE60C	203372185
XP21-060-230	53500	11.7	15	51000	36000	8.2	L*49/62Z9	SLP99UH090XV60C	206551408
XP21-060-230	54000	11.7	15	53000	34400	8.2	L*49/62Z9	SLP99UH110XV60C	206551415
XP21-060-230	55000	11.7	15	51000	32800	8.5	L*49/62Z9	SLP99UH135XV60D	206551421
XP21-060-230	55000	13	16	49500	31400	8.5	L*49/63Z9	EL280UH110XE60C	203372198
XP21-060-230	57500	12.5	16	51000	31800	8.5	L*49/63Z9	SL280UH090V60C	205093134
XP21-060-230	54500	12.2	15	51000	31800	8.5	LD42/61Z9	EL296DF110XE60C	205147336
XP21-060-230	55500	12.2	15	51500	32200	8.5	LD42/61Z9	SL280DF090V60C	205147337
XP21-060-230	54000	12	15	51000	32000	8.5	LD42/61Z9	SLP98DF090XV60C	205147338
XP21-060-230	54000	12	15	51000	32000	8.5	LD42/61Z9	SLP98DF110XV60C	205147339
XP21-060-230	54000	12	15	51000	32000	8.5	LD42/61Z9	SLP99DF090XV60C	205760495
XP21-060-230	54000	12	15	51000	32000	8.5	LD42/61Z9	SLP99DF110XV60C	205760501

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-060-230	55500	12.2	15	52000	32400	9	LD42/61Z9		204756331
XP21-060-230	55000	12.5	16	49500	31400	8.5	LH40/61E9	EL280UH110XE60C	203372183
XP21-060-230	55000	12.5	16	49500	31400	8.5	LH40/61W9	EL280UH110XE60C	203372182
XP21-060-230	53500	11.7	15	53000	34200	8.2	LH40/61W9	SLP99UH090XV60C	206551407
XP21-060-230	54000	11.7	15	53000	34400	8.2	LH40/61W9	SLP99UH110XV60C	206551414
XP21-060-230	54500	12.5	16	51000	31400	8.2	LH40/62W9	EL280UH110XE60C	203372180
XP21-060-230	53500	12.2	15	51000	31400	8.2	LH41/61D9	EL280UH110XE60C	203372181
XP21-060-230	55000	12.5	16	49500	31400	8.5	LH42/62E9	EL280UH110XE60C	203372194
XP21-060-230	55500	12.5	16	50500	31600	8.2	LH42/62E9	EL296UH090XV60C	7470245
XP21-060-230	56500	12.5	16	51000	31800	8.5	LH42/62E9	SL280UH090V60C	5436664
XP21-060-230	56500	12.5	16	51000	31800	8.5	LH42/62E9	SL280UH090XV60C	5436665
XP21-060-230	56500	12.5	16	51000	32000	8.5	LH42/62E9	SL280UH110V60C	5436666
XP21-060-230	56500	12.5	16	51000	32000	8.5	LH42/62E9	SL280UH110XV60C	5436667
XP21-060-230	56000	12.2	16	51000	31800	8.5	LH42/62E9	SL280UH135V60D	5436668
XP21-060-230	56500	12.5	16	50500	31600	8.2	LH42/62E9	SLP98UH090XV60C	5436669
XP21-060-230	56000	12.5	16	51000	32000	8.5	LH42/62E9	SLP98UH110XV60C	5436670
XP21-060-230	56000	12.2	15	51000	31800	8.5	LH42/62E9	SLP98UH135XV60D	5436671
XP21-060-230	53500	12	15	53000	34200	8.2	LH42/62E9	SLP99UH090XV60C	205760512
XP21-060-230	54000	12	15	53000	34400	8.2	LH42/62E9	SLP99UH110XV60C	205760522
XP21-060-230	55000	12	15	51000	32800	8.5	LH42/62E9	SLP99UH135XV60D	205760529
XP21-060-230	56000	12.5	15	51000	32000	8.5	LH42/62E9		5436275
XP21-060-230	55000	12.5	16	49500	31400	8.5	LH42/62W9	EL280UH110XE60C	203372193
XP21-060-230	55500	12.5	16	50500	31600	8.2	LH42/62W9	EL296UH090XV60C	7470246
XP21-060-230	56500	12.5	16	51000	31800	8.5	LH42/62W9	SL280UH090V60C	205228870
XP21-060-230	56500	12.5	16	50500	31800	8.5	LH42/62W9	SL280UH090XV60C	10258499
XP21-060-230	53500	12	15	53000	34200	8.2	LH42/62W9	SLP99UH090XV60C	206551412
XP21-060-230	54000	12	15	53000	34400	8.2	LH42/62W9	SLP99UH110XV60C	206551419
XP21-060-230	55000	12.5	16	49500	31400	8.5	LH48/60E9	EL280UH110XE60C	203372195
XP21-060-230	53500	12	16	49000	31400	8.5	LH48/60F9	EL280UH110XE60C	203372184
XP21-060-230	57000	13	16	50500	31600	8.5	LH49/61E9	EL180UH090E60C	206775809
XP21-060-230	57000	13	16	50500	31600	8.5	LH49/61E9	EL180UH110E60C	206775812
XP21-060-230	55000	12.5	16	49500	31400	8.5	LH49/61E9	EL280UH110XE60C	203372192
XP21-060-230	56500	12.5	16	51000	31800	8.5	LH49/61E9	SL280UH090V60C	5436680
XP21-060-230	56500	12.5	16	51000	31800	8.5	LH49/61E9	SL280UH090XV60C	5436681
XP21-060-230	56500	12.5	16	51000	32000	8.5	LH49/61E9	SL280UH110V60C	5436682
XP21-060-230	56500	12.5	16	51000	32000	8.5	LH49/61E9	SL280UH110XV60C	5436683
XP21-060-230	56000	12.2	16	51000	31800	8.5	LH49/61E9	SL280UH135V60D	5436684
XP21-060-230	56500	12.5	16	50500	31600	8.2	LH49/61E9	SLP98UH090XV60C	5436685
XP21-060-230	56000	12.5	16	51000	32000	8.5	LH49/61E9	SLP98UH110XV60C	5436686
XP21-060-230	56000	12.2	16	51000	31800	8.5	LH49/61E9	SLP98UH135XV60D	5436687
XP21-060-230	53500	12	15	53000	34200	8.2	LH49/61E9	SLP99UH090XV60C	205760510
XP21-060-230	54000	12	16	53000	34400	8.2	LH49/61E9	SLP99UH110XV60C	205760519
XP21-060-230	55000	12	16	51000	32800	8.5	LH49/61E9	SLP99UH135XV60D	205760528
XP21-060-230	56000	12.5	15	51000	32000	8.5	LH49/61E9		5436276
XP21-060-230	57000	13	16	50500	31600	8.5	LH49/61W9	EL180UH090E60C	206775808
XP21-060-230	57000	13	16	50500	31600	8.5	LH49/61W9	EL180UH110E60C	206775811
XP21-060-230	55000	12.5	16	49500	31400	8.5	LH49/61W9	EL280UH110XE60C	203372191
XP21-060-230	57500	12.5	16	51000	31800	8.5	LH49/61W9	SL280UH090V60C	205228869
XP21-060-230	53500	12	15	53000	34200	8.2	LH49/61W9	SLP99UH090XV60C	206551411
XP21-060-230	54000	12	16	53000	34400	8.2	LH49/61W9	SLP99UH110XV60C	206551418
XP21-060-230	56500	12.5	16	50500	31600	8.2	LH49/62W(1,2	EL296UH090XV60C	204722978
XP21-060-230	55000	13	16	49500	31400	8.5	LH49/62W9	EL280UH110XE60C	203372199
XP21-060-230	53500	12	15	51000	36000	8.2	LH60/61W9	SLP99UH090XV60C	206551413
XP21-060-230	54000	12	16	53000	34400	8.2	LH60/61W9	SLP99UH110XV60C	206551420

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-060-230	57000	13	16	50500	31600	8.5	PL60H210P30	EL180UH090E60C	206775810
XP21-060-230	57000	13	16	50500	31600	8.5	PL60H210P30	EL180UH110E60C	206775813
XP21-060-230	55000	13	16	49500	31400	8.5	PL60H210P30	EL280UH110E60C	206775814
XP21-060-230	55000	13	16	49500	31400	8.5	PL60H210P30	EL280UH110XE60C	206775815
XP25-024-230	22800	14	22	20800	13400	8.5	A36VDC	EL296DF045XV36B	203189420
XP25-024-230	22800	14	22	20800	13400	8.5	A36VDC	SL280DF070V36A	203189424
XP25-024-230	22800	14	23	20800	13400	8.5	A36VDC	SLP98DF070XV36B	203189430
XP25-024-230	21800	14	23	20400	13000	9.5	L*18/36T9	EL296UH045XV36B	206776395
XP25-024-230	22400	14	23	20000	12300	9.5	L*18/36T9	EL296UH070XV36B	206776403
XP25-024-230	22200	14	22	22000	13400	8.5	L*18/36T9	SL280DF070V36A	6317179
XP25-024-230	22000	14	22	20600	13000	10	L*18/36T9	SL280UH070V36A	6317182
XP25-024-230	22000	14	23	20400	12100	10	L*18/36T9	SL280UH090V36B	6317183
XP25-024-230	22800	14	23	20000	12300	9.5	L*19/36S9	EL296UH045XV36B	6109201
XP25-024-230	22800	14	23	20000	12300	9.5	L*19/36S9	EL296UH070XV36B	6109206
XP25-024-230	22400	14	22	22000	13400	8.5	L*19/36S9	SL280DF070V36A	6109211
XP25-024-230	22200	14	22	20600	13000	10	L*19/36S9	SL280UH070V36A	6109213
XP25-024-230	22200	14	23	20400	13000	10	L*19/36S9	SL280UH090V36B	6109218
XP25-024-230	22000	14	23	20600	13000	9.5	L*19/36S9	SLP98UH070XV36B	6109227
XP25-024-230	22400	14	23	22000	13300	8.5	L*19/36S9	SLP99DF090XV36C	205760536
XP25-024-230	22200	14	21	19800	12200	9	L*19/36S9	SLP99UH070XV36B	205763437
XP25-024-230	23000	14	22	20800	13400	8.5	L*23/37Z9	EL296DF045XV36B	204325777
XP25-024-230	22400	14	23	20600	13000	10	L*23/37Z9	EL296UH045XV36B	206776401
XP25-024-230	22400	14	23	20600	13000	10	L*23/37Z9	EL296UH070XV36B	206776409
XP25-024-230	22800	14	21	20200	12600	9	L*23/37Z9	EL296UH090XV36C	206776415
XP25-024-230	23000	14	23	22000	13400	8.5	L*23/37Z9	SLP99DF070XV36B	206551471
XP25-024-230	23000	14	23	22000	13300	8.5	L*23/37Z9	SLP99DF090XV36C	206551473
XP25-024-230	22400	14	21	19800	12200	9	L*23/37Z9	SLP99UH070XV36B	206551476
XP25-024-230	22800	14	21	20200	12600	9	L*23/37Z9	SLP99UH090XV36C	206551480
XP25-024-230	23000	14	23	22000	13400	8.5	L*30/36U9	SLP99DF070XV36B	206551469
XP25-024-230	22400	14	21	19800	12200	9	L*30/36U9	SLP99UH070XV36B	206551475
XP25-024-230	22400	14	23	20600	13000	10	L*35/36S9	EL296UH045XV36B	6109202
XP25-024-230	22400	14	23	20600	13000	10	L*35/36S9	EL296UH070XV36B	6109207
XP25-024-230	22800	14	21	20200	12600	9	L*35/36S9	EL296UH090XV36C	206776413
XP25-024-230	23000	14	22	22000	13400	8.5	L*35/36S9	SL280DF070V36A	6109212
XP25-024-230	22400	14	23	20600	13000	10	L*35/36S9	SL280UH070V36A	6109214
XP25-024-230	22800	14	23	19800	12300	9.5	L*35/36S9	SL280UH090V36B	206315337
XP25-024-230	22400	14	23	20600	12900	10	L*35/36S9	SL280UH090V36B	6109219
XP25-024-230	23000	14	23	22000	13400	8.5	L*35/36S9	SLP98DF070XV36B	6109224
XP25-024-230	22400	14	23	20600	13000	10	L*35/36S9	SLP98UH070XV36B	6109228
XP25-024-230	23000	14	23	22000	13400	8.5	L*35/36S9	SLP99DF070XV36B	205760533
XP25-024-230	23000	14	23	22000	13300	8.5	L*35/36S9	SLP99DF090XV36C	205760538
XP25-024-230	22400	14	21	19800	12200	9	L*35/36S9	SLP99UH070XV36B	205763444
XP25-024-230	23000	14	22	20800	13400	8.5	L*35/36U9	EL296DF045XV36B	204325776
XP25-024-230	22400	14	23	20600	13000	10	L*35/36U9	EL296UH045XV36B	206776400
XP25-024-230	22400	14	23	20600	13000	10	L*35/36U9	EL296UH070XV36B	206776408
XP25-024-230	22800	14	21	20200	12600	9	L*35/36U9	EL296UH090XV36C	206776412
XP25-024-230	22400	14	23	20600	12900	10	L*35/36U9	SL280UH090V36B	206315338
XP25-024-230	22800	14	23	19800	12300	9.5	L*35/36U9	SL280UH090V36B	206315336
XP25-024-230	22400	14	23	20600	13000	10	L*35/36U9	SLP98UH070XV36B	8156347
XP25-024-230	23000	14	23	22000	13400	8.5	L*35/36U9	SLP99DF070XV36B	206551470
XP25-024-230	23000	14	23	22000	13300	8.5	L*35/36U9	SLP99DF090XV36C	206551472
XP25-024-230	22400	14	21	19800	12200	9	L*35/36U9	SLP99UH070XV36B	205763442
XP25-024-230	22800	14	21	20200	12600	9	L*35/36U9	SLP99UH090XV36C	206551478
XP25-024-230	22400	14	23	20600	13000	10	LH18/37D9	EL296UH045XV36B	7470267

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP25-024-230	22400	14	23	20600	13000	10	LH18/37R9	EL296UH045XV36B	7470268
XP25-024-230	22800	14	21	20200	12600	9	LH23/37W9	EL296UH090XV36C	206776414
XP25-024-230	22800	14	21	20200	12600	9	LH23/37W9	SLP99UH090XV36C	206551479
XP25-024-230	22600	14	23	20000	12300	9.5	LH24/37F9	EL296UH045XV36B	6109203
XP25-024-230	22600	14	23	20000	12300	9.5	LH24/37F9	EL296UH070XV36B	6109208
XP25-024-230	22000	14	22	20600	13000	10	LH24/37F9	SL280UH070V36A	6109215
XP25-024-230	22000	14	23	20400	12100	10	LH24/37F9	SL280UH090V36B	6109220
XP25-024-230	21800	14	23	20600	13000	9.5	LH24/37F9	SLP98UH070XV36B	6109229
XP25-024-230	22800	14	23	20000	12300	9.5	LH29/36F9	EL296UH045XV36B	6109204
XP25-024-230	22800	14	23	20000	12300	9.5	LH29/36F9	EL296UH070XV36B	6109209
XP25-024-230	22200	14	22	20600	13000	10	LH29/36F9	SL280UH070V36A	6109216
XP25-024-230	22200	14	23	20400	13000	10	LH29/36F9	SL280UH090V36B	6109221
XP25-024-230	22000	14	23	20600	13000	9.5	LH29/36F9	SLP98UH070XV36B	6109230
XP25-024-230	22200	14	21	19800	12200	9	LH29/36F9	SLP99UH070XV36B	205763435
XP25-024-230	22400	14	23	20600	13000	10	LH35/36F9	EL296UH045XV36B	206776397
XP25-024-230	22400	14	23	20600	13000	10	LH35/36F9	EL296UH070XV36B	206776405
XP25-024-230	22400	14	23	20600	13000	10	LH35/36X9	EL296UH045XV36B	206776396
XP25-024-230	22400	14	23	20600	13000	10	LH35/36X9	EL296UH070XV36B	206776404
XP25-024-230	22400	14	21	19800	12200	9	LH35/36X9	SLP99UH070XV36B	206551474
XP25-024-230	22400	14	23	20600	13000	10	LH35/38F9	EL296UH045XV36B	6109205
XP25-024-230	22400	14	23	20600	13000	10	LH35/38F9	EL296UH070XV36B	6109210
XP25-024-230	22400	14	23	20600	13000	10	LH35/38F9	SL280UH070V36A	6109217
XP25-024-230	22400	14	23	20600	12900	10	LH35/38F9	SL280UH090V36B	6109222
XP25-024-230	22400	14	23	20600	13000	10	LH35/38F9	SLP98UH070XV36B	6109231
XP25-024-230	22400	14	21	19800	12200	9	LH35/38F9	SLP99UH070XV36B	205763440
XP25-024-230	22400	14	23	20600	13000	10	LH35/38X9	EL296UH045XV36B	206776399
XP25-024-230	22400	14	23	20600	13000	10	LH35/38X9	EL296UH070XV36B	206776407
XP25-024-230	22800	14	21	20200	12600	9	LH35/38X9	EL296UH090XV36C	206776411
XP25-024-230	22800	14	21	20200	12600	9	LH35/38X9	SLP99UH090XV36C	206551477
XP25-024-230	22400	14	23	20600	13000	10	PL36H210P29	EL296UH045XV36B	206776394
XP25-024-230	22400	14	23	20600	13000	10	PL36H210P29	EL296UH070XV36B	206776402
XP25-024-230	22800	14	21	20200	12600	9	PL36H210P29	EL296UH090XV36C	206776410
XP25-024-230	22400	14	23	20600	13000	10	PL36H210P75	EL296UH045XV36B	206776398
XP25-024-230	22400	14	23	20600	13000	10	PL36H210P75	EL296UH070XV36B	206776406
XP25-036-230	34800	13	20	30600	19600	9	L*23/37Z9	EL296UH045XV36B	206778534
XP25-036-230	34800	13	20	30600	19600	9	L*23/37Z9	EL296UH070XV36B	206778539
XP25-036-230	35000	13.5	20	30400	19400	9	L*23/37Z9	EL296UH090XV36C	206778544
XP25-036-230	35000	13.5	20	30400	19400	9	L*23/37Z9	EL296UH090XV48C	206778549
XP25-036-230	35200	13.5	20	30400	19400	9	L*23/37Z9	EL296UH090XV60C	206778554
XP25-036-230	35200	13.5	19	30400	19400	9	L*23/37Z9	EL296UH110XV60C	206778559
XP25-036-230	34800	13	20	30600	19600	9	L*35/36S9	EL296UH045XV36B	206778533
XP25-036-230	34800	13	20	30600	19600	9	L*35/36S9	EL296UH070XV36B	206778538
XP25-036-230	35000	13.5	20	30400	19400	9	L*35/36S9	EL296UH090XV36C	206778542
XP25-036-230	35000	13.5	20	30400	19400	9	L*35/36S9	EL296UH090XV48C	206778547
XP25-036-230	35200	13.5	20	30400	19400	9	L*35/36S9	EL296UH090XV60C	206778552
XP25-036-230	35200	13.5	19	30400	19400	9	L*35/36S9	EL296UH110XV60C	206778557
XP25-036-230	34800	13	20	30600	19600	9	L*35/36U9	EL296UH045XV36B	206778532
XP25-036-230	34800	13	20	30600	19600	9	L*35/36U9	EL296UH070XV36B	206778537
XP25-036-230	35000	13.5	20	30400	19400	9	L*35/36U9	EL296UH090XV36C	206778541
XP25-036-230	35000	13.5	20	30400	19400	9	L*35/36U9	EL296UH090XV48C	206778546
XP25-036-230	35200	13.5	20	30400	19400	9	L*35/36U9	EL296UH090XV60C	206778551
XP25-036-230	35200	13.5	19	30400	19400	9	L*35/36U9	EL296UH110XV60C	206778556
XP25-036-230	35000	13.5	20	30400	19400	9	LH23/37W9	EL296UH090XV36C	206778543
XP25-036-230	35000	13.5	20	30400	19400	9	LH23/37W9	EL296UH090XV48C	206778548

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP25-036-230	35200	13.5	20	30400	19400	9	LH23/37W9	EL296UH090XV60C	206778553
XP25-036-230	35200	13.5	19	30400	19400	9	LH23/37W9	EL296UH110XV60C	206778558
XP25-036-230	34800	13	20	30600	19600	9	LH35/38F9	EL296UH045XV36B	206778531
XP25-036-230	34800	13	20	30600	19600	9	LH35/38F9	EL296UH070XV36B	206778536
XP25-036-230	34800	13	20	30600	19600	9	LH35/38X9	EL296UH045XV36B	206778530
XP25-036-230	34800	13	20	30600	19600	9	LH35/38X9	EL296UH070XV36B	206778535
XP25-036-230	35000	13.5	20	30400	19400	9	LH35/38X9	EL296UH090XV36C	206778540
XP25-036-230	35000	13.5	20	30400	19400	9	LH35/38X9	EL296UH090XV48C	206778545
XP25-036-230	35200	13.5	20	30400	19400	9	LH35/38X9	EL296UH090XV60C	206778550
XP25-036-230	35200	13.5	19	30400	19400	9	LH35/38X9	EL296UH110XV60C	206778555
XP25-048-230	46500	12.5	19	44000	28800	9	A48VFC	EL296DF090XV60C	203189441
XP25-048-230	46500	12.5	19	44000	28800	9	A48VFC	EL296DF110XV60C	203189444
XP25-048-230	46500	12.5	19	43500	28400	9	A48VFC	SL280DF090V60C	203189447
XP25-048-230	47000	12.5	20	43500	28400	9	A48VFC	SL280DF110V60C	203189450
XP25-048-230	46500	12	20	44000	28800	9	A48VFC	SLP98DF090XV48C	203189453
XP25-048-230	46500	12.5	19	44000	28800	9	A48VFC	SLP98DF090XV60C	203189454
XP25-048-230	46500	12.5	19	44000	28800	9	A48VFC	SLP98DF110XV60C	203189457
XP25-048-230	46500	12.5	19	44000	28800	9	L*42/60Y9	EL296DF090XV60C	6109262
XP25-048-230	46500	12.5	19	44000	28800	9	L*42/60Y9	EL296DF110XV60C	6109264
XP25-048-230	48000	12.5	20	44500	28800	9.5	L*42/60Y9	EL296UH090XV48C	6109266
XP25-048-230	49000	13	20	44000	28000	9	L*42/60Y9	EL296UH090XV60C	6109270
XP25-048-230	49000	13	20	44000	28000	9	L*42/60Y9	EL296UH110XV48C	6109274
XP25-048-230	49000	13	20	44000	28000	9	L*42/60Y9	EL296UH110XV60C	6109278
XP25-048-230	47500	13	19	43000	27000	9.5	L*42/60Y9	EL296UH135XV60D	6109286
XP25-048-230	46500	12.5	19	43500	28400	9	L*42/60Y9	SL280DF090V60C	6109290
XP25-048-230	47000	12.5	20	43500	28400	9	L*42/60Y9	SL280DF110V60C	6109292
XP25-048-230	48000	13	20	44000	28600	9.5	L*42/60Y9	SL280UH090V60C	6109294
XP25-048-230	47500	13	20	43000	27800	9	L*42/60Y9	SL280UH090XV60C	6109298
XP25-048-230	47500	13	20	43000	27800	9	L*42/60Y9	SL280UH090XV60C	10258441
XP25-048-230	48000	12.5	20	44500	28800	9	L*42/60Y9	SL280UH110V60C	6109302
XP25-048-230	47500	13	19	44000	26800	9.5	L*42/60Y9	SL280UH135V60D	6109306
XP25-048-230	47000	12	19	44000	28600	8.5	L*42/60Y9	SL297UH080NV60C	206400214
XP25-048-230	46500	12	20	44000	28800	9	L*42/60Y9	SLP98DF090XV48C	6109310
XP25-048-230	46500	12.5	19	44000	28800	9	L*42/60Y9	SLP98DF090XV60C	6109312
XP25-048-230	46500	12.5	19	44000	28800	9	L*42/60Y9	SLP98DF110XV60C	6109314
XP25-048-230	48000	12.5	20	44500	28800	9.5	L*42/60Y9	SLP98UH090XV48C	6109316
XP25-048-230	49000	13	20	44000	28000	9	L*42/60Y9	SLP98UH090XV60C	6109320
XP25-048-230	49000	13	20	44000	28000	9	L*42/60Y9	SLP98UH110XV60C	6109324
XP25-048-230	47500	13	19	43000	27000	9.5	L*42/60Y9	SLP98UH135XV60D	6109328
XP25-048-230	46500	12	20	44000	28800	9	L*42/60Y9	SLP99DF090XV48C	205763683
XP25-048-230	46500	12.5	19	44000	28800	9	L*42/60Y9	SLP99DF090XV60C	205763689
XP25-048-230	46500	12.5	19	44000	28800	9	L*42/60Y9	SLP99DF110XV60C	205763696
XP25-048-230	46000	12	19	44000	26400	8.2	L*42/60Y9	SLP99UH090XV48C	205763699
XP25-048-230	48000	12.5	19	44000	28400	9	L*42/60Y9	SLP99UH090XV60C	205763708
XP25-048-230	48000	12.5	19	44000	28400	9	L*42/60Y9	SLP99UH110XV60C	205763722
XP25-048-230	47000	12.5	18	44000	28600	9	L*42/60Y9	SLP99UH135XV60D	205763731
XP25-048-230	46500	12.5	19	44000	28800	9	L*42/60Z9	EL296DF090XV60C	204325780
XP25-048-230	49000	13	20	44000	28400	9	L*42/60Z9	EL296UH090XV48C	206778501
XP25-048-230	49000	13	20	44000	28400	9	L*42/60Z9	EL296UH090XV60C	206778506
XP25-048-230	49000	13	20	44000	28400	9	L*42/60Z9	EL296UH110XV48C	206778511
XP25-048-230	49000	13	20	44000	28400	9	L*42/60Z9	EL296UH110XV60C	206778518
XP25-048-230	47500	13	19	43000	27000	9.5	L*42/60Z9	EL296UH135XV60D	206778523
XP25-048-230	46500	12.5	19	43500	28400	9	L*42/60Z9	SL280DF090V60C	10258439
XP25-048-230	47500	13	20	43000	27800	9	L*42/60Z9	SL280UH090XV60C	10258442

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP25-048-230	47500	13	20	43000	27800	9	L*42/60Z9	SL280UH090XV60C	10258440
XP25-048-230	47000	12	19	44000	28600	8.5	L*42/60Z9	SL297UH080NV60C	206400213
XP25-048-230	46500	12	20	44000	28800	9	L*42/60Z9	SLP98DF090XV48C	205093606
XP25-048-230	46500	12	20	44000	28800	9	L*42/60Z9	SLP99DF090XV48C	205763680
XP25-048-230	46500	12.5	19	44000	28800	9	L*42/60Z9	SLP99DF090XV60C	206551532
XP25-048-230	46000	12	19	44000	26400	8.2	L*42/60Z9	SLP99UH090XV48C	206551535
XP25-048-230	48000	12.5	19	44000	28400	9	L*42/60Z9	SLP99UH090XV60C	206551542
XP25-048-230	48000	12.5	19	44000	28400	9	L*42/60Z9	SLP99UH110XV60C	206913213
XP25-048-230	49000	13	20	44000	28400	9.5	L*43/61Z9	SLP98UH090XV60C	8156351
XP25-048-230	46500	12	20	44000	28800	9	L*43/61Z9	SLP99DF090XV48C	206551530
XP25-048-230	46500	12.5	19	44000	28800	9	L*43/61Z9	SLP99DF090XV60C	206551533
XP25-048-230	46000	12	19	44000	26400	8.2	L*43/61Z9	SLP99UH090XV48C	206551536
XP25-048-230	48000	12.5	19	44000	28400	9	L*43/61Z9	SLP99UH090XV60C	205763710
XP25-048-230	46500	12.5	19	44000	28800	9	L*48/60Y9	EL296DF090XV60C	6109263
XP25-048-230	46500	12.5	19	44000	28800	9	L*48/60Y9	EL296DF110XV60C	6109265
XP25-048-230	49000	13	20	44000	28400	9.5	L*48/60Y9	EL296UH090XV48C	6109267
XP25-048-230	49000	13	20	44000	28400	9.5	L*48/60Y9	EL296UH090XV60C	6109271
XP25-048-230	49000	13	20	44000	28400	9.5	L*48/60Y9	EL296UH110XV48C	6109275
XP25-048-230	49000	13	20	44000	28400	9.5	L*48/60Y9	EL296UH110XV60C	6109279
XP25-048-230	47500	13	19	43000	27000	9.5	L*48/60Y9	EL296UH135XV60D	6109287
XP25-048-230	46500	12.5	19	43500	28400	9	L*48/60Y9	SL280DF090V60C	6109291
XP25-048-230	47000	12.5	20	43500	28400	9	L*48/60Y9	SL280DF110V60C	6109293
XP25-048-230	49000	13	20	44000	28200	9.5	L*48/60Y9	SL280UH090V60C	6109295
XP25-048-230	47500	13	20	43000	27800	9	L*48/60Y9	SL280UH090XV60C	6109299
XP25-048-230	48000	12.5	20	44500	28800	9	L*48/60Y9	SL280UH110V60C	6109303
XP25-048-230	47500	13	19	44000	28600	9.5	L*48/60Y9	SL280UH135V60D	6109307
XP25-048-230	47000	12	19	44000	28600	8.5	L*48/60Y9	SL297UH080NV60C	206400220
XP25-048-230	46500	12	20	44000	28800	9	L*48/60Y9	SLP98DF090XV48C	6109311
XP25-048-230	46500	12.5	19	44000	28800	9	L*48/60Y9	SLP98DF090XV60C	6109313
XP25-048-230	46500	12.5	19	44000	28800	9	L*48/60Y9	SLP98DF110XV60C	6109315
XP25-048-230	49000	13	20	44000	28400	9.5	L*48/60Y9	SLP98UH090XV48C	6109317
XP25-048-230	49000	13	20	44000	28400	9.5	L*48/60Y9	SLP98UH090XV60C	6109321
XP25-048-230	49000	13	20	44000	28400	9.5	L*48/60Y9	SLP98UH110XV60C	6109325
XP25-048-230	47500	13	19	43000	27000	9.5	L*48/60Y9	SLP98UH135XV60D	6109329
XP25-048-230	46500	12	20	44000	28800	9	L*48/60Y9	SLP99DF090XV48C	205763685
XP25-048-230	46500	12.5	19	44000	28800	9	L*48/60Y9	SLP99DF090XV60C	205763692
XP25-048-230	46500	12.5	19	44000	28800	9	L*48/60Y9	SLP99DF110XV60C	205763698
XP25-048-230	46000	12	19	44000	26400	8.2	L*48/60Y9	SLP99UH090XV48C	205763706
XP25-048-230	48000	12.5	19	44000	28400	9	L*48/60Y9	SLP99UH090XV60C	205763720
XP25-048-230	48000	12.5	19	44000	28400	9	L*48/60Y9	SLP99UH110XV60C	205763729
XP25-048-230	47000	12.5	18	44000	28600	9	L*48/60Y9	SLP99UH135XV60D	205763738
XP25-048-230	46500	12.5	19	44000	28800	9	L*48/60Z9	EL296DF090XV60C	7470274
XP25-048-230	46500	12.5	19	44000	28800	9	L*48/60Z9	EL296DF110XV60C	7470275
XP25-048-230	47500	13	19	43000	27000	9.5	L*48/60Z9	EL296UH135XV60D	206778524
XP25-048-230	47000	12	19	44000	28600	8.5	L*48/60Z9	SL297UH080NV60C	206400219
XP25-048-230	46500	12	20	44000	28800	9	L*48/60Z9	SLP98DF090XV48C	205972725
XP25-048-230	49000	13	20	44000	28400	9.5	L*48/60Z9	SLP98UH090XV60C	8156353
XP25-048-230	48000	12.5	19	44000	28400	9	L*48/60Z9	SLP99UH090XV60C	205763719
XP25-048-230	46500	12	20	44000	28800	9	L*49/62Z9	SLP99DF090XV48C	206551529
XP25-048-230	46500	12.5	19	44000	28800	9	L*49/62Z9	SLP99DF090XV60C	206551531
XP25-048-230	48000	12.5	19	44000	28400	9	L*49/62Z9	SLP99UH090XV60C	206551541
XP25-048-230	47500	13	19	43000	27000	9.5	L*49/63Z9	EL296UH135XV60D	206778525
XP25-048-230	47000	12	19	44000	28600	8.5	L*49/63Z9	SL297UH080NV60C	206400221
XP25-048-230	46500	12.5	19	44000	28800	9	LD42/61Z9	EL296DF090XV60C	205147097

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP25-048-230	46500	12.5	19	44000	28800	9	LD42/61Z9	EL296DF110XV60C	205147098
XP25-048-230	46500	12.5	19	43500	28400	9	LD42/61Z9	SL280DF090V60C	205147099
XP25-048-230	47000	12.5	20	43500	28400	9	LD42/61Z9	SL280DF110V60C	205147100
XP25-048-230	46500	12	20	44000	28800	9	LD42/61Z9	SLP98DF090XV48C	205147101
XP25-048-230	46500	12.5	19	44000	28800	9	LD42/61Z9	SLP98DF090XV60C	205147102
XP25-048-230	46500	12.5	19	44000	28800	9	LD42/61Z9	SLP98DF110XV60C	205147103
XP25-048-230	46500	12	20	44000	28800	9	LD42/61Z9	SLP99DF090XV48C	205763679
XP25-048-230	46500	12.5	19	44000	28800	9	LD42/61Z9	SLP99DF090XV60C	205763687
XP25-048-230	46500	12.5	19	44000	28800	9	LD42/61Z9	SLP99DF110XV60C	205763694
XP25-048-230	49000	13	20	44000	28400	9.5	LH40/61E9	EL296UH090XV48C	206778500
XP25-048-230	49000	13	20	44000	28400	9.5	LH40/61E9	EL296UH090XV60C	206778505
XP25-048-230	49000	13	20	44000	28400	9.5	LH40/61E9	EL296UH110XV48C	206778510
XP25-048-230	49000	13	20	44000	28400	9.5	LH40/61E9	EL296UH110XV60C	206778517
XP25-048-230	47000	12	19	44000	28600	8.5	LH40/61E9	SL297UH080NV60C	206400212
XP25-048-230	49000	13	20	44000	28400	9.5	LH40/61W9	EL296UH090XV48C	206778499
XP25-048-230	49000	13	20	44000	28400	9.5	LH40/61W9	EL296UH090XV60C	206778504
XP25-048-230	49000	13	20	44000	28400	9.5	LH40/61W9	EL296UH110XV48C	206778509
XP25-048-230	49000	13	20	44000	28400	9.5	LH40/61W9	EL296UH110XV60C	206778516
XP25-048-230	47000	12	19	44000	28600	8.5	LH40/61W9	SL297UH080NV60C	206400211
XP25-048-230	46000	12	19	44000	26400	8.2	LH40/61W9	SLP99UH090XV48C	206551534
XP25-048-230	48000	12.5	19	44000	28400	9	LH40/61W9	SLP99UH090XV60C	206551540
XP25-048-230	47500	12.5	20	44000	28600	9.5	LH41/61D(1,2)	SL280UH090V60C	206192551
XP25-048-230	47500	12.2	20	44500	28800	9	LH41/61D(1,2)	SL280UH110V60C	206192552
XP25-048-230	49000	13	20	44000	28400	9.5	LH42/62E9	EL296UH090XV48C	6109268
XP25-048-230	49000	13	20	44000	28400	9.5	LH42/62E9	EL296UH090XV60C	6109272
XP25-048-230	49000	13	20	44000	28400	9.5	LH42/62E9	EL296UH110XV48C	6109276
XP25-048-230	49000	13	20	44000	28400	9.5	LH42/62E9	EL296UH110XV60C	6109280
XP25-048-230	47500	13	19	43000	27000	9.5	LH42/62E9	EL296UH135XV60D	6109288
XP25-048-230	49000	13	20	44000	28200	9.5	LH42/62E9	SL280UH090V60C	6109296
XP25-048-230	47500	13	20	43000	27800	9	LH42/62E9	SL280UH090XV60C	6109300
XP25-048-230	48000	12.5	20	44500	28800	9	LH42/62E9	SL280UH110V60C	6109304
XP25-048-230	47500	13	19	44000	28600	9.5	LH42/62E9	SL280UH135V60D	6109308
XP25-048-230	47000	12	19	44000	28600	8.5	LH42/62E9	SL297UH080NV60C	206400218
XP25-048-230	49000	13	20	44000	28400	9.5	LH42/62E9	SLP98UH090XV48C	6109318
XP25-048-230	49000	13	20	44000	28400	9.5	LH42/62E9	SLP98UH090XV60C	6109322
XP25-048-230	49000	13	20	44000	28400	9.5	LH42/62E9	SLP98UH110XV60C	6109326
XP25-048-230	47500	13	19	43000	27000	9.5	LH42/62E9	SLP98UH135XV60D	6109330
XP25-048-230	46000	12	19	44000	26400	8.2	LH42/62E9	SLP99UH090XV48C	205763703
XP25-048-230	48000	12.5	19	44000	28400	9	LH42/62E9	SLP99UH090XV60C	205763716
XP25-048-230	48000	12.5	19	44000	28400	9	LH42/62E9	SLP99UH110XV60C	205763726
XP25-048-230	47000	12.5	18	44000	28600	9	LH42/62E9	SLP99UH135XV60D	205763735
XP25-048-230	49000	13	20	44000	28400	9.5	LH42/62W9	EL296UH090XV48C	204717086
XP25-048-230	49000	13	20	44000	28400	9.5	LH42/62W9	EL296UH090XV60C	204717087
XP25-048-230	49000	13	20	44000	28400	9.5	LH42/62W9	EL296UH110XV48C	206778513
XP25-048-230	49000	13	20	44000	28400	9.5	LH42/62W9	EL296UH110XV60C	206778520
XP25-048-230	49000	13	20	44000	28200	9	LH42/62W9	SL280UH090V60C	206840456
XP25-048-230	47500	13	20	43000	27800	9	LH42/62W9	SL280UH090XV60C	10258443
XP25-048-230	47000	12	19	44000	28600	8.5	LH42/62W9	SL297UH080NV60C	206400217
XP25-048-230	49000	13	20	44000	28400	9.5	LH42/62W9	SLP98UH090XV60C	202141583
XP25-048-230	46000	12	19	44000	26400	8.2	LH42/62W9	SLP99UH090XV48C	206551538
XP25-048-230	48000	12.5	19	44000	28400	9	LH42/62W9	SLP99UH090XV60C	205763714
XP25-048-230	49000	13	20	44000	28400	9.5	LH49/61E9	EL296UH090XV48C	6109269
XP25-048-230	49000	13	20	44000	28400	9.5	LH49/61E9	EL296UH090XV60C	6109273
XP25-048-230	49000	13	20	44000	28400	9.5	LH49/61E9	EL296UH110XV48C	6109277

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP25-048-230	49000	13	20	44000	28400	9.5	LH49/61E9	EL296UH110XV60C	6109281
XP25-048-230	47500	13	19	43000	27000	9.5	LH49/61E9	EL296UH135XV60D	6109289
XP25-048-230	49000	13	20	44000	28200	9.5	LH49/61E9	SL280UH090V60C	6109297
XP25-048-230	47500	13	20	43000	27800	9	LH49/61E9	SL280UH090XV60C	6109301
XP25-048-230	48000	12.5	20	44500	28800	9	LH49/61E9	SL280UH110V60C	6109305
XP25-048-230	47500	13	19	44000	28600	9.5	LH49/61E9	SL280UH135V60D	6109309
XP25-048-230	47000	12	19	44000	28600	8.5	LH49/61E9	SL297UH080NV60C	206400216
XP25-048-230	49000	13	20	44000	28400	9.5	LH49/61E9	SLP98UH090XV48C	6109319
XP25-048-230	49000	13	20	44000	28400	9.5	LH49/61E9	SLP98UH090XV60C	6109323
XP25-048-230	49000	13	20	44000	28400	9.5	LH49/61E9	SLP98UH110XV60C	6109327
XP25-048-230	47500	13	19	43000	27000	9.5	LH49/61E9	SLP98UH135XV60D	6109331
XP25-048-230	46000	12	19	44000	26400	8.2	LH49/61E9	SLP99UH090XV48C	205763701
XP25-048-230	48000	12.5	19	44000	28400	9	LH49/61E9	SLP99UH090XV60C	205763712
XP25-048-230	48000	12.5	19	44000	28400	9	LH49/61E9	SLP99UH110XV60C	205763724
XP25-048-230	47000	12.5	18	44000	28600	9	LH49/61E9	SLP99UH135XV60D	205763733
XP25-048-230	49000	13	20	44000	28400	9.5	LH49/61W9	EL296UH090XV48C	7470276
XP25-048-230	49000	13	20	44000	28400	9.5	LH49/61W9	EL296UH090XV60C	7470278
XP25-048-230	49000	13	20	44000	28400	9.5	LH49/61W9	EL296UH110XV48C	206778512
XP25-048-230	49000	13	20	44000	28400	9.5	LH49/61W9	EL296UH110XV60C	206778519
XP25-048-230	47000	12	19	44000	28600	8.5	LH49/61W9	SL297UH080NV60C	206400215
XP25-048-230	46000	12	19	44000	26400	8.2	LH49/61W9	SLP99UH090XV48C	206551537
XP25-048-230	48000	12.5	19	44000	28400	9	LH49/61W9	SLP99UH090XV60C	206551543
XP25-048-230	47500	13	19	43000	27000	9.5	LH49/62W9	EL296UH135XV60D	206778526
XP25-048-230	47000	12	19	44000	28600	8.5	LH49/62W9	SL297UH080NV60C	206400222
XP25-048-230	46000	12	19	44000	26400	8.2	LH60/61W9	SLP99UH090XV48C	206551539
XP25-048-230	48000	12.5	19	44000	28400	9	LH60/61W9	SLP99UH090XV60C	206551544
XP25-048-230	49000	13	20	44000	28400	9.5	PL60H210P19	EL296UH090XV48C	206778502
XP25-048-230	49000	13	20	44000	28400	9.5	PL60H210P19	EL296UH090XV60C	206778507
XP25-048-230	49000	13	20	44000	28400	9.5	PL60H210P19	EL296UH110XV48C	206778514
XP25-048-230	49000	13	20	44000	28400	9.5	PL60H210P19	EL296UH110XV60C	206778521
XP25-048-230	49000	13	20	44000	28400	9.5	PL60H210P30	EL296UH090XV48C	206778503
XP25-048-230	49000	13	20	44000	28400	9.5	PL60H210P30	EL296UH090XV60C	206778508
XP25-048-230	49000	13	20	44000	28400	9.5	PL60H210P30	EL296UH110XV48C	206778515
XP25-048-230	49000	13	20	44000	28400	9.5	PL60H210P30	EL296UH110XV60C	206778522
XP25-060-230	57500	11.5	18	51500	34000	9.5	A60VGC	EL296DF090XV60C	203189459
XP25-060-230	58000	12	18	51500	34000	9.5	A60VGC	EL296DF110XV60C	203189463
XP25-060-230	58000	12	19	51000	33600	10	A60VGC	SL280DF090V60C	203189467
XP25-060-230	58000	12	19	51000	33600	10	A60VGC	SL280DF110V60C	203189471
XP25-060-230	57500	11.5	18	51500	34000	9.5	A60VGC	SLP98DF090XV60C	203189474
XP25-060-230	58000	12	18	51500	34000	9.5	A60VGC	SLP98DF110XV60C	203189477
XP25-060-230	60000	12	19	52000	31800	9.5	L*42/60Y9	EL296UH090XV60C	6109332
XP25-060-230	60000	12	19	52000	31800	10	L*42/60Y9	EL296UH110XV60C	6109336
XP25-060-230	58500	12.5	19	51000	31800	9.5	L*42/60Y9	EL296UH135XV60D	6109340
XP25-060-230	58000	12	19	51000	33600	10	L*42/60Y9	SL280DF090V60C	10258445
XP25-060-230	58000	12	19	52000	31800	9	L*42/60Y9	SL280UH090V60C	6109344
XP25-060-230	60000	12.5	19	52000	30400	9	L*42/60Y9	SL280UH090XV60C	10258447
XP25-060-230	58000	12	19	52000	31800	9	L*42/60Y9	SL280UH090XV60C	10258449
XP25-060-230	58000	12	19	52000	32000	9	L*42/60Y9	SL280UH110V60C	6109348
XP25-060-230	59000	12	19	53000	33800	8.5	L*42/60Y9	SL280UH135V60D	6109356
XP25-060-230	58500	12.5	19	51000	31800	9.5	L*42/60Y9	SL280UH135V60D	6109352
XP25-060-230	59000	12	19	52000	33400	8.5	L*42/60Y9	SL297UH080NV60C	206400225
XP25-060-230	58000	12	19	52000	32200	9	L*42/60Y9	SLP98UH090XV60C	6109360
XP25-060-230	60000	12	19	52000	31800	9.5	L*42/60Y9	SLP98UH090XV60C	10146085
XP25-060-230	58000	12	19	52000	32000	9	L*42/60Y9	SLP98UH110XV60C	6109364

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP25-060-230	59000	12	19	53500	34000	8.5	L*42/60Y9	SLP98UH135XV60D	6109372
XP25-060-230	58500	12.5	19	51000	31800	9.5	L*42/60Y9	SLP98UH135XV60D	6109368
XP25-060-230	59500	12	19	52000	30400	9	L*42/60Y9	SLP99UH090XV60C	205760572
XP25-060-230	59500	12	19	52000	30400	9	L*42/60Y9	SLP99UH110XV60C	205760584
XP25-060-230	59000	12	19	52000	33400	8.5	L*42/60Y9	SLP99UH135XV60D	205760592
XP25-060-230	57500	11.5	18	51500	34000	9.5	L*42/60Z9	EL296DF090XV60C	204325778
XP25-060-230	58000	12	18	51500	34000	9.5	L*42/60Z9	EL296DF110XV60C	204325779
XP25-060-230	58000	12	19	51000	33600	10	L*42/60Z9	SL280DF090V60C	10258444
XP25-060-230	60000	12.5	19	52000	30400	9	L*42/60Z9	SL280UH090XV60C	10258446
XP25-060-230	58000	12	19	52000	31800	9	L*42/60Z9	SL280UH090XV60C	10258448
XP25-060-230	59000	12	19	52000	33400	8.5	L*42/60Z9	SL297UH080NV60C	206400224
XP25-060-230	59500	12	19	52000	30400	9	L*42/60Z9	SLP99UH090XV60C	206551546
XP25-060-230	59500	12	19	52000	30400	9	L*42/60Z9	SLP99UH110XV60C	206551550
XP25-060-230	59000	12	19	52000	33400	8.5	L*42/60Z9	SLP99UH135XV60D	206551555
XP25-060-230	57500	11.5	18	51500	34000	9.5	L*43/61Y9	SLP98DF090XV60C	205147738
XP25-060-230	57500	11.5	18	51500	34000	9.5	L*43/61Y9	SLP99DF090XV60C	205760565
XP25-060-230	57500	11.5	18	51500	34000	9.5	L*43/61Z9	SLP98DF090XV60C	205147737
XP25-060-230	57500	11.5	18	51500	34000	9.5	L*43/61Z9	SLP99DF090XV60C	205760563
XP25-060-230	58000	12	18	51500	34000	9.5	L*43/61Z9	SLP99DF110XV60C	206551545
XP25-060-230	59500	12	19	52000	30400	9	L*43/61Z9	SLP99UH090XV60C	206551547
XP25-060-230	59500	12	19	52000	30400	9	L*43/61Z9	SLP99UH110XV60C	206551551
XP25-060-230	60000	12	19	52000	31800	9.5	L*48/60Y9	EL296UH090XV60C	6109333
XP25-060-230	60000	12	19	52000	31800	10	L*48/60Y9	EL296UH110XV60C	6109337
XP25-060-230	58500	12.5	19	51000	31800	9.5	L*48/60Y9	EL296UH135XV60D	6109341
XP25-060-230	58000	12	19	52000	31800	9	L*48/60Y9	SL280UH090V60C	6109345
XP25-060-230	58000	12	19	52000	32000	9	L*48/60Y9	SL280UH110V60C	6109349
XP25-060-230	58500	12.5	19	51000	31800	9.5	L*48/60Y9	SL280UH135V60D	6109353
XP25-060-230	59000	12	19	53000	33800	8.5	L*48/60Y9	SL280UH135V60D	6109357
XP25-060-230	59000	12	19	52000	33400	8.5	L*48/60Y9	SL297UH080NV60C	206400231
XP25-060-230	57500	11.5	18	51500	34000	9.5	L*48/60Y9	SLP98DF090XV60C	205147740
XP25-060-230	58000	12	19	52000	32200	9	L*48/60Y9	SLP98UH090XV60C	6109361
XP25-060-230	58000	12	19	52000	32000	9	L*48/60Y9	SLP98UH110XV60C	6109365
XP25-060-230	59000	12	19	53500	34000	8.5	L*48/60Y9	SLP98UH135XV60D	6109373
XP25-060-230	58500	12.5	19	51000	31800	9.5	L*48/60Y9	SLP98UH135XV60D	6109369
XP25-060-230	57500	11.5	18	51500	34000	9.5	L*48/60Y9	SLP99DF090XV60C	205760569
XP25-060-230	59500	12	19	52000	30400	9	L*48/60Y9	SLP99UH090XV60C	205760582
XP25-060-230	59500	12	19	52000	30400	9	L*48/60Y9	SLP99UH110XV60C	205760590
XP25-060-230	59000	12	19	52000	33400	8.5	L*48/60Y9	SLP99UH135XV60D	205760598
XP25-060-230	58500	12.5	19	51000	31800	9.5	L*48/60Z9	EL296UH135XV60D	206778527
XP25-060-230	59000	12	19	52000	33400	8.5	L*48/60Z9	SL297UH080NV60C	206400230
XP25-060-230	57500	11.5	18	51500	34000	9.5	L*48/60Z9	SLP98DF090XV60C	205147739
XP25-060-230	58000	12	19	52000	32200	9	L*48/60Z9	SLP98UH090XV60C	8156355
XP25-060-230	57500	11.5	18	51500	34000	9.5	L*48/60Z9	SLP99DF090XV60C	205760567
XP25-060-230	59500	12	19	52000	30400	9	L*48/60Z9	SLP99UH090XV60C	205760580
XP25-060-230	58500	12.5	19	51000	31800	9.5	L*49/63Z9	EL296UH135XV60D	206778528
XP25-060-230	59000	12	19	52000	33400	8.5	L*49/63Z9	SL297UH080NV60C	206400232
XP25-060-230	59000	12	19	52000	33400	8.5	LH40/61E9	SL297UH080NV60C	206400223
XP25-060-230	60000	12	19	52000	31800	9	LH42/62E9	EL296UH090XV60C	6109334
XP25-060-230	60000	12	19	52000	31800	9	LH42/62E9	EL296UH110XV60C	6109338
XP25-060-230	58500	12.5	19	51000	31800	9.5	LH42/62E9	EL296UH135XV60D	6109342
XP25-060-230	58000	12	19	52000	31800	9	LH42/62E9	SL280UH090V60C	6109346
XP25-060-230	60500	12.5	19	52000	31600	10	LH42/62E9	SL280UH090V60C	10263330
XP25-060-230	58000	12	19	52000	31800	9	LH42/62E9	SL280UH090XV60C	206346908
XP25-060-230	58000	12	19	52000	32000	9	LH42/62E9	SL280UH110V60C	6109350

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	EER	SEER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP25-060-230	59000	12	19	53000	33800	8.5	LH42/62E9	SL280UH135V60D	6109358
XP25-060-230	58500	12.5	19	51000	31800	9.5	LH42/62E9	SL280UH135V60D	6109354
XP25-060-230	59000	12	19	52000	33400	8.5	LH42/62E9	SL297UH080NV60C	206400229
XP25-060-230	58000	12	19	52000	32200	9	LH42/62E9	SLP98UH090XV60C	6109362
XP25-060-230	58000	12	19	52000	32000	9	LH42/62E9	SLP98UH110XV60C	6109366
XP25-060-230	59000	12	19	53500	34000	8.5	LH42/62E9	SLP98UH135XV60D	6109374
XP25-060-230	58500	12.5	19	51000	31800	9.5	LH42/62E9	SLP98UH135XV60D	6109370
XP25-060-230	59500	12	19	52000	30400	9	LH42/62E9	SLP99UH090XV60C	205760578
XP25-060-230	59500	12	19	52000	30400	9	LH42/62E9	SLP99UH110XV60C	205760587
XP25-060-230	59000	12	19	52000	33400	8.5	LH42/62E9	SLP99UH135XV60D	205760597
XP25-060-230	60000	12	19	52000	31800	9.5	LH42/62W9	EL296UH090XV60C	10263333
XP25-060-230	58000	12	19	52000	31800	9	LH42/62W9	SL280UH090V60C	10263329
XP25-060-230	60500	12.5	19	52000	31600	10	LH42/62W9	SL280UH090V60C	10263328
XP25-060-230	58000	12	19	52000	31800	9	LH42/62W9	SL280UH090XV60C	206346907
XP25-060-230	59000	12	19	52000	33400	8.5	LH42/62W9	SL297UH080NV60C	206400228
XP25-060-230	58000	12	19	52000	32200	9	LH42/62W9	SLP98UH090XV60C	10258450
XP25-060-230	59500	12	19	52000	30400	9	LH42/62W9	SLP99UH090XV60C	205760576
XP25-060-230	59500	12	19	52000	30400	9	LH42/62W9	SLP99UH110XV60C	206551553
XP25-060-230	60000	12	19	52000	31800	9.5	LH49/61E9	EL296UH090XV60C	6109335
XP25-060-230	60000	12	19	52000	31800	10	LH49/61E9	EL296UH110XV60C	6109339
XP25-060-230	58500	12.5	19	51000	31800	9.5	LH49/61E9	EL296UH135XV60D	6109343
XP25-060-230	58000	12	19	52000	31800	9	LH49/61E9	SL280UH090V60C	6109347
XP25-060-230	58000	12	19	52000	32000	9	LH49/61E9	SL280UH110V60C	6109351
XP25-060-230	59000	12	19	53000	33800	8.5	LH49/61E9	SL280UH135V60D	6109359
XP25-060-230	58500	12.5	19	51000	31800	9.5	LH49/61E9	SL280UH135V60D	6109355
XP25-060-230	59000	12	19	52000	33400	8.5	LH49/61E9	SL297UH080NV60C	206400227
XP25-060-230	58000	12	19	52000	32200	9	LH49/61E9	SLP98UH090XV60C	6109363
XP25-060-230	58000	12	19	52000	32000	9	LH49/61E9	SLP98UH110XV60C	6109367
XP25-060-230	58500	12.5	19	51000	31800	9.5	LH49/61E9	SLP98UH135XV60D	6109371
XP25-060-230	59000	12	19	53500	34000	8.5	LH49/61E9	SLP98UH135XV60D	6109375
XP25-060-230	59500	12	19	52000	30400	9	LH49/61E9	SLP99UH090XV60C	205760574
XP25-060-230	59500	12	19	52000	30400	9	LH49/61E9	SLP99UH110XV60C	205760585
XP25-060-230	59000	12	19	52000	33400	8.5	LH49/61E9	SLP99UH135XV60D	205760595
XP25-060-230	60000	12	19	52000	31800	9.5	LH49/61W9	EL296UH090XV60C	7470279
XP25-060-230	60000	12	19	52000	31800	10	LH49/61W9	EL296UH110XV60C	7470280
XP25-060-230	59000	12	19	52000	33400	8.5	LH49/61W9	SL297UH080NV60C	206400226
XP25-060-230	59500	12	19	52000	30400	9	LH49/61W9	SLP99UH090XV60C	206551548
XP25-060-230	59500	12	19	52000	30400	9	LH49/61W9	SLP99UH110XV60C	206551552
XP25-060-230	58500	12.5	19	51000	31800	9.5	LH49/62W9	EL296UH135XV60D	206778529
XP25-060-230	59000	12	19	52000	33400	8.5	LH49/62W9	SL297UH080NV60C	206400233
XP25-060-230	59500	12	19	52000	30400	9	LH60/61W9	SLP99UH090XV60C	206551549
XP25-060-230	59500	12	19	52000	30400	9	LH60/61W9	SLP99UH110XV60C	206551554