



# HEAT PUMPS AHRI SYSTEM MATCHES

## PRODUCT SPECIFICATIONS

Bulletin No. 210828  
January 2018A

**NOTES:**

Ratings are AHRI certified to AHRI Standard 210/240 (with 25 ft. of connecting refrigerant lines);

- Cooling Ratings - 95°F outdoor air temperature and 80 °F db/67° F wb entering indoor coil air.
- High Temperature Heating Ratings - 47° F db/43° F wb outdoor air temperature and 70 °F db entering indoor coil air.
- Low Temperature Heating Ratings - 17 °F db/15° F wb outdoor air temperature and 70 °F db entering indoor coil air.

All ratings include the use of a blower time delay relay (TDR). All Lennox variable-speed Furnaces and Air Handlers have time delay capabilities. Other Furnaces and Air Handlers may require an optional time delay relay (58M81) for field installation. See furnace or air handler specifications to determine if relay is needed.

When used with gas furnaces, a dual-fuel control, a control system with dual-fuel capabilities (LZP-2 or LZP-4), or a thermostat with dual-fuel capabilities must be used (ordered extra).

To convert HSPF from Region IV to Region V - Divide by 1.15.

## AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-018-230	18000	16	13	17500	11100	3.8	2.56	8.5	C33-25A	EL180UH045E36A	9139442
14HPX-018-230	18000	16	13	17500	11100	3.8	2.56	8.5	C33-25A	ML180UH045E36A	10590602
14HPX-018-230	18000	16	13	17600	11100	3.86	2.58	8.5	C33-31A	EL180UH045E36A	9139440
14HPX-018-230	18000	16	13	17600	11100	3.86	2.58	8.5	C33-31A	ML180UH045E36A	10590600
14HPX-018-230	19200	16	13	17800	11300	3.92	2.62	8.5	C33-31B	EL195UH045XE36B	10055378
14HPX-018-230	18000	16	13	17500	11100	3.8	2.56	8.5	C37-25A	EL180UH045E36A	10086345
14HPX-018-230	18000	16	13	17500	11100	3.8	2.56	8.5	C37-25A	ML180UH045E36A	10590637
14HPX-018-230	18000	16	13	17600	11100	3.86	2.58	8.5	C37-31A	EL180UH045E36A	10086343
14HPX-018-230	18000	16	13	17600	11100	3.86	2.58	8.5	C37-31A	ML180UH045E36A	10590635
14HPX-018-230	19200	16	13	17800	11300	3.92	2.62	8.5	C37-31B	EL195UH045XE36B	10086658
14HPX-018-230	18000	16	13	17500	11100	4	2.74	8.5	CBA27UHE-018		10258596
14HPX-018-230	18000	16	13	17500	11100	4	2.74	8.5	CBA27UHE-024		10258597
14HPX-018-230	18000	14	12	17800	11800	3.52	2.48	8.2	CBX25UH-018		9139431
14HPX-018-230	18000	15	12.5	17600	11600	3.64	2.54	8.5	CBX25UHV-018		9139432
14HPX-018-230	18000	15.5	12.5	18000	11600	3.8	2.62	8.5	CBX25UHV-024		9139444
14HPX-018-230	18000	16	13	17500	11100	3.92	2.62	8.5	CBX27UH-018		9139434
14HPX-018-230	18000	16	13	17500	11100	3.96	2.64	8.5	CBX27UH-024		9139433
14HPX-018-230	18000	15.5	12.5	17700	11100	3.84	2.56	8.5	CBX32MV-018/024		9139435
14HPX-018-230	18000	16	13	17700	11300	3.9	2.62	8.5	CH33-25A	EL180UH045E36A	9139436
14HPX-018-230	18000	16	13	17700	11300	3.9	2.62	8.5	CH33-25A	ML180UH045E36A	10590598
14HPX-018-230	18000	14	12	18000	11700	3.56	2.42	8.2	CH33-25A		9139429
14HPX-018-230	18000	14	11.5	18000	11700	3.56	2.42	8.2	CH33-25B		9139430
14HPX-018-230	18000	16	13	18000	11400	4.06	2.66	8.5	CR33-30/36A	EL180DF045E36A	9139443
14HPX-018-230	18000	16	13	18000	11400	4.06	2.66	8.5	CR33-30/36A	ML180DF045E36A	10590542
14HPX-018-230	18000	16	13	17500	11100	3.8	2.56	8.5	CX34-25A	EL180UH045E36A	9139441
14HPX-018-230	18000	16	13	17500	11100	3.8	2.56	8.5	CX34-25A	ML180UH045E36A	10590601
14HPX-018-230	18000	16	13	17600	11100	3.86	2.58	8.5	CX34-31A	EL180UH045E36A	9139439
14HPX-018-230	18000	16	13	17600	11100	3.86	2.58	8.5	CX34-31A	ML180UH045E36A	10590599
14HPX-018-230	19200	16	13	17800	11300	3.92	2.62	8.5	CX34-31B	EL195UH045XE36B	10055377
14HPX-018-230	18000	16	13	17500	11100	3.8	2.56	8.5	CX38-25A	EL180UH045E36A	10086344
14HPX-018-230	18000	16	13	17500	11100	3.8	2.56	8.5	CX38-25A	ML180UH045E36A	10590636
14HPX-018-230	18000	16	13	17600	11100	3.86	2.58	8.5	CX38-31A	EL180UH045E36A	10086342
14HPX-018-230	18000	16	13	17600	11100	3.86	2.58	8.5	CX38-31A	ML180UH045E36A	10590634
14HPX-018-230	19200	16	13	17800	11300	3.92	2.62	8.5	CX38-31B	EL195UH045XE36B	10086657
14HPX-024-230	24600	16	13	21600	13500	3.66	2.5	8.5	C33-25	CBWMV-24B-040	9139502
14HPX-024-230	24000	15.5	13	21400	13500	3.5	2.44	8.2	C33-25	EL180UH045E36A	9139550
14HPX-024-230	24800	16	13.5	21600	13500	3.68	2.52	8.5	C33-25	EL180UH070E36B	9139562
14HPX-024-230	24200	15.5	13	21400	13500	3.52	2.44	8.2	C33-25	EL195UH045XE36B	9139492
14HPX-024-230	24600	15.7	13.2	21600	13600	3.6	2.48	8.5	C33-25	EL195UH070XE36B	9139504
14HPX-024-230	24200	15.5	13	21400	13500	3.52	2.44	8.2	C33-25	EL296UH045XE36B	9139533
14HPX-024-230	24600	16	13	21600	13500	3.66	2.5	8.5	C33-25	EL296UH045XV36B	9139570
14HPX-024-230	24600	15.7	13.2	21600	13600	3.6	2.48	8.5	C33-25	EL296UH070XE36B	9139540
14HPX-024-230	24600	16	13	21600	13500	3.68	2.5	8.5	C33-25	EL296UH070XV36B	9139584
14HPX-024-230	24000	15.5	13	21400	13500	3.5	2.44	8.2	C33-25	ML180UH045E36A	10590604
14HPX-024-230	24800	16	13.5	21600	13500	3.68	2.52	8.5	C33-25	ML180UH070E36B	10590702
14HPX-024-230	24800	15.7	13	21800	13600	3.68	2.48	8.2	C33-25	SL280UH070V36A	9139523

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-024-230	24800	15.7	13	21800	13600	3.68	2.48	8.2	C33-25	SL280UH070XV36A	9139460
14HPX-024-230	24800	16	13	21600	13500	3.72	2.52	8.5	C33-25	SL280UH090V36B	9139525
14HPX-024-230	24400	15.1	13	21600	13600	3.6	2.48	8.2	C33-25	SL280UH090V48B	9139448
14HPX-024-230	24400	15.1	13	21600	13600	3.6	2.48	8.2	C33-25	SL280UH090XV48B	9139462
14HPX-024-230	24600	16	13	21600	13500	3.68	2.5	8.5	C33-25	SLP98UH070XV36B	9139481
14HPX-024-230	24600	16	13	21600	13500	3.68	2.5	8.5	C33-31	CBWMV-24B-040	9139483
14HPX-024-230	24400	15.7	13.2	21400	13500	3.6	2.48	8.5	C33-31	EL180UH045E36A	9139565
14HPX-024-230	24800	16	13.5	21600	13500	3.7	2.52	8.5	C33-31	EL180UH070E36B	9139556
14HPX-024-230	24200	15.5	13	21400	13500	3.54	2.44	8.2	C33-31	EL195UH045XE36B	9139493
14HPX-024-230	24600	15.7	13.2	21600	13600	3.62	2.48	8.5	C33-31	EL195UH070XE36B	9139505
14HPX-024-230	24200	15.5	13	21400	13500	3.54	2.44	8.2	C33-31	EL296UH045XE36B	9139541
14HPX-024-230	24600	16	13	21600	13500	3.68	2.5	8.5	C33-31	EL296UH045XV36B	9139575
14HPX-024-230	24600	15.7	13.2	21600	13600	3.62	2.48	8.5	C33-31	EL296UH070XE36B	9139545
14HPX-024-230	24600	16	13	21600	13500	3.7	2.52	8.5	C33-31	EL296UH070XV36B	9139574
14HPX-024-230	24400	15.7	13.2	21400	13500	3.6	2.48	8.5	C33-31	ML180UH045E36A	10590610
14HPX-024-230	24800	16	13.5	21600	13500	3.7	2.52	8.5	C33-31	ML180UH070E36B	10590699
14HPX-024-230	24800	16	13	21600	13500	3.74	2.54	8.5	C33-31	SL280UH070V36A	9139522
14HPX-024-230	24800	16	13	21600	13500	3.74	2.54	8.5	C33-31	SL280UH070XV36A	9139459
14HPX-024-230	24800	16	13.5	21600	13500	3.74	2.54	8.5	C33-31	SL280UH090V36B	9139530
14HPX-024-230	24600	15.1	13	21600	13600	3.62	2.48	8.2	C33-31	SL280UH090V48B	9139449
14HPX-024-230	24600	15.1	13	21600	13600	3.62	2.48	8.2	C33-31	SL280UH090XV48B	9139463
14HPX-024-230	24600	16	13	21600	13500	3.7	2.52	8.5	C33-31	SLP98UH070XV36B	9139494
14HPX-024-230	24400	15.7	13.2	21600	13500	3.68	2.5	8.5	C33-36	CBWMV-24B-040	9139484
14HPX-024-230	23800	15.5	12.7	21400	13500	3.54	2.44	8.2	C33-36	EL195UH045XE36B	9139496
14HPX-024-230	24200	15.5	13	21600	13600	3.62	2.48	8.5	C33-36	EL195UH070XE36B	9139506
14HPX-024-230	23800	15.5	12.7	21400	13500	3.54	2.44	8.2	C33-36	EL296UH045XE36B	9139534
14HPX-024-230	24200	15.5	13	21600	13600	3.62	2.48	8.5	C33-36	EL296UH070XE36B	9139546
14HPX-024-230	24000	15.5	13	21400	13500	3.5	2.44	8.2	C37-25A	EL180UH045E36A	10086405
14HPX-024-230	24000	15.5	13	21400	13500	3.5	2.44	8.2	C37-25A	ML180UH045E36A	10590638
14HPX-024-230	24800	15.7	13	21800	13600	3.68	2.48	8.2	C37-25A	SL280UH070V36A	10086388
14HPX-024-230	24800	15.7	13	21800	13600	3.68	2.48	8.2	C37-25A	SL280UH070XV36A	10086352
14HPX-024-230	24600	16	13	21600	13500	3.66	2.5	8.5	C37-25B	CBWMV-24B-040	10086375
14HPX-024-230	24800	16	13.5	21600	13500	3.68	2.52	8.5	C37-25B	EL180UH070E36B	10086413
14HPX-024-230	24200	15.5	13	21400	13500	3.52	2.44	8.2	C37-25B	EL195UH045XE36B	10086367
14HPX-024-230	24600	15.7	13.2	21600	13600	3.6	2.48	8.5	C37-25B	EL195UH070XE36B	10086377
14HPX-024-230	24200	15.5	13	21400	13500	3.52	2.44	8.2	C37-25B	EL296UH045XE36B	10086396
14HPX-024-230	24600	16	13	21600	13500	3.66	2.5	8.5	C37-25B	EL296UH045XV36B	10086419
14HPX-024-230	24600	15.7	13.2	21600	13600	3.6	2.48	8.5	C37-25B	EL296UH070XE36B	10086401
14HPX-024-230	24600	16	13	21600	13500	3.68	2.5	8.5	C37-25B	EL296UH070XV36B	10086427
14HPX-024-230	24800	16	13.5	21600	13500	3.68	2.52	8.5	C37-25B	ML180UH070E36B	10590742
14HPX-024-230	24800	16	13	21600	13500	3.72	2.52	8.5	C37-25B	SL280UH090V36B	10086390
14HPX-024-230	24400	15.1	13	21600	13600	3.6	2.48	8.2	C37-25B	SL280UH090V48B	10086346
14HPX-024-230	24400	15.1	13	21600	13600	3.6	2.48	8.2	C37-25B	SL280UH090XV48B	10086354
14HPX-024-230	24600	16	13	21600	13500	3.68	2.5	8.5	C37-25B	SLP98UH070XV36B	10086360
14HPX-024-230	24400	15.7	13.2	21400	13500	3.6	2.48	8.5	C37-31A	EL180UH045E36A	10086415
14HPX-024-230	24400	15.7	13.2	21400	13500	3.6	2.48	8.5	C37-31A	ML180UH045E36A	10590641
14HPX-024-230	24800	16	13	21600	13500	3.74	2.54	8.5	C37-31A	SL280UH070V36A	10086387
14HPX-024-230	24800	16	13	21600	13500	3.74	2.54	8.5	C37-31A	SL280UH070XV36A	10086351
14HPX-024-230	24600	16	13	21600	13500	3.68	2.5	8.5	C37-31B	CBWMV-24B-040	10086362
14HPX-024-230	24800	16	13.5	21600	13500	3.7	2.52	8.5	C37-31B	EL180UH070E36B	10086410
14HPX-024-230	24200	15.5	13	21400	13500	3.54	2.44	8.2	C37-31B	EL195UH045XE36B	10086368
14HPX-024-230	24600	15.7	13.2	21600	13600	3.62	2.48	8.5	C37-31B	EL195UH070XE36B	10086378
14HPX-024-230	24200	15.5	13	21400	13500	3.54	2.44	8.2	C37-31B	EL296UH045XE36B	10086402
14HPX-024-230	24600	16	13	21600	13500	3.68	2.5	8.5	C37-31B	EL296UH045XV36B	10086423
14HPX-024-230	24600	15.7	13.2	21600	13600	3.62	2.48	8.5	C37-31B	EL296UH070XE36B	10086403
14HPX-024-230	24600	16	13	21600	13500	3.7	2.52	8.5	C37-31B	EL296UH070XV36B	10086422
14HPX-024-230	24800	16	13.5	21600	13500	3.7	2.52	8.5	C37-31B	ML180UH070E36B	10590740
14HPX-024-230	24800	16	13.5	21600	13500	3.74	2.54	8.5	C37-31B	SL280UH090V36B	10086393
14HPX-024-230	24600	15.1	13	21600	13600	3.62	2.48	8.2	C37-31B	SL280UH090V48B	10086347
14HPX-024-230	24600	15.1	13	21600	13600	3.62	2.48	8.2	C37-31B	SL280UH090XV48B	10086355
14HPX-024-230	24600	16	13	21600	13500	3.7	2.52	8.5	C37-31B	SLP98UH070XV36B	10086369

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-024-230	24400	15.7	13.2	21600	13500	3.68	2.5	8.5	C37-36B	CBWMV-24B-040	10086363
14HPX-024-230	23800	15.5	12.7	21400	13500	3.54	2.44	8.2	C37-36B	EL195UH045XE36B	10086370
14HPX-024-230	24200	15.5	13	21600	13600	3.62	2.48	8.5	C37-36B	EL195UH070XE36B	10086379
14HPX-024-230	23800	15.5	12.7	21400	13500	3.54	2.44	8.2	C37-36B	EL296UH045XE36B	10086397
14HPX-024-230	24200	15.5	13	21600	13600	3.62	2.48	8.5	C37-36B	EL296UH070XE36B	10086404
14HPX-024-230	25200	16	13.5	21800	13600	3.9	2.64	8.5	CBA27UHE-024		10258598
14HPX-024-230	24600	16	13	21600	13600	3.88	2.62	9	CBA27UHE-030		10258599
14HPX-024-230	23200	14	11.7	22200	14000	3.46	2.36	8.2	CBX25UH-024		9139543
14HPX-024-230	23200	14	11.7	22200	14100	3.48	2.38	8.2	CBX25UH-030		9139579
14HPX-024-230	23600	15.5	12.5	21400	13400	3.64	2.48	8.5	CBX25UHV-024		9139451
14HPX-024-230	23200	15	12.5	21800	13700	3.68	2.5	8.2	CBX25UHV-030		9139458
14HPX-024-230	25200	16	13.5	21800	13700	3.88	2.64	9	CBX27UH-024		9139471
14HPX-024-230	25000	16	13.5	21800	13600	3.96	2.66	9	CBX27UH-030		9139581
14HPX-024-230	24800	14.2	11.7	22800	14100	3.54	2.42	8.2	CBX32M-018/024		9139472
14HPX-024-230	25000	15.2	12.7	22400	14000	3.76	2.52	8.7	CBX32M-030		9139473
14HPX-024-230	25000	14.5	12.2	22600	14000	3.58	2.44	8.2	CBX32MV-018/024		9139474
14HPX-024-230	24800	15.2	12.7	22200	14000	3.72	2.52	8.7	CBX32MV-024/030		9139475
14HPX-024-230	25200	15.5	13	22400	14000	3.92	2.6	9	CBX32MV-036		9139488
14HPX-024-230	24800	15.2	12.7	22200	14000	3.82	2.58	8.7	CBX40UHV-024		9139477
14HPX-024-230	24800	15.5	13	22200	13900	3.82	2.58	8.7	CBX40UHV-030		9139478
14HPX-024-230	25200	15.5	13	22400	14000	3.92	2.6	9	CBX40UHV-036		9139580
14HPX-024-230	24200	15.7	13.2	21400	13500	3.6	2.48	8.5	CH23-41	EL180UH045E36A	9139558
14HPX-024-230	24600	15.7	13.2	21600	13500	3.7	2.5	8.5	CH23-41	EL296UH045XV36B	9139576
14HPX-024-230	24600	16	13	21600	13500	3.7	2.5	8.5	CH23-41	EL296UH070XV36B	9139582
14HPX-024-230	24200	15.7	13.2	21400	13500	3.6	2.48	8.5	CH23-41	ML180UH045E36A	10590607
14HPX-024-230	24800	16	13	21600	13500	3.74	2.54	8.5	CH23-41	SL280UH090V36B	9139542
14HPX-024-230	24400	15.1	13	21600	13600	3.62	2.48	8.2	CH23-41	SL280UH090V48B	9139479
14HPX-024-230	24400	15.1	13	21600	13600	3.62	2.48	8.2	CH23-41	SL280UH090XV48B	9139456
14HPX-024-230	24600	16	13	21600	13500	3.7	2.5	8.5	CH23-41	SLP98UH070XV36B	9139510
14HPX-024-230	24400	15.7	13.2	21600	13500	3.64	2.48	8.5	CH33-25A	EL180UH045E36A	9139559
14HPX-024-230	24400	15.7	13.2	21600	13500	3.64	2.48	8.5	CH33-25A	ML180UH045E36A	10590608
14HPX-024-230	24800	15.7	13	21800	13700	3.72	2.52	8.5	CH33-25A	SL280UH070V36A	9139529
14HPX-024-230	24800	15.7	13	21800	13700	3.72	2.52	8.5	CH33-25A	SL280UH070XV36A	9139468
14HPX-024-230	24600	16	13	21600	13600	3.74	2.54	8.5	CH33-25B	EL180UH070E36B	9139561
14HPX-024-230	24000	15.5	13	21600	13500	3.6	2.46	8.5	CH33-25B	EL195UH045XE36B	9139497
14HPX-024-230	24400	15.5	13	21800	13600	3.68	2.5	8.5	CH33-25B	EL195UH070XE36B	9139495
14HPX-024-230	24000	15.5	13	21600	13500	3.6	2.46	8.5	CH33-25B	EL296UH045XE36B	9139538
14HPX-024-230	24600	15.7	13.2	21600	13600	3.72	2.54	8.7	CH33-25B	EL296UH045XV36B	9139572
14HPX-024-230	24400	15.5	13	21800	13600	3.68	2.5	8.5	CH33-25B	EL296UH070XE36B	9139537
14HPX-024-230	24600	16	13	21600	13600	3.74	2.54	8.5	CH33-25B	EL296UH070XV36B	9139567
14HPX-024-230	24600	16	13	21600	13600	3.74	2.54	8.5	CH33-25B	ML180UH070E36B	10590701
14HPX-024-230	24600	15.1	13	21600	13500	3.78	2.56	8.5	CH33-25B	SL280UH090V36B	9139526
14HPX-024-230	24400	15.1	13	21600	13600	3.66	2.5	8.5	CH33-25B	SL280UH090V48B	9139486
14HPX-024-230	24400	15.1	13	21600	13600	3.66	2.5	8.5	CH33-25B	SL280UH090XV48B	9139454
14HPX-024-230	24600	16	13	21600	13600	3.74	2.54	8.5	CH33-25B	SLP98UH070XV36B	9139513
14HPX-024-230	24400	15.7	13.2	21600	13600	3.66	2.52	8.5	CH33-31A	EL180UH045E36A	9139551
14HPX-024-230	24400	15.7	13.2	21600	13600	3.66	2.52	8.5	CH33-31A	ML180UH045E36A	10590605
14HPX-024-230	25200	16	13	22000	13700	3.86	2.58	8.5	CH33-31A	SL280UH070V36A	9139521
14HPX-024-230	25200	16	13	22000	13700	3.86	2.58	8.5	CH33-31A	SL280UH070XV36A	9139470
14HPX-024-230	24400	14.2	12	22400	14200	3.54	2.4	8.2	CH33-31A		9139447
14HPX-024-230	23800	15.2	12.7	21400	13500	3.5	2.42	8.2	CH33-36A	EL180UH045E36A	9139549
14HPX-024-230	23800	15.2	12.7	21400	13500	3.5	2.42	8.2	CH33-36A	ML180UH045E36A	10590603
14HPX-024-230	24600	15.1	13	21800	13600	3.68	2.48	8.5	CH33-36A	SL280UH070V36A	9139520
14HPX-024-230	24600	15.1	13	21800	13600	3.68	2.48	8.5	CH33-36A	SL280UH070XV36A	9139469
14HPX-024-230	24600	16	13.5	21800	13500	3.84	2.58	8.5	CH33-36C	EL296UH090XV36C	9139453
14HPX-024-230	24600	16	13.5	21800	13500	3.84	2.58	8.5	CH33-36C	SLP98UH090XV36C	9139518
14HPX-024-230	24000	14	11.7	22400	14200	3.5	2.38	8.2	CH33-36C		9139445
14HPX-024-230	24800	15.7	13.2	22000	13600	3.76	2.54	8.7	CR33-30/36	EL180DF045E36A	9139544
14HPX-024-230	25400	16	13.5	22200	13600	3.92	2.6	9	CR33-30/36	EL180DF070E36B	9139564
14HPX-024-230	25200	16	13	22200	13600	3.84	2.56	8.5	CR33-30/36	EL195DF045XE36B	9139490
14HPX-024-230	25400	16	13.5	22200	13600	3.9	2.6	9	CR33-30/36	EL195DF070XE48B	9139491

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-024-230	25200	16	13	22200	13600	3.84	2.56	8.5	CR33-30/36	EL296DF045XE36B	9139547
14HPX-024-230	25200	16	13.5	22200	13600	3.86	2.58	8.7	CR33-30/36	EL296DF045XV36B	9139465
14HPX-024-230	25400	16	13.5	22200	13600	3.9	2.6	9	CR33-30/36	EL296DF070XE48B	9139548
14HPX-024-230	25600	15.7	13.2	22400	13800	3.88	2.58	8.7	CR33-30/36	EL296DF070XV48B	9139476
14HPX-024-230	24800	15.7	13.2	22000	13600	3.76	2.54	8.7	CR33-30/36	ML180DF045E36A	10590543
14HPX-024-230	25400	16	13.5	22200	13600	3.92	2.6	9	CR33-30/36	ML180DF070E36B	10590552
14HPX-024-230	25200	15.7	13	22200	13700	3.82	2.56	8.5	CR33-30/36	SL280DF070V36A	9139450
14HPX-024-230	25600	15.1	13.5	22200	13700	3.94	2.62	9	CR33-30/36	SL280DF090V48B	9139517
14HPX-024-230	25400	16	13.5	22200	13600	3.92	2.6	9	CR33-30/36	SLP98DF070XV36B	9139507
14HPX-024-230	25400	16	13.5	22200	13600	3.94	2.62	9	CR33-30/36	SLP98DF090XV36C	9139508
14HPX-024-230	24800	14.2	12.2	22600	14200	3.54	2.4	8.2	CR33-30/36		9139446
14HPX-024-230	24600	16	13	21600	13500	3.66	2.5	8.5	CX34-25	CBWMV-24B-040	9139503
14HPX-024-230	24000	15.5	13	21400	13500	3.5	2.44	8.2	CX34-25	EL180UH045E36A	9139555
14HPX-024-230	24800	16	13.5	21600	13500	3.68	2.52	8.5	CX34-25	EL180UH070E36B	9139557
14HPX-024-230	24200	15.5	13	21400	13500	3.52	2.44	8.2	CX34-25	EL195UH045XE36B	9139498
14HPX-024-230	24600	15.7	13.2	21600	13600	3.6	2.48	8.5	CX34-25	EL195UH070XE36B	9139511
14HPX-024-230	24200	15.5	13	21400	13500	3.52	2.44	8.2	CX34-25	EL296UH045XE36B	9139552
14HPX-024-230	24600	16	13	21600	13500	3.66	2.5	8.5	CX34-25	EL296UH045XV36B	9139578
14HPX-024-230	24600	15.7	13.2	21600	13600	3.6	2.48	8.5	CX34-25	EL296UH070XE36B	9139554
14HPX-024-230	24600	16	13	21600	13500	3.68	2.5	8.5	CX34-25	EL296UH070XV36B	9139583
14HPX-024-230	24000	15.5	13	21400	13500	3.5	2.44	8.2	CX34-25	ML180UH045E36A	10590606
14HPX-024-230	24800	16	13.5	21600	13500	3.68	2.52	8.5	CX34-25	ML180UH070E36B	10590700
14HPX-024-230	24800	15.7	13	21800	13600	3.68	2.48	8.2	CX34-25	SL280UH070V36A	9139527
14HPX-024-230	24800	15.7	13	21800	13600	3.68	2.48	8.2	CX34-25	SL280UH070XV36A	9139466
14HPX-024-230	24800	16	13	21600	13500	3.72	2.52	8.5	CX34-25	SL280UH090V36B	9139536
14HPX-024-230	24400	15.1	13	21600	13600	3.6	2.48	8.2	CX34-25	SL280UH090V48B	9139482
14HPX-024-230	24400	15.1	13	21600	13600	3.6	2.48	8.2	CX34-25	SL280UH090XV48B	9139457
14HPX-024-230	24600	16	13	21600	13500	3.68	2.5	8.5	CX34-25	SLP98UH070XV36B	9139509
14HPX-024-230	24600	16	13	21600	13500	3.68	2.5	8.5	CX34-31	CBWMV-24B-040	9139480
14HPX-024-230	24400	15.7	13.2	21400	13500	3.6	2.48	8.5	CX34-31	EL180UH045E36A	9139560
14HPX-024-230	24800	16	13.5	21600	13500	3.7	2.52	8.5	CX34-31	EL180UH070E36B	9139569
14HPX-024-230	24200	15.5	13	21400	13500	3.54	2.44	8.2	CX34-31	EL195UH045XE36B	9139499
14HPX-024-230	24600	15.7	13.2	21600	13600	3.62	2.48	8.5	CX34-31	EL195UH070XE36B	9139512
14HPX-024-230	24200	15.5	13	21400	13500	3.54	2.44	8.2	CX34-31	EL296UH045XE36B	9139553
14HPX-024-230	24600	16	13	21600	13500	3.68	2.5	8.5	CX34-31	EL296UH045XV36B	9139577
14HPX-024-230	24600	15.7	13.2	21600	13600	3.62	2.48	8.5	CX34-31	EL296UH070XE36B	9139532
14HPX-024-230	24600	16	13	21600	13500	3.7	2.52	8.5	CX34-31	EL296UH070XV36B	9139568
14HPX-024-230	24400	15.7	13.2	21400	13500	3.6	2.48	8.5	CX34-31	ML180UH045E36A	10590609
14HPX-024-230	24800	16	13.5	21600	13500	3.7	2.52	8.5	CX34-31	ML180UH070E36B	10590704
14HPX-024-230	24800	15.1	13	21600	13500	3.74	2.54	8.5	CX34-31	SL280UH070V36A	9139528
14HPX-024-230	24800	15.1	13	21600	13500	3.74	2.54	8.5	CX34-31	SL280UH070XV36A	9139467
14HPX-024-230	24800	16	13.5	21600	13500	3.74	2.54	8.5	CX34-31	SL280UH090V36B	9139535
14HPX-024-230	24600	15.1	13	21600	13600	3.62	2.48	8.2	CX34-31	SL280UH090V48B	9139487
14HPX-024-230	24600	15.1	13	21600	13600	3.62	2.48	8.2	CX34-31	SL280UH090XV48B	9139455
14HPX-024-230	24600	16	13	21600	13500	3.7	2.52	8.5	CX34-31	SLP98UH070XV36B	9139514
14HPX-024-230	24400	15.7	13.2	21600	13500	3.68	2.5	8.5	CX34-36	CBWMV-24B-040	9139485
14HPX-024-230	24000	15.7	13	21400	13500	3.58	2.48	8.5	CX34-36	EL180UH045E36A	9139566
14HPX-024-230	24400	16	13	21600	13500	3.7	2.52	8.5	CX34-36	EL180UH070E36B	9139563
14HPX-024-230	23800	15.5	12.7	21400	13500	3.54	2.44	8.2	CX34-36	EL195UH045XE36B	9139500
14HPX-024-230	24200	15.5	13	21600	13600	3.62	2.48	8.5	CX34-36	EL195UH070XE36B	9139501
14HPX-024-230	23800	15.5	12.7	21400	13500	3.54	2.44	8.2	CX34-36	EL296UH045XE36B	9139531
14HPX-024-230	24400	15.7	13.2	21600	13600	3.68	2.52	8.5	CX34-36	EL296UH045XV36B	9139571
14HPX-024-230	24200	15.5	13	21600	13600	3.62	2.48	8.5	CX34-36	EL296UH070XE36B	9139539
14HPX-024-230	24400	16	13	21600	13500	3.7	2.5	8.5	CX34-36	EL296UH070XV36B	9139573
14HPX-024-230	24400	16	13	21400	13500	3.68	2.52	8.5	CX34-36	EL296UH090XV36C	9139452
14HPX-024-230	24000	15.7	13	21400	13500	3.58	2.48	8.5	CX34-36	ML180UH045E36A	10590611
14HPX-024-230	24400	16	13	21600	13500	3.7	2.52	8.5	CX34-36	ML180UH070E36B	10590703
14HPX-024-230	24600	16	13	21600	13500	3.72	2.54	8.5	CX34-36	SL280UH070V36A	9139524
14HPX-024-230	24600	16	13	21600	13500	3.72	2.54	8.5	CX34-36	SL280UH070XV36A	9139461
14HPX-024-230	24600	16	13	21600	13500	3.74	2.54	8.5	CX34-36	SL280UH090V36B	9139519
14HPX-024-230	24400	15.1	12.5	21600	13600	3.62	2.48	8.2	CX34-36	SL280UH090V48B	9139489

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-024-230	24400	15.1	12.5	21600	13600	3.62	2.48	8.2	CX34-36	SL280UH090XV48B	9139464
14HPX-024-230	24400	16	13	21600	13500	3.7	2.5	8.5	CX34-36	SLP98UH070XV36B	9139515
14HPX-024-230	24400	16	13	21400	13500	3.68	2.52	8.5	CX34-36	SLP98UH090XV36C	9139516
14HPX-024-230	24000	15.5	13	21400	13500	3.5	2.44	8.2	CX38-25A	EL180UH045E36A	10086409
14HPX-024-230	24000	15.5	13	21400	13500	3.5	2.44	8.2	CX38-25A	ML180UH045E36A	10590639
14HPX-024-230	24800	15.7	13	21800	13600	3.68	2.48	8.2	CX38-25A	SL280UH070V36A	10086391
14HPX-024-230	24800	15.7	13	21800	13600	3.68	2.48	8.2	CX38-25A	SL280UH070XV36A	10086357
14HPX-024-230	24600	16	13	21600	13500	3.66	2.5	8.5	CX38-25B	CBWMV-24B-040	10086376
14HPX-024-230	24800	16	13.5	21600	13500	3.68	2.52	8.5	CX38-25B	EL180UH070E36B	10086411
14HPX-024-230	24200	15.5	13	21400	13500	3.52	2.44	8.2	CX38-25B	EL195UH045XE36B	10086371
14HPX-024-230	24600	15.7	13.2	21600	13600	3.6	2.48	8.5	CX38-25B	EL195UH070XE36B	10086381
14HPX-024-230	24200	15.5	13	21400	13500	3.52	2.44	8.2	CX38-25B	EL296UH045XE36B	10086406
14HPX-024-230	24600	16	13	21600	13500	3.66	2.5	8.5	CX38-25B	EL296UH045XV36B	10086425
14HPX-024-230	24600	15.7	13.2	21600	13600	3.6	2.48	8.5	CX38-25B	EL296UH070XE36B	10086408
14HPX-024-230	24600	16	13	21600	13500	3.68	2.5	8.5	CX38-25B	EL296UH070XV36B	10086426
14HPX-024-230	24800	16	13.5	21600	13500	3.68	2.52	8.5	CX38-25B	ML180UH070E36B	10590741
14HPX-024-230	24800	16	13	21600	13500	3.72	2.52	8.5	CX38-25B	SL280UH090V36B	10086399
14HPX-024-230	24400	15.1	13	21600	13600	3.6	2.48	8.2	CX38-25B	SL280UH090V48B	10086361
14HPX-024-230	24400	15.1	13	21600	13600	3.6	2.48	8.2	CX38-25B	SL280UH090XV48B	10086350
14HPX-024-230	24600	16	13	21600	13500	3.68	2.5	8.5	CX38-25B	SLP98UH070XV36B	10086380
14HPX-024-230	24400	15.7	13.2	21400	13500	3.6	2.48	8.5	CX38-31A	EL180UH045E36A	10086412
14HPX-024-230	24400	15.7	13.2	21400	13500	3.6	2.48	8.5	CX38-31A	ML180UH045E36A	10590640
14HPX-024-230	24800	15.1	13	21600	13500	3.74	2.54	8.5	CX38-31A	SL280UH070V36A	10086392
14HPX-024-230	24800	15.1	13	21600	13500	3.74	2.54	8.5	CX38-31A	SL280UH070XV36A	10086358
14HPX-024-230	24600	16	13	21600	13500	3.68	2.5	8.5	CX38-31B	CBWMV-24B-040	10086359
14HPX-024-230	24800	16	13.5	21600	13500	3.7	2.52	8.5	CX38-31B	EL180UH070E36B	10086418
14HPX-024-230	24200	15.5	13	21400	13500	3.54	2.44	8.2	CX38-31B	EL195UH045XE36B	10086372
14HPX-024-230	24600	15.7	13.2	21600	13600	3.62	2.48	8.5	CX38-31B	EL195UH070XE36B	10086382
14HPX-024-230	24200	15.5	13	21400	13500	3.54	2.44	8.2	CX38-31B	EL296UH045XE36B	10086407
14HPX-024-230	24600	16	13	21600	13500	3.68	2.5	8.5	CX38-31B	EL296UH045XV36B	10086424
14HPX-024-230	24600	15.7	13.2	21600	13600	3.62	2.48	8.5	CX38-31B	EL296UH070XE36B	10086395
14HPX-024-230	24600	16	13	21600	13500	3.7	2.52	8.5	CX38-31B	EL296UH070XV36B	10086417
14HPX-024-230	24800	16	13.5	21600	13500	3.7	2.52	8.5	CX38-31B	ML180UH070E36B	10590744
14HPX-024-230	24800	16	13.5	21600	13500	3.74	2.54	8.5	CX38-31B	SL280UH090V36B	10086398
14HPX-024-230	24600	15.1	13	21600	13600	3.62	2.48	8.2	CX38-31B	SL280UH090V48B	10086365
14HPX-024-230	24600	15.1	13	21600	13600	3.62	2.48	8.2	CX38-31B	SL280UH090XV48B	10086349
14HPX-024-230	24600	16	13	21600	13500	3.7	2.52	8.5	CX38-31B	SLP98UH070XV36B	10086383
14HPX-024-230	24000	15.7	13	21400	13500	3.58	2.48	8.5	CX38-36A	EL180UH045E36A	10086416
14HPX-024-230	24000	15.7	13	21400	13500	3.58	2.48	8.5	CX38-36A	ML180UH045E36A	10590642
14HPX-024-230	24600	16	13	21600	13500	3.72	2.54	8.5	CX38-36A	SL280UH070V36A	10086389
14HPX-024-230	24600	16	13	21600	13500	3.72	2.54	8.5	CX38-36A	SL280UH070XV36A	10086353
14HPX-024-230	24400	15.7	13.2	21600	13500	3.68	2.5	8.5	CX38-36B	CBWMV-24B-040	10086364
14HPX-024-230	24400	16	13	21600	13500	3.7	2.52	8.5	CX38-36B	EL180UH070E36B	10086414
14HPX-024-230	23800	15.5	12.7	21400	13500	3.54	2.44	8.2	CX38-36B	EL195UH045XE36B	10086373
14HPX-024-230	24200	15.5	13	21600	13600	3.62	2.48	8.5	CX38-36B	EL195UH070XE36B	10086374
14HPX-024-230	23800	15.5	12.7	21400	13500	3.54	2.44	8.2	CX38-36B	EL296UH045XE36B	10086394
14HPX-024-230	24400	15.7	13.2	21600	13600	3.68	2.52	8.5	CX38-36B	EL296UH045XV36B	10086420
14HPX-024-230	24200	15.5	13	21600	13600	3.62	2.48	8.5	CX38-36B	EL296UH070XE36B	10086400
14HPX-024-230	24400	16	13	21600	13500	3.7	2.5	8.5	CX38-36B	EL296UH070XV36B	10086421
14HPX-024-230	24400	16	13	21600	13500	3.7	2.52	8.5	CX38-36B	ML180UH070E36B	10590743
14HPX-024-230	24600	16	13	21600	13500	3.74	2.54	8.5	CX38-36B	SL280UH090V36B	10086386
14HPX-024-230	24400	15.1	12.5	21600	13600	3.62	2.48	8.2	CX38-36B	SL280UH090V48B	10086366
14HPX-024-230	24400	15.1	12.5	21600	13600	3.62	2.48	8.2	CX38-36B	SL280UH090XV48B	10086356
14HPX-024-230	24400	16	13	21600	13500	3.7	2.5	8.5	CX38-36B	SLP98UH070XV36B	10086384
14HPX-024-230	24400	16	13	21400	13500	3.68	2.52	8.5	CX38-36C	EL296UH090XV36C	10086348
14HPX-024-230	24400	16	13	21400	13500	3.68	2.52	8.5	CX38-36C	SLP98UH090XV36C	10086385
14HPX-030-230	30000	15.5	13.2	25600	16500	3.62	2.52	8.5	C33-31	CBWMV-24B-040	9139662
14HPX-030-230	30000	15.2	13.2	25600	16500	3.6	2.52	8.5	C33-31	CBWMV-36B-070	9139717
14HPX-030-230	30000	15.2	13.2	25800	16600	3.62	2.5	8.5	C33-31	EL180UH045E36A	9139842
14HPX-030-230	30000	15.7	13.5	25600	16400	3.64	2.52	8.5	C33-31	EL180UH070E36B	9139829
14HPX-030-230	30200	15.7	13.5	25600	16500	3.66	2.56	8.7	C33-31	EL180UH090E48B	9139866

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-030-230	30000	15.2	13.2	25800	16700	3.6	2.5	8.5	C33-31	EL195UH045XE36B	9139687
14HPX-030-230	30200	15.2	13.2	25800	16700	3.6	2.5	8.5	C33-31	EL195UH070XE36B	9139651
14HPX-030-230	30000	15.2	13.2	25800	16700	3.6	2.5	8.5	C33-31	EL296UH045XE36B	9139801
14HPX-030-230	29800	15.2	13	25600	16600	3.56	2.5	8.5	C33-31	EL296UH045XV36B	9139874
14HPX-030-230	30200	15.2	13.2	25800	16700	3.6	2.5	8.5	C33-31	EL296UH070XE36B	9139793
14HPX-030-230	29800	15.5	13.2	25600	16500	3.6	2.52	8.5	C33-31	EL296UH070XV36B	9139882
14HPX-030-230	30000	15.2	13.2	25800	16600	3.62	2.5	8.5	C33-31	ML180UH045E36A	10590615
14HPX-030-230	30000	15.7	13.5	25600	16400	3.64	2.52	8.5	C33-31	ML180UH070E36B	10590710
14HPX-030-230	30200	15.7	13.5	25600	16500	3.66	2.56	8.7	C33-31	ML180UH090E48B	10590850
14HPX-030-230	30000	15.5	13.2	25600	16500	3.62	2.52	8.5	C33-31	SL280UH070V36A	9139753
14HPX-030-230	30000	15.5	13.2	25600	16500	3.62	2.52	8.5	C33-31	SL280UH070XV36A	9139611
14HPX-030-230	30000	15.7	13.5	25400	16400	3.62	2.54	8.5	C33-31	SL280UH090V36B	9139777
14HPX-030-230	30200	15.5	13.5	25800	16500	3.68	2.54	8.5	C33-31	SL280UH090V48B	9139591
14HPX-030-230	30200	15.5	13.5	25800	16500	3.68	2.54	8.5	C33-31	SL280UH090XV48B	9139614
14HPX-030-230	30000	15.2	13.2	25600	16600	3.62	2.52	8.5	C33-31	SLP98UH070XV36B	9139725
14HPX-030-230	29200	15	13	25600	16500	3.62	2.5	8.5	C33-36	CBWMV-24B-040	9139701
14HPX-030-230	29200	15	13	25600	16500	3.6	2.5	8.5	C33-36	CBWMV-36B-070	9139705
14HPX-030-230	29200	15.2	13	25600	16500	3.64	2.52	8.5	C33-36	CBWMV-36C-090	9139713
14HPX-030-230	29200	15.2	13.2	25400	16400	3.62	2.52	8.5	C33-36	EL180UH070E36B	9139822
14HPX-030-230	29200	15.2	13.2	25400	16400	3.64	2.52	8.5	C33-36	EL180UH090E48B	9139846
14HPX-030-230	29200	14.7	12.7	25600	16600	3.58	2.48	8.5	C33-36	EL195UH045XE36B	9139676
14HPX-030-230	29400	15	12.7	25800	16700	3.6	2.5	8.5	C33-36	EL195UH070XE36B	9139640
14HPX-030-230	29600	15.2	13	25800	16600	3.68	2.52	8.7	C33-36	EL195UH090XE48C	9139664
14HPX-030-230	29200	14.7	12.7	25600	16600	3.58	2.48	8.5	C33-36	EL296UH045XE36B	9139805
14HPX-030-230	29000	14.7	12.7	25600	16600	3.56	2.48	8.2	C33-36	EL296UH045XV36B	9139870
14HPX-030-230	29400	15	12.7	25800	16700	3.6	2.5	8.5	C33-36	EL296UH070XE36B	9139778
14HPX-030-230	29000	15.2	13	25400	16400	3.58	2.5	8.5	C33-36	EL296UH070XV36B	9139880
14HPX-030-230	29600	15.2	13	25800	16600	3.68	2.52	8.7	C33-36	EL296UH090XE48C	9139795
14HPX-030-230	29200	15.2	13.2	25400	16400	3.62	2.52	8.5	C33-36	EL296UH090XV36C	9139910
14HPX-030-230	29200	15.2	13.2	25400	16400	3.62	2.52	8.5	C33-36	ML180UH070E36B	10590707
14HPX-030-230	29200	15.2	13.2	25400	16400	3.64	2.52	8.5	C33-36	ML180UH090E48B	10590838
14HPX-030-230	29200	15.2	13	25400	16500	3.6	2.52	8.5	C33-36	SL280UH070V36A	9139758
14HPX-030-230	29200	15.2	13	25400	16500	3.6	2.52	8.5	C33-36	SL280UH070XV36A	9139620
14HPX-030-230	29200	15.2	13.2	25400	16300	3.62	2.52	8.5	C33-36	SL280UH090V36B	9139770
14HPX-030-230	29400	15.2	13	25600	16500	3.64	2.52	8.5	C33-36	SL280UH090V48B	9139592
14HPX-030-230	29400	15.2	13	25600	16500	3.64	2.52	8.5	C33-36	SL280UH090XV48B	9139615
14HPX-030-230	29200	15	13	25600	16500	3.6	2.5	8.5	C33-36	SLP98UH070XV36B	9139720
14HPX-030-230	29200	15.2	13.2	25400	16400	3.62	2.52	8.5	C33-36	SLP98UH090XV36C	9139723
14HPX-030-230	29600	15.2	13.2	25600	16600	3.66	2.54	8.7	C33-36	SLP98UH090XV48C	9139712
14HPX-030-230	30800	15.5	13.5	25600	16600	3.66	2.54	8.5	C33-38	CBWMV-24B-040	9139666
14HPX-030-230	30800	15.5	13.5	25600	16500	3.64	2.54	8.5	C33-38	CBWMV-36B-070	9139709
14HPX-030-230	30800	15.5	13.5	25800	16600	3.66	2.54	8.5	C33-38	EL180UH045E36A	9139838
14HPX-030-230	30800	15.7	13.7	25600	16400	3.7	2.54	8.7	C33-38	EL180UH070E36B	9139826
14HPX-030-230	31000	15.7	13.7	25600	16500	3.72	2.58	8.7	C33-38	EL180UH090E48B	9139860
14HPX-030-230	30800	15.2	13.2	25800	16700	3.64	2.54	8.5	C33-38	EL195UH045XE36B	9139689
14HPX-030-230	30600	15.5	13.2	25600	16500	3.7	2.54	8.5	C33-38	EL195UH070XE36B	9139653
14HPX-030-230	30800	15.2	13.2	25800	16700	3.64	2.54	8.5	C33-38	EL296UH045XE36B	9139797
14HPX-030-230	30800	15.2	13.2	25800	16600	3.64	2.52	8.5	C33-38	EL296UH045XV36B	9139872
14HPX-030-230	30600	15.5	13.2	25600	16500	3.7	2.54	8.5	C33-38	EL296UH070XE36B	9139788
14HPX-030-230	30600	15.7	13.5	25600	16500	3.66	2.54	8.5	C33-38	EL296UH070XV36B	9139896
14HPX-030-230	30800	15.5	13.5	25800	16600	3.66	2.54	8.5	C33-38	ML180UH045E36A	10590614
14HPX-030-230	30800	15.7	13.7	25600	16400	3.7	2.54	8.7	C33-38	ML180UH070E36B	10590708
14HPX-030-230	31000	15.7	13.7	25600	16500	3.72	2.58	8.7	C33-38	ML180UH090E48B	10590848
14HPX-030-230	30800	15.7	13.5	25600	16500	3.68	2.54	8.7	C33-38	SL280UH070V36A	9139755
14HPX-030-230	30800	15.7	13.5	25600	16500	3.68	2.54	8.7	C33-38	SL280UH070XV36A	9139618
14HPX-030-230	30800	15.7	13.7	25400	16400	3.68	2.56	8.7	C33-38	SL280UH090V36B	9139775
14HPX-030-230	31000	15.7	13.7	25600	16600	3.7	2.58	8.7	C33-38	SL280UH090V48B	9139624
14HPX-030-230	31000	15.7	13.7	25600	16600	3.7	2.58	8.7	C33-38	SL280UH090XV48B	9139603
14HPX-030-230	30600	15.7	13.5	25600	16500	3.66	2.54	8.5	C33-38	SLP98UH070XV36B	9139726
14HPX-030-230	30400	14	12.2	26200	17200	3.44	2.4	8.2	C33-38		9139585
14HPX-030-230	29200	15	13	25600	16500	3.62	2.5	8.5	C33-42	CBWMV-24B-040	9139660

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-030-230	29200	15	13	25600	16500	3.6	2.5	8.5	C33-42	CBWMV-36B-070	9139663
14HPX-030-230	29200	15.2	13.2	25400	16400	3.62	2.52	8.5	C33-42	EL180UH070E36B	9139820
14HPX-030-230	29200	15.2	13.2	25400	16400	3.64	2.52	8.5	C33-42	EL180UH090E48B	9139856
14HPX-030-230	29200	14.7	12.7	25600	16600	3.58	2.48	8.5	C33-42	EL195UH045XE36B	9139690
14HPX-030-230	29400	15	12.7	25800	16700	3.6	2.5	8.5	C33-42	EL195UH070XE36B	9139654
14HPX-030-230	29200	14.7	12.7	25600	16600	3.58	2.48	8.5	C33-42	EL296UH045XE36B	9139785
14HPX-030-230	29000	14.7	12.7	25600	16600	3.56	2.48	8.2	C33-42	EL296UH045XV36B	9139864
14HPX-030-230	29400	15	12.7	25800	16700	3.6	2.5	8.5	C33-42	EL296UH070XE36B	9139812
14HPX-030-230	29000	15.2	13	25400	16400	3.58	2.5	8.5	C33-42	EL296UH070XV36B	9139876
14HPX-030-230	29200	15.2	13.2	25400	16400	3.62	2.52	8.5	C33-42	ML180UH070E36B	10590705
14HPX-030-230	29200	15.2	13.2	25400	16400	3.64	2.52	8.5	C33-42	ML180UH090E48B	10590844
14HPX-030-230	29200	15.2	13.2	25400	16300	3.62	2.52	8.5	C33-42	SL280UH090V36B	9139768
14HPX-030-230	29400	15.2	13	25600	16500	3.64	2.52	8.5	C33-42	SL280UH090V48B	9139593
14HPX-030-230	29400	15.2	13	25600	16500	3.64	2.52	8.5	C33-42	SL280UH090XV48B	9139604
14HPX-030-230	29200	15	13	25600	16500	3.6	2.5	8.5	C33-42	SLP98UH070XV36B	9139727
14HPX-030-230	30400	15.5	13.5	25800	16500	3.66	2.52	8.5	C33-43	CBWMV-24B-040	9139706
14HPX-030-230	30400	15.5	13.5	25800	16500	3.66	2.52	8.5	C33-43	CBWMV-36B-070	9139702
14HPX-030-230	30600	16	13.5	25600	16400	3.72	2.56	8.5	C33-43	CBWMV-36C-090	9139694
14HPX-030-230	30400	15.7	13.7	25600	16400	3.66	2.54	8.7	C33-43	EL180UH070E36B	9139830
14HPX-030-230	30600	16	13.5	25800	16500	3.72	2.56	8.5	C33-43	EL180UH090E48B	9139867
14HPX-030-230	30400	15.5	13.2	25800	16700	3.62	2.52	8.5	C33-43	EL195UH045XE36B	9139691
14HPX-030-230	30600	15.5	13.2	26000	16700	3.66	2.52	8.5	C33-43	EL195UH070XE36B	9139655
14HPX-030-230	30800	15.7	13.5	26000	16700	3.7	2.56	8.7	C33-43	EL195UH090XE48C	9139677
14HPX-030-230	30400	15.5	13.2	25800	16700	3.62	2.52	8.5	C33-43	EL296UH045XE36B	9139823
14HPX-030-230	30200	15.5	13.2	25800	16600	3.62	2.5	8.5	C33-43	EL296UH045XV36B	9139873
14HPX-030-230	30600	15.5	13.2	26000	16700	3.66	2.52	8.5	C33-43	EL296UH070XE36B	9139802
14HPX-030-230	30200	15.7	13.5	25600	16500	3.64	2.54	8.5	C33-43	EL296UH070XV36B	9139895
14HPX-030-230	30800	15.7	13.5	26000	16700	3.7	2.56	8.7	C33-43	EL296UH090XE48C	9139810
14HPX-030-230	30400	16	13.5	25600	16400	3.7	2.56	8.5	C33-43	EL296UH090XV36C	9139894
14HPX-030-230	30800	16	13.5	25800	16500	3.76	2.6	8.5	C33-43	EL296UH090XV48C	9139915
14HPX-030-230	30400	15.7	13.7	25600	16400	3.66	2.54	8.7	C33-43	ML180UH070E36B	10590711
14HPX-030-230	30600	16	13.5	25800	16500	3.72	2.56	8.5	C33-43	ML180UH090E48B	10590851
14HPX-030-230	30400	16	13.5	25600	16400	3.68	2.56	8.5	C33-43	SL280UH090V36B	9139771
14HPX-030-230	30600	15.7	13.5	25800	16600	3.7	2.56	8.7	C33-43	SL280UH090V48B	9139625
14HPX-030-230	30600	15.7	13.5	25800	16600	3.7	2.56	8.7	C33-43	SL280UH090XV48B	9139596
14HPX-030-230	30400	15.7	13.5	25800	16600	3.66	2.54	8.5	C33-43	SLP98UH070XV36B	9139738
14HPX-030-230	30400	16	13.5	25600	16400	3.7	2.56	8.5	C33-43	SLP98UH090XV36C	9139739
14HPX-030-230	30800	16	13.5	25800	16500	3.76	2.6	8.5	C33-43	SLP98UH090XV48C	9139740
14HPX-030-230	29600	15.2	13	25400	16500	3.52	2.48	8.2	C33-48	CBWMV-24B-040	9139714
14HPX-030-230	29600	15.2	13	25400	16400	3.5	2.46	8.2	C33-48	CBWMV-36B-070	9139657
14HPX-030-230	29800	15.2	13.2	25600	16400	3.58	2.48	8.5	C33-48	CBWMV-36C-090	9139710
14HPX-030-230	29600	15.5	13.2	25400	16300	3.54	2.48	8.2	C33-48	EL180UH070E36B	9139841
14HPX-030-230	29800	15.5	13.2	25400	16400	3.58	2.5	8.5	C33-48	EL180UH090E48B	9139854
14HPX-030-230	29600	15	13	25600	16600	3.5	2.46	8.2	C33-48	EL195UH045XE36B	9139692
14HPX-030-230	30000	15	13	25800	16600	3.56	2.46	8.2	C33-48	EL195UH070XE36B	9139697
14HPX-030-230	30200	15.2	13.2	25800	16600	3.62	2.5	8.5	C33-48	EL195UH090XE48C	9139678
14HPX-030-230	29600	15	13	25600	16600	3.5	2.46	8.2	C33-48	EL296UH045XE36B	9139814
14HPX-030-230	29600	15	13	25600	16500	3.5	2.44	8.2	C33-48	EL296UH045XV36B	9139875
14HPX-030-230	30000	15	13	25800	16600	3.56	2.46	8.2	C33-48	EL296UH070XE36B	9139798
14HPX-030-230	29600	15.2	13.2	25400	16400	3.52	2.46	8.2	C33-48	EL296UH070XV36B	9139881
14HPX-030-230	30200	15.2	13.2	25800	16600	3.62	2.5	8.5	C33-48	EL296UH090XE48C	9139825
14HPX-030-230	29600	15.5	13.2	25400	16300	3.54	2.48	8.2	C33-48	EL296UH090XV36C	9139892
14HPX-030-230	30000	15.5	13.2	25600	16500	3.6	2.5	8.5	C33-48	EL296UH090XV48C	9139899
14HPX-030-230	29600	15.5	13.2	25400	16300	3.54	2.48	8.2	C33-48	ML180UH070E36B	10590718
14HPX-030-230	29800	15.5	13.2	25400	16400	3.58	2.5	8.5	C33-48	ML180UH090E48B	10590842
14HPX-030-230	29600	15.5	13.2	25400	16300	3.56	2.48	8.2	C33-48	SL280UH090V36B	9139764
14HPX-030-230	29800	15.2	13.2	25600	16400	3.58	2.48	8.5	C33-48	SL280UH090V48B	9139594
14HPX-030-230	29800	15.2	13.2	25600	16400	3.58	2.48	8.5	C33-48	SL280UH090XV48B	9139605
14HPX-030-230	29600	15.2	13	25600	16500	3.54	2.48	8.2	C33-48	SLP98UH070XV36B	9139728
14HPX-030-230	29600	15.5	13.2	25400	16300	3.54	2.48	8.2	C33-48	SLP98UH090XV36C	9139737
14HPX-030-230	30000	15.2	13.2	25800	16600	3.62	2.5	8.5	C37-31A	EL180UH045E36A	10086600

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-030-230	30000	15.2	13.2	25800	16600	3.62	2.5	8.5	C37-31A	ML180UH045E36A	10590644
14HPX-030-230	30000	15.5	13.2	25600	16500	3.62	2.52	8.5	C37-31A	SL280UH070V36A	10086541
14HPX-030-230	30000	15.5	13.2	25600	16500	3.62	2.52	8.5	C37-31A	SL280UH070XV36A	10086444
14HPX-030-230	30000	15.5	13.2	25600	16500	3.62	2.52	8.5	C37-31B	CBWMV-24B-040	10086476
14HPX-030-230	30000	15.2	13.2	25600	16500	3.6	2.52	8.5	C37-31B	CBWMV-36B-070	10086518
14HPX-030-230	30000	15.7	13.5	25600	16400	3.64	2.52	8.5	C37-31B	EL180UH070E36B	10086592
14HPX-030-230	30200	15.7	13.5	25600	16500	3.66	2.56	8.7	C37-31B	EL180UH090E48B	10086616
14HPX-030-230	30000	15.2	13.2	25800	16700	3.6	2.5	8.5	C37-31B	EL195UH045XE36B	10086492
14HPX-030-230	30200	15.2	13.2	25800	16700	3.6	2.5	8.5	C37-31B	EL195UH070XE36B	10086466
14HPX-030-230	30000	15.2	13.2	25800	16700	3.6	2.5	8.5	C37-31B	EL296UH045XE36B	10086574
14HPX-030-230	29800	15.2	13	25600	16600	3.56	2.5	8.5	C37-31B	EL296UH045XV36B	10086623
14HPX-030-230	30200	15.2	13.2	25800	16700	3.6	2.5	8.5	C37-31B	EL296UH070XE36B	10086568
14HPX-030-230	29800	15.5	13.2	25600	16500	3.6	2.52	8.5	C37-31B	EL296UH070XV36B	10086629
14HPX-030-230	30000	15.7	13.5	25600	16400	3.64	2.52	8.5	C37-31B	ML180UH070E36B	10590749
14HPX-030-230	30200	15.7	13.5	25600	16500	3.66	2.56	8.7	C37-31B	ML180UH090E48B	10590873
14HPX-030-230	30000	15.7	13.5	25400	16400	3.62	2.54	8.5	C37-31B	SL280UH090V36B	10086558
14HPX-030-230	30200	15.5	13.5	25800	16500	3.68	2.54	8.5	C37-31B	SL280UH090V48B	10086429
14HPX-030-230	30200	15.5	13.5	25800	16500	3.68	2.54	8.5	C37-31B	SL280UH090XV48B	10086446
14HPX-030-230	30000	15.2	13.2	25600	16600	3.62	2.52	8.5	C37-31B	SLP98UH070XV36B	10086525
14HPX-030-230	29200	15.2	13	25400	16500	3.6	2.52	8.5	C37-36A	SL280UH070V36A	10086544
14HPX-030-230	29200	15.2	13	25400	16500	3.6	2.52	8.5	C37-36A	SL280UH070XV36A	10086450
14HPX-030-230	29200	15	13	25600	16500	3.62	2.5	8.5	C37-36B	CBWMV-24B-040	10086502
14HPX-030-230	29200	15	13	25600	16500	3.6	2.5	8.5	C37-36B	CBWMV-36B-070	10086506
14HPX-030-230	29200	15.2	13.2	25400	16400	3.62	2.52	8.5	C37-36B	EL180UH070E36B	10086586
14HPX-030-230	29200	15.2	13.2	25400	16400	3.64	2.52	8.5	C37-36B	EL180UH090E48B	10086603
14HPX-030-230	29200	14.7	12.7	25600	16600	3.58	2.48	8.5	C37-36B	EL195UH045XE36B	10086487
14HPX-030-230	29400	15	12.7	25800	16700	3.6	2.5	8.5	C37-36B	EL195UH070XE36B	10086458
14HPX-030-230	29200	14.7	12.7	25600	16600	3.58	2.48	8.5	C37-36B	EL296UH045XE36B	10086577
14HPX-030-230	29000	14.7	12.7	25600	16600	3.56	2.48	8.2	C37-36B	EL296UH045XV36B	10086620
14HPX-030-230	29400	15	12.7	25800	16700	3.6	2.5	8.5	C37-36B	EL296UH070XE36B	10086559
14HPX-030-230	29000	15.2	13	25400	16400	3.58	2.5	8.5	C37-36B	EL296UH070XV36B	10086627
14HPX-030-230	29200	15.2	13.2	25400	16400	3.62	2.52	8.5	C37-36B	ML180UH070E36B	10590746
14HPX-030-230	29200	15.2	13.2	25400	16400	3.64	2.52	8.5	C37-36B	ML180UH090E48B	10590864
14HPX-030-230	29200	15.2	13.2	25400	16300	3.62	2.52	8.5	C37-36B	SL280UH090V36B	10086553
14HPX-030-230	29400	15.2	13	25600	16500	3.64	2.52	8.5	C37-36B	SL280UH090V48B	10086430
14HPX-030-230	29400	15.2	13	25600	16500	3.64	2.52	8.5	C37-36B	SL280UH090XV48B	10086447
14HPX-030-230	29200	15	13	25600	16500	3.6	2.5	8.5	C37-36B	SLP98UH070XV36B	10086521
14HPX-030-230	29200	15.2	13	25600	16500	3.64	2.52	8.5	C37-36C	CBWMV-36C-090	10086514
14HPX-030-230	29600	15.2	13	25800	16600	3.68	2.52	8.7	C37-36C	EL195UH090XE48C	10086478
14HPX-030-230	29600	15.2	13	25800	16600	3.68	2.52	8.7	C37-36C	EL296UH090XE48C	10086569
14HPX-030-230	29200	15.2	13.2	25400	16400	3.62	2.52	8.5	C37-36C	EL296UH090XV36C	10086648
14HPX-030-230	29200	15.2	13.2	25400	16400	3.62	2.52	8.5	C37-36C	SLP98UH090XV36C	10086523
14HPX-030-230	29600	15.2	13.2	25600	16600	3.66	2.54	8.7	C37-36C	SLP98UH090XV48C	10086513
14HPX-030-230	30800	15.5	13.5	25800	16600	3.66	2.54	8.5	C37-38A	EL180UH045E36A	10086598
14HPX-030-230	30800	15.5	13.5	25800	16600	3.66	2.54	8.5	C37-38A	ML180UH045E36A	10590643
14HPX-030-230	30800	15.7	13.5	25600	16500	3.68	2.54	8.7	C37-38A	SL280UH070V36A	10086543
14HPX-030-230	30800	15.7	13.5	25600	16500	3.68	2.54	8.7	C37-38A	SL280UH070XV36A	10086449
14HPX-030-230	30400	14	12.2	26200	17200	3.44	2.4	8.2	C37-38A		10086057
14HPX-030-230	30800	15.5	13.5	25600	16600	3.66	2.54	8.5	C37-38B	CBWMV-24B-040	10086480
14HPX-030-230	30800	15.5	13.5	25600	16500	3.64	2.54	8.5	C37-38B	CBWMV-36B-070	10086510
14HPX-030-230	30800	15.7	13.7	25600	16400	3.7	2.54	8.7	C37-38B	EL180UH070E36B	10086590
14HPX-030-230	31000	15.7	13.7	25600	16500	3.72	2.58	8.7	C37-38B	EL180UH090E48B	10086613
14HPX-030-230	30800	15.2	13.2	25800	16700	3.64	2.54	8.5	C37-38B	EL195UH045XE36B	10086494
14HPX-030-230	30600	15.5	13.2	25600	16500	3.7	2.54	8.5	C37-38B	EL195UH070XE36B	10086468
14HPX-030-230	30800	15.2	13.2	25800	16700	3.64	2.54	8.5	C37-38B	EL296UH045XE36B	10086571
14HPX-030-230	30800	15.2	13.2	25800	16600	3.64	2.52	8.5	C37-38B	EL296UH045XV36B	10086621
14HPX-030-230	30600	15.5	13.2	25600	16500	3.7	2.54	8.5	C37-38B	EL296UH070XE36B	10086566
14HPX-030-230	30600	15.7	13.5	25600	16500	3.66	2.54	8.5	C37-38B	EL296UH070XV36B	10086639
14HPX-030-230	30800	15.7	13.7	25600	16400	3.7	2.54	8.7	C37-38B	ML180UH070E36B	10590747
14HPX-030-230	31000	15.7	13.7	25600	16500	3.72	2.58	8.7	C37-38B	ML180UH090E48B	10590872
14HPX-030-230	30800	15.7	13.7	25400	16400	3.68	2.56	8.7	C37-38B	SL280UH090V36B	10086557



# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-030-230	31000	15.7	13.7	25600	16600	3.7	2.58	8.7	C37-38B	SL280UH090V48B	10086454
14HPX-030-230	31000	15.7	13.7	25600	16600	3.7	2.58	8.7	C37-38B	SL280UH090XV48B	10086438
14HPX-030-230	30600	15.7	13.5	25600	16500	3.66	2.54	8.5	C37-38B	SLP98UH070XV36B	10086526
14HPX-030-230	30400	14	12.2	26200	17200	3.44	2.4	8.2	C37-38B		10086058
14HPX-030-230	29200	15	13	25600	16500	3.62	2.5	8.5	C37-42B	CBWMV-24B-040	10086474
14HPX-030-230	29200	15	13	25600	16500	3.6	2.5	8.5	C37-42B	CBWMV-36B-070	10086477
14HPX-030-230	29200	15.2	13.2	25400	16400	3.62	2.52	8.5	C37-42B	EL180UH070E36B	10086585
14HPX-030-230	29200	15.2	13.2	25400	16400	3.64	2.52	8.5	C37-42B	EL180UH090E48B	10086610
14HPX-030-230	29200	14.7	12.7	25600	16600	3.58	2.48	8.5	C37-42B	EL195UH045XE36B	10086495
14HPX-030-230	29400	15	12.7	25800	16700	3.6	2.5	8.5	C37-42B	EL195UH070XE36B	10086469
14HPX-030-230	29200	14.7	12.7	25600	16600	3.58	2.48	8.5	C37-42B	EL296UH045XE36B	10086564
14HPX-030-230	29000	14.7	12.7	25600	16600	3.56	2.48	8.2	C37-42B	EL296UH045XV36B	10086615
14HPX-030-230	29400	15	12.7	25800	16700	3.6	2.5	8.5	C37-42B	EL296UH070XE36B	10086581
14HPX-030-230	29000	15.2	13	25400	16400	3.58	2.5	8.5	C37-42B	EL296UH070XV36B	10086625
14HPX-030-230	29200	15.2	13.2	25400	16400	3.62	2.52	8.5	C37-42B	ML180UH070E36B	10590745
14HPX-030-230	29200	15.2	13.2	25400	16400	3.64	2.52	8.5	C37-42B	ML180UH090E48B	10590869
14HPX-030-230	29200	15.2	13.2	25400	16300	3.62	2.52	8.5	C37-42B	SL280UH090V36B	10086552
14HPX-030-230	29400	15.2	13	25600	16500	3.64	2.52	8.5	C37-42B	SL280UH090V48B	10086431
14HPX-030-230	29400	15.2	13	25600	16500	3.64	2.52	8.5	C37-42B	SL280UH090XV48B	10086439
14HPX-030-230	29200	15	13	25600	16500	3.6	2.5	8.5	C37-42B	SLP98UH070XV36B	10086527
14HPX-030-230	30400	15.5	13.5	25800	16500	3.66	2.52	8.5	C37-43B	CBWMV-24B-040	10086507
14HPX-030-230	30400	15.5	13.5	25800	16500	3.66	2.52	8.5	C37-43B	CBWMV-36B-070	10086503
14HPX-030-230	30400	15.7	13.7	25600	16400	3.66	2.54	8.7	C37-43B	EL180UH070E36B	10086593
14HPX-030-230	30600	16	13.5	25800	16500	3.72	2.56	8.5	C37-43B	EL180UH090E48B	10086617
14HPX-030-230	30400	15.5	13.2	25800	16700	3.62	2.52	8.5	C37-43B	EL195UH045XE36B	10086496
14HPX-030-230	30600	15.5	13.2	26000	16700	3.66	2.52	8.5	C37-43B	EL195UH070XE36B	10086470
14HPX-030-230	30400	15.5	13.2	25800	16700	3.62	2.52	8.5	C37-43B	EL296UH045XE36B	10086587
14HPX-030-230	30200	15.5	13.2	25800	16600	3.62	2.5	8.5	C37-43B	EL296UH045XV36B	10086622
14HPX-030-230	30600	15.5	13.2	26000	16700	3.66	2.52	8.5	C37-43B	EL296UH070XE36B	10086575
14HPX-030-230	30200	15.7	13.5	25600	16500	3.64	2.54	8.5	C37-43B	EL296UH070XV36B	10086638
14HPX-030-230	30400	15.7	13.7	25600	16400	3.66	2.54	8.7	C37-43B	ML180UH070E36B	10590750
14HPX-030-230	30600	16	13.5	25800	16500	3.72	2.56	8.5	C37-43B	ML180UH090E48B	10590874
14HPX-030-230	30400	16	13.5	25600	16400	3.68	2.56	8.5	C37-43B	SL280UH090V36B	10086554
14HPX-030-230	30600	15.7	13.5	25800	16600	3.7	2.56	8.7	C37-43B	SL280UH090V48B	10086455
14HPX-030-230	30600	15.7	13.5	25800	16600	3.7	2.56	8.7	C37-43B	SL280UH090XV48B	10086434
14HPX-030-230	30400	15.7	13.5	25800	16600	3.66	2.54	8.5	C37-43B	SLP98UH070XV36B	10086536
14HPX-030-230	30600	16	13.5	25600	16400	3.72	2.56	8.5	C37-43C	CBWMV-36C-090	10086498
14HPX-030-230	30800	15.7	13.5	26000	16700	3.7	2.56	8.7	C37-43C	EL195UH090XE48C	10086488
14HPX-030-230	30800	15.7	13.5	26000	16700	3.7	2.56	8.7	C37-43C	EL296UH090XE48C	10086579
14HPX-030-230	30400	16	13.5	25600	16400	3.7	2.56	8.5	C37-43C	EL296UH090XV36C	10086637
14HPX-030-230	30800	16	13.5	25800	16500	3.76	2.6	8.5	C37-43C	EL296UH090XV48C	10086649
14HPX-030-230	30400	16	13.5	25600	16400	3.7	2.56	8.5	C37-43C	SLP98UH090XV36C	10086537
14HPX-030-230	30800	16	13.5	25800	16500	3.76	2.6	8.5	C37-43C	SLP98UH090XV48C	10086538
14HPX-030-230	29600	15.2	13	25400	16500	3.52	2.48	8.2	C37-48B	CBWMV-24B-040	10086515
14HPX-030-230	29600	15.2	13	25400	16400	3.5	2.46	8.2	C37-48B	CBWMV-36B-070	10086471
14HPX-030-230	29600	15.5	13.2	25400	16300	3.54	2.48	8.2	C37-48B	EL180UH070E36B	10086599
14HPX-030-230	29800	15.5	13.2	25400	16400	3.58	2.5	8.5	C37-48B	EL180UH090E48B	10086609
14HPX-030-230	29600	15	13	25600	16600	3.5	2.46	8.2	C37-48B	EL195UH045XE36B	10086497
14HPX-030-230	30000	15	13	25800	16600	3.56	2.46	8.2	C37-48B	EL195UH070XE36B	10086499
14HPX-030-230	29600	15	13	25600	16600	3.5	2.46	8.2	C37-48B	EL296UH045XE36B	10086583
14HPX-030-230	29600	15	13	25600	16500	3.5	2.44	8.2	C37-48B	EL296UH045XV36B	10086624
14HPX-030-230	30000	15	13	25800	16600	3.56	2.46	8.2	C37-48B	EL296UH070XE36B	10086572
14HPX-030-230	29600	15.2	13.2	25400	16400	3.52	2.46	8.2	C37-48B	EL296UH070XV36B	10086628
14HPX-030-230	29600	15.5	13.2	25400	16300	3.54	2.48	8.2	C37-48B	ML180UH070E36B	10590755
14HPX-030-230	29800	15.5	13.2	25400	16400	3.58	2.5	8.5	C37-48B	ML180UH090E48B	10590868
14HPX-030-230	29600	15.5	13.2	25400	16300	3.56	2.48	8.2	C37-48B	SL280UH090V36B	10086549
14HPX-030-230	29800	15.2	13.2	25600	16400	3.58	2.48	8.5	C37-48B	SL280UH090V48B	10086432
14HPX-030-230	29800	15.2	13.2	25600	16400	3.58	2.48	8.5	C37-48B	SL280UH090XV48B	10086440
14HPX-030-230	29600	15.2	13	25600	16500	3.54	2.48	8.2	C37-48B	SLP98UH070XV36B	10086528
14HPX-030-230	29800	15.2	13.2	25600	16400	3.58	2.48	8.5	C37-48C	CBWMV-36C-090	10086511
14HPX-030-230	30200	15.2	13.2	25800	16600	3.62	2.5	8.5	C37-48C	EL195UH090XE48C	10086489

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-030-230	30200	15.2	13.2	25800	16600	3.62	2.5	8.5	C37-48C	EL296UH090XE48C	10086589
14HPX-030-230	29600	15.5	13.2	25400	16300	3.54	2.48	8.2	C37-48C	EL296UH090XV36C	10086635
14HPX-030-230	30000	15.5	13.2	25600	16500	3.6	2.5	8.5	C37-48C	EL296UH090XV48C	10086641
14HPX-030-230	29600	15.5	13.2	25400	16300	3.54	2.48	8.2	C37-48C	SLP98UH090XV36C	10086535
14HPX-030-230	30000	15	13	26000	16600	3.88	2.66	8.5	CBA27UHE-030		10258600
14HPX-030-230	28200	14	12	26200	17100	3.64	2.52	8.2	CBX25UH-030		9139815
14HPX-030-230	28200	14	12	26600	17100	3.58	2.48	8.2	CBX25UH-036		9139911
14HPX-030-230	28600	15	12.5	25600	16400	3.66	2.54	8.5	CBX25UHV-030		9139912
14HPX-030-230	28200	15	12.5	26000	16700	3.72	2.58	8.2	CBX25UHV-036		9139597
14HPX-030-230	30000	15	13	26400	16800	3.88	2.66	9	CBX27UH-030		9139626
14HPX-030-230	30000	15	13	26200	16700	3.88	2.68	9	CBX27UH-036		9139641
14HPX-030-230	29200	14.5	12.5	26200	16900	3.68	2.56	8.7	CBX32M-030		9139639
14HPX-030-230	30000	14.5	12	26800	17300	3.74	2.58	8.7	CBX32M-036		9139628
14HPX-030-230	29200	14.2	12.2	26400	17100	3.68	2.54	8.7	CBX32MV-024/030		9139629
14HPX-030-230	29400	14.5	12.5	26800	17100	3.8	2.62	8.7	CBX32MV-036		9139630
14HPX-030-230	30000	14.5	12.5	26600	17000	3.78	2.6	8.7	CBX40UHV-030		9139631
14HPX-030-230	30000	15	12.5	26400	16900	3.8	2.62	8.7	CBX40UHV-036		9139632
14HPX-030-230	29800	15.2	13.2	25800	16600	3.64	2.52	8.5	CH23-41	EL180UH045E36A	9139848
14HPX-030-230	29800	15.5	13.5	25600	16400	3.7	2.54	8.7	CH23-41	EL180UH070E36B	9139821
14HPX-030-230	29800	15.7	13.5	25600	16400	3.72	2.56	8.7	CH23-41	EL180UH090E48B	9139861
14HPX-030-230	29600	15	13	25800	16600	3.62	2.5	8.5	CH23-41	EL195UH045XE36B	9139693
14HPX-030-230	29600	15	12.7	25800	16700	3.6	2.5	8.5	CH23-41	EL195UH070XE36B	9139698
14HPX-030-230	29600	15	13	25800	16600	3.62	2.5	8.5	CH23-41	EL296UH045XE36B	9139819
14HPX-030-230	29400	15.2	13.2	25600	16400	3.62	2.5	8.5	CH23-41	EL296UH045XV36B	9139883
14HPX-030-230	29600	15	12.7	25800	16700	3.6	2.5	8.5	CH23-41	EL296UH070XE36B	9139786
14HPX-030-230	29400	15.5	13.2	25400	16300	3.62	2.5	8.5	CH23-41	EL296UH070XV36B	9139889
14HPX-030-230	29800	15.2	13.2	25800	16600	3.64	2.52	8.5	CH23-41	ML180UH045E36A	10590617
14HPX-030-230	29800	15.5	13.5	25600	16400	3.7	2.54	8.7	CH23-41	ML180UH070E36B	10590706
14HPX-030-230	29800	15.7	13.5	25600	16400	3.72	2.56	8.7	CH23-41	ML180UH090E48B	10590849
14HPX-030-230	29400	15.7	13.5	25400	16300	3.68	2.56	8.5	CH23-41	SL280UH090V36B	9139776
14HPX-030-230	29800	15.5	13.2	25600	16400	3.68	2.54	8.7	CH23-41	SL280UH090V48B	9139645
14HPX-030-230	29800	15.5	13.2	25600	16400	3.68	2.54	8.7	CH23-41	SL280UH090XV48B	9139607
14HPX-030-230	29600	15.2	13.2	25600	16400	3.64	2.52	8.5	CH23-41	SLP98UH070XV36B	9139741
14HPX-030-230	29600	15.7	13.2	25600	16500	3.74	2.58	8.7	CH23-51	EL180UH070E36B	9139853
14HPX-030-230	29800	15.7	13.2	25800	16500	3.78	2.6	8.7	CH23-51	EL180UH090E48B	9139857
14HPX-030-230	29600	15.2	13	25800	16700	3.66	2.54	8.5	CH23-51	EL195UH045XE36B	9139682
14HPX-030-230	29600	15	12.7	26000	16700	3.66	2.52	8.5	CH23-51	EL195UH070XE36B	9139656
14HPX-030-230	29600	15.2	13	25800	16700	3.66	2.54	8.5	CH23-51	EL296UH045XE36B	9139804
14HPX-030-230	29600	15	12.7	26000	16700	3.66	2.52	8.5	CH23-51	EL296UH070XE36B	9139799
14HPX-030-230	29400	15.5	13.2	25400	16400	3.68	2.58	8.7	CH23-51	EL296UH090XV36C	9139898
14HPX-030-230	29800	15.7	13.5	25800	16500	3.8	2.6	8.7	CH23-51	EL296UH090XV48C	9139914
14HPX-030-230	29600	15.7	13.2	25600	16500	3.74	2.58	8.7	CH23-51	ML180UH070E36B	10590720
14HPX-030-230	29800	15.7	13.2	25800	16500	3.78	2.6	8.7	CH23-51	ML180UH090E48B	10590845
14HPX-030-230	29400	15.5	13.2	25400	16400	3.68	2.58	8.7	CH23-51	SLP98UH090XV36C	9139730
14HPX-030-230	29800	15.2	13	26000	16800	3.72	2.6	8.7	CH33-31A	EL180UH045E36A	9139833
14HPX-030-230	29800	15.2	13	26000	16800	3.72	2.6	8.7	CH33-31A	ML180UH045E36A	10590613
14HPX-030-230	30000	15.2	13.2	26000	16700	3.74	2.6	8.7	CH33-31A	SL280UH070V36A	9139742
14HPX-030-230	30000	15.2	13.2	26000	16700	3.74	2.6	8.7	CH33-31A	SL280UH070XV36A	9139612
14HPX-030-230	29600	14	12.2	26600	17300	3.54	2.46	8.2	CH33-31A		9139589
14HPX-030-230	30400	15.7	13.5	25800	16500	3.72	2.56	8.7	CH33-31B	EL180UH070E36B	9139840
14HPX-030-230	30400	15.7	13.7	25600	16500	3.72	2.58	8.7	CH33-31B	EL180UH090E48B	9139855
14HPX-030-230	30200	15.2	13.2	25800	16700	3.64	2.52	8.5	CH33-31B	EL195UH045XE36B	9139695
14HPX-030-230	30400	15.5	13.2	26000	16800	3.68	2.54	8.7	CH33-31B	EL195UH070XE36B	9139667
14HPX-030-230	30200	15.2	13.2	25800	16700	3.64	2.52	8.5	CH33-31B	EL296UH045XE36B	9139790
14HPX-030-230	30000	15.2	13.2	25800	16600	3.62	2.52	8.5	CH33-31B	EL296UH045XV36B	9139877
14HPX-030-230	30400	15.5	13.2	26000	16800	3.68	2.54	8.7	CH33-31B	EL296UH070XE36B	9139807
14HPX-030-230	30000	15.7	13.2	25600	16500	3.66	2.54	8.5	CH33-31B	EL296UH070XV36B	9139891
14HPX-030-230	30400	15.7	13.5	25800	16500	3.72	2.56	8.7	CH33-31B	ML180UH070E36B	10590717
14HPX-030-230	30400	15.7	13.7	25600	16500	3.72	2.58	8.7	CH33-31B	ML180UH090E48B	10590843
14HPX-030-230	30200	15.7	13.7	25600	16400	3.7	2.56	8.7	CH33-31B	SL280UH090V36B	9139769
14HPX-030-230	30400	15.7	13.5	25800	16600	3.72	2.58	8.7	CH33-31B	SL280UH090V48B	9139634

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-030-230	30400	15.7	13.5	25800	16600	3.72	2.58	8.7	CH33-31B	SL280UH090XV48B	9139608
14HPX-030-230	30200	15.5	13.2	25800	16600	3.68	2.54	8.7	CH33-31B	SLP98UH070XV36B	9139744
14HPX-030-230	29800	14	12.2	26400	17200	3.46	2.4	8.2	CH33-31B		9139588
14HPX-030-230	29000	14.7	12.7	25600	16600	3.52	2.48	8.2	CH33-36A	EL180UH045E36A	9139832
14HPX-030-230	29000	14.7	12.7	25600	16600	3.52	2.48	8.2	CH33-36A	ML180UH045E36A	10590612
14HPX-030-230	29000	14.7	12.7	25600	16600	3.54	2.5	8.2	CH33-36A	SL280UH070V36A	9139756
14HPX-030-230	29000	14.7	12.7	25600	16600	3.54	2.5	8.2	CH33-36A	SL280UH070XV36A	9139619
14HPX-030-230	29600	15.2	13.2	25600	16500	3.66	2.54	8.5	CH33-36B	EL180UH070E36B	9139839
14HPX-030-230	29400	15.2	13.2	25600	16400	3.66	2.54	8.7	CH33-36B	EL180UH090E48B	9139845
14HPX-030-230	29400	14.7	12.7	25800	16600	3.6	2.5	8.5	CH33-36B	EL195UH045XE36B	9139696
14HPX-030-230	29600	15	12.7	26000	16700	3.64	2.5	8.5	CH33-36B	EL195UH070XE36B	9139668
14HPX-030-230	29400	14.7	12.7	25800	16600	3.6	2.5	8.5	CH33-36B	EL296UH045XE36B	9139806
14HPX-030-230	29200	14.7	12.7	25600	16600	3.56	2.5	8.5	CH33-36B	EL296UH045XV36B	9139863
14HPX-030-230	29600	15	12.7	26000	16700	3.64	2.5	8.5	CH33-36B	EL296UH070XE36B	9139794
14HPX-030-230	29200	15.2	13	25600	16400	3.62	2.5	8.5	CH33-36B	EL296UH070XV36B	9139887
14HPX-030-230	29600	15.2	13.2	25600	16500	3.66	2.54	8.5	CH33-36B	ML180UH070E36B	10590716
14HPX-030-230	29400	15.2	13.2	25600	16400	3.66	2.54	8.7	CH33-36B	ML180UH090E48B	10590837
14HPX-030-230	29200	15.2	13.2	25400	16400	3.64	2.54	8.5	CH33-36B	SL280UH090V36B	9139763
14HPX-030-230	29600	15.2	13.2	25600	16500	3.64	2.54	8.5	CH33-36B	SL280UH090V48B	9139636
14HPX-030-230	29600	15.2	13.2	25600	16500	3.64	2.54	8.5	CH33-36B	SL280UH090XV48B	9139598
14HPX-030-230	29400	15.2	13	25600	16500	3.62	2.52	8.5	CH33-36B	SLP98UH070XV36B	9139745
14HPX-030-230	29800	15.2	13	26000	16700	3.7	2.54	8.7	CH33-36C	EL195UH090XE48C	9139679
14HPX-030-230	29800	15.2	13	26000	16700	3.7	2.54	8.7	CH33-36C	EL296UH090XE48C	9139782
14HPX-030-230	29400	15.5	13.2	25600	16500	3.72	2.58	8.7	CH33-36C	EL296UH090XV36C	9139908
14HPX-030-230	30000	15.5	13.2	26000	16700	3.8	2.62	8.7	CH33-36C	EL296UH090XV48C	9139913
14HPX-030-230	29400	15.5	13.2	25600	16500	3.72	2.58	8.7	CH33-36C	SLP98UH090XV36C	9139746
14HPX-030-230	30000	15.5	13.2	26000	16700	3.8	2.62	8.7	CH33-36C	SLP98UH090XV48C	9139747
14HPX-030-230	30000	15.7	13.2	25600	16500	3.66	2.54	8.5	CH33-42	EL180UH070E36B	9139865
14HPX-030-230	30000	15.7	13.5	25600	16500	3.68	2.56	8.7	CH33-42	EL180UH090E48B	9139871
14HPX-030-230	30000	15.2	13.2	25800	16600	3.6	2.5	8.5	CH33-42	EL195UH045XE36B	9139642
14HPX-030-230	30200	15.2	13.2	25800	16700	3.62	2.52	8.5	CH33-42	EL195UH070XE36B	9139669
14HPX-030-230	30000	15.2	13.2	25800	16600	3.6	2.5	8.5	CH33-42	EL296UH045XE36B	9139789
14HPX-030-230	29800	15.2	13	25600	16600	3.56	2.5	8.5	CH33-42	EL296UH045XV36B	9139879
14HPX-030-230	30200	15.2	13.2	25800	16700	3.62	2.52	8.5	CH33-42	EL296UH070XE36B	9139809
14HPX-030-230	29800	15.5	13.2	25600	16400	3.62	2.5	8.5	CH33-42	EL296UH070XV36B	9139903
14HPX-030-230	30000	15.7	13.2	25600	16500	3.66	2.54	8.5	CH33-42	ML180UH070E36B	10590721
14HPX-030-230	30000	15.7	13.5	25600	16500	3.68	2.56	8.7	CH33-42	ML180UH090E48B	10590852
14HPX-030-230	29800	15.7	13.5	25400	16400	3.64	2.54	8.5	CH33-42	SL280UH090V36B	9139767
14HPX-030-230	30200	15.5	13.5	25800	16500	3.68	2.54	8.7	CH33-42	SL280UH090V48B	9139637
14HPX-030-230	30200	15.5	13.5	25800	16500	3.68	2.54	8.7	CH33-42	SL280UH090XV48B	9139599
14HPX-030-230	30000	15.5	13.2	25600	16600	3.62	2.54	8.5	CH33-42	SLP98UH070XV36B	9139736
14HPX-030-230	31000	15.7	13.7	26000	16700	3.74	2.56	8.7	CH33-43C	EL195UH090XE48C	9139680
14HPX-030-230	31000	15.7	13.7	26000	16700	3.74	2.56	8.7	CH33-43C	EL296UH090XE48C	9139773
14HPX-030-230	30400	16	13.5	25600	16400	3.72	2.58	8.5	CH33-43C	EL296UH090XV36C	9139909
14HPX-030-230	31000	16	14	25800	16500	3.8	2.6	8.5	CH33-43C	EL296UH090XV48C	9139900
14HPX-030-230	30400	16	13.5	25600	16400	3.72	2.58	8.5	CH33-43C	SLP98UH090XV36C	9139749
14HPX-030-230	31000	16	14	25800	16500	3.8	2.6	8.5	CH33-43C	SLP98UH090XV48C	9139750
14HPX-030-230	30000	14.2	12.2	26400	17200	3.46	2.4	8.2	CH33-43C		9139587
14HPX-030-230	29800	15	13	27000	17300	3.76	2.6	8.7	CR33-30/36	EL180DF045E36A	9139816
14HPX-030-230	29800	15.5	13.2	26800	17100	3.84	2.64	9	CR33-30/36	EL180DF070E36B	9139828
14HPX-030-230	29800	15.5	13.2	26800	17100	3.82	2.64	9	CR33-30/36	EL180DF090E48B	9139837
14HPX-030-230	29600	15	12.7	27000	17300	3.76	2.6	8.7	CR33-30/36	EL195DF045XE36B	9139684
14HPX-030-230	30000	15.2	13.2	27000	17300	3.82	2.64	9	CR33-30/36	EL195DF070XE48B	9139685
14HPX-030-230	29600	15.2	13.2	26800	17100	3.8	2.62	8.7	CR33-30/36	EL195DF090XE48C	9139686
14HPX-030-230	29600	15	12.7	27000	17300	3.76	2.6	8.7	CR33-30/36	EL296DF045XE36B	9139792
14HPX-030-230	29600	15.2	13.2	26800	17100	3.76	2.6	8.7	CR33-30/36	EL296DF045XV36B	9139616
14HPX-030-230	30000	15.2	13.2	27000	17300	3.82	2.64	9	CR33-30/36	EL296DF070XE48B	9139818
14HPX-030-230	29600	15	13	26800	17200	3.72	2.58	8.7	CR33-30/36	EL296DF070XV48B	9139627
14HPX-030-230	29600	15.2	13.2	26800	17100	3.8	2.62	8.7	CR33-30/36	EL296DF090XE48C	9139784
14HPX-030-230	29800	15	13	27000	17300	3.76	2.6	8.7	CR33-30/36	ML180DF045E36A	10590544
14HPX-030-230	29800	15.5	13.2	26800	17100	3.84	2.64	9	CR33-30/36	ML180DF070E36B	10590553

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-030-230	29800	15.5	13.2	26800	17100	3.82	2.64	9	CR33-30/36	ML180DF090E48B	10590559
14HPX-030-230	29600	15.2	13	26800	17200	3.76	2.6	8.7	CR33-30/36	SL280DF070V36A	9139638
14HPX-030-230	29600	15.2	13.2	26800	17100	3.8	2.62	8.7	CR33-30/36	SL280DF090V48B	9139757
14HPX-030-230	29600	15.2	13	26800	17200	3.76	2.6	8.7	CR33-30/36	SLP98DF070XV36B	9139751
14HPX-030-230	29800	15.5	13.2	26800	17100	3.82	2.64	9	CR33-30/36	SLP98DF090XV36C	9139752
14HPX-030-230	29600	15.2	13.2	26800	17100	3.8	2.62	8.7	CR33-30/36	SLP98DF090XV48C	9139721
14HPX-030-230	30000	15.5	13.2	25600	16500	3.62	2.52	8.5	CX34-31	CBWMV-24B-040	9139715
14HPX-030-230	30000	15.2	13.2	25600	16500	3.6	2.52	8.5	CX34-31	CBWMV-36B-070	9139699
14HPX-030-230	30000	15.2	13.2	25800	16600	3.62	2.5	8.5	CX34-31	EL180UH045E36A	9139849
14HPX-030-230	30000	15.7	13.5	25600	16400	3.64	2.52	8.5	CX34-31	EL180UH070E36B	9139831
14HPX-030-230	30200	15.7	13.5	25600	16500	3.66	2.56	8.7	CX34-31	EL180UH090E48B	9139844
14HPX-030-230	30000	15.2	13.2	25800	16700	3.6	2.5	8.5	CX34-31	EL195UH045XE36B	9139643
14HPX-030-230	30200	15.2	13.2	25800	16700	3.6	2.5	8.5	CX34-31	EL195UH070XE36B	9139658
14HPX-030-230	30000	15.2	13.2	25800	16700	3.6	2.5	8.5	CX34-31	EL296UH045XE36B	9139808
14HPX-030-230	29800	15.2	13	25600	16600	3.56	2.5	8.5	CX34-31	EL296UH045XV36B	9139868
14HPX-030-230	30200	15.2	13.2	25800	16700	3.6	2.5	8.5	CX34-31	EL296UH070XE36B	9139824
14HPX-030-230	29800	15.5	13.2	25600	16500	3.6	2.52	8.5	CX34-31	EL296UH070XV36B	9139888
14HPX-030-230	30000	15.2	13.2	25800	16600	3.62	2.5	8.5	CX34-31	ML180UH045E36A	10590618
14HPX-030-230	30000	15.7	13.5	25600	16400	3.64	2.52	8.5	CX34-31	ML180UH070E36B	10590712
14HPX-030-230	30200	15.7	13.5	25600	16500	3.66	2.56	8.7	CX34-31	ML180UH090E48B	10590836
14HPX-030-230	30000	15.5	13.2	25600	16500	3.62	2.52	8.5	CX34-31	SL280UH070V36A	9139759
14HPX-030-230	30000	15.5	13.2	25600	16500	3.62	2.52	8.5	CX34-31	SL280UH070XV36A	9139621
14HPX-030-230	30000	15.7	13.5	25400	16400	3.62	2.54	8.5	CX34-31	SL280UH090V36B	9139762
14HPX-030-230	30200	15.5	13.5	25800	16500	3.68	2.54	8.5	CX34-31	SL280UH090V48B	9139635
14HPX-030-230	30200	15.5	13.5	25800	16500	3.68	2.54	8.5	CX34-31	SL280UH090XV48B	9139609
14HPX-030-230	30000	15.2	13.2	25600	16600	3.62	2.52	8.5	CX34-31	SLP98UH070XV36B	9139743
14HPX-030-230	29200	15	13	25600	16500	3.62	2.5	8.5	CX34-36	CBWMV-24B-040	9139703
14HPX-030-230	29200	15	13	25600	16500	3.6	2.5	8.5	CX34-36	CBWMV-36B-070	9139711
14HPX-030-230	29200	15.2	13	25600	16500	3.64	2.52	8.5	CX34-36	CBWMV-36C-090	9139652
14HPX-030-230	29200	15.2	13.2	25400	16400	3.62	2.52	8.5	CX34-36	EL180UH070E36B	9139847
14HPX-030-230	29200	15.2	13.2	25400	16400	3.64	2.52	8.5	CX34-36	EL180UH090E48B	9139851
14HPX-030-230	29200	14.7	12.7	25600	16600	3.58	2.48	8.5	CX34-36	EL195UH045XE36B	9139644
14HPX-030-230	29400	15	12.7	25800	16700	3.6	2.5	8.5	CX34-36	EL195UH070XE36B	9139671
14HPX-030-230	29600	15.2	13	25800	16600	3.68	2.52	8.7	CX34-36	EL195UH090XE48C	9139681
14HPX-030-230	29200	14.7	12.7	25600	16600	3.58	2.48	8.5	CX34-36	EL296UH045XE36B	9139787
14HPX-030-230	29000	14.7	12.7	25600	16600	3.56	2.48	8.2	CX34-36	EL296UH045XV36B	9139885
14HPX-030-230	29400	15	12.7	25800	16700	3.6	2.5	8.5	CX34-36	EL296UH070XE36B	9139817
14HPX-030-230	29000	15.2	13	25400	16400	3.58	2.5	8.5	CX34-36	EL296UH070XV36B	9139886
14HPX-030-230	29600	15.2	13	25800	16600	3.68	2.52	8.7	CX34-36	EL296UH090XE48C	9139772
14HPX-030-230	29200	15.2	13.2	25400	16400	3.62	2.52	8.5	CX34-36	EL296UH090XV36C	9139906
14HPX-030-230	29200	15.2	13.2	25400	16400	3.62	2.52	8.5	CX34-36	ML180UH070E36B	10590719
14HPX-030-230	29200	15.2	13.2	25400	16400	3.64	2.52	8.5	CX34-36	ML180UH090E48B	10590840
14HPX-030-230	29200	15.2	13	25400	16500	3.6	2.52	8.5	CX34-36	SL280UH070V36A	9139748
14HPX-030-230	29200	15.2	13	25400	16500	3.6	2.52	8.5	CX34-36	SL280UH070XV36A	9139610
14HPX-030-230	29200	15.2	13.2	25400	16300	3.62	2.52	8.5	CX34-36	SL280UH090V36B	9139754
14HPX-030-230	29400	15.2	13	25600	16500	3.64	2.52	8.5	CX34-36	SL280UH090V48B	9139595
14HPX-030-230	29400	15.2	13	25600	16500	3.64	2.52	8.5	CX34-36	SL280UH090XV48B	9139606
14HPX-030-230	29200	15	13	25600	16500	3.6	2.5	8.5	CX34-36	SLP98UH070XV36B	9139729
14HPX-030-230	29200	15.2	13.2	25400	16400	3.62	2.52	8.5	CX34-36	SLP98UH090XV36C	9139718
14HPX-030-230	29600	15.2	13.2	25600	16600	3.66	2.54	8.7	CX34-36	SLP98UH090XV48C	9139731
14HPX-030-230	30800	15.5	13.5	25600	16600	3.66	2.54	8.5	CX34-38	CBWMV-24B-040	9139707
14HPX-030-230	30800	15.5	13.5	25600	16500	3.64	2.54	8.5	CX34-38	CBWMV-36B-070	9139646
14HPX-030-230	30800	15.5	13.5	25800	16600	3.66	2.54	8.5	CX34-38	EL180UH045E36A	9139843
14HPX-030-230	30800	15.7	13.7	25600	16400	3.7	2.54	8.7	CX34-38	EL180UH070E36B	9139834
14HPX-030-230	31000	15.7	13.7	25600	16500	3.72	2.58	8.7	CX34-38	EL180UH090E48B	9139850
14HPX-030-230	30800	15.2	13.2	25800	16700	3.64	2.54	8.5	CX34-38	EL195UH045XE36B	9139647
14HPX-030-230	30600	15.5	13.2	25600	16500	3.7	2.54	8.5	CX34-38	EL195UH070XE36B	9139672
14HPX-030-230	30800	15.2	13.2	25800	16700	3.64	2.54	8.5	CX34-38	EL296UH045XE36B	9139811
14HPX-030-230	30800	15.2	13.2	25800	16600	3.64	2.52	8.5	CX34-38	EL296UH045XV36B	9139862
14HPX-030-230	30600	15.5	13.2	25600	16500	3.7	2.54	8.5	CX34-38	EL296UH070XE36B	9139803
14HPX-030-230	30600	15.7	13.5	25600	16500	3.66	2.54	8.5	CX34-38	EL296UH070XV36B	9139902

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-030-230	30800	15.5	13.5	25800	16600	3.66	2.54	8.5	CX34-38	ML180UH045E36A	10590616
14HPX-030-230	30800	15.7	13.7	25600	16400	3.7	2.54	8.7	CX34-38	ML180UH070E36B	10590713
14HPX-030-230	31000	15.7	13.7	25600	16500	3.72	2.58	8.7	CX34-38	ML180UH090E48B	10590839
14HPX-030-230	30800	15.7	13.5	25600	16500	3.68	2.54	8.7	CX34-38	SL280UH070V36A	9139761
14HPX-030-230	30800	15.7	13.5	25600	16500	3.68	2.54	8.7	CX34-38	SL280UH070XV36A	9139617
14HPX-030-230	30800	15.7	13.7	25400	16400	3.68	2.56	8.7	CX34-38	SL280UH090V36B	9139760
14HPX-030-230	31000	15.7	13.7	25600	16600	3.7	2.58	8.7	CX34-38	SL280UH090V48B	9139590
14HPX-030-230	31000	15.7	13.7	25600	16600	3.7	2.58	8.7	CX34-38	SL280UH090XV48B	9139613
14HPX-030-230	30600	15.7	13.5	25600	16500	3.66	2.54	8.5	CX34-38	SLP98UH070XV36B	9139719
14HPX-030-230	30400	14	12.2	26200	17200	3.44	2.4	8.2	CX34-38		9139586
14HPX-030-230	29200	15	13	25600	16500	3.62	2.5	8.5	CX34-42	CBWMV-24B-040	9139661
14HPX-030-230	29200	15	13	25600	16500	3.6	2.5	8.5	CX34-42	CBWMV-36B-070	9139716
14HPX-030-230	29200	15.2	13.2	25400	16400	3.62	2.52	8.5	CX34-42	EL180UH070E36B	9139836
14HPX-030-230	29200	15.2	13.2	25400	16400	3.64	2.52	8.5	CX34-42	EL180UH090E48B	9139858
14HPX-030-230	29200	14.7	12.7	25600	16600	3.58	2.48	8.5	CX34-42	EL195UH045XE36B	9139648
14HPX-030-230	29400	15	12.7	25800	16700	3.6	2.5	8.5	CX34-42	EL195UH070XE36B	9139673
14HPX-030-230	29200	14.7	12.7	25600	16600	3.58	2.48	8.5	CX34-42	EL296UH045XE36B	9139813
14HPX-030-230	29000	14.7	12.7	25600	16600	3.56	2.48	8.2	CX34-42	EL296UH045XV36B	9139884
14HPX-030-230	29400	15	12.7	25800	16700	3.6	2.5	8.5	CX34-42	EL296UH070XE36B	9139800
14HPX-030-230	29000	15.2	13	25400	16400	3.58	2.5	8.5	CX34-42	EL296UH070XV36B	9139890
14HPX-030-230	29200	15.2	13.2	25400	16400	3.62	2.52	8.5	CX34-42	ML180UH070E36B	10590715
14HPX-030-230	29200	15.2	13.2	25400	16400	3.64	2.52	8.5	CX34-42	ML180UH090E48B	10590846
14HPX-030-230	29200	15.1	13	25400	16300	3.62	2.52	8.5	CX34-42	SL280UH090V36B	9139774
14HPX-030-230	29400	15.2	13	25600	16500	3.64	2.52	8.5	CX34-42	SL280UH090V48B	9139633
14HPX-030-230	29400	15.2	13	25600	16500	3.64	2.52	8.5	CX34-42	SL280UH090XV48B	9139600
14HPX-030-230	29200	15	13	25600	16500	3.6	2.5	8.5	CX34-42	SLP98UH070XV36B	9139732
14HPX-030-230	30400	15.5	13.5	25800	16500	3.66	2.52	8.5	CX34-43	CBWMV-24B-040	9139688
14HPX-030-230	30400	15.5	13.5	25800	16500	3.66	2.52	8.5	CX34-43	CBWMV-36B-070	9139704
14HPX-030-230	30600	16	13.5	25600	16400	3.72	2.56	8.5	CX34-43	CBWMV-36C-090	9139700
14HPX-030-230	30400	15.7	13.7	25600	16400	3.66	2.54	8.7	CX34-43	EL180UH070E36B	9139835
14HPX-030-230	30600	16	13.5	25800	16500	3.72	2.56	8.5	CX34-43	EL180UH090E48B	9139852
14HPX-030-230	30400	15.5	13.2	25800	16700	3.62	2.52	8.5	CX34-43	EL195UH045XE36B	9139649
14HPX-030-230	30600	15.5	13.2	26000	16700	3.66	2.52	8.5	CX34-43	EL195UH070XE36B	9139674
14HPX-030-230	30800	15.7	13.5	26000	16700	3.7	2.56	8.7	CX34-43	EL195UH090XE48C	9139670
14HPX-030-230	30400	15.5	13.2	25800	16700	3.62	2.52	8.5	CX34-43	EL296UH045XE36B	9139779
14HPX-030-230	30200	15.5	13.2	25800	16600	3.62	2.5	8.5	CX34-43	EL296UH045XV36B	9139878
14HPX-030-230	30600	15.5	13.2	26000	16700	3.66	2.52	8.5	CX34-43	EL296UH070XE36B	9139791
14HPX-030-230	30200	15.7	13.5	25600	16500	3.64	2.54	8.5	CX34-43	EL296UH070XV36B	9139901
14HPX-030-230	30800	15.7	13.5	26000	16700	3.7	2.56	8.7	CX34-43	EL296UH090XE48C	9139781
14HPX-030-230	30400	16	13.5	25600	16400	3.7	2.56	8.5	CX34-43	EL296UH090XV36C	9139893
14HPX-030-230	30800	16	13.5	25800	16500	3.76	2.6	8.5	CX34-43	EL296UH090XV48C	9139904
14HPX-030-230	30400	15.7	13.7	25600	16400	3.66	2.54	8.7	CX34-43	ML180UH070E36B	10590714
14HPX-030-230	30600	16	13.5	25800	16500	3.72	2.56	8.5	CX34-43	ML180UH090E48B	10590841
14HPX-030-230	30400	16	13.5	25600	16400	3.68	2.56	8.5	CX34-43	SL280UH090V36B	9139765
14HPX-030-230	30600	15.7	13.5	25800	16600	3.7	2.56	8.7	CX34-43	SL280UH090V48B	9139622
14HPX-030-230	30600	15.7	13.5	25800	16600	3.7	2.56	8.7	CX34-43	SL280UH090XV48B	9139601
14HPX-030-230	30400	15.7	13.5	25800	16600	3.66	2.54	8.5	CX34-43	SLP98UH070XV36B	9139733
14HPX-030-230	30400	16	13.5	25600	16400	3.7	2.56	8.5	CX34-43	SLP98UH090XV36C	9139734
14HPX-030-230	30800	16	13.5	25800	16500	3.76	2.6	8.5	CX34-43	SLP98UH090XV48C	9139735
14HPX-030-230	29600	15.2	13	25400	16500	3.52	2.48	8.2	CX34-44/48	CBWMV-24B-040	9139665
14HPX-030-230	29600	15.2	13	25400	16400	3.5	2.46	8.2	CX34-44/48	CBWMV-36B-070	9139708
14HPX-030-230	29800	15.2	13.2	25600	16400	3.58	2.48	8.5	CX34-44/48	CBWMV-36C-090	9139659
14HPX-030-230	29600	15.5	13.2	25400	16300	3.54	2.48	8.2	CX34-44/48	EL180UH070E36B	9139827
14HPX-030-230	29800	15.5	13.2	25400	16400	3.58	2.5	8.5	CX34-44/48	EL180UH090E48B	9139859
14HPX-030-230	29600	15	13	25600	16600	3.5	2.46	8.2	CX34-44/48	EL195UH045XE36B	9139650
14HPX-030-230	30000	15	13	25800	16600	3.56	2.46	8.2	CX34-44/48	EL195UH070XE36B	9139675
14HPX-030-230	30200	15.2	13.2	25800	16600	3.62	2.5	8.5	CX34-44/48	EL195UH090XE48C	9139683
14HPX-030-230	29600	15	13	25600	16600	3.5	2.46	8.2	CX34-44/48	EL296UH045XE36B	9139780
14HPX-030-230	29600	15	13	25600	16500	3.5	2.44	8.2	CX34-44/48	EL296UH045XV36B	9139869
14HPX-030-230	30000	15	13	25800	16600	3.56	2.46	8.2	CX34-44/48	EL296UH070XE36B	9139796
14HPX-030-230	29600	15.2	13.2	25400	16400	3.52	2.46	8.2	CX34-44/48	EL296UH070XV36B	9139897

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-030-230	30200	15.2	13.2	25800	16600	3.62	2.5	8.5	CX34-44/48	EL296UH090XE48C	9139783
14HPX-030-230	29600	15.5	13.2	25400	16300	3.54	2.48	8.2	CX34-44/48	EL296UH090XV36C	9139907
14HPX-030-230	30000	15.5	13.2	25600	16500	3.6	2.5	8.5	CX34-44/48	EL296UH090XV48C	9139905
14HPX-030-230	29600	15.5	13.2	25400	16300	3.54	2.48	8.2	CX34-44/48	ML180UH070E36B	10590709
14HPX-030-230	29800	15.5	13.2	25400	16400	3.58	2.5	8.5	CX34-44/48	ML180UH090E48B	10590847
14HPX-030-230	29600	15.5	13.2	25400	16300	3.56	2.48	8.2	CX34-44/48	SL280UH090V36B	9139766
14HPX-030-230	29800	15.2	13.2	25600	16400	3.58	2.48	8.5	CX34-44/48	SL280UH090V48B	9139623
14HPX-030-230	29800	15.2	13.2	25600	16400	3.58	2.48	8.5	CX34-44/48	SL280UH090XV48B	9139602
14HPX-030-230	29600	15.2	13	25600	16500	3.54	2.48	8.2	CX34-44/48	SLP98UH070XV36B	9139724
14HPX-030-230	29600	15.5	13.2	25400	16300	3.54	2.48	8.2	CX34-44/48	SLP98UH090XV36C	9139722
14HPX-030-230	30000	15.2	13.2	25800	16600	3.62	2.5	8.5	CX38-31A	EL180UH045E36A	10086605
14HPX-030-230	30000	15.2	13.2	25800	16600	3.62	2.5	8.5	CX38-31A	ML180UH045E36A	10590646
14HPX-030-230	30000	15.5	13.2	25600	16500	3.62	2.52	8.5	CX38-31A	SL280UH070V36A	10086545
14HPX-030-230	30000	15.5	13.2	25600	16500	3.62	2.52	8.5	CX38-31A	SL280UH070XV36A	10086451
14HPX-030-230	30000	15.5	13.2	25600	16500	3.62	2.52	8.5	CX38-31B	CBWMV-24B-040	10086516
14HPX-030-230	30000	15.2	13.2	25600	16500	3.6	2.52	8.5	CX38-31B	CBWMV-36B-070	10086500
14HPX-030-230	30000	15.7	13.5	25600	16400	3.64	2.52	8.5	CX38-31B	EL180UH070E36B	10086594
14HPX-030-230	30200	15.7	13.5	25600	16500	3.66	2.56	8.7	CX38-31B	EL180UH090E48B	10086602
14HPX-030-230	30000	15.2	13.2	25800	16700	3.6	2.5	8.5	CX38-31B	EL195UH045XE36B	10086459
14HPX-030-230	30200	15.2	13.2	25800	16700	3.6	2.5	8.5	CX38-31B	EL195UH070XE36B	10086472
14HPX-030-230	30000	15.2	13.2	25800	16700	3.6	2.5	8.5	CX38-31B	EL296UH045XE36B	10086578
14HPX-030-230	29800	15.2	13	25600	16600	3.56	2.5	8.5	CX38-31B	EL296UH045XV36B	10086618
14HPX-030-230	30200	15.2	13.2	25800	16700	3.6	2.5	8.5	CX38-31B	EL296UH070XE36B	10086588
14HPX-030-230	29800	15.5	13.2	25600	16500	3.6	2.52	8.5	CX38-31B	EL296UH070XV36B	10086633
14HPX-030-230	30000	15.7	13.5	25600	16400	3.64	2.52	8.5	CX38-31B	ML180UH070E36B	10590751
14HPX-030-230	30200	15.7	13.5	25600	16500	3.66	2.56	8.7	CX38-31B	ML180UH090E48B	10590863
14HPX-030-230	30000	15.7	13.5	25400	16400	3.62	2.54	8.5	CX38-31B	SL280UH090V36B	10086548
14HPX-030-230	30200	15.5	13.5	25800	16500	3.68	2.54	8.5	CX38-31B	SL280UH090V48B	10086457
14HPX-030-230	30200	15.5	13.5	25800	16500	3.68	2.54	8.5	CX38-31B	SL280UH090XV48B	10086442
14HPX-030-230	30000	15.2	13.2	25600	16600	3.62	2.52	8.5	CX38-31B	SLP98UH070XV36B	10086539
14HPX-030-230	29200	15.2	13	25400	16500	3.6	2.52	8.5	CX38-36A	SL280UH070V36A	10086540
14HPX-030-230	29200	15.2	13	25400	16500	3.6	2.52	8.5	CX38-36A	SL280UH070XV36A	10086443
14HPX-030-230	29200	15	13	25600	16500	3.62	2.5	8.5	CX38-36B	CBWMV-24B-040	10086504
14HPX-030-230	29200	15	13	25600	16500	3.6	2.5	8.5	CX38-36B	CBWMV-36B-070	10086512
14HPX-030-230	29200	15.2	13.2	25400	16400	3.62	2.52	8.5	CX38-36B	EL180UH070E36B	10086604
14HPX-030-230	29200	15.2	13.2	25400	16400	3.64	2.52	8.5	CX38-36B	EL180UH090E48B	10086607
14HPX-030-230	29200	14.7	12.7	25600	16600	3.58	2.48	8.5	CX38-36B	EL195UH045XE36B	10086460
14HPX-030-230	29400	15	12.7	25800	16700	3.6	2.5	8.5	CX38-36B	EL195UH070XE36B	10086482
14HPX-030-230	29200	14.7	12.7	25600	16600	3.58	2.48	8.5	CX38-36B	EL296UH045XE36B	10086565
14HPX-030-230	29000	14.7	12.7	25600	16600	3.56	2.48	8.2	CX38-36B	EL296UH045XV36B	10086631
14HPX-030-230	29400	15	12.7	25800	16700	3.6	2.5	8.5	CX38-36B	EL296UH070XE36B	10086584
14HPX-030-230	29000	15.2	13	25400	16400	3.58	2.5	8.5	CX38-36B	EL296UH070XV36B	10086632
14HPX-030-230	29200	15.2	13.2	25400	16400	3.62	2.52	8.5	CX38-36B	ML180UH070E36B	10590756
14HPX-030-230	29200	15.2	13.2	25400	16400	3.64	2.52	8.5	CX38-36B	ML180UH090E48B	10590866
14HPX-030-230	29200	15.2	13.2	25400	16300	3.62	2.52	8.5	CX38-36B	SL280UH090V36B	10086542
14HPX-030-230	29400	15.2	13	25600	16500	3.64	2.52	8.5	CX38-36B	SL280UH090V48B	10086433
14HPX-030-230	29400	15.2	13	25600	16500	3.64	2.52	8.5	CX38-36B	SL280UH090XV48B	10086441
14HPX-030-230	29200	15	13	25600	16500	3.6	2.5	8.5	CX38-36B	SLP98UH070XV36B	10086529
14HPX-030-230	29200	15.2	13	25600	16500	3.64	2.52	8.5	CX38-36C	CBWMV-36C-090	10086467
14HPX-030-230	29600	15.2	13	25800	16600	3.68	2.52	8.7	CX38-36C	EL195UH090XE48C	10086490
14HPX-030-230	29600	15.2	13	25800	16600	3.68	2.52	8.7	CX38-36C	EL296UH090XE48C	10086555
14HPX-030-230	29200	15.2	13.2	25400	16400	3.62	2.52	8.5	CX38-36C	EL296UH090XV36C	10086646
14HPX-030-230	29200	15.2	13.2	25400	16400	3.62	2.52	8.5	CX38-36C	SLP98UH090XV36C	10086519
14HPX-030-230	29600	15.2	13.2	25600	16600	3.66	2.54	8.7	CX38-36C	SLP98UH090XV48C	10086530
14HPX-030-230	30800	15.5	13.5	25800	16600	3.66	2.54	8.5	CX38-38A	EL180UH045E36A	10086601
14HPX-030-230	30800	15.5	13.5	25800	16600	3.66	2.54	8.5	CX38-38A	ML180UH045E36A	10590645
14HPX-030-230	30800	15.7	13.5	25600	16500	3.68	2.54	8.7	CX38-38A	SL280UH070V36A	10086547
14HPX-030-230	30800	15.7	13.5	25600	16500	3.68	2.54	8.7	CX38-38A	SL280UH070XV36A	10086448
14HPX-030-230	30400	14	12.2	26200	17200	3.44	2.4	8.2	CX38-38A		10086059
14HPX-030-230	30800	15.5	13.5	25600	16600	3.66	2.54	8.5	CX38-38B	CBWMV-24B-040	10086508
14HPX-030-230	30800	15.5	13.5	25600	16600	3.64	2.54	8.5	CX38-38B	CBWMV-36B-070	10086461

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-030-230	30800	15.7	13.7	25600	16400	3.7	2.54	8.7	CX38-38B	EL180UH070E36B	10086595
14HPX-030-230	31000	15.7	13.7	25600	16500	3.72	2.58	8.7	CX38-38B	EL180UH090E48B	10086606
14HPX-030-230	30800	15.2	13.2	25800	16700	3.64	2.54	8.5	CX38-38B	EL195UH045XE36B	10086462
14HPX-030-230	30600	15.5	13.2	25600	16500	3.7	2.54	8.5	CX38-38B	EL195UH070XE36B	10086483
14HPX-030-230	30800	15.2	13.2	25800	16700	3.64	2.54	8.5	CX38-38B	EL296UH045XE36B	10086580
14HPX-030-230	30800	15.2	13.2	25800	16600	3.64	2.52	8.5	CX38-38B	EL296UH045XV36B	10086614
14HPX-030-230	30600	15.5	13.2	25600	16500	3.7	2.54	8.5	CX38-38B	EL296UH070XE36B	10086576
14HPX-030-230	30600	15.7	13.5	25600	16500	3.66	2.54	8.5	CX38-38B	EL296UH070XV36B	10086643
14HPX-030-230	30800	15.7	13.7	25600	16400	3.7	2.54	8.7	CX38-38B	ML180UH070E36B	10590752
14HPX-030-230	31000	15.7	13.7	25600	16500	3.72	2.58	8.7	CX38-38B	ML180UH090E48B	10590865
14HPX-030-230	30800	15.7	13.7	25400	16400	3.68	2.56	8.7	CX38-38B	SL280UH090V36B	10086546
14HPX-030-230	31000	15.7	13.7	25600	16600	3.7	2.58	8.7	CX38-38B	SL280UH090V48B	10086428
14HPX-030-230	31000	15.7	13.7	25600	16600	3.7	2.58	8.7	CX38-38B	SL280UH090XV48B	10086445
14HPX-030-230	30600	15.7	13.5	25600	16500	3.66	2.54	8.5	CX38-38B	SLP98UH070XV36B	10086520
14HPX-030-230	30400	14	12.2	26200	17200	3.44	2.4	8.2	CX38-38B		10086060
14HPX-030-230	29200	15	13	25600	16500	3.62	2.5	8.5	CX38-42B	CBWMV-24B-040	10086475
14HPX-030-230	29200	15	13	25600	16500	3.6	2.5	8.5	CX38-42B	CBWMV-36B-070	10086517
14HPX-030-230	29200	15.2	13.2	25400	16400	3.62	2.52	8.5	CX38-42B	EL180UH070E36B	10086597
14HPX-030-230	29200	15.2	13.2	25400	16400	3.64	2.52	8.5	CX38-42B	EL180UH090E48B	10086611
14HPX-030-230	29200	14.7	12.7	25600	16600	3.58	2.48	8.5	CX38-42B	EL195UH045XE36B	10086463
14HPX-030-230	29400	15	12.7	25800	16700	3.6	2.5	8.5	CX38-42B	EL195UH070XE36B	10086484
14HPX-030-230	29200	14.7	12.7	25600	16600	3.58	2.48	8.5	CX38-42B	EL296UH045XE36B	10086582
14HPX-030-230	29000	14.7	12.7	25600	16600	3.56	2.48	8.2	CX38-42B	EL296UH045XV36B	10086630
14HPX-030-230	29400	15	12.7	25800	16700	3.6	2.5	8.5	CX38-42B	EL296UH070XE36B	10086573
14HPX-030-230	29000	15.2	13	25400	16400	3.58	2.5	8.5	CX38-42B	EL296UH070XV36B	10086634
14HPX-030-230	29200	15.2	13.2	25400	16400	3.62	2.52	8.5	CX38-42B	ML180UH070E36B	10590754
14HPX-030-230	29200	15.2	13.2	25400	16400	3.64	2.52	8.5	CX38-42B	ML180UH090E48B	10590870
14HPX-030-230	29200	15.1	13	25400	16300	3.62	2.52	8.5	CX38-42B	SL280UH090V36B	10086556
14HPX-030-230	29400	15.2	13	25600	16500	3.64	2.52	8.5	CX38-42B	SL280UH090V48B	10086456
14HPX-030-230	29400	15.2	13	25600	16500	3.64	2.52	8.5	CX38-42B	SL280UH090XV48B	10086435
14HPX-030-230	29200	15	13	25600	16500	3.6	2.5	8.5	CX38-42B	SLP98UH070XV36B	10086531
14HPX-030-230	30400	15.5	13.5	25800	16500	3.66	2.52	8.5	CX38-43B	CBWMV-24B-040	10086493
14HPX-030-230	30400	15.5	13.5	25800	16500	3.66	2.52	8.5	CX38-43B	CBWMV-36B-070	10086505
14HPX-030-230	30400	15.7	13.7	25600	16400	3.66	2.54	8.7	CX38-43B	EL180UH070E36B	10086596
14HPX-030-230	30600	16	13.5	25800	16500	3.72	2.56	8.5	CX38-43B	EL180UH090E48B	10086608
14HPX-030-230	30400	15.5	13.2	25800	16700	3.62	2.52	8.5	CX38-43B	EL195UH045XE36B	10086464
14HPX-030-230	30600	15.5	13.2	26000	16700	3.66	2.52	8.5	CX38-43B	EL195UH070XE36B	10086485
14HPX-030-230	30400	15.5	13.2	25800	16700	3.62	2.52	8.5	CX38-43B	EL296UH045XE36B	10086560
14HPX-030-230	30200	15.5	13.2	25800	16600	3.62	2.5	8.5	CX38-43B	EL296UH045XV36B	10086626
14HPX-030-230	30600	15.5	13.2	26000	16700	3.66	2.52	8.5	CX38-43B	EL296UH070XE36B	10086567
14HPX-030-230	30200	15.7	13.5	25600	16500	3.64	2.54	8.5	CX38-43B	EL296UH070XV36B	10086642
14HPX-030-230	30400	15.7	13.7	25600	16400	3.66	2.54	8.7	CX38-43B	ML180UH070E36B	10590753
14HPX-030-230	30600	16	13.5	25800	16500	3.72	2.56	8.5	CX38-43B	ML180UH090E48B	10590867
14HPX-030-230	30400	16	13.5	25600	16400	3.68	2.56	8.5	CX38-43B	SL280UH090V36B	10086550
14HPX-030-230	30600	15.7	13.5	25800	16600	3.7	2.56	8.7	CX38-43B	SL280UH090V48B	10086452
14HPX-030-230	30600	15.7	13.5	25800	16600	3.7	2.56	8.7	CX38-43B	SL280UH090XV48B	10086436
14HPX-030-230	30400	15.7	13.5	25800	16600	3.66	2.54	8.5	CX38-43B	SLP98UH070XV36B	10086532
14HPX-030-230	30600	16	13.5	25600	16400	3.72	2.56	8.5	CX38-43C	CBWMV-36C-090	10086501
14HPX-030-230	30800	15.7	13.5	26000	16700	3.7	2.56	8.7	CX38-43C	EL195UH090XE48C	10086481
14HPX-030-230	30800	15.7	13.5	26000	16700	3.7	2.56	8.7	CX38-43C	EL296UH090XE48C	10086562
14HPX-030-230	30400	16	13.5	25600	16400	3.7	2.56	8.5	CX38-43C	EL296UH090XV36C	10086636
14HPX-030-230	30800	16	13.5	25800	16500	3.76	2.6	8.5	CX38-43C	EL296UH090XV48C	10086644
14HPX-030-230	30400	16	13.5	25600	16400	3.7	2.56	8.5	CX38-43C	SLP98UH090XV36C	10086533
14HPX-030-230	30800	16	13.5	25800	16500	3.76	2.6	8.5	CX38-43C	SLP98UH090XV48C	10086534
14HPX-030-230	29600	15.2	13	25400	16500	3.52	2.48	8.2	CX38-44/48B	CBWMV-24B-040	10086479
14HPX-030-230	29600	15.2	13	25400	16400	3.5	2.46	8.2	CX38-44/48B	CBWMV-36B-070	10086509
14HPX-030-230	29600	15.5	13.2	25400	16300	3.54	2.48	8.2	CX38-44/48B	EL180UH070E36B	10086591
14HPX-030-230	29800	15.5	13.2	25400	16400	3.58	2.5	8.5	CX38-44/48B	EL180UH090E48B	10086612
14HPX-030-230	29600	15	13	25600	16600	3.5	2.46	8.2	CX38-44/48B	EL195UH045XE36B	10086465
14HPX-030-230	30000	15	13	25800	16600	3.56	2.46	8.2	CX38-44/48B	EL195UH070XE36B	10086486
14HPX-030-230	29600	15	13	25600	16600	3.5	2.46	8.2	CX38-44/48B	EL296UH045XE36B	10086561

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-030-230	29600	15	13	25600	16500	3.5	2.44	8.2	CX38-44/48B	EL296UH045XV36B	10086619
14HPX-030-230	30000	15	13	25800	16600	3.56	2.46	8.2	CX38-44/48B	EL296UH070XE36B	10086570
14HPX-030-230	29600	15.2	13.2	25400	16400	3.52	2.46	8.2	CX38-44/48B	EL296UH070XV36B	10086640
14HPX-030-230	29600	15.5	13.2	25400	16300	3.54	2.48	8.2	CX38-44/48B	ML180UH070E36B	10590748
14HPX-030-230	29800	15.5	13.2	25400	16400	3.58	2.5	8.5	CX38-44/48B	ML180UH090E48B	10590871
14HPX-030-230	29600	15.5	13.2	25400	16300	3.56	2.48	8.2	CX38-44/48B	SL280UH090V36B	10086551
14HPX-030-230	29800	15.2	13.2	25600	16400	3.58	2.48	8.5	CX38-44/48B	SL280UH090V48B	10086453
14HPX-030-230	29800	15.2	13.2	25600	16400	3.58	2.48	8.5	CX38-44/48B	SL280UH090XV48B	10086437
14HPX-030-230	29600	15.2	13	25600	16500	3.54	2.48	8.2	CX38-44/48B	SLP98UH070XV36B	10086524
14HPX-030-230	29800	15.2	13.2	25600	16400	3.58	2.48	8.5	CX38-44/48C	CBWMV-36C-090	10086473
14HPX-030-230	30200	15.2	13.2	25800	16600	3.62	2.5	8.5	CX38-44/48C	EL195UH090XE48C	10086491
14HPX-030-230	30200	15.2	13.2	25800	16600	3.62	2.5	8.5	CX38-44/48C	EL296UH090XE48C	10086563
14HPX-030-230	29600	15.5	13.2	25400	16300	3.54	2.48	8.2	CX38-44/48C	EL296UH090XV36C	10086647
14HPX-030-230	30000	15.5	13.2	25600	16500	3.6	2.5	8.5	CX38-44/48C	EL296UH090XV48C	10086645
14HPX-030-230	29600	15.5	13.2	25400	16300	3.54	2.48	8.2	CX38-44/48C	SLP98UH090XV36C	10086522
14HPX-036-230	34200	15.2	12.7	32600	20800	3.44	2.44	8.2	C33-38	CBWMV-24B-040	9140115
14HPX-036-230	34200	15.2	12.7	32600	20800	3.44	2.42	8.2	C33-38	CBWMV-36B-070	9140106
14HPX-036-230	34200	15	12.5	32800	20800	3.46	2.42	8.2	C33-38	EL180UH045E36A	9140217
14HPX-036-230	34200	15.7	13	32400	20400	3.5	2.46	8.5	C33-38	EL180UH070E36B	9140206
14HPX-036-230	34600	15.5	13	32600	20600	3.54	2.48	8.5	C33-38	EL180UH090E48B	9140234
14HPX-036-230	33800	15	12.5	32600	20600	3.36	2.38	8.2	C33-38	EL195UH045XE36B	9140008
14HPX-036-230	34000	15	12.5	32600	20800	3.44	2.42	8.2	C33-38	EL195UH070XE36B	9140015
14HPX-036-230	33800	15	12.5	32600	20600	3.36	2.38	8.2	C33-38	EL296UH045XE36B	9140147
14HPX-036-230	34200	15	12.5	32800	20800	3.42	2.4	8.2	C33-38	EL296UH045XV36B	9140247
14HPX-036-230	34000	15	12.5	32600	20800	3.42	2.42	8.2	C33-38	EL296UH070XE36B	9140169
14HPX-036-230	34200	15	12.5	32800	20800	3.44	2.4	8.2	C33-38	EL296UH070XV36B	9140249
14HPX-036-230	34200	15	12.5	32800	20800	3.46	2.42	8.2	C33-38	ML180UH045E36A	10589562
14HPX-036-230	34200	15.7	13	32400	20400	3.5	2.46	8.5	C33-38	ML180UH070E36B	10589632
14HPX-036-230	34600	15.5	13	32600	20600	3.54	2.48	8.5	C33-38	ML180UH090E48B	10589755
14HPX-036-230	34200	15	12.5	32800	20800	3.42	2.4	8.2	C33-38	SL280UH070V36A	9140139
14HPX-036-230	34200	15	12.5	32800	20800	3.42	2.4	8.2	C33-38	SL280UH070XV36A	9139961
14HPX-036-230	34400	15.7	13	32600	20600	3.5	2.46	8.2	C33-38	SL280UH090V36B	9140144
14HPX-036-230	34400	15.5	13	32600	20600	3.5	2.44	8.2	C33-38	SL280UH090V48B	9139969
14HPX-036-230	34400	15.5	13	32600	20600	3.5	2.44	8.2	C33-38	SL280UH090XV48B	9139958
14HPX-036-230	34200	15	12.5	32800	20800	3.44	2.4	8.2	C33-38	SLP98UH070XV36B	9140037
14HPX-036-230	35200	15.2	13	32600	20400	3.44	2.46	8.2	C33-43	CBWMV-24B-040	9140111
14HPX-036-230	35200	15.2	13	32600	20400	3.42	2.46	8.2	C33-43	CBWMV-36B-070	9140081
14HPX-036-230	35200	15.5	13	32600	20400	3.46	2.48	8.2	C33-43	CBWMV-36C-090	9140121
14HPX-036-230	35200	15.7	13.2	32400	20200	3.46	2.5	8.5	C33-43	EL180UH070E36B	9140211
14HPX-036-230	35600	15.7	13.2	32600	20400	3.52	2.5	8.2	C33-43	EL180UH090E48B	9140227
14HPX-036-230	35600	15.7	13.2	32600	20200	3.52	2.5	8.2	C33-43	EL180UH090E60C	9140230
14HPX-036-230	35200	15.7	13.2	32400	20200	3.48	2.5	8.5	C33-43	EL180UH110E60C	9140204
14HPX-036-230	34800	15	12.7	32400	20400	3.34	2.42	8.2	C33-43	EL195UH045XE36B	9140009
14HPX-036-230	35000	15	12.7	32600	20400	3.4	2.44	8.2	C33-43	EL195UH070XE36B	9140031
14HPX-036-230	35200	15.5	13.2	32600	20400	3.48	2.48	8.2	C33-43	EL195UH090XE48C	9140027
14HPX-036-230	35600	15.7	13.2	32600	20400	3.52	2.5	8.2	C33-43	EL195UH110XE60C	9140092
14HPX-036-230	34800	15	12.7	32400	20400	3.34	2.42	8.2	C33-43	EL296UH045XE36B	9140181
14HPX-036-230	35200	15	12.7	32800	20400	3.42	2.44	8.2	C33-43	EL296UH045XV36B	9140231
14HPX-036-230	35000	15	12.7	32600	20400	3.4	2.44	8.2	C33-43	EL296UH070XE36B	9140165
14HPX-036-230	35200	15	12.7	32800	20600	3.42	2.44	8.2	C33-43	EL296UH070XV36B	9140246
14HPX-036-230	35200	15.5	13.2	32600	20400	3.48	2.48	8.2	C33-43	EL296UH090XE48C	9140158
14HPX-036-230	35400	15.5	13.2	32600	20400	3.46	2.5	8.2	C33-43	EL296UH090XV36C	9140253
14HPX-036-230	35000	15.5	13.2	32400	20200	3.46	2.48	8.5	C33-43	EL296UH090XV48C	9140271
14HPX-036-230	35800	15.5	13.2	32800	20600	3.52	2.5	8.5	C33-43	EL296UH090XV60C	9140276
14HPX-036-230	35600	15.7	13.2	32600	20400	3.52	2.5	8.2	C33-43	EL296UH110XE60C	9140157
14HPX-036-230	35400	15.7	13.2	32400	20200	3.48	2.48	8.5	C33-43	EL296UH110XV48C	9140187
14HPX-036-230	35600	15.7	13.2	32600	20400	3.52	2.52	8.5	C33-43	EL296UH110XV60C	9140288
14HPX-036-230	35200	15.7	13.2	32400	20200	3.46	2.5	8.5	C33-43	ML180UH070E36B	10589634
14HPX-036-230	35600	15.7	13.2	32600	20400	3.52	2.5	8.2	C33-43	ML180UH090E48B	10589753
14HPX-036-230	35600	15.7	13.2	32600	20200	3.52	2.5	8.2	C33-43	ML180UH090E60C	10589873
14HPX-036-230	35200	15.7	13.2	32400	20200	3.48	2.5	8.5	C33-43	ML180UH110E60C	10590127



# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-036-230	35400	15.7	13.2	32400	20200	3.48	2.48	8.5	C33-43	SL280UH090V36B	9140145
14HPX-036-230	35400	15.7	13.2	32400	20200	3.46	2.48	8.5	C33-43	SL280UH090V48B	9139927
14HPX-036-230	35800	15.1	13	32600	20400	3.54	2.52	8.2	C33-43	SL280UH090V60C	9139973
14HPX-036-230	35400	15.7	13.2	32400	20200	3.46	2.48	8.5	C33-43	SL280UH090XV48B	9139963
14HPX-036-230	35800	15.1	13	32600	20400	3.54	2.52	8.2	C33-43	SL280UH090XV60C	9139945
14HPX-036-230	35600	15.1	13	32600	20400	3.5	2.48	8.2	C33-43	SL280UH110V60C	9139967
14HPX-036-230	35600	15.1	13	32600	20400	3.5	2.48	8.2	C33-43	SL280UH110XV60C	9139934
14HPX-036-230	35200	15	12.7	32800	20600	3.42	2.44	8.2	C33-43	SLP98UH070XV36B	9140026
14HPX-036-230	35400	15.5	13.2	32600	20400	3.46	2.5	8.2	C33-43	SLP98UH090XV36C	9140030
14HPX-036-230	35000	15.5	13.2	32400	20200	3.46	2.48	8.5	C33-43	SLP98UH090XV48C	9140034
14HPX-036-230	35800	15.5	13.2	32800	20600	3.52	2.5	8.5	C33-43	SLP98UH090XV60C	9140035
14HPX-036-230	35600	15.7	13.2	32600	20400	3.52	2.52	8.5	C33-43	SLP98UH110XV60C	9140036
14HPX-036-230	34000	15	12.7	32400	20600	3.34	2.36	8.2	C33-48	CBWMV-24B-040	9140116
14HPX-036-230	33800	15.2	12.7	32400	20600	3.34	2.38	8.2	C33-48	CBWMV-36C-090	9140126
14HPX-036-230	33800	15.5	13	32200	20400	3.36	2.38	8.2	C33-48	EL180UH070E36B	9140202
14HPX-036-230	34200	15.5	12.7	32400	20600	3.4	2.4	8.2	C33-48	EL180UH090E48B	9140212
14HPX-036-230	34200	15.5	13	32400	20400	3.4	2.38	8.2	C33-48	EL180UH090E60C	9140239
14HPX-036-230	34000	15.5	13	32200	20400	3.36	2.38	8.2	C33-48	EL180UH110E60C	9140196
14HPX-036-230	34000	15.2	12.7	32400	20600	3.36	2.38	8.2	C33-48	EL195UH090XE48C	9140028
14HPX-036-230	34200	15.5	12.7	32400	20600	3.4	2.4	8.2	C33-48	EL195UH110XE60C	9140093
14HPX-036-230	34000	15.2	12.7	32400	20600	3.36	2.38	8.2	C33-48	EL296UH090XE48C	9140166
14HPX-036-230	34000	15.2	12.7	32400	20600	3.36	2.38	8.2	C33-48	EL296UH090XV36C	9140255
14HPX-036-230	34000	15.5	12.7	32200	20400	3.34	2.36	8.2	C33-48	EL296UH090XV48C	9140270
14HPX-036-230	34400	15.2	12.7	32600	20800	3.42	2.4	8.2	C33-48	EL296UH090XV60C	9140281
14HPX-036-230	34200	15.5	12.7	32400	20600	3.4	2.4	8.2	C33-48	EL296UH110XE60C	9140161
14HPX-036-230	34200	15.5	13	32200	20400	3.38	2.38	8.2	C33-48	EL296UH110XV48C	9140183
14HPX-036-230	34400	15.5	13	32400	20600	3.42	2.4	8.2	C33-48	EL296UH110XV60C	9140286
14HPX-036-230	33800	15.5	13	32200	20400	3.36	2.38	8.2	C33-48	ML180UH070E36B	10589631
14HPX-036-230	34200	15.5	12.7	32400	20600	3.4	2.4	8.2	C33-48	ML180UH090E48B	10589748
14HPX-036-230	34200	15.5	13	32400	20400	3.4	2.38	8.2	C33-48	ML180UH090E60C	10589875
14HPX-036-230	34000	15.5	13	32200	20400	3.36	2.38	8.2	C33-48	ML180UH110E60C	10590124
14HPX-036-230	34000	15.5	12.7	32200	20400	3.36	2.38	8.2	C33-48	SL280UH090V36B	9140136
14HPX-036-230	34000	15.2	12.7	32200	20400	3.36	2.36	8.2	C33-48	SL280UH090V48B	9139968
14HPX-036-230	34400	15.1	12.5	32400	20600	3.42	2.4	8.2	C33-48	SL280UH090V60C	9140010
14HPX-036-230	34000	15.2	12.7	32200	20400	3.36	2.36	8.2	C33-48	SL280UH090XV48B	9139957
14HPX-036-230	34400	15.1	12.5	32400	20600	3.42	2.4	8.2	C33-48	SL280UH090XV60C	9139949
14HPX-036-230	34200	15.1	12.5	32400	20600	3.38	2.38	8.2	C33-48	SL280UH110V60C	9139974
14HPX-036-230	34200	15.1	12.5	32400	20600	3.38	2.38	8.2	C33-48	SL280UH110XV60C	9139932
14HPX-036-230	34000	15.2	12.7	32400	20600	3.36	2.38	8.2	C33-48	SLP98UH090XV36C	9140032
14HPX-036-230	34000	15.5	12.7	32200	20400	3.34	2.36	8.2	C33-48	SLP98UH090XV48C	9140033
14HPX-036-230	34400	15.2	12.7	32600	20800	3.42	2.4	8.2	C33-48	SLP98UH090XV60C	9140122
14HPX-036-230	34400	15.5	13	32400	20600	3.42	2.4	8.2	C33-48	SLP98UH110XV60C	9140046
14HPX-036-230	34800	15.5	13	31400	20400	3.56	2.48	8.7	C33-49	CBWMV-36C-090	9140104
14HPX-036-230	35200	15.7	13.2	31600	20400	3.64	2.52	8.7	C33-49	EL180UH090E60C	9140208
14HPX-036-230	34800	15.7	13.2	31400	20200	3.62	2.5	8.7	C33-49	EL180UH110E60C	9140205
14HPX-036-230	34800	15.5	13	31400	20400	3.58	2.5	8.7	C33-49	EL195UH090XE48C	9140082
14HPX-036-230	35200	15.7	13.2	31600	20400	3.64	2.52	8.7	C33-49	EL195UH110XE60C	9140094
14HPX-036-230	34800	15.5	13	31400	20400	3.58	2.5	8.7	C33-49	EL296UH090XE48C	9140150
14HPX-036-230	35000	15.5	13.2	31600	20400	3.6	2.5	8.7	C33-49	EL296UH090XV36C	9140259
14HPX-036-230	34800	15.7	13.2	31400	20200	3.58	2.48	8.7	C33-49	EL296UH090XV48C	9140254
14HPX-036-230	35400	15.5	13	31800	20600	3.64	2.52	8.7	C33-49	EL296UH090XV60C	9140282
14HPX-036-230	35200	15.7	13.2	31600	20400	3.64	2.52	8.7	C33-49	EL296UH110XE60C	9140173
14HPX-036-230	35000	15.7	13.2	31400	20200	3.6	2.5	8.7	C33-49	EL296UH110XV48C	9140197
14HPX-036-230	35200	15.7	13.2	31600	20400	3.64	2.52	8.7	C33-49	EL296UH110XV60C	9140291
14HPX-036-230	35200	15.7	13.2	31600	20400	3.64	2.52	8.7	C33-49	ML180UH090E60C	10589868
14HPX-036-230	34800	15.7	13.2	31400	20200	3.62	2.5	8.7	C33-49	ML180UH110E60C	10590128
14HPX-036-230	35400	15.1	13	31600	20400	3.66	2.52	8.5	C33-49	SL280UH090V60C	9139975
14HPX-036-230	35400	15.1	13	31600	20400	3.66	2.52	8.5	C33-49	SL280UH090XV60C	9139946
14HPX-036-230	35200	15.1	13	31600	20400	3.62	2.5	8.5	C33-49	SL280UH110V60C	9139976
14HPX-036-230	35200	15.1	13	31600	20400	3.62	2.5	8.5	C33-49	SL280UH110XV60C	9139933
14HPX-036-230	34600	14.2	12	31800	20800	3.46	2.42	8.2	C33-49	SLO185UF79/105V42	9150405

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-036-230	35000	15.5	13.2	31600	20400	3.6	2.5	8.7	C33-49	SLP98UH090XV36C	9140047
14HPX-036-230	34800	15.7	13.2	31400	20200	3.58	2.48	8.7	C33-49	SLP98UH090XV48C	9140048
14HPX-036-230	35400	15.5	13	31800	20600	3.64	2.52	8.7	C33-49	SLP98UH090XV60C	9140049
14HPX-036-230	35200	15.7	13.2	31600	20400	3.64	2.52	8.7	C33-49	SLP98UH110XV60C	9140038
14HPX-036-230	34400	14.2	12	32200	21000	3.4	2.36	8.2	C33-49		9139917
14HPX-036-230	34200	15.2	12.7	31400	20400	3.54	2.48	8.7	C33-50/60C	CBWMV-36C-090	9140107
14HPX-036-230	34600	15.5	13	31400	20200	3.6	2.5	8.7	C33-50/60C	EL180UH090E60C	9140228
14HPX-036-230	34200	15.5	13	31200	20200	3.56	2.5	8.7	C33-50/60C	EL180UH110E60C	9140209
14HPX-036-230	34200	15.2	12.7	31400	20400	3.56	2.5	8.7	C33-50/60C	EL195UH090XE48C	9140096
14HPX-036-230	34600	15.5	13	31600	20400	3.6	2.5	8.7	C33-50/60C	EL195UH110XE60C	9140095
14HPX-036-230	34200	15.2	12.7	31400	20400	3.56	2.5	8.7	C33-50/60C	EL296UH090XE48C	9140156
14HPX-036-230	34400	15.2	12.7	31400	20400	3.56	2.5	8.7	C33-50/60C	EL296UH090XV36C	9140257
14HPX-036-230	34200	15.2	13	31200	20200	3.54	2.48	8.7	C33-50/60C	EL296UH090XV48C	9140260
14HPX-036-230	34800	15.2	12.7	31800	20600	3.6	2.5	8.7	C33-50/60C	EL296UH090XV60C	9140279
14HPX-036-230	34600	15.5	13	31600	20400	3.6	2.5	8.7	C33-50/60C	EL296UH110XE60C	9140180
14HPX-036-230	34400	15.5	13	31400	20200	3.58	2.5	8.7	C33-50/60C	EL296UH110XV48C	9140177
14HPX-036-230	34600	15.5	13	31600	20400	3.62	2.52	8.7	C33-50/60C	EL296UH110XV60C	9140295
14HPX-036-230	34600	15.5	13	31400	20200	3.6	2.5	8.7	C33-50/60C	ML180UH090E60C	10589872
14HPX-036-230	34200	15.5	13	31200	20200	3.56	2.5	8.7	C33-50/60C	ML180UH110E60C	10590129
14HPX-036-230	34800	15.1	12.5	31600	20400	3.64	2.52	8.5	C33-50/60C	SL280UH090V60C	9139978
14HPX-036-230	34800	15.1	12.5	31600	20400	3.64	2.52	8.5	C33-50/60C	SL280UH090XV60C	9139943
14HPX-036-230	34600	15.1	12.5	31600	20400	3.58	2.5	8.5	C33-50/60C	SL280UH110V60C	9139979
14HPX-036-230	34600	15.1	12.5	31600	20400	3.58	2.5	8.5	C33-50/60C	SL280UH110XV60C	9139941
14HPX-036-230	34400	15.2	12.7	31400	20400	3.56	2.5	8.7	C33-50/60C	SLP98UH090XV36C	9140053
14HPX-036-230	34200	15.2	13	31200	20200	3.54	2.48	8.7	C33-50/60C	SLP98UH090XV48C	9140054
14HPX-036-230	34800	15.2	12.7	31800	20600	3.6	2.5	8.7	C33-50/60C	SLP98UH090XV60C	9140123
14HPX-036-230	34600	15.5	13	31600	20400	3.62	2.52	8.7	C33-50/60C	SLP98UH110XV60C	9140039
14HPX-036-230	33800	14	11.7	32000	21000	3.34	2.36	8.2	C33-50/60C		9139921
14HPX-036-230	34200	15	12.5	32800	20800	3.44	2.4	8.2	C37-38A	EL180UH045E36A	10085823
14HPX-036-230	34200	15	12.5	32800	20800	3.44	2.4	8.2	C37-38A	ML180UH045E36A	10589575
14HPX-036-230	34200	15	12.5	32800	20800	3.42	2.4	8.2	C37-38A	SL280UH070V36A	10085771
14HPX-036-230	34200	15	12.5	32800	20800	3.42	2.4	8.2	C37-38A	SL280UH070XV36A	10085667
14HPX-036-230	34200	15.2	12.7	32600	20800	3.44	2.44	8.2	C37-38B	CBWMV-24B-040	10085754
14HPX-036-230	34200	15.2	12.7	32600	20800	3.44	2.42	8.2	C37-38B	CBWMV-36B-070	10085747
14HPX-036-230	34200	15.7	13	32400	20400	3.5	2.46	8.5	C37-38B	EL180UH070E36B	10085815
14HPX-036-230	34600	15.5	13	32600	20600	3.52	2.46	8.5	C37-38B	EL180UH090E48B	10085834
14HPX-036-230	33800	15	12.5	32600	20600	3.36	2.38	8.2	C37-38B	EL195UH045XE36B	10085689
14HPX-036-230	34000	15	12.5	32600	20800	3.42	2.42	8.2	C37-38B	EL195UH070XE36B	10085694
14HPX-036-230	33800	15	12.5	32600	20600	3.36	2.38	8.2	C37-38B	EL296UH045XE36B	10085774
14HPX-036-230	34200	15	12.5	32800	20800	3.42	2.4	8.2	C37-38B	EL296UH045XV36B	10085842
14HPX-036-230	34000	15	12.5	32600	20800	3.42	2.42	8.2	C37-38B	EL296UH070XE36B	10085790
14HPX-036-230	34200	15	12.5	32800	20800	3.44	2.4	8.2	C37-38B	EL296UH070XV36B	10085844
14HPX-036-230	34200	15.7	13	32400	20400	3.5	2.46	8.5	C37-38B	ML180UH070E36B	10589660
14HPX-036-230	34600	15.5	13	32600	20600	3.52	2.46	8.5	C37-38B	ML180UH090E48B	10589782
14HPX-036-230	34400	15.7	13	32600	20600	3.5	2.46	8.2	C37-38B	SL280UH090V36B	10085772
14HPX-036-230	34400	15.5	13	32600	20600	3.5	2.44	8.2	C37-38B	SL280UH090V48B	10085674
14HPX-036-230	34400	15.5	13	32600	20600	3.5	2.44	8.2	C37-38B	SL280UH090XV48B	10085665
14HPX-036-230	34200	15	12.5	32800	20800	3.44	2.4	8.2	C37-38B	SLP98UH070XV36B	10085709
14HPX-036-230	35200	15.2	13	32600	20400	3.44	2.46	8.2	C37-43B	CBWMV-24B-040	10085750
14HPX-036-230	35200	15.2	13	32600	20400	3.42	2.46	8.2	C37-43B	CBWMV-36B-070	10085726
14HPX-036-230	35200	15.7	13.2	32400	20200	3.46	2.5	8.5	C37-43B	EL180UH070E36B	10085818
14HPX-036-230	35600	15.7	13.2	32600	20400	3.52	2.5	8.2	C37-43B	EL180UH090E48B	10085829
14HPX-036-230	34800	15	12.7	32400	20400	3.34	2.42	8.2	C37-43B	EL195UH045XE36B	10085690
14HPX-036-230	35000	15	12.7	32600	20400	3.4	2.44	8.2	C37-43B	EL195UH070XE36B	10085703
14HPX-036-230	34800	15	12.7	32400	20400	3.34	2.42	8.2	C37-43B	EL296UH045XE36B	10085799
14HPX-036-230	35200	15	12.7	32800	20400	3.42	2.44	8.2	C37-43B	EL296UH045XV36B	10085832
14HPX-036-230	35000	15	12.7	32600	20400	3.4	2.44	8.2	C37-43B	EL296UH070XE36B	10085787
14HPX-036-230	35200	15	12.7	32800	20600	3.42	2.44	8.2	C37-43B	EL296UH070XV36B	10085841
14HPX-036-230	35200	15.7	13.2	32400	20200	3.46	2.5	8.5	C37-43B	ML180UH070E36B	10589661
14HPX-036-230	35600	15.7	13.2	32600	20400	3.52	2.5	8.2	C37-43B	ML180UH090E48B	10589781
14HPX-036-230	35400	15.7	13.2	32400	20200	3.48	2.48	8.5	C37-43B	SL280UH090V36B	10085773

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-036-230	35400	15.7	13.2	32400	20200	3.46	2.48	8.5	C37-43B	SL280UH090V48B	10085647
14HPX-036-230	35400	15.7	13.2	32400	20200	3.46	2.48	8.5	C37-43B	SL280UH090XV48B	10085669
14HPX-036-230	35200	15	12.7	32800	20600	3.42	2.44	8.2	C37-43B	SLP98UH070XV36B	10085698
14HPX-036-230	35200	15.5	13	32600	20400	3.46	2.48	8.2	C37-43C	CBWMV-36C-090	10085760
14HPX-036-230	35600	15.7	13.2	32600	20200	3.52	2.5	8.2	C37-43C	EL180UH110E60C	10085831
14HPX-036-230	35200	15.7	13.2	32400	20200	3.48	2.5	8.5	C37-43C	EL180UH110E60C	10085813
14HPX-036-230	35200	15.5	13.2	32600	20400	3.48	2.48	8.2	C37-43C	EL195UH090XE48C	10085699
14HPX-036-230	35600	15.7	13.2	32600	20400	3.52	2.5	8.2	C37-43C	EL195UH110XE60C	10085735
14HPX-036-230	35200	15.5	13.2	32600	20400	3.48	2.48	8.2	C37-43C	EL296UH090XE48C	10085782
14HPX-036-230	35400	15.5	13.2	32600	20400	3.46	2.5	8.2	C37-43C	EL296UH090XV36C	10085846
14HPX-036-230	35000	15.5	13.2	32400	20200	3.46	2.48	8.5	C37-43C	EL296UH090XV48C	10085857
14HPX-036-230	35800	15.5	13.2	32800	20600	3.52	2.5	8.5	C37-43C	EL296UH090XV60C	10085861
14HPX-036-230	35600	15.7	13.2	32600	20400	3.52	2.5	8.2	C37-43C	EL296UH110XE60C	10085781
14HPX-036-230	35400	15.7	13.2	32400	20200	3.48	2.48	8.5	C37-43C	EL296UH110XV48C	10085802
14HPX-036-230	35600	15.7	13.2	32600	20400	3.52	2.52	8.5	C37-43C	EL296UH110XV60C	10085867
14HPX-036-230	35600	15.7	13.2	32600	20200	3.52	2.5	8.2	C37-43C	ML180UH090E60C	10589941
14HPX-036-230	35200	15.7	13.2	32400	20200	3.48	2.5	8.5	C37-43C	ML180UH110E60C	10590194
14HPX-036-230	35800	15.1	13	32600	20400	3.54	2.52	8.2	C37-43C	SL280UH090V60C	10085676
14HPX-036-230	35800	15.1	13	32600	20400	3.54	2.52	8.2	C37-43C	SL280UH090XV60C	10085657
14HPX-036-230	35600	15.1	13	32600	20400	3.5	2.48	8.2	C37-43C	SL280UH110V60C	10085672
14HPX-036-230	35600	15.1	13	32600	20400	3.5	2.48	8.2	C37-43C	SL280UH110XV60C	10085651
14HPX-036-230	35400	15.5	13.2	32600	20400	3.46	2.5	8.2	C37-43C	SLP98UH090XV36C	10085702
14HPX-036-230	35000	15.5	13.2	32400	20200	3.46	2.48	8.5	C37-43C	SLP98UH090XV48C	10085706
14HPX-036-230	35800	15.5	13.2	32800	20600	3.52	2.5	8.5	C37-43C	SLP98UH090XV60C	10085707
14HPX-036-230	35600	15.7	13.2	32600	20400	3.52	2.52	8.5	C37-43C	SLP98UH110XV60C	10085708
14HPX-036-230	34000	15	12.7	32400	20600	3.34	2.36	8.2	C37-48B	CBWMV-24B-040	10085755
14HPX-036-230	33800	15.5	13	32200	20400	3.36	2.38	8.2	C37-48B	EL180UH070E36B	10085812
14HPX-036-230	34200	15.5	12.7	32400	20600	3.4	2.4	8.2	C37-48B	EL180UH090E48B	10085819
14HPX-036-230	33800	15.5	13	32200	20400	3.36	2.38	8.2	C37-48B	ML180UH070E36B	10589659
14HPX-036-230	34200	15.5	12.7	32400	20600	3.4	2.4	8.2	C37-48B	ML180UH090E48B	10589777
14HPX-036-230	34000	15.5	12.7	32200	20400	3.36	2.38	8.2	C37-48B	SL280UH090V36B	10085770
14HPX-036-230	34000	15.2	12.7	32200	20400	3.36	2.36	8.2	C37-48B	SL280UH090V48B	10085673
14HPX-036-230	34000	15.2	12.7	32200	20400	3.36	2.36	8.2	C37-48B	SL280UH090XV48B	10085664
14HPX-036-230	33800	15.2	12.7	32400	20600	3.34	2.38	8.2	C37-48C	CBWMV-36C-090	10085762
14HPX-036-230	34200	15.5	13	32400	20400	3.4	2.38	8.2	C37-48C	EL180UH090E60C	10085837
14HPX-036-230	34000	15.5	13	32200	20400	3.36	2.38	8.2	C37-48C	EL180UH110E60C	10085808
14HPX-036-230	34000	15.2	12.7	32400	20600	3.36	2.38	8.2	C37-48C	EL195UH090XE48C	10085700
14HPX-036-230	34200	15.5	12.7	32400	20600	3.4	2.4	8.2	C37-48C	EL195UH110XE60C	10085736
14HPX-036-230	34000	15.2	12.7	32400	20600	3.36	2.38	8.2	C37-48C	EL296UH090XE48C	10085788
14HPX-036-230	34000	15.2	12.7	32400	20600	3.36	2.38	8.2	C37-48C	EL296UH090XV36C	10085848
14HPX-036-230	34000	15.5	12.7	32200	20400	3.34	2.36	8.2	C37-48C	EL296UH090XV48C	10085856
14HPX-036-230	34400	15.2	12.7	32600	20800	3.42	2.4	8.2	C37-48C	EL296UH090XV60C	10086654
14HPX-036-230	34200	15.5	12.7	32400	20600	3.4	2.4	8.2	C37-48C	EL296UH110XE60C	10085783
14HPX-036-230	34200	15.5	13	32200	20400	3.38	2.38	8.2	C37-48C	EL296UH110XV48C	10085800
14HPX-036-230	34400	15.5	13	32400	20600	3.42	2.4	8.2	C37-48C	EL296UH110XV60C	10085866
14HPX-036-230	34200	15.5	13	32400	20400	3.4	2.38	8.2	C37-48C	ML180UH090E60C	10589943
14HPX-036-230	34000	15.5	13	32200	20400	3.36	2.38	8.2	C37-48C	ML180UH110E60C	10590192
14HPX-036-230	34400	15.1	12.5	32400	20600	3.42	2.4	8.2	C37-48C	SL280UH090V60C	10085691
14HPX-036-230	34400	15.1	12.5	32400	20600	3.42	2.4	8.2	C37-48C	SL280UH090XV60C	10085660
14HPX-036-230	34200	15.1	12.5	32400	20600	3.38	2.38	8.2	C37-48C	SL280UH110V60C	10085677
14HPX-036-230	34200	15.1	12.5	32400	20600	3.38	2.38	8.2	C37-48C	SL280UH110XV60C	10085649
14HPX-036-230	34000	15.2	12.7	32400	20600	3.36	2.38	8.2	C37-48C	SLP98UH090XV36C	10085704
14HPX-036-230	34000	15.5	12.7	32200	20400	3.34	2.36	8.2	C37-48C	SLP98UH090XV48C	10085705
14HPX-036-230	34400	15.2	12.7	32600	20800	3.42	2.4	8.2	C37-48C	SLP98UH090XV60C	10086650
14HPX-036-230	34400	15.5	13	32400	20600	3.42	2.4	8.2	C37-48C	SLP98UH110XV60C	10085712
14HPX-036-230	34800	15.5	13	31400	20400	3.56	2.48	8.7	C37-49C	CBWMV-36C-090	10085745
14HPX-036-230	35200	15.7	13.2	31600	20400	3.64	2.52	8.7	C37-49C	EL180UH090E60C	10085816
14HPX-036-230	34800	15.7	13.2	31400	20200	3.62	2.5	8.7	C37-49C	EL180UH110E60C	10085814
14HPX-036-230	34800	15.5	13	31400	20400	3.58	2.5	8.7	C37-49C	EL195UH090XE48C	10085727
14HPX-036-230	35200	15.7	13.2	31600	20400	3.64	2.52	8.7	C37-49C	EL195UH110XE60C	10085737
14HPX-036-230	34800	15.5	13	31400	20400	3.58	2.5	8.7	C37-49C	EL296UH090XE48C	10085776

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-036-230	35000	15.5	13.2	31600	20400	3.6	2.5	8.7	C37-49C	EL296UH090XV36C	10085851
14HPX-036-230	34800	15.7	13.2	31400	20200	3.58	2.48	8.7	C37-49C	EL296UH090XV48C	10085847
14HPX-036-230	35400	15.5	13	31800	20600	3.64	2.52	8.7	C37-49C	EL296UH090XV60C	10085863
14HPX-036-230	35200	15.7	13.2	31600	20400	3.64	2.52	8.7	C37-49C	EL296UH110XE60C	10085793
14HPX-036-230	35000	15.7	13.2	31400	20200	3.6	2.5	8.7	C37-49C	EL296UH110XV48C	10085809
14HPX-036-230	35200	15.7	13.2	31600	20400	3.64	2.52	8.7	C37-49C	EL296UH110XV60C	10085869
14HPX-036-230	35200	15.7	13.2	31600	20400	3.64	2.52	8.7	C37-49C	ML180UH090E60C	10589937
14HPX-036-230	34800	15.7	13.2	31400	20200	3.62	2.5	8.7	C37-49C	ML180UH110E60C	10590195
14HPX-036-230	35400	15.1	13	31600	20400	3.66	2.52	8.5	C37-49C	SL280UH090V60C	10085678
14HPX-036-230	35400	15.1	13	31600	20400	3.66	2.52	8.5	C37-49C	SL280UH090XV60C	10085658
14HPX-036-230	35200	15.1	13	31600	20400	3.62	2.5	8.5	C37-49C	SL280UH110V60C	10085679
14HPX-036-230	35200	15.1	13	31600	20400	3.62	2.5	8.5	C37-49C	SL280UH110XV60C	10085650
14HPX-036-230	34600	14.2	12	31800	20800	3.46	2.42	8.2	C37-49C	SLO185UF79/105V42	10086051
14HPX-036-230	35000	15.5	13.2	31600	20400	3.6	2.5	8.7	C37-49C	SLP98UH090XV36C	10085713
14HPX-036-230	34800	15.7	13.2	31400	20200	3.58	2.48	8.7	C37-49C	SLP98UH090XV48C	10085714
14HPX-036-230	35400	15.5	13	31800	20600	3.64	2.52	8.7	C37-49C	SLP98UH090XV60C	10085715
14HPX-036-230	35200	15.7	13.2	31600	20400	3.64	2.52	8.7	C37-49C	SLP98UH110XV60C	10085710
14HPX-036-230	34400	14.2	12	32200	21000	3.4	2.36	8.2	C37-49C		10084149
14HPX-036-230	34200	15.2	12.7	31400	20400	3.54	2.48	8.7	C37-50/60C	CBWMV-36C-090	10085748
14HPX-036-230	34600	15.5	13	31400	20200	3.6	2.5	8.7	C37-50/60C	EL180UH090E60C	10085830
14HPX-036-230	34200	15.5	13	31200	20200	3.56	2.5	8.7	C37-50/60C	EL180UH110E60C	10085817
14HPX-036-230	34200	15.2	12.7	31400	20400	3.56	2.5	8.7	C37-50/60C	EL195UH090XE48C	10085739
14HPX-036-230	34600	15.5	13	31600	20400	3.6	2.5	8.7	C37-50/60C	EL195UH110XE60C	10085738
14HPX-036-230	34200	15.2	12.7	31400	20400	3.56	2.5	8.7	C37-50/60C	EL296UH090XE48C	10085780
14HPX-036-230	34400	15.2	12.7	31400	20400	3.56	2.5	8.7	C37-50/60C	EL296UH090XV36C	10085850
14HPX-036-230	34200	15.2	13	31200	20200	3.54	2.48	8.7	C37-50/60C	EL296UH090XV48C	10085852
14HPX-036-230	34800	15.2	12.7	31800	20600	3.6	2.5	8.7	C37-50/60C	EL296UH090XV60C	10086653
14HPX-036-230	34600	15.5	13	31600	20400	3.6	2.5	8.7	C37-50/60C	EL296UH110XE60C	10085798
14HPX-036-230	34400	15.5	13	31400	20200	3.58	2.5	8.7	C37-50/60C	EL296UH110XV48C	10085796
14HPX-036-230	34600	15.5	13	31600	20400	3.62	2.52	8.7	C37-50/60C	EL296UH110XV60C	10085870
14HPX-036-230	34600	15.5	13	31400	20200	3.6	2.5	8.7	C37-50/60C	ML180UH090E60C	10589940
14HPX-036-230	34200	15.5	13	31200	20200	3.56	2.5	8.7	C37-50/60C	ML180UH110E60C	10590196
14HPX-036-230	34800	15.1	12.5	31600	20400	3.64	2.52	8.5	C37-50/60C	SL280UH090V60C	10085680
14HPX-036-230	34800	15.1	12.5	31600	20400	3.64	2.52	8.5	C37-50/60C	SL280UH090XV60C	10085655
14HPX-036-230	34600	15.1	12.5	31600	20400	3.58	2.5	8.5	C37-50/60C	SL280UH110V60C	10085681
14HPX-036-230	34600	15.1	12.5	31600	20400	3.58	2.5	8.5	C37-50/60C	SL280UH110XV60C	10085654
14HPX-036-230	34400	15.2	12.7	31400	20400	3.56	2.5	8.7	C37-50/60C	SLP98UH090XV36C	10085717
14HPX-036-230	34200	15.2	13	31200	20200	3.54	2.48	8.7	C37-50/60C	SLP98UH090XV48C	10085718
14HPX-036-230	34800	15.2	12.7	31800	20600	3.6	2.5	8.7	C37-50/60C	SLP98UH090XV60C	10086651
14HPX-036-230	34600	15.5	13	31600	20400	3.62	2.52	8.7	C37-50/60C	SLP98UH110XV60C	10085711
14HPX-036-230	33800	14	11.7	32000	21000	3.34	2.36	8.2	C37-50/60C		10084151
14HPX-036-230	34200	15	12.5	32800	21000	3.36	2.46	8.5	CBA27UHE-036		10258589
14HPX-036-230	35000	15.5	12.5	33000	20000	3.8	2.62	8.5	CBA27UHE-042		10258590
14HPX-036-230	34600	14	12	34600	21400	3.5	2.44	8.2	CBX25UH-036		9140198
14HPX-036-230	34600	15	12.5	34000	21000	3.58	2.52	8.5	CBX25UHV-036		9140290
14HPX-036-230	34800	15.2	12.5	32800	20400	3.72	2.56	8.7	CBX27UH-036		9139929
14HPX-036-230	36000	16	13.5	33000	17300	3.98	2.34	8.5	CBX27UH-042		9139930
14HPX-036-230	34600	14.5	11.7	33400	20800	3.62	2.48	8.5	CBX32M-036		9139977
14HPX-036-230	34400	14.5	11.7	33200	20800	3.6	2.48	8.5	CBX32M-042		9139966
14HPX-036-230	34800	14.7	12	33200	20800	3.64	2.52	8.7	CBX32MV-036		9139980
14HPX-036-230	35400	15.5	13	31800	20800	3.76	2.62	9.2	CBX32MV-048		9139981
14HPX-036-230	34800	14.7	12.2	33200	20600	3.68	2.52	8.7	CBX40UHV-036		9139982
14HPX-036-230	35200	15.2	12.7	32000	20800	3.74	2.58	9	CBX40UHV-042		9139995
14HPX-036-230	35400	15.5	13	31800	20800	3.78	2.62	9.2	CBX40UHV-048		9139984
14HPX-036-230	35200	15.7	13.2	32000	20200	3.68	2.56	9	CH33-43B	EL180UH070E36B	9140201
14HPX-036-230	35600	15.7	13.2	32200	20400	3.72	2.54	9	CH33-43B	EL180UH090E48B	9140225
14HPX-036-230	35400	14.7	12.5	32800	21000	3.6	2.48	8.5	CH33-43B	EL195UH045XE36B	9140024
14HPX-036-230	35200	15.2	12.7	32200	20600	3.62	2.5	8.7	CH33-43B	EL195UH070XE36B	9140020
14HPX-036-230	35400	14.7	12.5	32800	21000	3.6	2.48	8.5	CH33-43B	EL296UH045XE36B	9140146
14HPX-036-230	35400	15.2	12.7	32600	20800	3.68	2.52	8.7	CH33-43B	EL296UH045XV36B	9140238
14HPX-036-230	35200	15.2	12.7	32200	20600	3.62	2.5	8.7	CH33-43B	EL296UH070XE36B	9140155

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-036-230	35600	15.2	12.7	32600	20800	3.66	2.52	8.7	CH33-43B	EL296UH070XV36B	9140245
14HPX-036-230	35200	15.7	13.2	32000	20200	3.68	2.56	9	CH33-43B	ML180UH070E36B	10589630
14HPX-036-230	35600	15.7	13.2	32200	20400	3.72	2.54	9	CH33-43B	ML180UH090E48B	10589752
14HPX-036-230	35600	15.7	13.2	32200	20400	3.74	2.56	9	CH33-43B	SL280UH090V36B	9140134
14HPX-036-230	35600	15.7	13.2	32400	20600	3.72	2.56	9	CH33-43B	SL280UH090V48B	9139985
14HPX-036-230	35600	15.7	13.2	32400	20600	3.72	2.56	9	CH33-43B	SL280UH090XV48B	9139955
14HPX-036-230	35600	15.2	12.7	32600	20800	3.66	2.52	8.7	CH33-43B	SLP98UH070XV36B	9140055
14HPX-036-230	35200	14.5	12.2	32800	21000	3.52	2.42	8.5	CH33-43B		9139922
14HPX-036-230	35400	15.7	13.2	32600	20600	3.52	2.48	8.5	CH33-43C	EL180UH090E60C	9140207
14HPX-036-230	35200	15.7	13.2	32400	20400	3.48	2.46	8.5	CH33-43C	EL180UH110E60C	9140195
14HPX-036-230	35200	15.5	13.2	32600	20600	3.48	2.46	8.2	CH33-43C	EL195UH090XE48C	9140097
14HPX-036-230	35400	15.7	13.2	32600	20600	3.52	2.46	8.5	CH33-43C	EL195UH110XE60C	9140108
14HPX-036-230	35200	15.5	13.2	32600	20600	3.48	2.46	8.2	CH33-43C	EL296UH090XE48C	9140160
14HPX-036-230	35200	15.5	13.2	32600	20600	3.48	2.46	8.2	CH33-43C	EL296UH090XV36C	9140262
14HPX-036-230	35000	15.5	13.2	32400	20400	3.46	2.44	8.5	CH33-43C	EL296UH090XV48C	9140264
14HPX-036-230	35600	15.5	13	32800	20800	3.52	2.48	8.5	CH33-43C	EL296UH090XV60C	9140277
14HPX-036-230	35400	15.7	13.2	32600	20600	3.52	2.46	8.5	CH33-43C	EL296UH110XE60C	9140185
14HPX-036-230	35200	15.7	13.2	32400	20600	3.48	2.48	8.5	CH33-43C	EL296UH110XV48C	9140176
14HPX-036-230	35600	15.7	13.2	32600	20600	3.52	2.48	8.5	CH33-43C	EL296UH110XV60C	9140292
14HPX-036-230	35400	15.7	13.2	32600	20600	3.52	2.48	8.5	CH33-43C	ML180UH090E60C	10589867
14HPX-036-230	35200	15.7	13.2	32400	20400	3.48	2.46	8.5	CH33-43C	ML180UH110E60C	10590123
14HPX-036-230	35600	15.1	13	32600	20600	3.54	2.48	8.2	CH33-43C	SL280UH090V60C	9139928
14HPX-036-230	35600	15.1	13	32600	20600	3.54	2.48	8.2	CH33-43C	SL280UH090XV60C	9139948
14HPX-036-230	35400	15.1	13	32800	20600	3.52	2.46	8.2	CH33-43C	SL280UH110V60C	9139986
14HPX-036-230	35400	15.1	13	32800	20600	3.52	2.46	8.2	CH33-43C	SL280UH110XV60C	9139940
14HPX-036-230	35200	15.5	13.2	32600	20600	3.48	2.46	8.2	CH33-43C	SLP98UH090XV36C	9140044
14HPX-036-230	35000	15.5	13.2	32400	20400	3.46	2.44	8.5	CH33-43C	SLP98UH090XV48C	9140045
14HPX-036-230	35600	15.5	13	32800	20800	3.52	2.48	8.5	CH33-43C	SLP98UH090XV60C	9140058
14HPX-036-230	35600	15.7	13.2	32600	20600	3.52	2.48	8.5	CH33-43C	SLP98UH110XV60C	9140059
14HPX-036-230	34000	15.2	12.7	32400	20400	3.38	2.46	8.2	CH33-44/48	EL180UH070E36B	9140210
14HPX-036-230	34200	15.2	12.7	32800	20600	3.42	2.48	8.2	CH33-44/48	EL180UH090E48B	9140233
14HPX-036-230	34000	14.7	12.5	32800	20800	3.36	2.44	8.2	CH33-44/48	EL195UH070XE36B	9140021
14HPX-036-230	34200	14.5	12.2	33000	21000	3.36	2.44	8.2	CH33-44/48	EL296UH045XV36B	9140236
14HPX-036-230	34000	14.7	12.5	32800	20800	3.36	2.44	8.2	CH33-44/48	EL296UH070XE36B	9140159
14HPX-036-230	34200	14.7	12.5	33000	21000	3.38	2.46	8.2	CH33-44/48	EL296UH070XV36B	9140244
14HPX-036-230	34000	15.2	12.7	32400	20400	3.38	2.46	8.2	CH33-44/48	ML180UH070E36B	10589633
14HPX-036-230	34200	15.2	12.7	32800	20600	3.42	2.48	8.2	CH33-44/48	ML180UH090E48B	10589754
14HPX-036-230	34400	15.2	12.7	32800	20600	3.46	2.48	8.2	CH33-44/48	SL280UH090V36B	9140135
14HPX-036-230	34400	15	12.7	32800	20800	3.42	2.48	8.2	CH33-44/48	SL280UH090V48B	9139987
14HPX-036-230	34400	15	12.7	32800	20800	3.42	2.48	8.2	CH33-44/48	SL280UH090XV48B	9139956
14HPX-036-230	34200	14.7	12.5	33000	21000	3.38	2.46	8.2	CH33-44/48	SLP98UH070XV36B	9140060
14HPX-036-230	35000	15.5	13	32600	20600	3.46	2.44	8.2	CH33-48	EL296UH090XV36C	9140252
14HPX-036-230	34800	15.5	13	32400	20400	3.44	2.44	8.5	CH33-48	EL296UH090XV48C	9140269
14HPX-036-230	35400	15.2	13	32800	20800	3.52	2.46	8.5	CH33-48	EL296UH090XV60C	9140266
14HPX-036-230	35000	15.5	13.2	32400	20600	3.46	2.48	8.5	CH33-48	EL296UH110XV48C	9140193
14HPX-036-230	35200	15.5	13.2	32600	20600	3.52	2.46	8.5	CH33-48	EL296UH110XV60C	9140294
14HPX-036-230	35400	15.1	13	32600	20600	3.54	2.48	8.2	CH33-48	SL280UH090V60C	9139988
14HPX-036-230	35400	15.1	13	32600	20600	3.54	2.48	8.2	CH33-48	SL280UH090XV60C	9139942
14HPX-036-230	35200	15.1	12.5	32600	20600	3.48	2.44	8.2	CH33-48	SL280UH110V60C	9139970
14HPX-036-230	35200	15.1	12.5	32600	20600	3.48	2.44	8.2	CH33-48	SL280UH110XV60C	9139935
14HPX-036-230	35000	15.5	13	32600	20600	3.46	2.44	8.2	CH33-48	SLP98UH090XV36C	9140040
14HPX-036-230	34800	15.5	13	32400	20400	3.44	2.44	8.5	CH33-48	SLP98UH090XV48C	9140041
14HPX-036-230	35400	15.2	13	32800	20800	3.52	2.46	8.5	CH33-48	SLP98UH090XV60C	9140042
14HPX-036-230	35200	15.5	13.2	32600	20600	3.52	2.46	8.5	CH33-48	SLP98UH110XV60C	9140043
14HPX-036-230	35200	15.7	13.2	31800	20400	3.76	2.58	9	CH33-49	EL180UH090E60C	9140220
14HPX-036-230	35000	15.7	13.2	31600	20200	3.72	2.56	9	CH33-49	EL180UH110E60C	9140188
14HPX-036-230	34800	15.5	13	31800	20400	3.7	2.56	8.5	CH33-49	EL195UH090XE48C	9140086
14HPX-036-230	35200	15.7	13.2	31800	20400	3.74	2.56	9	CH33-49	EL195UH110XE60C	9140109
14HPX-036-230	34800	15.5	13	31800	20400	3.7	2.56	8.5	CH33-49	EL296UH090XE48C	9140149
14HPX-036-230	35000	15.7	13.2	32200	20400	3.74	2.56	9	CH33-49	EL296UH090XV36C	9140250
14HPX-036-230	34800	15.7	13.2	32000	20400	3.72	2.56	9	CH33-49	EL296UH090XV48C	9140267

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-036-230	35400	15.5	13	32400	20600	3.78	2.56	9	CH33-49	EL296UH090XV60C	9140274
14HPX-036-230	35200	15.7	13.2	31800	20400	3.74	2.56	9	CH33-49	EL296UH110XE60C	9140172
14HPX-036-230	35000	15.7	13.2	32000	20400	3.76	2.58	9	CH33-49	EL296UH110XV48C	9140186
14HPX-036-230	35400	15.7	13.2	32200	20400	3.78	2.58	9	CH33-49	EL296UH110XV60C	9140293
14HPX-036-230	35200	15.7	13.2	31800	20400	3.76	2.58	9	CH33-49	ML180UH090E60C	10589870
14HPX-036-230	35000	15.7	13.2	31600	20200	3.72	2.56	9	CH33-49	ML180UH110E60C	10590119
14HPX-036-230	35400	15.1	13	32200	20400	3.8	2.58	9	CH33-49	SL280UH090V60C	9139991
14HPX-036-230	35400	15.1	13	32200	20400	3.8	2.58	9	CH33-49	SL280UH090XV60C	9139952
14HPX-036-230	35200	15.1	13	32200	20600	3.74	2.58	9	CH33-49	SL280UH110V60C	9139992
14HPX-036-230	35200	15.1	13	32200	20600	3.74	2.58	9	CH33-49	SL280UH110XV60C	9139938
14HPX-036-230	35000	15.7	13.2	32200	20400	3.74	2.56	9	CH33-49	SLP98UH090XV36C	9140061
14HPX-036-230	34800	15.7	13.2	32000	20400	3.72	2.56	9	CH33-49	SLP98UH090XV48C	9140050
14HPX-036-230	35400	15.5	13	32400	20600	3.78	2.56	9	CH33-49	SLP98UH090XV60C	9140051
14HPX-036-230	35400	15.7	13.2	32200	20400	3.78	2.58	9	CH33-49	SLP98UH110XV60C	9140064
14HPX-036-230	34400	14.2	12	32800	21000	3.52	2.42	8.5	CH33-49		9139923
14HPX-036-230	35000	15.7	13.2	31600	20400	3.7	2.56	9	CH33-50/60C	EL180UH090E60C	9140240
14HPX-036-230	34800	15.7	13.2	31400	20200	3.66	2.54	9	CH33-50/60C	EL180UH110E60C	9140203
14HPX-036-230	34800	15.5	13	31600	20400	3.66	2.54	9	CH33-50/60C	EL195UH090XE48C	9140087
14HPX-036-230	35000	15.7	13.2	31800	20400	3.72	2.56	9	CH33-50/60C	EL195UH110XE60C	9140098
14HPX-036-230	34800	15.5	13	31600	20400	3.66	2.54	9	CH33-50/60C	EL296UH090XE48C	9140179
14HPX-036-230	34800	15.5	13	32000	20400	3.7	2.54	9	CH33-50/60C	EL296UH090XV36C	9140258
14HPX-036-230	34600	15.7	13	31800	20400	3.68	2.56	9	CH33-50/60C	EL296UH090XV48C	9140265
14HPX-036-230	35400	15.5	13	32400	20600	3.76	2.56	9	CH33-50/60C	EL296UH090XV60C	9140280
14HPX-036-230	35000	15.7	13.2	31800	20400	3.72	2.56	9	CH33-50/60C	EL296UH110XE60C	9140168
14HPX-036-230	34800	15.7	13.2	32000	20400	3.72	2.56	9	CH33-50/60C	EL296UH110XV48C	9140182
14HPX-036-230	35200	15.7	13.2	32200	20400	3.76	2.56	9	CH33-50/60C	EL296UH110XV60C	9140287
14HPX-036-230	35000	15.7	13.2	31600	20400	3.7	2.56	9	CH33-50/60C	ML180UH090E60C	10589876
14HPX-036-230	34800	15.7	13.2	31400	20200	3.66	2.54	9	CH33-50/60C	ML180UH110E60C	10590126
14HPX-036-230	35400	15.1	13	32200	20400	3.78	2.58	9	CH33-50/60C	SL280UH090V60C	9139993
14HPX-036-230	35400	15.1	13	32200	20400	3.78	2.58	9	CH33-50/60C	SL280UH090XV60C	9139953
14HPX-036-230	35000	15.5	12.5	32200	20400	3.74	2.54	8.5	CH33-50/60C	SL280UH110V60C	9139994
14HPX-036-230	35000	15.5	12.5	32200	20400	3.74	2.54	8.5	CH33-50/60C	SL280UH110XV60C	9139939
14HPX-036-230	34800	15.5	13	32000	20400	3.7	2.54	9	CH33-50/60C	SLP98UH090XV36C	9140065
14HPX-036-230	34600	15.7	13	31800	20400	3.68	2.56	9	CH33-50/60C	SLP98UH090XV48C	9140066
14HPX-036-230	35400	15.5	13	32400	20600	3.76	2.56	9	CH33-50/60C	SLP98UH090XV60C	9140067
14HPX-036-230	35200	15.7	13.2	32200	20400	3.76	2.56	9	CH33-50/60C	SLP98UH110XV60C	9140056
14HPX-036-230	34200	14.2	12	32600	21000	3.48	2.4	8.2	CH33-50/60C		9139924
14HPX-036-230	35200	15.7	13.2	33200	20800	3.52	2.48	8.5	CR33-48	EL180DF070E36B	9140215
14HPX-036-230	35200	15.5	13	33400	21000	3.54	2.5	8.5	CR33-48	EL180DF090E48B	9140229
14HPX-036-230	35800	15.7	13.2	33400	21000	3.58	2.52	8.7	CR33-48	EL180DF110E60C	9140221
14HPX-036-230	34800	15	12.7	33400	21200	3.44	2.44	8.2	CR33-48	EL195DF045XE36B	9140013
14HPX-036-230	35200	15.2	13	33400	21000	3.5	2.46	8.5	CR33-48	EL195DF070XE48B	9140002
14HPX-036-230	35200	15.2	12.7	33400	21000	3.48	2.46	8.5	CR33-48	EL195DF090XE48C	9140016
14HPX-036-230	35600	15.5	13	35800	21000	3.58	2.52	8.5	CR33-48	EL195DF110XE60C	9140018
14HPX-036-230	34800	15	12.7	33400	21200	3.44	2.44	8.2	CR33-48	EL296DF045XE36B	9140151
14HPX-036-230	35200	15	12.7	33600	21200	3.46	2.44	8.2	CR33-48	EL296DF045XV36B	9139960
14HPX-036-230	35200	15.2	13	33400	21000	3.5	2.46	8.5	CR33-48	EL296DF070XE48B	9140141
14HPX-036-230	35200	15	12.5	33800	21200	3.48	2.42	8.2	CR33-48	EL296DF070XV48B	9139971
14HPX-036-230	35200	15.2	12.7	33400	21000	3.48	2.46	8.5	CR33-48	EL296DF090XE48C	9140140
14HPX-036-230	35600	15.5	13	35800	21000	3.58	2.52	8.5	CR33-48	EL296DF110XE60C	9140142
14HPX-036-230	35200	15.7	13.2	33200	20800	3.52	2.48	8.5	CR33-48	ML180DF070E36B	10589526
14HPX-036-230	35200	15.5	13	33400	21000	3.54	2.5	8.5	CR33-48	ML180DF090E48B	10589530
14HPX-036-230	35800	15.7	13.2	33400	21000	3.58	2.52	8.7	CR33-48	ML180DF110E60C	10589543
14HPX-036-230	35200	15.5	13	33400	21000	3.52	2.48	8.5	CR33-48	SL280DF090V48B	9140138
14HPX-036-230	35800	15.7	13	33600	21000	3.62	2.52	8.5	CR33-48	SL280DF090V60C	9139999
14HPX-036-230	35600	15.1	13	33400	21000	3.58	2.52	8.5	CR33-48	SL280DF110V60C	9140000
14HPX-036-230	35400	15.2	12.7	33600	21200	3.5	2.46	8.5	CR33-48	SLP98DF070XV36B	9140057
14HPX-036-230	35400	15.5	13	33400	21000	3.52	2.46	8.5	CR33-48	SLP98DF090XV36C	9140070
14HPX-036-230	35400	15.5	13	33400	21000	3.54	2.48	8.5	CR33-48	SLP98DF090XV48C	9140071
14HPX-036-230	35600	15.5	13	33600	21000	3.56	2.48	8.5	CR33-48	SLP98DF090XV60C	9140072
14HPX-036-230	35600	15.5	13	33600	21200	3.56	2.5	8.5	CR33-48	SLP98DF110XV60C	9140073

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-036-230	34800	14.2	12	34000	21600	3.34	2.36	8.2	CR33-48		9139918
14HPX-036-230	36000	16	13.5	32800	20400	3.92	2.64	9	CR33-50/60	EL180DF110E60C	9140218
14HPX-036-230	35600	15.5	13.2	32800	20600	3.8	2.6	8.7	CR33-50/60	EL195DF090XE48C	9140017
14HPX-036-230	35800	15.7	13.2	32800	20600	3.8	2.64	9	CR33-50/60	EL195DF110XE60C	9140019
14HPX-036-230	35600	15.5	13.2	32800	20600	3.8	2.6	8.7	CR33-50/60	EL296DF090XE48C	9140143
14HPX-036-230	35800	15.7	13.2	32800	20600	3.88	2.64	9	CR33-50/60	EL296DF110XE60C	9140137
14HPX-036-230	36000	16	13.5	32800	20400	3.92	2.64	9	CR33-50/60	ML180DF110E60C	10589542
14HPX-036-230	36600	15.1	13	34000	21200	3.82	2.62	9	CR33-50/60	SL280DF090V60C	9139990
14HPX-036-230	36400	15.1	13	33800	21000	3.8	2.6	8.5	CR33-50/60	SL280DF110V60C	9139989
14HPX-036-230	36200	15.7	13.2	33800	21200	3.72	2.56	8.7	CR33-50/60	SLP98DF090XV36C	9140062
14HPX-036-230	36200	15.7	13.2	33800	21200	3.74	2.58	8.7	CR33-50/60	SLP98DF090XV48C	9140063
14HPX-036-230	36400	15.7	13.2	34000	21200	3.76	2.58	9	CR33-50/60	SLP98DF090XV60C	9140076
14HPX-036-230	36400	15.7	13.2	34000	21200	3.76	2.58	9	CR33-50/60	SLP98DF110XV60C	9140077
14HPX-036-230	35200	14.2	12.2	33400	21200	3.62	2.48	8.5	CR33-50/60		9139919
14HPX-036-230	34200	15.2	12.7	32600	20800	3.44	2.44	8.2	CX34-38	CBWMV-24B-040	9140090
14HPX-036-230	34200	15.2	12.7	32600	20800	3.44	2.42	8.2	CX34-38	CBWMV-36B-070	9140080
14HPX-036-230	34200	15	12.5	32800	20800	3.46	2.42	8.2	CX34-38	EL180UH045E36A	9140222
14HPX-036-230	34200	15.7	13	32400	20400	3.5	2.46	8.5	CX34-38	EL180UH070E36B	9140216
14HPX-036-230	34600	15.5	13	32600	20600	3.52	2.46	8.5	CX34-38	EL180UH090E48B	9140214
14HPX-036-230	33800	15	12.5	32600	20600	3.36	2.38	8.2	CX34-38	EL195UH045XE36B	9140025
14HPX-036-230	34000	15	12.5	32600	20800	3.42	2.42	8.2	CX34-38	EL195UH070XE36B	9140022
14HPX-036-230	33800	15	12.5	32600	20600	3.36	2.38	8.2	CX34-38	EL296UH045XE36B	9140152
14HPX-036-230	34200	15	12.5	32800	20800	3.42	2.4	8.2	CX34-38	EL296UH045XV36B	9140232
14HPX-036-230	34000	15	12.5	32600	20800	3.42	2.42	8.2	CX34-38	EL296UH070XE36B	9140148
14HPX-036-230	34200	15	12.5	32800	20800	3.44	2.4	8.2	CX34-38	EL296UH070XV36B	9140242
14HPX-036-230	34200	15	12.5	32800	20800	3.46	2.42	8.2	CX34-38	ML180UH045E36A	10589563
14HPX-036-230	34200	15.7	13	32400	20400	3.5	2.46	8.5	CX34-38	ML180UH070E36B	10589635
14HPX-036-230	34600	15.5	13	32600	20600	3.52	2.46	8.5	CX34-38	ML180UH090E48B	10589749
14HPX-036-230	34200	15	12.5	32800	20800	3.42	2.4	8.2	CX34-38	SL280UH070V36A	9140128
14HPX-036-230	34200	15	12.5	32800	20800	3.42	2.4	8.2	CX34-38	SL280UH070XV36A	9139962
14HPX-036-230	34400	15.7	13	32600	20600	3.5	2.46	8.2	CX34-38	SL280UH090V36B	9140131
14HPX-036-230	34400	15.5	13	32600	20600	3.5	2.44	8.2	CX34-38	SL280UH090V48B	9140003
14HPX-036-230	34400	15.5	13	32600	20600	3.5	2.44	8.2	CX34-38	SL280UH090XV48B	9139964
14HPX-036-230	34200	15	12.5	32800	20800	3.44	2.4	8.2	CX34-38	SLP98UH070XV36B	9140078
14HPX-036-230	35200	15.2	13	32600	20400	3.44	2.46	8.2	CX34-43	CBWMV-24B-040	9140127
14HPX-036-230	35200	15.2	13	32600	20400	3.42	2.46	8.2	CX34-43	CBWMV-36B-070	9140105
14HPX-036-230	35200	15.5	13	32600	20400	3.46	2.48	8.2	CX34-43	CBWMV-36C-090	9140120
14HPX-036-230	35200	15.7	13.2	32400	20200	3.46	2.5	8.5	CX34-43	EL180UH070E36B	9140200
14HPX-036-230	35600	15.7	13.2	32600	20400	3.52	2.5	8.2	CX34-43	EL180UH090E48B	9140224
14HPX-036-230	35600	15.7	13.2	32600	20200	3.52	2.5	8.2	CX34-43	EL180UH090E60C	9140241
14HPX-036-230	35200	15.7	13.2	32400	20200	3.48	2.5	8.5	CX34-43	EL180UH110E60C	9140194
14HPX-036-230	34800	15	12.7	32400	20400	3.34	2.42	8.2	CX34-43	EL195UH045XE36B	9140014
14HPX-036-230	35000	15	12.7	32600	20400	3.4	2.44	8.2	CX34-43	EL195UH070XE36B	9140023
14HPX-036-230	35200	15.5	13.2	32600	20400	3.48	2.48	8.2	CX34-43	EL195UH090XE48C	9140088
14HPX-036-230	35600	15.7	13.2	32600	20400	3.52	2.5	8.2	CX34-43	EL195UH110XE60C	9140099
14HPX-036-230	34800	15	12.7	32400	20400	3.34	2.42	8.2	CX34-43	EL296UH045XE36B	9140175
14HPX-036-230	35200	15	12.7	32800	20400	3.42	2.44	8.2	CX34-43	EL296UH045XV36B	9140237
14HPX-036-230	35000	15	12.7	32600	20400	3.4	2.44	8.2	CX34-43	EL296UH070XE36B	9140164
14HPX-036-230	35200	15	12.7	32800	20600	3.42	2.44	8.2	CX34-43	EL296UH070XV36B	9140243
14HPX-036-230	35200	15.5	13.2	32600	20400	3.48	2.48	8.2	CX34-43	EL296UH090XE48C	9140170
14HPX-036-230	35400	15.5	13.2	32600	20400	3.46	2.5	8.2	CX34-43	EL296UH090XV36C	9140256
14HPX-036-230	35000	15.5	13.2	32400	20200	3.46	2.48	8.5	CX34-43	EL296UH090XV48C	9140125
14HPX-036-230	35800	15.5	13.2	32800	20600	3.52	2.5	8.5	CX34-43	EL296UH090XV60C	9140275
14HPX-036-230	35600	15.7	13.2	32600	20400	3.52	2.5	8.2	CX34-43	EL296UH110XE60C	9140154
14HPX-036-230	35400	15.7	13.2	32400	20200	3.48	2.48	8.5	CX34-43	EL296UH110XV48C	9140184
14HPX-036-230	35600	15.7	13.2	32600	20400	3.52	2.52	8.5	CX34-43	EL296UH110XV60C	9140285
14HPX-036-230	35200	15.7	13.2	32400	20200	3.46	2.5	8.5	CX34-43	ML180UH070E36B	10589629
14HPX-036-230	35600	15.7	13.2	32600	20400	3.52	2.5	8.2	CX34-43	ML180UH090E48B	10589751
14HPX-036-230	35600	15.7	13.2	32600	20200	3.52	2.5	8.2	CX34-43	ML180UH090E60C	10589877
14HPX-036-230	35200	15.7	13.2	32400	20200	3.48	2.5	8.5	CX34-43	ML180UH110E60C	10590122
14HPX-036-230	35400	15.7	13.2	32400	20200	3.48	2.48	8.5	CX34-43	SL280UH090V36B	9140130

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-036-230	35400	15.7	13.2	32400	20200	3.46	2.48	8.5	CX34-43	SL280UH090V48B	9140004
14HPX-036-230	35800	15.1	13	32600	20400	3.54	2.52	8.2	CX34-43	SL280UH090V60C	9139983
14HPX-036-230	35400	15.7	13.2	32400	20200	3.46	2.48	8.5	CX34-43	SL280UH090XV48B	9139965
14HPX-036-230	35800	15.1	13	32600	20400	3.54	2.52	8.2	CX34-43	SL280UH090XV60C	9139944
14HPX-036-230	35600	15.1	13	32600	20400	3.5	2.48	8.2	CX34-43	SL280UH110V60C	9139972
14HPX-036-230	35600	15.1	13	32600	20400	3.5	2.48	8.2	CX34-43	SL280UH110XV60C	9139931
14HPX-036-230	35200	15	12.7	32800	20600	3.42	2.44	8.2	CX34-43	SLP98UH070XV36B	9140079
14HPX-036-230	35400	15.5	13.2	32600	20400	3.46	2.5	8.2	CX34-43	SLP98UH090XV36C	9140068
14HPX-036-230	35000	15.5	13.2	32400	20200	3.46	2.48	8.5	CX34-43	SLP98UH090XV48C	9140069
14HPX-036-230	35800	15.5	13.2	32800	20600	3.52	2.5	8.5	CX34-43	SLP98UH090XV60C	9140083
14HPX-036-230	35600	15.7	13.2	32600	20400	3.52	2.52	8.5	CX34-43	SLP98UH110XV60C	9140084
14HPX-036-230	34000	15	12.7	32400	20600	3.34	2.36	8.2	CX34-44/48	CBWMV-24B-040	9140112
14HPX-036-230	33800	15.2	12.7	32400	20600	3.34	2.38	8.2	CX34-44/48	CBWMV-36C-090	9140110
14HPX-036-230	33800	15.5	13	32200	20400	3.36	2.38	8.2	CX34-44/48	EL180UH070E36B	9140219
14HPX-036-230	34200	15.5	12.7	32400	20600	3.4	2.4	8.2	CX34-44/48	EL180UH090E48B	9140223
14HPX-036-230	34200	15.5	13	32400	20400	3.4	2.38	8.2	CX34-44/48	EL180UH090E60C	9140213
14HPX-036-230	34000	15.5	13	32200	20400	3.36	2.38	8.2	CX34-44/48	EL180UH110E60C	9140190
14HPX-036-230	34000	15.2	12.7	32400	20600	3.36	2.38	8.2	CX34-44/48	EL195UH090XE48C	9140089
14HPX-036-230	34200	15.5	12.7	32400	20600	3.4	2.4	8.2	CX34-44/48	EL195UH110XE60C	9140100
14HPX-036-230	34000	15.2	12.7	32400	20600	3.36	2.38	8.2	CX34-44/48	EL296UH090XE48C	9140171
14HPX-036-230	34000	15.2	12.7	32400	20600	3.36	2.38	8.2	CX34-44/48	EL296UH090XV36C	9140261
14HPX-036-230	34000	15.5	12.7	32200	20400	3.34	2.36	8.2	CX34-44/48	EL296UH090XV48C	9140273
14HPX-036-230	34400	15.2	12.7	32600	20800	3.42	2.4	8.2	CX34-44/48	EL296UH090XV60C	9140283
14HPX-036-230	34200	15.5	12.7	32400	20600	3.4	2.4	8.2	CX34-44/48	EL296UH110XE60C	9140162
14HPX-036-230	34200	15.5	13	32200	20400	3.38	2.38	8.2	CX34-44/48	EL296UH110XV48C	9140192
14HPX-036-230	34400	15.5	13	32400	20600	3.42	2.4	8.2	CX34-44/48	EL296UH110XV60C	9140284
14HPX-036-230	33800	15.5	13	32200	20400	3.36	2.38	8.2	CX34-44/48	ML180UH070E36B	10589636
14HPX-036-230	34200	15.5	12.7	32400	20600	3.4	2.4	8.2	CX34-44/48	ML180UH090E48B	10589750
14HPX-036-230	34200	15.5	13	32400	20400	3.4	2.38	8.2	CX34-44/48	ML180UH090E60C	10589869
14HPX-036-230	34000	15.5	13	32200	20400	3.36	2.38	8.2	CX34-44/48	ML180UH110E60C	10590121
14HPX-036-230	34000	15.5	12.7	32200	20400	3.36	2.38	8.2	CX34-44/48	SL280UH090V36B	9140129
14HPX-036-230	34000	15.2	12.7	32200	20400	3.36	2.36	8.2	CX34-44/48	SL280UH090V48B	9140005
14HPX-036-230	34400	15.1	12.5	32400	20600	3.42	2.4	8.2	CX34-44/48	SL280UH090V60C	9140011
14HPX-036-230	34000	15.2	12.7	32200	20400	3.36	2.36	8.2	CX34-44/48	SL280UH090XV48B	9139954
14HPX-036-230	34400	15.1	12.5	32400	20600	3.42	2.4	8.2	CX34-44/48	SL280UH090XV60C	9139950
14HPX-036-230	34200	15.1	12.5	32400	20600	3.38	2.38	8.2	CX34-44/48	SL280UH110V60C	9140006
14HPX-036-230	34200	15.1	12.5	32400	20600	3.38	2.38	8.2	CX34-44/48	SL280UH110XV60C	9139936
14HPX-036-230	34000	15.2	12.7	32400	20600	3.36	2.38	8.2	CX34-44/48	SLP98UH090XV36C	9140085
14HPX-036-230	34000	15.5	12.7	32200	20400	3.34	2.36	8.2	CX34-44/48	SLP98UH090XV48C	9140074
14HPX-036-230	34400	15.2	12.7	32600	20800	3.42	2.4	8.2	CX34-44/48	SLP98UH090XV60C	9140124
14HPX-036-230	34400	15.5	13	32400	20600	3.42	2.4	8.2	CX34-44/48	SLP98UH110XV60C	9140075
14HPX-036-230	34800	15.5	13	31400	20400	3.56	2.48	8.7	CX34-49	CBWMV-36C-090	9140091
14HPX-036-230	35200	15.7	13.2	31600	20400	3.64	2.52	8.7	CX34-49	EL180UH090E60C	9140235
14HPX-036-230	34800	15.7	13.2	31400	20200	3.62	2.5	8.7	CX34-49	EL180UH110E60C	9140189
14HPX-036-230	34800	15.5	13	31400	20400	3.58	2.5	8.7	CX34-49	EL195UH090XE48C	9140102
14HPX-036-230	35200	15.7	13.2	31600	20400	3.64	2.52	8.7	CX34-49	EL195UH110XE60C	9140101
14HPX-036-230	34800	15.5	13	31400	20400	3.58	2.5	8.7	CX34-49	EL296UH090XE48C	9140167
14HPX-036-230	35000	15.5	13.2	31600	20400	3.6	2.5	8.7	CX34-49	EL296UH090XV36C	9140248
14HPX-036-230	34800	15.7	13.2	31400	20200	3.58	2.48	8.7	CX34-49	EL296UH090XV48C	9140268
14HPX-036-230	35400	15.5	13	31800	20600	3.64	2.52	8.7	CX34-49	EL296UH090XV60C	9140272
14HPX-036-230	35200	15.7	13.2	31600	20400	3.64	2.52	8.7	CX34-49	EL296UH110XE60C	9140163
14HPX-036-230	35000	15.7	13.2	31400	20200	3.6	2.5	8.7	CX34-49	EL296UH110XV48C	9140178
14HPX-036-230	35200	15.7	13.2	31600	20400	3.64	2.52	8.7	CX34-49	EL296UH110XV60C	9140278
14HPX-036-230	35200	15.7	13.2	31600	20400	3.64	2.52	8.7	CX34-49	ML180UH090E60C	10589874
14HPX-036-230	34800	15.7	13.2	31400	20200	3.62	2.5	8.7	CX34-49	ML180UH110E60C	10590120
14HPX-036-230	35400	15.1	13	31600	20400	3.66	2.52	8.5	CX34-49	SL280UH090V60C	9140007
14HPX-036-230	35400	15.1	13	31600	20400	3.66	2.52	8.5	CX34-49	SL280UH090XV60C	9139951
14HPX-036-230	35200	15.1	13	31600	20400	3.62	2.5	8.5	CX34-49	SL280UH110V60C	9139996
14HPX-036-230	35200	15.1	13	31600	20400	3.62	2.5	8.5	CX34-49	SL280UH110XV60C	9139937
14HPX-036-230	35000	15.5	13.2	31600	20400	3.6	2.5	8.7	CX34-49	SLP98UH090XV36C	9140117
14HPX-036-230	34800	15.7	13.2	31400	20200	3.58	2.48	8.7	CX34-49	SLP98UH090XV48C	9140118



# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-036-230	35400	15.5	13	31800	20600	3.64	2.52	8.7	CX34-49	SLP98UH090XV60C	9140119
14HPX-036-230	35200	15.7	13.2	31600	20400	3.64	2.52	8.7	CX34-49	SLP98UH110XV60C	9140132
14HPX-036-230	34400	14.2	12	32200	21000	3.4	2.36	8.2	CX34-49		9139916
14HPX-036-230	34200	15.2	12.7	31400	20400	3.54	2.48	8.7	CX34-50/60C	CBWMV-36C-090	9140113
14HPX-036-230	34600	15.5	13	31400	20200	3.6	2.5	8.7	CX34-50/60C	EL180UH090E60C	9140226
14HPX-036-230	34200	15.5	13	31200	20200	3.56	2.5	8.7	CX34-50/60C	EL180UH110E60C	9140199
14HPX-036-230	34200	15.2	12.7	31400	20400	3.56	2.5	8.7	CX34-50/60C	EL195UH090XE48C	9140103
14HPX-036-230	34600	15.5	13	31600	20400	3.6	2.5	8.7	CX34-50/60C	EL195UH110XE60C	9140114
14HPX-036-230	34200	15.2	12.7	31400	20400	3.56	2.5	8.7	CX34-50/60C	EL296UH090XE48C	9140153
14HPX-036-230	34400	15.2	12.7	31400	20400	3.56	2.5	8.7	CX34-50/60C	EL296UH090XV36C	9140251
14HPX-036-230	34200	15.2	13	31200	20200	3.54	2.48	8.7	CX34-50/60C	EL296UH090XV48C	9140263
14HPX-036-230	34600	15.5	13	31600	20400	3.6	2.5	8.7	CX34-50/60C	EL296UH110XE60C	9140174
14HPX-036-230	34400	15.5	13	31400	20200	3.58	2.5	8.7	CX34-50/60C	EL296UH110XV48C	9140191
14HPX-036-230	34600	15.5	13	31600	20400	3.62	2.52	8.7	CX34-50/60C	EL296UH110XV60C	9140289
14HPX-036-230	34600	15.5	13	31400	20200	3.6	2.5	8.7	CX34-50/60C	ML180UH090E60C	10589871
14HPX-036-230	34200	15.5	13	31200	20200	3.56	2.5	8.7	CX34-50/60C	ML180UH110E60C	10590125
14HPX-036-230	34800	15.1	12.5	31600	20400	3.64	2.52	8.5	CX34-50/60C	SL280UH090V60C	9139925
14HPX-036-230	34800	15.1	12.5	31600	20400	3.64	2.52	8.5	CX34-50/60C	SL280UH090XV60C	9139959
14HPX-036-230	34600	15.2	12.5	31600	20400	3.58	2.5	8.5	CX34-50/60C	SL280UH110V60C	9139926
14HPX-036-230	34600	15.2	12.5	31600	20400	3.58	2.5	8.5	CX34-50/60C	SL280UH110XV60C	9139947
14HPX-036-230	34400	15.2	12.7	31400	20400	3.56	2.5	8.7	CX34-50/60C	SLP98UH090XV36C	9140029
14HPX-036-230	34200	15.2	13	31200	20200	3.54	2.48	8.7	CX34-50/60C	SLP98UH090XV48C	9140052
14HPX-036-230	34600	15.5	13	31600	20400	3.62	2.52	8.7	CX34-50/60C	SLP98UH110XV60C	9140133
14HPX-036-230	33800	14	11.7	32000	21000	3.34	2.36	8.2	CX34-50/60C		9139920
14HPX-036-230	34200	15	12.5	32800	20800	3.44	2.4	8.2	CX38-38A	EL180UH045E36A	10085825
14HPX-036-230	34200	15	12.5	32800	20800	3.44	2.4	8.2	CX38-38A	ML180UH045E36A	10589576
14HPX-036-230	34200	15	12.5	32800	20800	3.42	2.4	8.2	CX38-38A	SL280UH070V36A	10085764
14HPX-036-230	34200	15	12.5	32800	20800	3.42	2.4	8.2	CX38-38A	SL280UH070XV36A	10085668
14HPX-036-230	34200	15.2	12.7	32600	20800	3.44	2.44	8.2	CX38-38B	CBWMV-24B-040	10085733
14HPX-036-230	34200	15.2	12.7	32600	20800	3.44	2.42	8.2	CX38-38B	CBWMV-36B-070	10085725
14HPX-036-230	34200	15.7	13	32400	20400	3.5	2.46	8.5	CX38-38B	EL180UH070E36B	10085822
14HPX-036-230	34600	15.5	13	32600	20600	3.52	2.46	8.5	CX38-38B	EL180UH090E48B	10085821
14HPX-036-230	33800	15	12.5	32600	20600	3.36	2.38	8.2	CX38-38B	EL195UH045XE36B	10085697
14HPX-036-230	34000	15	12.5	32600	20800	3.42	2.42	8.2	CX38-38B	EL195UH070XE36B	10085695
14HPX-036-230	33800	15	12.5	32600	20600	3.36	2.38	8.2	CX38-38B	EL296UH045XE36B	10085777
14HPX-036-230	34200	15	12.5	32800	20800	3.42	2.4	8.2	CX38-38B	EL296UH045XV36B	10085833
14HPX-036-230	34000	15	12.5	32600	20800	3.42	2.42	8.2	CX38-38B	EL296UH070XE36B	10085775
14HPX-036-230	34200	15	12.5	32800	20800	3.44	2.4	8.2	CX38-38B	EL296UH070XV36B	10085839
14HPX-036-230	34200	15.7	13	32400	20400	3.5	2.46	8.5	CX38-38B	ML180UH070E36B	10589662
14HPX-036-230	34600	15.5	13	32600	20600	3.52	2.46	8.5	CX38-38B	ML180UH090E48B	10589778
14HPX-036-230	34400	15.7	13	32600	20600	3.5	2.46	8.2	CX38-38B	SL280UH090V36B	10085767
14HPX-036-230	34400	15.5	13	32600	20600	3.5	2.44	8.2	CX38-38B	SL280UH090V48B	10085684
14HPX-036-230	34400	15.5	13	32600	20600	3.5	2.44	8.2	CX38-38B	SL280UH090XV48B	10085670
14HPX-036-230	34200	15	12.5	32800	20800	3.44	2.4	8.2	CX38-38B	SLP98UH070XV36B	10085723
14HPX-036-230	35200	15.2	13	32600	20400	3.44	2.46	8.2	CX38-43B	CBWMV-24B-040	10085763
14HPX-036-230	35200	15.2	13	32600	20400	3.42	2.46	8.2	CX38-43B	CBWMV-36B-070	10085746
14HPX-036-230	35200	15.7	13.2	32400	20200	3.46	2.5	8.5	CX38-43B	EL180UH070E36B	10085811
14HPX-036-230	35600	15.7	13.2	32600	20400	3.52	2.5	8.2	CX38-43B	EL180UH090E48B	10085827
14HPX-036-230	34800	15	12.7	32400	20400	3.34	2.42	8.2	CX38-43B	EL195UH045XE36B	10085693
14HPX-036-230	35000	15	12.7	32600	20400	3.4	2.44	8.2	CX38-43B	EL195UH070XE36B	10085696
14HPX-036-230	34800	15	12.7	32400	20400	3.34	2.42	8.2	CX38-43B	EL296UH045XE36B	10085795
14HPX-036-230	35200	15	12.7	32800	20400	3.42	2.44	8.2	CX38-43B	EL296UH045XV36B	10085836
14HPX-036-230	35000	15	12.7	32600	20400	3.4	2.44	8.2	CX38-43B	EL296UH070XE36B	10085786
14HPX-036-230	35200	15	12.7	32800	20600	3.42	2.44	8.2	CX38-43B	EL296UH070XV36B	10085840
14HPX-036-230	35200	15.7	13.2	32400	20200	3.46	2.5	8.5	CX38-43B	ML180UH070E36B	10589658
14HPX-036-230	35600	15.7	13.2	32600	20400	3.52	2.5	8.2	CX38-43B	ML180UH090E48B	10589780
14HPX-036-230	35400	15.7	13.2	32400	20200	3.48	2.48	8.5	CX38-43B	SL280UH090V36B	10085766
14HPX-036-230	35400	15.7	13.2	32400	20200	3.46	2.48	8.5	CX38-43B	SL280UH090V48B	10085685
14HPX-036-230	35400	15.7	13.2	32400	20200	3.46	2.48	8.5	CX38-43B	SL280UH090XV48B	10085671
14HPX-036-230	35200	15	12.7	32800	20600	3.42	2.44	8.2	CX38-43B	SLP98UH070XV36B	10085724
14HPX-036-230	35200	15.5	13	32600	20400	3.46	2.48	8.2	CX38-43C	CBWMV-36C-090	10085759

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-036-230	35600	15.7	13.2	32600	20200	3.52	2.5	8.2	CX38-43C	EL180UH090E60C	10085838
14HPX-036-230	35200	15.7	13.2	32400	20200	3.48	2.5	8.5	CX38-43C	EL180UH110E60C	10085807
14HPX-036-230	35200	15.5	13.2	32600	20400	3.48	2.48	8.2	CX38-43C	EL195UH090XE48C	10085731
14HPX-036-230	35600	15.7	13.2	32600	20400	3.52	2.5	8.2	CX38-43C	EL195UH110XE60C	10085740
14HPX-036-230	35200	15.5	13.2	32600	20400	3.48	2.48	8.2	CX38-43C	EL296UH090XE48C	10085791
14HPX-036-230	35400	15.5	13.2	32600	20400	3.46	2.5	8.2	CX38-43C	EL296UH090XV36C	10085849
14HPX-036-230	35000	15.5	13.2	32400	20200	3.46	2.48	8.5	CX38-43C	EL296UH090XV48C	10085761
14HPX-036-230	35800	15.5	13.2	32800	20600	3.52	2.5	8.5	CX38-43C	EL296UH090XV60C	10085860
14HPX-036-230	35600	15.7	13.2	32600	20400	3.52	2.5	8.2	CX38-43C	EL296UH110XE60C	10085779
14HPX-036-230	35400	15.7	13.2	32400	20200	3.48	2.48	8.5	CX38-43C	EL296UH110XV48C	10085801
14HPX-036-230	35600	15.7	13.2	32600	20400	3.52	2.52	8.5	CX38-43C	EL296UH110XV60C	10085865
14HPX-036-230	35600	15.7	13.2	32600	20200	3.52	2.5	8.2	CX38-43C	ML180UH090E60C	10589944
14HPX-036-230	35200	15.7	13.2	32400	20200	3.48	2.5	8.5	CX38-43C	ML180UH110E60C	10590191
14HPX-036-230	35800	15.1	13	32600	20400	3.54	2.52	8.2	CX38-43C	SL280UH090V60C	10085682
14HPX-036-230	35800	15.1	13	32600	20400	3.54	2.52	8.2	CX38-43C	SL280UH090XV60C	10085656
14HPX-036-230	35600	15.1	13	32600	20400	3.5	2.48	8.2	CX38-43C	SL280UH110V60C	10085675
14HPX-036-230	35600	15.1	13	32600	20400	3.5	2.48	8.2	CX38-43C	SL280UH110XV60C	10085648
14HPX-036-230	35400	15.5	13.2	32600	20400	3.46	2.5	8.2	CX38-43C	SLP98UH090XV36C	10085719
14HPX-036-230	35000	15.5	13.2	32400	20200	3.46	2.48	8.5	CX38-43C	SLP98UH090XV48C	10085720
14HPX-036-230	35800	15.5	13.2	32800	20600	3.52	2.5	8.5	CX38-43C	SLP98UH090XV60C	10085728
14HPX-036-230	35600	15.7	13.2	32600	20400	3.52	2.52	8.5	CX38-43C	SLP98UH110XV60C	10085729
14HPX-036-230	34000	15	12.7	32400	20600	3.34	2.36	8.2	CX38-44/48B	CBWMV-24B-040	10085751
14HPX-036-230	33800	15.5	13	32200	20400	3.36	2.38	8.2	CX38-44/48B	EL180UH070E36B	10085824
14HPX-036-230	34200	15.5	12.7	32400	20600	3.4	2.4	8.2	CX38-44/48B	EL180UH090E48B	10085826
14HPX-036-230	33800	15.5	13	32200	20400	3.36	2.38	8.2	CX38-44/48B	ML180UH070E36B	10589663
14HPX-036-230	34200	15.5	12.7	32400	20600	3.4	2.4	8.2	CX38-44/48B	ML180UH090E48B	10589779
14HPX-036-230	34000	15.5	12.7	32200	20400	3.36	2.38	8.2	CX38-44/48B	SL280UH090V36B	10085765
14HPX-036-230	34000	15.2	12.7	32200	20400	3.36	2.36	8.2	CX38-44/48B	SL280UH090V48B	10085686
14HPX-036-230	34000	15.2	12.7	32200	20400	3.36	2.36	8.2	CX38-44/48B	SL280UH090XV48B	10085663
14HPX-036-230	33800	15.2	12.7	32400	20600	3.34	2.38	8.2	CX38-44/48C	CBWMV-36C-090	10085749
14HPX-036-230	34200	15.5	13	32400	20400	3.4	2.38	8.2	CX38-44/48C	EL180UH090E60C	10085820
14HPX-036-230	34000	15.5	13	32200	20400	3.36	2.38	8.2	CX38-44/48C	EL180UH110E60C	10085804
14HPX-036-230	34000	15.2	12.7	32400	20600	3.36	2.38	8.2	CX38-44/48C	EL195UH090XE48C	10085732
14HPX-036-230	34200	15.5	12.7	32400	20600	3.4	2.4	8.2	CX38-44/48C	EL195UH110XE60C	10085741
14HPX-036-230	34000	15.2	12.7	32400	20600	3.36	2.38	8.2	CX38-44/48C	EL296UH090XE48C	10085792
14HPX-036-230	34000	15.2	12.7	32400	20600	3.36	2.38	8.2	CX38-44/48C	EL296UH090XV36C	10085853
14HPX-036-230	34000	15.5	12.7	32200	20400	3.34	2.36	8.2	CX38-44/48C	EL296UH090XV48C	10085859
14HPX-036-230	34400	15.2	12.7	32600	20800	3.42	2.4	8.2	CX38-44/48C	EL296UH090XV60C	10086655
14HPX-036-230	34200	15.5	12.7	32400	20600	3.4	2.4	8.2	CX38-44/48C	EL296UH110XE60C	10085784
14HPX-036-230	34200	15.5	13	32200	20400	3.38	2.38	8.2	CX38-44/48C	EL296UH110XV48C	10085806
14HPX-036-230	34400	15.5	13	32400	20600	3.42	2.4	8.2	CX38-44/48C	EL296UH110XV60C	10085864
14HPX-036-230	34200	15.5	13	32400	20400	3.4	2.38	8.2	CX38-44/48C	ML180UH090E60C	10589938
14HPX-036-230	34000	15.5	13	32200	20400	3.36	2.38	8.2	CX38-44/48C	ML180UH110E60C	10590190
14HPX-036-230	34400	15.1	12.5	32400	20600	3.42	2.4	8.2	CX38-44/48C	SL280UH090V60C	10085692
14HPX-036-230	34400	15.1	12.5	32400	20600	3.42	2.4	8.2	CX38-44/48C	SL280UH090XV60C	10085661
14HPX-036-230	34200	15.1	12.5	32400	20600	3.38	2.38	8.2	CX38-44/48C	SL280UH110V60C	10085687
14HPX-036-230	34200	15.1	12.5	32400	20600	3.38	2.38	8.2	CX38-44/48C	SL280UH110XV60C	10085652
14HPX-036-230	34000	15.2	12.7	32400	20600	3.36	2.38	8.2	CX38-44/48C	SLP98UH090XV36C	10085730
14HPX-036-230	34000	15.5	12.7	32200	20400	3.34	2.36	8.2	CX38-44/48C	SLP98UH090XV48C	10085721
14HPX-036-230	34400	15.2	12.7	32600	20800	3.42	2.4	8.2	CX38-44/48C	SLP98UH090XV60C	10086652
14HPX-036-230	34400	15.5	13	32400	20600	3.42	2.4	8.2	CX38-44/48C	SLP98UH110XV60C	10085722
14HPX-036-230	34800	15.5	13	31400	20400	3.56	2.48	8.7	CX38-49C	CBWMV-36C-090	10085734
14HPX-036-230	35200	15.7	13.2	31600	20400	3.64	2.52	8.7	CX38-49C	EL180UH090E60C	10085835
14HPX-036-230	34800	15.7	13.2	31400	20200	3.62	2.5	8.7	CX38-49C	EL180UH110E60C	10085803
14HPX-036-230	34800	15.5	13	31400	20400	3.58	2.5	8.7	CX38-49C	EL195UH090XE48C	10085743
14HPX-036-230	35200	15.7	13.2	31600	20400	3.64	2.52	8.7	CX38-49C	EL195UH110XE60C	10085742
14HPX-036-230	34800	15.5	13	31400	20400	3.58	2.5	8.7	CX38-49C	EL296UH090XE48C	10085789
14HPX-036-230	35000	15.5	13.2	31600	20400	3.6	2.5	8.7	CX38-49C	EL296UH090XV36C	10085843
14HPX-036-230	34800	15.7	13.2	31400	20200	3.58	2.48	8.7	CX38-49C	EL296UH090XV48C	10085855
14HPX-036-230	35400	15.5	13	31800	20600	3.64	2.52	8.7	CX38-49C	EL296UH090XV60C	10085858
14HPX-036-230	35200	15.7	13.2	31600	20400	3.64	2.52	8.7	CX38-49C	EL296UH110XE60C	10085785

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-036-230	35000	15.7	13.2	31400	20200	3.6	2.5	8.7	CX38-49C	EL296UH110XV48C	10085797
14HPX-036-230	35200	15.7	13.2	31600	20400	3.64	2.52	8.7	CX38-49C	EL296UH110XV60C	10085862
14HPX-036-230	35200	15.7	13.2	31600	20400	3.64	2.52	8.7	CX38-49C	ML180UH090E60C	10589942
14HPX-036-230	34800	15.7	13.2	31400	20200	3.62	2.5	8.7	CX38-49C	ML180UH110E60C	10590189
14HPX-036-230	35400	15.1	13	31600	20400	3.66	2.52	8.5	CX38-49C	SL280UH090V60C	10085688
14HPX-036-230	35400	15.1	13	31600	20400	3.66	2.52	8.5	CX38-49C	SL280UH090XV60C	10085662
14HPX-036-230	35200	15.1	13	31600	20400	3.62	2.5	8.5	CX38-49C	SL280UH110V60C	10085683
14HPX-036-230	35200	15.1	13	31600	20400	3.62	2.5	8.5	CX38-49C	SL280UH110XV60C	10085653
14HPX-036-230	34600	14.2	12	31800	20800	3.46	2.42	8.2	CX38-49C	SLO185UF79/10542	10086656
14HPX-036-230	35000	15.5	13.2	31600	20400	3.6	2.5	8.7	CX38-49C	SLP98UH090XV36C	10085756
14HPX-036-230	34800	15.7	13.2	31400	20200	3.58	2.48	8.7	CX38-49C	SLP98UH090XV48C	10085757
14HPX-036-230	35400	15.5	13	31800	20600	3.64	2.52	8.7	CX38-49C	SLP98UH090XV60C	10085758
14HPX-036-230	35200	15.7	13.2	31600	20400	3.64	2.52	8.7	CX38-49C	SLP98UH110XV60C	10085768
14HPX-036-230	34400	14.2	12	32200	21000	3.4	2.36	8.2	CX38-49C		10084148
14HPX-036-230	34200	15.2	12.7	31400	20400	3.54	2.48	8.7	CX38-50/60C	CBWMV-36C-090	10085752
14HPX-036-230	34600	15.5	13	31400	20200	3.6	2.5	8.7	CX38-50/60C	EL180UH090E60C	10085828
14HPX-036-230	34200	15.5	13	31200	20200	3.56	2.5	8.7	CX38-50/60C	EL180UH110E60C	10085810
14HPX-036-230	34200	15.2	12.7	31400	20400	3.56	2.5	8.7	CX38-50/60C	EL195UH090XE48C	10085744
14HPX-036-230	34600	15.5	13	31600	20400	3.6	2.5	8.7	CX38-50/60C	EL195UH110XE60C	10085753
14HPX-036-230	34200	15.2	12.7	31400	20400	3.56	2.5	8.7	CX38-50/60C	EL296UH090XE48C	10085778
14HPX-036-230	34400	15.2	12.7	31400	20400	3.56	2.5	8.7	CX38-50/60C	EL296UH090XV36C	10085845
14HPX-036-230	34200	15.2	13	31200	20200	3.54	2.48	8.7	CX38-50/60C	EL296UH090XV48C	10085854
14HPX-036-230	34600	15.5	13	31600	20400	3.6	2.5	8.7	CX38-50/60C	EL296UH110XE60C	10085794
14HPX-036-230	34400	15.5	13	31400	20200	3.58	2.5	8.7	CX38-50/60C	EL296UH110XV48C	10085805
14HPX-036-230	34600	15.5	13	31600	20400	3.62	2.52	8.7	CX38-50/60C	EL296UH110XV60C	10085868
14HPX-036-230	34600	15.5	13	31400	20200	3.6	2.5	8.7	CX38-50/60C	ML180UH090E60C	10589939
14HPX-036-230	34200	15.5	13	31200	20200	3.56	2.5	8.7	CX38-50/60C	ML180UH110E60C	10590193
14HPX-036-230	34800	15.1	12.5	31600	20400	3.64	2.52	8.5	CX38-50/60C	SL280UH090V60C	10085645
14HPX-036-230	34800	15.1	12.5	31600	20400	3.64	2.52	8.5	CX38-50/60C	SL280UH090XV60C	10085666
14HPX-036-230	34600	15.2	12.5	31600	20400	3.58	2.5	8.5	CX38-50/60C	SL280UH110V60C	10085646
14HPX-036-230	34600	15.2	12.5	31600	20400	3.58	2.5	8.5	CX38-50/60C	SL280UH110XV60C	10085659
14HPX-036-230	34400	15.2	12.7	31400	20400	3.56	2.5	8.7	CX38-50/60C	SLP98UH090XV36C	10085701
14HPX-036-230	34200	15.2	13	31200	20200	3.54	2.48	8.7	CX38-50/60C	SLP98UH090XV48C	10085716
14HPX-036-230	34600	15.5	13	31600	20400	3.62	2.52	8.7	CX38-50/60C	SLP98UH110XV60C	10085769
14HPX-036-230	33800	14	11.7	32000	21000	3.34	2.36	8.2	CX38-50/60C		10084150
14HPX-042-230	43500	15.5	13	41500	26600	3.56	2.46	8.5	C33-49	CBWMV-36C-090	10491253
14HPX-042-230	44000	15.5	13.2	41500	26600	3.6	2.48	8.5	C33-49	CBWMV-60C-100	10491276
14HPX-042-230	44000	15.5	13.2	41500	26600	3.6	2.48	8.5	C33-49	EL180UH090E60C	10491395
14HPX-042-230	44000	15.5	13.2	41500	26600	3.58	2.48	8.5	C33-49	EL180UH110E60C	10491375
14HPX-042-230	43500	15.2	13	41500	26600	3.66	2.58	8.5	C33-49	EL195UH090XE48C	10491215
14HPX-042-230	44000	15.2	13	42000	27000	3.74	2.62	8.5	C33-49	EL195UH110XE60C	10491249
14HPX-042-230	43500	15.2	13	41500	26600	3.66	2.58	8.5	C33-49	EL296UH090XE48C	10491359
14HPX-042-230	43500	15.5	13	41500	26600	3.56	2.46	8.5	C33-49	EL296UH090XV36C	10491338
14HPX-042-230	43500	15.5	13.2	41500	26600	3.58	2.48	8.5	C33-49	EL296UH090XV48C	10491337
14HPX-042-230	44000	15.5	13	42000	26800	3.64	2.48	8.7	C33-49	EL296UH090XV60C	10491302
14HPX-042-230	44000	15.2	13	42000	27000	3.74	2.62	8.5	C33-49	EL296UH110XE60C	10491360
14HPX-042-230	44000	15.7	13.2	41500	26600	3.6	2.48	8.7	C33-49	EL296UH110XV48C	10491309
14HPX-042-230	44000	15.7	13.2	41500	26600	3.6	2.48	8.7	C33-49	EL296UH110XV60C	10491306
14HPX-042-230	44000	15.5	13.2	41500	26600	3.6	2.48	8.5	C33-49	ML180UH090E60C	10590010
14HPX-042-230	44000	15.5	13.2	41500	26600	3.58	2.48	8.5	C33-49	ML180UH110E60C	10590260
14HPX-042-230	44000	15.7	13.2	41500	26600	3.64	2.52	8.7	C33-49	SL280UH090V60C	10491161
14HPX-042-230	44000	15.7	13.2	41500	26600	3.64	2.52	8.7	C33-49	SL280UH090XV60C	10491187
14HPX-042-230	44000	15.5	13.2	41500	26800	3.58	2.48	8.5	C33-49	SL280UH110V60C	10491162
14HPX-042-230	44000	15.5	13.2	41500	26800	3.58	2.48	8.5	C33-49	SL280UH110XV60C	10491172
14HPX-042-230	43500	15.5	13	41500	26600	3.56	2.46	8.5	C33-49	SLP98UH090XV36C	10491217
14HPX-042-230	43500	15.5	13.2	41500	26600	3.58	2.48	8.5	C33-49	SLP98UH090XV48C	10491219
14HPX-042-230	44000	15.5	13	42000	26800	3.64	2.48	8.7	C33-49	SLP98UH090XV60C	10491212
14HPX-042-230	44000	15.7	13.2	41500	26600	3.6	2.48	8.7	C33-49	SLP98UH110XV60C	10491229
14HPX-042-230	43500	14.5	12.2	42000	27400	3.42	2.4	8.2	C33-49		10491145
14HPX-042-230	42500	15	12.7	41500	26200	3.82	2.66	9.2	C33-60D	EL180UH135E60D	10491396
14HPX-042-230	42500	14.7	12.7	41500	26400	3.6	2.5	8.7	C33-60D	EL195UH135XE60D	10491257

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-042-230	42500	14.7	12.7	41500	26400	3.6	2.5	8.7	C33-60D	EL296UH135XE60D	10491367
14HPX-042-230	44000	15.7	13.2	42000	26800	3.66	2.54	8.7	C33-60D	EL296UH135XV60D	10491322
14HPX-042-230	42500	15	12.7	41500	26200	3.82	2.66	9.2	C33-60D	ML180UH135E60D	10590451
14HPX-042-230	44000	15.7	13.5	41500	26600	3.64	2.54	8.7	C33-60D	SL280UH135V60D	10491192
14HPX-042-230	44000	15.7	13.2	41500	26800	3.64	2.56	8.7	C33-60D	SLP98UH135XV60D	10491218
14HPX-042-230	43000	14.5	12.2	42500	27400	3.46	2.42	8.2	C33-60D		10491146
14HPX-042-230	43500	15.7	13.2	42500	26800	3.58	2.6	8.7	C33-62C	CBWMV-36C-090	10491260
14HPX-042-230	44000	15.7	13.2	42500	27000	3.62	2.62	8.7	C33-62C	CBWMV-60C-100	10491261
14HPX-042-230	43000	15.2	13	41500	26400	3.92	2.74	9.5	C33-62C	EL180UH090E60C	10491392
14HPX-042-230	43000	15.2	13	41500	26400	3.9	2.74	9.5	C33-62C	EL180UH110E60C	10491380
14HPX-042-230	43000	15	13	41500	26400	3.56	2.58	8.7	C33-62C	EL195UH090XE48C	10491216
14HPX-042-230	43000	15	13	41500	26400	3.64	2.6	8.7	C33-62C	EL195UH110XE60C	10491250
14HPX-042-230	43000	15	13	41500	26400	3.56	2.58	8.7	C33-62C	EL296UH090XE48C	10491345
14HPX-042-230	43500	15.7	13	42500	27000	3.56	2.6	8.7	C33-62C	EL296UH090XV36C	10491299
14HPX-042-230	43500	15.7	13.2	42500	27000	3.6	2.62	8.7	C33-62C	EL296UH090XV48C	10491330
14HPX-042-230	44000	15.7	13	42500	27200	3.62	2.62	8.7	C33-62C	EL296UH090XV60C	10491332
14HPX-042-230	43000	15	13	41500	26400	3.64	2.6	8.7	C33-62C	EL296UH110XE60C	10491346
14HPX-042-230	44000	15.7	13.2	42500	27000	3.62	2.62	8.7	C33-62C	EL296UH110XV48C	10491355
14HPX-042-230	44000	15.7	13.2	42500	27000	3.62	2.64	8.7	C33-62C	EL296UH110XV60C	10491341
14HPX-042-230	43000	15.2	13	41500	26400	3.92	2.74	9.5	C33-62C	ML180UH090E60C	10590007
14HPX-042-230	43000	15.2	13	41500	26400	3.9	2.74	9.5	C33-62C	ML180UH110E60C	10590262
14HPX-042-230	44000	16	13	42500	26800	3.68	2.64	8.5	C33-62C	SL280UH090V60C	10491163
14HPX-042-230	44000	16	13	42500	26800	3.68	2.64	8.5	C33-62C	SL280UH090XV60C	10491176
14HPX-042-230	43500	15.7	13	42500	27000	3.6	2.6	8.7	C33-62C	SL280UH110V60C	10491164
14HPX-042-230	43500	15.7	13	42500	27000	3.6	2.6	8.7	C33-62C	SL280UH110XV60C	10491173
14HPX-042-230	43500	15.7	13	42500	27000	3.56	2.6	8.7	C33-62C	SLP98UH090XV36C	10491220
14HPX-042-230	43500	15.7	13.2	42500	27000	3.6	2.62	8.7	C33-62C	SLP98UH090XV48C	10491221
14HPX-042-230	44000	15.7	13	42500	27200	3.62	2.62	8.7	C33-62C	SLP98UH090XV60C	10491222
14HPX-042-230	44000	15.7	13.2	42500	27000	3.62	2.64	8.7	C33-62C	SLP98UH110XV60C	10491223
14HPX-042-230	43000	14.7	12.2	43000	27600	3.44	2.5	8.5	C33-62C		10491144
14HPX-042-230	43000	15.2	13	41500	26200	3.84	2.68	9.2	C33-62D	EL180UH135E60D	10491397
14HPX-042-230	42500	14.7	12.7	41500	26400	3.64	2.5	8.7	C33-62D	EL195UH135XE60D	10491258
14HPX-042-230	42500	14.7	12.7	41500	26400	3.64	2.5	8.7	C33-62D	EL296UH135XE60D	10491358
14HPX-042-230	43500	15.5	13	42000	27000	3.72	2.56	8.7	C33-62D	EL296UH135XV60D	10491298
14HPX-042-230	43000	15.2	13	41500	26200	3.84	2.68	9.2	C33-62D	ML180UH135E60D	10590452
14HPX-042-230	43500	15.7	13.2	41500	26800	3.7	2.56	8.7	C33-62D	SL280UH135V60D	10491165
14HPX-042-230	43500	15.5	13.2	41500	26800	3.7	2.56	8.7	C33-62D	SLP98UH135XV60D	10491235
14HPX-042-230	43000	14.2	12.2	42500	27600	3.52	2.44	8.5	C33-62D		10491147
14HPX-042-230	43500	15.5	13	41500	26600	3.56	2.46	8.5	C37-49C	CBWMV-36C-090	10491440
14HPX-042-230	44000	15.5	13.2	41500	26600	3.6	2.48	8.5	C37-49C	CBWMV-60C-100	10491449
14HPX-042-230	44000	15.5	13.2	41500	26600	3.6	2.48	8.5	C37-49C	EL180UH090E60C	10491487
14HPX-042-230	44000	15.5	13.2	41500	26600	3.58	2.48	8.5	C37-49C	EL180UH110E60C	10491482
14HPX-042-230	43500	15.2	13	41500	26600	3.66	2.58	8.5	C37-49C	EL195UH090XE48C	10491426
14HPX-042-230	44000	15.2	13	42000	27000	3.74	2.62	8.5	C37-49C	EL195UH110XE60C	10491438
14HPX-042-230	43500	15.2	13	41500	26600	3.66	2.58	8.5	C37-49C	EL296UH090XE48C	10491477
14HPX-042-230	43500	15.5	13	41500	26600	3.56	2.46	8.5	C37-49C	EL296UH090XV36C	10491468
14HPX-042-230	43500	15.5	13.2	41500	26600	3.58	2.48	8.5	C37-49C	EL296UH090XV48C	10491467
14HPX-042-230	44000	15.5	13	42000	26800	3.64	2.48	8.7	C37-49C	EL296UH090XV60C	10491457
14HPX-042-230	44000	15.2	13	42000	27000	3.74	2.62	8.5	C37-49C	EL296UH110XE60C	10491478
14HPX-042-230	44000	15.7	13.2	41500	26600	3.6	2.48	8.7	C37-49C	EL296UH110XV48C	10491461
14HPX-042-230	44000	15.7	13.2	41500	26600	3.6	2.48	8.7	C37-49C	EL296UH110XV60C	10491459
14HPX-042-230	44000	15.5	13.2	41500	26600	3.6	2.48	8.5	C37-49C	ML180UH090E60C	10590016
14HPX-042-230	44000	15.5	13.2	41500	26600	3.58	2.48	8.5	C37-49C	ML180UH110E60C	10590267
14HPX-042-230	44000	15.7	13.2	41500	26600	3.64	2.52	8.7	C37-49C	SL280UH090V60C	10491410
14HPX-042-230	44000	15.7	13.2	41500	26600	3.64	2.52	8.7	C37-49C	SL280UH090XV60C	10491420
14HPX-042-230	44000	15.5	13.2	41500	26800	3.58	2.48	8.5	C37-49C	SL280UH110V60C	10491411
14HPX-042-230	44000	15.5	13.2	41500	26800	3.58	2.48	8.5	C37-49C	SL280UH110XV60C	10491415
14HPX-042-230	43500	15.5	13	41500	26600	3.56	2.46	8.5	C37-49C	SLP98UH090XV36C	10491428
14HPX-042-230	43500	15.5	13.2	41500	26600	3.58	2.48	8.5	C37-49C	SLP98UH090XV48C	10491430
14HPX-042-230	44000	15.5	13	42000	26800	3.64	2.48	8.7	C37-49C	SLP98UH090XV60C	10491425
14HPX-042-230	44000	15.7	13.2	41500	26600	3.6	2.48	8.7	C37-49C	SLP98UH110XV60C	10491435

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-042-230	43500	14.5	12.2	42000	27400	3.42	2.4	8.2	C37-49C		10491405
14HPX-042-230	42500	15	12.7	41500	26200	3.82	2.66	9.2	C37-60D	EL180UH135E60D	10491488
14HPX-042-230	42500	14.7	12.7	41500	26400	3.6	2.5	8.7	C37-60D	EL195UH135XE60D	10491441
14HPX-042-230	42500	14.7	12.7	41500	26400	3.6	2.5	8.7	C37-60D	EL296UH135XE60D	10491480
14HPX-042-230	44000	15.7	13.2	42000	26800	3.66	2.54	8.7	C37-60D	EL296UH135XV60D	10491463
14HPX-042-230	42500	15	12.7	41500	26200	3.82	2.66	9.2	C37-60D	ML180UH135E60D	10590454
14HPX-042-230	44000	15.7	13.5	41500	26600	3.64	2.54	8.7	C37-60D	SL280UH135V60D	10491421
14HPX-042-230	44000	15.7	13.2	41500	26800	3.64	2.56	8.7	C37-60D	SLP98UH135XV60D	10491429
14HPX-042-230	43000	14.5	12.2	42500	27400	3.46	2.42	8.2	C37-60D		10491406
14HPX-042-230	43500	15.7	13.2	42500	26800	3.58	2.6	8.7	C37-62C	CBWMV-36C-090	10491443
14HPX-042-230	44000	15.7	13.2	42500	27000	3.62	2.62	8.7	C37-62C	CBWMV-60C-100	10491444
14HPX-042-230	43000	15.2	13	41500	26400	3.92	2.74	9.5	C37-62C	EL180UH090E60C	10491486
14HPX-042-230	43000	15.2	13	41500	26400	3.9	2.74	9.5	C37-62C	EL180UH110E60C	10491484
14HPX-042-230	43000	15	13	41500	26400	3.56	2.58	8.7	C37-62C	EL195UH090XE48C	10491427
14HPX-042-230	43000	15	13	41500	26400	3.64	2.6	8.7	C37-62C	EL195UH110XE60C	10491439
14HPX-042-230	43000	15	13	41500	26400	3.56	2.58	8.7	C37-62C	EL296UH090XE48C	10491472
14HPX-042-230	43500	15.7	13	42500	27000	3.56	2.6	8.7	C37-62C	EL296UH090XV36C	10491456
14HPX-042-230	43500	15.7	13.2	42500	27000	3.6	2.62	8.7	C37-62C	EL296UH090XV48C	10491465
14HPX-042-230	44000	15.7	13	42500	27200	3.62	2.62	8.7	C37-62C	EL296UH090XV60C	10491466
14HPX-042-230	43000	15	13	41500	26400	3.64	2.6	8.7	C37-62C	EL296UH110XE60C	10491473
14HPX-042-230	44000	15.7	13.2	42500	27000	3.62	2.62	8.7	C37-62C	EL296UH110XV48C	10491474
14HPX-042-230	44000	15.7	13.2	42500	27000	3.62	2.64	8.7	C37-62C	EL296UH110XV60C	10491471
14HPX-042-230	43000	15.2	13	41500	26400	3.92	2.74	9.5	C37-62C	ML180UH090E60C	10590015
14HPX-042-230	43000	15.2	13	41500	26400	3.9	2.74	9.5	C37-62C	ML180UH110E60C	10590269
14HPX-042-230	44000	16	13	42500	26800	3.68	2.64	8.5	C37-62C	SL280UH090V60C	10491412
14HPX-042-230	44000	16	13	42500	26800	3.68	2.64	8.5	C37-62C	SL280UH090XV60C	10491418
14HPX-042-230	43500	15.7	13	42500	27000	3.6	2.6	8.7	C37-62C	SL280UH110V60C	10491413
14HPX-042-230	43500	15.7	13	42500	27000	3.6	2.6	8.7	C37-62C	SL280UH110XV60C	10491416
14HPX-042-230	43500	15.7	13	42500	27000	3.56	2.6	8.7	C37-62C	SLP98UH090XV36C	10491431
14HPX-042-230	43500	15.7	13.2	42500	27000	3.6	2.62	8.7	C37-62C	SLP98UH090XV48C	10491432
14HPX-042-230	44000	15.7	13	42500	27200	3.62	2.62	8.7	C37-62C	SLP98UH090XV60C	10491433
14HPX-042-230	44000	15.7	13.2	42500	27000	3.62	2.64	8.7	C37-62C	SLP98UH110XV60C	10491434
14HPX-042-230	43000	14.7	12.2	43000	27600	3.44	2.5	8.5	C37-62C		10491404
14HPX-042-230	43000	15.2	13	41500	26200	3.84	2.68	9.2	C37-62D	EL180UH135E60D	10491489
14HPX-042-230	42500	14.7	12.7	41500	26400	3.64	2.5	8.7	C37-62D	EL195UH135XE60D	10491442
14HPX-042-230	42500	14.7	12.7	41500	26400	3.64	2.5	8.7	C37-62D	EL296UH135XE60D	10491476
14HPX-042-230	43500	15.5	13	42000	27000	3.72	2.56	8.7	C37-62D	EL296UH135XV60D	10491455
14HPX-042-230	43000	15.2	13	41500	26200	3.84	2.68	9.2	C37-62D	ML180UH135E60D	10590455
14HPX-042-230	43500	15.7	13.2	41500	26800	3.7	2.56	8.7	C37-62D	SL280UH135V60D	10491414
14HPX-042-230	43500	15.5	13.2	41500	26800	3.7	2.56	8.7	C37-62D	SLP98UH135XV60D	10491436
14HPX-042-230	43000	14.2	12.2	42500	27600	3.52	2.44	8.5	C37-62D		10491407
14HPX-042-230	42000	15	12.5	42000	27400	3.58	2.5	8.5	CBA27UHE-042		10491520
14HPX-042-230	42500	15	12.5	42000	27000	3.58	2.56	8.5	CBA27UHE-048		10491521
14HPX-042-230	42500	14	12	45500	28200	3.66	2.58	8.2	CBX25UH-042		10491379
14HPX-042-230	42000	15.5	13	44500	27400	3.86	2.68	8.5	CBX25UHV-042		10491166
14HPX-042-230	43500	15.5	13	43500	27400	3.7	2.62	9	CBX27UH-042		10491193
14HPX-042-230	43000	15	12.5	43000	27200	3.68	2.62	8.5	CBX27UH-048		10491292
14HPX-042-230	43000	14.5	12.5	44000	27800	3.58	2.54	8.7	CBX32M-048		10491182
14HPX-042-230	43500	15.5	13	43500	27400	3.68	2.62	8.7	CBX32MV-048		10491183
14HPX-042-230	43000	15.2	12.7	43500	27400	3.64	2.6	8.7	CBX40UHV-042		10491184
14HPX-042-230	43500	15.5	13	43500	27400	3.68	2.62	8.7	CBX40UHV-048		10491198
14HPX-042-230	44000	15.7	13.2	42500	27400	3.9	2.68	9.2	CH23-68	EL180UH090E60C	10491399
14HPX-042-230	44000	15.5	13.2	42500	27400	3.9	2.66	9.2	CH23-68	EL180UH110E60C	10491385
14HPX-042-230	44000	15.7	13.2	42500	27400	3.92	2.68	9.2	CH23-68	EL180UH135E60D	10491391
14HPX-042-230	43500	15.2	13	42500	27400	3.84	2.64	9.2	CH23-68	EL195UH090XE48C	10491243
14HPX-042-230	44000	15.2	13	42500	27600	3.88	2.66	9.2	CH23-68	EL195UH110XE60C	10491251
14HPX-042-230	44000	15.2	13	42500	27600	3.86	2.64	9.2	CH23-68	EL195UH135XE60D	10491259
14HPX-042-230	43500	15.2	13	42500	27400	3.84	2.64	9.2	CH23-68	EL296UH090XE48C	10491361
14HPX-042-230	44000	15.2	13	42500	27600	3.88	2.66	9.2	CH23-68	EL296UH110XE60C	10491350
14HPX-042-230	44000	15.2	13	42500	27600	3.86	2.64	9.2	CH23-68	EL296UH135XE60D	10491347
14HPX-042-230	44000	15.7	13.2	42500	27400	3.94	2.7	9.5	CH23-68	EL296UH135XV60D	10491316

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-042-230	44000	15.7	13.2	42500	27400	3.9	2.68	9.2	CH23-68	ML180UH090E60C	10590012
14HPX-042-230	44000	15.5	13.2	42500	27400	3.9	2.66	9.2	CH23-68	ML180UH110E60C	10590266
14HPX-042-230	44000	15.7	13.2	42500	27400	3.92	2.68	9.2	CH23-68	ML180UH135E60D	10590450
14HPX-042-230	44000	16	13	42500	27200	3.98	2.7	9.5	CH23-68	SL280UH135V60D	10491199
14HPX-042-230	44000	15.7	13.2	42500	27400	3.96	2.72	9.5	CH23-68	SLP98UH135XV60D	10491224
14HPX-042-230	43500	14.5	12.2	43000	28000	3.72	2.56	9	CH23-68		10491148
14HPX-042-230	44000	15.2	13	42500	27200	3.56	2.52	8.7	CH33-43B	EL180UH090E48B	10491402
14HPX-042-230	43500	14.7	12.7	42500	27400	3.48	2.5	8.5	CH33-43B	EL296UH045XV36B	10491323
14HPX-042-230	43500	14.7	12.5	42500	27400	3.48	2.48	8.5	CH33-43B	EL296UH070XV36B	10491307
14HPX-042-230	44000	15.2	13	42500	27200	3.56	2.52	8.7	CH33-43B	ML180UH090E48B	10589796
14HPX-042-230	44000	15.5	13	42500	27200	3.6	2.56	8.7	CH33-43B	SL280UH090V36B	10491294
14HPX-042-230	44000	15.2	13	42500	27200	3.6	2.54	8.7	CH33-43B	SL280UH090V48B	10491188
14HPX-042-230	44000	15.2	13	42500	27200	3.6	2.54	8.7	CH33-43B	SL280UH090XV48B	10491185
14HPX-042-230	43500	14.7	12.5	42500	27400	3.48	2.48	8.5	CH33-43B	SLP98UH070XV36B	10491225
14HPX-042-230	43500	14.5	12.2	43000	27600	3.48	2.46	8.5	CH33-43B		10491151
14HPX-042-230	43000	15.2	13	42500	26800	3.44	2.48	8.2	CH33-43C	EL180UH090E60C	10491393
14HPX-042-230	43000	15.2	13	42000	26800	3.4	2.48	8.2	CH33-43C	EL180UH110E60C	10491368
14HPX-042-230	42500	15	12.7	42000	26800	3.34	2.44	8.2	CH33-43C	EL195UH090XE48C	10491244
14HPX-042-230	43000	15	12.7	42500	27000	3.44	2.48	8.2	CH33-43C	EL195UH110XE60C	10491252
14HPX-042-230	42500	15	12.7	42000	26800	3.34	2.44	8.2	CH33-43C	EL296UH090XE48C	10491353
14HPX-042-230	42500	15.2	12.7	42500	26800	3.4	2.46	8.2	CH33-43C	EL296UH090XV36C	10491300
14HPX-042-230	42500	15.2	12.7	42500	26800	3.42	2.48	8.2	CH33-43C	EL296UH090XV48C	10491320
14HPX-042-230	43000	15.2	12.7	42500	27000	3.44	2.5	8.2	CH33-43C	EL296UH090XV60C	10491333
14HPX-042-230	43000	15	12.7	42500	27000	3.44	2.48	8.2	CH33-43C	EL296UH110XE60C	10491354
14HPX-042-230	43000	15.2	13	42500	26800	3.44	2.48	8.2	CH33-43C	EL296UH110XV48C	10491344
14HPX-042-230	43000	15.2	13	42500	26800	3.44	2.5	8.2	CH33-43C	EL296UH110XV60C	10491342
14HPX-042-230	43000	15.2	13	42500	26800	3.44	2.48	8.2	CH33-43C	ML180UH090E60C	10590008
14HPX-042-230	43000	15.2	13	42000	26800	3.4	2.48	8.2	CH33-43C	ML180UH110E60C	10590258
14HPX-042-230	43000	15.5	13	42500	26800	3.5	2.52	8.5	CH33-43C	SL280UH090V60C	10491189
14HPX-042-230	43000	15.5	13	42500	26800	3.5	2.52	8.5	CH33-43C	SL280UH090XV60C	10491170
14HPX-042-230	42500	15.2	12.7	42500	26800	3.42	2.48	8.2	CH33-43C	SL280UH110V60C	10491190
14HPX-042-230	42500	15.2	12.7	42500	26800	3.42	2.48	8.2	CH33-43C	SL280UH110XV60C	10491169
14HPX-042-230	42500	15.2	12.7	42500	26800	3.4	2.46	8.2	CH33-43C	SLP98UH090XV36C	10491226
14HPX-042-230	42500	15.2	12.7	42500	26800	3.42	2.48	8.2	CH33-43C	SLP98UH090XV48C	10491227
14HPX-042-230	43000	15.2	12.7	42500	27000	3.44	2.5	8.2	CH33-43C	SLP98UH090XV60C	10491228
14HPX-042-230	43000	15.2	13	42500	26800	3.44	2.5	8.2	CH33-43C	SLP98UH110XV60C	10491241
14HPX-042-230	42000	14.7	12.5	42500	27000	3.46	2.48	8.5	CH33-44/48	EL180UH090E48B	10491400
14HPX-042-230	41500	14.2	12.2	42500	27200	3.38	2.46	8.2	CH33-44/48	EL296UH045XV36B	10491314
14HPX-042-230	41500	14.2	12.2	42500	27200	3.36	2.46	8.2	CH33-44/48	EL296UH070XV36B	10491326
14HPX-042-230	42000	14.7	12.5	42500	27000	3.46	2.48	8.5	CH33-44/48	ML180UH090E48B	10589795
14HPX-042-230	42000	14.7	12.7	42500	27000	3.48	2.52	8.5	CH33-44/48	SL280UH090V36B	10491293
14HPX-042-230	42000	14.7	12.5	42500	27000	3.48	2.52	8.5	CH33-44/48	SL280UH090V48B	10491191
14HPX-042-230	42000	14.7	12.5	42500	27000	3.48	2.52	8.5	CH33-44/48	SL280UH090XV48B	10491186
14HPX-042-230	41500	14.2	12.2	42500	27200	3.36	2.46	8.2	CH33-44/48	SLP98UH070XV36B	10491230
14HPX-042-230	41500	14	11.7	43000	27600	3.36	2.44	8.2	CH33-44/48		10491152
14HPX-042-230	42500	15	12.7	42000	26800	3.34	2.44	8.2	CH33-48	EL180UH090E60C	10491403
14HPX-042-230	42000	15	12.7	42000	26800	3.32	2.44	8.2	CH33-48	EL180UH110E60C	10491374
14HPX-042-230	42000	14.7	12.5	42500	26800	3.34	2.42	8.2	CH33-48	EL296UH090XV36C	10491348
14HPX-042-230	42500	15	12.7	42500	26800	3.38	2.44	8.2	CH33-48	EL296UH090XV48C	10491335
14HPX-042-230	42500	14.7	12.5	42500	27000	3.38	2.46	8.2	CH33-48	EL296UH090XV60C	10491312
14HPX-042-230	42500	15	12.7	42500	26800	3.4	2.44	8.2	CH33-48	EL296UH110XV48C	10491319
14HPX-042-230	42500	15	12.7	42500	26800	3.38	2.44	8.2	CH33-48	EL296UH110XV60C	10491321
14HPX-042-230	42500	15	12.7	42000	26800	3.34	2.44	8.2	CH33-48	ML180UH090E60C	10590014
14HPX-042-230	42000	15	12.7	42000	26800	3.32	2.44	8.2	CH33-48	ML180UH110E60C	10590259
14HPX-042-230	42500	15.2	12.7	42500	26800	3.42	2.46	8.2	CH33-48	SL280UH090V60C	10491204
14HPX-042-230	42500	15.2	12.7	42500	26800	3.42	2.46	8.2	CH33-48	SL280UH090XV60C	10491179
14HPX-042-230	42500	15	12.7	42500	26800	3.38	2.44	8.2	CH33-48	SL280UH110V60C	10491205
14HPX-042-230	42500	15	12.7	42500	26800	3.38	2.44	8.2	CH33-48	SL280UH110XV60C	10491171
14HPX-042-230	42000	14.7	12.5	42500	26800	3.34	2.42	8.2	CH33-48	SLP98UH090XV36C	10491231
14HPX-042-230	42500	15	12.7	42500	26800	3.38	2.44	8.2	CH33-48	SLP98UH090XV48C	10491232
14HPX-042-230	42500	14.7	12.5	42500	27000	3.38	2.46	8.2	CH33-48	SLP98UH090XV60C	10491233

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-042-230	42500	15	12.7	42500	26800	3.38	2.44	8.2	CH33-48	SLP98UH110XV60C	10491234
14HPX-042-230	42000	14.7	12.5	42000	26800	3.28	2.42	8.2	CH33-48C	EL195UH090XE48C	10491245
14HPX-042-230	42500	14.7	12.5	42500	27000	3.38	2.44	8.2	CH33-48C	EL195UH110XE60C	10491254
14HPX-042-230	42000	14.7	12.5	42000	26800	3.28	2.42	8.2	CH33-48C	EL296UH090XE48C	10491364
14HPX-042-230	42500	14.7	12.5	42500	27000	3.38	2.44	8.2	CH33-48C	EL296UH110XE60C	10491365
14HPX-042-230	43500	15.2	13	42000	26800	3.62	2.52	8.7	CH33-49	EL180UH090E60C	10491394
14HPX-042-230	43000	15.2	13	42000	26800	3.6	2.5	8.7	CH33-49	EL180UH110E60C	10491384
14HPX-042-230	43000	15	12.7	42000	26800	3.56	2.48	8.5	CH33-49	EL195UH090XE48C	10491246
14HPX-042-230	43500	15.2	12.7	42500	27000	3.64	2.5	8.7	CH33-49	EL195UH110XE60C	10491255
14HPX-042-230	43000	15	12.7	42000	26800	3.56	2.48	8.5	CH33-49	EL296UH090XE48C	10491370
14HPX-042-230	43500	15.2	13	42000	27000	3.58	2.52	8.7	CH33-49	EL296UH090XV36C	10491343
14HPX-042-230	43500	15.2	13	42000	26800	3.62	2.52	8.7	CH33-49	EL296UH090XV48C	10491334
14HPX-042-230	44000	15.2	13	42500	27200	3.66	2.56	8.7	CH33-49	EL296UH090XV60C	10491311
14HPX-042-230	43500	15.2	12.7	42500	27000	3.64	2.5	8.7	CH33-49	EL296UH110XE60C	10491371
14HPX-042-230	43500	15.2	13	42000	26800	3.64	2.52	8.7	CH33-49	EL296UH110XV48C	10491318
14HPX-042-230	43500	15.2	13	42000	26800	3.64	2.52	8.7	CH33-49	EL296UH110XV60C	10491303
14HPX-042-230	43500	15.2	13	42000	26800	3.62	2.52	8.7	CH33-49	ML180UH090E60C	10590009
14HPX-042-230	43000	15.2	13	42000	26800	3.6	2.5	8.7	CH33-49	ML180UH110E60C	10590265
14HPX-042-230	44000	15.5	13.2	42000	27000	3.66	2.56	8.7	CH33-49	SL280UH090V60C	10491194
14HPX-042-230	44000	15.5	13.2	42000	27000	3.66	2.56	8.7	CH33-49	SL280UH090XV60C	10491180
14HPX-042-230	43500	15.2	13	42000	27000	3.62	2.54	8.7	CH33-49	SL280UH110V60C	10491195
14HPX-042-230	43500	15.2	13	42000	27000	3.62	2.54	8.7	CH33-49	SL280UH110XV60C	10491167
14HPX-042-230	43500	15.2	13	42000	27000	3.58	2.52	8.7	CH33-49	SLP98UH090XV36C	10491247
14HPX-042-230	43500	15.2	13	42000	26800	3.62	2.52	8.7	CH33-49	SLP98UH090XV48C	10491236
14HPX-042-230	44000	15.2	13	42500	27200	3.66	2.56	8.7	CH33-49	SLP98UH090XV60C	10491237
14HPX-042-230	43500	15.2	13	42000	26800	3.64	2.52	8.7	CH33-49	SLP98UH110XV60C	10491238
14HPX-042-230	43000	14.2	12.2	42500	27400	3.5	2.44	8.5	CH33-49		10491153
14HPX-042-230	43000	15.2	12.7	42000	26800	3.6	2.5	8.7	CH33-50/60C	EL180UH090E60C	10491401
14HPX-042-230	43000	15.2	13	42000	26800	3.58	2.5	8.5	CH33-50/60C	EL180UH110E60C	10491383
14HPX-042-230	43000	15	12.7	42000	26800	3.54	2.48	8.5	CH33-50/60C	EL195UH090XE48C	10491248
14HPX-042-230	43500	15	12.7	42000	27000	3.58	2.5	8.5	CH33-50/60C	EL195UH110XE60C	10491256
14HPX-042-230	43000	15	12.7	42000	26800	3.54	2.48	8.5	CH33-50/60C	EL296UH090XE48C	10491377
14HPX-042-230	43000	15.2	12.7	42500	27200	3.5	2.48	8.5	CH33-50/60C	EL296UH090XV36C	10491295
14HPX-042-230	43500	15.2	13	42500	27200	3.52	2.5	8.5	CH33-50/60C	EL296UH090XV48C	10491325
14HPX-042-230	43500	15.2	12.7	42500	27400	3.54	2.52	8.5	CH33-50/60C	EL296UH090XV60C	10491327
14HPX-042-230	43500	15	12.7	42000	27000	3.58	2.5	8.5	CH33-50/60C	EL296UH110XE60C	10491378
14HPX-042-230	43500	15.2	13	42500	27200	3.54	2.5	8.5	CH33-50/60C	EL296UH110XV48C	10491349
14HPX-042-230	43500	15.2	13	42500	27200	3.54	2.5	8.5	CH33-50/60C	EL296UH110XV60C	10491336
14HPX-042-230	43000	15.2	12.7	42000	26800	3.6	2.5	8.7	CH33-50/60C	ML180UH090E60C	10590013
14HPX-042-230	43000	15.2	13	42000	26800	3.58	2.5	8.5	CH33-50/60C	ML180UH110E60C	10590264
14HPX-042-230	43500	15.5	13	42500	27200	3.58	2.54	8.7	CH33-50/60C	SL280UH090V60C	10491196
14HPX-042-230	43500	15.5	13	42500	27200	3.58	2.54	8.7	CH33-50/60C	SL280UH090XV60C	10491181
14HPX-042-230	43500	15.2	13	42500	27200	3.52	2.5	8.5	CH33-50/60C	SL280UH110V60C	10491197
14HPX-042-230	43500	15.2	13	42500	27200	3.52	2.5	8.5	CH33-50/60C	SL280UH110XV60C	10491168
14HPX-042-230	43000	15.2	12.7	42500	27200	3.5	2.48	8.5	CH33-50/60C	SLP98UH090XV36C	10491239
14HPX-042-230	43500	15.2	13	42500	27200	3.52	2.5	8.5	CH33-50/60C	SLP98UH090XV48C	10491277
14HPX-042-230	43500	15.2	12.7	42500	27400	3.54	2.52	8.5	CH33-50/60C	SLP98UH090XV60C	10491266
14HPX-042-230	43500	15.2	13	42500	27200	3.54	2.5	8.5	CH33-50/60C	SLP98UH110XV60C	10491267
14HPX-042-230	43000	14.2	12.2	43000	27800	3.4	2.42	8.2	CH33-50/60C		10491154
14HPX-042-230	44500	15.7	13.2	42500	27000	3.56	2.52	8.5	CH33-60D	EL180UH135E60D	10491390
14HPX-042-230	44000	15.2	13	42500	27200	3.5	2.5	8.5	CH33-60D	EL195UH135XE60D	10491262
14HPX-042-230	44000	15.2	13	42500	27200	3.5	2.5	8.5	CH33-60D	EL296UH135XE60D	10491351
14HPX-042-230	44500	15.7	13.2	42500	27000	3.58	2.54	8.7	CH33-60D	EL296UH135XV60D	10491304
14HPX-042-230	44500	15.7	13.2	42500	27000	3.56	2.52	8.5	CH33-60D	ML180UH135E60D	10590449
14HPX-042-230	44000	16	13	42000	26800	3.54	2.54	8.5	CH33-60D	SL280UH135V60D	10491210
14HPX-042-230	44000	15.7	13.2	42500	26800	3.58	2.52	8.7	CH33-60D	SLP98UH135XV60D	10491280
14HPX-042-230	43500	14.5	12.2	43000	27600	3.36	2.42	8.2	CH33-60D		10491157
14HPX-042-230	42500	15	12.7	41500	26200	3.78	2.66	9.2	CH33-62D	EL180UH135E60D	10491382
14HPX-042-230	42500	14.7	12.7	41500	26400	3.72	2.62	8.7	CH33-62D	EL195UH135XE60D	10491268
14HPX-042-230	42500	14.7	12.7	41500	26400	3.72	2.62	8.7	CH33-62D	EL296UH135XE60D	10491352
14HPX-042-230	43500	15.5	13	42000	26800	3.64	2.54	8.7	CH33-62D	EL296UH135XV60D	10491297

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-042-230	42500	15	12.7	41500	26200	3.78	2.66	9.2	CH33-62D	ML180UH135E60D	10590446
14HPX-042-230	43500	15.7	13.2	41500	26600	3.6	2.54	8.7	CH33-62D	SL280UH135V60D	10491211
14HPX-042-230	43500	15.7	13.2	42000	26800	3.64	2.54	8.7	CH33-62D	SLP98UH135XV60D	10491281
14HPX-042-230	43000	14.2	12.2	42500	27400	3.42	2.4	8.2	CH33-62D		10491158
14HPX-042-230	44500	15.5	13.2	43000	27000	3.76	2.62	9	CR33-50/60	EL180DF110E60C	10491389
14HPX-042-230	44000	15.2	13	43000	27200	3.68	2.6	8.7	CR33-50/60	EL195DF090XE48C	10491213
14HPX-042-230	44500	15.2	13	43500	27200	3.78	2.62	9	CR33-50/60	EL195DF110XE60C	10491214
14HPX-042-230	44000	15.2	13	43000	27200	3.68	2.6	8.7	CR33-50/60	EL296DF090XE48C	10491369
14HPX-042-230	44500	15.2	13	43500	27200	3.76	2.62	9	CR33-50/60	EL296DF090XV60C	10491315
14HPX-042-230	44500	15.2	13	43500	27200	3.78	2.62	9	CR33-50/60	EL296DF110XE60C	10491362
14HPX-042-230	44500	15.5	13.2	43000	27200	3.76	2.64	9	CR33-50/60	EL296DF110XV60C	10491328
14HPX-042-230	44500	15.5	13.2	43000	27000	3.76	2.62	9	CR33-50/60	ML180DF110E60C	10589549
14HPX-042-230	44000	15.7	13.2	43000	27000	3.76	2.64	9	CR33-50/60	SL280DF090V60C	10491200
14HPX-042-230	44500	15.7	13.2	43000	27000	3.78	2.66	9	CR33-50/60	SL280DF110V60C	10491201
14HPX-042-230	44000	15.2	13	43000	27200	3.7	2.62	9	CR33-50/60	SLP98DF090XV36C	10491282
14HPX-042-230	44500	15.2	13	43000	27200	3.72	2.62	9	CR33-50/60	SLP98DF090XV48C	10491283
14HPX-042-230	44500	15.2	13	43500	27200	3.76	2.62	9	CR33-50/60	SLP98DF090XV60C	10491272
14HPX-042-230	44500	15.5	13.2	43000	27200	3.76	2.64	9	CR33-50/60	SLP98DF110XV60C	10491273
14HPX-042-230	43500	14.2	12.2	43500	27800	3.56	2.54	8.7	CR33-50/60		10491159
14HPX-042-230	43500	14.2	12.2	43500	27800	3.56	2.54	8.7	CR33-60		10491160
14HPX-042-230	43500	15.5	13	41500	26600	3.56	2.46	8.5	CX34-49	CBWMV-36C-090	10491275
14HPX-042-230	44000	15.5	13.2	41500	26600	3.6	2.48	8.5	CX34-49	CBWMV-60C-100	10491242
14HPX-042-230	44000	15.5	13.2	41500	26600	3.6	2.48	8.5	CX34-49	EL180UH090E60C	10491398
14HPX-042-230	44000	15.5	13.2	41500	26600	3.58	2.48	8.5	CX34-49	EL180UH110E60C	10491376
14HPX-042-230	43500	15.2	13	41500	26600	3.54	2.44	8.5	CX34-49	EL195UH090XE48C	10491263
14HPX-042-230	44000	15.2	13	42000	27000	3.62	2.48	8.5	CX34-49	EL195UH110XE60C	10491265
14HPX-042-230	43500	15.2	13	41500	26600	3.54	2.44	8.5	CX34-49	EL296UH090XE48C	10491372
14HPX-042-230	43500	15.5	13	41500	26600	3.56	2.46	8.5	CX34-49	EL296UH090XV36C	10491339
14HPX-042-230	43500	15.5	13.2	41500	26600	3.58	2.48	8.5	CX34-49	EL296UH090XV48C	10491340
14HPX-042-230	44000	15.5	13	42000	26800	3.64	2.48	8.7	CX34-49	EL296UH090XV60C	10491313
14HPX-042-230	44000	15.2	13	42000	27000	3.62	2.48	8.5	CX34-49	EL296UH110XE60C	10491363
14HPX-042-230	44000	15.7	13.2	41500	26600	3.6	2.48	8.7	CX34-49	EL296UH110XV48C	10491308
14HPX-042-230	44000	15.7	13.2	41500	26600	3.6	2.48	8.7	CX34-49	EL296UH110XV60C	10491305
14HPX-042-230	44000	15.5	13.2	41500	26600	3.6	2.48	8.5	CX34-49	ML180UH090E60C	10590011
14HPX-042-230	44000	15.5	13.2	41500	26600	3.58	2.48	8.5	CX34-49	ML180UH110E60C	10590261
14HPX-042-230	44000	15.7	13.2	41500	26600	3.64	2.52	8.7	CX34-49	SL280UH090V60C	10491202
14HPX-042-230	44000	15.7	13.2	41500	26600	3.64	2.52	8.7	CX34-49	SL280UH090XV60C	10491178
14HPX-042-230	44000	15.5	13.2	41500	26800	3.58	2.48	8.5	CX34-49	SL280UH110V60C	10491203
14HPX-042-230	44000	15.5	13.2	41500	26800	3.58	2.48	8.5	CX34-49	SL280UH110XV60C	10491175
14HPX-042-230	43500	15.5	13	41500	26600	3.56	2.46	8.5	CX34-49	SLP98UH090XV36C	10491288
14HPX-042-230	43500	15.5	13.2	41500	26600	3.58	2.48	8.5	CX34-49	SLP98UH090XV48C	10491289
14HPX-042-230	44000	15.5	13	42000	26800	3.64	2.48	8.7	CX34-49	SLP98UH090XV60C	10491278
14HPX-042-230	44000	15.7	13.2	41500	26600	3.6	2.48	8.7	CX34-49	SLP98UH110XV60C	10491279
14HPX-042-230	43500	14.5	12.2	42000	27400	3.42	2.4	8.2	CX34-49		10491150
14HPX-042-230	42500	15	12.7	41500	26200	3.82	2.66	9.2	CX34-60D	EL180UH135E60D	10491386
14HPX-042-230	42500	14.7	12.7	41500	26400	3.74	2.62	8.7	CX34-60D	EL195UH135XE60D	10491271
14HPX-042-230	42500	14.7	12.7	41500	26400	3.74	2.62	8.7	CX34-60D	EL296UH135XE60D	10491373
14HPX-042-230	44000	15.7	13.2	42000	26800	3.66	2.54	8.7	CX34-60D	EL296UH135XV60D	10491317
14HPX-042-230	42500	15	12.7	41500	26200	3.82	2.66	9.2	CX34-60D	ML180UH135E60D	10590447
14HPX-042-230	44000	15.7	13.5	41500	26600	3.64	2.54	8.7	CX34-60D	SL280UH135V60D	10491206
14HPX-042-230	44000	15.7	13.2	41500	26800	3.64	2.56	8.7	CX34-60D	SLP98UH135XV60D	10491284
14HPX-042-230	43000	14.5	12.2	42500	27400	3.46	2.42	8.2	CX34-60D		10491149
14HPX-042-230	43500	15.7	13.2	42500	26800	3.58	2.6	8.7	CX34-62C	CBWMV-36C-090	10491274
14HPX-042-230	44000	15.7	13.2	42500	27000	3.62	2.62	8.7	CX34-62C	CBWMV-60C-100	10491240
14HPX-042-230	43000	15.2	13	41500	26400	3.92	2.74	9.5	CX34-62C	EL180UH090E60C	10491388
14HPX-042-230	43000	15.2	13	41500	26400	3.9	2.74	9.5	CX34-62C	EL180UH110E60C	10491381
14HPX-042-230	43000	15	13	41500	26400	3.86	2.7	8.7	CX34-62C	EL195UH090XE48C	10491264
14HPX-042-230	43000	15	13	41500	26400	3.94	2.72	8.7	CX34-62C	EL195UH110XE60C	10491270
14HPX-042-230	43000	15	13	41500	26400	3.86	2.7	8.7	CX34-62C	EL296UH090XE48C	10491356
14HPX-042-230	43500	15.7	13	42500	27000	3.56	2.6	8.7	CX34-62C	EL296UH090XV36C	10491324
14HPX-042-230	43500	15.7	13.2	42500	27000	3.6	2.62	8.7	CX34-62C	EL296UH090XV48C	10491296



## AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-042-230	44000	15.7	13	42500	27200	3.62	2.62	8.7	CX34-62C	EL296UH090XV60C	10491310
14HPX-042-230	43000	15	13	41500	26400	3.94	2.72	8.7	CX34-62C	EL296UH110XE60C	10491366
14HPX-042-230	44000	15.7	13.2	42500	27000	3.62	2.62	8.7	CX34-62C	EL296UH110XV48C	10491301
14HPX-042-230	44000	15.7	13.2	42500	27000	3.62	2.64	8.7	CX34-62C	EL296UH110XV60C	10491331
14HPX-042-230	43000	15.2	13	41500	26400	3.92	2.74	9.5	CX34-62C	ML180UH090E60C	10590006
14HPX-042-230	43000	15.2	13	41500	26400	3.9	2.74	9.5	CX34-62C	ML180UH110E60C	10590263
14HPX-042-230	44000	16	13	42500	26800	3.68	2.64	8.5	CX34-62C	SL280UH090V60C	10491207
14HPX-042-230	44000	16	13	42500	26800	3.68	2.64	8.5	CX34-62C	SL280UH090XV60C	10491177
14HPX-042-230	43500	15.7	13	42500	27000	3.6	2.6	8.7	CX34-62C	SL280UH110V60C	10491208
14HPX-042-230	43500	15.7	13	42500	27000	3.6	2.6	8.7	CX34-62C	SL280UH110XV60C	10491174
14HPX-042-230	43500	15.7	13	42500	27000	3.56	2.6	8.7	CX34-62C	SLP98UH090XV36C	10491285
14HPX-042-230	43500	15.7	13.2	42500	27000	3.6	2.62	8.7	CX34-62C	SLP98UH090XV48C	10491286
14HPX-042-230	44000	15.7	13	42500	27200	3.62	2.62	8.7	CX34-62C	SLP98UH090XV60C	10491287
14HPX-042-230	44000	15.7	13.2	42500	27000	3.62	2.64	8.7	CX34-62C	SLP98UH110XV60C	10491290
14HPX-042-230	43000	14.7	12.2	43000	27600	3.44	2.5	8.5	CX34-62C		10491155
14HPX-042-230	43000	15.2	13	41500	26200	3.84	2.68	9.2	CX34-62D	EL180UH135E60D	10491387
14HPX-042-230	42500	14.7	12.7	41500	26400	3.76	2.64	8.7	CX34-62D	EL195UH135XE60D	10491269
14HPX-042-230	42500	14.7	12.7	41500	26400	3.76	2.64	8.7	CX34-62D	EL296UH135XE60D	10491357
14HPX-042-230	43500	15.5	13	42000	27000	3.72	2.56	8.7	CX34-62D	EL296UH135XV60D	10491329
14HPX-042-230	43000	15.2	13	41500	26200	3.84	2.68	9.2	CX34-62D	ML180UH135E60D	10590448
14HPX-042-230	43500	15.7	13.2	41500	26800	3.7	2.56	8.7	CX34-62D	SL280UH135V60D	10491209
14HPX-042-230	43500	15.5	13.2	41500	26800	3.7	2.56	8.7	CX34-62D	SLP98UH135XV60D	10491291
14HPX-042-230	43000	14.2	12.2	42500	27600	3.52	2.44	8.5	CX34-62D		10491156
14HPX-042-230	43500	15.5	13	41500	26600	3.56	2.46	8.5	CX38-49C	CBWMV-36C-090	10491448
14HPX-042-230	44000	15.5	13.2	41500	26600	3.6	2.48	8.5	CX38-49C	CBWMV-60C-100	10491437
14HPX-042-230	44000	15.5	13.2	41500	26600	3.6	2.48	8.5	CX38-49C	EL180UH090E60C	10491490
14HPX-042-230	44000	15.5	13.2	41500	26600	3.58	2.48	8.5	CX38-49C	EL180UH110E60C	10491483
14HPX-042-230	43500	15.2	13	41500	26600	3.54	2.44	8.5	CX38-49C	EL195UH090XE48C	10491445
14HPX-042-230	44000	15.2	13	42000	27000	3.62	2.48	8.5	CX38-49C	EL195UH110XE60C	10491446
14HPX-042-230	43500	15.2	13	41500	26600	3.54	2.44	8.5	CX38-49C	EL296UH090XE48C	10491481
14HPX-042-230	43500	15.5	13	41500	26600	3.56	2.46	8.5	CX38-49C	EL296UH090XV36C	10491469
14HPX-042-230	43500	15.5	13.2	41500	26600	3.58	2.48	8.5	CX38-49C	EL296UH090XV48C	10491470
14HPX-042-230	44000	15.5	13	42000	26800	3.64	2.48	8.7	CX38-49C	EL296UH090XV60C	10491462
14HPX-042-230	44000	15.2	13	42000	27000	3.62	2.48	8.5	CX38-49C	EL296UH110XE60C	10491479
14HPX-042-230	44000	15.7	13.2	41500	26600	3.6	2.48	8.7	CX38-49C	EL296UH110XV48C	10491460
14HPX-042-230	44000	15.7	13.2	41500	26600	3.6	2.48	8.7	CX38-49C	EL296UH110XV60C	10491458
14HPX-042-230	44000	15.5	13.2	41500	26600	3.6	2.48	8.5	CX38-49C	ML180UH090E60C	10590017
14HPX-042-230	44000	15.5	13.2	41500	26600	3.58	2.48	8.5	CX38-49C	ML180UH110E60C	10590268
14HPX-042-230	44000	15.7	13.2	41500	26600	3.64	2.52	8.7	CX38-49C	SL280UH090V60C	10491422
14HPX-042-230	44000	15.7	13.2	41500	26600	3.64	2.52	8.7	CX38-49C	SL280UH090XV60C	10491419
14HPX-042-230	44000	15.5	13.2	41500	26800	3.58	2.48	8.5	CX38-49C	SL280UH110V60C	10491423
14HPX-042-230	44000	15.5	13.2	41500	26800	3.58	2.48	8.5	CX38-49C	SL280UH110XV60C	10491417
14HPX-042-230	43500	15.5	13	41500	26600	3.56	2.46	8.5	CX38-49C	SLP98UH090XV36C	10491452
14HPX-042-230	43500	15.5	13.2	41500	26600	3.58	2.48	8.5	CX38-49C	SLP98UH090XV48C	10491453
14HPX-042-230	44000	15.5	13	42000	26800	3.64	2.48	8.7	CX38-49C	SLP98UH090XV60C	10491450
14HPX-042-230	44000	15.7	13.2	41500	26600	3.6	2.48	8.7	CX38-49C	SLP98UH110XV60C	10491451
14HPX-042-230	43500	14.5	12.2	42000	27400	3.42	2.4	8.2	CX38-49C		10491408
14HPX-042-230	42500	15	12.7	41500	26200	3.82	2.66	9.2	CX38-60D	EL180UH135E60D	10491517
14HPX-042-230	42500	14.7	12.7	41500	26400	3.74	2.62	8.7	CX38-60D	EL195UH135XE60D	10491500
14HPX-042-230	42500	14.7	12.7	41500	26400	3.74	2.62	8.7	CX38-60D	EL296UH135XE60D	10491515
14HPX-042-230	44000	15.7	13.2	42000	26800	3.66	2.54	8.7	CX38-60D	EL296UH135XV60D	10491510
14HPX-042-230	42500	15	12.7	41500	26200	3.82	2.66	9.2	CX38-60D	ML180UH135E60D	10590456
14HPX-042-230	44000	15.7	13.5	41500	26600	3.64	2.54	8.7	CX38-60D	SL280UH135V60D	10491495
14HPX-042-230	44000	15.7	13.2	41500	26800	3.64	2.56	8.7	CX38-60D	SLP98UH135XV60D	10491502
14HPX-042-230	43000	14.5	12.2	42500	27400	3.46	2.42	8.2	CX38-60D		10491491
14HPX-042-230	43500	15.7	13.2	42500	26800	3.58	2.6	8.7	CX38-62C	CBWMV-36C-090	10491501
14HPX-042-230	44000	15.7	13.2	42500	27000	3.62	2.62	8.7	CX38-62C	CBWMV-60C-100	10491519
14HPX-042-230	43000	15.2	13	41500	26400	3.92	2.74	9.5	CX38-62C	EL180UH090E60C	10491518
14HPX-042-230	43000	15.2	13	41500	26400	3.9	2.74	9.5	CX38-62C	EL180UH110E60C	10491516
14HPX-042-230	43000	15	13	41500	26400	3.86	2.7	8.7	CX38-62C	EL195UH090XE48C	10491498
14HPX-042-230	43000	15	13	41500	26400	3.94	2.72	8.7	CX38-62C	EL195UH110XE60C	10491499

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-042-230	43000	15	13	41500	26400	3.86	2.7	8.7	CX38-62C	EL296UH090XE48C	10491513
14HPX-042-230	43500	15.7	13	42500	27000	3.56	2.6	8.7	CX38-62C	EL296UH090XV36C	10491511
14HPX-042-230	43500	15.7	13.2	42500	27000	3.6	2.62	8.7	CX38-62C	EL296UH090XV48C	10491507
14HPX-042-230	44000	15.7	13	42500	27200	3.62	2.62	8.7	CX38-62C	EL296UH090XV60C	10491509
14HPX-042-230	43000	15	13	41500	26400	3.94	2.72	8.7	CX38-62C	EL296UH110XE60C	10491514
14HPX-042-230	44000	15.7	13.2	42500	27000	3.62	2.62	8.7	CX38-62C	EL296UH110XV48C	10491508
14HPX-042-230	44000	15.7	13.2	42500	27000	3.62	2.64	8.7	CX38-62C	EL296UH110XV60C	10491512
14HPX-042-230	43000	15.2	13	41500	26400	3.92	2.74	9.5	CX38-62C	ML180UH090E60C	10590018
14HPX-042-230	43000	15.2	13	41500	26400	3.9	2.74	9.5	CX38-62C	ML180UH110E60C	10590270
14HPX-042-230	44000	16	13	42500	26800	3.68	2.64	8.5	CX38-62C	SL280UH090V60C	10491496
14HPX-042-230	44000	16	13	42500	26800	3.68	2.64	8.5	CX38-62C	SL280UH090XV60C	10491494
14HPX-042-230	43500	15.7	13	42500	27000	3.6	2.6	8.7	CX38-62C	SL280UH110V60C	10491497
14HPX-042-230	43500	15.7	13	42500	27000	3.6	2.6	8.7	CX38-62C	SL280UH110XV60C	10491493
14HPX-042-230	43500	15.7	13	42500	27000	3.56	2.6	8.7	CX38-62C	SLP98UH090XV36C	10491503
14HPX-042-230	43500	15.7	13.2	42500	27000	3.6	2.62	8.7	CX38-62C	SLP98UH090XV48C	10491504
14HPX-042-230	44000	15.7	13	42500	27200	3.62	2.62	8.7	CX38-62C	SLP98UH090XV60C	10491505
14HPX-042-230	44000	15.7	13.2	42500	27000	3.62	2.64	8.7	CX38-62C	SLP98UH110XV60C	10491506
14HPX-042-230	43000	14.7	12.2	43000	27600	3.44	2.5	8.5	CX38-62C		10491492
14HPX-042-230	43000	15.2	13	41500	26200	3.84	2.68	9.2	CX38-62D	EL180UH135E60D	10491485
14HPX-042-230	42500	14.7	12.7	41500	26400	3.76	2.64	8.7	CX38-62D	EL195UH135XE60D	10491447
14HPX-042-230	42500	14.7	12.7	41500	26400	3.76	2.64	8.7	CX38-62D	EL296UH135XE60D	10491475
14HPX-042-230	43500	15.5	13	42000	27000	3.72	2.56	8.7	CX38-62D	EL296UH135XV60D	10491464
14HPX-042-230	43000	15.2	13	41500	26200	3.84	2.68	9.2	CX38-62D	ML180UH135E60D	10590453
14HPX-042-230	43500	15.7	13.2	41500	26800	3.7	2.56	8.7	CX38-62D	SL280UH135V60D	10491424
14HPX-042-230	43500	15.5	13.2	41500	26800	3.7	2.56	8.7	CX38-62D	SLP98UH135XV60D	10491454
14HPX-042-230	43000	14.2	12.2	42500	27600	3.52	2.44	8.5	CX38-62D		10491409
14HPX-048-230	49000	14.5	12.7	46000	30000	3.42	2.5	8.5	C33-49	CBWMV-60C-100	10490979
14HPX-048-230	49000	14.5	12.7	46000	30000	3.4	2.48	8.5	C33-49	CBWMV-60C-120	10490970
14HPX-048-230	49000	15	12.7	45500	30000	3.38	2.54	8.7	C33-49	EL180UH090E60C	10491019
14HPX-048-230	48500	14.7	12.7	45500	30000	3.36	2.52	8.5	C33-49	EL180UH110E60C	10491021
14HPX-048-230	49000	14.7	12.7	46000	30200	3.38	2.52	8.5	C33-49	EL195UH090XE48C	10490950
14HPX-048-230	49000	14.5	12.7	46000	30200	3.4	2.54	8.5	C33-49	EL195UH110XE60C	10490939
14HPX-048-230	49000	14.7	12.7	46000	30200	3.38	2.52	8.5	C33-49	EL296UH090XE48C	10490976
14HPX-048-230	49000	14.5	12.7	46000	30000	3.4	2.48	8.5	C33-49	EL296UH090XV48C	10491033
14HPX-048-230	49000	14.5	12.7	46000	30000	3.4	2.5	8.5	C33-49	EL296UH090XV60C	10491025
14HPX-048-230	49000	14.5	12.7	46000	30200	3.4	2.54	8.5	C33-49	EL296UH110XE60C	10490989
14HPX-048-230	49000	14.5	12.7	46000	30000	3.4	2.5	8.5	C33-49	EL296UH110XV48C	10490994
14HPX-048-230	49000	14.5	12.7	46000	30000	3.4	2.5	8.5	C33-49	EL296UH110XV60C	10491032
14HPX-048-230	49000	15	12.7	45500	30000	3.38	2.54	8.7	C33-49	ML180UH090E60C	10589999
14HPX-048-230	48500	14.7	12.7	45500	30000	3.36	2.52	8.5	C33-49	ML180UH110E60C	10590251
14HPX-048-230	49000	14.7	12.7	46000	30000	3.44	2.52	8.5	C33-49	SL280UH090V60C	10490898
14HPX-048-230	49000	14.7	12.7	46000	30000	3.44	2.52	8.5	C33-49	SL280UH090XV60C	10490908
14HPX-048-230	49000	14.7	12.7	46000	29800	3.44	2.5	8.5	C33-49	SL280UH110V60C	10490899
14HPX-048-230	49000	14.7	12.7	46000	29800	3.44	2.5	8.5	C33-49	SL280UH110XV60C	10490901
14HPX-048-230	49000	14.5	12.7	46000	30000	3.4	2.48	8.5	C33-49	SLP98UH090XV48C	10490956
14HPX-048-230	49000	14.5	12.7	46000	30000	3.4	2.5	8.5	C33-49	SLP98UH090XV60C	10490958
14HPX-048-230	49000	14.5	12.7	46000	30000	3.4	2.5	8.5	C33-49	SLP98UH110XV60C	10490959
14HPX-048-230	49000	14	12.2	46500	30400	3.32	2.44	8.2	C33-49		10490889
14HPX-048-230	47500	14.7	12.5	47500	31000	3.14	2.44	8.2	C33-60D	EL180UH135E60D	10491016
14HPX-048-230	47500	14.7	12.5	47500	31000	3.14	2.44	8.2	C33-60D	ML180UH135E60D	10590440
14HPX-048-230	49000	14.5	12.7	46500	30400	3.62	2.62	9	C33-62C	CBWMV-60C-100	10490941
14HPX-048-230	48500	14.5	12.5	46500	30400	3.6	2.62	9	C33-62C	CBWMV-60C-120	10490942
14HPX-048-230	48500	15	12.7	46000	30400	3.6	2.66	9	C33-62C	EL180UH090E60C	10491018
14HPX-048-230	48500	15	12.7	46000	30400	3.58	2.66	9	C33-62C	EL180UH110E60C	10491012
14HPX-048-230	48500	14.7	12.5	46500	30600	3.58	2.64	9	C33-62C	EL195UH090XE48C	10490957
14HPX-048-230	48500	14.5	12.7	46500	30400	3.6	2.64	9	C33-62C	EL195UH110XE60C	10490928
14HPX-048-230	48500	14.7	12.5	46500	30600	3.58	2.64	9	C33-62C	EL296UH090XE48C	10490987
14HPX-048-230	48500	14.5	12.7	46500	30400	3.6	2.62	9	C33-62C	EL296UH090XV48C	10491035
14HPX-048-230	48500	14.5	12.7	46500	30400	3.62	2.62	9	C33-62C	EL296UH090XV60C	10491039
14HPX-048-230	48500	14.5	12.7	46500	30400	3.6	2.64	9	C33-62C	EL296UH110XE60C	10491004
14HPX-048-230	48500	14.7	12.7	46500	30400	3.62	2.62	9	C33-62C	EL296UH110XV48C	10490996

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-048-230	48500	14.5	12.7	46500	30400	3.6	2.62	9	C33-62C	EL296UH110XV60C	10491031
14HPX-048-230	48500	15	12.7	46000	30400	3.6	2.66	9	C33-62C	ML180UH090E60C	10589998
14HPX-048-230	48500	15	12.7	46000	30400	3.58	2.66	9	C33-62C	ML180UH110E60C	10590250
14HPX-048-230	49000	14.7	12.7	46500	30200	3.66	2.64	9	C33-62C	SL280UH090V60C	10490914
14HPX-048-230	49000	14.7	12.7	46500	30200	3.66	2.64	9	C33-62C	SL280UH090XV60C	10490911
14HPX-048-230	48500	14.7	12.7	46000	30200	3.6	2.64	9	C33-62C	SL280UH110V60C	10490915
14HPX-048-230	48500	14.7	12.7	46000	30200	3.6	2.64	9	C33-62C	SL280UH110XV60C	10490904
14HPX-048-230	48500	14.5	12.7	46500	30400	3.6	2.62	9	C33-62C	SLP98UH090XV48C	10490960
14HPX-048-230	48500	14.5	12.7	46500	30400	3.62	2.62	9	C33-62C	SLP98UH090XV60C	10490961
14HPX-048-230	48500	14.5	12.7	46500	30400	3.6	2.62	9	C33-62C	SLP98UH110XV60C	10490962
14HPX-048-230	48500	14	12.2	47000	30800	3.52	2.56	8.7	C33-62C		10490890
14HPX-048-230	48000	14.7	12.5	46000	30400	3.52	2.6	8.7	C33-62D	EL180UH135E60D	10491001
14HPX-048-230	48000	14.5	12.2	46000	30600	3.44	2.56	8.7	C33-62D	EL195UH135XE60D	10490934
14HPX-048-230	48000	14.5	12.2	46000	30600	3.44	2.56	8.7	C33-62D	EL296UH135XE60D	10490998
14HPX-048-230	48000	14.5	12.5	46000	30400	3.5	2.56	8.7	C33-62D	EL296UH135XV60D	10491043
14HPX-048-230	48000	14.7	12.5	46000	30400	3.52	2.6	8.7	C33-62D	ML180UH135E60D	10590435
14HPX-048-230	48000	14.5	12.5	46000	30200	3.52	2.56	8.7	C33-62D	SL280UH135V60D	10490916
14HPX-048-230	48000	14.5	12.7	46000	30000	3.52	2.56	8.7	C33-62D	SLP98UH135XV60D	10490965
14HPX-048-230	49000	14.5	12.7	46000	30000	3.42	2.5	8.5	C37-49C	CBWMV-60C-100	10491088
14HPX-048-230	49000	14.5	12.7	46000	30000	3.4	2.48	8.5	C37-49C	CBWMV-60C-120	10491085
14HPX-048-230	49000	15	12.7	45500	30000	3.38	2.54	8.7	C37-49C	EL180UH090E60C	10491107
14HPX-048-230	48500	14.7	12.7	45500	30000	3.36	2.52	8.5	C37-49C	EL180UH110E60C	10491109
14HPX-048-230	49000	14.7	12.7	46000	30200	3.38	2.52	8.5	C37-49C	EL195UH090XE48C	10491073
14HPX-048-230	49000	14.5	12.7	46000	30200	3.4	2.54	8.5	C37-49C	EL195UH110XE60C	10491067
14HPX-048-230	49000	14.7	12.7	46000	30200	3.38	2.52	8.5	C37-49C	EL296UH090XE48C	10491086
14HPX-048-230	49000	14.5	12.7	46000	30000	3.4	2.48	8.5	C37-49C	EL296UH090XV48C	10491114
14HPX-048-230	49000	14.5	12.7	46000	30000	3.4	2.5	8.5	C37-49C	EL296UH090XV60C	10491110
14HPX-048-230	49000	14.5	12.7	46000	30200	3.4	2.54	8.5	C37-49C	EL296UH110XE60C	10491093
14HPX-048-230	49000	14.5	12.7	46000	30000	3.4	2.5	8.5	C37-49C	EL296UH110XV48C	10491096
14HPX-048-230	49000	14.5	12.7	46000	30000	3.4	2.5	8.5	C37-49C	EL296UH110XV60C	10491113
14HPX-048-230	49000	15	12.7	45500	30000	3.38	2.54	8.7	C37-49C	ML180UH090E60C	10590003
14HPX-048-230	48500	14.7	12.7	45500	30000	3.36	2.52	8.5	C37-49C	ML180UH110E60C	10590256
14HPX-048-230	49000	14.7	12.7	46000	30000	3.44	2.52	8.5	C37-49C	SL280UH090V60C	10491053
14HPX-048-230	49000	14.7	12.7	46000	30000	3.44	2.52	8.5	C37-49C	SL280UH090XV60C	10491059
14HPX-048-230	49000	14.7	12.7	46000	29800	3.44	2.5	8.5	C37-49C	SL280UH110V60C	10491054
14HPX-048-230	49000	14.7	12.7	46000	29800	3.44	2.5	8.5	C37-49C	SL280UH110XV60C	10491056
14HPX-048-230	49000	14.5	12.7	46000	30000	3.4	2.48	8.5	C37-49C	SLP98UH090XV48C	10491077
14HPX-048-230	49000	14.5	12.7	46000	30000	3.4	2.5	8.5	C37-49C	SLP98UH090XV60C	10491079
14HPX-048-230	49000	14.5	12.7	46000	30000	3.4	2.5	8.5	C37-49C	SLP98UH110XV60C	10491080
14HPX-048-230	49000	14	12.2	46500	30400	3.32	2.44	8.2	C37-49C		10491049
14HPX-048-230	47500	14.7	12.5	47500	31000	3.14	2.44	8.2	C37-60D	EL180UH135E60D	10491105
14HPX-048-230	47500	14.7	12.5	47500	31000	3.14	2.44	8.2	C37-60D	ML180UH135E60D	10590444
14HPX-048-230	49000	14.5	12.7	46500	30400	3.62	2.62	9	C37-62C	CBWMV-60C-100	10491069
14HPX-048-230	48500	14.5	12.5	46500	30400	3.6	2.62	9	C37-62C	CBWMV-60C-120	10491070
14HPX-048-230	48500	15	12.7	46000	30400	3.6	2.66	9	C37-62C	EL180UH090E60C	10491106
14HPX-048-230	48500	15	12.7	46000	30400	3.58	2.66	9	C37-62C	EL180UH110E60C	10491104
14HPX-048-230	48500	14.7	12.5	46500	30600	3.58	2.64	9	C37-62C	EL195UH090XE48C	10491078
14HPX-048-230	48500	14.5	12.7	46500	30400	3.6	2.64	9	C37-62C	EL195UH110XE60C	10491065
14HPX-048-230	48500	14.7	12.5	46500	30600	3.58	2.64	9	C37-62C	EL296UH090XE48C	10491092
14HPX-048-230	48500	14.5	12.7	46500	30400	3.6	2.62	9	C37-62C	EL296UH090XV48C	10491115
14HPX-048-230	48500	14.5	12.7	46500	30400	3.62	2.62	9	C37-62C	EL296UH090XV60C	10491117
14HPX-048-230	48500	14.5	12.7	46500	30400	3.6	2.64	9	C37-62C	EL296UH110XE60C	10491102
14HPX-048-230	48500	14.7	12.7	46500	30400	3.62	2.62	9	C37-62C	EL296UH110XV48C	10491097
14HPX-048-230	48500	14.5	12.7	46500	30400	3.6	2.62	9	C37-62C	EL296UH110XV60C	10491112
14HPX-048-230	48500	15	12.7	46000	30400	3.6	2.66	9	C37-62C	ML180UH090E60C	10590002
14HPX-048-230	48500	15	12.7	46000	30400	3.58	2.66	9	C37-62C	ML180UH110E60C	10590255
14HPX-048-230	49000	14.7	12.7	46500	30200	3.66	2.64	9	C37-62C	SL280UH090V60C	10491061
14HPX-048-230	49000	14.7	12.7	46500	30200	3.66	2.64	9	C37-62C	SL280UH090XV60C	10491060
14HPX-048-230	48500	14.7	12.7	46000	30200	3.6	2.64	9	C37-62C	SL280UH110V60C	10491062
14HPX-048-230	48500	14.7	12.7	46000	30200	3.6	2.64	9	C37-62C	SL280UH110XV60C	10491057
14HPX-048-230	48500	14.5	12.7	46500	30400	3.6	2.62	9	C37-62C	SLP98UH090XV48C	10491081

## AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-048-230	48500	14.5	12.7	46500	30400	3.62	2.62	9	C37-62C	SLP98UH090XV60C	10491082
14HPX-048-230	48500	14.5	12.7	46500	30400	3.6	2.62	9	C37-62C	SLP98UH110XV60C	10491083
14HPX-048-230	48500	14	12.2	47000	30800	3.52	2.56	8.7	C37-62C		10491050
14HPX-048-230	48000	14.7	12.5	46000	30400	3.52	2.6	8.7	C37-62D	EL180UH135E60D	10491100
14HPX-048-230	48000	14.5	12.2	46000	30600	3.44	2.56	8.7	C37-62D	EL195UH135XE60D	10491066
14HPX-048-230	48000	14.5	12.2	46000	30600	3.44	2.56	8.7	C37-62D	EL296UH135XE60D	10491098
14HPX-048-230	48000	14.5	12.5	46000	30400	3.5	2.56	8.7	C37-62D	EL296UH135XV60D	10491119
14HPX-048-230	48000	14.7	12.5	46000	30400	3.52	2.6	8.7	C37-62D	ML180UH135E60D	10590442
14HPX-048-230	48000	14.5	12.5	46000	30200	3.52	2.56	8.7	C37-62D	SL280UH135V60D	10491063
14HPX-048-230	48000	14.5	12.7	46000	30000	3.52	2.56	8.7	C37-62D	SLP98UH135XV60D	10491084
14HPX-048-230	49500	15	12.5	47500	30600	3.48	2.64	9	CBA27UHE-048		10491142
14HPX-048-230	48000	14.5	12.5	47000	30600	3.58	2.62	8.5	CBA27UHE-060		10491143
14HPX-048-230	49000	14	12	47000	30200	3.44	2.56	8.2	CBX25UH-048		10491011
14HPX-048-230	48500	14	12	47000	30400	3.4	2.54	8.2	CBX25UH-060		10491044
14HPX-048-230	48000	15	12.5	46500	29800	3.52	2.62	8.5	CBX25UHV-048		10491045
14HPX-048-230	49000	15	12.5	47000	30000	3.52	2.62	8.2	CBX25UHV-060		10490905
14HPX-048-230	49500	15	12.7	47500	30600	3.62	2.7	9.2	CBX27UH-048		10490917
14HPX-048-230	49500	15.2	12.7	43500	29800	3.52	2.66	9	CBX27UH-060		10490906
14HPX-048-230	49500	14.7	12.5	48000	30800	3.6	2.68	9	CBX32M-048		10490920
14HPX-048-230	49500	14.5	12.2	48000	30800	3.52	2.64	8.7	CBX32M-060		10490921
14HPX-048-230	49000	15	12.7	47500	30600	3.6	2.7	9	CBX32MV-048		10490925
14HPX-048-230	49500	14.7	12.5	48000	30600	3.54	2.64	8.7	CBX32MV-060		10490926
14HPX-048-230	49000	14.7	12.5	46000	30200	3.46	2.58	8.7	CBX32MV-068		10490927
14HPX-048-230	49000	15	12.7	47500	30600	3.62	2.7	9	CBX40UHV-048		10490918
14HPX-048-230	50000	14.7	12.5	48000	30600	3.54	2.64	9	CBX40UHV-060		10490919
14HPX-048-230	50500	15.2	13.2	46500	31000	3.66	2.74	9.2	CH23-68	EL180UH090E60C	10491028
14HPX-048-230	50000	15.2	13	46500	31000	3.64	2.74	9.2	CH23-68	EL180UH110E60C	10491008
14HPX-048-230	50500	15.2	13	47000	31000	3.72	2.76	9.2	CH23-68	EL180UH135E60D	10491006
14HPX-048-230	50000	15	12.7	47000	31200	3.64	2.72	9.2	CH23-68	EL195UH090XE48C	10490949
14HPX-048-230	50500	15.2	13	47000	31200	3.66	2.74	9.2	CH23-68	EL195UH110XE60C	10490929
14HPX-048-230	50500	14.7	12.7	47000	31400	3.64	2.72	9.2	CH23-68	EL195UH135XE60D	10490935
14HPX-048-230	50000	15	12.7	47000	31200	3.64	2.72	9.2	CH23-68	EL296UH090XE48C	10490986
14HPX-048-230	50500	15.2	13	47000	31200	3.66	2.74	9.2	CH23-68	EL296UH110XE60C	10490999
14HPX-048-230	50500	14.7	12.7	47000	31400	3.64	2.72	9.2	CH23-68	EL296UH135XE60D	10491003
14HPX-048-230	51000	15.2	13.2	47000	30800	3.68	2.68	9.2	CH23-68	EL296UH135XV60D	10491037
14HPX-048-230	50500	15.2	13.2	46500	31000	3.66	2.74	9.2	CH23-68	ML180UH090E60C	10590000
14HPX-048-230	50000	15.2	13	46500	31000	3.64	2.74	9.2	CH23-68	ML180UH110E60C	10590249
14HPX-048-230	50500	15.2	13	47000	31000	3.72	2.76	9.2	CH23-68	ML180UH135E60D	10590437
14HPX-048-230	50500	15.2	13.2	46500	30800	3.64	2.7	9.2	CH23-68	SL280UH135V60D	10490931
14HPX-048-230	50500	15.2	13.2	46500	30600	3.64	2.68	9.2	CH23-68	SLP98UH135XV60D	10490971
14HPX-048-230	49500	14	12.2	47500	31400	3.56	2.6	9	CH23-68		10490892
14HPX-048-230	48500	14.7	12.7	45500	29800	3.32	2.54	8.5	CH33-50/60C	EL180UH090E60C	10491014
14HPX-048-230	49000	14.2	12.2	46500	30200	3.38	2.52	8.5	CH33-50/60C	EL180UH110E60C	10491023
14HPX-048-230	48000	14.2	12.2	45500	29800	3.28	2.5	8.2	CH33-50/60C	EL195UH090XE48C	10490946
14HPX-048-230	48000	14.2	12.5	45500	29800	3.3	2.52	8.2	CH33-50/60C	EL195UH110XE60C	10490930
14HPX-048-230	48000	14.2	12.2	45500	29800	3.28	2.5	8.2	CH33-50/60C	EL296UH090XE48C	10490984
14HPX-048-230	48500	14.2	12.5	46000	29800	3.34	2.5	8.2	CH33-50/60C	EL296UH090XV48C	10491024
14HPX-048-230	48500	14.2	12.2	46000	29800	3.32	2.5	8.2	CH33-50/60C	EL296UH090XV60C	10491026
14HPX-048-230	48000	14.2	12.5	45500	29800	3.3	2.52	8.2	CH33-50/60C	EL296UH110XE60C	10490982
14HPX-048-230	48500	14.2	12.5	46000	29800	3.34	2.5	8.5	CH33-50/60C	EL296UH110XV48C	10490995
14HPX-048-230	48500	14.2	12.5	46000	29800	3.34	2.5	8.2	CH33-50/60C	EL296UH110XV60C	10491030
14HPX-048-230	48500	14.7	12.7	45500	29800	3.32	2.54	8.5	CH33-50/60C	ML180UH090E60C	10589997
14HPX-048-230	49000	14.2	12.2	46500	30200	3.38	2.52	8.5	CH33-50/60C	ML180UH110E60C	10590253
14HPX-048-230	48500	14.5	12.5	46000	29600	3.38	2.52	8.5	CH33-50/60C	SL280UH090V60C	10490932
14HPX-048-230	48500	14.5	12.5	46000	29600	3.38	2.52	8.5	CH33-50/60C	SL280UH090XV60C	10490909
14HPX-048-230	48500	14.2	12.5	46000	29600	3.36	2.5	8.5	CH33-50/60C	SL280UH110V60C	10490933
14HPX-048-230	48500	14.2	12.5	46000	29600	3.36	2.5	8.5	CH33-50/60C	SL280UH110XV60C	10490902
14HPX-048-230	48500	14.2	12.5	46000	29800	3.34	2.5	8.2	CH33-50/60C	SLP98UH090XV48C	10490972
14HPX-048-230	48500	14.2	12.2	46000	29800	3.32	2.5	8.2	CH33-50/60C	SLP98UH090XV60C	10490973
14HPX-048-230	48500	14.2	12.5	46000	29800	3.34	2.5	8.2	CH33-50/60C	SLP98UH110XV60C	10490974
14HPX-048-230	48500	14.7	12.7	46000	30200	3.4	2.58	8.7	CH33-60D	EL180UH135E60D	10491017

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-048-230	48000	14.2	12.2	46500	30600	3.38	2.54	8.5	CH33-60D	EL195UH135XE60D	10490936
14HPX-048-230	48000	14.2	12.2	46500	30600	3.38	2.54	8.5	CH33-60D	EL296UH135XE60D	10491005
14HPX-048-230	48500	14.2	12.5	46500	30200	3.44	2.52	8.7	CH33-60D	EL296UH135XV60D	10491036
14HPX-048-230	48500	14.7	12.7	46000	30200	3.4	2.58	8.7	CH33-60D	ML180UH135E60D	10590441
14HPX-048-230	48500	14.5	12.7	46000	30000	3.4	2.52	8.7	CH33-60D	SL280UH135V60D	10490894
14HPX-048-230	48000	14.5	12.5	46000	30000	3.4	2.54	8.5	CH33-60D	SLP98UH135XV60D	10490963
14HPX-048-230	48500	15	12.7	46000	30200	3.44	2.58	8.7	CH33-62D	EL180UH135E60D	10491007
14HPX-048-230	48000	14.7	12.2	46000	30400	3.36	2.54	8.7	CH33-62D	EL195UH135XE60D	10490951
14HPX-048-230	48000	14.7	12.2	46000	30400	3.36	2.54	8.7	CH33-62D	EL296UH135XE60D	10490988
14HPX-048-230	48500	14.7	12.7	46000	30200	3.42	2.54	8.7	CH33-62D	EL296UH135XV60D	10491042
14HPX-048-230	48500	15	12.7	46000	30200	3.44	2.58	8.7	CH33-62D	ML180UH135E60D	10590438
14HPX-048-230	48500	14.7	12.7	46000	30000	3.44	2.54	8.7	CH33-62D	SL280UH135V60D	10490895
14HPX-048-230	48000	14.7	12.7	45500	30000	3.4	2.54	8.7	CH33-62D	SLP98UH135XV60D	10490966
14HPX-048-230	48000	14	12	46500	30600	3.32	2.46	8.5	CH33-62D		10490891
14HPX-048-230	49500	15	12.7	48500	31200	3.5	2.66	9	CR33-50/60	EL180DF110E60C	10491027
14HPX-048-230	49500	14.2	12.5	49000	31400	3.44	2.6	8.7	CR33-50/60	EL195DF090XE48C	10490937
14HPX-048-230	49500	14.2	12.7	48500	31200	3.46	2.64	8.7	CR33-50/60	EL195DF110XE60C	10490938
14HPX-048-230	49500	14.2	12.5	49000	31400	3.44	2.6	8.7	CR33-50/60	EL296DF090XE48C	10490993
14HPX-048-230	49500	14.2	12.7	48500	31200	3.46	2.64	8.7	CR33-50/60	EL296DF110XE60C	10490997
14HPX-048-230	49500	15	12.7	48500	31200	3.5	2.66	9	CR33-50/60	ML180DF110E60C	10589548
14HPX-048-230	49500	14.7	12.7	48500	31000	3.48	2.62	8.7	CR33-50/60	SL280DF090V60C	10490912
14HPX-048-230	49500	14.7	13	48500	31000	3.52	2.64	8.7	CR33-50/60	SL280DF110V60C	10490913
14HPX-048-230	49500	14.2	12.5	49000	31400	3.46	2.58	8.7	CR33-50/60	SLP98DF090XV48C	10490967
14HPX-048-230	49500	14.2	12.5	49000	31400	3.46	2.6	8.7	CR33-50/60	SLP98DF090XV60C	10490968
14HPX-048-230	49500	14.2	12.7	48500	31200	3.42	2.58	8.7	CR33-50/60	SLP98DF110XV60C	10490969
14HPX-048-230	49000	14.5	12.7	46000	30000	3.42	2.5	8.5	CX34-49	CBWMV-60C-100	10490981
14HPX-048-230	49000	14.5	12.7	46000	30000	3.4	2.48	8.5	CX34-49	CBWMV-60C-120	10490980
14HPX-048-230	49000	15	12.7	45500	30000	3.38	2.54	8.7	CX34-49	EL180UH090E60C	10491029
14HPX-048-230	48500	14.7	12.7	45500	30000	3.36	2.52	8.5	CX34-49	EL180UH110E60C	10491000
14HPX-048-230	49000	14.7	12.7	46000	30000	3.38	2.52	8.5	CX34-49	EL195UH090XE48C	10490947
14HPX-048-230	49000	14.5	12.7	46000	30000	3.4	2.54	8.5	CX34-49	EL195UH110XE60C	10490944
14HPX-048-230	49000	14.7	12.7	46000	30000	3.38	2.52	8.5	CX34-49	EL296UH090XE48C	10490983
14HPX-048-230	49000	14.5	12.7	46000	30000	3.4	2.48	8.5	CX34-49	EL296UH090XV48C	10491020
14HPX-048-230	49000	14.5	12.7	46000	30000	3.4	2.5	8.5	CX34-49	EL296UH090XV60C	10491041
14HPX-048-230	49000	14.5	12.7	46000	30000	3.4	2.54	8.5	CX34-49	EL296UH110XE60C	10490990
14HPX-048-230	49000	14.5	12.7	46000	30000	3.4	2.5	8.5	CX34-49	EL296UH110XV48C	10491009
14HPX-048-230	49000	14.5	12.7	46000	30000	3.4	2.5	8.5	CX34-49	EL296UH110XV60C	10491047
14HPX-048-230	49000	15	12.7	45500	30000	3.38	2.54	8.7	CX34-49	ML180UH090E60C	10590001
14HPX-048-230	48500	14.7	12.7	45500	30000	3.36	2.52	8.5	CX34-49	ML180UH110E60C	10590248
14HPX-048-230	49000	14.7	12.7	46000	30000	3.44	2.52	8.5	CX34-49	SL280UH090V60C	10490896
14HPX-048-230	49000	14.7	12.7	46000	30000	3.44	2.52	8.5	CX34-49	SL280UH090XV60C	10490907
14HPX-048-230	49000	14.7	12.7	46000	29800	3.44	2.5	8.5	CX34-49	SL280UH110V60C	10490897
14HPX-048-230	49000	14.7	12.7	46000	29800	3.44	2.5	8.5	CX34-49	SL280UH110XV60C	10490900
14HPX-048-230	49000	14.5	12.7	46000	30000	3.4	2.48	8.5	CX34-49	SLP98UH090XV48C	10490953
14HPX-048-230	49000	14.5	12.7	46000	30000	3.4	2.5	8.5	CX34-49	SLP98UH090XV60C	10490954
14HPX-048-230	49000	14.5	12.7	46000	30000	3.4	2.5	8.5	CX34-49	SLP98UH110XV60C	10490955
14HPX-048-230	49000	14	12.2	46500	30400	3.32	2.44	8.2	CX34-49		10490888
14HPX-048-230	47500	14.7	12.5	47500	31000	3.14	2.44	8.2	CX34-60D	EL180UH135E60D	10491015
14HPX-048-230	47500	14.7	12.5	47500	31000	3.14	2.44	8.2	CX34-60D	ML180UH135E60D	10590439
14HPX-048-230	49000	14.5	12.7	46500	30400	3.62	2.62	9	CX34-62C	CBWMV-60C-100	10490943
14HPX-048-230	48500	14.5	12.5	46500	30400	3.6	2.62	9	CX34-62C	CBWMV-60C-120	10490952
14HPX-048-230	48500	15	12.7	46000	30400	3.6	2.66	9	CX34-62C	EL180UH090E60C	10491013
14HPX-048-230	48500	15	12.7	46000	30400	3.58	2.66	9	CX34-62C	EL180UH110E60C	10491022
14HPX-048-230	48500	14.7	12.5	46500	30600	3.58	2.64	9	CX34-62C	EL195UH090XE48C	10490948
14HPX-048-230	48500	14.5	12.7	46500	30400	3.6	2.64	9	CX34-62C	EL195UH110XE60C	10490945
14HPX-048-230	48500	14.7	12.5	46500	30600	3.58	2.64	9	CX34-62C	EL296UH090XE48C	10490985
14HPX-048-230	48500	14.5	12.7	46500	30400	3.6	2.62	9	CX34-62C	EL296UH090XV48C	10491034
14HPX-048-230	48500	14.5	12.7	46500	30400	3.62	2.62	9	CX34-62C	EL296UH090XV60C	10491040
14HPX-048-230	48500	14.5	12.7	46500	30400	3.6	2.64	9	CX34-62C	EL296UH110XE60C	10490992
14HPX-048-230	48500	14.7	12.7	46500	30400	3.62	2.62	9	CX34-62C	EL296UH110XV48C	10491010
14HPX-048-230	48500	14.5	12.7	46500	30400	3.6	2.62	9	CX34-62C	EL296UH110XV60C	10491046

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-048-230	48500	15	12.7	46000	30400	3.6	2.66	9	CX34-62C	ML180UH090E60C	10589996
14HPX-048-230	48500	15	12.7	46000	30400	3.58	2.66	9	CX34-62C	ML180UH110E60C	10590252
14HPX-048-230	49000	14.7	12.7	46500	30200	3.66	2.64	9	CX34-62C	SL280UH090V60C	10490922
14HPX-048-230	49000	14.7	12.7	46500	30200	3.66	2.64	9	CX34-62C	SL280UH090XV60C	10490910
14HPX-048-230	48500	14.7	12.7	46000	30200	3.6	2.64	9	CX34-62C	SL280UH110V60C	10490923
14HPX-048-230	48500	14.7	12.7	46000	30200	3.6	2.64	9	CX34-62C	SL280UH110XV60C	10490903
14HPX-048-230	48500	14.5	12.7	46500	30400	3.6	2.62	9	CX34-62C	SLP98UH090XV48C	10490975
14HPX-048-230	48500	14.5	12.7	46500	30400	3.62	2.62	9	CX34-62C	SLP98UH090XV60C	10490964
14HPX-048-230	48500	14.5	12.7	46500	30400	3.6	2.62	9	CX34-62C	SLP98UH110XV60C	10490977
14HPX-048-230	48500	14	12.2	47000	30800	3.52	2.56	8.7	CX34-62C		10490893
14HPX-048-230	48000	14.7	12.5	46000	30400	3.52	2.6	8.7	CX34-62D	EL180UH135E60D	10491002
14HPX-048-230	48000	14.5	12.2	46000	30600	3.44	2.56	8.7	CX34-62D	EL195UH135XE60D	10490940
14HPX-048-230	48000	14.5	12.2	46000	30600	3.44	2.56	8.7	CX34-62D	EL296UH135XE60D	10490991
14HPX-048-230	48000	14.5	12.5	46000	30400	3.5	2.56	8.7	CX34-62D	EL296UH135XV60D	10491038
14HPX-048-230	48000	14.7	12.5	46000	30400	3.52	2.6	8.7	CX34-62D	ML180UH135E60D	10590436
14HPX-048-230	48000	14.5	12.5	46000	30200	3.52	2.56	8.7	CX34-62D	SL280UH135V60D	10490924
14HPX-048-230	48000	14.5	12.7	46000	30000	3.52	2.56	8.7	CX34-62D	SLP98UH135XV60D	10490978
14HPX-048-230	49000	14.5	12.7	46000	30000	3.42	2.5	8.5	CX38-49C	CBWMV-60C-100	10491090
14HPX-048-230	49000	14.5	12.7	46000	30000	3.4	2.48	8.5	CX38-49C	CBWMV-60C-120	10491089
14HPX-048-230	49000	15	12.7	45500	30000	3.38	2.54	8.7	CX38-49C	EL180UH090E60C	10491111
14HPX-048-230	48500	14.7	12.7	45500	30000	3.36	2.52	8.5	CX38-49C	EL180UH110E60C	10491099
14HPX-048-230	49000	14.7	12.7	46000	30000	3.38	2.52	8.5	CX38-49C	EL195UH090XE48C	10491072
14HPX-048-230	49000	14.5	12.7	46000	30000	3.4	2.54	8.5	CX38-49C	EL195UH110XE60C	10491071
14HPX-048-230	49000	14.7	12.7	46000	30000	3.38	2.52	8.5	CX38-49C	EL296UH090XE48C	10491091
14HPX-048-230	49000	14.5	12.7	46000	30000	3.4	2.48	8.5	CX38-49C	EL296UH090XV48C	10491108
14HPX-048-230	49000	14.5	12.7	46000	30000	3.4	2.5	8.5	CX38-49C	EL296UH090XV60C	10491118
14HPX-048-230	49000	14.5	12.7	46000	30000	3.4	2.54	8.5	CX38-49C	EL296UH110XE60C	10491094
14HPX-048-230	49000	14.5	12.7	46000	30000	3.4	2.5	8.5	CX38-49C	EL296UH110XV48C	10491103
14HPX-048-230	49000	14.5	12.7	46000	30000	3.4	2.5	8.5	CX38-49C	EL296UH110XV60C	10491120
14HPX-048-230	49000	15	12.7	45500	30000	3.38	2.54	8.7	CX38-49C	ML180UH090E60C	10590004
14HPX-048-230	48500	14.7	12.7	45500	30000	3.36	2.52	8.5	CX38-49C	ML180UH110E60C	10590254
14HPX-048-230	49000	14.7	12.7	46000	30000	3.44	2.52	8.5	CX38-49C	SL280UH090V60C	10491051
14HPX-048-230	49000	14.7	12.7	46000	30000	3.44	2.52	8.5	CX38-49C	SL280UH090XV60C	10491058
14HPX-048-230	49000	14.7	12.7	46000	29800	3.44	2.5	8.5	CX38-49C	SL280UH110V60C	10491052
14HPX-048-230	49000	14.7	12.7	46000	29800	3.44	2.5	8.5	CX38-49C	SL280UH110XV60C	10491055
14HPX-048-230	49000	14.5	12.7	46000	30000	3.4	2.48	8.5	CX38-49C	SLP98UH090XV48C	10491074
14HPX-048-230	49000	14.5	12.7	46000	30000	3.4	2.5	8.5	CX38-49C	SLP98UH090XV60C	10491075
14HPX-048-230	49000	14.5	12.7	46000	30000	3.4	2.5	8.5	CX38-49C	SLP98UH110XV60C	10491076
14HPX-048-230	49000	14	12.2	46500	30400	3.32	2.44	8.2	CX38-49C		10491048
14HPX-048-230	47500	14.7	12.5	47500	31000	3.14	2.44	8.2	CX38-60D	EL180UH135E60D	10491137
14HPX-048-230	47500	14.7	12.5	47500	31000	3.14	2.44	8.2	CX38-60D	ML180UH135E60D	10590445
14HPX-048-230	49000	14.5	12.7	46500	30400	3.62	2.62	9	CX38-62C	CBWMV-60C-100	10491126
14HPX-048-230	48500	14.5	12.5	46500	30400	3.6	2.62	9	CX38-62C	CBWMV-60C-120	10491129
14HPX-048-230	48500	15	12.7	46000	30400	3.6	2.66	9	CX38-62C	EL180UH090E60C	10491136
14HPX-048-230	48500	15	12.7	46000	30400	3.58	2.66	9	CX38-62C	EL180UH110E60C	10491138
14HPX-048-230	48500	14.7	12.5	46500	30600	3.58	2.64	9	CX38-62C	EL195UH090XE48C	10491128
14HPX-048-230	48500	14.5	12.7	46500	30400	3.6	2.64	9	CX38-62C	EL195UH110XE60C	10491127
14HPX-048-230	48500	14.7	12.5	46500	30600	3.58	2.64	9	CX38-62C	EL296UH090XE48C	10491133
14HPX-048-230	48500	14.5	12.7	46500	30400	3.6	2.62	9	CX38-62C	EL296UH090XV48C	10491139
14HPX-048-230	48500	14.5	12.7	46500	30400	3.62	2.62	9	CX38-62C	EL296UH090XV60C	10491140
14HPX-048-230	48500	14.5	12.7	46500	30400	3.6	2.64	9	CX38-62C	EL296UH110XE60C	10491134
14HPX-048-230	48500	14.7	12.7	46500	30400	3.62	2.62	9	CX38-62C	EL296UH110XV48C	10491135
14HPX-048-230	48500	14.5	12.7	46500	30400	3.6	2.62	9	CX38-62C	EL296UH110XV60C	10491141
14HPX-048-230	48500	15	12.7	46000	30400	3.6	2.66	9	CX38-62C	ML180UH090E60C	10590005
14HPX-048-230	48500	15	12.7	46000	30400	3.58	2.66	9	CX38-62C	ML180UH110E60C	10590257
14HPX-048-230	49000	14.7	12.7	46500	30200	3.66	2.64	9	CX38-62C	SL280UH090V60C	10491124
14HPX-048-230	49000	14.7	12.7	46500	30200	3.66	2.64	9	CX38-62C	SL280UH090XV60C	10491123
14HPX-048-230	48500	14.7	12.7	46000	30200	3.6	2.64	9	CX38-62C	SL280UH110V60C	10491125
14HPX-048-230	48500	14.7	12.7	46000	30200	3.6	2.64	9	CX38-62C	SL280UH110XV60C	10491122
14HPX-048-230	48500	14.5	12.7	46500	30400	3.6	2.62	9	CX38-62C	SLP98UH090XV48C	10491131
14HPX-048-230	48500	14.5	12.7	46500	30400	3.62	2.62	9	CX38-62C	SLP98UH090XV60C	10491130

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-048-230	48500	14.5	12.7	46500	30400	3.6	2.62	9	CX38-62C	SLP98UH110XV60C	10491132
14HPX-048-230	48500	14	12.2	47000	30800	3.52	2.56	8.7	CX38-62C		10491121
14HPX-048-230	48000	14.7	12.5	46000	30400	3.52	2.6	8.7	CX38-62D	EL180UH135E60D	10491101
14HPX-048-230	48000	14.5	12.2	46000	30600	3.44	2.56	8.7	CX38-62D	EL195UH135XE60D	10491068
14HPX-048-230	48000	14.5	12.2	46000	30600	3.44	2.56	8.7	CX38-62D	EL296UH135XE60D	10491095
14HPX-048-230	48000	14.5	12.5	46000	30400	3.5	2.56	8.7	CX38-62D	EL296UH135XV60D	10491116
14HPX-048-230	48000	14.7	12.5	46000	30400	3.52	2.6	8.7	CX38-62D	ML180UH135E60D	10590443
14HPX-048-230	48000	14.5	12.5	46000	30200	3.52	2.56	8.7	CX38-62D	SL280UH135V60D	10491064
14HPX-048-230	48000	14.5	12.7	46000	30000	3.52	2.56	8.7	CX38-62D	SLP98UH135XV60D	10491087
14HPX-060-230	57500	14.5	12	54000	35000	3.28	2.36	8.2	C33-60D	EL180UH135E60D	10490821
14HPX-060-230	57500	14	11.7	54500	35200	3.26	2.34	8.2	C33-60D	EL195UH135XE60D	10490791
14HPX-060-230	57500	14	11.7	54500	35200	3.26	2.34	8.2	C33-60D	EL296UH135XE60D	10490811
14HPX-060-230	57500	14.5	12	54000	35000	3.28	2.36	8.2	C33-60D	ML180UH135E60D	10590426
14HPX-060-230	61000	15	12.5	54500	36400	3.3	2.52	8.7	C33-62C	CBWMV-60C-100	10490799
14HPX-060-230	61000	14.7	12.2	55000	36600	3.26	2.48	8.5	C33-62C	CBWMV-60C-120	10490784
14HPX-060-230	60500	15.2	12.5	54500	36200	3.28	2.52	8.7	C33-62C	EL180UH090E60C	10490829
14HPX-060-230	60500	15	12.5	54500	36200	3.26	2.5	8.5	C33-62C	EL180UH110E60C	10490817
14HPX-060-230	60500	15	12.5	54500	36200	3.26	2.48	8.5	C33-62C	EL195UH110XE60C	10490800
14HPX-060-230	61000	14.5	12.2	55000	36800	3.24	2.48	8.5	C33-62C	EL296UH090XV60C	10490834
14HPX-060-230	60500	15	12.5	54500	36200	3.26	2.48	8.5	C33-62C	EL296UH110XE60C	10490803
14HPX-060-230	61000	14.7	12.2	55000	36600	3.26	2.48	8.5	C33-62C	EL296UH110XV60C	10490836
14HPX-060-230	60500	15.2	12.5	54500	36200	3.28	2.52	8.7	C33-62C	ML180UH090E60C	10589993
14HPX-060-230	60500	15	12.5	54500	36200	3.26	2.5	8.5	C33-62C	ML180UH110E60C	10590244
14HPX-060-230	61000	15	12.5	55000	36400	3.3	2.5	8.7	C33-62C	SL280UH090V60C	10490759
14HPX-060-230	61000	15	12.5	55000	36400	3.3	2.5	8.7	C33-62C	SL280UH090XV60C	10490772
14HPX-060-230	61000	14.7	12.2	55000	36600	3.26	2.48	8.5	C33-62C	SL280UH110V60C	10490760
14HPX-060-230	61000	14.7	12.2	55000	36600	3.26	2.48	8.5	C33-62C	SL280UH110XV60C	10490766
14HPX-060-230	61000	14.5	12.2	55000	36800	3.24	2.48	8.5	C33-62C	SLP98UH090XV60C	10490773
14HPX-060-230	61000	14.7	12.2	55000	36600	3.26	2.48	8.5	C33-62C	SLP98UH110XV60C	10490788
14HPX-060-230	61000	14.7	12.2	55000	36600	3.26	2.48	8.5	C33-62C		10490754
14HPX-060-230	57500	14.5	12.2	55000	36400	3.2	2.38	8.2	C33-62D	EL180UH135E60D	10490826
14HPX-060-230	57500	14.2	12	55000	36800	3.14	2.36	8.2	C33-62D	EL195UH135XE60D	10490792
14HPX-060-230	57500	14.2	12	55000	36800	3.14	2.36	8.2	C33-62D	EL296UH135XE60D	10490809
14HPX-060-230	57500	14.2	12	55000	36600	3.18	2.38	8.2	C33-62D	EL296UH135XV60D	10490764
14HPX-060-230	57500	14.5	12.2	55000	36400	3.2	2.38	8.2	C33-62D	ML180UH135E60D	10590430
14HPX-060-230	57500	14.2	12	55000	36600	3.18	2.38	8.2	C33-62D	SL280UH135V60D	10490768
14HPX-060-230	57000	14.5	12.2	54500	36400	3.14	2.38	8.2	C33-62D	SLP98UH135XV60D	10490789
14HPX-060-230	57500	14.5	12	54000	35000	3.28	2.36	8.2	C37-60D	EL180UH135E60D	10490860
14HPX-060-230	57500	14	11.7	54500	35200	3.26	2.34	8.2	C37-60D	EL195UH135XE60D	10490849
14HPX-060-230	57500	14	11.7	54500	35200	3.26	2.34	8.2	C37-60D	EL296UH135XE60D	10490858
14HPX-060-230	57500	14.5	12	54000	35000	3.28	2.36	8.2	C37-60D	ML180UH135E60D	10590431
14HPX-060-230	61000	15	12.5	54500	36400	3.3	2.52	8.7	C37-62C	CBWMV-60C-100	10490853
14HPX-060-230	61000	14.7	12.2	55000	36600	3.26	2.48	8.5	C37-62C	CBWMV-60C-120	10490846
14HPX-060-230	60500	15.2	12.5	54500	36200	3.28	2.52	8.7	C37-62C	EL180UH090E60C	10490863
14HPX-060-230	60500	15	12.5	54500	36200	3.26	2.5	8.5	C37-62C	EL180UH110E60C	10490859
14HPX-060-230	60500	15	12.5	54500	36200	3.26	2.48	8.5	C37-62C	EL195UH110XE60C	10490854
14HPX-060-230	61000	14.5	12.2	55000	36800	3.24	2.48	8.5	C37-62C	EL296UH090XV60C	10490865
14HPX-060-230	60500	15	12.5	54500	36200	3.26	2.48	8.5	C37-62C	EL296UH110XE60C	10490855
14HPX-060-230	61000	14.7	12.2	55000	36600	3.26	2.48	8.5	C37-62C	EL296UH110XV60C	10490866
14HPX-060-230	60500	15.2	12.5	54500	36200	3.28	2.52	8.7	C37-62C	ML180UH090E60C	10589994
14HPX-060-230	60500	15	12.5	54500	36200	3.26	2.5	8.5	C37-62C	ML180UH110E60C	10590246
14HPX-060-230	61000	15	12.5	55000	36400	3.3	2.5	8.7	C37-62C	SL280UH090V60C	10490838
14HPX-060-230	61000	15	12.5	55000	36400	3.3	2.5	8.7	C37-62C	SL280UH090XV60C	10490843
14HPX-060-230	61000	14.7	12.2	55000	36600	3.26	2.48	8.5	C37-62C	SL280UH110V60C	10490839
14HPX-060-230	61000	14.7	12.2	55000	36600	3.26	2.48	8.5	C37-62C	SL280UH110XV60C	10490841
14HPX-060-230	61000	14.5	12.2	55000	36800	3.24	2.48	8.5	C37-62C	SLP98UH090XV60C	10490844
14HPX-060-230	61000	14.7	12.2	55000	36600	3.26	2.48	8.5	C37-62C	SLP98UH110XV60C	10490847
14HPX-060-230	61000	14.7	12.2	55000	36600	3.26	2.48	8.5	C37-62C		10490837
14HPX-060-230	57500	14.5	12.2	55000	36400	3.2	2.38	8.2	C37-62D	EL180UH135E60D	10490862
14HPX-060-230	57500	14.2	12	55000	36800	3.14	2.36	8.2	C37-62D	EL195UH135XE60D	10490850
14HPX-060-230	57500	14.2	12	55000	36800	3.14	2.36	8.2	C37-62D	EL296UH135XE60D	10490856

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-060-230	57500	14.2	12	55000	36600	3.18	2.38	8.2	C37-62D	EL296UH135XV60D	10490840
14HPX-060-230	57500	14.5	12.2	55000	36400	3.2	2.38	8.2	C37-62D	ML180UH135E60D	10590433
14HPX-060-230	57500	14.2	12	55000	36600	3.18	2.38	8.2	C37-62D	SL280UH135V60D	10490842
14HPX-060-230	57000	14.5	12.2	54500	36400	3.14	2.38	8.2	C37-62D	SLP98UH135XV60D	10490848
14HPX-060-230	59000	15	12.5	56000	36800	3.52	2.62	8.5	CBA27UHE-060		10490885
14HPX-060-230	58500	14	12	55500	35800	3.28	2.46	8.2	CBX25UH-060		10490886
14HPX-060-230	58000	14.5	12.5	54500	35000	3.28	2.5	8.5	CBX25UHV-060		10490833
14HPX-060-230	59000	15	12.5	56000	36000	3.52	2.62	8.5	CBX27UH-060		10490769
14HPX-060-230	59000	14.5	12	56500	37200	3.22	2.5	8.5	CBX32M-060		10490770
14HPX-060-230	59000	14.5	12	57000	37200	3.24	2.48	8.5	CBX32MV-060		10490775
14HPX-060-230	59000	14.5	12.2	53500	36000	3.28	2.48	8.7	CBX32MV-068		10490776
14HPX-060-230	59000	14.5	12	57000	37200	3.24	2.48	8.5	CBX40UHV-060		10490761
14HPX-060-230	59500	15	12.5	57000	37400	3.48	2.6	9	CH23-68	EL180UH090E60C	10490827
14HPX-060-230	59500	14.7	12.5	57000	37400	3.46	2.58	9	CH23-68	EL180UH110E60C	10490816
14HPX-060-230	60000	15	12.7	57000	37600	3.52	2.62	9	CH23-68	EL180UH135E60D	10490820
14HPX-060-230	59500	15	12.5	57000	37400	3.5	2.6	9	CH23-68	EL195UH110XE60C	10490801
14HPX-060-230	60000	14.7	12.2	57500	37800	3.48	2.58	9	CH23-68	EL195UH135XE60D	10490806
14HPX-060-230	59500	15	12.5	57000	37400	3.5	2.6	9	CH23-68	EL296UH110XE60C	10490804
14HPX-060-230	60000	14.7	12.2	57500	37800	3.48	2.58	9	CH23-68	EL296UH135XE60D	10490805
14HPX-060-230	60000	14.7	12.5	57500	37800	3.5	2.6	9	CH23-68	EL296UH135XV60D	10490763
14HPX-060-230	59500	15	12.5	57000	37400	3.48	2.6	9	CH23-68	ML180UH090E60C	10589991
14HPX-060-230	59500	14.7	12.5	57000	37400	3.46	2.58	9	CH23-68	ML180UH110E60C	10590243
14HPX-060-230	60000	15	12.7	57000	37600	3.52	2.62	9	CH23-68	ML180UH135E60D	10590425
14HPX-060-230	60000	14.7	12.5	57500	37800	3.5	2.6	9	CH23-68	SL280UH135V60D	10490762
14HPX-060-230	59500	15	12.5	57000	37400	3.46	2.6	9	CH23-68	SLP98UH135XV60D	10490787
14HPX-060-230	59500	14.2	12.2	57500	38000	3.42	2.56	8.7	CH23-68		10490753
14HPX-060-230	57000	14.2	11.7	54000	35000	3.24	2.36	8.2	CH33-60D	EL180UH135E60D	10490815
14HPX-060-230	57000	14	11.7	54500	35200	3.22	2.32	8.2	CH33-60D	EL195UH135XE60D	10490798
14HPX-060-230	57000	14	11.7	54500	35200	3.22	2.32	8.2	CH33-60D	EL296UH135XE60D	10490814
14HPX-060-230	57000	14.2	11.7	54000	35000	3.24	2.36	8.2	CH33-60D	ML180UH135E60D	10590424
14HPX-060-230	57500	14.5	12.2	54000	36000	3.24	2.42	8.5	CH33-62D	EL180UH135E60D	10490824
14HPX-060-230	57500	14.2	12	54000	36400	3.2	2.4	8.5	CH33-62D	EL195UH135XE60D	10490807
14HPX-060-230	57500	14.2	12	54000	36400	3.2	2.4	8.5	CH33-62D	EL296UH135XE60D	10490818
14HPX-060-230	57500	14.2	12.2	54000	36200	3.24	2.42	8.5	CH33-62D	EL296UH135XV60D	10490831
14HPX-060-230	57500	14.5	12.2	54000	36000	3.24	2.42	8.5	CH33-62D	ML180UH135E60D	10590429
14HPX-060-230	57500	14.2	12.2	54000	36200	3.22	2.42	8.5	CH33-62D	SL280UH135V60D	10490777
14HPX-060-230	57500	14.5	12.2	54000	36200	3.22	2.42	8.5	CH33-62D	SLP98UH135XV60D	10490793
14HPX-060-230	57000	14	11.7	54000	36400	3.16	2.38	8.2	CH33-62D		10490758
14HPX-060-230	59000	14.7	12.2	58000	37800	3.16	2.46	8.2	CR33-50/60	EL180DF110E60C	10490830
14HPX-060-230	58500	14	11.7	58000	37600	3.1	2.42	8.2	CR33-50/60	EL195DF110XE60C	10490786
14HPX-060-230	58500	14	11.7	58000	37600	3.1	2.42	8.2	CR33-50/60	EL296DF110XE60C	10490802
14HPX-060-230	59000	14.7	12.2	58000	37800	3.16	2.46	8.2	CR33-50/60	ML180DF110E60C	10589547
14HPX-060-230	59000	14.5	12	58500	37800	3.14	2.44	8.2	CR33-50/60	SL280DF090V60C	10490771
14HPX-060-230	59000	14.7	12.2	58000	37800	3.12	2.44	8.2	CR33-50/60	SL280DF110V60C	10490774
14HPX-060-230	58500	14	11.7	58500	38000	3.08	2.38	8.2	CR33-50/60	SLP98DF090XV60C	10490778
14HPX-060-230	58500	14	11.7	58500	38000	3.08	2.38	8.2	CR33-50/60	SLP98DF110XV60C	10490779
14HPX-060-230	58500	14.2	11.7	58500	38000	3.08	2.38	8.2	CR33-50/60		10490755
14HPX-060-230	58500	14.2	11.7	58500	38000	3.08	2.38	8.2	CR33-60		10490756
14HPX-060-230	57500	14.5	12	54000	35000	3.28	2.36	8.2	CX34-60D	EL180UH135E60D	10490823
14HPX-060-230	57500	14	11.7	54500	35200	3.26	2.34	8.2	CX34-60D	EL195UH135XE60D	10490796
14HPX-060-230	57500	14	11.7	54500	35200	3.26	2.34	8.2	CX34-60D	EL296UH135XE60D	10490808
14HPX-060-230	57500	14.5	12	54000	35000	3.28	2.36	8.2	CX34-60D	ML180UH135E60D	10590428
14HPX-060-230	61000	15	12.5	54500	36400	3.3	2.52	8.7	CX34-62C	CBWMV-60C-100	10490813
14HPX-060-230	61000	14.7	12.2	55000	36600	3.26	2.48	8.5	CX34-62C	CBWMV-60C-120	10490785
14HPX-060-230	60500	15.2	12.5	54500	36200	3.28	2.52	8.7	CX34-62C	EL180UH090E60C	10490828
14HPX-060-230	60500	15	12.5	54500	36200	3.26	2.5	8.5	CX34-62C	EL180UH110E60C	10490819
14HPX-060-230	60500	15	12.5	54500	36200	3.26	2.48	8.5	CX34-62C	EL195UH110XE60C	10490790
14HPX-060-230	61000	14.5	12.2	55000	36800	3.24	2.48	8.5	CX34-62C	EL296UH090XV60C	10490835
14HPX-060-230	60500	15	12.5	54500	36200	3.26	2.48	8.5	CX34-62C	EL296UH110XE60C	10490812
14HPX-060-230	61000	14.7	12.2	55000	36600	3.26	2.48	8.5	CX34-62C	EL296UH110XV60C	10490825
14HPX-060-230	60500	15.2	12.5	54500	36200	3.28	2.52	8.7	CX34-62C	ML180UH090E60C	10589992



# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-060-230	60500	15	12.5	54500	36200	3.26	2.5	8.5	CX34-62C	ML180UH110E60C	10590245
14HPX-060-230	61000	15	12.5	55000	36400	3.3	2.5	8.7	CX34-62C	SL280UH090V60C	10490781
14HPX-060-230	61000	15	12.5	55000	36400	3.3	2.5	8.7	CX34-62C	SL280UH090XV60C	10490765
14HPX-060-230	61000	14.7	12.2	55000	36600	3.26	2.48	8.5	CX34-62C	SL280UH110V60C	10490782
14HPX-060-230	61000	14.7	12.2	55000	36600	3.26	2.48	8.5	CX34-62C	SL280UH110XV60C	10490767
14HPX-060-230	61000	14.5	12.2	55000	36800	3.24	2.48	8.5	CX34-62C	SLP98UH090XV60C	10490794
14HPX-060-230	61000	14.7	12.2	55000	36600	3.26	2.48	8.5	CX34-62C	SLP98UH110XV60C	10490780
14HPX-060-230	61000	14.7	12.2	55000	36600	3.26	2.48	8.5	CX34-62C		10490757
14HPX-060-230	57500	14.5	12.2	55000	36400	3.2	2.38	8.2	CX34-62D	EL180UH135E60D	10490822
14HPX-060-230	57500	14.2	12	55000	36800	3.14	2.36	8.2	CX34-62D	EL195UH135XE60D	10490797
14HPX-060-230	57500	14.2	12	55000	36800	3.14	2.36	8.2	CX34-62D	EL296UH135XE60D	10490810
14HPX-060-230	57500	14.2	12	55000	36600	3.18	2.38	8.2	CX34-62D	EL296UH135XV60D	10490832
14HPX-060-230	57500	14.5	12.2	55000	36400	3.2	2.38	8.2	CX34-62D	ML180UH135E60D	10590427
14HPX-060-230	57500	14.2	12	55000	36600	3.18	2.38	8.2	CX34-62D	SL280UH135V60D	10490783
14HPX-060-230	57000	14.5	12.2	54500	36400	3.14	2.38	8.2	CX34-62D	SLP98UH135XV60D	10490795
14HPX-060-230	57500	14.5	12	54000	35000	3.28	2.36	8.2	CX38-60D	EL180UH135E60D	10490881
14HPX-060-230	57500	14	11.7	54500	35200	3.26	2.34	8.2	CX38-60D	EL195UH135XE60D	10490876
14HPX-060-230	57500	14	11.7	54500	35200	3.26	2.34	8.2	CX38-60D	EL296UH135XE60D	10490877
14HPX-060-230	57500	14.5	12	54000	35000	3.28	2.36	8.2	CX38-60D	ML180UH135E60D	10590434
14HPX-060-230	61000	15	12.5	54500	36400	3.3	2.52	8.7	CX38-62C	CBWMV-60C-100	10490879
14HPX-060-230	61000	14.7	12.2	55000	36600	3.26	2.48	8.5	CX38-62C	CBWMV-60C-120	10490873
14HPX-060-230	60500	15.2	12.5	54500	36200	3.28	2.52	8.7	CX38-62C	EL180UH090E60C	10490883
14HPX-060-230	60500	15	12.5	54500	36200	3.26	2.5	8.5	CX38-62C	EL180UH110E60C	10490880
14HPX-060-230	60500	15	12.5	54500	36200	3.26	2.48	8.5	CX38-62C	EL195UH110XE60C	10490874
14HPX-060-230	61000	14.5	12.2	55000	36800	3.24	2.48	8.5	CX38-62C	EL296UH090XV60C	10490884
14HPX-060-230	60500	15	12.5	54500	36200	3.26	2.48	8.5	CX38-62C	EL296UH110XE60C	10490878
14HPX-060-230	61000	14.7	12.2	55000	36600	3.26	2.48	8.5	CX38-62C	EL296UH110XV60C	10490882
14HPX-060-230	60500	15.2	12.5	54500	36200	3.28	2.52	8.7	CX38-62C	ML180UH090E60C	10589995
14HPX-060-230	60500	15	12.5	54500	36200	3.26	2.5	8.5	CX38-62C	ML180UH110E60C	10590247
14HPX-060-230	61000	15	12.5	55000	36400	3.3	2.5	8.7	CX38-62C	SL280UH090V60C	10490871
14HPX-060-230	61000	15	12.5	55000	36400	3.3	2.5	8.7	CX38-62C	SL280UH090XV60C	10490868
14HPX-060-230	61000	14.7	12.2	55000	36600	3.26	2.48	8.5	CX38-62C	SL280UH110V60C	10490872
14HPX-060-230	61000	14.7	12.2	55000	36600	3.26	2.48	8.5	CX38-62C	SL280UH110XV60C	10490869
14HPX-060-230	61000	14.5	12.2	55000	36800	3.24	2.48	8.5	CX38-62C	SLP98UH090XV60C	10490875
14HPX-060-230	61000	14.7	12.2	55000	36600	3.26	2.48	8.5	CX38-62C	SLP98UH110XV60C	10490870
14HPX-060-230	61000	14.7	12.2	55000	36600	3.26	2.48	8.5	CX38-62C		10490867
14HPX-060-230	57500	14.5	12.2	55000	36400	3.2	2.38	8.2	CX38-62D	EL180UH135E60D	10490861
14HPX-060-230	57500	14.2	12	55000	36800	3.14	2.36	8.2	CX38-62D	EL195UH135XE60D	10490852
14HPX-060-230	57500	14.2	12	55000	36800	3.14	2.36	8.2	CX38-62D	EL296UH135XE60D	10490857
14HPX-060-230	57500	14.2	12	55000	36600	3.18	2.38	8.2	CX38-62D	EL296UH135XV60D	10490864
14HPX-060-230	57500	14.5	12.2	55000	36400	3.2	2.38	8.2	CX38-62D	ML180UH135E60D	10590432
14HPX-060-230	57500	14.2	12	55000	36600	3.18	2.38	8.2	CX38-62D	SL280UH135V60D	10490845
14HPX-060-230	57000	14.5	12.2	54500	36400	3.14	2.38	8.2	CX38-62D	SLP98UH135XV60D	10490851
SL18XP1-024-230	24000	17	14	21600	13500	4.06	2.74	9.6	C33-38A	EL180UH045E36A	8329075
SL18XP1-024-230	24000	17	14	21600	13500	4.06	2.74	9.6	C33-38A	EL180UH045XE36A	8329076
SL18XP1-024-230	24000	17	14	21600	13500	4.06	2.74	9.6	C33-38A	ML180UH045E36A	10589558
SL18XP1-024-230	24000	17	14	21600	13500	4.06	2.74	9.6	C33-38A	ML180UH045XE36A	10589583
SL18XP1-024-230	24000	18	14.5	21400	13400	4.18	2.8	9.6	C33-38A	SL280UH070V36A	8329077
SL18XP1-024-230	24000	18	14.5	21400	13400	4.18	2.8	9.6	C33-38A	SL280UH070XV36A	8329078
SL18XP1-024-230	24000	18	14.5	21400	13400	4.14	2.78	9.6	C33-38B	EL180UH070E36B	8329079
SL18XP1-024-230	24000	18	14.5	21400	13400	4.14	2.78	9.6	C33-38B	EL180UH070XE36B	8329080
SL18XP1-024-230	23800	17.5	14	21400	13400	4.04	2.74	9.6	C33-38B	EL195UH045XE36B	8329081
SL18XP1-024-230	24000	17.5	14.5	21400	13500	4.1	2.78	9.6	C33-38B	EL195UH070XE36B	8329082
SL18XP1-024-230	23800	17.5	14	21400	13400	4.04	2.74	9.6	C33-38B	EL296UH045XE36B	8329083
SL18XP1-024-230	24000	17.5	14.5	21400	13400	4.1	2.76	9.6	C33-38B	EL296UH045XV36B	8329084
SL18XP1-024-230	24000	17.5	14.5	21400	13500	4.1	2.78	9.6	C33-38B	EL296UH070XE36B	8329085
SL18XP1-024-230	24000	18	14.5	21400	13400	4.14	2.78	9.6	C33-38B	ML180UH070E36B	10589616
SL18XP1-024-230	24000	18	14.5	21400	13400	4.14	2.78	9.6	C33-38B	ML180UH070XE36B	10589682
SL18XP1-024-230	23800	18	14.5	21200	13300	4.08	2.78	9.6	C33-38B	SL280UH090V36B	8329086
SL18XP1-024-230	24000	18	14.5	21400	13400	4.14	2.78	9.6	C33-38B	SLP98UH070XV36B	8329087
SL18XP1-024-230	23600	15	12.5	22200	14100	3.82	2.58	9	C33-38B		8329088

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-024-230	23800	17.5	14.5	21200	13800	3.58	2.66	9	C35-30A	EL180UH045E36A	10098122
SL18XP1-024-230	23800	17.5	14.5	21200	13800	3.58	2.66	9	C35-30A	EL180UH045XE36A	10098123
SL18XP1-024-230	23800	17.5	14.5	21200	13800	3.58	2.66	9	C35-30A	ML180UH045E36A	10589578
SL18XP1-024-230	23800	17.5	14.5	21200	13800	3.58	2.66	9	C35-30A	ML180UH045XE36A	10589592
SL18XP1-024-230	24000	18	15	21400	13700	3.78	2.76	9.6	C35-30A	SL280UH060NV36A	10581363
SL18XP1-024-230	24000	18	15	21400	13800	3.76	2.74	9.5	C35-30A	SL280UH070V36A	10098124
SL18XP1-024-230	24000	18	15	21400	13800	3.76	2.74	9.5	C35-30A	SL280UH070XV36A	10098125
SL18XP1-024-230	24000	18	15	21400	13800	3.72	2.72	9.5	C35-30B	EL180UH070E36B	10098126
SL18XP1-024-230	24000	18	15	21400	13800	3.72	2.72	9.5	C35-30B	EL180UH070XE36B	10098127
SL18XP1-024-230	24000	17.5	14.5	21400	13800	3.64	2.66	9	C35-30B	EL195UH045XE36B	10098128
SL18XP1-024-230	24000	17.5	14.5	21200	13800	3.62	2.68	9	C35-30B	EL195UH070XE36B	10098129
SL18XP1-024-230	24000	17.5	14.5	21400	13800	3.64	2.66	9	C35-30B	EL296UH045XE36B	10098130
SL18XP1-024-230	24000	18	15	21400	13800	3.7	2.7	9.5	C35-30B	EL296UH045XV36B	10098131
SL18XP1-024-230	24000	17.5	14.5	21200	13800	3.62	2.68	9	C35-30B	EL296UH070XE36B	10098132
SL18XP1-024-230	24000	18	15	21400	13800	3.72	2.72	9.5	C35-30B	ML180UH070E36B	10589665
SL18XP1-024-230	24000	18	15	21400	13800	3.72	2.72	9.5	C35-30B	ML180UH070XE36B	10589702
SL18XP1-024-230	24000	18	15	21400	13800	3.78	2.74	9.5	C35-30B	SL280UH090V36B	10098133
SL18XP1-024-230	24000	17	14.5	21400	13900	3.62	2.66	9	C35-30B	SLP98UH070XV36B	10098134
SL18XP1-024-230	23400	15	13	22000	14400	3.44	2.52	8.5	C35-30B		10098121
SL18XP1-024-230	24000	17.5	14.5	21600	13800	3.98	2.74	9.6	C35-36A	EL180UH045E36A	10098136
SL18XP1-024-230	24000	17.5	14.5	21600	13800	3.98	2.74	9.6	C35-36A	EL180UH045XE36A	10098137
SL18XP1-024-230	24000	17.5	14.5	21600	13800	3.98	2.74	9.6	C35-36A	ML180UH045E36A	10589579
SL18XP1-024-230	24000	17.5	14.5	21600	13800	3.98	2.74	9.6	C35-36A	ML180UH045XE36A	10589593
SL18XP1-024-230	24000	18.5	15	21400	13400	4.1	2.82	10	C35-36A	SL280UH060NV36A	10581364
SL18XP1-024-230	24000	18	15	21400	13700	4.08	2.82	9.6	C35-36A	SL280UH070V36A	10098138
SL18XP1-024-230	24000	18	15	21400	13700	4.08	2.82	9.6	C35-36A	SL280UH070XV36A	10098139
SL18XP1-024-230	24000	18	14.5	21400	13700	4.04	2.8	9.6	C35-36B	EL180UH070E36B	10098140
SL18XP1-024-230	24000	18	14.5	21400	13700	4.04	2.8	9.6	C35-36B	EL180UH070XE36B	10098141
SL18XP1-024-230	23800	17.5	14.5	21400	13700	3.94	2.74	9.6	C35-36B	EL195UH045XE36B	10098142
SL18XP1-024-230	24000	18	14.5	21400	13800	4.02	2.8	9.6	C35-36B	EL195UH070XE36B	10098143
SL18XP1-024-230	23800	17.5	14.5	21400	13700	3.94	2.74	9.6	C35-36B	EL296UH045XE36B	10098144
SL18XP1-024-230	24000	18	14.5	21400	13700	4	2.78	9.6	C35-36B	EL296UH045XV36B	10098145
SL18XP1-024-230	24000	18	14.5	21400	13800	4.02	2.8	9.6	C35-36B	EL296UH070XE36B	10098146
SL18XP1-024-230	24000	18	14.5	21400	13700	4.04	2.8	9.6	C35-36B	ML180UH070E36B	10589666
SL18XP1-024-230	24000	18	14.5	21400	13700	4.04	2.8	9.6	C35-36B	ML180UH070XE36B	10589703
SL18XP1-024-230	23800	18	14.5	21400	13600	4.02	2.78	9.6	C35-36B	SL280UH090V36B	10098963
SL18XP1-024-230	24000	18	14.5	21400	13700	4.04	2.8	9.6	C35-36B	SLP98UH070XV36B	10098964
SL18XP1-024-230	23200	15.5	12.5	22000	14300	3.7	2.58	9	C35-36B		10098135
SL18XP1-024-230	24000	17	14	21600	13500	4.06	2.74	9.6	C37-38A	EL180UH045E36A	10085104
SL18XP1-024-230	24000	17	14	21600	13500	4.06	2.74	9.6	C37-38A	EL180UH045XE36A	10085105
SL18XP1-024-230	24000	17	14	21600	13500	4.06	2.74	9.6	C37-38A	ML180UH045E36A	10589571
SL18XP1-024-230	24000	17	14	21600	13500	4.06	2.74	9.6	C37-38A	ML180UH045XE36A	10589587
SL18XP1-024-230	24000	18	14.5	21400	13400	4.18	2.82	10	C37-38A	SL280UH060NV36A	10581365
SL18XP1-024-230	24000	18	14.5	21400	13400	4.18	2.8	9.6	C37-38A	SL280UH070V36A	10085106
SL18XP1-024-230	24000	18	14.5	21400	13400	4.18	2.8	9.6	C37-38A	SL280UH070XV36A	10085107
SL18XP1-024-230	23600	15	12.5	22200	14100	3.82	2.58	9	C37-38A		10084121
SL18XP1-024-230	24000	18	14.5	21400	13400	4.14	2.78	9.6	C37-38B	EL180UH070E36B	10085108
SL18XP1-024-230	24000	18	14.5	21400	13400	4.14	2.78	9.6	C37-38B	EL180UH070XE36B	10085109
SL18XP1-024-230	23800	17.5	14	21400	13400	4.04	2.74	9.6	C37-38B	EL195UH045XE36B	10085110
SL18XP1-024-230	24000	17.5	14.5	21400	13500	4.1	2.78	9.6	C37-38B	EL195UH070XE36B	10085111
SL18XP1-024-230	23800	17.5	14	21400	13400	4.04	2.74	9.6	C37-38B	EL296UH045XE36B	10085112
SL18XP1-024-230	24000	17.5	14.5	21400	13400	4.1	2.76	9.6	C37-38B	EL296UH045XV36B	10085113
SL18XP1-024-230	24000	17.5	14.5	21400	13500	4.1	2.78	9.6	C37-38B	EL296UH070XE36B	10085114
SL18XP1-024-230	24000	18	14.5	21400	13400	4.14	2.78	9.6	C37-38B	ML180UH070E36B	10589650
SL18XP1-024-230	24000	18	14.5	21400	13400	4.14	2.78	9.6	C37-38B	ML180UH070XE36B	10589693
SL18XP1-024-230	23800	18	14.5	21200	13300	4.08	2.78	9.6	C37-38B	SL280UH090V36B	10085115
SL18XP1-024-230	24000	18	14.5	21400	13400	4.14	2.78	9.6	C37-38B	SLP98UH070XV36B	10085116
SL18XP1-024-230	23600	15	12.5	22200	14100	3.82	2.58	9	C37-38B		10084122
SL18XP1-024-230	24000	18.5	15	22200	14200	4.18	2.82	10	CBA27UHE-030		10258578
SL18XP1-024-230	24000	18	14.5	21600	13700	4.18	2.86	9.6	CBX27UH-024		8331363
SL18XP1-024-230	24000	18.5	15	22200	14500	4.34	2.98	10.2	CBX27UH-030		8331364

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-024-230	23600	16.5	13.5	22000	14000	3.98	2.7	9.5	CBX32M-030		8331365
SL18XP1-024-230	24000	16.5	13.5	22800	15000	4.06	2.78	9.6	CBX32M-036		8331366
SL18XP1-024-230	24000	18	14.5	21600	13700	4.2	2.86	9.6	CBX32MV-024/030		8331367
SL18XP1-024-230	24000	18	14.5	22400	14700	4.26	2.92	10.2	CBX32MV-036		8331368
SL18XP1-024-230	24000	18	15	22400	14700	4.3	2.94	10.2	CBX40UHV-024		8331369
SL18XP1-024-230	24000	18	14.5	22400	14700	4.26	2.94	10.2	CBX40UHV-030		8331370
SL18XP1-024-230	24000	18	15	22600	14800	4.38	2.98	10.2	CBX40UHV-036		8331371
SL18XP1-024-230	24000	18	15	21400	13700	3.88	2.72	9.5	CH33-44/48B	EL180UH070E36B	8329089
SL18XP1-024-230	24000	18	15	21400	13700	3.88	2.72	9.5	CH33-44/48B	EL180UH070XE36B	8329090
SL18XP1-024-230	24000	17.5	14.5	21400	13700	3.8	2.66	9	CH33-44/48B	EL195UH045XE36B	8329091
SL18XP1-024-230	24000	18	15	21400	13700	3.86	2.7	9.5	CH33-44/48B	EL195UH070XE36B	8329092
SL18XP1-024-230	24000	17.5	14.5	21400	13700	3.8	2.66	9	CH33-44/48B	EL296UH045XE36B	8329093
SL18XP1-024-230	24000	18	15	21400	13700	3.86	2.7	9.5	CH33-44/48B	EL296UH045XV36B	8329094
SL18XP1-024-230	24000	18	15	21400	13700	3.86	2.7	9.5	CH33-44/48B	EL296UH070XE36B	8329095
SL18XP1-024-230	24000	18	15	21400	13700	3.9	2.72	9.5	CH33-44/48B	EL296UH070XV36B	8657241
SL18XP1-024-230	24000	18	15	21400	13700	3.88	2.72	9.5	CH33-44/48B	ML180UH070E36B	10589617
SL18XP1-024-230	24000	18	15	21400	13700	3.88	2.72	9.5	CH33-44/48B	ML180UH070XE36B	10589683
SL18XP1-024-230	24000	18	15	21400	13600	3.94	2.72	9.6	CH33-44/48B	SL280UH090V36B	8329096
SL18XP1-024-230	24000	18	15	21400	13700	3.9	2.72	9.5	CH33-44/48B	SLP98UH070XV36B	8329097
SL18XP1-024-230	24000	15.5	13	22000	14300	3.58	2.52	9	CH33-44/48B		8329098
SL18XP1-024-230	24000	18	14.5	21800	14000	3.96	2.8	9.6	CH35-30B	EL180UH070E36B	10098099
SL18XP1-024-230	24000	18	14.5	21800	14000	3.96	2.8	9.6	CH35-30B	EL180UH070XE36B	10098100
SL18XP1-024-230	24000	17.5	14.5	21800	14000	3.86	2.74	9.5	CH35-30B	EL195UH045XE36B	10098101
SL18XP1-024-230	24000	18	14.5	22000	14000	3.96	2.76	9.6	CH35-30B	EL195UH070XE36B	10098102
SL18XP1-024-230	24000	17.5	14.5	21800	14000	3.86	2.74	9.5	CH35-30B	EL296UH045XE36B	10098103
SL18XP1-024-230	24000	18	14.5	21800	14000	3.92	2.78	9.6	CH35-30B	EL296UH045XV36B	10098104
SL18XP1-024-230	24000	18	14.5	22000	14000	3.96	2.76	9.6	CH35-30B	EL296UH070XE36B	10098105
SL18XP1-024-230	24000	18	14.5	21800	14000	3.96	2.8	9.6	CH35-30B	ML180UH070E36B	10589597
SL18XP1-024-230	24000	18	14.5	21800	14000	3.96	2.8	9.6	CH35-30B	ML180UH070XE36B	10589681
SL18XP1-024-230	24000	18	15	21800	13900	4	2.8	9.6	CH35-30B	SL280UH090V36B	10098106
SL18XP1-024-230	24000	18	14.5	21800	14000	3.96	2.8	9.6	CH35-30B	SLP98UH070XV36B	10098952
SL18XP1-024-230	23400	15.5	12.5	22400	14500	3.58	2.54	9	CH35-30B		10098098
SL18XP1-024-230	24000	18	14.5	21400	13500	4.08	2.8	9.6	CH35-42B	EL180UH070E36B	10098954
SL18XP1-024-230	24000	18	14.5	21400	13500	4.08	2.8	9.6	CH35-42B	EL180UH070XE36B	10098955
SL18XP1-024-230	24000	17.5	14.5	21400	13500	3.98	2.76	9.6	CH35-42B	EL195UH045XE36B	10098956
SL18XP1-024-230	24000	18	14.5	21600	13600	4.1	2.8	9.6	CH35-42B	EL195UH070XE36B	10098957
SL18XP1-024-230	24000	17.5	14.5	21400	13500	3.98	2.76	9.6	CH35-42B	EL296UH045XE36B	10098958
SL18XP1-024-230	24000	18	14.5	21400	13500	4.06	2.8	9.6	CH35-42B	EL296UH045XV36B	10098959
SL18XP1-024-230	24000	18	14.5	21600	13600	4.1	2.8	9.6	CH35-42B	EL296UH070XE36B	10098960
SL18XP1-024-230	24000	18	14.5	21400	13500	4.08	2.8	9.6	CH35-42B	ML180UH070E36B	10589679
SL18XP1-024-230	24000	18	14.5	21400	13500	4.08	2.8	9.6	CH35-42B	ML180UH070XE36B	10589716
SL18XP1-024-230	24000	18	15	21400	13500	4.12	2.84	9.6	CH35-42B	SL280UH090V36B	10098961
SL18XP1-024-230	24000	18	14.5	21400	13600	4.1	2.82	9.6	CH35-42B	SLP98UH070XV36B	10098962
SL18XP1-024-230	24000	15.5	13	22000	14100	3.74	2.6	9	CH35-42B		10098953
SL18XP1-024-230	24000	18.5	15	21800	13700	4.26	2.88	9.6	CR33-48B	EL180DF070E36B	8329099
SL18XP1-024-230	24000	18	14.5	21600	13700	4.12	2.82	9.6	CR33-48B	EL195DF045XE36B	8329100
SL18XP1-024-230	24000	18.5	15	21800	13700	4.24	2.86	9.6	CR33-48B	EL195DF070XE48B	8329101
SL18XP1-024-230	24000	18	14.5	21600	13700	4.12	2.82	9.6	CR33-48B	EL296DF045XE36B	8329103
SL18XP1-024-230	24000	18	14.5	21800	13900	4.14	2.82	9.6	CR33-48B	EL296DF045XV36B	8329102
SL18XP1-024-230	24000	18.5	15	21800	13700	4.24	2.86	9.6	CR33-48B	EL296DF070XE48B	8329104
SL18XP1-024-230	24000	18.5	15	21800	13700	4.26	2.88	9.6	CR33-48B	ML180DF070E36B	10589524
SL18XP1-024-230	24000	18	14.5	21600	13800	4.1	2.82	9.6	CR33-48B	SL280DF070V36A	8329105
SL18XP1-024-230	24000	18	14.5	22000	13900	4.24	2.86	9.6	CR33-48B	SL280DF090V48B	8329106
SL18XP1-024-230	24000	18	15	21800	13800	4.2	2.84	9.6	CR33-48B	SLP98DF070XV36B	8329107
SL18XP1-024-230	23600	15.5	13	22200	14300	3.84	2.64	9.5	CR33-48B		8329108
SL18XP1-024-230	24000	17	14	21600	13500	4.06	2.74	9.6	CX34-38A	EL180UH045E36A	8329110
SL18XP1-024-230	24000	17	14	21600	13500	4.06	2.74	9.6	CX34-38A	EL180UH045XE36A	8329111
SL18XP1-024-230	24000	17	14	21600	13500	4.06	2.74	9.6	CX34-38A	ML180UH045E36A	10589559
SL18XP1-024-230	24000	17	14	21600	13500	4.06	2.74	9.6	CX34-38A	ML180UH045XE36A	10589584
SL18XP1-024-230	24000	18	14.5	21400	13400	4.18	2.8	9.6	CX34-38A	SL280UH070V36A	8329112
SL18XP1-024-230	24000	18	14.5	21400	13400	4.18	2.8	9.6	CX34-38A	SL280UH070XV36A	8329113

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-024-230	23400	15	12.5	22000	14000	3.78	2.58	9	CX34-38A		8329109
SL18XP1-024-230	24000	18	14.5	21400	13400	4.14	2.78	9.6	CX34-38B	EL180UH070E36B	8329114
SL18XP1-024-230	24000	18	14.5	21400	13400	4.14	2.78	9.6	CX34-38B	EL180UH070XE36B	8329115
SL18XP1-024-230	23800	17.5	14	21400	13400	4.04	2.74	9.6	CX34-38B	EL195UH045XE36B	8329116
SL18XP1-024-230	24000	17.5	14.5	21400	13500	4.1	2.78	9.6	CX34-38B	EL195UH070XE36B	8329117
SL18XP1-024-230	23800	17.5	14	21400	13400	4.04	2.74	9.6	CX34-38B	EL296UH045XE36B	8329118
SL18XP1-024-230	24000	17.5	14.5	21400	13400	4.1	2.76	9.6	CX34-38B	EL296UH045XV36B	8329204
SL18XP1-024-230	24000	17.5	14.5	21400	13500	4.1	2.78	9.6	CX34-38B	EL296UH070XE36B	8329119
SL18XP1-024-230	24000	18	14.5	21400	13400	4.14	2.78	9.6	CX34-38B	EL296UH070XV36B	8657242
SL18XP1-024-230	24000	18	14.5	21400	13400	4.14	2.78	9.6	CX34-38B	ML180UH070E36B	10589618
SL18XP1-024-230	24000	18	14.5	21400	13400	4.14	2.78	9.6	CX34-38B	ML180UH070XE36B	10589684
SL18XP1-024-230	23800	18	14.5	21200	13300	4.08	2.78	9.6	CX34-38B	SL280UH090V36B	8329120
SL18XP1-024-230	24000	18	14.5	21400	13400	4.14	2.78	9.6	CX34-38B	SLP98UH070XV36B	8329121
SL18XP1-024-230	23800	17.5	14.5	21200	13800	3.58	2.66	9	CX35-30A	EL180UH045E36A	10098108
SL18XP1-024-230	23800	17.5	14.5	21200	13800	3.58	2.66	9	CX35-30A	EL180UH045XE36A	10098109
SL18XP1-024-230	23800	17.5	14.5	21200	13800	3.58	2.66	9	CX35-30A	ML180UH045E36A	10589577
SL18XP1-024-230	23800	17.5	14.5	21200	13800	3.58	2.66	9	CX35-30A	ML180UH045XE36A	10589591
SL18XP1-024-230	24000	18	15	21400	13700	3.78	2.76	9.6	CX35-30A	SL280UH060NV36A	10581366
SL18XP1-024-230	24000	18	15	21400	13800	3.76	2.74	9.5	CX35-30A	SL280UH070V36A	10098110
SL18XP1-024-230	24000	18	15	21400	13800	3.76	2.74	9.5	CX35-30A	SL280UH070XV36A	10098111
SL18XP1-024-230	24000	18	15	21400	13800	3.72	2.72	9.5	CX35-30B	EL180UH070E36B	10098112
SL18XP1-024-230	24000	18	15	21400	13800	3.72	2.72	9.5	CX35-30B	EL180UH070XE36B	10098113
SL18XP1-024-230	24000	17.5	14.5	21400	13800	3.64	2.66	9	CX35-30B	EL195UH045XE36B	10098114
SL18XP1-024-230	24000	17.5	14.5	21200	13800	3.62	2.68	9	CX35-30B	EL195UH070XE36B	10098115
SL18XP1-024-230	24000	17.5	14.5	21400	13800	3.64	2.66	9	CX35-30B	EL296UH045XE36B	10098116
SL18XP1-024-230	24000	17	14.5	21400	13900	3.62	2.66	9	CX35-30B	EL296UH045XV36B	10098120
SL18XP1-024-230	24000	18	15	21400	13800	3.7	2.7	9.5	CX35-30B	EL296UH070XE36B	10098117
SL18XP1-024-230	24000	18	15	21400	13800	3.72	2.72	9.5	CX35-30B	ML180UH070E36B	10589664
SL18XP1-024-230	24000	18	15	21400	13800	3.72	2.72	9.5	CX35-30B	ML180UH070XE36B	10589701
SL18XP1-024-230	24000	17.5	14.5	21200	13800	3.62	2.68	9	CX35-30B	SL280UH090V36B	10098118
SL18XP1-024-230	24000	18	15	21400	13800	3.78	2.74	9.5	CX35-30B	SLP98UH070XV36B	10098119
SL18XP1-024-230	23400	15	13	22000	14400	3.44	2.52	8.5	CX35-30B		10098107
SL18XP1-024-230	24000	17.5	14.5	21600	13800	3.98	2.74	9.6	CX35-36A	EL180UH045E36A	10098148
SL18XP1-024-230	24000	17.5	14.5	21600	13800	3.98	2.74	9.6	CX35-36A	EL180UH045XE36A	10098149
SL18XP1-024-230	24000	17.5	14.5	21600	13800	3.98	2.74	9.6	CX35-36A	ML180UH045E36A	10589580
SL18XP1-024-230	24000	17.5	14.5	21600	13800	3.98	2.74	9.6	CX35-36A	ML180UH045XE36A	10589594
SL18XP1-024-230	24000	18.5	15	21400	13400	4.1	2.82	10	CX35-36A	SL280UH060NV36A	10581367
SL18XP1-024-230	24000	18	15	21400	13700	4.08	2.82	9.6	CX35-36A	SL280UH070V36A	10098150
SL18XP1-024-230	24000	18	15	21400	13700	4.08	2.82	9.6	CX35-36A	SL280UH070XV36A	10098151
SL18XP1-024-230	24000	18	14.5	21400	13700	4.04	2.8	9.6	CX35-36B	EL180UH070E36B	10098152
SL18XP1-024-230	24000	18	14.5	21400	13700	4.04	2.8	9.6	CX35-36B	EL180UH070XE36B	10098153
SL18XP1-024-230	23800	17.5	14.5	21400	13700	3.94	2.74	9.6	CX35-36B	EL195UH045XE36B	10098154
SL18XP1-024-230	24000	18	14.5	21400	13800	4.02	2.8	9.6	CX35-36B	EL195UH070XE36B	10098155
SL18XP1-024-230	23800	17.5	14.5	21400	13700	3.94	2.74	9.6	CX35-36B	EL296UH045XE36B	10098156
SL18XP1-024-230	24000	18	14.5	21400	13700	4.04	2.8	9.6	CX35-36B	EL296UH045XV36B	10098966
SL18XP1-024-230	24000	18	14.5	21400	13700	4	2.78	9.6	CX35-36B	EL296UH070XE36B	10098157
SL18XP1-024-230	24000	18	14.5	21400	13700	4.04	2.8	9.6	CX35-36B	ML180UH070E36B	10589667
SL18XP1-024-230	24000	18	14.5	21400	13700	4.04	2.8	9.6	CX35-36B	ML180UH070XE36B	10589704
SL18XP1-024-230	24000	18	14.5	21400	13800	4.02	2.8	9.6	CX35-36B	SL280UH090V36B	10098158
SL18XP1-024-230	23800	18	14.5	21400	13600	4.02	2.78	9.6	CX35-36B	SLP98UH070XV36B	10098965
SL18XP1-024-230	23200	15.5	12.5	22000	14300	3.7	2.58	9	CX35-36B		10098147
SL18XP1-024-230	24000	17	14	21600	13500	4.06	2.74	9.6	CX38-38A	EL180UH045E36A	10085117
SL18XP1-024-230	24000	17	14	21600	13500	4.06	2.74	9.6	CX38-38A	EL180UH045XE36A	10085118
SL18XP1-024-230	24000	17	14	21600	13500	4.06	2.74	9.6	CX38-38A	ML180UH045E36A	10589572
SL18XP1-024-230	24000	17	14	21600	13500	4.06	2.74	9.6	CX38-38A	ML180UH045XE36A	10589588
SL18XP1-024-230	24200	18	14.5	21400	13400	4.18	2.82	10	CX38-38A	SL280UH060NV36A	10581368
SL18XP1-024-230	24000	18	14.5	21400	13400	4.18	2.8	9.6	CX38-38A	SL280UH070V36A	10085119
SL18XP1-024-230	24000	18	14.5	21400	13400	4.18	2.8	9.6	CX38-38A	SL280UH070XV36A	10085120
SL18XP1-024-230	23400	15	12.5	22000	14000	3.78	2.58	9	CX38-38A		10084123
SL18XP1-024-230	24000	18	14.5	21400	13400	4.14	2.78	9.6	CX38-38B	EL180UH070E36B	10085121
SL18XP1-024-230	24000	18	14.5	21400	13400	4.14	2.78	9.6	CX38-38B	EL180UH070XE36B	10085122

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-024-230	23800	17.5	14	21400	13400	4.04	2.74	9.6	CX38-38B	EL195UH045XE36B	10085123
SL18XP1-024-230	24000	17.5	14.5	21400	13500	4.1	2.78	9.6	CX38-38B	EL195UH070XE36B	10085124
SL18XP1-024-230	23800	17.5	14	21400	13400	4.04	2.74	9.6	CX38-38B	EL296UH045XE36B	10085125
SL18XP1-024-230	24000	17.5	14.5	21400	13400	4.1	2.76	9.6	CX38-38B	EL296UH045XV36B	10085152
SL18XP1-024-230	24000	17.5	14.5	21400	13500	4.1	2.78	9.6	CX38-38B	EL296UH070XE36B	10085126
SL18XP1-024-230	24000	18	14.5	21400	13400	4.14	2.78	9.6	CX38-38B	EL296UH070XV36B	10085641
SL18XP1-024-230	24000	18	14.5	21400	13400	4.14	2.78	9.6	CX38-38B	ML180UH070E36B	10589651
SL18XP1-024-230	24000	18	14.5	21400	13400	4.14	2.78	9.6	CX38-38B	ML180UH070XE36B	10589694
SL18XP1-024-230	23800	18	14.5	21200	13300	4.08	2.78	9.6	CX38-38B	SL280UH090V36B	10085127
SL18XP1-024-230	24000	18	14.5	21400	13400	4.14	2.78	9.6	CX38-38B	SLP98UH070XV36B	10085128
SL18XP1-024-230	23400	15	12.5	22000	14000	3.78	2.58	9	CX38-38B		10084124
SL18XP1-030-230	29800	16	13.5	27200	17600	3.86	2.74	9.6	C33-38A	EL180UH045E36A	8329225
SL18XP1-030-230	29800	16	13.5	27200	17600	3.86	2.74	9.6	C33-38A	EL180UH045XE36A	8329226
SL18XP1-030-230	29800	16	13.5	27200	17600	3.86	2.74	9.6	C33-38A	ML180UH045E36A	10589560
SL18XP1-030-230	29800	16	13.5	27200	17600	3.86	2.74	9.6	C33-38A	ML180UH045XE36A	10589585
SL18XP1-030-230	29200	14.5	12	27600	18100	3.62	2.58	9	C33-38A		8329224
SL18XP1-030-230	29800	16.5	13.5	27000	17500	3.92	2.78	9.6	C33-38B	EL180UH070E36B	8329227
SL18XP1-030-230	29800	16.5	13.5	27000	17500	3.92	2.78	9.6	C33-38B	EL180UH070XE36B	8329228
SL18XP1-030-230	29800	16.5	13.5	27000	17500	3.92	2.78	9.6	C33-38B	EL180UH090E48B	8329229
SL18XP1-030-230	29800	16.5	13.5	27000	17500	3.92	2.78	9.6	C33-38B	EL180UH090XE48B	8329230
SL18XP1-030-230	29800	16	13	27200	17700	3.86	2.74	9.6	C33-38B	EL195UH045XE36B	8329231
SL18XP1-030-230	30000	16	13.5	27400	17700	3.9	2.74	9.6	C33-38B	EL195UH070XE36B	8329232
SL18XP1-030-230	29800	16	13	27200	17700	3.86	2.74	9.6	C33-38B	EL296UH045XE36B	8329233
SL18XP1-030-230	29600	16	13	27200	17600	3.84	2.72	9.6	C33-38B	EL296UH045XV36B	8329234
SL18XP1-030-230	30000	16	13.5	27400	17700	3.9	2.74	9.6	C33-38B	EL296UH070XE36B	8329235
SL18XP1-030-230	29600	16	13.5	27000	17500	3.86	2.74	9.6	C33-38B	EL296UH070XV36B	8329236
SL18XP1-030-230	29800	16.5	13.5	27000	17500	3.92	2.78	9.6	C33-38B	ML180UH070E36B	10589619
SL18XP1-030-230	29800	16.5	13.5	27000	17500	3.92	2.78	9.6	C33-38B	ML180UH070XE36B	10589685
SL18XP1-030-230	29800	16.5	13.5	27000	17500	3.92	2.78	9.6	C33-38B	ML180UH090E48B	10589736
SL18XP1-030-230	29800	16.5	13.5	27000	17500	3.92	2.78	9.6	C33-38B	ML180UH090XE48B	10590019
SL18XP1-030-230	29600	16	13.5	27000	17500	3.88	2.74	9.6	C33-38B	SL280UH070V36A	8329237
SL18XP1-030-230	29600	16	13.5	27000	17500	3.88	2.74	9.6	C33-38B	SL280UH070XV36A	8329238
SL18XP1-030-230	30000	16.5	13.5	27000	17500	3.94	2.8	9.6	C33-38B	SL280UH090V36B	8329239
SL18XP1-030-230	29400	16	13.5	26800	17400	3.84	2.74	9.6	C33-38B	SL280UH090V48B	8329240
SL18XP1-030-230	29400	16	13.5	26800	17400	3.84	2.74	9.6	C33-38B	SL280UH090XV48B	8329241
SL18XP1-030-230	29600	16	13.5	27000	17500	3.86	2.74	9.6	C33-38B	SLP98UH070XV36B	8329242
SL18XP1-030-230	30000	14.5	12	27600	17800	3.6	2.5	8.5	C33-43		8329257
SL18XP1-030-230	30000	16.5	13.5	26800	17100	3.84	2.7	9.6	C33-43B	EL180UH070E36B	8329243
SL18XP1-030-230	30000	16.5	13.5	26800	17100	3.84	2.7	9.6	C33-43B	EL180UH070XE36B	8329244
SL18XP1-030-230	30000	16.5	13.5	27000	17200	3.88	2.72	9.6	C33-43B	EL180UH090E48B	8329245
SL18XP1-030-230	30000	16.5	13.5	27000	17200	3.88	2.72	9.6	C33-43B	EL180UH090XE48B	8329246
SL18XP1-030-230	30000	16	13.5	27200	17300	3.8	2.64	9.5	C33-43B	EL195UH045XE36B	8329247
SL18XP1-030-230	30000	16	13.5	27200	17400	3.82	2.66	9.5	C33-43B	EL195UH070XE36B	8329248
SL18XP1-030-230	30000	16	13.5	27200	17300	3.8	2.64	9.5	C33-43B	EL296UH045XE36B	8329249
SL18XP1-030-230	30000	16	13.5	27000	17200	3.74	2.62	9	C33-43B	EL296UH045XV36B	8329250
SL18XP1-030-230	30000	16	13.5	27200	17400	3.82	2.66	9.5	C33-43B	EL296UH070XE36B	8329251
SL18XP1-030-230	30000	16.5	13.5	26800	17100	3.76	2.64	9.5	C33-43B	EL296UH070XV36B	8329252
SL18XP1-030-230	30000	16.5	13.5	26800	17100	3.84	2.7	9.6	C33-43B	ML180UH070E36B	10589620
SL18XP1-030-230	30000	16.5	13.5	26800	17100	3.84	2.7	9.6	C33-43B	ML180UH070XE36B	10589686
SL18XP1-030-230	30000	16.5	13.5	27000	17200	3.88	2.72	9.6	C33-43B	ML180UH090E48B	10589737
SL18XP1-030-230	30000	16.5	13.5	27000	17200	3.88	2.72	9.6	C33-43B	ML180UH090XE48B	10590020
SL18XP1-030-230	30000	16.5	13.5	26800	17000	3.8	2.66	9.5	C33-43B	SL280UH090V36B	8329253
SL18XP1-030-230	30000	16.5	13.5	26600	17000	3.74	2.64	9.5	C33-43B	SL280UH090V48B	8329254
SL18XP1-030-230	30000	16.5	13.5	26600	17000	3.74	2.64	9.5	C33-43B	SL280UH090XV48B	8329255
SL18XP1-030-230	30000	16.5	13.5	26800	17100	3.76	2.64	9.5	C33-43B	SLP98UH070XV36B	8329256
SL18XP1-030-230	30000	16.5	13.5	26800	17100	3.82	2.68	9.5	C33-43C	EL195UH090XE48C	8329258
SL18XP1-030-230	30000	16.5	14	26800	17100	3.84	2.7	9.5	C33-43C	EL296UH090XE48C	8329259
SL18XP1-030-230	30000	16.5	14	26800	17000	3.82	2.68	9.5	C33-43C	EL296UH090XV36C	8329260
SL18XP1-030-230	30000	16.5	14	26800	17000	3.82	2.68	9.5	C33-43C	SLP98UH090XV36C	8329261
SL18XP1-030-230	30000	16.5	13.5	26800	17100	3.82	2.68	9.5	C33-50/60C	EL195UH090XE48C	8329262
SL18XP1-030-230	30000	16.5	13.5	26800	17100	3.82	2.68	9.5	C33-50/60C	EL296UH090XE48C	8329263

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-030-230	30000	16.5	13.5	26800	17100	3.78	2.68	9.5	C33-50/60C	EL296UH090XV36C	8329264
SL18XP1-030-230	30000	16.5	13.5	26800	17100	3.78	2.68	9.5	C33-50/60C	SLP98UH090XV36C	8329265
SL18XP1-030-230	30000	14.5	12	27400	17800	3.52	2.5	9	C33-50/60C		8329266
SL18XP1-030-230	29200	16	13.5	28000	16800	3.76	2.66	9.2	C35-30A	SL280UH060NV36A	10581369
SL18XP1-030-230	29400	16	13.5	27800	16800	3.68	2.64	9	C35-30A	SL280UH070V36A	10098201
SL18XP1-030-230	29200	16	13	28000	16800	3.7	2.62	9	C35-30A	SL280UH070XV36A	10098202
SL18XP1-030-230	29200	16	13.5	27800	16700	3.7	2.64	9	C35-30B	EL180UH070E36B	10098191
SL18XP1-030-230	29200	16	13.5	27800	16700	3.7	2.64	9	C35-30B	EL180UH070XE36B	10098192
SL18XP1-030-230	29400	16	13.5	27800	16800	3.74	2.66	9	C35-30B	EL180UH090E48B	10098193
SL18XP1-030-230	29400	16	13.5	27800	16800	3.74	2.66	9	C35-30B	EL180UH090XE48B	10098194
SL18XP1-030-230	29400	15.5	13	28000	16900	3.66	2.6	9	C35-30B	EL195UH045XE36B	10098195
SL18XP1-030-230	29600	15.5	13	28200	17000	3.7	2.62	9	C35-30B	EL195UH070XE36B	10098196
SL18XP1-030-230	29400	15.5	13	28000	16900	3.66	2.6	9	C35-30B	EL296UH045XE36B	10098197
SL18XP1-030-230	29200	15.5	13	28000	16900	3.66	2.6	9	C35-30B	EL296UH045XV36B	10098198
SL18XP1-030-230	29600	15.5	13	28200	17000	3.7	2.62	9	C35-30B	EL296UH070XE36B	10098199
SL18XP1-030-230	29000	16	13	27800	16700	3.66	2.62	9	C35-30B	EL296UH070XV36B	10098200
SL18XP1-030-230	29200	16	13.5	27800	16700	3.7	2.64	9	C35-30B	ML180UH070E36B	10589670
SL18XP1-030-230	29200	16	13.5	27800	16700	3.7	2.64	9	C35-30B	ML180UH070XE36B	10589707
SL18XP1-030-230	29400	16	13.5	27800	16800	3.74	2.66	9	C35-30B	ML180UH090E48B	10589785
SL18XP1-030-230	29400	16	13.5	27800	16800	3.74	2.66	9	C35-30B	ML180UH090XE48B	10590040
SL18XP1-030-230	29000	16	13.5	27600	16700	3.64	2.62	9	C35-30B	SL280UH090V48B	10098203
SL18XP1-030-230	29000	16	13.5	27600	16700	3.64	2.62	9	C35-30B	SL280UH090XV48B	10098204
SL18XP1-030-230	29000	16	13	27800	16700	3.66	2.62	9	C35-30B	SLP98UH070XV36B	10098205
SL18XP1-030-230	28600	14	12	28600	17500	3.52	2.5	8.5	C35-30B		10098968
SL18XP1-030-230	29800	16	13.5	27800	17900	3.88	2.74	9.5	C35-36A	EL180UH045E36A	10098206
SL18XP1-030-230	29800	16	13.5	27800	17900	3.88	2.74	9.5	C35-36A	EL180UH045XE36A	10098207
SL18XP1-030-230	29800	16	13.5	27800	17900	3.88	2.74	9.5	C35-36A	ML180UH045E36A	10589581
SL18XP1-030-230	29800	16	13.5	27800	17900	3.88	2.74	9.5	C35-36A	ML180UH045XE36A	10589595
SL18XP1-030-230	29600	17	14	27600	17800	3.96	2.8	9.6	C35-36A	SL280UH060NV36A	10581370
SL18XP1-030-230	29600	16	13.5	27600	17800	3.88	2.76	9.5	C35-36A	SL280UH070V36A	10098218
SL18XP1-030-230	29600	16	13.5	27600	17800	3.88	2.76	9.5	C35-36A	SL280UH070XV36A	10098985
SL18XP1-030-230	29800	16.5	13.5	27600	17800	3.94	2.8	9.5	C35-36B	EL180UH070E36B	10098208
SL18XP1-030-230	29800	16.5	13.5	27600	17800	3.94	2.8	9.5	C35-36B	EL180UH070XE36B	10098209
SL18XP1-030-230	29800	16.5	13.5	27600	17800	3.94	2.78	9.5	C35-36B	EL180UH090E48B	10098210
SL18XP1-030-230	29800	16.5	13.5	27600	17800	3.94	2.78	9.5	C35-36B	EL180UH090XE48B	10098211
SL18XP1-030-230	29800	16	13	27800	18000	3.88	2.74	9.5	C35-36B	EL195UH045XE36B	10098212
SL18XP1-030-230	30000	16	13.5	28000	18100	3.92	2.76	9.5	C35-36B	EL195UH070XE36B	10098213
SL18XP1-030-230	29800	16	13	27800	18000	3.88	2.74	9.5	C35-36B	EL296UH045XE36B	10098214
SL18XP1-030-230	29600	16	13	27600	17900	3.82	2.72	9	C35-36B	EL296UH045XV36B	10098215
SL18XP1-030-230	30000	16	13.5	28000	18100	3.92	2.76	9.5	C35-36B	EL296UH070XE36B	10098216
SL18XP1-030-230	29600	16	13.5	27600	17800	3.86	2.76	9.5	C35-36B	EL296UH070XV36B	10098217
SL18XP1-030-230	29800	16.5	13.5	27600	17800	3.94	2.8	9.5	C35-36B	ML180UH070E36B	10589671
SL18XP1-030-230	29800	16.5	13.5	27600	17800	3.94	2.8	9.5	C35-36B	ML180UH070XE36B	10589708
SL18XP1-030-230	29800	16.5	13.5	27600	17800	3.94	2.78	9.5	C35-36B	ML180UH090E48B	10589786
SL18XP1-030-230	29800	16.5	13.5	27600	17800	3.94	2.78	9.5	C35-36B	ML180UH090XE48B	10590041
SL18XP1-030-230	30000	16.5	13.5	27600	17800	3.96	2.8	9.5	C35-36B	SL280UH090V36B	10098219
SL18XP1-030-230	29400	16	13.5	27400	17700	3.84	2.76	9.6	C35-36B	SL280UH090V48B	10098220
SL18XP1-030-230	29400	16	13.5	27400	17700	3.84	2.76	9.6	C35-36B	SL280UH090XV48B	10098221
SL18XP1-030-230	29600	16	13.5	27600	17800	3.86	2.76	9.5	C35-36B	SLP98UH070XV36B	10098222
SL18XP1-030-230	29200	14.5	12	28400	18500	3.7	2.62	9	C35-36B		10098984
SL18XP1-030-230	29800	16	13.5	27200	17600	3.86	2.74	9.6	C37-38A	EL180UH045E36A	10085159
SL18XP1-030-230	29800	16	13.5	27200	17600	3.86	2.74	9.6	C37-38A	EL180UH045XE36A	10085160
SL18XP1-030-230	29800	16	13.5	27200	17600	3.86	2.74	9.6	C37-38A	ML180UH045E36A	10589573
SL18XP1-030-230	29800	16	13.5	27200	17600	3.86	2.74	9.6	C37-38A	ML180UH045XE36A	10589589
SL18XP1-030-230	29600	16.5	13.5	27000	17500	3.92	2.78	9.8	C37-38A	SL280UH060NV36A	10581371
SL18XP1-030-230	29600	16	13.5	27000	17500	3.88	2.74	9.6	C37-38A	SL280UH070V36A	10085171
SL18XP1-030-230	29600	16	13.5	27000	17500	3.88	2.74	9.6	C37-38A	SL280UH070XV36A	10085172
SL18XP1-030-230	29200	14.5	12	27600	18100	3.62	2.58	9	C37-38A		10084128
SL18XP1-030-230	29800	16.5	13.5	27000	17500	3.92	2.78	9.6	C37-38B	EL180UH070E36B	10085161
SL18XP1-030-230	29800	16.5	13.5	27000	17500	3.92	2.78	9.6	C37-38B	EL180UH070XE36B	10085162
SL18XP1-030-230	29800	16.5	13.5	27000	17500	3.92	2.78	9.6	C37-38B	EL180UH090E48B	10085163

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-030-230	29800	16.5	13.5	27000	17500	3.92	2.78	9.6	C37-38B	EL180UH090XE48B	10085164
SL18XP1-030-230	29800	16	13	27200	17700	3.86	2.74	9.6	C37-38B	EL195UH045XE36B	10085165
SL18XP1-030-230	30000	16	13.5	27400	17700	3.9	2.74	9.6	C37-38B	EL195UH070XE36B	10085166
SL18XP1-030-230	29800	16	13	27200	17700	3.86	2.74	9.6	C37-38B	EL296UH045XE36B	10085167
SL18XP1-030-230	29600	16	13	27200	17600	3.84	2.72	9.6	C37-38B	EL296UH045XV36B	10085168
SL18XP1-030-230	30000	16	13.5	27400	17700	3.9	2.74	9.6	C37-38B	EL296UH070XE36B	10085169
SL18XP1-030-230	29600	16	13.5	27000	17500	3.86	2.74	9.6	C37-38B	EL296UH070XV36B	10085170
SL18XP1-030-230	29800	16.5	13.5	27000	17500	3.92	2.78	9.6	C37-38B	ML180UH070E36B	10589652
SL18XP1-030-230	29800	16.5	13.5	27000	17500	3.92	2.78	9.6	C37-38B	ML180UH070XE36B	10589695
SL18XP1-030-230	29800	16.5	13.5	27000	17500	3.92	2.78	9.6	C37-38B	ML180UH090E48B	10589769
SL18XP1-030-230	29800	16.5	13.5	27000	17500	3.92	2.78	9.6	C37-38B	ML180UH090XE48B	10590030
SL18XP1-030-230	30000	16.5	13.5	27000	17500	3.94	2.8	9.6	C37-38B	SL280UH090V36B	10085173
SL18XP1-030-230	29400	16	13.5	26800	17400	3.84	2.74	9.6	C37-38B	SL280UH090V48B	10085174
SL18XP1-030-230	29400	16	13.5	26800	17400	3.84	2.74	9.6	C37-38B	SL280UH090XV48B	10085175
SL18XP1-030-230	29600	16	13.5	27000	17500	3.86	2.74	9.6	C37-38B	SLP98UH070XV36B	10085176
SL18XP1-030-230	29200	14.5	12	27600	18100	3.62	2.58	9	C37-38B		10084129
SL18XP1-030-230	30000	16.5	13.5	26800	17100	3.84	2.7	9.6	C37-43B	EL180UH070E36B	10085177
SL18XP1-030-230	30000	16.5	13.5	26800	17100	3.84	2.7	9.6	C37-43B	EL180UH070XE36B	10085178
SL18XP1-030-230	30000	16.5	13.5	27000	17200	3.88	2.72	9.6	C37-43B	EL180UH090E48B	10085179
SL18XP1-030-230	30000	16.5	13.5	27000	17200	3.88	2.72	9.6	C37-43B	EL180UH090XE48B	10085180
SL18XP1-030-230	30000	16	13.5	27200	17300	3.8	2.64	9.5	C37-43B	EL195UH045XE36B	10085181
SL18XP1-030-230	30000	16	13.5	27200	17400	3.82	2.66	9.5	C37-43B	EL195UH070XE36B	10085182
SL18XP1-030-230	30000	16	13.5	27200	17300	3.8	2.64	9.5	C37-43B	EL296UH045XE36B	10085183
SL18XP1-030-230	30000	16	13.5	27000	17200	3.74	2.62	9	C37-43B	EL296UH045XV36B	10085184
SL18XP1-030-230	30000	16	13.5	27200	17400	3.82	2.66	9.5	C37-43B	EL296UH070XE36B	10085185
SL18XP1-030-230	30000	16.5	13.5	26800	17100	3.76	2.64	9.5	C37-43B	EL296UH070XV36B	10085186
SL18XP1-030-230	30000	16.5	13.5	26800	17100	3.84	2.7	9.6	C37-43B	ML180UH070E36B	10589653
SL18XP1-030-230	30000	16.5	13.5	26800	17100	3.84	2.7	9.6	C37-43B	ML180UH070XE36B	10589696
SL18XP1-030-230	30000	16.5	13.5	27000	17200	3.88	2.72	9.6	C37-43B	ML180UH090E48B	10589770
SL18XP1-030-230	30000	16.5	13.5	27000	17200	3.88	2.72	9.6	C37-43B	ML180UH090XE48B	10590031
SL18XP1-030-230	30000	16.5	13.5	26800	17000	3.8	2.66	9.5	C37-43B	SL280UH090V36B	10085187
SL18XP1-030-230	30000	16.5	13.5	26600	17000	3.74	2.64	9.5	C37-43B	SL280UH090V48B	10085188
SL18XP1-030-230	30000	16.5	13.5	26600	17000	3.74	2.64	9.5	C37-43B	SL280UH090XV48B	10085189
SL18XP1-030-230	30000	16.5	13.5	26800	17100	3.76	2.64	9.5	C37-43B	SLP98UH070XV36B	10085190
SL18XP1-030-230	30000	14.5	12	27600	17800	3.6	2.5	8.5	C37-43B		10084130
SL18XP1-030-230	30000	16.5	13.5	26800	17100	3.82	2.68	9.5	C37-43C	EL195UH090XE48C	10085191
SL18XP1-030-230	30000	16.5	14	26800	17100	3.84	2.7	9.5	C37-43C	EL296UH090XE48C	10085192
SL18XP1-030-230	30000	16.5	14	26800	17000	3.82	2.68	9.5	C37-43C	EL296UH090XV36C	10085193
SL18XP1-030-230	30000	16.5	14	26800	17000	3.82	2.68	9.5	C37-43C	SLP98UH090XV36C	10085194
SL18XP1-030-230	30000	14.5	12	27600	17800	3.6	2.5	8.5	C37-43C		10084131
SL18XP1-030-230	30000	16.5	13.5	26800	17100	3.82	2.68	9.5	C37-50/60C	EL195UH090XE48C	10085195
SL18XP1-030-230	30000	16.5	13.5	26800	17100	3.82	2.68	9.5	C37-50/60C	EL296UH090XE48C	10085196
SL18XP1-030-230	30000	16.5	13.5	26800	17100	3.78	2.68	9.5	C37-50/60C	EL296UH090XV36C	10085197
SL18XP1-030-230	30000	16.5	13.5	26800	17100	3.78	2.68	9.5	C37-50/60C	SLP98UH090XV36C	10085198
SL18XP1-030-230	30000	14.5	12	27400	17800	3.52	2.5	9	C37-50/60C		10084132
SL18XP1-030-230	29800	16.5	13.5	27000	17200	4.02	2.8	9.6	CBA27UHE-030		10258579
SL18XP1-030-230	29800	16.5	13.5	26000	17200	3.88	2.78	9.6	CBX27UH-030		8331372
SL18XP1-030-230	29800	16.5	13.5	26000	17100	3.9	2.78	9.6	CBX27UH-036		8331373
SL18XP1-030-230	29600	15.5	13	27600	18100	3.8	2.74	9.5	CBX32M-030		8331374
SL18XP1-030-230	29400	15	12.5	26400	17700	3.7	2.66	9	CBX32M-036		8331375
SL18XP1-030-230	29800	16	13.5	27400	17800	3.88	2.8	9.6	CBX32MV-024/030		8331376
SL18XP1-030-230	29600	15.5	13	26200	17400	3.78	2.72	9.5	CBX32MV-036		8331377
SL18XP1-030-230	29400	15.5	13	26000	17300	3.74	2.7	9.5	CBX40UHV-024		8331378
SL18XP1-030-230	29600	15.5	13	26200	17400	3.78	2.72	9.5	CBX40UHV-030		8331379
SL18XP1-030-230	29600	16	13	26200	17300	3.8	2.72	9.5	CBX40UHV-036		8331380
SL18XP1-030-230	30000	16.5	14	26800	16800	3.84	2.68	9.5	CH33-44/48B	EL180UH070E36B	8329267
SL18XP1-030-230	30000	16.5	14	26800	16800	3.84	2.68	9.5	CH33-44/48B	EL180UH070XE36B	8329268
SL18XP1-030-230	30000	17	14	27000	16800	3.9	2.68	9.5	CH33-44/48B	EL180UH090E48B	8329269
SL18XP1-030-230	30000	17	14	27000	16800	3.9	2.68	9.5	CH33-44/48B	EL180UH090XE48B	8329270
SL18XP1-030-230	30000	16	13.5	27200	17000	3.82	2.62	9.5	CH33-44/48B	EL195UH045XE36B	8329271
SL18XP1-030-230	30000	16	13.5	27400	17100	3.86	2.64	9.5	CH33-44/48B	EL195UH070XE36B	8329272

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-030-230	30000	16	13.5	27200	17000	3.82	2.62	9.5	CH33-44/48B	EL296UH045XE36B	8329273
SL18XP1-030-230	30000	16	13	27200	17000	3.82	2.64	9	CH33-44/48B	EL296UH045XV36B	8657491
SL18XP1-030-230	30000	16	13.5	27400	17100	3.86	2.64	9.5	CH33-44/48B	EL296UH070XE36B	8329274
SL18XP1-030-230	30000	16.5	14	26800	16800	3.84	2.68	9.5	CH33-44/48B	ML180UH070E36B	10589621
SL18XP1-030-230	30000	16.5	14	26800	16800	3.84	2.68	9.5	CH33-44/48B	ML180UH070XE36B	10589687
SL18XP1-030-230	30000	17	14	27000	16800	3.9	2.68	9.5	CH33-44/48B	ML180UH090E48B	10589738
SL18XP1-030-230	30000	17	14	27000	16800	3.9	2.68	9.5	CH33-44/48B	ML180UH090XE48B	10590021
SL18XP1-030-230	30000	17	14	26800	16700	3.84	2.66	9.5	CH33-44/48B	SL280UH090V36B	8329275
SL18XP1-030-230	30000	16.5	14	26800	16700	3.8	2.64	9.5	CH33-44/48B	SL280UH090V48B	8329276
SL18XP1-030-230	30000	16.5	14	26800	16700	3.8	2.64	9.5	CH33-44/48B	SL280UH090XV48B	8329277
SL18XP1-030-230	30000	16	13.5	27000	16900	3.84	2.66	9	CH33-44/48B	SLP98UH070XV36B	8657493
SL18XP1-030-230	30000	15	12.5	27800	17500	3.64	2.52	9	CH33-44/48B		8329278
SL18XP1-030-230	29800	16.5	13.5	28200	17600	3.88	2.72	9.5	CH35-30B	EL180UH070E36B	10098161
SL18XP1-030-230	29800	16.5	13.5	28200	17600	3.88	2.72	9.5	CH35-30B	EL180UH070XE36B	10098162
SL18XP1-030-230	30000	16.5	13.5	28400	17700	3.94	2.76	9.5	CH35-30B	EL180UH090E48B	10098163
SL18XP1-030-230	30000	16.5	13.5	28400	17700	3.94	2.76	9.5	CH35-30B	EL180UH090XE48B	10098164
SL18XP1-030-230	30000	16	13.5	28600	17900	3.86	2.7	9.5	CH35-30B	EL195UH045XE36B	10098165
SL18XP1-030-230	30000	16	13.5	28600	17900	3.88	2.7	9.5	CH35-30B	EL195UH070XE36B	10098166
SL18XP1-030-230	30000	16	13.5	28600	17900	3.86	2.7	9.5	CH35-30B	EL296UH045XE36B	10098167
SL18XP1-030-230	30000	16	13.5	28600	17900	3.86	2.7	9.5	CH35-30B	EL296UH045XV36B	10098168
SL18XP1-030-230	30000	16	13.5	28600	17900	3.88	2.7	9.5	CH35-30B	EL296UH070XE36B	10098169
SL18XP1-030-230	30000	16.5	13.5	28400	17700	3.88	2.7	9.5	CH35-30B	EL296UH070XV36B	10098170
SL18XP1-030-230	29800	16.5	13.5	28200	17600	3.88	2.72	9.5	CH35-30B	ML180UH070E36B	10589668
SL18XP1-030-230	29800	16.5	13.5	28200	17600	3.88	2.72	9.5	CH35-30B	ML180UH070XE36B	10589705
SL18XP1-030-230	30000	16.5	13.5	28400	17700	3.94	2.76	9.5	CH35-30B	ML180UH090E48B	10589783
SL18XP1-030-230	30000	16.5	13.5	28400	17700	3.94	2.76	9.5	CH35-30B	ML180UH090XE48B	10590038
SL18XP1-030-230	29800	16.5	13.5	28200	17600	3.88	2.74	9.5	CH35-30B	SL280UH090V36B	10098171
SL18XP1-030-230	29600	16.5	13.5	28200	17600	3.84	2.7	9.5	CH35-30B	SL280UH090V48B	10098172
SL18XP1-030-230	29600	16.5	13.5	28200	17600	3.84	2.7	9.5	CH35-30B	SL280UH090XV48B	10098173
SL18XP1-030-230	30000	16.5	13.5	28400	17700	3.88	2.7	9.5	CH35-30B	SLP98UH070XV36B	10098174
SL18XP1-030-230	29200	14.5	12	29000	18400	3.68	2.6	9	CH35-30B		10098160
SL18XP1-030-230	30000	16.5	13.5	27400	17800	3.94	2.8	9.6	CH35-42B	EL180UH070E36B	10098970
SL18XP1-030-230	30000	16.5	13.5	27400	17800	3.94	2.8	9.6	CH35-42B	EL180UH070XE36B	10098971
SL18XP1-030-230	30000	16.5	13.5	27400	17900	3.96	2.84	9.6	CH35-42B	EL180UH090E48B	10098972
SL18XP1-030-230	30000	16.5	13.5	27400	17900	3.96	2.84	9.6	CH35-42B	EL180UH090XE48B	10098973
SL18XP1-030-230	30000	16	13.5	27600	18000	3.88	2.76	9.5	CH35-42B	EL195UH045XE36B	10098974
SL18XP1-030-230	30000	16	13.5	27800	18100	3.96	2.8	9.6	CH35-42B	EL195UH070XE36B	10098975
SL18XP1-030-230	30000	16	13.5	27600	18000	3.88	2.76	9.5	CH35-42B	EL296UH045XE36B	10098976
SL18XP1-030-230	30000	16	13.5	27600	18000	3.86	2.76	9.5	CH35-42B	EL296UH045XV36B	10098977
SL18XP1-030-230	30000	16	13.5	27800	18100	3.94	2.78	9.6	CH35-42B	EL296UH070XE36B	10098978
SL18XP1-030-230	30000	16	13.5	27600	18000	3.92	2.8	9.6	CH35-42B	EL296UH070XV36B	10098979
SL18XP1-030-230	30000	16.5	13.5	27400	17800	3.94	2.8	9.6	CH35-42B	ML180UH070E36B	10589680
SL18XP1-030-230	30000	16.5	13.5	27400	17800	3.94	2.8	9.6	CH35-42B	ML180UH070XE36B	10589717
SL18XP1-030-230	30000	16.5	13.5	27400	17900	3.96	2.84	9.6	CH35-42B	ML180UH090E48B	10589794
SL18XP1-030-230	30000	16.5	13.5	27400	17900	3.96	2.84	9.6	CH35-42B	ML180UH090XE48B	10590051
SL18XP1-030-230	30000	16.5	13.5	27400	17800	3.94	2.82	9.6	CH35-42B	SL280UH090V36B	10098980
SL18XP1-030-230	30000	16.5	13.5	27200	17800	3.86	2.78	9.6	CH35-42B	SL280UH090V48B	10098981
SL18XP1-030-230	30000	16.5	13.5	27200	17800	3.86	2.78	9.6	CH35-42B	SL280UH090XV48B	10098982
SL18XP1-030-230	30000	16	13.5	27600	18000	3.92	2.8	9.6	CH35-42B	SLP98UH070XV36B	10098983
SL18XP1-030-230	30000	14.5	12	28200	18600	3.72	2.66	9	CH35-42B		10098969
SL18XP1-030-230	30000	16.5	13.5	27000	17400	3.82	2.72	9.5	CH35-42C	EL195UH090XE48C	10098242
SL18XP1-030-230	30000	16.5	13.5	27000	17400	3.82	2.72	9.5	CH35-42C	EL296UH090XE48C	10098243
SL18XP1-030-230	30000	16.5	13.5	27000	17300	3.84	2.72	9.5	CH35-42C	EL296UH090XV36C	10098244
SL18XP1-030-230	30000	16.5	13.5	27000	17300	3.84	2.72	9.5	CH35-42C	SLP98UH090XV36C	10098245
SL18XP1-030-230	30000	15	12.5	27800	18100	3.62	2.58	9	CH35-42C		10098241
SL18XP1-030-230	29600	16.5	13.5	27000	18400	3.9	2.88	9.6	CR33-48B	EL180DF070E36B	8329322
SL18XP1-030-230	29400	16.5	13.5	26800	18400	3.84	2.86	9.6	CR33-48B	EL180DF090E48B	8329323
SL18XP1-030-230	29200	15.5	13	27200	18600	3.8	2.8	9.6	CR33-48B	EL195DF045XE36B	8329324
SL18XP1-030-230	29200	16	13	27000	18600	3.78	2.82	9.6	CR33-48B	EL195DF070XE48B	8331725
SL18XP1-030-230	29200	15.5	13	27200	18600	3.8	2.8	9.6	CR33-48B	EL296DF045XE36B	8329326
SL18XP1-030-230	29000	16	13	26800	18400	3.78	2.82	9.6	CR33-48B	EL296DF045XV36B	8329327



# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-030-230	29200	16	13	27000	18600	3.78	2.82	9.6	CR33-48B	EL296DF070XE48B	8329328
SL18XP1-030-230	29000	15.5	13	27000	18500	3.76	2.8	9.6	CR33-48B	EL296DF070XV48B	8329329
SL18XP1-030-230	29600	16.5	13.5	27000	18400	3.9	2.88	9.6	CR33-48B	ML180DF070E36B	10589525
SL18XP1-030-230	29400	16.5	13.5	26800	18400	3.84	2.86	9.6	CR33-48B	ML180DF090E48B	10589529
SL18XP1-030-230	29400	16	13	27000	18400	3.84	2.84	9.6	CR33-48B	SL280DF070V36A	8329330
SL18XP1-030-230	29200	16	13	26800	18400	3.8	2.84	9.6	CR33-48B	SL280DF090V48B	8329331
SL18XP1-030-230	29000	16	13	26800	18400	3.78	2.82	9.6	CR33-48B	SLP98DF070XV36B	8329332
SL18XP1-030-230	28800	14.5	12	27600	19100	3.64	2.7	9.5	CR33-48B		8329333
SL18XP1-030-230	28800	16	13	26600	18200	3.78	2.82	9.6	CR33-48C	SLP98DF090XV36C	8329334
SL18XP1-030-230	28800	16	13	26600	18200	3.78	2.82	9.6	CR33-48C	SLP98DF090XV48C	8329335
SL18XP1-030-230	29800	16	13.5	27200	17600	3.86	2.74	9.6	CX34-38A	EL180UH045E36A	8329279
SL18XP1-030-230	29800	16	13.5	27200	17600	3.86	2.74	9.6	CX34-38A	EL180UH045XE36A	8329280
SL18XP1-030-230	29800	16	13.5	27200	17600	3.86	2.74	9.6	CX34-38A	ML180UH045E36A	10589561
SL18XP1-030-230	29800	16	13.5	27200	17600	3.86	2.74	9.6	CX34-38A	ML180UH045XE36A	10589586
SL18XP1-030-230	29800	16.5	13.5	27000	17500	3.92	2.78	9.6	CX34-38B	EL180UH070E36B	8329281
SL18XP1-030-230	29800	16.5	13.5	27000	17500	3.92	2.78	9.6	CX34-38B	EL180UH070XE36B	8329282
SL18XP1-030-230	29800	16.5	13.5	27000	17500	3.92	2.78	9.6	CX34-38B	EL180UH090E48B	8329283
SL18XP1-030-230	29800	16.5	13.5	27000	17500	3.92	2.78	9.6	CX34-38B	EL180UH090XE48B	8329284
SL18XP1-030-230	29800	16	13	27200	17700	3.86	2.74	9.6	CX34-38B	EL195UH045XE36B	8329285
SL18XP1-030-230	30000	16	13.5	27400	17700	3.9	2.74	9.6	CX34-38B	EL195UH070XE36B	8329286
SL18XP1-030-230	29800	16	13	27200	17700	3.86	2.74	9.6	CX34-38B	EL296UH045XE36B	8329287
SL18XP1-030-230	29600	16	13	27200	17600	3.84	2.72	9.6	CX34-38B	EL296UH045XV36B	8329288
SL18XP1-030-230	30000	16	13.5	27400	17700	3.9	2.74	9.6	CX34-38B	EL296UH070XE36B	8329289
SL18XP1-030-230	29600	16	13.5	27000	17500	3.86	2.74	9.6	CX34-38B	EL296UH070XV36B	8329290
SL18XP1-030-230	29800	16.5	13.5	27000	17500	3.92	2.78	9.6	CX34-38B	ML180UH070E36B	10589622
SL18XP1-030-230	29800	16.5	13.5	27000	17500	3.92	2.78	9.6	CX34-38B	ML180UH070XE36B	10589688
SL18XP1-030-230	29800	16.5	13.5	27000	17500	3.92	2.78	9.6	CX34-38B	ML180UH090E48B	10589739
SL18XP1-030-230	29800	16.5	13.5	27000	17500	3.92	2.78	9.6	CX34-38B	ML180UH090XE48B	10590022
SL18XP1-030-230	29600	16	13.5	27000	17500	3.88	2.74	9.6	CX34-38B	SL280UH070V36A	8329291
SL18XP1-030-230	29600	16	13.5	27000	17500	3.88	2.74	9.6	CX34-38B	SL280UH070XV36A	8329292
SL18XP1-030-230	30000	16.5	13.5	27000	17500	3.94	2.8	9.6	CX34-38B	SL280UH090V36B	8329293
SL18XP1-030-230	29400	16	13.5	26800	17400	3.84	2.74	9.6	CX34-38B	SL280UH090V48B	8329294
SL18XP1-030-230	29400	16	13.5	26800	17400	3.84	2.74	9.6	CX34-38B	SL280UH090XV48B	8329295
SL18XP1-030-230	29600	16	13.5	27000	17500	3.86	2.74	9.6	CX34-38B	SLP98UH070XV36B	8329296
SL18XP1-030-230	29200	14.5	12	27600	18100	3.62	2.58	9	CX34-38B		8329297
SL18XP1-030-230	30000	16.5	13.5	26800	17100	3.84	2.7	9.6	CX34-43B	EL180UH070E36B	8329298
SL18XP1-030-230	30000	16.5	13.5	26800	17100	3.84	2.7	9.6	CX34-43B	EL180UH070XE36B	8329299
SL18XP1-030-230	30000	16.5	13.5	27000	17200	3.88	2.72	9.6	CX34-43B	EL180UH090E48B	8329300
SL18XP1-030-230	30000	16.5	13.5	27000	17200	3.88	2.72	9.6	CX34-43B	EL180UH090XE48B	8329301
SL18XP1-030-230	30000	16	13.5	27200	17300	3.8	2.64	9.5	CX34-43B	EL195UH045XE36B	8329302
SL18XP1-030-230	30000	16	13.5	27200	17400	3.82	2.66	9.5	CX34-43B	EL195UH070XE36B	8329303
SL18XP1-030-230	30000	16	13.5	27200	17300	3.8	2.64	9.5	CX34-43B	EL296UH045XE36B	8329304
SL18XP1-030-230	30000	16	13.5	27000	17200	3.74	2.62	9	CX34-43B	EL296UH045XV36B	8329305
SL18XP1-030-230	30000	16	13.5	27200	17400	3.82	2.66	9.5	CX34-43B	EL296UH070XE36B	8329306
SL18XP1-030-230	30000	16.5	13.5	26800	17100	3.76	2.64	9.5	CX34-43B	EL296UH070XV36B	8329307
SL18XP1-030-230	30000	16.5	13.5	26800	17100	3.84	2.7	9.6	CX34-43B	ML180UH070E36B	10589623
SL18XP1-030-230	30000	16.5	13.5	26800	17100	3.84	2.7	9.6	CX34-43B	ML180UH070XE36B	10589689
SL18XP1-030-230	30000	16.5	13.5	27000	17200	3.88	2.72	9.6	CX34-43B	ML180UH090E48B	10589740
SL18XP1-030-230	30000	16.5	13.5	27000	17200	3.88	2.72	9.6	CX34-43B	ML180UH090XE48B	10590023
SL18XP1-030-230	30000	16.5	13.5	26800	17000	3.8	2.66	9.5	CX34-43B	SL280UH090V36B	8329308
SL18XP1-030-230	30000	16.5	13.5	26600	17000	3.74	2.64	9.5	CX34-43B	SL280UH090V48B	8329309
SL18XP1-030-230	30000	16.5	13.5	26600	17000	3.74	2.64	9.5	CX34-43B	SL280UH090XV48B	8329310
SL18XP1-030-230	30000	16.5	13.5	26800	17100	3.76	2.64	9.5	CX34-43B	SLP98UH070XV36B	8329311
SL18XP1-030-230	30000	14.5	12	27600	17800	3.6	2.5	8.5	CX34-43B		8329312
SL18XP1-030-230	30000	16.5	13.5	26800	17100	3.82	2.68	9.5	CX34-43C	EL195UH090XE48C	8329313
SL18XP1-030-230	30000	16.5	14	26800	17100	3.84	2.7	9.5	CX34-43C	EL296UH090XE48C	8329314
SL18XP1-030-230	30000	16.5	14	26800	17000	3.82	2.68	9.5	CX34-43C	EL296UH090XV36C	8329315
SL18XP1-030-230	30000	16.5	14	26800	17000	3.82	2.68	9.5	CX34-43C	SLP98UH090XV36C	8329316
SL18XP1-030-230	30000	16.5	13.5	26800	17100	3.82	2.68	9.5	CX34-50/60C	EL195UH090XE48C	8329317
SL18XP1-030-230	30000	16.5	13.5	26800	17100	3.82	2.68	9.5	CX34-50/60C	EL296UH090XE48C	8329318
SL18XP1-030-230	30000	16.5	13.5	26800	17100	3.78	2.68	9.5	CX34-50/60C	EL296UH090XV36C	8329319

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-030-230	30000	16.5	13.5	26800	17100	3.78	2.68	9.5	CX34-50/60C	SLP98UH090XV36C	8329320
SL18XP1-030-230	30000	14.5	12	27400	17800	3.52	2.5	9	CX34-50/60C		8329321
SL18XP1-030-230	29200	16	13.5	28000	16800	3.76	2.66	9.2	CX35-30A	SL280UH060NV36A	10581372
SL18XP1-030-230	29200	16	13	28000	16800	3.7	2.62	9	CX35-30A	SL280UH070V36A	10098185
SL18XP1-030-230	29200	16	13	28000	16800	3.7	2.62	9	CX35-30A	SL280UH070XV36A	10098186
SL18XP1-030-230	29200	16	13.5	27800	16700	3.7	2.64	9	CX35-30B	EL180UH070E36B	10098175
SL18XP1-030-230	29200	16	13.5	27800	16700	3.7	2.64	9	CX35-30B	EL180UH070XE36B	10098176
SL18XP1-030-230	29400	16	13.5	27800	16800	3.74	2.66	9	CX35-30B	EL180UH090E48B	10098177
SL18XP1-030-230	29400	16	13.5	27800	16800	3.74	2.66	9	CX35-30B	EL180UH090XE48B	10098178
SL18XP1-030-230	29400	15.5	13	28000	16900	3.66	2.6	9	CX35-30B	EL195UH045XE36B	10098179
SL18XP1-030-230	29600	15.5	13	28200	17000	3.7	2.62	9	CX35-30B	EL195UH070XE36B	10098180
SL18XP1-030-230	29400	15.5	13	28000	16900	3.66	2.6	9	CX35-30B	EL296UH045XE36B	10098181
SL18XP1-030-230	29200	15.5	13	28000	16900	3.66	2.6	9	CX35-30B	EL296UH045XV36B	10098182
SL18XP1-030-230	29600	15.5	13	28200	17000	3.7	2.62	9	CX35-30B	EL296UH070XE36B	10098183
SL18XP1-030-230	29000	16	13	27800	16700	3.66	2.62	9	CX35-30B	EL296UH070XV36B	10098184
SL18XP1-030-230	29200	16	13.5	27800	16700	3.7	2.64	9	CX35-30B	ML180UH070E36B	10589669
SL18XP1-030-230	29200	16	13.5	27800	16700	3.7	2.64	9	CX35-30B	ML180UH070XE36B	10589706
SL18XP1-030-230	29400	16	13.5	27800	16800	3.74	2.66	9	CX35-30B	ML180UH090E48B	10589784
SL18XP1-030-230	29400	16	13.5	27800	16800	3.74	2.66	9	CX35-30B	ML180UH090XE48B	10590039
SL18XP1-030-230	29400	16.5	13.5	27800	16700	3.76	2.66	9	CX35-30B	SL280UH090V36B	10098187
SL18XP1-030-230	29000	16	13.5	27600	16700	3.64	2.62	9	CX35-30B	SL280UH090V48B	10098188
SL18XP1-030-230	29000	16	13.5	27600	16700	3.64	2.62	9	CX35-30B	SL280UH090XV48B	10098189
SL18XP1-030-230	29000	16	13	27800	16700	3.66	2.62	9	CX35-30B	SLP98UH070XV36B	10098190
SL18XP1-030-230	28600	14	12	28600	17500	3.52	2.5	8.5	CX35-30B		10098967
SL18XP1-030-230	29800	16	13.5	27800	17900	3.88	2.74	9.5	CX35-36A	EL180UH045E36A	10098223
SL18XP1-030-230	29800	16	13.5	27800	17900	3.88	2.74	9.5	CX35-36A	EL180UH045XE36A	10098224
SL18XP1-030-230	29800	16	13.5	27800	17900	3.88	2.74	9.5	CX35-36A	ML180UH045E36A	10589582
SL18XP1-030-230	29800	16	13.5	27800	17900	3.88	2.74	9.5	CX35-36A	ML180UH045XE36A	10589596
SL18XP1-030-230	29600	17	14	27600	17800	3.96	2.8	9.6	CX35-36A	SL280UH060NV36A	10581373
SL18XP1-030-230	29600	16	13.5	27600	17800	3.88	2.76	9.5	CX35-36A	SL280UH070V36A	10098235
SL18XP1-030-230	29600	16	13.5	27600	17800	3.88	2.76	9.5	CX35-36A	SL280UH070XV36A	10098236
SL18XP1-030-230	29800	16.5	13.5	27600	17800	3.94	2.8	9.5	CX35-36B	EL180UH070E36B	10098225
SL18XP1-030-230	29800	16.5	13.5	27600	17800	3.94	2.8	9.5	CX35-36B	EL180UH070XE36B	10098226
SL18XP1-030-230	29800	16.5	13.5	27600	17800	3.94	2.78	9.5	CX35-36B	EL180UH090E48B	10098227
SL18XP1-030-230	29800	16.5	13.5	27600	17800	3.94	2.78	9.5	CX35-36B	EL180UH090XE48B	10098228
SL18XP1-030-230	29800	16	13	27800	18000	3.88	2.74	9.5	CX35-36B	EL195UH045XE36B	10098229
SL18XP1-030-230	30000	16	13.5	28000	18100	3.92	2.76	9.5	CX35-36B	EL195UH070XE36B	10098230
SL18XP1-030-230	29800	16	13	27800	18000	3.88	2.74	9.5	CX35-36B	EL296UH045XE36B	10098231
SL18XP1-030-230	29600	16	13	27600	17900	3.82	2.72	9	CX35-36B	EL296UH045XV36B	10098232
SL18XP1-030-230	30000	16	13.5	28000	18100	3.92	2.76	9.5	CX35-36B	EL296UH070XE36B	10098233
SL18XP1-030-230	29600	16	13.5	27600	17800	3.86	2.76	9.5	CX35-36B	EL296UH070XV36B	10098234
SL18XP1-030-230	29800	16.5	13.5	27600	17800	3.94	2.8	9.5	CX35-36B	ML180UH070E36B	10589672
SL18XP1-030-230	29800	16.5	13.5	27600	17800	3.94	2.8	9.5	CX35-36B	ML180UH070XE36B	10589709
SL18XP1-030-230	29800	16.5	13.5	27600	17800	3.94	2.78	9.5	CX35-36B	ML180UH090E48B	10589787
SL18XP1-030-230	29800	16.5	13.5	27600	17800	3.94	2.78	9.5	CX35-36B	ML180UH090XE48B	10590042
SL18XP1-030-230	30000	16.5	13.5	27600	17800	3.96	2.8	9.5	CX35-36B	SL280UH090V36B	10098237
SL18XP1-030-230	29400	16	13.5	27400	17700	3.84	2.76	9.6	CX35-36B	SL280UH090V48B	10098238
SL18XP1-030-230	29400	16	13.5	27400	17700	3.84	2.76	9.6	CX35-36B	SL280UH090XV48B	10098239
SL18XP1-030-230	29600	16	13.5	27600	17800	3.86	2.76	9.5	CX35-36B	SLP98UH070XV36B	10098240
SL18XP1-030-230	29200	14.5	12	28400	18500	3.7	2.62	9	CX35-36B		10098986
SL18XP1-030-230	29800	16	13.5	27200	17600	3.86	2.74	9.6	CX38-38A	EL180UH045E36A	10085199
SL18XP1-030-230	29800	16	13.5	27200	17600	3.86	2.74	9.6	CX38-38A	EL180UH045XE36A	10085200
SL18XP1-030-230	29800	16	13.5	27200	17600	3.86	2.74	9.6	CX38-38A	ML180UH045E36A	10589574
SL18XP1-030-230	29800	16	13.5	27200	17600	3.86	2.74	9.6	CX38-38A	ML180UH045XE36A	10589590
SL18XP1-030-230	29600	16.5	13.5	27000	17500	3.92	2.78	9.6	CX38-38A	SL280UH060NV36A	10581374
SL18XP1-030-230	29600	16	13.5	27000	17500	3.88	2.74	9.6	CX38-38A	SL280UH070V36A	10085211
SL18XP1-030-230	29600	16	13.5	27000	17500	3.88	2.74	9.6	CX38-38A	SL280UH070XV36A	10085212
SL18XP1-030-230	29200	14.5	12	27600	18100	3.62	2.58	9	CX38-38A		10084133
SL18XP1-030-230	29800	16.5	13.5	27000	17500	3.92	2.78	9.6	CX38-38B	EL180UH070E36B	10085201
SL18XP1-030-230	29800	16.5	13.5	27000	17500	3.92	2.78	9.6	CX38-38B	EL180UH070XE36B	10085202
SL18XP1-030-230	29800	16.5	13.5	27000	17500	3.92	2.78	9.6	CX38-38B	EL180UH090E48B	10085203

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-030-230	29800	16.5	13.5	27000	17500	3.92	2.78	9.6	CX38-38B	EL180UH090XE48B	10085204
SL18XP1-030-230	29800	16	13	27200	17700	3.86	2.74	9.6	CX38-38B	EL195UH045XE36B	10085205
SL18XP1-030-230	30000	16	13.5	27400	17700	3.9	2.74	9.6	CX38-38B	EL195UH070XE36B	10085206
SL18XP1-030-230	29800	16	13	27200	17700	3.86	2.74	9.6	CX38-38B	EL296UH045XE36B	10085207
SL18XP1-030-230	29600	16	13	27200	17600	3.84	2.72	9.6	CX38-38B	EL296UH045XV36B	10085208
SL18XP1-030-230	30000	16	13.5	27400	17700	3.9	2.74	9.6	CX38-38B	EL296UH070XE36B	10085209
SL18XP1-030-230	29600	16	13.5	27000	17500	3.86	2.74	9.6	CX38-38B	EL296UH070XV36B	10085210
SL18XP1-030-230	29800	16.5	13.5	27000	17500	3.92	2.78	9.6	CX38-38B	ML180UH070E36B	10589654
SL18XP1-030-230	29800	16.5	13.5	27000	17500	3.92	2.78	9.6	CX38-38B	ML180UH070XE36B	10589697
SL18XP1-030-230	29800	16.5	13.5	27000	17500	3.92	2.78	9.6	CX38-38B	ML180UH090E48B	10589771
SL18XP1-030-230	29800	16.5	13.5	27000	17500	3.92	2.78	9.6	CX38-38B	ML180UH090XE48B	10590032
SL18XP1-030-230	30000	16.5	13.5	27000	17500	3.94	2.8	9.6	CX38-38B	SL280UH090V36B	10085213
SL18XP1-030-230	29400	16	13.5	26800	17400	3.84	2.74	9.6	CX38-38B	SL280UH090V48B	10085214
SL18XP1-030-230	29400	16	13.5	26800	17400	3.84	2.74	9.6	CX38-38B	SL280UH090XV48B	10085215
SL18XP1-030-230	29600	16	13.5	27000	17500	3.86	2.74	9.6	CX38-38B	SLP98UH070XV36B	10085216
SL18XP1-030-230	29200	14.5	12	27600	18100	3.62	2.58	9	CX38-38B		10084134
SL18XP1-030-230	30000	16.5	13.5	26800	17100	3.84	2.7	9.6	CX38-43B	EL180UH070E36B	10085217
SL18XP1-030-230	30000	16.5	13.5	26800	17100	3.84	2.7	9.6	CX38-43B	EL180UH070XE36B	10085218
SL18XP1-030-230	30000	16.5	13.5	27000	17200	3.88	2.72	9.6	CX38-43B	EL180UH090E48B	10085219
SL18XP1-030-230	30000	16.5	13.5	27000	17200	3.88	2.72	9.6	CX38-43B	EL180UH090XE48B	10085220
SL18XP1-030-230	30000	16	13.5	27200	17300	3.8	2.64	9.5	CX38-43B	EL195UH045XE36B	10085221
SL18XP1-030-230	30000	16	13.5	27200	17400	3.82	2.66	9.5	CX38-43B	EL195UH070XE36B	10085222
SL18XP1-030-230	30000	16	13.5	27200	17300	3.8	2.64	9.5	CX38-43B	EL296UH045XE36B	10085223
SL18XP1-030-230	30000	16	13.5	27000	17200	3.74	2.62	9	CX38-43B	EL296UH045XV36B	10085224
SL18XP1-030-230	30000	16	13.5	27200	17400	3.82	2.66	9.5	CX38-43B	EL296UH070XE36B	10085225
SL18XP1-030-230	30000	16.5	13.5	26800	17100	3.76	2.64	9.5	CX38-43B	EL296UH070XV36B	10085226
SL18XP1-030-230	30000	16.5	13.5	26800	17100	3.84	2.7	9.6	CX38-43B	ML180UH070E36B	10589655
SL18XP1-030-230	30000	16.5	13.5	26800	17100	3.84	2.7	9.6	CX38-43B	ML180UH070XE36B	10589698
SL18XP1-030-230	30000	16.5	13.5	27000	17200	3.88	2.72	9.6	CX38-43B	ML180UH090E48B	10589772
SL18XP1-030-230	30000	16.5	13.5	27000	17200	3.88	2.72	9.6	CX38-43B	ML180UH090XE48B	10590033
SL18XP1-030-230	30000	16.5	13.5	26800	17000	3.8	2.66	9.5	CX38-43B	SL280UH090V36B	10085227
SL18XP1-030-230	30000	16.5	13.5	26600	17000	3.74	2.64	9.5	CX38-43B	SL280UH090V48B	10085228
SL18XP1-030-230	30000	16.5	13.5	26600	17000	3.74	2.64	9.5	CX38-43B	SL280UH090XV48B	10085229
SL18XP1-030-230	30000	16.5	13.5	26800	17100	3.76	2.64	9.5	CX38-43B	SLP98UH070XV36B	10085230
SL18XP1-030-230	30000	14.5	12	27600	17800	3.6	2.5	8.5	CX38-43B		10084135
SL18XP1-030-230	30000	16.5	13.5	26800	17100	3.82	2.68	9.5	CX38-43C	EL195UH090XE48C	10085231
SL18XP1-030-230	30000	16.5	14	26800	17100	3.84	2.7	9.5	CX38-43C	EL296UH090XE48C	10085232
SL18XP1-030-230	30000	16.5	14	26800	17000	3.82	2.68	9.5	CX38-43C	EL296UH090XV36C	10085233
SL18XP1-030-230	30000	16.5	14	26800	17000	3.82	2.68	9.5	CX38-43C	SLP98UH090XV36C	10085234
SL18XP1-030-230	30000	14.5	12	27600	17800	3.6	2.5	8.5	CX38-43C		10084136
SL18XP1-030-230	30000	16.5	13.5	26800	17100	3.82	2.68	9.5	CX38-50/60C	EL195UH090XE48C	10085235
SL18XP1-030-230	30000	16.5	13.5	26800	17100	3.82	2.68	9.5	CX38-50/60C	EL296UH090XE48C	10085236
SL18XP1-030-230	30000	16.5	13.5	26800	17100	3.78	2.68	9.5	CX38-50/60C	EL296UH090XV36C	10085237
SL18XP1-030-230	30000	16.5	13.5	26800	17100	3.78	2.68	9.5	CX38-50/60C	SLP98UH090XV36C	10085238
SL18XP1-030-230	30000	14.5	12	27400	17800	3.52	2.5	9	CX38-50/60C		10084137
SL18XP1-036-230	36000	16	13	32800	21400	3.56	2.54	8.5	C33-43B	EL180UH070E36B	8329338
SL18XP1-036-230	36000	15.5	13	32800	21400	3.56	2.54	8.5	C33-43B	EL180UH070XE36B	8329339
SL18XP1-036-230	36000	15.5	13	33400	21800	3.62	2.56	9	C33-43B	EL180UH090E48B	8329340
SL18XP1-036-230	36000	15.5	13	33400	21800	3.62	2.56	9	C33-43B	EL180UH090XE48B	8329341
SL18XP1-036-230	36000	14.5	12.5	33600	22200	3.46	2.48	8.5	C33-43B	EL195UH045XE36B	8329342
SL18XP1-036-230	36000	15	12.5	33600	22000	3.5	2.48	8.5	C33-43B	EL195UH070XE36B	8329343
SL18XP1-036-230	36000	14.5	12.5	33600	22200	3.46	2.48	8.5	C33-43B	EL296UH045XE36B	8329344
SL18XP1-036-230	36000	15.1	13	33400	21800	3.56	2.52	8.5	C33-43B	EL296UH045XV36B	8329345
SL18XP1-036-230	36000	15	12.5	33600	22000	3.5	2.48	8.5	C33-43B	EL296UH070XE36B	8329346
SL18XP1-036-230	36000	16	13	32800	21400	3.56	2.54	8.5	C33-43B	ML180UH070E36B	10589624
SL18XP1-036-230	36000	15.5	13	32800	21400	3.56	2.54	8.5	C33-43B	ML180UH070XE36B	10589690
SL18XP1-036-230	36000	15.5	13	33400	21800	3.62	2.56	9	C33-43B	ML180UH090E48B	10589741
SL18XP1-036-230	36000	15.5	13	33400	21800	3.62	2.56	9	C33-43B	ML180UH090XE48B	10590024
SL18XP1-036-230	36000	16	13.5	32800	21600	3.58	2.58	9	C33-43B	SL280UH090V36B	8329347
SL18XP1-036-230	36000	16	13	33000	21600	3.62	2.56	9	C33-43B	SL280UH090V48B	8329348
SL18XP1-036-230	36000	16	13	33000	21600	3.62	2.56	9	C33-43B	SL280UH090XV48B	8329349

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-036-230	36000	15.5	13	33400	22000	3.56	2.54	8.5	C33-43B	SLP98UH070XV36B	8329350
SL18XP1-036-230	36000	14.5	12	33800	22400	3.46	2.48	8.5	C33-43B		8329337
SL18XP1-036-230	36000	16	13.5	33000	21600	3.64	2.58	9	C33-43C	EL180UH090E60C	8329352
SL18XP1-036-230	36000	16	13.5	33000	21600	3.62	2.58	9	C33-43C	EL180UH110E60C	8329353
SL18XP1-036-230	36000	16	13.5	33000	21600	3.62	2.58	9	C33-43C	EL180UH110XE60C	8329354
SL18XP1-036-230	36000	15.5	13	33200	21600	3.62	2.56	9	C33-43C	EL195UH090XE48C	8329355
SL18XP1-036-230	36000	16	13.5	33200	21800	3.66	2.6	9	C33-43C	EL195UH110XE60C	8329356
SL18XP1-036-230	36000	15.5	13	33200	21600	3.62	2.56	9	C33-43C	EL296UH090XE48C	8329357
SL18XP1-036-230	36000	15.5	13	33200	21600	3.62	2.56	9	C33-43C	EL296UH090XV36C	8329351
SL18XP1-036-230	36000	16	13	33000	21600	3.6	2.56	9	C33-43C	EL296UH090XV48C	8329358
SL18XP1-036-230	36000	16	13.5	33200	21800	3.66	2.6	9	C33-43C	EL296UH110XE60C	8329359
SL18XP1-036-230	36000	16	13.5	33200	21800	3.66	2.6	9	C33-43C	EL296UH110XV48C	8329360
SL18XP1-036-230	36000	16	13.5	33200	21800	3.68	2.6	9	C33-43C	EL296UH110XV60C	8329361
SL18XP1-036-230	36000	16	13.5	33000	21600	3.64	2.58	9	C33-43C	ML180UH090E60C	10589848
SL18XP1-036-230	36000	16	13.5	33000	21600	3.62	2.58	9	C33-43C	ML180UH110E60C	10590102
SL18XP1-036-230	36000	16	13.5	33000	21600	3.62	2.58	9	C33-43C	ML180UH110XE60C	10590279
SL18XP1-036-230	36000	16	13.5	33200	21800	3.68	2.6	9	C33-43C	SL280UH090V60C	8329362
SL18XP1-036-230	36000	16	13.5	33200	21800	3.68	2.6	9	C33-43C	SL280UH090XV60C	8329363
SL18XP1-036-230	36000	15.5	13	33200	21800	3.64	2.58	9	C33-43C	SL280UH110V60C	8329364
SL18XP1-036-230	36000	15.5	13	33200	21800	3.64	2.58	9	C33-43C	SL280UH110XV60C	8329365
SL18XP1-036-230	36000	15.5	13	33000	21600	3.6	2.56	9	C33-43C	SLP98UH090XV36C	8329366
SL18XP1-036-230	36000	16	13.5	33000	21600	3.6	2.58	9	C33-43C	SLP98UH090XV48C	8329367
SL18XP1-036-230	36000	15.5	13	33400	21800	3.66	2.58	9	C33-43C	SLP98UH090XV60C	8329368
SL18XP1-036-230	36000	16	13.5	33200	21800	3.68	2.6	9	C33-43C	SLP98UH110XV60C	8329369
SL18XP1-036-230	36000	16	13	33800	22400	3.46	2.54	8.5	C33-49C	EL180UH090E60C	8329528
SL18XP1-036-230	36000	15.5	13	33600	22200	3.42	2.52	8.5	C33-49C	EL180UH110E60C	8329529
SL18XP1-036-230	36000	15.5	13	33600	22200	3.42	2.52	8.5	C33-49C	EL180UH110XE60C	8329530
SL18XP1-036-230	36000	16	13	33800	22400	3.46	2.54	8.5	C33-49C	EL195UH090XE48C	8329531
SL18XP1-036-230	36000	16	13.5	34000	22400	3.52	2.56	9	C33-49C	EL195UH110XE60C	8329532
SL18XP1-036-230	36000	16	13	33800	22400	3.46	2.54	8.5	C33-49C	EL296UH090XE48C	8329533
SL18XP1-036-230	36000	15.5	13	33800	22400	3.46	2.54	8.5	C33-49C	EL296UH090XV36C	8329534
SL18XP1-036-230	36000	16	13	33600	22200	3.44	2.52	8.5	C33-49C	EL296UH090XV48C	8329535
SL18XP1-036-230	36000	16	13.5	34000	22400	3.52	2.56	9	C33-49C	EL296UH110XE60C	8329536
SL18XP1-036-230	36000	16	13.5	34000	22400	3.54	2.56	9	C33-49C	EL296UH110XV60C	8329537
SL18XP1-036-230	36000	16	13	33800	22400	3.46	2.54	8.5	C33-49C	ML180UH090E60C	10589855
SL18XP1-036-230	36000	15.5	13	33600	22200	3.42	2.52	8.5	C33-49C	ML180UH110E60C	10590109
SL18XP1-036-230	36000	15.5	13	33600	22200	3.42	2.52	8.5	C33-49C	ML180UH110XE60C	10590286
SL18XP1-036-230	36000	16	13.5	34000	22400	3.56	2.58	9	C33-49C	SL280UH090V60C	8329538
SL18XP1-036-230	36000	16	13.5	34000	22400	3.56	2.58	9	C33-49C	SL280UH090XV60C	8329539
SL18XP1-036-230	36000	15.5	13	34000	22400	3.5	2.54	9	C33-49C	SL280UH110V60C	8329540
SL18XP1-036-230	36000	15.5	13	34000	22400	3.5	2.54	9	C33-49C	SL280UH110XV60C	8329541
SL18XP1-036-230	36000	15.5	13	33800	22400	3.46	2.54	8.5	C33-49C	SLP98UH090XV36C	8329542
SL18XP1-036-230	36000	16	13	33600	22200	3.44	2.52	8.5	C33-49C	SLP98UH090XV48C	8329543
SL18XP1-036-230	36000	15.5	13	34200	22600	3.54	2.56	9	C33-49C	SLP98UH090XV60C	8329544
SL18XP1-036-230	36000	16	13.5	34000	22400	3.54	2.56	9	C33-49C	SLP98UH110XV60C	8329545
SL18XP1-036-230	36000	14.5	12	34000	22600	3.42	2.48	8.5	C33-49C		8329546
SL18XP1-036-230	36000	15.5	13	33200	21600	3.62	2.56	9	C33-50/60C	EL180UH090E60C	8329370
SL18XP1-036-230	36000	15.5	13	32800	21600	3.54	2.56	8.5	C33-50/60C	EL180UH110E60C	8329371
SL18XP1-036-230	36000	15.5	13	32800	21600	3.54	2.56	8.5	C33-50/60C	EL180UH110XE60C	8329372
SL18XP1-036-230	36000	15.5	13	33200	21600	3.62	2.56	9	C33-50/60C	EL195UH090XE48C	8329373
SL18XP1-036-230	36000	16	13	33200	21800	3.64	2.6	9	C33-50/60C	EL195UH110XE60C	8329374
SL18XP1-036-230	36000	15.5	13	33200	21600	3.62	2.56	9	C33-50/60C	EL296UH090XE48C	8329375
SL18XP1-036-230	36000	15.5	13	33200	21600	3.62	2.56	9	C33-50/60C	EL296UH090XV36C	8329376
SL18XP1-036-230	36000	16	13	33000	21600	3.6	2.58	9	C33-50/60C	EL296UH090XV48C	8329377
SL18XP1-036-230	36000	16	13	33200	21800	3.64	2.6	9	C33-50/60C	EL296UH110XE60C	8329378
SL18XP1-036-230	36000	16	13	33200	21800	3.66	2.6	9	C33-50/60C	EL296UH110XV48C	8329379
SL18XP1-036-230	36000	16	13	33200	21800	3.66	2.6	9	C33-50/60C	EL296UH110XV60C	8329380
SL18XP1-036-230	36000	15.5	13	33200	21600	3.62	2.56	9	C33-50/60C	ML180UH090E60C	10589849
SL18XP1-036-230	36000	15.5	13	32800	21600	3.54	2.56	8.5	C33-50/60C	ML180UH110E60C	10590103
SL18XP1-036-230	36000	15.5	13	32800	21600	3.54	2.56	8.5	C33-50/60C	ML180UH110XE60C	10590280
SL18XP1-036-230	36000	16	13.5	33200	21800	3.68	2.62	9	C33-50/60C	SL280UH090V60C	8329381

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-036-230	36000	16	13.5	33200	21800	3.68	2.62	9	C33-50/60C	SL280UH090XV60C	8329382
SL18XP1-036-230	36000	15.5	13	33200	21800	3.64	2.58	9	C33-50/60C	SL280UH110V60C	8329383
SL18XP1-036-230	36000	15.5	13	33200	21800	3.64	2.58	9	C33-50/60C	SL280UH110XV60C	8329384
SL18XP1-036-230	36000	15.5	13	33200	21600	3.62	2.56	9	C33-50/60C	SLP98UH090XV36C	8329385
SL18XP1-036-230	36000	16	13	33000	21600	3.6	2.58	9	C33-50/60C	SLP98UH090XV48C	8329386
SL18XP1-036-230	36000	15.5	13	33400	22000	3.66	2.6	9	C33-50/60C	SLP98UH090XV60C	8329387
SL18XP1-036-230	36000	16	13	33200	21800	3.66	2.6	9	C33-50/60C	SLP98UH110XV60C	8329388
SL18XP1-036-230	36000	14.5	12	33800	22400	3.46	2.48	8.5	C33-50/60C		8329389
SL18XP1-036-230	35800	16	13	33200	21600	3.54	2.54	8.5	C35-36B	EL180UH070E36B	10098313
SL18XP1-036-230	35800	16	13	33200	21600	3.54	2.54	8.5	C35-36B	EL180UH070XE36B	10098314
SL18XP1-036-230	36000	16	13	33600	21800	3.58	2.52	8.5	C35-36B	EL180UH090E48B	10098315
SL18XP1-036-230	36000	16	13	33600	21800	3.58	2.52	8.5	C35-36B	EL180UH090XE48B	10098316
SL18XP1-036-230	35800	15	12.5	33800	22200	3.42	2.44	8.5	C35-36B	EL195UH045XE36B	10098317
SL18XP1-036-230	35800	15.5	12.5	33400	21800	3.48	2.48	8.5	C35-36B	EL195UH070XE36B	10098318
SL18XP1-036-230	35800	15	12.5	33800	22200	3.42	2.44	8.5	C35-36B	EL296UH045XE36B	10098319
SL18XP1-036-230	36000	15.5	12.5	33600	22000	3.48	2.5	8.5	C35-36B	EL296UH045XV36B	10098320
SL18XP1-036-230	35800	15.5	12.5	33400	21800	3.48	2.48	8.5	C35-36B	EL296UH070XE36B	10098321
SL18XP1-036-230	35800	16	13	33200	21600	3.54	2.54	8.5	C35-36B	ML180UH070E36B	10589675
SL18XP1-036-230	35800	16	13	33200	21600	3.54	2.54	8.5	C35-36B	ML180UH070XE36B	10589712
SL18XP1-036-230	36000	16	13	33600	21800	3.58	2.52	8.5	C35-36B	ML180UH090E48B	10589788
SL18XP1-036-230	36000	16	13	33600	21800	3.58	2.52	8.5	C35-36B	ML180UH090XE48B	10590045
SL18XP1-036-230	36000	16	13	33200	21600	3.56	2.54	8.5	C35-36B	SL280UH090V36B	10098322
SL18XP1-036-230	36000	16	13	33400	21800	3.56	2.54	8.5	C35-36B	SL280UH090V48B	10098323
SL18XP1-036-230	36000	16	13	33400	21800	3.56	2.54	8.5	C35-36B	SL280UH090XV48B	10098324
SL18XP1-036-230	36000	15.5	12.5	33600	22000	3.48	2.5	8.5	C35-36B	SLP98UH070XV36B	10098325
SL18XP1-036-230	35400	14.5	12	34000	22400	3.4	2.44	8.5	C35-36B		10099340
SL18XP1-036-230	36000	16	13.5	33200	21200	3.52	2.5	8.5	C35-48B	EL180UH070E36B	10098339
SL18XP1-036-230	36000	16	13.5	33200	21200	3.52	2.5	8.5	C35-48B	EL180UH070XE36B	10098340
SL18XP1-036-230	36000	15.5	12.5	33400	21400	3.54	2.5	8.5	C35-48B	EL180UH090E48B	10098341
SL18XP1-036-230	36000	15.5	12.5	33400	21400	3.54	2.5	8.5	C35-48B	EL180UH090XE48B	10098342
SL18XP1-036-230	36000	15.5	12.5	33400	21600	3.46	2.48	8.5	C35-48B	EL195UH070XE36B	10098343
SL18XP1-036-230	36000	15	12.5	33600	21600	3.46	2.46	8.5	C35-48B	EL296UH045XV36B	10098344
SL18XP1-036-230	36000	15.5	12.5	33400	21600	3.46	2.48	8.5	C35-48B	EL296UH070XE36B	10098345
SL18XP1-036-230	36000	16	13.5	33200	21200	3.52	2.5	8.5	C35-48B	ML180UH070E36B	10589677
SL18XP1-036-230	36000	16	13.5	33200	21200	3.52	2.5	8.5	C35-48B	ML180UH070XE36B	10589714
SL18XP1-036-230	36000	15.5	12.5	33400	21400	3.54	2.5	8.5	C35-48B	ML180UH090E48B	10589790
SL18XP1-036-230	36000	15.5	12.5	33400	21400	3.54	2.5	8.5	C35-48B	ML180UH090XE48B	10590047
SL18XP1-036-230	36000	16	13.5	33200	21200	3.54	2.5	8.5	C35-48B	SL280UH090V36B	10098346
SL18XP1-036-230	36000	15.5	12.5	33400	21400	3.54	2.52	8.5	C35-48B	SL280UH090V48B	10098347
SL18XP1-036-230	36000	15.5	12.5	33400	21400	3.54	2.52	8.5	C35-48B	SL280UH090XV48B	10098348
SL18XP1-036-230	36000	15.5	12.5	33200	21400	3.44	2.46	8.5	C35-48B	SLP98UH070XV36B	10098349
SL18XP1-036-230	36000	16	13.5	33400	21400	3.6	2.54	8.5	C35-48C	EL180UH090E60C	10098350
SL18XP1-036-230	36000	16	13.5	33200	21400	3.56	2.54	8.5	C35-48C	EL180UH110E60C	10098351
SL18XP1-036-230	36000	16	13.5	33200	21400	3.56	2.54	8.5	C35-48C	EL180UH110XE60C	10098352
SL18XP1-036-230	36000	15.5	12.5	33400	21400	3.54	2.52	8.5	C35-48C	EL195UH090XE48C	10098353
SL18XP1-036-230	36000	16	13.5	33400	21400	3.58	2.52	8.5	C35-48C	EL195UH110XE60C	10098354
SL18XP1-036-230	36000	15.5	12.5	33400	21400	3.54	2.52	8.5	C35-48C	EL296UH090XE48C	10098355
SL18XP1-036-230	36000	15.5	12.5	33400	21400	3.54	2.5	8.5	C35-48C	EL296UH090XV36C	10098356
SL18XP1-036-230	36000	15.5	12.5	33200	21400	3.5	2.52	8.5	C35-48C	EL296UH090XV48C	10098357
SL18XP1-036-230	36000	16	13.5	33400	21400	3.58	2.52	8.5	C35-48C	EL296UH110XE60C	10098358
SL18XP1-036-230	36000	16	13.5	33400	21400	3.56	2.52	8.5	C35-48C	EL296UH110XV48C	10098359
SL18XP1-036-230	36000	16	13.5	33400	21400	3.58	2.52	8.5	C35-48C	EL296UH110XV60C	10098360
SL18XP1-036-230	36000	16	13.5	33400	21400	3.6	2.54	8.5	C35-48C	ML180UH090E60C	10589964
SL18XP1-036-230	36000	16	13.5	33200	21400	3.56	2.54	8.5	C35-48C	ML180UH110E60C	10590216
SL18XP1-036-230	36000	16	13.5	33200	21400	3.56	2.54	8.5	C35-48C	ML180UH110XE60C	10590313
SL18XP1-036-230	36000	15.5	12.5	33200	21400	3.5	2.52	8.5	C35-48C	SLP98UH090XV48C	10099343
SL18XP1-036-230	36000	15.5	12.5	33800	21600	3.58	2.52	8.5	C35-48C	SLP98UH090XV60C	10098361
SL18XP1-036-230	35600	14	12	34000	22200	3.38	2.42	8.5	C35-48C		10099342
SL18XP1-036-230	36000	15.5	12.5	33200	21400	3.48	2.48	8.5	C35-50/60C	EL180UH090E60C	10098362
SL18XP1-036-230	36000	16	13.5	33200	21200	3.52	2.5	8.5	C35-50/60C	EL180UH110E60C	10098363
SL18XP1-036-230	36000	16	13.5	33200	21200	3.52	2.5	8.5	C35-50/60C	EL180UH110XE60C	10098364

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-036-230	36000	15.5	12.5	33200	21400	3.48	2.48	8.5	C35-50/60C	EL195UH090XE48C	10098365
SL18XP1-036-230	36000	15.5	12.5	33400	21400	3.54	2.5	8.5	C35-50/60C	EL195UH110XE60C	10098366
SL18XP1-036-230	36000	15.5	12.5	33200	21400	3.48	2.48	8.5	C35-50/60C	EL296UH090XE48C	10098367
SL18XP1-036-230	36000	15.5	12.5	33200	21400	3.48	2.5	8.5	C35-50/60C	EL296UH090XV36C	10098368
SL18XP1-036-230	36000	15.5	12.5	33200	21200	3.48	2.48	8.5	C35-50/60C	EL296UH090XV48C	10098369
SL18XP1-036-230	36000	15.5	12.5	33400	21400	3.54	2.5	8.5	C35-50/60C	EL296UH110XE60C	10098370
SL18XP1-036-230	36000	15.5	12.5	33400	21400	3.54	2.5	8.5	C35-50/60C	EL296UH110XV48C	10098371
SL18XP1-036-230	36000	15.5	12.5	33400	21400	3.56	2.52	8.5	C35-50/60C	EL296UH110XV60C	10098372
SL18XP1-036-230	36000	15.5	12.5	33200	21400	3.48	2.48	8.5	C35-50/60C	ML180UH090E60C	10589965
SL18XP1-036-230	36000	16	13.5	33200	21200	3.52	2.5	8.5	C35-50/60C	ML180UH110E60C	10590217
SL18XP1-036-230	36000	16	13.5	33200	21200	3.52	2.5	8.5	C35-50/60C	ML180UH110XE60C	10590314
SL18XP1-036-230	36000	16	13.5	33600	21400	3.58	2.52	8.5	C35-50/60C	SL280UH090V60C	10098373
SL18XP1-036-230	36000	16	13.5	33600	21400	3.58	2.52	8.5	C35-50/60C	SL280UH090XV60C	10098374
SL18XP1-036-230	36000	15.5	12.5	33400	21600	3.52	2.52	8.5	C35-50/60C	SL280UH110V60C	10098375
SL18XP1-036-230	36000	15.5	12.5	33400	21600	3.52	2.52	8.5	C35-50/60C	SL280UH110XV60C	10098376
SL18XP1-036-230	36000	15.5	12.5	33200	21400	3.5	2.5	8.5	C35-50/60C	SLP98UH090XV36C	10099344
SL18XP1-036-230	36000	15.5	12.5	33200	21200	3.48	2.48	8.5	C35-50/60C	SLP98UH090XV48C	10099345
SL18XP1-036-230	36000	15.5	12.5	33600	21600	3.54	2.5	8.5	C35-50/60C	SLP98UH090XV60C	10098377
SL18XP1-036-230	36000	15.5	12.5	33400	21400	3.54	2.52	8.5	C35-50/60C	SLP98UH110XV60C	10099346
SL18XP1-036-230	35400	14	12	34000	22000	3.36	2.4	8.5	C35-50/60C		10098378
SL18XP1-036-230	36000	16	13	32800	21400	3.56	2.54	8.5	C37-43B	EL180UH070E36B	10085239
SL18XP1-036-230	36000	15.5	13	32800	21400	3.56	2.54	8.5	C37-43B	EL180UH070XE36B	10085240
SL18XP1-036-230	36000	15.5	13	33400	21800	3.62	2.56	9	C37-43B	EL180UH090E48B	10085241
SL18XP1-036-230	36000	15.5	13	33400	21800	3.62	2.56	9	C37-43B	EL180UH090XE48B	10085242
SL18XP1-036-230	36000	14.5	12.5	33600	22200	3.46	2.48	8.5	C37-43B	EL195UH045XE36B	10085243
SL18XP1-036-230	36000	15	12.5	33600	22000	3.5	2.48	8.5	C37-43B	EL195UH070XE36B	10085244
SL18XP1-036-230	36000	14.5	12.5	33600	22200	3.46	2.48	8.5	C37-43B	EL296UH045XE36B	10085245
SL18XP1-036-230	36000	15.1	13	33400	21800	3.56	2.52	8.5	C37-43B	EL296UH045XV36B	10085246
SL18XP1-036-230	36000	15	12.5	33600	22000	3.5	2.48	8.5	C37-43B	EL296UH070XE36B	10085247
SL18XP1-036-230	36000	16	13	32800	21400	3.56	2.54	8.5	C37-43B	ML180UH070E36B	10589656
SL18XP1-036-230	36000	15.5	13	32800	21400	3.56	2.54	8.5	C37-43B	ML180UH070XE36B	10589699
SL18XP1-036-230	36000	15.5	13	33400	21800	3.62	2.56	9	C37-43B	ML180UH090E48B	10589773
SL18XP1-036-230	36000	15.5	13	33400	21800	3.62	2.56	9	C37-43B	ML180UH090XE48B	10590034
SL18XP1-036-230	36000	16	13.5	32800	21600	3.58	2.58	9	C37-43B	SL280UH090V36B	10085248
SL18XP1-036-230	36000	16	13	33000	21600	3.62	2.56	9	C37-43B	SL280UH090V48B	10085249
SL18XP1-036-230	36000	16	13	33000	21600	3.62	2.56	9	C37-43B	SL280UH090XV48B	10085250
SL18XP1-036-230	36000	15.5	13	33400	22000	3.56	2.54	8.5	C37-43B	SLP98UH070XV36B	10085251
SL18XP1-036-230	36000	14.5	12	33800	22400	3.46	2.48	8.5	C37-43B		10084138
SL18XP1-036-230	36000	16	13.5	33000	21600	3.64	2.58	9	C37-43C	EL180UH090E60C	10085253
SL18XP1-036-230	36000	16	13.5	33000	21600	3.62	2.58	9	C37-43C	EL180UH110E60C	10085254
SL18XP1-036-230	36000	16	13.5	33000	21600	3.62	2.58	9	C37-43C	EL180UH110XE60C	10085255
SL18XP1-036-230	36000	15.5	13	33200	21600	3.62	2.56	9	C37-43C	EL195UH090XE48C	10085256
SL18XP1-036-230	36000	16	13.5	33200	21800	3.66	2.6	9	C37-43C	EL195UH110XE60C	10085257
SL18XP1-036-230	36000	15.5	13	33200	21600	3.62	2.56	9	C37-43C	EL296UH090XE48C	10085258
SL18XP1-036-230	36000	15.5	13	33200	21600	3.62	2.56	9	C37-43C	EL296UH090XV36C	10085252
SL18XP1-036-230	36000	16	13	33000	21600	3.6	2.56	9	C37-43C	EL296UH090XV48C	10085259
SL18XP1-036-230	36000	16	13.5	33200	21800	3.66	2.6	9	C37-43C	EL296UH110XE60C	10085260
SL18XP1-036-230	36000	16	13.5	33200	21800	3.66	2.6	9	C37-43C	EL296UH110XV48C	10085261
SL18XP1-036-230	36000	16	13.5	33200	21800	3.68	2.6	9	C37-43C	EL296UH110XV60C	10085262
SL18XP1-036-230	36000	16	13.5	33000	21600	3.64	2.58	9	C37-43C	ML180UH090E60C	10589925
SL18XP1-036-230	36000	16	13.5	33000	21600	3.62	2.58	9	C37-43C	ML180UH110E60C	10590177
SL18XP1-036-230	36000	16	13.5	33000	21600	3.62	2.58	9	C37-43C	ML180UH110XE60C	10590297
SL18XP1-036-230	36000	16	13.5	33200	21800	3.68	2.6	9	C37-43C	SL280UH090V60C	10085263
SL18XP1-036-230	36000	16	13.5	33200	21800	3.68	2.6	9	C37-43C	SL280UH090XV60C	10085264
SL18XP1-036-230	36000	15.5	13	33200	21800	3.64	2.58	9	C37-43C	SL280UH110V60C	10085265
SL18XP1-036-230	36000	15.5	13	33200	21800	3.64	2.58	9	C37-43C	SL280UH110XV60C	10085266
SL18XP1-036-230	36000	15.5	13	33000	21600	3.6	2.56	9	C37-43C	SLP98UH090XV36C	10085267
SL18XP1-036-230	36000	16	13.5	33000	21600	3.6	2.58	9	C37-43C	SLP98UH090XV48C	10085268
SL18XP1-036-230	36000	15.5	13	33400	21800	3.66	2.58	9	C37-43C	SLP98UH090XV60C	10085269
SL18XP1-036-230	36000	16	13.5	33200	21800	3.68	2.6	9	C37-43C	SLP98UH110XV60C	10085270
SL18XP1-036-230	36000	14.5	12	33800	22400	3.46	2.48	8.5	C37-43C		10084139

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-036-230	36000	16	13	33800	22400	3.46	2.54	8.5	C37-49C	EL180UH090E60C	10085359
SL18XP1-036-230	36000	15.5	13	33600	22200	3.42	2.52	8.5	C37-49C	EL180UH110E60C	10085360
SL18XP1-036-230	36000	15.5	13	33600	22200	3.42	2.52	8.5	C37-49C	EL180UH110XE60C	10085361
SL18XP1-036-230	36000	16	13	33800	22400	3.46	2.54	8.5	C37-49C	EL195UH090XE48C	10085362
SL18XP1-036-230	36000	16	13.5	34000	22400	3.52	2.56	9	C37-49C	EL195UH110XE60C	10085363
SL18XP1-036-230	36000	16	13	33800	22400	3.46	2.54	8.5	C37-49C	EL296UH090XE48C	10085364
SL18XP1-036-230	36000	15.5	13	33800	22400	3.46	2.54	8.5	C37-49C	EL296UH090XV36C	10085365
SL18XP1-036-230	36000	16	13	33600	22200	3.44	2.52	8.5	C37-49C	EL296UH090XV48C	10085366
SL18XP1-036-230	36000	16	13.5	34000	22400	3.52	2.56	9	C37-49C	EL296UH110XE60C	10085367
SL18XP1-036-230	36000	16	13.5	34000	22400	3.54	2.56	9	C37-49C	EL296UH110XV60C	10085368
SL18XP1-036-230	36000	16	13	33800	22400	3.46	2.54	8.5	C37-49C	ML180UH090E60C	10589930
SL18XP1-036-230	36000	15.5	13	33600	22200	3.42	2.52	8.5	C37-49C	ML180UH110E60C	10590182
SL18XP1-036-230	36000	15.5	13	33600	22200	3.42	2.52	8.5	C37-49C	ML180UH110XE60C	10590302
SL18XP1-036-230	36000	16	13.5	34000	22400	3.56	2.58	9	C37-49C	SL280UH090V60C	10085369
SL18XP1-036-230	36000	16	13.5	34000	22400	3.56	2.58	9	C37-49C	SL280UH090XV60C	10085370
SL18XP1-036-230	36000	15.5	13	34000	22400	3.5	2.54	9	C37-49C	SL280UH110V60C	10085371
SL18XP1-036-230	36000	15.5	13	34000	22400	3.5	2.54	9	C37-49C	SL280UH110XV60C	10085372
SL18XP1-036-230	36000	15.5	13	33800	22400	3.46	2.54	8.5	C37-49C	SLP98UH090XV36C	10085373
SL18XP1-036-230	36000	16	13	33600	22200	3.44	2.52	8.5	C37-49C	SLP98UH090XV48C	10085374
SL18XP1-036-230	36000	15.5	13	34200	22600	3.54	2.56	9	C37-49C	SLP98UH090XV60C	10085375
SL18XP1-036-230	36000	16	13.5	34000	22400	3.54	2.56	9	C37-49C	SLP98UH110XV60C	10085376
SL18XP1-036-230	36000	14.5	12	34000	22600	3.42	2.48	8.5	C37-49C		10084145
SL18XP1-036-230	36000	15.5	13	33200	21600	3.62	2.56	9	C37-50/60C	EL180UH090E60C	10085271
SL18XP1-036-230	36000	15.5	13	32800	21600	3.54	2.56	8.5	C37-50/60C	EL180UH110E60C	10085272
SL18XP1-036-230	36000	15.5	13	32800	21600	3.54	2.56	8.5	C37-50/60C	EL180UH110XE60C	10085273
SL18XP1-036-230	36000	15.5	13	33200	21600	3.62	2.56	9	C37-50/60C	EL195UH090XE48C	10085274
SL18XP1-036-230	36000	16	13	33200	21800	3.64	2.6	9	C37-50/60C	EL195UH110XE60C	10085275
SL18XP1-036-230	36000	15.5	13	33200	21600	3.62	2.56	9	C37-50/60C	EL296UH090XE48C	10085276
SL18XP1-036-230	36000	15.5	13	33200	21600	3.62	2.56	9	C37-50/60C	EL296UH090XV36C	10085277
SL18XP1-036-230	36000	16	13	33000	21600	3.6	2.58	9	C37-50/60C	EL296UH090XV48C	10085278
SL18XP1-036-230	36000	16	13	33200	21800	3.64	2.6	9	C37-50/60C	EL296UH110XE60C	10085279
SL18XP1-036-230	36000	16	13	33200	21800	3.66	2.6	9	C37-50/60C	EL296UH110XV48C	10085280
SL18XP1-036-230	36000	16	13	33200	21800	3.66	2.6	9	C37-50/60C	EL296UH110XV60C	10085281
SL18XP1-036-230	36000	15.5	13	33200	21600	3.62	2.56	9	C37-50/60C	ML180UH090E60C	10589926
SL18XP1-036-230	36000	15.5	13	32800	21600	3.54	2.56	8.5	C37-50/60C	ML180UH110E60C	10590178
SL18XP1-036-230	36000	15.5	13	32800	21600	3.54	2.56	8.5	C37-50/60C	ML180UH110XE60C	10590298
SL18XP1-036-230	36000	16	13.5	33200	21800	3.68	2.62	9	C37-50/60C	SL280UH090V60C	10085282
SL18XP1-036-230	36000	16	13.5	33200	21800	3.68	2.62	9	C37-50/60C	SL280UH090XV60C	10085283
SL18XP1-036-230	36000	15.5	13	33200	21800	3.64	2.58	9	C37-50/60C	SL280UH110V60C	10085284
SL18XP1-036-230	36000	15.5	13	33200	21800	3.64	2.58	9	C37-50/60C	SL280UH110XV60C	10085285
SL18XP1-036-230	36000	15.5	13	33200	21600	3.62	2.56	9	C37-50/60C	SLP98UH090XV36C	10085286
SL18XP1-036-230	36000	16	13	33000	21600	3.6	2.58	9	C37-50/60C	SLP98UH090XV48C	10085287
SL18XP1-036-230	36000	15.5	13	33400	22000	3.66	2.6	9	C37-50/60C	SLP98UH090XV60C	10085288
SL18XP1-036-230	36000	16	13	33200	21800	3.66	2.6	9	C37-50/60C	SLP98UH110XV60C	10085289
SL18XP1-036-230	36000	14.5	12	33800	22400	3.46	2.48	8.5	C37-50/60C		10084140
SL18XP1-036-230	35800	15.5	13	34000	22200	3.62	2.64	9	CBA27UHE-036		10258580
SL18XP1-036-230	36000	16	13	33400	21600	3.72	2.66	9	CBA27UHE-042		10258581
SL18XP1-036-230	35600	15.5	13	33400	22200	3.68	2.68	9.5	CBX27UH-036		8331381
SL18XP1-036-230	36000	16	13.5	33200	21600	3.78	2.68	9	CBX27UH-042		8331382
SL18XP1-036-230	35200	14.5	12	34000	22600	3.54	2.56	9	CBX32M-036		8331383
SL18XP1-036-230	35200	14.5	12	34000	22600	3.54	2.56	9	CBX32M-042		8331384
SL18XP1-036-230	36000	14.5	12.5	33800	22200	3.6	2.56	8.5	CBX32M-048		8331385
SL18XP1-036-230	35600	15	12.5	34000	22600	3.64	2.62	9	CBX32MV-036		8331386
SL18XP1-036-230	36000	16	13.5	33200	21600	3.78	2.68	9	CBX32MV-048		8331387
SL18XP1-036-230	36000	15.5	12.5	33600	22400	3.66	2.66	9.5	CBX40UHV-036		8331388
SL18XP1-036-230	36000	15.5	13	33400	22000	3.66	2.62	9	CBX40UHV-042		8331389
SL18XP1-036-230	36000	15.5	13.5	33400	21800	3.72	2.64	9	CBX40UHV-048		8331390
SL18XP1-036-230	36000	15.5	13	33000	21800	3.54	2.58	8.5	CH33-43B	EL180UH070E36B	8329514
SL18XP1-036-230	36000	15.5	13	33000	21800	3.54	2.58	8.5	CH33-43B	EL180UH070XE36B	8329515
SL18XP1-036-230	36000	15.5	13	33200	22000	3.58	2.6	9	CH33-43B	EL180UH090XE48B	8329516
SL18XP1-036-230	36000	14.5	12.5	33800	22400	3.48	2.5	8.5	CH33-43B	EL195UH045XE36B	8329517

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-036-230	36000	15	12.5	33600	22400	3.48	2.52	8.5	CH33-43B	EL195UH070XE36B	8329518
SL18XP1-036-230	36000	14.5	12.5	33800	22400	3.48	2.5	8.5	CH33-43B	EL296UH045XE36B	8329519
SL18XP1-036-230	36000	15	12.5	33600	22200	3.52	2.52	8.5	CH33-43B	EL296UH045XV36B	8329520
SL18XP1-036-230	36000	15	12.5	33600	22400	3.48	2.52	8.5	CH33-43B	EL296UH070XE36B	8329521
SL18XP1-036-230	36000	15.5	12.5	33200	22000	3.5	2.54	8.5	CH33-43B	EL296UH070XV36B	8329522
SL18XP1-036-230	36000	15.5	13	33000	21800	3.54	2.58	8.5	CH33-43B	ML180UH070E36B	10589626
SL18XP1-036-230	36000	15.5	13	33000	21800	3.54	2.58	8.5	CH33-43B	ML180UH070XE36B	10589692
SL18XP1-036-230	36000	15.5	13	33200	22000	3.58	2.6	9	CH33-43B	ML180UH090XE48B	10590026
SL18XP1-036-230	36000	16	13	33000	21800	3.58	2.6	8.5	CH33-43B	SL280UH090V36B	8329523
SL18XP1-036-230	36000	16	13	33200	22000	3.62	2.62	9	CH33-43B	SL280UH090V48B	8329524
SL18XP1-036-230	36000	16	13	33200	22000	3.62	2.62	9	CH33-43B	SL280UH090XV48B	8329525
SL18XP1-036-230	36000	15.5	12.5	33200	22000	3.5	2.54	8.5	CH33-43B	SLP98UH070XV36B	8329526
SL18XP1-036-230	36000	14.5	12	34000	22600	3.46	2.5	8.5	CH33-43B		8329527
SL18XP1-036-230	36000	16	13	32800	21800	3.68	2.62	9	CH33-49	EL180UH090E60C	8329390
SL18XP1-036-230	36000	16	13	32600	21600	3.64	2.6	9	CH33-49	EL180UH110E60C	8329391
SL18XP1-036-230	36000	16	13	32600	21600	3.64	2.6	9	CH33-49	EL180UH110XE60C	8329392
SL18XP1-036-230	36000	15.5	13	32800	21800	3.62	2.6	8.5	CH33-49	EL195UH090XE48C	8329393
SL18XP1-036-230	36000	16	13	32800	21800	3.66	2.62	9	CH33-49	EL195UH110XE60C	8329394
SL18XP1-036-230	36000	15.5	13	32800	21800	3.62	2.6	8.5	CH33-49	EL296UH090XE48C	8329395
SL18XP1-036-230	36000	15.5	13	32800	21800	3.62	2.6	9	CH33-49	EL296UH090XV36C	8329396
SL18XP1-036-230	36000	16	13	32600	21800	3.62	2.62	8.5	CH33-49	EL296UH090XV48C	8329397
SL18XP1-036-230	36000	16	13	32800	21800	3.66	2.62	9	CH33-49	EL296UH110XE60C	8329398
SL18XP1-036-230	36000	16	13	32800	21800	3.66	2.62	9	CH33-49	EL296UH110XV48C	8329399
SL18XP1-036-230	36000	16	13	32800	21800	3.66	2.62	9	CH33-49	EL296UH110XV60C	8329400
SL18XP1-036-230	36000	16	13	32800	21800	3.68	2.62	9	CH33-49	ML180UH090E60C	10589850
SL18XP1-036-230	36000	16	13	32600	21600	3.64	2.6	9	CH33-49	ML180UH110E60C	10590104
SL18XP1-036-230	36000	16	13	32600	21600	3.64	2.6	9	CH33-49	ML180UH110XE60C	10590281
SL18XP1-036-230	36000	16	13	32800	22000	3.68	2.66	9	CH33-49	SL280UH090V60C	8329401
SL18XP1-036-230	36000	16	13	32800	22000	3.68	2.66	9	CH33-49	SL280UH090XV60C	8329402
SL18XP1-036-230	36000	15.5	13	32800	22000	3.64	2.62	9	CH33-49	SL280UH110V60C	8329403
SL18XP1-036-230	36000	15.5	13	32800	22000	3.64	2.62	9	CH33-49	SL280UH110XV60C	8329404
SL18XP1-036-230	36000	15.5	13	32800	21800	3.64	2.6	9	CH33-49	SLP98UH090XV36C	8329405
SL18XP1-036-230	36000	16	13	32600	21800	3.62	2.62	8.5	CH33-49	SLP98UH090XV48C	8329406
SL18XP1-036-230	36000	15.5	13	33000	22000	3.66	2.62	9	CH33-49	SLP98UH090XV60C	8329407
SL18XP1-036-230	36000	16	13	32800	21800	3.68	2.62	9	CH33-49	SLP98UH110XV60C	8329408
SL18XP1-036-230	36000	14.5	12	33200	22400	3.4	2.46	8.5	CH33-49		8329409
SL18XP1-036-230	36000	15.5	13	32600	21800	3.58	2.6	8.5	CH33-50/60C	EL180UH090E60C	8329410
SL18XP1-036-230	36000	15.5	13	32400	21600	3.54	2.56	8.5	CH33-50/60C	EL180UH110E60C	8329411
SL18XP1-036-230	36000	15.5	13	32400	21600	3.54	2.56	8.5	CH33-50/60C	EL180UH110XE60C	8329412
SL18XP1-036-230	36000	15.5	12.5	32600	21800	3.54	2.56	8.5	CH33-50/60C	EL195UH090XE48C	8329413
SL18XP1-036-230	36000	15.5	13	32800	21800	3.6	2.58	8.5	CH33-50/60C	EL195UH110XE60C	8329414
SL18XP1-036-230	36000	15.5	12.5	32600	21800	3.54	2.56	8.5	CH33-50/60C	EL296UH090XE48C	8329415
SL18XP1-036-230	36000	15.5	13	32600	21800	3.58	2.6	8.5	CH33-50/60C	EL296UH090XV36C	8329416
SL18XP1-036-230	36000	15.5	13	32400	21800	3.58	2.6	9	CH33-50/60C	EL296UH090XV48C	8329417
SL18XP1-036-230	36000	15.5	13	32800	21800	3.6	2.58	8.5	CH33-50/60C	EL296UH110XE60C	8329418
SL18XP1-036-230	36000	15.5	13	32800	21800	3.64	2.6	9	CH33-50/60C	EL296UH110XV48C	8329419
SL18XP1-036-230	36000	16	13	32800	21800	3.66	2.62	9	CH33-50/60C	EL296UH110XV60C	8329420
SL18XP1-036-230	36000	15.5	13	32600	21800	3.58	2.6	8.5	CH33-50/60C	ML180UH090E60C	10589851
SL18XP1-036-230	36000	15.5	13	32400	21600	3.54	2.56	8.5	CH33-50/60C	ML180UH110E60C	10590105
SL18XP1-036-230	36000	15.5	13	32400	21600	3.54	2.56	8.5	CH33-50/60C	ML180UH110XE60C	10590282
SL18XP1-036-230	36000	16	13	32800	21800	3.66	2.62	9	CH33-50/60C	SL280UH090V60C	8329421
SL18XP1-036-230	36000	16	13	32800	21800	3.66	2.62	9	CH33-50/60C	SL280UH090XV60C	8329422
SL18XP1-036-230	36000	15.5	13	32800	22000	3.62	2.62	9	CH33-50/60C	SL280UH110V60C	8329423
SL18XP1-036-230	36000	15.5	13	32800	22000	3.62	2.62	9	CH33-50/60C	SL280UH110XV60C	8329424
SL18XP1-036-230	36000	15.5	13	32600	21800	3.58	2.6	8.5	CH33-50/60C	SLP98UH090XV36C	8329425
SL18XP1-036-230	36000	15.5	13	32400	21800	3.58	2.6	9	CH33-50/60C	SLP98UH090XV48C	8329426
SL18XP1-036-230	36000	15.5	13	33000	22000	3.64	2.6	9	CH33-50/60C	SLP98UH090XV60C	8329427
SL18XP1-036-230	36000	16	13	32800	21800	3.66	2.62	9	CH33-50/60C	SLP98UH110XV60C	8329428
SL18XP1-036-230	36000	14.5	12	33400	22400	3.44	2.48	8.5	CH33-50/60C		8329429
SL18XP1-036-230	36000	16	13.5	33000	21800	3.58	2.58	8.5	CH35-42B	EL180UH070E36B	10098247
SL18XP1-036-230	36000	16	13.5	33000	21800	3.58	2.58	8.5	CH35-42B	EL180UH070XE36B	10098248



# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-036-230	36000	16	13	33200	22000	3.64	2.6	9	CH35-42B	EL180UH090XE48B	10098249
SL18XP1-036-230	36000	15	12.5	33800	22400	3.52	2.5	8.5	CH35-42B	EL195UH045XE36B	10098250
SL18XP1-036-230	36000	15	12.5	33600	22400	3.54	2.54	8.5	CH35-42B	EL195UH070XE36B	10098251
SL18XP1-036-230	36000	15	12.5	33800	22400	3.52	2.5	8.5	CH35-42B	EL296UH045XE36B	10098252
SL18XP1-036-230	36000	15	12.5	33600	22200	3.56	2.56	8.5	CH35-42B	EL296UH045XV36B	10098253
SL18XP1-036-230	36000	15	12.5	33600	22400	3.54	2.54	8.5	CH35-42B	EL296UH070XE36B	10098254
SL18XP1-036-230	36000	15.5	12.5	33200	22000	3.56	2.56	8.5	CH35-42B	EL296UH070XV36B	10098255
SL18XP1-036-230	36000	16	13.5	33000	21800	3.58	2.58	8.5	CH35-42B	ML180UH070E36B	10589673
SL18XP1-036-230	36000	16	13.5	33000	21800	3.58	2.58	8.5	CH35-42B	ML180UH070XE36B	10589710
SL18XP1-036-230	36000	16	13	33200	22000	3.64	2.6	9	CH35-42B	ML180UH090XE48B	10590043
SL18XP1-036-230	36000	16	13.5	33000	21800	3.64	2.6	8.5	CH35-42B	SL280UH090V36B	10098256
SL18XP1-036-230	36000	16	13.5	33200	22000	3.68	2.62	9	CH35-42B	SL280UH090V48B	10099338
SL18XP1-036-230	36000	16	13.5	33200	22000	3.68	2.62	9	CH35-42B	SL280UH090XV48B	10099339
SL18XP1-036-230	36000	15.5	12.5	33200	22000	3.56	2.56	8.5	CH35-42B	SLP98UH070XV36B	10098257
SL18XP1-036-230	36000	14.5	12	34000	22600	3.52	2.52	8.5	CH35-42B		10098258
SL18XP1-036-230	36000	16	13.5	33400	22200	3.5	2.56	8.5	CH35-42C	EL180UH090E60C	10098259
SL18XP1-036-230	36000	16	13.5	33200	22000	3.46	2.54	8.5	CH35-42C	EL180UH110E60C	10098260
SL18XP1-036-230	36000	16	13.5	33200	22000	3.46	2.54	8.5	CH35-42C	EL180UH110XE60C	10098261
SL18XP1-036-230	36000	15.5	12.5	33400	22200	3.46	2.52	8.5	CH35-42C	EL195UH090XE48C	10098262
SL18XP1-036-230	36000	16	13.5	33600	22200	3.52	2.54	8.5	CH35-42C	EL195UH110XE60C	10098263
SL18XP1-036-230	36000	15.5	12.5	33400	22200	3.46	2.52	8.5	CH35-42C	EL296UH090XE48C	10098264
SL18XP1-036-230	36000	16	13	33400	22200	3.46	2.54	8.5	CH35-42C	EL296UH090XV36C	10098265
SL18XP1-036-230	36000	16	13	33200	22000	3.44	2.52	8.5	CH35-42C	EL296UH090XV48C	10098266
SL18XP1-036-230	36000	16	13.5	33600	22200	3.52	2.54	8.5	CH35-42C	EL296UH110XE60C	10098267
SL18XP1-036-230	36000	16	13.5	33400	22000	3.48	2.52	8.5	CH35-42C	EL296UH110XV48C	10098268
SL18XP1-036-230	36000	16	13.5	33600	22200	3.52	2.56	8.5	CH35-42C	EL296UH110XV60C	10098269
SL18XP1-036-230	36000	16	13.5	33400	22200	3.5	2.56	8.5	CH35-42C	ML180UH090E60C	10589962
SL18XP1-036-230	36000	16	13.5	33200	22000	3.46	2.54	8.5	CH35-42C	ML180UH110E60C	10590214
SL18XP1-036-230	36000	16	13.5	33200	22000	3.46	2.54	8.5	CH35-42C	ML180UH110XE60C	10590311
SL18XP1-036-230	36000	16	13.5	33600	22200	3.54	2.56	8.5	CH35-42C	SL280UH090V60C	10098270
SL18XP1-036-230	36000	16	13.5	33600	22200	3.54	2.56	8.5	CH35-42C	SL280UH090XV60C	10098271
SL18XP1-036-230	36000	16	13	33600	22200	3.5	2.54	8.5	CH35-42C	SL280UH110V60C	10098272
SL18XP1-036-230	36000	16	13	33600	22200	3.5	2.54	8.5	CH35-42C	SL280UH110XV60C	10098273
SL18XP1-036-230	36000	16	13	33400	22200	3.46	2.54	8.5	CH35-42C	SLP98UH090XV36C	10098274
SL18XP1-036-230	36000	16	13	33200	22000	3.44	2.52	8.5	CH35-42C	SLP98UH090XV48C	10098275
SL18XP1-036-230	36000	15.5	12.5	33800	22400	3.52	2.56	8.5	CH35-42C	SLP98UH090XV60C	10098276
SL18XP1-036-230	36000	16	13.5	33600	22200	3.52	2.56	8.5	CH35-42C	SLP98UH110XV60C	10098277
SL18XP1-036-230	35600	14	12	34200	22800	3.34	2.44	8.2	CH35-42C		10098278
SL18XP1-036-230	36000	16	13	33400	21800	3.5	2.56	8.5	CH35-48B	EL180UH070E36B	10098279
SL18XP1-036-230	36000	16	13	33400	21800	3.5	2.56	8.5	CH35-48B	EL180UH070XE36B	10098280
SL18XP1-036-230	36000	16	13	33800	22000	3.52	2.58	8.5	CH35-48B	EL180UH090XE48B	10098281
SL18XP1-036-230	36000	14.5	12.5	34200	22400	3.4	2.48	8.5	CH35-48B	EL195UH045XE36B	10098282
SL18XP1-036-230	36000	15.5	12.5	33600	22200	3.42	2.54	8.5	CH35-48B	EL195UH070XE36B	10098283
SL18XP1-036-230	36000	14.5	12.5	34200	22400	3.4	2.48	8.5	CH35-48B	EL296UH045XE36B	10098284
SL18XP1-036-230	36000	15	12.5	34000	22200	3.46	2.52	8.5	CH35-48B	EL296UH045XV36B	10098285
SL18XP1-036-230	36000	15.5	12.5	33600	22200	3.42	2.54	8.5	CH35-48B	EL296UH070XE36B	10098286
SL18XP1-036-230	36000	15.5	12.5	33600	22000	3.44	2.54	8.5	CH35-48B	EL296UH070XV36B	10098287
SL18XP1-036-230	36000	16	13	33400	21800	3.5	2.56	8.5	CH35-48B	ML180UH070E36B	10589674
SL18XP1-036-230	36000	16	13	33400	21800	3.5	2.56	8.5	CH35-48B	ML180UH070XE36B	10589711
SL18XP1-036-230	36000	16	13	33800	22000	3.52	2.58	8.5	CH35-48B	ML180UH090XE48B	10590044
SL18XP1-036-230	36000	16	13	33600	22000	3.54	2.6	8.5	CH35-48B	SL280UH090V36B	10098288
SL18XP1-036-230	36000	15.5	12.5	33800	22000	3.52	2.56	8.5	CH35-48B	SL280UH090V48B	10098289
SL18XP1-036-230	36000	15.5	12.5	33800	22000	3.52	2.56	8.5	CH35-48B	SL280UH090XV48B	10098290
SL18XP1-036-230	36000	15.5	12.5	33600	22000	3.44	2.54	8.5	CH35-48B	SLP98UH070XV36B	10098291
SL18XP1-036-230	35600	14	12	34400	22600	3.38	2.48	8.5	CH35-48B		10098292
SL18XP1-036-230	36000	16	13.5	33600	21400	3.5	2.44	8.5	CH35-48C	EL180UH090E60C	10098294
SL18XP1-036-230	36000	16	13.5	33400	21400	3.46	2.44	8.5	CH35-48C	EL180UH110E60C	10098295
SL18XP1-036-230	36000	16	13.5	33400	21400	3.46	2.44	8.5	CH35-48C	EL180UH110XE60C	10098296
SL18XP1-036-230	36000	16	13.5	33600	21600	3.44	2.44	8.5	CH35-48C	EL195UH090XE48C	10098297
SL18XP1-036-230	36000	16	13.5	33600	21600	3.48	2.44	8.5	CH35-48C	EL195UH110XE60C	10098298
SL18XP1-036-230	36000	16	13.5	33600	21600	3.44	2.44	8.5	CH35-48C	EL296UH090XE48C	10098299

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-036-230	36000	16	13.5	33600	21600	3.46	2.44	8.5	CH35-48C	EL296UH090XV36C	10098300
SL18XP1-036-230	36000	16	13.5	33400	21400	3.44	2.42	8.5	CH35-48C	EL296UH090XV48C	10098301
SL18XP1-036-230	36000	16	13.5	33600	21600	3.48	2.44	8.5	CH35-48C	EL296UH110XE60C	10098302
SL18XP1-036-230	36000	16	13.5	33400	21400	3.46	2.44	8.5	CH35-48C	EL296UH110XV48C	10098303
SL18XP1-036-230	36000	16	13.5	33600	21600	3.52	2.44	8.5	CH35-48C	EL296UH110XV60C	10098304
SL18XP1-036-230	36000	16	13.5	33600	21400	3.5	2.44	8.5	CH35-48C	ML180UH090E60C	10589963
SL18XP1-036-230	36000	16	13.5	33400	21400	3.46	2.44	8.5	CH35-48C	ML180UH110E60C	10590215
SL18XP1-036-230	36000	16	13.5	33400	21400	3.46	2.44	8.5	CH35-48C	ML180UH110XE60C	10590312
SL18XP1-036-230	36000	16	13.5	33800	21600	3.54	2.46	8.5	CH35-48C	SL280UH090V60C	10098305
SL18XP1-036-230	36000	16	13.5	33800	21600	3.54	2.46	8.5	CH35-48C	SL280UH090XV60C	10098306
SL18XP1-036-230	36000	16	13.5	33800	21600	3.52	2.44	8.5	CH35-48C	SL280UH110V60C	10098307
SL18XP1-036-230	36000	16	13.5	33800	21600	3.52	2.44	8.5	CH35-48C	SL280UH110XV60C	10098308
SL18XP1-036-230	36000	16	13.5	33600	21600	3.46	2.44	8.5	CH35-48C	SLP98UH090XV36C	10098309
SL18XP1-036-230	36000	16	13.5	33400	21400	3.44	2.42	8.5	CH35-48C	SLP98UH090XV48C	10098310
SL18XP1-036-230	36000	16	13.5	34000	21800	3.52	2.44	8.5	CH35-48C	SLP98UH090XV60C	10098311
SL18XP1-036-230	36000	16	13.5	33600	21600	3.52	2.44	8.5	CH35-48C	SLP98UH110XV60C	10098312
SL18XP1-036-230	36000	14.5	12.5	34200	22200	3.32	2.34	8.2	CH35-48C		10098293
SL18XP1-036-230	36000	16	13.5	33200	22000	3.82	2.72	9	CR33-50/60	EL180DF110E60C	8329430
SL18XP1-036-230	36000	15.5	13	33200	22000	3.76	2.68	9	CR33-50/60	EL195DF090XE48C	8329431
SL18XP1-036-230	36000	15.5	13	33200	22000	3.78	2.7	9	CR33-50/60	EL195DF110XE60C	8329432
SL18XP1-036-230	36000	15.5	13	33200	22000	3.76	2.68	9	CR33-50/60	EL296DF090XE48C	8329433
SL18XP1-036-230	36000	15.5	13	33200	22000	3.76	2.68	9	CR33-50/60	EL296DF090XV60C	8329434
SL18XP1-036-230	36000	15.5	13	33200	22000	3.78	2.7	9	CR33-50/60	EL296DF110XE60C	8329435
SL18XP1-036-230	36000	16	13.5	33200	22000	3.82	2.72	9	CR33-50/60	ML180DF110E60C	10589540
SL18XP1-036-230	36000	16	13.5	33000	22000	3.78	2.74	9	CR33-50/60	SL280DF110V60C	8329436
SL18XP1-036-230	36000	15.5	13	33000	22000	3.7	2.68	9	CR33-50/60	SLP98DF090XV36C	8329437
SL18XP1-036-230	36000	15.5	13	33200	22000	3.76	2.7	9	CR33-50/60	SLP98DF090XV48C	8329438
SL18XP1-036-230	36000	15.5	13	33200	22000	3.76	2.68	9	CR33-50/60	SLP98DF090XV60C	8329439
SL18XP1-036-230	36000	15.5	13	33400	22200	3.78	2.72	9	CR33-50/60	SLP98DF110XV60C	8329440
SL18XP1-036-230	36000	14.5	12	33800	22600	3.54	2.54	8.5	CR33-50/60		8329441
SL18XP1-036-230	36000	16	13	32800	21400	3.56	2.54	8.5	CX34-43B	EL180UH070E36B	8329443
SL18XP1-036-230	36000	15.5	13	32800	21400	3.56	2.54	8.5	CX34-43B	EL180UH070XE36B	8329444
SL18XP1-036-230	36000	15.5	13	33400	21800	3.62	2.56	9	CX34-43B	EL180UH090E48B	8329445
SL18XP1-036-230	36000	15.5	13	33400	21800	3.62	2.56	9	CX34-43B	EL180UH090XE48B	8329446
SL18XP1-036-230	36000	14.5	12.5	33600	22200	3.46	2.48	8.5	CX34-43B	EL195UH045XE36B	8329447
SL18XP1-036-230	36000	15	12.5	33600	22000	3.5	2.48	8.5	CX34-43B	EL195UH070XE36B	8329448
SL18XP1-036-230	36000	14.5	12.5	33600	22200	3.46	2.48	8.5	CX34-43B	EL296UH045XE36B	8329449
SL18XP1-036-230	36000	15.1	13	33400	21800	3.56	2.52	8.5	CX34-43B	EL296UH045XV36B	8329450
SL18XP1-036-230	36000	15	12.5	33600	22000	3.5	2.48	8.5	CX34-43B	EL296UH070XE36B	8329451
SL18XP1-036-230	36000	16	13	32800	21400	3.56	2.54	8.5	CX34-43B	ML180UH070E36B	10589625
SL18XP1-036-230	36000	15.5	13	32800	21400	3.56	2.54	8.5	CX34-43B	ML180UH070XE36B	10589691
SL18XP1-036-230	36000	15.5	13	33400	21800	3.62	2.56	9	CX34-43B	ML180UH090E48B	10589742
SL18XP1-036-230	36000	15.5	13	33400	21800	3.62	2.56	9	CX34-43B	ML180UH090XE48B	10590025
SL18XP1-036-230	36000	16	13.5	32800	21600	3.58	2.58	9	CX34-43B	SL280UH090V36B	8329452
SL18XP1-036-230	36000	16	13	33000	21600	3.62	2.56	9	CX34-43B	SL280UH090V48B	8329453
SL18XP1-036-230	36000	16	13	33000	21600	3.62	2.56	9	CX34-43B	SL280UH090XV48B	8329454
SL18XP1-036-230	36000	15.5	13	33400	22000	3.56	2.54	8.5	CX34-43B	SLP98UH070XV36B	8329455
SL18XP1-036-230	36000	14.5	12	33800	22400	3.46	2.48	8.5	CX34-43B		8329442
SL18XP1-036-230	36000	16	13.5	33000	21600	3.64	2.58	9	CX34-43C	EL180UH090E60C	8329456
SL18XP1-036-230	36000	16	13.5	33000	21600	3.62	2.58	9	CX34-43C	EL180UH110E60C	8329457
SL18XP1-036-230	36000	16	13.5	33000	21600	3.62	2.58	9	CX34-43C	EL180UH110XE60C	8329458
SL18XP1-036-230	36000	15.5	13	33200	21600	3.62	2.56	9	CX34-43C	EL195UH090XE48C	8329459
SL18XP1-036-230	36000	16	13.5	33200	21800	3.66	2.6	9	CX34-43C	EL195UH110XE60C	8329460
SL18XP1-036-230	36000	15.5	13	33200	21600	3.62	2.56	9	CX34-43C	EL296UH090XE48C	8329461
SL18XP1-036-230	36000	15.5	13	33200	21600	3.62	2.56	9	CX34-43C	EL296UH090XV36C	8329462
SL18XP1-036-230	36000	16	13	33000	21600	3.6	2.56	9	CX34-43C	EL296UH090XV48C	8329463
SL18XP1-036-230	36000	16	13.5	33200	21800	3.66	2.6	9	CX34-43C	EL296UH110XE60C	8329464
SL18XP1-036-230	36000	16	13.5	33200	21800	3.66	2.6	9	CX34-43C	EL296UH110XV48C	8329465
SL18XP1-036-230	36000	16	13.5	33200	21800	3.68	2.6	9	CX34-43C	EL296UH110XV60C	8329466
SL18XP1-036-230	36000	16	13.5	33000	21600	3.64	2.58	9	CX34-43C	ML180UH090E60C	10589852
SL18XP1-036-230	36000	16	13.5	33000	21600	3.62	2.58	9	CX34-43C	ML180UH110E60C	10590106

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-036-230	36000	16	13.5	33000	21600	3.62	2.58	9	CX34-43C	ML180UH110XE60C	10590283
SL18XP1-036-230	36000	16	13.5	33200	21800	3.68	2.6	9	CX34-43C	SL280UH090V60C	8329467
SL18XP1-036-230	36000	16	13.5	33200	21800	3.68	2.6	9	CX34-43C	SL280UH090XV60C	8329468
SL18XP1-036-230	36000	15.5	13	33200	21800	3.64	2.58	9	CX34-43C	SL280UH110V60C	8329469
SL18XP1-036-230	36000	15.5	13	33200	21800	3.64	2.58	9	CX34-43C	SL280UH110XV60C	8329470
SL18XP1-036-230	36000	15.5	13	33000	21600	3.6	2.56	9	CX34-43C	SLP98UH090XV36C	8329471
SL18XP1-036-230	36000	16	13.5	33000	21600	3.6	2.58	9	CX34-43C	SLP98UH090XV48C	8329472
SL18XP1-036-230	36000	15.5	13	33400	21800	3.66	2.58	9	CX34-43C	SLP98UH090XV60C	8329473
SL18XP1-036-230	36000	16	13.5	33200	21800	3.68	2.6	9	CX34-43C	SLP98UH110XV60C	8329474
SL18XP1-036-230	36000	16	13	33800	22400	3.46	2.54	8.5	CX34-49	EL180UH090E60C	8329475
SL18XP1-036-230	36000	15.5	13	33600	22200	3.42	2.52	8.5	CX34-49	EL180UH110E60C	8329476
SL18XP1-036-230	36000	15.5	13	33600	22200	3.42	2.52	8.5	CX34-49	EL180UH110XE60C	8329477
SL18XP1-036-230	36000	16	13	33800	22400	3.46	2.54	8.5	CX34-49	EL195UH090XE48C	8329478
SL18XP1-036-230	36000	16	13.5	34000	22400	3.52	2.56	9	CX34-49	EL195UH110XE60C	8329479
SL18XP1-036-230	36000	16	13	33800	22400	3.46	2.54	8.5	CX34-49	EL296UH090XE48C	8329480
SL18XP1-036-230	36000	15.5	13	33800	22400	3.46	2.54	8.5	CX34-49	EL296UH090XV36C	8329481
SL18XP1-036-230	36000	16	13	33600	22200	3.44	2.52	8.5	CX34-49	EL296UH090XV48C	8329482
SL18XP1-036-230	36000	16	13.5	34000	22400	3.52	2.56	9	CX34-49	EL296UH110XE60C	8329483
SL18XP1-036-230	36000	16	13.5	34000	22400	3.54	2.56	9	CX34-49	EL296UH110XV60C	8329484
SL18XP1-036-230	36000	16	13	33800	22400	3.46	2.54	8.5	CX34-49	ML180UH090E60C	10589853
SL18XP1-036-230	36000	15.5	13	33600	22200	3.42	2.52	8.5	CX34-49	ML180UH110E60C	10590107
SL18XP1-036-230	36000	15.5	13	33600	22200	3.42	2.52	8.5	CX34-49	ML180UH110XE60C	10590284
SL18XP1-036-230	36000	16	13.5	34000	22400	3.56	2.58	9	CX34-49	SL280UH090V60C	8329485
SL18XP1-036-230	36000	16	13.5	34000	22400	3.56	2.58	9	CX34-49	SL280UH090XV60C	8329486
SL18XP1-036-230	36000	15.5	13	34000	22400	3.5	2.54	9	CX34-49	SL280UH110V60C	8329487
SL18XP1-036-230	36000	15.5	13	34000	22400	3.5	2.54	9	CX34-49	SL280UH110XV60C	8329488
SL18XP1-036-230	36000	15.5	13	33800	22400	3.46	2.54	8.5	CX34-49	SLP98UH090XV36C	8329489
SL18XP1-036-230	36000	16	13	33600	22200	3.44	2.52	8.5	CX34-49	SLP98UH090XV48C	8329490
SL18XP1-036-230	36000	15.5	13	34200	22600	3.54	2.56	9	CX34-49	SLP98UH090XV60C	8329491
SL18XP1-036-230	36000	16	13.5	34000	22400	3.54	2.56	9	CX34-49	SLP98UH110XV60C	8329492
SL18XP1-036-230	36000	14.5	12	34200	22800	3.48	2.52	8.5	CX34-49		8329493
SL18XP1-036-230	36000	15.5	13	33200	21600	3.62	2.56	9	CX34-50/60C	EL180UH090E60C	8329494
SL18XP1-036-230	36000	15.5	13	32800	21600	3.54	2.56	8.5	CX34-50/60C	EL180UH110E60C	8329495
SL18XP1-036-230	36000	15.5	13	32800	21600	3.54	2.56	8.5	CX34-50/60C	EL180UH110XE60C	8329496
SL18XP1-036-230	36000	15.5	13	33200	21600	3.62	2.56	9	CX34-50/60C	EL195UH090XE48C	8329497
SL18XP1-036-230	36000	16	13	33200	21800	3.64	2.6	9	CX34-50/60C	EL195UH110XE60C	8329498
SL18XP1-036-230	36000	15.5	13	33200	21600	3.62	2.56	9	CX34-50/60C	EL296UH090XE48C	8329499
SL18XP1-036-230	36000	15.5	13	33200	21600	3.62	2.56	9	CX34-50/60C	EL296UH090XV36C	8329500
SL18XP1-036-230	36000	16	13	33000	21600	3.6	2.58	9	CX34-50/60C	EL296UH090XV48C	8329501
SL18XP1-036-230	36000	16	13	33200	21800	3.64	2.6	9	CX34-50/60C	EL296UH110XE60C	8329502
SL18XP1-036-230	36000	16	13	33200	21800	3.66	2.6	9	CX34-50/60C	EL296UH110XV48C	8329503
SL18XP1-036-230	36000	16	13	33200	21800	3.66	2.6	9	CX34-50/60C	EL296UH110XV60C	8329504
SL18XP1-036-230	36000	15.5	13	33200	21600	3.62	2.56	9	CX34-50/60C	ML180UH090E60C	10589854
SL18XP1-036-230	36000	15.5	13	32800	21600	3.54	2.56	8.5	CX34-50/60C	ML180UH110E60C	10590108
SL18XP1-036-230	36000	15.5	13	32800	21600	3.54	2.56	8.5	CX34-50/60C	ML180UH110XE60C	10590285
SL18XP1-036-230	36000	16	13.5	33200	21800	3.68	2.62	9	CX34-50/60C	SL280UH090V60C	8329505
SL18XP1-036-230	36000	16	13.5	33200	21800	3.68	2.62	9	CX34-50/60C	SL280UH090XV60C	8329506
SL18XP1-036-230	36000	15.5	13	33200	21800	3.64	2.58	9	CX34-50/60C	SL280UH110V60C	8329507
SL18XP1-036-230	36000	15.5	13	33200	21800	3.64	2.58	9	CX34-50/60C	SL280UH110XV60C	8329508
SL18XP1-036-230	36000	15.5	13	33200	21600	3.62	2.56	9	CX34-50/60C	SLP98UH090XV36C	8329509
SL18XP1-036-230	36000	16	13	33000	21600	3.6	2.58	9	CX34-50/60C	SLP98UH090XV48C	8329510
SL18XP1-036-230	36000	15.5	13	33400	22000	3.66	2.6	9	CX34-50/60C	SLP98UH090XV60C	8329511
SL18XP1-036-230	36000	16	13	33200	21800	3.66	2.6	9	CX34-50/60C	SLP98UH110XV60C	8329512
SL18XP1-036-230	36000	14.5	12	33800	22400	3.46	2.48	8.5	CX34-50/60C		8329513
SL18XP1-036-230	35800	16	12.5	33200	21600	3.54	2.54	8.5	CX35-36B	EL180UH070E36B	10098326
SL18XP1-036-230	35800	16	13	33200	21600	3.54	2.54	8.5	CX35-36B	EL180UH070XE36B	10098327
SL18XP1-036-230	36000	16	13	33600	21800	3.58	2.52	8.5	CX35-36B	EL180UH090E48B	10098328
SL18XP1-036-230	36000	16	13	33600	21800	3.58	2.52	8.5	CX35-36B	EL180UH090XE48B	10098329
SL18XP1-036-230	35800	15	12.5	33800	22200	3.42	2.44	8.5	CX35-36B	EL195UH045XE36B	10098330
SL18XP1-036-230	35800	15.5	12.5	33400	21800	3.48	2.48	8.5	CX35-36B	EL195UH070XE36B	10098331
SL18XP1-036-230	35800	15	12.5	33800	22200	3.42	2.44	8.5	CX35-36B	EL296UH045XE36B	10098332

## AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-036-230	36000	15.5	12.5	33600	22000	3.48	2.5	8.5	CX35-36B	EL296UH045XV36B	10098333
SL18XP1-036-230	35800	15.5	12.5	33400	21800	3.48	2.48	8.5	CX35-36B	EL296UH070XE36B	10098334
SL18XP1-036-230	35800	16	12.5	33200	21600	3.54	2.54	8.5	CX35-36B	ML180UH070E36B	10589676
SL18XP1-036-230	35800	16	13	33200	21600	3.54	2.54	8.5	CX35-36B	ML180UH070XE36B	10589713
SL18XP1-036-230	36000	16	13	33600	21800	3.58	2.52	8.5	CX35-36B	ML180UH090E48B	10589789
SL18XP1-036-230	36000	16	13	33600	21800	3.58	2.52	8.5	CX35-36B	ML180UH090XE48B	10590046
SL18XP1-036-230	36000	16	13	33200	21600	3.56	2.54	8.5	CX35-36B	SL280UH090V36B	10098335
SL18XP1-036-230	36000	16	13	33400	21800	3.56	2.54	8.5	CX35-36B	SL280UH090V48B	10098336
SL18XP1-036-230	36000	16	13	33400	21800	3.56	2.54	8.5	CX35-36B	SL280UH090XV48B	10098337
SL18XP1-036-230	36000	15.5	12.5	33600	22000	3.48	2.5	8.5	CX35-36B	SLP98UH070XV36B	10098338
SL18XP1-036-230	35400	14.5	12	34000	22400	3.4	2.44	8.5	CX35-36B		10099341
SL18XP1-036-230	36000	16	13.5	33200	21200	3.52	2.5	8.5	CX35-48B	EL180UH070E36B	10098379
SL18XP1-036-230	36000	16	13.5	33200	21200	3.52	2.5	8.5	CX35-48B	EL180UH070XE36B	10098380
SL18XP1-036-230	36000	15.5	12.5	33400	21400	3.54	2.5	8.5	CX35-48B	EL180UH090E48B	10098381
SL18XP1-036-230	36000	15.5	12.5	33400	21400	3.54	2.5	8.5	CX35-48B	EL180UH090XE48B	10098382
SL18XP1-036-230	36000	15.5	12.5	33400	21600	3.46	2.48	8.5	CX35-48B	EL195UH070XE36B	10098383
SL18XP1-036-230	36000	15	12.5	33600	21600	3.46	2.46	8.5	CX35-48B	EL296UH045XV36B	10098384
SL18XP1-036-230	36000	15.5	12.5	33400	21600	3.46	2.48	8.5	CX35-48B	EL296UH070XE36B	10098385
SL18XP1-036-230	36000	16	13.5	33200	21200	3.52	2.5	8.5	CX35-48B	ML180UH070E36B	10589678
SL18XP1-036-230	36000	16	13.5	33200	21200	3.52	2.5	8.5	CX35-48B	ML180UH070XE36B	10589715
SL18XP1-036-230	36000	15.5	12.5	33400	21400	3.54	2.5	8.5	CX35-48B	ML180UH090E48B	10589791
SL18XP1-036-230	36000	15.5	12.5	33400	21400	3.54	2.5	8.5	CX35-48B	ML180UH090XE48B	10590048
SL18XP1-036-230	36000	16	13.5	33200	21200	3.54	2.5	8.5	CX35-48B	SL280UH090V36B	10098386
SL18XP1-036-230	36000	15.5	12.5	33400	21400	3.54	2.52	8.5	CX35-48B	SL280UH090V48B	10098387
SL18XP1-036-230	36000	15.5	12.5	33400	21400	3.54	2.52	8.5	CX35-48B	SL280UH090XV48B	10098388
SL18XP1-036-230	36000	15.5	12.5	33200	21400	3.44	2.46	8.5	CX35-48B	SLP98UH070XV36B	10098389
SL18XP1-036-230	36000	16	13.5	33400	21400	3.6	2.54	8.5	CX35-48C	EL180UH090E60C	10098390
SL18XP1-036-230	36000	16	13.5	33200	21400	3.56	2.54	8.5	CX35-48C	EL180UH110E60C	10098391
SL18XP1-036-230	36000	16	13.5	33200	21400	3.56	2.54	8.5	CX35-48C	EL180UH110XE60C	10098392
SL18XP1-036-230	36000	15.5	12.5	33400	21400	3.54	2.52	8.5	CX35-48C	EL195UH090XE48C	10098393
SL18XP1-036-230	36000	16	13.5	33400	21400	3.58	2.52	8.5	CX35-48C	EL195UH110XE60C	10098394
SL18XP1-036-230	36000	15.5	12.5	33400	21400	3.54	2.52	8.5	CX35-48C	EL296UH090XE48C	10098395
SL18XP1-036-230	36000	15.5	12.5	33400	21400	3.54	2.5	8.5	CX35-48C	EL296UH090XV36C	10098396
SL18XP1-036-230	36000	15.5	12.5	33200	21400	3.5	2.52	8.5	CX35-48C	EL296UH090XV48C	10098397
SL18XP1-036-230	36000	16	13.5	33400	21400	3.58	2.52	8.5	CX35-48C	EL296UH110XE60C	10098398
SL18XP1-036-230	36000	16	13.5	33400	21400	3.56	2.52	8.5	CX35-48C	EL296UH110XV48C	10098399
SL18XP1-036-230	36000	16	13.5	33400	21400	3.58	2.52	8.5	CX35-48C	EL296UH110XV60C	10098400
SL18XP1-036-230	36000	16	13.5	33400	21400	3.6	2.54	8.5	CX35-48C	ML180UH090E60C	10589966
SL18XP1-036-230	36000	16	13.5	33200	21400	3.56	2.54	8.5	CX35-48C	ML180UH110E60C	10590218
SL18XP1-036-230	36000	16	13.5	33200	21400	3.56	2.54	8.5	CX35-48C	ML180UH110XE60C	10590315
SL18XP1-036-230	36000	16	13.5	33600	21600	3.6	2.56	8.5	CX35-48C	SL280UH090V60C	10098401
SL18XP1-036-230	36000	16	13.5	33600	21600	3.6	2.56	8.5	CX35-48C	SL280UH090XV60C	10098402
SL18XP1-036-230	36000	15.5	12.5	33600	21600	3.56	2.52	8.5	CX35-48C	SL280UH110V60C	10098403
SL18XP1-036-230	36000	15.5	12.5	33600	21600	3.56	2.52	8.5	CX35-48C	SL280UH110XV60C	10098404
SL18XP1-036-230	36000	15.5	12.5	33400	21400	3.54	2.5	8.5	CX35-48C	SLP98UH090XV36C	10099348
SL18XP1-036-230	36000	15.5	12.5	33200	21400	3.5	2.52	8.5	CX35-48C	SLP98UH090XV48C	10099349
SL18XP1-036-230	36000	15.5	12.5	33800	21600	3.58	2.52	8.5	CX35-48C	SLP98UH090XV60C	10098405
SL18XP1-036-230	36000	16	13.5	33600	21400	3.6	2.52	8.5	CX35-48C	SLP98UH110XV60C	10099350
SL18XP1-036-230	35600	14	12	34000	22200	3.38	2.42	8.5	CX35-48C		10099347
SL18XP1-036-230	36000	15.5	12.5	33200	21400	3.48	2.48	8.5	CX35-50/60C	EL180UH090E60C	10098406
SL18XP1-036-230	36000	16	13.5	33200	21200	3.52	2.5	8.5	CX35-50/60C	EL180UH110E60C	10098407
SL18XP1-036-230	36000	16	13.5	33200	21200	3.52	2.5	8.5	CX35-50/60C	EL180UH110XE60C	10098408
SL18XP1-036-230	36000	15.5	12.5	33200	21400	3.48	2.48	8.5	CX35-50/60C	EL195UH090XE48C	10098409
SL18XP1-036-230	36000	15.5	12.5	33400	21400	3.54	2.5	8.5	CX35-50/60C	EL195UH110XE60C	10098410
SL18XP1-036-230	36000	15.5	12.5	33200	21400	3.48	2.48	8.5	CX35-50/60C	EL296UH090XE48C	10098411
SL18XP1-036-230	36000	15.5	12.5	33200	21400	3.48	2.5	8.5	CX35-50/60C	EL296UH090XV36C	10098412
SL18XP1-036-230	36000	15.5	12.5	33200	21200	3.48	2.48	8.5	CX35-50/60C	EL296UH090XV48C	10098413
SL18XP1-036-230	36000	15.5	12.5	33400	21400	3.54	2.5	8.5	CX35-50/60C	EL296UH110XE60C	10098414
SL18XP1-036-230	36000	15.5	12.5	33400	21400	3.54	2.5	8.5	CX35-50/60C	EL296UH110XV48C	10098415
SL18XP1-036-230	36000	15.5	12.5	33400	21400	3.56	2.52	8.5	CX35-50/60C	EL296UH110XV60C	10098416
SL18XP1-036-230	36000	15.5	12.5	33200	21400	3.48	2.48	8.5	CX35-50/60C	ML180UH090E60C	10589967

**AHRI SYSTEM MATCHES**

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-036-230	36000	16	13.5	33200	21200	3.52	2.5	8.5	CX35-50/60C	ML180UH110E60C	10590219
SL18XP1-036-230	36000	16	13.5	33200	21200	3.52	2.5	8.5	CX35-50/60C	ML180UH110XE60C	10590316
SL18XP1-036-230	36000	16	13.5	33600	21400	3.58	2.52	8.5	CX35-50/60C	SL280UH090V60C	10098417
SL18XP1-036-230	36000	16	13.5	33600	21400	3.58	2.52	8.5	CX35-50/60C	SL280UH090XV60C	10098418
SL18XP1-036-230	36000	15.5	12.5	33400	21600	3.52	2.52	8.5	CX35-50/60C	SL280UH110V60C	10098420
SL18XP1-036-230	36000	15.5	12.5	33400	21600	3.52	2.52	8.5	CX35-50/60C	SL280UH110XV60C	10098421
SL18XP1-036-230	36000	15.5	12.5	33200	21400	3.5	2.5	8.5	CX35-50/60C	SLP98UH090XV36C	10099351
SL18XP1-036-230	36000	15.5	12.5	33200	21200	3.48	2.48	8.5	CX35-50/60C	SLP98UH090XV48C	10099352
SL18XP1-036-230	36000	15.5	12.5	33600	21600	3.54	2.5	8.5	CX35-50/60C	SLP98UH090XV60C	10098422
SL18XP1-036-230	36000	15.5	12.5	33400	21400	3.54	2.52	8.5	CX35-50/60C	SLP98UH110XV60C	10099353
SL18XP1-036-230	35400	14	12	34000	22000	3.36	2.4	8.5	CX35-50/60C		10098423
SL18XP1-036-230	36000	16	13	32800	21400	3.56	2.54	8.5	CX38-43B	EL180UH070E36B	10085290
SL18XP1-036-230	36000	15.5	13	32800	21400	3.56	2.54	8.5	CX38-43B	EL180UH070XE36B	10085291
SL18XP1-036-230	36000	15.5	13	33400	21800	3.62	2.56	9	CX38-43B	EL180UH090E48B	10085292
SL18XP1-036-230	36000	15.5	13	33400	21800	3.62	2.56	9	CX38-43B	EL180UH090XE48B	10085293
SL18XP1-036-230	36000	14.5	12.5	33600	22200	3.46	2.48	8.5	CX38-43B	EL195UH045XE36B	10085294
SL18XP1-036-230	36000	15	12.5	33600	22000	3.5	2.48	8.5	CX38-43B	EL195UH070XE36B	10085295
SL18XP1-036-230	36000	14.5	12.5	33600	22200	3.46	2.48	8.5	CX38-43B	EL296UH045XE36B	10085296
SL18XP1-036-230	36000	15.1	13	33400	21800	3.56	2.52	8.5	CX38-43B	EL296UH045XV36B	10085297
SL18XP1-036-230	36000	15	12.5	33600	22000	3.5	2.48	8.5	CX38-43B	EL296UH070XE36B	10085298
SL18XP1-036-230	36000	16	13	32800	21400	3.56	2.54	8.5	CX38-43B	ML180UH070E36B	10589657
SL18XP1-036-230	36000	15.5	13	32800	21400	3.56	2.54	8.5	CX38-43B	ML180UH070XE36B	10589700
SL18XP1-036-230	36000	15.5	13	33400	21800	3.62	2.56	9	CX38-43B	ML180UH090E48B	10589774
SL18XP1-036-230	36000	15.5	13	33400	21800	3.62	2.56	9	CX38-43B	ML180UH090XE48B	10590035
SL18XP1-036-230	36000	16	13.5	32800	21600	3.58	2.58	9	CX38-43B	SL280UH090V36B	10085299
SL18XP1-036-230	36000	16	13	33000	21600	3.62	2.56	9	CX38-43B	SL280UH090V48B	10085300
SL18XP1-036-230	36000	16	13	33000	21600	3.62	2.56	9	CX38-43B	SL280UH090XV48B	10085301
SL18XP1-036-230	36000	15.5	13	33400	22000	3.56	2.54	8.5	CX38-43B	SLP98UH070XV36B	10085302
SL18XP1-036-230	36000	14.5	12	33800	22400	3.46	2.48	8.5	CX38-43B		10084141
SL18XP1-036-230	36000	16	13.5	33000	21600	3.64	2.58	9	CX38-43C	EL180UH090E60C	10085303
SL18XP1-036-230	36000	16	13.5	33000	21600	3.62	2.58	9	CX38-43C	EL180UH110E60C	10085304
SL18XP1-036-230	36000	16	13.5	33000	21600	3.62	2.58	9	CX38-43C	EL180UH110XE60C	10085305
SL18XP1-036-230	36000	15.5	13	33200	21600	3.62	2.56	9	CX38-43C	EL195UH090XE48C	10085306
SL18XP1-036-230	36000	16	13.5	33200	21800	3.66	2.6	9	CX38-43C	EL195UH110XE60C	10085307
SL18XP1-036-230	36000	15.5	13	33200	21600	3.62	2.56	9	CX38-43C	EL296UH090XE48C	10085308
SL18XP1-036-230	36000	15.5	13	33200	21600	3.62	2.56	9	CX38-43C	EL296UH090XV36C	10085309
SL18XP1-036-230	36000	16	13	33000	21600	3.6	2.56	9	CX38-43C	EL296UH090XV48C	10085310
SL18XP1-036-230	36000	16	13.5	33200	21800	3.66	2.6	9	CX38-43C	EL296UH110XE60C	10085311
SL18XP1-036-230	36000	16	13.5	33200	21800	3.66	2.6	9	CX38-43C	EL296UH110XV48C	10085312
SL18XP1-036-230	36000	16	13.5	33200	21800	3.68	2.6	9	CX38-43C	EL296UH110XV60C	10085313
SL18XP1-036-230	36000	16	13.5	33000	21600	3.64	2.58	9	CX38-43C	ML180UH090E60C	10589927
SL18XP1-036-230	36000	16	13.5	33000	21600	3.62	2.58	9	CX38-43C	ML180UH110E60C	10590179
SL18XP1-036-230	36000	16	13.5	33000	21600	3.62	2.58	9	CX38-43C	ML180UH110XE60C	10590299
SL18XP1-036-230	36000	16	13.5	33200	21800	3.68	2.6	9	CX38-43C	SL280UH090V60C	10085314
SL18XP1-036-230	36000	16	13.5	33200	21800	3.68	2.6	9	CX38-43C	SL280UH090XV60C	10085315
SL18XP1-036-230	36000	15.5	13	33200	21800	3.64	2.58	9	CX38-43C	SL280UH110V60C	10085316
SL18XP1-036-230	36000	15.5	13	33200	21800	3.64	2.58	9	CX38-43C	SL280UH110XV60C	10085317
SL18XP1-036-230	36000	15.5	13	33000	21600	3.6	2.56	9	CX38-43C	SLP98UH090XV36C	10085318
SL18XP1-036-230	36000	16	13.5	33000	21600	3.6	2.58	9	CX38-43C	SLP98UH090XV48C	10085319
SL18XP1-036-230	36000	15.5	13	33400	21800	3.66	2.58	9	CX38-43C	SLP98UH090XV60C	10085320
SL18XP1-036-230	36000	16	13.5	33200	21800	3.68	2.6	9	CX38-43C	SLP98UH110XV60C	10085321
SL18XP1-036-230	36000	14.5	12	33800	22400	3.46	2.48	8.5	CX38-43C		10084142
SL18XP1-036-230	36000	16	13	33800	22400	3.46	2.54	8.5	CX38-49C	EL180UH090E60C	10085322
SL18XP1-036-230	36000	15.5	13	33600	22200	3.42	2.52	8.5	CX38-49C	EL180UH110E60C	10085323
SL18XP1-036-230	36000	15.5	13	33600	22200	3.42	2.52	8.5	CX38-49C	EL180UH110XE60C	10085324
SL18XP1-036-230	36000	16	13	33800	22400	3.46	2.54	8.5	CX38-49C	EL195UH090XE48C	10085325
SL18XP1-036-230	36000	16	13.5	34000	22400	3.52	2.56	9	CX38-49C	EL195UH110XE60C	10085326
SL18XP1-036-230	36000	16	13	33800	22400	3.46	2.54	8.5	CX38-49C	EL296UH090XE48C	10085327
SL18XP1-036-230	36000	15.5	13	33800	22400	3.46	2.54	8.5	CX38-49C	EL296UH090XV36C	10085328
SL18XP1-036-230	36000	16	13	33600	22200	3.44	2.52	8.5	CX38-49C	EL296UH090XV48C	10085329
SL18XP1-036-230	36000	16	13.5	34000	22400	3.52	2.56	9	CX38-49C	EL296UH110XE60C	10085330

## AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-036-230	36000	16	13.5	34000	22400	3.54	2.56	9	CX38-49C	EL296UH110XV60C	10085331
SL18XP1-036-230	36000	16	13	33800	22400	3.46	2.54	8.5	CX38-49C	ML180UH090E60C	10589928
SL18XP1-036-230	36000	15.5	13	33600	22200	3.42	2.52	8.5	CX38-49C	ML180UH110E60C	10590180
SL18XP1-036-230	36000	15.5	13	33600	22200	3.42	2.52	8.5	CX38-49C	ML180UH110XE60C	10590300
SL18XP1-036-230	36000	16	13.5	34000	22400	3.56	2.58	9	CX38-49C	SL280UH090V60C	10085332
SL18XP1-036-230	36000	16	13.5	34000	22400	3.56	2.58	9	CX38-49C	SL280UH090XV60C	10085333
SL18XP1-036-230	36000	15.5	13	34000	22400	3.5	2.54	9	CX38-49C	SL280UH110V60C	10085334
SL18XP1-036-230	36000	15.5	13	34000	22400	3.5	2.54	9	CX38-49C	SL280UH110XV60C	10085335
SL18XP1-036-230	36000	15.5	13	33800	22400	3.46	2.54	8.5	CX38-49C	SLP98UH090XV36C	10085336
SL18XP1-036-230	36000	16	13	33600	22200	3.44	2.52	8.5	CX38-49C	SLP98UH090XV48C	10085337
SL18XP1-036-230	36000	15.5	13	34200	22600	3.54	2.56	9	CX38-49C	SLP98UH090XV60C	10085338
SL18XP1-036-230	36000	16	13.5	34000	22400	3.54	2.56	9	CX38-49C	SLP98UH110XV60C	10085339
SL18XP1-036-230	36000	14.5	12	34200	22800	3.48	2.52	8.5	CX38-49C		10084143
SL18XP1-036-230	36000	15.5	13	33200	21600	3.62	2.56	9	CX38-50/60C	EL180UH090E60C	10085340
SL18XP1-036-230	36000	15.5	13	32800	21600	3.54	2.56	8.5	CX38-50/60C	EL180UH110E60C	10085341
SL18XP1-036-230	36000	15.5	13	32800	21600	3.54	2.56	8.5	CX38-50/60C	EL180UH110XE60C	10085342
SL18XP1-036-230	36000	15.5	13	33200	21600	3.62	2.56	9	CX38-50/60C	EL195UH090XE48C	10085343
SL18XP1-036-230	36000	16	13	33200	21800	3.64	2.6	9	CX38-50/60C	EL195UH110XE60C	10085344
SL18XP1-036-230	36000	15.5	13	33200	21600	3.62	2.56	9	CX38-50/60C	EL296UH090XE48C	10085345
SL18XP1-036-230	36000	15.5	13	33200	21600	3.62	2.56	9	CX38-50/60C	EL296UH090XV36C	10085346
SL18XP1-036-230	36000	16	13	33000	21600	3.6	2.58	9	CX38-50/60C	EL296UH090XV48C	10085347
SL18XP1-036-230	36000	16	13	33200	21800	3.64	2.6	9	CX38-50/60C	EL296UH110XE60C	10085348
SL18XP1-036-230	36000	16	13	33200	21800	3.66	2.6	9	CX38-50/60C	EL296UH110XV48C	10085349
SL18XP1-036-230	36000	16	13	33200	21800	3.66	2.6	9	CX38-50/60C	EL296UH110XV60C	10085350
SL18XP1-036-230	36000	15.5	13	33200	21600	3.62	2.56	9	CX38-50/60C	ML180UH090E60C	10589929
SL18XP1-036-230	36000	15.5	13	32800	21600	3.54	2.56	8.5	CX38-50/60C	ML180UH110E60C	10590181
SL18XP1-036-230	36000	15.5	13	32800	21600	3.54	2.56	8.5	CX38-50/60C	ML180UH110XE60C	10590301
SL18XP1-036-230	36000	16	13.5	33200	21800	3.68	2.62	9	CX38-50/60C	SL280UH090V60C	10085351
SL18XP1-036-230	36000	16	13.5	33200	21800	3.68	2.62	9	CX38-50/60C	SL280UH090XV60C	10085352
SL18XP1-036-230	36000	15.5	13	33200	21800	3.64	2.58	9	CX38-50/60C	SL280UH110V60C	10085353
SL18XP1-036-230	36000	15.5	13	33200	21800	3.64	2.58	9	CX38-50/60C	SL280UH110XV60C	10085354
SL18XP1-036-230	36000	15.5	13	33200	21600	3.62	2.56	9	CX38-50/60C	SLP98UH090XV36C	10085355
SL18XP1-036-230	36000	16	13	33000	21600	3.6	2.58	9	CX38-50/60C	SLP98UH090XV48C	10085356
SL18XP1-036-230	36000	15.5	13	33400	22000	3.66	2.6	9	CX38-50/60C	SLP98UH090XV60C	10085357
SL18XP1-036-230	36000	16	13	33200	21800	3.66	2.6	9	CX38-50/60C	SLP98UH110XV60C	10085358
SL18XP1-036-230	36000	14.5	12	33800	22400	3.46	2.48	8.5	CX38-50/60C		10084144
SL18XP1-042-230	40000	14.5	12.5	35400	22600	3.3	2.34	8.5	C33-43	EL180UH090E48B	8329547
SL18XP1-042-230	40500	15.1	12.5	35200	22600	3.36	2.4	8.5	C33-43	EL180UH090E60C	8329555
SL18XP1-042-230	40000	14.5	12.5	35400	22600	3.3	2.34	8.5	C33-43	EL180UH090XE48B	8329548
SL18XP1-042-230	40500	15.1	12.5	35200	22600	3.34	2.38	8.5	C33-43	EL180UH110E60C	8329559
SL18XP1-042-230	40500	15.1	12.5	35200	22600	3.34	2.38	8.5	C33-43	EL180UH110XE60C	8329560
SL18XP1-042-230	40000	15	12.5	35200	22600	3.28	2.36	8.5	C33-43	EL195UH090XE48C	8329561
SL18XP1-042-230	40500	15	12.5	35600	22800	3.36	2.38	8.5	C33-43	EL195UH110XE60C	8329562
SL18XP1-042-230	40000	14	12	35600	23000	3.2	2.3	8.2	C33-43	EL296UH045XV36B	8329554
SL18XP1-042-230	40000	14	12	35600	23000	3.18	2.28	8.2	C33-43	EL296UH070XV36B	8329552
SL18XP1-042-230	40000	15	12.5	35200	22600	3.28	2.36	8.5	C33-43	EL296UH090XE48C	8329563
SL18XP1-042-230	40000	14.5	12.5	35400	22600	3.28	2.34	8.5	C33-43	EL296UH090XV36C	8329573
SL18XP1-042-230	40000	14.5	12.5	35400	22600	3.3	2.36	8.5	C33-43	EL296UH090XV48C	8329572
SL18XP1-042-230	40000	15	12.5	35000	22400	3.28	2.34	8.5	C33-43	EL296UH090XV60C	8329564
SL18XP1-042-230	40500	15	12.5	35600	22800	3.36	2.38	8.5	C33-43	EL296UH110XE60C	8329565
SL18XP1-042-230	40500	15	12.5	35400	22600	3.34	2.36	8.5	C33-43	EL296UH110XV48C	8329566
SL18XP1-042-230	40500	15	12.5	35400	22600	3.34	2.38	8.5	C33-43	EL296UH110XV60C	8329567
SL18XP1-042-230	40000	14.5	12.5	35400	22600	3.3	2.34	8.5	C33-43	ML180UH090E48B	10589743
SL18XP1-042-230	40500	15.1	12.5	35200	22600	3.36	2.4	8.5	C33-43	ML180UH090E60C	10589856
SL18XP1-042-230	40000	14.5	12.5	35400	22600	3.3	2.34	8.5	C33-43	ML180UH090XE48B	10590027
SL18XP1-042-230	40500	15.1	12.5	35200	22600	3.34	2.38	8.5	C33-43	ML180UH110E60C	10590110
SL18XP1-042-230	40500	15.1	12.5	35200	22600	3.34	2.38	8.5	C33-43	ML180UH110XE60C	10590287
SL18XP1-042-230	40000	14.5	12.5	35400	22800	3.28	2.36	8.5	C33-43	SL280UH090V36B	8329549
SL18XP1-042-230	40000	14.5	12.5	35200	22600	3.26	2.34	8.5	C33-43	SL280UH090V48B	8329550
SL18XP1-042-230	40000	15.1	13	35000	22400	3.3	2.38	8.5	C33-43	SL280UH090V60C	8329571
SL18XP1-042-230	40000	14.5	12.5	35200	22600	3.26	2.34	8.5	C33-43	SL280UH090XV48B	8329551

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-042-230	40000	15.1	13	35000	22400	3.3	2.38	8.5	C33-43	SL280UH090XV60C	8329558
SL18XP1-042-230	40500	15.1	12.5	35200	22600	3.34	2.38	8.5	C33-43	SL280UH110V60C	8329556
SL18XP1-042-230	40500	15.1	12.5	35200	22600	3.34	2.38	8.5	C33-43	SL280UH110XV60C	8329557
SL18XP1-042-230	40000	14	12	35600	23000	3.18	2.28	8.2	C33-43	SLP98UH070XV36B	8329553
SL18XP1-042-230	40000	14.5	12.5	35400	22600	3.28	2.34	8.5	C33-43	SLP98UH090XV36C	8329574
SL18XP1-042-230	40000	15.1	12.5	35000	22400	3.3	2.36	8.5	C33-43	SLP98UH090XV48C	8329568
SL18XP1-042-230	40000	15	12.5	35000	22400	3.28	2.34	8.5	C33-43	SLP98UH090XV60C	8329569
SL18XP1-042-230	40500	15	12.5	35400	22600	3.34	2.38	8.5	C33-43	SLP98UH110XV60C	8329570
SL18XP1-042-230	41000	15.1	12.5	35400	22600	3.46	2.42	8.5	C33-49	EL180UH090E60C	8329577
SL18XP1-042-230	41000	15.1	12.5	35400	22600	3.46	2.4	8.5	C33-49	EL180UH110E60C	8329578
SL18XP1-042-230	41000	15.1	12.5	35400	22600	3.46	2.4	8.5	C33-49	EL180UH110XE60C	8329579
SL18XP1-042-230	40500	14.5	12.5	35400	22600	3.42	2.4	8.5	C33-49	EL195UH090XE48C	8329590
SL18XP1-042-230	41500	14.5	12.5	35600	22800	3.46	2.4	8.5	C33-49	EL195UH110XE60C	8329591
SL18XP1-042-230	40500	14.5	12.5	35400	22600	3.42	2.4	8.5	C33-49	EL296UH090XE48C	8329592
SL18XP1-042-230	41000	14.5	12.5	35400	22800	3.44	2.4	8.5	C33-49	EL296UH090XV36C	8329593
SL18XP1-042-230	41000	15.1	12.5	35400	22800	3.46	2.44	8.5	C33-49	EL296UH090XV48C	8329580
SL18XP1-042-230	41000	15.1	12.5	35200	22600	3.44	2.42	8.5	C33-49	EL296UH090XV60C	8329581
SL18XP1-042-230	41500	14.5	12.5	35600	22800	3.46	2.4	8.5	C33-49	EL296UH110XE60C	8329594
SL18XP1-042-230	41500	15.1	12.5	35600	22800	3.5	2.44	8.5	C33-49	EL296UH110XV48C	8329582
SL18XP1-042-230	41500	15.1	12.5	35400	22800	3.48	2.46	8.5	C33-49	EL296UH110XV60C	8329583
SL18XP1-042-230	41000	15.1	12.5	35400	22600	3.46	2.42	8.5	C33-49	ML180UH090E60C	10589857
SL18XP1-042-230	41000	15.1	12.5	35400	22600	3.46	2.4	8.5	C33-49	ML180UH110E60C	10590111
SL18XP1-042-230	41000	15.1	12.5	35400	22600	3.46	2.4	8.5	C33-49	ML180UH110XE60C	10590288
SL18XP1-042-230	41000	15.1	13	35200	22400	3.48	2.44	8.5	C33-49	SL280UH090V60C	8329589
SL18XP1-042-230	41000	15.1	13	35200	22400	3.48	2.44	8.5	C33-49	SL280UH090XV60C	8329587
SL18XP1-042-230	41500	15.1	13	35400	22600	3.5	2.44	9	C33-49	SL280UH110V60C	8329575
SL18XP1-042-230	41500	15.1	13	35400	22600	3.5	2.44	9	C33-49	SL280UH110XV60C	8329576
SL18XP1-042-230	41000	15	12.5	35400	22800	3.44	2.4	8.5	C33-49	SLP98UH090XV36C	8329588
SL18XP1-042-230	41000	15.1	12.5	35200	22600	3.46	2.42	8.5	C33-49	SLP98UH090XV48C	8329584
SL18XP1-042-230	41000	15.1	12.5	35200	22600	3.44	2.42	8.5	C33-49	SLP98UH090XV60C	8329585
SL18XP1-042-230	41500	15.1	12.5	35400	22800	3.48	2.46	8.5	C33-49	SLP98UH110XV60C	8329586
SL18XP1-042-230	40500	14	11.5	36200	23400	3.32	2.32	8.5	C33-49		8329595
SL18XP1-042-230	40000	14.5	12.5	35200	22600	3.3	2.36	8.5	C33-50/60C	EL180UH090E60C	8329598
SL18XP1-042-230	40000	14.5	12.5	35200	22600	3.28	2.36	8.5	C33-50/60C	EL180UH110E60C	8329599
SL18XP1-042-230	40000	14.5	12.5	35200	22600	3.28	2.36	8.5	C33-50/60C	EL180UH110XE60C	8329600
SL18XP1-042-230	39500	14.5	12.5	35200	22600	3.24	2.32	8.5	C33-50/60C	EL195UH090XE48C	8329601
SL18XP1-042-230	40000	14.5	12.5	35400	22800	3.28	2.36	8.5	C33-50/60C	EL195UH110XE60C	8329602
SL18XP1-042-230	39500	14.5	12.5	35200	22600	3.24	2.32	8.5	C33-50/60C	EL296UH090XE48C	8329603
SL18XP1-042-230	39500	14.5	12	35400	22800	3.24	2.32	8.5	C33-50/60C	EL296UH090XV36C	8329611
SL18XP1-042-230	40000	14.5	12.5	35400	22600	3.28	2.34	8.5	C33-50/60C	EL296UH090XV48C	8329604
SL18XP1-042-230	39500	14.5	12.5	35200	22600	3.26	2.34	8.5	C33-50/60C	EL296UH090XV60C	8329605
SL18XP1-042-230	40000	14.5	12.5	35400	22800	3.28	2.36	8.5	C33-50/60C	EL296UH110XE60C	8329606
SL18XP1-042-230	40000	14.5	12.5	35400	22600	3.28	2.34	8.5	C33-50/60C	EL296UH110XV48C	8329607
SL18XP1-042-230	40000	14.5	12.5	35400	22800	3.28	2.36	8.5	C33-50/60C	EL296UH110XV60C	8329608
SL18XP1-042-230	40000	14.5	12.5	35200	22600	3.3	2.36	8.5	C33-50/60C	ML180UH090E60C	10589858
SL18XP1-042-230	40000	14.5	12.5	35200	22600	3.28	2.36	8.5	C33-50/60C	ML180UH110E60C	10590112
SL18XP1-042-230	40000	14.5	12.5	35200	22600	3.28	2.36	8.5	C33-50/60C	ML180UH110XE60C	10590289
SL18XP1-042-230	39500	15	12.5	35000	22400	3.26	2.34	8.5	C33-50/60C	SL280UH090V60C	8329596
SL18XP1-042-230	39500	15	12.5	35000	22400	3.26	2.34	8.5	C33-50/60C	SL280UH090XV60C	8329597
SL18XP1-042-230	40000	14.5	12.5	35400	22600	3.3	2.34	8.5	C33-50/60C	SL280UH110V60C	8329613
SL18XP1-042-230	40000	14.5	12.5	35400	22600	3.3	2.34	8.5	C33-50/60C	SL280UH110XV60C	8329614
SL18XP1-042-230	39500	14.5	12	35400	22800	3.24	2.32	8.5	C33-50/60C	SLP98UH090XV36C	8329612
SL18XP1-042-230	40000	14.5	12.5	35400	22600	3.28	2.34	8.5	C33-50/60C	SLP98UH090XV48C	8329615
SL18XP1-042-230	39500	14.5	12.5	35200	22600	3.26	2.34	8.5	C33-50/60C	SLP98UH090XV60C	8329609
SL18XP1-042-230	40000	14.5	12.5	35400	22800	3.28	2.36	8.5	C33-50/60C	SLP98UH110XV60C	8329610
SL18XP1-042-230	40000	15.1	12.5	36600	24600	3.44	2.5	8.5	C35-48B	EL180UH090E48B	10098483
SL18XP1-042-230	40000	15.1	12.5	36600	24600	3.44	2.5	8.5	C35-48B	EL180UH090XE48B	10098484
SL18XP1-042-230	40000	14.5	12	36800	24800	3.36	2.44	8.5	C35-48B	EL296UH045XV36B	10098485
SL18XP1-042-230	40000	14.5	12	36800	25000	3.34	2.44	8.5	C35-48B	EL296UH070XV36B	10098486
SL18XP1-042-230	40000	15.1	12.5	36600	24600	3.44	2.5	8.5	C35-48B	ML180UH090E48B	10589792
SL18XP1-042-230	40000	15.1	12.5	36600	24600	3.44	2.5	8.5	C35-48B	ML180UH090XE48B	10590049

## AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-042-230	40000	15.1	12.5	36600	24600	3.42	2.5	8.5	C35-48B	SL280UH090V36B	10098487
SL18XP1-042-230	40000	15.1	12.5	36400	24600	3.4	2.5	8.5	C35-48B	SL280UH090V48B	10099358
SL18XP1-042-230	40000	15.1	12.5	36400	24600	3.4	2.5	8.5	C35-48B	SL280UH090XV48B	10099359
SL18XP1-042-230	40000	14.5	12	36800	25000	3.34	2.44	8.5	C35-48B	SLP98UH070XV36B	10099418
SL18XP1-042-230	40500	15.5	12.5	36400	24400	3.5	2.54	9	C35-48C	EL180UH090E60C	10098488
SL18XP1-042-230	40500	15.5	12.5	36400	24400	3.48	2.52	9	C35-48C	EL180UH110E60C	10098489
SL18XP1-042-230	40500	15.5	12.5	36400	24400	3.48	2.52	9	C35-48C	EL180UH110XE60C	10098490
SL18XP1-042-230	40000	15.1	12.5	36400	24400	3.46	2.5	8.5	C35-48C	EL195UH090XE48C	10098491
SL18XP1-042-230	40500	15.1	12.5	36800	24600	3.52	2.52	9	C35-48C	EL195UH110XE60C	10098492
SL18XP1-042-230	40000	15.1	12.5	36400	24400	3.46	2.5	8.5	C35-48C	EL296UH090XE48C	10098493
SL18XP1-042-230	40000	15.1	12.5	36600	24600	3.44	2.5	8.5	C35-48C	EL296UH090XV36C	10098494
SL18XP1-042-230	40000	15.1	12.5	36400	24600	3.44	2.52	8.5	C35-48C	EL296UH090XV48C	10098495
SL18XP1-042-230	40000	15.1	12.5	36200	24400	3.42	2.52	8.5	C35-48C	EL296UH090XV60C	10098496
SL18XP1-042-230	40500	15.1	12.5	36800	24600	3.52	2.52	9	C35-48C	EL296UH110XE60C	10098497
SL18XP1-042-230	40500	15.1	12.5	36600	24600	3.48	2.52	8.5	C35-48C	EL296UH110XV48C	10098498
SL18XP1-042-230	40500	15.5	12.5	36600	24400	3.5	2.52	9	C35-48C	EL296UH110XV60C	10098499
SL18XP1-042-230	40500	15.5	12.5	36400	24400	3.5	2.54	9	C35-48C	ML180UH090E60C	10589971
SL18XP1-042-230	40500	15.5	12.5	36400	24400	3.48	2.52	9	C35-48C	ML180UH110E60C	10590223
SL18XP1-042-230	40500	15.5	12.5	36400	24400	3.48	2.52	9	C35-48C	ML180UH110XE60C	10590320
SL18XP1-042-230	40000	15.5	12.5	36200	24200	3.46	2.52	8.5	C35-48C	SL280UH090V60C	10098500
SL18XP1-042-230	40000	15.5	12.5	36200	24200	3.46	2.52	8.5	C35-48C	SL280UH090XV60C	10098501
SL18XP1-042-230	40500	16	13.5	36400	24200	3.54	2.56	9.2	C35-48C	SL280UH100NV60C	10581390
SL18XP1-042-230	40500	15.5	12.5	36400	24400	3.5	2.52	9	C35-48C	SL280UH110V60C	10099361
SL18XP1-042-230	40500	15.5	12.5	36400	24400	3.5	2.52	9	C35-48C	SL280UH110XV60C	10099362
SL18XP1-042-230	40000	15.1	12.5	36400	24600	3.42	2.5	8.5	C35-48C	SLP98UH090XV36C	10099363
SL18XP1-042-230	40000	15.5	12.5	36200	24400	3.44	2.52	8.5	C35-48C	SLP98UH090XV48C	10099364
SL18XP1-042-230	40000	15.1	12.5	36200	24400	3.42	2.52	8.5	C35-48C	SLP98UH090XV60C	10098502
SL18XP1-042-230	40500	15.5	12.5	36600	24400	3.5	2.52	9	C35-48C	SLP98UH110XV60C	10098503
SL18XP1-042-230	39500	14	12	37200	25200	3.36	2.44	8.5	C35-48C		10099360
SL18XP1-042-230	40000	15.1	12.5	36400	24400	3.4	2.48	8.5	C35-50/60C	EL180UH090E60C	10098504
SL18XP1-042-230	39500	15.1	12.5	36200	24400	3.4	2.48	8.5	C35-50/60C	EL180UH110E60C	10098505
SL18XP1-042-230	39500	15.1	12.5	36200	24400	3.4	2.48	8.5	C35-50/60C	EL180UH110XE60C	10098506
SL18XP1-042-230	39500	15.1	12.5	36400	24400	3.38	2.46	8.5	C35-50/60C	EL195UH090XE48C	10098507
SL18XP1-042-230	40000	15.1	12.5	36600	24600	3.42	2.48	8.5	C35-50/60C	EL195UH110XE60C	10098508
SL18XP1-042-230	39500	15.1	12.5	36400	24400	3.38	2.46	8.5	C35-50/60C	EL296UH090XE48C	10098509
SL18XP1-042-230	39500	14.5	12.5	36600	24600	3.38	2.44	8.5	C35-50/60C	EL296UH090XV36C	10098510
SL18XP1-042-230	40000	15.1	12.5	36400	24600	3.38	2.48	8.5	C35-50/60C	EL296UH090XV48C	10098511
SL18XP1-042-230	39500	15.1	12.5	36400	24400	3.4	2.48	8.5	C35-50/60C	EL296UH090XV60C	10098512
SL18XP1-042-230	40000	15.1	12.5	36600	24600	3.42	2.48	8.5	C35-50/60C	EL296UH110XE60C	10098513
SL18XP1-042-230	40000	15.1	12.5	36600	24600	3.42	2.48	8.5	C35-50/60C	EL296UH110XV48C	10098514
SL18XP1-042-230	40000	15.1	12.5	36600	24600	3.42	2.48	8.5	C35-50/60C	EL296UH110XV60C	10098515
SL18XP1-042-230	40000	15.1	12.5	36400	24400	3.4	2.48	8.5	C35-50/60C	ML180UH090E60C	10589972
SL18XP1-042-230	39500	15.1	12.5	36200	24400	3.4	2.48	8.5	C35-50/60C	ML180UH110E60C	10590224
SL18XP1-042-230	39500	15.1	12.5	36200	24400	3.4	2.48	8.5	C35-50/60C	ML180UH110XE60C	10590321
SL18XP1-042-230	39500	15.1	12.5	36000	24200	3.38	2.48	8.5	C35-50/60C	SL280UH090V60C	10098516
SL18XP1-042-230	39500	15.1	12.5	36000	24200	3.38	2.48	8.5	C35-50/60C	SL280UH090XV60C	10098517
SL18XP1-042-230	40000	15.5	12.5	36400	24400	3.5	2.54	9.2	C35-50/60C	SL280UH100NV60C	10581391
SL18XP1-042-230	40000	15.1	12.5	36600	24600	3.44	2.48	8.5	C35-50/60C	SL280UH110V60C	10099365
SL18XP1-042-230	40000	15.1	12.5	36600	24600	3.44	2.48	8.5	C35-50/60C	SL280UH110XV60C	10099366
SL18XP1-042-230	39500	14.5	12.5	36600	24600	3.38	2.46	8.5	C35-50/60C	SLP98UH090XV36C	10099367
SL18XP1-042-230	39500	15.1	12.5	36400	24600	3.38	2.48	8.5	C35-50/60C	SLP98UH090XV48C	10098518
SL18XP1-042-230	39500	15.1	12.5	36400	24400	3.4	2.48	8.5	C35-50/60C	SLP98UH090XV60C	10098519
SL18XP1-042-230	40000	15.1	12.5	36600	24600	3.42	2.48	8.5	C35-50/60C	SLP98UH110XV60C	10098520
SL18XP1-042-230	39000	14	11.5	37200	25200	3.32	2.42	8.5	C35-50/60C		10098521
SL18XP1-042-230	42000	16	13.5	37000	24600	3.72	2.64	9.2	C35-60C	EL180UH090E60C	10098561
SL18XP1-042-230	42000	16	13.5	37000	24600	3.72	2.64	9.2	C35-60C	EL180UH110E60C	10098562
SL18XP1-042-230	42000	16	13.5	37000	24600	3.72	2.64	9.2	C35-60C	EL180UH110XE60C	10098563
SL18XP1-042-230	41500	15.5	12.5	37000	24600	3.66	2.62	9	C35-60C	EL195UH090XE48C	10098564
SL18XP1-042-230	42000	15.5	12.5	37200	24800	3.7	2.62	9.2	C35-60C	EL195UH110XE60C	10098565
SL18XP1-042-230	41500	15.5	12.5	37000	24600	3.66	2.62	9	C35-60C	EL296UH090XE48C	10098566
SL18XP1-042-230	42000	15.5	12.5	37200	24800	3.68	2.62	9	C35-60C	EL296UH090XV36C	10098567



# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-042-230	42000	15.5	12.5	37000	24800	3.68	2.64	9.2	C35-60C	EL296UH090XV48C	10098568
SL18XP1-042-230	41500	16	13.5	37000	24600	3.7	2.64	9	C35-60C	EL296UH090XV60C	10098569
SL18XP1-042-230	42000	15.5	12.5	37200	24800	3.7	2.62	9.2	C35-60C	EL296UH110XE60C	10098570
SL18XP1-042-230	42000	16	13.5	37200	24800	3.72	2.64	9.2	C35-60C	EL296UH110XV48C	10098571
SL18XP1-042-230	42000	16	13.5	37200	24800	3.74	2.66	9.2	C35-60C	EL296UH110XV60C	10098572
SL18XP1-042-230	42000	16	13.5	37000	24600	3.72	2.64	9.2	C35-60C	ML180UH090E60C	10589975
SL18XP1-042-230	42000	16	13.5	37000	24600	3.72	2.64	9.2	C35-60C	ML180UH110E60C	10590227
SL18XP1-042-230	42000	16	13.5	37000	24600	3.72	2.64	9.2	C35-60C	ML180UH110XE60C	10590324
SL18XP1-042-230	42000	16	13.5	37200	24800	3.78	2.68	9.2	C35-60C	SL280UH090V60C	10098573
SL18XP1-042-230	42000	16	13.5	37200	24800	3.78	2.68	9.2	C35-60C	SL280UH090XV60C	10098574
SL18XP1-042-230	42000	16.5	14	37000	24600	3.8	2.7	9.6	C35-60C	SL280UH100NV60C	10581392
SL18XP1-042-230	42000	16	13.5	37000	24600	3.72	2.64	9.2	C35-60C	SL280UH110V60C	10098575
SL18XP1-042-230	42000	16	13.5	37000	24600	3.72	2.64	9.2	C35-60C	SL280UH110XV60C	10098576
SL18XP1-042-230	42000	15.5	12.5	37200	24800	3.68	2.62	9	C35-60C	SLP98UH090XV36C	10098577
SL18XP1-042-230	42000	15.5	12.5	37000	24800	3.68	2.64	9.2	C35-60C	SLP98UH090XV48C	10098578
SL18XP1-042-230	41500	16	13.5	37000	24600	3.7	2.64	9	C35-60C	SLP98UH090XV60C	10098579
SL18XP1-042-230	42000	16	13.5	37200	24800	3.74	2.66	9.2	C35-60C	SLP98UH110XV60C	10098580
SL18XP1-042-230	41000	14.5	12.5	37800	25400	3.58	2.56	8.5	C35-60C		10098581
SL18XP1-042-230	40000	14.5	12.5	35400	22600	3.3	2.34	8.5	C37-43B	EL180UH090E48B	10085377
SL18XP1-042-230	40000	14.5	12.5	35400	22600	3.3	2.34	8.5	C37-43B	EL180UH090XE48B	10085378
SL18XP1-042-230	40000	14	12	35600	23000	3.2	2.3	8.2	C37-43B	EL296UH045XV36B	10085384
SL18XP1-042-230	40000	14	12	35600	23000	3.18	2.28	8.2	C37-43B	EL296UH070XV36B	10085382
SL18XP1-042-230	40000	14.5	12.5	35400	22600	3.3	2.34	8.5	C37-43B	ML180UH090E48B	10589775
SL18XP1-042-230	40000	14.5	12.5	35400	22600	3.3	2.34	8.5	C37-43B	ML180UH090XE48B	10590036
SL18XP1-042-230	40000	14.5	12.5	35400	22800	3.28	2.36	8.5	C37-43B	SL280UH090V36B	10085379
SL18XP1-042-230	40000	14.5	12.5	35200	22600	3.26	2.34	8.5	C37-43B	SL280UH090V48B	10085380
SL18XP1-042-230	40000	14.5	12.5	35200	22600	3.26	2.34	8.5	C37-43B	SL280UH090XV48B	10085381
SL18XP1-042-230	40000	14	12	35600	23000	3.18	2.28	8.2	C37-43B	SLP98UH070XV36B	10085383
SL18XP1-042-230	40500	15.1	12.5	35200	22600	3.36	2.4	8.5	C37-43C	EL180UH090E60C	10085385
SL18XP1-042-230	40500	15.1	12.5	35200	22600	3.34	2.38	8.5	C37-43C	EL180UH110E60C	10085389
SL18XP1-042-230	40500	15.1	12.5	35200	22600	3.34	2.38	8.5	C37-43C	EL180UH110XE60C	10085390
SL18XP1-042-230	40000	15	12.5	35200	22600	3.28	2.36	8.5	C37-43C	EL195UH090XE48C	10085391
SL18XP1-042-230	40500	15	12.5	35600	22800	3.36	2.38	8.5	C37-43C	EL195UH110XE60C	10085392
SL18XP1-042-230	40000	15	12.5	35200	22600	3.28	2.36	8.5	C37-43C	EL296UH090XE48C	10085393
SL18XP1-042-230	40000	14.5	12.5	35400	22600	3.28	2.34	8.5	C37-43C	EL296UH090XV36C	10085403
SL18XP1-042-230	40000	14.5	12.5	35400	22600	3.3	2.36	8.5	C37-43C	EL296UH090XV48C	10085402
SL18XP1-042-230	40000	15	12.5	35000	22400	3.28	2.34	8.5	C37-43C	EL296UH090XV60C	10085394
SL18XP1-042-230	40500	15	12.5	35600	22800	3.36	2.38	8.5	C37-43C	EL296UH110XE60C	10085395
SL18XP1-042-230	40500	15	12.5	35400	22600	3.34	2.36	8.5	C37-43C	EL296UH110XV48C	10085396
SL18XP1-042-230	40500	15	12.5	35400	22600	3.34	2.38	8.5	C37-43C	EL296UH110XV60C	10085397
SL18XP1-042-230	40500	15.1	12.5	35200	22600	3.36	2.4	8.5	C37-43C	ML180UH090E60C	10589931
SL18XP1-042-230	40500	15.1	12.5	35200	22600	3.34	2.38	8.5	C37-43C	ML180UH110E60C	10590183
SL18XP1-042-230	40500	15.1	12.5	35200	22600	3.34	2.38	8.5	C37-43C	ML180UH110XE60C	10590303
SL18XP1-042-230	40000	15.1	13	35000	22400	3.3	2.38	8.5	C37-43C	SL280UH090V60C	10085401
SL18XP1-042-230	40000	15.1	13	35000	22400	3.3	2.38	8.5	C37-43C	SL280UH090XV60C	10085388
SL18XP1-042-230	40500	15.5	12.5	35200	22400	3.4	2.42	8.8	C37-43C	SL280UH100NV60C	10581393
SL18XP1-042-230	40500	15.1	12.5	35200	22600	3.34	2.38	8.5	C37-43C	SL280UH110V60C	10085386
SL18XP1-042-230	40500	15.1	12.5	35200	22600	3.34	2.38	8.5	C37-43C	SL280UH110XV60C	10085387
SL18XP1-042-230	40000	14.5	12.5	35400	22600	3.28	2.34	8.5	C37-43C	SLP98UH090XV36C	10085404
SL18XP1-042-230	40000	15.1	12.5	35000	22400	3.3	2.36	8.5	C37-43C	SLP98UH090XV48C	10085398
SL18XP1-042-230	40000	15	12.5	35000	22400	3.28	2.34	8.5	C37-43C	SLP98UH090XV60C	10085399
SL18XP1-042-230	40500	15	12.5	35400	22600	3.34	2.38	8.5	C37-43C	SLP98UH110XV60C	10085400
SL18XP1-042-230	41000	15.1	12.5	35400	22600	3.46	2.42	8.5	C37-49C	EL180UH090E60C	10085407
SL18XP1-042-230	41000	15.1	12.5	35400	22600	3.46	2.4	8.5	C37-49C	EL180UH110E60C	10085408
SL18XP1-042-230	41000	15.1	12.5	35400	22600	3.46	2.4	8.5	C37-49C	EL180UH110XE60C	10085409
SL18XP1-042-230	40500	14.5	12.5	35400	22600	3.42	2.4	8.5	C37-49C	EL195UH090XE48C	10085420
SL18XP1-042-230	41500	14.5	12.5	35600	22800	3.46	2.4	8.5	C37-49C	EL195UH110XE60C	10085421
SL18XP1-042-230	40500	14.5	12.5	35400	22600	3.42	2.4	8.5	C37-49C	EL296UH090XE48C	10085422
SL18XP1-042-230	41000	14.5	12.5	35400	22800	3.44	2.4	8.5	C37-49C	EL296UH090XV36C	10085423
SL18XP1-042-230	41000	15.1	12.5	35400	22800	3.46	2.44	8.5	C37-49C	EL296UH090XV48C	10085410
SL18XP1-042-230	41000	15.1	12.5	35200	22600	3.44	2.42	8.5	C37-49C	EL296UH090XV60C	10085411

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-042-230	41500	14.5	12.5	35600	22800	3.46	2.4	8.5	C37-49C	EL296UH110XE60C	10085424
SL18XP1-042-230	41500	15.1	12.5	35600	22800	3.5	2.44	8.5	C37-49C	EL296UH110XV48C	10085412
SL18XP1-042-230	41500	15.1	12.5	35400	22800	3.48	2.46	8.5	C37-49C	EL296UH110XV60C	10085413
SL18XP1-042-230	41000	15.1	12.5	35400	22600	3.46	2.42	8.5	C37-49C	ML180UH090E60C	10589932
SL18XP1-042-230	41000	15.1	12.5	35400	22600	3.46	2.4	8.5	C37-49C	ML180UH110E60C	10590184
SL18XP1-042-230	41000	15.1	12.5	35400	22600	3.46	2.4	8.5	C37-49C	ML180UH110XE60C	10590304
SL18XP1-042-230	41000	15.1	13	35200	22400	3.48	2.44	8.5	C37-49C	SL280UH090V60C	10085419
SL18XP1-042-230	41000	15.1	13	35200	22400	3.48	2.44	8.5	C37-49C	SL280UH090XV60C	10085417
SL18XP1-042-230	41500	15.5	12.5	35400	22400	3.56	2.46	9	C37-49C	SL280UH100NV60C	10581394
SL18XP1-042-230	41500	15.1	13	35400	22600	3.5	2.44	9	C37-49C	SL280UH110V60C	10085405
SL18XP1-042-230	41500	15.1	13	35400	22600	3.5	2.44	9	C37-49C	SL280UH110XV60C	10085406
SL18XP1-042-230	41000	15	12.5	35400	22800	3.44	2.4	8.5	C37-49C	SLP98UH090XV36C	10085418
SL18XP1-042-230	41000	15.1	12.5	35200	22600	3.46	2.42	8.5	C37-49C	SLP98UH090XV48C	10085414
SL18XP1-042-230	41000	15.1	12.5	35200	22600	3.44	2.42	8.5	C37-49C	SLP98UH090XV60C	10085415
SL18XP1-042-230	41500	15.1	12.5	35400	22800	3.48	2.46	8.5	C37-49C	SLP98UH110XV60C	10085416
SL18XP1-042-230	40500	14	11.5	36200	23400	3.32	2.32	8.5	C37-49C		10084146
SL18XP1-042-230	40000	14.5	12.5	35200	22600	3.3	2.36	8.5	C37-50/60C	EL180UH090E60C	10085427
SL18XP1-042-230	40000	14.5	12.5	35200	22600	3.28	2.36	8.5	C37-50/60C	EL180UH110E60C	10085428
SL18XP1-042-230	40000	14.5	12.5	35200	22600	3.28	2.36	8.5	C37-50/60C	EL180UH110XE60C	10085429
SL18XP1-042-230	39500	14.5	12.5	35200	22600	3.24	2.32	8.5	C37-50/60C	EL195UH090XE48C	10085430
SL18XP1-042-230	40000	14.5	12.5	35400	22800	3.28	2.36	8.5	C37-50/60C	EL195UH110XE60C	10085431
SL18XP1-042-230	39500	14.5	12.5	35200	22600	3.24	2.32	8.5	C37-50/60C	EL296UH090XE48C	10085432
SL18XP1-042-230	39500	14.5	12	35400	22800	3.24	2.32	8.5	C37-50/60C	EL296UH090XV36C	10085440
SL18XP1-042-230	40000	14.5	12.5	35400	22600	3.28	2.34	8.5	C37-50/60C	EL296UH090XV48C	10085433
SL18XP1-042-230	39500	14.5	12.5	35200	22600	3.26	2.34	8.5	C37-50/60C	EL296UH090XV60C	10085434
SL18XP1-042-230	40000	14.5	12.5	35400	22800	3.28	2.36	8.5	C37-50/60C	EL296UH110XE60C	10085435
SL18XP1-042-230	40000	14.5	12.5	35400	22600	3.28	2.34	8.5	C37-50/60C	EL296UH110XV48C	10085436
SL18XP1-042-230	40000	14.5	12.5	35400	22800	3.28	2.36	8.5	C37-50/60C	EL296UH110XV60C	10085437
SL18XP1-042-230	40000	14.5	12.5	35200	22600	3.3	2.36	8.5	C37-50/60C	ML180UH090E60C	10589933
SL18XP1-042-230	40000	14.5	12.5	35200	22600	3.28	2.36	8.5	C37-50/60C	ML180UH110E60C	10590185
SL18XP1-042-230	40000	14.5	12.5	35200	22600	3.28	2.36	8.5	C37-50/60C	ML180UH110XE60C	10590305
SL18XP1-042-230	39500	15	12.5	35000	22400	3.26	2.34	8.5	C37-50/60C	SL280UH090V60C	10085425
SL18XP1-042-230	39500	15	12.5	35000	22400	3.26	2.34	8.5	C37-50/60C	SL280UH090XV60C	10085426
SL18XP1-042-230	40000	15.5	12.5	35200	22400	3.36	2.4	8.5	C37-50/60C	SL280UH100NV60C	10581395
SL18XP1-042-230	40000	14.5	12.5	35400	22600	3.3	2.34	8.5	C37-50/60C	SL280UH110V60C	10085442
SL18XP1-042-230	40000	14.5	12.5	35400	22600	3.3	2.34	8.5	C37-50/60C	SL280UH110XV60C	10085443
SL18XP1-042-230	39500	14.5	12	35400	22800	3.24	2.32	8.5	C37-50/60C	SLP98UH090XV36C	10085441
SL18XP1-042-230	40000	14.5	12.5	35400	22600	3.28	2.34	8.5	C37-50/60C	SLP98UH090XV48C	10085444
SL18XP1-042-230	39500	14.5	12.5	35200	22600	3.26	2.34	8.5	C37-50/60C	SLP98UH090XV60C	10085438
SL18XP1-042-230	40000	14.5	12.5	35400	22800	3.28	2.36	8.5	C37-50/60C	SLP98UH110XV60C	10085439
SL18XP1-042-230	41000	15.5	13	37200	24200	3.52	2.52	9	CBA27UHE-042		10258582
SL18XP1-042-230	41000	15.5	13	37000	23800	3.68	2.58	9	CBA27UHE-048		10258973
SL18XP1-042-230	41000	15.5	13	36800	24000	3.62	2.56	9	CBX27UH-042		8331391
SL18XP1-042-230	41000	15.5	13	36800	24000	3.62	2.56	9	CBX27UH-048		8331392
SL18XP1-042-230	41000	14.5	12.5	37200	24400	3.54	2.52	9	CBX32M-048		8331393
SL18XP1-042-230	41500	15.5	13	36800	24000	3.64	2.58	9.5	CBX32MV-048		8331394
SL18XP1-042-230	40500	15.1	12.5	36800	24000	3.58	2.54	9	CBX40UHV-042		8331395
SL18XP1-042-230	41000	15.5	13	36800	24000	3.62	2.56	9	CBX40UHV-048		8331396
SL18XP1-042-230	41000	15.1	12.5	36200	24200	3.54	2.56	9	CH33-43B	EL180UH090E48B	8329616
SL18XP1-042-230	41000	15.1	12.5	36200	24200	3.54	2.56	9	CH33-43B	EL180UH090XE48B	8329617
SL18XP1-042-230	41000	14.5	12.5	36400	24400	3.46	2.5	9	CH33-43B	EL296UH045XV36B	8329623
SL18XP1-042-230	41000	14.5	12.5	36400	24400	3.46	2.5	9	CH33-43B	EL296UH070XV36B	8329621
SL18XP1-042-230	41000	15.1	12.5	36200	24200	3.54	2.56	9	CH33-43B	ML180UH090E48B	10589744
SL18XP1-042-230	41000	15.1	12.5	36200	24200	3.54	2.56	9	CH33-43B	ML180UH090XE48B	10590028
SL18XP1-042-230	41500	15.1	13	36200	24200	3.56	2.58	9	CH33-43B	SL280UH090V36B	8329620
SL18XP1-042-230	41000	15.1	12.5	36000	24000	3.54	2.56	9	CH33-43B	SL280UH090V48B	8329618
SL18XP1-042-230	41000	15.1	12.5	36000	24000	3.54	2.56	9	CH33-43B	SL280UH090XV48B	8329619
SL18XP1-042-230	41000	14.5	12.5	36400	24400	3.46	2.5	9	CH33-43B	SLP98UH070XV36B	8329622
SL18XP1-042-230	40500	14	12	36600	24600	3.44	2.5	9	CH33-43B		8329624
SL18XP1-042-230	41500	15.5	13	35400	23000	3.5	2.5	9	CH33-49	EL180UH090E60C	8329625
SL18XP1-042-230	41000	15.5	13	35400	23000	3.5	2.5	9	CH33-49	EL180UH110E60C	8329626

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-042-230	41000	15.5	13	35400	23000	3.5	2.5	9	CH33-49	EL180UH110XE60C	8329627
SL18XP1-042-230	41000	15.1	13	35400	23000	3.46	2.46	9	CH33-49	EL195UH090XE48C	8329630
SL18XP1-042-230	41500	15.1	13	35600	23200	3.5	2.48	9	CH33-49	EL195UH110XE60C	8329631
SL18XP1-042-230	41000	15.1	13	35400	23000	3.46	2.46	9	CH33-49	EL296UH090XE48C	8329632
SL18XP1-042-230	41000	15.1	12.5	35600	23200	3.46	2.46	9	CH33-49	EL296UH090XV36C	8329643
SL18XP1-042-230	41000	15.1	13	35600	23000	3.48	2.46	9	CH33-49	EL296UH090XV48C	8329633
SL18XP1-042-230	41000	15.1	13	35400	23000	3.48	2.48	9	CH33-49	EL296UH090XV60C	8329634
SL18XP1-042-230	41500	15.1	13	35600	23200	3.5	2.48	9	CH33-49	EL296UH110XE60C	8329635
SL18XP1-042-230	41500	15.1	13	35600	23200	3.5	2.48	9	CH33-49	EL296UH110XV48C	8329636
SL18XP1-042-230	41500	15.1	13	35600	23200	3.5	2.48	9	CH33-49	EL296UH110XV60C	8329637
SL18XP1-042-230	41500	15.5	13	35400	23000	3.5	2.5	9	CH33-49	ML180UH090E60C	10589859
SL18XP1-042-230	41000	15.5	13	35400	23000	3.5	2.5	9	CH33-49	ML180UH110E60C	10590113
SL18XP1-042-230	41000	15.5	13	35400	23000	3.5	2.5	9	CH33-49	ML180UH110XE60C	10590290
SL18XP1-042-230	41000	15.5	13	35200	22800	3.48	2.48	9	CH33-49	SL280UH090V60C	8329628
SL18XP1-042-230	41000	15.5	13	35200	22800	3.48	2.48	9	CH33-49	SL280UH090XV60C	8329629
SL18XP1-042-230	41500	16	13.5	35400	22800	3.58	2.52	9.4	CH33-49	SL280UH100NV60C	10581396
SL18XP1-042-230	41500	15.1	13	35600	23000	3.5	2.48	9	CH33-49	SL280UH110V60C	8329638
SL18XP1-042-230	41500	15.1	13	35600	23000	3.5	2.48	9	CH33-49	SL280UH110XV60C	8329639
SL18XP1-042-230	41000	15.1	12.5	35600	23200	3.46	2.46	9	CH33-49	SLP98UH090XV36C	8329644
SL18XP1-042-230	41000	15.1	13	35400	23000	3.48	2.46	9	CH33-49	SLP98UH090XV48C	8329640
SL18XP1-042-230	41000	15.1	13	35400	23000	3.48	2.48	9	CH33-49	SLP98UH090XV60C	8329641
SL18XP1-042-230	41500	15.1	13	35600	23200	3.5	2.48	9	CH33-49	SLP98UH110XV60C	8329642
SL18XP1-042-230	41000	14	12	36200	23600	3.38	2.4	9	CH33-49		8329645
SL18XP1-042-230	41000	15.1	13	35400	23000	3.48	2.48	9	CH33-50/60C	EL180UH090E60C	8329648
SL18XP1-042-230	41000	15.1	13	35400	22800	3.48	2.46	9	CH33-50/60C	EL180UH110E60C	8329649
SL18XP1-042-230	41000	15.1	13	35400	22800	3.48	2.46	9	CH33-50/60C	EL180UH110XE60C	8329650
SL18XP1-042-230	40500	15.1	12.5	35400	23000	3.44	2.46	9	CH33-50/60C	EL195UH090XE48C	8329914
SL18XP1-042-230	41000	15.1	12.5	35600	23200	3.48	2.48	9	CH33-50/60C	EL195UH110XE60C	8329651
SL18XP1-042-230	40500	15.1	12.5	35400	23000	3.44	2.46	9	CH33-50/60C	EL296UH090XE48C	8329662
SL18XP1-042-230	41000	15	12.5	35600	23200	3.44	2.46	9	CH33-50/60C	EL296UH090XV36C	8329663
SL18XP1-042-230	41000	15.1	13	35600	23000	3.46	2.46	9	CH33-50/60C	EL296UH090XV48C	8329652
SL18XP1-042-230	41000	15.1	13	35400	23000	3.44	2.46	9	CH33-50/60C	EL296UH090XV60C	8329653
SL18XP1-042-230	41000	15.1	12.5	35600	23200	3.48	2.48	9	CH33-50/60C	EL296UH110XE60C	8329654
SL18XP1-042-230	41000	15.1	12.5	35600	23200	3.48	2.48	9	CH33-50/60C	EL296UH110XV48C	8329655
SL18XP1-042-230	41000	15.1	12.5	35600	23200	3.48	2.48	9	CH33-50/60C	EL296UH110XV60C	8329656
SL18XP1-042-230	41000	15.1	13	35400	23000	3.48	2.48	9	CH33-50/60C	ML180UH090E60C	10589860
SL18XP1-042-230	41000	15.1	13	35400	22800	3.48	2.46	9	CH33-50/60C	ML180UH110E60C	10590114
SL18XP1-042-230	41000	15.1	13	35400	22800	3.48	2.46	9	CH33-50/60C	ML180UH110XE60C	10590291
SL18XP1-042-230	41000	15.5	13	35200	22800	3.48	2.48	9	CH33-50/60C	SL280UH090V60C	8329646
SL18XP1-042-230	41000	15.5	13	35200	22800	3.48	2.48	9	CH33-50/60C	SL280UH090XV60C	8329647
SL18XP1-042-230	41000	15.5	12.5	35400	22800	3.56	2.5	9.2	CH33-50/60C	SL280UH100NV60C	10581397
SL18XP1-042-230	41000	15.1	13	35400	23000	3.48	2.46	9	CH33-50/60C	SL280UH110V60C	8329657
SL18XP1-042-230	41000	15.1	13	35400	23000	3.48	2.46	9	CH33-50/60C	SL280UH110XV60C	8329658
SL18XP1-042-230	41000	15	12.5	35600	23200	3.44	2.46	9	CH33-50/60C	SLP98UH090XV36C	8329664
SL18XP1-042-230	41000	15.1	13	35400	23000	3.44	2.46	9	CH33-50/60C	SLP98UH090XV48C	8329659
SL18XP1-042-230	41000	15.1	13	35400	23000	3.44	2.46	9	CH33-50/60C	SLP98UH090XV60C	8329660
SL18XP1-042-230	41000	15.1	12.5	35600	23200	3.48	2.48	9	CH33-50/60C	SLP98UH110XV60C	8329661
SL18XP1-042-230	40500	14	12	36200	23600	3.38	2.38	8.5	CH33-50/60C		8329665
SL18XP1-042-230	40500	15.1	12.5	37000	24400	3.42	2.48	8.5	CH35-42C	EL180UH090E60C	10098425
SL18XP1-042-230	40500	15.1	12.5	36800	24400	3.4	2.48	8.5	CH35-42C	EL180UH110E60C	10098426
SL18XP1-042-230	40500	15.1	12.5	36800	24400	3.4	2.48	8.5	CH35-42C	EL180UH110XE60C	10098427
SL18XP1-042-230	40000	15.1	12.5	36800	24400	3.36	2.44	8.5	CH35-42C	EL195UH090XE48C	10098428
SL18XP1-042-230	40500	15.1	12.5	37200	24600	3.42	2.46	8.5	CH35-42C	EL195UH110XE60C	10098429
SL18XP1-042-230	40000	15.1	12.5	36800	24400	3.36	2.44	8.5	CH35-42C	EL296UH090XE48C	10098430
SL18XP1-042-230	40500	15.1	12.5	37000	24600	3.36	2.46	8.5	CH35-42C	EL296UH090XV36C	10098431
SL18XP1-042-230	40500	15.1	12.5	37000	24400	3.4	2.46	8.5	CH35-42C	EL296UH090XV48C	10098432
SL18XP1-042-230	40500	15.1	12.5	36800	24400	3.38	2.46	8.5	CH35-42C	EL296UH090XV60C	10098433
SL18XP1-042-230	40500	15.1	12.5	37200	24600	3.42	2.46	8.5	CH35-42C	EL296UH110XE60C	10098434
SL18XP1-042-230	40500	15.1	12.5	37000	24400	3.42	2.46	8.5	CH35-42C	EL296UH110XV48C	10098435
SL18XP1-042-230	40500	15.1	12.5	37000	24400	3.42	2.46	8.5	CH35-42C	EL296UH110XV60C	10098436
SL18XP1-042-230	40500	15.1	12.5	37000	24400	3.42	2.48	8.5	CH35-42C	ML180UH090E60C	10589968

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-042-230	40500	15.1	12.5	36800	24400	3.4	2.48	8.5	CH35-42C	ML180UH110E60C	10590220
SL18XP1-042-230	40500	15.1	12.5	36800	24400	3.4	2.48	8.5	CH35-42C	ML180UH110XE60C	10590317
SL18XP1-042-230	41000	15.5	12.5	37000	24400	3.46	2.48	8.5	CH35-42C	SL280UH090V60C	10098437
SL18XP1-042-230	41000	15.5	12.5	37000	24400	3.46	2.48	8.5	CH35-42C	SL280UH090XV60C	10098438
SL18XP1-042-230	40500	15.5	12.5	36800	24200	3.48	2.52	9.2	CH35-42C	SL280UH100NV60C	10581398
SL18XP1-042-230	40500	15.1	12.5	37000	24400	3.44	2.48	8.5	CH35-42C	SL280UH110V60C	10098439
SL18XP1-042-230	40500	15.1	12.5	37000	24400	3.44	2.48	8.5	CH35-42C	SL280UH110XV60C	10098440
SL18XP1-042-230	40500	15.1	12.5	37000	24600	3.36	2.46	8.5	CH35-42C	SLP98UH090XV36C	10098441
SL18XP1-042-230	40500	15.1	12.5	37000	24400	3.4	2.46	8.5	CH35-42C	SLP98UH090XV48C	10098442
SL18XP1-042-230	40500	15.1	12.5	36800	24400	3.38	2.46	8.5	CH35-42C	SLP98UH090XV60C	10098443
SL18XP1-042-230	40500	15.1	12.5	37000	24400	3.42	2.46	8.5	CH35-42C	SLP98UH110XV60C	10098444
SL18XP1-042-230	40000	14	12	37800	25200	3.32	2.4	8.5	CH35-42C		10098424
SL18XP1-042-230	41000	15.5	12.5	36600	23800	3.28	2.38	8.5	CH35-48C	EL180UH090E60C	10098446
SL18XP1-042-230	41000	15.5	12.5	36600	23800	3.28	2.38	8.5	CH35-48C	EL180UH110E60C	10098447
SL18XP1-042-230	41000	15.5	12.5	36600	23800	3.28	2.38	8.5	CH35-48C	EL180UH110XE60C	10098448
SL18XP1-042-230	40500	15.5	12.5	36600	23800	3.24	2.36	8.5	CH35-48C	EL195UH090XE48C	10098449
SL18XP1-042-230	41000	15.1	12.5	37000	24000	3.28	2.36	8.5	CH35-48C	EL195UH110XE60C	10098450
SL18XP1-042-230	40500	15.5	12.5	36600	23800	3.24	2.36	8.5	CH35-48C	EL296UH090XE48C	10098451
SL18XP1-042-230	41000	15.1	12.5	36800	24000	3.24	2.36	8.5	CH35-48C	EL296UH090XV36C	10098452
SL18XP1-042-230	41000	15.5	12.5	36800	24000	3.28	2.38	8.5	CH35-48C	EL296UH090XV48C	10098453
SL18XP1-042-230	40500	15.5	12.5	36600	23800	3.26	2.36	8.5	CH35-48C	EL296UH090XV60C	10098454
SL18XP1-042-230	41000	15.1	12.5	37000	24000	3.28	2.36	8.5	CH35-48C	EL296UH110XE60C	10098455
SL18XP1-042-230	41000	15.5	12.5	36800	24000	3.28	2.38	8.5	CH35-48C	EL296UH110XV48C	10098456
SL18XP1-042-230	41000	15.5	12.5	36800	24000	3.28	2.38	8.5	CH35-48C	EL296UH110XV60C	10098457
SL18XP1-042-230	41000	15.5	12.5	36600	23800	3.28	2.38	8.5	CH35-48C	ML180UH090E60C	10589969
SL18XP1-042-230	41000	15.5	12.5	36600	23800	3.28	2.38	8.5	CH35-48C	ML180UH110E60C	10590221
SL18XP1-042-230	41000	15.5	12.5	36600	23800	3.28	2.38	8.5	CH35-48C	ML180UH110XE60C	10590318
SL18XP1-042-230	41000	15.5	12.5	36800	24000	3.32	2.4	8.5	CH35-48C	SL280UH090V60C	10098458
SL18XP1-042-230	41000	15.5	12.5	36800	24000	3.32	2.4	8.5	CH35-48C	SL280UH090XV60C	10098459
SL18XP1-042-230	41000	16	13.5	36600	23800	3.36	2.42	9	CH35-48C	SL280UH100NV60C	10581399
SL18XP1-042-230	41000	15.5	12.5	36800	24000	3.3	2.38	8.5	CH35-48C	SL280UH110V60C	10098460
SL18XP1-042-230	41000	15.5	12.5	36800	24000	3.3	2.38	8.5	CH35-48C	SL280UH110XV60C	10098461
SL18XP1-042-230	41000	15.1	12.5	36800	24000	3.24	2.36	8.5	CH35-48C	SLP98UH090XV36C	10098462
SL18XP1-042-230	41000	15.5	12.5	36800	24000	3.28	2.38	8.5	CH35-48C	SLP98UH090XV48C	10098463
SL18XP1-042-230	40500	15.5	12.5	36600	23800	3.26	2.36	8.5	CH35-48C	SLP98UH090XV60C	10098464
SL18XP1-042-230	41000	15.5	12.5	36800	24000	3.28	2.38	8.5	CH35-48C	SLP98UH110XV60C	10098465
SL18XP1-042-230	40000	14	12	37400	24600	3.2	2.32	8.5	CH35-48C		10098445
SL18XP1-042-230	41500	15.5	12.5	36400	24200	3.54	2.52	9	CH35-51C	EL180UH090E60C	10098466
SL18XP1-042-230	41000	15.5	12.5	36400	24200	3.52	2.52	9	CH35-51C	EL180UH110E60C	10098467
SL18XP1-042-230	41000	15.5	12.5	36400	24200	3.52	2.52	9	CH35-51C	EL180UH110XE60C	10098468
SL18XP1-042-230	41000	15.5	12.5	36400	24200	3.48	2.48	9	CH35-51C	EL195UH090XE48C	10098469
SL18XP1-042-230	41500	15.5	12.5	36800	24400	3.54	2.52	9	CH35-51C	EL195UH110XE60C	10098470
SL18XP1-042-230	41000	15.5	12.5	36400	24200	3.48	2.48	9	CH35-51C	EL296UH090XE48C	10098471
SL18XP1-042-230	41000	15.1	12.5	36600	24400	3.48	2.48	9	CH35-51C	EL296UH090XV36C	10098472
SL18XP1-042-230	41000	15.5	12.5	36600	24400	3.52	2.52	9	CH35-51C	EL296UH090XV48C	10098473
SL18XP1-042-230	41000	15.5	12.5	36400	24200	3.48	2.5	9	CH35-51C	EL296UH090XV60C	10098474
SL18XP1-042-230	41500	15.5	12.5	36800	24400	3.54	2.52	9	CH35-51C	EL296UH110XE60C	10098475
SL18XP1-042-230	41500	15.5	12.5	36600	24400	3.54	2.52	9	CH35-51C	EL296UH110XV48C	10098476
SL18XP1-042-230	41500	15.5	12.5	36600	24400	3.52	2.52	9	CH35-51C	EL296UH110XV60C	10098477
SL18XP1-042-230	41500	15.5	12.5	36400	24200	3.54	2.52	9	CH35-51C	ML180UH090E60C	10589970
SL18XP1-042-230	41000	15.5	12.5	36400	24200	3.52	2.52	9	CH35-51C	ML180UH110E60C	10590222
SL18XP1-042-230	41000	15.5	12.5	36400	24200	3.52	2.52	9	CH35-51C	ML180UH110XE60C	10590319
SL18XP1-042-230	41000	15.5	12.5	36200	24200	3.5	2.54	9	CH35-51C	SL280UH090V60C	10098478
SL18XP1-042-230	41000	15.5	12.5	36200	24200	3.5	2.54	9	CH35-51C	SL280UH090XV60C	10098479
SL18XP1-042-230	41500	16	13.5	36400	24200	3.62	2.58	9.4	CH35-51C	SL280UH100NV60C	10581400
SL18XP1-042-230	41500	15.5	12.5	36600	24400	3.54	2.52	9	CH35-51C	SL280UH110V60C	10099354
SL18XP1-042-230	41500	15.5	12.5	36600	24400	3.54	2.52	9	CH35-51C	SL280UH110XV60C	10099355
SL18XP1-042-230	41000	15.1	12.5	36600	24400	3.48	2.48	9	CH35-51C	SLP98UH090XV36C	10099356
SL18XP1-042-230	41000	15.5	12.5	36400	24200	3.48	2.5	9	CH35-51C	SLP98UH090XV48C	10099357
SL18XP1-042-230	41000	15.5	12.5	36400	24200	3.48	2.5	9	CH35-51C	SLP98UH090XV60C	10098480
SL18XP1-042-230	41500	15.5	12.5	36600	24400	3.52	2.52	9	CH35-51C	SLP98UH110XV60C	10098481

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-042-230	40500	14	12	37200	25000	3.42	2.46	8.5	CH35-51C		10098482
SL18XP1-042-230	40500	15.1	13	36600	23000	3.7	2.56	9.5	CR33-50/60	EL180DF110E60C	8329668
SL18XP1-042-230	40000	15	12.5	36600	23200	3.64	2.54	9	CR33-50/60	EL195DF090XE48C	8329673
SL18XP1-042-230	40500	15.1	12.5	36800	23200	3.7	2.54	9.5	CR33-50/60	EL195DF110XE60C	8329669
SL18XP1-042-230	40000	15	12.5	36600	23200	3.64	2.54	9	CR33-50/60	EL296DF090XE48C	8329674
SL18XP1-042-230	40500	15.1	12.5	36800	23200	3.7	2.54	9.5	CR33-50/60	EL296DF110XE60C	8329670
SL18XP1-042-230	40500	15.1	13	36600	23000	3.7	2.56	9.5	CR33-50/60	ML180DF110E60C	10589541
SL18XP1-042-230	40500	15.1	13	36600	23000	3.72	2.56	9.5	CR33-50/60	SL280DF090V60C	8329667
SL18XP1-042-230	40500	15.5	13	36600	23000	3.74	2.58	9.5	CR33-50/60	SL280DF110V60C	8329666
SL18XP1-042-230	40500	14.5	12.5	36800	23200	3.66	2.52	9	CR33-50/60	SLP98DF090XV36C	8329676
SL18XP1-042-230	40500	15.1	13	36600	23200	3.66	2.54	9	CR33-50/60	SLP98DF090XV48C	8329672
SL18XP1-042-230	40500	15	12.5	37000	23400	3.7	2.54	9	CR33-50/60	SLP98DF090XV60C	8329675
SL18XP1-042-230	40500	15.1	12.5	36800	23200	3.7	2.56	9.5	CR33-50/60	SLP98DF110XV60C	8329671
SL18XP1-042-230	40000	14	12	37400	23800	3.52	2.46	9	CR33-50/60		8329677
SL18XP1-042-230	40000	14.5	12.5	35400	22600	3.3	2.34	8.5	CX34-43	EL180UH090E48B	8329678
SL18XP1-042-230	40500	15.1	12.5	35200	22600	3.36	2.4	8.5	CX34-43	EL180UH090E60C	8329686
SL18XP1-042-230	40000	14.5	12.5	35400	22600	3.3	2.34	8.5	CX34-43	EL180UH090XE48B	8329679
SL18XP1-042-230	40500	15.1	12.5	35200	22600	3.34	2.38	8.5	CX34-43	EL180UH110E60C	8329690
SL18XP1-042-230	40500	15.1	12.5	35200	22600	3.34	2.38	8.5	CX34-43	EL180UH110XE60C	8329691
SL18XP1-042-230	40000	15	12.5	35200	22600	3.28	2.36	8.5	CX34-43	EL195UH090XE48C	8329692
SL18XP1-042-230	40500	15	12.5	35600	22800	3.36	2.38	8.5	CX34-43	EL195UH110XE60C	8329693
SL18XP1-042-230	40000	14	12	35600	23000	3.2	2.3	8.2	CX34-43	EL296UH045XV36B	8329685
SL18XP1-042-230	40000	14	12	35600	23000	3.18	2.28	8.2	CX34-43	EL296UH070XV36B	8329683
SL18XP1-042-230	40000	15	12.5	35200	22600	3.28	2.36	8.5	CX34-43	EL296UH090XE48C	8329694
SL18XP1-042-230	40000	14.5	12.5	35400	22600	3.28	2.34	8.5	CX34-43	EL296UH090XV36C	8329704
SL18XP1-042-230	40000	14.5	12.5	35400	22600	3.3	2.36	8.5	CX34-43	EL296UH090XV48C	8329703
SL18XP1-042-230	40000	15	12.5	35000	22400	3.28	2.34	8.5	CX34-43	EL296UH090XV60C	8329695
SL18XP1-042-230	40500	15	12.5	35600	22800	3.36	2.38	8.5	CX34-43	EL296UH110XE60C	8329696
SL18XP1-042-230	40500	15	12.5	35400	22600	3.34	2.36	8.5	CX34-43	EL296UH110XV48C	8329697
SL18XP1-042-230	40500	15	12.5	35400	22600	3.34	2.38	8.5	CX34-43	EL296UH110XV60C	8329698
SL18XP1-042-230	40000	14.5	12.5	35400	22600	3.3	2.34	8.5	CX34-43	ML180UH090E48B	10589745
SL18XP1-042-230	40500	15.1	12.5	35200	22600	3.36	2.4	8.5	CX34-43	ML180UH090E60C	10589861
SL18XP1-042-230	40000	14.5	12.5	35400	22600	3.3	2.34	8.5	CX34-43	ML180UH090XE48B	10590029
SL18XP1-042-230	40500	15.1	12.5	35200	22600	3.34	2.38	8.5	CX34-43	ML180UH110E60C	10590115
SL18XP1-042-230	40500	15.1	12.5	35200	22600	3.34	2.38	8.5	CX34-43	ML180UH110XE60C	10590292
SL18XP1-042-230	40000	14.5	12.5	35400	22800	3.28	2.36	8.5	CX34-43	SL280UH090V36B	8329680
SL18XP1-042-230	40000	14.5	12.5	35200	22600	3.26	2.34	8.5	CX34-43	SL280UH090V48B	8329681
SL18XP1-042-230	40000	15.1	13	35000	22400	3.3	2.38	8.5	CX34-43	SL280UH090V60C	8329702
SL18XP1-042-230	40000	14.5	12.5	35200	22600	3.26	2.34	8.5	CX34-43	SL280UH090XV48B	8329682
SL18XP1-042-230	40000	15.1	13	35000	22400	3.3	2.38	8.5	CX34-43	SL280UH090XV60C	8329689
SL18XP1-042-230	40500	15.1	12.5	35200	22600	3.34	2.38	8.5	CX34-43	SL280UH110V60C	8329687
SL18XP1-042-230	40500	15.1	12.5	35200	22600	3.34	2.38	8.5	CX34-43	SL280UH110XV60C	8329688
SL18XP1-042-230	40000	14	12	35600	23000	3.18	2.28	8.2	CX34-43	SLP98UH070XV36B	8329684
SL18XP1-042-230	40000	14.5	12.5	35400	22600	3.28	2.34	8.5	CX34-43	SLP98UH090XV36C	8329705
SL18XP1-042-230	40000	15.1	12.5	35000	22400	3.3	2.36	8.5	CX34-43	SLP98UH090XV48C	8329699
SL18XP1-042-230	40000	15	12.5	35000	22400	3.28	2.34	8.5	CX34-43	SLP98UH090XV60C	8329700
SL18XP1-042-230	40500	15	12.5	35400	22600	3.34	2.38	8.5	CX34-43	SLP98UH110XV60C	8329701
SL18XP1-042-230	41000	15.1	12.5	35400	22600	3.46	2.42	8.5	CX34-49	EL180UH090E60C	8329709
SL18XP1-042-230	41000	15.1	12.5	35400	22600	3.46	2.4	8.5	CX34-49	EL180UH110E60C	8329710
SL18XP1-042-230	41000	15.1	12.5	35400	22600	3.46	2.4	8.5	CX34-49	EL180UH110XE60C	8329711
SL18XP1-042-230	40500	14.5	12.5	35400	22600	3.42	2.4	8.5	CX34-49	EL195UH090XE48C	8329721
SL18XP1-042-230	41500	14.5	12.5	35600	22800	3.46	2.4	8.5	CX34-49	EL195UH110XE60C	8329722
SL18XP1-042-230	40500	14.5	12.5	35400	22600	3.42	2.4	8.5	CX34-49	EL296UH090XE48C	8329723
SL18XP1-042-230	41000	14.5	12.5	35400	22800	3.44	2.4	8.5	CX34-49	EL296UH090XV36C	8329724
SL18XP1-042-230	41000	15.1	12.5	35400	22800	3.46	2.44	8.5	CX34-49	EL296UH090XV48C	8329712
SL18XP1-042-230	41000	15.1	12.5	35200	22600	3.44	2.42	8.5	CX34-49	EL296UH090XV60C	8329713
SL18XP1-042-230	41500	14.5	12.5	35600	22800	3.46	2.4	8.5	CX34-49	EL296UH110XE60C	8329725
SL18XP1-042-230	41500	15.1	12.5	35600	22800	3.5	2.44	8.5	CX34-49	EL296UH110XV48C	8329714
SL18XP1-042-230	41500	15.1	12.5	35400	22800	3.48	2.46	8.5	CX34-49	EL296UH110XV60C	8329715
SL18XP1-042-230	41000	15.1	12.5	35400	22600	3.46	2.42	8.5	CX34-49	ML180UH090E60C	10589862
SL18XP1-042-230	41000	15.1	12.5	35400	22600	3.46	2.4	8.5	CX34-49	ML180UH110E60C	10590116

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-042-230	41000	15.1	12.5	35400	22600	3.46	2.4	8.5	CX34-49	ML180UH110XE60C	10590293
SL18XP1-042-230	41000	15.1	13	35200	22400	3.48	2.44	8.5	CX34-49	SL280UH090V60C	8329720
SL18XP1-042-230	41000	15.1	13	35200	22400	3.48	2.44	8.5	CX34-49	SL280UH090XV60C	8329708
SL18XP1-042-230	41500	15.1	13	35400	22600	3.5	2.44	9	CX34-49	SL280UH110V60C	8329706
SL18XP1-042-230	41500	15.1	13	35400	22600	3.5	2.44	9	CX34-49	SL280UH110XV60C	8329707
SL18XP1-042-230	41000	15	12.5	35400	22800	3.44	2.4	8.5	CX34-49	SLP98UH090XV36C	8329719
SL18XP1-042-230	41000	15.1	12.5	35200	22600	3.46	2.42	8.5	CX34-49	SLP98UH090XV48C	8329716
SL18XP1-042-230	41000	15.1	12.5	35200	22600	3.44	2.42	8.5	CX34-49	SLP98UH090XV60C	8329717
SL18XP1-042-230	41500	15.1	12.5	35400	22800	3.48	2.46	8.5	CX34-49	SLP98UH110XV60C	8329718
SL18XP1-042-230	40500	14	11.5	36200	23400	3.32	2.32	8.5	CX34-49		8329726
SL18XP1-042-230	40000	14.5	12.5	35200	22600	3.3	2.36	8.5	CX34-50/60C	EL180UH090E60C	8329729
SL18XP1-042-230	40000	14.5	12.5	35200	22600	3.28	2.36	8.5	CX34-50/60C	EL180UH110E60C	8329730
SL18XP1-042-230	40000	14.5	12.5	35200	22600	3.28	2.36	8.5	CX34-50/60C	EL180UH110XE60C	8329731
SL18XP1-042-230	39500	14.5	12.5	35200	22600	3.24	2.32	8.5	CX34-50/60C	EL195UH090XE48C	8329732
SL18XP1-042-230	40000	14.5	12.5	35400	22800	3.28	2.36	8.5	CX34-50/60C	EL195UH110XE60C	8329733
SL18XP1-042-230	39500	14.5	12.5	35200	22600	3.24	2.32	8.5	CX34-50/60C	EL296UH090XE48C	8329734
SL18XP1-042-230	39500	14.5	12	35400	22800	3.24	2.32	8.5	CX34-50/60C	EL296UH090XV36C	8329744
SL18XP1-042-230	40000	14.5	12.5	35400	22600	3.28	2.34	8.5	CX34-50/60C	EL296UH090XV48C	8329735
SL18XP1-042-230	39500	14.5	12.5	35200	22600	3.26	2.34	8.5	CX34-50/60C	EL296UH090XV60C	8329736
SL18XP1-042-230	40000	14.5	12.5	35400	22800	3.28	2.36	8.5	CX34-50/60C	EL296UH110XE60C	8329737
SL18XP1-042-230	40000	14.5	12.5	35400	22600	3.28	2.34	8.5	CX34-50/60C	EL296UH110XV48C	8330124
SL18XP1-042-230	40000	14.5	12.5	35400	22800	3.28	2.36	8.5	CX34-50/60C	EL296UH110XV60C	8329738
SL18XP1-042-230	40000	14.5	12.5	35200	22600	3.3	2.36	8.5	CX34-50/60C	ML180UH090E60C	10589863
SL18XP1-042-230	40000	14.5	12.5	35200	22600	3.28	2.36	8.5	CX34-50/60C	ML180UH110E60C	10590117
SL18XP1-042-230	40000	14.5	12.5	35200	22600	3.28	2.36	8.5	CX34-50/60C	ML180UH110XE60C	10590294
SL18XP1-042-230	39500	15	12.5	35000	22400	3.26	2.34	8.5	CX34-50/60C	SL280UH090V60C	8329727
SL18XP1-042-230	39500	15	12.5	35000	22400	3.26	2.34	8.5	CX34-50/60C	SL280UH090XV60C	8329728
SL18XP1-042-230	40000	14.5	12.5	35400	22600	3.3	2.34	8.5	CX34-50/60C	SL280UH110V60C	8329739
SL18XP1-042-230	40000	14.5	12.5	35400	22600	3.3	2.34	8.5	CX34-50/60C	SL280UH110XV60C	8329740
SL18XP1-042-230	39500	14.5	12	35400	22800	3.24	2.32	8.5	CX34-50/60C	SLP98UH090XV36C	8329745
SL18XP1-042-230	40000	14.5	12.5	35400	22600	3.28	2.34	8.5	CX34-50/60C	SLP98UH090XV48C	8329741
SL18XP1-042-230	39500	14.5	12.5	35200	22600	3.26	2.34	8.5	CX34-50/60C	SLP98UH090XV60C	8329742
SL18XP1-042-230	40000	14.5	12.5	35400	22800	3.28	2.36	8.5	CX34-50/60C	SLP98UH110XV60C	8329743
SL18XP1-042-230	40000	15.1	12.5	36600	24600	3.44	2.5	8.5	CX35-48B	EL180UH090E48B	10098522
SL18XP1-042-230	40000	15.1	12.5	36600	24600	3.44	2.5	8.5	CX35-48B	EL180UH090XE48B	10098523
SL18XP1-042-230	40000	14.5	12	36800	24800	3.36	2.44	8.5	CX35-48B	EL296UH045XV36B	10098524
SL18XP1-042-230	40000	14.5	12	36800	25000	3.34	2.44	8.5	CX35-48B	EL296UH070XV36B	10098525
SL18XP1-042-230	40000	15.1	12.5	36600	24600	3.44	2.5	8.5	CX35-48B	ML180UH090E48B	10589793
SL18XP1-042-230	40000	15.1	12.5	36600	24600	3.44	2.5	8.5	CX35-48B	ML180UH090XE48B	10590050
SL18XP1-042-230	40000	15.1	12.5	36600	24600	3.42	2.5	8.5	CX35-48B	SL280UH090V36B	10098526
SL18XP1-042-230	40000	15.1	12.5	36400	24600	3.4	2.5	8.5	CX35-48B	SL280UH090V48B	10099368
SL18XP1-042-230	40000	15.1	12.5	36400	24600	3.4	2.5	8.5	CX35-48B	SL280UH090XV48B	10099369
SL18XP1-042-230	40000	14.5	12	36800	25000	3.34	2.44	8.5	CX35-48B	SLP98UH070XV36B	10099370
SL18XP1-042-230	40500	15.5	12.5	36400	24400	3.5	2.54	9	CX35-48C	EL180UH090E60C	10098527
SL18XP1-042-230	40500	15.5	12.5	36400	24400	3.48	2.52	9	CX35-48C	EL180UH110E60C	10098528
SL18XP1-042-230	40500	15.5	12.5	36400	24400	3.48	2.52	9	CX35-48C	EL180UH110XE60C	10098529
SL18XP1-042-230	40000	15.1	12.5	36400	24400	3.46	2.5	8.5	CX35-48C	EL195UH090XE48C	10098530
SL18XP1-042-230	40500	15.1	12.5	36800	24600	3.52	2.52	9	CX35-48C	EL195UH110XE60C	10098531
SL18XP1-042-230	40000	15.1	12.5	36400	24400	3.46	2.5	8.5	CX35-48C	EL296UH090XE48C	10098532
SL18XP1-042-230	40000	15.1	12.5	36600	24600	3.44	2.5	8.5	CX35-48C	EL296UH090XV36C	10098533
SL18XP1-042-230	40000	15.1	12.5	36400	24600	3.44	2.52	8.5	CX35-48C	EL296UH090XV48C	10098534
SL18XP1-042-230	40000	15.1	12.5	36200	24400	3.42	2.52	8.5	CX35-48C	EL296UH090XV60C	10098535
SL18XP1-042-230	40500	15.1	12.5	36800	24600	3.52	2.52	9	CX35-48C	EL296UH110XE60C	10098536
SL18XP1-042-230	40500	15.1	12.5	36600	24600	3.48	2.52	8.5	CX35-48C	EL296UH110XV48C	10098537
SL18XP1-042-230	40500	15.5	12.5	36600	24400	3.5	2.52	9	CX35-48C	EL296UH110XV60C	10098538
SL18XP1-042-230	40500	15.5	12.5	36400	24400	3.5	2.54	9	CX35-48C	ML180UH090E60C	10589973
SL18XP1-042-230	40500	15.5	12.5	36400	24400	3.48	2.52	9	CX35-48C	ML180UH110E60C	10590225
SL18XP1-042-230	40500	15.5	12.5	36400	24400	3.48	2.52	9	CX35-48C	ML180UH110XE60C	10590322
SL18XP1-042-230	40000	15.5	12.5	36200	24200	3.46	2.52	8.5	CX35-48C	SL280UH090V60C	10098539
SL18XP1-042-230	40000	15.5	12.5	36200	24200	3.46	2.52	8.5	CX35-48C	SL280UH090XV60C	10098540
SL18XP1-042-230	40500	15.5	12.5	36400	24400	3.52	2.56	9.2	CX35-48C	SL280UH100NV60C	10581401

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-042-230	40500	15.5	12.5	36400	24400	3.5	2.52	9	CX35-48C	SL280UH110V60C	10099372
SL18XP1-042-230	40500	15.5	12.5	36400	24400	3.5	2.52	9	CX35-48C	SL280UH110XV60C	10099373
SL18XP1-042-230	40000	15.1	12.5	36400	24600	3.42	2.5	8.5	CX35-48C	SLP98UH090XV36C	10099374
SL18XP1-042-230	40000	15.5	12.5	36200	24400	3.44	2.52	8.5	CX35-48C	SLP98UH090XV48C	10099375
SL18XP1-042-230	40000	15.1	12.5	36200	24400	3.42	2.52	8.5	CX35-48C	SLP98UH090XV60C	10098541
SL18XP1-042-230	40500	15.5	12.5	36600	24400	3.5	2.52	9	CX35-48C	SLP98UH110XV60C	10098542
SL18XP1-042-230	39500	14	12	37200	25200	3.36	2.44	8.5	CX35-48C		10099371
SL18XP1-042-230	40000	15.1	12.5	36400	24400	3.4	2.48	8.5	CX35-50/60C	EL180UH090E60C	10098543
SL18XP1-042-230	39500	15.1	12.5	36200	24400	3.4	2.48	8.5	CX35-50/60C	EL180UH110E60C	10098544
SL18XP1-042-230	39500	15.1	12.5	36200	24400	3.4	2.48	8.5	CX35-50/60C	EL180UH110XE60C	10098545
SL18XP1-042-230	39500	15.1	12.5	36400	24400	3.38	2.46	8.5	CX35-50/60C	EL195UH090XE48C	10098546
SL18XP1-042-230	40000	15.1	12.5	36600	24600	3.42	2.48	8.5	CX35-50/60C	EL195UH110XE60C	10098547
SL18XP1-042-230	39500	15.1	12.5	36400	24400	3.38	2.46	8.5	CX35-50/60C	EL296UH090XE48C	10098548
SL18XP1-042-230	39500	14.5	12.5	36600	24600	3.38	2.44	8.5	CX35-50/60C	EL296UH090XV36C	10098549
SL18XP1-042-230	40000	15.1	12.5	36400	24600	3.38	2.48	8.5	CX35-50/60C	EL296UH090XV48C	10098550
SL18XP1-042-230	39500	15.1	12.5	36400	24400	3.4	2.48	8.5	CX35-50/60C	EL296UH090XV60C	10098551
SL18XP1-042-230	40000	15.1	12.5	36600	24600	3.42	2.48	8.5	CX35-50/60C	EL296UH110XE60C	10098552
SL18XP1-042-230	40000	15.1	12.5	36600	24600	3.42	2.48	8.5	CX35-50/60C	EL296UH110XV48C	10098553
SL18XP1-042-230	40000	15.1	12.5	36600	24600	3.42	2.48	8.5	CX35-50/60C	EL296UH110XV60C	10098554
SL18XP1-042-230	40000	15.1	12.5	36400	24400	3.4	2.48	8.5	CX35-50/60C	ML180UH090E60C	10589974
SL18XP1-042-230	39500	15.1	12.5	36200	24400	3.4	2.48	8.5	CX35-50/60C	ML180UH110E60C	10590226
SL18XP1-042-230	39500	15.1	12.5	36200	24400	3.4	2.48	8.5	CX35-50/60C	ML180UH110XE60C	10590323
SL18XP1-042-230	39500	15.1	12.5	36000	24200	3.38	2.48	8.5	CX35-50/60C	SL280UH090V60C	10098555
SL18XP1-042-230	39500	15.1	12.5	36000	24200	3.38	2.48	8.5	CX35-50/60C	SL280UH090XV60C	10098556
SL18XP1-042-230	40000	15.5	12.5	36400	24400	3.5	2.54	9.2	CX35-50/60C	SL280UH100NV60C	10581402
SL18XP1-042-230	40000	15.1	12.5	36600	24600	3.44	2.48	8.5	CX35-50/60C	SL280UH110V60C	10099376
SL18XP1-042-230	40000	15.1	12.5	36600	24600	3.44	2.48	8.5	CX35-50/60C	SL280UH110XV60C	10099377
SL18XP1-042-230	39500	14.5	12.5	36600	24600	3.38	2.46	8.5	CX35-50/60C	SLP98UH090XV36C	10099378
SL18XP1-042-230	40000	15.1	12.5	36400	24600	3.38	2.48	8.5	CX35-50/60C	SLP98UH090XV48C	10098557
SL18XP1-042-230	39500	15.1	12.5	36400	24400	3.4	2.48	8.5	CX35-50/60C	SLP98UH090XV60C	10098558
SL18XP1-042-230	40000	15.1	12.5	36600	24600	3.42	2.48	8.5	CX35-50/60C	SLP98UH110XV60C	10098559
SL18XP1-042-230	39000	14	11.5	37200	25200	3.32	2.42	8.5	CX35-50/60C		10098560
SL18XP1-042-230	42000	16	13.5	37000	24600	3.72	2.64	9.2	CX35-60C	EL180UH090E60C	10098582
SL18XP1-042-230	42000	16	13.5	37000	24600	3.72	2.64	9.2	CX35-60C	EL180UH110E60C	10098583
SL18XP1-042-230	42000	16	13.5	37000	24600	3.72	2.64	9.2	CX35-60C	EL180UH110XE60C	10098584
SL18XP1-042-230	41500	15.5	12.5	37000	24600	3.66	2.62	9	CX35-60C	EL195UH090XE48C	10098585
SL18XP1-042-230	42000	15.5	12.5	37200	24800	3.7	2.62	9.2	CX35-60C	EL195UH110XE60C	10098586
SL18XP1-042-230	41500	15.5	12.5	37000	24600	3.66	2.62	9	CX35-60C	EL296UH090XE48C	10098587
SL18XP1-042-230	42000	15.5	12.5	37200	24800	3.68	2.62	9	CX35-60C	EL296UH090XV36C	10098588
SL18XP1-042-230	42000	15.5	12.5	37000	24800	3.68	2.64	9.2	CX35-60C	EL296UH090XV48C	10098589
SL18XP1-042-230	41500	16	13.5	37000	24600	3.7	2.64	9	CX35-60C	EL296UH090XV60C	10098590
SL18XP1-042-230	42000	15.5	12.5	37200	24800	3.7	2.62	9.2	CX35-60C	EL296UH110XE60C	10098591
SL18XP1-042-230	42000	16	13.5	37200	24800	3.72	2.64	9.2	CX35-60C	EL296UH110XV48C	10098592
SL18XP1-042-230	42000	16	13.5	37200	24800	3.74	2.66	9.2	CX35-60C	EL296UH110XV60C	10098593
SL18XP1-042-230	42000	16	13.5	37000	24600	3.72	2.64	9.2	CX35-60C	ML180UH090E60C	10589976
SL18XP1-042-230	42000	16	13.5	37000	24600	3.72	2.64	9.2	CX35-60C	ML180UH110E60C	10590228
SL18XP1-042-230	42000	16	13.5	37000	24600	3.72	2.64	9.2	CX35-60C	ML180UH110XE60C	10590325
SL18XP1-042-230	42000	16	13.5	37200	24800	3.78	2.68	9.2	CX35-60C	SL280UH090V60C	10098594
SL18XP1-042-230	42000	16	13.5	37200	24800	3.78	2.68	9.2	CX35-60C	SL280UH090XV60C	10098595
SL18XP1-042-230	42000	16.5	14	37000	24600	3.8	2.7	9.6	CX35-60C	SL280UH100NV60C	10581403
SL18XP1-042-230	42000	16	13.5	37000	24600	3.72	2.64	9.2	CX35-60C	SL280UH110V60C	10098596
SL18XP1-042-230	42000	16	13.5	37000	24600	3.72	2.64	9.2	CX35-60C	SL280UH110XV60C	10098597
SL18XP1-042-230	42000	15.5	12.5	37200	24800	3.68	2.62	9	CX35-60C	SLP98UH090XV36C	10098598
SL18XP1-042-230	42000	15.5	12.5	37000	24800	3.68	2.64	9.2	CX35-60C	SLP98UH090XV48C	10098599
SL18XP1-042-230	41500	16	13.5	37000	24600	3.7	2.64	9	CX35-60C	SLP98UH090XV60C	10098600
SL18XP1-042-230	42000	16	13.5	37200	24800	3.74	2.66	9.2	CX35-60C	SLP98UH110XV60C	10098601
SL18XP1-042-230	41000	14.5	12.5	37800	25400	3.58	2.56	8.5	CX35-60C		10098602
SL18XP1-042-230	40000	14.5	12.5	35400	22600	3.3	2.34	8.5	CX38-43B	EL180UH090E48B	10085445
SL18XP1-042-230	40000	14.5	12.5	35400	22600	3.3	2.34	8.5	CX38-43B	EL180UH090XE48B	10085446
SL18XP1-042-230	40000	14	12	35600	23000	3.2	2.3	8.2	CX38-43B	EL296UH045XV36B	10085452
SL18XP1-042-230	40000	14	12	35600	23000	3.18	2.28	8.2	CX38-43B	EL296UH070XV36B	10085450

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-042-230	40000	14.5	12.5	35400	22600	3.3	2.34	8.5	CX38-43B	ML180UH090E48B	10589776
SL18XP1-042-230	40000	14.5	12.5	35400	22600	3.3	2.34	8.5	CX38-43B	ML180UH090XE48B	10590037
SL18XP1-042-230	40000	14.5	12.5	35400	22800	3.28	2.36	8.5	CX38-43B	SL280UH090V36B	10085447
SL18XP1-042-230	40000	14.5	12.5	35200	22600	3.26	2.34	8.5	CX38-43B	SL280UH090V48B	10085448
SL18XP1-042-230	40000	14.5	12.5	35200	22600	3.26	2.34	8.5	CX38-43B	SL280UH090XV48B	10085449
SL18XP1-042-230	40000	14	12	35600	23000	3.18	2.28	8.2	CX38-43B	SLP98UH070XV36B	10085451
SL18XP1-042-230	40500	15.1	12.5	35200	22600	3.36	2.4	8.5	CX38-43C	EL180UH090E60C	10085453
SL18XP1-042-230	40500	15.1	12.5	35200	22600	3.34	2.38	8.5	CX38-43C	EL180UH110E60C	10085457
SL18XP1-042-230	40500	15.1	12.5	35200	22600	3.34	2.38	8.5	CX38-43C	EL180UH110XE60C	10085458
SL18XP1-042-230	40000	15	12.5	35200	22600	3.28	2.36	8.5	CX38-43C	EL195UH090XE48C	10085459
SL18XP1-042-230	40500	15	12.5	35600	22800	3.36	2.38	8.5	CX38-43C	EL195UH110XE60C	10085460
SL18XP1-042-230	40000	15	12.5	35200	22600	3.28	2.36	8.5	CX38-43C	EL296UH090XE48C	10085461
SL18XP1-042-230	40000	14.5	12.5	35400	22600	3.28	2.34	8.5	CX38-43C	EL296UH090XV36C	10085471
SL18XP1-042-230	40000	14.5	12.5	35400	22600	3.3	2.36	8.5	CX38-43C	EL296UH090XV48C	10085470
SL18XP1-042-230	40000	15	12.5	35000	22400	3.28	2.34	8.5	CX38-43C	EL296UH090XV60C	10085462
SL18XP1-042-230	40500	15	12.5	35600	22800	3.36	2.38	8.5	CX38-43C	EL296UH110XE60C	10085463
SL18XP1-042-230	40500	15	12.5	35400	22600	3.34	2.36	8.5	CX38-43C	EL296UH110XV48C	10085464
SL18XP1-042-230	40500	15	12.5	35400	22600	3.34	2.38	8.5	CX38-43C	EL296UH110XV60C	10085465
SL18XP1-042-230	40500	15.1	12.5	35200	22600	3.36	2.4	8.5	CX38-43C	ML180UH090E60C	10589934
SL18XP1-042-230	40500	15.1	12.5	35200	22600	3.34	2.38	8.5	CX38-43C	ML180UH110E60C	10590186
SL18XP1-042-230	40500	15.1	12.5	35200	22600	3.34	2.38	8.5	CX38-43C	ML180UH110XE60C	10590306
SL18XP1-042-230	40000	15.1	13	35000	22400	3.3	2.38	8.5	CX38-43C	SL280UH090V60C	10085469
SL18XP1-042-230	40000	15.1	13	35000	22400	3.3	2.38	8.5	CX38-43C	SL280UH090XV60C	10085456
SL18XP1-042-230	40500	15.5	12.5	35200	22400	3.4	2.42	8.8	CX38-43C	SL280UH100NV60C	10581404
SL18XP1-042-230	40500	15.1	12.5	35200	22600	3.34	2.38	8.5	CX38-43C	SL280UH110V60C	10085454
SL18XP1-042-230	40500	15.1	12.5	35200	22600	3.34	2.38	8.5	CX38-43C	SL280UH110XV60C	10085455
SL18XP1-042-230	40000	14.5	12.5	35400	22600	3.28	2.34	8.5	CX38-43C	SLP98UH090XV36C	10085472
SL18XP1-042-230	40000	15.1	12.5	35000	22400	3.3	2.36	8.5	CX38-43C	SLP98UH090XV48C	10085466
SL18XP1-042-230	40000	15	12.5	35000	22400	3.28	2.34	8.5	CX38-43C	SLP98UH090XV60C	10085467
SL18XP1-042-230	40500	15	12.5	35400	22600	3.34	2.38	8.5	CX38-43C	SLP98UH110XV60C	10085468
SL18XP1-042-230	41000	15.1	12.5	35400	22600	3.46	2.42	8.5	CX38-49C	EL180UH090E60C	10085476
SL18XP1-042-230	41000	15.1	12.5	35400	22600	3.46	2.4	8.5	CX38-49C	EL180UH110E60C	10085477
SL18XP1-042-230	41000	15.1	12.5	35400	22600	3.46	2.4	8.5	CX38-49C	EL180UH110XE60C	10085478
SL18XP1-042-230	40500	14.5	12.5	35400	22600	3.42	2.4	8.5	CX38-49C	EL195UH090XE48C	10085488
SL18XP1-042-230	41500	14.5	12.5	35600	22800	3.46	2.4	8.5	CX38-49C	EL195UH110XE60C	10085489
SL18XP1-042-230	40500	14.5	12.5	35400	22600	3.42	2.4	8.5	CX38-49C	EL296UH090XE48C	10085490
SL18XP1-042-230	41000	14.5	12.5	35400	22800	3.44	2.4	8.5	CX38-49C	EL296UH090XV36C	10085491
SL18XP1-042-230	41000	15.1	12.5	35400	22800	3.46	2.44	8.5	CX38-49C	EL296UH090XV48C	10085479
SL18XP1-042-230	41000	15.1	12.5	35200	22600	3.44	2.42	8.5	CX38-49C	EL296UH090XV60C	10085480
SL18XP1-042-230	41500	14.5	12.5	35600	22800	3.46	2.4	8.5	CX38-49C	EL296UH110XE60C	10085492
SL18XP1-042-230	41500	15.1	12.5	35600	22800	3.5	2.44	8.5	CX38-49C	EL296UH110XV48C	10085481
SL18XP1-042-230	41500	15.1	12.5	35400	22800	3.48	2.46	8.5	CX38-49C	EL296UH110XV60C	10085482
SL18XP1-042-230	41000	15.1	12.5	35400	22600	3.46	2.42	8.5	CX38-49C	ML180UH090E60C	10589935
SL18XP1-042-230	41000	15.1	12.5	35400	22600	3.46	2.4	8.5	CX38-49C	ML180UH110E60C	10590187
SL18XP1-042-230	41000	15.1	12.5	35400	22600	3.46	2.4	8.5	CX38-49C	ML180UH110XE60C	10590307
SL18XP1-042-230	41000	15.1	13	35200	22400	3.48	2.44	8.5	CX38-49C	SL280UH090V60C	10085487
SL18XP1-042-230	41000	15.1	13	35200	22400	3.48	2.44	8.5	CX38-49C	SL280UH090XV60C	10085475
SL18XP1-042-230	41500	15.5	12.5	35400	22400	3.56	2.46	9	CX38-49C	SL280UH100NV60C	10581405
SL18XP1-042-230	41500	15.1	13	35400	22600	3.5	2.44	9	CX38-49C	SL280UH110V60C	10085473
SL18XP1-042-230	41500	15.1	13	35400	22600	3.5	2.44	9	CX38-49C	SL280UH110XV60C	10085474
SL18XP1-042-230	41000	15	12.5	35400	22800	3.44	2.4	8.5	CX38-49C	SLP98UH090XV36C	10085486
SL18XP1-042-230	41000	15.1	12.5	35200	22600	3.46	2.42	8.5	CX38-49C	SLP98UH090XV48C	10085483
SL18XP1-042-230	41000	15.1	12.5	35200	22600	3.44	2.42	8.5	CX38-49C	SLP98UH090XV60C	10085484
SL18XP1-042-230	41500	15.1	12.5	35400	22800	3.48	2.46	8.5	CX38-49C	SLP98UH110XV60C	10085485
SL18XP1-042-230	40500	14	11.5	36200	23400	3.32	2.32	8.5	CX38-49C		10084147
SL18XP1-042-230	40000	14.5	12.5	35200	22600	3.3	2.36	8.5	CX38-50/60C	EL180UH090E60C	10085495
SL18XP1-042-230	40000	14.5	12.5	35200	22600	3.28	2.36	8.5	CX38-50/60C	EL180UH110E60C	10085496
SL18XP1-042-230	40000	14.5	12.5	35200	22600	3.28	2.36	8.5	CX38-50/60C	EL180UH110XE60C	10085497
SL18XP1-042-230	39500	14.5	12.5	35200	22600	3.24	2.32	8.5	CX38-50/60C	EL195UH090XE48C	10085498
SL18XP1-042-230	40000	14.5	12.5	35400	22800	3.28	2.36	8.5	CX38-50/60C	EL195UH110XE60C	10085499
SL18XP1-042-230	39500	14.5	12.5	35200	22600	3.24	2.32	8.5	CX38-50/60C	EL296UH090XE48C	10085500



# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-042-230	39500	14.5	12	35400	22800	3.24	2.32	8.5	CX38-50/60C	EL296UH090XV36C	10085510
SL18XP1-042-230	40000	14.5	12.5	35400	22600	3.28	2.34	8.5	CX38-50/60C	EL296UH090XV48C	10085501
SL18XP1-042-230	39500	14.5	12.5	35200	22600	3.26	2.34	8.5	CX38-50/60C	EL296UH090XV60C	10085502
SL18XP1-042-230	40000	14.5	12.5	35400	22800	3.28	2.36	8.5	CX38-50/60C	EL296UH110XE60C	10085503
SL18XP1-042-230	40000	14.5	12.5	35400	22600	3.28	2.34	8.5	CX38-50/60C	EL296UH110XV48C	10085512
SL18XP1-042-230	40000	14.5	12.5	35400	22800	3.28	2.36	8.5	CX38-50/60C	EL296UH110XV60C	10085504
SL18XP1-042-230	40000	14.5	12.5	35200	22600	3.3	2.36	8.5	CX38-50/60C	ML180UH090E60C	10589936
SL18XP1-042-230	40000	14.5	12.5	35200	22600	3.28	2.36	8.5	CX38-50/60C	ML180UH110E60C	10590188
SL18XP1-042-230	40000	14.5	12.5	35200	22600	3.28	2.36	8.5	CX38-50/60C	ML180UH110XE60C	10590308
SL18XP1-042-230	39500	15	12.5	35000	22400	3.26	2.34	8.5	CX38-50/60C	SL280UH090V60C	10085493
SL18XP1-042-230	39500	15	12.5	35000	22400	3.26	2.34	8.5	CX38-50/60C	SL280UH090XV60C	10085494
SL18XP1-042-230	40000	15.5	12.5	35200	22400	3.36	2.4	8.5	CX38-50/60C	SL280UH100NV60C	10581406
SL18XP1-042-230	40000	14.5	12.5	35400	22600	3.3	2.34	8.5	CX38-50/60C	SL280UH110V60C	10085505
SL18XP1-042-230	40000	14.5	12.5	35400	22600	3.3	2.34	8.5	CX38-50/60C	SL280UH110XV60C	10085506
SL18XP1-042-230	39500	14.5	12	35400	22800	3.24	2.32	8.5	CX38-50/60C	SLP98UH090XV36C	10085511
SL18XP1-042-230	40000	14.5	12.5	35400	22600	3.28	2.34	8.5	CX38-50/60C	SLP98UH090XV48C	10085507
SL18XP1-042-230	39500	14.5	12.5	35200	22600	3.26	2.34	8.5	CX38-50/60C	SLP98UH090XV60C	10085508
SL18XP1-042-230	40000	14.5	12.5	35400	22800	3.28	2.36	8.5	CX38-50/60C	SLP98UH110XV60C	10085509
SL18XP1-048-230	48000	14.5	12	45000	30000	3.68	2.72	9	C33-62C	EL180UH090E60C	8329122
SL18XP1-048-230	47500	14.5	12	45000	30000	3.66	2.7	9.5	C33-62C	EL180UH110E60C	8329125
SL18XP1-048-230	47500	14.5	12	45000	30000	3.66	2.7	9.5	C33-62C	EL180UH110XE60C	8329126
SL18XP1-048-230	48000	14.5	12	45500	30200	3.66	2.68	9	C33-62C	EL195UH090XE48C	8329130
SL18XP1-048-230	48000	14.5	12	45000	30200	3.64	2.7	9	C33-62C	EL195UH110XE60C	8329127
SL18XP1-048-230	48000	14.5	12	45500	30200	3.66	2.68	9	C33-62C	EL296UH090XE48C	8329131
SL18XP1-048-230	48000	14.5	12	45500	30400	3.66	2.7	9	C33-62C	EL296UH090XV48C	8329132
SL18XP1-048-230	48000	14.5	12	45500	30400	3.66	2.7	9	C33-62C	EL296UH090XV60C	8329133
SL18XP1-048-230	48000	14.5	12	45000	30200	3.64	2.7	9	C33-62C	EL296UH110XE60C	8329128
SL18XP1-048-230	48000	14.5	12	45500	30400	3.66	2.7	9	C33-62C	EL296UH110XV48C	8329134
SL18XP1-048-230	48000	14.5	12	45500	30400	3.66	2.7	9	C33-62C	EL296UH110XV60C	8329135
SL18XP1-048-230	48000	14.5	12	45000	30000	3.68	2.72	9	C33-62C	ML180UH090E60C	10589844
SL18XP1-048-230	47500	14.5	12	45000	30000	3.66	2.7	9.5	C33-62C	ML180UH110E60C	10590098
SL18XP1-048-230	47500	14.5	12	45000	30000	3.66	2.7	9.5	C33-62C	ML180UH110XE60C	10590275
SL18XP1-048-230	48000	14.5	12	45000	30200	3.68	2.72	9	C33-62C	SL280UH090V60C	8329123
SL18XP1-048-230	48000	14.5	12	45000	30200	3.68	2.72	9	C33-62C	SL280UH090XV60C	8329124
SL18XP1-048-230	48000	14.5	12	45000	30200	3.66	2.72	9	C33-62C	SL280UH110V60C	8329205
SL18XP1-048-230	48000	14.5	12	45000	30200	3.66	2.72	9	C33-62C	SL280UH110XV60C	8329206
SL18XP1-048-230	48000	14.5	12	45500	30400	3.66	2.7	9	C33-62C	SLP98UH090XV48C	8329207
SL18XP1-048-230	48000	14.5	12	45500	30400	3.66	2.7	9	C33-62C	SLP98UH090XV60C	8329208
SL18XP1-048-230	48000	14.5	12	45500	30200	3.66	2.7	9	C33-62C	SLP98UH110XV60C	8329129
SL18XP1-048-230	47500	14	11.5	46000	30800	3.58	2.62	9	C33-62C		8329136
SL18XP1-048-230	48000	15.1	12	45500	30200	3.7	2.66	9	C33-62D	EL180UH135E60D	8329137
SL18XP1-048-230	48000	14.5	12	45500	30400	3.62	2.62	9	C33-62D	EL195UH135XE60D	8329140
SL18XP1-048-230	48000	14.5	12	45500	30400	3.62	2.62	9	C33-62D	EL296UH135XE60D	8329141
SL18XP1-048-230	48000	14.5	12	45500	30400	3.66	2.64	9	C33-62D	EL296UH135XV60D	8329138
SL18XP1-048-230	48000	15.1	12	45500	30200	3.7	2.66	9	C33-62D	ML180UH135E60D	10590371
SL18XP1-048-230	47500	15.1	12	45000	30000	3.64	2.66	9	C33-62D	SL280UH135V60D	8329209
SL18XP1-048-230	48000	14.5	12	45500	30400	3.66	2.64	9	C33-62D	SLP98UH135XV60D	8331723
SL18XP1-048-230	47500	14	11.5	46000	30800	3.58	2.58	9	C33-62D		8329142
SL18XP1-048-230	47500	15.1	12.5	46000	30600	3.48	2.58	8.5	C35-48C	EL180UH090E60C	10099076
SL18XP1-048-230	47000	15.1	12.5	46000	30600	3.46	2.58	8.5	C35-48C	EL180UH110E60C	10099077
SL18XP1-048-230	47000	15.1	12.5	46000	30600	3.46	2.58	8.5	C35-48C	EL180UH110XE60C	10099078
SL18XP1-048-230	47000	15	12.5	46000	30800	3.44	2.56	8.5	C35-48C	EL195UH090XE48C	10099079
SL18XP1-048-230	47500	15.1	12.5	46000	30800	3.46	2.56	8.5	C35-48C	EL195UH110XE60C	10099080
SL18XP1-048-230	47000	15	12.5	46000	30800	3.44	2.56	8.5	C35-48C	EL296UH090XE48C	10099081
SL18XP1-048-230	47000	14.5	12	46500	31000	3.44	2.54	8.5	C35-48C	EL296UH090XV48C	10099082
SL18XP1-048-230	47000	14.5	12	46500	31000	3.42	2.52	8.5	C35-48C	EL296UH090XV60C	10099083
SL18XP1-048-230	47500	15.1	12.5	46000	30800	3.46	2.56	8.5	C35-48C	EL296UH110XE60C	10099084
SL18XP1-048-230	47000	14.5	12	46500	30800	3.44	2.54	8.5	C35-48C	EL296UH110XV48C	10099085
SL18XP1-048-230	47500	14.5	12	46500	31000	3.44	2.54	8.5	C35-48C	EL296UH110XV60C	10099086
SL18XP1-048-230	47500	15.1	12.5	46000	30600	3.48	2.58	8.5	C35-48C	ML180UH090E60C	10589980
SL18XP1-048-230	47000	15.1	12.5	46000	30600	3.46	2.58	8.5	C35-48C	ML180UH110E60C	10590232

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-048-230	47000	15.1	12.5	46000	30600	3.46	2.58	8.5	C35-48C	ML180UH110XE60C	10590329
SL18XP1-048-230	47500	15	12.5	46000	30800	3.44	2.56	8.5	C35-48C	SL280UH090V60C	10099087
SL18XP1-048-230	47500	15	12.5	46000	30800	3.44	2.56	8.5	C35-48C	SL280UH090XV60C	10099088
SL18XP1-048-230	47000	15.5	12.5	46000	30600	3.54	2.6	9	C35-48C	SL280UH100NV60C	10581407
SL18XP1-048-230	47000	15	12.5	46000	30800	3.44	2.54	8.5	C35-48C	SL280UH110V60C	10099089
SL18XP1-048-230	47000	15	12.5	46000	30800	3.44	2.54	8.5	C35-48C	SL280UH110XV60C	10099090
SL18XP1-048-230	47000	14.5	12	46500	31000	3.44	2.54	8.5	C35-48C	SLP98UH090XV48C	10099091
SL18XP1-048-230	47000	14.5	12	46500	31000	3.42	2.52	8.5	C35-48C	SLP98UH090XV60C	10099092
SL18XP1-048-230	47000	14.5	12	46000	31000	3.4	2.54	8.5	C35-48C	SLP98UH110XV60C	10099093
SL18XP1-048-230	46500	14	11.5	47000	31400	3.44	2.52	8.5	C35-48C		10099094
SL18XP1-048-230	47500	15.1	12.5	44500	29800	3.54	2.62	9	C35-49C	EL180UH090E60C	10099060
SL18XP1-048-230	47000	15.1	12.5	44500	29600	3.52	2.6	9	C35-49C	EL180UH110E60C	10099061
SL18XP1-048-230	47000	15.1	12.5	44500	29600	3.52	2.6	9	C35-49C	EL180UH110XE60C	10099062
SL18XP1-048-230	47000	15.1	12	45000	30000	3.52	2.6	9	C35-49C	EL195UH090XE48C	10099063
SL18XP1-048-230	47500	15.1	12.5	45000	29800	3.54	2.6	9	C35-49C	EL195UH110XE60C	10099064
SL18XP1-048-230	47000	15.1	12	45000	30000	3.52	2.6	9	C35-49C	EL296UH090XE48C	10099065
SL18XP1-048-230	47500	15.1	12.5	45000	29800	3.54	2.6	9	C35-49C	EL296UH110XE60C	10099066
SL18XP1-048-230	47000	15.1	12	45000	29800	3.52	2.58	9	C35-49C	EL296UH110XV48C	10099067
SL18XP1-048-230	47500	15	12	45000	30000	3.52	2.58	8.5	C35-49C	EL296UH110XV60C	10099068
SL18XP1-048-230	47500	15.1	12.5	44500	29800	3.54	2.62	9	C35-49C	ML180UH090E60C	10589979
SL18XP1-048-230	47000	15.1	12.5	44500	29600	3.52	2.6	9	C35-49C	ML180UH110E60C	10590231
SL18XP1-048-230	47000	15.1	12.5	44500	29600	3.52	2.6	9	C35-49C	ML180UH110XE60C	10590328
SL18XP1-048-230	47500	15.1	12.5	45000	29800	3.58	2.62	9	C35-49C	SL280UH090V60C	10099069
SL18XP1-048-230	47500	15.1	12.5	45000	29800	3.58	2.62	9	C35-49C	SL280UH090XV60C	10099070
SL18XP1-048-230	47500	15.5	12.5	45000	29800	3.62	2.64	9.4	C35-49C	SL280UH100NV60C	10581408
SL18XP1-048-230	47500	15.1	12.5	45000	29800	3.56	2.62	9	C35-49C	SL280UH110V60C	10099071
SL18XP1-048-230	47500	15.1	12.5	45000	29800	3.56	2.62	9	C35-49C	SL280UH110XV60C	10099072
SL18XP1-048-230	47500	15.1	12.5	45000	30000	3.52	2.58	9	C35-49C	SLP98UH090XV48C	10099073
SL18XP1-048-230	47500	15.1	12.5	45000	30000	3.52	2.6	9	C35-49C	SLP98UH090XV60C	10099074
SL18XP1-048-230	47000	15.1	12	45000	29800	3.54	2.58	9	C35-49C	SLP98UH110XV60C	10099075
SL18XP1-048-230	46500	14	11.5	45500	30400	3.48	2.56	8.5	C35-49C		10099059
SL18XP1-048-230	47000	15.1	12.5	46000	30600	3.42	2.54	8.5	C35-50/60C	EL180UH090E60C	10099095
SL18XP1-048-230	46500	15.1	12.5	45500	30600	3.38	2.54	8.5	C35-50/60C	EL180UH110E60C	10099096
SL18XP1-048-230	46500	15.1	12.5	45500	30600	3.38	2.54	8.5	C35-50/60C	EL180UH110XE60C	10099097
SL18XP1-048-230	46500	14.5	12	46000	30800	3.38	2.52	8.5	C35-50/60C	EL195UH090XE48C	10099098
SL18XP1-048-230	47000	14.5	12.5	46000	30800	3.4	2.54	8.5	C35-50/60C	EL195UH110XE60C	10099099
SL18XP1-048-230	46500	14.5	12	46000	30800	3.38	2.52	8.5	C35-50/60C	EL296UH090XE48C	10099100
SL18XP1-048-230	47000	14.5	12	46500	31000	3.4	2.52	8.5	C35-50/60C	EL296UH090XV48C	10099101
SL18XP1-048-230	47000	14.5	12	46500	31000	3.4	2.52	8.5	C35-50/60C	EL296UH090XV60C	10099102
SL18XP1-048-230	47000	14.5	12.5	46000	30800	3.4	2.54	8.5	C35-50/60C	EL296UH110XE60C	10099103
SL18XP1-048-230	47000	14.5	12	46000	30800	3.38	2.52	8.5	C35-50/60C	EL296UH110XV48C	10099104
SL18XP1-048-230	47000	14.5	12	46500	31000	3.42	2.54	8.5	C35-50/60C	EL296UH110XV60C	10099106
SL18XP1-048-230	47000	15.1	12.5	46000	30600	3.42	2.54	8.5	C35-50/60C	ML180UH090E60C	10589981
SL18XP1-048-230	46500	15.1	12.5	45500	30600	3.38	2.54	8.5	C35-50/60C	ML180UH110E60C	10590233
SL18XP1-048-230	46500	15.1	12.5	45500	30600	3.38	2.54	8.5	C35-50/60C	ML180UH110XE60C	10590330
SL18XP1-048-230	47000	15	12.5	46000	30800	3.42	2.56	8.5	C35-50/60C	SL280UH090V60C	10099107
SL18XP1-048-230	47000	15	12.5	46000	30800	3.42	2.56	8.5	C35-50/60C	SL280UH090XV60C	10099108
SL18XP1-048-230	47000	15.1	12.5	46000	30600	3.46	2.56	9	C35-50/60C	SL280UH100NV60C	10581409
SL18XP1-048-230	47000	14.5	12	46000	30800	3.4	2.54	8.5	C35-50/60C	SL280UH110V60C	10099109
SL18XP1-048-230	47000	14.5	12	46000	30800	3.4	2.54	8.5	C35-50/60C	SL280UH110XV60C	10099110
SL18XP1-048-230	47000	14.5	12	46500	31000	3.4	2.52	8.5	C35-50/60C	SLP98UH090XV48C	10099111
SL18XP1-048-230	47000	14.5	12	46500	31000	3.4	2.52	8.5	C35-50/60C	SLP98UH090XV60C	10099112
SL18XP1-048-230	47000	14.5	12	46000	30800	3.38	2.52	8.5	C35-50/60C	SLP98UH110XV60C	10099113
SL18XP1-048-230	46500	14	11.5	47000	31400	3.4	2.52	8.5	C35-50/60C		10099114
SL18XP1-048-230	47500	15.5	12.5	46000	30400	3.7	2.68	9	C35-60C	EL180UH090E60C	10099153
SL18XP1-048-230	47000	15.5	12.5	45500	30400	3.64	2.66	9	C35-60C	EL180UH110E60C	10099154
SL18XP1-048-230	47000	15.5	12.5	45500	30400	3.64	2.66	9	C35-60C	EL180UH110XE60C	10099155
SL18XP1-048-230	47500	15.1	12.5	46000	30600	3.64	2.66	9	C35-60C	EL195UH090XE48C	10099156
SL18XP1-048-230	47500	15.5	12.5	46000	30600	3.68	2.68	9	C35-60C	EL195UH110XE60C	10099157
SL18XP1-048-230	47500	15.1	12.5	46000	30600	3.64	2.66	9	C35-60C	EL296UH090XE48C	10099158
SL18XP1-048-230	47500	15.1	12	46000	30800	3.64	2.66	9	C35-60C	EL296UH090XV48C	10099159

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-048-230	47500	15.1	12	46000	30600	3.64	2.66	9	C35-60C	EL296UH090XV60C	10099160
SL18XP1-048-230	47500	15.5	12.5	46000	30600	3.68	2.68	9	C35-60C	EL296UH110XE60C	10099161
SL18XP1-048-230	47500	15.1	12.5	46000	30600	3.64	2.66	9	C35-60C	EL296UH110XV48C	10099162
SL18XP1-048-230	47500	15.1	12	46000	30800	3.64	2.66	9	C35-60C	EL296UH110XV60C	10099163
SL18XP1-048-230	47500	15.5	12.5	46000	30400	3.7	2.68	9	C35-60C	ML180UH090E60C	10589984
SL18XP1-048-230	47000	15.5	12.5	45500	30400	3.64	2.66	9	C35-60C	ML180UH110E60C	10590236
SL18XP1-048-230	47000	15.5	12.5	45500	30400	3.64	2.66	9	C35-60C	ML180UH110XE60C	10590333
SL18XP1-048-230	47500	15.5	12.5	46000	30600	3.7	2.7	9	C35-60C	SL280UH090V60C	10099164
SL18XP1-048-230	47500	15.5	12.5	46000	30600	3.7	2.7	9	C35-60C	SL280UH090XV60C	10099165
SL18XP1-048-230	47500	16	12.5	46000	30400	3.74	2.72	9.4	C35-60C	SL280UH100NV60C	10581410
SL18XP1-048-230	47500	15.5	12.5	46000	30400	3.7	2.68	9	C35-60C	SL280UH110V60C	10099166
SL18XP1-048-230	47500	15.5	12.5	46000	30400	3.7	2.68	9	C35-60C	SL280UH110XV60C	10099167
SL18XP1-048-230	47500	15.1	12	46000	30800	3.64	2.66	9	C35-60C	SLP98UH090XV48C	10099168
SL18XP1-048-230	47500	15.1	12	46000	30600	3.64	2.66	9	C35-60C	SLP98UH090XV60C	10099169
SL18XP1-048-230	47500	15.1	12.5	46000	30600	3.66	2.66	9	C35-60C	SLP98UH110XV60C	10099170
SL18XP1-048-230	47000	14.5	11.5	46500	31200	3.6	2.64	9	C35-60C		10099171
SL18XP1-048-230	48000	15.1	12.5	46000	30600	3.64	2.66	9	C35-60D	EL180UH135E60D	10099191
SL18XP1-048-230	48000	14.5	12	46000	31000	3.56	2.64	9	C35-60D	EL195UH135XE60D	10099192
SL18XP1-048-230	48000	14.5	12	46000	31000	3.56	2.64	9	C35-60D	EL296UH135XE60D	10099193
SL18XP1-048-230	48000	15.1	12.5	46000	30800	3.6	2.64	9	C35-60D	EL296UH135XV60D	10099194
SL18XP1-048-230	48000	15.1	12.5	46000	30600	3.64	2.66	9	C35-60D	ML180UH135E60D	10590464
SL18XP1-048-230	48000	15.1	12.5	45500	30400	3.58	2.66	9	C35-60D	SL280UH135V60D	10099195
SL18XP1-048-230	48000	14.5	12.5	46000	30800	3.6	2.64	9	C35-60D	SLP98UH135XV60D	10099196
SL18XP1-048-230	47500	14	11.5	46500	31400	3.54	2.62	9	C35-60D		10099197
SL18XP1-048-230	48000	14.5	12	45000	30000	3.68	2.72	9	C37-62C	EL180UH090E60C	10085129
SL18XP1-048-230	47500	14.5	12	45000	30000	3.66	2.7	9.5	C37-62C	EL180UH110E60C	10085132
SL18XP1-048-230	47500	14.5	12	45000	30000	3.66	2.7	9.5	C37-62C	EL180UH110XE60C	10085133
SL18XP1-048-230	48000	14.5	12	45500	30200	3.66	2.68	9	C37-62C	EL195UH090XE48C	10085137
SL18XP1-048-230	48000	14.5	12	45000	30200	3.64	2.7	9	C37-62C	EL195UH110XE60C	10085134
SL18XP1-048-230	48000	14.5	12	45500	30200	3.66	2.68	9	C37-62C	EL296UH090XE48C	10085138
SL18XP1-048-230	48000	14.5	12	45500	30400	3.66	2.7	9	C37-62C	EL296UH090XV48C	10085139
SL18XP1-048-230	48000	14.5	12	45500	30400	3.66	2.7	9	C37-62C	EL296UH090XV60C	10085140
SL18XP1-048-230	48000	14.5	12	45000	30200	3.64	2.7	9	C37-62C	EL296UH110XE60C	10085135
SL18XP1-048-230	48000	14.5	12	45500	30400	3.66	2.7	9	C37-62C	EL296UH110XV48C	10085141
SL18XP1-048-230	48000	14.5	12	45500	30400	3.66	2.7	9	C37-62C	EL296UH110XV60C	10085142
SL18XP1-048-230	48000	14.5	12	45000	30000	3.68	2.72	9	C37-62C	ML180UH090E60C	10589924
SL18XP1-048-230	47500	14.5	12	45000	30000	3.66	2.7	9.5	C37-62C	ML180UH110E60C	10590176
SL18XP1-048-230	47500	14.5	12	45000	30000	3.66	2.7	9.5	C37-62C	ML180UH110XE60C	10590296
SL18XP1-048-230	48000	14.5	12	45000	30200	3.68	2.72	9	C37-62C	SL280UH090V60C	10085130
SL18XP1-048-230	48000	14.5	12	45000	30200	3.68	2.72	9	C37-62C	SL280UH090XV60C	10085131
SL18XP1-048-230	48000	15.1	12.5	45000	30200	3.76	2.76	9.4	C37-62C	SL280UH100NV60C	10581411
SL18XP1-048-230	48000	14.5	12	45000	30200	3.66	2.72	9	C37-62C	SL280UH110V60C	10085153
SL18XP1-048-230	48000	14.5	12	45000	30200	3.66	2.72	9	C37-62C	SL280UH110XV60C	10085154
SL18XP1-048-230	48000	14.5	12	45500	30400	3.66	2.7	9	C37-62C	SLP98UH090XV48C	10085155
SL18XP1-048-230	48000	14.5	12	45500	30400	3.66	2.7	9	C37-62C	SLP98UH090XV60C	10085156
SL18XP1-048-230	48000	14.5	12	45500	30200	3.66	2.7	9	C37-62C	SLP98UH110XV60C	10085136
SL18XP1-048-230	47500	14	11.5	46000	30800	3.58	2.62	9	C37-62C		10084125
SL18XP1-048-230	48000	15.1	12	45500	30200	3.7	2.66	9	C37-62D	EL180UH135E60D	10085143
SL18XP1-048-230	48000	14.5	12	45500	30400	3.62	2.62	9	C37-62D	EL195UH135XE60D	10085145
SL18XP1-048-230	48000	14.5	12	45500	30400	3.62	2.62	9	C37-62D	EL296UH135XE60D	10085146
SL18XP1-048-230	48000	14.5	12	45500	30400	3.66	2.64	9	C37-62D	EL296UH135XV60D	10085144
SL18XP1-048-230	48000	15.1	12	45500	30200	3.7	2.66	9	C37-62D	ML180UH135E60D	10590408
SL18XP1-048-230	47500	15.1	12	45000	30000	3.64	2.66	9	C37-62D	SL280UH135V60D	10085157
SL18XP1-048-230	48000	14.5	12	45500	30400	3.66	2.64	9	C37-62D	SLP98UH135XV60D	10085513
SL18XP1-048-230	47500	14	11.5	46000	30800	3.58	2.58	9	C37-62D		10084126
SL18XP1-048-230	48000	15	12.5	46500	31000	3.62	2.78	9	CBA27UHE-048		10258583
SL18XP1-048-230	47500	15	12.5	45000	30600	3.8	2.78	9.5	CBA27UHE-060		10258584
SL18XP1-048-230	47500	15.1	12.5	47000	30400	3.76	2.68	9	CBX27UH-048		8331397
SL18XP1-048-230	48000	15.1	12.5	45500	30400	3.82	2.76	9.5	CBX27UH-060		8331398
SL18XP1-048-230	47500	15.1	12	47000	30600	3.7	2.66	9	CBX32M-048		8331399
SL18XP1-048-230	48000	14.5	12.5	46500	30400	3.72	2.7	9	CBX32M-060		8331400

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-048-230	47500	15	12	47000	30400	3.7	2.64	9	CBX32MV-048		8331401
SL18XP1-048-230	48000	15.5	13	46000	30000	3.78	2.76	9.6	CBX32MV-060		8331402
SL18XP1-048-230	47500	15.5	12.5	46500	30200	3.74	2.68	9	CBX40UHV-048		8331403
SL18XP1-048-230	48000	15.5	12.5	46000	30000	3.78	2.76	9.5	CBX40UHV-060		8331404
SL18XP1-048-230	48000	15.1	12.5	45000	29800	3.58	2.58	9.5	CH33-49	EL180UH090E60C	8329143
SL18XP1-048-230	47500	15.1	12.5	44500	29600	3.52	2.56	9	CH33-49	EL180UH110E60C	8329144
SL18XP1-048-230	47500	15.1	12.5	44500	29600	3.52	2.56	9	CH33-49	EL180UH110XE60C	8329145
SL18XP1-048-230	48000	14.5	12	45000	29800	3.54	2.54	9	CH33-49	EL195UH090XE48C	8329150
SL18XP1-048-230	48000	15	12.5	45000	29800	3.56	2.56	9	CH33-49	EL195UH110XE60C	8329148
SL18XP1-048-230	48000	14.5	12	45000	29800	3.54	2.54	9	CH33-49	EL296UH090XE48C	8329151
SL18XP1-048-230	48000	14.5	12	45000	30000	3.52	2.54	9	CH33-49	EL296UH090XV48C	8329154
SL18XP1-048-230	48000	14.5	12	45000	30000	3.52	2.54	9	CH33-49	EL296UH090XV60C	8329155
SL18XP1-048-230	48000	15	12.5	45000	29800	3.56	2.56	9	CH33-49	EL296UH110XE60C	8329149
SL18XP1-048-230	48000	14.5	12	45000	30000	3.54	2.56	9	CH33-49	EL296UH110XV48C	8329152
SL18XP1-048-230	48000	14.5	12	45000	30000	3.54	2.56	9	CH33-49	EL296UH110XV60C	8329153
SL18XP1-048-230	48000	15.1	12.5	45000	29800	3.58	2.58	9.5	CH33-49	ML180UH090E60C	10589845
SL18XP1-048-230	47500	15.1	12.5	44500	29600	3.52	2.56	9	CH33-49	ML180UH110E60C	10590099
SL18XP1-048-230	47500	15.1	12.5	44500	29600	3.52	2.56	9	CH33-49	ML180UH110XE60C	10590276
SL18XP1-048-230	48000	15	12	45000	29800	3.58	2.58	9	CH33-49	SL280UH090V60C	8329146
SL18XP1-048-230	48000	15	12	45000	29800	3.58	2.58	9	CH33-49	SL280UH090XV60C	8329147
SL18XP1-048-230	48000	15.5	12.5	45000	29800	3.66	2.62	9.6	CH33-49	SL280UH100NV60C	10581412
SL18XP1-048-230	48000	15	12.5	45000	29800	3.56	2.56	9	CH33-49	SL280UH110V60C	8329210
SL18XP1-048-230	48000	15	12	45000	29800	3.56	2.56	9	CH33-49	SL280UH110XV60C	8329211
SL18XP1-048-230	48000	14.5	12	45000	30000	3.54	2.54	9	CH33-49	SLP98UH090XV48C	8329212
SL18XP1-048-230	48000	14.5	12	45000	30000	3.52	2.54	9	CH33-49	SLP98UH090XV60C	8329213
SL18XP1-048-230	48000	14.5	12	45000	30000	3.52	2.54	9	CH33-49	SLP98UH110XV60C	8329214
SL18XP1-048-230	48000	14	11.5	45500	30400	3.5	2.52	9	CH33-49		8329156
SL18XP1-048-230	47500	15	12.5	44500	29600	3.52	2.56	9	CH33-50/60C	EL180UH090E60C	8329159
SL18XP1-048-230	47500	15	12.5	44500	29600	3.5	2.56	9	CH33-50/60C	EL180UH110E60C	8329160
SL18XP1-048-230	47500	15	12.5	44500	29600	3.5	2.56	9	CH33-50/60C	EL180UH110XE60C	8329161
SL18XP1-048-230	47500	14.5	12	45000	29800	3.5	2.54	9	CH33-50/60C	EL195UH090XE48C	8329164
SL18XP1-048-230	47500	14.5	12	45000	29800	3.52	2.54	9	CH33-50/60C	EL195UH110XE60C	8329162
SL18XP1-048-230	47500	14.5	12	45000	29800	3.5	2.54	9	CH33-50/60C	EL296UH090XE48C	8329165
SL18XP1-048-230	47500	14.5	12	45000	30000	3.5	2.54	9	CH33-50/60C	EL296UH090XV48C	8329169
SL18XP1-048-230	47500	14.5	12	45000	30000	3.5	2.54	9	CH33-50/60C	EL296UH090XV60C	8329170
SL18XP1-048-230	47500	14.5	12	45000	29800	3.52	2.54	9	CH33-50/60C	EL296UH110XE60C	8329163
SL18XP1-048-230	47500	14.5	12	45000	30000	3.52	2.54	9	CH33-50/60C	EL296UH110XV48C	8329166
SL18XP1-048-230	48000	14.5	12	45000	30000	3.52	2.54	9	CH33-50/60C	EL296UH110XV60C	8329167
SL18XP1-048-230	47500	15	12.5	44500	29600	3.52	2.56	9	CH33-50/60C	ML180UH090E60C	10589846
SL18XP1-048-230	47500	15	12.5	44500	29600	3.5	2.56	9	CH33-50/60C	ML180UH110E60C	10590100
SL18XP1-048-230	47500	15	12.5	44500	29600	3.5	2.56	9	CH33-50/60C	ML180UH110XE60C	10590277
SL18XP1-048-230	48000	15.1	12.5	45000	29800	3.6	2.6	9.5	CH33-50/60C	SL280UH090V60C	8329157
SL18XP1-048-230	48000	15.1	12.5	45000	29800	3.6	2.6	9.5	CH33-50/60C	SL280UH090XV60C	8329158
SL18XP1-048-230	48000	15.1	12.5	45000	29800	3.62	2.6	9.6	CH33-50/60C	SL280UH100NV60C	10581413
SL18XP1-048-230	48000	15.1	12.5	45000	29800	3.6	2.58	9.5	CH33-50/60C	SL280UH110V60C	8329215
SL18XP1-048-230	48000	15.1	12.5	45000	29800	3.6	2.58	9.5	CH33-50/60C	SL280UH110XV60C	8329216
SL18XP1-048-230	47500	14.5	12	45000	30000	3.52	2.54	9	CH33-50/60C	SLP98UH090XV48C	8329217
SL18XP1-048-230	48000	14.5	12	45000	30000	3.5	2.54	9	CH33-50/60C	SLP98UH090XV60C	8329336
SL18XP1-048-230	47500	14.5	12	45000	30000	3.52	2.54	9	CH33-50/60C	SLP98UH110XV60C	8329168
SL18XP1-048-230	47500	14	11.5	45500	30400	3.52	2.54	9	CH33-50/60C		8329171
SL18XP1-048-230	48000	15	12.5	45000	30600	3.62	2.72	9	CH33-62D	EL180UH135E60D	8654268
SL18XP1-048-230	47500	14.5	12	45000	31000	3.52	2.7	9	CH33-62D	EL195UH135XE60D	8654266
SL18XP1-048-230	47500	14.5	12	45000	31000	3.52	2.7	9	CH33-62D	EL296UH135XE60D	8654267
SL18XP1-048-230	48000	15	12.5	45000	30600	3.62	2.72	9	CH33-62D	ML180UH135E60D	10590458
SL18XP1-048-230	47500	15	12.5	44500	30400	3.56	2.72	9	CH33-62D	SL280UH135V60DC	8654269
SL18XP1-048-230	47500	14.5	12.5	44500	30600	3.54	2.7	9	CH33-62D	SLP98UH135XV60D	8654270
SL18XP1-048-230	47000	14	11.5	45500	31400	3.48	2.66	9	CH33-62D		8654265
SL18XP1-048-230	48000	15.5	12.5	46000	31000	3.34	2.52	8.5	CH35-51C	EL180UH090E60C	10099015
SL18XP1-048-230	47500	15.5	12.5	45500	31000	3.3	2.52	8.5	CH35-51C	EL180UH110E60C	10099016
SL18XP1-048-230	47500	15.5	12.5	45500	31000	3.3	2.52	8.5	CH35-51C	EL180UH110XE60C	10099017
SL18XP1-048-230	48000	15.1	12	46000	31200	3.3	2.5	8.5	CH35-51C	EL195UH090XE48C	10099018

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-048-230	48000	15.1	12.5	46000	31200	3.32	2.5	8.5	CH35-51C	EL195UH110XE60C	10099019
SL18XP1-048-230	48000	15.1	12	46000	31200	3.3	2.5	8.5	CH35-51C	EL296UH090XE48C	10099020
SL18XP1-048-230	48000	15.1	12	46000	31400	3.3	2.5	8.5	CH35-51C	EL296UH090XV48C	10099021
SL18XP1-048-230	48000	15.1	12	46000	31400	3.3	2.5	8.5	CH35-51C	EL296UH090XV60C	10099022
SL18XP1-048-230	48000	15.1	12.5	46000	31200	3.32	2.5	8.5	CH35-51C	EL296UH110XE60C	10099023
SL18XP1-048-230	48000	15.1	12	46000	31200	3.32	2.5	8.5	CH35-51C	EL296UH110XV48C	10099024
SL18XP1-048-230	48000	15.1	12	46000	31400	3.32	2.5	8.5	CH35-51C	EL296UH110XV60C	10099025
SL18XP1-048-230	48000	15.5	12.5	46000	31000	3.34	2.52	8.5	CH35-51C	ML180UH090E60C	10589977
SL18XP1-048-230	47500	15.5	12.5	45500	31000	3.3	2.52	8.5	CH35-51C	ML180UH110E60C	10590229
SL18XP1-048-230	47500	15.5	12.5	45500	31000	3.3	2.52	8.5	CH35-51C	ML180UH110XE60C	10590326
SL18XP1-048-230	48000	15.5	12.5	46000	31200	3.36	2.52	8.5	CH35-51C	SL280UH090V60C	10099026
SL18XP1-048-230	48000	15.5	12.5	46000	31200	3.36	2.52	8.5	CH35-51C	SL280UH090XV60C	10099027
SL18XP1-048-230	48000	15.5	12.5	46000	31000	3.42	2.56	8.8	CH35-51C	SL280UH100NV60C	10581414
SL18XP1-048-230	48000	15.1	12.5	46000	31200	3.34	2.52	8.5	CH35-51C	SL280UH110V60C	10099028
SL18XP1-048-230	48000	15.1	12.5	46000	31200	3.34	2.52	8.5	CH35-51C	SL280UH110XV60C	10099029
SL18XP1-048-230	48000	15.1	12	46000	31400	3.3	2.5	8.5	CH35-51C	SLP98UH090XV48C	10099030
SL18XP1-048-230	48000	15.1	12	46000	31400	3.3	2.5	8.5	CH35-51C	SLP98UH090XV60C	10099031
SL18XP1-048-230	48000	15.1	12	46000	31400	3.3	2.5	8.5	CH35-51C	SLP98UH110XV60C	10099032
SL18XP1-048-230	47500	14.5	11.5	46500	31600	3.32	2.48	8.5	CH35-51C		10099033
SL18XP1-048-230	48000	15.5	12.5	44500	30800	3.5	2.64	9.2	CH35-60D	EL180UH135E60D	10099035
SL18XP1-048-230	48000	15.1	12	45000	31000	3.46	2.6	9	CH35-60D	EL195UH135XE60D	10099036
SL18XP1-048-230	48000	15.1	12	45000	31000	3.46	2.6	9	CH35-60D	EL296UH135XE60D	10099037
SL18XP1-048-230	48000	15.5	12.5	44500	30800	3.5	2.64	9.2	CH35-60D	ML180UH135E60D	10590463
SL18XP1-048-230	48000	15.5	12.5	44500	30400	3.48	2.62	9.2	CH35-60D	SL280UH135V60D	10099038
SL18XP1-048-230	48000	15.5	12.5	44500	30800	3.46	2.62	9.2	CH35-60D	SLP98UH135XV60D	10099039
SL18XP1-048-230	47500	14.5	11.5	45500	31400	3.42	2.58	8.5	CH35-60D		10099034
SL18XP1-048-230	48000	15.1	12.5	46500	31000	3.56	2.68	9	CR33-50/60	EL180DF110E60C	8329173
SL18XP1-048-230	47500	14.5	12	47000	31200	3.5	2.62	9	CR33-50/60	EL195DF090XE48C	8329179
SL18XP1-048-230	47500	14.5	12.5	46500	31000	3.5	2.64	9	CR33-50/60	EL195DF110XE60C	8329175
SL18XP1-048-230	47500	14.5	12	47000	31200	3.5	2.62	9	CR33-50/60	EL296DF090XE48C	8329180
SL18XP1-048-230	47500	14.5	12.5	46500	31000	3.5	2.64	9	CR33-50/60	EL296DF110XE60C	8329176
SL18XP1-048-230	48000	15.1	12.5	46500	31000	3.56	2.68	9	CR33-50/60	ML180DF110E60C	10589539
SL18XP1-048-230	48000	15.1	12.5	46500	31000	3.56	2.68	9	CR33-50/60	SL280DF090V60C	8329174
SL18XP1-048-230	48000	15.1	12.5	46500	30800	3.6	2.68	9	CR33-50/60	SL280DF110V60C	8329172
SL18XP1-048-230	48000	14.5	12	47000	31200	3.54	2.62	9	CR33-50/60	SLP98DF090XV60C	8329177
SL18XP1-048-230	48000	14.5	12	47000	31200	3.54	2.64	9	CR33-50/60	SLP98DF110XV60C	8329178
SL18XP1-048-230	47500	14	11.5	47000	31600	3.44	2.58	9	CR33-50/60		8329181
SL18XP1-048-230	47500	14	11.5	47000	31600	3.44	2.58	9	CR33-60		8329218
SL18XP1-048-230	48000	14.5	12	45000	30000	3.68	2.72	9	CX34-62C	EL180UH090E60C	8329182
SL18XP1-048-230	47500	14.5	12	45000	30000	3.66	2.7	9.5	CX34-62C	EL180UH110E60C	8329185
SL18XP1-048-230	47500	14.5	12	45000	30000	3.66	2.7	9.5	CX34-62C	EL180UH110XE60C	8329186
SL18XP1-048-230	48000	14.5	12	45500	30200	3.66	2.68	9	CX34-62C	EL195UH090XE48C	8329190
SL18XP1-048-230	48000	14.5	12	45000	30200	3.64	2.7	9	CX34-62C	EL195UH110XE60C	8329187
SL18XP1-048-230	48000	14.5	12	45500	30200	3.66	2.68	9	CX34-62C	EL296UH090XE48C	8329191
SL18XP1-048-230	48000	14.5	12	45500	30400	3.66	2.7	9	CX34-62C	EL296UH090XV48C	8329192
SL18XP1-048-230	48000	14.5	12	45500	30400	3.66	2.7	9	CX34-62C	EL296UH090XV60C	8329193
SL18XP1-048-230	48000	14.5	12	45000	30200	3.64	2.7	9	CX34-62C	EL296UH110XE60C	8329188
SL18XP1-048-230	48000	14.5	12	45500	30400	3.66	2.7	9	CX34-62C	EL296UH110XV48C	8329194
SL18XP1-048-230	48000	14.5	12	45500	30400	3.66	2.7	9	CX34-62C	EL296UH110XV60C	8329195
SL18XP1-048-230	48000	14.5	12	45000	30000	3.68	2.72	9	CX34-62C	ML180UH090E60C	10589847
SL18XP1-048-230	47500	14.5	12	45000	30000	3.66	2.7	9.5	CX34-62C	ML180UH110E60C	10590101
SL18XP1-048-230	47500	14.5	12	45000	30000	3.66	2.7	9.5	CX34-62C	ML180UH110XE60C	10590278
SL18XP1-048-230	48000	14.5	12	45000	30200	3.68	2.72	9	CX34-62C	SL280UH090V60C	8329183
SL18XP1-048-230	48000	14.5	12	45000	30200	3.68	2.72	9	CX34-62C	SL280UH090XV60C	8329184
SL18XP1-048-230	48000	14.5	12	45000	30200	3.66	2.72	9	CX34-62C	SL280UH110V60C	8329219
SL18XP1-048-230	48000	14.5	12	45000	30200	3.66	2.72	9	CX34-62C	SL280UH110XV60C	8329220
SL18XP1-048-230	48000	14.5	12	45500	30400	3.66	2.7	9	CX34-62C	SLP98UH090XV48C	8329221
SL18XP1-048-230	48000	14.5	12	45500	30400	3.66	2.7	9	CX34-62C	SLP98UH090XV60C	8329222
SL18XP1-048-230	48000	14.5	12	45500	30200	3.66	2.7	9	CX34-62C	SLP98UH110XV60C	8329189
SL18XP1-048-230	47500	14	11.5	46000	30800	3.58	2.62	9	CX34-62C		8329196
SL18XP1-048-230	48000	15.1	12	45500	30200	3.7	2.66	9	CX34-62D	EL180UH135E60D	8329197

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-048-230	48000	14.5	12	45500	30400	3.62	2.62	9	CX34-62D	EL195UH135XE60D	8329200
SL18XP1-048-230	48000	14.5	12	45500	30400	3.62	2.62	9	CX34-62D	EL296UH135XE60D	8329201
SL18XP1-048-230	48000	14.5	12	45500	30400	3.66	2.64	9	CX34-62D	EL296UH135XV60D	8329198
SL18XP1-048-230	48000	15.1	12	45500	30200	3.7	2.66	9	CX34-62D	ML180UH135E60D	10590372
SL18XP1-048-230	47500	15.1	12	45000	30000	3.64	2.66	9	CX34-62D	SL280UH135V60D	8329223
SL18XP1-048-230	48000	14.5	12	45500	30400	3.66	2.64	9	CX34-62D	SLP98UH135XV60D	8329199
SL18XP1-048-230	47500	14	11.5	46000	30800	3.58	2.58	9	CX34-62D		8329202
SL18XP1-048-230	47500	15.1	12.5	46000	30600	3.48	2.58	8.5	CX35-48C	EL180UH090E60C	10099115
SL18XP1-048-230	47000	15.1	12.5	46000	30600	3.46	2.58	8.5	CX35-48C	EL180UH110E60C	10099116
SL18XP1-048-230	47000	15.1	12.5	46000	30600	3.46	2.58	8.5	CX35-48C	EL180UH110XE60C	10099117
SL18XP1-048-230	47000	15	12.5	46000	30800	3.44	2.56	8.5	CX35-48C	EL195UH090XE48C	10099118
SL18XP1-048-230	47500	15.1	12.5	46000	30800	3.46	2.56	8.5	CX35-48C	EL195UH110XE60C	10099119
SL18XP1-048-230	47000	15	12.5	46000	30800	3.44	2.56	8.5	CX35-48C	EL296UH090XE48C	10099120
SL18XP1-048-230	47000	14.5	12	46500	31000	3.44	2.54	8.5	CX35-48C	EL296UH090XV48C	10099121
SL18XP1-048-230	47000	14.5	12	46500	31000	3.42	2.52	8.5	CX35-48C	EL296UH090XV60C	10099122
SL18XP1-048-230	47500	15.1	12.5	46000	30800	3.46	2.56	8.5	CX35-48C	EL296UH110XE60C	10099123
SL18XP1-048-230	47000	14.5	12	46500	30800	3.44	2.54	8.5	CX35-48C	EL296UH110XV48C	10099124
SL18XP1-048-230	47500	14.5	12	46500	31000	3.44	2.54	8.5	CX35-48C	EL296UH110XV60C	10099125
SL18XP1-048-230	47500	15.1	12.5	46000	30600	3.48	2.58	8.5	CX35-48C	ML180UH090E60C	10589982
SL18XP1-048-230	47000	15.1	12.5	46000	30600	3.46	2.58	8.5	CX35-48C	ML180UH110E60C	10590234
SL18XP1-048-230	47000	15.1	12.5	46000	30600	3.46	2.58	8.5	CX35-48C	ML180UH110XE60C	10590331
SL18XP1-048-230	47500	15	12.5	46000	30800	3.44	2.56	8.5	CX35-48C	SL280UH090V60C	10099126
SL18XP1-048-230	47500	15	12.5	46000	30800	3.44	2.56	8.5	CX35-48C	SL280UH090XV60C	10099127
SL18XP1-048-230	47000	15.1	12.5	46000	30800	3.5	2.6	9	CX35-48C	SL280UH100NV60C	10581415
SL18XP1-048-230	47000	15	12.5	46000	30800	3.44	2.54	8.5	CX35-48C	SL280UH110V60C	10099128
SL18XP1-048-230	47000	15	12.5	46000	30800	3.44	2.54	8.5	CX35-48C	SL280UH110XV60C	10099129
SL18XP1-048-230	47000	14.5	12	46500	31000	3.44	2.54	8.5	CX35-48C	SLP98UH090XV48C	10099130
SL18XP1-048-230	47000	14.5	12	46500	31000	3.42	2.52	8.5	CX35-48C	SLP98UH090XV60C	10099131
SL18XP1-048-230	47000	14.5	12	46000	31000	3.4	2.54	8.5	CX35-48C	SLP98UH110XV60C	10099132
SL18XP1-048-230	46500	14	11.5	47000	31400	3.44	2.52	8.5	CX35-48C		10099133
SL18XP1-048-230	47500	15.1	12.5	44500	29800	3.54	2.62	9	CX35-49C	EL180UH090E60C	10099041
SL18XP1-048-230	47000	15.1	12.5	44500	29600	3.52	2.6	9	CX35-49C	EL180UH110E60C	10099042
SL18XP1-048-230	47000	15.1	12.5	44500	29600	3.52	2.6	9	CX35-49C	EL180UH110XE60C	10099043
SL18XP1-048-230	47000	15.1	12	45000	30000	3.52	2.6	9	CX35-49C	EL195UH090XE48C	10099044
SL18XP1-048-230	47500	15.1	12.5	45000	29800	3.54	2.6	9	CX35-49C	EL195UH110XE60C	10099045
SL18XP1-048-230	47000	15.1	12	45000	30000	3.52	2.6	9	CX35-49C	EL296UH090XE48C	10099046
SL18XP1-048-230	47500	15.1	12.5	45000	30000	3.52	2.58	9	CX35-49C	EL296UH090XV48C	10099047
SL18XP1-048-230	47500	15.1	12.5	45000	30000	3.52	2.6	9	CX35-49C	EL296UH090XV60C	10099048
SL18XP1-048-230	47500	15.1	12.5	45000	29800	3.54	2.6	9	CX35-49C	EL296UH110XE60C	10099049
SL18XP1-048-230	47000	15.1	12	45000	29800	3.52	2.58	9	CX35-49C	EL296UH110XV48C	10099050
SL18XP1-048-230	47500	15	12	45000	30000	3.52	2.58	8.5	CX35-49C	EL296UH110XV60C	10099051
SL18XP1-048-230	47500	15.1	12.5	44500	29800	3.54	2.62	9	CX35-49C	ML180UH090E60C	10589978
SL18XP1-048-230	47000	15.1	12.5	44500	29600	3.52	2.6	9	CX35-49C	ML180UH110E60C	10590230
SL18XP1-048-230	47000	15.1	12.5	44500	29600	3.52	2.6	9	CX35-49C	ML180UH110XE60C	10590327
SL18XP1-048-230	47500	15.1	12.5	45000	29800	3.58	2.62	9	CX35-49C	SL280UH090V60C	10099052
SL18XP1-048-230	47500	15.1	12.5	45000	29800	3.58	2.62	9	CX35-49C	SL280UH090XV60C	10099053
SL18XP1-048-230	47500	15.5	12.5	45000	29800	3.62	2.64	9.4	CX35-49C	SL280UH100NV60C	10581416
SL18XP1-048-230	47500	15.1	12.5	45000	29800	3.56	2.62	9	CX35-49C	SL280UH110V60C	10099054
SL18XP1-048-230	47500	15.1	12.5	45000	29800	3.56	2.62	9	CX35-49C	SL280UH110XV60C	10099055
SL18XP1-048-230	47500	15.1	12.5	45000	30000	3.52	2.58	9	CX35-49C	SLP98UH090XV48C	10099056
SL18XP1-048-230	47500	15.1	12.5	45000	30000	3.52	2.6	9	CX35-49C	SLP98UH090XV60C	10099057
SL18XP1-048-230	47000	15.1	12	45000	29800	3.54	2.58	9	CX35-49C	SLP98UH110XV60C	10099058
SL18XP1-048-230	46500	14	11.5	45500	30400	3.48	2.56	8.5	CX35-49C		10099040
SL18XP1-048-230	47000	15.1	12.5	46000	30600	3.42	2.54	8.5	CX35-50/60C	EL180UH090E60C	10099134
SL18XP1-048-230	46500	15.1	12.5	45500	30600	3.38	2.54	8.5	CX35-50/60C	EL180UH110E60C	10099135
SL18XP1-048-230	46500	15.1	12.5	45500	30600	3.38	2.54	8.5	CX35-50/60C	EL180UH110XE60C	10099136
SL18XP1-048-230	46500	14.5	12	46000	30800	3.38	2.52	8.5	CX35-50/60C	EL195UH090XE48C	10099137
SL18XP1-048-230	47000	14.5	12.5	46000	30800	3.4	2.54	8.5	CX35-50/60C	EL195UH110XE60C	10099138
SL18XP1-048-230	46500	14.5	12	46000	30800	3.38	2.52	8.5	CX35-50/60C	EL296UH090XE48C	10099139
SL18XP1-048-230	47000	14.5	12	46500	31000	3.4	2.52	8.5	CX35-50/60C	EL296UH090XV48C	10099140
SL18XP1-048-230	47000	14.5	12	46500	31000	3.4	2.52	8.5	CX35-50/60C	EL296UH090XV60C	10099141

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-048-230	47000	14.5	12.5	46000	30800	3.4	2.54	8.5	CX35-50/60C	EL296UH110XE60C	10099142
SL18XP1-048-230	47000	14.5	12	46000	30800	3.38	2.52	8.5	CX35-50/60C	EL296UH110XV48C	10099143
SL18XP1-048-230	47000	14.5	12	46500	31000	3.42	2.54	8.5	CX35-50/60C	EL296UH110XV60C	10099144
SL18XP1-048-230	47000	15.1	12.5	46000	30600	3.42	2.54	8.5	CX35-50/60C	ML180UH090E60C	10589983
SL18XP1-048-230	46500	15.1	12.5	45500	30600	3.38	2.54	8.5	CX35-50/60C	ML180UH110E60C	10590235
SL18XP1-048-230	46500	15.1	12.5	45500	30600	3.38	2.54	8.5	CX35-50/60C	ML180UH110XE60C	10590332
SL18XP1-048-230	47000	15	12.5	46000	30800	3.42	2.56	8.5	CX35-50/60C	SL280UH090V60C	10099145
SL18XP1-048-230	47000	15	12.5	46000	30800	3.42	2.56	8.5	CX35-50/60C	SL280UH090XV60C	10099146
SL18XP1-048-230	47000	15.1	12.5	46000	30600	3.46	2.56	9	CX35-50/60C	SL280UH100NV60C	10581417
SL18XP1-048-230	47000	14.5	12	46000	30800	3.4	2.54	8.5	CX35-50/60C	SL280UH110V60C	10099147
SL18XP1-048-230	47000	14.5	12	46000	30800	3.4	2.54	8.5	CX35-50/60C	SL280UH110XV60C	10099148
SL18XP1-048-230	47000	14.5	12	46500	31000	3.4	2.52	8.5	CX35-50/60C	SLP98UH090XV48C	10099149
SL18XP1-048-230	47000	14.5	12	46500	31000	3.4	2.52	8.5	CX35-50/60C	SLP98UH090XV60C	10099150
SL18XP1-048-230	47000	14.5	12	46000	30800	3.38	2.52	8.5	CX35-50/60C	SLP98UH110XV60C	10099151
SL18XP1-048-230	46500	14	11.5	47000	31400	3.4	2.52	8.5	CX35-50/60C		10099152
SL18XP1-048-230	47500	15.5	12.5	46000	30400	3.7	2.68	9	CX35-60C	EL180UH090E60C	10099172
SL18XP1-048-230	47000	15.5	12.5	45500	30400	3.64	2.66	9	CX35-60C	EL180UH110E60C	10099173
SL18XP1-048-230	47000	15.5	12.5	45500	30400	3.64	2.66	9	CX35-60C	EL180UH110XE60C	10099174
SL18XP1-048-230	47500	15.1	12.5	46000	30600	3.64	2.66	9	CX35-60C	EL195UH090XE48C	10099175
SL18XP1-048-230	47500	15.5	12.5	46000	30600	3.68	2.68	9	CX35-60C	EL195UH110XE60C	10099176
SL18XP1-048-230	47500	15.1	12.5	46000	30600	3.64	2.66	9	CX35-60C	EL296UH090XE48C	10099177
SL18XP1-048-230	47500	15.1	12	46000	30800	3.64	2.66	9	CX35-60C	EL296UH090XV48C	10099178
SL18XP1-048-230	47500	15.1	12	46000	30600	3.64	2.66	9	CX35-60C	EL296UH090XV60C	10099179
SL18XP1-048-230	47500	15.5	12.5	46000	30600	3.68	2.68	9	CX35-60C	EL296UH110XE60C	10099180
SL18XP1-048-230	47500	15.1	12.5	46000	30600	3.64	2.66	9	CX35-60C	EL296UH110XV48C	10099181
SL18XP1-048-230	47500	15.1	12	46000	30800	3.64	2.66	9	CX35-60C	EL296UH110XV60C	10099182
SL18XP1-048-230	47500	15.5	12.5	46000	30400	3.7	2.68	9	CX35-60C	ML180UH090E60C	10589985
SL18XP1-048-230	47000	15.5	12.5	45500	30400	3.64	2.66	9	CX35-60C	ML180UH110E60C	10590237
SL18XP1-048-230	47000	15.5	12.5	45500	30400	3.64	2.66	9	CX35-60C	ML180UH110XE60C	10590334
SL18XP1-048-230	47500	15.5	12.5	46000	30600	3.7	2.7	9	CX35-60C	SL280UH090V60C	10099183
SL18XP1-048-230	47500	15.5	12.5	46000	30600	3.7	2.7	9	CX35-60C	SL280UH090XV60C	10099184
SL18XP1-048-230	47500	16	12.5	46000	30400	3.74	2.72	9.4	CX35-60C	SL280UH100NV60C	10581418
SL18XP1-048-230	47500	15.5	12.5	46000	30400	3.7	2.68	9	CX35-60C	SL280UH110V60C	10099185
SL18XP1-048-230	47500	15.5	12.5	46000	30400	3.7	2.68	9	CX35-60C	SL280UH110XV60C	10099186
SL18XP1-048-230	47500	15.1	12	46000	30800	3.64	2.66	9	CX35-60C	SLP98UH090XV48C	10099187
SL18XP1-048-230	47500	15.1	12	46000	30600	3.64	2.66	9	CX35-60C	SLP98UH090XV60C	10099188
SL18XP1-048-230	47500	15.1	12.5	46000	30600	3.66	2.66	9	CX35-60C	SLP98UH110XV60C	10099189
SL18XP1-048-230	47000	14.5	11.5	46500	31200	3.6	2.64	9	CX35-60C		10099190
SL18XP1-048-230	48000	15.1	12.5	46000	30600	3.64	2.66	9	CX35-60D	EL180UH135E60D	10099198
SL18XP1-048-230	48000	14.5	12	46000	31000	3.56	2.64	9	CX35-60D	EL195UH135XE60D	10099199
SL18XP1-048-230	48000	14.5	12	46000	31000	3.56	2.64	9	CX35-60D	EL296UH135XE60D	10099200
SL18XP1-048-230	48000	15.1	12.5	46000	30800	3.6	2.64	9	CX35-60D	EL296UH135XV60D	10099201
SL18XP1-048-230	48000	15.1	12.5	46000	30600	3.64	2.66	9	CX35-60D	ML180UH135E60D	10590465
SL18XP1-048-230	48000	15.1	12.5	45500	30400	3.58	2.66	9	CX35-60D	SL280UH135V60D	10099202
SL18XP1-048-230	48000	15.1	12.5	46000	30800	3.6	2.64	9	CX35-60D	SLP98UH135XV60D	10099203
SL18XP1-048-230	47500	14	11.5	46500	31400	3.54	2.62	9	CX35-60D		10099204
SL18XP1-048-230	48000	14.5	12	45000	30000	3.68	2.72	9	CX38-62C	EL180UH090E60C	10086793
SL18XP1-048-230	47500	14.5	12	45000	30000	3.66	2.7	9.5	CX38-62C	EL180UH110E60C	10086796
SL18XP1-048-230	47500	14.5	12	45000	30000	3.66	2.7	9.5	CX38-62C	EL180UH110XE60C	10086797
SL18XP1-048-230	48000	14.5	12	45500	30200	3.66	2.68	9	CX38-62C	EL195UH090XE48C	10086801
SL18XP1-048-230	48000	14.5	12	45000	30200	3.64	2.7	9	CX38-62C	EL195UH110XE60C	10086798
SL18XP1-048-230	48000	14.5	12	45500	30200	3.66	2.68	9	CX38-62C	EL296UH090XE48C	10086802
SL18XP1-048-230	48000	14.5	12	45500	30400	3.66	2.7	9	CX38-62C	EL296UH090XV48C	10086803
SL18XP1-048-230	48000	14.5	12	45500	30400	3.66	2.7	9	CX38-62C	EL296UH090XV60C	10086804
SL18XP1-048-230	48000	14.5	12	45000	30200	3.64	2.7	9	CX38-62C	EL296UH110XE60C	10086799
SL18XP1-048-230	48000	14.5	12	45500	30400	3.66	2.7	9	CX38-62C	EL296UH110XV48C	10086805
SL18XP1-048-230	48000	14.5	12	45500	30400	3.66	2.7	9	CX38-62C	EL296UH110XV60C	10086806
SL18XP1-048-230	48000	14.5	12	45000	30000	3.68	2.72	9	CX38-62C	ML180UH090E60C	10589958
SL18XP1-048-230	47500	14.5	12	45000	30000	3.66	2.7	9.5	CX38-62C	ML180UH110E60C	10590210
SL18XP1-048-230	47500	14.5	12	45000	30000	3.66	2.7	9.5	CX38-62C	ML180UH110XE60C	10590310
SL18XP1-048-230	48000	14.5	12	45000	30200	3.68	2.72	9	CX38-62C	SL280UH090V60C	10086794

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-048-230	48000	14.5	12	45000	30200	3.68	2.72	9	CX38-62C	SL280UH090XV60C	10086795
SL18XP1-048-230	48000	15.1	12.5	45000	30200	3.76	2.76	9.4	CX38-62C	SL280UH100NV60C	10581419
SL18XP1-048-230	48000	14.5	12	45000	30200	3.66	2.72	9	CX38-62C	SL280UH110V60C	10086807
SL18XP1-048-230	48000	14.5	12	45000	30200	3.66	2.72	9	CX38-62C	SL280UH110XV60C	10086808
SL18XP1-048-230	48000	14.5	12	45500	30400	3.66	2.7	9	CX38-62C	SLP98UH090XV48C	10086809
SL18XP1-048-230	48000	14.5	12	45500	30400	3.66	2.7	9	CX38-62C	SLP98UH090XV60C	10086810
SL18XP1-048-230	48000	14.5	12	45500	30200	3.66	2.7	9	CX38-62C	SLP98UH110XV60C	10086800
SL18XP1-048-230	47500	14	11.5	46000	30800	3.58	2.62	9	CX38-62C		10086670
SL18XP1-048-230	48000	15.1	12	45500	30200	3.7	2.66	9	CX38-62D	EL180UH135E60D	10085147
SL18XP1-048-230	48000	14.5	12	45500	30400	3.62	2.62	9	CX38-62D	EL195UH135XE60D	10085150
SL18XP1-048-230	48000	14.5	12	45500	30400	3.62	2.62	9	CX38-62D	EL296UH135XE60D	10085151
SL18XP1-048-230	48000	14.5	12	45500	30400	3.66	2.64	9	CX38-62D	EL296UH135XV60D	10085148
SL18XP1-048-230	48000	15.1	12	45500	30200	3.7	2.66	9	CX38-62D	ML180UH135E60D	10590462
SL18XP1-048-230	47500	15.1	12	45000	30000	3.64	2.66	9	CX38-62D	SL280UH135V60D	10085158
SL18XP1-048-230	48000	14.5	12	45500	30400	3.66	2.64	9	CX38-62D	SLP98UH135XV60D	10085149
SL18XP1-048-230	47500	14	11.5	46000	30800	3.58	2.58	9	CX38-62D		10084127
SL18XP1-060-230	57000	14.5	12	52000	34600	3.62	2.6	9	C33-62C	EL180UH090E60C	8329005
SL18XP1-060-230	57000	14.5	12	52000	34600	3.6	2.6	9	C33-62C	EL180UH110E60C	8329008
SL18XP1-060-230	57000	14.5	12	52000	34600	3.6	2.6	9	C33-62C	EL180UH110XE60C	8329009
SL18XP1-060-230	57000	14.5	12	52000	34600	3.58	2.58	9	C33-62C	EL195UH110XE60C	8329012
SL18XP1-060-230	57000	14.5	12	52000	34600	3.58	2.58	9	C33-62C	EL296UH110XE60C	8329013
SL18XP1-060-230	57000	14.5	12	52500	35000	3.58	2.58	9	C33-62C	EL296UH110XV60C	8329014
SL18XP1-060-230	57000	14.5	12	52000	34600	3.62	2.6	9	C33-62C	ML180UH090E60C	10589840
SL18XP1-060-230	57000	14.5	12	52000	34600	3.6	2.6	9	C33-62C	ML180UH110E60C	10590094
SL18XP1-060-230	57000	14.5	12	52000	34600	3.6	2.6	9	C33-62C	ML180UH110XE60C	10590271
SL18XP1-060-230	57000	14.5	12	52500	34600	3.64	2.6	9	C33-62C	SL280UH090V60C	8329006
SL18XP1-060-230	57000	14.5	12	52500	34600	3.64	2.6	9	C33-62C	SL280UH090XV60C	8329007
SL18XP1-060-230	57000	14.5	12	52000	34600	3.6	2.6	9	C33-62C	SL280UH110V60C	8329010
SL18XP1-060-230	57000	14.5	12	52000	34600	3.6	2.6	9	C33-62C	SL280UH110XV60C	8329011
SL18XP1-060-230	57000	14	11.5	53000	35200	3.64	2.6	9	C33-62C		8329015
SL18XP1-060-230	56000	14.5	12	52000	34400	3.54	2.54	9	C33-62D	EL180UH135E60D	8329017
SL18XP1-060-230	56000	14.5	12	52500	34800	3.52	2.52	9	C33-62D	EL195UH135XE60D	8329019
SL18XP1-060-230	56000	14.5	12	52500	34800	3.52	2.52	9	C33-62D	EL296UH135XE60D	8329020
SL18XP1-060-230	56000	14.5	12	52000	34400	3.54	2.54	9	C33-62D	ML180UH135E60D	10590369
SL18XP1-060-230	55500	15	12.5	51500	34000	3.58	2.58	9	C33-62D	SL280UH135V60D	8329016
SL18XP1-060-230	56000	14.5	12	52000	34600	3.52	2.54	9	C33-62D	SLP98UH135XV60D	8329018
SL18XP1-060-230	55500	14	11.5	52500	35000	3.5	2.54	9	C33-62D		8329021
SL18XP1-060-230	54500	14.5	12	53500	35200	3.44	2.56	8.5	C35-49C	EL180UH090E60C	10099240
SL18XP1-060-230	54500	14.5	11.5	53500	35200	3.42	2.56	8.5	C35-49C	EL180UH110E60C	10099241
SL18XP1-060-230	54500	14.5	11.5	53500	35200	3.42	2.56	8.5	C35-49C	EL180UH110XE60C	10099242
SL18XP1-060-230	54500	14	11.5	53500	35200	3.42	2.54	8.5	C35-49C	EL195UH110XE60C	10099243
SL18XP1-060-230	54500	14	11.5	53500	35200	3.42	2.54	8.5	C35-49C	EL296UH110XE60C	10099244
SL18XP1-060-230	54500	14	11.5	54000	35400	3.44	2.54	8.5	C35-49C	EL296UH110XV60C	10099245
SL18XP1-060-230	54500	14.5	12	53500	35200	3.44	2.56	8.5	C35-49C	ML180UH090E60C	10589987
SL18XP1-060-230	54500	14.5	11.5	53500	35200	3.42	2.56	8.5	C35-49C	ML180UH110E60C	10590239
SL18XP1-060-230	54500	14.5	11.5	53500	35200	3.42	2.56	8.5	C35-49C	ML180UH110XE60C	10590336
SL18XP1-060-230	54500	14.5	11.5	53500	35200	3.44	2.56	8.5	C35-49C	SL280UH090V60C	10099246
SL18XP1-060-230	54500	14.5	11.5	53500	35200	3.44	2.56	8.5	C35-49C	SL280UH090XV60C	10099247
SL18XP1-060-230	54500	15	12.2	53500	35000	3.5	2.6	9.2	C35-49C	SL280UH100NV60C	10581420
SL18XP1-060-230	54500	14.5	12	53500	35200	3.44	2.56	8.5	C35-49C	SL280UH110V60C	10099248
SL18XP1-060-230	54500	14.5	12	53500	35200	3.44	2.56	8.5	C35-49C	SL280UH110XV60C	10099249
SL18XP1-060-230	54500	14	11.5	54000	35400	3.44	2.54	8.5	C35-49C	SLP98UH110XV60C	10099250
SL18XP1-060-230	54000	14	11.5	54500	35800	3.48	2.56	8.5	C35-49C		10099239
SL18XP1-060-230	56500	15	12	53000	34200	3.58	2.54	8.5	C35-60C	EL180UH090E60C	10099380
SL18XP1-060-230	56500	15	12	53000	34200	3.58	2.52	8.5	C35-60C	EL180UH110E60C	10099381
SL18XP1-060-230	56500	15	12	53000	34200	3.58	2.52	8.5	C35-60C	EL180UH110XE60C	10099382
SL18XP1-060-230	56500	15	12	53000	34200	3.56	2.52	8.5	C35-60C	EL195UH110XE60C	10099383
SL18XP1-060-230	56000	15	12	53000	34200	3.54	2.5	8.5	C35-60C	EL296UH090XV60C	10099384
SL18XP1-060-230	56500	15	12	53000	34400	3.54	2.52	8.5	C35-60C	EL296UH110XV60C	10099385
SL18XP1-060-230	56500	15	12	53000	34200	3.58	2.54	8.5	C35-60C	ML180UH090E60C	10589989
SL18XP1-060-230	56500	15	12	53000	34200	3.58	2.52	8.5	C35-60C	ML180UH110E60C	10590241



# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-060-230	56500	15	12	53000	34200	3.58	2.52	8.5	C35-60C	ML180UH110XE60C	10590338
SL18XP1-060-230	57000	15	12.5	53000	34200	3.58	2.54	9	C35-60C	SL280UH090V60C	10099386
SL18XP1-060-230	57000	15	12.5	53000	34200	3.58	2.54	9	C35-60C	SL280UH090XV60C	10099387
SL18XP1-060-230	56500	15.5	12.5	53000	34200	3.66	2.58	9.2	C35-60C	SL280UH100NV60C	10581421
SL18XP1-060-230	56500	15	12	53000	34200	3.6	2.54	8.5	C35-60C	SL280UH110V60C	10099388
SL18XP1-060-230	56500	15	12	53000	34200	3.6	2.54	8.5	C35-60C	SL280UH110XV60C	10099389
SL18XP1-060-230	56000	15	12	53000	34200	3.54	2.5	8.5	C35-60C	SLP98UH090XV60C	10099390
SL18XP1-060-230	56500	15	12	53000	34400	3.54	2.52	8.5	C35-60C	SLP98UH110XV60C	10099391
SL18XP1-060-230	56500	14.5	12	53500	34600	3.58	2.54	9	C35-60C		10099379
SL18XP1-060-230	57000	14.5	12	55000	35800	3.44	2.58	9	C35-60D	EL180UH135E60D	10099407
SL18XP1-060-230	56500	14.5	11.5	55000	36200	3.38	2.54	8.5	C35-60D	EL195UH135XE60D	10099408
SL18XP1-060-230	56500	14.5	11.5	55000	36200	3.38	2.54	8.5	C35-60D	EL296UH135XE60D	10099409
SL18XP1-060-230	57000	14.5	12	55000	35800	3.42	2.56	9	C35-60D	EL296UH135XV60D	10099410
SL18XP1-060-230	57000	14.5	12	55000	35800	3.44	2.58	9	C35-60D	ML180UH135E60D	10590467
SL18XP1-060-230	57000	14.5	12	55000	35800	3.44	2.56	9	C35-60D	SL280UH135V60D	10099411
SL18XP1-060-230	56500	14.5	12	54500	35600	3.38	2.56	9	C35-60D	SLP98UH135XV60D	10099419
SL18XP1-060-230	56000	14	11.5	55500	36200	3.4	2.54	8.5	C35-60D		10099406
SL18XP1-060-230	57000	14.5	12	52000	34600	3.62	2.6	9	C37-62C	EL180UH090E60C	10085084
SL18XP1-060-230	57000	14.5	12	52000	34600	3.6	2.6	9	C37-62C	EL180UH110E60C	10085087
SL18XP1-060-230	57000	14.5	12	52000	34600	3.6	2.6	9	C37-62C	EL180UH110XE60C	10085088
SL18XP1-060-230	57000	14.5	12	52000	34600	3.58	2.58	9	C37-62C	EL195UH110XE60C	10085091
SL18XP1-060-230	57000	14.5	12	52000	34600	3.58	2.58	9	C37-62C	EL296UH110XE60C	10085092
SL18XP1-060-230	57000	14.5	12	52500	35000	3.58	2.58	9	C37-62C	EL296UH110XV60C	10085093
SL18XP1-060-230	57000	14.5	12	52000	34600	3.62	2.6	9	C37-62C	ML180UH090E60C	10589923
SL18XP1-060-230	57000	14.5	12	52000	34600	3.6	2.6	9	C37-62C	ML180UH110E60C	10590175
SL18XP1-060-230	57000	14.5	12	52000	34600	3.6	2.6	9	C37-62C	ML180UH110XE60C	10590295
SL18XP1-060-230	57000	14.5	12	52500	34600	3.64	2.6	9	C37-62C	SL280UH090V60C	10085085
SL18XP1-060-230	57000	14.5	12	52500	34600	3.64	2.6	9	C37-62C	SL280UH090XV60C	10085086
SL18XP1-060-230	57000	15.1	12.5	52000	34400	3.68	2.64	9.4	C37-62C	SL280UH100NV60C	10581422
SL18XP1-060-230	57000	14.5	12	52000	34600	3.6	2.6	9	C37-62C	SL280UH110V60C	10085089
SL18XP1-060-230	57000	14.5	12	52000	34600	3.6	2.6	9	C37-62C	SL280UH110XV60C	10085090
SL18XP1-060-230	57000	14	11.5	53000	35200	3.64	2.6	9	C37-62C		10084118
SL18XP1-060-230	56000	14.5	12	52000	34400	3.54	2.54	9	C37-62D	EL180UH135E60D	10085095
SL18XP1-060-230	56000	14.5	12	52500	34800	3.52	2.52	9	C37-62D	EL195UH135XE60D	10085097
SL18XP1-060-230	56000	14.5	12	52500	34800	3.52	2.52	9	C37-62D	EL296UH135XE60D	10085098
SL18XP1-060-230	56000	14.5	12	52000	34400	3.54	2.54	9	C37-62D	ML180UH135E60D	10590407
SL18XP1-060-230	55500	15	12.5	51500	34000	3.58	2.58	9	C37-62D	SL280UH135V60D	10085094
SL18XP1-060-230	56000	14.5	12	52000	34600	3.52	2.54	9	C37-62D	SLP98UH135XV60D	10085096
SL18XP1-060-230	55500	14	11.5	52500	35000	3.5	2.54	9	C37-62D		10084119
SL18XP1-060-230	56000	15	12	53500	35000	3.68	2.72	9.5	CBA27UHE-060		10258585
SL18XP1-060-230	56000	14.5	12	53500	35800	3.72	2.74	9.6	CBX27UH-060		8331405
SL18XP1-060-230	55500	14.5	11.5	54000	35600	3.64	2.66	9.5	CBX32M-060		8331406
SL18XP1-060-230	56000	15	12.5	53500	35200	3.66	2.68	9.5	CBX32MV-060		8331407
SL18XP1-060-230	55500	14.5	12	53500	35200	3.66	2.7	9.5	CBX40UHV-060		8331408
SL18XP1-060-230	56000	14.5	12	54000	36000	3.52	2.62	9	CH33-49	EL180UH090E60C	8329026
SL18XP1-060-230	56000	14	12	54500	36200	3.54	2.62	9	CH33-49	EL180UH110E60C	8329027
SL18XP1-060-230	56000	14	12	54500	36200	3.54	2.62	9	CH33-49	EL180UH110XE60C	8329028
SL18XP1-060-230	55500	14	11.5	54500	36200	3.52	2.6	9	CH33-49	EL195UH110XE60C	8329029
SL18XP1-060-230	55500	14	11.5	54000	36000	3.48	2.6	9	CH33-49	EL296UH090XV60C	8657244
SL18XP1-060-230	55500	14	11.5	54500	36200	3.52	2.6	9	CH33-49	EL296UH110XE60C	8329030
SL18XP1-060-230	56000	14	11.5	54500	36200	3.54	2.6	9	CH33-49	EL296UH110XV60C	8657245
SL18XP1-060-230	56000	14.5	12	54000	36000	3.52	2.62	9	CH33-49	ML180UH090E60C	10589841
SL18XP1-060-230	56000	14	12	54500	36200	3.54	2.62	9	CH33-49	ML180UH110E60C	10590095
SL18XP1-060-230	56000	14	12	54500	36200	3.54	2.62	9	CH33-49	ML180UH110XE60C	10590272
SL18XP1-060-230	56000	14.5	12	54500	36200	3.58	2.64	9	CH33-49	SL280UH090V60C	8329022
SL18XP1-060-230	56000	14.5	12	54500	36200	3.58	2.64	9	CH33-49	SL280UH090XV60C	8329023
SL18XP1-060-230	56000	14.5	12.2	54500	36000	3.64	2.66	9.4	CH33-49	SL280UH100NV60C	10581423
SL18XP1-060-230	56000	14.5	12	54500	36000	3.56	2.62	9	CH33-49	SL280UH110V60C	8329024
SL18XP1-060-230	56000	14.5	12	54500	36000	3.56	2.62	9	CH33-49	SL280UH110XV60C	8329025
SL18XP1-060-230	55500	14	11.5	54000	36000	3.48	2.6	9	CH33-49	SLP98UH090XV60C	8329031
SL18XP1-060-230	56000	14	11.5	54500	36200	3.54	2.6	9	CH33-49	SLP98UH110XV60C	8329032

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-060-230	56000	14	11.5	55000	36600	3.56	2.6	9	CH33-49		8329033
SL18XP1-060-230	55500	14	11.5	54000	36000	3.5	2.6	9	CH33-50/60C	EL180UH090E60C	8329038
SL18XP1-060-230	55500	14	11.5	54000	36000	3.48	2.58	9	CH33-50/60C	EL180UH110E60C	8329039
SL18XP1-060-230	55500	14	11.5	54000	36000	3.48	2.58	9	CH33-50/60C	EL180UH110XE60C	8329040
SL18XP1-060-230	55500	14	11.5	54000	36000	3.46	2.58	9	CH33-50/60C	EL195UH110XE60C	8329041
SL18XP1-060-230	55500	14	11.5	54000	36000	3.46	2.58	9	CH33-50/60C	EL296UH110XE60C	8329042
SL18XP1-060-230	55500	14	11.5	54000	36000	3.5	2.6	9	CH33-50/60C	ML180UH090E60C	10589842
SL18XP1-060-230	55500	14	11.5	54000	36000	3.48	2.58	9	CH33-50/60C	ML180UH110E60C	10590096
SL18XP1-060-230	55500	14	11.5	54000	36000	3.48	2.58	9	CH33-50/60C	ML180UH110XE60C	10590273
SL18XP1-060-230	56000	14.5	12	54500	36000	3.56	2.62	9	CH33-50/60C	SL280UH090V60C	8329034
SL18XP1-060-230	56000	14.5	12	54500	36000	3.56	2.62	9	CH33-50/60C	SL280UH090XV60C	8329035
SL18XP1-060-230	55500	14.5	12.2	54000	36000	3.6	2.64	9.4	CH33-50/60C	SL280UH100NV60C	10581424
SL18XP1-060-230	55500	14.5	11.5	54000	36000	3.52	2.62	9	CH33-50/60C	SL280UH110V60C	8329036
SL18XP1-060-230	55500	14.5	11.5	54000	36000	3.52	2.62	9	CH33-50/60C	SL280UH110XV60C	8329037
SL18XP1-060-230	55000	14	11.5	54000	36200	3.44	2.58	9	CH33-50/60C	SLP98UH090XV60C	8331724
SL18XP1-060-230	56000	14	11.5	55000	36600	3.56	2.62	9	CH33-50/60C		8329044
SL18XP1-060-230	56000	14	11.5	54000	35400	3.5	2.56	9	CH33-62D	EL180UH135E60D	8329045
SL18XP1-060-230	56000	14	11.5	54500	35800	3.48	2.54	9	CH33-62D	EL195UH135XE60D	8329048
SL18XP1-060-230	56000	14	11.5	54500	35800	3.48	2.54	9	CH33-62D	EL296UH135XE60D	8329049
SL18XP1-060-230	56500	14	11.5	54500	35600	3.54	2.58	9	CH33-62D	EL296UH135XV60D	8329046
SL18XP1-060-230	56000	14	11.5	54000	35400	3.5	2.56	9	CH33-62D	ML180UH135E60D	10590457
SL18XP1-060-230	56000	14.5	12	53500	34800	3.54	2.6	9	CH33-62D	SL280UH135V60D	8329203
SL18XP1-060-230	56500	14	11.5	54500	35600	3.54	2.58	9	CH33-62D	SLP98UH135XV60D	8329047
SL18XP1-060-230	56000	14	11.5	55000	35800	3.52	2.56	9	CH33-62D		8329050
SL18XP1-060-230	55000	14.5	12	53500	35000	3.32	2.44	8.5	CH35-51C	EL180UH090E60C	10099217
SL18XP1-060-230	55000	14.5	12	53500	35000	3.3	2.42	8.5	CH35-51C	EL180UH110E60C	10099218
SL18XP1-060-230	55000	14.5	12	53500	35000	3.3	2.42	8.5	CH35-51C	EL180UH110XE60C	10099219
SL18XP1-060-230	54500	14.5	11.5	53500	35000	3.28	2.42	8.5	CH35-51C	EL195UH110XE60C	10099220
SL18XP1-060-230	54000	14	11.5	53500	35200	3.22	2.4	8.5	CH35-51C	EL296UH090XV60C	10099221
SL18XP1-060-230	54500	14.5	11.5	53500	35000	3.28	2.42	8.5	CH35-51C	EL296UH110XE60C	10099222
SL18XP1-060-230	54500	14	11.5	54000	35400	3.28	2.42	8.5	CH35-51C	EL296UH110XV60C	10099223
SL18XP1-060-230	55000	14.5	12	53500	35000	3.32	2.44	8.5	CH35-51C	ML180UH090E60C	10589986
SL18XP1-060-230	55000	14.5	12	53500	35000	3.3	2.42	8.5	CH35-51C	ML180UH110E60C	10590238
SL18XP1-060-230	55000	14.5	12	53500	35000	3.3	2.42	8.5	CH35-51C	ML180UH110XE60C	10590335
SL18XP1-060-230	55000	14.5	12	54000	35200	3.34	2.44	8.5	CH35-51C	SL280UH090V60C	10099224
SL18XP1-060-230	55000	14.5	12	54000	35200	3.34	2.44	8.5	CH35-51C	SL280UH090XV60C	10099225
SL18XP1-060-230	54500	15	12.2	53500	35000	3.36	2.46	8.8	CH35-51C	SL280UH100NV60C	10581425
SL18XP1-060-230	54500	14.5	11.5	53500	35200	3.28	2.42	8.5	CH35-51C	SL280UH110V60C	10099226
SL18XP1-060-230	54500	14.5	11.5	53500	35200	3.28	2.42	8.5	CH35-51C	SL280UH110XV60C	10099227
SL18XP1-060-230	54000	14	11.5	53500	35200	3.22	2.4	8.5	CH35-51C	SLP98UH090XV60C	10099228
SL18XP1-060-230	54500	14	11.5	54000	35400	3.28	2.42	8.5	CH35-51C	SLP98UH110XV60C	10099229
SL18XP1-060-230	54500	14	11.5	54500	35600	3.36	2.44	8.5	CH35-51C		10099230
SL18XP1-060-230	55500	14.5	12	54000	36000	3.48	2.56	9	CH35-60D	EL180UH135E60D	10099231
SL18XP1-060-230	55500	14	11.5	54500	36400	3.46	2.54	8.5	CH35-60D	EL195UH135XE60D	10099232
SL18XP1-060-230	55500	14	11.5	54500	36400	3.46	2.54	8.5	CH35-60D	EL296UH135XE60D	10099234
SL18XP1-060-230	55500	14.5	12	54500	36200	3.5	2.56	9	CH35-60D	EL296UH135XV60D	10099235
SL18XP1-060-230	55500	14.5	12	54000	36000	3.48	2.56	9	CH35-60D	ML180UH135E60D	10590466
SL18XP1-060-230	55500	14.5	12	54500	36200	3.48	2.56	9	CH35-60D	SL280UH135V60D	10099236
SL18XP1-060-230	55500	14.5	12	54500	36200	3.5	2.56	9	CH35-60D	SLP98UH135XV60D	10099237
SL18XP1-060-230	54500	14	11.5	55000	36600	3.48	2.56	8.5	CH35-60D		10099238
SL18XP1-060-230	55000	14.5	12	55000	35400	3.64	2.7	9.5	CR33-50/60	EL180DF110E60C	8329051
SL18XP1-060-230	54500	14	11.5	55000	35400	3.58	2.64	9	CR33-50/60	EL195DF110XE60C	8329053
SL18XP1-060-230	54500	14	11.5	55000	35400	3.58	2.64	9	CR33-50/60	EL296DF110XE60C	8329054
SL18XP1-060-230	55000	14.5	12	55000	35400	3.64	2.7	9.5	CR33-50/60	ML180DF110E60C	10589538
SL18XP1-060-230	55000	14	11.5	55000	35400	3.6	2.66	9.5	CR33-50/60	SL280DF090V60C	8329055
SL18XP1-060-230	55000	14.5	12	55000	35200	3.62	2.66	9.5	CR33-50/60	SL280DF110V60C	8329052
SL18XP1-060-230	54500	14	11.5	55500	35800	3.56	2.62	9	CR33-50/60		8329056
SL18XP1-060-230	54500	14	11.5	55500	35800	3.56	2.62	9	CR33-60		8329057
SL18XP1-060-230	57000	14.5	12	52000	34600	3.62	2.6	9	CX34-62C	EL180UH090E60C	8329058
SL18XP1-060-230	57000	14.5	12	52000	34600	3.6	2.6	9	CX34-62C	EL180UH110E60C	8329061
SL18XP1-060-230	57000	14.5	12	52000	34600	3.6	2.6	9	CX34-62C	EL180UH110XE60C	8329062

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-060-230	57000	14.5	12	52000	34600	3.58	2.58	9	CX34-62C	EL195UH110XE60C	8329065
SL18XP1-060-230	57000	14	11.5	53000	35200	3.6	2.58	9	CX34-62C	EL296UH090XV60C	8657494
SL18XP1-060-230	57000	14.5	12	52000	34600	3.58	2.58	9	CX34-62C	EL296UH110XE60C	8329066
SL18XP1-060-230	57000	14.5	12	52500	35000	3.58	2.58	9	CX34-62C	EL296UH110XV60C	8329067
SL18XP1-060-230	57000	14.5	12	52000	34600	3.62	2.6	9	CX34-62C	ML180UH090E60C	10589843
SL18XP1-060-230	57000	14.5	12	52000	34600	3.6	2.6	9	CX34-62C	ML180UH110E60C	10590097
SL18XP1-060-230	57000	14.5	12	52000	34600	3.6	2.6	9	CX34-62C	ML180UH110XE60C	10590274
SL18XP1-060-230	57000	14.5	12	52500	34600	3.64	2.6	9	CX34-62C	SL280UH090V60C	8329059
SL18XP1-060-230	57000	14.5	12	52500	34600	3.64	2.6	9	CX34-62C	SL280UH090XV60C	8329060
SL18XP1-060-230	57000	14.5	12	52000	34600	3.6	2.6	9	CX34-62C	SL280UH110V60C	8329063
SL18XP1-060-230	57000	14.5	12	52000	34600	3.6	2.6	9	CX34-62C	SL280UH110XV60C	8329064
SL18XP1-060-230	57000	14	11.5	53000	35200	3.6	2.58	9	CX34-62C	SLP98UH090XV60C	8657495
SL18XP1-060-230	57000	14.5	12	52500	35000	3.58	2.58	9	CX34-62C	SLP98UH110XV60C	8657246
SL18XP1-060-230	57000	14	11.5	53000	35200	3.64	2.6	9	CX34-62C		8329068
SL18XP1-060-230	56000	14.5	12	52000	34400	3.54	2.54	9	CX34-62D	EL180UH135E60D	8329070
SL18XP1-060-230	56000	14.5	12	52500	34800	3.52	2.52	9	CX34-62D	EL195UH135XE60D	8329072
SL18XP1-060-230	56000	14.5	12	52500	34800	3.52	2.52	9	CX34-62D	EL296UH135XE60D	8329073
SL18XP1-060-230	56000	14.5	12	52000	34400	3.54	2.54	9	CX34-62D	ML180UH135E60D	10590370
SL18XP1-060-230	55500	15	12.5	51500	34000	3.58	2.58	9	CX34-62D	SL280UH135V60D	8329069
SL18XP1-060-230	56000	14.5	12	52000	34600	3.52	2.54	9	CX34-62D	SLP98UH135XV60D	8329071
SL18XP1-060-230	55500	14	11.5	52500	35000	3.5	2.54	9	CX34-62D		8329074
SL18XP1-060-230	54500	14.5	12	53500	35200	3.44	2.56	8.5	CX35-49C	EL180UH090E60C	10099252
SL18XP1-060-230	54500	14.5	11.5	53500	35200	3.42	2.56	8.5	CX35-49C	EL180UH110E60C	10099253
SL18XP1-060-230	54500	14.5	11.5	53500	35200	3.42	2.56	8.5	CX35-49C	EL180UH110XE60C	10099254
SL18XP1-060-230	54500	14	11.5	53500	35200	3.42	2.54	8.5	CX35-49C	EL195UH110XE60C	10099255
SL18XP1-060-230	54500	14.5	12	53500	35200	3.44	2.56	8.5	CX35-49C	ML180UH090E60C	10589988
SL18XP1-060-230	54500	14.5	11.5	53500	35200	3.42	2.56	8.5	CX35-49C	ML180UH110E60C	10590240
SL18XP1-060-230	54500	14.5	11.5	53500	35200	3.42	2.56	8.5	CX35-49C	ML180UH110XE60C	10590337
SL18XP1-060-230	54500	15	12.2	53500	35000	3.5	2.6	9.2	CX35-49C	SL280UH100NV60C	10581426
SL18XP1-060-230	54500	14.5	12	53500	35200	3.44	2.56	8.5	CX35-49C	SL280UH110XV60C	10099256
SL18XP1-060-230	54500	14	11.5	54000	35400	3.44	2.54	8.5	CX35-49C	SLP98UH110XV60C	10099257
SL18XP1-060-230	54000	14	11.5	54500	35800	3.48	2.56	8.5	CX35-49C		10099251
SL18XP1-060-230	56500	15	12	53000	34200	3.58	2.54	8.5	CX35-60C	EL180UH090E60C	10099393
SL18XP1-060-230	56500	15	12	53000	34200	3.58	2.52	8.5	CX35-60C	EL180UH110E60C	10099394
SL18XP1-060-230	56500	15	12	53000	34200	3.58	2.52	8.5	CX35-60C	EL180UH110XE60C	10099395
SL18XP1-060-230	56500	15	12	53000	34200	3.56	2.52	8.5	CX35-60C	EL195UH110XE60C	10099396
SL18XP1-060-230	56000	15	12	53000	34200	3.54	2.5	8.5	CX35-60C	EL296UH090XV60C	10099397
SL18XP1-060-230	56500	15	12	53000	34200	3.56	2.52	8.5	CX35-60C	EL296UH110XE60C	10099398
SL18XP1-060-230	56500	15	12	53000	34400	3.54	2.52	8.5	CX35-60C	EL296UH110XV60C	10099399
SL18XP1-060-230	56500	15	12	53000	34200	3.58	2.54	8.5	CX35-60C	ML180UH090E60C	10589990
SL18XP1-060-230	56500	15	12	53000	34200	3.58	2.52	8.5	CX35-60C	ML180UH110E60C	10590242
SL18XP1-060-230	56500	15	12	53000	34200	3.58	2.52	8.5	CX35-60C	ML180UH110XE60C	10590339
SL18XP1-060-230	57000	15	12.5	53000	34200	3.58	2.54	9	CX35-60C	SL280UH090V60C	10099400
SL18XP1-060-230	57000	15	12.5	53000	34200	3.58	2.54	9	CX35-60C	SL280UH090XV60C	10099401
SL18XP1-060-230	56500	15.5	12.5	53000	34200	3.66	2.58	9.2	CX35-60C	SL280UH100NV60C	10581427
SL18XP1-060-230	56500	15	12	53000	34200	3.6	2.54	8.5	CX35-60C	SL280UH110V60C	10099402
SL18XP1-060-230	56500	15	12	53000	34200	3.6	2.54	8.5	CX35-60C	SL280UH110XV60C	10099403
SL18XP1-060-230	56000	15	12	53000	34200	3.54	2.5	8.5	CX35-60C	SLP98UH090XV60C	10099404
SL18XP1-060-230	56500	15	12	53000	34400	3.54	2.52	8.5	CX35-60C	SLP98UH110XV60C	10099405
SL18XP1-060-230	56500	14.5	12	53500	34800	3.58	2.54	9	CX35-60C		10099392
SL18XP1-060-230	57000	14.5	12	55000	35800	3.44	2.58	9	CX35-60D	EL180UH135E60D	10099413
SL18XP1-060-230	56500	14.5	11.5	55000	36200	3.38	2.54	8.5	CX35-60D	EL195UH135XE60D	10099414
SL18XP1-060-230	56500	14.5	11.5	55000	36200	3.38	2.54	8.5	CX35-60D	EL296UH135XE60D	10099415
SL18XP1-060-230	57000	14.5	12	55000	35800	3.42	2.56	9	CX35-60D	EL296UH135XV60D	10099416
SL18XP1-060-230	57000	14.5	12	55000	35800	3.44	2.58	9	CX35-60D	ML180UH135E60D	10590468
SL18XP1-060-230	57000	14.5	12	55000	35800	3.44	2.56	9	CX35-60D	SL280UH135V60D	10099417
SL18XP1-060-230	56500	14.5	12	54500	35600	3.38	2.56	9	CX35-60D	SLP98UH135XV60D	10099420
SL18XP1-060-230	56000	14	11.5	55500	36200	3.4	2.54	8.5	CX35-60D		10099412
SL18XP1-060-230	57000	14.5	12	52000	34600	3.62	2.6	9	CX38-62C	EL180UH090E60C	10086783
SL18XP1-060-230	57000	14.5	12	52000	34600	3.6	2.6	9	CX38-62C	EL180UH110E60C	10086786
SL18XP1-060-230	57000	14.5	12	52000	34600	3.6	2.6	9	CX38-62C	EL180UH110XE60C	10086787

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-060-230	57000	14.5	12	52000	34600	3.58	2.58	9	CX38-62C	EL195UH110XE60C	10086790
SL18XP1-060-230	57000	14	11.5	53000	35200	3.6	2.58	9	CX38-62C	EL296UH090XV60C	10086904
SL18XP1-060-230	57000	14.5	12	52000	34600	3.58	2.58	9	CX38-62C	EL296UH110XE60C	10086791
SL18XP1-060-230	57000	14.5	12	52500	35000	3.58	2.58	9	CX38-62C	EL296UH110XV60C	10086792
SL18XP1-060-230	57000	14.5	12	52000	34600	3.62	2.6	9	CX38-62C	ML180UH090E60C	10589957
SL18XP1-060-230	57000	14.5	12	52000	34600	3.6	2.6	9	CX38-62C	ML180UH110E60C	10590209
SL18XP1-060-230	57000	14.5	12	52000	34600	3.6	2.6	9	CX38-62C	ML180UH110XE60C	10590309
SL18XP1-060-230	57000	14.5	12	52500	34600	3.64	2.6	9	CX38-62C	SL280UH090V60C	10086784
SL18XP1-060-230	57000	14.5	12	52500	34600	3.64	2.6	9	CX38-62C	SL280UH090XV60C	10086785
SL18XP1-060-230	57000	15.1	12.5	52000	34400	3.68	2.64	9.4	CX38-62C	SL280UH100NV60C	10581428
SL18XP1-060-230	57000	14.5	12	52000	34600	3.6	2.6	9	CX38-62C	SL280UH110V60C	10086788
SL18XP1-060-230	57000	14.5	12	52000	34600	3.6	2.6	9	CX38-62C	SL280UH110XV60C	10086789
SL18XP1-060-230	57000	14	11.5	53000	35200	3.6	2.58	9	CX38-62C	SLP98UH090XV60C	10086905
SL18XP1-060-230	57000	14.5	12	52500	35000	3.58	2.58	9	CX38-62C	SLP98UH110XV60C	10086903
SL18XP1-060-230	57000	14	11.5	53000	35200	3.64	2.6	9	CX38-62C		10086669
SL18XP1-060-230	56000	14.5	12	52000	34400	3.54	2.54	9	CX38-62D	EL180UH135E60D	10085100
SL18XP1-060-230	56000	14.5	12	52500	34800	3.52	2.52	9	CX38-62D	EL195UH135XE60D	10085102
SL18XP1-060-230	56000	14.5	12	52500	34800	3.52	2.52	9	CX38-62D	EL296UH135XE60D	10085103
SL18XP1-060-230	56000	14.5	12	52000	34400	3.54	2.54	9	CX38-62D	ML180UH1135E60D	10590461
SL18XP1-060-230	55500	15	12.5	51500	34000	3.58	2.58	9	CX38-62D	SL280UH135V60D	10085099
SL18XP1-060-230	56000	14.5	12	52000	34600	3.52	2.54	9	CX38-62D	SLP98UH135XV60D	10085101
SL18XP1-060-230	55500	14	11.5	52500	35000	3.5	2.54	9	CX38-62D		10084120
SPB036H4 (208/230V)	37000	16	13	32800	21600	3.1	2.56	8.7	C33-43	EL180UH070E36B	8231727
SPB036H4 (208/230V)	37000	15.5	12.5	33600	22200	3.02	2.46	8.5	C33-43	EL195UH045XE36B	8231766
SPB036H4 (208/230V)	37000	16	12.5	33200	21800	3.08	2.52	8.5	C33-43	EL195UH070XE36B	8231720
SPB036H4 (208/230V)	37200	16.5	13	33000	21800	3.1	2.56	8.7	C33-43	EL195UH090XE48C	8231708
SPB036H4 (208/230V)	37000	15.5	12.5	33600	22200	3.02	2.46	8.5	C33-43	EL296UH045XE36B	8231719
SPB036H4 (208/230V)	37000	16	12.5	33200	21800	3.08	2.52	8.5	C33-43	EL296UH070XE36B	8231741
SPB036H4 (208/230V)	37200	16	12.5	33200	22000	3.06	2.52	8.7	C33-43	EL296UH070XV36B	8231714
SPB036H4 (208/230V)	37200	16.5	13	33000	21800	3.1	2.56	8.7	C33-43	EL296UH090XE48C	8231754
SPB036H4 (208/230V)	37200	16	13	33000	21800	3.12	2.56	8.7	C33-43	EL296UH090XV36C	8231715
SPB036H4 (208/230V)	37000	16.5	13	33000	21600	3.1	2.54	8.7	C33-43	EL296UH090XV48C	8231728
SPB036H4 (208/230V)	37800	16.5	13	33400	22000	3.18	2.58	8.7	C33-43	EL296UH090XV60C	8231735
SPB036H4 (208/230V)	37600	16.5	13	33200	21800	3.18	2.58	8.7	C33-43	EL296UH110XV60C	8231773
SPB036H4 (208/230V)	37000	16	13	32800	21600	3.1	2.56	8.7	C33-43	ML180UH070E36B	10591205
SPB036H4 (208/230V)	37200	16.5	13	32800	21600	3.12	2.56	8.7	C33-43	SL280UH090V36B	8231734
SPB036H4 (208/230V)	37200	16	13	33000	21800	3.14	2.58	8.7	C33-43	SL280UH090V48B	8231772
SPB036H4 (208/230V)	37800	16.5	13	33200	21800	3.18	2.58	8.7	C33-43	SL280UH090V60C	8231756
SPB036H4 (208/230V)	37200	16	13	33000	21800	3.14	2.58	8.7	C33-43	SL280UH090XV48B	8231767
SPB036H4 (208/230V)	37800	16.5	13	33200	21800	3.18	2.58	8.7	C33-43	SL280UH090XV60C	8231722
SPB036H4 (208/230V)	37600	16.5	13	33200	21800	3.16	2.56	8.7	C33-43	SL280UH110V60C	8231709
SPB036H4 (208/230V)	37600	16.5	13	33200	21800	3.16	2.56	8.7	C33-43	SL280UH110XV60C	8231755
SPB036H4 (208/230V)	37200	16	12.5	33200	22000	3.06	2.52	8.7	C33-43	SLP98UH070XV36B	8231721
SPB036H4 (208/230V)	37200	16	13	33000	21800	3.12	2.56	8.7	C33-43	SLP98UH090XV36C	8231716
SPB036H4 (208/230V)	37000	16.5	13	33000	21600	3.1	2.54	8.7	C33-43	SLP98UH090XV48C	8231729
SPB036H4 (208/230V)	37800	16.5	13	33400	22000	3.18	2.58	8.7	C33-43	SLP98UH090XV60C	8231748
SPB036H4 (208/230V)	37600	16.5	13	33200	21800	3.18	2.58	8.7	C33-43	SLP98UH110XV60C	8231762
SPB036H4 (208/230V)	36800	14.5	12	33600	22400	2.96	2.42	8.2	C33-43B		8231650
SPB036H4 (208/230V)	37400	16.5	13	34000	23000	2.88	2.4	8.2	C33-50/60C	EL296UH090XV60C	8231784
SPB036H4 (208/230V)	37200	16.5	13	33600	22800	2.86	2.4	8.2	C33-50/60C	EL296UH110XV60C	8231774
SPB036H4 (208/230V)	37400	16.5	13	33800	22800	2.88	2.4	8.2	C33-50/60C	SL280UH090V60C	8231777
SPB036H4 (208/230V)	37400	16.5	13	33800	22800	2.88	2.4	8.2	C33-50/60C	SL280UH090XV60C	8231790
SPB036H4 (208/230V)	37400	16.5	13	34000	23000	2.88	2.4	8.2	C33-50/60C	SLP98UH090XV60C	8231785
SPB036H4 (208/230V)	37200	16.5	13	33600	22800	2.86	2.4	8.2	C33-50/60C	SLP98UH110XV60C	8231775
SPB036H4 (208/230V)	37200	16.5	13	33000	21600	3.14	2.56	8.8	C33-43B	SL280UH080NV48B	10590482
SPB036H4 (208/230V)	36200	14.5	12	36800	24400	2.8	2.68	8.2	CBX25UH-036		8231657
SPB036H4 (208/230V)	36200	16	12.5	34600	23200	3.18	2.58	8.7	CBX25UHV-036		8231789
SPB036H4 (208/230V)	36200	15.5	12.5	34400	23000	3.2	2.6	9	CBX27UH-036		8231795
SPB036H4 (208/230V)	37600	16.5	13	34200	23400	3.36	2.84	9.5	CBX27UH-042		8231656
SPB036H4 (208/230V)	35600	14.5	12	34800	23400	3.12	2.52	8.7	CBX32M-036		8231793
SPB036H4 (208/230V)	36400	16.5	12.5	34600	23200	3.2	2.6	9	CBX32MV-036		8231794

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SPB036H4 (208/230V)	37600	16.5	13	34200	23400	3.36	2.84	9.5	CBX32MV-048		8231664
SPB036H4 (208/230V)	36200	16	13	34400	23000	3.22	2.62	9	CBX40UHV-030		8231787
SPB036H4 (208/230V)	36200	16	12.5	34600	23200	3.22	2.6	9	CBX40UHV-036		8231786
SPB036H4 (208/230V)	37400	16.5	13.5	34400	23000	3.24	2.62	9	CBX40UHV-042		8231665
SPB036H4 (208/230V)	37400	16	13.5	34400	22800	3.26	2.64	8.7	CBX40UHV-048		8231792
SPB036H4 (208/230V)	38000	16.5	13	33000	22200	3.38	2.6	8.7	CH33-43B	EL180UH070E36B	8231661
SPB036H4 (208/230V)	38000	16.5	13	33000	22200	3.44	2.64	9	CH33-43B	EL180UH090E48B	8231671
SPB036H4 (208/230V)	37600	15.5	12.5	33200	22400	3.3	2.54	8.5	CH33-43B	EL195UH045XE36B	8231683
SPB036H4 (208/230V)	37800	15.5	12.5	33000	22400	3.3	2.56	8.5	CH33-43B	EL195UH070XE36B	8231676
SPB036H4 (208/230V)	37600	15.5	12.5	33200	22400	3.3	2.54	8.5	CH33-43B	EL296UH045XE36B	8231667
SPB036H4 (208/230V)	37800	16	12.5	33000	22400	3.34	2.58	8.7	CH33-43B	EL296UH045XV36B	8231658
SPB036H4 (208/230V)	37800	15.5	12.5	33000	22400	3.3	2.56	8.5	CH33-43B	EL296UH070XE36B	8231669
SPB036H4 (208/230V)	37800	16	12.5	33000	22200	3.36	2.58	8.7	CH33-43B	EL296UH070XV36B	8231659
SPB036H4 (208/230V)	38000	16.5	13	33000	22200	3.38	2.6	8.7	CH33-43B	ML180UH070E36B	10591203
SPB036H4 (208/230V)	38000	16.5	13	33000	22200	3.44	2.64	9	CH33-43B	ML180UH090E48B	10591206
SPB036H4 (208/230V)	37800	16.5	13	32600	22000	3.4	2.64	8.7	CH33-43B	SL280UH090V36B	8231660
SPB036H4 (208/230V)	38000	16.5	13	32800	22000	3.4	2.62	8.7	CH33-43B	SL280UH090V48B	8231670
SPB036H4 (208/230V)	38000	16.5	13	32800	22000	3.4	2.62	8.7	CH33-43B	SL280UH090XV48B	8231666
SPB036H4 (208/230V)	37800	16	12.5	33000	22200	3.36	2.58	8.7	CH33-43B	SLP98UH070XV36B	8231662
SPB036H4 (208/230V)	37400	14.5	12	33200	22600	3.22	2.5	8.5	CH33-43B		8231652
SPB036H4 (208/230V)	37400	16	13	33000	21800	3.16	2.58	8.7	CH33-43C	EL195UH090XE48C	8231663
SPB036H4 (208/230V)	37400	16	13	33000	21800	3.16	2.58	8.7	CH33-43C	EL296UH090XE48C	8231672
SPB036H4 (208/230V)	37400	16.5	13	32400	21800	3.32	2.56	8.7	CH33-43C	EL296UH090XV36C	8231677
SPB036H4 (208/230V)	37200	16.5	13	32400	21800	3.32	2.58	8.7	CH33-43C	EL296UH090XV48C	8231668
SPB036H4 (208/230V)	38000	16.5	13	32800	22000	3.36	2.58	8.7	CH33-43C	EL296UH090XV60C	8231783
SPB036H4 (208/230V)	37800	16.5	13	32600	22000	3.36	2.6	8.7	CH33-43C	EL296UH110XV60C	8231788
SPB036H4 (208/230V)	37200	16	13	32400	21800	3.4	2.62	9	CH33-43C	SL280UH080NV60C	10590483
SPB036H4 (208/230V)	38000	16.5	13	32800	22000	3.36	2.58	8.7	CH33-43C	SL280UH090V60C	8231682
SPB036H4 (208/230V)	38000	16.5	13	32600	22000	3.38	2.62	8.7	CH33-43C	SL280UH090XV60C	8231675
SPB036H4 (208/230V)	37800	16.5	13	32600	22000	3.36	2.6	8.7	CH33-43C	SL280UH110V60C	8231679
SPB036H4 (208/230V)	37800	16.5	13	32600	22000	3.34	2.58	8.7	CH33-43C	SL280UH110XV60C	8231691
SPB036H4 (208/230V)	37400	16.5	13	32400	21800	3.32	2.56	8.7	CH33-43C	SLP98UH090XV36C	8231695
SPB036H4 (208/230V)	37200	16.5	13	32400	21800	3.32	2.58	8.7	CH33-43C	SLP98UH090XV48C	8231712
SPB036H4 (208/230V)	38000	16.5	13	32800	22000	3.36	2.58	8.7	CH33-43C	SLP98UH090XV60C	8231687
SPB036H4 (208/230V)	37800	16.5	13	32600	22000	3.36	2.6	8.7	CH33-43C	SLP98UH110XV60C	8231707
SPB036H4 (208/230V)	36800	14.5	12	33600	22400	3.02	2.44	8.2	CH33-43C		8231654
SPB036H4 (208/230V)	37000	16	13	33000	21800	3.16	2.54	8.7	CH33-48C	EL195UH090XE48C	8231702
SPB036H4 (208/230V)	37000	16	13	33000	21800	3.16	2.54	8.7	CH33-48C	EL296UH090XE48C	8231701
SPB036H4 (208/230V)	37000	16	13	33000	21800	3.16	2.54	8.5	CH33-48C	EL296UH090XV36C	8231680
SPB036H4 (208/230V)	36800	16	13	32800	21800	3.14	2.56	8.5	CH33-48C	EL296UH090XV48C	8231688
SPB036H4 (208/230V)	37600	16	13	33200	22000	3.2	2.56	8.7	CH33-48C	EL296UH090XV60C	8231692
SPB036H4 (208/230V)	37400	16	13	33000	21800	3.2	2.56	8.7	CH33-48C	EL296UH110XV60C	8231684
SPB036H4 (208/230V)	37000	16	13	33000	21800	3.24	2.6	8.8	CH33-48C	SL280UH080NV60C	10590484
SPB036H4 (208/230V)	37600	16.5	13	33200	22000	3.24	2.6	8.7	CH33-48C	SL280UH090V60C	8231713
SPB036H4 (208/230V)	37600	16.5	13	33200	22000	3.24	2.6	8.7	CH33-48C	SL280UH090XV60C	8231700
SPB036H4 (208/230V)	37200	16	13	33200	22000	3.2	2.56	8.7	CH33-48C	SL280UH110V60C	8231696
SPB036H4 (208/230V)	37200	16	13	33200	22000	3.2	2.56	8.7	CH33-48C	SL280UH110XV60C	8231698
SPB036H4 (208/230V)	37000	16	13	33000	21800	3.16	2.54	8.7	CH33-48C	SLP98UH090XV36C	8231681
SPB036H4 (208/230V)	36800	16	13	32800	21800	3.14	2.56	8.7	CH33-48C	SLP98UH090XV48C	8231689
SPB036H4 (208/230V)	37600	16	13	33200	22000	3.2	2.56	8.7	CH33-48C	SLP98UH090XV60C	8231693
SPB036H4 (208/230V)	37400	16	13	33000	21800	3.2	2.56	8.7	CH33-48C	SLP98UH110XV60C	8231685
SPB036H4 (208/230V)	36400	14.5	12	33600	22400	3	2.42	8.2	CH33-48C		8231655
SPB036H4 (208/230V)	36400	16	13	35800	22400	3	2.68	8.7	CR33-48B	EL180DF070E36B	8231706
SPB036H4 (208/230V)	36600	15.5	12	36400	23000	2.96	2.6	8.5	CR33-48B	EL195DF045XE36B	8231697
SPB036H4 (208/230V)	36400	15.5	12.5	36000	22600	3	2.64	8.7	CR33-48B	EL195DF070XE48B	8231699
SPB036H4 (208/230V)	36600	15.5	12	36400	23000	2.96	2.6	8.5	CR33-48B	EL296DF045XE36B	8231694
SPB036H4 (208/230V)	36400	15.5	12.5	36000	22600	3	2.64	8.7	CR33-48B	EL296DF070XE48B	8231678
SPB036H4 (208/230V)	36400	16	13	35800	22400	3	2.68	8.7	CR33-48B	ML180DF070E36B	10590547
SPB036H4 (208/230V)	36600	16	12.5	36000	22600	3.02	2.66	8.7	CR33-48B	SL280DF090V48B	8231686
SPB036H4 (208/230V)	36200	16	12.5	36000	22600	2.98	2.64	8.7	CR33-48B	SLP98DF070XV36B	8231674
SPB036H4 (208/230V)	36000	14	11.5	36600	23200	2.88	2.54	8.2	CR33-48B		8231653

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SPB036H4 (208/230V)	37200	16.5	13	36000	22600	3.08	2.72	9	CR33-48C	SL280DF090V60C	8231703
SPB036H4 (208/230V)	36800	16.5	13	36000	22600	3.06	2.72	8.7	CR33-48C	SL280DF110V60C	8231690
SPB036H4 (208/230V)	36600	16	12.5	36000	22600	3	2.66	8.7	CR33-48C	SLP98DF090XV36C	8231673
SPB036H4 (208/230V)	36600	16	12.5	36000	22600	3.02	2.68	8.7	CR33-48C	SLP98DF090XV48C	8231749
SPB036H4 (208/230V)	36800	16	12.5	36200	22600	3.06	2.68	8.7	CR33-48C	SLP98DF090XV60C	8231710
SPB036H4 (208/230V)	36800	16	12.5	36200	22800	3.06	2.7	8.7	CR33-48C	SLP98DF110XV60C	8231723
SPB036H4 (208/230V)	37000	16	13	32800	21600	3.1	2.56	8.7	CX34-43	EL180UH070E36B	8231711
SPB036H4 (208/230V)	37000	15.5	12.5	33600	22200	3.02	2.46	8.5	CX34-43	EL195UH045XE36B	8231744
SPB036H4 (208/230V)	37000	16	12.5	33200	21800	3.08	2.52	8.5	CX34-43	EL195UH070XE36B	8231742
SPB036H4 (208/230V)	37200	16.5	13	33000	21800	3.1	2.56	8.7	CX34-43	EL195UH090XE48C	8231730
SPB036H4 (208/230V)	37000	15.5	12.5	33600	22200	3.02	2.46	8.5	CX34-43	EL296UH045XE36B	8231717
SPB036H4 (208/230V)	37000	16	12.5	33200	21800	3.08	2.52	8.5	CX34-43	EL296UH070XE36B	8231704
SPB036H4 (208/230V)	37200	16	12.5	33200	22000	3.06	2.52	8.7	CX34-43	EL296UH070XV36B	8231738
SPB036H4 (208/230V)	37200	16.5	13	33000	21800	3.1	2.56	8.7	CX34-43	EL296UH090XE48C	8231705
SPB036H4 (208/230V)	37200	16	13	33000	21800	3.12	2.56	8.7	CX34-43	EL296UH090XV36C	8231739
SPB036H4 (208/230V)	37000	16.5	13	33000	21600	3.1	2.54	8.7	CX34-43	EL296UH090XV48C	8231724
SPB036H4 (208/230V)	37800	16.5	13	33400	22000	3.18	2.58	8.7	CX34-43	EL296UH090XV60C	8231737
SPB036H4 (208/230V)	37600	16.5	13	33200	21800	3.18	2.58	8.7	CX34-43	EL296UH110XV60C	8231732
SPB036H4 (208/230V)	37000	16	13	32800	21600	3.1	2.56	8.7	CX34-43	ML180UH070E36B	10591204
SPB036H4 (208/230V)	37200	16.5	13	32800	21600	3.12	2.56	8.7	CX34-43	SL280UH090V36B	8231736
SPB036H4 (208/230V)	37200	16	13	33000	21800	3.12	2.58	8.7	CX34-43	SL280UH090V48B	8231743
SPB036H4 (208/230V)	37800	16.5	13	33200	21800	3.18	2.58	8.7	CX34-43	SL280UH090V60C	8231759
SPB036H4 (208/230V)	37200	16	13	33000	21800	3.12	2.58	8.7	CX34-43	SL280UH090XV48B	8231758
SPB036H4 (208/230V)	37800	16.5	13	33200	21800	3.18	2.58	8.7	CX34-43	SL280UH090XV60C	8231753
SPB036H4 (208/230V)	37400	16.5	13	33200	21800	3.14	2.56	8.7	CX34-43	SL280UH110V60C	8231731
SPB036H4 (208/230V)	37400	16.5	13	33200	21800	3.14	2.56	8.7	CX34-43	SL280UH110XV60C	8231718
SPB036H4 (208/230V)	37200	16	12.5	33200	22000	3.06	2.52	8.7	CX34-43	SLP98UH070XV36B	8231752
SPB036H4 (208/230V)	37200	16	13	33000	21800	3.12	2.56	8.7	CX34-43	SLP98UH090XV36C	8231740
SPB036H4 (208/230V)	37000	16.5	13	33000	21600	3.1	2.54	8.7	CX34-43	SLP98UH090XV48C	8231725
SPB036H4 (208/230V)	37800	16.5	13	33400	22000	3.18	2.58	8.7	CX34-43	SLP98UH090XV60C	8231726
SPB036H4 (208/230V)	37600	16.5	13	33200	21800	3.18	2.58	8.7	CX34-43	SLP98UH110XV60C	8231733
SPB036H4 (208/230V)	36800	14.5	12	33600	22400	2.96	2.42	8.2	CX34-43		8231648
SPB036H4 (208/230V)	37400	16.5	13	34000	23000	2.88	2.4	8.2	CX34-50/60C	EL296UH090XV60C	8231750
SPB036H4 (208/230V)	37200	16.5	13	33600	22800	2.86	2.4	8.2	CX34-50/60C	EL296UH110XV60C	8231751
SPB036H4 (208/230V)	37400	16.5	13	33800	22800	2.88	2.4	8.2	CX34-50/60C	SL280UH090V60C	8231763
SPB036H4 (208/230V)	37400	16.5	13	33800	22800	2.88	2.4	8.2	CX34-50/60C	SL280UH090XV60C	8231757
SPB036H4 (208/230V)	37400	16.5	13	34000	23000	2.88	2.4	8.2	CX34-50/60C	SLP98UH090XV60C	8231765
SPB036H4 (208/230V)	37400	16.5	13	33600	22800	2.86	2.4	8.2	CX34-50/60C	SLP98UH110XV60C	8231778
SPB036H4 (208/230V)	37200	16.5	13	33000	21600	3.14	2.56	8.8	CX38-43B	SL280UH080NV48B	10590481
SPB048H4 (208/230V)	47000	15.5	12	41500	28000	3.46	2.58	9	C33-62C	EL180UH090E60C	8231888
SPB048H4 (208/230V)	47500	15	11.5	42000	28600	3.44	2.56	9	C33-62C	EL180UH110E60C	8231886
SPB048H4 (208/230V)	47000	15	12	41500	28200	3.4	2.54	8.7	C33-62C	EL195UH090XE48C	8231899
SPB048H4 (208/230V)	47000	15	12	41500	28200	3.44	2.56	9	C33-62C	EL195UH110XE60C	8231894
SPB048H4 (208/230V)	47000	15	12	41500	28200	3.4	2.54	8.7	C33-62C	EL296UH090XE48C	8231892
SPB048H4 (208/230V)	47000	15	12	41500	28200	3.44	2.56	9	C33-62C	EL296UH110XE60C	8231895
SPB048H4 (208/230V)	47000	15.5	12	41500	28000	3.46	2.58	9	C33-62C	ML180UH090E60C	10590889
SPB048H4 (208/230V)	47500	15	11.5	42000	28600	3.44	2.56	9	C33-62C	ML180UH110E60C	10591207
SPB048H4 (208/230V)	47500	16	12	45000	30000	3.46	2.68	9	CBA27UHE-048		10262309
SPB048H4 (208/230V)	47000	15	11.5	44000	27400	3.6	2.74	9	CBA27UHE-060		10262310
SPB048H4 (208/230V)	48500	16	12.5	45000	29800	3.4	2.64	9	CBX27UH-048		8231893
SPB048H4 (208/230V)	47500	15.5	11.5	44500	27200	3.58	2.54	9	CBX27UH-060		8231806
SPB048H4 (208/230V)	48000	15.5	12	45500	30200	3.32	2.58	8.7	CBX32M-048		8231807
SPB048H4 (208/230V)	48000	16	12.5	45500	30000	3.38	2.62	8.5	CBX32MV-048		8231810
SPB048H4 (208/230V)	48500	16	12.5	45000	30800	3.56	2.72	9.5	CBX32MV-060		8231898
SPB048H4 (208/230V)	48000	16	12.5	41000	26600	3.36	2.46	8.5	CBX32MV-068		8231816
SPB048H4 (208/230V)	48000	16	12.5	45500	30000	3.38	2.6	8.5	CBX40UHV-048		8231811
SPB048H4 (208/230V)	48500	16	12.5	45000	31000	3.6	2.76	9.5	CBX40UHV-060		8231812
SPB048H4 (208/230V)	48500	16	12.5	45000	29200	3.62	2.62	9	CH23-68	EL180UH090E60C	8231891
SPB048H4 (208/230V)	48500	16	12.5	45000	29200	3.6	2.62	9	CH23-68	EL180UH110E60C	8231897
SPB048H4 (208/230V)	48500	16	12	45000	29400	3.56	2.58	8.5	CH23-68	EL195UH090XE48C	8231813
SPB048H4 (208/230V)	48500	16	12	45000	29400	3.58	2.6	9	CH23-68	EL195UH110XE60C	8231814

**AHRI SYSTEM MATCHES**

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SPB048H4 (208/230V)	48500	16	12	45000	29400	3.56	2.58	8.5	CH23-68	EL296UH090XE48C	8231828
SPB048H4 (208/230V)	48500	16	12	45000	29400	3.58	2.6	9	CH23-68	EL296UH110XE60C	8231817
SPB048H4 (208/230V)	48500	16	12	45000	29400	3.62	2.62	9	CH23-68	EL296UH135XV60D	8231824
SPB048H4 (208/230V)	48500	16	12.5	45000	29200	3.62	2.62	9	CH23-68	ML180UH090E60C	10590891
SPB048H4 (208/230V)	48500	16	12.5	45000	29200	3.6	2.62	9	CH23-68	ML180UH110E60C	10591004
SPB048H4 (208/230V)	48500	16	12	45000	29200	3.6	2.6	9	CH23-68	SL280UH135V60D	8231808
SPB048H4 (208/230V)	48500	16	12	45500	29400	3.62	2.6	9	CH23-68	SLP98UH135XV60D	8231822
SPB048H4 (208/230V)	48000	14.5	11.5	45500	30000	3.44	2.52	8.5	CH23-68		8231796
SPB048H4 (208/230V)	47000	15.5	11.5	44500	28600	3.16	2.32	8.2	CH33-49	ML180UH090E60C	10591314
SPB048H4 (208/230V)	47000	15.5	11.5	44500	28600	3.16	2.3	8.2	CH33-49	ML180UH110E60C	10591317
SPB048H4 (208/230V)	47000	15.5	11.5	44500	28600	3.18	2.32	8.2	CH33-50/60C	ML180UH090E60C	10591315
SPB048H4 (208/230V)	47000	15.5	11.5	44500	28600	3.16	2.32	8.2	CH33-50/60C	ML180UH110E60C	10591316
SPB048H4 (208/230V)	48000	15	12	45500	31600	3.26	2.64	8.7	CH33-60D	EL296UH135XV60D	8231841
SPB048H4 (208/230V)	48000	15	12	45000	31400	3.22	2.64	8.7	CH33-60D	SL280UH135V60D	8231846
SPB048H4 (208/230V)	48500	15	12	45500	31600	3.26	2.64	8.7	CH33-60D	SLP98UH135XV60D	8231838
SPB048H4 (208/230V)	46500	14.5	11.5	43500	28600	3.36	2.48	8.5	CH33-62D	EL296UH090XV60C	8341609
SPB048H4 (208/230V)	46500	14.5	11.5	43500	28800	3.36	2.48	8.5	CH33-62D	EL296UH110XV60C	8341610
SPB048H4 (208/230V)	47000	15	12	43500	28600	3.38	2.48	8.7	CH33-62D	EL296UH135XV60D	8231855
SPB048H4 (208/230V)	46500	15	12	43500	28600	3.4	2.5	8.7	CH33-62D	SL280UH135V60D	8231835
SPB048H4 (208/230V)	47000	15	12	43500	28800	3.38	2.5	8.7	CH33-62D	SLP98UH135XV60D	8231859
SPB048H4 (208/230V)	47500	16	12.5	44000	30200	3.54	2.7	9.5	CR33-50/60	EL180DF110E60C	8231887
SPB048H4 (208/230V)	47000	15.5	12	44500	30400	3.48	2.64	9.2	CR33-50/60	EL195DF090XE48C	8231842
SPB048H4 (208/230V)	47000	16	12	44000	30200	3.5	2.68	9	CR33-50/60	EL195DF110XE60C	8231860
SPB048H4 (208/230V)	47000	15.5	12	44500	30400	3.48	2.64	9.2	CR33-50/60	EL296DF090XE48C	8231861
SPB048H4 (208/230V)	47000	16	12	44000	30200	3.5	2.68	9	CR33-50/60	EL296DF110XE60C	8231877
SPB048H4 (208/230V)	47500	16	12.5	44000	30200	3.54	2.7	9.5	CR33-50/60	ML180DF110E60C	10590562
SPB048H4 (208/230V)	47000	16	12	44500	30400	3.48	2.64	9	CR33-50/60	SLP98DF090XV60C	8231856
SPB048H4 (208/230V)	47000	16	12	44500	30600	3.48	2.64	9	CR33-50/60	SLP98DF110XV60C	8231884
SPB048H4 (208/230V)	47000	14.5	11.5	44500	30800	3.38	2.6	9	CR33-50/60		8231802
SPB048H4 (208/230V)	47000	16	12	44500	30400	3.48	2.64	9	CR33-60	SLP98DF090XV60C	8231864
SPB048H4 (208/230V)	47000	16	12	44500	30400	3.48	2.62	9	CR33-60	SLP98DF110XV60C	8231870
SPB048H4 (208/230V)	47000	14.5	11.5	44500	30600	3.38	2.58	9	CR33-60		8231804
SPB048H4 (208/230V)	46500	15.5	11.5	43000	28800	3.34	2.5	8.5	CX34-60D	SL280UH135V60D	8231878
SPB048H4 (208/230V)	46500	16	11.5	43500	29000	3.36	2.5	8.5	CX34-60D	SLP98UH135XV60D	8231869
SPB048H4 (208/230V)	46000	14	11	43500	29400	3.22	2.42	8.2	CX34-60D		8231799
SPB048H4 (208/230V)	47000	15.5	12	41500	28000	3.46	2.58	9	CX34-62C	EL180UH090E60C	8231890
SPB048H4 (208/230V)	47500	15	11.5	42000	28600	3.44	2.56	9	CX34-62C	EL180UH110E60C	8231896
SPB048H4 (208/230V)	47000	15	12	41500	28200	3.4	2.54	8.7	CX34-62C	EL195UH090XE48C	8231885
SPB048H4 (208/230V)	47000	15	12	41500	28200	3.44	2.56	9	CX34-62C	EL195UH110XE60C	8231850
SPB048H4 (208/230V)	47000	15	12	41500	28200	3.4	2.54	8.7	CX34-62C	EL296UH090XE48C	8231865
SPB048H4 (208/230V)	47000	15.5	11.5	42000	28400	3.42	2.54	8.7	CX34-62C	EL296UH090XV48C	8231862
SPB048H4 (208/230V)	47000	15.5	11.5	42000	28400	3.42	2.54	8.7	CX34-62C	EL296UH090XV60C	8231879
SPB048H4 (208/230V)	47000	15	12	41500	28200	3.44	2.56	9	CX34-62C	EL296UH110XE60C	8231871
SPB048H4 (208/230V)	47000	15.5	12	41500	28200	3.42	2.56	8.7	CX34-62C	EL296UH110XV48C	8231882
SPB048H4 (208/230V)	47000	15.5	11.5	42000	28400	3.44	2.54	8.7	CX34-62C	EL296UH110XV60C	8231857
SPB048H4 (208/230V)	47000	15.5	12	41500	28000	3.46	2.58	9	CX34-62C	ML180UH090E60C	10590890
SPB048H4 (208/230V)	47500	15	11.5	42000	28600	3.44	2.56	9	CX34-62C	ML180UH110E60C	10591208
SPB048H4 (208/230V)	47000	15.5	12	41500	28200	3.46	2.58	9	CX34-62C	SL280UH090V60C	8231874
SPB048H4 (208/230V)	47000	15.5	12	41500	28200	3.46	2.58	9	CX34-62C	SL280UH090XV60C	8231851
SPB048H4 (208/230V)	47000	15.5	12	41500	28200	3.46	2.58	9	CX34-62C	SL280UH110V60C	8231866
SPB048H4 (208/230V)	47000	15.5	12	41500	28200	3.46	2.58	9	CX34-62C	SL280UH110XV60C	8231872
SPB048H4 (208/230V)	47000	15.5	11.5	42000	28200	3.44	2.54	8.7	CX34-62C	SLP98UH090XV48C	8231863
SPB048H4 (208/230V)	47000	15	11.5	42000	28200	3.46	2.54	8.7	CX34-62C	SLP98UH090XV60C	8231868
SPB048H4 (208/230V)	47000	15.5	11.5	42000	28400	3.44	2.54	8.7	CX34-62C	SLP98UH110XV60C	8231883
SPB048H4 (208/230V)	46500	14	11	42000	28800	3.32	2.5	8.5	CX34-62C		8231798
SPB048H4 (208/230V)	48500	16	12	43000	27600	3.42	2.44	8.5	CX34-62D	EL296UH135XV60D	8231867
SPB048H4 (208/230V)	48000	16	12	42500	27600	3.4	2.46	8.5	CX34-62D	SL280UH135V60D	8231873
SPB048H4 (208/230V)	48500	16	12	43000	27800	3.44	2.46	8.5	CX34-62D	SLP98UH135XV60D	8231876
SPB048H4 (208/230V)	48000	15	11.5	43000	28200	3.28	2.4	8.2	CX34-62D		8231805
SPB060H4 (208/230V)	58500	15.7	12.2	53000	34800	3.22	2.38	8.5	C33-62D	EL180UH135E60D	8231905
SPB060H4 (208/230V)	58000	15.2	11.5	53000	35200	3.18	2.36	8.2	C33-62D	EL195UH135XE60D	8231904

**AHRI SYSTEM MATCHES**

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SPB060H4 (208/230V)	58000	15.2	11.5	53000	35200	3.18	2.36	8.2	C33-62D	EL296UH135XE60D	8231907
SPB060H4 (208/230V)	58500	15.7	12	53000	34800	3.22	2.38	8.5	C33-62D	EL296UH135XV60D	8231909
SPB060H4 (208/230V)	58500	15.7	12.2	53000	34800	3.22	2.38	8.5	C33-62D	ML180UH135E60D	10591147
SPB060H4 (208/230V)	58000	15.7	12	53000	35000	3.2	2.38	8.5	C33-62D	SL280UH135V60D	8231906
SPB060H4 (208/230V)	58500	15.7	12	53000	34800	3.22	2.38	8.5	C33-62D	SLP98UH135XV60D	8231908
SPB060H4 (208/230V)	57000	14.5	11.5	53000	35000	3.16	2.36	8.2	C33-62D		8231900
SPB060H4 (208/230V)	57000	14.5	11.5	56000	34400	3.38	2.48	8.5	CBA27UHE-060		10262311
SPB060H4 (208/230V)	58000	15.5	12	56500	34400	3.62	2.52	8.5	CBX27UH-060		8231938
SPB060H4 (208/230V)	57000	14.5	11.5	56000	36200	3.32	2.46	8.5	CBX32M-060		8231939
SPB060H4 (208/230V)	57000	15.7	12	55500	35800	3.34	2.48	8.5	CBX32MV-060		8231940
SPB060H4 (208/230V)	58000	15.7	12.2	55500	34000	3.38	2.42	8.2	CBX32MV-068		8231941
SPB060H4 (208/230V)	57000	15.5	11.5	56000	36000	3.36	2.46	8.5	CBX40UHV-060		8231942
SPB060H4 (208/230V)	58500	15.5	11.5	61000	37400	3.48	2.44	8.5	CH23-68	EL180UH135E60D	8231943
SPB060H4 (208/230V)	58500	15.2	11.5	61500	37600	3.44	2.4	8.5	CH23-68	EL195UH135XE60D	8231936
SPB060H4 (208/230V)	58500	15.2	11.5	61500	37600	3.44	2.4	8.5	CH23-68	EL296UH135XE60D	8231935
SPB060H4 (208/230V)	59000	15.5	11.5	61500	37600	3.46	2.42	8.5	CH23-68	EL296UH135XV60D	8231933
SPB060H4 (208/230V)	58500	15.5	11.5	61000	37400	3.48	2.44	8.5	CH23-68	ML180UH135E60D	10591149
SPB060H4 (208/230V)	58500	15.7	11.5	61000	37400	3.46	2.42	8.5	CH23-68	SL280UH135V60D	8231932
SPB060H4 (208/230V)	59000	15.5	11.5	61500	37600	3.46	2.42	8.5	CH23-68	SLP98UH135XV60D	8231934
SPB060H4 (208/230V)	58500	14.5	11.5	61500	37800	3.42	2.4	8.2	CH23-68		8231901
SPB060H4 (208/230V)	54500	15.7	11.5	52500	34600	3.14	2.34	8.2	CH33-62D	EL180UH135E60D	8231927
SPB060H4 (208/230V)	54500	15.2	11	53000	35000	3.1	2.32	8.2	CH33-62D	EL195UH135XE60D	8231930
SPB060H4 (208/230V)	54500	15.2	11	53000	35000	3.1	2.32	8.2	CH33-62D	EL296UH135XE60D	8231926
SPB060H4 (208/230V)	54500	15.5	11	53000	34800	3.14	2.32	8.2	CH33-62D	EL296UH135XV60D	8231937
SPB060H4 (208/230V)	54500	15.7	11.5	52500	34600	3.14	2.34	8.2	CH33-62D	ML180UH135E60D	10591214
SPB060H4 (208/230V)	54500	15.7	11	53000	34800	3.14	2.32	8.2	CH33-62D	SL280UH135V60D	8231928
SPB060H4 (208/230V)	54500	15.5	11	53000	34800	3.14	2.32	8.2	CH33-62D	SLP98UH135XV60D	8231929
SPB060H4 (208/230V)	57500	15.2	12	57500	37200	3.28	2.46	8.5	CR33-50/60	EL180DF110E60C	8231924
SPB060H4 (208/230V)	57000	15	12	57000	37200	3.18	2.44	8.2	CR33-50/60	EL195DF110XE60C	8231920
SPB060H4 (208/230V)	56500	15	11.5	57000	37400	3.14	2.42	8.2	CR33-50/60	EL296DF090XV60C	8231921
SPB060H4 (208/230V)	57000	15	12	57000	37200	3.18	2.44	8.2	CR33-50/60	EL296DF110XE60C	8231925
SPB060H4 (208/230V)	56500	15	11.5	57000	37400	3.14	2.42	8.2	CR33-50/60	EL296DF110XV60C	8231931
SPB060H4 (208/230V)	57500	15.2	12	57500	37200	3.28	2.46	8.5	CR33-50/60	ML180DF110E60C	10590563
SPB060H4 (208/230V)	57000	15.2	11.5	57500	37400	3.24	2.46	8.5	CR33-50/60	SL280DF090V60C	8231923
SPB060H4 (208/230V)	57000	15.2	12	57500	37200	3.24	2.46	8.5	CR33-50/60	SL280DF110V60C	8231913
SPB060H4 (208/230V)	56500	15	11.5	57000	37400	3.14	2.42	8.2	CR33-50/60	SLP98DF090XV60C	8231922
SPB060H4 (208/230V)	56500	15	11.5	57000	37400	3.14	2.42	8.2	CR33-50/60	SLP98DF110XV60C	8231914
SPB060H4 (208/230V)	56500	15	11.5	57000	37400	3.14	2.42	8.2	CR33-60	EL296DF110XV60C	8231915
SPB060H4 (208/230V)	56500	15	11.5	57000	37400	3.14	2.42	8.2	CR33-60	SLP98DF110XV60C	8231916
SPB060H4 (208/230V)	57000	14.2	11.5	57500	37600	3.16	2.4	8.2	CR33-60		8231902
SPB060H4 (208/230V)	58500	15.7	12.2	53000	34800	3.22	2.38	8.5	CX34-62D	EL180UH135E60D	8231918
SPB060H4 (208/230V)	58000	15.2	11.5	53000	35200	3.18	2.36	8.2	CX34-62D	EL195UH135XE60D	8231917
SPB060H4 (208/230V)	58000	15.2	11.5	53000	35200	3.18	2.36	8.2	CX34-62D	EL296UH135XE60D	8231910
SPB060H4 (208/230V)	58500	15.7	12	53000	34800	3.22	2.38	8.5	CX34-62D	EL296UH135XV60D	8231912
SPB060H4 (208/230V)	58500	15.7	12.2	53000	34800	3.22	2.38	8.5	CX34-62D	ML180UH135E60D	10591148
SPB060H4 (208/230V)	58000	15.7	12	53000	35000	3.2	2.38	8.5	CX34-62D	SL280UH135V60D	8231919
SPB060H4 (208/230V)	58500	15.7	12	53000	34800	3.22	2.38	8.5	CX34-62D	SLP98UH135XV60D	8231911
SPB060H4 (208/230V)	57000	14.5	11.5	53000	35000	3.16	2.36	8.2	CX34-62D		8231903
TPA036H4 (208/230V)	34200	15	12.5	32800	20800	3.46	2.42	8.2	C33-38A	EL180UH045E36A	9031174
TPA036H4 (208/230V)	34200	15	12.5	32800	20800	3.46	2.42	8.2	C33-38A	EL180UH045XE36A	9031175
TPA036H4 (208/230V)	34200	15	12.5	32800	20800	3.46	2.42	8.2	C33-38A	ML180UH045E36A	10590596
TPA036H4 (208/230V)	34200	15	12.5	32800	20800	3.46	2.42	8.2	C33-38A	ML180UH045XE36A	10590647
TPA036H4 (208/230V)	34200	15.7	13	32400	20400	3.5	2.46	8.5	C33-38B	EL180UH070E36B	9031176
TPA036H4 (208/230V)	34200	15.7	13	32400	20400	3.5	2.46	8.5	C33-38B	EL180UH070XE36B	9031177
TPA036H4 (208/230V)	34600	15.5	13	32600	20600	3.54	2.48	8.5	C33-38B	EL180UH090E48B	9031178
TPA036H4 (208/230V)	34600	15.5	13	32600	20600	3.54	2.48	8.5	C33-38B	EL180UH090XE48B	9031179
TPA036H4 (208/230V)	33800	15	12.5	32600	20600	3.38	2.38	8.2	C33-38B	EL195UH045XE36B	9031180
TPA036H4 (208/230V)	34000	15	12.5	32600	20800	3.44	2.42	8.2	C33-38B	EL195UH070XE36B	9031181
TPA036H4 (208/230V)	33800	15	12.5	32600	20600	3.38	2.38	8.2	C33-38B	EL296UH045XE36B	9031182
TPA036H4 (208/230V)	34200	15	12.5	32800	20800	3.42	2.4	8.2	C33-38B	EL296UH045XV36B	9031183
TPA036H4 (208/230V)	34000	15	12.5	32600	20800	3.44	2.42	8.2	C33-38B	EL296UH070XE36B	9031184



# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036H4 (208/230V)	34200	15	12.5	32800	20800	3.44	2.4	8.2	C33-38B	EL296UH070XV36B	9031185
TPA036H4 (208/230V)	34200	15.7	13	32400	20400	3.5	2.46	8.5	C33-38B	ML180UH070E36B	10590673
TPA036H4 (208/230V)	34200	15.7	13	32400	20400	3.5	2.46	8.5	C33-38B	ML180UH070XE36B	10590757
TPA036H4 (208/230V)	34600	15.5	13	32600	20600	3.54	2.48	8.5	C33-38B	ML180UH090E48B	10590804
TPA036H4 (208/230V)	34600	15.5	13	32600	20600	3.54	2.48	8.5	C33-38B	ML180UH090XE48B	10590964
TPA036H4 (208/230V)	34200	15	12.5	32800	20800	3.44	2.4	8.2	C33-38B	SL280UH070V36A	9031186
TPA036H4 (208/230V)	34200	15	12.5	32800	20800	3.44	2.4	8.2	C33-38B	SL280UH070XV36A	9031187
TPA036H4 (208/230V)	34400	15.7	13	32600	20600	3.5	2.46	8.2	C33-38B	SL280UH090V36B	9031188
TPA036H4 (208/230V)	34400	15.5	13	32600	20600	3.5	2.46	8.2	C33-38B	SL280UH090V48B	9031189
TPA036H4 (208/230V)	34400	15.5	13	32600	20600	3.5	2.46	8.2	C33-38B	SL280UH090XV48B	9031190
TPA036H4 (208/230V)	34200	15	12.5	32800	20800	3.44	2.4	8.2	C33-38B	SLP98UH070XV36B	9031191
TPA036H4 (208/230V)	35200	15.7	13.2	32400	20200	3.46	2.5	8.5	C33-43B	EL180UH070E36B	9031192
TPA036H4 (208/230V)	35200	15.7	13.2	32400	20200	3.46	2.5	8.5	C33-43B	EL180UH070XE36B	9031193
TPA036H4 (208/230V)	35600	15.7	13.2	32600	20200	3.52	2.5	8.2	C33-43B	EL180UH090E48B	9031195
TPA036H4 (208/230V)	35600	15.7	13.2	32600	20200	3.52	2.5	8.2	C33-43B	EL180UH090XE48B	9031194
TPA036H4 (208/230V)	34800	15	12.7	32400	20400	3.34	2.44	8.2	C33-43B	EL195UH045XE36B	9031196
TPA036H4 (208/230V)	35000	15	12.7	32600	20400	3.42	2.46	8.2	C33-43B	EL195UH070XE36B	9031197
TPA036H4 (208/230V)	34800	15	12.7	32400	20400	3.34	2.44	8.2	C33-43B	EL296UH045XE36B	9031198
TPA036H4 (208/230V)	35200	15	12.7	32800	20400	3.42	2.44	8.2	C33-43B	EL296UH045XV36B	9031199
TPA036H4 (208/230V)	35000	15	12.7	32600	20400	3.42	2.46	8.2	C33-43B	EL296UH070XE36B	9031200
TPA036H4 (208/230V)	35200	15	12.7	32800	20600	3.42	2.46	8.2	C33-43B	EL296UH070XV36B	9031201
TPA036H4 (208/230V)	35200	15.7	13.2	32400	20200	3.46	2.5	8.5	C33-43B	ML180UH070E36B	10590674
TPA036H4 (208/230V)	35200	15.7	13.2	32400	20200	3.46	2.5	8.5	C33-43B	ML180UH070XE36B	10590758
TPA036H4 (208/230V)	35600	15.7	13.2	32600	20200	3.52	2.5	8.2	C33-43B	ML180UH090E48B	10590805
TPA036H4 (208/230V)	35600	15.7	13.2	32600	20200	3.52	2.5	8.2	C33-43B	ML180UH090XE48B	10590965
TPA036H4 (208/230V)	35200	15.7	13.2	32400	20200	3.48	2.5	8.5	C33-43B	SL280UH090V36B	9031202
TPA036H4 (208/230V)	35400	15.7	13.2	32600	20200	3.5	2.5	8.2	C33-43B	SL280UH090V48B	9031203
TPA036H4 (208/230V)	35400	15.7	13.2	32600	20200	3.5	2.5	8.2	C33-43B	SL280UH090XV48B	9031204
TPA036H4 (208/230V)	35200	15	12.7	32800	20600	3.42	2.46	8.2	C33-43B	SLP98UH070XV36B	9031205
TPA036H4 (208/230V)	35600	15.7	13.2	32600	20600	3.54	2.5	8.2	C33-43C	EL180UH090E60C	9031206
TPA036H4 (208/230V)	35200	15.7	13.2	32400	20200	3.5	2.52	8.5	C33-43C	EL180UH110E60C	9031207
TPA036H4 (208/230V)	35200	15.7	13.2	32400	20200	3.5	2.52	8.5	C33-43C	EL180UH110XE60C	9031208
TPA036H4 (208/230V)	35200	15.5	13.2	32600	20200	3.48	2.48	8.2	C33-43C	EL195UH090XE48C	9031209
TPA036H4 (208/230V)	35600	15.7	13.2	32600	20400	3.52	2.52	8.2	C33-43C	EL195UH110XE60C	9031210
TPA036H4 (208/230V)	35200	15.5	13.2	32600	20200	3.48	2.48	8.2	C33-43C	EL296UH090XE48C	9031211
TPA036H4 (208/230V)	35400	15.5	13.2	32600	20400	3.48	2.5	8.2	C33-43C	EL296UH090XV36C	9031212
TPA036H4 (208/230V)	35200	15.5	13.2	32400	20200	3.46	2.5	8.5	C33-43C	EL296UH090XV48C	9031213
TPA036H4 (208/230V)	35600	15.7	13.2	32600	20400	3.52	2.52	8.2	C33-43C	EL296UH110XE60C	9031214
TPA036H4 (208/230V)	35400	15.7	13.2	32400	20200	3.48	2.5	8.5	C33-43C	EL296UH110XV48C	9031215
TPA036H4 (208/230V)	35600	15.7	13.2	32600	20600	3.54	2.5	8.2	C33-43C	ML180UH090E60C	10590898
TPA036H4 (208/230V)	35200	15.7	13.2	32400	20200	3.5	2.52	8.5	C33-43C	ML180UH110E60C	10591008
TPA036H4 (208/230V)	35200	15.7	13.2	32400	20200	3.5	2.52	8.5	C33-43C	ML180UH110XE60C	10591085
TPA036H4 (208/230V)	35800	15.1	13	32600	20400	3.58	2.56	8.2	C33-43C	SL280UH090V60C	9031216
TPA036H4 (208/230V)	35800	15.1	13	32600	20400	3.58	2.56	8.2	C33-43C	SL280UH090XE60C	9031217
TPA036H4 (208/230V)	35600	15.1	13	32600	20400	3.54	2.52	8.2	C33-43C	SL280UH110V60C	9031218
TPA036H4 (208/230V)	35600	15.1	13	32600	20400	3.54	2.52	8.2	C33-43C	SL280UH110XV60C	9031219
TPA036H4 (208/230V)	35400	15.5	13.2	32400	20200	3.48	2.5	8.2	C33-43C	SLP98UH090XV36C	9031220
TPA036H4 (208/230V)	35200	15.5	13.2	32400	20200	3.48	2.52	8.5	C33-43C	SLP98UH090XV48C	9031221
TPA036H4 (208/230V)	35800	15.5	13.2	32800	20400	3.56	2.52	8.5	C33-43C	SLP98UH090XV60C	9031222
TPA036H4 (208/230V)	33800	15.5	13	32200	20400	3.36	2.38	8.2	C33-48B	EL180UH070E36B	9031223
TPA036H4 (208/230V)	33800	15.5	13	32200	20400	3.36	2.38	8.2	C33-48B	EL180UH070XE36B	9031224
TPA036H4 (208/230V)	34200	15.5	12.7	32400	20600	3.4	2.42	8.2	C33-48B	EL180UH090E48B	9031225
TPA036H4 (208/230V)	34200	15.5	12.7	32400	20600	3.4	2.42	8.2	C33-48B	EL180UH090XE48B	9031226
TPA036H4 (208/230V)	33800	15.5	13	32200	20400	3.36	2.38	8.2	C33-48B	ML180UH070E36B	10590675
TPA036H4 (208/230V)	33800	15.5	13	32200	20400	3.36	2.38	8.2	C33-48B	ML180UH070XE36B	10590759
TPA036H4 (208/230V)	34200	15.5	12.7	32400	20600	3.4	2.42	8.2	C33-48B	ML180UH090E48B	10590806
TPA036H4 (208/230V)	34200	15.5	12.7	32400	20600	3.4	2.42	8.2	C33-48B	ML180UH090XE48B	10590966
TPA036H4 (208/230V)	34000	15.5	12.7	32200	20400	3.36	2.38	8.2	C33-48B	SL280UH090V36B	9031227
TPA036H4 (208/230V)	34000	15.2	12.7	32400	20600	3.38	2.4	8.2	C33-48B	SL280UH090V48B	9031228
TPA036H4 (208/230V)	34000	15.2	12.7	32400	20600	3.38	2.4	8.2	C33-48B	SL280UH090XV48B	9031229
TPA036H4 (208/230V)	34200	15.5	13	32400	20600	3.42	2.4	8.2	C33-48C	EL180UH090E60C	9031230

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036H4 (208/230V)	34000	15.5	13	32200	20400	3.38	2.4	8.2	C33-48C	EL180UH110E60C	9031231
TPA036H4 (208/230V)	34000	15.5	13	32200	20400	3.38	2.4	8.2	C33-48C	EL180UH110XE60C	9031232
TPA036H4 (208/230V)	34000	15.2	12.7	32400	20400	3.38	2.38	8.2	C33-48C	EL195UH090XE48C	9031233
TPA036H4 (208/230V)	34200	15.5	12.7	32400	20600	3.42	2.4	8.2	C33-48C	EL195UH110XE60C	9031234
TPA036H4 (208/230V)	34000	15.2	12.7	32400	20400	3.38	2.38	8.2	C33-48C	EL296UH090XE48C	9031235
TPA036H4 (208/230V)	34000	15.2	12.7	32400	20600	3.38	2.4	8.2	C33-48C	EL296UH090XV36C	9032684
TPA036H4 (208/230V)	34000	15.5	12.7	32200	20400	3.34	2.38	8.2	C33-48C	EL296UH090XV48C	9031237
TPA036H4 (208/230V)	34200	15.5	12.7	32400	20600	3.42	2.4	8.2	C33-48C	EL296UH110XE60C	9031238
TPA036H4 (208/230V)	34200	15.5	13	32200	20400	3.38	2.4	8.2	C33-48C	EL296UH110XV48C	9031239
TPA036H4 (208/230V)	34200	15.5	13	32400	20600	3.42	2.4	8.2	C33-48C	ML180UH090E60C	10590899
TPA036H4 (208/230V)	34000	15.5	13	32200	20400	3.38	2.4	8.2	C33-48C	ML180UH110E60C	10591009
TPA036H4 (208/230V)	34000	15.5	13	32200	20400	3.38	2.4	8.2	C33-48C	ML180UH110XE60C	10591086
TPA036H4 (208/230V)	34400	15.1	12.5	32400	20600	3.4	2.4	8.2	C33-48C	SL280UH110V60C	9031240
TPA036H4 (208/230V)	34400	15.1	12.5	32400	20600	3.4	2.4	8.2	C33-48C	SL280UH110XV60C	9031241
TPA036H4 (208/230V)	34000	15.2	12.7	32400	20600	3.38	2.4	8.2	C33-48C	SLP98UH090XV36C	9031236
TPA036H4 (208/230V)	34000	15.5	12.7	32200	20400	3.34	2.38	8.2	C33-48C	SLP98UH090XV48C	9031242
TPA036H4 (208/230V)	35200	15.7	13.2	31400	20200	3.64	2.52	8.7	C33-49C	EL180UH090E60C	9031243
TPA036H4 (208/230V)	34800	15.7	13.2	31400	20600	3.64	2.52	8.7	C33-49C	EL180UH110E60C	9031244
TPA036H4 (208/230V)	34800	15.7	13.2	31400	20600	3.64	2.52	8.7	C33-49C	EL180UH110XE60C	9031245
TPA036H4 (208/230V)	34800	15.5	13	31400	20400	3.6	2.52	8.7	C33-49C	EL195UH090XE48C	9031246
TPA036H4 (208/230V)	35200	15.7	13.2	31600	20400	3.66	2.54	8.7	C33-49C	EL195UH110XE60C	9031247
TPA036H4 (208/230V)	34800	15.5	13	31400	20400	3.6	2.52	8.7	C33-49C	EL296UH090XE48C	9031248
TPA036H4 (208/230V)	35000	15.5	13.2	31400	20400	3.6	2.52	8.7	C33-49C	EL296UH090XV36C	9031249
TPA036H4 (208/230V)	35000	15.7	13.2	31400	20200	3.6	2.5	8.7	C33-49C	EL296UH090XV48C	9031250
TPA036H4 (208/230V)	35200	15.7	13.2	31600	20400	3.66	2.54	8.7	C33-49C	EL296UH110XE60C	9031251
TPA036H4 (208/230V)	35000	15.7	13.2	31400	20200	3.66	2.54	8.7	C33-49C	EL296UH110XV48C	9031252
TPA036H4 (208/230V)	35200	15.7	13.2	31400	20200	3.64	2.52	8.7	C33-49C	ML180UH090E60C	10590900
TPA036H4 (208/230V)	34800	15.7	13.2	31400	20600	3.64	2.52	8.7	C33-49C	ML180UH110E60C	10591010
TPA036H4 (208/230V)	34800	15.7	13.2	31400	20600	3.64	2.52	8.7	C33-49C	ML180UH110XE60C	10591087
TPA036H4 (208/230V)	35400	15.1	13	31600	20400	3.7	2.56	8.5	C33-49C	SL280UH090V60C	9031253
TPA036H4 (208/230V)	35400	15.1	13	31600	20400	3.7	2.56	8.5	C33-49C	SL280UH090XV60C	9031254
TPA036H4 (208/230V)	35400	15.1	13	31600	20400	3.66	2.54	8.5	C33-49C	SL280UH110V60C	9031255
TPA036H4 (208/230V)	35400	15.1	13	31600	20400	3.66	2.54	8.5	C33-49C	SL280UH110XV60C	9031256
TPA036H4 (208/230V)	35000	15.5	13.2	31400	20200	3.62	2.5	8.7	C33-49C	SLP98UH090XV36C	9031257
TPA036H4 (208/230V)	34800	15.7	13.2	31400	20200	3.6	2.5	8.7	C33-49C	SLP98UH090XV48C	9031258
TPA036H4 (208/230V)	34400	14.2	12	32000	21000	3.4	2.38	8.2	C33-49C		9031259
TPA036H4 (208/230V)	34600	15.5	13	31400	20200	3.62	2.52	8.2	C33-50/60C	EL180UH090E60C	9031260
TPA036H4 (208/230V)	34400	15.5	13	31400	20600	3.62	2.52	8.7	C33-50/60C	EL180UH110E60C	9031261
TPA036H4 (208/230V)	34400	15.5	13	31200	20600	3.58	2.52	8.7	C33-50/60C	EL180UH110XE60C	9031262
TPA036H4 (208/230V)	34200	15.2	12.7	31400	20200	3.56	2.48	8.7	C33-50/60C	EL195UH090XE48C	9031263
TPA036H4 (208/230V)	34600	15.5	13	31400	20400	3.6	2.52	8.7	C33-50/60C	EL195UH110XE60C	9031264
TPA036H4 (208/230V)	34200	15.2	12.7	31400	20200	3.56	2.48	8.7	C33-50/60C	EL296UH090XE48C	9031265
TPA036H4 (208/230V)	34400	15.2	12.7	31400	20400	3.58	2.52	8.7	C33-50/60C	EL296UH090XV36C	9031266
TPA036H4 (208/230V)	34200	15.2	13	31200	20200	3.56	2.5	8.7	C33-50/60C	EL296UH090XV48C	9031267
TPA036H4 (208/230V)	34600	15.5	13	31200	20400	3.56	2.5	8.7	C33-50/60C	EL296UH110XE60C	9031268
TPA036H4 (208/230V)	34400	15.5	13	31400	20200	3.6	2.5	8.7	C33-50/60C	EL296UH110XV48C	9031269
TPA036H4 (208/230V)	34600	15.5	13	31400	20200	3.62	2.52	8.2	C33-50/60C	ML180UH090E60C	10590901
TPA036H4 (208/230V)	34400	15.5	13	31400	20600	3.62	2.52	8.7	C33-50/60C	ML180UH110E60C	10591011
TPA036H4 (208/230V)	34400	15.5	13	31200	20600	3.58	2.52	8.7	C33-50/60C	ML180UH110XE60C	10591088
TPA036H4 (208/230V)	34800	15.1	12.5	31600	20400	3.66	2.54	8.5	C33-50/60C	SL280UH090V60C	9031270
TPA036H4 (208/230V)	34800	15.1	12.5	31600	20400	3.66	2.54	8.5	C33-50/60C	SL280UH090XV60C	9031271
TPA036H4 (208/230V)	34600	15.1	12.5	31600	20400	3.6	2.52	8.5	C33-50/60C	SL280UH110V60C	9031272
TPA036H4 (208/230V)	34600	15.1	12.5	31600	20400	3.6	2.52	8.5	C33-50/60C	SL280UH110XV60C	9031273
TPA036H4 (208/230V)	34400	15.2	12.7	31400	20400	3.58	2.52	8.7	C33-50/60C	SLP98UH090XV36C	9031274
TPA036H4 (208/230V)	34200	15.2	13	31200	20200	3.56	2.5	8.7	C33-50/60C	SLP98UH090XV48C	9031275
TPA036H4 (208/230V)	33800	14	11.7	32000	21000	3.36	2.38	8.2	C33-50/60C		9031276
TPA036H4 (208/230V)	34200	15	12.5	32800	21000	3.36	2.46	8.5	CBA27UHE-036		10262316
TPA036H4 (208/230V)	34600	14	12	34800	21800	3.54	2.46	8.2	CBX25UH-036		9031277
TPA036H4 (208/230V)	35000	15	12.5	34200	21400	3.62	2.54	8.5	CBX25UHV-036		9031278
TPA036H4 (208/230V)	34800	15.2	12.5	32800	20400	3.74	2.58	8.7	CBX27UH-036		9031279
TPA036H4 (208/230V)	36000	16	13.5	33000	17300	4	2.36	8.5	CBX27UH-042		9031280

## AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036H4 (208/230V)	34400	14.5	11.7	33200	20800	3.62	2.52	8.5	CBX32M-036		9031281
TPA036H4 (208/230V)	34400	14.5	11.7	33200	20800	3.62	2.5	8.5	CBX32M-042		9031282
TPA036H4 (208/230V)	34800	14.7	12	33200	20600	3.66	2.5	8.7	CBX32MV-036		9031283
TPA036H4 (208/230V)	35400	15.5	13	31800	20600	3.8	2.62	9.2	CBX32MV-048		9031284
TPA036H4 (208/230V)	35000	14.7	12.2	33000	20600	3.7	2.56	8.7	CBX40UHV-036		9031285
TPA036H4 (208/230V)	35400	15.2	12.7	31800	20600	3.8	2.64	9	CBX40UHV-042		9031286
TPA036H4 (208/230V)	35600	15.5	13	31800	20600	3.86	2.68	9.2	CBX40UHV-048		9031287
TPA036H4 (208/230V)	35200	14.5	12.2	32800	21000	3.54	2.44	8.5	CH33-43		9031288
TPA036H4 (208/230V)	35200	15.7	13.2	32000	20200	3.68	2.56	9	CH33-43B	EL180UH070E36B	9031289
TPA036H4 (208/230V)	35200	15.7	13.2	32000	20200	3.68	2.56	9	CH33-43B	EL180UH070XE36B	9031290
TPA036H4 (208/230V)	35600	15.7	13.2	32200	20400	3.74	2.56	9	CH33-43B	EL180UH090E48B	9031291
TPA036H4 (208/230V)	35400	14.7	12.5	32600	21000	3.6	2.48	8.5	CH33-43B	EL195UH045XE36B	9031293
TPA036H4 (208/230V)	35200	15.2	12.7	32200	20600	3.64	2.52	8.7	CH33-43B	EL195UH070XE36B	9031294
TPA036H4 (208/230V)	35400	14.7	12.5	32600	21000	3.6	2.48	8.5	CH33-43B	EL296UH045XE36B	9031295
TPA036H4 (208/230V)	35400	15.2	12.7	32600	20800	3.68	2.52	8.7	CH33-43B	EL296UH045XV36B	9031296
TPA036H4 (208/230V)	35200	15.2	12.7	32200	20600	3.64	2.52	8.7	CH33-43B	EL296UH070XE36B	9031297
TPA036H4 (208/230V)	35600	15.2	12.7	32600	20600	3.68	2.52	8.7	CH33-43B	EL296UH070XV36B	9031298
TPA036H4 (208/230V)	35200	15.7	13.2	32000	20200	3.68	2.56	9	CH33-43B	ML180UH070E36B	10590676
TPA036H4 (208/230V)	35200	15.7	13.2	32000	20200	3.68	2.56	9	CH33-43B	ML180UH070XE36B	10590760
TPA036H4 (208/230V)	35600	15.7	13.2	32200	20400	3.74	2.56	9	CH33-43B	ML180UH090E48B	10590807
TPA036H4 (208/230V)	35600	15.7	13.2	32200	20400	3.76	2.58	9	CH33-43B	SL280UH090V36B	9031299
TPA036H4 (208/230V)	35600	15.7	13.2	32200	20400	3.72	2.54	9	CH33-43B	SL280UH090V48B	9031300
TPA036H4 (208/230V)	35600	15.7	13.2	32200	20400	3.72	2.54	9	CH33-43B	SL280UH090XV48B	9031301
TPA036H4 (208/230V)	35600	15.2	12.7	32600	20600	3.68	2.52	8.7	CH33-43B	SLP98UH070XV36B	9031302
TPA036H4 (208/230V)	35400	15.7	13.2	32600	20600	3.54	2.5	8.5	CH33-43C	EL180UH090E60C	9031303
TPA036H4 (208/230V)	35000	15.7	13.2	32400	20400	3.5	2.48	8.5	CH33-43C	EL180UH110E60C	9031304
TPA036H4 (208/230V)	35000	15.7	13.2	32400	20400	3.5	2.48	8.5	CH33-43C	EL180UH110XE60C	9031305
TPA036H4 (208/230V)	35200	15.5	13.2	32600	20600	3.48	2.46	8.2	CH33-43C	EL195UH090XE48C	9031306
TPA036H4 (208/230V)	35400	15.7	13.2	32600	20600	3.52	2.48	8.5	CH33-43C	EL195UH110XE60C	9031307
TPA036H4 (208/230V)	35200	15.5	13.2	32600	20600	3.48	2.46	8.2	CH33-43C	EL296UH090XE48C	9031308
TPA036H4 (208/230V)	35200	15.5	13.2	32600	20600	3.5	2.48	8.2	CH33-43C	EL296UH090XV36C	9031309
TPA036H4 (208/230V)	35000	15.5	13.2	32400	20400	3.46	2.46	8.5	CH33-43C	EL296UH090XV48C	9031310
TPA036H4 (208/230V)	35600	15.5	13	32800	20800	3.54	2.48	8.5	CH33-43C	EL296UH090XV60C	9031311
TPA036H4 (208/230V)	35400	15.7	13.2	32600	20600	3.52	2.48	8.5	CH33-43C	EL296UH110XE60C	9031312
TPA036H4 (208/230V)	35200	15.7	13.2	32400	20600	3.5	2.5	8.5	CH33-43C	EL296UH110XV48C	9031313
TPA036H4 (208/230V)	35600	15.7	13.2	32600	20600	3.54	2.5	8.5	CH33-43C	EL296UH110XV60C	9031314
TPA036H4 (208/230V)	35400	15.7	13.2	32600	20600	3.54	2.5	8.5	CH33-43C	ML180UH090E60C	10590902
TPA036H4 (208/230V)	35000	15.7	13.2	32400	20400	3.5	2.48	8.5	CH33-43C	ML180UH110E60C	10591012
TPA036H4 (208/230V)	35000	15.7	13.2	32400	20400	3.5	2.48	8.5	CH33-43C	ML180UH110XE60C	10591089
TPA036H4 (208/230V)	35600	16	13.5	32600	20400	3.58	2.5	8.5	CH33-43C	SL280UH080NV60C	10590489
TPA036H4 (208/230V)	35600	15.1	13	32600	20800	3.56	2.5	8.2	CH33-43C	SL280UH090V60C	9031315
TPA036H4 (208/230V)	35600	15.1	13	32600	20800	3.56	2.5	8.2	CH33-43C	SL280UH090XV60C	9031316
TPA036H4 (208/230V)	35400	15.1	13	32600	20600	3.5	2.48	8.2	CH33-43C	SL280UH110V60C	9031317
TPA036H4 (208/230V)	35400	15.1	13	32600	20600	3.5	2.48	8.2	CH33-43C	SL280UH110XV60C	9031318
TPA036H4 (208/230V)	35200	15.5	13.2	32600	20600	3.5	2.48	8.2	CH33-43C	SLP98UH090XV36C	9031319
TPA036H4 (208/230V)	35000	15.5	13.2	32400	20400	3.46	2.46	8.5	CH33-43C	SLP98UH090XV48C	9031320
TPA036H4 (208/230V)	35600	15.5	13	32800	20800	3.54	2.48	8.5	CH33-43C	SLP98UH090XV60C	9031321
TPA036H4 (208/230V)	35600	15.7	13.2	32600	20600	3.54	2.5	8.5	CH33-43C	SLP98UH110XV60C	9031322
TPA036H4 (208/230V)	34000	15.2	12.7	32400	20400	3.38	2.46	8.2	CH33-44/48B	EL180UH070E36B	9031323
TPA036H4 (208/230V)	34000	15.2	12.7	32400	20400	3.38	2.46	8.2	CH33-44/48B	EL180UH070XE36B	9031324
TPA036H4 (208/230V)	34000	15.2	12.7	32400	20800	3.4	2.48	8.2	CH33-44/48B	EL180UH090E48B	9031325
TPA036H4 (208/230V)	34200	15.2	12.7	32600	20800	3.42	2.48	8.2	CH33-44/48B	EL180UH090XE48B	9031326
TPA036H4 (208/230V)	34000	14.7	12.5	32800	20800	3.36	2.46	8.2	CH33-44/48B	EL195UH070XE36B	9031327
TPA036H4 (208/230V)	34000	14.7	12.5	32800	20800	3.36	2.46	8.2	CH33-44/48B	EL296UH070XE36B	9031329
TPA036H4 (208/230V)	34200	14.7	12.5	33000	20800	3.4	2.44	8.2	CH33-44/48B	EL296UH070XV36B	9031330
TPA036H4 (208/230V)	34000	15.2	12.7	32400	20400	3.38	2.46	8.2	CH33-44/48B	ML180UH070E36B	10590677
TPA036H4 (208/230V)	34000	15.2	12.7	32400	20400	3.38	2.46	8.2	CH33-44/48B	ML180UH070XE36B	10590761
TPA036H4 (208/230V)	34000	15.2	12.7	32400	20800	3.4	2.48	8.2	CH33-44/48B	ML180UH090E48B	10590808
TPA036H4 (208/230V)	34200	15.2	12.7	32600	20800	3.42	2.48	8.2	CH33-44/48B	ML180UH090XE48B	10590967
TPA036H4 (208/230V)	34400	15.2	12.7	32600	20600	3.44	2.5	8.2	CH33-44/48B	SL280UH090V36B	9031331
TPA036H4 (208/230V)	34400	15	12.7	32800	20600	3.44	2.48	8.2	CH33-44/48B	SL280UH090V48B	9031332

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036H4 (208/230V)	34400	15	12.7	32800	20600	3.44	2.48	8.2	CH33-44/48B	SL280UH090XV48B	9031333
TPA036H4 (208/230V)	34200	14.7	12.5	33000	20800	3.4	2.44	8.2	CH33-44/48B	SLP98UH070XV36B	9031334
TPA036H4 (208/230V)	35000	15.5	13	32400	20600	3.46	2.46	8.2	CH33-48C	EL296UH090XV36C	9031335
TPA036H4 (208/230V)	34800	15.5	13	32400	20400	3.46	2.46	8.5	CH33-48C	EL296UH090XV48C	9031336
TPA036H4 (208/230V)	35400	15.2	13	32400	20600	3.46	2.46	8.5	CH33-48C	EL296UH090XV60C	9031337
TPA036H4 (208/230V)	35000	15.5	13.2	32400	20400	3.48	2.46	8.5	CH33-48C	EL296UH110XV48C	9031338
TPA036H4 (208/230V)	35400	15.5	13.2	32600	20600	3.52	2.48	8.5	CH33-48C	EL296UH110XV60C	9031339
TPA036H4 (208/230V)	35400	15.5	12.5	32600	20600	3.56	2.52	8.2	CH33-48C	SL280UH080NV60C	10590490
TPA036H4 (208/230V)	35400	15.1	13	32600	20600	3.54	2.5	8.2	CH33-48C	SL280UH090V60C	9031340
TPA036H4 (208/230V)	35400	15.1	13	32600	20600	3.54	2.5	8.2	CH33-48C	SL280UH090XV60C	9031341
TPA036H4 (208/230V)	35200	15.1	12.5	32600	20600	3.5	2.46	8.2	CH33-48C	SL280UH110V60C	9031342
TPA036H4 (208/230V)	35200	15.1	12.5	32600	20600	3.5	2.46	8.2	CH33-48C	SL280UH110XV60C	9031343
TPA036H4 (208/230V)	35000	15.5	13	32400	20600	3.46	2.46	8.2	CH33-48C	SLP98UH090XV36C	9031344
TPA036H4 (208/230V)	34800	15.5	13	32400	20400	3.46	2.46	8.5	CH33-48C	SLP98UH090XV48C	9031345
TPA036H4 (208/230V)	35400	15.2	13	32800	20800	3.52	2.48	8.5	CH33-48C	SLP98UH090XV60C	9031346
TPA036H4 (208/230V)	35400	15.5	13.2	32600	20600	3.52	2.48	8.5	CH33-48C	SLP98UH110XV60C	9031347
TPA036H4 (208/230V)	35200	15.7	13.2	31600	20400	3.74	2.6	9	CH33-49	EL180UH090E60C	9031348
TPA036H4 (208/230V)	35000	15.7	13.2	31600	20200	3.74	2.58	9	CH33-49	EL180UH110E60C	9031349
TPA036H4 (208/230V)	35000	15.7	13.2	31600	20200	3.74	2.58	9	CH33-49	EL180UH110XE60C	9031350
TPA036H4 (208/230V)	35000	15.5	13	31600	20400	3.74	2.56	8.5	CH33-49	EL195UH090XE48C	9031351
TPA036H4 (208/230V)	35200	15.7	13.2	31800	20400	3.76	2.58	9	CH33-49	EL195UH110XE60C	9031352
TPA036H4 (208/230V)	35000	15.5	13	31600	20400	3.74	2.58	8.5	CH33-49	EL296UH090XE48C	9031353
TPA036H4 (208/230V)	35000	15.7	13.2	32000	20400	3.76	2.58	9	CH33-49	EL296UH090XV36C	9031354
TPA036H4 (208/230V)	34800	15.7	13.2	32000	20400	3.74	2.56	9	CH33-49	EL296UH090XV48C	9031355
TPA036H4 (208/230V)	35400	15.5	13	32400	20600	3.8	2.58	9	CH33-49	EL296UH090XV60C	9031356
TPA036H4 (208/230V)	35200	15.7	13.2	31800	20400	3.76	2.58	9	CH33-49	EL296UH110XE60C	9031357
TPA036H4 (208/230V)	35000	15.7	13.2	32000	20400	3.78	2.6	9	CH33-49	EL296UH110XV48C	9031358
TPA036H4 (208/230V)	35400	15.7	13.2	32200	20400	3.8	2.6	9	CH33-49	EL296UH110XV60C	9031359
TPA036H4 (208/230V)	35200	15.7	13.2	31600	20400	3.74	2.6	9	CH33-49	ML180UH090E60C	10590903
TPA036H4 (208/230V)	35000	15.7	13.2	31600	20200	3.74	2.58	9	CH33-49	ML180UH110E60C	10591013
TPA036H4 (208/230V)	35000	15.7	13.2	31600	20200	3.74	2.58	9	CH33-49	ML180UH110XE60C	10591090
TPA036H4 (208/230V)	35400	16	13	32000	20400	3.84	2.64	9.2	CH33-49	SL280UH080NV60C	10590491
TPA036H4 (208/230V)	35400	15.1	13	32200	20400	3.82	2.6	9	CH33-49	SL280UH090V60C	9031360
TPA036H4 (208/230V)	35400	15.1	13	32200	20400	3.82	2.6	9	CH33-49	SL280UH090XV60C	9031361
TPA036H4 (208/230V)	35200	15.1	13	32200	20400	3.78	2.56	9	CH33-49	SL280UH110V60C	9031362
TPA036H4 (208/230V)	35200	15.1	13	32200	20400	3.78	2.56	9	CH33-49	SL280UH110XV60C	9031363
TPA036H4 (208/230V)	35000	15.7	13.2	32000	20400	3.76	2.58	9	CH33-49	SLP98UH090XV36C	9031364
TPA036H4 (208/230V)	34800	15.7	13.2	32000	20200	3.74	2.56	9	CH33-49	SLP98UH090XV48C	9031365
TPA036H4 (208/230V)	35400	15.5	13	32400	20600	3.8	2.58	9	CH33-49	SLP98UH090XV60C	9031366
TPA036H4 (208/230V)	35400	15.7	13.2	32200	20400	3.8	2.6	9	CH33-49	SLP98UH110XV60C	9031367
TPA036H4 (208/230V)	34400	14.2	12	32600	21000	3.52	2.4	8.5	CH33-49		9031368
TPA036H4 (208/230V)	35000	15.7	13.2	31600	20400	3.72	2.58	9	CH33-50/60C	EL180UH090E60C	9031369
TPA036H4 (208/230V)	34800	15.7	13.2	31400	20200	3.68	2.56	9	CH33-50/60C	EL180UH110E60C	9031370
TPA036H4 (208/230V)	34800	15.7	13.2	31400	20200	3.68	2.56	9	CH33-50/60C	EL180UH110XE60C	9031371
TPA036H4 (208/230V)	34800	15.5	13	31600	20400	3.68	2.56	9	CH33-50/60C	EL195UH090XE48C	9031372
TPA036H4 (208/230V)	35000	15.7	13.2	31800	20400	3.74	2.58	9	CH33-50/60C	EL195UH110XE60C	9031373
TPA036H4 (208/230V)	34800	15.5	13	31600	20400	3.68	2.56	9	CH33-50/60C	EL296UH090XE48C	9031374
TPA036H4 (208/230V)	34800	15.5	13	32000	20400	3.72	2.56	9	CH33-50/60C	EL296UH090XV36C	9031375
TPA036H4 (208/230V)	34600	15.7	13	31800	20400	3.7	2.58	9	CH33-50/60C	EL296UH090XV48C	9031376
TPA036H4 (208/230V)	35200	15.5	13	32400	20600	3.78	2.58	9	CH33-50/60C	EL296UH090XV60C	9031377
TPA036H4 (208/230V)	35000	15.7	13.2	31800	20400	3.74	2.58	9	CH33-50/60C	EL296UH110XE60C	9031378
TPA036H4 (208/230V)	34800	15.7	13.2	32000	20400	3.76	2.58	9	CH33-50/60C	EL296UH110XV48C	9031379
TPA036H4 (208/230V)	35200	15.7	13.2	32200	20400	3.8	2.58	9	CH33-50/60C	EL296UH110XV60C	9031380
TPA036H4 (208/230V)	35000	15.7	13.2	31600	20400	3.72	2.58	9	CH33-50/60C	ML180UH090E60C	10590904
TPA036H4 (208/230V)	34800	15.7	13.2	31400	20200	3.68	2.56	9	CH33-50/60C	ML180UH110E60C	10591014
TPA036H4 (208/230V)	34800	15.7	13.2	31400	20200	3.68	2.56	9	CH33-50/60C	ML180UH110XE60C	10591091
TPA036H4 (208/230V)	35200	16	13	32000	20400	3.82	2.62	9.2	CH33-50/60C	SL280UH080NV60C	10590492
TPA036H4 (208/230V)	35200	15.1	13	32200	20400	3.8	2.58	9	CH33-50/60C	SL280UH090V60C	9031381
TPA036H4 (208/230V)	35200	15.1	13	32200	20400	3.8	2.58	9	CH33-50/60C	SL280UH090XV60C	9031382
TPA036H4 (208/230V)	35000	15.5	12.5	32200	20400	3.76	2.56	8.5	CH33-50/60C	SL280UH110V60C	9031383
TPA036H4 (208/230V)	35000	15.5	12.5	32200	20400	3.76	2.56	8.5	CH33-50/60C	SL280UH110XV60C	9031384

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036H4 (208/230V)	34800	15.5	13	32000	20400	3.72	2.56	9	CH33-50/60C	SLP98UH090XV36C	9031385
TPA036H4 (208/230V)	34600	15.7	13	31800	20400	3.7	2.58	9	CH33-50/60C	SLP98UH090XV48C	9031386
TPA036H4 (208/230V)	35200	15.5	13	32400	20600	3.78	2.58	9	CH33-50/60C	SLP98UH090XV60C	9031387
TPA036H4 (208/230V)	35200	15.7	13.2	32200	20400	3.8	2.58	9	CH33-50/60C	SLP98UH110XV60C	9031388
TPA036H4 (208/230V)	34200	14.2	12	32200	21000	3.46	2.42	8.2	CH33-50/60C		9031389
TPA036H4 (208/230V)	34000	15.2	12.7	32400	20800	3.38	2.38	8.2	CR33-48B	EL180DF070E36B	9032685
TPA036H4 (208/230V)	34000	15.2	12.7	32400	20800	3.38	2.4	8.2	CR33-48B	EL180DF090E48B	9032686
TPA036H4 (208/230V)	35000	15	12.7	33600	21200	3.56	2.5	8.2	CR33-48B	EL195DF045XE36B	9032687
TPA036H4 (208/230V)	35200	15.2	13	33600	21200	3.62	2.54	8.5	CR33-48B	EL195DF070XE48B	9032688
TPA036H4 (208/230V)	35000	15	12.7	32200	21200	3.56	2.5	8.2	CR33-48B	EL296DF045XE36B	9032689
TPA036H4 (208/230V)	35200	15	12.7	33800	21200	3.6	2.5	8.2	CR33-48B	EL296DF045XV36B	9032690
TPA036H4 (208/230V)	35200	15.2	13	33600	21200	3.62	2.54	8.5	CR33-48B	EL296DF070XE48B	9032691
TPA036H4 (208/230V)	35200	15	12.5	34000	21400	3.6	2.5	8.2	CR33-48B	EL296DF070XV48B	9032692
TPA036H4 (208/230V)	34000	15.2	12.7	32400	20800	3.38	2.38	8.2	CR33-48B	ML180DF070E36B	10590548
TPA036H4 (208/230V)	34000	15.2	12.7	32400	20800	3.38	2.4	8.2	CR33-48B	ML180DF090E48B	10590555
TPA036H4 (208/230V)	35400	15.5	13	33600	21000	3.66	2.54	8.5	CR33-48B	SL280DF090V48B	9032693
TPA036H4 (208/230V)	35400	15.2	12.7	33800	21200	3.62	2.52	8.5	CR33-48B	SLP98DF070XV36B	9032694
TPA036H4 (208/230V)	34800	14.2	12	34200	21800	3.46	2.42	8.2	CR33-48B		9032695
TPA036H4 (208/230V)	35200	15.7	13.2	31400	20800	3.64	2.52	8.7	CR33-48C	EL180DF110E60C	9032696
TPA036H4 (208/230V)	35200	15.2	12.7	33600	21200	3.62	2.54	8.5	CR33-48C	EL195DF090XE48C	9032697
TPA036H4 (208/230V)	35600	15.5	13	33800	21200	3.72	2.58	8.5	CR33-48C	EL195DF110XE60C	9032698
TPA036H4 (208/230V)	35200	15.2	12.7	33600	21200	3.62	2.54	8.5	CR33-48C	EL296DF090XE48C	9032700
TPA036H4 (208/230V)	35600	15.5	13	33800	21200	3.7	2.56	8.5	CR33-48C	EL296DF090XV60C	9032790
TPA036H4 (208/230V)	35600	15.5	13	33800	21200	3.72	2.58	8.5	CR33-48C	EL296DF110XE60C	9032701
TPA036H4 (208/230V)	35600	15.5	13	33800	21200	3.7	2.56	8.5	CR33-48C	EL296DF110XV60C	9032702
TPA036H4 (208/230V)	35200	15.7	13.2	31400	20800	3.64	2.52	8.7	CR33-48C	ML180DF110E60C	10590572
TPA036H4 (208/230V)	35800	15.7	13	33600	21000	3.76	2.58	8.5	CR33-48C	SL280DF090V60C	9032703
TPA036H4 (208/230V)	35600	15.1	13	33600	21000	3.72	2.58	8.5	CR33-48C	SL280DF110V60C	9032704
TPA036H4 (208/230V)	35400	15.5	13	33600	21200	3.64	2.56	8.5	CR33-48C	SLP98DF090XV36C	9032705
TPA036H4 (208/230V)	35400	15.5	13	33600	21000	3.68	2.54	8.5	CR33-48C	SLP98DF090XV48C	9032706
TPA036H4 (208/230V)	35600	15.5	13	33800	21200	3.7	2.56	8.5	CR33-48C	SLP98DF090XV60C	9032699
TPA036H4 (208/230V)	35600	15.5	13	33800	21200	3.7	2.56	8.5	CR33-48C	SLP98DF110XV60C	9032707
TPA036H4 (208/230V)	34200	14.2	12	32200	21000	3.46	2.42	8.2	CR33-50/60	EL180DF110E60C	9031390
TPA036H4 (208/230V)	35600	15.5	13.2	32800	20600	3.82	2.62	8.7	CR33-50/60	EL195DF090XE48C	9031391
TPA036H4 (208/230V)	36000	16	13.2	32800	20400	3.94	2.66	9	CR33-50/60	EL195DF110XE60C	9031392
TPA036H4 (208/230V)	35600	15.5	13.2	32800	20600	3.82	2.62	8.7	CR33-50/60	EL296DF090XE48C	9031393
TPA036H4 (208/230V)	36000	15.7	13.2	34000	21200	3.78	2.6	9	CR33-50/60	EL296DF090XV60C	9031394
TPA036H4 (208/230V)	36000	16	13.2	32800	20400	3.94	2.66	9	CR33-50/60	EL296DF110XE60C	9031395
TPA036H4 (208/230V)	36000	15.7	13.2	34000	21200	3.78	2.6	9	CR33-50/60	EL296DF110XV60C	9031396
TPA036H4 (208/230V)	34200	14.2	12	32200	21000	3.46	2.42	8.2	CR33-50/60	ML180DF110E60C	10590566
TPA036H4 (208/230V)	36000	15.1	13	34000	21200	3.84	2.64	9	CR33-50/60	SL280DF090V60C	9031397
TPA036H4 (208/230V)	36000	15.1	13	33800	21000	3.8	2.62	8.5	CR33-50/60	SL280DF110V60C	9031398
TPA036H4 (208/230V)	36000	15.7	13.2	33800	21200	3.72	2.58	8.7	CR33-50/60	SLP98DF090XV36C	9031399
TPA036H4 (208/230V)	36000	15.7	13.2	33800	21200	3.76	2.6	8.7	CR33-50/60	SLP98DF090XV48C	9031400
TPA036H4 (208/230V)	36000	15.7	13.2	34000	21200	3.78	2.6	9	CR33-50/60	SLP98DF090XV60C	9031401
TPA036H4 (208/230V)	36000	15.7	13.2	34000	21200	3.78	2.6	9	CR33-50/60	SLP98DF110XV60C	9031402
TPA036H4 (208/230V)	35200	15.2	12.7	33600	21600	3.62	2.54	8.5	CR33-50/60		9031403
TPA036H4 (208/230V)	35600	15.5	13	33800	21000	3.72	2.58	8.5	CX34-38	EL180UH045E36A	9031404
TPA036H4 (208/230V)	35600	15.5	13	33800	21000	3.7	2.56	8.5	CX34-38	EL180UH045XE36A	9031405
TPA036H4 (208/230V)	34200	15.5	13	32400	20400	3.5	2.46	8.5	CX34-38	EL180UH070E36B	9031408
TPA036H4 (208/230V)	34200	15.7	13	32400	20400	3.5	2.46	8.5	CX34-38	EL180UH070XE36B	9031409
TPA036H4 (208/230V)	34600	15.5	13	33600	20600	3.54	2.48	8.5	CX34-38	EL180UH090E48B	9031410
TPA036H4 (208/230V)	34600	15.5	13	33600	20600	3.54	2.48	8.5	CX34-38	EL180UH090XE48B	9031411
TPA036H4 (208/230V)	33800	15	12.5	32600	20600	3.38	2.38	8.2	CX34-38	EL195UH045XE36B	9031412
TPA036H4 (208/230V)	34000	15	12.5	32600	20800	3.44	2.42	8.2	CX34-38	EL195UH070XE36B	9031413
TPA036H4 (208/230V)	33800	15	12.5	32600	20600	3.38	2.38	8.2	CX34-38	EL296UH045XE36B	9031414
TPA036H4 (208/230V)	34200	15	12.5	32800	20800	3.42	2.4	8.2	CX34-38	EL296UH045XV36B	9031415
TPA036H4 (208/230V)	34000	15	12.5	32600	20800	3.44	2.42	8.2	CX34-38	EL296UH070XE36B	9031416
TPA036H4 (208/230V)	34200	15	12.5	32800	20800	3.44	2.4	8.2	CX34-38	EL296UH070XV36B	9031417
TPA036H4 (208/230V)	35600	15.5	13	33800	21000	3.72	2.58	8.5	CX34-38	ML180UH045E36A	10591199
TPA036H4 (208/230V)	35600	15.5	13	33800	21000	3.7	2.56	8.5	CX34-38	ML180UH045XE36A	10591201

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036H4 (208/230V)	34200	15.5	13	32400	20400	3.5	2.46	8.5	CX34-38	ML180UH070E36B	10590678
TPA036H4 (208/230V)	34200	15.7	13	32400	20400	3.5	2.46	8.5	CX34-38	ML180UH070XE36B	10590762
TPA036H4 (208/230V)	34600	15.5	13	33600	20600	3.54	2.48	8.5	CX34-38	ML180UH090E48B	10590809
TPA036H4 (208/230V)	34600	15.5	13	33600	20600	3.54	2.48	8.5	CX34-38	ML180UH090XE48B	10590968
TPA036H4 (208/230V)	34200	15	12.5	32800	20800	3.44	2.4	8.2	CX34-38	SL280UH070V36A	9031406
TPA036H4 (208/230V)	34200	15	12.5	32800	20800	3.44	2.4	8.2	CX34-38	SL280UH070XV36A	9031407
TPA036H4 (208/230V)	34400	15.7	13	32600	20600	3.5	2.46	8.2	CX34-38	SL280UH090V36B	9031418
TPA036H4 (208/230V)	34400	15.5	13	32600	20600	3.5	2.46	8.2	CX34-38	SL280UH090V48B	9031419
TPA036H4 (208/230V)	34400	15.5	13	32600	20600	3.5	2.46	8.2	CX34-38	SL280UH090XV48B	9031420
TPA036H4 (208/230V)	34200	15	12.5	32800	20800	3.44	2.4	8.2	CX34-38	SLP98UH070XV36B	9031421
TPA036H4 (208/230V)	35200	15.7	13.2	32400	20200	3.46	2.5	8.5	CX34-43	EL180UH070E36B	9031422
TPA036H4 (208/230V)	35200	15.7	13.2	32400	20200	3.46	2.5	8.5	CX34-43	EL180UH070XE36B	9031423
TPA036H4 (208/230V)	35600	15.7	13.2	32600	20200	3.52	2.5	8.2	CX34-43	EL180UH090E48B	9031424
TPA036H4 (208/230V)	35600	15.7	13.2	32600	20600	3.54	2.5	8.5	CX34-43	EL180UH090E60C	9031436
TPA036H4 (208/230V)	35600	15.7	13.2	32600	20200	3.52	2.5	8.2	CX34-43	EL180UH090XE48B	9031425
TPA036H4 (208/230V)	35200	15.7	13.2	32400	20200	3.5	2.52	8.5	CX34-43	EL180UH110E60C	9031437
TPA036H4 (208/230V)	35200	15.7	13.2	32400	20200	3.5	2.52	8.5	CX34-43	EL180UH110XE60C	9031438
TPA036H4 (208/230V)	34800	15	12.7	32400	20400	3.34	2.44	8.2	CX34-43	EL195UH045XE36B	9031426
TPA036H4 (208/230V)	35000	15	12.7	32600	20400	3.42	2.46	8.2	CX34-43	EL195UH070XE36B	9031427
TPA036H4 (208/230V)	35200	15.5	13.2	32600	20200	3.48	2.48	8.2	CX34-43	EL195UH090XE48C	9031439
TPA036H4 (208/230V)	35600	15.7	13.2	32600	20400	3.52	2.52	8.2	CX34-43	EL195UH110XE60C	9031440
TPA036H4 (208/230V)	34800	15	12.2	32400	20400	3.34	2.44	8.2	CX34-43	EL296UH045XE36B	9031428
TPA036H4 (208/230V)	35200	15	12.7	32800	20400	3.46	2.44	8.2	CX34-43	EL296UH045XV36B	9031429
TPA036H4 (208/230V)	35000	15	12.7	32600	20400	3.42	2.46	8.2	CX34-43	EL296UH070XE36B	9031430
TPA036H4 (208/230V)	35200	15	12.7	32800	20600	3.42	2.46	8.2	CX34-43	EL296UH070XV36B	9031431
TPA036H4 (208/230V)	35200	15.5	13.2	32600	20200	3.48	2.48	8.2	CX34-43	EL296UH090XE48C	9031441
TPA036H4 (208/230V)	35400	15.5	13.2	32600	20400	3.48	2.5	8.2	CX34-43	EL296UH090XV36C	9031442
TPA036H4 (208/230V)	35200	15.5	13.2	32400	20200	3.46	2.5	8.5	CX34-43	EL296UH090XV48C	9031443
TPA036H4 (208/230V)	35800	15.5	13.2	32800	20400	3.54	2.5	8.5	CX34-43	EL296UH090XV60C	9031444
TPA036H4 (208/230V)	35600	15.7	13.2	32600	20400	3.52	2.52	8.2	CX34-43	EL296UH110XE60C	9031445
TPA036H4 (208/230V)	35400	15.7	13.2	32400	20200	3.48	2.5	8.5	CX34-43	EL296UH110XV48C	9032708
TPA036H4 (208/230V)	35600	15.7	13.2	32600	20400	3.54	2.52	8.5	CX34-43	EL296UH110XV60C	9031446
TPA036H4 (208/230V)	35200	15.7	13.2	32400	20200	3.46	2.5	8.5	CX34-43	ML180UH070E36B	10590679
TPA036H4 (208/230V)	35200	15.7	13.2	32400	20200	3.46	2.5	8.5	CX34-43	ML180UH070XE36B	10590763
TPA036H4 (208/230V)	35600	15.7	13.2	32600	20200	3.52	2.5	8.2	CX34-43	ML180UH090E48B	10590810
TPA036H4 (208/230V)	35600	15.7	13.2	32600	20600	3.54	2.5	8.5	CX34-43	ML180UH090E60C	10590905
TPA036H4 (208/230V)	35600	15.7	13.2	32600	20200	3.52	2.5	8.2	CX34-43	ML180UH090XE48B	10590969
TPA036H4 (208/230V)	35200	15.7	13.2	32400	20200	3.5	2.52	8.5	CX34-43	ML180UH110E60C	10591015
TPA036H4 (208/230V)	35200	15.7	13.2	32400	20200	3.5	2.52	8.5	CX34-43	ML180UH110XE60C	10591092
TPA036H4 (208/230V)	35200	15.7	13.2	32400	20200	3.48	2.5	8.5	CX34-43	SL280UH090V36B	9031432
TPA036H4 (208/230V)	35400	15.7	13.2	32600	20200	3.5	2.5	8.2	CX34-43	SL280UH090V48B	9031433
TPA036H4 (208/230V)	35800	15.1	13	32600	20400	3.58	2.56	8.2	CX34-43	SL280UH090V60C	9031447
TPA036H4 (208/230V)	35400	15.7	13.2	32600	20200	3.5	2.5	8.2	CX34-43	SL280UH090XV48B	9031434
TPA036H4 (208/230V)	35800	15.1	13	32600	20400	3.58	2.56	8.2	CX34-43	SL280UH090XV60C	9031448
TPA036H4 (208/230V)	35600	15.1	13	32600	20400	3.54	2.52	8.2	CX34-43	SL280UH110V60C	9031449
TPA036H4 (208/230V)	35600	15.1	13	32600	20400	3.54	2.52	8.2	CX34-43	SL280UH110XV60C	9031450
TPA036H4 (208/230V)	35200	15	12.7	32800	20600	3.42	2.46	8.2	CX34-43	SLP98UH070XV36B	9031435
TPA036H4 (208/230V)	35400	15.5	13.2	32400	20200	3.48	2.5	8.2	CX34-43	SLP98UH090XV36C	9031451
TPA036H4 (208/230V)	35200	15.5	13.2	32400	20200	3.48	2.52	8.5	CX34-43	SLP98UH090XV48C	9031452
TPA036H4 (208/230V)	35800	15.5	13.2	32800	20400	3.56	2.52	8.5	CX34-43	SLP98UH090XV60C	9031453
TPA036H4 (208/230V)	35600	15.7	13.2	32600	20400	3.54	2.52	8.5	CX34-43	SLP98UH110XV60C	9031454
TPA036H4 (208/230V)	33800	15.5	13	32200	20400	3.36	2.38	8.2	CX34-44/48	EL180UH070E36B	9031455
TPA036H4 (208/230V)	33800	15.5	13	32200	20400	3.36	2.38	8.2	CX34-44/48	EL180UH070XE36B	9031456
TPA036H4 (208/230V)	34200	15.5	12.7	32400	20600	3.48	2.5	8.5	CX34-44/48	EL180UH090E48B	9031457
TPA036H4 (208/230V)	34200	15.5	13	32400	20600	3.42	2.4	8.2	CX34-44/48	EL180UH090E60C	9031462
TPA036H4 (208/230V)	34200	15.5	12.7	32600	20600	3.5	2.5	8.2	CX34-44/48	EL180UH090XE48B	9031458
TPA036H4 (208/230V)	34000	15.5	13	32200	20400	3.38	2.4	8.2	CX34-44/48	EL180UH110E60C	9031463
TPA036H4 (208/230V)	34000	15.5	13	32200	20400	3.38	2.4	8.2	CX34-44/48	EL180UH110XE60C	9031464
TPA036H4 (208/230V)	34000	15.2	12.7	32400	20400	3.38	2.38	8.2	CX34-44/48	EL195UH090XE48C	9031465
TPA036H4 (208/230V)	34200	15.5	12.7	32400	20600	3.42	2.4	8.2	CX34-44/48	EL195UH110XE60C	9031466
TPA036H4 (208/230V)	34000	15.2	12.7	32400	20400	3.38	2.38	8.2	CX34-44/48	EL296UH090XE48C	9031467

## AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036H4 (208/230V)	34000	15.2	12.7	32400	20600	3.38	2.4	8.2	CX34-44/48	EL296UH090XV36C	9031468
TPA036H4 (208/230V)	34000	15.5	12.7	32200	20400	3.34	2.38	8.2	CX34-44/48	EL296UH090XV48C	9031469
TPA036H4 (208/230V)	34200	15.5	12.7	32400	20600	3.42	2.4	8.2	CX34-44/48	EL296UH110XE60C	9031470
TPA036H4 (208/230V)	34200	15.5	13	32200	20400	3.38	2.4	8.2	CX34-44/48	EL296UH110XV48C	9031471
TPA036H4 (208/230V)	34400	15.5	13	32400	20600	3.42	2.42	8.2	CX34-44/48	EL296UH110XV60C	9031472
TPA036H4 (208/230V)	33800	15.5	13	32200	20400	3.36	2.38	8.2	CX34-44/48	ML180UH070E36B	10590680
TPA036H4 (208/230V)	33800	15.5	13	32200	20400	3.36	2.38	8.2	CX34-44/48	ML180UH070XE36B	10590764
TPA036H4 (208/230V)	34200	15.5	12.7	32400	20600	3.48	2.5	8.5	CX34-44/48	ML180UH090E48B	10590811
TPA036H4 (208/230V)	34200	15.5	13	32400	20600	3.42	2.4	8.2	CX34-44/48	ML180UH090E60C	10590906
TPA036H4 (208/230V)	34200	15.5	12.7	32600	20600	3.5	2.5	8.2	CX34-44/48	ML180UH090XE48B	10590970
TPA036H4 (208/230V)	34000	15.5	13	32200	20400	3.38	2.4	8.2	CX34-44/48	ML180UH110E60C	10591016
TPA036H4 (208/230V)	34000	15.5	13	32200	20400	3.38	2.4	8.2	CX34-44/48	ML180UH110XE60C	10591093
TPA036H4 (208/230V)	34000	15.5	12.7	32200	20400	3.36	2.38	8.2	CX34-44/48	SL280UH090V36B	9031459
TPA036H4 (208/230V)	34000	15.2	12.7	32400	20600	3.38	2.4	8.2	CX34-44/48	SL280UH090V48B	9031460
TPA036H4 (208/230V)	34000	15.2	12.7	32400	20600	3.38	2.4	8.2	CX34-44/48	SL280UH090XV48B	9031461
TPA036H4 (208/230V)	34400	15.1	12.5	32400	20600	3.4	2.4	8.2	CX34-44/48	SL280UH110V60C	9031473
TPA036H4 (208/230V)	34400	15.1	12.5	32400	20600	3.4	2.4	8.2	CX34-44/48	SL280UH110XV60C	9031474
TPA036H4 (208/230V)	34000	15.2	12.7	32400	20600	3.38	2.4	8.2	CX34-44/48	SLP98UH090XV36C	9031475
TPA036H4 (208/230V)	34000	15.5	12.7	32200	20400	3.34	2.38	8.2	CX34-44/48	SLP98UH090XV48C	9031476
TPA036H4 (208/230V)	34400	15.5	13	32400	20600	3.42	2.42	8.2	CX34-44/48	SLP98UH110XV60C	9031477
TPA036H4 (208/230V)	35200	15.7	13.2	31400	20200	3.64	2.52	8.7	CX34-49	EL180UH090E60C	9031478
TPA036H4 (208/230V)	34800	15.7	13.2	31400	20200	3.64	2.52	8.7	CX34-49	EL180UH110E60C	9031479
TPA036H4 (208/230V)	34800	15.7	13.2	31400	20200	3.64	2.52	8.7	CX34-49	EL180UH110XE60C	9031480
TPA036H4 (208/230V)	34800	15.5	13	31400	20400	3.6	2.52	8.7	CX34-49	EL195UH090XE48C	9031481
TPA036H4 (208/230V)	35200	15.7	13.2	31600	20400	3.66	2.54	8.7	CX34-49	EL195UH110XE60C	9031482
TPA036H4 (208/230V)	34800	15.5	13	31400	20400	3.6	2.52	8.7	CX34-49	EL296UH090XE48C	9031483
TPA036H4 (208/230V)	35000	15.5	13.2	31400	20400	3.6	2.52	8.7	CX34-49	EL296UH090XV36C	9031484
TPA036H4 (208/230V)	35000	15.7	13.2	31400	20200	3.6	2.5	8.7	CX34-49	EL296UH090XV48C	9031485
TPA036H4 (208/230V)	35600	15.5	13	31800	20600	3.66	2.54	8.7	CX34-49	EL296UH090XV60C	9031486
TPA036H4 (208/230V)	35200	15.7	13.2	31600	20400	3.66	2.54	8.7	CX34-49	EL296UH110XE60C	9031487
TPA036H4 (208/230V)	35000	15.7	13.2	31400	20200	3.66	2.54	8.7	CX34-49	EL296UH110XV48C	9031488
TPA036H4 (208/230V)	35400	15.7	13.2	31600	20400	3.66	2.54	8.7	CX34-49	EL296UH110XV60C	9031489
TPA036H4 (208/230V)	35200	15.7	13.2	31400	20200	3.64	2.52	8.7	CX34-49	ML180UH090E60C	10590907
TPA036H4 (208/230V)	34800	15.7	13.2	31400	20200	3.64	2.52	8.7	CX34-49	ML180UH110E60C	10591017
TPA036H4 (208/230V)	34800	15.7	13.2	31400	20200	3.64	2.52	8.7	CX34-49	ML180UH110XE60C	10591094
TPA036H4 (208/230V)	35400	15.1	13	31600	20400	3.7	2.56	8.5	CX34-49	SL280UH090V60C	9031490
TPA036H4 (208/230V)	35400	15.1	13	31600	20400	3.7	2.56	8.5	CX34-49	SL280UH090XV60C	9031491
TPA036H4 (208/230V)	35400	15.1	13	31600	20400	3.66	2.54	8.5	CX34-49	SL280UH110V60C	9031492
TPA036H4 (208/230V)	35400	15.1	13	31600	20400	3.66	2.54	8.5	CX34-49	SL280UH110XV60C	9031493
TPA036H4 (208/230V)	35000	15.5	13.2	31400	20200	3.62	2.5	8.7	CX34-49	SLP98UH090XV36C	9031494
TPA036H4 (208/230V)	34800	15.7	13.2	31400	20200	3.6	2.5	8.7	CX34-49	SLP98UH090XV48C	9031495
TPA036H4 (208/230V)	35600	15.5	13	31800	20600	3.66	2.54	8.2	CX34-49	SLP98UH090XV60C	9031496
TPA036H4 (208/230V)	35400	15.7	13.2	31600	20400	3.66	2.54	8.7	CX34-49	SLP98UH110XV60C	9031497
TPA036H4 (208/230V)	34400	14.2	13	32000	21000	3.4	2.38	8.2	CX34-49		9031498
TPA036H4 (208/230V)	34600	15.5	13	31400	20200	3.62	2.52	8.2	CX34-50/60C	EL180UH090E60C	9031499
TPA036H4 (208/230V)	34400	15.5	13	32400	20600	3.4	2.4	8.2	CX34-50/60C	EL180UH110E60C	9031500
TPA036H4 (208/230V)	34400	15.5	13	32400	20600	3.38	2.4	8.2	CX34-50/60C	EL180UH110XE60C	9031501
TPA036H4 (208/230V)	34200	15.2	12.7	31400	20200	3.56	2.48	8.7	CX34-50/60C	EL195UH090XE48C	9031502
TPA036H4 (208/230V)	34600	15.5	13	31400	20400	3.6	2.52	8.7	CX34-50/60C	EL195UH110XE60C	9031503
TPA036H4 (208/230V)	34200	15.2	12.7	31400	20200	3.56	2.48	8.7	CX34-50/60C	EL296UH090XE48C	9031504
TPA036H4 (208/230V)	34400	15.2	12.7	31400	20400	3.58	2.52	8.7	CX34-50/60C	EL296UH090XV36C	9031505
TPA036H4 (208/230V)	34200	15.2	13	31200	20200	3.56	2.5	8.7	CX34-50/60C	EL296UH090XV48C	9031506
TPA036H4 (208/230V)	34600	15.5	13	31400	20400	3.6	2.52	8.7	CX34-50/60C	EL296UH110XE60C	9031507
TPA036H4 (208/230V)	34400	15.5	13	31400	20200	3.6	2.5	8.7	CX34-50/60C	EL296UH110XV48C	9031508
TPA036H4 (208/230V)	34600	15.5	13	31600	20400	3.64	2.54	8.7	CX34-50/60C	EL296UH110XV60C	9031509
TPA036H4 (208/230V)	34600	15.5	13	31400	20200	3.62	2.52	8.2	CX34-50/60C	ML180UH090E60C	10590908
TPA036H4 (208/230V)	34400	15.5	13	32400	20600	3.4	2.4	8.2	CX34-50/60C	ML180UH110E60C	10591018
TPA036H4 (208/230V)	34400	15.5	13	32400	20600	3.38	2.4	8.2	CX34-50/60C	ML180UH110XE60C	10591095
TPA036H4 (208/230V)	34800	15.1	12.5	31600	20400	3.66	2.54	8.5	CX34-50/60C	SL280UH090V60C	9031510
TPA036H4 (208/230V)	34800	15.1	12.5	31600	20400	3.66	2.54	8.5	CX34-50/60C	SL280UH090XV60C	9031511
TPA036H4 (208/230V)	34600	15.1	12.5	31600	20400	3.6	2.52	8.5	CX34-50/60C	SL280UH110V60C	9031512

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036H4 (208/230V)	34600	15.1	12.5	31600	20400	3.6	2.52	8.5	CX34-50/60C	SL280UH110XV60C	9031513
TPA036H4 (208/230V)	34400	15.2	12.7	31400	20400	3.58	2.52	8.7	CX34-50/60C	SLP98UH090XV36C	9031514
TPA036H4 (208/230V)	34200	15.2	13	31200	20200	3.56	2.5	8.7	CX34-50/60C	SLP98UH090XV48C	9031515
TPA036H4 (208/230V)	34600	15.5	13	31600	20400	3.64	2.54	8.7	CX34-50/60C	SLP98UH110XV60C	9031516
TPA036H4 (208/230V)	33800	14	11.7	32000	21000	3.36	2.38	8.2	CX34-50/60C		9031517
TPA036H4 (460V)	34200	15	12.5	32800	20800	3.46	2.42	8.2	C33-38A	EL180UH045E36A	9031518
TPA036H4 (460V)	34200	15	12.5	32800	20800	3.46	2.42	8.2	C33-38A	EL180UH045XE36A	9031519
TPA036H4 (460V)	34200	15	12.5	32800	20800	3.46	2.42	8.2	C33-38A	ML180UH045E36A	10590597
TPA036H4 (460V)	34200	15	12.5	32800	20800	3.46	2.42	8.2	C33-38A	ML180UH045XE36A	10590648
TPA036H4 (460V)	34200	15.7	13	32400	20400	3.5	2.46	8.5	C33-38B	EL180UH070E36B	9031520
TPA036H4 (460V)	34200	15.7	13	32400	20400	3.5	2.46	8.5	C33-38B	EL180UH070XE36B	9031521
TPA036H4 (460V)	34600	15.5	13	32600	20600	3.54	2.48	8.5	C33-38B	EL180UH090E48B	9031522
TPA036H4 (460V)	34600	15.5	13	32600	20600	3.54	2.48	8.5	C33-38B	EL180UH090XE48B	9031523
TPA036H4 (460V)	33800	15	12.5	32600	20600	3.38	2.38	8.2	C33-38B	EL195UH045XE36B	9031524
TPA036H4 (460V)	34000	15	12.5	32600	20800	3.44	2.42	8.2	C33-38B	EL195UH070XE36B	9031525
TPA036H4 (460V)	33800	15	12.5	32600	20600	3.38	2.38	8.2	C33-38B	EL296UH045XE36B	9031526
TPA036H4 (460V)	34200	15	12.5	32800	20800	3.42	2.4	8.2	C33-38B	EL296UH045XV36B	9031527
TPA036H4 (460V)	34000	15	12.5	32600	20800	3.44	2.42	8.2	C33-38B	EL296UH070XE36B	9031528
TPA036H4 (460V)	34200	15	12.5	32800	20800	3.44	2.4	8.2	C33-38B	EL296UH070XV36B	9031529
TPA036H4 (460V)	34200	15.7	13	32400	20400	3.5	2.46	8.5	C33-38B	ML180UH070E36B	10590681
TPA036H4 (460V)	34200	15.7	13	32400	20400	3.5	2.46	8.5	C33-38B	ML180UH070XE36B	10590765
TPA036H4 (460V)	34600	15.5	13	32600	20600	3.54	2.48	8.5	C33-38B	ML180UH090E48B	10590812
TPA036H4 (460V)	34600	15.5	13	32600	20600	3.54	2.48	8.5	C33-38B	ML180UH090XE48B	10590971
TPA036H4 (460V)	34200	15	12.5	32800	20800	3.44	2.4	8.2	C33-38B	SL280UH070V36A	9031530
TPA036H4 (460V)	34200	15	12.5	32800	20800	3.44	2.4	8.2	C33-38B	SL280UH070XV36A	9031531
TPA036H4 (460V)	34400	15.7	13	32600	20600	3.5	2.46	8.2	C33-38B	SL280UH090V36B	9031532
TPA036H4 (460V)	34400	15.5	13	32600	20600	3.5	2.46	8.2	C33-38B	SL280UH090V48B	9031533
TPA036H4 (460V)	34400	15.5	13	32600	20600	3.5	2.46	8.2	C33-38B	SL280UH090XV48B	9031534
TPA036H4 (460V)	34200	15	12.5	32800	20800	3.44	2.4	8.2	C33-38B	SLP98UH070XV36B	9031535
TPA036H4 (460V)	35200	15.7	13.2	32400	20200	3.46	2.5	8.5	C33-43B	EL180UH070E36B	9031536
TPA036H4 (460V)	35200	15.7	13.2	32400	20200	3.46	2.5	8.5	C33-43B	EL180UH070XE36B	9031537
TPA036H4 (460V)	35600	15.7	13.2	32600	20200	3.52	2.5	8.2	C33-43B	EL180UH090E48B	9031539
TPA036H4 (460V)	35600	15.7	13.2	32600	20200	3.52	2.5	8.2	C33-43B	EL180UH090XE48B	9031538
TPA036H4 (460V)	34800	15	12.7	32400	20400	3.34	2.44	8.2	C33-43B	EL195UH045XE36B	9031540
TPA036H4 (460V)	35000	15	12.7	32600	20400	3.42	2.46	8.2	C33-43B	EL195UH070XE36B	9031541
TPA036H4 (460V)	34800	15	12.7	32400	20400	3.34	2.44	8.2	C33-43B	EL296UH045XE36B	9031542
TPA036H4 (460V)	35200	15	12.7	32800	20400	3.42	2.44	8.2	C33-43B	EL296UH045XV36B	9031543
TPA036H4 (460V)	35000	15	12.7	32600	20400	3.42	2.46	8.2	C33-43B	EL296UH070XE36B	9031544
TPA036H4 (460V)	35200	15	12.7	32800	20600	3.42	2.46	8.2	C33-43B	EL296UH070XV36B	9031545
TPA036H4 (460V)	35200	15.7	13.2	32400	20200	3.46	2.5	8.5	C33-43B	ML180UH070E36B	10590682
TPA036H4 (460V)	35200	15.7	13.2	32400	20200	3.46	2.5	8.5	C33-43B	ML180UH070XE36B	10590766
TPA036H4 (460V)	35600	15.7	13.2	32600	20200	3.52	2.5	8.2	C33-43B	ML180UH090E48B	10590813
TPA036H4 (460V)	35600	15.7	13.2	32600	20200	3.52	2.5	8.2	C33-43B	ML180UH090XE48B	10590972
TPA036H4 (460V)	35200	15.7	13.2	32400	20200	3.48	2.5	8.5	C33-43B	SL280UH090V36B	9031546
TPA036H4 (460V)	35400	15.7	13.2	32600	20200	3.5	2.5	8.2	C33-43B	SL280UH090V48B	9031547
TPA036H4 (460V)	35400	15.7	13.2	32600	20200	3.5	2.5	8.2	C33-43B	SL280UH090XV48B	9031548
TPA036H4 (460V)	35200	15	12.7	32800	20600	3.42	2.46	8.2	C33-43B	SLP98UH070XV36B	9031549
TPA036H4 (460V)	35600	15.7	13.2	32600	20600	3.54	2.5	8.2	C33-43C	EL180UH090E60C	9031550
TPA036H4 (460V)	35200	15.7	13.2	32400	20200	3.5	2.52	8.5	C33-43C	EL180UH110E60C	9031551
TPA036H4 (460V)	35200	15.7	13.2	32400	20200	3.5	2.52	8.5	C33-43C	EL180UH110XE60C	9031552
TPA036H4 (460V)	35200	15.5	13.2	32600	20200	3.48	2.48	8.2	C33-43C	EL195UH090XE48C	9031553
TPA036H4 (460V)	35600	15.7	13.2	32600	20400	3.52	2.52	8.2	C33-43C	EL195UH110XE60C	9031554
TPA036H4 (460V)	35200	15.5	13.2	32600	20200	3.48	2.48	8.2	C33-43C	EL296UH090XE48C	9031555
TPA036H4 (460V)	35400	15.5	13.2	32600	20400	3.48	2.5	8.2	C33-43C	EL296UH090XV36C	9031556
TPA036H4 (460V)	35200	15.5	13.2	32400	20200	3.46	2.5	8.5	C33-43C	EL296UH090XV48C	9031557
TPA036H4 (460V)	35600	15.7	13.2	32600	20400	3.52	2.52	8.2	C33-43C	EL296UH110XE60C	9031558
TPA036H4 (460V)	35400	15.7	13.2	32400	20200	3.48	2.5	8.5	C33-43C	EL296UH110XV48C	9031559
TPA036H4 (460V)	35600	15.7	13.2	32600	20600	3.54	2.5	8.2	C33-43C	ML180UH090E60C	10590909
TPA036H4 (460V)	35200	15.7	13.2	32400	20200	3.5	2.52	8.5	C33-43C	ML180UH110E60C	10591019
TPA036H4 (460V)	35200	15.7	13.2	32400	20200	3.5	2.52	8.5	C33-43C	ML180UH110XE60C	10591096
TPA036H4 (460V)	35800	15.1	13	32600	20400	3.58	2.56	8.2	C33-43C	SL280UH090V60C	9031560



## AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036H4 (460V)	35800	15.1	13	32600	20400	3.58	2.56	8.2	C33-43C	SL280UH090XV60C	9031561
TPA036H4 (460V)	35600	15.1	13	32600	20400	3.54	2.52	8.2	C33-43C	SL280UH110V60C	9031562
TPA036H4 (460V)	35600	15.1	13	32600	20400	3.54	2.52	8.2	C33-43C	SL280UH110XV60C	9031563
TPA036H4 (460V)	35400	15.5	13.2	32400	20200	3.48	2.5	8.2	C33-43C	SLP98UH090XV36C	9031564
TPA036H4 (460V)	35200	15.5	13.2	32400	20200	3.48	2.52	8.5	C33-43C	SLP98UH090XV48C	9031565
TPA036H4 (460V)	35800	15.5	13.2	32800	20400	3.56	2.52	8.5	C33-43C	SLP98UH090XV60C	9031566
TPA036H4 (460V)	33800	15.5	13	32200	20400	3.36	2.38	8.2	C33-48B	EL180UH070E36B	9031567
TPA036H4 (460V)	33800	15.5	13	32200	20400	3.36	2.38	8.2	C33-48B	EL180UH070XE36B	9031568
TPA036H4 (460V)	34200	15.5	12.7	32400	20600	3.4	2.42	8.2	C33-48B	EL180UH090E48B	9031569
TPA036H4 (460V)	34200	15.5	12.7	32400	20600	3.4	2.42	8.2	C33-48B	EL180UH090XE48B	9031570
TPA036H4 (460V)	33800	15.5	13	32200	20400	3.36	2.38	8.2	C33-48B	ML180UH070E36B	10590683
TPA036H4 (460V)	33800	15.5	13	32200	20400	3.36	2.38	8.2	C33-48B	ML180UH070XE36B	10590767
TPA036H4 (460V)	34200	15.5	12.7	32400	20600	3.4	2.42	8.2	C33-48B	ML180UH090E48B	10590814
TPA036H4 (460V)	34200	15.5	12.7	32400	20600	3.4	2.42	8.2	C33-48B	ML180UH090XE48B	10590973
TPA036H4 (460V)	34000	15.5	12.7	32200	20400	3.36	2.38	8.2	C33-48B	SL280UH090V36B	9031571
TPA036H4 (460V)	34000	15.2	12.7	32400	20600	3.38	2.4	8.2	C33-48B	SL280UH090V48B	9031572
TPA036H4 (460V)	34000	15.2	12.7	32400	20600	3.38	2.4	8.2	C33-48B	SL280UH090XV48B	9031573
TPA036H4 (460V)	34200	15.5	13	32400	20600	3.42	2.4	8.2	C33-48C	EL180UH090E60C	9031574
TPA036H4 (460V)	34000	15.5	13	32200	20400	3.38	2.4	8.2	C33-48C	EL180UH110E60C	9031575
TPA036H4 (460V)	34000	15.5	13	32200	20400	3.38	2.4	8.2	C33-48C	EL180UH110XE60C	9031576
TPA036H4 (460V)	34000	15.2	12.7	32400	20400	3.38	2.38	8.2	C33-48C	EL195UH090XE48C	9031577
TPA036H4 (460V)	34200	15.5	12.7	32400	20600	3.42	2.4	8.2	C33-48C	EL195UH110XE60C	9031578
TPA036H4 (460V)	34000	15.2	12.7	32400	20400	3.38	2.38	8.2	C33-48C	EL296UH090XE48C	9031579
TPA036H4 (460V)	34000	15.2	12.7	32400	20600	3.38	2.4	8.2	C33-48C	EL296UH090XV36C	9032709
TPA036H4 (460V)	34000	15.5	12.7	32200	20400	3.34	2.38	8.2	C33-48C	EL296UH090XV48C	9031581
TPA036H4 (460V)	34200	15.5	12.7	32400	20600	3.42	2.4	8.2	C33-48C	EL296UH110XE60C	9031582
TPA036H4 (460V)	34200	15.5	13	32200	20400	3.38	2.4	8.2	C33-48C	EL296UH110XV48C	9031583
TPA036H4 (460V)	34200	15.5	13	32400	20600	3.42	2.4	8.2	C33-48C	ML180UH090E60C	10590910
TPA036H4 (460V)	34000	15.5	13	32200	20400	3.38	2.4	8.2	C33-48C	ML180UH110E60C	10591020
TPA036H4 (460V)	34000	15.5	13	32200	20400	3.38	2.4	8.2	C33-48C	ML180UH110XE60C	10591097
TPA036H4 (460V)	34400	15.1	12.5	32400	20600	3.4	2.4	8.2	C33-48C	SL280UH110V60C	9031584
TPA036H4 (460V)	34400	15.1	12.5	32400	20600	3.4	2.4	8.5	C33-48C	SL280UH110XV60C	9031585
TPA036H4 (460V)	34000	15.2	12.7	32400	20600	3.38	2.4	8.2	C33-48C	SLP98UH090XV36C	9031580
TPA036H4 (460V)	34000	15.5	12.7	32200	20400	3.34	2.38	8.2	C33-48C	SLP98UH090XV48C	9031586
TPA036H4 (460V)	35200	15.7	13.2	31400	20200	3.64	2.52	8.7	C33-49C	EL180UH090E60C	9031587
TPA036H4 (460V)	34800	15.7	13.2	31400	20200	3.64	2.52	8.7	C33-49C	EL180UH110E60C	9031588
TPA036H4 (460V)	34800	15.7	13.2	31400	20200	3.64	2.52	8.7	C33-49C	EL180UH110XE60C	9031589
TPA036H4 (460V)	34800	15.5	13	31400	20400	3.6	2.52	8.7	C33-49C	EL195UH090XE48C	9031590
TPA036H4 (460V)	35200	15.7	13.2	31600	20400	3.66	2.54	8.7	C33-49C	EL195UH110XE60C	9031591
TPA036H4 (460V)	34800	15.5	13	31400	20400	3.6	2.52	8.7	C33-49C	EL296UH090XE48C	9031592
TPA036H4 (460V)	35000	15.5	13.2	31400	20400	3.6	2.52	8.7	C33-49C	EL296UH090XV36C	9031593
TPA036H4 (460V)	35000	15.7	13.2	31400	20200	3.6	2.5	8.7	C33-49C	EL296UH090XV48C	9031594
TPA036H4 (460V)	35200	15.7	13.2	31600	20400	3.66	2.54	8.7	C33-49C	EL296UH110XE60C	9031595
TPA036H4 (460V)	35000	15.7	13.2	31400	20200	3.66	2.54	8.7	C33-49C	EL296UH110XV48C	9031596
TPA036H4 (460V)	35200	15.7	13.2	31400	20200	3.64	2.52	8.7	C33-49C	ML180UH090E60C	10590911
TPA036H4 (460V)	34800	15.7	13.2	31400	20200	3.64	2.52	8.7	C33-49C	ML180UH110E60C	10591021
TPA036H4 (460V)	34800	15.7	13.2	31400	20200	3.64	2.52	8.7	C33-49C	ML180UH110XE60C	10591098
TPA036H4 (460V)	35400	15.1	13	31600	20400	3.7	2.56	8.5	C33-49C	SL280UH090V60C	9031597
TPA036H4 (460V)	35400	15.1	13	31600	20400	3.7	2.56	8.5	C33-49C	SL280UH090XV60C	9031598
TPA036H4 (460V)	35400	15.1	13	31600	20400	3.66	2.54	8.5	C33-49C	SL280UH110V60C	9031599
TPA036H4 (460V)	35400	15.1	13	31600	20400	3.66	2.54	8.5	C33-49C	SL280UH110XV60C	9031600
TPA036H4 (460V)	35000	15.5	13.2	31400	20200	3.62	2.5	8.7	C33-49C	SLP98UH090XV36C	9031601
TPA036H4 (460V)	34800	15.7	13.2	31400	20200	3.6	2.5	8.7	C33-49C	SLP98UH090XV48C	9031602
TPA036H4 (460V)	34400	14.2	12	32000	21000	3.4	2.38	8.2	C33-49C		9031603
TPA036H4 (460V)	34600	15.5	13	31400	20200	3.62	2.52	8.2	C33-50/60C	EL180UH090E60C	9031604
TPA036H4 (460V)	34400	15.5	13	32400	20600	3.38	2.38	8.2	C33-50/60C	EL180UH110E60C	9031605
TPA036H4 (460V)	34400	15.5	13	32400	20600	3.38	2.4	8.2	C33-50/60C	EL180UH110XE60C	9031606
TPA036H4 (460V)	34200	15.2	12.7	31400	20200	3.56	2.48	8.7	C33-50/60C	EL195UH090XE48C	9031607
TPA036H4 (460V)	34600	15.5	13	31400	20400	3.6	2.52	8.7	C33-50/60C	EL195UH110XE60C	9031608
TPA036H4 (460V)	34200	15.2	12.7	31400	20200	3.56	2.48	8.7	C33-50/60C	EL296UH090XE48C	9031609
TPA036H4 (460V)	34400	15.2	12.7	31400	20400	3.58	2.52	8.7	C33-50/60C	EL296UH090XV36C	9031610

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036H4 (460V)	34200	15.2	13	31200	20200	3.56	2.5	8.7	C33-50/60C	EL296UH090XV48C	9031611
TPA036H4 (460V)	34600	15.5	13	32400	20400	3.38	2.4	8.2	C33-50/60C	EL296UH110XE60C	9031612
TPA036H4 (460V)	34400	15.5	13	31400	20200	3.6	2.5	8.7	C33-50/60C	EL296UH110XV48C	9031613
TPA036H4 (460V)	34600	15.5	13	31400	20200	3.62	2.52	8.2	C33-50/60C	ML180UH090E60C	10590912
TPA036H4 (460V)	34400	15.5	13	32400	20600	3.38	2.38	8.2	C33-50/60C	ML180UH110E60C	10591022
TPA036H4 (460V)	34400	15.5	13	32400	20600	3.38	2.4	8.2	C33-50/60C	ML180UH110XE60C	10591099
TPA036H4 (460V)	34800	15.1	12.5	31600	20400	3.66	2.54	8.5	C33-50/60C	SL280UH090V60C	9031614
TPA036H4 (460V)	34800	15.1	12.5	31600	20400	3.66	2.54	8.5	C33-50/60C	SL280UH090XV60C	9031615
TPA036H4 (460V)	34600	15.1	12.5	31600	20400	3.6	2.52	8.5	C33-50/60C	SL280UH110V60C	9031616
TPA036H4 (460V)	34600	15.1	12.5	31600	20400	3.6	2.52	8.5	C33-50/60C	SL280UH110XV60C	9031617
TPA036H4 (460V)	34400	15.2	12.7	31400	20400	3.58	2.52	8.7	C33-50/60C	SLP98UH090XV36C	9031618
TPA036H4 (460V)	34200	15.2	13	31200	20200	3.56	2.5	8.7	C33-50/60C	SLP98UH090XV48C	9031619
TPA036H4 (460V)	33800	14	11.7	32000	21000	3.36	2.38	8.2	C33-50/60C		9031620
TPA036H4 (460V)	34200	15	12.5	32800	21000	3.38	2.48	8.5	CBA27UHE-036		10262314
TPA036H4 (460V)	34200	15	12.5	32800	21000	3.38	2.48	8.5	CBA27UHE-036-460		10262315
TPA036H4 (460V)	34600	14	12	34800	21800	3.54	2.46	8.2	CBX25UH-036		9031621
TPA036H4 (460V)	35000	15	12.5	34200	21400	3.62	2.54	8.5	CBX25UHV-036		9031622
TPA036H4 (460V)	34800	15.2	12.5	32800	20400	3.74	2.58	8.7	CBX27UH-036		9031623
TPA036H4 (460V)	36000	16	13.5	33000	17300	4	2.36	8.5	CBX27UH-042		9031624
TPA036H4 (460V)	34400	14.5	11.7	33200	20800	3.62	2.52	8.5	CBX32M-036		9031625
TPA036H4 (460V)	34400	14.5	11.7	33200	20800	3.62	2.5	8.5	CBX32M-042		9031626
TPA036H4 (460V)	34800	14.7	12	33200	20600	3.66	2.5	8.7	CBX32MV-036		9031627
TPA036H4 (460V)	35400	15.5	13	31800	20600	3.8	2.62	9.2	CBX32MV-048		9031628
TPA036H4 (460V)	35000	14.7	12.2	33000	20600	3.7	2.56	8.7	CBX40UHV-036		9031629
TPA036H4 (460V)	35400	15.2	12.7	31800	20600	3.8	2.64	9	CBX40UHV-042		9031630
TPA036H4 (460V)	35600	15.5	13	31800	20600	3.86	2.68	9.2	CBX40UHV-048		9031631
TPA036H4 (460V)	35200	14.5	12.2	32800	21000	3.54	2.44	8.5	CH33-43		9031632
TPA036H4 (460V)	35200	15.7	13.2	32000	20200	3.68	2.56	8.7	CH33-43B	EL180UH070E36B	9031633
TPA036H4 (460V)	35200	15.7	13.2	32000	20200	3.68	2.56	8.7	CH33-43B	EL180UH070XE36B	9031634
TPA036H4 (460V)	35600	15.7	13.2	32200	20400	3.74	2.56	9	CH33-43B	EL180UH090E48B	9031635
TPA036H4 (460V)	35400	14.7	12.5	32600	21000	3.6	2.48	8.5	CH33-43B	EL195UH045XE36B	9031637
TPA036H4 (460V)	35200	15.2	12.7	32200	20600	3.64	2.52	8.7	CH33-43B	EL195UH070XE36B	9031638
TPA036H4 (460V)	35400	14.7	12.5	32600	21000	3.6	2.48	8.5	CH33-43B	EL296UH045XE36B	9031639
TPA036H4 (460V)	35400	15.2	12.7	32600	20800	3.68	2.52	8.7	CH33-43B	EL296UH045XV36B	9031640
TPA036H4 (460V)	35200	15.2	12.7	32200	20600	3.64	2.52	8.7	CH33-43B	EL296UH070XE36B	9031641
TPA036H4 (460V)	35600	15.2	12.7	32600	20600	3.68	2.52	8.7	CH33-43B	EL296UH070XV36B	9031642
TPA036H4 (460V)	35200	15.7	13.2	32000	20200	3.68	2.56	8.7	CH33-43B	ML180UH070E36B	10590684
TPA036H4 (460V)	35200	15.7	13.2	32000	20200	3.68	2.56	8.7	CH33-43B	ML180UH070XE36B	10590768
TPA036H4 (460V)	35600	15.7	13.2	32200	20400	3.74	2.56	9	CH33-43B	ML180UH090E48B	10590815
TPA036H4 (460V)	35600	15.7	13.2	32200	20400	3.76	2.58	9	CH33-43B	SL280UH090V36B	9031643
TPA036H4 (460V)	35600	15.7	13.2	32200	20400	3.72	2.54	9	CH33-43B	SL280UH090V48B	9031644
TPA036H4 (460V)	35600	15.7	13.2	32200	20400	3.72	2.54	9	CH33-43B	SL280UH090XV48B	9031645
TPA036H4 (460V)	35600	15.2	12.7	32600	20600	3.68	2.52	8.7	CH33-43B	SLP98UH070XV36B	9031646
TPA036H4 (460V)	35400	15.7	13.2	32600	20600	3.54	2.5	8.5	CH33-43C	EL180UH090E60C	9031647
TPA036H4 (460V)	35000	15.7	13.2	32400	20400	3.5	2.48	8.5	CH33-43C	EL180UH110E60C	9031648
TPA036H4 (460V)	35000	15.7	13.2	32400	20400	3.5	2.48	8.5	CH33-43C	EL180UH110XE60C	9031649
TPA036H4 (460V)	35200	15.5	13.2	32600	20600	3.48	2.46	8.2	CH33-43C	EL195UH090XE48C	9031650
TPA036H4 (460V)	35400	15.7	13.2	32600	20600	3.52	2.48	8.5	CH33-43C	EL195UH110XE60C	9031651
TPA036H4 (460V)	35200	15.5	13.2	32600	20600	3.48	2.46	8.2	CH33-43C	EL296UH090XE48C	9031652
TPA036H4 (460V)	35200	15.5	13.2	32600	20600	3.5	2.48	8.2	CH33-43C	EL296UH090XV36C	9031653
TPA036H4 (460V)	35000	15.5	13.2	32400	20400	3.46	2.46	8.5	CH33-43C	EL296UH090XV48C	9031654
TPA036H4 (460V)	35600	15.5	13	32800	20800	3.54	2.48	8.5	CH33-43C	EL296UH090XV60C	9031655
TPA036H4 (460V)	35400	15.7	13.2	32600	20600	3.52	2.48	8.5	CH33-43C	EL296UH110XE60C	9031656
TPA036H4 (460V)	35200	15.7	13.2	32400	20600	3.5	2.5	8.5	CH33-43C	EL296UH110XV48C	9031657
TPA036H4 (460V)	35600	15.7	13.2	32600	20600	3.54	2.5	8.5	CH33-43C	EL296UH110XV60C	9031658
TPA036H4 (460V)	35400	15.7	13.2	32600	20600	3.54	2.5	8.5	CH33-43C	ML180UH090E60C	10590913
TPA036H4 (460V)	35000	15.7	13.2	32400	20400	3.5	2.48	8.5	CH33-43C	ML180UH110E60C	10591023
TPA036H4 (460V)	35000	15.7	13.2	32400	20400	3.5	2.48	8.5	CH33-43C	ML180UH110XE60C	10591100
TPA036H4 (460V)	35200	16	13.5	32600	20400	3.58	2.5	8.5	CH33-43C	SL280UH080NV60C	10590485
TPA036H4 (460V)	35200	15.1	13	32600	20800	3.56	2.44	8.2	CH33-43C	SL280UH090V60C	9031659
TPA036H4 (460V)	35200	15.1	13	32600	20800	3.56	2.56	8.2	CH33-43C	SL280UH090XV60C	9031660

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036H4 (460V)	35400	15.1	13	32600	20600	3.5	2.48	8.2	CH33-43C	SL280UH110V60C	9031661
TPA036H4 (460V)	35400	15.1	13	32600	20600	3.5	2.48	8.2	CH33-43C	SL280UH110XV60C	9031662
TPA036H4 (460V)	35200	15.5	13.2	32600	20600	3.5	2.48	8.2	CH33-43C	SLP98UH090XV36C	9031663
TPA036H4 (460V)	35000	15.5	13.2	32400	20400	3.46	2.46	8.5	CH33-43C	SLP98UH090XV48C	9031664
TPA036H4 (460V)	35600	15.5	13	32800	20800	3.54	2.48	8.5	CH33-43C	SLP98UH090XV60C	9031665
TPA036H4 (460V)	35600	15.7	13.2	32600	20600	3.54	2.5	8.5	CH33-43C	SLP98UH110XV60C	9031666
TPA036H4 (460V)	34000	15.2	12.7	32400	20400	3.38	2.46	8.2	CH33-44/48B	EL180UH070E36B	9031667
TPA036H4 (460V)	34000	15.2	12.7	32400	20400	3.38	2.46	8.2	CH33-44/48B	EL180UH070XE36B	9031668
TPA036H4 (460V)	34200	15.2	12.7	32600	20800	3.68	2.52	8.7	CH33-44/48B	EL180UH090E48B	9031669
TPA036H4 (460V)	34200	15.2	12.7	32200	20800	3.76	2.58	9	CH33-44/48B	EL180UH090XE48B	9031670
TPA036H4 (460V)	34000	14.7	12.5	32800	20800	3.36	2.46	8.2	CH33-44/48B	EL195UH070XE36B	9031671
TPA036H4 (460V)	34000	14.7	12.5	32800	20800	3.36	2.46	8.2	CH33-44/48B	EL296UH070XE36B	9031673
TPA036H4 (460V)	34200	14.7	12.5	33000	20800	3.4	2.44	8.2	CH33-44/48B	EL296UH070XV36B	9031674
TPA036H4 (460V)	34000	15.2	12.7	32400	20400	3.38	2.46	8.2	CH33-44/48B	ML180UH070E36B	10590685
TPA036H4 (460V)	34000	15.2	12.7	32400	20400	3.38	2.46	8.2	CH33-44/48B	ML180UH070XE36B	10590769
TPA036H4 (460V)	34200	15.2	12.7	32600	20800	3.68	2.52	8.7	CH33-44/48B	ML180UH090E48B	10590816
TPA036H4 (460V)	34200	15.2	12.7	32200	20800	3.76	2.58	9	CH33-44/48B	ML180UH090XE48B	10590974
TPA036H4 (460V)	34400	15.2	12.7	32600	20600	3.44	2.5	8.2	CH33-44/48B	SL280UH090V36B	9031675
TPA036H4 (460V)	34400	15	12.7	32800	20600	3.44	2.48	8.2	CH33-44/48B	SL280UH090V48B	9031676
TPA036H4 (460V)	34400	15	12.7	32800	20600	3.44	2.48	8.2	CH33-44/48B	SL280UH090XV48B	9031677
TPA036H4 (460V)	34200	14.7	12.5	33000	20800	3.4	2.44	8.2	CH33-44/48B	SLP98UH070XV36B	9031678
TPA036H4 (460V)	35000	15.5	13	32400	20600	3.46	2.46	8.2	CH33-48C	EL296UH090XV36C	9031679
TPA036H4 (460V)	34800	15.5	13	32400	20400	3.46	2.46	8.5	CH33-48C	EL296UH090XV48C	9031680
TPA036H4 (460V)	35400	15.2	13	32400	20600	3.46	2.46	8.5	CH33-48C	EL296UH090XV60C	9031681
TPA036H4 (460V)	35000	15.5	13.2	32400	20400	3.48	2.46	8.5	CH33-48C	EL296UH110XV48C	9031682
TPA036H4 (460V)	35400	15.5	13.2	32600	20600	3.52	2.48	8.5	CH33-48C	EL296UH110XV60C	9031683
TPA036H4 (460V)	35400	15.5	12.5	32600	20600	3.56	2.52	8.2	CH33-48C	SL280UH080NV60C	10590486
TPA036H4 (460V)	35400	15.1	13	32600	20600	3.54	2.5	8.2	CH33-48C	SL280UH090V60C	9031684
TPA036H4 (460V)	35400	15.1	13	32600	20600	3.54	2.5	8.2	CH33-48C	SL280UH090XV60C	9031685
TPA036H4 (460V)	35200	15.1	12.5	32600	20600	3.5	2.46	8.2	CH33-48C	SL280UH110V60C	9031686
TPA036H4 (460V)	35200	15.1	12.5	32600	20600	3.5	2.46	8.2	CH33-48C	SL280UH110XV60C	9031687
TPA036H4 (460V)	35000	15.5	13	32400	20600	3.46	2.46	8.2	CH33-48C	SLP98UH090XV36C	9031688
TPA036H4 (460V)	34800	15.5	13	32400	20400	3.46	2.46	8.5	CH33-48C	SLP98UH090XV48C	9031689
TPA036H4 (460V)	35400	15.2	13	32800	20800	3.52	2.48	8.5	CH33-48C	SLP98UH090XV60C	9031690
TPA036H4 (460V)	35400	15.5	13.2	32600	20600	3.52	2.48	8.5	CH33-48C	SLP98UH110XV60C	9031691
TPA036H4 (460V)	35200	15.7	13.2	31600	20400	3.74	2.6	9	CH33-49	EL180UH090E60C	9031692
TPA036H4 (460V)	35000	15.7	13.2	31600	20200	3.74	2.58	9	CH33-49	EL180UH110E60C	9031693
TPA036H4 (460V)	35000	15.7	13.2	31600	20200	3.74	2.58	9	CH33-49	EL180UH110XE60C	9031694
TPA036H4 (460V)	35000	15.5	13	31600	20400	3.7	2.56	8.5	CH33-49	EL195UH090XE48C	9031695
TPA036H4 (460V)	35200	15.7	13.2	31800	20400	3.76	2.58	9	CH33-49	EL195UH110XE60C	9031696
TPA036H4 (460V)	35000	15.5	13	31600	20400	3.76	2.48	8.5	CH33-49	EL296UH090XE48C	9031697
TPA036H4 (460V)	35000	15.7	13.2	32000	20400	3.76	2.58	9	CH33-49	EL296UH090XV36C	9031698
TPA036H4 (460V)	34800	15.7	13.2	32000	20400	3.74	2.56	9	CH33-49	EL296UH090XV48C	9031699
TPA036H4 (460V)	35400	15.5	13	32400	20600	3.8	2.58	9	CH33-49	EL296UH090XV60C	9031700
TPA036H4 (460V)	35200	15.7	13.2	31800	20400	3.76	2.58	9	CH33-49	EL296UH110XE60C	9031701
TPA036H4 (460V)	35000	15.7	13.2	32000	20400	3.78	2.6	9	CH33-49	EL296UH110XV48C	9031702
TPA036H4 (460V)	35400	15.7	13.2	32200	20400	3.8	2.6	9	CH33-49	EL296UH110XV60C	9031703
TPA036H4 (460V)	35200	15.7	13.2	31600	20400	3.74	2.6	9	CH33-49	ML180UH090E60C	10590914
TPA036H4 (460V)	35000	15.7	13.2	31600	20200	3.74	2.58	9	CH33-49	ML180UH110E60C	10591024
TPA036H4 (460V)	35000	15.7	13.2	31600	20200	3.74	2.58	9	CH33-49	ML180UH110XE60C	10591101
TPA036H4 (460V)	35400	16	13	32000	20400	3.84	2.64	9.2	CH33-49	SL280UH080NV60C	10590487
TPA036H4 (460V)	35400	15.1	13	32200	20400	3.82	2.6	9	CH33-49	SL280UH090V60C	9031704
TPA036H4 (460V)	35400	15.1	13	32200	20400	3.82	2.6	9	CH33-49	SL280UH090XV60C	9031705
TPA036H4 (460V)	35200	15.1	13	32200	20400	3.78	2.56	9	CH33-49	SL280UH110V60C	9031706
TPA036H4 (460V)	35200	15.1	13	32200	20400	3.78	2.56	9	CH33-49	SL280UH110XV60C	9031707
TPA036H4 (460V)	35000	15.7	13.2	32000	20400	3.76	2.58	9	CH33-49	SLP98UH090XV36C	9031708
TPA036H4 (460V)	34800	15.7	13.2	32000	20200	3.74	2.56	9	CH33-49	SLP98UH090XV48C	9031709
TPA036H4 (460V)	35400	15.5	13	32400	20600	3.8	2.58	9	CH33-49	SLP98UH090XV60C	9031710
TPA036H4 (460V)	35400	15.7	13.2	32200	20400	3.8	2.6	9	CH33-49	SLP98UH110XV60C	9031711
TPA036H4 (460V)	34400	14.2	12	32600	21000	3.52	2.4	8.5	CH33-49		9031712
TPA036H4 (460V)	35000	15.7	13.2	31600	20400	3.72	2.58	9	CH33-50/60C	EL180UH090E60C	9031713

**AHRI SYSTEM MATCHES**

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036H4 (460V)	34800	15.7	13.2	31400	20200	3.68	2.56	9	CH33-50/60C	EL180UH110E60C	9031714
TPA036H4 (460V)	34800	15.7	13.2	31400	20200	3.68	2.56	9	CH33-50/60C	EL180UH110XE60C	9031715
TPA036H4 (460V)	34800	15.5	13	31600	20400	3.68	2.56	9	CH33-50/60C	EL195UH090XE48C	9031716
TPA036H4 (460V)	35000	15.7	13.2	31800	20400	3.74	2.58	9	CH33-50/60C	EL195UH110XE60C	9031717
TPA036H4 (460V)	34800	15.5	13	31600	20400	3.68	2.56	9	CH33-50/60C	EL296UH090XE48C	9031718
TPA036H4 (460V)	34800	15.5	13	32000	20400	3.72	2.56	9	CH33-50/60C	EL296UH090XV36C	9031719
TPA036H4 (460V)	34600	15.7	13	31800	20400	3.7	2.58	9	CH33-50/60C	EL296UH090XV48C	9031720
TPA036H4 (460V)	35200	15.5	13	32400	20600	3.78	2.58	9	CH33-50/60C	EL296UH090XV60C	9031721
TPA036H4 (460V)	35000	15.7	13.2	31800	20400	3.74	2.58	9	CH33-50/60C	EL296UH110XE60C	9031722
TPA036H4 (460V)	34800	15.7	13.2	32000	20400	3.76	2.58	9	CH33-50/60C	EL296UH110XV48C	9031723
TPA036H4 (460V)	35200	15.7	13.2	32200	20400	3.8	2.58	9	CH33-50/60C	EL296UH110XV60C	9031724
TPA036H4 (460V)	35000	15.7	13.2	31600	20400	3.72	2.58	9	CH33-50/60C	ML180UH090E60C	10590915
TPA036H4 (460V)	34800	15.7	13.2	31400	20200	3.68	2.56	9	CH33-50/60C	ML180UH110E60C	10591025
TPA036H4 (460V)	34800	15.7	13.2	31400	20200	3.68	2.56	9	CH33-50/60C	ML180UH110XE60C	10591102
TPA036H4 (460V)	35200	16	13	32000	20400	3.82	2.62	9.2	CH33-50/60C	SL280UH080NV60C	10590488
TPA036H4 (460V)	35200	15.1	13	32200	20400	3.8	2.58	9	CH33-50/60C	SL280UH090V60C	9031725
TPA036H4 (460V)	35200	15.1	13	32200	20400	3.8	2.58	9	CH33-50/60C	SL280UH090XV60C	9031726
TPA036H4 (460V)	35000	15.5	12.5	32200	20400	3.76	2.56	8.5	CH33-50/60C	SL280UH110V60C	9031727
TPA036H4 (460V)	35000	15.5	12.5	32200	20400	3.76	2.56	8.5	CH33-50/60C	SL280UH110XV60C	9031728
TPA036H4 (460V)	34800	15.5	13	32000	20400	3.72	2.56	9	CH33-50/60C	SLP98UH090XV36C	9031729
TPA036H4 (460V)	34600	15.7	13	31800	20400	3.7	2.58	9	CH33-50/60C	SLP98UH090XV48C	9031730
TPA036H4 (460V)	35200	15.5	13	32400	20600	3.78	2.58	9	CH33-50/60C	SLP98UH090XV60C	9031731
TPA036H4 (460V)	35200	15.7	13.2	32200	20400	3.8	2.58	9	CH33-50/60C	SLP98UH110XV60C	9031732
TPA036H4 (460V)	34200	14.2	12	32200	21000	3.46	2.42	8.2	CH33-50/60C		9031733
TPA036H4 (460V)	35200	15.5	13	31600	20800	3.64	2.52	8.5	CR33-48B	EL180DF070E36B	9032710
TPA036H4 (460V)	35200	15.5	13	31600	20800	3.64	2.52	8.5	CR33-48B	EL180DF090E48B	9032711
TPA036H4 (460V)	35000	15	12.7	33600	21200	3.56	2.5	8.2	CR33-48B	EL195DF045XE36B	9032712
TPA036H4 (460V)	35200	15.2	13	33600	21200	3.62	2.54	8.5	CR33-48B	EL195DF070XE48B	9032713
TPA036H4 (460V)	35000	15	12.7	33600	21200	3.56	2.5	8.2	CR33-48B	EL296DF045XE36B	9032714
TPA036H4 (460V)	35200	15	12.7	33800	21200	3.6	2.5	8.2	CR33-48B	EL296DF045XV36B	9032715
TPA036H4 (460V)	35200	15.2	13	33600	21200	3.62	2.54	8.5	CR33-48B	EL296DF070XE48B	9032716
TPA036H4 (460V)	35200	15	12.5	34000	21400	3.6	2.5	8.2	CR33-48B	EL296DF070XV48B	9032717
TPA036H4 (460V)	35200	15.5	13	31600	20800	3.64	2.52	8.5	CR33-48B	ML180DF070E36B	10590549
TPA036H4 (460V)	35200	15.5	13	31600	20800	3.64	2.52	8.5	CR33-48B	ML180DF090E48B	10590556
TPA036H4 (460V)	35400	15.5	13	33600	21000	3.66	2.54	8.5	CR33-48B	SL280DF090V48B	9032718
TPA036H4 (460V)	35400	15.2	12.7	33800	21200	3.62	2.52	8.5	CR33-48B	SLP98DF070XV36B	9032719
TPA036H4 (460V)	34800	14.2	12	34200	21800	3.46	2.42	8.2	CR33-48B		9032720
TPA036H4 (460V)	34600	15.5	13	31400	20800	3.6	2.52	8.7	CR33-48C	EL180DF110E60C	9032721
TPA036H4 (460V)	35200	15.2	12.7	33600	21200	3.62	2.54	8.5	CR33-48C	EL195DF090XE48C	9032722
TPA036H4 (460V)	35600	15.5	13	33800	21200	3.72	2.58	8.5	CR33-48C	EL195DF110XE60C	9032723
TPA036H4 (460V)	35200	15.2	12.7	33600	21200	3.62	2.54	8.5	CR33-48C	EL296DF090XE48C	9032725
TPA036H4 (460V)	35600	15.5	13	33800	21200	3.7	2.56	8.5	CR33-48C	EL296DF090XV60C	9032791
TPA036H4 (460V)	35600	15.5	13	33800	21200	3.72	2.58	8.5	CR33-48C	EL296DF110XE60C	9032726
TPA036H4 (460V)	35600	15.5	13	33800	21200	3.7	2.56	8.5	CR33-48C	EL296DF110XV60C	9032727
TPA036H4 (460V)	34600	15.5	13	31400	20800	3.6	2.52	8.7	CR33-48C	ML180DF110E60C	10590573
TPA036H4 (460V)	35800	15.7	13	33600	21000	3.76	2.58	8.5	CR33-48C	SL280DF090V60C	9032728
TPA036H4 (460V)	35600	15.1	13	33600	21000	3.72	2.58	8.5	CR33-48C	SL280DF110V60C	9032729
TPA036H4 (460V)	35400	15.5	13	33600	21200	3.64	2.56	8.5	CR33-48C	SLP98DF090XV36C	9032730
TPA036H4 (460V)	35400	15.5	13	33600	21000	3.68	2.54	8.5	CR33-48C	SLP98DF090XV48C	9032731
TPA036H4 (460V)	35600	15.5	13	33800	21200	3.7	2.56	8.5	CR33-48C	SLP98DF090XV60C	9032724
TPA036H4 (460V)	35600	15.5	13	33800	21200	3.7	2.56	8.5	CR33-48C	SLP98DF110XV60C	9032732
TPA036H4 (460V)	35200	15.1	13	32200	21000	3.78	2.56	9	CR33-50/60	EL180DF110E60C	9031734
TPA036H4 (460V)	35600	15.5	13.2	32800	20600	3.82	2.62	8.7	CR33-50/60	EL195DF090XE48C	9031735
TPA036H4 (460V)	36000	16	13.2	32800	20400	3.94	2.66	9	CR33-50/60	EL195DF110XE60C	9031736
TPA036H4 (460V)	35600	15.5	13.2	32800	20600	3.82	2.62	8.7	CR33-50/60	EL296DF090XE48C	9031737
TPA036H4 (460V)	36000	15.7	13.2	34000	21200	3.78	2.6	9	CR33-50/60	EL296DF090XV60C	9031738
TPA036H4 (460V)	36000	16	13.2	32800	20400	3.94	2.66	9	CR33-50/60	EL296DF110XE60C	9031739
TPA036H4 (460V)	36000	15.7	13.2	34000	21200	3.78	2.6	9	CR33-50/60	EL296DF110XV60C	9031740
TPA036H4 (460V)	35200	15.1	13	32200	21000	3.78	2.56	9	CR33-50/60	ML180DF110E60C	10590567
TPA036H4 (460V)	36000	15.1	13	34000	21200	3.84	2.64	9	CR33-50/60	SL280DF090V60C	9031741
TPA036H4 (460V)	36000	15.1	13	33800	21000	3.8	2.62	8.5	CR33-50/60	SL280DF110V60C	9031742

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036H4 (460V)	36000	15.7	13.2	33800	21200	3.72	2.58	8.7	CR33-50/60	SLP98DF090XV36C	9031743
TPA036H4 (460V)	36000	15.7	13.2	33800	21200	3.76	2.6	8.7	CR33-50/60	SLP98DF090XV48C	9031744
TPA036H4 (460V)	36000	15.7	13.2	34000	21200	3.78	2.6	9	CR33-50/60	SLP98DF090XV60C	9031745
TPA036H4 (460V)	36000	15.7	13.2	34000	21200	3.78	2.6	9	CR33-50/60	SLP98DF110XV60C	9031746
TPA036H4 (460V)	34600	15.7	13	31800	21600	3.7	2.58	9	CR33-50/60		9031747
TPA036H4 (460V)	35200	15.5	13	32400	21000	3.78	2.58	9	CX34-38	EL180UH045E36A	9031748
TPA036H4 (460V)	35000	15.7	13.2	31800	21000	3.74	2.58	9	CX34-38	EL180UH045XE36A	9031749
TPA036H4 (460V)	34200	15.1	13	32400	20400	3.5	2.46	8.5	CX34-38	EL180UH070E36B	9031752
TPA036H4 (460V)	34200	15.1	13	32400	20400	3.5	2.46	8.5	CX34-38	EL180UH070XE36B	9031753
TPA036H4 (460V)	34600	15.5	13	32200	20600	3.54	2.48	8.5	CX34-38	EL180UH090E48B	9031754
TPA036H4 (460V)	34600	15.5	13	32200	20600	3.54	2.48	8.5	CX34-38	EL180UH090XE48B	9031755
TPA036H4 (460V)	33800	15	12.5	32600	20600	3.38	2.38	8.2	CX34-38	EL195UH045XE36B	9031756
TPA036H4 (460V)	34000	15	12.5	32600	20800	3.44	2.42	8.2	CX34-38	EL195UH070XE36B	9031757
TPA036H4 (460V)	33800	15	12.5	32600	20600	3.38	2.38	8.2	CX34-38	EL296UH045XE36B	9031758
TPA036H4 (460V)	34200	15	12.5	32800	20800	3.42	2.4	8.2	CX34-38	EL296UH045XV36B	9031759
TPA036H4 (460V)	34000	15	12.5	32600	20800	3.44	2.42	8.2	CX34-38	EL296UH070XE36B	9031760
TPA036H4 (460V)	34200	15	12.5	32800	20800	3.44	2.4	8.2	CX34-38	EL296UH070XV36B	9031761
TPA036H4 (460V)	35200	15.5	13	32400	21000	3.78	2.58	9	CX34-38	ML180UH045E36A	10591200
TPA036H4 (460V)	35000	15.7	13.2	31800	21000	3.74	2.58	9	CX34-38	ML180UH045XE36A	10591202
TPA036H4 (460V)	34200	15.1	13	32400	20400	3.5	2.46	8.5	CX34-38	ML180UH070E36B	10590686
TPA036H4 (460V)	34200	15.1	13	32400	20400	3.5	2.46	8.5	CX34-38	ML180UH070XE36B	10590770
TPA036H4 (460V)	34600	15.5	13	32200	20600	3.54	2.48	8.5	CX34-38	ML180UH090E48B	10590817
TPA036H4 (460V)	34600	15.5	13	32200	20600	3.54	2.48	8.5	CX34-38	ML180UH090XE48B	10590975
TPA036H4 (460V)	34200	15	12.5	32800	20800	3.44	2.4	8.2	CX34-38	SL280UH070V36A	9031750
TPA036H4 (460V)	34200	15	12.5	32800	20800	3.44	2.4	8.2	CX34-38	SL280UH070XV36A	9031751
TPA036H4 (460V)	34400	15.7	13	32600	20600	3.5	2.46	8.2	CX34-38	SL280UH090V36B	9031762
TPA036H4 (460V)	34400	15.5	13	32600	20600	3.5	2.46	8.2	CX34-38	SL280UH090V48B	9031763
TPA036H4 (460V)	34400	15.5	13	32600	20600	3.5	2.46	8.2	CX34-38	SL280UH090XV48B	9031764
TPA036H4 (460V)	34200	15	12.5	32800	20800	3.44	2.5	8.2	CX34-38	SLP98UH070XV36B	9031765
TPA036H4 (460V)	35200	15.7	13.2	32400	20200	3.46	2.5	8.5	CX34-43	EL180UH070E36B	9031766
TPA036H4 (460V)	35200	15.7	13.2	32400	20200	3.46	2.5	8.5	CX34-43	EL180UH070XE36B	9031767
TPA036H4 (460V)	35600	15.7	13.2	32600	20200	3.52	2.5	8.2	CX34-43	EL180UH090E48B	9031768
TPA036H4 (460V)	35600	15.7	13.2	33600	20600	3.54	2.5	8.5	CX34-43	EL180UH090E60C	9031780
TPA036H4 (460V)	35600	15.7	13.2	32600	20200	3.52	2.5	8.2	CX34-43	EL180UH090XE48B	9031769
TPA036H4 (460V)	35200	15.7	13.2	32400	20200	3.5	2.52	8.5	CX34-43	EL180UH110E60C	9031781
TPA036H4 (460V)	35200	15.7	13.2	32400	20200	3.5	2.52	8.5	CX34-43	EL180UH110XE60C	9031782
TPA036H4 (460V)	34800	15	12.7	32400	20400	3.34	2.44	8.2	CX34-43	EL195UH045XE36B	9031770
TPA036H4 (460V)	35000	15	12.7	32600	20400	3.42	2.46	8.2	CX34-43	EL195UH070XE36B	9031771
TPA036H4 (460V)	35200	15.5	13.2	32600	20200	3.48	2.48	8.2	CX34-43	EL195UH090XE48C	9031783
TPA036H4 (460V)	35600	15.7	13.2	32600	20400	3.52	2.52	8.2	CX34-43	EL195UH110XE60C	9031784
TPA036H4 (460V)	34800	15	12.7	32400	20400	3.34	2.44	8.2	CX34-43	EL296UH045XE36B	9031772
TPA036H4 (460V)	35200	15	12.7	32800	20400	3.42	2.44	8.2	CX34-43	EL296UH045XV36B	9031773
TPA036H4 (460V)	35000	15	12.7	32600	20400	3.42	2.46	8.2	CX34-43	EL296UH070XE36B	9031774
TPA036H4 (460V)	35200	15	12.7	32800	20600	3.42	2.46	8.2	CX34-43	EL296UH070XV36B	9031775
TPA036H4 (460V)	35200	15.5	13.2	32600	20200	3.48	2.48	8.2	CX34-43	EL296UH090XE48C	9031785
TPA036H4 (460V)	35400	15.5	13.2	32600	20400	3.82	2.5	8.2	CX34-43	EL296UH090XV36C	9031786
TPA036H4 (460V)	35200	15.5	13.2	32400	20200	3.46	2.5	8.5	CX34-43	EL296UH090XV48C	9031787
TPA036H4 (460V)	35800	15.5	13.2	32800	20400	3.54	2.5	8.5	CX34-43	EL296UH090XV60C	9031788
TPA036H4 (460V)	35600	15.7	13.2	32600	20400	3.52	2.52	8.2	CX34-43	EL296UH110XE60C	9031789
TPA036H4 (460V)	35400	15.7	13.2	32400	20200	3.48	2.5	8.5	CX34-43	EL296UH110XV48C	9032733
TPA036H4 (460V)	35600	15.7	13.2	32600	20400	3.54	2.52	8.5	CX34-43	EL296UH110XV60C	9031790
TPA036H4 (460V)	35200	15.7	13.2	32400	20200	3.46	2.5	8.5	CX34-43	ML180UH070E36B	10590687
TPA036H4 (460V)	35200	15.7	13.2	32400	20200	3.46	2.5	8.5	CX34-43	ML180UH070XE36B	10590771
TPA036H4 (460V)	35600	15.7	13.2	32600	20200	3.52	2.5	8.2	CX34-43	ML180UH090E48B	10590818
TPA036H4 (460V)	35600	15.7	13.2	33600	20600	3.54	2.5	8.5	CX34-43	ML180UH090E60C	10590916
TPA036H4 (460V)	35600	15.7	13.2	32600	20200	3.52	2.5	8.2	CX34-43	ML180UH090XE48B	10590976
TPA036H4 (460V)	35200	15.7	13.2	32400	20200	3.5	2.52	8.5	CX34-43	ML180UH110E60C	10591026
TPA036H4 (460V)	35200	15.7	13.2	32400	20200	3.5	2.52	8.5	CX34-43	ML180UH110XE60C	10591103
TPA036H4 (460V)	35200	15.7	13.2	32400	20200	3.48	2.5	8.5	CX34-43	SL280UH090V36B	9031776
TPA036H4 (460V)	35400	15.7	13.2	32600	20200	3.5	2.5	8.2	CX34-43	SL280UH090V48B	9031777
TPA036H4 (460V)	35800	15.1	13	32600	20400	3.58	2.56	8.2	CX34-43	SL280UH090V60C	9031791

## AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036H4 (460V)	35400	15.7	13.2	32600	20200	3.5	2.5	8.2	CX34-43	SL280UH090XV48B	9031778
TPA036H4 (460V)	35800	15.1	13	32600	20400	3.58	2.56	8.2	CX34-43	SL280UH090XV60C	9031792
TPA036H4 (460V)	35600	15.1	13	32600	20400	3.54	2.52	8.2	CX34-43	SL280UH110V60C	9031793
TPA036H4 (460V)	35600	15.1	13	32600	20400	3.54	2.52	8.2	CX34-43	SL280UH110XV60C	9031794
TPA036H4 (460V)	35200	15	12.7	32800	20600	3.42	2.46	8.2	CX34-43	SLP98UH070XV36B	9031779
TPA036H4 (460V)	35400	15.5	13.2	32400	20200	3.48	2.5	8.2	CX34-43	SLP98UH090XV36C	9031795
TPA036H4 (460V)	35200	15.5	13.2	32400	20200	3.48	2.52	8.5	CX34-43	SLP98UH090XV48C	9031796
TPA036H4 (460V)	35800	15.5	13.2	32800	20400	3.56	2.52	8.5	CX34-43	SLP98UH090XV60C	9031797
TPA036H4 (460V)	35600	15.7	13.2	32600	20400	3.54	2.52	8.5	CX34-43	SLP98UH110XV60C	9031798
TPA036H4 (460V)	33800	15.5	13	32200	20400	3.36	2.38	8.2	CX34-44/48	EL180UH070E36B	9031799
TPA036H4 (460V)	33800	15.5	13	32200	20400	3.36	2.38	8.2	CX34-44/48	EL180UH070XE36B	9031800
TPA036H4 (460V)	34200	15.5	12.7	32800	20600	3.44	2.4	8.2	CX34-44/48	EL180UH090E48B	9031801
TPA036H4 (460V)	34200	15.5	13	32400	20600	3.42	2.4	8.2	CX34-44/48	EL180UH090E60C	9031806
TPA036H4 (460V)	34200	15.5	12.7	32800	20600	3.44	2.4	8.2	CX34-44/48	EL180UH090XE48B	9031802
TPA036H4 (460V)	34000	15.5	13	32200	20400	3.38	2.4	8.2	CX34-44/48	EL180UH110E60C	9031807
TPA036H4 (460V)	34000	15.5	13	32200	20400	3.38	2.4	8.2	CX34-44/48	EL180UH110XE60C	9031808
TPA036H4 (460V)	34000	15.2	12.7	32400	20400	3.38	2.38	8.2	CX34-44/48	EL195UH090XE48C	9031809
TPA036H4 (460V)	34200	15.5	12.7	32400	20600	3.42	2.4	8.2	CX34-44/48	EL195UH110XE60C	9031810
TPA036H4 (460V)	34000	15.2	12.7	32400	20400	3.38	2.38	8.2	CX34-44/48	EL296UH090XE48C	9031811
TPA036H4 (460V)	34000	15.2	12.7	32400	20600	3.38	2.4	8.2	CX34-44/48	EL296UH090XV36C	9031812
TPA036H4 (460V)	34000	15.5	12.7	32200	20400	3.34	2.38	8.2	CX34-44/48	EL296UH090XV48C	9031813
TPA036H4 (460V)	34200	15.5	12.7	32400	20600	3.42	2.4	8.2	CX34-44/48	EL296UH110XE60C	9031814
TPA036H4 (460V)	34200	15.5	13	32200	20400	3.38	2.4	8.2	CX34-44/48	EL296UH110XV48C	9031815
TPA036H4 (460V)	34400	15.5	13	32400	20600	3.42	2.42	8.2	CX34-44/48	EL296UH110XV60C	9031816
TPA036H4 (460V)	33800	15.5	13	32200	20400	3.36	2.38	8.2	CX34-44/48	ML180UH070E36B	10590688
TPA036H4 (460V)	33800	15.5	13	32200	20400	3.36	2.38	8.2	CX34-44/48	ML180UH070XE36B	10590772
TPA036H4 (460V)	34200	15.5	12.7	32800	20600	3.44	2.4	8.2	CX34-44/48	ML180UH090E48B	10590819
TPA036H4 (460V)	34200	15.5	13	32400	20600	3.42	2.4	8.2	CX34-44/48	ML180UH090E60C	10590917
TPA036H4 (460V)	34200	15.5	12.7	32800	20600	3.44	2.4	8.2	CX34-44/48	ML180UH090XE48B	10590977
TPA036H4 (460V)	34000	15.5	13	32200	20400	3.38	2.4	8.2	CX34-44/48	ML180UH110E60C	10591027
TPA036H4 (460V)	34000	15.5	13	32200	20400	3.38	2.4	8.2	CX34-44/48	ML180UH110XE60C	10591104
TPA036H4 (460V)	34000	15.5	12.7	32200	20400	3.36	2.38	8.2	CX34-44/48	SL280UH090V36B	9031803
TPA036H4 (460V)	34000	15.2	12.7	32400	20600	3.38	2.4	8.2	CX34-44/48	SL280UH090V48B	9031804
TPA036H4 (460V)	34000	15.2	12.7	32400	20600	3.38	2.4	8.2	CX34-44/48	SL280UH090XV48B	9031805
TPA036H4 (460V)	34400	15.1	12.5	32400	20600	3.4	2.4	8.5	CX34-44/48	SL280UH110V60C	9031817
TPA036H4 (460V)	34400	15.1	12.5	32400	20600	3.4	2.4	8.5	CX34-44/48	SL280UH110XV60C	9031818
TPA036H4 (460V)	34000	15.2	12.7	32400	20600	3.38	2.4	8.2	CX34-44/48	SLP98UH090XV36C	9031819
TPA036H4 (460V)	34000	15.5	12.7	32200	20400	3.34	2.38	8.2	CX34-44/48	SLP98UH090XV48C	9031820
TPA036H4 (460V)	34400	15.5	13	32400	20600	3.42	2.42	8.2	CX34-44/48	SLP98UH110XV60C	9031821
TPA036H4 (460V)	35200	15.7	13.2	31400	20200	3.64	2.52	8.7	CX34-49	EL180UH090E60C	9031822
TPA036H4 (460V)	34800	15.7	13.2	31400	20200	3.64	2.52	8.7	CX34-49	EL180UH110E60C	9031823
TPA036H4 (460V)	34800	15.7	13.2	31400	20200	3.64	2.52	8.7	CX34-49	EL180UH110XE60C	9031824
TPA036H4 (460V)	34800	15.5	13	31400	20400	3.6	2.52	8.7	CX34-49	EL195UH090XE48C	9031825
TPA036H4 (460V)	35200	15.7	13.2	31600	20400	3.66	2.54	8.7	CX34-49	EL195UH110XE60C	9031826
TPA036H4 (460V)	34800	15.5	13	31400	20400	3.6	2.52	8.7	CX34-49	EL296UH090XE48C	9031827
TPA036H4 (460V)	35000	15.5	13.2	31400	20400	3.6	2.52	8.7	CX34-49	EL296UH090XV36C	9031828
TPA036H4 (460V)	35000	15.7	13.2	31400	20200	3.6	2.5	8.7	CX34-49	EL296UH090XV48C	9031829
TPA036H4 (460V)	35600	15.5	13	31800	20600	3.66	2.54	8.7	CX34-49	EL296UH090XV60C	9031830
TPA036H4 (460V)	35200	15.7	13.2	31600	20400	3.66	2.54	8.7	CX34-49	EL296UH110XE60C	9031831
TPA036H4 (460V)	35000	15.7	13.2	31400	20200	3.66	2.54	8.7	CX34-49	EL296UH110XV48C	9031832
TPA036H4 (460V)	35400	15.7	13.2	31600	20400	3.66	2.54	8.7	CX34-49	EL296UH110XV60C	9031833
TPA036H4 (460V)	35200	15.7	13.2	31400	20200	3.64	2.52	8.7	CX34-49	ML180UH090E60C	10590918
TPA036H4 (460V)	34800	15.7	13.2	31400	20200	3.64	2.52	8.7	CX34-49	ML180UH110E60C	10591028
TPA036H4 (460V)	34800	15.7	13.2	31400	20200	3.64	2.52	8.7	CX34-49	ML180UH110XE60C	10591105
TPA036H4 (460V)	35400	15.1	13	31600	20400	3.7	2.56	8.5	CX34-49	SL280UH090V60C	9031834
TPA036H4 (460V)	35400	15.1	13	31600	20400	3.7	2.56	8.5	CX34-49	SL280UH090XV60C	9031835
TPA036H4 (460V)	35400	15.1	13	31600	20400	3.66	2.54	8.5	CX34-49	SL280UH110V60C	9031836
TPA036H4 (460V)	35400	15.1	13	31600	20400	3.66	2.54	8.5	CX34-49	SL280UH110XV60C	9031837
TPA036H4 (460V)	35000	15.5	13.2	31400	20200	3.62	2.5	8.7	CX34-49	SLP98UH090XV36C	9031838
TPA036H4 (460V)	34800	15.7	13.2	31400	20200	3.6	2.5	8.7	CX34-49	SLP98UH090XV48C	9031839
TPA036H4 (460V)	35600	15.5	13	31800	20600	3.66	2.54	8.2	CX34-49	SLP98UH090XV60C	9031840

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036H4 (460V)	35400	15.7	13.2	31600	20400	3.66	2.54	8.7	CX34-49	SLP98UH110XV60C	9031841
TPA036H4 (460V)	34400	14.2	12	32000	21000	3.4	2.38	8.5	CX34-49		9031842
TPA036H4 (460V)	34600	15.5	13	31400	20200	3.62	2.52	8.2	CX34-50/60C	EL180UH090E60C	9031843
TPA036H4 (460V)	34400	15.5	13	32600	20600	3.56	2.54	8.2	CX34-50/60C	EL180UH110E60C	9031844
TPA036H4 (460V)	34400	15.5	13	32600	20600	3.54	2.52	8.2	CX34-50/60C	EL180UH110XE60C	9031845
TPA036H4 (460V)	34200	15.2	12.7	31400	20200	3.56	2.48	8.2	CX34-50/60C	EL195UH090XE48C	9031846
TPA036H4 (460V)	34600	15.5	13	31400	20400	3.6	2.52	8.7	CX34-50/60C	EL195UH110XE60C	9031847
TPA036H4 (460V)	34200	15.2	12.7	31400	20200	3.56	2.48	8.7	CX34-50/60C	EL296UH090XE48C	9031848
TPA036H4 (460V)	34400	15.2	12.7	31400	20400	3.58	2.52	8.7	CX34-50/60C	EL296UH090XV36C	9031849
TPA036H4 (460V)	34200	15.2	13	31200	20200	3.56	2.5	8.7	CX34-50/60C	EL296UH090XV48C	9031850
TPA036H4 (460V)	34600	15.5	13	32000	20400	3.34	2.4	8.2	CX34-50/60C	EL296UH110XE60C	9031851
TPA036H4 (460V)	34400	15.5	13	31400	20200	3.6	2.5	8.7	CX34-50/60C	EL296UH110XV48C	9031852
TPA036H4 (460V)	34600	15.5	13	31600	20400	3.64	2.54	8.7	CX34-50/60C	EL296UH110XV60C	9031853
TPA036H4 (460V)	34600	15.5	13	31400	20200	3.62	2.52	8.2	CX34-50/60C	ML180UH090E60C	10590919
TPA036H4 (460V)	34400	15.5	13	32600	20600	3.56	2.54	8.2	CX34-50/60C	ML180UH110E60C	10591029
TPA036H4 (460V)	34400	15.5	13	32600	20600	3.54	2.52	8.2	CX34-50/60C	ML180UH110XE60C	10591106
TPA036H4 (460V)	34800	15.1	12.5	31600	20400	3.66	2.54	8.5	CX34-50/60C	SL280UH090V60C	9031854
TPA036H4 (460V)	34800	15.1	12.5	31600	20400	3.66	2.54	8.5	CX34-50/60C	SL280UH090XV60C	9031855
TPA036H4 (460V)	34600	15.1	12.5	31600	20400	3.6	2.52	8.5	CX34-50/60C	SL280UH110V60C	9031856
TPA036H4 (460V)	34600	15.1	12.5	31600	20400	3.6	2.52	8.5	CX34-50/60C	SL280UH110XV60C	9031857
TPA036H4 (460V)	34400	15.2	12.7	31400	20400	3.58	2.52	8.7	CX34-50/60C	SLP98UH090XV36C	9031858
TPA036H4 (460V)	34200	15.2	13	31200	20200	3.56	2.5	8.7	CX34-50/60C	SLP98UH090XV48C	9031859
TPA036H4 (460V)	34600	15.5	13	31600	20400	3.64	2.54	8.7	CX34-50/60C	SLP98UH110XV60C	9031860
TPA036H4 (460V)	33800	14	11.7	32000	21000	3.36	2.38	8.2	CX34-50/60C		9031861
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	3.52	2.44	8.5	C33-38B	EL180UH070E36B	9038636
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	3.52	2.44	8.5	C33-38B	EL180UH070XE36B	9038637
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	3.56	2.46	8.5	C33-38B	EL180UH090E48B	9038638
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	3.56	2.46	8.5	C33-38B	EL180UH090XE48B	9038639
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	3.52	2.44	8.5	C33-38B	ML180UH070E36B	10590689
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	3.52	2.44	8.5	C33-38B	ML180UH070XE36B	10590773
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	3.56	2.46	8.5	C33-38B	ML180UH090E48B	10590824
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	3.56	2.46	8.5	C33-38B	ML180UH090XE48B	10590980
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	3.54	2.46	8.5	C33-38B	SL280UH090V36B	9038645
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	3.52	2.44	8.5	C33-38B	SL280UH090V48B	9038646
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	3.52	2.44	8.5	C33-38B	SL280UH090XV48B	9038647
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	3.4	2.38	8.2	C33-48B	EL180UH070E36B	9038650
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	3.4	2.38	8.2	C33-48B	EL180UH070XE36B	9038651
TPA036S4 (208/230V)	36000	14	11.5	32400	20600	3.44	2.38	8.2	C33-48B	EL180UH090E48B	9038652
TPA036S4 (208/230V)	36000	14	11.5	32400	20600	3.44	2.38	8.2	C33-48B	EL180UH090XE48B	9038653
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	3.4	2.38	8.2	C33-48B	ML180UH070E36B	10590690
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	3.4	2.38	8.2	C33-48B	ML180UH070XE36B	10590774
TPA036S4 (208/230V)	36000	14	11.5	32400	20600	3.44	2.38	8.2	C33-48B	ML180UH090E48B	10590825
TPA036S4 (208/230V)	36000	14	11.5	32400	20600	3.44	2.38	8.2	C33-48B	ML180UH090XE48B	10590981
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	3.4	2.36	8.2	C33-48B	SL280UH090V36B	9038659
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	3.42	2.38	8.2	C33-48B	SL280UH090V48B	9038660
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	3.42	2.38	8.2	C33-48B	SL280UH090XV48B	9038661
TPA036S4 (208/230V)	36000	14	11.5	32400	20600	3.46	2.38	8.2	C33-48C	EL180UH090E60C	9038663
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	3.42	2.38	8.2	C33-48C	EL180UH110E60C	9038664
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	3.42	2.38	8.2	C33-48C	EL180UH110XE60C	9038665
TPA036S4 (208/230V)	36000	14	11.5	32400	20600	3.42	2.36	8.2	C33-48C	EL195UH090XE48C	9038666
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	3.44	2.4	8.2	C33-48C	EL195UH110XE60C	9038667
TPA036S4 (208/230V)	36000	14	11.5	32400	20600	3.42	2.36	8.2	C33-48C	EL296UH090XE48C	9038668
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	3.42	2.38	8.2	C33-48C	EL296UH090XV36C	9038669
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	3.4	2.38	8.2	C33-48C	EL296UH090XV48C	9038670
TPA036S4 (208/230V)	36000	14	11.5	32600	21000	3.44	2.4	8.2	C33-48C	EL296UH090XV60C	9038671
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	3.44	2.4	8.2	C33-48C	EL296UH110XE60C	9038672
TPA036S4 (208/230V)	36000	14.2	11.7	32200	20600	3.42	2.38	8.2	C33-48C	EL296UH110XV48C	9038673
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	3.46	2.4	8.2	C33-48C	EL296UH110XV60C	9038674
TPA036S4 (208/230V)	36000	14	11.5	32400	20600	3.46	2.38	8.2	C33-48C	ML180UH090E60C	10590950
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	3.42	2.38	8.2	C33-48C	ML180UH110E60C	10591060
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	3.42	2.38	8.2	C33-48C	ML180UH110XE60C	10591137

### AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	3.42	2.38	8.2	C33-48C	SLP98UH090XV36C	9038679
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	3.4	2.38	8.2	C33-48C	SLP98UH090XV48C	9038680
TPA036S4 (208/230V)	36000	14	11.5	32600	21000	3.44	2.4	8.2	C33-48C	SLP98UH090XV60C	9038681
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	3.46	2.4	8.2	C33-48C	SLP98UH110XV60C	9038682
TPA036S4 (208/230V)	35400	14	11.5	33000	21000	3.66	2.54	8.7	CBX32MV-036		9038688
TPA036S4 (208/230V)	34800	14	11.5	32400	20600	3.5	2.42	8.2	CH33-31B	EL180UH070E36B	9038690
TPA036S4 (208/230V)	34800	14	11.5	32400	20600	3.5	2.42	8.2	CH33-31B	EL180UH070XE36B	9038691
TPA036S4 (208/230V)	34800	14	11.5	32400	20600	3.5	2.42	8.2	CH33-31B	ML180UH070E36B	10590691
TPA036S4 (208/230V)	34800	14	11.5	32400	20600	3.5	2.42	8.2	CH33-31B	ML180UH070XE36B	10590775
TPA036S4 (208/230V)	35000	14	11.5	32600	20800	3.54	2.44	8.2	CH33-31B	SL280UH090V36B	9038697
TPA036S4 (208/230V)	35000	14	11.5	32600	21000	3.5	2.44	8.2	CH33-31B	SL280UH090V48B	9038698
TPA036S4 (208/230V)	35000	14	11.5	32600	21000	3.5	2.44	8.2	CH33-31B	SL280UH090XV48B	9038699
TPA036S4 (208/230V)	35600	14	11.5	32600	20800	3.6	2.48	8.5	CH33-36C	EL180UH090E60C	9038702
TPA036S4 (208/230V)	35200	14	11.5	32600	20800	3.6	2.48	8.5	CH33-36C	EL180UH110E60C	9038703
TPA036S4 (208/230V)	35200	14	11.5	32600	20800	3.6	2.48	8.5	CH33-36C	EL180UH110XE60C	9038704
TPA036S4 (208/230V)	35200	14	11.5	32600	20800	3.56	2.46	8.5	CH33-36C	EL195UH090XE48C	9038705
TPA036S4 (208/230V)	35600	14	11.5	32800	21000	3.62	2.5	8.5	CH33-36C	EL195UH110XE60C	9038706
TPA036S4 (208/230V)	35200	14	11.5	32600	20800	3.56	2.46	8.5	CH33-36C	EL296UH090XE48C	9038707
TPA036S4 (208/230V)	35400	14	11.5	32800	20800	3.58	2.46	8.5	CH33-36C	EL296UH090XV36C	9038708
TPA036S4 (208/230V)	35000	14	11.5	32600	20800	3.56	2.46	8.2	CH33-36C	EL296UH090XV48C	9038709
TPA036S4 (208/230V)	35800	14	11.5	33000	21000	3.62	2.46	8.5	CH33-36C	EL296UH090XV60C	9038710
TPA036S4 (208/230V)	35600	14	11.5	32800	21000	3.62	2.5	8.5	CH33-36C	EL296UH110XE60C	9038711
TPA036S4 (208/230V)	35400	14	11.7	32600	20800	3.6	2.48	8.5	CH33-36C	EL296UH110XV48C	9038712
TPA036S4 (208/230V)	35600	14	11.5	32800	21000	3.62	2.5	8.5	CH33-36C	EL296UH110XV60C	9038713
TPA036S4 (208/230V)	35600	14	11.5	32600	20800	3.6	2.48	8.5	CH33-36C	ML180UH090E60C	10590951
TPA036S4 (208/230V)	35200	14	11.5	32600	20800	3.6	2.48	8.5	CH33-36C	ML180UH110E60C	10591061
TPA036S4 (208/230V)	35200	14	11.5	32600	20800	3.6	2.48	8.5	CH33-36C	ML180UH110XE60C	10591138
TPA036S4 (208/230V)	35800	14	11	32800	21000	3.64	2.5	8.5	CH33-36C	SL280UH090V60C	9038714
TPA036S4 (208/230V)	35800	14	11	32800	21000	3.64	2.5	8.5	CH33-36C	SL280UH090XV60C	9038715
TPA036S4 (208/230V)	35600	14	11	32800	21000	3.6	2.48	8.2	CH33-36C	SL280UH110V60C	9038716
TPA036S4 (208/230V)	35600	14	11	32800	21000	3.6	2.48	8.2	CH33-36C	SL280UH110XV60C	9038717
TPA036S4 (208/230V)	35400	14	11.5	32800	20800	3.6	2.46	8.5	CH33-36C	SLP98UH090XV36C	9038718
TPA036S4 (208/230V)	35600	14	11.5	32800	21000	3.6	2.48	8.5	CH33-36C	SLP98UH090XV48C	9038719
TPA036S4 (208/230V)	35800	14	11.5	33000	21000	3.64	2.48	8.5	CH33-36C	SLP98UH090XV60C	9038720
TPA036S4 (208/230V)	35600	14	11.5	32800	21000	3.64	2.5	8.5	CH33-36C	SLP98UH110XV60C	9038721
TPA036S4 (208/230V)	34800	14	11.5	32400	20800	3.46	2.42	8.2	CH33-42	SL280UH090V36B	9038727
TPA036S4 (208/230V)	34800	14	11.5	32600	20800	3.48	2.4	8.2	CH33-42	SL280UH090V48B	9038728
TPA036S4 (208/230V)	34800	14	11.5	32600	20800	3.48	2.4	8.2	CH33-42	SL280UH090XV48B	9038729
TPA036S4 (208/230V)	35600	14	11.5	32400	20800	3.56	2.48	8.5	CR33-48	EL180DF070E36B	9038732
TPA036S4 (208/230V)	35600	14	11.5	32600	20800	3.58	2.48	8.2	CR33-48	EL180DF090E48B	9038733
TPA036S4 (208/230V)	35600	14	11.5	32800	21000	3.56	2.46	8.2	CR33-48	EL195DF070XE48B	9038735
TPA036S4 (208/230V)	35600	14	11.5	32800	21000	3.56	2.46	8.2	CR33-48	EL296DF070XE48B	9038738
TPA036S4 (208/230V)	35600	14	11.5	32400	20800	3.56	2.48	8.5	CR33-48	ML180DF070E36B	10590550
TPA036S4 (208/230V)	35600	14	11.5	32600	20800	3.58	2.48	8.2	CR33-48	ML180DF090E48B	10590557
TPA036S4 (208/230V)	35600	14	11.5	32600	20800	3.56	2.46	8.2	CR33-48	SL280DF090V48B	9038740
TPA036S4 (208/230V)	36000	14	11.5	32800	21000	3.6	2.48	8.5	CR33-48C	EL195DF090XE48C	9038956
TPA036S4 (208/230V)	36000	14	11.5	32800	21000	3.6	2.48	8.5	CR33-48C	EL296DF090XE48C	9038957
TPA036S4 (208/230V)	36000	14	11.7	32800	21000	3.66	2.52	8.5	CR33-48C	SL280DF090V60C	9038958
TPA036S4 (208/230V)	35800	14	11.7	32600	20800	3.62	2.5	8.5	CR33-48C	SL280DF110V60C	9038959
TPA036S4 (208/230V)	35800	14	11.5	32800	21000	3.58	2.48	8.2	CR33-48C	SLP98DF090XV36C	9038960
TPA036S4 (208/230V)	35800	14	11.5	32800	20800	3.6	2.46	8.5	CR33-48C	SLP98DF090XV48C	9038961
TPA036S4 (208/230V)	36000	14	11.5	32800	21000	3.6	2.48	8.5	CR33-48C	SLP98DF090XV60C	9038962
TPA036S4 (208/230V)	36000	14	11.5	32800	21000	3.6	2.48	8.5	CR33-48C	SLP98DF110XV60C	9038963
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	3.52	2.44	8.5	CX34-38B	EL180UH070E36B	9038746
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	3.52	2.44	8.5	CX34-38B	EL180UH070XE36B	9038747
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	3.56	2.46	8.5	CX34-38B	EL180UH090E48B	9038748
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	3.56	2.46	8.5	CX34-38B	EL180UH090XE48B	9038749
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	3.52	2.44	8.5	CX34-38B	ML180UH070E36B	10590692
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	3.52	2.44	8.5	CX34-38B	ML180UH070XE36B	10590776
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	3.56	2.46	8.5	CX34-38B	ML180UH090E48B	10590826
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	3.56	2.46	8.5	CX34-38B	ML180UH090XE48B	10590982



AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	3.54	2.46	8.5	CX34-38B	SL280UH090V36B	9038755
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	3.54	2.46	8.5	CX34-38B	SL280UH090V48B	9038756
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	3.54	2.46	8.5	CX34-38B	SL280UH090XV48B	9038757
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	3.4	2.38	8.2	CX34-44/48B	EL180UH070E36B	9038760
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	3.4	2.38	8.2	CX34-44/48B	EL180UH070XE36B	9038761
TPA036S4 (208/230V)	36000	14	11.5	32400	20600	3.44	2.38	8.2	CX34-44/48B	EL180UH090E48B	9038762
TPA036S4 (208/230V)	36000	14	11.5	32400	20600	3.44	2.38	8.2	CX34-44/48B	EL180UH090XE48B	9038763
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	3.4	2.38	8.2	CX34-44/48B	ML180UH070E36B	10590693
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	3.4	2.38	8.2	CX34-44/48B	ML180UH070XE36B	10590777
TPA036S4 (208/230V)	36000	14	11.5	32400	20600	3.44	2.38	8.2	CX34-44/48B	ML180UH090E48B	10590827
TPA036S4 (208/230V)	36000	14	11.5	32400	20600	3.44	2.38	8.2	CX34-44/48B	ML180UH090XE48B	10590983
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	3.42	2.38	8.2	CX34-44/48B	SL280UH090V36B	9038769
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	3.4	2.36	8.2	CX34-44/48B	SL280UH090V48B	9038770
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	3.4	2.36	8.2	CX34-44/48B	SL280UH090XV48B	9038771
TPA036S4 (208/230V)	36000	14	11.5	32400	20600	3.46	2.38	8.2	CX34-44/48C	EL180UH090E60C	9038774
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	3.42	2.38	8.2	CX34-44/48C	EL180UH110E60C	9038775
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	3.42	2.38	8.2	CX34-44/48C	EL180UH110XE60C	9038776
TPA036S4 (208/230V)	36000	14	11.5	32400	20600	3.42	2.36	8.2	CX34-44/48C	EL195UH090XE48C	9038777
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	3.44	2.4	8.2	CX34-44/48C	EL195UH110XE60C	9038778
TPA036S4 (208/230V)	36000	14	11.5	32400	20600	3.42	2.36	8.2	CX34-44/48C	EL296UH090XE48C	9038779
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	3.42	2.38	8.2	CX34-44/48C	EL296UH090XV36C	9038780
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	3.4	2.38	8.2	CX34-44/48C	EL296UH090XV48C	9038781
TPA036S4 (208/230V)	36000	14	11.5	32600	21000	3.44	2.4	8.2	CX34-44/48C	EL296UH090XV60C	9038782
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	3.44	2.4	8.2	CX34-44/48C	EL296UH110XE60C	9038783
TPA036S4 (208/230V)	36000	14.2	11.7	32200	20600	3.42	2.38	8.2	CX34-44/48C	EL296UH110XV48C	9038784
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	3.46	2.4	8.2	CX34-44/48C	EL296UH110XV60C	9038785
TPA036S4 (208/230V)	36000	14	11.5	32400	20600	3.46	2.38	8.2	CX34-44/48C	ML180UH090E60C	10590952
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	3.42	2.38	8.2	CX34-44/48C	ML180UH110E60C	10591062
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	3.42	2.38	8.2	CX34-44/48C	ML180UH110XE60C	10591139
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	3.42	2.38	8.2	CX34-44/48C	SLP98UH090XV36C	9038790
TPA036S4 (208/230V)	36000	14	11.5	32600	20800	3.44	2.38	8.2	CX34-44/48C	SLP98UH090XV48C	9038791
TPA036S4 (208/230V)	36000	14	11.5	32600	21000	3.44	2.4	8.2	CX34-44/48C	SLP98UH090XV60C	9038792
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	3.46	2.4	8.2	CX34-44/48C	SLP98UH110XV60C	9038793
TPA036S4 (460V)	36000	14	11.5	32200	20600	3.52	2.44	8.5	C33-38B	EL180UH070E36B	9038798
TPA036S4 (460V)	36000	14	11.5	32200	20600	3.52	2.44	8.5	C33-38B	EL180UH070XE36B	9038799
TPA036S4 (460V)	36000	14	11.5	32400	20800	3.56	2.46	8.5	C33-38B	EL180UH090E48B	9038800
TPA036S4 (460V)	36000	14	11.5	32400	20800	3.56	2.46	8.5	C33-38B	EL180UH090XE48B	9038801
TPA036S4 (460V)	36000	14	11.5	32200	20600	3.52	2.44	8.5	C33-38B	ML180UH070E36B	10590694
TPA036S4 (460V)	36000	14	11.5	32200	20600	3.52	2.44	8.5	C33-38B	ML180UH070XE36B	10590778
TPA036S4 (460V)	36000	14	11.5	32400	20800	3.56	2.46	8.5	C33-38B	ML180UH090E48B	10590828
TPA036S4 (460V)	36000	14	11.5	32400	20800	3.56	2.46	8.5	C33-38B	ML180UH090XE48B	10590984
TPA036S4 (460V)	36000	14	11.5	32400	20800	3.54	2.46	8.5	C33-38B	SL280UH090V36B	9038807
TPA036S4 (460V)	36000	14	11.5	32400	20800	3.52	2.44	8.5	C33-38B	SL280UH090V48B	9038808
TPA036S4 (460V)	36000	14	11.5	32400	20800	3.52	2.44	8.5	C33-38B	SL280UH090XV48B	9038809
TPA036S4 (460V)	36000	14	11.5	32200	20600	3.4	2.38	8.2	C33-48B	EL180UH070E36B	9038812
TPA036S4 (460V)	36000	14	11.5	32200	20600	3.4	2.38	8.2	C33-48B	EL180UH070XE36B	9038813
TPA036S4 (460V)	36000	14	11.5	32400	20600	3.44	2.38	8.2	C33-48B	EL180UH090E48B	9038814
TPA036S4 (460V)	36000	14	11.5	32400	20600	3.44	2.38	8.2	C33-48B	EL180UH090XE48B	9038815
TPA036S4 (460V)	36000	14	11.5	32200	20600	3.4	2.38	8.2	C33-48B	ML180UH070E36B	10590695
TPA036S4 (460V)	36000	14	11.5	32200	20600	3.4	2.38	8.2	C33-48B	ML180UH070XE36B	10590779
TPA036S4 (460V)	36000	14	11.5	32400	20600	3.44	2.38	8.2	C33-48B	ML180UH090E48B	10590829
TPA036S4 (460V)	36000	14	11.5	32400	20600	3.44	2.38	8.2	C33-48B	ML180UH090XE48B	10590985
TPA036S4 (460V)	36000	14	11.5	32200	20600	3.4	2.36	8.2	C33-48B	SL280UH090V36B	9038821
TPA036S4 (460V)	36000	14	11.5	32400	20800	3.42	2.38	8.2	C33-48B	SL280UH090V48B	9038822
TPA036S4 (460V)	36000	14	11.5	32400	20800	3.42	2.38	8.2	C33-48B	SL280UH090XV48B	9038823
TPA036S4 (460V)	36000	14	11.5	32400	20600	3.46	2.38	8.2	C33-48C	EL180UH090E60C	9038825
TPA036S4 (460V)	36000	14	11.5	32200	20600	3.42	2.38	8.2	C33-48C	EL180UH110E60C	9038826
TPA036S4 (460V)	36000	14	11.5	32200	20600	3.42	2.38	8.2	C33-48C	EL180UH110XE60C	9038827
TPA036S4 (460V)	36000	14	11.5	32400	20600	3.42	2.36	8.2	C33-48C	EL195UH090XE48C	9038828
TPA036S4 (460V)	36000	14	11.5	32400	20800	3.44	2.4	8.2	C33-48C	EL195UH110XE60C	9038829
TPA036S4 (460V)	36000	14	11.5	32400	20600	3.42	2.36	8.2	C33-48C	EL296UH090XE48C	9038830

**AHRI SYSTEM MATCHES**

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036S4 (460V)	36000	14	11.5	32400	20800	3.42	2.38	8.2	C33-48C	EL296UH090XV36C	9038831
TPA036S4 (460V)	36000	14	11.5	32200	20600	3.4	2.38	8.2	C33-48C	EL296UH090XV48C	9038832
TPA036S4 (460V)	36000	14	11.5	32600	21000	3.44	2.4	8.2	C33-48C	EL296UH090XV60C	9038833
TPA036S4 (460V)	36000	14	11.5	32400	20800	3.44	2.4	8.2	C33-48C	EL296UH110XE60C	9038834
TPA036S4 (460V)	36000	14.2	11.7	32200	20600	3.42	2.38	8.2	C33-48C	EL296UH110XV48C	9038835
TPA036S4 (460V)	36000	14	11.5	32400	20800	3.46	2.4	8.2	C33-48C	EL296UH110XV60C	9038836
TPA036S4 (460V)	36000	14	11.5	32400	20600	3.46	2.38	8.2	C33-48C	ML180UH090E60C	10590953
TPA036S4 (460V)	36000	14	11.5	32200	20600	3.42	2.38	8.2	C33-48C	ML180UH110E60C	10591063
TPA036S4 (460V)	36000	14	11.5	32200	20600	3.42	2.38	8.2	C33-48C	ML180UH110XE60C	10591140
TPA036S4 (460V)	36000	14	11.5	32400	20800	3.42	2.38	8.2	C33-48C	SLP98UH090XV36C	9038841
TPA036S4 (460V)	36000	14	11.5	32200	20600	3.4	2.38	8.2	C33-48C	SLP98UH090XV48C	9038842
TPA036S4 (460V)	36000	14	11.5	32600	21000	3.44	2.4	8.2	C33-48C	SLP98UH090XV60C	9038843
TPA036S4 (460V)	36000	14	11.5	32400	20800	3.46	2.4	8.2	C33-48C	SLP98UH110XV60C	9038844
TPA036S4 (460V)	35400	14	11.5	33000	21000	3.66	2.54	8.7	CBX32MV-036		9038850
TPA036S4 (460V)	34800	14	11.5	32400	20600	3.5	2.42	8.2	CH33-31B	EL180UH070E36B	9038852
TPA036S4 (460V)	34800	14	11.5	32400	20600	3.5	2.42	8.2	CH33-31B	EL180UH070XE36B	9038853
TPA036S4 (460V)	34800	14	11.5	32400	20600	3.5	2.42	8.2	CH33-31B	ML180UH070E36B	10590696
TPA036S4 (460V)	34800	14	11.5	32400	20600	3.5	2.42	8.2	CH33-31B	ML180UH070XE36B	10590780
TPA036S4 (460V)	35000	14	11.5	32600	20800	3.54	2.44	8.2	CH33-31B	SL280UH090V36B	9038859
TPA036S4 (460V)	35000	14	11.5	32600	21000	3.5	2.44	8.2	CH33-31B	SL280UH090V48B	9038860
TPA036S4 (460V)	35000	14	11.5	32600	21000	3.5	2.44	8.2	CH33-31B	SL280UH090XV48B	9038861
TPA036S4 (460V)	35600	14	11.5	32600	20800	3.6	2.48	8.5	CH33-36C	EL180UH090E60C	9038864
TPA036S4 (460V)	35200	14	11.5	32600	20800	3.6	2.48	8.5	CH33-36C	EL180UH110E60C	9038865
TPA036S4 (460V)	35200	14	11.5	32600	20800	3.6	2.48	8.5	CH33-36C	EL180UH110XE60C	9038866
TPA036S4 (460V)	35200	14	11.5	32600	20800	3.56	2.46	8.5	CH33-36C	EL195UH090XE48C	9038867
TPA036S4 (460V)	35600	14	11.5	32800	21000	3.62	2.5	8.5	CH33-36C	EL195UH110XE60C	9038868
TPA036S4 (460V)	35200	14	11.5	32600	20800	3.56	2.46	8.5	CH33-36C	EL296UH090XE48C	9038869
TPA036S4 (460V)	35400	14	11.5	32800	20800	3.58	2.46	8.5	CH33-36C	EL296UH090XV36C	9038870
TPA036S4 (460V)	35000	14	11.5	32600	20800	3.56	2.46	8.2	CH33-36C	EL296UH090XV48C	9038871
TPA036S4 (460V)	35800	14	11.5	33000	21000	3.62	2.46	8.5	CH33-36C	EL296UH090XV60C	9038872
TPA036S4 (460V)	35600	14	11.5	32800	21000	3.62	2.5	8.5	CH33-36C	EL296UH110XE60C	9038873
TPA036S4 (460V)	35400	14	11.7	32600	20800	3.6	2.48	8.5	CH33-36C	EL296UH110XV48C	9038874
TPA036S4 (460V)	35600	14	11.5	32800	21000	3.62	2.5	8.5	CH33-36C	EL296UH110XV60C	9038875
TPA036S4 (460V)	35600	14	11.5	32600	20800	3.6	2.48	8.5	CH33-36C	ML180UH090E60C	10590954
TPA036S4 (460V)	35200	14	11.5	32600	20800	3.6	2.48	8.5	CH33-36C	ML180UH110E60C	10591064
TPA036S4 (460V)	35200	14	11.5	32600	20800	3.6	2.48	8.5	CH33-36C	ML180UH110XE60C	10591141
TPA036S4 (460V)	35800	14	11	32800	21000	3.64	2.5	8.5	CH33-36C	SL280UH090V60C	9038876
TPA036S4 (460V)	35800	14	11	32800	21000	3.64	2.5	8.5	CH33-36C	SL280UH090XV60C	9038877
TPA036S4 (460V)	35600	14	11	32800	21000	3.6	2.48	8.2	CH33-36C	SL280UH110V60C	9038878
TPA036S4 (460V)	35600	14	11	32800	21000	3.6	2.48	8.2	CH33-36C	SL280UH110XV60C	9038879
TPA036S4 (460V)	35400	14	11.5	32800	20800	3.6	2.46	8.5	CH33-36C	SLP98UH090XV36C	9038880
TPA036S4 (460V)	35600	14	11.5	32800	21000	3.6	2.48	8.5	CH33-36C	SLP98UH090XV48C	9038881
TPA036S4 (460V)	35800	14	11.5	33000	21000	3.64	2.48	8.5	CH33-36C	SLP98UH090XV60C	9038882
TPA036S4 (460V)	35600	14	11.5	32800	21000	3.64	2.5	8.5	CH33-36C	SLP98UH110XV60C	9038883
TPA036S4 (460V)	34800	14	11.5	32400	20800	3.46	2.42	8.2	CH33-42	SL280UH090V36B	9038889
TPA036S4 (460V)	34800	14	11.5	32600	20800	3.48	2.4	8.2	CH33-42	SL280UH090V48B	9038890
TPA036S4 (460V)	34800	14	11.5	32600	20800	3.48	2.4	8.2	CH33-42	SL280UH090XV48B	9038891
TPA036S4 (460V)	35600	14	11.5	32400	20800	3.56	2.48	8.5	CR33-48	EL180DF070E36B	9038894
TPA036S4 (460V)	35600	14	11.5	32600	20800	3.58	2.48	8.2	CR33-48	EL180DF090E48B	9038895
TPA036S4 (460V)	35600	14	11.5	32800	21000	3.56	2.46	8.2	CR33-48	EL195DF070XE48B	9038897
TPA036S4 (460V)	35600	14	11.5	32800	21000	3.56	2.46	8.2	CR33-48	EL296DF070XE48B	9038900
TPA036S4 (460V)	35600	14	11.5	32400	20800	3.56	2.48	8.5	CR33-48	ML180DF070E36B	10590551
TPA036S4 (460V)	35600	14	11.5	32600	20800	3.58	2.48	8.2	CR33-48	ML180DF090E48B	10590558
TPA036S4 (460V)	35600	14	11.5	32600	20800	3.56	2.46	8.2	CR33-48	SL280DF090V48B	9038902
TPA036S4 (460V)	36000	14	11.5	32800	21000	3.6	2.48	8.5	CR33-48C	EL195DF090XE48C	9038964
TPA036S4 (460V)	36000	14	11.5	32800	21000	3.6	2.48	8.5	CR33-48C	EL296DF090XE48C	9038965
TPA036S4 (460V)	36000	14	11.7	32800	21000	3.66	2.52	8.5	CR33-48C	SL280DF090V60C	9038966
TPA036S4 (460V)	35800	14	11.7	32600	20800	3.62	2.5	8.5	CR33-48C	SL280DF110V60C	9038967
TPA036S4 (460V)	35800	14	11.5	32800	21000	3.58	2.48	8.2	CR33-48C	SLP98DF090XV36C	9038968
TPA036S4 (460V)	35800	14	11.5	32800	20800	3.6	2.46	8.5	CR33-48C	SLP98DF090XV48C	9038969
TPA036S4 (460V)	36000	14	11.5	32800	21000	3.6	2.48	8.5	CR33-48C	SLP98DF090XV60C	9038970

## AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036S4 (460V)	36000	14	11.5	32800	21000	3.6	2.48	8.5	CR33-48C	SLP98DF110XV60C	9038971
TPA036S4 (460V)	36000	14	11.5	32200	20600	3.52	2.44	8.5	CX34-38B	EL180UH070E36B	9038908
TPA036S4 (460V)	36000	14	11.5	32200	20600	3.52	2.44	8.5	CX34-38B	EL180UH070XE36B	9038909
TPA036S4 (460V)	36000	14	11.5	32400	20800	3.56	2.46	8.5	CX34-38B	EL180UH090E48B	9038910
TPA036S4 (460V)	36000	14	11.5	32400	20800	3.56	2.46	8.5	CX34-38B	EL180UH090XE48B	9038911
TPA036S4 (460V)	36000	14	11.5	32200	20600	3.52	2.44	8.5	CX34-38B	ML180UH070E36B	10590697
TPA036S4 (460V)	36000	14	11.5	32200	20600	3.52	2.44	8.5	CX34-38B	ML180UH070XE36B	10590781
TPA036S4 (460V)	36000	14	11.5	32400	20800	3.56	2.46	8.5	CX34-38B	ML180UH090E48B	10590830
TPA036S4 (460V)	36000	14	11.5	32400	20800	3.56	2.46	8.5	CX34-38B	ML180UH090XE48B	10590986
TPA036S4 (460V)	36000	14	11.5	32400	20800	3.54	2.46	8.5	CX34-38B	SL280UH090V36B	9038917
TPA036S4 (460V)	36000	14	11.5	32400	20800	3.54	2.46	8.5	CX34-38B	SL280UH090V48B	9038918
TPA036S4 (460V)	36000	14	11.5	32400	20800	3.54	2.46	8.5	CX34-38B	SL280UH090XV48B	9038919
TPA036S4 (460V)	36000	14	11.5	32200	20600	3.4	2.38	8.2	CX34-44/48B	EL180UH070E36B	9038922
TPA036S4 (460V)	36000	14	11.5	32200	20600	3.4	2.38	8.2	CX34-44/48B	EL180UH070XE36B	9038923
TPA036S4 (460V)	36000	14	11.5	32400	20600	3.44	2.38	8.2	CX34-44/48B	EL180UH090E48B	9038924
TPA036S4 (460V)	36000	14	11.5	32400	20600	3.44	2.38	8.2	CX34-44/48B	EL180UH090XE48B	9038925
TPA036S4 (460V)	36000	14	11.5	32200	20600	3.4	2.38	8.2	CX34-44/48B	ML180UH070E36B	10590698
TPA036S4 (460V)	36000	14	11.5	32200	20600	3.4	2.38	8.2	CX34-44/48B	ML180UH070XE36B	10590782
TPA036S4 (460V)	36000	14	11.5	32400	20600	3.44	2.38	8.2	CX34-44/48B	ML180UH090E48B	10590831
TPA036S4 (460V)	36000	14	11.5	32400	20600	3.44	2.38	8.2	CX34-44/48B	ML180UH090XE48B	10590987
TPA036S4 (460V)	36000	14	11.5	32200	20600	3.42	2.38	8.2	CX34-44/48B	SL280UH090V36B	9038931
TPA036S4 (460V)	36000	14	11.5	32200	20600	3.4	2.36	8.2	CX34-44/48B	SL280UH090V48B	9038932
TPA036S4 (460V)	36000	14	11.5	32200	20600	3.4	2.36	8.2	CX34-44/48B	SL280UH090XV48B	9038933
TPA036S4 (460V)	36000	14	11.5	32400	20600	3.46	2.38	8.2	CX34-44/48C	EL180UH090E60C	9038936
TPA036S4 (460V)	36000	14	11.5	32200	20600	3.42	2.38	8.2	CX34-44/48C	EL180UH110E60C	9038937
TPA036S4 (460V)	36000	14	11.5	32200	20600	3.42	2.38	8.2	CX34-44/48C	EL180UH110XE60C	9038938
TPA036S4 (460V)	36000	14	11.5	32400	20600	3.42	2.36	8.2	CX34-44/48C	EL195UH090XE48C	9038939
TPA036S4 (460V)	36000	14	11.5	32400	20800	3.44	2.4	8.2	CX34-44/48C	EL195UH110XE60C	9038940
TPA036S4 (460V)	36000	14	11.5	32400	20600	3.42	2.36	8.2	CX34-44/48C	EL296UH090XE48C	9038941
TPA036S4 (460V)	36000	14	11.5	32400	20800	3.42	2.38	8.2	CX34-44/48C	EL296UH090XV36C	9038942
TPA036S4 (460V)	36000	14	11.5	32200	20600	3.4	2.38	8.2	CX34-44/48C	EL296UH090XV48C	9038943
TPA036S4 (460V)	36000	14	11.5	32600	21000	3.44	2.4	8.2	CX34-44/48C	EL296UH090XV60C	9038944
TPA036S4 (460V)	36000	14	11.5	32400	20800	3.44	2.4	8.2	CX34-44/48C	EL296UH110XE60C	9038945
TPA036S4 (460V)	36000	14.2	11.7	32200	20600	3.42	2.38	8.2	CX34-44/48C	EL296UH110XV48C	9038946
TPA036S4 (460V)	36000	14	11.5	32400	20800	3.46	2.4	8.2	CX34-44/48C	EL296UH110XV60C	9038947
TPA036S4 (460V)	36000	14	11.5	32400	20600	3.46	2.38	8.2	CX34-44/48C	ML180UH090E60C	10590955
TPA036S4 (460V)	36000	14	11.5	32200	20600	3.42	2.38	8.2	CX34-44/48C	ML180UH110E60C	10591065
TPA036S4 (460V)	36000	14	11.5	32200	20600	3.42	2.38	8.2	CX34-44/48C	ML180UH110XE60C	10591142
TPA036S4 (460V)	36000	14	11.5	32400	20800	3.42	2.38	8.2	CX34-44/48C	SLP98UH090XV36C	9038952
TPA036S4 (460V)	36000	14	11.5	32600	20800	3.44	2.38	8.2	CX34-44/48C	SLP98UH090XV48C	9038953
TPA036S4 (460V)	36000	14	11.5	32600	21000	3.44	2.4	8.2	CX34-44/48C	SLP98UH090XV60C	9038954
TPA036S4 (460V)	36000	14	11.5	32400	20800	3.46	2.4	8.2	CX34-44/48C	SLP98UH110XV60C	9038955
TPA042H4 (208/230V)	42000	15.5	13.2	41500	26600	3.64	2.5	8.5	C33-49C	EL180UH090E60C	9031862
TPA042H4 (208/230V)	42000	15.5	13.2	41500	26600	3.62	2.5	8.5	C33-49C	EL180UH110E60C	9031863
TPA042H4 (208/230V)	42000	15.5	13.2	41500	26600	3.62	2.5	8.5	C33-49C	EL180UH110XE60C	9031864
TPA042H4 (208/230V)	42000	15.2	13	41500	26600	3.56	2.48	8.5	C33-49C	EL195UH090XE48C	9031865
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	3.66	2.5	8.5	C33-49C	EL195UH110XE60C	9031866
TPA042H4 (208/230V)	42000	15.2	13	41500	26600	3.56	2.48	8.5	C33-49C	EL296UH090XE48C	9031867
TPA042H4 (208/230V)	42000	15.5	13	41500	26600	3.56	2.46	8.5	C33-49C	EL296UH090XV36C	9031868
TPA042H4 (208/230V)	42000	15.5	13.2	41500	26600	3.58	2.46	8.5	C33-49C	EL296UH090XV48C	9031869
TPA042H4 (208/230V)	42000	15.5	13	42000	26800	3.64	2.48	8.7	C33-49C	EL296UH090XV60C	9031870
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	3.66	2.5	8.5	C33-49C	EL296UH110XE60C	9031871
TPA042H4 (208/230V)	42000	15.7	13.2	41500	26800	3.6	2.5	8.7	C33-49C	EL296UH110XV48C	9032735
TPA042H4 (208/230V)	42000	15.7	13.2	41500	26600	3.6	2.48	8.7	C33-49C	EL296UH110XV60C	9031872
TPA042H4 (208/230V)	42000	15.5	13.2	41500	26600	3.64	2.5	8.5	C33-49C	ML180UH090E60C	10590920
TPA042H4 (208/230V)	42000	15.5	13.2	41500	26600	3.62	2.5	8.5	C33-49C	ML180UH110E60C	10591030
TPA042H4 (208/230V)	42000	15.5	13.2	41500	26600	3.62	2.5	8.5	C33-49C	ML180UH110XE60C	10591107
TPA042H4 (208/230V)	42000	15.7	13.2	41500	26600	3.66	2.5	8.7	C33-49C	SL280UH090V60C	9031873
TPA042H4 (208/230V)	42000	15.7	13.2	41500	26600	3.66	2.5	8.7	C33-49C	SL280UH090XV60C	9031874
TPA042H4 (208/230V)	42000	15.5	13.2	41500	26600	3.62	2.5	8.5	C33-49C	SL280UH110V60C	9031875
TPA042H4 (208/230V)	42000	15.5	13.2	41500	26600	3.62	2.5	8.5	C33-49C	SL280UH110XV60C	9031876

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA042H4 (208/230V)	42000	15.5	13	41500	26600	3.56	2.46	8.5	C33-49C	SLP98UH090XV36C	9031877
TPA042H4 (208/230V)	42000	15.5	13.2	41500	26600	3.58	2.46	8.5	C33-49C	SLP98UH090XV48C	9031878
TPA042H4 (208/230V)	42000	15.5	13	42000	26800	3.64	2.48	8.7	C33-49C	SLP98UH090XV60C	9031879
TPA042H4 (208/230V)	42000	15.7	13.2	41500	26600	3.6	2.48	8.7	C33-49C	SLP98UH110XV60C	9031880
TPA042H4 (208/230V)	42000	14.5	12.2	42000	27400	3.42	2.4	8.2	C33-49C		9031881
TPA042H4 (208/230V)	42000	15	12.7	41500	26600	3.66	2.54	8.7	C33-60D	EL180UH135E60D	9031882
TPA042H4 (208/230V)	42000	14.7	12.7	42000	26800	3.64	2.52	8.7	C33-60D	EL195UH135XE60D	9031883
TPA042H4 (208/230V)	42000	14.7	12.7	42000	26800	3.64	2.52	8.7	C33-60D	EL296UH135XE60D	9031884
TPA042H4 (208/230V)	42000	15.7	13.2	42000	26800	3.68	2.54	8.7	C33-60D	EL296UH135XV60D	9031885
TPA042H4 (208/230V)	42000	15	12.7	41500	26600	3.66	2.54	8.7	C33-60D	ML180UH135E60D	10591158
TPA042H4 (208/230V)	42000	15.7	13.5	41500	26600	3.66	2.54	8.7	C33-60D	SL280UH135V60D	9031886
TPA042H4 (208/230V)	42000	15.7	13.2	41500	26800	3.72	2.58	8.7	C33-60D	SL280UH135V60D	9032737
TPA042H4 (208/230V)	42000	15.7	13.2	41500	26400	3.6	2.52	8.7	C33-60D	SLP98UH135XV60D	9031887
TPA042H4 (208/230V)	42000	14.5	12.2	42000	27400	3.46	2.42	8.2	C33-60D		9031888
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	3.66	2.64	8.7	C33-62C	EL180UH090E60C	9031889
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	3.64	2.62	8.7	C33-62C	EL180UH110E60C	9031890
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	3.64	2.62	8.7	C33-62C	EL180UH110XE60C	9031891
TPA042H4 (208/230V)	42000	15	13	42000	26800	3.58	2.6	8.7	C33-62C	EL195UH090XE48C	9031892
TPA042H4 (208/230V)	42000	15	13	42000	27000	3.64	2.62	8.7	C33-62C	EL195UH110XE60C	9031893
TPA042H4 (208/230V)	42000	15	13	42000	26800	3.58	2.6	8.7	C33-62C	EL296UH090XE48C	9031894
TPA042H4 (208/230V)	42000	15.5	13	42000	27000	3.56	2.6	8.7	C33-62C	EL296UH090XV36C	9031895
TPA042H4 (208/230V)	42000	15.7	13	42000	27000	3.58	2.6	8.7	C33-62C	EL296UH090XV48C	9031896
TPA042H4 (208/230V)	42000	15.7	13	42000	26800	3.54	2.6	8.7	C33-62C	EL296UH090XV60C	9031897
TPA042H4 (208/230V)	42000	15	13	42000	27000	3.64	2.62	8.7	C33-62C	EL296UH110XE60C	9031898
TPA042H4 (208/230V)	42000	15.7	13.2	42000	27000	3.62	2.62	8.7	C33-62C	EL296UH110XV48C	9032736
TPA042H4 (208/230V)	42000	15.7	13.2	42000	27000	3.62	2.62	8.7	C33-62C	EL296UH110XV60C	9031899
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	3.66	2.64	8.7	C33-62C	ML180UH090E60C	10590921
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	3.64	2.62	8.7	C33-62C	ML180UH110E60C	10591031
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	3.64	2.62	8.7	C33-62C	ML180UH110XE60C	10591108
TPA042H4 (208/230V)	42000	16	13	42000	27000	3.66	2.64	8.5	C33-62C	SL280UH090V60C	9031900
TPA042H4 (208/230V)	42000	16	13	42000	27000	3.66	2.64	8.5	C33-62C	SL280UH090XV60C	9031901
TPA042H4 (208/230V)	42000	15.7	13	42000	27000	3.62	2.64	8.7	C33-62C	SL280UH110V60C	9031902
TPA042H4 (208/230V)	42000	15.7	13	42000	27000	3.62	2.64	8.7	C33-62C	SL280UH110XV60C	9031903
TPA042H4 (208/230V)	42000	15.7	13	42000	27000	3.58	2.6	8.7	C33-62C	SLP98UH090XV48C	9031904
TPA042H4 (208/230V)	42000	15.7	13	42000	26800	3.54	2.6	8.7	C33-62C	SLP98UH090XV60C	9031905
TPA042H4 (208/230V)	42000	15.7	13.2	42000	27000	3.62	2.62	8.7	C33-62C	SLP98UH110XV60C	9031906
TPA042H4 (208/230V)	42000	14.7	12.2	42000	27600	3.44	2.5	8.5	C33-62C		9031907
TPA042H4 (208/230V)	42000	15.2	13	41500	26800	3.72	2.56	8.7	C33-62D	EL180UH135E60D	9031908
TPA042H4 (208/230V)	42000	14.7	12.7	42000	27000	3.68	2.54	8.7	C33-62D	EL195UH135XE60D	9031909
TPA042H4 (208/230V)	42000	14.7	12.7	42000	27000	3.68	2.54	8.7	C33-62D	EL296UH135XE60D	9031910
TPA042H4 (208/230V)	42000	15.5	13	42000	27000	3.74	2.56	8.7	C33-62D	EL296UH135XV60D	9031911
TPA042H4 (208/230V)	42000	15.2	13	41500	26800	3.72	2.56	8.7	C33-62D	ML180UH135E60D	10591159
TPA042H4 (208/230V)	42000	15.5	13.2	41500	26600	3.66	2.54	8.7	C33-62D	SLP98UH135XV60D	9031912
TPA042H4 (208/230V)	42000	14.2	12.2	42000	27600	3.5	2.44	8.5	C33-62D		9031913
TPA042H4 (208/230V)	42500	15	12.5	42000	27000	3.54	2.5	8.5	CBA27UHE-048		10262328
TPA042H4 (208/230V)	42000	14	12	42000	28400	3.72	2.62	8.2	CBX25UH-042		9032738
TPA042H4 (208/230V)	42000	15.5	13	42000	27800	3.88	2.74	8.5	CBX25UHV-042		9032739
TPA042H4 (208/230V)	42000	15.5	13	42000	27400	3.72	2.66	9	CBX27UH-042		9031914
TPA042H4 (208/230V)	42000	15	12.5	42000	27400	3.72	2.66	8.5	CBX27UH-048		9031915
TPA042H4 (208/230V)	42000	14.5	12.5	42000	27800	3.62	2.58	8.7	CBX32M-048		9031916
TPA042H4 (208/230V)	42000	15.5	13	42000	27200	3.72	2.64	8.7	CBX32MV-048		9031917
TPA042H4 (208/230V)	42000	15.2	12.7	42000	27200	3.66	2.62	8.7	CBX40UHV-042		9031918
TPA042H4 (208/230V)	42000	15.5	13	42000	27200	3.72	2.64	8.7	CBX40UHV-048		9031919
TPA042H4 (208/230V)	42000	15.7	13.2	42000	27400	3.96	2.72	9.2	CH23-68	EL180UH090E60C	9031920
TPA042H4 (208/230V)	42000	15.5	13.2	42000	27400	3.94	2.7	9.2	CH23-68	EL180UH110E60C	9031921
TPA042H4 (208/230V)	42000	15.5	13.2	42000	27400	3.94	2.7	9.2	CH23-68	EL180UH110XE60C	9031922
TPA042H4 (208/230V)	42000	15.7	13.2	42000	27400	3.98	2.72	9.2	CH23-68	EL180UH135E60D	9031923
TPA042H4 (208/230V)	42000	15.2	13	42000	27400	3.9	2.68	9.2	CH23-68	EL195UH090XE48C	9031924
TPA042H4 (208/230V)	42000	15.2	13	42000	27600	3.92	2.7	9.2	CH23-68	EL195UH110XE60C	9031925
TPA042H4 (208/230V)	42000	15.2	13	42000	27600	3.9	2.7	9.2	CH23-68	EL195UH135XE60D	9031926
TPA042H4 (208/230V)	42000	15.2	13	42000	27400	3.9	2.68	9.2	CH23-68	EL296UH090XE48C	9031927

### AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA042H4 (208/230V)	42000	15.2	13	42000	27600	3.92	2.7	9.2	CH23-68	EL296UH110XE60C	9031928
TPA042H4 (208/230V)	42000	15.2	13	42000	27600	3.9	2.7	9.2	CH23-68	EL296UH135XE60D	9031929
TPA042H4 (208/230V)	42000	15.7	13.2	42000	27400	3.96	2.7	9.5	CH23-68	EL296UH135XV60D	9031930
TPA042H4 (208/230V)	42000	15.7	13.2	42000	27400	3.96	2.72	9.2	CH23-68	ML180UH090E60C	10590922
TPA042H4 (208/230V)	42000	15.5	13.2	42000	27400	3.94	2.7	9.2	CH23-68	ML180UH110E60C	10591032
TPA042H4 (208/230V)	42000	15.5	13.2	42000	27400	3.94	2.7	9.2	CH23-68	ML180UH110XE60C	10591109
TPA042H4 (208/230V)	42000	15.7	13.2	42000	27400	3.98	2.72	9.2	CH23-68	ML180UH1135E60D	10591160
TPA042H4 (208/230V)	42000	16	13	42000	27200	3.98	2.7	9.5	CH23-68	SL280UH135V60D	9031931
TPA042H4 (208/230V)	42000	15.7	13.2	42000	27200	3.9	2.7	9.2	CH23-68	SLP98UH135XV60D	9031932
TPA042H4 (208/230V)	42000	14.5	12.2	42000	28000	3.72	2.56	9	CH23-68		9031933
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	3.6	2.56	8.7	CH33-43B	EL180UH090E48B	9031934
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	3.6	2.56	8.7	CH33-43B	EL180UH090XE48B	9031935
TPA042H4 (208/230V)	42000	14.7	12.7	42000	27400	3.48	2.5	8.5	CH33-43B	EL296UH045XV36B	9031936
TPA042H4 (208/230V)	42000	14.7	12.5	42000	27400	3.48	2.48	8.5	CH33-43B	EL296UH070XV36B	9031937
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	3.6	2.56	8.7	CH33-43B	ML180UH090E48B	10590820
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	3.6	2.56	8.7	CH33-43B	ML180UH090XE48B	10590978
TPA042H4 (208/230V)	42000	15.5	13	42000	27200	3.6	2.56	8.7	CH33-43B	SL280UH090V36B	9031938
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	3.6	2.54	8.7	CH33-43B	SL280UH090V48B	9031939
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	3.6	2.54	8.7	CH33-43B	SL280UH090XV48B	9031940
TPA042H4 (208/230V)	42000	14.7	12.5	42000	27400	3.48	2.48	8.5	CH33-43B	SLP98UH070XV36B	9031941
TPA042H4 (208/230V)	42000	14.5	12.2	42000	27600	3.48	2.46	8.5	CH33-43B		9031942
TPA042H4 (208/230V)	42000	15.2	13	42000	26600	3.44	2.5	8.2	CH33-43C	EL180UH090E60C	9031943
TPA042H4 (208/230V)	42000	15.2	13	42000	26600	3.42	2.48	8.2	CH33-43C	EL180UH110E60C	9031944
TPA042H4 (208/230V)	42000	15.2	13	42000	26600	3.42	2.48	8.2	CH33-43C	EL180UH110XE60C	9031945
TPA042H4 (208/230V)	42000	15	12.7	42000	26600	3.36	2.46	8.2	CH33-43C	EL195UH090XE48C	9031946
TPA042H4 (208/230V)	42000	15	12.7	42000	26800	3.46	2.48	8.2	CH33-43C	EL195UH110XE60C	9031947
TPA042H4 (208/230V)	42000	15	12.7	42000	26600	3.36	2.46	8.2	CH33-43C	EL296UH090XE48C	9031948
TPA042H4 (208/230V)	42000	15.2	12.7	42000	26800	3.4	2.46	8.2	CH33-43C	EL296UH090XV36C	9031949
TPA042H4 (208/230V)	42000	15.2	12.7	42000	26800	3.42	2.48	8.2	CH33-43C	EL296UH090XV48C	9031950
TPA042H4 (208/230V)	42000	15.2	12.7	42000	27000	3.44	2.5	8.2	CH33-43C	EL296UH090XV60C	9031951
TPA042H4 (208/230V)	42000	15	12.7	42000	26800	3.46	2.48	8.2	CH33-43C	EL296UH110XE60C	9031952
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	3.44	2.48	8.2	CH33-43C	EL296UH110XV48C	9031953
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	3.44	2.5	8.2	CH33-43C	EL296UH110XV60C	9031954
TPA042H4 (208/230V)	42000	15.2	13	42000	26600	3.44	2.5	8.2	CH33-43C	ML180UH090E60C	10590923
TPA042H4 (208/230V)	42000	15.2	13	42000	26600	3.42	2.48	8.2	CH33-43C	ML180UH110E60C	10591033
TPA042H4 (208/230V)	42000	15.2	13	42000	26600	3.42	2.48	8.2	CH33-43C	ML180UH110XE60C	10591110
TPA042H4 (208/230V)	42000	15.5	12.5	42000	26600	3.5	2.52	8.2	CH33-43C	SL280UH080NV60C	10590497
TPA042H4 (208/230V)	42000	15.5	13	42000	26800	3.48	2.52	8.5	CH33-43C	SL280UH090V60C	9031955
TPA042H4 (208/230V)	42000	15.5	13	42000	26800	3.48	2.52	8.5	CH33-43C	SL280UH090XV60C	9031956
TPA042H4 (208/230V)	42000	15.1	12.5	42000	26800	3.42	2.48	8.2	CH33-43C	SL280UH100NV60C	10590507
TPA042H4 (208/230V)	42000	15.2	12.7	42000	26800	3.42	2.48	8.2	CH33-43C	SL280UH110V60C	9031957
TPA042H4 (208/230V)	42000	15.2	12.7	42000	26800	3.42	2.48	8.2	CH33-43C	SL280UH110XV60C	9031958
TPA042H4 (208/230V)	42000	15.2	12.7	42000	26800	3.4	2.46	8.2	CH33-43C	SLP98UH090XV36C	9031959
TPA042H4 (208/230V)	42000	15.2	12.7	42000	26800	3.42	2.48	8.2	CH33-43C	SLP98UH090XV48C	9031960
TPA042H4 (208/230V)	42000	15.2	12.7	42000	27000	3.44	2.5	8.2	CH33-43C	SLP98UH090XV60C	9031961
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	3.44	2.5	8.2	CH33-43C	SLP98UH110XV60C	9031962
TPA042H4 (208/230V)	42000	14.7	12.5	42000	27000	3.46	2.52	8.5	CH33-44/48	EL180UH090E48B	9031964
TPA042H4 (208/230V)	41500	14.2	12.2	42000	27200	3.38	2.46	8.2	CH33-44/48	EL296UH045XV36B	9031965
TPA042H4 (208/230V)	41500	14.2	12.2	42000	27200	3.36	2.46	8.2	CH33-44/48	EL296UH070XV36B	9031966
TPA042H4 (208/230V)	42000	14.7	12.5	42000	27000	3.46	2.52	8.5	CH33-44/48	ML180UH090E48B	10590821
TPA042H4 (208/230V)	42000	14.7	12.7	42000	27000	3.48	2.52	8.5	CH33-44/48	SL280UH090V36B	9031967
TPA042H4 (208/230V)	42000	14.7	12.5	42000	27000	3.48	2.52	8.5	CH33-44/48	SL280UH090V48B	9031968
TPA042H4 (208/230V)	42000	14.7	12.5	42000	27000	3.48	2.52	8.5	CH33-44/48	SL280UH090XV48B	9031969
TPA042H4 (208/230V)	41500	14.2	12.2	42000	27200	3.36	2.46	8.2	CH33-44/48	SLP98UH070XV36B	9031970
TPA042H4 (208/230V)	41500	14	11.7	42000	27600	3.36	2.44	8.2	CH33-44/48		9031971
TPA042H4 (208/230V)	42000	15	12.7	42000	26600	3.36	2.46	8.2	CH33-48C	EL180UH090E60C	9031972
TPA042H4 (208/230V)	42000	15	12.7	42000	26600	3.34	2.44	8.2	CH33-48C	EL180UH110E60C	9031973
TPA042H4 (208/230V)	42000	15	12.7	42000	26600	3.34	2.44	8.2	CH33-48C	EL180UH110XE60C	9031974
TPA042H4 (208/230V)	42000	14.7	12.5	41500	26600	3.42	2.42	8.2	CH33-48C	EL195UH090XE48C	9031975
TPA042H4 (208/230V)	42000	14.7	12.5	42000	26800	3.52	2.46	8.2	CH33-48C	EL195UH110XE60C	9031976
TPA042H4 (208/230V)	42000	14.7	12.5	41500	26600	3.42	2.42	8.2	CH33-48C	EL296UH090XE48C	9031977

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA042H4 (208/230V)	42000	14.7	12.5	42000	26800	3.34	2.42	8.2	CH33-48C	EL296UH090XV36C	9031978
TPA042H4 (208/230V)	42000	15	12.7	42000	26800	3.38	2.44	8.2	CH33-48C	EL296UH090XV48C	9031979
TPA042H4 (208/230V)	42000	14.7	12.5	42000	27000	3.38	2.46	8.2	CH33-48C	EL296UH090XV60C	9031980
TPA042H4 (208/230V)	42000	14.7	12.5	42000	26800	3.52	2.46	8.2	CH33-48C	EL296UH110XE60C	9031981
TPA042H4 (208/230V)	42000	15	12.7	42000	26800	3.4	2.46	8.2	CH33-48C	EL296UH110XV48C	9031982
TPA042H4 (208/230V)	42000	15	12.7	42000	26800	3.38	2.46	8.2	CH33-48C	EL296UH110XV60C	9031983
TPA042H4 (208/230V)	42000	15	12.7	42000	26600	3.36	2.46	8.2	CH33-48C	ML180UH090E60C	10590924
TPA042H4 (208/230V)	42000	15	12.7	42000	26600	3.34	2.44	8.2	CH33-48C	ML180UH110E60C	10591034
TPA042H4 (208/230V)	42000	15	12.7	42000	26600	3.34	2.44	8.2	CH33-48C	ML180UH110XE60C	10591111
TPA042H4 (208/230V)	42000	15.5	12.5	42000	26600	3.48	2.48	8.2	CH33-48C	SL280UH080NV60C	10590498
TPA042H4 (208/230V)	42000	15.2	12.7	42000	26800	3.42	2.46	8.2	CH33-48C	SL280UH090V60C	9031984
TPA042H4 (208/230V)	42000	15.2	12.7	42000	26800	3.42	2.46	8.2	CH33-48C	SL280UH090XV60C	9031985
TPA042H4 (208/230V)	42000	15	12.5	42000	26800	3.38	2.44	8.2	CH33-48C	SL280UH100NV60C	10590508
TPA042H4 (208/230V)	42000	15	12.7	42000	26800	3.38	2.44	8.2	CH33-48C	SL280UH110V60C	9031986
TPA042H4 (208/230V)	42000	15	12.7	42000	26800	3.38	2.44	8.2	CH33-48C	SL280UH110XV60C	9031987
TPA042H4 (208/230V)	42000	14.7	12.5	42000	26800	3.34	2.42	8.2	CH33-48C	SLP98UH090XV36C	9031988
TPA042H4 (208/230V)	42000	15	12.7	42000	26800	3.38	2.44	8.2	CH33-48C	SLP98UH090XV48C	9031989
TPA042H4 (208/230V)	42000	14.7	12.5	42000	27000	3.38	2.46	8.2	CH33-48C	SLP98UH090XV60C	9031990
TPA042H4 (208/230V)	42000	15	12.7	42000	26800	3.38	2.46	8.2	CH33-48C	SLP98UH110XV60C	9031991
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	3.66	2.56	8.7	CH33-49	EL180UH090E60C	9032744
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	3.64	2.54	8.7	CH33-49	EL180UH110E60C	9032745
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	3.64	2.54	8.7	CH33-49	EL180UH110XE60C	9032746
TPA042H4 (208/230V)	42000	15	12.7	42000	26800	3.6	2.52	8.5	CH33-49	EL195UH090XE48C	9032747
TPA042H4 (208/230V)	42000	15.2	12.7	42000	27000	3.64	2.54	8.7	CH33-49	EL195UH110XE60C	9032748
TPA042H4 (208/230V)	42000	15	12.7	42000	26800	3.6	2.52	8.5	CH33-49	EL296UH090XE48C	9032749
TPA042H4 (208/230V)	42000	15.2	13	42000	27000	3.58	2.52	8.7	CH33-49	EL296UH090XV36C	9032750
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	3.62	2.52	8.7	CH33-49	EL296UH090XV48C	9032751
TPA042H4 (208/230V)	42000	15.2	13	42000	27000	3.66	2.52	8.7	CH33-49	EL296UH090XV60C	9032752
TPA042H4 (208/230V)	42000	15.2	12.7	42000	27000	3.64	2.54	8.7	CH33-49	EL296UH110XE60C	9032753
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	3.64	2.52	8.7	CH33-49	EL296UH110XV48C	9032754
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	3.64	2.52	8.7	CH33-49	EL296UH110XV60C	9032755
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	3.66	2.56	8.7	CH33-49	ML180UH090E60C	10590948
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	3.64	2.54	8.7	CH33-49	ML180UH110E60C	10591058
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	3.64	2.54	8.7	CH33-49	ML180UH110XE60C	10591135
TPA042H4 (208/230V)	42000	15.5	12.5	42000	26800	3.74	2.6	9	CH33-49	SL280UH080NV60C	10590499
TPA042H4 (208/230V)	42000	15.5	13.2	42000	27000	3.66	2.56	8.7	CH33-49	SL280UH090V60C	9032756
TPA042H4 (208/230V)	42000	15.5	13.2	42000	27000	3.66	2.56	8.7	CH33-49	SL280UH090XV60C	9032757
TPA042H4 (208/230V)	42000	15.1	12.5	42000	27000	3.62	2.54	8.8	CH33-49	SL280UH100NV60C	10590509
TPA042H4 (208/230V)	42000	15.2	13	42000	27000	3.62	2.54	8.7	CH33-49	SL280UH110V60C	9032758
TPA042H4 (208/230V)	42000	15.2	13	42000	27000	3.62	2.54	8.7	CH33-49	SL280UH110XV60C	9032759
TPA042H4 (208/230V)	42000	15.2	13	42000	27000	3.58	2.52	8.7	CH33-49	SLP98UH090XV36C	9032760
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	3.62	2.52	8.7	CH33-49	SLP98UH090XV48C	9032761
TPA042H4 (208/230V)	42000	15.2	13	42000	27000	3.66	2.52	8.7	CH33-49	SLP98UH090XV60C	9032762
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	3.64	2.52	8.7	CH33-49	SLP98UH110XV60C	9032763
TPA042H4 (208/230V)	42000	14.2	12.2	42000	27400	3.5	2.44	8.5	CH33-49		9032764
TPA042H4 (208/230V)	42000	15.2	12.7	42000	26800	3.64	2.54	8.7	CH33-50/60C	EL180UH090E60C	9031992
TPA042H4 (208/230V)	42000	15.2	13	41500	26600	3.58	2.52	8.5	CH33-50/60C	EL180UH110E60C	9031993
TPA042H4 (208/230V)	42000	15.2	13	41500	26600	3.58	2.52	8.5	CH33-50/60C	EL180UH110XE60C	9031994
TPA042H4 (208/230V)	42000	15	12.7	41500	26800	3.54	2.5	8.5	CH33-50/60C	EL195UH090XE48C	9031995
TPA042H4 (208/230V)	42000	15	12.7	42000	27000	3.62	2.54	8.5	CH33-50/60C	EL195UH110XE60C	9031996
TPA042H4 (208/230V)	42000	15	12.7	41500	26800	3.54	2.5	8.5	CH33-50/60C	EL296UH090XE48C	9031997
TPA042H4 (208/230V)	42000	15.2	12.7	42000	27200	3.5	2.48	8.5	CH33-50/60C	EL296UH090XV36C	9031998
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	3.52	2.5	8.5	CH33-50/60C	EL296UH090XV48C	9031999
TPA042H4 (208/230V)	42000	15.2	12.7	42000	27400	3.54	2.52	8.5	CH33-50/60C	EL296UH090XV60C	9032000
TPA042H4 (208/230V)	42000	15	12.7	42000	27000	3.62	2.54	8.5	CH33-50/60C	EL296UH110XE60C	9032001
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	3.54	2.5	8.5	CH33-50/60C	EL296UH110XV48C	9032002
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	3.54	2.5	8.5	CH33-50/60C	EL296UH110XV60C	9032003
TPA042H4 (208/230V)	42000	15.2	12.7	42000	26800	3.64	2.54	8.7	CH33-50/60C	ML180UH090E60C	10590925
TPA042H4 (208/230V)	42000	15.2	13	41500	26600	3.58	2.52	8.5	CH33-50/60C	ML180UH110E60C	10591035
TPA042H4 (208/230V)	42000	15.2	13	41500	26600	3.58	2.52	8.5	CH33-50/60C	ML180UH110XE60C	10591112
TPA042H4 (208/230V)	42000	15.5	12.5	42000	27000	3.64	2.56	8.8	CH33-50/60C	SL280UH080NV60C	10590500

## AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA042H4 (208/230V)	42000	15.5	13	42000	27200	3.58	2.54	8.7	CH33-50/60C	SL280UH090V60C	9032004
TPA042H4 (208/230V)	42000	15.5	13	42000	27200	3.58	2.54	8.7	CH33-50/60C	SL280UH090XV60C	9032005
TPA042H4 (208/230V)	42000	15.1	12.5	42000	27200	3.52	2.5	8.5	CH33-50/60C	SL280UH100NV60C	10590510
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	3.52	2.5	8.5	CH33-50/60C	SL280UH110V60C	9032006
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	3.52	2.5	8.5	CH33-50/60C	SL280UH110XV60C	9032007
TPA042H4 (208/230V)	42000	15.2	12.7	42000	27200	3.5	2.48	8.5	CH33-50/60C	SLP98UH090XV36C	9032008
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	3.52	2.5	8.5	CH33-50/60C	SLP98UH090XV48C	9032009
TPA042H4 (208/230V)	42000	15.2	12.7	42000	27400	3.54	2.52	8.5	CH33-50/60C	SLP98UH090XV60C	9032010
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	3.54	2.5	8.5	CH33-50/60C	SLP98UH110XV60C	9032011
TPA042H4 (208/230V)	42000	14.2	12.2	42000	27800	3.4	2.42	8.2	CH33-50/60C		9032012
TPA042H4 (208/230V)	42000	15.7	13.2	42000	26800	3.6	2.54	8.5	CH33-60D	EL180UH135E60D	9032013
TPA042H4 (208/230V)	42000	15.2	13	42000	27000	3.54	2.52	8.5	CH33-60D	EL195UH135XE60D	9032014
TPA042H4 (208/230V)	42000	15.2	13	42000	27000	3.54	2.52	8.5	CH33-60D	EL296UH135XE60D	9032015
TPA042H4 (208/230V)	42000	15.7	13.2	42000	27000	3.58	2.54	8.7	CH33-60D	EL296UH135XV60D	9032016
TPA042H4 (208/230V)	42000	15.7	13.2	42000	26800	3.6	2.54	8.5	CH33-60D	ML180UH135E60D	10591161
TPA042H4 (208/230V)	42000	16	13	42000	26800	3.54	2.54	8.5	CH33-60D	SL280UH135V60D	9032017
TPA042H4 (208/230V)	42000	15.5	13.2	41500	26400	3.56	2.5	8.7	CH33-60D	SLP98UH135XV60D	9032018
TPA042H4 (208/230V)	42000	14.5	12.2	42000	27600	3.36	2.42	8.2	CH33-60D		9032019
TPA042H4 (208/230V)	42000	15	12.7	42000	26600	3.66	2.54	8.7	CH33-62D	EL180UH135E60D	9032020
TPA042H4 (208/230V)	42000	14.7	12.7	41500	26600	3.6	2.54	8.7	CH33-62D	EL195UH135XE60D	9032021
TPA042H4 (208/230V)	42000	14.7	12.7	41500	26600	3.6	2.54	8.7	CH33-62D	EL296UH135XE60D	9032022
TPA042H4 (208/230V)	42000	15.5	13	42000	26800	3.64	2.52	8.7	CH33-62D	EL296UH135XV60D	9032023
TPA042H4 (208/230V)	42000	15	12.7	42000	26600	3.66	2.54	8.7	CH33-62D	ML180UH135E60D	10591162
TPA042H4 (208/230V)	42000	15.7	13.2	41500	26600	3.6	2.54	8.7	CH33-62D	SL280UH135V60D	9032024
TPA042H4 (208/230V)	42000	15.7	13.2	41500	26400	3.56	2.5	8.7	CH33-62D	SLP98UH135XV60D	9032025
TPA042H4 (208/230V)	42000	14.2	12.2	42000	27400	3.42	2.4	8.2	CH33-62D		9032026
TPA042H4 (208/230V)	42000	15.5	13.2	42000	27000	3.82	2.66	9	CR33-50/60	EL180DF110E60C	9032027
TPA042H4 (208/230V)	42000	15.2	13	42000	27000	3.72	2.62	8.7	CR33-50/60	EL195DF090XE48C	9032028
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	3.78	2.66	9	CR33-50/60	EL195DF110XE60C	9032029
TPA042H4 (208/230V)	42000	15.2	13	42000	27000	3.72	2.62	8.7	CR33-50/60	EL296DF090XE48C	9032030
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	3.76	2.62	9	CR33-50/60	EL296DF090XV60C	9032031
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	3.78	2.66	9	CR33-50/60	EL296DF110XE60C	9032032
TPA042H4 (208/230V)	42000	15.5	13.2	42000	27200	3.76	2.64	9	CR33-50/60	EL296DF110XV60C	9032033
TPA042H4 (208/230V)	42000	15.5	13.2	42000	27000	3.82	2.66	9	CR33-50/60	ML180DF110E60C	10590568
TPA042H4 (208/230V)	42000	15.7	13.2	42000	27000	3.76	2.64	9	CR33-50/60	SL280DF090V60C	9032034
TPA042H4 (208/230V)	42000	15.7	13.2	42000	27000	3.78	2.66	9	CR33-50/60	SL280DF110V60C	9032035
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	3.7	2.62	9	CR33-50/60	SLP98DF090XV36C	9032036
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	3.72	2.62	9	CR33-50/60	SLP98DF090XV48C	9032037
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	3.76	2.62	9	CR33-50/60	SLP98DF090XV60C	9032038
TPA042H4 (208/230V)	42000	15.5	13.2	42000	27200	3.76	2.64	9	CR33-50/60	SLP98DF110XV60C	9032039
TPA042H4 (208/230V)	42000	14.2	12.2	42000	27800	3.56	2.54	8.7	CR33-50/60		9032040
TPA042H4 (208/230V)	42000	14.2	12.2	42000	27800	3.56	2.54	8.7	CR33-60		9032041
TPA042H4 (208/230V)	42000	15.5	13.2	41500	26600	3.64	2.5	8.5	CX34-49C	EL180UH090E60C	9032042
TPA042H4 (208/230V)	42000	15.5	13.2	41500	26600	3.62	2.5	8.5	CX34-49C	EL180UH110E60C	9032043
TPA042H4 (208/230V)	42000	15.5	13.2	41500	26600	3.62	2.5	8.5	CX34-49C	EL180UH110XE60C	9032044
TPA042H4 (208/230V)	42000	15.2	13	41500	26600	3.56	2.48	8.5	CX34-49C	EL195UH090XE48C	9032045
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	3.66	2.5	8.5	CX34-49C	EL195UH110XE60C	9032046
TPA042H4 (208/230V)	42000	15.2	13	41500	26600	3.56	2.48	8.5	CX34-49C	EL296UH090XE48C	9032047
TPA042H4 (208/230V)	42000	15.5	13	41500	26600	3.56	2.46	8.5	CX34-49C	EL296UH090XV36C	9032048
TPA042H4 (208/230V)	42000	15.5	13.2	41500	26600	3.58	2.46	8.5	CX34-49C	EL296UH090XV48C	9032049
TPA042H4 (208/230V)	42000	15.5	13	42000	26800	3.64	2.48	8.7	CX34-49C	EL296UH090XV60C	9032050
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	3.66	2.5	8.5	CX34-49C	EL296UH110XE60C	9032051
TPA042H4 (208/230V)	42000	15.7	13.2	41500	26800	3.6	2.5	8.7	CX34-49C	EL296UH110XV48C	9032052
TPA042H4 (208/230V)	42000	15.7	13.2	41500	26600	3.6	2.48	8.7	CX34-49C	EL296UH110XV60C	9032053
TPA042H4 (208/230V)	42000	15.5	13.2	41500	26600	3.64	2.5	8.5	CX34-49C	ML180UH090E60C	10590926
TPA042H4 (208/230V)	42000	15.5	13.2	41500	26600	3.62	2.5	8.5	CX34-49C	ML180UH110E60C	10591036
TPA042H4 (208/230V)	42000	15.5	13.2	41500	26600	3.62	2.5	8.5	CX34-49C	ML180UH110XE60C	10591113
TPA042H4 (208/230V)	42000	15.7	13.2	41500	26600	3.66	2.5	8.7	CX34-49C	SL280UH090V60C	9032054
TPA042H4 (208/230V)	42000	15.7	13.2	41500	26600	3.66	2.5	8.7	CX34-49C	SL280UH090XV60C	9032055
TPA042H4 (208/230V)	42000	15.5	13.2	41500	26800	3.58	2.48	8.5	CX34-49C	SL280UH110V60C	9032056
TPA042H4 (208/230V)	42000	15.5	13.2	41500	26800	3.58	2.48	8.5	CX34-49C	SL280UH110XV60C	9032057

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA042H4 (208/230V)	42000	15.5	13	41500	26600	3.56	2.46	8.5	CX34-49C	SLP98UH090XV36C	9032058
TPA042H4 (208/230V)	42000	15.5	13.2	41500	26600	3.58	2.46	8.5	CX34-49C	SLP98UH090XV48C	9032059
TPA042H4 (208/230V)	42000	15.5	13	42000	26800	3.64	2.48	8.7	CX34-49C	SLP98UH090XV60C	9032060
TPA042H4 (208/230V)	42000	15.7	13.2	41500	26600	3.6	2.48	8.7	CX34-49C	SLP98UH110XV60C	9032061
TPA042H4 (208/230V)	42000	14.5	12.2	42000	27400	3.42	2.4	8.2	CX34-49C		9032062
TPA042H4 (208/230V)	42000	15	12.7	41500	26600	3.66	2.54	8.7	CX34-60D	EL180UH135E60D	9032063
TPA042H4 (208/230V)	42000	14.7	12.7	42000	26800	3.64	2.52	8.7	CX34-60D	EL195UH135XE60D	9032064
TPA042H4 (208/230V)	42000	14.7	12.7	42000	26800	3.64	2.52	8.7	CX34-60D	EL296UH135XE60D	9032065
TPA042H4 (208/230V)	42000	15.7	13.2	42000	26800	3.68	2.54	8.7	CX34-60D	EL296UH135XV60D	9032066
TPA042H4 (208/230V)	42000	15	12.7	41500	26600	3.66	2.54	8.7	CX34-60D	ML180UH135E60D	10591163
TPA042H4 (208/230V)	42000	15.7	13.5	41500	26600	3.64	2.54	8.7	CX34-60D	SL280UH135V60D	9032067
TPA042H4 (208/230V)	42000	15.7	13.2	41500	26400	3.6	2.52	8.7	CX34-60D	SLP98UH135XV60D	9032068
TPA042H4 (208/230V)	42000	14.5	12.2	42000	27400	3.46	2.42	8.2	CX34-60D		9032069
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	3.66	2.64	8.7	CX34-62C	EL180UH090E60C	9032070
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	3.64	2.62	8.7	CX34-62C	EL180UH110E60C	9032071
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	3.64	2.62	8.7	CX34-62C	EL180UH110XE60C	9032072
TPA042H4 (208/230V)	42000	15	13	42000	26800	3.58	2.6	8.7	CX34-62C	EL195UH090XE48C	9032073
TPA042H4 (208/230V)	42000	15	13	42000	27000	3.64	2.62	8.7	CX34-62C	EL195UH110XE60C	9032074
TPA042H4 (208/230V)	42000	15	13	42000	26800	3.58	2.6	8.7	CX34-62C	EL296UH090XE48C	9032075
TPA042H4 (208/230V)	42000	15.7	13	42000	27000	3.56	2.6	8.7	CX34-62C	EL296UH090XV36C	9032076
TPA042H4 (208/230V)	42000	15.7	13.2	42000	27000	3.6	2.62	8.7	CX34-62C	EL296UH090XV48C	9032077
TPA042H4 (208/230V)	42000	15.7	13	42000	27200	3.62	2.62	8.7	CX34-62C	EL296UH090XV60C	9032078
TPA042H4 (208/230V)	42000	15	13	42000	27000	3.64	2.62	8.7	CX34-62C	EL296UH110XE60C	9032079
TPA042H4 (208/230V)	42000	15.7	13.2	42000	27000	3.62	2.62	8.7	CX34-62C	EL296UH110XV48C	9032080
TPA042H4 (208/230V)	42000	15.7	13.2	42000	27000	3.62	2.64	8.7	CX34-62C	EL296UH110XV60C	9032081
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	3.66	2.64	8.7	CX34-62C	ML180UH090E60C	10590927
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	3.64	2.62	8.7	CX34-62C	ML180UH110E60C	10591037
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	3.64	2.62	8.7	CX34-62C	ML180UH110XE60C	10591114
TPA042H4 (208/230V)	42000	16	13	42000	26800	3.68	2.64	8.5	CX34-62C	SL280UH090V60C	9032082
TPA042H4 (208/230V)	42000	16	13	42000	26800	3.68	2.64	8.5	CX34-62C	SL280UH090XV60C	9032083
TPA042H4 (208/230V)	42000	15.7	13	42000	27000	3.6	2.6	8.7	CX34-62C	SL280UH110V60C	9032084
TPA042H4 (208/230V)	42000	15.7	13	42000	27000	3.6	2.6	8.7	CX34-62C	SL280UH110XV60C	9032085
TPA042H4 (208/230V)	42000	15.7	13	42000	27000	3.56	2.6	8.7	CX34-62C	SLP98UH090XV36C	9032086
TPA042H4 (208/230V)	42000	15.7	13.2	42000	27000	3.6	2.62	8.7	CX34-62C	SLP98UH090XV48C	9032087
TPA042H4 (208/230V)	42000	15.7	13	42000	27200	3.62	2.62	8.7	CX34-62C	SLP98UH090XV60C	9032088
TPA042H4 (208/230V)	42000	15.7	13.2	42000	27000	3.62	2.64	8.7	CX34-62C	SLP98UH110XV60C	9032089
TPA042H4 (208/230V)	42000	14.7	12.2	42000	27600	3.44	2.5	8.5	CX34-62C		9032090
TPA042H4 (208/230V)	42000	15.2	13	41500	26800	3.72	2.56	8.7	CX34-62D	EL180UH135E60D	9032091
TPA042H4 (208/230V)	42000	14.7	12.7	42000	27000	3.68	2.54	8.7	CX34-62D	EL195UH135XE60D	9032092
TPA042H4 (208/230V)	42000	14.7	12.7	42000	27000	3.68	2.54	8.7	CX34-62D	EL296UH135XE60D	9032093
TPA042H4 (208/230V)	42000	15.5	13	42000	27000	3.74	2.56	8.7	CX34-62D	EL296UH135XV60D	9032094
TPA042H4 (208/230V)	42000	15.2	13	41500	26800	3.72	2.56	8.7	CX34-62D	ML180UH135E60D	10591164
TPA042H4 (208/230V)	42000	15.7	13.2	41500	26800	3.7	2.56	8.7	CX34-62D	SL280UH135V60D	9032095
TPA042H4 (208/230V)	42000	15.5	13.2	41500	26600	3.66	2.54	8.7	CX34-62D	SLP98UH135XV60D	9032096
TPA042H4 (208/230V)	42000	14.2	12.2	42000	27600	3.5	2.44	8.5	CX34-62D		9032097
TPA042H4 (460V)	42000	15.5	13.2	41500	26600	3.64	2.5	8.5	C33-49C	EL180UH090E60C	9032098
TPA042H4 (460V)	42000	15.5	13.2	41500	26600	3.62	2.5	8.5	C33-49C	EL180UH110E60C	9032099
TPA042H4 (460V)	42000	15.5	13.2	41500	26600	3.62	2.5	8.5	C33-49C	EL180UH110XE60C	9032100
TPA042H4 (460V)	42000	15.2	13	41500	26600	3.56	2.48	8.5	C33-49C	EL195UH090XE48C	9032101
TPA042H4 (460V)	42000	15.2	13	42000	26800	3.66	2.5	8.5	C33-49C	EL195UH110XE60C	9032102
TPA042H4 (460V)	42000	15.2	13	41500	26600	3.56	2.48	8.5	C33-49C	EL296UH090XE48C	9032103
TPA042H4 (460V)	42000	15.5	13	41500	26600	3.56	2.46	8.5	C33-49C	EL296UH090XV36C	9032104
TPA042H4 (460V)	42000	15.5	13.2	41500	26600	3.58	2.46	8.5	C33-49C	EL296UH090XV48C	9032105
TPA042H4 (460V)	42000	15.5	13	42000	26800	3.64	2.48	8.7	C33-49C	EL296UH090XV60C	9032106
TPA042H4 (460V)	42000	15.2	13	42000	26800	3.66	2.5	8.5	C33-49C	EL296UH110XE60C	9032107
TPA042H4 (460V)	42000	15.7	13.2	41500	26800	3.6	2.5	8.7	C33-49C	EL296UH110XV48C	9032740
TPA042H4 (460V)	42000	15.7	13.2	41500	26600	3.6	2.48	8.7	C33-49C	EL296UH110XV60C	9032108
TPA042H4 (460V)	42000	15.5	13.2	41500	26600	3.64	2.5	8.5	C33-49C	ML180UH090E60C	10590928
TPA042H4 (460V)	42000	15.5	13.2	41500	26600	3.62	2.5	8.5	C33-49C	ML180UH110E60C	10591038
TPA042H4 (460V)	42000	15.5	13.2	41500	26600	3.62	2.5	8.5	C33-49C	ML180UH110XE60C	10591115
TPA042H4 (460V)	42000	15.7	13.2	41500	26600	3.66	2.5	8.7	C33-49C	SL280UH090V60C	9032109



# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA042H4 (460V)	42000	15.7	13.2	41500	26600	3.66	2.5	8.7	C33-49C	SL280UH090XV60C	9032110
TPA042H4 (460V)	42000	15.5	13.2	41500	26600	3.62	2.5	8.5	C33-49C	SL280UH110V60C	9032111
TPA042H4 (460V)	42000	15.5	13.2	41500	26600	3.62	2.5	8.5	C33-49C	SL280UH110XV60C	9032112
TPA042H4 (460V)	42000	15.5	13	41500	26600	3.56	2.46	8.5	C33-49C	SLP98UH090XV36C	9032113
TPA042H4 (460V)	42000	15.5	13.2	41500	26600	3.58	2.46	8.5	C33-49C	SLP98UH090XV48C	9032114
TPA042H4 (460V)	42000	15.5	13	42000	26800	3.64	2.48	8.7	C33-49C	SLP98UH090XV60C	9032115
TPA042H4 (460V)	42000	15.7	13.2	41500	26600	3.6	2.48	8.7	C33-49C	SLP98UH110XV60C	9032116
TPA042H4 (460V)	42000	14.5	12.2	42000	27400	3.42	2.4	8.2	C33-49C		9032117
TPA042H4 (460V)	42000	15	12.7	41500	26600	3.66	2.54	8.7	C33-60D	EL180UH135E60D	9032118
TPA042H4 (460V)	42000	14.7	12.7	42000	26800	3.64	2.52	8.7	C33-60D	EL195UH135XE60D	9032119
TPA042H4 (460V)	42000	14.7	12.7	42000	26800	3.64	2.52	8.7	C33-60D	EL296UH135XE60D	9032120
TPA042H4 (460V)	42000	15.7	13.2	42000	26800	3.68	2.54	8.7	C33-60D	EL296UH135XV60D	9032121
TPA042H4 (460V)	42000	15	12.7	41500	26600	3.66	2.54	8.7	C33-60D	ML180UH135E60D	10591165
TPA042H4 (460V)	42000	15.7	13.5	41500	26600	3.66	2.54	8.7	C33-60D	SL280UH135V60D	9032122
TPA042H4 (460V)	42000	15.7	13.2	41500	26800	3.72	2.58	8.7	C33-60D	SL280UH135V60D	9032742
TPA042H4 (460V)	42000	15.7	13.2	41500	26400	3.6	2.52	8.7	C33-60D	SLP98UH135XV60D	9032123
TPA042H4 (460V)	42000	14.5	12.2	42000	27400	3.46	2.42	8.2	C33-60D		9032124
TPA042H4 (460V)	42000	15.2	13	42000	26800	3.66	2.64	8.7	C33-62C	EL180UH090E60C	9032125
TPA042H4 (460V)	42000	15.2	13	42000	26800	3.64	2.62	8.7	C33-62C	EL180UH110E60C	9032126
TPA042H4 (460V)	42000	15.2	13	42000	26800	3.64	2.62	8.7	C33-62C	EL180UH110XE60C	9032127
TPA042H4 (460V)	42000	15	13	42000	26800	3.58	2.6	8.7	C33-62C	EL195UH090XE48C	9032128
TPA042H4 (460V)	42000	15	13	42000	27000	3.64	2.62	8.7	C33-62C	EL195UH110XE60C	9032129
TPA042H4 (460V)	42000	15	13	42000	26800	3.58	2.6	8.7	C33-62C	EL296UH090XE48C	9032130
TPA042H4 (460V)	42000	15.5	13	42000	27000	3.56	2.6	8.7	C33-62C	EL296UH090XV36C	9032131
TPA042H4 (460V)	42000	15.7	13	42000	27000	3.58	2.6	8.7	C33-62C	EL296UH090XV48C	9032132
TPA042H4 (460V)	42000	15.7	13	42000	26800	3.54	2.6	8.7	C33-62C	EL296UH090XV60C	9032133
TPA042H4 (460V)	42000	15	13	42000	27000	3.64	2.62	8.7	C33-62C	EL296UH110XE60C	9032134
TPA042H4 (460V)	42000	15.7	13.2	42000	27000	3.62	2.62	8.7	C33-62C	EL296UH110XV48C	9032741
TPA042H4 (460V)	42000	15.7	13.2	42000	27000	3.62	2.62	8.7	C33-62C	EL296UH110XV60C	9032135
TPA042H4 (460V)	42000	15.2	13	42000	26800	3.66	2.64	8.7	C33-62C	ML180UH090E60C	10590929
TPA042H4 (460V)	42000	15.2	13	42000	26800	3.64	2.62	8.7	C33-62C	ML180UH110E60C	10591039
TPA042H4 (460V)	42000	15.2	13	42000	26800	3.64	2.62	8.7	C33-62C	ML180UH110XE60C	10591116
TPA042H4 (460V)	42000	16	13	42000	27000	3.66	2.64	8.5	C33-62C	SL280UH090V60C	9032136
TPA042H4 (460V)	42000	16	13	42000	27000	3.66	2.64	8.5	C33-62C	SL280UH090XV60C	9032137
TPA042H4 (460V)	42000	15.7	13	42000	27000	3.62	2.64	8.7	C33-62C	SL280UH110V60C	9032138
TPA042H4 (460V)	42000	15.7	13	42000	27000	3.62	2.64	8.7	C33-62C	SL280UH110XV60C	9032139
TPA042H4 (460V)	42000	15.7	13	42000	27000	3.58	2.6	8.7	C33-62C	SLP98UH090XV48C	9032140
TPA042H4 (460V)	42000	15.7	13	42000	26800	3.54	2.6	8.7	C33-62C	SLP98UH090XV60C	9032141
TPA042H4 (460V)	42000	15.7	13.2	42000	27000	3.62	2.62	8.7	C33-62C	SLP98UH110XV60C	9032142
TPA042H4 (460V)	42000	14.7	12.2	42000	27600	3.44	2.5	8.5	C33-62C		9032143
TPA042H4 (460V)	42000	15.2	13	41500	26800	3.72	2.56	8.7	C33-62D	EL180UH135E60D	9032144
TPA042H4 (460V)	42000	14.7	12.7	42000	27000	3.68	2.54	8.7	C33-62D	EL195UH135XE60D	9032145
TPA042H4 (460V)	42000	14.7	12.7	42000	27000	3.68	2.54	8.7	C33-62D	EL296UH135XE60D	9032146
TPA042H4 (460V)	42000	15.5	13	42000	27000	3.74	2.56	8.7	C33-62D	EL296UH135XV60D	9032147
TPA042H4 (460V)	42000	15.2	13	41500	26800	3.72	2.56	8.7	C33-62D	ML180UH135E60D	10591166
TPA042H4 (460V)	42000	15.5	13.2	41500	26600	3.66	2.54	8.7	C33-62D	SLP98UH135XV60D	9032148
TPA042H4 (460V)	42000	14.2	12.2	42000	27600	3.5	2.44	8.5	C33-62D		9032149
TPA042H4 (460V)	42500	15	12.5	42000	27000	3.56	2.52	8.5	CBA27UHE-048		10262318
TPA042H4 (460V)	42500	15	12.5	42000	27000	3.56	2.52	8.5	CBA27UHE-048-460		10262317
TPA042H4 (460V)	42000	14	12	42000	28400	3.72	2.62	8.2	CBX25UH-042		9032765
TPA042H4 (460V)	42000	15.5	13	42000	27800	3.88	2.74	8.5	CBX25UHV-042		9032766
TPA042H4 (460V)	42000	15.5	13	42000	27400	3.72	2.66	9	CBX27UH-042		9032150
TPA042H4 (460V)	42000	15	12.5	42000	27400	3.72	2.66	8.5	CBX27UH-048		9032151
TPA042H4 (460V)	42000	14.5	12.5	42000	27800	3.62	2.58	8.7	CBX32M-048		9032152
TPA042H4 (460V)	42000	15.5	13	42000	27200	3.72	2.64	8.7	CBX32MV-048		9032153
TPA042H4 (460V)	42000	15.2	12.7	42000	27200	3.66	2.62	8.7	CBX40UHV-042		9032154
TPA042H4 (460V)	42000	15.5	13	42000	27200	3.72	2.64	8.7	CBX40UHV-048		9032155
TPA042H4 (460V)	42000	15.7	13.2	42000	27400	3.96	2.72	9.2	CH23-68	EL180UH090E60C	9032156
TPA042H4 (460V)	42000	15.5	13.2	42000	27400	3.94	2.7	9.2	CH23-68	EL180UH110E60C	9032157
TPA042H4 (460V)	42000	15.5	13.2	42000	27400	3.94	2.7	9.2	CH23-68	EL180UH110XE60C	9032158
TPA042H4 (460V)	42000	15.7	13.2	42000	27400	3.98	2.72	9.2	CH23-68	EL180UH135E60D	9032159

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA042H4 (460V)	42000	15.2	13	42000	27400	3.9	2.68	9.2	CH23-68	EL195UH090XE48C	9032160
TPA042H4 (460V)	42000	15.2	13	42000	27600	3.92	2.7	9.2	CH23-68	EL195UH110XE60C	9032161
TPA042H4 (460V)	42000	15.2	13	42000	27600	3.9	2.7	9.2	CH23-68	EL195UH135XE60D	9032162
TPA042H4 (460V)	42000	15.2	13	42000	27400	3.9	2.68	9.2	CH23-68	EL296UH090XE48C	9032163
TPA042H4 (460V)	42000	15.2	13	42000	27600	3.92	2.7	9.2	CH23-68	EL296UH110XE60C	9032164
TPA042H4 (460V)	42000	15.2	13	42000	27600	3.9	2.7	9.2	CH23-68	EL296UH135XE60D	9032165
TPA042H4 (460V)	42000	15.7	13.2	42000	27400	3.96	2.7	9.5	CH23-68	EL296UH135XV60D	9032166
TPA042H4 (460V)	42000	15.7	13.2	42000	27400	3.96	2.72	9.2	CH23-68	ML180UH090E60C	10590930
TPA042H4 (460V)	42000	15.5	13.2	42000	27400	3.94	2.7	9.2	CH23-68	ML180UH110E60C	10591040
TPA042H4 (460V)	42000	15.5	13.2	42000	27400	3.94	2.7	9.2	CH23-68	ML180UH110XE60C	10591117
TPA042H4 (460V)	42000	15.7	13.2	42000	27400	3.98	2.72	9.2	CH23-68	ML180UH135E60D	10591167
TPA042H4 (460V)	42000	16	13	42000	27200	3.98	2.7	9.5	CH23-68	SL280UH135V60D	9032167
TPA042H4 (460V)	42000	15.7	13.2	42000	27200	3.9	2.7	9.2	CH23-68	SLP98UH135XV60D	9032168
TPA042H4 (460V)	42000	14.5	12.2	42000	28000	3.72	2.56	9	CH23-68		9032169
TPA042H4 (460V)	42000	15.2	13	42000	27200	3.6	2.56	8.7	CH33-43B	EL180UH090E48B	9032170
TPA042H4 (460V)	42000	15.2	13	42000	27200	3.6	2.56	8.7	CH33-43B	EL180UH090XE48B	9032171
TPA042H4 (460V)	42000	14.7	12.7	42000	27400	3.48	2.5	8.5	CH33-43B	EL296UH045XV36B	9032172
TPA042H4 (460V)	42000	14.7	12.5	42000	27400	3.48	2.48	8.5	CH33-43B	EL296UH070XV36B	9032173
TPA042H4 (460V)	42000	15.2	13	42000	27200	3.6	2.56	8.7	CH33-43B	ML180UH090E48B	10590822
TPA042H4 (460V)	42000	15.2	13	42000	27200	3.6	2.56	8.7	CH33-43B	ML180UH090XE48B	10590979
TPA042H4 (460V)	42000	15.5	13	42000	27200	3.6	2.56	8.7	CH33-43B	SL280UH090V36B	9032174
TPA042H4 (460V)	42000	15.2	13	42000	27200	3.6	2.54	8.7	CH33-43B	SL280UH090V48B	9032175
TPA042H4 (460V)	42000	15.2	13	42000	27200	3.6	2.54	8.7	CH33-43B	SL280UH090XV48B	9032176
TPA042H4 (460V)	42000	14.7	12.5	42000	27400	3.48	2.48	8.5	CH33-43B	SLP98UH070XV36B	9032177
TPA042H4 (460V)	42000	14.5	12.2	42000	27600	3.48	2.46	8.5	CH33-43B		9032178
TPA042H4 (460V)	42000	15.2	13	42000	26600	3.44	2.5	8.2	CH33-43C	EL180UH090E60C	9032179
TPA042H4 (460V)	42000	15.2	13	42000	26600	3.42	2.48	8.2	CH33-43C	EL180UH110E60C	9032180
TPA042H4 (460V)	42000	15.2	13	42000	26600	3.42	2.48	8.2	CH33-43C	EL180UH110XE60C	9032181
TPA042H4 (460V)	42000	15	12.7	42000	26600	3.36	2.46	8.2	CH33-43C	EL195UH090XE48C	9032182
TPA042H4 (460V)	42000	15	12.7	42000	26800	3.46	2.48	8.2	CH33-43C	EL195UH110XE60C	9032183
TPA042H4 (460V)	42000	15	12.7	42000	26600	3.36	2.46	8.2	CH33-43C	EL296UH090XE48C	9032184
TPA042H4 (460V)	42000	15.2	12.7	42000	26800	3.4	2.46	8.2	CH33-43C	EL296UH090XV36C	9032185
TPA042H4 (460V)	42000	15.2	12.7	42000	26800	3.42	2.48	8.2	CH33-43C	EL296UH090XV48C	9032186
TPA042H4 (460V)	42000	15.2	12.7	42000	27000	3.44	2.5	8.2	CH33-43C	EL296UH090XV60C	9032187
TPA042H4 (460V)	42000	15	12.7	42000	26800	3.46	2.48	8.2	CH33-43C	EL296UH110XE60C	9032188
TPA042H4 (460V)	42000	15.2	13	42000	26800	3.44	2.48	8.2	CH33-43C	EL296UH110XV48C	9032189
TPA042H4 (460V)	42000	15.2	13	42000	26800	3.44	2.5	8.2	CH33-43C	EL296UH110XV60C	9032190
TPA042H4 (460V)	42000	15.2	13	42000	26600	3.44	2.5	8.2	CH33-43C	ML180UH090E60C	10590931
TPA042H4 (460V)	42000	15.2	13	42000	26600	3.42	2.48	8.2	CH33-43C	ML180UH110E60C	10591041
TPA042H4 (460V)	42000	15.2	13	42000	26600	3.42	2.48	8.2	CH33-43C	ML180UH110XE60C	10591118
TPA042H4 (460V)	42000	15.5	12.5	42000	26600	3.5	2.52	8.2	CH33-43C	SL280UH080NV60C	10590493
TPA042H4 (460V)	42000	15.5	13	42000	26800	3.48	2.52	8.5	CH33-43C	SL280UH090V60C	9032191
TPA042H4 (460V)	42000	15.5	13	42000	26800	3.48	2.52	8.5	CH33-43C	SL280UH090XV60C	9032192
TPA042H4 (460V)	42000	15.1	12.5	42000	26800	3.42	2.48	8.2	CH33-43C	SL280UH110NV60C	10590503
TPA042H4 (460V)	42000	15.2	12.7	42000	26800	3.42	2.48	8.2	CH33-43C	SL280UH110V60C	9032193
TPA042H4 (460V)	42000	15.2	12.7	42000	26800	3.42	2.48	8.2	CH33-43C	SL280UH110XV60C	9032194
TPA042H4 (460V)	42000	15.2	12.7	42000	26800	3.4	2.46	8.2	CH33-43C	SLP98UH090XV36C	9032195
TPA042H4 (460V)	42000	15.2	12.7	42000	26800	3.42	2.48	8.2	CH33-43C	SLP98UH090XV48C	9032196
TPA042H4 (460V)	42000	15.2	12.7	42000	27000	3.44	2.5	8.2	CH33-43C	SLP98UH090XV60C	9032197
TPA042H4 (460V)	42000	15.2	13	42000	26800	3.44	2.5	8.2	CH33-43C	SLP98UH110XV60C	9032198
TPA042H4 (460V)	42000	14.7	12.5	42000	27000	3.46	2.52	8.5	CH33-44/48	EL180UH090E48B	9032200
TPA042H4 (460V)	41500	14.2	12.2	42000	27200	3.38	2.46	8.2	CH33-44/48	EL296UH045XV36B	9032201
TPA042H4 (460V)	41500	14.2	12.2	42000	27200	3.36	2.46	8.2	CH33-44/48	EL296UH070XV36B	9032202
TPA042H4 (460V)	42000	14.7	12.5	42000	27000	3.46	2.52	8.5	CH33-44/48	ML180UH090E48B	10590823
TPA042H4 (460V)	42000	14.7	12.7	42000	27000	3.48	2.52	8.5	CH33-44/48	SL280UH090V36B	9032203
TPA042H4 (460V)	42000	14.7	12.5	42000	27000	3.48	2.52	8.5	CH33-44/48	SL280UH090V48B	9032204
TPA042H4 (460V)	42000	14.7	12.5	42000	27000	3.48	2.52	8.5	CH33-44/48	SL280UH090XV48B	9032205
TPA042H4 (460V)	41500	14.2	12.2	42000	27200	3.36	2.46	8.2	CH33-44/48	SLP98UH070XV36B	9032206
TPA042H4 (460V)	41500	14	11.7	42000	27600	3.36	2.44	8.2	CH33-44/48		9032207
TPA042H4 (460V)	42000	15	12.7	42000	26600	3.36	2.46	8.2	CH33-48C	EL180UH090E60C	9032208
TPA042H4 (460V)	42000	15	12.7	42000	26600	3.34	2.44	8.2	CH33-48C	EL180UH110E60C	9032209

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA042H4 (460V)	42000	15	12.7	42000	26600	3.34	2.44	8.2	CH33-48C	EL180UH110XE60C	9032210
TPA042H4 (460V)	42000	14.7	12.5	41500	26600	3.42	2.42	8.2	CH33-48C	EL195UH090XE48C	9032211
TPA042H4 (460V)	42000	14.7	12.5	42000	26800	3.52	2.46	8.2	CH33-48C	EL195UH110XE60C	9032212
TPA042H4 (460V)	42000	14.7	12.5	41500	26600	3.42	2.42	8.2	CH33-48C	EL296UH090XE48C	9032213
TPA042H4 (460V)	42000	14.7	12.5	42000	26800	3.34	2.42	8.2	CH33-48C	EL296UH090XV36C	9032214
TPA042H4 (460V)	42000	15	12.7	42000	26800	3.38	2.44	8.2	CH33-48C	EL296UH090XV48C	9032215
TPA042H4 (460V)	42000	14.7	12.5	42000	27000	3.38	2.46	8.2	CH33-48C	EL296UH090XV60C	9032216
TPA042H4 (460V)	42000	14.7	12.5	42000	26800	3.52	2.46	8.2	CH33-48C	EL296UH110XE60C	9032217
TPA042H4 (460V)	42000	15	12.7	42000	26800	3.4	2.46	8.2	CH33-48C	EL296UH110XV48C	9032218
TPA042H4 (460V)	42000	15	12.7	42000	26800	3.38	2.46	8.2	CH33-48C	EL296UH110XV60C	9032219
TPA042H4 (460V)	42000	15	12.7	42000	26600	3.36	2.46	8.2	CH33-48C	ML180UH090E60C	10590932
TPA042H4 (460V)	42000	15	12.7	42000	26600	3.34	2.44	8.2	CH33-48C	ML180UH110E60C	10591042
TPA042H4 (460V)	42000	15	12.7	42000	26600	3.34	2.44	8.2	CH33-48C	ML180UH110XE60C	10591119
TPA042H4 (460V)	42000	15.5	12.5	42000	26600	3.48	2.48	8.2	CH33-48C	SL280UH080NV60C	10590494
TPA042H4 (460V)	42000	15.2	12.7	42000	26800	3.42	2.46	8.2	CH33-48C	SL280UH090V60C	9032220
TPA042H4 (460V)	42000	15.2	12.7	42000	26800	3.42	2.46	8.2	CH33-48C	SL280UH090XV60C	9032221
TPA042H4 (460V)	42000	15	12.5	42000	26800	3.38	2.44	8.2	CH33-48C	SL280UH100NV60C	10590504
TPA042H4 (460V)	42000	15	12.7	42000	26800	3.38	2.44	8.2	CH33-48C	SL280UH110V60C	9032222
TPA042H4 (460V)	42000	15	12.7	42000	26800	3.38	2.44	8.2	CH33-48C	SL280UH110XV60C	9032223
TPA042H4 (460V)	42000	14.7	12.5	42000	26800	3.34	2.42	8.2	CH33-48C	SLP98UH090XV36C	9032224
TPA042H4 (460V)	42000	15	12.7	42000	26800	3.38	2.44	8.2	CH33-48C	SLP98UH090XV48C	9032225
TPA042H4 (460V)	42000	14.7	12.5	42000	27000	3.38	2.46	8.2	CH33-48C	SLP98UH090XV60C	9032226
TPA042H4 (460V)	42000	15	12.7	42000	26800	3.38	2.46	8.2	CH33-48C	SLP98UH110XV60C	9032227
TPA042H4 (460V)	42000	15.2	13	42000	26800	3.66	2.56	8.7	CH33-49	EL180UH090E60C	9032767
TPA042H4 (460V)	42000	15.2	13	42000	26800	3.64	2.54	8.7	CH33-49	EL180UH110E60C	9032768
TPA042H4 (460V)	42000	15.2	13	42000	26800	3.64	2.54	8.7	CH33-49	EL180UH110XE60C	9032769
TPA042H4 (460V)	42000	15	12.7	42000	26800	3.6	2.52	8.5	CH33-49	EL195UH090XE48C	9032770
TPA042H4 (460V)	42000	15.2	12.7	42000	27000	3.64	2.54	8.7	CH33-49	EL195UH110XE60C	9032771
TPA042H4 (460V)	42000	15	12.7	42000	26800	3.6	2.52	8.5	CH33-49	EL296UH090XE48C	9032772
TPA042H4 (460V)	42000	15.2	13	42000	27000	3.58	2.52	8.7	CH33-49	EL296UH090XV36C	9032773
TPA042H4 (460V)	42000	15.2	13	42000	26800	3.62	2.52	8.7	CH33-49	EL296UH090XV48C	9032774
TPA042H4 (460V)	42000	15.2	13	42000	27000	3.66	2.52	8.7	CH33-49	EL296UH090XV60C	9032775
TPA042H4 (460V)	42000	15.2	12.7	42000	27000	3.64	2.54	8.7	CH33-49	EL296UH110XE60C	9032776
TPA042H4 (460V)	42000	15.2	13	42000	26800	3.64	2.52	8.7	CH33-49	EL296UH110XV48C	9032777
TPA042H4 (460V)	42000	15.2	13	42000	26800	3.64	2.52	8.7	CH33-49	EL296UH110XV60C	9032778
TPA042H4 (460V)	42000	15.2	13	42000	26800	3.66	2.56	8.7	CH33-49	ML180UH090E60C	10590949
TPA042H4 (460V)	42000	15.2	13	42000	26800	3.64	2.54	8.7	CH33-49	ML180UH110E60C	10591059
TPA042H4 (460V)	42000	15.2	13	42000	26800	3.64	2.54	8.7	CH33-49	ML180UH110XE60C	10591136
TPA042H4 (460V)	42000	15.5	12.5	42000	26800	3.74	2.6	9	CH33-49	SL280UH080NV60C	10590495
TPA042H4 (460V)	42000	15.5	13.2	42000	27000	3.66	2.56	8.7	CH33-49	SL280UH090V60C	9032779
TPA042H4 (460V)	42000	15.5	13.2	42000	27000	3.66	2.56	8.7	CH33-49	SL280UH090XV60C	9032780
TPA042H4 (460V)	42000	15.1	12.5	42000	27000	3.62	2.54	8.8	CH33-49	SL280UH100NV60C	10590505
TPA042H4 (460V)	42000	15.2	13	42000	27000	3.62	2.54	8.7	CH33-49	SL280UH110V60C	9032781
TPA042H4 (460V)	42000	15.2	13	42000	27000	3.62	2.54	8.7	CH33-49	SL280UH110XV60C	9032782
TPA042H4 (460V)	42000	15.2	13	42000	27000	3.58	2.52	8.7	CH33-49	SLP98UH090XV36C	9032783
TPA042H4 (460V)	42000	15.2	13	42000	26800	3.62	2.52	8.7	CH33-49	SLP98UH090XV48C	9032784
TPA042H4 (460V)	42000	15.2	13	42000	27000	3.66	2.52	8.7	CH33-49	SLP98UH090XV60C	9032785
TPA042H4 (460V)	42000	15.2	13	42000	26800	3.64	2.52	8.7	CH33-49	SLP98UH110XV60C	9032786
TPA042H4 (460V)	42000	14.2	12.2	42000	27400	3.5	2.44	8.5	CH33-49		9032787
TPA042H4 (460V)	42000	15.2	12.7	42000	26800	3.64	2.54	8.7	CH33-50/60C	EL180UH090E60C	9032228
TPA042H4 (460V)	42000	15.2	13	41500	26600	3.58	2.52	8.5	CH33-50/60C	EL180UH110E60C	9032229
TPA042H4 (460V)	42000	15.2	13	41500	26600	3.58	2.52	8.5	CH33-50/60C	EL180UH110XE60C	9032230
TPA042H4 (460V)	42000	15	12.7	41500	26800	3.54	2.5	8.5	CH33-50/60C	EL195UH090XE48C	9032231
TPA042H4 (460V)	42000	15	12.7	42000	27000	3.62	2.54	8.5	CH33-50/60C	EL195UH110XE60C	9032232
TPA042H4 (460V)	42000	15	12.7	41500	26800	3.54	2.5	8.5	CH33-50/60C	EL296UH090XE48C	9032233
TPA042H4 (460V)	42000	15.2	12.7	42000	27200	3.5	2.48	8.5	CH33-50/60C	EL296UH090XV36C	9032234
TPA042H4 (460V)	42000	15.2	13	42000	27200	3.52	2.5	8.5	CH33-50/60C	EL296UH090XV48C	9032235
TPA042H4 (460V)	42000	15.2	12.7	42000	27400	3.54	2.52	8.5	CH33-50/60C	EL296UH090XV60C	9032236
TPA042H4 (460V)	42000	15	12.7	42000	27000	3.62	2.54	8.5	CH33-50/60C	EL296UH110XE60C	9032237
TPA042H4 (460V)	42000	15.2	13	42000	27200	3.54	2.5	8.5	CH33-50/60C	EL296UH110XV48C	9032238
TPA042H4 (460V)	42000	15.2	13	42000	27200	3.54	2.5	8.5	CH33-50/60C	EL296UH110XV60C	9032239

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA042H4 (460V)	42000	15.2	12.7	42000	26800	3.64	2.54	8.7	CH33-50/60C	ML180UH090E60C	10590933
TPA042H4 (460V)	42000	15.2	13	41500	26600	3.58	2.52	8.5	CH33-50/60C	ML180UH110E60C	10591043
TPA042H4 (460V)	42000	15.2	13	41500	26600	3.58	2.52	8.5	CH33-50/60C	ML180UH110XE60C	10591120
TPA042H4 (460V)	42000	15.5	12.5	42000	27000	3.64	2.56	8.8	CH33-50/60C	SL280UH080NV60C	10590496
TPA042H4 (460V)	42000	15.5	13	42000	27200	3.58	2.54	8.7	CH33-50/60C	SL280UH090V60C	9032240
TPA042H4 (460V)	42000	15.5	13	42000	27200	3.58	2.54	8.7	CH33-50/60C	SL280UH090XV60C	9032241
TPA042H4 (460V)	42000	15.1	12.5	42000	27200	3.52	2.5	8.5	CH33-50/60C	SL280UH100NV60C	10590506
TPA042H4 (460V)	42000	15.2	13	42000	27200	3.52	2.5	8.5	CH33-50/60C	SL280UH110V60C	9032242
TPA042H4 (460V)	42000	15.2	13	42000	27200	3.52	2.5	8.5	CH33-50/60C	SL280UH110XV60C	9032243
TPA042H4 (460V)	42000	15.2	12.7	42000	27200	3.5	2.48	8.5	CH33-50/60C	SLP98UH090XV36C	9032244
TPA042H4 (460V)	42000	15.2	13	42000	27200	3.52	2.5	8.5	CH33-50/60C	SLP98UH090XV48C	9032245
TPA042H4 (460V)	42000	15.2	12.7	42000	27400	3.54	2.52	8.5	CH33-50/60C	SLP98UH090XV60C	9032246
TPA042H4 (460V)	42000	15.2	13	42000	27200	3.54	2.5	8.5	CH33-50/60C	SLP98UH110XV60C	9032247
TPA042H4 (460V)	42000	14.2	12.2	42000	27800	3.4	2.42	8.2	CH33-50/60C		9032248
TPA042H4 (460V)	42000	15.7	13.2	42000	26800	3.6	2.54	8.5	CH33-60D	EL180UH135E60D	9032249
TPA042H4 (460V)	42000	15.2	13	42000	27000	3.54	2.52	8.5	CH33-60D	EL195UH135XE60D	9032250
TPA042H4 (460V)	42000	15.2	13	42000	27000	3.54	2.52	8.5	CH33-60D	EL296UH135XE60D	9032251
TPA042H4 (460V)	42000	15.7	13.2	42000	27000	3.58	2.54	8.7	CH33-60D	EL296UH135XV60D	9032252
TPA042H4 (460V)	42000	15.7	13.2	42000	26800	3.6	2.54	8.5	CH33-60D	ML180UH135E60D	10591168
TPA042H4 (460V)	42000	16	13	42000	26800	3.54	2.54	8.5	CH33-60D	SL280UH135V60D	9032253
TPA042H4 (460V)	42000	15.5	13.2	41500	26400	3.56	2.5	8.7	CH33-60D	SLP98UH135XV60D	9032254
TPA042H4 (460V)	42000	14.5	12.2	42000	27600	3.36	2.42	8.2	CH33-60D		9032255
TPA042H4 (460V)	42000	15	12.7	42000	26600	3.66	2.54	8.7	CH33-62D	EL180UH135E60D	9032256
TPA042H4 (460V)	42000	14.7	12.7	41500	26600	3.6	2.54	8.7	CH33-62D	EL195UH135XE60D	9032257
TPA042H4 (460V)	42000	14.7	12.7	41500	26600	3.6	2.54	8.7	CH33-62D	EL296UH135XE60D	9032258
TPA042H4 (460V)	42000	15.5	13	42000	26800	3.64	2.52	8.7	CH33-62D	EL296UH135XV60D	9032259
TPA042H4 (460V)	42000	15	12.7	42000	26600	3.66	2.54	8.7	CH33-62D	ML180UH135E60D	10591169
TPA042H4 (460V)	42000	15.7	13.2	41500	26600	3.6	2.54	8.7	CH33-62D	SL280UH135V60D	9032260
TPA042H4 (460V)	42000	15.7	13.2	41500	26400	3.56	2.5	8.7	CH33-62D	SLP98UH135XV60D	9032261
TPA042H4 (460V)	42000	14.2	12.2	42000	27400	3.42	2.4	8.2	CH33-62D		9032262
TPA042H4 (460V)	42000	15.5	13.2	42000	27000	3.82	2.66	9	CR33-50/60	EL180DF110E60C	9032263
TPA042H4 (460V)	42000	15.2	13	42000	27000	3.72	2.62	8.7	CR33-50/60	EL195DF090XE48C	9032264
TPA042H4 (460V)	42000	15.2	13	42000	27200	3.78	2.66	9	CR33-50/60	EL195DF110XE60C	9032265
TPA042H4 (460V)	42000	15.2	13	42000	27000	3.72	2.62	8.7	CR33-50/60	EL296DF090XE48C	9032266
TPA042H4 (460V)	42000	15.2	13	42000	27200	3.76	2.62	9	CR33-50/60	EL296DF090XV60C	9032267
TPA042H4 (460V)	42000	15.2	13	42000	27200	3.78	2.66	9	CR33-50/60	EL296DF110XE60C	9032268
TPA042H4 (460V)	42000	15.5	13.2	42000	27200	3.76	2.64	9	CR33-50/60	EL296DF110XV60C	9032269
TPA042H4 (460V)	42000	15.5	13.2	42000	27000	3.82	2.66	9	CR33-50/60	ML180DF110E60C	10590569
TPA042H4 (460V)	42000	15.7	13.2	42000	27000	3.76	2.64	9	CR33-50/60	SL280DF090V60C	9032270
TPA042H4 (460V)	42000	15.7	13.2	42000	27000	3.78	2.66	9	CR33-50/60	SL280DF110V60C	9032271
TPA042H4 (460V)	42000	15.2	13	42000	27200	3.7	2.62	9	CR33-50/60	SLP98DF090XV36C	9032272
TPA042H4 (460V)	42000	15.2	13	42000	27200	3.72	2.62	9	CR33-50/60	SLP98DF090XV48C	9032273
TPA042H4 (460V)	42000	15.2	13	42000	27200	3.76	2.62	9	CR33-50/60	SLP98DF090XV60C	9032274
TPA042H4 (460V)	42000	15.5	13.2	42000	27200	3.76	2.64	9	CR33-50/60	SLP98DF110XV60C	9032275
TPA042H4 (460V)	42000	14.2	12.2	42000	27800	3.56	2.54	8.7	CR33-50/60		9032276
TPA042H4 (460V)	42000	14.2	12.2	42000	27800	3.56	2.54	8.7	CR33-60		9032277
TPA042H4 (460V)	42000	15.5	13.2	41500	26600	3.64	2.5	8.5	CX34-49C	EL180UH090E60C	9032278
TPA042H4 (460V)	42000	15.5	13.2	41500	26600	3.62	2.5	8.5	CX34-49C	EL180UH110E60C	9032279
TPA042H4 (460V)	42000	15.5	13.2	41500	26600	3.62	2.5	8.5	CX34-49C	EL180UH110XE60C	9032280
TPA042H4 (460V)	42000	15.2	13	41500	26600	3.56	2.48	8.5	CX34-49C	EL195UH090XE48C	9032281
TPA042H4 (460V)	42000	15.2	13	42000	26800	3.66	2.5	8.5	CX34-49C	EL195UH110XE60C	9032282
TPA042H4 (460V)	42000	15.2	13	41500	26600	3.56	2.48	8.5	CX34-49C	EL296UH090XE48C	9032283
TPA042H4 (460V)	42000	15.5	13	41500	26600	3.56	2.46	8.5	CX34-49C	EL296UH090XV36C	9032284
TPA042H4 (460V)	42000	15.5	13.2	41500	26600	3.58	2.46	8.5	CX34-49C	EL296UH090XV48C	9032285
TPA042H4 (460V)	42000	15.5	13	42000	26800	3.64	2.48	8.7	CX34-49C	EL296UH090XV60C	9032286
TPA042H4 (460V)	42000	15.2	13	42000	26800	3.66	2.5	8.5	CX34-49C	EL296UH110XE60C	9032287
TPA042H4 (460V)	42000	15.7	13.2	41500	26800	3.6	2.5	8.7	CX34-49C	EL296UH110XV48C	9032288
TPA042H4 (460V)	42000	15.7	13.2	41500	26600	3.6	2.48	8.7	CX34-49C	EL296UH110XV60C	9032289
TPA042H4 (460V)	42000	15.5	13.2	41500	26600	3.64	2.5	8.5	CX34-49C	ML180UH090E60C	10590934
TPA042H4 (460V)	42000	15.5	13.2	41500	26600	3.62	2.5	8.5	CX34-49C	ML180UH110E60C	10591044
TPA042H4 (460V)	42000	15.5	13.2	41500	26600	3.62	2.5	8.5	CX34-49C	ML180UH110XE60C	10591121

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA042H4 (460V)	42000	15.7	13.2	41500	26600	3.66	2.5	8.7	CX34-49C	SL280UH090V60C	9032290
TPA042H4 (460V)	42000	15.7	13.2	41500	26600	3.66	2.5	8.7	CX34-49C	SL280UH090XV60C	9032291
TPA042H4 (460V)	42000	15.5	13.2	41500	26800	3.58	2.48	8.5	CX34-49C	SL280UH110V60C	9032292
TPA042H4 (460V)	42000	15.5	13.2	41500	26800	3.58	2.48	8.5	CX34-49C	SL280UH110XV60C	9032293
TPA042H4 (460V)	42000	15.5	13	41500	26600	3.56	2.46	8.5	CX34-49C	SLP98UH090XV36C	9032294
TPA042H4 (460V)	42000	15.5	13.2	41500	26600	3.58	2.46	8.5	CX34-49C	SLP98UH090XV48C	9032295
TPA042H4 (460V)	42000	15.5	13	42000	26800	3.64	2.48	8.7	CX34-49C	SLP98UH090XV60C	9032296
TPA042H4 (460V)	42000	15.7	13.2	41500	26600	3.6	2.48	8.7	CX34-49C	SLP98UH110XV60C	9032297
TPA042H4 (460V)	42000	14.5	12.2	42000	27400	3.42	2.4	8.2	CX34-49C		9032298
TPA042H4 (460V)	42000	15	12.7	41500	26600	3.66	2.54	8.7	CX34-60D	EL180UH135E60D	9032299
TPA042H4 (460V)	42000	14.7	12.7	42000	26800	3.64	2.52	8.7	CX34-60D	EL195UH135XE60D	9032300
TPA042H4 (460V)	42000	14.7	12.7	42000	26800	3.64	2.52	8.7	CX34-60D	EL296UH135XE60D	9032301
TPA042H4 (460V)	42000	15.7	13.2	42000	26800	3.68	2.54	8.7	CX34-60D	EL296UH135XV60D	9032302
TPA042H4 (460V)	42000	15	12.7	41500	26600	3.66	2.54	8.7	CX34-60D	ML180UH135E60D	10591170
TPA042H4 (460V)	42000	15.7	13.5	41500	26600	3.64	2.54	8.7	CX34-60D	SL280UH135V60D	9032303
TPA042H4 (460V)	42000	15.7	13.2	41500	26400	3.6	2.52	8.7	CX34-60D	SLP98UH135XV60D	9032304
TPA042H4 (460V)	42000	14.5	12.2	42000	27400	3.46	2.42	8.2	CX34-60D		9032305
TPA042H4 (460V)	42000	15.2	13	42000	26800	3.66	2.64	8.7	CX34-62C	EL180UH090E60C	9032306
TPA042H4 (460V)	42000	15.2	13	42000	26800	3.64	2.62	8.7	CX34-62C	EL180UH110E60C	9032307
TPA042H4 (460V)	42000	15.2	13	42000	26800	3.64	2.62	8.7	CX34-62C	EL180UH110XE60C	9032308
TPA042H4 (460V)	42000	15	13	42000	26800	3.58	2.6	8.7	CX34-62C	EL195UH090XE48C	9032309
TPA042H4 (460V)	42000	15	13	42000	27000	3.64	2.62	8.7	CX34-62C	EL195UH110XE60C	9032310
TPA042H4 (460V)	42000	15	13	42000	26800	3.58	2.6	8.7	CX34-62C	EL296UH090XE48C	9032311
TPA042H4 (460V)	42000	15.7	13	42000	27000	3.56	2.6	8.7	CX34-62C	EL296UH090XV36C	9032312
TPA042H4 (460V)	42000	15.7	13.2	42000	27000	3.6	2.62	8.7	CX34-62C	EL296UH090XV48C	9032313
TPA042H4 (460V)	42000	15.7	13	42000	27200	3.62	2.62	8.7	CX34-62C	EL296UH090XV60C	9032314
TPA042H4 (460V)	42000	15	13	42000	27000	3.64	2.62	8.7	CX34-62C	EL296UH110XE60C	9032315
TPA042H4 (460V)	42000	15.7	13.2	42000	27000	3.62	2.62	8.7	CX34-62C	EL296UH110XV48C	9032316
TPA042H4 (460V)	42000	15.7	13.2	42000	27000	3.62	2.64	8.7	CX34-62C	EL296UH110XV60C	9032317
TPA042H4 (460V)	42000	15.2	13	42000	26800	3.66	2.64	8.7	CX34-62C	ML180UH090E60C	10590935
TPA042H4 (460V)	42000	15.2	13	42000	26800	3.64	2.62	8.7	CX34-62C	ML180UH110E60C	10591045
TPA042H4 (460V)	42000	15.2	13	42000	26800	3.64	2.62	8.7	CX34-62C	ML180UH110XE60C	10591122
TPA042H4 (460V)	42000	16	13	42000	26800	3.68	2.64	8.5	CX34-62C	SL280UH090V60C	9032318
TPA042H4 (460V)	42000	16	13	42000	26800	3.68	2.64	8.5	CX34-62C	SL280UH090XV60C	9032319
TPA042H4 (460V)	42000	15.7	13	42000	27000	3.6	2.6	8.7	CX34-62C	SL280UH110V60C	9032320
TPA042H4 (460V)	42000	15.7	13	42000	27000	3.6	2.6	8.7	CX34-62C	SL280UH110XV60C	9032321
TPA042H4 (460V)	42000	15.7	13	42000	27000	3.56	2.6	8.7	CX34-62C	SLP98UH090XV36C	9032322
TPA042H4 (460V)	42000	15.7	13.2	42000	27000	3.6	2.62	8.7	CX34-62C	SLP98UH090XV48C	9032323
TPA042H4 (460V)	42000	15.7	13	42000	27200	3.62	2.62	8.7	CX34-62C	SLP98UH090XV60C	9032324
TPA042H4 (460V)	42000	15.7	13.2	42000	27000	3.62	2.64	8.7	CX34-62C	SLP98UH110XV60C	9032325
TPA042H4 (460V)	42000	14.7	12.2	42000	27600	3.44	2.5	8.5	CX34-62C		9032326
TPA042H4 (460V)	42000	15.2	13	41500	26800	3.72	2.56	8.7	CX34-62D	EL180UH135E60D	9032327
TPA042H4 (460V)	42000	14.7	12.7	42000	27000	3.68	2.54	8.7	CX34-62D	EL195UH135XE60D	9032328
TPA042H4 (460V)	42000	14.7	12.7	42000	27000	3.68	2.54	8.7	CX34-62D	EL296UH135XE60D	9032329
TPA042H4 (460V)	42000	15.5	13	42000	27000	3.74	2.56	8.7	CX34-62D	EL296UH135XV60D	9032330
TPA042H4 (460V)	42000	15.2	13	41500	26800	3.72	2.56	8.7	CX34-62D	ML180UH135E60D	10591171
TPA042H4 (460V)	42000	15.7	13.2	41500	26800	3.7	2.56	8.7	CX34-62D	SL280UH135V60D	9032331
TPA042H4 (460V)	42000	15.5	13.2	41500	26600	3.66	2.54	8.7	CX34-62D	SLP98UH135XV60D	9032332
TPA042H4 (460V)	42000	14.2	12.2	42000	27600	3.5	2.44	8.5	CX34-62D		9032333
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	3.44	2.52	8.2	C33-43B	EL180UH090E48B	9083959
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	3.44	2.52	8.2	C33-43B	EL180UH090XE48B	9083960
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	3.44	2.52	8.2	C33-43B	ML180UH090E48B	10590832
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	3.44	2.52	8.2	C33-43B	ML180UH090XE48B	10590988
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	3.52	2.56	8.2	C33-43C	EL180UH090E60C	9083961
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	3.5	2.56	8.2	C33-43C	EL180UH110E60C	9083962
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	3.5	2.56	8.2	C33-43C	EL180UH110XE60C	9083963
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	3.46	2.54	8.2	C33-43C	EL195UH090XE48C	9083964
TPA042S4 (208/230V)	42000	14	11.5	39500	26600	3.48	2.56	8.2	C33-43C	EL195UH110XE60C	9083965
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	3.46	2.54	8.2	C33-43C	EL296UH090XE48C	9083966
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	3.46	2.54	8.2	C33-43C	EL296UH090XV48C	9083968
TPA042S4 (208/230V)	42000	14	11.5	40000	26600	3.52	2.54	8.2	C33-43C	EL296UH090XV60C	9083969

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA042S4 (208/230V)	42000	14	11.5	39500	26600	3.48	2.56	8.2	C33-43C	EL296UH110XE60C	9083970
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	3.48	2.54	8.2	C33-43C	EL296UH110XV48C	9083971
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	3.48	2.54	8.2	C33-43C	EL296UH110XV60C	9083972
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	3.52	2.56	8.2	C33-43C	ML180UH090E60C	10590956
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	3.5	2.56	8.2	C33-43C	ML180UH110E60C	10591066
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	3.5	2.56	8.2	C33-43C	ML180UH110XE60C	10591143
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	3.54	2.58	8.2	C33-43C	SL280UH090V60C	9083976
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	3.54	2.58	8.2	C33-43C	SL280UH090XV60C	9083977
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	3.5	2.56	8.2	C33-43C	SL280UH110V60C	9083978
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	3.5	2.56	8.2	C33-43C	SL280UH110XV60C	9083979
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	3.46	2.54	8.2	C33-43C	SLP98UH090XV48C	9083981
TPA042S4 (208/230V)	42000	14	11.5	40000	26600	3.52	2.54	8.2	C33-43C	SLP98UH090XV60C	9083982
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	3.48	2.54	8.2	C33-43C	SLP98UH110XV60C	9083983
TPA042S4 (208/230V)	42000	14.5	12	39000	26000	3.7	2.64	8.5	CBX25UHV-042		9084006
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	3.44	2.52	8.2	CX34-43B	EL180UH090E48B	9084031
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	3.44	2.52	8.2	CX34-43B	EL180UH090XE48B	9084032
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	3.44	2.52	8.2	CX34-43B	ML180UH090E48B	10590833
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	3.44	2.52	8.2	CX34-43B	ML180UH090XE48B	10590989
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	3.52	2.56	8.2	CX34-43C	EL180UH090E60C	9084035
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	3.5	2.56	8.2	CX34-43C	EL180UH110E60C	9084036
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	3.5	2.56	8.2	CX34-43C	EL180UH110XE60C	9084037
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	3.46	2.54	8.2	CX34-43C	EL195UH090XE48C	9084038
TPA042S4 (208/230V)	42000	14	11.5	39500	26600	3.48	2.56	8.2	CX34-43C	EL195UH110XE60C	9084039
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	3.46	2.54	8.2	CX34-43C	EL296UH090XE48C	9084040
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	3.46	2.54	8.2	CX34-43C	EL296UH090XV48C	9084042
TPA042S4 (208/230V)	42000	14	11.5	40000	26600	3.52	2.54	8.2	CX34-43C	EL296UH090XV60C	9084043
TPA042S4 (208/230V)	42000	14	11.5	39500	26600	3.48	2.56	8.2	CX34-43C	EL296UH110XE60C	9084044
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	3.48	2.54	8.2	CX34-43C	EL296UH110XV48C	9084045
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	3.48	2.54	8.2	CX34-43C	EL296UH110XV60C	9084046
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	3.52	2.56	8.2	CX34-43C	ML180UH090E60C	10590957
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	3.5	2.56	8.2	CX34-43C	ML180UH110E60C	10591067
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	3.5	2.56	8.2	CX34-43C	ML180UH110XE60C	10591144
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	3.52	2.56	8.2	CX34-43C	SL280UH090V60C	9084047
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	3.52	2.56	8.2	CX34-43C	SL280UH090XV60C	9084048
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	3.5	2.56	8.2	CX34-43C	SL280UH110V60C	9084049
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	3.5	2.56	8.2	CX34-43C	SL280UH110XV60C	9084050
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	3.46	2.52	8.2	CX34-43C	SLP98UH090XV48C	9084052
TPA042S4 (208/230V)	42000	14	11.5	40000	26600	3.52	2.54	8.2	CX34-43C	SLP98UH090XV60C	9084053
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	3.48	2.54	8.2	CX34-43C	SLP98UH110XV60C	9084054
TPA042S4 (460V)	42000	14	11.5	39500	26400	3.44	2.52	8.2	C33-43B	EL180UH090E48B	9084074
TPA042S4 (460V)	42000	14	11.5	39500	26400	3.44	2.52	8.2	C33-43B	EL180UH090XE48B	9084075
TPA042S4 (460V)	42000	14	11.5	39500	26400	3.44	2.52	8.2	C33-43B	ML180UH090E48B	10590834
TPA042S4 (460V)	42000	14	11.5	39500	26400	3.44	2.52	8.2	C33-43B	ML180UH090XE48B	10590990
TPA042S4 (460V)	42000	14	11.5	39500	26400	3.52	2.56	8.2	C33-43C	EL180UH090E60C	9084076
TPA042S4 (460V)	42000	14	11.5	39500	26400	3.5	2.56	8.2	C33-43C	EL180UH110E60C	9084077
TPA042S4 (460V)	42000	14	11.5	39500	26400	3.5	2.56	8.2	C33-43C	EL180UH110XE60C	9084078
TPA042S4 (460V)	42000	14	11.5	39500	26400	3.46	2.54	8.2	C33-43C	EL195UH090XE48C	9084079
TPA042S4 (460V)	42000	14	11.5	39500	26600	3.48	2.56	8.2	C33-43C	EL195UH110XE60C	9084080
TPA042S4 (460V)	42000	14	11.5	39500	26400	3.46	2.54	8.2	C33-43C	EL296UH090XE48C	9084081
TPA042S4 (460V)	42000	14	11.5	39500	26400	3.46	2.54	8.2	C33-43C	EL296UH090XV48C	9084083
TPA042S4 (460V)	42000	14	11.5	40000	26600	3.52	2.54	8.2	C33-43C	EL296UH090XV60C	9084084
TPA042S4 (460V)	42000	14	11.5	39500	26600	3.48	2.56	8.2	C33-43C	EL296UH110XE60C	9084085
TPA042S4 (460V)	42000	14	11.5	39500	26400	3.48	2.54	8.2	C33-43C	EL296UH110XV48C	9084086
TPA042S4 (460V)	42000	14	11.5	39500	26400	3.48	2.54	8.2	C33-43C	EL296UH110XV60C	9084087
TPA042S4 (460V)	42000	14	11.5	39500	26400	3.52	2.56	8.2	C33-43C	ML180UH090E60C	10590958
TPA042S4 (460V)	42000	14	11.5	39500	26400	3.5	2.56	8.2	C33-43C	ML180UH110E60C	10591068
TPA042S4 (460V)	42000	14	11.5	39500	26400	3.5	2.56	8.2	C33-43C	ML180UH110XE60C	10591145
TPA042S4 (460V)	42000	14	11.5	39500	26400	3.54	2.58	8.2	C33-43C	SL280UH090V60C	9084091
TPA042S4 (460V)	42000	14	11.5	39500	26400	3.54	2.58	8.2	C33-43C	SL280UH090XV60C	9084092
TPA042S4 (460V)	42000	14	11.5	39500	26400	3.5	2.56	8.2	C33-43C	SL280UH110V60C	9084093
TPA042S4 (460V)	42000	14	11.5	39500	26400	3.5	2.56	8.2	C33-43C	SL280UH110XV60C	9084094

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA042S4 (460V)	42000	14	11.5	39500	26400	3.46	2.54	8.2	C33-43C	SLP98UH090XV48C	9084096
TPA042S4 (460V)	42000	14	11.5	40000	26600	3.52	2.54	8.2	C33-43C	SLP98UH090XV60C	9084097
TPA042S4 (460V)	42000	14	11.5	39500	26400	3.48	2.54	8.2	C33-43C	SLP98UH110XV60C	9084098
TPA042S4 (460V)	42000	14.5	12	39000	26000	3.7	2.64	8.5	CBX25UHV-042		9084121
TPA042S4 (460V)	42000	14	11.5	39500	26400	3.44	2.52	8.2	CX34-43B	EL180UH090E48B	9084146
TPA042S4 (460V)	42000	14	11.5	39500	26400	3.44	2.52	8.2	CX34-43B	EL180UH090XE48B	9084147
TPA042S4 (460V)	42000	14	11.5	39500	26400	3.44	2.52	8.2	CX34-43B	ML180UH090E48B	10590835
TPA042S4 (460V)	42000	14	11.5	39500	26400	3.44	2.52	8.2	CX34-43B	ML180UH090XE48B	10590991
TPA042S4 (460V)	42000	14	11.5	39500	26400	3.52	2.56	8.2	CX34-43C	EL180UH090E60C	9084150
TPA042S4 (460V)	42000	14	11.5	39500	26400	3.5	2.56	8.2	CX34-43C	EL180UH110E60C	9084151
TPA042S4 (460V)	42000	14	11.5	39500	26400	3.5	2.56	8.2	CX34-43C	EL180UH110XE60C	9084152
TPA042S4 (460V)	42000	14	11.5	39500	26400	3.46	2.54	8.2	CX34-43C	EL195UH090XE48C	9084153
TPA042S4 (460V)	42000	14	11.5	39500	26600	3.48	2.56	8.2	CX34-43C	EL195UH110XE60C	9084154
TPA042S4 (460V)	42000	14	11.5	39500	26400	3.46	2.54	8.2	CX34-43C	EL296UH090XE48C	9084155
TPA042S4 (460V)	42000	14	11.5	39500	26400	3.46	2.54	8.2	CX34-43C	EL296UH090XV48C	9084157
TPA042S4 (460V)	42000	14	11.5	40000	26600	3.52	2.54	8.2	CX34-43C	EL296UH090XV60C	9084158
TPA042S4 (460V)	42000	14	11.5	39500	26600	3.48	2.56	8.2	CX34-43C	EL296UH110XE60C	9084159
TPA042S4 (460V)	42000	14	11.5	39500	26400	3.48	2.54	8.2	CX34-43C	EL296UH110XV48C	9084160
TPA042S4 (460V)	42000	14	11.5	39500	26400	3.48	2.54	8.2	CX34-43C	EL296UH110XV60C	9084161
TPA042S4 (460V)	42000	14	11.5	39500	26400	3.52	2.56	8.2	CX34-43C	ML180UH090E60C	10590959
TPA042S4 (460V)	42000	14	11.5	39500	26400	3.5	2.56	8.2	CX34-43C	ML180UH110E60C	10591069
TPA042S4 (460V)	42000	14	11.5	39500	26400	3.5	2.56	8.2	CX34-43C	ML180UH110XE60C	10591146
TPA042S4 (460V)	42000	14	11.5	39500	26400	3.52	2.56	8.2	CX34-43C	SL280UH090V60C	9084162
TPA042S4 (460V)	42000	14	11.5	39500	26400	3.52	2.56	8.2	CX34-43C	SL280UH090XV60C	9084163
TPA042S4 (460V)	42000	14	11.5	39500	26400	3.5	2.56	8.2	CX34-43C	SL280UH110V60C	9084164
TPA042S4 (460V)	42000	14	11.5	39500	26400	3.5	2.56	8.2	CX34-43C	SL280UH110XV60C	9084165
TPA042S4 (460V)	42000	14	11.5	39500	26400	3.46	2.52	8.2	CX34-43C	SLP98UH090XV48C	9084167
TPA042S4 (460V)	42000	14	11.5	40000	26600	3.52	2.54	8.2	CX34-43C	SLP98UH090XV60C	9084168
TPA042S4 (460V)	42000	14	11.5	39500	26400	3.48	2.54	8.2	CX34-43C	SLP98UH110XV60C	9084169
TPA048H4 (208/230V)	48000	15	12.7	45500	30000	3.38	2.54	8.7	C33-49C	EL180UH090E60C	9032339
TPA048H4 (208/230V)	48000	14.7	12.7	45500	30000	3.36	2.52	8.5	C33-49C	EL180UH110E60C	9032340
TPA048H4 (208/230V)	48000	14.7	12.7	45500	30000	3.36	2.52	8.5	C33-49C	EL180UH110XE60C	9032341
TPA048H4 (208/230V)	48000	14.7	12.7	46000	30200	3.38	2.52	8.5	C33-49C	EL195UH090XE48C	9032342
TPA048H4 (208/230V)	48000	14.5	12.7	46000	30200	3.4	2.54	8.5	C33-49C	EL195UH110XE60C	9032343
TPA048H4 (208/230V)	48000	14.7	12.7	46000	30200	3.38	2.52	8.5	C33-49C	EL296UH090XE48C	9032344
TPA048H4 (208/230V)	48000	14.5	12.5	46000	30400	3.38	2.54	8.5	C33-49C	EL296UH090XV48C	9032345
TPA048H4 (208/230V)	48000	14.5	12.5	46000	30400	3.38	2.54	8.5	C33-49C	EL296UH090XV60C	9032346
TPA048H4 (208/230V)	48000	14.5	12.7	46000	30200	3.4	2.54	8.5	C33-49C	EL296UH110XE60C	9032672
TPA048H4 (208/230V)	48000	14.5	12.7	46000	30200	3.38	2.54	8.5	C33-49C	EL296UH110XV48C	9032347
TPA048H4 (208/230V)	48000	14.5	12.5	46000	30200	3.38	2.52	8.5	C33-49C	EL296UH110XV60C	9032348
TPA048H4 (208/230V)	48000	15	12.7	45500	30000	3.38	2.54	8.7	C33-49C	ML180UH090E60C	10590936
TPA048H4 (208/230V)	48000	14.7	12.7	45500	30000	3.36	2.52	8.5	C33-49C	ML180UH110E60C	10591046
TPA048H4 (208/230V)	48000	14.7	12.7	45500	30000	3.36	2.52	8.5	C33-49C	ML180UH110XE60C	10591123
TPA048H4 (208/230V)	48000	14.7	12.7	46000	30200	3.42	2.56	8.5	C33-49C	SL280UH090V60C	9032349
TPA048H4 (208/230V)	48000	14.7	12.7	46000	30200	3.42	2.56	8.5	C33-49C	SL280UH090XV60C	9032350
TPA048H4 (208/230V)	48000	14.7	12.7	46000	30200	3.42	2.56	8.5	C33-49C	SL280UH110V60C	9032352
TPA048H4 (208/230V)	48000	14.7	12.7	46000	30200	3.42	2.56	8.5	C33-49C	SL280UH110XV60C	9032351
TPA048H4 (208/230V)	48000	14.5	12.5	46000	30400	3.38	2.54	8.5	C33-49C	SLP98UH090XV48C	9032353
TPA048H4 (208/230V)	48000	14.5	12.5	46000	30400	3.38	2.54	8.5	C33-49C	SLP98UH090XV60C	9032354
TPA048H4 (208/230V)	48000	14.5	12.5	46000	30400	3.38	2.54	8.5	C33-49C	SLP98UH110XV60C	9032355
TPA048H4 (208/230V)	48000	14	12	46500	30800	3.3	2.48	8.2	C33-49C		9032356
TPA048H4 (208/230V)	47500	14.7	12.5	47500	31000	3.14	2.44	8.2	C33-60D	EL180UH135E60D	9032357
TPA048H4 (208/230V)	47500	14.7	12.5	47500	31000	3.14	2.44	8.2	C33-60D	ML180UH135E60D	10591172
TPA048H4 (208/230V)	48000	15	12.7	46000	30400	3.6	2.66	9	C33-62C	EL180UH090E60C	9032358
TPA048H4 (208/230V)	48000	15	12.7	46000	30400	3.58	2.66	9	C33-62C	EL180UH110E60C	9032359
TPA048H4 (208/230V)	48000	15	12.7	46000	30400	3.58	2.66	9	C33-62C	EL180UH110XE60C	9032360
TPA048H4 (208/230V)	48000	14.7	12.5	46500	30600	3.58	2.64	9	C33-62C	EL195UH090XE48C	9032361
TPA048H4 (208/230V)	48000	14.5	12.7	46500	30400	3.6	2.64	9	C33-62C	EL195UH110XE60C	9032362
TPA048H4 (208/230V)	48000	14.7	12.5	46500	30600	3.58	2.64	9	C33-62C	EL296UH090XE48C	9032363
TPA048H4 (208/230V)	48000	14.5	12.5	46500	30600	3.58	2.64	9	C33-62C	EL296UH090XV48C	9032364
TPA048H4 (208/230V)	48000	14.5	12.5	46500	30600	3.58	2.64	9	C33-62C	EL296UH090XV60C	9032365

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA048H4 (208/230V)	48000	14.5	12.7	46500	30400	3.6	2.64	9	C33-62C	EL296UH110XE60C	9032366
TPA048H4 (208/230V)	48000	14.7	12.5	46500	30600	3.58	2.64	9	C33-62C	EL296UH110XV48C	9032367
TPA048H4 (208/230V)	48000	14.5	12.5	46500	30600	3.58	2.64	9	C33-62C	EL296UH110XV60C	9032368
TPA048H4 (208/230V)	48000	15	12.7	46000	30400	3.6	2.66	9	C33-62C	ML180UH090E60C	10590937
TPA048H4 (208/230V)	48000	15	12.7	46000	30400	3.58	2.66	9	C33-62C	ML180UH110E60C	10591047
TPA048H4 (208/230V)	48000	15	12.7	46000	30400	3.58	2.66	9	C33-62C	ML180UH110XE60C	10591124
TPA048H4 (208/230V)	48000	14.7	12.7	46500	30600	3.62	2.66	9	C33-62C	SL280UH090V60C	9032369
TPA048H4 (208/230V)	48000	14.7	12.7	46500	30600	3.62	2.66	9	C33-62C	SL280UH090XV60C	9032370
TPA048H4 (208/230V)	48000	14.7	12.7	46500	30400	3.62	2.66	9	C33-62C	SL280UH110V60C	9032371
TPA048H4 (208/230V)	48000	14.7	12.7	46500	30400	3.62	2.66	9	C33-62C	SL280UH110XV60C	9032372
TPA048H4 (208/230V)	48000	14.5	12.5	46500	30600	3.58	2.62	9	C33-62C	SLP98UH090XV48C	9032373
TPA048H4 (208/230V)	48000	14.5	12.5	46500	30600	3.58	2.64	9	C33-62C	SLP98UH090XV60C	9032374
TPA048H4 (208/230V)	48000	14.5	12.5	46500	30600	3.58	2.64	9	C33-62C	SLP98UH110XV60C	9032375
TPA048H4 (208/230V)	48000	14	12.2	47000	31000	3.5	2.56	8.7	C33-62C		9032376
TPA048H4 (208/230V)	48000	14.7	12.5	46000	30400	3.52	2.6	8.7	C33-62D	EL180UH135E60D	9032377
TPA048H4 (208/230V)	48000	14.5	12.2	46000	30600	3.44	2.56	8.7	C33-62D	EL195UH135XE60D	9032378
TPA048H4 (208/230V)	48000	14.5	12.2	46000	30600	3.44	2.56	8.7	C33-62D	EL296UH135XE60D	9032379
TPA048H4 (208/230V)	48000	14.5	12.5	46000	30400	3.5	2.56	8.7	C33-62D	EL296UH135XV60D	9032380
TPA048H4 (208/230V)	48000	14.7	12.5	46000	30400	3.52	2.6	8.7	C33-62D	ML180UH135E60D	10591173
TPA048H4 (208/230V)	48000	14.5	12.5	46000	30200	3.52	2.56	8.7	C33-62D	SL280UH135V60D	9032381
TPA048H4 (208/230V)	48000	14.5	12.5	46000	30200	3.52	2.56	8.7	C33-62D	SLP98UH135XV60D	9032382
TPA048H4 (208/230V)	48500	15	12.5	47500	30600	3.48	2.58	9	CBA27UHE-048		10262321
TPA048H4 (208/230V)	48000	14.5	12.5	47000	30600	3.62	2.58	8.5	CBA27UHE-060		10262324
TPA048H4 (208/230V)	48000	14	12	47000	30600	3.46	2.56	8.2	CBX25UH-048		9032673
TPA048H4 (208/230V)	48000	14	12	47000	30800	3.42	2.54	8.2	CBX25UH-060		9032674
TPA048H4 (208/230V)	48000	15	12.5	46500	30200	3.54	2.64	8.5	CBX25UHV-048		9032675
TPA048H4 (208/230V)	48000	15	12.5	47000	30400	3.54	2.62	8.2	CBX25UHV-060		9032676
TPA048H4 (208/230V)	48000	15	12.7	47500	30600	3.62	2.56	9.2	CBX27UH-048		9032383
TPA048H4 (208/230V)	48000	15.2	12.7	43500	30000	3.52	2.68	9	CBX27UH-060		9032384
TPA048H4 (208/230V)	48000	14.7	12.5	48000	30800	3.6	2.68	9	CBX32M-048		9032385
TPA048H4 (208/230V)	48000	14.5	12.2	48000	30800	3.52	2.64	8.7	CBX32M-060		9032386
TPA048H4 (208/230V)	48000	15	12.7	47500	30600	3.6	2.7	9	CBX32MV-048		9032387
TPA048H4 (208/230V)	48000	14.7	12.5	48000	30600	3.54	2.64	8.7	CBX32MV-060		9032388
TPA048H4 (208/230V)	48000	14.7	12.5	46000	30400	3.46	2.6	8.7	CBX32MV-068		9032389
TPA048H4 (208/230V)	48000	15	12.7	47500	30600	3.62	2.72	9	CBX40UHV-048		9032390
TPA048H4 (208/230V)	48000	14.7	12.5	48000	30800	3.54	2.66	9	CBX40UHV-060		9032391
TPA048H4 (208/230V)	48000	15.2	13.2	46500	31000	3.66	2.74	9.2	CH23-68	EL180UH090E60C	9032392
TPA048H4 (208/230V)	48000	15.2	13	46500	31000	3.64	2.74	9.2	CH23-68	EL180UH110E60C	9032393
TPA048H4 (208/230V)	48000	15.2	13	46500	31000	3.64	2.74	9.2	CH23-68	EL180UH110XE60C	9032394
TPA048H4 (208/230V)	48000	15.2	13	47000	31000	3.72	2.74	9.2	CH23-68	EL180UH135E60D	9032395
TPA048H4 (208/230V)	48000	15.2	13	47000	31200	3.66	2.74	9.2	CH23-68	EL195UH110XE60C	9032397
TPA048H4 (208/230V)	48000	14.7	12.7	47000	31400	3.64	2.72	9.2	CH23-68	EL195UH135XE60D	9032398
TPA048H4 (208/230V)	48000	15	12.7	47000	31200	3.64	2.72	9.2	CH23-68	EL296UH090XE48C	9032399
TPA048H4 (208/230V)	48000	15.2	13	47000	31200	3.66	2.74	9.2	CH23-68	EL296UH110XE60C	9032400
TPA048H4 (208/230V)	48000	14.7	12.7	47000	31400	3.64	2.72	9.2	CH23-68	EL296UH135XE60D	9032401
TPA048H4 (208/230V)	48000	15.2	13.2	46500	30800	3.64	2.7	9.2	CH23-68	EL296UH135XV60D	9032402
TPA048H4 (208/230V)	48000	15.2	13.2	46500	31000	3.66	2.74	9.2	CH23-68	ML180UH090E60C	10590938
TPA048H4 (208/230V)	48000	15.2	13	46500	31000	3.64	2.74	9.2	CH23-68	ML180UH110E60C	10591048
TPA048H4 (208/230V)	48000	15.2	13	46500	31000	3.64	2.74	9.2	CH23-68	ML180UH110XE60C	10591125
TPA048H4 (208/230V)	48000	15.2	13	47000	31000	3.72	2.74	9.2	CH23-68	ML180UH135E60D	10591174
TPA048H4 (208/230V)	48000	15.2	13.2	46500	30800	3.64	2.7	9.2	CH23-68	SL280UH135V60D	9032403
TPA048H4 (208/230V)	48000	15	13.2	47000	30800	3.66	2.68	9.2	CH23-68	SLP98UH135XV60D	9032404
TPA048H4 (208/230V)	48000	15.2	13	47000	31200	3.66	2.74	9.2	CH23-68		9032405
TPA048H4 (208/230V)	48000	14.7	12.7	45500	29800	3.32	2.54	8.5	CH33-50/60C	EL180UH090E60C	9032406
TPA048H4 (208/230V)	48000	14.2	12.2	46500	30200	3.38	2.52	8.5	CH33-50/60C	EL180UH110E60C	9032407
TPA048H4 (208/230V)	48000	14.2	12.2	46500	30200	3.38	2.52	8.5	CH33-50/60C	EL180UH110XE60C	9032408
TPA048H4 (208/230V)	48000	14.2	12.2	45500	29800	3.28	2.5	8.2	CH33-50/60C	EL195UH090XE48C	9032409
TPA048H4 (208/230V)	48000	14.2	12.5	45500	29800	3.3	2.52	8.2	CH33-50/60C	EL195UH110XE60C	9032410
TPA048H4 (208/230V)	48000	14.2	12.2	45500	29800	3.28	2.5	8.2	CH33-50/60C	EL296UH090XE48C	9032411
TPA048H4 (208/230V)	48000	14.2	12.5	46000	29800	3.34	2.5	8.2	CH33-50/60C	EL296UH090XV48C	9032412
TPA048H4 (208/230V)	48000	14.2	12.2	46000	29800	3.32	2.48	8.2	CH33-50/60C	EL296UH090XV60C	9032413



# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA048H4 (208/230V)	48000	14.2	12.5	45500	29800	3.3	2.52	8.2	CH33-50/60C	EL296UH110XE60C	9032414
TPA048H4 (208/230V)	48000	14.2	12.5	46000	29600	3.34	2.5	8.5	CH33-50/60C	EL296UH110XV48C	9032415
TPA048H4 (208/230V)	48000	14.2	12.5	46000	29800	3.34	2.5	8.2	CH33-50/60C	EL296UH110XV60C	9032416
TPA048H4 (208/230V)	48000	14.7	12.7	45500	29800	3.32	2.54	8.5	CH33-50/60C	ML180UH090E60C	10590939
TPA048H4 (208/230V)	48000	14.2	12.2	46500	30200	3.38	2.52	8.5	CH33-50/60C	ML180UH110E60C	10591049
TPA048H4 (208/230V)	48000	14.2	12.2	46500	30200	3.38	2.52	8.5	CH33-50/60C	ML180UH110XE60C	10591126
TPA048H4 (208/230V)	48000	14.5	12.5	45500	29600	3.4	2.54	8.5	CH33-50/60C	SL280UH080NV60C	10590502
TPA048H4 (208/230V)	48000	14.5	12.5	46000	29600	3.4	2.52	8.5	CH33-50/60C	SL280UH090V60C	9032417
TPA048H4 (208/230V)	48000	14.5	12.5	46000	29600	3.4	2.52	8.5	CH33-50/60C	SL280UH090XV60C	9032418
TPA048H4 (208/230V)	48000	14.2	12.5	46000	29800	3.34	2.5	8.2	CH33-50/60C	SLP98UH090XV48C	9032421
TPA048H4 (208/230V)	48000	14.2	12.2	46000	29800	3.32	2.48	8.2	CH33-50/60C	SLP98UH090XV60C	9032422
TPA048H4 (208/230V)	48000	14.2	12.5	46000	29800	3.34	2.5	8.2	CH33-50/60C	SLP98UH110XV60C	9032423
TPA048H4 (208/230V)	48000	14.7	12.7	46000	30200	3.4	2.58	8.7	CH33-60D	EL180UH135E60D	9032424
TPA048H4 (208/230V)	48000	14.2	12.2	46500	30600	3.38	2.54	8.5	CH33-60D	EL195UH135XE60D	9032425
TPA048H4 (208/230V)	48000	14.2	12.2	46500	30600	3.38	2.54	8.5	CH33-60D	EL296UH135XE60D	9032426
TPA048H4 (208/230V)	48000	14.2	12.5	46500	30200	3.44	2.54	8.7	CH33-60D	EL296UH135XV60D	9032427
TPA048H4 (208/230V)	48000	14.7	12.7	46000	30200	3.4	2.58	8.7	CH33-60D	ML180UH135E60D	10591175
TPA048H4 (208/230V)	48000	14.5	12.7	46000	30000	3.4	2.52	8.7	CH33-60D	SL280UH135V60D	9032428
TPA048H4 (208/230V)	48000	14.2	12.5	46500	30200	3.44	2.54	8.5	CH33-60D	SLP98UH135XV60D	9032429
TPA048H4 (208/230V)	48000	15	12.7	46000	30200	3.44	2.58	8.7	CH33-62D	EL180UH135E60D	9032430
TPA048H4 (208/230V)	48000	14.7	12.2	46000	30400	3.36	2.54	8.7	CH33-62D	EL195UH135XE60D	9032431
TPA048H4 (208/230V)	48000	14.7	12.2	46000	30400	3.36	2.54	8.7	CH33-62D	EL296UH135XE60D	9032432
TPA048H4 (208/230V)	48000	14.7	12.7	46000	30200	3.42	2.54	8.7	CH33-62D	EL296UH135XV60D	9032433
TPA048H4 (208/230V)	48000	15	12.7	46000	30200	3.44	2.58	8.7	CH33-62D	ML180UH135E60D	10591176
TPA048H4 (208/230V)	48000	14.7	12.7	46000	30000	3.44	2.54	8.7	CH33-62D	SL280UH135V60D	9032434
TPA048H4 (208/230V)	48000	14.7	12.7	46000	30200	3.44	2.54	8.7	CH33-62D	SLP98UH135XV60D	9032435
TPA048H4 (208/230V)	48000	14.7	12.2	46000	30400	3.36	2.54	8.7	CH33-62D		9032436
TPA048H4 (208/230V)	48000	15	12.7	48500	31200	3.5	2.66	9	CR33-50/60	EL180DF110E60C	9032437
TPA048H4 (208/230V)	48000	14.2	12.5	49000	31600	3.46	2.62	8.7	CR33-50/60	EL195DF090XE48C	9032438
TPA048H4 (208/230V)	48000	14.2	12.7	48500	31200	3.48	2.64	8.7	CR33-50/60	EL195DF110XE60C	9032439
TPA048H4 (208/230V)	48000	14.2	12.5	49000	31600	3.46	2.62	8.7	CR33-50/60	EL296DF090XE48C	9032440
TPA048H4 (208/230V)	48000	14	12	46500	30600	3.32	2.46	8.5	CR33-50/60	EL296DF090XV60C	9032441
TPA048H4 (208/230V)	48000	14.2	12.7	48500	31200	3.48	2.64	8.7	CR33-50/60	EL296DF110XE60C	9032442
TPA048H4 (208/230V)	49500	14.2	12.5	49000	31600	3.46	2.62	8.7	CR33-50/60	EL296DF110XV60C	9032443
TPA048H4 (208/230V)	48000	15	12.7	48500	31200	3.5	2.66	9	CR33-50/60	ML180DF110E60C	10590570
TPA048H4 (208/230V)	48000	14.7	12.7	48500	31000	3.5	2.62	8.7	CR33-50/60	SL280DF090V60C	9032444
TPA048H4 (208/230V)	48000	14.7	13	48500	31000	3.52	2.64	8.7	CR33-50/60	SL280DF110V60C	9032445
TPA048H4 (208/230V)	48000	14.2	12.5	49000	31400	3.44	2.58	8.7	CR33-50/60	SLP98DF090XV48C	9032446
TPA048H4 (208/230V)	48000	14.2	12.5	49000	31400	3.46	2.6	8.7	CR33-50/60	SLP98DF090XV60C	9032447
TPA048H4 (208/230V)	48000	14.2	12.7	49000	31200	3.46	2.58	8.7	CR33-50/60	SLP98DF110XV60C	9032448
TPA048H4 (208/230V)	48000	15	12.7	48500	31000	3.38	2.54	8.7	CX34-49C	EL180UH090E60C	9032449
TPA048H4 (208/230V)	48000	14.7	12.7	45500	30000	3.36	2.52	8.5	CX34-49C	EL180UH110E60C	9032450
TPA048H4 (208/230V)	48000	14.7	12.7	45500	30000	3.36	2.52	8.5	CX34-49C	EL180UH110XE60C	9032451
TPA048H4 (208/230V)	48000	14.7	12.7	46000	30200	3.38	2.52	8.5	CX34-49C	EL195UH090XE48C	9032452
TPA048H4 (208/230V)	48000	14.5	12.7	46000	30200	3.4	2.54	8.5	CX34-49C	EL195UH110XE60C	9032453
TPA048H4 (208/230V)	48000	14.7	12.7	46000	30200	3.38	2.52	8.5	CX34-49C	EL296UH090XE48C	9032454
TPA048H4 (208/230V)	48000	14.5	12.5	46000	30400	3.38	2.54	8.5	CX34-49C	EL296UH090XV48C	9032455
TPA048H4 (208/230V)	48000	14.5	12.5	46000	30400	3.38	2.54	8.5	CX34-49C	EL296UH090XV60C	9032456
TPA048H4 (208/230V)	48000	14.5	12.7	46000	30200	3.4	2.54	8.5	CX34-49C	EL296UH110XE60C	9032457
TPA048H4 (208/230V)	48000	14.5	12.7	46000	30200	3.38	2.54	8.5	CX34-49C	EL296UH110XV48C	9032458
TPA048H4 (208/230V)	48000	14.5	12.5	46000	30200	3.38	2.52	8.5	CX34-49C	EL296UH110XV60C	9032459
TPA048H4 (208/230V)	48000	15	12.7	48500	31000	3.38	2.54	8.7	CX34-49C	ML180UH090E60C	10590940
TPA048H4 (208/230V)	48000	14.7	12.7	45500	30000	3.36	2.52	8.5	CX34-49C	ML180UH110E60C	10591050
TPA048H4 (208/230V)	48000	14.7	12.7	45500	30000	3.36	2.52	8.5	CX34-49C	ML180UH110XE60C	10591127
TPA048H4 (208/230V)	48000	14.7	12.7	46000	30200	3.42	2.56	8.5	CX34-49C	SL280UH090V60C	9032460
TPA048H4 (208/230V)	48000	14.7	12.7	46000	30000	3.42	2.56	8.5	CX34-49C	SL280UH090XV60C	9032461
TPA048H4 (208/230V)	48000	14.7	12.7	46000	30200	3.42	2.56	8.5	CX34-49C	SL280UH110V60C	9032462
TPA048H4 (208/230V)	48000	14.7	12.7	46000	30200	3.42	2.56	8.5	CX34-49C	SL280UH110XV60C	9032463
TPA048H4 (208/230V)	48000	14.5	12.5	46000	30400	3.38	2.54	8.5	CX34-49C	SLP98UH090XV48C	9032464
TPA048H4 (208/230V)	48000	14.5	12.5	46000	30400	3.38	2.54	8.5	CX34-49C	SLP98UH090XV60C	9032465
TPA048H4 (208/230V)	48000	14.5	12.5	46000	30400	3.38	2.54	8.5	CX34-49C	SLP98UH110XV60C	9032466

## AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA048H4 (208/230V)	48000	14	12	46500	30800	3.3	2.48	8.2	CX34-49C		9032467
TPA048H4 (208/230V)	47500	14.7	12.5	47500	31000	3.14	2.44	8.2	CX34-60D	EL180UH135E60D	9032468
TPA048H4 (208/230V)	47500	14.7	12.5	47500	31000	3.14	2.44	8.2	CX34-60D	ML180UH135E60D	10591177
TPA048H4 (208/230V)	48000	15	12.7	46000	30400	3.6	2.66	9	CX34-62C	EL180UH090E60C	9032469
TPA048H4 (208/230V)	48000	15	12.7	46000	30400	3.58	2.66	9	CX34-62C	EL180UH110E60C	9032470
TPA048H4 (208/230V)	48000	15	12.7	46000	30400	3.58	2.66	9	CX34-62C	EL180UH110XE60C	9032471
TPA048H4 (208/230V)	48000	14.7	12.5	46500	30600	3.58	2.64	9	CX34-62C	EL195UH090XE48C	9032472
TPA048H4 (208/230V)	48000	14.5	12.7	46500	30400	3.6	2.64	9	CX34-62C	EL195UH110XE60C	9032473
TPA048H4 (208/230V)	48000	14.7	12.5	46500	30600	3.58	2.64	9	CX34-62C	EL296UH090XE48C	9032474
TPA048H4 (208/230V)	48000	14.5	12.5	46000	30400	3.58	2.66	9	CX34-62C	EL296UH090XV48C	9032475
TPA048H4 (208/230V)	48000	14.5	12.5	46500	30600	3.58	2.64	9	CX34-62C	EL296UH090XV60C	9032476
TPA048H4 (208/230V)	48000	14.5	12.7	46500	30400	3.6	2.64	9	CX34-62C	EL296UH110XE60C	9032477
TPA048H4 (208/230V)	48000	14.7	12.5	46500	30600	3.58	2.64	9	CX34-62C	EL296UH110XV48C	9032677
TPA048H4 (208/230V)	48000	14.5	12.5	46500	30400	3.6	2.64	9	CX34-62C	EL296UH110XV60C	9032478
TPA048H4 (208/230V)	48000	15	12.7	46000	30400	3.6	2.66	9	CX34-62C	ML180UH090E60C	10590941
TPA048H4 (208/230V)	48000	15	12.7	46000	30400	3.58	2.66	9	CX34-62C	ML180UH110E60C	10591051
TPA048H4 (208/230V)	48000	15	12.7	46000	30400	3.58	2.66	9	CX34-62C	ML180UH110XE60C	10591128
TPA048H4 (208/230V)	48000	14.7	12.7	46500	30600	3.62	2.66	9	CX34-62C	SL280UH090V60C	9032479
TPA048H4 (208/230V)	48000	14.7	12.7	46500	30600	3.62	2.66	9	CX34-62C	SL280UH090XV60C	9032480
TPA048H4 (208/230V)	48000	14.7	12.7	46500	30400	3.62	2.66	9	CX34-62C	SL280UH110V60C	9032481
TPA048H4 (208/230V)	48000	14.7	12.7	46500	30400	3.62	2.66	9	CX34-62C	SL280UH110XV60C	9032482
TPA048H4 (208/230V)	48000	14.5	12.5	46500	30600	3.58	2.62	9	CX34-62C	SLP98UH090XV48C	9032483
TPA048H4 (208/230V)	48000	14.5	12.5	46500	30600	3.58	2.64	9	CX34-62C	SLP98UH090XV60C	9032484
TPA048H4 (208/230V)	48000	14.5	12.5	46500	30600	3.58	2.64	9	CX34-62C	SLP98UH110XV60C	9032485
TPA048H4 (208/230V)	48000	14	12.2	47000	31000	3.5	2.56	8.7	CX34-62C		9032486
TPA048H4 (208/230V)	48000	14.7	12.5	46000	30400	3.52	2.6	8.7	CX34-62D	EL180UH135E60D	9032487
TPA048H4 (208/230V)	48000	14.5	12.2	46000	30600	3.44	2.56	8.7	CX34-62D	EL195UH135XE60D	9032488
TPA048H4 (208/230V)	48000	14.5	12.2	46000	30600	3.44	2.56	8.7	CX34-62D	EL296UH135XE60D	9032489
TPA048H4 (208/230V)	48000	14.5	12.5	46000	30400	3.5	2.56	8.7	CX34-62D	EL296UH135XV60D	9032490
TPA048H4 (208/230V)	48000	14.7	12.5	46000	30400	3.52	2.6	8.7	CX34-62D	ML180UH135E60D	10591178
TPA048H4 (208/230V)	48000	14.5	12.5	46000	30200	3.52	2.56	8.7	CX34-62D	SL280UH135V60D	9032491
TPA048H4 (208/230V)	48000	14.5	12.5	46000	30200	3.52	2.56	8.7	CX34-62D	SLP98UH135XV60D	9032492
TPA048H4 (460V)	48000	15	12.7	46000	31000	3.38	2.54	8.7	C33-49C	EL180UH090E60C	9032493
TPA048H4 (460V)	48000	14.7	12.7	45500	30000	3.36	2.52	8.5	C33-49C	EL180UH110E60C	9032494
TPA048H4 (460V)	48000	14.7	12.7	45500	30000	3.36	2.52	8.5	C33-49C	EL180UH110XE60C	9032495
TPA048H4 (460V)	48000	14.7	12.7	46000	30200	3.38	2.52	8.5	C33-49C	EL195UH090XE48C	9032496
TPA048H4 (460V)	48000	14.5	12.7	46000	30200	3.4	2.54	8.5	C33-49C	EL195UH110XE60C	9032497
TPA048H4 (460V)	48000	14.7	12.7	46000	30200	3.38	2.52	8.5	C33-49C	EL296UH090XE48C	9032498
TPA048H4 (460V)	48000	14.5	12.5	46000	30400	3.38	2.54	8.5	C33-49C	EL296UH090XV48C	9032499
TPA048H4 (460V)	48000	14.5	12.5	46000	30400	3.38	2.54	8.5	C33-49C	EL296UH090XV60C	9032500
TPA048H4 (460V)	48000	14.5	12.7	46000	30200	3.4	2.54	8.5	C33-49C	EL296UH110XE60C	9032678
TPA048H4 (460V)	48000	14.5	12.7	46000	30200	3.38	2.54	8.5	C33-49C	EL296UH110XV48C	9032501
TPA048H4 (460V)	48000	14.5	12.5	46000	30200	3.38	2.52	8.5	C33-49C	EL296UH110XV60C	9032502
TPA048H4 (460V)	48000	15	12.7	46000	31000	3.38	2.54	8.7	C33-49C	ML180UH090E60C	10590942
TPA048H4 (460V)	48000	14.7	12.7	45500	30000	3.36	2.52	8.5	C33-49C	ML180UH110E60C	10591052
TPA048H4 (460V)	48000	14.7	12.7	45500	30000	3.36	2.52	8.5	C33-49C	ML180UH110XE60C	10591129
TPA048H4 (460V)	48000	14.7	12.7	46000	30200	3.42	2.56	8.5	C33-49C	SL280UH090V60C	9032503
TPA048H4 (460V)	48000	14.7	12.7	46000	30200	3.42	2.56	8.5	C33-49C	SL280UH090XV60C	9032504
TPA048H4 (460V)	48000	14.7	12.7	46000	30200	3.42	2.56	8.5	C33-49C	SL280UH110V60C	9032506
TPA048H4 (460V)	48000	14.7	12.7	46000	30200	3.42	2.56	8.5	C33-49C	SL280UH110XV60C	9032505
TPA048H4 (460V)	48000	14.5	12.5	46000	30400	3.38	2.54	8.5	C33-49C	SLP98UH090XV48C	9032507
TPA048H4 (460V)	48000	14.5	12.5	46000	30400	3.38	2.54	8.5	C33-49C	SLP98UH090XV60C	9032508
TPA048H4 (460V)	48000	14.5	12.5	46000	30400	3.38	2.54	8.5	C33-49C	SLP98UH110XV60C	9032509
TPA048H4 (460V)	48000	14	12	46500	30800	3.3	2.48	8.2	C33-49C		9032510
TPA048H4 (460V)	47500	14.7	12.5	47500	31000	3.14	2.44	8.2	C33-60D	EL180UH135E60D	9032511
TPA048H4 (460V)	47500	14.7	12.5	47500	31000	3.14	2.44	8.2	C33-60D	ML180UH135E60D	10591179
TPA048H4 (460V)	48000	15	12.7	46000	30400	3.6	2.66	9	C33-62C	EL180UH090E60C	9032512
TPA048H4 (460V)	48000	15	12.7	46000	30400	3.58	2.66	9	C33-62C	EL180UH110E60C	9032513
TPA048H4 (460V)	48000	15	12.7	46000	30400	3.58	2.66	9	C33-62C	EL180UH110XE60C	9032514
TPA048H4 (460V)	48000	14.7	12.5	46500	30600	3.58	2.64	9	C33-62C	EL195UH090XE48C	9032515
TPA048H4 (460V)	48000	14.5	12.7	46500	30400	3.6	2.64	9	C33-62C	EL195UH110XE60C	9032516

## AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA048H4 (460V)	48000	14.7	12.5	46500	30600	3.58	2.64	9	C33-62C	EL296UH090XE48C	9032517
TPA048H4 (460V)	48000	14.5	12.5	47500	31000	3.14	2.44	8.2	C33-62C	EL296UH090XV48C	9032518
TPA048H4 (460V)	48000	14.5	12.5	46500	30600	3.58	2.64	9	C33-62C	EL296UH090XV60C	9032519
TPA048H4 (460V)	48000	14.5	12.7	46500	30400	3.6	2.64	9	C33-62C	EL296UH110XE60C	9032520
TPA048H4 (460V)	48000	14.7	12.5	46500	30600	3.58	2.64	9	C33-62C	EL296UH110XV48C	9032521
TPA048H4 (460V)	48000	14.5	12.5	46500	30600	3.58	2.64	9	C33-62C	EL296UH110XV60C	9032522
TPA048H4 (460V)	48000	15	12.7	46000	30400	3.6	2.66	9	C33-62C	ML180UH090E60C	10590943
TPA048H4 (460V)	48000	15	12.7	46000	30400	3.58	2.66	9	C33-62C	ML180UH110E60C	10591053
TPA048H4 (460V)	48000	15	12.7	46000	30400	3.58	2.66	9	C33-62C	ML180UH110XE60C	10591130
TPA048H4 (460V)	48000	14.7	12.7	46500	30600	3.62	2.66	9	C33-62C	SL280UH090V60C	9032523
TPA048H4 (460V)	48000	14.7	12.7	46500	30600	3.62	2.66	9	C33-62C	SL280UH090XV60C	9032524
TPA048H4 (460V)	48000	14.7	12.7	46500	30400	3.62	2.66	9	C33-62C	SL280UH110V60C	9032525
TPA048H4 (460V)	48000	14.7	12.7	46500	30400	3.62	2.66	9	C33-62C	SL280UH110XV60C	9032526
TPA048H4 (460V)	48000	14.5	12.5	46500	30600	3.58	2.62	9	C33-62C	SLP98UH090XV48C	9032527
TPA048H4 (460V)	48000	14.5	12.5	46500	30600	3.58	2.64	9	C33-62C	SLP98UH090XV60C	9032528
TPA048H4 (460V)	48000	14.5	12.5	46500	30600	3.58	2.64	9	C33-62C	SLP98UH110XV60C	9032529
TPA048H4 (460V)	48000	14	12.2	47000	31000	3.5	2.56	8.7	C33-62C		9032530
TPA048H4 (460V)	48000	14.7	12.5	46000	30400	3.52	2.6	8.7	C33-62D	EL180UH135E60D	9032531
TPA048H4 (460V)	48000	14.5	12.2	46000	30600	3.44	2.56	8.7	C33-62D	EL195UH135XE60D	9032532
TPA048H4 (460V)	48000	14.5	12.2	46000	30600	3.44	2.56	8.7	C33-62D	EL296UH135XE60D	9032533
TPA048H4 (460V)	48000	14.5	12.5	46000	30400	3.5	2.56	8.7	C33-62D	EL296UH135XV60D	9032534
TPA048H4 (460V)	48000	14.7	12.5	46000	30400	3.52	2.6	8.7	C33-62D	ML180UH135E60D	10591180
TPA048H4 (460V)	48000	14.5	12.5	46000	30200	3.52	2.56	8.7	C33-62D	SL280UH135V60D	9032535
TPA048H4 (460V)	48000	14.5	12.5	46000	30200	3.52	2.56	8.7	C33-62D	SLP98UH135XV60D	9032536
TPA048H4 (460V)	48500	15	12.5	47500	30600	3.48	2.58	9	CBA27UHE-048		10262320
TPA048H4 (460V)	48500	15	12.5	47500	30600	3.48	2.58	9	CBA27UHE-048-460		10262319
TPA048H4 (460V)	48000	14.5	12.5	47000	30600	3.62	2.58	8.5	CBA27UHE-060		10262323
TPA048H4 (460V)	48000	14.5	12.5	47000	30600	3.62	2.58	8.5	CBA27UHE-060-460		10262322
TPA048H4 (460V)	48000	14	12	47000	30600	3.46	2.56	8.2	CBX25UH-048		9032679
TPA048H4 (460V)	48000	14	12	47000	30800	3.42	2.54	8.2	CBX25UH-060		9032680
TPA048H4 (460V)	48000	15	12.5	46500	30200	3.54	2.64	8.5	CBX25UHV-048		9032681
TPA048H4 (460V)	48000	15	12.5	47000	30400	3.54	2.62	8.2	CBX25UHV-060		9032682
TPA048H4 (460V)	48000	15	12.7	47500	30600	3.62	2.56	9.2	CBX27UH-048		9032537
TPA048H4 (460V)	48000	15.2	12.7	43500	30000	3.52	2.68	9	CBX27UH-060		9032538
TPA048H4 (460V)	48000	14.7	12.5	48000	30800	3.6	2.68	9	CBX32M-048		9032539
TPA048H4 (460V)	48000	14.5	12.2	48000	30800	3.52	2.64	8.7	CBX32M-060		9032540
TPA048H4 (460V)	48000	15	12.7	47500	30600	3.6	2.7	9	CBX32MV-048		9032541
TPA048H4 (460V)	48000	14.7	12.5	48000	30600	3.54	2.64	8.7	CBX32MV-060		9032542
TPA048H4 (460V)	48000	14.7	12.5	46000	30400	3.46	2.6	8.7	CBX32MV-068		9032543
TPA048H4 (460V)	48000	15	12.7	47500	30600	3.62	2.72	9	CBX40UHV-048		9032544
TPA048H4 (460V)	48000	14.7	12.5	48000	30800	3.54	2.66	9	CBX40UHV-060		9032545
TPA048H4 (460V)	48000	15.2	13.2	46500	31000	3.66	2.74	9.2	CH23-68	EL180UH090E60C	9032546
TPA048H4 (460V)	48000	15.2	13	46500	31000	3.64	2.74	9.2	CH23-68	EL180UH110E60C	9032547
TPA048H4 (460V)	48000	15.2	13	46500	31000	3.64	2.74	9.2	CH23-68	EL180UH110XE60C	9032548
TPA048H4 (460V)	48000	15.2	13	47000	31000	3.72	2.74	9.2	CH23-68	EL180UH135E60D	9032549
TPA048H4 (460V)	48000	15.2	13	47000	31200	3.66	2.74	9.2	CH23-68	EL195UH110XE60C	9032551
TPA048H4 (460V)	48000	14.7	12.7	47000	31400	3.64	2.72	9.2	CH23-68	EL195UH135XE60D	9032552
TPA048H4 (460V)	48000	15	12.7	47000	31200	3.64	2.72	9.2	CH23-68	EL296UH090XE48C	9032553
TPA048H4 (460V)	48000	15.2	13	47000	31200	3.66	2.74	9.2	CH23-68	EL296UH110XE60C	9032554
TPA048H4 (460V)	48000	14.7	12.7	47000	31400	3.64	2.72	9.2	CH23-68	EL296UH135XE60D	9032555
TPA048H4 (460V)	48000	15.2	13.2	46500	30800	3.64	2.7	9.2	CH23-68	EL296UH135XV60D	9032556
TPA048H4 (460V)	48000	15.2	13.2	46500	31000	3.66	2.74	9.2	CH23-68	ML180UH090E60C	10590944
TPA048H4 (460V)	48000	15.2	13	46500	31000	3.64	2.74	9.2	CH23-68	ML180UH110E60C	10591054
TPA048H4 (460V)	48000	15.2	13	46500	31000	3.64	2.74	9.2	CH23-68	ML180UH110XE60C	10591131
TPA048H4 (460V)	48000	15.2	13	47000	31000	3.72	2.74	9.2	CH23-68	ML180UH135E60D	10591181
TPA048H4 (460V)	48000	15.2	13.2	46500	30800	3.64	2.7	9.2	CH23-68	SL280UH135V60D	9032557
TPA048H4 (460V)	48000	15	13.2	47000	30800	3.66	2.68	9.2	CH23-68	SLP98UH135XV60D	9032558
TPA048H4 (460V)	48000	15.2	13	46500	31000	3.64	2.74	9.2	CH23-68		9032559
TPA048H4 (460V)	48000	14.7	12.7	45500	29800	3.32	2.54	8.5	CH33-50/60C	EL180UH090E60C	9032560
TPA048H4 (460V)	48000	14.2	12.2	46500	30200	3.38	2.52	8.5	CH33-50/60C	EL180UH110E60C	9032561
TPA048H4 (460V)	48000	14.2	12.2	46500	30200	3.38	2.52	8.5	CH33-50/60C	EL180UH110XE60C	9032562

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA048H4 (460V)	48000	14.2	12.2	45500	29800	3.28	2.5	8.2	CH33-50/60C	EL195UH090XE48C	9032563
TPA048H4 (460V)	48000	14.2	12.5	45500	29800	3.3	2.52	8.2	CH33-50/60C	EL195UH110XE60C	9032564
TPA048H4 (460V)	48000	14.2	12.2	45500	29800	3.28	2.5	8.2	CH33-50/60C	EL296UH090XE48C	9032565
TPA048H4 (460V)	48000	14.2	12.5	46000	29800	3.34	2.5	8.2	CH33-50/60C	EL296UH090XV48C	9032566
TPA048H4 (460V)	48000	14.2	12.2	46000	29800	3.32	2.48	8.2	CH33-50/60C	EL296UH090XV60C	9032567
TPA048H4 (460V)	48000	14.2	12.5	45500	29800	3.3	2.52	8.2	CH33-50/60C	EL296UH110XE60C	9032568
TPA048H4 (460V)	48000	14.2	12.5	46000	29600	3.34	2.5	8.5	CH33-50/60C	EL296UH110XV48C	9032569
TPA048H4 (460V)	48000	14.2	12.5	46000	29800	3.34	2.5	8.2	CH33-50/60C	EL296UH110XV60C	9032570
TPA048H4 (460V)	48000	14.7	12.7	45500	29800	3.32	2.54	8.5	CH33-50/60C	ML180UH090E60C	10590945
TPA048H4 (460V)	48000	14.2	12.2	46500	30200	3.38	2.52	8.5	CH33-50/60C	ML180UH110E60C	10591055
TPA048H4 (460V)	48000	14.2	12.2	46500	30200	3.38	2.52	8.5	CH33-50/60C	ML180UH110XE60C	10591132
TPA048H4 (460V)	48000	14.5	12.5	45500	29600	3.4	2.54	8.5	CH33-50/60C	SL280UH080NV60C	10590501
TPA048H4 (460V)	48000	14.5	12.5	46000	29600	3.4	2.52	8.5	CH33-50/60C	SL280UH090V60C	9032571
TPA048H4 (460V)	48000	14.5	12.5	46000	29600	3.4	2.52	8.5	CH33-50/60C	SL280UH090XV60C	9032572
TPA048H4 (460V)	48000	14.2	12.5	46000	29800	3.34	2.5	8.2	CH33-50/60C	SLP98UH090XV48C	9032575
TPA048H4 (460V)	48000	14.2	12.2	46000	29800	3.32	2.48	8.2	CH33-50/60C	SLP98UH090XV60C	9032576
TPA048H4 (460V)	48000	14.2	12.5	46000	29800	3.34	2.5	8.2	CH33-50/60C	SLP98UH110XV60C	9032577
TPA048H4 (460V)	48000	14.7	12.7	46000	30200	3.4	2.58	8.2	CH33-60D	EL180UH135E60D	9032578
TPA048H4 (460V)	48000	14.2	12.2	46500	30600	3.38	2.54	8.5	CH33-60D	EL195UH135XE60D	9032579
TPA048H4 (460V)	48000	14.2	12.2	46500	30600	3.38	2.54	8.5	CH33-60D	EL296UH135XE60D	9032580
TPA048H4 (460V)	48000	14.2	12.5	46500	30200	3.44	2.54	8.7	CH33-60D	EL296UH135XV60D	9032581
TPA048H4 (460V)	48000	14.7	12.7	46000	30200	3.4	2.58	8.7	CH33-60D	ML180UH135E60D	10591182
TPA048H4 (460V)	48000	14.5	12.7	46000	30000	3.4	2.52	8.7	CH33-60D	SL280UH135V60D	9032582
TPA048H4 (460V)	48000	14.2	12.5	46500	30200	3.44	2.54	8.5	CH33-60D	SLP98UH135XV60D	9032583
TPA048H4 (460V)	48000	15	12.7	46000	30200	3.44	2.58	8.7	CH33-62D	EL180UH135E60D	9032584
TPA048H4 (460V)	48000	14.7	12.2	46000	30400	3.36	2.54	8.7	CH33-62D	EL195UH135XE60D	9032585
TPA048H4 (460V)	48000	14.7	12.2	46000	30400	3.36	2.54	8.7	CH33-62D	EL296UH135XE60D	9032586
TPA048H4 (460V)	48000	14.7	12.7	46000	30200	3.42	2.54	8.7	CH33-62D	EL296UH135XV60D	9032587
TPA048H4 (460V)	48000	15	12.7	46000	30200	3.44	2.58	8.7	CH33-62D	ML180UH135E60D	10591183
TPA048H4 (460V)	48000	14.7	12.7	46000	30000	3.44	2.54	8.7	CH33-62D	SL280UH135V60D	9032588
TPA048H4 (460V)	48000	14.7	12.7	46000	30200	3.44	2.54	8.7	CH33-62D	SLP98UH135XV60D	9032589
TPA048H4 (460V)	48000	14.2	12.2	46500	30600	3.38	2.54	8.5	CH33-62D		9032590
TPA048H4 (460V)	48000	15	12.7	48500	31200	3.5	2.66	9	CR33-50/60	EL180DF110E60C	9032591
TPA048H4 (460V)	48000	14.2	12.5	49000	31600	3.46	2.62	8.7	CR33-50/60	EL195DF090XE48C	9032592
TPA048H4 (460V)	48000	14.2	12.7	48500	31200	3.48	2.64	8.7	CR33-50/60	EL195DF110XE60C	9032593
TPA048H4 (460V)	48000	14.2	12.5	49000	31600	3.46	2.62	8.7	CR33-50/60	EL296DF090XE48C	9032594
TPA048H4 (460V)	48000	15	12.7	46000	30200	3.44	2.58	8.7	CR33-50/60	EL296DF090XV60C	9032595
TPA048H4 (460V)	48000	14.2	12.2	48500	31200	3.48	2.64	8.7	CR33-50/60	EL296DF110XE60C	9032596
TPA048H4 (460V)	49500	14.2	12.5	46000	30400	3.36	2.54	8.7	CR33-50/60	EL296DF110XV60C	9032597
TPA048H4 (460V)	48000	15	12.7	48500	31200	3.5	2.66	9	CR33-50/60	ML180DF110E60C	10590571
TPA048H4 (460V)	48000	14.7	12.7	48500	31000	3.5	2.62	8.7	CR33-50/60	SL280DF090V60C	9032598
TPA048H4 (460V)	48000	14.7	13	48500	31000	3.52	2.64	8.7	CR33-50/60	SL280DF110V60C	9032599
TPA048H4 (460V)	48000	14.2	12.5	49000	31400	3.44	2.58	8.7	CR33-50/60	SLP98DF090XV48C	9032600
TPA048H4 (460V)	48000	14.2	12.5	49000	31400	3.46	2.6	8.7	CR33-50/60	SLP98DF090XV60C	9032601
TPA048H4 (460V)	48000	14.2	12.7	49000	31200	3.46	2.58	8.7	CR33-50/60	SLP98DF110XV60C	9032602
TPA048H4 (460V)	48000	15	12.7	49000	31000	3.38	2.54	8.7	CX34-49C	EL180UH090E60C	9032603
TPA048H4 (460V)	48000	14.7	12.7	45500	30000	3.36	2.52	8.5	CX34-49C	EL180UH110E60C	9032604
TPA048H4 (460V)	48000	14.7	12.7	45500	30000	3.36	2.52	8.5	CX34-49C	EL180UH110XE60C	9032605
TPA048H4 (460V)	48000	14.7	12.7	46000	30200	3.38	2.52	8.5	CX34-49C	EL195UH090XE48C	9032606
TPA048H4 (460V)	48000	14.5	12.7	46000	30200	3.4	2.54	8.5	CX34-49C	EL195UH110XE60C	9032607
TPA048H4 (460V)	48000	14.7	12.7	46000	30200	3.38	2.52	8.5	CX34-49C	EL296UH090XE48C	9032608
TPA048H4 (460V)	48000	14.5	12.5	46000	30400	3.38	2.54	8.5	CX34-49C	EL296UH090XV48C	9032609
TPA048H4 (460V)	48000	14.5	12.5	46000	30400	3.38	2.54	8.5	CX34-49C	EL296UH090XV60C	9032610
TPA048H4 (460V)	48000	14.5	12.7	46000	30200	3.4	2.54	8.5	CX34-49C	EL296UH110XE60C	9032611
TPA048H4 (460V)	48000	14.5	12.7	46000	30200	3.38	2.54	8.5	CX34-49C	EL296UH110XV48C	9032612
TPA048H4 (460V)	48000	14.5	12.5	46000	30200	3.38	2.52	8.5	CX34-49C	EL296UH110XV60C	9032613
TPA048H4 (460V)	48000	15	12.7	49000	31000	3.38	2.54	8.7	CX34-49C	ML180UH090E60C	10590946
TPA048H4 (460V)	48000	14.7	12.7	45500	30000	3.36	2.52	8.5	CX34-49C	ML180UH110E60C	10591056
TPA048H4 (460V)	48000	14.7	12.7	45500	30000	3.36	2.52	8.5	CX34-49C	ML180UH110XE60C	10591133
TPA048H4 (460V)	48000	14.7	12.7	46000	30200	3.42	2.56	8.5	CX34-49C	SL280UH090V60C	9032614
TPA048H4 (460V)	48000	14.7	12.7	46000	30200	3.42	2.56	8.5	CX34-49C	SL280UH090XV60C	9032615

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA048H4 (460V)	48000	14.7	12.7	46000	30200	3.42	2.56	8.5	CX34-49C	SL280UH110V60C	9032616
TPA048H4 (460V)	48000	14.7	12.7	46000	30200	3.42	2.56	8.5	CX34-49C	SL280UH110XV60C	9032617
TPA048H4 (460V)	48000	14.5	12.5	46000	30400	3.38	2.54	8.5	CX34-49C	SLP98UH090XV48C	9032618
TPA048H4 (460V)	48000	14.5	12.5	46000	30400	3.38	2.54	8.5	CX34-49C	SLP98UH090XV60C	9032619
TPA048H4 (460V)	48000	14	12	46500	30800	3.3	2.48	8.2	CX34-49C	SLP98UH110XV60C	9032620
TPA048H4 (460V)	47500	14.7	12.5	47500	31000	3.14	2.44	8.2	CX34-60D	EL180UH135E60D	9032622
TPA048H4 (460V)	47500	14.7	12.5	47500	31000	3.14	2.44	8.2	CX34-60D	ML180UH135E60D	10591184
TPA048H4 (460V)	48000	15	12.7	46000	30400	3.6	2.66	9	CX34-62C	EL180UH090E60C	9032623
TPA048H4 (460V)	48000	15	12.7	46000	30400	3.58	2.66	9	CX34-62C	EL180UH110E60C	9032624
TPA048H4 (460V)	48000	15	12.7	46000	30400	3.58	2.66	9	CX34-62C	EL180UH110XE60C	9032625
TPA048H4 (460V)	48000	14.7	12.5	46500	30600	3.58	2.64	9	CX34-62C	EL195UH090XE48C	9032626
TPA048H4 (460V)	48000	14.5	12.7	46500	30400	3.6	2.64	9	CX34-62C	EL195UH110XE60C	9032627
TPA048H4 (460V)	48000	14.7	12.5	46500	30600	3.58	2.64	9	CX34-62C	EL296UH090XE48C	9032628
TPA048H4 (460V)	48000	14.5	12.5	46000	30000	3.4	2.48	8.5	CX34-62C	EL296UH090XV48C	9032629
TPA048H4 (460V)	48000	14.5	12.5	46500	30600	3.58	2.64	9	CX34-62C	EL296UH090XV60C	9032630
TPA048H4 (460V)	48000	14.5	12.7	46500	30400	3.6	2.64	9	CX34-62C	EL296UH110XE60C	9032631
TPA048H4 (460V)	48000	14.7	12.5	46500	30600	3.58	2.64	9	CX34-62C	EL296UH110XV48C	9032683
TPA048H4 (460V)	48000	14.5	12.5	46500	30400	3.32	2.44	8.2	CX34-62C	EL296UH110XV60C	9032632
TPA048H4 (460V)	48000	15	12.7	46000	30400	3.6	2.66	9	CX34-62C	ML180UH090E60C	10590947
TPA048H4 (460V)	48000	15	12.7	46000	30400	3.58	2.66	9	CX34-62C	ML180UH110E60C	10591057
TPA048H4 (460V)	48000	15	12.7	46000	30400	3.58	2.66	9	CX34-62C	ML180UH110XE60C	10591134
TPA048H4 (460V)	48000	14.7	12.7	46500	30600	3.62	2.66	9	CX34-62C	SL280UH090V60C	9032633
TPA048H4 (460V)	48000	14.7	12.7	46500	30600	3.62	2.66	9	CX34-62C	SL280UH090XV60C	9032634
TPA048H4 (460V)	48000	14.7	12.7	46500	30400	3.62	2.66	9	CX34-62C	SL280UH110V60C	9032635
TPA048H4 (460V)	48000	14.7	12.7	46500	30400	3.62	2.66	9	CX34-62C	SL280UH110XV60C	9032636
TPA048H4 (460V)	48000	14.5	12.5	46500	30600	3.58	2.62	9	CX34-62C	SLP98UH090XV48C	9032637
TPA048H4 (460V)	48000	14.5	12.5	46500	30600	3.58	2.64	9	CX34-62C	SLP98UH090XV60C	9032638
TPA048H4 (460V)	48000	14.5	12.5	46500	30600	3.58	2.64	9	CX34-62C	SLP98UH110XV60C	9032639
TPA048H4 (460V)	48000	14	12.2	47000	31000	3.5	2.56	8.7	CX34-62C		9032640
TPA048H4 (460V)	48000	14.7	12.5	46000	30400	3.52	2.6	8.7	CX34-62D	EL180UH135E60D	9032641
TPA048H4 (460V)	48000	14.5	12.2	46000	30600	3.44	2.56	8.7	CX34-62D	EL195UH135XE60D	9032642
TPA048H4 (460V)	48000	14.5	12.2	46000	30600	3.44	2.56	8.7	CX34-62D	EL296UH135XE60D	9032643
TPA048H4 (460V)	48000	14.5	12.5	46000	30400	3.5	2.56	8.7	CX34-62D	EL296UH135XV60D	9032644
TPA048H4 (460V)	48000	14.7	12.5	46000	30400	3.52	2.6	8.7	CX34-62D	ML180UH135E60D	10591185
TPA048H4 (460V)	48000	14.5	12.5	46000	30200	3.52	2.56	8.7	CX34-62D	SL280UH135V60D	9032645
TPA048H4 (460V)	48000	14.5	12.5	46000	30200	3.52	2.56	8.7	CX34-62D	SLP98UH135XV60D	9032646
TPA060H4 (208/230V)	57500	14.5	12	53500	34200	3.32	2.44	8.2	C33-60D	EL180UH135E60D	9032650
TPA060H4 (208/230V)	57500	14	11.9	54000	34600	3.28	2.42	8.2	C33-60D	EL195UH135XE60D	9032651
TPA060H4 (208/230V)	57500	14.5	12	53500	34200	3.32	2.44	8.2	C33-60D	ML180UH135E60D	10591186
TPA060H4 (208/230V)	60000	15.2	12.5	54000	35400	3.3	2.6	8.7	C33-62C	EL180UH090E60C	9031026
TPA060H4 (208/230V)	60000	15	12.5	54000	35400	3.3	2.58	8.5	C33-62C	EL180UH110E60C	9031027
TPA060H4 (208/230V)	60000	15	12.5	54000	35400	3.3	2.58	8.5	C33-62C	EL180UH110XE60C	9031028
TPA060H4 (208/230V)	60000	15	12.5	54000	35400	3.28	2.58	8.5	C33-62C	EL195UH110XE60C	9031029
TPA060H4 (208/230V)	60000	14.5	12.2	53500	35400	3.22	2.56	8.5	C33-62C	EL296UH090XV60C	9031030
TPA060H4 (208/230V)	60000	15	12.5	54000	35400	3.28	2.58	8.5	C33-62C	EL296UH110XE60C	9031031
TPA060H4 (208/230V)	60000	14.7	12.2	54500	35800	3.3	2.58	8.5	C33-62C	EL296UH110XV60C	9031032
TPA060H4 (208/230V)	60000	15.2	12.5	54000	35400	3.3	2.6	8.7	C33-62C	ML180UH090E60C	10590892
TPA060H4 (208/230V)	60000	15	12.5	54000	35400	3.3	2.58	8.5	C33-62C	ML180UH110E60C	10591005
TPA060H4 (208/230V)	60000	15	12.5	54000	35400	3.3	2.58	8.5	C33-62C	ML180UH110XE60C	10591082
TPA060H4 (208/230V)	60000	15	12.5	54000	35600	3.32	2.6	8.7	C33-62C	SL280UH090V60C	9031033
TPA060H4 (208/230V)	60000	15	12.5	54000	35600	3.32	2.6	8.7	C33-62C	SL280UH090XV60C	9031034
TPA060H4 (208/230V)	60000	14.7	12.2	54500	35800	3.32	2.6	8.5	C33-62C	SL280UH110V60C	9031035
TPA060H4 (208/230V)	60000	14.7	12.2	54500	35800	3.32	2.6	8.5	C33-62C	SL280UH110XV60C	9031036
TPA060H4 (208/230V)	60000	14.5	12.2	53500	35400	3.22	2.56	8.5	C33-62C	SLP98UH090XV60C	9031037
TPA060H4 (208/230V)	60000	14.7	12.2	54500	35800	3.3	2.58	8.5	C33-62C	SLP98UH110XV60C	9031038
TPA060H4 (208/230V)	60000	14.7	12.2	54500	35800	3.28	2.56	8.5	C33-62C		9031039
TPA060H4 (208/230V)	57500	14.5	12.2	54000	35800	3.2	2.46	8.2	C33-62D	EL180UH135E60D	9031040
TPA060H4 (208/230V)	57500	14.2	12	54500	36200	3.18	2.44	8.2	C33-62D	EL195UH135XE60D	9031041
TPA060H4 (208/230V)	57500	14.2	12	54500	36200	3.18	2.44	8.2	C33-62D	EL296UH135XE60D	9031042
TPA060H4 (208/230V)	57500	14.2	12	54500	35800	3.22	2.46	8.2	C33-62D	EL296UH135XV60D	9031043

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA060H4 (208/230V)	57500	14.5	12.2	54000	35800	3.2	2.46	8.2	C33-62D	ML180UH135E60D	10591150
TPA060H4 (208/230V)	57500	14.5	12.2	54500	35800	3.22	2.46	8.2	C33-62D	SLP98UH135XV60D	9031045
TPA060H4 (208/230V)	59000	15	12.5	55500	36200	3.52	2.74	8.5	CBA27UHE-060		10262327
TPA060H4 (208/230V)	58500	14	12	55000	35800	3.3	2.56	8.2	CBX25UH-060		9032653
TPA060H4 (208/230V)	58500	14.5	12.5	54000	34800	3.32	2.6	8.5	CBX25UHV-060		9032654
TPA060H4 (208/230V)	60000	15	12.5	55000	35400	3.52	2.72	8.5	CBX27UH-060		9031046
TPA060H4 (208/230V)	59500	14.5	12	56000	36400	3.26	2.58	8.5	CBX32M-060		9031047
TPA060H4 (208/230V)	59500	14.5	12	56000	36600	3.26	2.58	8.5	CBX32MV-060		9031048
TPA060H4 (208/230V)	59000	14.5	12.2	53000	35200	3.32	2.56	8.7	CBX32MV-068		9031049
TPA060H4 (208/230V)	59500	14.5	12	56000	36600	3.24	2.58	8.5	CBX40UHV-060		9031050
TPA060H4 (208/230V)	60000	15	12.5	56500	36600	3.52	2.7	9	CH23-68	EL180UH090E60C	9031051
TPA060H4 (208/230V)	59500	14.7	12.5	56500	36800	3.5	2.7	9	CH23-68	EL180UH110E60C	9031052
TPA060H4 (208/230V)	59500	14.7	12.5	56500	36800	3.5	2.7	9	CH23-68	EL180UH110XE60C	9031053
TPA060H4 (208/230V)	60000	15	12.7	56500	36800	3.56	2.72	9	CH23-68	EL180UH135E60D	9031054
TPA060H4 (208/230V)	60000	15	12.5	56500	36600	3.52	2.7	9	CH23-68	EL195UH110XE60C	9031055
TPA060H4 (208/230V)	60000	14.7	12.2	57000	37000	3.52	2.68	9	CH23-68	EL195UH135XE60D	9031056
TPA060H4 (208/230V)	60000	15	12.5	56500	36600	3.52	2.7	9	CH23-68	EL296UH110XE60C	9031057
TPA060H4 (208/230V)	60000	14.7	12.2	57000	37000	3.52	2.68	9	CH23-68	EL296UH135XE60D	9031058
TPA060H4 (208/230V)	60000	14.7	12.5	57000	37000	3.54	2.7	9	CH23-68	EL296UH135XV60D	9031059
TPA060H4 (208/230V)	60000	15	12.5	56500	36600	3.52	2.7	9	CH23-68	ML180UH090E60C	10590893
TPA060H4 (208/230V)	59500	14.7	12.5	56500	36800	3.5	2.7	9	CH23-68	ML180UH110E60C	10591006
TPA060H4 (208/230V)	59500	14.7	12.5	56500	36800	3.5	2.7	9	CH23-68	ML180UH110XE60C	10591083
TPA060H4 (208/230V)	60000	15	12.7	56500	36800	3.56	2.72	9	CH23-68	ML180UH135E60D	10591151
TPA060H4 (208/230V)	60000	15	12.5	57000	37000	3.54	2.7	9	CH23-68	SLP98UH135XV60D	9031060
TPA060H4 (208/230V)	59500	14.2	12.2	57000	37200	3.44	2.64	8.7	CH23-68		9031061
TPA060H4 (208/230V)	57000	14	11.7	54000	34600	3.26	2.42	8.2	CH33-60D	EL195UH135XE60D	9032655
TPA060H4 (208/230V)	57000	14	11.7	54000	34600	3.26	2.42	8.2	CH33-60D	EL296UH135XE60D	9032656
TPA060H4 (208/230V)	57500	14.5	12.2	53000	35400	3.24	2.54	8.5	CH33-62D	EL180UH135E60D	9031062
TPA060H4 (208/230V)	57500	14.2	12	53500	35600	3.22	2.48	8.5	CH33-62D	EL195UH135XE60D	9031063
TPA060H4 (208/230V)	57500	14.2	12	53500	35600	3.22	2.48	8.5	CH33-62D	EL296UH135XE60D	9031064
TPA060H4 (208/230V)	57500	14.2	12.2	53500	35400	3.26	2.5	8.5	CH33-62D	EL296UH135XV60D	9031065
TPA060H4 (208/230V)	57500	14.5	12.2	53000	35400	3.24	2.54	8.5	CH33-62D	ML180UH135E60D	10591152
TPA060H4 (208/230V)	57500	14.2	12.2	53500	35400	3.26	2.5	8.5	CH33-62D	SL280UH135V60D	9031066
TPA060H4 (208/230V)	57500	14.5	12.2	53500	35400	3.26	2.5	8.5	CH33-62D	SLP98UH135XV60D	9031067
TPA060H4 (208/230V)	57000	14	11.7	53500	35800	3.18	2.46	8.2	CH33-62D		9031068
TPA060H4 (208/230V)	59500	14.7	12.2	57500	37000	3.2	2.54	8.2	CR33-50/60	EL180DF110E60C	9031069
TPA060H4 (208/230V)	58500	14	11.7	57500	37000	3.12	2.5	8.2	CR33-50/60	EL195DF110XE60C	9031070
TPA060H4 (208/230V)	58500	14	11.7	58000	37400	3.1	2.48	8.2	CR33-50/60	EL296DF090XV60C	9031071
TPA060H4 (208/230V)	58500	14	11.7	57500	37000	3.12	2.5	8.2	CR33-50/60	EL296DF110XE60C	9031073
TPA060H4 (208/230V)	59000	14	11.7	58000	37600	3.12	2.48	8.2	CR33-50/60	EL296DF110XV60C	9031072
TPA060H4 (208/230V)	59500	14.7	12.2	57500	37000	3.2	2.54	8.2	CR33-50/60	ML180DF110E60C	10590564
TPA060H4 (208/230V)	59000	14.5	12	57500	37200	3.16	2.52	8.2	CR33-50/60	SL280DF090V60C	9031074
TPA060H4 (208/230V)	59000	14.7	12.2	57500	37000	3.16	2.52	8.2	CR33-50/60	SL280DF110V60C	9031075
TPA060H4 (208/230V)	58500	14	11.7	58000	37400	3.1	2.48	8.2	CR33-50/60	SLP98DF090XV60C	9031076
TPA060H4 (208/230V)	59000	14	11.7	58000	37600	3.12	2.48	8.2	CR33-50/60	SLP98DF110XV60C	9031077
TPA060H4 (208/230V)	58500	14.2	11.7	58000	37400	3.12	2.48	8.2	CR33-50/60		9031078
TPA060H4 (208/230V)	59000	14.2	11.7	58000	37600	3.12	2.5	8.2	CR33-60		9032788
TPA060H4 (208/230V)	57500	14.5	12	53500	34200	3.32	2.44	8.2	CX34-60D	EL180UH135E60D	9032657
TPA060H4 (208/230V)	57500	14	11.9	54000	34600	3.28	2.42	8.2	CX34-60D	EL195UH135XE60D	9032658
TPA060H4 (208/230V)	57500	14	11.9	54000	34600	3.28	2.42	8.2	CX34-60D	EL296UH135XE60D	9032659
TPA060H4 (208/230V)	57500	14.5	12	53500	34200	3.32	2.44	8.2	CX34-60D	ML180UH135E60D	10591187
TPA060H4 (208/230V)	60000	15.2	12.5	54000	35400	3.3	2.6	8.7	CX34-62C	EL180UH090E60C	9031079
TPA060H4 (208/230V)	60000	15	12.5	54000	35400	3.3	2.58	8.5	CX34-62C	EL180UH110E60C	9031080
TPA060H4 (208/230V)	60000	15	12.5	54000	35400	3.3	2.58	8.5	CX34-62C	EL180UH110XE60C	9031081
TPA060H4 (208/230V)	60000	15	12.5	54000	35400	3.28	2.58	8.5	CX34-62C	EL195UH110XE60C	9031082
TPA060H4 (208/230V)	60000	14.5	12.2	53500	35400	3.22	2.56	8.5	CX34-62C	EL296UH090XV60C	9031083
TPA060H4 (208/230V)	60000	15	12.5	54000	35400	3.28	2.58	8.5	CX34-62C	EL296UH110XE60C	9031084
TPA060H4 (208/230V)	60000	14.7	12.2	54500	35800	3.3	2.58	8.5	CX34-62C	EL296UH110XV60C	9031085
TPA060H4 (208/230V)	60000	15.2	12.5	54000	35400	3.3	2.6	8.7	CX34-62C	ML180UH090E60C	10590894
TPA060H4 (208/230V)	60000	15	12.5	54000	35400	3.3	2.58	8.5	CX34-62C	ML180UH110XE60C	10591211
TPA060H4 (208/230V)	60000	15	12.5	54000	35600	3.32	2.6	8.7	CX34-62C	SL280UH090V60C	9031086

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA060H4 (208/230V)	60000	15	12.5	54000	35600	3.32	2.6	8.7	CX34-62C	SL280UH090XV60C	9031087
TPA060H4 (208/230V)	60000	14.7	12.2	54500	35800	3.32	2.6	8.5	CX34-62C	SL280UH110V60C	9031088
TPA060H4 (208/230V)	60000	14.7	12.2	54500	35800	3.32	2.6	8.5	CX34-62C	SL280UH110XV60C	9031089
TPA060H4 (208/230V)	60000	14.5	12.2	53500	35400	3.22	2.56	8.5	CX34-62C	SLP98UH090XV60C	9031090
TPA060H4 (208/230V)	60000	14.7	12.2	54500	35800	3.3	2.58	8.5	CX34-62C	SLP98UH110XV60C	9031091
TPA060H4 (208/230V)	60000	14.7	12.2	54500	35800	3.28	2.56	8.5	CX34-62C		9031092
TPA060H4 (208/230V)	57500	14.5	12.2	54000	35800	3.2	2.46	8.2	CX34-62D	EL180UH135E60D	9031093
TPA060H4 (208/230V)	57500	14.2	12	54500	36200	3.18	2.44	8.2	CX34-62D	EL195UH135XE60D	9031094
TPA060H4 (208/230V)	57500	14.2	12	54500	36200	3.18	2.44	8.2	CX34-62D	EL296UH135XE60D	9031095
TPA060H4 (208/230V)	57500	14.2	12	54500	35800	3.22	2.46	8.2	CX34-62D	EL296UH135XV60D	9031096
TPA060H4 (208/230V)	57500	14.5	12.2	54000	35800	3.2	2.46	8.2	CX34-62D	ML180UH135E60D	10591153
TPA060H4 (208/230V)	57500	14.2	12	54500	36000	3.22	2.46	8.2	CX34-62D	SL280UH135V60D	9031097
TPA060H4 (208/230V)	57500	14.5	12.2	54500	35800	3.22	2.46	8.2	CX34-62D	SLP98UH135XV60D	9031098
TPA060H4 (208/230V)	57000	14.2	11.7	54500	36600	3.14	2.46	8.2	CX34-62D		9031099
TPA060H4 (460V)	57500	14.5	12	53500	34200	3.32	2.44	8.2	C33-60D	EL180UH135E60D	9032660
TPA060H4 (460V)	57500	14	11.9	54000	34600	3.28	2.42	8.2	C33-60D	EL195UH135XE60D	9032661
TPA060H4 (460V)	57500	14.5	12	53500	34200	3.32	2.44	8.2	C33-60D	ML180UH135E60D	10591188
TPA060H4 (460V)	60000	15.2	12.5	54000	35400	3.3	2.6	8.7	C33-62C	EL180UH090E60C	9031100
TPA060H4 (460V)	60000	15	12.5	54000	35800	3.3	2.64	8.5	C33-62C	EL180UH110E60C	9031101
TPA060H4 (460V)	60000	15	12.5	54000	35800	3.3	2.64	8.5	C33-62C	EL180UH110XE60C	9031102
TPA060H4 (460V)	60000	15	12.5	54000	35800	3.28	2.62	8.5	C33-62C	EL195UH110XE60C	9031103
TPA060H4 (460V)	60000	14.5	12.2	53500	35400	3.22	2.56	8.5	C33-62C	EL296UH090XV60C	9031104
TPA060H4 (460V)	60000	15	12.5	54000	35800	3.28	2.62	8.5	C33-62C	EL296UH110XE60C	9031105
TPA060H4 (460V)	60000	14.7	12.2	54500	35800	3.3	2.58	8.5	C33-62C	EL296UH110XV60C	9031106
TPA060H4 (460V)	60000	15.2	12.5	54000	35400	3.3	2.6	8.7	C33-62C	ML180UH090E60C	10590895
TPA060H4 (460V)	60000	15	12.5	54000	35800	3.3	2.64	8.5	C33-62C	ML180UH110E60C	10591209
TPA060H4 (460V)	60000	15	12.5	54000	35800	3.3	2.64	8.5	C33-62C	ML180UH110XE60C	10591212
TPA060H4 (460V)	60000	15	12.5	54000	35600	3.32	2.6	8.7	C33-62C	SL280UH090V60C	9031107
TPA060H4 (460V)	60000	15	12.5	54000	35600	3.32	2.6	8.7	C33-62C	SL280UH090XV60C	9031108
TPA060H4 (460V)	60000	14.7	12.2	54500	35800	3.32	2.6	8.5	C33-62C	SL280UH110V60C	9031109
TPA060H4 (460V)	60000	14.7	12.2	54500	35800	3.32	2.6	8.5	C33-62C	SL280UH110XV60C	9031110
TPA060H4 (460V)	60000	14.5	12.2	53500	35400	3.22	2.56	8.5	C33-62C	SLP98UH090XV60C	9031111
TPA060H4 (460V)	60000	14.7	12.2	54500	36000	3.3	2.58	8.5	C33-62C	SLP98UH110XV60C	9031112
TPA060H4 (460V)	60000	14.7	12.2	54500	35800	3.28	2.56	8.5	C33-62C		9031113
TPA060H4 (460V)	57500	14.5	12.2	54000	35800	3.2	2.46	8.2	C33-62D	EL180UH135E60D	9031114
TPA060H4 (460V)	57500	14.2	12	54500	36200	3.18	2.44	8.2	C33-62D	EL195UH135XE60D	9031115
TPA060H4 (460V)	57500	14.2	12	54500	36200	3.18	2.44	8.2	C33-62D	EL296UH135XE60D	9031116
TPA060H4 (460V)	57500	14.2	12	54500	35800	3.22	2.46	8.2	C33-62D	EL296UH135XV60D	9031117
TPA060H4 (460V)	57500	14.5	12.2	54000	35800	3.2	2.46	8.2	C33-62D	ML180UH135E60D	10591154
TPA060H4 (460V)	57500	14.5	12.2	54500	35800	3.22	2.46	8.2	C33-62D	SLP98UH135XV60D	9031119
TPA060H4 (460V)	59000	15	12.5	55500	36600	3.54	2.78	8.5	CBA27UHE-060		10262326
TPA060H4 (460V)	59000	15	12.5	55500	36600	3.54	2.78	8.5	CBA27UHE-060-460		10262325
TPA060H4 (460V)	58500	14	12	55000	35800	3.3	2.56	8.2	CBX25UH-060		9032663
TPA060H4 (460V)	58500	14.5	12.5	54000	34800	3.32	2.6	8.5	CBX25UHV-060		9032664
TPA060H4 (460V)	60000	15	12.5	55000	35400	3.52	2.72	8.5	CBX27UH-060		9031120
TPA060H4 (460V)	59500	14.5	12	56000	36400	3.26	2.58	8.5	CBX32M-060		9031121
TPA060H4 (460V)	59500	14.5	12	56000	36600	3.26	2.58	8.5	CBX32MV-060		9031122
TPA060H4 (460V)	59000	14.5	12.2	53000	35200	3.32	2.56	8.7	CBX32MV-068		9031123
TPA060H4 (460V)	59500	14.5	12	56000	36600	3.24	2.58	8.5	CBX40UHV-060		9031124
TPA060H4 (460V)	60000	15	12.5	56500	36600	3.52	2.7	9	CH23-68	EL180UH090E60C	9031125
TPA060H4 (460V)	59500	14.7	12.5	56500	36800	3.5	2.7	9	CH23-68	EL180UH110E60C	9031126
TPA060H4 (460V)	59500	14.7	12.5	56500	36800	3.5	2.7	9	CH23-68	EL180UH110XE60C	9031127
TPA060H4 (460V)	60000	15	12.7	56500	36800	3.56	2.72	9	CH23-68	EL180UH135E60D	9031128
TPA060H4 (460V)	60000	15	12.5	56500	36600	3.52	2.7	9	CH23-68	EL195UH110XE60C	9031129
TPA060H4 (460V)	60000	14.7	12.2	57000	37000	3.52	2.68	9	CH23-68	EL195UH135XE60D	9031130
TPA060H4 (460V)	60000	15	12.5	56500	36600	3.52	2.7	9	CH23-68	EL296UH110XE60C	9031131
TPA060H4 (460V)	60000	14.7	12.2	57000	37000	3.52	2.68	9	CH23-68	EL296UH135XE60D	9031132
TPA060H4 (460V)	60000	14.7	12.5	57000	37000	3.54	2.7	9	CH23-68	EL296UH135XV60D	9031133
TPA060H4 (460V)	60000	15	12.5	56500	36600	3.52	2.7	9	CH23-68	ML180UH090E60C	10590896
TPA060H4 (460V)	59500	14.7	12.5	56500	36800	3.5	2.7	9	CH23-68	ML180UH110E60C	10591007
TPA060H4 (460V)	59500	14.7	12.5	56500	36800	3.5	2.7	9	CH23-68	ML180UH110XE60C	10591084

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA060H4 (460V)	60000	15	12.7	56500	36800	3.56	2.72	9	CH23-68	ML180UH135E60D	10591155
TPA060H4 (460V)	60000	15	12.5	57000	37000	3.54	2.7	9	CH23-68	SLP98UH135XV60D	9031134
TPA060H4 (460V)	59500	14.2	12.2	57000	37200	3.44	2.64	8.7	CH23-68		9031135
TPA060H4 (460V)	57000	14.2	11.7	53500	34200	3.28	2.44	8.2	CH33-60D	EL180UH135E60D	9032665
TPA060H4 (460V)	57000	14	11.7	54000	34600	3.26	2.42	8.2	CH33-60D	EL195UH135XE60D	9032666
TPA060H4 (460V)	57000	14	11.7	54000	34800	3.26	2.42	8.2	CH33-60D	EL296UH135XE60D	9032667
TPA060H4 (460V)	57000	14.2	11.7	53500	34200	3.28	2.44	8.2	CH33-60D	ML180UH135E60D	10591189
TPA060H4 (460V)	57500	14.5	12.2	53000	35400	3.24	2.54	8.5	CH33-62D	EL180UH135E60D	9031136
TPA060H4 (460V)	57500	14.2	12	53500	36000	3.22	2.48	8.5	CH33-62D	EL195UH135XE60D	9031137
TPA060H4 (460V)	57500	14.2	12	53500	36000	3.22	2.48	8.5	CH33-62D	EL296UH135XE60D	9031138
TPA060H4 (460V)	57500	14.2	12.2	53500	35400	3.26	2.5	8.5	CH33-62D	EL296UH135XV60D	9031139
TPA060H4 (460V)	57500	14.5	12.2	53000	35400	3.24	2.54	8.5	CH33-62D	ML180UH135E60D	10591156
TPA060H4 (460V)	57500	14.2	12.2	53500	35400	3.26	2.5	8.5	CH33-62D	SL280UH135V60D	9031140
TPA060H4 (460V)	57500	14.5	12.2	53500	35400	3.26	2.5	8.5	CH33-62D	SLP98UH135XV60D	9031141
TPA060H4 (460V)	57500	14	11.7	53500	36200	3.18	2.52	8.2	CH33-62D		9031142
TPA060H4 (460V)	59500	14.7	12.2	57500	37000	3.2	2.54	8.2	CR33-50/60	EL180DF110E60C	9031143
TPA060H4 (460V)	58500	14	11.7	57500	37000	3.12	2.5	8.2	CR33-50/60	EL195DF110XE60C	9031144
TPA060H4 (460V)	58500	14	11.7	58000	37400	3.1	2.48	8.2	CR33-50/60	EL296DF090XV60C	9031145
TPA060H4 (460V)	58500	14	11.7	57500	37000	3.12	2.5	8.2	CR33-50/60	EL296DF110XE60C	9031147
TPA060H4 (460V)	59000	14	11.7	58000	37600	3.12	2.48	8.2	CR33-50/60	EL296DF110XV60C	9031146
TPA060H4 (460V)	59500	14.7	12.2	57500	37000	3.2	2.54	8.2	CR33-50/60	ML180DF110E60C	10590565
TPA060H4 (460V)	59000	14.5	12	57500	37200	3.16	2.52	8.2	CR33-50/60	SL280DF090V60C	9031148
TPA060H4 (460V)	59000	14.7	12.2	57500	37000	3.16	2.52	8.2	CR33-50/60	SL280DF110V60C	9031149
TPA060H4 (460V)	58500	14	11.7	58000	37400	3.1	2.48	8.2	CR33-50/60	SLP98DF090XV60C	9031150
TPA060H4 (460V)	59000	14	11.7	58000	37600	3.12	2.48	8.2	CR33-50/60	SLP98DF110XV60C	9031151
TPA060H4 (460V)	58500	14.2	11.7	58000	37400	3.12	2.48	8.2	CR33-50/60		9031152
TPA060H4 (460V)	59000	14.2	11.7	58000	37600	3.12	2.5	8.2	CR33-60		9032789
TPA060H4 (460V)	57500	14.5	12	53500	34200	3.32	2.44	8.2	CX34-60D	EL180UH135E60D	9032668
TPA060H4 (460V)	57500	14	11.9	54000	34600	3.28	2.42	8.2	CX34-60D	EL195UH135XE60D	9032669
TPA060H4 (460V)	57500	14	11.9	54000	34600	3.28	2.42	8.2	CX34-60D	EL296UH135XE60D	9032670
TPA060H4 (460V)	57500	14.5	12	53500	34200	3.32	2.44	8.2	CX34-60D	ML180UH135E60D	10591190
TPA060H4 (460V)	60000	15.2	12.5	54000	35400	3.3	2.6	8.7	CX34-62C	EL180UH090E60C	9031153
TPA060H4 (460V)	60000	15	12.5	54000	35800	3.3	2.64	8.5	CX34-62C	EL180UH110E60C	9031154
TPA060H4 (460V)	60000	15	12.5	54000	35800	3.3	2.64	8.5	CX34-62C	EL180UH110XE60C	9031155
TPA060H4 (460V)	60000	15	12.5	54000	35800	3.28	2.62	8.5	CX34-62C	EL195UH110XE60C	9031156
TPA060H4 (460V)	60000	14.5	12.2	53500	35400	3.22	2.56	8.5	CX34-62C	EL296UH090XV60C	9031157
TPA060H4 (460V)	60000	15	12.5	54000	35800	3.28	2.62	8.5	CX34-62C	EL296UH110XE60C	9031158
TPA060H4 (460V)	60000	14.7	12.2	54500	35800	3.3	2.58	8.5	CX34-62C	EL296UH110XV60C	9031159
TPA060H4 (460V)	60000	15.2	12.5	54000	35400	3.3	2.6	8.7	CX34-62C	ML180UH090E60C	10590897
TPA060H4 (460V)	60000	15	12.5	54000	35800	3.3	2.64	8.5	CX34-62C	ML180UH110E60C	10591210
TPA060H4 (460V)	60000	15	12.5	54000	35800	3.3	2.64	8.5	CX34-62C	ML180UH110XE60C	10591213
TPA060H4 (460V)	60000	15	12.5	54000	35600	3.32	2.6	8.7	CX34-62C	SL280UH090V60C	9031160
TPA060H4 (460V)	60000	15	12.5	54000	35600	3.32	2.6	8.7	CX34-62C	SL280UH090XV60C	9031161
TPA060H4 (460V)	60000	14.7	12.2	54500	35800	3.32	2.6	8.5	CX34-62C	SL280UH110V60C	9031162
TPA060H4 (460V)	60000	14.7	12.2	54500	35800	3.32	2.6	8.5	CX34-62C	SL280UH110XV60C	9031163
TPA060H4 (460V)	60000	14.5	12.2	53500	35400	3.22	2.56	8.5	CX34-62C	SLP98UH090XV60C	9031164
TPA060H4 (460V)	60000	14.7	12.2	54500	36200	3.3	2.58	8.5	CX34-62C	SLP98UH110XV60C	9031165
TPA060H4 (460V)	60000	14.7	12.2	54500	35800	3.28	2.56	8.5	CX34-62C		9031166
TPA060H4 (460V)	57500	14.5	12.2	54000	35800	3.2	2.46	8.2	CX34-62D	EL180UH135E60D	9031167
TPA060H4 (460V)	57500	14.2	12	54500	36200	3.18	2.44	8.2	CX34-62D	EL195UH135XE60D	9031168
TPA060H4 (460V)	57500	14.2	12	54500	36200	3.18	2.44	8.2	CX34-62D	EL296UH135XE60D	9031169
TPA060H4 (460V)	57500	14.2	12	54500	35800	3.22	2.46	8.2	CX34-62D	EL296UH135XV60D	9031170
TPA060H4 (460V)	57500	14.5	12.2	54000	35800	3.2	2.46	8.2	CX34-62D	ML180UH135E60D	10591157
TPA060H4 (460V)	57500	14.2	12	54500	36000	3.22	2.46	8.2	CX34-62D	SL280UH135V60D	9031171
TPA060H4 (460V)	57500	14.5	12.2	54500	35800	3.22	2.46	8.2	CX34-62D	SLP98UH135XV60D	9031172
TPA060H4 (460V)	57000	14.2	11.7	54500	36600	3.14	2.46	8.2	CX34-62D		9031173
XP14-018-230	18000	16	13	17500	11100	3.8	2.56	8.5	C33-25A	EL180UH045E36A	7533486
XP14-018-230	18000	16	13	17500	11100	3.8	2.56	8.5	C33-25A	ML180UH045E36A	10590595
XP14-018-230	18000	16	13	17600	11100	3.86	2.58	8.5	C33-31A	EL180UH045E36A	7533484
XP14-018-230	18000	16	13	17600	11100	3.86	2.58	8.5	C33-31A	ML180UH045E36A	10590593
XP14-018-230	18000	16	13	17500	11100	3.8	2.56	8.5	C37-25A	EL180UH045E36A	10086311



# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-018-230	18000	16	13	17500	11100	3.8	2.56	8.5	C37-25A	ML180UH045E36A	10590633
XP14-018-230	18000	16	13	17600	11100	3.86	2.58	8.5	C37-31A	EL180UH045E36A	10086309
XP14-018-230	18000	16	13	17600	11100	3.86	2.58	8.5	C37-31A	ML180UH045E36A	10590631
XP14-018-230	18000	16	13	17500	11100	4	2.74	8.5	CBA27UHE-018		10260307
XP14-018-230	18000	16	13	17500	11100	4	2.74	8.5	CBA27UHE-024		10260308
XP14-018-230	18000	14	12	17800	11800	3.52	2.48	8.2	CBX25UH-018		7533471
XP14-018-230	18000	15	12.5	17600	11600	3.64	2.54	8.5	CBX25UHV-018		7533472
XP14-018-230	18000	15.5	12.5	18000	11600	3.8	2.62	8.5	CBX25UHV-024		7533489
XP14-018-230	18000	16	13	17500	11100	3.92	2.62	8.5	CBX27UH-018		7533475
XP14-018-230	18000	16	13	17500	11100	3.96	2.64	8.5	CBX27UH-024		7533474
XP14-018-230	18000	15.5	12.5	17700	11100	3.84	2.56	8.5	CBX32MV-018/024		7533477
XP14-018-230	18000	16	13	17700	11300	3.9	2.62	8.5	CH33-25A	EL180UH045E36A	7533479
XP14-018-230	18000	16	13	17700	11300	3.9	2.62	8.5	CH33-25A	ML180UH045E36A	10590591
XP14-018-230	18000	14	12	18000	11700	3.56	2.42	8.2	CH33-25A		7533478
XP14-018-230	18000	14	11.5	18000	11700	3.56	2.42	8.2	CH33-25B		7533481
XP14-018-230	18000	16	13	18000	11400	4.06	2.66	8.5	CR33-30/36A	EL180DF045E36A	7533488
XP14-018-230	18000	16	13	18000	11400	4.06	2.66	8.5	CR33-30/36A	ML180DF045E36A	10590541
XP14-018-230	18000	16	13	17500	11100	3.8	2.56	8.5	CX34-25A	EL180UH045E36A	7533485
XP14-018-230	18000	16	13	17500	11100	3.8	2.56	8.5	CX34-25A	ML180UH045E36A	10590594
XP14-018-230	18000	16	13	17600	11100	3.86	2.58	8.5	CX34-31A	EL180UH045E36A	7533482
XP14-018-230	18000	16	13	17600	11100	3.86	2.58	8.5	CX34-31A	ML180UH045E36A	10590592
XP14-018-230	18000	16	13	17500	11100	3.8	2.56	8.5	CX38-25A	EL180UH045E36A	10086310
XP14-018-230	18000	16	13	17500	11100	3.8	2.56	8.5	CX38-25A	ML180UH045E36A	10590632
XP14-018-230	18000	16	13	17600	11100	3.86	2.58	8.5	CX38-31A	EL180UH045E36A	10086308
XP14-018-230	18000	16	13	17600	11100	3.86	2.58	8.5	CX38-31A	ML180UH045E36A	10590630
XP14-024-230	24000	15.5	13	21400	13500	3.5	2.44	8.2	C33-25	EL180UH045E36A	5741752
XP14-024-230	24800	16	13.5	21600	13500	3.68	2.52	8.5	C33-25	EL180UH070E36B	5742030
XP14-024-230	24200	15.5	13	21400	13500	3.52	2.44	8.2	C33-25	EL195UH045XE36B	5431380
XP14-024-230	24600	15.7	13.2	21600	13600	3.6	2.48	8.5	C33-25	EL195UH070XE36B	5431372
XP14-024-230	24200	15.5	13	21400	13500	3.52	2.44	8.2	C33-25	EL296UH045XE36B	5650630
XP14-024-230	24600	16	13	21600	13500	3.66	2.5	8.5	C33-25	EL296UH045XV36B	5562666
XP14-024-230	24600	15.7	13.2	21600	13600	3.6	2.48	8.5	C33-25	EL296UH070XE36B	5650629
XP14-024-230	24600	16	13	21600	13500	3.68	2.5	8.5	C33-25	EL296UH070XV36B	5562673
XP14-024-230	24000	15.5	13	21400	13500	3.5	2.44	8.2	C33-25	ML180UH045E36A	10590574
XP14-024-230	24800	16	13.5	21600	13500	3.68	2.52	8.5	C33-25	ML180UH070E36B	10590649
XP14-024-230	24800	15.7	13	21800	13600	3.68	2.48	8.2	C33-25	SL280UH070V36A	5532364
XP14-024-230	24800	15.7	13	21800	13600	3.68	2.48	8.2	C33-25	SL280UH070XV36A	8133171
XP14-024-230	24800	16	13	21600	13500	3.72	2.52	8.5	C33-25	SL280UH090V36B	5532458
XP14-024-230	24400	15.1	13	21600	13600	3.6	2.48	8.2	C33-25	SL280UH090V48B	5431275
XP14-024-230	24400	15.1	13	21600	13600	3.6	2.48	8.2	C33-25	SL280UH090XV48B	8133190
XP14-024-230	24600	16	13	21600	13500	3.68	2.5	8.5	C33-25	SLP98UH070XV36B	5431384
XP14-024-230	24400	15.7	13.2	21400	13500	3.6	2.48	8.5	C33-31	EL180UH045E36A	5741754
XP14-024-230	24800	16	13.5	21600	13500	3.7	2.52	8.5	C33-31	EL180UH070E36B	5742033
XP14-024-230	24200	15.5	13	21400	13500	3.54	2.44	8.2	C33-31	EL195UH045XE36B	5431381
XP14-024-230	24600	15.7	13.2	21600	13600	3.62	2.48	8.5	C33-31	EL195UH070XE36B	5431373
XP14-024-230	24200	15.5	13	21400	13500	3.54	2.44	8.2	C33-31	EL296UH045XE36B	5650636
XP14-024-230	24600	16	13	21600	13500	3.68	2.5	8.5	C33-31	EL296UH045XV36B	5562660
XP14-024-230	24600	15.7	13.2	21600	13600	3.62	2.48	8.5	C33-31	EL296UH070XE36B	5650635
XP14-024-230	24600	16	13	21600	13500	3.7	2.52	8.5	C33-31	EL296UH070XV36B	5562675
XP14-024-230	24400	15.7	13.2	21400	13500	3.6	2.48	8.5	C33-31	ML180UH045E36A	10590576
XP14-024-230	24800	16	13.5	21600	13500	3.7	2.52	8.5	C33-31	ML180UH070E36B	10590652
XP14-024-230	24800	16	13	21600	13500	3.74	2.54	8.5	C33-31	SL280UH070V36A	5532366
XP14-024-230	24800	16	13	21600	13500	3.74	2.54	8.5	C33-31	SL280UH070XV36A	8133173
XP14-024-230	24800	15.1	13.5	21600	13500	3.74	2.54	8.5	C33-31	SL280UH090V36B	5532453
XP14-024-230	24600	15.1	13	21600	13600	3.62	2.48	8.2	C33-31	SL280UH090V48B	5431282
XP14-024-230	24600	15.1	13	21600	13600	3.62	2.48	8.2	C33-31	SL280UH090XV48B	8133191
XP14-024-230	24600	16	13	21600	13500	3.7	2.52	8.5	C33-31	SLP98UH070XV36B	5431385
XP14-024-230	24000	15.7	13	21400	13500	3.58	2.48	8.5	C33-36	EL180UH045E36A	5741758
XP14-024-230	24400	16	13	21600	13500	3.7	2.52	8.5	C33-36	EL180UH070E36B	5742034
XP14-024-230	23800	15.5	12.7	21400	13500	3.54	2.44	8.2	C33-36	EL195UH045XE36B	5431382
XP14-024-230	24200	15.5	13	21600	13600	3.62	2.48	8.5	C33-36	EL195UH070XE36B	5431374

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-024-230	23800	15.5	12.7	21400	13500	3.54	2.44	8.2	C33-36	EL296UH045XE36B	5650639
XP14-024-230	24400	15.7	13.2	21600	13600	3.68	2.52	8.5	C33-36	EL296UH045XV36B	5562663
XP14-024-230	24200	15.5	13	21600	13600	3.62	2.48	8.5	C33-36	EL296UH070XE36B	5650638
XP14-024-230	24400	16	13	21600	13500	3.7	2.5	8.5	C33-36	EL296UH070XV36B	5562670
XP14-024-230	24400	16	13	21400	13500	3.68	2.52	8.5	C33-36	EL296UH090XV36C	5562681
XP14-024-230	24000	15.7	13	21400	13500	3.58	2.48	8.5	C33-36	ML180UH045E36A	10590580
XP14-024-230	24400	16	13	21600	13500	3.7	2.52	8.5	C33-36	ML180UH070E36B	10590653
XP14-024-230	24600	16	13	21600	13500	3.72	2.54	8.5	C33-36	SL280UH070V36A	5532368
XP14-024-230	24600	16	13	21600	13500	3.72	2.54	8.5	C33-36	SL280UH070XV36A	8133175
XP14-024-230	24600	16	13	21600	13500	3.74	2.54	8.5	C33-36	SL280UH090V36B	5532455
XP14-024-230	24400	15.1	13	21600	13600	3.62	2.48	8.5	C33-36	SL280UH090V48B	5431289
XP14-024-230	24400	15.1	13	21600	13600	3.62	2.48	8.5	C33-36	SL280UH090XV48B	8133192
XP14-024-230	24400	16	13	21600	13500	3.7	2.5	8.5	C33-36	SLP98UH070XV36B	5431386
XP14-024-230	24400	16	13	21400	13500	3.68	2.52	8.5	C33-36	SLP98UH090XV36C	5431387
XP14-024-230	24000	15.5	13	21400	13500	3.5	2.44	8.2	C37-25A	EL180UH045E36A	10086279
XP14-024-230	24000	15.5	13	21400	13500	3.5	2.44	8.2	C37-25A	ML180UH045E36A	10590619
XP14-024-230	24800	15.7	13	21800	13600	3.68	2.48	8.2	C37-25A	SL280UH070V36A	10086160
XP14-024-230	24800	15.7	13	21800	13600	3.68	2.48	8.2	C37-25A	SL280UH070XV36A	10086312
XP14-024-230	24800	16	13.5	21600	13500	3.68	2.52	8.5	C37-25B	EL180UH070E36B	10086280
XP14-024-230	24200	15.5	13	21400	13500	3.52	2.44	8.2	C37-25B	EL195UH045XE36B	10086077
XP14-024-230	24600	15.7	13.2	21600	13600	3.6	2.48	8.5	C37-25B	EL195UH070XE36B	10086076
XP14-024-230	24200	15.5	13	21400	13500	3.52	2.44	8.2	C37-25B	EL296UH045XE36B	10086229
XP14-024-230	24600	16	13	21600	13500	3.66	2.5	8.5	C37-25B	EL296UH045XV36B	10086201
XP14-024-230	24600	15.7	13.2	21600	13600	3.6	2.48	8.5	C37-25B	EL296UH070XE36B	10086246
XP14-024-230	24600	16	13	21600	13500	3.68	2.5	8.5	C37-25B	EL296UH070XV36B	10086194
XP14-024-230	24800	16	13.5	21600	13500	3.68	2.52	8.5	C37-25B	ML180UH070E36B	10590732
XP14-024-230	24800	16	13	21600	13500	3.72	2.52	8.5	C37-25B	SL280UH090V36B	10086179
XP14-024-230	24400	15.1	13	21600	13600	3.6	2.48	8.2	C37-25B	SL280UH090V48B	10086063
XP14-024-230	24400	15.1	13	21600	13600	3.6	2.48	8.2	C37-25B	SL280UH090XV48B	10086324
XP14-024-230	24600	16	13	21600	13500	3.68	2.5	8.5	C37-25B	SLP98UH070XV36B	10086075
XP14-024-230	24400	15.7	13.2	21400	13500	3.6	2.48	8.5	C37-31A	EL180UH045E36A	10086285
XP14-024-230	24400	15.7	13.2	21400	13500	3.6	2.48	8.5	C37-31A	ML180UH045E36A	10590620
XP14-024-230	24800	16	13	21600	13500	3.74	2.54	8.5	C37-31A	SL280UH070V36A	10086151
XP14-024-230	24800	16	13	21600	13500	3.74	2.54	8.5	C37-31A	SL280UH070XV36A	10086314
XP14-024-230	24800	16	13.5	21600	13500	3.7	2.52	8.5	C37-31B	EL180UH070E36B	10086283
XP14-024-230	24200	15.5	13	21400	13500	3.54	2.44	8.2	C37-31B	EL195UH045XE36B	10086082
XP14-024-230	24600	15.7	13.2	21600	13600	3.62	2.48	8.5	C37-31B	EL195UH070XE36B	10086081
XP14-024-230	24200	15.5	13	21400	13500	3.54	2.44	8.2	C37-31B	EL296UH045XE36B	10086715
XP14-024-230	24600	16	13	21600	13500	3.68	2.5	8.5	C37-31B	EL296UH045XV36B	10086189
XP14-024-230	24600	15.7	13.2	21600	13600	3.62	2.48	8.5	C37-31B	EL296UH070XE36B	10086237
XP14-024-230	24600	16	13	21600	13500	3.7	2.52	8.5	C37-31B	EL296UH070XV36B	10086198
XP14-024-230	24800	16	13.5	21600	13500	3.7	2.52	8.5	C37-31B	ML180UH070E36B	10590735
XP14-024-230	24800	15.1	13.5	21600	13500	3.74	2.54	8.5	C37-31B	SL280UH090V36B	10086171
XP14-024-230	24600	15.1	13	21600	13600	3.62	2.48	8.2	C37-31B	SL280UH090V48B	10086062
XP14-024-230	24600	15.1	13	21600	13600	3.62	2.48	8.2	C37-31B	SL280UH090XV48B	10086325
XP14-024-230	24600	16	13	21600	13500	3.7	2.52	8.5	C37-31B	SLP98UH070XV36B	10086070
XP14-024-230	24000	15.7	13	21400	13500	3.58	2.48	8.5	C37-36A	EL180UH045E36A	10086290
XP14-024-230	24000	15.7	13	21400	13500	3.58	2.48	8.5	C37-36A	ML180UH045E36A	10590623
XP14-024-230	24600	16	13	21600	13500	3.72	2.54	8.5	C37-36A	SL280UH070V36A	10086158
XP14-024-230	24600	16	13	21600	13500	3.72	2.54	8.5	C37-36A	SL280UH070XV36A	10086315
XP14-024-230	24400	16	13	21600	13500	3.7	2.52	8.5	C37-36B	EL180UH070E36B	10086297
XP14-024-230	23800	15.5	12.7	21400	13500	3.54	2.44	8.2	C37-36B	EL195UH045XE36B	10086086
XP14-024-230	24200	15.5	13	21600	13600	3.62	2.48	8.5	C37-36B	EL195UH070XE36B	10086085
XP14-024-230	23800	15.5	12.7	21400	13500	3.54	2.44	8.2	C37-36B	EL296UH045XE36B	10086232
XP14-024-230	24400	15.7	13.2	21600	13600	3.68	2.52	8.5	C37-36B	EL296UH045XV36B	10086205
XP14-024-230	24200	15.5	13	21600	13600	3.62	2.48	8.5	C37-36B	EL296UH070XE36B	10086241
XP14-024-230	24400	16	13	21600	13500	3.7	2.5	8.5	C37-36B	EL296UH070XV36B	10086182
XP14-024-230	24400	16	13	21600	13500	3.7	2.52	8.5	C37-36B	ML180UH070E36B	10590739
XP14-024-230	24600	16	13	21600	13500	3.74	2.54	8.5	C37-36B	SL280UH090V36B	10086163
XP14-024-230	24400	15.1	13	21600	13600	3.62	2.48	8.5	C37-36B	SL280UH090V48B	10086061
XP14-024-230	24400	15.1	13	21600	13600	3.62	2.48	8.5	C37-36B	SL280UH090XV48B	10086326

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-024-230	24400	16	13	21600	13500	3.7	2.5	8.5	C37-36B	SLP98UH070XV36B	10086066
XP14-024-230	24400	16	13	21400	13500	3.68	2.52	8.5	C37-36C	EL296UH090XV36C	10086195
XP14-024-230	24400	16	13	21400	13500	3.68	2.52	8.5	C37-36C	SLP98UH090XV36C	10086071
XP14-024-230	25200	16	13.5	21800	13600	3.9	2.64	8.5	CBA27UHE-024		10260309
XP14-024-230	24600	16	13	21600	13600	3.88	2.62	9	CBA27UHE-030		10260310
XP14-024-230	23200	14	11.7	22200	14000	3.46	2.36	8.2	CBX25UH-024		5727003
XP14-024-230	23200	14	11.7	22200	14100	3.48	2.38	8.2	CBX25UH-030		5796112
XP14-024-230	23600	15.5	12.5	21400	13400	3.64	2.48	8.5	CBX25UHV-024		6970216
XP14-024-230	25200	16	13.5	21800	13700	3.88	2.64	9	CBX27UH-024		5431298
XP14-024-230	25000	16	13.5	21800	13600	3.96	2.66	9	CBX27UH-030		6482931
XP14-024-230	24800	14.2	11.7	22800	14100	3.54	2.42	8.2	CBX32M-018/024		5431299
XP14-024-230	25000	15.2	12.7	22400	14000	3.76	2.52	8.7	CBX32M-030		5431300
XP14-024-230	25000	14.5	12.2	22600	14000	3.58	2.44	8.2	CBX32MV-018/024		5431301
XP14-024-230	24800	15.2	12.7	22200	14000	3.72	2.52	8.7	CBX32MV-024/030		5431302
XP14-024-230	25200	15.5	13	22400	14000	3.92	2.6	9	CBX32MV-036		5431303
XP14-024-230	24800	15.2	12.7	22200	14000	3.82	2.58	8.7	CBX40UH-024		5431304
XP14-024-230	24800	15.5	13	22200	13900	3.82	2.58	8.7	CBX40UH-030		5431305
XP14-024-230	25200	15.5	13	22400	14000	3.92	2.6	9	CBX40UHV-036		6482929
XP14-024-230	24200	15.7	13.2	21400	13500	3.6	2.48	8.5	CH23-41	EL180UH045E36A	5741756
XP14-024-230	24600	15.7	13.2	21600	13500	3.7	2.5	8.5	CH23-41	EL296UH045XV36B	5562662
XP14-024-230	24600	16	13	21600	13500	3.7	2.5	8.5	CH23-41	EL296UH070XV36B	5562672
XP14-024-230	24200	15.7	13.2	21400	13500	3.6	2.48	8.5	CH23-41	ML180UH045E36A	10590578
XP14-024-230	24800	16	13	21600	13500	3.74	2.54	8.5	CH23-41	SL280UH090V36B	5532454
XP14-024-230	24400	15.1	13	21600	13600	3.62	2.48	8.2	CH23-41	SL280UH090V48B	5431310
XP14-024-230	24400	15.1	13	21600	13600	3.62	2.48	8.2	CH23-41	SL280UH090XV48B	8133193
XP14-024-230	24600	16	13	21600	13500	3.7	2.5	8.5	CH23-41	SLP98UH070XV36B	5431389
XP14-024-230	24400	15.7	13.2	21600	13500	3.64	2.48	8.5	CH33-25A	EL180UH045E36A	5741760
XP14-024-230	24400	15.7	13.2	21600	13500	3.64	2.48	8.5	CH33-25A	ML180UH045E36A	10590581
XP14-024-230	24800	15.7	13	21800	13700	3.72	2.52	8.5	CH33-25A	SL280UH070V36A	5532370
XP14-024-230	24800	15.7	13	21800	13700	3.72	2.52	8.5	CH33-25A	SL280UH070XV36A	8133176
XP14-024-230	24600	16	13	21600	13600	3.74	2.54	8.5	CH33-25B	EL180UH070E36B	5742031
XP14-024-230	24000	15.5	13	21600	13500	3.6	2.46	8.5	CH33-25B	EL195UH045XE36B	5431365
XP14-024-230	24400	15.5	13	21800	13600	3.68	2.5	8.5	CH33-25B	EL195UH070XE36B	5431376
XP14-024-230	24000	15.5	13	21600	13500	3.6	2.46	8.5	CH33-25B	EL296UH045XE36B	5650634
XP14-024-230	24600	15.7	13.2	21600	13600	3.72	2.54	8.7	CH33-25B	EL296UH045XV36B	5562665
XP14-024-230	24400	15.5	13	21800	13600	3.68	2.5	8.5	CH33-25B	EL296UH070XE36B	5650627
XP14-024-230	24600	16	13	21600	13600	3.74	2.54	8.5	CH33-25B	EL296UH070XV36B	5562674
XP14-024-230	24600	16	13	21600	13600	3.74	2.54	8.5	CH33-25B	ML180UH070E36B	10590650
XP14-024-230	24600	15.1	13	21600	13500	3.78	2.56	8.5	CH33-25B	SL280UH090V36B	5532457
XP14-024-230	24400	15.1	13	21600	13600	3.66	2.5	8.5	CH33-25B	SL280UH090V48B	5431317
XP14-024-230	24400	15.1	13	21600	13600	3.66	2.5	8.5	CH33-25B	SL280UH090XV48B	8133194
XP14-024-230	24600	16	13	21600	13600	3.74	2.54	8.5	CH33-25B	SLP98UH070XV36B	5431390
XP14-024-230	24400	15.7	13.2	21600	13600	3.66	2.52	8.5	CH33-31A	EL180UH045E36A	5741757
XP14-024-230	24400	15.7	13.2	21600	13600	3.66	2.52	8.5	CH33-31A	ML180UH045E36A	10590579
XP14-024-230	25200	16	13	22000	13700	3.86	2.58	8.5	CH33-31A	SL280UH070V36A	5532371
XP14-024-230	25200	16	13	22000	13700	3.86	2.58	8.5	CH33-31A	SL280UH070XV36A	8133177
XP14-024-230	24400	14.2	12	22400	14200	3.54	2.4	8.2	CH33-31A		5431261
XP14-024-230	23800	15.2	12.7	21400	13500	3.5	2.42	8.2	CH33-36A	EL180UH045E36A	5741755
XP14-024-230	23800	15.2	12.7	21400	13500	3.5	2.42	8.2	CH33-36A	ML180UH045E36A	10590577
XP14-024-230	24600	15.1	13	21800	13600	3.68	2.48	8.5	CH33-36A	SL280UH070V36A	5532367
XP14-024-230	24600	15.1	13	21800	13600	3.68	2.48	8.5	CH33-36A	SL280UH070XV36A	8133174
XP14-024-230	24600	16	13.5	21800	13500	3.84	2.58	8.5	CH33-36C	EL296UH090XV36C	5562680
XP14-024-230	24600	16	13.5	21800	13500	3.84	2.58	8.5	CH33-36C	SLP98UH090XV36C	5431391
XP14-024-230	24000	14	11.7	22400	14200	3.5	2.38	8.2	CH33-36C		5431263
XP14-024-230	24800	15.7	13.2	22000	13600	3.76	2.54	8.7	CR33-30/36	EL180DF045E36A	5741528
XP14-024-230	25400	16	13.5	22200	13600	3.92	2.6	9	CR33-30/36	EL180DF070E36B	5741558
XP14-024-230	25200	16	13	22200	13600	3.84	2.56	8.5	CR33-30/36	EL195DF045XE36B	5431378
XP14-024-230	25400	16	13.5	22200	13600	3.9	2.6	9	CR33-30/36	EL195DF070XE48B	5431379
XP14-024-230	25200	16	13	22200	13600	3.84	2.56	8.5	CR33-30/36	EL296DF045XE36B	5650618
XP14-024-230	25200	16	13.5	22200	13600	3.86	2.58	8.5	CR33-30/36	EL296DF045XV36B	5562658
XP14-024-230	25400	16	13.5	22200	13600	3.9	2.6	9	CR33-30/36	EL296DF070XE48B	5650624

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-024-230	25600	15.7	13.2	22400	13800	3.88	2.58	8.7	CR33-30/36	EL296DF070XV48B	5562659
XP14-024-230	24800	15.7	13.2	22000	13600	3.76	2.54	8.7	CR33-30/36	ML180DF045E36A	10590539
XP14-024-230	25400	16	13.5	22200	13600	3.92	2.6	9	CR33-30/36	ML180DF070E36B	10590545
XP14-024-230	25200	15.7	13	22200	13700	3.82	2.56	8.5	CR33-30/36	SL280DF070V36A	5431324
XP14-024-230	25600	15.1	13.5	22200	13700	3.94	2.62	9	CR33-30/36	SL280DF090V48B	5532330
XP14-024-230	25400	16	13.5	22200	13600	3.92	2.6	9	CR33-30/36	SLP98DF070XV36B	5431392
XP14-024-230	25400	16	13.5	22200	13600	3.94	2.62	9	CR33-30/36	SLP98DF090XV36C	5431393
XP14-024-230	24800	14.2	12.2	22600	14200	3.54	2.4	8.2	CR33-30/36		5431264
XP14-024-230	24000	15.5	13	21400	13500	3.5	2.44	8.2	CX34-25	EL180UH045E36A	5741753
XP14-024-230	24800	16	13.5	21600	13500	3.68	2.52	8.5	CX34-25	EL180UH070E36B	5742032
XP14-024-230	24200	15.5	13	21400	13500	3.52	2.44	8.2	CX34-25	EL195UH045XE36B	5431368
XP14-024-230	24600	15.7	13.2	21600	13600	3.6	2.48	8.5	CX34-25	EL195UH070XE36B	5431360
XP14-024-230	24200	15.5	13	21400	13500	3.52	2.44	8.2	CX34-25	EL296UH045XE36B	5650626
XP14-024-230	24600	16	13	21600	13500	3.66	2.5	8.5	CX34-25	EL296UH045XV36B	5562661
XP14-024-230	24600	15.7	13.2	21600	13600	3.6	2.48	8.5	CX34-25	EL296UH070XE36B	5650625
XP14-024-230	24600	16	13	21600	13500	3.68	2.5	8.5	CX34-25	EL296UH070XV36B	5562676
XP14-024-230	24000	15.5	13	21400	13500	3.5	2.44	8.2	CX34-25	ML180UH045E36A	10590575
XP14-024-230	24800	16	13.5	21600	13500	3.68	2.52	8.5	CX34-25	ML180UH070E36B	10590651
XP14-024-230	24800	15.7	13	21800	13600	3.68	2.48	8.2	CX34-25	SL280UH070V36A	5532365
XP14-024-230	24800	15.7	13	21800	13600	3.68	2.48	8.2	CX34-25	SL280UH070XV36A	8133172
XP14-024-230	24800	16	13	21600	13500	3.72	2.52	8.5	CX34-25	SL280UH090V36B	5532462
XP14-024-230	24400	15.1	13	21600	13600	3.6	2.48	8.2	CX34-25	SL280UH090V48B	5431335
XP14-024-230	24400	15.1	13	21600	13600	3.6	2.48	8.2	CX34-25	SL280UH090XV48B	8133195
XP14-024-230	24600	16	13	21600	13500	3.68	2.5	8.5	CX34-25	SLP98UH070XV36B	5431394
XP14-024-230	24400	15.7	13.2	21400	13500	3.6	2.48	8.5	CX34-31	EL180UH045E36A	5741761
XP14-024-230	24800	16	13.5	21600	13500	3.7	2.52	8.5	CX34-31	EL180UH070E36B	5742038
XP14-024-230	24200	15.5	13	21400	13500	3.54	2.44	8.2	CX34-31	EL195UH045XE36B	5431369
XP14-024-230	24600	15.7	13.2	21600	13600	3.62	2.48	8.5	CX34-31	EL195UH070XE36B	5431361
XP14-024-230	24200	15.5	13	21400	13500	3.54	2.44	8.2	CX34-31	EL296UH045XE36B	5650620
XP14-024-230	24600	16	13	21600	13500	3.68	2.5	8.5	CX34-31	EL296UH045XV36B	5562667
XP14-024-230	24600	15.7	13.2	21600	13600	3.62	2.48	8.5	CX34-31	EL296UH070XE36B	5650619
XP14-024-230	24600	16	13	21600	13500	3.7	2.52	8.5	CX34-31	EL296UH070XV36B	5562679
XP14-024-230	24400	15.7	13.2	21400	13500	3.6	2.48	8.5	CX34-31	ML180UH045E36A	10590582
XP14-024-230	24800	16	13.5	21600	13500	3.7	2.52	8.5	CX34-31	ML180UH070E36B	10590655
XP14-024-230	24800	15.1	13	21600	13500	3.74	2.54	8.5	CX34-31	SL280UH070V36A	5532372
XP14-024-230	24800	15.1	13	21600	13500	3.74	2.54	8.5	CX34-31	SL280UH070XV36A	8133178
XP14-024-230	24800	16	13.5	21600	13500	3.74	2.54	8.5	CX34-31	SL280UH090V36B	5532461
XP14-024-230	24600	15.1	13	21600	13600	3.62	2.48	8.2	CX34-31	SL280UH090V48B	5431342
XP14-024-230	24600	15.1	13	21600	13600	3.62	2.48	8.2	CX34-31	SL280UH090XV48B	8133196
XP14-024-230	24600	16	13	21600	13500	3.7	2.52	8.5	CX34-31	SLP98UH070XV36B	5431395
XP14-024-230	24000	15.7	13	21400	13500	3.58	2.48	8.5	CX34-36	EL180UH045E36A	5741762
XP14-024-230	24400	16	13	21600	13500	3.7	2.52	8.5	CX34-36	EL180UH070E36B	5742036
XP14-024-230	23800	15.5	12.7	21400	13500	3.54	2.44	8.2	CX34-36	EL195UH045XE36B	5431370
XP14-024-230	24200	15.5	13	21600	13600	3.62	2.48	8.5	CX34-36	EL195UH070XE36B	5431362
XP14-024-230	23800	15.5	12.7	21400	13500	3.54	2.44	8.2	CX34-36	EL296UH045XE36B	5650617
XP14-024-230	24400	15.7	13.2	21600	13600	3.68	2.52	8.5	CX34-36	EL296UH045XV36B	5562668
XP14-024-230	24200	15.5	13	21600	13600	3.62	2.48	8.5	CX34-36	EL296UH070XE36B	5650616
XP14-024-230	24400	16	13	21600	13500	3.7	2.5	8.5	CX34-36	EL296UH070XV36B	5562677
XP14-024-230	24400	16	13	21400	13500	3.68	2.52	8.5	CX34-36	EL296UH090XV36C	5562682
XP14-024-230	24000	15.7	13	21400	13500	3.58	2.48	8.5	CX34-36	ML180UH045E36A	10590583
XP14-024-230	24400	16	13	21600	13500	3.7	2.52	8.5	CX34-36	ML180UH070E36B	10590654
XP14-024-230	24600	16	13	21600	13500	3.72	2.54	8.5	CX34-36	SL280UH070V36A	5532373
XP14-024-230	24600	16	13	21600	13500	3.72	2.54	8.5	CX34-36	SL280UH070XV36A	8133179
XP14-024-230	24600	16	13	21600	13500	3.74	2.54	8.5	CX34-36	SL280UH090V36B	5532459
XP14-024-230	24400	15.1	12.5	21600	13600	3.62	2.48	8.2	CX34-36	SL280UH090V48B	5431349
XP14-024-230	24400	15.1	12.5	21600	13600	3.62	2.48	8.2	CX34-36	SL280UH090XV48B	8133197
XP14-024-230	24400	16	13	21600	13500	3.7	2.5	8.5	CX34-36	SLP98UH070XV36B	5431396
XP14-024-230	24400	16	13	21400	13500	3.68	2.52	8.5	CX34-36	SLP98UH090XV36C	5431397
XP14-024-230	24000	15.5	13	21400	13500	3.5	2.44	8.2	CX38-25A	EL180UH045E36A	10086299
XP14-024-230	24000	15.5	13	21400	13500	3.5	2.44	8.2	CX38-25A	ML180UH045E36A	10590626
XP14-024-230	24800	15.7	13	21800	13600	3.68	2.48	8.2	CX38-25A	SL280UH070V36A	10086153

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-024-230	24800	15.7	13	21800	13600	3.68	2.48	8.2	CX38-25A	SL280UH070XV36A	10086313
XP14-024-230	24800	16	13.5	21600	13500	3.68	2.52	8.5	CX38-25B	EL180UH070E36B	10086292
XP14-024-230	24200	15.5	13	21400	13500	3.52	2.44	8.2	CX38-25B	EL195UH045XE36B	10086074
XP14-024-230	24600	15.7	13.2	21600	13600	3.6	2.48	8.5	CX38-25B	EL195UH070XE36B	10086073
XP14-024-230	24200	15.5	13	21400	13500	3.52	2.44	8.2	CX38-25B	EL296UH045XE36B	10086231
XP14-024-230	24600	16	13	21600	13500	3.66	2.5	8.5	CX38-25B	EL296UH045XV36B	10086184
XP14-024-230	24600	15.7	13.2	21600	13600	3.6	2.48	8.5	CX38-25B	EL296UH070XE36B	10086228
XP14-024-230	24600	16	13	21600	13500	3.68	2.5	8.5	CX38-25B	EL296UH070XV36B	10086191
XP14-024-230	24800	16	13.5	21600	13500	3.68	2.52	8.5	CX38-25B	ML180UH070E36B	10590737
XP14-024-230	24800	16	13	21600	13500	3.72	2.52	8.5	CX38-25B	SL280UH090V36B	10086166
XP14-024-230	24400	15.1	13	21600	13600	3.6	2.48	8.2	CX38-25B	SL280UH090V48B	10086079
XP14-024-230	24400	15.1	13	21600	13600	3.6	2.48	8.2	CX38-25B	SL280UH090XV48B	10086327
XP14-024-230	24600	16	13	21600	13500	3.68	2.5	8.5	CX38-25B	SLP98UH070XV36B	10086067
XP14-024-230	24400	15.7	13.2	21400	13500	3.6	2.48	8.5	CX38-31A	EL180UH045E36A	10086300
XP14-024-230	24400	15.7	13.2	21400	13500	3.6	2.48	8.5	CX38-31A	ML180UH045E36A	10590627
XP14-024-230	24800	15.1	13	21600	13500	3.74	2.54	8.5	CX38-31A	SL280UH070V36A	10086156
XP14-024-230	24800	15.1	13	21600	13500	3.74	2.54	8.5	CX38-31A	SL280UH070XV36A	10086316
XP14-024-230	24800	16	13.5	21600	13500	3.7	2.52	8.5	CX38-31B	EL180UH070E36B	10086269
XP14-024-230	24200	15.5	13	21400	13500	3.54	2.44	8.2	CX38-31B	EL195UH045XE36B	10086069
XP14-024-230	24600	15.7	13.2	21600	13600	3.62	2.48	8.5	CX38-31B	EL195UH070XE36B	10086068
XP14-024-230	24200	15.5	13	21400	13500	3.54	2.44	8.2	CX38-31B	EL296UH045XE36B	10086236
XP14-024-230	24600	16	13	21600	13500	3.68	2.5	8.5	CX38-31B	EL296UH045XV36B	10086197
XP14-024-230	24600	15.7	13.2	21600	13600	3.62	2.48	8.5	CX38-31B	EL296UH070XE36B	10086230
XP14-024-230	24600	16	13	21600	13500	3.7	2.52	8.5	CX38-31B	EL296UH070XV36B	10086207
XP14-024-230	24800	16	13.5	21600	13500	3.7	2.52	8.5	CX38-31B	ML180UH070E36B	10590722
XP14-024-230	24800	16	13.5	21600	13500	3.74	2.54	8.5	CX38-31B	SL280UH090V36B	10086172
XP14-024-230	24600	15.1	13	21600	13600	3.62	2.48	8.2	CX38-31B	SL280UH090V48B	10086084
XP14-024-230	24600	15.1	13	21600	13600	3.62	2.48	8.2	CX38-31B	SL280UH090XV48B	10086328
XP14-024-230	24600	16	13	21600	13500	3.7	2.52	8.5	CX38-31B	SLP98UH070XV36B	10086072
XP14-024-230	24000	15.7	13	21400	13500	3.58	2.48	8.5	CX38-36A	EL180UH045E36A	10086286
XP14-024-230	24000	15.7	13	21400	13500	3.58	2.48	8.5	CX38-36A	ML180UH045E36A	10590621
XP14-024-230	24600	16	13	21600	13500	3.72	2.54	8.5	CX38-36A	SL280UH070V36A	10086154
XP14-024-230	24600	16	13	21600	13500	3.72	2.54	8.5	CX38-36A	SL280UH070XV36A	10086317
XP14-024-230	24400	16	13	21600	13500	3.7	2.52	8.5	CX38-36B	EL180UH070E36B	10086274
XP14-024-230	23800	15.5	12.7	21400	13500	3.54	2.44	8.2	CX38-36B	EL195UH045XE36B	10086065
XP14-024-230	24200	15.5	13	21600	13600	3.62	2.48	8.5	CX38-36B	EL195UH070XE36B	10086064
XP14-024-230	23800	15.5	12.7	21400	13500	3.54	2.44	8.2	CX38-36B	EL296UH045XE36B	10086227
XP14-024-230	24400	15.7	13.2	21600	13600	3.68	2.52	8.5	CX38-36B	EL296UH045XV36B	10086190
XP14-024-230	24200	15.5	13	21600	13600	3.62	2.48	8.5	CX38-36B	EL296UH070XE36B	10086263
XP14-024-230	24400	16	13	21600	13500	3.7	2.5	8.5	CX38-36B	EL296UH070XV36B	10086185
XP14-024-230	24400	16	13	21600	13500	3.7	2.52	8.5	CX38-36B	ML180UH070E36B	10590727
XP14-024-230	24600	16	13	21600	13500	3.74	2.54	8.5	CX38-36B	SL280UH090V36B	10086174
XP14-024-230	24400	15.1	12.5	21600	13600	3.62	2.48	8.2	CX38-36B	SL280UH090V48B	10086080
XP14-024-230	24400	15.1	12.5	21600	13600	3.62	2.48	8.2	CX38-36B	SL280UH090XV48B	10086329
XP14-024-230	24400	16	13	21600	13500	3.7	2.5	8.5	CX38-36B	SLP98UH070XV36B	10086078
XP14-024-230	24400	16	13	21400	13500	3.68	2.52	8.5	CX38-36C	EL296UH090XV36C	10086202
XP14-024-230	24400	16	13	21400	13500	3.68	2.52	8.5	CX38-36C	SLP98UH090XV36C	10086083
XP14-030-230	30000	15.2	13.2	25800	16600	3.62	2.5	8.5	C33-31	EL180UH045E36A	5741769
XP14-030-230	30000	15.7	13.5	25600	16400	3.64	2.52	8.5	C33-31	EL180UH070E36B	5742043
XP14-030-230	30200	15.7	13.5	25600	16500	3.66	2.56	8.7	C33-31	EL180UH090E48B	5742360
XP14-030-230	30000	15.2	13.2	25800	16700	3.6	2.5	8.5	C33-31	EL195UH045XE36B	5431577
XP14-030-230	30200	15.2	13.2	25800	16700	3.6	2.5	8.5	C33-31	EL195UH070XE36B	5431607
XP14-030-230	30000	15.2	13.2	25800	16700	3.6	2.5	8.5	C33-31	EL296UH045XE36B	5650647
XP14-030-230	29800	15.2	13	25600	16600	3.56	2.5	8.5	C33-31	EL296UH045XV36B	5562690
XP14-030-230	30200	15.2	13.2	25800	16700	3.6	2.5	8.5	C33-31	EL296UH070XE36B	5650662
XP14-030-230	29800	15.5	13.2	25600	16500	3.6	2.52	8.5	C33-31	EL296UH070XV36B	5562706
XP14-030-230	30000	15.2	13.2	25800	16600	3.62	2.5	8.5	C33-31	ML180UH045E36A	10590589
XP14-030-230	30000	15.7	13.5	25600	16400	3.64	2.52	8.5	C33-31	ML180UH070E36B	10590660
XP14-030-230	30200	15.7	13.5	25600	16500	3.66	2.56	8.7	C33-31	ML180UH090E48B	10590789
XP14-030-230	30000	15.5	13.2	25600	16500	3.62	2.52	8.5	C33-31	SL280UH070V36A	5532379
XP14-030-230	30000	15.5	13.2	25600	16500	3.62	2.52	8.5	C33-31	SL280UH070XV36A	8133184

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-030-230	30000	15.7	13.5	25400	16400	3.62	2.54	8.5	C33-31	SL280UH090V36B	5532473
XP14-030-230	30200	15.5	13.5	25800	16500	3.68	2.54	8.5	C33-31	SL280UH090V48B	5431559
XP14-030-230	30200	15.5	13.5	25800	16500	3.68	2.54	8.5	C33-31	SL280UH090XV48B	8133213
XP14-030-230	30000	15.2	13.2	25600	16600	3.62	2.52	8.5	C33-31	SLP98UH070XV36B	5431643
XP14-030-230	29200	15.2	13.2	25400	16400	3.62	2.52	8.5	C33-36	EL180UH070E36B	5742054
XP14-030-230	29200	15.2	13.2	25400	16400	3.64	2.52	8.5	C33-36	EL180UH090E48B	5742365
XP14-030-230	29200	14.7	12.7	25600	16600	3.58	2.48	8.5	C33-36	EL195UH045XE36B	5431578
XP14-030-230	29400	15	12.7	25800	16700	3.6	2.5	8.5	C33-36	EL195UH070XE36B	5431608
XP14-030-230	29600	15.2	13	25800	16600	3.68	2.52	8.7	C33-36	EL195UH090XE48C	5431584
XP14-030-230	29200	14.7	12.7	25600	16600	3.58	2.48	8.5	C33-36	EL296UH045XE36B	5650664
XP14-030-230	29000	14.7	12.7	25600	16600	3.56	2.48	8.2	C33-36	EL296UH045XV36B	5562694
XP14-030-230	29400	15	12.7	25800	16700	3.6	2.5	8.5	C33-36	EL296UH070XE36B	5650656
XP14-030-230	29000	15.2	13	25400	16400	3.58	2.5	8.5	C33-36	EL296UH070XV36B	5562712
XP14-030-230	29600	15.2	13	25800	16600	3.68	2.52	8.7	C33-36	EL296UH090XE48C	5650653
XP14-030-230	29200	15.2	13.2	25400	16400	3.62	2.52	8.5	C33-36	EL296UH090XV36C	5767217
XP14-030-230	29200	15.2	13.2	25400	16400	3.62	2.52	8.5	C33-36	ML180UH070E36B	10590671
XP14-030-230	29200	15.2	13.2	25400	16400	3.64	2.52	8.5	C33-36	ML180UH090E48B	10590794
XP14-030-230	29200	15.2	13	25400	16500	3.6	2.52	8.5	C33-36	SL280UH070V36A	5532380
XP14-030-230	29200	15.2	13	25400	16500	3.6	2.52	8.5	C33-36	SL280UH070XV36A	8133185
XP14-030-230	29200	15.2	13.2	25400	16300	3.62	2.52	8.5	C33-36	SL280UH090V36B	5532478
XP14-030-230	29400	15.2	13	25600	16500	3.64	2.52	8.5	C33-36	SL280UH090V48B	5431482
XP14-030-230	29400	15.2	13	25600	16500	3.64	2.52	8.5	C33-36	SL280UH090XV48B	8133204
XP14-030-230	29200	15	13	25600	16500	3.6	2.5	8.5	C33-36	SLP98UH070XV36B	5431624
XP14-030-230	29200	15.2	13.2	25400	16400	3.62	2.52	8.5	C33-36	SLP98UH090XV36C	5431625
XP14-030-230	29600	15.2	13.2	25600	16600	3.66	2.54	8.7	C33-36	SLP98UH090XV48C	5431626
XP14-030-230	30800	15.5	13.5	25800	16600	3.66	2.54	8.5	C33-38	EL180UH045E36A	5741770
XP14-030-230	30800	15.7	13.7	25600	16400	3.7	2.54	8.7	C33-38	EL180UH070E36B	5742048
XP14-030-230	31000	15.7	13.7	25600	16500	3.72	2.58	8.7	C33-38	EL180UH090E48B	5742373
XP14-030-230	30800	15.2	13.2	25800	16700	3.64	2.54	8.5	C33-38	EL195UH045XE36B	5431592
XP14-030-230	31000	15.5	13.2	26000	16800	3.7	2.54	8.7	C33-38	EL195UH070XE36B	5431564
XP14-030-230	30800	15.2	13.2	25800	16700	3.64	2.54	8.5	C33-38	EL296UH045XE36B	5650654
XP14-030-230	30800	15.2	13.2	25800	16600	3.64	2.52	8.5	C33-38	EL296UH045XV36B	5562686
XP14-030-230	31000	15.5	13.2	26000	16800	3.7	2.54	8.7	C33-38	EL296UH070XE36B	5650674
XP14-030-230	30600	15.7	13.5	25600	16500	3.66	2.54	8.5	C33-38	EL296UH070XV36B	5562703
XP14-030-230	30800	15.5	13.5	25800	16600	3.66	2.54	8.5	C33-38	ML180UH045E36A	10590590
XP14-030-230	30800	15.7	13.7	25600	16400	3.7	2.54	8.7	C33-38	ML180UH070E36B	10590665
XP14-030-230	31000	15.7	13.7	25600	16500	3.72	2.58	8.7	C33-38	ML180UH090E48B	10590802
XP14-030-230	30800	15.7	13.5	25600	16500	3.68	2.54	8.7	C33-38	SL280UH070V36A	5532377
XP14-030-230	30800	15.7	13.5	25600	16500	3.68	2.54	8.7	C33-38	SL280UH070XV36A	8133182
XP14-030-230	30800	15.7	13.7	25400	16400	3.68	2.56	8.7	C33-38	SL280UH090V36B	5532466
XP14-030-230	31000	15.7	13.7	25600	16600	3.7	2.58	8.7	C33-38	SL280UH090V48B	5431426
XP14-030-230	31000	15.7	13.7	25600	16600	3.7	2.58	8.7	C33-38	SL280UH090XV48B	8133198
XP14-030-230	30600	15.7	13.5	25600	16500	3.66	2.54	8.5	C33-38	SLP98UH070XV36B	5431613
XP14-030-230	30400	14	12.2	26200	17200	3.44	2.4	8.2	C33-38		5431410
XP14-030-230	29200	15.2	13.2	25400	16400	3.62	2.52	8.5	C33-42	EL180UH070E36B	5742045
XP14-030-230	29200	15.2	13.2	25400	16400	3.64	2.52	8.5	C33-42	EL180UH090E48B	5742371
XP14-030-230	29200	14.7	12.7	25600	16600	3.58	2.48	8.5	C33-42	EL195UH045XE36B	5431593
XP14-030-230	29400	15	12.7	25800	16700	3.6	2.5	8.5	C33-42	EL195UH070XE36B	5431565
XP14-030-230	29200	14.7	12.7	25600	16600	3.58	2.48	8.5	C33-42	EL296UH045XE36B	5650649
XP14-030-230	29000	14.7	12.7	25600	16600	3.56	2.48	8.2	C33-42	EL296UH045XV36B	5562695
XP14-030-230	29400	15	12.7	25800	16700	3.6	2.5	8.5	C33-42	EL296UH070XE36B	5650668
XP14-030-230	29000	15.2	13	25400	16400	3.58	2.5	8.5	C33-42	EL296UH070XV36B	5562704
XP14-030-230	29200	15.2	13.2	25400	16400	3.62	2.52	8.5	C33-42	ML180UH070E36B	10590662
XP14-030-230	29200	15.2	13.2	25400	16400	3.64	2.52	8.5	C33-42	ML180UH090E48B	10590800
XP14-030-230	29200	15.2	13.2	25400	16300	3.62	2.52	8.5	C33-42	SL280UH090V36B	5532467
XP14-030-230	29400	15.2	13	25600	16500	3.64	2.52	8.5	C33-42	SL280UH090V48B	5431437
XP14-030-230	29400	15.2	13	25600	16500	3.64	2.52	8.5	C33-42	SL280UH090XV48B	8133199
XP14-030-230	29200	15	13	25600	16500	3.6	2.5	8.5	C33-42	SLP98UH070XV36B	5431615
XP14-030-230	30400	15.7	13.7	25600	16400	3.66	2.54	8.7	C33-43	EL180UH070E36B	5742041
XP14-030-230	30600	16	13.5	25800	16500	3.72	2.56	8.5	C33-43	EL180UH090E48B	5742364
XP14-030-230	30400	15.5	13.2	25800	16700	3.62	2.52	8.5	C33-43	EL195UH045XE36B	5431594

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-030-230	30600	15.5	13.2	26000	16700	3.66	2.52	8.5	C33-43	EL195UH070XE36B	5431566
XP14-030-230	30800	15.7	13.5	26000	16700	3.7	2.56	8.7	C33-43	EL195UH090XE48C	5431585
XP14-030-230	30400	15.5	13.2	25800	16700	3.62	2.52	8.5	C33-43	EL296UH045XE36B	5650666
XP14-030-230	30200	15.5	13.2	25800	16600	3.62	2.5	8.5	C33-43	EL296UH045XV36B	5562687
XP14-030-230	30600	15.5	13.2	26000	16700	3.66	2.52	8.5	C33-43	EL296UH070XE36B	5650640
XP14-030-230	30200	15.7	13.5	25600	16500	3.64	2.54	8.5	C33-43	EL296UH070XV36B	5562701
XP14-030-230	30800	15.7	13.5	26000	16700	3.7	2.56	8.7	C33-43	EL296UH090XE48C	5650648
XP14-030-230	30400	16	13.5	25600	16400	3.7	2.56	8.5	C33-43	EL296UH090XV36C	5562719
XP14-030-230	30800	16	13.5	25800	16500	3.76	2.6	8.5	C33-43	EL296UH090XV48C	5562726
XP14-030-230	30400	15.7	13.7	25600	16400	3.66	2.54	8.7	C33-43	ML180UH070E36B	10590658
XP14-030-230	30600	16	13.5	25800	16500	3.72	2.56	8.5	C33-43	ML180UH090E48B	10590793
XP14-030-230	30400	16	13.5	25600	16400	3.68	2.56	8.5	C33-43	SL280UH090V36B	5532465
XP14-030-230	30600	15.7	13.5	25800	16600	3.7	2.56	8.7	C33-43	SL280UH090V48B	5431471
XP14-030-230	30600	15.7	13.5	25800	16600	3.7	2.56	8.7	C33-43	SL280UH090XV48B	8133203
XP14-030-230	30400	15.7	13.5	25800	16600	3.66	2.54	8.5	C33-43	SLP98UH070XV36B	5431620
XP14-030-230	30400	16	13.5	25600	16400	3.7	2.56	8.5	C33-43	SLP98UH090XV36C	5431621
XP14-030-230	30800	16	13.5	25800	16500	3.76	2.6	8.5	C33-43	SLP98UH090XV48C	5431622
XP14-030-230	29600	15.5	13.2	25400	16300	3.54	2.48	8.2	C33-48	EL180UH070E36B	5742039
XP14-030-230	29800	15.5	13.2	25400	16400	3.58	2.5	8.5	C33-48	EL180UH090E48B	5742362
XP14-030-230	29600	15	13	25600	16600	3.5	2.46	8.2	C33-48	EL195UH045XE36B	5431595
XP14-030-230	30000	15	13	25800	16600	3.56	2.46	8.2	C33-48	EL195UH070XE36B	5431567
XP14-030-230	30200	15.2	13.2	25800	16600	3.62	2.5	8.5	C33-48	EL195UH090XE48C	5431586
XP14-030-230	29600	15	13	25600	16600	3.5	2.46	8.2	C33-48	EL296UH045XE36B	5650683
XP14-030-230	29600	15	13	25600	16500	3.5	2.44	8.2	C33-48	EL296UH045XV36B	5562691
XP14-030-230	30000	15	13	25800	16600	3.56	2.46	8.2	C33-48	EL296UH070XE36B	5650657
XP14-030-230	29600	15.2	13.2	25400	16400	3.52	2.46	8.2	C33-48	EL296UH070XV36B	5562714
XP14-030-230	30200	15.2	13.2	25800	16600	3.62	2.5	8.5	C33-48	EL296UH090XE48C	5650665
XP14-030-230	29600	15.5	13.2	25400	16300	3.54	2.48	8.2	C33-48	EL296UH090XV36C	5562717
XP14-030-230	30000	15.5	13.2	25600	16500	3.6	2.5	8.5	C33-48	EL296UH090XV48C	5562725
XP14-030-230	29600	15.5	13.2	25400	16300	3.54	2.48	8.2	C33-48	ML180UH070E36B	10590656
XP14-030-230	29800	15.5	13.2	25400	16400	3.58	2.5	8.5	C33-48	ML180UH090E48B	10590791
XP14-030-230	29600	15.5	13.2	25400	16300	3.56	2.48	8.2	C33-48	SL280UH090V36B	5532463
XP14-030-230	29800	15.2	13.2	25600	16400	3.58	2.48	8.5	C33-48	SL280UH090V48B	5431489
XP14-030-230	29800	15.2	13.2	25600	16400	3.58	2.48	8.5	C33-48	SL280UH090XV48B	8133205
XP14-030-230	29600	15.2	13	25600	16500	3.54	2.48	8.2	C33-48	SLP98UH070XV36B	5431627
XP14-030-230	29600	15.5	13.2	25400	16300	3.54	2.48	8.2	C33-48	SLP98UH090XV36C	5431636
XP14-030-230	30000	15.2	13.2	25800	16600	3.62	2.5	8.5	C37-31A	EL180UH045E36A	10086301
XP14-030-230	30000	15.2	13.2	25800	16600	3.62	2.5	8.5	C37-31A	ML180UH045E36A	10590628
XP14-030-230	30000	15.5	13.2	25600	16500	3.62	2.52	8.5	C37-31A	SL280UH070V36A	10086161
XP14-030-230	30000	15.5	13.2	25600	16500	3.62	2.52	8.5	C37-31A	SL280UH070XV36A	10086320
XP14-030-230	30000	15.7	13.5	25600	16400	3.64	2.52	8.5	C37-31B	EL180UH070E36B	10086275
XP14-030-230	30200	15.7	13.5	25600	16500	3.66	2.56	8.7	C37-31B	EL180UH090E48B	10086291
XP14-030-230	30000	15.2	13.2	25800	16700	3.6	2.5	8.5	C37-31B	EL195UH045XE36B	10086102
XP14-030-230	30200	15.2	13.2	25800	16700	3.6	2.5	8.5	C37-31B	EL195UH070XE36B	10086117
XP14-030-230	30000	15.2	13.2	25800	16700	3.6	2.5	8.5	C37-31B	EL296UH045XE36B	10086233
XP14-030-230	29800	15.2	13	25600	16600	3.56	2.5	8.5	C37-31B	EL296UH045XV36B	10086196
XP14-030-230	30200	15.2	13.2	25800	16700	3.6	2.5	8.5	C37-31B	EL296UH070XE36B	10086261
XP14-030-230	29800	15.5	13.2	25600	16500	3.6	2.52	8.5	C37-31B	EL296UH070XV36B	10086221
XP14-030-230	30000	15.7	13.5	25600	16400	3.64	2.52	8.5	C37-31B	ML180UH070E36B	10590728
XP14-030-230	30200	15.7	13.5	25600	16500	3.66	2.56	8.7	C37-31B	ML180UH090E48B	10590857
XP14-030-230	30000	15.7	13.5	25400	16400	3.62	2.54	8.5	C37-31B	SL280UH090V36B	10086177
XP14-030-230	30200	15.5	13.5	25800	16500	3.68	2.54	8.5	C37-31B	SL280UH090V48B	10086113
XP14-030-230	30200	15.5	13.5	25800	16500	3.68	2.54	8.5	C37-31B	SL280UH090XV48B	10086341
XP14-030-230	30000	15.2	13.2	25600	16600	3.62	2.52	8.5	C37-31B	SLP98UH070XV36B	10086150
XP14-030-230	29200	15.2	13	25400	16500	3.6	2.52	8.5	C37-36A	SL280UH070V36A	10086157
XP14-030-230	29200	15.2	13	25400	16500	3.6	2.52	8.5	C37-36A	SL280UH070XV36A	10086321
XP14-030-230	29200	15.2	13.2	25400	16400	3.62	2.52	8.5	C37-36B	EL180UH070E36B	10086282
XP14-030-230	29200	15.2	13.2	25400	16400	3.64	2.52	8.5	C37-36B	EL180UH090E48B	10086289
XP14-030-230	29200	14.7	12.7	25600	16600	3.58	2.48	8.5	C37-36B	EL195UH045XE36B	10086119
XP14-030-230	29400	15	12.7	25800	16700	3.6	2.5	8.5	C37-36B	EL195UH070XE36B	10086110
XP14-030-230	29200	14.7	12.7	25600	16600	3.58	2.48	8.5	C37-36B	EL296UH045XE36B	10086235

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-030-230	29000	14.7	12.7	25600	16600	3.56	2.48	8.2	C37-36B	EL296UH045XV36B	10086206
XP14-030-230	29400	15	12.7	25800	16700	3.6	2.5	8.5	C37-36B	EL296UH070XE36B	10086252
XP14-030-230	29000	15.2	13	25400	16400	3.58	2.5	8.5	C37-36B	EL296UH070XV36B	10086224
XP14-030-230	29200	15.2	13.2	25400	16400	3.62	2.52	8.5	C37-36B	ML180UH070E36B	10590734
XP14-030-230	29200	15.2	13.2	25400	16400	3.64	2.52	8.5	C37-36B	ML180UH090E48B	10590856
XP14-030-230	29200	15.2	13.2	25400	16300	3.62	2.52	8.5	C37-36B	SL280UH090V36B	10086168
XP14-030-230	29400	15.2	13	25600	16500	3.64	2.52	8.5	C37-36B	SL280UH090V48B	10086096
XP14-030-230	29400	15.2	13	25600	16500	3.64	2.52	8.5	C37-36B	SL280UH090XV48B	10086334
XP14-030-230	29200	15	13	25600	16500	3.6	2.5	8.5	C37-36B	SLP98UH070XV36B	10086112
XP14-030-230	29600	15.2	13	25800	16600	3.68	2.52	8.7	C37-36C	EL195UH090XE48C	10086108
XP14-030-230	29600	15.2	13	25800	16600	3.68	2.52	8.7	C37-36C	EL296UH090XE48C	10086234
XP14-030-230	29200	15.2	13.2	25400	16400	3.62	2.52	8.5	C37-36C	EL296UH090XV36C	10086307
XP14-030-230	29200	15.2	13.2	25400	16400	3.62	2.52	8.5	C37-36C	SLP98UH090XV36C	10086106
XP14-030-230	29600	15.2	13.2	25600	16600	3.66	2.54	8.7	C37-36C	SLP98UH090XV48C	10086124
XP14-030-230	30800	15.5	13.5	25800	16600	3.66	2.54	8.5	C37-38A	EL180UH045E36A	10086287
XP14-030-230	30800	15.5	13.5	25800	16600	3.66	2.54	8.5	C37-38A	ML180UH045E36A	10590622
XP14-030-230	30800	15.7	13.5	25600	16500	3.68	2.54	8.7	C37-38A	SL280UH070V36A	10086162
XP14-030-230	30800	15.7	13.5	25600	16500	3.68	2.54	8.7	C37-38A	SL280UH070XV36A	10086319
XP14-030-230	30400	14	12.2	26200	17200	3.44	2.4	8.2	C37-38A		10086053
XP14-030-230	30800	15.7	13.7	25600	16400	3.7	2.54	8.7	C37-38B	EL180UH070E36B	10086273
XP14-030-230	31000	15.7	13.7	25600	16500	3.72	2.58	8.7	C37-38B	EL180UH090E48B	10086268
XP14-030-230	30800	15.2	13.2	25800	16700	3.64	2.54	8.5	C37-38B	EL195UH045XE36B	10086109
XP14-030-230	31000	15.5	13.2	26000	16800	3.7	2.54	8.7	C37-38B	EL195UH070XE36B	10086138
XP14-030-230	30800	15.2	13.2	25800	16700	3.64	2.54	8.5	C37-38B	EL296UH045XE36B	10086240
XP14-030-230	30800	15.2	13.2	25800	16600	3.64	2.52	8.5	C37-38B	EL296UH045XV36B	10086204
XP14-030-230	31000	15.5	13.2	26000	16800	3.7	2.54	8.7	C37-38B	EL296UH070XE36B	10086251
XP14-030-230	30600	15.7	13.5	25600	16500	3.66	2.54	8.5	C37-38B	EL296UH070XV36B	10086192
XP14-030-230	30800	15.7	13.7	25600	16400	3.7	2.54	8.7	C37-38B	ML180UH070E36B	10590726
XP14-030-230	31000	15.7	13.7	25600	16500	3.72	2.58	8.7	C37-38B	ML180UH090E48B	10590854
XP14-030-230	30800	15.7	13.7	25400	16400	3.68	2.56	8.7	C37-38B	SL280UH090V36B	10086180
XP14-030-230	31000	15.7	13.7	25600	16600	3.7	2.58	8.7	C37-38B	SL280UH090V48B	10086091
XP14-030-230	31000	15.7	13.7	25600	16600	3.7	2.58	8.7	C37-38B	SL280UH090XV48B	10086330
XP14-030-230	30600	15.7	13.5	25600	16500	3.66	2.54	8.5	C37-38B	SLP98UH070XV36B	10086136
XP14-030-230	30400	14	12.2	26200	17200	3.44	2.4	8.2	C37-38B		10086054
XP14-030-230	29200	15.2	13.2	25400	16400	3.62	2.52	8.5	C37-42B	EL180UH070E36B	10086276
XP14-030-230	29200	15.2	13.2	25400	16400	3.64	2.52	8.5	C37-42B	EL180UH090E48B	10086901
XP14-030-230	29200	14.7	12.7	25600	16600	3.58	2.48	8.5	C37-42B	EL195UH045XE36B	10086104
XP14-030-230	29400	15	12.7	25800	16700	3.6	2.5	8.5	C37-42B	EL195UH070XE36B	10086131
XP14-030-230	29200	14.7	12.7	25600	16600	3.58	2.48	8.5	C37-42B	EL296UH045XE36B	10086716
XP14-030-230	29000	14.7	12.7	25600	16600	3.56	2.48	8.2	C37-42B	EL296UH045XV36B	10086211
XP14-030-230	29400	15	12.7	25800	16700	3.6	2.5	8.5	C37-42B	EL296UH070XE36B	10086257
XP14-030-230	29000	15.2	13	25400	16400	3.58	2.5	8.5	C37-42B	EL296UH070XV36B	10086187
XP14-030-230	29200	15.2	13.2	25400	16400	3.62	2.52	8.5	C37-42B	ML180UH070E36B	10590729
XP14-030-230	29200	15.2	13.2	25400	16400	3.64	2.52	8.5	C37-42B	ML180UH090E48B	10590876
XP14-030-230	29200	15.2	13.2	25400	16300	3.62	2.52	8.5	C37-42B	SL280UH090V36B	10086175
XP14-030-230	29400	15.2	13	25600	16500	3.64	2.52	8.5	C37-42B	SL280UH090V48B	10086087
XP14-030-230	29400	15.2	13	25600	16500	3.64	2.52	8.5	C37-42B	SL280UH090XV48B	10086331
XP14-030-230	29200	15	13	25600	16500	3.6	2.5	8.5	C37-42B	SLP98UH070XV36B	10086118
XP14-030-230	30400	15.7	13.7	25600	16400	3.66	2.54	8.7	C37-43B	EL180UH070E36B	10086278
XP14-030-230	30600	16	13.5	25800	16500	3.72	2.56	8.5	C37-43B	EL180UH090E48B	10086288
XP14-030-230	30400	15.5	13.2	25800	16700	3.62	2.52	8.5	C37-43B	EL195UH045XE36B	10086121
XP14-030-230	30600	15.5	13.2	26000	16700	3.66	2.52	8.5	C37-43B	EL195UH070XE36B	10086097
XP14-030-230	30400	15.5	13.2	25800	16700	3.62	2.52	8.5	C37-43B	EL296UH045XE36B	10086250
XP14-030-230	30200	15.5	13.2	25800	16600	3.62	2.5	8.5	C37-43B	EL296UH045XV36B	10086210
XP14-030-230	30600	15.5	13.2	26000	16700	3.66	2.52	8.5	C37-43B	EL296UH070XE36B	10086238
XP14-030-230	30200	15.7	13.5	25600	16500	3.64	2.54	8.5	C37-43B	EL296UH070XV36B	10086203
XP14-030-230	30400	15.7	13.7	25600	16400	3.66	2.54	8.7	C37-43B	ML180UH070E36B	10590731
XP14-030-230	30600	16	13.5	25800	16500	3.72	2.56	8.5	C37-43B	ML180UH090E48B	10590855
XP14-030-230	30400	16	13.5	25600	16400	3.68	2.56	8.5	C37-43B	SL280UH090V36B	10086176
XP14-030-230	30600	15.7	13.5	25800	16600	3.7	2.56	8.7	C37-43B	SL280UH090V48B	10086093
XP14-030-230	30600	15.7	13.5	25800	16600	3.7	2.56	8.7	C37-43B	SL280UH090XV48B	10086333



# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-030-230	30400	15.7	13.5	25800	16600	3.66	2.54	8.5	C37-43B	SLP98UH070XV36B	10086142
XP14-030-230	30800	15.7	13.5	26000	16700	3.7	2.56	8.7	C37-43C	EL195UH090XE48C	10086103
XP14-030-230	30800	15.7	13.5	26000	16700	3.7	2.56	8.7	C37-43C	EL296UH090XE48C	10086239
XP14-030-230	30400	16	13.5	25600	16400	3.7	2.56	8.5	C37-43C	EL296UH090XV36C	10086220
XP14-030-230	30800	16	13.5	25800	16500	3.76	2.6	8.5	C37-43C	EL296UH090XV48C	10086215
XP14-030-230	30400	16	13.5	25600	16400	3.7	2.56	8.5	C37-43C	SLP98UH090XV36C	10086137
XP14-030-230	30800	16	13.5	25800	16500	3.76	2.6	8.5	C37-43C	SLP98UH090XV48C	10086101
XP14-030-230	29600	15.5	13.2	25400	16300	3.54	2.48	8.2	C37-48B	EL180UH070E36B	10086272
XP14-030-230	29800	15.5	13.2	25400	16400	3.58	2.5	8.5	C37-48B	EL180UH090E48B	10086293
XP14-030-230	29600	15	13	25600	16600	3.5	2.46	8.2	C37-48B	EL195UH045XE36B	10086145
XP14-030-230	30000	15	13	25800	16600	3.56	2.46	8.2	C37-48B	EL195UH070XE36B	10086114
XP14-030-230	29600	15	13	25600	16600	3.5	2.46	8.2	C37-48B	EL296UH045XE36B	10086255
XP14-030-230	29600	15	13	25600	16500	3.5	2.44	8.2	C37-48B	EL296UH045XV36B	10086188
XP14-030-230	30000	15	13	25800	16600	3.56	2.46	8.2	C37-48B	EL296UH070XE36B	10086249
XP14-030-230	29600	15.2	13.2	25400	16400	3.52	2.46	8.2	C37-48B	EL296UH070XV36B	10086209
XP14-030-230	29600	15.5	13.2	25400	16300	3.54	2.48	8.2	C37-48B	ML180UH070E36B	10590725
XP14-030-230	29800	15.5	13.2	25400	16400	3.58	2.5	8.5	C37-48B	ML180UH090E48B	10590858
XP14-030-230	29600	15.5	13.2	25400	16300	3.56	2.48	8.2	C37-48B	SL280UH090V36B	10086164
XP14-030-230	29800	15.2	13.2	25600	16400	3.58	2.48	8.5	C37-48B	SL280UH090V48B	10086089
XP14-030-230	29800	15.2	13.2	25600	16400	3.58	2.48	8.5	C37-48B	SL280UH090XV48B	10086335
XP14-030-230	29600	15.2	13	25600	16500	3.54	2.48	8.2	C37-48B	SLP98UH070XV36B	10086148
XP14-030-230	30200	15.2	13.2	25800	16600	3.62	2.5	8.5	C37-48C	EL195UH090XE48C	10086120
XP14-030-230	30200	15.2	13.2	25800	16600	3.62	2.5	8.5	C37-48C	EL296UH090XE48C	10086243
XP14-030-230	29600	15.5	13.2	25400	16300	3.54	2.48	8.2	C37-48C	EL296UH090XV36C	10086217
XP14-030-230	30000	15.5	13.2	25600	16500	3.6	2.5	8.5	C37-48C	EL296UH090XV48C	10086218
XP14-030-230	29600	15.5	13.2	25400	16300	3.54	2.48	8.2	C37-48C	SLP98UH090XV36C	10086143
XP14-030-230	30000	15	13	26000	16600	3.88	2.66	8.5	CBA27UHE-030		10260311
XP14-030-230	28200	14	12	26200	17100	3.64	2.52	8.2	CBX25UH-030		5727004
XP14-030-230	28200	14	12	26600	17100	3.58	2.48	8.2	CBX25UH-036		5796508
XP14-030-230	28600	15	12.5	25600	16400	3.66	2.54	8.5	CBX25UHV-030		6970217
XP14-030-230	30000	15	13	26400	16800	3.88	2.66	9	CBX27UH-030		5431515
XP14-030-230	30000	15	13	26200	16700	3.88	2.68	9	CBX27UH-036		5431516
XP14-030-230	29200	14.5	12.5	26200	16900	3.68	2.56	8.7	CBX32M-030		5431517
XP14-030-230	30000	14.5	12	26800	17300	3.74	2.58	8.7	CBX32M-036		5431518
XP14-030-230	29200	14.2	12.2	26400	17100	3.68	2.54	8.7	CBX32MV-024/030		5431519
XP14-030-230	30000	14.5	12.5	26600	17000	3.8	2.62	8.7	CBX32MV-036		5431520
XP14-030-230	30000	14.5	12.5	26600	17000	3.78	2.6	8.7	CBX40UHV-030		5431521
XP14-030-230	30000	15	12.5	26400	16900	3.8	2.62	8.7	CBX40UHV-036		5431522
XP14-030-230	29800	15.2	13.2	25800	16600	3.64	2.52	8.5	CH23-41	EL180UH045E36A	5741768
XP14-030-230	29800	15.5	13.5	25600	16400	3.7	2.54	8.7	CH23-41	EL180UH070E36B	5742050
XP14-030-230	29800	15.7	13.5	25600	16400	3.72	2.56	8.7	CH23-41	EL180UH090E48B	5742368
XP14-030-230	29600	15	13	25800	16600	3.62	2.5	8.5	CH23-41	EL195UH045XE36B	5431596
XP14-030-230	29600	15	12.7	25800	16700	3.6	2.5	8.5	CH23-41	EL195UH070XE36B	5431568
XP14-030-230	29600	15	13	25800	16600	3.62	2.5	8.5	CH23-41	EL296UH045XE36B	5650678
XP14-030-230	29400	15.2	13.2	25600	16400	3.62	2.5	8.5	CH23-41	EL296UH045XV36B	5562700
XP14-030-230	29600	15	12.7	25800	16700	3.6	2.5	8.5	CH23-41	EL296UH070XE36B	5650651
XP14-030-230	29400	15.5	13.2	25400	16300	3.62	2.5	8.5	CH23-41	EL296UH070XV36B	5562713
XP14-030-230	29800	15.2	13.2	25800	16600	3.64	2.52	8.5	CH23-41	ML180UH045E36A	10590588
XP14-030-230	29800	15.5	13.5	25600	16400	3.7	2.54	8.7	CH23-41	ML180UH070E36B	10590667
XP14-030-230	29800	15.7	13.5	25600	16400	3.72	2.56	8.7	CH23-41	ML180UH090E48B	10590797
XP14-030-230	29400	15.7	13.5	25400	16300	3.68	2.56	8.5	CH23-41	SL280UH090V36B	5532475
XP14-030-230	29800	15.5	13.2	25600	16400	3.68	2.54	8.7	CH23-41	SL280UH090V48B	5431529
XP14-030-230	29800	15.5	13.2	25600	16400	3.68	2.54	8.7	CH23-41	SL280UH090XV48B	8133208
XP14-030-230	29600	15.2	13.2	25600	16400	3.64	2.52	8.5	CH23-41	SLP98UH070XV36B	5431637
XP14-030-230	29600	15.7	13.2	25600	16500	3.74	2.58	8.7	CH23-51	EL180UH070E36B	5742042
XP14-030-230	29800	15.7	13.2	25800	16500	3.78	2.6	8.7	CH23-51	EL180UH090E48B	5742358
XP14-030-230	29600	15.2	13	25800	16700	3.66	2.54	8.5	CH23-51	EL195UH045XE36B	5431597
XP14-030-230	29600	15	12.7	26000	16700	3.66	2.52	8.5	CH23-51	EL195UH070XE36B	5431569
XP14-030-230	29600	15.2	13	25800	16700	3.66	2.54	8.5	CH23-51	EL296UH045XE36B	5650672
XP14-030-230	29600	15	12.7	26000	16700	3.66	2.52	8.5	CH23-51	EL296UH070XE36B	5650646
XP14-030-230	29400	15.5	13.2	25400	16400	3.68	2.58	8.7	CH23-51	EL296UH090XV36C	5562721

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-030-230	29800	15.7	13.5	25800	16500	3.8	2.6	8.7	CH23-51	EL296UH090XV48C	5562727
XP14-030-230	29600	15.7	13.2	25600	16500	3.74	2.58	8.7	CH23-51	ML180UH070E36B	10590659
XP14-030-230	29800	15.7	13.2	25800	16500	3.78	2.6	8.7	CH23-51	ML180UH090E48B	10590787
XP14-030-230	29400	15.5	13.2	25400	16400	3.68	2.58	8.7	CH23-51	SLP98UH090XV36C	5431614
XP14-030-230	29800	15.2	13	26000	16800	3.72	2.6	8.7	CH33-31A	EL180UH045E36A	5741765
XP14-030-230	29800	15.2	13	26000	16800	3.72	2.6	8.7	CH33-31A	ML180UH045E36A	10590585
XP14-030-230	30000	15.2	13.2	26000	16700	3.74	2.6	8.7	CH33-31A	SL280UH070V36A	5532375
XP14-030-230	30000	15.2	13.2	26000	16700	3.74	2.6	8.7	CH33-31A	SL280UH070XV36A	8133180
XP14-030-230	29600	14	12.2	26600	17300	3.54	2.46	8.2	CH33-31A		5431403
XP14-030-230	30400	15.7	13.5	25800	16500	3.72	2.56	8.7	CH33-31B	EL180UH070E36B	5742047
XP14-030-230	30400	15.7	13.7	25600	16500	3.72	2.58	8.7	CH33-31B	EL180UH090E48B	5742359
XP14-030-230	30200	15.2	13.2	25800	16700	3.64	2.52	8.5	CH33-31B	EL195UH045XE36B	5431598
XP14-030-230	30400	15.5	13.2	26000	16800	3.68	2.54	8.7	CH33-31B	EL195UH070XE36B	5431570
XP14-030-230	30200	15.2	13.2	25800	16700	3.64	2.52	8.5	CH33-31B	EL296UH045XE36B	5650644
XP14-030-230	30000	15.2	13.2	25800	16600	3.62	2.52	8.5	CH33-31B	EL296UH045XV36B	5562688
XP14-030-230	30400	15.5	13.2	26000	16800	3.68	2.54	8.7	CH33-31B	EL296UH070XE36B	5650663
XP14-030-230	30000	15.7	13.2	25600	16500	3.66	2.54	8.5	CH33-31B	EL296UH070XV36B	5562711
XP14-030-230	30400	15.7	13.5	25800	16500	3.72	2.56	8.7	CH33-31B	ML180UH070E36B	10590664
XP14-030-230	30400	15.7	13.7	25600	16500	3.72	2.58	8.7	CH33-31B	ML180UH090E48B	10590788
XP14-030-230	30200	15.7	13.7	25600	16400	3.7	2.56	8.7	CH33-31B	SL280UH090V36B	5532468
XP14-030-230	30400	15.7	13.5	25800	16600	3.72	2.58	8.7	CH33-31B	SL280UH090V48B	5431445
XP14-030-230	30400	15.7	13.5	25800	16600	3.72	2.58	8.7	CH33-31B	SL280UH090XV48B	8133200
XP14-030-230	30200	15.5	13.2	25800	16600	3.68	2.54	8.7	CH33-31B	SLP98UH070XV36B	5431617
XP14-030-230	29800	14	12.2	26400	17200	3.46	2.4	8.2	CH33-31B		5431404
XP14-030-230	29000	14.7	12.7	25600	16600	3.52	2.48	8.2	CH33-36A	EL180UH045E36A	5741766
XP14-030-230	29000	14.7	12.7	25600	16600	3.52	2.48	8.2	CH33-36A	ML180UH045E36A	10590586
XP14-030-230	29000	14.7	12.7	25600	16600	3.54	2.5	8.2	CH33-36A	SL280UH070V36A	5532378
XP14-030-230	29000	14.7	12.7	25600	16600	3.54	2.5	8.2	CH33-36A	SL280UH070XV36A	8133183
XP14-030-230	29600	15.2	13.2	25600	16500	3.66	2.54	8.5	CH33-36B	EL180UH070E36B	5742044
XP14-030-230	29400	15.2	13.2	25600	16400	3.66	2.54	8.7	CH33-36B	EL180UH090E48B	5742361
XP14-030-230	29400	14.7	12.7	25800	16600	3.6	2.5	8.5	CH33-36B	EL195UH045XE36B	5431599
XP14-030-230	29600	15	12.7	26000	16700	3.64	2.5	8.5	CH33-36B	EL195UH070XE36B	5431571
XP14-030-230	29400	14.7	12.7	25800	16600	3.6	2.5	8.5	CH33-36B	EL296UH045XE36B	5650661
XP14-030-230	29200	14.7	12.7	25600	16600	3.56	2.5	8.5	CH33-36B	EL296UH045XV36B	5562692
XP14-030-230	29600	15	12.7	26000	16700	3.64	2.5	8.5	CH33-36B	EL296UH070XE36B	5650680
XP14-030-230	29200	15.2	13	25600	16400	3.62	2.5	8.5	CH33-36B	EL296UH070XV36B	5562715
XP14-030-230	29600	15.2	13.2	25600	16500	3.66	2.54	8.5	CH33-36B	ML180UH070E36B	10590661
XP14-030-230	29400	15.2	13.2	25600	16400	3.66	2.54	8.7	CH33-36B	ML180UH090E48B	10590790
XP14-030-230	29200	15.2	13.2	25400	16400	3.64	2.54	8.5	CH33-36B	SL280UH090V36B	5532469
XP14-030-230	29600	15.2	13.2	25600	16500	3.64	2.54	8.5	CH33-36B	SL280UH090V48B	5431468
XP14-030-230	29600	15.2	13.2	25600	16500	3.64	2.54	8.5	CH33-36B	SL280UH090XV48B	8133202
XP14-030-230	29400	15.2	13	25600	16500	3.62	2.52	8.5	CH33-36B	SLP98UH070XV36B	5431618
XP14-030-230	29800	15.2	13	26000	16700	3.7	2.54	8.7	CH33-36C	EL195UH090XE48C	5431587
XP14-030-230	29800	15.2	13	26000	16700	3.7	2.54	8.7	CH33-36C	EL296UH090XE48C	5650682
XP14-030-230	29400	15.5	13.2	25600	16500	3.72	2.58	8.7	CH33-36C	EL296UH090XV36C	5562723
XP14-030-230	30000	15.5	13.2	26000	16700	3.8	2.62	8.7	CH33-36C	EL296UH090XV48C	5562728
XP14-030-230	29400	15.5	13.2	25600	16500	3.72	2.58	8.7	CH33-36C	SLP98UH090XV36C	5431619
XP14-030-230	30000	15.5	13.2	26000	16700	3.8	2.62	8.7	CH33-36C	SLP98UH090XV48C	5431623
XP14-030-230	30000	15.7	13.2	25600	16500	3.66	2.54	8.5	CH33-42	EL180UH070E36B	5742049
XP14-030-230	30000	15.7	13.5	25600	16500	3.68	2.56	8.7	CH33-42	EL180UH090E48B	5742367
XP14-030-230	30000	15.2	13.2	25800	16600	3.6	2.5	8.5	CH33-42	EL195UH045XE36B	5431600
XP14-030-230	30200	15.2	13.2	25800	16700	3.62	2.52	8.5	CH33-42	EL195UH070XE36B	5431572
XP14-030-230	30000	15.2	13.2	25800	16600	3.6	2.5	8.5	CH33-42	EL296UH045XE36B	5650655
XP14-030-230	29800	15.2	13	25600	16600	3.56	2.5	8.5	CH33-42	EL296UH045XV36B	5562697
XP14-030-230	30200	15.2	13.2	25800	16700	3.62	2.52	8.5	CH33-42	EL296UH070XE36B	5650675
XP14-030-230	29800	15.5	13.2	25600	16400	3.62	2.5	8.5	CH33-42	EL296UH070XV36B	5562708
XP14-030-230	30000	15.7	13.2	25600	16500	3.66	2.54	8.5	CH33-42	ML180UH070E36B	10590666
XP14-030-230	30000	15.7	13.5	25600	16500	3.68	2.56	8.7	CH33-42	ML180UH090E48B	10590796
XP14-030-230	29800	15.7	13.5	25400	16400	3.64	2.54	8.5	CH33-42	SL280UH090V36B	5532474
XP14-030-230	30200	15.5	13.5	25800	16500	3.68	2.54	8.7	CH33-42	SL280UH090V48B	5431496
XP14-030-230	30200	15.5	13.5	25800	16500	3.68	2.54	8.7	CH33-42	SL280UH090XV48B	8133206

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-030-230	30000	15.5	13.2	25600	16600	3.62	2.54	8.5	CH33-42	SLP98UH070XV36B	5431628
XP14-030-230	30400	16	13.5	25600	16400	3.72	2.58	8.5	CH33-43	EL296UH090XV36C	5562718
XP14-030-230	31000	16	14	25800	16500	3.8	2.6	8.5	CH33-43	EL296UH090XV48C	5562724
XP14-030-230	30400	16	13.5	25600	16400	3.72	2.58	8.5	CH33-43	SLP98UH090XV36C	5431629
XP14-030-230	31000	16	14	25800	16500	3.8	2.6	8.5	CH33-43	SLP98UH090XV48C	5431630
XP14-030-230	30000	14.2	12.2	26400	17200	3.46	2.4	8.2	CH33-43		5431412
XP14-030-230	31000	15.7	13.7	26000	16700	3.74	2.56	8.7	CH33-43C	EL195UH090XE48C	5431588
XP14-030-230	31000	15.7	13.7	26000	16700	3.74	2.56	8.7	CH33-43C	EL296UH090XE48C	5650677
XP14-030-230	29800	15	13	27000	17300	3.76	2.6	8.7	CR33-30/36	EL180DF045E36A	5741529
XP14-030-230	29800	15.5	13.2	26800	17100	3.84	2.64	9	CR33-30/36	EL180DF070E36B	5741559
XP14-030-230	29800	15.5	13.2	26800	17100	3.82	2.64	9	CR33-30/36	EL180DF090E48B	5741583
XP14-030-230	29600	15	12.7	27000	17300	3.76	2.6	8.7	CR33-30/36	EL195DF045XE36B	5431574
XP14-030-230	30000	15.2	13.2	27000	17300	3.82	2.64	9	CR33-30/36	EL195DF070XE48B	5431575
XP14-030-230	29600	15.2	13.2	26800	17100	3.8	2.62	8.7	CR33-30/36	EL195DF090XE48C	5431576
XP14-030-230	29600	15	12.7	27000	17300	3.76	2.6	8.7	CR33-30/36	EL296DF045XE36B	5650641
XP14-030-230	29600	15.2	13.2	26800	17100	3.76	2.6	8.7	CR33-30/36	EL296DF045XV36B	5562683
XP14-030-230	30000	15.2	13.2	27000	17300	3.82	2.64	9	CR33-30/36	EL296DF070XE48B	5650658
XP14-030-230	29600	15	13	26800	17200	3.72	2.58	8.7	CR33-30/36	EL296DF070XV48B	5562684
XP14-030-230	29600	15.2	13.2	26800	17100	3.8	2.62	8.7	CR33-30/36	EL296DF090XE48C	5650652
XP14-030-230	29800	15	13	27000	17300	3.76	2.6	8.7	CR33-30/36	ML180DF045E36A	10590540
XP14-030-230	29800	15.5	13.2	26800	17100	3.84	2.64	9	CR33-30/36	ML180DF070E36B	10590546
XP14-030-230	29800	15.5	13.2	26800	17100	3.82	2.64	9	CR33-30/36	ML180DF090E48B	10590554
XP14-030-230	29600	15.2	13	26800	17200	3.76	2.6	8.7	CR33-30/36	SL280DF070V36A	5431500
XP14-030-230	29600	15.2	13.2	26800	17100	3.8	2.62	8.7	CR33-30/36	SL280DF090V48B	5532331
XP14-030-230	29600	15.2	13	26800	17200	3.76	2.6	8.7	CR33-30/36	SLP98DF070XV36B	5431631
XP14-030-230	29800	15.5	13.2	26800	17100	3.82	2.64	9	CR33-30/36	SLP98DF090XV36C	5431632
XP14-030-230	29600	15.2	13.2	26800	17100	3.8	2.62	8.7	CR33-30/36	SLP98DF090XV48C	5431633
XP14-030-230	30000	15.2	13.2	25800	16600	3.62	2.5	8.5	CX34-31	EL180UH045E36A	5741764
XP14-030-230	30000	15.7	13.5	25600	16400	3.64	2.52	8.5	CX34-31	EL180UH070E36B	5742040
XP14-030-230	30200	15.7	13.5	25600	16500	3.66	2.56	8.7	CX34-31	EL180UH090E48B	5742363
XP14-030-230	30000	15.2	13.2	25800	16700	3.6	2.5	8.5	CX34-31	EL195UH045XE36B	5431601
XP14-030-230	30200	15.2	13.2	25800	16700	3.6	2.5	8.5	CX34-31	EL195UH070XE36B	5431573
XP14-030-230	30000	15.2	13.2	25800	16700	3.6	2.5	8.5	CX34-31	EL296UH045XE36B	5650650
XP14-030-230	29800	15.2	13	25600	16600	3.56	2.5	8.5	CX34-31	EL296UH045XV36B	5562696
XP14-030-230	30200	15.2	13.2	25800	16700	3.6	2.5	8.5	CX34-31	EL296UH070XE36B	5650669
XP14-030-230	29800	15.5	13.2	25600	16500	3.6	2.52	8.5	CX34-31	EL296UH070XV36B	5562705
XP14-030-230	30000	15.2	13.2	25800	16600	3.62	2.5	8.5	CX34-31	ML180UH045E36A	10590584
XP14-030-230	30000	15.7	13.5	25600	16400	3.64	2.52	8.5	CX34-31	ML180UH070E36B	10590657
XP14-030-230	30200	15.7	13.5	25600	16500	3.66	2.56	8.7	CX34-31	ML180UH090E48B	10590792
XP14-030-230	30000	15.5	13.2	25600	16500	3.62	2.52	8.5	CX34-31	SL280UH070V36A	5532376
XP14-030-230	30000	15.5	13.2	25600	16500	3.62	2.52	8.5	CX34-31	SL280UH070XV36A	8133181
XP14-030-230	30000	15.7	13.5	25400	16400	3.62	2.54	8.5	CX34-31	SL280UH090V36B	5532464
XP14-030-230	30200	15.5	13.5	25800	16500	3.68	2.54	8.5	CX34-31	SL280UH090V48B	5431513
XP14-030-230	30200	15.5	13.5	25800	16500	3.68	2.54	8.5	CX34-31	SL280UH090XV48B	8133207
XP14-030-230	30000	15.2	13.2	25600	16600	3.62	2.52	8.5	CX34-31	SLP98UH070XV36B	5431634
XP14-030-230	29200	15.2	13.2	25400	16400	3.62	2.52	8.5	CX34-36	EL180UH070E36B	5742052
XP14-030-230	29200	15.2	13.2	25400	16400	3.64	2.52	8.5	CX34-36	EL180UH090E48B	5742366
XP14-030-230	29200	14.7	12.7	25600	16600	3.58	2.48	8.5	CX34-36	EL195UH045XE36B	5431602
XP14-030-230	29400	15	12.7	25800	16700	3.6	2.5	8.5	CX34-36	EL195UH070XE36B	5431579
XP14-030-230	29600	15.2	13	25800	16600	3.68	2.52	8.7	CX34-36	EL195UH090XE48C	5431589
XP14-030-230	29200	14.7	12.7	25600	16600	3.58	2.48	8.5	CX34-36	EL296UH045XE36B	5650667
XP14-030-230	29000	14.7	12.7	25600	16600	3.56	2.48	8.2	CX34-36	EL296UH045XV36B	5562698
XP14-030-230	29400	15	12.7	25800	16700	3.6	2.5	8.5	CX34-36	EL296UH070XE36B	5650681
XP14-030-230	29000	15.2	13	25400	16400	3.58	2.5	8.5	CX34-36	EL296UH070XV36B	5562709
XP14-030-230	29600	15.2	13	25800	16600	3.68	2.52	8.7	CX34-36	EL296UH090XE48C	5650671
XP14-030-230	29200	15.2	13.2	25400	16400	3.62	2.52	8.5	CX34-36	EL296UH090XV36C	5767219
XP14-030-230	29200	15.2	13.2	25400	16400	3.62	2.52	8.5	CX34-36	ML180UH070E36B	10590669
XP14-030-230	29200	15.2	13.2	25400	16400	3.64	2.52	8.5	CX34-36	ML180UH090E48B	10590795
XP14-030-230	29200	15.2	13	25400	16500	3.6	2.52	8.5	CX34-36	SL280UH070V36A	5532381
XP14-030-230	29200	15.2	13	25400	16500	3.6	2.52	8.5	CX34-36	SL280UH070XV36A	8133186
XP14-030-230	29200	15.2	13.2	25400	16300	3.62	2.52	8.5	CX34-36	SL280UH090V36B	5532471

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-030-230	29400	15.2	13	25600	16500	3.64	2.52	8.5	CX34-36	SL280UH090V48B	5431535
XP14-030-230	29400	15.2	13	25600	16500	3.64	2.52	8.5	CX34-36	SL280UH090XV48B	8133209
XP14-030-230	29200	15	13	25600	16500	3.6	2.5	8.5	CX34-36	SLP98UH070XV36B	5431638
XP14-030-230	29200	15.2	13.2	25400	16400	3.62	2.52	8.5	CX34-36	SLP98UH090XV36C	5431639
XP14-030-230	29600	15.2	13.2	25600	16600	3.66	2.54	8.7	CX34-36	SLP98UH090XV48C	5431640
XP14-030-230	30800	15.5	13.5	25800	16600	3.66	2.54	8.5	CX34-38	EL180UH045E36A	5741767
XP14-030-230	30800	15.7	13.7	25600	16400	3.7	2.54	8.7	CX34-38	EL180UH070E36B	5742051
XP14-030-230	31000	15.7	13.7	25600	16500	3.72	2.58	8.7	CX34-38	EL180UH090E48B	5742369
XP14-030-230	30800	15.2	13.2	25800	16700	3.64	2.54	8.5	CX34-38	EL195UH045XE36B	5431603
XP14-030-230	30600	15.5	13.2	25600	16500	3.7	2.54	8.5	CX34-38	EL195UH070XE36B	5431580
XP14-030-230	30800	15.2	13.2	25800	16700	3.64	2.54	8.5	CX34-38	EL296UH045XE36B	5650684
XP14-030-230	30800	15.2	13.2	25800	16600	3.64	2.52	8.5	CX34-38	EL296UH045XV36B	5562699
XP14-030-230	30600	15.5	13.2	25600	16500	3.7	2.54	8.5	CX34-38	EL296UH070XE36B	5650676
XP14-030-230	30600	15.7	13.5	25600	16500	3.66	2.54	8.5	CX34-38	EL296UH070XV36B	5562710
XP14-030-230	30800	15.5	13.5	25800	16600	3.66	2.54	8.5	CX34-38	ML180UH045E36A	10590587
XP14-030-230	30800	15.7	13.7	25600	16400	3.7	2.54	8.7	CX34-38	ML180UH070E36B	10590668
XP14-030-230	31000	15.7	13.7	25600	16500	3.72	2.58	8.7	CX34-38	ML180UH090E48B	10590798
XP14-030-230	30800	15.7	13.5	25600	16500	3.68	2.54	8.7	CX34-38	SL280UH070V36A	5523282
XP14-030-230	30800	15.7	13.5	25600	16500	3.68	2.54	8.7	CX34-38	SL280UH070XV36A	8133187
XP14-030-230	30800	15.7	13.7	25400	16400	3.68	2.56	8.7	CX34-38	SL280UH090V36B	5532476
XP14-030-230	31000	15.7	13.7	25600	16600	3.7	2.58	8.7	CX34-38	SL280UH090V48B	5431545
XP14-030-230	31000	15.7	13.7	25600	16600	3.7	2.58	8.7	CX34-38	SL280UH090XV48B	8133210
XP14-030-230	30600	15.7	13.5	25600	16500	3.66	2.54	8.5	CX34-38	SLP98UH070XV36B	5431641
XP14-030-230	30400	14	12.2	26200	17200	3.44	2.4	8.2	CX34-38		5431417
XP14-030-230	29200	15.2	13.2	25400	16400	3.62	2.52	8.5	CX34-42	EL180UH070E36B	5742055
XP14-030-230	29200	15.2	13.2	25400	16400	3.64	2.52	8.5	CX34-42	EL180UH090E48B	5742370
XP14-030-230	29200	14.7	12.7	25600	16600	3.58	2.48	8.5	CX34-42	EL195UH045XE36B	5431604
XP14-030-230	29400	15	12.7	25800	16700	3.6	2.5	8.5	CX34-42	EL195UH070XE36B	5431581
XP14-030-230	29200	14.7	12.7	25600	16600	3.58	2.48	8.5	CX34-42	EL296UH045XE36B	5650679
XP14-030-230	29000	14.7	12.7	25600	16600	3.56	2.48	8.2	CX34-42	EL296UH045XV36B	5562693
XP14-030-230	29400	15	12.7	25800	16700	3.6	2.5	8.5	CX34-42	EL296UH070XE36B	5650670
XP14-030-230	29000	15.2	13	25400	16400	3.58	2.5	8.5	CX34-42	EL296UH070XV36B	5562716
XP14-030-230	29200	15.2	13.2	25400	16400	3.62	2.52	8.5	CX34-42	ML180UH070E36B	10590672
XP14-030-230	29200	15.2	13.2	25400	16400	3.64	2.52	8.5	CX34-42	ML180UH090E48B	10590799
XP14-030-230	29200	15.2	13.2	25400	16300	3.62	2.52	8.5	CX34-42	SL280UH090V36B	5532472
XP14-030-230	29400	15.2	13	25600	16500	3.64	2.52	8.5	CX34-42	SL280UH090V48B	5431551
XP14-030-230	29400	15.2	13	25600	16500	3.64	2.52	8.5	CX34-42	SL280UH090XV48B	8133211
XP14-030-230	29200	15	13	25600	16500	3.6	2.5	8.5	CX34-42	SLP98UH070XV36B	5431642
XP14-030-230	30400	15.7	13.7	25600	16400	3.66	2.54	8.7	CX34-43	EL180UH070E36B	5742053
XP14-030-230	30600	16	13.5	25800	16500	3.72	2.56	8.5	CX34-43	EL180UH090E48B	5742374
XP14-030-230	30400	15.5	13.2	25800	16700	3.62	2.52	8.5	CX34-43	EL195UH045XE36B	5431605
XP14-030-230	30600	15.5	13.2	26000	16700	3.66	2.52	8.5	CX34-43	EL195UH070XE36B	5431582
XP14-030-230	30800	15.7	13.5	26000	16700	3.7	2.56	8.7	CX34-43	EL195UH090XE48C	5431590
XP14-030-230	30400	15.5	13.2	25800	16700	3.62	2.52	8.5	CX34-43	EL296UH045XE36B	5650673
XP14-030-230	30200	15.5	13.2	25800	16600	3.62	2.5	8.5	CX34-43	EL296UH045XV36B	5562689
XP14-030-230	30600	15.5	13.2	26000	16700	3.66	2.52	8.5	CX34-43	EL296UH070XE36B	5650642
XP14-030-230	30200	15.7	13.5	25600	16500	3.64	2.54	8.5	CX34-43	EL296UH070XV36B	5562707
XP14-030-230	30800	15.7	13.5	26000	16700	3.7	2.56	8.7	CX34-43	EL296UH090XE48C	5650643
XP14-030-230	30400	16	13.5	25600	16400	3.7	2.56	8.5	CX34-43	EL296UH090XV36C	5562722
XP14-030-230	30800	16	13.5	25800	16500	3.76	2.6	8.5	CX34-43	EL296UH090XV48C	5562730
XP14-030-230	30400	15.7	13.7	25600	16400	3.66	2.54	8.7	CX34-43	ML180UH070E36B	10590670
XP14-030-230	30600	16	13.5	25800	16500	3.72	2.56	8.5	CX34-43	ML180UH090E48B	10590803
XP14-030-230	30400	16	13.5	25600	16400	3.68	2.56	8.5	CX34-43	SL280UH090V36B	5532477
XP14-030-230	30600	15.7	13.5	25800	16600	3.7	2.56	8.7	CX34-43	SL280UH090V48B	5431557
XP14-030-230	30600	15.7	13.5	25800	16600	3.7	2.56	8.7	CX34-43	SL280UH090XV48B	8133212
XP14-030-230	30400	15.7	13.5	25800	16600	3.66	2.54	8.5	CX34-43	SLP98UH070XV36B	5431610
XP14-030-230	30400	16	13.5	25600	16400	3.7	2.56	8.5	CX34-43	SLP98UH090XV36C	5431611
XP14-030-230	30800	16	13.5	25800	16500	3.76	2.6	8.5	CX34-43	SLP98UH090XV48C	5431612
XP14-030-230	29600	15.5	13.2	25400	16300	3.54	2.48	8.2	CX34-44/48	EL180UH070E36B	5742046
XP14-030-230	29800	15.5	13.2	25400	16400	3.58	2.5	8.5	CX34-44/48	EL180UH090E48B	5742372
XP14-030-230	29600	15	13	25600	16600	3.5	2.46	8.2	CX34-44/48	EL195UH045XE36B	5431606

## AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-030-230	30000	15	13	25800	16600	3.56	2.46	8.2	CX34-44/48	EL195UH070XE36B	5431583
XP14-030-230	30200	15.2	13.2	25800	16600	3.62	2.5	8.5	CX34-44/48	EL195UH090XE48C	5431591
XP14-030-230	29600	15	13	25600	16600	3.5	2.46	8.2	CX34-44/48	EL296UH045XE36B	5650645
XP14-030-230	29600	15	13	25600	16500	3.5	2.44	8.2	CX34-44/48	EL296UH045XV36B	5562685
XP14-030-230	30000	15	13	25800	16600	3.56	2.46	8.2	CX34-44/48	EL296UH070XE36B	5650659
XP14-030-230	29600	15.2	13.2	25400	16400	3.52	2.46	8.2	CX34-44/48	EL296UH070XV36B	5562702
XP14-030-230	30200	15.2	13.2	25800	16600	3.62	2.5	8.5	CX34-44/48	EL296UH090XE48C	5650660
XP14-030-230	29600	15.5	13.2	25400	16300	3.54	2.48	8.2	CX34-44/48	EL296UH090XV36C	5562720
XP14-030-230	30000	15.5	13.2	25600	16500	3.6	2.5	8.5	CX34-44/48	EL296UH090XV48C	5562729
XP14-030-230	29600	15.5	13.2	25400	16300	3.54	2.48	8.2	CX34-44/48	ML180UH070E36B	10590663
XP14-030-230	29800	15.5	13.2	25400	16400	3.58	2.5	8.5	CX34-44/48	ML180UH090E48B	10590801
XP14-030-230	29600	15.5	13.2	25400	16300	3.56	2.48	8.2	CX34-44/48	SL280UH090V36B	5532470
XP14-030-230	29800	15.2	13.2	25600	16400	3.58	2.48	8.5	CX34-44/48	SL280UH090V48B	5431451
XP14-030-230	29800	15.2	13.2	25600	16400	3.58	2.48	8.5	CX34-44/48	SL280UH090XV48B	8133201
XP14-030-230	29600	15.2	13	25600	16500	3.54	2.48	8.2	CX34-44/48	SLP98UH070XV36B	5431616
XP14-030-230	29600	15.5	13.2	25400	16300	3.54	2.48	8.2	CX34-44/48	SLP98UH090XV36C	5431635
XP14-030-230	30000	15.2	13.2	25800	16600	3.62	2.5	8.5	CX38-31A	EL180UH045E36A	10086295
XP14-030-230	30000	15.2	13.2	25800	16600	3.62	2.5	8.5	CX38-31A	ML180UH045E36A	10590624
XP14-030-230	30000	15.5	13.2	25600	16500	3.62	2.52	8.5	CX38-31A	SL280UH070V36A	10086159
XP14-030-230	30000	15.5	13.2	25600	16500	3.62	2.52	8.5	CX38-31A	SL280UH070XV36A	10086318
XP14-030-230	30000	15.7	13.5	25600	16400	3.64	2.52	8.5	CX38-31B	EL180UH070E36B	10086284
XP14-030-230	30200	15.7	13.5	25600	16500	3.66	2.56	8.7	CX38-31B	EL180UH090E48B	10086302
XP14-030-230	30000	15.2	13.2	25800	16700	3.6	2.5	8.5	CX38-31B	EL195UH045XE36B	10086105
XP14-030-230	30200	15.2	13.2	25800	16700	3.6	2.5	8.5	CX38-31B	EL195UH070XE36B	10086132
XP14-030-230	30000	15.2	13.2	25800	16700	3.6	2.5	8.5	CX38-31B	EL296UH045XE36B	10086264
XP14-030-230	29800	15.2	13	25600	16600	3.56	2.5	8.5	CX38-31B	EL296UH045XV36B	10086193
XP14-030-230	30200	15.2	13.2	25800	16700	3.6	2.5	8.5	CX38-31B	EL296UH070XE36B	10086265
XP14-030-230	29800	15.5	13.2	25600	16500	3.6	2.52	8.5	CX38-31B	EL296UH070XV36B	10086183
XP14-030-230	30000	15.7	13.5	25600	16400	3.64	2.52	8.5	CX38-31B	ML180UH070E36B	10590736
XP14-030-230	30200	15.7	13.5	25600	16500	3.66	2.56	8.7	CX38-31B	ML180UH090E48B	10590860
XP14-030-230	30000	15.7	13.5	25400	16400	3.62	2.54	8.5	CX38-31B	SL280UH090V36B	10086169
XP14-030-230	30200	15.5	13.5	25800	16500	3.68	2.54	8.5	CX38-31B	SL280UH090V48B	10086090
XP14-030-230	30200	15.5	13.5	25800	16500	3.68	2.54	8.5	CX38-31B	SL280UH090XV48B	10086336
XP14-030-230	30000	15.2	13.2	25600	16600	3.62	2.52	8.5	CX38-31B	SLP98UH070XV36B	10086125
XP14-030-230	29200	15.2	13	25400	16500	3.6	2.52	8.5	CX38-36A	SL280UH070V36A	10086155
XP14-030-230	29200	15.2	13	25400	16500	3.6	2.52	8.5	CX38-36A	SL280UH070XV36A	10086322
XP14-030-230	29200	15.2	13.2	25400	16400	3.62	2.52	8.5	CX38-36B	EL180UH070E36B	10086294
XP14-030-230	29200	15.2	13.2	25400	16400	3.64	2.52	8.5	CX38-36B	EL180UH090E48B	10086304
XP14-030-230	29200	14.7	12.7	25600	16600	3.58	2.48	8.5	CX38-36B	EL195UH045XE36B	10086122
XP14-030-230	29400	15	12.7	25800	16700	3.6	2.5	8.5	CX38-36B	EL195UH070XE36B	10086144
XP14-030-230	29200	14.7	12.7	25600	16600	3.58	2.48	8.5	CX38-36B	EL296UH045XE36B	10086254
XP14-030-230	29000	14.7	12.7	25600	16600	3.56	2.48	8.2	CX38-36B	EL296UH045XV36B	10086208
XP14-030-230	29400	15	12.7	25800	16700	3.6	2.5	8.5	CX38-36B	EL296UH070XE36B	10086244
XP14-030-230	29000	15.2	13	25400	16400	3.58	2.5	8.5	CX38-36B	EL296UH070XV36B	10086219
XP14-030-230	29200	15.2	13.2	25400	16400	3.62	2.52	8.5	CX38-36B	ML180UH070E36B	10590738
XP14-030-230	29200	15.2	13.2	25400	16400	3.64	2.52	8.5	CX38-36B	ML180UH090E48B	10590861
XP14-030-230	29200	15.2	13.2	25400	16300	3.62	2.52	8.5	CX38-36B	SL280UH090V36B	10086165
XP14-030-230	29400	15.2	13	25600	16500	3.64	2.52	8.5	CX38-36B	SL280UH090V48B	10086094
XP14-030-230	29400	15.2	13	25600	16500	3.64	2.52	8.5	CX38-36B	SL280UH090XV48B	10086337
XP14-030-230	29200	15	13	25600	16500	3.6	2.5	8.5	CX38-36B	SLP98UH070XV36B	10086130
XP14-030-230	29600	15.2	13	25800	16600	3.68	2.52	8.7	CX38-36C	EL195UH090XE48C	10086134
XP14-030-230	29600	15.2	13	25800	16600	3.68	2.52	8.7	CX38-36C	EL296UH090XE48C	10086242
XP14-030-230	29200	15.2	13.2	25400	16400	3.62	2.52	8.5	CX38-36C	EL296UH090XV36C	10086306
XP14-030-230	29200	15.2	13.2	25400	16400	3.62	2.52	8.5	CX38-36C	SLP98UH090XV36C	10086128
XP14-030-230	29600	15.2	13.2	25600	16600	3.66	2.54	8.7	CX38-36C	SLP98UH090XV48C	10086127
XP14-030-230	30800	15.5	13.5	25800	16600	3.66	2.54	8.5	CX38-38A	EL180UH045E36A	10086296
XP14-030-230	30800	15.5	13.5	25800	16600	3.66	2.54	8.5	CX38-38A	ML180UH045E36A	10590625
XP14-030-230	30800	15.7	13.5	25600	16500	3.68	2.54	8.7	CX38-38A	SL280UH070V36A	10086152
XP14-030-230	30800	15.7	13.5	25600	16500	3.68	2.54	8.7	CX38-38A	SL280UH070XV36A	10086323
XP14-030-230	30400	14	12.2	26200	17200	3.44	2.4	8.2	CX38-38A		10086055
XP14-030-230	30800	15.7	13.7	25600	16400	3.7	2.54	8.7	CX38-38B	EL180UH070E36B	10086271

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-030-230	31000	15.7	13.7	25600	16500	3.72	2.58	8.7	CX38-38B	EL180UH090E48B	10086298
XP14-030-230	30800	15.2	13.2	25800	16700	3.64	2.54	8.5	CX38-38B	EL195UH045XE36B	10086146
XP14-030-230	30600	15.5	13.2	25600	16500	3.7	2.54	8.5	CX38-38B	EL195UH070XE36B	10086139
XP14-030-230	30800	15.2	13.2	25800	16700	3.64	2.54	8.5	CX38-38B	EL296UH045XE36B	10086259
XP14-030-230	30800	15.2	13.2	25800	16600	3.64	2.52	8.5	CX38-38B	EL296UH045XV36B	10086212
XP14-030-230	30600	15.5	13.2	25600	16500	3.7	2.54	8.5	CX38-38B	EL296UH070XE36B	10086258
XP14-030-230	30600	15.7	13.5	25600	16500	3.66	2.54	8.5	CX38-38B	EL296UH070XV36B	10086213
XP14-030-230	30800	15.7	13.7	25600	16400	3.7	2.54	8.7	CX38-38B	ML180UH070E36B	10590724
XP14-030-230	31000	15.7	13.7	25600	16500	3.72	2.58	8.7	CX38-38B	ML180UH090E48B	10590859
XP14-030-230	30800	15.7	13.7	25400	16400	3.68	2.56	8.7	CX38-38B	SL280UH090V36B	10086178
XP14-030-230	31000	15.7	13.7	25600	16600	3.7	2.58	8.7	CX38-38B	SL280UH090V48B	10086092
XP14-030-230	31000	15.7	13.7	25600	16600	3.7	2.58	8.7	CX38-38B	SL280UH090XV48B	10086338
XP14-030-230	30600	15.7	13.5	25600	16500	3.66	2.54	8.5	CX38-38B	SLP98UH070XV36B	10086126
XP14-030-230	30400	14	12.2	26200	17200	3.44	2.4	8.2	CX38-38B		10086056
XP14-030-230	29200	15.2	13.2	25400	16400	3.62	2.52	8.5	CX38-42B	EL180UH070E36B	10086270
XP14-030-230	29200	15.2	13.2	25400	16400	3.64	2.52	8.5	CX38-42B	EL180UH090E48B	10086305
XP14-030-230	29200	14.7	12.7	25600	16600	3.58	2.48	8.5	CX38-42B	EL195UH045XE36B	10086140
XP14-030-230	29400	15	12.7	25800	16700	3.6	2.5	8.5	CX38-42B	EL195UH070XE36B	10086133
XP14-030-230	29200	14.7	12.7	25600	16600	3.58	2.48	8.5	CX38-42B	EL296UH045XE36B	10086245
XP14-030-230	29000	14.7	12.7	25600	16600	3.56	2.48	8.2	CX38-42B	EL296UH045XV36B	10086181
XP14-030-230	29400	15	12.7	25800	16700	3.6	2.5	8.5	CX38-42B	EL296UH070XE36B	10086262
XP14-030-230	29000	15.2	13	25400	16400	3.58	2.5	8.5	CX38-42B	EL296UH070XV36B	10086222
XP14-030-230	29200	15.2	13.2	25400	16400	3.62	2.52	8.5	CX38-42B	ML180UH070E36B	10590723
XP14-030-230	29200	15.2	13.2	25400	16400	3.64	2.52	8.5	CX38-42B	ML180UH090E48B	10590862
XP14-030-230	29200	15.2	13.2	25400	16300	3.62	2.52	8.5	CX38-42B	SL280UH090V36B	10086170
XP14-030-230	29400	15.2	13	25600	16500	3.64	2.52	8.5	CX38-42B	SL280UH090V48B	10086095
XP14-030-230	29400	15.2	13	25600	16500	3.64	2.52	8.5	CX38-42B	SL280UH090XV48B	10086339
XP14-030-230	29200	15	13	25600	16500	3.6	2.5	8.5	CX38-42B	SLP98UH070XV36B	10086129
XP14-030-230	30400	15.7	13.7	25600	16400	3.66	2.54	8.7	CX38-43B	EL180UH070E36B	10086277
XP14-030-230	30600	16	13.5	25800	16500	3.72	2.56	8.5	CX38-43B	EL180UH090E48B	10086726
XP14-030-230	30400	15.5	13.2	25800	16700	3.62	2.52	8.5	CX38-43B	EL195UH045XE36B	10086135
XP14-030-230	30600	15.5	13.2	26000	16700	3.66	2.52	8.5	CX38-43B	EL195UH070XE36B	10086098
XP14-030-230	30400	15.5	13.2	25800	16700	3.62	2.52	8.5	CX38-43B	EL296UH045XE36B	10086266
XP14-030-230	30200	15.5	13.2	25800	16600	3.62	2.5	8.5	CX38-43B	EL296UH045XV36B	10086200
XP14-030-230	30600	15.5	13.2	26000	16700	3.66	2.52	8.5	CX38-43B	EL296UH070XE36B	10086247
XP14-030-230	30200	15.7	13.5	25600	16500	3.64	2.54	8.5	CX38-43B	EL296UH070XV36B	10086216
XP14-030-230	30400	15.7	13.7	25600	16400	3.66	2.54	8.7	CX38-43B	ML180UH070E36B	10590730
XP14-030-230	30600	16	13.5	25800	16500	3.72	2.56	8.5	CX38-43B	ML180UH090E48B	10590875
XP14-030-230	30400	16	13.5	25600	16400	3.68	2.56	8.5	CX38-43B	SL280UH090V36B	10086173
XP14-030-230	30600	15.7	13.5	25800	16600	3.7	2.56	8.7	CX38-43B	SL280UH090V48B	10086107
XP14-030-230	30600	15.7	13.5	25800	16600	3.7	2.56	8.7	CX38-43B	SL280UH090XV48B	10086340
XP14-030-230	30400	15.7	13.5	25800	16600	3.66	2.54	8.5	CX38-43B	SLP98UH070XV36B	10086123
XP14-030-230	30800	15.7	13.5	26000	16700	3.7	2.56	8.7	CX38-43C	EL195UH090XE48C	10086099
XP14-030-230	30800	15.7	13.5	26000	16700	3.7	2.56	8.7	CX38-43C	EL296UH090XE48C	10086248
XP14-030-230	30400	16	13.5	25600	16400	3.7	2.56	8.5	CX38-43C	EL296UH090XV36C	10086225
XP14-030-230	30800	16	13.5	25800	16500	3.76	2.6	8.5	CX38-43C	EL296UH090XV48C	10086226
XP14-030-230	30400	16	13.5	25600	16400	3.7	2.56	8.5	CX38-43C	SLP98UH090XV36C	10086147
XP14-030-230	30800	16	13.5	25800	16500	3.76	2.6	8.5	CX38-43C	SLP98UH090XV48C	10086141
XP14-030-230	29600	15.5	13.2	25400	16300	3.54	2.48	8.2	CX38-44/48B	EL180UH070E36B	10086281
XP14-030-230	29800	15.5	13.2	25400	16400	3.58	2.5	8.5	CX38-44/48B	EL180UH090E48B	10086267
XP14-030-230	29600	15	13	25600	16600	3.5	2.46	8.2	CX38-44/48B	EL195UH045XE36B	10086100
XP14-030-230	30000	15	13	25800	16600	3.56	2.46	8.2	CX38-44/48B	EL195UH070XE36B	10086115
XP14-030-230	29600	15	13	25600	16600	3.5	2.46	8.2	CX38-44/48B	EL296UH045XE36B	10086260
XP14-030-230	29600	15	13	25600	16500	3.5	2.44	8.2	CX38-44/48B	EL296UH045XV36B	10086186
XP14-030-230	30000	15	13	25800	16600	3.56	2.46	8.2	CX38-44/48B	EL296UH070XE36B	10086253
XP14-030-230	29600	15.2	13.2	25400	16400	3.52	2.46	8.2	CX38-44/48B	EL296UH070XV36B	10086199
XP14-030-230	29600	15.5	13.2	25400	16300	3.54	2.48	8.2	CX38-44/48B	ML180UH070E36B	10590733
XP14-030-230	29800	15.5	13.2	25400	16400	3.58	2.5	8.5	CX38-44/48B	ML180UH090E48B	10590853
XP14-030-230	29600	15.5	13.2	25400	16300	3.56	2.48	8.2	CX38-44/48B	SL280UH090V36B	10086167
XP14-030-230	29800	15.2	13.2	25600	16400	3.58	2.48	8.5	CX38-44/48B	SL280UH090V48B	10086088
XP14-030-230	29800	15.2	13.2	25600	16400	3.58	2.48	8.5	CX38-44/48B	SL280UH090XV48B	10086332

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-030-230	29600	15.2	13	25600	16500	3.54	2.48	8.2	CX38-44/48B	SLP98UH070XV36B	10086111
XP14-030-230	30200	15.2	13.2	25800	16600	3.62	2.5	8.5	CX38-44/48C	EL195UH090XE48C	10086116
XP14-030-230	30200	15.2	13.2	25800	16600	3.62	2.5	8.5	CX38-44/48C	EL296UH090XE48C	10086256
XP14-030-230	29600	15.5	13.2	25400	16300	3.54	2.48	8.2	CX38-44/48C	EL296UH090XV36C	10086214
XP14-030-230	30000	15.5	13.2	25600	16500	3.6	2.5	8.5	CX38-44/48C	EL296UH090XV48C	10086223
XP14-030-230	29600	15.5	13.2	25400	16300	3.54	2.48	8.2	CX38-44/48C	SLP98UH090XV36C	10086149
XP14-036-230	34200	15	12.5	32800	20800	3.44	2.4	8.2	C33-38	EL180UH045E36A	5741773
XP14-036-230	34200	15.7	13	32400	20400	3.48	2.44	8.5	C33-38	EL180UH070E36B	5742064
XP14-036-230	34600	15.5	13	32600	20600	3.52	2.46	8.5	C33-38	EL180UH090E48B	5742386
XP14-036-230	33800	15	12.5	32600	20600	3.36	2.38	8.2	C33-38	EL195UH045XE36B	5432185
XP14-036-230	34000	15.2	12.5	32600	20800	3.42	2.42	8.2	C33-38	EL195UH070XE36B	5432193
XP14-036-230	33800	15	12.5	32600	20600	3.36	2.38	8.2	C33-38	EL296UH045XE36B	5650736
XP14-036-230	34200	15	12.5	32800	20800	3.44	2.4	8.2	C33-38	EL296UH045XV36B	5562742
XP14-036-230	34000	15.2	12.5	32600	20800	3.42	2.42	8.2	C33-38	EL296UH070XE36B	5650749
XP14-036-230	34200	15	12.5	32800	20800	3.44	2.4	8.2	C33-38	EL296UH070XV36B	5562750
XP14-036-230	34200	15	12.5	32800	20800	3.44	2.4	8.2	C33-38	ML180UH045E36A	10589550
XP14-036-230	34200	15.7	13	32400	20400	3.48	2.44	8.5	C33-38	ML180UH070E36B	10589598
XP14-036-230	34600	15.5	13	32600	20600	3.52	2.46	8.5	C33-38	ML180UH090E48B	10589721
XP14-036-230	34200	15	12.5	32800	20800	3.42	2.4	8.2	C33-38	SL280UH070V36A	5532383
XP14-036-230	34200	15	12.5	32800	20800	3.42	2.4	8.2	C33-38	SL280UH070XV36A	8133188
XP14-036-230	34400	15.7	13	32600	20600	3.5	2.46	8.2	C33-38	SL280UH090V36B	5532479
XP14-036-230	34400	15.5	13	32600	20600	3.5	2.44	8.2	C33-38	SL280UH090V48B	5431983
XP14-036-230	34400	15.5	13	32600	20600	3.5	2.44	8.2	C33-38	SL280UH090XV48B	8133214
XP14-036-230	34200	15	12.5	32800	20800	3.44	2.4	8.2	C33-38	SLP98UH070XV36B	5432205
XP14-036-230	35200	15.7	13.2	32400	20200	3.46	2.5	8.5	C33-43	EL180UH070E36B	5742065
XP14-036-230	35600	15.7	13.2	32600	20400	3.52	2.5	8.2	C33-43	EL180UH090E48B	5742385
XP14-036-230	35600	15.7	13.2	32600	20200	3.52	2.5	8.2	C33-43	EL180UH090E60C	5740234
XP14-036-230	35200	15.7	13.2	32400	20200	3.48	2.5	8.5	C33-43	EL180UH110E60C	5740695
XP14-036-230	34800	15	12.7	32400	20400	3.34	2.42	8.2	C33-43	EL195UH045XE36B	5432186
XP14-036-230	35000	15.2	12.7	32600	20400	3.4	2.44	8.2	C33-43	EL195UH070XE36B	5432194
XP14-036-230	35200	15.5	13.2	32600	20400	3.48	2.48	8.2	C33-43	EL195UH090XE48C	5432164
XP14-036-230	35600	15.7	13.2	32600	20400	3.52	2.5	8.2	C33-43	EL195UH110XE60C	5432175
XP14-036-230	34800	15	12.7	32400	20400	3.34	2.42	8.2	C33-43	EL296UH045XE36B	5650758
XP14-036-230	35200	15	12.7	32800	20600	3.42	2.46	8.2	C33-43	EL296UH045XV36B	5562737
XP14-036-230	35000	15.2	12.7	32600	20400	3.4	2.44	8.2	C33-43	EL296UH070XE36B	5650759
XP14-036-230	35200	15	12.7	32800	20600	3.42	2.44	8.2	C33-43	EL296UH070XV36B	5562747
XP14-036-230	35200	15.5	13.2	32600	20400	3.48	2.48	8.2	C33-43	EL296UH090XE48C	5650742
XP14-036-230	35400	15.5	13.2	32600	20400	3.46	2.5	8.2	C33-43	EL296UH090XV36C	5562754
XP14-036-230	35000	15.5	13.2	32400	20200	3.46	2.48	8.5	C33-43	EL296UH090XV48C	5562774
XP14-036-230	35800	15.5	13.2	32800	20600	3.52	2.5	8.5	C33-43	EL296UH090XV60C	5562777
XP14-036-230	35600	15.7	13.2	32600	20400	3.52	2.5	8.2	C33-43	EL296UH110XE60C	5650746
XP14-036-230	35400	15.7	13.2	32400	20200	3.48	2.48	8.5	C33-43	EL296UH110XV48C	5562792
XP14-036-230	35600	15.7	13.2	32600	20400	3.52	2.52	8.5	C33-43	EL296UH110XV60C	5562801
XP14-036-230	35200	15.7	13.2	32400	20200	3.46	2.5	8.5	C33-43	ML180UH070E36B	10589599
XP14-036-230	35600	15.7	13.2	32600	20400	3.52	2.5	8.2	C33-43	ML180UH090E48B	10589720
XP14-036-230	35600	15.7	13.2	32600	20200	3.52	2.5	8.2	C33-43	ML180UH090E60C	10589797
XP14-036-230	35200	15.7	13.2	32400	20200	3.48	2.5	8.5	C33-43	ML180UH110E60C	10590055
XP14-036-230	35400	15.7	13.2	32400	20200	3.48	2.48	8.5	C33-43	SL280UH090V36B	5532482
XP14-036-230	35400	15.7	13.2	32400	20200	3.46	2.48	8.5	C33-43	SL280UH090V48B	5431993
XP14-036-230	35800	15.1	13	32600	20400	3.54	2.52	8.2	C33-43	SL280UH090V60C	5431975
XP14-036-230	35400	15.7	13.2	32400	20200	3.46	2.48	8.5	C33-43	SL280UH090XV48B	8133216
XP14-036-230	35800	15.1	13	32600	20400	3.54	2.52	8.2	C33-43	SL280UH090XV60C	8133224
XP14-036-230	35600	15.1	13	32600	20400	3.5	2.48	8.2	C33-43	SL280UH110V60C	5431976
XP14-036-230	35600	15.1	13	32600	20400	3.5	2.48	8.2	C33-43	SL280UH110XV60C	8133251
XP14-036-230	35200	15	12.7	32800	20600	3.42	2.44	8.2	C33-43	SLP98UH070XV36B	5432207
XP14-036-230	35400	15.5	13.2	32600	20400	3.46	2.5	8.2	C33-43	SLP98UH090XV36C	5432201
XP14-036-230	35000	15.5	13.2	32400	20200	3.46	2.48	8.5	C33-43	SLP98UH090XV48C	5432202
XP14-036-230	35800	15.5	13.2	32800	20600	3.52	2.5	8.5	C33-43	SLP98UH090XV60C	5432203
XP14-036-230	35600	15.7	13.2	32600	20400	3.52	2.52	8.5	C33-43	SLP98UH110XV60C	5432204
XP14-036-230	33800	15.5	13	32200	20400	3.36	2.38	8.2	C33-48	EL180UH070E36B	5742066
XP14-036-230	34200	15.5	12.7	32400	20600	3.4	2.4	8.2	C33-48	EL180UH090E48B	5742383

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-036-230	34200	15.5	13	32400	20400	3.4	2.38	8.2	C33-48	EL180UH090E60C	5740239
XP14-036-230	34000	15.5	13	32200	20400	3.36	2.38	8.2	C33-48	EL180UH110E60C	5740692
XP14-036-230	34000	15.2	12.7	32400	20600	3.36	2.38	8.2	C33-48	EL195UH090XE48C	5432165
XP14-036-230	34200	15.5	12.7	32400	20600	3.4	2.4	8.2	C33-48	EL195UH110XE60C	5432176
XP14-036-230	34000	15.2	12.7	32400	20600	3.36	2.38	8.2	C33-48	EL296UH090XE48C	5650738
XP14-036-230	34000	15.2	12.7	32400	20600	3.36	2.38	8.2	C33-48	EL296UH090XV36C	5562755
XP14-036-230	34000	15.5	12.7	32200	20400	3.34	2.36	8.2	C33-48	EL296UH090XV48C	5562765
XP14-036-230	34400	15.2	12.7	32600	20800	3.42	2.4	8.2	C33-48	EL296UH090XV60C	5562788
XP14-036-230	34200	15.5	12.7	32400	20600	3.4	2.4	8.2	C33-48	EL296UH110XE60C	5650731
XP14-036-230	34200	15.5	13	32200	20400	3.38	2.38	8.2	C33-48	EL296UH110XV48C	5562789
XP14-036-230	34400	15.5	13	32400	20600	3.42	2.4	8.2	C33-48	EL296UH110XV60C	5562802
XP14-036-230	33800	15.5	13	32200	20400	3.36	2.38	8.2	C33-48	ML180UH070E36B	10589600
XP14-036-230	34200	15.5	12.7	32400	20600	3.4	2.4	8.2	C33-48	ML180UH090E48B	10589718
XP14-036-230	34200	15.5	13	32400	20400	3.4	2.38	8.2	C33-48	ML180UH090E60C	10589801
XP14-036-230	34000	15.5	13	32200	20400	3.36	2.38	8.2	C33-48	ML180UH110E60C	10590052
XP14-036-230	34000	15.5	12.7	32200	20400	3.36	2.38	8.2	C33-48	SL280UH090V36B	5532480
XP14-036-230	34000	15.2	12.7	32200	20400	3.36	2.36	8.2	C33-48	SL280UH090V48B	5431987
XP14-036-230	34400	15.1	12.5	32400	20600	3.42	2.4	8.2	C33-48	SL280UH090V60C	5432151
XP14-036-230	34000	15.2	12.7	32200	20400	3.36	2.36	8.2	C33-48	SL280UH090XV48B	8133215
XP14-036-230	34400	15.1	12.5	32400	20600	3.42	2.4	8.2	C33-48	SL280UH090XV60C	8133234
XP14-036-230	34200	15.1	12.5	32400	20600	3.38	2.38	8.2	C33-48	SL280UH110V60C	5432005
XP14-036-230	34200	15.1	12.5	32400	20600	3.38	2.38	8.2	C33-48	SL280UH110XV60C	8133252
XP14-036-230	34000	15.2	12.7	32400	20600	3.36	2.38	8.2	C33-48	SLP98UH090XV36C	5432208
XP14-036-230	34000	15.5	12.7	32200	20400	3.34	2.36	8.2	C33-48	SLP98UH090XV48C	5432209
XP14-036-230	34400	15.2	12.7	32600	20800	3.42	2.4	8.2	C33-48	SLP98UH090XV60C	5432262
XP14-036-230	34400	15.5	13	32400	20600	3.42	2.4	8.2	C33-48	SLP98UH110XV60C	5432210
XP14-036-230	35200	15.7	13.2	31600	20400	3.64	2.52	8.7	C33-49	EL180UH090E60C	5740240
XP14-036-230	34800	15.7	13.2	31400	20200	3.62	2.5	8.7	C33-49	EL180UH110E60C	5740693
XP14-036-230	34800	15.5	13	31400	20400	3.58	2.5	8.7	C33-49	EL195UH090XE48C	5432166
XP14-036-230	35200	15.7	13.2	31600	20400	3.64	2.52	8.7	C33-49	EL195UH110XE60C	5432177
XP14-036-230	34800	15.5	13	31400	20400	3.58	2.5	8.7	C33-49	EL296UH090XE48C	5650768
XP14-036-230	35000	15.5	13.2	31600	20400	3.6	2.5	8.7	C33-49	EL296UH090XV36C	5562753
XP14-036-230	34800	15.7	13.2	31400	20200	3.58	2.48	8.7	C33-49	EL296UH090XV48C	5562767
XP14-036-230	35400	15.5	13	31800	20600	3.64	2.52	8.7	C33-49	EL296UH090XV60C	5562778
XP14-036-230	35200	15.7	13.2	31600	20400	3.64	2.52	8.7	C33-49	EL296UH110XE60C	5650735
XP14-036-230	35000	15.7	13.2	31400	20200	3.6	2.5	8.7	C33-49	EL296UH110XV48C	5562790
XP14-036-230	35200	15.7	13.2	31600	20400	3.64	2.52	8.7	C33-49	EL296UH110XV60C	5562803
XP14-036-230	35200	15.7	13.2	31600	20400	3.64	2.52	8.7	C33-49	ML180UH090E60C	10589802
XP14-036-230	34800	15.7	13.2	31400	20200	3.62	2.5	8.7	C33-49	ML180UH110E60C	10590053
XP14-036-230	35400	15.1	13	31600	20400	3.66	2.52	8.5	C33-49	SL280UH090V60C	5432013
XP14-036-230	35400	15.1	13	31600	20400	3.66	2.52	8.5	C33-49	SL280UH090XV60C	8133225
XP14-036-230	35200	15.1	13	31600	20400	3.62	2.5	8.5	C33-49	SL280UH110V60C	5432014
XP14-036-230	35200	15.1	13	31600	20400	3.62	2.5	8.5	C33-49	SL280UH110XV60C	8133253
XP14-036-230	35000	15.5	13.2	31600	20400	3.6	2.5	8.7	C33-49	SLP98UH090XV36C	5432211
XP14-036-230	34800	15.7	13.2	31400	20200	3.58	2.48	8.7	C33-49	SLP98UH090XV48C	5432212
XP14-036-230	35400	15.5	13	31800	20600	3.64	2.52	8.7	C33-49	SLP98UH090XV60C	5432213
XP14-036-230	35200	15.7	13.2	31600	20400	3.64	2.52	8.7	C33-49	SLP98UH110XV60C	5432214
XP14-036-230	34400	14.2	12	32200	21000	3.4	2.36	8.2	C33-49		5431957
XP14-036-230	34600	15.5	13	31400	20200	3.6	2.5	8.7	C33-50/60C	EL180UH090E60C	5740241
XP14-036-230	34200	15.5	13	31200	20200	3.56	2.5	8.7	C33-50/60C	EL180UH110E60C	5740694
XP14-036-230	34200	15.2	12.7	31400	20400	3.56	2.5	8.7	C33-50/60C	EL195UH090XE48C	5432167
XP14-036-230	34600	15.5	13	31600	20400	3.6	2.5	8.7	C33-50/60C	EL195UH110XE60C	5432178
XP14-036-230	34200	15.2	12.7	31400	20400	3.56	2.5	8.7	C33-50/60C	EL296UH090XE48C	5650745
XP14-036-230	34400	15.2	12.7	31400	20400	3.56	2.5	8.7	C33-50/60C	EL296UH090XV36C	5562756
XP14-036-230	34200	15.2	13	31200	20200	3.54	2.48	8.7	C33-50/60C	EL296UH090XV48C	5562766
XP14-036-230	34800	15.2	12.7	31800	20600	3.6	2.5	8.7	C33-50/60C	EL296UH090XV60C	5562784
XP14-036-230	34600	15.5	13	31600	20400	3.6	2.5	8.7	C33-50/60C	EL296UH110XE60C	5650752
XP14-036-230	34400	15.5	13	31400	20200	3.58	2.5	8.7	C33-50/60C	EL296UH110XV48C	5562791
XP14-036-230	34600	15.5	13	31600	20400	3.62	2.52	8.7	C33-50/60C	EL296UH110XV60C	5562804
XP14-036-230	34600	15.5	13	31400	20200	3.6	2.5	8.7	C33-50/60C	ML180UH090E60C	10589803
XP14-036-230	34200	15.5	13	31200	20200	3.56	2.5	8.7	C33-50/60C	ML180UH110E60C	10590054



# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-036-230	34800	15.1	12.5	31600	20400	3.64	2.52	8.5	C33-50/60C	SL280UH090V60C	5432021
XP14-036-230	34800	15.1	12.5	31600	20400	3.64	2.52	8.5	C33-50/60C	SL280UH090XV60C	8133226
XP14-036-230	34600	15.1	12.5	31600	20400	3.58	2.5	8.5	C33-50/60C	SL280UH110V60C	5432022
XP14-036-230	34600	15.1	12.5	31600	20400	3.58	2.5	8.5	C33-50/60C	SL280UH110XV60C	8133254
XP14-036-230	34400	15.2	12.7	31400	20400	3.56	2.5	8.7	C33-50/60C	SLP98UH090XV36C	5432215
XP14-036-230	34200	15.2	13	31200	20200	3.54	2.48	8.7	C33-50/60C	SLP98UH090XV48C	5432216
XP14-036-230	34800	15.2	12.7	31800	20600	3.6	2.5	8.7	C33-50/60C	SLP98UH090XV60C	5432263
XP14-036-230	34600	15.5	13	31600	20400	3.62	2.52	8.7	C33-50/60C	SLP98UH110XV60C	5432217
XP14-036-230	33800	14	11.7	32000	21000	3.34	2.36	8.2	C33-50/60C		5431958
XP14-036-230	34200	15	12.5	32800	20800	3.44	2.4	8.2	C37-38A	EL180UH045E36A	10084750
XP14-036-230	34200	15	12.5	32800	20800	3.44	2.4	8.2	C37-38A	ML180UH045E36A	10589568
XP14-036-230	34200	15	12.5	32800	20800	3.42	2.4	8.2	C37-38A	SL280UH070V36A	10084501
XP14-036-230	34200	15	12.5	32800	20800	3.42	2.4	8.2	C37-38A	SL280UH070XV36A	10085013
XP14-036-230	34200	15.7	13	32400	20400	3.48	2.44	8.5	C37-38B	EL180UH070E36B	10084739
XP14-036-230	34600	15.5	13	32600	20600	3.52	2.46	8.5	C37-38B	EL180UH090E48B	10084734
XP14-036-230	33800	15	12.5	32600	20600	3.36	2.38	8.2	C37-38B	EL195UH045XE36B	10084360
XP14-036-230	34000	15.2	12.5	32600	20800	3.42	2.42	8.2	C37-38B	EL195UH070XE36B	10084379
XP14-036-230	33800	15	12.5	32600	20600	3.36	2.38	8.2	C37-38B	EL296UH045XE36B	10084602
XP14-036-230	34200	15	12.5	32800	20800	3.44	2.4	8.2	C37-38B	EL296UH045XV36B	10084553
XP14-036-230	34000	15.2	12.5	32600	20800	3.42	2.42	8.2	C37-38B	EL296UH070XE36B	10084620
XP14-036-230	34200	15	12.5	32800	20800	3.44	2.4	8.2	C37-38B	EL296UH070XV36B	10084554
XP14-036-230	34200	15.7	13	32400	20400	3.48	2.44	8.5	C37-38B	ML180UH070E36B	10589638
XP14-036-230	34600	15.5	13	32600	20600	3.52	2.46	8.5	C37-38B	ML180UH090E48B	10589764
XP14-036-230	34400	15.7	13	32600	20600	3.5	2.46	8.2	C37-38B	SL280UH090V36B	10084503
XP14-036-230	34400	15.5	13	32600	20600	3.5	2.44	8.2	C37-38B	SL280UH090V48B	10084350
XP14-036-230	34400	15.5	13	32600	20600	3.5	2.44	8.2	C37-38B	SL280UH090XV48B	10085015
XP14-036-230	34200	15	12.5	32800	20800	3.44	2.4	8.2	C37-38B	SLP98UH070XV36B	10084416
XP14-036-230	35200	15.7	13.2	32400	20200	3.46	2.5	8.5	C37-43B	EL180UH070E36B	10084744
XP14-036-230	35600	15.7	13.2	32600	20400	3.52	2.5	8.2	C37-43B	EL180UH090E48B	10084728
XP14-036-230	34800	15	12.7	32400	20400	3.34	2.42	8.2	C37-43B	EL195UH045XE36B	10084398
XP14-036-230	35000	15.2	12.7	32600	20400	3.4	2.44	8.2	C37-43B	EL195UH070XE36B	10084399
XP14-036-230	34800	15	12.7	32400	20400	3.34	2.42	8.2	C37-43B	EL296UH045XE36B	10084623
XP14-036-230	35200	15	12.7	32800	20600	3.42	2.46	8.2	C37-43B	EL296UH045XV36B	10084577
XP14-036-230	35000	15.2	12.7	32600	20400	3.4	2.44	8.2	C37-43B	EL296UH070XE36B	10084624
XP14-036-230	35200	15	12.7	32800	20600	3.42	2.44	8.2	C37-43B	EL296UH070XV36B	10084585
XP14-036-230	35200	15.7	13.2	32400	20200	3.46	2.5	8.5	C37-43B	ML180UH070E36B	10589643
XP14-036-230	35600	15.7	13.2	32600	20400	3.52	2.5	8.2	C37-43B	ML180UH090E48B	10589758
XP14-036-230	35400	15.7	13.2	32400	20200	3.48	2.48	8.5	C37-43B	SL280UH090V36B	10084508
XP14-036-230	35400	15.7	13.2	32400	20200	3.46	2.48	8.5	C37-43B	SL280UH090V48B	10084347
XP14-036-230	35400	15.7	13.2	32400	20200	3.46	2.48	8.5	C37-43B	SL280UH090XV48B	10085017
XP14-036-230	35200	15	12.7	32800	20600	3.42	2.44	8.2	C37-43B	SLP98UH070XV36B	10084390
XP14-036-230	35600	15.7	13.2	32600	20200	3.52	2.5	8.2	C37-43C	EL180UH090E60C	10084699
XP14-036-230	35200	15.7	13.2	32400	20200	3.48	2.5	8.5	C37-43C	EL180UH110E60C	10084706
XP14-036-230	35200	15.5	13.2	32600	20400	3.48	2.48	8.2	C37-43C	EL195UH090XE48C	10084368
XP14-036-230	35600	15.7	13.2	32600	20400	3.52	2.5	8.2	C37-43C	EL195UH110XE60C	10084372
XP14-036-230	35200	15.5	13.2	32600	20400	3.48	2.48	8.2	C37-43C	EL296UH090XE48C	10084616
XP14-036-230	35400	15.5	13.2	32600	20400	3.46	2.5	8.2	C37-43C	EL296UH090XV36C	10084586
XP14-036-230	35000	15.5	13.2	32400	20200	3.46	2.48	8.5	C37-43C	EL296UH090XV48C	10084524
XP14-036-230	35800	15.5	13.2	32800	20600	3.52	2.5	8.5	C37-43C	EL296UH090XV60C	10084521
XP14-036-230	35600	15.7	13.2	32600	20400	3.52	2.5	8.2	C37-43C	EL296UH110XE60C	10084612
XP14-036-230	35400	15.7	13.2	32400	20200	3.48	2.48	8.5	C37-43C	EL296UH110XV48C	10084533
XP14-036-230	35600	15.7	13.2	32600	20400	3.52	2.52	8.5	C37-43C	EL296UH110XV60C	10084545
XP14-036-230	35600	15.7	13.2	32600	20200	3.52	2.5	8.2	C37-43C	ML180UH090E60C	10589919
XP14-036-230	35200	15.7	13.2	32400	20200	3.48	2.5	8.5	C37-43C	ML180UH110E60C	10590163
XP14-036-230	35800	15.1	13	32600	20400	3.54	2.52	8.2	C37-43C	SL280UH090V60C	10084349
XP14-036-230	35800	15.1	13	32600	20400	3.54	2.52	8.2	C37-43C	SL280UH090XV60C	10085021
XP14-036-230	35600	15.1	13	32600	20400	3.5	2.48	8.2	C37-43C	SL280UH110V60C	10084348
XP14-036-230	35600	15.1	13	32600	20400	3.5	2.48	8.2	C37-43C	SL280UH110XV60C	10085036
XP14-036-230	35400	15.5	13.2	32600	20400	3.46	2.5	8.2	C37-43C	SLP98UH090XV36C	10084380
XP14-036-230	35000	15.5	13.2	32400	20200	3.46	2.48	8.5	C37-43C	SLP98UH090XV48C	10084400
XP14-036-230	35800	15.5	13.2	32800	20600	3.52	2.5	8.5	C37-43C	SLP98UH090XV60C	10084410

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-036-230	35600	15.7	13.2	32600	20400	3.52	2.52	8.5	C37-43C	SLP98UH110XV60C	10084396
XP14-036-230	33800	15.5	13	32200	20400	3.36	2.38	8.2	C37-48B	EL180UH070E36B	10084741
XP14-036-230	34200	15.5	12.7	32400	20600	3.4	2.4	8.2	C37-48B	EL180UH090E48B	10084731
XP14-036-230	33800	15.5	13	32200	20400	3.36	2.38	8.2	C37-48B	ML180UH070E36B	10589640
XP14-036-230	34200	15.5	12.7	32400	20600	3.4	2.4	8.2	C37-48B	ML180UH090E48B	10589761
XP14-036-230	34000	15.5	12.7	32200	20400	3.36	2.38	8.2	C37-48B	SL280UH090V36B	10084504
XP14-036-230	34000	15.2	12.7	32200	20400	3.36	2.36	8.2	C37-48B	SL280UH090V48B	10084373
XP14-036-230	34000	15.2	12.7	32200	20400	3.36	2.36	8.2	C37-48B	SL280UH090XV48B	10085016
XP14-036-230	34200	15.5	13	32400	20400	3.4	2.38	8.2	C37-48C	EL180UH090E60C	10084684
XP14-036-230	34000	15.5	13	32200	20400	3.36	2.38	8.2	C37-48C	EL180UH110E60C	10084709
XP14-036-230	34000	15.2	12.7	32400	20600	3.36	2.38	8.2	C37-48C	EL195UH090XE48C	10084363
XP14-036-230	34200	15.5	12.7	32400	20600	3.4	2.4	8.2	C37-48C	EL195UH110XE60C	10084357
XP14-036-230	34000	15.2	12.7	32400	20600	3.36	2.38	8.2	C37-48C	EL296UH090XE48C	10084611
XP14-036-230	34000	15.2	12.7	32400	20600	3.36	2.38	8.2	C37-48C	EL296UH090XV36C	10084556
XP14-036-230	34000	15.5	12.7	32200	20400	3.34	2.36	8.2	C37-48C	EL296UH090XV48C	10084509
XP14-036-230	34400	15.2	12.7	32600	20800	3.42	2.4	8.2	C37-48C	EL296UH090XV60C	10084514
XP14-036-230	34200	15.5	12.7	32400	20600	3.4	2.4	8.2	C37-48C	EL296UH110XE60C	10084606
XP14-036-230	34200	15.5	13	32200	20400	3.38	2.38	8.2	C37-48C	EL296UH110XV48C	10084512
XP14-036-230	34400	15.5	13	32400	20600	3.42	2.4	8.2	C37-48C	EL296UH110XV60C	10084541
XP14-036-230	34200	15.5	13	32400	20400	3.4	2.38	8.2	C37-48C	ML180UH090E60C	10589906
XP14-036-230	34000	15.5	13	32200	20400	3.36	2.38	8.2	C37-48C	ML180UH110E60C	10590166
XP14-036-230	34400	15.1	12.5	32400	20600	3.42	2.4	8.2	C37-48C	SL280UH090V60C	10084370
XP14-036-230	34400	15.1	12.5	32400	20600	3.42	2.4	8.2	C37-48C	SL280UH090XV60C	10085027
XP14-036-230	34200	15.1	12.5	32400	20600	3.38	2.38	8.2	C37-48C	SL280UH110V60C	10084351
XP14-036-230	34200	15.1	12.5	32400	20600	3.38	2.38	8.2	C37-48C	SL280UH110XV60C	10085037
XP14-036-230	34000	15.2	12.7	32400	20600	3.36	2.38	8.2	C37-48C	SLP98UH090XV36C	10084374
XP14-036-230	34000	15.5	12.7	32200	20400	3.34	2.36	8.2	C37-48C	SLP98UH090XV48C	10084381
XP14-036-230	34400	15.2	12.7	32600	20800	3.42	2.4	8.2	C37-48C	SLP98UH090XV60C	10084426
XP14-036-230	34400	15.5	13	32400	20600	3.42	2.4	8.2	C37-48C	SLP98UH110XV60C	10084401
XP14-036-230	35200	15.7	13.2	31600	20400	3.64	2.52	8.7	C37-49C	EL180UH090E60C	10084682
XP14-036-230	34800	15.7	13.2	31400	20200	3.62	2.5	8.7	C37-49C	EL180UH110E60C	10084704
XP14-036-230	34800	15.5	13	31400	20400	3.58	2.5	8.7	C37-49C	EL195UH090XE48C	10084420
XP14-036-230	35200	15.7	13.2	31600	20400	3.64	2.52	8.7	C37-49C	EL195UH110XE60C	10084359
XP14-036-230	34800	15.5	13	31400	20400	3.58	2.5	8.7	C37-49C	EL296UH090XE48C	10084656
XP14-036-230	35000	15.5	13.2	31600	20400	3.6	2.5	8.7	C37-49C	EL296UH090XV36C	10084579
XP14-036-230	34800	15.7	13.2	31400	20200	3.58	2.48	8.7	C37-49C	EL296UH090XV48C	10084525
XP14-036-230	35400	15.5	13	31800	20600	3.64	2.52	8.7	C37-49C	EL296UH090XV60C	10084519
XP14-036-230	35200	15.7	13.2	31600	20400	3.64	2.52	8.7	C37-49C	EL296UH110XE60C	10084609
XP14-036-230	35000	15.7	13.2	31400	20200	3.6	2.5	8.7	C37-49C	EL296UH110XV48C	10084547
XP14-036-230	35200	15.7	13.2	31600	20400	3.64	2.52	8.7	C37-49C	EL296UH110XV60C	10084530
XP14-036-230	35200	15.7	13.2	31600	20400	3.64	2.52	8.7	C37-49C	ML180UH090E60C	10589905
XP14-036-230	34800	15.7	13.2	31400	20200	3.62	2.5	8.7	C37-49C	ML180UH110E60C	10590161
XP14-036-230	35400	15.1	13	31600	20400	3.66	2.52	8.5	C37-49C	SL280UH090V60C	10084352
XP14-036-230	35400	15.1	13	31600	20400	3.66	2.52	8.5	C37-49C	SL280UH090XV60C	10085022
XP14-036-230	35200	15.1	13	31600	20400	3.62	2.5	8.5	C37-49C	SL280UH110V60C	10084345
XP14-036-230	35200	15.1	13	31600	20400	3.62	2.5	8.5	C37-49C	SL280UH110XV60C	10085038
XP14-036-230	35000	15.5	13.2	31600	20400	3.6	2.5	8.7	C37-49C	SLP98UH090XV36C	10084411
XP14-036-230	34800	15.7	13.2	31400	20200	3.58	2.48	8.7	C37-49C	SLP98UH090XV48C	10084397
XP14-036-230	35400	15.5	13	31800	20600	3.64	2.52	8.7	C37-49C	SLP98UH090XV60C	10084417
XP14-036-230	35200	15.7	13.2	31600	20400	3.64	2.52	8.7	C37-49C	SLP98UH110XV60C	10084424
XP14-036-230	34400	14.2	12	32200	21000	3.4	2.36	8.2	C37-49C		10084098
XP14-036-230	34600	15.5	13	31400	20200	3.6	2.5	8.7	C37-50/60C	EL180UH090E60C	10084687
XP14-036-230	34200	15.5	13	31200	20200	3.56	2.5	8.7	C37-50/60C	EL180UH110E60C	10084702
XP14-036-230	34200	15.2	12.7	31400	20400	3.56	2.5	8.7	C37-50/60C	EL195UH090XE48C	10084371
XP14-036-230	34600	15.5	13	31600	20400	3.6	2.5	8.7	C37-50/60C	EL195UH110XE60C	10084387
XP14-036-230	34200	15.2	12.7	31400	20400	3.56	2.5	8.7	C37-50/60C	EL296UH090XE48C	10084618
XP14-036-230	34400	15.2	12.7	31400	20400	3.56	2.5	8.7	C37-50/60C	EL296UH090XV36C	10084568
XP14-036-230	34200	15.2	13	31200	20200	3.54	2.48	8.7	C37-50/60C	EL296UH090XV48C	10084523
XP14-036-230	34800	15.2	12.7	31800	20600	3.6	2.5	8.7	C37-50/60C	EL296UH090XV60C	10084532
XP14-036-230	34600	15.5	13	31600	20400	3.6	2.5	8.7	C37-50/60C	EL296UH110XE60C	10084603
XP14-036-230	34400	15.5	13	31400	20200	3.58	2.5	8.7	C37-50/60C	EL296UH110XV48C	10084549

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-036-230	34600	15.5	13	31600	20400	3.62	2.52	8.7	C37-50/60C	EL296UH110XV60C	10084543
XP14-036-230	34600	15.5	13	31400	20200	3.6	2.5	8.7	C37-50/60C	ML180UH090E60C	10589908
XP14-036-230	34200	15.5	13	31200	20200	3.56	2.5	8.7	C37-50/60C	ML180UH110E60C	10590159
XP14-036-230	34800	15.1	12.5	31600	20400	3.64	2.52	8.5	C37-50/60C	SL280UH090V60C	10084353
XP14-036-230	34800	15.1	12.5	31600	20400	3.64	2.52	8.5	C37-50/60C	SL280UH090XV60C	10085023
XP14-036-230	34600	15.1	12.5	31600	20400	3.58	2.5	8.5	C37-50/60C	SL280UH110V60C	10084346
XP14-036-230	34600	15.1	12.5	31600	20400	3.58	2.5	8.5	C37-50/60C	SL280UH110XV60C	10085039
XP14-036-230	34400	15.2	12.7	31400	20400	3.56	2.5	8.7	C37-50/60C	SLP98UH090XV36C	10084391
XP14-036-230	34200	15.2	13	31200	20200	3.54	2.48	8.7	C37-50/60C	SLP98UH090XV48C	10084375
XP14-036-230	34800	15.2	12.7	31800	20600	3.6	2.5	8.7	C37-50/60C	SLP98UH090XV60C	10084406
XP14-036-230	34600	15.5	13	31600	20400	3.62	2.52	8.7	C37-50/60C	SLP98UH110XV60C	10084382
XP14-036-230	33800	14	11.7	32000	21000	3.34	2.36	8.2	C37-50/60C		10084097
XP14-036-230	34200	15	12.5	32800	21000	3.36	2.46	8.5	CBA27UHE-036		10260312
XP14-036-230	35000	15.5	12.5	33000	20000	3.8	2.62	8.5	CBA27UHE-042		10260313
XP14-036-230	34600	14	12	34600	21400	3.5	2.44	8.2	CBX25UH-036		6991376
XP14-036-230	34600	15	12.5	34000	21000	3.58	2.52	8.5	CBX25UHV-036		7498492
XP14-036-230	34800	15.2	12.5	32800	20400	3.72	2.56	8.7	CBX27UH-036		5432024
XP14-036-230	36000	16	13.5	33000	17300	3.98	2.34	8.5	CBX27UH-042		5432025
XP14-036-230	34600	14.5	11.7	33400	20800	3.62	2.48	8.5	CBX32M-036		5432026
XP14-036-230	34400	14.5	11.7	33200	20800	3.6	2.48	8.5	CBX32M-042		5432027
XP14-036-230	34800	14.7	12	33200	20800	3.64	2.52	8.7	CBX32MV-036		5432028
XP14-036-230	35400	15.5	13	31800	20800	3.76	2.62	9.2	CBX32MV-048		5432029
XP14-036-230	34800	14.7	12.2	33200	20600	3.68	2.52	8.7	CBX40UHV-036		5432048
XP14-036-230	35200	15.2	12.7	32000	20800	3.74	2.58	9	CBX40UHV-042		5432049
XP14-036-230	35400	15.5	13	31800	20800	3.78	2.62	9.2	CBX40UHV-048		5432050
XP14-036-230	35200	15.7	13.2	32000	20200	3.68	2.54	9	CH33-43B	EL180UH070E36B	5742069
XP14-036-230	35600	15.7	13.2	32200	20400	3.72	2.54	9	CH33-43B	EL180UH090E48B	5742387
XP14-036-230	35400	14.7	12.5	32800	21000	3.6	2.48	8.5	CH33-43B	EL195UH045XE36B	5432188
XP14-036-230	35200	15.2	12.7	32200	20600	3.62	2.5	8.7	CH33-43B	EL195UH070XE36B	5432159
XP14-036-230	35400	14.7	12.5	32800	21000	3.6	2.48	8.5	CH33-43B	EL296UH045XE36B	5650756
XP14-036-230	35400	15.2	12.7	32600	20800	3.66	2.5	8.7	CH33-43B	EL296UH045XV36B	5562743
XP14-036-230	35200	15.2	12.7	32200	20600	3.62	2.5	8.7	CH33-43B	EL296UH070XE36B	5650744
XP14-036-230	35600	15.2	12.7	32600	20800	3.66	2.52	8.7	CH33-43B	EL296UH070XV36B	5562752
XP14-036-230	35200	15.7	13.2	32000	20200	3.68	2.54	9	CH33-43B	ML180UH070E36B	10589603
XP14-036-230	35600	15.7	13.2	32200	20400	3.72	2.54	9	CH33-43B	ML180UH090E48B	10589722
XP14-036-230	35600	15.7	13.2	32200	20400	3.74	2.56	9	CH33-43B	SL280UH090V36B	5532486
XP14-036-230	35600	15.7	13.2	32400	20600	3.72	2.56	9	CH33-43B	SL280UH090V48B	5432056
XP14-036-230	35600	15.7	13.2	32400	20600	3.72	2.56	9	CH33-43B	SL280UH090XV48B	8133218
XP14-036-230	35600	15.2	12.7	32600	20800	3.66	2.52	8.7	CH33-43B	SLP98UH070XV36B	5432220
XP14-036-230	35200	14.5	12.2	32800	21000	3.52	2.42	8.5	CH33-43B		5431960
XP14-036-230	35400	15.7	13.2	32600	20600	3.52	2.48	8.5	CH33-43C	EL180UH090E60C	5740235
XP14-036-230	35200	15.7	13.2	32400	20400	3.48	2.46	8.5	CH33-43C	EL180UH110E60C	5740702
XP14-036-230	35200	15.5	13.2	32600	20600	3.48	2.46	8.2	CH33-43C	EL195UH090XE48C	5432168
XP14-036-230	35400	15.7	13.2	32600	20600	3.52	2.46	8.5	CH33-43C	EL195UH110XE60C	5432179
XP14-036-230	35200	15.5	13.2	32600	20600	3.48	2.46	8.2	CH33-43C	EL296UH090XE48C	5650730
XP14-036-230	35200	15.5	13.2	32600	20600	3.48	2.46	8.2	CH33-43C	EL296UH090XV36C	5562758
XP14-036-230	35000	15.5	13.2	32400	20400	3.46	2.44	8.5	CH33-43C	EL296UH090XV48C	5562768
XP14-036-230	35600	15.5	13	32800	20800	3.52	2.48	8.5	CH33-43C	EL296UH090XV60C	5562783
XP14-036-230	35400	15.7	13.2	32600	20600	3.52	2.46	8.5	CH33-43C	EL296UH110XE60C	5650762
XP14-036-230	35200	15.7	13.2	32400	20600	3.48	2.48	8.5	CH33-43C	EL296UH110XV48C	5562799
XP14-036-230	35600	15.7	13.2	32600	20600	3.52	2.48	8.5	CH33-43C	EL296UH110XV60C	5562806
XP14-036-230	35400	15.7	13.2	32600	20600	3.52	2.48	8.5	CH33-43C	ML180UH090E60C	10589798
XP14-036-230	35200	15.7	13.2	32400	20400	3.48	2.46	8.5	CH33-43C	ML180UH110E60C	10590062
XP14-036-230	35600	15.1	13	32600	20600	3.54	2.48	8.2	CH33-43C	SL280UH090V60C	5432064
XP14-036-230	35600	15.1	13	32600	20600	3.54	2.48	8.2	CH33-43C	SL280UH090XV60C	8133228
XP14-036-230	35400	15.1	13	32800	20600	3.52	2.46	8.2	CH33-43C	SL280UH110V60C	5432065
XP14-036-230	35400	15.1	13	32800	20600	3.52	2.46	8.2	CH33-43C	SL280UH110XV60C	8133256
XP14-036-230	35200	15.5	13.2	32600	20600	3.48	2.46	8.2	CH33-43C	SLP98UH090XV36C	5432221
XP14-036-230	35000	15.5	13.2	32400	20400	3.46	2.44	8.5	CH33-43C	SLP98UH090XV48C	5432222
XP14-036-230	35600	15.5	13	32800	20800	3.52	2.48	8.5	CH33-43C	SLP98UH090XV60C	5432223
XP14-036-230	35600	15.7	13.2	32600	20600	3.52	2.48	8.5	CH33-43C	SLP98UH110XV60C	5432224

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-036-230	34000	15.2	12.7	32400	20400	3.38	2.46	8.2	CH33-44/48	EL180UH070E36B	5742071
XP14-036-230	34200	15.2	12.7	32800	20600	3.42	2.48	8.2	CH33-44/48	EL180UH090E48B	5742390
XP14-036-230	34000	14.7	12.5	32800	20800	3.36	2.44	8.2	CH33-44/48	EL195UH070XE36B	5432160
XP14-036-230	34200	14.5	12.2	33000	21000	3.36	2.44	8.2	CH33-44/48	EL296UH045XV36B	5562740
XP14-036-230	34000	14.7	12.5	32800	20800	3.36	2.44	8.2	CH33-44/48	EL296UH070XE36B	5650729
XP14-036-230	34200	14.7	12.5	33000	21000	3.38	2.46	8.2	CH33-44/48	EL296UH070XV36B	5562751
XP14-036-230	34000	15.2	12.7	32400	20400	3.38	2.46	8.2	CH33-44/48	ML180UH070E36B	10589605
XP14-036-230	34200	15.2	12.7	32800	20600	3.42	2.48	8.2	CH33-44/48	ML180UH090E48B	10589725
XP14-036-230	34400	15.2	12.7	32800	20600	3.46	2.48	8.2	CH33-44/48	SL280UH090V36B	5532483
XP14-036-230	34400	15	12.7	32800	20800	3.42	2.48	8.2	CH33-44/48	SL280UH090V48B	5432071
XP14-036-230	34400	15	12.7	32800	20800	3.42	2.48	8.2	CH33-44/48	SL280UH090XV48B	8133219
XP14-036-230	34200	14.7	12.5	33000	21000	3.38	2.46	8.2	CH33-44/48	SLP98UH070XV36B	5432225
XP14-036-230	35000	15.5	13	32600	20600	3.46	2.44	8.2	CH33-48	EL296UH090XV36C	5562759
XP14-036-230	34800	15.5	13	32400	20400	3.44	2.44	8.5	CH33-48	EL296UH090XV48C	5562769
XP14-036-230	35400	15.2	13	32800	20800	3.52	2.46	8.5	CH33-48	EL296UH090XV60C	5562779
XP14-036-230	35000	15.5	13.2	32400	20600	3.46	2.48	8.5	CH33-48	EL296UH110XV48C	5562795
XP14-036-230	35200	15.5	13.2	32600	20600	3.52	2.46	8.5	CH33-48	EL296UH110XV60C	5562811
XP14-036-230	35400	15.1	13	32600	20600	3.54	2.48	8.2	CH33-48	SL280UH090V60C	5432077
XP14-036-230	35400	15.1	13	32600	20600	3.54	2.48	8.2	CH33-48	SL280UH090XV60C	8133229
XP14-036-230	35200	15.1	12.5	32600	20600	3.48	2.44	8.2	CH33-48	SL280UH110V60C	5432078
XP14-036-230	35200	15.1	12.5	32600	20600	3.48	2.44	8.2	CH33-48	SL280UH110XV60C	8133257
XP14-036-230	35000	15.5	13	32600	20600	3.46	2.44	8.2	CH33-48	SLP98UH090XV36C	5432226
XP14-036-230	34800	15.5	13	32400	20400	3.44	2.44	8.5	CH33-48	SLP98UH090XV48C	5432227
XP14-036-230	35400	15.2	13	32800	20800	3.52	2.46	8.5	CH33-48	SLP98UH090XV60C	5432228
XP14-036-230	35200	15.5	13.2	32600	20600	3.52	2.46	8.5	CH33-48	SLP98UH110XV60C	5432229
XP14-036-230	35200	15.7	13.2	31800	20400	3.76	2.58	9	CH33-49	EL180UH090E60C	5740244
XP14-036-230	35000	15.7	13.2	31600	20200	3.72	2.56	9	CH33-49	EL180UH110E60C	5740697
XP14-036-230	34800	15.5	13	31800	20400	3.7	2.56	8.5	CH33-49	EL195UH090XE48C	5432169
XP14-036-230	35200	15.7	13.2	31800	20400	3.74	2.56	9	CH33-49	EL195UH110XE60C	5432180
XP14-036-230	34800	15.5	13	31800	20400	3.7	2.56	8.5	CH33-49	EL296UH090XE48C	5650734
XP14-036-230	35000	15.7	13.2	32200	20400	3.74	2.56	9	CH33-49	EL296UH090XV36C	5562763
XP14-036-230	34800	15.7	13.2	32000	20400	3.72	2.56	9	CH33-49	EL296UH090XV48C	5562772
XP14-036-230	35400	15.5	13	32400	20600	3.78	2.56	9	CH33-49	EL296UH090XV60C	5562782
XP14-036-230	35200	15.7	13.2	31800	20400	3.74	2.56	9	CH33-49	EL296UH110XE60C	5650755
XP14-036-230	35000	15.7	13.2	32000	20400	3.76	2.58	9	CH33-49	EL296UH110XV48C	5562793
XP14-036-230	35400	15.7	13.2	32200	20400	3.78	2.58	9	CH33-49	EL296UH110XV60C	5562808
XP14-036-230	35200	15.7	13.2	31800	20400	3.76	2.58	9	CH33-49	ML180UH090E60C	10589806
XP14-036-230	35000	15.7	13.2	31600	20200	3.72	2.56	9	CH33-49	ML180UH110E60C	10590057
XP14-036-230	35400	15.1	13	32200	20400	3.8	2.58	9	CH33-49	SL280UH090V60C	5432086
XP14-036-230	35400	15.1	13	32200	20400	3.8	2.58	9	CH33-49	SL280UH090XV60C	8133230
XP14-036-230	35200	15.1	13	32200	20600	3.74	2.58	9	CH33-49	SL280UH110V60C	5432087
XP14-036-230	35200	15.1	13	32200	20600	3.74	2.58	9	CH33-49	SL280UH110XV60C	8133258
XP14-036-230	35000	15.7	13.2	32200	20400	3.74	2.56	9	CH33-49	SLP98UH090XV36C	5432230
XP14-036-230	34800	15.7	13.2	32000	20400	3.72	2.56	9	CH33-49	SLP98UH090XV48C	5432231
XP14-036-230	35400	15.5	13	32400	20600	3.78	2.56	9	CH33-49	SLP98UH090XV60C	5432232
XP14-036-230	35400	15.7	13.2	32200	20400	3.78	2.58	9	CH33-49	SLP98UH110XV60C	5432233
XP14-036-230	34400	14.2	12	32800	21000	3.52	2.42	8.5	CH33-49		5431964
XP14-036-230	35000	15.7	13.2	31600	20400	3.7	2.56	9	CH33-50/60C	EL180UH090E60C	5740236
XP14-036-230	34800	15.7	13.2	31400	20200	3.66	2.54	9	CH33-50/60C	EL180UH110E60C	5740696
XP14-036-230	34800	15.5	13	31600	20400	3.66	2.54	9	CH33-50/60C	EL195UH090XE48C	5432170
XP14-036-230	35000	15.7	13.2	31800	20400	3.72	2.56	9	CH33-50/60C	EL195UH110XE60C	5432181
XP14-036-230	34800	15.5	13	31600	20400	3.66	2.54	9	CH33-50/60C	EL296UH090XE48C	5650751
XP14-036-230	34800	15.5	13	32000	20400	3.7	2.54	9	CH33-50/60C	EL296UH090XV36C	5562760
XP14-036-230	34600	15.7	13	31800	20400	3.68	2.56	9	CH33-50/60C	EL296UH090XV48C	5562770
XP14-036-230	35400	15.5	13	32400	20600	3.76	2.56	9	CH33-50/60C	EL296UH090XV60C	5562780
XP14-036-230	35000	15.7	13.2	31800	20400	3.72	2.56	9	CH33-50/60C	EL296UH110XE60C	5650740
XP14-036-230	34800	15.7	13.2	32000	20400	3.72	2.56	9	CH33-50/60C	EL296UH110XV48C	5562796
XP14-036-230	35200	15.7	13.2	32200	20400	3.76	2.56	9	CH33-50/60C	EL296UH110XV60C	5562812
XP14-036-230	35000	15.7	13.2	31600	20400	3.7	2.56	9	CH33-50/60C	ML180UH090E60C	10589799
XP14-036-230	34800	15.7	13.2	31400	20200	3.66	2.54	9	CH33-50/60C	ML180UH110E60C	10590056
XP14-036-230	35400	15.1	13	32200	20400	3.78	2.58	9	CH33-50/60C	SL280UH090V60C	5432095

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-036-230	35400	15.1	13	32200	20400	3.78	2.58	9	CH33-50/60C	SL280UH090XV60C	8133231
XP14-036-230	35000	15.5	12.5	32200	20400	3.74	2.54	8.5	CH33-50/60C	SL280UH110V60C	5432096
XP14-036-230	35000	15.5	12.5	32200	20400	3.74	2.54	8.5	CH33-50/60C	SL280UH110XV60C	8133259
XP14-036-230	34800	15.5	13	32000	20400	3.7	2.54	9	CH33-50/60C	SLP98UH090XV36C	5432234
XP14-036-230	34600	15.7	13	31800	20400	3.68	2.56	9	CH33-50/60C	SLP98UH090XV48C	5432235
XP14-036-230	35400	15.5	13	32400	20600	3.76	2.56	9	CH33-50/60C	SLP98UH090XV60C	5432236
XP14-036-230	35200	15.7	13.2	32200	20400	3.76	2.56	9	CH33-50/60C	SLP98UH110XV60C	5432237
XP14-036-230	34200	14.2	12	32600	21000	3.48	2.4	8.2	CH33-50/60C		5431965
XP14-036-230	35200	15.7	13.2	33200	20800	3.52	2.48	8.5	CR33-48	EL180DF070E36B	5741561
XP14-036-230	35200	15.5	13	33400	21000	3.54	2.5	8.5	CR33-48	EL180DF090E48B	5741585
XP14-036-230	35800	15.7	13.2	33400	21000	3.58	2.52	8.7	CR33-48	EL180DF110E60C	5741635
XP14-036-230	34800	15	12.7	33400	21200	3.44	2.44	8.2	CR33-48	EL195DF045XE36B	5432156
XP14-036-230	35200	15.2	13	33400	21000	3.5	2.46	8.5	CR33-48	EL195DF070XE48B	5432157
XP14-036-230	35200	15.2	12.7	33400	21000	3.48	2.46	8.5	CR33-48	EL195DF090XE48C	5432158
XP14-036-230	35600	15.5	13	33600	21000	3.58	2.5	8.5	CR33-48	EL195DF110XE60C	5432183
XP14-036-230	34800	15	12.7	33400	21200	3.44	2.44	8.2	CR33-48	EL296DF045XE36B	5650741
XP14-036-230	35200	15	12.7	33600	21200	3.46	2.44	8.2	CR33-48	EL296DF045XV36B	5562731
XP14-036-230	35200	15.2	13	33400	21000	3.5	2.46	8.5	CR33-48	EL296DF070XE48B	5650737
XP14-036-230	35200	15	12.5	33800	21200	3.48	2.42	8.2	CR33-48	EL296DF070XV48B	5562732
XP14-036-230	35200	15.2	12.7	33400	21000	3.48	2.46	8.5	CR33-48	EL296DF090XE48C	5650767
XP14-036-230	35600	15.5	13	33600	21000	3.56	2.48	8.5	CR33-48	EL296DF090XV60C	5562733
XP14-036-230	35600	15.5	13	33600	21000	3.58	2.5	8.5	CR33-48	EL296DF110XE60C	5650747
XP14-036-230	35600	15.5	13	33600	21200	3.56	2.5	8.5	CR33-48	EL296DF110XV60C	5562736
XP14-036-230	35200	15.7	13.2	33200	20800	3.52	2.48	8.5	CR33-48	ML180DF070E36B	10589521
XP14-036-230	35200	15.5	13	33400	21000	3.54	2.5	8.5	CR33-48	ML180DF090E48B	10589527
XP14-036-230	35800	15.7	13.2	33400	21000	3.58	2.52	8.7	CR33-48	ML180DF110E60C	10589532
XP14-036-230	35200	15.5	13	33400	21000	3.52	2.48	8.5	CR33-48	SL280DF090V48B	5532332
XP14-036-230	35800	15.7	13	33600	21000	3.62	2.52	8.5	CR33-48	SL280DF090V60C	5432117
XP14-036-230	35600	15.1	13	33400	21000	3.58	2.52	8.5	CR33-48	SL280DF110V60C	5432118
XP14-036-230	35400	15.2	12.7	33600	21200	3.5	2.46	8.5	CR33-48	SLP98DF070XV36B	5432238
XP14-036-230	35400	15.5	13	33400	21000	3.52	2.46	8.5	CR33-48	SLP98DF090XV36C	5432243
XP14-036-230	35400	15.5	13	33400	21000	3.54	2.48	8.5	CR33-48	SLP98DF090XV48C	5432244
XP14-036-230	35600	15.5	13	33600	21000	3.56	2.48	8.5	CR33-48	SLP98DF090XV60C	5432245
XP14-036-230	35600	15.5	13	33600	21200	3.56	2.5	8.5	CR33-48	SLP98DF110XV60C	5432246
XP14-036-230	34800	14.2	12	34000	21600	3.34	2.36	8.2	CR33-48		5431966
XP14-036-230	36000	16	13.5	32800	20400	3.92	2.64	9	CR33-50/60	EL180DF110E60C	5741634
XP14-036-230	35600	15.5	13.2	32800	20600	3.8	2.6	8.7	CR33-50/60	EL195DF090XE48C	5432182
XP14-036-230	35800	15.7	13.2	32800	20600	3.88	2.64	9	CR33-50/60	EL195DF110XE60C	5432184
XP14-036-230	35600	15.5	13.2	32800	20600	3.8	2.6	8.7	CR33-50/60	EL296DF090XE48C	5650770
XP14-036-230	36400	15.7	13.2	34000	21200	3.76	2.58	9	CR33-50/60	EL296DF090XV60C	5562734
XP14-036-230	35800	15.7	13.2	32800	20600	3.88	2.64	9	CR33-50/60	EL296DF110XE60C	5650732
XP14-036-230	36400	15.7	13.2	34000	21200	3.76	2.58	9	CR33-50/60	EL296DF110XV60C	5562735
XP14-036-230	36000	16	13.5	32800	20400	3.92	2.64	9	CR33-50/60	ML180DF110E60C	10589531
XP14-036-230	36600	15.1	13	34000	21200	3.82	2.62	9	CR33-50/60	SL280DF090V60C	5432122
XP14-036-230	36400	15.1	13	33800	21000	3.8	2.6	8.5	CR33-50/60	SL280DF110V60C	5432123
XP14-036-230	36200	15.7	13.2	33800	21200	3.72	2.56	8.7	CR33-50/60	SLP98DF090XV36C	5432247
XP14-036-230	36200	15.7	13.2	33800	21200	3.74	2.58	8.7	CR33-50/60	SLP98DF090XV48C	5432248
XP14-036-230	36400	15.7	13.2	34000	21200	3.76	2.58	9	CR33-50/60	SLP98DF090XV60C	5432249
XP14-036-230	36400	15.7	13.2	34000	21200	3.76	2.58	9	CR33-50/60	SLP98DF110XV60C	5432250
XP14-036-230	35200	14.2	12.2	33400	21200	3.62	2.48	8.5	CR33-50/60		5431968
XP14-036-230	34200	15	12.5	32800	20800	3.44	2.4	8.2	CX34-38	EL180UH045E36A	5741774
XP14-036-230	34200	15.7	13	32400	20400	3.48	2.44	8.5	CX34-38	EL180UH070E36B	5742070
XP14-036-230	34600	15.5	13	32600	20600	3.52	2.46	8.5	CX34-38	EL180UH090E48B	5742389
XP14-036-230	33800	15	12.5	32600	20600	3.36	2.38	8.2	CX34-38	EL195UH045XE36B	5432190
XP14-036-230	34000	15	12.5	32600	20800	3.42	2.42	8.2	CX34-38	EL195UH070XE36B	5432161
XP14-036-230	33800	15	12.5	32600	20600	3.36	2.38	8.2	CX34-38	EL296UH045XE36B	5650771
XP14-036-230	34200	15	12.5	32800	20800	3.44	2.4	8.2	CX34-38	EL296UH045XV36B	5562744
XP14-036-230	34000	15	12.5	32600	20800	3.42	2.42	8.2	CX34-38	EL296UH070XE36B	5650733
XP14-036-230	34200	15	12.5	32800	20800	3.44	2.4	8.2	CX34-38	EL296UH070XV36B	5562749
XP14-036-230	34200	15	12.5	32800	20800	3.44	2.4	8.2	CX34-38	ML180UH045E36A	10589551
XP14-036-230	34200	15.7	13	32400	20400	3.48	2.44	8.5	CX34-38	ML180UH070E36B	10589604

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-036-230	34600	15.5	13	32600	20600	3.52	2.46	8.5	CX34-38	ML180UH090E48B	10589724
XP14-036-230	34200	15	12.5	32800	20800	3.42	2.4	8.2	CX34-38	SL280UH070V36A	5532384
XP14-036-230	34200	15	12.5	32800	20800	3.42	2.4	8.2	CX34-38	SL280UH070XV36A	8133189
XP14-036-230	34400	15.7	13	32600	20600	3.5	2.46	8.2	CX34-38	SL280UH090V36B	5532484
XP14-036-230	34400	15.5	13	32600	20600	3.5	2.44	8.2	CX34-38	SL280UH090V48B	5432131
XP14-036-230	34400	15.5	13	32600	20600	3.5	2.44	8.2	CX34-38	SL280UH090XV48B	8133221
XP14-036-230	34200	15	12.5	32800	20800	3.44	2.4	8.2	CX34-38	SLP98UH070XV36B	5432251
XP14-036-230	35200	15.7	13.2	32400	20200	3.46	2.5	8.5	CX34-43	EL180UH070E36B	5742067
XP14-036-230	35600	15.7	13.2	32600	20400	3.52	2.5	8.2	CX34-43	EL180UH090E48B	5742384
XP14-036-230	35600	15.7	13.2	32600	20200	3.52	2.5	8.2	CX34-43	EL180UH090E60C	5740245
XP14-036-230	35200	15.7	13.2	32400	20200	3.48	2.5	8.5	CX34-43	EL180UH110E60C	5740698
XP14-036-230	34800	15	12.7	32400	20400	3.34	2.42	8.2	CX34-43	EL195UH045XE36B	5432191
XP14-036-230	35000	15	12.7	32600	20400	3.4	2.44	8.2	CX34-43	EL195UH070XE36B	5432162
XP14-036-230	35200	15.5	13.2	32600	20400	3.48	2.48	8.2	CX34-43	EL195UH090XE48C	5432171
XP14-036-230	35600	15.7	13.2	32600	20400	3.52	2.5	8.2	CX34-43	EL195UH110XE60C	5432196
XP14-036-230	34800	15	12.7	32400	20400	3.34	2.42	8.2	CX34-43	EL296UH045XE36B	5650753
XP14-036-230	35200	15	12.7	32800	20600	3.42	2.46	8.2	CX34-43	EL296UH045XV36B	5562738
XP14-036-230	35000	15	12.7	32600	20400	3.4	2.44	8.2	CX34-43	EL296UH070XE36B	5650750
XP14-036-230	35200	15	12.7	32800	20600	3.42	2.44	8.2	CX34-43	EL296UH070XV36B	5562746
XP14-036-230	35200	15.5	13.2	32600	20400	3.48	2.48	8.2	CX34-43	EL296UH090XE48C	5650761
XP14-036-230	35400	15.5	13.2	32600	20400	3.46	2.5	8.2	CX34-43	EL296UH090XV36C	5562762
XP14-036-230	35000	15.5	13.2	32400	20200	3.46	2.48	8.5	CX34-43	EL296UH090XV48C	5562771
XP14-036-230	35800	15.5	13.2	32800	20600	3.52	2.5	8.5	CX34-43	EL296UH090XV60C	5562781
XP14-036-230	35600	15.7	13.2	32600	20400	3.52	2.5	8.2	CX34-43	EL296UH110XE60C	5650757
XP14-036-230	35400	15.7	13.2	32400	20200	3.48	2.48	8.5	CX34-43	EL296UH110XV48C	5562800
XP14-036-230	35600	15.7	13.2	32600	20400	3.52	2.52	8.5	CX34-43	EL296UH110XV60C	5562807
XP14-036-230	35200	15.7	13.2	32400	20200	3.46	2.5	8.5	CX34-43	ML180UH070E36B	10589601
XP14-036-230	35600	15.7	13.2	32600	20400	3.52	2.5	8.2	CX34-43	ML180UH090E48B	10589719
XP14-036-230	35600	15.7	13.2	32600	20200	3.52	2.5	8.2	CX34-43	ML180UH090E60C	10589807
XP14-036-230	35200	15.7	13.2	32400	20200	3.48	2.5	8.5	CX34-43	ML180UH110E60C	10590058
XP14-036-230	35400	15.7	13.2	32400	20200	3.48	2.48	8.5	CX34-43	SL280UH090V36B	5532481
XP14-036-230	35400	15.7	13.2	32400	20200	3.46	2.48	8.5	CX34-43	SL280UH090V48B	5432035
XP14-036-230	35800	15.1	13	32600	20400	3.54	2.52	8.2	CX34-43	SL280UH090V60C	5432046
XP14-036-230	35400	15.7	13.2	32400	20200	3.46	2.48	8.5	CX34-43	SL280UH090XV48B	8133217
XP14-036-230	35800	15.1	13	32600	20400	3.54	2.52	8.2	CX34-43	SL280UH090XV60C	8133227
XP14-036-230	35600	15.1	13	32600	20400	3.5	2.48	8.2	CX34-43	SL280UH110V60C	5432047
XP14-036-230	35600	15.1	13	32600	20400	3.5	2.48	8.2	CX34-43	SL280UH110XV60C	8133255
XP14-036-230	35200	15	12.7	32800	20600	3.42	2.44	8.2	CX34-43	SLP98UH070XV36B	5432218
XP14-036-230	35400	15.5	13.2	32600	20400	3.46	2.5	8.2	CX34-43	SLP98UH090XV36C	5432219
XP14-036-230	35000	15.5	13.2	32400	20200	3.46	2.48	8.5	CX34-43	SLP98UH090XV48C	5432239
XP14-036-230	35800	15.5	13.2	32800	20600	3.52	2.5	8.5	CX34-43	SLP98UH090XV60C	5432240
XP14-036-230	35600	15.7	13.2	32600	20400	3.52	2.52	8.5	CX34-43	SLP98UH110XV60C	5432241
XP14-036-230	33800	15.5	13	32200	20400	3.36	2.38	8.2	CX34-44/48	EL180UH070E36B	5742068
XP14-036-230	34200	15.5	12.7	32400	20600	3.4	2.4	8.2	CX34-44/48	EL180UH090E48B	5742388
XP14-036-230	34200	15.5	13	32400	20400	3.4	2.38	8.2	CX34-44/48	EL180UH090E60C	5740238
XP14-036-230	34000	15.5	13	32200	20400	3.36	2.38	8.2	CX34-44/48	EL180UH110E60C	5740699
XP14-036-230	34000	15.2	12.7	32400	20600	3.36	2.38	8.2	CX34-44/48	EL195UH090XE48C	5432172
XP14-036-230	34200	15.5	12.7	32400	20600	3.4	2.4	8.2	CX34-44/48	EL195UH110XE60C	5432197
XP14-036-230	34000	15.2	12.7	32400	20600	3.36	2.38	8.2	CX34-44/48	EL296UH090XE48C	5650743
XP14-036-230	34000	15.2	12.7	32400	20600	3.36	2.38	8.2	CX34-44/48	EL296UH090XV36C	5562757
XP14-036-230	34000	15.5	12.7	32200	20400	3.34	2.36	8.2	CX34-44/48	EL296UH090XV48C	5562775
XP14-036-230	34400	15.2	12.7	32600	20800	3.42	2.4	8.2	CX34-44/48	EL296UH090XV60C	5562785
XP14-036-230	34200	15.5	12.7	32400	20600	3.4	2.4	8.2	CX34-44/48	EL296UH110XE60C	5650766
XP14-036-230	34200	15.5	13	32200	20400	3.38	2.38	8.2	CX34-44/48	EL296UH110XV48C	5562794
XP14-036-230	34400	15.5	13	32400	20600	3.42	2.4	8.2	CX34-44/48	EL296UH110XV60C	5562805
XP14-036-230	33800	15.5	13	32200	20400	3.36	2.38	8.2	CX34-44/48	ML180UH070E36B	10589602
XP14-036-230	34200	15.5	12.7	32400	20600	3.4	2.4	8.2	CX34-44/48	ML180UH090E48B	10589723
XP14-036-230	34200	15.5	13	32400	20400	3.4	2.38	8.2	CX34-44/48	ML180UH090E60C	10589800
XP14-036-230	34000	15.5	13	32200	20400	3.36	2.38	8.2	CX34-44/48	ML180UH110E60C	10590059
XP14-036-230	34000	15.5	12.7	32200	20400	3.36	2.38	8.2	CX34-44/48	SL280UH090V36B	5532485
XP14-036-230	34000	15.2	12.7	32200	20400	3.36	2.36	8.2	CX34-44/48	SL280UH090V48B	5432109

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-036-230	34400	15.1	12.5	32400	20600	3.42	2.4	8.2	CX34-44/48	SL280UH090V60C	5432154
XP14-036-230	34000	15.2	12.7	32200	20400	3.36	2.36	8.2	CX34-44/48	SL280UH090XV48B	8133220
XP14-036-230	34400	15.1	12.5	32400	20600	3.42	2.4	8.2	CX34-44/48	SL280UH090XV60C	8133235
XP14-036-230	34200	15.1	12.5	32400	20600	3.38	2.38	8.2	CX34-44/48	SL280UH110V60C	5432132
XP14-036-230	34200	15.1	12.5	32400	20600	3.38	2.38	8.2	CX34-44/48	SL280UH110XV60C	8133260
XP14-036-230	34000	15.2	12.7	32400	20600	3.36	2.38	8.2	CX34-44/48	SLP98UH090XV36C	5432252
XP14-036-230	34000	15.5	12.7	32200	20400	3.34	2.36	8.2	CX34-44/48	SLP98UH090XV48C	5432253
XP14-036-230	34400	15.2	12.7	32600	20800	3.42	2.4	8.2	CX34-44/48	SLP98UH090XV60C	5432264
XP14-036-230	34400	15.5	13	32400	20600	3.42	2.4	8.2	CX34-44/48	SLP98UH110XV60C	5432254
XP14-036-230	35200	15.7	13.2	31600	20400	3.64	2.52	8.7	CX34-49	EL180UH090E60C	5740242
XP14-036-230	34800	15.7	13.2	31400	20200	3.62	2.5	8.7	CX34-49	EL180UH110E60C	5740700
XP14-036-230	34800	15.5	13	31400	20400	3.58	2.5	8.7	CX34-49	EL195UH090XE48C	5432173
XP14-036-230	35200	15.7	13.2	31600	20400	3.64	2.52	8.7	CX34-49	EL195UH110XE60C	5432198
XP14-036-230	34800	15.5	13	31400	20400	3.58	2.5	8.7	CX34-49	EL296UH090XE48C	5650739
XP14-036-230	35000	15.5	13.2	31600	20400	3.6	2.5	8.7	CX34-49	EL296UH090XV36C	5562761
XP14-036-230	34800	15.7	13.2	31400	20200	3.58	2.48	8.7	CX34-49	EL296UH090XV48C	5562776
XP14-036-230	35400	15.5	13	31800	20600	3.64	2.52	8.7	CX34-49	EL296UH090XV60C	5562786
XP14-036-230	35200	15.7	13.2	31600	20400	3.64	2.52	8.7	CX34-49	EL296UH110XE60C	5560772
XP14-036-230	35000	15.7	13.2	31400	20200	3.6	2.5	8.7	CX34-49	EL296UH110XV48C	5652797
XP14-036-230	35200	15.7	13.2	31600	20400	3.64	2.52	8.7	CX34-49	EL296UH110XV60C	5562809
XP14-036-230	35200	15.7	13.2	31600	20400	3.64	2.52	8.7	CX34-49	ML180UH090E60C	10589804
XP14-036-230	34800	15.7	13.2	31400	20200	3.62	2.5	8.7	CX34-49	ML180UH110E60C	10590060
XP14-036-230	35400	15.1	13	31600	20400	3.66	2.52	8.5	CX34-49	SL280UH090V60C	5432140
XP14-036-230	35400	15.1	13	31600	20400	3.66	2.52	8.5	CX34-49	SL280UH090XV60C	8133232
XP14-036-230	35200	15.1	13	31600	20400	3.62	2.5	8.5	CX34-49	SL280UH110V60C	5432141
XP14-036-230	35200	15.1	13	31600	20400	3.62	2.5	8.5	CX34-49	SL280UH110XV60C	8133261
XP14-036-230	35000	15.5	13.2	31600	20400	3.6	2.5	8.7	CX34-49	SLP98UH090XV36C	5432255
XP14-036-230	34800	15.7	13.2	31400	20200	3.58	2.48	8.7	CX34-49	SLP98UH090XV48C	5432256
XP14-036-230	35400	15.5	13	31800	20600	3.64	2.52	8.7	CX34-49	SLP98UH090XV60C	5432257
XP14-036-230	35200	15.7	13.2	31600	20400	3.64	2.52	8.7	CX34-49	SLP98UH110XV60C	5432258
XP14-036-230	34400	14.2	12	32200	21000	3.4	2.36	8.2	CX34-49		5431971
XP14-036-230	34600	15.5	13	31400	20200	3.6	2.5	8.7	CX34-50/60C	EL180UH090E60C	5740243
XP14-036-230	34200	15.5	13	31200	20200	3.56	2.5	8.7	CX34-50/60C	EL180UH110E60C	5740701
XP14-036-230	34200	15.2	12.7	31400	20400	3.56	2.5	8.7	CX34-50/60C	EL195UH090XE48C	5432174
XP14-036-230	34600	15.5	13	31600	20400	3.6	2.5	8.7	CX34-50/60C	EL195UH110XE60C	5432199
XP14-036-230	34200	15.2	12.7	31400	20400	3.56	2.5	8.7	CX34-50/60C	EL296UH090XE48C	5650769
XP14-036-230	34400	15.2	12.7	31400	20400	3.56	2.5	8.7	CX34-50/60C	EL296UH090XV36C	5562764
XP14-036-230	34200	15.2	13	31200	20200	3.54	2.48	8.7	CX34-50/60C	EL296UH090XV48C	5562773
XP14-036-230	34800	15.2	12.7	31800	20600	3.6	2.5	8.7	CX34-50/60C	EL296UH090XV60C	5562787
XP14-036-230	34600	15.5	13	31600	20400	3.6	2.5	8.7	CX34-50/60C	EL296UH110XE60C	5650754
XP14-036-230	34400	15.5	13	31400	20200	3.58	2.5	8.7	CX34-50/60C	EL296UH110XV48C	5562798
XP14-036-230	34600	15.5	13	31600	20400	3.62	2.52	8.7	CX34-50/60C	EL296UH110XV60C	5562810
XP14-036-230	34600	15.5	13	31400	20200	3.6	2.5	8.7	CX34-50/60C	ML180UH090E60C	10589805
XP14-036-230	34200	15.5	13	31200	20200	3.56	2.5	8.7	CX34-50/60C	ML180UH110E60C	10590061
XP14-036-230	34800	15.1	12.5	31600	20400	3.64	2.52	8.5	CX34-50/60C	SL280UH090V60C	5432148
XP14-036-230	34800	15.1	12.5	31600	20400	3.64	2.52	8.5	CX34-50/60C	SL280UH090XV60C	8133233
XP14-036-230	34600	15.1	12.5	31600	20400	3.58	2.5	8.5	CX34-50/60C	SL280UH110V60C	5432149
XP14-036-230	34600	15.1	12.5	31600	20400	3.58	2.5	8.5	CX34-50/60C	SL280UH110XV60C	8133262
XP14-036-230	34400	15.2	12.7	31400	20400	3.56	2.5	8.7	CX34-50/60C	SLP98UH090XV36C	5432259
XP14-036-230	34200	15.2	13	31200	20200	3.54	2.48	8.7	CX34-50/60C	SLP98UH090XV48C	5432260
XP14-036-230	34800	15.2	12.7	31800	20600	3.6	2.5	8.7	CX34-50/60C	SLP98UH090XV60C	5432265
XP14-036-230	34600	15.5	13	31600	20400	3.62	2.52	8.7	CX34-50/60C	SLP98UH110XV60C	5432261
XP14-036-230	33800	14	11.7	32000	21000	3.34	2.36	8.2	CX34-50/60C		5431972
XP14-036-230	34200	15	12.5	32800	20800	3.44	2.4	8.2	CX38-38A	EL180UH045E36A	10084748
XP14-036-230	34200	15	12.5	32800	20800	3.44	2.4	8.2	CX38-38A	ML180UH045E36A	10589566
XP14-036-230	34200	15	12.5	32800	20800	3.42	2.4	8.2	CX38-38A	SL280UH070V36A	10084502
XP14-036-230	34200	15	12.5	32800	20800	3.42	2.4	8.2	CX38-38A	SL280UH070XV36A	10085014
XP14-036-230	34200	15.7	13	32400	20400	3.48	2.44	8.5	CX38-38B	EL180UH070E36B	10084742
XP14-036-230	34600	15.5	13	32600	20600	3.52	2.46	8.5	CX38-38B	EL180UH090E48B	10084737
XP14-036-230	33800	15	12.5	32600	20600	3.36	2.38	8.2	CX38-38B	EL195UH045XE36B	10084422
XP14-036-230	34000	15	12.5	32600	20800	3.42	2.42	8.2	CX38-38B	EL195UH070XE36B	10084358

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-036-230	33800	15	12.5	32600	20600	3.36	2.38	8.2	CX38-38B	EL296UH045XE36B	10084646
XP14-036-230	34200	15	12.5	32800	20800	3.44	2.4	8.2	CX38-38B	EL296UH045XV36B	10084535
XP14-036-230	34000	15	12.5	32600	20800	3.42	2.42	8.2	CX38-38B	EL296UH070XE36B	10084619
XP14-036-230	34200	15	12.5	32800	20800	3.44	2.4	8.2	CX38-38B	EL296UH070XV36B	10084564
XP14-036-230	34200	15.7	13	32400	20400	3.48	2.44	8.5	CX38-38B	ML180UH070E36B	10589641
XP14-036-230	34600	15.5	13	32600	20600	3.52	2.46	8.5	CX38-38B	ML180UH090E48B	10589767
XP14-036-230	34400	15.7	13	32600	20600	3.5	2.46	8.2	CX38-38B	SL280UH090V36B	10084507
XP14-036-230	34400	15.5	13	32600	20600	3.5	2.44	8.2	CX38-38B	SL280UH090V48B	10084404
XP14-036-230	34400	15.5	13	32600	20600	3.5	2.44	8.2	CX38-38B	SL280UH090XV48B	10085020
XP14-036-230	34200	15	12.5	32800	20800	3.44	2.4	8.2	CX38-38B	SLP98UH070XV36B	10084413
XP14-036-230	35200	15.7	13.2	32400	20200	3.46	2.5	8.5	CX38-43B	EL180UH070E36B	10084738
XP14-036-230	35600	15.7	13.2	32600	20400	3.52	2.5	8.2	CX38-43B	EL180UH090E48B	10084730
XP14-036-230	34800	15	12.7	32400	20400	3.34	2.42	8.2	CX38-43B	EL195UH045XE36B	10084388
XP14-036-230	35000	15	12.7	32600	20400	3.4	2.44	8.2	CX38-43B	EL195UH070XE36B	10084386
XP14-036-230	34800	15	12.7	32400	20400	3.34	2.42	8.2	CX38-43B	EL296UH045XE36B	10084630
XP14-036-230	35200	15	12.7	32800	20600	3.42	2.46	8.2	CX38-43B	EL296UH045XV36B	10084552
XP14-036-230	35000	15	12.7	32600	20400	3.4	2.44	8.2	CX38-43B	EL296UH070XE36B	10084617
XP14-036-230	35200	15	12.7	32800	20600	3.42	2.44	8.2	CX38-43B	EL296UH070XV36B	10084578
XP14-036-230	35200	15.7	13.2	32400	20200	3.46	2.5	8.5	CX38-43B	ML180UH070E36B	10589637
XP14-036-230	35600	15.7	13.2	32600	20400	3.52	2.5	8.2	CX38-43B	ML180UH090E48B	10589760
XP14-036-230	35400	15.7	13.2	32400	20200	3.48	2.48	8.5	CX38-43B	SL280UH090V36B	10084506
XP14-036-230	35400	15.7	13.2	32400	20200	3.46	2.48	8.5	CX38-43B	SL280UH090V48B	10084356
XP14-036-230	35400	15.7	13.2	32400	20200	3.46	2.48	8.5	CX38-43B	SL280UH090XV48B	10085018
XP14-036-230	35200	15	12.7	32800	20600	3.42	2.44	8.2	CX38-43B	SLP98UH070XV36B	10084402
XP14-036-230	35600	15.7	13.2	32600	20200	3.52	2.5	8.2	CX38-43C	EL180UH090E60C	10084693
XP14-036-230	35200	15.7	13.2	32400	20200	3.48	2.5	8.5	CX38-43C	EL180UH110E60C	10084703
XP14-036-230	35200	15.5	13.2	32600	20400	3.48	2.48	8.2	CX38-43C	EL195UH090XE48C	10084405
XP14-036-230	35600	15.7	13.2	32600	20400	3.52	2.5	8.2	CX38-43C	EL195UH110XE60C	10084395
XP14-036-230	35200	15.5	13.2	32600	20400	3.48	2.48	8.2	CX38-43C	EL296UH090XE48C	10084631
XP14-036-230	35400	15.5	13.2	32600	20400	3.46	2.5	8.2	CX38-43C	EL296UH090XV36C	10084518
XP14-036-230	35000	15.5	13.2	32400	20200	3.46	2.48	8.5	CX38-43C	EL296UH090XV48C	10084515
XP14-036-230	35800	15.5	13.2	32800	20600	3.52	2.5	8.5	CX38-43C	EL296UH090XV60C	10084511
XP14-036-230	35600	15.7	13.2	32600	20400	3.52	2.5	8.2	CX38-43C	EL296UH110XE60C	10084625
XP14-036-230	35400	15.7	13.2	32400	20200	3.48	2.48	8.5	CX38-43C	EL296UH110XV48C	10084534
XP14-036-230	35600	15.7	13.2	32600	20400	3.52	2.52	8.5	CX38-43C	EL296UH110XV60C	10084550
XP14-036-230	35600	15.7	13.2	32600	20200	3.52	2.5	8.2	CX38-43C	ML180UH090E60C	10589913
XP14-036-230	35200	15.7	13.2	32400	20200	3.48	2.5	8.5	CX38-43C	ML180UH110E60C	10590160
XP14-036-230	35800	15.1	13	32600	20400	3.54	2.52	8.2	CX38-43C	SL280UH090V60C	10084354
XP14-036-230	35800	15.1	13	32600	20400	3.54	2.52	8.2	CX38-43C	SL280UH090XV60C	10085024
XP14-036-230	35600	15.1	13	32600	20400	3.5	2.48	8.2	CX38-43C	SL280UH110V60C	10084409
XP14-036-230	35600	15.1	13	32600	20400	3.5	2.48	8.2	CX38-43C	SL280UH110XV60C	10085040
XP14-036-230	35400	15.5	13.2	32600	20400	3.46	2.5	8.2	CX38-43C	SLP98UH090XV36C	10084412
XP14-036-230	35000	15.5	13.2	32400	20200	3.46	2.48	8.5	CX38-43C	SLP98UH090XV48C	10084392
XP14-036-230	35800	15.5	13.2	32800	20600	3.52	2.5	8.5	CX38-43C	SLP98UH090XV60C	10084376
XP14-036-230	35600	15.7	13.2	32600	20400	3.52	2.52	8.5	CX38-43C	SLP98UH110XV60C	10084383
XP14-036-230	33800	15.5	13	32200	20400	3.36	2.38	8.2	CX38-44/48B	EL180UH070E36B	10084752
XP14-036-230	34200	15.5	12.7	32400	20600	3.4	2.4	8.2	CX38-44/48B	EL180UH090E48B	10084735
XP14-036-230	33800	15.5	13	32200	20400	3.36	2.38	8.2	CX38-44/48B	ML180UH070E36B	10589645
XP14-036-230	34200	15.5	12.7	32400	20600	3.4	2.4	8.2	CX38-44/48B	ML180UH090E48B	10589765
XP14-036-230	34000	15.5	12.7	32200	20400	3.36	2.38	8.2	CX38-44/48B	SL280UH090V36B	10084505
XP14-036-230	34000	15.2	12.7	32200	20400	3.36	2.36	8.2	CX38-44/48B	SL280UH090V48B	10084355
XP14-036-230	34000	15.2	12.7	32200	20400	3.36	2.36	8.2	CX38-44/48B	SL280UH090XV48B	10085019
XP14-036-230	34200	15.5	13	32400	20400	3.4	2.38	8.2	CX38-44/48C	EL180UH090E60C	10084680
XP14-036-230	34000	15.5	13	32200	20400	3.36	2.38	8.2	CX38-44/48C	EL180UH110E60C	10084717
XP14-036-230	34000	15.2	12.7	32400	20600	3.36	2.38	8.2	CX38-44/48C	EL195UH090XE48C	10084369
XP14-036-230	34200	15.5	12.7	32400	20600	3.4	2.4	8.2	CX38-44/48C	EL195UH110XE60C	10084415
XP14-036-230	34000	15.2	12.7	32400	20600	3.36	2.38	8.2	CX38-44/48C	EL296UH090XE48C	10084610
XP14-036-230	34000	15.2	12.7	32400	20600	3.36	2.38	8.2	CX38-44/48C	EL296UH090XV36C	10084565
XP14-036-230	34000	15.5	12.7	32200	20400	3.34	2.36	8.2	CX38-44/48C	EL296UH090XV48C	10084526
XP14-036-230	34400	15.2	12.7	32600	20800	3.42	2.4	8.2	CX38-44/48C	EL296UH090XV60C	10084522
XP14-036-230	34200	15.5	12.7	32400	20600	3.4	2.4	8.2	CX38-44/48C	EL296UH110XE60C	10084655



# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-036-230	34200	15.5	13	32200	20400	3.38	2.38	8.2	CX38-44/48C	EL296UH110XV48C	10084540
XP14-036-230	34400	15.5	13	32400	20600	3.42	2.4	8.2	CX38-44/48C	EL296UH110XV60C	10084528
XP14-036-230	34200	15.5	13	32400	20400	3.4	2.38	8.2	CX38-44/48C	ML180UH090E60C	10589903
XP14-036-230	34000	15.5	13	32200	20400	3.36	2.38	8.2	CX38-44/48C	ML180UH110E60C	10590170
XP14-036-230	34400	15.1	12.5	32400	20600	3.42	2.4	8.2	CX38-44/48C	SL280UH090V60C	10084385
XP14-036-230	34400	15.1	12.5	32400	20600	3.42	2.4	8.2	CX38-44/48C	SL280UH090XV60C	10085028
XP14-036-230	34200	15.1	12.5	32400	20600	3.38	2.38	8.2	CX38-44/48C	SL280UH110V60C	10084365
XP14-036-230	34200	15.1	12.5	32400	20600	3.38	2.38	8.2	CX38-44/48C	SL280UH110XV60C	10085041
XP14-036-230	34000	15.2	12.7	32400	20600	3.36	2.38	8.2	CX38-44/48C	SLP98UH090XV36C	10084407
XP14-036-230	34000	15.5	12.7	32200	20400	3.34	2.36	8.2	CX38-44/48C	SLP98UH090XV48C	10084418
XP14-036-230	34400	15.2	12.7	32600	20800	3.42	2.4	8.2	CX38-44/48C	SLP98UH090XV60C	10084378
XP14-036-230	34400	15.5	13	32400	20600	3.42	2.4	8.2	CX38-44/48C	SLP98UH110XV60C	10084425
XP14-036-230	35200	15.7	13.2	31600	20400	3.64	2.52	8.7	CX38-49C	EL180UH090E60C	10084677
XP14-036-230	34800	15.7	13.2	31400	20200	3.62	2.5	8.7	CX38-49C	EL180UH110E60C	10084710
XP14-036-230	34800	15.5	13	31400	20400	3.58	2.5	8.7	CX38-49C	EL195UH090XE48C	10084364
XP14-036-230	35200	15.7	13.2	31600	20400	3.64	2.52	8.7	CX38-49C	EL195UH110XE60C	10084423
XP14-036-230	34800	15.5	13	31400	20400	3.58	2.5	8.7	CX38-49C	EL296UH090XE48C	10084607
XP14-036-230	35000	15.5	13.2	31600	20400	3.6	2.5	8.7	CX38-49C	EL296UH090XV36C	10084520
XP14-036-230	34800	15.7	13.2	31400	20200	3.58	2.48	8.7	CX38-49C	EL296UH090XV48C	10084517
XP14-036-230	35400	15.5	13	31800	20600	3.64	2.52	8.7	CX38-49C	EL296UH090XV60C	10084539
XP14-036-230	35200	15.7	13.2	31600	20400	3.64	2.52	8.7	CX38-49C	EL296UH110XE60C	10084643
XP14-036-230	35000	15.7	13.2	31400	20200	3.6	2.5	8.7	CX38-49C	EL296UH110XV48C	10084527
XP14-036-230	35200	15.7	13.2	31600	20400	3.64	2.52	8.7	CX38-49C	EL296UH110XV60C	10084546
XP14-036-230	35200	15.7	13.2	31600	20400	3.64	2.52	8.7	CX38-49C	ML180UH090E60C	10589901
XP14-036-230	34800	15.7	13.2	31400	20200	3.62	2.5	8.7	CX38-49C	ML180UH110E60C	10590167
XP14-036-230	35400	15.1	13	31600	20400	3.66	2.52	8.5	CX38-49C	SL280UH090V60C	10084366
XP14-036-230	35400	15.1	13	31600	20400	3.66	2.52	8.5	CX38-49C	SL280UH090XV60C	10085025
XP14-036-230	35200	15.1	13	31600	20400	3.62	2.5	8.5	CX38-49C	SL280UH110V60C	10084361
XP14-036-230	35200	15.1	13	31600	20400	3.62	2.5	8.5	CX38-49C	SL280UH110XV60C	10085042
XP14-036-230	35000	15.5	13.2	31600	20400	3.6	2.5	8.7	CX38-49C	SLP98UH090XV36C	10084393
XP14-036-230	34800	15.7	13.2	31400	20200	3.58	2.48	8.7	CX38-49C	SLP98UH090XV48C	10084377
XP14-036-230	35400	15.5	13	31800	20600	3.64	2.52	8.7	CX38-49C	SLP98UH090XV60C	10084384
XP14-036-230	35200	15.7	13.2	31600	20400	3.64	2.52	8.7	CX38-49C	SLP98UH110XV60C	10084403
XP14-036-230	34400	14.2	12	32200	21000	3.4	2.36	8.2	CX38-49C		10084099
XP14-036-230	34600	15.5	13	31400	20200	3.6	2.5	8.7	CX38-50/60C	EL180UH090E60C	10084686
XP14-036-230	34200	15.5	13	31200	20200	3.56	2.5	8.7	CX38-50/60C	EL180UH110E60C	10084705
XP14-036-230	34200	15.2	12.7	31400	20400	3.56	2.5	8.7	CX38-50/60C	EL195UH090XE48C	10084421
XP14-036-230	34600	15.5	13	31600	20400	3.6	2.5	8.7	CX38-50/60C	EL195UH110XE60C	10084389
XP14-036-230	34200	15.2	12.7	31400	20400	3.56	2.5	8.7	CX38-50/60C	EL296UH090XE48C	10084663
XP14-036-230	34400	15.2	12.7	31400	20400	3.56	2.5	8.7	CX38-50/60C	EL296UH090XV36C	10084513
XP14-036-230	34200	15.2	13	31200	20200	3.54	2.48	8.7	CX38-50/60C	EL296UH090XV48C	10084510
XP14-036-230	34800	15.2	12.7	31800	20600	3.6	2.5	8.7	CX38-50/60C	EL296UH090XV60C	10084516
XP14-036-230	34600	15.5	13	31600	20400	3.6	2.5	8.7	CX38-50/60C	EL296UH110XE60C	10084626
XP14-036-230	34400	15.5	13	31400	20200	3.58	2.5	8.7	CX38-50/60C	EL296UH110XV48C	10084548
XP14-036-230	34600	15.5	13	31600	20400	3.62	2.52	8.7	CX38-50/60C	EL296UH110XV60C	10084542
XP14-036-230	34600	15.5	13	31400	20200	3.6	2.5	8.7	CX38-50/60C	ML180UH090E60C	10589907
XP14-036-230	34200	15.5	13	31200	20200	3.56	2.5	8.7	CX38-50/60C	ML180UH110E60C	10590162
XP14-036-230	34800	15.1	12.5	31600	20400	3.64	2.52	8.5	CX38-50/60C	SL280UH090V60C	10084367
XP14-036-230	34800	15.1	12.5	31600	20400	3.64	2.52	8.5	CX38-50/60C	SL280UH090XV60C	10085026
XP14-036-230	34600	15.1	12.5	31600	20400	3.58	2.5	8.5	CX38-50/60C	SL280UH110V60C	10084362
XP14-036-230	34600	15.1	12.5	31600	20400	3.58	2.5	8.5	CX38-50/60C	SL280UH110XV60C	10085043
XP14-036-230	34400	15.2	12.7	31400	20400	3.56	2.5	8.7	CX38-50/60C	SLP98UH090XV36C	10084414
XP14-036-230	34200	15.2	13	31200	20200	3.54	2.48	8.7	CX38-50/60C	SLP98UH090XV48C	10084408
XP14-036-230	34800	15.2	12.7	31800	20600	3.6	2.5	8.7	CX38-50/60C	SLP98UH090XV60C	10084394
XP14-036-230	34600	15.5	13	31600	20400	3.62	2.52	8.7	CX38-50/60C	SLP98UH110XV60C	10084419
XP14-036-230	33800	14	11.7	32000	21000	3.34	2.36	8.2	CX38-50/60C		10084096
XP14-042-230	44000	15.5	13.2	41500	26600	3.6	2.48	8.5	C33-49	EL180UH090E60C	5740246
XP14-042-230	44000	15.5	13.2	41500	26600	3.58	2.48	8.5	C33-49	EL180UH110E60C	5740704
XP14-042-230	42000	14.7	12.7	41000	26000	3.66	2.58	9	C33-49	EL195UH090XE48C	5432423
XP14-042-230	42500	14.7	12.7	41500	26400	3.74	2.62	9	C33-49	EL195UH110XE60C	5432434
XP14-042-230	42000	14.7	12.7	41000	26000	3.66	2.58	9	C33-49	EL296UH090XE48C	5650773

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-042-230	43500	15.5	13	41500	26600	3.56	2.46	8.5	C33-49	EL296UH090XV36C	5562819
XP14-042-230	43500	15.5	13.2	41500	26600	3.58	2.48	8.5	C33-49	EL296UH090XV48C	5562831
XP14-042-230	44000	15.5	13	42000	26800	3.64	2.48	8.7	C33-49	EL296UH090XV60C	5562841
XP14-042-230	42500	14.7	12.7	41500	26400	3.74	2.62	9	C33-49	EL296UH110XE60C	5650798
XP14-042-230	44000	15.7	13.2	41500	26600	3.6	2.48	8.7	C33-49	EL296UH110XV48C	5562851
XP14-042-230	44000	15.7	13.2	41500	26600	3.6	2.48	8.7	C33-49	EL296UH110XV60C	5562866
XP14-042-230	44000	15.5	13.2	41500	26600	3.6	2.48	8.5	C33-49	ML180UH090E60C	10589808
XP14-042-230	44000	15.5	13.2	41500	26600	3.58	2.48	8.5	C33-49	ML180UH110E60C	10590064
XP14-042-230	44000	15.7	13.2	41500	26600	3.64	2.52	8.7	C33-49	SL280UH090V60C	5432301
XP14-042-230	44000	15.7	13.2	41500	26600	3.64	2.52	8.7	C33-49	SL280UH090XV60C	8133236
XP14-042-230	44000	15.5	13.2	41500	26800	3.58	2.48	8.5	C33-49	SL280UH110V60C	5432302
XP14-042-230	44000	15.5	13.2	41500	26800	3.58	2.48	8.5	C33-49	SL280UH110XV60C	8133263
XP14-042-230	43500	15.5	13	41500	26600	3.56	2.46	8.5	C33-49	SLP98UH090XV36C	5432467
XP14-042-230	43500	15.5	13.2	41500	26600	3.58	2.48	8.5	C33-49	SLP98UH090XV48C	5432468
XP14-042-230	44000	15.5	13	42000	26800	3.64	2.48	8.7	C33-49	SLP98UH090XV60C	5432469
XP14-042-230	44000	15.7	13.2	41500	26600	3.6	2.48	8.7	C33-49	SLP98UH110XV60C	5432470
XP14-042-230	43500	14.5	12.2	42000	27400	3.42	2.4	8.2	C33-49C		8965371
XP14-042-230	41000	14.5	12.2	41000	26000	3.58	2.54	8.7	C33-50/60C	EL195UH090XE48C	5432424
XP14-042-230	42000	14.5	12.5	41500	26200	3.66	2.56	8.7	C33-50/60C	EL195UH110XE60C	5432435
XP14-042-230	41000	14.5	12.2	41000	26000	3.58	2.54	8.7	C33-50/60C	EL296UH090XE48C	5650781
XP14-042-230	42000	14.5	12.5	41500	26200	3.66	2.56	8.7	C33-50/60C	EL296UH110XE60C	5650786
XP14-042-230	44000	15.7	13.2	42000	26800	3.66	2.54	8.7	C33-50/60C	EL296UH135XV60D	5562869
XP14-042-230	42500	15	12.7	41500	26200	3.82	2.66	9.2	C33-60D	EL180UH135E60D	5741086
XP14-042-230	44000	15.2	13	42000	27000	3.6	2.5	8.7	C33-60D	EL195UH135XE60D	5432445
XP14-042-230	44000	15.2	13	42000	27000	3.6	2.5	8.7	C33-60D	EL296UH135XE60D	5650796
XP14-042-230	42500	15	12.7	41500	26200	3.82	2.66	9.2	C33-60D	ML180UH135E60D	10590345
XP14-042-230	44000	15.7	13.5	41500	26600	3.64	2.54	8.7	C33-60D	SL280UH135V60D	5432313
XP14-042-230	44000	15.7	13.2	41500	26800	3.64	2.56	8.7	C33-60D	SLP98UH135XV60D	5432475
XP14-042-230	43000	14.5	12.2	42500	27400	3.46	2.42	8.2	C33-60D		5432269
XP14-042-230	43000	15.2	13	41500	26400	3.92	2.74	9.5	C33-62C	EL180UH090E60C	5740250
XP14-042-230	43000	15.2	13	41500	26400	3.9	2.74	9.5	C33-62C	EL180UH110E60C	5740709
XP14-042-230	43500	15.5	13	42500	27000	3.56	2.58	8.7	C33-62C	EL195UH090XE48C	5432425
XP14-042-230	44000	15.5	13	43000	27200	3.64	2.6	8.7	C33-62C	EL195UH110XE60C	5432436
XP14-042-230	43500	15.5	13	42500	27000	3.56	2.58	8.7	C33-62C	EL296UH090XE48C	5650789
XP14-042-230	43500	15.7	13	42500	27000	3.56	2.6	8.7	C33-62C	EL296UH090XV36C	5562828
XP14-042-230	43500	15.7	13.2	42500	27000	3.6	2.62	8.7	C33-62C	EL296UH090XV48C	5562829
XP14-042-230	44000	15.7	13	42500	27200	3.62	2.62	8.7	C33-62C	EL296UH090XV60C	5562840
XP14-042-230	44000	15.5	13	43000	27200	3.64	2.6	8.7	C33-62C	EL296UH110XE60C	5650802
XP14-042-230	44000	15.7	13.2	42500	27000	3.62	2.62	8.7	C33-62C	EL296UH110XV48C	5562850
XP14-042-230	44000	15.7	13.2	42500	27000	3.62	2.64	8.7	C33-62C	EL296UH110XV60C	5562861
XP14-042-230	43000	15.2	13	41500	26400	3.92	2.74	9.5	C33-62C	ML180UH090E60C	10589811
XP14-042-230	43000	15.2	13	41500	26400	3.9	2.74	9.5	C33-62C	ML180UH110E60C	10590067
XP14-042-230	44000	16	13	42500	26800	3.68	2.64	8.5	C33-62C	SL280UH090V60C	5432319
XP14-042-230	44000	16	13	42500	26800	3.68	2.64	8.5	C33-62C	SL280UH090XV60C	8133237
XP14-042-230	43500	15.7	13	42500	27000	3.6	2.6	8.7	C33-62C	SL280UH110V60C	5432320
XP14-042-230	43500	15.7	13	42500	27000	3.6	2.6	8.7	C33-62C	SL280UH110XV60C	8133264
XP14-042-230	43500	15.7	13	42500	27000	3.56	2.6	8.7	C33-62C	SLP98UH090XV36C	5432453
XP14-042-230	43500	15.7	13.2	42500	27000	3.6	2.62	8.7	C33-62C	SLP98UH090XV48C	5432454
XP14-042-230	44000	15.7	13	42500	27200	3.62	2.62	8.7	C33-62C	SLP98UH090XV60C	5432455
XP14-042-230	44000	15.7	13.2	42500	27000	3.62	2.64	8.7	C33-62C	SLP98UH110XV60C	5432456
XP14-042-230	43000	14.7	12.2	43000	27600	3.44	2.5	8.5	C33-62C		5432270
XP14-042-230	43000	15.2	13	41500	26200	3.84	2.68	9.2	C33-62D	EL180UH135E60D	5741083
XP14-042-230	43500	15	13	42000	27000	3.64	2.5	8.7	C33-62D	EL195UH135XE60D	5432446
XP14-042-230	43500	15	13	42000	27000	3.64	2.5	8.7	C33-62D	EL296UH135XE60D	5650777
XP14-042-230	43500	15.5	13	42000	27000	3.72	2.56	8.7	C33-62D	EL296UH135XV60D	5562870
XP14-042-230	43000	15.2	13	41500	26200	3.84	2.68	9.2	C33-62D	ML180UH135E60D	10590342
XP14-042-230	43500	15.7	13.2	41500	26800	3.7	2.56	8.7	C33-62D	SL280UH135V60D	5432322
XP14-042-230	43500	15.5	13.2	41500	26800	3.7	2.56	8.7	C33-62D	SLP98UH135XV60D	5432457
XP14-042-230	43000	14.2	12.2	42500	27600	3.52	2.44	8.5	C33-62D		5432271
XP14-042-230	44000	15.5	13.2	41500	26600	3.6	2.48	8.5	C37-49C	EL180UH090E60C	10084681
XP14-042-230	44000	15.5	13.2	41500	26600	3.58	2.48	8.5	C37-49C	EL180UH110E60C	10084724

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-042-230	42000	14.7	12.7	41000	26000	3.66	2.58	9	C37-49C	EL195UH090XE48C	10084434
XP14-042-230	42500	14.7	12.7	41500	26400	3.74	2.62	9	C37-49C	EL195UH110XE60C	10084457
XP14-042-230	42000	14.7	12.7	41000	26000	3.66	2.58	9	C37-49C	EL296UH090XE48C	10084641
XP14-042-230	43500	15.5	13	41500	26600	3.56	2.46	8.5	C37-49C	EL296UH090XV36C	10084531
XP14-042-230	43500	15.5	13.2	41500	26600	3.58	2.48	8.5	C37-49C	EL296UH090XV48C	10084587
XP14-042-230	44000	15.5	13	42000	26800	3.64	2.48	8.7	C37-49C	EL296UH090XV60C	10084570
XP14-042-230	42500	14.7	12.7	41500	26400	3.74	2.62	9	C37-49C	EL296UH110XE60C	10084628
XP14-042-230	44000	15.7	13.2	41500	26600	3.6	2.48	8.7	C37-49C	EL296UH110XV48C	10084555
XP14-042-230	44000	15.7	13.2	41500	26600	3.6	2.48	8.7	C37-49C	EL296UH110XV60C	10084567
XP14-042-230	44000	15.5	13.2	41500	26600	3.6	2.48	8.5	C37-49C	ML180UH090E60C	10589904
XP14-042-230	44000	15.5	13.2	41500	26600	3.58	2.48	8.5	C37-49C	ML180UH110E60C	10590172
XP14-042-230	44000	15.7	13.2	41500	26600	3.64	2.52	8.7	C37-49C	SL280UH090V60C	10084427
XP14-042-230	44000	15.7	13.2	41500	26600	3.64	2.52	8.7	C37-49C	SL280UH090XV60C	10085029
XP14-042-230	44000	15.5	13.2	41500	26800	3.58	2.48	8.5	C37-49C	SL280UH110V60C	10084428
XP14-042-230	44000	15.5	13.2	41500	26800	3.58	2.48	8.5	C37-49C	SL280UH110XV60C	10085044
XP14-042-230	43500	15.5	13	41500	26600	3.56	2.46	8.5	C37-49C	SLP98UH090XV36C	10084446
XP14-042-230	43500	15.5	13.2	41500	26600	3.58	2.48	8.5	C37-49C	SLP98UH090XV48C	10084460
XP14-042-230	44000	15.5	13	42000	26800	3.64	2.48	8.7	C37-49C	SLP98UH090XV60C	10084453
XP14-042-230	44000	15.7	13.2	41500	26600	3.6	2.48	8.7	C37-49C	SLP98UH110XV60C	10084438
XP14-042-230	43500	14.5	12.2	42000	27400	3.42	2.4	8.2	C37-49C		10084104
XP14-042-230	41000	14.5	12.2	41000	26000	3.58	2.54	8.7	C37-50/60C	EL195UH090XE48C	10084442
XP14-042-230	42000	14.5	12.5	41500	26200	3.66	2.56	8.7	C37-50/60C	EL195UH110XE60C	10084444
XP14-042-230	41000	14.5	12.2	41000	26000	3.58	2.54	8.7	C37-50/60C	EL296UH090XE48C	10084642
XP14-042-230	42000	14.5	12.5	41500	26200	3.66	2.56	8.7	C37-50/60C	EL296UH110XE60C	10084627
XP14-042-230	44000	15.7	13.2	42000	26800	3.66	2.54	8.7	C37-50/60C	EL296UH135XV60D	10084538
XP14-042-230	42500	15	12.7	41500	26200	3.82	2.66	9.2	C37-60D	EL180UH135E60D	10084721
XP14-042-230	44000	15.2	13	42000	27000	3.6	2.5	8.7	C37-60D	EL195UH135XE60D	10084451
XP14-042-230	44000	15.2	13	42000	27000	3.6	2.5	8.7	C37-60D	EL296UH135XE60D	10084614
XP14-042-230	42500	15	12.7	41500	26200	3.82	2.66	9.2	C37-60D	ML180UH135E60D	10590401
XP14-042-230	44000	15.7	13.5	41500	26600	3.64	2.54	8.7	C37-60D	SL280UH135V60D	10084430
XP14-042-230	44000	15.7	13.2	41500	26800	3.64	2.56	8.7	C37-60D	SLP98UH135XV60D	10084447
XP14-042-230	43000	14.5	12.2	42500	27400	3.46	2.42	8.2	C37-60D		10084105
XP14-042-230	43000	15.2	13	41500	26400	3.92	2.74	9.5	C37-62C	EL180UH090E60C	10084678
XP14-042-230	43000	15.2	13	41500	26400	3.9	2.74	9.5	C37-62C	EL180UH110E60C	10084707
XP14-042-230	43500	15.5	13	42500	27000	3.56	2.58	8.7	C37-62C	EL195UH090XE48C	10084448
XP14-042-230	44000	15.5	13	43000	27200	3.64	2.6	8.7	C37-62C	EL195UH110XE60C	10084459
XP14-042-230	43500	15.5	13	42500	27000	3.56	2.58	8.7	C37-62C	EL296UH090XE48C	10084608
XP14-042-230	43500	15.7	13	42500	27000	3.56	2.6	8.7	C37-62C	EL296UH090XV36C	10084544
XP14-042-230	43500	15.7	13.2	42500	27000	3.6	2.62	8.7	C37-62C	EL296UH090XV48C	10084529
XP14-042-230	44000	15.7	13	42500	27200	3.62	2.62	8.7	C37-62C	EL296UH090XV60C	10084557
XP14-042-230	44000	15.5	13	43000	27200	3.64	2.6	8.7	C37-62C	EL296UH110XE60C	10084604
XP14-042-230	44000	15.7	13.2	42500	27000	3.62	2.62	8.7	C37-62C	EL296UH110XV48C	10084566
XP14-042-230	44000	15.7	13.2	42500	27000	3.62	2.64	8.7	C37-62C	EL296UH110XV60C	10084537
XP14-042-230	43000	15.2	13	41500	26400	3.92	2.74	9.5	C37-62C	ML180UH090E60C	10589902
XP14-042-230	43000	15.2	13	41500	26400	3.9	2.74	9.5	C37-62C	ML180UH110E60C	10590164
XP14-042-230	44000	16	13	42500	26800	3.68	2.64	8.5	C37-62C	SL280UH090V60C	10084431
XP14-042-230	44000	16	13	42500	26800	3.68	2.64	8.5	C37-62C	SL280UH090XV60C	10085030
XP14-042-230	43500	15.7	13	42500	27000	3.6	2.6	8.7	C37-62C	SL280UH110V60C	10084429
XP14-042-230	43500	15.7	13	42500	27000	3.6	2.6	8.7	C37-62C	SL280UH110XV60C	10085045
XP14-042-230	43500	15.7	13	42500	27000	3.56	2.6	8.7	C37-62C	SLP98UH090XV36C	10084452
XP14-042-230	43500	15.7	13.2	42500	27000	3.6	2.62	8.7	C37-62C	SLP98UH090XV48C	10084437
XP14-042-230	44000	15.7	13	42500	27200	3.62	2.62	8.7	C37-62C	SLP98UH090XV60C	10084440
XP14-042-230	44000	15.7	13.2	42500	27000	3.62	2.64	8.7	C37-62C	SLP98UH110XV60C	10084443
XP14-042-230	43000	14.7	12.2	43000	27600	3.44	2.5	8.5	C37-62C		10084100
XP14-042-230	43000	15.2	13	41500	26200	3.84	2.68	9.2	C37-62D	EL180UH135E60D	10084716
XP14-042-230	43500	15	13	42000	27000	3.64	2.5	8.7	C37-62D	EL195UH135XE60D	10084436
XP14-042-230	43500	15	13	42000	27000	3.64	2.5	8.7	C37-62D	EL296UH135XE60D	10084664
XP14-042-230	43500	15.5	13	42000	27000	3.72	2.56	8.7	C37-62D	EL296UH135XV60D	10084580
XP14-042-230	43000	15.2	13	41500	26200	3.84	2.68	9.2	C37-62D	ML180UH135E60D	10590398
XP14-042-230	43500	15.7	13.2	41500	26800	3.7	2.56	8.7	C37-62D	SL280UH135V60D	10084450
XP14-042-230	43500	15.5	13.2	41500	26800	3.7	2.56	8.7	C37-62D	SLP98UH135XV60D	10084449

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-042-230	43000	14.2	12.2	42500	27600	3.52	2.44	8.5	C37-62D		10084102
XP14-042-230	42000	15	12.5	42000	27400	3.58	2.5	8.5	CBA27UHE-042		10260314
XP14-042-230	42500	15	12.5	42000	27000	3.58	2.56	8.5	CBA27UHE-048		10260315
XP14-042-230	42500	14	12	45500	28200	3.66	2.58	8.2	CBX25UH-042		5727006
XP14-042-230	42000	15.5	13	44500	27400	3.86	2.68	8.5	CBX25UHV-042		6970219
XP14-042-230	43500	15.5	13	43500	27400	3.7	2.62	9	CBX27UH-042		5432324
XP14-042-230	43000	15	12.5	43000	27200	3.68	2.62	8.5	CBX27UH-048		5491435
XP14-042-230	43000	14.5	12.5	44000	27800	3.58	2.54	8.7	CBX32M-048		5432325
XP14-042-230	43500	15.5	13	43500	27400	3.68	2.62	8.7	CBX32MV-048		5432326
XP14-042-230	43000	15.2	12.7	43500	27400	3.64	2.6	8.7	CBX40UHV-042		5432327
XP14-042-230	43500	15.5	13	43500	27400	3.68	2.62	8.7	CBX40UHV-048		5432328
XP14-042-230	44000	15.7	13.2	42500	27400	3.9	2.68	9.2	CH23-68	EL180UH090E60C	5740255
XP14-042-230	44000	15.5	13.2	42500	27400	3.9	2.66	9.2	CH23-68	EL180UH110E60C	5740703
XP14-042-230	44000	15.7	13.2	42500	27400	3.92	2.68	9.2	CH23-68	EL180UH135E60D	5741082
XP14-042-230	43500	15.2	13	42500	27400	3.84	2.64	9.2	CH23-68	EL195UH090XE48C	5432426
XP14-042-230	44000	15.2	13	42500	27600	3.88	2.66	9.2	CH23-68	EL195UH110XE60C	5432437
XP14-042-230	44000	15.2	13	42500	27600	3.86	2.64	9.2	CH23-68	EL195UH135XE60D	5432447
XP14-042-230	43500	15.2	13	42500	27400	3.84	2.64	9.2	CH23-68	EL296UH090XE48C	5650797
XP14-042-230	44000	15.2	13	42500	27600	3.88	2.66	9.2	CH23-68	EL296UH110XE60C	5650795
XP14-042-230	44000	15.2	13	42500	27600	3.86	2.64	9.2	CH23-68	EL296UH135XE60D	5650780
XP14-042-230	44000	15.7	13.2	42500	27400	3.94	2.7	9.5	CH23-68	EL296UH135XV60D	5562871
XP14-042-230	44000	15.7	13.2	42500	27400	3.9	2.68	9.2	CH23-68	ML180UH090E60C	10589814
XP14-042-230	44000	15.5	13.2	42500	27400	3.9	2.66	9.2	CH23-68	ML180UH110E60C	10590063
XP14-042-230	44000	15.7	13.2	42500	27400	3.92	2.68	9.2	CH23-68	ML180UH135E60D	10590341
XP14-042-230	44000	16	13	42500	27200	3.98	2.7	9.5	CH23-68	SL280UH135V60D	5432333
XP14-042-230	44000	15.7	13.2	42500	27400	3.96	2.72	9.5	CH23-68	SLP98UH135XV60D	5432458
XP14-042-230	43500	14.5	12.2	43000	28000	3.72	2.56	9	CH23-68		5432272
XP14-042-230	44000	15.2	13	42500	27200	3.56	2.52	8.7	CH33-43B	EL180UH090E48B	5742391
XP14-042-230	43500	14.7	12.7	42500	27400	3.48	2.5	8.5	CH33-43B	EL296UH045XV36B	5562816
XP14-042-230	43500	14.7	12.5	42500	27400	3.48	2.48	8.5	CH33-43B	EL296UH070XV36B	5562818
XP14-042-230	44000	15.2	13	42500	27200	3.56	2.52	8.7	CH33-43B	ML180UH090E48B	10589726
XP14-042-230	44000	15.5	13	42500	27200	3.6	2.56	8.7	CH33-43B	SL280UH090V36B	5532488
XP14-042-230	44000	15.2	13	42500	27200	3.6	2.54	8.7	CH33-43B	SL280UH090V48B	5432288
XP14-042-230	44000	15.2	13	42500	27200	3.6	2.54	8.7	CH33-43B	SL280UH090XV48B	8133222
XP14-042-230	43500	14.7	12.5	42500	27400	3.48	2.48	8.5	CH33-43B	SLP98UH070XV36B	5432466
XP14-042-230	43500	14.5	12.2	43000	27600	3.48	2.46	8.5	CH33-43B		5432266
XP14-042-230	43000	15.2	13	42500	26800	3.44	2.48	8.2	CH33-43C	EL180UH090E60C	5740248
XP14-042-230	43000	15.2	13	42000	26800	3.4	2.48	8.2	CH33-43C	EL180UH110E60C	5740712
XP14-042-230	42500	15	12.7	42000	26800	3.34	2.44	8.2	CH33-43C	EL195UH090XE48C	5432427
XP14-042-230	43000	15	12.7	42500	27000	3.44	2.48	8.2	CH33-43C	EL195UH110XE60C	5432438
XP14-042-230	42500	15	12.7	42000	26800	3.34	2.44	8.2	CH33-43C	EL296UH090XE48C	5650785
XP14-042-230	42500	15.2	12.7	42500	26800	3.4	2.46	8.2	CH33-43C	EL296UH090XV36C	5562820
XP14-042-230	42500	15.2	12.7	42500	26800	3.42	2.48	8.2	CH33-43C	EL296UH090XV48C	5562836
XP14-042-230	43000	15.2	12.7	42500	27000	3.44	2.5	8.2	CH33-43C	EL296UH090XV60C	5562839
XP14-042-230	43000	15	12.7	42500	27000	3.44	2.48	8.2	CH33-43C	EL296UH110XE60C	5650776
XP14-042-230	43000	15.2	13	42500	26800	3.44	2.48	8.2	CH33-43C	EL296UH110XV48C	5562849
XP14-042-230	43000	15.2	13	42500	26800	3.44	2.5	8.2	CH33-43C	EL296UH110XV60C	5562860
XP14-042-230	43000	15.2	13	42500	26800	3.44	2.48	8.2	CH33-43C	ML180UH090E60C	10589809
XP14-042-230	43000	15.2	13	42000	26800	3.4	2.48	8.2	CH33-43C	ML180UH110E60C	10590070
XP14-042-230	43000	15.5	13	42500	26800	3.5	2.52	8.5	CH33-43C	SL280UH090V60C	5432339
XP14-042-230	43000	15.5	13	42500	26800	3.5	2.52	8.5	CH33-43C	SL280UH090XV60C	8133238
XP14-042-230	42500	15.2	12.7	42500	26800	3.42	2.48	8.2	CH33-43C	SL280UH110V60C	5432340
XP14-042-230	42500	15.2	12.7	42500	26800	3.42	2.48	8.2	CH33-43C	SL280UH110XV60C	8133265
XP14-042-230	42500	15.2	12.7	42500	26800	3.4	2.46	8.2	CH33-43C	SLP98UH090XV36C	5432459
XP14-042-230	42500	15.2	12.7	42500	26800	3.42	2.48	8.2	CH33-43C	SLP98UH090XV48C	5432460
XP14-042-230	43000	15.2	12.7	42500	27000	3.44	2.5	8.2	CH33-43C	SLP98UH090XV60C	5432461
XP14-042-230	43000	15.2	13	42500	26800	3.44	2.5	8.2	CH33-43C	SLP98UH110XV60C	5432462
XP14-042-230	42000	14.7	12.5	42500	27000	3.46	2.48	8.5	CH33-44/48	EL180UH090E48B	5742392
XP14-042-230	41500	14.2	12.2	42500	27200	3.38	2.46	8.2	CH33-44/48	EL296UH045XV36B	5562815
XP14-042-230	41500	14.2	12.2	42500	27200	3.36	2.46	8.2	CH33-44/48	EL296UH070XV36B	5562817
XP14-042-230	42000	14.7	12.5	42500	27000	3.46	2.48	8.5	CH33-44/48	ML180UH090E48B	10589727

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-042-230	42000	14.7	12.7	42500	27000	3.48	2.52	8.5	CH33-44/48	SL280UH090V36B	5532487
XP14-042-230	42000	14.7	12.5	42500	27000	3.48	2.52	8.5	CH33-44/48	SL280UH090V48B	5432345
XP14-042-230	42000	14.7	12.5	42500	27000	3.48	2.52	8.5	CH33-44/48	SL280UH090XV48B	8133223
XP14-042-230	41500	14.2	12.2	42500	27200	3.36	2.46	8.2	CH33-44/48	SLP98UH070XV36B	5432465
XP14-042-230	41500	14	11.7	43000	27600	3.36	2.44	8.2	CH33-44/48		5432276
XP14-042-230	42500	15	12.7	42000	26800	3.34	2.44	8.2	CH33-48C	EL180UH090E60C	5740256
XP14-042-230	42000	15	12.7	42000	26800	3.32	2.44	8.2	CH33-48C	EL180UH110E60C	5740710
XP14-042-230	42000	14.7	12.5	42000	26800	3.28	2.42	8.2	CH33-48C	EL195UH090XE48C	5432428
XP14-042-230	42500	14.7	12.5	42500	27000	3.38	2.44	8.2	CH33-48C	EL195UH110XE60C	5432439
XP14-042-230	42000	14.7	12.5	42000	26800	3.28	2.42	8.2	CH33-48C	EL296UH090XE48C	5650801
XP14-042-230	42000	14.7	12.5	42500	26800	3.34	2.42	8.2	CH33-48C	EL296UH090XV36C	5562822
XP14-042-230	42500	15	12.7	42500	26800	3.38	2.44	8.2	CH33-48C	EL296UH090XV48C	5562832
XP14-042-230	42500	14.7	12.5	42500	27000	3.38	2.46	8.2	CH33-48C	EL296UH090XV60C	5562844
XP14-042-230	42500	14.7	12.5	42500	27000	3.38	2.44	8.2	CH33-48C	EL296UH110XE60C	5650779
XP14-042-230	42500	15	12.7	42500	26800	3.4	2.44	8.2	CH33-48C	EL296UH110XV48C	5562856
XP14-042-230	42500	15	12.7	42500	26800	3.38	2.44	8.2	CH33-48C	EL296UH110XV60C	5562863
XP14-042-230	42500	15	12.7	42000	26800	3.34	2.44	8.2	CH33-48C	ML180UH090E60C	10589815
XP14-042-230	42000	15	12.7	42000	26800	3.32	2.44	8.2	CH33-48C	ML180UH110E60C	10590068
XP14-042-230	42500	15.2	12.7	42500	26800	3.42	2.46	8.2	CH33-48C	SL280UH090V60C	5432358
XP14-042-230	42500	15.2	12.7	42500	26800	3.42	2.46	8.2	CH33-48C	SL280UH090XV60C	8133239
XP14-042-230	42500	15	12.7	42500	26800	3.38	2.44	8.2	CH33-48C	SL280UH110V60C	5432359
XP14-042-230	42500	15	12.7	42500	26800	3.38	2.44	8.2	CH33-48C	SL280UH110XV60C	8133266
XP14-042-230	42000	14.7	12.5	42500	26800	3.34	2.42	8.2	CH33-48C	SLP98UH090XV36C	5432476
XP14-042-230	42500	15	12.7	42500	26800	3.38	2.44	8.2	CH33-48C	SLP98UH090XV48C	5432477
XP14-042-230	42500	14.7	12.5	42500	27000	3.38	2.46	8.2	CH33-48C	SLP98UH090XV60C	5432478
XP14-042-230	42500	15	12.7	42500	26800	3.38	2.44	8.2	CH33-48C	SLP98UH110XV60C	5432479
XP14-042-230	43500	15.2	13	42000	26800	3.62	2.52	8.7	CH33-49	EL180UH090E60C	5740251
XP14-042-230	43000	15.2	13	42000	26800	3.6	2.5	8.7	CH33-49	EL180UH110E60C	5740706
XP14-042-230	43000	15	12.7	42000	26800	3.56	2.48	8.5	CH33-49	EL195UH090XE48C	5432429
XP14-042-230	43500	15.2	12.7	42500	27000	3.64	2.5	8.7	CH33-49	EL195UH110XE60C	5432440
XP14-042-230	43000	15	12.7	42000	26800	3.56	2.48	8.5	CH33-49	EL296UH090XE48C	5650794
XP14-042-230	43500	15.2	13	42000	27000	3.58	2.52	8.7	CH33-49	EL296UH090XV36C	5562824
XP14-042-230	43500	15.2	13	42000	26800	3.62	2.52	8.7	CH33-49	EL296UH090XV48C	5562834
XP14-042-230	44000	15.2	13	42500	27200	3.66	2.56	8.7	CH33-49	EL296UH090XV60C	5562847
XP14-042-230	43500	15.2	12.7	42500	27000	3.64	2.5	8.7	CH33-49	EL296UH110XE60C	5650783
XP14-042-230	43500	15.2	13	42000	26800	3.64	2.52	8.7	CH33-49	EL296UH110XV48C	5562853
XP14-042-230	43500	15.2	13	42000	26800	3.64	2.52	8.7	CH33-49	EL296UH110XV60C	5562867
XP14-042-230	43500	15.2	13	42000	26800	3.62	2.52	8.7	CH33-49	ML180UH090E60C	10589812
XP14-042-230	43000	15.2	13	42000	26800	3.6	2.5	8.7	CH33-49	ML180UH110E60C	10590065
XP14-042-230	44000	15.5	13.2	42000	27000	3.66	2.56	8.7	CH33-49	SL280UH090V60C	5432367
XP14-042-230	44000	15.5	13.2	42000	27000	3.66	2.56	8.7	CH33-49	SL280UH090XV60C	8133240
XP14-042-230	43500	15.2	13	42000	27000	3.62	2.54	8.7	CH33-49	SL280UH110V60C	5432368
XP14-042-230	43500	15.2	13	42000	27000	3.62	2.54	8.7	CH33-49	SL280UH110XV60C	8133267
XP14-042-230	43500	15.2	13	42000	27000	3.58	2.52	8.7	CH33-49	SLP98UH090XV36C	5432480
XP14-042-230	43500	15.2	13	42000	26800	3.62	2.52	8.7	CH33-49	SLP98UH090XV48C	5432481
XP14-042-230	44000	15.2	13	42500	27200	3.66	2.56	8.7	CH33-49	SLP98UH090XV60C	5432482
XP14-042-230	43500	15.2	13	42000	26800	3.64	2.52	8.7	CH33-49	SLP98UH110XV60C	5432483
XP14-042-230	43000	14.2	12.2	42500	27400	3.5	2.44	8.5	CH33-49		5432278
XP14-042-230	43000	15.2	12.7	42000	26800	3.6	2.5	8.7	CH33-50/60C	EL180UH090E60C	5740249
XP14-042-230	43000	15.2	13	42000	26800	3.58	2.5	8.5	CH33-50/60C	EL180UH110E60C	5740708
XP14-042-230	43000	15	12.7	42000	26800	3.54	2.48	8.5	CH33-50/60C	EL195UH090XE48C	5432430
XP14-042-230	43500	15	12.7	42000	27000	3.58	2.5	8.5	CH33-50/60C	EL195UH110XE60C	5432441
XP14-042-230	43000	15	12.7	42000	26800	3.54	2.48	8.5	CH33-50/60C	EL296UH090XE48C	5650775
XP14-042-230	43000	15.2	12.7	42500	27200	3.5	2.48	8.5	CH33-50/60C	EL296UH090XV36C	5562827
XP14-042-230	43500	15.2	13	42500	27200	3.52	2.5	8.5	CH33-50/60C	EL296UH090XV48C	5562837
XP14-042-230	43500	15.2	12.7	42500	27400	3.54	2.52	8.5	CH33-50/60C	EL296UH090XV60C	5562843
XP14-042-230	43500	15	12.7	42000	27000	3.58	2.5	8.5	CH33-50/60C	EL296UH110XE60C	5650791
XP14-042-230	43500	15.2	13	42500	27200	3.54	2.5	8.5	CH33-50/60C	EL296UH110XV48C	5562858
XP14-042-230	43500	15.2	13	42500	27200	3.54	2.5	8.5	CH33-50/60C	EL296UH110XV60C	5562865
XP14-042-230	43000	15.2	12.7	42000	26800	3.6	2.5	8.7	CH33-50/60C	ML180UH090E60C	10589810
XP14-042-230	43000	15.2	13	42000	26800	3.58	2.5	8.5	CH33-50/60C	ML180UH110E60C	10590066

## AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-042-230	43500	15.5	13	42500	27200	3.58	2.54	8.7	CH33-50/60C	SL280UH090V60C	5432376
XP14-042-230	43500	15.5	13	42500	27200	3.58	2.54	8.7	CH33-50/60C	SL280UH090XV60C	8133241
XP14-042-230	43500	15.2	13	42500	27200	3.52	2.5	8.5	CH33-50/60C	SL280UH110V60C	5432377
XP14-042-230	43500	15.2	13	42500	27200	3.52	2.5	8.5	CH33-50/60C	SL280UH110XV60C	8133268
XP14-042-230	43000	15.2	12.7	42500	27200	3.5	2.48	8.5	CH33-50/60C	SLP98UH090XV36C	5432484
XP14-042-230	43500	15.2	13	42500	27200	3.52	2.5	8.5	CH33-50/60C	SLP98UH090XV48C	5432485
XP14-042-230	43500	15.2	12.7	42500	27400	3.54	2.52	8.5	CH33-50/60C	SLP98UH090XV60C	5432486
XP14-042-230	43500	15.2	13	42500	27200	3.54	2.5	8.5	CH33-50/60C	SLP98UH110XV60C	5432487
XP14-042-230	43000	14.2	12.2	43000	27800	3.4	2.42	8.2	CH33-50/60C		5432279
XP14-042-230	44500	15.7	13.2	42500	27000	3.56	2.52	8.5	CH33-60D	EL180UH135E60D	5741084
XP14-042-230	44000	15.2	13	42500	27200	3.5	2.5	8.5	CH33-60D	EL195UH135XE60D	5432448
XP14-042-230	44000	15.2	13	42500	27200	3.5	2.5	8.5	CH33-60D	EL296UH135XE60D	5650784
XP14-042-230	44500	15.7	13.2	42500	27000	3.58	2.54	8.7	CH33-60D	EL296UH135XV60D	5562875
XP14-042-230	44500	15.7	13.2	42500	27000	3.56	2.52	8.5	CH33-60D	ML180UH135E60D	10590343
XP14-042-230	44000	16	13	42000	26800	3.54	2.54	8.5	CH33-60D	SL280UH135V60D	5432348
XP14-042-230	44000	15.7	13.2	42500	26800	3.58	2.52	8.7	CH33-60D	SLP98UH135XV60D	5432463
XP14-042-230	43500	14.5	12.2	43000	27600	3.36	2.42	8.2	CH33-60D		5432274
XP14-042-230	42500	15	12.7	41500	26200	3.78	2.66	9.2	CH33-62D	EL180UH135E60D	5741085
XP14-042-230	42500	14.7	12.7	41500	26400	3.72	2.62	8.7	CH33-62D	EL195UH135XE60D	5432449
XP14-042-230	42500	14.7	12.7	41500	26400	3.72	2.62	8.7	CH33-62D	EL296UH135XE60D	5650792
XP14-042-230	43500	15.5	13	42000	26800	3.64	2.54	8.7	CH33-62D	EL296UH135XV60D	5562874
XP14-042-230	42500	15	12.7	41500	26200	3.78	2.66	9.2	CH33-62D	ML180UH135E60D	10590344
XP14-042-230	43500	15.7	13.2	41500	26600	3.6	2.54	8.7	CH33-62D	SL280UH135V60D	5432350
XP14-042-230	43500	15.7	13.2	42000	26800	3.64	2.54	8.7	CH33-62D	SLP98UH135XV60D	5432464
XP14-042-230	43000	14.2	12.2	42500	27400	3.42	2.4	8.2	CH33-62D		5432275
XP14-042-230	44500	15.5	13.2	43000	27000	3.76	2.62	9	CR33-50/60	EL180DF110E60C	5741636
XP14-042-230	44000	15.2	13	43000	27200	3.68	2.6	8.7	CR33-50/60	EL195DF090XE48C	5432421
XP14-042-230	44500	15.2	13	43500	27200	3.78	2.62	9	CR33-50/60	EL195DF110XE60C	5432422
XP14-042-230	44000	15.2	13	43000	27200	3.68	2.6	8.7	CR33-50/60	EL296DF090XE48C	5650793
XP14-042-230	44500	15.2	13	43500	27200	3.76	2.62	9	CR33-50/60	EL296DF090XV60C	5562813
XP14-042-230	44500	15.2	13	43500	27200	3.78	2.62	9	CR33-50/60	EL296DF110XE60C	5650774
XP14-042-230	44500	15.5	13.2	43000	27200	3.76	2.64	9	CR33-50/60	EL296DF110XV60C	5562814
XP14-042-230	44500	15.5	13.2	43000	27000	3.76	2.62	9	CR33-50/60	ML180DF110E60C	10589533
XP14-042-230	44000	15.7	13.2	43000	27000	3.76	2.64	9	CR33-50/60	SL280DF090V60C	5432381
XP14-042-230	44500	15.7	13.2	43000	27000	3.78	2.66	9	CR33-50/60	SL280DF110V60C	5432382
XP14-042-230	44000	15.2	13	43000	27200	3.7	2.62	9	CR33-50/60	SLP98DF090XV36C	5432488
XP14-042-230	44500	15.2	13	43000	27200	3.72	2.62	9	CR33-50/60	SLP98DF090XV48C	5432489
XP14-042-230	44500	15.2	13	43500	27200	3.76	2.62	9	CR33-50/60	SLP98DF090XV60C	5432490
XP14-042-230	44500	15.5	13.2	43000	27200	3.76	2.64	9	CR33-50/60	SLP98DF110XV60C	5432491
XP14-042-230	43500	14.2	12.2	43500	27800	3.56	2.54	8.7	CR33-50/60		5432280
XP14-042-230	43500	14.2	12.2	43500	27800	3.56	2.54	8.7	CR33-60		5432281
XP14-042-230	44000	15.5	13.2	41500	26600	3.6	2.48	8.5	CX34-49	EL180UH090E60C	5740257
XP14-042-230	44000	15.5	13.2	41500	26600	3.58	2.48	8.5	CX34-49	EL180UH110E60C	5740711
XP14-042-230	43500	15.2	13	41500	26600	3.54	2.44	8.5	CX34-49	EL195UH090XE48C	5432431
XP14-042-230	44000	15.2	13	42000	27000	3.62	2.48	8.5	CX34-49	EL195UH110XE60C	5432442
XP14-042-230	43500	15.2	13	41500	26600	3.54	2.44	8.5	CX34-49	EL296UH090XE48C	5650778
XP14-042-230	43500	15.5	13	41500	26600	3.56	2.46	8.5	CX34-49	EL296UH090XV36C	5562823
XP14-042-230	43500	15.5	13.2	41500	26600	3.58	2.48	8.5	CX34-49	EL296UH090XV48C	5562833
XP14-042-230	44000	15.5	13	42000	26800	3.64	2.48	8.7	CX34-49	EL296UH090XV60C	5562845
XP14-042-230	44000	15.2	13	42000	27000	3.62	2.48	8.5	CX34-49	EL296UH110XE60C	5650799
XP14-042-230	44000	15.7	13.2	41500	26600	3.6	2.48	8.7	CX34-49	EL296UH110XV48C	5562857
XP14-042-230	44000	15.7	13.2	41500	26600	3.6	2.48	8.7	CX34-49	EL296UH110XV60C	5562864
XP14-042-230	44000	15.5	13.2	41500	26600	3.6	2.48	8.5	CX34-49	ML180UH090E60C	10589816
XP14-042-230	44000	15.5	13.2	41500	26600	3.58	2.48	8.5	CX34-49	ML180UH110E60C	10590069
XP14-042-230	44000	15.7	13.2	41500	26600	3.64	2.52	8.7	CX34-49	SL280UH090V60C	5432390
XP14-042-230	44000	15.7	13.2	41500	26600	3.64	2.52	8.7	CX34-49	SL280UH090XV60C	8133242
XP14-042-230	44000	15.5	13.2	41500	26800	3.58	2.48	8.5	CX34-49	SL280UH110V60C	5432391
XP14-042-230	44000	15.5	13.2	41500	26800	3.58	2.48	8.5	CX34-49	SL280UH110XV60C	8133269
XP14-042-230	43500	15.5	13	41500	26600	3.56	2.46	8.5	CX34-49	SLP98UH090XV36C	5432492
XP14-042-230	43500	15.5	13.2	41500	26600	3.58	2.48	8.5	CX34-49	SLP98UH090XV48C	5432493
XP14-042-230	44000	15.5	13	42000	26800	3.64	2.48	8.7	CX34-49	SLP98UH090XV60C	5432494

## AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-042-230	44000	15.7	13.2	41500	26600	3.6	2.48	8.7	CX34-49	SLP98UH110XV60C	5432495
XP14-042-230	43500	14.5	12.2	42000	27400	3.42	2.4	8.2	CX34-49		5432282
XP14-042-230	42500	15	12.7	41500	26200	3.82	2.66	9.2	CX34-60D	EL180UH135E60D	5741087
XP14-042-230	42500	14.7	12.7	41500	26400	3.74	2.62	8.7	CX34-60D	EL195UH135XE60D	5432450
XP14-042-230	42500	14.7	12.7	41500	26400	3.74	2.62	8.7	CX34-60D	EL296UH135XE60D	5650800
XP14-042-230	44000	15.7	13.2	42000	26800	3.66	2.54	8.7	CX34-60D	EL296UH135XV60D	5562873
XP14-042-230	42500	15	12.7	41500	26200	3.82	2.66	9.2	CX34-60D	ML180UH135E60D	10590346
XP14-042-230	44000	15.7	13.5	41500	26600	3.64	2.54	8.7	CX34-60D	SL280UH135V60D	5432402
XP14-042-230	44000	15.7	13.2	41500	26800	3.64	2.56	8.7	CX34-60D	SLP98UH135XV60D	5432500
XP14-042-230	43000	14.5	12.2	42500	27400	3.46	2.42	8.2	CX34-60D		5432284
XP14-042-230	43000	15.2	13	41500	26400	3.92	2.74	9.5	CX34-62C	EL180UH090E60C	5740254
XP14-042-230	43000	15.2	13	41500	26400	3.9	2.74	9.5	CX34-62C	EL180UH110E60C	5740713
XP14-042-230	43000	15	13	41500	26400	3.86	2.7	8.7	CX34-62C	EL195UH090XE48C	5432433
XP14-042-230	43500	15.2	13	42000	26600	3.94	2.72	8.7	CX34-62C	EL195UH110XE60C	5432444
XP14-042-230	43000	15	13	41500	26400	3.86	2.7	8.7	CX34-62C	EL296UH090XE48C	5650790
XP14-042-230	43500	15.7	13	42500	27000	3.56	2.6	8.7	CX34-62C	EL296UH090XV36C	5562826
XP14-042-230	43500	15.7	13.2	42500	27000	3.6	2.62	8.7	CX34-62C	EL296UH090XV48C	5562838
XP14-042-230	44000	15.7	13	42500	27200	3.62	2.62	8.7	CX34-62C	EL296UH090XV60C	5562846
XP14-042-230	43500	15.2	13	42000	26600	3.94	2.72	8.7	CX34-62C	EL296UH110XE60C	5650803
XP14-042-230	44000	15.7	13.2	42500	27000	3.62	2.62	8.7	CX34-62C	EL296UH110XV48C	5562852
XP14-042-230	44000	15.7	13.2	42500	27000	3.62	2.64	8.7	CX34-62C	EL296UH110XV60C	5562862
XP14-042-230	43000	15.2	13	41500	26400	3.92	2.74	9.5	CX34-62C	ML180UH090E60C	10589813
XP14-042-230	43000	15.2	13	41500	26400	3.9	2.74	9.5	CX34-62C	ML180UH110E60C	10590071
XP14-042-230	44000	16	13	42500	26800	3.68	2.64	8.5	CX34-62C	SL280UH090V60C	5432408
XP14-042-230	44000	16	13	42500	26800	3.68	2.64	8.5	CX34-62C	SL280UH090XV60C	8133243
XP14-042-230	43500	15.7	13	42500	27000	3.6	2.6	8.7	CX34-62C	SL280UH110V60C	5432410
XP14-042-230	43500	15.7	13	42500	27000	3.6	2.6	8.7	CX34-62C	SL280UH110XV60C	8133270
XP14-042-230	43500	15.7	13	42500	27000	3.56	2.6	8.7	CX34-62C	SLP98UH090XV36C	5432502
XP14-042-230	43500	15.7	13.2	42500	27000	3.6	2.62	8.7	CX34-62C	SLP98UH090XV48C	5432503
XP14-042-230	44000	15.7	13	42500	27200	3.62	2.62	8.7	CX34-62C	SLP98UH090XV60C	5432504
XP14-042-230	44000	15.7	13.2	42500	27000	3.62	2.64	8.7	CX34-62C	SLP98UH110XV60C	5432505
XP14-042-230	43000	14.7	12.2	43000	27600	3.44	2.5	8.5	CX34-62C		5432286
XP14-042-230	43000	15.2	13	41500	26200	3.84	2.68	9.2	CX34-62D	EL180UH135E60D	5741088
XP14-042-230	42500	14.7	12.7	41500	26400	3.76	2.64	8.7	CX34-62D	EL195UH135XE60D	5432451
XP14-042-230	42500	14.7	12.7	41500	26400	3.76	2.64	8.7	CX34-62D	EL296UH135XE60D	5650788
XP14-042-230	43500	15.5	13	42000	27000	3.72	2.56	8.7	CX34-62D	EL296UH135XV60D	5562872
XP14-042-230	43000	15.2	13	41500	26200	3.84	2.68	9.2	CX34-62D	ML180UH135E60D	10590347
XP14-042-230	43500	15.7	13.2	41500	26800	3.7	2.56	8.7	CX34-62D	SL280UH135V60D	5432409
XP14-042-230	43500	15.5	13.2	41500	26800	3.7	2.56	8.7	CX34-62D	SLP98UH135XV60D	5432501
XP14-042-230	43000	14.2	12.2	42500	27600	3.52	2.44	8.5	CX34-62D		5432285
XP14-042-230	44000	15.5	13.2	41500	26600	3.6	2.48	8.5	CX38-49C	EL180UH090E60C	10084689
XP14-042-230	44000	15.5	13.2	41500	26600	3.58	2.48	8.5	CX38-49C	EL180UH110E60C	10084711
XP14-042-230	43500	15.2	13	41500	26600	3.54	2.44	8.5	CX38-49C	EL195UH090XE48C	10084439
XP14-042-230	44000	15.2	13	42000	27000	3.62	2.48	8.5	CX38-49C	EL195UH110XE60C	10084458
XP14-042-230	43500	15.2	13	41500	26600	3.54	2.44	8.5	CX38-49C	EL296UH090XE48C	10084657
XP14-042-230	43500	15.5	13	41500	26600	3.56	2.46	8.5	CX38-49C	EL296UH090XV36C	10084551
XP14-042-230	43500	15.5	13.2	41500	26600	3.58	2.48	8.5	CX38-49C	EL296UH090XV48C	10084569
XP14-042-230	44000	15.5	13	42000	26800	3.64	2.48	8.7	CX38-49C	EL296UH090XV60C	10084536
XP14-042-230	44000	15.2	13	42000	27000	3.62	2.48	8.5	CX38-49C	EL296UH110XE60C	10084621
XP14-042-230	44000	15.7	13.2	41500	26600	3.6	2.48	8.7	CX38-49C	EL296UH110XV48C	10084571
XP14-042-230	44000	15.7	13.2	41500	26600	3.6	2.48	8.7	CX38-49C	EL296UH110XV60C	10084558
XP14-042-230	44000	15.5	13.2	41500	26600	3.6	2.48	8.5	CX38-49C	ML180UH090E60C	10589910
XP14-042-230	44000	15.5	13.2	41500	26600	3.58	2.48	8.5	CX38-49C	ML180UH110E60C	10590168
XP14-042-230	44000	15.7	13.2	41500	26600	3.64	2.52	8.7	CX38-49C	SL280UH090V60C	10084432
XP14-042-230	44000	15.7	13.2	41500	26600	3.64	2.52	8.7	CX38-49C	SL280UH090XV60C	10085031
XP14-042-230	44000	15.5	13.2	41500	26800	3.58	2.48	8.5	CX38-49C	SL280UH110V60C	10084433
XP14-042-230	44000	15.5	13.2	41500	26800	3.58	2.48	8.5	CX38-49C	SL280UH110XV60C	10085046
XP14-042-230	43500	15.5	13	41500	26600	3.56	2.46	8.5	CX38-49C	SLP98UH090XV36C	10084461
XP14-042-230	43500	15.5	13.2	41500	26600	3.58	2.48	8.5	CX38-49C	SLP98UH090XV48C	10084455
XP14-042-230	44000	15.5	13	42000	26800	3.64	2.48	8.7	CX38-49C	SLP98UH090XV60C	10084454
XP14-042-230	44000	15.7	13.2	41500	26600	3.6	2.48	8.7	CX38-49C	SLP98UH110XV60C	10084441

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-042-230	43500	14.5	12.2	42000	27400	3.42	2.4	8.2	CX38-49C		10084101
XP14-042-230	42500	15	12.7	41500	26200	3.82	2.66	9.2	CX38-60D	EL180UH135E60D	10086721
XP14-042-230	42500	14.7	12.7	41500	26400	3.74	2.62	8.7	CX38-60D	EL195UH135XE60D	10086683
XP14-042-230	42500	14.7	12.7	41500	26400	3.74	2.62	8.7	CX38-60D	EL296UH135XE60D	10086713
XP14-042-230	44000	15.7	13.2	42000	26800	3.66	2.54	8.7	CX38-60D	EL296UH135XV60D	10086703
XP14-042-230	42500	15	12.7	41500	26200	3.82	2.66	9.2	CX38-60D	ML180UH135E60D	10590418
XP14-042-230	44000	15.7	13.5	41500	26600	3.64	2.54	8.7	CX38-60D	SL280UH135V60D	10086681
XP14-042-230	44000	15.7	13.2	41500	26800	3.64	2.56	8.7	CX38-60D	SLP98UH135XV60D	10086685
XP14-042-230	43000	14.5	12.2	42500	27400	3.46	2.42	8.2	CX38-60D		10086659
XP14-042-230	43000	15.2	13	41500	26400	3.92	2.74	9.5	CX38-62C	EL180UH090E60C	10086718
XP14-042-230	43000	15.2	13	41500	26400	3.9	2.74	9.5	CX38-62C	EL180UH110E60C	10086720
XP14-042-230	43000	15	13	41500	26400	3.86	2.7	8.7	CX38-62C	EL195UH090XE48C	10086676
XP14-042-230	43500	15.2	13	42000	26600	3.94	2.72	8.7	CX38-62C	EL195UH110XE60C	10086684
XP14-042-230	43000	15	13	41500	26400	3.86	2.7	8.7	CX38-62C	EL296UH090XE48C	10086896
XP14-042-230	43500	15.7	13	42500	27000	3.56	2.6	8.7	CX38-62C	EL296UH090XV36C	10086699
XP14-042-230	43500	15.7	13.2	42500	27000	3.6	2.62	8.7	CX38-62C	EL296UH090XV48C	10086705
XP14-042-230	44000	15.7	13	42500	27200	3.62	2.62	8.7	CX38-62C	EL296UH090XV60C	10086706
XP14-042-230	43500	15.2	13	42000	26600	3.94	2.72	8.7	CX38-62C	EL296UH110XE60C	10086714
XP14-042-230	44000	15.7	13.2	42500	27000	3.62	2.62	8.7	CX38-62C	EL296UH110XV48C	10086701
XP14-042-230	44000	15.7	13.2	42500	27000	3.62	2.64	8.7	CX38-62C	EL296UH110XV60C	10086707
XP14-042-230	43000	15.2	13	41500	26400	3.92	2.74	9.5	CX38-62C	ML180UH090E60C	10589953
XP14-042-230	43000	15.2	13	41500	26400	3.9	2.74	9.5	CX38-62C	ML180UH110E60C	10590204
XP14-042-230	44000	16	13	42500	26800	3.68	2.64	8.5	CX38-62C	SL280UH090V60C	10086675
XP14-042-230	44000	16	13	42500	26800	3.68	2.64	8.5	CX38-62C	SL280UH090XV60C	10086746
XP14-042-230	43500	15.7	13	42500	27000	3.6	2.6	8.7	CX38-62C	SL280UH110V60C	10086682
XP14-042-230	43500	15.7	13	42500	27000	3.6	2.6	8.7	CX38-62C	SL280UH110XV60C	10086749
XP14-042-230	43500	15.7	13	42500	27000	3.56	2.6	8.7	CX38-62C	SLP98UH090XV36C	10086678
XP14-042-230	43500	15.7	13.2	42500	27000	3.6	2.62	8.7	CX38-62C	SLP98UH090XV48C	10086680
XP14-042-230	44000	15.7	13	42500	27200	3.62	2.62	8.7	CX38-62C	SLP98UH090XV60C	10086679
XP14-042-230	44000	15.7	13.2	42500	27000	3.62	2.64	8.7	CX38-62C	SLP98UH110XV60C	10086677
XP14-042-230	43000	14.7	12.2	43000	27600	3.44	2.5	8.5	CX38-62C		10086660
XP14-042-230	43000	15.2	13	41500	26200	3.84	2.68	9.2	CX38-62D	EL180UH135E60D	10084713
XP14-042-230	42500	14.7	12.7	41500	26400	3.76	2.64	8.7	CX38-62D	EL195UH135XE60D	10084445
XP14-042-230	42500	14.7	12.7	41500	26400	3.76	2.64	8.7	CX38-62D	EL296UH135XE60D	10084613
XP14-042-230	43500	15.5	13	42000	27000	3.72	2.56	8.7	CX38-62D	EL296UH135XV60D	10084559
XP14-042-230	43000	15.2	13	41500	26200	3.84	2.68	9.2	CX38-62D	ML180UH135E60D	10590396
XP14-042-230	43500	15.7	13.2	41500	26800	3.7	2.56	8.7	CX38-62D	SL280UH135V60D	10084435
XP14-042-230	43500	15.5	13.2	41500	26800	3.7	2.56	8.7	CX38-62D	SLP98UH135XV60D	10084456
XP14-042-230	43000	14.2	12.2	42500	27600	3.52	2.44	8.5	CX38-62D		10084103
XP14-048-230	49000	15	12.7	45500	30000	3.38	2.54	8.7	C33-49	EL180UH090E60C	5740262
XP14-048-230	48500	14.7	12.7	45500	30000	3.36	2.52	8.5	C33-49	EL180UH110E60C	5740717
XP14-048-230	49000	14.7	12.7	46000	30200	3.38	2.52	8.5	C33-49	EL195UH090XE48C	5432600
XP14-048-230	49000	14.7	12.7	46000	30200	3.4	2.54	8.5	C33-49	EL195UH110XE60C	5432606
XP14-048-230	49000	14.7	12.7	46000	30200	3.38	2.52	8.5	C33-49	EL296UH090XE48C	5650806
XP14-048-230	49000	14.5	12.7	46000	30000	3.4	2.48	8.5	C33-49	EL296UH090XV48C	5562879
XP14-048-230	49000	14.5	12.7	46000	30000	3.4	2.5	8.5	C33-49	EL296UH090XV60C	5562883
XP14-048-230	49000	14.7	12.7	46000	30200	3.4	2.54	8.5	C33-49	EL296UH110XE60C	5650807
XP14-048-230	49000	14.5	12.7	46000	30000	3.4	2.5	8.5	C33-49	EL296UH110XV48C	5562891
XP14-048-230	49000	14.5	12.7	46000	30000	3.4	2.5	8.5	C33-49	EL296UH110XV60C	5562896
XP14-048-230	49000	15	12.7	45500	30000	3.38	2.54	8.7	C33-49	ML180UH090E60C	10589821
XP14-048-230	48500	14.7	12.7	45500	30000	3.36	2.52	8.5	C33-49	ML180UH110E60C	10590075
XP14-048-230	49000	14.7	12.7	46000	30000	3.44	2.52	8.5	C33-49	SL280UH090V60C	5432563
XP14-048-230	49000	14.7	12.7	46000	30000	3.44	2.52	8.5	C33-49	SL280UH090XV60C	8133245
XP14-048-230	49000	14.7	12.7	46000	29800	3.44	2.5	8.5	C33-49	SL280UH110V60C	5432564
XP14-048-230	49000	14.7	12.7	46000	29800	3.44	2.5	8.5	C33-49	SL280UH110XV60C	8133273
XP14-048-230	49000	14.5	12.7	46000	30000	3.4	2.48	8.5	C33-49	SLP98UH090XV48C	5432634
XP14-048-230	49000	14.5	12.7	46000	30000	3.4	2.5	8.5	C33-49	SLP98UH090XV60C	5432635
XP14-048-230	49000	14.5	12.7	46000	30000	3.4	2.5	8.5	C33-49	SLP98UH110XV60C	5432636
XP14-048-230	49000	14	12.2	46500	30400	3.32	2.44	8.2	C33-49		5432513
XP14-048-230	47500	14.7	12.5	47500	31000	3.14	2.44	8.2	C33-60D	EL180UH135E60D	5741090
XP14-048-230	47500	14.7	12.5	47500	31000	3.14	2.44	8.2	C33-60D	ML180UH135E60D	10590349



# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-048-230	48500	15	12.7	46000	30400	3.6	2.66	9	C33-62C	EL180UH090E60C	5740259
XP14-048-230	48500	15	12.7	46000	30400	3.58	2.66	9	C33-62C	EL180UH110E60C	5740716
XP14-048-230	48500	14.7	12.5	46500	30600	3.58	2.64	9	C33-62C	EL195UH090XE48C	5432601
XP14-048-230	48500	14.7	12.7	46500	30400	3.6	2.64	9	C33-62C	EL195UH110XE60C	5432607
XP14-048-230	48500	14.7	12.5	46500	30600	3.58	2.64	9	C33-62C	EL296UH090XE48C	5650822
XP14-048-230	48500	14.5	12.7	46500	30400	3.6	2.62	9	C33-62C	EL296UH090XV48C	5562882
XP14-048-230	48500	14.5	12.7	46500	30400	3.62	2.62	9	C33-62C	EL296UH090XV60C	5562886
XP14-048-230	48500	14.7	12.7	46500	30400	3.6	2.64	9	C33-62C	EL296UH110XE60C	5650812
XP14-048-230	48500	14.7	12.7	46500	30400	3.62	2.62	9	C33-62C	EL296UH110XV48C	5562889
XP14-048-230	48500	14.5	12.7	46500	30400	3.6	2.62	9	C33-62C	EL296UH110XV60C	5562895
XP14-048-230	48500	15	12.7	46000	30400	3.6	2.66	9	C33-62C	ML180UH090E60C	10589818
XP14-048-230	48500	15	12.7	46000	30400	3.58	2.66	9	C33-62C	ML180UH110E60C	10590074
XP14-048-230	49000	14.7	12.7	46500	30200	3.66	2.64	9	C33-62C	SL280UH090V60C	5432584
XP14-048-230	49000	14.7	12.7	46500	30200	3.66	2.64	9	C33-62C	SL280UH090XV60C	8133247
XP14-048-230	48500	14.7	12.7	46000	30200	3.6	2.64	9	C33-62C	SL280UH110V60C	5432520
XP14-048-230	48500	14.7	12.7	46000	30200	3.6	2.64	9	C33-62C	SL280UH110XV60C	8133271
XP14-048-230	48500	14.5	12.7	46500	30400	3.6	2.62	9	C33-62C	SLP98UH090XV48C	5432620
XP14-048-230	48500	14.5	12.7	46500	30400	3.62	2.62	9	C33-62C	SLP98UH090XV60C	5432621
XP14-048-230	48500	14.5	12.7	46500	30400	3.6	2.62	9	C33-62C	SLP98UH110XV60C	5432622
XP14-048-230	48500	14	12.2	47000	30800	3.52	2.56	8.7	C33-62C		5432506
XP14-048-230	48000	14.7	12.5	46000	30400	3.52	2.6	8.7	C33-62D	EL180UH135E60D	5740949
XP14-048-230	48000	14.5	12.2	46000	30600	3.44	2.56	8.7	C33-62D	EL195UH135XE60D	5432613
XP14-048-230	48000	14.5	12.2	46000	30600	3.44	2.56	8.7	C33-62D	EL296UH135XE60D	5650816
XP14-048-230	48000	14.5	12.5	46000	30400	3.5	2.56	8.7	C33-62D	EL296UH135XV60D	5562899
XP14-048-230	48000	14.7	12.5	46000	30400	3.52	2.6	8.7	C33-62D	ML180UH135E60D	10590340
XP14-048-230	48000	14.5	12.5	46000	30200	3.52	2.56	8.7	C33-62D	SL280UH135V60D	5432523
XP14-048-230	48000	14.5	12.7	46000	30000	3.52	2.56	8.7	C33-62D	SLP98UH135XV60D	5432623
XP14-048-230	49000	15	12.7	45500	30000	3.38	2.54	8.7	C37-49C	EL180UH090E60C	10084696
XP14-048-230	48500	14.7	12.7	45500	30000	3.36	2.52	8.5	C37-49C	EL180UH110E60C	10084708
XP14-048-230	49000	14.7	12.7	46000	30200	3.38	2.52	8.5	C37-49C	EL195UH090XE48C	10084466
XP14-048-230	49000	14.7	12.7	46000	30200	3.4	2.54	8.5	C37-49C	EL195UH110XE60C	10084469
XP14-048-230	49000	14.7	12.7	46000	30200	3.38	2.52	8.5	C37-49C	EL296UH090XE48C	10084629
XP14-048-230	49000	14.5	12.7	46000	30000	3.4	2.48	8.5	C37-49C	EL296UH090XV48C	10084588
XP14-048-230	49000	14.5	12.7	46000	30000	3.4	2.5	8.5	C37-49C	EL296UH090XV60C	10084560
XP14-048-230	49000	14.7	12.7	46000	30200	3.4	2.54	8.5	C37-49C	EL296UH110XE60C	10084622
XP14-048-230	49000	14.5	12.7	46000	30000	3.4	2.5	8.5	C37-49C	EL296UH110XV48C	10084561
XP14-048-230	49000	14.5	12.7	46000	30000	3.4	2.5	8.5	C37-49C	EL296UH110XV60C	10084573
XP14-048-230	49000	15	12.7	45500	30000	3.38	2.54	8.7	C37-49C	ML180UH090E60C	10589916
XP14-048-230	48500	14.7	12.7	45500	30000	3.36	2.52	8.5	C37-49C	ML180UH110E60C	10590165
XP14-048-230	49000	14.7	12.7	46000	30000	3.44	2.52	8.5	C37-49C	SL280UH090V60C	10084468
XP14-048-230	49000	14.7	12.7	46000	30000	3.44	2.52	8.5	C37-49C	SL280UH090XV60C	10085032
XP14-048-230	49000	14.7	12.7	46000	29800	3.44	2.5	8.5	C37-49C	SL280UH110V60C	10084464
XP14-048-230	49000	14.7	12.7	46000	29800	3.44	2.5	8.5	C37-49C	SL280UH110XV60C	10085048
XP14-048-230	49000	14.5	12.7	46000	30000	3.4	2.48	8.5	C37-49C	SLP98UH090XV48C	10084483
XP14-048-230	49000	14.5	12.7	46000	30000	3.4	2.5	8.5	C37-49C	SLP98UH090XV60C	10084486
XP14-048-230	49000	14.5	12.7	46000	30000	3.4	2.5	8.5	C37-49C	SLP98UH110XV60C	10084473
XP14-048-230	49000	14	12.2	46500	30400	3.32	2.44	8.2	C37-49C		10084106
XP14-048-230	47500	14.7	12.5	47500	31000	3.14	2.44	8.2	C37-60D	EL180UH135E60D	10084726
XP14-048-230	47500	14.7	12.5	47500	31000	3.14	2.44	8.2	C37-60D	ML180UH135E60D	10590404
XP14-048-230	48500	15	12.7	46000	30400	3.6	2.66	9	C37-62C	EL180UH090E60C	10084690
XP14-048-230	48500	15	12.7	46000	30400	3.58	2.66	9	C37-62C	EL180UH110E60C	10084718
XP14-048-230	48500	14.7	12.5	46500	30600	3.58	2.64	9	C37-62C	EL195UH090XE48C	10084485
XP14-048-230	48500	14.7	12.7	46500	30400	3.6	2.64	9	C37-62C	EL195UH110XE60C	10084476
XP14-048-230	48500	14.7	12.5	46500	30600	3.58	2.64	9	C37-62C	EL296UH090XE48C	10084665
XP14-048-230	48500	14.5	12.7	46500	30400	3.6	2.62	9	C37-62C	EL296UH090XV48C	10084581
XP14-048-230	48500	14.5	12.7	46500	30400	3.62	2.62	9	C37-62C	EL296UH090XV60C	10084584
XP14-048-230	48500	14.7	12.7	46500	30400	3.6	2.64	9	C37-62C	EL296UH110XE60C	10084615
XP14-048-230	48500	14.7	12.7	46500	30400	3.62	2.62	9	C37-62C	EL296UH110XV48C	10084575
XP14-048-230	48500	14.5	12.7	46500	30400	3.6	2.62	9	C37-62C	EL296UH110XV60C	10084590
XP14-048-230	48500	15	12.7	46000	30400	3.6	2.66	9	C37-62C	ML180UH090E60C	10589911
XP14-048-230	48500	15	12.7	46000	30400	3.58	2.66	9	C37-62C	ML180UH110E60C	10590171

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-048-230	49000	14.7	12.7	46500	30200	3.66	2.64	9	C37-62C	SL280UH090V60C	10084462
XP14-048-230	49000	14.7	12.7	46500	30200	3.66	2.64	9	C37-62C	SL280UH090XV60C	10085033
XP14-048-230	48500	14.7	12.7	46000	30200	3.6	2.64	9	C37-62C	SL280UH110V60C	10084467
XP14-048-230	48500	14.7	12.7	46000	30200	3.6	2.64	9	C37-62C	SL280UH110XV60C	10085047
XP14-048-230	48500	14.5	12.7	46500	30400	3.6	2.62	9	C37-62C	SLP98UH090XV48C	10084472
XP14-048-230	48500	14.5	12.7	46500	30400	3.62	2.62	9	C37-62C	SLP98UH090XV60C	10084479
XP14-048-230	48500	14.5	12.7	46500	30400	3.6	2.62	9	C37-62C	SLP98UH110XV60C	10084470
XP14-048-230	48500	14	12.2	47000	30800	3.52	2.56	8.7	C37-62C		10084108
XP14-048-230	48000	14.7	12.5	46000	30400	3.52	2.6	8.7	C37-62D	EL180UH135E60D	10084720
XP14-048-230	48000	14.5	12.2	46000	30600	3.44	2.56	8.7	C37-62D	EL195UH135XE60D	10084478
XP14-048-230	48000	14.5	12.2	46000	30600	3.44	2.56	8.7	C37-62D	EL296UH135XE60D	10084647
XP14-048-230	48000	14.5	12.5	46000	30400	3.5	2.56	8.7	C37-62D	EL296UH135XV60D	10084562
XP14-048-230	48000	14.7	12.5	46000	30400	3.52	2.6	8.7	C37-62D	ML180UH135E60D	10590400
XP14-048-230	48000	14.5	12.5	46000	30200	3.52	2.56	8.7	C37-62D	SL280UH135V60D	10084463
XP14-048-230	48000	14.5	12.7	46000	30000	3.52	2.56	8.7	C37-62D	SLP98UH135XV60D	10084477
XP14-048-230	48500	15	12.5	47500	30600	3.48	2.64	9	CBA27UHE-048		10260316
XP14-048-230	48000	14.5	12.5	47000	30600	3.58	2.62	8.5	CBA27UHE-060		10260317
XP14-048-230	49000	14	12	47000	30200	3.44	2.56	8.2	CBX25UH-048		5727007
XP14-048-230	48500	14	12	47000	30400	3.4	2.54	8.2	CBX25UH-060		6623432
XP14-048-230	48000	15	12.5	46500	29800	3.52	2.62	8.5	CBX25UHV-048		6970220
XP14-048-230	49500	15	12.7	47500	30600	3.62	2.7	9.2	CBX27UH-048		5432528
XP14-048-230	49500	15.2	12.7	43500	29800	3.52	2.66	9	CBX27UH-060		5432529
XP14-048-230	49500	14.7	12.5	48000	30800	3.6	2.68	9	CBX32M-048		5432530
XP14-048-230	49500	14.5	12.2	48000	30800	3.52	2.64	8.7	CBX32M-060		5432531
XP14-048-230	49000	15	12.7	47500	30600	3.6	2.7	9	CBX32MV-048		5432532
XP14-048-230	49500	14.7	12.5	48000	30600	3.54	2.64	8.7	CBX32MV-060		5432533
XP14-048-230	49000	14.7	12.5	46000	30200	3.46	2.58	8.7	CBX32MV-068		5432534
XP14-048-230	49000	15	12.7	47500	30600	3.62	2.7	9	CBX40UHV-048		5432535
XP14-048-230	50000	14.7	12.5	48000	30600	3.54	2.64	9	CBX40UHV-060		5432536
XP14-048-230	50500	15.2	13.2	46500	31000	3.66	2.74	9.2	CH23-68	EL180UH090E60C	5740261
XP14-048-230	50000	15.2	13	46500	31000	3.64	2.74	9.2	CH23-68	EL180UH110E60C	5740718
XP14-048-230	50500	15.2	13	47000	31000	3.72	2.76	9.2	CH23-68	EL180UH135E60D	5741091
XP14-048-230	50000	15	12.7	47000	31200	3.64	2.72	9.2	CH23-68	EL195UH090XE48C	5432602
XP14-048-230	50500	15.2	13	47000	31200	3.66	2.74	9.2	CH23-68	EL195UH110XE60C	5432608
XP14-048-230	50500	14.7	12.7	47000	31400	3.64	2.72	9.2	CH23-68	EL195UH135XE60D	5432614
XP14-048-230	50000	15	12.7	47000	31200	3.64	2.72	9.2	CH23-68	EL296UH090XE48C	5650819
XP14-048-230	50500	15.2	13	47000	31200	3.66	2.74	9.2	CH23-68	EL296UH110XE60C	5650804
XP14-048-230	50500	14.7	12.7	47000	31400	3.64	2.72	9.2	CH23-68	EL296UH135XE60D	5650808
XP14-048-230	51000	15.2	13.2	47000	30800	3.68	2.68	9.2	CH23-68	EL296UH135XV60D	5562902
XP14-048-230	50500	15.2	13.2	46500	31000	3.66	2.74	9.2	CH23-68	ML180UH090E60C	10589820
XP14-048-230	50000	15.2	13	46500	31000	3.64	2.74	9.2	CH23-68	ML180UH110E60C	10590076
XP14-048-230	50500	15.2	13	47000	31000	3.72	2.76	9.2	CH23-68	ML180UH135E60D	10590350
XP14-048-230	50500	15.2	13.2	46500	30800	3.64	2.7	9.2	CH23-68	SL280UH135V60D	5432541
XP14-048-230	50500	15.2	13.2	46500	30600	3.64	2.68	9.2	CH23-68	SLP98UH135XV60D	5432627
XP14-048-230	49500	14	12.2	47500	31400	3.56	2.6	9	CH23-68		5432508
XP14-048-230	48500	14.7	12.7	45500	29800	3.32	2.54	8.5	CH33-50/60C	EL180UH090E60C	5740260
XP14-048-230	49000	14.2	12.2	46500	30200	3.38	2.52	8.5	CH33-50/60C	EL180UH110E60C	5740714
XP14-048-230	48000	14.2	12.2	45500	29800	3.28	2.5	8.2	CH33-50/60C	EL195UH090XE48C	5432603
XP14-048-230	48000	14.2	12.5	45500	29800	3.3	2.52	8.2	CH33-50/60C	EL195UH110XE60C	5432609
XP14-048-230	48000	14.2	12.2	45500	29800	3.28	2.5	8.2	CH33-50/60C	EL296UH090XE48C	5650824
XP14-048-230	48500	14.2	12.5	46000	29800	3.34	2.5	8.2	CH33-50/60C	EL296UH090XV48C	5562878
XP14-048-230	48500	14.2	12.2	46000	29800	3.32	2.5	8.2	CH33-50/60C	EL296UH090XV60C	5562884
XP14-048-230	48000	14.2	12.5	45500	29800	3.3	2.52	8.2	CH33-50/60C	EL296UH110XE60C	5650820
XP14-048-230	48500	14.2	12.5	46000	29800	3.34	2.5	8.5	CH33-50/60C	EL296UH110XV48C	5562892
XP14-048-230	48500	14.2	12.5	46000	29800	3.34	2.5	8.2	CH33-50/60C	EL296UH110XV60C	5562893
XP14-048-230	48500	14.7	12.7	45500	29800	3.32	2.54	8.5	CH33-50/60C	ML180UH090E60C	10589819
XP14-048-230	49000	14.2	12.2	46500	30200	3.38	2.52	8.5	CH33-50/60C	ML180UH110E60C	10590072
XP14-048-230	48500	14.5	12.5	46000	29600	3.38	2.52	8.5	CH33-50/60C	SL280UH090V60C	5432559
XP14-048-230	48500	14.5	12.5	46000	29600	3.38	2.52	8.5	CH33-50/60C	SL280UH090XV60C	8133244
XP14-048-230	48500	14.2	12.5	46000	29600	3.36	2.5	8.5	CH33-50/60C	SL280UH110V60C	5432560
XP14-048-230	48500	14.2	12.5	46000	29600	3.36	2.5	8.5	CH33-50/60C	SL280UH110XV60C	8133272

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-048-230	48500	14.2	12.5	46000	29800	3.34	2.5	8.2	CH33-50/60C	SLP98UH090XV48C	5432624
XP14-048-230	48500	14.2	12.2	46000	29800	3.32	2.5	8.2	CH33-50/60C	SLP98UH090XV60C	5432625
XP14-048-230	48500	14.2	12.5	46000	29800	3.34	2.5	8.2	CH33-50/60C	SLP98UH110XV60C	5432626
XP14-048-230	48500	14.7	12.7	46000	30200	3.4	2.58	8.7	CH33-60D	EL180UH135E60D	5741093
XP14-048-230	48000	14.2	12.2	46500	30600	3.38	2.54	8.5	CH33-60D	EL195UH135XE60D	5432615
XP14-048-230	48000	14.2	12.2	46500	30600	3.38	2.54	8.5	CH33-60D	EL296UH135XE60D	5650813
XP14-048-230	48500	14.2	12.5	46500	30200	3.44	2.52	8.7	CH33-60D	EL296UH135XV60D	5562898
XP14-048-230	48500	14.7	12.7	46000	30200	3.4	2.58	8.7	CH33-60D	ML180UH135E60D	10590352
XP14-048-230	48500	14.5	12.7	46000	30000	3.4	2.52	8.7	CH33-60D	SL280UH135V60D	5432546
XP14-048-230	48000	14.5	12.5	46000	30000	3.4	2.54	8.5	CH33-60D	SLP98UH135XV60D	5432628
XP14-048-230	48500	15	12.7	46000	30200	3.44	2.58	8.7	CH33-62D	EL180UH135E60D	5741092
XP14-048-230	48000	14.7	12.2	46000	30400	3.36	2.54	8.7	CH33-62D	EL195UH135XE60D	5432616
XP14-048-230	48000	14.7	12.2	46000	30400	3.36	2.54	8.7	CH33-62D	EL296UH135XE60D	5650805
XP14-048-230	48500	14.7	12.7	46000	30200	3.42	2.54	8.7	CH33-62D	EL296UH135XV60D	5562904
XP14-048-230	48500	15	12.7	46000	30200	3.44	2.58	8.7	CH33-62D	ML180UH135E60D	10590351
XP14-048-230	48500	14.7	12.7	46000	30000	3.44	2.54	8.7	CH33-62D	SL280UH135V60D	5432549
XP14-048-230	48000	14.7	12.7	45500	30000	3.4	2.54	8.7	CH33-62D	SLP98UH135XV60D	5432629
XP14-048-230	48000	14	12	46500	30600	3.32	2.46	8.5	CH33-62D	SLP98UH135XV60D	5432511
XP14-048-230	49500	15	12.7	48500	31200	3.5	2.66	9	CR33-50/60	EL180DF110E60C	5741637
XP14-048-230	49500	14.2	12.5	49000	31400	3.44	2.6	8.7	CR33-50/60	EL195DF090XE48C	5432598
XP14-048-230	49500	14.2	12.7	48500	31200	3.46	2.64	8.7	CR33-50/60	EL195DF110XE60C	5432599
XP14-048-230	49500	14.2	12.5	49000	31400	3.44	2.6	8.7	CR33-50/60	EL296DF090XE48C	5650809
XP14-048-230	49500	14.2	12.5	49000	31400	3.46	2.6	8.7	CR33-50/60	EL296DF090XV60C	5562876
XP14-048-230	49500	14.2	12.7	48500	31200	3.46	2.64	8.7	CR33-50/60	EL296DF110XE60C	5650814
XP14-048-230	49500	14.2	12.7	48500	31200	3.42	2.58	8.7	CR33-50/60	EL296DF110XV60C	5562877
XP14-048-230	49500	15	12.7	48500	31200	3.5	2.66	9	CR33-50/60	ML180DF110E60C	10589534
XP14-048-230	49500	14.7	12.7	48500	31000	3.48	2.62	8.7	CR33-50/60	SL280DF090V60C	5432553
XP14-048-230	49500	14.7	13	48500	31000	3.52	2.64	8.7	CR33-50/60	SL280DF110V60C	5432554
XP14-048-230	49500	14.2	12.5	49000	31400	3.46	2.58	8.7	CR33-50/60	SLP98DF090XV48C	5432630
XP14-048-230	49500	14.2	12.5	49000	31400	3.46	2.6	8.7	CR33-50/60	SLP98DF090XV60C	5432631
XP14-048-230	49500	14.2	12.7	48500	31200	3.42	2.58	8.7	CR33-50/60	SLP98DF110XV60C	5432633
XP14-048-230	49000	15	12.7	45500	30000	3.38	2.54	8.7	CX34-49	EL180UH090E60C	5740263
XP14-048-230	48500	14.7	12.7	45500	30000	3.36	2.52	8.5	CX34-49	EL180UH110E60C	5740719
XP14-048-230	49000	14.5	12.7	46000	30000	3.38	2.52	8.5	CX34-49	EL195UH090XE48C	5432604
XP14-048-230	49000	14.5	12.7	46000	30000	3.4	2.54	8.5	CX34-49	EL195UH110XE60C	5432610
XP14-048-230	49000	14.5	12.7	46000	30000	3.38	2.52	8.5	CX34-49	EL296UH090XE48C	5650810
XP14-048-230	49000	14.5	12.7	46000	30000	3.4	2.48	8.5	CX34-49	EL296UH090XV48C	5562881
XP14-048-230	49000	14.5	12.7	46000	30000	3.4	2.5	8.5	CX34-49	EL296UH090XV60C	5562887
XP14-048-230	49000	14.5	12.7	46000	30000	3.4	2.54	8.5	CX34-49	EL296UH110XE60C	5650817
XP14-048-230	49000	14.5	12.7	46000	30000	3.4	2.5	8.5	CX34-49	EL296UH110XV48C	5562890
XP14-048-230	49000	14.5	12.7	46000	30000	3.4	2.5	8.5	CX34-49	EL296UH110XV60C	5562897
XP14-048-230	49000	15	12.7	45500	30000	3.38	2.54	8.7	CX34-49	ML180UH090E60C	10589822
XP14-048-230	48500	14.7	12.7	45500	30000	3.36	2.52	8.5	CX34-49	ML180UH110E60C	10590077
XP14-048-230	49000	14.7	12.7	46000	30000	3.44	2.52	8.5	CX34-49	SL280UH090V60C	5432596
XP14-048-230	49000	14.7	12.7	46000	30000	3.44	2.52	8.5	CX34-49	SL280UH090XV60C	8133248
XP14-048-230	49000	14.7	12.7	46000	29800	3.44	2.5	8.5	CX34-49	SL280UH110V60C	5432597
XP14-048-230	49000	14.7	12.7	46000	29800	3.44	2.5	8.5	CX34-49	SL280UH110XV60C	8133276
XP14-048-230	49000	14.5	12.7	46000	30000	3.4	2.48	8.5	CX34-49	SLP98UH090XV48C	5432642
XP14-048-230	49000	14.5	12.7	46000	30000	3.4	2.5	8.5	CX34-49	SLP98UH090XV60C	5432643
XP14-048-230	49000	14.5	12.7	46000	30000	3.4	2.5	8.5	CX34-49	SLP98UH110XV60C	5432644
XP14-048-230	49000	14	12.2	46500	30400	3.32	2.44	8.2	CX34-49		5432519
XP14-048-230	47500	14.7	12.5	47500	31000	3.14	2.44	8.2	CX34-60D	EL180UH135E60D	5741089
XP14-048-230	47500	14.7	12.5	47500	31000	3.14	2.44	8.2	CX34-60D	ML180UH135E60D	10590348
XP14-048-230	48500	15	12.7	46000	30400	3.6	2.66	9	CX34-62C	EL180UH090E60C	5740258
XP14-048-230	48500	15	12.7	46000	30400	3.58	2.66	9	CX34-62C	EL180UH110E60C	5740715
XP14-048-230	48500	14.5	12.5	46500	30400	3.58	2.64	9	CX34-62C	EL195UH090XE48C	5432605
XP14-048-230	48500	14.5	12.7	46500	30400	3.6	2.64	9	CX34-62C	EL195UH110XE60C	5432611
XP14-048-230	48500	14.5	12.5	46500	30400	3.58	2.64	9	CX34-62C	EL296UH090XE48C	5650815
XP14-048-230	48500	14.5	12.7	46500	30400	3.6	2.62	9	CX34-62C	EL296UH090XV48C	5562880
XP14-048-230	48500	14.5	12.7	46500	30400	3.62	2.62	9	CX34-62C	EL296UH090XV60C	5562885
XP14-048-230	48500	14.5	12.7	46500	30400	3.6	2.64	9	CX34-62C	EL296UH110XE60C	5650823

### AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-048-230	48500	14.7	12.7	46500	30400	3.62	2.62	9	CX34-62C	EL296UH110XV48C	5562888
XP14-048-230	48500	14.5	12.7	46500	30400	3.6	2.62	9	CX34-62C	EL296UH110XV60C	5562894
XP14-048-230	48500	15	12.7	46000	30400	3.6	2.66	9	CX34-62C	ML180UH090E60C	10589817
XP14-048-230	48500	15	12.7	46000	30400	3.58	2.66	9	CX34-62C	ML180UH110E60C	10590073
XP14-048-230	49000	14.7	12.7	46500	30200	3.66	2.64	9	CX34-62C	SL280UH090V60C	5432576
XP14-048-230	49000	14.7	12.7	46500	30200	3.66	2.64	9	CX34-62C	SL280UH090XV60C	8133246
XP14-048-230	48500	14.7	12.7	46000	30200	3.6	2.64	9	CX34-62C	SL280UH110V60C	5432577
XP14-048-230	48500	14.7	12.7	46000	30200	3.6	2.64	9	CX34-62C	SL280UH110XV60C	8133274
XP14-048-230	48500	14.5	12.7	46500	30400	3.6	2.62	9	CX34-62C	SLP98UH090XV48C	5432638
XP14-048-230	48500	14.5	12.7	46500	30400	3.62	2.62	9	CX34-62C	SLP98UH090XV60C	5432640
XP14-048-230	48500	14.5	12.7	46500	30400	3.6	2.62	9	CX34-62C	SLP98UH110XV60C	5432641
XP14-048-230	48500	14	12.2	47000	30800	3.52	2.56	8.7	CX34-62C		5432517
XP14-048-230	48000	14.7	12.5	46000	30400	3.52	2.6	8.7	CX34-62D	EL180UH135E60D	5741094
XP14-048-230	48000	14.5	12.2	46000	30600	3.44	2.56	8.7	CX34-62D	EL195UH135XE60D	5432618
XP14-048-230	48000	14.5	12.2	46000	30600	3.44	2.56	8.7	CX34-62D	EL296UH135XE60D	5650818
XP14-048-230	48000	14.5	12.5	46000	30400	3.5	2.56	8.7	CX34-62D	EL296UH135XV60D	5562903
XP14-048-230	48000	14.7	12.5	46000	30400	3.52	2.6	8.7	CX34-62D	ML180UH135E60D	10590353
XP14-048-230	48000	14.5	12.5	46000	30200	3.52	2.56	8.7	CX34-62D	SL280UH135V60D	5432587
XP14-048-230	48000	14.5	12.7	46000	30000	3.52	2.56	8.7	CX34-62D	SLP98UH135XV60D	5432632
XP14-048-230	49000	15	12.7	45500	30000	3.38	2.54	8.7	CX38-49C	EL180UH090E60C	10084700
XP14-048-230	48500	14.7	12.7	45500	30000	3.36	2.52	8.5	CX38-49C	EL180UH110E60C	10084712
XP14-048-230	49000	14.5	12.7	46000	30000	3.38	2.52	8.5	CX38-49C	EL195UH090XE48C	10084471
XP14-048-230	49000	14.5	12.7	46000	30000	3.4	2.54	8.5	CX38-49C	EL195UH110XE60C	10084481
XP14-048-230	49000	14.5	12.7	46000	30000	3.38	2.52	8.5	CX38-49C	EL296UH090XE48C	10084605
XP14-048-230	49000	14.5	12.7	46000	30000	3.4	2.48	8.5	CX38-49C	EL296UH090XV48C	10084574
XP14-048-230	49000	14.5	12.7	46000	30000	3.4	2.5	8.5	CX38-49C	EL296UH090XV60C	10084589
XP14-048-230	49000	14.5	12.7	46000	30000	3.4	2.54	8.5	CX38-49C	EL296UH110XE60C	10084644
XP14-048-230	49000	14.5	12.7	46000	30000	3.4	2.5	8.5	CX38-49C	EL296UH110XV48C	10084582
XP14-048-230	49000	14.5	12.7	46000	30000	3.4	2.5	8.5	CX38-49C	EL296UH110XV60C	10084576
XP14-048-230	49000	15	12.7	45500	30000	3.38	2.54	8.7	CX38-49C	ML180UH090E60C	10589920
XP14-048-230	48500	14.7	12.7	45500	30000	3.36	2.52	8.5	CX38-49C	ML180UH110E60C	10590169
XP14-048-230	49000	14.7	12.7	46000	30000	3.44	2.52	8.5	CX38-49C	SL280UH090V60C	10084474
XP14-048-230	49000	14.7	12.7	46000	30000	3.44	2.52	8.5	CX38-49C	SL280UH090XV60C	10085034
XP14-048-230	49000	14.7	12.7	46000	29800	3.44	2.5	8.5	CX38-49C	SL280UH110V60C	10084480
XP14-048-230	49000	14.7	12.7	46000	29800	3.44	2.5	8.5	CX38-49C	SL280UH110XV60C	10085049
XP14-048-230	49000	14.5	12.7	46000	30000	3.4	2.48	8.5	CX38-49C	SLP98UH090XV48C	10084484
XP14-048-230	49000	14.5	12.7	46000	30000	3.4	2.5	8.5	CX38-49C	SLP98UH090XV60C	10084487
XP14-048-230	49000	14.5	12.7	46000	30000	3.4	2.5	8.5	CX38-49C	SLP98UH110XV60C	10084475
XP14-048-230	49000	14	12.2	46500	30400	3.32	2.44	8.2	CX38-49C		10084107
XP14-048-230	47500	14.7	12.5	47500	31000	3.14	2.44	8.2	CX38-60D	EL180UH135E60D	10086724
XP14-048-230	47500	14.7	12.5	47500	31000	3.14	2.44	8.2	CX38-60D	ML180UH135E60D	10590419
XP14-048-230	48500	15	12.7	46000	30400	3.6	2.66	9	CX38-62C	EL180UH090E60C	10086717
XP14-048-230	48500	15	12.7	46000	30400	3.58	2.66	9	CX38-62C	EL180UH110E60C	10086722
XP14-048-230	48500	14.5	12.5	46500	30400	3.58	2.64	9	CX38-62C	EL195UH090XE48C	10086690
XP14-048-230	48500	14.5	12.7	46500	30400	3.6	2.64	9	CX38-62C	EL195UH110XE60C	10086895
XP14-048-230	48500	14.5	12.5	46500	30400	3.58	2.64	9	CX38-62C	EL296UH090XE48C	10086899
XP14-048-230	48500	14.5	12.7	46500	30400	3.6	2.62	9	CX38-62C	EL296UH090XV48C	10086700
XP14-048-230	48500	14.5	12.7	46500	30400	3.62	2.62	9	CX38-62C	EL296UH090XV60C	10086698
XP14-048-230	48500	14.5	12.7	46500	30400	3.6	2.64	9	CX38-62C	EL296UH110XE60C	10086900
XP14-048-230	48500	14.7	12.7	46500	30400	3.62	2.62	9	CX38-62C	EL296UH110XV48C	10086704
XP14-048-230	48500	14.5	12.7	46500	30400	3.6	2.62	9	CX38-62C	EL296UH110XV60C	10086708
XP14-048-230	48500	15	12.7	46000	30400	3.6	2.66	9	CX38-62C	ML180UH090E60C	10589952
XP14-048-230	48500	15	12.7	46000	30400	3.58	2.66	9	CX38-62C	ML180UH110E60C	10590205
XP14-048-230	49000	14.7	12.7	46500	30200	3.66	2.64	9	CX38-62C	SL280UH090V60C	10086686
XP14-048-230	49000	14.7	12.7	46500	30200	3.66	2.64	9	CX38-62C	SL280UH090XV60C	10086747
XP14-048-230	48500	14.7	12.7	46000	30200	3.6	2.64	9	CX38-62C	SL280UH110V60C	10086688
XP14-048-230	48500	14.7	12.7	46000	30200	3.6	2.64	9	CX38-62C	SL280UH110XV60C	10086750
XP14-048-230	48500	14.5	12.7	46500	30400	3.6	2.62	9	CX38-62C	SLP98UH090XV48C	10086689
XP14-048-230	48500	14.5	12.7	46500	30400	3.62	2.62	9	CX38-62C	SLP98UH090XV60C	10086687
XP14-048-230	48500	14.5	12.7	46500	30400	3.6	2.62	9	CX38-62C	SLP98UH110XV60C	10086691
XP14-048-230	48500	14	12.2	47000	30800	3.52	2.56	8.7	CX38-62C		10086661

## AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-048-230	48000	14.7	12.5	46000	30400	3.52	2.6	8.7	CX38-62D	EL180UH135E60D	10084722
XP14-048-230	48000	14.5	12.2	46000	30600	3.44	2.56	8.7	CX38-62D	EL195UH135XE60D	10084482
XP14-048-230	48000	14.5	12.2	46000	30600	3.44	2.56	8.7	CX38-62D	EL296UH135XE60D	10084651
XP14-048-230	48000	14.5	12.5	46000	30400	3.5	2.56	8.7	CX38-62D	EL296UH135XV60D	10084591
XP14-048-230	48000	14.7	12.5	46000	30400	3.52	2.6	8.7	CX38-62D	ML180UH135E60D	10590402
XP14-048-230	48000	14.5	12.5	46000	30200	3.52	2.56	8.7	CX38-62D	SL280UH135V60D	10084488
XP14-048-230	48000	14.5	12.7	46000	30000	3.52	2.56	8.7	CX38-62D	SLP98UH135XV60D	10084465
XP14-060-230	57500	14.5	12	54000	35000	3.28	2.36	8.2	C33-60D	EL180UH135E60D	5741098
XP14-060-230	57500	14	11.7	54500	35200	3.26	2.34	8.2	C33-60D	EL195UH135XE60D	5432707
XP14-060-230	57500	14	11.7	54500	35200	3.26	2.34	8.2	C33-60D	EL296UH135XE60D	5650835
XP14-060-230	57500	14.5	12	54000	35000	3.28	2.36	8.2	C33-60D	ML180UH135E60D	10590357
XP14-060-230	60500	15.2	12.5	54500	36200	3.28	2.52	8.7	C33-62C	EL180UH090E60C	5740267
XP14-060-230	60500	15	12.5	54500	36200	3.26	2.5	8.5	C33-62C	EL180UH110E60C	5740721
XP14-060-230	60500	15	12.5	54500	36200	3.26	2.48	8.5	C33-62C	EL195UH110XE60C	5432703
XP14-060-230	61000	14.5	12.2	55000	36800	3.24	2.48	8.5	C33-62C	EL296UH090XV60C	5562907
XP14-060-230	60500	15	12.5	54500	36200	3.26	2.48	8.5	C33-62C	EL296UH110XE60C	5650830
XP14-060-230	61000	14.7	12.2	55000	36600	3.26	2.48	8.5	C33-62C	EL296UH110XV60C	5562911
XP14-060-230	60500	15.2	12.5	54500	36200	3.28	2.52	8.7	C33-62C	ML180UH090E60C	10589824
XP14-060-230	60500	15	12.5	54500	36200	3.26	2.5	8.5	C33-62C	ML180UH110E60C	10590078
XP14-060-230	61000	15	12.5	55000	36400	3.3	2.5	8.7	C33-62C	SL280UH090V60C	5432697
XP14-060-230	61000	15	12.5	55000	36400	3.3	2.5	8.7	C33-62C	SL280UH090XV60C	8133250
XP14-060-230	61000	14.7	12.2	55000	36600	3.26	2.48	8.5	C33-62C	SL280UH110V60C	5432698
XP14-060-230	61000	14.7	12.2	55000	36600	3.26	2.48	8.5	C33-62C	SL280UH110XV60C	8133279
XP14-060-230	61000	14.5	12.2	55000	36800	3.24	2.48	8.5	C33-62C	SLP98UH090XV60C	5432724
XP14-060-230	61000	14.7	12.2	55000	36600	3.26	2.48	8.5	C33-62C	SLP98UH110XV60C	5432715
XP14-060-230	61000	14.7	12.2	55000	36600	3.26	2.48	8.5	C33-62C		5432645
XP14-060-230	57500	14.5	12.2	55000	36400	3.2	2.38	8.2	C33-62D	EL180UH135E60D	5741096
XP14-060-230	57500	14.2	12	55000	36800	3.14	2.36	8.2	C33-62D	EL195UH135XE60D	5432708
XP14-060-230	57500	14.2	12	55000	36800	3.14	2.36	8.2	C33-62D	EL296UH135XE60D	5650836
XP14-060-230	57500	14.2	12	55000	36600	3.18	2.38	8.2	C33-62D	EL296UH135XV60D	5562914
XP14-060-230	57500	14.5	12.2	55000	36400	3.2	2.38	8.2	C33-62D	ML180UH135E60D	10590355
XP14-060-230	57500	14.2	12	55000	36600	3.18	2.38	8.2	C33-62D	SL280UH135V60D	5432656
XP14-060-230	57000	14.5	12.2	54500	36400	3.14	2.38	8.2	C33-62D	SLP98UH135XV60D	5432716
XP14-060-230	57500	14.5	12	54000	35000	3.28	2.36	8.2	C37-60D	EL180UH135E60D	10084727
XP14-060-230	57500	14	11.7	54500	35200	3.26	2.34	8.2	C37-60D	EL195UH135XE60D	10084496
XP14-060-230	57500	14	11.7	54500	35200	3.26	2.34	8.2	C37-60D	EL296UH135XE60D	10084658
XP14-060-230	57500	14.5	12	54000	35000	3.28	2.36	8.2	C37-60D	ML180UH135E60D	10590405
XP14-060-230	60500	15.2	12.5	54500	36200	3.28	2.52	8.7	C37-62C	EL180UH090E60C	10084697
XP14-060-230	60500	15	12.5	54500	36200	3.26	2.5	8.5	C37-62C	EL180UH110E60C	10084725
XP14-060-230	60500	15	12.5	54500	36200	3.26	2.48	8.5	C37-62C	EL195UH110XE60C	10084492
XP14-060-230	61000	14.5	12.2	55000	36800	3.24	2.48	8.5	C37-62C	EL296UH090XV60C	10084563
XP14-060-230	60500	15	12.5	54500	36200	3.26	2.48	8.5	C37-62C	EL296UH110XE60C	10084666
XP14-060-230	61000	14.7	12.2	55000	36600	3.26	2.48	8.5	C37-62C	EL296UH110XV60C	10084592
XP14-060-230	60500	15.2	12.5	54500	36200	3.28	2.52	8.7	C37-62C	ML180UH090E60C	10589917
XP14-060-230	60500	15	12.5	54500	36200	3.26	2.5	8.5	C37-62C	ML180UH110E60C	10590173
XP14-060-230	61000	15	12.5	55000	36400	3.3	2.5	8.7	C37-62C	SL280UH090V60C	10084493
XP14-060-230	61000	15	12.5	55000	36400	3.3	2.5	8.7	C37-62C	SL280UH090XV60C	10085035
XP14-060-230	61000	14.7	12.2	55000	36600	3.26	2.48	8.5	C37-62C	SL280UH110V60C	10084495
XP14-060-230	61000	14.7	12.2	55000	36600	3.26	2.48	8.5	C37-62C	SL280UH110XV60C	10085050
XP14-060-230	61000	14.5	12.2	55000	36800	3.24	2.48	8.5	C37-62C	SLP98UH090XV60C	10084500
XP14-060-230	61000	14.7	12.2	55000	36600	3.26	2.48	8.5	C37-62C	SLP98UH110XV60C	10084497
XP14-060-230	61000	14.7	12.2	55000	36600	3.26	2.48	8.5	C37-62C		10084109
XP14-060-230	57500	14.5	12.2	55000	36400	3.2	2.38	8.2	C37-62D	EL180UH135E60D	10084714
XP14-060-230	57500	14.2	12	55000	36800	3.14	2.36	8.2	C37-62D	EL195UH135XE60D	10084498
XP14-060-230	57500	14.2	12	55000	36800	3.14	2.36	8.2	C37-62D	EL296UH135XE60D	10084659
XP14-060-230	57500	14.2	12	55000	36600	3.18	2.38	8.2	C37-62D	EL296UH135XV60D	10084583
XP14-060-230	57500	14.5	12.2	55000	36400	3.2	2.38	8.2	C37-62D	ML180UH135E60D	10590397
XP14-060-230	57500	14.2	12	55000	36600	3.18	2.38	8.2	C37-62D	SL280UH135V60D	10084489
XP14-060-230	57000	14.5	12.2	54500	36400	3.14	2.38	8.2	C37-62D	SLP98UH135XV60D	10084499
XP14-060-230	59000	15	12.5	56000	36800	3.52	2.62	8.5	CBA27UHE-060		10260318
XP14-060-230	58500	14	12	55500	35800	3.28	2.46	8.2	CBX25UH-060		5727008

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-060-230	58000	14.5	12.5	54500	35000	3.28	2.5	8.5	CBX25UHV-060		6970221
XP14-060-230	59000	15	12.5	55500	36000	3.52	2.62	8.5	CBX27UH-060		5432658
XP14-060-230	59000	14.5	12	56500	37200	3.22	2.5	8.5	CBX32M-060		5432676
XP14-060-230	59000	14.5	12	57000	37200	3.24	2.48	8.5	CBX32MV-060		5432678
XP14-060-230	59000	14.5	12.2	53500	36000	3.28	2.48	8.7	CBX32MV-068		5432679
XP14-060-230	59000	14.5	12	57000	37200	3.24	2.48	8.5	CBX40UHV-060		5432684
XP14-060-230	59500	15	12.5	57000	37400	3.48	2.6	9	CH23-68	EL180UH090E60C	5740265
XP14-060-230	59500	14.7	12.5	57000	37400	3.46	2.58	9	CH23-68	EL180UH110E60C	5740723
XP14-060-230	60000	15	12.7	57000	37600	3.52	2.62	9	CH23-68	EL180UH135E60D	5741095
XP14-060-230	59500	15	12.5	57000	37400	3.5	2.6	9	CH23-68	EL195UH110XE60C	5432704
XP14-060-230	60000	14.7	12.2	57500	37800	3.48	2.58	9	CH23-68	EL195UH135XE60D	5432709
XP14-060-230	59500	15	12.5	57000	37400	3.5	2.6	9	CH23-68	EL296UH110XE60C	5650825
XP14-060-230	60000	14.7	12.2	57500	37800	3.48	2.58	9	CH23-68	EL296UH135XE60D	5650827
XP14-060-230	60000	14.7	12.5	57500	37800	3.5	2.6	9	CH23-68	EL296UH135XV60D	5562913
XP14-060-230	59500	15	12.5	57000	37400	3.48	2.6	9	CH23-68	ML180UH090E60C	10589823
XP14-060-230	59500	14.7	12.5	57000	37400	3.46	2.58	9	CH23-68	ML180UH110E60C	10590079
XP14-060-230	60000	15	12.7	57000	37600	3.52	2.62	9	CH23-68	ML180UH135E60D	10590354
XP14-060-230	60000	14.7	12.5	57500	37800	3.5	2.6	9	CH23-68	SL280UH135V60D	5432689
XP14-060-230	59500	15	12.5	57000	37400	3.46	2.6	9	CH23-68	SLP98UH135XV60D	5432722
XP14-060-230	59500	14.2	12.2	57500	38000	3.42	2.56	8.7	CH23-68		5432650
XP14-060-230	57000	14.2	11.7	54000	35000	3.24	2.36	8.2	CH33-60D	EL180UH135E60D	5741097
XP14-060-230	57000	14	11.7	54500	35200	3.22	2.32	8.2	CH33-60D	EL195UH135XE60D	5432710
XP14-060-230	57000	14	11.7	54500	35200	3.22	2.32	8.2	CH33-60D	EL296UH135XE60D	5650829
XP14-060-230	57000	14.2	11.7	54000	35000	3.24	2.36	8.2	CH33-60D	ML180UH135E60D	10590356
XP14-060-230	57500	14.5	12.2	54000	36000	3.24	2.42	8.5	CH33-62D	EL180UH135E60D	5741100
XP14-060-230	57500	14.2	12	54000	36400	3.2	2.4	8.5	CH33-62D	EL195UH135XE60D	5432711
XP14-060-230	57500	14.2	12	54000	36400	3.2	2.4	8.5	CH33-62D	EL296UH135XE60D	5650831
XP14-060-230	57500	14.2	12.2	54000	36200	3.24	2.42	8.5	CH33-62D	EL296UH135XV60D	5562915
XP14-060-230	57500	14.5	12.2	54000	36000	3.24	2.42	8.5	CH33-62D	ML180UH135E60D	10590359
XP14-060-230	57500	14.2	12.2	54000	36200	3.22	2.42	8.5	CH33-62D	SL280UH135V60D	5432668
XP14-060-230	57500	14.5	12.2	54000	36200	3.22	2.42	8.5	CH33-62D	SLP98UH135XV60D	5432719
XP14-060-230	57000	14	11.7	54000	36400	3.16	2.38	8.2	CH33-62D		5432653
XP14-060-230	59000	14.7	12.2	58000	37800	3.16	2.46	8.2	CR33-50/60	EL180DF110E60C	5741638
XP14-060-230	58500	14	11.7	58000	37600	3.1	2.42	8.2	CR33-50/60	EL195DF110XE60C	5432702
XP14-060-230	58500	14	11.7	58500	38000	3.08	2.38	8.2	CR33-50/60	EL296DF090XV60C	5562905
XP14-060-230	58500	14	11.7	58000	37600	3.1	2.42	8.2	CR33-50/60	EL296DF110XE60C	5650828
XP14-060-230	58500	14	11.7	58500	38000	3.08	2.38	8.2	CR33-50/60	EL296DF110XV60C	5562906
XP14-060-230	59000	14.7	12.2	58000	37800	3.16	2.46	8.2	CR33-50/60	ML180DF110E60C	10589535
XP14-060-230	59000	14.5	12	58500	37800	3.14	2.44	8.2	CR33-50/60	SL280DF090V60C	5432672
XP14-060-230	59000	14.7	12.2	58000	37800	3.12	2.44	8.2	CR33-50/60	SL280DF110V60C	5432673
XP14-060-230	58500	14	11.7	58500	38000	3.08	2.38	8.2	CR33-50/60	SLP98DF090XV60C	5432720
XP14-060-230	58500	14	11.7	58500	38000	3.08	2.38	8.2	CR33-50/60	SLP98DF110XV60C	5432721
XP14-060-230	58500	14.2	11.7	58500	38000	3.08	2.38	8.2	CR33-50/60		5432648
XP14-060-230	58500	14.2	11.7	58500	38000	3.08	2.38	8.2	CR33-60		5432649
XP14-060-230	57500	14.5	12	54000	35000	3.28	2.36	8.2	CX34-60D	EL180UH135E60D	5741099
XP14-060-230	57500	14	11.7	54500	35200	3.26	2.34	8.2	CX34-60D	EL195UH135XE60D	5432712
XP14-060-230	57500	14	11.7	54500	35200	3.26	2.34	8.2	CX34-60D	EL296UH135XE60D	5650826
XP14-060-230	57500	14.5	12	54000	35000	3.28	2.36	8.2	CX34-60D	ML180UH135E60D	10590358
XP14-060-230	60500	15.2	12.5	54500	36200	3.28	2.52	8.7	CX34-62C	EL180UH090E60C	5740268
XP14-060-230	60500	15	12.5	54500	36200	3.26	2.5	8.5	CX34-62C	EL180UH110E60C	5740724
XP14-060-230	60500	14.7	12.2	54500	36200	3.26	2.48	8.5	CX34-62C	EL195UH110XE60C	5432706
XP14-060-230	61000	14.5	12.2	55000	36800	3.24	2.48	8.5	CX34-62C	EL296UH090XV60C	5562909
XP14-060-230	60500	14.7	12.2	54500	36200	3.26	2.48	8.5	CX34-62C	EL296UH110XE60C	5650834
XP14-060-230	61000	14.7	12.2	55000	36600	3.26	2.48	8.5	CX34-62C	EL296UH110XV60C	5562910
XP14-060-230	60500	15.2	12.5	54500	36200	3.28	2.52	8.7	CX34-62C	ML180UH090E60C	10589825
XP14-060-230	60500	15	12.5	54500	36200	3.26	2.5	8.5	CX34-62C	ML180UH110E60C	10590080
XP14-060-230	61000	15	12.5	55000	36400	3.3	2.5	8.7	CX34-62C	SL280UH090V60C	5432693
XP14-060-230	61000	15	12.5	55000	36400	3.3	2.5	8.7	CX34-62C	SL280UH090XV60C	8133249
XP14-060-230	61000	14.7	12.2	55000	36600	3.26	2.48	8.5	CX34-62C	SL280UH110V60C	5432694
XP14-060-230	61000	14.7	12.2	55000	36600	3.26	2.48	8.5	CX34-62C	SL280UH110XV60C	8133277
XP14-060-230	61000	14.5	12.2	55000	36800	3.24	2.48	8.5	CX34-62C	SLP98UH090XV60C	5432723

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-060-230	61000	14.7	12.2	55000	36600	3.26	2.48	8.5	CX34-62C	SLP98UH110XV60C	5432725
XP14-060-230	61000	14.7	12.2	55000	36600	3.26	2.48	8.5	CX34-62C		5432651
XP14-060-230	57500	14.5	12.2	55000	36400	3.2	2.38	8.2	CX34-62D	EL180UH135E60D	5741101
XP14-060-230	57500	14.2	12	55000	36800	3.14	2.36	8.2	CX34-62D	EL195UH135XE60D	5432713
XP14-060-230	57500	14.2	12	55000	36800	3.14	2.36	8.2	CX34-62D	EL296UH135XE60D	5650833
XP14-060-230	57500	14.2	12	55000	36600	3.18	2.38	8.2	CX34-62D	EL296UH135XV60D	5562916
XP14-060-230	57500	14.5	12.2	55000	36400	3.2	2.38	8.2	CX34-62D	ML180UH135E60D	10590360
XP14-060-230	57500	14.2	12	55000	36600	3.18	2.38	8.2	CX34-62D	SL280UH135V60D	5432701
XP14-060-230	57000	14.5	12.2	54500	36400	3.14	2.38	8.2	CX34-62D	SLP98UH135XV60D	5432726
XP14-060-230	57500	14.5	12	54000	35000	3.28	2.36	8.2	CX38-60D	EL180UH135E60D	10086725
XP14-060-230	57500	14	11.7	54500	35200	3.26	2.34	8.2	CX38-60D	EL195UH135XE60D	10086692
XP14-060-230	57500	14	11.7	54500	35200	3.26	2.34	8.2	CX38-60D	EL296UH135XE60D	10086897
XP14-060-230	57500	14.5	12	54000	35000	3.28	2.36	8.2	CX38-60D	ML180UH135E60D	10590420
XP14-060-230	60500	15.2	12.5	54500	36200	3.28	2.52	8.7	CX38-62C	EL180UH090E60C	10086719
XP14-060-230	60500	15	12.5	54500	36200	3.26	2.5	8.5	CX38-62C	EL180UH110E60C	10086723
XP14-060-230	60500	14.7	12.2	54500	36200	3.26	2.48	8.5	CX38-62C	EL195UH110XE60C	10086696
XP14-060-230	61000	14.5	12.2	55000	36800	3.24	2.48	8.5	CX38-62C	EL296UH090XV60C	10086702
XP14-060-230	60500	14.7	12.2	54500	36200	3.26	2.48	8.5	CX38-62C	EL296UH110XE60C	10086898
XP14-060-230	61000	14.7	12.2	55000	36600	3.26	2.48	8.5	CX38-62C	EL296UH110XV60C	10086709
XP14-060-230	60500	15.2	12.5	54500	36200	3.28	2.52	8.7	CX38-62C	ML180UH090E60C	10589954
XP14-060-230	60500	15	12.5	54500	36200	3.26	2.5	8.5	CX38-62C	ML180UH110E60C	10590206
XP14-060-230	61000	15	12.5	55000	36400	3.3	2.5	8.7	CX38-62C	SL280UH090V60C	10086693
XP14-060-230	61000	15	12.5	55000	36400	3.3	2.5	8.7	CX38-62C	SL280UH090XV60C	10086748
XP14-060-230	61000	14.7	12.2	55000	36600	3.26	2.48	8.5	CX38-62C	SL280UH110V60C	10086694
XP14-060-230	61000	14.7	12.2	55000	36600	3.26	2.48	8.5	CX38-62C	SL280UH110XV60C	10086751
XP14-060-230	61000	14.5	12.2	55000	36800	3.24	2.48	8.5	CX38-62C	SLP98UH090XV60C	10086697
XP14-060-230	61000	14.7	12.2	55000	36600	3.26	2.48	8.5	CX38-62C	SLP98UH110XV60C	10086695
XP14-060-230	61000	14.7	12.2	55000	36600	3.26	2.48	8.5	CX38-62C		10086662
XP14-060-230	57500	14.5	12.2	55000	36400	3.2	2.38	8.2	CX38-62D	EL180UH135E60D	10084723
XP14-060-230	57500	14.2	12	55000	36800	3.14	2.36	8.2	CX38-62D	EL195UH135XE60D	10084494
XP14-060-230	57500	14.2	12	55000	36800	3.14	2.36	8.2	CX38-62D	EL296UH135XE60D	10084660
XP14-060-230	57500	14.2	12	55000	36600	3.18	2.38	8.2	CX38-62D	EL296UH135XV60D	10084572
XP14-060-230	57500	14.5	12.2	55000	36400	3.2	2.38	8.2	CX38-62D	ML180UH135E60D	10590403
XP14-060-230	57500	14.2	12	55000	36600	3.18	2.38	8.2	CX38-62D	SL280UH135V60D	10084490
XP14-060-230	57000	14.5	12.2	54500	36400	3.14	2.38	8.2	CX38-62D	SLP98UH135XV60D	10084491
XP16-024-230	24200	16	12.5	21600	13300	3.64	2.48	8.5	C33-38A	SL280UH070V36A	7785776
XP16-024-230	24200	15.1	12.5	21600	13300	3.64	2.48	8.5	C33-38A	SL280UH070XV36A	7785773
XP16-024-230	24000	16	12.5	21600	13300	3.6	2.46	8.5	C33-38B	EL296UH070XV36B	7785768
XP16-024-230	24200	16	12.5	21600	13300	3.66	2.5	8.5	C33-38B	SL280UH090V36B	7785762
XP16-024-230	24000	16	12.5	21600	13300	3.6	2.46	8.5	C33-38B	SLP98UH070XV36B	7785767
XP16-024-230	23800	16	12.2	22200	13700	3.36	2.44	9	C35-30A	SL280UH060NV36A	10581375
XP16-024-230	23800	16	12.2	22400	13900	3.34	2.44	8.5	C35-30A	SL280UH070V36A	9910944
XP16-024-230	23800	16	12.2	22400	13900	3.34	2.44	8.5	C35-30A	SL280UH070XV36A	9910945
XP16-024-230	23800	15.5	12.2	22400	13900	3.34	2.42	8.5	C35-30B	EL296UH070XV36B	9910946
XP16-024-230	23600	15	12.2	22400	13800	3.36	2.44	8.5	C35-30B	SL280UH090V36B	9910947
XP16-024-230	23800	15.5	12.2	22400	13900	3.34	2.42	8.5	C35-30B	SLP98UH070XV36B	9910948
XP16-024-230	24200	16	12.5	21600	13300	3.54	2.42	8.8	C35-36A	SL280UH060NV36A	10581376
XP16-024-230	24200	16	12.2	22200	13700	3.52	2.42	8.5	C35-36A	SL280UH070V36A	9910949
XP16-024-230	24200	16	12.2	22200	13700	3.52	2.42	8.5	C35-36A	SL280UH070XV36A	9910950
XP16-024-230	24200	15.5	12.2	22200	13700	3.52	2.42	8.5	C35-36B	EL296UH070XV36B	9910951
XP16-024-230	24200	15	12.5	22000	13600	3.5	2.42	8.2	C35-36B	SL280UH090V36B	9910952
XP16-024-230	24200	15.5	12.2	22200	13700	3.52	2.42	8.5	C35-36B	SLP98UH070XV36B	9910953
XP16-024-230	24200	16	12.5	21600	13300	3.64	2.48	8.5	C37-38A	SL280UH070V36A	10084930
XP16-024-230	24200	15.1	12.5	21600	13300	3.64	2.48	8.5	C37-38A	SL280UH070XV36A	10084929
XP16-024-230	24000	16	12.5	21600	13300	3.6	2.46	8.5	C37-38B	EL296UH070XV36B	10084926
XP16-024-230	24200	16	12.5	21600	13300	3.66	2.5	8.5	C37-38B	SL280UH090V36B	10084923
XP16-024-230	24000	16	12.5	21600	13300	3.6	2.46	8.5	C37-38B	SLP98UH070XV36B	10084925
XP16-024-230	24000	15.5	12	22600	13600	3.6	2.54	8.5	CBA27UHE-024		10258586
XP16-024-230	24000	14.5	12	23400	14400	3.4	2.42	8.2	CBX25UHV-030		7785764
XP16-024-230	24200	15.5	11.2	22400	13700	3.7	2.54	8.5	CBX27UH-024		7785754
XP16-024-230	24000	16	12.5	22200	12900	3.62	2.38	8.5	CBX27UH-030		7785755

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at http://www.ahridirectory.org

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-024-230	24400	16.5	12.5	22400	14000	3.72	2.6	8.5	CBX32MV-024/030		7785758
XP16-024-230	24400	17	12.5	22400	13100	3.66	2.38	8.5	CBX32MV-036		7785757
XP16-024-230	24200	16	12	22200	13000	3.6	2.38	8.5	CBX40UHV-024		7785759
XP16-024-230	24000	16	12	22200	12900	3.6	2.36	8.5	CBX40UHV-030		7785756
XP16-024-230	24400	16	12.5	22400	13100	3.68	2.4	8.5	CBX40UHV-036		7785765
XP16-024-230	24800	16	12	21000	13900	3.3	2.5	8.5	CH33-31B	EL296UH070XV36B	7785771
XP16-024-230	24800	15.1	12.2	21000	13900	3.34	2.52	8.2	CH33-31B	SL280UH090V36B	7785775
XP16-024-230	24800	16	12	21000	13900	3.3	2.5	8.5	CH33-31B	SLP98UH070XV36B	7785774
XP16-024-230	23800	15.5	12.2	21800	13600	3.24	2.3	8.2	CH35-30B	EL296UH070XV36B	9910941
XP16-024-230	23800	15	12.2	21600	13500	3.24	2.3	8.2	CH35-30B	SL280UH090V36B	9910942
XP16-024-230	23800	15.5	12.2	21800	13600	3.24	2.3	8.2	CH35-30B	SLP98UH070XV36B	9910943
XP16-024-230	23600	16	12.5	23200	13900	3.36	2.34	8.2	CR33-30/36	SLP98DF070XV36B	7785772
XP16-024-230	23600	16	12.5	23200	13900	3.36	2.36	8.2	CR33-30/36	SLP98DF090XV36C	7785766
XP16-024-230	24200	16	12.5	21600	13300	3.64	2.48	8.5	CX34-38A	SL280UH070V36A	7785760
XP16-024-230	24200	16	12.5	21600	13300	3.64	2.48	8.5	CX34-38A	SL280UH070XV36A	7785770
XP16-024-230	24200	16	12.5	21600	13400	3.62	2.48	8.5	CX34-38B	EL296UH070XV36B	7785769
XP16-024-230	24400	16	12.5	21800	13400	3.68	2.48	8.5	CX34-38B	SL280UH090V36B	7785761
XP16-024-230	24000	16	12.5	21600	13300	3.6	2.46	8.5	CX34-38B	SLP98UH070XV36B	7785763
XP16-024-230	23800	16	12.2	22200	13700	3.36	2.44	9	CX35-30A	SL280UH060NV36A	10581377
XP16-024-230	23800	16	12.2	22400	13900	3.34	2.44	8.5	CX35-30A	SL280UH070V36A	9910931
XP16-024-230	23800	16	12.2	22400	13900	3.34	2.44	8.5	CX35-30A	SL280UH070XV36A	9910932
XP16-024-230	23800	15.5	12.2	22400	13900	3.34	2.42	8.5	CX35-30B	EL296UH070XV36B	9910933
XP16-024-230	23600	15	12.2	22400	13800	3.36	2.44	8.5	CX35-30B	SL280UH090V36B	9910934
XP16-024-230	23800	15.5	12.2	22400	13900	3.34	2.42	8.5	CX35-30B	SLP98UH070XV36B	9910935
XP16-024-230	24200	16	12.5	21600	13300	3.54	2.42	8.8	CX35-36A	SL280UH060NV36A	10581378
XP16-024-230	24200	16	12.2	22200	13700	3.52	2.42	8.5	CX35-36A	SL280UH070V36A	9910936
XP16-024-230	24200	16	12.2	22200	13700	3.52	2.42	8.5	CX35-36A	SL280UH070XV36A	9910937
XP16-024-230	24200	15.5	12.2	22200	13700	3.52	2.42	8.5	CX35-36B	EL296UH070XV36B	9910938
XP16-024-230	24200	15	12.5	22000	13600	3.5	2.42	8.2	CX35-36B	SL280UH090V36B	9910939
XP16-024-230	24200	15.5	12.2	22200	13700	3.52	2.42	8.5	CX35-36B	SLP98UH070XV36B	9910940
XP16-024-230	24200	16	12.5	21600	13300	3.64	2.48	8.5	CX38-38A	SL280UH070V36A	10084921
XP16-024-230	24200	16	12.5	21600	13300	3.64	2.48	8.5	CX38-38A	SL280UH070XV36A	10084928
XP16-024-230	24200	16	12.5	21600	13400	3.62	2.48	8.5	CX38-38B	EL296UH070XV36B	10084927
XP16-024-230	24400	16	12.5	21800	13400	3.68	2.48	8.5	CX38-38B	SL280UH090V36B	10084922
XP16-024-230	24000	16	12.5	21600	13300	3.6	2.46	8.5	CX38-38B	SLP98UH070XV36B	10084924
XP16-036-230	37000	16	13	32800	21600	3.1	2.56	8.5	C33-43	EL180UH070E36B	7785832
XP16-036-230	37000	15.5	12.5	33600	22200	3.02	2.46	8.5	C33-43	EL195UH045XE36B	7785808
XP16-036-230	37000	16	12.5	33200	21800	3.08	2.52	8.5	C33-43	EL195UH070XE36B	7785837
XP16-036-230	37200	16	13	33000	21800	3.1	2.56	8.5	C33-43	EL195UH090XE48C	7785849
XP16-036-230	37000	15.5	12.5	33600	22200	3.02	2.46	8.5	C33-43	EL296UH045XE36B	7785848
XP16-036-230	37000	16	12.5	33200	21800	3.08	2.52	8.5	C33-43	EL296UH070XE36B	7785822
XP16-036-230	37200	16	12.5	33200	22000	3.06	2.52	8.5	C33-43	EL296UH070XV36B	7785843
XP16-036-230	37200	16	13	33000	21800	3.1	2.56	8.5	C33-43	EL296UH090XE48C	7785811
XP16-036-230	37200	16	13	33000	21800	3.12	2.56	8.5	C33-43	EL296UH090XV36C	7785844
XP16-036-230	37000	16	13	33000	21600	3.1	2.54	8.5	C33-43	EL296UH090XV48C	7785833
XP16-036-230	37800	16	13	33400	22000	3.18	2.58	8.5	C33-43	EL296UH090XV60C	7785828
XP16-036-230	37600	16	13	33200	21800	3.18	2.58	8.5	C33-43	EL296UH110XV60C	7785803
XP16-036-230	37000	16	13	32800	21600	3.1	2.56	8.5	C33-43	ML180UH070E36B	10589612
XP16-036-230	37200	16	13	32800	21600	3.12	2.56	8.5	C33-43	SL280UH090V36B	7785827
XP16-036-230	37200	16	13	33000	21800	3.14	2.58	8.5	C33-43	SL280UH090V48B	7785802
XP16-036-230	37800	16	13	33200	21800	3.18	2.58	8.5	C33-43	SL280UH090V60C	7785810
XP16-036-230	37200	16	13	33000	21800	3.14	2.58	8.5	C33-43	SL280UH090XV48B	7785809
XP16-036-230	37800	16	13	33200	21800	3.18	2.58	8.5	C33-43	SL280UH090XV60C	7785839
XP16-036-230	37600	16	13	33200	21800	3.16	2.56	8.5	C33-43	SL280UH110V60C	7785850
XP16-036-230	37600	16	13	33200	21800	3.16	2.56	8.5	C33-43	SL280UH110XV60C	7785812
XP16-036-230	37200	16	12.5	33200	22000	3.06	2.52	8.5	C33-43	SLP98UH070XV36B	7785838
XP16-036-230	37200	16	13	33000	21800	3.12	2.56	8.5	C33-43	SLP98UH090XV36C	7785845
XP16-036-230	37000	16	13	33000	21600	3.1	2.54	8.5	C33-43	SLP98UH090XV48C	7785834
XP16-036-230	37800	16	13	33400	22000	3.18	2.58	8.5	C33-43	SLP98UH090XV60C	7785817
XP16-036-230	37600	16	13	33200	21800	3.18	2.58	8.5	C33-43	SLP98UH110XV60C	7785804
XP16-036-230	36800	14.5	12	33600	22400	2.96	2.42	8.2	C33-43B		7785782



# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-036-230	36800	14.5	12	33600	22400	2.96	2.42	8.2	C33-43C		8444069
XP16-036-230	37400	16	13	34000	23000	2.88	2.4	8.2	C33-50/60C	EL296UH090XV60C	7785794
XP16-036-230	37200	16	13	33600	22800	2.86	2.4	8.2	C33-50/60C	EL296UH110XV60C	7785796
XP16-036-230	37400	16	13	33800	22800	2.88	2.4	8.2	C33-50/60C	SL280UH090V60C	7785797
XP16-036-230	37400	16	13	33800	22800	2.88	2.4	8.2	C33-50/60C	SL280UH090XV60C	7785798
XP16-036-230	37400	16	13	34000	23000	2.88	2.4	8.2	C33-50/60C	SLP98UH090XV60C	7785795
XP16-036-230	37200	16	13	33600	22800	2.86	2.4	8.2	C33-50/60C	SLP98UH110XV60C	7785789
XP16-036-230	37000	16	13	32800	21600	3.1	2.56	8.5	C37-43B	EL180UH070E36B	10084970
XP16-036-230	37000	15.5	12.5	33600	22200	3.02	2.46	8.5	C37-43B	EL195UH045XE36B	10084947
XP16-036-230	37000	16	12.5	33200	21800	3.08	2.52	8.5	C37-43B	EL195UH070XE36B	10084975
XP16-036-230	37000	15.5	12.5	33600	22200	3.02	2.46	8.5	C37-43B	EL296UH045XE36B	10084985
XP16-036-230	37000	16	12.5	33200	21800	3.08	2.52	8.5	C37-43B	EL296UH070XE36B	10084960
XP16-036-230	37200	16	12.5	33200	22000	3.06	2.52	8.5	C37-43B	EL296UH070XV36B	10084980
XP16-036-230	37000	16	13	32800	21600	3.1	2.56	8.5	C37-43B	ML180UH070E36B	10589647
XP16-036-230	37200	16	13	32800	21600	3.12	2.56	8.5	C37-43B	SL280UH090V36B	10084965
XP16-036-230	37200	16	13	33000	21800	3.14	2.58	8.5	C37-43B	SL280UH090V48B	10084941
XP16-036-230	37200	16	13	33000	21800	3.14	2.58	8.5	C37-43B	SL280UH090XV48B	10084948
XP16-036-230	37200	16	12.5	33200	22000	3.06	2.52	8.5	C37-43B	SLP98UH070XV36B	10084976
XP16-036-230	36800	14.5	12	33600	22400	2.96	2.42	8.2	C37-43B		10084111
XP16-036-230	37200	16	13	33000	21800	3.1	2.56	8.5	C37-43C	EL195UH090XE48C	10084986
XP16-036-230	37200	16	13	33000	21800	3.1	2.56	8.5	C37-43C	EL296UH090XE48C	10084950
XP16-036-230	37200	16	13	33000	21800	3.12	2.56	8.5	C37-43C	EL296UH090XV36C	10084981
XP16-036-230	37000	16	13	33000	21600	3.1	2.54	8.5	C37-43C	EL296UH090XV48C	10084971
XP16-036-230	37800	16	13	33400	22000	3.18	2.58	8.5	C37-43C	EL296UH090XV60C	10084966
XP16-036-230	37600	16	13	33200	21800	3.18	2.58	8.5	C37-43C	EL296UH110XV60C	10084942
XP16-036-230	37800	16	13	33200	21800	3.18	2.58	8.5	C37-43C	SL280UH090V60C	10084949
XP16-036-230	37800	16	13	33200	21800	3.18	2.58	8.5	C37-43C	SL280UH090XV60C	10084977
XP16-036-230	37600	16	13	33200	21800	3.16	2.56	8.5	C37-43C	SL280UH110V60C	10084987
XP16-036-230	37600	16	13	33200	21800	3.16	2.56	8.5	C37-43C	SL280UH110XV60C	10084951
XP16-036-230	37200	16	13	33000	21800	3.12	2.56	8.5	C37-43C	SLP98UH090XV36C	10084982
XP16-036-230	37000	16	13	33000	21600	3.1	2.54	8.5	C37-43C	SLP98UH090XV48C	10084972
XP16-036-230	37800	16	13	33400	22000	3.18	2.58	8.5	C37-43C	SLP98UH090XV60C	10084956
XP16-036-230	37600	16	13	33200	21800	3.18	2.58	8.5	C37-43C	SLP98UH110XV60C	10084943
XP16-036-230	36800	14.5	12	33600	22400	2.96	2.42	8.2	C37-43C		10084112
XP16-036-230	37400	16	13	34000	23000	2.88	2.4	8.2	C37-50/60C	EL296UH090XV60C	10084933
XP16-036-230	37200	16	13	33600	22800	2.86	2.4	8.2	C37-50/60C	EL296UH110XV60C	10084935
XP16-036-230	37400	16	13	33800	22800	2.88	2.4	8.2	C37-50/60C	SL280UH090V60C	10084936
XP16-036-230	37400	16	13	33800	22800	2.88	2.4	8.2	C37-50/60C	SL280UH090XV60C	10084937
XP16-036-230	37400	16	13	34000	23000	2.88	2.4	8.2	C37-50/60C	SLP98UH090XV60C	10084934
XP16-036-230	37200	16	13	33600	22800	2.86	2.4	8.2	C37-50/60C	SLP98UH110XV60C	10084931
XP16-036-230	36000	16	13	35400	23000	3.46	2.66	9	CBA27UHE-042		10258587
XP16-036-230	36200	14.5	12	36800	24400	2.8	2.68	8.2	CBX25UH-036		7785904
XP16-036-230	36200	16	12.5	34600	23200	3.18	2.58	8.5	CBX25UHV-036		7785792
XP16-036-230	36200	15.5	12.5	34400	23000	3.2	2.6	9	CBX27UH-036		7785786
XP16-036-230	37600	16	13	34200	23400	3.36	2.84	9.5	CBX27UH-042		7785903
XP16-036-230	35600	14.5	12	34800	23400	3.12	2.52	8.7	CBX32M-036		7785785
XP16-036-230	36400	16.5	12.5	34600	23200	3.2	2.6	9	CBX32MV-036		7785784
XP16-036-230	37600	16	13	34200	23400	3.36	2.84	9.5	CBX32MV-048		7785901
XP16-036-230	36200	16	13	34400	23000	3.22	2.62	9	CBX40UHV-030		7785788
XP16-036-230	36200	16	12.5	34600	23200	3.22	2.6	9	CBX40UHV-036		7785787
XP16-036-230	37400	16	13.5	34400	23000	3.24	2.62	9	CBX40UHV-042		7785902
XP16-036-230	37400	16	13.5	34400	22800	3.26	2.64	8.5	CBX40UHV-048		7785783
XP16-036-230	38000	16	13	33000	22200	3.38	2.6	8.5	CH33-43B	EL180UH070E36B	7785898
XP16-036-230	38000	16	13	33000	22200	3.44	2.64	9	CH33-43B	EL180UH090E48B	7785896
XP16-036-230	37600	15.5	12.5	33200	22400	3.3	2.54	8.5	CH33-43B	EL195UH045XE36B	7785884
XP16-036-230	37800	15.5	12.5	33000	22400	3.3	2.56	8.5	CH33-43B	EL195UH070XE36B	7785889
XP16-036-230	37600	15.5	12.5	33200	22400	3.3	2.54	8.5	CH33-43B	EL296UH045XE36B	7785892
XP16-036-230	37800	16	12.5	33000	22400	3.34	2.58	8.5	CH33-43B	EL296UH045XV36B	7785905
XP16-036-230	37800	15.5	12.5	33000	22400	3.3	2.56	8.5	CH33-43B	EL296UH070XE36B	7785894
XP16-036-230	37800	16	12.5	33000	22200	3.36	2.58	8.5	CH33-43B	EL296UH070XV36B	7785906
XP16-036-230	38000	16	13	33000	22200	3.38	2.6	8.5	CH33-43B	ML180UH070E36B	10589614

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-036-230	38000	16	13	33000	22200	3.44	2.64	9	CH33-43B	ML180UH090E48B	10589734
XP16-036-230	37800	16	13	32600	22000	3.4	2.64	8.5	CH33-43B	SL280UH090V36B	7785897
XP16-036-230	38000	16	13	32800	22000	3.4	2.62	8.5	CH33-43B	SL280UH090V48B	7785895
XP16-036-230	38000	16	13	32800	22000	3.4	2.62	8.5	CH33-43B	SL280UH090XV48B	7785891
XP16-036-230	37800	16	12.5	33000	22200	3.36	2.58	8.5	CH33-43B	SLP98UH070XV36B	7785899
XP16-036-230	37400	14.5	12	33200	22600	3.22	2.5	8.5	CH33-43B		7785777
XP16-036-230	37400	16	13	33000	21800	3.16	2.58	8.5	CH33-43C	EL195UH090XE48C	7785900
XP16-036-230	37400	16	13	33000	21800	3.16	2.58	8.5	CH33-43C	EL296UH090XE48C	7785885
XP16-036-230	37400	16	13	32400	21800	3.32	2.56	8.5	CH33-43C	EL296UH090XV36C	7785890
XP16-036-230	37200	16	13	32400	21800	3.32	2.58	8.5	CH33-43C	EL296UH090XV48C	7785893
XP16-036-230	38000	16	13	32800	22000	3.36	2.58	8.5	CH33-43C	EL296UH090XV60C	7785790
XP16-036-230	37800	16	13	32600	22000	3.36	2.6	8.5	CH33-43C	EL296UH110XV60C	7785791
XP16-036-230	38000	16	13	32800	22000	3.36	2.58	8.5	CH33-43C	SL280UH090V60C	7785883
XP16-036-230	38000	16	13	32600	22000	3.38	2.62	8.5	CH33-43C	SL280UH090XV60C	7785888
XP16-036-230	37800	16	13	32600	22000	3.36	2.6	8.5	CH33-43C	SL280UH110V60C	7785880
XP16-036-230	37800	16	13	32600	22000	3.34	2.58	8.5	CH33-43C	SL280UH110XV60C	7785868
XP16-036-230	37400	16	13	32400	21800	3.32	2.56	8.5	CH33-43C	SLP98UH090XV36C	7785872
XP16-036-230	37200	16	13	32400	21800	3.32	2.58	8.5	CH33-43C	SLP98UH090XV48C	7785853
XP16-036-230	38000	16	13	32800	22000	3.36	2.58	8.5	CH33-43C	SLP98UH090XV60C	7785876
XP16-036-230	37800	16	13	32600	22000	3.36	2.6	8.5	CH33-43C	SLP98UH110XV60C	7785860
XP16-036-230	36800	14.5	12	33600	22400	3.02	2.44	8.2	CH33-43C		7785779
XP16-036-230	37000	16	13	33000	21800	3.16	2.54	8.5	CH33-48C	EL195UH090XE48C	7785855
XP16-036-230	37000	16	13	33000	21800	3.16	2.54	8.5	CH33-48C	EL296UH090XE48C	7785866
XP16-036-230	37000	16	13	33000	21800	3.16	2.54	8.5	CH33-48C	EL296UH090XV36C	7785881
XP16-036-230	36800	16	13	32800	21800	3.14	2.56	8.5	CH33-48C	EL296UH090XV48C	7785877
XP16-036-230	37600	16	13	33200	22000	3.2	2.56	8.5	CH33-48C	EL296UH090XV60C	7785869
XP16-036-230	37400	16	13	33000	21800	3.2	2.56	8.5	CH33-48C	EL296UH110XV60C	7785873
XP16-036-230	37600	16	13	33200	22000	3.24	2.6	8.5	CH33-48C	SL280UH090V60C	7785854
XP16-036-230	37600	16	13	33200	22000	3.24	2.6	8.5	CH33-48C	SL280UH090XV60C	7785865
XP16-036-230	37200	16	13	33200	22000	3.2	2.56	8.5	CH33-48C	SL280UH110V60C	7785861
XP16-036-230	37200	16	13	33200	22000	3.2	2.56	8.5	CH33-48C	SL280UH110XV60C	7785863
XP16-036-230	37000	16	13	33000	21800	3.16	2.54	8.5	CH33-48C	SLP98UH090XV36C	7785882
XP16-036-230	36800	16	13	32800	21800	3.14	2.56	8.5	CH33-48C	SLP98UH090XV48C	7785878
XP16-036-230	37600	16	13	33200	22000	3.2	2.56	8.5	CH33-48C	SLP98UH090XV60C	7785870
XP16-036-230	37400	16	13	33000	21800	3.2	2.56	8.5	CH33-48C	SLP98UH110XV60C	7785874
XP16-036-230	36400	14.5	12	33600	22400	3	2.42	8.2	CH33-48C		7785780
XP16-036-230	36400	16	13	35800	22400	3	2.68	8.5	CR33-48B	EL180DF070E36B	7785859
XP16-036-230	36600	15.5	12	36400	23000	2.96	2.6	8.5	CR33-48B	EL195DF045XE36B	7785862
XP16-036-230	36400	15.5	12.5	36000	22600	3	2.64	8.7	CR33-48B	EL195DF070XE48B	7785864
XP16-036-230	36600	15.5	12	36400	23000	2.96	2.6	8.5	CR33-48B	EL296DF045XE36B	7785871
XP16-036-230	36400	15.5	12.5	36000	22600	3	2.64	8.7	CR33-48B	EL296DF070XE48B	7785879
XP16-036-230	36000	15	12.5	36000	22800	2.96	2.62	8.5	CR33-48B	EL296DF070XV48B	8203819
XP16-036-230	36400	16	13	35800	22400	3	2.68	8.5	CR33-48B	ML180DF070E36B	10589523
XP16-036-230	36600	16	12.5	36000	22600	3.02	2.66	8.5	CR33-48B	SL280DF090V48B	7785875
XP16-036-230	36200	16	12.5	36000	22600	2.98	2.64	8.5	CR33-48B	SLP98DF070XV36B	7785887
XP16-036-230	36000	14	11.5	36600	23200	2.88	2.54	8.2	CR33-48B		7785778
XP16-036-230	37200	16	13	36000	22600	3.08	2.72	8.5	CR33-48C	SL280DF090V60C	7785856
XP16-036-230	36800	16	13	36000	22600	3.06	2.72	8.5	CR33-48C	SL280DF110V60C	7785867
XP16-036-230	36600	16	12.5	36000	22600	3	2.66	8.5	CR33-48C	SLP98DF090XV36C	7785886
XP16-036-230	36600	16	12.5	36000	22600	3.02	2.68	8.5	CR33-48C	SLP98DF090XV48C	7785818
XP16-036-230	36800	16	12.5	36200	22600	3.06	2.68	8.5	CR33-48C	SLP98DF090XV60C	7785851
XP16-036-230	36800	16	12.5	36200	22800	3.06	2.7	8.5	CR33-48C	SLP98DF110XV60C	7785840
XP16-036-230	37000	16	13	32800	21600	3.1	2.56	8.5	CX34-43	EL180UH070E36B	7785852
XP16-036-230	37000	15.5	12.5	33600	22200	3.02	2.46	8.5	CX34-43	EL195UH045XE36B	7785813
XP16-036-230	37000	16	12.5	33200	21800	3.08	2.52	8.5	CX34-43	EL195UH070XE36B	7785823
XP16-036-230	37200	16	13	33000	21800	3.1	2.56	8.5	CX34-43	EL195UH090XE48C	7785835
XP16-036-230	37000	15.5	12.5	33600	22200	3.02	2.46	8.5	CX34-43	EL296UH045XE36B	7785846
XP16-036-230	37000	16	12.5	33200	21800	3.08	2.52	8.5	CX34-43	EL296UH070XE36B	7785857
XP16-036-230	37200	16	12.5	33200	22000	3.06	2.52	8.5	CX34-43	EL296UH070XV36B	7785819
XP16-036-230	37200	16	13	33000	21800	3.1	2.56	8.5	CX34-43	EL296UH090XE48C	7785858
XP16-036-230	37200	16	13	33000	21800	3.12	2.56	8.5	CX34-43	EL296UH090XV36C	7785820

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-036-230	37000	16	13	33000	21600	3.1	2.54	8.5	CX34-43	EL296UH090XV48C	7785841
XP16-036-230	37800	16	13	33400	22000	3.18	2.58	8.5	CX34-43	EL296UH090XV60C	7785830
XP16-036-230	37600	16	13	33200	21800	3.18	2.58	8.5	CX34-43	EL296UH110XV60C	7785825
XP16-036-230	37000	16	13	32800	21600	3.1	2.56	8.5	CX34-43	ML180UH070E36B	10589613
XP16-036-230	37200	16	13	32800	21600	3.12	2.56	8.5	CX34-43	SL280UH090V36B	7785829
XP16-036-230	37200	16	13	33000	21800	3.12	2.58	8.5	CX34-43	SL280UH090V48B	7785824
XP16-036-230	37800	16	13	33200	21800	3.18	2.58	8.5	CX34-43	SL280UH090V60C	7785801
XP16-036-230	37200	16	13	33000	21800	3.12	2.58	8.5	CX34-43	SL280UH090XV48B	7785800
XP16-036-230	37800	16	13	33200	21800	3.18	2.58	8.5	CX34-43	SL280UH090XV60C	7785807
XP16-036-230	37400	16	13	33200	21800	3.14	2.56	8.5	CX34-43	SL280UH110V60C	7785836
XP16-036-230	37400	16	13	33200	21800	3.14	2.56	8.5	CX34-43	SL280UH110XV60C	7785847
XP16-036-230	37200	16	12.5	33200	22000	3.06	2.52	8.5	CX34-43	SLP98UH070XV36B	7785806
XP16-036-230	37200	16	13	33000	21800	3.12	2.56	8.5	CX34-43	SLP98UH090XV36C	7785821
XP16-036-230	37000	16	13	33000	21600	3.1	2.54	8.5	CX34-43	SLP98UH090XV48C	7785842
XP16-036-230	37800	16	13	33400	22000	3.18	2.58	8.5	CX34-43	SLP98UH090XV60C	7785831
XP16-036-230	37600	16	13	33200	21800	3.18	2.58	8.5	CX34-43	SLP98UH110XV60C	7785826
XP16-036-230	36800	14.5	12	33600	22400	2.96	2.42	8.2	CX34-43		7785781
XP16-036-230	37400	16	13	34000	23000	2.88	2.4	8.2	CX34-50/60C	EL296UH090XV60C	7785814
XP16-036-230	37200	16	13	33600	22800	2.86	2.4	8.2	CX34-50/60C	EL296UH110XV60C	7785816
XP16-036-230	37400	16	13	33800	22800	2.88	2.4	8.2	CX34-50/60C	SL280UH090V60C	7785793
XP16-036-230	37400	16.5	13	33800	22800	2.88	2.4	8.2	CX34-50/60C	SL280UH090XV60C	7785799
XP16-036-230	37400	16	13	34000	23000	2.88	2.4	8.2	CX34-50/60C	SLP98UH090XV60C	7785815
XP16-036-230	37400	16	13	33600	22800	2.86	2.4	8.2	CX34-50/60C	SLP98UH110XV60C	7785805
XP16-036-230	37000	16	13	32800	21600	3.1	2.56	8.5	CX38-43B	EL180UH070E36B	10084988
XP16-036-230	37000	15.5	12.5	33600	22200	3.02	2.46	8.5	CX38-43B	EL195UH045XE36B	10084952
XP16-036-230	37000	16	12.5	33200	21800	3.08	2.52	8.5	CX38-43B	EL195UH070XE36B	10084961
XP16-036-230	37000	15.5	12.5	33600	22200	3.02	2.46	8.5	CX38-43B	EL296UH045XE36B	10084983
XP16-036-230	37000	16	12.5	33200	21800	3.08	2.52	8.5	CX38-43B	EL296UH070XE36B	10084989
XP16-036-230	37200	16	12.5	33200	22000	3.06	2.52	8.5	CX38-43B	EL296UH070XV36B	10084957
XP16-036-230	37000	16	13	32800	21600	3.1	2.56	8.5	CX38-43B	ML180UH070E36B	10589648
XP16-036-230	37200	16	13	32800	21600	3.12	2.56	8.5	CX38-43B	SL280UH090V36B	10084967
XP16-036-230	37200	16	13	33000	21800	3.12	2.58	8.5	CX38-43B	SL280UH090V48B	10084962
XP16-036-230	37200	16	13	33000	21800	3.12	2.58	8.5	CX38-43B	SL280UH090XV48B	10084939
XP16-036-230	37200	16	12.5	33200	22000	3.06	2.52	8.5	CX38-43B	SLP98UH070XV36B	10084945
XP16-036-230	36800	14.5	12	33600	22400	2.96	2.42	8.2	CX38-43B		10086664
XP16-036-230	37200	16	13	33000	21800	3.1	2.56	8.5	CX38-43C	EL195UH090XE48C	10084973
XP16-036-230	37200	16	13	33000	21800	3.1	2.56	8.5	CX38-43C	EL296UH090XE48C	10084990
XP16-036-230	37200	16	13	33000	21800	3.12	2.56	8.5	CX38-43C	EL296UH090XV36C	10084958
XP16-036-230	37000	16	13	33000	21600	3.1	2.54	8.5	CX38-43C	EL296UH090XV48C	10084978
XP16-036-230	37800	16	13	33400	22000	3.18	2.58	8.5	CX38-43C	EL296UH090XV60C	10084968
XP16-036-230	37600	16	13	33200	21800	3.18	2.58	8.5	CX38-43C	EL296UH110XV60C	10084963
XP16-036-230	37800	16	13	33200	21800	3.18	2.58	8.5	CX38-43C	SL280UH090V60C	10084940
XP16-036-230	37800	16	13	33200	21800	3.18	2.58	8.5	CX38-43C	SL280UH090XV60C	10084946
XP16-036-230	37400	16	13	33200	21800	3.14	2.56	8.5	CX38-43C	SL280UH110V60C	10084974
XP16-036-230	37400	16	13	33200	21800	3.14	2.56	8.5	CX38-43C	SL280UH110XV60C	10084984
XP16-036-230	37200	16	13	33000	21800	3.12	2.56	8.5	CX38-43C	SLP98UH090XV36C	10084959
XP16-036-230	37000	16	13	33000	21600	3.1	2.54	8.5	CX38-43C	SLP98UH090XV48C	10084979
XP16-036-230	37800	16	13	33400	22000	3.18	2.58	8.5	CX38-43C	SLP98UH090XV60C	10084969
XP16-036-230	37600	16	13	33200	21800	3.18	2.58	8.5	CX38-43C	SLP98UH110XV60C	10084964
XP16-036-230	36800	14.5	12	33600	22400	2.96	2.42	8.2	CX38-43C		10086665
XP16-036-230	37400	16	13	34000	23000	2.88	2.4	8.2	CX38-50/60C	EL296UH090XV60C	10084953
XP16-036-230	37200	16	13	33600	22800	2.86	2.4	8.2	CX38-50/60C	EL296UH110XV60C	10084955
XP16-036-230	37400	16	13	33800	22800	2.88	2.4	8.2	CX38-50/60C	SL280UH090V60C	10084932
XP16-036-230	37400	16.5	13	33800	22800	2.88	2.4	8.2	CX38-50/60C	SL280UH090XV60C	10084938
XP16-036-230	37400	16	13	34000	23000	2.88	2.4	8.2	CX38-50/60C	SLP98UH090XV60C	10084954
XP16-036-230	37400	16	13	33600	22800	2.86	2.4	8.2	CX38-50/60C	SLP98UH110XV60C	10084944
XP16-048-230	47000	15.5	12	41500	28000	3.46	2.58	9	C33-62C	EL180UH090E60C	7785931
XP16-048-230	47500	15	11.5	42000	28600	3.44	2.56	9	C33-62C	EL180UH110E60C	7785924
XP16-048-230	47000	15	12	41500	28200	3.4	2.54	8.7	C33-62C	EL195UH090XE48C	7785914
XP16-048-230	47000	15	12	41500	28200	3.44	2.56	9	C33-62C	EL195UH110XE60C	7785917
XP16-048-230	47000	15	12	41500	28200	3.4	2.54	8.7	C33-62C	EL296UH090XE48C	7785915

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-048-230	47000	15	12	41500	28200	3.44	2.56	9	C33-62C	EL296UH110XE60C	7785918
XP16-048-230	47000	15.5	12	41500	28000	3.46	2.58	9	C33-62C	ML180UH090E60C	10589838
XP16-048-230	47500	15	11.5	42000	28600	3.44	2.56	9	C33-62C	ML180UH110E60C	10590092
XP16-048-230	46500	15	11.5	42000	28000	3.22	2.36	8.2	C35-49C	EL180UH090E60C	9910856
XP16-048-230	47000	15	11.5	42500	28600	3.22	2.36	8.2	C35-49C	EL180UH110E60C	9910857
XP16-048-230	46500	15	11.5	42000	28000	3.2	2.34	8.2	C35-49C	EL195UH110XE60C	9910858
XP16-048-230	46500	15	11.5	42500	28400	3.2	2.34	8.2	C35-49C	EL296UH090XV48C	9910859
XP16-048-230	46500	15	11.5	42500	28400	3.2	2.34	8.2	C35-49C	EL296UH090XV60C	9910860
XP16-048-230	46500	15	11.5	42000	28000	3.2	2.34	8.2	C35-49C	EL296UH110XE60C	9910862
XP16-048-230	46500	15	11.5	42000	28200	3.18	2.36	8.2	C35-49C	EL296UH110XV48C	9910861
XP16-048-230	46500	15	11.5	42500	28200	3.22	2.34	8.2	C35-49C	EL296UH110XV60C	9910863
XP16-048-230	46500	15	11.5	42000	28000	3.22	2.36	8.2	C35-49C	ML180UH090E60C	10589896
XP16-048-230	47000	15	11.5	42500	28600	3.22	2.36	8.2	C35-49C	ML180UH110E60C	10590148
XP16-048-230	46500	15.5	11.5	42000	28000	3.22	2.36	8.2	C35-49C	SL280UH090V60C	9910864
XP16-048-230	46500	15.5	11.5	42000	28000	3.22	2.36	8.2	C35-49C	SL280UH090XV60C	9910865
XP16-048-230	46500	15.5	11.5	42000	28000	3.22	2.36	8.2	C35-49C	SL280UH110V60C	9910866
XP16-048-230	46500	15.5	11.5	42000	28000	3.22	2.36	8.2	C35-49C	SL280UH110XV60C	9910867
XP16-048-230	46500	15	11.5	42000	28200	3.18	2.34	8.2	C35-49C	SLP98UH090XV48C	9910868
XP16-048-230	47000	15.5	12	43000	26000	3.52	2.32	8.2	C35-60C	EL180UH090E60C	9910869
XP16-048-230	47500	15.5	11.5	44000	26600	3.54	2.32	8.2	C35-60C	EL180UH110E60C	9910870
XP16-048-230	46500	15	11.5	43500	26200	3.5	2.3	8.2	C35-60C	EL195UH090XE48C	9910871
XP16-048-230	47000	15.5	11.5	43500	26000	3.52	2.3	8.2	C35-60C	EL195UH110XE60C	9910872
XP16-048-230	46500	15	11.5	43500	26200	3.5	2.3	8.2	C35-60C	EL296UH090XE48C	9910873
XP16-048-230	47000	15.5	11.5	44000	26400	3.52	2.28	8.2	C35-60C	EL296UH090XV48C	9910874
XP16-048-230	47000	15.5	11.5	44000	26400	3.52	2.28	8.2	C35-60C	EL296UH090XV60C	9910875
XP16-048-230	47000	15.5	11.5	43500	26000	3.52	2.3	8.2	C35-60C	EL296UH110XE60C	9910877
XP16-048-230	47000	15.5	11.5	43500	26200	3.52	2.3	8.2	C35-60C	EL296UH110XV48C	9910876
XP16-048-230	47000	15.5	11.5	43500	26200	3.5	2.28	8.2	C35-60C	EL296UH110XV60C	9910878
XP16-048-230	47000	15.5	12	43000	26000	3.52	2.32	8.2	C35-60C	ML180UH090E60C	10589897
XP16-048-230	47500	15.5	11.5	44000	26600	3.54	2.32	8.2	C35-60C	ML180UH110E60C	10590149
XP16-048-230	47000	15.5	11.5	43500	26000	3.54	2.32	8.2	C35-60C	SL280UH090V60C	9910879
XP16-048-230	47000	15.5	11.5	43500	26000	3.54	2.32	8.2	C35-60C	SL280UH090XV60C	9910880
XP16-048-230	47000	15.5	11.5	43500	26000	3.54	2.32	8.2	C35-60C	SL280UH110V60C	9910881
XP16-048-230	47000	15.5	11.5	43500	26000	3.54	2.32	8.2	C35-60C	SL280UH110XV60C	9910882
XP16-048-230	47000	15.5	11.5	43500	26200	3.5	2.3	8.2	C35-60C	SLP98UH090XV48C	9910883
XP16-048-230	47000	15.5	11.5	43500	26200	3.5	2.3	8.2	C35-60C	SLP98UH090XV60C	9910884
XP16-048-230	47000	15.5	11.5	43500	26200	3.5	2.28	8.2	C35-60C	SLP98UH110XV60C	9910885
XP16-048-230	47500	15.5	12	43000	28200	3.24	2.36	8.2	C35-60D	SL280UH135V60D	9910886
XP16-048-230	48000	15.5	12	43000	28400	3.24	2.36	8.2	C35-60D	SLP98UH135V60D	9910887
XP16-048-230	47000	15.5	12	41500	28000	3.46	2.58	9	C37-62C	EL180UH090E60C	10084996
XP16-048-230	47500	15	11.5	42000	28600	3.44	2.56	9	C37-62C	EL180UH110E60C	10084995
XP16-048-230	47000	15	12	41500	28200	3.4	2.54	8.7	C37-62C	EL195UH090XE48C	10084991
XP16-048-230	47000	15	12	41500	28200	3.44	2.56	9	C37-62C	EL195UH110XE60C	10084993
XP16-048-230	47000	15	12	41500	28200	3.4	2.54	8.7	C37-62C	EL296UH090XE48C	10084992
XP16-048-230	47000	15	12	41500	28200	3.44	2.56	9	C37-62C	EL296UH110XE60C	10084994
XP16-048-230	47000	15.5	12	41500	28000	3.46	2.58	9	C37-62C	ML180UH090E60C	10589922
XP16-048-230	47500	15	11.5	42000	28600	3.44	2.56	9	C37-62C	ML180UH110E60C	10590174
XP16-048-230	47500	16	12	45000	30000	3.44	2.62	9	CBA27UHE-048		10258588
XP16-048-230	47000	15	11.5	44500	27400	3.58	2.68	9	CBA27UHE-060		10258974
XP16-048-230	47500	15	12	44000	29400	3.48	2.56	8.5	CBX25UHV-048		7785919
XP16-048-230	48500	16	12.5	45000	29800	3.4	2.64	9	CBX27UH-048		7785916
XP16-048-230	47500	15.5	11.5	44500	27200	3.58	2.54	9	CBX27UH-060		7785972
XP16-048-230	48000	15.5	12	45500	30200	3.32	2.58	8.7	CBX32M-048		7785973
XP16-048-230	48000	16	12.5	45500	30000	3.38	2.62	8.5	CBX32MV-048		7785968
XP16-048-230	48500	16	12.5	45000	30800	3.56	2.72	9.5	CBX32MV-060		7785913
XP16-048-230	48000	16	12.5	41000	26600	3.36	2.46	8.5	CBX32MV-068		7785962
XP16-048-230	48000	16	12.5	45500	30000	3.38	2.6	8.5	CBX40UHV-048		7785969
XP16-048-230	48500	16	12.5	45000	31000	3.6	2.76	9.5	CBX40UHV-060		7785970
XP16-048-230	48500	16	12.5	45000	29200	3.62	2.62	9	CH23-68	EL180UH090E60C	7785921
XP16-048-230	48500	16	12.5	45000	29200	3.6	2.62	9	CH23-68	EL180UH110E60C	7785923
XP16-048-230	48500	16	12	45000	29400	3.56	2.58	8.5	CH23-68	EL195UH090XE48C	7785971

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-048-230	48500	16	12	45000	29400	3.58	2.6	9	CH23-68	EL195UH110XE60C	7785950
XP16-048-230	48500	16	12	45000	29400	3.56	2.58	8.5	CH23-68	EL296UH090XE48C	7785951
XP16-048-230	48500	16	12	45000	29400	3.58	2.6	9	CH23-68	EL296UH110XE60C	7785963
XP16-048-230	48500	16	12	45000	29400	3.62	2.62	9	CH23-68	EL296UH135XV60D	7785959
XP16-048-230	48500	16	12.5	45000	29200	3.62	2.62	9	CH23-68	ML180UH090E60C	10589837
XP16-048-230	48500	16	12.5	45000	29200	3.6	2.62	9	CH23-68	ML180UH110E60C	10590091
XP16-048-230	48500	16	12	45000	29200	3.6	2.6	9	CH23-68	SL280UH135V60D	7785965
XP16-048-230	48500	16	12	45500	29400	3.62	2.6	9	CH23-68	SLP98UH135XV60D	7785956
XP16-048-230	48000	14.5	11.5	45500	30000	3.44	2.52	8.5	CH23-68		7785907
XP16-048-230	48000	15	12	45500	31600	3.26	2.64	8.7	CH33-60D	EL296UH135XV60D	7785966
XP16-048-230	48000	15	12	45000	31400	3.22	2.64	8.7	CH33-60D	SL280UH135V60D	7785957
XP16-048-230	48500	15	12	45500	31600	3.26	2.64	8.7	CH33-60D	SLP98UH135XV60D	7785960
XP16-048-230	47000	15	12	43500	28600	3.38	2.48	8.7	CH33-62D	EL296UH135XV60D	7785952
XP16-048-230	46500	15	12	43500	28600	3.4	2.5	8.7	CH33-62D	SL280UH135V60D	7785964
XP16-048-230	47000	15	12	43500	28800	3.38	2.5	8.7	CH33-62D	SLP98UH135XV60D	7785953
XP16-048-230	48000	15.5	11.5	43500	29600	3.12	2.34	8.2	CH35-51C	EL180UH090E60C	9910888
XP16-048-230	48000	15.5	11.5	43500	29600	3.1	2.32	8.2	CH35-51C	EL180UH110E60C	9910889
XP16-048-230	48000	15	11.5	43500	29600	3.1	2.32	8.2	CH35-51C	EL195UH110XE60C	9910890
XP16-048-230	47500	15.5	11.5	43000	29200	3.04	2.28	8.2	CH35-51C	EL296UH090XE48C	9910891
XP16-048-230	48000	15	11.5	43500	29600	3.1	2.32	8.2	CH35-51C	EL296UH110XE60C	9910893
XP16-048-230	47500	15.5	11.5	43000	29200	3.06	2.3	8.2	CH35-51C	EL296UH110XV60C	9910894
XP16-048-230	48000	15.5	11.5	43500	29600	3.12	2.34	8.2	CH35-51C	ML180UH090E60C	10589898
XP16-048-230	48000	15.5	11.5	43500	29600	3.1	2.32	8.2	CH35-51C	ML180UH110E60C	10590150
XP16-048-230	47500	15.5	12	43000	29000	3.1	2.3	8.2	CH35-51C	SL280UH090V60C	9910895
XP16-048-230	47500	15.5	12	43000	29000	3.1	2.3	8.2	CH35-51C	SL280UH090XV60C	9910896
XP16-048-230	47500	15.5	11.5	43000	29200	3.04	2.28	8.2	CH35-51C	SLP98UH090XV48C	9910897
XP16-048-230	47500	15.5	11.5	43000	29200	3.06	2.3	8.2	CH35-51C	SLP98UH110XV60C	9910898
XP16-048-230	47500	16	12.5	44000	30200	3.54	2.7	9.5	CR33-50/60	EL180DF110E60C	7785925
XP16-048-230	47000	15.5	12	44500	30400	3.48	2.64	9.2	CR33-50/60	EL195DF090XE48C	7785967
XP16-048-230	47000	16	12	44000	30200	3.5	2.68	9	CR33-50/60	EL195DF110XE60C	7785958
XP16-048-230	47000	15.5	12	44500	30400	3.48	2.64	9.2	CR33-50/60	EL296DF090XE48C	7785961
XP16-048-230	47000	16	12	44000	30200	3.5	2.68	9	CR33-50/60	EL296DF110XE60C	7785933
XP16-048-230	47000	16	12	44500	30600	3.48	2.64	9	CR33-50/60	EL296DF110XV60C	8688153
XP16-048-230	47500	16	12.5	44000	30200	3.54	2.7	9.5	CR33-50/60	ML180DF110E60C	10589536
XP16-048-230	47000	16	12	44500	30400	3.48	2.64	9	CR33-50/60	SLP98DF090XV60C	7785948
XP16-048-230	47000	16	12	44500	30600	3.48	2.64	9	CR33-50/60	SLP98DF110XV60C	7785928
XP16-048-230	47000	14.5	11.5	44500	30800	3.38	2.6	9	CR33-50/60		7785908
XP16-048-230	47000	16	12	44500	30400	3.48	2.64	9	CR33-60	SLP98DF090XV60C	7785944
XP16-048-230	47000	16	12	44500	30400	3.48	2.62	9	CR33-60	SLP98DF110XV60C	7785938
XP16-048-230	47000	14.5	11.5	44500	30600	3.38	2.58	9	CR33-60		7785909
XP16-048-230	46500	15.5	11.5	43000	28800	3.34	2.5	8.5	CX34-60D	SL280UH135V60D	7785934
XP16-048-230	46500	16	11.5	43500	29000	3.36	2.5	8.5	CX34-60D	SLP98UH135XV60D	7785937
XP16-048-230	46000	14	11	43500	29400	3.22	2.42	8.2	CX34-60D		7785912
XP16-048-230	47000	15.5	12	41500	28000	3.46	2.58	9	CX34-62C	EL180UH090E60C	7785920
XP16-048-230	47500	15	11.5	42000	28600	3.44	2.56	9	CX34-62C	EL180UH110E60C	7785922
XP16-048-230	47000	15	12	41500	28200	3.4	2.54	8.7	CX34-62C	EL195UH090XE48C	7785929
XP16-048-230	47000	15	12	41500	28200	3.44	2.56	9	CX34-62C	EL195UH110XE60C	7785954
XP16-048-230	47000	15	12	41500	28200	3.4	2.54	8.7	CX34-62C	EL296UH090XE48C	7785945
XP16-048-230	47000	15.5	11.5	42000	28400	3.42	2.54	8.7	CX34-62C	EL296UH090XV48C	7785942
XP16-048-230	47000	15.5	11.5	42000	28400	3.42	2.54	8.7	CX34-62C	EL296UH090XV60C	7785935
XP16-048-230	47000	15	12	41500	28200	3.44	2.56	9	CX34-62C	EL296UH110XE60C	7785939
XP16-048-230	47000	15.5	12	41500	28200	3.42	2.56	8.7	CX34-62C	EL296UH110XV48C	7785926
XP16-048-230	47000	15.5	11.5	42000	28400	3.44	2.54	8.7	CX34-62C	EL296UH110XV60C	7785949
XP16-048-230	47000	15.5	12	41500	28000	3.46	2.58	9	CX34-62C	ML180UH090E60C	10589836
XP16-048-230	47500	15	11.5	42000	28600	3.44	2.56	9	CX34-62C	ML180UH110E60C	10590090
XP16-048-230	47000	15.5	12	41500	28200	3.46	2.58	9	CX34-62C	SL280UH090V60C	7785930
XP16-048-230	47000	15.5	12	41500	28200	3.46	2.58	9	CX34-62C	SL280UH090XV60C	7785955
XP16-048-230	47000	15.5	12	41500	28200	3.46	2.58	9	CX34-62C	SL280UH110V60C	7785946
XP16-048-230	47000	15.5	12	41500	28200	3.46	2.58	9	CX34-62C	SL280UH110XV60C	7785940
XP16-048-230	47000	15.5	11.5	42000	28200	3.44	2.54	8.7	CX34-62C	SLP98UH090XV48C	7785943
XP16-048-230	47000	15	11.5	42000	28200	3.46	2.54	8.7	CX34-62C	SLP98UH090XV60C	7785936

## AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-048-230	47000	15.5	11.5	42000	28400	3.44	2.54	8.7	CX34-62C	SLP98UH110XV60C	7785927
XP16-048-230	46500	14	11	42000	28800	3.32	2.5	8.5	CX34-62C		7785911
XP16-048-230	48500	16	12	43000	27600	3.42	2.44	8.5	CX34-62D	EL296UH135XV60D	7785947
XP16-048-230	48000	16	12	42500	27600	3.4	2.46	8.5	CX34-62D	SL280UH135V60D	7785941
XP16-048-230	48500	16	12	43000	27800	3.44	2.46	8.5	CX34-62D	SLP98UH135XV60D	7785932
XP16-048-230	48000	15	11.5	43000	28200	3.28	2.4	8.2	CX34-62D		7785910
XP16-048-230	46500	15	11.5	42000	28000	3.22	2.36	8.2	CX35-49C	EL180UH090E60C	9910899
XP16-048-230	47000	15	11.5	42500	28600	3.22	2.36	8.2	CX35-49C	EL180UH110E60C	9910900
XP16-048-230	46500	15	11.5	42000	28000	3.2	2.34	8.2	CX35-49C	EL195UH110XE60C	9910901
XP16-048-230	46500	15	11.5	42500	28400	3.2	2.34	8.2	CX35-49C	EL296UH090XV48C	9910902
XP16-048-230	46500	15	11.5	42500	28400	3.2	2.34	8.2	CX35-49C	EL296UH090XV60C	9910903
XP16-048-230	46500	15	11.5	42000	28000	3.2	2.34	8.2	CX35-49C	EL296UH110XE60C	9910905
XP16-048-230	46500	15	11.5	42000	28200	3.18	2.36	8.2	CX35-49C	EL296UH110XV48C	9910904
XP16-048-230	46500	15	11.5	42500	28200	3.22	2.34	8.2	CX35-49C	EL296UH110XV60C	9910906
XP16-048-230	46500	15	11.5	42000	28000	3.22	2.36	8.2	CX35-49C	ML180UH090E60C	10589899
XP16-048-230	47000	15	11.5	42500	28600	3.22	2.36	8.2	CX35-49C	ML180UH110E60C	10590151
XP16-048-230	46500	15.5	11.5	42000	28000	3.22	2.36	8.2	CX35-49C	SL280UH090V60C	9910907
XP16-048-230	46500	15.5	11.5	42000	28000	3.22	2.36	8.2	CX35-49C	SL280UH090XV60C	9910908
XP16-048-230	46500	15.5	11.5	42000	28000	3.22	2.36	8.2	CX35-49C	SL280UH110V60C	9910909
XP16-048-230	46500	15.5	11.5	42000	28000	3.22	2.36	8.2	CX35-49C	SL280UH110XV60C	9910910
XP16-048-230	46500	15	11.5	42000	28200	3.18	2.34	8.2	CX35-49C	SLP98UH090XV48C	9910911
XP16-048-230	47000	15.5	12	43000	26000	3.52	2.32	8.2	CX35-60C	EL180UH090E60C	9910912
XP16-048-230	47500	15.5	11.5	44000	26600	3.54	2.32	8.2	CX35-60C	EL180UH110E60C	9910913
XP16-048-230	46500	15	11.5	43500	26200	3.5	2.3	8.2	CX35-60C	EL195UH090XE48C	9910914
XP16-048-230	47000	15.5	11.5	43500	26000	3.52	2.3	8.2	CX35-60C	EL195UH110XE60C	9910915
XP16-048-230	46500	15	11.5	43500	26200	3.5	2.3	8.2	CX35-60C	EL296UH090XE48C	9910916
XP16-048-230	47000	15.5	11.5	44000	26400	3.52	2.28	8.2	CX35-60C	EL296UH090XV48C	9910917
XP16-048-230	47000	15.5	11.5	44000	26400	3.52	2.28	8.2	CX35-60C	EL296UH090XV60C	9910918
XP16-048-230	47000	15.5	11.5	43500	26000	3.52	2.3	8.2	CX35-60C	EL296UH110XE60C	9910920
XP16-048-230	47000	15.5	11.5	43500	26200	3.52	2.3	8.2	CX35-60C	EL296UH110XV48C	9910919
XP16-048-230	47000	15.5	11.5	43500	26200	3.5	2.28	8.2	CX35-60C	EL296UH110XV60C	9910921
XP16-048-230	47000	15.5	12	43000	26000	3.52	2.32	8.2	CX35-60C	ML180UH090E60C	10589900
XP16-048-230	47500	15.5	11.5	44000	26600	3.54	2.32	8.2	CX35-60C	ML180UH110E60C	10590152
XP16-048-230	47000	15.5	11.5	43500	26000	3.54	2.32	8.2	CX35-60C	SL280UH090V60C	9910922
XP16-048-230	47000	15.5	11.5	43500	26000	3.54	2.32	8.2	CX35-60C	SL280UH090XV60C	9910923
XP16-048-230	47000	15.5	11.5	43500	26000	3.54	2.32	8.2	CX35-60C	SL280UH110V60C	9910924
XP16-048-230	47000	15.5	11.5	43500	26000	3.54	2.32	8.2	CX35-60C	SL280UH110XV60C	9910925
XP16-048-230	47000	15.5	11.5	43500	26200	3.5	2.3	8.2	CX35-60C	SLP98UH090XV48C	9910926
XP16-048-230	47000	15.5	11.5	43500	26200	3.5	2.3	8.2	CX35-60C	SLP98UH090XV60C	9910927
XP16-048-230	47000	15.5	11.5	43500	26200	3.5	2.28	8.2	CX35-60C	SLP98UH110XV60C	9910928
XP16-048-230	47500	15.5	12	43000	28200	3.24	2.36	8.2	CX35-60D	SL280UH135V60D	9910929
XP16-048-230	48000	15.5	12	43000	28400	3.24	2.36	8.2	CX35-60D	SLP98UH135XV60D	9910930
XP16-048-230	46500	15.5	11.5	43000	28800	3.34	2.5	8.5	CX38-60D	SL280UH135V60D	10086733
XP16-048-230	46500	16	11.5	43500	29000	3.36	2.5	8.5	CX38-60D	SLP98UH135XV60D	10086735
XP16-048-230	46000	14	11	43500	29400	3.22	2.42	8.2	CX38-60D		10086667
XP16-048-230	47000	15.5	12	41500	28000	3.46	2.58	9	CX38-62C	EL180UH090E60C	10086727
XP16-048-230	47500	15	11.5	42000	28600	3.44	2.56	9	CX38-62C	EL180UH110E60C	10086728
XP16-048-230	47000	15	12	41500	28200	3.4	2.54	8.7	CX38-62C	EL195UH090XE48C	10086731
XP16-048-230	47000	15	12	41500	28200	3.44	2.56	9	CX38-62C	EL195UH110XE60C	10086743
XP16-048-230	47000	15	12	41500	28200	3.4	2.54	8.7	CX38-62C	EL296UH090XE48C	10086740
XP16-048-230	47000	15.5	11.5	42000	28400	3.42	2.54	8.7	CX38-62C	EL296UH090XV48C	10086738
XP16-048-230	47000	15.5	11.5	42000	28400	3.42	2.54	8.7	CX38-62C	EL296UH090XV60C	10086902
XP16-048-230	47000	15	12	41500	28200	3.44	2.56	9	CX38-62C	EL296UH110XE60C	10086736
XP16-048-230	47000	15.5	12	41500	28200	3.42	2.56	8.7	CX38-62C	EL296UH110XV48C	10086729
XP16-048-230	47000	15.5	11.5	42000	28400	3.44	2.54	8.7	CX38-62C	EL296UH110XV60C	10086742
XP16-048-230	47000	15.5	12	41500	28000	3.46	2.58	9	CX38-62C	ML180UH090E60C	10589955
XP16-048-230	47500	15	11.5	42000	28600	3.44	2.56	9	CX38-62C	ML180UH110E60C	10590207
XP16-048-230	47000	15.5	12	41500	28200	3.46	2.58	9	CX38-62C	SL280UH090V60C	10086732
XP16-048-230	47000	15.5	12	41500	28200	3.46	2.58	9	CX38-62C	SL280UH090XV60C	10086744
XP16-048-230	47000	15.5	12	41500	28200	3.46	2.58	9	CX38-62C	SL280UH110V60C	10086741
XP16-048-230	47000	15.5	12	41500	28200	3.46	2.58	9	CX38-62C	SL280UH110XV60C	10086737

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-048-230	47000	15.5	11.5	42000	28200	3.44	2.54	8.7	CX38-62C	SLP98UH090XV48C	10086739
XP16-048-230	47000	15	11.5	42000	28200	3.46	2.54	8.7	CX38-62C	SLP98UH090XV60C	10086734
XP16-048-230	47000	15.5	11.5	42000	28400	3.44	2.54	8.7	CX38-62C	SLP98UH110XV60C	10086730
XP16-048-230	46500	14	11	42000	28800	3.32	2.5	8.5	CX38-62C		10086666
XP16-048-230	48500	16	12	43000	27600	3.42	2.44	8.5	CX38-62D	EL296UH135XV60D	10084999
XP16-048-230	48000	16	12	42500	27600	3.4	2.46	8.5	CX38-62D	SL280UH135V60D	10084998
XP16-048-230	48500	16	12	43000	27800	3.44	2.46	8.5	CX38-62D	SLP98UH135XV60D	10084997
XP16-048-230	48000	15	11.5	43000	28200	3.28	2.4	8.2	CX38-62D		10084113
XP16-060-230	58500	15.7	12.2	53000	34800	3.22	2.38	8.5	C33-62D	EL180UH135E60D	7785992
XP16-060-230	58000	15.2	11.5	53000	35200	3.18	2.36	8.2	C33-62D	EL195UH135XE60D	7785987
XP16-060-230	58000	15.2	11.5	53000	35200	3.18	2.36	8.2	C33-62D	EL296UH135XE60D	7785985
XP16-060-230	58500	15.7	12	53000	34800	3.22	2.38	8.5	C33-62D	EL296UH135XV60D	7785990
XP16-060-230	58500	15.7	12.2	53000	34800	3.22	2.38	8.5	C33-62D	ML180UH135E60D	10590367
XP16-060-230	58000	15.7	12	53000	35000	3.2	2.38	8.5	C33-62D	SL280UH135V60D	7785994
XP16-060-230	58500	15.7	12	53000	34800	3.22	2.38	8.5	C33-62D	SLP98UH135XV60D	7786000
XP16-060-230	57000	14.5	11.5	53000	35000	3.16	2.36	8.2	C33-62D		7785977
XP16-060-230	58500	15.7	12.2	53000	34800	3.22	2.38	8.5	C37-62D	EL180UH135E60D	10085007
XP16-060-230	58000	15.2	11.5	53000	35200	3.18	2.36	8.2	C37-62D	EL195UH135XE60D	10085003
XP16-060-230	58000	15.2	11.5	53000	35200	3.18	2.36	8.2	C37-62D	EL296UH135XE60D	10085001
XP16-060-230	58500	15.7	12	53000	34800	3.22	2.38	8.5	C37-62D	EL296UH135XV60D	10085005
XP16-060-230	58500	15.7	12.2	53000	34800	3.22	2.38	8.5	C37-62D	ML180UH135E60D	10590406
XP16-060-230	58000	15.7	12	53000	35000	3.2	2.38	8.5	C37-62D	SL280UH135V60D	10085009
XP16-060-230	58500	15.7	12	53000	34800	3.22	2.38	8.5	C37-62D	SLP98UH135XV60D	10085011
XP16-060-230	57000	14.5	11.5	53000	35000	3.16	2.36	8.2	C37-62D		10084115
XP16-060-230	57000	14.5	11.5	56000	34400	3.44	2.48	8.5	CBA27UHE-060		10258975
XP16-060-230	57000	15	11.5	53500	35400	3.24	2.44	8.2	CBX25UHV-060		7785988
XP16-060-230	58000	15.5	12	56500	34400	3.62	2.52	8.5	CBX27UH-060		7785978
XP16-060-230	57000	14.5	11.5	56000	36200	3.32	2.46	8.5	CBX32M-060		7785980
XP16-060-230	57000	15.7	12	55500	35800	3.34	2.48	8.5	CBX32MV-060		7785979
XP16-060-230	58000	15.7	12.2	55500	34000	3.38	2.42	8.2	CBX32MV-068		7785982
XP16-060-230	57000	15.5	11.5	56000	36000	3.36	2.46	8.5	CBX40UHV-060		7785981
XP16-060-230	58500	15.5	11.5	61000	37400	3.48	2.44	8.5	CH23-68	EL180UH135E60D	7785983
XP16-060-230	58500	15.2	11.5	61500	37600	3.44	2.4	8.5	CH23-68	EL195UH135XE60D	7786017
XP16-060-230	58500	15.2	11.5	61500	37600	3.44	2.4	8.5	CH23-68	EL296UH135XE60D	7786015
XP16-060-230	59000	15.5	11.5	61500	37600	3.46	2.42	8.5	CH23-68	EL296UH135XV60D	7786013
XP16-060-230	58500	15.5	11.5	61000	37400	3.48	2.44	8.5	CH23-68	ML180UH135E60D	10590365
XP16-060-230	58500	15.7	11.5	61000	37400	3.46	2.42	8.5	CH23-68	SL280UH135V60D	7786012
XP16-060-230	59000	15.5	11.5	61500	37600	3.46	2.42	8.5	CH23-68	SLP98UH135XV60D	7786014
XP16-060-230	58500	14.5	11.5	61500	37800	3.42	2.4	8.2	CH23-68		7785974
XP16-060-230	54500	15.7	11.5	52500	34600	3.14	2.34	8.2	CH33-62D	EL180UH135E60D	7786008
XP16-060-230	54500	15.2	11	53000	35000	3.1	2.32	8.2	CH33-62D	EL195UH135XE60D	7786007
XP16-060-230	54500	15.2	11	53000	35000	3.1	2.32	8.2	CH33-62D	EL296UH135XE60D	7786016
XP16-060-230	54500	15.5	11	53000	34800	3.14	2.32	8.2	CH33-62D	EL296UH135XV60D	7786002
XP16-060-230	54500	15.7	11.5	52500	34600	3.14	2.34	8.2	CH33-62D	ML180UH135E60D	10590368
XP16-060-230	54500	15.7	11	53000	34800	3.14	2.32	8.2	CH33-62D	SL280UH135V60D	7786010
XP16-060-230	54500	15.5	11	53000	34800	3.14	2.32	8.2	CH33-62D	SLP98UH135XV60D	7786011
XP16-060-230	57500	15.2	12	57500	37200	3.28	2.46	8.5	CR33-50/60	EL180DF110E60C	7786006
XP16-060-230	57000	15	12	57000	37200	3.18	2.44	8.2	CR33-50/60	EL195DF110XE60C	7785997
XP16-060-230	56500	15	11.5	57000	37400	3.14	2.42	8.2	CR33-50/60	EL296DF090XV60C	7785998
XP16-060-230	57000	15	12	57000	37200	3.18	2.44	8.2	CR33-50/60	EL296DF110XE60C	7785995
XP16-060-230	56500	15	11.5	57000	37400	3.14	2.42	8.2	CR33-50/60	EL296DF110XV60C	7785996
XP16-060-230	57500	15.2	12	57500	37200	3.28	2.46	8.5	CR33-50/60	ML180DF110E60C	10589537
XP16-060-230	57000	15.2	11.5	57500	37400	3.24	2.46	8.5	CR33-50/60	SL280DF090V60C	7786004
XP16-060-230	57000	15.2	12	57500	37200	3.24	2.46	8.5	CR33-50/60	SL280DF110V60C	7786018
XP16-060-230	56500	15	11.5	57000	37400	3.14	2.42	8.2	CR33-50/60	SLP98DF090XV60C	7786003
XP16-060-230	56500	15	11.5	57000	37400	3.14	2.42	8.2	CR33-50/60	SLP98DF110XV60C	7786001
XP16-060-230	56500	15	11.5	57000	37400	3.14	2.42	8.2	CR33-60	EL296DF110XV60C	7786005
XP16-060-230	56500	15	11.5	57000	37400	3.14	2.42	8.2	CR33-60	SLP98DF110XV60C	7786009
XP16-060-230	57000	14.2	11.5	57500	37600	3.16	2.4	8.2	CR33-60		7785975
XP16-060-230	58500	15.7	12.2	53000	34800	3.22	2.38	8.5	CX34-62D	EL180UH135E60D	7785991
XP16-060-230	58000	15.2	11.5	53000	35200	3.18	2.36	8.2	CX34-62D	EL195UH135XE60D	7785986

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-060-230	58000	15.2	11.5	53000	35200	3.18	2.36	8.2	CX34-62D	EL296UH135XE60D	7785984
XP16-060-230	58500	15.7	12	53000	34800	3.22	2.38	8.5	CX34-62D	EL296UH135XV60D	7785989
XP16-060-230	58500	15.7	12.2	53000	34800	3.22	2.38	8.5	CX34-62D	ML180UH135E60D	10590366
XP16-060-230	58000	15.7	12	53000	35000	3.2	2.38	8.5	CX34-62D	SL280UH135V60D	7785993
XP16-060-230	58500	15.7	12	53000	34800	3.22	2.38	8.5	CX34-62D	SLP98UH135XV60D	7785999
XP16-060-230	57000	14.5	11.5	53000	35000	3.16	2.36	8.2	CX34-62D		7785976
XP16-060-230	58500	15.7	12.2	53000	34800	3.22	2.38	8.5	CX38-62D	EL180UH135E60D	10085006
XP16-060-230	58000	15.2	11.5	53000	35200	3.18	2.36	8.2	CX38-62D	EL195UH135XE60D	10085002
XP16-060-230	58000	15.2	11.5	53000	35200	3.18	2.36	8.2	CX38-62D	EL296UH135XE60D	10085000
XP16-060-230	58500	15.7	12	53000	34800	3.22	2.38	8.5	CX38-62D	EL296UH135XV60D	10085004
XP16-060-230	58500	15.7	12.2	53000	34800	3.22	2.38	8.5	CX38-62D	ML180UH135E60D	10590460
XP16-060-230	58000	15.7	12	53000	35000	3.2	2.38	8.5	CX38-62D	SL280UH135V60D	10085008
XP16-060-230	58500	15.7	12	53000	34800	3.22	2.38	8.5	CX38-62D	SLP98UH135XV60D	10085010
XP16-060-230	57000	14.5	11.5	53000	35000	3.16	2.36	8.2	CX38-62D		10084114
XP20-024-230	22600	18.5	13.5	21600	13500	3.62	2.34	9	C33-31A	SL280UH070V36A	8635948
XP20-024-230	22600	18.5	13.5	21600	13500	3.62	2.34	9	C33-31A	SL280UH070XV36A	8635949
XP20-024-230	22600	18.5	13.5	21600	13600	3.6	2.34	9	C33-31B	EL296UH045XV36B	8635950
XP20-024-230	22600	19	13.5	21600	13500	3.62	2.34	9	C33-31B	EL296UH070XV36B	8635951
XP20-024-230	22600	19	13.5	21400	13500	3.62	2.36	9	C33-31B	SL280UH090V36B	8635952
XP20-024-230	22600	19	13.5	21600	13500	3.62	2.34	9	C33-31B	SLP98UH070XV36B	8635953
XP20-024-230	23000	18.5	13.5	21800	13300	3.68	2.34	9.5	C33-38A	SL280UH070V36A	8550435
XP20-024-230	23000	18.5	13.5	21800	13300	3.68	2.34	9.5	C33-38A	SL280UH070XV36A	8550436
XP20-024-230	23000	18.5	13.5	21800	13300	3.66	2.32	9.6	C33-38B	EL296UH045XV36B	8550437
XP20-024-230	23000	19	13.5	21800	13300	3.68	2.34	9.6	C33-38B	EL296UH070XV36B	8550438
XP20-024-230	23000	19	13.5	21800	13300	3.72	2.36	9.6	C33-38B	SL280UH090V36B	8550439
XP20-024-230	23000	19	13.5	21800	13300	3.68	2.34	9.6	C33-38B	SLP98UH070XV36B	8550440
XP20-024-230	21600	18	12.5	21400	13000	3.48	2.38	9	C35-30B	EL296UH045XV36B	10093927
XP20-024-230	21600	18	12.5	21400	13000	3.52	2.4	9	C35-30B	EL296UH070XV36B	10093928
XP20-024-230	21600	18	12.5	21400	12900	3.56	2.4	9	C35-30B	SL280UH090V36B	10093929
XP20-024-230	21600	18	12.5	21400	12900	3.56	2.4	9	C35-30B	SL280UH090XV36B	10093930
XP20-024-230	21600	18	12.5	21400	13000	3.52	2.4	9	C35-30B	SLP98UH070XV36B	10093931
XP20-024-230	22600	18.5	13.5	21600	13500	3.62	2.34	9	C37-31A	SL280UH070V36A	10085635
XP20-024-230	22600	18.5	13.5	21600	13500	3.62	2.34	9	C37-31A	SL280UH070XV36A	10085636
XP20-024-230	22600	18.5	13.5	21600	13600	3.6	2.34	9	C37-31B	EL296UH045XV36B	10085637
XP20-024-230	22600	19	13.5	21600	13500	3.62	2.34	9	C37-31B	EL296UH070XV36B	10085638
XP20-024-230	22600	19	13.5	21400	13500	3.62	2.36	9	C37-31B	SL280UH090V36B	10085639
XP20-024-230	22600	19	13.5	21600	13500	3.62	2.34	9	C37-31B	SLP98UH070XV36B	10085640
XP20-024-230	23000	18.5	13.5	21800	13300	3.68	2.34	9.5	C37-38A	SL280UH070V36A	10085525
XP20-024-230	23000	18.5	13.5	21800	13300	3.68	2.34	9.5	C37-38A	SL280UH070XV36A	10085526
XP20-024-230	23000	18.5	13.5	21800	13300	3.66	2.32	9.6	C37-38B	EL296UH045XV36B	10085527
XP20-024-230	23000	19	13.5	21800	13300	3.68	2.34	9.6	C37-38B	EL296UH070XV36B	10085528
XP20-024-230	23000	19	13.5	21800	13300	3.72	2.36	9.6	C37-38B	SL280UH090V36B	10085529
XP20-024-230	23000	19	13.5	21800	13300	3.68	2.34	9.6	C37-38B	SLP98UH070XV36B	10085530
XP20-024-230	22400	19	13.5	21800	14700	3.56	2.4	9.6	CBX32MV-018/024		8593940
XP20-024-230	23200	20	14	22000	13700	3.82	2.44	10	CBX32MV-024/030		8550431
XP20-024-230	23000	19.5	14	22200	14400	3.62	2.44	9.6	CH35-30B	EL296UH045XV36B	8550447
XP20-024-230	23000	19.5	13.5	22200	14400	3.64	2.46	9.6	CH35-30B	EL296UH070XV36B	8550448
XP20-024-230	23200	20	13.5	22200	14300	3.68	2.46	9.6	CH35-30B	SL280UH090V36B	8550449
XP20-024-230	23000	19.5	13.5	22200	14400	3.64	2.46	9.6	CH35-30B	SLP98UH070XV36B	8550450
XP20-024-230	22600	19	13.5	22000	14700	3.7	2.52	9.6	CR33-48B	EL296DF045XV36B	8550432
XP20-024-230	22600	19	13.5	22000	14700	3.7	2.5	9.6	CR33-48B	SL280DF070V36A	8688155
XP20-024-230	22600	19	13.5	22000	14700	3.72	2.52	9.6	CR33-48B	SL280DF090V48B	8688154
XP20-024-230	22600	19	13.5	22000	14700	3.74	2.54	9.6	CR33-48B	SLP98DF070XV36B	8550433
XP20-024-230	22600	19.5	14	22000	14700	3.74	2.54	9.6	CR33-48B	SLP98DF090XV36C	8550434
XP20-024-230	22600	18.5	13.5	21600	13500	3.62	2.34	9	CX34-31A	SL280UH070V36A	8550441
XP20-024-230	22600	18.5	13.5	21600	13500	3.62	2.34	9	CX34-31A	SL280UH070XV36A	8550442
XP20-024-230	22600	18.5	13.5	21600	13600	3.6	2.34	9	CX34-31B	EL296UH045XV36B	8550443
XP20-024-230	22600	19	13.5	21600	13500	3.62	2.34	9	CX34-31B	EL296UH070XV36B	8550444
XP20-024-230	22600	19	13.5	21400	13500	3.62	2.36	9	CX34-31B	SL280UH090V36B	8550445
XP20-024-230	22600	19	13.5	21600	13500	3.62	2.34	9	CX34-31B	SLP98UH070XV36B	8550446
XP20-024-230	23000	18.5	13.5	21800	13300	3.68	2.34	9.5	CX34-38A	SL280UH070V36A	8635936



# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP20-024-230	23000	18.5	13.5	21800	13300	3.68	2.34	9.5	CX34-38A	SL280UH070XV36A	8635937
XP20-024-230	23000	18.5	13.5	21800	13300	3.66	2.32	9.6	CX34-38B	EL296UH045XV36B	8635938
XP20-024-230	23000	18.5	13.5	21800	13300	3.68	2.34	9.6	CX34-38B	EL296UH070XV36B	8635939
XP20-024-230	23000	19	13.5	21800	13300	3.72	2.36	9.6	CX34-38B	SL280UH090V36B	8635940
XP20-024-230	23000	18.5	13.5	21800	13300	3.68	2.34	9.6	CX34-38B	SLP98UH070XV36B	8635941
XP20-024-230	21600	18	12.5	21400	13000	3.48	2.38	9	CX35-30B	EL296UH045XV36B	10093941
XP20-024-230	21600	18	12.5	21400	13000	3.52	2.4	9	CX35-30B	EL296UH070XV36B	10093942
XP20-024-230	21600	18	12.5	21400	12900	3.56	2.4	9	CX35-30B	SL280UH090V36B	10093943
XP20-024-230	21600	18	12.5	21400	12900	3.56	2.4	9	CX35-30B	SL280UH090XV36B	10093944
XP20-024-230	21600	18	12.5	21400	13000	3.52	2.4	9	CX35-30B	SLP98UH070XV36B	10093945
XP20-024-230	22600	18.5	13.5	21600	13500	3.62	2.34	9	CX38-31A	SL280UH070V36A	10085531
XP20-024-230	22600	18.5	13.5	21600	13500	3.62	2.34	9	CX38-31A	SL280UH070XV36A	10085532
XP20-024-230	22600	18.5	13.5	21600	13600	3.6	2.34	9	CX38-31B	EL296UH045XV36B	10085533
XP20-024-230	22600	19	13.5	21600	13500	3.62	2.34	9	CX38-31B	EL296UH070XV36B	10085534
XP20-024-230	22600	19	13.5	21400	13500	3.62	2.36	9	CX38-31B	SL280UH090V36B	10085535
XP20-024-230	22600	19	13.5	21600	13500	3.62	2.34	9	CX38-31B	SLP98UH070XV36B	10085536
XP20-024-230	23000	18.5	13.5	21800	13300	3.68	2.34	9.5	CX38-38A	SL280UH070V36A	10085629
XP20-024-230	23000	18.5	13.5	21800	13300	3.68	2.34	9.5	CX38-38A	SL280UH070XV36A	10085630
XP20-024-230	23000	18.5	13.5	21800	13300	3.66	2.32	9.6	CX38-38B	EL296UH045XV36B	10085631
XP20-024-230	23000	18.5	13.5	21800	13300	3.68	2.34	9.6	CX38-38B	EL296UH070XV36B	10085632
XP20-024-230	23000	19	13.5	21800	13300	3.72	2.36	9.6	CX38-38B	SL280UH090V36B	10085633
XP20-024-230	23000	18.5	13.5	21800	13300	3.68	2.34	9.6	CX38-38B	SLP98UH070XV36B	10085634
XP20-036-230	34000	20	12.5	33000	22000	3.16	2.36	9	C33-38A	SL280UH070V36A	8550451
XP20-036-230	34000	20	12.5	33000	22000	3.16	2.36	9	C33-38A	SL280UH070XV36A	8550452
XP20-036-230	34000	20	12.5	33000	22000	3.16	2.36	9	C33-38B	EL296UH045XV36B	8550454
XP20-036-230	34000	20	12.5	33000	22000	3.18	2.36	9.6	C33-38B	EL296UH070XV36B	8550455
XP20-036-230	34200	20	13	32600	21800	3.22	2.42	9.6	C33-38B	SL280UH090V36B	8550453
XP20-036-230	34000	20	12.5	33000	22000	3.18	2.36	9.6	C33-38B	SLP98UH070XV36B	8550456
XP20-036-230	34200	20	12.5	32600	21400	3.14	2.18	9	C33-43B	EL296UH045XV36B	8550458
XP20-036-230	34400	20	12.5	32600	21400	3.14	2.18	9	C33-43B	EL296UH070XV36B	8550459
XP20-036-230	34400	20	13	32400	21200	3.22	2.22	9	C33-43B	SL280UH090V36B	8550457
XP20-036-230	34400	20	12.5	32600	21400	3.14	2.18	9	C33-43B	SLP98UH070XV36B	8550460
XP20-036-230	34400	20	13	32400	21200	3.2	2.22	9	C33-43C	EL296UH090XV36C	8550461
XP20-036-230	34400	20	13	32400	21200	3.2	2.22	9	C33-43C	SLP98UH090XV36C	8550462
XP20-036-230	33600	19	12.5	33000	21600	2.96	2.32	9.6	C33-48B	EL296UH045XV36B	8550464
XP20-036-230	33600	19	12.5	33000	21600	2.96	2.32	9.6	C33-48B	EL296UH070XV36B	8550465
XP20-036-230	33800	19	13	32800	21400	3.02	2.38	9.6	C33-48B	SL280UH090V36B	8550463
XP20-036-230	33600	19	12.5	33000	21600	2.96	2.32	9.6	C33-48B	SLP98UH070XV36B	8550466
XP20-036-230	33800	19	12.5	32800	21400	3	2.36	9.6	C33-48C	EL296UH090XV36C	8550467
XP20-036-230	33800	19	12.5	32800	21400	3	2.36	9.6	C33-48C	SLP98UH090XV36C	8550468
XP20-036-230	34000	19	12.5	31800	21800	3.44	2.24	8.5	C35-49C	EL296UH090XV36C	10093933
XP20-036-230	34000	19	12.5	31800	21800	3.46	2.24	8.5	C35-49C	SLP98UH090XV36C	10093932
XP20-036-230	34000	20	12.5	33000	22000	3.16	2.36	9	C37-38A	SL280UH070V36A	10085537
XP20-036-230	34000	20	12.5	33000	22000	3.16	2.36	9	C37-38A	SL280UH070XV36A	10085538
XP20-036-230	34000	20	12.5	33000	22000	3.16	2.36	9	C37-38B	EL296UH045XV36B	10085540
XP20-036-230	34000	20	12.5	33000	22000	3.18	2.36	9.6	C37-38B	EL296UH070XV36B	10085541
XP20-036-230	34200	20	13	32600	21800	3.22	2.42	9.6	C37-38B	SL280UH090V36B	10085539
XP20-036-230	34000	20	12.5	33000	22000	3.18	2.36	9.6	C37-38B	SLP98UH070XV36B	10085542
XP20-036-230	34200	20	12.5	32600	21400	3.14	2.18	9	C37-43B	EL296UH045XV36B	10085544
XP20-036-230	34400	20	12.5	32600	21400	3.14	2.18	9	C37-43B	EL296UH070XV36B	10085545
XP20-036-230	34400	20	13	32400	21200	3.22	2.22	9	C37-43B	SL280UH090V36B	10085543
XP20-036-230	34400	20	12.5	32600	21400	3.14	2.18	9	C37-43B	SLP98UH070XV36B	10085546
XP20-036-230	34400	20	13	32400	21200	3.2	2.22	9	C37-43C	EL296UH090XV36C	10085547
XP20-036-230	34400	20	13	32400	21200	3.2	2.22	9	C37-43C	SLP98UH090XV36C	10085548
XP20-036-230	33600	19	12.5	33000	21600	2.96	2.32	9.6	C37-48B	EL296UH045XV36B	10085550
XP20-036-230	33600	19	12.5	33000	21600	2.96	2.32	9.6	C37-48B	EL296UH070XV36B	10085551
XP20-036-230	33800	19	13	32800	21400	3.02	2.38	9.6	C37-48B	SL280UH090V36B	10085549
XP20-036-230	33600	19	12.5	33000	21600	2.96	2.32	9.6	C37-48B	SLP98UH070XV36B	10085552
XP20-036-230	33800	19	12.5	32800	21400	3	2.36	9.6	C37-48C	EL296UH090XV36C	10085553
XP20-036-230	33800	19	12.5	32800	21400	3	2.36	9.6	C37-48C	SLP98UH090XV36C	10085554
XP20-036-230	34400	20	13.5	33200	21800	3.24	2.36	10	CBX32MV-036		8550469

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP20-036-230	34400	20	13.5	33000	21800	3.24	2.38	10	CBX40UHV-036		8550470
XP20-036-230	34800	19.5	13	32600	21200	3.34	2.32	9	CH33-43C	EL296UH090XV36C	8550471
XP20-036-230	34800	19.5	13	32600	21200	3.34	2.32	9	CH33-43C	SLP98UH090XV36C	8550472
XP20-036-230	33800	19	12.5	33000	22000	3.26	2.38	9	CH33-44/48B	EL296UH045XV36B	8550474
XP20-036-230	33800	19	12.5	32800	22000	3.26	2.38	9	CH33-44/48B	EL296UH070XV36B	8550475
XP20-036-230	34000	20	13	32800	21800	3.32	2.42	9.6	CH33-44/48B	SL280UH060NV36A	10581351
XP20-036-230	34200	20	13	32800	21800	3.28	2.38	9	CH33-44/48B	SL280UH070V36A	9150403
XP20-036-230	34200	20	13	32800	21800	3.28	2.38	9	CH33-44/48B	SL280UH070VX36A	9150404
XP20-036-230	34000	19	13	32600	21600	3.32	2.4	9.6	CH33-44/48B	SL280UH090V36B	8550473
XP20-036-230	33800	19	12.5	32800	22000	3.26	2.38	9	CH33-44/48B	SLP98UH070XV36B	8550476
XP20-036-230	34400	19	12.5	33600	22400	2.82	2.14	8.5	CH35-48B	EL296UH045XV36B	8550478
XP20-036-230	34400	19	12.5	33600	22400	2.82	2.14	8.5	CH35-48B	EL296UH070XV36B	8550479
XP20-036-230	34600	19	13	33400	22200	2.88	2.18	9	CH35-48B	SL280UH090V36B	8550477
XP20-036-230	34400	19	12.5	33600	22400	2.82	2.16	8.5	CH35-48B	SLP98UH070XV36B	8550480
XP20-036-230	34000	19	13	32400	21600	3.38	2.36	9	CH35-48C	EL296UH090XV36C	8550481
XP20-036-230	35000	20	13	33200	21200	3.54	2.46	10	CR33-50/60	SLP98DF090XV36C	8550482
XP20-036-230	34000	20	12.5	33000	22000	3.16	2.36	9.6	CX34-38A	SL280UH070V36A	8550483
XP20-036-230	34000	20	12.5	33000	22000	3.16	2.36	9.6	CX34-38A	SL280UH070XV36A	8550484
XP20-036-230	34000	20	12.5	33000	22000	3.16	2.36	9	CX34-38B	EL296UH045XV36B	8550486
XP20-036-230	34000	20	12.5	33000	22000	3.18	2.36	9.6	CX34-38B	EL296UH070XV36B	8550487
XP20-036-230	34200	20	13	32600	21800	3.22	2.42	9.6	CX34-38B	SL280UH090V36B	8550485
XP20-036-230	34000	20	12.5	33000	22000	3.18	2.36	9.6	CX34-38B	SLP98UH070XV36B	8550488
XP20-036-230	34200	20	12.5	32600	21400	3.14	2.18	9	CX34-43B	EL296UH045XV36B	8550490
XP20-036-230	34400	20	12.5	32600	21400	3.14	2.18	9	CX34-43B	EL296UH070XV36B	8550491
XP20-036-230	34400	20	13	32400	21200	3.22	2.22	9	CX34-43B	SL280UH090V36B	8550489
XP20-036-230	34400	20	12.5	32600	21400	3.14	2.18	9	CX34-43B	SLP98UH070XV36B	8550492
XP20-036-230	34400	20	13	32400	21200	3.2	2.22	9	CX34-43C	EL296UH090XV36C	8550493
XP20-036-230	34400	20	13	32400	21200	3.2	2.22	9	CX34-43C	SLP98UH090XV36C	8550494
XP20-036-230	33600	19	12.5	33000	21600	2.96	2.32	9.6	CX34-44/48B	EL296UH045XV36B	8550496
XP20-036-230	33600	19	12.5	33000	21600	2.96	2.32	9.6	CX34-44/48B	EL296UH070XV36B	8550497
XP20-036-230	33600	19	12.5	33000	21600	2.96	2.32	9.6	CX34-44/48B	SLP98UH070XV36B	8550498
XP20-036-230	33800	19	12.5	32800	21400	3	2.36	9.6	CX34-44/48C	EL296UH090XV36C	8550499
XP20-036-230	33800	19	12.5	32800	21400	3	2.36	9.6	CX34-44/48C	SLP98UH090XV36C	8550500
XP20-036-230	34000	19	12.5	31800	21800	3.44	2.24	8.5	CX35-49C	EL296UH090XV36C	10093947
XP20-036-230	34000	19	12.5	31800	21800	3.46	2.24	8.5	CX35-49C	SLP98UH090XV36C	10093946
XP20-036-230	34000	20	12.5	33000	22000	3.16	2.36	9.6	CX38-38A	SL280UH070V36A	10085555
XP20-036-230	34000	20	12.5	33000	22000	3.16	2.36	9.6	CX38-38A	SL280UH070XV36A	10085556
XP20-036-230	34000	20	12.5	33000	22000	3.16	2.36	9	CX38-38B	EL296UH045XV36B	10085558
XP20-036-230	34000	20	12.5	33000	22000	3.18	2.36	9.6	CX38-38B	EL296UH070XV36B	10085559
XP20-036-230	34200	20	13	32600	21800	3.22	2.42	9.6	CX38-38B	SL280UH090V36B	10085557
XP20-036-230	34000	20	12.5	33000	22000	3.18	2.36	9.6	CX38-38B	SLP98UH070XV36B	10085560
XP20-036-230	34200	20	12.5	32600	21400	3.14	2.18	9	CX38-43B	EL296UH045XV36B	10085562
XP20-036-230	34400	20	12.5	32600	21400	3.14	2.18	9	CX38-43B	EL296UH070XV36B	10085563
XP20-036-230	34400	20	13	32400	21200	3.22	2.22	9	CX38-43B	SL280UH090V36B	10085561
XP20-036-230	34400	20	12.5	32600	21400	3.14	2.18	9	CX38-43B	SLP98UH070XV36B	10085564
XP20-036-230	34400	20	13	32400	21200	3.2	2.22	9	CX38-43C	EL296UH090XV36C	10085565
XP20-036-230	34400	20	13	32400	21200	3.2	2.22	9	CX38-43C	SLP98UH090XV36C	10085566
XP20-036-230	33600	19	12.5	33000	21600	2.96	2.32	9.6	CX38-44/48B	EL296UH045XV36B	10085567
XP20-036-230	33600	19	12.5	33000	21600	2.96	2.32	9.6	CX38-44/48B	EL296UH070XV36B	10085568
XP20-036-230	33600	19	12.5	33000	21600	2.96	2.32	9.6	CX38-44/48B	SLP98UH070XV36B	10085569
XP20-036-230	33800	19	12.5	32800	21400	3	2.36	9.6	CX38-44/48C	EL296UH090XV36C	10085570
XP20-036-230	33800	19	12.5	32800	21400	3	2.36	9.6	CX38-44/48C	SLP98UH090XV36C	10085571
XP20-048-230	47000	18.5	12	43500	27800	3.34	2.38	9	C33-49	EL296UH090XV48C	8601378
XP20-048-230	47000	18.5	12	43500	27800	3.36	2.4	9	C33-49	EL296UH090XV60C	8601379
XP20-048-230	47000	18.5	12	43500	27800	3.36	2.4	9	C33-49	EL296UH110XV48C	8601380
XP20-048-230	47000	18.5	12	43500	27800	3.34	2.38	9	C33-49	EL296UH110XV60C	8601381
XP20-048-230	47000	18.5	12.5	43500	27800	3.4	2.42	9	C33-49	SL280UH090V60C	8601382
XP20-048-230	47000	18.5	12.5	43500	27800	3.4	2.42	9	C33-49	SL280UH090XV60C	8601383
XP20-048-230	47000	18	12	43500	27800	3.36	2.4	9	C33-49	SL280UH110V60C	8601384
XP20-048-230	47000	18	12	43500	27800	3.36	2.4	9	C33-49	SL280UH110XV60C	8601385
XP20-048-230	47000	18.5	12	43500	27800	3.34	2.38	9	C33-49	SLP98UH090XV48C	8601386

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP20-048-230	47000	18.5	12	43500	27800	3.36	2.4	9	C33-49	SLP98UH090XV60C	8601387
XP20-048-230	47000	18.5	12	43500	27800	3.34	2.38	9	C33-49	SLP98UH110XV60C	8601388
XP20-048-230	48000	18.5	12	43500	27000	3.5	2.42	9	C33-62C	EL296UH090XV48C	8547500
XP20-048-230	48000	18	12	43500	27000	3.52	2.44	9	C33-62C	EL296UH090XV60C	8547501
XP20-048-230	48000	18.5	12	43500	27000	3.5	2.44	9	C33-62C	EL296UH110XV48C	8547502
XP20-048-230	48000	18	12	43500	27000	3.5	2.44	9	C33-62C	EL296UH110XV60C	8547503
XP20-048-230	48000	18.5	12.5	43500	27000	3.54	2.46	9	C33-62C	SL280UH090V60C	8547504
XP20-048-230	48000	18.5	12.5	43500	27000	3.54	2.46	9	C33-62C	SL280UH090XV60C	8547505
XP20-048-230	48000	18	12	43500	27000	3.5	2.44	9	C33-62C	SL280UH110V60C	8547506
XP20-048-230	48000	18	12	43500	27000	3.5	2.44	9	C33-62C	SL280UH110XV60C	8547507
XP20-048-230	48000	18.5	12	43500	27000	3.5	2.42	9	C33-62C	SLP98UH090XV48C	8547508
XP20-048-230	48000	18	12	43500	27000	3.52	2.44	9	C33-62C	SLP98UH090XV60C	8547509
XP20-048-230	48000	18	12	43500	27000	3.5	2.44	9	C33-62C	SLP98UH110XV60C	8547510
XP20-048-230	47500	18.5	12	44000	28200	3.58	2.58	9.6	C33-62D	SL280UH135V60D	8601355
XP20-048-230	47500	18	12	44000	28200	3.56	2.58	9.5	C33-62D	SLP98UH135XV60D	8601356
XP20-048-230	46000	18	12	43000	28400	2.78	2.16	8.2	C35-60C	EL296UH090XV48C	10093938
XP20-048-230	46000	17.5	12	43000	28400	2.8	2.16	8.2	C35-60C	EL296UH090XV60C	10093939
XP20-048-230	46000	17.5	12	43000	28400	2.8	2.16	8.2	C35-60C	EL296UH110XV60C	10093940
XP20-048-230	46000	17.5	12	43000	28400	2.82	2.18	8.2	C35-60C	SL280UH090V60C	10093934
XP20-048-230	46000	17.5	12	43000	28400	2.82	2.18	8.2	C35-60C	SL280UH090XV60C	10093935
XP20-048-230	46000	17.5	12	43000	28400	2.8	2.16	8.2	C35-60C	SL280UH110V60C	10093936
XP20-048-230	46000	17.5	12	43000	28400	2.8	2.16	8.2	C35-60C	SL280UH110XV60C	10093937
XP20-048-230	47000	18.5	12	43500	27800	3.34	2.38	9	C37-49C	EL296UH090XV48C	10085607
XP20-048-230	47000	18.5	12	43500	27800	3.36	2.4	9	C37-49C	EL296UH090XV60C	10085608
XP20-048-230	47000	18.5	12	43500	27800	3.36	2.4	9	C37-49C	EL296UH110XV48C	10085609
XP20-048-230	47000	18.5	12	43500	27800	3.34	2.38	9	C37-49C	EL296UH110XV60C	10085610
XP20-048-230	47000	18.5	12.5	43500	27800	3.4	2.42	9	C37-49C	SL280UH090V60C	10085611
XP20-048-230	47000	18.5	12.5	43500	27800	3.4	2.42	9	C37-49C	SL280UH090XV60C	10085612
XP20-048-230	47000	18	12	43500	27800	3.36	2.4	9	C37-49C	SL280UH110V60C	10085613
XP20-048-230	47000	18	12	43500	27800	3.36	2.4	9	C37-49C	SL280UH110XV60C	10085614
XP20-048-230	47000	18.5	12	43500	27800	3.34	2.38	9	C37-49C	SLP98UH090XV48C	10085615
XP20-048-230	47000	18.5	12	43500	27800	3.36	2.4	9	C37-49C	SLP98UH090XV60C	10085616
XP20-048-230	47000	18.5	12	43500	27800	3.34	2.38	9	C37-49C	SLP98UH110XV60C	10085617
XP20-048-230	48000	18.5	12	43500	27000	3.5	2.42	9	C37-62C	EL296UH090XV48C	10085514
XP20-048-230	48000	18	12	43500	27000	3.52	2.44	9	C37-62C	EL296UH090XV60C	10085515
XP20-048-230	48000	18.5	12	43500	27000	3.5	2.44	9	C37-62C	EL296UH110XV48C	10085516
XP20-048-230	48000	18	12	43500	27000	3.5	2.44	9	C37-62C	EL296UH110XV60C	10085517
XP20-048-230	48000	18.5	12.5	43500	27000	3.54	2.46	9	C37-62C	SL280UH090V60C	10085518
XP20-048-230	48000	18.5	12.5	43500	27000	3.54	2.46	9	C37-62C	SL280UH090XV60C	10085519
XP20-048-230	48000	18	12	43500	27000	3.5	2.44	9	C37-62C	SL280UH110V60C	10085520
XP20-048-230	48000	18	12	43500	27000	3.5	2.44	9	C37-62C	SL280UH110XV60C	10085521
XP20-048-230	48000	18.5	12	43500	27000	3.5	2.42	9	C37-62C	SLP98UH090XV48C	10085522
XP20-048-230	48000	18	12	43500	27000	3.52	2.44	9	C37-62C	SLP98UH090XV60C	10085523
XP20-048-230	48000	18	12	43500	27000	3.5	2.44	9	C37-62C	SLP98UH110XV60C	10085524
XP20-048-230	47500	18	12	44000	28200	3.56	2.58	9.5	C37-62D	EL296UH135XV60D	10086831
XP20-048-230	47500	18.5	12	44000	28200	3.58	2.58	9.6	C37-62D	SL280UH135V60D	10085602
XP20-048-230	47500	18	12	44000	28200	3.56	2.58	9.5	C37-62D	SLP98UH135XV60D	10085603
XP20-048-230	48000	19.5	12.5	45000	29000	3.42	2.48	9.6	CBX32MV-048		8547522
XP20-048-230	48000	19	12.5	44500	27200	3.22	2.28	9.6	CBX32MV-060		8601357
XP20-048-230	48000	19	12.5	45000	28800	3.46	2.5	9.6	CBX40UHV-048		8547477
XP20-048-230	48000	19	12.5	44500	27200	3.22	2.28	9.6	CBX40UHV-060		8601358
XP20-048-230	48000	19	12	44500	28400	3.3	2.32	9	CH33-49	EL296UH090XV48C	8547478
XP20-048-230	48000	19	12	44500	28400	3.32	2.32	9	CH33-49	EL296UH090XV60C	8547479
XP20-048-230	48000	19	12	44500	28400	3.32	2.32	9	CH33-49	EL296UH110XV48C	8547480
XP20-048-230	48000	19	12	44500	28400	3.32	2.32	9	CH33-49	EL296UH110XV60C	8547481
XP20-048-230	48000	19	12	44000	28200	3.32	2.34	9	CH33-49	SL280UH090V60C	8547482
XP20-048-230	48000	19	12	44000	28200	3.32	2.34	9	CH33-49	SL280UH090XV60C	8547483
XP20-048-230	48000	18.5	12	44500	28400	3.32	2.32	9	CH33-49	SL280UH110V60C	8547484
XP20-048-230	48000	18.5	12	44500	28400	3.32	2.32	9	CH33-49	SL280UH110XV60C	8547485
XP20-048-230	48000	19	12	44500	28400	3.3	2.32	9	CH33-49	SLP98UH090XV48C	8547486
XP20-048-230	48000	19	12	44500	28400	3.32	2.32	9	CH33-49	SLP98UH090XV60C	8547487

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP20-048-230	48000	19	12	44500	28400	3.32	2.32	9	CH33-49	SLP98UH110XV60C	8547488
XP20-048-230	47500	19	12	44500	28400	3.3	2.3	9	CH33-50/60C	EL296UH090XV48C	8547489
XP20-048-230	47500	18.5	12	44500	28400	3.3	2.32	9	CH33-50/60C	EL296UH090XV60C	8547490
XP20-048-230	47500	19	12	44500	28400	3.3	2.32	9	CH33-50/60C	EL296UH110XV48C	8547491
XP20-048-230	47500	18.5	12	44500	28400	3.3	2.32	9	CH33-50/60C	EL296UH110XV60C	8547492
XP20-048-230	48000	18.5	12	44000	28400	3.3	2.34	9	CH33-50/60C	SL280UH090V60C	8547493
XP20-048-230	48000	18.5	12	44000	28400	3.3	2.34	9	CH33-50/60C	SL280UH090XV60C	8547494
XP20-048-230	47500	18.5	12	44500	28400	3.32	2.32	9	CH33-50/60C	SL280UH110V60C	8547495
XP20-048-230	47500	18.5	12	44500	28400	3.32	2.32	9	CH33-50/60C	SL280UH110XV60C	8547496
XP20-048-230	47500	19	12	44500	28400	3.3	2.32	9	CH33-50/60C	SLP98UH090XV48C	8547497
XP20-048-230	47500	18.5	12	44500	28400	3.3	2.32	9	CH33-50/60C	SLP98UH090XV60C	8547498
XP20-048-230	47500	18.5	12	44500	28400	3.3	2.32	9	CH33-50/60C	SLP98UH110XV60C	8547499
XP20-048-230	48000	18	12	43500	26800	3.48	2.36	9.6	CH33-62D	SL280UH135V60D	8601360
XP20-048-230	48000	18	12	43500	27000	3.46	2.36	9.6	CH33-62D	SLP98UH135XV60D	8601361
XP20-048-230	48000	18.5	12	44000	29200	3.2	2.36	9	CH35-60D	SL280UH135V60D	8601363
XP20-048-230	48000	18	12	44000	29200	3.18	2.34	9	CH35-60D	SLP98UH135XV60D	8601364
XP20-048-230	47000	17.5	12	45500	29600	3.12	2.28	8.5	CR33-50/60	EL296DF090XV60C	8601365
XP20-048-230	47000	18	12	45500	29600	3.12	2.28	8.5	CR33-50/60	EL296DF110XV60C	8601366
XP20-048-230	47000	18	12	45500	29200	3.18	2.32	8.5	CR33-50/60	SL280DF090V60C	8601367
XP20-048-230	47000	18	12	45500	29200	3.18	2.32	8.5	CR33-50/60	SL280DF110V60C	8601368
XP20-048-230	47000	18	12	45500	29600	3.1	2.28	8.5	CR33-50/60	SLP98DF090XV48C	8601369
XP20-048-230	47000	17.5	12	45500	29600	3.12	2.28	8.5	CR33-50/60	SLP98DF090XV60C	8601370
XP20-048-230	47000	18	12	45500	29600	3.12	2.28	8.5	CR33-50/60	SLP98DF110XV60C	8601371
XP20-048-230	47000	18.5	12	43500	27800	3.34	2.38	9	CX34-49	EL296UH090XV48C	8601389
XP20-048-230	47000	18.5	12	43500	27800	3.36	2.4	9	CX34-49	EL296UH090XV60C	8601390
XP20-048-230	47000	18.5	12	43500	27800	3.36	2.4	9	CX34-49	EL296UH110XV48C	8601391
XP20-048-230	47000	18.5	12	43500	27800	3.34	2.38	9	CX34-49	EL296UH110XV60C	8601392
XP20-048-230	47000	18.5	12.5	43500	27800	3.4	2.42	9	CX34-49	SL280UH090V60C	8601393
XP20-048-230	47000	18.5	12.5	43500	27800	3.4	2.42	9	CX34-49	SL280UH090XV60C	8601394
XP20-048-230	47000	18	12	43500	27800	3.36	2.4	9	CX34-49	SL280UH110V60C	8601395
XP20-048-230	47000	18	12	43500	27800	3.36	2.4	9	CX34-49	SL280UH110XV60C	8601396
XP20-048-230	47000	18.5	12	43500	27800	3.34	2.38	9	CX34-49	SLP98UH090XV48C	8601397
XP20-048-230	47000	18.5	12	43500	27800	3.36	2.4	9	CX34-49	SLP98UH090XV60C	8601398
XP20-048-230	47000	18.5	12	43500	27800	3.34	2.38	9	CX34-49	SLP98UH110XV60C	8601399
XP20-048-230	48000	18.5	12	43500	27000	3.5	2.42	9	CX34-62C	EL296UH090XV48C	8547511
XP20-048-230	48000	18	12	43500	27000	3.52	2.44	9	CX34-62C	EL296UH090XV60C	8547512
XP20-048-230	48000	18.5	12	43500	27000	3.5	2.44	9	CX34-62C	EL296UH110XV48C	8547513
XP20-048-230	48000	18	12	43500	27000	3.5	2.44	9	CX34-62C	EL296UH110XV60C	8547514
XP20-048-230	48000	18.5	12.5	43500	27000	3.54	2.46	9	CX34-62C	SL280UH090V60C	8547515
XP20-048-230	48000	18.5	12.5	43500	27000	3.54	2.46	9	CX34-62C	SL280UH090XV60C	8547516
XP20-048-230	48000	18	12	43500	27000	3.5	2.44	9	CX34-62C	SL280UH110V60C	8547517
XP20-048-230	48000	18	12	43500	27000	3.5	2.44	9	CX34-62C	SL280UH110XV60C	8547518
XP20-048-230	48000	18.5	12	43500	27000	3.5	2.42	9	CX34-62C	SLP98UH090XV48C	8547519
XP20-048-230	48000	18	12	43500	27000	3.52	2.44	9	CX34-62C	SLP98UH090XV60C	8547520
XP20-048-230	48000	18	12	43500	27000	3.5	2.44	9	CX34-62C	SLP98UH110XV60C	8547521
XP20-048-230	47500	18	12	44000	28200	3.56	2.58	9.5	CX34-62D	EL296UH135XV60D	8601372
XP20-048-230	47500	18.5	12	44000	28200	3.58	2.58	9.6	CX34-62D	SL280UH135V60D	8601373
XP20-048-230	47500	18	12	44000	28200	3.56	2.58	9.5	CX34-62D	SLP98UH135XV60D	8601374
XP20-048-230	46000	18	12	43000	28400	2.78	2.16	8.2	CX35-60C	EL296UH090XV48C	10093952
XP20-048-230	46000	17.5	12	43000	28400	2.8	2.16	8.2	CX35-60C	EL296UH090XV60C	10093953
XP20-048-230	46000	17.5	12	43000	28400	2.8	2.16	8.2	CX35-60C	EL296UH110XV60C	10093954
XP20-048-230	46000	17.5	12	43000	28400	2.82	2.18	8.2	CX35-60C	SL280UH090V60C	10093948
XP20-048-230	46000	17.5	12	43000	28400	2.82	2.18	8.2	CX35-60C	SL280UH090XV60C	10093949
XP20-048-230	46000	17.5	12	43000	28400	2.8	2.16	8.2	CX35-60C	SL280UH110V60C	10093950
XP20-048-230	46000	17.5	12	43000	28400	2.8	2.16	8.2	CX35-60C	SL280UH110XV60C	10093951
XP20-048-230	47000	18.5	12	43500	27800	3.34	2.38	9	CX38-49C	EL296UH090XV48C	10085618
XP20-048-230	47000	18.5	12	43500	27800	3.36	2.4	9	CX38-49C	EL296UH090XV60C	10085619
XP20-048-230	47000	18.5	12	43500	27800	3.36	2.4	9	CX38-49C	EL296UH110XV48C	10085620
XP20-048-230	47000	18.5	12	43500	27800	3.34	2.38	9	CX38-49C	EL296UH110XV60C	10085621
XP20-048-230	47000	18.5	12.5	43500	27800	3.4	2.42	9	CX38-49C	SL280UH090V60C	10085622
XP20-048-230	47000	18.5	12.5	43500	27800	3.4	2.42	9	CX38-49C	SL280UH090XV60C	10085623

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP20-048-230	47000	18	12	43500	27800	3.36	2.4	9	CX38-49C	SL280UH110V60C	10085624
XP20-048-230	47000	18	12	43500	27800	3.36	2.4	9	CX38-49C	SL280UH110XV60C	10085625
XP20-048-230	47000	18.5	12	43500	27800	3.34	2.38	9	CX38-49C	SLP98UH090XV48C	10085626
XP20-048-230	47000	18.5	12	43500	27800	3.36	2.4	9	CX38-49C	SLP98UH090XV60C	10085627
XP20-048-230	47000	18.5	12	43500	27800	3.34	2.38	9	CX38-49C	SLP98UH110XV60C	10085628
XP20-048-230	48000	18.5	12	43500	27000	3.5	2.42	9	CX38-62C	EL296UH090XV48C	10086811
XP20-048-230	48000	18	12	43500	27000	3.52	2.44	9	CX38-62C	EL296UH090XV60C	10086812
XP20-048-230	48000	18.5	12	43500	27000	3.5	2.44	9	CX38-62C	EL296UH110XV48C	10086813
XP20-048-230	48000	18	12	43500	27000	3.5	2.44	9	CX38-62C	EL296UH110XV60C	10086814
XP20-048-230	48000	18.5	12.5	43500	27000	3.54	2.46	9	CX38-62C	SL280UH090V60C	10086815
XP20-048-230	48000	18.5	12.5	43500	27000	3.54	2.46	9	CX38-62C	SL280UH090XV60C	10086816
XP20-048-230	48000	18	12	43500	27000	3.5	2.44	9	CX38-62C	SL280UH110V60C	10086817
XP20-048-230	48000	18	12	43500	27000	3.5	2.44	9	CX38-62C	SL280UH110XV60C	10086818
XP20-048-230	48000	18.5	12	43500	27000	3.5	2.42	9	CX38-62C	SLP98UH090XV48C	10086819
XP20-048-230	48000	18	12	43500	27000	3.52	2.44	9	CX38-62C	SLP98UH090XV60C	10086820
XP20-048-230	48000	18	12	43500	27000	3.5	2.44	9	CX38-62C	SLP98UH110XV60C	10086821
XP20-048-230	47500	18	12	44000	28200	3.56	2.58	9.5	CX38-62D	EL296UH135XV60D	10085604
XP20-048-230	47500	18.5	12	44000	28200	3.58	2.58	9.6	CX38-62D	SL280UH135V60D	10085605
XP20-048-230	47500	18	12	44000	28200	3.56	2.58	9.5	CX38-62D	SLP98UH135XV60D	10085606
XP20-060-230	56500	18	11.5	54000	35400	3.16	2.36	9	C33-49C	EL296UH090XV60C	8561539
XP20-060-230	56500	18	11.5	54000	35200	3.18	2.36	9	C33-49C	EL296UH110XV60C	8561540
XP20-060-230	57000	18.5	12	54000	35000	3.22	2.4	9	C33-49C	SL280UH090V60C	8561541
XP20-060-230	57000	18.5	12	54000	35000	3.22	2.4	9	C33-49C	SL280UH090XV60C	8561543
XP20-060-230	56500	18	11.5	54000	35200	3.2	2.38	9	C33-49C	SL280UH110V60C	8561542
XP20-060-230	56500	18	11.5	54000	35200	3.2	2.38	9	C33-49C	SL280UH110XV60C	8561544
XP20-060-230	56500	18	11.5	54000	35400	3.16	2.36	9	C33-49C	SLP98UH090XV60C	8561545
XP20-060-230	56500	18	11.5	54000	35200	3.18	2.36	9	C33-49C	SLP98UH110XV60C	8561546
XP20-060-230	57000	18.5	12	54500	35200	3.04	2.24	9.6	C33-62C	EL296UH090XV60C	8561547
XP20-060-230	57500	18.5	12	54500	35000	3.04	2.24	9.6	C33-62C	EL296UH110XV60C	8561548
XP20-060-230	57500	18.5	12	54000	34800	3.06	2.28	9.6	C33-62C	SL280UH090V60C	8561549
XP20-060-230	57500	18.5	12	54000	34800	3.06	2.28	9.6	C33-62C	SL280UH090XV60C	8561551
XP20-060-230	57500	18.5	12	54000	35000	3.04	2.26	9.6	C33-62C	SL280UH110V60C	8561550
XP20-060-230	57500	18.5	12	54000	35000	3.04	2.26	9.6	C33-62C	SL280UH110XV60C	8561552
XP20-060-230	57000	18.5	12	54500	35200	3.04	2.24	9.6	C33-62C	SLP98UH090XV60C	8561553
XP20-060-230	57500	18.5	12	54500	35000	3.04	2.24	9.6	C33-62C	SLP98UH110XV60C	8561554
XP20-060-230	58000	18.5	12.5	53000	36000	3.18	2.46	9.6	C33-62D	EL296UH135XV60D	8561555
XP20-060-230	58000	19	12.5	53000	35800	3.18	2.46	9.6	C33-62D	SL280UH135V60D	8561556
XP20-060-230	58000	18.5	12.5	53000	36000	3.18	2.46	9.6	C33-62D	SLP98UH135XV60D	8561557
XP20-060-230	56500	18	11.5	54000	35400	3.16	2.36	9	C37-49C	EL296UH090XV60C	10085572
XP20-060-230	56500	18	11.5	54000	35200	3.18	2.36	9	C37-49C	EL296UH110XV60C	10085573
XP20-060-230	57000	18.5	12	54000	35000	3.22	2.4	9	C37-49C	SL280UH090V60C	10085574
XP20-060-230	57000	18.5	12	54000	35000	3.22	2.4	9	C37-49C	SL280UH090XV60C	10085576
XP20-060-230	56500	18	11.5	54000	35200	3.2	2.38	9	C37-49C	SL280UH110V60C	10085575
XP20-060-230	56500	18	11.5	54000	35200	3.2	2.38	9	C37-49C	SL280UH110XV60C	10085577
XP20-060-230	56500	18	11.5	54000	35400	3.16	2.36	9	C37-49C	SLP98UH090XV60C	10085578
XP20-060-230	56500	18	11.5	54000	35200	3.18	2.36	9	C37-49C	SLP98UH110XV60C	10085579
XP20-060-230	57000	18.5	12	54500	35200	3.04	2.24	9.6	C37-62C	EL296UH090XV60C	10085580
XP20-060-230	57500	18.5	12	54500	35000	3.04	2.24	9.6	C37-62C	EL296UH110XV60C	10085581
XP20-060-230	57500	18.5	12	54000	34800	3.06	2.28	9.6	C37-62C	SL280UH090V60C	10085582
XP20-060-230	57500	18.5	12	54000	34800	3.06	2.28	9.6	C37-62C	SL280UH090XV60C	10085584
XP20-060-230	57500	18.5	12	54000	35000	3.04	2.26	9.6	C37-62C	SL280UH110V60C	10085583
XP20-060-230	57500	18.5	12	54000	35000	3.04	2.26	9.6	C37-62C	SL280UH110XV60C	10085585
XP20-060-230	57000	18.5	12	54500	35200	3.04	2.24	9.6	C37-62C	SLP98UH090XV60C	10085586
XP20-060-230	57500	18.5	12	54500	35000	3.04	2.24	9.6	C37-62C	SLP98UH110XV60C	10085587
XP20-060-230	58000	18.5	12.5	53000	36000	3.18	2.46	9.6	C37-62D	EL296UH135XV60D	10085588
XP20-060-230	58000	19	12.5	53000	35800	3.18	2.46	9.6	C37-62D	SL280UH135V60D	10085589
XP20-060-230	58000	18.5	12.5	53000	36000	3.18	2.46	9.6	C37-62D	SLP98UH135XV60D	10085590
XP20-060-230	56500	19	12.5	54500	36400	3.28	2.4	9.6	CBX32MV-060		8561558
XP20-060-230	57000	18.5	12.5	54500	36200	3.32	2.4	9.6	CBX40UHV-060		8561559
XP20-060-230	56500	18.5	11.5	55000	36400	2.94	2.2	9	CH33-49	EL296UH090XV60C	8561560
XP20-060-230	56500	18.5	11.5	55000	36400	2.96	2.22	9	CH33-49	EL296UH110XV60C	8561561

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP20-060-230	57000	19	12.5	54500	35800	3.02	2.26	9.4	CH33-49	SL280UH080NV60C	10581352
XP20-060-230	57000	19	12	54500	36000	2.98	2.24	9	CH33-49	SL280UH090V60C	8561562
XP20-060-230	57000	19	12	54500	36000	2.98	2.24	9	CH33-49	SL280UH090XV60C	8561564
XP20-060-230	57000	18.5	12	54500	36200	2.94	2.22	9	CH33-49	SL280UH110V60C	8561563
XP20-060-230	57000	18.5	12	54500	36200	2.94	2.22	9	CH33-49	SL280UH110XV60C	8561565
XP20-060-230	56500	18.5	11.5	55000	36400	2.94	2.2	9	CH33-49	SLP98UH090XV60C	8561566
XP20-060-230	56500	18.5	11.5	55000	36400	2.96	2.22	9	CH33-49	SLP98UH110XV60C	8561567
XP20-060-230	56000	18.5	11.5	55000	36400	2.94	2.2	9	CH33-50/60C	EL296UH090XV60C	8561568
XP20-060-230	56500	18.5	11.5	55000	36400	2.94	2.22	9	CH33-50/60C	EL296UH110XV60C	8561569
XP20-060-230	56500	18.5	12	54500	35800	3	2.24	9.2	CH33-50/60C	SL280UH080NV60C	10581353
XP20-060-230	56500	18.5	12	54500	36000	2.96	2.24	9	CH33-50/60C	SL280UH090V60C	8561570
XP20-060-230	56500	18.5	12	54500	36000	2.96	2.24	9	CH33-50/60C	SL280UH090XV60C	8561572
XP20-060-230	56500	18.5	12	54500	36200	2.94	2.22	9	CH33-50/60C	SL280UH110V60C	8561571
XP20-060-230	56500	18.5	12	54500	36200	2.94	2.22	9	CH33-50/60C	SL280UH110XV60C	8561573
XP20-060-230	56000	18.5	11.5	55000	36400	2.94	2.2	9	CH33-50/60C	SLP98UH090XV60C	8561574
XP20-060-230	56500	18.5	11.5	55000	36400	2.94	2.22	9	CH33-50/60C	SLP98UH110XV60C	8561575
XP20-060-230	56500	18	12	55000	36200	3.12	2.38	9.6	CH33-62D	EL296UH135XV60D	8561576
XP20-060-230	56500	18	12	55000	36200	3.14	2.4	9	CH33-62D	SL280UH135V60D	8561577
XP20-060-230	56500	18	12	55000	36200	3.12	2.38	9	CH33-62D	SLP98UH135XV60D	8561578
XP20-060-230	56500	18.5	12	55000	36600	2.88	2.1	9	CH35-60D	EL296UH135XV60D	8593312
XP20-060-230	57000	18.5	12	55000	36400	2.9	2.1	9	CH35-60D	SL280UH135V60D	8593313
XP20-060-230	56500	18.5	12	55000	36600	2.88	2.1	9	CH35-60D	SLP98UH135XV60D	8593311
XP20-060-230	56000	18.5	12	54000	36400	3.16	2.36	9.6	CR33-60	EL296DF090XV60C	8561579
XP20-060-230	56000	18.5	12	54000	36400	3.16	2.36	9.6	CR33-60	EL296DF110XV60C	8561580
XP20-060-230	56500	19	12	53500	36000	3.2	2.4	9.6	CR33-60	SL280DF090V60C	8561581
XP20-060-230	56500	19	12.5	53500	36000	3.22	2.4	9.6	CR33-60	SL280DF110V60C	8561582
XP20-060-230	56000	18.5	12	54000	36400	3.16	2.36	9.6	CR33-60	SLP98DF090XV60C	8561583
XP20-060-230	56000	18.5	12	54000	36400	3.16	2.36	9.6	CR33-60	SLP98DF110XV60C	8561584
XP20-060-230	56500	18	11.5	54000	35400	3.16	2.36	9	CX34-49C	EL296UH090XV60C	8561585
XP20-060-230	56500	18	11.5	54000	35200	3.18	2.36	9	CX34-49C	EL296UH110XV60C	8561586
XP20-060-230	57000	18.5	12	54000	35000	3.22	2.4	9	CX34-49C	SL280UH090V60C	8561587
XP20-060-230	57000	18.5	12	54000	35000	3.22	2.4	9	CX34-49C	SL280UH090XV60C	8561589
XP20-060-230	56500	18	11.5	54000	35200	3.2	2.38	9	CX34-49C	SL280UH110V60C	8561588
XP20-060-230	56500	18	11.5	54000	35200	3.2	2.38	9	CX34-49C	SL280UH110XV60C	8561590
XP20-060-230	56500	18	11.5	54000	35400	3.16	2.36	9	CX34-49C	SLP98UH090XV60C	8561591
XP20-060-230	56500	18	11.5	54000	35200	3.18	2.36	9	CX34-49C	SLP98UH110XV60C	8561592
XP20-060-230	57000	18.5	12	54500	35200	3.04	2.24	9.6	CX34-62C	EL296UH090XV60C	8561593
XP20-060-230	57500	18.5	12	54500	35000	3.04	2.24	9.6	CX34-62C	EL296UH110XV60C	8561594
XP20-060-230	57500	18.5	12	54000	34800	3.06	2.28	9.6	CX34-62C	SL280UH090V60C	8561595
XP20-060-230	57500	18.5	12	54000	34800	3.06	2.28	9.6	CX34-62C	SL280UH090XV60C	8561597
XP20-060-230	57500	18.5	12	54000	35000	3.04	2.26	9.6	CX34-62C	SL280UH110V60C	8561596
XP20-060-230	57500	18.5	12	54000	35000	3.04	2.26	9.6	CX34-62C	SL280UH110XV60C	8561598
XP20-060-230	57000	18.5	12	54500	35200	3.04	2.24	9.6	CX34-62C	SLP98UH090XV60C	8561599
XP20-060-230	57500	18.5	12	54500	35000	3.04	2.24	9.6	CX34-62C	SLP98UH110XV60C	8561600
XP20-060-230	58000	18.5	12.5	53000	36000	3.18	2.46	9.6	CX34-62D	EL296UH135XV60D	8561601
XP20-060-230	58000	19	12.5	53000	35800	3.18	2.46	9.6	CX34-62D	SL280UH135V60D	8561602
XP20-060-230	58000	18.5	12.5	53000	36000	3.18	2.46	9.6	CX34-62D	SLP98UH135XV60D	8561603
XP20-060-230	56500	18	11.5	54000	35400	3.16	2.36	9	CX38-49C	EL296UH090XV60C	10085591
XP20-060-230	56500	18	11.5	54000	35200	3.18	2.36	9	CX38-49C	EL296UH110XV60C	10085592
XP20-060-230	57000	18.5	12	54000	35000	3.22	2.4	9	CX38-49C	SL280UH090V60C	10085593
XP20-060-230	57000	18.5	12	54000	35000	3.22	2.4	9	CX38-49C	SL280UH090XV60C	10085595
XP20-060-230	56500	18	11.5	54000	35200	3.2	2.38	9	CX38-49C	SL280UH110V60C	10085594
XP20-060-230	56500	18	11.5	54000	35200	3.2	2.38	9	CX38-49C	SL280UH110XV60C	10085596
XP20-060-230	56500	18	11.5	54000	35400	3.16	2.36	9	CX38-49C	SLP98UH090XV60C	10085597
XP20-060-230	56500	18	11.5	54000	35200	3.18	2.36	9	CX38-49C	SLP98UH110XV60C	10085598
XP20-060-230	57000	18.5	12	54500	35200	3.04	2.24	9.6	CX38-62C	EL296UH090XV60C	10086823
XP20-060-230	57500	18.5	12	54500	35000	3.04	2.24	9.6	CX38-62C	EL296UH110XV60C	10086824
XP20-060-230	57500	18.5	12	54000	34800	3.06	2.28	9.6	CX38-62C	SL280UH090V60C	10086825
XP20-060-230	57500	18.5	12	54000	34800	3.06	2.28	9.6	CX38-62C	SL280UH090XV60C	10086827
XP20-060-230	57500	18.5	12	54000	35000	3.04	2.26	9.6	CX38-62C	SL280UH110V60C	10086826
XP20-060-230	57500	18.5	12	54000	35000	3.04	2.26	9.6	CX38-62C	SL280UH110XV60C	10086828

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP20-060-230	57000	18.5	12	54500	35200	3.04	2.24	9.6	CX38-62C	SLP98UH090XV60C	10086829
XP20-060-230	57500	18.5	12	54500	35000	3.04	2.24	9.6	CX38-62C	SLP98UH110XV60C	10086830
XP20-060-230	58000	18.5	12.5	53000	36000	3.18	2.46	9.6	CX38-62D	EL296UH135XV60D	10085599
XP20-060-230	58000	19	12.5	53000	35800	3.18	2.46	9.6	CX38-62D	SL280UH135V60D	10085600
XP20-060-230	58000	18.5	12.5	53000	36000	3.18	2.46	9.6	CX38-62D	SLP98UH135XV60D	10085601
XP21-024-230	25200	18	13	22200	14000	2.92	2.34	8.2	C33-31	SLO185B79/105V42	7087742
XP21-024-230	25000	17	12.5	22400	14100	2.9	2.3	8.2	C33-31	SLO185UF79/105V42	7087715
XP21-024-230	25600	18	13	22400	14100	3.04	2.4	8.5	C33-31A	EL180UH045E36A	5741789
XP21-024-230	25600	18	13	22400	14100	3.04	2.4	8.5	C33-31A	ML180UH045E36A	10589556
XP21-024-230	25600	19	13	22200	13900	3.04	2.4	8.5	C33-31A	SL280UH070V36A	5269248
XP21-024-230	25600	19	13	22200	13900	3.04	2.4	8.5	C33-31A	SL280UH070XV36A	5269249
XP21-024-230	25200	18	13	22200	13900	2.98	2.38	8.2	C33-31B	CBWMV-24B-040	5269262
XP21-024-230	25400	18	13	22400	14000	3.04	2.38	8.5	C33-31B	CBWMV-36B-070	5269263
XP21-024-230	25200	18	13	22200	13900	2.98	2.36	8.2	C33-31B	EL296UH045XV36B	5760886
XP21-024-230	25200	18	13	22200	13900	2.98	2.38	8.2	C33-31B	EL296UH070XV36B	5760987
XP21-024-230	25400	18	13	22200	13900	3.02	2.4	8.2	C33-31B	SL280UH090V36B	5269254
XP21-024-230	25400	18	13	22400	14000	3.02	2.38	8.2	C33-31B	SL280UH090V48B	5269255
XP21-024-230	25400	18	13	22400	14000	3.02	2.38	8.2	C33-31B	SL280UH090XV48B	5269265
XP21-024-230	25200	18	13	22200	13900	2.98	2.38	8.2	C33-31B	SLP98UH070XV36B	5269256
XP21-024-230	25600	18	13	22200	13900	3.02	2.4	8.5	C33-38A	SL280UH070V36A	5269276
XP21-024-230	25600	18	13	22200	13900	3.02	2.4	8.5	C33-38A	SL280UH070XV36A	5269278
XP21-024-230	25400	18	13	22200	13900	2.98	2.36	8.2	C33-38B	CBWMV-24B-040	5269290
XP21-024-230	25600	18	13	22400	14000	3.04	2.38	8.5	C33-38B	CBWMV-36B-070	5269291
XP21-024-230	25400	18	13	22200	13900	2.98	2.36	8.2	C33-38B	EL296UH045XV36B	5760885
XP21-024-230	25400	18	13	22200	13900	2.98	2.38	8.2	C33-38B	EL296UH070XV36B	5760985
XP21-024-230	25600	17	13	22200	13900	3.04	2.4	8.2	C33-38B	SL280UH090V36B	5269281
XP21-024-230	25600	17	13	22400	14000	3.02	2.38	8.2	C33-38B	SL280UH090V48B	5269283
XP21-024-230	25600	17	13	22400	14000	3.02	2.38	8.2	C33-38B	SL280UH090XV48B	5269293
XP21-024-230	25200	18	13	22200	14000	2.92	2.34	8.2	C33-38B	SLO185B79/105V42	7087740
XP21-024-230	25200	17	12.5	22400	14100	2.92	2.32	8.2	C33-38B	SLO185UF79/105V42	7087713
XP21-024-230	25200	18	13	22200	13900	2.94	2.36	8.2	C33-48B	CBWMV-24B-040	5269313
XP21-024-230	25400	18	13	22200	14000	2.96	2.38	8.2	C33-48B	CBWMV-36B-070	5269314
XP21-024-230	25200	18	13	22200	13900	2.94	2.36	8.2	C33-48B	EL296UH045XV36B	5760884
XP21-024-230	25200	18	13	22200	13900	2.96	2.38	8.2	C33-48B	EL296UH070XV36B	5760982
XP21-024-230	25400	18	13	22200	13800	3	2.38	8.2	C33-48B	SL280UH090V36B	5269303
XP21-024-230	25400	18	13	22200	14000	2.96	2.36	8.2	C33-48B	SL280UH090V48B	5269305
XP21-024-230	25400	18	13	22200	14000	2.96	2.36	8.2	C33-48B	SL280UH090XV48B	5269316
XP21-024-230	25000	18	13	22200	14000	2.9	2.34	8.2	C33-48B	SLO185B79/105V42	7087741
XP21-024-230	25000	17	12.5	22400	14100	2.86	2.3	8.2	C33-48B	SLO185UF79/105V42	7087712
XP21-024-230	25200	18	13	22200	13900	2.96	2.38	8.2	C33-48B	SLP98UH070XV36B	5269306
XP21-024-230	25600	18	13	22400	14100	3.04	2.4	8.5	C37-31A	EL180UH045E36A	10084751
XP21-024-230	25600	18	13	22400	14100	3.04	2.4	8.5	C37-31A	ML180UH045E36A	10589569
XP21-024-230	25600	19	13	22200	13900	3.04	2.4	8.5	C37-31A	SL280UH070V36A	10084268
XP21-024-230	25600	19	13	22200	13900	3.04	2.4	8.5	C37-31A	SL280UH070XV36A	10084271
XP21-024-230	25200	18	13	22200	13900	2.98	2.38	8.2	C37-31B	CBWMV-24B-040	10084274
XP21-024-230	25400	18	13	22400	14000	3.04	2.38	8.5	C37-31B	CBWMV-36B-070	10084270
XP21-024-230	25200	18	13	22200	13900	2.98	2.36	8.2	C37-31B	EL296UH045XV36B	10084763
XP21-024-230	25200	18	13	22200	13900	2.98	2.38	8.2	C37-31B	EL296UH070XV36B	10084766
XP21-024-230	25400	18	13	22200	13900	3.02	2.4	8.2	C37-31B	SL280UH090V36B	10084267
XP21-024-230	25400	18	13	22400	14000	3.02	2.38	8.2	C37-31B	SL280UH090V48B	10084273
XP21-024-230	25400	18	13	22400	14000	3.02	2.38	8.2	C37-31B	SL280UH090XV48B	10084269
XP21-024-230	25200	18	13	22200	14000	2.92	2.34	8.2	C37-31B	SLO185B79/105V42	10084917
XP21-024-230	25000	17	12.5	22400	14100	2.9	2.3	8.2	C37-31B	SLO185UF79/105V42	10084905
XP21-024-230	25200	18	13	22200	13900	2.98	2.38	8.2	C37-31B	SLP98UH070XV36B	10084260
XP21-024-230	25800	18	13	22400	14000	3.04	2.38	8.5	C37-38A	EL180UH045E36A	10086303
XP21-024-230	25800	18	13	22400	14000	3.04	2.38	8.5	C37-38A	ML180UH045E36A	10590629
XP21-024-230	25600	18	13	22200	13900	3.02	2.4	8.5	C37-38A	SL280UH070V36A	10084257
XP21-024-230	25600	18	13	22200	13900	3.02	2.4	8.5	C37-38A	SL280UH070XV36A	10084248
XP21-024-230	25400	18	13	22200	13900	2.98	2.36	8.2	C37-38B	CBWMV-24B-040	10084245
XP21-024-230	25600	18	13	22400	14000	3.04	2.38	8.5	C37-38B	CBWMV-36B-070	10084256
XP21-024-230	25400	18	13	22200	13900	2.98	2.36	8.2	C37-38B	EL296UH045XV36B	10084756

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-024-230	25400	18	13	22200	13900	2.98	2.38	8.2	C37-38B	EL296UH070XV36B	10084765
XP21-024-230	25600	17	13	22200	13900	3.04	2.4	8.2	C37-38B	SL280UH090V36B	10084261
XP21-024-230	25600	17	13	22400	14000	3.02	2.38	8.2	C37-38B	SL280UH090V48B	10084255
XP21-024-230	25600	17	13	22400	14000	3.02	2.38	8.2	C37-38B	SL280UH090XV48B	10084265
XP21-024-230	25200	18	13	22200	14000	2.92	2.34	8.2	C37-38B	SLO185B79/105V42	10084915
XP21-024-230	25200	17	12.5	22400	14100	2.92	2.32	8.2	C37-38B	SLO185UF79/105V42	10084903
XP21-024-230	25200	18	13	22200	13900	2.94	2.36	8.2	C37-48B	CBWMV-24B-040	10084263
XP21-024-230	25400	18	13	22200	14000	2.96	2.38	8.2	C37-48B	CBWMV-36B-070	10084247
XP21-024-230	25200	18	13	22200	13900	2.94	2.36	8.2	C37-48B	EL296UH045XV36B	10084759
XP21-024-230	25200	18	13	22200	13900	2.96	2.38	8.2	C37-48B	EL296UH070XV36B	10084769
XP21-024-230	25400	18	13	22200	13800	3	2.38	8.2	C37-48B	SL280UH090V36B	10084252
XP21-024-230	25400	18	13	22200	14000	2.96	2.36	8.2	C37-48B	SL280UH090V48B	10084262
XP21-024-230	25400	18	13	22200	14000	2.96	2.36	8.2	C37-48B	SL280UH090XV48B	10084259
XP21-024-230	25000	18	13	22200	14000	2.9	2.34	8.2	C37-48B	SLO185B79/105V42	10084916
XP21-024-230	25000	17	12.5	22400	14100	2.86	2.3	8.2	C37-48B	SLO185UF79/105V42	10084902
XP21-024-230	25200	18	13	22200	13900	2.96	2.38	8.2	C37-48B	SLP98UH070XV36B	10084246
XP21-024-230	24800	17	13	22800	14200	3.36	2.58	9	CBX27UH-024		5269236
XP21-024-230	25000	19	13	22800	14200	3.42	2.6	9	CBX27UH-030		5269237
XP21-024-230	24600	16	12	23200	14600	3.24	2.48	8.5	CBX32M-030		5269234
XP21-024-230	24600	16	12	23200	14700	3.22	2.46	8.5	CBX32M-036		5269235
XP21-024-230	24800	18	13	22800	14300	3.34	2.58	9	CBX32MV-024/030		5269230
XP21-024-230	25600	19.2	13.5	23000	14300	3.5	2.62	9.2	CBX32MV-036		5268652
XP21-024-230	25200	18	13	22800	14200	3.42	2.58	9	CBX40UHV-024		5269231
XP21-024-230	25000	18	13	22800	14200	3.4	2.58	9	CBX40UHV-030		5269232
XP21-024-230	25600	18	13	23000	14300	3.48	2.62	9	CBX40UHV-036		5269233
XP21-024-230	25400	18	13	22400	14000	2.98	2.34	8.5	CH33-31A	EL180UH045E36A	5741785
XP21-024-230	25400	18	13	22400	14000	2.98	2.34	8.5	CH33-31A	ML180UH045E36A	10589552
XP21-024-230	25400	18	13	22400	14000	3	2.36	8.5	CH33-31A	SL280UH070V36A	5268786
XP21-024-230	25400	18	13	22400	14000	3	2.36	8.5	CH33-31A	SL280UH070XV36A	5268827
XP21-024-230	25400	18	13	22200	13900	3	2.38	8.2	CH33-31B	EL296UH045XV36B	5760874
XP21-024-230	25400	18	13	22200	13900	3	2.38	8.2	CH33-31B	EL296UH070XV36B	5760979
XP21-024-230	25600	17	13	22200	13900	3.04	2.4	8.2	CH33-31B	SL280UH090V36B	5268788
XP21-024-230	25600	17	13	22400	14000	3.02	2.38	8.2	CH33-31B	SL280UH090V48B	5268790
XP21-024-230	25600	17	13	22400	14000	3.02	2.38	8.2	CH33-31B	SL280UH090XV48B	5268794
XP21-024-230	25200	18	13	22200	13900	2.98	2.38	8.2	CH33-42B	EL296UH045XV36B	5760875
XP21-024-230	26000	19	13	22600	14200	3.12	2.42	8.5	CH33-42B	EL296UH070XV36B	5760972
XP21-024-230	25400	18	13	22200	13900	3.04	2.4	8.2	CH33-42B	SL280UH090V36B	5268793
XP21-024-230	25400	18	13	22400	14000	3.02	2.38	8.2	CH33-42B	SL280UH090V48B	5268795
XP21-024-230	25400	18	13	22400	14000	3.02	2.38	8.2	CH33-42B	SL280UH090XV48B	5268831
XP21-024-230	25200	18	13	22200	13900	3	2.38	8.2	CH33-42B	SLP98UH070XV36B	5268796
XP21-024-230	25600	18	13	22000	13800	3.32	2.5	8.5	CH35-42B	EL296UH045XV36B	9114968
XP21-024-230	25400	18	13	22200	13900	3.28	2.46	8.5	CH35-42B	EL296UH070XV36B	9114969
XP21-024-230	25800	18.5	14	22000	13700	3.38	2.54	9.4	CH35-42B	SL280UH080NV48B	10581379
XP21-024-230	25800	18	13	22000	13800	3.36	2.54	8.5	CH35-42B	SL280UH090V36B	9114970
XP21-024-230	25800	18	13	22200	13900	3.34	2.52	8.5	CH35-42B	SL280UH090V48B	9114971
XP21-024-230	25800	18	13	22200	13900	3.34	2.52	8.5	CH35-42B	SL280UH090XV48B	9114972
XP21-024-230	25400	18	13	22200	13900	3.28	2.46	8.5	CH35-42B	SLP98UH070XV36B	9114973
XP21-024-230	25000	15.5	12.2	22600	14400	3.08	2.38	8.5	CH35-42B		9114967
XP21-024-230	25200	18	13	22400	13200	2.86	2.36	8.5	CH35-42C	EL296UH090XV36C	9114974
XP21-024-230	25800	18	13	22600	13400	2.96	2.4	8.5	CH35-42C	EL296UH090XV48C	9114975
XP21-024-230	25200	18	13	22400	13200	2.86	2.36	8.5	CH35-42C	SLP98UH090XV36C	9114976
XP21-024-230	25800	18	13	22600	13400	2.96	2.4	8.5	CH35-42C	SLP98UH090XV48C	9114977
XP21-024-230	24200	15.7	11.5	23000	14700	3.18	2.44	8.5	CR33-48		5269246
XP21-024-230	24600	18	12.5	22600	14100	3.38	2.6	9	CR33-48B	EL296DF045XV36B	7505739
XP21-024-230	25000	17	12.5	22800	14300	3.4	2.58	9	CR33-48B	EL296DF070XV48B	7487526
XP21-024-230	25200	17	12.7	22800	14200	3.48	2.62	9.2	CR33-48B	SL280DF090V48B	5268799
XP21-024-230	25000	18	12.5	22600	14100	3.42	2.62	9	CR33-48B	SLP98DF070XV36B	5268800
XP21-024-230	25400	18	13	22600	14100	3.48	2.62	9	CR33-50/60	SLP98DF090XV36C	5268803
XP21-024-230	25800	18	13	22800	14200	3.54	2.64	9	CR33-50/60	SLP98DF090XV48C	5268804
XP21-024-230	24800	16	11.7	23000	14700	3.2	2.44	8.5	CR33-50/60		5269247
XP21-024-230	25600	18	13	22400	14100	3.04	2.4	8.5	CX34-31A	EL180UH045E36A	5741790



AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-024-230	25600	18	13	22400	14100	3.04	2.4	8.5	CX34-31A	ML180UH045E36A	10589557
XP21-024-230	25600	19	13	22200	13900	3.04	2.4	8.5	CX34-31A	SL280UH070V36A	5269251
XP21-024-230	25600	19	13	22200	13900	3.04	2.4	8.5	CX34-31A	SL280UH070XV36A	5269252
XP21-024-230	25200	18	13	22200	13900	2.98	2.38	8.2	CX34-31B	CBWMV-24B-040	5269274
XP21-024-230	25400	18	13	22400	14000	3.04	2.38	8.5	CX34-31B	CBWMV-36B-070	5269275
XP21-024-230	25200	18	13	22200	13900	2.98	2.36	8.2	CX34-31B	EL296UH045XV36B	5760887
XP21-024-230	25200	18	13	22200	13900	2.98	2.38	8.2	CX34-31B	EL296UH070XV36B	5760986
XP21-024-230	25400	18	13	22200	13900	3.02	2.4	8.2	CX34-31B	SL280UH090V36B	5269264
XP21-024-230	25400	18	13	22400	14000	3.02	2.38	8.2	CX34-31B	SL280UH090V48B	5269266
XP21-024-230	25400	18	13	22400	14000	3.02	2.38	8.2	CX34-31B	SL280UH090XV48B	5269282
XP21-024-230	25200	18	13	22200	14000	2.92	2.34	8.2	CX34-31B	SLO185B79/105V42	7087739
XP21-024-230	25000	17	12.5	22400	14100	2.9	2.3	8.2	CX34-31B	SLO185UF79/105V42	7087714
XP21-024-230	25200	18	13	22200	13900	2.98	2.38	8.2	CX34-31B	SLP98UH070XV36B	5269267
XP21-024-230	25800	18	13	22400	14000	3.04	2.38	8.5	CX34-38A	EL180UH045E36A	5741788
XP21-024-230	25800	18	13	22400	14000	3.04	2.38	8.5	CX34-38A	ML180UH045E36A	10589555
XP21-024-230	25600	18	13	22200	13900	3.02	2.4	8.5	CX34-38A	SL280UH070V36A	5269279
XP21-024-230	25600	18	13	22200	13900	3.02	2.4	8.5	CX34-38A	SL280UH070XV36A	5269327
XP21-024-230	25400	18	13	22200	13900	2.98	2.36	8.2	CX34-38B	CBWMV-24B-040	5269301
XP21-024-230	25600	18	13	22400	14000	3.04	2.38	8.5	CX34-38B	CBWMV-36B-070	5269302
XP21-024-230	25400	18	13	22200	13900	2.98	2.36	8.2	CX34-38B	EL296UH045XV36B	5760882
XP21-024-230	25400	18	13	22200	13900	2.98	2.38	8.2	CX34-38B	EL296UH070XV36B	5760983
XP21-024-230	25600	17	13	22200	13900	3.04	2.4	8.2	CX34-38B	SL280UH090V36B	5269292
XP21-024-230	25600	17	13	22400	14000	3.02	2.38	8.2	CX34-38B	SL280UH090V48B	5269294
XP21-024-230	25600	17	13	22400	14000	3.02	2.38	8.2	CX34-38B	SL280UH090XV48B	5269304
XP21-024-230	25200	18	13	22200	14000	2.92	2.34	8.2	CX34-38B	SLO185B79/105V42	7087738
XP21-024-230	25200	17	12.5	22400	14100	2.9	2.3	8.2	CX34-38B	SLO185UF79/105V42	7087710
XP21-024-230	24600	16	13	22600	15900	2.98	2.44	8.5	CX35-48B	EL195UH045XE36B	9114979
XP21-024-230	25200	16	13	22000	15200	2.98	2.44	8.5	CX35-48B	EL296UH045XE36B	9114980
XP21-024-230	25200	17	13	22000	15200	3	2.46	8.5	CX35-48B	EL296UH045XV36B	9114981
XP21-024-230	25400	17	13	22000	15200	2.98	2.44	8.5	CX35-48B	EL296UH070XV36B	9114982
XP21-024-230	25600	17.5	13.5	22000	15100	3.06	2.5	9	CX35-48B	SL280UH080NV48B	10581380
XP21-024-230	25400	17	13	22200	15400	3.06	2.5	8.5	CX35-48B	SL280UH090V36B	9114983
XP21-024-230	25600	17	13	22000	15200	3.06	2.48	8.5	CX35-48B	SL280UH090V48B	9114984
XP21-024-230	25600	17	13	22200	15300	3.06	2.48	8.5	CX35-48B	SL280UH090XV48B	9114985
XP21-024-230	25600	17	13	22200	15300	2.98	2.44	8.5	CX35-48B	SLP98UH070XV36B	9114986
XP21-024-230	24600	14.5	12	22600	15900	2.86	2.36	8.2	CX35-48B		9114978
XP21-024-230	25400	18	13	22200	15400	3.14	2.22	8.2	CX35-49C	EL296UH090XV36C	9114987
XP21-024-230	25600	18	13	22200	13200	3.24	2.28	8.5	CX35-49C	EL296UH090XV48C	9114988
XP21-024-230	26200	18	13	22400	13500	3.24	2.26	8.5	CX35-49C	EL296UH110XV48C	9114989
XP21-024-230	26000	18	13	22400	13400	3.14	2.22	8.2	CX35-49C	SLP98UH090XV36C	9114990
XP21-024-230	25600	18	13	22200	13200	3.24	2.28	8.5	CX35-49C	SLP98UH090XV48C	9114991
XP21-024-230	25600	18	13	22400	14100	3.04	2.4	8.5	CX38-31A	EL180UH045E36A	10084749
XP21-024-230	25600	18	13	22400	14100	3.04	2.4	8.5	CX38-31A	ML180UH045E36A	10589567
XP21-024-230	25600	19	13	22200	13900	3.04	2.4	8.5	CX38-31A	SL280UH070V36A	10084278
XP21-024-230	25600	19	13	22200	13900	3.04	2.4	8.5	CX38-31A	SL280UH070XV36A	10084276
XP21-024-230	25200	18	13	22200	13900	2.98	2.38	8.2	CX38-31B	CBWMV-24B-040	10084243
XP21-024-230	25400	18	13	22400	14000	3.04	2.38	8.5	CX38-31B	CBWMV-36B-070	10084254
XP21-024-230	25200	18	13	22200	13900	2.98	2.36	8.2	CX38-31B	EL296UH045XV36B	10084761
XP21-024-230	25200	18	13	22200	13900	2.98	2.38	8.2	CX38-31B	EL296UH070XV36B	10084768
XP21-024-230	25400	18	13	22200	13900	3.02	2.4	8.2	CX38-31B	SL280UH090V36B	10084275
XP21-024-230	25400	18	13	22400	14000	3.02	2.38	8.2	CX38-31B	SL280UH090V48B	10084272
XP21-024-230	25400	18	13	22400	14000	3.02	2.38	8.2	CX38-31B	SL280UH090XV48B	10084244
XP21-024-230	25200	18	13	22200	14000	2.92	2.34	8.2	CX38-31B	SLO185B79/105V42	10084914
XP21-024-230	25000	17	12.5	22400	14100	2.9	2.3	8.2	CX38-31B	SLO185UF79/105V42	10084904
XP21-024-230	25200	18	13	22200	13900	2.98	2.38	8.2	CX38-31B	SLP98UH070XV36B	10084277
XP21-024-230	25800	18	13	22400	14000	3.04	2.38	8.5	CX38-38A	EL180UH045E36A	10084753
XP21-024-230	25800	18	13	22400	14000	3.04	2.38	8.5	CX38-38A	ML180UH045E36A	10589570
XP21-024-230	25600	18	13	22200	13900	3.02	2.4	8.5	CX38-38A	SL280UH070V36A	10084251
XP21-024-230	25600	18	13	22200	13900	3.02	2.4	8.5	CX38-38A	SL280UH070XV36A	10084253
XP21-024-230	25400	18	13	22200	13900	2.98	2.36	8.2	CX38-38B	CBWMV-24B-040	10084266
XP21-024-230	25600	18	13	22400	14000	3.04	2.38	8.5	CX38-38B	CBWMV-36B-070	10084250

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-024-230	25400	18	13	22200	13900	2.98	2.36	8.2	CX38-38B	EL296UH045XV36B	10084757
XP21-024-230	25400	18	13	22200	13900	2.98	2.38	8.2	CX38-38B	EL296UH070XV36B	10084772
XP21-024-230	25600	17	13	22200	13900	3.04	2.4	8.2	CX38-38B	SL280UH090V36B	10084258
XP21-024-230	25600	17	13	22400	14000	3.02	2.38	8.2	CX38-38B	SL280UH090V48B	10084249
XP21-024-230	25600	17	13	22400	14000	3.02	2.38	8.2	CX38-38B	SL280UH090XV48B	10084264
XP21-024-230	25200	18	13	22200	14000	2.92	2.34	8.2	CX38-38B	SLO185B79/105V42	10084913
XP21-024-230	25200	17	12.5	22400	14100	2.9	2.3	8.2	CX38-38B	SLO185UF79/105V42	10084901
XP21-036-230	35400	15.5	11.7	33000	21200	3.22	2.38	8.5	C33-38		5268811
XP21-036-230	36000	17	12.5	32600	20800	3.34	2.48	8.5	C33-38A	EL180UH045E36A	5741786
XP21-036-230	36000	17	12.5	32600	20800	3.34	2.48	8.5	C33-38A	ML180UH045E36A	10589553
XP21-036-230	35800	17	12.5	32600	20800	3.32	2.48	8.5	C33-38A	SL280UH070V36A	5268828
XP21-036-230	35800	17	12.5	32600	20800	3.32	2.48	8.5	C33-38A	SL280UH070XV36A	5268844
XP21-036-230	35800	17	13	32200	20400	3.4	2.52	9	C33-38B	EL180UH070E36B	5742096
XP21-036-230	36200	18	13	32400	20600	3.42	2.54	9	C33-38B	EL180UH090E48B	5742411
XP21-036-230	35600	17	12	32800	21000	3.26	2.42	8.5	C33-38B	EL195UH045XE36B	5269189
XP21-036-230	35600	17	12.5	32400	20600	3.34	2.48	9	C33-38B	EL195UH070XE36B	5269190
XP21-036-230	35600	17	12	32800	21000	3.26	2.42	8.5	C33-38B	EL296UH045XE36B	5650489
XP21-036-230	35800	17	12.5	32600	20800	3.34	2.48	8.5	C33-38B	EL296UH045XV36B	5760878
XP21-036-230	35600	17	12.5	32400	20600	3.34	2.48	9	C33-38B	EL296UH070XE36B	5650491
XP21-036-230	35800	17	12.5	32600	20800	3.34	2.48	8.5	C33-38B	EL296UH070XV36B	5760975
XP21-036-230	35800	17	13	32200	20400	3.4	2.52	9	C33-38B	ML180UH070E36B	10589608
XP21-036-230	36200	18	13	32400	20600	3.42	2.54	9	C33-38B	ML180UH090E48B	10589729
XP21-036-230	36000	17	13	32400	20600	3.42	2.54	9	C33-38B	SL280UH090V36B	5268830
XP21-036-230	36000	17	12.5	32400	20600	3.42	2.54	9	C33-38B	SL280UH090V48B	5268832
XP21-036-230	36000	17	12.5	32400	20600	3.42	2.54	9	C33-38B	SL280UH090XV48B	5268848
XP21-036-230	35600	17	12	32800	21000	3.28	2.44	8.5	C33-38B	SLO185B79/105V42	7087735
XP21-036-230	35600	17	12	32800	21000	3.26	2.42	8.5	C33-38B	SLO185UF79/105V42	7087699
XP21-036-230	35800	17	12.5	32600	20800	3.34	2.48	8.5	C33-38B	SLP98UH070XV36B	5268833
XP21-036-230	35800	17	12.5	32400	20800	3.34	2.5	8.5	C33-43	CBWMV-36B-070	5268843
XP21-036-230	35600	15.5	11.7	33000	21200	3.2	2.38	8.5	C33-43		5268813
XP21-036-230	35800	17	12.5	32400	20600	3.32	2.48	8.5	C33-43B	CBWMV-36B-070	5268876
XP21-036-230	35800	17	13	32000	20400	3.36	2.52	9	C33-43B	EL180UH070E36B	5742097
XP21-036-230	36200	18	13	32400	20600	3.4	2.54	9	C33-43B	EL180UH090E48B	5742412
XP21-036-230	35600	17	12	32800	21000	3.26	2.42	8.5	C33-43B	EL195UH045XE36B	5269193
XP21-036-230	35800	17	12.5	32400	20600	3.32	2.46	8.5	C33-43B	EL195UH070XE36B	5269194
XP21-036-230	35600	17	12	32800	21000	3.26	2.42	8.5	C33-43B	EL296UH045XE36B	5650495
XP21-036-230	36000	17	12.5	32600	20800	3.32	2.48	8.5	C33-43B	EL296UH045XV36B	5760879
XP21-036-230	35800	17	12.5	32400	20600	3.32	2.46	8.5	C33-43B	EL296UH070XE36B	5650490
XP21-036-230	35800	17	12.5	32600	20800	3.32	2.48	8.5	C33-43B	EL296UH070XV36B	5760976
XP21-036-230	35800	17	13	32000	20400	3.36	2.52	9	C33-43B	ML180UH070E36B	10589609
XP21-036-230	36200	18	13	32400	20600	3.4	2.54	9	C33-43B	ML180UH090E48B	10589730
XP21-036-230	36200	17	13	32200	20600	3.38	2.54	8.5	C33-43B	SL280UH090V36B	5268862
XP21-036-230	36000	17	12.5	32400	20600	3.4	2.54	9	C33-43B	SL280UH090V48B	5268864
XP21-036-230	36000	17	12.5	32400	20600	3.4	2.54	9	C33-43B	SL280UH090XV48B	5268878
XP21-036-230	35800	17	12	32600	21000	3.26	2.44	8.5	C33-43B	SLO185B79/105V42	7087724
XP21-036-230	35800	17	12	32800	21000	3.26	2.42	8.5	C33-43B	SLO185UF79/105V42	7087704
XP21-036-230	35800	17	12.5	32600	20800	3.32	2.48	8.5	C33-43B	SLP98UH070XV36B	5268865
XP21-036-230	35800	17	12.5	32200	20600	3.34	2.5	8.5	C33-43C	CBWMV-36C-090	5268909
XP21-036-230	36200	17	13	32400	20600	3.38	2.52	9	C33-43C	EL195UH090XE48C	5269197
XP21-036-230	36200	17	13	32400	20600	3.38	2.52	9	C33-43C	EL296UH090XE48C	5650492
XP21-036-230	36200	17	12.5	32400	20600	3.38	2.52	9	C33-43C	EL296UH090XV36C	5761059
XP21-036-230	35800	17	12.5	32200	20400	3.36	2.5	8.5	C33-43C	EL296UH090XV48C	5761149
XP21-036-230	36600	17	12.5	32600	20800	3.42	2.54	9	C33-43C	EL296UH090XV60C	5761238
XP21-036-230	36200	18	13	32200	20600	3.38	2.54	9	C33-43C	EL296UH110XV48C	5685241
XP21-036-230	36200	18	13	32200	20600	3.38	2.54	9	C33-43C	EL296UH110XV48C	5761279
XP21-036-230	36400	18	13	32600	20600	3.44	2.54	9	C33-43C	EL296UH110XV60C	5761362
XP21-036-230	36400	17	12.5	32600	20600	3.46	2.54	9	C33-43C	SL280UH090V60C	5268892
XP21-036-230	36400	17	12.5	32600	20600	3.46	2.54	9	C33-43C	SL280UH090XV60C	5268910
XP21-036-230	36400	17	12.5	32600	20800	3.42	2.54	8.5	C33-43C	SL280UH110V60C	5268893
XP21-036-230	36400	17	12.5	32600	20800	3.42	2.54	8.5	C33-43C	SL280UH110XV60C	5268912
XP21-036-230	35800	17	12	32600	21000	3.26	2.44	8.5	C33-43C	SLO185B79/105V42	7087753

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-036-230	35800	17	12	32800	21000	3.26	2.42	8.5	C33-43C	SLO185UF79/105V42	7087698
XP21-036-230	36200	17	12.5	32400	20600	3.38	2.52	9	C33-43C	SLP98UH090XV36C	5268894
XP21-036-230	35800	17	12.5	32200	20400	3.36	2.5	8.5	C33-43C	SLP98UH090XV48C	5268895
XP21-036-230	36600	17	12.5	32600	20800	3.42	2.54	9	C33-43C	SLP98UH090XV60C	5268896
XP21-036-230	36400	18	13	32600	20600	3.44	2.54	9	C33-43C	SLP98UH110XV60C	5268897
XP21-036-230	35000	15.2	11.7	32600	21000	3.1	2.34	8.2	C33-48		5268815
XP21-036-230	35400	17	12.5	32200	20600	3.24	2.44	8.5	C33-48B	CBWMV-36B-070	5268944
XP21-036-230	35400	17	12.5	31800	20200	3.26	2.46	8.5	C33-48B	EL180UH070E36B	5742100
XP21-036-230	35800	17	12.5	32200	20400	3.32	2.48	8.5	C33-48B	EL180UH090E48B	5742417
XP21-036-230	35400	17	12	32600	21000	3.18	2.4	8.5	C33-48B	EL195UH045XE36B	5269199
XP21-036-230	35400	17	12.5	32200	20600	3.22	2.44	8.5	C33-48B	EL195UH070XE36B	5269200
XP21-036-230	35400	17	12	32600	21000	3.18	2.4	8.5	C33-48B	EL296UH045XE36B	5650502
XP21-036-230	35400	17	12	32200	20600	3.22	2.42	8.5	C33-48B	EL296UH045XV36B	5760880
XP21-036-230	35400	17	12.5	32200	20600	3.22	2.44	8.5	C33-48B	EL296UH070XE36B	5650512
XP21-036-230	35600	17	12.5	32400	20600	3.24	2.42	8.5	C33-48B	EL296UH070XV36B	5760978
XP21-036-230	35400	17	12.5	31800	20200	3.26	2.46	8.5	C33-48B	ML180UH070E36B	10589611
XP21-036-230	35800	17	12.5	32200	20400	3.32	2.48	8.5	C33-48B	ML180UH090E48B	10589733
XP21-036-230	35600	17	12.5	32000	20400	3.28	2.48	8.5	C33-48B	SL280UH090V36B	5268930
XP21-036-230	35800	17	12.5	32000	20400	3.28	2.48	8.5	C33-48B	SL280UH090V48B	5268932
XP21-036-230	35800	17	12.5	32000	20400	3.28	2.48	8.5	C33-48B	SL280UH090XV48B	5268946
XP21-036-230	35400	16	12	32400	20800	3.18	2.4	8.5	C33-48B	SLO185B79/105V42	7087730
XP21-036-230	35200	16	12	32400	20800	3.16	2.38	8.5	C33-48B	SLO185UF79/105V42	7087706
XP21-036-230	35600	17	12.5	32400	20600	3.24	2.42	8.5	C33-48B	SLP98UH070XV36B	5268933
XP21-036-230	35400	17	12.5	32000	20400	3.26	2.44	8.5	C33-48C	CBWMV-36C-090	5268979
XP21-036-230	36200	17	13	32400	20600	3.38	2.52	9	C33-48C	EL195UH090XE48C	5269203
XP21-036-230	36200	17	13	32400	20600	3.38	2.52	9	C33-48C	EL296UH090XE48C	5650516
XP21-036-230	35600	17	12.5	32200	20400	3.3	2.46	8.5	C33-48C	EL296UH090XV36C	5761061
XP21-036-230	35400	17	12.5	32000	20400	3.28	2.48	8.5	C33-48C	EL296UH090XV48C	5761155
XP21-036-230	36200	17	12.5	32400	20800	3.34	2.5	8.5	C33-48C	EL296UH090XV60C	5761239
XP21-036-230	35600	17	12.5	32000	20400	3.3	2.48	8.5	C33-48C	EL296UH110XV48C	5685245
XP21-036-230	35600	17	12.5	32000	20400	3.3	2.48	8.5	C33-48C	EL296UH110XV48C	5761283
XP21-036-230	36000	17	12.5	32200	20600	3.32	2.5	8.5	C33-48C	EL296UH110XV60C	5761359
XP21-036-230	36200	17	12.5	32200	20600	3.36	2.5	8.5	C33-48C	SL280UH090V60C	5268961
XP21-036-230	36200	17	12.5	32200	20600	3.36	2.5	8.5	C33-48C	SL280UH090XV60C	5268980
XP21-036-230	36000	17	12.5	32400	20600	3.32	2.48	8.5	C33-48C	SL280UH110V60C	5268963
XP21-036-230	36000	17	12.5	32400	20600	3.32	2.48	8.5	C33-48C	SL280UH110XV60C	5268982
XP21-036-230	35400	16	12	32400	20800	3.18	2.4	8.5	C33-48C	SLO185B79/105V42	7087725
XP21-036-230	35200	16	12	32400	20800	3.16	2.38	8.5	C33-48C	SLO185UF79/105V42	7087700
XP21-036-230	35600	17	12.5	32200	20400	3.3	2.46	8.5	C33-48C	SLP98UH090XV36C	5268964
XP21-036-230	35400	17	12.5	32000	20400	3.28	2.48	8.5	C33-48C	SLP98UH090XV48C	5268965
XP21-036-230	36200	17	12.5	32400	20800	3.34	2.5	8.5	C33-48C	SLP98UH090XV60C	5268966
XP21-036-230	36000	17	12.5	32200	20600	3.32	2.5	8.5	C33-48C	SLP98UH110XV60C	5268967
XP21-036-230	35600	15.5	11.7	33000	21200	3.22	2.4	8.5	C33-49		5268817
XP21-036-230	36000	17	12.5	32400	20600	3.38	2.52	9	C33-49C	CBWMV-36C-090	5269019
XP21-036-230	36200	17	12.5	32400	20600	3.4	2.52	9	C33-49C	EL195UH090XE48C	5269205
XP21-036-230	36200	17	12.5	32400	20600	3.4	2.52	9	C33-49C	EL296UH090XE48C	5650493
XP21-036-230	36200	17	12.5	32400	20600	3.4	2.52	9	C33-49C	EL296UH090XV36C	5761062
XP21-036-230	36000	17	13	32200	20400	3.38	2.52	9	C33-49C	EL296UH090XV48C	5761156
XP21-036-230	36800	17	13	32400	20800	3.46	2.54	9	C33-49C	EL296UH090XV60C	5761241
XP21-036-230	36400	17	13	32400	20600	3.42	2.54	9	C33-49C	EL296UH110XV48C	5685247
XP21-036-230	36400	17	13	32400	20600	3.42	2.54	9	C33-49C	EL296UH110XV48C	5761285
XP21-036-230	36600	17	13	32600	20600	3.46	2.56	9	C33-49C	EL296UH110XV60C	5761360
XP21-036-230	36800	17	13	32600	20600	3.48	2.56	9	C33-49C	SL280UH090V60C	5269001
XP21-036-230	36800	17	13	32600	20600	3.48	2.56	9	C33-49C	SL280UH090XV60C	5269020
XP21-036-230	36600	17	12.5	32600	20800	3.44	2.56	8.5	C33-49C	SL280UH110V60C	5269003
XP21-036-230	36600	17	12.5	32600	20800	3.44	2.56	8.5	C33-49C	SL280UH110XV60C	5269022
XP21-036-230	35800	17	12	32800	21000	3.3	2.44	8.5	C33-49C	SLO185B79/105V42	7087732
XP21-036-230	35800	17	12	32800	21000	3.26	2.42	8.5	C33-49C	SLO185UF79/105V42	7087701
XP21-036-230	36200	17	12.5	32400	20600	3.4	2.52	9	C33-49C	SLP98UH090XV36C	5269004
XP21-036-230	36000	17	13	32200	20400	3.38	2.52	9	C33-49C	SLP98UH090XV48C	5269005
XP21-036-230	36800	17	13	32800	20800	3.46	2.54	9	C33-49C	SLP98UH090XV60C	5269006

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-036-230	36600	17	13	32600	20600	3.46	2.56	9	C33-49C	SLP98UH110XV60C	5269007
XP21-036-230	35800	17	12.5	32200	20600	3.32	2.5	8.5	C33-50/60C	CBWMV-36C-090	5269057
XP21-036-230	36000	17	12.5	32200	20600	3.34	2.5	9	C33-50/60C	EL195UH090XE48C	5269207
XP21-036-230	36000	17	12.5	32200	20600	3.34	2.5	9	C33-50/60C	EL296UH090XE48C	5650503
XP21-036-230	36000	17	12.5	32400	20600	3.38	2.52	8.5	C33-50/60C	EL296UH090XV36C	5761066
XP21-036-230	35800	17	12.5	32200	20400	3.34	2.5	8.5	C33-50/60C	EL296UH090XV48C	5761154
XP21-036-230	36400	17	12.5	32600	20800	3.4	2.52	8.5	C33-50/60C	EL296UH090XV60C	5761242
XP21-036-230	36000	17	13	32200	20600	3.38	2.54	9	C33-50/60C	EL296UH110XV48C	5685251
XP21-036-230	36000	17	13	32200	20600	3.38	2.54	9	C33-50/60C	EL296UH110XV48C	5761289
XP21-036-230	36400	17	13	32400	20600	3.42	2.52	9	C33-50/60C	EL296UH110XV60C	5761363
XP21-036-230	36400	17	12.5	32600	20600	3.44	2.54	8.5	C33-50/60C	SL280UH090V60C	5269039
XP21-036-230	36400	18	12.5	32600	20600	3.44	2.54	8.5	C33-50/60C	SL280UH090XV60C	5269058
XP21-036-230	36400	17.7	12.5	32600	20600	3.42	2.52	8.5	C33-50/60C	SL280UH110V60C	5269041
XP21-036-230	36400	17	12.5	32600	20600	3.42	2.52	8.5	C33-50/60C	SL280UH110XV60C	5269060
XP21-036-230	35600	17	12	32600	21000	3.26	2.44	8.5	C33-50/60C	SLO185B79/105V42	7087737
XP21-036-230	35600	17	12	32600	21000	3.22	2.42	8.5	C33-50/60C	SLO185UF79/105V42	7087702
XP21-036-230	36000	17	12.5	32400	20600	3.38	2.52	8.5	C33-50/60C	SLP98UH090XV36C	5269042
XP21-036-230	35800	17	12.5	32200	20400	3.34	2.5	8.5	C33-50/60C	SLP98UH090XV48C	5269043
XP21-036-230	36400	17	12.5	32600	20800	3.4	2.52	8.5	C33-50/60C	SLP98UH090XV60C	5269044
XP21-036-230	36400	17	13	32400	20600	3.42	2.52	9	C33-50/60C	SLP98UH110XV60C	5269045
XP21-036-230	35400	15.5	11.7	32800	21200	3.18	2.38	8.2	C33-50/60C		5268819
XP21-036-230	36000	17	12.5	32600	20800	3.34	2.48	8.5	C37-38A	EL180UH045E36A	10084746
XP21-036-230	36000	17	12.5	32600	20800	3.34	2.48	8.5	C37-38A	ML180UH045E36A	10589564
XP21-036-230	35800	17	12.5	32600	20800	3.32	2.48	8.5	C37-38A	SL280UH070V36A	10084169
XP21-036-230	35800	17	12.5	32600	20800	3.32	2.48	8.5	C37-38A	SL280UH070XV36A	10084170
XP21-036-230	35400	15.5	11.7	33000	21200	3.22	2.38	8.5	C37-38A		10084077
XP21-036-230	35800	17	13	32200	20400	3.4	2.52	9	C37-38B	EL180UH070E36B	10084740
XP21-036-230	36200	18	13	32400	20600	3.42	2.54	9	C37-38B	EL180UH090E48B	10084733
XP21-036-230	35600	17	12	32800	21000	3.26	2.42	8.5	C37-38B	EL195UH045XE36B	10084168
XP21-036-230	35600	17	12.5	32400	20600	3.34	2.48	9	C37-38B	EL195UH070XE36B	10084177
XP21-036-230	35600	17	12	32800	21000	3.26	2.42	8.5	C37-38B	EL296UH045XE36B	10084648
XP21-036-230	35800	17	12.5	32600	20800	3.34	2.48	8.5	C37-38B	EL296UH045XV36B	10084762
XP21-036-230	35600	17	12.5	32400	20600	3.34	2.48	9	C37-38B	EL296UH070XE36B	10084632
XP21-036-230	35800	17	12.5	32600	20800	3.34	2.48	8.5	C37-38B	EL296UH070XV36B	10084771
XP21-036-230	35800	17	13	32200	20400	3.4	2.52	9	C37-38B	ML180UH070E36B	10589639
XP21-036-230	36200	18	13	32400	20600	3.42	2.54	9	C37-38B	ML180UH090E48B	10589763
XP21-036-230	36000	17	13	32400	20600	3.42	2.54	9	C37-38B	SL280UH090V36B	10084185
XP21-036-230	36000	17	12.5	32400	20600	3.42	2.54	9	C37-38B	SL280UH090V48B	10084165
XP21-036-230	36000	17	12.5	32400	20600	3.42	2.54	9	C37-38B	SL280UH090XV48B	10084166
XP21-036-230	35600	17	12	32800	21000	3.28	2.44	8.5	C37-38B	SLO185B79/105V42	10084911
XP21-036-230	35600	17	12	32800	21000	3.26	2.42	8.5	C37-38B	SLO185UF79/105V42	10084894
XP21-036-230	35800	17	12.5	32600	20800	3.34	2.48	8.5	C37-38B	SLP98UH070XV36B	10084209
XP21-036-230	35400	15.5	11.7	33000	21200	3.22	2.38	8.5	C37-38B		10084078
XP21-036-230	35800	17	12.5	32400	20800	3.34	2.5	8.5	C37-43B	CBWMV-36B-070	10084162
XP21-036-230	35800	17	13	32000	20400	3.36	2.52	9	C37-43B	EL180UH070E36B	10084745
XP21-036-230	36200	18	13	32400	20600	3.4	2.54	9	C37-43B	EL180UH090E48B	10084736
XP21-036-230	35600	17	12	32800	21000	3.26	2.42	8.5	C37-43B	EL195UH045XE36B	10084182
XP21-036-230	35800	17	12.5	32400	20600	3.32	2.46	8.5	C37-43B	EL195UH070XE36B	10084175
XP21-036-230	35600	17	12	32800	21000	3.26	2.42	8.5	C37-43B	EL296UH045XE36B	10084652
XP21-036-230	36000	17	12.5	32600	20800	3.32	2.48	8.5	C37-43B	EL296UH045XV36B	10084760
XP21-036-230	35800	17	12.5	32400	20600	3.32	2.46	8.5	C37-43B	EL296UH070XE36B	10084639
XP21-036-230	35800	17	12.5	32600	20800	3.32	2.48	8.5	C37-43B	EL296UH070XV36B	10084770
XP21-036-230	35800	17	13	32000	20400	3.36	2.52	9	C37-43B	ML180UH070E36B	10589644
XP21-036-230	36200	18	13	32400	20600	3.4	2.54	9	C37-43B	ML180UH090E48B	10589766
XP21-036-230	36200	17	13	32200	20600	3.38	2.54	8.5	C37-43B	SL280UH090V36B	10084186
XP21-036-230	36000	17	12.5	32400	20600	3.4	2.54	9	C37-43B	SL280UH090V48B	10084167
XP21-036-230	36000	17	12.5	32400	20600	3.4	2.54	9	C37-43B	SL280UH090XV48B	10084212
XP21-036-230	35800	17	12	32600	21000	3.26	2.44	8.5	C37-43B	SLO185B79/105V42	10084906
XP21-036-230	35800	17	12	32800	21000	3.26	2.42	8.5	C37-43B	SLO185UF79/105V42	10084898
XP21-036-230	35800	17	12.5	32600	20800	3.32	2.48	8.5	C37-43B	SLP98UH070XV36B	10084211
XP21-036-230	35600	15.5	11.7	33000	21200	3.2	2.38	8.5	C37-43B		10084082

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-036-230	35800	17	12.5	32200	20600	3.34	2.5	8.5	C37-43C	CBWMV-36C-090	10084174
XP21-036-230	36200	17	13	32400	20600	3.38	2.52	9	C37-43C	EL195UH090XE48C	10084180
XP21-036-230	36200	17	13	32400	20600	3.38	2.52	9	C37-43C	EL296UH090XE48C	10084633
XP21-036-230	36200	17	12.5	32400	20600	3.38	2.52	9	C37-43C	EL296UH090XV36C	10084773
XP21-036-230	35800	17	12.5	32200	20400	3.36	2.5	8.5	C37-43C	EL296UH090XV48C	10084778
XP21-036-230	36600	17	12.5	32600	20800	3.42	2.54	9	C37-43C	EL296UH090XV60C	10084790
XP21-036-230	36200	18	13	32200	20600	3.38	2.54	9	C37-43C	EL296UH110XV48C	10084674
XP21-036-230	36400	18	13	32600	20600	3.44	2.54	9	C37-43C	EL296UH110XV60C	10084797
XP21-036-230	36400	17	12.5	32600	20600	3.46	2.54	9	C37-43C	SL280UH090V60C	10084176
XP21-036-230	36400	17	12.5	32600	20600	3.46	2.54	9	C37-43C	SL280UH090XV60C	10084225
XP21-036-230	36400	17	12.5	32600	20800	3.42	2.54	8.5	C37-43C	SL280UH110V60C	10084173
XP21-036-230	36400	17	12.5	32600	20800	3.42	2.54	8.5	C37-43C	SL280UH110XV60C	10084189
XP21-036-230	35800	17	12	32600	21000	3.26	2.44	8.5	C37-43C	SLO185B79/105V42	10084920
XP21-036-230	35800	17	12	32800	21000	3.26	2.42	8.5	C37-43C	SLO185UF79/105V42	10084893
XP21-036-230	36200	17	12.5	32400	20600	3.38	2.52	9	C37-43C	SLP98UH090XV36C	10084224
XP21-036-230	35800	17	12.5	32200	20400	3.36	2.5	8.5	C37-43C	SLP98UH090XV48C	10084183
XP21-036-230	36600	17	12.5	32600	20800	3.42	2.54	9	C37-43C	SLP98UH090XV60C	10084188
XP21-036-230	36400	18	13	32600	20600	3.44	2.54	9	C37-43C	SLP98UH110XV60C	10084237
XP21-036-230	35600	15.5	11.7	33000	21200	3.2	2.38	8.5	C37-43C		10084083
XP21-036-230	35400	17	12.5	32200	20600	3.24	2.44	8.5	C37-48B	CBWMV-36B-070	10084217
XP21-036-230	35400	17	12.5	31800	20200	3.26	2.46	8.5	C37-48B	EL180UH070E36B	10084754
XP21-036-230	35800	17	12.5	32200	20400	3.32	2.48	8.5	C37-48B	EL180UH090E48B	10084729
XP21-036-230	35400	17	12	32600	21000	3.18	2.4	8.5	C37-48B	EL195UH045XE36B	10084198
XP21-036-230	35400	17	12.5	32200	20600	3.22	2.44	8.5	C37-48B	EL195UH070XE36B	10084223
XP21-036-230	35400	17	12	32600	21000	3.18	2.4	8.5	C37-48B	EL296UH045XE36B	10084649
XP21-036-230	35400	17	12	32200	20600	3.22	2.42	8.5	C37-48B	EL296UH045XV36B	10084758
XP21-036-230	35400	17	12.5	32200	20600	3.22	2.44	8.5	C37-48B	EL296UH070XE36B	10084661
XP21-036-230	35600	17	12.5	32400	20600	3.24	2.42	8.5	C37-48B	EL296UH070XV36B	10084767
XP21-036-230	35400	17	12.5	31800	20200	3.26	2.46	8.5	C37-48B	ML180UH070E36B	10589646
XP21-036-230	35800	17	12.5	32200	20400	3.32	2.48	8.5	C37-48B	ML180UH090E48B	10589759
XP21-036-230	35600	17	12.5	32000	20400	3.28	2.48	8.5	C37-48B	SL280UH090V36B	10084218
XP21-036-230	35800	17	12.5	32000	20400	3.28	2.48	8.5	C37-48B	SL280UH090V48B	10084201
XP21-036-230	35800	17	12.5	32000	20400	3.28	2.48	8.5	C37-48B	SL280UH090XV48B	10084219
XP21-036-230	35400	16	12	32400	20800	3.18	2.4	8.5	C37-48B	SLO185B79/105V42	10084909
XP21-036-230	35200	16	12	32400	20800	3.16	2.38	8.5	C37-48B	SLO185UF79/105V42	10084899
XP21-036-230	35600	17	12.5	32400	20600	3.24	2.42	8.5	C37-48B	SLP98UH070XV36B	10084178
XP21-036-230	35000	15.2	11.7	32600	21000	3.1	2.34	8.2	C37-48B		10084080
XP21-036-230	35400	17	12.5	32000	20400	3.26	2.44	8.5	C37-48C	CBWMV-36C-090	10084195
XP21-036-230	36200	17	13	32400	20600	3.38	2.52	9	C37-48C	EL195UH090XE48C	10084236
XP21-036-230	36200	17	13	32400	20600	3.38	2.52	9	C37-48C	EL296UH090XE48C	10084637
XP21-036-230	35600	17	12.5	32200	20400	3.3	2.46	8.5	C37-48C	EL296UH090XV36C	10084776
XP21-036-230	35400	17	12.5	32000	20400	3.28	2.48	8.5	C37-48C	EL296UH090XV48C	10084781
XP21-036-230	36200	17	12.5	32400	20800	3.34	2.5	8.5	C37-48C	EL296UH090XV60C	10084786
XP21-036-230	35600	17	12.5	32000	20400	3.3	2.48	8.5	C37-48C	EL296UH110XV48C	10084672
XP21-036-230	36000	17	12.5	32200	20600	3.32	2.5	8.5	C37-48C	EL296UH110XV60C	10084803
XP21-036-230	36200	17	12.5	32200	20600	3.36	2.5	8.5	C37-48C	SL280UH090V60C	10084238
XP21-036-230	36200	17	12.5	32200	20600	3.36	2.5	8.5	C37-48C	SL280UH090XV60C	10084215
XP21-036-230	36000	17	12.5	32400	20600	3.32	2.48	8.5	C37-48C	SL280UH110V60C	10084194
XP21-036-230	36000	17	12.5	32400	20600	3.32	2.48	8.5	C37-48C	SL280UH110XV60C	10084232
XP21-036-230	35400	16	12	32400	20800	3.18	2.4	8.5	C37-48C	SLO185B79/105V42	10084907
XP21-036-230	35200	16	12	32400	20800	3.16	2.38	8.5	C37-48C	SLO185UF79/105V42	10084895
XP21-036-230	35600	17	12.5	32200	20400	3.3	2.46	8.5	C37-48C	SLP98UH090XV36C	10084214
XP21-036-230	35400	17	12.5	32000	20400	3.28	2.48	8.5	C37-48C	SLP98UH090XV48C	10084179
XP21-036-230	36200	17	12.5	32400	20800	3.34	2.5	8.5	C37-48C	SLP98UH090XV60C	10084231
XP21-036-230	36000	17	12.5	32200	20600	3.32	2.5	8.5	C37-48C	SLP98UH110XV60C	10084184
XP21-036-230	35000	15.2	11.7	32600	21000	3.1	2.34	8.2	C37-48C		10084081
XP21-036-230	36000	17	12.5	32400	20600	3.38	2.52	9	C37-49C	CBWMV-36C-090	10084203
XP21-036-230	36200	17	12.5	32400	20600	3.4	2.52	9	C37-49C	EL195UH090XE48C	10084181
XP21-036-230	36200	17	12.5	32400	20600	3.4	2.52	9	C37-49C	EL296UH090XE48C	10084634
XP21-036-230	36200	17	12.5	32400	20600	3.4	2.52	9	C37-49C	EL296UH090XV36C	10084774
XP21-036-230	36000	17	13	32200	20400	3.38	2.52	9	C37-49C	EL296UH090XV48C	10084779

## AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-036-230	36800	17	13	32400	20800	3.46	2.54	9	C37-49C	EL296UH090XV60C	10084788
XP21-036-230	36400	17	13	32400	20600	3.42	2.54	9	C37-49C	EL296UH110XV48C	10084671
XP21-036-230	36600	17	13	32600	20600	3.46	2.56	9	C37-49C	EL296UH110XV60C	10084801
XP21-036-230	36800	17	13	32600	20600	3.48	2.56	9	C37-49C	SL280UH090V60C	10084239
XP21-036-230	36800	17	13	32600	20600	3.48	2.56	9	C37-49C	SL280UH090XV60C	10084220
XP21-036-230	36600	17	12.5	32600	20800	3.44	2.56	8.5	C37-49C	SL280UH110V60C	10084202
XP21-036-230	36600	17	12.5	32600	20800	3.44	2.56	8.5	C37-49C	SL280UH110XV60C	10084234
XP21-036-230	35800	17	12	32800	21000	3.3	2.44	8.5	C37-49C	SLO185B79/105V42	10084910
XP21-036-230	35800	17	12	32800	21000	3.26	2.42	8.5	C37-49C	SLO185UF79/105V42	10084896
XP21-036-230	36200	17	12.5	32400	20600	3.4	2.52	9	C37-49C	SLP98UH090XV36C	10084216
XP21-036-230	36000	17	13	32200	20400	3.38	2.52	9	C37-49C	SLP98UH090XV48C	10084191
XP21-036-230	36800	17	13	32800	20800	3.46	2.54	9	C37-49C	SLP98UH090XV60C	10084233
XP21-036-230	36600	17	13	32600	20600	3.46	2.56	9	C37-49C	SLP98UH110XV60C	10084206
XP21-036-230	35600	15.5	11.7	33000	21200	3.22	2.4	8.5	C37-49C		10084087
XP21-036-230	35800	17	12.5	32200	20600	3.32	2.5	8.5	C37-50/60C	CBWMV-36C-090	10084242
XP21-036-230	36000	17	12.5	32200	20600	3.34	2.5	9	C37-50/60C	EL195UH090XE48C	10084199
XP21-036-230	36000	17	12.5	32200	20600	3.34	2.5	9	C37-50/60C	EL296UH090XE48C	10084653
XP21-036-230	36000	17	12.5	32400	20600	3.38	2.52	8.5	C37-50/60C	EL296UH090XV36C	10084777
XP21-036-230	35800	17	12.5	32200	20400	3.34	2.5	8.5	C37-50/60C	EL296UH090XV48C	10084782
XP21-036-230	36400	17	12.5	32600	20800	3.4	2.52	8.5	C37-50/60C	EL296UH090XV60C	10084795
XP21-036-230	36000	17	13	32200	20600	3.38	2.54	9	C37-50/60C	EL296UH110XV48C	10084673
XP21-036-230	36400	17	13	32400	20600	3.42	2.52	9	C37-50/60C	EL296UH110XV60C	10084806
XP21-036-230	36400	17	12.5	32600	20600	3.44	2.54	8.5	C37-50/60C	SL280UH090V60C	10084208
XP21-036-230	36400	18	12.5	32600	20600	3.44	2.54	8.5	C37-50/60C	SL280UH090XV60C	10084228
XP21-036-230	36400	17.7	12.5	32600	20600	3.42	2.52	8.5	C37-50/60C	SL280UH110V60C	10084241
XP21-036-230	36400	17	12.5	32600	20600	3.42	2.52	8.5	C37-50/60C	SL280UH110XV60C	10084222
XP21-036-230	35600	17	12	32600	21000	3.26	2.44	8.5	C37-50/60C	SLO185B79/105V42	10084912
XP21-036-230	35600	17	12	32600	21000	3.22	2.42	8.5	C37-50/60C	SLO185UF79/105V42	10084897
XP21-036-230	36000	17	12.5	32400	20600	3.38	2.52	8.5	C37-50/60C	SLP98UH090XV36C	10084227
XP21-036-230	35800	17	12.5	32200	20400	3.34	2.5	8.5	C37-50/60C	SLP98UH090XV48C	10084205
XP21-036-230	36400	17	12.5	32600	20800	3.4	2.52	8.5	C37-50/60C	SLP98UH090XV60C	10084221
XP21-036-230	36400	17	13	32400	20600	3.42	2.52	9	C37-50/60C	SLP98UH110XV60C	10084196
XP21-036-230	35400	15.5	11.7	32800	21200	3.18	2.38	8.2	C37-50/60C		10084079
XP21-036-230	35400	17.5	12.5	34800	22200	3.84	2.84	9.6	CBA27UHE-042		10258576
XP21-036-230	35200	17	12.5	33200	21000	3.72	2.72	9.5	CBX27UH-036		5268809
XP21-036-230	36400	18	13	33000	21000	3.76	2.76	9.6	CBX27UH-042		5268810
XP21-036-230	35200	17	12	33400	21200	3.68	2.7	9.5	CBX32MV-036		5268805
XP21-036-230	36600	18.5	13.2	33200	21000	3.8	2.76	9.7	CBX32MV-048		5268653
XP21-036-230	35200	17	12.5	33200	21000	3.7	2.7	9.5	CBX40UHV-036		5268806
XP21-036-230	36400	18	13	33200	21000	3.74	2.74	9.5	CBX40UHV-042		5268807
XP21-036-230	36400	17	13	33000	21000	3.76	2.76	9.5	CBX40UHV-048		5268808
XP21-036-230	36600	17	12.5	32600	20800	3.4	2.52	8.5	CH33-43B	CBWMV-36B-070	5269092
XP21-036-230	37000	18	12.5	33000	21000	3.44	2.54	9	CH33-43B	EL180UH070E36B	5742099
XP21-036-230	36600	17	13	32600	20800	3.44	2.56	9	CH33-43B	EL180UH090E48B	5742410
XP21-036-230	36600	17	12.5	33000	21200	3.34	2.48	8.5	CH33-43B	EL195UH045XE36B	5269209
XP21-036-230	36600	16	12.5	33000	21200	3.36	2.5	8.5	CH33-43B	EL195UH070XE36B	5269210
XP21-036-230	36600	17	12.5	33000	21200	3.34	2.48	8.5	CH33-43B	EL296UH045XE36B	5650497
XP21-036-230	36600	17	12.5	32800	21000	3.38	2.5	8.5	CH33-43B	EL296UH045XV36B	5760872
XP21-036-230	36600	16	12.5	33000	21200	3.36	2.5	8.5	CH33-43B	EL296UH070XE36B	5650500
XP21-036-230	36800	17	12.5	32800	21000	3.4	2.52	8.5	CH33-43B	EL296UH070XV36B	5760973
XP21-036-230	37000	18	12.5	33000	21000	3.44	2.54	9	CH33-43B	ML180UH070E36B	10589610
XP21-036-230	36600	17	13	32600	20800	3.44	2.56	9	CH33-43B	ML180UH090E48B	10589728
XP21-036-230	36800	17	13	32600	20800	3.46	2.58	9	CH33-43B	SL280UH090V36B	5269078
XP21-036-230	36800	17	13	32600	20800	3.44	2.56	9	CH33-43B	SL280UH090V48B	5269080
XP21-036-230	36800	17	13	32600	20800	3.44	2.56	9	CH33-43B	SL280UH090XV48B	5269114
XP21-036-230	36400	17	12	33000	21200	3.34	2.48	8.5	CH33-43B	SLO185B79/105V42	7087721
XP21-036-230	36400	17	12	33000	21200	3.3	2.44	8.5	CH33-43B	SLO185UF79/105V42	7087692
XP21-036-230	36800	17	12.5	32800	21000	3.4	2.52	8.5	CH33-43B	SLP98UH070XV36B	5269081
XP21-036-230	36400	16	12	33200	21400	3.28	2.44	8.5	CH33-43B		5268821
XP21-036-230	36200	17	12.5	32400	20600	3.36	2.5	8.5	CH33-43C	CBWMV-36C-090	5269112
XP21-036-230	36200	17	12.5	32400	20600	3.38	2.52	9	CH33-43C	EL296UH090XE48C	5650517

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-036-230	36400	17	13	32400	20600	3.38	2.52	9	CH33-43C	EL296UH090XV36C	5761056
XP21-036-230	36000	18	13	32200	20400	3.36	2.5	9	CH33-43C	EL296UH090XV48C	5761146
XP21-036-230	36800	18	13	32800	20800	3.44	2.54	9	CH33-43C	EL296UH090XV60C	5761234
XP21-036-230	36400	18	13	32200	20600	3.4	2.54	9	CH33-43C	EL296UH110XV48C	5685242
XP21-036-230	36400	18	13	32200	20600	3.4	2.54	9	CH33-43C	EL296UH110XV48C	5761280
XP21-036-230	36600	18	13	32600	20600	3.44	2.54	9	CH33-43C	EL296UH110XV60C	5761356
XP21-036-230	36800	17	13	32600	20600	3.46	2.54	9	CH33-43C	SL280UH090V60C	5269094
XP21-036-230	36800	18	13	32600	20600	3.46	2.54	9	CH33-43C	SL280UH090XV60C	5269128
XP21-036-230	36600	18	12.5	32600	20800	3.42	2.54	8.5	CH33-43C	SL280UH110V60C	5269096
XP21-036-230	36600	18	12.5	32600	20800	3.42	2.54	8.5	CH33-43C	SL280UH110XV60C	5269130
XP21-036-230	36000	17	12	32800	21000	3.28	2.44	8.5	CH33-43C	SLO185B79/105V42	7087720
XP21-036-230	36000	17	12	32800	21000	3.26	2.42	8.5	CH33-43C	SLO185UF79/105V42	7087691
XP21-036-230	36400	17	13	32400	20600	3.38	2.52	9	CH33-43C	SLP98UH090XV36C	5269097
XP21-036-230	36000	18	13	32200	20400	3.36	2.5	9	CH33-43C	SLP98UH090XV48C	5269098
XP21-036-230	36800	18	13	32800	20800	3.44	2.54	9	CH33-43C	SLP98UH090XV60C	5269099
XP21-036-230	36600	18	13	32600	20600	3.44	2.54	9	CH33-43C	SLP98UH110XV60C	5269100
XP21-036-230	35800	17	12.5	32600	20800	3.36	2.5	8.5	CH33-44/48B	CBWMV-36B-070	5269127
XP21-036-230	36000	17	12.5	32800	21000	3.38	2.52	9	CH33-44/48B	EL180UH070E36B	5742093
XP21-036-230	35800	17	12.5	32400	20600	3.4	2.52	9	CH33-44/48B	EL180UH090E48B	5742413
XP21-036-230	35800	17	12	32800	21000	3.34	2.48	8.5	CH33-44/48B	EL296UH045XV36B	5760873
XP21-036-230	35800	17	12.5	32800	21000	3.36	2.5	8.5	CH33-44/48B	EL296UH070XV36B	5760974
XP21-036-230	36000	17	12.5	32800	21000	3.38	2.52	9	CH33-44/48B	ML180UH070E36B	10589606
XP21-036-230	35800	17	12.5	32400	20600	3.4	2.52	9	CH33-44/48B	ML180UH090E48B	10589731
XP21-036-230	36000	17	12.5	32400	20600	3.4	2.54	9	CH33-44/48B	SL280UH090V36B	5269113
XP21-036-230	36000	17	12.5	32600	20800	3.4	2.54	8.5	CH33-44/48B	SL280UH090V48B	5269115
XP21-036-230	36000	17	12.5	32600	20800	3.4	2.54	8.5	CH33-44/48B	SL280UH090XV48B	5269219
XP21-036-230	35600	17	12	33000	21200	3.3	2.46	8.5	CH33-44/48B	SLO185B79/105V42	7087722
XP21-036-230	35600	16	12	33000	21200	3.26	2.44	8.5	CH33-44/48B	SLO185UF79/105V42	7087693
XP21-036-230	35800	17	12.5	32800	21000	3.36	2.5	8.5	CH33-44/48B	SLP98UH070XV36B	5269116
XP21-036-230	35400	15.5	11.7	33000	21200	3.24	2.4	8.5	CH33-44/48B		5268822
XP21-036-230	36400	17	13	32400	20600	3.4	2.54	9	CH33-49	CBWMV-36C-090	5269147
XP21-036-230	36600	17	13	32400	20600	3.38	2.52	9	CH33-49	EL296UH090XE48C	5650511
XP21-036-230	36600	18	13	32600	20600	3.44	2.54	9	CH33-49	EL296UH090XV36C	5761057
XP21-036-230	36400	18	13	32400	20600	3.42	2.54	9	CH33-49	EL296UH090XV48C	5761147
XP21-036-230	37200	18	13	32800	20800	3.48	2.56	9	CH33-49	EL296UH090XV60C	5761235
XP21-036-230	36600	18	13	32400	20600	3.46	2.56	9	CH33-49	EL296UH110XV48C	5685249
XP21-036-230	36600	18	13	32400	20600	3.46	2.56	9	CH33-49	EL296UH110XV48C	5761287
XP21-036-230	37000	18	13	32600	20800	3.5	2.6	9	CH33-49	EL296UH110XV60C	5761357
XP21-036-230	37200	18	13	32600	20800	3.5	2.6	9	CH33-49	SL280UH090V60C	5269129
XP21-036-230	37200	18	13	32600	20800	3.5	2.6	9	CH33-49	SL280UH090XV60C	5269148
XP21-036-230	37000	18	13	32600	20800	3.46	2.58	9	CH33-49	SL280UH110V60C	5269131
XP21-036-230	37000	17	13	32600	20800	3.46	2.58	9	CH33-49	SL280UH110XV60C	5269150
XP21-036-230	36400	17	12.5	32800	21000	3.32	2.46	8.5	CH33-49	SLO185B79/105V42	7087729
XP21-036-230	36200	17	12	32800	21000	3.3	2.44	8.5	CH33-49	SLO185UF79/105V42	7087694
XP21-036-230	36600	18	13	32600	20600	3.44	2.54	9	CH33-49	SLP98UH090XV36C	5269132
XP21-036-230	36400	18	13	32400	20600	3.42	2.54	9	CH33-49	SLP98UH090XV48C	5269133
XP21-036-230	37200	18	13	32800	20800	3.48	2.56	9	CH33-49	SLP98UH090XV60C	5269134
XP21-036-230	37000	18	13	32600	20800	3.5	2.6	9	CH33-49	SLP98UH110XV60C	5269135
XP21-036-230	36000	15.7	12	33000	21200	3.24	2.4	8.5	CH33-49		5268823
XP21-036-230	36400	17	13	32400	20600	3.4	2.54	9	CH33-50/60C	CBWMV-36C-090	5269166
XP21-036-230	36400	17	13	32400	20600	3.42	2.54	9	CH33-50/60C	EL296UH090XE48C	5650494
XP21-036-230	36600	17	13	32400	20600	3.42	2.54	9	CH33-50/60C	EL296UH090XV36C	5761058
XP21-036-230	36200	18	13	32400	20600	3.42	2.56	9	CH33-50/60C	EL296UH090XV48C	5761148
XP21-036-230	37000	18	13	32800	21000	3.48	2.58	9	CH33-50/60C	EL296UH090XV60C	5761236
XP21-036-230	36600	18	13	32400	20600	3.44	2.56	9	CH33-50/60C	EL296UH110XV48C	5685243
XP21-036-230	36600	18	13	32400	20600	3.44	2.56	9	CH33-50/60C	EL296UH110XV48C	5761281
XP21-036-230	37000	17	13	32600	20800	3.5	2.6	9	CH33-50/60C	SL280UH090V60C	5269149
XP21-036-230	37000	17	13	32600	20800	3.5	2.6	9	CH33-50/60C	SL280UH090XV60C	5269557
XP21-036-230	36800	17	13	32600	20800	3.46	2.56	9	CH33-50/60C	SL280UH110V60C	5269151
XP21-036-230	36800	17	13	32600	20800	3.46	2.56	9	CH33-50/60C	SL280UH110XV60C	5269558
XP21-036-230	36200	17	12	32800	21000	3.32	2.46	8.5	CH33-50/60C	SLO185B79/105V42	7087736

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-036-230	36200	17	12	32800	21000	3.3	2.44	8.5	CH33-50/60C	SLO185UF79/105V42	7087705
XP21-036-230	36600	17	13	32400	20600	3.42	2.54	9	CH33-50/60C	SLP98UH090XV36C	5269152
XP21-036-230	36200	18	13	32400	20600	3.42	2.56	9	CH33-50/60C	SLP98UH090XV48C	5269153
XP21-036-230	37000	18	13	32800	21000	3.48	2.58	9	CH33-50/60C	SLP98UH090XV60C	5269154
XP21-036-230	36800	18	13	32600	20800	3.48	2.6	9	CH33-50/60C	SLP98UH110XV60C	5269155
XP21-036-230	36000	15.7	12	33000	21200	3.24	2.4	8.5	CH33-50/60C		5268824
XP21-036-230	35200	16	12.5	33600	22200	3.26	2.52	8.5	CH35-42C	EL195UH090XE48C	9114993
XP21-036-230	35200	16	12.5	33600	22200	3.26	2.52	8.5	CH35-42C	EL296UH090XE48C	9114994
XP21-036-230	35400	16.5	12.5	33600	22200	3.26	2.52	8.5	CH35-42C	EL296UH090XV36C	9114995
XP21-036-230	35600	16.5	12.5	33800	22200	3.3	2.52	9	CH35-42C	EL296UH090XV48C	9114996
XP21-036-230	35800	16.5	12.5	34000	22400	3.34	2.54	9	CH35-42C	EL296UH090XV60C	9114997
XP21-036-230	35400	16.5	12.5	33400	22000	3.26	2.52	9	CH35-42C	EL296UH110XV48C	9114998
XP21-036-230	35600	16.5	12.5	33600	22200	3.32	2.56	9	CH35-42C	EL296UH110XV60C	9114999
XP21-036-230	35600	17	13	33600	22000	3.36	2.56	9.2	CH35-42C	SL280UH080NV60C	10581383
XP21-036-230	35800	16.5	12.5	33800	22200	3.34	2.56	9	CH35-42C	SL280UH090V60C	9115000
XP21-036-230	35800	16.5	12.5	33800	22200	3.34	2.56	9	CH35-42C	SL280UH090XV60C	9115001
XP21-036-230	35600	16.5	12.5	33800	22200	3.32	2.54	9	CH35-42C	SL280UH110V60C	9115002
XP21-036-230	35600	16.5	12.5	33800	22200	3.32	2.54	9	CH35-42C	SL280UH110XV60C	9115003
XP21-036-230	35400	16.5	12.5	33600	22200	3.26	2.52	8.5	CH35-42C	SLP98UH090XV36C	9115004
XP21-036-230	35600	16.5	12.5	33800	22200	3.3	2.52	9	CH35-42C	SLP98UH090XV48C	9115005
XP21-036-230	35800	16.5	12.5	34000	22400	3.34	2.54	9	CH35-42C	SLP98UH090XV60C	9115006
XP21-036-230	35600	16.5	12.5	33600	22200	3.32	2.56	9	CH35-42C	SLP98UH110XV60C	9115007
XP21-036-230	34800	14.5	11.5	34200	22800	3.12	2.4	8.5	CH35-42C		9114992
XP21-036-230	35400	16.5	12.5	34200	23200	3.52	2.66	9	CH35-48B	EL180UH070E36B	9115170
XP21-036-230	35200	16.5	12.5	34000	23000	3.54	2.7	9	CH35-48B	EL180UH090E48B	9115171
XP21-036-230	35000	16	12.2	34400	23400	3.44	2.6	9	CH35-48B	EL195UH045XE36B	9115172
XP21-036-230	35000	16	12.2	34400	23400	3.46	2.62	9	CH35-48B	EL195UH070XE36B	9115173
XP21-036-230	35000	16	12.2	34400	23400	3.44	2.6	9	CH35-48B	EL296UH045XE36B	9115011
XP21-036-230	35200	16.5	12.5	34200	23200	3.5	2.64	9	CH35-48B	EL296UH045XV36B	9115012
XP21-036-230	35000	16	12.2	34400	23400	3.46	2.62	9	CH35-48B	EL296UH070XE36B	9115013
XP21-036-230	35200	16.5	12.5	34200	23200	3.5	2.66	9	CH35-48B	EL296UH070XV36B	9115014
XP21-036-230	35400	16.5	12.5	34200	23200	3.52	2.66	9	CH35-48B	ML180UH070E36B	10589628
XP21-036-230	35200	16.5	12.5	34000	23000	3.54	2.7	9	CH35-48B	ML180UH090E48B	10589747
XP21-036-230	35200	17	13	34000	23000	3.6	2.74	9.6	CH35-48B	SL280UH080NV48B	10581381
XP21-036-230	35400	16.5	12.5	33800	23000	3.56	2.72	9	CH35-48B	SL280UH090V36B	9115015
XP21-036-230	35400	16.5	12.5	34000	23000	3.56	2.7	9	CH35-48B	SL280UH090V48B	9115016
XP21-036-230	35400	16.5	12.5	34000	23000	3.56	2.7	9	CH35-48B	SL280UH090XV48B	9115017
XP21-036-230	35200	16.5	12.5	34200	23200	3.5	2.66	9	CH35-48B	SLP98UH070XV36B	9115018
XP21-036-230	34800	15	12	34600	23600	3.38	2.56	9	CH35-48B		9115008
XP21-036-230	35200	16	12.5	32400	21400	3.22	2.48	8.5	CH35-48C	EL296UH090XE48C	9115033
XP21-036-230	35200	16	12.5	32600	21400	3.26	2.48	8.5	CH35-48C	EL296UH090XV36C	9115174
XP21-036-230	35600	16.5	12.5	32800	21600	3.28	2.5	8.5	CH35-48C	EL296UH090XV48C	9115020
XP21-036-230	35600	16.5	12.5	33000	21600	3.32	2.5	8.5	CH35-48C	EL296UH090XV60C	9115021
XP21-036-230	35200	16.5	12.5	32400	21400	3.24	2.5	8.5	CH35-48C	EL296UH110XV48C	9115022
XP21-036-230	35600	16.5	12.5	32800	21400	3.3	2.5	8.5	CH35-48C	EL296UH110XV60C	9115023
XP21-036-230	35600	17	12.5	32600	21400	3.34	2.54	9.2	CH35-48C	SL280UH080NV60C	10581384
XP21-036-230	35600	16.5	12.5	32800	21400	3.32	2.52	8.5	CH35-48C	SL280UH090V60C	9115024
XP21-036-230	35600	16.5	12.5	32800	21400	3.32	2.52	8.5	CH35-48C	SL280UH090XV60C	9115025
XP21-036-230	35600	16.5	12.5	32800	21600	3.28	2.52	8.5	CH35-48C	SL280UH110V60C	9115027
XP21-036-230	35600	16.5	12.5	32800	21600	3.28	2.52	8.5	CH35-48C	SL280UH110XV60C	9115026
XP21-036-230	35200	16	12.5	32600	21400	3.26	2.48	8.5	CH35-48C	SLP98UH090XV36C	9115028
XP21-036-230	35600	16.5	12.5	32800	21600	3.28	2.5	8.5	CH35-48C	SLP98UH090XV48C	9115029
XP21-036-230	35600	16.5	12.5	33000	21600	3.32	2.5	8.5	CH35-48C	SLP98UH090XV60C	9115030
XP21-036-230	35600	16.5	12.5	32800	21400	3.3	2.5	8.5	CH35-48C	SLP98UH110XV60C	9115031
XP21-036-230	34800	14.5	11.5	33000	22000	3.06	2.36	8.2	CH35-48C		9115019
XP21-036-230	36400	16.5	12.5	33400	20800	3.38	2.46	8.5	CH35-51C	EL296UH090XE48C	9115036
XP21-036-230	36400	16.5	12.5	33600	20800	3.4	2.46	8.5	CH35-51C	EL296UH090XV36C	9115037
XP21-036-230	36600	17	12.5	33600	21000	3.42	2.48	9	CH35-51C	EL296UH090XV48C	9115038
XP21-036-230	36800	17	12.5	33800	21000	3.44	2.48	9	CH35-51C	EL296UH090XV60C	9115039
XP21-036-230	36400	17	12.5	33400	20800	3.42	2.48	8.5	CH35-51C	EL296UH110XV48C	9115040
XP21-036-230	36800	17	12.5	33600	20800	3.46	2.48	9	CH35-51C	EL296UH110XV60C	9115041



# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-036-230	36800	17.5	13	33600	20800	3.5	2.52	9.2	CH35-51C	SL280UH080NV60C	10581385
XP21-036-230	37000	17	12.5	33600	20800	3.48	2.5	9	CH35-51C	SL280UH090V60C	9115042
XP21-036-230	37000	17	12.5	33600	20800	3.48	2.5	9	CH35-51C	SL280UH090XV60C	9115043
XP21-036-230	36800	16.5	12.5	33600	20800	3.44	2.46	8.5	CH35-51C	SL280UH110V60C	9115044
XP21-036-230	36800	16.5	12.5	33600	20800	3.44	2.46	8.5	CH35-51C	SL280UH110XV60C	9115045
XP21-036-230	36400	16.5	12.5	33600	20800	3.4	2.46	8.5	CH35-51C	SLP98UH090XV36C	9115046
XP21-036-230	36200	16.5	12.5	33400	20600	3.38	2.44	8.5	CH35-51C	SLP98UH090XV48C	9115047
XP21-036-230	36800	17	12.5	33800	21000	3.44	2.48	9	CH35-51C	SLP98UH090XV60C	9115048
XP21-036-230	36800	17	12.5	33600	20800	3.46	2.48	9	CH35-51C	SLP98UH110XV60C	9115049
XP21-036-230	36000	14.5	11.5	34000	21400	3.22	2.34	8.5	CH35-51C		9115034
XP21-036-230	34600	15	11.5	33000	21200	3.4	2.52	8.5	CR33-48		5268825
XP21-036-230	35000	17	12.5	32200	20600	3.58	2.66	9	CR33-48B	EL180DF070E36B	5741565
XP21-036-230	35000	17	12.5	32400	20600	3.6	2.66	9	CR33-48B	EL180DF090E48B	5741589
XP21-036-230	35000	17	12	32600	20800	3.58	2.64	9	CR33-48B	EL195DF070XE48B	5269215
XP21-036-230	34600	16	12	32600	20800	3.52	2.6	9	CR33-48B	EL296DF045XE36B	5650507
XP21-036-230	35000	17	12	32600	21000	3.54	2.62	9	CR33-48B	EL296DF045XV36B	7505740
XP21-036-230	35000	17	12	32600	20800	3.58	2.64	9	CR33-48B	EL296DF070XE48B	5650504
XP21-036-230	35000	16	12	32800	21000	3.54	2.6	9	CR33-48B	EL296DF070XV48B	7487527
XP21-036-230	35000	17	12.5	32200	20600	3.58	2.66	9	CR33-48B	ML180DF070E36B	10589522
XP21-036-230	35000	17	12.5	32400	20600	3.6	2.66	9	CR33-48B	ML180DF090E48B	10589528
XP21-036-230	35200	17	12.5	32400	20800	3.6	2.66	9	CR33-48B	SL280DF090V48B	5269167
XP21-036-230	35200	17	12.5	32800	20800	3.58	2.62	9	CR33-48B	SLP98DF070XV36B	5269168
XP21-036-230	35400	17	12.5	32600	20800	3.64	2.66	9	CR33-48C	EL195DF090XE48C	5269216
XP21-036-230	35400	17	12.5	32600	20800	3.64	2.66	9	CR33-48C	EL296DF090XE48C	5650514
XP21-036-230	35800	17	12.5	32600	20800	3.7	2.7	9.2	CR33-48C	SL280DF090V60C	5269173
XP21-036-230	35200	17	12.5	32600	20800	3.6	2.64	9	CR33-48C	SLP98DF090XV36C	5269174
XP21-036-230	35200	17	12.5	32600	20800	3.62	2.68	9	CR33-48C	SLP98DF090XV48C	5269175
XP21-036-230	35400	17	12.5	32600	20800	3.64	2.66	9	CR33-48C	SLP98DF090XV60C	5269176
XP21-036-230	35400	17	12.5	32600	20800	3.64	2.66	9	CR33-48C	SLP98DF110XV60C	5269177
XP21-036-230	35400	17	12.5	32800	20800	3.72	2.7	9	CR33-50/60	EL195DF090XE48C	5269217
XP21-036-230	35400	17	12.5	32800	20800	3.72	2.7	9	CR33-50/60	EL296DF090XE48C	5650498
XP21-036-230	36600	18	13	33000	20800	3.82	2.74	9.5	CR33-50/60	SL280DF090V60C	5269181
XP21-036-230	36000	17	12.5	32800	20800	3.7	2.68	9	CR33-50/60	SLP98DF090XV36C	5269182
XP21-036-230	36200	17	12.5	32800	20800	3.72	2.7	9	CR33-50/60	SLP98DF090XV48C	5269183
XP21-036-230	36400	17	12.5	32800	20800	3.74	2.7	9	CR33-50/60	SLP98DF090XV60C	5269184
XP21-036-230	36400	17	12.5	33000	21000	3.76	2.72	9	CR33-50/60	SLP98DF110XV60C	5269185
XP21-036-230	35600	15.7	11.7	33400	21200	3.5	2.54	8.7	CR33-50/60		5268826
XP21-036-230	36000	17	12.5	32600	20800	3.34	2.48	8.5	CX34-38A	EL180UH045E36A	5741787
XP21-036-230	36000	17	12.5	32600	20800	3.34	2.48	8.5	CX34-38A	ML180UH045E36A	10589554
XP21-036-230	35800	17	12.5	32600	20800	3.32	2.48	8.5	CX34-38A	SL280UH070V36A	5268845
XP21-036-230	35800	17	12.5	32600	20800	3.32	2.48	8.5	CX34-38A	SL280UH070XV36A	5269218
XP21-036-230	35800	17	12.5	32400	20800	3.34	2.5	8.5	CX34-38B	CBWMV-36B-070	5268861
XP21-036-230	35800	17	13	32200	20400	3.4	2.52	9	CX34-38B	EL180UH070E36B	5742094
XP21-036-230	36200	18	13	32400	20600	3.42	2.54	9	CX34-38B	EL180UH090E48B	5742415
XP21-036-230	35600	17	12	32800	21000	3.26	2.42	8.5	CX34-38B	EL195UH045XE36B	5269191
XP21-036-230	35600	17	12.5	32400	20600	3.34	2.48	9	CX34-38B	EL195UH070XE36B	5269192
XP21-036-230	35600	17	12	32800	21000	3.26	2.42	8.5	CX34-38B	EL296UH045XE36B	5650501
XP21-036-230	35800	17	12.5	32600	20800	3.34	2.48	8.5	CX34-38B	EL296UH045XV36B	5760876
XP21-036-230	35600	17	12.5	32400	20600	3.34	2.48	9	CX34-38B	EL296UH070XE36B	5650508
XP21-036-230	35800	17	12.5	32600	20800	3.34	2.48	8.5	CX34-38B	EL296UH070XV36B	5760977
XP21-036-230	35800	17	13	32200	20400	3.4	2.52	9	CX34-38B	ML180UH070E36B	10589607
XP21-036-230	36200	18	13	32400	20600	3.42	2.54	9	CX34-38B	ML180UH090E48B	10589732
XP21-036-230	36000	17	13	32400	20600	3.42	2.54	9	CX34-38B	SL280UH090V36B	5268847
XP21-036-230	36000	17	12.5	32400	20600	3.42	2.54	9	CX34-38B	SL280UH090V48B	5268849
XP21-036-230	36000	17	12.5	32400	20600	3.42	2.54	9	CX34-38B	SL280UH090XV48B	5268863
XP21-036-230	35600	17	12	32800	21000	3.28	2.44	8.5	CX34-38B	SLO185B79/105V42	7087727
XP21-036-230	35600	17	12	32800	21000	3.26	2.42	8.5	CX34-38B	SLO185UF79/105V42	7087695
XP21-036-230	35800	17	12.5	32600	20800	3.34	2.48	8.5	CX34-38B	SLP98UH070XV36B	5268850
XP21-036-230	35600	15.5	11.7	33000	21200	3.2	2.38	8.5	CX34-43		8145904
XP21-036-230	35800	17	12.5	32400	20800	3.34	2.5	8.5	CX34-43B	CBWMV-36B-070	8145923
XP21-036-230	35800	17	13	32000	20400	3.36	2.52	9	CX34-43B	EL180UH070E36B	8145934

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-036-230	36200	18	13	32400	20600	3.4	2.54	9	CX34-43B	EL180UH090E48B	8145933
XP21-036-230	35600	17	12	32800	21000	3.26	2.42	8.5	CX34-43B	EL195UH045XE36B	8145936
XP21-036-230	35800	17	12.5	32400	20600	3.32	2.46	8.5	CX34-43B	EL195UH070XE36B	8145935
XP21-036-230	35600	17	12	32800	21000	3.26	2.42	8.5	CX34-43B	EL296UH045XE36B	8145932
XP21-036-230	36000	17	12.5	32600	20800	3.32	2.48	8.5	CX34-43B	EL296UH045XV36B	8145929
XP21-036-230	35800	17	12.5	32400	20600	3.32	2.46	8.5	CX34-43B	EL296UH070XE36B	8145931
XP21-036-230	35800	17	12.5	32600	20800	3.32	2.48	8.5	CX34-43B	EL296UH070XV36B	8145930
XP21-036-230	35800	17	13	32000	20400	3.36	2.52	9	CX34-43B	ML180UH070E36B	10589615
XP21-036-230	36200	18	13	32400	20600	3.4	2.54	9	CX34-43B	ML180UH090E48B	10589735
XP21-036-230	36200	17	13	32200	20600	3.38	2.54	8.5	CX34-43B	SL280UH090V36B	8145925
XP21-036-230	36000	17	12.5	32400	20600	3.4	2.54	9	CX34-43B	SL280UH090V48B	8145924
XP21-036-230	36000	17	12.5	32400	20600	3.4	2.54	9	CX34-43B	SL280UH090XV48B	8145937
XP21-036-230	35800	17	12	32600	21000	3.26	2.44	8.5	CX34-43B	SLO185B79/105V42	8145928
XP21-036-230	35800	17	12	32800	21000	3.26	2.42	8.5	CX34-43B	SLO185UF79/105V42	8145927
XP21-036-230	35800	17	12.5	32600	20800	3.32	2.48	8.5	CX34-43B	SLP98UH070XV36B	8145926
XP21-036-230	35800	17	12.5	32200	20600	3.34	2.5	8.5	CX34-43C	CBWMV-36C-090	8145918
XP21-036-230	36200	17	13	32400	20600	3.38	2.52	9	CX34-43C	EL195UH090XE48C	8145915
XP21-036-230	36200	17	13	32400	20600	3.38	2.52	9	CX34-43C	EL296UH090XE48C	8145913
XP21-036-230	36200	17	12.5	32400	20600	3.38	2.52	9	CX34-43C	EL296UH090XV36C	8145909
XP21-036-230	35800	17	12.5	32200	20400	3.36	2.5	8.5	CX34-43C	EL296UH090XV48C	8145910
XP21-036-230	36600	17	12.5	32600	20800	3.42	2.54	9	CX34-43C	EL296UH090XV60C	8145911
XP21-036-230	36200	18	13	32200	20600	3.38	2.54	9	CX34-43C	EL296UH110XV48C	8145912
XP21-036-230	36400	18	13	32600	20600	3.44	2.54	9	CX34-43C	EL296UH110XV60C	8145906
XP21-036-230	36400	17	12.5	32600	20600	3.46	2.54	9	CX34-43C	SL280UH090V60C	8145919
XP21-036-230	36400	17	12.5	32600	20600	3.46	2.54	9	CX34-43C	SL280UH090XV60C	8145917
XP21-036-230	36400	17	12.5	32600	20800	3.42	2.54	8.5	CX34-43C	SL280UH110V60C	8145905
XP21-036-230	36400	17	12.5	32600	20800	3.42	2.54	8.5	CX34-43C	SL280UH110XV60C	8145916
XP21-036-230	35800	17	12	32600	21000	3.26	2.44	8.5	CX34-43C	SLO185B79/105V42	8145908
XP21-036-230	35800	17	12	32800	21000	3.26	2.42	8.5	CX34-43C	SLO185UF79/105V42	8145907
XP21-036-230	36200	17	12.5	32400	20600	3.38	2.52	9	CX34-43C	SLP98UH090XV36C	8145922
XP21-036-230	35800	17	12.5	32200	20400	3.36	2.5	8.5	CX34-43C	SLP98UH090XV48C	8145920
XP21-036-230	36600	17	12.5	32600	20800	3.42	2.54	9	CX34-43C	SLP98UH090XV60C	8145921
XP21-036-230	36400	18	13	32600	20600	3.44	2.54	9	CX34-43C	SLP98UH110XV60C	8145914
XP21-036-230	35000	15.2	11.7	32600	21000	3.1	2.34	8.2	CX34-44/48		5268816
XP21-036-230	35600	17	12.5	32200	20400	3.3	2.46	8.5	CX34-44/48C	SLP98UH090XV36C	8935138
XP21-036-230	36000	17	12.5	32400	20600	3.38	2.52	9	CX34-49C	CBWMV-36C-090	5269037
XP21-036-230	36200	17	12.5	32400	20600	3.4	2.52	9	CX34-49C	EL195UH090XE48C	5269206
XP21-036-230	36200	17	12.5	32400	20600	3.4	2.52	9	CX34-49C	EL296UH090XE48C	5650506
XP21-036-230	36200	17	12.5	32400	20600	3.4	2.52	9	CX34-49C	EL296UH090XV36C	5761063
XP21-036-230	36000	17	13	32200	20400	3.38	2.52	9	CX34-49C	EL296UH090XV48C	5761152
XP21-036-230	36800	17	13	32800	20800	3.46	2.54	9	CX34-49C	EL296UH090XV60C	5761244
XP21-036-230	36400	17	13	32400	20600	3.42	2.54	9	CX34-49C	EL296UH110XV48C	5685248
XP21-036-230	36400	17	13	32400	20600	3.42	2.54	9	CX34-49C	EL296UH110XV48C	5761286
XP21-036-230	36600	17	13	32600	20600	3.46	2.56	9	CX34-49C	EL296UH110XV60C	5761364
XP21-036-230	36800	17	13	32600	20600	3.48	2.56	9	CX34-49C	SL280UH090V60C	5269021
XP21-036-230	36800	17	13	32600	20600	3.48	2.56	9	CX34-49C	SL280UH090XV60C	5269038
XP21-036-230	36600	17	12.5	32600	20800	3.44	2.56	8.5	CX34-49C	SL280UH110V60C	5269023
XP21-036-230	36600	17	12.5	32600	20800	3.44	2.56	8.5	CX34-49C	SL280UH110XV60C	5269040
XP21-036-230	35800	17	12	32800	21000	3.26	2.42	8.5	CX34-49C	SLO185UF79/105V42	7087709
XP21-036-230	36200	17	12.5	32400	20600	3.4	2.52	9	CX34-49C	SLP98UH090XV36C	5269024
XP21-036-230	36000	17	13	32200	20400	3.38	2.52	9	CX34-49C	SLP98UH090XV48C	5269025
XP21-036-230	36800	17	13	32800	20800	3.46	2.54	9	CX34-49C	SLP98UH090XV60C	5269026
XP21-036-230	36600	17	13	32600	20600	3.46	2.56	9	CX34-49C	SLP98UH110XV60C	5269027
XP21-036-230	35600	15.5	11.7	33000	21200	3.22	2.4	8.5	CX34-49C		5268818
XP21-036-230	34200	16	12.2	34400	21800	3.3	2.56	9	CX35-48B	EL180UH070E36B	9115051
XP21-036-230	34400	16	12.2	34600	22000	3.34	2.58	9	CX35-48B	EL180UH090E48B	9115052
XP21-036-230	34000	15.5	11.5	35000	22400	3.2	2.46	8.5	CX35-48B	EL195UH045XE36B	9115053
XP21-036-230	34000	16	12	34600	22000	3.24	2.5	8.5	CX35-48B	EL195UH070XE36B	9115054
XP21-036-230	34000	15.5	11.5	35000	22400	3.2	2.46	8.5	CX35-48B	EL296UH045XE36B	9115055
XP21-036-230	34200	16	12	34800	22200	3.26	2.52	8.5	CX35-48B	EL296UH045XV36B	9115056
XP21-036-230	34000	16	12	34600	22000	3.24	2.5	8.5	CX35-48B	EL296UH070XE36B	9115057

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-036-230	34200	16	12	34800	22200	3.26	2.5	8.5	CX35-48B	EL296UH070XV36B	9115058
XP21-036-230	34200	16	12.2	34400	21800	3.3	2.56	9	CX35-48B	ML180UH070E36B	10589627
XP21-036-230	34400	16	12.2	34600	22000	3.34	2.58	9	CX35-48B	ML180UH090E48B	10589746
XP21-036-230	34400	16.5	12.5	34400	21800	3.32	2.56	9.2	CX35-48B	SL280UH080NV48B	10581382
XP21-036-230	34200	16	12.2	34600	21800	3.32	2.54	9	CX35-48B	SL280UH090V36B	9115059
XP21-036-230	34400	16	12.2	34600	22000	3.32	2.56	9	CX35-48B	SL280UH090V48B	9115060
XP21-036-230	34400	16	12.2	34600	22000	3.32	2.56	9	CX35-48B	SL280UH090XV48B	9115061
XP21-036-230	34200	16	12	34800	22200	3.26	2.5	8.5	CX35-48B	SLP98UH070XV36B	9115062
XP21-036-230	33800	14.3	11	35200	22600	3.14	2.42	8.5	CX35-48B		9115050
XP21-036-230	34600	16	12.2	30000	19400	3.36	2.46	8.5	CX35-49C	EL195UH090XE48C	9115064
XP21-036-230	34600	16	12.2	30000	19400	3.36	2.46	8.5	CX35-49C	EL296UH090XE48C	9115065
XP21-036-230	34600	16	12.2	30000	19400	3.38	2.48	8.5	CX35-49C	EL296UH090XV36C	9115066
XP21-036-230	34800	16	12.2	30200	19500	3.4	2.48	9	CX35-49C	EL296UH090XV48C	9115067
XP21-036-230	34600	16	12.5	30000	19300	3.4	2.5	9	CX35-49C	EL296UH110XV48C	9115068
XP21-036-230	35000	16	12.5	30200	19500	3.44	2.52	9	CX35-49C	EL296UH110XV60C	9115069
XP21-036-230	35000	17	12.5	30200	19300	3.48	2.52	9.2	CX35-49C	SL280UH080NV60C	10581386
XP21-036-230	35000	16	12.5	30200	19500	3.44	2.52	9	CX35-49C	SL280UH090V60C	9115070
XP21-036-230	35000	16	12.5	30200	19500	3.44	2.52	9	CX35-49C	SL280UH090XV60C	9115071
XP21-036-230	35000	16	12.5	30200	19500	3.42	2.5	9	CX35-49C	SL280UH110V60C	9115072
XP21-036-230	35000	16	12.5	30200	19500	3.42	2.5	9	CX35-49C	SL280UH110XV60C	9115073
XP21-036-230	34600	16	12.5	30000	19400	3.38	2.48	8.5	CX35-49C	SLP98UH090XV36C	9115074
XP21-036-230	34800	16	12.2	30200	19500	3.4	2.48	9	CX35-49C	SLP98UH090XV48C	9115075
XP21-036-230	35000	16	12.5	30200	19500	3.44	2.52	9	CX35-49C	SLP98UH110XV60C	9115076
XP21-036-230	34000	14.3	11.5	30600	20000	3.16	2.34	8.5	CX35-49C		9115063
XP21-036-230	36000	17	12.5	32600	20800	3.34	2.48	8.5	CX38-38A	EL180UH045E36A	10084747
XP21-036-230	36000	17	12.5	32600	20800	3.34	2.48	8.5	CX38-38A	ML180UH045E36A	10589565
XP21-036-230	35800	17	12.5	32600	20800	3.32	2.48	8.5	CX38-38A	SL280UH070V36A	10084164
XP21-036-230	35800	17	12.5	32600	20800	3.32	2.48	8.5	CX38-38A	SL280UH070XV36A	10084187
XP21-036-230	35800	17	12.5	32400	20800	3.34	2.5	8.5	CX38-38B	CBWMV-36B-070	10084172
XP21-036-230	35800	17	13	32200	20400	3.4	2.52	9	CX38-38B	EL180UH070E36B	10084743
XP21-036-230	36200	18	13	32400	20600	3.42	2.54	9	CX38-38B	EL180UH090E48B	10084732
XP21-036-230	35600	17	12	32800	21000	3.26	2.42	8.5	CX38-38B	EL195UH045XE36B	10084197
XP21-036-230	35600	17	12.5	32400	20600	3.34	2.48	9	CX38-38B	EL195UH070XE36B	10084213
XP21-036-230	35600	17	12	32800	21000	3.26	2.42	8.5	CX38-38B	EL296UH045XE36B	10084645
XP21-036-230	35800	17	12.5	32600	20800	3.34	2.48	8.5	CX38-38B	EL296UH045XV36B	10084755
XP21-036-230	35600	17	12.5	32400	20600	3.34	2.48	9	CX38-38B	EL296UH070XE36B	10084636
XP21-036-230	35800	17	12.5	32600	20800	3.34	2.48	8.5	CX38-38B	EL296UH070XV36B	10084764
XP21-036-230	35800	17	13	32200	20400	3.4	2.52	9	CX38-38B	ML180UH070E36B	10589642
XP21-036-230	36200	18	13	32400	20600	3.42	2.54	9	CX38-38B	ML180UH090E48B	10589762
XP21-036-230	36000	17	13	32400	20600	3.42	2.54	9	CX38-38B	SL280UH090V36B	10084163
XP21-036-230	36000	17	12.5	32400	20600	3.42	2.54	9	CX38-38B	SL280UH090V48B	10084210
XP21-036-230	36000	17	12.5	32400	20600	3.42	2.54	9	CX38-38B	SL280UH090XV48B	10084171
XP21-036-230	35600	17	12	32800	21000	3.28	2.44	8.5	CX38-38B	SLO185B79/105V42	10084908
XP21-036-230	35600	17	12	32800	21000	3.26	2.42	8.5	CX38-38B	SLO185UF79/105V42	10084892
XP21-036-230	35800	17	12.5	32600	20800	3.34	2.48	8.5	CX38-38B	SLP98UH070XV36B	10084190
XP21-036-230	35800	17	12.5	32400	20800	3.34	2.5	8.5	CX38-43B	CBWMV-36B-070	10085069
XP21-036-230	35800	17	13	32000	20400	3.36	2.52	9	CX38-43B	EL180UH070E36B	10085080
XP21-036-230	36200	18	13	32400	20600	3.4	2.54	9	CX38-43B	EL180UH090E48B	10085079
XP21-036-230	35600	17	12	32800	21000	3.26	2.42	8.5	CX38-43B	EL195UH045XE36B	10085082
XP21-036-230	35800	17	12.5	32400	20600	3.32	2.46	8.5	CX38-43B	EL195UH070XE36B	10085081
XP21-036-230	35600	17	12	32800	21000	3.26	2.42	8.5	CX38-43B	EL296UH045XE36B	10085078
XP21-036-230	36000	17	12.5	32600	20800	3.32	2.48	8.5	CX38-43B	EL296UH045XV36B	10085075
XP21-036-230	35800	17	12.5	32400	20600	3.32	2.46	8.5	CX38-43B	EL296UH070XE36B	10085077
XP21-036-230	35800	17	12.5	32600	20800	3.32	2.48	8.5	CX38-43B	EL296UH070XV36B	10085076
XP21-036-230	35800	17	13	32000	20400	3.36	2.52	9	CX38-43B	ML180UH070E36B	10589649
XP21-036-230	36200	18	13	32400	20600	3.4	2.54	9	CX38-43B	ML180UH090E48B	10589768
XP21-036-230	36200	17	13	32200	20600	3.38	2.54	8.5	CX38-43B	SL280UH090V36B	10085071
XP21-036-230	36000	17	12.5	32400	20600	3.4	2.54	9	CX38-43B	SL280UH090V48B	10085070
XP21-036-230	36000	17	12.5	32400	20600	3.4	2.54	9	CX38-43B	SL280UH090XV48B	10085083
XP21-036-230	35800	17	12	32600	21000	3.26	2.44	8.5	CX38-43B	SLO185B79/105V42	10085074
XP21-036-230	35800	17	12	32800	21000	3.26	2.42	8.5	CX38-43B	SLO185UF79/105V42	10085073

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-036-230	35800	17	12.5	32600	20800	3.32	2.48	8.5	CX38-43B	SLP98UH070XV36B	10085072
XP21-036-230	35600	15.5	11.7	33000	21200	3.2	2.38	8.5	CX38-43B		10084116
XP21-036-230	35800	17	12.5	32200	20600	3.34	2.5	8.5	CX38-43C	CBWMV-36C-090	10085064
XP21-036-230	36200	17	13	32400	20600	3.38	2.52	9	CX38-43C	EL195UH090XE48C	10085061
XP21-036-230	36200	17	13	32400	20600	3.38	2.52	9	CX38-43C	EL296UH090XE48C	10085059
XP21-036-230	36200	17	12.5	32400	20600	3.38	2.52	9	CX38-43C	EL296UH090XV36C	10085055
XP21-036-230	35800	17	12.5	32200	20400	3.36	2.5	8.5	CX38-43C	EL296UH090XV48C	10085056
XP21-036-230	36600	17	12.5	32600	20800	3.42	2.54	9	CX38-43C	EL296UH090XV60C	10085057
XP21-036-230	36200	18	13	32200	20600	3.38	2.54	9	CX38-43C	EL296UH110XV48C	10085058
XP21-036-230	36400	18	13	32600	20600	3.44	2.54	9	CX38-43C	EL296UH110XV60C	10085052
XP21-036-230	36400	17	12.5	32600	20600	3.46	2.54	9	CX38-43C	SL280UH090V60C	10085065
XP21-036-230	36400	17	12.5	32600	20600	3.46	2.54	9	CX38-43C	SL280UH090XV60C	10085063
XP21-036-230	36400	17	12.5	32600	20800	3.42	2.54	8.5	CX38-43C	SL280UH110V60C	10085051
XP21-036-230	36400	17	12.5	32600	20800	3.42	2.54	8.5	CX38-43C	SL280UH110XV60C	10085062
XP21-036-230	35800	17	12	32600	21000	3.26	2.44	8.5	CX38-43C	SLO185B79/105V42	10085054
XP21-036-230	35800	17	12	32800	21000	3.26	2.42	8.5	CX38-43C	SLO185UF79/105V42	10085053
XP21-036-230	36200	17	12.5	32400	20600	3.38	2.52	9	CX38-43C	SLP98UH090XV36C	10085068
XP21-036-230	35800	17	12.5	32200	20400	3.36	2.5	8.5	CX38-43C	SLP98UH090XV48C	10085066
XP21-036-230	36600	17	12.5	32600	20800	3.42	2.54	9	CX38-43C	SLP98UH090XV60C	10085067
XP21-036-230	36400	18	13	32600	20600	3.44	2.54	9	CX38-43C	SLP98UH110XV60C	10085060
XP21-036-230	35600	15.5	11.7	33000	21200	3.2	2.38	8.5	CX38-43C		10084117
XP21-036-230	35000	15.2	11.7	32600	21000	3.1	2.34	8.2	CX38-44/48B		10084084
XP21-036-230	35600	17	12.5	32200	20400	3.3	2.46	8.5	CX38-44/48C	SLP98UH090XV36C	10085643
XP21-036-230	35000	15.2	11.7	32600	21000	3.1	2.34	8.2	CX38-44/48C		10084085
XP21-036-230	36000	17	12.5	32400	20600	3.38	2.52	9	CX38-49C	CBWMV-36C-090	10084193
XP21-036-230	36200	17	12.5	32400	20600	3.4	2.52	9	CX38-49C	EL195UH090XE48C	10084200
XP21-036-230	36200	17	12.5	32400	20600	3.4	2.52	9	CX38-49C	EL296UH090XE48C	10084640
XP21-036-230	36200	17	12.5	32400	20600	3.4	2.52	9	CX38-49C	EL296UH090XV36C	10084775
XP21-036-230	36000	17	13	32200	20400	3.38	2.52	9	CX38-49C	EL296UH090XV48C	10084783
XP21-036-230	36800	17	13	32800	20800	3.46	2.54	9	CX38-49C	EL296UH090XV60C	10084792
XP21-036-230	36400	17	13	32400	20600	3.42	2.54	9	CX38-49C	EL296UH110XV48C	10084668
XP21-036-230	36600	17	13	32600	20600	3.46	2.56	9	CX38-49C	EL296UH110XV60C	10084800
XP21-036-230	36800	17	13	32600	20600	3.48	2.56	9	CX38-49C	SL280UH090V60C	10084192
XP21-036-230	36800	17	13	32600	20600	3.48	2.56	9	CX38-49C	SL280UH090XV60C	10084235
XP21-036-230	36600	17	12.5	32600	20800	3.44	2.56	8.5	CX38-49C	SL280UH110V60C	10084207
XP21-036-230	36600	17	12.5	32600	20800	3.44	2.56	8.5	CX38-49C	SL280UH110XV60C	10084230
XP21-036-230	35800	17	12	32800	21000	3.26	2.42	8.5	CX38-49C	SLO185UF79/105V42	10084900
XP21-036-230	36200	17	12.5	32400	20600	3.4	2.52	9	CX38-49C	SLP98UH090XV36C	10084229
XP21-036-230	36000	17	13	32200	20400	3.38	2.52	9	CX38-49C	SLP98UH090XV48C	10084240
XP21-036-230	36800	17	13	32800	20800	3.46	2.54	9	CX38-49C	SLP98UH090XV60C	10084226
XP21-036-230	36600	17	13	32600	20600	3.46	2.56	9	CX38-49C	SLP98UH110XV60C	10084204
XP21-036-230	35600	15.5	11.7	33000	21200	3.22	2.4	8.5	CX38-49C		10084086
XP21-048-230	47000	15.2	11.7	46000	29000	3	2.34	8.2	C33-49		5272174
XP21-048-230	47500	16	12	45500	28400	3.08	2.38	8.2	C33-49C	CBWMV-60C-100	5272198
XP21-048-230	47500	16	12	45500	28600	3.08	2.4	8.2	C33-49C	CBWMV-60C-120	5272199
XP21-048-230	47500	16	12.5	45000	28200	3.06	2.4	8.5	C33-49C	EL180UH090E60C	5740290
XP21-048-230	47000	16	12	45000	28200	3.04	2.4	8.5	C33-49C	EL180UH110E60C	5740746
XP21-048-230	47000	16	12	45000	28400	3.02	2.38	8.2	C33-49C	EL195UH090XE48C	5272299
XP21-048-230	47500	16	12	45000	28400	3.04	2.4	8.2	C33-49C	EL195UH110XE60C	5272300
XP21-048-230	47000	16	12	45000	28400	3.02	2.38	8.2	C33-49C	EL296UH090XE48C	5650526
XP21-048-230	47500	16	12	45500	28400	3.06	2.38	8.2	C33-49C	EL296UH090XV48C	5761162
XP21-048-230	47500	16	12	45500	28600	3.06	2.4	8.2	C33-49C	EL296UH090XV60C	5761249
XP21-048-230	47500	16	12	45000	28400	3.04	2.38	8.2	C33-49C	EL296UH110XV48C	5685256
XP21-048-230	47500	16	12	45000	28400	3.04	2.38	8.2	C33-49C	EL296UH110XV48C	5761294
XP21-048-230	47500	16	12	45500	28600	3.06	2.38	8.2	C33-49C	EL296UH110XV60C	5761370
XP21-048-230	47500	16	12.5	45000	28200	3.06	2.4	8.5	C33-49C	ML180UH090E60C	10589829
XP21-048-230	47000	16	12	45000	28200	3.04	2.4	8.5	C33-49C	ML180UH110E60C	10590083
XP21-048-230	47500	16	12	45000	28400	3.06	2.4	8.2	C33-49C	SL280UH090V60C	5272185
XP21-048-230	47500	16	12	45000	28400	3.06	2.4	8.2	C33-49C	SL280UH090XV60C	5272200
XP21-048-230	47500	16	12.5	45000	28200	3.06	2.4	8.2	C33-49C	SL280UH110V60C	5272186
XP21-048-230	47500	16	12.5	45000	28200	3.06	2.4	8.2	C33-49C	SL280UH110XV60C	5272202

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-048-230	47500	16	12	45500	28400	3.06	2.38	8.2	C33-49C	SLP98UH090XV48C	5272187
XP21-048-230	47500	16	12	45500	28600	3.06	2.4	8.2	C33-49C	SLP98UH090XV60C	5272188
XP21-048-230	47500	16	12	45500	28600	3.06	2.38	8.2	C33-49C	SLP98UH110XV60C	5272189
XP21-048-230	49000	17	12.5	45500	28400	3.1	2.38	8.2	C33-62C	CBWMV-60C-100	5272232
XP21-048-230	49000	17	12.5	45500	28600	3.1	2.38	8.2	C33-62C	CBWMV-60C-120	5272233
XP21-048-230	49000	17	12.5	45000	28200	3.08	2.4	8.2	C33-62C	EL180UH090E60C	5740291
XP21-048-230	48500	17	12.5	45000	28200	3.06	2.4	8.5	C33-62C	EL180UH110E60C	5740747
XP21-048-230	48500	17	12.5	45500	28400	3.08	2.38	8.2	C33-62C	EL195UH090XE48C	5272303
XP21-048-230	49000	17	12.5	45000	28400	3.06	2.4	8.2	C33-62C	EL195UH110XE60C	5272304
XP21-048-230	48500	17	12.5	45500	28400	3.08	2.38	8.2	C33-62C	EL296UH090XE48C	5650520
XP21-048-230	49000	17	12.5	45500	28400	3.08	2.38	8.2	C33-62C	EL296UH090XV48C	5761159
XP21-048-230	49000	17	12.5	45500	28400	3.08	2.38	8.2	C33-62C	EL296UH090XV60C	5761247
XP21-048-230	48500	17	12.5	45500	28400	3.1	2.38	8.2	C33-62C	EL296UH110XV48C	5685255
XP21-048-230	48500	17	12.5	45500	28400	3.1	2.38	8.2	C33-62C	EL296UH110XV48C	5761293
XP21-048-230	49000	17	12.5	45500	28600	3.1	2.38	8.2	C33-62C	EL296UH110XV60C	5761374
XP21-048-230	49000	17	12.5	45000	28200	3.08	2.4	8.2	C33-62C	ML180UH090E60C	10589830
XP21-048-230	48500	17	12.5	45000	28200	3.06	2.4	8.5	C33-62C	ML180UH110E60C	10590084
XP21-048-230	49000	17	12.5	45500	28400	3.14	2.4	8.2	C33-62C	SL280UH090V60C	5272218
XP21-048-230	49000	17	12.5	45500	28400	3.14	2.4	8.2	C33-62C	SL280UH090XV60C	5272234
XP21-048-230	49000	17	12.5	45000	28200	3.08	2.4	8.2	C33-62C	SL280UH110V60C	5272220
XP21-048-230	49000	17	12.5	45000	28200	3.08	2.4	8.2	C33-62C	SL280UH110XV60C	5272236
XP21-048-230	49000	17	12.5	45500	28400	3.08	2.38	8.2	C33-62C	SLP98UH090XV48C	5272221
XP21-048-230	49000	17	12.5	45500	28400	3.08	2.38	8.2	C33-62C	SLP98UH090XV60C	5272222
XP21-048-230	49000	17	12.5	45500	28600	3.1	2.38	8.2	C33-62C	SLP98UH110XV60C	5272223
XP21-048-230	48500	15.7	12	46000	29000	3.02	2.34	8.2	C33-62C		5272176
XP21-048-230	48000	17	12.5	45500	28400	3.14	2.42	8.5	C33-62D	EL180UH135E60D	5741103
XP21-048-230	48000	16	12	45500	28200	3.08	2.38	8.5	C33-62D	EL195UH135XE60D	5272307
XP21-048-230	48000	16	12	45500	28200	3.08	2.38	8.5	C33-62D	EL296UH135XE60D	5650527
XP21-048-230	48000	17	12	45500	28600	3.12	2.42	8.5	C33-62D	EL296UH135XV60D	5761430
XP21-048-230	48000	17	12.5	45500	28400	3.14	2.42	8.5	C33-62D	ML180UH135E60D	10590362
XP21-048-230	48000	16	12.5	45500	28400	3.12	2.4	8.5	C33-62D	SL280UH135V60D	5272251
XP21-048-230	48000	16	12	45500	28600	3.08	2.38	8.2	C33-62D	SLO185UF124/141V60	7087751
XP21-048-230	48000	17	12	45500	28600	3.12	2.42	8.5	C33-62D	SLP98UH135XV60D	5272252
XP21-048-230	47500	15.2	11.7	46000	29000	3.04	2.34	8.2	C33-62D		5272178
XP21-048-230	47500	16	12	45500	28400	3.08	2.38	8.2	C37-49C	CBWMV-60C-100	10084340
XP21-048-230	47500	16	12	45500	28600	3.08	2.4	8.2	C37-49C	CBWMV-60C-120	10084307
XP21-048-230	47500	16	12.5	45000	28200	3.06	2.4	8.5	C37-49C	EL180UH090E60C	10084694
XP21-048-230	47000	16	12	45000	28200	3.04	2.4	8.5	C37-49C	EL180UH110E60C	10084692
XP21-048-230	47000	16	12	45000	28400	3.02	2.38	8.2	C37-49C	EL195UH090XE48C	10084304
XP21-048-230	47500	16	12	45000	28400	3.04	2.4	8.2	C37-49C	EL195UH110XE60C	10084311
XP21-048-230	47000	16	12	45000	28400	3.02	2.38	8.2	C37-49C	EL296UH090XE48C	10084650
XP21-048-230	47500	16	12	45500	28400	3.06	2.38	8.2	C37-49C	EL296UH090XV48C	10084785
XP21-048-230	47500	16	12	45500	28600	3.06	2.4	8.2	C37-49C	EL296UH090XV60C	10084789
XP21-048-230	47500	16	12	45000	28400	3.04	2.38	8.2	C37-49C	EL296UH110XV48C	10084670
XP21-048-230	47500	16	12	45500	28600	3.06	2.38	8.2	C37-49C	EL296UH110XV60C	10084798
XP21-048-230	47500	16	12.5	45000	28200	3.06	2.4	8.5	C37-49C	ML180UH090E60C	10589914
XP21-048-230	47000	16	12	45000	28200	3.04	2.4	8.5	C37-49C	ML180UH110E60C	10590158
XP21-048-230	47500	16	12	45000	28400	3.06	2.4	8.2	C37-49C	SL280UH090V60C	10084280
XP21-048-230	47500	16	12	45000	28400	3.06	2.4	8.2	C37-49C	SL280UH090XV60C	10084303
XP21-048-230	47500	16	12.5	45000	28200	3.06	2.4	8.2	C37-49C	SL280UH110V60C	10084298
XP21-048-230	47500	16	12.5	45000	28200	3.06	2.4	8.2	C37-49C	SL280UH110XV60C	10084299
XP21-048-230	47500	16	12	45500	28400	3.06	2.38	8.2	C37-49C	SLP98UH090XV48C	10084281
XP21-048-230	47500	16	12	45500	28600	3.06	2.4	8.2	C37-49C	SLP98UH090XV60C	10084283
XP21-048-230	47500	16	12	45500	28600	3.06	2.38	8.2	C37-49C	SLP98UH110XV60C	10084285
XP21-048-230	47000	15.2	11.7	46000	29000	3	2.34	8.2	C37-49C		10084090
XP21-048-230	49000	17	12.5	45500	28400	3.1	2.38	8.2	C37-62C	CBWMV-60C-100	10084297
XP21-048-230	49000	17	12.5	45500	28600	3.1	2.38	8.2	C37-62C	CBWMV-60C-120	10084293
XP21-048-230	49000	17	12.5	45000	28200	3.08	2.4	8.2	C37-62C	EL180UH090E60C	10084698
XP21-048-230	48500	17	12.5	45000	28200	3.06	2.4	8.5	C37-62C	EL180UH110E60C	10084679
XP21-048-230	48500	17	12.5	45500	28400	3.08	2.38	8.2	C37-62C	EL195UH090XE48C	10084291
XP21-048-230	49000	17	12.5	45000	28400	3.06	2.4	8.2	C37-62C	EL195UH110XE60C	10084287

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-048-230	48500	17	12.5	45500	28400	3.08	2.38	8.2	C37-62C	EL296UH090XE48C	10084662
XP21-048-230	49000	17	12.5	45500	28400	3.08	2.38	8.2	C37-62C	EL296UH090XV48C	10084780
XP21-048-230	49000	17	12.5	45500	28400	3.08	2.38	8.2	C37-62C	EL296UH090XV60C	10084787
XP21-048-230	48500	17	12.5	45500	28400	3.1	2.38	8.2	C37-62C	EL296UH110XV48C	10084669
XP21-048-230	49000	17	12.5	45500	28600	3.1	2.38	8.2	C37-62C	EL296UH110XV60C	10084805
XP21-048-230	49000	17	12.5	45000	28200	3.08	2.4	8.2	C37-62C	ML180UH090E60C	10589918
XP21-048-230	48500	17	12.5	45000	28200	3.06	2.4	8.5	C37-62C	ML180UH110E60C	10590155
XP21-048-230	49000	17	12.5	45500	28400	3.14	2.4	8.2	C37-62C	SL280UH090V60C	10084288
XP21-048-230	49000	17	12.5	45500	28400	3.14	2.4	8.2	C37-62C	SL280UH090XV60C	10084289
XP21-048-230	49000	17	12.5	45000	28200	3.08	2.4	8.2	C37-62C	SL280UH110V60C	10084308
XP21-048-230	49000	17	12.5	45000	28200	3.08	2.4	8.2	C37-62C	SL280UH110XV60C	10084309
XP21-048-230	49000	17	12.5	45500	28400	3.08	2.38	8.2	C37-62C	SLP98UH090XV48C	10084306
XP21-048-230	49000	17	12.5	45500	28400	3.08	2.38	8.2	C37-62C	SLP98UH090XV60C	10084313
XP21-048-230	49000	17	12.5	45500	28600	3.1	2.38	8.2	C37-62C	SLP98UH110XV60C	10084302
XP21-048-230	48500	15.7	12	46000	29000	3.02	2.34	8.2	C37-62C		10084088
XP21-048-230	48000	17	12.5	45500	28400	3.14	2.42	8.5	C37-62D	EL180UH135E60D	10084719
XP21-048-230	48000	16	12	45500	28200	3.08	2.38	8.5	C37-62D	EL195UH135XE60D	10084305
XP21-048-230	48000	16	12	45500	28200	3.08	2.38	8.5	C37-62D	EL296UH135XE60D	10084654
XP21-048-230	48000	17	12	45500	28600	3.12	2.42	8.5	C37-62D	EL296UH135XV60D	10084809
XP21-048-230	48000	17	12.5	45500	28400	3.14	2.42	8.5	C37-62D	ML180UH135E60D	10590399
XP21-048-230	48000	16	12.5	45500	28400	3.12	2.4	8.5	C37-62D	SL280UH135V60D	10084284
XP21-048-230	48000	16	12	45500	28600	3.08	2.38	8.2	C37-62D	SLO185UF124/141V60	10084918
XP21-048-230	48000	17	12	45500	28600	3.12	2.42	8.5	C37-62D	SLP98UH135XV60D	10084279
XP21-048-230	47500	15.2	11.7	46000	29000	3.04	2.34	8.2	C37-62D		10084091
XP21-048-230	46000	16	12	46000	29000	3.44	2.54	9	CBA27UHE-060		10258577
XP21-048-230	47500	17	12	46500	29000	3.48	2.64	9	CBX27UH-048		5272172
XP21-048-230	46500	16	12	46000	28800	3.36	2.6	9	CBX27UH-060		5272173
XP21-048-230	47500	17	12	46500	29000	3.48	2.64	9	CBX32MV-048		5272168
XP21-048-230	47500	17.2	12.5	46000	28800	3.46	2.6	9.2	CBX32MV-060		5272167
XP21-048-230	47500	17	12.5	45500	28400	3.2	2.48	8.5	CBX32MV-068		5272169
XP21-048-230	47500	16	12	46500	29000	3.48	2.62	9	CBX40UHV-048		5272170
XP21-048-230	47500	16	12	46500	29000	3.42	2.6	9	CBX40UHV-060		5272171
XP21-048-230	48000	16	12	45500	28600	3.08	2.38	8.2	CH33-49	CBWMV-60C-100	5272274
XP21-048-230	47500	16	12.5	45000	28200	3.06	2.38	8.2	CH33-49	EL180UH090E60C	5740287
XP21-048-230	47000	16	12	45000	28200	3.04	2.38	8.5	CH33-49	EL180UH110E60C	5740754
XP21-048-230	47500	16	12	45000	28400	3.02	2.36	8.2	CH33-49	EL195UH090XE48C	5272309
XP21-048-230	47500	16	12	45000	28400	3.04	2.38	8.2	CH33-49	EL195UH110XE60C	5272310
XP21-048-230	47500	16	12	45000	28400	3.02	2.36	8.2	CH33-49	EL296UH090XE48C	5650525
XP21-048-230	47500	16	12	45500	28600	3.06	2.36	8.2	CH33-49	EL296UH090XV48C	5761157
XP21-048-230	48000	16	12	45500	28600	3.06	2.36	8.2	CH33-49	EL296UH090XV60C	5761246
XP21-048-230	47500	16	12	45500	28600	3.06	2.38	8.2	CH33-49	EL296UH110XV48C	5685253
XP21-048-230	47500	16	12	45500	28600	3.06	2.38	8.2	CH33-49	EL296UH110XV48C	5761291
XP21-048-230	48000	16	12	45500	28600	3.06	2.38	8.2	CH33-49	EL296UH110XV60C	5761367
XP21-048-230	47500	16	12.5	45000	28200	3.06	2.38	8.2	CH33-49	ML180UH090E60C	10589827
XP21-048-230	47000	16	12	45000	28200	3.04	2.38	8.5	CH33-49	ML180UH110E60C	10590089
XP21-048-230	48000	16	12.5	45500	28400	3.1	2.38	8.2	CH33-49	SL280UH090V60C	5272262
XP21-048-230	48000	16	12.5	45500	28400	3.1	2.38	8.2	CH33-49	SL280UH090XV60C	5272330
XP21-048-230	47500	16	12	45500	28400	3.08	2.38	8.2	CH33-49	SL280UH110V60C	5272264
XP21-048-230	47500	16	12	45500	28400	3.08	2.38	8.2	CH33-49	SL280UH110XV60C	5272275
XP21-048-230	47500	16	12	45500	28600	3.06	2.36	8.2	CH33-49	SLP98UH090XV48C	5272265
XP21-048-230	48000	16	12	45500	28600	3.06	2.36	8.2	CH33-49	SLP98UH090XV60C	5272266
XP21-048-230	48000	16	12	45500	28600	3.06	2.38	8.2	CH33-49	SLP98UH110XV60C	5272267
XP21-048-230	47500	15.2	11.7	46000	29000	3.04	2.34	8.2	CH33-49		5272180
XP21-048-230	47500	16	12	45500	28600	3.08	2.38	8.2	CH33-50/60C	CBWMV-60C-100	5272286
XP21-048-230	47500	16	12	45500	28800	3.04	2.38	8.2	CH33-50/60C	CBWMV-60C-120	5272287
XP21-048-230	47000	16	12	45000	28200	3.04	2.38	8.2	CH33-50/60C	EL180UH090E60C	5740286
XP21-048-230	47000	16	12	45000	28200	3.04	2.38	8.5	CH33-50/60C	EL180UH110E60C	5740744
XP21-048-230	47000	16	12	45000	28400	3.02	2.36	8.2	CH33-50/60C	EL195UH090XE48C	5272311
XP21-048-230	47000	16	12	45000	28400	3.02	2.38	8.2	CH33-50/60C	EL195UH110XE60C	5272312
XP21-048-230	47000	16	12	45000	28400	3.02	2.36	8.2	CH33-50/60C	EL296UH090XE48C	5650521
XP21-048-230	47500	16	12	45500	28600	3.04	2.36	8.2	CH33-50/60C	EL296UH090XV48C	5761158

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-048-230	47500	16	12	45500	28600	3.04	2.36	8.2	CH33-50/60C	EL296UH090XV60C	5761256
XP21-048-230	47500	16	12	45500	28600	3.06	2.38	8.2	CH33-50/60C	EL296UH110XV48C	5685252
XP21-048-230	47500	16	12	45500	28600	3.06	2.38	8.2	CH33-50/60C	EL296UH110XV48C	5761290
XP21-048-230	47500	16	12	45500	28600	3.06	2.38	8.2	CH33-50/60C	EL296UH110XV60C	5761368
XP21-048-230	47000	16	12	45000	28200	3.04	2.38	8.2	CH33-50/60C	ML180UH090E60C	10589826
XP21-048-230	47000	16	12	45000	28200	3.04	2.38	8.5	CH33-50/60C	ML180UH110E60C	10590081
XP21-048-230	47500	16	12	45500	28400	3.08	2.38	8.2	CH33-50/60C	SL280UH110V60C	5272276
XP21-048-230	47500	16	12	45500	28400	3.08	2.38	8.2	CH33-50/60C	SL280UH110XV60C	5272332
XP21-048-230	47500	16	12	45500	28600	3.04	2.36	8.2	CH33-50/60C	SLP98UH090XV48C	5272277
XP21-048-230	47500	16	12	45500	28600	3.04	2.36	8.2	CH33-50/60C	SLP98UH090XV60C	5272278
XP21-048-230	47500	16	12	45500	28600	3.06	2.38	8.2	CH33-50/60C	SLP98UH110XV60C	5272279
XP21-048-230	47000	15.2	11.7	46000	29000	3.02	2.34	8.2	CH33-50/60C		5272181
XP21-048-230	47500	16	12.5	45500	28400	3.18	2.44	8.5	CH33-62D	EL180UH135E60D	5741102
XP21-048-230	47500	16	12	45500	28200	3.12	2.4	8.5	CH33-62D	EL195UH135XE60D	5272313
XP21-048-230	47500	16	12	45500	28200	3.12	2.4	8.5	CH33-62D	EL296UH135XE60D	5650541
XP21-048-230	47500	16	12.5	45500	28400	3.18	2.44	8.5	CH33-62D	ML180UH135E60D	10590361
XP21-048-230	47500	16	12	45500	28600	3.16	2.44	8.5	CH33-62D	SL280UH135V60D	5272288
XP21-048-230	47500	16	12	45500	28600	3.14	2.44	8.5	CH33-62D	SLP98UH135XV60D	5272289
XP21-048-230	47000	15	11.7	46000	29000	3.06	2.36	8.2	CH33-62D		5272182
XP21-048-230	46500	16	12.2	48500	32000	3.08	2.38	8.2	CH35-60D	EL180UH135E60D	9115078
XP21-048-230	46000	15.5	11.5	49000	32400	3.06	2.36	8.2	CH35-60D	EL195UH135XE60D	9115079
XP21-048-230	46000	15.5	11.5	49000	32400	3.06	2.36	8.2	CH35-60D	EL296UH135XE60D	9115080
XP21-048-230	46500	16	12.2	48500	32000	3.08	2.38	8.2	CH35-60D	ML180UH135E60D	10590373
XP21-048-230	46500	16	12	48500	32200	3.06	2.38	8.2	CH35-60D	SL280UH135V60D	9115082
XP21-048-230	46500	16	12	49000	32200	3.1	2.38	8.2	CH35-60D	SLP98UH135XV60D	9115083
XP21-048-230	46000	14.5	11.5	49000	32800	2.98	2.32	8.2	CH35-60D		9115077
XP21-048-230	47000	16	11.7	46000	28800	3.54	2.62	9	CR33-50/60	EL296DF090XE48C	5650535
XP21-048-230	47000	16	11.7	46000	28600	3.6	2.66	9	CR33-50/60	EL296DF110XE60C	5650528
XP21-048-230	47000	16	12.5	46000	28600	3.54	2.62	9	CR33-50/60	SL280DF090V60C	5272291
XP21-048-230	47000	16	12.5	46000	28600	3.54	2.64	9	CR33-50/60	SL280DF110V60C	5277847
XP21-048-230	47000	16	12	46000	29000	3.44	2.56	9	CR33-50/60	SLP98DF090XV48C	5272292
XP21-048-230	47000	16	11.7	46000	29000	3.46	2.6	9	CR33-50/60	SLP98DF090XV60C	5272293
XP21-048-230	47000	16	11.7	46000	29000	3.46	2.58	9	CR33-50/60	SLP98DF110XV60C	5272294
XP21-048-230	46500	15	11.5	47000	29200	3.44	2.52	8.5	CR33-50/60		5272183
XP21-048-230	46500	15	11.5	47000	29200	3.44	2.52	8.5	CR33-60		5272184
XP21-048-230	47500	16	12	45500	28400	3.08	2.38	8.2	CX34-49C	CBWMV-60C-100	5272215
XP21-048-230	47500	16	12	45500	28600	3.08	2.4	8.2	CX34-49C	CBWMV-60C-120	5272216
XP21-048-230	47500	16	12.5	45000	28200	3.06	2.4	8.5	CX34-49C	EL180UH090E60C	5740289
XP21-048-230	47000	16	12	45000	28200	3.04	2.4	8.5	CX34-49C	EL180UH110E60C	5740745
XP21-048-230	47000	16	12	45000	28400	3.02	2.38	8.2	CX34-49C	EL195UH090XE48C	5272301
XP21-048-230	47500	16	12	45000	28400	3.04	2.4	8.2	CX34-49C	EL195UH110XE60C	5272302
XP21-048-230	47000	16	12	45000	28400	3.02	2.38	8.2	CX34-49C	EL296UH090XE48C	5650524
XP21-048-230	47500	16	12	45500	28400	3.06	2.38	8.2	CX34-49C	EL296UH090XV48C	5761160
XP21-048-230	47500	16	12	45500	28600	3.06	2.4	8.2	CX34-49C	EL296UH090XV60C	5761248
XP21-048-230	47500	16	12	45000	28400	3.04	2.38	8.2	CX34-49C	EL296UH110XV48C	5685257
XP21-048-230	47500	16	12	45000	28400	3.04	2.38	8.2	CX34-49C	EL296UH110XV48C	5761295
XP21-048-230	47500	16	12	45500	28600	3.06	2.38	8.2	CX34-49C	EL296UH110XV60C	5761369
XP21-048-230	47500	16	12.5	45000	28200	3.06	2.4	8.5	CX34-49C	ML180UH090E60C	10589828
XP21-048-230	47000	16	12	45000	28200	3.04	2.4	8.5	CX34-49C	ML180UH110E60C	10590082
XP21-048-230	47500	16	12	45000	28400	3.06	2.4	8.2	CX34-49C	SL280UH090V60C	5272201
XP21-048-230	47500	16	12	45000	28400	3.06	2.4	8.2	CX34-49C	SL280UH090XV60C	5272217
XP21-048-230	47500	16	12.5	45000	28200	3.06	2.4	8.2	CX34-49C	SL280UH110V60C	5272203
XP21-048-230	47500	16	12.5	45000	28200	3.06	2.4	8.2	CX34-49C	SL280UH110XV60C	5272219
XP21-048-230	47500	16	12	45500	28400	3.06	2.38	8.2	CX34-49C	SLP98UH090XV48C	5272204
XP21-048-230	47500	16	12	45500	28600	3.06	2.4	8.2	CX34-49C	SLP98UH090XV60C	5272205
XP21-048-230	47500	16	12	45500	28600	3.06	2.38	8.2	CX34-49C	SLP98UH110XV60C	5272206
XP21-048-230	47000	15.2	11.7	46000	29000	3	2.34	8.2	CX34-49C		5272175
XP21-048-230	49000	17	12.5	45500	28400	3.08	2.38	8.2	CX34-62C	EL296UH090XV48C	8066785
XP21-048-230	48000	17	12.5	45500	28400	3.14	2.42	8.5	CX34-62D	EL180UH135E60D	5741104
XP21-048-230	48000	16	12	45500	28200	3.08	2.38	8.5	CX34-62D	EL195UH135XE60D	5272308
XP21-048-230	48000	16	12	45500	28200	3.08	2.38	8.5	CX34-62D	EL296UH135XE60D	5650531

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-048-230	48000	17	12	45500	28600	3.12	2.42	8.5	CX34-62D	EL296UH135XV60D	5761429
XP21-048-230	48000	17	12.5	45500	28400	3.14	2.42	8.5	CX34-62D	ML180UH135E60D	10590363
XP21-048-230	48000	16	12.5	45500	28400	3.12	2.4	8.5	CX34-62D	SL280UH135V60D	5272256
XP21-048-230	48000	16	12	45500	28600	3.08	2.38	8.2	CX34-62D	SLO185UF124/141V60	7087752
XP21-048-230	48000	17	12	45500	28600	3.12	2.42	8.5	CX34-62D	SLP98UH135XV60D	5272257
XP21-048-230	47500	15.2	11.7	46000	29000	3.04	2.34	8.2	CX34-62D		5272179
XP21-048-230	45000	15.5	11.5	46000	31600	3.3	2.48	8.5	CX35-49C	EL180UH090E60C	9115085
XP21-048-230	44500	15.5	11.5	46000	31600	3.28	2.46	8.5	CX35-49C	EL180UH110E60C	9115086
XP21-048-230	45000	15.5	11.5	46000	31800	3.26	2.46	8.5	CX35-49C	EL195UH090XE48C	9115087
XP21-048-230	45000	15.5	11.5	46000	31800	3.28	2.48	8.5	CX35-49C	EL195UH110XE60C	9115088
XP21-048-230	45000	15.5	11.5	46000	31800	3.26	2.46	8.5	CX35-49C	EL296UH090XE48C	9115089
XP21-048-230	45000	15.5	11.5	46000	31800	3.26	2.46	8.5	CX35-49C	EL296UH090XV48C	9115090
XP21-048-230	45000	15.5	11.5	46000	31800	3.26	2.46	8.5	CX35-49C	EL296UH090XV60C	9115091
XP21-048-230	45000	15.5	11.5	46000	31800	3.28	2.46	8.5	CX35-49C	EL296UH110XV48C	9115093
XP21-048-230	45000	15.5	11.5	46500	32000	3.3	2.46	8.5	CX35-49C	EL296UH110XV60C	9115094
XP21-048-230	45000	15.5	11.5	46000	31600	3.3	2.48	8.5	CX35-49C	ML180UH090E60C	10589864
XP21-048-230	44500	15.5	11.5	46000	31600	3.28	2.46	8.5	CX35-49C	ML180UH110E60C	10590118
XP21-048-230	45000	16.5	11.7	46000	31800	3.34	2.52	9	CX35-49C	SL280UH080NV60C	10581387
XP21-048-230	45000	15.5	11.5	46000	31800	3.3	2.48	8.5	CX35-49C	SL280UH090V60C	9115095
XP21-048-230	45000	15.5	11.5	46000	31800	3.3	2.48	8.5	CX35-49C	SL280UH090XV60C	9115096
XP21-048-230	45000	15.5	11.5	46000	31600	3.3	2.46	8.5	CX35-49C	SL280UH110V60C	9115097
XP21-048-230	45000	15.5	11.5	46000	31600	3.3	2.46	8.5	CX35-49C	SL280UH110XV60C	9115098
XP21-048-230	45000	15.5	11.5	46000	31800	3.26	2.46	8.5	CX35-49C	SLP98UH090XV48C	9115169
XP21-048-230	45000	15.5	11.5	46000	31800	3.26	2.46	8.5	CX35-49C	SLP98UH090XV60C	9115099
XP21-048-230	45000	15.5	11.5	46500	32000	3.3	2.46	8.5	CX35-49C	SLP98UH110XV60C	9115100
XP21-048-230	44500	14.3	11	46500	32400	3.2	2.42	8.5	CX35-49C		9115084
XP21-048-230	45500	14.5	11.5	47000	30400	3.24	2.4	8.5	CX35-60D	EL180UH135E60D	9115101
XP21-048-230	45500	14.3	11.5	47500	30600	3.2	2.36	8.5	CX35-60D	EL195UH135XE60D	9115102
XP21-048-230	45500	14.3	11.5	47500	30600	3.2	2.36	8.5	CX35-60D	EL296UH135XE60D	9115103
XP21-048-230	45500	14.5	11.5	47500	30600	3.26	2.4	8.5	CX35-60D	EL296UH135XV60D	9115104
XP21-048-230	45500	14.5	11.5	47000	30400	3.24	2.4	8.5	CX35-60D	ML180UH135E60D	10590374
XP21-048-230	45500	14.5	11.5	47000	30400	3.22	2.4	8.5	CX35-60D	SL280UH135V60D	9115105
XP21-048-230	45500	14.5	11.5	47500	30600	3.26	2.4	8.5	CX35-60D	SLP98UH135XV60D	9115106
XP21-048-230	47500	16	12	45500	28400	3.08	2.38	8.2	CX38-49C	CBWMV-60C-100	10084301
XP21-048-230	47500	16	12	45500	28600	3.08	2.4	8.2	CX38-49C	CBWMV-60C-120	10084296
XP21-048-230	47500	16	12.5	45000	28200	3.06	2.4	8.5	CX38-49C	EL180UH090E60C	10084695
XP21-048-230	47000	16	12	45000	28200	3.04	2.4	8.5	CX38-49C	EL180UH110E60C	10084675
XP21-048-230	47000	16	12	45000	28400	3.02	2.38	8.2	CX38-49C	EL195UH090XE48C	10084300
XP21-048-230	47500	16	12	45000	28400	3.04	2.4	8.2	CX38-49C	EL195UH110XE60C	10084295
XP21-048-230	47000	16	12	45000	28400	3.02	2.38	8.2	CX38-49C	EL296UH090XE48C	10084638
XP21-048-230	47500	16	12	45500	28400	3.06	2.38	8.2	CX38-49C	EL296UH090XV48C	10084784
XP21-048-230	47500	16	12	45500	28600	3.06	2.4	8.2	CX38-49C	EL296UH090XV60C	10084793
XP21-048-230	47500	16	12	45000	28400	3.04	2.38	8.2	CX38-49C	EL296UH110XV48C	10084667
XP21-048-230	47500	16	12	45500	28600	3.06	2.38	8.2	CX38-49C	EL296UH110XV60C	10084799
XP21-048-230	47500	16	12.5	45000	28200	3.06	2.4	8.5	CX38-49C	ML180UH090E60C	10589915
XP21-048-230	47000	16	12	45000	28200	3.04	2.4	8.5	CX38-49C	ML180UH110E60C	10590153
XP21-048-230	47500	16	12	45000	28400	3.06	2.4	8.2	CX38-49C	SL280UH090V60C	10084310
XP21-048-230	47500	16	12	45000	28400	3.06	2.4	8.2	CX38-49C	SL280UH090XV60C	10084292
XP21-048-230	47500	16	12.5	45000	28200	3.06	2.4	8.2	CX38-49C	SL280UH110V60C	10084294
XP21-048-230	47500	16	12.5	45000	28200	3.06	2.4	8.2	CX38-49C	SL280UH110XV60C	10084342
XP21-048-230	47500	16	12	45500	28400	3.06	2.38	8.2	CX38-49C	SLP98UH090XV48C	10084290
XP21-048-230	47500	16	12	45500	28600	3.06	2.4	8.2	CX38-49C	SLP98UH090XV60C	10084286
XP21-048-230	47500	16	12	45500	28600	3.06	2.38	8.2	CX38-49C	SLP98UH110XV60C	10084341
XP21-048-230	47000	15.2	11.7	46000	29000	3	2.34	8.2	CX38-49C		10084094
XP21-048-230	49000	17	12.5	45500	28400	3.08	2.38	8.2	CX38-62C	EL296UH090XV48C	10086745
XP21-048-230	48000	17	12.5	45500	28400	3.14	2.42	8.5	CX38-62D	EL180UH135E60D	10084715
XP21-048-230	48000	16	12	45500	28200	3.08	2.38	8.5	CX38-62D	EL195UH135XE60D	10084312
XP21-048-230	48000	16	12	45500	28200	3.08	2.38	8.5	CX38-62D	EL296UH135XE60D	10084635
XP21-048-230	48000	17	12	45500	28600	3.12	2.42	8.5	CX38-62D	EL296UH135XV60D	10084808
XP21-048-230	48000	17	12.5	45500	28400	3.14	2.42	8.5	CX38-62D	ML180UH135E60D	10590459
XP21-048-230	48000	16	12.5	45500	28400	3.12	2.4	8.5	CX38-62D	SL280UH135V60D	10084282



# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-048-230	48000	16	12	45500	28600	3.08	2.38	8.2	CX38-62D	SLO185UF124/141V60	10084919
XP21-048-230	48000	17	12	45500	28600	3.12	2.42	8.5	CX38-62D	SLP98UH135XV60D	10084339
XP21-048-230	47500	15.2	11.7	46000	29000	3.04	2.34	8.2	CX38-62D		10084089
XP21-060-230	56000	14.7	12	53000	33600	3.04	2.28	8.2	C33-49		5272321
XP21-060-230	56000	15.7	12	53000	33600	3.08	2.3	8.5	C33-49C	CBWMV-60C-100	5272340
XP21-060-230	56000	15.5	12	53000	33600	3.06	2.28	8.5	C33-49C	CBWMV-60C-120	5272341
XP21-060-230	56000	15.7	12.2	52500	33200	3.06	2.3	8.5	C33-49C	EL180UH090E60C	5740294
XP21-060-230	56000	15.5	12.2	52500	33200	3.06	2.3	8.5	C33-49C	EL180UH110E60C	5740752
XP21-060-230	56000	15.5	12.2	52500	33200	3.04	2.28	8.5	C33-49C	EL195UH110XE60C	5272412
XP21-060-230	55500	15.5	12	52000	33200	2.98	2.28	8.2	C33-49C	EL296UH090XV60C	5761250
XP21-060-230	56000	15.7	12	53000	33600	3.04	2.28	8.2	C33-49C	EL296UH110XV60C	5761375
XP21-060-230	56000	15.7	12.2	52500	33200	3.06	2.3	8.5	C33-49C	ML180UH090E60C	10589832
XP21-060-230	56000	15.5	12.2	52500	33200	3.06	2.3	8.5	C33-49C	ML180UH110E60C	10590087
XP21-060-230	56500	15.7	12.2	52500	33400	3.06	2.3	8.5	C33-49C	SL280UH090V60C	5272331
XP21-060-230	56500	15.7	12.2	52500	33400	3.06	2.3	8.5	C33-49C	SL280UH090XV60C	5272342
XP21-060-230	56000	15.5	12	53000	33600	3.06	2.28	8.5	C33-49C	SL280UH110V60C	5272333
XP21-060-230	56000	15.5	12	53000	33600	3.06	2.28	8.5	C33-49C	SL280UH110XV60C	5272344
XP21-060-230	55500	15.5	12	52000	33200	2.98	2.28	8.2	C33-49C	SLP98UH090XV60C	5272334
XP21-060-230	56000	15.7	12	53000	33600	3.04	2.28	8.2	C33-49C	SLP98UH110XV60C	5272335
XP21-060-230	56500	16	12	53000	33600	3.12	2.32	8.5	C33-60D	EL296UH135XV60D	5611119
XP21-060-230	56500	16	12	53000	33400	3.14	2.32	8.5	C33-60D	SL280UH135V60D	5611118
XP21-060-230	56500	16	12	53000	33600	3.12	2.32	8.5	C33-60D	SLP98UH135XV60D	5611124
XP21-060-230	56000	14.5	11.7	53000	33600	3.06	2.28	8.5	C33-60D		5646340
XP21-060-230	57000	16	12	53000	33600	3.1	2.3	8.5	C33-62C	CBWMV-60C-100	5272364
XP21-060-230	57000	16	12	53000	33600	3.08	2.28	8.5	C33-62C	CBWMV-60C-120	5272365
XP21-060-230	57000	16	12.5	52500	33200	3.1	2.3	8.5	C33-62C	EL180UH090E60C	5740296
XP21-060-230	57000	16	12.5	52500	33200	3.08	2.3	8.5	C33-62C	EL180UH110E60C	5740753
XP21-060-230	57000	15.7	12.2	52500	33200	3.06	2.3	8.5	C33-62C	EL195UH110XE60C	5272414
XP21-060-230	56500	16	12	52500	33200	3.04	2.28	8.2	C33-62C	EL296UH090XV60C	5761251
XP21-060-230	57000	16	12	53000	33600	3.06	2.28	8.5	C33-62C	EL296UH110XV60C	5761376
XP21-060-230	57000	16	12.5	52500	33200	3.1	2.3	8.5	C33-62C	ML180UH090E60C	10589833
XP21-060-230	57000	16	12.5	52500	33200	3.08	2.3	8.5	C33-62C	ML180UH110E60C	10590088
XP21-060-230	57500	16	12	53000	33400	3.12	2.3	8.5	C33-62C	SL280UH090V60C	5272355
XP21-060-230	57500	16	12	53000	33400	3.12	2.3	8.5	C33-62C	SL280UH090XV60C	5272366
XP21-060-230	57000	16	12	53000	33600	3.08	2.28	8.5	C33-62C	SL280UH110V60C	5272357
XP21-060-230	57000	16	12	53000	33600	3.08	2.28	8.5	C33-62C	SL280UH110XV60C	5272368
XP21-060-230	56500	16	12	52500	33200	3.04	2.28	8.2	C33-62C	SLP98UH090XV60C	5272358
XP21-060-230	57000	16	12	53000	33600	3.06	2.28	8.5	C33-62C	SLP98UH110XV60C	5272359
XP21-060-230	57000	15	12	53000	33600	3.06	2.28	8.5	C33-62C		5272323
XP21-060-230	57000	16	12	53000	33600	3.14	2.32	8.5	C33-62D	EL296UH135XV60D	5611117
XP21-060-230	57000	16	12	53000	33400	3.14	2.32	8.5	C33-62D	SL280UH135V60D	5611116
XP21-060-230	57000	16	12	53000	33600	3.14	2.32	8.5	C33-62D	SLP98UH135XV60D	5611123
XP21-060-230	56000	15.7	12	53000	33600	3.08	2.3	8.5	C37-49C	CBWMV-60C-100	10084334
XP21-060-230	56000	15.5	12	53000	33600	3.06	2.28	8.5	C37-49C	CBWMV-60C-120	10084325
XP21-060-230	56000	15.7	12.2	52500	33200	3.06	2.3	8.5	C37-49C	EL180UH090E60C	10084688
XP21-060-230	56000	15.5	12.2	52500	33200	3.06	2.3	8.5	C37-49C	EL180UH110E60C	10084676
XP21-060-230	56000	15.5	12.2	52500	33200	3.04	2.28	8.5	C37-49C	EL195UH110XE60C	10084338
XP21-060-230	55500	15.5	12	52000	33200	2.98	2.28	8.2	C37-49C	EL296UH090XV60C	10084796
XP21-060-230	56000	15.7	12	53000	33600	3.04	2.28	8.2	C37-49C	EL296UH110XV60C	10084804
XP21-060-230	56000	15.7	12.2	52500	33200	3.06	2.3	8.5	C37-49C	ML180UH090E60C	10589909
XP21-060-230	56000	15.5	12.2	52500	33200	3.06	2.3	8.5	C37-49C	ML180UH110E60C	10590154
XP21-060-230	56500	15.7	12.2	52500	33400	3.06	2.3	8.5	C37-49C	SL280UH090V60C	10084329
XP21-060-230	56500	15.7	12.2	52500	33400	3.06	2.3	8.5	C37-49C	SL280UH090XV60C	10084321
XP21-060-230	56000	15.5	12	53000	33600	3.06	2.28	8.5	C37-49C	SL280UH110V60C	10084324
XP21-060-230	56000	15.5	12	53000	33600	3.06	2.28	8.5	C37-49C	SL280UH110XV60C	10084317
XP21-060-230	55500	15.5	12	52000	33200	2.98	2.28	8.2	C37-49C	SLP98UH090XV60C	10084320
XP21-060-230	56000	15.7	12	53000	33600	3.04	2.28	8.2	C37-49C	SLP98UH110XV60C	10084314
XP21-060-230	56000	14.7	12	53000	33600	3.04	2.28	8.2	C37-49C		10084095
XP21-060-230	56500	16	12	53000	33600	3.12	2.32	8.5	C37-60D	EL296UH135XV60D	10084597
XP21-060-230	56500	16	12	53000	33400	3.14	2.32	8.5	C37-60D	SL280UH135V60D	10084595
XP21-060-230	56500	16	12	53000	33600	3.12	2.32	8.5	C37-60D	SLP98UH135XV60D	10084599

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-060-230	56000	14.5	11.7	53000	33600	3.06	2.28	8.5	C37-60D		10084110
XP21-060-230	57000	16	12	53000	33600	3.1	2.3	8.5	C37-62C	CBWMV-60C-100	10084336
XP21-060-230	57000	16	12	53000	33600	3.08	2.28	8.5	C37-62C	CBWMV-60C-120	10084327
XP21-060-230	57000	16	12.5	52500	33200	3.1	2.3	8.5	C37-62C	EL180UH090E60C	10084691
XP21-060-230	57000	16	12.5	52500	33200	3.08	2.3	8.5	C37-62C	EL180UH110E60C	10084685
XP21-060-230	57000	15.7	12.2	52500	33200	3.06	2.3	8.5	C37-62C	EL195UH110XE60C	10084328
XP21-060-230	56500	16	12	52500	33200	3.04	2.28	8.2	C37-62C	EL296UH090XV60C	10084794
XP21-060-230	57000	16	12	53000	33600	3.06	2.28	8.5	C37-62C	EL296UH110XV60C	10084802
XP21-060-230	57000	16	12.5	52500	33200	3.1	2.3	8.5	C37-62C	ML180UH090E60C	10589912
XP21-060-230	57000	16	12.5	52500	33200	3.08	2.3	8.5	C37-62C	ML180UH110E60C	10590157
XP21-060-230	57500	16	12	53000	33400	3.12	2.3	8.5	C37-62C	SL280UH090V60C	10084331
XP21-060-230	57500	16	12	53000	33400	3.12	2.3	8.5	C37-62C	SL280UH090XV60C	10084323
XP21-060-230	57000	16	12	53000	33600	3.08	2.28	8.5	C37-62C	SL280UH110V60C	10084326
XP21-060-230	57000	16	12	53000	33600	3.08	2.28	8.5	C37-62C	SL280UH110XV60C	10084319
XP21-060-230	56500	16	12	52500	33200	3.04	2.28	8.2	C37-62C	SLP98UH090XV60C	10084322
XP21-060-230	57000	16	12	53000	33600	3.06	2.28	8.5	C37-62C	SLP98UH110XV60C	10084316
XP21-060-230	57000	15	12	53000	33600	3.06	2.28	8.5	C37-62C		10084092
XP21-060-230	57000	16	12	53000	33600	3.14	2.32	8.5	C37-62D	EL296UH135XV60D	10084594
XP21-060-230	57000	16	12	53000	33400	3.14	2.32	8.5	C37-62D	SL280UH135V60D	10084598
XP21-060-230	57000	16	12	53000	33600	3.14	2.32	8.5	C37-62D	SLP98UH135XV60D	10084601
XP21-060-230	56000	16	12	53500	33400	3.46	2.48	9	CBX27UH-060		5272320
XP21-060-230	55500	15	12	54000	34000	3.42	2.48	9	CBX32M-060		5272318
XP21-060-230	56500	16.5	12.5	53500	33400	3.48	2.52	9.2	CBX32MV-060		5272316
XP21-060-230	56500	16	12.5	52500	33200	3.2	2.38	8.5	CBX32MV-068		5272317
XP21-060-230	55500	15.7	12	54000	34000	3.4	2.46	9	CBX40UHV-060		5272319
XP21-060-230	56500	15.7	12	53000	33600	3.1	2.3	8.5	CH33-49	CBWMV-60C-100	5272387
XP21-060-230	56000	15.7	12	53000	33600	3.08	2.3	8.5	CH33-49	CBWMV-60C-120	5272388
XP21-060-230	56000	15.7	12.2	52500	33200	3.1	2.32	8.5	CH33-49	EL180UH090E60C	5740297
XP21-060-230	56000	15.5	12.2	52500	33200	3.06	2.3	8.5	CH33-49	EL195UH110XE60C	5272416
XP21-060-230	55500	15.7	12	52500	33200	3.04	2.28	8.2	CH33-49	EL296UH090XV60C	5761252
XP21-060-230	56000	15.7	12	53000	33600	3.06	2.28	8.5	CH33-49	EL296UH110XV60C	5761377
XP21-060-230	56000	15.7	12.2	52500	33200	3.1	2.32	8.5	CH33-49	ML180UH090E60C	10589834
XP21-060-230	56500	16	12	53000	33400	3.12	2.3	8.5	CH33-49	SL280UH090V60C	5272379
XP21-060-230	56500	16	12	53000	33400	3.12	2.3	8.5	CH33-49	SL280UH090XV60C	5272389
XP21-060-230	56500	15.7	12	53000	33600	3.08	2.3	8.5	CH33-49	SL280UH110V60C	5272381
XP21-060-230	56500	15.7	12	53000	33600	3.08	2.3	8.5	CH33-49	SL280UH110XV60C	5272391
XP21-060-230	56500	15.7	12	52500	33200	3.04	2.28	8.2	CH33-49	SLP98UH090XV60C	5272382
XP21-060-230	56000	15.7	12	53000	33600	3.06	2.28	8.5	CH33-49	SLP98UH110XV60C	5272383
XP21-060-230	55000	14.7	11.7	52500	33200	2.98	2.26	8.2	CH33-49		5272325
XP21-060-230	56000	15.5	11.7	53000	33600	3.06	2.28	8.5	CH33-50/60C	CBWMV-60C-100	5272399
XP21-060-230	55000	15.2	12	52000	33200	2.98	2.28	8.2	CH33-50/60C	CBWMV-60C-120	5272400
XP21-060-230	55500	15.5	12	52500	33200	3.04	2.3	8.5	CH33-50/60C	EL180UH090E60C	5740298
XP21-060-230	55500	15.5	12	52500	33200	3.04	2.28	8.5	CH33-50/60C	EL180UH110E60C	5740751
XP21-060-230	55500	15.5	12	52500	33200	3.06	2.3	8.5	CH33-50/60C	EL195UH110XE60C	5272417
XP21-060-230	55000	15.2	11.7	52500	33200	3	2.26	8.2	CH33-50/60C	EL296UH090XV60C	5761253
XP21-060-230	55000	15.5	12	52000	33000	2.98	2.26	8.2	CH33-50/60C	EL296UH110XV60C	5761373
XP21-060-230	55500	15.5	12	52500	33200	3.04	2.3	8.5	CH33-50/60C	ML180UH090E60C	10589835
XP21-060-230	55500	15.5	12	52500	33200	3.04	2.28	8.5	CH33-50/60C	ML180UH110E60C	10590086
XP21-060-230	56000	15.7	12	53000	33600	3.08	2.3	8.5	CH33-50/60C	SL280UH090V60C	5272390
XP21-060-230	56000	15.7	12	53000	33600	3.08	2.3	8.5	CH33-50/60C	SL280UH090XV60C	5272420
XP21-060-230	55500	15.5	12	52500	33400	3.02	2.28	8.2	CH33-50/60C	SL280UH110V60C	5272392
XP21-060-230	55500	15.5	12	52500	33400	3.02	2.28	8.2	CH33-50/60C	SL280UH110XV60C	5272421
XP21-060-230	55000	15.2	11.7	52500	33200	3	2.26	8.2	CH33-50/60C	SLP98UH090XV60C	5272393
XP21-060-230	55000	15.5	12	52000	33000	2.98	2.26	8.2	CH33-50/60C	SLP98UH110XV60C	5272394
XP21-060-230	54500	14.5	11.7	52500	33200	2.98	2.26	8.2	CH33-50/60C		5272326
XP21-060-230	56000	16	12	53000	33400	3.16	2.36	8.5	CH33-62D	EL180UH135E60D	5741105
XP21-060-230	56000	15.5	12	53000	33600	3.12	2.32	8.5	CH33-62D	EL195UH135XE60D	5272418
XP21-060-230	56000	15.5	12	53000	33600	3.12	2.32	8.5	CH33-62D	EL296UH135XE60D	5650538
XP21-060-230	56000	15.7	12	53000	33400	3.16	2.34	8.5	CH33-62D	EL296UH135XV60D	5761431
XP21-060-230	56000	16	12	53000	33400	3.16	2.36	8.5	CH33-62D	ML180UH135E60D	10590364
XP21-060-230	56000	16	12	53000	33400	3.14	2.34	8.5	CH33-62D	SL280UH135V60D	5272401

## AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-060-230	56000	15.7	12	53000	33400	3.16	2.34	8.5	CH33-62D	SLP98UH135XV60D	5272402
XP21-060-230	55500	14.5	11.7	53000	33800	3.08	2.3	8.5	CH33-62D		5272327
XP21-060-230	54500	15.5	11.5	55000	35600	3.18	2.28	8.5	CH35-51C	EL180UH090E60C	9115107
XP21-060-230	54000	15.1	11.5	55000	35800	3.14	2.26	8.2	CH35-51C	EL195UH110XE60C	9115108
XP21-060-230	53500	15.1	11.5	55000	35800	3.1	2.24	8.2	CH35-51C	EL296UH090XV60C	9115109
XP21-060-230	54000	15.1	11.5	55000	35800	3.14	2.26	8.2	CH35-51C	EL296UH110XE60C	9115110
XP21-060-230	54500	15.1	11.5	55500	36000	3.16	2.26	8.2	CH35-51C	EL296UH110XV48C	9115111
XP21-060-230	54000	15.5	11.5	55000	36000	3.12	2.26	8.2	CH35-51C	EL296UH110XV60C	9115112
XP21-060-230	54500	15.5	11.5	55000	35600	3.18	2.28	8.5	CH35-51C	ML180UH090E60C	10589865
XP21-060-230	54500	16	11.7	55000	35800	3.22	2.3	8.5	CH35-51C	SL280UH080NV60C	10581388
XP21-060-230	54500	15.5	11.5	55000	35800	3.16	2.28	8.2	CH35-51C	SL280UH090V60C	9115113
XP21-060-230	54500	15.5	11.5	55000	35800	3.16	2.28	8.2	CH35-51C	SL280UH090XV60C	9115114
XP21-060-230	54000	15.1	11.5	55000	35800	3.14	2.26	8.2	CH35-51C	SL280UH110V60C	9115115
XP21-060-230	54000	15.1	11.5	55000	35800	3.14	2.26	8.2	CH35-51C	SL280UH110XV60C	9115116
XP21-060-230	53500	15.1	11.5	55000	35800	3.1	2.24	8.2	CH35-51C	SLP98UH090XV60C	9115117
XP21-060-230	54000	15.5	11.5	55000	36000	3.12	2.26	8.2	CH35-51C	SLP98UH110XV60C	9115118
XP21-060-230	54500	14.5	11.5	55500	36200	3.16	2.26	8.2	CH35-51C		9115119
XP21-060-230	55000	15.5	11.5	53000	34400	3.22	2.36	8.5	CH35-60D	EL296UH135XV60D	9115120
XP21-060-230	55000	15.5	11.5	53000	34400	3.24	2.36	8.5	CH35-60D	SL280UH135V60D	9115121
XP21-060-230	55000	15.5	11.5	53000	34400	3.22	2.36	8.5	CH35-60D	SLP98UH135XV60D	9115122
XP21-060-230	54500	14	11.5	53500	34600	3.18	2.32	8.5	CH35-60D		9115123
XP21-060-230	54500	15.2	11.7	53000	33400	3.38	2.46	8.7	CR33-50/60	EL195DF110XE60C	5272419
XP21-060-230	54500	15.2	11.7	53000	33400	3.38	2.46	8.7	CR33-50/60	EL296DF110XE60C	5650537
XP21-060-230	55500	15.5	11.7	53500	33800	3.44	2.5	8.7	CR33-50/60	SL280DF090V60C	5272405
XP21-060-230	54000	15.2	11.5	53000	33600	3.32	2.44	8.7	CR33-50/60	SLP98DF090XV60C	5272406
XP21-060-230	54000	15.2	11.5	53000	33600	3.32	2.44	8.7	CR33-50/60	SLP98DF110XV60C	5272407
XP21-060-230	54500	14.2	11.5	53000	33600	3.34	2.44	8.5	CR33-50/60		5272328
XP21-060-230	54500	14.2	11.5	53000	33600	3.34	2.44	8.5	CR33-60		5272329
XP21-060-230	56000	15.7	12	53000	33600	3.08	2.3	8.5	CX34-49C	CBWMV-60C-100	5272352
XP21-060-230	56000	15.5	12	53000	33600	3.06	2.28	8.5	CX34-49C	CBWMV-60C-120	5272353
XP21-060-230	56000	15.7	12.2	52500	33200	3.06	2.3	8.5	CX34-49C	EL180UH090E60C	5740292
XP21-060-230	56000	15.5	12.2	52500	33200	3.06	2.3	8.5	CX34-49C	EL180UH110E60C	5740748
XP21-060-230	56000	15.5	12.2	52500	33200	3.04	2.28	8.5	CX34-49C	EL195UH110XE60C	5272413
XP21-060-230	55500	15.5	12	52000	33200	2.98	2.28	8.2	CX34-49C	EL296UH090XV60C	5761254
XP21-060-230	56000	15.7	12	53000	33600	3.04	2.28	8.2	CX34-49C	EL296UH110XV60C	5761371
XP21-060-230	56000	15.7	12.2	52500	33200	3.06	2.3	8.5	CX34-49C	ML180UH090E60C	10589831
XP21-060-230	56000	15.5	12.2	52500	33200	3.06	2.3	8.5	CX34-49C	ML180UH110E60C	10590085
XP21-060-230	56500	15.7	12.2	52500	33400	3.06	2.3	8.5	CX34-49C	SL280UH090V60C	5272343
XP21-060-230	56500	15.7	12.2	52500	33400	3.06	2.3	8.5	CX34-49C	SL280UH090XV60C	5272354
XP21-060-230	56000	15.5	12	53000	33600	3.06	2.28	8.5	CX34-49C	SL280UH110V60C	5272345
XP21-060-230	56000	15.5	12	53000	33600	3.06	2.28	8.5	CX34-49C	SL280UH110XV60C	5272356
XP21-060-230	55500	15.5	12	52000	33200	2.98	2.28	8.2	CX34-49C	SLP98UH090XV60C	5272346
XP21-060-230	56000	15.7	12	53000	33600	3.04	2.28	8.2	CX34-49C	SLP98UH110XV60C	5272347
XP21-060-230	56000	14.7	12	53000	33600	3.04	2.28	8.2	CX34-49C		5272322
XP21-060-230	56500	16	12	53000	33600	3.12	2.32	8.5	CX34-60D	EL296UH135XV60D	5611121
XP21-060-230	56500	16	12	53000	33400	3.14	2.32	8.5	CX34-60D	SL280UH135V60D	5611120
XP21-060-230	56500	16	12	53000	33600	3.12	2.32	8.5	CX34-60D	SLP98UH135XV60D	5611125
XP21-060-230	56000	14.5	11.7	53000	33600	3.06	2.28	8.5	CX34-60D		5646341
XP21-060-230	57000	16	12	53000	33600	3.1	2.3	8.5	CX34-62C	CBWMV-60C-100	8196168
XP21-060-230	57000	16	12	53000	33600	3.08	2.28	8.5	CX34-62C	CBWMV-60C-120	8196176
XP21-060-230	57000	16	12.5	52500	33200	3.1	2.3	8.5	CX34-62C	EL180UH090E60C	8196172
XP21-060-230	57000	16	12.5	52500	33200	3.08	2.3	8.5	CX34-62C	EL180UH110E60C	8196171
XP21-060-230	57000	15.7	12.2	52500	33200	3.06	2.3	8.5	CX34-62C	EL195UH110XE60C	8196177
XP21-060-230	56500	16	12	52500	33200	3.04	2.28	8.2	CX34-62C	EL296UH090XV60C	8196173
XP21-060-230	57000	16	12	53000	33600	3.06	2.28	8.5	CX34-62C	EL296UH110XV60C	8196174
XP21-060-230	57000	16	12	53000	33600	3.14	2.32	8.5	CX34-62C	EL296UH135XV60D	8196178
XP21-060-230	57000	16	12.5	52500	33200	3.1	2.3	8.5	CX34-62C	ML180UH090E60C	10589839
XP21-060-230	57000	16	12.5	52500	33200	3.08	2.3	8.5	CX34-62C	ML180UH110E60C	10590093
XP21-060-230	57500	16	12	53000	33400	3.12	2.3	8.5	CX34-62C	SL280UH090V60C	8196164
XP21-060-230	57500	16	12	53000	33400	3.12	2.3	8.5	CX34-62C	SL280UH090XV60C	8196175
XP21-060-230	57000	16	12	53000	33600	3.08	2.28	8.5	CX34-62C	SL280UH110V60C	8196167

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-060-230	57000	16	12	53000	33600	3.08	2.28	8.5	CX34-62C	SL280UH110XV60C	8196169
XP21-060-230	57000	16	12	53000	33400	3.14	2.32	8.5	CX34-62C	SL280UH135V60D	8196179
XP21-060-230	56500	16	12	52500	33200	3.04	2.28	8.2	CX34-62C	SLP98UH090XV60C	8196166
XP21-060-230	57000	16	12	53000	33600	3.06	2.28	8.5	CX34-62C	SLP98UH110XV60C	8196165
XP21-060-230	57000	16	12	53000	33600	3.14	2.32	8.5	CX34-62C	SLP98UH135XV60D	8196180
XP21-060-230	57000	15	12	53000	33600	3.06	2.28	8.5	CX34-62C		8196163
XP21-060-230	57000	16	12	53000	33600	3.14	2.32	8.5	CX34-62D	EL296UH135XV60D	5611115
XP21-060-230	57000	16	12	53000	33400	3.14	2.32	8.5	CX34-62D	SL280UH135V60D	5611114
XP21-060-230	57000	16	12	53000	33600	3.14	2.32	8.5	CX34-62D	SLP98UH135XV60D	5611122
XP21-060-230	54500	14.5	11.5	53500	37600	3.06	2.42	8.5	CX35-49C	EL180UH090E60C	9115124
XP21-060-230	54000	14.5	11.5	53500	37800	3.04	2.42	8.5	CX35-49C	EL195UH110XE60C	9115125
XP21-060-230	54000	14.5	11	53500	38000	3.02	2.4	8.5	CX35-49C	EL296UH090XV48C	9115126
XP21-060-230	53500	14.5	11.5	53000	37600	2.98	2.4	8.2	CX35-49C	EL296UH090XV60C	9115127
XP21-060-230	54500	14.5	11.5	53500	37800	3.06	2.42	8.5	CX35-49C	EL296UH110XV48C	9115129
XP21-060-230	54000	14.5	11	53500	38000	3.02	2.4	8.5	CX35-49C	EL296UH110XV60C	9115130
XP21-060-230	54500	14.5	11.5	53500	37600	3.06	2.42	8.5	CX35-49C	ML180UH090E60C	10589866
XP21-060-230	54500	15.5	11.7	53500	37600	3.12	2.46	8.8	CX35-49C	SL280UH080NV60C	10581389
XP21-060-230	54500	14.5	11.5	53500	37600	3.08	2.42	8.5	CX35-49C	SL280UH090V60C	9115131
XP21-060-230	54500	14.5	11.5	53500	37600	3.08	2.42	8.5	CX35-49C	SL280UH090XV60C	9115132
XP21-060-230	54000	14.5	11.5	53000	37600	3.04	2.42	8.5	CX35-49C	SL280UH110V60C	9115133
XP21-060-230	54000	14.5	11.5	53000	37600	3.04	2.42	8.5	CX35-49C	SL280UH110XV60C	9115134
XP21-060-230	54000	14.5	11	53500	38000	3.02	2.4	8.5	CX35-49C	SLP98UH090XV48C	9115135
XP21-060-230	53500	14.5	11.5	53000	37600	2.98	2.4	8.2	CX35-49C	SLP98UH090XV60C	9115136
XP21-060-230	54000	14.5	11	53500	38000	3.02	2.4	8.5	CX35-49C	SLP98UH110XV60C	9115137
XP21-060-230	54500	14	11	54000	38000	3.06	2.4	8.5	CX35-49C		9115138
XP21-060-230	56000	15.7	12	53000	33600	3.08	2.3	8.5	CX38-49C	CBWMV-60C-100	10084318
XP21-060-230	56000	15.5	12	53000	33600	3.06	2.28	8.5	CX38-49C	CBWMV-60C-120	10084344
XP21-060-230	56000	15.7	12.2	52500	33200	3.06	2.3	8.5	CX38-49C	EL180UH090E60C	10084701
XP21-060-230	56000	15.5	12.2	52500	33200	3.06	2.3	8.5	CX38-49C	EL180UH110E60C	10084683
XP21-060-230	56000	15.5	12.2	52500	33200	3.04	2.28	8.5	CX38-49C	EL195UH110XE60C	10084337
XP21-060-230	55500	15.5	12	52000	33200	2.98	2.28	8.2	CX38-49C	EL296UH090XV60C	10084791
XP21-060-230	56000	15.7	12	53000	33600	3.04	2.28	8.2	CX38-49C	EL296UH110XV60C	10084807
XP21-060-230	56000	15.7	12.2	52500	33200	3.06	2.3	8.5	CX38-49C	ML180UH090E60C	10589921
XP21-060-230	56000	15.5	12.2	52500	33200	3.06	2.3	8.5	CX38-49C	ML180UH110E60C	10590156
XP21-060-230	56500	15.7	12.2	52500	33400	3.06	2.3	8.5	CX38-49C	SL280UH090V60C	10084315
XP21-060-230	56500	15.7	12.2	52500	33400	3.06	2.3	8.5	CX38-49C	SL280UH090XV60C	10084333
XP21-060-230	56000	15.5	12	53000	33600	3.06	2.28	8.5	CX38-49C	SL280UH110V60C	10084343
XP21-060-230	56000	15.5	12	53000	33600	3.06	2.28	8.5	CX38-49C	SL280UH110XV60C	10084335
XP21-060-230	55500	15.5	12	52000	33200	2.98	2.28	8.2	CX38-49C	SLP98UH090XV60C	10084332
XP21-060-230	56000	15.7	12	53000	33600	3.04	2.28	8.2	CX38-49C	SLP98UH110XV60C	10084330
XP21-060-230	56000	14.7	12	53000	33600	3.04	2.28	8.2	CX38-49C		10084093
XP21-060-230	56500	16	12	53000	33600	3.12	2.32	8.5	CX38-60D	EL296UH135XV60D	10086710
XP21-060-230	56500	16	12	53000	33400	3.14	2.32	8.5	CX38-60D	SL280UH135V60D	10086711
XP21-060-230	56500	16	12	53000	33600	3.12	2.32	8.5	CX38-60D	SLP98UH135XV60D	10086712
XP21-060-230	56000	14.5	11.7	53000	33600	3.06	2.28	8.5	CX38-60D		10086663
XP21-060-230	57000	16	12	53000	33600	3.1	2.3	8.5	CX38-62C	CBWMV-60C-100	10086756
XP21-060-230	57000	16	12	53000	33600	3.08	2.28	8.5	CX38-62C	CBWMV-60C-120	10086763
XP21-060-230	57000	16	12.5	52500	33200	3.1	2.3	8.5	CX38-62C	EL180UH090E60C	10086759
XP21-060-230	57000	16	12.5	52500	33200	3.08	2.3	8.5	CX38-62C	EL180UH110E60C	10086758
XP21-060-230	57000	15.7	12.2	52500	33200	3.06	2.3	8.5	CX38-62C	EL195UH110XE60C	10086764
XP21-060-230	56500	16	12	52500	33200	3.04	2.28	8.2	CX38-62C	EL296UH090XV60C	10086760
XP21-060-230	57000	16	12	53000	33600	3.06	2.28	8.5	CX38-62C	EL296UH110XV60C	10086761
XP21-060-230	57000	16	12	53000	33600	3.14	2.32	8.5	CX38-62C	EL296UH135XV60D	10086765
XP21-060-230	57000	16	12.5	52500	33200	3.1	2.3	8.5	CX38-62C	ML180UH090E60C	10589956
XP21-060-230	57000	16	12.5	52500	33200	3.08	2.3	8.5	CX38-62C	ML180UH110E60C	10590208
XP21-060-230	57500	16	12	53000	33400	3.12	2.3	8.5	CX38-62C	SL280UH090V60C	10086752
XP21-060-230	57500	16	12	53000	33400	3.12	2.3	8.5	CX38-62C	SL280UH090XV60C	10086762
XP21-060-230	57000	16	12	53000	33600	3.08	2.28	8.5	CX38-62C	SL280UH110V60C	10086755
XP21-060-230	57000	16	12	53000	33600	3.08	2.28	8.5	CX38-62C	SL280UH110XV60C	10086757
XP21-060-230	57000	16	12	53000	33400	3.14	2.32	8.5	CX38-62C	SL280UH135V60D	10086766
XP21-060-230	56500	16	12	52500	33200	3.04	2.28	8.2	CX38-62C	SLP98UH090XV60C	10086754

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-060-230	57000	16	12	53000	33600	3.06	2.28	8.5	CX38-62C	SLP98UH110XV60C	10086753
XP21-060-230	57000	16	12	53000	33600	3.14	2.32	8.5	CX38-62C	SLP98UH135XV60D	10086767
XP21-060-230	57000	15	12	53000	33600	3.06	2.28	8.5	CX38-62C		10086668
XP21-060-230	57000	16	12	53000	33600	3.14	2.32	8.5	CX38-62D	EL296UH135XV60D	10084596
XP21-060-230	57000	16	12	53000	33400	3.14	2.32	8.5	CX38-62D	SL280UH135V60D	10084593
XP21-060-230	57000	16	12	53000	33600	3.14	2.32	8.5	CX38-62D	SLP98UH135XV60D	10084600
XP25-024-230	22600	22	15	20800	13400	3.38	2.32	9.7	C33-31A	SL280UH070V36A	5947727
XP25-024-230	22400	22.5	15	20800	13300	3.34	2.3	9.6	C33-31B	EL296UH045XV36B	5947245
XP25-024-230	22400	22.5	15	20800	13300	3.34	2.3	9.7	C33-31B	EL296UH070XV36B	5947246
XP25-024-230	22600	22.5	15	20800	13200	3.38	2.3	9.7	C33-31B	SL280UH090V36B	5947247
XP25-024-230	22400	22.5	15	20800	13300	3.34	2.3	9.7	C33-31B	SLP98UH070XV36B	5947248
XP25-024-230	23000	22	15.5	21400	13800	3.12	2.12	9.2	C33-38A	SL280UH070V36A	5947249
XP25-024-230	23000	22.5	15.5	21400	13800	3.1	2.12	9.2	C33-38B	EL296UH045XV36B	5947250
XP25-024-230	23000	23	15.5	21400	13800	3.1	2.12	9.2	C33-38B	EL296UH070XV36B	5947251
XP25-024-230	23000	23	15.5	21200	13700	3.12	2.12	9.2	C33-38B	SL280UH090V48B	5947252
XP25-024-230	23000	23	15.5	21400	13800	3.1	2.12	9.2	C33-38B	SLP98UH070XV36B	5947253
XP25-024-230	22800	23	15.5	21600	13900	3.38	2.32	9.6	C33-48B	EL296UH045XV36B	5947254
XP25-024-230	22800	23.5	15.5	21600	13900	3.38	2.32	9.6	C33-48B	EL296UH070XV36B	5947255
XP25-024-230	22800	23.5	16	21400	13900	3.4	2.36	9.7	C33-48B	SL280UH090V36B	5947256
XP25-024-230	22800	23.5	15.5	21600	13900	3.38	2.32	9.6	C33-48B	SLP98UH070XV36B	5947257
XP25-024-230	22400	20.5	15	21400	13800	3.44	2.66	9.2	C35-36B	EL296UH045XV36B	10092279
XP25-024-230	22400	21	15	21400	13800	3.44	2.68	9.2	C35-36B	EL296UH070XV36B	10092280
XP25-024-230	22600	21	15.5	21400	13700	3.5	2.72	9.2	C35-36B	SL280UH090V36B	10092278
XP25-024-230	22400	21	15	21400	13800	3.44	2.68	9.2	C35-36B	SLP98DF070XV36B	10092281
XP25-024-230	22600	22	15	20800	13400	3.38	2.32	9.7	C37-31A	SL280UH070V36A	10259672
XP25-024-230	22400	22.5	15	20800	13300	3.34	2.3	9.6	C37-31B	EL296UH045XV36B	10259651
XP25-024-230	22400	22.5	15	20800	13300	3.34	2.3	9.7	C37-31B	EL296UH070XV36B	10259652
XP25-024-230	22600	22.5	15	20800	13200	3.38	2.3	9.7	C37-31B	SL280UH090V36B	10259653
XP25-024-230	22400	22.5	15	20800	13300	3.34	2.3	9.7	C37-31B	SLP98UH070XV36B	10259654
XP25-024-230	23000	22	15.5	21400	13800	3.12	2.12	9.2	C37-38A	SL280UH070V36A	10259655
XP25-024-230	23000	22.5	15.5	21400	13800	3.1	2.12	9.2	C37-38B	EL296UH045XV36B	10259656
XP25-024-230	23000	23	15.5	21400	13800	3.1	2.12	9.2	C37-38B	EL296UH070XV36B	10259657
XP25-024-230	23000	23	15.5	21200	13700	3.12	2.12	9.2	C37-38B	SL280UH090V48B	10259658
XP25-024-230	23000	23	15.5	21400	13800	3.1	2.12	9.2	C37-38B	SLP98UH070XV36B	10259659
XP25-024-230	22800	23	15.5	21600	13900	3.38	2.32	9.6	C37-48B	EL296UH045XV36B	10259660
XP25-024-230	22800	23.5	15.5	21600	13900	3.38	2.32	9.6	C37-48B	EL296UH070XV36B	10259661
XP25-024-230	22800	23.5	16	21400	13900	3.4	2.36	9.7	C37-48B	SL280UH090V36B	10259662
XP25-024-230	22800	23.5	15.5	21600	13900	3.38	2.32	9.6	C37-48B	SLP98UH070XV36B	10259663
XP25-024-230	23000	22	15.5	21400	13500	3.5	2.34	10	CBX32MV-036		5947726
XP25-024-230	22800	22	15.5	21600	13600	3.52	2.34	10	CBX40UHV-024		5947243
XP25-024-230	22800	22	15.5	21600	13600	3.5	2.34	10	CBX40UHV-030		5947244
XP25-024-230	22400	23.5	15.5	22200	14600	3.64	2.58	10.2	CH33-31B	EL296UH045XV36B	5947275
XP25-024-230	22400	23.5	16	22200	14600	3.66	2.6	10.2	CH33-31B	EL296UH070XV36B	5947276
XP25-024-230	22400	23	16	22200	14600	3.66	2.6	10.2	CH33-31B	SL280UH070V36A	5947277
XP25-024-230	22400	23.5	16	22200	14500	3.68	2.6	10.2	CH33-31B	SL280UH090V36B	5947278
XP25-024-230	22400	23.5	16	22200	14600	3.66	2.6	10.2	CH33-31B	SLP98UH070XV36B	5947279
XP25-024-230	22200	22.5	15.5	22200	14600	3.58	2.54	10	CH33-42B	EL296UH045XV36B	5947280
XP25-024-230	22200	22.5	15.5	22200	14600	3.62	2.56	10.2	CH33-42B	EL296UH070XV36B	5947281
XP25-024-230	22200	22	15.5	22200	14600	3.62	2.56	10.2	CH33-42B	SL280UH070V36A	5947282
XP25-024-230	22200	23	15.5	22000	14600	3.62	2.58	10.2	CH33-42B	SL280UH090V36B	5947283
XP25-024-230	22200	22.5	15.5	22200	14600	3.62	2.56	10.2	CH33-42B	SLP98UH070XV36B	5947284
XP25-024-230	22200	21	15	21200	14600	3.66	2.64	9	CH35-42B	EL296UH045XV36B	10092239
XP25-024-230	22200	21	15	21200	14600	3.66	2.64	9	CH35-42B	EL296UH070XV36B	10092240
XP25-024-230	22200	21	15	21200	14600	3.72	2.66	9	CH35-42B	SL280UH090V36B	10092238
XP25-024-230	22200	21	15	21200	14600	3.68	2.64	9	CH35-42B	SLP98UH070XV36B	10092241
XP25-024-230	22800	21	15.5	21800	14200	3.64	2.7	9.2	CH35-42C	EL296UH090XV36C	10092242
XP25-024-230	22800	21	15.5	21800	14200	3.64	2.7	9.2	CH35-42C	SLP98UH090XV36C	10092243
XP25-024-230	23000	22.5	15.5	23600	15000	3.5	2.4	8.5	CR33-48B	EL296DF045XV36B	7505748
XP25-024-230	23000	22.5	16	23600	15000	3.54	2.42	8.5	CR33-48B	SL280DF070V36A	5947272
XP25-024-230	23000	23	16	23600	15000	3.54	2.42	8.5	CR33-48B	SLP98DF070XV36B	5947273
XP25-024-230	23000	23.5	16	23600	14900	3.58	2.44	8.7	CR33-48B	SLP98DF090XV36C	5947274

**AHRI SYSTEM MATCHES**

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP25-024-230	22600	22	15	20800	13400	3.38	2.32	9.7	CX34-31A	SL280UH070V36A	5947728
XP25-024-230	22400	22.5	15	20800	13300	3.34	2.3	9.6	CX34-31B	EL296UH045XV36B	5947258
XP25-024-230	22400	22.5	15	20800	13300	3.34	2.3	9.7	CX34-31B	EL296UH070XV36B	5947259
XP25-024-230	22600	22.5	15	20800	13200	3.38	2.3	9.7	CX34-31B	SL280UH090V36B	5947260
XP25-024-230	22400	22.5	15	20800	13300	3.34	2.3	9.7	CX34-31B	SLP98UH070XV36B	5947261
XP25-024-230	23000	22.5	15.5	21400	13800	3.1	2.12	9.2	CX34-38B	EL296UH045XV36B	5947263
XP25-024-230	23000	23	15.5	21400	13800	3.1	2.12	9.2	CX34-38B	EL296UH070XV36B	5947264
XP25-024-230	23000	23	15.5	21200	13700	3.12	2.12	9.2	CX34-38B	SL280UH090V36B	5947265
XP25-024-230	23000	23	15.5	21400	13800	3.1	2.12	9.2	CX34-38B	SLP98UH070XV36B	5947266
XP25-024-230	22400	20.5	15	21400	13800	3.44	2.66	9.2	CX35-36B	EL296UH045XV36B	10092245
XP25-024-230	22400	21	15	21400	13800	3.44	2.68	9.2	CX35-36B	EL296UH070XV36B	10092246
XP25-024-230	22600	21	15.5	21400	13700	3.5	2.72	9.2	CX35-36B	SL280UH090V36B	10092244
XP25-024-230	22400	21	15	21400	13800	3.44	2.68	9.2	CX35-36B	SLP98UH070XV36B	10444469
XP25-024-230	22600	22	15	20800	13400	3.38	2.32	9.7	CX38-31A	SL280UH070V36A	10259673
XP25-024-230	22400	22.5	15	20800	13300	3.34	2.3	9.6	CX38-31B	EL296UH045XV36B	10259664
XP25-024-230	22400	22.5	15	20800	13300	3.34	2.3	9.7	CX38-31B	EL296UH070XV36B	10259665
XP25-024-230	22600	22.5	15	20800	13200	3.38	2.3	9.7	CX38-31B	SL280UH090V36B	10259666
XP25-024-230	22400	22.5	15	20800	13300	3.34	2.3	9.7	CX38-31B	SLP98UH070XV36B	10259667
XP25-024-230	23000	22.5	15.5	21400	13800	3.1	2.12	9.2	CX38-38B	EL296UH045XV36B	10259668
XP25-024-230	23000	23	15.5	21400	13800	3.1	2.12	9.2	CX38-38B	EL296UH070XV36B	10259669
XP25-024-230	23000	23	15.5	21200	13700	3.12	2.12	9.2	CX38-38B	SL280UH090V36B	10259670
XP25-024-230	23000	23	15.5	21400	13800	3.1	2.12	9.2	CX38-38B	SLP98UH070XV36B	10259671
XP25-036-230	35000	21	13	31600	20000	2.96	1.78	8.7	C33-38A	SL280UH070V36A	5947681
XP25-036-230	35000	21	13	31600	20000	2.94	1.78	8.7	C33-38B	EL296UH045XV36B	5947682
XP25-036-230	35000	21.5	13	31600	20000	2.96	1.78	8.7	C33-38B	EL296UH070XV36B	5947683
XP25-036-230	35200	21.5	13.5	31400	19800	3.02	1.8	8.7	C33-38B	SL280UH090V36B	5947684
XP25-036-230	35000	21.5	13	31600	20000	2.96	1.8	8.7	C33-38B	SLP98UH070XV36B	5947685
XP25-036-230	35200	20	13	31200	20800	2.96	2.08	9.2	C33-43B	EL296UH045XV36B	5947686
XP25-036-230	35400	20	13	31200	20800	2.98	2.1	9.2	C33-43B	EL296UH070XV36B	5947687
XP25-036-230	35600	20.5	13.5	31000	20400	3.04	2.1	9.2	C33-43B	SL280UH090V36B	5947688
XP25-036-230	35400	20	13	31200	20800	2.98	2.1	9.2	C33-43B	SLP98UH070XV36B	5947689
XP25-036-230	35400	20.5	13.5	31000	20600	3.02	2.12	9.2	C33-43C	EL296UH090XV36C	5947690
XP25-036-230	35400	20.5	13.5	31000	20600	3.02	2.12	9.2	C33-43C	SLP98UH090XV36C	5947691
XP25-036-230	34600	21	13	31800	20600	2.8	1.8	8.5	C33-48B	EL296UH045XV36B	5947692
XP25-036-230	34600	21	13	31600	20400	2.8	1.8	8.5	C33-48B	EL296UH070XV36B	5947693
XP25-036-230	34800	21.5	13.5	31400	20200	2.84	1.82	8.7	C33-48B	SL280UH090V36B	5947694
XP25-036-230	34600	21	13	31600	20400	2.8	1.8	8.5	C33-48B	SLP98UH070XV36B	5947695
XP25-036-230	34800	21	13	31600	20200	2.84	1.82	8.5	C33-48C	EL296UH090XV36C	5947696
XP25-036-230	34800	21	13	31600	20200	2.84	1.82	8.5	C33-48C	SLP98UH090XV36C	5947697
XP25-036-230	35200	20	13	31000	20400	3	2.08	9.2	C33-50/60C	EL296UH090XV36C	5947698
XP25-036-230	35200	20	13	31000	20400	3	2.08	9.2	C33-50/60C	SLP98UH090XV36C	5947699
XP25-036-230	34600	20	13	33600	20400	3.1	2.08	8.5	C35-50/60C	EL296UH090XV36C	10092282
XP25-036-230	34600	20	13	33600	20400	3.1	2.08	8.5	C35-50/60C	SLP98UH090XV36C	10092283
XP25-036-230	35000	21	13	31600	20000	2.96	1.78	8.7	C37-38A	SL280UH070V36A	10084825
XP25-036-230	35000	21	13	31600	20000	2.94	1.78	8.7	C37-38B	EL296UH045XV36B	10084810
XP25-036-230	35000	21.5	13	31600	20000	2.96	1.78	8.7	C37-38B	EL296UH070XV36B	10084831
XP25-036-230	35200	21.5	13.5	31400	19800	3.02	1.8	8.7	C37-38B	SL280UH090V36B	10084828
XP25-036-230	35000	21.5	13	31600	20000	2.96	1.8	8.7	C37-38B	SLP98UH070XV36B	10084816
XP25-036-230	35200	20	13	31200	20800	2.96	2.08	9.2	C37-43B	EL296UH045XV36B	10084819
XP25-036-230	35400	20	13	31200	20800	2.98	2.1	9.2	C37-43B	EL296UH070XV36B	10084813
XP25-036-230	35600	20.5	13.5	31000	20400	3.04	2.1	9.2	C37-43B	SL280UH090V36B	10084822
XP25-036-230	35400	20	13	31200	20800	2.98	2.1	9.2	C37-43B	SLP98UH070XV36B	10084826
XP25-036-230	35400	20.5	13.5	31000	20600	3.02	2.12	9.2	C37-43C	EL296UH090XV36C	10084811
XP25-036-230	35400	20.5	13.5	31000	20600	3.02	2.12	9.2	C37-43C	SLP98UH090XV36C	10084832
XP25-036-230	34600	21	13	31800	20600	2.8	1.8	8.5	C37-48B	EL296UH045XV36B	10084829
XP25-036-230	34600	21	13	31600	20400	2.8	1.8	8.5	C37-48B	EL296UH070XV36B	10084817
XP25-036-230	34800	21.5	13.5	31400	20200	2.84	1.82	8.7	C37-48B	SL280UH090V36B	10084820
XP25-036-230	34600	21	13	31600	20400	2.8	1.8	8.5	C37-48B	SLP98UH070XV36B	10084814
XP25-036-230	34800	21	13	31600	20200	2.84	1.82	8.5	C37-48C	EL296UH090XV36C	10084823
XP25-036-230	34800	21	13	31600	20200	2.84	1.82	8.5	C37-48C	SLP98UH090XV36C	10084827
XP25-036-230	35200	20	13	31000	20400	3	2.08	9.2	C37-50/60C	EL296UH090XV36C	10084812

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP25-036-230	35200	20	13	31000	20400	3	2.08	9.2	C37-50/60C	SLP98UH090XV36C	10084833
XP25-036-230	34400	21.5	13	32200	21000	3.28	2.26	10	CBX32MV-036		5947680
XP25-036-230	34400	21.5	13.5	32000	21000	3.28	2.28	10	CBX40UHV-036		5947679
XP25-036-230	35200	21	13.5	31000	20600	3	2.1	9.2	CH33-43C	EL296UH090XV36C	5947720
XP25-036-230	35200	20	13	31000	20600	2.98	2.08	9.2	CH33-43C	SLP98UH070XV36B	6810978
XP25-036-230	35200	21	13.5	31000	20600	3	2.1	9.2	CH33-43C	SLP98UH090XV36C	5947721
XP25-036-230	34600	20	12.5	31200	20800	2.96	2.06	9.2	CH33-44/48B	EL296UH045XV36B	5947722
XP25-036-230	34600	20	12.5	31200	20800	2.98	2.08	9.2	CH33-44/48B	EL296UH070XV36B	5947723
XP25-036-230	34800	20.5	13	31000	20600	3.04	2.12	9.2	CH33-44/48B	SL280UH090V36B	5947724
XP25-036-230	34800	20	13	31200	20600	3.02	2.1	9.2	CH33-44/48B	SLP98UH070XV36B	5947725
XP25-036-230	35200	20	12.5	33600	19800	3.16	2.14	9.5	CH35-42B	EL296UH045XV36B	10092249
XP25-036-230	35200	20	12.5	33600	19800	3.16	2.16	9.5	CH35-42B	EL296UH070XV36B	10092250
XP25-036-230	35400	20	13	33400	19400	3.22	2.18	9.5	CH35-42B	SL280UH090V36B	10092248
XP25-036-230	35200	20	12.5	33600	19600	3.16	2.14	9.5	CH35-42B	SLP98UH070XV36B	10092251
XP25-036-230	35200	20.5	13.5	30200	19900	3.5	2.38	9.5	CR33-50/60	SL280DF090V48B	7176690
XP25-036-230	35000	20.5	13	30200	20000	3.44	2.36	9.5	CR33-50/60	SLP98DF070XV36B	7133800
XP25-036-230	35200	21	13.5	30200	20000	3.48	2.38	10	CR33-50/60	SLP98DF090XV36C	5947719
XP25-036-230	35000	21	13	31600	20000	2.96	1.78	8.7	CX34-38A	SL280UH070V36A	5947700
XP25-036-230	35000	21	13	31600	20000	2.94	1.78	8.7	CX34-38B	EL296UH045XV36B	5947701
XP25-036-230	35000	21.5	13	31600	20000	2.96	1.78	8.7	CX34-38B	EL296UH070XV36B	5947702
XP25-036-230	35200	21.5	13.5	31400	19800	3.02	1.8	8.7	CX34-38B	SL280UH090V36B	5947703
XP25-036-230	35000	21.5	13	31600	20000	2.96	1.8	8.7	CX34-38B	SLP98UH070XV36B	5947704
XP25-036-230	35600	20.5	13.5	31000	20400	3.04	2.1	9.2	CX34-43B	SL280UH090V36B	5947707
XP25-036-230	35400	20	13	31200	20800	2.98	2.1	9.2	CX34-43B	SLP98UH070XV36B	9921767
XP25-036-230	34800	21	13	31600	20200	2.84	1.82	8.5	CX34-43C	SLP98UH090XV36C	8935136
XP25-036-230	34800	21.5	13.5	31400	20200	2.84	1.82	8.7	CX34-44/48B	SL280UH090V36B	9104552
XP25-036-230	34800	21	13	31600	20200	2.84	1.82	8.5	CX34-44/48C	SLP98UH090XV36C	8103443
XP25-036-230	34600	20	13	33600	20400	3.1	2.08	8.5	CX35-50/60C	EL296UH090XV36C	10092252
XP25-036-230	34600	20	13	33600	20400	3.1	2.08	8.5	CX35-50/60C	SLP98UH090XV36C	10092253
XP25-036-230	35000	21	13	31600	20000	2.96	1.78	8.7	CX38-38A	SL280UH070V36A	10084830
XP25-036-230	35000	21	13	31600	20000	2.94	1.78	8.7	CX38-38B	EL296UH045XV36B	10084818
XP25-036-230	35000	21.5	13	31600	20000	2.96	1.78	8.7	CX38-38B	EL296UH070XV36B	10084821
XP25-036-230	35200	21.5	13.5	31400	19800	3.02	1.8	8.7	CX38-38B	SL280UH090V36B	10084815
XP25-036-230	35000	21.5	13	31600	20000	2.96	1.8	8.7	CX38-38B	SLP98UH070XV36B	10084824
XP25-036-230	35600	20.5	13.5	31000	20400	3.04	2.1	9.2	CX38-43B	SL280UH090V36B	10084834
XP25-036-230	35400	20	13	31200	20800	2.98	2.1	9.2	CX38-43B	SLP98UH070XV36B	10086052
XP25-036-230	34800	21	13	31600	20200	2.84	1.82	8.5	CX38-43C	SLP98UH090XV36C	10085642
XP25-036-230	34800	21.5	13.5	31400	20200	2.84	1.82	8.7	CX38-44/48B	SL280UH090V36B	10085644
XP25-036-230	34800	21	13	31600	20200	2.84	1.82	8.5	CX38-44/48C	SLP98UH090XV36C	10085012
XP25-048-230	47500	20	12.5	45000	29600	3.18	2.3	9.2	C33-49C	EL296UH090XV48C	5947733
XP25-048-230	47500	20	12.5	45000	29600	3.2	2.32	9.2	C33-49C	EL296UH090XV60C	5947734
XP25-048-230	47500	20	12.5	45000	29600	3.2	2.32	9.2	C33-49C	EL296UH110XV48C	5947735
XP25-048-230	47500	20	12.5	45000	29600	3.2	2.32	9.2	C33-49C	EL296UH110XV60C	5947736
XP25-048-230	47500	20	13	45000	29400	3.22	2.32	9.2	C33-49C	SL280UH090V60C	5947737
XP25-048-230	47500	19.5	12.5	45000	29600	3.2	2.32	9.2	C33-49C	SL280UH110V60C	5947738
XP25-048-230	47500	20	12.5	45000	29600	3.2	2.3	9.2	C33-49C	SLP98UH090XV48C	5947739
XP25-048-230	47500	20	12.5	45000	29600	3.2	2.32	9.2	C33-49C	SLP98UH090XV60C	5947740
XP25-048-230	47500	20	12.5	45000	29600	3.2	2.32	9.2	C33-49C	SLP98UH110XV60C	5947741
XP25-048-230	49000	20	13	46000	30000	2.94	2.24	9.5	C33-62C	EL296UH090XV48C	5947742
XP25-048-230	49000	20	13	46000	30000	2.96	2.24	9.5	C33-62C	EL296UH090XV60C	5947743
XP25-048-230	49000	20	13	46000	30000	2.96	2.24	9.5	C33-62C	EL296UH110XV48C	5947744
XP25-048-230	49000	20	13	46000	30000	2.96	2.24	9.5	C33-62C	EL296UH110XV60C	5947745
XP25-048-230	49000	20	13	46000	29800	2.98	2.24	9.6	C33-62C	SL280UH090V60C	5947746
XP25-048-230	49000	19.5	13	46000	30000	2.96	2.24	9.5	C33-62C	SL280UH110V60C	5947747
XP25-048-230	49000	20	13	46000	30000	2.94	2.24	9.5	C33-62C	SLP98UH090XV48C	5947748
XP25-048-230	49000	20	13	46000	30000	2.96	2.24	9.5	C33-62C	SLP98UH090XV60C	5947749
XP25-048-230	49000	20	13	46000	30000	2.96	2.24	9.5	C33-62C	SLP98UH110XV60C	5947750
XP25-048-230	47500	19.5	13	45000	28600	3.38	2.32	9.7	C33-62D	EL296UH135XV60D	5947751
XP25-048-230	47500	19.5	13	45000	28400	3.4	2.32	9.7	C33-62D	SL280UH135V60D	5947752
XP25-048-230	47500	19.5	13	45000	28600	3.38	2.32	9.7	C33-62D	SLP98UH135XV60D	5947753
XP25-048-230	46000	19	12	46000	28000	3.12	1.88	8.2	C35-60C	EL296UH090XV48C	10092288

**AHRI SYSTEM MATCHES**

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP25-048-230	46000	19	12	46000	28000	3.14	1.88	8.2	C35-60C	EL296UH090XV60C	10092289
XP25-048-230	46000	19	12	46000	28000	3.12	1.88	8.2	C35-60C	EL296UH110XV48C	10092290
XP25-048-230	46000	19	12	46000	28000	3.12	1.88	8.2	C35-60C	EL296UH110XV60C	10092291
XP25-048-230	46500	19.5	12.5	46000	27600	3.18	1.9	8.2	C35-60C	SL280UH080NV60C	10581354
XP25-048-230	46500	19	12.5	46000	27800	3.16	1.88	8.2	C35-60C	SL280UH090V60C	10092284
XP25-048-230	46500	19	12.5	46000	27800	3.16	1.88	8.2	C35-60C	SL280UH090XV60C	10092285
XP25-048-230	46000	19	12	46000	28000	3.14	1.88	8.2	C35-60C	SL280UH110V60C	10092286
XP25-048-230	46000	19	12	46000	28000	3.14	1.88	8.2	C35-60C	SL280UH110XV60C	10092287
XP25-048-230	46000	19	12	46000	28000	3.12	1.88	8.2	C35-60C	SLP98UH090XV48C	10092292
XP25-048-230	46000	19	12	46000	28000	3.14	1.88	8.2	C35-60C	SLP98UH090XV60C	10092293
XP25-048-230	46000	19	12	46000	28000	3.12	1.88	8.2	C35-60C	SLP98UH110XV60C	10092294
XP25-048-230	47500	20	12.5	45000	29600	3.18	2.3	9.2	C37-49C	EL296UH090XV48C	10084849
XP25-048-230	47500	20	12.5	45000	29600	3.2	2.32	9.2	C37-49C	EL296UH090XV60C	10084835
XP25-048-230	47500	20	12.5	45000	29600	3.2	2.32	9.2	C37-49C	EL296UH110XV48C	10084858
XP25-048-230	47500	20	12.5	45000	29600	3.2	2.32	9.2	C37-49C	EL296UH110XV60C	10084863
XP25-048-230	47500	20	13	45000	29400	3.22	2.32	9.2	C37-49C	SL280UH090V60C	10084853
XP25-048-230	47500	19.5	12.5	45000	29600	3.2	2.32	9.2	C37-49C	SL280UH110V60C	10084841
XP25-048-230	47500	20	12.5	45000	29600	3.2	2.3	9.2	C37-49C	SLP98UH090XV48C	10084845
XP25-048-230	47500	20	12.5	45000	29600	3.2	2.32	9.2	C37-49C	SLP98UH090XV60C	10084838
XP25-048-230	47500	20	12.5	45000	29600	3.2	2.32	9.2	C37-49C	SLP98UH110XV60C	10084850
XP25-048-230	49000	20	13	46000	30000	2.94	2.24	9.5	C37-62C	EL296UH090XV48C	10084836
XP25-048-230	49000	20	13	46000	30000	2.96	2.24	9.5	C37-62C	EL296UH090XV60C	10084859
XP25-048-230	49000	20	13	46000	30000	2.96	2.24	9.5	C37-62C	EL296UH110XV48C	10084864
XP25-048-230	49000	20	13	46000	30000	2.96	2.24	9.5	C37-62C	EL296UH110XV60C	10084854
XP25-048-230	49000	20	13	46000	29800	2.98	2.24	9.6	C37-62C	SL280UH090V60C	10084842
XP25-048-230	49000	19.5	13	46000	30000	2.96	2.24	9.5	C37-62C	SL280UH110V60C	10084846
XP25-048-230	49000	20	13	46000	30000	2.94	2.24	9.5	C37-62C	SLP98UH090XV48C	10084860
XP25-048-230	49000	20	13	46000	30000	2.96	2.24	9.5	C37-62C	SLP98UH090XV60C	10084865
XP25-048-230	49000	20	13	46000	30000	2.96	2.24	9.5	C37-62C	SLP98UH110XV60C	10084855
XP25-048-230	47500	19.5	13	45000	28600	3.38	2.32	9.7	C37-62D	EL296UH135XV60D	10084843
XP25-048-230	47500	19.5	13	45000	28400	3.4	2.32	9.7	C37-62D	SL280UH135V60D	10084847
XP25-048-230	47500	19.5	13	45000	28600	3.38	2.32	9.7	C37-62D	SLP98UH135XV60D	10084839
XP25-048-230	48000	20.5	13	47500	30600	3.18	2.3	9.7	CBX32MV-048		5947732
XP25-048-230	47000	20	13	47000	30000	3.24	2.4	10	CBX32MV-060		5947730
XP25-048-230	48000	20	13	47500	30600	3.18	2.3	9.7	CBX40UHV-048		5947731
XP25-048-230	47000	20.5	13	47000	30000	3.24	2.42	10.2	CBX40UHV-060		5947729
XP25-048-230	48000	20.5	12.5	46500	30400	3	2.12	9.5	CH33-49	EL296UH090XV48C	5947782
XP25-048-230	48000	20	12.5	46500	30400	3	2.14	9.2	CH33-49	EL296UH090XV60C	5947783
XP25-048-230	48000	20	12.5	46500	30400	3	2.14	9.2	CH33-49	EL296UH110XV48C	5947784
XP25-048-230	48000	20	12.5	46500	30400	3	2.14	9.2	CH33-49	EL296UH110XV60C	5947785
XP25-048-230	48000	20	13	46000	30200	3	2.14	9.5	CH33-49	SL280UH090V60C	5947786
XP25-048-230	48000	20	12.5	46500	30400	3	2.14	9.2	CH33-49	SL280UH110V60C	5947787
XP25-048-230	48000	20.5	12.5	46500	30400	3	2.12	9.5	CH33-49	SLP98UH090XV48C	5947788
XP25-048-230	48000	20	12.5	46500	30400	3	2.14	9.2	CH33-49	SLP98UH090XV60C	5947789
XP25-048-230	48000	20	12.5	46500	30400	3	2.14	9.2	CH33-49	SLP98UH110XV60C	5947790
XP25-048-230	47500	20	12.5	46500	30400	2.98	2.12	9.2	CH33-50/60C	EL296UH090XV48C	5947791
XP25-048-230	47500	19.5	12.5	46500	30400	2.98	2.12	9.2	CH33-50/60C	EL296UH090XV60C	5947792
XP25-048-230	47500	20	12.5	46500	30400	3	2.14	9.2	CH33-50/60C	EL296UH110XV48C	5947793
XP25-048-230	47500	19.5	12.5	46500	30400	3	2.14	9.2	CH33-50/60C	EL296UH110XV60C	5947794
XP25-048-230	47500	19.5	12.5	46000	30200	3	2.14	9.2	CH33-50/60C	SL280UH090V60C	5947795
XP25-048-230	47500	19.5	12.5	46500	30400	3	2.14	9.2	CH33-50/60C	SL280UH110V60C	5947796
XP25-048-230	47500	20	12.5	46500	30400	2.98	2.12	9.2	CH33-50/60C	SLP98UH090XV48C	5947797
XP25-048-230	47500	19.5	12.5	46500	30400	2.98	2.12	9.2	CH33-50/60C	SLP98UH090XV60C	5947798
XP25-048-230	47500	19.5	12.5	46500	30400	3	2.14	9.2	CH33-50/60C	SLP98UH110XV60C	5947799
XP25-048-230	47500	19.5	13	46000	30200	3.04	2.18	9.5	CH33-62D	SL280UH135V60D	5947801
XP25-048-230	47500	19.5	12.5	46000	30200	3.04	2.18	9.5	CH33-62D	SLP98UH135XV60D	5947802
XP25-048-230	47000	18.5	12.5	46000	30200	2.98	2.16	9	CH35-60D	EL296UH135XV60D	10092255
XP25-048-230	47000	19	12.5	46000	30200	2.96	2.16	9	CH35-60D	SL280UH135V60D	10092254
XP25-048-230	47000	18.5	12.5	46000	30200	2.98	2.16	9	CH35-60D	SLP98UH135XV60D	10092256
XP25-048-230	46500	19.5	12.5	46000	30400	2.96	2.18	9	CR33-50/60	EL296DF090XV60C	5947775
XP25-048-230	46500	19.5	12.5	46000	30400	2.96	2.18	9	CR33-50/60	EL296DF110XV60C	5947776



# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP25-048-230	46500	19.5	12.5	45500	30000	2.98	2.18	9	CR33-50/60	SL280DF090V60C	5947777
XP25-048-230	47000	20	12.5	45500	30000	3	2.2	9	CR33-50/60	SL280DF110V60C	5947778
XP25-048-230	46500	20	12	46000	30400	2.94	2.16	9	CR33-50/60	SLP98DF090XV48C	5947779
XP25-048-230	46500	19.5	12.5	46000	30400	2.96	2.18	9	CR33-50/60	SLP98DF090XV60C	5947780
XP25-048-230	46500	19.5	12.5	46000	30400	2.96	2.18	9	CR33-50/60	SLP98DF110XV60C	5947781
XP25-048-230	46500	19.5	12.5	46000	30400	2.96	2.18	9	CR33-60	EL296DF090XV60C	5947849
XP25-048-230	46500	19.5	12.5	46000	30400	2.96	2.18	9	CR33-60	EL296DF110XV60C	5947850
XP25-048-230	46500	19.5	12.5	45500	30000	2.98	2.18	9	CR33-60	SL280DF090V60C	5947851
XP25-048-230	47000	20	12.5	45500	30000	3	2.2	9	CR33-60	SL280DF110V60C	5947852
XP25-048-230	46500	20	12	46000	30400	2.94	2.16	9	CR33-60	SLP98DF090XV48C	5947853
XP25-048-230	46500	19.5	12.5	46000	30400	2.96	2.18	9	CR33-60	SLP98DF110XV60C	5947854
XP25-048-230	47500	20	12.5	45000	29600	3.18	2.3	9.2	CX34-49C	EL296UH090XV48C	5947754
XP25-048-230	47500	20	12.5	45000	29600	3.2	2.32	9.2	CX34-49C	EL296UH090XV60C	5947755
XP25-048-230	47500	20	12.5	45000	29600	3.2	2.32	9.2	CX34-49C	EL296UH110XV48C	5947756
XP25-048-230	47500	20	12.5	45000	29600	3.2	2.32	9.2	CX34-49C	EL296UH110XV60C	5947757
XP25-048-230	47500	20	13	45000	29400	3.22	2.32	9.2	CX34-49C	SL280UH090XV60C	5947758
XP25-048-230	47500	19.5	12.5	45000	29600	3.2	2.32	9.2	CX34-49C	SL280UH110V60C	5947759
XP25-048-230	47500	20	12.5	45000	29600	3.2	2.3	9.2	CX34-49C	SLP98UH090XV48C	5947760
XP25-048-230	47500	20	12.5	45000	29600	3.2	2.32	9.2	CX34-49C	SLP98UH090XV60C	5947761
XP25-048-230	47500	20	12.5	45000	29600	3.2	2.32	9.2	CX34-49C	SLP98UH110XV60C	5947762
XP25-048-230	49000	20	13	46000	30000	2.94	2.24	9.5	CX34-62C	EL296UH090XV48C	8203147
XP25-048-230	49000	20	13	46000	30000	2.96	2.24	9.5	CX34-62C	EL296UH090XV60C	8203148
XP25-048-230	49000	20	13	46000	30000	2.96	2.24	9.5	CX34-62C	EL296UH110XV48C	8203152
XP25-048-230	49000	20	13	46000	30000	2.96	2.24	9.5	CX34-62C	EL296UH110XV60C	8203151
XP25-048-230	49000	20	13	46000	29800	2.98	2.24	9.6	CX34-62C	SL280UH090V60C	8203149
XP25-048-230	49000	19.5	13	46000	30000	2.96	2.24	9.5	CX34-62C	SL280UH110V60C	8203150
XP25-048-230	49000	20	13	46000	30000	2.94	2.24	9.5	CX34-62C	SLP98UH090XV48C	8203154
XP25-048-230	49000	20	13	46000	30000	2.96	2.24	9.5	CX34-62C	SLP98UH090XV60C	8203155
XP25-048-230	49000	20	13	46000	30000	2.96	2.24	9.5	CX34-62C	SLP98UH110XV60C	8203153
XP25-048-230	47500	19.5	13	45000	28600	3.38	2.32	9.7	CX34-62D	EL296UH135V60D	5947772
XP25-048-230	47500	19.5	13	45000	28400	3.4	2.32	9.7	CX34-62D	SL280UH135V60D	5947773
XP25-048-230	47500	19.5	13	45000	28600	3.38	2.32	9.7	CX34-62D	SLP98UH135XV60D	5947774
XP25-048-230	46000	19	12	46000	28000	3.12	1.88	8.2	CX35-60C	EL296UH090XV48C	10092261
XP25-048-230	46000	19	12	46000	28000	3.14	1.88	8.2	CX35-60C	EL296UH090XV60C	10092262
XP25-048-230	46000	19	12	46000	28000	3.12	1.88	8.2	CX35-60C	EL296UH110XV48C	10092263
XP25-048-230	46000	19	12	46000	28000	3.12	1.88	8.2	CX35-60C	EL296UH110XV60C	10092264
XP25-048-230	46500	19.5	12.5	46000	27600	3.18	1.9	8.2	CX35-60C	SL280UH080NV60C	10581355
XP25-048-230	46500	19	12.5	46000	27800	3.16	1.88	8.2	CX35-60C	SL280UH090V60C	10092257
XP25-048-230	46500	19	12.5	46000	27800	3.16	1.88	8.2	CX35-60C	SL280UH090XV60C	10092258
XP25-048-230	46500	19	12.5	46500	27600	3.16	1.9	8.2	CX35-60C	SL280UH100NV60C	10581358
XP25-048-230	46000	19	12	46000	28000	3.14	1.88	8.2	CX35-60C	SL280UH110V60C	10092259
XP25-048-230	46000	19	12	46000	28000	3.14	1.88	8.2	CX35-60C	SL280UH110XV60C	10092260
XP25-048-230	46000	19	12	46000	28000	3.12	1.88	8.2	CX35-60C	SLP98UH090XV48C	10092265
XP25-048-230	46000	19	12	46000	28000	3.14	1.88	8.2	CX35-60C	SLP98UH090XV60C	10092266
XP25-048-230	46000	19	12	46000	28000	3.12	1.88	8.2	CX35-60C	SLP98UH110XV60C	10092267
XP25-048-230	47500	20	12.5	45000	29600	3.18	2.3	9.2	CX38-49C	EL296UH090XV48C	10084851
XP25-048-230	47500	20	12.5	45000	29600	3.2	2.32	9.2	CX38-49C	EL296UH090XV60C	10084837
XP25-048-230	47500	20	12.5	45000	29600	3.2	2.32	9.2	CX38-49C	EL296UH110XV48C	10084861
XP25-048-230	47500	20	12.5	45000	29600	3.2	2.32	9.2	CX38-49C	EL296UH110XV60C	10084866
XP25-048-230	47500	20	13	45000	29400	3.22	2.32	9.2	CX38-49C	SL280UH090XV60C	10084856
XP25-048-230	47500	19.5	12.5	45000	29600	3.2	2.32	9.2	CX38-49C	SL280UH110V60C	10084844
XP25-048-230	47500	20	12.5	45000	29600	3.2	2.3	9.2	CX38-49C	SLP98UH090XV48C	10084848
XP25-048-230	47500	20	12.5	45000	29600	3.2	2.32	9.2	CX38-49C	SLP98UH090XV60C	10084840
XP25-048-230	47500	20	12.5	45000	29600	3.2	2.32	9.2	CX38-49C	SLP98UH110XV60C	10084852
XP25-048-230	49000	20	13	46000	30000	2.94	2.24	9.5	CX38-62C	EL296UH090XV48C	10086774
XP25-048-230	49000	20	13	46000	30000	2.96	2.24	9.5	CX38-62C	EL296UH090XV60C	10086775
XP25-048-230	49000	20	13	46000	30000	2.96	2.24	9.5	CX38-62C	EL296UH110XV48C	10086779
XP25-048-230	49000	20	13	46000	30000	2.96	2.24	9.5	CX38-62C	EL296UH110XV60C	10086778
XP25-048-230	49000	20	13	46000	29800	2.98	2.24	9.6	CX38-62C	SL280UH090V60C	10086776
XP25-048-230	49000	19.5	13	46000	30000	2.96	2.24	9.5	CX38-62C	SL280UH110V60C	10086777
XP25-048-230	49000	20	13	46000	30000	2.94	2.24	9.5	CX38-62C	SLP98UH090XV48C	10086781

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP25-048-230	49000	20	13	46000	30000	2.96	2.24	9.5	CX38-62C	SLP98UH090XV60C	10086782
XP25-048-230	49000	20	13	46000	30000	2.96	2.24	9.5	CX38-62C	SLP98UH110XV60C	10086780
XP25-048-230	47500	19.5	13	45000	28600	3.38	2.32	9.7	CX38-62D	EL296UH135XV60D	10084862
XP25-048-230	47500	19.5	13	45000	28400	3.4	2.32	9.7	CX38-62D	SL280UH135V60D	10084867
XP25-048-230	47500	19.5	13	45000	28600	3.38	2.32	9.7	CX38-62D	SLP98UH135XV60D	10084857
XP25-060-230	57500	18.5	12	52000	33200	3.26	2.32	9.7	C33-49C	EL296UH090XV60C	5947804
XP25-060-230	57500	18.5	12	52000	33200	3.26	2.34	9.7	C33-49C	EL296UH110XV60C	5947805
XP25-060-230	58000	19	12	51500	32800	3.3	2.36	9.7	C33-49C	SL280UH090V60C	5947806
XP25-060-230	58000	18.5	12	51500	33000	3.26	2.34	9.7	C33-49C	SL280UH110V60C	5947807
XP25-060-230	57500	18.5	12	52000	33200	3.26	2.32	9.7	C33-49C	SLP98UH090XV60C	5947808
XP25-060-230	58000	18.5	12	52000	33200	3.26	2.34	9.7	C33-49C	SLP98UH110XV60C	5947809
XP25-060-230	60000	19	12	54000	33400	3.22	2.28	9.7	C33-62C	EL296UH090XV60C	5947810
XP25-060-230	60000	19	12	54000	33400	3.22	2.28	10	C33-62C	EL296UH110XV60C	5947811
XP25-060-230	60500	19.5	12.5	54000	33200	3.28	2.32	10	C33-62C	SL280UH090V60C	5947812
XP25-060-230	60000	19	12.5	54000	33200	3.24	2.3	10	C33-62C	SL280UH110V60C	5947813
XP25-060-230	60000	19	12	54000	33400	3.22	2.28	9.7	C33-62C	SLP98UH090XV60C	5947814
XP25-060-230	60000	19	12	54000	33400	3.22	2.28	10	C33-62C	SLP98UH110XV60C	5947815
XP25-060-230	58500	19	12.5	53000	33400	3.3	2.36	9.7	C33-62D	EL296UH135XV60D	5947816
XP25-060-230	58500	19	12.5	53000	33400	3.32	2.36	9.7	C33-62D	SL280UH135V60D	5947817
XP25-060-230	58500	19	12.5	53000	33400	3.3	2.36	9.7	C33-62D	SLP98UH135XV60D	5947818
XP25-060-230	59500	19	12	54000	32000	2.96	2.12	9	C35-60C	EL296UH110XV60C	10092299
XP25-060-230	60000	19	12.5	53500	32000	3.02	2.16	9.6	C35-60C	SL280UH080NV60C	10581356
XP25-060-230	60000	19	12.5	54000	32000	3	2.14	9	C35-60C	SL280UH090V60C	10092295
XP25-060-230	60000	19	12.5	54000	32000	3	2.14	9	C35-60C	SL280UH090XV60C	10092296
XP25-060-230	60000	19	12	54000	32000	2.96	2.12	9	C35-60C	SL280UH110V60C	10092297
XP25-060-230	60000	19	12	54000	32000	2.96	2.12	9	C35-60C	SL280UH110XV60C	10092298
XP25-060-230	59500	19	12	54000	32000	2.94	2.12	9	C35-60C	SLP98UH090XV60C	10092300
XP25-060-230	59500	19	12	54000	32000	2.96	2.12	9	C35-60C	SLP98UH110XV60C	10092301
XP25-060-230	58500	18.5	12	51500	29400	3.2	2.04	8.5	C35-60D	EL296UH135XV60D	10092306
XP25-060-230	58500	18.5	12	51500	29400	3.22	2.04	8.5	C35-60D	SL280UH135V60D	10092305
XP25-060-230	58500	18.5	12	51500	29400	3.2	2.04	8.5	C35-60D	SLP98UH135XV60D	10092307
XP25-060-230	57500	18.5	12	52000	33200	3.26	2.32	9.7	C37-49C	EL296UH090XV60C	10084884
XP25-060-230	57500	18.5	12	52000	33200	3.26	2.34	9.7	C37-49C	EL296UH110XV60C	10084887
XP25-060-230	58000	19	12	51500	32800	3.3	2.36	9.7	C37-49C	SL280UH090V60C	10084873
XP25-060-230	58000	18.5	12	51500	33000	3.26	2.34	9.7	C37-49C	SL280UH110V60C	10084876
XP25-060-230	57500	18.5	12	52000	33200	3.26	2.32	9.7	C37-49C	SLP98UH090XV60C	10084880
XP25-060-230	58000	18.5	12	52000	33200	3.26	2.34	9.7	C37-49C	SLP98UH110XV60C	10084870
XP25-060-230	60000	19	12	54000	33400	3.22	2.28	9.7	C37-62C	EL296UH090XV60C	10084868
XP25-060-230	60000	19	12	54000	33400	3.22	2.28	10	C37-62C	EL296UH110XV60C	10084890
XP25-060-230	60500	19.5	12.5	54000	33200	3.28	2.32	10	C37-62C	SL280UH090V60C	10084885
XP25-060-230	60000	19	12.5	54000	33200	3.24	2.3	10	C37-62C	SL280UH110V60C	10084888
XP25-060-230	60000	19	12	54000	33400	3.22	2.28	9.7	C37-62C	SLP98UH090XV60C	10084874
XP25-060-230	60000	19	12	54000	33400	3.22	2.28	10	C37-62C	SLP98UH110XV60C	10084877
XP25-060-230	58500	19	12.5	53000	33400	3.3	2.36	9.7	C37-62D	EL296UH135XV60D	10084881
XP25-060-230	58500	19	12.5	53000	33400	3.32	2.36	9.7	C37-62D	SL280UH135V60D	10084871
XP25-060-230	58500	19	12.5	53000	33400	3.3	2.36	9.7	C37-62D	SLP98UH135XV60D	10084869
XP25-060-230	57500	19	12	54500	35800	3.28	2.46	10.2	CBX32MV-060		5947803
XP25-060-230	58000	19.5	12.5	54500	35600	3.28	2.46	10.2	CBX40UHV-060		5947855
XP25-060-230	58000	19	12	54000	33800	2.94	2.08	9.2	CH33-49	EL296UH090XV60C	5947834
XP25-060-230	58000	19	12	54000	33600	2.96	2.06	9.2	CH33-49	EL296UH110XV60C	5947835
XP25-060-230	58000	19	12	54000	33400	3	2.1	9.2	CH33-49	SL280UH090V60C	5947836
XP25-060-230	58000	19	12	54000	33400	3	2.1	9.2	CH33-49	SL280UH090XV60C	8177629
XP25-060-230	58000	19	12	54000	33600	2.98	2.08	9.2	CH33-49	SL280UH110V60C	5947837
XP25-060-230	58000	19	12	54000	33600	2.98	2.08	9.2	CH33-49	SL280UH110XV60C	8177630
XP25-060-230	58000	19	12	54000	33800	2.94	2.08	9.2	CH33-49	SLP98UH090XV60C	5947838
XP25-060-230	58000	19	12	54000	33600	2.96	2.08	9.2	CH33-49	SLP98UH110XV60C	5947839
XP25-060-230	57500	18.5	11.5	54000	33800	2.94	2.06	9.2	CH33-50/60C	EL296UH090XV60C	5947840
XP25-060-230	57500	18.5	11.5	54000	33600	2.96	2.06	9.2	CH33-50/60C	EL296UH110XV60C	5947841
XP25-060-230	58000	19	12	54000	33400	3	2.08	9.2	CH33-50/60C	SL280UH090V60C	5947842
XP25-060-230	58000	19	12	54000	33400	3	2.08	9.2	CH33-50/60C	SL280UH090XV60C	8177631
XP25-060-230	57500	18.5	12	54000	33600	2.96	2.08	9.2	CH33-50/60C	SL280UH110V60C	5947843

# AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit [www.LennoxPROs.com](http://www.LennoxPROs.com) or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	High Heat COP	Low Heat COP	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP25-060-230	57500	18.5	12	54000	33600	2.96	2.08	9.2	CH33-50/60C	SL280UH110XV60C	8177632
XP25-060-230	57500	18.5	11.5	54000	33800	2.94	2.06	9.2	CH33-50/60C	SLP98UH090XV60C	5947844
XP25-060-230	57500	18.5	11.5	54000	33600	2.96	2.06	9.2	CH33-50/60C	SLP98UH110XV60C	5947845
XP25-060-230	59000	19	12	55500	35600	3	2.22	8.7	CH33-62D	EL296UH135XV60D	5947846
XP25-060-230	59000	19	12	55000	35400	3	2.22	8.7	CH33-62D	SL280UH135V60D	5947847
XP25-060-230	59000	19	12	55500	35600	3	2.22	8.7	CH33-62D	SLP98UH135XV60D	5947848
XP25-060-230	59000	19	12	54000	35000	2.94	2.02	8.7	CH35-60D	EL296UH135XV60D	10092269
XP25-060-230	59000	19	12	54000	35000	2.96	2	8.7	CH35-60D	SL280UH135V60D	10092268
XP25-060-230	59000	19	12	54000	35000	2.94	2.02	8.7	CH35-60D	SLP98UH135XV60D	10092270
XP25-060-230	57500	18.5	11.5	53500	35600	3.08	2.32	9.7	CR33-60	EL296DF090XV60C	5947856
XP25-060-230	58000	18.5	12	53500	35600	3.08	2.32	9.7	CR33-60	EL296DF110XV60C	5947857
XP25-060-230	58000	19	12	53000	35200	3.14	2.36	10	CR33-60	SL280DF090V60C	5947858
XP25-060-230	58000	19	12	53000	35200	3.14	2.36	10	CR33-60	SL280DF110V60C	5947859
XP25-060-230	57500	18.5	11.5	53500	35600	3.08	2.32	9.7	CR33-60	SLP98DF090XV60C	7979864
XP25-060-230	58000	18.5	12	53500	35600	3.08	2.32	9.7	CR33-60	SLP98DF110XV60C	5947861
XP25-060-230	57500	18.5	12	52000	33200	3.26	2.32	9.7	CX34-49C	EL296UH090XV60C	5947819
XP25-060-230	57500	18.5	12	52000	33200	3.26	2.34	9.7	CX34-49C	EL296UH110XV60C	5947820
XP25-060-230	58000	19	12	51500	32800	3.3	2.36	9.7	CX34-49C	SL280UH090V60C	5947821
XP25-060-230	58000	18.5	12	51500	33000	3.26	2.34	9.7	CX34-49C	SL280UH110V60C	5947822
XP25-060-230	57500	18.5	12	52000	33200	3.26	2.32	9.7	CX34-49C	SLP98UH090XV60C	5947823
XP25-060-230	58000	18.5	12	52000	33200	3.26	2.34	9.7	CX34-49C	SLP98UH110XV60C	5947824
XP25-060-230	60000	19	12	54000	33400	3.22	2.28	9.7	CX34-62C	EL296UH090XV60C	8203141
XP25-060-230	60000	19	12	54000	33400	3.22	2.28	10	CX34-62C	EL296UH110XV60C	8203142
XP25-060-230	60500	19.5	12.5	54000	33200	3.28	2.32	10	CX34-62C	SL280UH090V60C	8203145
XP25-060-230	60000	19	12.5	54000	33200	3.24	2.3	10	CX34-62C	SL280UH110V60C	8203146
XP25-060-230	60000	19	12	54000	33400	3.22	2.28	9.7	CX34-62C	SLP98UH090XV60C	8203143
XP25-060-230	60000	19	12	54000	33400	3.22	2.28	10	CX34-62C	SLP98UH110XV60C	8203144
XP25-060-230	58500	19	12.5	53000	33400	3.3	2.36	9.7	CX34-62D	EL296UH135XV60D	5947831
XP25-060-230	58500	19	12.5	53000	33400	3.32	2.36	9.7	CX34-62D	SL280UH135V60D	5947832
XP25-060-230	58500	19	12.5	53000	33400	3.3	2.36	9.7	CX34-62D	SLP98UH135XV60D	5947833
XP25-060-230	59500	19	12	54000	32000	2.96	2.12	9	CX35-60C	EL296UH110XV60C	10092275
XP25-060-230	60000	19	12.5	53500	32000	3.02	2.16	9.6	CX35-60C	SL280UH080NV60C	10581357
XP25-060-230	60000	19	12.5	54000	32000	3	2.14	9	CX35-60C	SL280UH090V60C	10092271
XP25-060-230	60000	19	12.5	54000	32000	3	2.14	9	CX35-60C	SL280UH090XV60C	10092272
XP25-060-230	60000	19	12	54000	32000	2.96	2.12	9	CX35-60C	SL280UH110V60C	10092273
XP25-060-230	60000	19	12	54000	32000	2.96	2.12	9	CX35-60C	SL280UH110XV60C	10092274
XP25-060-230	59500	19	12	54000	32000	2.94	2.12	9	CX35-60C	SLP98UH090XV60C	10092276
XP25-060-230	59500	19	12	54000	32000	2.96	2.12	9	CX35-60C	SLP98UH110XV60C	10092277
XP25-060-230	58500	18.5	12	51500	29400	3.2	2.04	8.5	CX35-60D	EL296UH135XV60D	10092303
XP25-060-230	58500	18.5	12	51500	29400	3.22	2.04	8.5	CX35-60D	SL280UH135V60D	10092302
XP25-060-230	58500	18.5	12	51500	29400	3.2	2.04	8.5	CX35-60D	SLP98UH135XV60D	10092304
XP25-060-230	57500	18.5	12	52000	33200	3.26	2.32	9.7	CX38-49C	EL296UH090XV60C	10084891
XP25-060-230	57500	18.5	12	52000	33200	3.26	2.34	9.7	CX38-49C	EL296UH110XV60C	10084886
XP25-060-230	58000	19	12	51500	32800	3.3	2.36	9.7	CX38-49C	SL280UH090V60C	10084889
XP25-060-230	58000	18.5	12	51500	33000	3.26	2.34	9.7	CX38-49C	SL280UH110V60C	10084875
XP25-060-230	57500	18.5	12	52000	33200	3.26	2.32	9.7	CX38-49C	SLP98UH090XV60C	10084878
XP25-060-230	58000	18.5	12	52000	33200	3.26	2.34	9.7	CX38-49C	SLP98UH110XV60C	10084882
XP25-060-230	60000	19	12	54000	33400	3.22	2.28	9.7	CX38-62C	EL296UH090XV60C	10086768
XP25-060-230	60000	19	12	54000	33400	3.22	2.28	10	CX38-62C	EL296UH110XV60C	10086769
XP25-060-230	60500	19.5	12.5	54000	33200	3.28	2.32	10	CX38-62C	SL280UH090V60C	10086772
XP25-060-230	60000	19	12.5	54000	33200	3.24	2.3	10	CX38-62C	SL280UH110V60C	10086773
XP25-060-230	60000	19	12	54000	33400	3.22	2.28	9.7	CX38-62C	SLP98UH090XV60C	10086770
XP25-060-230	60000	19	12	54000	33400	3.22	2.28	10	CX38-62C	SLP98UH110XV60C	10086771
XP25-060-230	58500	19	12.5	53000	33400	3.3	2.36	9.7	CX38-62D	EL296UH135XV60D	10084879
XP25-060-230	58500	19	12.5	53000	33400	3.32	2.36	9.7	CX38-62D	SL280UH135V60D	10084883
XP25-060-230	58500	19	12.5	53000	33400	3.3	2.36	9.7	CX38-62D	SLP98UH135XV60D	10084872