



PRODUCT SPECIFICATIONS

HEAT PUMPS
AHRI SYSTEM MATCHES

Bulletin No. 210828
August 2018A
Supersedes July 2018A

NOTES:

Ratings are AHRI certified to AHRI Standard 210/240 (with 25 ft. of connecting refrigerant lines);

- Cooling Ratings - 95°F outdoor air temperature and 80 °F db/67° F wb entering indoor coil air.
- High Temperature Heating Ratings - 47° F db/43° F wb outdoor air temperature and 70 °F db entering indoor coil air.
- Low Temperature Heating Ratings - 17 °F db/15° F wb outdoor air temperature and 70 °F db entering indoor coil air.

All ratings include the use of a blower time delay relay (TDR). All Lennox variable-speed Furnaces and Air Handlers have time delay capabilities. Other

IMPORTANT - All C35 and C37 Coils have a factory installed RFC Orifice that must be replaced with a field installed check/expansion valve!

Furnaces and Air Handlers may require an optional time delay relay (58M81) for field installation. See furnace or air handler specifications to determine if relay is needed.

When used with gas furnaces, a dual-fuel control, a control system with dual-fuel capabilities (LZP-2 or LZP-4), or a thermostat with dual-fuel capabilities must be used (ordered extra).

To convert HSPF from Region IV to Region V - Divide by 1.15.

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-018-230	18000	16	13	17500	11100	8.5	C37-25A	EL180UH045E36A	201925563
14HPX-018-230	18000	16	13	17500	11100	8.5	C37-25A	ML180UH045E36A	201925573
14HPX-018-230	18000	16	13	17600	11100	8.5	C37-31A	EL180UH045E36A	201925561
14HPX-018-230	18000	16	13	17600	11100	8.5	C37-31A	ML180UH045E36A	201925571
14HPX-018-230	19200	16	13	17800	11300	8.5	C37-31B	EL195UH045XE36B	201925565
14HPX-018-230	18000	16	13	17500	11100	8.5	CBA27UHE-018-230		201925566
14HPX-018-230	18000	16	13	17500	11100	8.5	CBA27UHE-024-230		201925567
14HPX-018-230	18000	15.5	12.5	17800	11000	8.5	CBA38MV-018/024-230		201925574
14HPX-018-230	18000	14	12	17800	11800	8.2	CBX25UH-018-230		201925552
14HPX-018-230	18000	15	12.5	17600	11600	8.5	CBX25UHV-018-230		201925553
14HPX-018-230	18000	15.5	12.5	18000	11600	8.5	CBX25UHV-024-230		201925559
14HPX-018-230	18000	16	13	17500	11100	8.5	CBX27UH-018-230		201925555
14HPX-018-230	18000	16	13	17500	11100	8.5	CBX27UH-024-230		201925554
14HPX-018-230	18000	16	13	17700	11300	8.5	CH33-25A	EL180UH045E36A	201925557
14HPX-018-230	18000	16	13	17700	11300	8.5	CH33-25A	ML180UH045E36A	201925569
14HPX-018-230	18000	14	12	18000	11700	8.2	CH33-25A		201925550
14HPX-018-230	18000	14	11.5	18000	11700	8.2	CH33-25B		201925551
14HPX-018-230	18000	16	13	18000	11400	8.5	CR33-30/36A	EL180DF045E36A	201925558
14HPX-018-230	18000	16	13	18000	11400	8.5	CR33-30/36A	ML180DF045E36A	201925568
14HPX-018-230	18000	16	13	17500	11100	8.5	CX38-25A	EL180UH045E36A	201925562
14HPX-018-230	18000	16	13	17500	11100	8.5	CX38-25A	ML180UH045E36A	201925572
14HPX-018-230	18000	16	13	17600	11100	8.5	CX38-31A	EL180UH045E36A	201925560
14HPX-018-230	18000	16	13	17600	11100	8.5	CX38-31A	ML180UH045E36A	201925570
14HPX-018-230	19200	16	13	17800	11300	8.5	CX38-31B	EL195UH045XE36B	201925564
14HPX-024-230	24000	15.5	13	21400	13500	8.2	C37-25A	EL180UH045E36A	201927778
14HPX-024-230	24000	15.5	13	21400	13500	8.2	C37-25A	ML180UH045E36A	201927809
14HPX-024-230	24800	15.7	13	21800	13600	8.2	C37-25A	SL280UH070V36A	201927761
14HPX-024-230	24800	15.7	13	21800	13600	8.2	C37-25A	SL280UH070XV36A	201927725
14HPX-024-230	24600	16	13	21600	13500	8.5	C37-25B	CBWMV-24B-040	201927748
14HPX-024-230	24800	16	13.5	21600	13500	8.5	C37-25B	EL180UH070E36B	201927786
14HPX-024-230	24200	15.5	13	21400	13500	8.2	C37-25B	EL195UH045XE36B	201927740
14HPX-024-230	24600	15.7	13.2	21600	13600	8.5	C37-25B	EL195UH070XE36B	201927750
14HPX-024-230	24200	15.5	13	21400	13500	8.2	C37-25B	EL296UH045XE36B	201927769
14HPX-024-230	24600	16	13	21600	13500	8.5	C37-25B	EL296UH045XV36B	201927792
14HPX-024-230	24600	15.7	13.2	21600	13600	8.5	C37-25B	EL296UH070XE36B	201927774
14HPX-024-230	24600	16	13	21600	13500	8.5	C37-25B	EL296UH070XV36B	201927800
14HPX-024-230	24800	16	13.5	21600	13500	8.5	C37-25B	ML180UH070E36B	201927817
14HPX-024-230	24800	16	13	21600	13500	8.5	C37-25B	SL280UH090V36B	201927763

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-024-230	24400	15.1	13	21600	13600	8.2	C37-25B	SL280UH090V48B	201927719
14HPX-024-230	24400	15.1	13	21600	13600	8.2	C37-25B	SL280UH090XV48B	201927727
14HPX-024-230	24600	16	13	21600	13500	8.5	C37-25B	SLP98UH070XV36B	201927733
14HPX-024-230	24400	15.7	13.2	21400	13500	8.5	C37-31A	EL180UH045E36A	201927788
14HPX-024-230	24400	15.7	13.2	21400	13500	8.5	C37-31A	ML180UH045E36A	201927812
14HPX-024-230	24800	16	13	21600	13500	8.5	C37-31A	SL280UH070V36A	201927760
14HPX-024-230	24800	16	13	21600	13500	8.5	C37-31A	SL280UH070XV36A	201927724
14HPX-024-230	24600	16	13	21600	13500	8.5	C37-31B	CBWMV-24B-040	201927735
14HPX-024-230	24800	16	13.5	21600	13500	8.5	C37-31B	EL180UH070E36B	201927783
14HPX-024-230	24200	15.5	13	21400	13500	8.2	C37-31B	EL195UH045XE36B	201927741
14HPX-024-230	24600	15.7	13.2	21600	13600	8.5	C37-31B	EL195UH070XE36B	201927751
14HPX-024-230	24200	15.5	13	21400	13500	8.2	C37-31B	EL296UH045XE36B	201927775
14HPX-024-230	24600	16	13	21600	13500	8.5	C37-31B	EL296UH045XV36B	201927796
14HPX-024-230	24600	15.7	13.2	21600	13600	8.5	C37-31B	EL296UH070XE36B	201927776
14HPX-024-230	24600	16	13	21600	13500	8.5	C37-31B	EL296UH070XV36B	201927795
14HPX-024-230	24800	16	13.5	21600	13500	8.5	C37-31B	ML180UH070E36B	201927815
14HPX-024-230	24800	16	13.5	21600	13500	8.5	C37-31B	SL280UH090V36B	201927766
14HPX-024-230	24600	15.1	13	21600	13600	8.2	C37-31B	SL280UH090V48B	201927720
14HPX-024-230	24600	15.1	13	21600	13600	8.2	C37-31B	SL280UH090XV48B	201927728
14HPX-024-230	24600	16	13	21600	13500	8.5	C37-31B	SLP98UH070XV36B	201927742
14HPX-024-230	24400	15.7	13.2	21600	13500	8.5	C37-36B	CBWMV-24B-040	201927736
14HPX-024-230	23800	15.5	12.7	21400	13500	8.2	C37-36B	EL195UH045XE36B	201927743
14HPX-024-230	24200	15.5	13	21600	13600	8.5	C37-36B	EL195UH070XE36B	201927752
14HPX-024-230	23800	15.5	12.7	21400	13500	8.2	C37-36B	EL296UH045XE36B	201927770
14HPX-024-230	24200	15.5	13	21600	13600	8.5	C37-36B	EL296UH070XE36B	201927777
14HPX-024-230	25200	16	13.5	21800	13600	8.5	CBA27UHE-024-230		201927801
14HPX-024-230	24600	16	13	21600	13600	9	CBA27UHE-030-230		201927802
14HPX-024-230	24000	14.5	12.2	22000	13800	8.2	CBA38MV-018/024-230		201927820
14HPX-024-230	24800	15.5	13	21800	13800	8.5	CBA38MV-030-230		201927821
14HPX-024-230	24000	15.5	12.5	21600	13600	9	CBA38MV-036-230		201927822
14HPX-024-230	23200	14	11.7	22200	14000	8.2	CBX25UH-024-230		201927702
14HPX-024-230	23200	14	11.7	22200	14100	8.2	CBX25UH-030-230		201927715
14HPX-024-230	23600	15.5	12.5	21400	13400	8.5	CBX25UHV-024-230		201927665
14HPX-024-230	23200	15	12.5	21800	13700	8.2	CBX25UHV-030-230		201927669
14HPX-024-230	25200	16	13.5	21800	13700	9	CBX27UH-024-230		201927674
14HPX-024-230	25000	16	13.5	21800	13600	9	CBX27UH-030-230		201927717
14HPX-024-230	24800	14.2	11.7	22800	14100	8.2	CBX32M-018/024		201927675
14HPX-024-230	25000	15.2	12.7	22400	14000	8.7	CBX32M-030		201927676
14HPX-024-230	24200	15.7	13.2	21400	13500	8.5	CH23-41	EL180UH045E36A	201927708
14HPX-024-230	24600	15.7	13.2	21600	13500	8.5	CH23-41	EL296UH045XV36B	201927714
14HPX-024-230	24600	16	13	21600	13500	8.5	CH23-41	EL296UH070XV36B	201927718
14HPX-024-230	24200	15.7	13.2	21400	13500	8.5	CH23-41	ML180UH045E36A	201927807
14HPX-024-230	24800	16	13	21600	13500	8.5	CH23-41	SL280UH090V36B	201927701
14HPX-024-230	24400	15.1	13	21600	13600	8.2	CH23-41	SL280UH090V48B	201927682
14HPX-024-230	24400	15.1	13	21600	13600	8.2	CH23-41	SL280UH090XV48B	201927668
14HPX-024-230	24600	16	13	21600	13500	8.5	CH23-41	SLP98UH070XV36B	201927691
14HPX-024-230	24400	15.7	13.2	21600	13500	8.5	CH33-25A	EL180UH045E36A	201927709
14HPX-024-230	24400	15.7	13.2	21600	13500	8.5	CH33-25A	ML180UH045E36A	201927808
14HPX-024-230	24800	15.7	13	21800	13700	8.5	CH33-25A	SL280UH070V36A	201927698
14HPX-024-230	24800	15.7	13	21800	13700	8.5	CH33-25A	SL280UH070XV36A	201927671
14HPX-024-230	24600	16	13	21600	13600	8.5	CH33-25B	EL180UH070E36B	201927710
14HPX-024-230	24000	15.5	13	21600	13500	8.5	CH33-25B	EL195UH045XE36B	201927688
14HPX-024-230	24400	15.5	13	21800	13600	8.5	CH33-25B	EL195UH070XE36B	201927687
14HPX-024-230	24000	15.5	13	21600	13500	8.5	CH33-25B	EL296UH045XE36B	201927700
14HPX-024-230	24600	15.7	13.2	21600	13600	8.7	CH33-25B	EL296UH045XV36B	201927713

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-024-230	24400	15.5	13	21800	13600	8.5	CH33-25B	EL296UH070XE36B	201927699
14HPX-024-230	24600	16	13	21600	13600	8.5	CH33-25B	EL296UH070XV36B	201927712
14HPX-024-230	24600	16	13	21600	13600	8.5	CH33-25B	ML180UH070E36B	201927814
14HPX-024-230	24600	15.1	13	21600	13500	8.5	CH33-25B	SL280UH090V36B	201927697
14HPX-024-230	24400	15.1	13	21600	13600	8.5	CH33-25B	SL280UH090V48B	201927683
14HPX-024-230	24400	15.1	13	21600	13600	8.5	CH33-25B	SL280UH090XV48B	201927667
14HPX-024-230	24600	16	13	21600	13600	8.5	CH33-25B	SLP98UH070XV36B	201927692
14HPX-024-230	24400	15.7	13.2	21600	13600	8.5	CH33-31A	EL180UH045E36A	201927707
14HPX-024-230	24400	15.7	13.2	21600	13600	8.5	CH33-31A	ML180UH045E36A	201927806
14HPX-024-230	25200	16	13	22000	13700	8.5	CH33-31A	SL280UH070V36A	201927696
14HPX-024-230	25200	16	13	22000	13700	8.5	CH33-31A	SL280UH070XV36A	201927673
14HPX-024-230	24400	14.2	12	22400	14200	8.2	CH33-31A		201927663
14HPX-024-230	23800	15.2	12.7	21400	13500	8.2	CH33-36A	EL180UH045E36A	201927706
14HPX-024-230	23800	15.2	12.7	21400	13500	8.2	CH33-36A	ML180UH045E36A	201927805
14HPX-024-230	24600	15.1	13	21800	13600	8.5	CH33-36A	SL280UH070V36A	201927695
14HPX-024-230	24600	15.1	13	21800	13600	8.5	CH33-36A	SL280UH070XV36A	201927672
14HPX-024-230	24600	16	13.5	21800	13500	8.5	CH33-36C	EL296UH090XV36C	201927666
14HPX-024-230	24600	16	13.5	21800	13500	8.5	CH33-36C	SLP98UH090XV36C	201927694
14HPX-024-230	24000	14	11.7	22400	14200	8.2	CH33-36C		201927661
14HPX-024-230	24800	15.7	13.2	22000	13600	8.7	CR33-30/36	EL180DF045E36A	201927703
14HPX-024-230	25400	16	13.5	22200	13600	9	CR33-30/36	EL180DF070E36B	201927711
14HPX-024-230	25200	16	13	22200	13600	8.5	CR33-30/36	EL195DF045XE36B	201927685
14HPX-024-230	25400	16	13.5	22200	13600	9	CR33-30/36	EL195DF070XE48B	201927686
14HPX-024-230	25200	16	13	22200	13600	8.5	CR33-30/36	EL296DF045XE36B	201927704
14HPX-024-230	25200	16	13.5	22200	13600	8.7	CR33-30/36	EL296DF045XV36B	201927670
14HPX-024-230	25400	16	13.5	22200	13600	9	CR33-30/36	EL296DF070XE48B	201927705
14HPX-024-230	25600	15.7	13.2	22400	13800	8.7	CR33-30/36	EL296DF070XV48B	201927679
14HPX-024-230	24800	15.7	13.2	22000	13600	8.7	CR33-30/36	ML180DF045E36A	201927803
14HPX-024-230	25400	16	13.5	22200	13600	9	CR33-30/36	ML180DF070E36B	201927804
14HPX-024-230	25200	15.7	13	22200	13700	8.5	CR33-30/36	SL280DF070V36A	201927664
14HPX-024-230	25600	15.1	13.5	22200	13700	9	CR33-30/36	SL280DF090V48B	201927693
14HPX-024-230	25400	16	13.5	22200	13600	9	CR33-30/36	SLP98DF070XV36B	201927689
14HPX-024-230	25400	16	13.5	22200	13600	9	CR33-30/36	SLP98DF090XV36C	201927690
14HPX-024-230	24800	14.2	12.2	22600	14200	8.2	CR33-30/36		201927662
14HPX-024-230	24000	15.5	13	21400	13500	8.2	CX38-25A	EL180UH045E36A	201927782
14HPX-024-230	24000	15.5	13	21400	13500	8.2	CX38-25A	ML180UH045E36A	201927810
14HPX-024-230	24800	15.7	13	21800	13600	8.2	CX38-25A	SL280UH070V36A	201927764
14HPX-024-230	24800	15.7	13	21800	13600	8.2	CX38-25A	SL280UH070XV36A	201927730
14HPX-024-230	24600	16	13	21600	13500	8.5	CX38-25B	CBWMV-24B-040	201927749
14HPX-024-230	24800	16	13.5	21600	13500	8.5	CX38-25B	EL180UH070E36B	201927784
14HPX-024-230	24200	15.5	13	21400	13500	8.2	CX38-25B	EL195UH045XE36B	201927744
14HPX-024-230	24600	15.7	13.2	21600	13600	8.5	CX38-25B	EL195UH070XE36B	201927754
14HPX-024-230	24200	15.5	13	21400	13500	8.2	CX38-25B	EL296UH045XE36B	201927779
14HPX-024-230	24600	16	13	21600	13500	8.5	CX38-25B	EL296UH045XV36B	201927798
14HPX-024-230	24600	15.7	13.2	21600	13600	8.5	CX38-25B	EL296UH070XE36B	201927781
14HPX-024-230	24600	16	13	21600	13500	8.5	CX38-25B	EL296UH070XV36B	201927799
14HPX-024-230	24800	16	13.5	21600	13500	8.5	CX38-25B	ML180UH070E36B	201927816
14HPX-024-230	24800	16	13	21600	13500	8.5	CX38-25B	SL280UH090V36B	201927772
14HPX-024-230	24400	15.1	13	21600	13600	8.2	CX38-25B	SL280UH090V48B	201927734
14HPX-024-230	24400	15.1	13	21600	13600	8.2	CX38-25B	SL280UH090XV48B	201927723
14HPX-024-230	24600	16	13	21600	13500	8.5	CX38-25B	SLP98UH070XV36B	201927753
14HPX-024-230	24400	15.7	13.2	21400	13500	8.5	CX38-31A	EL180UH045E36A	201927785
14HPX-024-230	24400	15.7	13.2	21400	13500	8.5	CX38-31A	ML180UH045E36A	201927811
14HPX-024-230	24800	15.1	13	21600	13500	8.5	CX38-31A	SL280UH070V36A	201927765
14HPX-024-230	24800	15.1	13	21600	13500	8.5	CX38-31A	SL280UH070XV36A	201927731

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-024-230	24600	16	13	21600	13500	8.5	CX38-31B	CBWMV-24B-040	201927732
14HPX-024-230	24800	16	13.5	21600	13500	8.5	CX38-31B	EL180UH070E36B	201927791
14HPX-024-230	24200	15.5	13	21400	13500	8.2	CX38-31B	EL195UH045XE36B	201927745
14HPX-024-230	24600	15.7	13.2	21600	13600	8.5	CX38-31B	EL195UH070XE36B	201927755
14HPX-024-230	24200	15.5	13	21400	13500	8.2	CX38-31B	EL296UH045XE36B	201927780
14HPX-024-230	24600	16	13	21600	13500	8.5	CX38-31B	EL296UH045XV36B	201927797
14HPX-024-230	24600	15.7	13.2	21600	13600	8.5	CX38-31B	EL296UH070XE36B	201927768
14HPX-024-230	24600	16	13	21600	13500	8.5	CX38-31B	EL296UH070XV36B	201927790
14HPX-024-230	24800	16	13.5	21600	13500	8.5	CX38-31B	ML180UH070E36B	201927819
14HPX-024-230	24800	16	13.5	21600	13500	8.5	CX38-31B	SL280UH090V36B	201927771
14HPX-024-230	24600	15.1	13	21600	13600	8.2	CX38-31B	SL280UH090V48B	201927738
14HPX-024-230	24600	15.1	13	21600	13600	8.2	CX38-31B	SL280UH090XV48B	201927722
14HPX-024-230	24600	16	13	21600	13500	8.5	CX38-31B	SLP98UH070XV36B	201927756
14HPX-024-230	24000	15.7	13	21400	13500	8.5	CX38-36A	EL180UH045E36A	201927789
14HPX-024-230	24000	15.7	13	21400	13500	8.5	CX38-36A	ML180UH045E36A	201927813
14HPX-024-230	24600	16	13	21600	13500	8.5	CX38-36A	SL280UH070V36A	201927762
14HPX-024-230	24600	16	13	21600	13500	8.5	CX38-36A	SL280UH070XV36A	201927726
14HPX-024-230	24400	15.7	13.2	21600	13500	8.5	CX38-36B	CBWMV-24B-040	201927737
14HPX-024-230	24400	16	13	21600	13500	8.5	CX38-36B	EL180UH070E36B	201927787
14HPX-024-230	23800	15.5	12.7	21400	13500	8.2	CX38-36B	EL195UH045XE36B	201927746
14HPX-024-230	24200	15.5	13	21600	13600	8.5	CX38-36B	EL195UH070XE36B	201927747
14HPX-024-230	23800	15.5	12.7	21400	13500	8.2	CX38-36B	EL296UH045XE36B	201927767
14HPX-024-230	24400	15.7	13.2	21600	13600	8.5	CX38-36B	EL296UH045XV36B	201927793
14HPX-024-230	24200	15.5	13	21600	13600	8.5	CX38-36B	EL296UH070XE36B	201927773
14HPX-024-230	24400	16	13	21600	13500	8.5	CX38-36B	EL296UH070XV36B	201927794
14HPX-024-230	24400	16	13	21600	13500	8.5	CX38-36B	ML180UH070E36B	201927818
14HPX-024-230	24600	16	13	21600	13500	8.5	CX38-36B	SL280UH090V36B	201927759
14HPX-024-230	24400	15.1	12.5	21600	13600	8.2	CX38-36B	SL280UH090V48B	201927739
14HPX-024-230	24400	15.1	12.5	21600	13600	8.2	CX38-36B	SL280UH090XV48B	201927729
14HPX-024-230	24400	16	13	21600	13500	8.5	CX38-36B	SLP98UH070XV36B	201927757
14HPX-024-230	24400	16	13	21400	13500	8.5	CX38-36C	EL296UH090XV36C	201927721
14HPX-024-230	24400	16	13	21400	13500	8.5	CX38-36C	SLP98UH090XV36C	201927758
14HPX-030-230	30000	15.2	13.2	25800	16600	8.5	C37-31A	EL180UH045E36A	201928106
14HPX-030-230	30000	15.2	13.2	25800	16600	8.5	C37-31A	ML180UH045E36A	201928164
14HPX-030-230	30000	15.5	13.2	25600	16500	8.5	C37-31A	SL280UH070V36A	201928047
14HPX-030-230	30000	15.5	13.2	25600	16500	8.5	C37-31A	SL280UH070XV36A	201927950
14HPX-030-230	30000	15.2	13.2	25600	16500	8.5	C37-31B	CBWMV-24B-040	201927982
14HPX-030-230	30000	15.2	13.2	25600	16500	8.5	C37-31B	CBWMV-36B-070	201928024
14HPX-030-230	30000	15.7	13.5	25600	16400	8.5	C37-31B	EL180UH070E36B	201928098
14HPX-030-230	30200	15.7	13.5	25600	16500	8.7	C37-31B	EL180UH090E48B	201928122
14HPX-030-230	30000	15.2	13.2	25800	16700	8.5	C37-31B	EL195UH045XE36B	201927998
14HPX-030-230	30200	15.2	13.2	25800	16700	8.5	C37-31B	EL195UH070XE36B	201927972
14HPX-030-230	30000	15.2	13.2	25800	16700	8.5	C37-31B	EL296UH045XE36B	201928080
14HPX-030-230	29800	15.2	13	25600	16600	8.5	C37-31B	EL296UH045XV36B	201928129
14HPX-030-230	30200	15.2	13.2	25800	16700	8.5	C37-31B	EL296UH070XE36B	201928074
14HPX-030-230	29800	15.5	13.2	25600	16500	8.5	C37-31B	EL296UH070XV36B	201928135
14HPX-030-230	30000	15.7	13.5	25600	16400	8.5	C37-31B	ML180UH070E36B	201928176
14HPX-030-230	30200	15.7	13.5	25600	16500	8.7	C37-31B	ML180UH090E48B	201928199
14HPX-030-230	30000	15.7	13.5	25400	16400	8.5	C37-31B	SL280UH090V36B	201928064
14HPX-030-230	30200	15.5	13.5	25800	16500	8.5	C37-31B	SL280UH090V48B	201927935
14HPX-030-230	30200	15.5	13.5	25800	16500	8.5	C37-31B	SL280UH090XV48B	201927952
14HPX-030-230	30000	15.2	13.2	25600	16600	8.5	C37-31B	SLP98UH070XV36B	201928031
14HPX-030-230	29200	15.2	13	25400	16500	8.5	C37-36A	SL280UH070V36A	201928050
14HPX-030-230	29200	15.2	13	25400	16500	8.5	C37-36A	SL280UH070XV36A	201927956
14HPX-030-230	29200	15	13	25600	16500	8.5	C37-36B	CBWMV-24B-040	201928008

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-030-230	29200	15	13	25600	16500	8.5	C37-36B	CBWMV-36B-070	201928012
14HPX-030-230	29200	15.2	13.2	25400	16400	8.5	C37-36B	EL180UH070E36B	201928092
14HPX-030-230	29200	15.2	13.2	25400	16400	8.5	C37-36B	EL180UH090E48B	201928109
14HPX-030-230	29200	14.7	12.7	25600	16600	8.5	C37-36B	EL195UH045XE36B	201927993
14HPX-030-230	29400	15	12.7	25800	16700	8.5	C37-36B	EL195UH070XE36B	201927964
14HPX-030-230	29200	14.7	12.7	25600	16600	8.5	C37-36B	EL296UH045XE36B	201928083
14HPX-030-230	29000	14.7	12.7	25600	16600	8.2	C37-36B	EL296UH045XV36B	201928126
14HPX-030-230	29400	15	12.7	25800	16700	8.5	C37-36B	EL296UH070XE36B	201928065
14HPX-030-230	29000	15.2	13	25400	16400	8.5	C37-36B	EL296UH070XV36B	201928133
14HPX-030-230	29200	15.2	13.2	25400	16400	8.5	C37-36B	ML180UH070E36B	201928173
14HPX-030-230	29200	15.2	13.2	25400	16400	8.5	C37-36B	ML180UH090E48B	201928190
14HPX-030-230	29200	15.2	13.2	25400	16300	8.5	C37-36B	SL280UH090V36B	201928059
14HPX-030-230	29400	15.2	13	25600	16500	8.5	C37-36B	SL280UH090V48B	201927936
14HPX-030-230	29400	15.2	13	25600	16500	8.5	C37-36B	SL280UH090XV48B	201927953
14HPX-030-230	29200	15	13	25600	16500	8.5	C37-36B	SLP98UH070XV36B	201928027
14HPX-030-230	29200	15.2	13	25600	16500	8.5	C37-36C	CBWMV-36C-090	201928020
14HPX-030-230	29600	15.2	13	25800	16600	8.7	C37-36C	EL195UH090XE48C	201927984
14HPX-030-230	29600	15.2	13	25800	16600	8.7	C37-36C	EL296UH090XE48C	201928075
14HPX-030-230	29200	15.2	13.2	25400	16400	8.5	C37-36C	EL296UH090XV36C	201928154
14HPX-030-230	29200	15.2	13.2	25400	16400	8.5	C37-36C	SLP98UH090XV36C	201928029
14HPX-030-230	29600	15.2	13.2	25600	16600	8.7	C37-36C	SLP98UH090XV48C	201928019
14HPX-030-230	30800	15.5	13.5	25800	16600	8.5	C37-38A	EL180UH045E36A	201928104
14HPX-030-230	30800	15.5	13.5	25800	16600	8.5	C37-38A	ML180UH045E36A	201928163
14HPX-030-230	30800	15.7	13.5	25600	16500	8.7	C37-38A	SL280UH070V36A	201928049
14HPX-030-230	30800	15.7	13.5	25600	16500	8.7	C37-38A	SL280UH070XV36A	201927955
14HPX-030-230	30400	14	12.2	26200	17200	8.2	C37-38A		201927930
14HPX-030-230	30800	15.5	13.5	25600	16600	8.5	C37-38B	CBWMV-24B-040	201927986
14HPX-030-230	30800	15.5	13.5	25600	16500	8.5	C37-38B	CBWMV-36B-070	201928016
14HPX-030-230	30800	15.7	13.7	25600	16400	8.7	C37-38B	EL180UH070E36B	201928096
14HPX-030-230	31000	15.7	13.7	25600	16500	8.7	C37-38B	EL180UH090E48B	201928119
14HPX-030-230	30800	15.2	13.2	25800	16700	8.5	C37-38B	EL195UH045XE36B	201928000
14HPX-030-230	30600	15.5	13.2	25600	16500	8.5	C37-38B	EL195UH070XE36B	201927974
14HPX-030-230	30800	15.2	13.2	25800	16700	8.5	C37-38B	EL296UH045XE36B	201928077
14HPX-030-230	30800	15.2	13.2	25800	16600	8.5	C37-38B	EL296UH045XV36B	201928127
14HPX-030-230	30600	15.5	13.2	25600	16500	8.5	C37-38B	EL296UH070XE36B	201928072
14HPX-030-230	30600	15.7	13.5	25600	16500	8.5	C37-38B	EL296UH070XV36B	201928145
14HPX-030-230	30800	15.7	13.7	25600	16400	8.7	C37-38B	ML180UH070E36B	201928174
14HPX-030-230	31000	15.7	13.7	25600	16500	8.7	C37-38B	ML180UH090E48B	201928198
14HPX-030-230	30800	15.7	13.7	25400	16400	8.7	C37-38B	SL280UH090V36B	201928063
14HPX-030-230	31000	15.7	13.7	25600	16600	8.7	C37-38B	SL280UH090V48B	201927960
14HPX-030-230	31000	15.7	13.7	25600	16600	8.7	C37-38B	SL280UH090XV48B	201927944
14HPX-030-230	30600	15.7	13.5	25600	16500	8.5	C37-38B	SLP98UH070XV36B	201928032
14HPX-030-230	30400	14	12.2	26200	17200	8.2	C37-38B		201927931
14HPX-030-230	29200	15	13	25600	16500	8.5	C37-42B	CBWMV-24B-040	201927980
14HPX-030-230	29200	15	13	25600	16500	8.5	C37-42B	CBWMV-36B-070	201927983
14HPX-030-230	29200	15.2	13.2	25400	16400	8.5	C37-42B	EL180UH070E36B	201928091
14HPX-030-230	29200	15.2	13.2	25400	16400	8.5	C37-42B	EL180UH090E48B	201928116
14HPX-030-230	29200	14.7	12.7	25600	16600	8.5	C37-42B	EL195UH045XE36B	201928001
14HPX-030-230	29400	15	12.7	25800	16700	8.5	C37-42B	EL195UH070XE36B	201927975
14HPX-030-230	29200	14.7	12.7	25600	16600	8.5	C37-42B	EL296UH045XE36B	201928070
14HPX-030-230	29000	14.7	12.7	25600	16600	8.2	C37-42B	EL296UH045XV36B	201928121
14HPX-030-230	29400	15	12.7	25800	16700	8.5	C37-42B	EL296UH070XE36B	201928087
14HPX-030-230	29000	15.2	13	25400	16400	8.5	C37-42B	EL296UH070XV36B	201928131
14HPX-030-230	29200	15.2	13.2	25400	16400	8.5	C37-42B	ML180UH070E36B	201928172
14HPX-030-230	29200	15.2	13.2	25400	16400	8.5	C37-42B	ML180UH090E48B	201928195

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-030-230	29200	15.2	13.2	25400	16300	8.5	C37-42B	SL280UH090V36B	201928058
14HPX-030-230	29400	15.2	13	25600	16500	8.5	C37-42B	SL280UH090V48B	201927937
14HPX-030-230	29400	15.2	13	25600	16500	8.5	C37-42B	SL280UH090XV48B	201927945
14HPX-030-230	29200	15	13	25600	16500	8.5	C37-42B	SLP98UH070XV36B	201928033
14HPX-030-230	30400	15.5	13.5	25800	16500	8.5	C37-43B	CBWMV-24B-040	201928013
14HPX-030-230	30400	15.5	13.5	25800	16500	8.5	C37-43B	CBWMV-36B-070	201928009
14HPX-030-230	30400	15.7	13.7	25600	16400	8.7	C37-43B	EL180UH070E36B	201928099
14HPX-030-230	30600	16	13.5	25800	16500	8.5	C37-43B	EL180UH090E48B	201928123
14HPX-030-230	30400	15.5	13.2	25800	16700	8.5	C37-43B	EL195UH045XE36B	201928002
14HPX-030-230	30600	15.5	13.2	26000	16700	8.5	C37-43B	EL195UH070XE36B	201927976
14HPX-030-230	30400	15.5	13.2	25800	16700	8.5	C37-43B	EL296UH045XE36B	201928093
14HPX-030-230	30200	15.5	13.2	25800	16600	8.5	C37-43B	EL296UH045XV36B	201928128
14HPX-030-230	30600	15.5	13.2	26000	16700	8.5	C37-43B	EL296UH070XE36B	201928081
14HPX-030-230	30200	15.7	13.5	25600	16500	8.5	C37-43B	EL296UH070XV36B	201928144
14HPX-030-230	30400	15.7	13.7	25600	16400	8.7	C37-43B	ML180UH070E36B	201928177
14HPX-030-230	30600	16	13.5	25800	16500	8.5	C37-43B	ML180UH090E48B	201928200
14HPX-030-230	30400	16	13.5	25600	16400	8.5	C37-43B	SL280UH090V36B	201928060
14HPX-030-230	30600	15.7	13.5	25800	16600	8.7	C37-43B	SL280UH090V48B	201927961
14HPX-030-230	30600	15.7	13.5	25800	16600	8.7	C37-43B	SL280UH090XV48B	201927940
14HPX-030-230	30400	15.7	13.5	25800	16600	8.5	C37-43B	SLP98UH070XV36B	201928042
14HPX-030-230	30600	16	13.5	25600	16400	8.5	C37-43C	CBWMV-36C-090	201928004
14HPX-030-230	30800	15.7	13.5	26000	16700	8.7	C37-43C	EL195UH090XE48C	201927994
14HPX-030-230	30800	15.7	13.5	26000	16700	8.7	C37-43C	EL296UH090XE48C	201928085
14HPX-030-230	30400	16	13.5	25600	16400	8.5	C37-43C	EL296UH090XV36C	201928143
14HPX-030-230	30800	16	13.5	25800	16500	8.5	C37-43C	EL296UH090XV48C	201928155
14HPX-030-230	30400	16	13.5	25600	16400	8.5	C37-43C	SLP98UH090XV36C	201928043
14HPX-030-230	30800	16	13.5	25800	16500	8.5	C37-43C	SLP98UH090XV48C	201928044
14HPX-030-230	29600	15.2	13	25400	16500	8.2	C37-48B	CBWMV-24B-040	201928021
14HPX-030-230	29600	15.2	13	25400	16400	8.2	C37-48B	CBWMV-36B-070	201927977
14HPX-030-230	29600	15.5	13.2	25400	16300	8.2	C37-48B	EL180UH070E36B	201928105
14HPX-030-230	29800	15.5	13.2	25400	16400	8.5	C37-48B	EL180UH090E48B	201928115
14HPX-030-230	29600	15	13	25600	16600	8.2	C37-48B	EL195UH045XE36B	201928003
14HPX-030-230	30000	15	13	25800	16600	8.2	C37-48B	EL195UH070XE36B	201928005
14HPX-030-230	29600	15	13	25600	16600	8.2	C37-48B	EL296UH045XE36B	201928089
14HPX-030-230	29600	15	13	25600	16500	8.2	C37-48B	EL296UH045XV36B	201928130
14HPX-030-230	30000	15	13	25800	16600	8.2	C37-48B	EL296UH070XE36B	201928078
14HPX-030-230	29600	15.2	13.2	25400	16400	8.2	C37-48B	EL296UH070XV36B	201928134
14HPX-030-230	29600	15.5	13.2	25400	16300	8.2	C37-48B	ML180UH070E36B	201928182
14HPX-030-230	29800	15.5	13.2	25400	16400	8.5	C37-48B	ML180UH090E48B	201928194
14HPX-030-230	29600	15.5	13.2	25400	16300	8.2	C37-48B	SL280UH090V36B	201928055
14HPX-030-230	29800	15.2	13.2	25600	16400	8.5	C37-48B	SL280UH090V48B	201927938
14HPX-030-230	29800	15.2	13.2	25600	16400	8.5	C37-48B	SL280UH090XV48B	201927946
14HPX-030-230	29600	15.2	13	25600	16500	8.2	C37-48B	SLP98UH070XV36B	201928034
14HPX-030-230	29800	15.2	13.2	25600	16400	8.5	C37-48C	CBWMV-36C-090	201928017
14HPX-030-230	30200	15.2	13.2	25800	16600	8.5	C37-48C	EL195UH090XE48C	201927995
14HPX-030-230	30200	15.2	13.2	25800	16600	8.5	C37-48C	EL296UH090XE48C	201928095
14HPX-030-230	29600	15.5	13.2	25400	16300	8.2	C37-48C	EL296UH090XV36C	201928141
14HPX-030-230	30000	15.5	13.2	25600	16500	8.5	C37-48C	EL296UH090XV48C	201928147
14HPX-030-230	29600	15.5	13.2	25400	16300	8.2	C37-48C	SLP98UH090XV36C	201928041
14HPX-030-230	30000	15	13	26000	16600	8.5	CBA27UHE-030-230		201928156
14HPX-030-230	29400	15	12.5	24800	15800	8.5	CBA27UHE-036-230		202180846
14HPX-030-230	30000	14.5	12.5	25200	16000	8.5	CBA38MV-030-230		201926845
14HPX-030-230	29400	15	12.5	24800	15800	8.5	CBA38MV-036-230		201926846
14HPX-030-230	28200	14	12	26200	17100	8.2	CBX25UH-030-230		201927895
14HPX-030-230	28200	14	12	26600	17100	8.2	CBX25UH-036-230		201927926

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-030-230	28600	15	12.5	25600	16400	8.5	CBX25UHV-030-230		201927927
14HPX-030-230	28200	15	12.5	26000	16700	8.2	CBX25UHV-036-230		201927826
14HPX-030-230	30000	15	13	26400	16800	9	CBX27UH-030-230		201927834
14HPX-030-230	30000	15	13	26200	16700	9	CBX27UH-036-230		201927846
14HPX-030-230	29200	14.5	12.5	26200	16900	8.7	CBX32M-030		201927845
14HPX-030-230	30000	14.5	12	26800	17300	8.7	CBX32M-036		201927836
14HPX-030-230	29800	15.2	13.2	25800	16600	8.5	CH23-41	EL180UH045E36A	201927907
14HPX-030-230	29800	15.5	13.5	25600	16400	8.7	CH23-41	EL180UH070E36B	201927899
14HPX-030-230	29800	15.7	13.5	25600	16400	8.7	CH23-41	EL180UH090E48B	201927911
14HPX-030-230	29600	15	13	25800	16600	8.5	CH23-41	EL195UH045XE36B	201927859
14HPX-030-230	29600	15	12.7	25800	16700	8.5	CH23-41	EL195UH070XE36B	201927862
14HPX-030-230	29600	15	13	25800	16600	8.5	CH23-41	EL296UH045XE36B	201927898
14HPX-030-230	29400	15.2	13.2	25600	16400	8.5	CH23-41	EL296UH045XV36B	201927917
14HPX-030-230	29600	15	12.7	25800	16700	8.5	CH23-41	EL296UH070XE36B	201927885
14HPX-030-230	29400	15.5	13.2	25400	16300	8.5	CH23-41	EL296UH070XV36B	201927919
14HPX-030-230	29800	15.2	13.2	25800	16600	8.5	CH23-41	ML180UH045E36A	201928162
14HPX-030-230	29800	15.5	13.5	25600	16400	8.7	CH23-41	ML180UH070E36B	201928167
14HPX-030-230	29800	15.7	13.5	25600	16400	8.7	CH23-41	ML180UH090E48B	201928187
14HPX-030-230	29400	15.7	13.5	25400	16300	8.5	CH23-41	SL280UH090V36B	201927882
14HPX-030-230	29800	15.5	13.2	25600	16400	8.7	CH23-41	SL280UH090V48B	201927848
14HPX-030-230	29800	15.5	13.2	25600	16400	8.7	CH23-41	SL280UH090XV48B	201927829
14HPX-030-230	29600	15.2	13.2	25600	16400	8.5	CH23-41	SLP98UH070XV36B	201927866
14HPX-030-230	29600	15.7	13.2	25600	16500	8.7	CH23-51	EL180UH070E36B	201927908
14HPX-030-230	29800	15.7	13.2	25800	16500	8.7	CH23-51	EL180UH090E48B	201927910
14HPX-030-230	29600	15.2	13	25800	16700	8.5	CH23-51	EL195UH045XE36B	201927855
14HPX-030-230	29600	15	12.7	26000	16700	8.5	CH23-51	EL195UH070XE36B	201927849
14HPX-030-230	29600	15.2	13	25800	16700	8.5	CH23-51	EL296UH045XE36B	201927891
14HPX-030-230	29600	15	12.7	26000	16700	8.5	CH23-51	EL296UH070XE36B	201927890
14HPX-030-230	29400	15.5	13.2	25400	16400	8.7	CH23-51	EL296UH090XV36C	201927921
14HPX-030-230	29800	15.7	13.5	25800	16500	8.7	CH23-51	EL296UH090XV48C	201927929
14HPX-030-230	29600	15.7	13.2	25600	16500	8.7	CH23-51	ML180UH070E36B	201928170
14HPX-030-230	29800	15.7	13.2	25800	16500	8.7	CH23-51	ML180UH090E48B	201928186
14HPX-030-230	29400	15.5	13.2	25400	16400	8.7	CH23-51	SLP98UH090XV36C	201927864
14HPX-030-230	29800	15.2	13	26000	16800	8.7	CH33-31A	EL180UH045E36A	201927902
14HPX-030-230	29800	15.2	13	26000	16800	8.7	CH33-31A	ML180UH045E36A	201928161
14HPX-030-230	30000	15.2	13.2	26000	16700	8.7	CH33-31A	SL280UH070V36A	201927867
14HPX-030-230	30000	15.2	13.2	26000	16700	8.7	CH33-31A	SL280UH070XV36A	201927831
14HPX-030-230	29600	14	12.2	26600	17300	8.2	CH33-31A		201927825
14HPX-030-230	30400	15.7	13.5	25800	16500	8.7	CH33-31B	EL180UH070E36B	201927905
14HPX-030-230	30400	15.7	13.7	25600	16500	8.7	CH33-31B	EL180UH090E48B	201927909
14HPX-030-230	30200	15.2	13.2	25800	16700	8.5	CH33-31B	EL195UH045XE36B	201927860
14HPX-030-230	30400	15.5	13.2	26000	16800	8.7	CH33-31B	EL195UH070XE36B	201927850
14HPX-030-230	30200	15.2	13.2	25800	16700	8.5	CH33-31B	EL296UH045XE36B	201927887
14HPX-030-230	30000	15.2	13.2	25800	16600	8.5	CH33-31B	EL296UH045XV36B	201927915
14HPX-030-230	30400	15.5	13.2	26000	16800	8.7	CH33-31B	EL296UH070XE36B	201927893
14HPX-030-230	30000	15.7	13.2	25600	16500	8.5	CH33-31B	EL296UH070XV36B	201927920
14HPX-030-230	30400	15.7	13.5	25800	16500	8.7	CH33-31B	ML180UH070E36B	201928169
14HPX-030-230	30400	15.7	13.7	25600	16500	8.7	CH33-31B	ML180UH090E48B	201928185
14HPX-030-230	30200	15.7	13.7	25600	16400	8.7	CH33-31B	SL280UH090V36B	201927880
14HPX-030-230	30400	15.7	13.5	25800	16600	8.7	CH33-31B	SL280UH090V48B	201927841
14HPX-030-230	30400	15.7	13.5	25800	16600	8.7	CH33-31B	SL280UH090XV48B	201927830
14HPX-030-230	30200	15.5	13.2	25800	16600	8.7	CH33-31B	SLP98UH070XV36B	201927868
14HPX-030-230	29800	14	12.2	26400	17200	8.2	CH33-31B		201927824
14HPX-030-230	29000	14.7	12.7	25600	16600	8.2	CH33-36A	EL180UH045E36A	201927901
14HPX-030-230	29000	14.7	12.7	25600	16600	8.2	CH33-36A	ML180UH045E36A	201928160

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-030-230	29000	14.7	12.7	25600	16600	8.2	CH33-36A	SL280UH070V36A	201927876
14HPX-030-230	29000	14.7	12.7	25600	16600	8.2	CH33-36A	SL280UH070XV36A	201927833
14HPX-030-230	29600	15.2	13.2	25600	16500	8.5	CH33-36B	EL180UH070E36B	201927904
14HPX-030-230	29400	15.2	13.2	25600	16400	8.7	CH33-36B	EL180UH090E48B	201927906
14HPX-030-230	29400	14.7	12.7	25800	16600	8.5	CH33-36B	EL195UH045XE36B	201927861
14HPX-030-230	29600	15	12.7	26000	16700	8.5	CH33-36B	EL195UH070XE36B	201927851
14HPX-030-230	29400	14.7	12.7	25800	16600	8.5	CH33-36B	EL296UH045XE36B	201927892
14HPX-030-230	29200	14.7	12.7	25600	16600	8.5	CH33-36B	EL296UH045XV36B	201927912
14HPX-030-230	29600	15	12.7	26000	16700	8.5	CH33-36B	EL296UH070XE36B	201927889
14HPX-030-230	29200	15.2	13	25600	16400	8.5	CH33-36B	EL296UH070XV36B	201927918
14HPX-030-230	29600	15.2	13.2	25600	16500	8.5	CH33-36B	ML180UH070E36B	201928168
14HPX-030-230	29400	15.2	13.2	25600	16400	8.7	CH33-36B	ML180UH090E48B	201928184
14HPX-030-230	29200	15.2	13.2	25400	16400	8.5	CH33-36B	SL280UH090V36B	201927878
14HPX-030-230	29600	15.2	13.2	25600	16500	8.5	CH33-36B	SL280UH090V48B	201927842
14HPX-030-230	29600	15.2	13.2	25600	16500	8.5	CH33-36B	SL280UH090XV48B	201927827
14HPX-030-230	29400	15.2	13	25600	16500	8.5	CH33-36B	SLP98UH070XV36B	201927869
14HPX-030-230	29800	15.2	13	26000	16700	8.7	CH33-36C	EL195UH090XE48C	201927853
14HPX-030-230	29800	15.2	13	26000	16700	8.7	CH33-36C	EL296UH090XE48C	201927883
14HPX-030-230	29400	15.5	13.2	25600	16500	8.7	CH33-36C	EL296UH090XV36C	201927924
14HPX-030-230	30000	15.5	13.2	26000	16700	8.7	CH33-36C	EL296UH090XV48C	201927928
14HPX-030-230	29400	15.5	13.2	25600	16500	8.7	CH33-36C	SLP98UH090XV36C	201927870
14HPX-030-230	30000	15.5	13.2	26000	16700	8.7	CH33-36C	SLP98UH090XV48C	201927871
14HPX-030-230	30000	15.7	13.2	25600	16500	8.5	CH33-42	EL180UH070E36B	201927913
14HPX-030-230	30000	15.7	13.5	25600	16500	8.7	CH33-42	EL180UH090E48B	201927914
14HPX-030-230	30000	15.2	13.2	25800	16600	8.5	CH33-42	EL195UH045XE36B	201927847
14HPX-030-230	30200	15.2	13.2	25800	16700	8.5	CH33-42	EL195UH070XE36B	201927852
14HPX-030-230	30000	15.2	13.2	25800	16600	8.5	CH33-42	EL296UH045XE36B	201927886
14HPX-030-230	29800	15.2	13	25600	16600	8.5	CH33-42	EL296UH045XV36B	201927916
14HPX-030-230	30200	15.2	13.2	25800	16700	8.5	CH33-42	EL296UH070XE36B	201927894
14HPX-030-230	29800	15.5	13.2	25600	16400	8.5	CH33-42	EL296UH070XV36B	201927923
14HPX-030-230	30000	15.7	13.2	25600	16500	8.5	CH33-42	ML180UH070E36B	201928171
14HPX-030-230	30000	15.7	13.5	25600	16500	8.7	CH33-42	ML180UH090E48B	201928188
14HPX-030-230	29800	15.7	13.5	25400	16400	8.5	CH33-42	SL280UH090V36B	201927879
14HPX-030-230	30200	15.5	13.5	25800	16500	8.7	CH33-42	SL280UH090V48B	201927843
14HPX-030-230	30200	15.5	13.5	25800	16500	8.7	CH33-42	SL280UH090XV48B	201927828
14HPX-030-230	30000	15.5	13.2	25600	16600	8.5	CH33-42	SLP98UH070XV36B	201927865
14HPX-030-230	31000	15.7	13.7	26000	16700	8.7	CH33-43C	EL195UH090XE48C	201927854
14HPX-030-230	31000	15.7	13.7	26000	16700	8.7	CH33-43C	EL296UH090XE48C	201927881
14HPX-030-230	30400	16	13.5	25600	16400	8.5	CH33-43C	EL296UH090XV36C	201927925
14HPX-030-230	31000	16	14	25800	16500	8.5	CH33-43C	EL296UH090XV48C	201927922
14HPX-030-230	30400	16	13.5	25600	16400	8.5	CH33-43C	SLP98UH090XV36C	201927872
14HPX-030-230	31000	16	14	25800	16500	8.5	CH33-43C	SLP98UH090XV48C	201927873
14HPX-030-230	30000	14.2	12.2	26400	17200	8.2	CH33-43C		201927823
14HPX-030-230	29800	15	13	27000	17300	8.7	CR33-30/36	EL180DF045E36A	201927896
14HPX-030-230	29800	15.5	13.2	26800	17100	9	CR33-30/36	EL180DF070E36B	201927900
14HPX-030-230	29800	15.5	13.2	26800	17100	9	CR33-30/36	EL180DF090E48B	201927903
14HPX-030-230	29600	15	12.7	27000	17300	8.7	CR33-30/36	EL195DF045XE36B	201927856
14HPX-030-230	30000	15.2	13.2	27000	17300	9	CR33-30/36	EL195DF070XE48B	201927857
14HPX-030-230	29600	15.2	13.2	26800	17100	8.7	CR33-30/36	EL195DF090XE48C	201927858
14HPX-030-230	29600	15	12.7	27000	17300	8.7	CR33-30/36	EL296DF045XE36B	201927888
14HPX-030-230	29600	15.2	13.2	26800	17100	8.7	CR33-30/36	EL296DF045XV36B	201927832
14HPX-030-230	30000	15.2	13.2	27000	17300	9	CR33-30/36	EL296DF070XE48B	201927897
14HPX-030-230	29600	15	13	26800	17200	8.7	CR33-30/36	EL296DF070XV48B	201927835
14HPX-030-230	29600	15.2	13.2	26800	17100	8.7	CR33-30/36	EL296DF090XE48C	201927884
14HPX-030-230	29800	15	13	27000	17300	8.7	CR33-30/36	ML180DF045E36A	201928157

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-030-230	29800	15.5	13.2	26800	17100	9	CR33-30/36	ML180DF070E36B	201928158
14HPX-030-230	29800	15.5	13.2	26800	17100	9	CR33-30/36	ML180DF090E48B	201928159
14HPX-030-230	29600	15.2	13	26800	17200	8.7	CR33-30/36	SL280DF070V36A	201927844
14HPX-030-230	29600	15.2	13.2	26800	17100	8.7	CR33-30/36	SL280DF090V48B	201927877
14HPX-030-230	29600	15.2	13	26800	17200	8.7	CR33-30/36	SLP98DF070XV36B	201927874
14HPX-030-230	29800	15.5	13.2	26800	17100	9	CR33-30/36	SLP98DF090XV36C	201927875
14HPX-030-230	29600	15.2	13.2	26800	17100	8.7	CR33-30/36	SLP98DF090XV48C	201927863
14HPX-030-230	30000	15.2	13.2	25800	16600	8.5	CX38-31A	EL180UH045E36A	201928111
14HPX-030-230	30000	15.2	13.2	25800	16600	8.5	CX38-31A	ML180UH045E36A	201928166
14HPX-030-230	30000	15.5	13.2	25600	16500	8.5	CX38-31A	SL280UH070V36A	201928051
14HPX-030-230	30000	15.5	13.2	25600	16500	8.5	CX38-31A	SL280UH070XV36A	201927957
14HPX-030-230	30000	15.5	13.2	25600	16500	8.5	CX38-31B	CBWMV-24B-040	201928022
14HPX-030-230	30000	15.2	13.2	25600	16500	8.5	CX38-31B	CBWMV-36B-070	201928006
14HPX-030-230	30000	15.7	13.5	25600	16400	8.5	CX38-31B	EL180UH070E36B	201928100
14HPX-030-230	30200	15.7	13.5	25600	16500	8.7	CX38-31B	EL180UH090E48B	201928108
14HPX-030-230	30000	15.2	13.2	25800	16700	8.5	CX38-31B	EL195UH045XE36B	201927965
14HPX-030-230	30200	15.2	13.2	25800	16700	8.5	CX38-31B	EL195UH070XE36B	201927978
14HPX-030-230	30000	15.2	13.2	25800	16700	8.5	CX38-31B	EL296UH045XE36B	201928084
14HPX-030-230	29800	15.2	13	25600	16600	8.5	CX38-31B	EL296UH045XV36B	201928124
14HPX-030-230	30200	15.2	13.2	25800	16700	8.5	CX38-31B	EL296UH070XE36B	201928094
14HPX-030-230	29800	15.5	13.2	25600	16500	8.5	CX38-31B	EL296UH070XV36B	201928139
14HPX-030-230	30000	15.7	13.5	25600	16400	8.5	CX38-31B	ML180UH070E36B	201928178
14HPX-030-230	30200	15.7	13.5	25600	16500	8.7	CX38-31B	ML180UH090E48B	201928189
14HPX-030-230	30000	15.7	13.5	25400	16400	8.5	CX38-31B	SL280UH090V36B	201928054
14HPX-030-230	30200	15.5	13.5	25800	16500	8.5	CX38-31B	SL280UH090V48B	201927963
14HPX-030-230	30200	15.5	13.5	25800	16500	8.5	CX38-31B	SL280UH090XV48B	201927948
14HPX-030-230	30000	15.2	13.2	25600	16600	8.5	CX38-31B	SLP98UH070XV36B	201928045
14HPX-030-230	29200	15.2	13	25400	16500	8.5	CX38-36A	SL280UH070V36A	201928046
14HPX-030-230	29200	15.2	13	25400	16500	8.5	CX38-36A	SL280UH070XV36A	201927949
14HPX-030-230	29200	15	13	25600	16500	8.5	CX38-36B	CBWMV-24B-040	201928010
14HPX-030-230	29200	15	13	25600	16500	8.5	CX38-36B	CBWMV-36B-070	201928018
14HPX-030-230	29200	15.2	13.2	25400	16400	8.5	CX38-36B	EL180UH070E36B	201928110
14HPX-030-230	29200	15.2	13.2	25400	16400	8.5	CX38-36B	EL180UH090E48B	201928113
14HPX-030-230	29200	14.7	12.7	25600	16600	8.5	CX38-36B	EL195UH045XE36B	201927966
14HPX-030-230	29400	15	12.7	25800	16700	8.5	CX38-36B	EL195UH070XE36B	201927988
14HPX-030-230	29200	14.7	12.7	25600	16600	8.5	CX38-36B	EL296UH045XE36B	201928071
14HPX-030-230	29000	14.7	12.7	25600	16600	8.2	CX38-36B	EL296UH045XV36B	201928137
14HPX-030-230	29400	15	12.7	25800	16700	8.5	CX38-36B	EL296UH070XE36B	201928090
14HPX-030-230	29000	15.2	13	25400	16400	8.5	CX38-36B	EL296UH070XV36B	201928138
14HPX-030-230	29200	15.2	13.2	25400	16400	8.5	CX38-36B	ML180UH070E36B	201928183
14HPX-030-230	29200	15.2	13.2	25400	16400	8.5	CX38-36B	ML180UH090E48B	201928192
14HPX-030-230	29200	15.2	13.2	25400	16300	8.5	CX38-36B	SL280UH090V36B	201928048
14HPX-030-230	29400	15.2	13	25600	16500	8.5	CX38-36B	SL280UH090V48B	201927939
14HPX-030-230	29400	15.2	13	25600	16500	8.5	CX38-36B	SL280UH090XV48B	201927947
14HPX-030-230	29200	15	13	25600	16500	8.5	CX38-36B	SLP98UH070XV36B	201928035
14HPX-030-230	29200	15.2	13	25600	16500	8.5	CX38-36C	CBWMV-36C-090	201927973
14HPX-030-230	29600	15.2	13	25800	16600	8.7	CX38-36C	EL195UH090XE48C	201927996
14HPX-030-230	29600	15.2	13	25800	16600	8.7	CX38-36C	EL296UH090XE48C	201928061
14HPX-030-230	29200	15.2	13.2	25400	16400	8.5	CX38-36C	EL296UH090XV36C	201928152
14HPX-030-230	29200	15.2	13.2	25400	16400	8.5	CX38-36C	SLP98UH090XV36C	201928025
14HPX-030-230	29600	15.2	13.2	25600	16600	8.7	CX38-36C	SLP98UH090XV48C	201928036
14HPX-030-230	30800	15.5	13.5	25800	16600	8.5	CX38-38A	EL180UH045E36A	201928107
14HPX-030-230	30800	15.5	13.5	25800	16600	8.5	CX38-38A	ML180UH045E36A	201928165
14HPX-030-230	30800	15.7	13.5	25600	16500	8.7	CX38-38A	SL280UH070V36A	201928053
14HPX-030-230	30800	15.7	13.5	25600	16500	8.7	CX38-38A	SL280UH070XV36A	201927954

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-030-230	30400	14	12.2	26200	17200	8.2	CX38-38A		201927932
14HPX-030-230	30800	15.5	13.5	25600	16600	8.5	CX38-38B	CBWMV-24B-040	201928014
14HPX-030-230	30800	15.5	13.5	25600	16500	8.5	CX38-38B	CBWMV-36B-070	201927967
14HPX-030-230	30800	15.7	13.7	25600	16400	8.7	CX38-38B	EL180UH070E36B	201928101
14HPX-030-230	31000	15.7	13.7	25600	16500	8.7	CX38-38B	EL180UH090E48B	201928112
14HPX-030-230	30800	15.2	13.2	25800	16700	8.5	CX38-38B	EL195UH045XE36B	201927968
14HPX-030-230	30600	15.5	13.2	25600	16500	8.5	CX38-38B	EL195UH070XE36B	201927989
14HPX-030-230	30800	15.2	13.2	25800	16700	8.5	CX38-38B	EL296UH045XE36B	201928086
14HPX-030-230	30800	15.2	13.2	25800	16600	8.5	CX38-38B	EL296UH045XV36B	201928120
14HPX-030-230	30600	15.5	13.2	25600	16500	8.5	CX38-38B	EL296UH070XE36B	201928082
14HPX-030-230	30600	15.7	13.5	25600	16500	8.5	CX38-38B	EL296UH070XV36B	201928149
14HPX-030-230	30800	15.7	13.7	25600	16400	8.7	CX38-38B	ML180UH070E36B	201928179
14HPX-030-230	31000	15.7	13.7	25600	16500	8.7	CX38-38B	ML180UH090E48B	201928191
14HPX-030-230	30800	15.7	13.7	25400	16400	8.7	CX38-38B	SL280UH090V36B	201928052
14HPX-030-230	31000	15.7	13.7	25600	16600	8.7	CX38-38B	SL280UH090V48B	201927934
14HPX-030-230	31000	15.7	13.7	25600	16600	8.7	CX38-38B	SL280UH090XV48B	201927951
14HPX-030-230	30600	15.7	13.5	25600	16500	8.5	CX38-38B	SLP98UH070XV36B	201928026
14HPX-030-230	30400	14	12.2	26200	17200	8.2	CX38-38B		201927933
14HPX-030-230	29200	15	13	25600	16500	8.5	CX38-42B	CBWMV-24B-040	201927981
14HPX-030-230	29200	15	13	25600	16500	8.5	CX38-42B	CBWMV-36B-070	201928023
14HPX-030-230	29200	15.2	13.2	25400	16400	8.5	CX38-42B	EL180UH070E36B	201928103
14HPX-030-230	29200	15.2	13.2	25400	16400	8.5	CX38-42B	EL180UH090E48B	201928117
14HPX-030-230	29200	14.7	12.7	25600	16600	8.5	CX38-42B	EL195UH045XE36B	201927969
14HPX-030-230	29400	15	12.7	25800	16700	8.5	CX38-42B	EL195UH070XE36B	201927990
14HPX-030-230	29200	14.7	12.7	25600	16600	8.5	CX38-42B	EL296UH045XE36B	201928088
14HPX-030-230	29000	14.7	12.7	25600	16600	8.2	CX38-42B	EL296UH045XV36B	201928136
14HPX-030-230	29400	15	12.7	25800	16700	8.5	CX38-42B	EL296UH070XE36B	201928079
14HPX-030-230	29000	15.2	13	25400	16400	8.5	CX38-42B	EL296UH070XV36B	201928140
14HPX-030-230	29200	15.2	13.2	25400	16400	8.5	CX38-42B	ML180UH070E36B	201928181
14HPX-030-230	29200	15.2	13.2	25400	16400	8.5	CX38-42B	ML180UH090E48B	201928196
14HPX-030-230	29200	15.1	13	25400	16300	8.5	CX38-42B	SL280UH090V36B	201928062
14HPX-030-230	29400	15.2	13	25600	16500	8.5	CX38-42B	SL280UH090V48B	201927962
14HPX-030-230	29400	15.2	13	25600	16500	8.5	CX38-42B	SL280UH090XV48B	201927941
14HPX-030-230	29200	15	13	25600	16500	8.5	CX38-42B	SLP98UH070XV36B	201928037
14HPX-030-230	30400	15.5	13.5	25800	16500	8.5	CX38-43B	CBWMV-24B-040	201927999
14HPX-030-230	30400	15.5	13.5	25800	16500	8.5	CX38-43B	CBWMV-36B-070	201928011
14HPX-030-230	30400	15.7	13.7	25600	16400	8.7	CX38-43B	EL180UH070E36B	201928102
14HPX-030-230	30600	16	13.5	25800	16500	8.5	CX38-43B	EL180UH090E48B	201928114
14HPX-030-230	30400	15.5	13.2	25800	16700	8.5	CX38-43B	EL195UH045XE36B	201927970
14HPX-030-230	30600	15.5	13.2	26000	16700	8.5	CX38-43B	EL195UH070XE36B	201927991
14HPX-030-230	30400	15.5	13.2	25800	16700	8.5	CX38-43B	EL296UH045XE36B	201928066
14HPX-030-230	30200	15.5	13.2	25800	16600	8.5	CX38-43B	EL296UH045XV36B	201928132
14HPX-030-230	30600	15.5	13.2	26000	16700	8.5	CX38-43B	EL296UH070XE36B	201928073
14HPX-030-230	30200	15.7	13.5	25600	16500	8.5	CX38-43B	EL296UH070XV36B	201928148
14HPX-030-230	30400	15.7	13.7	25600	16400	8.7	CX38-43B	ML180UH070E36B	201928180
14HPX-030-230	30600	16	13.5	25800	16500	8.5	CX38-43B	ML180UH090E48B	201928193
14HPX-030-230	30400	16	13.5	25600	16400	8.5	CX38-43B	SL280UH090V36B	201928056
14HPX-030-230	30600	15.7	13.5	25800	16600	8.7	CX38-43B	SL280UH090V48B	201927958
14HPX-030-230	30600	15.7	13.5	25800	16600	8.7	CX38-43B	SL280UH090XV48B	201927942
14HPX-030-230	30400	15.7	13.5	25800	16600	8.5	CX38-43B	SLP98UH070XV36B	201928038
14HPX-030-230	30600	16	13.5	25600	16400	8.5	CX38-43C	CBWMV-36C-090	201928007
14HPX-030-230	30800	15.7	13.5	26000	16700	8.7	CX38-43C	EL195UH090XE48C	201927987
14HPX-030-230	30800	15.7	13.5	26000	16700	8.7	CX38-43C	EL296UH090XE48C	201928068
14HPX-030-230	30400	16	13.5	25600	16400	8.5	CX38-43C	EL296UH090XV36C	201928142
14HPX-030-230	30800	16	13.5	25800	16500	8.5	CX38-43C	EL296UH090XV48C	201928150

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-030-230	30400	16	13.5	25600	16400	8.5	CX38-43C	SLP98UH090XV36C	201928039
14HPX-030-230	30800	16	13.5	25800	16500	8.5	CX38-43C	SLP98UH090XV48C	201928040
14HPX-030-230	29600	15.2	13	25400	16500	8.2	CX38-44/48B	CBWMV-24B-040	201927985
14HPX-030-230	29600	15.2	13	25400	16400	8.2	CX38-44/48B	CBWMV-36B-070	201928015
14HPX-030-230	29600	15.5	13.2	25400	16300	8.2	CX38-44/48B	EL180UH070E36B	201928097
14HPX-030-230	29800	15.5	13.2	25400	16400	8.5	CX38-44/48B	EL180UH090E48B	201928118
14HPX-030-230	29600	15	13	25600	16600	8.2	CX38-44/48B	EL195UH045XE36B	201927971
14HPX-030-230	30000	15	13	25800	16600	8.2	CX38-44/48B	EL195UH070XE36B	201927992
14HPX-030-230	29600	15	13	25600	16600	8.2	CX38-44/48B	EL296UH045XE36B	201928067
14HPX-030-230	29600	15	13	25600	16500	8.2	CX38-44/48B	EL296UH045XV36B	201928125
14HPX-030-230	30000	15	13	25800	16600	8.2	CX38-44/48B	EL296UH070XE36B	201928076
14HPX-030-230	29600	15.2	13.2	25400	16400	8.2	CX38-44/48B	EL296UH070XV36B	201928146
14HPX-030-230	29600	15.5	13.2	25400	16300	8.2	CX38-44/48B	ML180UH070E36B	201928175
14HPX-030-230	29800	15.5	13.2	25400	16400	8.5	CX38-44/48B	ML180UH090E48B	201928197
14HPX-030-230	29600	15.5	13.2	25400	16300	8.2	CX38-44/48B	SL280UH090V36B	201928057
14HPX-030-230	29800	15.2	13.2	25600	16400	8.5	CX38-44/48B	SL280UH090V48B	201927959
14HPX-030-230	29800	15.2	13.2	25600	16400	8.5	CX38-44/48B	SL280UH090XV48B	201927943
14HPX-030-230	29600	15.2	13	25600	16500	8.2	CX38-44/48B	SLP98UH070XV36B	201928030
14HPX-030-230	29800	15.2	13.2	25600	16400	8.5	CX38-44/48C	CBWMV-36C-090	201927979
14HPX-030-230	30200	15.2	13.2	25800	16600	8.5	CX38-44/48C	EL195UH090XE48C	201927997
14HPX-030-230	30200	15.2	13.2	25800	16600	8.5	CX38-44/48C	EL296UH090XE48C	201928069
14HPX-030-230	29600	15.5	13.2	25400	16300	8.2	CX38-44/48C	EL296UH090XV36C	201928153
14HPX-030-230	30000	15.5	13.2	25600	16500	8.5	CX38-44/48C	EL296UH090XV48C	201928151
14HPX-030-230	29600	15.5	13.2	25400	16300	8.2	CX38-44/48C	SLP98UH090XV36C	201928028
14HPX-036-230	34200	15	12.5	32800	20800	8.2	C37-38A	EL180UH045E36A	201928523
14HPX-036-230	34200	15	12.5	32800	20800	8.2	C37-38A	ML180UH045E36A	201928585
14HPX-036-230	34200	15	12.5	32800	20800	8.2	C37-38A	SL280UH070V36A	201928471
14HPX-036-230	34200	15	12.5	32800	20800	8.2	C37-38A	SL280UH070XV36A	201928367
14HPX-036-230	34200	15.2	12.7	32600	20800	8.2	C37-38B	CBWMV-24B-040	201928454
14HPX-036-230	34200	15.2	12.7	32600	20800	8.2	C37-38B	CBWMV-36B-070	201928447
14HPX-036-230	34200	15.7	13	32400	20400	8.5	C37-38B	EL180UH070E36B	201928515
14HPX-036-230	34600	15.5	13	32600	20600	8.5	C37-38B	EL180UH090E48B	201928534
14HPX-036-230	33800	15	12.5	32600	20600	8.2	C37-38B	EL195UH045XE36B	201928389
14HPX-036-230	34000	15	12.5	32600	20800	8.2	C37-38B	EL195UH070XE36B	201928394
14HPX-036-230	33800	15	12.5	32600	20600	8.2	C37-38B	EL296UH045XE36B	201928474
14HPX-036-230	34200	15	12.5	32800	20800	8.2	C37-38B	EL296UH045XV36B	201928542
14HPX-036-230	34000	15	12.5	32600	20800	8.2	C37-38B	EL296UH070XE36B	201928490
14HPX-036-230	34200	15	12.5	32800	20800	8.2	C37-38B	EL296UH070XV36B	201928544
14HPX-036-230	34200	15.7	13	32400	20400	8.5	C37-38B	ML180UH070E36B	201928591
14HPX-036-230	34600	15.5	13	32600	20600	8.5	C37-38B	ML180UH090E48B	201928602
14HPX-036-230	34400	15.7	13	32600	20600	8.2	C37-38B	SL280UH090V36B	201928472
14HPX-036-230	34400	15.5	13	32600	20600	8.2	C37-38B	SL280UH090V48B	201928374
14HPX-036-230	34400	15.5	13	32600	20600	8.2	C37-38B	SL280UH090XV48B	201928365
14HPX-036-230	34200	15	12.5	32800	20800	8.2	C37-38B	SLP98UH070XV36B	201928409
14HPX-036-230	35200	15.2	13	32600	20400	8.2	C37-43B	CBWMV-24B-040	201928450
14HPX-036-230	35200	15.2	13	32600	20400	8.2	C37-43B	CBWMV-36B-070	201928426
14HPX-036-230	35200	15.7	13.2	32400	20200	8.5	C37-43B	EL180UH070E36B	201928518
14HPX-036-230	35600	15.7	13.2	32600	20400	8.2	C37-43B	EL180UH090E48B	201928529
14HPX-036-230	34800	15	12.7	32400	20400	8.2	C37-43B	EL195UH045XE36B	201928390
14HPX-036-230	35000	15	12.7	32600	20400	8.2	C37-43B	EL195UH070XE36B	201928403
14HPX-036-230	34800	15	12.7	32400	20400	8.2	C37-43B	EL296UH045XE36B	201928499
14HPX-036-230	35200	15	12.7	32800	20400	8.2	C37-43B	EL296UH045XV36B	201928532
14HPX-036-230	35000	15	12.7	32600	20400	8.2	C37-43B	EL296UH070XE36B	201928487
14HPX-036-230	35200	15	12.7	32800	20600	8.2	C37-43B	EL296UH070XV36B	201928541
14HPX-036-230	35200	15.7	13.2	32400	20200	8.5	C37-43B	ML180UH070E36B	201928592

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-036-230	35600	15.7	13.2	32600	20400	8.2	C37-43B	ML180UH090E48B	201928601
14HPX-036-230	35400	15.7	13.2	32400	20200	8.5	C37-43B	SL280UH090V36B	201928473
14HPX-036-230	35400	15.7	13.2	32400	20200	8.5	C37-43B	SL280UH090V48B	201928347
14HPX-036-230	35400	15.7	13.2	32400	20200	8.5	C37-43B	SL280UH090XV48B	201928369
14HPX-036-230	35200	15	12.7	32800	20600	8.2	C37-43B	SLP98UH070XV36B	201928398
14HPX-036-230	35200	15.5	13	32600	20400	8.2	C37-43C	CBWMV-36C-090	201928460
14HPX-036-230	35600	15.7	13.2	32600	20200	8.2	C37-43C	EL180UH090E60C	201928531
14HPX-036-230	35200	15.7	13.2	32400	20200	8.5	C37-43C	EL180UH110E60C	201928513
14HPX-036-230	35200	15.5	13.2	32600	20400	8.2	C37-43C	EL195UH090XE48C	201928399
14HPX-036-230	35600	15.7	13.2	32600	20400	8.2	C37-43C	EL195UH110XE60C	201928435
14HPX-036-230	35200	15.5	13.2	32600	20400	8.2	C37-43C	EL296UH090XE48C	201928482
14HPX-036-230	35400	15.5	13.2	32600	20400	8.2	C37-43C	EL296UH090XV36C	201928546
14HPX-036-230	35000	15.5	13.2	32400	20200	8.5	C37-43C	EL296UH090XV48C	201928557
14HPX-036-230	35800	15.5	13.2	32800	20600	8.5	C37-43C	EL296UH090XV60C	201928561
14HPX-036-230	35600	15.7	13.2	32600	20400	8.2	C37-43C	EL296UH110XE60C	201928481
14HPX-036-230	35400	15.7	13.2	32400	20200	8.5	C37-43C	EL296UH110XV48C	201928502
14HPX-036-230	35600	15.7	13.2	32600	20400	8.5	C37-43C	EL296UH110XV60C	201928567
14HPX-036-230	35600	15.7	13.2	32600	20200	8.2	C37-43C	ML180UH090E60C	201928610
14HPX-036-230	35200	15.7	13.2	32400	20200	8.5	C37-43C	ML180UH110E60C	201928622
14HPX-036-230	35800	15.1	13	32600	20400	8.2	C37-43C	SL280UH090V60C	201928376
14HPX-036-230	35800	15.1	13	32600	20400	8.2	C37-43C	SL280UH090XV60C	201928357
14HPX-036-230	35600	15.1	13	32600	20400	8.2	C37-43C	SL280UH110V60C	201928372
14HPX-036-230	35600	15.1	13	32600	20400	8.2	C37-43C	SL280UH110XV60C	201928351
14HPX-036-230	35400	15.5	13.2	32600	20400	8.2	C37-43C	SLP98UH090XV36C	201928402
14HPX-036-230	35000	15.5	13.2	32400	20200	8.5	C37-43C	SLP98UH090XV48C	201928406
14HPX-036-230	35800	15.5	13.2	32800	20600	8.5	C37-43C	SLP98UH090XV60C	201928407
14HPX-036-230	35600	15.7	13.2	32600	20400	8.5	C37-43C	SLP98UH110XV60C	201928408
14HPX-036-230	34000	15	12.7	32400	20600	8.2	C37-48B	CBWMV-24B-040	201928455
14HPX-036-230	33800	15.5	13	32200	20400	8.2	C37-48B	EL180UH070E36B	201928512
14HPX-036-230	34200	15.5	12.7	32400	20600	8.2	C37-48B	EL180UH090E48B	201928519
14HPX-036-230	33800	15.5	13	32200	20400	8.2	C37-48B	ML180UH070E36B	201928590
14HPX-036-230	34200	15.5	12.7	32400	20600	8.2	C37-48B	ML180UH090E48B	201928597
14HPX-036-230	34000	15.5	12.7	32200	20400	8.2	C37-48B	SL280UH090V36B	201928470
14HPX-036-230	34000	15.2	12.7	32200	20400	8.2	C37-48B	SL280UH090V48B	201928373
14HPX-036-230	34000	15.2	12.7	32200	20400	8.2	C37-48B	SL280UH090XV48B	201928364
14HPX-036-230	33800	15.2	12.7	32400	20600	8.2	C37-48C	CBWMV-36C-090	201928462
14HPX-036-230	34200	15.5	13	32400	20400	8.2	C37-48C	EL180UH090E60C	201928537
14HPX-036-230	34000	15.5	13	32200	20400	8.2	C37-48C	EL180UH110E60C	201928508
14HPX-036-230	34000	15.2	12.7	32400	20600	8.2	C37-48C	EL195UH090XE48C	201928400
14HPX-036-230	34200	15.5	12.7	32400	20600	8.2	C37-48C	EL195UH110XE60C	201928436
14HPX-036-230	34000	15.2	12.7	32400	20600	8.2	C37-48C	EL296UH090XE48C	201928488
14HPX-036-230	34000	15.2	12.7	32400	20600	8.2	C37-48C	EL296UH090XV36C	201928548
14HPX-036-230	34000	15.5	12.7	32200	20400	8.2	C37-48C	EL296UH090XV48C	201928556
14HPX-036-230	34400	15.2	12.7	32600	20800	8.2	C37-48C	EL296UH090XV60C	201928576
14HPX-036-230	34200	15.5	12.7	32400	20600	8.2	C37-48C	EL296UH110XE60C	201928483
14HPX-036-230	34200	15.5	13	32200	20400	8.2	C37-48C	EL296UH110XV48C	201928500
14HPX-036-230	34400	15.5	13	32400	20600	8.2	C37-48C	EL296UH110XV60C	201928566
14HPX-036-230	34200	15.5	13	32400	20400	8.2	C37-48C	ML180UH090E60C	201928612
14HPX-036-230	34000	15.5	13	32200	20400	8.2	C37-48C	ML180UH110E60C	201928620
14HPX-036-230	34400	15.1	12.5	32400	20600	8.2	C37-48C	SL280UH090V60C	201928391
14HPX-036-230	34400	15.1	12.5	32400	20600	8.2	C37-48C	SL280UH090XV60C	201928360
14HPX-036-230	34200	15.1	12.5	32400	20600	8.2	C37-48C	SL280UH110V60C	201928377
14HPX-036-230	34200	15.1	12.5	32400	20600	8.2	C37-48C	SL280UH110XV60C	201928349
14HPX-036-230	34000	15.2	12.7	32400	20600	8.2	C37-48C	SLP98UH090XV36C	201928404
14HPX-036-230	34000	15.5	12.7	32200	20400	8.2	C37-48C	SLP98UH090XV48C	201928405

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-036-230	34400	15.2	12.7	32600	20800	8.2	C37-48C	SLP98UH090XV60C	201928572
14HPX-036-230	34400	15.5	13	32400	20600	8.2	C37-48C	SLP98UH110XV60C	201928412
14HPX-036-230	34800	15.5	13	31400	20400	8.7	C37-49C	CBWMV-36C-090	201928445
14HPX-036-230	35200	15.7	13.2	31600	20400	8.7	C37-49C	EL180UH090E60C	201928516
14HPX-036-230	34800	15.7	13.2	31400	20200	8.7	C37-49C	EL180UH110E60C	201928514
14HPX-036-230	34800	15.5	13	31400	20400	8.7	C37-49C	EL195UH090XE48C	201928427
14HPX-036-230	35200	15.7	13.2	31600	20400	8.7	C37-49C	EL195UH110XE60C	201928437
14HPX-036-230	34800	15.5	13	31400	20400	8.7	C37-49C	EL296UH090XE48C	201928476
14HPX-036-230	35000	15.5	13.2	31600	20400	8.7	C37-49C	EL296UH090XV36C	201928551
14HPX-036-230	34800	15.7	13.2	31400	20200	8.7	C37-49C	EL296UH090XV48C	201928547
14HPX-036-230	35400	15.5	13	31800	20600	8.7	C37-49C	EL296UH090XV60C	201928563
14HPX-036-230	35200	15.7	13.2	31600	20400	8.7	C37-49C	EL296UH110XE60C	201928493
14HPX-036-230	35000	15.7	13.2	31400	20200	8.7	C37-49C	EL296UH110XV48C	201928509
14HPX-036-230	35200	15.7	13.2	31600	20400	8.7	C37-49C	EL296UH110XV60C	201928569
14HPX-036-230	35200	15.7	13.2	31600	20400	8.7	C37-49C	ML180UH090E60C	201928606
14HPX-036-230	34800	15.7	13.2	31400	20200	8.7	C37-49C	ML180UH110E60C	201928623
14HPX-036-230	35400	15.1	13	31600	20400	8.5	C37-49C	SL280UH090V60C	201928378
14HPX-036-230	35400	15.1	13	31600	20400	8.5	C37-49C	SL280UH090XV60C	201928358
14HPX-036-230	35200	15.1	13	31600	20400	8.5	C37-49C	SL280UH110V60C	201928379
14HPX-036-230	35200	15.1	13	31600	20400	8.5	C37-49C	SL280UH110XV60C	201928350
14HPX-036-230	34600	14.2	12	31800	20800	8.2	C37-49C	SLO185UF79/105V42	201928571
14HPX-036-230	35000	15.5	13.2	31600	20400	8.7	C37-49C	SLP98UH090XV36C	201928413
14HPX-036-230	34800	15.7	13.2	31400	20200	8.7	C37-49C	SLP98UH090XV48C	201928414
14HPX-036-230	35400	15.5	13	31800	20600	8.7	C37-49C	SLP98UH090XV60C	201928415
14HPX-036-230	35200	15.7	13.2	31600	20400	8.7	C37-49C	SLP98UH110XV60C	201928410
14HPX-036-230	34400	14.2	12	32200	21000	8.2	C37-49C		201928342
14HPX-036-230	34200	15.2	12.7	31400	20400	8.7	C37-50/60C	CBWMV-36C-090	201928448
14HPX-036-230	34600	15.5	13	31400	20200	8.7	C37-50/60C	EL180UH090E60C	201928530
14HPX-036-230	34200	15.5	13	31200	20200	8.7	C37-50/60C	EL180UH110E60C	201928517
14HPX-036-230	34200	15.2	12.7	31400	20400	8.7	C37-50/60C	EL195UH090XE48C	201928439
14HPX-036-230	34600	15.5	13	31600	20400	8.7	C37-50/60C	EL195UH110XE60C	201928438
14HPX-036-230	34200	15.2	12.7	31400	20400	8.7	C37-50/60C	EL296UH090XE48C	201928480
14HPX-036-230	34400	15.2	12.7	31400	20400	8.7	C37-50/60C	EL296UH090XV36C	201928550
14HPX-036-230	34200	15.2	13	31200	20200	8.7	C37-50/60C	EL296UH090XV48C	201928552
14HPX-036-230	34800	15.2	12.7	31800	20600	8.7	C37-50/60C	EL296UH090XV60C	201928575
14HPX-036-230	34600	15.5	13	31600	20400	8.7	C37-50/60C	EL296UH110XE60C	201928498
14HPX-036-230	34400	15.5	13	31400	20200	8.7	C37-50/60C	EL296UH110XV48C	201928496
14HPX-036-230	34600	15.5	13	31600	20400	8.7	C37-50/60C	EL296UH110XV60C	201928570
14HPX-036-230	34600	15.5	13	31400	20200	8.7	C37-50/60C	ML180UH090E60C	201928609
14HPX-036-230	34200	15.5	13	31200	20200	8.7	C37-50/60C	ML180UH110E60C	201928624
14HPX-036-230	34800	15.1	12.5	31600	20400	8.5	C37-50/60C	SL280UH090V60C	201928380
14HPX-036-230	34800	15.1	12.5	31600	20400	8.5	C37-50/60C	SL280UH090XV60C	201928355
14HPX-036-230	34600	15.1	12.5	31600	20400	8.5	C37-50/60C	SL280UH110V60C	201928381
14HPX-036-230	34600	15.1	12.5	31600	20400	8.5	C37-50/60C	SL280UH110XV60C	201928354
14HPX-036-230	34400	15.2	12.7	31400	20400	8.7	C37-50/60C	SLP98UH090XV36C	201928417
14HPX-036-230	34200	15.2	13	31200	20200	8.7	C37-50/60C	SLP98UH090XV48C	201928418
14HPX-036-230	34800	15.2	12.7	31800	20600	8.7	C37-50/60C	SLP98UH090XV60C	201928573
14HPX-036-230	34600	15.5	13	31600	20400	8.7	C37-50/60C	SLP98UH110XV60C	201928411
14HPX-036-230	33800	14	11.7	32000	21000	8.2	C37-50/60C		201928344
14HPX-036-230	34200	15	12.5	32800	21000	8.5	CBA27UHE-036-230		201928579
14HPX-036-230	35000	15.5	12.5	33000	20000	8.5	CBA27UHE-042-230		201928580
14HPX-036-230	34200	14.7	12.2	33200	20800	8.5	CBA38MV-036-230		201926884
14HPX-036-230	34800	15	12.5	32600	20000	9	CBA38MV-042-230		201926886
14HPX-036-230	34600	14	12	34600	21400	8.2	CBX25UH-036-230		201928307
14HPX-036-230	34600	15	12.5	34000	21000	8.5	CBX25UHV-036-230		201928337

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-036-230	34800	15.2	12.5	32800	20400	8.7	CBX27UH-036-230		201928207
14HPX-036-230	36000	16	13.5	33000	17300	8.5	CBX27UH-042-230		201928208
14HPX-036-230	34600	14.5	11.7	33400	20800	8.5	CBX32M-036		201928223
14HPX-036-230	34400	14.5	11.7	33200	20800	8.5	CBX32M-042		201928220
14HPX-036-230	35200	15.7	13.2	32000	20200	9	CH33-43B	EL180UH070E36B	201928308
14HPX-036-230	35600	15.7	13.2	32200	20400	9	CH33-43B	EL180UH090E48B	201928316
14HPX-036-230	35400	14.7	12.5	32800	21000	8.5	CH33-43B	EL195UH045XE36B	201928249
14HPX-036-230	35200	15.2	12.7	32200	20600	8.7	CH33-43B	EL195UH070XE36B	201928247
14HPX-036-230	35400	14.7	12.5	32800	21000	8.5	CH33-43B	EL296UH045XE36B	201928291
14HPX-036-230	35400	15.2	12.7	32600	20800	8.7	CH33-43B	EL296UH045XV36B	201928320
14HPX-036-230	35200	15.2	12.7	32200	20600	8.7	CH33-43B	EL296UH070XE36B	201928294
14HPX-036-230	35600	15.2	12.7	32600	20800	8.7	CH33-43B	EL296UH070XV36B	201928323
14HPX-036-230	35200	15.7	13.2	32000	20200	9	CH33-43B	ML180UH070E36B	201928587
14HPX-036-230	35600	15.7	13.2	32200	20400	9	CH33-43B	ML180UH090E48B	201928595
14HPX-036-230	35600	15.7	13.2	32200	20400	9	CH33-43B	SL280UH090V36B	201928283
14HPX-036-230	35600	15.7	13.2	32400	20600	9	CH33-43B	SL280UH090V48B	201928228
14HPX-036-230	35600	15.7	13.2	32400	20600	9	CH33-43B	SL280UH090XV48B	201928217
14HPX-036-230	35600	15.2	12.7	32600	20800	8.7	CH33-43B	SLP98UH070XV36B	201928258
14HPX-036-230	35200	14.5	12.2	32800	21000	8.5	CH33-43B		201928203
14HPX-036-230	35400	15.7	13.2	32600	20600	8.5	CH33-43C	EL180UH090E60C	201928310
14HPX-036-230	35200	15.7	13.2	32400	20400	8.5	CH33-43C	EL180UH110E60C	201928306
14HPX-036-230	35200	15.5	13.2	32600	20600	8.2	CH33-43C	EL195UH090XE48C	201928279
14HPX-036-230	35400	15.7	13.2	32600	20600	8.5	CH33-43C	EL195UH110XE60C	201928281
14HPX-036-230	35200	15.5	13.2	32600	20600	8.2	CH33-43C	EL296UH090XE48C	201928296
14HPX-036-230	35200	15.5	13.2	32600	20600	8.2	CH33-43C	EL296UH090XV36C	201928327
14HPX-036-230	35000	15.5	13.2	32400	20400	8.5	CH33-43C	EL296UH090XV48C	201928328
14HPX-036-230	35600	15.5	13	32800	20800	8.5	CH33-43C	EL296UH090XV60C	201928334
14HPX-036-230	35400	15.7	13.2	32600	20600	8.5	CH33-43C	EL296UH110XE60C	201928302
14HPX-036-230	35200	15.7	13.2	32400	20600	8.5	CH33-43C	EL296UH110XV48C	201928299
14HPX-036-230	35600	15.7	13.2	32600	20600	8.5	CH33-43C	EL296UH110XV60C	201928338
14HPX-036-230	35400	15.7	13.2	32600	20600	8.5	CH33-43C	ML180UH090E60C	201928603
14HPX-036-230	35200	15.7	13.2	32400	20400	8.5	CH33-43C	ML180UH110E60C	201928615
14HPX-036-230	35600	15.1	13	32600	20600	8.2	CH33-43C	SL280UH090V60C	201928206
14HPX-036-230	35600	15.1	13	32600	20600	8.2	CH33-43C	SL280UH090XV60C	201928214
14HPX-036-230	35400	15.1	13	32800	20600	8.2	CH33-43C	SL280UH110V60C	201928229
14HPX-036-230	35400	15.1	13	32800	20600	8.2	CH33-43C	SL280UH110XV60C	201928212
14HPX-036-230	35200	15.5	13.2	32600	20600	8.2	CH33-43C	SLP98UH090XV36C	201928254
14HPX-036-230	35000	15.5	13.2	32400	20400	8.5	CH33-43C	SLP98UH090XV48C	201928255
14HPX-036-230	35600	15.5	13	32800	20800	8.5	CH33-43C	SLP98UH090XV60C	201928261
14HPX-036-230	35600	15.7	13.2	32600	20600	8.5	CH33-43C	SLP98UH110XV60C	201928262
14HPX-036-230	34000	15.2	12.7	32400	20400	8.2	CH33-44/48	EL180UH070E36B	201928311
14HPX-036-230	34200	15.2	12.7	32800	20600	8.2	CH33-44/48	EL180UH090E48B	201928318
14HPX-036-230	34000	14.7	12.5	32800	20800	8.2	CH33-44/48	EL195UH070XE36B	201928248
14HPX-036-230	34200	14.5	12.2	33000	21000	8.2	CH33-44/48	EL296UH045XV36B	201928319
14HPX-036-230	34000	14.7	12.5	32800	20800	8.2	CH33-44/48	EL296UH070XE36B	201928295
14HPX-036-230	34200	14.7	12.5	33000	21000	8.2	CH33-44/48	EL296UH070XV36B	201928322
14HPX-036-230	34000	15.2	12.7	32400	20400	8.2	CH33-44/48	ML180UH070E36B	201928588
14HPX-036-230	34200	15.2	12.7	32800	20600	8.2	CH33-44/48	ML180UH090E48B	201928596
14HPX-036-230	34400	15.2	12.7	32800	20600	8.2	CH33-44/48	SL280UH090V36B	201928284
14HPX-036-230	34400	15	12.7	32800	20800	8.2	CH33-44/48	SL280UH090V48B	201928230
14HPX-036-230	34400	15	12.7	32800	20800	8.2	CH33-44/48	SL280UH090XV48B	201928218
14HPX-036-230	34200	14.7	12.5	33000	21000	8.2	CH33-44/48	SLP98UH070XV36B	201928263
14HPX-036-230	35000	15.5	13	32600	20600	8.2	CH33-48	EL296UH090XV36C	201928325
14HPX-036-230	34800	15.5	13	32400	20400	8.5	CH33-48	EL296UH090XV48C	201928332
14HPX-036-230	35400	15.2	13	32800	20800	8.5	CH33-48	EL296UH090XV60C	201928330

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-036-230	35000	15.5	13.2	32400	20600	8.5	CH33-48	EL296UH110XV48C	201928305
14HPX-036-230	35200	15.5	13.2	32600	20600	8.5	CH33-48	EL296UH110XV60C	201928340
14HPX-036-230	35400	15.1	13	32600	20600	8.2	CH33-48	SL280UH090V60C	201928231
14HPX-036-230	35400	15.1	13	32600	20600	8.2	CH33-48	SL280UH090XV60C	201928213
14HPX-036-230	35200	15.1	12.5	32600	20600	8.2	CH33-48	SL280UH110V60C	201928221
14HPX-036-230	35200	15.1	12.5	32600	20600	8.2	CH33-48	SL280UH110XV60C	201928209
14HPX-036-230	35000	15.5	13	32600	20600	8.2	CH33-48	SLP98UH090XV36C	201928250
14HPX-036-230	34800	15.5	13	32400	20400	8.5	CH33-48	SLP98UH090XV48C	201928251
14HPX-036-230	35400	15.2	13	32800	20800	8.5	CH33-48	SLP98UH090XV60C	201928252
14HPX-036-230	35200	15.5	13.2	32600	20600	8.5	CH33-48	SLP98UH110XV60C	201928253
14HPX-036-230	35200	15.7	13.2	31800	20400	9	CH33-49	EL180UH090E60C	201928314
14HPX-036-230	35000	15.7	13.2	31600	20200	9	CH33-49	EL180UH110E60C	201928304
14HPX-036-230	34800	15.5	13	31800	20400	8.5	CH33-49	EL195UH090XE48C	201928277
14HPX-036-230	35200	15.7	13.2	31800	20400	9	CH33-49	EL195UH110XE60C	201928282
14HPX-036-230	34800	15.5	13	31800	20400	8.5	CH33-49	EL296UH090XE48C	201928292
14HPX-036-230	35000	15.7	13.2	32200	20400	9	CH33-49	EL296UH090XV36C	201928324
14HPX-036-230	34800	15.7	13.2	32000	20400	9	CH33-49	EL296UH090XV48C	201928331
14HPX-036-230	35400	15.5	13	32400	20600	9	CH33-49	EL296UH090XV60C	201928333
14HPX-036-230	35200	15.7	13.2	31800	20400	9	CH33-49	EL296UH110XE60C	201928298
14HPX-036-230	35000	15.7	13.2	32000	20400	9	CH33-49	EL296UH110XV48C	201928303
14HPX-036-230	35400	15.7	13.2	32200	20400	9	CH33-49	EL296UH110XV60C	201928339
14HPX-036-230	35200	15.7	13.2	31800	20400	9	CH33-49	ML180UH090E60C	201928604
14HPX-036-230	35000	15.7	13.2	31600	20200	9	CH33-49	ML180UH110E60C	201928614
14HPX-036-230	35400	15.1	13	32200	20400	9	CH33-49	SL280UH090V60C	201928234
14HPX-036-230	35400	15.1	13	32200	20400	9	CH33-49	SL280UH090XV60C	201928215
14HPX-036-230	35200	15.1	13	32200	20600	9	CH33-49	SL280UH110V60C	201928235
14HPX-036-230	35200	15.1	13	32200	20600	9	CH33-49	SL280UH110XV60C	201928210
14HPX-036-230	35000	15.7	13.2	32200	20400	9	CH33-49	SLP98UH090XV36C	201928264
14HPX-036-230	34800	15.7	13.2	32000	20400	9	CH33-49	SLP98UH090XV48C	201928256
14HPX-036-230	35400	15.5	13	32400	20600	9	CH33-49	SLP98UH090XV60C	201928257
14HPX-036-230	35400	15.7	13.2	32200	20400	9	CH33-49	SLP98UH110XV60C	201928267
14HPX-036-230	34400	14.2	12	32800	21000	8.5	CH33-49		201928204
14HPX-036-230	35000	15.7	13.2	31600	20400	9	CH33-50/60C	EL180UH090E60C	201928321
14HPX-036-230	34800	15.7	13.2	31400	20200	9	CH33-50/60C	EL180UH110E60C	201928309
14HPX-036-230	34800	15.5	13	31600	20400	9	CH33-50/60C	EL195UH090XE48C	201928278
14HPX-036-230	35000	15.7	13.2	31800	20400	9	CH33-50/60C	EL195UH110XE60C	201928280
14HPX-036-230	34800	15.5	13	31600	20400	9	CH33-50/60C	EL296UH090XE48C	201928300
14HPX-036-230	34800	15.5	13	32000	20400	9	CH33-50/60C	EL296UH090XV36C	201928326
14HPX-036-230	34600	15.7	13	31800	20400	9	CH33-50/60C	EL296UH090XV48C	201928329
14HPX-036-230	35400	15.5	13	32400	20600	9	CH33-50/60C	EL296UH090XV60C	201928335
14HPX-036-230	35000	15.7	13.2	31800	20400	9	CH33-50/60C	EL296UH110XE60C	201928297
14HPX-036-230	34800	15.7	13.2	32000	20400	9	CH33-50/60C	EL296UH110XV48C	201928301
14HPX-036-230	35200	15.7	13.2	32200	20400	9	CH33-50/60C	EL296UH110XV60C	201928336
14HPX-036-230	35000	15.7	13.2	31600	20400	9	CH33-50/60C	ML180UH090E60C	201928605
14HPX-036-230	34800	15.7	13.2	31400	20200	9	CH33-50/60C	ML180UH110E60C	201928616
14HPX-036-230	35400	15.1	13	32200	20400	9	CH33-50/60C	SL280UH090V60C	201928236
14HPX-036-230	35400	15.1	13	32200	20400	9	CH33-50/60C	SL280UH090XV60C	201928216
14HPX-036-230	35000	15.5	12.5	32200	20400	8.5	CH33-50/60C	SL280UH110V60C	201928237
14HPX-036-230	35000	15.5	12.5	32200	20400	8.5	CH33-50/60C	SL280UH110XV60C	201928211
14HPX-036-230	34800	15.5	13	32000	20400	9	CH33-50/60C	SLP98UH090XV36C	201928268
14HPX-036-230	34600	15.7	13	31800	20400	9	CH33-50/60C	SLP98UH090XV48C	201928269
14HPX-036-230	35400	15.5	13	32400	20600	9	CH33-50/60C	SLP98UH090XV60C	201928270
14HPX-036-230	35200	15.7	13.2	32200	20400	9	CH33-50/60C	SLP98UH110XV60C	201928259
14HPX-036-230	34200	14.2	12	32600	21000	8.2	CH33-50/60C		201928205
14HPX-036-230	35200	15.7	13.2	33200	20800	8.5	CR33-48	EL180DF070E36B	201928312

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-036-230	35200	15.5	13	33400	21000	8.5	CR33-48	EL180DF090E48B	201928317
14HPX-036-230	35800	15.7	13.2	33400	21000	8.7	CR33-48	EL180DF110E60C	201928315
14HPX-036-230	34800	15	12.7	33400	21200	8.2	CR33-48	EL195DF045XE36B	201928242
14HPX-036-230	35200	15.2	13	33400	21000	8.5	CR33-48	EL195DF070XE48B	201928241
14HPX-036-230	35200	15.2	12.7	33400	21000	8.5	CR33-48	EL195DF090XE48C	201928243
14HPX-036-230	35600	15.5	13	35800	21000	8.5	CR33-48	EL195DF110XE60C	201928245
14HPX-036-230	34800	15	12.7	33400	21200	8.2	CR33-48	EL296DF045XE36B	201928293
14HPX-036-230	35200	15	12.7	33600	21200	8.2	CR33-48	EL296DF045XV36B	201928219
14HPX-036-230	35200	15.2	13	33400	21000	8.5	CR33-48	EL296DF070XE48B	201928288
14HPX-036-230	35200	15	12.5	33800	21200	8.2	CR33-48	EL296DF070XV48B	201928222
14HPX-036-230	35200	15.2	12.7	33400	21000	8.5	CR33-48	EL296DF090XE48C	201928287
14HPX-036-230	35600	15.5	13	35800	21000	8.5	CR33-48	EL296DF110XE60C	201928289
14HPX-036-230	35200	15.7	13.2	33200	20800	8.5	CR33-48	ML180DF070E36B	201928581
14HPX-036-230	35200	15.5	13	33400	21000	8.5	CR33-48	ML180DF090E48B	201928582
14HPX-036-230	35800	15.7	13.2	33400	21000	8.7	CR33-48	ML180DF110E60C	201928584
14HPX-036-230	35200	15.5	13	33400	21000	8.5	CR33-48	SL280DF090V48B	201928286
14HPX-036-230	35800	15.7	13	33600	21000	8.5	CR33-48	SL280DF090V60C	201928239
14HPX-036-230	35600	15.1	13	33400	21000	8.5	CR33-48	SL280DF110V60C	201928240
14HPX-036-230	35400	15.2	12.7	33600	21200	8.5	CR33-48	SLP98DF070XV36B	201928260
14HPX-036-230	35400	15.5	13	33400	21000	8.5	CR33-48	SLP98DF090XV36C	201928271
14HPX-036-230	35400	15.5	13	33400	21000	8.5	CR33-48	SLP98DF090XV48C	201928272
14HPX-036-230	35600	15.5	13	33600	21000	8.5	CR33-48	SLP98DF090XV60C	201928273
14HPX-036-230	35600	15.5	13	33600	21200	8.5	CR33-48	SLP98DF110XV60C	201928274
14HPX-036-230	34800	14.2	12	34000	21600	8.2	CR33-48		201928201
14HPX-036-230	36000	16	13.5	32800	20400	9	CR33-50/60	EL180DF110E60C	201928313
14HPX-036-230	35600	15.5	13.2	32800	20600	8.7	CR33-50/60	EL195DF090XE48C	201928244
14HPX-036-230	35800	15.7	13.2	32800	20600	9	CR33-50/60	EL195DF110XE60C	201928246
14HPX-036-230	35600	15.5	13.2	32800	20600	8.7	CR33-50/60	EL296DF090XE48C	201928290
14HPX-036-230	35800	15.7	13.2	32800	20600	9	CR33-50/60	EL296DF110XE60C	201928285
14HPX-036-230	36000	16	13.5	32800	20400	9	CR33-50/60	ML180DF110E60C	201928583
14HPX-036-230	36600	15.1	13	34000	21200	9	CR33-50/60	SL280DF090V60C	201928233
14HPX-036-230	36400	15.1	13	33800	21000	8.5	CR33-50/60	SL280DF110V60C	201928232
14HPX-036-230	36200	15.7	13.2	33800	21200	8.7	CR33-50/60	SLP98DF090XV36C	201928265
14HPX-036-230	36200	15.7	13.2	33800	21200	8.7	CR33-50/60	SLP98DF090XV48C	201928266
14HPX-036-230	36400	15.7	13.2	34000	21200	9	CR33-50/60	SLP98DF090XV60C	201928275
14HPX-036-230	36400	15.7	13.2	34000	21200	9	CR33-50/60	SLP98DF110XV60C	201928276
14HPX-036-230	35200	14.2	12.2	33400	21200	8.5	CR33-50/60		201928202
14HPX-036-230	34200	15	12.5	32800	20800	8.2	CX38-38A	EL180UH045E36A	201928525
14HPX-036-230	34200	15	12.5	32800	20800	8.2	CX38-38A	ML180UH045E36A	201928586
14HPX-036-230	34200	15	12.5	32800	20800	8.2	CX38-38A	SL280UH070V36A	201928464
14HPX-036-230	34200	15	12.5	32800	20800	8.2	CX38-38A	SL280UH070XV36A	201928368
14HPX-036-230	34200	15.2	12.7	32600	20800	8.2	CX38-38B	CBWMV-24B-040	201928433
14HPX-036-230	34200	15.2	12.7	32600	20800	8.2	CX38-38B	CBWMV-36B-070	201928425
14HPX-036-230	34200	15.7	13	32400	20400	8.5	CX38-38B	EL180UH070E36B	201928522
14HPX-036-230	34600	15.5	13	32600	20600	8.5	CX38-38B	EL180UH090E48B	201928521
14HPX-036-230	33800	15	12.5	32600	20600	8.2	CX38-38B	EL195UH045XE36B	201928397
14HPX-036-230	34000	15	12.5	32600	20800	8.2	CX38-38B	EL195UH070XE36B	201928395
14HPX-036-230	33800	15	12.5	32600	20600	8.2	CX38-38B	EL296UH045XE36B	201928477
14HPX-036-230	34200	15	12.5	32800	20800	8.2	CX38-38B	EL296UH045XV36B	201928533
14HPX-036-230	34000	15	12.5	32600	20800	8.2	CX38-38B	EL296UH070XE36B	201928475
14HPX-036-230	34200	15	12.5	32800	20800	8.2	CX38-38B	EL296UH070XV36B	201928539
14HPX-036-230	34200	15.7	13	32400	20400	8.5	CX38-38B	ML180UH070E36B	201928593
14HPX-036-230	34600	15.5	13	32600	20600	8.5	CX38-38B	ML180UH090E48B	201928598
14HPX-036-230	34400	15.7	13	32600	20600	8.2	CX38-38B	SL280UH090V36B	201928467
14HPX-036-230	34400	15.5	13	32600	20600	8.2	CX38-38B	SL280UH090V48B	201928384

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-036-230	34400	15.5	13	32600	20600	8.2	CX38-38B	SL280UH090XV48B	201928370
14HPX-036-230	34200	15	12.5	32800	20800	8.2	CX38-38B	SLP98UH070XV36B	201928423
14HPX-036-230	35200	15.2	13	32600	20400	8.2	CX38-43B	CBWMV-24B-040	201928463
14HPX-036-230	35200	15.2	13	32600	20400	8.2	CX38-43B	CBWMV-36B-070	201928446
14HPX-036-230	35200	15.7	13.2	32400	20200	8.5	CX38-43B	EL180UH070E36B	201928511
14HPX-036-230	35600	15.7	13.2	32600	20400	8.2	CX38-43B	EL180UH090E48B	201928527
14HPX-036-230	34800	15	12.7	32400	20400	8.2	CX38-43B	EL195UH045XE36B	201928393
14HPX-036-230	35000	15	12.7	32600	20400	8.2	CX38-43B	EL195UH070XE36B	201928396
14HPX-036-230	34800	15	12.7	32400	20400	8.2	CX38-43B	EL296UH045XE36B	201928495
14HPX-036-230	35200	15	12.7	32800	20400	8.2	CX38-43B	EL296UH045XV36B	201928536
14HPX-036-230	35000	15	12.7	32600	20400	8.2	CX38-43B	EL296UH070XE36B	201928486
14HPX-036-230	35200	15	12.7	32800	20600	8.2	CX38-43B	EL296UH070XV36B	201928540
14HPX-036-230	35200	15.7	13.2	32400	20200	8.5	CX38-43B	ML180UH070E36B	201928589
14HPX-036-230	35600	15.7	13.2	32600	20400	8.2	CX38-43B	ML180UH090E48B	201928600
14HPX-036-230	35400	15.7	13.2	32400	20200	8.5	CX38-43B	SL280UH090V36B	201928466
14HPX-036-230	35400	15.7	13.2	32400	20200	8.5	CX38-43B	SL280UH090V48B	201928385
14HPX-036-230	35400	15.7	13.2	32400	20200	8.5	CX38-43B	SL280UH090XV48B	201928371
14HPX-036-230	35200	15	12.7	32800	20600	8.2	CX38-43B	SLP98UH070XV36B	201928424
14HPX-036-230	35200	15.5	13	32600	20400	8.2	CX38-43C	CBWMV-36C-090	201928459
14HPX-036-230	35600	15.7	13.2	32600	20200	8.2	CX38-43C	EL180UH090E60C	201928538
14HPX-036-230	35200	15.7	13.2	32400	20200	8.5	CX38-43C	EL180UH110E60C	201928507
14HPX-036-230	35200	15.5	13.2	32600	20400	8.2	CX38-43C	EL195UH090XE48C	201928431
14HPX-036-230	35600	15.7	13.2	32600	20400	8.2	CX38-43C	EL195UH110XE60C	201928440
14HPX-036-230	35200	15.5	13.2	32600	20400	8.2	CX38-43C	EL296UH090XE48C	201928491
14HPX-036-230	35400	15.5	13.2	32600	20400	8.2	CX38-43C	EL296UH090XV36C	201928549
14HPX-036-230	35000	15.5	13.2	32400	20200	8.5	CX38-43C	EL296UH090XV48C	201928461
14HPX-036-230	35800	15.5	13.2	32800	20600	8.5	CX38-43C	EL296UH090XV60C	201928560
14HPX-036-230	35600	15.7	13.2	32600	20400	8.2	CX38-43C	EL296UH110XE60C	201928479
14HPX-036-230	35400	15.7	13.2	32400	20200	8.5	CX38-43C	EL296UH110XV48C	201928501
14HPX-036-230	35600	15.7	13.2	32600	20400	8.5	CX38-43C	EL296UH110XV60C	201928565
14HPX-036-230	35600	15.7	13.2	32600	20200	8.2	CX38-43C	ML180UH090E60C	201928613
14HPX-036-230	35200	15.7	13.2	32400	20200	8.5	CX38-43C	ML180UH110E60C	201928619
14HPX-036-230	35800	15.1	13	32600	20400	8.2	CX38-43C	SL280UH090V60C	201928382
14HPX-036-230	35800	15.1	13	32600	20400	8.2	CX38-43C	SL280UH090XV60C	201928356
14HPX-036-230	35600	15.1	13	32600	20400	8.2	CX38-43C	SL280UH110V60C	201928375
14HPX-036-230	35600	15.1	13	32600	20400	8.2	CX38-43C	SL280UH110XV60C	201928348
14HPX-036-230	35400	15.5	13.2	32600	20400	8.2	CX38-43C	SLP98UH090XV36C	201928419
14HPX-036-230	35000	15.5	13.2	32400	20200	8.5	CX38-43C	SLP98UH090XV48C	201928420
14HPX-036-230	35800	15.5	13.2	32800	20600	8.5	CX38-43C	SLP98UH090XV60C	201928428
14HPX-036-230	35600	15.7	13.2	32600	20400	8.5	CX38-43C	SLP98UH110XV60C	201928429
14HPX-036-230	34000	15	12.7	32400	20600	8.2	CX38-44/48B	CBWMV-24B-040	201928451
14HPX-036-230	33800	15.5	13	32200	20400	8.2	CX38-44/48B	EL180UH070E36B	201928524
14HPX-036-230	34200	15.5	12.7	32400	20600	8.2	CX38-44/48B	EL180UH090E48B	201928526
14HPX-036-230	33800	15.5	13	32200	20400	8.2	CX38-44/48B	ML180UH070E36B	201928594
14HPX-036-230	34200	15.5	12.7	32400	20600	8.2	CX38-44/48B	ML180UH090E48B	201928599
14HPX-036-230	34000	15.5	12.7	32200	20400	8.2	CX38-44/48B	SL280UH090V36B	201928465
14HPX-036-230	34000	15.2	12.7	32200	20400	8.2	CX38-44/48B	SL280UH090V48B	201928386
14HPX-036-230	34000	15.2	12.7	32200	20400	8.2	CX38-44/48B	SL280UH090XV48B	201928363
14HPX-036-230	33800	15.2	12.7	32400	20600	8.2	CX38-44/48C	CBWMV-36C-090	201928449
14HPX-036-230	34200	15.5	13	32400	20400	8.2	CX38-44/48C	EL180UH090E60C	201928520
14HPX-036-230	34000	15.5	13	32200	20400	8.2	CX38-44/48C	EL180UH110E60C	201928504
14HPX-036-230	34000	15.2	12.7	32400	20600	8.2	CX38-44/48C	EL195UH090XE48C	201928432
14HPX-036-230	34200	15.5	12.7	32400	20600	8.2	CX38-44/48C	EL195UH110XE60C	201928441
14HPX-036-230	34000	15.2	12.7	32400	20600	8.2	CX38-44/48C	EL296UH090XE48C	201928492
14HPX-036-230	34000	15.2	12.7	32400	20600	8.2	CX38-44/48C	EL296UH090XV36C	201928553

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-036-230	34000	15.5	12.7	32200	20400	8.2	CX38-44/48C	EL296UH090XV48C	201928559
14HPX-036-230	34400	15.2	12.7	32600	20800	8.2	CX38-44/48C	EL296UH090XV60C	201928577
14HPX-036-230	34200	15.5	12.7	32400	20600	8.2	CX38-44/48C	EL296UH110XE60C	201928484
14HPX-036-230	34200	15.5	13	32200	20400	8.2	CX38-44/48C	EL296UH110XV48C	201928506
14HPX-036-230	34400	15.5	13	32400	20600	8.2	CX38-44/48C	EL296UH110XV60C	201928564
14HPX-036-230	34200	15.5	13	32400	20400	8.2	CX38-44/48C	ML180UH090E60C	201928607
14HPX-036-230	34000	15.5	13	32200	20400	8.2	CX38-44/48C	ML180UH110E60C	201928618
14HPX-036-230	34400	15.1	12.5	32400	20600	8.2	CX38-44/48C	SL280UH090V60C	201928392
14HPX-036-230	34400	15.1	12.5	32400	20600	8.2	CX38-44/48C	SL280UH090XV60C	201928361
14HPX-036-230	34200	15.1	12.5	32400	20600	8.2	CX38-44/48C	SL280UH110V60C	201928387
14HPX-036-230	34200	15.1	12.5	32400	20600	8.2	CX38-44/48C	SL280UH110XV60C	201928352
14HPX-036-230	34000	15.2	12.7	32400	20600	8.2	CX38-44/48C	SLP98UH090XV36C	201928430
14HPX-036-230	34000	15.5	12.7	32200	20400	8.2	CX38-44/48C	SLP98UH090XV48C	201928421
14HPX-036-230	34400	15.2	12.7	32600	20800	8.2	CX38-44/48C	SLP98UH090XV60C	201928574
14HPX-036-230	34400	15.5	13	32400	20600	8.2	CX38-44/48C	SLP98UH110XV60C	201928422
14HPX-036-230	34800	15.5	13	31400	20400	8.7	CX38-49C	CBWMV-36C-090	201928434
14HPX-036-230	35200	15.7	13.2	31600	20400	8.7	CX38-49C	EL180UH090E60C	201928535
14HPX-036-230	34800	15.7	13.2	31400	20200	8.7	CX38-49C	EL180UH110E60C	201928503
14HPX-036-230	34800	15.5	13	31400	20400	8.7	CX38-49C	EL195UH090XE48C	201928443
14HPX-036-230	35200	15.7	13.2	31600	20400	8.7	CX38-49C	EL195UH110XE60C	201928442
14HPX-036-230	34800	15.5	13	31400	20400	8.7	CX38-49C	EL296UH090XE48C	201928489
14HPX-036-230	35000	15.5	13.2	31600	20400	8.7	CX38-49C	EL296UH090XV36C	201928543
14HPX-036-230	34800	15.7	13.2	31400	20200	8.7	CX38-49C	EL296UH090XV48C	201928555
14HPX-036-230	35400	15.5	13	31800	20600	8.7	CX38-49C	EL296UH090XV60C	201928558
14HPX-036-230	35200	15.7	13.2	31600	20400	8.7	CX38-49C	EL296UH110XE60C	201928485
14HPX-036-230	35000	15.7	13.2	31400	20200	8.7	CX38-49C	EL296UH110XV48C	201928497
14HPX-036-230	35200	15.7	13.2	31600	20400	8.7	CX38-49C	EL296UH110XV60C	201928562
14HPX-036-230	35200	15.7	13.2	31600	20400	8.7	CX38-49C	ML180UH090E60C	201928611
14HPX-036-230	34800	15.7	13.2	31400	20200	8.7	CX38-49C	ML180UH110E60C	201928617
14HPX-036-230	35400	15.1	13	31600	20400	8.5	CX38-49C	SL280UH090V60C	201928388
14HPX-036-230	35400	15.1	13	31600	20400	8.5	CX38-49C	SL280UH090XV60C	201928362
14HPX-036-230	35200	15.1	13	31600	20400	8.5	CX38-49C	SL280UH110V60C	201928383
14HPX-036-230	35200	15.1	13	31600	20400	8.5	CX38-49C	SL280UH110XV60C	201928353
14HPX-036-230	34600	14.2	12	31800	20800	8.2	CX38-49C	SLO185UF79/105V42	202074919
14HPX-036-230	35000	15.5	13.2	31600	20400	8.7	CX38-49C	SLP98UH090XV36C	201928456
14HPX-036-230	34800	15.7	13.2	31400	20200	8.7	CX38-49C	SLP98UH090XV48C	201928457
14HPX-036-230	35400	15.5	13	31800	20600	8.7	CX38-49C	SLP98UH090XV60C	201928458
14HPX-036-230	35200	15.7	13.2	31600	20400	8.7	CX38-49C	SLP98UH110XV60C	201928468
14HPX-036-230	34400	14.2	12	32200	21000	8.2	CX38-49C		201928341
14HPX-036-230	34200	15.2	12.7	31400	20400	8.7	CX38-50/60C	CBWMV-36C-090	201928452
14HPX-036-230	34600	15.5	13	31400	20200	8.7	CX38-50/60C	EL180UH090E60C	201928528
14HPX-036-230	34200	15.5	13	31200	20200	8.7	CX38-50/60C	EL180UH110E60C	201928510
14HPX-036-230	34200	15.2	12.7	31400	20400	8.7	CX38-50/60C	EL195UH090XE48C	201928444
14HPX-036-230	34600	15.5	13	31600	20400	8.7	CX38-50/60C	EL195UH110XE60C	201928453
14HPX-036-230	34200	15.2	12.7	31400	20400	8.7	CX38-50/60C	EL296UH090XE48C	201928478
14HPX-036-230	34400	15.2	12.7	31400	20400	8.7	CX38-50/60C	EL296UH090XV36C	201928545
14HPX-036-230	34200	15.2	13	31200	20200	8.7	CX38-50/60C	EL296UH090XV48C	201928554
14HPX-036-230	34600	15.5	13	31600	20400	8.7	CX38-50/60C	EL296UH110XE60C	201928494
14HPX-036-230	34400	15.5	13	31400	20200	8.7	CX38-50/60C	EL296UH110XV48C	201928505
14HPX-036-230	34600	15.5	13	31600	20400	8.7	CX38-50/60C	EL296UH110XV60C	201928568
14HPX-036-230	34600	15.5	13	31400	20200	8.7	CX38-50/60C	ML180UH090E60C	201928608
14HPX-036-230	34200	15.5	13	31200	20200	8.7	CX38-50/60C	ML180UH110E60C	201928621
14HPX-036-230	34800	15.1	12.5	31600	20400	8.5	CX38-50/60C	SL280UH090V60C	201928345
14HPX-036-230	34800	15.1	12.5	31600	20400	8.5	CX38-50/60C	SL280UH090XV60C	201928366
14HPX-036-230	34600	15.2	12.5	31600	20400	8.5	CX38-50/60C	SL280UH110V60C	201928346

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-036-230	34600	15.2	12.5	31600	20400	8.5	CX38-50/60C	SL280UH110XV60C	201928359
14HPX-036-230	34400	15.2	12.7	31400	20400	8.7	CX38-50/60C	SLP98UH090XV36C	201928401
14HPX-036-230	34200	15.2	13	31200	20200	8.7	CX38-50/60C	SLP98UH090XV48C	201928416
14HPX-036-230	34600	15.5	13	31600	20400	8.7	CX38-50/60C	SLP98UH110XV60C	201928469
14HPX-036-230	33800	14	11.7	32000	21000	8.2	CX38-50/60C		201928343
14HPX-042-230	43500	15.5	13	41500	26600	8.5	C37-49C	CBWMV-36C-090	10491440
14HPX-042-230	44000	15.5	13.2	41500	26600	8.5	C37-49C	CBWMV-60C-100	10491449
14HPX-042-230	44000	15.5	13.2	41500	26600	8.5	C37-49C	EL180UH090E60C	10491487
14HPX-042-230	44000	15.5	13.2	41500	26600	8.5	C37-49C	EL180UH110E60C	10491482
14HPX-042-230	43500	15.2	13	41500	26600	8.5	C37-49C	EL195UH090XE48C	10491426
14HPX-042-230	44000	15.2	13	42000	27000	8.5	C37-49C	EL195UH110XE60C	10491438
14HPX-042-230	43500	15	13	41500	26800	8.5	C37-49C	EL196UH090XE48C	201933329
14HPX-042-230	44000	15	12.5	42000	27000	8.5	C37-49C	EL196UH110XE60C	201933330
14HPX-042-230	43500	15.2	13	41500	26600	8.5	C37-49C	EL296UH090XE48C	10491477
14HPX-042-230	43500	15.5	13	41500	26600	8.5	C37-49C	EL296UH090XV36C	10491468
14HPX-042-230	43500	15.5	13.2	41500	26600	8.5	C37-49C	EL296UH090XV48C	10491467
14HPX-042-230	44000	15.5	13	42000	26800	8.7	C37-49C	EL296UH090XV60C	10491457
14HPX-042-230	44000	15.2	13	42000	27000	8.5	C37-49C	EL296UH110XE60C	10491478
14HPX-042-230	44000	15.7	13.2	41500	26600	8.7	C37-49C	EL296UH110XV48C	10491461
14HPX-042-230	44000	15.7	13.2	41500	26600	8.7	C37-49C	EL296UH110XV60C	10491459
14HPX-042-230	44000	15.5	13.2	41500	26600	8.5	C37-49C	ML180UH090E60C	10590016
14HPX-042-230	44000	15.5	13.2	41500	26600	8.5	C37-49C	ML180UH110E60C	10590267
14HPX-042-230	44000	15.7	13.2	41500	26600	8.7	C37-49C	SL280UH090V60C	10491410
14HPX-042-230	44000	15.7	13.2	41500	26600	8.7	C37-49C	SL280UH090XV60C	10491420
14HPX-042-230	44000	15.5	13.2	41500	26800	8.5	C37-49C	SL280UH110V60C	10491411
14HPX-042-230	44000	15.5	13.2	41500	26800	8.5	C37-49C	SL280UH110XV60C	10491415
14HPX-042-230	43500	15.5	13	41500	26600	8.5	C37-49C	SLP98UH090XV36C	10491428
14HPX-042-230	43500	15.5	13.2	41500	26600	8.5	C37-49C	SLP98UH090XV48C	10491430
14HPX-042-230	44000	15.5	13	42000	26800	8.7	C37-49C	SLP98UH090XV60C	10491425
14HPX-042-230	44000	15.7	13.2	41500	26600	8.7	C37-49C	SLP98UH110XV60C	10491435
14HPX-042-230	43500	14.5	12.2	42000	27400	8.2	C37-49C		10491405
14HPX-042-230	42500	15	12.7	41500	26200	9.2	C37-60D	EL180UH135E60D	10491488
14HPX-042-230	42500	14.7	12.7	41500	26400	8.7	C37-60D	EL195UH135XE60D	10491441
14HPX-042-230	42500	14.7	12.7	41500	26400	8.7	C37-60D	EL296UH135XE60D	10491480
14HPX-042-230	44000	15.7	13.2	42000	26800	8.7	C37-60D	EL296UH135XV60D	10491463
14HPX-042-230	42500	15	12.7	41500	26200	9.2	C37-60D	ML180UH135E60D	10590454
14HPX-042-230	44000	15.7	13.5	41500	26600	8.7	C37-60D	SL280UH135V60D	10491421
14HPX-042-230	44000	15.7	13.2	41500	26800	8.7	C37-60D	SLP98UH135XV60D	10491429
14HPX-042-230	43000	14.5	12.2	42500	27400	8.2	C37-60D		10491406
14HPX-042-230	43500	15.7	13.2	42500	26800	8.7	C37-62C	CBWMV-36C-090	10491443
14HPX-042-230	44000	15.7	13.2	42500	27000	8.7	C37-62C	CBWMV-60C-100	10491444
14HPX-042-230	43000	15.2	13	41500	26400	9.5	C37-62C	EL180UH090E60C	10491486
14HPX-042-230	43000	15.2	13	41500	26400	9.5	C37-62C	EL180UH110E60C	10491484
14HPX-042-230	43000	15	13	41500	26400	8.7	C37-62C	EL195UH090XE48C	10491427
14HPX-042-230	43000	15	13	41500	26400	8.7	C37-62C	EL195UH110XE60C	10491439
14HPX-042-230	43000	15	12.5	41500	26400	8.7	C37-62C	EL196UH090XE48C	201933333
14HPX-042-230	43000	15	12.5	41500	26600	8.7	C37-62C	EL196UH110XE60C	201933332
14HPX-042-230	43000	15	13	41500	26400	8.7	C37-62C	EL296UH090XE48C	10491472
14HPX-042-230	43500	15.7	13	42500	27000	8.7	C37-62C	EL296UH090XV36C	10491456
14HPX-042-230	43500	15.7	13.2	42500	27000	8.7	C37-62C	EL296UH090XV48C	10491465
14HPX-042-230	44000	15.7	13	42500	27200	8.7	C37-62C	EL296UH090XV60C	10491466
14HPX-042-230	43000	15	13	41500	26400	8.7	C37-62C	EL296UH110XE60C	10491473
14HPX-042-230	44000	15.7	13.2	42500	27000	8.7	C37-62C	EL296UH110XV48C	10491474
14HPX-042-230	44000	15.7	13.2	42500	27000	8.7	C37-62C	EL296UH110XV60C	10491471
14HPX-042-230	43000	15.2	13	41500	26400	9.5	C37-62C	ML180UH090E60C	10590015

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-042-230	43000	15.2	13	41500	26400	9.5	C37-62C	ML180UH110E60C	10590269
14HPX-042-230	44000	16	13	42500	26800	8.5	C37-62C	SL280UH090V60C	10491412
14HPX-042-230	44000	16	13	42500	26800	8.5	C37-62C	SL280UH090XV60C	10491418
14HPX-042-230	43500	15.7	13	42500	27000	8.7	C37-62C	SL280UH110V60C	10491413
14HPX-042-230	43500	15.7	13	42500	27000	8.7	C37-62C	SL280UH110XV60C	10491416
14HPX-042-230	43500	15.7	13	42500	27000	8.7	C37-62C	SLP98UH090XV36C	10491431
14HPX-042-230	43500	15.7	13.2	42500	27000	8.7	C37-62C	SLP98UH090XV48C	10491432
14HPX-042-230	44000	15.7	13	42500	27200	8.7	C37-62C	SLP98UH090XV60C	10491433
14HPX-042-230	44000	15.7	13.2	42500	27000	8.7	C37-62C	SLP98UH110XV60C	10491434
14HPX-042-230	43000	14.7	12.2	43000	27600	8.5	C37-62C		10491404
14HPX-042-230	43000	15.2	13	41500	26200	9.2	C37-62D	EL180UH135E60D	10491489
14HPX-042-230	42500	14.7	12.7	41500	26400	8.7	C37-62D	EL195UH135XE60D	10491442
14HPX-042-230	42500	14.7	12.7	41500	26400	8.7	C37-62D	EL296UH135XE60D	10491476
14HPX-042-230	43500	15.5	13	42000	27000	8.7	C37-62D	EL296UH135XV60D	10491455
14HPX-042-230	43000	15.2	13	41500	26200	9.2	C37-62D	ML180UH135E60D	10590455
14HPX-042-230	43500	15.7	13.2	41500	26800	8.7	C37-62D	SL280UH135V60D	10491414
14HPX-042-230	43500	15.5	13.2	41500	26800	8.7	C37-62D	SLP98UH135XV60D	10491436
14HPX-042-230	43000	14.2	12.2	42500	27600	8.5	C37-62D		10491407
14HPX-042-230	42000	15	12.5	42000	27400	8.5	CBA27UHE-042-230		10491520
14HPX-042-230	42500	15	12.5	42000	27000	8.5	CBA27UHE-048-230		10491521
14HPX-042-230	42500	15	12.5	42000	27400	8.5	CBA38MV-042-230		201851180
14HPX-042-230	43000	15.5	12.5	42500	26200	8.5	CBA38MV-048-230		201851181
14HPX-042-230	42500	14	12	45500	28200	8.2	CBX25UH-042-230		10491379
14HPX-042-230	42000	15.5	13	44500	27400	8.5	CBX25UHV-042-230		10491166
14HPX-042-230	43500	15.5	13	43500	27400	9	CBX27UH-042-230		10491193
14HPX-042-230	43000	15	12.5	43000	27200	8.5	CBX27UH-048-230		10491292
14HPX-042-230	43000	14.5	12.5	44000	27800	8.7	CBX32M-048		10491182
14HPX-042-230	44000	15.7	13.2	42500	27400	9.2	CH23-68	EL180UH090E60C	10491399
14HPX-042-230	44000	15.5	13.2	42500	27400	9.2	CH23-68	EL180UH110E60C	10491385
14HPX-042-230	44000	15.7	13.2	42500	27400	9.2	CH23-68	EL180UH135E60D	10491391
14HPX-042-230	43500	15.2	13	42500	27400	9.2	CH23-68	EL195UH090XE48C	10491243
14HPX-042-230	44000	15.2	13	42500	27600	9.2	CH23-68	EL195UH110XE60C	10491251
14HPX-042-230	44000	15.2	13	42500	27600	9.2	CH23-68	EL195UH135XE60D	10491259
14HPX-042-230	43500	15	13	42500	27400	9.2	CH23-68	EL196UH090XE48C	201933315
14HPX-042-230	44000	15	12.5	42500	27600	9.2	CH23-68	EL196UH110XE60C	201933316
14HPX-042-230	43500	15.2	13	42500	27400	9.2	CH23-68	EL296UH090XE48C	10491361
14HPX-042-230	44000	15.2	13	42500	27600	9.2	CH23-68	EL296UH110XE60C	10491350
14HPX-042-230	44000	15.2	13	42500	27600	9.2	CH23-68	EL296UH135XE60D	10491347
14HPX-042-230	44000	15.7	13.2	42500	27400	9.5	CH23-68	EL296UH135XV60D	10491316
14HPX-042-230	44000	15.7	13.2	42500	27400	9.2	CH23-68	ML180UH090E60C	10590012
14HPX-042-230	44000	15.5	13.2	42500	27400	9.2	CH23-68	ML180UH110E60C	10590266
14HPX-042-230	44000	15.7	13.2	42500	27400	9.2	CH23-68	ML180UH135E60D	10590450
14HPX-042-230	44000	16	13	42500	27200	9.5	CH23-68	SL280UH135V60D	10491199
14HPX-042-230	44000	15.7	13.2	42500	27400	9.5	CH23-68	SLP98UH135XV60D	10491224
14HPX-042-230	43500	14.5	12.2	43000	28000	9	CH23-68		10491148
14HPX-042-230	44000	15.2	13	42500	27200	8.7	CH33-43B	EL180UH090E48B	10491402
14HPX-042-230	43500	14.7	12.7	42500	27400	8.5	CH33-43B	EL296UH045XV36B	10491323
14HPX-042-230	43500	14.7	12.5	42500	27400	8.5	CH33-43B	EL296UH070XV36B	10491307
14HPX-042-230	44000	15.2	13	42500	27200	8.7	CH33-43B	ML180UH090E48B	10589796
14HPX-042-230	44000	15.5	13	42500	27200	8.7	CH33-43B	SL280UH090V36B	10491294
14HPX-042-230	44000	15.2	13	42500	27200	8.7	CH33-43B	SL280UH090V48B	10491188
14HPX-042-230	44000	15.2	13	42500	27200	8.7	CH33-43B	SL280UH090XV48B	10491185
14HPX-042-230	43500	14.7	12.5	42500	27400	8.5	CH33-43B	SLP98UH070XV36B	10491225
14HPX-042-230	43500	14.5	12.2	43000	27600	8.5	CH33-43B		10491151
14HPX-042-230	43000	15.2	13	42500	26800	8.2	CH33-43C	EL180UH090E60C	10491393

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-042-230	43000	15.2	13	42000	26800	8.2	CH33-43C	EL180UH110E60C	10491368
14HPX-042-230	42500	15	12.7	42000	26800	8.2	CH33-43C	EL195UH090XE48C	10491244
14HPX-042-230	43000	15	12.7	42500	27000	8.2	CH33-43C	EL195UH110XE60C	10491252
14HPX-042-230	42500	15	12.5	42000	26800	8.2	CH33-43C	EL196UH090XE48C	201933318
14HPX-042-230	43000	15	12.5	42500	27000	8.2	CH33-43C	EL196UH110XE60C	201933319
14HPX-042-230	42500	15	12.7	42000	26800	8.2	CH33-43C	EL296UH090XE48C	10491353
14HPX-042-230	42500	15.2	12.7	42500	26800	8.2	CH33-43C	EL296UH090XV36C	10491300
14HPX-042-230	42500	15.2	12.7	42500	26800	8.2	CH33-43C	EL296UH090XV48C	10491320
14HPX-042-230	43000	15.2	12.7	42500	27000	8.2	CH33-43C	EL296UH090XV60C	10491333
14HPX-042-230	43000	15	12.7	42500	27000	8.2	CH33-43C	EL296UH110XE60C	10491354
14HPX-042-230	43000	15.2	13	42500	26800	8.2	CH33-43C	EL296UH110XV48C	10491344
14HPX-042-230	43000	15.2	13	42500	26800	8.2	CH33-43C	EL296UH110XV60C	10491342
14HPX-042-230	43000	15.2	13	42500	26800	8.2	CH33-43C	ML180UH090E60C	10590008
14HPX-042-230	43000	15.2	13	42000	26800	8.2	CH33-43C	ML180UH110E60C	10590258
14HPX-042-230	43000	15.5	13	42500	26800	8.5	CH33-43C	SL280UH090V60C	10491189
14HPX-042-230	43000	15.5	13	42500	26800	8.5	CH33-43C	SL280UH090XV60C	10491170
14HPX-042-230	42500	15.2	12.7	42500	26800	8.2	CH33-43C	SL280UH110V60C	10491190
14HPX-042-230	42500	15.2	12.7	42500	26800	8.2	CH33-43C	SL280UH110XV60C	10491169
14HPX-042-230	42500	15.2	12.7	42500	26800	8.2	CH33-43C	SLP98UH090XV36C	10491226
14HPX-042-230	42500	15.2	12.7	42500	26800	8.2	CH33-43C	SLP98UH090XV48C	10491227
14HPX-042-230	43000	15.2	12.7	42500	27000	8.2	CH33-43C	SLP98UH090XV60C	10491228
14HPX-042-230	43000	15.2	13	42500	26800	8.2	CH33-43C	SLP98UH110XV60C	10491241
14HPX-042-230	42000	14.7	12.5	42500	27000	8.5	CH33-44/48	EL180UH090E48B	10491400
14HPX-042-230	41500	14.2	12.2	42500	27200	8.2	CH33-44/48	EL296UH045XV36B	10491314
14HPX-042-230	41500	14.2	12.2	42500	27200	8.2	CH33-44/48	EL296UH070XV36B	10491326
14HPX-042-230	42000	14.7	12.5	42500	27000	8.5	CH33-44/48	ML180UH090E48B	10589795
14HPX-042-230	42000	14.7	12.7	42500	27000	8.5	CH33-44/48	SL280UH090V36B	10491293
14HPX-042-230	42000	14.7	12.5	42500	27000	8.5	CH33-44/48	SL280UH090V48B	10491191
14HPX-042-230	42000	14.7	12.5	42500	27000	8.5	CH33-44/48	SL280UH090XV48B	10491186
14HPX-042-230	41500	14.2	12.2	42500	27200	8.2	CH33-44/48	SLP98UH070XV36B	10491230
14HPX-042-230	41500	14	11.7	43000	27600	8.2	CH33-44/48		10491152
14HPX-042-230	42500	15	12.7	42000	26800	8.2	CH33-48	EL180UH090E60C	10491403
14HPX-042-230	42000	15	12.7	42000	26800	8.2	CH33-48	EL180UH110E60C	10491374
14HPX-042-230	42000	14.7	12.5	42500	26800	8.2	CH33-48	EL296UH090XV36C	10491348
14HPX-042-230	42500	15	12.7	42500	26800	8.2	CH33-48	EL296UH090XV48C	10491335
14HPX-042-230	42500	14.7	12.5	42500	27000	8.2	CH33-48	EL296UH090XV60C	10491312
14HPX-042-230	42500	15	12.7	42500	26800	8.2	CH33-48	EL296UH110XV48C	10491319
14HPX-042-230	42500	15	12.7	42500	26800	8.2	CH33-48	EL296UH110XV60C	10491321
14HPX-042-230	42500	15	12.7	42000	26800	8.2	CH33-48	ML180UH090E60C	10590014
14HPX-042-230	42000	15	12.7	42000	26800	8.2	CH33-48	ML180UH110E60C	10590259
14HPX-042-230	42500	15.2	12.7	42500	26800	8.2	CH33-48	SL280UH090V60C	10491204
14HPX-042-230	42500	15.2	12.7	42500	26800	8.2	CH33-48	SL280UH090XV60C	10491179
14HPX-042-230	42500	15	12.7	42500	26800	8.2	CH33-48	SL280UH110V60C	10491205
14HPX-042-230	42500	15	12.7	42500	26800	8.2	CH33-48	SL280UH110XV60C	10491171
14HPX-042-230	42000	14.7	12.5	42500	26800	8.2	CH33-48	SLP98UH090XV36C	10491231
14HPX-042-230	42500	15	12.7	42500	26800	8.2	CH33-48	SLP98UH090XV48C	10491232
14HPX-042-230	42500	14.7	12.5	42500	27000	8.2	CH33-48	SLP98UH090XV60C	10491233
14HPX-042-230	42500	15	12.7	42500	26800	8.2	CH33-48	SLP98UH110XV60C	10491234
14HPX-042-230	42000	14.7	12.5	42000	26800	8.2	CH33-48C	EL195UH090XE48C	10491245
14HPX-042-230	42500	14.7	12.5	42500	27000	8.2	CH33-48C	EL195UH110XE60C	10491254
14HPX-042-230	42000	14.5	12.5	42000	26800	8.2	CH33-48C	EL196UH090XE48C	201933320
14HPX-042-230	42500	14.5	12.5	42500	27000	8.2	CH33-48C	EL196UH110XE60C	201933321
14HPX-042-230	42000	14.7	12.5	42000	26800	8.2	CH33-48C	EL296UH090XE48C	10491364
14HPX-042-230	42500	14.7	12.5	42500	27000	8.2	CH33-48C	EL296UH110XE60C	10491365
14HPX-042-230	43500	15.2	13	42000	26800	8.7	CH33-49	EL180UH090E60C	10491394

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-042-230	43000	15.2	13	42000	26800	8.7	CH33-49	EL180UH110E60C	10491384
14HPX-042-230	43000	15	12.7	42000	26800	8.5	CH33-49	EL195UH090XE48C	10491246
14HPX-042-230	43500	15.2	12.7	42500	27000	8.7	CH33-49	EL195UH110XE60C	10491255
14HPX-042-230	43000	15	12.5	42000	26800	8.5	CH33-49	EL196UH090XE48C	201933322
14HPX-042-230	43500	15	12.5	42500	27000	8.7	CH33-49	EL196UH110XE60C	201933323
14HPX-042-230	43000	15	12.7	42000	26800	8.5	CH33-49	EL296UH090XE48C	10491370
14HPX-042-230	43500	15.2	13	42000	27000	8.7	CH33-49	EL296UH090XV36C	10491343
14HPX-042-230	43500	15.2	13	42000	26800	8.7	CH33-49	EL296UH090XV48C	10491334
14HPX-042-230	44000	15.2	13	42500	27200	8.7	CH33-49	EL296UH090XV60C	10491311
14HPX-042-230	43500	15.2	12.7	42500	27000	8.7	CH33-49	EL296UH110XE60C	10491371
14HPX-042-230	43500	15.2	13	42000	26800	8.7	CH33-49	EL296UH110XV48C	10491318
14HPX-042-230	43500	15.2	13	42000	26800	8.7	CH33-49	EL296UH110XV60C	10491303
14HPX-042-230	43500	15.2	13	42000	26800	8.7	CH33-49	ML180UH090E60C	10590009
14HPX-042-230	43000	15.2	13	42000	26800	8.7	CH33-49	ML180UH110E60C	10590265
14HPX-042-230	44000	15.5	13.2	42000	27000	8.7	CH33-49	SL280UH090V60C	10491194
14HPX-042-230	44000	15.5	13.2	42000	27000	8.7	CH33-49	SL280UH090XV60C	10491180
14HPX-042-230	43500	15.2	13	42000	27000	8.7	CH33-49	SL280UH110V60C	10491195
14HPX-042-230	43500	15.2	13	42000	27000	8.7	CH33-49	SL280UH110XV60C	10491167
14HPX-042-230	43500	15.2	13	42000	27000	8.7	CH33-49	SLP98UH090XV36C	10491247
14HPX-042-230	43500	15.2	13	42000	26800	8.7	CH33-49	SLP98UH090XV48C	10491236
14HPX-042-230	44000	15.2	13	42500	27200	8.7	CH33-49	SLP98UH090XV60C	10491237
14HPX-042-230	43500	15.2	13	42000	26800	8.7	CH33-49	SLP98UH110XV60C	10491238
14HPX-042-230	43000	14.2	12.2	42500	27400	8.5	CH33-49		10491153
14HPX-042-230	43000	15.2	12.7	42000	26800	8.7	CH33-50/60C	EL180UH090E60C	10491401
14HPX-042-230	43000	15.2	13	42000	26800	8.5	CH33-50/60C	EL180UH110E60C	10491383
14HPX-042-230	43000	15	12.7	42000	26800	8.5	CH33-50/60C	EL195UH090XE48C	10491248
14HPX-042-230	43500	15	12.7	42000	27000	8.5	CH33-50/60C	EL195UH110XE60C	10491256
14HPX-042-230	43000	15	12.5	42000	26800	8.5	CH33-50/60C	EL196UH090XE48C	201933324
14HPX-042-230	43500	15	12.5	42000	27000	8.5	CH33-50/60C	EL196UH110XE60C	201933325
14HPX-042-230	43000	15	12.7	42000	26800	8.5	CH33-50/60C	EL296UH090XE48C	10491377
14HPX-042-230	43000	15.2	12.7	42500	27200	8.5	CH33-50/60C	EL296UH090XV36C	10491295
14HPX-042-230	43500	15.2	13	42500	27200	8.5	CH33-50/60C	EL296UH090XV48C	10491325
14HPX-042-230	43500	15.2	12.7	42500	27400	8.5	CH33-50/60C	EL296UH090XV60C	10491327
14HPX-042-230	43500	15	12.7	42000	27000	8.5	CH33-50/60C	EL296UH110XE60C	10491378
14HPX-042-230	43500	15.2	13	42500	27200	8.5	CH33-50/60C	EL296UH110XV48C	10491349
14HPX-042-230	43500	15.2	13	42500	27200	8.5	CH33-50/60C	EL296UH110XV60C	10491336
14HPX-042-230	43000	15.2	12.7	42000	26800	8.7	CH33-50/60C	ML180UH090E60C	10590013
14HPX-042-230	43000	15.2	13	42000	26800	8.5	CH33-50/60C	ML180UH110E60C	10590264
14HPX-042-230	43500	15.5	13	42500	27200	8.7	CH33-50/60C	SL280UH090V60C	10491196
14HPX-042-230	43500	15.5	13	42500	27200	8.7	CH33-50/60C	SL280UH090XV60C	10491181
14HPX-042-230	43500	15.2	13	42500	27200	8.5	CH33-50/60C	SL280UH110V60C	10491197
14HPX-042-230	43500	15.2	13	42500	27200	8.5	CH33-50/60C	SL280UH110XV60C	10491168
14HPX-042-230	43000	15.2	12.7	42500	27200	8.5	CH33-50/60C	SLP98UH090XV36C	10491239
14HPX-042-230	43500	15.2	13	42500	27200	8.5	CH33-50/60C	SLP98UH090XV48C	10491277
14HPX-042-230	43500	15.2	12.7	42500	27400	8.5	CH33-50/60C	SLP98UH090XV60C	10491266
14HPX-042-230	43500	15.2	13	42500	27200	8.5	CH33-50/60C	SLP98UH110XV60C	10491267
14HPX-042-230	43000	14.2	12.2	43000	27800	8.2	CH33-50/60C		10491154
14HPX-042-230	44500	15.7	13.2	42500	27000	8.5	CH33-60D	EL180UH135E60D	10491390
14HPX-042-230	44000	15.2	13	42500	27200	8.5	CH33-60D	EL195UH135XE60D	10491262
14HPX-042-230	44000	15.2	13	42500	27200	8.5	CH33-60D	EL296UH135XE60D	10491351
14HPX-042-230	44500	15.7	13.2	42500	27000	8.7	CH33-60D	EL296UH135XV60D	10491304
14HPX-042-230	44500	15.7	13.2	42500	27000	8.5	CH33-60D	ML180UH135E60D	10590449
14HPX-042-230	44000	16	13	42000	26800	8.5	CH33-60D	SL280UH135V60D	10491210
14HPX-042-230	44000	15.7	13.2	42500	26800	8.7	CH33-60D	SLP98UH135XV60D	10491280
14HPX-042-230	43500	14.5	12.2	43000	27600	8.2	CH33-60D		10491157

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-042-230	42500	15	12.7	41500	26200	9.2	CH33-62D	EL180UH135E60D	10491382
14HPX-042-230	42500	14.7	12.7	41500	26400	8.7	CH33-62D	EL195UH135XE60D	10491268
14HPX-042-230	42500	14.7	12.7	41500	26400	8.7	CH33-62D	EL296UH135XE60D	10491352
14HPX-042-230	43500	15.5	13	42000	26800	8.7	CH33-62D	EL296UH135XV60D	10491297
14HPX-042-230	42500	15	12.7	41500	26200	9.2	CH33-62D	ML180UH135E60D	10590446
14HPX-042-230	43500	15.7	13.2	41500	26600	8.7	CH33-62D	SL280UH135V60D	10491211
14HPX-042-230	43500	15.7	13.2	42000	26800	8.7	CH33-62D	SLP98UH135XV60D	10491281
14HPX-042-230	43000	14.2	12.2	42500	27400	8.2	CH33-62D		10491158
14HPX-042-230	44500	15.5	13.2	43000	27000	9	CR33-50/60	EL180DF110E60C	10491389
14HPX-042-230	44000	15.2	13	43000	27200	8.7	CR33-50/60	EL195DF090XE48C	10491213
14HPX-042-230	44500	15.2	13	43500	27200	9	CR33-50/60	EL195DF110XE60C	10491214
14HPX-042-230	44000	15	12.5	43000	27200	8.7	CR33-50/60	EL196DF090XE48C	201953271
14HPX-042-230	44000	15.2	13	43000	27200	8.7	CR33-50/60	EL296DF090XE48C	10491369
14HPX-042-230	44500	15.2	13	43500	27200	9	CR33-50/60	EL296DF090XV60C	10491315
14HPX-042-230	44500	15.2	13	43500	27200	9	CR33-50/60	EL296DF110XE60C	10491362
14HPX-042-230	44500	15.5	13.2	43000	27200	9	CR33-50/60	EL296DF110XV60C	10491328
14HPX-042-230	44500	15.5	13.2	43000	27000	9	CR33-50/60	ML180DF110E60C	10589549
14HPX-042-230	44000	15.7	13.2	43000	27000	9	CR33-50/60	SL280DF090V60C	10491200
14HPX-042-230	44500	15.7	13.2	43000	27000	9	CR33-50/60	SL280DF110V60C	10491201
14HPX-042-230	44000	15.2	13	43000	27200	9	CR33-50/60	SLP98DF090XV36C	10491282
14HPX-042-230	44500	15.2	13	43000	27200	9	CR33-50/60	SLP98DF090XV48C	10491283
14HPX-042-230	44500	15.2	13	43500	27200	9	CR33-50/60	SLP98DF090XV60C	10491272
14HPX-042-230	44500	15.5	13.2	43000	27200	9	CR33-50/60	SLP98DF110XV60C	10491273
14HPX-042-230	43500	14.2	12.2	43500	27800	8.7	CR33-50/60		10491159
14HPX-042-230	43500	14.2	12.2	43500	27800	8.7	CR33-60		10491160
14HPX-042-230	43500	15.5	13	41500	26600	8.5	CX38-49C	CBWMV-36C-090	10491448
14HPX-042-230	44000	15.5	13.2	41500	26600	8.5	CX38-49C	CBWMV-60C-100	10491437
14HPX-042-230	44000	15.5	13.2	41500	26600	8.5	CX38-49C	EL180UH090E60C	10491490
14HPX-042-230	44000	15.5	13.2	41500	26600	8.5	CX38-49C	EL180UH110E60C	10491483
14HPX-042-230	43500	15.2	13	41500	26600	8.5	CX38-49C	EL195UH090XE48C	10491445
14HPX-042-230	44000	15.2	13	42000	27000	8.5	CX38-49C	EL195UH110XE60C	10491446
14HPX-042-230	43500	15	13	41500	26800	8.5	CX38-49C	EL196UH090XE48C	201933335
14HPX-042-230	44000	15	12.5	42000	27000	8.5	CX38-49C	EL196UH110XE60C	201933334
14HPX-042-230	43500	15.2	13	41500	26600	8.5	CX38-49C	EL296UH090XE48C	10491481
14HPX-042-230	43500	15.5	13	41500	26600	8.5	CX38-49C	EL296UH090XV36C	10491469
14HPX-042-230	43500	15.5	13.2	41500	26600	8.5	CX38-49C	EL296UH090XV48C	10491470
14HPX-042-230	44000	15.5	13	42000	26800	8.7	CX38-49C	EL296UH090XV60C	10491462
14HPX-042-230	44000	15.2	13	42000	27000	8.5	CX38-49C	EL296UH110XE60C	10491479
14HPX-042-230	44000	15.7	13.2	41500	26600	8.7	CX38-49C	EL296UH110XV48C	10491460
14HPX-042-230	44000	15.7	13.2	41500	26600	8.7	CX38-49C	EL296UH110XV60C	10491458
14HPX-042-230	44000	15.5	13.2	41500	26600	8.5	CX38-49C	ML180UH090E60C	10590017
14HPX-042-230	44000	15.5	13.2	41500	26600	8.5	CX38-49C	ML180UH110E60C	10590268
14HPX-042-230	44000	15.7	13.2	41500	26600	8.7	CX38-49C	SL280UH090V60C	10491422
14HPX-042-230	44000	15.7	13.2	41500	26600	8.7	CX38-49C	SL280UH090XV60C	10491419
14HPX-042-230	44000	15.5	13.2	41500	26800	8.5	CX38-49C	SL280UH110V60C	10491423
14HPX-042-230	44000	15.5	13.2	41500	26800	8.5	CX38-49C	SL280UH110XV60C	10491417
14HPX-042-230	43500	15.5	13	41500	26600	8.5	CX38-49C	SLP98UH090XV36C	10491452
14HPX-042-230	43500	15.5	13.2	41500	26600	8.5	CX38-49C	SLP98UH090XV48C	10491453
14HPX-042-230	44000	15.5	13	42000	26800	8.7	CX38-49C	SLP98UH090XV60C	10491450
14HPX-042-230	44000	15.7	13.2	41500	26600	8.7	CX38-49C	SLP98UH110XV60C	10491451
14HPX-042-230	43500	14.5	12.2	42000	27400	8.2	CX38-49C		10491408
14HPX-042-230	42500	15	12.7	41500	26200	9.2	CX38-60D	EL180UH135E60D	10491517
14HPX-042-230	42500	14.7	12.7	41500	26400	8.7	CX38-60D	EL195UH135XE60D	10491500
14HPX-042-230	42500	14.7	12.7	41500	26400	8.7	CX38-60D	EL296UH135XE60D	10491515
14HPX-042-230	44000	15.7	13.2	42000	26800	8.7	CX38-60D	EL296UH135XV60D	10491510

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-042-230	42500	15	12.7	41500	26200	9.2	CX38-60D	ML180UH135E60D	10590456
14HPX-042-230	44000	15.7	13.5	41500	26600	8.7	CX38-60D	SL280UH135V60D	10491495
14HPX-042-230	44000	15.7	13.2	41500	26800	8.7	CX38-60D	SLP98UH135XV60D	10491502
14HPX-042-230	43000	14.5	12.2	42500	27400	8.2	CX38-60D		10491491
14HPX-042-230	43500	15.7	13.2	42500	26800	8.7	CX38-62C	CBWMV-36C-090	10491501
14HPX-042-230	44000	15.7	13.2	42500	27000	8.7	CX38-62C	CBWMV-60C-100	10491519
14HPX-042-230	43000	15.2	13	41500	26400	9.5	CX38-62C	EL180UH090E60C	10491518
14HPX-042-230	43000	15.2	13	41500	26400	9.5	CX38-62C	EL180UH110E60C	10491516
14HPX-042-230	43000	15	13	41500	26400	8.7	CX38-62C	EL195UH090XE48C	10491498
14HPX-042-230	43000	15	13	41500	26400	8.7	CX38-62C	EL195UH110XE60C	10491499
14HPX-042-230	43000	15	12.5	41500	26400	8.7	CX38-62C	EL196UH090XE48C	201933338
14HPX-042-230	43000	15	12.5	41500	26600	8.7	CX38-62C	EL196UH110XE60C	201933337
14HPX-042-230	43000	15	13	41500	26400	8.7	CX38-62C	EL296UH090XE48C	10491513
14HPX-042-230	43500	15.7	13	42500	27000	8.7	CX38-62C	EL296UH090XV36C	10491511
14HPX-042-230	43500	15.7	13.2	42500	27000	8.7	CX38-62C	EL296UH090XV48C	10491507
14HPX-042-230	44000	15.7	13	42500	27200	8.7	CX38-62C	EL296UH090XV60C	10491509
14HPX-042-230	43000	15	13	41500	26400	8.7	CX38-62C	EL296UH110XE60C	10491514
14HPX-042-230	44000	15.7	13.2	42500	27000	8.7	CX38-62C	EL296UH110XV48C	10491508
14HPX-042-230	44000	15.7	13.2	42500	27000	8.7	CX38-62C	EL296UH110XV60C	10491512
14HPX-042-230	43000	15.2	13	41500	26400	9.5	CX38-62C	ML180UH090E60C	10590018
14HPX-042-230	43000	15.2	13	41500	26400	9.5	CX38-62C	ML180UH110E60C	10590270
14HPX-042-230	44000	16	13	42500	26800	8.5	CX38-62C	SL280UH090V60C	10491496
14HPX-042-230	44000	16	13	42500	26800	8.5	CX38-62C	SL280UH090XV60C	10491494
14HPX-042-230	43500	15.7	13	42500	27000	8.7	CX38-62C	SL280UH110V60C	10491497
14HPX-042-230	43500	15.7	13	42500	27000	8.7	CX38-62C	SL280UH110XV60C	10491493
14HPX-042-230	43500	15.7	13	42500	27000	8.7	CX38-62C	SLP98UH090XV36C	10491503
14HPX-042-230	43500	15.7	13.2	42500	27000	8.7	CX38-62C	SLP98UH090XV48C	10491504
14HPX-042-230	44000	15.7	13	42500	27200	8.7	CX38-62C	SLP98UH090XV60C	10491505
14HPX-042-230	44000	15.7	13.2	42500	27000	8.7	CX38-62C	SLP98UH110XV60C	10491506
14HPX-042-230	43000	14.7	12.2	43000	27600	8.5	CX38-62C		10491492
14HPX-042-230	43000	15.2	13	41500	26200	9.2	CX38-62D	EL180UH135E60D	10491485
14HPX-042-230	42500	14.7	12.7	41500	26400	8.7	CX38-62D	EL195UH135XE60D	10491447
14HPX-042-230	42500	14.7	12.7	41500	26400	8.7	CX38-62D	EL296UH135XE60D	10491475
14HPX-042-230	43500	15.5	13	42000	27000	8.7	CX38-62D	EL296UH135XV60D	10491464
14HPX-042-230	43000	15.2	13	41500	26200	9.2	CX38-62D	ML180UH135E60D	10590453
14HPX-042-230	43500	15.7	13.2	41500	26800	8.7	CX38-62D	SL280UH135V60D	10491424
14HPX-042-230	43500	15.5	13.2	41500	26800	8.7	CX38-62D	SLP98UH135XV60D	10491454
14HPX-042-230	43000	14.2	12.2	42500	27600	8.5	CX38-62D		10491409
14HPX-048-230	49000	14.5	12.7	46000	30000	8.5	C37-49C	CBWMV-60C-100	10491088
14HPX-048-230	49000	14.5	12.7	46000	30000	8.5	C37-49C	CBWMV-60C-120	10491085
14HPX-048-230	49000	15	12.7	45500	30000	8.7	C37-49C	EL180UH090E60C	10491107
14HPX-048-230	48500	14.7	12.7	45500	30000	8.5	C37-49C	EL180UH110E60C	10491109
14HPX-048-230	49000	14.7	12.7	46000	30200	8.5	C37-49C	EL195UH090XE48C	10491073
14HPX-048-230	49000	14.5	12.7	46000	30200	8.5	C37-49C	EL195UH110XE60C	10491067
14HPX-048-230	49000	14.5	12.5	46000	30400	8.5	C37-49C	EL196UH090XE48C	201933365
14HPX-048-230	49000	14.5	12.5	46000	30200	8.5	C37-49C	EL196UH110XE60C	201933364
14HPX-048-230	49000	14.7	12.7	46000	30200	8.5	C37-49C	EL296UH090XE48C	10491086
14HPX-048-230	49000	14.5	12.7	46000	30000	8.5	C37-49C	EL296UH090XV48C	10491114
14HPX-048-230	49000	14.5	12.7	46000	30000	8.5	C37-49C	EL296UH090XV60C	10491110
14HPX-048-230	49000	14.5	12.7	46000	30200	8.5	C37-49C	EL296UH110XE60C	10491093
14HPX-048-230	49000	14.5	12.7	46000	30000	8.5	C37-49C	EL296UH110XV48C	10491096
14HPX-048-230	49000	14.5	12.7	46000	30000	8.5	C37-49C	EL296UH110XV60C	10491113
14HPX-048-230	49000	15	12.7	45500	30000	8.7	C37-49C	ML180UH090E60C	10590003
14HPX-048-230	48500	14.7	12.7	45500	30000	8.5	C37-49C	ML180UH110E60C	10590256
14HPX-048-230	49000	14.7	12.7	46000	30000	8.5	C37-49C	SL280UH090V60C	10491053

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-048-230	49000	14.7	12.7	46000	30000	8.5	C37-49C	SL280UH090XV60C	10491059
14HPX-048-230	49000	14.7	12.7	46000	29800	8.5	C37-49C	SL280UH110V60C	10491054
14HPX-048-230	49000	14.7	12.7	46000	29800	8.5	C37-49C	SL280UH110XV60C	10491056
14HPX-048-230	49000	14.5	12.7	46000	30000	8.5	C37-49C	SLP98UH090XV48C	10491077
14HPX-048-230	49000	14.5	12.7	46000	30000	8.5	C37-49C	SLP98UH090XV60C	10491079
14HPX-048-230	49000	14.5	12.7	46000	30000	8.5	C37-49C	SLP98UH110XV60C	10491080
14HPX-048-230	49000	14	12.2	46500	30400	8.2	C37-49C		10491049
14HPX-048-230	47500	14.7	12.5	47500	31000	8.2	C37-60D	EL180UH135E60D	10491105
14HPX-048-230	47500	14.7	12.5	47500	31000	8.2	C37-60D	ML180UH135E60D	10590444
14HPX-048-230	49000	14.5	12.7	46500	30400	9	C37-62C	CBWMV-60C-100	10491069
14HPX-048-230	48500	14.5	12.5	46500	30400	9	C37-62C	CBWMV-60C-120	10491070
14HPX-048-230	48500	15	12.7	46000	30400	9	C37-62C	EL180UH090E60C	10491106
14HPX-048-230	48500	15	12.7	46000	30400	9	C37-62C	EL180UH110E60C	10491104
14HPX-048-230	48500	14.7	12.5	46500	30600	9	C37-62C	EL195UH090XE48C	10491078
14HPX-048-230	48500	14.5	12.7	46500	30400	9	C37-62C	EL195UH110XE60C	10491065
14HPX-048-230	48500	14.5	12.5	46500	30600	9	C37-62C	EL196UH090XE48C	201933366
14HPX-048-230	48500	14.5	12.5	46500	30600	9	C37-62C	EL196UH110XE60C	201933367
14HPX-048-230	48500	14.7	12.5	46500	30600	9	C37-62C	EL296UH090XE48C	10491092
14HPX-048-230	48500	14.5	12.7	46500	30400	9	C37-62C	EL296UH090XV48C	10491115
14HPX-048-230	48500	14.5	12.7	46500	30400	9	C37-62C	EL296UH090XV60C	10491117
14HPX-048-230	48500	14.5	12.7	46500	30400	9	C37-62C	EL296UH110XE60C	10491102
14HPX-048-230	48500	14.7	12.7	46500	30400	9	C37-62C	EL296UH110XV48C	10491097
14HPX-048-230	48500	14.5	12.7	46500	30400	9	C37-62C	EL296UH110XV60C	10491112
14HPX-048-230	48500	15	12.7	46000	30400	9	C37-62C	ML180UH090E60C	10590002
14HPX-048-230	48500	15	12.7	46000	30400	9	C37-62C	ML180UH110E60C	10590255
14HPX-048-230	49000	14.7	12.7	46500	30200	9	C37-62C	SL280UH090V60C	10491061
14HPX-048-230	49000	14.7	12.7	46500	30200	9	C37-62C	SL280UH090XV60C	10491060
14HPX-048-230	48500	14.7	12.7	46000	30200	9	C37-62C	SL280UH110V60C	10491062
14HPX-048-230	48500	14.7	12.7	46000	30200	9	C37-62C	SL280UH110XV60C	10491057
14HPX-048-230	48500	14.5	12.7	46500	30400	9	C37-62C	SLP98UH090XV48C	10491081
14HPX-048-230	48500	14.5	12.7	46500	30400	9	C37-62C	SLP98UH090XV60C	10491082
14HPX-048-230	48500	14.5	12.7	46500	30400	9	C37-62C	SLP98UH110XV60C	10491083
14HPX-048-230	48500	14	12.2	47000	30800	8.7	C37-62C		10491050
14HPX-048-230	48000	14.7	12.5	46000	30400	8.7	C37-62D	EL180UH135E60D	10491100
14HPX-048-230	48000	14.5	12.2	46000	30600	8.7	C37-62D	EL195UH135XE60D	10491066
14HPX-048-230	48000	14.5	12.2	46000	30600	8.7	C37-62D	EL296UH135XE60D	10491098
14HPX-048-230	48000	14.5	12.5	46000	30400	8.7	C37-62D	EL296UH135XV60D	10491119
14HPX-048-230	48000	14.7	12.5	46000	30400	8.7	C37-62D	ML180UH135E60D	10590442
14HPX-048-230	48000	14.5	12.5	46000	30200	8.7	C37-62D	SL280UH135V60D	10491063
14HPX-048-230	48000	14.5	12.7	46000	30000	8.7	C37-62D	SLP98UH135XV60D	10491084
14HPX-048-230	49500	15	12.5	47500	30600	9	CBA27UHE-048-230		10491142
14HPX-048-230	48000	14.5	12.5	47000	30600	8.5	CBA27UHE-060-230		10491143
14HPX-048-230	49000	15	12.5	47500	30600	9	CBA38MV-048-230		201851182
14HPX-048-230	49500	15	12.5	47500	30600	9	CBA38MV-060-230		201851183
14HPX-048-230	49000	14	12	47000	30200	8.2	CBX25UH-048-230		10491011
14HPX-048-230	48500	14	12	47000	30400	8.2	CBX25UH-060-230		10491044
14HPX-048-230	48000	15	12.5	46500	29800	8.5	CBX25UHV-048-230		10491045
14HPX-048-230	49000	15	12.5	47000	30000	8.2	CBX25UHV-060-230		10490905
14HPX-048-230	49500	15	12.7	47500	30600	9.2	CBX27UH-048-230		10490917
14HPX-048-230	49500	15.2	12.7	43500	29800	9	CBX27UH-060-230		10490906
14HPX-048-230	49500	14.7	12.5	48000	30800	9	CBX32M-048		10490920
14HPX-048-230	49500	14.5	12.2	48000	30800	8.7	CBX32M-060		10490921
14HPX-048-230	50500	15.2	13.2	46500	31000	9.2	CH23-68	EL180UH090E60C	10491028
14HPX-048-230	50000	15.2	13	46500	31000	9.2	CH23-68	EL180UH110E60C	10491008
14HPX-048-230	50500	15.2	13	47000	31000	9.2	CH23-68	EL180UH135E60D	10491006

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-048-230	50000	15	12.7	47000	31200	9.2	CH23-68	EL195UH090XE48C	10490949
14HPX-048-230	50500	15.2	13	47000	31200	9.2	CH23-68	EL195UH110XE60C	10490929
14HPX-048-230	50500	14.7	12.7	47000	31400	9.2	CH23-68	EL195UH135XE60D	10490935
14HPX-048-230	50000	15	12.5	47000	31200	9.2	CH23-68	EL196UH090XE48C	201933357
14HPX-048-230	50500	15	12.5	47000	31200	9.2	CH23-68	EL196UH110XE60C	201933358
14HPX-048-230	50000	15	12.7	47000	31200	9.2	CH23-68	EL296UH090XE48C	10490986
14HPX-048-230	50500	15.2	13	47000	31200	9.2	CH23-68	EL296UH110XE60C	10490999
14HPX-048-230	50500	14.7	12.7	47000	31400	9.2	CH23-68	EL296UH135XE60D	10491003
14HPX-048-230	51000	15.2	13.2	47000	30800	9.2	CH23-68	EL296UH135XV60D	10491037
14HPX-048-230	50500	15.2	13.2	46500	31000	9.2	CH23-68	ML180UH090E60C	10590000
14HPX-048-230	50000	15.2	13	46500	31000	9.2	CH23-68	ML180UH110E60C	10590249
14HPX-048-230	50500	15.2	13	47000	31000	9.2	CH23-68	ML180UH135E60D	10590437
14HPX-048-230	50500	15.2	13.2	46500	30800	9.2	CH23-68	SL280UH135V60D	10490931
14HPX-048-230	50500	15.2	13.2	46500	30600	9.2	CH23-68	SLP98UH135XV60D	10490971
14HPX-048-230	49500	14	12.2	47500	31400	9	CH23-68		10490892
14HPX-048-230	48500	14.7	12.7	45500	29800	8.5	CH33-50/60C	EL180UH090E60C	10491014
14HPX-048-230	49000	14.2	12.2	46500	30200	8.5	CH33-50/60C	EL180UH110E60C	10491023
14HPX-048-230	48000	14.2	12.2	45500	29800	8.2	CH33-50/60C	EL195UH090XE48C	10490946
14HPX-048-230	48000	14.2	12.5	45500	29800	8.2	CH33-50/60C	EL195UH110XE60C	10490930
14HPX-048-230	48000	14.25	12.2	45500	30000	8.2	CH33-50/60C	EL196UH090XE48C	201933360
14HPX-048-230	48000	14.25	12.5	45500	29800	8.2	CH33-50/60C	EL196UH110XE60C	201933361
14HPX-048-230	48000	14.2	12.2	45500	29800	8.2	CH33-50/60C	EL296UH090XE48C	10490984
14HPX-048-230	48500	14.2	12.5	46000	29800	8.2	CH33-50/60C	EL296UH090XV48C	10491024
14HPX-048-230	48500	14.2	12.2	46000	29800	8.2	CH33-50/60C	EL296UH090XV60C	10491026
14HPX-048-230	48000	14.2	12.5	45500	29800	8.2	CH33-50/60C	EL296UH110XE60C	10490982
14HPX-048-230	48500	14.2	12.5	46000	29800	8.5	CH33-50/60C	EL296UH110XV48C	10490995
14HPX-048-230	48500	14.2	12.5	46000	29800	8.2	CH33-50/60C	EL296UH110XV60C	10491030
14HPX-048-230	48500	14.7	12.7	45500	29800	8.5	CH33-50/60C	ML180UH090E60C	10589997
14HPX-048-230	49000	14.2	12.2	46500	30200	8.5	CH33-50/60C	ML180UH110E60C	10590253
14HPX-048-230	48500	14.5	12.5	46000	29600	8.5	CH33-50/60C	SL280UH090V60C	10490932
14HPX-048-230	48500	14.5	12.5	46000	29600	8.5	CH33-50/60C	SL280UH090XV60C	10490909
14HPX-048-230	48500	14.2	12.5	46000	29600	8.5	CH33-50/60C	SL280UH110V60C	10490933
14HPX-048-230	48500	14.2	12.5	46000	29600	8.5	CH33-50/60C	SL280UH110XV60C	10490902
14HPX-048-230	48500	14.2	12.5	46000	29800	8.2	CH33-50/60C	SLP98UH090XV48C	10490972
14HPX-048-230	48500	14.2	12.2	46000	29800	8.2	CH33-50/60C	SLP98UH090XV60C	10490973
14HPX-048-230	48500	14.2	12.5	46000	29800	8.2	CH33-50/60C	SLP98UH110XV60C	10490974
14HPX-048-230	48500	14.7	12.7	46000	30200	8.7	CH33-60D	EL180UH135E60D	10491017
14HPX-048-230	48000	14.2	12.2	46500	30600	8.5	CH33-60D	EL195UH135XE60D	10490936
14HPX-048-230	48000	14.2	12.2	46500	30600	8.5	CH33-60D	EL296UH135XE60D	10491005
14HPX-048-230	48500	14.2	12.5	46500	30200	8.7	CH33-60D	EL296UH135XV60D	10491036
14HPX-048-230	48500	14.7	12.7	46000	30200	8.7	CH33-60D	ML180UH135E60D	10590441
14HPX-048-230	48500	14.5	12.7	46000	30000	8.7	CH33-60D	SL280UH135V60D	10490894
14HPX-048-230	48000	14.5	12.5	46000	30000	8.5	CH33-60D	SLP98UH135XV60D	10490963
14HPX-048-230	48500	15	12.7	46000	30200	8.7	CH33-62D	EL180UH135E60D	10491007
14HPX-048-230	48000	14.7	12.2	46000	30400	8.7	CH33-62D	EL195UH135XE60D	10490951
14HPX-048-230	48000	14.7	12.2	46000	30400	8.7	CH33-62D	EL296UH135XE60D	10490988
14HPX-048-230	48500	14.7	12.7	46000	30200	8.7	CH33-62D	EL296UH135XV60D	10491042
14HPX-048-230	48500	15	12.7	46000	30200	8.7	CH33-62D	ML180UH135E60D	10590438
14HPX-048-230	48500	14.7	12.7	46000	30000	8.7	CH33-62D	SL280UH135V60D	10490895
14HPX-048-230	48000	14.7	12.7	45500	30000	8.7	CH33-62D	SLP98UH135XV60D	10490966
14HPX-048-230	48000	14	12	46500	30600	8.5	CH33-62D		10490891
14HPX-048-230	49500	15	12.7	48500	31200	9	CR33-50/60	EL180DF110E60C	10491027
14HPX-048-230	49500	14.2	12.5	49000	31400	8.7	CR33-50/60	EL195DF090XE48C	10490937
14HPX-048-230	49500	14.2	12.7	48500	31200	8.7	CR33-50/60	EL195DF110XE60C	10490938
14HPX-048-230	49500	14	12.2	49000	31600	8.7	CR33-50/60	EL196DF090XE48C	201953277

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-048-230	49500	14.2	12.5	49000	31400	8.7	CR33-50/60	EL296DF090XE48C	10490993
14HPX-048-230	49500	14.2	12.7	48500	31200	8.7	CR33-50/60	EL296DF110XE60C	10490997
14HPX-048-230	49500	15	12.7	48500	31200	9	CR33-50/60	ML180DF110E60C	10589548
14HPX-048-230	49500	14.7	12.7	48500	31000	8.7	CR33-50/60	SL280DF090V60C	10490912
14HPX-048-230	49500	14.7	13	48500	31000	8.7	CR33-50/60	SL280DF110V60C	10490913
14HPX-048-230	49500	14.2	12.5	49000	31400	8.7	CR33-50/60	SLP98DF090XV48C	10490967
14HPX-048-230	49500	14.2	12.5	49000	31400	8.7	CR33-50/60	SLP98DF090XV60C	10490968
14HPX-048-230	49500	14.2	12.7	48500	31200	8.7	CR33-50/60	SLP98DF110XV60C	10490969
14HPX-048-230	49000	14.5	12.7	46000	30000	8.5	CX38-49C	CBWMV-60C-100	10491090
14HPX-048-230	49000	14.5	12.7	46000	30000	8.5	CX38-49C	CBWMV-60C-120	10491089
14HPX-048-230	49000	15	12.7	45500	30000	8.7	CX38-49C	EL180UH090E60C	10491111
14HPX-048-230	48500	14.7	12.7	45500	30000	8.5	CX38-49C	EL180UH110E60C	10491099
14HPX-048-230	49000	14.7	12.7	46000	30000	8.5	CX38-49C	EL195UH090XE48C	10491072
14HPX-048-230	49000	14.5	12.7	46000	30000	8.5	CX38-49C	EL195UH110XE60C	10491071
14HPX-048-230	49000	14.5	12.5	46000	30400	8.5	CX38-49C	EL196UH090XE48C	201933372
14HPX-048-230	49000	14.5	12.5	46000	30200	8.5	CX38-49C	EL196UH110XE60C	201933373
14HPX-048-230	49000	14.7	12.7	46000	30000	8.5	CX38-49C	EL296UH090XE48C	10491091
14HPX-048-230	49000	14.5	12.7	46000	30000	8.5	CX38-49C	EL296UH090XV48C	10491108
14HPX-048-230	49000	14.5	12.7	46000	30000	8.5	CX38-49C	EL296UH090XV60C	10491118
14HPX-048-230	49000	14.5	12.7	46000	30000	8.5	CX38-49C	EL296UH110XE60C	10491094
14HPX-048-230	49000	14.5	12.7	46000	30000	8.5	CX38-49C	EL296UH110XV48C	10491103
14HPX-048-230	49000	14.5	12.7	46000	30000	8.5	CX38-49C	EL296UH110XV60C	10491120
14HPX-048-230	49000	15	12.7	45500	30000	8.7	CX38-49C	ML180UH090E60C	10590004
14HPX-048-230	48500	14.7	12.7	45500	30000	8.5	CX38-49C	ML180UH110E60C	10590254
14HPX-048-230	49000	14.7	12.7	46000	30000	8.5	CX38-49C	SL280UH090V60C	10491051
14HPX-048-230	49000	14.7	12.7	46000	30000	8.5	CX38-49C	SL280UH090XV60C	10491058
14HPX-048-230	49000	14.7	12.7	46000	29800	8.5	CX38-49C	SL280UH110V60C	10491052
14HPX-048-230	49000	14.7	12.7	46000	29800	8.5	CX38-49C	SL280UH110XV60C	10491055
14HPX-048-230	49000	14.5	12.7	46000	30000	8.5	CX38-49C	SLP98UH090XV48C	10491074
14HPX-048-230	49000	14.5	12.7	46000	30000	8.5	CX38-49C	SLP98UH090XV60C	10491075
14HPX-048-230	49000	14.5	12.7	46000	30000	8.5	CX38-49C	SLP98UH110XV60C	10491076
14HPX-048-230	49000	14	12.2	46500	30400	8.2	CX38-49C		10491048
14HPX-048-230	47500	14.7	12.5	47500	31000	8.2	CX38-60D	EL180UH135E60D	10491137
14HPX-048-230	47500	14.7	12.5	47500	31000	8.2	CX38-60D	ML180UH135E60D	10590445
14HPX-048-230	49000	14.5	12.7	46500	30400	9	CX38-62C	CBWMV-60C-100	10491126
14HPX-048-230	48500	14.5	12.5	46500	30400	9	CX38-62C	CBWMV-60C-120	10491129
14HPX-048-230	48500	15	12.7	46000	30400	9	CX38-62C	EL180UH090E60C	10491136
14HPX-048-230	48500	15	12.7	46000	30400	9	CX38-62C	EL180UH110E60C	10491138
14HPX-048-230	48500	14.7	12.5	46500	30600	9	CX38-62C	EL195UH090XE48C	10491128
14HPX-048-230	48500	14.5	12.7	46500	30400	9	CX38-62C	EL195UH110XE60C	10491127
14HPX-048-230	48500	14.5	12.5	46500	30600	9	CX38-62C	EL196UH090XE48C	201933370
14HPX-048-230	48500	14.5	12.5	46500	30600	9	CX38-62C	EL196UH110XE60C	201933369
14HPX-048-230	48500	14.7	12.5	46500	30600	9	CX38-62C	EL296UH090XE48C	10491133
14HPX-048-230	48500	14.5	12.7	46500	30400	9	CX38-62C	EL296UH090XV48C	10491139
14HPX-048-230	48500	14.5	12.7	46500	30400	9	CX38-62C	EL296UH090XV60C	10491140
14HPX-048-230	48500	14.5	12.7	46500	30400	9	CX38-62C	EL296UH110XE60C	10491134
14HPX-048-230	48500	14.7	12.7	46500	30400	9	CX38-62C	EL296UH110XV48C	10491135
14HPX-048-230	48500	14.5	12.7	46500	30400	9	CX38-62C	EL296UH110XV60C	10491141
14HPX-048-230	48500	15	12.7	46000	30400	9	CX38-62C	ML180UH090E60C	10590005
14HPX-048-230	48500	15	12.7	46000	30400	9	CX38-62C	ML180UH110E60C	10590257
14HPX-048-230	49000	14.7	12.7	46500	30200	9	CX38-62C	SL280UH090V60C	10491124
14HPX-048-230	49000	14.7	12.7	46500	30200	9	CX38-62C	SL280UH090XV60C	10491123
14HPX-048-230	48500	14.7	12.7	46000	30200	9	CX38-62C	SL280UH110V60C	10491125
14HPX-048-230	48500	14.7	12.7	46000	30200	9	CX38-62C	SL280UH110XV60C	10491122
14HPX-048-230	48500	14.5	12.7	46500	30400	9	CX38-62C	SLP98UH090XV48C	10491131

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-048-230	48500	14.5	12.7	46500	30400	9	CX38-62C	SLP98UH090XV60C	10491130
14HPX-048-230	48500	14.5	12.7	46500	30400	9	CX38-62C	SLP98UH110XV60C	10491132
14HPX-048-230	48500	14	12.2	47000	30800	8.7	CX38-62C		10491121
14HPX-048-230	48000	14.7	12.5	46000	30400	8.7	CX38-62D	EL180UH135E60D	10491101
14HPX-048-230	48000	14.5	12.2	46000	30600	8.7	CX38-62D	EL195UH135XE60D	10491068
14HPX-048-230	48000	14.5	12.2	46000	30600	8.7	CX38-62D	EL296UH135XE60D	10491095
14HPX-048-230	48000	14.5	12.5	46000	30400	8.7	CX38-62D	EL296UH135XV60D	10491116
14HPX-048-230	48000	14.7	12.5	46000	30400	8.7	CX38-62D	ML180UH135E60D	10590443
14HPX-048-230	48000	14.5	12.5	46000	30200	8.7	CX38-62D	SL280UH135V60D	10491064
14HPX-048-230	48000	14.5	12.7	46000	30000	8.7	CX38-62D	SLP98UH135XV60D	10491087
14HPX-060-230	57500	14.5	12	54000	35000	8.2	C37-60D	EL180UH135E60D	10490860
14HPX-060-230	57500	14	11.7	54500	35200	8.2	C37-60D	EL195UH135XE60D	10490849
14HPX-060-230	57500	14	11.7	54500	35200	8.2	C37-60D	EL296UH135XE60D	10490858
14HPX-060-230	57500	14.5	12	54000	35000	8.2	C37-60D	ML180UH135E60D	10590431
14HPX-060-230	61000	15	12.5	54500	36400	8.7	C37-62C	CBWMV-60C-100	10490853
14HPX-060-230	61000	14.7	12.2	55000	36600	8.5	C37-62C	CBWMV-60C-120	10490846
14HPX-060-230	60500	15.2	12.5	54500	36200	8.7	C37-62C	EL180UH090E60C	10490863
14HPX-060-230	60500	15	12.5	54500	36200	8.5	C37-62C	EL180UH110E60C	10490859
14HPX-060-230	60500	15	12.5	54500	36200	8.5	C37-62C	EL195UH110XE60C	10490854
14HPX-060-230	61000	14.5	12.2	55000	36800	8.5	C37-62C	EL296UH090XV60C	10490865
14HPX-060-230	60500	15	12.5	54500	36200	8.5	C37-62C	EL296UH110XE60C	10490855
14HPX-060-230	61000	14.7	12.2	55000	36600	8.5	C37-62C	EL296UH110XV60C	10490866
14HPX-060-230	60500	15.2	12.5	54500	36200	8.7	C37-62C	ML180UH090E60C	10589994
14HPX-060-230	60500	15	12.5	54500	36200	8.5	C37-62C	ML180UH110E60C	10590246
14HPX-060-230	61000	15	12.5	55000	36400	8.7	C37-62C	SL280UH090V60C	10490838
14HPX-060-230	61000	15	12.5	55000	36400	8.7	C37-62C	SL280UH090XV60C	10490843
14HPX-060-230	61000	14.7	12.2	55000	36600	8.5	C37-62C	SL280UH110V60C	10490839
14HPX-060-230	61000	14.7	12.2	55000	36600	8.5	C37-62C	SL280UH110XV60C	10490841
14HPX-060-230	61000	14.5	12.2	55000	36800	8.5	C37-62C	SLP98UH090XV60C	10490844
14HPX-060-230	61000	14.7	12.2	55000	36600	8.5	C37-62C	SLP98UH110XV60C	10490847
14HPX-060-230	61000	14.7	12.2	55000	36600	8.5	C37-62C		10490837
14HPX-060-230	57500	14.5	12.2	55000	36400	8.2	C37-62D	EL180UH135E60D	10490862
14HPX-060-230	57500	14.2	12	55000	36800	8.2	C37-62D	EL195UH135XE60D	10490850
14HPX-060-230	57500	14.2	12	55000	36800	8.2	C37-62D	EL296UH135XE60D	10490856
14HPX-060-230	57500	14.2	12	55000	36600	8.2	C37-62D	EL296UH135XV60D	10490840
14HPX-060-230	57500	14.5	12.2	55000	36400	8.2	C37-62D	ML180UH135E60D	10590433
14HPX-060-230	57500	14.2	12	55000	36600	8.2	C37-62D	SL280UH135V60D	10490842
14HPX-060-230	57000	14.5	12.2	54500	36400	8.2	C37-62D	SLP98UH135XV60D	10490848
14HPX-060-230	59000	15	12.5	56000	36800	8.5	CBA27UHE-060-230		10490885
14HPX-060-230	59000	15	12.5	56000	37000	8.5	CBA38MV-060-230		201851184
14HPX-060-230	58500	14	12	55500	35800	8.2	CBX25UH-060-230		10490886
14HPX-060-230	58000	14.5	12.5	54500	35000	8.5	CBX25UHV-060-230		10490833
14HPX-060-230	59000	15	12.5	56000	36000	8.5	CBX27UH-060-230		10490769
14HPX-060-230	59000	14.5	12	56500	37200	8.5	CBX32M-060		10490770
14HPX-060-230	59500	15	12.5	57000	37400	9	CH23-68	EL180UH090E60C	10490827
14HPX-060-230	59500	14.7	12.5	57000	37400	9	CH23-68	EL180UH110E60C	10490816
14HPX-060-230	60000	15	12.7	57000	37600	9	CH23-68	EL180UH135E60D	10490820
14HPX-060-230	59500	15	12.5	57000	37400	9	CH23-68	EL195UH110XE60C	10490801
14HPX-060-230	60000	14.7	12.2	57500	37800	9	CH23-68	EL195UH135XE60D	10490806
14HPX-060-230	59500	15	12.5	57000	37400	9	CH23-68	EL296UH110XE60C	10490804
14HPX-060-230	60000	14.7	12.2	57500	37800	9	CH23-68	EL296UH135XE60D	10490805
14HPX-060-230	60000	14.7	12.5	57500	37800	9	CH23-68	EL296UH135XV60D	10490763
14HPX-060-230	59500	15	12.5	57000	37400	9	CH23-68	ML180UH090E60C	10589991
14HPX-060-230	59500	14.7	12.5	57000	37400	9	CH23-68	ML180UH110E60C	10590243
14HPX-060-230	60000	15	12.7	57000	37600	9	CH23-68	ML180UH135E60D	10590425

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-060-230	60000	14.7	12.5	57500	37800	9	CH23-68	SL280UH135V60D	10490762
14HPX-060-230	59500	15	12.5	57000	37400	9	CH23-68	SLP98UH135XV60D	10490787
14HPX-060-230	59500	14.2	12.2	57500	38000	8.7	CH23-68		10490753
14HPX-060-230	57000	14.2	11.7	54000	35000	8.2	CH33-60D	EL180UH135E60D	10490815
14HPX-060-230	57000	14	11.7	54500	35200	8.2	CH33-60D	EL195UH135XE60D	10490798
14HPX-060-230	57000	14	11.7	54500	35200	8.2	CH33-60D	EL296UH135XE60D	10490814
14HPX-060-230	57000	14.2	11.7	54000	35000	8.2	CH33-60D	ML180UH135E60D	10590424
14HPX-060-230	57500	14.5	12.2	54000	36000	8.5	CH33-62D	EL180UH135E60D	10490824
14HPX-060-230	57500	14.2	12	54000	36400	8.5	CH33-62D	EL195UH135XE60D	10490807
14HPX-060-230	57500	14.2	12	54000	36400	8.5	CH33-62D	EL296UH135XE60D	10490818
14HPX-060-230	57500	14.2	12.2	54000	36200	8.5	CH33-62D	EL296UH135XV60D	10490831
14HPX-060-230	57500	14.5	12.2	54000	36000	8.5	CH33-62D	ML180UH135E60D	10590429
14HPX-060-230	57500	14.2	12.2	54000	36200	8.5	CH33-62D	SL280UH135V60D	10490777
14HPX-060-230	57500	14.5	12.2	54000	36200	8.5	CH33-62D	SLP98UH135XV60D	10490793
14HPX-060-230	57000	14	11.7	54000	36400	8.2	CH33-62D		10490758
14HPX-060-230	59000	14.7	12.2	58000	37800	8.2	CR33-50/60	EL180DF110E60C	10490830
14HPX-060-230	58500	14	11.7	58000	37600	8.2	CR33-50/60	EL195DF110XE60C	10490786
14HPX-060-230	58500	14	11.7	58000	37600	8.2	CR33-50/60	EL296DF110XE60C	10490802
14HPX-060-230	59000	14.7	12.2	58000	37800	8.2	CR33-50/60	ML180DF110E60C	10589547
14HPX-060-230	59000	14.5	12	58500	37800	8.2	CR33-50/60	SL280DF090V60C	10490771
14HPX-060-230	59000	14.7	12.2	58000	37800	8.2	CR33-50/60	SL280DF110V60C	10490774
14HPX-060-230	58500	14	11.7	58500	38000	8.2	CR33-50/60	SLP98DF090XV60C	10490778
14HPX-060-230	58500	14	11.7	58500	38000	8.2	CR33-50/60	SLP98DF110XV60C	10490779
14HPX-060-230	58500	14.2	11.7	58500	38000	8.2	CR33-50/60		10490755
14HPX-060-230	58500	14.2	11.7	58500	38000	8.2	CR33-60		10490756
14HPX-060-230	57500	14.5	12	54000	35000	8.2	CX38-60D	EL180UH135E60D	10490881
14HPX-060-230	57500	14	11.7	54500	35200	8.2	CX38-60D	EL195UH135XE60D	10490876
14HPX-060-230	57500	14	11.7	54500	35200	8.2	CX38-60D	EL296UH135XE60D	10490877
14HPX-060-230	57500	14.5	12	54000	35000	8.2	CX38-60D	ML180UH135E60D	10590434
14HPX-060-230	61000	15	12.5	54500	36400	8.7	CX38-62C	CBWMV-60C-100	10490879
14HPX-060-230	61000	14.7	12.2	55000	36600	8.5	CX38-62C	CBWMV-60C-120	10490873
14HPX-060-230	60500	15.2	12.5	54500	36200	8.7	CX38-62C	EL180UH090E60C	10490883
14HPX-060-230	60500	15	12.5	54500	36200	8.5	CX38-62C	EL180UH110E60C	10490880
14HPX-060-230	60500	15	12.5	54500	36200	8.5	CX38-62C	EL195UH110XE60C	10490874
14HPX-060-230	61000	14.5	12.2	55000	36800	8.5	CX38-62C	EL296UH090XV60C	10490884
14HPX-060-230	60500	15	12.5	54500	36200	8.5	CX38-62C	EL296UH110XE60C	10490878
14HPX-060-230	61000	14.7	12.2	55000	36600	8.5	CX38-62C	EL296UH110XV60C	10490882
14HPX-060-230	60500	15.2	12.5	54500	36200	8.7	CX38-62C	ML180UH090E60C	10589995
14HPX-060-230	60500	15	12.5	54500	36200	8.5	CX38-62C	ML180UH110E60C	10590247
14HPX-060-230	61000	15	12.5	55000	36400	8.7	CX38-62C	SL280UH090V60C	10490871
14HPX-060-230	61000	15	12.5	55000	36400	8.7	CX38-62C	SL280UH090XV60C	10490868
14HPX-060-230	61000	14.7	12.2	55000	36600	8.5	CX38-62C	SL280UH110V60C	10490872
14HPX-060-230	61000	14.7	12.2	55000	36600	8.5	CX38-62C	SL280UH110XV60C	10490869
14HPX-060-230	61000	14.5	12.2	55000	36800	8.5	CX38-62C	SLP98UH090XV60C	10490875
14HPX-060-230	61000	14.7	12.2	55000	36600	8.5	CX38-62C	SLP98UH110XV60C	10490870
14HPX-060-230	61000	14.7	12.2	55000	36600	8.5	CX38-62C		10490867
14HPX-060-230	57500	14.5	12.2	55000	36400	8.2	CX38-62D	EL180UH135E60D	10490861
14HPX-060-230	57500	14.2	12	55000	36800	8.2	CX38-62D	EL195UH135XE60D	10490852
14HPX-060-230	57500	14.2	12	55000	36800	8.2	CX38-62D	EL296UH135XE60D	10490857
14HPX-060-230	57500	14.2	12	55000	36600	8.2	CX38-62D	EL296UH135XV60D	10490864
14HPX-060-230	57500	14.5	12.2	55000	36400	8.2	CX38-62D	ML180UH135E60D	10590432
14HPX-060-230	57500	14.2	12	55000	36600	8.2	CX38-62D	SL280UH135V60D	10490845
14HPX-060-230	57000	14.5	12.2	54500	36400	8.2	CX38-62D	SLP98UH135XV60D	10490851
SL18XP1-024-230	23800	17.5	14.5	21200	13800	9	C35-30A	EL180UH045E36A	10098122
SL18XP1-024-230	23800	17.5	14.5	21200	13800	9	C35-30A	EL180UH045XE36A	10098123

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-024-230	23800	17.5	14.5	21200	13800	9	C35-30A	ML180UH045E36A	10589578
SL18XP1-024-230	23800	17.5	14.5	21200	13800	9	C35-30A	ML180UH045XE36A	10589592
SL18XP1-024-230	24000	18	15	21400	13700	9.6	C35-30A	SL280UH060NV36A-	10581363
SL18XP1-024-230	24000	18	15	21400	13800	9.5	C35-30A	SL280UH070V36A	10098124
SL18XP1-024-230	24000	18	15	21400	13800	9.5	C35-30A	SL280UH070XV36A	10098125
SL18XP1-024-230	24000	18	15	21400	13800	9.5	C35-30B	EL180UH070E36B	10098126
SL18XP1-024-230	24000	18	15	21400	13800	9.5	C35-30B	EL180UH070XE36B	10098127
SL18XP1-024-230	24000	17.5	14.5	21400	13800	9	C35-30B	EL195UH045XE36B	10098128
SL18XP1-024-230	24000	17.5	14.5	21200	13800	9	C35-30B	EL195UH070XE36B	10098129
SL18XP1-024-230	24000	17.5	14.5	21400	13800	9	C35-30B	EL196UH045XE36B	201933392
SL18XP1-024-230	23800	17.5	14.5	21200	13700	9	C35-30B	EL196UH070XE36B	201933393
SL18XP1-024-230	24000	17.5	14.5	21400	13800	9	C35-30B	EL296UH045XE36B	10098130
SL18XP1-024-230	24000	18	15	21400	13800	9.5	C35-30B	EL296UH045XV36B	10098131
SL18XP1-024-230	24000	17.5	14.5	21200	13800	9	C35-30B	EL296UH070XE36B	10098132
SL18XP1-024-230	24000	18	15	21400	13800	9.5	C35-30B	ML180UH070E36B	10589665
SL18XP1-024-230	24000	18	15	21400	13800	9.5	C35-30B	ML180UH070XE36B	10589702
SL18XP1-024-230	24000	18	15	21400	13800	9.5	C35-30B	SL280UH090V36B	10098133
SL18XP1-024-230	24000	17	14.5	21400	13900	9	C35-30B	SLP98UH070XV36B	10098134
SL18XP1-024-230	23400	15	13	22000	14400	8.5	C35-30B		10098121
SL18XP1-024-230	24000	17.5	14.5	21600	13800	9.6	C35-36A	EL180UH045E36A	10098136
SL18XP1-024-230	24000	17.5	14.5	21600	13800	9.6	C35-36A	EL180UH045XE36A	10098137
SL18XP1-024-230	24000	17.5	14.5	21600	13800	9.6	C35-36A	ML180UH045E36A	10589579
SL18XP1-024-230	24000	17.5	14.5	21600	13800	9.6	C35-36A	ML180UH045XE36A	10589593
SL18XP1-024-230	24000	18.5	15	21400	13400	10	C35-36A	SL280UH060NV36A-	10581364
SL18XP1-024-230	24000	18	15	21400	13700	9.6	C35-36A	SL280UH070V36A	10098138
SL18XP1-024-230	24000	18	15	21400	13700	9.6	C35-36A	SL280UH070XV36A	10098139
SL18XP1-024-230	24000	18	14.5	21400	13700	9.6	C35-36B	EL180UH070E36B	10098140
SL18XP1-024-230	24000	18	14.5	21400	13700	9.6	C35-36B	EL180UH070XE36B	10098141
SL18XP1-024-230	23800	17.5	14.5	21400	13700	9.6	C35-36B	EL195UH045XE36B	10098142
SL18XP1-024-230	24000	18	14.5	21400	13800	9.6	C35-36B	EL195UH070XE36B	10098143
SL18XP1-024-230	23800	17.5	14.5	21400	13700	9.6	C35-36B	EL196UH045XE36B	201933398
SL18XP1-024-230	24000	18	14.5	21400	13700	9.6	C35-36B	EL196UH070XE36B	201933399
SL18XP1-024-230	23800	17.5	14.5	21400	13700	9.6	C35-36B	EL296UH045XE36B	10098144
SL18XP1-024-230	24000	18	14.5	21400	13700	9.6	C35-36B	EL296UH045XV36B	10098145
SL18XP1-024-230	24000	18	14.5	21400	13800	9.6	C35-36B	EL296UH070XE36B	10098146
SL18XP1-024-230	24000	18	14.5	21400	13700	9.6	C35-36B	ML180UH070E36B	10589666
SL18XP1-024-230	24000	18	14.5	21400	13700	9.6	C35-36B	ML180UH070XE36B	10589703
SL18XP1-024-230	23800	18	14.5	21400	13600	9.6	C35-36B	SL280UH090V36B	10098963
SL18XP1-024-230	24000	18	14.5	21400	13700	9.6	C35-36B	SLP98UH070XV36B	10098964
SL18XP1-024-230	23200	15.5	12.5	22000	14300	9	C35-36B		10098135
SL18XP1-024-230	24000	17	14	21600	13500	9.6	C37-38A	EL180UH045E36A	10085104
SL18XP1-024-230	24000	17	14	21600	13500	9.6	C37-38A	EL180UH045XE36A	10085105
SL18XP1-024-230	24000	17	14	21600	13500	9.6	C37-38A	ML180UH045E36A	10589571
SL18XP1-024-230	24000	17	14	21600	13500	9.6	C37-38A	ML180UH045XE36A	10589587
SL18XP1-024-230	24000	18	14.5	21400	13400	10	C37-38A	SL280UH060NV36A-	10581365
SL18XP1-024-230	24000	18	14.5	21400	13400	9.6	C37-38A	SL280UH070V36A	10085106
SL18XP1-024-230	24000	18	14.5	21400	13400	9.6	C37-38A	SL280UH070XV36A	10085107
SL18XP1-024-230	23600	15	12.5	22200	14100	9	C37-38A		10084121
SL18XP1-024-230	24000	18	14.5	21400	13400	9.6	C37-38B	EL180UH070E36B	10085108
SL18XP1-024-230	24000	18	14.5	21400	13400	9.6	C37-38B	EL180UH070XE36B	10085109
SL18XP1-024-230	23800	17.5	14	21400	13400	9.6	C37-38B	EL195UH045XE36B	10085110
SL18XP1-024-230	24000	17.5	14.5	21400	13500	9.6	C37-38B	EL195UH070XE36B	10085111
SL18XP1-024-230	23800	17.5	14	21400	13400	9.6	C37-38B	EL196UH045XE36B	201933402
SL18XP1-024-230	24000	17.5	14.5	21400	13400	9.6	C37-38B	EL196UH070XE36B	201933403
SL18XP1-024-230	23800	17.5	14	21400	13400	9.6	C37-38B	EL296UH045XE36B	10085112

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-024-230	24000	17.5	14.5	21400	13400	9.6	C37-38B	EL296UH045XV36B	10085113
SL18XP1-024-230	24000	17.5	14.5	21400	13500	9.6	C37-38B	EL296UH070XE36B	10085114
SL18XP1-024-230	24000	18	14.5	21400	13400	9.6	C37-38B	ML180UH070E36B	10589650
SL18XP1-024-230	24000	18	14.5	21400	13400	9.6	C37-38B	ML180UH070XE36B	10589693
SL18XP1-024-230	23800	18	14.5	21200	13300	9.6	C37-38B	SL280UH090V36B	10085115
SL18XP1-024-230	24000	18	14.5	21400	13400	9.6	C37-38B	SLP98UH070XV36B	10085116
SL18XP1-024-230	23600	15	12.5	22200	14100	9	C37-38B		10084122
SL18XP1-024-230	24000	18.5	15	22200	14200	10	CBA27UHE-030-230		10258578
SL18XP1-024-230	24400	18	15	22400	14000	10	CBA38MV-030-230		201841618
SL18XP1-024-230	24400	18	15	22600	14000	10.2	CBA38MV-036-230		201841619
SL18XP1-024-230	24000	18	14.5	21600	13700	9.6	CBX27UH-024-230		8331363
SL18XP1-024-230	24000	18.5	15	22200	14500	10.2	CBX27UH-030-230		8331364
SL18XP1-024-230	23600	16.5	13.5	22000	14000	9.5	CBX32M-030		8331365
SL18XP1-024-230	24000	16.5	13.5	22800	15000	9.6	CBX32M-036		8331366
SL18XP1-024-230	24000	18	15	21400	13700	9.5	CH33-44/48B	EL180UH070E36B	8329089
SL18XP1-024-230	24000	18	15	21400	13700	9.5	CH33-44/48B	EL180UH070XE36B	8329090
SL18XP1-024-230	24000	17.5	14.5	21400	13700	9	CH33-44/48B	EL195UH045XE36B	8329091
SL18XP1-024-230	24000	18	15	21400	13700	9.5	CH33-44/48B	EL195UH070XE36B	8329092
SL18XP1-024-230	24000	17.5	14.5	21400	13700	9	CH33-44/48B	EL196UH045XE36B	201933388
SL18XP1-024-230	24000	18	15	21400	13700	9.5	CH33-44/48B	EL196UH070XE36B	201933389
SL18XP1-024-230	24000	17.5	14.5	21400	13700	9	CH33-44/48B	EL296UH045XE36B	8329093
SL18XP1-024-230	24000	18	15	21400	13700	9.5	CH33-44/48B	EL296UH045XV36B	8329094
SL18XP1-024-230	24000	18	15	21400	13700	9.5	CH33-44/48B	EL296UH070XE36B	8329095
SL18XP1-024-230	24000	18	15	21400	13700	9.5	CH33-44/48B	EL296UH070XV36B	8657241
SL18XP1-024-230	24000	18	15	21400	13700	9.5	CH33-44/48B	ML180UH070E36B	10589617
SL18XP1-024-230	24000	18	15	21400	13700	9.5	CH33-44/48B	ML180UH070XE36B	10589683
SL18XP1-024-230	24000	18	15	21400	13600	9.6	CH33-44/48B	SL280UH090V36B	8329096
SL18XP1-024-230	24000	18	15	21400	13700	9.5	CH33-44/48B	SLP98UH070XV36B	8329097
SL18XP1-024-230	24000	15.5	13	22000	14300	9	CH33-44/48B		8329098
SL18XP1-024-230	24000	18	14.5	21800	14000	9.6	CH35-30B	EL180UH070E36B	10098099
SL18XP1-024-230	24000	18	14.5	21800	14000	9.6	CH35-30B	EL180UH070XE36B	10098100
SL18XP1-024-230	24000	17.5	14.5	21800	14000	9.5	CH35-30B	EL195UH045XE36B	10098101
SL18XP1-024-230	24000	18	14.5	22000	14000	9.6	CH35-30B	EL195UH070XE36B	10098102
SL18XP1-024-230	24000	17.5	14.5	21800	14000	9.5	CH35-30B	EL196UH045XE36B	201933394
SL18XP1-024-230	24000	18	14.5	21800	14000	9.6	CH35-30B	EL196UH070XE36B	201933395
SL18XP1-024-230	24000	17.5	14.5	21800	14000	9.5	CH35-30B	EL296UH045XE36B	10098103
SL18XP1-024-230	24000	18	14.5	21800	14000	9.6	CH35-30B	EL296UH045XV36B	10098104
SL18XP1-024-230	24000	18	14.5	22000	14000	9.6	CH35-30B	EL296UH070XE36B	10098105
SL18XP1-024-230	24000	18	14.5	21800	14000	9.6	CH35-30B	ML180UH070E36B	10589597
SL18XP1-024-230	24000	18	14.5	21800	14000	9.6	CH35-30B	ML180UH070XE36B	10589681
SL18XP1-024-230	24000	18	15	21800	13900	9.6	CH35-30B	SL280UH090V36B	10098106
SL18XP1-024-230	24000	18	14.5	21800	14000	9.6	CH35-30B	SLP98UH070XV36B	10098952
SL18XP1-024-230	23400	15.5	12.5	22400	14500	9	CH35-30B		10098098
SL18XP1-024-230	24000	18	14.5	21400	13500	9.6	CH35-42B	EL180UH070E36B	10098954
SL18XP1-024-230	24000	18	14.5	21400	13500	9.6	CH35-42B	EL180UH070XE36B	10098955
SL18XP1-024-230	24000	17.5	14.5	21400	13500	9.6	CH35-42B	EL195UH045XE36B	10098956
SL18XP1-024-230	24000	18	14.5	21600	13600	9.6	CH35-42B	EL195UH070XE36B	10098957
SL18XP1-024-230	24000	17.5	14.5	21400	13500	9.6	CH35-42B	EL196UH045XE36B	201933396
SL18XP1-024-230	24000	18	14.5	21400	13500	9.6	CH35-42B	EL196UH070XE36B	201933397
SL18XP1-024-230	24000	17.5	14.5	21400	13500	9.6	CH35-42B	EL296UH045XE36B	10098958
SL18XP1-024-230	24000	18	14.5	21400	13500	9.6	CH35-42B	EL296UH045XV36B	10098959
SL18XP1-024-230	24000	18	14.5	21600	13600	9.6	CH35-42B	EL296UH070XE36B	10098960
SL18XP1-024-230	24000	18	14.5	21400	13500	9.6	CH35-42B	ML180UH070E36B	10589679
SL18XP1-024-230	24000	18	14.5	21400	13500	9.6	CH35-42B	ML180UH070XE36B	10589716
SL18XP1-024-230	24000	18	15	21400	13500	9.6	CH35-42B	SL280UH090V36B	10098961

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-024-230	24000	18	14.5	21400	13600	9.6	CH35-42B	SLP98UH070XV36B	10098962
SL18XP1-024-230	24000	15.5	13	22000	14100	9	CH35-42B		10098953
SL18XP1-024-230	24000	18	14.5	21800	14000	9.6	CHX35-30B	EL180UH070E36B	202189912
SL18XP1-024-230	24000	18	14.5	21800	14000	9.6	CHX35-30B	EL180UH070XE36B	202189914
SL18XP1-024-230	24000	17.5	14.5	21800	14000	9.5	CHX35-30B	EL195UH045XE36B	202189916
SL18XP1-024-230	24000	18	14.5	22000	14000	9.6	CHX35-30B	EL195UH070XE36B	202189918
SL18XP1-024-230	24000	17.5	14.5	21800	14000	9.5	CHX35-30B	EL196UH045XE36B	202186988
SL18XP1-024-230	24000	18	14.5	21800	14000	9.6	CHX35-30B	EL196UH070XE36B	202186989
SL18XP1-024-230	24000	17.5	14.5	21800	14000	9.5	CHX35-30B	EL296UH045XE36B	202189920
SL18XP1-024-230	24000	18	14.5	21800	14000	9.6	CHX35-30B	EL296UH045XV36B	202189922
SL18XP1-024-230	24000	18	14.5	22000	14000	9.6	CHX35-30B	EL296UH070XE36B	202189924
SL18XP1-024-230	24000	18	14.5	21800	14000	9.6	CHX35-30B	ML180UH070E36B	202190428
SL18XP1-024-230	24000	18	14.5	21800	14000	9.6	CHX35-30B	ML180UH070XE36B	202190441
SL18XP1-024-230	24000	18	15	21800	13900	9.6	CHX35-30B	SL280UH090V36B	202189926
SL18XP1-024-230	24000	18	14.5	21800	14000	9.6	CHX35-30B	SLP98UH070XV36B	202190245
SL18XP1-024-230	23400	15.5	12.5	22400	14500	9	CHX35-30B		202189910
SL18XP1-024-230	24000	18	14.5	21400	13500	9.6	CHX35-42B	EL180UH070E36B	202190249
SL18XP1-024-230	24000	18	14.5	21400	13500	9.6	CHX35-42B	EL180UH070XE36B	202190251
SL18XP1-024-230	24000	17.5	14.5	21400	13500	9.6	CHX35-42B	EL195UH045XE36B	202190253
SL18XP1-024-230	24000	18	14.5	21600	13600	9.6	CHX35-42B	EL195UH070XE36B	202190256
SL18XP1-024-230	24000	17.5	14.5	21400	13500	9.6	CHX35-42B	EL196UH045XE36B	202186990
SL18XP1-024-230	24000	18	14.5	21400	13500	9.6	CHX35-42B	EL196UH070XE36B	202186991
SL18XP1-024-230	24000	17.5	14.5	21400	13500	9.6	CHX35-42B	EL296UH045XE36B	202190258
SL18XP1-024-230	24000	18	14.5	21400	13500	9.6	CHX35-42B	EL296UH045XV36B	202190260
SL18XP1-024-230	24000	18	14.5	21600	13600	9.6	CHX35-42B	EL296UH070XE36B	202190263
SL18XP1-024-230	24000	18	14.5	21400	13500	9.6	CHX35-42B	ML180UH070E36B	202190437
SL18XP1-024-230	24000	18	14.5	21400	13500	9.6	CHX35-42B	ML180UH070XE36B	202190449
SL18XP1-024-230	24000	18	15	21400	13500	9.6	CHX35-42B	SL280UH090V36B	202190266
SL18XP1-024-230	24000	18	14.5	21400	13600	9.6	CHX35-42B	SLP98UH070XV36B	202190268
SL18XP1-024-230	24000	15.5	13	22000	14100	9	CHX35-42B		202190247
SL18XP1-024-230	24000	18.5	15	21800	13700	9.6	CR33-48B	EL180DF070E36B	8329099
SL18XP1-024-230	24000	18	14.5	21600	13700	9.6	CR33-48B	EL195DF045XE36B	8329100
SL18XP1-024-230	24000	18.5	15	21800	13700	9.6	CR33-48B	EL195DF070XE48B	8329101
SL18XP1-024-230	24000	18	14.5	21600	14200	9.6	CR33-48B	EL196DF045XE36B	201953299
SL18XP1-024-230	24000	17.5	14.5	21800	14200	9.6	CR33-48B	EL196DF070XE48B	201953300
SL18XP1-024-230	24000	18	14.5	21600	13700	9.6	CR33-48B	EL296DF045XE36B	8329103
SL18XP1-024-230	24000	18	14.5	21800	13900	9.6	CR33-48B	EL296DF045XV36B	8329102
SL18XP1-024-230	24000	18.5	15	21800	13700	9.6	CR33-48B	EL296DF070XE48B	8329104
SL18XP1-024-230	24000	18.5	15	21800	13700	9.6	CR33-48B	ML180DF070E36B	10589524
SL18XP1-024-230	24000	18	14.5	21600	13800	9.6	CR33-48B	SL280DF070V36A	8329105
SL18XP1-024-230	24000	18	14.5	22000	13900	9.6	CR33-48B	SL280DF090V48B	8329106
SL18XP1-024-230	24000	18	15	21800	13800	9.6	CR33-48B	SLP98DF070XV36B	8329107
SL18XP1-024-230	23600	15.5	13	22200	14300	9	CR33-48B		8329108
SL18XP1-024-230	23800	17.5	14.5	21200	13800	9	CX35-30A	EL180UH045E36A	10098108
SL18XP1-024-230	23800	17.5	14.5	21200	13800	9	CX35-30A	EL180UH045XE36A	10098109
SL18XP1-024-230	23800	17.5	14.5	21200	13800	9	CX35-30A	ML180UH045E36A	10589577
SL18XP1-024-230	23800	17.5	14.5	21200	13800	9	CX35-30A	ML180UH045XE36A	10589591
SL18XP1-024-230	24000	18	15	21400	13700	9.6	CX35-30A	SL280UH060NV36A-	10581366
SL18XP1-024-230	24000	18	15	21400	13800	9.5	CX35-30A	SL280UH070V36A	10098110
SL18XP1-024-230	24000	18	15	21400	13800	9.5	CX35-30A	SL280UH070XV36A	10098111
SL18XP1-024-230	24000	18	15	21400	13800	9.5	CX35-30B	EL180UH070E36B	10098112
SL18XP1-024-230	24000	18	15	21400	13800	9.5	CX35-30B	EL180UH070XE36B	10098113
SL18XP1-024-230	24000	17.5	14.5	21400	13800	9	CX35-30B	EL195UH045XE36B	10098114
SL18XP1-024-230	24000	17.5	14.5	21200	13800	9	CX35-30B	EL195UH070XE36B	10098115
SL18XP1-024-230	24000	17.5	14.5	21400	13800	9	CX35-30B	EL196UH045XE36B	201933390

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-024-230	23800	17.5	14.5	21200	13700	9	CX35-30B	EL196UH070XE36B	201933391
SL18XP1-024-230	24000	17.5	14.5	21400	13800	9	CX35-30B	EL296UH045XE36B	10098116
SL18XP1-024-230	24000	17	14.5	21400	13900	9	CX35-30B	EL296UH045XV36B	10098120
SL18XP1-024-230	24000	18	15	21400	13800	9.5	CX35-30B	EL296UH070XE36B	10098117
SL18XP1-024-230	24000	18	15	21400	13800	9.5	CX35-30B	ML180UH070E36B	10589664
SL18XP1-024-230	24000	18	15	21400	13800	9.5	CX35-30B	ML180UH070XE36B	10589701
SL18XP1-024-230	24000	17.5	14.5	21200	13800	9	CX35-30B	SL280UH090V36B	10098118
SL18XP1-024-230	24000	18	15	21400	13800	9.5	CX35-30B	SLP98UH070XV36B	10098119
SL18XP1-024-230	23400	15	13	22000	14400	8.5	CX35-30B		10098107
SL18XP1-024-230	24000	17.5	14.5	21600	13800	9.6	CX35-36A	EL180UH045E36A	10098148
SL18XP1-024-230	24000	17.5	14.5	21600	13800	9.6	CX35-36A	EL180UH045XE36A	10098149
SL18XP1-024-230	24000	17.5	14.5	21600	13800	9.6	CX35-36A	ML180UH045E36A	10589580
SL18XP1-024-230	24000	17.5	14.5	21600	13800	9.6	CX35-36A	ML180UH045XE36A	10589594
SL18XP1-024-230	24000	18.5	15	21400	13400	10	CX35-36A	SL280UH060NV36A-	10581367
SL18XP1-024-230	24000	18	15	21400	13700	9.6	CX35-36A	SL280UH070V36A	10098150
SL18XP1-024-230	24000	18	15	21400	13700	9.6	CX35-36A	SL280UH070XV36A	10098151
SL18XP1-024-230	24000	18	14.5	21400	13700	9.6	CX35-36B	EL180UH070E36B	10098152
SL18XP1-024-230	24000	18	14.5	21400	13700	9.6	CX35-36B	EL180UH070XE36B	10098153
SL18XP1-024-230	23800	17.5	14.5	21400	13700	9.6	CX35-36B	EL195UH045XE36B	10098154
SL18XP1-024-230	24000	18	14.5	21400	13800	9.6	CX35-36B	EL195UH070XE36B	10098155
SL18XP1-024-230	23800	17.5	14.5	21400	13700	9.6	CX35-36B	EL196UH045XE36B	201933400
SL18XP1-024-230	24000	18	14.5	21400	13700	9.6	CX35-36B	EL196UH070XE36B	201933401
SL18XP1-024-230	23800	17.5	14.5	21400	13700	9.6	CX35-36B	EL296UH045XE36B	10098156
SL18XP1-024-230	24000	18	14.5	21400	13700	9.6	CX35-36B	EL296UH045XV36B	10098966
SL18XP1-024-230	24000	18	14.5	21400	13700	9.6	CX35-36B	EL296UH070XE36B	10098157
SL18XP1-024-230	24000	18	14.5	21400	13700	9.6	CX35-36B	ML180UH070E36B	10589667
SL18XP1-024-230	24000	18	14.5	21400	13700	9.6	CX35-36B	ML180UH070XE36B	10589704
SL18XP1-024-230	24000	18	14.5	21400	13800	9.6	CX35-36B	SL280UH090V36B	10098158
SL18XP1-024-230	23800	18	14.5	21400	13600	9.6	CX35-36B	SLP98UH070XV36B	10098965
SL18XP1-024-230	23200	15.5	12.5	22000	14300	9	CX35-36B		10098147
SL18XP1-024-230	24000	17	14	21600	13500	9.6	CX38-38A	EL180UH045E36A	10085117
SL18XP1-024-230	24000	17	14	21600	13500	9.6	CX38-38A	EL180UH045XE36A	10085118
SL18XP1-024-230	24000	17	14	21600	13500	9.6	CX38-38A	ML180UH045E36A	10589572
SL18XP1-024-230	24000	17	14	21600	13500	9.6	CX38-38A	ML180UH045XE36A	10589588
SL18XP1-024-230	24200	18	14.5	21400	13400	10	CX38-38A	SL280UH060NV36A-	10581368
SL18XP1-024-230	24000	18	14.5	21400	13400	9.6	CX38-38A	SL280UH070V36A	10085119
SL18XP1-024-230	24000	18	14.5	21400	13400	9.6	CX38-38A	SL280UH070XV36A	10085120
SL18XP1-024-230	23400	15	12.5	22000	14000	9	CX38-38A		10084123
SL18XP1-024-230	24000	18	14.5	21400	13400	9.6	CX38-38B	EL180UH070E36B	10085121
SL18XP1-024-230	24000	18	14.5	21400	13400	9.6	CX38-38B	EL180UH070XE36B	10085122
SL18XP1-024-230	23800	17.5	14	21400	13400	9.6	CX38-38B	EL195UH045XE36B	10085123
SL18XP1-024-230	24000	17.5	14.5	21400	13500	9.6	CX38-38B	EL195UH070XE36B	10085124
SL18XP1-024-230	23800	17.5	14	21400	13400	9.6	CX38-38B	EL196UH045XE36B	201933404
SL18XP1-024-230	24000	17.5	14.5	21400	13400	9.6	CX38-38B	EL196UH070XE36B	201933405
SL18XP1-024-230	23800	17.5	14	21400	13400	9.6	CX38-38B	EL296UH045XE36B	10085125
SL18XP1-024-230	24000	17.5	14.5	21400	13400	9.6	CX38-38B	EL296UH045XV36B	10085152
SL18XP1-024-230	24000	17.5	14.5	21400	13500	9.6	CX38-38B	EL296UH070XE36B	10085126
SL18XP1-024-230	24000	18	14.5	21400	13400	9.6	CX38-38B	EL296UH070XV36B	10085641
SL18XP1-024-230	24000	18	14.5	21400	13400	9.6	CX38-38B	ML180UH070E36B	10589651
SL18XP1-024-230	24000	18	14.5	21400	13400	9.6	CX38-38B	ML180UH070XE36B	10589694
SL18XP1-024-230	23800	18	14.5	21200	13300	9.6	CX38-38B	SL280UH090V36B	10085127
SL18XP1-024-230	24000	18	14.5	21400	13400	9.6	CX38-38B	SLP98UH070XV36B	10085128
SL18XP1-024-230	23400	15	12.5	22000	14000	9	CX38-38B		10084124
SL18XP1-030-230	29200	16	13.5	28000	16800	9.2	C35-30A	SL280UH060NV36A-	10581369
SL18XP1-030-230	29400	16	13.5	27800	16800	9	C35-30A	SL280UH070V36A	10098201

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-030-230	29200	16	13	28000	16800	9	C35-30A	SL280UH070XV36A	10098202
SL18XP1-030-230	29200	16	13.5	27800	16700	9	C35-30B	EL180UH070E36B	10098191
SL18XP1-030-230	29200	16	13.5	27800	16700	9	C35-30B	EL180UH070XE36B	10098192
SL18XP1-030-230	29400	16	13.5	27800	16800	9	C35-30B	EL180UH090E48B	10098193
SL18XP1-030-230	29400	16	13.5	27800	16800	9	C35-30B	EL180UH090XE48B	10098194
SL18XP1-030-230	29400	15.5	13	28000	16900	9	C35-30B	EL195UH045XE36B	10098195
SL18XP1-030-230	29600	15.5	13	28200	17000	9	C35-30B	EL195UH070XE36B	10098196
SL18XP1-030-230	29400	15.5	13	28000	17000	9	C35-30B	EL196UH045XE36B	201933415
SL18XP1-030-230	29600	15.5	13	28200	16900	9	C35-30B	EL196UH070XE36B	201933416
SL18XP1-030-230	29400	15.5	13	28000	16900	9	C35-30B	EL296UH045XE36B	10098197
SL18XP1-030-230	29200	15.5	13	28000	16900	9	C35-30B	EL296UH045XV36B	10098198
SL18XP1-030-230	29600	15.5	13	28200	17000	9	C35-30B	EL296UH070XE36B	10098199
SL18XP1-030-230	29000	16	13	27800	16700	9	C35-30B	EL296UH070XV36B	10098200
SL18XP1-030-230	29200	16	13.5	27800	16700	9	C35-30B	ML180UH070E36B	10589670
SL18XP1-030-230	29200	16	13.5	27800	16700	9	C35-30B	ML180UH070XE36B	10589707
SL18XP1-030-230	29400	16	13.5	27800	16800	9	C35-30B	ML180UH090E48B	10589785
SL18XP1-030-230	29400	16	13.5	27800	16800	9	C35-30B	ML180UH090XE48B	10590040
SL18XP1-030-230	29400	16.5	13.5	27800	16700	9	C35-30B	SL280UH090V36B	202087858
SL18XP1-030-230	29000	16	13.5	27600	16700	9	C35-30B	SL280UH090V48B	10098203
SL18XP1-030-230	29000	16	13.5	27600	16700	9	C35-30B	SL280UH090XV48B	10098204
SL18XP1-030-230	29000	16	13	27800	16700	9	C35-30B	SLP98UH070XV36B	10098205
SL18XP1-030-230	28600	14	12	28600	17500	8.5	C35-30B		10098968
SL18XP1-030-230	29800	16	13.5	27800	17900	9.5	C35-36A	EL180UH045E36A	10098206
SL18XP1-030-230	29800	16	13.5	27800	17900	9.5	C35-36A	EL180UH045XE36A	10098207
SL18XP1-030-230	29800	16	13.5	27800	17900	9.5	C35-36A	ML180UH045E36A	10589581
SL18XP1-030-230	29800	16	13.5	27800	17900	9.5	C35-36A	ML180UH045XE36A	10589595
SL18XP1-030-230	29600	17	14	27600	17800	9.6	C35-36A	SL280UH060NV36A-	10581370
SL18XP1-030-230	29600	16	13.5	27600	17800	9.5	C35-36A	SL280UH070V36A	10098218
SL18XP1-030-230	29600	16	13.5	27600	17800	9.5	C35-36A	SL280UH070XV36A	10098985
SL18XP1-030-230	29800	16.5	13.5	27600	17800	9.5	C35-36B	EL180UH070E36B	10098208
SL18XP1-030-230	29800	16.5	13.5	27600	17800	9.5	C35-36B	EL180UH070XE36B	10098209
SL18XP1-030-230	29800	16.5	13.5	27600	17800	9.5	C35-36B	EL180UH090E48B	10098210
SL18XP1-030-230	29800	16.5	13.5	27600	17800	9.5	C35-36B	EL180UH090XE48B	10098211
SL18XP1-030-230	29800	16	13	27800	18000	9.5	C35-36B	EL195UH045XE36B	10098212
SL18XP1-030-230	30000	16	13.5	28000	18100	9.5	C35-36B	EL195UH070XE36B	10098213
SL18XP1-030-230	29800	16	13	27800	18000	9.5	C35-36B	EL196UH045XE36B	201933417
SL18XP1-030-230	30000	16	13.5	27800	18000	9.5	C35-36B	EL196UH070XE36B	201933418
SL18XP1-030-230	29800	16	13	27800	18000	9.5	C35-36B	EL296UH045XE36B	10098214
SL18XP1-030-230	29600	16	13	27600	17900	9	C35-36B	EL296UH045XV36B	10098215
SL18XP1-030-230	30000	16	13.5	28000	18100	9.5	C35-36B	EL296UH070XE36B	10098216
SL18XP1-030-230	29600	16	13.5	27600	17800	9.5	C35-36B	EL296UH070XV36B	10098217
SL18XP1-030-230	29800	16.5	13.5	27600	17800	9.5	C35-36B	ML180UH070E36B	10589671
SL18XP1-030-230	29800	16.5	13.5	27600	17800	9.5	C35-36B	ML180UH070XE36B	10589708
SL18XP1-030-230	29800	16.5	13.5	27600	17800	9.5	C35-36B	ML180UH090E48B	10589786
SL18XP1-030-230	29800	16.5	13.5	27600	17800	9.5	C35-36B	ML180UH090XE48B	10590041
SL18XP1-030-230	30000	16.5	13.5	27600	17800	9.5	C35-36B	SL280UH090V36B	10098219
SL18XP1-030-230	29400	16	13.5	27400	17700	9.6	C35-36B	SL280UH090V48B	10098220
SL18XP1-030-230	29400	16	13.5	27400	17700	9.6	C35-36B	SL280UH090XV48B	10098221
SL18XP1-030-230	29600	16	13.5	27600	17800	9.5	C35-36B	SLP98UH070XV36B	10098222
SL18XP1-030-230	29200	14.5	12	28400	18500	9	C35-36B		10098984
SL18XP1-030-230	29800	16	13.5	27200	17600	9.6	C37-38A	EL180UH045E36A	10085159
SL18XP1-030-230	29800	16	13.5	27200	17600	9.6	C37-38A	EL180UH045XE36A	10085160
SL18XP1-030-230	29800	16	13.5	27200	17600	9.6	C37-38A	ML180UH045E36A	10589573
SL18XP1-030-230	29800	16	13.5	27200	17600	9.6	C37-38A	ML180UH045XE36A	10589589
SL18XP1-030-230	29600	16.5	13.5	27000	17500	9.8	C37-38A	SL280UH060NV36A-	10581371

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-030-230	29600	16	13.5	27000	17500	9.6	C37-38A	SL280UH070V36A	10085171
SL18XP1-030-230	29600	16	13.5	27000	17500	9.6	C37-38A	SL280UH070XV36A	10085172
SL18XP1-030-230	29200	14.5	12	27600	18100	9	C37-38A		10084128
SL18XP1-030-230	29800	16.5	13.5	27000	17500	9.6	C37-38B	EL180UH070E36B	10085161
SL18XP1-030-230	29800	16.5	13.5	27000	17500	9.6	C37-38B	EL180UH070XE36B	10085162
SL18XP1-030-230	29800	16.5	13.5	27000	17500	9.6	C37-38B	EL180UH090E48B	10085163
SL18XP1-030-230	29800	16.5	13.5	27000	17500	9.6	C37-38B	EL180UH090XE48B	10085164
SL18XP1-030-230	29800	16	13	27200	17700	9.6	C37-38B	EL195UH045XE36B	10085165
SL18XP1-030-230	30000	16	13.5	27400	17700	9.6	C37-38B	EL195UH070XE36B	10085166
SL18XP1-030-230	29800	16	13	27200	17700	9.6	C37-38B	EL196UH045XE36B	201933421
SL18XP1-030-230	30000	16	13.5	27400	17700	9.6	C37-38B	EL196UH070XE36B	201933422
SL18XP1-030-230	29800	16	13	27200	17700	9.6	C37-38B	EL296UH045XE36B	10085167
SL18XP1-030-230	29600	16	13	27200	17600	9.6	C37-38B	EL296UH045XV36B	10085168
SL18XP1-030-230	30000	16	13.5	27400	17700	9.6	C37-38B	EL296UH070XE36B	10085169
SL18XP1-030-230	29600	16	13.5	27000	17500	9.6	C37-38B	EL296UH070XV36B	10085170
SL18XP1-030-230	29800	16.5	13.5	27000	17500	9.6	C37-38B	ML180UH070E36B	10589652
SL18XP1-030-230	29800	16.5	13.5	27000	17500	9.6	C37-38B	ML180UH070XE36B	10589695
SL18XP1-030-230	29800	16.5	13.5	27000	17500	9.6	C37-38B	ML180UH090E48B	10589769
SL18XP1-030-230	29800	16.5	13.5	27000	17500	9.6	C37-38B	ML180UH090XE48B	10590030
SL18XP1-030-230	30000	16.5	13.5	27000	17500	9.6	C37-38B	SL280UH090V36B	10085173
SL18XP1-030-230	29400	16	13.5	26800	17400	9.6	C37-38B	SL280UH090V48B	10085174
SL18XP1-030-230	29400	16	13.5	26800	17400	9.6	C37-38B	SL280UH090XV48B	10085175
SL18XP1-030-230	29600	16	13.5	27000	17500	9.6	C37-38B	SLP98UH070XV36B	10085176
SL18XP1-030-230	29200	14.5	12	27600	18100	9	C37-38B		10084129
SL18XP1-030-230	30000	16.5	13.5	26800	17100	9.6	C37-43B	EL180UH070E36B	10085177
SL18XP1-030-230	30000	16.5	13.5	26800	17100	9.6	C37-43B	EL180UH070XE36B	10085178
SL18XP1-030-230	30000	16.5	13.5	27000	17200	9.6	C37-43B	EL180UH090E48B	10085179
SL18XP1-030-230	30000	16.5	13.5	27000	17200	9.6	C37-43B	EL180UH090XE48B	10085180
SL18XP1-030-230	30000	16	13.5	27200	17300	9.5	C37-43B	EL195UH045XE36B	10085181
SL18XP1-030-230	30000	16	13.5	27200	17400	9.5	C37-43B	EL195UH070XE36B	10085182
SL18XP1-030-230	30000	16	13.5	27200	17400	9.5	C37-43B	EL196UH045XE36B	201933423
SL18XP1-030-230	30000	16	13.5	27200	17300	9.5	C37-43B	EL196UH070XE36B	201933424
SL18XP1-030-230	30000	16	13.5	27200	17300	9.5	C37-43B	EL296UH045XE36B	10085183
SL18XP1-030-230	30000	16	13.5	27000	17200	9	C37-43B	EL296UH045XV36B	10085184
SL18XP1-030-230	30000	16	13.5	27200	17400	9.5	C37-43B	EL296UH070XE36B	10085185
SL18XP1-030-230	30000	16.5	13.5	26800	17100	9.5	C37-43B	EL296UH070XV36B	10085186
SL18XP1-030-230	30000	16.5	13.5	26800	17100	9.6	C37-43B	ML180UH070E36B	10589653
SL18XP1-030-230	30000	16.5	13.5	26800	17100	9.6	C37-43B	ML180UH070XE36B	10589696
SL18XP1-030-230	30000	16.5	13.5	27000	17200	9.6	C37-43B	ML180UH090E48B	10589770
SL18XP1-030-230	30000	16.5	13.5	27000	17200	9.6	C37-43B	ML180UH090XE48B	10590031
SL18XP1-030-230	30000	16.5	13.5	26800	17000	9.5	C37-43B	SL280UH090V36B	10085187
SL18XP1-030-230	30000	16.5	13.5	26600	17000	9.5	C37-43B	SL280UH090V48B	10085188
SL18XP1-030-230	30000	16.5	13.5	26600	17000	9.5	C37-43B	SL280UH090XV48B	10085189
SL18XP1-030-230	30000	16.5	13.5	26800	17100	9.5	C37-43B	SLP98UH070XV36B	10085190
SL18XP1-030-230	30000	14.5	12	27600	17800	8.5	C37-43B		10084130
SL18XP1-030-230	30000	16.5	13.5	26800	17100	9.5	C37-43C	EL195UH090XE48C	10085191
SL18XP1-030-230	30000	16.5	13.5	26800	17100	9.5	C37-43C	EL196UH090XE48C	201933425
SL18XP1-030-230	30000	16.5	14	26800	17100	9.5	C37-43C	EL296UH090XE48C	10085192
SL18XP1-030-230	30000	16.5	14	26800	17000	9.5	C37-43C	EL296UH090XV36C	10085193
SL18XP1-030-230	30000	16.5	14	26800	17000	9.5	C37-43C	SLP98UH090XV36C	10085194
SL18XP1-030-230	30000	14.5	12	27600	17800	8.5	C37-43C		10084131
SL18XP1-030-230	30000	16.5	13.5	26800	17100	9.5	C37-50/60C	EL195UH090XE48C	10085195
SL18XP1-030-230	30000	16.5	13.5	26800	17100	9.5	C37-50/60C	EL196UH090XE48C	201933426
SL18XP1-030-230	30000	16.5	13.5	26800	17100	9.5	C37-50/60C	EL296UH090XE48C	10085196
SL18XP1-030-230	30000	16.5	13.5	26800	17100	9.5	C37-50/60C	EL296UH090XV36C	10085197

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-030-230	30000	16.5	13.5	26800	17100	9.5	C37-50/60C	SLP98UH090XV36C	10085198
SL18XP1-030-230	30000	14.5	12	27400	17800	9	C37-50/60C		10084132
SL18XP1-030-230	29800	16.5	13.5	27000	17200	9.6	CBA27UHE-030-230		10258579
SL18XP1-030-230	29800	16	13.5	27400	17400	9.6	CBA38MV-030-230		201841620
SL18XP1-030-230	29800	16	13.5	26400	17200	9.5	CBA38MV-036-230		201841621
SL18XP1-030-230	29800	16.5	13.5	26000	17200	9.6	CBX27UH-030-230		8331372
SL18XP1-030-230	29800	16.5	13.5	26000	17100	9.6	CBX27UH-036-230		8331373
SL18XP1-030-230	29600	15.5	13	27600	18100	9.5	CBX32M-030		8331374
SL18XP1-030-230	29400	15	12.5	26400	17700	9	CBX32M-036		8331375
SL18XP1-030-230	30000	16.5	14	26800	16800	9.5	CH33-44/48B	EL180UH070E36B	8329267
SL18XP1-030-230	30000	16.5	14	26800	16800	9.5	CH33-44/48B	EL180UH070XE36B	8329268
SL18XP1-030-230	30000	17	14	27000	16800	9.5	CH33-44/48B	EL180UH090E48B	8329269
SL18XP1-030-230	30000	17	14	27000	16800	9.5	CH33-44/48B	EL180UH090XE48B	8329270
SL18XP1-030-230	30000	16	13.5	27200	17000	9.5	CH33-44/48B	EL195UH045XE36B	8329271
SL18XP1-030-230	30000	16	13.5	27400	17100	9.5	CH33-44/48B	EL195UH070XE36B	8329272
SL18XP1-030-230	30000	16	13.5	27200	17000	9.5	CH33-44/48B	EL196UH045XE36B	201933406
SL18XP1-030-230	30000	16	13.5	27200	17000	9.5	CH33-44/48B	EL196UH070XE36B	201933407
SL18XP1-030-230	30000	16	13.5	27200	17000	9.5	CH33-44/48B	EL296UH045XE36B	8329273
SL18XP1-030-230	30000	16	13	27200	17000	9	CH33-44/48B	EL296UH045XV36B	8657491
SL18XP1-030-230	30000	16	13.5	27400	17100	9.5	CH33-44/48B	EL296UH070XE36B	8329274
SL18XP1-030-230	30000	16.5	14	26800	16800	9.5	CH33-44/48B	ML180UH070E36B	10589621
SL18XP1-030-230	30000	16.5	14	26800	16800	9.5	CH33-44/48B	ML180UH070XE36B	10589687
SL18XP1-030-230	30000	17	14	27000	16800	9.5	CH33-44/48B	ML180UH090E48B	10589738
SL18XP1-030-230	30000	17	14	27000	16800	9.5	CH33-44/48B	ML180UH090XE48B	10590021
SL18XP1-030-230	30000	17	14	26800	16700	9.5	CH33-44/48B	SL280UH090V36B	8329275
SL18XP1-030-230	30000	16.5	14	26800	16700	9.5	CH33-44/48B	SL280UH090V48B	8329276
SL18XP1-030-230	30000	16.5	14	26800	16700	9.5	CH33-44/48B	SL280UH090XV48B	8329277
SL18XP1-030-230	30000	16	13.5	27000	16900	9	CH33-44/48B	SLP98UH070XV36B	8657493
SL18XP1-030-230	30000	15	12.5	27800	17500	9	CH33-44/48B		8329278
SL18XP1-030-230	29800	16.5	13.5	28200	17600	9.5	CH35-30B	EL180UH070E36B	10098161
SL18XP1-030-230	29800	16.5	13.5	28200	17600	9.5	CH35-30B	EL180UH070XE36B	10098162
SL18XP1-030-230	30000	16.5	13.5	28400	17700	9.5	CH35-30B	EL180UH090E48B	10098163
SL18XP1-030-230	30000	16.5	13.5	28400	17700	9.5	CH35-30B	EL180UH090XE48B	10098164
SL18XP1-030-230	30000	16	13.5	28600	17900	9.5	CH35-30B	EL195UH045XE36B	10098165
SL18XP1-030-230	30000	16	13.5	28600	17900	9.5	CH35-30B	EL195UH070XE36B	10098166
SL18XP1-030-230	30000	16	13.5	28600	17900	9.5	CH35-30B	EL196UH045XE36B	201933408
SL18XP1-030-230	30000	16	13.5	28600	17900	9.5	CH35-30B	EL196UH070XE36B	201933409
SL18XP1-030-230	30000	16	13.5	28600	17900	9.5	CH35-30B	EL296UH045XE36B	10098167
SL18XP1-030-230	30000	16	13.5	28600	17900	9.5	CH35-30B	EL296UH045XV36B	10098168
SL18XP1-030-230	30000	16	13.5	28600	17900	9.5	CH35-30B	EL296UH070XE36B	10098169
SL18XP1-030-230	30000	16.5	13.5	28400	17700	9.5	CH35-30B	EL296UH070XV36B	10098170
SL18XP1-030-230	29800	16.5	13.5	28200	17600	9.5	CH35-30B	ML180UH070E36B	10589668
SL18XP1-030-230	29800	16.5	13.5	28200	17600	9.5	CH35-30B	ML180UH070XE36B	10589705
SL18XP1-030-230	30000	16.5	13.5	28400	17700	9.5	CH35-30B	ML180UH090E48B	10589783
SL18XP1-030-230	30000	16.5	13.5	28400	17700	9.5	CH35-30B	ML180UH090XE48B	10590038
SL18XP1-030-230	29800	16.5	13.5	28200	17600	9.5	CH35-30B	SL280UH090V36B	10098171
SL18XP1-030-230	29600	16.5	13.5	28200	17600	9.5	CH35-30B	SL280UH090V48B	10098172
SL18XP1-030-230	29600	16.5	13.5	28200	17600	9.5	CH35-30B	SL280UH090XV48B	10098173
SL18XP1-030-230	30000	16.5	13.5	28400	17700	9.5	CH35-30B	SLP98UH070XV36B	10098174
SL18XP1-030-230	29200	14.5	12	29000	18400	9	CH35-30B		10098160
SL18XP1-030-230	30000	16.5	13.5	27400	17800	9.6	CH35-42B	EL180UH070E36B	10098970
SL18XP1-030-230	30000	16.5	13.5	27400	17800	9.6	CH35-42B	EL180UH070XE36B	10098971
SL18XP1-030-230	30000	16.5	13.5	27400	17900	9.6	CH35-42B	EL180UH090E48B	10098972
SL18XP1-030-230	30000	16.5	13.5	27400	17900	9.6	CH35-42B	EL180UH090XE48B	10098973
SL18XP1-030-230	30000	16	13.5	27600	18000	9.5	CH35-42B	EL195UH045XE36B	10098974

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-030-230	30000	16	13.5	27800	18100	9.6	CH35-42B	EL195UH070XE36B	10098975
SL18XP1-030-230	30000	16	13.5	27600	18100	9.5	CH35-42B	EL196UH045XE36B	201933410
SL18XP1-030-230	30000	16	13.5	27800	18100	9.6	CH35-42B	EL196UH070XE36B	201933411
SL18XP1-030-230	30000	16	13.5	27600	18000	9.5	CH35-42B	EL296UH045XE36B	10098976
SL18XP1-030-230	30000	16	13.5	27600	18000	9.5	CH35-42B	EL296UH045XV36B	10098977
SL18XP1-030-230	30000	16	13.5	27800	18100	9.6	CH35-42B	EL296UH070XE36B	10098978
SL18XP1-030-230	30000	16	13.5	27600	18000	9.6	CH35-42B	EL296UH070XV36B	10098979
SL18XP1-030-230	30000	16.5	13.5	27400	17800	9.6	CH35-42B	ML180UH070E36B	10589680
SL18XP1-030-230	30000	16.5	13.5	27400	17800	9.6	CH35-42B	ML180UH070XE36B	10589717
SL18XP1-030-230	30000	16.5	13.5	27400	17900	9.6	CH35-42B	ML180UH090E48B	10589794
SL18XP1-030-230	30000	16.5	13.5	27400	17900	9.6	CH35-42B	ML180UH090XE48B	10590051
SL18XP1-030-230	30000	16.5	13.5	27400	17800	9.6	CH35-42B	SL280UH090V36B	10098980
SL18XP1-030-230	30000	16.5	13.5	27200	17800	9.6	CH35-42B	SL280UH090V48B	10098981
SL18XP1-030-230	30000	16.5	13.5	27200	17800	9.6	CH35-42B	SL280UH090XV48B	10098982
SL18XP1-030-230	30000	16	13.5	27600	18000	9.6	CH35-42B	SLP98UH070XV36B	10098983
SL18XP1-030-230	30000	14.5	12	28200	18600	9	CH35-42B		10098969
SL18XP1-030-230	30000	16.5	13.5	27000	17400	9.5	CH35-42C	EL195UH090XE48C	10098242
SL18XP1-030-230	30000	16.5	13.5	27000	17400	9.5	CH35-42C	EL196UH090XE48C	201933412
SL18XP1-030-230	30000	16.5	13.5	27000	17400	9.5	CH35-42C	EL296UH090XE48C	10098243
SL18XP1-030-230	30000	16.5	13.5	27000	17300	9.5	CH35-42C	EL296UH090XV36C	10098244
SL18XP1-030-230	30000	16.5	13.5	27000	17300	9.5	CH35-42C	SLP98UH090XV36C	10098245
SL18XP1-030-230	30000	15	12.5	27800	18100	9	CH35-42C		10098241
SL18XP1-030-230	29800	16.5	13.5	28200	17600	9.5	CHX35-30B	EL180UH070E36B	202189930
SL18XP1-030-230	29800	16.5	13.5	28200	17600	9.5	CHX35-30B	EL180UH070XE36B	202189932
SL18XP1-030-230	30000	16.5	13.5	28400	17700	9.5	CHX35-30B	EL180UH090E48B	202189935
SL18XP1-030-230	30000	16.5	13.5	28400	17700	9.5	CHX35-30B	EL180UH090XE48B	202189936
SL18XP1-030-230	30000	16	13.5	28600	17900	9.5	CHX35-30B	EL195UH045XE36B	202189938
SL18XP1-030-230	30000	16	13.5	28600	17900	9.5	CHX35-30B	EL195UH070XE36B	202189940
SL18XP1-030-230	30000	16	13.5	28600	17900	9.5	CHX35-30B	EL196UH045XE36B	202186992
SL18XP1-030-230	30000	16	13.5	28600	17900	9.5	CHX35-30B	EL196UH070XE36B	202186993
SL18XP1-030-230	30000	16	13.5	28600	17900	9.5	CHX35-30B	EL296UH045XE36B	202189942
SL18XP1-030-230	30000	16	13.5	28600	17900	9.5	CHX35-30B	EL296UH045XV36B	202189945
SL18XP1-030-230	30000	16	13.5	28600	17900	9.5	CHX35-30B	EL296UH070XE36B	202189948
SL18XP1-030-230	30000	16	13.5	28600	17900	9.5	CHX35-30B	EL296UH070XV36B	202189950
SL18XP1-030-230	29800	16.5	13.5	28200	17600	9.5	CHX35-30B	ML180UH070E36B	202190431
SL18XP1-030-230	29800	16.5	13.5	28200	17600	9.5	CHX35-30B	ML180UH070XE36B	202190443
SL18XP1-030-230	30000	16.5	13.5	28400	17700	9.5	CHX35-30B	ML180UH090E48B	202190454
SL18XP1-030-230	30000	16.5	13.5	28400	17700	9.5	CHX35-30B	ML180UH090XE48B	202190475
SL18XP1-030-230	29800	16.5	13.5	28200	17600	9.5	CHX35-30B	SL280UH090V36B	202189952
SL18XP1-030-230	29600	16.5	13.5	28200	17600	9.5	CHX35-30B	SL280UH090V48B	202189955
SL18XP1-030-230	29600	16.5	13.5	28200	17600	9.5	CHX35-30B	SL280UH090XV48B	202189957
SL18XP1-030-230	30000	16.5	13.5	28400	17700	9.5	CHX35-30B	SLP98UH070XV36B	202189959
SL18XP1-030-230	29200	14.5	12	29000	18400	9	CHX35-30B		202189929
SL18XP1-030-230	30000	16.5	13.5	27400	17800	9.6	CHX35-42B	EL180UH070E36B	202190272
SL18XP1-030-230	30000	16.5	13.5	27400	17800	9.6	CHX35-42B	EL180UH070XE36B	202190274
SL18XP1-030-230	30000	16.5	13.5	27400	17900	9.6	CHX35-42B	EL180UH090E48B	202190277
SL18XP1-030-230	30000	16.5	13.5	27400	17900	9.6	CHX35-42B	EL180UH090XE48B	202190279
SL18XP1-030-230	30000	16	13.5	27600	18000	9.5	CHX35-42B	EL195UH045XE36B	202190281
SL18XP1-030-230	30000	16	13.5	27800	18100	9.6	CHX35-42B	EL195UH070XE36B	202190283
SL18XP1-030-230	30000	16	13.5	27600	18100	9.5	CHX35-42B	EL196UH045XE36B	202186994
SL18XP1-030-230	30000	16	13.5	27800	18100	9.6	CHX35-42B	EL196UH070XE36B	202186995
SL18XP1-030-230	30000	16	13.5	27600	18000	9.5	CHX35-42B	EL296UH045XE36B	202190285
SL18XP1-030-230	30000	16	13.5	27600	18000	9.5	CHX35-42B	EL296UH045XV36B	202190287
SL18XP1-030-230	30000	16	13.5	27800	18100	9.6	CHX35-42B	EL296UH070XE36B	202190289
SL18XP1-030-230	30000	16	13.5	27600	18000	9.6	CHX35-42B	EL296UH070XV36B	202190291

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-030-230	30000	16.5	13.5	27400	17800	9.6	CHX35-42B	ML180UH070E36B	202190439
SL18XP1-030-230	30000	16.5	13.5	27400	17800	9.6	CHX35-42B	ML180UH070XE36B	202190451
SL18XP1-030-230	30000	16.5	13.5	27400	17900	9.6	CHX35-42B	ML180UH090E48B	202190456
SL18XP1-030-230	30000	16.5	13.5	27400	17900	9.6	CHX35-42B	ML180UH090XE48B	202190481
SL18XP1-030-230	30000	16.5	13.5	27400	17800	9.6	CHX35-42B	SL280UH090V36B	202190293
SL18XP1-030-230	30000	16.5	13.5	27200	17800	9.6	CHX35-42B	SL280UH090V48B	202190295
SL18XP1-030-230	30000	16.5	13.5	27200	17800	9.6	CHX35-42B	SL280UH090XV48B	202190297
SL18XP1-030-230	30000	16	13.5	27600	18000	9.6	CHX35-42B	SLP98UH070XV36B	202190299
SL18XP1-030-230	30000	14.5	12	28200	18600	9	CHX35-42B		202190270
SL18XP1-030-230	30000	16.5	13.5	27000	17400	9.5	CHX35-42C	EL195UH090XE48C	202189963
SL18XP1-030-230	30000	16.5	13.5	27000	17400	9.5	CHX35-42C	EL196UH090XE48C	202186996
SL18XP1-030-230	30000	16.5	13.5	27000	17400	9.5	CHX35-42C	EL296UH090XE48C	202189966
SL18XP1-030-230	30000	16.5	13.5	27000	17300	9.5	CHX35-42C	EL296UH090XV36C	202189968
SL18XP1-030-230	30000	16.5	13.5	27000	17300	9.5	CHX35-42C	SLP98UH090XV36C	202189970
SL18XP1-030-230	30000	15	12.5	27800	18100	9	CHX35-42C		202189961
SL18XP1-030-230	29600	16.5	13.5	27000	18400	9.6	CR33-48B	EL180DF070E36B	8329322
SL18XP1-030-230	29400	16.5	13.5	26800	18400	9.6	CR33-48B	EL180DF090E48B	8329323
SL18XP1-030-230	29200	15.5	13	27200	18600	9.6	CR33-48B	EL195DF045XE36B	8329324
SL18XP1-030-230	29200	16	13	27000	18600	9.6	CR33-48B	EL195DF070XE48B	8331725
SL18XP1-030-230	29200	15.5	13	27200	18600	9.6	CR33-48B	EL196DF045XE36B	201953297
SL18XP1-030-230	29200	16	13	27000	18600	9.6	CR33-48B	EL196DF070XE48B	201953298
SL18XP1-030-230	29200	15.5	13	27200	18600	9.6	CR33-48B	EL296DF045XE36B	8329326
SL18XP1-030-230	29000	16	13	26800	18400	9.6	CR33-48B	EL296DF045XV36B	8329327
SL18XP1-030-230	29200	16	13	27000	18600	9.6	CR33-48B	EL296DF070XE48B	8329328
SL18XP1-030-230	29000	15.5	13	27000	18500	9.6	CR33-48B	EL296DF070XV48B	8329329
SL18XP1-030-230	29600	16.5	13.5	27000	18400	9.6	CR33-48B	ML180DF070E36B	10589525
SL18XP1-030-230	29400	16.5	13.5	26800	18400	9.6	CR33-48B	ML180DF090E48B	10589529
SL18XP1-030-230	29400	16	13	27000	18400	9.6	CR33-48B	SL280DF070V36A	8329330
SL18XP1-030-230	29200	16	13	26800	18400	9.6	CR33-48B	SL280DF090V48B	8329331
SL18XP1-030-230	29000	16	13	26800	18400	9.6	CR33-48B	SLP98DF070XV36B	8329332
SL18XP1-030-230	28800	14.5	12	27600	19100	9.5	CR33-48B		8329333
SL18XP1-030-230	28800	16	13	26600	18200	9.6	CR33-48C	SLP98DF090XV36C	8329334
SL18XP1-030-230	28800	16	13	26600	18200	9.6	CR33-48C	SLP98DF090XV48C	8329335
SL18XP1-030-230	29200	16	13.5	28000	16800	9.2	CX35-30A	SL280UH060NV36A-	10581372
SL18XP1-030-230	29200	16	13	28000	16800	9	CX35-30A	SL280UH070V36A	10098185
SL18XP1-030-230	29200	16	13	28000	16800	9	CX35-30A	SL280UH070XV36A	10098186
SL18XP1-030-230	29200	16	13.5	27800	16700	9	CX35-30B	EL180UH070E36B	10098175
SL18XP1-030-230	29200	16	13.5	27800	16700	9	CX35-30B	EL180UH070XE36B	10098176
SL18XP1-030-230	29400	16	13.5	27800	16800	9	CX35-30B	EL180UH090E48B	10098177
SL18XP1-030-230	29400	16	13.5	27800	16800	9	CX35-30B	EL180UH090XE48B	10098178
SL18XP1-030-230	29400	15.5	13	28000	16900	9	CX35-30B	EL195UH045XE36B	10098179
SL18XP1-030-230	29600	15.5	13	28200	17000	9	CX35-30B	EL195UH070XE36B	10098180
SL18XP1-030-230	29400	15.5	13	28000	17000	9	CX35-30B	EL196UH045XE36B	201933413
SL18XP1-030-230	29600	15.5	13	28200	16900	9	CX35-30B	EL196UH070XE36B	201933414
SL18XP1-030-230	29400	15.5	13	28000	16900	9	CX35-30B	EL296UH045XE36B	10098181
SL18XP1-030-230	29200	15.5	13	28000	16900	9	CX35-30B	EL296UH045XV36B	10098182
SL18XP1-030-230	29600	15.5	13	28200	17000	9	CX35-30B	EL296UH070XE36B	10098183
SL18XP1-030-230	29000	16	13	27800	16700	9	CX35-30B	EL296UH070XV36B	10098184
SL18XP1-030-230	29200	16	13.5	27800	16700	9	CX35-30B	ML180UH070E36B	10589669
SL18XP1-030-230	29200	16	13.5	27800	16700	9	CX35-30B	ML180UH070XE36B	10589706
SL18XP1-030-230	29400	16	13.5	27800	16800	9	CX35-30B	ML180UH090E48B	10589784
SL18XP1-030-230	29400	16	13.5	27800	16800	9	CX35-30B	ML180UH090XE48B	10590039
SL18XP1-030-230	29400	16.5	13.5	27800	16700	9	CX35-30B	SL280UH090V36B	10098187
SL18XP1-030-230	29000	16	13.5	27600	16700	9	CX35-30B	SL280UH090V48B	10098188
SL18XP1-030-230	29000	16	13.5	27600	16700	9	CX35-30B	SL280UH090XV48B	10098189

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-030-230	29000	16	13	27800	16700	9	CX35-30B	SLP98UH070XV36B	10098190
SL18XP1-030-230	28600	14	12	28600	17500	8.5	CX35-30B		10098967
SL18XP1-030-230	29800	16	13.5	27800	17900	9.5	CX35-36A	EL180UH045E36A	10098223
SL18XP1-030-230	29800	16	13.5	27800	17900	9.5	CX35-36A	EL180UH045XE36A	10098224
SL18XP1-030-230	29800	16	13.5	27800	17900	9.5	CX35-36A	ML180UH045E36A	10589582
SL18XP1-030-230	29800	16	13.5	27800	17900	9.5	CX35-36A	ML180UH045XE36A	10589596
SL18XP1-030-230	29600	17	14	27600	17800	9.6	CX35-36A	SL280UH060NV36A-	10581373
SL18XP1-030-230	29600	16	13.5	27600	17800	9.5	CX35-36A	SL280UH070V36A	10098235
SL18XP1-030-230	29600	16	13.5	27600	17800	9.5	CX35-36A	SL280UH070XV36A	10098236
SL18XP1-030-230	29800	16.5	13.5	27600	17800	9.5	CX35-36B	EL180UH070E36B	10098225
SL18XP1-030-230	29800	16.5	13.5	27600	17800	9.5	CX35-36B	EL180UH070XE36B	10098226
SL18XP1-030-230	29800	16.5	13.5	27600	17800	9.5	CX35-36B	EL180UH090E48B	10098227
SL18XP1-030-230	29800	16.5	13.5	27600	17800	9.5	CX35-36B	EL180UH090XE48B	10098228
SL18XP1-030-230	29800	16	13	27800	18000	9.5	CX35-36B	EL195UH045XE36B	10098229
SL18XP1-030-230	30000	16	13.5	28000	18100	9.5	CX35-36B	EL195UH070XE36B	10098230
SL18XP1-030-230	29800	16	13	27800	18000	9.5	CX35-36B	EL196UH045XE36B	201933419
SL18XP1-030-230	30000	16	13.5	27800	18000	9.5	CX35-36B	EL196UH070XE36B	201933420
SL18XP1-030-230	29800	16	13	27800	18000	9.5	CX35-36B	EL296UH045XE36B	10098231
SL18XP1-030-230	29600	16	13	27600	17900	9	CX35-36B	EL296UH045XV36B	10098232
SL18XP1-030-230	30000	16	13.5	28000	18100	9.5	CX35-36B	EL296UH070XE36B	10098233
SL18XP1-030-230	29600	16	13.5	27600	17800	9.5	CX35-36B	EL296UH070XV36B	10098234
SL18XP1-030-230	29800	16.5	13.5	27600	17800	9.5	CX35-36B	ML180UH070E36B	10589672
SL18XP1-030-230	29800	16.5	13.5	27600	17800	9.5	CX35-36B	ML180UH070XE36B	10589709
SL18XP1-030-230	29800	16.5	13.5	27600	17800	9.5	CX35-36B	ML180UH090E48B	10589787
SL18XP1-030-230	29800	16.5	13.5	27600	17800	9.5	CX35-36B	ML180UH090XE48B	10590042
SL18XP1-030-230	30000	16.5	13.5	27600	17800	9.5	CX35-36B	SL280UH090V36B	10098237
SL18XP1-030-230	29400	16	13.5	27400	17700	9.6	CX35-36B	SL280UH090V48B	10098238
SL18XP1-030-230	29400	16	13.5	27400	17700	9.6	CX35-36B	SL280UH090XV48B	10098239
SL18XP1-030-230	29600	16	13.5	27600	17800	9.5	CX35-36B	SLP98UH070XV36B	10098240
SL18XP1-030-230	29200	14.5	12	28400	18500	9	CX35-36B		10098986
SL18XP1-030-230	29800	16	13.5	27200	17600	9.6	CX38-38A	EL180UH045E36A	10085199
SL18XP1-030-230	29800	16	13.5	27200	17600	9.6	CX38-38A	EL180UH045XE36A	10085200
SL18XP1-030-230	29800	16	13.5	27200	17600	9.6	CX38-38A	ML180UH045E36A	10589574
SL18XP1-030-230	29800	16	13.5	27200	17600	9.6	CX38-38A	ML180UH045XE36A	10589590
SL18XP1-030-230	29600	16.5	13.5	27000	17500	9.8	CX38-38A	SL280UH060NV36A-	10581374
SL18XP1-030-230	29600	16	13.5	27000	17500	9.6	CX38-38A	SL280UH070V36A	10085211
SL18XP1-030-230	29600	16	13.5	27000	17500	9.6	CX38-38A	SL280UH070XV36A	10085212
SL18XP1-030-230	29200	14.5	12	27600	18100	9	CX38-38A		10084133
SL18XP1-030-230	29800	16.5	13.5	27000	17500	9.6	CX38-38B	EL180UH070E36B	10085201
SL18XP1-030-230	29800	16.5	13.5	27000	17500	9.6	CX38-38B	EL180UH070XE36B	10085202
SL18XP1-030-230	29800	16.5	13.5	27000	17500	9.6	CX38-38B	EL180UH090E48B	10085203
SL18XP1-030-230	29800	16.5	13.5	27000	17500	9.6	CX38-38B	EL180UH090XE48B	10085204
SL18XP1-030-230	29800	16	13	27200	17700	9.6	CX38-38B	EL195UH045XE36B	10085205
SL18XP1-030-230	30000	16	13.5	27400	17700	9.6	CX38-38B	EL195UH070XE36B	10085206
SL18XP1-030-230	29800	16	13	27200	17700	9.6	CX38-38B	EL196UH045XE36B	201933427
SL18XP1-030-230	30000	16	13.5	27400	17700	9.6	CX38-38B	EL196UH070XE36B	201933428
SL18XP1-030-230	29800	16	13	27200	17700	9.6	CX38-38B	EL296UH045XE36B	10085207
SL18XP1-030-230	29600	16	13	27200	17600	9.6	CX38-38B	EL296UH045XV36B	10085208
SL18XP1-030-230	30000	16	13.5	27400	17700	9.6	CX38-38B	EL296UH070XE36B	10085209
SL18XP1-030-230	29600	16	13.5	27000	17500	9.6	CX38-38B	EL296UH070XV36B	10085210
SL18XP1-030-230	29800	16.5	13.5	27000	17500	9.6	CX38-38B	ML180UH070E36B	10589654
SL18XP1-030-230	29800	16.5	13.5	27000	17500	9.6	CX38-38B	ML180UH070XE36B	10589697
SL18XP1-030-230	29800	16.5	13.5	27000	17500	9.6	CX38-38B	ML180UH090E48B	10589771
SL18XP1-030-230	29800	16.5	13.5	27000	17500	9.6	CX38-38B	ML180UH090XE48B	10590032
SL18XP1-030-230	30000	16.5	13.5	27000	17500	9.6	CX38-38B	SL280UH090V36B	10085213

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-030-230	29400	16	13.5	26800	17400	9.6	CX38-38B	SL280UH090V48B	10085214
SL18XP1-030-230	29400	16	13.5	26800	17400	9.6	CX38-38B	SL280UH090XV48B	10085215
SL18XP1-030-230	29600	16	13.5	27000	17500	9.6	CX38-38B	SLP98UH070XV36B	10085216
SL18XP1-030-230	29200	14.5	12	27600	18100	9	CX38-38B		10084134
SL18XP1-030-230	30000	16.5	13.5	26800	17100	9.6	CX38-43B	EL180UH070E36B	10085217
SL18XP1-030-230	30000	16.5	13.5	26800	17100	9.6	CX38-43B	EL180UH070XE36B	10085218
SL18XP1-030-230	30000	16.5	13.5	27000	17200	9.6	CX38-43B	EL180UH090E48B	10085219
SL18XP1-030-230	30000	16.5	13.5	27000	17200	9.6	CX38-43B	EL180UH090XE48B	10085220
SL18XP1-030-230	30000	16	13.5	27200	17300	9.5	CX38-43B	EL195UH045XE36B	10085221
SL18XP1-030-230	30000	16	13.5	27200	17400	9.5	CX38-43B	EL195UH070XE36B	10085222
SL18XP1-030-230	30000	16	13.5	27200	17400	9.5	CX38-43B	EL196UH045XE36B	201933430
SL18XP1-030-230	30000	16	13.5	27200	17300	9.5	CX38-43B	EL196UH070XE36B	201933429
SL18XP1-030-230	30000	16	13.5	27200	17300	9.5	CX38-43B	EL296UH045XE36B	10085223
SL18XP1-030-230	30000	16	13.5	27000	17200	9	CX38-43B	EL296UH045XV36B	10085224
SL18XP1-030-230	30000	16	13.5	27200	17400	9.5	CX38-43B	EL296UH070XE36B	10085225
SL18XP1-030-230	30000	16.5	13.5	26800	17100	9.5	CX38-43B	EL296UH070XV36B	10085226
SL18XP1-030-230	30000	16.5	13.5	26800	17100	9.6	CX38-43B	ML180UH070E36B	10589655
SL18XP1-030-230	30000	16.5	13.5	26800	17100	9.6	CX38-43B	ML180UH070XE36B	10589698
SL18XP1-030-230	30000	16.5	13.5	27000	17200	9.6	CX38-43B	ML180UH090E48B	10589772
SL18XP1-030-230	30000	16.5	13.5	27000	17200	9.6	CX38-43B	ML180UH090XE48B	10590033
SL18XP1-030-230	30000	16.5	13.5	26800	17000	9.5	CX38-43B	SL280UH090V36B	10085227
SL18XP1-030-230	30000	16.5	13.5	26600	17000	9.5	CX38-43B	SL280UH090V48B	10085228
SL18XP1-030-230	30000	16.5	13.5	26600	17000	9.5	CX38-43B	SL280UH090XV48B	10085229
SL18XP1-030-230	30000	16.5	13.5	26800	17100	9.5	CX38-43B	SLP98UH070XV36B	10085230
SL18XP1-030-230	30000	14.5	12	27600	17800	8.5	CX38-43B		10084135
SL18XP1-030-230	30000	16.5	13.5	26800	17100	9.5	CX38-43C	EL195UH090XE48C	10085231
SL18XP1-030-230	30000	16.5	13.5	26800	17100	9.5	CX38-43C	EL196UH090XE48C	201933431
SL18XP1-030-230	30000	16.5	14	26800	17100	9.5	CX38-43C	EL296UH090XE48C	10085232
SL18XP1-030-230	30000	16.5	14	26800	17000	9.5	CX38-43C	EL296UH090XV36C	10085233
SL18XP1-030-230	30000	16.5	14	26800	17000	9.5	CX38-43C	SLP98UH090XV36C	10085234
SL18XP1-030-230	30000	14.5	12	27600	17800	8.5	CX38-43C		10084136
SL18XP1-030-230	30000	16.5	13.5	26800	17100	9.5	CX38-50/60C	EL195UH090XE48C	10085235
SL18XP1-030-230	30000	16.5	13.5	26800	17100	9.5	CX38-50/60C	EL196UH090XE48C	201933432
SL18XP1-030-230	30000	16.5	13.5	26800	17100	9.5	CX38-50/60C	EL296UH090XE48C	10085236
SL18XP1-030-230	30000	16.5	13.5	26800	17100	9.5	CX38-50/60C	EL296UH090XV36C	10085237
SL18XP1-030-230	30000	16.5	13.5	26800	17100	9.5	CX38-50/60C	SLP98UH090XV36C	10085238
SL18XP1-030-230	30000	14.5	12	27400	17800	9	CX38-50/60C		10084137
SL18XP1-036-230	35800	16	13	33200	21600	8.5	C35-36B	EL180UH070E36B	10098313
SL18XP1-036-230	35800	16	13	33200	21600	8.5	C35-36B	EL180UH070XE36B	10098314
SL18XP1-036-230	36000	16	13	33600	21800	8.5	C35-36B	EL180UH090E48B	10098315
SL18XP1-036-230	36000	16	13	33600	21800	8.5	C35-36B	EL180UH090XE48B	10098316
SL18XP1-036-230	35800	15	12.5	33800	22200	8.5	C35-36B	EL195UH045XE36B	10098317
SL18XP1-036-230	35800	15.5	12.5	33400	21800	8.5	C35-36B	EL195UH070XE36B	10098318
SL18XP1-036-230	35800	15	12.5	33800	22200	8.5	C35-36B	EL196UH045XE36B	201933449
SL18XP1-036-230	35800	15.5	12.5	33400	21800	8.5	C35-36B	EL196UH070XE36B	201933450
SL18XP1-036-230	35800	15	12.5	33800	22200	8.5	C35-36B	EL296UH045XE36B	10098319
SL18XP1-036-230	36000	15.5	12.5	33600	22000	8.5	C35-36B	EL296UH045XV36B	10098320
SL18XP1-036-230	35800	15.5	12.5	33400	21800	8.5	C35-36B	EL296UH070XE36B	10098321
SL18XP1-036-230	35800	16	13	33200	21600	8.5	C35-36B	ML180UH070E36B	10589675
SL18XP1-036-230	35800	16	13	33200	21600	8.5	C35-36B	ML180UH070XE36B	10589712
SL18XP1-036-230	36000	16	13	33600	21800	8.5	C35-36B	ML180UH090E48B	10589788
SL18XP1-036-230	36000	16	13	33600	21800	8.5	C35-36B	ML180UH090XE48B	10590045
SL18XP1-036-230	36000	16	13	33200	21600	8.5	C35-36B	SL280UH090V36B	10098322
SL18XP1-036-230	36000	16	13	33400	21800	8.5	C35-36B	SL280UH090V48B	10098323
SL18XP1-036-230	36000	16	13	33400	21800	8.5	C35-36B	SL280UH090XV48B	10098324

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-036-230	36000	15.5	12.5	33600	22000	8.5	C35-36B	SLP98UH070XV36B	10098325
SL18XP1-036-230	35400	14.5	12	34000	22400	8.5	C35-36B		10099340
SL18XP1-036-230	36000	16	13.5	33200	21200	8.5	C35-48B	EL180UH070E36B	10098339
SL18XP1-036-230	36000	16	13.5	33200	21200	8.5	C35-48B	EL180UH070XE36B	10098340
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	C35-48B	EL180UH090E48B	10098341
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	C35-48B	EL180UH090XE48B	10098342
SL18XP1-036-230	36000	15.5	12.5	33400	21600	8.5	C35-48B	EL195UH070XE36B	10098343
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	C35-48B	EL196UH070XE36B	201933460
SL18XP1-036-230	36000	15	12.5	33600	21600	8.5	C35-48B	EL296UH045XV36B	10098344
SL18XP1-036-230	36000	15.5	12.5	33400	21600	8.5	C35-48B	EL296UH070XE36B	10098345
SL18XP1-036-230	36000	16	13.5	33200	21200	8.5	C35-48B	ML180UH070E36B	10589677
SL18XP1-036-230	36000	16	13.5	33200	21200	8.5	C35-48B	ML180UH070XE36B	10589714
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	C35-48B	ML180UH090E48B	10589790
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	C35-48B	ML180UH090XE48B	10590047
SL18XP1-036-230	36000	16	13.5	33200	21200	8.5	C35-48B	SL280UH090V36B	10098346
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	C35-48B	SL280UH090V48B	10098347
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	C35-48B	SL280UH090XV48B	10098348
SL18XP1-036-230	36000	15.5	12.5	33200	21400	8.5	C35-48B	SLP98UH070XV36B	10098349
SL18XP1-036-230	36000	16	13.5	33400	21400	8.5	C35-48C	EL180UH090E60C	10098350
SL18XP1-036-230	36000	16	13.5	33200	21400	8.5	C35-48C	EL180UH110E60C	10098351
SL18XP1-036-230	36000	16	13.5	33200	21400	8.5	C35-48C	EL180UH110XE60C	10098352
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	C35-48C	EL195UH090XE48C	10098353
SL18XP1-036-230	36000	16	13.5	33400	21400	8.5	C35-48C	EL195UH110XE60C	10098354
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	C35-48C	EL196UH090XE48C	201933457
SL18XP1-036-230	36000	16	13.5	33400	21600	8.5	C35-48C	EL196UH110XE60C	201933458
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	C35-48C	EL296UH090XE48C	10098355
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	C35-48C	EL296UH090XV36C	10098356
SL18XP1-036-230	36000	15.5	12.5	33200	21400	8.5	C35-48C	EL296UH090XV48C	10098357
SL18XP1-036-230	36000	16	13.5	33400	21400	8.5	C35-48C	EL296UH110XE60C	10098358
SL18XP1-036-230	36000	16	13.5	33400	21400	8.5	C35-48C	EL296UH110XV48C	10098359
SL18XP1-036-230	36000	16	13.5	33400	21400	8.5	C35-48C	EL296UH110XV60C	10098360
SL18XP1-036-230	36000	16	13.5	33400	21400	8.5	C35-48C	ML180UH090E60C	10589964
SL18XP1-036-230	36000	16	13.5	33200	21400	8.5	C35-48C	ML180UH110E60C	10590216
SL18XP1-036-230	36000	16	13.5	33200	21400	8.5	C35-48C	ML180UH110XE60C	10590313
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	C35-48C	SL280UH090V60C	202087859
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	C35-48C	SL280UH090XV60C	202087860
SL18XP1-036-230	36000	15.5	12.5	33600	21600	8.5	C35-48C	SL280UH110V60C	202087861
SL18XP1-036-230	36000	15.5	12.5	33600	21600	8.5	C35-48C	SL280UH110XV60C	202087862
SL18XP1-036-230	36000	15.5	12.5	33200	21400	8.5	C35-48C	SLP98UH090XV48C	10099343
SL18XP1-036-230	36000	15.5	12.5	33800	21600	8.5	C35-48C	SLP98UH090XV60C	10098361
SL18XP1-036-230	36000	16	13.5	33600	21400	8.5	C35-48C	SLP98UH110XV60C	202087865
SL18XP1-036-230	35600	14	12	34000	22200	8.5	C35-48C		10099342
SL18XP1-036-230	36000	15.5	12.5	33200	21400	8.5	C35-50/60C	EL180UH090E60C	10098362
SL18XP1-036-230	36000	16	13.5	33200	21200	8.5	C35-50/60C	EL180UH110E60C	10098363
SL18XP1-036-230	36000	16	13.5	33200	21200	8.5	C35-50/60C	EL180UH110XE60C	10098364
SL18XP1-036-230	36000	15.5	12.5	33200	21400	8.5	C35-50/60C	EL195UH090XE48C	10098365
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	C35-50/60C	EL195UH110XE60C	10098366
SL18XP1-036-230	36000	15.5	12.5	33200	21400	8.5	C35-50/60C	EL196UH090XE48C	201933453
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	C35-50/60C	EL196UH110XE60C	201933454
SL18XP1-036-230	36000	15.5	12.5	33200	21400	8.5	C35-50/60C	EL296UH090XE48C	10098367
SL18XP1-036-230	36000	15.5	12.5	33200	21400	8.5	C35-50/60C	EL296UH090XV36C	10098368
SL18XP1-036-230	36000	15.5	12.5	33200	21200	8.5	C35-50/60C	EL296UH090XV48C	10098369
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	C35-50/60C	EL296UH110XE60C	10098370
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	C35-50/60C	EL296UH110XV48C	10098371
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	C35-50/60C	EL296UH110XV60C	10098372

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-036-230	36000	15.5	12.5	33200	21400	8.5	C35-50/60C	ML180UH090E60C	10589965
SL18XP1-036-230	36000	16	13.5	33200	21200	8.5	C35-50/60C	ML180UH110E60C	10590217
SL18XP1-036-230	36000	16	13.5	33200	21200	8.5	C35-50/60C	ML180UH110XE60C	10590314
SL18XP1-036-230	36000	16	13.5	33600	21400	8.5	C35-50/60C	SL280UH090V60C	10098373
SL18XP1-036-230	36000	16	13.5	33600	21400	8.5	C35-50/60C	SL280UH090XV60C	10098374
SL18XP1-036-230	36000	15.5	12.5	33400	21600	8.5	C35-50/60C	SL280UH110V60C	10098375
SL18XP1-036-230	36000	15.5	12.5	33400	21600	8.5	C35-50/60C	SL280UH110XV60C	10098376
SL18XP1-036-230	36000	15.5	12.5	33200	21400	8.5	C35-50/60C	SLP98UH090XV36C	10099344
SL18XP1-036-230	36000	15.5	12.5	33200	21200	8.5	C35-50/60C	SLP98UH090XV48C	10099345
SL18XP1-036-230	36000	15.5	12.5	33600	21600	8.5	C35-50/60C	SLP98UH090XV60C	10098377
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	C35-50/60C	SLP98UH110XV60C	10099346
SL18XP1-036-230	35400	14	12	34000	22000	8.5	C35-50/60C		10098378
SL18XP1-036-230	36000	16	13	32800	21400	8.5	C37-43B	EL180UH070E36B	10085239
SL18XP1-036-230	36000	15.5	13	32800	21400	8.5	C37-43B	EL180UH070XE36B	10085240
SL18XP1-036-230	36000	15.5	13	33400	21800	9	C37-43B	EL180UH090E48B	10085241
SL18XP1-036-230	36000	15.5	13	33400	21800	9	C37-43B	EL180UH090XE48B	10085242
SL18XP1-036-230	36000	14.5	12.5	33600	22200	8.5	C37-43B	EL195UH045XE36B	10085243
SL18XP1-036-230	36000	15	12.5	33600	22000	8.5	C37-43B	EL195UH070XE36B	10085244
SL18XP1-036-230	36000	14.5	12.5	33600	22200	8.5	C37-43B	EL196UH045XE36B	201933471
SL18XP1-036-230	36000	15	12.5	33600	22200	8.5	C37-43B	EL196UH070XE36B	201933472
SL18XP1-036-230	36000	14.5	12.5	33600	22200	8.5	C37-43B	EL296UH045XE36B	10085245
SL18XP1-036-230	36000	15.1	13	33400	21800	8.5	C37-43B	EL296UH045XV36B	10085246
SL18XP1-036-230	36000	15	12.5	33600	22000	8.5	C37-43B	EL296UH070XE36B	10085247
SL18XP1-036-230	36000	16	13	32800	21400	8.5	C37-43B	ML180UH070E36B	10589656
SL18XP1-036-230	36000	15.5	13	32800	21400	8.5	C37-43B	ML180UH070XE36B	10589699
SL18XP1-036-230	36000	15.5	13	33400	21800	9	C37-43B	ML180UH090E48B	10589773
SL18XP1-036-230	36000	15.5	13	33400	21800	9	C37-43B	ML180UH090XE48B	10590034
SL18XP1-036-230	36000	16	13.5	32800	21600	9	C37-43B	SL280UH090V36B	10085248
SL18XP1-036-230	36000	16	13	33000	21600	9	C37-43B	SL280UH090V48B	10085249
SL18XP1-036-230	36000	16	13	33000	21600	9	C37-43B	SL280UH090XV48B	10085250
SL18XP1-036-230	36000	15.5	13	33400	22000	8.5	C37-43B	SLP98UH070XV36B	10085251
SL18XP1-036-230	36000	14.5	12	33800	22400	8.5	C37-43B		10084138
SL18XP1-036-230	36000	16	13.5	33000	21600	9	C37-43C	EL180UH090E60C	10085253
SL18XP1-036-230	36000	16	13.5	33000	21600	9	C37-43C	EL180UH110E60C	10085254
SL18XP1-036-230	36000	16	13.5	33000	21600	9	C37-43C	EL180UH110XE60C	10085255
SL18XP1-036-230	36000	15.5	13	33200	21600	9	C37-43C	EL195UH090XE48C	10085256
SL18XP1-036-230	36000	16	13.5	33200	21800	9	C37-43C	EL195UH110XE60C	10085257
SL18XP1-036-230	36000	15.5	13	33200	21600	9	C37-43C	EL196UH090XE48C	201933465
SL18XP1-036-230	36000	16	13.5	33200	21800	9	C37-43C	EL196UH110XE60C	201933466
SL18XP1-036-230	36000	15.5	13	33200	21600	9	C37-43C	EL296UH090XE48C	10085258
SL18XP1-036-230	36000	15.5	13	33200	21600	9	C37-43C	EL296UH090XV36C	10085252
SL18XP1-036-230	36000	16	13	33000	21600	9	C37-43C	EL296UH090XV48C	10085259
SL18XP1-036-230	36000	16	13.5	33200	21800	9	C37-43C	EL296UH110XE60C	10085260
SL18XP1-036-230	36000	16	13.5	33200	21800	9	C37-43C	EL296UH110XV48C	10085261
SL18XP1-036-230	36000	16	13.5	33200	21800	9	C37-43C	EL296UH110XV60C	10085262
SL18XP1-036-230	36000	16	13.5	33000	21600	9	C37-43C	ML180UH090E60C	10589925
SL18XP1-036-230	36000	16	13.5	33000	21600	9	C37-43C	ML180UH110E60C	10590177
SL18XP1-036-230	36000	16	13.5	33000	21600	9	C37-43C	ML180UH110XE60C	10590297
SL18XP1-036-230	36000	16	13.5	33200	21800	9	C37-43C	SL280UH090V60C	10085263
SL18XP1-036-230	36000	16	13.5	33200	21800	9	C37-43C	SL280UH090XV60C	10085264
SL18XP1-036-230	36000	15.5	13	33200	21800	9	C37-43C	SL280UH110V60C	10085265
SL18XP1-036-230	36000	15.5	13	33200	21800	9	C37-43C	SL280UH110XV60C	10085266
SL18XP1-036-230	36000	15.5	13	33000	21600	9	C37-43C	SLP98UH090XV36C	10085267
SL18XP1-036-230	36000	16	13.5	33000	21600	9	C37-43C	SLP98UH090XV48C	10085268
SL18XP1-036-230	36000	15.5	13	33400	21800	9	C37-43C	SLP98UH090XV60C	10085269

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-036-230	36000	16	13.5	33200	21800	9	C37-43C	SLP98UH110XV60C	10085270
SL18XP1-036-230	36000	14.5	12	33800	22400	8.5	C37-43C		10084139
SL18XP1-036-230	36000	16	13	33800	22400	8.5	C37-49C	EL180UH090E60C	10085359
SL18XP1-036-230	36000	15.5	13	33600	22200	8.5	C37-49C	EL180UH110E60C	10085360
SL18XP1-036-230	36000	15.5	13	33600	22200	8.5	C37-49C	EL180UH110XE60C	10085361
SL18XP1-036-230	36000	16	13	33800	22400	8.5	C37-49C	EL195UH090XE48C	10085362
SL18XP1-036-230	36000	16	13.5	34000	22400	9	C37-49C	EL195UH110XE60C	10085363
SL18XP1-036-230	36000	16	13	33800	22400	8.5	C37-49C	EL196UH090XE48C	201933475
SL18XP1-036-230	36000	16	13.5	34000	22400	9	C37-49C	EL196UH110XE60C	201933476
SL18XP1-036-230	36000	16	13	33800	22400	8.5	C37-49C	EL296UH090XE48C	10085364
SL18XP1-036-230	36000	15.5	13	33800	22400	8.5	C37-49C	EL296UH090XV36C	10085365
SL18XP1-036-230	36000	16	13	33600	22200	8.5	C37-49C	EL296UH090XV48C	10085366
SL18XP1-036-230	36000	16	13.5	34000	22400	9	C37-49C	EL296UH110XE60C	10085367
SL18XP1-036-230	36000	16	13.5	34000	22400	9	C37-49C	EL296UH110XV60C	10085368
SL18XP1-036-230	36000	16	13	33800	22400	8.5	C37-49C	ML180UH090E60C	10589930
SL18XP1-036-230	36000	15.5	13	33600	22200	8.5	C37-49C	ML180UH110E60C	10590182
SL18XP1-036-230	36000	15.5	13	33600	22200	8.5	C37-49C	ML180UH110XE60C	10590302
SL18XP1-036-230	36000	16	13.5	34000	22400	9	C37-49C	SL280UH090V60C	10085369
SL18XP1-036-230	36000	16	13.5	34000	22400	9	C37-49C	SL280UH090XV60C	10085370
SL18XP1-036-230	36000	15.5	13	34000	22400	9	C37-49C	SL280UH110V60C	10085371
SL18XP1-036-230	36000	15.5	13	34000	22400	9	C37-49C	SL280UH110XV60C	10085372
SL18XP1-036-230	36000	15.5	13	33800	22400	8.5	C37-49C	SLP98UH090XV36C	10085373
SL18XP1-036-230	36000	16	13	33600	22200	8.5	C37-49C	SLP98UH090XV48C	10085374
SL18XP1-036-230	36000	15.5	13	34200	22600	9	C37-49C	SLP98UH090XV60C	10085375
SL18XP1-036-230	36000	16	13.5	34000	22400	9	C37-49C	SLP98UH110XV60C	10085376
SL18XP1-036-230	36000	14.5	12	34000	22600	8.5	C37-49C		10084145
SL18XP1-036-230	36000	15.5	13	33200	21600	9	C37-50/60C	EL180UH090E60C	10085271
SL18XP1-036-230	36000	15.5	13	32800	21600	8.5	C37-50/60C	EL180UH110E60C	10085272
SL18XP1-036-230	36000	15.5	13	32800	21600	8.5	C37-50/60C	EL180UH110XE60C	10085273
SL18XP1-036-230	36000	15.5	13	33200	21600	9	C37-50/60C	EL195UH090XE48C	10085274
SL18XP1-036-230	36000	16	13	33200	21800	9	C37-50/60C	EL195UH110XE60C	10085275
SL18XP1-036-230	36000	15.5	13	33200	21800	9	C37-50/60C	EL196UH090XE48C	201933467
SL18XP1-036-230	36000	16	13	33200	21800	9	C37-50/60C	EL196UH110XE60C	201933468
SL18XP1-036-230	36000	15.5	13	33200	21600	9	C37-50/60C	EL296UH090XE48C	10085276
SL18XP1-036-230	36000	15.5	13	33200	21600	9	C37-50/60C	EL296UH090XV36C	10085277
SL18XP1-036-230	36000	16	13	33000	21600	9	C37-50/60C	EL296UH090XV48C	10085278
SL18XP1-036-230	36000	16	13	33200	21800	9	C37-50/60C	EL296UH110XE60C	10085279
SL18XP1-036-230	36000	16	13	33200	21800	9	C37-50/60C	EL296UH110XV48C	10085280
SL18XP1-036-230	36000	16	13	33200	21800	9	C37-50/60C	EL296UH110XV60C	10085281
SL18XP1-036-230	36000	15.5	13	33200	21600	9	C37-50/60C	ML180UH090E60C	10589926
SL18XP1-036-230	36000	15.5	13	32800	21600	8.5	C37-50/60C	ML180UH110E60C	10590178
SL18XP1-036-230	36000	15.5	13	32800	21600	8.5	C37-50/60C	ML180UH110XE60C	10590298
SL18XP1-036-230	36000	16	13.5	33200	21800	9	C37-50/60C	SL280UH090V60C	10085282
SL18XP1-036-230	36000	16	13.5	33200	21800	9	C37-50/60C	SL280UH090XV60C	10085283
SL18XP1-036-230	36000	15.5	13	33200	21800	9	C37-50/60C	SL280UH110V60C	10085284
SL18XP1-036-230	36000	15.5	13	33200	21800	9	C37-50/60C	SL280UH110XV60C	10085285
SL18XP1-036-230	36000	15.5	13	33200	21600	9	C37-50/60C	SLP98UH090XV36C	10085286
SL18XP1-036-230	36000	16	13	33000	21600	9	C37-50/60C	SLP98UH090XV48C	10085287
SL18XP1-036-230	36000	15.5	13	33400	22000	9	C37-50/60C	SLP98UH090XV60C	10085288
SL18XP1-036-230	36000	16	13	33200	21800	9	C37-50/60C	SLP98UH110XV60C	10085289
SL18XP1-036-230	36000	14.5	12	33800	22400	8.5	C37-50/60C		10084140
SL18XP1-036-230	35800	15.5	13	34000	22200	9	CBA27UHE-036-230		10258580
SL18XP1-036-230	36000	16	13	33400	21600	9	CBA27UHE-042-230		10258581
SL18XP1-036-230	36000	15.5	12.5	34000	22400	9	CBA38MV-036-230		201841622
SL18XP1-036-230	36000	16	13.5	33400	21800	9	CBA38MV-042-230		201841623

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-036-230	36000	16	13.5	33400	22400	9.6	CBA38MV-048-230		201841629
SL18XP1-036-230	35600	15.5	13	33400	22200	9.5	CBX27UH-036-230		8331381
SL18XP1-036-230	36000	16	13.5	33200	21600	9	CBX27UH-042-230		8331382
SL18XP1-036-230	35200	14.5	12	34000	22600	9	CBX32M-036		8331383
SL18XP1-036-230	35200	14.5	12	34000	22600	9	CBX32M-042		8331384
SL18XP1-036-230	36000	14.5	12.5	33800	22200	8.5	CBX32M-048		8331385
SL18XP1-036-230	36000	15.5	13	33000	21800	8.5	CH33-43B	EL180UH070E36B	8329514
SL18XP1-036-230	36000	15.5	13	33000	21800	8.5	CH33-43B	EL180UH070XE36B	8329515
SL18XP1-036-230	36000	15.5	13	33200	22000	9	CH33-43B	EL180UH090XE48B	8329516
SL18XP1-036-230	36000	14.5	12.5	33800	22400	8.5	CH33-43B	EL195UH045XE36B	8329517
SL18XP1-036-230	36000	15	12.5	33600	22400	8.5	CH33-43B	EL195UH070XE36B	8329518
SL18XP1-036-230	36000	14.5	12.5	33800	22400	8.5	CH33-43B	EL196UH045XE36B	201933437
SL18XP1-036-230	36000	15	12.5	33600	22400	8.5	CH33-43B	EL196UH070XE36B	201933438
SL18XP1-036-230	36000	14.5	12.5	33800	22400	8.5	CH33-43B	EL296UH045XE36B	8329519
SL18XP1-036-230	36000	15	12.5	33600	22200	8.5	CH33-43B	EL296UH045XV36B	8329520
SL18XP1-036-230	36000	15	12.5	33600	22400	8.5	CH33-43B	EL296UH070XE36B	8329521
SL18XP1-036-230	36000	15.5	12.5	33200	22000	8.5	CH33-43B	EL296UH070XV36B	8329522
SL18XP1-036-230	36000	15.5	13	33000	21800	8.5	CH33-43B	ML180UH070E36B	10589626
SL18XP1-036-230	36000	15.5	13	33000	21800	8.5	CH33-43B	ML180UH070XE36B	10589692
SL18XP1-036-230	36000	15.5	13	33200	22000	9	CH33-43B	ML180UH090XE48B	10590026
SL18XP1-036-230	36000	16	13	33000	21800	8.5	CH33-43B	SL280UH090V36B	8329523
SL18XP1-036-230	36000	16	13	33200	22000	9	CH33-43B	SL280UH090V48B	8329524
SL18XP1-036-230	36000	16	13	33200	22000	9	CH33-43B	SL280UH090XV48B	8329525
SL18XP1-036-230	36000	15.5	12.5	33200	22000	8.5	CH33-43B	SLP98UH070XV36B	8329526
SL18XP1-036-230	36000	14.5	12	34000	22600	8.5	CH33-43B		8329527
SL18XP1-036-230	36000	16	13	32800	21800	9	CH33-49	EL180UH090E60C	8329390
SL18XP1-036-230	36000	16	13	32600	21600	9	CH33-49	EL180UH110E60C	8329391
SL18XP1-036-230	36000	16	13	32600	21600	9	CH33-49	EL180UH110XE60C	8329392
SL18XP1-036-230	36000	15.5	13	32800	21800	8.5	CH33-49	EL195UH090XE48C	8329393
SL18XP1-036-230	36000	16	13	32800	21800	9	CH33-49	EL195UH110XE60C	8329394
SL18XP1-036-230	36000	15.5	13	32800	21800	8.5	CH33-49	EL196UH090XE48C	201933433
SL18XP1-036-230	36000	16	13	32800	22000	9	CH33-49	EL196UH110XE60C	201933434
SL18XP1-036-230	36000	15.5	13	32800	21800	8.5	CH33-49	EL296UH090XE48C	8329395
SL18XP1-036-230	36000	15.5	13	32800	21800	9	CH33-49	EL296UH090XV36C	8329396
SL18XP1-036-230	36000	16	13	32600	21800	8.5	CH33-49	EL296UH090XV48C	8329397
SL18XP1-036-230	36000	16	13	32800	21800	9	CH33-49	EL296UH110XE60C	8329398
SL18XP1-036-230	36000	16	13	32800	21800	9	CH33-49	EL296UH110XV48C	8329399
SL18XP1-036-230	36000	16	13	32800	21800	9	CH33-49	EL296UH110XV60C	8329400
SL18XP1-036-230	36000	16	13	32800	21800	9	CH33-49	ML180UH090E60C	10589850
SL18XP1-036-230	36000	16	13	32600	21600	9	CH33-49	ML180UH110E60C	10590104
SL18XP1-036-230	36000	16	13	32600	21600	9	CH33-49	ML180UH110XE60C	10590281
SL18XP1-036-230	36000	16	13	32800	22000	9	CH33-49	SL280UH090V60C	8329401
SL18XP1-036-230	36000	16	13	32800	22000	9	CH33-49	SL280UH090XV60C	8329402
SL18XP1-036-230	36000	15.5	13	32800	22000	9	CH33-49	SL280UH110V60C	8329403
SL18XP1-036-230	36000	15.5	13	32800	22000	9	CH33-49	SL280UH110XV60C	8329404
SL18XP1-036-230	36000	15.5	13	32800	21800	9	CH33-49	SLP98UH090XV36C	8329405
SL18XP1-036-230	36000	16	13	32600	21800	8.5	CH33-49	SLP98UH090XV48C	8329406
SL18XP1-036-230	36000	15.5	13	33000	22000	9	CH33-49	SLP98UH090XV60C	8329407
SL18XP1-036-230	36000	16	13	32800	21800	9	CH33-49	SLP98UH110XV60C	8329408
SL18XP1-036-230	36000	14.5	12	33200	22400	8.5	CH33-49		8329409
SL18XP1-036-230	36000	15.5	13	32600	21800	8.5	CH33-50/60C	EL180UH090E60C	8329410
SL18XP1-036-230	36000	15.5	13	32400	21600	8.5	CH33-50/60C	EL180UH110E60C	8329411
SL18XP1-036-230	36000	15.5	13	32400	21600	8.5	CH33-50/60C	EL180UH110XE60C	8329412
SL18XP1-036-230	36000	15.5	12.5	32600	21800	8.5	CH33-50/60C	EL195UH090XE48C	8329413
SL18XP1-036-230	36000	15.5	13	32800	21800	8.5	CH33-50/60C	EL195UH110XE60C	8329414

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-036-230	36000	15.5	12.5	32600	21800	8.5	CH33-50/60C	EL196UH090XE48C	201933435
SL18XP1-036-230	36000	15.5	13	32800	21800	8.5	CH33-50/60C	EL196UH110XE60C	201933436
SL18XP1-036-230	36000	15.5	12.5	32600	21800	8.5	CH33-50/60C	EL296UH090XE48C	8329415
SL18XP1-036-230	36000	15.5	13	32600	21800	8.5	CH33-50/60C	EL296UH090XV36C	8329416
SL18XP1-036-230	36000	15.5	13	32400	21800	9	CH33-50/60C	EL296UH090XV48C	8329417
SL18XP1-036-230	36000	15.5	13	32800	21800	8.5	CH33-50/60C	EL296UH110XE60C	8329418
SL18XP1-036-230	36000	15.5	13	32800	21800	9	CH33-50/60C	EL296UH110XV48C	8329419
SL18XP1-036-230	36000	16	13	32800	21800	9	CH33-50/60C	EL296UH110XV60C	8329420
SL18XP1-036-230	36000	15.5	13	32600	21800	8.5	CH33-50/60C	ML180UH090E60C	10589851
SL18XP1-036-230	36000	15.5	13	32400	21600	8.5	CH33-50/60C	ML180UH110E60C	10590105
SL18XP1-036-230	36000	15.5	13	32400	21600	8.5	CH33-50/60C	ML180UH110XE60C	10590282
SL18XP1-036-230	36000	16	13	32800	21800	9	CH33-50/60C	SL280UH090V60C	8329421
SL18XP1-036-230	36000	16	13	32800	21800	9	CH33-50/60C	SL280UH090XV60C	8329422
SL18XP1-036-230	36000	15.5	13	32800	22000	9	CH33-50/60C	SL280UH110V60C	8329423
SL18XP1-036-230	36000	15.5	13	32800	22000	9	CH33-50/60C	SL280UH110XV60C	8329424
SL18XP1-036-230	36000	15.5	13	32600	21800	8.5	CH33-50/60C	SLP98UH090XV36C	8329425
SL18XP1-036-230	36000	15.5	13	32400	21800	9	CH33-50/60C	SLP98UH090XV48C	8329426
SL18XP1-036-230	36000	15.5	13	33000	22000	9	CH33-50/60C	SLP98UH090XV60C	8329427
SL18XP1-036-230	36000	16	13	32800	21800	9	CH33-50/60C	SLP98UH110XV60C	8329428
SL18XP1-036-230	36000	14.5	12	33400	22400	8.5	CH33-50/60C		8329429
SL18XP1-036-230	36000	16	13.5	33000	21800	8.5	CH35-42B	EL180UH070E36B	10098247
SL18XP1-036-230	36000	16	13.5	33000	21800	8.5	CH35-42B	EL180UH070XE36B	10098248
SL18XP1-036-230	36000	16	13	33200	22000	9	CH35-42B	EL180UH090XE48B	10098249
SL18XP1-036-230	36000	15	12.5	33800	22400	8.5	CH35-42B	EL195UH045XE36B	10098250
SL18XP1-036-230	36000	15	12.5	33600	22400	8.5	CH35-42B	EL195UH070XE36B	10098251
SL18XP1-036-230	36000	15	12.5	33800	22400	8.5	CH35-42B	EL196UH045XE36B	201933439
SL18XP1-036-230	36000	15	12.5	33600	22600	8.5	CH35-42B	EL196UH070XE36B	201933440
SL18XP1-036-230	36000	15	12.5	33800	22400	8.5	CH35-42B	EL296UH045XE36B	10098252
SL18XP1-036-230	36000	15	12.5	33600	22200	8.5	CH35-42B	EL296UH045XV36B	10098253
SL18XP1-036-230	36000	15	12.5	33600	22400	8.5	CH35-42B	EL296UH070XE36B	10098254
SL18XP1-036-230	36000	15.5	12.5	33200	22000	8.5	CH35-42B	EL296UH070XV36B	10098255
SL18XP1-036-230	36000	16	13.5	33000	21800	8.5	CH35-42B	ML180UH070E36B	10589673
SL18XP1-036-230	36000	16	13.5	33000	21800	8.5	CH35-42B	ML180UH070XE36B	10589710
SL18XP1-036-230	36000	16	13	33200	22000	9	CH35-42B	ML180UH090XE48B	10590043
SL18XP1-036-230	36000	16	13.5	33000	21800	8.5	CH35-42B	SL280UH090V36B	10098256
SL18XP1-036-230	36000	16	13.5	33200	22000	9	CH35-42B	SL280UH090V48B	10099338
SL18XP1-036-230	36000	16	13.5	33200	22000	9	CH35-42B	SL280UH090XV48B	10099339
SL18XP1-036-230	36000	15.5	12.5	33200	22000	8.5	CH35-42B	SLP98UH070XV36B	10098257
SL18XP1-036-230	36000	14.5	12	34000	22600	8.5	CH35-42B		10098258
SL18XP1-036-230	36000	16	13.5	33400	22200	8.5	CH35-42C	EL180UH090E60C	10098259
SL18XP1-036-230	36000	16	13.5	33200	22000	8.5	CH35-42C	EL180UH110E60C	10098260
SL18XP1-036-230	36000	16	13.5	33200	22000	8.5	CH35-42C	EL180UH110XE60C	10098261
SL18XP1-036-230	36000	15.5	12.5	33400	22200	8.5	CH35-42C	EL195UH090XE48C	10098262
SL18XP1-036-230	36000	16	13.5	33600	22200	8.5	CH35-42C	EL195UH110XE60C	10098263
SL18XP1-036-230	36000	15.5	12.5	33400	22200	8.5	CH35-42C	EL196UH090XE48C	201933441
SL18XP1-036-230	36000	16	13.5	33600	22200	8.5	CH35-42C	EL196UH110XE60C	201933442
SL18XP1-036-230	36000	15.5	12.5	33400	22200	8.5	CH35-42C	EL296UH090XE48C	10098264
SL18XP1-036-230	36000	16	13	33400	22200	8.5	CH35-42C	EL296UH090XV36C	10098265
SL18XP1-036-230	36000	16	13	33200	22000	8.5	CH35-42C	EL296UH090XV48C	10098266
SL18XP1-036-230	36000	16	13.5	33600	22200	8.5	CH35-42C	EL296UH110XE60C	10098267
SL18XP1-036-230	36000	16	13.5	33400	22000	8.5	CH35-42C	EL296UH110XV48C	10098268
SL18XP1-036-230	36000	16	13.5	33600	22200	8.5	CH35-42C	EL296UH110XV60C	10098269
SL18XP1-036-230	36000	16	13.5	33400	22200	8.5	CH35-42C	ML180UH090E60C	10589962
SL18XP1-036-230	36000	16	13.5	33200	22000	8.5	CH35-42C	ML180UH110E60C	10590214
SL18XP1-036-230	36000	16	13.5	33200	22000	8.5	CH35-42C	ML180UH110XE60C	10590311

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-036-230	36000	16	13.5	33600	22200	8.5	CH35-42C	SL280UH090V60C	10098270
SL18XP1-036-230	36000	16	13.5	33600	22200	8.5	CH35-42C	SL280UH090XV60C	10098271
SL18XP1-036-230	36000	16	13	33600	22200	8.5	CH35-42C	SL280UH110V60C	10098272
SL18XP1-036-230	36000	16	13	33600	22200	8.5	CH35-42C	SL280UH110XV60C	10098273
SL18XP1-036-230	36000	16	13	33400	22200	8.5	CH35-42C	SLP98UH090XV36C	10098274
SL18XP1-036-230	36000	16	13	33200	22000	8.5	CH35-42C	SLP98UH090XV48C	10098275
SL18XP1-036-230	36000	15.5	12.5	33800	22400	8.5	CH35-42C	SLP98UH090XV60C	10098276
SL18XP1-036-230	36000	16	13.5	33600	22200	8.5	CH35-42C	SLP98UH110XV60C	10098277
SL18XP1-036-230	35600	14	12	34200	22800	8.2	CH35-42C		10098278
SL18XP1-036-230	36000	16	13	33400	21800	8.5	CH35-48B	EL180UH070E36B	10098279
SL18XP1-036-230	36000	16	13	33400	21800	8.5	CH35-48B	EL180UH070XE36B	10098280
SL18XP1-036-230	36000	16	13	33800	22000	8.5	CH35-48B	EL180UH090XE48B	10098281
SL18XP1-036-230	36000	14.5	12.5	34200	22400	8.5	CH35-48B	EL195UH045XE36B	10098282
SL18XP1-036-230	36000	15.5	12.5	33600	22200	8.5	CH35-48B	EL195UH070XE36B	10098283
SL18XP1-036-230	36000	14.5	12.5	34200	22400	8.5	CH35-48B	EL196UH045XE36B	201933443
SL18XP1-036-230	36000	15.5	12.5	33600	22000	8.5	CH35-48B	EL196UH070XE36B	201933444
SL18XP1-036-230	36000	14.5	12.5	34200	22400	8.5	CH35-48B	EL296UH045XE36B	10098284
SL18XP1-036-230	36000	15	12.5	34000	22200	8.5	CH35-48B	EL296UH045XV36B	10098285
SL18XP1-036-230	36000	15.5	12.5	33600	22200	8.5	CH35-48B	EL296UH070XE36B	10098286
SL18XP1-036-230	36000	15.5	12.5	33600	22000	8.5	CH35-48B	EL296UH070XV36B	10098287
SL18XP1-036-230	36000	16	13	33400	21800	8.5	CH35-48B	ML180UH070E36B	10589674
SL18XP1-036-230	36000	16	13	33400	21800	8.5	CH35-48B	ML180UH070XE36B	10589711
SL18XP1-036-230	36000	16	13	33800	22000	8.5	CH35-48B	ML180UH090XE48B	10590044
SL18XP1-036-230	36000	16	13	33600	22000	8.5	CH35-48B	SL280UH090V36B	10098288
SL18XP1-036-230	36000	15.5	12.5	33800	22000	8.5	CH35-48B	SL280UH090V48B	10098289
SL18XP1-036-230	36000	15.5	12.5	33800	22000	8.5	CH35-48B	SL280UH090XV48B	10098290
SL18XP1-036-230	36000	15.5	12.5	33600	22000	8.5	CH35-48B	SLP98UH070XV36B	10098291
SL18XP1-036-230	35600	14	12	34400	22600	8.5	CH35-48B		10098292
SL18XP1-036-230	36000	16	13.5	33600	21400	8.5	CH35-48C	EL180UH090E60C	10098294
SL18XP1-036-230	36000	16	13.5	33400	21400	8.5	CH35-48C	EL180UH110E60C	10098295
SL18XP1-036-230	36000	16	13.5	33400	21400	8.5	CH35-48C	EL180UH110XE60C	10098296
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CH35-48C	EL195UH090XE48C	10098297
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CH35-48C	EL195UH110XE60C	10098298
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CH35-48C	EL196UH090XE48C	201933445
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CH35-48C	EL196UH110XE60C	201933446
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CH35-48C	EL296UH090XE48C	10098299
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CH35-48C	EL296UH090XV36C	10098300
SL18XP1-036-230	36000	16	13.5	33400	21400	8.5	CH35-48C	EL296UH090XV48C	10098301
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CH35-48C	EL296UH110XE60C	10098302
SL18XP1-036-230	36000	16	13.5	33400	21400	8.5	CH35-48C	EL296UH110XV48C	10098303
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CH35-48C	EL296UH110XV60C	10098304
SL18XP1-036-230	36000	16	13.5	33600	21400	8.5	CH35-48C	ML180UH090E60C	10589963
SL18XP1-036-230	36000	16	13.5	33400	21400	8.5	CH35-48C	ML180UH110E60C	10590215
SL18XP1-036-230	36000	16	13.5	33400	21400	8.5	CH35-48C	ML180UH110XE60C	10590312
SL18XP1-036-230	36000	16	13.5	33800	21600	8.5	CH35-48C	SL280UH090V60C	10098305
SL18XP1-036-230	36000	16	13.5	33800	21600	8.5	CH35-48C	SL280UH090XV60C	10098306
SL18XP1-036-230	36000	16	13.5	33800	21600	8.5	CH35-48C	SL280UH110V60C	10098307
SL18XP1-036-230	36000	16	13.5	33800	21600	8.5	CH35-48C	SL280UH110XV60C	10098308
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CH35-48C	SLP98UH090XV36C	10098309
SL18XP1-036-230	36000	16	13.5	33400	21400	8.5	CH35-48C	SLP98UH090XV48C	10098310
SL18XP1-036-230	36000	16	13.5	34000	21800	8.5	CH35-48C	SLP98UH090XV60C	10098311
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CH35-48C	SLP98UH110XV60C	10098312
SL18XP1-036-230	36000	14.5	12.5	34200	22200	8.2	CH35-48C		10098293
SL18XP1-036-230	36000	16	13.5	33000	21800	8.5	CHX35-42B	EL180UH070E36B	202189972
SL18XP1-036-230	36000	16	13.5	33000	21800	8.5	CHX35-42B	EL180UH070XE36B	202189974

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-036-230	36000	16	13	33200	22000	9	CHX35-42B	EL180UH090XE48B	202189977
SL18XP1-036-230	36000	15	12.5	33800	22400	8.5	CHX35-42B	EL195UH045XE36B	202189978
SL18XP1-036-230	36000	15	12.5	33600	22400	8.5	CHX35-42B	EL195UH070XE36B	202189981
SL18XP1-036-230	36000	15	12.5	33800	22400	8.5	CHX35-42B	EL196UH045XE36B	202186997
SL18XP1-036-230	36000	15	12.5	33600	22600	8.5	CHX35-42B	EL196UH070XE36B	202186998
SL18XP1-036-230	36000	15	12.5	33800	22400	8.5	CHX35-42B	EL296UH045XE36B	202189983
SL18XP1-036-230	36000	15	12.5	33600	22200	8.5	CHX35-42B	EL296UH045XV36B	202189985
SL18XP1-036-230	36000	15	12.5	33600	22400	8.5	CHX35-42B	EL296UH070XE36B	202189987
SL18XP1-036-230	36000	15.5	12.5	33200	22000	8.5	CHX35-42B	EL296UH070XV36B	202189989
SL18XP1-036-230	36000	16	13.5	33000	21800	8.5	CHX35-42B	ML180UH070E36B	202190433
SL18XP1-036-230	36000	16	13.5	33000	21800	8.5	CHX35-42B	ML180UH070XE36B	202190445
SL18XP1-036-230	36000	16	13	33200	22000	9	CHX35-42B	ML180UH090XE48B	202190478
SL18XP1-036-230	36000	16	13.5	33000	21800	8.5	CHX35-42B	SL280UH090V36B	202189991
SL18XP1-036-230	36000	16	13.5	33200	22000	9	CHX35-42B	SL280UH090V48B	202190394
SL18XP1-036-230	36000	16	13.5	33200	22000	9	CHX35-42B	SL280UH090XV48B	202190395
SL18XP1-036-230	36000	15.5	12.5	33200	22000	8.5	CHX35-42B	SLP98UH070XV36B	202189993
SL18XP1-036-230	36000	14.5	12	34000	22600	8.5	CHX35-42B		202189995
SL18XP1-036-230	36000	16	13.5	33400	22200	8.5	CHX35-42C	EL180UH090E60C	202189997
SL18XP1-036-230	36000	16	13.5	33200	22000	8.5	CHX35-42C	EL180UH110E60C	202189999
SL18XP1-036-230	36000	16	13.5	33200	22000	8.5	CHX35-42C	EL180UH110XE60C	202190002
SL18XP1-036-230	36000	15.5	12.5	33400	22200	8.5	CHX35-42C	EL195UH090XE48C	202190004
SL18XP1-036-230	36000	16	13.5	33600	22200	8.5	CHX35-42C	EL195UH110XE60C	202190006
SL18XP1-036-230	36000	15.5	12.5	33400	22200	8.5	CHX35-42C	EL196UH090XE48C	202186999
SL18XP1-036-230	36000	16	13.5	33600	22200	8.5	CHX35-42C	EL196UH110XE60C	202187000
SL18XP1-036-230	36000	15.5	12.5	33400	22200	8.5	CHX35-42C	EL296UH090XE48C	202190008
SL18XP1-036-230	36000	16	13	33400	22200	8.5	CHX35-42C	EL296UH090XV36C	202190011
SL18XP1-036-230	36000	16	13	33200	22000	8.5	CHX35-42C	EL296UH090XV48C	202190013
SL18XP1-036-230	36000	16	13.5	33600	22200	8.5	CHX35-42C	EL296UH110XE60C	202190015
SL18XP1-036-230	36000	16	13.5	33400	22000	8.5	CHX35-42C	EL296UH110XV48C	202190017
SL18XP1-036-230	36000	16	13.5	33600	22200	8.5	CHX35-42C	EL296UH110XV60C	202190020
SL18XP1-036-230	36000	16	13.5	33400	22200	8.5	CHX35-42C	ML180UH090E60C	202190461
SL18XP1-036-230	36000	16	13.5	33200	22000	8.5	CHX35-42C	ML180UH110E60C	202190483
SL18XP1-036-230	36000	16	13.5	33200	22000	8.5	CHX35-42C	ML180UH110XE60C	202190498
SL18XP1-036-230	36000	16	13.5	33600	22200	8.5	CHX35-42C	SL280UH090V60C	202190024
SL18XP1-036-230	36000	16	13.5	33600	22200	8.5	CHX35-42C	SL280UH090XV60C	202190026
SL18XP1-036-230	36000	16	13	33600	22200	8.5	CHX35-42C	SL280UH110V60C	202190028
SL18XP1-036-230	36000	16	13	33600	22200	8.5	CHX35-42C	SL280UH110XV60C	202190030
SL18XP1-036-230	36000	16	13	33400	22200	8.5	CHX35-42C	SLP98UH090XV36C	202190032
SL18XP1-036-230	36000	16	13	33200	22000	8.5	CHX35-42C	SLP98UH090XV48C	202190034
SL18XP1-036-230	36000	15.5	12.5	33800	22400	8.5	CHX35-42C	SLP98UH090XV60C	202190037
SL18XP1-036-230	36000	16	13.5	33600	22200	8.5	CHX35-42C	SLP98UH110XV60C	202190039
SL18XP1-036-230	35600	14	12	34200	22800	8.2	CHX35-42C		202190041
SL18XP1-036-230	36000	16	13	33400	21800	8.5	CHX35-48B	EL180UH070E36B	202190043
SL18XP1-036-230	36000	16	13	33400	21800	8.5	CHX35-48B	EL180UH070XE36B	202190045
SL18XP1-036-230	36000	16	13	33800	22000	8.5	CHX35-48B	EL180UH090XE48B	202190047
SL18XP1-036-230	36000	14.5	12.5	34200	22400	8.5	CHX35-48B	EL195UH045XE36B	202190049
SL18XP1-036-230	36000	15.5	12.5	33600	22200	8.5	CHX35-48B	EL195UH070XE36B	202190051
SL18XP1-036-230	36000	14.5	12.5	34200	22400	8.5	CHX35-48B	EL196UH045XE36B	202187001
SL18XP1-036-230	36000	15.5	12.5	33600	22000	8.5	CHX35-48B	EL196UH070XE36B	202187002
SL18XP1-036-230	36000	14.5	12.5	34200	22400	8.5	CHX35-48B	EL296UH045XE36B	202190053
SL18XP1-036-230	36000	15	12.5	34000	22200	8.5	CHX35-48B	EL296UH045XV36B	202190055
SL18XP1-036-230	36000	15.5	12.5	33600	22200	8.5	CHX35-48B	EL296UH070XE36B	202190058
SL18XP1-036-230	36000	15.5	12.5	33600	22000	8.5	CHX35-48B	EL296UH070XV36B	202190060
SL18XP1-036-230	36000	16	13	33400	21800	8.5	CHX35-48B	ML180UH070E36B	202190436
SL18XP1-036-230	36000	16	13	33400	21800	8.5	CHX35-48B	ML180UH070XE36B	202190447

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-036-230	36000	16	13	33800	22000	8.5	CHX35-48B	ML180UH090XE48B	202190480
SL18XP1-036-230	36000	16	13	33600	22000	8.5	CHX35-48B	SL280UH090V36B	202190061
SL18XP1-036-230	36000	15.5	12.5	33800	22000	8.5	CHX35-48B	SL280UH090V48B	202190063
SL18XP1-036-230	36000	15.5	12.5	33800	22000	8.5	CHX35-48B	SL280UH090XV48B	202190065
SL18XP1-036-230	36000	15.5	12.5	33600	22000	8.5	CHX35-48B	SLP98UH070XV36B	202190068
SL18XP1-036-230	35600	14	12	34400	22600	8.5	CHX35-48B		202190069
SL18XP1-036-230	36000	16	13.5	33600	21400	8.5	CHX35-48C	EL180UH090E60C	202190074
SL18XP1-036-230	36000	16	13.5	33400	21400	8.5	CHX35-48C	EL180UH110E60C	202190076
SL18XP1-036-230	36000	16	13.5	33400	21400	8.5	CHX35-48C	EL180UH110XE60C	202190078
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CHX35-48C	EL195UH090XE48C	202190080
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CHX35-48C	EL195UH110XE60C	202190082
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CHX35-48C	EL196UH090XE48C	202187003
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CHX35-48C	EL196UH110XE60C	202187004
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CHX35-48C	EL296UH090XE48C	202190084
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CHX35-48C	EL296UH090XV36C	202190086
SL18XP1-036-230	36000	16	13.5	33400	21400	8.5	CHX35-48C	EL296UH090XV48C	202190088
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CHX35-48C	EL296UH110XE60C	202190090
SL18XP1-036-230	36000	16	13.5	33400	21400	8.5	CHX35-48C	EL296UH110XV48C	202190093
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CHX35-48C	EL296UH110XV60C	202190095
SL18XP1-036-230	36000	16	13.5	33600	21400	8.5	CHX35-48C	ML180UH090E60C	202190463
SL18XP1-036-230	36000	16	13.5	33400	21400	8.5	CHX35-48C	ML180UH110E60C	202190486
SL18XP1-036-230	36000	16	13.5	33400	21400	8.5	CHX35-48C	ML180UH110XE60C	202190501
SL18XP1-036-230	36000	16	13.5	33800	21600	8.5	CHX35-48C	SL280UH090V60C	202190097
SL18XP1-036-230	36000	16	13.5	33800	21600	8.5	CHX35-48C	SL280UH090XV60C	202190100
SL18XP1-036-230	36000	16	13.5	33800	21600	8.5	CHX35-48C	SL280UH110V60C	202190102
SL18XP1-036-230	36000	16	13.5	33800	21600	8.5	CHX35-48C	SL280UH110XV60C	202190104
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CHX35-48C	SLP98UH090XV36C	202190106
SL18XP1-036-230	36000	16	13.5	33400	21400	8.5	CHX35-48C	SLP98UH090XV48C	202190108
SL18XP1-036-230	36000	16	13.5	34000	21800	8.5	CHX35-48C	SLP98UH090XV60C	202190111
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CHX35-48C	SLP98UH110XV60C	202190113
SL18XP1-036-230	36000	14.5	12.5	34200	22200	8.2	CHX35-48C		202190072
SL18XP1-036-230	36000	16	13.5	33200	22000	9	CR33-50/60	EL180DF110E60C	8329430
SL18XP1-036-230	36000	15.5	13	33200	22000	9	CR33-50/60	EL195DF090XE48C	8329431
SL18XP1-036-230	36000	15.5	13	33200	22000	9	CR33-50/60	EL195DF110XE60C	8329432
SL18XP1-036-230	36000	15.5	13	33200	22200	9	CR33-50/60	EL196DF090XE48C	201953291
SL18XP1-036-230	36000	15.5	13	33200	22000	9	CR33-50/60	EL296DF090XE48C	8329433
SL18XP1-036-230	36000	15.5	13	33200	22000	9	CR33-50/60	EL296DF090XV60C	8329434
SL18XP1-036-230	36000	15.5	13	33200	22000	9	CR33-50/60	EL296DF110XE60C	8329435
SL18XP1-036-230	36000	16	13.5	33200	22000	9	CR33-50/60	ML180DF110E60C	10589540
SL18XP1-036-230	36000	16	13.5	33000	22000	9	CR33-50/60	SL280DF110V60C	8329436
SL18XP1-036-230	36000	15.5	13	33000	22000	9	CR33-50/60	SLP98DF090XV36C	8329437
SL18XP1-036-230	36000	15.5	13	33200	22000	9	CR33-50/60	SLP98DF090XV48C	8329438
SL18XP1-036-230	36000	15.5	13	33200	22000	9	CR33-50/60	SLP98DF090XV60C	8329439
SL18XP1-036-230	36000	15.5	13	33400	22200	9	CR33-50/60	SLP98DF110XV60C	8329440
SL18XP1-036-230	36000	14.5	12	33800	22600	8.5	CR33-50/60		8329441
SL18XP1-036-230	35800	16	12.5	33200	21600	8.5	CX35-36B	EL180UH070E36B	10098326
SL18XP1-036-230	35800	16	13	33200	21600	8.5	CX35-36B	EL180UH070XE36B	10098327
SL18XP1-036-230	36000	16	13	33600	21800	8.5	CX35-36B	EL180UH090E48B	10098328
SL18XP1-036-230	36000	16	13	33600	21800	8.5	CX35-36B	EL180UH090XE48B	10098329
SL18XP1-036-230	35800	15	12.5	33800	22200	8.5	CX35-36B	EL195UH045XE36B	10098330
SL18XP1-036-230	35800	15.5	12.5	33400	21800	8.5	CX35-36B	EL195UH070XE36B	10098331
SL18XP1-036-230	35800	15	12.5	33800	22200	8.5	CX35-36B	EL196UH045XE36B	201933447
SL18XP1-036-230	35800	15.5	12.5	33400	21800	8.5	CX35-36B	EL196UH070XE36B	201933448
SL18XP1-036-230	35800	15	12.5	33800	22200	8.5	CX35-36B	EL296UH045XE36B	10098332
SL18XP1-036-230	36000	15.5	12.5	33600	22000	8.5	CX35-36B	EL296UH045XV36B	10098333

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-036-230	35800	15.5	12.5	33400	21800	8.5	CX35-36B	EL296UH070XE36B	10098334
SL18XP1-036-230	35800	16	12.5	33200	21600	8.5	CX35-36B	ML180UH070E36B	10589676
SL18XP1-036-230	35800	16	13	33200	21600	8.5	CX35-36B	ML180UH070XE36B	10589713
SL18XP1-036-230	36000	16	13	33600	21800	8.5	CX35-36B	ML180UH090E48B	10589789
SL18XP1-036-230	36000	16	13	33600	21800	8.5	CX35-36B	ML180UH090XE48B	10590046
SL18XP1-036-230	36000	16	13	33200	21600	8.5	CX35-36B	SL280UH090V36B	10098335
SL18XP1-036-230	36000	16	13	33400	21800	8.5	CX35-36B	SL280UH090V48B	10098336
SL18XP1-036-230	36000	16	13	33400	21800	8.5	CX35-36B	SL280UH090XV48B	10098337
SL18XP1-036-230	36000	15.5	12.5	33600	22000	8.5	CX35-36B	SLP98UH070XV36B	10098338
SL18XP1-036-230	35400	14.5	12	34000	22400	8.5	CX35-36B		10099341
SL18XP1-036-230	36000	16	13.5	33200	21200	8.5	CX35-48B	EL180UH070E36B	10098379
SL18XP1-036-230	36000	16	13.5	33200	21200	8.5	CX35-48B	EL180UH070XE36B	10098380
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	CX35-48B	EL180UH090E48B	10098381
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	CX35-48B	EL180UH090XE48B	10098382
SL18XP1-036-230	36000	15.5	12.5	33400	21600	8.5	CX35-48B	EL195UH070XE36B	10098383
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	CX35-48B	EL196UH070XE36B	201933459
SL18XP1-036-230	36000	15	12.5	33600	21600	8.5	CX35-48B	EL296UH045XV36B	10098384
SL18XP1-036-230	36000	15.5	12.5	33400	21600	8.5	CX35-48B	EL296UH070XE36B	10098385
SL18XP1-036-230	36000	16	13.5	33200	21200	8.5	CX35-48B	ML180UH070E36B	10589678
SL18XP1-036-230	36000	16	13.5	33200	21200	8.5	CX35-48B	ML180UH070XE36B	10589715
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	CX35-48B	ML180UH090E48B	10589791
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	CX35-48B	ML180UH090XE48B	10590048
SL18XP1-036-230	36000	16	13.5	33200	21200	8.5	CX35-48B	SL280UH090V36B	10098386
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	CX35-48B	SL280UH090V48B	10098387
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	CX35-48B	SL280UH090XV48B	10098388
SL18XP1-036-230	36000	15.5	12.5	33200	21400	8.5	CX35-48B	SLP98UH070XV36B	10098389
SL18XP1-036-230	36000	16	13.5	33400	21400	8.5	CX35-48C	EL180UH090E60C	10098390
SL18XP1-036-230	36000	16	13.5	33200	21400	8.5	CX35-48C	EL180UH110E60C	10098391
SL18XP1-036-230	36000	16	13.5	33200	21400	8.5	CX35-48C	EL180UH110XE60C	10098392
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	CX35-48C	EL195UH090XE48C	10098393
SL18XP1-036-230	36000	16	13.5	33400	21400	8.5	CX35-48C	EL195UH110XE60C	10098394
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	CX35-48C	EL196UH090XE48C	201933455
SL18XP1-036-230	36000	16	13.5	33400	21600	8.5	CX35-48C	EL196UH110XE60C	201933456
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	CX35-48C	EL296UH090XE48C	10098395
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	CX35-48C	EL296UH090XV36C	10098396
SL18XP1-036-230	36000	15.5	12.5	33200	21400	8.5	CX35-48C	EL296UH090XV48C	10098397
SL18XP1-036-230	36000	16	13.5	33400	21400	8.5	CX35-48C	EL296UH110XE60C	10098398
SL18XP1-036-230	36000	16	13.5	33400	21400	8.5	CX35-48C	EL296UH110XV48C	10098399
SL18XP1-036-230	36000	16	13.5	33400	21400	8.5	CX35-48C	EL296UH110XV60C	10098400
SL18XP1-036-230	36000	16	13.5	33400	21400	8.5	CX35-48C	ML180UH090E60C	10589966
SL18XP1-036-230	36000	16	13.5	33200	21400	8.5	CX35-48C	ML180UH110E60C	10590218
SL18XP1-036-230	36000	16	13.5	33200	21400	8.5	CX35-48C	ML180UH110XE60C	10590315
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CX35-48C	SL280UH090V60C	10098401
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CX35-48C	SL280UH090XV60C	10098402
SL18XP1-036-230	36000	15.5	12.5	33600	21600	8.5	CX35-48C	SL280UH110V60C	10098403
SL18XP1-036-230	36000	15.5	12.5	33600	21600	8.5	CX35-48C	SL280UH110XV60C	10098404
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	CX35-48C	SLP98UH090XV36C	10099348
SL18XP1-036-230	36000	15.5	12.5	33200	21400	8.5	CX35-48C	SLP98UH090XV48C	10099349
SL18XP1-036-230	36000	15.5	12.5	33800	21600	8.5	CX35-48C	SLP98UH090XV60C	10098405
SL18XP1-036-230	36000	16	13.5	33600	21400	8.5	CX35-48C	SLP98UH110XV60C	10099350
SL18XP1-036-230	35600	14	12	34000	22200	8.5	CX35-48C		10099347
SL18XP1-036-230	36000	15.5	12.5	33200	21400	8.5	CX35-50/60C	EL180UH090E60C	10098406
SL18XP1-036-230	36000	16	13.5	33200	21200	8.5	CX35-50/60C	EL180UH110E60C	10098407
SL18XP1-036-230	36000	16	13.5	33200	21200	8.5	CX35-50/60C	EL180UH110XE60C	10098408
SL18XP1-036-230	36000	15.5	12.5	33200	21400	8.5	CX35-50/60C	EL195UH090XE48C	10098409

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	CX35-50/60C	EL195UH110XE60C	10098410
SL18XP1-036-230	36000	15.5	12.5	33200	21400	8.5	CX35-50/60C	EL196UH090XE48C	201933451
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	CX35-50/60C	EL196UH110XE60C	201933452
SL18XP1-036-230	36000	15.5	12.5	33200	21400	8.5	CX35-50/60C	EL296UH090XE48C	10098411
SL18XP1-036-230	36000	15.5	12.5	33200	21400	8.5	CX35-50/60C	EL296UH090XV36C	10098412
SL18XP1-036-230	36000	15.5	12.5	33200	21200	8.5	CX35-50/60C	EL296UH090XV48C	10098413
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	CX35-50/60C	EL296UH110XE60C	10098414
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	CX35-50/60C	EL296UH110XV48C	10098415
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	CX35-50/60C	EL296UH110XV60C	10098416
SL18XP1-036-230	36000	15.5	12.5	33200	21400	8.5	CX35-50/60C	ML180UH090E60C	10589967
SL18XP1-036-230	36000	16	13.5	33200	21200	8.5	CX35-50/60C	ML180UH110E60C	10590219
SL18XP1-036-230	36000	16	13.5	33200	21200	8.5	CX35-50/60C	ML180UH110XE60C	10590316
SL18XP1-036-230	36000	16	13.5	33600	21400	8.5	CX35-50/60C	SL280UH090V60C	10098417
SL18XP1-036-230	36000	16	13.5	33600	21400	8.5	CX35-50/60C	SL280UH090XV60C	10098418
SL18XP1-036-230	36000	15.5	12.5	33400	21600	8.5	CX35-50/60C	SL280UH110V60C	10098420
SL18XP1-036-230	36000	15.5	12.5	33400	21600	8.5	CX35-50/60C	SL280UH110XV60C	10098421
SL18XP1-036-230	36000	15.5	12.5	33200	21400	8.5	CX35-50/60C	SLP98UH090XV36C	10099351
SL18XP1-036-230	36000	15.5	12.5	33200	21200	8.5	CX35-50/60C	SLP98UH090XV48C	10099352
SL18XP1-036-230	36000	15.5	12.5	33600	21600	8.5	CX35-50/60C	SLP98UH090XV60C	10098422
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	CX35-50/60C	SLP98UH110XV60C	10099353
SL18XP1-036-230	35400	14	12	34000	22000	8.5	CX35-50/60C		10098423
SL18XP1-036-230	36000	16	13	32800	21400	8.5	CX38-43B	EL180UH070E36B	10085290
SL18XP1-036-230	36000	15.5	13	32800	21400	8.5	CX38-43B	EL180UH070XE36B	10085291
SL18XP1-036-230	36000	15.5	13	33400	21800	9	CX38-43B	EL180UH090E48B	10085292
SL18XP1-036-230	36000	15.5	13	33400	21800	9	CX38-43B	EL180UH090XE48B	10085293
SL18XP1-036-230	36000	14.5	12.5	33600	22200	8.5	CX38-43B	EL195UH045XE36B	10085294
SL18XP1-036-230	36000	15	12.5	33600	22000	8.5	CX38-43B	EL195UH070XE36B	10085295
SL18XP1-036-230	36000	14.5	12.5	33600	22200	8.5	CX38-43B	EL196UH045XE36B	201933469
SL18XP1-036-230	36000	15	12.5	33600	22200	8.5	CX38-43B	EL196UH070XE36B	201933470
SL18XP1-036-230	36000	14.5	12.5	33600	22200	8.5	CX38-43B	EL296UH045XE36B	10085296
SL18XP1-036-230	36000	15.1	13	33400	21800	8.5	CX38-43B	EL296UH045XV36B	10085297
SL18XP1-036-230	36000	15	12.5	33600	22000	8.5	CX38-43B	EL296UH070XE36B	10085298
SL18XP1-036-230	36000	16	13	32800	21400	8.5	CX38-43B	ML180UH070E36B	10589657
SL18XP1-036-230	36000	15.5	13	32800	21400	8.5	CX38-43B	ML180UH070XE36B	10589700
SL18XP1-036-230	36000	15.5	13	33400	21800	9	CX38-43B	ML180UH090E48B	10589774
SL18XP1-036-230	36000	15.5	13	33400	21800	9	CX38-43B	ML180UH090XE48B	10590035
SL18XP1-036-230	36000	16	13.5	32800	21600	9	CX38-43B	SL280UH090V36B	10085299
SL18XP1-036-230	36000	16	13	33000	21600	9	CX38-43B	SL280UH090V48B	10085300
SL18XP1-036-230	36000	16	13	33000	21600	9	CX38-43B	SL280UH090XV48B	10085301
SL18XP1-036-230	36000	15.5	13	33400	22000	8.5	CX38-43B	SLP98UH070XV36B	10085302
SL18XP1-036-230	36000	14.5	12	33800	22400	8.5	CX38-43B		10084141
SL18XP1-036-230	36000	16	13.5	33000	21600	9	CX38-43C	EL180UH090E60C	10085303
SL18XP1-036-230	36000	16	13.5	33000	21600	9	CX38-43C	EL180UH110E60C	10085304
SL18XP1-036-230	36000	16	13.5	33000	21600	9	CX38-43C	EL180UH110XE60C	10085305
SL18XP1-036-230	36000	15.5	13	33200	21600	9	CX38-43C	EL195UH090XE48C	10085306
SL18XP1-036-230	36000	16	13.5	33200	21800	9	CX38-43C	EL195UH110XE60C	10085307
SL18XP1-036-230	36000	15.5	13	33200	21600	9	CX38-43C	EL196UH090XE48C	201933461
SL18XP1-036-230	36000	16	13.5	33200	21800	9	CX38-43C	EL196UH110XE60C	201933462
SL18XP1-036-230	36000	15.5	13	33200	21600	9	CX38-43C	EL296UH090XE48C	10085308
SL18XP1-036-230	36000	15.5	13	33200	21600	9	CX38-43C	EL296UH090XV36C	10085309
SL18XP1-036-230	36000	16	13	33000	21600	9	CX38-43C	EL296UH090XV48C	10085310
SL18XP1-036-230	36000	16	13.5	33200	21800	9	CX38-43C	EL296UH110XE60C	10085311
SL18XP1-036-230	36000	16	13.5	33200	21800	9	CX38-43C	EL296UH110XV48C	10085312
SL18XP1-036-230	36000	16	13.5	33200	21800	9	CX38-43C	EL296UH110XV60C	10085313
SL18XP1-036-230	36000	16	13.5	33000	21600	9	CX38-43C	ML180UH090E60C	10589927

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-036-230	36000	16	13.5	33000	21600	9	CX38-43C	ML180UH110E60C	10590179
SL18XP1-036-230	36000	16	13.5	33000	21600	9	CX38-43C	ML180UH110XE60C	10590299
SL18XP1-036-230	36000	16	13.5	33200	21800	9	CX38-43C	SL280UH090V60C	10085314
SL18XP1-036-230	36000	16	13.5	33200	21800	9	CX38-43C	SL280UH090XV60C	10085315
SL18XP1-036-230	36000	15.5	13	33200	21800	9	CX38-43C	SL280UH110V60C	10085316
SL18XP1-036-230	36000	15.5	13	33200	21800	9	CX38-43C	SL280UH110XV60C	10085317
SL18XP1-036-230	36000	15.5	13	33000	21600	9	CX38-43C	SLP98UH090XV36C	10085318
SL18XP1-036-230	36000	16	13.5	33000	21600	9	CX38-43C	SLP98UH090XV48C	10085319
SL18XP1-036-230	36000	15.5	13	33400	21800	9	CX38-43C	SLP98UH090XV60C	10085320
SL18XP1-036-230	36000	16	13.5	33200	21800	9	CX38-43C	SLP98UH110XV60C	10085321
SL18XP1-036-230	36000	14.5	12	33800	22400	8.5	CX38-43C		10084142
SL18XP1-036-230	36000	16	13	33800	22400	8.5	CX38-49C	EL180UH090E60C	10085322
SL18XP1-036-230	36000	15.5	13	33600	22200	8.5	CX38-49C	EL180UH110E60C	10085323
SL18XP1-036-230	36000	15.5	13	33600	22200	8.5	CX38-49C	EL180UH110XE60C	10085324
SL18XP1-036-230	36000	16	13	33800	22400	8.5	CX38-49C	EL195UH090XE48C	10085325
SL18XP1-036-230	36000	16	13.5	34000	22400	9	CX38-49C	EL195UH110XE60C	10085326
SL18XP1-036-230	36000	16	13	33800	22400	8.5	CX38-49C	EL196UH090XE48C	201933473
SL18XP1-036-230	36000	16	13.5	34000	22400	9	CX38-49C	EL196UH110XE60C	201933474
SL18XP1-036-230	36000	16	13	33800	22400	8.5	CX38-49C	EL296UH090XE48C	10085327
SL18XP1-036-230	36000	15.5	13	33800	22400	8.5	CX38-49C	EL296UH090XV36C	10085328
SL18XP1-036-230	36000	16	13	33600	22200	8.5	CX38-49C	EL296UH090XV48C	10085329
SL18XP1-036-230	36000	16	13.5	34000	22400	9	CX38-49C	EL296UH110XE60C	10085330
SL18XP1-036-230	36000	16	13.5	34000	22400	9	CX38-49C	EL296UH110XV60C	10085331
SL18XP1-036-230	36000	16	13	33800	22400	8.5	CX38-49C	ML180UH090E60C	10589928
SL18XP1-036-230	36000	15.5	13	33600	22200	8.5	CX38-49C	ML180UH110E60C	10590180
SL18XP1-036-230	36000	15.5	13	33600	22200	8.5	CX38-49C	ML180UH110XE60C	10590300
SL18XP1-036-230	36000	16	13.5	34000	22400	9	CX38-49C	SL280UH090V60C	10085332
SL18XP1-036-230	36000	16	13.5	34000	22400	9	CX38-49C	SL280UH090XV60C	10085333
SL18XP1-036-230	36000	15.5	13	34000	22400	9	CX38-49C	SL280UH110V60C	10085334
SL18XP1-036-230	36000	15.5	13	34000	22400	9	CX38-49C	SL280UH110XV60C	10085335
SL18XP1-036-230	36000	15.5	13	33800	22400	8.5	CX38-49C	SLP98UH090XV36C	10085336
SL18XP1-036-230	36000	16	13	33600	22200	8.5	CX38-49C	SLP98UH090XV48C	10085337
SL18XP1-036-230	36000	15.5	13	34200	22600	9	CX38-49C	SLP98UH090XV60C	10085338
SL18XP1-036-230	36000	16	13.5	34000	22400	9	CX38-49C	SLP98UH110XV60C	10085339
SL18XP1-036-230	36000	14.5	12	34200	22800	8.5	CX38-49C		10084143
SL18XP1-036-230	36000	15.5	13	33200	21600	9	CX38-50/60C	EL180UH090E60C	10085340
SL18XP1-036-230	36000	15.5	13	32800	21600	8.5	CX38-50/60C	EL180UH110E60C	10085341
SL18XP1-036-230	36000	15.5	13	32800	21600	8.5	CX38-50/60C	EL180UH110XE60C	10085342
SL18XP1-036-230	36000	15.5	13	33200	21600	9	CX38-50/60C	EL195UH090XE48C	10085343
SL18XP1-036-230	36000	16	13	33200	21800	9	CX38-50/60C	EL195UH110XE60C	10085344
SL18XP1-036-230	36000	15.5	13	33200	21800	9	CX38-50/60C	EL196UH090XE48C	201933463
SL18XP1-036-230	36000	16	13	33200	21800	9	CX38-50/60C	EL196UH110XE60C	201933464
SL18XP1-036-230	36000	15.5	13	33200	21600	9	CX38-50/60C	EL296UH090XE48C	10085345
SL18XP1-036-230	36000	15.5	13	33200	21600	9	CX38-50/60C	EL296UH090XV36C	10085346
SL18XP1-036-230	36000	16	13	33000	21600	9	CX38-50/60C	EL296UH090XV48C	10085347
SL18XP1-036-230	36000	16	13	33200	21800	9	CX38-50/60C	EL296UH110XE60C	10085348
SL18XP1-036-230	36000	16	13	33200	21800	9	CX38-50/60C	EL296UH110XV48C	10085349
SL18XP1-036-230	36000	16	13	33200	21800	9	CX38-50/60C	EL296UH110XV60C	10085350
SL18XP1-036-230	36000	15.5	13	33200	21600	9	CX38-50/60C	ML180UH090E60C	10589929
SL18XP1-036-230	36000	15.5	13	32800	21600	8.5	CX38-50/60C	ML180UH110E60C	10590181
SL18XP1-036-230	36000	15.5	13	32800	21600	8.5	CX38-50/60C	ML180UH110XE60C	10590301
SL18XP1-036-230	36000	16	13.5	33200	21800	9	CX38-50/60C	SL280UH090V60C	10085351
SL18XP1-036-230	36000	16	13.5	33200	21800	9	CX38-50/60C	SL280UH090XV60C	10085352
SL18XP1-036-230	36000	15.5	13	33200	21800	9	CX38-50/60C	SL280UH110V60C	10085353
SL18XP1-036-230	36000	15.5	13	33200	21800	9	CX38-50/60C	SL280UH110XV60C	10085354

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-036-230	36000	15.5	13	33200	21600	9	CX38-50/60C	SLP98UH090XV36C	10085355
SL18XP1-036-230	36000	16	13	33000	21600	9	CX38-50/60C	SLP98UH090XV48C	10085356
SL18XP1-036-230	36000	15.5	13	33400	22000	9	CX38-50/60C	SLP98UH090XV60C	10085357
SL18XP1-036-230	36000	16	13	33200	21800	9	CX38-50/60C	SLP98UH110XV60C	10085358
SL18XP1-036-230	36000	14.5	12	33800	22400	8.5	CX38-50/60C		10084144
SL18XP1-042-230	40000	15.1	12.5	36600	24600	8.5	C35-48B	EL180UH090E48B	10098483
SL18XP1-042-230	40000	15.1	12.5	36600	24600	8.5	C35-48B	EL180UH090XE48B	10098484
SL18XP1-042-230	40000	14.5	12	36800	24800	8.5	C35-48B	EL296UH045XV36B	10098485
SL18XP1-042-230	40000	14.5	12	36800	25000	8.5	C35-48B	EL296UH070XV36B	10098486
SL18XP1-042-230	40000	15.1	12.5	36600	24600	8.5	C35-48B	ML180UH090E48B	10589792
SL18XP1-042-230	40000	15.1	12.5	36600	24600	8.5	C35-48B	ML180UH090XE48B	10590049
SL18XP1-042-230	40000	15.1	12.5	36600	24600	8.5	C35-48B	SL280UH090V36B	10098487
SL18XP1-042-230	40000	15.1	12.5	36400	24600	8.5	C35-48B	SL280UH090V48B	10099358
SL18XP1-042-230	40000	15.1	12.5	36400	24600	8.5	C35-48B	SL280UH090XV48B	10099359
SL18XP1-042-230	40000	14.5	12	36800	25000	8.5	C35-48B	SLP98UH070XV36B	10099418
SL18XP1-042-230	40500	15.5	12.5	36400	24400	9	C35-48C	EL180UH090E60C	10098488
SL18XP1-042-230	40500	15.5	12.5	36400	24400	9	C35-48C	EL180UH110E60C	10098489
SL18XP1-042-230	40500	15.5	12.5	36400	24400	9	C35-48C	EL180UH110XE60C	10098490
SL18XP1-042-230	40000	15.1	12.5	36400	24400	8.5	C35-48C	EL195UH090XE48C	10098491
SL18XP1-042-230	40500	15.1	12.5	36800	24600	9	C35-48C	EL195UH110XE60C	10098492
SL18XP1-042-230	40000	15.1	12.5	36400	24400	8.5	C35-48C	EL196UH090XE48C	201933491
SL18XP1-042-230	40500	15.1	12.5	36800	24600	9	C35-48C	EL196UH110XE60C	201933492
SL18XP1-042-230	40000	15.1	12.5	36400	24400	8.5	C35-48C	EL296UH090XE48C	10098493
SL18XP1-042-230	40000	15.1	12.5	36600	24600	8.5	C35-48C	EL296UH090XV36C	10098494
SL18XP1-042-230	40000	15.1	12.5	36400	24600	8.5	C35-48C	EL296UH090XV48C	10098495
SL18XP1-042-230	40000	15.1	12.5	36200	24400	8.5	C35-48C	EL296UH090XV60C	10098496
SL18XP1-042-230	40500	15.1	12.5	36800	24600	9	C35-48C	EL296UH110XE60C	10098497
SL18XP1-042-230	40500	15.1	12.5	36600	24600	8.5	C35-48C	EL296UH110XV48C	10098498
SL18XP1-042-230	40500	15.5	12.5	36600	24400	9	C35-48C	EL296UH110XV60C	10098499
SL18XP1-042-230	40500	15.5	12.5	36400	24400	9	C35-48C	ML180UH090E60C	10589971
SL18XP1-042-230	40500	15.5	12.5	36400	24400	9	C35-48C	ML180UH110E60C	10590223
SL18XP1-042-230	40500	15.5	12.5	36400	24400	9	C35-48C	ML180UH110XE60C	10590320
SL18XP1-042-230	40000	15.5	12.5	36200	24200	8.5	C35-48C	SL280UH090V60C	10098500
SL18XP1-042-230	40000	15.5	12.5	36200	24200	8.5	C35-48C	SL280UH090XV60C	10098501
SL18XP1-042-230	40500	16	13.5	36400	24200	9.2	C35-48C	SL280UH100NV60C-	10581390
SL18XP1-042-230	40500	15.5	12.5	36400	24400	9	C35-48C	SL280UH110V60C	10099361
SL18XP1-042-230	40500	15.5	12.5	36400	24400	9	C35-48C	SL280UH110XV60C	10099362
SL18XP1-042-230	40000	15.1	12.5	36400	24600	8.5	C35-48C	SLP98UH090XV36C	10099363
SL18XP1-042-230	40000	15.5	12.5	36200	24400	8.5	C35-48C	SLP98UH090XV48C	10099364
SL18XP1-042-230	40000	15.1	12.5	36200	24400	8.5	C35-48C	SLP98UH090XV60C	10098502
SL18XP1-042-230	40500	15.5	12.5	36600	24400	9	C35-48C	SLP98UH110XV60C	10098503
SL18XP1-042-230	39500	14	12	37200	25200	8.5	C35-48C		10099360
SL18XP1-042-230	40000	15.1	12.5	36400	24400	8.5	C35-50/60C	EL180UH090E60C	10098504
SL18XP1-042-230	39500	15.1	12.5	36200	24400	8.5	C35-50/60C	EL180UH110E60C	10098505
SL18XP1-042-230	39500	15.1	12.5	36200	24400	8.5	C35-50/60C	EL180UH110XE60C	10098506
SL18XP1-042-230	39500	15.1	12.5	36400	24400	8.5	C35-50/60C	EL195UH090XE48C	10098507
SL18XP1-042-230	40000	15.1	12.5	36600	24600	8.5	C35-50/60C	EL195UH110XE60C	10098508
SL18XP1-042-230	39500	15.1	12.5	36400	24400	8.5	C35-50/60C	EL196UH090XE48C	201933489
SL18XP1-042-230	40000	15.1	12.5	36600	24600	8.5	C35-50/60C	EL196UH110XE60C	201933490
SL18XP1-042-230	39500	15.1	12.5	36400	24400	8.5	C35-50/60C	EL296UH090XE48C	10098509
SL18XP1-042-230	39500	14.5	12.5	36600	24600	8.5	C35-50/60C	EL296UH090XV36C	10098510
SL18XP1-042-230	40000	15.1	12.5	36400	24600	8.5	C35-50/60C	EL296UH090XV48C	10098511
SL18XP1-042-230	39500	15.1	12.5	36400	24400	8.5	C35-50/60C	EL296UH090XV60C	10098512
SL18XP1-042-230	40000	15.1	12.5	36600	24600	8.5	C35-50/60C	EL296UH110XE60C	10098513
SL18XP1-042-230	40000	15.1	12.5	36600	24600	8.5	C35-50/60C	EL296UH110XV48C	10098514

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-042-230	40000	15.1	12.5	36600	24600	8.5	C35-50/60C	EL296UH110XV60C	10098515
SL18XP1-042-230	40000	15.1	12.5	36400	24400	8.5	C35-50/60C	ML180UH090E60C	10589972
SL18XP1-042-230	39500	15.1	12.5	36200	24400	8.5	C35-50/60C	ML180UH110E60C	10590224
SL18XP1-042-230	39500	15.1	12.5	36200	24400	8.5	C35-50/60C	ML180UH110XE60C	10590321
SL18XP1-042-230	39500	15.1	12.5	36000	24200	8.5	C35-50/60C	SL280UH090V60C	10098516
SL18XP1-042-230	39500	15.1	12.5	36000	24200	8.5	C35-50/60C	SL280UH090XV60C	10098517
SL18XP1-042-230	40000	15.5	12.5	36400	24400	9.2	C35-50/60C	SL280UH100NV60C-	10581391
SL18XP1-042-230	40000	15.1	12.5	36600	24600	8.5	C35-50/60C	SL280UH110V60C	10099365
SL18XP1-042-230	40000	15.1	12.5	36600	24600	8.5	C35-50/60C	SL280UH110XV60C	10099366
SL18XP1-042-230	39500	14.5	12.5	36600	24600	8.5	C35-50/60C	SLP98UH090XV36C	10099367
SL18XP1-042-230	39500	15.1	12.5	36400	24600	8.5	C35-50/60C	SLP98UH090XV48C	10098518
SL18XP1-042-230	39500	15.1	12.5	36400	24400	8.5	C35-50/60C	SLP98UH090XV60C	10098519
SL18XP1-042-230	40000	15.1	12.5	36600	24600	8.5	C35-50/60C	SLP98UH110XV60C	10098520
SL18XP1-042-230	39000	14	11.5	37200	25200	8.5	C35-50/60C		10098521
SL18XP1-042-230	42000	16	13.5	37000	24600	9.2	C35-60C	EL180UH090E60C	10098561
SL18XP1-042-230	42000	16	13.5	37000	24600	9.2	C35-60C	EL180UH110E60C	10098562
SL18XP1-042-230	42000	16	13.5	37000	24600	9.2	C35-60C	EL180UH110XE60C	10098563
SL18XP1-042-230	41500	15.5	12.5	37000	24600	9	C35-60C	EL195UH090XE48C	10098564
SL18XP1-042-230	42000	15.5	12.5	37200	24800	9.2	C35-60C	EL195UH110XE60C	10098565
SL18XP1-042-230	41500	15.5	12.5	37000	24800	9	C35-60C	EL196UH090XE48C	201933495
SL18XP1-042-230	42000	15.5	12.5	37200	24800	9.2	C35-60C	EL196UH110XE60C	201933496
SL18XP1-042-230	41500	15.5	12.5	37000	24600	9	C35-60C	EL296UH090XE48C	10098566
SL18XP1-042-230	42000	15.5	12.5	37200	24800	9	C35-60C	EL296UH090XV36C	10098567
SL18XP1-042-230	42000	15.5	12.5	37000	24800	9.2	C35-60C	EL296UH090XV48C	10098568
SL18XP1-042-230	41500	16	13.5	37000	24600	9	C35-60C	EL296UH090XV60C	10098569
SL18XP1-042-230	42000	15.5	12.5	37200	24800	9.2	C35-60C	EL296UH110XE60C	10098570
SL18XP1-042-230	42000	16	13.5	37200	24800	9.2	C35-60C	EL296UH110XV48C	10098571
SL18XP1-042-230	42000	16	13.5	37200	24800	9.2	C35-60C	EL296UH110XV60C	10098572
SL18XP1-042-230	42000	16	13.5	37000	24600	9.2	C35-60C	ML180UH090E60C	10589975
SL18XP1-042-230	42000	16	13.5	37000	24600	9.2	C35-60C	ML180UH110E60C	10590227
SL18XP1-042-230	42000	16	13.5	37000	24600	9.2	C35-60C	ML180UH110XE60C	10590324
SL18XP1-042-230	42000	16	13.5	37200	24800	9.2	C35-60C	SL280UH090V60C	10098573
SL18XP1-042-230	42000	16	13.5	37200	24800	9.2	C35-60C	SL280UH090XV60C	10098574
SL18XP1-042-230	42000	16.5	14	37000	24600	9.6	C35-60C	SL280UH100NV60C-	10581392
SL18XP1-042-230	42000	16	13.5	37000	24600	9.2	C35-60C	SL280UH110V60C	10098575
SL18XP1-042-230	42000	16	13.5	37000	24600	9.2	C35-60C	SL280UH110XV60C	10098576
SL18XP1-042-230	42000	15.5	12.5	37200	24800	9	C35-60C	SLP98UH090XV36C	10098577
SL18XP1-042-230	42000	15.5	12.5	37000	24800	9.2	C35-60C	SLP98UH090XV48C	10098578
SL18XP1-042-230	41500	16	13.5	37000	24600	9	C35-60C	SLP98UH090XV60C	10098579
SL18XP1-042-230	42000	16	13.5	37200	24800	9.2	C35-60C	SLP98UH110XV60C	10098580
SL18XP1-042-230	41000	14.5	12.5	37800	25400	8.5	C35-60C		10098581
SL18XP1-042-230	40000	14.5	12.5	35400	22600	8.5	C37-43B	EL180UH090E48B	10085377
SL18XP1-042-230	40000	14.5	12.5	35400	22600	8.5	C37-43B	EL180UH090XE48B	10085378
SL18XP1-042-230	40000	14	12	35600	23000	8.2	C37-43B	EL296UH045XV36B	10085384
SL18XP1-042-230	40000	14	12	35600	23000	8.2	C37-43B	EL296UH070XV36B	10085382
SL18XP1-042-230	40000	14.5	12.5	35400	22600	8.5	C37-43B	ML180UH090E48B	10589775
SL18XP1-042-230	40000	14.5	12.5	35400	22600	8.5	C37-43B	ML180UH090XE48B	10590036
SL18XP1-042-230	40000	14.5	12.5	35400	22800	8.5	C37-43B	SL280UH090V36B	10085379
SL18XP1-042-230	40000	14.5	12.5	35200	22600	8.5	C37-43B	SL280UH090V48B	10085380
SL18XP1-042-230	40000	14.5	12.5	35200	22600	8.5	C37-43B	SL280UH090XV48B	10085381
SL18XP1-042-230	40000	14	12	35600	23000	8.2	C37-43B	SLP98UH070XV36B	10085383
SL18XP1-042-230	40500	15.1	12.5	35200	22600	8.5	C37-43C	EL180UH090E60C	10085385
SL18XP1-042-230	40500	15.1	12.5	35200	22600	8.5	C37-43C	EL180UH110E60C	10085389
SL18XP1-042-230	40500	15.1	12.5	35200	22600	8.5	C37-43C	EL180UH110XE60C	10085390
SL18XP1-042-230	40000	15	12.5	35200	22600	8.5	C37-43C	EL195UH090XE48C	10085391

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-042-230	40500	15	12.5	35600	22800	8.5	C37-43C	EL195UH110XE60C	10085392
SL18XP1-042-230	40000	15	12.5	35200	22600	8.5	C37-43C	EL196UH090XE48C	201933503
SL18XP1-042-230	40500	15	12.5	35600	22800	8.5	C37-43C	EL196UH110XE60C	201933504
SL18XP1-042-230	40000	15	12.5	35200	22600	8.5	C37-43C	EL296UH090XE48C	10085393
SL18XP1-042-230	40000	14.5	12.5	35400	22600	8.5	C37-43C	EL296UH090XV36C	10085403
SL18XP1-042-230	40000	14.5	12.5	35400	22600	8.5	C37-43C	EL296UH090XV48C	10085402
SL18XP1-042-230	40000	15	12.5	35000	22400	8.5	C37-43C	EL296UH090XV60C	10085394
SL18XP1-042-230	40500	15	12.5	35600	22800	8.5	C37-43C	EL296UH110XE60C	10085395
SL18XP1-042-230	40500	15	12.5	35400	22600	8.5	C37-43C	EL296UH110XV48C	10085396
SL18XP1-042-230	40500	15	12.5	35400	22600	8.5	C37-43C	EL296UH110XV60C	10085397
SL18XP1-042-230	40500	15.1	12.5	35200	22600	8.5	C37-43C	ML180UH090E60C	10589931
SL18XP1-042-230	40500	15.1	12.5	35200	22600	8.5	C37-43C	ML180UH110E60C	10590183
SL18XP1-042-230	40500	15.1	12.5	35200	22600	8.5	C37-43C	ML180UH110XE60C	10590303
SL18XP1-042-230	40000	15.1	13	35000	22400	8.5	C37-43C	SL280UH090V60C	10085401
SL18XP1-042-230	40000	15.1	13	35000	22400	8.5	C37-43C	SL280UH090XV60C	10085388
SL18XP1-042-230	40500	15.5	12.5	35200	22400	8.8	C37-43C	SL280UH100NV60C-	10581393
SL18XP1-042-230	40500	15.1	12.5	35200	22600	8.5	C37-43C	SL280UH110V60C	10085386
SL18XP1-042-230	40500	15.1	12.5	35200	22600	8.5	C37-43C	SL280UH110XV60C	10085387
SL18XP1-042-230	40000	14.5	12.5	35400	22600	8.5	C37-43C	SLP98UH090XV36C	10085404
SL18XP1-042-230	40000	15.1	12.5	35000	22400	8.5	C37-43C	SLP98UH090XV48C	10085398
SL18XP1-042-230	40000	15	12.5	35000	22400	8.5	C37-43C	SLP98UH090XV60C	10085399
SL18XP1-042-230	40500	15	12.5	35400	22600	8.5	C37-43C	SLP98UH110XV60C	10085400
SL18XP1-042-230	41000	15.1	12.5	35400	22600	8.5	C37-49C	EL180UH090E60C	10085407
SL18XP1-042-230	41000	15.1	12.5	35400	22600	8.5	C37-49C	EL180UH110E60C	10085408
SL18XP1-042-230	41000	15.1	12.5	35400	22600	8.5	C37-49C	EL180UH110XE60C	10085409
SL18XP1-042-230	40500	14.5	12.5	35400	22600	8.5	C37-49C	EL195UH090XE48C	10085420
SL18XP1-042-230	41500	14.5	12.5	35600	22800	8.5	C37-49C	EL195UH110XE60C	10085421
SL18XP1-042-230	40500	14.5	12.5	35400	22800	8.5	C37-49C	EL196UH090XE48C	201933509
SL18XP1-042-230	41500	14.5	12.5	35600	22800	8.5	C37-49C	EL196UH110XE60C	201933510
SL18XP1-042-230	40500	14.5	12.5	35400	22600	8.5	C37-49C	EL296UH090XE48C	10085422
SL18XP1-042-230	41000	14.5	12.5	35400	22800	8.5	C37-49C	EL296UH090XV36C	10085423
SL18XP1-042-230	41000	15.1	12.5	35400	22800	8.5	C37-49C	EL296UH090XV48C	10085410
SL18XP1-042-230	41000	15.1	12.5	35200	22600	8.5	C37-49C	EL296UH090XV60C	10085411
SL18XP1-042-230	41500	14.5	12.5	35600	22800	8.5	C37-49C	EL296UH110XE60C	10085424
SL18XP1-042-230	41500	15.1	12.5	35600	22800	8.5	C37-49C	EL296UH110XV48C	10085412
SL18XP1-042-230	41500	15.1	12.5	35400	22800	8.5	C37-49C	EL296UH110XV60C	10085413
SL18XP1-042-230	41000	15.1	12.5	35400	22600	8.5	C37-49C	ML180UH090E60C	10589932
SL18XP1-042-230	41000	15.1	12.5	35400	22600	8.5	C37-49C	ML180UH110E60C	10590184
SL18XP1-042-230	41000	15.1	12.5	35400	22600	8.5	C37-49C	ML180UH110XE60C	10590304
SL18XP1-042-230	41000	15.1	13	35200	22400	8.5	C37-49C	SL280UH090V60C	10085419
SL18XP1-042-230	41000	15.1	13	35200	22400	8.5	C37-49C	SL280UH090XV60C	10085417
SL18XP1-042-230	41500	15.5	12.5	35400	22400	9	C37-49C	SL280UH100NV60C-	10581394
SL18XP1-042-230	41500	15.1	13	35400	22600	9	C37-49C	SL280UH110V60C	10085405
SL18XP1-042-230	41500	15.1	13	35400	22600	9	C37-49C	SL280UH110XV60C	10085406
SL18XP1-042-230	41000	15	12.5	35400	22800	8.5	C37-49C	SLP98UH090XV36C	10085418
SL18XP1-042-230	41000	15.1	12.5	35200	22600	8.5	C37-49C	SLP98UH090XV48C	10085414
SL18XP1-042-230	41000	15.1	12.5	35200	22600	8.5	C37-49C	SLP98UH090XV60C	10085415
SL18XP1-042-230	41500	15.1	12.5	35400	22800	8.5	C37-49C	SLP98UH110XV60C	10085416
SL18XP1-042-230	40500	14	11.5	36200	23400	8.5	C37-49C		10084146
SL18XP1-042-230	40000	14.5	12.5	35200	22600	8.5	C37-50/60C	EL180UH090E60C	10085427
SL18XP1-042-230	40000	14.5	12.5	35200	22600	8.5	C37-50/60C	EL180UH110E60C	10085428
SL18XP1-042-230	40000	14.5	12.5	35200	22600	8.5	C37-50/60C	EL180UH110XE60C	10085429
SL18XP1-042-230	39500	14.5	12.5	35200	22600	8.5	C37-50/60C	EL195UH090XE48C	10085430
SL18XP1-042-230	40000	14.5	12.5	35400	22800	8.5	C37-50/60C	EL195UH110XE60C	10085431
SL18XP1-042-230	39500	14.5	12.5	35200	22600	8.5	C37-50/60C	EL196UH090XE48C	201933505

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-042-230	40000	14.5	12.5	35400	22800	8.5	C37-50/60C	EL196UH110XE60C	201933506
SL18XP1-042-230	39500	14.5	12.5	35200	22600	8.5	C37-50/60C	EL296UH090XE48C	10085432
SL18XP1-042-230	39500	14.5	12	35400	22800	8.5	C37-50/60C	EL296UH090XV36C	10085440
SL18XP1-042-230	40000	14.5	12.5	35400	22600	8.5	C37-50/60C	EL296UH090XV48C	10085433
SL18XP1-042-230	39500	14.5	12.5	35200	22600	8.5	C37-50/60C	EL296UH090XV60C	10085434
SL18XP1-042-230	40000	14.5	12.5	35400	22800	8.5	C37-50/60C	EL296UH110XE60C	10085435
SL18XP1-042-230	40000	14.5	12.5	35400	22600	8.5	C37-50/60C	EL296UH110XV48C	10085436
SL18XP1-042-230	40000	14.5	12.5	35400	22800	8.5	C37-50/60C	EL296UH110XV60C	10085437
SL18XP1-042-230	40000	14.5	12.5	35200	22600	8.5	C37-50/60C	ML180UH090E60C	10589933
SL18XP1-042-230	40000	14.5	12.5	35200	22600	8.5	C37-50/60C	ML180UH110E60C	10590185
SL18XP1-042-230	40000	14.5	12.5	35200	22600	8.5	C37-50/60C	ML180UH110XE60C	10590305
SL18XP1-042-230	39500	15	12.5	35000	22400	8.5	C37-50/60C	SL280UH090V60C	10085425
SL18XP1-042-230	39500	15	12.5	35000	22400	8.5	C37-50/60C	SL280UH090XV60C	10085426
SL18XP1-042-230	40000	15.5	12.5	35200	22400	8.5	C37-50/60C	SL280UH100NV60C-	10581395
SL18XP1-042-230	40000	14.5	12.5	35400	22600	8.5	C37-50/60C	SL280UH110V60C	10085442
SL18XP1-042-230	40000	14.5	12.5	35400	22600	8.5	C37-50/60C	SL280UH110XV60C	10085443
SL18XP1-042-230	39500	14.5	12	35400	22800	8.5	C37-50/60C	SLP98UH090XV36C	10085441
SL18XP1-042-230	40000	14.5	12.5	35400	22600	8.5	C37-50/60C	SLP98UH090XV48C	10085444
SL18XP1-042-230	39500	14.5	12.5	35200	22600	8.5	C37-50/60C	SLP98UH090XV60C	10085438
SL18XP1-042-230	40000	14.5	12.5	35400	22800	8.5	C37-50/60C	SLP98UH110XV60C	10085439
SL18XP1-042-230	41000	15.5	13	37200	24200	9	CBA27UHE-042-230		10258582
SL18XP1-042-230	41000	15.5	13	37000	23800	9	CBA27UHE-048-230		10258973
SL18XP1-042-230	40500	15	12.5	37000	24000	9	CBA38MV-042-230		201841624
SL18XP1-042-230	41500	16	13	36800	23800	9	CBA38MV-048-230		201841625
SL18XP1-042-230	41000	15.5	13	36800	24000	9	CBX27UH-042-230		8331391
SL18XP1-042-230	41000	15.5	13	36800	24000	9	CBX27UH-048-230		8331392
SL18XP1-042-230	41000	14.5	12.5	37200	24400	9	CBX32M-048		8331393
SL18XP1-042-230	41000	15.1	12.5	36200	24200	9	CH33-43B	EL180UH090E48B	8329616
SL18XP1-042-230	41000	15.1	12.5	36200	24200	9	CH33-43B	EL180UH090XE48B	8329617
SL18XP1-042-230	41000	14.5	12.5	36400	24400	9	CH33-43B	EL296UH045XV36B	8329623
SL18XP1-042-230	41000	14.5	12.5	36400	24400	9	CH33-43B	EL296UH070XV36B	8329621
SL18XP1-042-230	41000	15.1	12.5	36200	24200	9	CH33-43B	ML180UH090E48B	10589744
SL18XP1-042-230	41000	15.1	12.5	36200	24200	9	CH33-43B	ML180UH090XE48B	10590028
SL18XP1-042-230	41500	15.1	13	36200	24200	9	CH33-43B	SL280UH090V36B	8329620
SL18XP1-042-230	41000	15.1	12.5	36000	24000	9	CH33-43B	SL280UH090V48B	8329618
SL18XP1-042-230	41000	15.1	12.5	36000	24000	9	CH33-43B	SL280UH090XV48B	8329619
SL18XP1-042-230	41000	14.5	12.5	36400	24400	9	CH33-43B	SLP98UH070XV36B	8329622
SL18XP1-042-230	40500	14	12	36600	24600	9	CH33-43B		8329624
SL18XP1-042-230	41500	15.5	13	35400	23000	9	CH33-49	EL180UH090E60C	8329625
SL18XP1-042-230	41000	15.5	13	35400	23000	9	CH33-49	EL180UH110E60C	8329626
SL18XP1-042-230	41000	15.5	13	35400	23000	9	CH33-49	EL180UH110XE60C	8329627
SL18XP1-042-230	41000	15.1	13	35400	23000	9	CH33-49	EL195UH090XE48C	8329630
SL18XP1-042-230	41500	15.1	13	35600	23200	9	CH33-49	EL195UH110XE60C	8329631
SL18XP1-042-230	41000	15.1	13	35400	23000	9	CH33-49	EL196UH090XE48C	201933477
SL18XP1-042-230	41500	15.1	13	35600	23200	9	CH33-49	EL196UH110XE60C	201933478
SL18XP1-042-230	41000	15.1	13	35400	23000	9	CH33-49	EL296UH090XE48C	8329632
SL18XP1-042-230	41000	15.1	12.5	35600	23200	9	CH33-49	EL296UH090XV36C	8329643
SL18XP1-042-230	41000	15.1	13	35600	23000	9	CH33-49	EL296UH090XV48C	8329633
SL18XP1-042-230	41000	15.1	13	35400	23000	9	CH33-49	EL296UH090XV60C	8329634
SL18XP1-042-230	41500	15.1	13	35600	23200	9	CH33-49	EL296UH110XE60C	8329635
SL18XP1-042-230	41500	15.1	13	35600	23200	9	CH33-49	EL296UH110XV48C	8329636
SL18XP1-042-230	41500	15.1	13	35600	23200	9	CH33-49	EL296UH110XV60C	8329637
SL18XP1-042-230	41500	15.5	13	35400	23000	9	CH33-49	ML180UH090E60C	10589859
SL18XP1-042-230	41000	15.5	13	35400	23000	9	CH33-49	ML180UH110E60C	10590113
SL18XP1-042-230	41000	15.5	13	35400	23000	9	CH33-49	ML180UH110XE60C	10590290

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-042-230	41000	15.5	13	35200	22800	9	CH33-49	SL280UH090V60C	8329628
SL18XP1-042-230	41000	15.5	13	35200	22800	9	CH33-49	SL280UH090XV60C	8329629
SL18XP1-042-230	41500	16	13.5	35400	22800	9.4	CH33-49	SL280UH100NV60C-	10581396
SL18XP1-042-230	41500	15.1	13	35600	23000	9	CH33-49	SL280UH110V60C	8329638
SL18XP1-042-230	41500	15.1	13	35600	23000	9	CH33-49	SL280UH110XV60C	8329639
SL18XP1-042-230	41000	15.1	12.5	35600	23200	9	CH33-49	SLP98UH090XV36C	8329644
SL18XP1-042-230	41000	15.1	13	35400	23000	9	CH33-49	SLP98UH090XV48C	8329640
SL18XP1-042-230	41000	15.1	13	35400	23000	9	CH33-49	SLP98UH090XV60C	8329641
SL18XP1-042-230	41500	15.1	13	35600	23200	9	CH33-49	SLP98UH110XV60C	8329642
SL18XP1-042-230	41000	14	12	36200	23600	9	CH33-49		8329645
SL18XP1-042-230	41000	15.1	13	35400	23000	9	CH33-50/60C	EL180UH090E60C	8329648
SL18XP1-042-230	41000	15.1	13	35400	22800	9	CH33-50/60C	EL180UH110E60C	8329649
SL18XP1-042-230	41000	15.1	13	35400	22800	9	CH33-50/60C	EL180UH110XE60C	8329650
SL18XP1-042-230	40500	15.1	12.5	35400	23000	9	CH33-50/60C	EL195UH090XE48C	8329914
SL18XP1-042-230	41000	15.1	12.5	35600	23200	9	CH33-50/60C	EL195UH110XE60C	8329651
SL18XP1-042-230	40500	15.1	12.5	35400	23000	9	CH33-50/60C	EL196UH090XE48C	201933479
SL18XP1-042-230	41000	15.1	12.5	35600	23200	9	CH33-50/60C	EL196UH110XE60C	201933480
SL18XP1-042-230	40500	15.1	12.5	35400	23000	9	CH33-50/60C	EL296UH090XE48C	8329662
SL18XP1-042-230	41000	15	12.5	35600	23200	9	CH33-50/60C	EL296UH090XV36C	8329663
SL18XP1-042-230	41000	15.1	13	35600	23000	9	CH33-50/60C	EL296UH090XV48C	8329652
SL18XP1-042-230	41000	15.1	13	35400	23000	9	CH33-50/60C	EL296UH090XV60C	8329653
SL18XP1-042-230	41000	15.1	12.5	35600	23200	9	CH33-50/60C	EL296UH110XE60C	8329654
SL18XP1-042-230	41000	15.1	12.5	35600	23200	9	CH33-50/60C	EL296UH110XV48C	8329655
SL18XP1-042-230	41000	15.1	12.5	35600	23200	9	CH33-50/60C	EL296UH110XV60C	8329656
SL18XP1-042-230	41000	15.1	13	35400	23000	9	CH33-50/60C	ML180UH090E60C	10589860
SL18XP1-042-230	41000	15.1	13	35400	22800	9	CH33-50/60C	ML180UH110E60C	10590114
SL18XP1-042-230	41000	15.1	13	35400	22800	9	CH33-50/60C	ML180UH110XE60C	10590291
SL18XP1-042-230	41000	15.5	13	35200	22800	9	CH33-50/60C	SL280UH090V60C	8329646
SL18XP1-042-230	41000	15.5	13	35200	22800	9	CH33-50/60C	SL280UH090XV60C	8329647
SL18XP1-042-230	41000	15.5	12.5	35400	22800	9.2	CH33-50/60C	SL280UH100NV60C-	10581397
SL18XP1-042-230	41000	15.1	13	35400	23000	9	CH33-50/60C	SL280UH110V60C	8329657
SL18XP1-042-230	41000	15.1	13	35400	23000	9	CH33-50/60C	SL280UH110XV60C	8329658
SL18XP1-042-230	41000	15	12.5	35600	23200	9	CH33-50/60C	SLP98UH090XV36C	8329664
SL18XP1-042-230	41000	15.1	13	35400	23000	9	CH33-50/60C	SLP98UH090XV48C	8329659
SL18XP1-042-230	41000	15.1	13	35400	23000	9	CH33-50/60C	SLP98UH090XV60C	8329660
SL18XP1-042-230	41000	15.1	12.5	35600	23200	9	CH33-50/60C	SLP98UH110XV60C	8329661
SL18XP1-042-230	40500	14	12	36200	23600	8.5	CH33-50/60C		8329665
SL18XP1-042-230	40500	15.1	12.5	37000	24400	8.5	CH35-42C	EL180UH090E60C	10098425
SL18XP1-042-230	40500	15.1	12.5	36800	24400	8.5	CH35-42C	EL180UH110E60C	10098426
SL18XP1-042-230	40500	15.1	12.5	36800	24400	8.5	CH35-42C	EL180UH110XE60C	10098427
SL18XP1-042-230	40000	15.1	12.5	36800	24400	8.5	CH35-42C	EL195UH090XE48C	10098428
SL18XP1-042-230	40500	15.1	12.5	37200	24600	8.5	CH35-42C	EL195UH110XE60C	10098429
SL18XP1-042-230	40000	15.1	12.5	36800	24400	8.5	CH35-42C	EL196UH090XE48C	201933481
SL18XP1-042-230	40500	15.1	12.5	37200	24600	8.5	CH35-42C	EL196UH110XE60C	201933482
SL18XP1-042-230	40000	15.1	12.5	36800	24400	8.5	CH35-42C	EL296UH090XE48C	10098430
SL18XP1-042-230	40500	15.1	12.5	37000	24600	8.5	CH35-42C	EL296UH090XV36C	10098431
SL18XP1-042-230	40500	15.1	12.5	37000	24400	8.5	CH35-42C	EL296UH090XV48C	10098432
SL18XP1-042-230	40500	15.1	12.5	36800	24400	8.5	CH35-42C	EL296UH090XV60C	10098433
SL18XP1-042-230	40500	15.1	12.5	37200	24600	8.5	CH35-42C	EL296UH110XE60C	10098434
SL18XP1-042-230	40500	15.1	12.5	37000	24400	8.5	CH35-42C	EL296UH110XV48C	10098435
SL18XP1-042-230	40500	15.1	12.5	37000	24400	8.5	CH35-42C	EL296UH110XV60C	10098436
SL18XP1-042-230	40500	15.1	12.5	37000	24400	8.5	CH35-42C	ML180UH090E60C	10589968
SL18XP1-042-230	40500	15.1	12.5	36800	24400	8.5	CH35-42C	ML180UH110E60C	10590220
SL18XP1-042-230	40500	15.1	12.5	36800	24400	8.5	CH35-42C	ML180UH110XE60C	10590317
SL18XP1-042-230	41000	15.5	12.5	37000	24400	8.5	CH35-42C	SL280UH090V60C	10098437

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-042-230	41000	15.5	12.5	37000	24400	8.5	CH35-42C	SL280UH090XV60C	10098438
SL18XP1-042-230	40500	15.5	12.5	36800	24200	9.2	CH35-42C	SL280UH100NV60C-	10581398
SL18XP1-042-230	40500	15.1	12.5	37000	24400	8.5	CH35-42C	SL280UH110V60C	10098439
SL18XP1-042-230	40500	15.1	12.5	37000	24400	8.5	CH35-42C	SL280UH110XV60C	10098440
SL18XP1-042-230	40500	15.1	12.5	37000	24600	8.5	CH35-42C	SLP98UH090XV36C	10098441
SL18XP1-042-230	40500	15.1	12.5	37000	24400	8.5	CH35-42C	SLP98UH090XV48C	10098442
SL18XP1-042-230	40500	15.1	12.5	36800	24400	8.5	CH35-42C	SLP98UH090XV60C	10098443
SL18XP1-042-230	40500	15.1	12.5	37000	24400	8.5	CH35-42C	SLP98UH110XV60C	10098444
SL18XP1-042-230	40000	14	12	37800	25200	8.5	CH35-42C		10098424
SL18XP1-042-230	41000	15.5	12.5	36600	23800	8.5	CH35-48C	EL180UH090E60C	10098446
SL18XP1-042-230	41000	15.5	12.5	36600	23800	8.5	CH35-48C	EL180UH110E60C	10098447
SL18XP1-042-230	41000	15.5	12.5	36600	23800	8.5	CH35-48C	EL180UH110XE60C	10098448
SL18XP1-042-230	40500	15.5	12.5	36600	23800	8.5	CH35-48C	EL195UH090XE48C	10098449
SL18XP1-042-230	41000	15.1	12.5	37000	24000	8.5	CH35-48C	EL195UH110XE60C	10098450
SL18XP1-042-230	40500	15.5	12.5	36600	23800	8.5	CH35-48C	EL196UH090XE48C	201933483
SL18XP1-042-230	41000	15.1	12.5	37000	24000	8.5	CH35-48C	EL196UH110XE60C	201933484
SL18XP1-042-230	40500	15.5	12.5	36600	23800	8.5	CH35-48C	EL296UH090XE48C	10098451
SL18XP1-042-230	41000	15.1	12.5	36800	24000	8.5	CH35-48C	EL296UH090XV36C	10098452
SL18XP1-042-230	41000	15.5	12.5	36800	24000	8.5	CH35-48C	EL296UH090XV48C	10098453
SL18XP1-042-230	40500	15.5	12.5	36600	23800	8.5	CH35-48C	EL296UH090XV60C	10098454
SL18XP1-042-230	41000	15.1	12.5	37000	24000	8.5	CH35-48C	EL296UH110XE60C	10098455
SL18XP1-042-230	41000	15.5	12.5	36800	24000	8.5	CH35-48C	EL296UH110XV48C	10098456
SL18XP1-042-230	41000	15.5	12.5	36800	24000	8.5	CH35-48C	EL296UH110XV60C	10098457
SL18XP1-042-230	41000	15.5	12.5	36600	23800	8.5	CH35-48C	ML180UH090E60C	10589969
SL18XP1-042-230	41000	15.5	12.5	36600	23800	8.5	CH35-48C	ML180UH110E60C	10590221
SL18XP1-042-230	41000	15.5	12.5	36600	23800	8.5	CH35-48C	ML180UH110XE60C	10590318
SL18XP1-042-230	41000	15.5	12.5	36800	24000	8.5	CH35-48C	SL280UH090V60C	10098458
SL18XP1-042-230	41000	15.5	12.5	36800	24000	8.5	CH35-48C	SL280UH090XV60C	10098459
SL18XP1-042-230	41000	16	13.5	36600	23800	9	CH35-48C	SL280UH100NV60C-	10581399
SL18XP1-042-230	41000	15.5	12.5	36800	24000	8.5	CH35-48C	SL280UH110V60C	10098460
SL18XP1-042-230	41000	15.5	12.5	36800	24000	8.5	CH35-48C	SL280UH110XV60C	10098461
SL18XP1-042-230	41000	15.1	12.5	36800	24000	8.5	CH35-48C	SLP98UH090XV36C	10098462
SL18XP1-042-230	41000	15.5	12.5	36800	24000	8.5	CH35-48C	SLP98UH090XV48C	10098463
SL18XP1-042-230	40500	15.5	12.5	36600	23800	8.5	CH35-48C	SLP98UH090XV60C	10098464
SL18XP1-042-230	41000	15.5	12.5	36800	24000	8.5	CH35-48C	SLP98UH110XV60C	10098465
SL18XP1-042-230	40000	14	12	37400	24600	8.5	CH35-48C		10098445
SL18XP1-042-230	41500	15.5	12.5	36400	24200	9	CH35-51C	EL180UH090E60C	10098466
SL18XP1-042-230	41000	15.5	12.5	36400	24200	9	CH35-51C	EL180UH110E60C	10098467
SL18XP1-042-230	41000	15.5	12.5	36400	24200	9	CH35-51C	EL180UH110XE60C	10098468
SL18XP1-042-230	41000	15.5	12.5	36400	24200	9	CH35-51C	EL195UH090XE48C	10098469
SL18XP1-042-230	41500	15.5	12.5	36800	24400	9	CH35-51C	EL195UH110XE60C	10098470
SL18XP1-042-230	41000	15.5	12.5	36400	24200	9	CH35-51C	EL196UH090XE48C	201933485
SL18XP1-042-230	41500	15.5	12.5	36800	24400	9	CH35-51C	EL196UH110XE60C	201933486
SL18XP1-042-230	41000	15.5	12.5	36400	24200	9	CH35-51C	EL296UH090XE48C	10098471
SL18XP1-042-230	41000	15.1	12.5	36600	24400	9	CH35-51C	EL296UH090XV36C	10098472
SL18XP1-042-230	41000	15.5	12.5	36600	24400	9	CH35-51C	EL296UH090XV48C	10098473
SL18XP1-042-230	41000	15.5	12.5	36400	24200	9	CH35-51C	EL296UH090XV60C	10098474
SL18XP1-042-230	41500	15.5	12.5	36800	24400	9	CH35-51C	EL296UH110XE60C	10098475
SL18XP1-042-230	41500	15.5	12.5	36600	24400	9	CH35-51C	EL296UH110XV48C	10098476
SL18XP1-042-230	41500	15.5	12.5	36600	24400	9	CH35-51C	EL296UH110XV60C	10098477
SL18XP1-042-230	41500	15.5	12.5	36400	24200	9	CH35-51C	ML180UH090E60C	10589970
SL18XP1-042-230	41000	15.5	12.5	36400	24200	9	CH35-51C	ML180UH110E60C	10590222
SL18XP1-042-230	41000	15.5	12.5	36400	24200	9	CH35-51C	ML180UH110XE60C	10590319
SL18XP1-042-230	41000	15.5	12.5	36200	24200	9	CH35-51C	SL280UH090V60C	10098478
SL18XP1-042-230	41000	15.5	12.5	36200	24200	9	CH35-51C	SL280UH090XV60C	10098479

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-042-230	41500	16	13.5	36400	24200	9.4	CH35-51C	SL280UH100NV60C-	10581400
SL18XP1-042-230	41500	15.5	12.5	36600	24400	9	CH35-51C	SL280UH110V60C	10099354
SL18XP1-042-230	41500	15.5	12.5	36600	24400	9	CH35-51C	SL280UH110XV60C	10099355
SL18XP1-042-230	41000	15.1	12.5	36600	24400	9	CH35-51C	SLP98UH090XV36C	10099356
SL18XP1-042-230	41000	15.5	12.5	36400	24200	9	CH35-51C	SLP98UH090XV48C	10099357
SL18XP1-042-230	41000	15.5	12.5	36400	24200	9	CH35-51C	SLP98UH090XV60C	10098480
SL18XP1-042-230	41500	15.5	12.5	36600	24400	9	CH35-51C	SLP98UH110XV60C	10098481
SL18XP1-042-230	40500	14	12	37200	25000	8.5	CH35-51C		10098482
SL18XP1-042-230	40500	15.1	12.5	37000	24400	8.5	CHX35-42C	EL180UH090E60C	202190117
SL18XP1-042-230	40500	15.1	12.5	36800	24400	8.5	CHX35-42C	EL180UH110E60C	202190119
SL18XP1-042-230	40500	15.1	12.5	36800	24400	8.5	CHX35-42C	EL180UH110XE60C	202190121
SL18XP1-042-230	40000	15.1	12.5	36800	24400	8.5	CHX35-42C	EL195UH090XE48C	202190123
SL18XP1-042-230	40500	15.1	12.5	37200	24600	8.5	CHX35-42C	EL195UH110XE60C	202190125
SL18XP1-042-230	40000	15.1	12.5	36800	24400	8.5	CHX35-42C	EL196UH090XE48C	202187005
SL18XP1-042-230	40500	15.1	12.5	37200	24600	8.5	CHX35-42C	EL196UH110XE60C	202187006
SL18XP1-042-230	40000	15.1	12.5	36800	24400	8.5	CHX35-42C	EL296UH090XE48C	202190127
SL18XP1-042-230	40500	15.1	12.5	37000	24600	8.5	CHX35-42C	EL296UH090XV36C-	202190129
SL18XP1-042-230	40500	15.1	12.5	37000	24400	8.5	CHX35-42C	EL296UH090XV48C	202190131
SL18XP1-042-230	40500	15.1	12.5	36800	24400	8.5	CHX35-42C	EL296UH090XV60C	202190133
SL18XP1-042-230	40500	15.1	12.5	37200	24600	8.5	CHX35-42C	EL296UH110XE60C	202190135
SL18XP1-042-230	40500	15.1	12.5	37000	24400	8.5	CHX35-42C	EL296UH110XV48C	202190138
SL18XP1-042-230	40500	15.1	12.5	37000	24400	8.5	CHX35-42C	EL296UH110XV60C	202190139
SL18XP1-042-230	40500	15.1	12.5	37000	24400	8.5	CHX35-42C	ML180UH090E60C	202190466
SL18XP1-042-230	40500	15.1	12.5	36800	24400	8.5	CHX35-42C	ML180UH110E60C	202190488
SL18XP1-042-230	40500	15.1	12.5	36800	24400	8.5	CHX35-42C	ML180UH110XE60C	202190503
SL18XP1-042-230	41000	15.5	12.5	37000	24400	8.5	CHX35-42C	SL280UH090V60C	202190142
SL18XP1-042-230	41000	15.5	12.5	37000	24400	8.5	CHX35-42C	SL280UH090XV60C	202190145
SL18XP1-042-230	40500	15.5	12.5	36800	24200	9.2	CHX35-42C	SL280UH100NV60C-	202190418
SL18XP1-042-230	40500	15.1	12.5	37000	24400	8.5	CHX35-42C	SL280UH110V60C	202190147
SL18XP1-042-230	40500	15.1	12.5	37000	24400	8.5	CHX35-42C	SL280UH110XV60C	202190149
SL18XP1-042-230	40500	15.1	12.5	37000	24600	8.5	CHX35-42C	SLP98UH090XV36C	202190151
SL18XP1-042-230	40500	15.1	12.5	37000	24400	8.5	CHX35-42C	SLP98UH090XV48C	202190154
SL18XP1-042-230	40500	15.1	12.5	36800	24400	8.5	CHX35-42C	SLP98UH090XV60C	202190157
SL18XP1-042-230	40500	15.1	12.5	37000	24400	8.5	CHX35-42C	SLP98UH110XV60C	202190160
SL18XP1-042-230	40000	14	12	37800	25200	8.5	CHX35-42C		202190115
SL18XP1-042-230	41000	15.5	12.5	36600	23800	8.5	CHX35-48C	EL180UH090E60C	202190164
SL18XP1-042-230	41000	15.5	12.5	36600	23800	8.5	CHX35-48C	EL180UH110E60C	202190167
SL18XP1-042-230	41000	15.5	12.5	36600	23800	8.5	CHX35-48C	EL180UH110XE60C	202190168
SL18XP1-042-230	40500	15.5	12.5	36600	23800	8.5	CHX35-48C	EL195UH090XE48C	202190170
SL18XP1-042-230	41000	15.1	12.5	37000	24000	8.5	CHX35-48C	EL195UH110XE60C	202190172
SL18XP1-042-230	40500	15.5	12.5	36600	23800	8.5	CHX35-48C	EL196UH090XE48C	202187007
SL18XP1-042-230	41000	15.1	12.5	37000	24000	8.5	CHX35-48C	EL196UH110XE60C	202187008
SL18XP1-042-230	40500	15.5	12.5	36600	23800	8.5	CHX35-48C	EL296UH090XE48C	202190174
SL18XP1-042-230	41000	15.1	12.5	36800	24000	8.5	CHX35-48C	EL296UH090XV36C	202190176
SL18XP1-042-230	41000	15.5	12.5	36800	24000	8.5	CHX35-48C	EL296UH090XV48C	202190178
SL18XP1-042-230	40500	15.5	12.5	36600	23800	8.5	CHX35-48C	EL296UH090XV60C	202190180
SL18XP1-042-230	41000	15.1	12.5	37000	24000	8.5	CHX35-48C	EL296UH110XE60C	202190182
SL18XP1-042-230	41000	15.5	12.5	36800	24000	8.5	CHX35-48C	EL296UH110XV48C	202190185
SL18XP1-042-230	41000	15.5	12.5	36800	24000	8.5	CHX35-48C	EL296UH110XV60C	202190187
SL18XP1-042-230	41000	15.5	12.5	36600	23800	8.5	CHX35-48C	ML180UH090E60C	202190467
SL18XP1-042-230	41000	15.5	12.5	36600	23800	8.5	CHX35-48C	ML180UH110E60C	202190489
SL18XP1-042-230	41000	15.5	12.5	36600	23800	8.5	CHX35-48C	ML180UH110XE60C	202190506
SL18XP1-042-230	41000	15.5	12.5	36800	24000	8.5	CHX35-48C	SL280UH090V60C	202190190
SL18XP1-042-230	41000	15.5	12.5	36800	24000	8.5	CHX35-48C	SL280UH090XV60C	202190192
SL18XP1-042-230	41000	16	13.5	36600	23800	9	CHX35-48C	SL280UH100NV60C-	202190420

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-042-230	41000	15.5	12.5	36800	24000	8.5	CHX35-48C	SL280UH110V60C	202190193
SL18XP1-042-230	41000	15.5	12.5	36800	24000	8.5	CHX35-48C	SL280UH110XV60C	202190196
SL18XP1-042-230	41000	15.1	12.5	36800	24000	8.5	CHX35-48C	SLP98UH090XV36C	202190199
SL18XP1-042-230	41000	15.5	12.5	36800	24000	8.5	CHX35-48C	SLP98UH090XV48C	202190201
SL18XP1-042-230	40500	15.5	12.5	36600	23800	8.5	CHX35-48C	SLP98UH090XV60C	202190203
SL18XP1-042-230	41000	15.5	12.5	36800	24000	8.5	CHX35-48C	SLP98UH110XV60C	202190205
SL18XP1-042-230	40000	14	12	37400	24600	8.5	CHX35-48C		202190162
SL18XP1-042-230	41500	15.5	12.5	36400	24200	9	CHX35-51/61C	EL180UH090E60C	202190207
SL18XP1-042-230	41000	15.5	12.5	36400	24200	9	CHX35-51/61C	EL180UH110E60C	202190208
SL18XP1-042-230	41000	15.5	12.5	36400	24200	9	CHX35-51/61C	EL180UH110XE60C	202190211
SL18XP1-042-230	41000	15.5	12.5	36400	24200	9	CHX35-51/61C	EL195UH090XE48C	202190213
SL18XP1-042-230	41500	15.5	12.5	36800	24400	9	CHX35-51/61C	EL195UH110XE60C	202190215
SL18XP1-042-230	41000	15.5	12.5	36400	24200	9	CHX35-51/61C	EL196UH090XE48C	202190524
SL18XP1-042-230	41500	15.5	12.5	36800	24400	9	CHX35-51/61C	EL196UH110XE60C	202190526
SL18XP1-042-230	41000	15.5	12.5	36400	24200	9	CHX35-51/61C	EL296UH090XE48C	202190217
SL18XP1-042-230	41000	15.1	12.5	36600	24400	9	CHX35-51/61C	EL296UH090XV36C	202190219
SL18XP1-042-230	41000	15.5	12.5	36600	24400	9	CHX35-51/61C	EL296UH090XV48C	202190222
SL18XP1-042-230	41000	15.5	12.5	36400	24200	9	CHX35-51/61C	EL296UH090XV60C	202190224
SL18XP1-042-230	41500	15.5	12.5	36800	24400	9	CHX35-51/61C	EL296UH110XE60C	202190227
SL18XP1-042-230	41500	15.5	12.5	36600	24400	9	CHX35-51/61C	EL296UH110XV48C	202190230
SL18XP1-042-230	41500	15.5	12.5	36600	24400	9	CHX35-51/61C	EL296UH110XV60C	202190232
SL18XP1-042-230	41500	15.5	12.5	36400	24200	9	CHX35-51/61C	ML180UH090E60C	202190469
SL18XP1-042-230	41000	15.5	12.5	36400	24200	9	CHX35-51/61C	ML180UH110E60C	202190491
SL18XP1-042-230	41000	15.5	12.5	36400	24200	9	CHX35-51/61C	ML180UH110XE60C	202190508
SL18XP1-042-230	41000	15.5	12.5	36200	24200	9	CHX35-51/61C	SL280UH090V60C	202190234
SL18XP1-042-230	41000	15.5	12.5	36200	24200	9	CHX35-51/61C	SL280UH090XV60C	202190236
SL18XP1-042-230	41500	16	13.5	36400	24200	9.4	CHX35-51/61C	SL280UH100NV60C-	202190422
SL18XP1-042-230	41500	15.5	12.5	36600	24400	9	CHX35-51/61C	SL280UH110V60C	202190398
SL18XP1-042-230	41500	15.5	12.5	36600	24400	9	CHX35-51/61C	SL280UH110XV60C	202190400
SL18XP1-042-230	41000	15.1	12.5	36600	24400	9	CHX35-51/61C	SLP98UH090XV36C	202190402
SL18XP1-042-230	41000	15.5	12.5	36400	24200	9	CHX35-51/61C	SLP98UH090XV48C	202190404
SL18XP1-042-230	41000	15.5	12.5	36400	24200	9	CHX35-51/61C	SLP98UH090XV60C	202190239
SL18XP1-042-230	41500	15.5	12.5	36600	24400	9	CHX35-51/61C	SLP98UH110XV60C	202190241
SL18XP1-042-230	40500	14	12	37200	25000	8.5	CHX35-51/61C		202190243
SL18XP1-042-230	40500	15.1	13	36600	23000	9.5	CR33-50/60	EL180DF110E60C	8329668
SL18XP1-042-230	40000	15	12.5	36600	23200	9	CR33-50/60	EL195DF090XE48C	8329673
SL18XP1-042-230	40500	15.1	12.5	36800	23200	9.5	CR33-50/60	EL195DF110XE60C	8329669
SL18XP1-042-230	40000	15	12.5	36600	23200	9	CR33-50/60	EL196DF090XE48C	201953295
SL18XP1-042-230	40000	15	12.5	36600	23200	9	CR33-50/60	EL296DF090XE48C	8329674
SL18XP1-042-230	40500	15.1	12.5	36800	23200	9.5	CR33-50/60	EL296DF110XE60C	8329670
SL18XP1-042-230	40500	15.1	13	36600	23000	9.5	CR33-50/60	ML180DF110E60C	10589541
SL18XP1-042-230	40500	15.1	13	36600	23000	9.5	CR33-50/60	SL280DF090V60C	8329667
SL18XP1-042-230	40500	15.5	13	36600	23000	9.5	CR33-50/60	SL280DF110V60C	8329666
SL18XP1-042-230	40500	14.5	12.5	36800	23200	9	CR33-50/60	SLP98DF090XV36C	8329676
SL18XP1-042-230	40500	15.1	13	36600	23200	9	CR33-50/60	SLP98DF090XV48C	8329672
SL18XP1-042-230	40500	15	12.5	37000	23400	9	CR33-50/60	SLP98DF090XV60C	8329675
SL18XP1-042-230	40500	15.1	12.5	36800	23200	9.5	CR33-50/60	SLP98DF110XV60C	8329671
SL18XP1-042-230	40000	14	12	37400	23800	9	CR33-50/60		8329677
SL18XP1-042-230	40000	15.1	12.5	36600	24600	8.5	CX35-48B	EL180UH090E48B	10098522
SL18XP1-042-230	40000	15.1	12.5	36600	24600	8.5	CX35-48B	EL180UH090XE48B	10098523
SL18XP1-042-230	40000	14.5	12	36800	24800	8.5	CX35-48B	EL296UH045XV36B	10098524
SL18XP1-042-230	40000	14.5	12	36800	25000	8.5	CX35-48B	EL296UH070XV36B	10098525
SL18XP1-042-230	40000	15.1	12.5	36600	24600	8.5	CX35-48B	ML180UH090E48B	10589793
SL18XP1-042-230	40000	15.1	12.5	36600	24600	8.5	CX35-48B	ML180UH090XE48B	10590050
SL18XP1-042-230	40000	15.1	12.5	36600	24600	8.5	CX35-48B	SL280UH090V36B	10098526

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-042-230	40000	15.1	12.5	36400	24600	8.5	CX35-48B	SL280UH090V48B	10099368
SL18XP1-042-230	40000	15.1	12.5	36400	24600	8.5	CX35-48B	SL280UH090XV48B	10099369
SL18XP1-042-230	40000	14.5	12	36800	25000	8.5	CX35-48B	SLP98UH070XV36B	10099370
SL18XP1-042-230	40500	15.5	12.5	36400	24400	9	CX35-48C	EL180UH090E60C	10098527
SL18XP1-042-230	40500	15.5	12.5	36400	24400	9	CX35-48C	EL180UH110E60C	10098528
SL18XP1-042-230	40500	15.5	12.5	36400	24400	9	CX35-48C	EL180UH110XE60C	10098529
SL18XP1-042-230	40000	15.1	12.5	36400	24400	8.5	CX35-48C	EL195UH090XE48C	10098530
SL18XP1-042-230	40500	15.1	12.5	36800	24600	9	CX35-48C	EL195UH110XE60C	10098531
SL18XP1-042-230	40000	15.1	12.5	36400	24400	8.5	CX35-48C	EL196UH090XE48C	201933493
SL18XP1-042-230	40500	15.1	12.5	36800	24600	9	CX35-48C	EL196UH110XE60C	201933494
SL18XP1-042-230	40000	15.1	12.5	36400	24400	8.5	CX35-48C	EL296UH090XE48C	10098532
SL18XP1-042-230	40000	15.1	12.5	36600	24600	8.5	CX35-48C	EL296UH090XV36C	10098533
SL18XP1-042-230	40000	15.1	12.5	36400	24600	8.5	CX35-48C	EL296UH090XV48C	10098534
SL18XP1-042-230	40000	15.1	12.5	36200	24400	8.5	CX35-48C	EL296UH090XV60C	10098535
SL18XP1-042-230	40500	15.1	12.5	36800	24600	9	CX35-48C	EL296UH110XE60C	10098536
SL18XP1-042-230	40500	15.1	12.5	36600	24600	8.5	CX35-48C	EL296UH110XV48C	10098537
SL18XP1-042-230	40500	15.5	12.5	36600	24400	9	CX35-48C	EL296UH110XV60C	10098538
SL18XP1-042-230	40500	15.5	12.5	36400	24400	9	CX35-48C	ML180UH090E60C	10589973
SL18XP1-042-230	40500	15.5	12.5	36400	24400	9	CX35-48C	ML180UH110E60C	10590225
SL18XP1-042-230	40500	15.5	12.5	36400	24400	9	CX35-48C	ML180UH110XE60C	10590322
SL18XP1-042-230	40000	15.5	12.5	36200	24200	8.5	CX35-48C	SL280UH090V60C	10098539
SL18XP1-042-230	40000	15.5	12.5	36200	24200	8.5	CX35-48C	SL280UH090XV60C	10098540
SL18XP1-042-230	40500	15.5	12.5	36400	24400	9.2	CX35-48C	SL280UH100NV60C-	10581401
SL18XP1-042-230	40500	15.5	12.5	36400	24400	9	CX35-48C	SL280UH110V60C	10099372
SL18XP1-042-230	40500	15.5	12.5	36400	24400	9	CX35-48C	SL280UH110XV60C	10099373
SL18XP1-042-230	40000	15.1	12.5	36400	24600	8.5	CX35-48C	SLP98UH090XV36C	10099374
SL18XP1-042-230	40000	15.5	12.5	36200	24400	8.5	CX35-48C	SLP98UH090XV48C	10099375
SL18XP1-042-230	40000	15.1	12.5	36200	24400	8.5	CX35-48C	SLP98UH090XV60C	10098541
SL18XP1-042-230	40500	15.5	12.5	36600	24400	9	CX35-48C	SLP98UH110XV60C	10098542
SL18XP1-042-230	39500	14	12	37200	25200	8.5	CX35-48C		10099371
SL18XP1-042-230	40000	15.1	12.5	36400	24400	8.5	CX35-50/60C	EL180UH090E60C	10098543
SL18XP1-042-230	39500	15.1	12.5	36200	24400	8.5	CX35-50/60C	EL180UH110E60C	10098544
SL18XP1-042-230	39500	15.1	12.5	36200	24400	8.5	CX35-50/60C	EL180UH110XE60C	10098545
SL18XP1-042-230	39500	15.1	12.5	36400	24400	8.5	CX35-50/60C	EL195UH090XE48C	10098546
SL18XP1-042-230	40000	15.1	12.5	36600	24600	8.5	CX35-50/60C	EL195UH110XE60C	10098547
SL18XP1-042-230	39500	15.1	12.5	36400	24400	8.5	CX35-50/60C	EL196UH090XE48C	201933487
SL18XP1-042-230	40000	15.1	12.5	36600	24600	8.5	CX35-50/60C	EL196UH110XE60C	201933488
SL18XP1-042-230	39500	15.1	12.5	36400	24400	8.5	CX35-50/60C	EL296UH090XE48C	10098548
SL18XP1-042-230	39500	14.5	12.5	36600	24600	8.5	CX35-50/60C	EL296UH090XV36C	10098549
SL18XP1-042-230	40000	15.1	12.5	36400	24600	8.5	CX35-50/60C	EL296UH090XV48C	10098550
SL18XP1-042-230	39500	15.1	12.5	36400	24400	8.5	CX35-50/60C	EL296UH090XV60C	10098551
SL18XP1-042-230	40000	15.1	12.5	36600	24600	8.5	CX35-50/60C	EL296UH110XE60C	10098552
SL18XP1-042-230	40000	15.1	12.5	36600	24600	8.5	CX35-50/60C	EL296UH110XV48C	10098553
SL18XP1-042-230	40000	15.1	12.5	36600	24600	8.5	CX35-50/60C	EL296UH110XV60C	10098554
SL18XP1-042-230	40000	15.1	12.5	36400	24400	8.5	CX35-50/60C	ML180UH090E60C	10589974
SL18XP1-042-230	39500	15.1	12.5	36200	24400	8.5	CX35-50/60C	ML180UH110E60C	10590226
SL18XP1-042-230	39500	15.1	12.5	36200	24400	8.5	CX35-50/60C	ML180UH110XE60C	10590323
SL18XP1-042-230	39500	15.1	12.5	36000	24200	8.5	CX35-50/60C	SL280UH090V60C	10098555
SL18XP1-042-230	39500	15.1	12.5	36000	24200	8.5	CX35-50/60C	SL280UH090XV60C	10098556
SL18XP1-042-230	40000	15.5	12.5	36400	24400	9.2	CX35-50/60C	SL280UH100NV60C-	10581402
SL18XP1-042-230	40000	15.1	12.5	36600	24600	8.5	CX35-50/60C	SL280UH110V60C	10099376
SL18XP1-042-230	40000	15.1	12.5	36600	24600	8.5	CX35-50/60C	SL280UH110XV60C	10099377
SL18XP1-042-230	39500	14.5	12.5	36600	24600	8.5	CX35-50/60C	SLP98UH090XV36C	10099378
SL18XP1-042-230	40000	15.1	12.5	36400	24600	8.5	CX35-50/60C	SLP98UH090XV48C	10098557
SL18XP1-042-230	39500	15.1	12.5	36400	24400	8.5	CX35-50/60C	SLP98UH090XV60C	10098558

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-042-230	40000	15.1	12.5	36600	24600	8.5	CX35-50/60C	SLP98UH110XV60C	10098559
SL18XP1-042-230	39000	14	11.5	37200	25200	8.5	CX35-50/60C		10098560
SL18XP1-042-230	42000	16	13.5	37000	24600	9.2	CX35-60C	EL180UH090E60C	10098582
SL18XP1-042-230	42000	16	13.5	37000	24600	9.2	CX35-60C	EL180UH110E60C	10098583
SL18XP1-042-230	42000	16	13.5	37000	24600	9.2	CX35-60C	EL180UH110XE60C	10098584
SL18XP1-042-230	41500	15.5	12.5	37000	24600	9	CX35-60C	EL195UH090XE48C	10098585
SL18XP1-042-230	42000	15.5	12.5	37200	24800	9.2	CX35-60C	EL195UH110XE60C	10098586
SL18XP1-042-230	41500	15.5	12.5	37000	24800	9	CX35-60C	EL196UH090XE48C	201933497
SL18XP1-042-230	42000	15.5	12.5	37200	24800	9.2	CX35-60C	EL196UH110XE60C	201933498
SL18XP1-042-230	41500	15.5	12.5	37000	24600	9	CX35-60C	EL296UH090XE48C	10098587
SL18XP1-042-230	42000	15.5	12.5	37200	24800	9	CX35-60C	EL296UH090XV36C	10098588
SL18XP1-042-230	42000	15.5	12.5	37000	24800	9.2	CX35-60C	EL296UH090XV48C	10098589
SL18XP1-042-230	41500	16	13.5	37000	24600	9	CX35-60C	EL296UH090XV60C	10098590
SL18XP1-042-230	42000	15.5	12.5	37200	24800	9.2	CX35-60C	EL296UH110XE60C	10098591
SL18XP1-042-230	42000	16	13.5	37200	24800	9.2	CX35-60C	EL296UH110XV48C	10098592
SL18XP1-042-230	42000	16	13.5	37200	24800	9.2	CX35-60C	EL296UH110XV60C	10098593
SL18XP1-042-230	42000	16	13.5	37000	24600	9.2	CX35-60C	ML180UH090E60C	10589976
SL18XP1-042-230	42000	16	13.5	37000	24600	9.2	CX35-60C	ML180UH110E60C	10590228
SL18XP1-042-230	42000	16	13.5	37000	24600	9.2	CX35-60C	ML180UH110XE60C	10590325
SL18XP1-042-230	42000	16	13.5	37200	24800	9.2	CX35-60C	SL280UH090V60C	10098594
SL18XP1-042-230	42000	16	13.5	37200	24800	9.2	CX35-60C	SL280UH090XV60C	10098595
SL18XP1-042-230	42000	16.5	14	37000	24600	9.6	CX35-60C	SL280UH100NV60C-	10581403
SL18XP1-042-230	42000	16	13.5	37000	24600	9.2	CX35-60C	SL280UH110V60C	10098596
SL18XP1-042-230	42000	16	13.5	37000	24600	9.2	CX35-60C	SL280UH110XV60C	10098597
SL18XP1-042-230	42000	15.5	12.5	37200	24800	9	CX35-60C	SLP98UH090XV36C	10098598
SL18XP1-042-230	42000	15.5	12.5	37000	24800	9.2	CX35-60C	SLP98UH090XV48C	10098599
SL18XP1-042-230	41500	16	13.5	37000	24600	9	CX35-60C	SLP98UH090XV60C	10098600
SL18XP1-042-230	42000	16	13.5	37200	24800	9.2	CX35-60C	SLP98UH110XV60C	10098601
SL18XP1-042-230	41000	14.5	12.5	37800	25400	8.5	CX35-60C		10098602
SL18XP1-042-230	40000	14.5	12.5	35400	22600	8.5	CX38-43B	EL180UH090E48B	10085445
SL18XP1-042-230	40000	14.5	12.5	35400	22600	8.5	CX38-43B	EL180UH090XE48B	10085446
SL18XP1-042-230	40000	14	12	35600	23000	8.2	CX38-43B	EL296UH045XV36B	10085452
SL18XP1-042-230	40000	14	12	35600	23000	8.2	CX38-43B	EL296UH070XV36B	10085450
SL18XP1-042-230	40000	14.5	12.5	35400	22600	8.5	CX38-43B	ML180UH090E48B	10589776
SL18XP1-042-230	40000	14.5	12.5	35400	22600	8.5	CX38-43B	ML180UH090XE48B	10590037
SL18XP1-042-230	40000	14.5	12.5	35400	22800	8.5	CX38-43B	SL280UH090V36B	10085447
SL18XP1-042-230	40000	14.5	12.5	35200	22600	8.5	CX38-43B	SL280UH090V48B	10085448
SL18XP1-042-230	40000	14.5	12.5	35200	22600	8.5	CX38-43B	SL280UH090XV48B	10085449
SL18XP1-042-230	40000	14	12	35600	23000	8.2	CX38-43B	SLP98UH070XV36B	10085451
SL18XP1-042-230	40500	15.1	12.5	35200	22600	8.5	CX38-43C	EL180UH090E60C	10085453
SL18XP1-042-230	40500	15.1	12.5	35200	22600	8.5	CX38-43C	EL180UH110E60C	10085457
SL18XP1-042-230	40500	15.1	12.5	35200	22600	8.5	CX38-43C	EL180UH110XE60C	10085458
SL18XP1-042-230	40000	15	12.5	35200	22600	8.5	CX38-43C	EL195UH090XE48C	10085459
SL18XP1-042-230	40500	15	12.5	35600	22800	8.5	CX38-43C	EL195UH110XE60C	10085460
SL18XP1-042-230	40000	15	12.5	35200	22600	8.5	CX38-43C	EL196UH090XE48C	201933499
SL18XP1-042-230	40500	15	12.5	35600	22800	8.5	CX38-43C	EL196UH110XE60C	201933500
SL18XP1-042-230	40000	15	12.5	35200	22600	8.5	CX38-43C	EL296UH090XE48C	10085461
SL18XP1-042-230	40000	14.5	12.5	35400	22600	8.5	CX38-43C	EL296UH090XV36C	10085471
SL18XP1-042-230	40000	14.5	12.5	35400	22600	8.5	CX38-43C	EL296UH090XV48C	10085470
SL18XP1-042-230	40000	15	12.5	35000	22400	8.5	CX38-43C	EL296UH090XV60C	10085462
SL18XP1-042-230	40500	15	12.5	35600	22800	8.5	CX38-43C	EL296UH110XE60C	10085463
SL18XP1-042-230	40500	15	12.5	35400	22600	8.5	CX38-43C	EL296UH110XV48C	10085464
SL18XP1-042-230	40500	15	12.5	35400	22600	8.5	CX38-43C	EL296UH110XV60C	10085465
SL18XP1-042-230	40500	15.1	12.5	35200	22600	8.5	CX38-43C	ML180UH090E60C	10589934
SL18XP1-042-230	40500	15.1	12.5	35200	22600	8.5	CX38-43C	ML180UH110E60C	10590186

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-042-230	40500	15.1	12.5	35200	22600	8.5	CX38-43C	ML180UH110XE60C	10590306
SL18XP1-042-230	40000	15.1	13	35000	22400	8.5	CX38-43C	SL280UH090V60C	10085469
SL18XP1-042-230	40000	15.1	13	35000	22400	8.5	CX38-43C	SL280UH090XV60C	10085456
SL18XP1-042-230	40500	15.5	12.5	35200	22400	8.8	CX38-43C	SL280UH100NV60C-	10581404
SL18XP1-042-230	40500	15.1	12.5	35200	22600	8.5	CX38-43C	SL280UH110V60C	10085454
SL18XP1-042-230	40500	15.1	12.5	35200	22600	8.5	CX38-43C	SL280UH110XV60C	10085455
SL18XP1-042-230	40000	14.5	12.5	35400	22600	8.5	CX38-43C	SLP98UH090XV36C	10085472
SL18XP1-042-230	40000	15.1	12.5	35000	22400	8.5	CX38-43C	SLP98UH090XV48C	10085466
SL18XP1-042-230	40000	15	12.5	35000	22400	8.5	CX38-43C	SLP98UH090XV60C	10085467
SL18XP1-042-230	40500	15	12.5	35400	22600	8.5	CX38-43C	SLP98UH110XV60C	10085468
SL18XP1-042-230	41000	15.1	12.5	35400	22600	8.5	CX38-49C	EL180UH090E60C	10085476
SL18XP1-042-230	41000	15.1	12.5	35400	22600	8.5	CX38-49C	EL180UH110E60C	10085477
SL18XP1-042-230	41000	15.1	12.5	35400	22600	8.5	CX38-49C	EL180UH110XE60C	10085478
SL18XP1-042-230	40500	14.5	12.5	35400	22600	8.5	CX38-49C	EL195UH090XE48C	10085488
SL18XP1-042-230	41500	14.5	12.5	35600	22800	8.5	CX38-49C	EL195UH110XE60C	10085489
SL18XP1-042-230	40500	14.5	12.5	35400	22800	8.5	CX38-49C	EL196UH090XE48C	201933507
SL18XP1-042-230	41500	14.5	12.5	35600	22800	8.5	CX38-49C	EL196UH110XE60C	201933508
SL18XP1-042-230	40500	14.5	12.5	35400	22600	8.5	CX38-49C	EL296UH090XE48C	10085490
SL18XP1-042-230	41000	14.5	12.5	35400	22800	8.5	CX38-49C	EL296UH090XV36C	10085491
SL18XP1-042-230	41000	15.1	12.5	35400	22800	8.5	CX38-49C	EL296UH090XV48C	10085479
SL18XP1-042-230	41000	15.1	12.5	35200	22600	8.5	CX38-49C	EL296UH090XV60C	10085480
SL18XP1-042-230	41500	14.5	12.5	35600	22800	8.5	CX38-49C	EL296UH110XE60C	10085492
SL18XP1-042-230	41500	15.1	12.5	35600	22800	8.5	CX38-49C	EL296UH110XV48C	10085481
SL18XP1-042-230	41500	15.1	12.5	35400	22800	8.5	CX38-49C	EL296UH110XV60C	10085482
SL18XP1-042-230	41000	15.1	12.5	35400	22600	8.5	CX38-49C	ML180UH090E60C	10589935
SL18XP1-042-230	41000	15.1	12.5	35400	22600	8.5	CX38-49C	ML180UH110E60C	10590187
SL18XP1-042-230	41000	15.1	12.5	35400	22600	8.5	CX38-49C	ML180UH110XE60C	10590307
SL18XP1-042-230	41000	15.1	13	35200	22400	8.5	CX38-49C	SL280UH090V60C	10085487
SL18XP1-042-230	41000	15.1	13	35200	22400	8.5	CX38-49C	SL280UH090XV60C	10085475
SL18XP1-042-230	41500	15.5	12.5	35400	22400	9	CX38-49C	SL280UH100NV60C-	10581405
SL18XP1-042-230	41500	15.1	13	35400	22600	9	CX38-49C	SL280UH110V60C	10085473
SL18XP1-042-230	41500	15.1	13	35400	22600	9	CX38-49C	SL280UH110XV60C	10085474
SL18XP1-042-230	41000	15	12.5	35400	22800	8.5	CX38-49C	SLP98UH090XV36C	10085486
SL18XP1-042-230	41000	15.1	12.5	35200	22600	8.5	CX38-49C	SLP98UH090XV48C	10085483
SL18XP1-042-230	41000	15.1	12.5	35200	22600	8.5	CX38-49C	SLP98UH090XV60C	10085484
SL18XP1-042-230	41500	15.1	12.5	35400	22800	8.5	CX38-49C	SLP98UH110XV60C	10085485
SL18XP1-042-230	40500	14	11.5	36200	23400	8.5	CX38-49C		10084147
SL18XP1-042-230	40000	14.5	12.5	35200	22600	8.5	CX38-50/60C	EL180UH090E60C	10085495
SL18XP1-042-230	40000	14.5	12.5	35200	22600	8.5	CX38-50/60C	EL180UH110E60C	10085496
SL18XP1-042-230	40000	14.5	12.5	35200	22600	8.5	CX38-50/60C	EL180UH110XE60C	10085497
SL18XP1-042-230	39500	14.5	12.5	35200	22600	8.5	CX38-50/60C	EL195UH090XE48C	10085498
SL18XP1-042-230	40000	14.5	12.5	35400	22800	8.5	CX38-50/60C	EL195UH110XE60C	10085499
SL18XP1-042-230	39500	14.5	12.5	35200	22600	8.5	CX38-50/60C	EL196UH090XE48C	201933501
SL18XP1-042-230	40000	14.5	12.5	35400	22800	8.5	CX38-50/60C	EL196UH110XE60C	201933502
SL18XP1-042-230	39500	14.5	12.5	35200	22600	8.5	CX38-50/60C	EL296UH090XE48C	10085500
SL18XP1-042-230	39500	14.5	12	35400	22800	8.5	CX38-50/60C	EL296UH090XV36C	10085510
SL18XP1-042-230	40000	14.5	12.5	35400	22600	8.5	CX38-50/60C	EL296UH090XV48C	10085501
SL18XP1-042-230	39500	14.5	12.5	35200	22600	8.5	CX38-50/60C	EL296UH090XV60C	10085502
SL18XP1-042-230	40000	14.5	12.5	35400	22800	8.5	CX38-50/60C	EL296UH110XE60C	10085503
SL18XP1-042-230	40000	14.5	12.5	35400	22600	8.5	CX38-50/60C	EL296UH110XV48C	10085512
SL18XP1-042-230	40000	14.5	12.5	35400	22800	8.5	CX38-50/60C	EL296UH110XV60C	10085504
SL18XP1-042-230	40000	14.5	12.5	35200	22600	8.5	CX38-50/60C	ML180UH090E60C	10589936
SL18XP1-042-230	40000	14.5	12.5	35200	22600	8.5	CX38-50/60C	ML180UH110E60C	10590188
SL18XP1-042-230	40000	14.5	12.5	35200	22600	8.5	CX38-50/60C	ML180UH110XE60C	10590308
SL18XP1-042-230	39500	15	12.5	35000	22400	8.5	CX38-50/60C	SL280UH090V60C	10085493

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-042-230	39500	15	12.5	35000	22400	8.5	CX38-50/60C	SL280UH090XV60C	10085494
SL18XP1-042-230	40000	15.5	12.5	35200	22400	8.5	CX38-50/60C	SL280UH100NV60C-	10581406
SL18XP1-042-230	40000	14.5	12.5	35400	22600	8.5	CX38-50/60C	SL280UH110V60C	10085505
SL18XP1-042-230	40000	14.5	12.5	35400	22600	8.5	CX38-50/60C	SL280UH110XV60C	10085506
SL18XP1-042-230	39500	14.5	12	35400	22800	8.5	CX38-50/60C	SLP98UH090XV36C	10085511
SL18XP1-042-230	40000	14.5	12.5	35400	22600	8.5	CX38-50/60C	SLP98UH090XV48C	10085507
SL18XP1-042-230	39500	14.5	12.5	35200	22600	8.5	CX38-50/60C	SLP98UH090XV60C	10085508
SL18XP1-042-230	40000	14.5	12.5	35400	22800	8.5	CX38-50/60C	SLP98UH110XV60C	10085509
SL18XP1-048-230	47500	15.1	12.5	46000	30600	8.5	C35-48C	EL180UH090E60C	10099076
SL18XP1-048-230	47000	15.1	12.5	46000	30600	8.5	C35-48C	EL180UH110E60C	10099077
SL18XP1-048-230	47000	15.1	12.5	46000	30600	8.5	C35-48C	EL180UH110XE60C	10099078
SL18XP1-048-230	47000	15	12.5	46000	30800	8.5	C35-48C	EL195UH090XE48C	10099079
SL18XP1-048-230	47500	15.1	12.5	46000	30800	8.5	C35-48C	EL195UH110XE60C	10099080
SL18XP1-048-230	47000	15	12.5	46000	31800	8.5	C35-48C	EL196UH090XE48C	201933529
SL18XP1-048-230	47500	15.1	12.5	46000	31600	8.5	C35-48C	EL196UH110XE60C	201933530
SL18XP1-048-230	47000	15	12.5	46000	30800	8.5	C35-48C	EL296UH090XE48C	10099081
SL18XP1-048-230	47000	14.5	12	46500	31000	8.5	C35-48C	EL296UH090XV48C	10099082
SL18XP1-048-230	47000	14.5	12	46500	31000	8.5	C35-48C	EL296UH090XV60C	10099083
SL18XP1-048-230	47500	15.1	12.5	46000	30800	8.5	C35-48C	EL296UH110XE60C	10099084
SL18XP1-048-230	47000	14.5	12	46500	30800	8.5	C35-48C	EL296UH110XV48C	10099085
SL18XP1-048-230	47500	14.5	12	46500	31000	8.5	C35-48C	EL296UH110XV60C	10099086
SL18XP1-048-230	47500	15.1	12.5	46000	30600	8.5	C35-48C	ML180UH090E60C	10589980
SL18XP1-048-230	47000	15.1	12.5	46000	30600	8.5	C35-48C	ML180UH110E60C	10590232
SL18XP1-048-230	47000	15.1	12.5	46000	30600	8.5	C35-48C	ML180UH110XE60C	10590329
SL18XP1-048-230	47500	15	12.5	46000	30800	8.5	C35-48C	SL280UH090V60C	10099087
SL18XP1-048-230	47500	15	12.5	46000	30800	8.5	C35-48C	SL280UH090XV60C	10099088
SL18XP1-048-230	47000	15.5	12.5	46000	30600	9	C35-48C	SL280UH100NV60C-	10581407
SL18XP1-048-230	47000	15	12.5	46000	30800	8.5	C35-48C	SL280UH110V60C	10099089
SL18XP1-048-230	47000	15	12.5	46000	30800	8.5	C35-48C	SL280UH110XV60C	10099090
SL18XP1-048-230	47000	14.5	12	46500	31000	8.5	C35-48C	SLP98UH090XV48C	10099091
SL18XP1-048-230	47000	14.5	12	46500	31000	8.5	C35-48C	SLP98UH090XV60C	10099092
SL18XP1-048-230	47000	14.5	12	46000	31000	8.5	C35-48C	SLP98UH110XV60C	10099093
SL18XP1-048-230	46500	14	11.5	47000	31400	8.5	C35-48C		10099094
SL18XP1-048-230	47500	15.1	12.5	44500	29800	9	C35-49C	EL180UH090E60C	10099060
SL18XP1-048-230	47000	15.1	12.5	44500	29600	9	C35-49C	EL180UH110E60C	10099061
SL18XP1-048-230	47000	15.1	12.5	44500	29600	9	C35-49C	EL180UH110XE60C	10099062
SL18XP1-048-230	47000	15.1	12	45000	30000	9	C35-49C	EL195UH090XE48C	10099063
SL18XP1-048-230	47500	15.1	12.5	45000	29800	9	C35-49C	EL195UH110XE60C	10099064
SL18XP1-048-230	47000	15.1	12	45000	30000	9	C35-49C	EL196UH090XE48C	201933521
SL18XP1-048-230	47500	15.1	12.5	45000	29800	9	C35-49C	EL196UH110XE60C	201933522
SL18XP1-048-230	47000	15.1	12	45000	30000	9	C35-49C	EL296UH090XE48C	10099065
SL18XP1-048-230	47500	15.1	12.5	45000	30000	9	C35-49C	EL296UH090XV48C	202087863
SL18XP1-048-230	47500	15.1	12.5	45000	30000	9	C35-49C	EL296UH090XV60C	202087864
SL18XP1-048-230	47500	15.1	12.5	45000	29800	9	C35-49C	EL296UH110XE60C	10099066
SL18XP1-048-230	47000	15.1	12	45000	29800	9	C35-49C	EL296UH110XV48C	10099067
SL18XP1-048-230	47500	15	12	45000	30000	8.5	C35-49C	EL296UH110XV60C	10099068
SL18XP1-048-230	47500	15.1	12.5	44500	29800	9	C35-49C	ML180UH090E60C	10589979
SL18XP1-048-230	47000	15.1	12.5	44500	29600	9	C35-49C	ML180UH110E60C	10590231
SL18XP1-048-230	47000	15.1	12.5	44500	29600	9	C35-49C	ML180UH110XE60C	10590328
SL18XP1-048-230	47500	15.1	12.5	45000	29800	9	C35-49C	SL280UH090V60C	10099069
SL18XP1-048-230	47500	15.1	12.5	45000	29800	9	C35-49C	SL280UH090XV60C	10099070
SL18XP1-048-230	47500	15.5	12.5	45000	29800	9.4	C35-49C	SL280UH100NV60C-	10581408
SL18XP1-048-230	47500	15.1	12.5	45000	29800	9	C35-49C	SL280UH110V60C	10099071
SL18XP1-048-230	47500	15.1	12.5	45000	29800	9	C35-49C	SL280UH110XV60C	10099072
SL18XP1-048-230	47500	15.1	12.5	45000	30000	9	C35-49C	SLP98UH090XV48C	10099073

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-048-230	47500	15.1	12.5	45000	30000	9	C35-49C	SLP98UH090XV60C	10099074
SL18XP1-048-230	47000	15.1	12	45000	29800	9	C35-49C	SLP98UH110XV60C	10099075
SL18XP1-048-230	46500	14	11.5	45500	30400	8.5	C35-49C		10099059
SL18XP1-048-230	47000	15.1	12.5	46000	30600	8.5	C35-50/60C	EL180UH090E60C	10099095
SL18XP1-048-230	46500	15.1	12.5	45500	30600	8.5	C35-50/60C	EL180UH110E60C	10099096
SL18XP1-048-230	46500	15.1	12.5	45500	30600	8.5	C35-50/60C	EL180UH110XE60C	10099097
SL18XP1-048-230	46500	14.5	12	46000	30800	8.5	C35-50/60C	EL195UH090XE48C	10099098
SL18XP1-048-230	47000	14.5	12.5	46000	30800	8.5	C35-50/60C	EL195UH110XE60C	10099099
SL18XP1-048-230	46500	14.5	12	46000	31600	8.5	C35-50/60C	EL196UH090XE48C	201933525
SL18XP1-048-230	47000	14.5	12.5	46000	31600	8.5	C35-50/60C	EL196UH110XE60C	201933526
SL18XP1-048-230	46500	14.5	12	46000	30800	8.5	C35-50/60C	EL296UH090XE48C	10099100
SL18XP1-048-230	47000	14.5	12	46500	31000	8.5	C35-50/60C	EL296UH090XV48C	10099101
SL18XP1-048-230	47000	14.5	12	46500	31000	8.5	C35-50/60C	EL296UH090XV60C	10099102
SL18XP1-048-230	47000	14.5	12.5	46000	30800	8.5	C35-50/60C	EL296UH110XE60C	10099103
SL18XP1-048-230	47000	14.5	12	46000	30800	8.5	C35-50/60C	EL296UH110XV48C	10099104
SL18XP1-048-230	47000	14.5	12	46500	31000	8.5	C35-50/60C	EL296UH110XV60C	10099106
SL18XP1-048-230	47000	15.1	12.5	46000	30600	8.5	C35-50/60C	ML180UH090E60C	10589981
SL18XP1-048-230	46500	15.1	12.5	45500	30600	8.5	C35-50/60C	ML180UH110E60C	10590233
SL18XP1-048-230	46500	15.1	12.5	45500	30600	8.5	C35-50/60C	ML180UH110XE60C	10590330
SL18XP1-048-230	47000	15	12.5	46000	30800	8.5	C35-50/60C	SL280UH090V60C	10099107
SL18XP1-048-230	47000	15	12.5	46000	30800	8.5	C35-50/60C	SL280UH090XV60C	10099108
SL18XP1-048-230	47000	15.1	12.5	46000	30600	9	C35-50/60C	SL280UH100NV60C-	10581409
SL18XP1-048-230	47000	14.5	12	46000	30800	8.5	C35-50/60C	SL280UH110V60C	10099109
SL18XP1-048-230	47000	14.5	12	46000	30800	8.5	C35-50/60C	SL280UH110XV60C	10099110
SL18XP1-048-230	47000	14.5	12	46500	31000	8.5	C35-50/60C	SLP98UH090XV48C	10099111
SL18XP1-048-230	47000	14.5	12	46500	31000	8.5	C35-50/60C	SLP98UH090XV60C	10099112
SL18XP1-048-230	47000	14.5	12	46000	30800	8.5	C35-50/60C	SLP98UH110XV60C	10099113
SL18XP1-048-230	46500	14	11.5	47000	31400	8.5	C35-50/60C		10099114
SL18XP1-048-230	47500	15.5	12.5	46000	30400	9	C35-60C	EL180UH090E60C	10099153
SL18XP1-048-230	47000	15.5	12.5	45500	30400	9	C35-60C	EL180UH110E60C	10099154
SL18XP1-048-230	47000	15.5	12.5	45500	30400	9	C35-60C	EL180UH110XE60C	10099155
SL18XP1-048-230	47500	15.1	12.5	46000	30600	9	C35-60C	EL195UH090XE48C	10099156
SL18XP1-048-230	47500	15.5	12.5	46000	30600	9	C35-60C	EL195UH110XE60C	10099157
SL18XP1-048-230	47500	15.1	12.5	46000	30600	9	C35-60C	EL196UH090XE48C	201933533
SL18XP1-048-230	47500	15.5	12.5	46000	30600	9	C35-60C	EL196UH110XE60C	201933534
SL18XP1-048-230	47500	15.1	12.5	46000	30600	9	C35-60C	EL296UH090XE48C	10099158
SL18XP1-048-230	47500	15.1	12	46000	30800	9	C35-60C	EL296UH090XV48C	10099159
SL18XP1-048-230	47500	15.1	12	46000	30600	9	C35-60C	EL296UH090XV60C	10099160
SL18XP1-048-230	47500	15.5	12.5	46000	30600	9	C35-60C	EL296UH110XE60C	10099161
SL18XP1-048-230	47500	15.1	12.5	46000	30600	9	C35-60C	EL296UH110XV48C	10099162
SL18XP1-048-230	47500	15.1	12	46000	30800	9	C35-60C	EL296UH110XV60C	10099163
SL18XP1-048-230	47500	15.5	12.5	46000	30400	9	C35-60C	ML180UH090E60C	10589984
SL18XP1-048-230	47000	15.5	12.5	45500	30400	9	C35-60C	ML180UH110E60C	10590236
SL18XP1-048-230	47000	15.5	12.5	45500	30400	9	C35-60C	ML180UH110XE60C	10590333
SL18XP1-048-230	47500	15.5	12.5	46000	30600	9	C35-60C	SL280UH090V60C	10099164
SL18XP1-048-230	47500	15.5	12.5	46000	30600	9	C35-60C	SL280UH090XV60C	10099165
SL18XP1-048-230	47500	16	12.5	46000	30400	9.4	C35-60C	SL280UH100NV60C-	10581410
SL18XP1-048-230	47500	15.5	12.5	46000	30400	9	C35-60C	SL280UH110V60C	10099166
SL18XP1-048-230	47500	15.5	12.5	46000	30400	9	C35-60C	SL280UH110XV60C	10099167
SL18XP1-048-230	47500	15.1	12	46000	30800	9	C35-60C	SLP98UH090XV48C	10099168
SL18XP1-048-230	47500	15.1	12	46000	30600	9	C35-60C	SLP98UH090XV60C	10099169
SL18XP1-048-230	47500	15.1	12.5	46000	30600	9	C35-60C	SLP98UH110XV60C	10099170
SL18XP1-048-230	47000	14.5	11.5	46500	31200	9	C35-60C		10099171
SL18XP1-048-230	48000	15.1	12.5	46000	30600	9	C35-60D	EL180UH135E60D	10099191
SL18XP1-048-230	48000	14.5	12	46000	31000	9	C35-60D	EL195UH135XE60D	10099192

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-048-230	48000	14.5	12	46000	31000	9	C35-60D	EL296UH135XE60D	10099193
SL18XP1-048-230	48000	15.1	12.5	46000	30800	9	C35-60D	EL296UH135XV60D	10099194
SL18XP1-048-230	48000	15.1	12.5	46000	30600	9	C35-60D	ML180UH135E60D	10590464
SL18XP1-048-230	48000	15.1	12.5	45500	30400	9	C35-60D	SL280UH135V60D	10099195
SL18XP1-048-230	48000	14.5	12.5	46000	30800	9	C35-60D	SLP98UH135XV60D	10099196
SL18XP1-048-230	47500	14	11.5	46500	31400	9	C35-60D		10099197
SL18XP1-048-230	48000	14.5	12	45000	30000	9	C37-62C	EL180UH090E60C	10085129
SL18XP1-048-230	47500	14.5	12	45000	30000	9.5	C37-62C	EL180UH110E60C	10085132
SL18XP1-048-230	47500	14.5	12	45000	30000	9.5	C37-62C	EL180UH110XE60C	10085133
SL18XP1-048-230	48000	14.5	12	45500	30200	9	C37-62C	EL195UH090XE48C	10085137
SL18XP1-048-230	48000	14.5	12	45000	30200	9	C37-62C	EL195UH110XE60C	10085134
SL18XP1-048-230	48000	14.5	12	45500	30400	9	C37-62C	EL196UH090XE48C	201933539
SL18XP1-048-230	48000	14.5	12	45000	30200	9	C37-62C	EL196UH110XE60C	201933540
SL18XP1-048-230	48000	14.5	12	45500	30200	9	C37-62C	EL296UH090XE48C	10085138
SL18XP1-048-230	48000	14.5	12	45500	30400	9	C37-62C	EL296UH090XV48C	10085139
SL18XP1-048-230	48000	14.5	12	45500	30400	9	C37-62C	EL296UH090XV60C	10085140
SL18XP1-048-230	48000	14.5	12	45000	30200	9	C37-62C	EL296UH110XE60C	10085135
SL18XP1-048-230	48000	14.5	12	45500	30400	9	C37-62C	EL296UH110XV48C	10085141
SL18XP1-048-230	48000	14.5	12	45500	30400	9	C37-62C	EL296UH110XV60C	10085142
SL18XP1-048-230	48000	14.5	12	45000	30000	9	C37-62C	ML180UH090E60C	10589924
SL18XP1-048-230	47500	14.5	12	45000	30000	9.5	C37-62C	ML180UH110E60C	10590176
SL18XP1-048-230	47500	14.5	12	45000	30000	9.5	C37-62C	ML180UH110XE60C	10590296
SL18XP1-048-230	48000	14.5	12	45000	30200	9	C37-62C	SL280UH090V60C	10085130
SL18XP1-048-230	48000	14.5	12	45000	30200	9	C37-62C	SL280UH090XV60C	10085131
SL18XP1-048-230	48000	15.1	12.5	45000	30200	9.4	C37-62C	SL280UH100NV60C-	10581411
SL18XP1-048-230	48000	14.5	12	45000	30200	9	C37-62C	SL280UH110V60C	10085153
SL18XP1-048-230	48000	14.5	12	45000	30200	9	C37-62C	SL280UH110XV60C	10085154
SL18XP1-048-230	48000	14.5	12	45500	30400	9	C37-62C	SLP98UH090XV48C	10085155
SL18XP1-048-230	48000	14.5	12	45500	30400	9	C37-62C	SLP98UH090XV60C	10085156
SL18XP1-048-230	48000	14.5	12	45500	30200	9	C37-62C	SLP98UH110XV60C	10085136
SL18XP1-048-230	47500	14	11.5	46000	30800	9	C37-62D		10084125
SL18XP1-048-230	48000	15.1	12	45500	30200	9	C37-62D	EL180UH135E60D	10085143
SL18XP1-048-230	48000	14.5	12	45500	30400	9	C37-62D	EL195UH135XE60D	10085145
SL18XP1-048-230	48000	14.5	12	45500	30400	9	C37-62D	EL296UH135XE60D	10085146
SL18XP1-048-230	48000	14.5	12	45500	30400	9	C37-62D	EL296UH135XV60D	10085144
SL18XP1-048-230	48000	15.1	12	45500	30200	9	C37-62D	ML180UH135E60D	10590408
SL18XP1-048-230	47500	15.1	12	45000	30000	9	C37-62D	SL280UH135V60D	10085157
SL18XP1-048-230	48000	14.5	12	45500	30400	9	C37-62D	SLP98UH135XV60D	10085513
SL18XP1-048-230	47500	14	11.5	46000	30800	9	C37-62D		10084126
SL18XP1-048-230	48000	15	12.5	46500	31000	9	CBA27UHE-048-230		10258583
SL18XP1-048-230	47500	15	12.5	45000	30600	9.5	CBA27UHE-060-230		10258584
SL18XP1-048-230	47500	15.5	12.5	46500	30400	9	CBA38MV-048-230		201841626
SL18XP1-048-230	48000	15	12.5	45500	30600	9.6	CBA38MV-060-230		201841627
SL18XP1-048-230	47500	15.1	12.5	47000	30400	9	CBX27UH-048-230		8331397
SL18XP1-048-230	48000	15.1	12.5	45500	30400	9.5	CBX27UH-060-230		8331398
SL18XP1-048-230	47500	15.1	12	47000	30600	9	CBX32M-048		8331399
SL18XP1-048-230	48000	14.5	12.5	46500	30400	9	CBX32M-060		8331400
SL18XP1-048-230	48000	15.1	12.5	45000	29800	9.5	CH33-49	EL180UH090E60C	8329143
SL18XP1-048-230	47500	15.1	12.5	44500	29600	9	CH33-49	EL180UH110E60C	8329144
SL18XP1-048-230	47500	15.1	12.5	44500	29600	9	CH33-49	EL180UH110XE60C	8329145
SL18XP1-048-230	48000	14.5	12	45000	29800	9	CH33-49	EL195UH090XE48C	8329150
SL18XP1-048-230	48000	15	12.5	45000	29800	9	CH33-49	EL195UH110XE60C	8329148
SL18XP1-048-230	48000	14.5	12	45000	30000	9	CH33-49	EL196UH090XE48C	201933511
SL18XP1-048-230	48000	15	12.5	45000	29800	9	CH33-49	EL196UH110XE60C	201933512
SL18XP1-048-230	48000	14.5	12	45000	29800	9	CH33-49	EL296UH090XE48C	8329151

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-048-230	48000	14.5	12	45000	30000	9	CH33-49	EL296UH090XV48C	8329154
SL18XP1-048-230	48000	14.5	12	45000	30000	9	CH33-49	EL296UH090XV60C	8329155
SL18XP1-048-230	48000	15	12.5	45000	29800	9	CH33-49	EL296UH110XE60C	8329149
SL18XP1-048-230	48000	14.5	12	45000	30000	9	CH33-49	EL296UH110XV48C	8329152
SL18XP1-048-230	48000	14.5	12	45000	30000	9	CH33-49	EL296UH110XV60C	8329153
SL18XP1-048-230	48000	15.1	12.5	45000	29800	9.5	CH33-49	ML180UH090E60C	10589845
SL18XP1-048-230	47500	15.1	12.5	44500	29600	9	CH33-49	ML180UH110E60C	10590099
SL18XP1-048-230	47500	15.1	12.5	44500	29600	9	CH33-49	ML180UH110XE60C	10590276
SL18XP1-048-230	48000	15	12	45000	29800	9	CH33-49	SL280UH090V60C	8329146
SL18XP1-048-230	48000	15	12	45000	29800	9	CH33-49	SL280UH090XV60C	8329147
SL18XP1-048-230	48000	15.5	12.5	45000	29800	9.6	CH33-49	SL280UH100NV60C-	10581412
SL18XP1-048-230	48000	15	12.5	45000	29800	9	CH33-49	SL280UH110V60C	8329210
SL18XP1-048-230	48000	15	12	45000	29800	9	CH33-49	SL280UH110XV60C	8329211
SL18XP1-048-230	48000	14.5	12	45000	30000	9	CH33-49	SLP98UH090XV48C	8329212
SL18XP1-048-230	48000	14.5	12	45000	30000	9	CH33-49	SLP98UH090XV60C	8329213
SL18XP1-048-230	48000	14.5	12	45000	30000	9	CH33-49	SLP98UH110XV60C	8329214
SL18XP1-048-230	48000	14	11.5	45500	30400	9	CH33-49		8329156
SL18XP1-048-230	47500	15	12.5	44500	29600	9	CH33-50/60C	EL180UH090E60C	8329159
SL18XP1-048-230	47500	15	12.5	44500	29600	9	CH33-50/60C	EL180UH110E60C	8329160
SL18XP1-048-230	47500	15	12.5	44500	29600	9	CH33-50/60C	EL180UH110XE60C	8329161
SL18XP1-048-230	47500	14.5	12	45000	29800	9	CH33-50/60C	EL195UH090XE48C	8329164
SL18XP1-048-230	47500	14.5	12	45000	29800	9	CH33-50/60C	EL195UH110XE60C	8329162
SL18XP1-048-230	47500	14.5	12	45000	30000	9	CH33-50/60C	EL196UH090XE48C	201933513
SL18XP1-048-230	47500	14.5	12	45000	29800	9	CH33-50/60C	EL196UH110XE60C	201933514
SL18XP1-048-230	47500	14.5	12	45000	29800	9	CH33-50/60C	EL296UH090XE48C	8329165
SL18XP1-048-230	47500	14.5	12	45000	30000	9	CH33-50/60C	EL296UH090XV48C	8329169
SL18XP1-048-230	47500	14.5	12	45000	30000	9	CH33-50/60C	EL296UH090XV60C	8329170
SL18XP1-048-230	47500	14.5	12	45000	29800	9	CH33-50/60C	EL296UH110XE60C	8329163
SL18XP1-048-230	47500	14.5	12	45000	30000	9	CH33-50/60C	EL296UH110XV48C	8329166
SL18XP1-048-230	48000	14.5	12	45000	30000	9	CH33-50/60C	EL296UH110XV60C	8329167
SL18XP1-048-230	47500	15	12.5	44500	29600	9	CH33-50/60C	ML180UH090E60C	10589846
SL18XP1-048-230	47500	15	12.5	44500	29600	9	CH33-50/60C	ML180UH110E60C	10590100
SL18XP1-048-230	47500	15	12.5	44500	29600	9	CH33-50/60C	ML180UH110XE60C	10590277
SL18XP1-048-230	48000	15.1	12.5	45000	29800	9.5	CH33-50/60C	SL280UH090V60C	8329157
SL18XP1-048-230	48000	15.1	12.5	45000	29800	9.5	CH33-50/60C	SL280UH090XV60C	8329158
SL18XP1-048-230	48000	15.1	12.5	45000	29800	9.6	CH33-50/60C	SL280UH100NV60C-	10581413
SL18XP1-048-230	48000	15.1	12.5	45000	29800	9.5	CH33-50/60C	SL280UH110V60C	8329215
SL18XP1-048-230	48000	15.1	12.5	45000	29800	9.5	CH33-50/60C	SL280UH110XV60C	8329216
SL18XP1-048-230	47500	14.5	12	45000	30000	9	CH33-50/60C	SLP98UH090XV48C	8329217
SL18XP1-048-230	48000	14.5	12	45000	30000	9	CH33-50/60C	SLP98UH090XV60C	8329336
SL18XP1-048-230	47500	14.5	12	45000	30000	9	CH33-50/60C	SLP98UH110XV60C	8329168
SL18XP1-048-230	47500	14	11.5	45500	30400	9	CH33-50/60C		8329171
SL18XP1-048-230	48000	15	12.5	45000	30600	9	CH33-62D	EL180UH135E60D	8654268
SL18XP1-048-230	47500	14.5	12	45000	31000	9	CH33-62D	EL195UH135XE60D	8654266
SL18XP1-048-230	47500	14.5	12	45000	31000	9	CH33-62D	EL296UH135XE60D	8654267
SL18XP1-048-230	48000	15	12.5	45000	30600	9	CH33-62D	ML180UH135E60D	10590458
SL18XP1-048-230	47500	15	12.5	44500	30400	9	CH33-62D	SL280UH135V60D	202075392
SL18XP1-048-230	47500	14.5	12.5	44500	30600	9	CH33-62D	SLP98UH135XV60D	8654270
SL18XP1-048-230	47000	14	11.5	45500	31400	9	CH33-62D		8654265
SL18XP1-048-230	48000	15.5	12.5	46000	31000	8.5	CH35-51C	EL180UH090E60C	10099015
SL18XP1-048-230	47500	15.5	12.5	45500	31000	8.5	CH35-51C	EL180UH110E60C	10099016
SL18XP1-048-230	47500	15.5	12.5	45500	31000	8.5	CH35-51C	EL180UH110XE60C	10099017
SL18XP1-048-230	48000	15.1	12	46000	31200	8.5	CH35-51C	EL195UH090XE48C	10099018
SL18XP1-048-230	48000	15.1	12.5	46000	31200	8.5	CH35-51C	EL195UH110XE60C	10099019
SL18XP1-048-230	48000	15.1	12	46000	32200	8.5	CH35-51C	EL196UH090XE48C	201933516

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-048-230	48000	15.1	12.5	46000	32000	8.5	CH35-51C	EL196UH110XE60C	201933517
SL18XP1-048-230	48000	15.1	12	46000	31200	8.5	CH35-51C	EL296UH090XE48C	10099020
SL18XP1-048-230	48000	15.1	12	46000	31400	8.5	CH35-51C	EL296UH090XV48C	10099021
SL18XP1-048-230	48000	15.1	12	46000	31400	8.5	CH35-51C	EL296UH090XV60C	10099022
SL18XP1-048-230	48000	15.1	12.5	46000	31200	8.5	CH35-51C	EL296UH110XE60C	10099023
SL18XP1-048-230	48000	15.1	12	46000	31200	8.5	CH35-51C	EL296UH110XV48C	10099024
SL18XP1-048-230	48000	15.1	12	46000	31400	8.5	CH35-51C	EL296UH110XV60C	10099025
SL18XP1-048-230	48000	15.5	12.5	46000	31000	8.5	CH35-51C	ML180UH090E60C	10589977
SL18XP1-048-230	47500	15.5	12.5	45500	31000	8.5	CH35-51C	ML180UH110E60C	10590229
SL18XP1-048-230	47500	15.5	12.5	45500	31000	8.5	CH35-51C	ML180UH110XE60C	10590326
SL18XP1-048-230	48000	15.5	12.5	46000	31200	8.5	CH35-51C	SL280UH090V60C	10099026
SL18XP1-048-230	48000	15.5	12.5	46000	31200	8.5	CH35-51C	SL280UH090XV60C	10099027
SL18XP1-048-230	48000	15.5	12.5	46000	31000	8.8	CH35-51C	SL280UH100NV60C-	10581414
SL18XP1-048-230	48000	15.1	12.5	46000	31200	8.5	CH35-51C	SL280UH110V60C	10099028
SL18XP1-048-230	48000	15.1	12.5	46000	31200	8.5	CH35-51C	SL280UH110XV60C	10099029
SL18XP1-048-230	48000	15.1	12	46000	31400	8.5	CH35-51C	SLP98UH090XV48C	10099030
SL18XP1-048-230	48000	15.1	12	46000	31400	8.5	CH35-51C	SLP98UH090XV60C	10099031
SL18XP1-048-230	48000	15.1	12	46000	31400	8.5	CH35-51C	SLP98UH110XV60C	10099032
SL18XP1-048-230	47500	14.5	11.5	46500	31600	8.5	CH35-51C		10099033
SL18XP1-048-230	48000	15.5	12.5	44500	30800	9.2	CH35-60D	EL180UH135E60D	10099035
SL18XP1-048-230	48000	15.1	12	45000	31000	9	CH35-60D	EL195UH135XE60D	10099036
SL18XP1-048-230	48000	15.1	12	45000	31000	9	CH35-60D	EL296UH135XE60D	10099037
SL18XP1-048-230	48000	15.5	12.5	44500	30800	9.2	CH35-60D	ML180UH135E60D	10590463
SL18XP1-048-230	48000	15.5	12.5	44500	30400	9.2	CH35-60D	SL280UH135V60D	10099038
SL18XP1-048-230	48000	15.5	12.5	44500	30800	9.2	CH35-60D	SLP98UH135XV60D	10099039
SL18XP1-048-230	47500	14.5	11.5	45500	31400	8.5	CH35-60D		10099034
SL18XP1-048-230	48000	15.5	12.5	46000	31000	8.5	CHX35-51/61C	EL180UH090E60C	202190300
SL18XP1-048-230	47500	15.5	12.5	45500	31000	8.5	CHX35-51/61C	EL180UH110E60C	202190303
SL18XP1-048-230	47500	15.5	12.5	45500	31000	8.5	CHX35-51/61C	EL180UH110XE60C	202190305
SL18XP1-048-230	48000	15.1	12	46000	31200	8.5	CHX35-51/61C	EL195UH090XE48C	202190307
SL18XP1-048-230	48000	15.1	12.5	46000	31200	8.5	CHX35-51/61C	EL195UH110XE60C	202190310
SL18XP1-048-230	48000	15.1	12	46000	32200	8.5	CHX35-51/61C	EL196UH090XE48C	202190528
SL18XP1-048-230	48000	15.1	12.5	46000	32000	8.5	CHX35-51/61C	EL196UH110XE60C	202190530
SL18XP1-048-230	48000	15.1	12	46000	31200	8.5	CHX35-51/61C	EL296UH090XE48C	202190312
SL18XP1-048-230	48000	15.1	12	46000	31400	8.5	CHX35-51/61C	EL296UH090XV48C	202190314
SL18XP1-048-230	48000	15.1	12	46000	31400	8.5	CHX35-51/61C	EL296UH090XV60C	202190316
SL18XP1-048-230	48000	15.1	12.5	46000	31200	8.5	CHX35-51/61C	EL296UH110XE60C	202190318
SL18XP1-048-230	48000	15.1	12	46000	31200	8.5	CHX35-51/61C	EL296UH110XV48C	202190319
SL18XP1-048-230	48000	15.1	12	46000	31400	8.5	CHX35-51/61C	EL296UH110XV60C	202190321
SL18XP1-048-230	48000	15.5	12.5	46000	31000	8.5	CHX35-51/61C	ML180UH090E60C	202190472
SL18XP1-048-230	47500	15.5	12.5	45500	31000	8.5	CHX35-51/61C	ML180UH110E60C	202190493
SL18XP1-048-230	47500	15.5	12.5	45500	31000	8.5	CHX35-51/61C	ML180UH110XE60C	202190510
SL18XP1-048-230	48000	15.5	12.5	46000	31200	8.5	CHX35-51/61C	SL280UH090V60C	202190322
SL18XP1-048-230	48000	15.5	12.5	46000	31200	8.5	CHX35-51/61C	SL280UH090XV60C	202190325
SL18XP1-048-230	48000	15.5	12.5	46000	31000	8.8	CHX35-51/61C	SL280UH100NV60C-	202190425
SL18XP1-048-230	48000	15.1	12.5	46000	31200	8.5	CHX35-51/61C	SL280UH110V60C	202190327
SL18XP1-048-230	48000	15.1	12.5	46000	31200	8.5	CHX35-51/61C	SL280UH110XV60C	202190329
SL18XP1-048-230	48000	15.1	12	46000	31400	8.5	CHX35-51/61C	SLP98UH090XV48C	202190331
SL18XP1-048-230	48000	15.1	12	46000	31400	8.5	CHX35-51/61C	SLP98UH090XV60C	202190333
SL18XP1-048-230	48000	15.1	12	46000	31400	8.5	CHX35-51/61C	SLP98UH110XV60C	202190335
SL18XP1-048-230	47500	14.5	11.5	46500	31600	8.5	CHX35-51/61C		202190338
SL18XP1-048-230	48000	15.5	12.5	44500	30800	9.2	CHX35-60D	EL180UH135E60D	202190341
SL18XP1-048-230	48000	15.1	12	45000	31000	9	CHX35-60D	EL195UH135XE60D	202190343
SL18XP1-048-230	48000	15.1	12	45000	31000	9	CHX35-60D	EL296UH135XE60D	202190345
SL18XP1-048-230	48000	15.5	12.5	44500	30800	9.2	CHX35-60D	ML180UH135E60D	202190515

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-048-230	48000	15.5	12.5	44500	30400	9.2	CHX35-60D	SL280UH135V60D	202190347
SL18XP1-048-230	48000	15.5	12.5	44500	30800	9.2	CHX35-60D	SLP98UH135XV60D	202190349
SL18XP1-048-230	47500	14.5	11.5	45500	31400	8.5	CHX35-60D		202190339
SL18XP1-048-230	48000	15.1	12.5	46500	31000	9	CR33-50/60	EL180DF110E60C	8329173
SL18XP1-048-230	47500	14.5	12	47000	31200	9	CR33-50/60	EL195DF090XE48C	8329179
SL18XP1-048-230	47500	14.5	12.5	46500	31000	9	CR33-50/60	EL195DF110XE60C	8329175
SL18XP1-048-230	47500	14.5	12	47000	31200	9	CR33-50/60	EL196DF090XE48C	201953293
SL18XP1-048-230	47500	14.5	12	47000	31200	9	CR33-50/60	EL296DF090XE48C	8329180
SL18XP1-048-230	47500	14.5	12.5	46500	31000	9	CR33-50/60	EL296DF110XE60C	8329176
SL18XP1-048-230	48000	15.1	12.5	46500	31000	9	CR33-50/60	ML180DF110E60C	10589539
SL18XP1-048-230	48000	15.1	12.5	46500	31000	9	CR33-50/60	SL280DF090V60C	8329174
SL18XP1-048-230	48000	15.1	12.5	46500	30800	9	CR33-50/60	SL280DF110V60C	8329172
SL18XP1-048-230	48000	14.5	12	47000	31200	9	CR33-50/60	SLP98DF090XV60C	8329177
SL18XP1-048-230	48000	14.5	12	47000	31200	9	CR33-50/60	SLP98DF110XV60C	8329178
SL18XP1-048-230	47500	14	11.5	47000	31600	9	CR33-50/60		8329181
SL18XP1-048-230	47500	14	11.5	47000	31600	9	CR33-60		8329218
SL18XP1-048-230	47500	15.1	12.5	46000	30600	8.5	CX35-48C	EL180UH090E60C	10099115
SL18XP1-048-230	47000	15.1	12.5	46000	30600	8.5	CX35-48C	EL180UH110E60C	10099116
SL18XP1-048-230	47000	15.1	12.5	46000	30600	8.5	CX35-48C	EL180UH110XE60C	10099117
SL18XP1-048-230	47000	15	12.5	46000	30800	8.5	CX35-48C	EL195UH090XE48C	10099118
SL18XP1-048-230	47500	15.1	12.5	46000	30800	8.5	CX35-48C	EL195UH110XE60C	10099119
SL18XP1-048-230	47000	15	12.5	46000	31800	8.5	CX35-48C	EL196UH090XE48C	201933527
SL18XP1-048-230	47500	15.1	12.5	46000	31600	8.5	CX35-48C	EL196UH110XE60C	201933528
SL18XP1-048-230	47000	15	12.5	46000	30800	8.5	CX35-48C	EL296UH090XE48C	10099120
SL18XP1-048-230	47000	14.5	12	46500	31000	8.5	CX35-48C	EL296UH090XV48C	10099121
SL18XP1-048-230	47000	14.5	12	46500	31000	8.5	CX35-48C	EL296UH090XV60C	10099122
SL18XP1-048-230	47500	15.1	12.5	46000	30800	8.5	CX35-48C	EL296UH110XE60C	10099123
SL18XP1-048-230	47000	14.5	12	46500	30800	8.5	CX35-48C	EL296UH110XV48C	10099124
SL18XP1-048-230	47500	14.5	12	46500	31000	8.5	CX35-48C	EL296UH110XV60C	10099125
SL18XP1-048-230	47500	15.1	12.5	46000	30600	8.5	CX35-48C	ML180UH090E60C	10589982
SL18XP1-048-230	47000	15.1	12.5	46000	30600	8.5	CX35-48C	ML180UH110E60C	10590234
SL18XP1-048-230	47000	15.1	12.5	46000	30600	8.5	CX35-48C	ML180UH110XE60C	10590331
SL18XP1-048-230	47500	15	12.5	46000	30800	8.5	CX35-48C	SL280UH090V60C	10099126
SL18XP1-048-230	47500	15	12.5	46000	30800	8.5	CX35-48C	SL280UH090XV60C	10099127
SL18XP1-048-230	47000	15.1	12.5	46000	30800	9	CX35-48C	SL280UH100NV60C-	10581415
SL18XP1-048-230	47000	15	12.5	46000	30800	8.5	CX35-48C	SL280UH110V60C	10099128
SL18XP1-048-230	47000	15	12.5	46000	30800	8.5	CX35-48C	SL280UH110XV60C	10099129
SL18XP1-048-230	47000	14.5	12	46500	31000	8.5	CX35-48C	SLP98UH090XV48C	10099130
SL18XP1-048-230	47000	14.5	12	46500	31000	8.5	CX35-48C	SLP98UH090XV60C	10099131
SL18XP1-048-230	47000	14.5	12	46000	31000	8.5	CX35-48C	SLP98UH110XV60C	10099132
SL18XP1-048-230	46500	14	11.5	47000	31400	8.5	CX35-48C		10099133
SL18XP1-048-230	47500	15.1	12.5	44500	29800	9	CX35-49C	EL180UH090E60C	10099041
SL18XP1-048-230	47000	15.1	12.5	44500	29600	9	CX35-49C	EL180UH110E60C	10099042
SL18XP1-048-230	47000	15.1	12.5	44500	29600	9	CX35-49C	EL180UH110XE60C	10099043
SL18XP1-048-230	47000	15.1	12	45000	30000	9	CX35-49C	EL195UH090XE48C	10099044
SL18XP1-048-230	47500	15.1	12.5	45000	29800	9	CX35-49C	EL195UH110XE60C	10099045
SL18XP1-048-230	47000	15.1	12	45000	30000	9	CX35-49C	EL196UH090XE48C	202087591
SL18XP1-048-230	47000	15.1	12	45000	30000	9	CX35-49C	EL196UH090XE48C	201933519
SL18XP1-048-230	47500	15.1	12.5	45000	29800	9	CX35-49C	EL196UH110XE60C	202087592
SL18XP1-048-230	47500	15.1	12.5	45000	29800	9	CX35-49C	EL196UH110XE60C	201933520
SL18XP1-048-230	47000	15.1	12	45000	30000	9	CX35-49C	EL296UH090XE48C	10099046
SL18XP1-048-230	47500	15.1	12.5	45000	30000	9	CX35-49C	EL296UH090XV48C	10099047
SL18XP1-048-230	47500	15.1	12.5	45000	30000	9	CX35-49C	EL296UH090XV60C	10099048
SL18XP1-048-230	47500	15.1	12.5	45000	29800	9	CX35-49C	EL296UH110XE60C	10099049
SL18XP1-048-230	47000	15.1	12	45000	29800	9	CX35-49C	EL296UH110XV48C	10099050

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-048-230	47500	15	12	45000	30000	8.5	CX35-49C	EL296UH110XV60C	10099051
SL18XP1-048-230	47500	15.1	12.5	44500	29800	9	CX35-49C	ML180UH090E60C	10589978
SL18XP1-048-230	47000	15.1	12.5	44500	29600	9	CX35-49C	ML180UH110E60C	10590230
SL18XP1-048-230	47000	15.1	12.5	44500	29600	9	CX35-49C	ML180UH110XE60C	10590327
SL18XP1-048-230	47500	15.1	12.5	45000	29800	9	CX35-49C	SL280UH090V60C	10099052
SL18XP1-048-230	47500	15.1	12.5	45000	29800	9	CX35-49C	SL280UH090XV60C	10099053
SL18XP1-048-230	47500	15.5	12.5	45000	29800	9.4	CX35-49C	SL280UH100NV60C-	10581416
SL18XP1-048-230	47500	15.1	12.5	45000	29800	9	CX35-49C	SL280UH110V60C	10099054
SL18XP1-048-230	47500	15.1	12.5	45000	29800	9	CX35-49C	SL280UH110XV60C	10099055
SL18XP1-048-230	47500	15.1	12.5	45000	30000	9	CX35-49C	SLP98UH090XV48C	10099056
SL18XP1-048-230	47500	15.1	12.5	45000	30000	9	CX35-49C	SLP98UH090XV60C	10099057
SL18XP1-048-230	47000	15.1	12	45000	29800	9	CX35-49C	SLP98UH110XV60C	10099058
SL18XP1-048-230	46500	14	11.5	45500	30400	8.5	CX35-49C		10099040
SL18XP1-048-230	47000	15.1	12.5	46000	30600	8.5	CX35-50/60C	EL180UH090E60C	10099134
SL18XP1-048-230	46500	15.1	12.5	45500	30600	8.5	CX35-50/60C	EL180UH110E60C	10099135
SL18XP1-048-230	46500	15.1	12.5	45500	30600	8.5	CX35-50/60C	EL180UH110XE60C	10099136
SL18XP1-048-230	46500	14.5	12	46000	30800	8.5	CX35-50/60C	EL195UH090XE48C	10099137
SL18XP1-048-230	47000	14.5	12.5	46000	30800	8.5	CX35-50/60C	EL195UH110XE60C	10099138
SL18XP1-048-230	46500	14.5	12	46000	31600	8.5	CX35-50/60C	EL196UH090XE48C	201933523
SL18XP1-048-230	47000	14.5	12.5	46000	31600	8.5	CX35-50/60C	EL196UH110XE60C	201933524
SL18XP1-048-230	46500	14.5	12	46000	30800	8.5	CX35-50/60C	EL296UH090XE48C	10099139
SL18XP1-048-230	47000	14.5	12	46500	31000	8.5	CX35-50/60C	EL296UH090XV48C	10099140
SL18XP1-048-230	47000	14.5	12	46500	31000	8.5	CX35-50/60C	EL296UH090XV60C	10099141
SL18XP1-048-230	47000	14.5	12.5	46000	30800	8.5	CX35-50/60C	EL296UH110XE60C	10099142
SL18XP1-048-230	47000	14.5	12	46000	30800	8.5	CX35-50/60C	EL296UH110XV48C	10099143
SL18XP1-048-230	47000	14.5	12	46500	31000	8.5	CX35-50/60C	EL296UH110XV60C	10099144
SL18XP1-048-230	47000	15.1	12.5	46000	30600	8.5	CX35-50/60C	ML180UH090E60C	10589983
SL18XP1-048-230	46500	15.1	12.5	45500	30600	8.5	CX35-50/60C	ML180UH110E60C	10590235
SL18XP1-048-230	46500	15.1	12.5	45500	30600	8.5	CX35-50/60C	ML180UH110XE60C	10590332
SL18XP1-048-230	47000	15	12.5	46000	30800	8.5	CX35-50/60C	SL280UH090V60C	10099145
SL18XP1-048-230	47000	15	12.5	46000	30800	8.5	CX35-50/60C	SL280UH090XV60C	10099146
SL18XP1-048-230	47000	15.1	12.5	46000	30600	9	CX35-50/60C	SL280UH100NV60C-	10581417
SL18XP1-048-230	47000	14.5	12	46000	30800	8.5	CX35-50/60C	SL280UH110V60C	10099147
SL18XP1-048-230	47000	14.5	12	46000	30800	8.5	CX35-50/60C	SL280UH110XV60C	10099148
SL18XP1-048-230	47000	14.5	12	46500	31000	8.5	CX35-50/60C	SLP98UH090XV48C	10099149
SL18XP1-048-230	47000	14.5	12	46500	31000	8.5	CX35-50/60C	SLP98UH090XV60C	10099150
SL18XP1-048-230	47000	14.5	12	46000	30800	8.5	CX35-50/60C	SLP98UH110XV60C	10099151
SL18XP1-048-230	46500	14	11.5	47000	31400	8.5	CX35-50/60C		10099152
SL18XP1-048-230	47500	15.5	12.5	46000	30400	9	CX35-60C	EL180UH090E60C	10099172
SL18XP1-048-230	47000	15.5	12.5	45500	30400	9	CX35-60C	EL180UH110E60C	10099173
SL18XP1-048-230	47000	15.5	12.5	45500	30400	9	CX35-60C	EL180UH110XE60C	10099174
SL18XP1-048-230	47500	15.1	12.5	46000	30600	9	CX35-60C	EL195UH090XE48C	10099175
SL18XP1-048-230	47500	15.5	12.5	46000	30600	9	CX35-60C	EL195UH110XE60C	10099176
SL18XP1-048-230	47500	15.1	12.5	46000	30600	9	CX35-60C	EL196UH090XE48C	201933531
SL18XP1-048-230	47500	15.5	12.5	46000	30600	9	CX35-60C	EL196UH110XE60C	201933532
SL18XP1-048-230	47500	15.1	12.5	46000	30600	9	CX35-60C	EL296UH090XE48C	10099177
SL18XP1-048-230	47500	15.1	12	46000	30800	9	CX35-60C	EL296UH090XV48C	10099178
SL18XP1-048-230	47500	15.1	12	46000	30600	9	CX35-60C	EL296UH090XV60C	10099179
SL18XP1-048-230	47500	15.5	12.5	46000	30600	9	CX35-60C	EL296UH110XE60C	10099180
SL18XP1-048-230	47500	15.1	12.5	46000	30600	9	CX35-60C	EL296UH110XV48C	10099181
SL18XP1-048-230	47500	15.1	12	46000	30800	9	CX35-60C	EL296UH110XV60C	10099182
SL18XP1-048-230	47500	15.5	12.5	46000	30400	9	CX35-60C	ML180UH090E60C	10589985
SL18XP1-048-230	47000	15.5	12.5	45500	30400	9	CX35-60C	ML180UH110E60C	10590237
SL18XP1-048-230	47000	15.5	12.5	45500	30400	9	CX35-60C	ML180UH110XE60C	10590334
SL18XP1-048-230	47500	15.5	12.5	46000	30600	9	CX35-60C	SL280UH090V60C	10099183

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-048-230	47500	15.5	12.5	46000	30600	9	CX35-60C	SL280UH090XV60C	10099184
SL18XP1-048-230	47500	16	12.5	46000	30400	9.4	CX35-60C	SL280UH100NV60C-	10581418
SL18XP1-048-230	47500	15.5	12.5	46000	30400	9	CX35-60C	SL280UH110V60C	10099185
SL18XP1-048-230	47500	15.5	12.5	46000	30400	9	CX35-60C	SL280UH110XV60C	10099186
SL18XP1-048-230	47500	15.1	12	46000	30800	9	CX35-60C	SLP98UH090XV48C	10099187
SL18XP1-048-230	47500	15.1	12	46000	30600	9	CX35-60C	SLP98UH090XV60C	10099188
SL18XP1-048-230	47500	15.1	12.5	46000	30600	9	CX35-60C	SLP98UH110XV60C	10099189
SL18XP1-048-230	47000	14.5	11.5	46500	31200	9	CX35-60C		10099190
SL18XP1-048-230	48000	15.1	12.5	46000	30600	9	CX35-60D	EL180UH135E60D	10099198
SL18XP1-048-230	48000	14.5	12	46000	31000	9	CX35-60D	EL195UH135XE60D	10099199
SL18XP1-048-230	48000	14.5	12	46000	31000	9	CX35-60D	EL296UH135XE60D	10099200
SL18XP1-048-230	48000	15.1	12.5	46000	30800	9	CX35-60D	EL296UH135XV60D	10099201
SL18XP1-048-230	48000	15.1	12.5	46000	30600	9	CX35-60D	ML180UH135E60D	10590465
SL18XP1-048-230	48000	15.1	12.5	45500	30400	9	CX35-60D	SL280UH135V60D	10099202
SL18XP1-048-230	48000	15.1	12.5	46000	30800	9	CX35-60D	SLP98UH135XV60D	10099203
SL18XP1-048-230	47500	14	11.5	46500	31400	9	CX35-60D		10099204
SL18XP1-048-230	48000	14.5	12	45000	30000	9	CX38-62C	EL180UH090E60C	10086793
SL18XP1-048-230	47500	14.5	12	45000	30000	9.5	CX38-62C	EL180UH110E60C	10086796
SL18XP1-048-230	47500	14.5	12	45000	30000	9.5	CX38-62C	EL180UH110XE60C	10086797
SL18XP1-048-230	48000	14.5	12	45500	30200	9	CX38-62C	EL195UH090XE48C	10086801
SL18XP1-048-230	48000	14.5	12	45000	30200	9	CX38-62C	EL195UH110XE60C	10086798
SL18XP1-048-230	48000	14.5	12	45500	30400	9	CX38-62C	EL196UH090XE48C	201933537
SL18XP1-048-230	48000	14.5	12	45000	30200	9	CX38-62C	EL196UH110XE60C	201933538
SL18XP1-048-230	48000	14.5	12	45500	30200	9	CX38-62C	EL296UH090XE48C	10086802
SL18XP1-048-230	48000	14.5	12	45500	30400	9	CX38-62C	EL296UH090XV48C	10086803
SL18XP1-048-230	48000	14.5	12	45500	30400	9	CX38-62C	EL296UH090XV60C	10086804
SL18XP1-048-230	48000	14.5	12	45000	30200	9	CX38-62C	EL296UH110XE60C	10086799
SL18XP1-048-230	48000	14.5	12	45500	30400	9	CX38-62C	EL296UH110XV48C	10086805
SL18XP1-048-230	48000	14.5	12	45500	30400	9	CX38-62C	EL296UH110XV60C	10086806
SL18XP1-048-230	48000	14.5	12	45000	30000	9	CX38-62C	ML180UH090E60C	10589958
SL18XP1-048-230	47500	14.5	12	45000	30000	9.5	CX38-62C	ML180UH110E60C	10590210
SL18XP1-048-230	47500	14.5	12	45000	30000	9.5	CX38-62C	ML180UH110XE60C	10590310
SL18XP1-048-230	48000	14.5	12	45000	30200	9	CX38-62C	SL280UH090V60C	10086794
SL18XP1-048-230	48000	14.5	12	45000	30200	9	CX38-62C	SL280UH090XV60C	10086795
SL18XP1-048-230	48000	15.1	12.5	45000	30200	9.4	CX38-62C	SL280UH100NV60C-	10581419
SL18XP1-048-230	48000	14.5	12	45000	30200	9	CX38-62C	SL280UH110V60C	10086807
SL18XP1-048-230	48000	14.5	12	45000	30200	9	CX38-62C	SL280UH110XV60C	10086808
SL18XP1-048-230	48000	14.5	12	45500	30400	9	CX38-62C	SLP98UH090XV48C	10086809
SL18XP1-048-230	48000	14.5	12	45500	30400	9	CX38-62C	SLP98UH090XV60C	10086810
SL18XP1-048-230	48000	14.5	12	45500	30200	9	CX38-62C	SLP98UH110XV60C	10086800
SL18XP1-048-230	47500	14	11.5	46000	30800	9	CX38-62C		10086670
SL18XP1-048-230	48000	15.1	12	45500	30200	9	CX38-62D	EL180UH135E60D	10085147
SL18XP1-048-230	48000	14.5	12	45500	30400	9	CX38-62D	EL195UH135XE60D	10085150
SL18XP1-048-230	48000	14.5	12	45500	30400	9	CX38-62D	EL296UH135XE60D	10085151
SL18XP1-048-230	48000	14.5	12	45500	30400	9	CX38-62D	EL296UH135XV60D	10085148
SL18XP1-048-230	48000	15.1	12	45500	30200	9	CX38-62D	ML180UH135E60D	10590462
SL18XP1-048-230	47500	15.1	12	45000	30000	9	CX38-62D	SL280UH135V60D	10085158
SL18XP1-048-230	48000	14.5	12	45500	30400	9	CX38-62D	SLP98UH135XV60D	10085149
SL18XP1-048-230	47500	14	11.5	46000	30800	9	CX38-62D		10084127
SL18XP1-060-230	54500	14.5	12	53500	35200	8.5	C35-49C	EL180UH090E60C	10099240
SL18XP1-060-230	54500	14.5	11.5	53500	35200	8.5	C35-49C	EL180UH110E60C	10099241
SL18XP1-060-230	54500	14.5	11.5	53500	35200	8.5	C35-49C	EL180UH110XE60C	10099242
SL18XP1-060-230	54500	14	11.5	53500	35200	8.5	C35-49C	EL195UH110XE60C	10099243
SL18XP1-060-230	54500	14	11.5	53500	36400	8.5	C35-49C	EL196UH110XE60C	201933548
SL18XP1-060-230	54500	14	11.5	53500	35200	8.5	C35-49C	EL296UH110XE60C	10099244

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-060-230	54500	14	11.5	54000	35400	8.5	C35-49C	EL296UH110XV60C	10099245
SL18XP1-060-230	54500	14.5	12	53500	35200	8.5	C35-49C	ML180UH090E60C	10589987
SL18XP1-060-230	54500	14.5	11.5	53500	35200	8.5	C35-49C	ML180UH110E60C	10590239
SL18XP1-060-230	54500	14.5	11.5	53500	35200	8.5	C35-49C	ML180UH110XE60C	10590336
SL18XP1-060-230	54500	14.5	11.5	53500	35200	8.5	C35-49C	SL280UH090V60C	10099246
SL18XP1-060-230	54500	14.5	11.5	53500	35200	8.5	C35-49C	SL280UH090XV60C	10099247
SL18XP1-060-230	54500	15	12.2	53500	35000	9.2	C35-49C	SL280UH100NV60C-	10581420
SL18XP1-060-230	54500	14.5	12	53500	35200	8.5	C35-49C	SL280UH110V60C	10099248
SL18XP1-060-230	54500	14.5	12	53500	35200	8.5	C35-49C	SL280UH110XV60C	10099249
SL18XP1-060-230	54500	14	11.5	54000	35400	8.5	C35-49C	SLP98UH110XV60C	10099250
SL18XP1-060-230	54000	14	11.5	54500	35800	8.5	C35-49C		10099239
SL18XP1-060-230	56500	15	12	53000	34200	8.5	C35-60C	EL180UH090E60C	10099380
SL18XP1-060-230	56500	15	12	53000	34200	8.5	C35-60C	EL180UH110E60C	10099381
SL18XP1-060-230	56500	15	12	53000	34200	8.5	C35-60C	EL180UH110XE60C	10099382
SL18XP1-060-230	56500	15	12	53000	34200	8.5	C35-60C	EL195UH110XE60C	10099383
SL18XP1-060-230	56500	15	12	53000	34200	8.5	C35-60C	EL196UH110XE60C	201933550
SL18XP1-060-230	56000	15	12	53000	34200	8.5	C35-60C	EL296UH090XV60C	10099384
SL18XP1-060-230	56500	15	12	53000	34200	8.5	C35-60C	EL296UH110XE60C	202087866
SL18XP1-060-230	56500	15	12	53000	34400	8.5	C35-60C	EL296UH110XV60C	10099385
SL18XP1-060-230	56500	15	12	53000	34200	8.5	C35-60C	ML180UH090E60C	10589989
SL18XP1-060-230	56500	15	12	53000	34200	8.5	C35-60C	ML180UH110E60C	10590241
SL18XP1-060-230	56500	15	12	53000	34200	8.5	C35-60C	ML180UH110XE60C	10590338
SL18XP1-060-230	57000	15	12.5	53000	34200	9	C35-60C	SL280UH090V60C	10099386
SL18XP1-060-230	57000	15	12.5	53000	34200	9	C35-60C	SL280UH090XV60C	10099387
SL18XP1-060-230	56500	15.5	12.5	53000	34200	9.2	C35-60C	SL280UH100NV60C-	10581421
SL18XP1-060-230	56500	15	12	53000	34200	8.5	C35-60C	SL280UH110V60C	10099388
SL18XP1-060-230	56500	15	12	53000	34200	8.5	C35-60C	SL280UH110XV60C	10099389
SL18XP1-060-230	56000	15	12	53000	34200	8.5	C35-60C	SLP98UH090XV60C	10099390
SL18XP1-060-230	56500	15	12	53000	34400	8.5	C35-60C	SLP98UH110XV60C	10099391
SL18XP1-060-230	56500	14.5	12	53500	34600	9	C35-60C		10099379
SL18XP1-060-230	57000	14.5	12	55000	35800	9	C35-60D	EL180UH135E60D	10099407
SL18XP1-060-230	56500	14.5	11.5	55000	36200	8.5	C35-60D	EL195UH135XE60D	10099408
SL18XP1-060-230	56500	14.5	11.5	55000	36200	8.5	C35-60D	EL296UH135XE60D	10099409
SL18XP1-060-230	57000	14.5	12	55000	35800	9	C35-60D	EL296UH135XV60D	10099410
SL18XP1-060-230	57000	14.5	12	55000	35800	9	C35-60D	ML180UH135E60D	10590467
SL18XP1-060-230	57000	14.5	12	55000	35800	9	C35-60D	SL280UH135V60D	10099411
SL18XP1-060-230	56500	14.5	12	54500	35600	9	C35-60D	SLP98UH135XV60D	10099419
SL18XP1-060-230	56000	14	11.5	55500	36200	8.5	C35-60D		10099406
SL18XP1-060-230	57000	14.5	12	52000	34600	9	C37-62C	EL180UH090E60C	10085084
SL18XP1-060-230	57000	14.5	12	52000	34600	9	C37-62C	EL180UH110E60C	10085087
SL18XP1-060-230	57000	14.5	12	52000	34600	9	C37-62C	EL180UH110XE60C	10085088
SL18XP1-060-230	57000	14.5	12	52000	34600	9	C37-62C	EL195UH110XE60C	10085091
SL18XP1-060-230	57000	14.5	12	52000	34600	9	C37-62C	EL196UH110XE60C	201933557
SL18XP1-060-230	57000	14.5	12	52000	34600	9	C37-62C	EL296UH110XE60C	10085092
SL18XP1-060-230	57000	14.5	12	52500	35000	9	C37-62C	EL296UH110XV60C	10085093
SL18XP1-060-230	57000	14.5	12	52000	34600	9	C37-62C	ML180UH090E60C	10589923
SL18XP1-060-230	57000	14.5	12	52000	34600	9	C37-62C	ML180UH110E60C	10590175
SL18XP1-060-230	57000	14.5	12	52000	34600	9	C37-62C	ML180UH110XE60C	10590295
SL18XP1-060-230	57000	14.5	12	52500	34600	9	C37-62C	SL280UH090V60C	10085085
SL18XP1-060-230	57000	14.5	12	52500	34600	9	C37-62C	SL280UH090XV60C	10085086
SL18XP1-060-230	57000	15.1	12.5	52000	34400	9.4	C37-62C	SL280UH100NV60C-	10581422
SL18XP1-060-230	57000	14.5	12	52000	34600	9	C37-62C	SL280UH110V60C	10085089
SL18XP1-060-230	57000	14.5	12	52000	34600	9	C37-62C	SL280UH110XV60C	10085090
SL18XP1-060-230	57000	14	11.5	53000	35200	9	C37-62C		10084118
SL18XP1-060-230	56000	14.5	12	52000	34400	9	C37-62D	EL180UH135E60D	10085095

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-060-230	56000	14.5	12	52500	34800	9	C37-62D	EL195UH135XE60D	10085097
SL18XP1-060-230	56000	14.5	12	52500	34800	9	C37-62D	EL296UH135XE60D	10085098
SL18XP1-060-230	56000	14.5	12	52000	34400	9	C37-62D	ML180UH135E60D	10590407
SL18XP1-060-230	55500	15	12.5	51500	34000	9	C37-62D	SL280UH135V60D	10085094
SL18XP1-060-230	56000	14.5	12	52000	34600	9	C37-62D	SLP98UH135XV60D	10085096
SL18XP1-060-230	55500	14	11.5	52500	35000	9	C37-62D		10084119
SL18XP1-060-230	56000	15	12	53500	35000	9.5	CBA27UHE-060-230		10258585
SL18XP1-060-230	56000	15	12.5	53500	35200	9.6	CBA38MV-060-230		201841628
SL18XP1-060-230	56000	14.5	12	53500	35800	9.6	CBX27UH-060-230		8331405
SL18XP1-060-230	55500	14.5	11.5	54000	35600	9.5	CBX32M-060		8331406
SL18XP1-060-230	56000	14.5	12	54000	36000	9	CH33-49	EL180UH090E60C	8329026
SL18XP1-060-230	56000	14	12	54500	36200	9	CH33-49	EL180UH110E60C	8329027
SL18XP1-060-230	56000	14	12	54500	36200	9	CH33-49	EL180UH110XE60C	8329028
SL18XP1-060-230	55500	14	11.5	54500	36200	9	CH33-49	EL195UH110XE60C	8329029
SL18XP1-060-230	55500	14	11.5	54500	36200	9	CH33-49	EL196UH110XE60C	201933544
SL18XP1-060-230	55500	14	11.5	54000	36000	9	CH33-49	EL296UH090XV60C	8657244
SL18XP1-060-230	55500	14	11.5	54500	36200	9	CH33-49	EL296UH110XE60C	8329030
SL18XP1-060-230	56000	14	11.5	54500	36200	9	CH33-49	EL296UH110XV60C	8657245
SL18XP1-060-230	56000	14.5	12	54000	36000	9	CH33-49	ML180UH090E60C	10589841
SL18XP1-060-230	56000	14	12	54500	36200	9	CH33-49	ML180UH110E60C	10590095
SL18XP1-060-230	56000	14	12	54500	36200	9	CH33-49	ML180UH110XE60C	10590272
SL18XP1-060-230	56000	14.5	12	54500	36200	9	CH33-49	SL280UH090V60C	8329022
SL18XP1-060-230	56000	14.5	12	54500	36200	9	CH33-49	SL280UH090XV60C	8329023
SL18XP1-060-230	56000	14.5	12.2	54500	36000	9.4	CH33-49	SL280UH100NV60C-	10581423
SL18XP1-060-230	56000	14.5	12	54500	36000	9	CH33-49	SL280UH110V60C	8329024
SL18XP1-060-230	56000	14.5	12	54500	36000	9	CH33-49	SL280UH110XV60C	8329025
SL18XP1-060-230	55500	14	11.5	54000	36000	9	CH33-49	SLP98UH090XV60C	8329031
SL18XP1-060-230	56000	14	11.5	54500	36200	9	CH33-49	SLP98UH110XV60C	8329032
SL18XP1-060-230	56000	14	11.5	55000	36600	9	CH33-49		8329033
SL18XP1-060-230	55500	14	11.5	54000	36000	9	CH33-50/60C	EL180UH090E60C	8329038
SL18XP1-060-230	55500	14	11.5	54000	36000	9	CH33-50/60C	EL180UH110E60C	8329039
SL18XP1-060-230	55500	14	11.5	54000	36000	9	CH33-50/60C	EL180UH110XE60C	8329040
SL18XP1-060-230	55500	14	11.5	54000	36000	9	CH33-50/60C	EL195UH110XE60C	8329041
SL18XP1-060-230	55500	14	11.5	54000	36200	9	CH33-50/60C	EL196UH110XE60C	201933543
SL18XP1-060-230	55500	14	11.5	54000	36000	9	CH33-50/60C	EL296UH110XE60C	8329042
SL18XP1-060-230	55500	14	11.5	54000	36000	9	CH33-50/60C	ML180UH090E60C	10589842
SL18XP1-060-230	55500	14	11.5	54000	36000	9	CH33-50/60C	ML180UH110E60C	10590096
SL18XP1-060-230	55500	14	11.5	54000	36000	9	CH33-50/60C	ML180UH110XE60C	10590273
SL18XP1-060-230	56000	14.5	12	54500	36000	9	CH33-50/60C	SL280UH090V60C	8329034
SL18XP1-060-230	56000	14.5	12	54500	36000	9	CH33-50/60C	SL280UH090XV60C	8329035
SL18XP1-060-230	55500	14.5	12.2	54000	36000	9.4	CH33-50/60C	SL280UH100NV60C-	10581424
SL18XP1-060-230	55500	14.5	11.5	54000	36000	9	CH33-50/60C	SL280UH110V60C	8329036
SL18XP1-060-230	55500	14.5	11.5	54000	36000	9	CH33-50/60C	SL280UH110XV60C	8329037
SL18XP1-060-230	55000	14	11.5	54000	36200	9	CH33-50/60C	SLP98UH090XV60C	8331724
SL18XP1-060-230	56000	14	11.5	55000	36600	9	CH33-50/60C		8329044
SL18XP1-060-230	56000	14	11.5	54000	35400	9	CH33-62D	EL180UH135E60D	8329045
SL18XP1-060-230	56000	14	11.5	54500	35800	9	CH33-62D	EL195UH135XE60D	8329048
SL18XP1-060-230	56000	14	11.5	54500	35800	9	CH33-62D	EL296UH135XE60D	8329049
SL18XP1-060-230	56500	14	11.5	54500	35600	9	CH33-62D	EL296UH135XV60D	8329046
SL18XP1-060-230	56000	14	11.5	54000	35400	9	CH33-62D	ML180UH135E60D	10590457
SL18XP1-060-230	56000	14.5	12	53500	34800	9	CH33-62D	SL280UH135V60D	8329203
SL18XP1-060-230	56500	14	11.5	54500	35600	9	CH33-62D	SLP98UH135XV60D	8329047
SL18XP1-060-230	56000	14	11.5	55000	35800	9	CH33-62D		8329050
SL18XP1-060-230	55000	14.5	12	53500	35000	8.5	CH35-51C	EL180UH090E60C	10099217
SL18XP1-060-230	55000	14.5	12	53500	35000	8.5	CH35-51C	EL180UH110E60C	10099218

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-060-230	55000	14.5	12	53500	35000	8.5	CH35-51C	EL180UH110XE60C	10099219
SL18XP1-060-230	54500	14.5	11.5	53500	35000	8.5	CH35-51C	EL195UH110XE60C	10099220
SL18XP1-060-230	54500	14.5	11.5	53500	35000	8.5	CH35-51C	EL196UH110XE60C	201933546
SL18XP1-060-230	54000	14	11.5	53500	35200	8.5	CH35-51C	EL296UH090XV60C	10099221
SL18XP1-060-230	54500	14.5	11.5	53500	35000	8.5	CH35-51C	EL296UH110XE60C	10099222
SL18XP1-060-230	54500	14	11.5	54000	35400	8.5	CH35-51C	EL296UH110XV60C	10099223
SL18XP1-060-230	55000	14.5	12	53500	35000	8.5	CH35-51C	ML180UH090E60C	10589986
SL18XP1-060-230	55000	14.5	12	53500	35000	8.5	CH35-51C	ML180UH110E60C	10590238
SL18XP1-060-230	55000	14.5	12	53500	35000	8.5	CH35-51C	ML180UH110XE60C	10590335
SL18XP1-060-230	55000	14.5	12	54000	35200	8.5	CH35-51C	SL280UH090V60C	10099224
SL18XP1-060-230	55000	14.5	12	54000	35200	8.5	CH35-51C	SL280UH090XV60C	10099225
SL18XP1-060-230	54500	15	12.2	53500	35000	8.8	CH35-51C	SL280UH100NV60C-	10581425
SL18XP1-060-230	54500	14.5	11.5	53500	35200	8.5	CH35-51C	SL280UH110V60C	10099226
SL18XP1-060-230	54500	14.5	11.5	53500	35200	8.5	CH35-51C	SL280UH110XV60C	10099227
SL18XP1-060-230	54000	14	11.5	53500	35200	8.5	CH35-51C	SLP98UH090XV60C	10099228
SL18XP1-060-230	54500	14	11.5	54000	35400	8.5	CH35-51C	SLP98UH110XV60C	10099229
SL18XP1-060-230	54500	14	11.5	54500	35600	8.5	CH35-51C		10099230
SL18XP1-060-230	55500	14.5	12	54000	36000	9	CH35-60D	EL180UH135E60D	10099231
SL18XP1-060-230	55500	14	11.5	54500	36400	8.5	CH35-60D	EL195UH135XE60D	10099232
SL18XP1-060-230	55500	14	11.5	54500	36400	8.5	CH35-60D	EL296UH135XE60D	10099234
SL18XP1-060-230	55500	14.5	12	54500	36200	9	CH35-60D	EL296UH135XV60D	10099235
SL18XP1-060-230	55500	14.5	12	54000	36000	9	CH35-60D	ML180UH135E60D	10590466
SL18XP1-060-230	55500	14.5	12	54500	36200	9	CH35-60D	SL280UH135V60D	10099236
SL18XP1-060-230	55500	14.5	12	54500	36200	9	CH35-60D	SLP98UH135XV60D	10099237
SL18XP1-060-230	54500	14	11.5	55000	36600	8.5	CH35-60D		10099238
SL18XP1-060-230	55000	14.5	12	53500	35000	8.5	CHX35-51/61C	EL180UH090E60C	202190351
SL18XP1-060-230	55000	14.5	12	53500	35000	8.5	CHX35-51/61C	EL180UH110E60C	202190354
SL18XP1-060-230	55000	14.5	12	53500	35000	8.5	CHX35-51/61C	EL180UH110XE60C	202190356
SL18XP1-060-230	54500	14.5	11.5	53500	35000	8.5	CHX35-51/61C	EL195UH110XE60C	202190358
SL18XP1-060-230	54500	14.5	11.5	53500	35000	8.5	CHX35-51/61C	EL196UH110XE60C	202190532
SL18XP1-060-230	54000	14	11.5	53500	35200	8.5	CHX35-51/61C	EL296UH090XV60C	202190360
SL18XP1-060-230	54500	14.5	11.5	53500	35000	8.5	CHX35-51/61C	EL296UH110XE60C	202190362
SL18XP1-060-230	54500	14	11.5	54000	35400	8.5	CHX35-51/61C	EL296UH110XV60C	202190364
SL18XP1-060-230	55000	14.5	12	53500	35000	8.5	CHX35-51/61C	ML180UH090E60C	202190474
SL18XP1-060-230	55000	14.5	12	53500	35000	8.5	CHX35-51/61C	ML180UH110E60C	202190495
SL18XP1-060-230	55000	14.5	12	53500	35000	8.5	CHX35-51/61C	ML180UH110XE60C	202190513
SL18XP1-060-230	55000	14.5	12	54000	35200	8.5	CHX35-51/61C	SL280UH090V60C	202190366
SL18XP1-060-230	55000	14.5	12	54000	35200	8.5	CHX35-51/61C	SL280UH090XV60C	202190367
SL18XP1-060-230	54500	15	12.2	53500	35000	8.8	CHX35-51/61C	SL280UH100NV60C-	202190426
SL18XP1-060-230	54500	14.5	11.5	53500	35200	8.5	CHX35-51/61C	SL280UH110V60C	202190371
SL18XP1-060-230	54500	14.5	11.5	53500	35200	8.5	CHX35-51/61C	SL280UH110XV60C	202190372
SL18XP1-060-230	54000	14	11.5	53500	35200	8.5	CHX35-51/61C	SLP98UH090XV60C	202190374
SL18XP1-060-230	54500	14	11.5	54000	35400	8.5	CHX35-51/61C	SLP98UH110XV60C	202190376
SL18XP1-060-230	54500	14	11.5	54500	35600	8.5	CHX35-51/61C		202190378
SL18XP1-060-230	55500	14.5	12	54000	36000	9	CHX35-60D	EL180UH135E60D	202190380
SL18XP1-060-230	55500	14	11.5	54500	36400	8.5	CHX35-60D	EL195UH135XE60D	202190382
SL18XP1-060-230	55500	14	11.5	54500	36400	8.5	CHX35-60D	EL296UH135XE60D	202190384
SL18XP1-060-230	55500	14.5	12	54500	36200	9	CHX35-60D	EL296UH135XV60D	202190386
SL18XP1-060-230	55500	14.5	12	54000	36000	9	CHX35-60D	ML180UH135E60D	202190518
SL18XP1-060-230	55500	14.5	12	54500	36200	9	CHX35-60D	SL280UH135V60D	202190388
SL18XP1-060-230	55500	14.5	12	54500	36200	9	CHX35-60D	SLP98UH135XV60D	202190390
SL18XP1-060-230	54500	14	11.5	55000	36600	8.5	CHX35-60D		202190392
SL18XP1-060-230	55000	14.5	12	55000	35400	9.5	CR33-50/60	EL180DF110E60C	8329051
SL18XP1-060-230	54500	14	11.5	55000	35400	9	CR33-50/60	EL195DF110XE60C	8329053
SL18XP1-060-230	54500	14	11.5	55000	35400	9	CR33-50/60	EL296DF110XE60C	8329054

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-060-230	55000	14.5	12	55000	35400	9.5	CR33-50/60	ML180DF110E60C	10589538
SL18XP1-060-230	55000	14	11.5	55000	35400	9.5	CR33-50/60	SL280DF090V60C	8329055
SL18XP1-060-230	55000	14.5	12	55000	35200	9.5	CR33-50/60	SL280DF110V60C	8329052
SL18XP1-060-230	54500	14	11.5	55500	35800	9	CR33-50/60		8329056
SL18XP1-060-230	54500	14	11.5	55500	35800	9	CR33-60		8329057
SL18XP1-060-230	54500	14.5	12	53500	35200	8.5	CX35-49C	EL180UH090E60C	10099252
SL18XP1-060-230	54500	14.5	11.5	53500	35200	8.5	CX35-49C	EL180UH110E60C	10099253
SL18XP1-060-230	54500	14.5	11.5	53500	35200	8.5	CX35-49C	EL180UH110XE60C	10099254
SL18XP1-060-230	54500	14	11.5	53500	35200	8.5	CX35-49C	EL195UH110XE60C	10099255
SL18XP1-060-230	54500	14	11.5	53500	36400	8.5	CX35-49C	EL196UH110XE60C	201933549
SL18XP1-060-230	54500	14	11.5	53500	35200	8.5	CX35-49C	EL296UH110XE60C	202087867
SL18XP1-060-230	54500	14	11.5	54000	35400	8.5	CX35-49C	EL296UH110XV60C	202087868
SL18XP1-060-230	54500	14.5	12	53500	35200	8.5	CX35-49C	ML180UH090E60C	10589988
SL18XP1-060-230	54500	14.5	11.5	53500	35200	8.5	CX35-49C	ML180UH110E60C	10590240
SL18XP1-060-230	54500	14.5	11.5	53500	35200	8.5	CX35-49C	ML180UH110XE60C	10590337
SL18XP1-060-230	54500	14.5	11.5	53500	35200	8.5	CX35-49C	SL280UH090V60C	202087869
SL18XP1-060-230	54500	14.5	11.5	53500	35200	8.5	CX35-49C	SL280UH090XV60C	202087870
SL18XP1-060-230	54500	15	12.2	53500	35000	9.2	CX35-49C	SL280UH100NV60C-	10581426
SL18XP1-060-230	54500	14.5	12	53500	35200	8.5	CX35-49C	SL280UH110V60C	202087871
SL18XP1-060-230	54500	14.5	12	53500	35200	8.5	CX35-49C	SL280UH110XV60C	10099256
SL18XP1-060-230	54500	14	11.5	54000	35400	8.5	CX35-49C	SLP98UH110XV60C	10099257
SL18XP1-060-230	54000	14	11.5	54500	35800	8.5	CX35-49C		10099251
SL18XP1-060-230	56500	15	12	53000	34200	8.5	CX35-60C	EL180UH090E60C	10099393
SL18XP1-060-230	56500	15	12	53000	34200	8.5	CX35-60C	EL180UH110E60C	10099394
SL18XP1-060-230	56500	15	12	53000	34200	8.5	CX35-60C	EL180UH110XE60C	10099395
SL18XP1-060-230	56500	15	12	53000	34200	8.5	CX35-60C	EL195UH110XE60C	10099396
SL18XP1-060-230	56500	15	12	53000	34200	8.5	CX35-60C	EL196UH110XE60C	201933551
SL18XP1-060-230	56000	15	12	53000	34200	8.5	CX35-60C	EL296UH090XV60C	10099397
SL18XP1-060-230	56500	15	12	53000	34200	8.5	CX35-60C	EL296UH110XE60C	10099398
SL18XP1-060-230	56500	15	12	53000	34400	8.5	CX35-60C	EL296UH110XV60C	10099399
SL18XP1-060-230	56500	15	12	53000	34200	8.5	CX35-60C	ML180UH090E60C	10589990
SL18XP1-060-230	56500	15	12	53000	34200	8.5	CX35-60C	ML180UH110E60C	10590242
SL18XP1-060-230	56500	15	12	53000	34200	8.5	CX35-60C	ML180UH110XE60C	10590339
SL18XP1-060-230	57000	15	12.5	53000	34200	9	CX35-60C	SL280UH090V60C	10099400
SL18XP1-060-230	57000	15	12.5	53000	34200	9	CX35-60C	SL280UH090XV60C	10099401
SL18XP1-060-230	56500	15.5	12.5	53000	34200	9.2	CX35-60C	SL280UH100NV60C-	10581427
SL18XP1-060-230	56500	15	12	53000	34200	8.5	CX35-60C	SL280UH110V60C	10099402
SL18XP1-060-230	56500	15	12	53000	34200	8.5	CX35-60C	SL280UH110XV60C	10099403
SL18XP1-060-230	56000	15	12	53000	34200	8.5	CX35-60C	SLP98UH090XV60C	10099404
SL18XP1-060-230	56500	15	12	53000	34400	8.5	CX35-60C	SLP98UH110XV60C	10099405
SL18XP1-060-230	56500	14.5	12	53500	34800	9	CX35-60C		10099392
SL18XP1-060-230	57000	14.5	12	55000	35800	9	CX35-60D	EL180UH135E60D	10099413
SL18XP1-060-230	56500	14.5	11.5	55000	36200	8.5	CX35-60D	EL195UH135XE60D	10099414
SL18XP1-060-230	56500	14.5	11.5	55000	36200	8.5	CX35-60D	EL296UH135XE60D	10099415
SL18XP1-060-230	57000	14.5	12	55000	35800	9	CX35-60D	EL296UH135XV60D	10099416
SL18XP1-060-230	57000	14.5	12	55000	35800	9	CX35-60D	ML180UH135E60D	10590468
SL18XP1-060-230	57000	14.5	12	55000	35800	9	CX35-60D	SL280UH135V60D	10099417
SL18XP1-060-230	56500	14.5	12	54500	35600	9	CX35-60D	SLP98UH135XV60D	10099420
SL18XP1-060-230	56000	14	11.5	55500	36200	8.5	CX35-60D		10099412
SL18XP1-060-230	57000	14.5	12	52000	34600	9	CX38-62C	EL180UH090E60C	10086783
SL18XP1-060-230	57000	14.5	12	52000	34600	9	CX38-62C	EL180UH110E60C	10086786
SL18XP1-060-230	57000	14.5	12	52000	34600	9	CX38-62C	EL180UH110XE60C	10086787
SL18XP1-060-230	57000	14.5	12	52000	34600	9	CX38-62C	EL195UH110XE60C	10086790
SL18XP1-060-230	57000	14.5	12	52000	34600	9	CX38-62C	EL196UH110XE60C	201933556
SL18XP1-060-230	57000	14	11.5	53000	35200	9	CX38-62C	EL296UH090XV60C	10086904

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-060-230	57000	14.5	12	52000	34600	9	CX38-62C	EL296UH110XE60C	10086791
SL18XP1-060-230	57000	14.5	12	52500	35000	9	CX38-62C	EL296UH110XV60C	10086792
SL18XP1-060-230	57000	14.5	12	52000	34600	9	CX38-62C	ML180UH090E60C	10589957
SL18XP1-060-230	57000	14.5	12	52000	34600	9	CX38-62C	ML180UH110E60C	10590209
SL18XP1-060-230	57000	14.5	12	52000	34600	9	CX38-62C	ML180UH110XE60C	10590309
SL18XP1-060-230	57000	14.5	12	52500	34600	9	CX38-62C	SL280UH090V60C	10086784
SL18XP1-060-230	57000	14.5	12	52500	34600	9	CX38-62C	SL280UH090XV60C	10086785
SL18XP1-060-230	57000	15.1	12.5	52000	34400	9.4	CX38-62C	SL280UH100NV60C-	10581428
SL18XP1-060-230	57000	14.5	12	52000	34600	9	CX38-62C	SL280UH110V60C	10086788
SL18XP1-060-230	57000	14.5	12	52000	34600	9	CX38-62C	SL280UH110XV60C	10086789
SL18XP1-060-230	57000	14	11.5	53000	35200	9	CX38-62C	SLP98UH090XV60C	10086905
SL18XP1-060-230	57000	14.5	12	52500	35000	9	CX38-62C	SLP98UH110XV60C	10086903
SL18XP1-060-230	57000	14	11.5	53000	35200	9	CX38-62C		10086669
SL18XP1-060-230	56000	14.5	12	52000	34400	9	CX38-62D	EL180UH135E60D	10085100
SL18XP1-060-230	56000	14.5	12	52500	34800	9	CX38-62D	EL195UH135XE60D	10085102
SL18XP1-060-230	56000	14.5	12	52500	34800	9	CX38-62D	EL296UH135XE60D	10085103
SL18XP1-060-230	56000	14.5	12	52000	34400	9	CX38-62D	ML180UH135E60D	10590461
SL18XP1-060-230	55500	15	12.5	51500	34000	9	CX38-62D	SL280UH135V60D	10085099
SL18XP1-060-230	56000	14.5	12	52000	34600	9	CX38-62D	SLP98UH135XV60D	10085101
SL18XP1-060-230	55500	14	11.5	52500	35000	9	CX38-62D		10084120
SPB036H4 (208/230V)	37000	15.5	12.5	33600	22600	8.5	C37-43B	EL196UH045XE36B	202208543
SPB036H4 (208/230V)	37000	16	12.5	33000	22200	8.5	C37-43B	EL196UH070XE36B	202208540
SPB036H4 (208/230V)	37000	15.5	12.5	33600	22200	8.5	CX38-43B	EL195UH045XE36B	202208537
SPB036H4 (208/230V)	37000	16	12.5	33200	21800	8.5	CX38-43B	EL195UH070XE36B	202208535
SPB036H4 (208/230V)	37000	15.5	12.5	33600	22600	8.5	CX38-43B	EL196UH045XE36B	202208542
SPB036H4 (208/230V)	37000	16	12.5	33000	22200	8.5	CX38-43B	EL196UH070XE36B	202208541
SPB036H4 (208/230V)	37000	15.5	12.5	33600	22200	8.5	CX38-43B	EL296UH045XE36B	202208532
SPB036H4 (208/230V)	37000	16	12.5	33200	21800	8.5	CX38-43B	EL296UH070XE36B	202208530
SPB036H4 (208/230V)	37200	16	12.5	33200	22000	8.7	CX38-43B	EL296UH070XV36B	202208534
SPB036H4 (208/230V)	37000	16	13	32800	21600	8.7	CX38-43B	ML180UH070E36B	202208531
SPB036H4 (208/230V)	37200	16.5	13	32800	21600	8.7	CX38-43B	SL280UH090V36B	202208533
SPB036H4 (208/230V)	37200	16	13	33000	21800	8.7	CX38-43B	SL280UH090V48B	202208536
SPB036H4 (208/230V)	37200	16	13	33000	21800	8.7	CX38-43B	SL280UH090XV48B	202208539
SPB036H4 (208/230V)	37200	16	12.5	33200	22000	8.7	CX38-43B	SLP98UH070XV36B	202208538
SPB036H4 (208/230V)	37000	16	13	32800	21600	8.7	C37-43B	EL180UH070E36B	201924869
SPB036H4 (208/230V)	37000	15.5	12.5	33600	22200	8.5	C37-43B	EL195UH045XE36B	201924880
SPB036H4 (208/230V)	37000	16	12.5	33200	21800	8.5	C37-43B	EL195UH070XE36B	201924866
SPB036H4 (208/230V)	37000	15.5	12.5	33600	22200	8.5	C37-43B	EL296UH045XE36B	201924865
SPB036H4 (208/230V)	37000	16	12.5	33200	21800	8.5	C37-43B	EL296UH070XE36B	201924874
SPB036H4 (208/230V)	37200	16	12.5	33200	22000	8.7	C37-43B	EL296UH070XV36B	201924862
SPB036H4 (208/230V)	37000	16	13	32800	21600	8.7	C37-43B	ML180UH070E36B	201924913
SPB036H4 (208/230V)	37200	16.5	13	33000	21600	8.8	C37-43B	SL280UH080NV48B-	10590482
SPB036H4 (208/230V)	37200	16.5	13	32800	21600	8.7	C37-43B	SL280UH090V36B	201924872
SPB036H4 (208/230V)	37200	16	13	33000	21800	8.7	C37-43B	SL280UH090V48B	201924884
SPB036H4 (208/230V)	37200	16	13	33000	21800	8.7	C37-43B	SL280UH090XV48B	201924881
SPB036H4 (208/230V)	37200	16	12.5	33200	22000	8.7	C37-43B	SLP98UH070XV36B	201924867
SPB036H4 (208/230V)	36800	14.5	12	33600	22400	8.2	C37-43B		201924858
SPB036H4 (208/230V)	37200	16.5	13	33000	21800	8.7	C37-43C	EL195UH090XE48C	201924860
SPB036H4 (208/230V)	37000	15.5	12.5	33600	22600	8.5	C37-43C	EL196UH045XE36B	201992985
SPB036H4 (208/230V)	37000	16	12.5	33000	22200	8.5	C37-43C	EL196UH070XE36B	201992981
SPB036H4 (208/230V)	37200	16	13	33000	22200	8.7	C37-43C	EL196UH090XE48C	201992980
SPB036H4 (208/230V)	37200	16.5	13	33000	21800	8.7	C37-43C	EL296UH090XE48C	201924876
SPB036H4 (208/230V)	37200	16	13	33000	21800	8.7	C37-43C	EL296UH090XV36C	201924863
SPB036H4 (208/230V)	37000	16.5	13	33000	21600	8.7	C37-43C	EL296UH090XV48C	201924870
SPB036H4 (208/230V)	37800	16.5	13	33400	22000	8.7	C37-43C	EL296UH090XV60C	201924873

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SPB036H4 (208/230V)	37600	16.5	13	33200	21800	8.7	C37-43C	EL296UH110XV60C	201924885
SPB036H4 (208/230V)	37800	16.5	13	33200	21800	8.7	C37-43C	SL280UH090V60C	201924878
SPB036H4 (208/230V)	37800	16.5	13	33200	21800	8.7	C37-43C	SL280UH090XV60C	201924868
SPB036H4 (208/230V)	37600	16.5	13	33200	21800	8.7	C37-43C	SL280UH110V60C	201924861
SPB036H4 (208/230V)	37600	16.5	13	33200	21800	8.7	C37-43C	SL280UH110XV60C	201924877
SPB036H4 (208/230V)	37200	16	13	33000	21800	8.7	C37-43C	SLP98UH090XV36C	201924864
SPB036H4 (208/230V)	37000	16.5	13	33000	21600	8.7	C37-43C	SLP98UH090XV48C	201924871
SPB036H4 (208/230V)	37800	16.5	13	33400	22000	8.7	C37-43C	SLP98UH090XV60C	201924875
SPB036H4 (208/230V)	37600	16.5	13	33200	21800	8.7	C37-43C	SLP98UH110XV60C	201924879
SPB036H4 (208/230V)	36800	16	13	33600	22800	8	C37-50/60C	EL195UH090XE48C	201924890
SPB036H4 (208/230V)	36800	16	13	33600	22800	8	C37-50/60C	EL296UH090XE48C	201924897
SPB036H4 (208/230V)	37000	16	13	33600	22800	8	C37-50/60C	EL296UH090XV36C	201924882
SPB036H4 (208/230V)	36600	16.5	13	33400	22800	8	C37-50/60C	EL296UH090XV48C	201924892
SPB036H4 (208/230V)	37400	16.5	13	34000	23000	8.2	C37-50/60C	EL296UH090XV60C	201924894
SPB036H4 (208/230V)	37200	16.5	13	33600	22800	8.2	C37-50/60C	EL296UH110XV60C	201924886
SPB036H4 (208/230V)	37400	16.5	13	33800	22800	8.2	C37-50/60C	SL280UH090V60C	201924889
SPB036H4 (208/230V)	37400	16.5	13	33800	22800	8.2	C37-50/60C	SL280UH090XV60C	201924896
SPB036H4 (208/230V)	37200	16.5	13	33800	23000	8	C37-50/60C	SL280UH110V60C	201924888
SPB036H4 (208/230V)	37200	16.5	13	33800	23000	8	C37-50/60C	SL280UH110XV60C	201924891
SPB036H4 (208/230V)	37000	16	13	33600	22800	8	C37-50/60C	SLP98UH090XV36C	201924883
SPB036H4 (208/230V)	36600	16.5	13	33400	22800	8	C37-50/60C	SLP98UH090XV48C	201924893
SPB036H4 (208/230V)	37400	16.5	13	34000	23000	8.2	C37-50/60C	SLP98UH090XV60C	201924895
SPB036H4 (208/230V)	37200	16.5	13	33600	22800	8.2	C37-50/60C	SLP98UH110XV60C	201924887
SPB036H4 (208/230V)	36400	14.5	12	34200	23600	7.7	C37-50/60C		201924859
SPB036H4 (208/230V)	36000	16	12.5	35600	23400	9	CBA27UHE-042-230		201930358
SPB036H4 (208/230V)	36000	16	13	35000	23000	8.5	CBA38MV-042-230		202087585
SPB036H4 (208/230V)	36200	14.5	12	36800	24400	8.2	CBX25UH-036-230		8231657
SPB036H4 (208/230V)	36200	16	12.5	34600	23200	8.7	CBX25UHV-036-230		8231789
SPB036H4 (208/230V)	36200	15.5	12.5	34400	23000	9	CBX27UH-036-230		8231795
SPB036H4 (208/230V)	37600	16.5	13	34200	23400	9.5	CBX27UH-042-230		8231656
SPB036H4 (208/230V)	35600	14.5	12	34800	23400	8.7	CBX32M-036		8231793
SPB036H4 (208/230V)	38000	16.5	13	33000	22200	8.7	CH33-43B	EL180UH070E36B	8231661
SPB036H4 (208/230V)	38000	16.5	13	33000	22200	9	CH33-43B	EL180UH090E48B	8231671
SPB036H4 (208/230V)	37600	15.5	12.5	33200	22400	8.5	CH33-43B	EL195UH045XE36B	8231683
SPB036H4 (208/230V)	37800	15.5	12.5	33000	22400	8.5	CH33-43B	EL195UH070XE36B	8231676
SPB036H4 (208/230V)	37600	15.5	12.5	33200	22800	8.5	CH33-43B	EL196UH045XE36B	201992978
SPB036H4 (208/230V)	37800	15.5	12.5	33000	22800	8.5	CH33-43B	EL196UH070XE36B	201992977
SPB036H4 (208/230V)	37600	15.5	12.5	33200	22400	8.5	CH33-43B	EL296UH045XE36B	8231667
SPB036H4 (208/230V)	37800	16	12.5	33000	22400	8.7	CH33-43B	EL296UH045XV36B	8231658
SPB036H4 (208/230V)	37800	15.5	12.5	33000	22400	8.5	CH33-43B	EL296UH070XE36B	8231669
SPB036H4 (208/230V)	37800	16	12.5	33000	22200	8.7	CH33-43B	EL296UH070XV36B	8231659
SPB036H4 (208/230V)	38000	16.5	13	33000	22200	8.7	CH33-43B	ML180UH070E36B	10591203
SPB036H4 (208/230V)	38000	16.5	13	33000	22200	9	CH33-43B	ML180UH090E48B	10591206
SPB036H4 (208/230V)	37800	16.5	13	32600	22000	8.7	CH33-43B	SL280UH090V36B	8231660
SPB036H4 (208/230V)	38000	16.5	13	32800	22000	8.7	CH33-43B	SL280UH090V48B	8231670
SPB036H4 (208/230V)	38000	16.5	13	32800	22000	8.7	CH33-43B	SL280UH090XV48B	8231666
SPB036H4 (208/230V)	37800	16	12.5	33000	22200	8.7	CH33-43B	SLP98UH070XV36B	8231662
SPB036H4 (208/230V)	37400	14.5	12	33200	22600	8.5	CH33-43B		8231652
SPB036H4 (208/230V)	37400	16	13	33000	21800	8.7	CH33-43C	EL195UH090XE48C	8231663
SPB036H4 (208/230V)	37400	16	13	33000	22200	8.7	CH33-43C	EL196UH090XE48C	201992976
SPB036H4 (208/230V)	37400	16	13	33000	21800	8.7	CH33-43C	EL296UH090XE48C	8231672
SPB036H4 (208/230V)	37400	16.5	13	32400	21800	8.7	CH33-43C	EL296UH090XV36C	8231677
SPB036H4 (208/230V)	37200	16.5	13	32400	21800	8.7	CH33-43C	EL296UH090XV48C	8231668
SPB036H4 (208/230V)	38000	16.5	13	32800	22000	8.7	CH33-43C	EL296UH090XV60C	8231783
SPB036H4 (208/230V)	37800	16.5	13	32600	22000	8.7	CH33-43C	EL296UH110XV60C	8231788

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SPB036H4 (208/230V)	37200	16	13	32400	21800	9	CH33-43C	SL280UH080NV60C-	10590483
SPB036H4 (208/230V)	38000	16.5	13	32800	22000	8.7	CH33-43C	SL280UH090V60C	8231682
SPB036H4 (208/230V)	38000	16.5	13	32600	22000	8.7	CH33-43C	SL280UH090XV60C	8231675
SPB036H4 (208/230V)	37800	16.5	13	32600	22000	8.7	CH33-43C	SL280UH110V60C	8231679
SPB036H4 (208/230V)	37800	16.5	13	32600	22000	8.7	CH33-43C	SL280UH110XV60C	8231691
SPB036H4 (208/230V)	37400	16.5	13	32400	21800	8.7	CH33-43C	SLP98UH090XV36C	8231695
SPB036H4 (208/230V)	37200	16.5	13	32400	21800	8.7	CH33-43C	SLP98UH090XV48C	8231712
SPB036H4 (208/230V)	38000	16.5	13	32800	22000	8.7	CH33-43C	SLP98UH090XV60C	8231687
SPB036H4 (208/230V)	37800	16.5	13	32600	22000	8.7	CH33-43C	SLP98UH110XV60C	8231707
SPB036H4 (208/230V)	36800	14.5	12	33600	22400	8.2	CH33-43C		8231654
SPB036H4 (208/230V)	37000	16	13	33000	21800	8.7	CH33-48C	EL195UH090XE48C	8231702
SPB036H4 (208/230V)	37000	16	13	33000	22200	8.7	CH33-48C	EL196UH090XE48C	201992979
SPB036H4 (208/230V)	37000	16	13	33000	21800	8.7	CH33-48C	EL296UH090XE48C	8231701
SPB036H4 (208/230V)	37000	16	13	33000	21800	8.5	CH33-48C	EL296UH090XV36C	8231680
SPB036H4 (208/230V)	36800	16	13	32800	21800	8.5	CH33-48C	EL296UH090XV48C	8231688
SPB036H4 (208/230V)	37600	16	13	33200	22000	8.7	CH33-48C	EL296UH090XV60C	8231692
SPB036H4 (208/230V)	37400	16	13	33000	21800	8.7	CH33-48C	EL296UH110XV60C	8231684
SPB036H4 (208/230V)	37000	16	13	33000	21800	8.8	CH33-48C	SL280UH080NV60C-	10590484
SPB036H4 (208/230V)	37600	16.5	13	33200	22000	8.7	CH33-48C	SL280UH090V60C	8231713
SPB036H4 (208/230V)	37600	16.5	13	33200	22000	8.7	CH33-48C	SL280UH090XV60C	8231700
SPB036H4 (208/230V)	37200	16	13	33200	22000	8.7	CH33-48C	SL280UH110V60C	8231696
SPB036H4 (208/230V)	37200	16	13	33200	22000	8.7	CH33-48C	SL280UH110XV60C	8231698
SPB036H4 (208/230V)	37000	16	13	33000	21800	8.7	CH33-48C	SLP98UH090XV36C	8231681
SPB036H4 (208/230V)	36800	16	13	32800	21800	8.7	CH33-48C	SLP98UH090XV48C	8231689
SPB036H4 (208/230V)	37600	16	13	33200	22000	8.7	CH33-48C	SLP98UH090XV60C	8231693
SPB036H4 (208/230V)	37400	16	13	33000	21800	8.7	CH33-48C	SLP98UH110XV60C	8231685
SPB036H4 (208/230V)	36400	14.5	12	33600	22400	8.2	CH33-48C		8231655
SPB036H4 (208/230V)	36400	16	13	35800	22400	8.7	CR33-48B	EL180DF070E36B	8231706
SPB036H4 (208/230V)	36600	15.5	12	36400	23000	8.5	CR33-48B	EL195DF045XE36B	8231697
SPB036H4 (208/230V)	36400	15.5	12.5	36000	22600	8.7	CR33-48B	EL195DF070XE48B	8231699
SPB036H4 (208/230V)	36600	15.5	12	36400	23000	8.5	CR33-48B	EL196DF045XE36B	202066707
SPB036H4 (208/230V)	36400	15.5	12.5	36000	22600	8.5	CR33-48B	EL196DF070XE48B	202066670
SPB036H4 (208/230V)	36600	15.5	12	36400	23000	8.5	CR33-48B	EL296DF045XE36B	8231694
SPB036H4 (208/230V)	36400	15.5	12.5	36000	22600	8.7	CR33-48B	EL296DF070XE48B	8231678
SPB036H4 (208/230V)	36400	16	13	35800	22400	8.7	CR33-48B	ML180DF070E36B	10590547
SPB036H4 (208/230V)	36600	16	12.5	36000	22600	8.7	CR33-48B	SL280DF090V48B	8231686
SPB036H4 (208/230V)	36200	16	12.5	36000	22600	8.7	CR33-48B	SLP98DF070XV36B	8231674
SPB036H4 (208/230V)	36000	14	11.5	36600	23200	8.2	CR33-48B		8231653
SPB036H4 (208/230V)	37200	16.5	13	36000	22600	9	CR33-48C	SL280DF090V60C	8231703
SPB036H4 (208/230V)	36800	16.5	13	36000	22600	8.7	CR33-48C	SL280DF110V60C	8231690
SPB036H4 (208/230V)	36600	16	12.5	36000	22600	8.7	CR33-48C	SLP98DF090XV36C	8231673
SPB036H4 (208/230V)	36600	16	12.5	36000	22600	8.7	CR33-48C	SLP98DF090XV48C	8231749
SPB036H4 (208/230V)	36800	16	12.5	36200	22600	8.7	CR33-48C	SLP98DF090XV60C	8231710
SPB036H4 (208/230V)	36800	16	12.5	36200	22800	8.7	CR33-48C	SLP98DF110XV60C	8231723
SPB036H4 (208/230V)	37200	16	12.5	33200	22000	8.5	CX38-43B	EL296UH070XV36B	202195866
SPB036H4 (208/230V)	37200	16.5	13	33000	21600	8.8	CX38-43B	SL280UH080NV48B-	10590481
SPB036H4 (208/230V)	37000	16	13	32800	21600	8.7	CX38-43C	EL180UH070E36B	201924919
SPB036H4 (208/230V)	37000	15.5	12.5	33600	22200	8.5	CX38-43C	EL195UH045XE36B	201924936
SPB036H4 (208/230V)	37000	16	12.5	33200	21800	8.5	CX38-43C	EL195UH070XE36B	201924934
SPB036H4 (208/230V)	37200	16.5	13	33000	21800	8.7	CX38-43C	EL195UH090XE48C	201924925
SPB036H4 (208/230V)	37000	15.5	12.5	33600	22600	8.5	CX38-43C	EL196UH045XE36B	201992984
SPB036H4 (208/230V)	37000	16	12.5	33000	22200	8.5	CX38-43C	EL196UH070XE36B	201992983
SPB036H4 (208/230V)	37200	16	13	33000	22200	8.7	CX38-43C	EL196UH090XE48C	201992982
SPB036H4 (208/230V)	37000	15.5	12.5	33600	22200	8.5	CX38-43C	EL296UH045XE36B	201924920
SPB036H4 (208/230V)	37000	16	12.5	33200	21800	8.5	CX38-43C	EL296UH070XE36B	201924917

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SPB036H4 (208/230V)	37200	16	12.5	33200	22000	8.7	CX38-43C	EL296UH070XV36B	201924931
SPB036H4 (208/230V)	37200	16.5	13	33000	21800	8.7	CX38-43C	EL296UH090XE48C	201924918
SPB036H4 (208/230V)	37200	16	13	33000	21800	8.7	CX38-43C	EL296UH090XV36C	201924932
SPB036H4 (208/230V)	37000	16.5	13	33000	21600	8.7	CX38-43C	EL296UH090XV48C	201924922
SPB036H4 (208/230V)	37800	16.5	13	33400	22000	8.7	CX38-43C	EL296UH090XV60C	201924930
SPB036H4 (208/230V)	37600	16.5	13	33200	21800	8.7	CX38-43C	EL296UH110XV60C	201924927
SPB036H4 (208/230V)	37000	16	13	32800	21600	8.7	CX38-43C	ML180UH070E36B	201924989
SPB036H4 (208/230V)	37200	16.5	13	32800	21600	8.7	CX38-43C	SL280UH090V36B	201924929
SPB036H4 (208/230V)	37200	16	13	33000	21800	8.7	CX38-43C	SL280UH090V48B	201924935
SPB036H4 (208/230V)	37800	16.5	13	33200	21800	8.7	CX38-43C	SL280UH090V60C	201924946
SPB036H4 (208/230V)	37200	16	13	33000	21800	8.7	CX38-43C	SL280UH090XV48B	201924945
SPB036H4 (208/230V)	37800	16.5	13	33200	21800	8.7	CX38-43C	SL280UH090XV60C	201924943
SPB036H4 (208/230V)	37400	16.5	13	33200	21800	8.7	CX38-43C	SL280UH110V60C	201924926
SPB036H4 (208/230V)	37400	16.5	13	33200	21800	8.7	CX38-43C	SL280UH110XV60C	201924921
SPB036H4 (208/230V)	37200	16	12.5	33200	22000	8.7	CX38-43C	SLP98UH070XV36B	201924942
SPB036H4 (208/230V)	37200	16	13	33000	21800	8.7	CX38-43C	SLP98UH090XV36C	201924933
SPB036H4 (208/230V)	37000	16.5	13	33000	21600	8.7	CX38-43C	SLP98UH090XV48C	201924923
SPB036H4 (208/230V)	37800	16.5	13	33400	22000	8.7	CX38-43C	SLP98UH090XV60C	201924924
SPB036H4 (208/230V)	37600	16.5	13	33200	21800	8.7	CX38-43C	SLP98UH110XV60C	201924928
SPB036H4 (208/230V)	36800	14.5	12	33600	22400	8.2	CX38-43C		201924915
SPB036H4 (208/230V)	36800	16	13	33600	22800	8	CX38-50/60C	EL195UH090XE48C	201924947
SPB036H4 (208/230V)	36800	16	13	33600	22800	8	CX38-50/60C	EL296UH090XE48C	201924937
SPB036H4 (208/230V)	37000	16	13	33600	22800	8	CX38-50/60C	EL296UH090XV36C	201924950
SPB036H4 (208/230V)	36600	16.5	13	33400	22800	8	CX38-50/60C	EL296UH090XV48C	201924939
SPB036H4 (208/230V)	37400	16.5	13	34000	23000	8.2	CX38-50/60C	EL296UH090XV60C	201924940
SPB036H4 (208/230V)	37200	16.5	13	33600	22800	8.2	CX38-50/60C	EL296UH110XV60C	201924941
SPB036H4 (208/230V)	37400	16.5	13	33800	22800	8.2	CX38-50/60C	SL280UH090V60C	201924949
SPB036H4 (208/230V)	37400	16.5	13	33800	22800	8.2	CX38-50/60C	SL280UH090XV60C	201924944
SPB036H4 (208/230V)	37200	16.5	13	33800	23000	8	CX38-50/60C	SL280UH110V60C	201924948
SPB036H4 (208/230V)	37200	16.5	13	33800	23000	8	CX38-50/60C	SL280UH110XV60C	201924938
SPB036H4 (208/230V)	37000	16	13	33600	22800	8	CX38-50/60C	SLP98UH090XV36C	201924952
SPB036H4 (208/230V)	36600	16.5	13	33400	22800	8	CX38-50/60C	SLP98UH090XV48C	201924953
SPB036H4 (208/230V)	37400	16.5	13	34000	23000	8.2	CX38-50/60C	SLP98UH090XV60C	201924951
SPB036H4 (208/230V)	37400	16.5	13	33600	22800	8.2	CX38-50/60C	SLP98UH110XV60C	201924954
SPB036H4 (208/230V)	36400	14.5	12	34200	23600	7.7	CX38-50/60C		201924916
SPB048H4 (208/230V)	47000	15.5	12	41500	28000	9	C37-62C	EL180UH090E60C	201924899
SPB048H4 (208/230V)	47500	15	11.5	42000	28600	9	C37-62C	EL180UH110E60C	201924898
SPB048H4 (208/230V)	47000	15	12	41500	28200	8.7	C37-62C	EL195UH090XE48C	201924903
SPB048H4 (208/230V)	47000	15	12	41500	28200	9	C37-62C	EL195UH110XE60C	201924901
SPB048H4 (208/230V)	47000	15	12	41500	28400	8.7	C37-62C	EL196UH090XE48C	201992991
SPB048H4 (208/230V)	47000	15	12	41500	28400	9	C37-62C	EL196UH110XE60C	201992990
SPB048H4 (208/230V)	47000	15	12	41500	28200	8.7	C37-62C	EL296UH090XE48C	201924900
SPB048H4 (208/230V)	47000	15	12	41500	28200	9	C37-62C	EL296UH110XE60C	201924902
SPB048H4 (208/230V)	47000	15.5	12	41500	28000	9	C37-62C	ML180UH090E60C	201924911
SPB048H4 (208/230V)	47500	15	11.5	42000	28600	9	C37-62C	ML180UH110E60C	201924914
SPB048H4 (208/230V)	47500	16	12	45000	30000	9	CBA27UHE-048-230		10262309
SPB048H4 (208/230V)	47000	15	11.5	44000	27400	9	CBA27UHE-060-230		10262310
SPB048H4 (208/230V)	48000	16	12	45000	30000	8.5	CBA38MV-048-230		202087586
SPB048H4 (208/230V)	47000	16	12	44000	30000	9	CBA38MV-060-230		202087587
SPB048H4 (208/230V)	48500	16	12.5	45000	29800	9	CBX27UH-048-230		8231893
SPB048H4 (208/230V)	47500	15.5	11.5	44500	27200	9	CBX27UH-060-230		8231806
SPB048H4 (208/230V)	48000	15.5	12	45500	30200	8.7	CBX32M-048		8231807
SPB048H4 (208/230V)	48500	16	12.5	45000	29200	9	CH23-68	EL180UH090E60C	8231891
SPB048H4 (208/230V)	48500	16	12.5	45000	29200	9	CH23-68	EL180UH110E60C	8231897
SPB048H4 (208/230V)	48500	16	12	45000	29400	8.5	CH23-68	EL195UH090XE48C	8231813

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SPB048H4 (208/230V)	48500	16	12	45000	29400	9	CH23-68	EL195UH110XE60C	8231814
SPB048H4 (208/230V)	48500	16	12	45000	29600	8.5	CH23-68	EL196UH090XE48C	201992986
SPB048H4 (208/230V)	48500	16	12	45000	29600	9	CH23-68	EL196UH110XE60C	201992987
SPB048H4 (208/230V)	48500	16	12	45000	29400	8.5	CH23-68	EL296UH090XE48C	8231828
SPB048H4 (208/230V)	48500	16	12	45000	29400	9	CH23-68	EL296UH110XE60C	8231817
SPB048H4 (208/230V)	48500	16	12	45000	29400	9	CH23-68	EL296UH135XV60D	8231824
SPB048H4 (208/230V)	48500	16	12.5	45000	29200	9	CH23-68	ML180UH090E60C	10590891
SPB048H4 (208/230V)	48500	16	12.5	45000	29200	9	CH23-68	ML180UH110E60C	10591004
SPB048H4 (208/230V)	48500	16	12	45000	29200	9	CH23-68	SL280UH135V60D	8231808
SPB048H4 (208/230V)	48500	16	12	45500	29400	9	CH23-68	SLP98UH135XV60D	8231822
SPB048H4 (208/230V)	48000	14.5	11.5	45500	30000	8.5	CH23-68		8231796
SPB048H4 (208/230V)	47000	15.5	11.5	44500	28600	8.2	CH33-49	ML180UH090E60C	10591314
SPB048H4 (208/230V)	47000	15.5	11.5	44500	28600	8.2	CH33-49	ML180UH110E60C	10591317
SPB048H4 (208/230V)	47000	15.5	11.5	44500	28600	8.2	CH33-50/60C	ML180UH090E60C	10591315
SPB048H4 (208/230V)	47000	15.5	11.5	44500	28600	8.2	CH33-50/60C	ML180UH110E60C	10591316
SPB048H4 (208/230V)	48000	15	12	45500	31600	8.7	CH33-60D	EL296UH135XV60D	8231841
SPB048H4 (208/230V)	48000	15	12	45000	31400	8.7	CH33-60D	SL280UH135V60D	8231846
SPB048H4 (208/230V)	48500	15	12	45500	31600	8.7	CH33-60D	SLP98UH135XV60D	8231838
SPB048H4 (208/230V)	46500	14.5	11.5	43500	28600	8.5	CH33-62D	EL296UH090XV60C	8341609
SPB048H4 (208/230V)	46500	14.5	11.5	43500	28800	8.5	CH33-62D	EL296UH110XV60C	8341610
SPB048H4 (208/230V)	47000	15	12	43500	28600	8.7	CH33-62D	EL296UH135XV60D	8231855
SPB048H4 (208/230V)	46500	15	12	43500	28600	8.7	CH33-62D	SL280UH135V60D	8231835
SPB048H4 (208/230V)	47000	15	12	43500	28800	8.7	CH33-62D	SLP98UH135XV60D	8231859
SPB048H4 (208/230V)	47500	16	12.5	44000	30200	9.5	CR33-50/60	EL180DF110E60C	8231887
SPB048H4 (208/230V)	47000	15.5	12	44500	30400	9.2	CR33-50/60	EL195DF090XE48C	8231842
SPB048H4 (208/230V)	47000	16	12	44000	30200	9	CR33-50/60	EL195DF110XE60C	8231860
SPB048H4 (208/230V)	47000	15.5	12	44500	30400	9	CR33-50/60	EL196DF090XE48C	202066671
SPB048H4 (208/230V)	47000	15.5	12	44500	30400	9.2	CR33-50/60	EL296DF090XE48C	8231861
SPB048H4 (208/230V)	47000	16	12	44000	30200	9	CR33-50/60	EL296DF110XE60C	8231877
SPB048H4 (208/230V)	47500	16	12.5	44000	30200	9.5	CR33-50/60	ML180DF110E60C	10590562
SPB048H4 (208/230V)	47000	16	12	44500	30400	9	CR33-50/60	SLP98DF090XV60C	8231856
SPB048H4 (208/230V)	47000	16	12	44500	30600	9	CR33-50/60	SLP98DF110XV60C	8231884
SPB048H4 (208/230V)	47000	14.5	11.5	44500	30800	9	CR33-50/60		8231802
SPB048H4 (208/230V)	47000	16	12	44500	30400	9	CR33-60	SLP98DF090XV60C	8231864
SPB048H4 (208/230V)	47000	16	12	44500	30400	9	CR33-60	SLP98DF110XV60C	8231870
SPB048H4 (208/230V)	47000	14.5	11.5	44500	30600	9	CR33-60		8231804
SPB048H4 (208/230V)	46500	15.5	11.5	43000	28800	8.5	CX38-60D	SL280UH135V60D	201924973
SPB048H4 (208/230V)	46500	16	11.5	43500	29000	8.5	CX38-60D	SLP98UH135XV60D	201924967
SPB048H4 (208/230V)	46000	14	11	43500	29400	8.2	CX38-60D		201924956
SPB048H4 (208/230V)	47000	15.5	12	41500	28000	9	CX38-62C	EL180UH090E60C	201924978
SPB048H4 (208/230V)	47500	15	11.5	42000	28600	9	CX38-62C	EL180UH110E60C	201924979
SPB048H4 (208/230V)	47000	15	12	41500	28200	8.7	CX38-62C	EL195UH090XE48C	201924977
SPB048H4 (208/230V)	47000	15	12	41500	28200	9	CX38-62C	EL195UH110XE60C	201924958
SPB048H4 (208/230V)	47000	15	12	41500	28400	8.7	CX38-62C	EL196UH090XE48C	201992989
SPB048H4 (208/230V)	47000	15	12	41500	28400	9	CX38-62C	EL196UH110XE60C	201992988
SPB048H4 (208/230V)	47000	15	12	41500	28200	8.7	CX38-62C	EL296UH090XE48C	201924963
SPB048H4 (208/230V)	47000	15.5	11.5	42000	28400	8.7	CX38-62C	EL296UH090XV48C	201924961
SPB048H4 (208/230V)	47000	15.5	11.5	42000	28400	8.7	CX38-62C	EL296UH090XV60C	201924974
SPB048H4 (208/230V)	47000	15	12	41500	28200	9	CX38-62C	EL296UH110XE60C	201924968
SPB048H4 (208/230V)	47000	15.5	12	41500	28200	8.7	CX38-62C	EL296UH110XV48C	201924975
SPB048H4 (208/230V)	47000	15.5	11.5	42000	28400	8.7	CX38-62C	EL296UH110XV60C	201924960
SPB048H4 (208/230V)	47000	15.5	12	41500	28000	9	CX38-62C	ML180UH090E60C	201924987
SPB048H4 (208/230V)	47500	15	11.5	42000	28600	9	CX38-62C	ML180UH110E60C	201924990
SPB048H4 (208/230V)	47000	15.5	12	41500	28200	9	CX38-62C	SL280UH090V60C	201924971
SPB048H4 (208/230V)	47000	15.5	12	41500	28200	9	CX38-62C	SL280UH090XV60C	201924959

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SPB048H4 (208/230V)	47000	15.5	12	41500	28200	9	CX38-62C	SL280UH110V60C	201924964
SPB048H4 (208/230V)	47000	15.5	12	41500	28200	9	CX38-62C	SL280UH110XV60C	201924969
SPB048H4 (208/230V)	47000	15.5	11.5	42000	28200	8.7	CX38-62C	SLP98UH090XV48C	201924962
SPB048H4 (208/230V)	47000	15	11.5	42000	28200	8.7	CX38-62C	SLP98UH090XV60C	201924966
SPB048H4 (208/230V)	47000	15.5	11.5	42000	28400	8.7	CX38-62C	SLP98UH110XV60C	201924976
SPB048H4 (208/230V)	46500	14	11	42000	28800	8.5	CX38-62C		201924955
SPB048H4 (208/230V)	48500	16	12	43000	27600	8.5	CX38-62D	EL296UH135XV60D	201924965
SPB048H4 (208/230V)	48000	16	12	42500	27600	8.5	CX38-62D	SL280UH135V60D	201924970
SPB048H4 (208/230V)	48500	16	12	43000	27800	8.5	CX38-62D	SLP98UH135XV60D	201924972
SPB048H4 (208/230V)	48000	15	11.5	43000	28200	8.2	CX38-62D		201924957
SPB060H4 (208/230V)	58500	15.7	12.2	53000	34800	8.5	C37-62D	EL180UH135E60D	201924906
SPB060H4 (208/230V)	58000	15.2	11.5	53000	35200	8.2	C37-62D	EL195UH135XE60D	201924905
SPB060H4 (208/230V)	58000	15.2	11.5	53000	35200	8.2	C37-62D	EL296UH135XE60D	201924908
SPB060H4 (208/230V)	58500	15.7	12	53000	34800	8.5	C37-62D	EL296UH135XV60D	201924910
SPB060H4 (208/230V)	58500	15.7	12.2	53000	34800	8.5	C37-62D	ML180UH135E60D	201924912
SPB060H4 (208/230V)	58000	15.7	12	53000	35000	8.5	C37-62D	SL280UH135V60D	201924907
SPB060H4 (208/230V)	58500	15.7	12	53000	34800	8.5	C37-62D	SLP98UH135XV60D	201924909
SPB060H4 (208/230V)	57000	14.5	11.5	53000	35000	8.2	C37-62D		201924904
SPB060H4 (208/230V)	57000	14.5	11.5	56000	34400	8.5	CBA27UHE-060-230		10262311
SPB060H4 (208/230V)	56500	15	12	56000	34600	8.5	CBA38MV-060-230		202087588
SPB060H4 (208/230V)	58000	15.5	12	56500	34400	8.5	CBX27UH-060-230		8231938
SPB060H4 (208/230V)	57000	14.5	11.5	56000	36200	8.5	CBX32M-060		8231939
SPB060H4 (208/230V)	58500	15.5	11.5	61000	37400	8.5	CH23-68	EL180UH135E60D	8231943
SPB060H4 (208/230V)	58500	15.2	11.5	61500	37600	8.5	CH23-68	EL195UH135XE60D	8231936
SPB060H4 (208/230V)	58500	15.2	11.5	61500	37600	8.5	CH23-68	EL296UH135XE60D	8231935
SPB060H4 (208/230V)	59000	15.5	11.5	61500	37600	8.5	CH23-68	EL296UH135XV60D	8231933
SPB060H4 (208/230V)	58500	15.5	11.5	61000	37400	8.5	CH23-68	ML180UH135E60D	10591149
SPB060H4 (208/230V)	58500	15.7	11.5	61000	37400	8.5	CH23-68	SL280UH135V60D	8231932
SPB060H4 (208/230V)	59000	15.5	11.5	61500	37600	8.5	CH23-68	SLP98UH135XV60D	8231934
SPB060H4 (208/230V)	58500	14.5	11.5	61500	37800	8.2	CH23-68		8231901
SPB060H4 (208/230V)	54500	15.7	11.5	52500	34600	8.2	CH33-62D	EL180UH135E60D	8231927
SPB060H4 (208/230V)	54500	15.2	11	53000	35000	8.2	CH33-62D	EL195UH135XE60D	8231930
SPB060H4 (208/230V)	54500	15.2	11	53000	35000	8.2	CH33-62D	EL296UH135XE60D	8231926
SPB060H4 (208/230V)	54500	15.5	11	53000	34800	8.2	CH33-62D	EL296UH135XV60D	8231937
SPB060H4 (208/230V)	54500	15.7	11.5	52500	34600	8.2	CH33-62D	ML180UH135E60D	10591214
SPB060H4 (208/230V)	54500	15.7	11	53000	34800	8.2	CH33-62D	SL280UH135V60D	8231928
SPB060H4 (208/230V)	54500	15.5	11	53000	34800	8.2	CH33-62D	SLP98UH135XV60D	8231929
SPB060H4 (208/230V)	57500	15.2	12	57500	37200	8.5	CR33-50/60	EL180DF110E60C	8231924
SPB060H4 (208/230V)	57000	15	12	57000	37200	8.2	CR33-50/60	EL195DF110XE60C	8231920
SPB060H4 (208/230V)	56500	15	11.5	57000	37400	8.2	CR33-50/60	EL296DF090XV60C	8231921
SPB060H4 (208/230V)	57000	15	12	57000	37200	8.2	CR33-50/60	EL296DF110XE60C	8231925
SPB060H4 (208/230V)	56500	15	11.5	57000	37400	8.2	CR33-50/60	EL296DF110XV60C	8231931
SPB060H4 (208/230V)	57500	15.2	12	57500	37200	8.5	CR33-50/60	ML180DF110E60C	10590563
SPB060H4 (208/230V)	57000	15.2	11.5	57500	37400	8.5	CR33-50/60	SL280DF090V60C	8231923
SPB060H4 (208/230V)	57000	15.2	12	57500	37200	8.5	CR33-50/60	SL280DF110V60C	8231913
SPB060H4 (208/230V)	56500	15	11.5	57000	37400	8.2	CR33-50/60	SLP98DF090XV60C	8231922
SPB060H4 (208/230V)	56500	15	11.5	57000	37400	8.2	CR33-50/60	SLP98DF110XV60C	8231914
SPB060H4 (208/230V)	56500	15	11.5	57000	37400	8.2	CR33-60	EL296DF110XV60C	8231915
SPB060H4 (208/230V)	56500	15	11.5	57000	37400	8.2	CR33-60	SLP98DF110XV60C	8231916
SPB060H4 (208/230V)	57000	14.2	11.5	57500	37600	8.2	CR33-60		8231902
SPB060H4 (208/230V)	58500	15.7	12.2	53000	34800	8.5	CX38-62D	EL180UH135E60D	201924985
SPB060H4 (208/230V)	58000	15.2	11.5	53000	35200	8.2	CX38-62D	EL195UH135XE60D	201924984
SPB060H4 (208/230V)	58000	15.2	11.5	53000	35200	8.2	CX38-62D	EL296UH135XE60D	201924981
SPB060H4 (208/230V)	58500	15.7	12	53000	34800	8.5	CX38-62D	EL296UH135XV60D	201924983
SPB060H4 (208/230V)	58500	15.7	12.2	53000	34800	8.5	CX38-62D	ML180UH135E60D	201924988

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SPB060H4 (208/230V)	58000	15.7	12	53000	35000	8.5	CX38-62D	SL280UH135V60D	201924986
SPB060H4 (208/230V)	58500	15.7	12	53000	34800	8.5	CX38-62D	SLP98UH135XV60D	201924982
SPB060H4 (208/230V)	57000	14.5	11.5	53000	35000	8.2	CX38-62D		201924980
TPA036H4 (460V)	34200	15	12.5	32800	20800	8.2	C37-38A	EL180UH045E36A	201872522
TPA036H4 (460V)	34200	15	12.5	32800	20800	8.2	C37-38A	EL180UH045XE36A	201872523
TPA036H4 (460V)	34200	15	12.5	32800	20800	8.2	C37-38A	ML180UH045E36A	201873130
TPA036H4 (460V)	34200	15	12.5	32800	20800	8.2	C37-38A	ML180UH045XE36A	201873132
TPA036H4 (460V)	34200	15.7	13	32400	20400	8.5	C37-38B	EL180UH070E36B	201872524
TPA036H4 (460V)	34200	15.7	13	32400	20400	8.5	C37-38B	EL180UH070XE36B	201872525
TPA036H4 (460V)	34600	15.5	13	32600	20600	8.5	C37-38B	EL180UH090E48B	201872526
TPA036H4 (460V)	34600	15.5	13	32600	20600	8.5	C37-38B	EL180UH090XE48B	201872527
TPA036H4 (460V)	33800	15	12.5	32600	20600	8.2	C37-38B	EL195UH045XE36B	201872528
TPA036H4 (460V)	34000	15	12.5	32600	20800	8.2	C37-38B	EL195UH070XE36B	201872529
TPA036H4 (460V)	33800	15	12.5	32600	20600	8.2	C37-38B	EL196UH045XE36B	201993039
TPA036H4 (460V)	34000	15	12.5	32600	20600	8.2	C37-38B	EL196UH070XE36B	201993040
TPA036H4 (460V)	33800	15	12.5	32600	20600	8.2	C37-38B	EL296UH045XE36B	201872530
TPA036H4 (460V)	34200	15	12.5	32800	20800	8.2	C37-38B	EL296UH045XV36B	201872531
TPA036H4 (460V)	34000	15	12.5	32600	20800	8.2	C37-38B	EL296UH070XE36B	201872532
TPA036H4 (460V)	34200	15	12.5	32800	20800	8.2	C37-38B	EL296UH070XV36B	201872533
TPA036H4 (460V)	34200	15.7	13	32400	20400	8.5	C37-38B	ML180UH070E36B	201873136
TPA036H4 (460V)	34200	15.7	13	32400	20400	8.5	C37-38B	ML180UH070XE36B	201873146
TPA036H4 (460V)	34600	15.5	13	32600	20600	8.5	C37-38B	ML180UH090E48B	201873158
TPA036H4 (460V)	34600	15.5	13	32600	20600	8.5	C37-38B	ML180UH090XE48B	201873198
TPA036H4 (460V)	34200	15	12.5	32800	20800	8.2	C37-38B	SL280UH070V36A	201872534
TPA036H4 (460V)	34200	15	12.5	32800	20800	8.2	C37-38B	SL280UH070XV36A	201872535
TPA036H4 (460V)	34400	15.7	13	32600	20600	8.2	C37-38B	SL280UH090V36B	201872536
TPA036H4 (460V)	34400	15.5	13	32600	20600	8.2	C37-38B	SL280UH090V48B	201872537
TPA036H4 (460V)	34400	15.5	13	32600	20600	8.2	C37-38B	SL280UH090XV48B	201872538
TPA036H4 (460V)	34200	15	12.5	32800	20800	8.2	C37-38B	SLP98UH070XV36B	201872540
TPA036H4 (460V)	35200	15.7	13.2	32400	20200	8.5	C37-43B	EL180UH070E36B	201872543
TPA036H4 (460V)	35200	15.7	13.2	32400	20200	8.5	C37-43B	EL180UH070XE36B	201872546
TPA036H4 (460V)	35600	15.7	13.2	32600	20200	8.2	C37-43B	EL180UH090E48B	201872553
TPA036H4 (460V)	35600	15.7	13.2	32600	20200	8.2	C37-43B	EL180UH090XE48B	201872549
TPA036H4 (460V)	34800	15	12.7	32400	20400	8.2	C37-43B	EL195UH045XE36B	201872556
TPA036H4 (460V)	35000	15	12.7	32600	20400	8.2	C37-43B	EL195UH070XE36B	201872559
TPA036H4 (460V)	34800	15	12.5	32400	20400	8.2	C37-43B	EL196UH045XE36B	201993041
TPA036H4 (460V)	35000	15	12.5	32600	20400	8.2	C37-43B	EL196UH070XE36B	201993042
TPA036H4 (460V)	34800	15	12.7	32400	20400	8.2	C37-43B	EL296UH045XE36B	201872562
TPA036H4 (460V)	35200	15	12.7	32800	20400	8.2	C37-43B	EL296UH045XV36B	201872565
TPA036H4 (460V)	35000	15	12.7	32600	20400	8.2	C37-43B	EL296UH070XE36B	201872568
TPA036H4 (460V)	35200	15	12.7	32800	20600	8.2	C37-43B	EL296UH070XV36B	201872571
TPA036H4 (460V)	35200	15.7	13.2	32400	20200	8.5	C37-43B	ML180UH070E36B	201873137
TPA036H4 (460V)	35200	15.7	13.2	32400	20200	8.5	C37-43B	ML180UH070XE36B	201873147
TPA036H4 (460V)	35600	15.7	13.2	32600	20200	8.2	C37-43B	ML180UH090E48B	201873159
TPA036H4 (460V)	35600	15.7	13.2	32600	20200	8.2	C37-43B	ML180UH090XE48B	201873199
TPA036H4 (460V)	35200	15.7	13.2	32400	20200	8.5	C37-43B	SL280UH090V36B	201872575
TPA036H4 (460V)	35400	15.7	13.2	32600	20200	8.2	C37-43B	SL280UH090V48B	201872578
TPA036H4 (460V)	35400	15.7	13.2	32600	20200	8.2	C37-43B	SL280UH090XV48B	201872581
TPA036H4 (460V)	35200	15	12.7	32800	20600	8.2	C37-43B	SLP98UH070XV36B	201872584
TPA036H4 (460V)	35600	15.7	13.2	32600	20600	8.2	C37-43C	EL180UH090E60C	201872587
TPA036H4 (460V)	35200	15.7	13.2	32400	20200	8.5	C37-43C	EL180UH110E60C	201872590
TPA036H4 (460V)	35200	15.7	13.2	32400	20200	8.5	C37-43C	EL180UH110XE60C	201872593
TPA036H4 (460V)	35200	15.5	13.2	32600	20200	8.2	C37-43C	EL195UH090XE48C	201872596
TPA036H4 (460V)	35600	15.7	13.2	32600	20400	8.2	C37-43C	EL195UH110XE60C	201872599
TPA036H4 (460V)	35200	15.5	13	32600	20400	8.2	C37-43C	EL196UH090XE48C	201993043

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036H4 (460V)	35600	15.5	13	32600	20400	8.2	C37-43C	EL196UH110XE60C	201993044
TPA036H4 (460V)	35200	15.5	13.2	32600	20200	8.2	C37-43C	EL296UH090XE48C	201872602
TPA036H4 (460V)	35400	15.5	13.2	32600	20400	8.2	C37-43C	EL296UH090XV36C	201872605
TPA036H4 (460V)	35200	15.5	13.2	32400	20200	8.5	C37-43C	EL296UH090XV48C	201872609
TPA036H4 (460V)	35600	15.7	13.2	32600	20400	8.2	C37-43C	EL296UH110XE60C	201872612
TPA036H4 (460V)	35400	15.7	13.2	32400	20200	8.5	C37-43C	EL296UH110XV48C	201872615
TPA036H4 (460V)	35600	15.7	13.2	32600	20600	8.2	C37-43C	ML180UH090E60C	201873177
TPA036H4 (460V)	35200	15.7	13.2	32400	20200	8.5	C37-43C	ML180UH110E60C	201873216
TPA036H4 (460V)	35200	15.7	13.2	32400	20200	8.5	C37-43C	ML180UH110XE60C	201873241
TPA036H4 (460V)	35800	15.1	13	32600	20400	8.2	C37-43C	SL280UH090V60C	201872619
TPA036H4 (460V)	35800	15.1	13	32600	20400	8.2	C37-43C	SL280UH090XV60C	201872622
TPA036H4 (460V)	35600	15.1	13	32600	20400	8.2	C37-43C	SL280UH110V60C	201872625
TPA036H4 (460V)	35600	15.1	13	32600	20400	8.2	C37-43C	SL280UH110XV60C	201872628
TPA036H4 (460V)	35400	15.5	13.2	32400	20200	8.2	C37-43C	SLP98UH090XV36C	201872632
TPA036H4 (460V)	35200	15.5	13.2	32400	20200	8.5	C37-43C	SLP98UH090XV48C	201872635
TPA036H4 (460V)	35800	15.5	13.2	32800	20400	8.5	C37-43C	SLP98UH090XV60C	201872638
TPA036H4 (460V)	33800	15.5	13	32200	20400	8.2	C37-48B	EL180UH070E36B	201872641
TPA036H4 (460V)	33800	15.5	13	32200	20400	8.2	C37-48B	EL180UH070XE36B	201872645
TPA036H4 (460V)	34200	15.5	12.7	32400	20600	8.2	C37-48B	EL180UH090E48B	201872647
TPA036H4 (460V)	34200	15.5	12.7	32400	20600	8.2	C37-48B	EL180UH090XE48B	201872651
TPA036H4 (460V)	33800	15.5	13	32200	20400	8.2	C37-48B	ML180UH070E36B	201873138
TPA036H4 (460V)	33800	15.5	13	32200	20400	8.2	C37-48B	ML180UH070XE36B	201873148
TPA036H4 (460V)	34200	15.5	12.7	32400	20600	8.2	C37-48B	ML180UH090E48B	201873160
TPA036H4 (460V)	34200	15.5	12.7	32400	20600	8.2	C37-48B	ML180UH090XE48B	201873200
TPA036H4 (460V)	34000	15.5	12.7	32200	20400	8.2	C37-48B	SL280UH090V36B	201872654
TPA036H4 (460V)	34000	15.2	12.7	32400	20600	8.2	C37-48B	SL280UH090V48B	201872657
TPA036H4 (460V)	34000	15.2	12.7	32400	20600	8.2	C37-48B	SL280UH090XV48B	201872660
TPA036H4 (460V)	34200	15.5	13	32400	20600	8.2	C37-48C	EL180UH090E60C	201872664
TPA036H4 (460V)	34000	15.5	13	32200	20400	8.2	C37-48C	EL180UH110E60C	201872666
TPA036H4 (460V)	34000	15.5	13	32200	20400	8.2	C37-48C	EL180UH110XE60C	201872669
TPA036H4 (460V)	34000	15.2	12.7	32400	20400	8.2	C37-48C	EL195UH090XE48C	201872672
TPA036H4 (460V)	34200	15.5	12.7	32400	20600	8.2	C37-48C	EL195UH110XE60C	201872675
TPA036H4 (460V)	34000	15	12.5	32400	20600	8.2	C37-48C	EL196UH090XE48C	201993045
TPA036H4 (460V)	34200	15.5	12.5	32400	20600	8.2	C37-48C	EL196UH110XE60C	201993046
TPA036H4 (460V)	34000	15.2	12.7	32400	20400	8.2	C37-48C	EL296UH090XE48C	201872678
TPA036H4 (460V)	34000	15.2	12.7	32400	20600	8.2	C37-48C	EL296UH090XV36C	201872997
TPA036H4 (460V)	34000	15.5	12.7	32200	20400	8.2	C37-48C	EL296UH090XV48C	201872683
TPA036H4 (460V)	34200	15.5	12.7	32400	20600	8.2	C37-48C	EL296UH110XE60C	201872685
TPA036H4 (460V)	34200	15.5	13	32200	20400	8.2	C37-48C	EL296UH110XV48C	201872688
TPA036H4 (460V)	34200	15.5	13	32400	20600	8.2	C37-48C	ML180UH090E60C	201873178
TPA036H4 (460V)	34000	15.5	13	32200	20400	8.2	C37-48C	ML180UH110E60C	201873217
TPA036H4 (460V)	34000	15.5	13	32200	20400	8.2	C37-48C	ML180UH110XE60C	201873242
TPA036H4 (460V)	34400	15.1	12.5	32400	20600	8.2	C37-48C	SL280UH110V60C	201872691
TPA036H4 (460V)	34400	15.1	12.5	32400	20600	8.5	C37-48C	SL280UH110XV60C	201872693
TPA036H4 (460V)	34000	15.2	12.7	32400	20600	8.2	C37-48C	SLP98UH090XV36C	201872681
TPA036H4 (460V)	34000	15.5	12.7	32200	20400	8.2	C37-48C	SLP98UH090XV48C	201872696
TPA036H4 (460V)	35200	15.7	13.2	31400	20200	8.7	C37-49C	EL180UH090E60C	201872698
TPA036H4 (460V)	34800	15.7	13.2	31400	20200	8.7	C37-49C	EL180UH110E60C	201872700
TPA036H4 (460V)	34800	15.7	13.2	31400	20200	8.7	C37-49C	EL180UH110XE60C	201872702
TPA036H4 (460V)	34800	15.5	13	31400	20400	8.7	C37-49C	EL195UH090XE48C	201872704
TPA036H4 (460V)	35200	15.7	13.2	31600	20400	8.7	C37-49C	EL195UH110XE60C	201872706
TPA036H4 (460V)	34800	15.5	13	31400	20400	8.7	C37-49C	EL196UH090XE48C	201993047
TPA036H4 (460V)	35200	15.5	13	31600	20400	8.7	C37-49C	EL196UH110XE60C	201993048
TPA036H4 (460V)	34800	15.5	13	31400	20400	8.7	C37-49C	EL296UH090XE48C	201872709
TPA036H4 (460V)	35000	15.5	13.2	31400	20400	8.7	C37-49C	EL296UH090XV36C	201872711

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036H4 (460V)	35000	15.7	13.2	31400	20200	8.7	C37-49C	EL296UH090XV48C	201872713
TPA036H4 (460V)	35200	15.7	13.2	31600	20400	8.7	C37-49C	EL296UH110XE60C	201872716
TPA036H4 (460V)	35000	15.7	13.2	31400	20200	8.7	C37-49C	EL296UH110XV48C	201872719
TPA036H4 (460V)	35200	15.7	13.2	31400	20200	8.7	C37-49C	ML180UH090E60C	201873179
TPA036H4 (460V)	34800	15.7	13.2	31400	20200	8.7	C37-49C	ML180UH110E60C	201873218
TPA036H4 (460V)	34800	15.7	13.2	31400	20200	8.7	C37-49C	ML180UH110XE60C	201873243
TPA036H4 (460V)	35400	15.1	13	31600	20400	8.5	C37-49C	SL280UH090V60C	201872722
TPA036H4 (460V)	35400	15.1	13	31600	20400	8.5	C37-49C	SL280UH090XV60C	201872725
TPA036H4 (460V)	35400	15.1	13	31600	20400	8.5	C37-49C	SL280UH110V60C	201872727
TPA036H4 (460V)	35400	15.1	13	31600	20400	8.5	C37-49C	SL280UH110XV60C	201872730
TPA036H4 (460V)	35000	15.5	13.2	31400	20200	8.7	C37-49C	SLP98UH090XV36C	201872734
TPA036H4 (460V)	34800	15.7	13.2	31400	20200	8.7	C37-49C	SLP98UH090XV48C	201872737
TPA036H4 (460V)	34400	14.2	12	32000	21000	8.2	C37-49C		201873110
TPA036H4 (460V)	34400	14.2	12	32000	21000	8.2	C37-49C		201874852
TPA036H4 (460V)	34600	15.5	13	31400	20200	8.2	C37-50/60C	EL180UH090E60C	201872739
TPA036H4 (460V)	34400	15.5	13	32400	20600	8.2	C37-50/60C	EL180UH110E60C	201872741
TPA036H4 (460V)	34400	15.5	13	32400	20600	8.2	C37-50/60C	EL180UH110XE60C	201872744
TPA036H4 (460V)	34200	15.2	12.7	31400	20200	8.7	C37-50/60C	EL195UH090XE48C	201872746
TPA036H4 (460V)	34600	15.5	13	31400	20400	8.7	C37-50/60C	EL195UH110XE60C	201872748
TPA036H4 (460V)	34200	15	12.5	31400	20400	8.7	C37-50/60C	EL196UH090XE48C	201993049
TPA036H4 (460V)	34600	15.5	13	31400	20400	8.7	C37-50/60C	EL196UH110XE60C	201993050
TPA036H4 (460V)	34200	15.2	12.7	31400	20200	8.7	C37-50/60C	EL296UH090XE48C	201872750
TPA036H4 (460V)	34400	15.2	12.7	31400	20400	8.7	C37-50/60C	EL296UH090XV36C	201872753
TPA036H4 (460V)	34200	15.2	13	31200	20200	8.7	C37-50/60C	EL296UH090XV48C	201872756
TPA036H4 (460V)	34600	15.5	13	32400	20400	8.2	C37-50/60C	EL296UH110XE60C	201872759
TPA036H4 (460V)	34400	15.5	13	31400	20200	8.7	C37-50/60C	EL296UH110XV48C	201872761
TPA036H4 (460V)	34600	15.5	13	31400	20200	8.2	C37-50/60C	ML180UH090E60C	201873180
TPA036H4 (460V)	34400	15.5	13	32400	20600	8.2	C37-50/60C	ML180UH110E60C	201873219
TPA036H4 (460V)	34400	15.5	13	32400	20600	8.2	C37-50/60C	ML180UH110XE60C	201873244
TPA036H4 (460V)	34800	15.1	12.5	31600	20400	8.5	C37-50/60C	SL280UH090V60C	201872764
TPA036H4 (460V)	34800	15.1	12.5	31600	20400	8.5	C37-50/60C	SL280UH090XV60C	201872766
TPA036H4 (460V)	34600	15.1	12.5	31600	20400	8.5	C37-50/60C	SL280UH110V60C	201872768
TPA036H4 (460V)	34600	15.1	12.5	31600	20400	8.5	C37-50/60C	SL280UH110XV60C	201872771
TPA036H4 (460V)	34400	15.2	12.7	31400	20400	8.7	C37-50/60C	SLP98UH090XV36C	201872774
TPA036H4 (460V)	34200	15.2	13	31200	20200	8.7	C37-50/60C	SLP98UH090XV48C	201872777
TPA036H4 (460V)	33800	14	11.7	32000	21000	8.2	C37-50/60C		201873111
TPA036H4 (460V)	33800	14	11.7	32000	21000	8.2	C37-50/60C		201874853
TPA036H4 (460V)	34200	15	12.5	32800	21000	8.5	CBA27UHE-036-230		10262314
TPA036H4 (460V)	34200	15	12.5	32800	21000	8.5	CBA27UHE-036-460		10262315
TPA036H4 (460V)	34200	14.7	12.2	33200	20800	8.5	CBA38MV-036-230		202084047
TPA036H4 (460V)	34800	15	12.5	32600	20000	9	CBA38MV-042-230		202084049
TPA036H4 (460V)	34600	14	12	34800	21800	8.2	CBX25UH-036-230		9031621
TPA036H4 (460V)	35000	15	12.5	34200	21400	8.5	CBX25UHV-036-230		9031622
TPA036H4 (460V)	34800	15.2	12.5	32800	20400	8.7	CBX27UH-036-230		9031623
TPA036H4 (460V)	36000	16	13.5	33000	17300	8.5	CBX27UH-042-230		9031624
TPA036H4 (460V)	34400	14.5	11.7	33200	20800	8.5	CBX32M-036		9031625
TPA036H4 (460V)	34400	14.5	11.7	33200	20800	8.5	CBX32M-042		9031626
TPA036H4 (460V)	35200	14.5	12.2	32800	21000	8.5	CH33-43		9031632
TPA036H4 (460V)	35200	15.7	13.2	32000	20200	8.7	CH33-43B	EL180UH070E36B	9031633
TPA036H4 (460V)	35200	15.7	13.2	32000	20200	8.7	CH33-43B	EL180UH070XE36B	9031634
TPA036H4 (460V)	35600	15.7	13.2	32200	20400	9	CH33-43B	EL180UH090E48B	9031635
TPA036H4 (460V)	35400	14.7	12.5	32600	21000	8.5	CH33-43B	EL195UH045XE36B	9031637
TPA036H4 (460V)	35200	15.2	12.7	32200	20600	8.7	CH33-43B	EL195UH070XE36B	9031638
TPA036H4 (460V)	35400	14.5	12.5	32600	20800	8.5	CH33-43B	EL196UH045XE36B	201993051
TPA036H4 (460V)	35200	15	12.5	32200	20400	8.7	CH33-43B	EL196UH070XE36B	201993052

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036H4 (460V)	35400	14.7	12.5	32600	21000	8.5	CH33-43B	EL296UH045XE36B	9031639
TPA036H4 (460V)	35400	15.2	12.7	32600	20800	8.7	CH33-43B	EL296UH045XV36B	9031640
TPA036H4 (460V)	35200	15.2	12.7	32200	20600	8.7	CH33-43B	EL296UH070XE36B	9031641
TPA036H4 (460V)	35600	15.2	12.7	32600	20600	8.7	CH33-43B	EL296UH070XV36B	9031642
TPA036H4 (460V)	35200	15.7	13.2	32000	20200	8.7	CH33-43B	ML180UH070E36B	10590684
TPA036H4 (460V)	35200	15.7	13.2	32000	20200	8.7	CH33-43B	ML180UH070XE36B	10590768
TPA036H4 (460V)	35600	15.7	13.2	32200	20400	9	CH33-43B	ML180UH090E48B	10590815
TPA036H4 (460V)	35600	15.7	13.2	32200	20400	9	CH33-43B	SL280UH090V36B	9031643
TPA036H4 (460V)	35600	15.7	13.2	32200	20400	9	CH33-43B	SL280UH090V48B	9031644
TPA036H4 (460V)	35600	15.7	13.2	32200	20400	9	CH33-43B	SL280UH090XV48B	9031645
TPA036H4 (460V)	35600	15.2	12.7	32600	20600	8.7	CH33-43B	SLP98UH070XV36B	9031646
TPA036H4 (460V)	35400	15.7	13.2	32600	20600	8.5	CH33-43C	EL180UH090E60C	9031647
TPA036H4 (460V)	35000	15.7	13.2	32400	20400	8.5	CH33-43C	EL180UH110E60C	9031648
TPA036H4 (460V)	35000	15.7	13.2	32400	20400	8.5	CH33-43C	EL180UH110XE60C	9031649
TPA036H4 (460V)	35200	15.5	13.2	32600	20600	8.2	CH33-43C	EL195UH090XE48C	9031650
TPA036H4 (460V)	35400	15.7	13.2	32600	20600	8.5	CH33-43C	EL195UH110XE60C	9031651
TPA036H4 (460V)	35200	15.5	13	32600	20600	8.2	CH33-43C	EL196UH090XE48C	201993053
TPA036H4 (460V)	35400	15.5	13	32600	20600	8.5	CH33-43C	EL196UH110XE60C	201993054
TPA036H4 (460V)	35200	15.5	13.2	32600	20600	8.2	CH33-43C	EL296UH090XE48C	9031652
TPA036H4 (460V)	35200	15.5	13.2	32600	20600	8.2	CH33-43C	EL296UH090XV36C	9031653
TPA036H4 (460V)	35000	15.5	13.2	32400	20400	8.5	CH33-43C	EL296UH090XV48C	9031654
TPA036H4 (460V)	35600	15.5	13	32800	20800	8.5	CH33-43C	EL296UH090XV60C	9031655
TPA036H4 (460V)	35400	15.7	13.2	32600	20600	8.5	CH33-43C	EL296UH110XE60C	9031656
TPA036H4 (460V)	35200	15.7	13.2	32400	20600	8.5	CH33-43C	EL296UH110XV48C	9031657
TPA036H4 (460V)	35600	15.7	13.2	32600	20600	8.5	CH33-43C	EL296UH110XV60C	9031658
TPA036H4 (460V)	35400	15.7	13.2	32600	20600	8.5	CH33-43C	ML180UH090E60C	10590913
TPA036H4 (460V)	35000	15.7	13.2	32400	20400	8.5	CH33-43C	ML180UH110E60C	10591023
TPA036H4 (460V)	35000	15.7	13.2	32400	20400	8.5	CH33-43C	ML180UH110XE60C	10591100
TPA036H4 (460V)	35200	16	13.5	32600	20400	8.5	CH33-43C	SL280UH080NV60C-	10590485
TPA036H4 (460V)	35200	15.1	13	32600	20800	8.2	CH33-43C	SL280UH090V60C	9031659
TPA036H4 (460V)	35200	15.1	13	32600	20800	8.2	CH33-43C	SL280UH090XV60C	9031660
TPA036H4 (460V)	35400	15.1	13	32600	20600	8.2	CH33-43C	SL280UH110V60C	9031661
TPA036H4 (460V)	35400	15.1	13	32600	20600	8.2	CH33-43C	SL280UH110XV60C	9031662
TPA036H4 (460V)	35200	15.5	13.2	32600	20600	8.2	CH33-43C	SLP98UH090XV36C	9031663
TPA036H4 (460V)	35000	15.5	13.2	32400	20400	8.5	CH33-43C	SLP98UH090XV48C	9031664
TPA036H4 (460V)	35600	15.5	13	32800	20800	8.5	CH33-43C	SLP98UH090XV60C	9031665
TPA036H4 (460V)	35600	15.7	13.2	32600	20600	8.5	CH33-43C	SLP98UH110XV60C	9031666
TPA036H4 (460V)	34000	15.2	12.7	32400	20400	8.2	CH33-44/48B	EL180UH070E36B	9031667
TPA036H4 (460V)	34000	15.2	12.7	32400	20400	8.2	CH33-44/48B	EL180UH070XE36B	9031668
TPA036H4 (460V)	34200	15.2	12.7	32600	20800	8.7	CH33-44/48B	EL180UH090E48B	9031669
TPA036H4 (460V)	34200	15.2	12.7	32200	20800	9	CH33-44/48B	EL180UH090XE48B	9031670
TPA036H4 (460V)	34000	14.7	12.5	32800	20800	8.2	CH33-44/48B	EL195UH070XE36B	9031671
TPA036H4 (460V)	34000	14.5	12.5	32600	20600	8.2	CH33-44/48B	EL196UH070XE36B	201993055
TPA036H4 (460V)	34000	14.7	12.5	32800	20800	8.2	CH33-44/48B	EL296UH070XE36B	9031673
TPA036H4 (460V)	34200	14.7	12.5	33000	20800	8.2	CH33-44/48B	EL296UH070XV36B	9031674
TPA036H4 (460V)	34000	15.2	12.7	32400	20400	8.2	CH33-44/48B	ML180UH070E36B	10590685
TPA036H4 (460V)	34000	15.2	12.7	32400	20400	8.2	CH33-44/48B	ML180UH070XE36B	10590769
TPA036H4 (460V)	34200	15.2	12.7	32600	20800	8.7	CH33-44/48B	ML180UH090E48B	10590816
TPA036H4 (460V)	34200	15.2	12.7	32200	20800	9	CH33-44/48B	ML180UH090XE48B	10590974
TPA036H4 (460V)	34400	15.2	12.7	32600	20600	8.2	CH33-44/48B	SL280UH090V36B	9031675
TPA036H4 (460V)	34400	15	12.7	32800	20600	8.2	CH33-44/48B	SL280UH090V48B	9031676
TPA036H4 (460V)	34400	15	12.7	32800	20600	8.2	CH33-44/48B	SL280UH090XV48B	9031677
TPA036H4 (460V)	34200	14.7	12.5	33000	20800	8.2	CH33-44/48B	SLP98UH070XV36B	9031678
TPA036H4 (460V)	35000	15.5	13	32400	20600	8.2	CH33-48C	EL296UH090XV36C	9031679
TPA036H4 (460V)	34800	15.5	13	32400	20400	8.5	CH33-48C	EL296UH090XV48C	9031680

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036H4 (460V)	35400	15.2	13	32400	20600	8.5	CH33-48C	EL296UH090XV60C	9031681
TPA036H4 (460V)	35000	15.5	13.2	32400	20400	8.5	CH33-48C	EL296UH110XV48C	9031682
TPA036H4 (460V)	35400	15.5	13.2	32600	20600	8.5	CH33-48C	EL296UH110XV60C	9031683
TPA036H4 (460V)	35400	15.5	12.5	32600	20600	8.2	CH33-48C	SL280UH080NV60C-	10590486
TPA036H4 (460V)	35400	15.1	13	32600	20600	8.2	CH33-48C	SL280UH090V60C	9031684
TPA036H4 (460V)	35400	15.1	13	32600	20600	8.2	CH33-48C	SL280UH090XV60C	9031685
TPA036H4 (460V)	35200	15.1	12.5	32600	20600	8.2	CH33-48C	SL280UH110V60C	9031686
TPA036H4 (460V)	35200	15.1	12.5	32600	20600	8.2	CH33-48C	SL280UH110XV60C	9031687
TPA036H4 (460V)	35000	15.5	13	32400	20600	8.2	CH33-48C	SLP98UH090XV36C	9031688
TPA036H4 (460V)	34800	15.5	13	32400	20400	8.5	CH33-48C	SLP98UH090XV48C	9031689
TPA036H4 (460V)	35400	15.2	13	32800	20800	8.5	CH33-48C	SLP98UH090XV60C	9031690
TPA036H4 (460V)	35400	15.5	13.2	32600	20600	8.5	CH33-48C	SLP98UH110XV60C	9031691
TPA036H4 (460V)	35200	15.7	13.2	31600	20400	9	CH33-49	EL180UH090E60C	9031692
TPA036H4 (460V)	35000	15.7	13.2	31600	20200	9	CH33-49	EL180UH110E60C	9031693
TPA036H4 (460V)	35000	15.7	13.2	31600	20200	9	CH33-49	EL180UH110XE60C	9031694
TPA036H4 (460V)	35000	15.5	13	31600	20400	8.5	CH33-49	EL195UH090XE48C	9031695
TPA036H4 (460V)	35200	15.7	13.2	31800	20400	9	CH33-49	EL195UH110XE60C	9031696
TPA036H4 (460V)	35000	15.5	13	31600	20400	8.5	CH33-49	EL196UH090XE48C	201993056
TPA036H4 (460V)	35200	15.5	13	31800	20400	9	CH33-49	EL196UH110XE60C	201993057
TPA036H4 (460V)	35000	15.5	13	31600	20400	8.5	CH33-49	EL296UH090XE48C	9031697
TPA036H4 (460V)	35000	15.7	13.2	32000	20400	9	CH33-49	EL296UH090XV36C	9031698
TPA036H4 (460V)	34800	15.7	13.2	32000	20400	9	CH33-49	EL296UH090XV48C	9031699
TPA036H4 (460V)	35400	15.5	13	32400	20600	9	CH33-49	EL296UH090XV60C	9031700
TPA036H4 (460V)	35200	15.7	13.2	31800	20400	9	CH33-49	EL296UH110XE60C	9031701
TPA036H4 (460V)	35000	15.7	13.2	32000	20400	9	CH33-49	EL296UH110XV48C	9031702
TPA036H4 (460V)	35400	15.7	13.2	32200	20400	9	CH33-49	EL296UH110XV60C	9031703
TPA036H4 (460V)	35200	15.7	13.2	31600	20400	9	CH33-49	ML180UH090E60C	10590914
TPA036H4 (460V)	35000	15.7	13.2	31600	20200	9	CH33-49	ML180UH110E60C	10591024
TPA036H4 (460V)	35000	15.7	13.2	31600	20200	9	CH33-49	ML180UH110XE60C	10591101
TPA036H4 (460V)	35400	16	13	32000	20400	9.2	CH33-49	SL280UH080NV60C-	10590487
TPA036H4 (460V)	35400	15.1	13	32200	20400	9	CH33-49	SL280UH090V60C	9031704
TPA036H4 (460V)	35400	15.1	13	32200	20400	9	CH33-49	SL280UH090XV60C	9031705
TPA036H4 (460V)	35200	15.1	13	32200	20400	9	CH33-49	SL280UH110V60C	9031706
TPA036H4 (460V)	35200	15.1	13	32200	20400	9	CH33-49	SL280UH110XV60C	9031707
TPA036H4 (460V)	35000	15.7	13.2	32000	20400	9	CH33-49	SLP98UH090XV36C	9031708
TPA036H4 (460V)	34800	15.7	13.2	32000	20200	9	CH33-49	SLP98UH090XV48C	9031709
TPA036H4 (460V)	35400	15.5	13	32400	20600	9	CH33-49	SLP98UH090XV60C	9031710
TPA036H4 (460V)	35400	15.7	13.2	32200	20400	9	CH33-49	SLP98UH110XV60C	9031711
TPA036H4 (460V)	34400	14.2	12	32600	21000	8.5	CH33-49		9031712
TPA036H4 (460V)	35000	15.7	13.2	31600	20400	9	CH33-50/60C	EL180UH090E60C	9031713
TPA036H4 (460V)	34800	15.7	13.2	31400	20200	9	CH33-50/60C	EL180UH110E60C	9031714
TPA036H4 (460V)	34800	15.7	13.2	31400	20200	9	CH33-50/60C	EL180UH110XE60C	9031715
TPA036H4 (460V)	34800	15.5	13	31600	20400	9	CH33-50/60C	EL195UH090XE48C	9031716
TPA036H4 (460V)	35000	15.7	13.2	31800	20400	9	CH33-50/60C	EL195UH110XE60C	9031717
TPA036H4 (460V)	34800	15.5	13	31600	20400	9	CH33-50/60C	EL196UH090XE48C	201993058
TPA036H4 (460V)	35000	15.5	13	31800	20400	9	CH33-50/60C	EL196UH110XE60C	201993059
TPA036H4 (460V)	34800	15.5	13	31600	20400	9	CH33-50/60C	EL296UH090XE48C	9031718
TPA036H4 (460V)	34800	15.5	13	32000	20400	9	CH33-50/60C	EL296UH090XV36C	9031719
TPA036H4 (460V)	34600	15.7	13	31800	20400	9	CH33-50/60C	EL296UH090XV48C	9031720
TPA036H4 (460V)	35200	15.5	13	32400	20600	9	CH33-50/60C	EL296UH090XV60C	9031721
TPA036H4 (460V)	35000	15.7	13.2	31800	20400	9	CH33-50/60C	EL296UH110XE60C	9031722
TPA036H4 (460V)	34800	15.7	13.2	32000	20400	9	CH33-50/60C	EL296UH110XV48C	9031723
TPA036H4 (460V)	35200	15.7	13.2	32200	20400	9	CH33-50/60C	EL296UH110XV60C	9031724
TPA036H4 (460V)	35000	15.7	13.2	31600	20400	9	CH33-50/60C	ML180UH090E60C	10590915
TPA036H4 (460V)	34800	15.7	13.2	31400	20200	9	CH33-50/60C	ML180UH110E60C	10591025

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036H4 (460V)	34800	15.7	13.2	31400	20200	9	CH33-50/60C	ML180UH110XE60C	10591102
TPA036H4 (460V)	35200	16	13	32000	20400	9.2	CH33-50/60C	SL280UH080NV60C-	10590488
TPA036H4 (460V)	35200	15.1	13	32200	20400	9	CH33-50/60C	SL280UH090V60C	9031725
TPA036H4 (460V)	35200	15.1	13	32200	20400	9	CH33-50/60C	SL280UH090XV60C	9031726
TPA036H4 (460V)	35000	15.5	12.5	32200	20400	8.5	CH33-50/60C	SL280UH110V60C	9031727
TPA036H4 (460V)	35000	15.5	12.5	32200	20400	8.5	CH33-50/60C	SL280UH110XV60C	9031728
TPA036H4 (460V)	34800	15.5	13	32000	20400	9	CH33-50/60C	SLP98UH090XV36C	9031729
TPA036H4 (460V)	34600	15.7	13	31800	20400	9	CH33-50/60C	SLP98UH090XV48C	9031730
TPA036H4 (460V)	35200	15.5	13	32400	20600	9	CH33-50/60C	SLP98UH090XV60C	9031731
TPA036H4 (460V)	35200	15.7	13.2	32200	20400	9	CH33-50/60C	SLP98UH110XV60C	9031732
TPA036H4 (460V)	34200	14.2	12	32200	21000	8.2	CH33-50/60C		9031733
TPA036H4 (460V)	35200	15.5	13	31600	20800	8.5	CR33-48B	EL180DF070E36B	9032710
TPA036H4 (460V)	35200	15.5	13	31600	20800	8.5	CR33-48B	EL180DF090E48B	9032711
TPA036H4 (460V)	35000	15	12.7	33600	21200	8.2	CR33-48B	EL195DF045XE36B	9032712
TPA036H4 (460V)	35200	15.2	13	33600	21200	8.5	CR33-48B	EL195DF070XE48B	9032713
TPA036H4 (460V)	35000	15	12.7	33600	21200	8.2	CR33-48B	EL196DF045XE36B	202066692
TPA036H4 (460V)	35200	15	12.5	33600	21200	8.5	CR33-48B	EL196DF070XE48B	202066693
TPA036H4 (460V)	35000	15	12.7	33600	21200	8.2	CR33-48B	EL296DF045XE36B	9032714
TPA036H4 (460V)	35200	15	12.7	33800	21200	8.2	CR33-48B	EL296DF045XV36B	9032715
TPA036H4 (460V)	35200	15.2	13	33600	21200	8.5	CR33-48B	EL296DF070XE48B	9032716
TPA036H4 (460V)	35200	15	12.5	34000	21400	8.2	CR33-48B	EL296DF070XV48B	9032717
TPA036H4 (460V)	35200	15.5	13	31600	20800	8.5	CR33-48B	ML180DF070E36B	10590549
TPA036H4 (460V)	35200	15.5	13	31600	20800	8.5	CR33-48B	ML180DF090E48B	10590556
TPA036H4 (460V)	35400	15.5	13	33600	21000	8.5	CR33-48B	SL280DF090V48B	9032718
TPA036H4 (460V)	35400	15.2	12.7	33800	21200	8.5	CR33-48B	SLP98DF070XV36B	9032719
TPA036H4 (460V)	34800	14.2	12	34200	21800	8.2	CR33-48B		9032720
TPA036H4 (460V)	34600	15.5	13	31400	20800	8.7	CR33-48C	EL180DF110E60C	9032721
TPA036H4 (460V)	35200	15.2	12.7	33600	21200	8.5	CR33-48C	EL195DF090XE48C	9032722
TPA036H4 (460V)	35600	15.5	13	33800	21200	8.5	CR33-48C	EL195DF110XE60C	9032723
TPA036H4 (460V)	35200	15	12.7	33600	21200	8.5	CR33-48C	EL196DF090XE48C	202066694
TPA036H4 (460V)	35200	15.2	12.7	33600	21200	8.5	CR33-48C	EL296DF090XE48C	9032725
TPA036H4 (460V)	35600	15.5	13	33800	21200	8.5	CR33-48C	EL296DF090XV60C	9032791
TPA036H4 (460V)	35600	15.5	13	33800	21200	8.5	CR33-48C	EL296DF110XE60C	9032726
TPA036H4 (460V)	35600	15.5	13	33800	21200	8.5	CR33-48C	EL296DF110XV60C	9032727
TPA036H4 (460V)	34600	15.5	13	31400	20800	8.7	CR33-48C	ML180DF110E60C	10590573
TPA036H4 (460V)	35800	15.7	13	33600	21000	8.5	CR33-48C	SL280DF090V60C	9032728
TPA036H4 (460V)	35600	15.1	13	33600	21000	8.5	CR33-48C	SL280DF110V60C	9032729
TPA036H4 (460V)	35400	15.5	13	33600	21200	8.5	CR33-48C	SLP98DF090XV36C	9032730
TPA036H4 (460V)	35400	15.5	13	33600	21000	8.5	CR33-48C	SLP98DF090XV48C	9032731
TPA036H4 (460V)	35600	15.5	13	33800	21200	8.5	CR33-48C	SLP98DF090XV60C	9032724
TPA036H4 (460V)	35600	15.5	13	33800	21200	8.5	CR33-48C	SLP98DF110XV60C	9032732
TPA036H4 (460V)	35200	15.1	13	32200	21000	9	CR33-50/60	EL180DF110E60C	9031734
TPA036H4 (460V)	35600	15.5	13.2	32800	20600	8.7	CR33-50/60	EL195DF090XE48C	9031735
TPA036H4 (460V)	36000	16	13.2	32800	20400	9	CR33-50/60	EL195DF110XE60C	9031736
TPA036H4 (460V)	35600	15.5	12.7	32800	20600	8.7	CR33-50/60	EL196DF090XE48C	202066678
TPA036H4 (460V)	35600	15.5	13.2	32800	20600	8.7	CR33-50/60	EL296DF090XE48C	9031737
TPA036H4 (460V)	36000	15.7	13.2	34000	21200	9	CR33-50/60	EL296DF090XV60C	9031738
TPA036H4 (460V)	36000	16	13.2	32800	20400	9	CR33-50/60	EL296DF110XE60C	9031739
TPA036H4 (460V)	36000	15.7	13.2	34000	21200	9	CR33-50/60	EL296DF110XV60C	9031740
TPA036H4 (460V)	35200	15.1	13	32200	21000	9	CR33-50/60	ML180DF110E60C	10590567
TPA036H4 (460V)	36000	15.1	13	34000	21200	9	CR33-50/60	SL280DF090V60C	9031741
TPA036H4 (460V)	36000	15.1	13	33800	21000	8.5	CR33-50/60	SL280DF110V60C	9031742
TPA036H4 (460V)	36000	15.7	13.2	33800	21200	8.7	CR33-50/60	SLP98DF090XV36C	9031743
TPA036H4 (460V)	36000	15.7	13.2	33800	21200	8.7	CR33-50/60	SLP98DF090XV48C	9031744
TPA036H4 (460V)	36000	15.7	13.2	34000	21200	9	CR33-50/60	SLP98DF090XV60C	9031745

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036H4 (460V)	36000	15.7	13.2	34000	21200	9	CR33-50/60	SLP98DF110XV60C	9031746
TPA036H4 (460V)	34600	15.7	13	31800	21600	9	CR33-50/60		9031747
TPA036H4 (460V)	35200	15.5	13	32400	21000	9	CX38-38A	EL180UH045E36A	201873457
TPA036H4 (460V)	35000	15.7	13.2	31800	21000	9	CX38-38A	EL180UH045XE36A	201873458
TPA036H4 (460V)	35200	15.5	13	32400	21000	9	CX38-38A	ML180UH045E36A	201874753
TPA036H4 (460V)	35000	15.7	13.2	31800	21000	9	CX38-38A	ML180UH045XE36A	201874755
TPA036H4 (460V)	34200	15	12.5	32800	20800	8.2	CX38-38A	SL280UH070V36A	201873459
TPA036H4 (460V)	34200	15	12.5	32800	20800	8.2	CX38-38A	SL280UH070XV36A	201873460
TPA036H4 (460V)	34200	15.1	13	32400	20400	8.5	CX38-38B	EL180UH070E36B	201873461
TPA036H4 (460V)	34200	15.1	13	32400	20400	8.5	CX38-38B	EL180UH070XE36B	201873462
TPA036H4 (460V)	34600	15.5	13	32200	20600	8.5	CX38-38B	EL180UH090E48B	201873463
TPA036H4 (460V)	34600	15.5	13	32200	20600	8.5	CX38-38B	EL180UH090XE48B	201873464
TPA036H4 (460V)	33800	15	12.5	32600	20600	8.2	CX38-38B	EL195UH045XE36B	201873465
TPA036H4 (460V)	34000	15	12.5	32600	20800	8.2	CX38-38B	EL195UH070XE36B	201873466
TPA036H4 (460V)	33800	15	12.5	32600	20600	8.2	CX38-38B	EL196UH045XE36B	201993060
TPA036H4 (460V)	34000	15	12.5	32600	20600	8.2	CX38-38B	EL196UH070XE36B	201993061
TPA036H4 (460V)	33800	15	12.5	32600	20600	8.2	CX38-38B	EL296UH045XE36B	201873467
TPA036H4 (460V)	34200	15	12.5	32800	20800	8.2	CX38-38B	EL296UH045XV36B	201873468
TPA036H4 (460V)	34000	15	12.5	32600	20800	8.2	CX38-38B	EL296UH070XE36B	201873469
TPA036H4 (460V)	34200	15	12.5	32800	20800	8.2	CX38-38B	EL296UH070XV36B	201873470
TPA036H4 (460V)	34200	15.1	13	32400	20400	8.5	CX38-38B	ML180UH070E36B	201873892
TPA036H4 (460V)	34200	15.1	13	32400	20400	8.5	CX38-38B	ML180UH070XE36B	201873902
TPA036H4 (460V)	34600	15.5	13	32200	20600	8.5	CX38-38B	ML180UH090E48B	201873914
TPA036H4 (460V)	34600	15.5	13	32200	20600	8.5	CX38-38B	ML180UH090XE48B	201873954
TPA036H4 (460V)	34400	15.7	13	32600	20600	8.2	CX38-38B	SL280UH090V36B	201873471
TPA036H4 (460V)	34400	15.5	13	32600	20600	8.2	CX38-38B	SL280UH090V48B	201873472
TPA036H4 (460V)	34400	15.5	13	32600	20600	8.2	CX38-38B	SL280UH090XV48B	201873473
TPA036H4 (460V)	34200	15	12.5	32800	20800	8.2	CX38-38B	SLP98UH070XV36B	201873474
TPA036H4 (460V)	35200	15.7	13.2	32400	20200	8.5	CX38-43B	EL180UH070E36B	201873475
TPA036H4 (460V)	35200	15.7	13.2	32400	20200	8.5	CX38-43B	EL180UH070XE36B	201873476
TPA036H4 (460V)	35600	15.7	13.2	32600	20200	8.2	CX38-43B	EL180UH090E48B	201873477
TPA036H4 (460V)	35600	15.7	13.2	32600	20200	8.2	CX38-43B	EL180UH090XE48B	201873478
TPA036H4 (460V)	34800	15	12.7	32400	20400	8.2	CX38-43B	EL195UH045XE36B	201873479
TPA036H4 (460V)	35000	15	12.7	32600	20400	8.2	CX38-43B	EL195UH070XE36B	201873480
TPA036H4 (460V)	34800	15	12.5	32400	20400	8.2	CX38-43B	EL196UH045XE36B	201993062
TPA036H4 (460V)	35000	15	12.5	32600	20400	8.2	CX38-43B	EL196UH070XE36B	201993063
TPA036H4 (460V)	34800	15	12.7	32400	20400	8.2	CX38-43B	EL296UH045XE36B	201873481
TPA036H4 (460V)	35200	15	12.7	32800	20400	8.2	CX38-43B	EL296UH045XV36B	201873482
TPA036H4 (460V)	35000	15	12.7	32600	20400	8.2	CX38-43B	EL296UH070XE36B	201873483
TPA036H4 (460V)	35200	15	12.7	32800	20600	8.2	CX38-43B	EL296UH070XV36B	201873484
TPA036H4 (460V)	35200	15.7	13.2	32400	20200	8.5	CX38-43B	ML180UH070E36B	201873893
TPA036H4 (460V)	35200	15.7	13.2	32400	20200	8.5	CX38-43B	ML180UH070XE36B	201873903
TPA036H4 (460V)	35600	15.7	13.2	32600	20200	8.2	CX38-43B	ML180UH090E48B	201873915
TPA036H4 (460V)	35600	15.7	13.2	32600	20200	8.2	CX38-43B	ML180UH090XE48B	201873955
TPA036H4 (460V)	35200	15.7	13.2	32400	20200	8.5	CX38-43B	SL280UH090V36B	201873485
TPA036H4 (460V)	35400	15.7	13.2	32600	20200	8.2	CX38-43B	SL280UH090V48B	201873486
TPA036H4 (460V)	35400	15.7	13.2	32600	20200	8.2	CX38-43B	SL280UH090XV48B	201873487
TPA036H4 (460V)	35200	15	12.7	32800	20600	8.2	CX38-43B	SLP98UH070XV36B	201873488
TPA036H4 (460V)	35600	15.7	13.2	33600	20600	8.5	CX38-43C	EL180UH090E60C	201873489
TPA036H4 (460V)	35200	15.7	13.2	32400	20200	8.5	CX38-43C	EL180UH110E60C	201873490
TPA036H4 (460V)	35200	15.7	13.2	32400	20200	8.5	CX38-43C	EL180UH110XE60C	201873491
TPA036H4 (460V)	35200	15.5	13.2	32600	20200	8.2	CX38-43C	EL195UH090XE48C	201873492
TPA036H4 (460V)	35600	15.7	13.2	32600	20400	8.2	CX38-43C	EL195UH110XE60C	201873493
TPA036H4 (460V)	35200	15.5	13	32600	20400	8.2	CX38-43C	EL196UH090XE48C	201993064
TPA036H4 (460V)	35600	15.5	13	32600	20400	8.2	CX38-43C	EL196UH110XE60C	201993065

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036H4 (460V)	35200	15.5	13.2	32600	20200	8.2	CX38-43C	EL296UH090XE48C	201873494
TPA036H4 (460V)	35400	15.5	13.2	32600	20400	8.2	CX38-43C	EL296UH090XV36C	201873495
TPA036H4 (460V)	35200	15.5	13.2	32400	20200	8.5	CX38-43C	EL296UH090XV48C	201873496
TPA036H4 (460V)	35800	15.5	13.2	32800	20400	8.5	CX38-43C	EL296UH090XV60C	201873497
TPA036H4 (460V)	35600	15.7	13.2	32600	20400	8.2	CX38-43C	EL296UH110XE60C	201873498
TPA036H4 (460V)	35400	15.7	13.2	32400	20200	8.5	CX38-43C	EL296UH110XV48C	201873780
TPA036H4 (460V)	35600	15.7	13.2	32600	20400	8.5	CX38-43C	EL296UH110XV60C	201873499
TPA036H4 (460V)	35600	15.7	13.2	33600	20600	8.5	CX38-43C	ML180UH090E60C	201873933
TPA036H4 (460V)	35200	15.7	13.2	32400	20200	8.5	CX38-43C	ML180UH110E60C	201873971
TPA036H4 (460V)	35200	15.7	13.2	32400	20200	8.5	CX38-43C	ML180UH110XE60C	201873995
TPA036H4 (460V)	35800	15.1	13	32600	20400	8.2	CX38-43C	SL280UH090V60C	201873500
TPA036H4 (460V)	35800	15.1	13	32600	20400	8.2	CX38-43C	SL280UH090XV60C	201873501
TPA036H4 (460V)	35600	15.1	13	32600	20400	8.2	CX38-43C	SL280UH110V60C	201873502
TPA036H4 (460V)	35600	15.1	13	32600	20400	8.2	CX38-43C	SL280UH110XV60C	201873503
TPA036H4 (460V)	35400	15.5	13.2	32400	20200	8.2	CX38-43C	SLP98UH090XV36C	201873504
TPA036H4 (460V)	35200	15.5	13.2	32400	20200	8.5	CX38-43C	SLP98UH090XV48C	201873505
TPA036H4 (460V)	35800	15.5	13.2	32800	20400	8.5	CX38-43C	SLP98UH090XV60C	201873506
TPA036H4 (460V)	35600	15.7	13.2	32600	20400	8.5	CX38-43C	SLP98UH110XV60C	201873507
TPA036H4 (460V)	33800	15.5	13	32200	20400	8.2	CX38-44/48B	EL180UH070E36B	201873508
TPA036H4 (460V)	33800	15.5	13	32200	20400	8.2	CX38-44/48B	EL180UH070XE36B	201873509
TPA036H4 (460V)	34200	15.5	12.7	32800	20600	8.2	CX38-44/48B	EL180UH090E48B	201873510
TPA036H4 (460V)	34200	15.5	12.7	32800	20600	8.2	CX38-44/48B	EL180UH090XE48B	201873511
TPA036H4 (460V)	33800	15.5	13	32200	20400	8.2	CX38-44/48B	ML180UH070E36B	201873894
TPA036H4 (460V)	33800	15.5	13	32200	20400	8.2	CX38-44/48B	ML180UH070XE36B	201873904
TPA036H4 (460V)	34200	15.5	12.7	32800	20600	8.2	CX38-44/48B	ML180UH090E48B	201873916
TPA036H4 (460V)	34200	15.5	12.7	32800	20600	8.2	CX38-44/48B	ML180UH090XE48B	201873956
TPA036H4 (460V)	34000	15.5	12.7	32200	20400	8.2	CX38-44/48B	SL280UH090V36B	201873512
TPA036H4 (460V)	34000	15.2	12.7	32400	20600	8.2	CX38-44/48B	SL280UH090V48B	201873513
TPA036H4 (460V)	34000	15.2	12.7	32400	20600	8.2	CX38-44/48B	SL280UH090XV48B	201873514
TPA036H4 (460V)	34200	15.5	13	32400	20600	8.2	CX38-44/48C	EL180UH090E60C	201873515
TPA036H4 (460V)	34000	15.5	13	32200	20400	8.2	CX38-44/48C	EL180UH110E60C	201873516
TPA036H4 (460V)	34000	15.5	13	32200	20400	8.2	CX38-44/48C	EL180UH110XE60C	201873517
TPA036H4 (460V)	34000	15.2	12.7	32400	20400	8.2	CX38-44/48C	EL195UH090XE48C	201873518
TPA036H4 (460V)	34200	15.5	12.7	32400	20600	8.2	CX38-44/48C	EL195UH110XE60C	201873519
TPA036H4 (460V)	34000	15	12.5	32400	20600	8.2	CX38-44/48C	EL196UH090XE48C	201993066
TPA036H4 (460V)	34200	15.5	12.5	32400	20600	8.2	CX38-44/48C	EL196UH110XE60C	201993067
TPA036H4 (460V)	34000	15.2	12.7	32400	20400	8.2	CX38-44/48C	EL296UH090XE48C	201873520
TPA036H4 (460V)	34000	15.2	12.7	32400	20600	8.2	CX38-44/48C	EL296UH090XV36C	201873521
TPA036H4 (460V)	34000	15.5	12.7	32200	20400	8.2	CX38-44/48C	EL296UH090XV48C	201873522
TPA036H4 (460V)	34200	15.5	12.7	32400	20600	8.2	CX38-44/48C	EL296UH110XE60C	201873523
TPA036H4 (460V)	34200	15.5	13	32200	20400	8.2	CX38-44/48C	EL296UH110XV48C	201873524
TPA036H4 (460V)	34400	15.5	13	32400	20600	8.2	CX38-44/48C	EL296UH110XV60C	201873525
TPA036H4 (460V)	34200	15.5	13	32400	20600	8.2	CX38-44/48C	ML180UH090E60C	201873934
TPA036H4 (460V)	34000	15.5	13	32200	20400	8.2	CX38-44/48C	ML180UH110E60C	201873972
TPA036H4 (460V)	34000	15.5	13	32200	20400	8.2	CX38-44/48C	ML180UH110XE60C	201873996
TPA036H4 (460V)	34400	15.1	12.5	32400	20600	8.5	CX38-44/48C	SL280UH110V60C	201873526
TPA036H4 (460V)	34400	15.1	12.5	32400	20600	8.5	CX38-44/48C	SL280UH110XV60C	201873527
TPA036H4 (460V)	34000	15.2	12.7	32400	20600	8.2	CX38-44/48C	SLP98UH090XV36C	201873528
TPA036H4 (460V)	34000	15.5	12.7	32200	20400	8.2	CX38-44/48C	SLP98UH090XV48C	201873529
TPA036H4 (460V)	34400	15.5	13	32400	20600	8.2	CX38-44/48C	SLP98UH110XV60C	201873530
TPA036H4 (460V)	35200	15.7	13.2	31400	20200	8.7	CX38-49C	EL180UH090E60C	201873531
TPA036H4 (460V)	34800	15.7	13.2	31400	20200	8.7	CX38-49C	EL180UH110E60C	201873532
TPA036H4 (460V)	34800	15.7	13.2	31400	20200	8.7	CX38-49C	EL180UH110XE60C	201873533
TPA036H4 (460V)	34800	15.5	13	31400	20400	8.7	CX38-49C	EL195UH090XE48C	201873534
TPA036H4 (460V)	35200	15.7	13.2	31600	20400	8.7	CX38-49C	EL195UH110XE60C	201873535

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036H4 (460V)	34800	15.5	13	31400	20400	8.7	CX38-49C	EL196UH090XE48C	201993068
TPA036H4 (460V)	35200	15.5	13	31600	20400	8.7	CX38-49C	EL196UH110XE60C	201993069
TPA036H4 (460V)	34800	15.5	13	31400	20400	8.7	CX38-49C	EL296UH090XE48C	201873536
TPA036H4 (460V)	35000	15.5	13.2	31400	20400	8.7	CX38-49C	EL296UH090XV36C	201873537
TPA036H4 (460V)	35000	15.7	13.2	31400	20200	8.7	CX38-49C	EL296UH090XV48C	201873538
TPA036H4 (460V)	35600	15.5	13	31800	20600	8.7	CX38-49C	EL296UH090XV60C	201873539
TPA036H4 (460V)	35200	15.7	13.2	31600	20400	8.7	CX38-49C	EL296UH110XE60C	201873540
TPA036H4 (460V)	35000	15.7	13.2	31400	20200	8.7	CX38-49C	EL296UH110XV48C	201873541
TPA036H4 (460V)	35400	15.7	13.2	31600	20400	8.7	CX38-49C	EL296UH110XV60C	201873542
TPA036H4 (460V)	35200	15.7	13.2	31400	20200	8.7	CX38-49C	ML180UH090E60C	201873935
TPA036H4 (460V)	34800	15.7	13.2	31400	20200	8.7	CX38-49C	ML180UH110E60C	201873973
TPA036H4 (460V)	34800	15.7	13.2	31400	20200	8.7	CX38-49C	ML180UH110XE60C	201873997
TPA036H4 (460V)	35400	15.1	13	31600	20400	8.5	CX38-49C	SL280UH090V60C	201873543
TPA036H4 (460V)	35400	15.1	13	31600	20400	8.5	CX38-49C	SL280UH090XV60C	201873544
TPA036H4 (460V)	35400	15.1	13	31600	20400	8.5	CX38-49C	SL280UH110V60C	201873545
TPA036H4 (460V)	35400	15.1	13	31600	20400	8.5	CX38-49C	SL280UH110XV60C	201873546
TPA036H4 (460V)	35000	15.5	13.2	31400	20200	8.7	CX38-49C	SLP98UH090XV36C	201873547
TPA036H4 (460V)	34800	15.7	13.2	31400	20200	8.7	CX38-49C	SLP98UH090XV48C	201873548
TPA036H4 (460V)	35600	15.5	13	31800	20600	8.2	CX38-49C	SLP98UH090XV60C	201873549
TPA036H4 (460V)	35400	15.7	13.2	31600	20400	8.7	CX38-49C	SLP98UH110XV60C	201873550
TPA036H4 (460V)	34400	14.2	12	32000	21000	8.5	CX38-49C		201873551
TPA036H4 (460V)	34400	14.2	12	32000	21000	8.5	CX38-49C		201874738
TPA036H4 (460V)	34600	15.5	13	31400	20200	8.2	CX38-50/60C	EL180UH090E60C	201873552
TPA036H4 (460V)	34400	15.5	13	32600	20600	8.2	CX38-50/60C	EL180UH110E60C	201873553
TPA036H4 (460V)	34400	15.5	13	32600	20600	8.2	CX38-50/60C	EL180UH110XE60C	201873554
TPA036H4 (460V)	34200	15.2	12.7	31400	20200	8.7	CX38-50/60C	EL195UH090XE48C	201873555
TPA036H4 (460V)	34600	15.5	13	31400	20400	8.7	CX38-50/60C	EL195UH110XE60C	201873556
TPA036H4 (460V)	34200	15	12.5	31400	20400	8.7	CX38-50/60C	EL196UH090XE48C	201993070
TPA036H4 (460V)	34600	15.5	13	31400	20400	8.7	CX38-50/60C	EL196UH110XE60C	201993071
TPA036H4 (460V)	34200	15.2	12.7	31400	20200	8.7	CX38-50/60C	EL296UH090XE48C	201873557
TPA036H4 (460V)	34400	15.2	12.7	31400	20400	8.7	CX38-50/60C	EL296UH090XV36C	201873558
TPA036H4 (460V)	34200	15.2	13	31200	20200	8.7	CX38-50/60C	EL296UH090XV48C	201873559
TPA036H4 (460V)	34600	15.5	13	32000	20400	8.2	CX38-50/60C	EL296UH110XE60C	201873560
TPA036H4 (460V)	34400	15.5	13	31400	20200	8.7	CX38-50/60C	EL296UH110XV48C	201873561
TPA036H4 (460V)	34600	15.5	13	31600	20400	8.7	CX38-50/60C	EL296UH110XV60C	201873562
TPA036H4 (460V)	34600	15.5	13	31400	20200	8.2	CX38-50/60C	ML180UH090E60C	201873936
TPA036H4 (460V)	34400	15.5	13	32600	20600	8.2	CX38-50/60C	ML180UH110E60C	201873974
TPA036H4 (460V)	34400	15.5	13	32600	20600	8.2	CX38-50/60C	ML180UH110XE60C	201873998
TPA036H4 (460V)	34800	15.1	12.5	31600	20400	8.5	CX38-50/60C	SL280UH090V60C	201873563
TPA036H4 (460V)	34800	15.1	12.5	31600	20400	8.5	CX38-50/60C	SL280UH090XV60C	201873564
TPA036H4 (460V)	34600	15.1	12.5	31600	20400	8.5	CX38-50/60C	SL280UH110V60C	201873565
TPA036H4 (460V)	34600	15.1	12.5	31600	20400	8.5	CX38-50/60C	SL280UH110XV60C	201873566
TPA036H4 (460V)	34400	15.2	12.7	31400	20400	8.7	CX38-50/60C	SLP98UH090XV36C	201873567
TPA036H4 (460V)	34200	15.2	13	31200	20200	8.7	CX38-50/60C	SLP98UH090XV48C	201873568
TPA036H4 (460V)	34600	15.5	13	31600	20400	8.7	CX38-50/60C	SLP98UH110XV60C	201873569
TPA036H4 (460V)	33800	14	11.7	32000	21000	8.2	CX38-50/60C		201873570
TPA036H4 (460V)	33800	14	11.7	32000	21000	8.2	CX38-50/60C		201874739
TPA036H4 (208/230V)	34200	15	12.5	32800	20800	8.2	C37-38A	EL180UH045E36A	201872421
TPA036H4 (208/230V)	34200	15	12.5	32800	20800	8.2	C37-38A	EL180UH045XE36A	201872422
TPA036H4 (208/230V)	34200	15	12.5	32800	20800	8.2	C37-38A	ML180UH045E36A	201873129
TPA036H4 (208/230V)	34200	15	12.5	32800	20800	8.2	C37-38A	ML180UH045XE36A	201873131
TPA036H4 (208/230V)	34200	15.7	13	32400	20400	8.5	C37-38B	EL180UH070E36B	201872423
TPA036H4 (208/230V)	34200	15.7	13	32400	20400	8.5	C37-38B	EL180UH070XE36B	201872424
TPA036H4 (208/230V)	34600	15.5	13	32600	20600	8.5	C37-38B	EL180UH090E48B	201872425
TPA036H4 (208/230V)	34600	15.5	13	32600	20600	8.5	C37-38B	EL180UH090XE48B	201872426

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036H4 (208/230V)	33800	15	12.5	32600	20600	8.2	C37-38B	EL195UH045XE36B	201872427
TPA036H4 (208/230V)	34000	15	12.5	32600	20800	8.2	C37-38B	EL195UH070XE36B	201872428
TPA036H4 (208/230V)	33800	15	12.5	32600	20800	8.2	C37-38B	EL196UH045XE36B	201993006
TPA036H4 (208/230V)	34000	15	12.5	32600	20600	8.2	C37-38B	EL196UH070XE36B	201993007
TPA036H4 (208/230V)	33800	15	12.5	32600	20600	8.2	C37-38B	EL296UH045XE36B	201872429
TPA036H4 (208/230V)	34200	15	12.5	32800	20800	8.2	C37-38B	EL296UH045XV36B	201872430
TPA036H4 (208/230V)	34000	15	12.5	32600	20800	8.2	C37-38B	EL296UH070XE36B	201872431
TPA036H4 (208/230V)	34200	15	12.5	32800	20800	8.2	C37-38B	EL296UH070XV36B	201872432
TPA036H4 (208/230V)	34200	15.7	13	32400	20400	8.5	C37-38B	ML180UH070E36B	201873133
TPA036H4 (208/230V)	34200	15.7	13	32400	20400	8.5	C37-38B	ML180UH070XE36B	201873143
TPA036H4 (208/230V)	34600	15.5	13	32600	20600	8.5	C37-38B	ML180UH090E48B	201873155
TPA036H4 (208/230V)	34600	15.5	13	32600	20600	8.5	C37-38B	ML180UH090XE48B	201873195
TPA036H4 (208/230V)	34200	15	12.5	32800	20800	8.2	C37-38B	SL280UH070V36A	201872433
TPA036H4 (208/230V)	34200	15	12.5	32800	20800	8.2	C37-38B	SL280UH070XV36A	201872434
TPA036H4 (208/230V)	34400	15.7	13	32600	20600	8.2	C37-38B	SL280UH090V36B	201872435
TPA036H4 (208/230V)	34400	15.5	13	32600	20600	8.2	C37-38B	SL280UH090V48B	201872436
TPA036H4 (208/230V)	34400	15.5	13	32600	20600	8.2	C37-38B	SL280UH090XV48B	201872437
TPA036H4 (208/230V)	34200	15	12.5	32800	20800	8.2	C37-38B	SLP98UH070XV36B	201872438
TPA036H4 (208/230V)	35200	15.7	13.2	32400	20200	8.5	C37-43B	EL180UH070E36B	201872439
TPA036H4 (208/230V)	35200	15.7	13.2	32400	20200	8.5	C37-43B	EL180UH070XE36B	201872440
TPA036H4 (208/230V)	35600	15.7	13.2	32600	20200	8.2	C37-43B	EL180UH090E48B	201872442
TPA036H4 (208/230V)	35600	15.7	13.2	32600	20200	8.2	C37-43B	EL180UH090XE48B	201872441
TPA036H4 (208/230V)	34800	15	12.7	32400	20400	8.2	C37-43B	EL195UH045XE36B	201872443
TPA036H4 (208/230V)	35000	15	12.7	32600	20400	8.2	C37-43B	EL195UH070XE36B	201872444
TPA036H4 (208/230V)	34800	15	12.5	32400	20400	8.2	C37-43B	EL196UH045XE36B	201993008
TPA036H4 (208/230V)	35000	15	12.5	32600	20400	8.2	C37-43B	EL196UH070XE36B	201993009
TPA036H4 (208/230V)	34800	15	12.7	32400	20400	8.2	C37-43B	EL296UH045XE36B	201872445
TPA036H4 (208/230V)	35200	15	12.7	32800	20400	8.2	C37-43B	EL296UH045XV36B	201872446
TPA036H4 (208/230V)	35000	15	12.7	32600	20400	8.2	C37-43B	EL296UH070XE36B	201872447
TPA036H4 (208/230V)	35200	15	12.7	32800	20600	8.2	C37-43B	EL296UH070XV36B	201872448
TPA036H4 (208/230V)	35200	15.7	13.2	32400	20200	8.5	C37-43B	ML180UH070E36B	201873134
TPA036H4 (208/230V)	35200	15.7	13.2	32400	20200	8.5	C37-43B	ML180UH070XE36B	201873144
TPA036H4 (208/230V)	35600	15.7	13.2	32600	20200	8.2	C37-43B	ML180UH090E48B	201873156
TPA036H4 (208/230V)	35600	15.7	13.2	32600	20200	8.2	C37-43B	ML180UH090XE48B	201873196
TPA036H4 (208/230V)	35200	15.7	13.2	32400	20200	8.5	C37-43B	SL280UH090V36B	201872449
TPA036H4 (208/230V)	35400	15.7	13.2	32600	20200	8.2	C37-43B	SL280UH090V48B	201872450
TPA036H4 (208/230V)	35400	15.7	13.2	32600	20200	8.2	C37-43B	SL280UH090XV48B	201872451
TPA036H4 (208/230V)	35200	15	12.7	32800	20600	8.2	C37-43B	SLP98UH070XV36B	201872452
TPA036H4 (208/230V)	35600	15.7	13.2	32600	20600	8.2	C37-43C	EL180UH090E60C	201872453
TPA036H4 (208/230V)	35200	15.7	13.2	32400	20200	8.5	C37-43C	EL180UH110E60C	201872454
TPA036H4 (208/230V)	35200	15.7	13.2	32400	20200	8.5	C37-43C	EL180UH110XE60C	201872455
TPA036H4 (208/230V)	35200	15.5	13.2	32600	20200	8.2	C37-43C	EL195UH090XE48C	201872456
TPA036H4 (208/230V)	35600	15.7	13.2	32600	20400	8.2	C37-43C	EL195UH110XE60C	201872457
TPA036H4 (208/230V)	35200	15.5	13	32600	20400	8.2	C37-43C	EL196UH090XE48C	201993010
TPA036H4 (208/230V)	35600	15.5	13	32600	20400	8.2	C37-43C	EL196UH110XE60C	201993011
TPA036H4 (208/230V)	35200	15.5	13.2	32600	20200	8.2	C37-43C	EL296UH090XE48C	201872458
TPA036H4 (208/230V)	35400	15.5	13.2	32600	20400	8.2	C37-43C	EL296UH090XV36C	201872459
TPA036H4 (208/230V)	35200	15.5	13.2	32400	20200	8.5	C37-43C	EL296UH090XV48C	201872460
TPA036H4 (208/230V)	35600	15.7	13.2	32600	20400	8.2	C37-43C	EL296UH110XE60C	201872461
TPA036H4 (208/230V)	35400	15.7	13.2	32400	20200	8.5	C37-43C	EL296UH110XV48C	201872462
TPA036H4 (208/230V)	35600	15.7	13.2	32600	20600	8.2	C37-43C	ML180UH090E60C	201873173
TPA036H4 (208/230V)	35200	15.7	13.2	32400	20200	8.5	C37-43C	ML180UH110E60C	201873212
TPA036H4 (208/230V)	35200	15.7	13.2	32400	20200	8.5	C37-43C	ML180UH110XE60C	201873237
TPA036H4 (208/230V)	35800	15.1	13	32600	20400	8.2	C37-43C	SL280UH090V60C	201872463
TPA036H4 (208/230V)	35800	15.1	13	32600	20400	8.2	C37-43C	SL280UH090XV60C	201872464

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036H4 (208/230V)	35600	15.1	13	32600	20400	8.2	C37-43C	SL280UH110V60C	201872465
TPA036H4 (208/230V)	35600	15.1	13	32600	20400	8.2	C37-43C	SL280UH110XV60C	201872466
TPA036H4 (208/230V)	35400	15.5	13.2	32400	20200	8.2	C37-43C	SLP98UH090XV36C	201872467
TPA036H4 (208/230V)	35200	15.5	13.2	32400	20200	8.5	C37-43C	SLP98UH090XV48C	201872468
TPA036H4 (208/230V)	35800	15.5	13.2	32800	20400	8.5	C37-43C	SLP98UH090XV60C	201872469
TPA036H4 (208/230V)	33800	15.5	13	32200	20400	8.2	C37-48B	EL180UH070E36B	201872470
TPA036H4 (208/230V)	33800	15.5	13	32200	20400	8.2	C37-48B	EL180UH070XE36B	201872471
TPA036H4 (208/230V)	34200	15.5	12.7	32400	20600	8.2	C37-48B	EL180UH090E48B	201872472
TPA036H4 (208/230V)	34200	15.5	12.7	32400	20600	8.2	C37-48B	EL180UH090XE48B	201872473
TPA036H4 (208/230V)	33800	15.5	13	32200	20400	8.2	C37-48B	ML180UH070E36B	201873135
TPA036H4 (208/230V)	33800	15.5	13	32200	20400	8.2	C37-48B	ML180UH070XE36B	201873145
TPA036H4 (208/230V)	34200	15.5	12.7	32400	20600	8.2	C37-48B	ML180UH090E48B	201873157
TPA036H4 (208/230V)	34200	15.5	12.7	32400	20600	8.2	C37-48B	ML180UH090XE48B	201873197
TPA036H4 (208/230V)	34000	15.5	12.7	32200	20400	8.2	C37-48B	SL280UH090V36B	201872474
TPA036H4 (208/230V)	34000	15.2	12.7	32400	20600	8.2	C37-48B	SL280UH090V48B	201872475
TPA036H4 (208/230V)	34000	15.2	12.7	32400	20600	8.2	C37-48B	SL280UH090XV48B	201872476
TPA036H4 (208/230V)	34200	15.5	13	32400	20600	8.2	C37-48C	EL180UH090E60C	201872477
TPA036H4 (208/230V)	34000	15.5	13	32200	20400	8.2	C37-48C	EL180UH110E60C	201872478
TPA036H4 (208/230V)	34000	15.5	13	32200	20400	8.2	C37-48C	EL180UH110XE60C	201872479
TPA036H4 (208/230V)	34000	15.2	12.7	32400	20400	8.2	C37-48C	EL195UH090XE48C	201872480
TPA036H4 (208/230V)	34200	15.5	12.7	32400	20600	8.2	C37-48C	EL195UH110XE60C	201872481
TPA036H4 (208/230V)	34000	15	12.5	32400	20600	8.2	C37-48C	EL196UH090XE48C	201993012
TPA036H4 (208/230V)	34200	15.1	12.5	32400	20600	8.2	C37-48C	EL196UH110XE60C	201993013
TPA036H4 (208/230V)	34000	15.2	12.7	32400	20400	8.2	C37-48C	EL296UH090XE48C	201872482
TPA036H4 (208/230V)	34000	15.2	12.7	32400	20600	8.2	C37-48C	EL296UH090XV36C	201872996
TPA036H4 (208/230V)	34000	15.5	12.7	32200	20400	8.2	C37-48C	EL296UH090XV48C	201872484
TPA036H4 (208/230V)	34200	15.5	12.7	32400	20600	8.2	C37-48C	EL296UH110XE60C	201872485
TPA036H4 (208/230V)	34200	15.5	13	32200	20400	8.2	C37-48C	EL296UH110XV48C	201872486
TPA036H4 (208/230V)	34200	15.5	13	32400	20600	8.2	C37-48C	ML180UH090E60C	201873174
TPA036H4 (208/230V)	34000	15.5	13	32200	20400	8.2	C37-48C	ML180UH110E60C	201873213
TPA036H4 (208/230V)	34000	15.5	13	32200	20400	8.2	C37-48C	ML180UH110XE60C	201873238
TPA036H4 (208/230V)	34400	15.1	12.5	32400	20600	8.2	C37-48C	SL280UH110V60C	201872487
TPA036H4 (208/230V)	34400	15.1	12.5	32400	20600	8.2	C37-48C	SL280UH110XV60C	201872488
TPA036H4 (208/230V)	34000	15.2	12.7	32400	20600	8.2	C37-48C	SLP98UH090XV36C	201872483
TPA036H4 (208/230V)	34000	15.5	12.7	32200	20400	8.2	C37-48C	SLP98UH090XV48C	201872489
TPA036H4 (208/230V)	35200	15.7	13.2	31400	20200	8.7	C37-49C	EL180UH090E60C	201872490
TPA036H4 (208/230V)	34800	15.7	13.2	31400	20600	8.7	C37-49C	EL180UH110E60C	201872491
TPA036H4 (208/230V)	34800	15.7	13.2	31400	20600	8.7	C37-49C	EL180UH110XE60C	201872492
TPA036H4 (208/230V)	34800	15.5	13	31400	20400	8.7	C37-49C	EL195UH090XE48C	201872493
TPA036H4 (208/230V)	35200	15.7	13.2	31600	20400	8.7	C37-49C	EL195UH110XE60C	201872494
TPA036H4 (208/230V)	34800	15.5	13	31400	20400	8.7	C37-49C	EL196UH090XE48C	201993014
TPA036H4 (208/230V)	35200	15.5	13	31600	20400	8.7	C37-49C	EL196UH110XE60C	201993015
TPA036H4 (208/230V)	34800	15.5	13	31400	20400	8.7	C37-49C	EL296UH090XE48C	201872495
TPA036H4 (208/230V)	35000	15.5	13.2	31400	20400	8.7	C37-49C	EL296UH090XV36C	201872496
TPA036H4 (208/230V)	35000	15.7	13.2	31400	20200	8.7	C37-49C	EL296UH090XV48C	201872497
TPA036H4 (208/230V)	35200	15.7	13.2	31600	20400	8.7	C37-49C	EL296UH110XE60C	201872498
TPA036H4 (208/230V)	35000	15.7	13.2	31400	20200	8.7	C37-49C	EL296UH110XV48C	201872499
TPA036H4 (208/230V)	35200	15.7	13.2	31400	20200	8.7	C37-49C	ML180UH090E60C	201873175
TPA036H4 (208/230V)	34800	15.7	13.2	31400	20600	8.7	C37-49C	ML180UH110E60C	201873214
TPA036H4 (208/230V)	34800	15.7	13.2	31400	20600	8.7	C37-49C	ML180UH110XE60C	201873239
TPA036H4 (208/230V)	35400	15.1	13	31600	20400	8.5	C37-49C	SL280UH090V60C	201872500
TPA036H4 (208/230V)	35400	15.1	13	31600	20400	8.5	C37-49C	SL280UH090XV60C	201872501
TPA036H4 (208/230V)	35400	15.1	13	31600	20400	8.5	C37-49C	SL280UH110V60C	201872502
TPA036H4 (208/230V)	35400	15.1	13	31600	20400	8.5	C37-49C	SL280UH110XV60C	201872503
TPA036H4 (208/230V)	35000	15.5	13.2	31400	20200	8.7	C37-49C	SLP98UH090XV36C	201872504

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036H4 (208/230V)	34800	15.7	13.2	31400	20200	8.7	C37-49C	SLP98UH090XV48C	201872505
TPA036H4 (208/230V)	34400	14.2	12	32000	21000	8.2	C37-49C		201873108
TPA036H4 (208/230V)	34400	14.2	12	32000	21000	8.2	C37-49C		201874850
TPA036H4 (208/230V)	34600	15.5	13	31400	20200	8.2	C37-50/60C	EL180UH090E60C	201872506
TPA036H4 (208/230V)	34400	15.5	13	31400	20600	8.7	C37-50/60C	EL180UH110E60C	201872507
TPA036H4 (208/230V)	34400	15.5	13	31200	20600	8.7	C37-50/60C	EL180UH110XE60C	201872508
TPA036H4 (208/230V)	34200	15.2	12.7	31400	20200	8.7	C37-50/60C	EL195UH090XE48C	201872509
TPA036H4 (208/230V)	34600	15.5	13	31400	20400	8.7	C37-50/60C	EL195UH110XE60C	201872510
TPA036H4 (208/230V)	34200	15	12.5	31400	20400	8.5	C37-50/60C	EL196UH090XE48C	201993016
TPA036H4 (208/230V)	34600	15.1	13	31400	20400	8.7	C37-50/60C	EL196UH110XE60C	201993017
TPA036H4 (208/230V)	34200	15.2	12.7	31400	20200	8.7	C37-50/60C	EL296UH090XE48C	201872511
TPA036H4 (208/230V)	34400	15.2	12.7	31400	20400	8.7	C37-50/60C	EL296UH090XV36C	201872512
TPA036H4 (208/230V)	34200	15.2	13	31200	20200	8.7	C37-50/60C	EL296UH090XV48C	201872513
TPA036H4 (208/230V)	34600	15.5	13	31200	20400	8.7	C37-50/60C	EL296UH110XE60C	201872514
TPA036H4 (208/230V)	34400	15.5	13	31400	20200	8.7	C37-50/60C	EL296UH110XV48C	201872515
TPA036H4 (208/230V)	34600	15.5	13	31400	20200	8.2	C37-50/60C	ML180UH090E60C	201873176
TPA036H4 (208/230V)	34400	15.5	13	31400	20600	8.7	C37-50/60C	ML180UH110E60C	201873215
TPA036H4 (208/230V)	34400	15.5	13	31200	20600	8.7	C37-50/60C	ML180UH110XE60C	201873240
TPA036H4 (208/230V)	34800	15.1	12.5	31600	20400	8.5	C37-50/60C	SL280UH090V60C	201872516
TPA036H4 (208/230V)	34800	15.1	12.5	31600	20400	8.5	C37-50/60C	SL280UH090XV60C	201872517
TPA036H4 (208/230V)	34600	15.1	12.5	31600	20400	8.5	C37-50/60C	SL280UH110V60C	201872518
TPA036H4 (208/230V)	34600	15.1	12.5	31600	20400	8.5	C37-50/60C	SL280UH110XV60C	201872519
TPA036H4 (208/230V)	34400	15.2	12.7	31400	20400	8.7	C37-50/60C	SLP98UH090XV36C	201872520
TPA036H4 (208/230V)	34200	15.2	13	31200	20200	8.7	C37-50/60C	SLP98UH090XV48C	201872521
TPA036H4 (208/230V)	33800	14	11.7	32000	21000	8.2	C37-50/60C		201873109
TPA036H4 (208/230V)	33800	14	11.7	32000	21000	8.2	C37-50/60C		201874851
TPA036H4 (208/230V)	34200	15	12.5	32800	21000	8.5	CBA27UHE-036-230		10262316
TPA036H4 (208/230V)	34200	14.7	12.2	33200	20800	8.5	CBA38MV-036-230		202084046
TPA036H4 (208/230V)	34800	15	12.5	32600	20000	9	CBA38MV-042-230		202084048
TPA036H4 (208/230V)	34600	14	12	34800	21800	8.2	CBX25UH-036-230		9031277
TPA036H4 (208/230V)	35000	15	12.5	34200	21400	8.5	CBX25UHV-036-230		9031278
TPA036H4 (208/230V)	34800	15.2	12.5	32800	20400	8.7	CBX27UH-036-230		9031279
TPA036H4 (208/230V)	36000	16	13.5	33000	17300	8.5	CBX27UH-042-230		9031280
TPA036H4 (208/230V)	34400	14.5	11.7	33200	20800	8.5	CBX32M-036		9031281
TPA036H4 (208/230V)	34400	14.5	11.7	33200	20800	8.5	CBX32M-042		9031282
TPA036H4 (208/230V)	35200	14.5	12.2	32800	21000	8.5	CH33-43		9031288
TPA036H4 (208/230V)	35200	15.7	13.2	32000	20200	9	CH33-43B	EL180UH070E36B	9031289
TPA036H4 (208/230V)	35200	15.7	13.2	32000	20200	9	CH33-43B	EL180UH070XE36B	9031290
TPA036H4 (208/230V)	35600	15.7	13.2	32200	20400	9	CH33-43B	EL180UH090E48B	9031291
TPA036H4 (208/230V)	35400	14.7	12.5	32600	21000	8.5	CH33-43B	EL195UH045XE36B	9031293
TPA036H4 (208/230V)	35200	15.2	12.7	32200	20600	8.7	CH33-43B	EL195UH070XE36B	9031294
TPA036H4 (208/230V)	35400	14.5	12.5	32600	20800	8.5	CH33-43B	EL196UH045XE36B	201993018
TPA036H4 (208/230V)	35200	15	12.5	32200	20600	8.7	CH33-43B	EL196UH070XE36B	201993019
TPA036H4 (208/230V)	35400	14.7	12.5	32600	21000	8.5	CH33-43B	EL296UH045XE36B	9031295
TPA036H4 (208/230V)	35400	15.2	12.7	32600	20800	8.7	CH33-43B	EL296UH045XV36B	9031296
TPA036H4 (208/230V)	35200	15.2	12.7	32200	20600	8.7	CH33-43B	EL296UH070XE36B	9031297
TPA036H4 (208/230V)	35600	15.2	12.7	32600	20600	8.7	CH33-43B	EL296UH070XV36B	9031298
TPA036H4 (208/230V)	35200	15.7	13.2	32000	20200	9	CH33-43B	ML180UH070E36B	10590676
TPA036H4 (208/230V)	35200	15.7	13.2	32000	20200	9	CH33-43B	ML180UH070XE36B	10590760
TPA036H4 (208/230V)	35600	15.7	13.2	32200	20400	9	CH33-43B	ML180UH090E48B	10590807
TPA036H4 (208/230V)	35600	15.7	13.2	32200	20400	9	CH33-43B	SL280UH090V36B	9031299
TPA036H4 (208/230V)	35600	15.7	13.2	32200	20400	9	CH33-43B	SL280UH090V48B	9031300
TPA036H4 (208/230V)	35600	15.7	13.2	32200	20400	9	CH33-43B	SL280UH090XV48B	9031301
TPA036H4 (208/230V)	35600	15.2	12.7	32600	20600	8.7	CH33-43B	SLP98UH070XV36B	9031302
TPA036H4 (208/230V)	35400	15.7	13.2	32600	20600	8.5	CH33-43C	EL180UH090E60C	9031303

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036H4 (208/230V)	35000	15.7	13.2	32400	20400	8.5	CH33-43C	EL180UH110E60C	9031304
TPA036H4 (208/230V)	35000	15.7	13.2	32400	20400	8.5	CH33-43C	EL180UH110XE60C	9031305
TPA036H4 (208/230V)	35200	15.5	13.2	32600	20600	8.2	CH33-43C	EL195UH090XE48C	9031306
TPA036H4 (208/230V)	35400	15.7	13.2	32600	20600	8.5	CH33-43C	EL195UH110XE60C	9031307
TPA036H4 (208/230V)	35200	15.5	13	32600	20600	8.2	CH33-43C	EL196UH090XE48C	201993020
TPA036H4 (208/230V)	35400	15.5	13	32600	20600	8.5	CH33-43C	EL196UH110XE60C	201993021
TPA036H4 (208/230V)	35200	15.5	13.2	32600	20600	8.2	CH33-43C	EL296UH090XE48C	9031308
TPA036H4 (208/230V)	35200	15.5	13.2	32600	20600	8.2	CH33-43C	EL296UH090XV36C	9031309
TPA036H4 (208/230V)	35000	15.5	13.2	32400	20400	8.5	CH33-43C	EL296UH090XV48C	9031310
TPA036H4 (208/230V)	35600	15.5	13	32800	20800	8.5	CH33-43C	EL296UH090XV60C	9031311
TPA036H4 (208/230V)	35400	15.7	13.2	32600	20600	8.5	CH33-43C	EL296UH110XE60C	9031312
TPA036H4 (208/230V)	35200	15.7	13.2	32400	20600	8.5	CH33-43C	EL296UH110XV48C	9031313
TPA036H4 (208/230V)	35600	15.7	13.2	32600	20600	8.5	CH33-43C	EL296UH110XV60C	9031314
TPA036H4 (208/230V)	35400	15.7	13.2	32600	20600	8.5	CH33-43C	ML180UH090E60C	10590902
TPA036H4 (208/230V)	35000	15.7	13.2	32400	20400	8.5	CH33-43C	ML180UH110E60C	10591012
TPA036H4 (208/230V)	35000	15.7	13.2	32400	20400	8.5	CH33-43C	ML180UH110XE60C	10591089
TPA036H4 (208/230V)	35600	16	13.5	32600	20400	8.5	CH33-43C	SL280UH080NV60C-	10590489
TPA036H4 (208/230V)	35600	15.1	13	32600	20800	8.2	CH33-43C	SL280UH090V60C	9031315
TPA036H4 (208/230V)	35600	15.1	13	32600	20800	8.2	CH33-43C	SL280UH090XV60C	9031316
TPA036H4 (208/230V)	35400	15.1	13	32600	20600	8.2	CH33-43C	SL280UH110V60C	9031317
TPA036H4 (208/230V)	35400	15.1	13	32600	20600	8.2	CH33-43C	SL280UH110XV60C	9031318
TPA036H4 (208/230V)	35200	15.5	13.2	32600	20600	8.2	CH33-43C	SLP98UH090XV36C	9031319
TPA036H4 (208/230V)	35000	15.5	13.2	32400	20400	8.5	CH33-43C	SLP98UH090XV48C	9031320
TPA036H4 (208/230V)	35600	15.5	13	32800	20800	8.5	CH33-43C	SLP98UH090XV60C	9031321
TPA036H4 (208/230V)	35600	15.7	13.2	32600	20600	8.5	CH33-43C	SLP98UH110XV60C	9031322
TPA036H4 (208/230V)	34000	15.2	12.7	32400	20400	8.2	CH33-44/48B	EL180UH070E36B	9031323
TPA036H4 (208/230V)	34000	15.2	12.7	32400	20400	8.2	CH33-44/48B	EL180UH070XE36B	9031324
TPA036H4 (208/230V)	34000	15.2	12.7	32400	20800	8.2	CH33-44/48B	EL180UH090E48B	9031325
TPA036H4 (208/230V)	34200	15.2	12.7	32600	20800	8.2	CH33-44/48B	EL180UH090XE48B	9031326
TPA036H4 (208/230V)	34000	14.7	12.5	32800	20800	8.2	CH33-44/48B	EL195UH070XE36B	9031327
TPA036H4 (208/230V)	34000	14.5	12.5	32800	20800	8.2	CH33-44/48B	EL196UH070XE36B	201993022
TPA036H4 (208/230V)	34000	14.7	12.5	32800	20800	8.2	CH33-44/48B	EL296UH070XE36B	9031329
TPA036H4 (208/230V)	34200	14.7	12.5	33000	20800	8.2	CH33-44/48B	EL296UH070XV36B	9031330
TPA036H4 (208/230V)	34000	15.2	12.7	32400	20400	8.2	CH33-44/48B	ML180UH070E36B	10590677
TPA036H4 (208/230V)	34000	15.2	12.7	32400	20400	8.2	CH33-44/48B	ML180UH070XE36B	10590761
TPA036H4 (208/230V)	34000	15.2	12.7	32400	20800	8.2	CH33-44/48B	ML180UH090E48B	10590808
TPA036H4 (208/230V)	34200	15.2	12.7	32600	20800	8.2	CH33-44/48B	ML180UH090XE48B	10590967
TPA036H4 (208/230V)	34400	15.2	12.7	32600	20600	8.2	CH33-44/48B	SL280UH090V36B	9031331
TPA036H4 (208/230V)	34400	15	12.7	32800	20600	8.2	CH33-44/48B	SL280UH090V48B	9031332
TPA036H4 (208/230V)	34400	15	12.7	32800	20600	8.2	CH33-44/48B	SL280UH090XV48B	9031333
TPA036H4 (208/230V)	34200	14.7	12.5	33000	20800	8.2	CH33-44/48B	SLP98UH070XV36B	9031334
TPA036H4 (208/230V)	35000	15.5	13	32400	20600	8.2	CH33-48C	EL296UH090XV36C	9031335
TPA036H4 (208/230V)	34800	15.5	13	32400	20400	8.5	CH33-48C	EL296UH090XV48C	9031336
TPA036H4 (208/230V)	35400	15.2	13	32400	20600	8.5	CH33-48C	EL296UH090XV60C	9031337
TPA036H4 (208/230V)	35000	15.5	13.2	32400	20400	8.5	CH33-48C	EL296UH110XV48C	9031338
TPA036H4 (208/230V)	35400	15.5	13.2	32600	20600	8.5	CH33-48C	EL296UH110XV60C	9031339
TPA036H4 (208/230V)	35400	15.5	12.5	32600	20600	8.2	CH33-48C	SL280UH080NV60C-	10590490
TPA036H4 (208/230V)	35400	15.1	13	32600	20600	8.2	CH33-48C	SL280UH090V60C	9031340
TPA036H4 (208/230V)	35400	15.1	13	32600	20600	8.2	CH33-48C	SL280UH090XV60C	9031341
TPA036H4 (208/230V)	35200	15.1	12.5	32600	20600	8.2	CH33-48C	SL280UH110V60C	9031342
TPA036H4 (208/230V)	35200	15.1	12.5	32600	20600	8.2	CH33-48C	SL280UH110XV60C	9031343
TPA036H4 (208/230V)	35000	15.5	13	32400	20600	8.2	CH33-48C	SLP98UH090XV36C	9031344
TPA036H4 (208/230V)	34800	15.5	13	32400	20400	8.5	CH33-48C	SLP98UH090XV48C	9031345
TPA036H4 (208/230V)	35400	15.2	13	32800	20800	8.5	CH33-48C	SLP98UH090XV60C	9031346
TPA036H4 (208/230V)	35400	15.5	13.2	32600	20600	8.5	CH33-48C	SLP98UH110XV60C	9031347

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036H4 (208/230V)	35200	15.7	13.2	31600	20400	9	CH33-49	EL180UH090E60C	9031348
TPA036H4 (208/230V)	35000	15.7	13.2	31600	20200	9	CH33-49	EL180UH110E60C	9031349
TPA036H4 (208/230V)	35000	15.7	13.2	31600	20200	9	CH33-49	EL180UH110XE60C	9031350
TPA036H4 (208/230V)	35000	15.5	13	31600	20400	8.5	CH33-49	EL195UH090XE48C	9031351
TPA036H4 (208/230V)	35200	15.7	13.2	31800	20400	9	CH33-49	EL195UH110XE60C	9031352
TPA036H4 (208/230V)	35000	15.5	13	31600	20400	8.5	CH33-49	EL196UH090XE48C	201993023
TPA036H4 (208/230V)	35200	15.5	13	31800	20400	9	CH33-49	EL196UH110XE60C	201993024
TPA036H4 (208/230V)	35000	15.5	13	31600	20400	8.5	CH33-49	EL296UH090XE48C	9031353
TPA036H4 (208/230V)	35000	15.7	13.2	32000	20400	9	CH33-49	EL296UH090XV36C	9031354
TPA036H4 (208/230V)	34800	15.7	13.2	32000	20400	9	CH33-49	EL296UH090XV48C	9031355
TPA036H4 (208/230V)	35400	15.5	13	32400	20600	9	CH33-49	EL296UH090XV60C	9031356
TPA036H4 (208/230V)	35200	15.7	13.2	31800	20400	9	CH33-49	EL296UH110XE60C	9031357
TPA036H4 (208/230V)	35000	15.7	13.2	32000	20400	9	CH33-49	EL296UH110XV48C	9031358
TPA036H4 (208/230V)	35400	15.7	13.2	32200	20400	9	CH33-49	EL296UH110XV60C	9031359
TPA036H4 (208/230V)	35200	15.7	13.2	31600	20400	9	CH33-49	ML180UH090E60C	10590903
TPA036H4 (208/230V)	35000	15.7	13.2	31600	20200	9	CH33-49	ML180UH110E60C	10591013
TPA036H4 (208/230V)	35000	15.7	13.2	31600	20200	9	CH33-49	ML180UH110XE60C	10591090
TPA036H4 (208/230V)	35400	16	13	32000	20400	9.2	CH33-49	SL280UH080NV60C-	10590491
TPA036H4 (208/230V)	35400	15.1	13	32200	20400	9	CH33-49	SL280UH090V60C	9031360
TPA036H4 (208/230V)	35400	15.1	13	32200	20400	9	CH33-49	SL280UH090XV60C	9031361
TPA036H4 (208/230V)	35200	15.1	13	32200	20400	9	CH33-49	SL280UH110V60C	9031362
TPA036H4 (208/230V)	35200	15.1	13	32200	20400	9	CH33-49	SL280UH110XV60C	9031363
TPA036H4 (208/230V)	35000	15.7	13.2	32000	20400	9	CH33-49	SLP98UH090XV36C	9031364
TPA036H4 (208/230V)	34800	15.7	13.2	32000	20200	9	CH33-49	SLP98UH090XV48C	9031365
TPA036H4 (208/230V)	35400	15.5	13	32400	20600	9	CH33-49	SLP98UH090XV60C	9031366
TPA036H4 (208/230V)	35400	15.7	13.2	32200	20400	9	CH33-49	SLP98UH110XV60C	9031367
TPA036H4 (208/230V)	34400	14.2	12	32600	21000	8.5	CH33-49		9031368
TPA036H4 (208/230V)	35000	15.7	13.2	31600	20400	9	CH33-50/60C	EL180UH090E60C	9031369
TPA036H4 (208/230V)	34800	15.7	13.2	31400	20200	9	CH33-50/60C	EL180UH110E60C	9031370
TPA036H4 (208/230V)	34800	15.7	13.2	31400	20200	9	CH33-50/60C	EL180UH110XE60C	9031371
TPA036H4 (208/230V)	34800	15.5	13	31600	20400	9	CH33-50/60C	EL195UH090XE48C	9031372
TPA036H4 (208/230V)	35000	15.7	13.2	31800	20400	9	CH33-50/60C	EL195UH110XE60C	9031373
TPA036H4 (208/230V)	34800	15.5	13	31600	20400	9	CH33-50/60C	EL196UH090XE48C	201993025
TPA036H4 (208/230V)	35000	15.5	12.5	31800	20400	9	CH33-50/60C	EL196UH110XE60C	201993026
TPA036H4 (208/230V)	34800	15.5	13	31600	20400	9	CH33-50/60C	EL296UH090XE48C	9031374
TPA036H4 (208/230V)	34800	15.5	13	32000	20400	9	CH33-50/60C	EL296UH090XV36C	9031375
TPA036H4 (208/230V)	34600	15.7	13	31800	20400	9	CH33-50/60C	EL296UH090XV48C	9031376
TPA036H4 (208/230V)	35200	15.5	13	32400	20600	9	CH33-50/60C	EL296UH090XV60C	9031377
TPA036H4 (208/230V)	35000	15.7	13.2	31800	20400	9	CH33-50/60C	EL296UH110XE60C	9031378
TPA036H4 (208/230V)	34800	15.7	13.2	32000	20400	9	CH33-50/60C	EL296UH110XV48C	9031379
TPA036H4 (208/230V)	35200	15.7	13.2	32200	20400	9	CH33-50/60C	EL296UH110XV60C	9031380
TPA036H4 (208/230V)	35000	15.7	13.2	31600	20400	9	CH33-50/60C	ML180UH090E60C	10590904
TPA036H4 (208/230V)	34800	15.7	13.2	31400	20200	9	CH33-50/60C	ML180UH110E60C	10591014
TPA036H4 (208/230V)	34800	15.7	13.2	31400	20200	9	CH33-50/60C	ML180UH110XE60C	10591091
TPA036H4 (208/230V)	35200	16	13	32000	20400	9.2	CH33-50/60C	SL280UH080NV60C-	10590492
TPA036H4 (208/230V)	35200	15.1	13	32200	20400	9	CH33-50/60C	SL280UH090V60C	9031381
TPA036H4 (208/230V)	35200	15.1	13	32200	20400	9	CH33-50/60C	SL280UH090XV60C	9031382
TPA036H4 (208/230V)	35000	15.5	12.5	32200	20400	8.5	CH33-50/60C	SL280UH110V60C	9031383
TPA036H4 (208/230V)	35000	15.5	12.5	32200	20400	8.5	CH33-50/60C	SL280UH110XV60C	9031384
TPA036H4 (208/230V)	34800	15.5	13	32000	20400	9	CH33-50/60C	SLP98UH090XV36C	9031385
TPA036H4 (208/230V)	34600	15.7	13	31800	20400	9	CH33-50/60C	SLP98UH090XV48C	9031386
TPA036H4 (208/230V)	35200	15.5	13	32400	20600	9	CH33-50/60C	SLP98UH090XV60C	9031387
TPA036H4 (208/230V)	35200	15.7	13.2	32200	20400	9	CH33-50/60C	SLP98UH110XV60C	9031388
TPA036H4 (208/230V)	34200	14.2	12	32200	21000	8.2	CH33-50/60C		9031389
TPA036H4 (208/230V)	34000	15.2	12.7	32400	20800	8.2	CR33-48B	EL180DF070E36B	9032685

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036H4 (208/230V)	34000	15.2	12.7	32400	20800	8.2	CR33-48B	EL180DF090E48B	9032686
TPA036H4 (208/230V)	35000	15	12.7	33600	21200	8.2	CR33-48B	EL195DF045XE36B	9032687
TPA036H4 (208/230V)	35200	15.2	13	33600	21200	8.5	CR33-48B	EL195DF070XE48B	9032688
TPA036H4 (208/230V)	35000	15	12.7	33600	21200	8.2	CR33-48B	EL196DF045XE36B	202066688
TPA036H4 (208/230V)	35200	15	12.5	33600	21200	8.5	CR33-48B	EL196DF070XE48B	202066689
TPA036H4 (208/230V)	35000	15	12.7	32200	21200	8.2	CR33-48B	EL296DF045XE36B	9032689
TPA036H4 (208/230V)	35200	15	12.7	33800	21200	8.2	CR33-48B	EL296DF045XV36B	9032690
TPA036H4 (208/230V)	35200	15.2	13	33600	21200	8.5	CR33-48B	EL296DF070XE48B	9032691
TPA036H4 (208/230V)	35200	15	12.5	34000	21400	8.2	CR33-48B	EL296DF070XV48B	9032692
TPA036H4 (208/230V)	34000	15.2	12.7	32400	20800	8.2	CR33-48B	ML180DF070E36B	10590548
TPA036H4 (208/230V)	34000	15.2	12.7	32400	20800	8.2	CR33-48B	ML180DF090E48B	10590555
TPA036H4 (208/230V)	35400	15.5	13	33600	21000	8.5	CR33-48B	SL280DF090V48B	9032693
TPA036H4 (208/230V)	35400	15.2	12.7	33800	21200	8.5	CR33-48B	SLP98DF070XV36B	9032694
TPA036H4 (208/230V)	34800	14.2	12	34200	21800	8.2	CR33-48B		9032695
TPA036H4 (208/230V)	35200	15.7	13.2	31400	20800	8.7	CR33-48C	EL180DF110E60C	9032696
TPA036H4 (208/230V)	35200	15.2	12.7	33600	21200	8.5	CR33-48C	EL195DF090XE48C	9032697
TPA036H4 (208/230V)	35600	15.5	13	33800	21200	8.5	CR33-48C	EL195DF110XE60C	9032698
TPA036H4 (208/230V)	35200	15	12.7	33600	21200	8.5	CR33-48C	EL196DF090XE48C	202066690
TPA036H4 (208/230V)	35200	15.2	12.7	33600	21200	8.5	CR33-48C	EL296DF090XE48C	9032700
TPA036H4 (208/230V)	35600	15.5	13	33800	21200	8.5	CR33-48C	EL296DF090XV60C	9032790
TPA036H4 (208/230V)	35600	15.5	13	33800	21200	8.5	CR33-48C	EL296DF110XE60C	9032701
TPA036H4 (208/230V)	35600	15.5	13	33800	21200	8.5	CR33-48C	EL296DF110XV60C	9032702
TPA036H4 (208/230V)	35200	15.7	13.2	31400	20800	8.7	CR33-48C	ML180DF110E60C	10590572
TPA036H4 (208/230V)	35800	15.7	13	33600	21000	8.5	CR33-48C	SL280DF090V60C	9032703
TPA036H4 (208/230V)	35600	15.1	13	33600	21000	8.5	CR33-48C	SL280DF110V60C	9032704
TPA036H4 (208/230V)	35400	15.5	13	33600	21200	8.5	CR33-48C	SLP98DF090XV36C	9032705
TPA036H4 (208/230V)	35400	15.5	13	33600	21000	8.5	CR33-48C	SLP98DF090XV48C	9032706
TPA036H4 (208/230V)	35600	15.5	13	33800	21200	8.5	CR33-48C	SLP98DF090XV60C	9032699
TPA036H4 (208/230V)	35600	15.5	13	33800	21200	8.5	CR33-48C	SLP98DF110XV60C	9032707
TPA036H4 (208/230V)	34200	14.2	12	32200	21000	8.2	CR33-50/60	EL180DF110E60C	9031390
TPA036H4 (208/230V)	35600	15.5	13.2	32800	20600	8.7	CR33-50/60	EL195DF090XE48C	9031391
TPA036H4 (208/230V)	36000	16	13.2	32800	20400	9	CR33-50/60	EL195DF110XE60C	9031392
TPA036H4 (208/230V)	35600	15.5	12.7	32800	20600	8.7	CR33-50/60	EL196DF090XE48C	202066676
TPA036H4 (208/230V)	35600	15.5	13.2	32800	20600	8.7	CR33-50/60	EL296DF090XE48C	9031393
TPA036H4 (208/230V)	36000	15.7	13.2	34000	21200	9	CR33-50/60	EL296DF090XV60C	9031394
TPA036H4 (208/230V)	36000	16	13.2	32800	20400	9	CR33-50/60	EL296DF110XE60C	9031395
TPA036H4 (208/230V)	36000	15.7	13.2	34000	21200	9	CR33-50/60	EL296DF110XV60C	9031396
TPA036H4 (208/230V)	34200	14.2	12	32200	21000	8.2	CR33-50/60	ML180DF110E60C	10590566
TPA036H4 (208/230V)	36000	15.1	13	34000	21200	9	CR33-50/60	SL280DF090V60C	9031397
TPA036H4 (208/230V)	36000	15.1	13	33800	21000	8.5	CR33-50/60	SL280DF110V60C	9031398
TPA036H4 (208/230V)	36000	15.7	13.2	33800	21200	8.7	CR33-50/60	SLP98DF090XV36C	9031399
TPA036H4 (208/230V)	36000	15.7	13.2	33800	21200	8.7	CR33-50/60	SLP98DF090XV48C	9031400
TPA036H4 (208/230V)	36000	15.7	13.2	34000	21200	9	CR33-50/60	SLP98DF090XV60C	9031401
TPA036H4 (208/230V)	36000	15.7	13.2	34000	21200	9	CR33-50/60	SLP98DF110XV60C	9031402
TPA036H4 (208/230V)	35200	15.2	12.7	33600	21600	8.5	CR33-50/60		9031403
TPA036H4 (208/230V)	35600	15.5	13	33800	21000	8.5	CX38-38A	EL180UH045E36A	201873343
TPA036H4 (208/230V)	35600	15.5	13	33800	21000	8.5	CX38-38A	EL180UH045XE36A	201873344
TPA036H4 (208/230V)	35600	15.5	13	33800	21000	8.5	CX38-38A	ML180UH045E36A	201874752
TPA036H4 (208/230V)	35600	15.5	13	33800	21000	8.5	CX38-38A	ML180UH045XE36A	201874754
TPA036H4 (208/230V)	34200	15	12.5	32800	20800	8.2	CX38-38A	SL280UH070V36A	201873345
TPA036H4 (208/230V)	34200	15	12.5	32800	20800	8.2	CX38-38A	SL280UH070XV36A	201873346
TPA036H4 (208/230V)	34200	15.5	13	32400	20400	8.5	CX38-38B	EL180UH070E36B	201873347
TPA036H4 (208/230V)	34200	15.7	13	32400	20400	8.5	CX38-38B	EL180UH070XE36B	201873348
TPA036H4 (208/230V)	34600	15.5	13	33600	20600	8.5	CX38-38B	EL180UH090E48B	201873349
TPA036H4 (208/230V)	34600	15.5	13	33600	20600	8.5	CX38-38B	EL180UH090XE48B	201873350

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036H4 (208/230V)	33800	15	12.5	32600	20600	8.2	CX38-38B	EL195UH045XE36B	201873351
TPA036H4 (208/230V)	34000	15	12.5	32600	20800	8.2	CX38-38B	EL195UH070XE36B	201873352
TPA036H4 (208/230V)	33800	15	12.5	32600	20800	8.2	CX38-38B	EL196UH045XE36B	201993027
TPA036H4 (208/230V)	34000	15	12.5	32600	20600	8.2	CX38-38B	EL196UH070XE36B	201993028
TPA036H4 (208/230V)	33800	15	12.5	32600	20600	8.2	CX38-38B	EL296UH045XE36B	201873353
TPA036H4 (208/230V)	34200	15	12.5	32800	20800	8.2	CX38-38B	EL296UH045XV36B	201873354
TPA036H4 (208/230V)	34000	15	12.5	32600	20800	8.2	CX38-38B	EL296UH070XE36B	201873355
TPA036H4 (208/230V)	34200	15	12.5	32800	20800	8.2	CX38-38B	EL296UH070XV36B	201873356
TPA036H4 (208/230V)	34200	15.5	13	32400	20400	8.5	CX38-38B	ML180UH070E36B	201873889
TPA036H4 (208/230V)	34200	15.7	13	32400	20400	8.5	CX38-38B	ML180UH070XE36B	201873899
TPA036H4 (208/230V)	34600	15.5	13	33600	20600	8.5	CX38-38B	ML180UH090E48B	201873911
TPA036H4 (208/230V)	34600	15.5	13	33600	20600	8.5	CX38-38B	ML180UH090XE48B	201873951
TPA036H4 (208/230V)	34400	15.7	13	32600	20600	8.2	CX38-38B	SL280UH090V36B	201873357
TPA036H4 (208/230V)	34400	15.5	13	32600	20600	8.2	CX38-38B	SL280UH090V48B	201873358
TPA036H4 (208/230V)	34400	15.5	13	32600	20600	8.2	CX38-38B	SL280UH090XV48B	201873359
TPA036H4 (208/230V)	34200	15	12.5	32800	20800	8.2	CX38-38B	SLP98UH070XV36B	201873360
TPA036H4 (208/230V)	35200	15.7	13.2	32400	20200	8.5	CX38-43B	EL180UH070E36B	201873361
TPA036H4 (208/230V)	35200	15.7	13.2	32400	20200	8.5	CX38-43B	EL180UH070XE36B	201873362
TPA036H4 (208/230V)	35600	15.7	13.2	32600	20200	8.2	CX38-43B	EL180UH090E48B	201873363
TPA036H4 (208/230V)	35600	15.7	13.2	32600	20200	8.2	CX38-43B	EL180UH090XE48B	201873364
TPA036H4 (208/230V)	34800	15	12.7	32400	20400	8.2	CX38-43B	EL195UH045XE36B	201873365
TPA036H4 (208/230V)	35000	15	12.7	32600	20400	8.2	CX38-43B	EL195UH070XE36B	201873366
TPA036H4 (208/230V)	34800	15	12.5	32400	20400	8.2	CX38-43B	EL196UH045XE36B	201993029
TPA036H4 (208/230V)	35000	15	12.5	32600	20400	8.2	CX38-43B	EL196UH070XE36B	201993030
TPA036H4 (208/230V)	34800	15	12.2	32400	20400	8.2	CX38-43B	EL296UH045XE36B	201873367
TPA036H4 (208/230V)	35200	15	12.7	32800	20400	8.2	CX38-43B	EL296UH045XV36B	201873368
TPA036H4 (208/230V)	35000	15	12.7	32600	20400	8.2	CX38-43B	EL296UH070XE36B	201873369
TPA036H4 (208/230V)	35200	15	12.7	32800	20600	8.2	CX38-43B	EL296UH070XV36B	201873370
TPA036H4 (208/230V)	35200	15.7	13.2	32400	20200	8.5	CX38-43B	ML180UH070E36B	201873890
TPA036H4 (208/230V)	35200	15.7	13.2	32400	20200	8.5	CX38-43B	ML180UH070XE36B	201873900
TPA036H4 (208/230V)	35600	15.7	13.2	32600	20200	8.2	CX38-43B	ML180UH090E48B	201873912
TPA036H4 (208/230V)	35600	15.7	13.2	32600	20200	8.2	CX38-43B	ML180UH090XE48B	201873952
TPA036H4 (208/230V)	35200	15.7	13.2	32400	20200	8.5	CX38-43B	SL280UH090V36B	201873371
TPA036H4 (208/230V)	35400	15.7	13.2	32600	20200	8.2	CX38-43B	SL280UH090V48B	201873372
TPA036H4 (208/230V)	35400	15.7	13.2	32600	20200	8.2	CX38-43B	SL280UH090XV48B	201873373
TPA036H4 (208/230V)	35200	15	12.7	32800	20600	8.2	CX38-43B	SLP98UH070XV36B	201873374
TPA036H4 (208/230V)	35600	15.7	13.2	32600	20600	8.5	CX38-43C	EL180UH090E60C	201873375
TPA036H4 (208/230V)	35200	15.7	13.2	32400	20200	8.5	CX38-43C	EL180UH110E60C	201873376
TPA036H4 (208/230V)	35200	15.7	13.2	32400	20200	8.5	CX38-43C	EL180UH110XE60C	201873377
TPA036H4 (208/230V)	35200	15.5	13.2	32600	20200	8.2	CX38-43C	EL195UH090XE48C	201873378
TPA036H4 (208/230V)	35600	15.7	13.2	32600	20400	8.2	CX38-43C	EL195UH110XE60C	201873379
TPA036H4 (208/230V)	35200	15.5	13	32600	20400	8.2	CX38-43C	EL196UH090XE48C	201993031
TPA036H4 (208/230V)	35600	15.5	13	32600	20400	8.2	CX38-43C	EL196UH110XE60C	201993032
TPA036H4 (208/230V)	35200	15.5	13.2	32600	20200	8.2	CX38-43C	EL296UH090XE48C	201873380
TPA036H4 (208/230V)	35400	15.5	13.2	32600	20400	8.2	CX38-43C	EL296UH090XV36C	201873381
TPA036H4 (208/230V)	35200	15.5	13.2	32400	20200	8.5	CX38-43C	EL296UH090XV48C	201873382
TPA036H4 (208/230V)	35800	15.5	13.2	32800	20400	8.5	CX38-43C	EL296UH090XV60C	201873383
TPA036H4 (208/230V)	35600	15.7	13.2	32600	20400	8.2	CX38-43C	EL296UH110XE60C	201873384
TPA036H4 (208/230V)	35400	15.7	13.2	32400	20200	8.5	CX38-43C	EL296UH110XV48C	201873779
TPA036H4 (208/230V)	35600	15.7	13.2	32600	20400	8.5	CX38-43C	EL296UH110XV60C	201873385
TPA036H4 (208/230V)	35600	15.7	13.2	32600	20600	8.5	CX38-43C	ML180UH090E60C	201873929
TPA036H4 (208/230V)	35200	15.7	13.2	32400	20200	8.5	CX38-43C	ML180UH110E60C	201873967
TPA036H4 (208/230V)	35200	15.7	13.2	32400	20200	8.5	CX38-43C	ML180UH110XE60C	201873991
TPA036H4 (208/230V)	35800	15.1	13	32600	20400	8.2	CX38-43C	SL280UH090V60C	201873386
TPA036H4 (208/230V)	35800	15.1	13	32600	20400	8.2	CX38-43C	SL280UH090XV60C	201873387

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036H4 (208/230V)	35600	15.1	13	32600	20400	8.2	CX38-43C	SL280UH110V60C	201873388
TPA036H4 (208/230V)	35600	15.1	13	32600	20400	8.2	CX38-43C	SL280UH110XV60C	201873389
TPA036H4 (208/230V)	35400	15.5	13.2	32400	20200	8.2	CX38-43C	SLP98UH090XV36C	201873390
TPA036H4 (208/230V)	35200	15.5	13.2	32400	20200	8.5	CX38-43C	SLP98UH090XV48C	201873391
TPA036H4 (208/230V)	35800	15.5	13.2	32800	20400	8.5	CX38-43C	SLP98UH090XV60C	201873392
TPA036H4 (208/230V)	35600	15.7	13.2	32600	20400	8.5	CX38-43C	SLP98UH110XV60C	201873393
TPA036H4 (208/230V)	33800	15.5	13	32200	20400	8.2	CX38-44/48B	EL180UH070E36B	201873394
TPA036H4 (208/230V)	33800	15.5	13	32200	20400	8.2	CX38-44/48B	EL180UH070XE36B	201873395
TPA036H4 (208/230V)	34200	15.5	12.7	32400	20600	8.5	CX38-44/48B	EL180UH090E48B	201873396
TPA036H4 (208/230V)	34200	15.5	12.7	32600	20600	8.2	CX38-44/48B	EL180UH090XE48B	201873397
TPA036H4 (208/230V)	33800	15.5	13	32200	20400	8.2	CX38-44/48B	ML180UH070E36B	201873891
TPA036H4 (208/230V)	33800	15.5	13	32200	20400	8.2	CX38-44/48B	ML180UH070XE36B	201873901
TPA036H4 (208/230V)	34200	15.5	12.7	32400	20600	8.5	CX38-44/48B	ML180UH090E48B	201873913
TPA036H4 (208/230V)	34200	15.5	12.7	32600	20600	8.2	CX38-44/48B	ML180UH090XE48B	201873953
TPA036H4 (208/230V)	34000	15.5	12.7	32200	20400	8.2	CX38-44/48B	SL280UH090V36B	201873398
TPA036H4 (208/230V)	34000	15.2	12.7	32400	20600	8.2	CX38-44/48B	SL280UH090V48B	201873399
TPA036H4 (208/230V)	34000	15.2	12.7	32400	20600	8.2	CX38-44/48B	SL280UH090XV48B	201873400
TPA036H4 (208/230V)	34200	15.5	13	32400	20600	8.2	CX38-44/48C	EL180UH090E60C	201873401
TPA036H4 (208/230V)	34000	15.5	13	32200	20400	8.2	CX38-44/48C	EL180UH110E60C	201873402
TPA036H4 (208/230V)	34000	15.5	13	32200	20400	8.2	CX38-44/48C	EL180UH110XE60C	201873403
TPA036H4 (208/230V)	34000	15.2	12.7	32400	20400	8.2	CX38-44/48C	EL195UH090XE48C	201873404
TPA036H4 (208/230V)	34200	15.5	12.7	32400	20600	8.2	CX38-44/48C	EL195UH110XE60C	201873405
TPA036H4 (208/230V)	34000	15	12.5	32400	20600	8.2	CX38-44/48C	EL196UH090XE48C	201993033
TPA036H4 (208/230V)	34200	15.1	12.5	32400	20600	8.2	CX38-44/48C	EL196UH110XE60C	201993034
TPA036H4 (208/230V)	34000	15.2	12.7	32400	20400	8.2	CX38-44/48C	EL296UH090XE48C	201873406
TPA036H4 (208/230V)	34000	15.2	12.7	32400	20600	8.2	CX38-44/48C	EL296UH090XV36C	201873407
TPA036H4 (208/230V)	34000	15.5	12.7	32200	20400	8.2	CX38-44/48C	EL296UH090XV48C	201873408
TPA036H4 (208/230V)	34200	15.5	12.7	32400	20600	8.2	CX38-44/48C	EL296UH110XE60C	201873409
TPA036H4 (208/230V)	34200	15.5	13	32200	20400	8.2	CX38-44/48C	EL296UH110XV48C	201873410
TPA036H4 (208/230V)	34400	15.5	13	32400	20600	8.2	CX38-44/48C	EL296UH110XV60C	201873411
TPA036H4 (208/230V)	34200	15.5	13	32400	20600	8.2	CX38-44/48C	ML180UH090E60C	201873930
TPA036H4 (208/230V)	34000	15.5	13	32200	20400	8.2	CX38-44/48C	ML180UH110E60C	201873968
TPA036H4 (208/230V)	34000	15.5	13	32200	20400	8.2	CX38-44/48C	ML180UH110XE60C	201873992
TPA036H4 (208/230V)	34400	15.1	12.5	32400	20600	8.2	CX38-44/48C	SL280UH110V60C	201873412
TPA036H4 (208/230V)	34400	15.1	12.5	32400	20600	8.2	CX38-44/48C	SL280UH110XV60C	201873413
TPA036H4 (208/230V)	34000	15.2	12.7	32400	20600	8.2	CX38-44/48C	SLP98UH090XV36C	201873414
TPA036H4 (208/230V)	34000	15.5	12.7	32200	20400	8.2	CX38-44/48C	SLP98UH090XV48C	201873415
TPA036H4 (208/230V)	34400	15.5	13	32400	20600	8.2	CX38-44/48C	SLP98UH110XV60C	201873416
TPA036H4 (208/230V)	35200	15.7	13.2	31400	20200	8.7	CX38-49C	EL180UH090E60C	201873417
TPA036H4 (208/230V)	34800	15.7	13.2	31400	20200	8.7	CX38-49C	EL180UH110E60C	201873418
TPA036H4 (208/230V)	34800	15.7	13.2	31400	20200	8.7	CX38-49C	EL180UH110XE60C	201873419
TPA036H4 (208/230V)	34800	15.5	13	31400	20400	8.7	CX38-49C	EL195UH090XE48C	201873420
TPA036H4 (208/230V)	35200	15.7	13.2	31600	20400	8.7	CX38-49C	EL195UH110XE60C	201873421
TPA036H4 (208/230V)	34800	15.5	13	31400	20400	8.7	CX38-49C	EL196UH090XE48C	201993035
TPA036H4 (208/230V)	35200	15.5	13	31600	20400	8.7	CX38-49C	EL196UH110XE60C	201993036
TPA036H4 (208/230V)	34800	15.5	13	31400	20400	8.7	CX38-49C	EL296UH090XE48C	201873422
TPA036H4 (208/230V)	35000	15.5	13.2	31400	20400	8.7	CX38-49C	EL296UH090XV36C	201873423
TPA036H4 (208/230V)	35000	15.7	13.2	31400	20200	8.7	CX38-49C	EL296UH090XV48C	201873424
TPA036H4 (208/230V)	35600	15.5	13	31800	20600	8.7	CX38-49C	EL296UH090XV60C	201873425
TPA036H4 (208/230V)	35200	15.7	13.2	31600	20400	8.7	CX38-49C	EL296UH110XE60C	201873426
TPA036H4 (208/230V)	35000	15.7	13.2	31400	20200	8.7	CX38-49C	EL296UH110XV48C	201873427
TPA036H4 (208/230V)	35400	15.7	13.2	31600	20400	8.7	CX38-49C	EL296UH110XV60C	201873428
TPA036H4 (208/230V)	35200	15.7	13.2	31400	20200	8.7	CX38-49C	ML180UH090E60C	201873931
TPA036H4 (208/230V)	34800	15.7	13.2	31400	20200	8.7	CX38-49C	ML180UH110E60C	201873969
TPA036H4 (208/230V)	34800	15.7	13.2	31400	20200	8.7	CX38-49C	ML180UH110XE60C	201873993

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036H4 (208/230V)	35400	15.1	13	31600	20400	8.5	CX38-49C	SL280UH090V60C	201873429
TPA036H4 (208/230V)	35400	15.1	13	31600	20400	8.5	CX38-49C	SL280UH090XV60C	201873430
TPA036H4 (208/230V)	35400	15.1	13	31600	20400	8.5	CX38-49C	SL280UH110V60C	201873431
TPA036H4 (208/230V)	35400	15.1	13	31600	20400	8.5	CX38-49C	SL280UH110XV60C	201873432
TPA036H4 (208/230V)	35000	15.5	13.2	31400	20200	8.7	CX38-49C	SLP98UH090XV36C	201873433
TPA036H4 (208/230V)	34800	15.7	13.2	31400	20200	8.7	CX38-49C	SLP98UH090XV48C	201873434
TPA036H4 (208/230V)	35600	15.5	13	31800	20600	8.2	CX38-49C	SLP98UH090XV60C	201873435
TPA036H4 (208/230V)	35400	15.7	13.2	31600	20400	8.7	CX38-49C	SLP98UH110XV60C	201873436
TPA036H4 (208/230V)	34400	14.2	13	32000	21000	8.2	CX38-49C		201873437
TPA036H4 (208/230V)	34400	14.2	13	32000	21000	8.2	CX38-49C		201874736
TPA036H4 (208/230V)	34600	15.5	13	31400	20200	8.2	CX38-50/60C	EL180UH090E60C	201873438
TPA036H4 (208/230V)	34400	15.5	13	32400	20600	8.2	CX38-50/60C	EL180UH110E60C	201873439
TPA036H4 (208/230V)	34400	15.5	13	32400	20600	8.2	CX38-50/60C	EL180UH110XE60C	201873440
TPA036H4 (208/230V)	34200	15.2	12.7	31400	20200	8.7	CX38-50/60C	EL195UH090XE48C	201873441
TPA036H4 (208/230V)	34600	15.5	13	31400	20400	8.7	CX38-50/60C	EL195UH110XE60C	201873442
TPA036H4 (208/230V)	34200	15	12.5	31400	20400	8.5	CX38-50/60C	EL196UH090XE48C	201993037
TPA036H4 (208/230V)	34600	15.1	13	31400	20400	8.7	CX38-50/60C	EL196UH110XE60C	201993038
TPA036H4 (208/230V)	34200	15.2	12.7	31400	20200	8.7	CX38-50/60C	EL296UH090XE48C	201873443
TPA036H4 (208/230V)	34400	15.2	12.7	31400	20400	8.7	CX38-50/60C	EL296UH090XV36C	201873444
TPA036H4 (208/230V)	34200	15.2	13	31200	20200	8.7	CX38-50/60C	EL296UH090XV48C	201873445
TPA036H4 (208/230V)	34600	15.5	13	31400	20400	8.7	CX38-50/60C	EL296UH110XE60C	201873446
TPA036H4 (208/230V)	34400	15.5	13	31400	20200	8.7	CX38-50/60C	EL296UH110XV48C	201873447
TPA036H4 (208/230V)	34600	15.5	13	31600	20400	8.7	CX38-50/60C	EL296UH110XV60C	201873448
TPA036H4 (208/230V)	34600	15.5	13	31400	20200	8.2	CX38-50/60C	ML180UH090E60C	201873932
TPA036H4 (208/230V)	34400	15.5	13	32400	20600	8.2	CX38-50/60C	ML180UH110E60C	201873970
TPA036H4 (208/230V)	34400	15.5	13	32400	20600	8.2	CX38-50/60C	ML180UH110XE60C	201873994
TPA036H4 (208/230V)	34800	15.1	12.5	31600	20400	8.5	CX38-50/60C	SL280UH090V60C	201873449
TPA036H4 (208/230V)	34800	15.1	12.5	31600	20400	8.5	CX38-50/60C	SL280UH090XV60C	201873450
TPA036H4 (208/230V)	34600	15.1	12.5	31600	20400	8.5	CX38-50/60C	SL280UH110V60C	201873451
TPA036H4 (208/230V)	34600	15.1	12.5	31600	20400	8.5	CX38-50/60C	SL280UH110XV60C	201873452
TPA036H4 (208/230V)	34400	15.2	12.7	31400	20400	8.7	CX38-50/60C	SLP98UH090XV36C	201873453
TPA036H4 (208/230V)	34200	15.2	13	31200	20200	8.7	CX38-50/60C	SLP98UH090XV48C	201873454
TPA036H4 (208/230V)	34600	15.5	13	31600	20400	8.7	CX38-50/60C	SLP98UH110XV60C	201873455
TPA036H4 (208/230V)	33800	14	11.7	32000	21000	8.2	CX38-50/60C		201873456
TPA036H4 (208/230V)	33800	14	11.7	32000	21000	8.2	CX38-50/60C		201874737
TPA036S4 (460V)	36000	14	11.5	32200	20600	8.5	C37-38B	EL180UH070E36B	201873032
TPA036S4 (460V)	36000	14	11.5	32200	20600	8.5	C37-38B	EL180UH070XE36B	201873033
TPA036S4 (460V)	36000	14	11.5	32400	20800	8.5	C37-38B	EL180UH090E48B	201873034
TPA036S4 (460V)	36000	14	11.5	32400	20800	8.5	C37-38B	EL180UH090XE48B	201873035
TPA036S4 (460V)	36000	14	11.5	32200	20600	8.5	C37-38B	ML180UH070E36B	201873141
TPA036S4 (460V)	36000	14	11.5	32200	20600	8.5	C37-38B	ML180UH070XE36B	201873151
TPA036S4 (460V)	36000	14	11.5	32400	20800	8.5	C37-38B	ML180UH090E48B	201873163
TPA036S4 (460V)	36000	14	11.5	32400	20800	8.5	C37-38B	ML180UH090XE48B	201873203
TPA036S4 (460V)	36000	14	11.5	32400	20800	8.5	C37-38B	SL280UH090V36B	201873036
TPA036S4 (460V)	36000	14	11.5	32400	20800	8.5	C37-38B	SL280UH090V48B	201873037
TPA036S4 (460V)	36000	14	11.5	32400	20800	8.5	C37-38B	SL280UH090XV48B	201873038
TPA036S4 (460V)	36000	14	11.5	32200	20600	8.2	C37-48B	EL180UH070E36B	201873039
TPA036S4 (460V)	36000	14	11.5	32200	20600	8.2	C37-48B	EL180UH070XE36B	201873040
TPA036S4 (460V)	36000	14	11.5	32400	20600	8.2	C37-48B	EL180UH090E48B	201873041
TPA036S4 (460V)	36000	14	11.5	32400	20600	8.2	C37-48B	EL180UH090XE48B	201873042
TPA036S4 (460V)	36000	14	11.5	32200	20600	8.2	C37-48B	ML180UH070E36B	201873142
TPA036S4 (460V)	36000	14	11.5	32200	20600	8.2	C37-48B	ML180UH070XE36B	201873152
TPA036S4 (460V)	36000	14	11.5	32400	20600	8.2	C37-48B	ML180UH090E48B	201873164
TPA036S4 (460V)	36000	14	11.5	32400	20600	8.2	C37-48B	ML180UH090XE48B	201873204
TPA036S4 (460V)	36000	14	11.5	32200	20600	8.2	C37-48B	SL280UH090V36B	201873043

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036S4 (460V)	36000	14	11.5	32400	20800	8.2	C37-48B	SL280UH090V48B	201873044
TPA036S4 (460V)	36000	14	11.5	32400	20800	8.2	C37-48B	SL280UH090XV48B	201873045
TPA036S4 (460V)	36000	14	11.5	32400	20600	8.2	C37-48C	EL180UH090E60C	201873046
TPA036S4 (460V)	36000	14	11.5	32200	20600	8.2	C37-48C	EL180UH110E60C	201873047
TPA036S4 (460V)	36000	14	11.5	32200	20600	8.2	C37-48C	EL180UH110XE60C	201873048
TPA036S4 (460V)	36000	14	11.5	32400	20600	8.2	C37-48C	EL195UH090XE48C	201873049
TPA036S4 (460V)	36000	14	11.5	32400	20800	8.2	C37-48C	EL195UH110XE60C	201873050
TPA036S4 (460V)	36000	14	11.5	32400	20800	8.2	C37-48C	EL196UH090XE48C	201993158
TPA036S4 (460V)	36000	14	11.5	32400	20800	8.2	C37-48C	EL196UH110XE60C	201993159
TPA036S4 (460V)	36000	14	11.5	32400	20600	8.2	C37-48C	EL296UH090XE48C	201873051
TPA036S4 (460V)	36000	14	11.5	32400	20800	8.2	C37-48C	EL296UH090XV36C	201873052
TPA036S4 (460V)	36000	14	11.5	32200	20600	8.2	C37-48C	EL296UH090XV48C	201873053
TPA036S4 (460V)	36000	14	11.5	32600	21000	8.2	C37-48C	EL296UH090XV60C	201873054
TPA036S4 (460V)	36000	14	11.5	32400	20800	8.2	C37-48C	EL296UH110XE60C	201873055
TPA036S4 (460V)	36000	14.2	11.7	32200	20600	8.2	C37-48C	EL296UH110XV48C	201873056
TPA036S4 (460V)	36000	14	11.5	32400	20800	8.2	C37-48C	EL296UH110XV60C	201873057
TPA036S4 (460V)	36000	14	11.5	32400	20600	8.2	C37-48C	ML180UH090E60C	201873190
TPA036S4 (460V)	36000	14	11.5	32200	20600	8.2	C37-48C	ML180UH110E60C	201873229
TPA036S4 (460V)	36000	14	11.5	32200	20600	8.2	C37-48C	ML180UH110XE60C	201873254
TPA036S4 (460V)	36000	14	11	32600	20800	8	C37-48C	SL280UH110V60C	201873127
TPA036S4 (460V)	36000	14	11	32600	20800	8	C37-48C	SL280UH110XV60C	201873128
TPA036S4 (460V)	36000	14	11.5	32400	20800	8.2	C37-48C	SLP98UH090XV36C	201873058
TPA036S4 (460V)	36000	14	11.5	32200	20600	8.2	C37-48C	SLP98UH090XV48C	201873059
TPA036S4 (460V)	36000	14	11.5	32600	21000	8.2	C37-48C	SLP98UH090XV60C	201873060
TPA036S4 (460V)	36000	14	11.5	32400	20800	8.2	C37-48C	SLP98UH110XV60C	201873061
TPA036S4 (460V)	34800	14	11.5	32400	20600	8.2	CH33-31B	EL180UH070E36B	9038852
TPA036S4 (460V)	34800	14	11.5	32400	20600	8.2	CH33-31B	EL180UH070XE36B	9038853
TPA036S4 (460V)	34800	14	11.5	32400	20600	8.2	CH33-31B	ML180UH070E36B	10590696
TPA036S4 (460V)	34800	14	11.5	32400	20600	8.2	CH33-31B	ML180UH070XE36B	10590780
TPA036S4 (460V)	35000	14	11.5	32600	20800	8.2	CH33-31B	SL280UH090V36B	9038859
TPA036S4 (460V)	35000	14	11.5	32600	21000	8.2	CH33-31B	SL280UH090V48B	9038860
TPA036S4 (460V)	35000	14	11.5	32600	21000	8.2	CH33-31B	SL280UH090XV48B	9038861
TPA036S4 (460V)	35600	14	11.5	32600	20800	8.5	CH33-36C	EL180UH090E60C	9038864
TPA036S4 (460V)	35200	14	11.5	32600	20800	8.5	CH33-36C	EL180UH110E60C	9038865
TPA036S4 (460V)	35200	14	11.5	32600	20800	8.5	CH33-36C	EL180UH110XE60C	9038866
TPA036S4 (460V)	35200	14	11.5	32600	20800	8.5	CH33-36C	EL195UH090XE48C	9038867
TPA036S4 (460V)	35600	14	11.5	32800	21000	8.5	CH33-36C	EL195UH110XE60C	9038868
TPA036S4 (460V)	35200	14	11.5	32600	20800	8.5	CH33-36C	EL196UH090XE48C	201993160
TPA036S4 (460V)	35600	14	11.5	32800	21000	8.5	CH33-36C	EL196UH110XE60C	201993161
TPA036S4 (460V)	35200	14	11.5	32600	20800	8.5	CH33-36C	EL296UH090XE48C	9038869
TPA036S4 (460V)	35400	14	11.5	32800	20800	8.5	CH33-36C	EL296UH090XV36C	9038870
TPA036S4 (460V)	35000	14	11.5	32600	20800	8.2	CH33-36C	EL296UH090XV48C	9038871
TPA036S4 (460V)	35800	14	11.5	33000	21000	8.5	CH33-36C	EL296UH090XV60C	9038872
TPA036S4 (460V)	35600	14	11.5	32800	21000	8.5	CH33-36C	EL296UH110XE60C	9038873
TPA036S4 (460V)	35400	14	11.7	32600	20800	8.5	CH33-36C	EL296UH110XV48C	9038874
TPA036S4 (460V)	35600	14	11.5	32800	21000	8.5	CH33-36C	EL296UH110XV60C	9038875
TPA036S4 (460V)	35600	14	11.5	32600	20800	8.5	CH33-36C	ML180UH090E60C	10590954
TPA036S4 (460V)	35200	14	11.5	32600	20800	8.5	CH33-36C	ML180UH110E60C	10591064
TPA036S4 (460V)	35200	14	11.5	32600	20800	8.5	CH33-36C	ML180UH110XE60C	10591141
TPA036S4 (460V)	35800	14	11	32800	21000	8.5	CH33-36C	SL280UH090V60C	9038876
TPA036S4 (460V)	35800	14	11	32800	21000	8.5	CH33-36C	SL280UH090XV60C	9038877
TPA036S4 (460V)	35600	14	11	32800	21000	8.2	CH33-36C	SL280UH110V60C	9038878
TPA036S4 (460V)	35600	14	11	32800	21000	8.2	CH33-36C	SL280UH110XV60C	9038879
TPA036S4 (460V)	35400	14	11.5	32800	20800	8.5	CH33-36C	SLP98UH090XV36C	9038880
TPA036S4 (460V)	35600	14	11.5	32800	21000	8.5	CH33-36C	SLP98UH090XV48C	9038881

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036S4 (460V)	35800	14	11.5	33000	21000	8.5	CH33-36C	SLP98UH090XV60C	9038882
TPA036S4 (460V)	35600	14	11.5	32800	21000	8.5	CH33-36C	SLP98UH110XV60C	9038883
TPA036S4 (460V)	34800	14	11.5	32400	20800	8.2	CH33-42	SL280UH090V36B	9038889
TPA036S4 (460V)	34800	14	11.5	32600	20800	8.2	CH33-42	SL280UH090V48B	9038890
TPA036S4 (460V)	34800	14	11.5	32600	20800	8.2	CH33-42	SL280UH090XV48B	9038891
TPA036S4 (460V)	35600	14	11.5	32400	20800	8.5	CR33-48	EL180DF070E36B	9038894
TPA036S4 (460V)	35600	14	11.5	32600	20800	8.2	CR33-48	EL180DF090E48B	9038895
TPA036S4 (460V)	35600	14	11.5	32800	21000	8.2	CR33-48	EL195DF070XE48B	9038897
TPA036S4 (460V)	35600	14	11.5	32800	21000	8.2	CR33-48	EL296DF070XE48B	9038900
TPA036S4 (460V)	35600	14	11.5	32400	20800	8.5	CR33-48	ML180DF070E36B	10590551
TPA036S4 (460V)	35600	14	11.5	32600	20800	8.2	CR33-48	ML180DF090E48B	10590558
TPA036S4 (460V)	35600	14	11.5	32600	20800	8.2	CR33-48	SL280DF090V48B	9038902
TPA036S4 (460V)	36000	14	11.5	32800	21000	8.5	CR33-48C	EL195DF090XE48C	9038964
TPA036S4 (460V)	36000	14	11.5	32800	21000	8.5	CR33-48C	EL296DF090XE48C	9038965
TPA036S4 (460V)	36000	14	11.7	32800	21000	8.5	CR33-48C	SL280DF090V60C	9038966
TPA036S4 (460V)	35800	14	11.7	32600	20800	8.5	CR33-48C	SL280DF110V60C	9038967
TPA036S4 (460V)	35800	14	11.5	32800	21000	8.2	CR33-48C	SLP98DF090XV36C	9038968
TPA036S4 (460V)	35800	14	11.5	32800	20800	8.5	CR33-48C	SLP98DF090XV48C	9038969
TPA036S4 (460V)	36000	14	11.5	32800	21000	8.5	CR33-48C	SLP98DF090XV60C	9038970
TPA036S4 (460V)	36000	14	11.5	32800	21000	8.5	CR33-48C	SLP98DF110XV60C	9038971
TPA036S4 (460V)	36000	14	11.5	32200	20600	8.5	CX38-38B	EL180UH070E36B	201873815
TPA036S4 (460V)	36000	14	11.5	32200	20600	8.5	CX38-38B	EL180UH070XE36B	201873816
TPA036S4 (460V)	36000	14	11.5	32400	20800	8.5	CX38-38B	EL180UH090E48B	201873817
TPA036S4 (460V)	36000	14	11.5	32400	20800	8.5	CX38-38B	EL180UH090XE48B	201873818
TPA036S4 (460V)	36000	14	11.5	32200	20600	8.5	CX38-38B	ML180UH070E36B	201873897
TPA036S4 (460V)	36000	14	11.5	32200	20600	8.5	CX38-38B	ML180UH070XE36B	201873907
TPA036S4 (460V)	36000	14	11.5	32400	20800	8.5	CX38-38B	ML180UH090E48B	201873919
TPA036S4 (460V)	36000	14	11.5	32400	20800	8.5	CX38-38B	ML180UH090XE48B	201873959
TPA036S4 (460V)	36000	14	11.5	32400	20800	8.5	CX38-38B	SL280UH090V36B	201873819
TPA036S4 (460V)	36000	14	11.5	32400	20800	8.5	CX38-38B	SL280UH090V48B	201873820
TPA036S4 (460V)	36000	14	11.5	32400	20800	8.5	CX38-38B	SL280UH090XV48B	201873821
TPA036S4 (460V)	36000	14	11.5	32200	20600	8.2	CX38-44/48B	EL180UH070E36B	201873822
TPA036S4 (460V)	36000	14	11.5	32200	20600	8.2	CX38-44/48B	EL180UH070XE36B	201873823
TPA036S4 (460V)	36000	14	11.5	32400	20600	8.2	CX38-44/48B	EL180UH090E48B	201873824
TPA036S4 (460V)	36000	14	11.5	32400	20600	8.2	CX38-44/48B	EL180UH090XE48B	201873825
TPA036S4 (460V)	36000	14	11.5	32200	20600	8.2	CX38-44/48B	ML180UH070E36B	201873898
TPA036S4 (460V)	36000	14	11.5	32200	20600	8.2	CX38-44/48B	ML180UH070XE36B	201873908
TPA036S4 (460V)	36000	14	11.5	32400	20600	8.2	CX38-44/48B	ML180UH090E48B	201873920
TPA036S4 (460V)	36000	14	11.5	32400	20600	8.2	CX38-44/48B	ML180UH090XE48B	201873960
TPA036S4 (460V)	36000	14	11.5	32200	20600	8.2	CX38-44/48B	SL280UH090V36B	201873826
TPA036S4 (460V)	36000	14	11.5	32200	20600	8.2	CX38-44/48B	SL280UH090V48B	201873827
TPA036S4 (460V)	36000	14	11.5	32200	20600	8.2	CX38-44/48B	SL280UH090XV48B	201873828
TPA036S4 (460V)	36000	14	11.5	32400	20600	8.2	CX38-44/48C	EL180UH090E60C	201873829
TPA036S4 (460V)	36000	14	11.5	32200	20600	8.2	CX38-44/48C	EL180UH110E60C	201873830
TPA036S4 (460V)	36000	14	11.5	32200	20600	8.2	CX38-44/48C	EL180UH110XE60C	201873831
TPA036S4 (460V)	36000	14	11.5	32400	20600	8.2	CX38-44/48C	EL195UH090XE48C	201873832
TPA036S4 (460V)	36000	14	11.5	32400	20800	8.2	CX38-44/48C	EL195UH110XE60C	201873833
TPA036S4 (460V)	36000	14	11.5	32400	20800	8.2	CX38-44/48C	EL196UH090XE48C	201993162
TPA036S4 (460V)	36000	14	11.5	32400	20800	8.2	CX38-44/48C	EL196UH110XE60C	201993163
TPA036S4 (460V)	36000	14	11.5	32400	20600	8.2	CX38-44/48C	EL296UH090XE48C	201873834
TPA036S4 (460V)	36000	14	11.5	32400	20800	8.2	CX38-44/48C	EL296UH090XV36C	201873835
TPA036S4 (460V)	36000	14	11.5	32200	20600	8.2	CX38-44/48C	EL296UH090XV48C	201873836
TPA036S4 (460V)	36000	14	11.5	32600	21000	8.2	CX38-44/48C	EL296UH090XV60C	201873837
TPA036S4 (460V)	36000	14	11.5	32400	20800	8.2	CX38-44/48C	EL296UH110XE60C	201873838
TPA036S4 (460V)	36000	14.2	11.7	32200	20600	8.2	CX38-44/48C	EL296UH110XV48C	201873839

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036S4 (460V)	36000	14	11.5	32400	20800	8.2	CX38-44/48C	EL296UH110XV60C	201873840
TPA036S4 (460V)	36000	14	11.5	32400	20600	8.2	CX38-44/48C	ML180UH090E60C	201873946
TPA036S4 (460V)	36000	14	11.5	32200	20600	8.2	CX38-44/48C	ML180UH110E60C	201873984
TPA036S4 (460V)	36000	14	11.5	32200	20600	8.2	CX38-44/48C	ML180UH110XE60C	201874008
TPA036S4 (460V)	36000	14	11	32600	20800	8	CX38-44/48C	SL280UH090V60C	201873841
TPA036S4 (460V)	36000	14	11	32600	20800	8	CX38-44/48C	SL280UH090XV60C	201873842
TPA036S4 (460V)	36000	14	11	32600	20800	8	CX38-44/48C	SL280UH110V60C	201873843
TPA036S4 (460V)	36000	14	11	32600	20800	8	CX38-44/48C	SL280UH110XV60C	201873844
TPA036S4 (460V)	36000	14	11.5	32400	20800	8.2	CX38-44/48C	SLP98UH090XV36C	201873845
TPA036S4 (460V)	36000	14	11.5	32600	20800	8.2	CX38-44/48C	SLP98UH090XV48C	201873846
TPA036S4 (460V)	36000	14	11.5	32600	21000	8.2	CX38-44/48C	SLP98UH090XV60C	201873847
TPA036S4 (460V)	36000	14	11.5	32400	20800	8.2	CX38-44/48C	SLP98UH110XV60C	201873848
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	8.5	C37-38B	EL180UH070E36B	201873002
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	8.5	C37-38B	EL180UH070XE36B	201873003
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	8.5	C37-38B	EL180UH090E48B	201873004
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	8.5	C37-38B	EL180UH090XE48B	201873005
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	8.5	C37-38B	ML180UH070E36B	201873139
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	8.5	C37-38B	ML180UH070XE36B	201873149
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	8.5	C37-38B	ML180UH090E48B	201873161
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	8.5	C37-38B	ML180UH090XE48B	201873201
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	8.5	C37-38B	SL280UH090V36B	201873006
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	8.5	C37-38B	SL280UH090V48B	201873007
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	8.5	C37-38B	SL280UH090XV48B	201873008
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	8.2	C37-48B	EL180UH070E36B	201873009
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	8.2	C37-48B	EL180UH070XE36B	201873010
TPA036S4 (208/230V)	36000	14	11.5	32400	20600	8.2	C37-48B	EL180UH090E48B	201873011
TPA036S4 (208/230V)	36000	14	11.5	32400	20600	8.2	C37-48B	EL180UH090XE48B	201873012
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	8.2	C37-48B	ML180UH070E36B	201873140
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	8.2	C37-48B	ML180UH070XE36B	201873150
TPA036S4 (208/230V)	36000	14	11.5	32400	20600	8.2	C37-48B	ML180UH090E48B	201873162
TPA036S4 (208/230V)	36000	14	11.5	32400	20600	8.2	C37-48B	ML180UH090XE48B	201873202
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	8.2	C37-48B	SL280UH090V36B	201873013
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	8.2	C37-48B	SL280UH090V48B	201873014
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	8.2	C37-48B	SL280UH090XV48B	201873015
TPA036S4 (208/230V)	36000	14	11.5	32400	20600	8.2	C37-48C	EL180UH090E60C	201873016
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	8.2	C37-48C	EL180UH110E60C	201873017
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	8.2	C37-48C	EL180UH110XE60C	201873018
TPA036S4 (208/230V)	36000	14	11.5	32400	20600	8.2	C37-48C	EL195UH090XE48C	201873019
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	8.2	C37-48C	EL195UH110XE60C	201873020
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	8.2	C37-48C	EL196UH090XE48C	201993152
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	8.2	C37-48C	EL196UH110XE60C	201993153
TPA036S4 (208/230V)	36000	14	11.5	32400	20600	8.2	C37-48C	EL296UH090XE48C	201873021
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	8.2	C37-48C	EL296UH090XV36C	201873022
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	8.2	C37-48C	EL296UH090XV48C	201873023
TPA036S4 (208/230V)	36000	14	11.5	32600	21000	8.2	C37-48C	EL296UH090XV60C	201873024
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	8.2	C37-48C	EL296UH110XE60C	201873025
TPA036S4 (208/230V)	36000	14.2	11.7	32200	20600	8.2	C37-48C	EL296UH110XV48C	201873026
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	8.2	C37-48C	EL296UH110XV60C	201873027
TPA036S4 (208/230V)	36000	14	11.5	32400	20600	8.2	C37-48C	ML180UH090E60C	201873189
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	8.2	C37-48C	ML180UH110E60C	201873228
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	8.2	C37-48C	ML180UH110XE60C	201873253
TPA036S4 (208/230V)	36000	14	11	32600	20800	8	C37-48C	SL280UH110V60C	201873125
TPA036S4 (208/230V)	36000	14	11	32600	20800	8	C37-48C	SL280UH110XV60C	201873126
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	8.2	C37-48C	SLP98UH090XV36C	201873028
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	8.2	C37-48C	SLP98UH090XV48C	201873029

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036S4 (208/230V)	36000	14	11.5	32600	21000	8.2	C37-48C	SLP98UH090XV60C	201873030
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	8.2	C37-48C	SLP98UH110XV60C	201873031
TPA036S4 (208/230V)	34800	14	11.5	32400	20600	8.2	CH33-31B	EL180UH070E36B	9038690
TPA036S4 (208/230V)	34800	14	11.5	32400	20600	8.2	CH33-31B	EL180UH070XE36B	9038691
TPA036S4 (208/230V)	34800	14	11.5	32400	20600	8.2	CH33-31B	ML180UH070E36B	10590691
TPA036S4 (208/230V)	34800	14	11.5	32400	20600	8.2	CH33-31B	ML180UH070XE36B	10590775
TPA036S4 (208/230V)	35000	14	11.5	32600	20800	8.2	CH33-31B	SL280UH090V36B	9038697
TPA036S4 (208/230V)	35000	14	11.5	32600	21000	8.2	CH33-31B	SL280UH090V48B	9038698
TPA036S4 (208/230V)	35000	14	11.5	32600	21000	8.2	CH33-31B	SL280UH090XV48B	9038699
TPA036S4 (208/230V)	35600	14	11.5	32600	20800	8.5	CH33-36C	EL180UH090E60C	9038702
TPA036S4 (208/230V)	35200	14	11.5	32600	20800	8.5	CH33-36C	EL180UH110E60C	9038703
TPA036S4 (208/230V)	35200	14	11.5	32600	20800	8.5	CH33-36C	EL180UH110XE60C	9038704
TPA036S4 (208/230V)	35200	14	11.5	32600	20800	8.5	CH33-36C	EL195UH090XE48C	9038705
TPA036S4 (208/230V)	35600	14	11.5	32800	21000	8.5	CH33-36C	EL195UH110XE60C	9038706
TPA036S4 (208/230V)	35200	14	11.5	32600	20800	8.5	CH33-36C	EL196UH090XE48C	201993154
TPA036S4 (208/230V)	35600	14	11.5	32800	21000	8.5	CH33-36C	EL196UH110XE60C	201993155
TPA036S4 (208/230V)	35200	14	11.5	32600	20800	8.5	CH33-36C	EL296UH090XE48C	9038707
TPA036S4 (208/230V)	35400	14	11.5	32800	20800	8.5	CH33-36C	EL296UH090XV36C	9038708
TPA036S4 (208/230V)	35000	14	11.5	32600	20800	8.2	CH33-36C	EL296UH090XV48C	9038709
TPA036S4 (208/230V)	35800	14	11.5	33000	21000	8.5	CH33-36C	EL296UH090XV60C	9038710
TPA036S4 (208/230V)	35600	14	11.5	32800	21000	8.5	CH33-36C	EL296UH110XE60C	9038711
TPA036S4 (208/230V)	35400	14	11.7	32600	20800	8.5	CH33-36C	EL296UH110XV48C	9038712
TPA036S4 (208/230V)	35600	14	11.5	32800	21000	8.5	CH33-36C	EL296UH110XV60C	9038713
TPA036S4 (208/230V)	35600	14	11.5	32600	20800	8.5	CH33-36C	ML180UH090E60C	10590951
TPA036S4 (208/230V)	35200	14	11.5	32600	20800	8.5	CH33-36C	ML180UH110E60C	10591061
TPA036S4 (208/230V)	35200	14	11.5	32600	20800	8.5	CH33-36C	ML180UH110XE60C	10591138
TPA036S4 (208/230V)	35800	14	11	32800	21000	8.5	CH33-36C	SL280UH090V60C	9038714
TPA036S4 (208/230V)	35800	14	11	32800	21000	8.5	CH33-36C	SL280UH090XV60C	9038715
TPA036S4 (208/230V)	35600	14	11	32800	21000	8.2	CH33-36C	SL280UH110V60C	9038716
TPA036S4 (208/230V)	35600	14	11	32800	21000	8.2	CH33-36C	SL280UH110XV60C	9038717
TPA036S4 (208/230V)	35400	14	11.5	32800	20800	8.5	CH33-36C	SLP98UH090XV36C	9038718
TPA036S4 (208/230V)	35600	14	11.5	32800	21000	8.5	CH33-36C	SLP98UH090XV48C	9038719
TPA036S4 (208/230V)	35800	14	11.5	33000	21000	8.5	CH33-36C	SLP98UH090XV60C	9038720
TPA036S4 (208/230V)	35600	14	11.5	32800	21000	8.5	CH33-36C	SLP98UH110XV60C	9038721
TPA036S4 (208/230V)	34800	14	11.5	32400	20800	8.2	CH33-42	SL280UH090V36B	9038727
TPA036S4 (208/230V)	34800	14	11.5	32600	20800	8.2	CH33-42	SL280UH090V48B	9038728
TPA036S4 (208/230V)	34800	14	11.5	32600	20800	8.2	CH33-42	SL280UH090XV48B	9038729
TPA036S4 (208/230V)	35600	14	11.5	32400	20800	8.5	CR33-48	EL180DF070E36B	9038732
TPA036S4 (208/230V)	35600	14	11.5	32600	20800	8.2	CR33-48	EL180DF090E48B	9038733
TPA036S4 (208/230V)	35600	14	11.5	32800	21000	8.2	CR33-48	EL195DF070XE48B	9038735
TPA036S4 (208/230V)	35600	14	11.5	32800	21000	8.2	CR33-48	EL296DF070XE48B	9038738
TPA036S4 (208/230V)	35600	14	11.5	32400	20800	8.5	CR33-48	ML180DF070E36B	10590550
TPA036S4 (208/230V)	35600	14	11.5	32600	20800	8.2	CR33-48	ML180DF090E48B	10590557
TPA036S4 (208/230V)	35600	14	11.5	32600	20800	8.2	CR33-48	SL280DF090V48B	9038740
TPA036S4 (208/230V)	36000	14	11.5	32800	21000	8.5	CR33-48C	EL195DF090XE48C	9038956
TPA036S4 (208/230V)	36000	14	11.5	32800	21000	8.5	CR33-48C	EL296DF090XE48C	9038957
TPA036S4 (208/230V)	36000	14	11.7	32800	21000	8.5	CR33-48C	SL280DF090V60C	9038958
TPA036S4 (208/230V)	35800	14	11.7	32600	20800	8.5	CR33-48C	SL280DF110V60C	9038959
TPA036S4 (208/230V)	35800	14	11.5	32800	21000	8.2	CR33-48C	SLP98DF090XV36C	9038960
TPA036S4 (208/230V)	35800	14	11.5	32800	20800	8.5	CR33-48C	SLP98DF090XV48C	9038961
TPA036S4 (208/230V)	36000	14	11.5	32800	21000	8.5	CR33-48C	SLP98DF090XV60C	9038962
TPA036S4 (208/230V)	36000	14	11.5	32800	21000	8.5	CR33-48C	SLP98DF110XV60C	9038963
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	8.5	CX38-38B	EL180UH070E36B	201873781
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	8.5	CX38-38B	EL180UH070XE36B	201873782
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	8.5	CX38-38B	EL180UH090E48B	201873783

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	8.5	CX38-38B	EL180UH090XE48B	201873784
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	8.5	CX38-38B	ML180UH070E36B	201873895
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	8.5	CX38-38B	ML180UH070XE36B	201873905
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	8.5	CX38-38B	ML180UH090E48B	201873917
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	8.5	CX38-38B	ML180UH090XE48B	201873957
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	8.5	CX38-38B	SL280UH090V36B	201873785
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	8.5	CX38-38B	SL280UH090V48B	201873786
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	8.5	CX38-38B	SL280UH090XV48B	201873787
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	8.2	CX38-44/48B	EL180UH070E36B	201873788
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	8.2	CX38-44/48B	EL180UH070XE36B	201873789
TPA036S4 (208/230V)	36000	14	11.5	32400	20600	8.2	CX38-44/48B	EL180UH090E48B	201873790
TPA036S4 (208/230V)	36000	14	11.5	32400	20600	8.2	CX38-44/48B	EL180UH090XE48B	201873791
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	8.2	CX38-44/48B	ML180UH070E36B	201873896
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	8.2	CX38-44/48B	ML180UH070XE36B	201873906
TPA036S4 (208/230V)	36000	14	11.5	32400	20600	8.2	CX38-44/48B	ML180UH090E48B	201873918
TPA036S4 (208/230V)	36000	14	11.5	32400	20600	8.2	CX38-44/48B	ML180UH090XE48B	201873958
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	8.2	CX38-44/48B	SL280UH090V36B	201873792
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	8.2	CX38-44/48B	SL280UH090V48B	201873793
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	8.2	CX38-44/48B	SL280UH090XV48B	201873794
TPA036S4 (208/230V)	36000	14	11.5	32400	20600	8.2	CX38-44/48C	EL180UH090E60C	201873795
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	8.2	CX38-44/48C	EL180UH110E60C	201873796
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	8.2	CX38-44/48C	EL180UH110XE60C	201873797
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	8.2	CX38-44/48C	EL195UH090XE48C	201873798
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	8.2	CX38-44/48C	EL195UH110XE60C	201873799
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	8.2	CX38-44/48C	EL196UH090XE48C	201993156
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	8.2	CX38-44/48C	EL196UH110XE60C	201993157
TPA036S4 (208/230V)	36000	14	11.5	32400	20600	8.2	CX38-44/48C	EL296UH090XE48C	201873800
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	8.2	CX38-44/48C	EL296UH090XV36C	201873801
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	8.2	CX38-44/48C	EL296UH090XV48C	201873802
TPA036S4 (208/230V)	36000	14	11.5	32600	21000	8.2	CX38-44/48C	EL296UH090XV60C	201873803
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	8.2	CX38-44/48C	EL296UH110XE60C	201873804
TPA036S4 (208/230V)	36000	14.2	11.7	32200	20600	8.2	CX38-44/48C	EL296UH110XV48C	201873805
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	8.2	CX38-44/48C	EL296UH110XV60C	201873806
TPA036S4 (208/230V)	36000	14	11.5	32400	20600	8.2	CX38-44/48C	ML180UH090E60C	201873945
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	8.2	CX38-44/48C	ML180UH110E60C	201873983
TPA036S4 (208/230V)	36000	14	11.5	32200	20600	8.2	CX38-44/48C	ML180UH110XE60C	201874007
TPA036S4 (208/230V)	36000	14	11	32600	20800	8	CX38-44/48C	SL280UH090V60C	201873807
TPA036S4 (208/230V)	36000	14	11	32600	20800	8	CX38-44/48C	SL280UH090XV60C	201873808
TPA036S4 (208/230V)	36000	14	11	32600	20800	8	CX38-44/48C	SL280UH110V60C	201873809
TPA036S4 (208/230V)	36000	14	11	32600	20800	8	CX38-44/48C	SL280UH110XV60C	201873810
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	8.2	CX38-44/48C	SLP98UH090XV36C	201873811
TPA036S4 (208/230V)	36000	14	11.5	32600	20800	8.2	CX38-44/48C	SLP98UH090XV48C	201873812
TPA036S4 (208/230V)	36000	14	11.5	32600	21000	8.2	CX38-44/48C	SLP98UH090XV60C	201873813
TPA036S4 (208/230V)	36000	14	11.5	32400	20800	8.2	CX38-44/48C	SLP98UH110XV60C	201873814
TPA042H4 (460V)	42000	15.5	13.2	41500	26600	8.5	C37-49C	EL180UH090E60C	201872858
TPA042H4 (460V)	42000	15.5	13.2	41500	26600	8.5	C37-49C	EL180UH110E60C	201872859
TPA042H4 (460V)	42000	15.5	13.2	41500	26600	8.5	C37-49C	EL180UH110XE60C	201872860
TPA042H4 (460V)	42000	15.2	13	41500	26600	8.5	C37-49C	EL195UH090XE48C	201872861
TPA042H4 (460V)	42000	15.2	13	42000	26800	8.5	C37-49C	EL195UH110XE60C	201872862
TPA042H4 (460V)	42000	15	13	41500	26800	8.2	C37-49C	EL196UH090XE48C	201993093
TPA042H4 (460V)	42000	15	13	42000	27000	8.5	C37-49C	EL196UH110XE60C	201993094
TPA042H4 (460V)	42000	15.2	13	41500	26600	8.5	C37-49C	EL296UH090XE48C	201872863
TPA042H4 (460V)	42000	15.5	13	41500	26600	8.5	C37-49C	EL296UH090XV36C	201872864
TPA042H4 (460V)	42000	15.5	13.2	41500	26600	8.5	C37-49C	EL296UH090XV48C	201872865
TPA042H4 (460V)	42000	15.5	13	42000	26800	8.7	C37-49C	EL296UH090XV60C	201872866

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA042H4 (460V)	42000	15.2	13	42000	26800	8.5	C37-49C	EL296UH110XE60C	201872867
TPA042H4 (460V)	42000	15.7	13.2	41500	26800	8.7	C37-49C	EL296UH110XV48C	201873000
TPA042H4 (460V)	42000	15.7	13.2	41500	26600	8.7	C37-49C	EL296UH110XV60C	201872868
TPA042H4 (460V)	42000	15.5	13.2	41500	26600	8.5	C37-49C	ML180UH090E60C	201873183
TPA042H4 (460V)	42000	15.5	13.2	41500	26600	8.5	C37-49C	ML180UH110E60C	201873222
TPA042H4 (460V)	42000	15.5	13.2	41500	26600	8.5	C37-49C	ML180UH110XE60C	201873247
TPA042H4 (460V)	42000	15.7	13.2	41500	26600	8.7	C37-49C	SL280UH090V60C	201872869
TPA042H4 (460V)	42000	15.7	13.2	41500	26600	8.7	C37-49C	SL280UH090XV60C	201872870
TPA042H4 (460V)	42000	15.5	13.2	41500	26600	8.5	C37-49C	SL280UH110V60C	201872871
TPA042H4 (460V)	42000	15.5	13.2	41500	26600	8.5	C37-49C	SL280UH110XV60C	201872872
TPA042H4 (460V)	42000	15.5	13	41500	26600	8.5	C37-49C	SLP98UH090XV36C	201872873
TPA042H4 (460V)	42000	15.5	13.2	41500	26600	8.5	C37-49C	SLP98UH090XV48C	201872874
TPA042H4 (460V)	42000	15.5	13	42000	26800	8.7	C37-49C	SLP98UH090XV60C	201872875
TPA042H4 (460V)	42000	15.7	13.2	41500	26600	8.7	C37-49C	SLP98UH110XV60C	201872876
TPA042H4 (460V)	42000	14.5	12.2	42000	27400	8.2	C37-49C		201873116
TPA042H4 (460V)	42000	14.5	12.2	42000	27400	8.2	C37-49C		201874858
TPA042H4 (460V)	42000	15	12.7	41500	26600	8.7	C37-60D	EL180UH135E60D	201872877
TPA042H4 (460V)	42000	14.7	12.7	42000	26800	8.7	C37-60D	EL195UH135XE60D	201872878
TPA042H4 (460V)	42000	14.7	12.7	42000	26800	8.7	C37-60D	EL296UH135XE60D	201872879
TPA042H4 (460V)	42000	15.7	13.2	42000	26800	8.7	C37-60D	EL296UH135XV60D	201872880
TPA042H4 (460V)	42000	15	12.7	41500	26600	8.7	C37-60D	ML180UH135E60D	201873261
TPA042H4 (460V)	42000	15.7	13.5	41500	26600	8.7	C37-60D	SL280UH135V60D	201872881
TPA042H4 (460V)	42000	15.7	13.2	41500	26400	8.7	C37-60D	SLP98UH135XV60D	201872882
TPA042H4 (460V)	42000	14.5	12.2	42000	27400	8.2	C37-60D		201873117
TPA042H4 (460V)	42000	14.5	12.2	42000	27400	8.2	C37-60D		201874859
TPA042H4 (460V)	42000	15.2	13	42000	26800	8.7	C37-62C	EL180UH090E60C	201872883
TPA042H4 (460V)	42000	15.2	13	42000	26800	8.7	C37-62C	EL180UH110E60C	201872884
TPA042H4 (460V)	42000	15.2	13	42000	26800	8.7	C37-62C	EL180UH110XE60C	201872885
TPA042H4 (460V)	42000	15	13	42000	26800	8.7	C37-62C	EL195UH090XE48C	201872886
TPA042H4 (460V)	42000	15	13	42000	27000	8.7	C37-62C	EL195UH110XE60C	201872887
TPA042H4 (460V)	42000	15	13	42000	27000	8.2	C37-62C	EL196UH090XE48C	201993096
TPA042H4 (460V)	42000	15	13	42000	27200	8.5	C37-62C	EL196UH110XE60C	201993097
TPA042H4 (460V)	42000	15	13	42000	26800	8.7	C37-62C	EL296UH090XE48C	201872888
TPA042H4 (460V)	42000	15.5	13	42000	27000	8.7	C37-62C	EL296UH090XV36C	201872889
TPA042H4 (460V)	42000	15.7	13	42000	27000	8.7	C37-62C	EL296UH090XV48C	201872890
TPA042H4 (460V)	42000	15.7	13	42000	26800	8.7	C37-62C	EL296UH090XV60C	201872891
TPA042H4 (460V)	42000	15	13	42000	27000	8.7	C37-62C	EL296UH110XE60C	201872892
TPA042H4 (460V)	42000	15.7	13.2	42000	27000	8.7	C37-62C	EL296UH110XV48C	201873001
TPA042H4 (460V)	42000	15.7	13.2	42000	27000	8.7	C37-62C	EL296UH110XV60C	201872893
TPA042H4 (460V)	42000	15.2	13	42000	26800	8.7	C37-62C	ML180UH090E60C	201873184
TPA042H4 (460V)	42000	15.2	13	42000	26800	8.7	C37-62C	ML180UH110E60C	201873223
TPA042H4 (460V)	42000	15.2	13	42000	26800	8.7	C37-62C	ML180UH110XE60C	201873248
TPA042H4 (460V)	42000	16	13	42000	27000	8.5	C37-62C	SL280UH090V60C	201872894
TPA042H4 (460V)	42000	16	13	42000	27000	8.5	C37-62C	SL280UH090XV60C	201872895
TPA042H4 (460V)	42000	15.7	13	42000	27000	8.7	C37-62C	SL280UH110V60C	201872896
TPA042H4 (460V)	42000	15.7	13	42000	27000	8.7	C37-62C	SL280UH110XV60C	201872897
TPA042H4 (460V)	42000	15.7	13	42000	27000	8.7	C37-62C	SLP98UH090XV48C	201872898
TPA042H4 (460V)	42000	15.7	13	42000	26800	8.7	C37-62C	SLP98UH090XV60C	201872899
TPA042H4 (460V)	42000	15.7	13.2	42000	27000	8.7	C37-62C	SLP98UH110XV60C	201872900
TPA042H4 (460V)	42000	14.7	12.2	42000	27600	8.5	C37-62C		201873118
TPA042H4 (460V)	42000	14.7	12.2	42000	27600	8.5	C37-62C		201874860
TPA042H4 (460V)	42000	15.2	13	41500	26800	8.7	C37-62D	EL180UH135E60D	201872901
TPA042H4 (460V)	42000	14.7	12.7	42000	27000	8.7	C37-62D	EL195UH135XE60D	201872902
TPA042H4 (460V)	42000	14.7	12.7	42000	27000	8.7	C37-62D	EL296UH135XE60D	201872903
TPA042H4 (460V)	42000	15.5	13	42000	27000	8.7	C37-62D	EL296UH135XV60D	201872904

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA042H4 (460V)	42000	15.2	13	41500	26800	8.7	C37-62D	ML180UH135E60D	201873262
TPA042H4 (460V)	42000	15.7	13.2	41500	26800	8.7	C37-62D	SL280UH135V60D	201874867
TPA042H4 (460V)	42000	15.5	13.2	41500	26600	8.7	C37-62D	SLP98UH135XV60D	201872905
TPA042H4 (460V)	42000	14.2	12.2	42000	27600	8.5	C37-62D		201873119
TPA042H4 (460V)	42000	14.2	12.2	42000	27600	8.5	C37-62D		201874861
TPA042H4 (460V)	42500	15	12.5	42000	27000	8.5	CBA27UHE-048-230		10262318
TPA042H4 (460V)	42500	15	12.5	42000	27000	8.5	CBA27UHE-048-460		10262317
TPA042H4 (460V)	42500	15	12.5	42000	27400	8.5	CBA38MV-042-230		202084051
TPA042H4 (460V)	43000	15.5	12.5	42500	26200	8.2	CBA38MV-048-230		202084053
TPA042H4 (460V)	42000	14	12	42000	28400	8.2	CBX25UH-042-230		9032765
TPA042H4 (460V)	42000	15.5	13	42000	27800	8.5	CBX25UHV-042-230		9032766
TPA042H4 (460V)	42000	15.5	13	42000	27400	9	CBX27UH-042-230		9032150
TPA042H4 (460V)	42000	15	12.5	42000	27400	8.5	CBX27UH-048-230		9032151
TPA042H4 (460V)	42000	14.5	12.5	42000	27800	8.7	CBX32M-048		9032152
TPA042H4 (460V)	42000	15.7	13.2	42000	27400	9.2	CH23-68	EL180UH090E60C	9032156
TPA042H4 (460V)	42000	15.5	13.2	42000	27400	9.2	CH23-68	EL180UH110E60C	9032157
TPA042H4 (460V)	42000	15.5	13.2	42000	27400	9.2	CH23-68	EL180UH110XE60C	9032158
TPA042H4 (460V)	42000	15.7	13.2	42000	27400	9.2	CH23-68	EL180UH135E60D	9032159
TPA042H4 (460V)	42000	15.2	13	42000	27400	9.2	CH23-68	EL195UH090XE48C	9032160
TPA042H4 (460V)	42000	15.2	13	42000	27600	9.2	CH23-68	EL195UH110XE60C	9032161
TPA042H4 (460V)	42000	15.2	13	42000	27600	9.2	CH23-68	EL195UH135XE60D	9032162
TPA042H4 (460V)	42000	15	13	42000	27400	8.5	CH23-68	EL196UH090XE48C	201993099
TPA042H4 (460V)	42000	15	13	42000	27600	8.5	CH23-68	EL196UH110XE60C	201993100
TPA042H4 (460V)	42000	15.2	13	42000	27400	9.2	CH23-68	EL296UH090XE48C	9032163
TPA042H4 (460V)	42000	15.2	13	42000	27600	9.2	CH23-68	EL296UH110XE60C	9032164
TPA042H4 (460V)	42000	15.2	13	42000	27600	9.2	CH23-68	EL296UH135XE60D	9032165
TPA042H4 (460V)	42000	15.7	13.2	42000	27400	9.5	CH23-68	EL296UH135XV60D	9032166
TPA042H4 (460V)	42000	15.7	13.2	42000	27400	9.2	CH23-68	ML180UH090E60C	10590930
TPA042H4 (460V)	42000	15.5	13.2	42000	27400	9.2	CH23-68	ML180UH110E60C	10591040
TPA042H4 (460V)	42000	15.5	13.2	42000	27400	9.2	CH23-68	ML180UH110XE60C	10591117
TPA042H4 (460V)	42000	15.7	13.2	42000	27400	9.2	CH23-68	ML180UH135E60D	10591167
TPA042H4 (460V)	42000	16	13	42000	27200	9.5	CH23-68	SL280UH135V60D	9032167
TPA042H4 (460V)	42000	15.7	13.2	42000	27200	9.2	CH23-68	SLP98UH135XV60D	9032168
TPA042H4 (460V)	42000	14.5	12.2	42000	28000	9	CH23-68		9032169
TPA042H4 (460V)	42000	15.2	13	42000	27200	8.7	CH33-43B	EL180UH090E48B	9032170
TPA042H4 (460V)	42000	15.2	13	42000	27200	8.7	CH33-43B	EL180UH090XE48B	9032171
TPA042H4 (460V)	42000	14.7	12.7	42000	27400	8.5	CH33-43B	EL296UH045XV36B	9032172
TPA042H4 (460V)	42000	14.7	12.5	42000	27400	8.5	CH33-43B	EL296UH070XV36B	9032173
TPA042H4 (460V)	42000	15.2	13	42000	27200	8.7	CH33-43B	ML180UH090E48B	10590822
TPA042H4 (460V)	42000	15.2	13	42000	27200	8.7	CH33-43B	ML180UH090XE48B	10590979
TPA042H4 (460V)	42000	15.5	13	42000	27200	8.7	CH33-43B	SL280UH090V36B	9032174
TPA042H4 (460V)	42000	15.2	13	42000	27200	8.7	CH33-43B	SL280UH090V48B	9032175
TPA042H4 (460V)	42000	15.2	13	42000	27200	8.7	CH33-43B	SL280UH090XV48B	9032176
TPA042H4 (460V)	42000	14.7	12.5	42000	27400	8.5	CH33-43B	SLP98UH070XV36B	9032177
TPA042H4 (460V)	42000	14.5	12.2	42000	27600	8.5	CH33-43B		9032178
TPA042H4 (460V)	42000	15.2	13	42000	26600	8.2	CH33-43C	EL180UH090E60C	9032179
TPA042H4 (460V)	42000	15.2	13	42000	26600	8.2	CH33-43C	EL180UH110E60C	9032180
TPA042H4 (460V)	42000	15.2	13	42000	26600	8.2	CH33-43C	EL180UH110XE60C	9032181
TPA042H4 (460V)	42000	15	12.7	42000	26600	8.2	CH33-43C	EL195UH090XE48C	9032182
TPA042H4 (460V)	42000	15	12.7	42000	26800	8.2	CH33-43C	EL195UH110XE60C	9032183
TPA042H4 (460V)	42000	15	12.5	42000	26800	8.2	CH33-43C	EL196UH090XE48C	201993102
TPA042H4 (460V)	42000	15	12.5	42000	27000	8.2	CH33-43C	EL196UH110XE60C	201993103
TPA042H4 (460V)	42000	15	12.7	42000	26600	8.2	CH33-43C	EL296UH090XE48C	9032184
TPA042H4 (460V)	42000	15.2	12.7	42000	26800	8.2	CH33-43C	EL296UH090XV36C	9032185
TPA042H4 (460V)	42000	15.2	12.7	42000	26800	8.2	CH33-43C	EL296UH090XV48C	9032186

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA042H4 (460V)	42000	15.2	12.7	42000	27000	8.2	CH33-43C	EL296UH090XV60C	9032187
TPA042H4 (460V)	42000	15	12.7	42000	26800	8.2	CH33-43C	EL296UH110XE60C	9032188
TPA042H4 (460V)	42000	15.2	13	42000	26800	8.2	CH33-43C	EL296UH110XV48C	9032189
TPA042H4 (460V)	42000	15.2	13	42000	26800	8.2	CH33-43C	EL296UH110XV60C	9032190
TPA042H4 (460V)	42000	15.2	13	42000	26600	8.2	CH33-43C	ML180UH090E60C	10590931
TPA042H4 (460V)	42000	15.2	13	42000	26600	8.2	CH33-43C	ML180UH110E60C	10591041
TPA042H4 (460V)	42000	15.2	13	42000	26600	8.2	CH33-43C	ML180UH110XE60C	10591118
TPA042H4 (460V)	42000	15.5	12.5	42000	26600	8.2	CH33-43C	SL280UH080NV60C-	10590493
TPA042H4 (460V)	42000	15.5	13	42000	26800	8.5	CH33-43C	SL280UH090V60C	9032191
TPA042H4 (460V)	42000	15.5	13	42000	26800	8.5	CH33-43C	SL280UH090XV60C	9032192
TPA042H4 (460V)	42000	15.1	12.5	42000	26800	8.2	CH33-43C	SL280UH100NV60C-	10590503
TPA042H4 (460V)	42000	15.2	12.7	42000	26800	8.2	CH33-43C	SL280UH110V60C	9032193
TPA042H4 (460V)	42000	15.2	12.7	42000	26800	8.2	CH33-43C	SL280UH110XV60C	9032194
TPA042H4 (460V)	42000	15.2	12.7	42000	26800	8.2	CH33-43C	SLP98UH090XV36C	9032195
TPA042H4 (460V)	42000	15.2	12.7	42000	26800	8.2	CH33-43C	SLP98UH090XV48C	9032196
TPA042H4 (460V)	42000	15.2	12.7	42000	27000	8.2	CH33-43C	SLP98UH090XV60C	9032197
TPA042H4 (460V)	42000	15.2	13	42000	26800	8.2	CH33-43C	SLP98UH110XV60C	9032198
TPA042H4 (460V)	42000	14.7	12.5	42000	27000	8.5	CH33-44/48	EL180UH090E48B	9032200
TPA042H4 (460V)	41500	14.2	12.2	42000	27200	8.2	CH33-44/48	EL296UH045XV36B	9032201
TPA042H4 (460V)	41500	14.2	12.2	42000	27200	8.2	CH33-44/48	EL296UH070XV36B	9032202
TPA042H4 (460V)	42000	14.7	12.5	42000	27000	8.5	CH33-44/48	ML180UH090E48B	10590823
TPA042H4 (460V)	42000	14.7	12.7	42000	27000	8.5	CH33-44/48	SL280UH090V36B	9032203
TPA042H4 (460V)	42000	14.7	12.5	42000	27000	8.5	CH33-44/48	SL280UH090V48B	9032204
TPA042H4 (460V)	42000	14.7	12.5	42000	27000	8.5	CH33-44/48	SL280UH090XV48B	9032205
TPA042H4 (460V)	41500	14.2	12.2	42000	27200	8.2	CH33-44/48	SLP98UH070XV36B	9032206
TPA042H4 (460V)	41500	14	11.7	42000	27600	8.2	CH33-44/48		9032207
TPA042H4 (460V)	42000	15	12.7	42000	26600	8.2	CH33-48C	EL180UH090E60C	9032208
TPA042H4 (460V)	42000	15	12.7	42000	26600	8.2	CH33-48C	EL180UH110E60C	9032209
TPA042H4 (460V)	42000	15	12.7	42000	26600	8.2	CH33-48C	EL180UH110XE60C	9032210
TPA042H4 (460V)	42000	14.7	12.5	41500	26600	8.2	CH33-48C	EL195UH090XE48C	9032211
TPA042H4 (460V)	42000	14.7	12.5	42000	26800	8.2	CH33-48C	EL195UH110XE60C	9032212
TPA042H4 (460V)	42000	14.5	12.5	41500	26600	8.2	CH33-48C	EL196UH090XE48C	201993104
TPA042H4 (460V)	42000	14.5	12.5	42000	26800	8.2	CH33-48C	EL196UH110XE60C	201993105
TPA042H4 (460V)	42000	14.7	12.5	41500	26600	8.2	CH33-48C	EL296UH090XE48C	9032213
TPA042H4 (460V)	42000	14.7	12.5	42000	26800	8.2	CH33-48C	EL296UH090XV36C	9032214
TPA042H4 (460V)	42000	15	12.7	42000	26800	8.2	CH33-48C	EL296UH090XV48C	9032215
TPA042H4 (460V)	42000	14.7	12.5	42000	27000	8.2	CH33-48C	EL296UH090XV60C	9032216
TPA042H4 (460V)	42000	14.7	12.5	42000	26800	8.2	CH33-48C	EL296UH110XE60C	9032217
TPA042H4 (460V)	42000	15	12.7	42000	26800	8.2	CH33-48C	EL296UH110XV48C	9032218
TPA042H4 (460V)	42000	15	12.7	42000	26800	8.2	CH33-48C	EL296UH110XV60C	9032219
TPA042H4 (460V)	42000	15	12.7	42000	26600	8.2	CH33-48C	ML180UH090E60C	10590932
TPA042H4 (460V)	42000	15	12.7	42000	26600	8.2	CH33-48C	ML180UH110E60C	10591042
TPA042H4 (460V)	42000	15	12.7	42000	26600	8.2	CH33-48C	ML180UH110XE60C	10591119
TPA042H4 (460V)	42000	15.5	12.5	42000	26600	8.2	CH33-48C	SL280UH080NV60C-	10590494
TPA042H4 (460V)	42000	15.2	12.7	42000	26800	8.2	CH33-48C	SL280UH090V60C	9032220
TPA042H4 (460V)	42000	15.2	12.7	42000	26800	8.2	CH33-48C	SL280UH090XV60C	9032221
TPA042H4 (460V)	42000	15	12.5	42000	26800	8.2	CH33-48C	SL280UH100NV60C-	10590504
TPA042H4 (460V)	42000	15	12.7	42000	26800	8.2	CH33-48C	SL280UH110V60C	9032222
TPA042H4 (460V)	42000	15	12.7	42000	26800	8.2	CH33-48C	SL280UH110XV60C	9032223
TPA042H4 (460V)	42000	14.7	12.5	42000	26800	8.2	CH33-48C	SLP98UH090XV36C	9032224
TPA042H4 (460V)	42000	15	12.7	42000	26800	8.2	CH33-48C	SLP98UH090XV48C	9032225
TPA042H4 (460V)	42000	14.7	12.5	42000	27000	8.2	CH33-48C	SLP98UH090XV60C	9032226
TPA042H4 (460V)	42000	15	12.7	42000	26800	8.2	CH33-48C	SLP98UH110XV60C	9032227
TPA042H4 (460V)	42000	15.2	13	42000	26800	8.7	CH33-49	EL180UH090E60C	9032767
TPA042H4 (460V)	42000	15.2	13	42000	26800	8.7	CH33-49	EL180UH110E60C	9032768

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA042H4 (460V)	42000	15.2	13	42000	26800	8.7	CH33-49	EL180UH110XE60C	9032769
TPA042H4 (460V)	42000	15	12.7	42000	26800	8.5	CH33-49	EL195UH090XE48C	9032770
TPA042H4 (460V)	42000	15.2	12.7	42000	27000	8.7	CH33-49	EL195UH110XE60C	9032771
TPA042H4 (460V)	42000	15	12.5	42000	26800	8.5	CH33-49	EL196UH090XE48C	201993150
TPA042H4 (460V)	42000	15	12.5	42000	27000	8.5	CH33-49	EL196UH110XE60C	201993151
TPA042H4 (460V)	42000	15	12.7	42000	26800	8.5	CH33-49	EL296UH090XE48C	9032772
TPA042H4 (460V)	42000	15.2	13	42000	27000	8.7	CH33-49	EL296UH090XV36C	9032773
TPA042H4 (460V)	42000	15.2	13	42000	26800	8.7	CH33-49	EL296UH090XV48C	9032774
TPA042H4 (460V)	42000	15.2	13	42000	27000	8.7	CH33-49	EL296UH090XV60C	9032775
TPA042H4 (460V)	42000	15.2	12.7	42000	27000	8.7	CH33-49	EL296UH110XE60C	9032776
TPA042H4 (460V)	42000	15.2	13	42000	26800	8.7	CH33-49	EL296UH110XV48C	9032777
TPA042H4 (460V)	42000	15.2	13	42000	26800	8.7	CH33-49	EL296UH110XV60C	9032778
TPA042H4 (460V)	42000	15.2	13	42000	26800	8.7	CH33-49	ML180UH090E60C	10590949
TPA042H4 (460V)	42000	15.2	13	42000	26800	8.7	CH33-49	ML180UH110E60C	10591059
TPA042H4 (460V)	42000	15.2	13	42000	26800	8.7	CH33-49	ML180UH110XE60C	10591136
TPA042H4 (460V)	42000	15.5	12.5	42000	26800	9	CH33-49	SL280UH080NV60C-	10590495
TPA042H4 (460V)	42000	15.5	13.2	42000	27000	8.7	CH33-49	SL280UH090V60C	9032779
TPA042H4 (460V)	42000	15.5	13.2	42000	27000	8.7	CH33-49	SL280UH090XV60C	9032780
TPA042H4 (460V)	42000	15.1	12.5	42000	27000	8.8	CH33-49	SL280UH100NV60C-	10590505
TPA042H4 (460V)	42000	15.2	13	42000	27000	8.7	CH33-49	SL280UH110V60C	9032781
TPA042H4 (460V)	42000	15.2	13	42000	27000	8.7	CH33-49	SL280UH110XV60C	9032782
TPA042H4 (460V)	42000	15.2	13	42000	27000	8.7	CH33-49	SLP98UH090XV36C	9032783
TPA042H4 (460V)	42000	15.2	13	42000	26800	8.7	CH33-49	SLP98UH090XV48C	9032784
TPA042H4 (460V)	42000	15.2	13	42000	27000	8.7	CH33-49	SLP98UH090XV60C	9032785
TPA042H4 (460V)	42000	15.2	13	42000	26800	8.7	CH33-49	SLP98UH110XV60C	9032786
TPA042H4 (460V)	42000	14.2	12.2	42000	27400	8.5	CH33-49		9032787
TPA042H4 (460V)	42000	15.2	12.7	42000	26800	8.7	CH33-50/60C	EL180UH090E60C	9032228
TPA042H4 (460V)	42000	15.2	13	41500	26600	8.5	CH33-50/60C	EL180UH110E60C	9032229
TPA042H4 (460V)	42000	15.2	13	41500	26600	8.5	CH33-50/60C	EL180UH110XE60C	9032230
TPA042H4 (460V)	42000	15	12.7	41500	26800	8.5	CH33-50/60C	EL195UH090XE48C	9032231
TPA042H4 (460V)	42000	15	12.7	42000	27000	8.5	CH33-50/60C	EL195UH110XE60C	9032232
TPA042H4 (460V)	42000	15	12.5	41500	26800	8.5	CH33-50/60C	EL196UH090XE48C	201993106
TPA042H4 (460V)	42000	15	12.5	42000	27000	8.5	CH33-50/60C	EL196UH110XE60C	201993107
TPA042H4 (460V)	42000	15	12.7	41500	26800	8.5	CH33-50/60C	EL296UH090XE48C	9032233
TPA042H4 (460V)	42000	15.2	12.7	42000	27200	8.5	CH33-50/60C	EL296UH090XV36C	9032234
TPA042H4 (460V)	42000	15.2	13	42000	27200	8.5	CH33-50/60C	EL296UH090XV48C	9032235
TPA042H4 (460V)	42000	15.2	12.7	42000	27400	8.5	CH33-50/60C	EL296UH090XV60C	9032236
TPA042H4 (460V)	42000	15	12.7	42000	27000	8.5	CH33-50/60C	EL296UH110XE60C	9032237
TPA042H4 (460V)	42000	15.2	13	42000	27200	8.5	CH33-50/60C	EL296UH110XV48C	9032238
TPA042H4 (460V)	42000	15.2	13	42000	27200	8.5	CH33-50/60C	EL296UH110XV60C	9032239
TPA042H4 (460V)	42000	15.2	12.7	42000	26800	8.7	CH33-50/60C	ML180UH090E60C	10590933
TPA042H4 (460V)	42000	15.2	13	41500	26600	8.5	CH33-50/60C	ML180UH110E60C	10591043
TPA042H4 (460V)	42000	15.2	13	41500	26600	8.5	CH33-50/60C	ML180UH110XE60C	10591120
TPA042H4 (460V)	42000	15.5	12.5	42000	27000	8.8	CH33-50/60C	SL280UH080NV60C-	10590496
TPA042H4 (460V)	42000	15.5	13	42000	27200	8.7	CH33-50/60C	SL280UH090V60C	9032240
TPA042H4 (460V)	42000	15.5	13	42000	27200	8.7	CH33-50/60C	SL280UH090XV60C	9032241
TPA042H4 (460V)	42000	15.1	12.5	42000	27200	8.5	CH33-50/60C	SL280UH100NV60C-	10590506
TPA042H4 (460V)	42000	15.2	13	42000	27200	8.5	CH33-50/60C	SL280UH110V60C	9032242
TPA042H4 (460V)	42000	15.2	13	42000	27200	8.5	CH33-50/60C	SL280UH110XV60C	9032243
TPA042H4 (460V)	42000	15.2	12.7	42000	27200	8.5	CH33-50/60C	SLP98UH090XV36C	9032244
TPA042H4 (460V)	42000	15.2	13	42000	27200	8.5	CH33-50/60C	SLP98UH090XV48C	9032245
TPA042H4 (460V)	42000	15.2	12.7	42000	27400	8.5	CH33-50/60C	SLP98UH090XV60C	9032246
TPA042H4 (460V)	42000	15.2	13	42000	27200	8.5	CH33-50/60C	SLP98UH110XV60C	9032247
TPA042H4 (460V)	42000	14.2	12.2	42000	27800	8.2	CH33-50/60C		9032248
TPA042H4 (460V)	42000	15.7	13.2	42000	26800	8.5	CH33-60D	EL180UH135E60D	9032249

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA042H4 (460V)	42000	15.2	13	42000	27000	8.5	CH33-60D	EL195UH135XE60D	9032250
TPA042H4 (460V)	42000	15.2	13	42000	27000	8.5	CH33-60D	EL296UH135XE60D	9032251
TPA042H4 (460V)	42000	15.7	13.2	42000	27000	8.7	CH33-60D	EL296UH135XV60D	9032252
TPA042H4 (460V)	42000	15.7	13.2	42000	26800	8.5	CH33-60D	ML180UH135E60D	10591168
TPA042H4 (460V)	42000	16	13	42000	26800	8.5	CH33-60D	SL280UH135V60D	9032253
TPA042H4 (460V)	42000	15.5	13.2	41500	26400	8.7	CH33-60D	SLP98UH135XV60D	9032254
TPA042H4 (460V)	42000	14.5	12.2	42000	27600	8.2	CH33-60D		9032255
TPA042H4 (460V)	42000	15	12.7	42000	26600	8.7	CH33-62D	EL180UH135E60D	9032256
TPA042H4 (460V)	42000	14.7	12.7	41500	26600	8.7	CH33-62D	EL195UH135XE60D	9032257
TPA042H4 (460V)	42000	14.7	12.7	41500	26600	8.7	CH33-62D	EL296UH135XE60D	9032258
TPA042H4 (460V)	42000	15.5	13	42000	26800	8.7	CH33-62D	EL296UH135XV60D	9032259
TPA042H4 (460V)	42000	15	12.7	42000	26600	8.7	CH33-62D	ML180UH135E60D	10591169
TPA042H4 (460V)	42000	15.7	13.2	41500	26600	8.7	CH33-62D	SL280UH135V60D	9032260
TPA042H4 (460V)	42000	15.7	13.2	41500	26400	8.7	CH33-62D	SLP98UH135XV60D	9032261
TPA042H4 (460V)	42000	14.2	12.2	42000	27400	8.2	CH33-62D		9032262
TPA042H4 (460V)	42000	15.5	13.2	42000	27000	9	CR33-50/60	EL180DF110E60C	9032263
TPA042H4 (460V)	42000	15.2	13	42000	27000	8.7	CR33-50/60	EL195DF090XE48C	9032264
TPA042H4 (460V)	42000	15.2	13	42000	27200	9	CR33-50/60	EL195DF110XE60C	9032265
TPA042H4 (460V)	42000	15	12.7	42000	27200	8.7	CR33-50/60	EL196DF090XE48C	202066682
TPA042H4 (460V)	42000	15.2	13	42000	27000	8.7	CR33-50/60	EL296DF090XE48C	9032266
TPA042H4 (460V)	42000	15.2	13	42000	27200	9	CR33-50/60	EL296DF090XV60C	9032267
TPA042H4 (460V)	42000	15.2	13	42000	27200	9	CR33-50/60	EL296DF110XE60C	9032268
TPA042H4 (460V)	42000	15.5	13.2	42000	27200	9	CR33-50/60	EL296DF110XV60C	9032269
TPA042H4 (460V)	42000	15.5	13.2	42000	27000	9	CR33-50/60	ML180DF110E60C	10590569
TPA042H4 (460V)	42000	15.7	13.2	42000	27000	9	CR33-50/60	SL280DF090V60C	9032270
TPA042H4 (460V)	42000	15.7	13.2	42000	27000	9	CR33-50/60	SL280DF110V60C	9032271
TPA042H4 (460V)	42000	15.2	13	42000	27200	9	CR33-50/60	SLP98DF090XV36C	9032272
TPA042H4 (460V)	42000	15.2	13	42000	27200	9	CR33-50/60	SLP98DF090XV48C	9032273
TPA042H4 (460V)	42000	15.2	13	42000	27200	9	CR33-50/60	SLP98DF090XV60C	9032274
TPA042H4 (460V)	42000	15.5	13.2	42000	27200	9	CR33-50/60	SLP98DF110XV60C	9032275
TPA042H4 (460V)	42000	14.2	12.2	42000	27800	8.7	CR33-50/60		9032276
TPA042H4 (460V)	42000	14.2	12.2	42000	27800	8.7	CR33-60		9032277
TPA042H4 (460V)	42000	15.5	13.2	41500	26600	8.5	CX38-49C	EL180UH090E60C	201873627
TPA042H4 (460V)	42000	15.5	13.2	41500	26600	8.5	CX38-49C	EL180UH110E60C	201873628
TPA042H4 (460V)	42000	15.5	13.2	41500	26600	8.5	CX38-49C	EL180UH110XE60C	201873629
TPA042H4 (460V)	42000	15.2	13	41500	26600	8.5	CX38-49C	EL195UH090XE48C	201873630
TPA042H4 (460V)	42000	15.2	13	42000	26800	8.5	CX38-49C	EL195UH110XE60C	201873631
TPA042H4 (460V)	42000	15	13	41500	26800	8.2	CX38-49C	EL196UH090XE48C	201993181
TPA042H4 (460V)	42000	15	13	42000	27000	8.5	CX38-49C	EL196UH110XE60C	201993182
TPA042H4 (460V)	42000	15.2	13	41500	26600	8.5	CX38-49C	EL296UH090XE48C	201873632
TPA042H4 (460V)	42000	15.5	13	41500	26600	8.5	CX38-49C	EL296UH090XV36C	201873633
TPA042H4 (460V)	42000	15.5	13.2	41500	26600	8.5	CX38-49C	EL296UH090XV48C	201873634
TPA042H4 (460V)	42000	15.5	13	42000	26800	8.7	CX38-49C	EL296UH090XV60C	201873635
TPA042H4 (460V)	42000	15.2	13	42000	26800	8.5	CX38-49C	EL296UH110XE60C	201873636
TPA042H4 (460V)	42000	15.7	13.2	41500	26800	8.7	CX38-49C	EL296UH110XV48C	201873637
TPA042H4 (460V)	42000	15.7	13.2	41500	26600	8.7	CX38-49C	EL296UH110XV60C	201873638
TPA042H4 (460V)	42000	15.5	13.2	41500	26600	8.5	CX38-49C	ML180UH090E60C	201873939
TPA042H4 (460V)	42000	15.5	13.2	41500	26600	8.5	CX38-49C	ML180UH110E60C	201873977
TPA042H4 (460V)	42000	15.5	13.2	41500	26600	8.5	CX38-49C	ML180UH110XE60C	201874001
TPA042H4 (460V)	42000	15.7	13.2	41500	26600	8.7	CX38-49C	SL280UH090V60C	201873639
TPA042H4 (460V)	42000	15.7	13.2	41500	26600	8.7	CX38-49C	SL280UH090XV60C	201873640
TPA042H4 (460V)	42000	15.5	13.2	41500	26800	8.5	CX38-49C	SL280UH110V60C	201873641
TPA042H4 (460V)	42000	15.5	13.2	41500	26800	8.5	CX38-49C	SL280UH110XV60C	201873642
TPA042H4 (460V)	42000	15.5	13	41500	26600	8.5	CX38-49C	SLP98UH090XV36C	201873643
TPA042H4 (460V)	42000	15.5	13.2	41500	26600	8.5	CX38-49C	SLP98UH090XV48C	201873644

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA042H4 (460V)	42000	15.5	13	42000	26800	8.7	CX38-49C	SLP98UH090XV60C	201873645
TPA042H4 (460V)	42000	15.7	13.2	41500	26600	8.7	CX38-49C	SLP98UH110XV60C	201873646
TPA042H4 (460V)	42000	14.5	12.2	42000	27400	8.2	CX38-49C		201873647
TPA042H4 (460V)	42000	14.5	12.2	42000	27400	8.2	CX38-49C		201874744
TPA042H4 (460V)	42000	15	12.7	41500	26600	8.7	CX38-60D	EL180UH135E60D	201873648
TPA042H4 (460V)	42000	14.7	12.7	42000	26800	8.7	CX38-60D	EL195UH135XE60D	201873649
TPA042H4 (460V)	42000	14.7	12.7	42000	26800	8.7	CX38-60D	EL296UH135XE60D	201873650
TPA042H4 (460V)	42000	15.7	13.2	42000	26800	8.7	CX38-60D	EL296UH135XV60D	201873651
TPA042H4 (460V)	42000	15	12.7	41500	26600	8.7	CX38-60D	ML180UH135E60D	201874015
TPA042H4 (460V)	42000	15.7	13.5	41500	26600	8.7	CX38-60D	SL280UH135V60D	201873652
TPA042H4 (460V)	42000	15.7	13.2	41500	26400	8.7	CX38-60D	SLP98UH135XV60D	201873653
TPA042H4 (460V)	42000	14.5	12.2	42000	27400	8.2	CX38-60D		201873654
TPA042H4 (460V)	42000	14.5	12.2	42000	27400	8.2	CX38-60D		201874745
TPA042H4 (460V)	42000	15.2	13	42000	26800	8.7	CX38-62C	EL180UH090E60C	201873655
TPA042H4 (460V)	42000	15.2	13	42000	26800	8.7	CX38-62C	EL180UH110E60C	201873656
TPA042H4 (460V)	42000	15.2	13	42000	26800	8.7	CX38-62C	EL180UH110XE60C	201873657
TPA042H4 (460V)	42000	15	13	42000	26800	8.7	CX38-62C	EL195UH090XE48C	201873658
TPA042H4 (460V)	42000	15	13	42000	27000	8.7	CX38-62C	EL195UH110XE60C	201873659
TPA042H4 (460V)	42000	15	13	42000	27000	8.5	CX38-62C	EL196UH090XE48C	201993111
TPA042H4 (460V)	42000	15	13	42000	27200	8.5	CX38-62C	EL196UH110XE60C	201993112
TPA042H4 (460V)	42000	15	13	42000	26800	8.7	CX38-62C	EL296UH090XE48C	201873660
TPA042H4 (460V)	42000	15.7	13	42000	27000	8.7	CX38-62C	EL296UH090XV36C	201873661
TPA042H4 (460V)	42000	15.7	13.2	42000	27000	8.7	CX38-62C	EL296UH090XV48C	201873662
TPA042H4 (460V)	42000	15.7	13	42000	27200	8.7	CX38-62C	EL296UH090XV60C	201873663
TPA042H4 (460V)	42000	15	13	42000	27000	8.7	CX38-62C	EL296UH110XE60C	201873664
TPA042H4 (460V)	42000	15.7	13.2	42000	27000	8.7	CX38-62C	EL296UH110XV48C	201873665
TPA042H4 (460V)	42000	15.7	13.2	42000	27000	8.7	CX38-62C	EL296UH110XV60C	201873666
TPA042H4 (460V)	42000	15.2	13	42000	26800	8.7	CX38-62C	ML180UH090E60C	201873940
TPA042H4 (460V)	42000	15.2	13	42000	26800	8.7	CX38-62C	ML180UH110E60C	201873978
TPA042H4 (460V)	42000	15.2	13	42000	26800	8.7	CX38-62C	ML180UH110XE60C	201874002
TPA042H4 (460V)	42000	16	13	42000	26800	8.5	CX38-62C	SL280UH090V60C	201873667
TPA042H4 (460V)	42000	16	13	42000	26800	8.5	CX38-62C	SL280UH090XV60C	201873668
TPA042H4 (460V)	42000	15.7	13	42000	27000	8.7	CX38-62C	SL280UH110V60C	201873669
TPA042H4 (460V)	42000	15.7	13	42000	27000	8.7	CX38-62C	SL280UH110XV60C	201873670
TPA042H4 (460V)	42000	15.7	13	42000	27000	8.7	CX38-62C	SLP98UH090XV36C	201873671
TPA042H4 (460V)	42000	15.7	13.2	42000	27000	8.7	CX38-62C	SLP98UH090XV48C	201873672
TPA042H4 (460V)	42000	15.7	13	42000	27200	8.7	CX38-62C	SLP98UH090XV60C	201873673
TPA042H4 (460V)	42000	15.7	13.2	42000	27000	8.7	CX38-62C	SLP98UH110XV60C	201873674
TPA042H4 (460V)	42000	14.7	12.2	42000	27600	8.5	CX38-62C		201873675
TPA042H4 (460V)	42000	14.7	12.2	42000	27600	8.5	CX38-62C		201874746
TPA042H4 (460V)	42000	15.2	13	41500	26800	8.7	CX38-62D	EL180UH135E60D	201873676
TPA042H4 (460V)	42000	14.7	12.7	42000	27000	8.7	CX38-62D	EL195UH135XE60D	201873677
TPA042H4 (460V)	42000	14.7	12.7	42000	27000	8.7	CX38-62D	EL296UH135XE60D	201873678
TPA042H4 (460V)	42000	15.5	13	42000	27000	8.7	CX38-62D	EL296UH135XV60D	201873679
TPA042H4 (460V)	42000	15.2	13	41500	26800	8.7	CX38-62D	ML180UH135E60D	201874016
TPA042H4 (460V)	42000	15.7	13.2	41500	26800	8.7	CX38-62D	SL280UH135V60D	201873680
TPA042H4 (460V)	42000	15.5	13.2	41500	26600	8.7	CX38-62D	SLP98UH135XV60D	201873681
TPA042H4 (460V)	42000	14.2	12.2	42000	27600	8.5	CX38-62D		201873682
TPA042H4 (460V)	42000	14.2	12.2	42000	27600	8.5	CX38-62D		201874747
TPA042H4 (208/230V)	42000	15.5	13.2	41500	26600	8.5	C37-49C	EL180UH090E60C	201872779
TPA042H4 (208/230V)	42000	15.5	13.2	41500	26600	8.5	C37-49C	EL180UH110E60C	201872782
TPA042H4 (208/230V)	42000	15.5	13.2	41500	26600	8.5	C37-49C	EL180UH110XE60C	201872785
TPA042H4 (208/230V)	42000	15.2	13	41500	26600	8.5	C37-49C	EL195UH090XE48C	201872787
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	8.5	C37-49C	EL195UH110XE60C	201872789
TPA042H4 (208/230V)	42000	15	13	41500	26800	8.2	C37-49C	EL196UH090XE48C	201993072

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA042H4 (208/230V)	42000	15	13	42000	27000	8.5	C37-49C	EL196UH110XE60C	201993073
TPA042H4 (208/230V)	42000	15.2	13	41500	26600	8.5	C37-49C	EL296UH090XE48C	201872791
TPA042H4 (208/230V)	42000	15.5	13	41500	26600	8.5	C37-49C	EL296UH090XV36C	201872794
TPA042H4 (208/230V)	42000	15.5	13.2	41500	26600	8.5	C37-49C	EL296UH090XV48C	201872797
TPA042H4 (208/230V)	42000	15.5	13	42000	26800	8.7	C37-49C	EL296UH090XV60C	201872800
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	8.5	C37-49C	EL296UH110XE60C	201872803
TPA042H4 (208/230V)	42000	15.7	13.2	41500	26800	8.7	C37-49C	EL296UH110XV48C	201872998
TPA042H4 (208/230V)	42000	15.7	13.2	41500	26600	8.7	C37-49C	EL296UH110XV60C	201872806
TPA042H4 (208/230V)	42000	15.5	13.2	41500	26600	8.5	C37-49C	ML180UH090E60C	201873181
TPA042H4 (208/230V)	42000	15.5	13.2	41500	26600	8.5	C37-49C	ML180UH110E60C	201873220
TPA042H4 (208/230V)	42000	15.5	13.2	41500	26600	8.5	C37-49C	ML180UH110XE60C	201873245
TPA042H4 (208/230V)	42000	15.7	13.2	41500	26600	8.7	C37-49C	SL280UH090V60C	201872809
TPA042H4 (208/230V)	42000	15.7	13.2	41500	26600	8.7	C37-49C	SL280UH090XV60C	201872812
TPA042H4 (208/230V)	42000	15.5	13.2	41500	26600	8.5	C37-49C	SL280UH110V60C	201872815
TPA042H4 (208/230V)	42000	15.5	13.2	41500	26600	8.5	C37-49C	SL280UH110XV60C	201872818
TPA042H4 (208/230V)	42000	15.5	13	41500	26600	8.5	C37-49C	SLP98UH090XV36C	201872821
TPA042H4 (208/230V)	42000	15.5	13.2	41500	26600	8.5	C37-49C	SLP98UH090XV48C	201872823
TPA042H4 (208/230V)	42000	15.5	13	42000	26800	8.7	C37-49C	SLP98UH090XV60C	201872825
TPA042H4 (208/230V)	42000	15.7	13.2	41500	26600	8.7	C37-49C	SLP98UH110XV60C	201872828
TPA042H4 (208/230V)	42000	14.5	12.2	42000	27400	8.2	C37-49C		201873112
TPA042H4 (208/230V)	42000	14.5	12.2	42000	27400	8.2	C37-49C		201874854
TPA042H4 (208/230V)	42000	15	12.7	41500	26600	8.7	C37-60D	EL180UH135E60D	201872829
TPA042H4 (208/230V)	42000	14.7	12.7	42000	26800	8.7	C37-60D	EL195UH135XE60D	201872830
TPA042H4 (208/230V)	42000	14.7	12.7	42000	26800	8.7	C37-60D	EL296UH135XE60D	201872831
TPA042H4 (208/230V)	42000	15.7	13.2	42000	26800	8.7	C37-60D	EL296UH135XV60D	201872832
TPA042H4 (208/230V)	42000	15	12.7	41500	26600	8.7	C37-60D	ML180UH135E60D	201873259
TPA042H4 (208/230V)	42000	15.7	13.5	41500	26600	8.7	C37-60D	SL280UH135V60D	201872833
TPA042H4 (208/230V)	42000	15.7	13.2	41500	26400	8.7	C37-60D	SLP98UH135XV60D	201872834
TPA042H4 (208/230V)	42000	14.5	12.2	42000	27400	8.2	C37-60D		201873113
TPA042H4 (208/230V)	42000	14.5	12.2	42000	27400	8.2	C37-60D		201874855
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	8.7	C37-62C	EL180UH090E60C	201872835
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	8.7	C37-62C	EL180UH110E60C	201872836
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	8.7	C37-62C	EL180UH110XE60C	201872837
TPA042H4 (208/230V)	42000	15	13	42000	26800	8.7	C37-62C	EL195UH090XE48C	201872838
TPA042H4 (208/230V)	42000	15	13	42000	27000	8.7	C37-62C	EL195UH110XE60C	201872839
TPA042H4 (208/230V)	42000	15	13	42000	27000	8.2	C37-62C	EL196UH090XE48C	201993075
TPA042H4 (208/230V)	42000	15	13	42000	27200	8.5	C37-62C	EL196UH110XE60C	201993076
TPA042H4 (208/230V)	42000	15	13	42000	26800	8.7	C37-62C	EL296UH090XE48C	201872840
TPA042H4 (208/230V)	42000	15.5	13	42000	27000	8.7	C37-62C	EL296UH090XV36C	201872841
TPA042H4 (208/230V)	42000	15.7	13	42000	27000	8.7	C37-62C	EL296UH090XV48C	201872842
TPA042H4 (208/230V)	42000	15.7	13	42000	26800	8.7	C37-62C	EL296UH090XV60C	201872843
TPA042H4 (208/230V)	42000	15	13	42000	27000	8.7	C37-62C	EL296UH110XE60C	201872844
TPA042H4 (208/230V)	42000	15.7	13.2	42000	27000	8.7	C37-62C	EL296UH110XV48C	201872999
TPA042H4 (208/230V)	42000	15.7	13.2	42000	27000	8.7	C37-62C	EL296UH110XV60C	201872845
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	8.7	C37-62C	ML180UH090E60C	201873182
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	8.7	C37-62C	ML180UH110E60C	201873221
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	8.7	C37-62C	ML180UH110XE60C	201873246
TPA042H4 (208/230V)	42000	16	13	42000	27000	8.5	C37-62C	SL280UH090V60C	201872846
TPA042H4 (208/230V)	42000	16	13	42000	27000	8.5	C37-62C	SL280UH090XV60C	201872847
TPA042H4 (208/230V)	42000	15.7	13	42000	27000	8.7	C37-62C	SL280UH110V60C	201872848
TPA042H4 (208/230V)	42000	15.7	13	42000	27000	8.7	C37-62C	SL280UH110XV60C	201872849
TPA042H4 (208/230V)	42000	15.7	13	42000	27000	8.7	C37-62C	SLP98UH090XV48C	201872850
TPA042H4 (208/230V)	42000	15.7	13	42000	26800	8.7	C37-62C	SLP98UH090XV60C	201872851
TPA042H4 (208/230V)	42000	15.7	13.2	42000	27000	8.7	C37-62C	SLP98UH110XV60C	201872852
TPA042H4 (208/230V)	42000	14.7	12.2	42000	27600	8.5	C37-62C		201873114

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA042H4 (208/230V)	42000	14.7	12.2	42000	27600	8.5	C37-62C		201874856
TPA042H4 (208/230V)	42000	15.2	13	41500	26800	8.7	C37-62D	EL180UH135E60D	201872853
TPA042H4 (208/230V)	42000	14.7	12.7	42000	27000	8.7	C37-62D	EL195UH135XE60D	201872854
TPA042H4 (208/230V)	42000	14.7	12.7	42000	27000	8.7	C37-62D	EL296UH135XE60D	201872855
TPA042H4 (208/230V)	42000	15.5	13	42000	27000	8.7	C37-62D	EL296UH135XV60D	201872856
TPA042H4 (208/230V)	42000	15.2	13	41500	26800	8.7	C37-62D	ML180UH135E60D	201873260
TPA042H4 (208/230V)	42000	15.7	13.2	41500	26800	8.7	C37-62D	SL280UH135V60D	201874866
TPA042H4 (208/230V)	42000	15.5	13.2	41500	26600	8.7	C37-62D	SLP98UH135XV60D	201872857
TPA042H4 (208/230V)	42000	14.2	12.2	42000	27600	8.5	C37-62D		201873115
TPA042H4 (208/230V)	42000	14.2	12.2	42000	27600	8.5	C37-62D		201874857
TPA042H4 (208/230V)	42500	15	12.5	42000	27000	8.5	CBA27UHE-048-230		10262328
TPA042H4 (208/230V)	42500	15	12.5	42000	27400	8.5	CBA38MV-042-230		202084050
TPA042H4 (208/230V)	43000	15.5	12.5	42500	26200	8.2	CBA38MV-048-230		202084052
TPA042H4 (208/230V)	42000	14	12	42000	28400	8.2	CBX25UH-042-230		9032738
TPA042H4 (208/230V)	42000	15.5	13	42000	27800	8.5	CBX25UHV-042-230		9032739
TPA042H4 (208/230V)	42000	15.5	13	42000	27400	9	CBX27UH-042-230		9031914
TPA042H4 (208/230V)	42000	15	12.5	42000	27400	8.5	CBX27UH-048-230		9031915
TPA042H4 (208/230V)	42000	14.5	12.5	42000	27800	8.7	CBX32M-048		9031916
TPA042H4 (208/230V)	42000	15.7	13.2	42000	27400	9.2	CH23-68	EL180UH090E60C	9031920
TPA042H4 (208/230V)	42000	15.5	13.2	42000	27400	9.2	CH23-68	EL180UH110E60C	9031921
TPA042H4 (208/230V)	42000	15.5	13.2	42000	27400	9.2	CH23-68	EL180UH110XE60C	9031922
TPA042H4 (208/230V)	42000	15.7	13.2	42000	27400	9.2	CH23-68	EL180UH135E60D	9031923
TPA042H4 (208/230V)	42000	15.2	13	42000	27400	9.2	CH23-68	EL195UH090XE48C	9031924
TPA042H4 (208/230V)	42000	15.2	13	42000	27600	9.2	CH23-68	EL195UH110XE60C	9031925
TPA042H4 (208/230V)	42000	15.2	13	42000	27600	9.2	CH23-68	EL195UH135XE60D	9031926
TPA042H4 (208/230V)	42000	15	13	42000	27400	9	CH23-68	EL196UH090XE48C	201993078
TPA042H4 (208/230V)	42000	15	13	42000	27600	9	CH23-68	EL196UH110XE60C	201993079
TPA042H4 (208/230V)	42000	15.2	13	42000	27400	9.2	CH23-68	EL296UH090XE48C	9031927
TPA042H4 (208/230V)	42000	15.2	13	42000	27600	9.2	CH23-68	EL296UH110XE60C	9031928
TPA042H4 (208/230V)	42000	15.2	13	42000	27600	9.2	CH23-68	EL296UH135XE60D	9031929
TPA042H4 (208/230V)	42000	15.7	13.2	42000	27400	9.5	CH23-68	EL296UH135XV60D	9031930
TPA042H4 (208/230V)	42000	15.7	13.2	42000	27400	9.2	CH23-68	ML180UH090E60C	10590922
TPA042H4 (208/230V)	42000	15.5	13.2	42000	27400	9.2	CH23-68	ML180UH110E60C	10591032
TPA042H4 (208/230V)	42000	15.5	13.2	42000	27400	9.2	CH23-68	ML180UH110XE60C	10591109
TPA042H4 (208/230V)	42000	15.7	13.2	42000	27400	9.2	CH23-68	ML180UH135E60D	10591160
TPA042H4 (208/230V)	42000	16	13	42000	27200	9.5	CH23-68	SL280UH135V60D	9031931
TPA042H4 (208/230V)	42000	15.7	13.2	42000	27200	9.2	CH23-68	SLP98UH135XV60D	9031932
TPA042H4 (208/230V)	42000	14.5	12.2	42000	28000	9	CH23-68		9031933
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	8.7	CH33-43B	EL180UH090E48B	9031934
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	8.7	CH33-43B	EL180UH090XE48B	9031935
TPA042H4 (208/230V)	42000	14.7	12.7	42000	27400	8.5	CH33-43B	EL296UH045XV36B	9031936
TPA042H4 (208/230V)	42000	14.7	12.5	42000	27400	8.5	CH33-43B	EL296UH070XV36B	9031937
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	8.7	CH33-43B	ML180UH090E48B	10590820
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	8.7	CH33-43B	ML180UH090XE48B	10590978
TPA042H4 (208/230V)	42000	15.5	13	42000	27200	8.7	CH33-43B	SL280UH090V36B	9031938
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	8.7	CH33-43B	SL280UH090V48B	9031939
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	8.7	CH33-43B	SL280UH090XV48B	9031940
TPA042H4 (208/230V)	42000	14.7	12.5	42000	27400	8.5	CH33-43B	SLP98UH070XV36B	9031941
TPA042H4 (208/230V)	42000	14.5	12.2	42000	27600	8.5	CH33-43B		9031942
TPA042H4 (208/230V)	42000	15.2	13	42000	26600	8.2	CH33-43C	EL180UH090E60C	9031943
TPA042H4 (208/230V)	42000	15.2	13	42000	26600	8.2	CH33-43C	EL180UH110E60C	9031944
TPA042H4 (208/230V)	42000	15.2	13	42000	26600	8.2	CH33-43C	EL180UH110XE60C	9031945
TPA042H4 (208/230V)	42000	15	12.7	42000	26600	8.2	CH33-43C	EL195UH090XE48C	9031946
TPA042H4 (208/230V)	42000	15	12.7	42000	26800	8.2	CH33-43C	EL195UH110XE60C	9031947
TPA042H4 (208/230V)	42000	15	12.5	42000	26800	8.2	CH33-43C	EL196UH090XE48C	201993081

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA042H4 (208/230V)	42000	15	12.5	42000	27000	8.2	CH33-43C	EL196UH110XE60C	201993082
TPA042H4 (208/230V)	42000	15	12.7	42000	26600	8.2	CH33-43C	EL296UH090XE48C	9031948
TPA042H4 (208/230V)	42000	15.2	12.7	42000	26800	8.2	CH33-43C	EL296UH090XV36C	9031949
TPA042H4 (208/230V)	42000	15.2	12.7	42000	26800	8.2	CH33-43C	EL296UH090XV48C	9031950
TPA042H4 (208/230V)	42000	15.2	12.7	42000	27000	8.2	CH33-43C	EL296UH090XV60C	9031951
TPA042H4 (208/230V)	42000	15	12.7	42000	26800	8.2	CH33-43C	EL296UH110XE60C	9031952
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	8.2	CH33-43C	EL296UH110XV48C	9031953
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	8.2	CH33-43C	EL296UH110XV60C	9031954
TPA042H4 (208/230V)	42000	15.2	13	42000	26600	8.2	CH33-43C	ML180UH090E60C	10590923
TPA042H4 (208/230V)	42000	15.2	13	42000	26600	8.2	CH33-43C	ML180UH110E60C	10591033
TPA042H4 (208/230V)	42000	15.2	13	42000	26600	8.2	CH33-43C	ML180UH110XE60C	10591110
TPA042H4 (208/230V)	42000	15.5	12.5	42000	26600	8.2	CH33-43C	SL280UH080NV60C-	10590497
TPA042H4 (208/230V)	42000	15.5	13	42000	26800	8.5	CH33-43C	SL280UH090V60C	9031955
TPA042H4 (208/230V)	42000	15.5	13	42000	26800	8.5	CH33-43C	SL280UH090XV60C	9031956
TPA042H4 (208/230V)	42000	15.1	12.5	42000	26800	8.2	CH33-43C	SL280UH100NV60C-	10590507
TPA042H4 (208/230V)	42000	15.2	12.7	42000	26800	8.2	CH33-43C	SL280UH110V60C	9031957
TPA042H4 (208/230V)	42000	15.2	12.7	42000	26800	8.2	CH33-43C	SL280UH110XV60C	9031958
TPA042H4 (208/230V)	42000	15.2	12.7	42000	26800	8.2	CH33-43C	SLP98UH090XV36C	9031959
TPA042H4 (208/230V)	42000	15.2	12.7	42000	26800	8.2	CH33-43C	SLP98UH090XV48C	9031960
TPA042H4 (208/230V)	42000	15.2	12.7	42000	27000	8.2	CH33-43C	SLP98UH090XV60C	9031961
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	8.2	CH33-43C	SLP98UH110XV60C	9031962
TPA042H4 (208/230V)	42000	14.7	12.5	42000	27000	8.5	CH33-44/48	EL180UH090E48B	9031964
TPA042H4 (208/230V)	41500	14.2	12.2	42000	27200	8.2	CH33-44/48	EL296UH045XV36B	9031965
TPA042H4 (208/230V)	41500	14.2	12.2	42000	27200	8.2	CH33-44/48	EL296UH070XV36B	9031966
TPA042H4 (208/230V)	42000	14.7	12.5	42000	27000	8.5	CH33-44/48	ML180UH090E48B	10590821
TPA042H4 (208/230V)	42000	14.7	12.7	42000	27000	8.5	CH33-44/48	SL280UH090V36B	9031967
TPA042H4 (208/230V)	42000	14.7	12.5	42000	27000	8.5	CH33-44/48	SL280UH090V48B	9031968
TPA042H4 (208/230V)	42000	14.7	12.5	42000	27000	8.5	CH33-44/48	SL280UH090XV48B	9031969
TPA042H4 (208/230V)	41500	14.2	12.2	42000	27200	8.2	CH33-44/48	SLP98UH070XV36B	9031970
TPA042H4 (208/230V)	41500	14	11.7	42000	27600	8.2	CH33-44/48		9031971
TPA042H4 (208/230V)	42000	15	12.7	42000	26600	8.2	CH33-48C	EL180UH090E60C	9031972
TPA042H4 (208/230V)	42000	15	12.7	42000	26600	8.2	CH33-48C	EL180UH110E60C	9031973
TPA042H4 (208/230V)	42000	15	12.7	42000	26600	8.2	CH33-48C	EL180UH110XE60C	9031974
TPA042H4 (208/230V)	42000	14.7	12.5	41500	26600	8.2	CH33-48C	EL195UH090XE48C	9031975
TPA042H4 (208/230V)	42000	14.7	12.5	42000	26800	8.2	CH33-48C	EL195UH110XE60C	9031976
TPA042H4 (208/230V)	42000	14.5	12.5	41500	26800	8.2	CH33-48C	EL196UH090XE48C	201993083
TPA042H4 (208/230V)	42000	14.5	12.5	42000	27000	8.2	CH33-48C	EL196UH110XE60C	201993084
TPA042H4 (208/230V)	42000	14.7	12.5	41500	26600	8.2	CH33-48C	EL296UH090XE48C	9031977
TPA042H4 (208/230V)	42000	14.7	12.5	42000	26800	8.2	CH33-48C	EL296UH090XV36C	9031978
TPA042H4 (208/230V)	42000	15	12.7	42000	26800	8.2	CH33-48C	EL296UH090XV48C	9031979
TPA042H4 (208/230V)	42000	14.7	12.5	42000	27000	8.2	CH33-48C	EL296UH090XV60C	9031980
TPA042H4 (208/230V)	42000	14.7	12.5	42000	26800	8.2	CH33-48C	EL296UH110XE60C	9031981
TPA042H4 (208/230V)	42000	15	12.7	42000	26800	8.2	CH33-48C	EL296UH110XV48C	9031982
TPA042H4 (208/230V)	42000	15	12.7	42000	26800	8.2	CH33-48C	EL296UH110XV60C	9031983
TPA042H4 (208/230V)	42000	15	12.7	42000	26600	8.2	CH33-48C	ML180UH090E60C	10590924
TPA042H4 (208/230V)	42000	15	12.7	42000	26600	8.2	CH33-48C	ML180UH110E60C	10591034
TPA042H4 (208/230V)	42000	15	12.7	42000	26600	8.2	CH33-48C	ML180UH110XE60C	10591111
TPA042H4 (208/230V)	42000	15.5	12.5	42000	26600	8.2	CH33-48C	SL280UH080NV60C-	10590498
TPA042H4 (208/230V)	42000	15.2	12.7	42000	26800	8.2	CH33-48C	SL280UH090V60C	9031984
TPA042H4 (208/230V)	42000	15.2	12.7	42000	26800	8.2	CH33-48C	SL280UH090XV60C	9031985
TPA042H4 (208/230V)	42000	15	12.5	42000	26800	8.2	CH33-48C	SL280UH100NV60C-	10590508
TPA042H4 (208/230V)	42000	15	12.7	42000	26800	8.2	CH33-48C	SL280UH110V60C	9031986
TPA042H4 (208/230V)	42000	15	12.7	42000	26800	8.2	CH33-48C	SL280UH110XV60C	9031987
TPA042H4 (208/230V)	42000	14.7	12.5	42000	26800	8.2	CH33-48C	SLP98UH090XV36C	9031988
TPA042H4 (208/230V)	42000	15	12.7	42000	26800	8.2	CH33-48C	SLP98UH090XV48C	9031989

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA042H4 (208/230V)	42000	14.7	12.5	42000	27000	8.2	CH33-48C	SLP98UH090XV60C	9031990
TPA042H4 (208/230V)	42000	15	12.7	42000	26800	8.2	CH33-48C	SLP98UH110XV60C	9031991
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	8.7	CH33-49	EL180UH090E60C	9032744
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	8.7	CH33-49	EL180UH110E60C	9032745
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	8.7	CH33-49	EL180UH110XE60C	9032746
TPA042H4 (208/230V)	42000	15	12.7	42000	26800	8.5	CH33-49	EL195UH090XE48C	9032747
TPA042H4 (208/230V)	42000	15.2	12.7	42000	27000	8.7	CH33-49	EL195UH110XE60C	9032748
TPA042H4 (208/230V)	42000	15	12.5	42000	26800	8.5	CH33-49	EL196UH090XE48C	201993148
TPA042H4 (208/230V)	42000	15	12.5	42000	27000	8.5	CH33-49	EL196UH110XE60C	201993149
TPA042H4 (208/230V)	42000	15	12.7	42000	26800	8.5	CH33-49	EL296UH090XE48C	9032749
TPA042H4 (208/230V)	42000	15.2	13	42000	27000	8.7	CH33-49	EL296UH090XV36C	9032750
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	8.7	CH33-49	EL296UH090XV48C	9032751
TPA042H4 (208/230V)	42000	15.2	13	42000	27000	8.7	CH33-49	EL296UH090XV60C	9032752
TPA042H4 (208/230V)	42000	15.2	12.7	42000	27000	8.7	CH33-49	EL296UH110XE60C	9032753
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	8.7	CH33-49	EL296UH110XV48C	9032754
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	8.7	CH33-49	EL296UH110XV60C	9032755
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	8.7	CH33-49	ML180UH090E60C	10590948
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	8.7	CH33-49	ML180UH110E60C	10591058
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	8.7	CH33-49	ML180UH110XE60C	10591135
TPA042H4 (208/230V)	42000	15.5	12.5	42000	26800	9	CH33-49	SL280UH080NV60C-	10590499
TPA042H4 (208/230V)	42000	15.5	13.2	42000	27000	8.7	CH33-49	SL280UH090V60C	9032756
TPA042H4 (208/230V)	42000	15.5	13.2	42000	27000	8.7	CH33-49	SL280UH090XV60C	9032757
TPA042H4 (208/230V)	42000	15.1	12.5	42000	27000	8.8	CH33-49	SL280UH100NV60C-	10590509
TPA042H4 (208/230V)	42000	15.2	13	42000	27000	8.7	CH33-49	SL280UH110V60C	9032758
TPA042H4 (208/230V)	42000	15.2	13	42000	27000	8.7	CH33-49	SL280UH110XV60C	9032759
TPA042H4 (208/230V)	42000	15.2	13	42000	27000	8.7	CH33-49	SLP98UH090XV36C	9032760
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	8.7	CH33-49	SLP98UH090XV48C	9032761
TPA042H4 (208/230V)	42000	15.2	13	42000	27000	8.7	CH33-49	SLP98UH090XV60C	9032762
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	8.7	CH33-49	SLP98UH110XV60C	9032763
TPA042H4 (208/230V)	42000	14.2	12.2	42000	27400	8.5	CH33-49		9032764
TPA042H4 (208/230V)	42000	15.2	12.7	42000	26800	8.7	CH33-50/60C	EL180UH090E60C	9031992
TPA042H4 (208/230V)	42000	15.2	13	41500	26600	8.5	CH33-50/60C	EL180UH110E60C	9031993
TPA042H4 (208/230V)	42000	15.2	13	41500	26600	8.5	CH33-50/60C	EL180UH110XE60C	9031994
TPA042H4 (208/230V)	42000	15	12.7	41500	26800	8.5	CH33-50/60C	EL195UH090XE48C	9031995
TPA042H4 (208/230V)	42000	15	12.7	42000	27000	8.5	CH33-50/60C	EL195UH110XE60C	9031996
TPA042H4 (208/230V)	42000	15	12.5	41500	26800	8.5	CH33-50/60C	EL196UH090XE48C	201993085
TPA042H4 (208/230V)	42000	15	12.5	42000	27000	8.5	CH33-50/60C	EL196UH110XE60C	201993086
TPA042H4 (208/230V)	42000	15	12.7	41500	26800	8.5	CH33-50/60C	EL296UH090XE48C	9031997
TPA042H4 (208/230V)	42000	15.2	12.7	42000	27200	8.5	CH33-50/60C	EL296UH090XV36C	9031998
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	8.5	CH33-50/60C	EL296UH090XV48C	9031999
TPA042H4 (208/230V)	42000	15.2	12.7	42000	27400	8.5	CH33-50/60C	EL296UH090XV60C	9032000
TPA042H4 (208/230V)	42000	15	12.7	42000	27000	8.5	CH33-50/60C	EL296UH110XE60C	9032001
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	8.5	CH33-50/60C	EL296UH110XV48C	9032002
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	8.5	CH33-50/60C	EL296UH110XV60C	9032003
TPA042H4 (208/230V)	42000	15.2	12.7	42000	26800	8.7	CH33-50/60C	ML180UH090E60C	10590925
TPA042H4 (208/230V)	42000	15.2	13	41500	26600	8.5	CH33-50/60C	ML180UH110E60C	10591035
TPA042H4 (208/230V)	42000	15.2	13	41500	26600	8.5	CH33-50/60C	ML180UH110XE60C	10591112
TPA042H4 (208/230V)	42000	15.5	12.5	42000	27000	8.8	CH33-50/60C	SL280UH080NV60C-	10590500
TPA042H4 (208/230V)	42000	15.5	13	42000	27200	8.7	CH33-50/60C	SL280UH090V60C	9032004
TPA042H4 (208/230V)	42000	15.5	13	42000	27200	8.7	CH33-50/60C	SL280UH090XV60C	9032005
TPA042H4 (208/230V)	42000	15.1	12.5	42000	27200	8.5	CH33-50/60C	SL280UH100NV60C-	10590510
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	8.5	CH33-50/60C	SL280UH110V60C	9032006
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	8.5	CH33-50/60C	SL280UH110XV60C	9032007
TPA042H4 (208/230V)	42000	15.2	12.7	42000	27200	8.5	CH33-50/60C	SLP98UH090XV36C	9032008
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	8.5	CH33-50/60C	SLP98UH090XV48C	9032009

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA042H4 (208/230V)	42000	15.2	12.7	42000	27400	8.5	CH33-50/60C	SLP98UH090XV60C	9032010
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	8.5	CH33-50/60C	SLP98UH110XV60C	9032011
TPA042H4 (208/230V)	42000	14.2	12.2	42000	27800	8.2	CH33-50/60C		9032012
TPA042H4 (208/230V)	42000	15.7	13.2	42000	26800	8.5	CH33-60D	EL180UH135E60D	9032013
TPA042H4 (208/230V)	42000	15.2	13	42000	27000	8.5	CH33-60D	EL195UH135XE60D	9032014
TPA042H4 (208/230V)	42000	15.2	13	42000	27000	8.5	CH33-60D	EL296UH135XE60D	9032015
TPA042H4 (208/230V)	42000	15.7	13.2	42000	27000	8.7	CH33-60D	EL296UH135XV60D	9032016
TPA042H4 (208/230V)	42000	15.7	13.2	42000	26800	8.5	CH33-60D	ML180UH135E60D	10591161
TPA042H4 (208/230V)	42000	16	13	42000	26800	8.5	CH33-60D	SL280UH135V60D	9032017
TPA042H4 (208/230V)	42000	15.5	13.2	41500	26400	8.7	CH33-60D	SLP98UH135XV60D	9032018
TPA042H4 (208/230V)	42000	14.5	12.2	42000	27600	8.2	CH33-60D		9032019
TPA042H4 (208/230V)	42000	15	12.7	42000	26600	8.7	CH33-62D	EL180UH135E60D	9032020
TPA042H4 (208/230V)	42000	14.7	12.7	41500	26600	8.7	CH33-62D	EL195UH135XE60D	9032021
TPA042H4 (208/230V)	42000	14.7	12.7	41500	26600	8.7	CH33-62D	EL296UH135XE60D	9032022
TPA042H4 (208/230V)	42000	15.5	13	42000	26800	8.7	CH33-62D	EL296UH135XV60D	9032023
TPA042H4 (208/230V)	42000	15	12.7	42000	26600	8.7	CH33-62D	ML180UH135E60D	10591162
TPA042H4 (208/230V)	42000	15.7	13.2	41500	26600	8.7	CH33-62D	SL280UH135V60D	9032024
TPA042H4 (208/230V)	42000	15.7	13.2	41500	26400	8.7	CH33-62D	SLP98UH135XV60D	9032025
TPA042H4 (208/230V)	42000	14.2	12.2	42000	27400	8.2	CH33-62D		9032026
TPA042H4 (208/230V)	42000	15.5	13.2	42000	27000	9	CR33-50/60	EL180DF110E60C	9032027
TPA042H4 (208/230V)	42000	15.2	13	42000	27000	8.7	CR33-50/60	EL195DF090XE48C	9032028
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	9	CR33-50/60	EL195DF110XE60C	9032029
TPA042H4 (208/230V)	42000	15	12.7	42000	27200	8.7	CR33-50/60	EL196DF090XE48C	202066680
TPA042H4 (208/230V)	42000	15.2	13	42000	27000	8.7	CR33-50/60	EL296DF090XE48C	9032030
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	9	CR33-50/60	EL296DF090XV60C	9032031
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	9	CR33-50/60	EL296DF110XE60C	9032032
TPA042H4 (208/230V)	42000	15.5	13.2	42000	27200	9	CR33-50/60	EL296DF110XV60C	9032033
TPA042H4 (208/230V)	42000	15.5	13.2	42000	27000	9	CR33-50/60	ML180DF110E60C	10590568
TPA042H4 (208/230V)	42000	15.7	13.2	42000	27000	9	CR33-50/60	SL280DF090V60C	9032034
TPA042H4 (208/230V)	42000	15.7	13.2	42000	27000	9	CR33-50/60	SL280DF110V60C	9032035
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	9	CR33-50/60	SLP98DF090XV36C	9032036
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	9	CR33-50/60	SLP98DF090XV48C	9032037
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	9	CR33-50/60	SLP98DF090XV60C	9032038
TPA042H4 (208/230V)	42000	15.5	13.2	42000	27200	9	CR33-50/60	SLP98DF110XV60C	9032039
TPA042H4 (208/230V)	42000	14.2	12.2	42000	27800	8.7	CR33-50/60		9032040
TPA042H4 (208/230V)	42000	14.2	12.2	42000	27800	8.7	CR33-60		9032041
TPA042H4 (208/230V)	42000	15.5	13.2	41500	26600	8.5	CX38-49C	EL180UH090E60C	201873571
TPA042H4 (208/230V)	42000	15.5	13.2	41500	26600	8.5	CX38-49C	EL180UH110E60C	201873572
TPA042H4 (208/230V)	42000	15.5	13.2	41500	26600	8.5	CX38-49C	EL180UH110XE60C	201873573
TPA042H4 (208/230V)	42000	15.2	13	41500	26600	8.5	CX38-49C	EL195UH090XE48C	201873574
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	8.5	CX38-49C	EL195UH110XE60C	201873575
TPA042H4 (208/230V)	42000	15	13	41500	26800	8.2	CX38-49C	EL196UH090XE48C	201993179
TPA042H4 (208/230V)	42000	15	13	42000	27000	8.5	CX38-49C	EL196UH110XE60C	201993180
TPA042H4 (208/230V)	42000	15.2	13	41500	26600	8.5	CX38-49C	EL296UH090XE48C	201873576
TPA042H4 (208/230V)	42000	15.5	13	41500	26600	8.5	CX38-49C	EL296UH090XV36C	201873577
TPA042H4 (208/230V)	42000	15.5	13.2	41500	26600	8.5	CX38-49C	EL296UH090XV48C	201873578
TPA042H4 (208/230V)	42000	15.5	13	42000	26800	8.7	CX38-49C	EL296UH090XV60C	201873579
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	8.5	CX38-49C	EL296UH110XE60C	201873580
TPA042H4 (208/230V)	42000	15.7	13.2	41500	26800	8.7	CX38-49C	EL296UH110XV48C	201873581
TPA042H4 (208/230V)	42000	15.7	13.2	41500	26600	8.7	CX38-49C	EL296UH110XV60C	201873582
TPA042H4 (208/230V)	42000	15.5	13.2	41500	26600	8.5	CX38-49C	ML180UH090E60C	201873937
TPA042H4 (208/230V)	42000	15.5	13.2	41500	26600	8.5	CX38-49C	ML180UH110E60C	201873975
TPA042H4 (208/230V)	42000	15.5	13.2	41500	26600	8.5	CX38-49C	ML180UH110XE60C	201873999
TPA042H4 (208/230V)	42000	15.7	13.2	41500	26600	8.7	CX38-49C	SL280UH090V60C	201873583
TPA042H4 (208/230V)	42000	15.7	13.2	41500	26600	8.7	CX38-49C	SL280UH090XV60C	201873584

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA042H4 (208/230V)	42000	15.5	13.2	41500	26800	8.5	CX38-49C	SL280UH110V60C	201873585
TPA042H4 (208/230V)	42000	15.5	13.2	41500	26800	8.5	CX38-49C	SL280UH110XV60C	201873586
TPA042H4 (208/230V)	42000	15.5	13	41500	26600	8.5	CX38-49C	SLP98UH090XV36C	201873587
TPA042H4 (208/230V)	42000	15.5	13.2	41500	26600	8.5	CX38-49C	SLP98UH090XV48C	201873588
TPA042H4 (208/230V)	42000	15.5	13	42000	26800	8.7	CX38-49C	SLP98UH090XV60C	201873589
TPA042H4 (208/230V)	42000	15.7	13.2	41500	26600	8.7	CX38-49C	SLP98UH110XV60C	201873590
TPA042H4 (208/230V)	42000	14.5	12.2	42000	27400	8.2	CX38-49C		201873591
TPA042H4 (208/230V)	42000	14.5	12.2	42000	27400	8.2	CX38-49C		201874740
TPA042H4 (208/230V)	42000	15	12.7	41500	26600	8.7	CX38-60D	EL180UH135E60D	201873592
TPA042H4 (208/230V)	42000	14.7	12.7	42000	26800	8.7	CX38-60D	EL195UH135XE60D	201873593
TPA042H4 (208/230V)	42000	14.7	12.7	42000	26800	8.7	CX38-60D	EL296UH135XE60D	201873594
TPA042H4 (208/230V)	42000	15.7	13.2	42000	26800	8.7	CX38-60D	EL296UH135XV60D	201873595
TPA042H4 (208/230V)	42000	15	12.7	41500	26600	8.7	CX38-60D	ML180UH135E60D	201874013
TPA042H4 (208/230V)	42000	15.7	13.5	41500	26600	8.7	CX38-60D	SL280UH135V60D	201873596
TPA042H4 (208/230V)	42000	15.7	13.2	41500	26400	8.7	CX38-60D	SLP98UH135XV60D	201873597
TPA042H4 (208/230V)	42000	14.5	12.2	42000	27400	8.2	CX38-60D		201873598
TPA042H4 (208/230V)	42000	14.5	12.2	42000	27400	8.2	CX38-60D		201874741
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	8.7	CX38-62C	EL180UH090E60C	201873599
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	8.7	CX38-62C	EL180UH110E60C	201873600
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	8.7	CX38-62C	EL180UH110XE60C	201873601
TPA042H4 (208/230V)	42000	15	13	42000	26800	8.7	CX38-62C	EL195UH090XE48C	201873602
TPA042H4 (208/230V)	42000	15	13	42000	27000	8.7	CX38-62C	EL195UH110XE60C	201873603
TPA042H4 (208/230V)	42000	15	13	42000	27000	8.2	CX38-62C	EL196UH090XE48C	201993090
TPA042H4 (208/230V)	42000	15	13	42000	27200	8.5	CX38-62C	EL196UH110XE60C	201993091
TPA042H4 (208/230V)	42000	15	13	42000	26800	8.7	CX38-62C	EL296UH090XE48C	201873604
TPA042H4 (208/230V)	42000	15.7	13	42000	27000	8.7	CX38-62C	EL296UH090XV36C	201873605
TPA042H4 (208/230V)	42000	15.7	13.2	42000	27000	8.7	CX38-62C	EL296UH090XV48C	201873606
TPA042H4 (208/230V)	42000	15.7	13	42000	27200	8.7	CX38-62C	EL296UH090XV60C	201873607
TPA042H4 (208/230V)	42000	15	13	42000	27000	8.7	CX38-62C	EL296UH110XE60C	201873608
TPA042H4 (208/230V)	42000	15.7	13.2	42000	27000	8.7	CX38-62C	EL296UH110XV48C	201873609
TPA042H4 (208/230V)	42000	15.7	13.2	42000	27000	8.7	CX38-62C	EL296UH110XV60C	201873610
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	8.7	CX38-62C	ML180UH090E60C	201873938
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	8.7	CX38-62C	ML180UH110E60C	201873976
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	8.7	CX38-62C	ML180UH110XE60C	201874000
TPA042H4 (208/230V)	42000	16	13	42000	26800	8.5	CX38-62C	SL280UH090V60C	201873611
TPA042H4 (208/230V)	42000	16	13	42000	26800	8.5	CX38-62C	SL280UH090XV60C	201873612
TPA042H4 (208/230V)	42000	15.7	13	42000	27000	8.7	CX38-62C	SL280UH110V60C	201873613
TPA042H4 (208/230V)	42000	15.7	13	42000	27000	8.7	CX38-62C	SL280UH110XV60C	201873614
TPA042H4 (208/230V)	42000	15.7	13	42000	27000	8.7	CX38-62C	SLP98UH090XV36C	201873615
TPA042H4 (208/230V)	42000	15.7	13.2	42000	27000	8.7	CX38-62C	SLP98UH090XV48C	201873616
TPA042H4 (208/230V)	42000	15.7	13	42000	27200	8.7	CX38-62C	SLP98UH090XV60C	201873617
TPA042H4 (208/230V)	42000	15.7	13.2	42000	27000	8.7	CX38-62C	SLP98UH110XV60C	201873618
TPA042H4 (208/230V)	42000	14.7	12.2	42000	27600	8.5	CX38-62C		201873619
TPA042H4 (208/230V)	42000	14.7	12.2	42000	27600	8.5	CX38-62C		201874742
TPA042H4 (208/230V)	42000	15.2	13	41500	26800	8.7	CX38-62D	EL180UH135E60D	201873620
TPA042H4 (208/230V)	42000	14.7	12.7	42000	27000	8.7	CX38-62D	EL195UH135XE60D	201873621
TPA042H4 (208/230V)	42000	14.7	12.7	42000	27000	8.7	CX38-62D	EL296UH135XE60D	201873622
TPA042H4 (208/230V)	42000	15.5	13	42000	27000	8.7	CX38-62D	EL296UH135XV60D	201873623
TPA042H4 (208/230V)	42000	15.2	13	41500	26800	8.7	CX38-62D	ML180UH135E60D	201874014
TPA042H4 (208/230V)	42000	15.7	13.2	41500	26800	8.7	CX38-62D	SL280UH135V60D	201873624
TPA042H4 (208/230V)	42000	15.5	13.2	41500	26600	8.7	CX38-62D	SLP98UH135XV60D	201873625
TPA042H4 (208/230V)	42000	14.2	12.2	42000	27600	8.5	CX38-62D		201873626
TPA042H4 (208/230V)	42000	14.2	12.2	42000	27600	8.5	CX38-62D		201874743
TPA042S4 (460V)	42000	14	11.5	39500	26400	8.2	C37-43B	EL180UH090E48B	201873082
TPA042S4 (460V)	42000	14	11.5	39500	26400	8.2	C37-43B	EL180UH090XE48B	201873083

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA042S4 (460V)	42000	14	11.5	39500	26400	8.2	C37-43B	ML180UH090E48B	201873166
TPA042S4 (460V)	42000	14	11.5	39500	26400	8.2	C37-43B	ML180UH090XE48B	201873206
TPA042S4 (460V)	42000	14	11.5	39500	26400	8.2	C37-43C	EL180UH090E60C	201873084
TPA042S4 (460V)	42000	14	11.5	39500	26400	8.2	C37-43C	EL180UH110E60C	201873085
TPA042S4 (460V)	42000	14	11.5	39500	26400	8.2	C37-43C	EL180UH110XE60C	201873086
TPA042S4 (460V)	42000	14	11.5	39500	26400	8.2	C37-43C	EL195UH090XE48C	201873087
TPA042S4 (460V)	42000	14	11.5	39500	26600	8.2	C37-43C	EL195UH110XE60C	201873088
TPA042S4 (460V)	42000	14	11.5	39500	26400	8.2	C37-43C	EL196UH090XE48C	201993168
TPA042S4 (460V)	42000	14	11.5	39500	26600	8.2	C37-43C	EL196UH110XE60C	201993169
TPA042S4 (460V)	42000	14	11.5	39500	26400	8.2	C37-43C	EL296UH090XE48C	201873089
TPA042S4 (460V)	42000	14	11.5	39500	26400	8.2	C37-43C	EL296UH090XV48C	201873090
TPA042S4 (460V)	42000	14	11.5	40000	26600	8.2	C37-43C	EL296UH090XV60C	201873091
TPA042S4 (460V)	42000	14	11.5	39500	26600	8.2	C37-43C	EL296UH110XE60C	201873092
TPA042S4 (460V)	42000	14	11.5	39500	26400	8.2	C37-43C	EL296UH110XV48C	201873093
TPA042S4 (460V)	42000	14	11.5	39500	26400	8.2	C37-43C	EL296UH110XV60C	201873094
TPA042S4 (460V)	42000	14	11.5	39500	26400	8.2	C37-43C	ML180UH090E60C	201873192
TPA042S4 (460V)	42000	14	11.5	39500	26400	8.2	C37-43C	ML180UH110E60C	201873231
TPA042S4 (460V)	42000	14	11.5	39500	26400	8.2	C37-43C	ML180UH110XE60C	201873256
TPA042S4 (460V)	42000	14	11.5	39500	26400	8.2	C37-43C	SL280UH090V60C	201873095
TPA042S4 (460V)	42000	14	11.5	39500	26400	8.2	C37-43C	SL280UH090XV60C	201873096
TPA042S4 (460V)	42000	14	11.5	39500	26400	8.2	C37-43C	SL280UH110V60C	201873097
TPA042S4 (460V)	42000	14	11.5	39500	26400	8.2	C37-43C	SL280UH110XV60C	201873098
TPA042S4 (460V)	42000	14	11.5	40000	26600	8.2	C37-43C	SLP98UH090XV48C	201873099
TPA042S4 (460V)	42000	14	11.5	40000	26600	8.2	C37-43C	SLP98UH090XV60C	201873100
TPA042S4 (460V)	42000	14	11.5	39500	26400	8.2	C37-43C	SLP98UH110XV60C	201873101
TPA042S4 (460V)	42000	14.5	12	39000	26000	8.5	CBX25UHV-042-230		9084121
TPA042S4 (460V)	42000	14	11.5	39500	26400	8.2	CX38-43B	EL180UH090E48B	201873869
TPA042S4 (460V)	42000	14	11.5	39500	26400	8.2	CX38-43B	EL180UH090XE48B	201873870
TPA042S4 (460V)	42000	14	11.5	39500	26400	8.2	CX38-43B	ML180UH090E48B	201873922
TPA042S4 (460V)	42000	14	11.5	39500	26400	8.2	CX38-43B	ML180UH090XE48B	201873962
TPA042S4 (460V)	42000	14	11.5	39500	26400	8.2	CX38-43C	EL180UH090E60C	201873871
TPA042S4 (460V)	42000	14	11.5	39500	26400	8.2	CX38-43C	EL180UH110E60C	201873872
TPA042S4 (460V)	42000	14	11.5	39500	26400	8.2	CX38-43C	EL180UH110XE60C	201873873
TPA042S4 (460V)	42000	14	11.5	39500	26400	8.2	CX38-43C	EL195UH090XE48C	201873874
TPA042S4 (460V)	42000	14	11.5	39500	26600	8.2	CX38-43C	EL195UH110XE60C	201873875
TPA042S4 (460V)	42000	14	11.5	39500	26400	8.2	CX38-43C	EL196UH090XE48C	201993170
TPA042S4 (460V)	42000	14	11.5	39500	26600	8.2	CX38-43C	EL196UH110XE60C	201993171
TPA042S4 (460V)	42000	14	11.5	39500	26400	8.2	CX38-43C	EL296UH090XE48C	201873876
TPA042S4 (460V)	42000	14	11.5	39500	26400	8.2	CX38-43C	EL296UH090XV48C	201873877
TPA042S4 (460V)	42000	14	11.5	40000	26600	8.2	CX38-43C	EL296UH090XV60C	201873878
TPA042S4 (460V)	42000	14	11.5	39500	26600	8.2	CX38-43C	EL296UH110XE60C	201873879
TPA042S4 (460V)	42000	14	11.5	39500	26400	8.2	CX38-43C	EL296UH110XV48C	201873880
TPA042S4 (460V)	42000	14	11.5	39500	26400	8.2	CX38-43C	EL296UH110XV60C	201873881
TPA042S4 (460V)	42000	14	11.5	39500	26400	8.2	CX38-43C	ML180UH090E60C	201873948
TPA042S4 (460V)	42000	14	11.5	39500	26400	8.2	CX38-43C	ML180UH110E60C	201873986
TPA042S4 (460V)	42000	14	11.5	39500	26400	8.2	CX38-43C	ML180UH110XE60C	201874010
TPA042S4 (460V)	42000	14	11.5	39500	26400	8.2	CX38-43C	SL280UH090V60C	201873882
TPA042S4 (460V)	42000	14	11.5	39500	26400	8.2	CX38-43C	SL280UH090XV60C	201873883
TPA042S4 (460V)	42000	14	11.5	39500	26400	8.2	CX38-43C	SL280UH110V60C	201873884
TPA042S4 (460V)	42000	14	11.5	39500	26400	8.2	CX38-43C	SL280UH110XV60C	201873885
TPA042S4 (460V)	42000	14	11.5	40000	26600	8.2	CX38-43C	SLP98UH090XV48C	201873886
TPA042S4 (460V)	42000	14	11.5	40000	26600	8.2	CX38-43C	SLP98UH090XV60C	201873887
TPA042S4 (460V)	42000	14	11.5	39500	26400	8.2	CX38-43C	SLP98UH110XV60C	201873888
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	8.2	C37-43B	EL180UH090E48B	201873062
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	8.2	C37-43B	EL180UH090XE48B	201873063

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	8.2	C37-43B	ML180UH090E48B	201873165
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	8.2	C37-43B	ML180UH090XE48B	201873205
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	8.2	C37-43C	EL180UH090E60C	201873064
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	8.2	C37-43C	EL180UH110E60C	201873065
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	8.2	C37-43C	EL180UH110XE60C	201873066
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	8.2	C37-43C	EL195UH090XE48C	201873067
TPA042S4 (208/230V)	42000	14	11.5	39500	26600	8.2	C37-43C	EL195UH110XE60C	201873068
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	8.2	C37-43C	EL196UH090XE48C	201993164
TPA042S4 (208/230V)	42000	14	11.5	39500	26600	8.2	C37-43C	EL196UH110XE60C	201993165
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	8.2	C37-43C	EL296UH090XE48C	201873069
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	8.2	C37-43C	EL296UH090XV48C	201873070
TPA042S4 (208/230V)	42000	14	11.5	40000	26600	8.2	C37-43C	EL296UH090XV60C	201873071
TPA042S4 (208/230V)	42000	14	11.5	39500	26600	8.2	C37-43C	EL296UH110XE60C	201873072
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	8.2	C37-43C	EL296UH110XV48C	201873073
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	8.2	C37-43C	EL296UH110XV60C	201873074
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	8.2	C37-43C	ML180UH090E60C	201873191
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	8.2	C37-43C	ML180UH110E60C	201873230
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	8.2	C37-43C	ML180UH110XE60C	201873255
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	8.2	C37-43C	SL280UH090V60C	201873075
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	8.2	C37-43C	SL280UH090XV60C	201873076
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	8.2	C37-43C	SL280UH110V60C	201873077
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	8.2	C37-43C	SL280UH110XV60C	201873078
TPA042S4 (208/230V)	42000	14	11.5	40000	26600	8.2	C37-43C	SLP98UH090XV48C	201873079
TPA042S4 (208/230V)	42000	14	11.5	40000	26600	8.2	C37-43C	SLP98UH090XV60C	201873080
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	8.2	C37-43C	SLP98UH110XV60C	201873081
TPA042S4 (208/230V)	42000	14.5	12	39000	26000	8.5	CBX25UHV-042-230		9084006
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	8.2	CX38-43B	EL180UH090E48B	201873849
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	8.2	CX38-43B	EL180UH090XE48B	201873850
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	8.2	CX38-43B	ML180UH090E48B	201873921
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	8.2	CX38-43B	ML180UH090XE48B	201873961
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	8.2	CX38-43C	EL180UH090E60C	201873851
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	8.2	CX38-43C	EL180UH110E60C	201873852
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	8.2	CX38-43C	EL180UH110XE60C	201873853
TPA042S4 (208/230V)	42000	14	11.5	39500	26600	8.2	CX38-43C	EL195UH090XE48C	201873854
TPA042S4 (208/230V)	42000	14	11.5	39500	26600	8.2	CX38-43C	EL195UH110XE60C	201873855
TPA042S4 (208/230V)	42000	14	11.5	39500	26600	8.2	CX38-43C	EL196UH090XE48C	201993166
TPA042S4 (208/230V)	42000	14	11.5	39500	26600	8.2	CX38-43C	EL196UH110XE60C	201993167
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	8.2	CX38-43C	EL296UH090XE48C	201873856
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	8.2	CX38-43C	EL296UH090XV48C	201873857
TPA042S4 (208/230V)	42000	14	11.5	40000	26600	8.2	CX38-43C	EL296UH090XV60C	201873858
TPA042S4 (208/230V)	42000	14	11.5	39500	26600	8.2	CX38-43C	EL296UH110XE60C	201873859
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	8.2	CX38-43C	EL296UH110XV48C	201873860
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	8.2	CX38-43C	EL296UH110XV60C	201873861
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	8.2	CX38-43C	ML180UH090E60C	201873947
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	8.2	CX38-43C	ML180UH110E60C	201873985
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	8.2	CX38-43C	ML180UH110XE60C	201874009
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	8.2	CX38-43C	SL280UH090V60C	201873862
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	8.2	CX38-43C	SL280UH090XV60C	201873863
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	8.2	CX38-43C	SL280UH110V60C	201873864
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	8.2	CX38-43C	SL280UH110XV60C	201873865
TPA042S4 (208/230V)	42000	14	11.5	40000	26600	8.2	CX38-43C	SLP98UH090XV48C	201873866
TPA042S4 (208/230V)	42000	14	11.5	40000	26600	8.2	CX38-43C	SLP98UH090XV60C	201873867
TPA042S4 (208/230V)	42000	14	11.5	39500	26400	8.2	CX38-43C	SLP98UH110XV60C	201873868
TPA048H4 (460V)	48000	15	12.7	46000	31000	8.7	C37-49C	EL180UH090E60C	201872948
TPA048H4 (460V)	48000	14.7	12.7	45500	30000	8.5	C37-49C	EL180UH110E60C	201872949

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA048H4 (460V)	48000	14.7	12.7	45500	30000	8.5	C37-49C	EL180UH110XE60C	201872950
TPA048H4 (460V)	48000	14.7	12.7	46000	30200	8.5	C37-49C	EL195UH090XE48C	201872951
TPA048H4 (460V)	48000	14.5	12.7	46000	30200	8.5	C37-49C	EL195UH110XE60C	201872952
TPA048H4 (460V)	48000	14.5	12.5	46000	30000	8.5	C37-49C	EL196UH090XE48C	201993128
TPA048H4 (460V)	48000	14.5	12.5	46000	29800	8.5	C37-49C	EL196UH110XE60C	201993129
TPA048H4 (460V)	48000	14.7	12.7	46000	30200	8.5	C37-49C	EL296UH090XE48C	201872953
TPA048H4 (460V)	48000	14.5	12.5	46000	30400	8.5	C37-49C	EL296UH090XV48C	201872954
TPA048H4 (460V)	48000	14.5	12.5	46000	30400	8.5	C37-49C	EL296UH090XV60C	201872955
TPA048H4 (460V)	48000	14.5	12.7	46000	30200	8.5	C37-49C	EL296UH110XE60C	201872995
TPA048H4 (460V)	48000	14.5	12.7	46000	30200	8.5	C37-49C	EL296UH110XV48C	201872956
TPA048H4 (460V)	48000	14.5	12.5	46000	30200	8.5	C37-49C	EL296UH110XV60C	201872957
TPA048H4 (460V)	48000	15	12.7	46000	31000	8.7	C37-49C	ML180UH090E60C	201873187
TPA048H4 (460V)	48000	14.7	12.7	45500	30000	8.5	C37-49C	ML180UH110E60C	201873226
TPA048H4 (460V)	48000	14.7	12.7	45500	30000	8.5	C37-49C	ML180UH110XE60C	201873251
TPA048H4 (460V)	48000	14.7	12.7	46000	30200	8.5	C37-49C	SL280UH090V60C	201872958
TPA048H4 (460V)	48000	14.7	12.7	46000	30200	8.5	C37-49C	SL280UH090XV60C	201872959
TPA048H4 (460V)	48000	14.7	12.7	46000	30200	8.5	C37-49C	SL280UH110V60C	201872961
TPA048H4 (460V)	48000	14.7	12.7	46000	30200	8.5	C37-49C	SL280UH110XV60C	201872960
TPA048H4 (460V)	48000	14.5	12.5	46000	30400	8.5	C37-49C	SLP98UH090XV48C	201872962
TPA048H4 (460V)	48000	14.5	12.5	46000	30400	8.5	C37-49C	SLP98UH090XV60C	201872963
TPA048H4 (460V)	48000	14.5	12.5	46000	30400	8.5	C37-49C	SLP98UH110XV60C	201872964
TPA048H4 (460V)	48000	14	12	46500	30800	8.2	C37-49C		201873122
TPA048H4 (460V)	48000	14	12	46500	30800	8.2	C37-49C		201874864
TPA048H4 (460V)	47500	14.7	12.5	47500	31000	8.2	C37-60D	EL180UH135E60D	201872965
TPA048H4 (460V)	47500	14.7	12.5	47500	31000	8.2	C37-60D	ML180UH135E60D	201873265
TPA048H4 (460V)	48000	15	12.7	46000	30400	9	C37-62C	EL180UH090E60C	201872966
TPA048H4 (460V)	48000	15	12.7	46000	30400	9	C37-62C	EL180UH110E60C	201872967
TPA048H4 (460V)	48000	15	12.7	46000	30400	9	C37-62C	EL180UH110XE60C	201872968
TPA048H4 (460V)	48000	14.7	12.5	46500	30600	9	C37-62C	EL195UH090XE48C	201872969
TPA048H4 (460V)	48000	14.5	12.7	46500	30400	9	C37-62C	EL195UH110XE60C	201872970
TPA048H4 (460V)	48000	14.5	12.5	46500	30400	8.5	C37-62C	EL196UH090XE48C	201993130
TPA048H4 (460V)	48000	14.5	12.5	46000	30200	8.5	C37-62C	EL196UH110XE60C	201993131
TPA048H4 (460V)	48000	14.7	12.5	46500	30600	9	C37-62C	EL296UH090XE48C	201872971
TPA048H4 (460V)	48000	14.5	12.5	47500	31000	8.2	C37-62C	EL296UH090XV48C	201872972
TPA048H4 (460V)	48000	14.5	12.5	46500	30600	9	C37-62C	EL296UH090XV60C	201872973
TPA048H4 (460V)	48000	14.5	12.7	46500	30400	9	C37-62C	EL296UH110XE60C	201872974
TPA048H4 (460V)	48000	14.7	12.5	46500	30600	9	C37-62C	EL296UH110XV48C	201872975
TPA048H4 (460V)	48000	14.5	12.5	46500	30600	9	C37-62C	EL296UH110XV60C	201872976
TPA048H4 (460V)	48000	15	12.7	46000	30400	9	C37-62C	ML180UH090E60C	201873188
TPA048H4 (460V)	48000	15	12.7	46000	30400	9	C37-62C	ML180UH110E60C	201873227
TPA048H4 (460V)	48000	15	12.7	46000	30400	9	C37-62C	ML180UH110XE60C	201873252
TPA048H4 (460V)	48000	14.7	12.7	46500	30600	9	C37-62C	SL280UH090V60C	201872977
TPA048H4 (460V)	48000	14.7	12.7	46500	30600	9	C37-62C	SL280UH090XV60C	201872978
TPA048H4 (460V)	48000	14.7	12.7	46500	30400	9	C37-62C	SL280UH110V60C	201872979
TPA048H4 (460V)	48000	14.7	12.7	46500	30400	9	C37-62C	SL280UH110XV60C	201872980
TPA048H4 (460V)	48000	14.5	12.5	46500	30600	9	C37-62C	SLP98UH090XV48C	201872981
TPA048H4 (460V)	48000	14.5	12.5	46500	30600	9	C37-62C	SLP98UH090XV60C	201872982
TPA048H4 (460V)	48000	14.5	12.5	46500	30600	9	C37-62C	SLP98UH110XV60C	201872983
TPA048H4 (460V)	48000	14	12.2	47000	31000	8.7	C37-62C		201873123
TPA048H4 (460V)	48000	14	12.2	47000	31000	8.7	C37-62C		201874865
TPA048H4 (460V)	48000	14.7	12.5	46000	30400	8.7	C37-62D	EL180UH135E60D	201872984
TPA048H4 (460V)	48000	14.5	12.2	46000	30600	8.7	C37-62D	EL195UH135XE60D	201872985
TPA048H4 (460V)	48000	14.5	12.2	46000	30600	8.7	C37-62D	EL296UH135XE60D	201872986
TPA048H4 (460V)	48000	14.5	12.5	46000	30400	8.7	C37-62D	EL296UH135XV60D	201872987
TPA048H4 (460V)	48000	14.7	12.5	46000	30400	8.7	C37-62D	ML180UH135E60D	201873266

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA048H4 (460V)	48000	14.5	12.5	46000	30200	8.7	C37-62D	SL280UH135V60D	201872988
TPA048H4 (460V)	48000	14.5	12.5	46000	30200	8.7	C37-62D	SLP98UH135XV60D	201872989
TPA048H4 (460V)	48500	15	12.5	47500	30600	9	CBA27UHE-048-230		10262320
TPA048H4 (460V)	48500	15	12.5	47500	30600	9	CBA27UHE-048-460		10262319
TPA048H4 (460V)	48000	14.5	12.5	47000	30600	8.5	CBA27UHE-060-230		10262323
TPA048H4 (460V)	48000	14.5	12.5	47000	30600	8.5	CBA27UHE-060-460		10262322
TPA048H4 (460V)	48500	15	12.5	47500	30600	9	CBA38MV-048-230		202084055
TPA048H4 (460V)	49500	15	12.5	47000	30600	9	CBA38MV-060-230		202084057
TPA048H4 (460V)	48000	14	12	47000	30600	8.2	CBX25UH-048-230		9032679
TPA048H4 (460V)	48000	14	12	47000	30800	8.2	CBX25UH-060-230		9032680
TPA048H4 (460V)	48000	15	12.5	46500	30200	8.5	CBX25UHV-048-230		9032681
TPA048H4 (460V)	48000	15	12.5	47000	30400	8.2	CBX25UHV-060-230		9032682
TPA048H4 (460V)	48000	15	12.7	47500	30600	9.2	CBX27UH-048-230		9032537
TPA048H4 (460V)	48000	15.2	12.7	43500	30000	9	CBX27UH-060-230		9032538
TPA048H4 (460V)	48000	14.7	12.5	48000	30800	9	CBX32M-048		9032539
TPA048H4 (460V)	48000	14.5	12.2	48000	30800	8.7	CBX32M-060		9032540
TPA048H4 (460V)	48000	15.2	13.2	46500	31000	9.2	CH23-68	EL180UH090E60C	9032546
TPA048H4 (460V)	48000	15.2	13	46500	31000	9.2	CH23-68	EL180UH110E60C	9032547
TPA048H4 (460V)	48000	15.2	13	46500	31000	9.2	CH23-68	EL180UH110XE60C	9032548
TPA048H4 (460V)	48000	15.2	13	47000	31000	9.2	CH23-68	EL180UH135E60D	9032549
TPA048H4 (460V)	48000	15.2	13	47000	31200	9.2	CH23-68	EL195UH110XE60C	9032551
TPA048H4 (460V)	48000	14.7	12.7	47000	31400	9.2	CH23-68	EL195UH135XE60D	9032552
TPA048H4 (460V)	48000	15	13	46500	30800	8.5	CH23-68	EL196UH110XE60C	201993133
TPA048H4 (460V)	48000	15	12.7	47000	31200	9.2	CH23-68	EL296UH090XE48C	9032553
TPA048H4 (460V)	48000	15.2	13	47000	31200	9.2	CH23-68	EL296UH110XE60C	9032554
TPA048H4 (460V)	48000	14.7	12.7	47000	31400	9.2	CH23-68	EL296UH135XE60D	9032555
TPA048H4 (460V)	48000	15.2	13.2	46500	30800	9.2	CH23-68	EL296UH135XV60D	9032556
TPA048H4 (460V)	48000	15.2	13.2	46500	31000	9.2	CH23-68	ML180UH090E60C	10590944
TPA048H4 (460V)	48000	15.2	13	46500	31000	9.2	CH23-68	ML180UH110E60C	10591054
TPA048H4 (460V)	48000	15.2	13	46500	31000	9.2	CH23-68	ML180UH110XE60C	10591131
TPA048H4 (460V)	48000	15.2	13	47000	31000	9.2	CH23-68	ML180UH135E60D	10591181
TPA048H4 (460V)	48000	15.2	13.2	46500	30800	9.2	CH23-68	SL280UH135V60D	9032557
TPA048H4 (460V)	48000	15	13.2	47000	30800	9.2	CH23-68	SLP98UH135XV60D	9032558
TPA048H4 (460V)	48000	15.2	13	46500	31000	9.2	CH23-68		9032559
TPA048H4 (460V)	48000	14.7	12.7	45500	29800	8.5	CH33-50/60C	EL180UH090E60C	9032560
TPA048H4 (460V)	48000	14.2	12.2	46500	30200	8.5	CH33-50/60C	EL180UH110E60C	9032561
TPA048H4 (460V)	48000	14.2	12.2	46500	30200	8.5	CH33-50/60C	EL180UH110XE60C	9032562
TPA048H4 (460V)	48000	14.2	12.2	45500	29800	8.2	CH33-50/60C	EL195UH090XE48C	9032563
TPA048H4 (460V)	48000	14.2	12.5	45500	29800	8.2	CH33-50/60C	EL195UH110XE60C	9032564
TPA048H4 (460V)	48000	14.25	12.2	45500	29600	8.2	CH33-50/60C	EL196UH090XE48C	201993135
TPA048H4 (460V)	48000	14.25	12.5	45500	29600	8.5	CH33-50/60C	EL196UH110XE60C	201993136
TPA048H4 (460V)	48000	14.2	12.2	45500	29800	8.2	CH33-50/60C	EL296UH090XE48C	9032565
TPA048H4 (460V)	48000	14.2	12.5	46000	29800	8.2	CH33-50/60C	EL296UH090XV48C	9032566
TPA048H4 (460V)	48000	14.2	12.2	46000	29800	8.2	CH33-50/60C	EL296UH090XV60C	9032567
TPA048H4 (460V)	48000	14.2	12.5	45500	29800	8.2	CH33-50/60C	EL296UH110XE60C	9032568
TPA048H4 (460V)	48000	14.2	12.5	46000	29600	8.5	CH33-50/60C	EL296UH110XV48C	9032569
TPA048H4 (460V)	48000	14.2	12.5	46000	29800	8.2	CH33-50/60C	EL296UH110XV60C	9032570
TPA048H4 (460V)	48000	14.7	12.7	45500	29800	8.5	CH33-50/60C	ML180UH090E60C	10590945
TPA048H4 (460V)	48000	14.2	12.2	46500	30200	8.5	CH33-50/60C	ML180UH110E60C	10591055
TPA048H4 (460V)	48000	14.2	12.2	46500	30200	8.5	CH33-50/60C	ML180UH110XE60C	10591132
TPA048H4 (460V)	48000	14.5	12.5	45500	29600	8.5	CH33-50/60C	SL280UH080NV60C-	10590501
TPA048H4 (460V)	48000	14.5	12.5	46000	29600	8.5	CH33-50/60C	SL280UH090V60C	9032571
TPA048H4 (460V)	48000	14.5	12.5	46000	29600	8.5	CH33-50/60C	SL280UH090XV60C	9032572
TPA048H4 (460V)	48000	14.2	12.5	46000	29800	8.2	CH33-50/60C	SLP98UH090XV48C	9032575
TPA048H4 (460V)	48000	14.2	12.2	46000	29800	8.2	CH33-50/60C	SLP98UH090XV60C	9032576

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA048H4 (460V)	48000	14.2	12.5	46000	29800	8.2	CH33-50/60C	SLP98UH110XV60C	9032577
TPA048H4 (460V)	48000	14.7	12.7	46000	30200	8.7	CH33-60D	EL180UH135E60D	9032578
TPA048H4 (460V)	48000	14.2	12.2	46500	30600	8.5	CH33-60D	EL195UH135XE60D	9032579
TPA048H4 (460V)	48000	14.2	12.2	46500	30600	8.5	CH33-60D	EL296UH135XE60D	9032580
TPA048H4 (460V)	48000	14.2	12.5	46500	30200	8.7	CH33-60D	EL296UH135XV60D	9032581
TPA048H4 (460V)	48000	14.7	12.7	46000	30200	8.7	CH33-60D	ML180UH135E60D	10591182
TPA048H4 (460V)	48000	14.5	12.7	46000	30000	8.7	CH33-60D	SL280UH135V60D	9032582
TPA048H4 (460V)	48000	14.2	12.5	46500	30200	8.5	CH33-60D	SLP98UH135XV60D	9032583
TPA048H4 (460V)	48000	15	12.7	46000	30200	8.7	CH33-62D	EL180UH135E60D	9032584
TPA048H4 (460V)	48000	14.7	12.2	46000	30400	8.7	CH33-62D	EL195UH135XE60D	9032585
TPA048H4 (460V)	48000	14.7	12.2	46000	30400	8.7	CH33-62D	EL296UH135XE60D	9032586
TPA048H4 (460V)	48000	14.7	12.7	46000	30200	8.7	CH33-62D	EL296UH135XV60D	9032587
TPA048H4 (460V)	48000	15	12.7	46000	30200	8.7	CH33-62D	ML180UH135E60D	10591183
TPA048H4 (460V)	48000	14.7	12.7	46000	30000	8.7	CH33-62D	SL280UH135V60D	9032588
TPA048H4 (460V)	48000	14.7	12.7	46000	30200	8.7	CH33-62D	SLP98UH135XV60D	9032589
TPA048H4 (460V)	48000	14.2	12.2	46500	30600	8.5	CH33-62D		9032590
TPA048H4 (460V)	48000	15	12.7	48500	31200	9	CR33-50/60	EL180DF110E60C	9032591
TPA048H4 (460V)	48000	14.2	12.5	49000	31600	8.7	CR33-50/60	EL195DF090XE48C	9032592
TPA048H4 (460V)	48000	14.2	12.7	48500	31200	8.7	CR33-50/60	EL195DF110XE60C	9032593
TPA048H4 (460V)	48000	14.25	12.5	49000	31600	8.7	CR33-50/60	EL196DF090XE48C	202066686
TPA048H4 (460V)	48000	14.2	12.5	49000	31600	8.7	CR33-50/60	EL296DF090XE48C	9032594
TPA048H4 (460V)	48000	15	12.7	46000	30200	8.7	CR33-50/60	EL296DF090XV60C	9032595
TPA048H4 (460V)	48000	14.2	12.2	48500	31200	8.7	CR33-50/60	EL296DF110XE60C	9032596
TPA048H4 (460V)	49500	14.2	12.5	46000	30400	8.7	CR33-50/60	EL296DF110XV60C	9032597
TPA048H4 (460V)	48000	15	12.7	48500	31200	9	CR33-50/60	ML180DF110E60C	10590571
TPA048H4 (460V)	48000	14.7	12.7	48500	31000	8.7	CR33-50/60	SL280DF090V60C	9032598
TPA048H4 (460V)	48000	14.7	13	48500	31000	8.7	CR33-50/60	SL280DF110V60C	9032599
TPA048H4 (460V)	48000	14.2	12.5	49000	31400	8.7	CR33-50/60	SLP98DF090XV48C	9032600
TPA048H4 (460V)	48000	14.2	12.5	49000	31400	8.7	CR33-50/60	SLP98DF090XV60C	9032601
TPA048H4 (460V)	48000	14.2	12.7	49000	31200	8.7	CR33-50/60	SLP98DF110XV60C	9032602
TPA048H4 (460V)	48000	15	12.7	49000	31000	8.7	CX38-49C	EL180UH090E60C	201873727
TPA048H4 (460V)	48000	14.7	12.7	45500	30000	8.5	CX38-49C	EL180UH110E60C	201873728
TPA048H4 (460V)	48000	14.7	12.7	45500	30000	8.5	CX38-49C	EL180UH110XE60C	201873729
TPA048H4 (460V)	48000	14.7	12.7	46000	30200	8.5	CX38-49C	EL195UH090XE48C	201873730
TPA048H4 (460V)	48000	14.5	12.7	46000	30200	8.5	CX38-49C	EL195UH110XE60C	201873731
TPA048H4 (460V)	48000	14.5	12.5	46000	30000	8.5	CX38-49C	EL196UH090XE48C	201993185
TPA048H4 (460V)	48000	14.5	12.5	46000	29800	8.5	CX38-49C	EL196UH110XE60C	201993186
TPA048H4 (460V)	48000	14.7	12.7	46000	30200	8.5	CX38-49C	EL296UH090XE48C	201873732
TPA048H4 (460V)	48000	14.5	12.5	46000	30400	8.5	CX38-49C	EL296UH090XV48C	201873733
TPA048H4 (460V)	48000	14.5	12.5	46000	30400	8.5	CX38-49C	EL296UH090XV60C	201873734
TPA048H4 (460V)	48000	14.5	12.7	46000	30200	8.5	CX38-49C	EL296UH110XE60C	201873735
TPA048H4 (460V)	48000	14.5	12.7	46000	30200	8.5	CX38-49C	EL296UH110XV48C	201873736
TPA048H4 (460V)	48000	14.5	12.5	46000	30200	8.5	CX38-49C	EL296UH110XV60C	201873737
TPA048H4 (460V)	48000	15	12.7	49000	31000	8.7	CX38-49C	ML180UH090E60C	201873943
TPA048H4 (460V)	48000	14.7	12.7	45500	30000	8.5	CX38-49C	ML180UH110E60C	201873981
TPA048H4 (460V)	48000	14.7	12.7	45500	30000	8.5	CX38-49C	ML180UH110XE60C	201874005
TPA048H4 (460V)	48000	14.7	12.7	46000	30200	8.5	CX38-49C	SL280UH090V60C	201873738
TPA048H4 (460V)	48000	14.7	12.7	46000	30200	8.5	CX38-49C	SL280UH090XV60C	201873739
TPA048H4 (460V)	48000	14.7	12.7	46000	30200	8.5	CX38-49C	SL280UH110V60C	201873740
TPA048H4 (460V)	48000	14.7	12.7	46000	30200	8.5	CX38-49C	SL280UH110XV60C	201873741
TPA048H4 (460V)	48000	14.5	12.5	46000	30400	8.5	CX38-49C	SLP98UH090XV48C	201873742
TPA048H4 (460V)	48000	14.5	12.5	46000	30400	8.5	CX38-49C	SLP98UH090XV60C	201873743
TPA048H4 (460V)	48000	14.5	12.5	46000	30400	8.5	CX38-49C	SLP98UH110XV60C	201873744
TPA048H4 (460V)	48000	14	12	46500	30800	8.2	CX38-49C		201873745
TPA048H4 (460V)	48000	14	12	46500	30800	8.2	CX38-49C		201874750

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA048H4 (460V)	47500	14.7	12.5	47500	31000	8.2	CX38-60D	EL180UH135E60D	201873746
TPA048H4 (460V)	47500	14.7	12.5	47500	31000	8.2	CX38-60D	ML180UH135E60D	201874019
TPA048H4 (460V)	48000	15	12.7	46000	30400	9	CX38-62C	EL180UH090E60C	201873747
TPA048H4 (460V)	48000	15	12.7	46000	30400	9	CX38-62C	EL180UH110E60C	201873748
TPA048H4 (460V)	48000	15	12.7	46000	30400	9	CX38-62C	EL180UH110XE60C	201873749
TPA048H4 (460V)	48000	14.7	12.5	46500	30600	9	CX38-62C	EL195UH090XE48C	201873750
TPA048H4 (460V)	48000	14.5	12.7	46500	30400	9	CX38-62C	EL195UH110XE60C	201873751
TPA048H4 (460V)	48000	14.5	12.5	46500	30400	8.5	CX38-62C	EL196UH090XE48C	201993139
TPA048H4 (460V)	48000	14.5	12.5	46000	30200	8.5	CX38-62C	EL196UH110XE60C	201993140
TPA048H4 (460V)	48000	14.7	12.5	46500	30600	9	CX38-62C	EL296UH090XE48C	201873752
TPA048H4 (460V)	48000	14.5	12.5	46000	30000	8.5	CX38-62C	EL296UH090XV48C	201873753
TPA048H4 (460V)	48000	14.5	12.5	46500	30600	9	CX38-62C	EL296UH090XV60C	201873754
TPA048H4 (460V)	48000	14.5	12.7	46500	30400	9	CX38-62C	EL296UH110XE60C	201873755
TPA048H4 (460V)	48000	14.7	12.5	46500	30600	9	CX38-62C	EL296UH110XV48C	201873778
TPA048H4 (460V)	48000	14.5	12.5	46500	30400	8.2	CX38-62C	EL296UH110XV60C	201873756
TPA048H4 (460V)	48000	15	12.7	46000	30400	9	CX38-62C	ML180UH090E60C	201873944
TPA048H4 (460V)	48000	15	12.7	46000	30400	9	CX38-62C	ML180UH110E60C	201873982
TPA048H4 (460V)	48000	15	12.7	46000	30400	9	CX38-62C	ML180UH110XE60C	201874006
TPA048H4 (460V)	48000	14.7	12.7	46500	30600	9	CX38-62C	SL280UH090V60C	201873757
TPA048H4 (460V)	48000	14.7	12.7	46500	30600	9	CX38-62C	SL280UH090XV60C	201873758
TPA048H4 (460V)	48000	14.7	12.7	46500	30400	9	CX38-62C	SL280UH110V60C	201873759
TPA048H4 (460V)	48000	14.7	12.7	46500	30400	9	CX38-62C	SL280UH110XV60C	201873760
TPA048H4 (460V)	48000	14.5	12.5	46500	30600	9	CX38-62C	SLP98UH090XV48C	201873761
TPA048H4 (460V)	48000	14.5	12.5	46500	30600	9	CX38-62C	SLP98UH090XV60C	201873762
TPA048H4 (460V)	48000	14.5	12.5	46500	30600	9	CX38-62C	SLP98UH110XV60C	201873763
TPA048H4 (460V)	48000	14	12.2	47000	31000	8.7	CX38-62C		201873764
TPA048H4 (460V)	48000	14	12.2	47000	31000	8.7	CX38-62C		201874751
TPA048H4 (460V)	48000	14.7	12.5	46000	30400	8.7	CX38-62D	EL180UH135E60D	201873765
TPA048H4 (460V)	48000	14.5	12.2	46000	30600	8.7	CX38-62D	EL195UH135XE60D	201873766
TPA048H4 (460V)	48000	14.5	12.2	46000	30600	8.7	CX38-62D	EL296UH135XE60D	201873767
TPA048H4 (460V)	48000	14.5	12.5	46000	30400	8.7	CX38-62D	EL296UH135XV60D	201873768
TPA048H4 (460V)	48000	14.7	12.5	46000	30400	8.7	CX38-62D	ML180UH135E60D	201874020
TPA048H4 (460V)	48000	14.5	12.5	46000	30200	8.7	CX38-62D	SL280UH135V60D	201873769
TPA048H4 (460V)	48000	14.5	12.5	46000	30200	8.7	CX38-62D	SLP98UH135XV60D	201873770
TPA048H4 (208/230V)	48000	15	12.7	45500	30000	8.7	C37-49C	EL180UH090E60C	201872906
TPA048H4 (208/230V)	48000	14.7	12.7	45500	30000	8.5	C37-49C	EL180UH110E60C	201872907
TPA048H4 (208/230V)	48000	14.7	12.7	45500	30000	8.5	C37-49C	EL180UH110XE60C	201872908
TPA048H4 (208/230V)	48000	14.7	12.7	46000	30200	8.5	C37-49C	EL195UH090XE48C	201872909
TPA048H4 (208/230V)	48000	14.5	12.7	46000	30200	8.5	C37-49C	EL195UH110XE60C	201872910
TPA048H4 (208/230V)	48000	14.5	12.5	46000	30000	8.5	C37-49C	EL196UH090XE48C	201993114
TPA048H4 (208/230V)	48000	14.5	12.5	46000	29800	8.5	C37-49C	EL196UH110XE60C	201993115
TPA048H4 (208/230V)	48000	14.7	12.7	46000	30200	8.5	C37-49C	EL296UH090XE48C	201872911
TPA048H4 (208/230V)	48000	14.5	12.5	46000	30400	8.5	C37-49C	EL296UH090XV48C	201872912
TPA048H4 (208/230V)	48000	14.5	12.5	46000	30400	8.5	C37-49C	EL296UH090XV60C	201872913
TPA048H4 (208/230V)	48000	14.5	12.7	46000	30200	8.5	C37-49C	EL296UH110XE60C	201872994
TPA048H4 (208/230V)	48000	14.5	12.7	46000	30200	8.5	C37-49C	EL296UH110XV48C	201872914
TPA048H4 (208/230V)	48000	14.5	12.5	46000	30200	8.5	C37-49C	EL296UH110XV60C	201872915
TPA048H4 (208/230V)	48000	15	12.7	45500	30000	8.7	C37-49C	ML180UH090E60C	201873185
TPA048H4 (208/230V)	48000	14.7	12.7	45500	30000	8.5	C37-49C	ML180UH110E60C	201873224
TPA048H4 (208/230V)	48000	14.7	12.7	45500	30000	8.5	C37-49C	ML180UH110XE60C	201873249
TPA048H4 (208/230V)	48000	14.7	12.7	46000	30200	8.5	C37-49C	SL280UH090V60C	201872916
TPA048H4 (208/230V)	48000	14.7	12.7	46000	30200	8.5	C37-49C	SL280UH090XV60C	201872917
TPA048H4 (208/230V)	48000	14.7	12.7	46000	30200	8.5	C37-49C	SL280UH110V60C	201872919
TPA048H4 (208/230V)	48000	14.7	12.7	46000	30200	8.5	C37-49C	SL280UH110XV60C	201872918
TPA048H4 (208/230V)	48000	14.5	12.5	46000	30400	8.5	C37-49C	SLP98UH090XV48C	201872920

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA048H4 (208/230V)	48000	14.5	12.5	46000	30400	8.5	C37-49C	SLP98UH090XV60C	201872921
TPA048H4 (208/230V)	48000	14.5	12.5	46000	30400	8.5	C37-49C	SLP98UH110XV60C	201872922
TPA048H4 (208/230V)	48000	14	12	46500	30800	8.2	C37-49C		201873120
TPA048H4 (208/230V)	48000	14	12	46500	30800	8.2	C37-49C		201874862
TPA048H4 (208/230V)	47500	14.7	12.5	47500	31000	8.2	C37-60D	EL180UH135E60D	201872923
TPA048H4 (208/230V)	47500	14.7	12.5	47500	31000	8.2	C37-60D	ML180UH135E60D	201873263
TPA048H4 (208/230V)	48000	15	12.7	46000	30400	9	C37-62C	EL180UH090E60C	201872924
TPA048H4 (208/230V)	48000	15	12.7	46000	30400	9	C37-62C	EL180UH110E60C	201872925
TPA048H4 (208/230V)	48000	15	12.7	46000	30400	9	C37-62C	EL180UH110XE60C	201872926
TPA048H4 (208/230V)	48000	14.7	12.5	46500	30600	9	C37-62C	EL195UH090XE48C	201872927
TPA048H4 (208/230V)	48000	14.5	12.7	46500	30400	9	C37-62C	EL195UH110XE60C	201872928
TPA048H4 (208/230V)	48000	14.5	12.5	46500	30400	8.5	C37-62C	EL196UH090XE48C	201993116
TPA048H4 (208/230V)	48000	14.5	12.5	46000	30200	8.5	C37-62C	EL196UH110XE60C	201993117
TPA048H4 (208/230V)	48000	14.7	12.5	46500	30600	9	C37-62C	EL296UH090XE48C	201872929
TPA048H4 (208/230V)	48000	14.5	12.5	46500	30600	9	C37-62C	EL296UH090XV48C	201872930
TPA048H4 (208/230V)	48000	14.5	12.5	46500	30600	9	C37-62C	EL296UH090XV60C	201872931
TPA048H4 (208/230V)	48000	14.5	12.7	46500	30400	9	C37-62C	EL296UH110XE60C	201872932
TPA048H4 (208/230V)	48000	14.7	12.5	46500	30600	9	C37-62C	EL296UH110XV48C	201872933
TPA048H4 (208/230V)	48000	14.5	12.5	46500	30600	9	C37-62C	EL296UH110XV60C	201872934
TPA048H4 (208/230V)	48000	15	12.7	46000	30400	9	C37-62C	ML180UH090E60C	201873186
TPA048H4 (208/230V)	48000	15	12.7	46000	30400	9	C37-62C	ML180UH110E60C	201873225
TPA048H4 (208/230V)	48000	15	12.7	46000	30400	9	C37-62C	ML180UH110XE60C	201873250
TPA048H4 (208/230V)	48000	14.7	12.7	46500	30600	9	C37-62C	SL280UH090V60C	201872935
TPA048H4 (208/230V)	48000	14.7	12.7	46500	30600	9	C37-62C	SL280UH090XV60C	201872936
TPA048H4 (208/230V)	48000	14.7	12.7	46500	30400	9	C37-62C	SL280UH110V60C	201872937
TPA048H4 (208/230V)	48000	14.7	12.7	46500	30400	9	C37-62C	SL280UH110XV60C	201872938
TPA048H4 (208/230V)	48000	14.5	12.5	46500	30600	9	C37-62C	SLP98UH090XV48C	201872939
TPA048H4 (208/230V)	48000	14.5	12.5	46500	30600	9	C37-62C	SLP98UH090XV60C	201872940
TPA048H4 (208/230V)	48000	14.5	12.5	46500	30600	9	C37-62C	SLP98UH110XV60C	201872941
TPA048H4 (208/230V)	48000	14	12.2	47000	31000	8.7	C37-62C		201873121
TPA048H4 (208/230V)	48000	14	12.2	47000	31000	8.7	C37-62C		201874863
TPA048H4 (208/230V)	48000	14.7	12.5	46000	30400	8.7	C37-62D	EL180UH135E60D	201872942
TPA048H4 (208/230V)	48000	14.5	12.2	46000	30600	8.7	C37-62D	EL195UH135XE60D	201872943
TPA048H4 (208/230V)	48000	14.5	12.2	46000	30600	8.7	C37-62D	EL296UH135XE60D	201872944
TPA048H4 (208/230V)	48000	14.5	12.5	46000	30400	8.7	C37-62D	EL296UH135XV60D	201872945
TPA048H4 (208/230V)	48000	14.7	12.5	46000	30400	8.7	C37-62D	ML180UH135E60D	201873264
TPA048H4 (208/230V)	48000	14.5	12.5	46000	30200	8.7	C37-62D	SL280UH135V60D	201872946
TPA048H4 (208/230V)	48000	14.5	12.5	46000	30200	8.7	C37-62D	SLP98UH135XV60D	201872947
TPA048H4 (208/230V)	48500	15	12.5	47500	30600	9	CBA27UHE-048-230		10262321
TPA048H4 (208/230V)	48000	14.5	12.5	47000	30600	8.5	CBA27UHE-060-230		10262324
TPA048H4 (208/230V)	48500	15	12.5	47500	30600	9	CBA38MV-048-230		202084054
TPA048H4 (208/230V)	49500	15	12.5	47000	30600	9	CBA38MV-060-230		202084056
TPA048H4 (208/230V)	48000	14	12	47000	30600	8.2	CBX25UH-048-230		9032673
TPA048H4 (208/230V)	48000	14	12	47000	30800	8.2	CBX25UH-060-230		9032674
TPA048H4 (208/230V)	48000	15	12.5	46500	30200	8.5	CBX25UHV-048-230		9032675
TPA048H4 (208/230V)	48000	15	12.5	47000	30400	8.2	CBX25UHV-060-230		9032676
TPA048H4 (208/230V)	48000	15	12.7	47500	30600	9.2	CBX27UH-048-230		9032383
TPA048H4 (208/230V)	48000	15.2	12.7	43500	30000	9	CBX27UH-060-230		9032384
TPA048H4 (208/230V)	48000	14.7	12.5	48000	30800	9	CBX32M-048		9032385
TPA048H4 (208/230V)	48000	14.5	12.2	48000	30800	8.7	CBX32M-060		9032386
TPA048H4 (208/230V)	48000	15.2	13.2	46500	31000	9.2	CH23-68	EL180UH090E60C	9032392
TPA048H4 (208/230V)	48000	15.2	13	46500	31000	9.2	CH23-68	EL180UH110E60C	9032393
TPA048H4 (208/230V)	48000	15.2	13	46500	31000	9.2	CH23-68	EL180UH110XE60C	9032394
TPA048H4 (208/230V)	48000	15.2	13	47000	31000	9.2	CH23-68	EL180UH135E60D	9032395
TPA048H4 (208/230V)	48000	15.2	13	47000	31200	9.2	CH23-68	EL195UH110XE60C	9032397

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA048H4 (208/230V)	48000	14.7	12.7	47000	31400	9.2	CH23-68	EL195UH135XE60D	9032398
TPA048H4 (208/230V)	48000	15	13	46500	30800	8.5	CH23-68	EL196UH110XE60C	201993119
TPA048H4 (208/230V)	48000	15	12.7	47000	31200	9.2	CH23-68	EL296UH090XE48C	9032399
TPA048H4 (208/230V)	48000	15.2	13	47000	31200	9.2	CH23-68	EL296UH110XE60C	9032400
TPA048H4 (208/230V)	48000	14.7	12.7	47000	31400	9.2	CH23-68	EL296UH135XE60D	9032401
TPA048H4 (208/230V)	48000	15.2	13.2	46500	30800	9.2	CH23-68	EL296UH135XV60D	9032402
TPA048H4 (208/230V)	48000	15.2	13.2	46500	31000	9.2	CH23-68	ML180UH090E60C	10590938
TPA048H4 (208/230V)	48000	15.2	13	46500	31000	9.2	CH23-68	ML180UH110E60C	10591048
TPA048H4 (208/230V)	48000	15.2	13	46500	31000	9.2	CH23-68	ML180UH110XE60C	10591125
TPA048H4 (208/230V)	48000	15.2	13	47000	31000	9.2	CH23-68	ML180UH135E60D	10591174
TPA048H4 (208/230V)	48000	15.2	13.2	46500	30800	9.2	CH23-68	SL280UH135V60D	9032403
TPA048H4 (208/230V)	48000	15	13.2	47000	30800	9.2	CH23-68	SLP98UH135XV60D	9032404
TPA048H4 (208/230V)	48000	15.2	13	47000	31200	9.2	CH23-68		9032405
TPA048H4 (208/230V)	48000	14.7	12.7	45500	29800	8.5	CH33-50/60C	EL180UH090E60C	9032406
TPA048H4 (208/230V)	48000	14.2	12.2	46500	30200	8.5	CH33-50/60C	EL180UH110E60C	9032407
TPA048H4 (208/230V)	48000	14.2	12.2	46500	30200	8.5	CH33-50/60C	EL180UH110XE60C	9032408
TPA048H4 (208/230V)	48000	14.2	12.2	45500	29800	8.2	CH33-50/60C	EL195UH090XE48C	9032409
TPA048H4 (208/230V)	48000	14.2	12.5	45500	29800	8.2	CH33-50/60C	EL195UH110XE60C	9032410
TPA048H4 (208/230V)	48000	14.25	12.2	45500	29600	8.2	CH33-50/60C	EL196UH090XE48C	201993121
TPA048H4 (208/230V)	48000	14.25	12.5	45500	29600	8.5	CH33-50/60C	EL196UH110XE60C	201993122
TPA048H4 (208/230V)	48000	14.2	12.2	45500	29800	8.2	CH33-50/60C	EL296UH090XE48C	9032411
TPA048H4 (208/230V)	48000	14.2	12.5	46000	29800	8.2	CH33-50/60C	EL296UH090XV48C	9032412
TPA048H4 (208/230V)	48000	14.2	12.2	46000	29800	8.2	CH33-50/60C	EL296UH090XV60C	9032413
TPA048H4 (208/230V)	48000	14.2	12.5	45500	29800	8.2	CH33-50/60C	EL296UH110XE60C	9032414
TPA048H4 (208/230V)	48000	14.2	12.5	46000	29600	8.5	CH33-50/60C	EL296UH110XV48C	9032415
TPA048H4 (208/230V)	48000	14.2	12.5	46000	29800	8.2	CH33-50/60C	EL296UH110XV60C	9032416
TPA048H4 (208/230V)	48000	14.7	12.7	45500	29800	8.5	CH33-50/60C	ML180UH090E60C	10590939
TPA048H4 (208/230V)	48000	14.2	12.2	46500	30200	8.5	CH33-50/60C	ML180UH110E60C	10591049
TPA048H4 (208/230V)	48000	14.2	12.2	46500	30200	8.5	CH33-50/60C	ML180UH110XE60C	10591126
TPA048H4 (208/230V)	48000	14.5	12.5	45500	29600	8.5	CH33-50/60C	SL280UH080NV60C-	10590502
TPA048H4 (208/230V)	48000	14.5	12.5	46000	29600	8.5	CH33-50/60C	SL280UH090V60C	9032417
TPA048H4 (208/230V)	48000	14.5	12.5	46000	29600	8.5	CH33-50/60C	SL280UH090XV60C	9032418
TPA048H4 (208/230V)	48000	14.2	12.5	46000	29800	8.2	CH33-50/60C	SLP98UH090XV48C	9032421
TPA048H4 (208/230V)	48000	14.2	12.2	46000	29800	8.2	CH33-50/60C	SLP98UH090XV60C	9032422
TPA048H4 (208/230V)	48000	14.2	12.5	46000	29800	8.2	CH33-50/60C	SLP98UH110XV60C	9032423
TPA048H4 (208/230V)	48000	14.7	12.7	46000	30200	8.7	CH33-60D	EL180UH135E60D	9032424
TPA048H4 (208/230V)	48000	14.2	12.2	46500	30600	8.5	CH33-60D	EL195UH135XE60D	9032425
TPA048H4 (208/230V)	48000	14.2	12.2	46500	30600	8.5	CH33-60D	EL296UH135XE60D	9032426
TPA048H4 (208/230V)	48000	14.2	12.5	46500	30200	8.7	CH33-60D	EL296UH135XV60D	9032427
TPA048H4 (208/230V)	48000	14.7	12.7	46000	30200	8.7	CH33-60D	ML180UH135E60D	10591175
TPA048H4 (208/230V)	48000	14.5	12.7	46000	30000	8.7	CH33-60D	SL280UH135V60D	9032428
TPA048H4 (208/230V)	48000	14.2	12.5	46500	30200	8.5	CH33-60D	SLP98UH135XV60D	9032429
TPA048H4 (208/230V)	48000	15	12.7	46000	30200	8.7	CH33-62D	EL180UH135E60D	9032430
TPA048H4 (208/230V)	48000	14.7	12.2	46000	30400	8.7	CH33-62D	EL195UH135XE60D	9032431
TPA048H4 (208/230V)	48000	14.7	12.2	46000	30400	8.7	CH33-62D	EL296UH135XE60D	9032432
TPA048H4 (208/230V)	48000	14.7	12.7	46000	30200	8.7	CH33-62D	EL296UH135XV60D	9032433
TPA048H4 (208/230V)	48000	15	12.7	46000	30200	8.7	CH33-62D	ML180UH135E60D	10591176
TPA048H4 (208/230V)	48000	14.7	12.7	46000	30000	8.7	CH33-62D	SL280UH135V60D	9032434
TPA048H4 (208/230V)	48000	14.7	12.7	46000	30200	8.7	CH33-62D	SLP98UH135XV60D	9032435
TPA048H4 (208/230V)	48000	14.7	12.2	46000	30400	8.7	CH33-62D		9032436
TPA048H4 (208/230V)	48000	15	12.7	48500	31200	9	CR33-50/60	EL180DF110E60C	9032437
TPA048H4 (208/230V)	48000	14.2	12.5	49000	31600	8.7	CR33-50/60	EL195DF090XE48C	9032438
TPA048H4 (208/230V)	48000	14.2	12.7	48500	31200	8.7	CR33-50/60	EL195DF110XE60C	9032439
TPA048H4 (208/230V)	48000	14.25	12.5	49000	31600	8.7	CR33-50/60	EL196DF090XE48C	202066684
TPA048H4 (208/230V)	48000	14.2	12.5	49000	31600	8.7	CR33-50/60	EL296DF090XE48C	9032440

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA048H4 (208/230V)	48000	14	12	46500	30600	8.5	CR33-50/60	EL296DF090XV60C	9032441
TPA048H4 (208/230V)	48000	14.2	12.7	48500	31200	8.7	CR33-50/60	EL296DF110XE60C	9032442
TPA048H4 (208/230V)	49500	14.2	12.5	49000	31600	8.7	CR33-50/60	EL296DF110XV60C	9032443
TPA048H4 (208/230V)	48000	15	12.7	48500	31200	9	CR33-50/60	ML180DF110E60C	10590570
TPA048H4 (208/230V)	48000	14.7	12.7	48500	31000	8.7	CR33-50/60	SL280DF090V60C	9032444
TPA048H4 (208/230V)	48000	14.7	13	48500	31000	8.7	CR33-50/60	SL280DF110V60C	9032445
TPA048H4 (208/230V)	48000	14.2	12.5	49000	31400	8.7	CR33-50/60	SLP98DF090XV48C	9032446
TPA048H4 (208/230V)	48000	14.2	12.5	49000	31400	8.7	CR33-50/60	SLP98DF090XV60C	9032447
TPA048H4 (208/230V)	48000	14.2	12.7	49000	31200	8.7	CR33-50/60	SLP98DF110XV60C	9032448
TPA048H4 (208/230V)	48000	15	12.7	48500	31000	8.7	CX38-49C	EL180UH090E60C	201873683
TPA048H4 (208/230V)	48000	14.7	12.7	45500	30000	8.5	CX38-49C	EL180UH110E60C	201873684
TPA048H4 (208/230V)	48000	14.7	12.7	45500	30000	8.5	CX38-49C	EL180UH110XE60C	201873685
TPA048H4 (208/230V)	48000	14.7	12.7	46000	30200	8.5	CX38-49C	EL195UH090XE48C	201873686
TPA048H4 (208/230V)	48000	14.5	12.7	46000	30200	8.5	CX38-49C	EL195UH110XE60C	201873687
TPA048H4 (208/230V)	48000	14.5	12.5	46000	30000	8.5	CX38-49C	EL196UH090XE48C	201993183
TPA048H4 (208/230V)	48000	14.5	12.5	46000	29800	8.5	CX38-49C	EL196UH110XE60C	201993184
TPA048H4 (208/230V)	48000	14.7	12.7	46000	30200	8.5	CX38-49C	EL296UH090XE48C	201873688
TPA048H4 (208/230V)	48000	14.5	12.5	46000	30400	8.5	CX38-49C	EL296UH090XV48C	201873689
TPA048H4 (208/230V)	48000	14.5	12.5	46000	30400	8.5	CX38-49C	EL296UH090XV60C	201873690
TPA048H4 (208/230V)	48000	14.5	12.7	46000	30200	8.5	CX38-49C	EL296UH110XE60C	201873691
TPA048H4 (208/230V)	48000	14.5	12.7	46000	30200	8.5	CX38-49C	EL296UH110XV48C	201873692
TPA048H4 (208/230V)	48000	14.5	12.5	46000	30200	8.5	CX38-49C	EL296UH110XV60C	201873693
TPA048H4 (208/230V)	48000	15	12.7	48500	31000	8.7	CX38-49C	ML180UH090E60C	201873941
TPA048H4 (208/230V)	48000	14.7	12.7	45500	30000	8.5	CX38-49C	ML180UH110E60C	201873979
TPA048H4 (208/230V)	48000	14.7	12.7	45500	30000	8.5	CX38-49C	ML180UH110XE60C	201874003
TPA048H4 (208/230V)	48000	14.7	12.7	46000	30200	8.5	CX38-49C	SL280UH090V60C	201873694
TPA048H4 (208/230V)	48000	14.7	12.7	46000	30000	8.5	CX38-49C	SL280UH090XV60C	201873695
TPA048H4 (208/230V)	48000	14.7	12.7	46000	30200	8.5	CX38-49C	SL280UH110V60C	201873696
TPA048H4 (208/230V)	48000	14.7	12.7	46000	30200	8.5	CX38-49C	SL280UH110XV60C	201873697
TPA048H4 (208/230V)	48000	14.5	12.5	46000	30400	8.5	CX38-49C	SLP98UH090XV48C	201873698
TPA048H4 (208/230V)	48000	14.5	12.5	46000	30400	8.5	CX38-49C	SLP98UH090XV60C	201873699
TPA048H4 (208/230V)	48000	14.5	12.5	46000	30400	8.5	CX38-49C	SLP98UH110XV60C	201873700
TPA048H4 (208/230V)	48000	14	12	46500	30800	8.2	CX38-49C		201873701
TPA048H4 (208/230V)	48000	14	12	46500	30800	8.2	CX38-49C		201874748
TPA048H4 (208/230V)	47500	14.7	12.5	47500	31000	8.2	CX38-60D	EL180UH135E60D	201873702
TPA048H4 (208/230V)	47500	14.7	12.5	47500	31000	8.2	CX38-60D	ML180UH135E60D	201874017
TPA048H4 (208/230V)	48000	15	12.7	46000	30400	9	CX38-62C	EL180UH090E60C	201873703
TPA048H4 (208/230V)	48000	15	12.7	46000	30400	9	CX38-62C	EL180UH110E60C	201873704
TPA048H4 (208/230V)	48000	15	12.7	46000	30400	9	CX38-62C	EL180UH110XE60C	201873705
TPA048H4 (208/230V)	48000	14.7	12.5	46500	30600	9	CX38-62C	EL195UH090XE48C	201873706
TPA048H4 (208/230V)	48000	14.5	12.7	46500	30400	9	CX38-62C	EL195UH110XE60C	201873707
TPA048H4 (208/230V)	48000	14.5	12.5	46500	30400	8.5	CX38-62C	EL196UH090XE48C	201993125
TPA048H4 (208/230V)	48000	14.5	12.5	46000	30200	8.5	CX38-62C	EL196UH110XE60C	201993126
TPA048H4 (208/230V)	48000	14.7	12.5	46500	30600	9	CX38-62C	EL296UH090XE48C	201873708
TPA048H4 (208/230V)	48000	14.5	12.5	46000	30400	9	CX38-62C	EL296UH090XV48C	201873709
TPA048H4 (208/230V)	48000	14.5	12.5	46500	30600	9	CX38-62C	EL296UH090XV60C	201873710
TPA048H4 (208/230V)	48000	14.5	12.7	46500	30400	9	CX38-62C	EL296UH110XE60C	201873711
TPA048H4 (208/230V)	48000	14.7	12.5	46500	30600	9	CX38-62C	EL296UH110XV48C	201873777
TPA048H4 (208/230V)	48000	14.5	12.5	46500	30400	9	CX38-62C	EL296UH110XV60C	201873712
TPA048H4 (208/230V)	48000	15	12.7	46000	30400	9	CX38-62C	ML180UH090E60C	201873942
TPA048H4 (208/230V)	48000	15	12.7	46000	30400	9	CX38-62C	ML180UH110E60C	201873980
TPA048H4 (208/230V)	48000	15	12.7	46000	30400	9	CX38-62C	ML180UH110XE60C	201874004
TPA048H4 (208/230V)	48000	14.7	12.7	46500	30600	9	CX38-62C	SL280UH090V60C	201873713
TPA048H4 (208/230V)	48000	14.7	12.7	46500	30600	9	CX38-62C	SL280UH090XV60C	201873714
TPA048H4 (208/230V)	48000	14.7	12.7	46500	30400	9	CX38-62C	SL280UH110V60C	201873715

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA048H4 (208/230V)	48000	14.7	12.7	46500	30400	9	CX38-62C	SL280UH110XV60C	201873716
TPA048H4 (208/230V)	48000	14.5	12.5	46500	30600	9	CX38-62C	SLP98UH090XV48C	201873717
TPA048H4 (208/230V)	48000	14.5	12.5	46500	30600	9	CX38-62C	SLP98UH090XV60C	201873718
TPA048H4 (208/230V)	48000	14.5	12.5	46500	30600	9	CX38-62C	SLP98UH110XV60C	201873719
TPA048H4 (208/230V)	48000	14	12.2	47000	31000	8.7	CX38-62C		201873720
TPA048H4 (208/230V)	48000	14	12.2	47000	31000	8.7	CX38-62C		201874749
TPA048H4 (208/230V)	48000	14.7	12.5	46000	30400	8.7	CX38-62D	EL180UH135E60D	201873721
TPA048H4 (208/230V)	48000	14.5	12.2	46000	30600	8.7	CX38-62D	EL195UH135XE60D	201873722
TPA048H4 (208/230V)	48000	14.5	12.2	46000	30600	8.7	CX38-62D	EL296UH135XE60D	201873723
TPA048H4 (208/230V)	48000	14.5	12.5	46000	30400	8.7	CX38-62D	EL296UH135XV60D	201873724
TPA048H4 (208/230V)	48000	14.7	12.5	46000	30400	8.7	CX38-62D	ML180UH135E60D	201874018
TPA048H4 (208/230V)	48000	14.5	12.5	46000	30200	8.7	CX38-62D	SL280UH135V60D	201873725
TPA048H4 (208/230V)	48000	14.5	12.5	46000	30200	8.7	CX38-62D	SLP98UH135XV60D	201873726
TPA060H4 (460V)	57500	14.5	12	53500	34200	8.2	C37-60D	EL180UH135E60D	201872992
TPA060H4 (460V)	57500	14	11.9	54000	34600	8.2	C37-60D	EL195UH135XE60D	201872993
TPA060H4 (460V)	57500	14	11.7	54000	34800	8.2	C37-60D	EL296UH135XV60D	201873124
TPA060H4 (460V)	57500	14.5	12	53500	34200	8.2	C37-60D	ML180UH135E60D	201873268
TPA060H4 (460V)	60000	15.2	12.5	54000	35400	8.7	C37-62C	EL180UH090E60C	201872407
TPA060H4 (460V)	60000	15	12.5	54000	35800	8.5	C37-62C	EL180UH110E60C	201873103
TPA060H4 (460V)	60000	15	12.5	54000	35800	8.5	C37-62C	EL180UH110XE60C	201873104
TPA060H4 (460V)	60000	15	12.5	54000	35800	8.5	C37-62C	EL195UH110XE60C	201873105
TPA060H4 (460V)	60000	15	12.5	54000	35800	8.5	C37-62C	EL196UH110XE60C	201993177
TPA060H4 (460V)	60000	14.5	12.2	53500	35400	8.5	C37-62C	EL296UH090XV60C	201872408
TPA060H4 (460V)	60000	15	12.5	54000	35800	8.5	C37-62C	EL296UH110XE60C	201873106
TPA060H4 (460V)	60000	14.7	12.2	54500	35800	8.5	C37-62C	EL296UH110XV60C	201872409
TPA060H4 (460V)	60000	15.2	12.5	54000	35400	8.7	C37-62C	ML180UH090E60C	201873172
TPA060H4 (460V)	60000	15	12.5	54000	35600	8.7	C37-62C	SL280UH090V60C	201872410
TPA060H4 (460V)	60000	15	12.5	54000	35600	8.7	C37-62C	SL280UH090XV60C	201872411
TPA060H4 (460V)	60000	14.7	12.2	54500	35800	8.5	C37-62C	SL280UH110V60C	201872412
TPA060H4 (460V)	60000	14.7	12.2	54500	35800	8.5	C37-62C	SL280UH110XV60C	201872413
TPA060H4 (460V)	60000	14.5	12.2	53500	35400	8.5	C37-62C	SLP98UH090XV60C	201872414
TPA060H4 (460V)	60000	14.7	12.2	54500	36000	8.5	C37-62C	SLP98UH110XV60C	201872415
TPA060H4 (460V)	60000	14.7	12.2	54500	35800	8.5	C37-62C		201873107
TPA060H4 (460V)	60000	14.7	12.2	54500	35800	8.5	C37-62C		201874849
TPA060H4 (460V)	57500	14.5	12.2	54000	35800	8.2	C37-62D	EL180UH135E60D	201872416
TPA060H4 (460V)	57500	14.2	12	54500	36200	8.2	C37-62D	EL195UH135XE60D	201872417
TPA060H4 (460V)	57500	14.2	12	54500	36200	8.2	C37-62D	EL296UH135XE60D	201872418
TPA060H4 (460V)	57500	14.2	12	54500	35800	8.2	C37-62D	EL296UH135XV60D	201872419
TPA060H4 (460V)	57500	14.5	12.2	54000	35800	8.2	C37-62D	ML180UH135E60D	201873258
TPA060H4 (460V)	57500	14.5	12.2	54500	35800	8.2	C37-62D	SLP98UH135XV60D	201872420
TPA060H4 (460V)	59000	15	12.5	55500	36600	8.5	CBA27UHE-060-230		10262326
TPA060H4 (460V)	59000	15	12.5	55500	36600	8.5	CBA27UHE-060-460		10262325
TPA060H4 (460V)	59000	15	12.5	56000	37000	8.5	CBA38MV-060-230		202084064
TPA060H4 (460V)	58500	14	12	55000	35800	8.2	CBX25UH-060-230		9032663
TPA060H4 (460V)	58500	14.5	12.5	54000	34800	8.5	CBX25UHV-060-230		9032664
TPA060H4 (460V)	60000	15	12.5	55000	35400	8.5	CBX27UH-060-230		9031120
TPA060H4 (460V)	59500	14.5	12	56000	36400	8.5	CBX32M-060		9031121
TPA060H4 (460V)	60000	15	12.5	56500	36600	9	CH23-68	EL180UH090E60C	9031125
TPA060H4 (460V)	59500	14.7	12.5	56500	36800	9	CH23-68	EL180UH110E60C	9031126
TPA060H4 (460V)	59500	14.7	12.5	56500	36800	9	CH23-68	EL180UH110XE60C	9031127
TPA060H4 (460V)	60000	15	12.7	56500	36800	9	CH23-68	EL180UH135E60D	9031128
TPA060H4 (460V)	60000	15	12.5	56500	36600	9	CH23-68	EL195UH110XE60C	9031129
TPA060H4 (460V)	60000	14.7	12.2	57000	37000	9	CH23-68	EL195UH135XE60D	9031130
TPA060H4 (460V)	60000	15	12.5	56500	37200	9	CH23-68	EL196UH110XE60C	201993002
TPA060H4 (460V)	60000	15	12.5	56500	36600	9	CH23-68	EL296UH110XE60C	9031131

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA060H4 (460V)	60000	14.7	12.2	57000	37000	9	CH23-68	EL296UH135XE60D	9031132
TPA060H4 (460V)	60000	14.7	12.5	57000	37000	9	CH23-68	EL296UH135XV60D	9031133
TPA060H4 (460V)	60000	15	12.5	56500	36600	9	CH23-68	ML180UH090E60C	10590896
TPA060H4 (460V)	59500	14.7	12.5	56500	36800	9	CH23-68	ML180UH110E60C	10591007
TPA060H4 (460V)	59500	14.7	12.5	56500	36800	9	CH23-68	ML180UH110XE60C	10591084
TPA060H4 (460V)	60000	15	12.7	56500	36800	9	CH23-68	ML180UH135E60D	10591155
TPA060H4 (460V)	60000	15	12.5	57000	37000	9	CH23-68	SLP98UH135XV60D	9031134
TPA060H4 (460V)	59500	14.2	12.2	57000	37200	8.7	CH23-68		9031135
TPA060H4 (460V)	57000	14.2	11.7	53500	34200	8.2	CH33-60D	EL180UH135E60D	9032665
TPA060H4 (460V)	57000	14	11.7	54000	34600	8.2	CH33-60D	EL195UH135XE60D	9032666
TPA060H4 (460V)	57000	14	11.7	54000	34800	8.2	CH33-60D	EL296UH135XE60D	9032667
TPA060H4 (460V)	57000	14.2	11.7	53500	34200	8.2	CH33-60D	ML180UH135E60D	10591189
TPA060H4 (460V)	57500	14.5	12.2	53000	35400	8.5	CH33-62D	EL180UH135E60D	9031136
TPA060H4 (460V)	57500	14.2	12	53500	36000	8.5	CH33-62D	EL195UH135XE60D	9031137
TPA060H4 (460V)	57500	14.2	12	53500	36000	8.5	CH33-62D	EL296UH135XE60D	9031138
TPA060H4 (460V)	57500	14.2	12.2	53500	35400	8.5	CH33-62D	EL296UH135XV60D	9031139
TPA060H4 (460V)	57500	14.5	12.2	53000	35400	8.5	CH33-62D	ML180UH135E60D	10591156
TPA060H4 (460V)	57500	14.2	12.2	53500	35400	8.5	CH33-62D	SL280UH135V60D	9031140
TPA060H4 (460V)	57500	14.5	12.2	53500	35400	8.5	CH33-62D	SLP98UH135XV60D	9031141
TPA060H4 (460V)	57500	14	11.7	53500	36200	8.2	CH33-62D		9031142
TPA060H4 (460V)	59500	14.7	12.2	57500	37000	8.2	CR33-50/60	EL180DF110E60C	9031143
TPA060H4 (460V)	58500	14	11.7	57500	37000	8.2	CR33-50/60	EL195DF110XE60C	9031144
TPA060H4 (460V)	58500	14	11.7	58000	37400	8.2	CR33-50/60	EL296DF090XV60C	9031145
TPA060H4 (460V)	58500	14	11.7	57500	37000	8.2	CR33-50/60	EL296DF110XE60C	9031147
TPA060H4 (460V)	59000	14	11.7	58000	37600	8.2	CR33-50/60	EL296DF110XV60C	9031146
TPA060H4 (460V)	59500	14.7	12.2	57500	37000	8.2	CR33-50/60	ML180DF110E60C	10590565
TPA060H4 (460V)	59000	14.5	12	57500	37200	8.2	CR33-50/60	SL280DF090V60C	9031148
TPA060H4 (460V)	59000	14.7	12.2	57500	37000	8.2	CR33-50/60	SL280DF110V60C	9031149
TPA060H4 (460V)	58500	14	11.7	58000	37400	8.2	CR33-50/60	SLP98DF090XV60C	9031150
TPA060H4 (460V)	59000	14	11.7	58000	37600	8.2	CR33-50/60	SLP98DF110XV60C	9031151
TPA060H4 (460V)	58500	14.2	11.7	58000	37400	8.2	CR33-50/60		9031152
TPA060H4 (460V)	59000	14.2	11.7	58000	37600	8.2	CR33-60		9032789
TPA060H4 (460V)	57500	14.5	12	53500	34200	8.2	CX38-60D	EL180UH135E60D	201873774
TPA060H4 (460V)	57500	14	11.9	54000	34600	8.2	CX38-60D	EL195UH135XE60D	201873775
TPA060H4 (460V)	57500	14	11.9	54000	34600	8.2	CX38-60D	EL296UH135XE60D	201873776
TPA060H4 (460V)	57500	14.5	12	53500	34200	8.2	CX38-60D	ML180UH135E60D	201874022
TPA060H4 (460V)	60000	15.2	12.5	54000	35400	8.7	CX38-62C	EL180UH090E60C	201873322
TPA060H4 (460V)	60000	15	12.5	54000	35800	8.5	CX38-62C	EL180UH110E60C	201873323
TPA060H4 (460V)	60000	15	12.5	54000	35800	8.5	CX38-62C	EL180UH110XE60C	201873324
TPA060H4 (460V)	60000	15	12.5	54000	35800	8.5	CX38-62C	EL195UH110XE60C	201873325
TPA060H4 (460V)	60000	15	12.5	54000	35800	8.5	CX38-62C	EL196UH110XE60C	201993178
TPA060H4 (460V)	60000	14.5	12.2	53500	35400	8.5	CX38-62C	EL296UH090XV60C	201873326
TPA060H4 (460V)	60000	15	12.5	54000	35800	8.5	CX38-62C	EL296UH110XE60C	201873327
TPA060H4 (460V)	60000	14.7	12.2	54500	35800	8.5	CX38-62C	EL296UH110XV60C	201873328
TPA060H4 (460V)	60000	15.2	12.5	54000	35400	8.7	CX38-62C	ML180UH090E60C	201873928
TPA060H4 (460V)	60000	15	12.5	54000	35800	8.5	CX38-62C	ML180UH110E60C	201874756
TPA060H4 (460V)	60000	15	12.5	54000	35800	8.5	CX38-62C	ML180UH110XE60C	201874758
TPA060H4 (460V)	60000	15	12.5	54000	35600	8.7	CX38-62C	SL280UH090V60C	201873329
TPA060H4 (460V)	60000	15	12.5	54000	35600	8.7	CX38-62C	SL280UH090XV60C	201873330
TPA060H4 (460V)	60000	14.7	12.2	54500	35800	8.5	CX38-62C	SL280UH110V60C	201873331
TPA060H4 (460V)	60000	14.7	12.2	54500	35800	8.5	CX38-62C	SL280UH110XV60C	201873332
TPA060H4 (460V)	60000	14.5	12.2	53500	35400	8.5	CX38-62C	SLP98UH090XV60C	201873333
TPA060H4 (460V)	60000	14.7	12.2	54500	36200	8.5	CX38-62C	SLP98UH110XV60C	201873334
TPA060H4 (460V)	60000	14.7	12.2	54500	35800	8.5	CX38-62C		201873335
TPA060H4 (460V)	60000	14.7	12.2	54500	35800	8.5	CX38-62C		201874734

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA060H4 (460V)	57500	14.5	12.2	54000	35800	8.2	CX38-62D	EL180UH135E60D	201873336
TPA060H4 (460V)	57500	14.2	12	54500	36200	8.2	CX38-62D	EL195UH135XE60D	201873337
TPA060H4 (460V)	57500	14.2	12	54500	36200	8.2	CX38-62D	EL296UH135XE60D	201873338
TPA060H4 (460V)	57500	14.2	12	54500	35800	8.2	CX38-62D	EL296UH135XV60D	201873339
TPA060H4 (460V)	57500	14.5	12.2	54000	35800	8.2	CX38-62D	ML180UH135E60D	201874012
TPA060H4 (460V)	57500	14.2	12	54500	36000	8.2	CX38-62D	SL280UH135V60D	201873340
TPA060H4 (460V)	57500	14.5	12.2	54500	35800	8.2	CX38-62D	SLP98UH135XV60D	201873341
TPA060H4 (460V)	57000	14.2	11.7	54500	36600	8.2	CX38-62D		201873342
TPA060H4 (460V)	57000	14.2	11.7	54500	36600	8.2	CX38-62D		201874735
TPA060H4 (208/230V)	57500	14.5	12	53500	34200	8.2	C37-60D	EL180UH135E60D	201872990
TPA060H4 (208/230V)	57500	14	11.9	54000	34600	8.2	C37-60D	EL195UH135XE60D	201872991
TPA060H4 (208/230V)	57500	14.5	12	53500	34200	8.2	C37-60D	ML180UH135E60D	201873267
TPA060H4 (208/230V)	60000	15.2	12.5	54000	35400	8.7	C37-62C	EL180UH090E60C	201872389
TPA060H4 (208/230V)	60000	15	12.5	54000	35400	8.5	C37-62C	EL180UH110E60C	201872390
TPA060H4 (208/230V)	60000	15	12.5	54000	35400	8.5	C37-62C	EL180UH110XE60C	201872391
TPA060H4 (208/230V)	60000	15	12.5	54000	35400	8.5	C37-62C	EL195UH110XE60C	201872392
TPA060H4 (208/230V)	60000	15	12.5	54000	35400	8.5	C37-62C	EL196UH110XE60C	201993175
TPA060H4 (208/230V)	60000	14.5	12.2	53500	35400	8.5	C37-62C	EL296UH090XV60C	201872393
TPA060H4 (208/230V)	60000	15	12.5	54000	35400	8.5	C37-62C	EL296UH110XE60C	201872394
TPA060H4 (208/230V)	60000	14.7	12.2	54500	35800	8.5	C37-62C	EL296UH110XV60C	201872395
TPA060H4 (208/230V)	60000	15.2	12.5	54000	35400	8.7	C37-62C	ML180UH090E60C	201873171
TPA060H4 (208/230V)	60000	15	12.5	54000	35400	8.5	C37-62C	ML180UH110E60C	201873211
TPA060H4 (208/230V)	60000	15	12.5	54000	35400	8.5	C37-62C	ML180UH110XE60C	201873236
TPA060H4 (208/230V)	60000	15	12.5	54000	35600	8.7	C37-62C	SL280UH090V60C	201872396
TPA060H4 (208/230V)	60000	15	12.5	54000	35600	8.7	C37-62C	SL280UH090XV60C	201872397
TPA060H4 (208/230V)	60000	14.7	12.2	54500	35800	8.5	C37-62C	SL280UH110V60C	201872398
TPA060H4 (208/230V)	60000	14.7	12.2	54500	35800	8.5	C37-62C	SL280UH110XV60C	201872399
TPA060H4 (208/230V)	60000	14.5	12.2	53500	35400	8.5	C37-62C	SLP98UH090XV60C	201872400
TPA060H4 (208/230V)	60000	14.7	12.2	54500	35800	8.5	C37-62C	SLP98UH110XV60C	201872401
TPA060H4 (208/230V)	60000	14.7	12.2	54500	35800	8.5	C37-62C		201873102
TPA060H4 (208/230V)	60000	14.7	12.2	54500	35800	8.5	C37-62C		201874848
TPA060H4 (208/230V)	57500	14.5	12.2	54000	35800	8.2	C37-62D	EL180UH135E60D	201872402
TPA060H4 (208/230V)	57500	14.2	12	54500	36200	8.2	C37-62D	EL195UH135XE60D	201872403
TPA060H4 (208/230V)	57500	14.2	12	54500	36200	8.2	C37-62D	EL296UH135XE60D	201872404
TPA060H4 (208/230V)	57500	14.2	12	54500	35800	8.2	C37-62D	EL296UH135XV60D	201872405
TPA060H4 (208/230V)	57500	14.5	12.2	54000	35800	8.2	C37-62D	ML180UH135E60D	201873257
TPA060H4 (208/230V)	57500	14.5	12.2	54500	35800	8.2	C37-62D	SLP98UH135XV60D	201872406
TPA060H4 (208/230V)	59000	15	12.5	55500	36200	8.5	CBA27UHE-060-230		10262327
TPA060H4 (208/230V)	59000	15	12.5	56000	37000	8.5	CBA38MV-060-230		202084058
TPA060H4 (208/230V)	58500	14	12	55000	35800	8.2	CBX25UH-060-230		9032653
TPA060H4 (208/230V)	58500	14.5	12.5	54000	34800	8.5	CBX25UHV-060-230		9032654
TPA060H4 (208/230V)	60000	15	12.5	55000	35400	8.5	CBX27UH-060-230		9031046
TPA060H4 (208/230V)	59500	14.5	12	56000	36400	8.5	CBX32M-060		9031047
TPA060H4 (208/230V)	60000	15	12.5	56500	36600	9	CH23-68	EL180UH090E60C	9031051
TPA060H4 (208/230V)	59500	14.7	12.5	56500	36800	9	CH23-68	EL180UH110E60C	9031052
TPA060H4 (208/230V)	59500	14.7	12.5	56500	36800	9	CH23-68	EL180UH110XE60C	9031053
TPA060H4 (208/230V)	60000	15	12.7	56500	36800	9	CH23-68	EL180UH135E60D	9031054
TPA060H4 (208/230V)	60000	15	12.5	56500	36600	9	CH23-68	EL195UH110XE60C	9031055
TPA060H4 (208/230V)	60000	14.7	12.2	57000	37000	9	CH23-68	EL195UH135XE60D	9031056
TPA060H4 (208/230V)	60000	15	12.5	56500	36800	9	CH23-68	EL196UH110XE60C	201992997
TPA060H4 (208/230V)	60000	15	12.5	56500	36600	9	CH23-68	EL296UH110XE60C	9031057
TPA060H4 (208/230V)	60000	14.7	12.2	57000	37000	9	CH23-68	EL296UH135XE60D	9031058
TPA060H4 (208/230V)	60000	14.7	12.5	57000	37000	9	CH23-68	EL296UH135XV60D	9031059
TPA060H4 (208/230V)	60000	15	12.5	56500	36600	9	CH23-68	ML180UH090E60C	10590893
TPA060H4 (208/230V)	59500	14.7	12.5	56500	36800	9	CH23-68	ML180UH110E60C	10591006

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA060H4 (208/230V)	59500	14.7	12.5	56500	36800	9	CH23-68	ML180UH110XE60C	10591083
TPA060H4 (208/230V)	60000	15	12.7	56500	36800	9	CH23-68	ML180UH135E60D	10591151
TPA060H4 (208/230V)	60000	15	12.5	57000	37000	9	CH23-68	SLP98UH135XV60D	9031060
TPA060H4 (208/230V)	59500	14.2	12.2	57000	37200	8.7	CH23-68		9031061
TPA060H4 (208/230V)	57000	14	11.7	54000	34600	8.2	CH33-60D	EL195UH135XE60D	9032655
TPA060H4 (208/230V)	57000	14	11.7	54000	34600	8.2	CH33-60D	EL296UH135XE60D	9032656
TPA060H4 (208/230V)	57500	14.5	12.2	53000	35400	8.5	CH33-62D	EL180UH135E60D	9031062
TPA060H4 (208/230V)	57500	14.2	12	53500	35600	8.5	CH33-62D	EL195UH135XE60D	9031063
TPA060H4 (208/230V)	57500	14.2	12	53500	35600	8.5	CH33-62D	EL296UH135XE60D	9031064
TPA060H4 (208/230V)	57500	14.2	12.2	53500	35400	8.5	CH33-62D	EL296UH135XV60D	9031065
TPA060H4 (208/230V)	57500	14.5	12.2	53000	35400	8.5	CH33-62D	ML180UH135E60D	10591152
TPA060H4 (208/230V)	57500	14.2	12.2	53500	35400	8.5	CH33-62D	SL280UH135V60D	9031066
TPA060H4 (208/230V)	57500	14.5	12.2	53500	35400	8.5	CH33-62D	SLP98UH135XV60D	9031067
TPA060H4 (208/230V)	57000	14	11.7	53500	35800	8.2	CH33-62D		9031068
TPA060H4 (208/230V)	59500	14.7	12.2	57500	37000	8.2	CR33-50/60	EL180DF110E60C	9031069
TPA060H4 (208/230V)	58500	14	11.7	57500	37000	8.2	CR33-50/60	EL195DF110XE60C	9031070
TPA060H4 (208/230V)	58500	14	11.7	58000	37400	8.2	CR33-50/60	EL296DF090XV60C	9031071
TPA060H4 (208/230V)	58500	14	11.7	57500	37000	8.2	CR33-50/60	EL296DF110XE60C	9031073
TPA060H4 (208/230V)	59000	14	11.7	58000	37600	8.2	CR33-50/60	EL296DF110XV60C	9031072
TPA060H4 (208/230V)	59500	14.7	12.2	57500	37000	8.2	CR33-50/60	ML180DF110E60C	10590564
TPA060H4 (208/230V)	59000	14.5	12	57500	37200	8.2	CR33-50/60	SL280DF090V60C	9031074
TPA060H4 (208/230V)	59000	14.7	12.2	57500	37000	8.2	CR33-50/60	SL280DF110V60C	9031075
TPA060H4 (208/230V)	58500	14	11.7	58000	37400	8.2	CR33-50/60	SLP98DF090XV60C	9031076
TPA060H4 (208/230V)	59000	14	11.7	58000	37600	8.2	CR33-50/60	SLP98DF110XV60C	9031077
TPA060H4 (208/230V)	58500	14.2	11.7	58000	37400	8.2	CR33-50/60		9031078
TPA060H4 (208/230V)	59000	14.2	11.7	58000	37600	8.2	CR33-60		9032788
TPA060H4 (208/230V)	57500	14.5	12	53500	34200	8.2	CX38-60D	EL180UH135E60D	201873771
TPA060H4 (208/230V)	57500	14	11.9	54000	34600	8.2	CX38-60D	EL195UH135XE60D	201873772
TPA060H4 (208/230V)	57500	14	11.9	54000	34600	8.2	CX38-60D	EL296UH135XE60D	201873773
TPA060H4 (208/230V)	57500	14.5	12	53500	34200	8.2	CX38-60D	ML180UH135E60D	201874021
TPA060H4 (208/230V)	60000	15.2	12.5	54000	35400	8.7	CX38-62C	EL180UH090E60C	201873301
TPA060H4 (208/230V)	60000	15	12.5	54000	35400	8.5	CX38-62C	EL180UH110E60C	201873302
TPA060H4 (208/230V)	60000	15	12.5	54000	35400	8.5	CX38-62C	EL180UH110XE60C	201873303
TPA060H4 (208/230V)	60000	15	12.5	54000	35400	8.5	CX38-62C	EL195UH110XE60C	201873304
TPA060H4 (208/230V)	60000	15	12.5	54000	35400	8.5	CX38-62C	EL196UH110XE60C	201993176
TPA060H4 (208/230V)	60000	14.5	12.2	53500	35400	8.5	CX38-62C	EL296UH090XV60C	201873305
TPA060H4 (208/230V)	60000	15	12.5	54000	35400	8.5	CX38-62C	EL296UH110XE60C	201873306
TPA060H4 (208/230V)	60000	14.7	12.2	54500	35800	8.5	CX38-62C	EL296UH110XV60C	201873307
TPA060H4 (208/230V)	60000	15.2	12.5	54000	35400	8.7	CX38-62C	ML180UH090E60C	201873927
TPA060H4 (208/230V)	60000	15	12.5	54000	35400	8.5	CX38-62C	ML180UH110XE60C	201874757
TPA060H4 (208/230V)	60000	15	12.5	54000	35600	8.7	CX38-62C	SL280UH090V60C	201873308
TPA060H4 (208/230V)	60000	15	12.5	54000	35600	8.7	CX38-62C	SL280UH090XV60C	201873309
TPA060H4 (208/230V)	60000	14.7	12.2	54500	35800	8.5	CX38-62C	SL280UH110V60C	201873310
TPA060H4 (208/230V)	60000	14.7	12.2	54500	35800	8.5	CX38-62C	SL280UH110XV60C	201873311
TPA060H4 (208/230V)	60000	14.5	12.2	53500	35400	8.5	CX38-62C	SLP98UH090XV60C	201873312
TPA060H4 (208/230V)	60000	14.7	12.2	54500	35800	8.5	CX38-62C	SLP98UH110XV60C	201873313
TPA060H4 (208/230V)	60000	14.7	12.2	54500	35800	8.5	CX38-62C		201873314
TPA060H4 (208/230V)	60000	14.7	12.2	54500	35800	8.5	CX38-62C		201874732
TPA060H4 (208/230V)	57500	14.5	12.2	54000	35800	8.2	CX38-62D	EL180UH135E60D	201873315
TPA060H4 (208/230V)	57500	14.2	12	54500	36200	8.2	CX38-62D	EL195UH135XE60D	201873316
TPA060H4 (208/230V)	57500	14.2	12	54500	36200	8.2	CX38-62D	EL296UH135XE60D	201873317
TPA060H4 (208/230V)	57500	14.2	12	54500	35800	8.2	CX38-62D	EL296UH135XV60D	201873318
TPA060H4 (208/230V)	57500	14.5	12.2	54000	35800	8.2	CX38-62D	ML180UH135E60D	201874011
TPA060H4 (208/230V)	57500	14.2	12	54500	36000	8.2	CX38-62D	SL280UH135V60D	201873319
TPA060H4 (208/230V)	57500	14.5	12.2	54500	35800	8.2	CX38-62D	SLP98UH135XV60D	201873320

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA060H4 (208/230V)	57000	14.2	11.7	54500	36600	8.2	CX38-62D		201873321
TPA060H4 (208/230V)	57000	14.2	11.7	54500	36600	8.2	CX38-62D		201874733
XP14-018-230	18000	16	13	17500	11100	8.5	C37-25A	EL180UH045E36A	10086311
XP14-018-230	18000	16	13	17500	11100	8.5	C37-25A	ML180UH045E36A	10590633
XP14-018-230	18000	16	13	17600	11100	8.5	C37-31A	EL180UH045E36A	10086309
XP14-018-230	18000	16	13	17600	11100	8.5	C37-31A	ML180UH045E36A	10590631
XP14-018-230	18000	16	13	17500	11100	8.5	CBA27UHE-018-230		10260307
XP14-018-230	18000	16	13	17500	11100	8.5	CBA27UHE-024-230		10260308
XP14-018-230	18000	15.5	12.5	17800	11000	8.5	CBA38MV-018/024-230		201842204
XP14-018-230	18000	14	12	17800	11800	8.2	CBX25UH-018-230		7533471
XP14-018-230	18000	15	12.5	17600	11600	8.5	CBX25UHV-018-230		7533472
XP14-018-230	18000	15.5	12.5	18000	11600	8.5	CBX25UHV-024-230		7533489
XP14-018-230	18000	16	13	17500	11100	8.5	CBX27UH-018-230		7533475
XP14-018-230	18000	16	13	17500	11100	8.5	CBX27UH-024-230		7533474
XP14-018-230	18000	16	13	17700	11300	8.5	CH33-25A	EL180UH045E36A	7533479
XP14-018-230	18000	16	13	17700	11300	8.5	CH33-25A	ML180UH045E36A	10590591
XP14-018-230	18000	14	12	18000	11700	8.2	CH33-25A		7533478
XP14-018-230	18000	14	11.5	18000	11700	8.2	CH33-25B		7533481
XP14-018-230	18000	16	13	18000	11400	8.5	CR33-30/36A	EL180DF045E36A	7533488
XP14-018-230	18000	16	13	18000	11400	8.5	CR33-30/36A	ML180DF045E36A	10590541
XP14-018-230	18000	16	13	17500	11100	8.5	CX38-25A	EL180UH045E36A	10086310
XP14-018-230	18000	16	13	17500	11100	8.5	CX38-25A	ML180UH045E36A	10590632
XP14-018-230	18000	16	13	17600	11100	8.5	CX38-31A	EL180UH045E36A	10086308
XP14-018-230	18000	16	13	17600	11100	8.5	CX38-31A	ML180UH045E36A	10590630
XP14-024-230	24000	15.5	13	21400	13500	8.2	C37-25A	EL180UH045E36A	10086279
XP14-024-230	24000	15.5	13	21400	13500	8.2	C37-25A	ML180UH045E36A	10590619
XP14-024-230	24800	15.7	13	21800	13600	8.2	C37-25A	SL280UH070V36A	10086160
XP14-024-230	24800	15.7	13	21800	13600	8.2	C37-25A	SL280UH070XV36A	10086312
XP14-024-230	24800	16	13.5	21600	13500	8.5	C37-25B	EL180UH070E36B	10086280
XP14-024-230	24200	15.5	13	21400	13500	8.2	C37-25B	EL195UH045XE36B	10086077
XP14-024-230	24600	15.7	13.2	21600	13600	8.5	C37-25B	EL195UH070XE36B	10086076
XP14-024-230	24200	15.5	12.5	21400	13500	8.2	C37-25B	EL196UH045XE36B	201933560
XP14-024-230	24600	15.5	13	21600	13500	8.5	C37-25B	EL196UH070XE36B	201933561
XP14-024-230	24200	15.5	13	21400	13500	8.2	C37-25B	EL296UH045XE36B	10086229
XP14-024-230	24600	16	13	21600	13500	8.5	C37-25B	EL296UH045XV36B	10086201
XP14-024-230	24600	15.7	13.2	21600	13600	8.5	C37-25B	EL296UH070XE36B	10086246
XP14-024-230	24600	16	13	21600	13500	8.5	C37-25B	EL296UH070XV36B	10086194
XP14-024-230	24800	16	13.5	21600	13500	8.5	C37-25B	ML180UH070E36B	10590732
XP14-024-230	24800	16	13	21600	13500	8.5	C37-25B	SL280UH090V36B	10086179
XP14-024-230	24400	15.1	13	21600	13600	8.2	C37-25B	SL280UH090V48B	10086063
XP14-024-230	24400	15.1	13	21600	13600	8.2	C37-25B	SL280UH090XV48B	10086324
XP14-024-230	24600	16	13	21600	13500	8.5	C37-25B	SLP98UH070XV36B	10086075
XP14-024-230	24400	15.7	13.2	21400	13500	8.5	C37-31A	EL180UH045E36A	10086285
XP14-024-230	24400	15.7	13.2	21400	13500	8.5	C37-31A	ML180UH045E36A	10590620
XP14-024-230	24800	16	13	21600	13500	8.5	C37-31A	SL280UH070V36A	10086151
XP14-024-230	24800	16	13	21600	13500	8.5	C37-31A	SL280UH070XV36A	10086314
XP14-024-230	24800	16	13.5	21600	13500	8.5	C37-31B	EL180UH070E36B	10086283
XP14-024-230	24200	15.5	13	21400	13500	8.2	C37-31B	EL195UH045XE36B	10086082
XP14-024-230	24600	15.7	13.2	21600	13600	8.5	C37-31B	EL195UH070XE36B	10086081
XP14-024-230	24200	15.5	12.5	21400	13600	8.2	C37-31B	EL196UH045XE36B	201933562
XP14-024-230	24600	15.5	13	21600	13500	8.5	C37-31B	EL196UH070XE36B	201933563
XP14-024-230	24200	15.5	13	21400	13500	8.2	C37-31B	EL296UH045XE36B	10086715
XP14-024-230	24600	16	13	21600	13500	8.5	C37-31B	EL296UH045XV36B	10086189
XP14-024-230	24600	15.7	13.2	21600	13600	8.5	C37-31B	EL296UH070XE36B	10086237
XP14-024-230	24600	16	13	21600	13500	8.5	C37-31B	EL296UH070XV36B	10086198

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-024-230	24800	16	13.5	21600	13500	8.5	C37-31B	ML180UH070E36B	10590735
XP14-024-230	24800	15.1	13.5	21600	13500	8.5	C37-31B	SL280UH090V36B	10086171
XP14-024-230	24600	15.1	13	21600	13600	8.2	C37-31B	SL280UH090V48B	10086062
XP14-024-230	24600	15.1	13	21600	13600	8.2	C37-31B	SL280UH090XV48B	10086325
XP14-024-230	24600	16	13	21600	13500	8.5	C37-31B	SLP98UH070XV36B	10086070
XP14-024-230	24000	15.7	13	21400	13500	8.5	C37-36A	EL180UH045E36A	10086290
XP14-024-230	24000	15.7	13	21400	13500	8.5	C37-36A	ML180UH045E36A	10590623
XP14-024-230	24600	16	13	21600	13500	8.5	C37-36A	SL280UH070V36A	10086158
XP14-024-230	24600	16	13	21600	13500	8.5	C37-36A	SL280UH070XV36A	10086315
XP14-024-230	24400	16	13	21600	13500	8.5	C37-36B	EL180UH070E36B	10086297
XP14-024-230	23800	15.5	12.7	21400	13500	8.2	C37-36B	EL195UH045XE36B	10086086
XP14-024-230	24200	15.5	13	21600	13600	8.5	C37-36B	EL195UH070XE36B	10086085
XP14-024-230	23800	15.5	12.5	21400	13600	8.2	C37-36B	EL196UH045XE36B	201933564
XP14-024-230	24200	15.5	12.5	21600	13500	8.5	C37-36B	EL196UH070XE36B	201933565
XP14-024-230	23800	15.5	12.7	21400	13500	8.2	C37-36B	EL296UH045XE36B	10086232
XP14-024-230	24400	15.7	13.2	21600	13600	8.5	C37-36B	EL296UH045XV36B	10086205
XP14-024-230	24200	15.5	13	21600	13600	8.5	C37-36B	EL296UH070XE36B	10086241
XP14-024-230	24400	16	13	21600	13500	8.5	C37-36B	EL296UH070XV36B	10086182
XP14-024-230	24400	16	13	21600	13500	8.5	C37-36B	ML180UH070E36B	10590739
XP14-024-230	24600	16	13	21600	13500	8.5	C37-36B	SL280UH090V36B	10086163
XP14-024-230	24400	15.1	13	21600	13600	8.5	C37-36B	SL280UH090V48B	10086061
XP14-024-230	24400	15.1	13	21600	13600	8.5	C37-36B	SL280UH090XV48B	10086326
XP14-024-230	24400	16	13	21600	13500	8.5	C37-36B	SLP98UH070XV36B	10086066
XP14-024-230	24400	16	13	21400	13500	8.5	C37-36C	EL296UH090XV36C	10086195
XP14-024-230	24400	16	13	21400	13500	8.5	C37-36C	SLP98UH090XV36C	10086071
XP14-024-230	25200	16	13.5	21800	13600	8.5	CBA27UHE-024-230		10260309
XP14-024-230	24600	16	13	21600	13600	9	CBA27UHE-030-230		10260310
XP14-024-230	24000	14.5	12.2	22000	13800	8.2	CBA38MV-018/024-230		201842205
XP14-024-230	24800	15.5	13	21800	13800	8.5	CBA38MV-030-230		201842206
XP14-024-230	24000	15.5	12.5	21600	13600	9	CBA38MV-036-230		201842207
XP14-024-230	23200	14	11.7	22200	14000	8.2	CBX25UH-024-230		5727003
XP14-024-230	23200	14	11.7	22200	14100	8.2	CBX25UH-030-230		5796112
XP14-024-230	23600	15.5	12.5	21400	13400	8.5	CBX25UHV-024-230		6970216
XP14-024-230	25200	16	13.5	21800	13700	9	CBX27UH-024-230		5431298
XP14-024-230	25000	16	13.5	21800	13600	9	CBX27UH-030-230		6482931
XP14-024-230	24800	14.2	11.7	22800	14100	8.2	CBX32M-018/024		5431299
XP14-024-230	25000	15.2	12.7	22400	14000	8.7	CBX32M-030		5431300
XP14-024-230	24200	15.7	13.2	21400	13500	8.5	CH23-41	EL180UH045E36A	5741756
XP14-024-230	24600	15.7	13.2	21600	13500	8.5	CH23-41	EL296UH045XV36B	5562662
XP14-024-230	24600	16	13	21600	13500	8.5	CH23-41	EL296UH070XV36B	5562672
XP14-024-230	24200	15.7	13.2	21400	13500	8.5	CH23-41	ML180UH045E36A	10590578
XP14-024-230	24800	16	13	21600	13500	8.5	CH23-41	SL280UH090V36B	5532454
XP14-024-230	24400	15.1	13	21600	13600	8.2	CH23-41	SL280UH090V48B	5431310
XP14-024-230	24400	15.1	13	21600	13600	8.2	CH23-41	SL280UH090XV48B	8133193
XP14-024-230	24600	16	13	21600	13500	8.5	CH23-41	SLP98UH070XV36B	5431389
XP14-024-230	24400	15.7	13.2	21600	13500	8.5	CH33-25A	EL180UH045E36A	5741760
XP14-024-230	24400	15.7	13.2	21600	13500	8.5	CH33-25A	ML180UH045E36A	10590581
XP14-024-230	24800	15.7	13	21800	13700	8.5	CH33-25A	SL280UH070V36A	5532370
XP14-024-230	24800	15.7	13	21800	13700	8.5	CH33-25A	SL280UH070XV36A	8133176
XP14-024-230	24600	16	13	21600	13600	8.5	CH33-25B	EL180UH070E36B	5742031
XP14-024-230	24000	15.5	13	21600	13500	8.5	CH33-25B	EL195UH045XE36B	5431365
XP14-024-230	24400	15.5	13	21800	13600	8.5	CH33-25B	EL195UH070XE36B	5431376
XP14-024-230	24000	15.5	13	21600	13600	8.5	CH33-25B	EL196UH045XE36B	201933558
XP14-024-230	24400	15.5	13	21600	13600	8.5	CH33-25B	EL196UH070XE36B	201933559
XP14-024-230	24000	15.5	13	21600	13500	8.5	CH33-25B	EL296UH045XE36B	5650634

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-024-230	24600	15.7	13.2	21600	13600	8.7	CH33-25B	EL296UH045XV36B	5562665
XP14-024-230	24400	15.5	13	21800	13600	8.5	CH33-25B	EL296UH070XE36B	5650627
XP14-024-230	24600	16	13	21600	13600	8.5	CH33-25B	EL296UH070XV36B	5562674
XP14-024-230	24600	16	13	21600	13600	8.5	CH33-25B	ML180UH070E36B	10590650
XP14-024-230	24600	15.1	13	21600	13500	8.5	CH33-25B	SL280UH090V36B	5532457
XP14-024-230	24400	15.1	13	21600	13600	8.5	CH33-25B	SL280UH090V48B	5431317
XP14-024-230	24400	15.1	13	21600	13600	8.5	CH33-25B	SL280UH090XV48B	8133194
XP14-024-230	24600	16	13	21600	13600	8.5	CH33-25B	SLP98UH070XV36B	5431390
XP14-024-230	24400	15.7	13.2	21600	13600	8.5	CH33-31A	EL180UH045E36A	5741757
XP14-024-230	24400	15.7	13.2	21600	13600	8.5	CH33-31A	ML180UH045E36A	10590579
XP14-024-230	25200	16	13	22000	13700	8.5	CH33-31A	SL280UH070V36A	5532371
XP14-024-230	25200	16	13	22000	13700	8.5	CH33-31A	SL280UH070XV36A	8133177
XP14-024-230	24400	14.2	12	22400	14200	8.2	CH33-31A		5431261
XP14-024-230	23800	15.2	12.7	21400	13500	8.2	CH33-36A	EL180UH045E36A	5741755
XP14-024-230	23800	15.2	12.7	21400	13500	8.2	CH33-36A	ML180UH045E36A	10590577
XP14-024-230	24600	15.1	13	21800	13600	8.5	CH33-36A	SL280UH070V36A	5532367
XP14-024-230	24600	15.1	13	21800	13600	8.5	CH33-36A	SL280UH070XV36A	8133174
XP14-024-230	24600	16	13.5	21800	13500	8.5	CH33-36C	EL296UH090XV36C	5562680
XP14-024-230	24600	16	13.5	21800	13500	8.5	CH33-36C	SLP98UH090XV36C	5431391
XP14-024-230	24000	14	11.7	22400	14200	8.2	CH33-36C		5431263
XP14-024-230	24800	15.7	13.2	22000	13600	8.7	CR33-30/36	EL180DF045E36A	5741528
XP14-024-230	25400	16	13.5	22200	13600	9	CR33-30/36	EL180DF070E36B	5741558
XP14-024-230	25200	16	13	22200	13600	8.5	CR33-30/36	EL195DF045XE36B	5431378
XP14-024-230	25400	16	13.5	22200	13600	9	CR33-30/36	EL195DF070XE48B	5431379
XP14-024-230	25200	16	13	22200	13600	8.5	CR33-30/36	EL296DF045XE36B	5650618
XP14-024-230	25200	16	13.5	22200	13600	8.5	CR33-30/36	EL296DF045XV36B	5562658
XP14-024-230	25400	16	13.5	22200	13600	9	CR33-30/36	EL296DF070XE48B	5650624
XP14-024-230	25600	15.7	13.2	22400	13800	8.7	CR33-30/36	EL296DF070XV48B	5562659
XP14-024-230	24800	15.7	13.2	22000	13600	8.7	CR33-30/36	ML180DF045E36A	10590539
XP14-024-230	25400	16	13.5	22200	13600	9	CR33-30/36	ML180DF070E36B	10590545
XP14-024-230	25200	15.7	13	22200	13700	8.5	CR33-30/36	SL280DF070V36A	5431324
XP14-024-230	25600	15.1	13.5	22200	13700	9	CR33-30/36	SL280DF090V48B	5532330
XP14-024-230	25400	16	13.5	22200	13600	9	CR33-30/36	SLP98DF070XV36B	5431392
XP14-024-230	25400	16	13.5	22200	13600	9	CR33-30/36	SLP98DF090XV36C	5431393
XP14-024-230	24800	14.2	12.2	22600	14200	8.2	CR33-30/36		5431264
XP14-024-230	24000	15.5	13	21400	13500	8.2	CX38-25A	EL180UH045E36A	10086299
XP14-024-230	24000	15.5	13	21400	13500	8.2	CX38-25A	ML180UH045E36A	10590626
XP14-024-230	24800	15.7	13	21800	13600	8.2	CX38-25A	SL280UH070V36A	10086153
XP14-024-230	24800	15.7	13	21800	13600	8.2	CX38-25A	SL280UH070XV36A	10086313
XP14-024-230	24800	16	13.5	21600	13500	8.5	CX38-25B	EL180UH070E36B	10086292
XP14-024-230	24200	15.5	13	21400	13500	8.2	CX38-25B	EL195UH045XE36B	10086074
XP14-024-230	24600	15.7	13.2	21600	13600	8.5	CX38-25B	EL195UH070XE36B	10086073
XP14-024-230	24200	15.5	12.5	21400	13500	8.2	CX38-25B	EL196UH045XE36B	201933566
XP14-024-230	24600	15.5	13	21600	13500	8.5	CX38-25B	EL196UH070XE36B	201933567
XP14-024-230	24200	15.5	13	21400	13500	8.2	CX38-25B	EL296UH045XE36B	10086231
XP14-024-230	24600	16	13	21600	13500	8.5	CX38-25B	EL296UH045XV36B	10086184
XP14-024-230	24600	15.7	13.2	21600	13600	8.5	CX38-25B	EL296UH070XE36B	10086228
XP14-024-230	24600	16	13	21600	13500	8.5	CX38-25B	EL296UH070XV36B	10086191
XP14-024-230	24800	16	13.5	21600	13500	8.5	CX38-25B	ML180UH070E36B	10590737
XP14-024-230	24800	16	13	21600	13500	8.5	CX38-25B	SL280UH090V36B	10086166
XP14-024-230	24400	15.1	13	21600	13600	8.2	CX38-25B	SL280UH090V48B	10086079
XP14-024-230	24400	15.1	13	21600	13600	8.2	CX38-25B	SL280UH090XV48B	10086327
XP14-024-230	24600	16	13	21600	13500	8.5	CX38-25B	SLP98UH070XV36B	10086067
XP14-024-230	24400	15.7	13.2	21400	13500	8.5	CX38-31A	EL180UH045E36A	10086300
XP14-024-230	24400	15.7	13.2	21400	13500	8.5	CX38-31A	ML180UH045E36A	10590627

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-024-230	24800	15.1	13	21600	13500	8.5	CX38-31A	SL280UH070V36A	10086156
XP14-024-230	24800	15.1	13	21600	13500	8.5	CX38-31A	SL280UH070XV36A	10086316
XP14-024-230	24800	16	13.5	21600	13500	8.5	CX38-31B	EL180UH070E36B	10086269
XP14-024-230	24200	15.5	13	21400	13500	8.2	CX38-31B	EL195UH045XE36B	10086069
XP14-024-230	24600	15.7	13.2	21600	13600	8.5	CX38-31B	EL195UH070XE36B	10086068
XP14-024-230	24200	15.5	12.5	21400	13600	8.2	CX38-31B	EL196UH045XE36B	201933569
XP14-024-230	24600	15.5	13	21600	13500	8.5	CX38-31B	EL196UH070XE36B	201933568
XP14-024-230	24200	15.5	13	21400	13500	8.2	CX38-31B	EL296UH045XE36B	10086236
XP14-024-230	24600	16	13	21600	13500	8.5	CX38-31B	EL296UH045XV36B	10086197
XP14-024-230	24600	15.7	13.2	21600	13600	8.5	CX38-31B	EL296UH070XE36B	10086230
XP14-024-230	24600	16	13	21600	13500	8.5	CX38-31B	EL296UH070XV36B	10086207
XP14-024-230	24800	16	13.5	21600	13500	8.5	CX38-31B	ML180UH070E36B	10590722
XP14-024-230	24800	16	13.5	21600	13500	8.5	CX38-31B	SL280UH090V36B	10086172
XP14-024-230	24600	15.1	13	21600	13600	8.2	CX38-31B	SL280UH090V48B	10086084
XP14-024-230	24600	15.1	13	21600	13600	8.2	CX38-31B	SL280UH090XV48B	10086328
XP14-024-230	24600	16	13	21600	13500	8.5	CX38-31B	SLP98UH070XV36B	10086072
XP14-024-230	24000	15.7	13	21400	13500	8.5	CX38-36A	EL180UH045E36A	10086286
XP14-024-230	24000	15.7	13	21400	13500	8.5	CX38-36A	ML180UH045E36A	10590621
XP14-024-230	24600	16	13	21600	13500	8.5	CX38-36A	SL280UH070V36A	10086154
XP14-024-230	24600	16	13	21600	13500	8.5	CX38-36A	SL280UH070XV36A	10086317
XP14-024-230	24400	16	13	21600	13500	8.5	CX38-36B	EL180UH070E36B	10086274
XP14-024-230	23800	15.5	12.7	21400	13500	8.2	CX38-36B	EL195UH045XE36B	10086065
XP14-024-230	24200	15.5	13	21600	13600	8.5	CX38-36B	EL195UH070XE36B	10086064
XP14-024-230	23800	15.5	12.5	21400	13600	8.2	CX38-36B	EL196UH045XE36B	201933571
XP14-024-230	24200	15.5	12.5	21600	13500	8.5	CX38-36B	EL196UH070XE36B	201933570
XP14-024-230	23800	15.5	12.7	21400	13500	8.2	CX38-36B	EL296UH045XE36B	10086227
XP14-024-230	24400	15.7	13.2	21600	13600	8.5	CX38-36B	EL296UH045XV36B	10086190
XP14-024-230	24200	15.5	13	21600	13600	8.5	CX38-36B	EL296UH070XE36B	10086263
XP14-024-230	24400	16	13	21600	13500	8.5	CX38-36B	EL296UH070XV36B	10086185
XP14-024-230	24400	16	13	21600	13500	8.5	CX38-36B	ML180UH070E36B	10590727
XP14-024-230	24600	16	13	21600	13500	8.5	CX38-36B	SL280UH090V36B	10086174
XP14-024-230	24400	15.1	12.5	21600	13600	8.2	CX38-36B	SL280UH090V48B	10086080
XP14-024-230	24400	15.1	12.5	21600	13600	8.2	CX38-36B	SL280UH090XV48B	10086329
XP14-024-230	24400	16	13	21600	13500	8.5	CX38-36B	SLP98UH070XV36B	10086078
XP14-024-230	24400	16	13	21400	13500	8.5	CX38-36C	EL296UH090XV36C	10086202
XP14-024-230	24400	16	13	21400	13500	8.5	CX38-36C	SLP98UH090XV36C	10086083
XP14-030-230	30000	15.2	13.2	25800	16600	8.5	C37-31A	EL180UH045E36A	10086301
XP14-030-230	30000	15.2	13.2	25800	16600	8.5	C37-31A	ML180UH045E36A	10590628
XP14-030-230	30000	15.5	13.2	25600	16500	8.5	C37-31A	SL280UH070V36A	10086161
XP14-030-230	30000	15.5	13.2	25600	16500	8.5	C37-31A	SL280UH070XV36A	10086320
XP14-030-230	30000	15.7	13.5	25600	16400	8.5	C37-31B	EL180UH070E36B	10086275
XP14-030-230	30200	15.7	13.5	25600	16500	8.7	C37-31B	EL180UH090E48B	10086291
XP14-030-230	30000	15.2	13.2	25800	16700	8.5	C37-31B	EL195UH045XE36B	10086102
XP14-030-230	30200	15.2	13.2	25800	16700	8.5	C37-31B	EL195UH070XE36B	10086117
XP14-030-230	30000	15	13	25800	16700	8.5	C37-31B	EL196UH045XE36B	201933584
XP14-030-230	30200	15	13	25800	16600	8.5	C37-31B	EL196UH070XE36B	201933585
XP14-030-230	30000	15.2	13.2	25800	16700	8.5	C37-31B	EL296UH045XE36B	10086233
XP14-030-230	29800	15.2	13	25600	16600	8.5	C37-31B	EL296UH045XV36B	10086196
XP14-030-230	30200	15.2	13.2	25800	16700	8.5	C37-31B	EL296UH070XE36B	10086261
XP14-030-230	29800	15.5	13.2	25600	16500	8.5	C37-31B	EL296UH070XV36B	10086221
XP14-030-230	30000	15.7	13.5	25600	16400	8.5	C37-31B	ML180UH070E36B	10590728
XP14-030-230	30200	15.7	13.5	25600	16500	8.7	C37-31B	ML180UH090E48B	10590857
XP14-030-230	30000	15.7	13.5	25400	16400	8.5	C37-31B	SL280UH090V36B	10086177
XP14-030-230	30200	15.5	13.5	25800	16500	8.5	C37-31B	SL280UH090V48B	10086113
XP14-030-230	30200	15.5	13.5	25800	16500	8.5	C37-31B	SL280UH090XV48B	10086341

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-030-230	30000	15.2	13.2	25600	16600	8.5	C37-31B	SLP98UH070XV36B	10086150
XP14-030-230	29200	15.2	13	25400	16500	8.5	C37-36A	SL280UH070V36A	10086157
XP14-030-230	29200	15.2	13	25400	16500	8.5	C37-36A	SL280UH070XV36A	10086321
XP14-030-230	29200	15.2	13.2	25400	16400	8.5	C37-36B	EL180UH070E36B	10086282
XP14-030-230	29200	15.2	13.2	25400	16400	8.5	C37-36B	EL180UH090E48B	10086289
XP14-030-230	29200	14.7	12.7	25600	16600	8.5	C37-36B	EL195UH045XE36B	10086119
XP14-030-230	29400	15	12.7	25800	16700	8.5	C37-36B	EL195UH070XE36B	10086110
XP14-030-230	29200	14.5	12.5	25600	16600	8.5	C37-36B	EL196UH045XE36B	201933586
XP14-030-230	29400	15	12.5	25800	16600	8.5	C37-36B	EL196UH070XE36B	201933587
XP14-030-230	29200	14.7	12.7	25600	16600	8.5	C37-36B	EL296UH045XE36B	10086235
XP14-030-230	29000	14.7	12.7	25600	16600	8.2	C37-36B	EL296UH045XV36B	10086206
XP14-030-230	29400	15	12.7	25800	16700	8.5	C37-36B	EL296UH070XE36B	10086252
XP14-030-230	29000	15.2	13	25400	16400	8.5	C37-36B	EL296UH070XV36B	10086224
XP14-030-230	29200	15.2	13.2	25400	16400	8.5	C37-36B	ML180UH070E36B	10590734
XP14-030-230	29200	15.2	13.2	25400	16400	8.5	C37-36B	ML180UH090E48B	10590856
XP14-030-230	29200	15.2	13.2	25400	16300	8.5	C37-36B	SL280UH090V36B	10086168
XP14-030-230	29400	15.2	13	25600	16500	8.5	C37-36B	SL280UH090V48B	10086096
XP14-030-230	29400	15.2	13	25600	16500	8.5	C37-36B	SL280UH090XV48B	10086334
XP14-030-230	29200	15	13	25600	16500	8.5	C37-36B	SLP98UH070XV36B	10086112
XP14-030-230	29600	15.2	13	25800	16600	8.7	C37-36C	EL195UH090XE48C	10086108
XP14-030-230	29200	15	13	25400	16400	8.5	C37-36C	EL196UH090XE48C	201933588
XP14-030-230	29600	15.2	13	25800	16600	8.7	C37-36C	EL296UH090XE48C	10086234
XP14-030-230	29200	15.2	13.2	25400	16400	8.5	C37-36C	EL296UH090XV36C	10086307
XP14-030-230	29200	15.2	13.2	25400	16400	8.5	C37-36C	SLP98UH090XV36C	10086106
XP14-030-230	29600	15.2	13.2	25600	16600	8.7	C37-36C	SLP98UH090XV48C	10086124
XP14-030-230	30800	15.5	13.5	25800	16600	8.5	C37-38A	EL180UH045E36A	10086287
XP14-030-230	30800	15.5	13.5	25800	16600	8.5	C37-38A	ML180UH045E36A	10590622
XP14-030-230	30800	15.7	13.5	25600	16500	8.7	C37-38A	SL280UH070V36A	10086162
XP14-030-230	30800	15.7	13.5	25600	16500	8.7	C37-38A	SL280UH070XV36A	10086319
XP14-030-230	30400	14	12.2	26200	17200	8.2	C37-38A		10086053
XP14-030-230	30800	15.7	13.7	25600	16400	8.7	C37-38B	EL180UH070E36B	10086273
XP14-030-230	31000	15.7	13.7	25600	16500	8.7	C37-38B	EL180UH090E48B	10086268
XP14-030-230	30800	15.2	13.2	25800	16700	8.5	C37-38B	EL195UH045XE36B	10086109
XP14-030-230	31000	15.5	13.2	26000	16800	8.7	C37-38B	EL195UH070XE36B	10086138
XP14-030-230	30800	15	13	25800	16700	8.5	C37-38B	EL196UH045XE36B	201933590
XP14-030-230	31000	15.5	13	25800	16700	8.7	C37-38B	EL196UH070XE36B	201933589
XP14-030-230	30800	15.2	13.2	25800	16700	8.5	C37-38B	EL296UH045XE36B	10086240
XP14-030-230	30800	15.2	13.2	25800	16600	8.5	C37-38B	EL296UH045XV36B	10086204
XP14-030-230	31000	15.5	13.2	26000	16800	8.7	C37-38B	EL296UH070XE36B	10086251
XP14-030-230	30600	15.7	13.5	25600	16500	8.5	C37-38B	EL296UH070XV36B	10086192
XP14-030-230	30800	15.7	13.7	25600	16400	8.7	C37-38B	ML180UH070E36B	10590726
XP14-030-230	31000	15.7	13.7	25600	16500	8.7	C37-38B	ML180UH090E48B	10590854
XP14-030-230	30800	15.7	13.7	25400	16400	8.7	C37-38B	SL280UH090V36B	10086180
XP14-030-230	31000	15.7	13.7	25600	16600	8.7	C37-38B	SL280UH090V48B	10086091
XP14-030-230	31000	15.7	13.7	25600	16600	8.7	C37-38B	SL280UH090XV48B	10086330
XP14-030-230	30600	15.7	13.5	25600	16500	8.5	C37-38B	SLP98UH070XV36B	10086136
XP14-030-230	30400	14	12.2	26200	17200	8.2	C37-38B		201874759
XP14-030-230	30400	14	12.2	26200	17200	8.2	C37-38B		10086054
XP14-030-230	29200	15.2	13.2	25400	16400	8.5	C37-42B	EL180UH070E36B	10086276
XP14-030-230	29200	15.2	13.2	25400	16400	8.5	C37-42B	EL180UH090E48B	10086901
XP14-030-230	29200	14.7	12.7	25600	16600	8.5	C37-42B	EL195UH045XE36B	10086104
XP14-030-230	29400	15	12.7	25800	16700	8.5	C37-42B	EL195UH070XE36B	10086131
XP14-030-230	29200	14.5	12.5	25600	16600	8.5	C37-42B	EL196UH045XE36B	201933592
XP14-030-230	29400	15	12.5	25800	16600	8.5	C37-42B	EL196UH070XE36B	201933591
XP14-030-230	29200	14.7	12.7	25600	16600	8.5	C37-42B	EL296UH045XE36B	10086716

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-030-230	29000	14.7	12.7	25600	16600	8.2	C37-42B	EL296UH045XV36B	10086211
XP14-030-230	29400	15	12.7	25800	16700	8.5	C37-42B	EL296UH070XE36B	10086257
XP14-030-230	29000	15.2	13	25400	16400	8.5	C37-42B	EL296UH070XV36B	10086187
XP14-030-230	29200	15.2	13.2	25400	16400	8.5	C37-42B	ML180UH070E36B	10590729
XP14-030-230	29200	15.2	13.2	25400	16400	8.5	C37-42B	ML180UH090E48B	10590876
XP14-030-230	29200	15.2	13.2	25400	16300	8.5	C37-42B	SL280UH090V36B	10086175
XP14-030-230	29400	15.2	13	25600	16500	8.5	C37-42B	SL280UH090V48B	10086087
XP14-030-230	29400	15.2	13	25600	16500	8.5	C37-42B	SL280UH090XV48B	10086331
XP14-030-230	29200	15	13	25600	16500	8.5	C37-42B	SLP98UH070XV36B	10086118
XP14-030-230	30400	15.7	13.7	25600	16400	8.7	C37-43B	EL180UH070E36B	10086278
XP14-030-230	30600	16	13.5	25800	16500	8.5	C37-43B	EL180UH090E48B	10086288
XP14-030-230	30400	15.5	13.2	25800	16700	8.5	C37-43B	EL195UH045XE36B	10086121
XP14-030-230	30600	15.5	13.2	26000	16700	8.5	C37-43B	EL195UH070XE36B	10086097
XP14-030-230	30400	15.5	13	25800	16700	8.5	C37-43B	EL196UH045XE36B	201933593
XP14-030-230	30600	15.5	13	25800	16700	8.5	C37-43B	EL196UH070XE36B	201933594
XP14-030-230	30400	15.5	13.2	25800	16700	8.5	C37-43B	EL296UH045XE36B	10086250
XP14-030-230	30200	15.5	13.2	25800	16600	8.5	C37-43B	EL296UH045XV36B	10086210
XP14-030-230	30600	15.5	13.2	26000	16700	8.5	C37-43B	EL296UH070XE36B	10086238
XP14-030-230	30200	15.7	13.5	25600	16500	8.5	C37-43B	EL296UH070XV36B	10086203
XP14-030-230	30400	15.7	13.7	25600	16400	8.7	C37-43B	ML180UH070E36B	10590731
XP14-030-230	30600	16	13.5	25800	16500	8.5	C37-43B	ML180UH090E48B	10590855
XP14-030-230	30400	16	13.5	25600	16400	8.5	C37-43B	SL280UH090V36B	10086176
XP14-030-230	30600	15.7	13.5	25800	16600	8.7	C37-43B	SL280UH090V48B	10086093
XP14-030-230	30600	15.7	13.5	25800	16600	8.7	C37-43B	SL280UH090XV48B	10086333
XP14-030-230	30400	15.7	13.5	25800	16600	8.5	C37-43B	SLP98UH070XV36B	10086142
XP14-030-230	30800	15.7	13.5	26000	16700	8.7	C37-43C	EL195UH090XE48C	10086103
XP14-030-230	30600	15.5	12.5	25600	16400	8.7	C37-43C	EL196UH090XE48C	201933595
XP14-030-230	30800	15.7	13.5	26000	16700	8.7	C37-43C	EL296UH090XE48C	10086239
XP14-030-230	30400	16	13.5	25600	16400	8.5	C37-43C	EL296UH090XV36C	10086220
XP14-030-230	30800	16	13.5	25800	16500	8.5	C37-43C	EL296UH090XV48C	10086215
XP14-030-230	30400	16	13.5	25600	16400	8.5	C37-43C	SLP98UH090XV36C	10086137
XP14-030-230	30800	16	13.5	25800	16500	8.5	C37-43C	SLP98UH090XV48C	10086101
XP14-030-230	29600	15.5	13.2	25400	16300	8.2	C37-48B	EL180UH070E36B	10086272
XP14-030-230	29800	15.5	13.2	25400	16400	8.5	C37-48B	EL180UH090E48B	10086293
XP14-030-230	29600	15	13	25600	16600	8.2	C37-48B	EL195UH045XE36B	10086145
XP14-030-230	30000	15	13	25800	16600	8.2	C37-48B	EL195UH070XE36B	10086114
XP14-030-230	29600	15	12.5	25600	16600	8.2	C37-48B	EL196UH045XE36B	201933597
XP14-030-230	30000	15	12.5	25600	16600	8.2	C37-48B	EL196UH070XE36B	201933596
XP14-030-230	29600	15	13	25600	16600	8.2	C37-48B	EL296UH045XE36B	10086255
XP14-030-230	29600	15	13	25600	16500	8.2	C37-48B	EL296UH045XV36B	10086188
XP14-030-230	30000	15	13	25800	16600	8.2	C37-48B	EL296UH070XE36B	10086249
XP14-030-230	29600	15.2	13.2	25400	16400	8.2	C37-48B	EL296UH070XV36B	10086209
XP14-030-230	29600	15.5	13.2	25400	16300	8.2	C37-48B	ML180UH070E36B	10590725
XP14-030-230	29800	15.5	13.2	25400	16400	8.5	C37-48B	ML180UH090E48B	10590858
XP14-030-230	29600	15.5	13.2	25400	16300	8.2	C37-48B	SL280UH090V36B	10086164
XP14-030-230	29800	15.2	13.2	25600	16400	8.5	C37-48B	SL280UH090V48B	10086089
XP14-030-230	29800	15.2	13.2	25600	16400	8.5	C37-48B	SL280UH090XV48B	10086335
XP14-030-230	29600	15.2	13	25600	16500	8.2	C37-48B	SLP98UH070XV36B	10086148
XP14-030-230	30200	15.2	13.2	25800	16600	8.5	C37-48C	EL195UH090XE48C	10086120
XP14-030-230	29800	15	13	25400	16300	8.5	C37-48C	EL196UH090XE48C	201933598
XP14-030-230	30200	15.2	13.2	25800	16600	8.5	C37-48C	EL296UH090XE48C	10086243
XP14-030-230	29600	15.5	13.2	25400	16300	8.2	C37-48C	EL296UH090XV36C	10086217
XP14-030-230	30000	15.5	13.2	25600	16500	8.5	C37-48C	EL296UH090XV48C	10086218
XP14-030-230	29600	15.5	13.2	25400	16300	8.2	C37-48C	SLP98UH090XV36C	10086143
XP14-030-230	30000	15	13	26000	16600	8.5	CBA27UHE-030-230		10260311

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-030-230	30000	14.5	12.5	25200	16000	8.5	CBA38MV-030-230		201842208
XP14-030-230	29400	15	12.5	24800	15800	8.5	CBA38MV-036-230		201842209
XP14-030-230	28200	14	12	26200	17100	8.2	CBX25UH-030-230		5727004
XP14-030-230	28200	14	12	26600	17100	8.2	CBX25UH-036-230		5796508
XP14-030-230	28600	15	12.5	25600	16400	8.5	CBX25UHV-030-230		6970217
XP14-030-230	30000	15	13	26400	16800	9	CBX27UH-030-230		5431515
XP14-030-230	30000	15	13	26200	16700	9	CBX27UH-036-230		5431516
XP14-030-230	29200	14.5	12.5	26200	16900	8.7	CBX32M-030		5431517
XP14-030-230	30000	14.5	12	26800	17300	8.7	CBX32M-036		5431518
XP14-030-230	29800	15.2	13.2	25800	16600	8.5	CH23-41	EL180UH045E36A	5741768
XP14-030-230	29800	15.5	13.5	25600	16400	8.7	CH23-41	EL180UH070E36B	5742050
XP14-030-230	29800	15.7	13.5	25600	16400	8.7	CH23-41	EL180UH090E48B	5742368
XP14-030-230	29600	15	13	25800	16600	8.5	CH23-41	EL195UH045XE36B	5431596
XP14-030-230	29600	15	12.7	25800	16700	8.5	CH23-41	EL195UH070XE36B	5431568
XP14-030-230	29600	15	12.5	25800	16600	8.5	CH23-41	EL196UH045XE36B	201933572
XP14-030-230	29600	15	12.5	25800	16600	8.5	CH23-41	EL196UH070XE36B	201933573
XP14-030-230	29600	15	13	25800	16600	8.5	CH23-41	EL296UH045XE36B	5650678
XP14-030-230	29400	15.2	13.2	25600	16400	8.5	CH23-41	EL296UH045XV36B	5562700
XP14-030-230	29600	15	12.7	25800	16700	8.5	CH23-41	EL296UH070XE36B	5650651
XP14-030-230	29400	15.5	13.2	25400	16300	8.5	CH23-41	EL296UH070XV36B	5562713
XP14-030-230	29800	15.2	13.2	25800	16600	8.5	CH23-41	ML180UH045E36A	10590588
XP14-030-230	29800	15.5	13.5	25600	16400	8.7	CH23-41	ML180UH070E36B	10590667
XP14-030-230	29800	15.7	13.5	25600	16400	8.7	CH23-41	ML180UH090E48B	10590797
XP14-030-230	29400	15.7	13.5	25400	16300	8.5	CH23-41	SL280UH090V36B	5532475
XP14-030-230	29800	15.5	13.2	25600	16400	8.7	CH23-41	SL280UH090V48B	5431529
XP14-030-230	29800	15.5	13.2	25600	16400	8.7	CH23-41	SL280UH090XV48B	8133208
XP14-030-230	29600	15.2	13.2	25600	16400	8.5	CH23-41	SLP98UH070XV36B	5431637
XP14-030-230	29600	15.7	13.2	25600	16500	8.7	CH23-51	EL180UH070E36B	5742042
XP14-030-230	29800	15.7	13.2	25800	16500	8.7	CH23-51	EL180UH090E48B	5742358
XP14-030-230	29600	15.2	13	25800	16700	8.5	CH23-51	EL195UH045XE36B	5431597
XP14-030-230	29600	15	12.7	26000	16700	8.5	CH23-51	EL195UH070XE36B	5431569
XP14-030-230	29600	15	12.5	25800	16700	8.5	CH23-51	EL196UH045XE36B	201933574
XP14-030-230	29600	15	12.5	25800	16700	8.5	CH23-51	EL196UH070XE36B	201933575
XP14-030-230	29600	15.2	13	25800	16700	8.5	CH23-51	EL296UH045XE36B	5650672
XP14-030-230	29600	15	12.7	26000	16700	8.5	CH23-51	EL296UH070XE36B	5650646
XP14-030-230	29400	15.5	13.2	25400	16400	8.7	CH23-51	EL296UH090XV36C	5562721
XP14-030-230	29800	15.7	13.5	25800	16500	8.7	CH23-51	EL296UH090XV48C	5562727
XP14-030-230	29600	15.7	13.2	25600	16500	8.7	CH23-51	ML180UH070E36B	10590659
XP14-030-230	29800	15.7	13.2	25800	16500	8.7	CH23-51	ML180UH090E48B	10590787
XP14-030-230	29400	15.5	13.2	25400	16400	8.7	CH23-51	SLP98UH090XV36C	5431614
XP14-030-230	29800	15.2	13	26000	16800	8.7	CH33-31A	EL180UH045E36A	5741765
XP14-030-230	29800	15.2	13	26000	16800	8.7	CH33-31A	ML180UH045E36A	10590585
XP14-030-230	30000	15.2	13.2	26000	16700	8.7	CH33-31A	SL280UH070V36A	5532375
XP14-030-230	30000	15.2	13.2	26000	16700	8.7	CH33-31A	SL280UH070XV36A	8133180
XP14-030-230	29600	14	12.2	26600	17300	8.2	CH33-31A		5431403
XP14-030-230	30400	15.7	13.5	25800	16500	8.7	CH33-31B	EL180UH070E36B	5742047
XP14-030-230	30400	15.7	13.7	25600	16500	8.7	CH33-31B	EL180UH090E48B	5742359
XP14-030-230	30200	15.2	13.2	25800	16700	8.5	CH33-31B	EL195UH045XE36B	5431598
XP14-030-230	30400	15.5	13.2	26000	16800	8.7	CH33-31B	EL195UH070XE36B	5431570
XP14-030-230	30200	15	13	25800	16700	8.5	CH33-31B	EL196UH045XE36B	201933576
XP14-030-230	30400	15.5	13	26000	16700	8.7	CH33-31B	EL196UH070XE36B	201933577
XP14-030-230	30200	15.2	13.2	25800	16700	8.5	CH33-31B	EL296UH045XE36B	5650644
XP14-030-230	30000	15.2	13.2	25800	16600	8.5	CH33-31B	EL296UH045XV36B	5562688
XP14-030-230	30400	15.5	13.2	26000	16800	8.7	CH33-31B	EL296UH070XE36B	5650663
XP14-030-230	30000	15.7	13.2	25600	16500	8.5	CH33-31B	EL296UH070XV36B	5562711

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-030-230	30400	15.7	13.5	25800	16500	8.7	CH33-31B	ML180UH070E36B	10590664
XP14-030-230	30400	15.7	13.7	25600	16500	8.7	CH33-31B	ML180UH090E48B	10590788
XP14-030-230	30200	15.7	13.7	25600	16400	8.7	CH33-31B	SL280UH090V36B	5532468
XP14-030-230	30400	15.7	13.5	25800	16600	8.7	CH33-31B	SL280UH090V48B	5431445
XP14-030-230	30400	15.7	13.5	25800	16600	8.7	CH33-31B	SL280UH090XV48B	8133200
XP14-030-230	30200	15.5	13.2	25800	16600	8.7	CH33-31B	SLP98UH070XV36B	5431617
XP14-030-230	29800	14	12.2	26400	17200	8.2	CH33-31B		5431404
XP14-030-230	29000	14.7	12.7	25600	16600	8.2	CH33-36A	EL180UH045E36A	5741766
XP14-030-230	29000	14.7	12.7	25600	16600	8.2	CH33-36A	ML180UH045E36A	10590586
XP14-030-230	29000	14.7	12.7	25600	16600	8.2	CH33-36A	SL280UH070V36A	5532378
XP14-030-230	29000	14.7	12.7	25600	16600	8.2	CH33-36A	SL280UH070XV36A	8133183
XP14-030-230	29600	15.2	13.2	25600	16500	8.5	CH33-36B	EL180UH070E36B	5742044
XP14-030-230	29400	15.2	13.2	25600	16400	8.7	CH33-36B	EL180UH090E48B	5742361
XP14-030-230	29400	14.7	12.7	25800	16600	8.5	CH33-36B	EL195UH045XE36B	5431599
XP14-030-230	29600	15	12.7	26000	16700	8.5	CH33-36B	EL195UH070XE36B	5431571
XP14-030-230	29400	14.5	12.5	25800	16600	8.5	CH33-36B	EL196UH045XE36B	201933578
XP14-030-230	29600	15	12.5	25800	16600	8.5	CH33-36B	EL196UH070XE36B	201933579
XP14-030-230	29400	14.7	12.7	25800	16600	8.5	CH33-36B	EL296UH045XE36B	5650661
XP14-030-230	29200	14.7	12.7	25600	16600	8.5	CH33-36B	EL296UH045XV36B	5562692
XP14-030-230	29600	15	12.7	26000	16700	8.5	CH33-36B	EL296UH070XE36B	5650680
XP14-030-230	29200	15.2	13	25600	16400	8.5	CH33-36B	EL296UH070XV36B	5562715
XP14-030-230	29600	15.2	13.2	25600	16500	8.5	CH33-36B	ML180UH070E36B	10590661
XP14-030-230	29400	15.2	13.2	25600	16400	8.7	CH33-36B	ML180UH090E48B	10590790
XP14-030-230	29200	15.2	13.2	25400	16400	8.5	CH33-36B	SL280UH090V36B	5532469
XP14-030-230	29600	15.2	13.2	25600	16500	8.5	CH33-36B	SL280UH090V48B	5431468
XP14-030-230	29600	15.2	13.2	25600	16500	8.5	CH33-36B	SL280UH090XV48B	8133202
XP14-030-230	29400	15.2	13	25600	16500	8.5	CH33-36B	SLP98UH070XV36B	5431618
XP14-030-230	29800	15.2	13	26000	16700	8.7	CH33-36C	EL195UH090XE48C	5431587
XP14-030-230	29400	15	13	25600	16400	8.7	CH33-36C	EL196UH090XE48C	201933582
XP14-030-230	29800	15.2	13	26000	16700	8.7	CH33-36C	EL296UH090XE48C	5650682
XP14-030-230	29400	15.5	13.2	25600	16500	8.7	CH33-36C	EL296UH090XV36C	5562723
XP14-030-230	30000	15.5	13.2	26000	16700	8.7	CH33-36C	EL296UH090XV48C	5562728
XP14-030-230	29400	15.5	13.2	25600	16500	8.7	CH33-36C	SLP98UH090XV36C	5431619
XP14-030-230	30000	15.5	13.2	26000	16700	8.7	CH33-36C	SLP98UH090XV48C	5431623
XP14-030-230	30000	15.7	13.2	25600	16500	8.5	CH33-42	EL180UH070E36B	5742049
XP14-030-230	30000	15.7	13.5	25600	16500	8.7	CH33-42	EL180UH090E48B	5742367
XP14-030-230	30000	15.2	13.2	25800	16600	8.5	CH33-42	EL195UH045XE36B	5431600
XP14-030-230	30200	15.2	13.2	25800	16700	8.5	CH33-42	EL195UH070XE36B	5431572
XP14-030-230	30000	15	13	25800	16700	8.5	CH33-42	EL196UH045XE36B	201933580
XP14-030-230	30200	15	13	25800	16600	8.5	CH33-42	EL196UH070XE36B	201933581
XP14-030-230	30000	15.2	13.2	25800	16600	8.5	CH33-42	EL296UH045XE36B	5650655
XP14-030-230	29800	15.2	13	25600	16600	8.5	CH33-42	EL296UH045XV36B	5562697
XP14-030-230	30200	15.2	13.2	25800	16700	8.5	CH33-42	EL296UH070XE36B	5650675
XP14-030-230	29800	15.5	13.2	25600	16400	8.5	CH33-42	EL296UH070XV36B	5562708
XP14-030-230	30000	15.7	13.2	25600	16500	8.5	CH33-42	ML180UH070E36B	10590666
XP14-030-230	30000	15.7	13.5	25600	16500	8.7	CH33-42	ML180UH090E48B	10590796
XP14-030-230	29800	15.7	13.5	25400	16400	8.5	CH33-42	SL280UH090V36B	5532474
XP14-030-230	30200	15.5	13.5	25800	16500	8.7	CH33-42	SL280UH090V48B	5431496
XP14-030-230	30200	15.5	13.5	25800	16500	8.7	CH33-42	SL280UH090XV48B	8133206
XP14-030-230	30000	15.5	13.2	25600	16600	8.5	CH33-42	SLP98UH070XV36B	5431628
XP14-030-230	30400	16	13.5	25600	16400	8.5	CH33-43	EL296UH090XV36C	5562718
XP14-030-230	31000	16	14	25800	16500	8.5	CH33-43	EL296UH090XV48C	5562724
XP14-030-230	30400	16	13.5	25600	16400	8.5	CH33-43	SLP98UH090XV36C	5431629
XP14-030-230	31000	16	14	25800	16500	8.5	CH33-43	SLP98UH090XV48C	5431630
XP14-030-230	30000	14.2	12.2	26400	17200	8.2	CH33-43		5431412

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-030-230	31000	15.7	13.7	26000	16700	8.7	CH33-43C	EL195UH090XE48C	5431588
XP14-030-230	30600	15.5	12.5	25600	16500	8.7	CH33-43C	EL196UH090XE48C	201933583
XP14-030-230	31000	15.7	13.7	26000	16700	8.7	CH33-43C	EL296UH090XE48C	5650677
XP14-030-230	29800	15	13	27000	17300	8.7	CR33-30/36	EL180DF045E36A	5741529
XP14-030-230	29800	15.5	13.2	26800	17100	9	CR33-30/36	EL180DF070E36B	5741559
XP14-030-230	29800	15.5	13.2	26800	17100	9	CR33-30/36	EL180DF090E48B	5741583
XP14-030-230	29600	15	12.7	27000	17300	8.7	CR33-30/36	EL195DF045XE36B	5431574
XP14-030-230	30000	15.2	13.2	27000	17300	9	CR33-30/36	EL195DF070XE48B	5431575
XP14-030-230	29600	15.2	13.2	26800	17100	8.7	CR33-30/36	EL195DF090XE48C	5431576
XP14-030-230	29600	15	12.7	27000	17300	8.7	CR33-30/36	EL296DF045XE36B	5650641
XP14-030-230	29600	15.2	13.2	26800	17100	8.7	CR33-30/36	EL296DF045XV36B	5562683
XP14-030-230	30000	15.2	13.2	27000	17300	9	CR33-30/36	EL296DF070XE48B	5650658
XP14-030-230	29600	15	13	26800	17200	8.7	CR33-30/36	EL296DF070XV48B	5562684
XP14-030-230	29600	15.2	13.2	26800	17100	8.7	CR33-30/36	EL296DF090XE48C	5650652
XP14-030-230	29800	15	13	27000	17300	8.7	CR33-30/36	ML180DF045E36A	10590540
XP14-030-230	29800	15.5	13.2	26800	17100	9	CR33-30/36	ML180DF070E36B	10590546
XP14-030-230	29800	15.5	13.2	26800	17100	9	CR33-30/36	ML180DF090E48B	10590554
XP14-030-230	29600	15.2	13	26800	17200	8.7	CR33-30/36	SL280DF070V36A	5431500
XP14-030-230	29600	15.2	13.2	26800	17100	8.7	CR33-30/36	SL280DF090V48B	5532331
XP14-030-230	29600	15.2	13	26800	17200	8.7	CR33-30/36	SLP98DF070XV36B	5431631
XP14-030-230	29800	15.5	13.2	26800	17100	9	CR33-30/36	SLP98DF090XV36C	5431632
XP14-030-230	29600	15.2	13.2	26800	17100	8.7	CR33-30/36	SLP98DF090XV48C	5431633
XP14-030-230	30000	15.2	13.2	25800	16600	8.5	CX38-31A	EL180UH045E36A	10086295
XP14-030-230	30000	15.2	13.2	25800	16600	8.5	CX38-31A	ML180UH045E36A	10590624
XP14-030-230	30000	15.5	13.2	25600	16500	8.5	CX38-31A	SL280UH070V36A	10086159
XP14-030-230	30000	15.5	13.2	25600	16500	8.5	CX38-31A	SL280UH070XV36A	10086318
XP14-030-230	30000	15.7	13.5	25600	16400	8.5	CX38-31B	EL180UH070E36B	10086284
XP14-030-230	30200	15.7	13.5	25600	16500	8.7	CX38-31B	EL180UH090E48B	10086302
XP14-030-230	30000	15.2	13.2	25800	16700	8.5	CX38-31B	EL195UH045XE36B	10086105
XP14-030-230	30200	15.2	13.2	25800	16700	8.5	CX38-31B	EL195UH070XE36B	10086132
XP14-030-230	30000	15	13	25800	16700	8.5	CX38-31B	EL196UH045XE36B	201933600
XP14-030-230	30200	15	13	25800	16600	8.5	CX38-31B	EL196UH070XE36B	201933599
XP14-030-230	30000	15.2	13.2	25800	16700	8.5	CX38-31B	EL296UH045XE36B	10086264
XP14-030-230	29800	15.2	13	25600	16600	8.5	CX38-31B	EL296UH045XV36B	10086193
XP14-030-230	30200	15.2	13.2	25800	16700	8.5	CX38-31B	EL296UH070XE36B	10086265
XP14-030-230	29800	15.5	13.2	25600	16500	8.5	CX38-31B	EL296UH070XV36B	10086183
XP14-030-230	30000	15.7	13.5	25600	16400	8.5	CX38-31B	ML180UH070E36B	10590736
XP14-030-230	30200	15.7	13.5	25600	16500	8.7	CX38-31B	ML180UH090E48B	10590860
XP14-030-230	30000	15.7	13.5	25400	16400	8.5	CX38-31B	SL280UH090V36B	10086169
XP14-030-230	30200	15.5	13.5	25800	16500	8.5	CX38-31B	SL280UH090V48B	10086090
XP14-030-230	30200	15.5	13.5	25800	16500	8.5	CX38-31B	SL280UH090XV48B	10086336
XP14-030-230	30000	15.2	13.2	25600	16600	8.5	CX38-31B	SLP98UH070XV36B	10086125
XP14-030-230	29200	15.2	13	25400	16500	8.5	CX38-36A	SL280UH070V36A	10086155
XP14-030-230	29200	15.2	13	25400	16500	8.5	CX38-36A	SL280UH070XV36A	10086322
XP14-030-230	29200	15.2	13.2	25400	16400	8.5	CX38-36B	EL180UH070E36B	10086294
XP14-030-230	29200	15.2	13.2	25400	16400	8.5	CX38-36B	EL180UH090E48B	10086304
XP14-030-230	29200	14.7	12.7	25600	16600	8.5	CX38-36B	EL195UH045XE36B	10086122
XP14-030-230	29400	15	12.7	25800	16700	8.5	CX38-36B	EL195UH070XE36B	10086144
XP14-030-230	29200	14.5	12.5	25600	16600	8.5	CX38-36B	EL196UH045XE36B	201933603
XP14-030-230	29400	15	12.5	25800	16600	8.5	CX38-36B	EL196UH070XE36B	201933602
XP14-030-230	29200	14.7	12.7	25600	16600	8.5	CX38-36B	EL296UH045XE36B	10086254
XP14-030-230	29000	14.7	12.7	25600	16600	8.2	CX38-36B	EL296UH045XV36B	10086208
XP14-030-230	29400	15	12.7	25800	16700	8.5	CX38-36B	EL296UH070XE36B	10086244
XP14-030-230	29000	15.2	13	25400	16400	8.5	CX38-36B	EL296UH070XV36B	10086219
XP14-030-230	29200	15.2	13.2	25400	16400	8.5	CX38-36B	ML180UH070E36B	10590738

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-030-230	29200	15.2	13.2	25400	16400	8.5	CX38-36B	ML180UH090E48B	10590861
XP14-030-230	29200	15.2	13.2	25400	16300	8.5	CX38-36B	SL280UH090V36B	10086165
XP14-030-230	29400	15.2	13	25600	16500	8.5	CX38-36B	SL280UH090V48B	10086094
XP14-030-230	29400	15.2	13	25600	16500	8.5	CX38-36B	SL280UH090XV48B	10086337
XP14-030-230	29200	15	13	25600	16500	8.5	CX38-36B	SLP98UH070XV36B	10086130
XP14-030-230	29600	15.2	13	25800	16600	8.7	CX38-36C	EL195UH090XE48C	10086134
XP14-030-230	29200	15	13	25400	16400	8.5	CX38-36C	EL196UH090XE48C	201933601
XP14-030-230	29600	15.2	13	25800	16600	8.7	CX38-36C	EL296UH090XE48C	10086242
XP14-030-230	29200	15.2	13.2	25400	16400	8.5	CX38-36C	EL296UH090XV36C	10086306
XP14-030-230	29200	15.2	13.2	25400	16400	8.5	CX38-36C	SLP98UH090XV36C	10086128
XP14-030-230	29600	15.2	13.2	25600	16600	8.7	CX38-36C	SLP98UH090XV48C	10086127
XP14-030-230	30800	15.5	13.5	25800	16600	8.5	CX38-38A	EL180UH045E36A	10086296
XP14-030-230	30800	15.5	13.5	25800	16600	8.5	CX38-38A	ML180UH045E36A	10590625
XP14-030-230	30800	15.7	13.5	25600	16500	8.7	CX38-38A	SL280UH070V36A	10086152
XP14-030-230	30800	15.7	13.5	25600	16500	8.7	CX38-38A	SL280UH070XV36A	10086323
XP14-030-230	30400	14	12.2	26200	17200	8.2	CX38-38A		10086055
XP14-030-230	30800	15.7	13.7	25600	16400	8.7	CX38-38B	EL180UH070E36B	10086271
XP14-030-230	31000	15.7	13.7	25600	16500	8.7	CX38-38B	EL180UH090E48B	10086298
XP14-030-230	30800	15.2	13.2	25800	16700	8.5	CX38-38B	EL195UH045XE36B	10086146
XP14-030-230	30600	15.5	13.2	25600	16500	8.5	CX38-38B	EL195UH070XE36B	10086139
XP14-030-230	30800	15	13	25800	16700	8.5	CX38-38B	EL196UH045XE36B	201933604
XP14-030-230	30600	15.5	13	25600	16700	8.5	CX38-38B	EL196UH070XE36B	201933605
XP14-030-230	30800	15.2	13.2	25800	16700	8.5	CX38-38B	EL296UH045XE36B	10086259
XP14-030-230	30800	15.2	13.2	25800	16600	8.5	CX38-38B	EL296UH045XV36B	10086212
XP14-030-230	30600	15.5	13.2	25600	16500	8.5	CX38-38B	EL296UH070XE36B	10086258
XP14-030-230	30600	15.7	13.5	25600	16500	8.5	CX38-38B	EL296UH070XV36B	10086213
XP14-030-230	30800	15.7	13.7	25600	16400	8.7	CX38-38B	ML180UH070E36B	10590724
XP14-030-230	31000	15.7	13.7	25600	16500	8.7	CX38-38B	ML180UH090E48B	10590859
XP14-030-230	30800	15.7	13.7	25400	16400	8.7	CX38-38B	SL280UH090V36B	10086178
XP14-030-230	31000	15.7	13.7	25600	16600	8.7	CX38-38B	SL280UH090V48B	10086092
XP14-030-230	31000	15.7	13.7	25600	16600	8.7	CX38-38B	SL280UH090XV48B	10086338
XP14-030-230	30600	15.7	13.5	25600	16500	8.5	CX38-38B	SLP98UH070XV36B	10086126
XP14-030-230	30400	14	12.2	26200	17200	8.2	CX38-38B		201874952
XP14-030-230	30400	14	12.2	26200	17200	8.2	CX38-38B		10086056
XP14-030-230	29200	15.2	13.2	25400	16400	8.5	CX38-42B	EL180UH070E36B	10086270
XP14-030-230	29200	15.2	13.2	25400	16400	8.5	CX38-42B	EL180UH090E48B	10086305
XP14-030-230	29200	14.7	12.7	25600	16600	8.5	CX38-42B	EL195UH045XE36B	10086140
XP14-030-230	29400	15	12.7	25800	16700	8.5	CX38-42B	EL195UH070XE36B	10086133
XP14-030-230	29200	14.5	12.5	25600	16600	8.5	CX38-42B	EL196UH045XE36B	201933606
XP14-030-230	29400	15	12.5	25800	16600	8.5	CX38-42B	EL196UH070XE36B	201933607
XP14-030-230	29200	14.7	12.7	25600	16600	8.5	CX38-42B	EL296UH045XE36B	10086245
XP14-030-230	29000	14.7	12.7	25600	16600	8.2	CX38-42B	EL296UH045XV36B	10086181
XP14-030-230	29400	15	12.7	25800	16700	8.5	CX38-42B	EL296UH070XE36B	10086262
XP14-030-230	29000	15.2	13	25400	16400	8.5	CX38-42B	EL296UH070XV36B	10086222
XP14-030-230	29200	15.2	13.2	25400	16400	8.5	CX38-42B	ML180UH070E36B	10590723
XP14-030-230	29200	15.2	13.2	25400	16400	8.5	CX38-42B	ML180UH090E48B	10590862
XP14-030-230	29200	15.2	13.2	25400	16300	8.5	CX38-42B	SL280UH090V36B	10086170
XP14-030-230	29400	15.2	13	25600	16500	8.5	CX38-42B	SL280UH090V48B	10086095
XP14-030-230	29400	15.2	13	25600	16500	8.5	CX38-42B	SL280UH090XV48B	10086339
XP14-030-230	29200	15	13	25600	16500	8.5	CX38-42B	SLP98UH070XV36B	10086129
XP14-030-230	30400	15.7	13.7	25600	16400	8.7	CX38-43B	EL180UH070E36B	10086277
XP14-030-230	30600	16	13.5	25800	16500	8.5	CX38-43B	EL180UH090E48B	10086726
XP14-030-230	30400	15.5	13.2	25800	16700	8.5	CX38-43B	EL195UH045XE36B	10086135
XP14-030-230	30600	15.5	13.2	26000	16700	8.5	CX38-43B	EL195UH070XE36B	10086098
XP14-030-230	30400	15.5	13	25800	16700	8.5	CX38-43B	EL196UH045XE36B	201933610

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-030-230	30600	15.5	13	25800	16700	8.5	CX38-43B	EL196UH070XE36B	201933609
XP14-030-230	30400	15.5	13.2	25800	16700	8.5	CX38-43B	EL296UH045XE36B	10086266
XP14-030-230	30200	15.5	13.2	25800	16600	8.5	CX38-43B	EL296UH045XV36B	10086200
XP14-030-230	30600	15.5	13.2	26000	16700	8.5	CX38-43B	EL296UH070XE36B	10086247
XP14-030-230	30200	15.7	13.5	25600	16500	8.5	CX38-43B	EL296UH070XV36B	10086216
XP14-030-230	30400	15.7	13.7	25600	16400	8.7	CX38-43B	ML180UH070E36B	10590730
XP14-030-230	30600	16	13.5	25800	16500	8.5	CX38-43B	ML180UH090E48B	10590875
XP14-030-230	30400	16	13.5	25600	16400	8.5	CX38-43B	SL280UH090V36B	10086173
XP14-030-230	30600	15.7	13.5	25800	16600	8.7	CX38-43B	SL280UH090V48B	10086107
XP14-030-230	30600	15.7	13.5	25800	16600	8.7	CX38-43B	SL280UH090XV48B	10086340
XP14-030-230	30400	15.7	13.5	25800	16600	8.5	CX38-43B	SLP98UH070XV36B	10086123
XP14-030-230	30800	15.7	13.5	26000	16700	8.7	CX38-43C	EL195UH090XE48C	10086099
XP14-030-230	30600	15.5	12.5	25600	16400	8.7	CX38-43C	EL196UH090XE48C	201933608
XP14-030-230	30800	15.7	13.5	26000	16700	8.7	CX38-43C	EL296UH090XE48C	10086248
XP14-030-230	30400	16	13.5	25600	16400	8.5	CX38-43C	EL296UH090XV36C	10086225
XP14-030-230	30800	16	13.5	25800	16500	8.5	CX38-43C	EL296UH090XV48C	10086226
XP14-030-230	30400	16	13.5	25600	16400	8.5	CX38-43C	SLP98UH090XV36C	10086147
XP14-030-230	30800	16	13.5	25800	16500	8.5	CX38-43C	SLP98UH090XV48C	10086141
XP14-030-230	29600	15.5	13.2	25400	16300	8.2	CX38-44/48B	EL180UH070E36B	10086281
XP14-030-230	29800	15.5	13.2	25400	16400	8.5	CX38-44/48B	EL180UH090E48B	10086267
XP14-030-230	29600	15	13	25600	16600	8.2	CX38-44/48B	EL195UH045XE36B	10086100
XP14-030-230	30000	15	13	25800	16600	8.2	CX38-44/48B	EL195UH070XE36B	10086115
XP14-030-230	29600	15	12.5	25600	16600	8.2	CX38-44/48B	EL196UH045XE36B	201933612
XP14-030-230	30000	15	12.5	25600	16600	8.2	CX38-44/48B	EL196UH070XE36B	201933611
XP14-030-230	29600	15	13	25600	16600	8.2	CX38-44/48B	EL296UH045XE36B	10086260
XP14-030-230	29600	15	13	25600	16500	8.2	CX38-44/48B	EL296UH045XV36B	10086186
XP14-030-230	30000	15	13	25800	16600	8.2	CX38-44/48B	EL296UH070XE36B	10086253
XP14-030-230	29600	15.2	13.2	25400	16400	8.2	CX38-44/48B	EL296UH070XV36B	10086199
XP14-030-230	29600	15.5	13.2	25400	16300	8.2	CX38-44/48B	ML180UH070E36B	10590733
XP14-030-230	29800	15.5	13.2	25400	16400	8.5	CX38-44/48B	ML180UH090E48B	10590853
XP14-030-230	29600	15.5	13.2	25400	16300	8.2	CX38-44/48B	SL280UH090V36B	10086167
XP14-030-230	29800	15.2	13.2	25600	16400	8.5	CX38-44/48B	SL280UH090V48B	10086088
XP14-030-230	29800	15.2	13.2	25600	16400	8.5	CX38-44/48B	SL280UH090XV48B	10086332
XP14-030-230	29600	15.2	13	25600	16500	8.2	CX38-44/48B	SLP98UH070XV36B	10086111
XP14-030-230	30200	15.2	13.2	25800	16600	8.5	CX38-44/48C	EL195UH090XE48C	10086116
XP14-030-230	29800	15	13	25400	16300	8.5	CX38-44/48C	EL196UH090XE48C	201933613
XP14-030-230	30200	15.2	13.2	25800	16600	8.5	CX38-44/48C	EL296UH090XE48C	10086256
XP14-030-230	29600	15.5	13.2	25400	16300	8.2	CX38-44/48C	EL296UH090XV36C	10086214
XP14-030-230	30000	15.5	13.2	25600	16500	8.5	CX38-44/48C	EL296UH090XV48C	10086223
XP14-030-230	29600	15.5	13.2	25400	16300	8.2	CX38-44/48C	SLP98UH090XV36C	10086149
XP14-036-230	34200	15	12.5	32800	20800	8.2	C37-38A	EL180UH045E36A	10084750
XP14-036-230	34200	15	12.5	32800	20800	8.2	C37-38A	ML180UH045E36A	10589568
XP14-036-230	34200	15	12.5	32800	20800	8.2	C37-38A	SL280UH070V36A	10084501
XP14-036-230	34200	15	12.5	32800	20800	8.2	C37-38A	SL280UH070XV36A	10085013
XP14-036-230	34200	15.7	13	32400	20400	8.5	C37-38B	EL180UH070E36B	10084739
XP14-036-230	34600	15.5	13	32600	20600	8.5	C37-38B	EL180UH090E48B	10084734
XP14-036-230	33800	15	12.5	32600	20600	8.2	C37-38B	EL195UH045XE36B	10084360
XP14-036-230	34000	15.2	12.5	32600	20800	8.2	C37-38B	EL195UH070XE36B	10084379
XP14-036-230	33800	15	12.5	32600	20800	8.2	C37-38B	EL196UH045XE36B	201933632
XP14-036-230	34000	15	12.5	32600	20600	8.2	C37-38B	EL196UH070XE36B	201933625
XP14-036-230	33800	15	12.5	32600	20600	8.2	C37-38B	EL296UH045XE36B	10084602
XP14-036-230	34200	15	12.5	32800	20800	8.2	C37-38B	EL296UH045XV36B	10084553
XP14-036-230	34000	15.2	12.5	32600	20800	8.2	C37-38B	EL296UH070XE36B	10084620
XP14-036-230	34200	15	12.5	32800	20800	8.2	C37-38B	EL296UH070XV36B	10084554
XP14-036-230	34200	15	12.5	32800	20800	8.2	C37-38B	ML180UH045E36A	201874770

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-036-230	34200	15.7	13	32400	20400	8.5	C37-38B	ML180UH070E36B	10589638
XP14-036-230	34600	15.5	13	32600	20600	8.5	C37-38B	ML180UH090E48B	10589764
XP14-036-230	34400	15.7	13	32600	20600	8.2	C37-38B	SL280UH090V36B	10084503
XP14-036-230	34400	15.5	13	32600	20600	8.2	C37-38B	SL280UH090V48B	10084350
XP14-036-230	34400	15.5	13	32600	20600	8.2	C37-38B	SL280UH090XV48B	10085015
XP14-036-230	34200	15	12.5	32800	20800	8.2	C37-38B	SLP98UH070XV36B	10084416
XP14-036-230	35200	15.7	13.2	32400	20200	8.5	C37-43B	EL180UH070E36B	10084744
XP14-036-230	35600	15.7	13.2	32600	20400	8.2	C37-43B	EL180UH090E48B	10084728
XP14-036-230	34800	15	12.7	32400	20400	8.2	C37-43B	EL195UH045XE36B	10084398
XP14-036-230	35000	15.2	12.7	32600	20400	8.2	C37-43B	EL195UH070XE36B	10084399
XP14-036-230	34800	15	12.5	32400	20400	8.2	C37-43B	EL196UH045XE36B	201933629
XP14-036-230	35000	15	12.5	32600	20400	8.2	C37-43B	EL196UH070XE36B	201933628
XP14-036-230	34800	15	12.7	32400	20400	8.2	C37-43B	EL296UH045XE36B	10084623
XP14-036-230	35200	15	12.7	32800	20600	8.2	C37-43B	EL296UH045XV36B	10084577
XP14-036-230	35000	15.2	12.7	32600	20400	8.2	C37-43B	EL296UH070XE36B	10084624
XP14-036-230	35200	15	12.7	32800	20600	8.2	C37-43B	EL296UH070XV36B	10084585
XP14-036-230	35200	15.7	13.2	32400	20200	8.5	C37-43B	ML180UH070E36B	10589643
XP14-036-230	35600	15.7	13.2	32600	20400	8.2	C37-43B	ML180UH090E48B	10589758
XP14-036-230	35400	15.7	13.2	32400	20200	8.5	C37-43B	SL280UH090V36B	10084508
XP14-036-230	35400	15.7	13.2	32400	20200	8.5	C37-43B	SL280UH090V48B	10084347
XP14-036-230	35400	15.7	13.2	32400	20200	8.5	C37-43B	SL280UH090XV48B	10085017
XP14-036-230	35200	15	12.7	32800	20600	8.2	C37-43B	SLP98UH070XV36B	10084390
XP14-036-230	35600	15.7	13.2	32600	20200	8.2	C37-43C	EL180UH090E60C	10084699
XP14-036-230	35200	15.7	13.2	32400	20200	8.5	C37-43C	EL180UH110E60C	10084706
XP14-036-230	35200	15.5	13.2	32600	20400	8.2	C37-43C	EL195UH090XE48C	10084368
XP14-036-230	35600	15.7	13.2	32600	20400	8.2	C37-43C	EL195UH110XE60C	10084372
XP14-036-230	35200	15.5	12.5	32600	20400	8.2	C37-43C	EL196UH090XE48C	201933627
XP14-036-230	35600	15.5	12.5	32600	20400	8.2	C37-43C	EL196UH110XE60C	201933626
XP14-036-230	35200	15.5	13.2	32600	20400	8.2	C37-43C	EL296UH090XE48C	10084616
XP14-036-230	35400	15.5	13.2	32600	20400	8.2	C37-43C	EL296UH090XV36C	10084586
XP14-036-230	35000	15.5	13.2	32400	20200	8.5	C37-43C	EL296UH090XV48C	10084524
XP14-036-230	35800	15.5	13.2	32800	20600	8.5	C37-43C	EL296UH090XV60C	10084521
XP14-036-230	35600	15.7	13.2	32600	20400	8.2	C37-43C	EL296UH110XE60C	10084612
XP14-036-230	35400	15.7	13.2	32400	20200	8.5	C37-43C	EL296UH110XV48C	10084533
XP14-036-230	35600	15.7	13.2	32600	20400	8.5	C37-43C	EL296UH110XV60C	10084545
XP14-036-230	35600	15.7	13.2	32600	20200	8.2	C37-43C	ML180UH090E60C	10589919
XP14-036-230	35200	15.7	13.2	32400	20200	8.5	C37-43C	ML180UH110E60C	10590163
XP14-036-230	35800	15.1	13	32600	20400	8.2	C37-43C	SL280UH090V60C	10084349
XP14-036-230	35800	15.1	13	32600	20400	8.2	C37-43C	SL280UH090XV60C	10085021
XP14-036-230	35600	15.1	13	32600	20400	8.2	C37-43C	SL280UH110V60C	10084348
XP14-036-230	35600	15.1	13	32600	20400	8.2	C37-43C	SL280UH110XV60C	10085036
XP14-036-230	35400	15.5	13.2	32600	20400	8.2	C37-43C	SLP98UH090XV36C	10084380
XP14-036-230	35000	15.5	13.2	32400	20200	8.5	C37-43C	SLP98UH090XV48C	10084400
XP14-036-230	35800	15.5	13.2	32800	20600	8.5	C37-43C	SLP98UH090XV60C	10084410
XP14-036-230	35600	15.7	13.2	32600	20400	8.5	C37-43C	SLP98UH110XV60C	10084396
XP14-036-230	33800	15.5	13	32200	20400	8.2	C37-48B	EL180UH070E36B	10084741
XP14-036-230	34200	15.5	12.7	32400	20600	8.2	C37-48B	EL180UH090E48B	10084731
XP14-036-230	33800	15.5	13	32200	20400	8.2	C37-48B	ML180UH070E36B	10589640
XP14-036-230	34200	15.5	12.7	32400	20600	8.2	C37-48B	ML180UH090E48B	10589761
XP14-036-230	34000	15.5	12.7	32200	20400	8.2	C37-48B	SL280UH090V36B	10084504
XP14-036-230	34000	15.2	12.7	32200	20400	8.2	C37-48B	SL280UH090V48B	10084373
XP14-036-230	34000	15.2	12.7	32200	20400	8.2	C37-48B	SL280UH090XV48B	10085016
XP14-036-230	34200	15.5	13	32400	20400	8.2	C37-48C	EL180UH090E60C	10084684
XP14-036-230	34000	15.5	13	32200	20400	8.2	C37-48C	EL180UH110E60C	10084709
XP14-036-230	34000	15.2	12.7	32400	20600	8.2	C37-48C	EL195UH090XE48C	10084363

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-036-230	34200	15.5	12.7	32400	20600	8.2	C37-48C	EL195UH110XE60C	10084357
XP14-036-230	34000	15	12.5	32400	20600	8.2	C37-48C	EL196UH090XE48C	201933631
XP14-036-230	34200	15.1	12.5	32400	20600	8.2	C37-48C	EL196UH110XE60C	201933630
XP14-036-230	34000	15.2	12.7	32400	20600	8.2	C37-48C	EL296UH090XE48C	10084611
XP14-036-230	34000	15.2	12.7	32400	20600	8.2	C37-48C	EL296UH090XV36C	10084556
XP14-036-230	34000	15.5	12.7	32200	20400	8.2	C37-48C	EL296UH090XV48C	10084509
XP14-036-230	34400	15.2	12.7	32600	20800	8.2	C37-48C	EL296UH090XV60C	10084514
XP14-036-230	34200	15.5	12.7	32400	20600	8.2	C37-48C	EL296UH110XE60C	10084606
XP14-036-230	34200	15.5	13	32200	20400	8.2	C37-48C	EL296UH110XV48C	10084512
XP14-036-230	34400	15.5	13	32400	20600	8.2	C37-48C	EL296UH110XV60C	10084541
XP14-036-230	34200	15.5	13	32400	20400	8.2	C37-48C	ML180UH090E60C	10589906
XP14-036-230	34000	15.5	13	32200	20400	8.2	C37-48C	ML180UH110E60C	10590166
XP14-036-230	34400	15.1	12.5	32400	20600	8.2	C37-48C	SL280UH090V60C	10084370
XP14-036-230	34400	15.1	12.5	32400	20600	8.2	C37-48C	SL280UH090XV60C	10085027
XP14-036-230	34200	15.1	12.5	32400	20600	8.2	C37-48C	SL280UH110V60C	10084351
XP14-036-230	34200	15.1	12.5	32400	20600	8.2	C37-48C	SL280UH110XV60C	10085037
XP14-036-230	34000	15.2	12.7	32400	20600	8.2	C37-48C	SLP98UH090XV36C	10084374
XP14-036-230	34000	15.5	12.7	32200	20400	8.2	C37-48C	SLP98UH090XV48C	10084381
XP14-036-230	34400	15.2	12.7	32600	20800	8.2	C37-48C	SLP98UH090XV60C	10084426
XP14-036-230	34400	15.5	13	32400	20600	8.2	C37-48C	SLP98UH110XV60C	10084401
XP14-036-230	35200	15.7	13.2	31600	20400	8.7	C37-49C	EL180UH090E60C	10084682
XP14-036-230	34800	15.7	13.2	31400	20200	8.7	C37-49C	EL180UH110E60C	10084704
XP14-036-230	34800	15.5	13	31400	20400	8.7	C37-49C	EL195UH090XE48C	10084420
XP14-036-230	35200	15.7	13.2	31600	20400	8.7	C37-49C	EL195UH110XE60C	10084359
XP14-036-230	34800	15.5	13	31400	20400	8.7	C37-49C	EL196UH090XE48C	201933623
XP14-036-230	35200	15.5	13	31600	20400	8.7	C37-49C	EL196UH110XE60C	201933624
XP14-036-230	34800	15.5	13	31400	20400	8.7	C37-49C	EL296UH090XE48C	10084656
XP14-036-230	35000	15.5	13.2	31600	20400	8.7	C37-49C	EL296UH090XV36C	10084579
XP14-036-230	34800	15.7	13.2	31400	20200	8.7	C37-49C	EL296UH090XV48C	10084525
XP14-036-230	35400	15.5	13	31800	20600	8.7	C37-49C	EL296UH090XV60C	10084519
XP14-036-230	35200	15.7	13.2	31600	20400	8.7	C37-49C	EL296UH110XE60C	10084609
XP14-036-230	35000	15.7	13.2	31400	20200	8.7	C37-49C	EL296UH110XV48C	10084547
XP14-036-230	35200	15.7	13.2	31600	20400	8.7	C37-49C	EL296UH110XV60C	10084530
XP14-036-230	35200	15.7	13.2	31600	20400	8.7	C37-49C	ML180UH090E60C	10589905
XP14-036-230	34800	15.7	13.2	31400	20200	8.7	C37-49C	ML180UH110E60C	10590161
XP14-036-230	35400	15.1	13	31600	20400	8.5	C37-49C	SL280UH090V60C	10084352
XP14-036-230	35400	15.1	13	31600	20400	8.5	C37-49C	SL280UH090XV60C	10085022
XP14-036-230	35200	15.1	13	31600	20400	8.5	C37-49C	SL280UH110V60C	10084345
XP14-036-230	35200	15.1	13	31600	20400	8.5	C37-49C	SL280UH110XV60C	10085038
XP14-036-230	35000	15.5	13.2	31600	20400	8.7	C37-49C	SLP98UH090XV36C	10084411
XP14-036-230	34800	15.7	13.2	31400	20200	8.7	C37-49C	SLP98UH090XV48C	10084397
XP14-036-230	35400	15.5	13	31800	20600	8.7	C37-49C	SLP98UH090XV60C	10084417
XP14-036-230	35200	15.7	13.2	31600	20400	8.7	C37-49C	SLP98UH110XV60C	10084424
XP14-036-230	34400	14.2	12	32200	21000	8.2	C37-49C		10084098
XP14-036-230	34400	14.2	12	32200	21000	8.2	C37-49C		201874760
XP14-036-230	34600	15.5	13	31400	20200	8.7	C37-50/60C	EL180UH090E60C	10084687
XP14-036-230	34200	15.5	13	31200	20200	8.7	C37-50/60C	EL180UH110E60C	10084702
XP14-036-230	34200	15.2	12.7	31400	20400	8.7	C37-50/60C	EL195UH090XE48C	10084371
XP14-036-230	34600	15.5	13	31600	20400	8.7	C37-50/60C	EL195UH110XE60C	10084387
XP14-036-230	34200	15	12.5	31400	20400	8.7	C37-50/60C	EL196UH090XE48C	201933633
XP14-036-230	34600	15.1	12.5	31600	20400	8.7	C37-50/60C	EL196UH110XE60C	201933634
XP14-036-230	34200	15.2	12.7	31400	20400	8.7	C37-50/60C	EL296UH090XE48C	10084618
XP14-036-230	34400	15.2	12.7	31400	20400	8.7	C37-50/60C	EL296UH090XV36C	10084568
XP14-036-230	34200	15.2	13	31200	20200	8.7	C37-50/60C	EL296UH090XV48C	10084523
XP14-036-230	34800	15.2	12.7	31800	20600	8.7	C37-50/60C	EL296UH090XV60C	10084532

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-036-230	34600	15.5	13	31600	20400	8.7	C37-50/60C	EL296UH110XE60C	10084603
XP14-036-230	34400	15.5	13	31400	20200	8.7	C37-50/60C	EL296UH110XV48C	10084549
XP14-036-230	34600	15.5	13	31600	20400	8.7	C37-50/60C	EL296UH110XV60C	10084543
XP14-036-230	34600	15.5	13	31400	20200	8.7	C37-50/60C	ML180UH090E60C	10589908
XP14-036-230	34200	15.5	13	31200	20200	8.7	C37-50/60C	ML180UH110E60C	10590159
XP14-036-230	34800	15.1	12.5	31600	20400	8.5	C37-50/60C	SL280UH090V60C	10084353
XP14-036-230	34800	15.1	12.5	31600	20400	8.5	C37-50/60C	SL280UH090XV60C	10085023
XP14-036-230	34600	15.1	12.5	31600	20400	8.5	C37-50/60C	SL280UH110V60C	10084346
XP14-036-230	34600	15.1	12.5	31600	20400	8.5	C37-50/60C	SL280UH110XV60C	10085039
XP14-036-230	34400	15.2	12.7	31400	20400	8.7	C37-50/60C	SLP98UH090XV36C	10084391
XP14-036-230	34200	15.2	13	31200	20200	8.7	C37-50/60C	SLP98UH090XV48C	10084375
XP14-036-230	34800	15.2	12.7	31800	20600	8.7	C37-50/60C	SLP98UH090XV60C	10084406
XP14-036-230	34600	15.5	13	31600	20400	8.7	C37-50/60C	SLP98UH110XV60C	10084382
XP14-036-230	33800	14	11.7	32000	21000	8.2	C37-50/60C		10084097
XP14-036-230	33800	14	11.7	32000	21000	8.2	C37-50/60C		201874761
XP14-036-230	34200	15	12.5	32800	21000	8.5	CBA27UHE-036-230		10260312
XP14-036-230	35000	15.5	12.5	33000	20000	8.5	CBA27UHE-042-230		10260313
XP14-036-230	34200	14.7	12.2	33200	20800	8.5	CBA38MV-036-230		201842197
XP14-036-230	34800	15	12.5	32600	20000	9	CBA38MV-042-230		201842198
XP14-036-230	34600	14	12	34600	21400	8.2	CBX25UH-036-230		6991376
XP14-036-230	34600	15	12.5	34000	21000	8.5	CBX25UHV-036-230		7498492
XP14-036-230	34800	15.2	12.5	32800	20400	8.7	CBX27UH-036-230		5432024
XP14-036-230	36000	16	13.5	33000	17300	8.5	CBX27UH-042-230		5432025
XP14-036-230	34600	14.5	11.7	33400	20800	8.5	CBX32M-036		5432026
XP14-036-230	34400	14.5	11.7	33200	20800	8.5	CBX32M-042		5432027
XP14-036-230	35200	15.7	13.2	32000	20200	9	CH33-43B	EL180UH070E36B	5742069
XP14-036-230	35600	15.7	13.2	32200	20400	9	CH33-43B	EL180UH090E48B	5742387
XP14-036-230	35400	14.7	12.5	32800	21000	8.5	CH33-43B	EL195UH045XE36B	5432188
XP14-036-230	35200	15.2	12.7	32200	20600	8.7	CH33-43B	EL195UH070XE36B	5432159
XP14-036-230	35400	14.5	12.5	32800	20800	8.5	CH33-43B	EL196UH045XE36B	201933614
XP14-036-230	35200	15	12.5	32200	20600	8.7	CH33-43B	EL196UH070XE36B	201933615
XP14-036-230	35400	14.7	12.5	32800	21000	8.5	CH33-43B	EL296UH045XE36B	5650756
XP14-036-230	35400	15.2	12.7	32600	20800	8.7	CH33-43B	EL296UH045XV36B	5562743
XP14-036-230	35200	15.2	12.7	32200	20600	8.7	CH33-43B	EL296UH070XE36B	5650744
XP14-036-230	35600	15.2	12.7	32600	20800	8.7	CH33-43B	EL296UH070XV36B	5562752
XP14-036-230	35200	15.7	13.2	32000	20200	9	CH33-43B	ML180UH070E36B	10589603
XP14-036-230	35600	15.7	13.2	32200	20400	9	CH33-43B	ML180UH090E48B	10589722
XP14-036-230	35600	15.7	13.2	32200	20400	9	CH33-43B	SL280UH090V36B	5532486
XP14-036-230	35600	15.7	13.2	32400	20600	9	CH33-43B	SL280UH090V48B	5432056
XP14-036-230	35600	15.7	13.2	32400	20600	9	CH33-43B	SL280UH090XV48B	8133218
XP14-036-230	35600	15.2	12.7	32600	20800	8.7	CH33-43B	SLP98UH070XV36B	5432220
XP14-036-230	35200	14.5	12.2	32800	21000	8.5	CH33-43B		5431960
XP14-036-230	35400	15.7	13.2	32600	20600	8.5	CH33-43C	EL180UH090E60C	5740235
XP14-036-230	35200	15.7	13.2	32400	20400	8.5	CH33-43C	EL180UH110E60C	5740702
XP14-036-230	35200	15.5	13.2	32600	20600	8.2	CH33-43C	EL195UH090XE48C	5432168
XP14-036-230	35400	15.7	13.2	32600	20600	8.5	CH33-43C	EL195UH110XE60C	5432179
XP14-036-230	35200	15.5	12.5	32600	20600	8.2	CH33-43C	EL196UH090XE48C	201933616
XP14-036-230	35400	15.5	13	32600	20600	8.5	CH33-43C	EL196UH110XE60C	201933617
XP14-036-230	35200	15.5	13.2	32600	20600	8.2	CH33-43C	EL296UH090XE48C	5650730
XP14-036-230	35200	15.5	13.2	32600	20600	8.2	CH33-43C	EL296UH090XV36C	5562758
XP14-036-230	35000	15.5	13.2	32400	20400	8.5	CH33-43C	EL296UH090XV48C	5562768
XP14-036-230	35600	15.5	13	32800	20800	8.5	CH33-43C	EL296UH090XV60C	5562783
XP14-036-230	35400	15.7	13.2	32600	20600	8.5	CH33-43C	EL296UH110XE60C	5650762
XP14-036-230	35200	15.7	13.2	32400	20600	8.5	CH33-43C	EL296UH110XV48C	5562799
XP14-036-230	35600	15.7	13.2	32600	20600	8.5	CH33-43C	EL296UH110XV60C	5562806

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-036-230	35400	15.7	13.2	32600	20600	8.5	CH33-43C	ML180UH090E60C	10589798
XP14-036-230	35200	15.7	13.2	32400	20400	8.5	CH33-43C	ML180UH110E60C	10590062
XP14-036-230	35600	15.1	13	32600	20600	8.2	CH33-43C	SL280UH090V60C	5432064
XP14-036-230	35600	15.1	13	32600	20600	8.2	CH33-43C	SL280UH090XV60C	8133228
XP14-036-230	35400	15.1	13	32800	20600	8.2	CH33-43C	SL280UH110V60C	5432065
XP14-036-230	35400	15.1	13	32800	20600	8.2	CH33-43C	SL280UH110XV60C	8133256
XP14-036-230	35200	15.5	13.2	32600	20600	8.2	CH33-43C	SLP98UH090XV36C	5432221
XP14-036-230	35000	15.5	13.2	32400	20400	8.5	CH33-43C	SLP98UH090XV48C	5432222
XP14-036-230	35600	15.5	13	32800	20800	8.5	CH33-43C	SLP98UH090XV60C	5432223
XP14-036-230	35600	15.7	13.2	32600	20600	8.5	CH33-43C	SLP98UH110XV60C	5432224
XP14-036-230	34000	15.2	12.7	32400	20400	8.2	CH33-44/48	EL180UH070E36B	5742071
XP14-036-230	34200	15.2	12.7	32800	20600	8.2	CH33-44/48	EL180UH090E48B	5742390
XP14-036-230	34000	14.7	12.5	32800	20800	8.2	CH33-44/48	EL195UH070XE36B	5432160
XP14-036-230	34000	14.5	12.2	32800	20800	8.2	CH33-44/48	EL196UH070XE36B	201933618
XP14-036-230	34200	14.5	12.2	33000	21000	8.2	CH33-44/48	EL296UH045XV36B	5562740
XP14-036-230	34000	14.7	12.5	32800	20800	8.2	CH33-44/48	EL296UH070XE36B	5650729
XP14-036-230	34200	14.7	12.5	33000	21000	8.2	CH33-44/48	EL296UH070XV36B	5562751
XP14-036-230	34000	15.2	12.7	32400	20400	8.2	CH33-44/48	ML180UH070E36B	10589605
XP14-036-230	34200	15.2	12.7	32800	20600	8.2	CH33-44/48	ML180UH090E48B	10589725
XP14-036-230	34400	15.2	12.7	32800	20600	8.2	CH33-44/48	SL280UH090V36B	5532483
XP14-036-230	34400	15	12.7	32800	20800	8.2	CH33-44/48	SL280UH090V48B	5432071
XP14-036-230	34400	15	12.7	32800	20800	8.2	CH33-44/48	SL280UH090XV48B	8133219
XP14-036-230	34200	14.7	12.5	33000	21000	8.2	CH33-44/48	SLP98UH070XV36B	5432225
XP14-036-230	35000	15.5	13	32600	20600	8.2	CH33-48	EL296UH090XV36C	5562759
XP14-036-230	34800	15.5	13	32400	20400	8.5	CH33-48	EL296UH090XV48C	5562769
XP14-036-230	35400	15.2	13	32800	20800	8.5	CH33-48	EL296UH090XV60C	5562779
XP14-036-230	35000	15.5	13.2	32400	20600	8.5	CH33-48	EL296UH110XV48C	5562795
XP14-036-230	35200	15.5	13.2	32600	20600	8.5	CH33-48	EL296UH110XV60C	5562811
XP14-036-230	35400	15.1	13	32600	20600	8.2	CH33-48	SL280UH090V60C	5432077
XP14-036-230	35400	15.1	13	32600	20600	8.2	CH33-48	SL280UH090XV60C	8133229
XP14-036-230	35200	15.1	12.5	32600	20600	8.2	CH33-48	SL280UH110V60C	5432078
XP14-036-230	35200	15.1	12.5	32600	20600	8.2	CH33-48	SL280UH110XV60C	8133257
XP14-036-230	35000	15.5	13	32600	20600	8.2	CH33-48	SLP98UH090XV36C	5432226
XP14-036-230	34800	15.5	13	32400	20400	8.5	CH33-48	SLP98UH090XV48C	5432227
XP14-036-230	35400	15.2	13	32800	20800	8.5	CH33-48	SLP98UH090XV60C	5432228
XP14-036-230	35200	15.5	13.2	32600	20600	8.5	CH33-48	SLP98UH110XV60C	5432229
XP14-036-230	35200	15.7	13.2	31800	20400	9	CH33-49	EL180UH090E60C	5740244
XP14-036-230	35000	15.7	13.2	31600	20200	9	CH33-49	EL180UH110E60C	5740697
XP14-036-230	34800	15.5	13	31800	20400	8.5	CH33-49	EL195UH090XE48C	5432169
XP14-036-230	35200	15.7	13.2	31800	20400	9	CH33-49	EL195UH110XE60C	5432180
XP14-036-230	34800	15.5	13	31800	20400	8.5	CH33-49	EL196UH090XE48C	201933619
XP14-036-230	35200	15.5	13	31800	20400	9	CH33-49	EL196UH110XE60C	201933620
XP14-036-230	34800	15.5	13	31800	20400	8.5	CH33-49	EL296UH090XE48C	5650734
XP14-036-230	35000	15.7	13.2	32200	20400	9	CH33-49	EL296UH090XV36C	5562763
XP14-036-230	34800	15.7	13.2	32000	20400	9	CH33-49	EL296UH090XV48C	5562772
XP14-036-230	35400	15.5	13	32400	20600	9	CH33-49	EL296UH090XV60C	5562782
XP14-036-230	35200	15.7	13.2	31800	20400	9	CH33-49	EL296UH110XE60C	5650755
XP14-036-230	35000	15.7	13.2	32000	20400	9	CH33-49	EL296UH110XV48C	5562793
XP14-036-230	35400	15.7	13.2	32200	20400	9	CH33-49	EL296UH110XV60C	5562808
XP14-036-230	35200	15.7	13.2	31800	20400	9	CH33-49	ML180UH090E60C	10589806
XP14-036-230	35000	15.7	13.2	31600	20200	9	CH33-49	ML180UH110E60C	10590057
XP14-036-230	35400	15.1	13	32200	20400	9	CH33-49	SL280UH090V60C	5432086
XP14-036-230	35400	15.1	13	32200	20400	9	CH33-49	SL280UH090XV60C	8133230
XP14-036-230	35200	15.1	13	32200	20600	9	CH33-49	SL280UH110V60C	5432087
XP14-036-230	35200	15.1	13	32200	20600	9	CH33-49	SL280UH110XV60C	8133258

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-036-230	35000	15.7	13.2	32200	20400	9	CH33-49	SLP98UH090XV36C	5432230
XP14-036-230	34800	15.7	13.2	32000	20400	9	CH33-49	SLP98UH090XV48C	5432231
XP14-036-230	35400	15.5	13	32400	20600	9	CH33-49	SLP98UH090XV60C	5432232
XP14-036-230	35400	15.7	13.2	32200	20400	9	CH33-49	SLP98UH110XV60C	5432233
XP14-036-230	34400	14.2	12	32800	21000	8.5	CH33-49		5431964
XP14-036-230	35000	15.7	13.2	31600	20400	9	CH33-50/60C	EL180UH090E60C	5740236
XP14-036-230	34800	15.7	13.2	31400	20200	9	CH33-50/60C	EL180UH110E60C	5740696
XP14-036-230	34800	15.5	13	31600	20400	9	CH33-50/60C	EL195UH090XE48C	5432170
XP14-036-230	35000	15.7	13.2	31800	20400	9	CH33-50/60C	EL195UH110XE60C	5432181
XP14-036-230	34800	15.5	13	31600	20400	9	CH33-50/60C	EL196UH090XE48C	201933621
XP14-036-230	35000	15.5	12.5	31800	20400	9	CH33-50/60C	EL196UH110XE60C	201933622
XP14-036-230	34800	15.5	13	31600	20400	9	CH33-50/60C	EL296UH090XE48C	5650751
XP14-036-230	34800	15.5	13	32000	20400	9	CH33-50/60C	EL296UH090XV36C	5562760
XP14-036-230	34600	15.7	13	31800	20400	9	CH33-50/60C	EL296UH090XV48C	5562770
XP14-036-230	35400	15.5	13	32400	20600	9	CH33-50/60C	EL296UH090XV60C	5562780
XP14-036-230	35000	15.7	13.2	31800	20400	9	CH33-50/60C	EL296UH110XE60C	5650740
XP14-036-230	34800	15.7	13.2	32000	20400	9	CH33-50/60C	EL296UH110XV48C	5562796
XP14-036-230	35200	15.7	13.2	32200	20400	9	CH33-50/60C	EL296UH110XV60C	5562812
XP14-036-230	35000	15.7	13.2	31600	20400	9	CH33-50/60C	ML180UH090E60C	10589799
XP14-036-230	34800	15.7	13.2	31400	20200	9	CH33-50/60C	ML180UH110E60C	10590056
XP14-036-230	35400	15.1	13	32200	20400	9	CH33-50/60C	SL280UH090V60C	5432095
XP14-036-230	35400	15.1	13	32200	20400	9	CH33-50/60C	SL280UH090XV60C	8133231
XP14-036-230	35000	15.5	12.5	32200	20400	8.5	CH33-50/60C	SL280UH110V60C	5432096
XP14-036-230	35000	15.5	12.5	32200	20400	8.5	CH33-50/60C	SL280UH110XV60C	8133259
XP14-036-230	34800	15.5	13	32000	20400	9	CH33-50/60C	SLP98UH090XV36C	5432234
XP14-036-230	34600	15.7	13	31800	20400	9	CH33-50/60C	SLP98UH090XV48C	5432235
XP14-036-230	35400	15.5	13	32400	20600	9	CH33-50/60C	SLP98UH090XV60C	5432236
XP14-036-230	35200	15.7	13.2	32200	20400	9	CH33-50/60C	SLP98UH110XV60C	5432237
XP14-036-230	34200	14.2	12	32600	21000	8.2	CH33-50/60C		5431965
XP14-036-230	35200	15.7	13.2	33200	20800	8.5	CR33-48	EL180DF070E36B	5741561
XP14-036-230	35200	15.5	13	33400	21000	8.5	CR33-48	EL180DF090E48B	5741585
XP14-036-230	35800	15.7	13.2	33400	21000	8.7	CR33-48	EL180DF110E60C	5741635
XP14-036-230	34800	15	12.7	33400	21200	8.2	CR33-48	EL195DF045XE36B	5432156
XP14-036-230	35200	15.2	13	33400	21000	8.5	CR33-48	EL195DF070XE48B	5432157
XP14-036-230	35200	15.2	12.7	33400	21000	8.5	CR33-48	EL195DF090XE48C	5432158
XP14-036-230	35600	15.5	13	33600	21000	8.5	CR33-48	EL195DF110XE60C	5432183
XP14-036-230	34800	15	12.5	33400	21200	8.2	CR33-48	EL196DF045XE36B	201953261
XP14-036-230	35200	15.1	12.5	33400	21200	8.5	CR33-48	EL196DF070XE48B	201953263
XP14-036-230	34800	15	12.7	33400	21200	8.2	CR33-48	EL296DF045XE36B	5650741
XP14-036-230	35200	15	12.7	33600	21200	8.2	CR33-48	EL296DF045XV36B	5562731
XP14-036-230	35200	15.2	13	33400	21000	8.5	CR33-48	EL296DF070XE48B	5650737
XP14-036-230	35200	15	12.5	33800	21200	8.2	CR33-48	EL296DF070XV48B	5562732
XP14-036-230	35200	15.2	12.7	33400	21000	8.5	CR33-48	EL296DF090XE48C	5650767
XP14-036-230	35600	15.5	13	33600	21000	8.5	CR33-48	EL296DF090XV60C	5562733
XP14-036-230	35600	15.5	13	33600	21000	8.5	CR33-48	EL296DF110XE60C	5650747
XP14-036-230	35600	15.5	13	33600	21200	8.5	CR33-48	EL296DF110XV60C	5562736
XP14-036-230	35200	15.7	13.2	33200	20800	8.5	CR33-48	ML180DF070E36B	10589521
XP14-036-230	35200	15.5	13	33400	21000	8.5	CR33-48	ML180DF090E48B	10589527
XP14-036-230	35800	15.7	13.2	33400	21000	8.7	CR33-48	ML180DF110E60C	10589532
XP14-036-230	35200	15.5	13	33400	21000	8.5	CR33-48	SL280DF090V48B	5532332
XP14-036-230	35800	15.7	13	33600	21000	8.5	CR33-48	SL280DF090V60C	5432117
XP14-036-230	35600	15.1	13	33400	21000	8.5	CR33-48	SL280DF110V60C	5432118
XP14-036-230	35400	15.2	12.7	33600	21200	8.5	CR33-48	SLP98DF070XV36B	5432238
XP14-036-230	35400	15.5	13	33400	21000	8.5	CR33-48	SLP98DF090XV36C	5432243
XP14-036-230	35400	15.5	13	33400	21000	8.5	CR33-48	SLP98DF090XV48C	5432244

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-036-230	35600	15.5	13	33600	21000	8.5	CR33-48	SLP98DF090XV60C	5432245
XP14-036-230	35600	15.5	13	33600	21200	8.5	CR33-48	SLP98DF110XV60C	5432246
XP14-036-230	34800	14.2	12	34000	21600	8.2	CR33-48		5431966
XP14-036-230	36000	16	13.5	32800	20400	9	CR33-50/60	EL180DF110E60C	5741634
XP14-036-230	35600	15.5	13.2	32800	20600	8.7	CR33-50/60	EL195DF090XE48C	5432182
XP14-036-230	35800	15.7	13.2	32800	20600	9	CR33-50/60	EL195DF110XE60C	5432184
XP14-036-230	35600	15.1	12.5	32800	20600	8.7	CR33-50/60	EL196DF090XE48C	201953288
XP14-036-230	35600	15.5	13.2	32800	20600	8.7	CR33-50/60	EL296DF090XE48C	5650770
XP14-036-230	36400	15.7	13.2	34000	21200	9	CR33-50/60	EL296DF090XV60C	5562734
XP14-036-230	35800	15.7	13.2	32800	20600	9	CR33-50/60	EL296DF110XE60C	5650732
XP14-036-230	36400	15.7	13.2	34000	21200	9	CR33-50/60	EL296DF110XV60C	5562735
XP14-036-230	36000	16	13.5	32800	20400	9	CR33-50/60	ML180DF110E60C	10589531
XP14-036-230	36600	15.1	13	34000	21200	9	CR33-50/60	SL280DF090V60C	5432122
XP14-036-230	36400	15.1	13	33800	21000	8.5	CR33-50/60	SL280DF110V60C	5432123
XP14-036-230	36200	15.7	13.2	33800	21200	8.7	CR33-50/60	SLP98DF090XV36C	5432247
XP14-036-230	36200	15.7	13.2	33800	21200	8.7	CR33-50/60	SLP98DF090XV48C	5432248
XP14-036-230	36400	15.7	13.2	34000	21200	9	CR33-50/60	SLP98DF090XV60C	5432249
XP14-036-230	36400	15.7	13.2	34000	21200	9	CR33-50/60	SLP98DF110XV60C	5432250
XP14-036-230	35200	14.2	12.2	33400	21200	8.5	CR33-50/60		5431968
XP14-036-230	34200	15	12.5	32800	20800	8.2	CX38-38A	EL180UH045E36A	10084748
XP14-036-230	34200	15	12.5	32800	20800	8.2	CX38-38A	ML180UH045E36A	10589566
XP14-036-230	34200	15	12.5	32800	20800	8.2	CX38-38A	SL280UH070V36A	10084502
XP14-036-230	34200	15	12.5	32800	20800	8.2	CX38-38A	SL280UH070XV36A	10085014
XP14-036-230	34200	15.7	13	32400	20400	8.5	CX38-38B	EL180UH070E36B	10084742
XP14-036-230	34600	15.5	13	32600	20600	8.5	CX38-38B	EL180UH090E48B	10084737
XP14-036-230	33800	15	12.5	32600	20600	8.2	CX38-38B	EL195UH045XE36B	10084422
XP14-036-230	34000	15	12.5	32600	20800	8.2	CX38-38B	EL195UH070XE36B	10084358
XP14-036-230	33800	15	12.5	32600	20800	8.2	CX38-38B	EL196UH045XE36B	201933636
XP14-036-230	34000	15	12.5	32600	20600	8.2	CX38-38B	EL196UH070XE36B	201933635
XP14-036-230	33800	15	12.5	32600	20600	8.2	CX38-38B	EL296UH045XE36B	10084646
XP14-036-230	34200	15	12.5	32800	20800	8.2	CX38-38B	EL296UH045XV36B	10084535
XP14-036-230	34000	15	12.5	32600	20800	8.2	CX38-38B	EL296UH070XE36B	10084619
XP14-036-230	34200	15	12.5	32800	20800	8.2	CX38-38B	EL296UH070XV36B	10084564
XP14-036-230	34200	15.7	13	32400	20400	8.5	CX38-38B	ML180UH070E36B	10589641
XP14-036-230	34600	15.5	13	32600	20600	8.5	CX38-38B	ML180UH090E48B	10589767
XP14-036-230	34400	15.7	13	32600	20600	8.2	CX38-38B	SL280UH090V36B	10084507
XP14-036-230	34400	15.5	13	32600	20600	8.2	CX38-38B	SL280UH090V48B	10084404
XP14-036-230	34400	15.5	13	32600	20600	8.2	CX38-38B	SL280UH090XV48B	10085020
XP14-036-230	34200	15	12.5	32800	20800	8.2	CX38-38B	SLP98UH070XV36B	10084413
XP14-036-230	35200	15.7	13.2	32400	20200	8.5	CX38-43B	EL180UH070E36B	10084738
XP14-036-230	35600	15.7	13.2	32600	20400	8.2	CX38-43B	EL180UH090E48B	10084730
XP14-036-230	34800	15	12.7	32400	20400	8.2	CX38-43B	EL195UH045XE36B	10084388
XP14-036-230	35000	15	12.7	32600	20400	8.2	CX38-43B	EL195UH070XE36B	10084386
XP14-036-230	34800	15	12.5	32400	20400	8.2	CX38-43B	EL196UH045XE36B	201933640
XP14-036-230	35000	15	12.5	32600	20400	8.2	CX38-43B	EL196UH070XE36B	201933639
XP14-036-230	34800	15	12.7	32400	20400	8.2	CX38-43B	EL296UH045XE36B	10084630
XP14-036-230	35200	15	12.7	32800	20600	8.2	CX38-43B	EL296UH045XV36B	10084552
XP14-036-230	35000	15	12.7	32600	20400	8.2	CX38-43B	EL296UH070XE36B	10084617
XP14-036-230	35200	15	12.7	32800	20600	8.2	CX38-43B	EL296UH070XV36B	10084578
XP14-036-230	35200	15.7	13.2	32400	20200	8.5	CX38-43B	ML180UH070E36B	10589637
XP14-036-230	35600	15.7	13.2	32600	20400	8.2	CX38-43B	ML180UH090E48B	10589760
XP14-036-230	35400	15.7	13.2	32400	20200	8.5	CX38-43B	SL280UH090V36B	10084506
XP14-036-230	35400	15.7	13.2	32400	20200	8.5	CX38-43B	SL280UH090V48B	10084356
XP14-036-230	35400	15.7	13.2	32400	20200	8.5	CX38-43B	SL280UH090XV48B	10085018
XP14-036-230	35200	15	12.7	32800	20600	8.2	CX38-43B	SLP98UH070XV36B	10084402

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-036-230	35600	15.7	13.2	32600	20200	8.2	CX38-43C	EL180UH090E60C	10084693
XP14-036-230	35200	15.7	13.2	32400	20200	8.5	CX38-43C	EL180UH110E60C	10084703
XP14-036-230	35200	15.5	13.2	32600	20400	8.2	CX38-43C	EL195UH090XE48C	10084405
XP14-036-230	35600	15.7	13.2	32600	20400	8.2	CX38-43C	EL195UH110XE60C	10084395
XP14-036-230	35200	15.5	12.5	32600	20400	8.2	CX38-43C	EL196UH090XE48C	201933638
XP14-036-230	35600	15.5	12.5	32600	20400	8.2	CX38-43C	EL196UH110XE60C	201933637
XP14-036-230	35200	15.5	13.2	32600	20400	8.2	CX38-43C	EL296UH090XE48C	10084631
XP14-036-230	35400	15.5	13.2	32600	20400	8.2	CX38-43C	EL296UH090XV36C	10084518
XP14-036-230	35000	15.5	13.2	32400	20200	8.5	CX38-43C	EL296UH090XV48C	10084515
XP14-036-230	35800	15.5	13.2	32800	20600	8.5	CX38-43C	EL296UH090XV60C	10084511
XP14-036-230	35600	15.7	13.2	32600	20400	8.2	CX38-43C	EL296UH110XE60C	10084625
XP14-036-230	35400	15.7	13.2	32400	20200	8.5	CX38-43C	EL296UH110XV48C	10084534
XP14-036-230	35600	15.7	13.2	32600	20400	8.5	CX38-43C	EL296UH110XV60C	10084550
XP14-036-230	35600	15.7	13.2	32600	20200	8.2	CX38-43C	ML180UH090E60C	10589913
XP14-036-230	35200	15.7	13.2	32400	20200	8.5	CX38-43C	ML180UH110E60C	10590160
XP14-036-230	35800	15.1	13	32600	20400	8.2	CX38-43C	SL280UH090V60C	10084354
XP14-036-230	35800	15.1	13	32600	20400	8.2	CX38-43C	SL280UH090XV60C	10085024
XP14-036-230	35600	15.1	13	32600	20400	8.2	CX38-43C	SL280UH110V60C	10084409
XP14-036-230	35600	15.1	13	32600	20400	8.2	CX38-43C	SL280UH110XV60C	10085040
XP14-036-230	35400	15.5	13.2	32600	20400	8.2	CX38-43C	SLP98UH090XV36C	10084412
XP14-036-230	35000	15.5	13.2	32400	20200	8.5	CX38-43C	SLP98UH090XV48C	10084392
XP14-036-230	35800	15.5	13.2	32800	20600	8.5	CX38-43C	SLP98UH090XV60C	10084376
XP14-036-230	35600	15.7	13.2	32600	20400	8.5	CX38-43C	SLP98UH110XV60C	10084383
XP14-036-230	33800	15.5	13	32200	20400	8.2	CX38-44/48B	EL180UH070E36B	10084752
XP14-036-230	34200	15.5	12.7	32400	20600	8.2	CX38-44/48B	EL180UH090E48B	10084735
XP14-036-230	33800	15.5	13	32200	20400	8.2	CX38-44/48B	ML180UH070E36B	10589645
XP14-036-230	34200	15.5	12.7	32400	20600	8.2	CX38-44/48B	ML180UH090E48B	10589765
XP14-036-230	34000	15.5	12.7	32200	20400	8.2	CX38-44/48B	SL280UH090V36B	10084505
XP14-036-230	34000	15.2	12.7	32200	20400	8.2	CX38-44/48B	SL280UH090V48B	10084355
XP14-036-230	34000	15.2	12.7	32200	20400	8.2	CX38-44/48B	SL280UH090XV48B	10085019
XP14-036-230	34200	15.5	13	32400	20400	8.2	CX38-44/48C	EL180UH090E60C	10084680
XP14-036-230	34000	15.5	13	32200	20400	8.2	CX38-44/48C	EL180UH110E60C	10084717
XP14-036-230	34000	15.2	12.7	32400	20600	8.2	CX38-44/48C	EL195UH090XE48C	10084369
XP14-036-230	34200	15.5	12.7	32400	20600	8.2	CX38-44/48C	EL195UH110XE60C	10084415
XP14-036-230	34000	15	12.5	32400	20600	8.2	CX38-44/48C	EL196UH090XE48C	201933642
XP14-036-230	34200	15.1	12.5	32400	20600	8.2	CX38-44/48C	EL196UH110XE60C	201933641
XP14-036-230	34000	15.2	12.7	32400	20600	8.2	CX38-44/48C	EL296UH090XE48C	10084610
XP14-036-230	34000	15.2	12.7	32400	20600	8.2	CX38-44/48C	EL296UH090XV36C	10084565
XP14-036-230	34000	15.5	12.7	32200	20400	8.2	CX38-44/48C	EL296UH090XV48C	10084526
XP14-036-230	34400	15.2	12.7	32600	20800	8.2	CX38-44/48C	EL296UH090XV60C	10084522
XP14-036-230	34200	15.5	12.7	32400	20600	8.2	CX38-44/48C	EL296UH110XE60C	10084655
XP14-036-230	34200	15.5	13	32200	20400	8.2	CX38-44/48C	EL296UH110XV48C	10084540
XP14-036-230	34400	15.5	13	32400	20600	8.2	CX38-44/48C	EL296UH110XV60C	10084528
XP14-036-230	34200	15.5	13	32400	20400	8.2	CX38-44/48C	ML180UH090E60C	10589903
XP14-036-230	34000	15.5	13	32200	20400	8.2	CX38-44/48C	ML180UH110E60C	10590170
XP14-036-230	34400	15.1	12.5	32400	20600	8.2	CX38-44/48C	SL280UH090V60C	10084385
XP14-036-230	34400	15.1	12.5	32400	20600	8.2	CX38-44/48C	SL280UH090XV60C	10085028
XP14-036-230	34200	15.1	12.5	32400	20600	8.2	CX38-44/48C	SL280UH110V60C	10084365
XP14-036-230	34200	15.1	12.5	32400	20600	8.2	CX38-44/48C	SL280UH110XV60C	10085041
XP14-036-230	34000	15.2	12.7	32400	20600	8.2	CX38-44/48C	SLP98UH090XV36C	10084407
XP14-036-230	34000	15.5	12.7	32200	20400	8.2	CX38-44/48C	SLP98UH090XV48C	10084418
XP14-036-230	34400	15.2	12.7	32600	20800	8.2	CX38-44/48C	SLP98UH090XV60C	10084378
XP14-036-230	34400	15.5	13	32400	20600	8.2	CX38-44/48C	SLP98UH110XV60C	10084425
XP14-036-230	35200	15.7	13.2	31600	20400	8.7	CX38-49C	EL180UH090E60C	10084677
XP14-036-230	34800	15.7	13.2	31400	20200	8.7	CX38-49C	EL180UH110E60C	10084710

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-036-230	34800	15.5	13	31400	20400	8.7	CX38-49C	EL195UH090XE48C	10084364
XP14-036-230	35200	15.7	13.2	31600	20400	8.7	CX38-49C	EL195UH110XE60C	10084423
XP14-036-230	34800	15.5	13	31400	20400	8.7	CX38-49C	EL196UH090XE48C	201933644
XP14-036-230	35200	15.5	13	31600	20400	8.7	CX38-49C	EL196UH110XE60C	201933643
XP14-036-230	34800	15.5	13	31400	20400	8.7	CX38-49C	EL296UH090XE48C	10084607
XP14-036-230	35000	15.5	13.2	31600	20400	8.7	CX38-49C	EL296UH090XV36C	10084520
XP14-036-230	34800	15.7	13.2	31400	20200	8.7	CX38-49C	EL296UH090XV48C	10084517
XP14-036-230	35400	15.5	13	31800	20600	8.7	CX38-49C	EL296UH090XV60C	10084539
XP14-036-230	35200	15.7	13.2	31600	20400	8.7	CX38-49C	EL296UH110XE60C	10084643
XP14-036-230	35000	15.7	13.2	31400	20200	8.7	CX38-49C	EL296UH110XV48C	10084527
XP14-036-230	35200	15.7	13.2	31600	20400	8.7	CX38-49C	EL296UH110XV60C	10084546
XP14-036-230	35200	15.7	13.2	31600	20400	8.7	CX38-49C	ML180UH090E60C	10589901
XP14-036-230	34800	15.7	13.2	31400	20200	8.7	CX38-49C	ML180UH110E60C	10590167
XP14-036-230	35400	15.1	13	31600	20400	8.5	CX38-49C	SL280UH090V60C	10084366
XP14-036-230	35400	15.1	13	31600	20400	8.5	CX38-49C	SL280UH090XV60C	10085025
XP14-036-230	35200	15.1	13	31600	20400	8.5	CX38-49C	SL280UH110V60C	10084361
XP14-036-230	35200	15.1	13	31600	20400	8.5	CX38-49C	SL280UH110XV60C	10085042
XP14-036-230	35000	15.5	13.2	31600	20400	8.7	CX38-49C	SLP98UH090XV36C	10084393
XP14-036-230	34800	15.7	13.2	31400	20200	8.7	CX38-49C	SLP98UH090XV48C	10084377
XP14-036-230	35400	15.5	13	31800	20600	8.7	CX38-49C	SLP98UH090XV60C	10084384
XP14-036-230	35200	15.7	13.2	31600	20400	8.7	CX38-49C	SLP98UH110XV60C	10084403
XP14-036-230	34400	14.2	12	32200	21000	8.2	CX38-49C		10084099
XP14-036-230	34400	14.2	12	32200	21000	8.2	CX38-49C		201874953
XP14-036-230	34600	15.5	13	31400	20200	8.7	CX38-50/60C	EL180UH090E60C	10084686
XP14-036-230	34200	15.5	13	31200	20200	8.7	CX38-50/60C	EL180UH110E60C	10084705
XP14-036-230	34200	15.2	12.7	31400	20400	8.7	CX38-50/60C	EL195UH090XE48C	10084421
XP14-036-230	34600	15.5	13	31600	20400	8.7	CX38-50/60C	EL195UH110XE60C	10084389
XP14-036-230	34200	15	12.5	31400	20400	8.7	CX38-50/60C	EL196UH090XE48C	201933645
XP14-036-230	34600	15.1	12.5	31600	20400	8.7	CX38-50/60C	EL196UH110XE60C	201933646
XP14-036-230	34200	15.2	12.7	31400	20400	8.7	CX38-50/60C	EL296UH090XE48C	10084663
XP14-036-230	34400	15.2	12.7	31400	20400	8.7	CX38-50/60C	EL296UH090XV36C	10084513
XP14-036-230	34200	15.2	13	31200	20200	8.7	CX38-50/60C	EL296UH090XV48C	10084510
XP14-036-230	34800	15.2	12.7	31800	20600	8.7	CX38-50/60C	EL296UH090XV60C	10084516
XP14-036-230	34600	15.5	13	31600	20400	8.7	CX38-50/60C	EL296UH110XE60C	10084626
XP14-036-230	34400	15.5	13	31400	20200	8.7	CX38-50/60C	EL296UH110XV48C	10084548
XP14-036-230	34600	15.5	13	31600	20400	8.7	CX38-50/60C	EL296UH110XV60C	10084542
XP14-036-230	34600	15.5	13	31400	20200	8.7	CX38-50/60C	ML180UH090E60C	10589907
XP14-036-230	34200	15.5	13	31200	20200	8.7	CX38-50/60C	ML180UH110E60C	10590162
XP14-036-230	34800	15.1	12.5	31600	20400	8.5	CX38-50/60C	SL280UH090V60C	10084367
XP14-036-230	34800	15.1	12.5	31600	20400	8.5	CX38-50/60C	SL280UH090XV60C	10085026
XP14-036-230	34600	15.1	12.5	31600	20400	8.5	CX38-50/60C	SL280UH110V60C	10084362
XP14-036-230	34600	15.1	12.5	31600	20400	8.5	CX38-50/60C	SL280UH110XV60C	10085043
XP14-036-230	34400	15.2	12.7	31400	20400	8.7	CX38-50/60C	SLP98UH090XV36C	10084414
XP14-036-230	34200	15.2	13	31200	20200	8.7	CX38-50/60C	SLP98UH090XV48C	10084408
XP14-036-230	34800	15.2	12.7	31800	20600	8.7	CX38-50/60C	SLP98UH090XV60C	10084394
XP14-036-230	34600	15.5	13	31600	20400	8.7	CX38-50/60C	SLP98UH110XV60C	10084419
XP14-036-230	33800	14	11.7	32000	21000	8.2	CX38-50/60C		10084096
XP14-036-230	33800	14	11.7	32000	21000	8.2	CX38-50/60C		201874954
XP14-042-230	44000	15.5	13.2	41500	26600	8.5	C37-49C	EL180UH090E60C	10084681
XP14-042-230	44000	15.5	13.2	41500	26600	8.5	C37-49C	EL180UH110E60C	10084724
XP14-042-230	42000	14.7	12.7	41000	26000	9	C37-49C	EL195UH090XE48C	10084434
XP14-042-230	42500	14.7	12.7	41500	26400	9	C37-49C	EL195UH110XE60C	10084457
XP14-042-230	42000	14.5	12.5	41000	26800	8.5	C37-49C	EL196UH090XE48C	201933661
XP14-042-230	42500	14.5	12.5	41500	27000	8.5	C37-49C	EL196UH110XE60C	201933662
XP14-042-230	42000	14.7	12.7	41000	26000	9	C37-49C	EL296UH090XE48C	10084641

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-042-230	43500	15.5	13	41500	26600	8.5	C37-49C	EL296UH090XV36C	10084531
XP14-042-230	43500	15.5	13.2	41500	26600	8.5	C37-49C	EL296UH090XV48C	10084587
XP14-042-230	44000	15.5	13	42000	26800	8.7	C37-49C	EL296UH090XV60C	10084570
XP14-042-230	42500	14.7	12.7	41500	26400	9	C37-49C	EL296UH110XE60C	10084628
XP14-042-230	44000	15.7	13.2	41500	26600	8.7	C37-49C	EL296UH110XV48C	10084555
XP14-042-230	44000	15.7	13.2	41500	26600	8.7	C37-49C	EL296UH110XV60C	10084567
XP14-042-230	44000	15.5	13.2	41500	26600	8.5	C37-49C	ML180UH090E60C	10589904
XP14-042-230	44000	15.5	13.2	41500	26600	8.5	C37-49C	ML180UH110E60C	10590172
XP14-042-230	44000	15.7	13.2	41500	26600	8.7	C37-49C	SL280UH090V60C	10084427
XP14-042-230	44000	15.7	13.2	41500	26600	8.7	C37-49C	SL280UH090XV60C	10085029
XP14-042-230	44000	15.5	13.2	41500	26800	8.5	C37-49C	SL280UH110V60C	10084428
XP14-042-230	44000	15.5	13.2	41500	26800	8.5	C37-49C	SL280UH110XV60C	10085044
XP14-042-230	43500	15.5	13	41500	26600	8.5	C37-49C	SLP98UH090XV36C	10084446
XP14-042-230	43500	15.5	13.2	41500	26600	8.5	C37-49C	SLP98UH090XV48C	10084460
XP14-042-230	44000	15.5	13	42000	26800	8.7	C37-49C	SLP98UH090XV60C	10084453
XP14-042-230	44000	15.7	13.2	41500	26600	8.7	C37-49C	SLP98UH110XV60C	10084438
XP14-042-230	43500	14.5	12.2	42000	27400	8.2	C37-49C		10084104
XP14-042-230	41000	14.5	12.2	41000	26000	8.7	C37-50/60C	EL195UH090XE48C	10084442
XP14-042-230	42000	14.5	12.5	41500	26200	8.7	C37-50/60C	EL195UH110XE60C	10084444
XP14-042-230	41000	14.5	12.2	41000	26000	8.7	C37-50/60C	EL296UH090XE48C	10084642
XP14-042-230	42000	14.5	12.5	41500	26200	8.7	C37-50/60C	EL296UH110XE60C	10084627
XP14-042-230	44000	15.7	13.2	42000	26800	8.7	C37-50/60C	EL296UH135XV60D	10084538
XP14-042-230	42500	15	12.7	41500	26200	9.2	C37-60D	EL180UH135E60D	10084721
XP14-042-230	44000	15.2	13	42000	27000	8.7	C37-60D	EL195UH135XE60D	10084451
XP14-042-230	44000	15.2	13	42000	27000	8.7	C37-60D	EL296UH135XE60D	10084614
XP14-042-230	42500	15	12.7	41500	26200	9.2	C37-60D	ML180UH135E60D	10590401
XP14-042-230	44000	15.7	13.5	41500	26600	8.7	C37-60D	SL280UH135V60D	10084430
XP14-042-230	44000	15.7	13.2	41500	26800	8.7	C37-60D	SLP98UH135XV60D	10084447
XP14-042-230	43000	14.5	12.2	42500	27400	8.2	C37-60D		10084105
XP14-042-230	43000	14.5	12.2	42500	27400	8.2	C37-60D		201874762
XP14-042-230	43000	15.2	13	41500	26400	9.5	C37-62C	EL180UH090E60C	10084678
XP14-042-230	43000	15.2	13	41500	26400	9.5	C37-62C	EL180UH110E60C	10084707
XP14-042-230	43500	15.5	13	42500	27000	8.7	C37-62C	EL195UH090XE48C	10084448
XP14-042-230	44000	15.5	13	43000	27200	8.7	C37-62C	EL195UH110XE60C	10084459
XP14-042-230	43000	15	12.5	41500	26400	8.7	C37-62C	EL196UH090XE48C	201933665
XP14-042-230	43500	15	12.5	42000	26600	8.7	C37-62C	EL196UH110XE60C	201933664
XP14-042-230	43500	15.5	13	42500	27000	8.7	C37-62C	EL296UH090XE48C	10084608
XP14-042-230	43500	15.7	13	42500	27000	8.7	C37-62C	EL296UH090XV36C	10084544
XP14-042-230	43500	15.7	13.2	42500	27000	8.7	C37-62C	EL296UH090XV48C	10084529
XP14-042-230	44000	15.7	13	42500	27200	8.7	C37-62C	EL296UH090XV60C	10084557
XP14-042-230	44000	15.5	13	43000	27200	8.7	C37-62C	EL296UH110XE60C	10084604
XP14-042-230	44000	15.7	13.2	42500	27000	8.7	C37-62C	EL296UH110XV48C	10084566
XP14-042-230	44000	15.7	13.2	42500	27000	8.7	C37-62C	EL296UH110XV60C	10084537
XP14-042-230	43000	15.2	13	41500	26400	9.5	C37-62C	ML180UH090E60C	10589902
XP14-042-230	43000	15.2	13	41500	26400	9.5	C37-62C	ML180UH110E60C	10590164
XP14-042-230	44000	16	13	42500	26800	8.5	C37-62C	SL280UH090V60C	10084431
XP14-042-230	44000	16	13	42500	26800	8.5	C37-62C	SL280UH090XV60C	10085030
XP14-042-230	43500	15.7	13	42500	27000	8.7	C37-62C	SL280UH110V60C	10084429
XP14-042-230	43500	15.7	13	42500	27000	8.7	C37-62C	SL280UH110XV60C	10085045
XP14-042-230	43500	15.7	13	42500	27000	8.7	C37-62C	SLP98UH090XV36C	10084452
XP14-042-230	43500	15.7	13.2	42500	27000	8.7	C37-62C	SLP98UH090XV48C	10084437
XP14-042-230	44000	15.7	13	42500	27200	8.7	C37-62C	SLP98UH090XV60C	10084440
XP14-042-230	44000	15.7	13.2	42500	27000	8.7	C37-62C	SLP98UH110XV60C	10084443
XP14-042-230	43000	14.7	12.2	43000	27600	8.5	C37-62C		10084100
XP14-042-230	43000	14.7	12.2	43000	27600	8.5	C37-62C		201874763

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-042-230	43000	15.2	13	41500	26200	9.2	C37-62D	EL180UH135E60D	10084716
XP14-042-230	43500	15	13	42000	27000	8.7	C37-62D	EL195UH135XE60D	10084436
XP14-042-230	43500	15	13	42000	27000	8.7	C37-62D	EL296UH135XE60D	10084664
XP14-042-230	43500	15.5	13	42000	27000	8.7	C37-62D	EL296UH135XV60D	10084580
XP14-042-230	43000	15.2	13	41500	26200	9.2	C37-62D	ML180UH135E60D	10590398
XP14-042-230	43500	15.7	13.2	41500	26800	8.7	C37-62D	SL280UH135V60D	10084450
XP14-042-230	43500	15.5	13.2	41500	26800	8.7	C37-62D	SLP98UH135XV60D	10084449
XP14-042-230	43000	14.2	12.2	42500	27600	8.5	C37-62D		10084102
XP14-042-230	43000	14.2	12.2	42500	27600	8.5	C37-62D		201874764
XP14-042-230	42000	15	12.5	42000	27400	8.5	CBA27UHE-042-230		10260314
XP14-042-230	42500	15	12.5	42000	27000	8.5	CBA27UHE-048-230		10260315
XP14-042-230	42500	15	12.5	42000	27400	8.5	CBA38MV-042-230		201842199
XP14-042-230	43000	15.5	12.5	42500	26200	8.5	CBA38MV-048-230		201842200
XP14-042-230	42500	14	12	45500	28200	8.2	CBX25UH-042-230		5727006
XP14-042-230	42000	15.5	13	44500	27400	8.5	CBX25UHV-042-230		6970219
XP14-042-230	43500	15.5	13	43500	27400	9	CBX27UH-042-230		5432324
XP14-042-230	43000	15	12.5	43000	27200	8.5	CBX27UH-048-230		5491435
XP14-042-230	43000	14.5	12.5	44000	27800	8.7	CBX32M-048		5432325
XP14-042-230	44000	15.7	13.2	42500	27400	9.2	CH23-68	EL180UH090E60C	5740255
XP14-042-230	44000	15.5	13.2	42500	27400	9.2	CH23-68	EL180UH110E60C	5740703
XP14-042-230	44000	15.7	13.2	42500	27400	9.2	CH23-68	EL180UH135E60D	5741082
XP14-042-230	43500	15.2	13	42500	27400	9.2	CH23-68	EL195UH090XE48C	5432426
XP14-042-230	44000	15.2	13	42500	27600	9.2	CH23-68	EL195UH110XE60C	5432437
XP14-042-230	44000	15.2	13	42500	27600	9.2	CH23-68	EL195UH135XE60D	5432447
XP14-042-230	43500	15	13	42500	27400	9.2	CH23-68	EL196UH090XE48C	201933647
XP14-042-230	44000	15	12.5	42500	27600	9.2	CH23-68	EL196UH110XE60C	201933648
XP14-042-230	43500	15.2	13	42500	27400	9.2	CH23-68	EL296UH090XE48C	5650797
XP14-042-230	44000	15.2	13	42500	27600	9.2	CH23-68	EL296UH110XE60C	5650795
XP14-042-230	44000	15.2	13	42500	27600	9.2	CH23-68	EL296UH135XE60D	5650780
XP14-042-230	44000	15.7	13.2	42500	27400	9.5	CH23-68	EL296UH135XV60D	5562871
XP14-042-230	44000	15.7	13.2	42500	27400	9.2	CH23-68	ML180UH090E60C	10589814
XP14-042-230	44000	15.5	13.2	42500	27400	9.2	CH23-68	ML180UH110E60C	10590063
XP14-042-230	44000	15.7	13.2	42500	27400	9.2	CH23-68	ML180UH135E60D	10590341
XP14-042-230	44000	16	13	42500	27200	9.5	CH23-68	SL280UH135V60D	5432333
XP14-042-230	44000	15.7	13.2	42500	27400	9.5	CH23-68	SLP98UH135XV60D	5432458
XP14-042-230	43500	14.5	12.2	43000	28000	9	CH23-68		5432272
XP14-042-230	44000	15.2	13	42500	27200	8.7	CH33-43B	EL180UH090E48B	5742391
XP14-042-230	43500	14.7	12.7	42500	27400	8.5	CH33-43B	EL296UH045XV36B	5562816
XP14-042-230	43500	14.7	12.5	42500	27400	8.5	CH33-43B	EL296UH070XV36B	5562818
XP14-042-230	44000	15.2	13	42500	27200	8.7	CH33-43B	ML180UH090E48B	10589726
XP14-042-230	44000	15.5	13	42500	27200	8.7	CH33-43B	SL280UH090V36B	5532488
XP14-042-230	44000	15.2	13	42500	27200	8.7	CH33-43B	SL280UH090V48B	5432288
XP14-042-230	44000	15.2	13	42500	27200	8.7	CH33-43B	SL280UH090XV48B	8133222
XP14-042-230	43500	14.7	12.5	42500	27400	8.5	CH33-43B	SLP98UH070XV36B	5432466
XP14-042-230	43500	14.5	12.2	43000	27600	8.5	CH33-43B		5432266
XP14-042-230	43000	15.2	13	42500	26800	8.2	CH33-43C	EL180UH090E60C	5740248
XP14-042-230	43000	15.2	13	42000	26800	8.2	CH33-43C	EL180UH110E60C	5740712
XP14-042-230	42500	15	12.7	42000	26800	8.2	CH33-43C	EL195UH090XE48C	5432427
XP14-042-230	43000	15	12.7	42500	27000	8.2	CH33-43C	EL195UH110XE60C	5432438
XP14-042-230	42500	15	12.5	42000	26800	8.2	CH33-43C	EL196UH090XE48C	201933650
XP14-042-230	43000	15	12.5	42500	27000	8.2	CH33-43C	EL196UH110XE60C	201933651
XP14-042-230	42500	15	12.7	42000	26800	8.2	CH33-43C	EL296UH090XE48C	5650785
XP14-042-230	42500	15.2	12.7	42500	26800	8.2	CH33-43C	EL296UH090XV36C	5562820
XP14-042-230	42500	15.2	12.7	42500	26800	8.2	CH33-43C	EL296UH090XV48C	5562836
XP14-042-230	43000	15.2	12.7	42500	27000	8.2	CH33-43C	EL296UH090XV60C	5562839

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-042-230	43000	15	12.7	42500	27000	8.2	CH33-43C	EL296UH110XE60C	5650776
XP14-042-230	43000	15.2	13	42500	26800	8.2	CH33-43C	EL296UH110XV48C	5562849
XP14-042-230	43000	15.2	13	42500	26800	8.2	CH33-43C	EL296UH110XV60C	5562860
XP14-042-230	43000	15.2	13	42500	26800	8.2	CH33-43C	ML180UH090E60C	10589809
XP14-042-230	43000	15.2	13	42000	26800	8.2	CH33-43C	ML180UH110E60C	10590070
XP14-042-230	43000	15.5	13	42500	26800	8.5	CH33-43C	SL280UH090V60C	5432339
XP14-042-230	43000	15.5	13	42500	26800	8.5	CH33-43C	SL280UH090XV60C	8133238
XP14-042-230	42500	15.2	12.7	42500	26800	8.2	CH33-43C	SL280UH110V60C	5432340
XP14-042-230	42500	15.2	12.7	42500	26800	8.2	CH33-43C	SL280UH110XV60C	8133265
XP14-042-230	42500	15.2	12.7	42500	26800	8.2	CH33-43C	SLP98UH090XV36C	5432459
XP14-042-230	42500	15.2	12.7	42500	26800	8.2	CH33-43C	SLP98UH090XV48C	5432460
XP14-042-230	43000	15.2	12.7	42500	27000	8.2	CH33-43C	SLP98UH090XV60C	5432461
XP14-042-230	43000	15.2	13	42500	26800	8.2	CH33-43C	SLP98UH110XV60C	5432462
XP14-042-230	42000	14.7	12.5	42500	27000	8.5	CH33-44/48	EL180UH090E48B	5742392
XP14-042-230	41500	14.2	12.2	42500	27200	8.2	CH33-44/48	EL296UH045XV36B	5562815
XP14-042-230	41500	14.2	12.2	42500	27200	8.2	CH33-44/48	EL296UH070XV36B	5562817
XP14-042-230	42000	14.7	12.5	42500	27000	8.5	CH33-44/48	ML180UH090E48B	10589727
XP14-042-230	42000	14.7	12.7	42500	27000	8.5	CH33-44/48	SL280UH090V36B	5532487
XP14-042-230	42000	14.7	12.5	42500	27000	8.5	CH33-44/48	SL280UH090V48B	5432345
XP14-042-230	42000	14.7	12.5	42500	27000	8.5	CH33-44/48	SL280UH090XV48B	8133223
XP14-042-230	41500	14.2	12.2	42500	27200	8.2	CH33-44/48	SLP98UH070XV36B	5432465
XP14-042-230	41500	14	11.7	43000	27600	8.2	CH33-44/48		5432276
XP14-042-230	42500	15	12.7	42000	26800	8.2	CH33-48C	EL180UH090E60C	5740256
XP14-042-230	42000	15	12.7	42000	26800	8.2	CH33-48C	EL180UH110E60C	5740710
XP14-042-230	42000	14.7	12.5	42000	26800	8.2	CH33-48C	EL195UH090XE48C	5432428
XP14-042-230	42500	14.7	12.5	42500	27000	8.2	CH33-48C	EL195UH110XE60C	5432439
XP14-042-230	42000	14.5	12.5	42000	26800	8.2	CH33-48C	EL196UH090XE48C	201933652
XP14-042-230	42500	14.5	12.5	42500	27000	8.2	CH33-48C	EL196UH110XE60C	201933653
XP14-042-230	42000	14.7	12.5	42000	26800	8.2	CH33-48C	EL296UH090XE48C	5650801
XP14-042-230	42000	14.7	12.5	42500	26800	8.2	CH33-48C	EL296UH090XV36C	5562822
XP14-042-230	42500	15	12.7	42500	26800	8.2	CH33-48C	EL296UH090XV48C	5562832
XP14-042-230	42500	14.7	12.5	42500	27000	8.2	CH33-48C	EL296UH090XV60C	5562844
XP14-042-230	42500	14.7	12.5	42500	27000	8.2	CH33-48C	EL296UH110XE60C	5650779
XP14-042-230	42500	15	12.7	42500	26800	8.2	CH33-48C	EL296UH110XV48C	5562856
XP14-042-230	42500	15	12.7	42500	26800	8.2	CH33-48C	EL296UH110XV60C	5562863
XP14-042-230	42500	15	12.7	42000	26800	8.2	CH33-48C	ML180UH090E60C	10589815
XP14-042-230	42000	15	12.7	42000	26800	8.2	CH33-48C	ML180UH110E60C	10590068
XP14-042-230	42500	15.2	12.7	42500	26800	8.2	CH33-48C	SL280UH090V60C	5432358
XP14-042-230	42500	15.2	12.7	42500	26800	8.2	CH33-48C	SL280UH090XV60C	8133239
XP14-042-230	42500	15	12.7	42500	26800	8.2	CH33-48C	SL280UH110V60C	5432359
XP14-042-230	42500	15	12.7	42500	26800	8.2	CH33-48C	SL280UH110XV60C	8133266
XP14-042-230	42000	14.7	12.5	42500	26800	8.2	CH33-48C	SLP98UH090XV36C	5432476
XP14-042-230	42500	15	12.7	42500	26800	8.2	CH33-48C	SLP98UH090XV48C	5432477
XP14-042-230	42500	14.7	12.5	42500	27000	8.2	CH33-48C	SLP98UH090XV60C	5432478
XP14-042-230	42500	15	12.7	42500	26800	8.2	CH33-48C	SLP98UH110XV60C	5432479
XP14-042-230	43500	15.2	13	42000	26800	8.7	CH33-49	EL180UH090E60C	5740251
XP14-042-230	43000	15.2	13	42000	26800	8.7	CH33-49	EL180UH110E60C	5740706
XP14-042-230	43000	15	12.7	42000	26800	8.5	CH33-49	EL195UH090XE48C	5432429
XP14-042-230	43500	15.2	12.7	42500	27000	8.7	CH33-49	EL195UH110XE60C	5432440
XP14-042-230	43000	15	12.5	42000	26800	8.5	CH33-49	EL196UH090XE48C	201933654
XP14-042-230	43500	15	12.5	42500	27000	8.7	CH33-49	EL196UH110XE60C	201933655
XP14-042-230	43000	15	12.7	42000	26800	8.5	CH33-49	EL296UH090XE48C	5650794
XP14-042-230	43500	15.2	13	42000	27000	8.7	CH33-49	EL296UH090XV36C	5562824
XP14-042-230	43500	15.2	13	42000	26800	8.7	CH33-49	EL296UH090XV48C	5562834
XP14-042-230	44000	15.2	13	42500	27200	8.7	CH33-49	EL296UH090XV60C	5562847

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-042-230	43500	15.2	12.7	42500	27000	8.7	CH33-49	EL296UH110XE60C	5650783
XP14-042-230	43500	15.2	13	42000	26800	8.7	CH33-49	EL296UH110XV48C	5562853
XP14-042-230	43500	15.2	13	42000	26800	8.7	CH33-49	EL296UH110XV60C	5562867
XP14-042-230	43500	15.2	13	42000	26800	8.7	CH33-49	ML180UH090E60C	10589812
XP14-042-230	43000	15.2	13	42000	26800	8.7	CH33-49	ML180UH110E60C	10590065
XP14-042-230	44000	15.5	13.2	42000	27000	8.7	CH33-49	SL280UH090V60C	5432367
XP14-042-230	44000	15.5	13.2	42000	27000	8.7	CH33-49	SL280UH090XV60C	8133240
XP14-042-230	43500	15.2	13	42000	27000	8.7	CH33-49	SL280UH110V60C	5432368
XP14-042-230	43500	15.2	13	42000	27000	8.7	CH33-49	SL280UH110XV60C	8133267
XP14-042-230	43500	15.2	13	42000	27000	8.7	CH33-49	SLP98UH090XV36C	5432480
XP14-042-230	43500	15.2	13	42000	26800	8.7	CH33-49	SLP98UH090XV48C	5432481
XP14-042-230	44000	15.2	13	42500	27200	8.7	CH33-49	SLP98UH090XV60C	5432482
XP14-042-230	43500	15.2	13	42000	26800	8.7	CH33-49	SLP98UH110XV60C	5432483
XP14-042-230	43000	14.2	12.2	42500	27400	8.5	CH33-49		5432278
XP14-042-230	43000	15.2	12.7	42000	26800	8.7	CH33-50/60C	EL180UH090E60C	5740249
XP14-042-230	43000	15.2	13	42000	26800	8.5	CH33-50/60C	EL180UH110E60C	5740708
XP14-042-230	43000	15	12.7	42000	26800	8.5	CH33-50/60C	EL195UH090XE48C	5432430
XP14-042-230	43500	15	12.7	42000	27000	8.5	CH33-50/60C	EL195UH110XE60C	5432441
XP14-042-230	43000	15	12.5	42000	26800	8.5	CH33-50/60C	EL196UH090XE48C	201933656
XP14-042-230	43500	15	12.5	42000	27000	8.5	CH33-50/60C	EL196UH110XE60C	201933657
XP14-042-230	43000	15	12.7	42000	26800	8.5	CH33-50/60C	EL296UH090XE48C	5650775
XP14-042-230	43000	15.2	12.7	42500	27200	8.5	CH33-50/60C	EL296UH090XV36C	5562827
XP14-042-230	43500	15.2	13	42500	27200	8.5	CH33-50/60C	EL296UH090XV48C	5562837
XP14-042-230	43500	15.2	12.7	42500	27400	8.5	CH33-50/60C	EL296UH090XV60C	5562843
XP14-042-230	43500	15	12.7	42000	27000	8.5	CH33-50/60C	EL296UH110XE60C	5650791
XP14-042-230	43500	15.2	13	42500	27200	8.5	CH33-50/60C	EL296UH110XV48C	5562858
XP14-042-230	43500	15.2	13	42500	27200	8.5	CH33-50/60C	EL296UH110XV60C	5562865
XP14-042-230	43000	15.2	12.7	42000	26800	8.7	CH33-50/60C	ML180UH090E60C	10589810
XP14-042-230	43000	15.2	13	42000	26800	8.5	CH33-50/60C	ML180UH110E60C	10590066
XP14-042-230	43500	15.5	13	42500	27200	8.7	CH33-50/60C	SL280UH090V60C	5432376
XP14-042-230	43500	15.5	13	42500	27200	8.7	CH33-50/60C	SL280UH090XV60C	8133241
XP14-042-230	43500	15.2	13	42500	27200	8.5	CH33-50/60C	SL280UH110V60C	5432377
XP14-042-230	43500	15.2	13	42500	27200	8.5	CH33-50/60C	SL280UH110XV60C	8133268
XP14-042-230	43000	15.2	12.7	42500	27200	8.5	CH33-50/60C	SLP98UH090XV36C	5432484
XP14-042-230	43500	15.2	13	42500	27200	8.5	CH33-50/60C	SLP98UH090XV48C	5432485
XP14-042-230	43500	15.2	12.7	42500	27400	8.5	CH33-50/60C	SLP98UH090XV60C	5432486
XP14-042-230	43500	15.2	13	42500	27200	8.5	CH33-50/60C	SLP98UH110XV60C	5432487
XP14-042-230	43000	14.2	12.2	43000	27800	8.2	CH33-50/60C		5432279
XP14-042-230	44500	15.7	13.2	42500	27000	8.5	CH33-60D	EL180UH135E60D	5741084
XP14-042-230	44000	15.2	13	42500	27200	8.5	CH33-60D	EL195UH135XE60D	5432448
XP14-042-230	44000	15.2	13	42500	27200	8.5	CH33-60D	EL296UH135XE60D	5650784
XP14-042-230	44500	15.7	13.2	42500	27000	8.7	CH33-60D	EL296UH135XV60D	5562875
XP14-042-230	44500	15.7	13.2	42500	27000	8.5	CH33-60D	ML180UH135E60D	10590343
XP14-042-230	44000	16	13	42000	26800	8.5	CH33-60D	SL280UH135V60D	5432348
XP14-042-230	44000	15.7	13.2	42500	26800	8.7	CH33-60D	SLP98UH135XV60D	5432463
XP14-042-230	43500	14.5	12.2	43000	27600	8.2	CH33-60D		5432274
XP14-042-230	42500	15	12.7	41500	26200	9.2	CH33-62D	EL180UH135E60D	5741085
XP14-042-230	42500	14.7	12.7	41500	26400	8.7	CH33-62D	EL195UH135XE60D	5432449
XP14-042-230	42500	14.7	12.7	41500	26400	8.7	CH33-62D	EL296UH135XE60D	5650792
XP14-042-230	43500	15.5	13	42000	26800	8.7	CH33-62D	EL296UH135XV60D	5562874
XP14-042-230	42500	15	12.7	41500	26200	9.2	CH33-62D	ML180UH135E60D	10590344
XP14-042-230	43500	15.7	13.2	41500	26600	8.7	CH33-62D	SL280UH135V60D	5432350
XP14-042-230	43500	15.7	13.2	42000	26800	8.7	CH33-62D	SLP98UH135XV60D	5432464
XP14-042-230	43000	14.2	12.2	42500	27400	8.2	CH33-62D		5432275
XP14-042-230	44500	15.5	13.2	43000	27000	9	CR33-50/60	EL180DF110E60C	5741636

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-042-230	44000	15.2	13	43000	27200	8.7	CR33-50/60	EL195DF090XE48C	5432421
XP14-042-230	44500	15.2	13	43500	27200	9	CR33-50/60	EL195DF110XE60C	5432422
XP14-042-230	44000	15	12.5	43000	27200	8.7	CR33-50/60	EL196DF090XE48C	201953269
XP14-042-230	44000	15.2	13	43000	27200	8.7	CR33-50/60	EL296DF090XE48C	5650793
XP14-042-230	44500	15.2	13	43500	27200	9	CR33-50/60	EL296DF090XV60C	5562813
XP14-042-230	44500	15.2	13	43500	27200	9	CR33-50/60	EL296DF110XE60C	5650774
XP14-042-230	44500	15.5	13.2	43000	27200	9	CR33-50/60	EL296DF110XV60C	5562814
XP14-042-230	44500	15.5	13.2	43000	27000	9	CR33-50/60	ML180DF110E60C	10589533
XP14-042-230	44000	15.7	13.2	43000	27000	9	CR33-50/60	SL280DF090V60C	5432381
XP14-042-230	44500	15.7	13.2	43000	27000	9	CR33-50/60	SL280DF110V60C	5432382
XP14-042-230	44000	15.2	13	43000	27200	9	CR33-50/60	SLP98DF090XV36C	5432488
XP14-042-230	44500	15.2	13	43000	27200	9	CR33-50/60	SLP98DF090XV48C	5432489
XP14-042-230	44500	15.2	13	43500	27200	9	CR33-50/60	SLP98DF090XV60C	5432490
XP14-042-230	44500	15.5	13.2	43000	27200	9	CR33-50/60	SLP98DF110XV60C	5432491
XP14-042-230	43500	14.2	12.2	43500	27800	8.7	CR33-50/60		5432280
XP14-042-230	43500	14.2	12.2	43500	27800	8.7	CR33-60		5432281
XP14-042-230	44000	15.5	13.2	41500	26600	8.5	CX38-49C	EL180UH090E60C	10084689
XP14-042-230	44000	15.5	13.2	41500	26600	8.5	CX38-49C	EL180UH110E60C	10084711
XP14-042-230	43500	15.2	13	41500	26600	8.5	CX38-49C	EL195UH090XE48C	10084439
XP14-042-230	44000	15.2	13	42000	27000	8.5	CX38-49C	EL195UH110XE60C	10084458
XP14-042-230	43500	15	13	41500	26800	8.5	CX38-49C	EL196UH090XE48C	201933667
XP14-042-230	44000	15	12.5	42000	27000	8.5	CX38-49C	EL196UH110XE60C	201933666
XP14-042-230	43500	15.2	13	41500	26600	8.5	CX38-49C	EL296UH090XE48C	10084657
XP14-042-230	43500	15.5	13	41500	26600	8.5	CX38-49C	EL296UH090XV36C	10084551
XP14-042-230	43500	15.5	13.2	41500	26600	8.5	CX38-49C	EL296UH090XV48C	10084569
XP14-042-230	44000	15.5	13	42000	26800	8.7	CX38-49C	EL296UH090XV60C	10084536
XP14-042-230	44000	15.2	13	42000	27000	8.5	CX38-49C	EL296UH110XE60C	10084621
XP14-042-230	44000	15.7	13.2	41500	26600	8.7	CX38-49C	EL296UH110XV48C	10084571
XP14-042-230	44000	15.7	13.2	41500	26600	8.7	CX38-49C	EL296UH110XV60C	10084558
XP14-042-230	44000	15.5	13.2	41500	26600	8.5	CX38-49C	ML180UH090E60C	10589910
XP14-042-230	44000	15.5	13.2	41500	26600	8.5	CX38-49C	ML180UH110E60C	10590168
XP14-042-230	44000	15.7	13.2	41500	26600	8.7	CX38-49C	SL280UH090V60C	10084432
XP14-042-230	44000	15.7	13.2	41500	26600	8.7	CX38-49C	SL280UH090XV60C	10085031
XP14-042-230	44000	15.5	13.2	41500	26800	8.5	CX38-49C	SL280UH110V60C	10084433
XP14-042-230	44000	15.5	13.2	41500	26800	8.5	CX38-49C	SL280UH110XV60C	10085046
XP14-042-230	43500	15.5	13	41500	26600	8.5	CX38-49C	SLP98UH090XV36C	10084461
XP14-042-230	43500	15.5	13.2	41500	26600	8.5	CX38-49C	SLP98UH090XV48C	10084455
XP14-042-230	44000	15.5	13	42000	26800	8.7	CX38-49C	SLP98UH090XV60C	10084454
XP14-042-230	44000	15.7	13.2	41500	26600	8.7	CX38-49C	SLP98UH110XV60C	10084441
XP14-042-230	43500	14.5	12.2	42000	27400	8.2	CX38-49C		10084101
XP14-042-230	43500	14.5	12.2	42000	27400	8.2	CX38-49C		201874955
XP14-042-230	42500	15	12.7	41500	26200	9.2	CX38-60D	EL180UH135E60D	10086721
XP14-042-230	42500	14.7	12.7	41500	26400	8.7	CX38-60D	EL195UH135XE60D	10086683
XP14-042-230	42500	14.7	12.7	41500	26400	8.7	CX38-60D	EL296UH135XE60D	10086713
XP14-042-230	44000	15.7	13.2	42000	26800	8.7	CX38-60D	EL296UH135XV60D	10086703
XP14-042-230	42500	15	12.7	41500	26200	9.2	CX38-60D	ML180UH135E60D	10590418
XP14-042-230	44000	15.7	13.5	41500	26600	8.7	CX38-60D	SL280UH135V60D	10086681
XP14-042-230	44000	15.7	13.2	41500	26800	8.7	CX38-60D	SLP98UH135XV60D	10086685
XP14-042-230	43000	14.5	12.2	42500	27400	8.2	CX38-60D		201874956
XP14-042-230	43000	14.5	12.2	42500	27400	8.2	CX38-60D		10086659
XP14-042-230	43000	15.2	13	41500	26400	9.5	CX38-62C	EL180UH090E60C	10086718
XP14-042-230	43000	15.2	13	41500	26400	9.5	CX38-62C	EL180UH110E60C	10086720
XP14-042-230	43000	15	13	41500	26400	8.7	CX38-62C	EL195UH090XE48C	10086676
XP14-042-230	43500	15.2	13	42000	26600	8.7	CX38-62C	EL195UH110XE60C	10086684
XP14-042-230	43000	15	12.5	41500	26400	8.7	CX38-62C	EL196UH090XE48C	201933670

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-042-230	43500	15	12.5	42000	26600	8.7	CX38-62C	EL196UH110XE60C	201933669
XP14-042-230	43000	15	13	41500	26400	8.7	CX38-62C	EL296UH090XE48C	10086896
XP14-042-230	43500	15.7	13	42500	27000	8.7	CX38-62C	EL296UH090XV36C	10086699
XP14-042-230	43500	15.7	13.2	42500	27000	8.7	CX38-62C	EL296UH090XV48C	10086705
XP14-042-230	44000	15.7	13	42500	27200	8.7	CX38-62C	EL296UH090XV60C	10086706
XP14-042-230	43500	15.2	13	42000	26600	8.7	CX38-62C	EL296UH110XE60C	10086714
XP14-042-230	44000	15.7	13.2	42500	27000	8.7	CX38-62C	EL296UH110XV48C	10086701
XP14-042-230	44000	15.7	13.2	42500	27000	8.7	CX38-62C	EL296UH110XV60C	10086707
XP14-042-230	43000	15.2	13	41500	26400	9.5	CX38-62C	ML180UH090E60C	10589953
XP14-042-230	43000	15.2	13	41500	26400	9.5	CX38-62C	ML180UH110E60C	10590204
XP14-042-230	44000	16	13	42500	26800	8.5	CX38-62C	SL280UH090V60C	10086675
XP14-042-230	44000	16	13	42500	26800	8.5	CX38-62C	SL280UH090XV60C	10086746
XP14-042-230	43500	15.7	13	42500	27000	8.7	CX38-62C	SL280UH110V60C	10086682
XP14-042-230	43500	15.7	13	42500	27000	8.7	CX38-62C	SL280UH110XV60C	10086749
XP14-042-230	43500	15.7	13	42500	27000	8.7	CX38-62C	SLP98UH090XV36C	10086678
XP14-042-230	43500	15.7	13.2	42500	27000	8.7	CX38-62C	SLP98UH090XV48C	10086680
XP14-042-230	44000	15.7	13	42500	27200	8.7	CX38-62C	SLP98UH090XV60C	10086679
XP14-042-230	44000	15.7	13.2	42500	27000	8.7	CX38-62C	SLP98UH110XV60C	10086677
XP14-042-230	43000	14.7	12.2	43000	27600	8.5	CX38-62C		201874958
XP14-042-230	43000	14.7	12.2	43000	27600	8.5	CX38-62C		10086660
XP14-042-230	43000	15.2	13	41500	26200	9.2	CX38-62D	EL180UH135E60D	10084713
XP14-042-230	42500	14.7	12.7	41500	26400	8.7	CX38-62D	EL195UH135XE60D	10084445
XP14-042-230	42500	14.7	12.7	41500	26400	8.7	CX38-62D	EL296UH135XE60D	10084613
XP14-042-230	43500	15.5	13	42000	27000	8.7	CX38-62D	EL296UH135XV60D	10084559
XP14-042-230	43000	15.2	13	41500	26200	9.2	CX38-62D	ML180UH135E60D	10590396
XP14-042-230	43500	15.7	13.2	41500	26800	8.7	CX38-62D	SL280UH135V60D	10084435
XP14-042-230	43500	15.5	13.2	41500	26800	8.7	CX38-62D	SLP98UH135XV60D	10084456
XP14-042-230	43000	14.2	12.2	42500	27600	8.5	CX38-62D		10084103
XP14-042-230	43000	14.2	12.2	42500	27600	8.5	CX38-62D		201874957
XP14-048-230	49000	15	12.7	45500	30000	8.7	C37-49C	EL180UH090E60C	10084696
XP14-048-230	48500	14.7	12.7	45500	30000	8.5	C37-49C	EL180UH110E60C	10084708
XP14-048-230	49000	14.7	12.7	46000	30200	8.5	C37-49C	EL195UH090XE48C	10084466
XP14-048-230	49000	14.7	12.7	46000	30200	8.5	C37-49C	EL195UH110XE60C	10084469
XP14-048-230	49000	14.5	12.5	46000	30400	8.5	C37-49C	EL196UH090XE48C	201933680
XP14-048-230	49000	14.5	12.5	46000	30200	8.5	C37-49C	EL196UH110XE60C	201933679
XP14-048-230	49000	14.7	12.7	46000	30200	8.5	C37-49C	EL296UH090XE48C	10084629
XP14-048-230	49000	14.5	12.7	46000	30000	8.5	C37-49C	EL296UH090XV48C	10084588
XP14-048-230	49000	14.5	12.7	46000	30000	8.5	C37-49C	EL296UH090XV60C	10084560
XP14-048-230	49000	14.7	12.7	46000	30200	8.5	C37-49C	EL296UH110XE60C	10084622
XP14-048-230	49000	14.5	12.7	46000	30000	8.5	C37-49C	EL296UH110XV48C	10084561
XP14-048-230	49000	14.5	12.7	46000	30000	8.5	C37-49C	EL296UH110XV60C	10084573
XP14-048-230	49000	15	12.7	45500	30000	8.7	C37-49C	ML180UH090E60C	10589916
XP14-048-230	48500	14.7	12.7	45500	30000	8.5	C37-49C	ML180UH110E60C	10590165
XP14-048-230	49000	14.7	12.7	46000	30000	8.5	C37-49C	SL280UH090V60C	10084468
XP14-048-230	49000	14.7	12.7	46000	30000	8.5	C37-49C	SL280UH090XV60C	10085032
XP14-048-230	49000	14.7	12.7	46000	29800	8.5	C37-49C	SL280UH110V60C	10084464
XP14-048-230	49000	14.7	12.7	46000	29800	8.5	C37-49C	SL280UH110XV60C	10085048
XP14-048-230	49000	14.5	12.7	46000	30000	8.5	C37-49C	SLP98UH090XV48C	10084483
XP14-048-230	49000	14.5	12.7	46000	30000	8.5	C37-49C	SLP98UH090XV60C	10084486
XP14-048-230	49000	14.5	12.7	46000	30000	8.5	C37-49C	SLP98UH110XV60C	10084473
XP14-048-230	49000	14	12.2	46500	30400	8.2	C37-49C		10084106
XP14-048-230	49000	14	12.2	46500	30400	8.2	C37-49C		201874766
XP14-048-230	47500	14.7	12.5	47500	31000	8.2	C37-60D	EL180UH135E60D	10084726
XP14-048-230	47500	14.7	12.5	47500	31000	8.2	C37-60D	ML180UH135E60D	10590404
XP14-048-230	48500	15	12.7	46000	30400	9	C37-62C	EL180UH090E60C	10084690

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-048-230	48500	15	12.7	46000	30400	9	C37-62C	EL180UH110E60C	10084718
XP14-048-230	48500	14.7	12.5	46500	30600	9	C37-62C	EL195UH090XE48C	10084485
XP14-048-230	48500	14.7	12.7	46500	30400	9	C37-62C	EL195UH110XE60C	10084476
XP14-048-230	48500	14.5	12.5	46500	30600	9	C37-62C	EL196UH090XE48C	201933681
XP14-048-230	48500	14.5	12.5	46500	30600	9	C37-62C	EL196UH110XE60C	201933682
XP14-048-230	48500	14.7	12.5	46500	30600	9	C37-62C	EL296UH090XE48C	10084665
XP14-048-230	48500	14.5	12.7	46500	30400	9	C37-62C	EL296UH090XV48C	10084581
XP14-048-230	48500	14.5	12.7	46500	30400	9	C37-62C	EL296UH090XV60C	10084584
XP14-048-230	48500	14.7	12.7	46500	30400	9	C37-62C	EL296UH110XE60C	10084615
XP14-048-230	48500	14.7	12.7	46500	30400	9	C37-62C	EL296UH110XV48C	10084575
XP14-048-230	48500	14.5	12.7	46500	30400	9	C37-62C	EL296UH110XV60C	10084590
XP14-048-230	48500	15	12.7	46000	30400	9	C37-62C	ML180UH090E60C	10589911
XP14-048-230	48500	15	12.7	46000	30400	9	C37-62C	ML180UH110E60C	10590171
XP14-048-230	49000	14.7	12.7	46500	30200	9	C37-62C	SL280UH090V60C	10084462
XP14-048-230	49000	14.7	12.7	46500	30200	9	C37-62C	SL280UH090XV60C	10085033
XP14-048-230	48500	14.7	12.7	46000	30200	9	C37-62C	SL280UH110V60C	10084467
XP14-048-230	48500	14.7	12.7	46000	30200	9	C37-62C	SL280UH110XV60C	10085047
XP14-048-230	48500	14.5	12.7	46500	30400	9	C37-62C	SLP98UH090XV48C	10084472
XP14-048-230	48500	14.5	12.7	46500	30400	9	C37-62C	SLP98UH090XV60C	10084479
XP14-048-230	48500	14.5	12.7	46500	30400	9	C37-62C	SLP98UH110XV60C	10084470
XP14-048-230	48500	14	12.2	47000	30800	8.7	C37-62C		10084108
XP14-048-230	48500	14	12.2	47000	30800	8.7	C37-62C		201874765
XP14-048-230	48000	14.7	12.5	46000	30400	8.7	C37-62D	EL180UH135E60D	10084720
XP14-048-230	48000	14.5	12.2	46000	30600	8.7	C37-62D	EL195UH135XE60D	10084478
XP14-048-230	48000	14.5	12.2	46000	30600	8.7	C37-62D	EL296UH135XE60D	10084647
XP14-048-230	48000	14.5	12.5	46000	30400	8.7	C37-62D	EL296UH135XV60D	10084562
XP14-048-230	48000	14.7	12.5	46000	30400	8.7	C37-62D	ML180UH135E60D	10590400
XP14-048-230	48000	14.5	12.5	46000	30200	8.7	C37-62D	SL280UH135V60D	201874767
XP14-048-230	48000	14.5	12.5	46000	30200	8.7	C37-62D	SL280UH135V60D	10084463
XP14-048-230	48000	14.5	12.7	46000	30000	8.7	C37-62D	SLP98UH135XV60D	10084477
XP14-048-230	48500	15	12.5	47500	30600	9	CBA27UHE-048-230		10260316
XP14-048-230	48000	14.5	12.5	47000	30600	8.5	CBA27UHE-060-230		10260317
XP14-048-230	49000	15	12.5	47500	30600	9	CBA38MV-048-230		201842201
XP14-048-230	49500	15	12.5	47500	30600	9	CBA38MV-060-230		201842202
XP14-048-230	49000	14	12	47000	30200	8.2	CBX25UH-048-230		5727007
XP14-048-230	48500	14	12	47000	30400	8.2	CBX25UH-060-230		6623432
XP14-048-230	48000	15	12.5	46500	29800	8.5	CBX25UHV-048-230		6970220
XP14-048-230	49500	15	12.7	47500	30600	9.2	CBX27UH-048-230		5432528
XP14-048-230	49500	15.2	12.7	43500	29800	9	CBX27UH-060-230		5432529
XP14-048-230	49500	14.7	12.5	48000	30800	9	CBX32M-048		5432530
XP14-048-230	49500	14.5	12.2	48000	30800	8.7	CBX32M-060		5432531
XP14-048-230	50500	15.2	13.2	46500	31000	9.2	CH23-68	EL180UH090E60C	5740261
XP14-048-230	50000	15.2	13	46500	31000	9.2	CH23-68	EL180UH110E60C	5740718
XP14-048-230	50500	15.2	13	47000	31000	9.2	CH23-68	EL180UH135E60D	5741091
XP14-048-230	50000	15	12.7	47000	31200	9.2	CH23-68	EL195UH090XE48C	5432602
XP14-048-230	50500	15.2	13	47000	31200	9.2	CH23-68	EL195UH110XE60C	5432608
XP14-048-230	50500	14.7	12.7	47000	31400	9.2	CH23-68	EL195UH135XE60D	5432614
XP14-048-230	50000	15	12.5	47000	31200	9.2	CH23-68	EL196UH090XE48C	201933672
XP14-048-230	50500	15	12.5	47000	31200	9.2	CH23-68	EL196UH110XE60C	201933673
XP14-048-230	50000	15	12.7	47000	31200	9.2	CH23-68	EL296UH090XE48C	5650819
XP14-048-230	50500	15.2	13	47000	31200	9.2	CH23-68	EL296UH110XE60C	5650804
XP14-048-230	50500	14.7	12.7	47000	31400	9.2	CH23-68	EL296UH135XE60D	5650808
XP14-048-230	51000	15.2	13.2	47000	30800	9.2	CH23-68	EL296UH135XV60D	5562902
XP14-048-230	50500	15.2	13.2	46500	31000	9.2	CH23-68	ML180UH090E60C	10589820
XP14-048-230	50000	15.2	13	46500	31000	9.2	CH23-68	ML180UH110E60C	10590076

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-048-230	50500	15.2	13	47000	31000	9.2	CH23-68	ML180UH135E60D	10590350
XP14-048-230	50500	15.2	13.2	46500	30800	9.2	CH23-68	SL280UH135V60D	5432541
XP14-048-230	50500	15.2	13.2	46500	30600	9.2	CH23-68	SLP98UH135XV60D	5432627
XP14-048-230	49500	14	12.2	47500	31400	9	CH23-68		5432508
XP14-048-230	48500	14.7	12.7	45500	29800	8.5	CH33-50/60C	EL180UH090E60C	5740260
XP14-048-230	49000	14.2	12.2	46500	30200	8.5	CH33-50/60C	EL180UH110E60C	5740714
XP14-048-230	48000	14.2	12.2	45500	29800	8.2	CH33-50/60C	EL195UH090XE48C	5432603
XP14-048-230	48000	14.2	12.5	45500	29800	8.2	CH33-50/60C	EL195UH110XE60C	5432609
XP14-048-230	48000	14.25	12.2	45500	30000	8.2	CH33-50/60C	EL196UH090XE48C	201933675
XP14-048-230	48000	14.25	12.5	45500	29800	8.2	CH33-50/60C	EL196UH110XE60C	201933676
XP14-048-230	48000	14.2	12.2	45500	29800	8.2	CH33-50/60C	EL296UH090XE48C	5650824
XP14-048-230	48500	14.2	12.5	46000	29800	8.2	CH33-50/60C	EL296UH090XV48C	5562878
XP14-048-230	48500	14.2	12.2	46000	29800	8.2	CH33-50/60C	EL296UH090XV60C	5562884
XP14-048-230	48000	14.2	12.5	45500	29800	8.2	CH33-50/60C	EL296UH110XE60C	5650820
XP14-048-230	48500	14.2	12.5	46000	29800	8.5	CH33-50/60C	EL296UH110XV48C	5562892
XP14-048-230	48500	14.2	12.5	46000	29800	8.2	CH33-50/60C	EL296UH110XV60C	5562893
XP14-048-230	48500	14.7	12.7	45500	29800	8.5	CH33-50/60C	ML180UH090E60C	10589819
XP14-048-230	49000	14.2	12.2	46500	30200	8.5	CH33-50/60C	ML180UH110E60C	10590072
XP14-048-230	48500	14.5	12.5	46000	29600	8.5	CH33-50/60C	SL280UH090V60C	5432559
XP14-048-230	48500	14.5	12.5	46000	29600	8.5	CH33-50/60C	SL280UH090XV60C	8133244
XP14-048-230	48500	14.2	12.5	46000	29600	8.5	CH33-50/60C	SL280UH110V60C	5432560
XP14-048-230	48500	14.2	12.5	46000	29600	8.5	CH33-50/60C	SL280UH110XV60C	8133272
XP14-048-230	48500	14.2	12.5	46000	29800	8.2	CH33-50/60C	SLP98UH090XV48C	5432624
XP14-048-230	48500	14.2	12.2	46000	29800	8.2	CH33-50/60C	SLP98UH090XV60C	5432625
XP14-048-230	48500	14.2	12.5	46000	29800	8.2	CH33-50/60C	SLP98UH110XV60C	5432626
XP14-048-230	48500	14.7	12.7	46000	30200	8.7	CH33-60D	EL180UH135E60D	5741093
XP14-048-230	48000	14.2	12.2	46500	30600	8.5	CH33-60D	EL195UH135XE60D	5432615
XP14-048-230	48000	14.2	12.2	46500	30600	8.5	CH33-60D	EL296UH135XE60D	5650813
XP14-048-230	48500	14.2	12.5	46500	30200	8.7	CH33-60D	EL296UH135XV60D	5562898
XP14-048-230	48500	14.7	12.7	46000	30200	8.7	CH33-60D	ML180UH135E60D	10590352
XP14-048-230	48500	14.5	12.7	46000	30000	8.7	CH33-60D	SL280UH135V60D	5432546
XP14-048-230	48000	14.5	12.5	46000	30000	8.5	CH33-60D	SLP98UH135XV60D	5432628
XP14-048-230	48500	15	12.7	46000	30200	8.7	CH33-62D	EL180UH135E60D	5741092
XP14-048-230	48000	14.7	12.2	46000	30400	8.7	CH33-62D	EL195UH135XE60D	5432616
XP14-048-230	48000	14.7	12.2	46000	30400	8.7	CH33-62D	EL296UH135XE60D	5650805
XP14-048-230	48500	14.7	12.7	46000	30200	8.7	CH33-62D	EL296UH135XV60D	5562904
XP14-048-230	48500	15	12.7	46000	30200	8.7	CH33-62D	ML180UH135E60D	10590351
XP14-048-230	48500	14.7	12.7	46000	30000	8.7	CH33-62D	SL280UH135V60D	5432549
XP14-048-230	48000	14.7	12.7	45500	30000	8.7	CH33-62D	SLP98UH135XV60D	5432629
XP14-048-230	48000	14	12	46500	30600	8.5	CH33-62D		5432511
XP14-048-230	49500	15	12.7	48500	31200	9	CR33-50/60	EL180DF110E60C	5741637
XP14-048-230	49500	14.2	12.5	49000	31400	8.7	CR33-50/60	EL195DF090XE48C	5432598
XP14-048-230	49500	14.2	12.7	48500	31200	8.7	CR33-50/60	EL195DF110XE60C	5432599
XP14-048-230	49500	14	12.2	49000	31600	8.7	CR33-50/60	EL196DF090XE48C	201953275
XP14-048-230	49500	14.2	12.5	49000	31400	8.7	CR33-50/60	EL296DF090XE48C	5650809
XP14-048-230	49500	14.2	12.5	49000	31400	8.7	CR33-50/60	EL296DF090XV60C	5562876
XP14-048-230	49500	14.2	12.7	48500	31200	8.7	CR33-50/60	EL296DF110XE60C	5650814
XP14-048-230	49500	14.2	12.7	48500	31200	8.7	CR33-50/60	EL296DF110XV60C	5562877
XP14-048-230	49500	15	12.7	48500	31200	9	CR33-50/60	ML180DF110E60C	10589534
XP14-048-230	49500	14.7	12.7	48500	31000	8.7	CR33-50/60	SL280DF090V60C	5432553
XP14-048-230	49500	14.7	13	48500	31000	8.7	CR33-50/60	SL280DF110V60C	5432554
XP14-048-230	49500	14.2	12.5	49000	31400	8.7	CR33-50/60	SLP98DF090XV48C	5432630
XP14-048-230	49500	14.2	12.5	49000	31400	8.7	CR33-50/60	SLP98DF090XV60C	5432631
XP14-048-230	49500	14.2	12.7	48500	31200	8.7	CR33-50/60	SLP98DF110XV60C	5432633
XP14-048-230	49000	15	12.7	45500	30000	8.7	CX38-49C	EL180UH090E60C	10084700

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-048-230	48500	14.7	12.7	45500	30000	8.5	CX38-49C	EL180UH110E60C	10084712
XP14-048-230	49000	14.5	12.7	46000	30000	8.5	CX38-49C	EL195UH090XE48C	10084471
XP14-048-230	49000	14.5	12.7	46000	30000	8.5	CX38-49C	EL195UH110XE60C	10084481
XP14-048-230	49000	14.5	12.5	46000	30400	8.5	CX38-49C	EL196UH090XE48C	201933687
XP14-048-230	49000	14.5	12.5	46000	30200	8.5	CX38-49C	EL196UH110XE60C	201933688
XP14-048-230	49000	14.5	12.7	46000	30000	8.5	CX38-49C	EL296UH090XE48C	10084605
XP14-048-230	49000	14.5	12.7	46000	30000	8.5	CX38-49C	EL296UH090XV48C	10084574
XP14-048-230	49000	14.5	12.7	46000	30000	8.5	CX38-49C	EL296UH090XV60C	10084589
XP14-048-230	49000	14.5	12.7	46000	30000	8.5	CX38-49C	EL296UH110XE60C	10084644
XP14-048-230	49000	14.5	12.7	46000	30000	8.5	CX38-49C	EL296UH110XV48C	10084582
XP14-048-230	49000	14.5	12.7	46000	30000	8.5	CX38-49C	EL296UH110XV60C	10084576
XP14-048-230	49000	15	12.7	45500	30000	8.7	CX38-49C	ML180UH090E60C	10589920
XP14-048-230	48500	14.7	12.7	45500	30000	8.5	CX38-49C	ML180UH110E60C	10590169
XP14-048-230	49000	14.7	12.7	46000	30000	8.5	CX38-49C	SL280UH090V60C	10084474
XP14-048-230	49000	14.7	12.7	46000	30000	8.5	CX38-49C	SL280UH090XV60C	10085034
XP14-048-230	49000	14.7	12.7	46000	29800	8.5	CX38-49C	SL280UH110V60C	10084480
XP14-048-230	49000	14.7	12.7	46000	29800	8.5	CX38-49C	SL280UH110XV60C	10085049
XP14-048-230	49000	14.5	12.7	46000	30000	8.5	CX38-49C	SLP98UH090XV48C	10084484
XP14-048-230	49000	14.5	12.7	46000	30000	8.5	CX38-49C	SLP98UH090XV60C	10084487
XP14-048-230	49000	14.5	12.7	46000	30000	8.5	CX38-49C	SLP98UH110XV60C	10084475
XP14-048-230	49000	14	12.2	46500	30400	8.2	CX38-49C		10084107
XP14-048-230	49000	14	12.2	46500	30400	8.2	CX38-49C		201874960
XP14-048-230	47500	14.7	12.5	47500	31000	8.2	CX38-60D	EL180UH135E60D	10086724
XP14-048-230	47500	14.7	12.5	47500	31000	8.2	CX38-60D	ML180UH135E60D	10590419
XP14-048-230	48500	15	12.7	46000	30400	9	CX38-62C	EL180UH090E60C	10086717
XP14-048-230	48500	15	12.7	46000	30400	9	CX38-62C	EL180UH110E60C	10086722
XP14-048-230	48500	14.5	12.5	46500	30400	9	CX38-62C	EL195UH090XE48C	10086690
XP14-048-230	48500	14.5	12.7	46500	30400	9	CX38-62C	EL195UH110XE60C	10086895
XP14-048-230	48500	14.5	12.5	46500	30600	9	CX38-62C	EL196UH090XE48C	201933685
XP14-048-230	48500	14.5	12.5	46500	30600	9	CX38-62C	EL196UH110XE60C	201933684
XP14-048-230	48500	14.5	12.5	46500	30400	9	CX38-62C	EL296UH090XE48C	10086899
XP14-048-230	48500	14.5	12.7	46500	30400	9	CX38-62C	EL296UH090XV48C	10086700
XP14-048-230	48500	14.5	12.7	46500	30400	9	CX38-62C	EL296UH090XV60C	10086698
XP14-048-230	48500	14.5	12.7	46500	30400	9	CX38-62C	EL296UH110XE60C	10086900
XP14-048-230	48500	14.7	12.7	46500	30400	9	CX38-62C	EL296UH110XV48C	10086704
XP14-048-230	48500	14.5	12.7	46500	30400	9	CX38-62C	EL296UH110XV60C	10086708
XP14-048-230	48500	15	12.7	46000	30400	9	CX38-62C	ML180UH090E60C	10589952
XP14-048-230	48500	15	12.7	46000	30400	9	CX38-62C	ML180UH110E60C	10590205
XP14-048-230	49000	14.7	12.7	46500	30200	9	CX38-62C	SL280UH090V60C	10086686
XP14-048-230	49000	14.7	12.7	46500	30200	9	CX38-62C	SL280UH090XV60C	10086747
XP14-048-230	48500	14.7	12.7	46000	30200	9	CX38-62C	SL280UH110V60C	10086688
XP14-048-230	48500	14.7	12.7	46000	30200	9	CX38-62C	SL280UH110XV60C	10086750
XP14-048-230	48500	14.5	12.7	46500	30400	9	CX38-62C	SLP98UH090XV48C	10086689
XP14-048-230	48500	14.5	12.7	46500	30400	9	CX38-62C	SLP98UH090XV60C	10086687
XP14-048-230	48500	14.5	12.7	46500	30400	9	CX38-62C	SLP98UH110XV60C	10086691
XP14-048-230	48500	14	12.2	47000	30800	8.7	CX38-62C		201874959
XP14-048-230	48500	14	12.2	47000	30800	8.7	CX38-62C		10086661
XP14-048-230	48000	14.7	12.5	46000	30400	8.7	CX38-62D	EL180UH135E60D	10084722
XP14-048-230	48000	14.5	12.2	46000	30600	8.7	CX38-62D	EL195UH135XE60D	10084482
XP14-048-230	48000	14.5	12.2	46000	30600	8.7	CX38-62D	EL296UH135XE60D	10084651
XP14-048-230	48000	14.5	12.5	46000	30400	8.7	CX38-62D	EL296UH135XV60D	10084591
XP14-048-230	48000	14.7	12.5	46000	30400	8.7	CX38-62D	ML180UH135E60D	10590402
XP14-048-230	48000	14.5	12.5	46000	30200	8.7	CX38-62D	SL280UH135V60D	10084488
XP14-048-230	48000	14.5	12.7	46000	30000	8.7	CX38-62D	SLP98UH135XV60D	10084465
XP14-060-230	57500	14.5	12	54000	35000	8.2	C37-60D	EL180UH135E60D	10084727

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-060-230	57500	14	11.7	54500	35200	8.2	C37-60D	EL195UH135XE60D	10084496
XP14-060-230	57500	14	11.7	54500	35200	8.2	C37-60D	EL296UH135XE60D	10084658
XP14-060-230	57500	14.5	12	54000	35000	8.2	C37-60D	ML180UH135E60D	10590405
XP14-060-230	60500	15.2	12.5	54500	36200	8.7	C37-62C	EL180UH090E60C	10084697
XP14-060-230	60500	15	12.5	54500	36200	8.5	C37-62C	EL180UH110E60C	10084725
XP14-060-230	60500	15	12.5	54500	36200	8.5	C37-62C	EL195UH110XE60C	10084492
XP14-060-230	60500	15	12.2	54500	36200	8.5	C37-62C	EL196UH110XE60C	201933692
XP14-060-230	61000	14.5	12.2	55000	36800	8.5	C37-62C	EL296UH090XV60C	10084563
XP14-060-230	60500	15	12.5	54500	36200	8.5	C37-62C	EL296UH110XE60C	10084666
XP14-060-230	61000	14.7	12.2	55000	36600	8.5	C37-62C	EL296UH110XV60C	10084592
XP14-060-230	60500	15.2	12.5	54500	36200	8.7	C37-62C	ML180UH090E60C	10589917
XP14-060-230	60500	15	12.5	54500	36200	8.5	C37-62C	ML180UH110E60C	10590173
XP14-060-230	61000	15	12.5	55000	36400	8.7	C37-62C	SL280UH090V60C	10084493
XP14-060-230	61000	15	12.5	55000	36400	8.7	C37-62C	SL280UH090XV60C	10085035
XP14-060-230	61000	14.7	12.2	55000	36600	8.5	C37-62C	SL280UH110V60C	10084495
XP14-060-230	61000	14.7	12.2	55000	36600	8.5	C37-62C	SL280UH110XV60C	10085050
XP14-060-230	61000	14.5	12.2	55000	36800	8.5	C37-62C	SLP98UH090XV60C	10084500
XP14-060-230	61000	14.7	12.2	55000	36600	8.5	C37-62C	SLP98UH110XV60C	10084497
XP14-060-230	61000	14.7	12.2	55000	36600	8.5	C37-62C		10084109
XP14-060-230	61000	14.7	12.2	55000	36600	8.5	C37-62C		201874768
XP14-060-230	57500	14.5	12.2	55000	36400	8.2	C37-62D	EL180UH135E60D	10084714
XP14-060-230	57500	14.2	12	55000	36800	8.2	C37-62D	EL195UH135XE60D	10084498
XP14-060-230	57500	14.2	12	55000	36800	8.2	C37-62D	EL296UH135XE60D	10084659
XP14-060-230	57500	14.2	12	55000	36600	8.2	C37-62D	EL296UH135XV60D	10084583
XP14-060-230	57500	14.5	12.2	55000	36400	8.2	C37-62D	ML180UH135E60D	10590397
XP14-060-230	57500	14.2	12	55000	36600	8.2	C37-62D	SL280UH135V60D	10084489
XP14-060-230	57000	14.5	12.2	54500	36400	8.2	C37-62D	SLP98UH135XV60D	10084499
XP14-060-230	59000	15	12.5	56000	36800	8.5	CBA27UHE-060-230		10260318
XP14-060-230	59000	15	12.5	56000	37000	8.5	CBA38MV-060-230		201842203
XP14-060-230	58500	14	12	55500	35800	8.2	CBX25UH-060-230		5727008
XP14-060-230	58000	14.5	12.5	54500	35000	8.5	CBX25UHV-060-230		6970221
XP14-060-230	59000	15	12.5	55500	36000	8.5	CBX27UH-060-230		5432658
XP14-060-230	59000	14.5	12	56500	37200	8.5	CBX32M-060		5432676
XP14-060-230	59500	15	12.5	57000	37400	9	CH23-68	EL180UH090E60C	5740265
XP14-060-230	59500	14.7	12.5	57000	37400	9	CH23-68	EL180UH110E60C	5740723
XP14-060-230	60000	15	12.7	57000	37600	9	CH23-68	EL180UH135E60D	5741095
XP14-060-230	59500	15	12.5	57000	37400	9	CH23-68	EL195UH110XE60C	5432704
XP14-060-230	60000	14.7	12.2	57500	37800	9	CH23-68	EL195UH135XE60D	5432709
XP14-060-230	59500	14.5	12.5	57000	37600	9	CH23-68	EL196UH110XE60C	201933689
XP14-060-230	59500	15	12.5	57000	37400	9	CH23-68	EL296UH110XE60C	5650825
XP14-060-230	60000	14.7	12.2	57500	37800	9	CH23-68	EL296UH135XE60D	5650827
XP14-060-230	60000	14.7	12.5	57500	37800	9	CH23-68	EL296UH135XV60D	5562913
XP14-060-230	59500	15	12.5	57000	37400	9	CH23-68	ML180UH090E60C	10589823
XP14-060-230	59500	14.7	12.5	57000	37400	9	CH23-68	ML180UH110E60C	10590079
XP14-060-230	60000	15	12.7	57000	37600	9	CH23-68	ML180UH135E60D	10590354
XP14-060-230	60000	14.7	12.5	57500	37800	9	CH23-68	SL280UH135V60D	5432689
XP14-060-230	59500	15	12.5	57000	37400	9	CH23-68	SLP98UH135XV60D	5432722
XP14-060-230	59500	14.2	12.2	57500	38000	8.7	CH23-68		5432650
XP14-060-230	57000	14.2	11.7	54000	35000	8.2	CH33-60D	EL180UH135E60D	5741097
XP14-060-230	57000	14	11.7	54500	35200	8.2	CH33-60D	EL195UH135XE60D	5432710
XP14-060-230	57000	14	11.7	54500	35200	8.2	CH33-60D	EL296UH135XE60D	5650829
XP14-060-230	57000	14.2	11.7	54000	35000	8.2	CH33-60D	ML180UH135E60D	10590356
XP14-060-230	57500	14.5	12.2	54000	36000	8.5	CH33-62D	EL180UH135E60D	5741100
XP14-060-230	57500	14.2	12	54000	36400	8.5	CH33-62D	EL195UH135XE60D	5432711
XP14-060-230	57500	14.2	12	54000	36400	8.5	CH33-62D	EL296UH135XE60D	5650831

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP14-060-230	57500	14.2	12.2	54000	36200	8.5	CH33-62D	EL296UH135XV60D	5562915
XP14-060-230	57500	14.5	12.2	54000	36000	8.5	CH33-62D	ML180UH135E60D	10590359
XP14-060-230	57500	14.2	12.2	54000	36200	8.5	CH33-62D	SL280UH135V60D	5432668
XP14-060-230	57500	14.5	12.2	54000	36200	8.5	CH33-62D	SLP98UH135XV60D	5432719
XP14-060-230	57000	14	11.7	54000	36400	8.2	CH33-62D		5432653
XP14-060-230	59000	14.7	12.2	58000	37800	8.2	CR33-50/60	EL180DF110E60C	5741638
XP14-060-230	58500	14	11.7	58000	37600	8.2	CR33-50/60	EL195DF110XE60C	5432702
XP14-060-230	58500	14	11.7	58500	38000	8.2	CR33-50/60	EL296DF090XV60C	5562905
XP14-060-230	58500	14	11.7	58000	37600	8.2	CR33-50/60	EL296DF110XE60C	5650828
XP14-060-230	58500	14	11.7	58500	38000	8.2	CR33-50/60	EL296DF110XV60C	5562906
XP14-060-230	59000	14.7	12.2	58000	37800	8.2	CR33-50/60	ML180DF110E60C	10589535
XP14-060-230	59000	14.5	12	58500	37800	8.2	CR33-50/60	SL280DF090V60C	5432672
XP14-060-230	59000	14.7	12.2	58000	37800	8.2	CR33-50/60	SL280DF110V60C	5432673
XP14-060-230	58500	14	11.7	58500	38000	8.2	CR33-50/60	SLP98DF090XV60C	5432720
XP14-060-230	58500	14	11.7	58500	38000	8.2	CR33-50/60	SLP98DF110XV60C	5432721
XP14-060-230	58500	14.2	11.7	58500	38000	8.2	CR33-50/60		5432648
XP14-060-230	58500	14.2	11.7	58500	38000	8.2	CR33-60		5432649
XP14-060-230	57500	14.5	12	54000	35000	8.2	CX38-60D	EL180UH135E60D	10086725
XP14-060-230	57500	14	11.7	54500	35200	8.2	CX38-60D	EL195UH135XE60D	10086692
XP14-060-230	57500	14	11.7	54500	35200	8.2	CX38-60D	EL296UH135XE60D	10086897
XP14-060-230	57500	14.5	12	54000	35000	8.2	CX38-60D	ML180UH135E60D	10590420
XP14-060-230	60500	15.2	12.5	54500	36200	8.7	CX38-62C	EL180UH090E60C	10086719
XP14-060-230	60500	15	12.5	54500	36200	8.5	CX38-62C	EL180UH110E60C	10086723
XP14-060-230	60500	14.7	12.2	54500	36200	8.5	CX38-62C	EL195UH110XE60C	10086696
XP14-060-230	60500	14.5	12	54500	36200	8.5	CX38-62C	EL196UH110XE60C	201933694
XP14-060-230	61000	14.5	12.2	55000	36800	8.5	CX38-62C	EL296UH090XV60C	10086702
XP14-060-230	60500	14.7	12.2	54500	36200	8.5	CX38-62C	EL296UH110XE60C	10086898
XP14-060-230	61000	14.7	12.2	55000	36600	8.5	CX38-62C	EL296UH110XV60C	10086709
XP14-060-230	60500	15.2	12.5	54500	36200	8.7	CX38-62C	ML180UH090E60C	10589954
XP14-060-230	60500	15	12.5	54500	36200	8.5	CX38-62C	ML180UH110E60C	10590206
XP14-060-230	61000	15	12.5	55000	36400	8.7	CX38-62C	SL280UH090V60C	10086693
XP14-060-230	61000	15	12.5	55000	36400	8.7	CX38-62C	SL280UH090XV60C	10086748
XP14-060-230	61000	14.7	12.2	55000	36600	8.5	CX38-62C	SL280UH110V60C	10086694
XP14-060-230	61000	14.7	12.2	55000	36600	8.5	CX38-62C	SL280UH110XV60C	10086751
XP14-060-230	61000	14.5	12.2	55000	36800	8.5	CX38-62C	SLP98UH090XV60C	10086697
XP14-060-230	61000	14.7	12.2	55000	36600	8.5	CX38-62C	SLP98UH110XV60C	10086695
XP14-060-230	61000	14.7	12.2	55000	36600	8.5	CX38-62C		201874961
XP14-060-230	61000	14.7	12.2	55000	36600	8.5	CX38-62C		10086662
XP14-060-230	57500	14.5	12.2	55000	36400	8.2	CX38-62D	EL180UH135E60D	10084723
XP14-060-230	57500	14.2	12	55000	36800	8.2	CX38-62D	EL195UH135XE60D	10084494
XP14-060-230	57500	14.2	12	55000	36800	8.2	CX38-62D	EL296UH135XE60D	10084660
XP14-060-230	57500	14.2	12	55000	36600	8.2	CX38-62D	EL296UH135XV60D	10084572
XP14-060-230	57500	14.5	12.2	55000	36400	8.2	CX38-62D	ML180UH135E60D	10590403
XP14-060-230	57500	14.2	12	55000	36600	8.2	CX38-62D	SL280UH135V60D	10084490
XP14-060-230	57000	14.5	12.2	54500	36400	8.2	CX38-62D	SLP98UH135XV60D	10084491
XP16-024-230	23800	16	12.2	22200	13700	9	C35-30A	SL280UH060NV36A-	10581375
XP16-024-230	23800	16	12.2	22400	13900	8.5	C35-30A	SL280UH070V36A	9910944
XP16-024-230	23800	16	12.2	22400	13900	8.5	C35-30A	SL280UH070XV36A	9910945
XP16-024-230	23800	15.5	12.2	22400	13900	8.5	C35-30B	EL296UH070XV36B	9910946
XP16-024-230	23600	15	12.2	22400	13800	8.5	C35-30B	SL280UH090V36B	9910947
XP16-024-230	23800	15.5	12.2	22400	13900	8.5	C35-30B	SLP98UH070XV36B	9910948
XP16-024-230	24200	16	12.5	21600	13300	8.8	C35-36A	SL280UH060NV36A-	10581376
XP16-024-230	24200	16	12.2	22200	13700	8.5	C35-36A	SL280UH070V36A	9910949
XP16-024-230	24200	16	12.2	22200	13700	8.5	C35-36A	SL280UH070XV36A	9910950
XP16-024-230	24200	15.5	12.2	22200	13700	8.5	C35-36B	EL296UH070XV36B	9910951

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-024-230	24200	15	12.5	22000	13600	8.2	C35-36B	SL280UH090V36B	9910952
XP16-024-230	24200	15.5	12.2	22200	13700	8.5	C35-36B	SLP98UH070XV36B	9910953
XP16-024-230	24200	16	12.5	21600	13300	8.5	C37-38A	SL280UH070V36A	10084930
XP16-024-230	24200	15.1	12.5	21600	13300	8.5	C37-38A	SL280UH070XV36A	10084929
XP16-024-230	24000	16	12.5	21600	13300	8.5	C37-38B	EL296UH070XV36B	10084926
XP16-024-230	24200	16	12.5	21600	13300	8.5	C37-38B	SL280UH090V36B	10084923
XP16-024-230	24000	16	12.5	21600	13300	8.5	C37-38B	SLP98UH070XV36B	10084925
XP16-024-230	24000	15.5	12	22600	13600	8.5	CBA27UHE-024-230		10258586
XP16-024-230	24400	16.5	12.5	22400	14000	8.5	CBA38MV-030-230		201924991
XP16-024-230	24400	16.5	12.5	22400	14000	8.5	CBA38MV-036-230		201924992
XP16-024-230	24000	14.5	12	23400	14400	8.2	CBX25UHV-030-230		7785764
XP16-024-230	24200	15.5	11.2	22400	13700	8.5	CBX27UH-024-230		7785754
XP16-024-230	24000	16	12.5	22200	12900	8.5	CBX27UH-030-230		7785755
XP16-024-230	24800	16	12	21000	13900	8.5	CH33-31B	EL296UH070XV36B	7785771
XP16-024-230	24800	15.1	12.2	21000	13900	8.2	CH33-31B	SL280UH090V36B	7785775
XP16-024-230	24800	16	12	21000	13900	8.5	CH33-31B	SLP98UH070XV36B	7785774
XP16-024-230	23800	15.5	12.2	21800	13600	8.2	CH35-30B	EL296UH070XV36B	9910941
XP16-024-230	23800	15	12.2	21600	13500	8.2	CH35-30B	SL280UH090V36B	9910942
XP16-024-230	23800	15.5	12.2	21800	13600	8.2	CH35-30B	SLP98UH070XV36B	9910943
XP16-024-230	23800	15.5	12.2	21800	13600	8.2	CHX35-30B	EL296UH070XV36B	202192134
XP16-024-230	23800	15	12.2	21600	13500	8.2	CHX35-30B	SL280UH090V36B	202192135
XP16-024-230	23800	15.5	12.2	21800	13600	8.2	CHX35-30B	SLP98UH070XV36B	202192136
XP16-024-230	23600	16	12.5	23200	13900	8.2	CR33-30/36	SLP98DF070XV36B	7785772
XP16-024-230	23600	16	12.5	23200	13900	8.2	CR33-30/36	SLP98DF090XV36C	7785766
XP16-024-230	23800	16	12.2	22200	13700	9	CX35-30A	SL280UH060NV36A-	10581377
XP16-024-230	23800	16	12.2	22400	13900	8.5	CX35-30A	SL280UH070V36A	9910931
XP16-024-230	23800	16	12.2	22400	13900	8.5	CX35-30A	SL280UH070XV36A	9910932
XP16-024-230	23800	15.5	12.2	22400	13900	8.5	CX35-30B	EL296UH070XV36B	9910933
XP16-024-230	23600	15	12.2	22400	13800	8.5	CX35-30B	SL280UH090V36B	9910934
XP16-024-230	23800	15.5	12.2	22400	13900	8.5	CX35-30B	SLP98UH070XV36B	9910935
XP16-024-230	24200	16	12.5	21600	13300	8.8	CX35-36A	SL280UH060NV36A-	10581378
XP16-024-230	24200	16	12.2	22200	13700	8.5	CX35-36A	SL280UH070V36A	9910936
XP16-024-230	24200	16	12.2	22200	13700	8.5	CX35-36A	SL280UH070XV36A	9910937
XP16-024-230	24200	15.5	12.2	22200	13700	8.5	CX35-36B	EL296UH070XV36B	9910938
XP16-024-230	24200	15	12.5	22000	13600	8.2	CX35-36B	SL280UH090V36B	9910939
XP16-024-230	24200	15.5	12.2	22200	13700	8.5	CX35-36B	SLP98UH070XV36B	9910940
XP16-024-230	24200	16	12.5	21600	13300	8.5	CX38-38A	SL280UH070V36A	10084921
XP16-024-230	24200	16	12.5	21600	13300	8.5	CX38-38A	SL280UH070XV36A	10084928
XP16-024-230	24200	16	12.5	21600	13400	8.5	CX38-38B	EL296UH070XV36B	10084927
XP16-024-230	24400	16	12.5	21800	13400	8.5	CX38-38B	SL280UH090V36B	10084922
XP16-024-230	24000	16	12.5	21600	13300	8.5	CX38-38B	SLP98UH070XV36B	10084924
XP16-036-230	37000	16	13	32800	21600	8.5	C37-43B	EL180UH070E36B	10084970
XP16-036-230	37000	15.5	12.5	33600	22200	8.5	C37-43B	EL195UH045XE36B	10084947
XP16-036-230	37000	16	12.5	33200	21800	8.5	C37-43B	EL195UH070XE36B	10084975
XP16-036-230	37000	15.5	12.2	33600	22200	8.5	C37-43B	EL196UH045XE36B	201933195
XP16-036-230	37000	16	12.5	33000	21800	8.5	C37-43B	EL196UH070XE36B	201933196
XP16-036-230	37000	15.5	12.5	33600	22200	8.5	C37-43B	EL296UH045XE36B	10084985
XP16-036-230	37000	16	12.5	33200	21800	8.5	C37-43B	EL296UH070XE36B	10084960
XP16-036-230	37200	16	12.5	33200	22000	8.5	C37-43B	EL296UH070XV36B	10084980
XP16-036-230	37000	16	13	32800	21600	8.5	C37-43B	ML180UH070E36B	10589647
XP16-036-230	37200	16	13	32800	21600	8.5	C37-43B	SL280UH090V36B	10084965
XP16-036-230	37200	16	13	33000	21800	8.5	C37-43B	SL280UH090V48B	10084941
XP16-036-230	37200	16	13	33000	21800	8.5	C37-43B	SL280UH090XV48B	10084948
XP16-036-230	37200	16	12.5	33200	22000	8.5	C37-43B	SLP98UH070XV36B	10084976
XP16-036-230	36800	14.5	12	33600	22400	8.2	C37-43B		10084111

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-036-230	37200	16	13	33000	21800	8.5	C37-43C	EL195UH090XE48C	10084986
XP16-036-230	37200	16	13	33000	21800	8.5	C37-43C	EL196UH090XE48C	201933197
XP16-036-230	37200	16	13	33000	21800	8.5	C37-43C	EL296UH090XE48C	10084950
XP16-036-230	37200	16	13	33000	21800	8.5	C37-43C	EL296UH090XV36C	10084981
XP16-036-230	37000	16	13	33000	21600	8.5	C37-43C	EL296UH090XV48C	10084971
XP16-036-230	37800	16	13	33400	22000	8.5	C37-43C	EL296UH090XV60C	10084966
XP16-036-230	37600	16	13	33200	21800	8.5	C37-43C	EL296UH110XV60C	10084942
XP16-036-230	37800	16	13	33200	21800	8.5	C37-43C	SL280UH090V60C	10084949
XP16-036-230	37800	16	13	33200	21800	8.5	C37-43C	SL280UH090XV60C	10084977
XP16-036-230	37600	16	13	33200	21800	8.5	C37-43C	SL280UH110V60C	10084987
XP16-036-230	37600	16	13	33200	21800	8.5	C37-43C	SL280UH110XV60C	10084951
XP16-036-230	37200	16	13	33000	21800	8.5	C37-43C	SLP98UH090XV36C	10084982
XP16-036-230	37000	16	13	33000	21600	8.5	C37-43C	SLP98UH090XV48C	10084972
XP16-036-230	37800	16	13	33400	22000	8.5	C37-43C	SLP98UH090XV60C	10084956
XP16-036-230	37600	16	13	33200	21800	8.5	C37-43C	SLP98UH110XV60C	10084943
XP16-036-230	36800	14.5	12	33600	22400	8.2	C37-43C		10084112
XP16-036-230	37400	16	13	34000	23000	8.2	C37-50/60C	EL296UH090XV60C	10084933
XP16-036-230	37200	16	13	33600	22800	8.2	C37-50/60C	EL296UH110XV60C	10084935
XP16-036-230	37400	16	13	33800	22800	8.2	C37-50/60C	SL280UH090V60C	10084936
XP16-036-230	37400	16	13	33800	22800	8.2	C37-50/60C	SL280UH090XV60C	10084937
XP16-036-230	37400	16	13	34000	23000	8.2	C37-50/60C	SLP98UH090XV60C	10084934
XP16-036-230	37200	16	13	33600	22800	8.2	C37-50/60C	SLP98UH110XV60C	10084931
XP16-036-230	36000	16	13	35400	23000	9	CBA27UHE-042-230		10258587
XP16-036-230	36000	16	13	35000	23000	8.5	CBA38MV-042-230		201924993
XP16-036-230	36200	14.5	12	36800	24400	8.2	CBX25UH-036-230		7785904
XP16-036-230	36200	16	12.5	34600	23200	8.5	CBX25UHV-036-230		7785792
XP16-036-230	36200	15.5	12.5	34400	23000	9	CBX27UH-036-230		7785786
XP16-036-230	37600	16	13	34200	23400	9.5	CBX27UH-042-230		7785903
XP16-036-230	35600	14.5	12	34800	23400	8.7	CBX32M-036		7785785
XP16-036-230	38000	16	13	33000	22200	8.5	CH33-43B	EL180UH070E36B	7785898
XP16-036-230	38000	16	13	33000	22200	9	CH33-43B	EL180UH090E48B	7785896
XP16-036-230	37600	15.5	12.5	33200	22400	8.5	CH33-43B	EL195UH045XE36B	7785884
XP16-036-230	37800	15.5	12.5	33000	22400	8.5	CH33-43B	EL195UH070XE36B	7785889
XP16-036-230	37600	15.5	12.5	33200	22400	8.5	CH33-43B	EL196UH045XE36B	201933188
XP16-036-230	37800	15.5	12.5	33000	22600	8.5	CH33-43B	EL196UH070XE36B	201933189
XP16-036-230	37600	15.5	12.5	33200	22400	8.5	CH33-43B	EL296UH045XE36B	7785892
XP16-036-230	37800	16	12.5	33000	22400	8.5	CH33-43B	EL296UH045XV36B	7785905
XP16-036-230	37800	15.5	12.5	33000	22400	8.5	CH33-43B	EL296UH070XE36B	7785894
XP16-036-230	37800	16	12.5	33000	22200	8.5	CH33-43B	EL296UH070XV36B	7785906
XP16-036-230	38000	16	13	33000	22200	8.5	CH33-43B	ML180UH070E36B	10589614
XP16-036-230	38000	16	13	33000	22200	9	CH33-43B	ML180UH090E48B	10589734
XP16-036-230	37800	16	13	32600	22000	8.5	CH33-43B	SL280UH090V36B	7785897
XP16-036-230	38000	16	13	32800	22000	8.5	CH33-43B	SL280UH090V48B	7785895
XP16-036-230	38000	16	13	32800	22000	8.5	CH33-43B	SL280UH090XV48B	7785891
XP16-036-230	37800	16	12.5	33000	22200	8.5	CH33-43B	SLP98UH070XV36B	7785899
XP16-036-230	37400	14.5	12	33200	22600	8.5	CH33-43B		7785777
XP16-036-230	37400	16	13	33000	21800	8.5	CH33-43C	EL195UH090XE48C	7785900
XP16-036-230	37400	16	13	33000	21800	8.5	CH33-43C	EL196UH090XE48C	201933190
XP16-036-230	37400	16	13	33000	21800	8.5	CH33-43C	EL296UH090XE48C	7785885
XP16-036-230	37400	16	13	32400	21800	8.5	CH33-43C	EL296UH090XV36C	7785890
XP16-036-230	37200	16	13	32400	21800	8.5	CH33-43C	EL296UH090XV48C	7785893
XP16-036-230	38000	16	13	32800	22000	8.5	CH33-43C	EL296UH090XV60C	7785790
XP16-036-230	37800	16	13	32600	22000	8.5	CH33-43C	EL296UH110XV60C	7785791
XP16-036-230	38000	16	13	32800	22000	8.5	CH33-43C	SL280UH090V60C	7785883
XP16-036-230	38000	16	13	32600	22000	8.5	CH33-43C	SL280UH090XV60C	7785888

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-036-230	37800	16	13	32600	22000	8.5	CH33-43C	SL280UH110V60C	7785880
XP16-036-230	37800	16	13	32600	22000	8.5	CH33-43C	SL280UH110XV60C	7785868
XP16-036-230	37400	16	13	32400	21800	8.5	CH33-43C	SLP98UH090XV36C	7785872
XP16-036-230	37200	16	13	32400	21800	8.5	CH33-43C	SLP98UH090XV48C	7785853
XP16-036-230	38000	16	13	32800	22000	8.5	CH33-43C	SLP98UH090XV60C	7785876
XP16-036-230	37800	16	13	32600	22000	8.5	CH33-43C	SLP98UH110XV60C	7785860
XP16-036-230	36800	14.5	12	33600	22400	8.2	CH33-43C		7785779
XP16-036-230	37000	16	13	33000	21800	8.5	CH33-48C	EL195UH090XE48C	7785855
XP16-036-230	37000	16	13	33000	21800	8.5	CH33-48C	EL196UH090XE48C	201933191
XP16-036-230	37000	16	13	33000	21800	8.5	CH33-48C	EL296UH090XE48C	7785866
XP16-036-230	37000	16	13	33000	21800	8.5	CH33-48C	EL296UH090XV36C	7785881
XP16-036-230	36800	16	13	32800	21800	8.5	CH33-48C	EL296UH090XV48C	7785877
XP16-036-230	37600	16	13	33200	22000	8.5	CH33-48C	EL296UH090XV60C	7785869
XP16-036-230	37400	16	13	33000	21800	8.5	CH33-48C	EL296UH110XV60C	7785873
XP16-036-230	37600	16	13	33200	22000	8.5	CH33-48C	SL280UH090V60C	7785854
XP16-036-230	37600	16	13	33200	22000	8.5	CH33-48C	SL280UH090XV60C	7785865
XP16-036-230	37200	16	13	33200	22000	8.5	CH33-48C	SL280UH110V60C	7785861
XP16-036-230	37200	16	13	33200	22000	8.5	CH33-48C	SL280UH110XV60C	7785863
XP16-036-230	37000	16	13	33000	21800	8.5	CH33-48C	SLP98UH090XV36C	7785882
XP16-036-230	36800	16	13	32800	21800	8.5	CH33-48C	SLP98UH090XV48C	7785878
XP16-036-230	37600	16	13	33200	22000	8.5	CH33-48C	SLP98UH090XV60C	7785870
XP16-036-230	37400	16	13	33000	21800	8.5	CH33-48C	SLP98UH110XV60C	7785874
XP16-036-230	36400	14.5	12	33600	22400	8.2	CH33-48C		7785780
XP16-036-230	36400	16	13	35800	22400	8.5	CR33-48B	EL180DF070E36B	7785859
XP16-036-230	36600	15.5	12	36400	23000	8.5	CR33-48B	EL195DF045XE36B	7785862
XP16-036-230	36400	15.5	12.5	36000	22600	8.7	CR33-48B	EL195DF070XE48B	7785864
XP16-036-230	36600	15.5	12	36400	23000	8.5	CR33-48B	EL296DF045XE36B	7785871
XP16-036-230	36400	15.5	12.5	36000	22600	8.7	CR33-48B	EL296DF070XE48B	7785879
XP16-036-230	36000	15	12.5	36000	22800	8.5	CR33-48B	EL296DF070XV48B	8203819
XP16-036-230	36400	16	13	35800	22400	8.5	CR33-48B	ML180DF070E36B	10589523
XP16-036-230	36600	16	12.5	36000	22600	8.5	CR33-48B	SL280DF090V48B	7785875
XP16-036-230	36200	16	12.5	36000	22600	8.5	CR33-48B	SLP98DF070XV36B	7785887
XP16-036-230	36000	14	11.5	36600	23200	8.2	CR33-48B		7785778
XP16-036-230	37200	16	13	36000	22600	8.5	CR33-48C	SL280DF090V60C	7785856
XP16-036-230	36800	16	13	36000	22600	8.5	CR33-48C	SL280DF110V60C	7785867
XP16-036-230	36600	16	12.5	36000	22600	8.5	CR33-48C	SLP98DF090XV36C	7785886
XP16-036-230	36600	16	12.5	36000	22600	8.5	CR33-48C	SLP98DF090XV48C	7785818
XP16-036-230	36800	16	12.5	36200	22600	8.5	CR33-48C	SLP98DF090XV60C	7785851
XP16-036-230	36800	16	12.5	36200	22800	8.5	CR33-48C	SLP98DF110XV60C	7785840
XP16-036-230	37000	16	13	32800	21600	8.5	CX38-43B	EL180UH070E36B	10084988
XP16-036-230	37000	15.5	12.5	33600	22200	8.5	CX38-43B	EL195UH045XE36B	10084952
XP16-036-230	37000	16	12.5	33200	21800	8.5	CX38-43B	EL195UH070XE36B	10084961
XP16-036-230	37000	15.5	12.2	33600	22200	8.5	CX38-43B	EL196UH045XE36B	201933192
XP16-036-230	37000	16	12.5	33000	21800	8.5	CX38-43B	EL196UH070XE36B	201933193
XP16-036-230	37000	15.5	12.5	33600	22200	8.5	CX38-43B	EL296UH045XE36B	10084983
XP16-036-230	37000	16	12.5	33200	21800	8.5	CX38-43B	EL296UH070XE36B	10084989
XP16-036-230	37200	16	12.5	33200	22000	8.5	CX38-43B	EL296UH070XV36B	10084957
XP16-036-230	37000	16	13	32800	21600	8.5	CX38-43B	ML180UH070E36B	10589648
XP16-036-230	37200	16	13	32800	21600	8.5	CX38-43B	SL280UH090V36B	10084967
XP16-036-230	37200	16	13	33000	21800	8.5	CX38-43B	SL280UH090V48B	10084962
XP16-036-230	37200	16	13	33000	21800	8.5	CX38-43B	SL280UH090XV48B	10084939
XP16-036-230	37200	16	12.5	33200	22000	8.5	CX38-43B	SLP98UH070XV36B	10084945
XP16-036-230	36800	14.5	12	33600	22400	8.2	CX38-43B		10086664
XP16-036-230	37200	16	13	33000	21800	8.5	CX38-43C	EL195UH090XE48C	10084973
XP16-036-230	37200	16	13	33000	21800	8.5	CX38-43C	EL196UH090XE48C	201933194

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-036-230	37200	16	13	33000	21800	8.5	CX38-43C	EL296UH090XE48C	10084990
XP16-036-230	37200	16	13	33000	21800	8.5	CX38-43C	EL296UH090XV36C	10084958
XP16-036-230	37000	16	13	33000	21600	8.5	CX38-43C	EL296UH090XV48C	10084978
XP16-036-230	37800	16	13	33400	22000	8.5	CX38-43C	EL296UH090XV60C	10084968
XP16-036-230	37600	16	13	33200	21800	8.5	CX38-43C	EL296UH110XV60C	10084963
XP16-036-230	37800	16	13	33200	21800	8.5	CX38-43C	SL280UH090V60C	10084940
XP16-036-230	37800	16	13	33200	21800	8.5	CX38-43C	SL280UH090XV60C	10084946
XP16-036-230	37400	16	13	33200	21800	8.5	CX38-43C	SL280UH110V60C	10084974
XP16-036-230	37400	16	13	33200	21800	8.5	CX38-43C	SL280UH110XV60C	10084984
XP16-036-230	37200	16	13	33000	21800	8.5	CX38-43C	SLP98UH090XV36C	10084959
XP16-036-230	37000	16	13	33000	21600	8.5	CX38-43C	SLP98UH090XV48C	10084979
XP16-036-230	37800	16	13	33400	22000	8.5	CX38-43C	SLP98UH090XV60C	10084969
XP16-036-230	37600	16	13	33200	21800	8.5	CX38-43C	SLP98UH110XV60C	10084964
XP16-036-230	36800	14.5	12	33600	22400	8.2	CX38-43C		10086665
XP16-036-230	37400	16	13	34000	23000	8.2	CX38-50/60C	EL296UH090XV60C	10084953
XP16-036-230	37200	16	13	33600	22800	8.2	CX38-50/60C	EL296UH110XV60C	10084955
XP16-036-230	37400	16	13	33800	22800	8.2	CX38-50/60C	SL280UH090V60C	10084932
XP16-036-230	37400	16.5	13	33800	22800	8.2	CX38-50/60C	SL280UH090XV60C	10084938
XP16-036-230	37400	16	13	34000	23000	8.2	CX38-50/60C	SLP98UH090XV60C	10084954
XP16-036-230	37400	16	13	33600	22800	8.2	CX38-50/60C	SLP98UH110XV60C	10084944
XP16-048-230	46500	15	11.5	42000	28000	8.2	C35-49C	EL180UH090E60C	9910856
XP16-048-230	47000	15	11.5	42500	28600	8.2	C35-49C	EL180UH110E60C	9910857
XP16-048-230	46500	15	11.5	42000	28000	8.2	C35-49C	EL195UH110XE60C	9910858
XP16-048-230	46500	15	11.5	42000	28000	8.2	C35-49C	EL196UH110XE60C	201933210
XP16-048-230	46500	15	11.5	42500	28400	8.2	C35-49C	EL296UH090XV48C	9910859
XP16-048-230	46500	15	11.5	42500	28400	8.2	C35-49C	EL296UH090XV60C	9910860
XP16-048-230	46500	15	11.5	42000	28000	8.2	C35-49C	EL296UH110XE60C	9910862
XP16-048-230	46500	15	11.5	42000	28200	8.2	C35-49C	EL296UH110XV48C	9910861
XP16-048-230	46500	15	11.5	42500	28200	8.2	C35-49C	EL296UH110XV60C	9910863
XP16-048-230	46500	15	11.5	42000	28000	8.2	C35-49C	ML180UH090E60C	10589896
XP16-048-230	47000	15	11.5	42500	28600	8.2	C35-49C	ML180UH110E60C	10590148
XP16-048-230	46500	15.5	11.5	42000	28000	8.2	C35-49C	SL280UH090V60C	9910864
XP16-048-230	46500	15.5	11.5	42000	28000	8.2	C35-49C	SL280UH090XV60C	9910865
XP16-048-230	46500	15.5	11.5	42000	28000	8.2	C35-49C	SL280UH110V60C	9910866
XP16-048-230	46500	15.5	11.5	42000	28000	8.2	C35-49C	SL280UH110XV60C	9910867
XP16-048-230	46500	15	11.5	42000	28200	8.2	C35-49C	SLP98UH090XV48C	9910868
XP16-048-230	47000	15.5	12	43000	26000	8.2	C35-60C	EL180UH090E60C	9910869
XP16-048-230	47500	15.5	11.5	44000	26600	8.2	C35-60C	EL180UH110E60C	9910870
XP16-048-230	46500	15	11.5	43500	26200	8.2	C35-60C	EL195UH090XE48C	9910871
XP16-048-230	47000	15.5	11.5	43500	26000	8.2	C35-60C	EL195UH110XE60C	9910872
XP16-048-230	46500	15	11.5	43500	26200	8.2	C35-60C	EL196UH090XE48C	201933208
XP16-048-230	47000	15.5	11.5	43500	26000	8.2	C35-60C	EL196UH110XE60C	201933209
XP16-048-230	46500	15	11.5	43500	26200	8.2	C35-60C	EL296UH090XE48C	9910873
XP16-048-230	47000	15.5	11.5	44000	26400	8.2	C35-60C	EL296UH090XV48C	9910874
XP16-048-230	47000	15.5	11.5	44000	26400	8.2	C35-60C	EL296UH090XV60C	9910875
XP16-048-230	47000	15.5	11.5	43500	26000	8.2	C35-60C	EL296UH110XE60C	9910877
XP16-048-230	47000	15.5	11.5	43500	26200	8.2	C35-60C	EL296UH110XV48C	9910876
XP16-048-230	47000	15.5	11.5	43500	26200	8.2	C35-60C	EL296UH110XV60C	9910878
XP16-048-230	47000	15.5	12	43000	26000	8.2	C35-60C	ML180UH090E60C	10589897
XP16-048-230	47500	15.5	11.5	44000	26600	8.2	C35-60C	ML180UH110E60C	10590149
XP16-048-230	47000	15.5	11.5	43500	26000	8.2	C35-60C	SL280UH090V60C	9910879
XP16-048-230	47000	15.5	11.5	43500	26000	8.2	C35-60C	SL280UH090XV60C	9910880
XP16-048-230	47000	15.5	11.5	43500	26000	8.2	C35-60C	SL280UH110V60C	9910881
XP16-048-230	47000	15.5	11.5	43500	26000	8.2	C35-60C	SL280UH110XV60C	9910882
XP16-048-230	47000	15.5	11.5	43500	26200	8.2	C35-60C	SLP98UH090XV48C	9910883

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-048-230	47000	15.5	11.5	43500	26200	8.2	C35-60C	SLP98UH090XV60C	9910884
XP16-048-230	47000	15.5	11.5	43500	26200	8.2	C35-60C	SLP98UH110XV60C	9910885
XP16-048-230	47500	15.5	12	43000	28200	8.2	C35-60D	SL280UH135V60D	9910886
XP16-048-230	48000	15.5	12	43000	28400	8.2	C35-60D	SLP98UH135XV60D	9910887
XP16-048-230	47000	15.5	12	41500	28000	9	C37-62C	EL180UH090E60C	10084996
XP16-048-230	47500	15	11.5	42000	28600	9	C37-62C	EL180UH110E60C	10084995
XP16-048-230	47000	15	12	41500	28200	8.7	C37-62C	EL195UH090XE48C	10084991
XP16-048-230	47000	15	12	41500	28200	9	C37-62C	EL195UH110XE60C	10084993
XP16-048-230	47000	15	11.5	41500	28200	8.7	C37-62C	EL196UH090XE48C	201933198
XP16-048-230	47000	15	11.7	41500	28200	9	C37-62C	EL196UH110XE60C	201933199
XP16-048-230	47000	15	12	41500	28200	8.7	C37-62C	EL296UH090XE48C	10084992
XP16-048-230	47000	15	12	41500	28200	9	C37-62C	EL296UH110XE60C	10084994
XP16-048-230	47000	15.5	12	41500	28000	9	C37-62C	ML180UH090E60C	10589922
XP16-048-230	47500	15	11.5	42000	28600	9	C37-62C	ML180UH110E60C	10590174
XP16-048-230	47500	16	12	45000	30000	9	CBA27UHE-048-230		10258588
XP16-048-230	47000	15	11.5	44500	27400	9	CBA27UHE-060-230		10258974
XP16-048-230	48000	16	12	45000	30000	8.5	CBA38MV-048-230		201924994
XP16-048-230	47000	16	12	44500	30000	9	CBA38MV-060-230		201924995
XP16-048-230	47500	15	12	44000	29400	8.5	CBX25UHV-048-230		7785919
XP16-048-230	48500	16	12.5	45000	29800	9	CBX27UH-048-230		7785916
XP16-048-230	47500	15.5	11.5	44500	27200	9	CBX27UH-060-230		7785972
XP16-048-230	48000	15.5	12	45500	30200	8.7	CBX32M-048		7785973
XP16-048-230	48500	16	12.5	45000	29200	9	CH23-68	EL180UH090E60C	7785921
XP16-048-230	48500	16	12.5	45000	29200	9	CH23-68	EL180UH110E60C	7785923
XP16-048-230	48500	16	12	45000	29400	8.5	CH23-68	EL195UH090XE48C	7785971
XP16-048-230	48500	16	12	45000	29400	9	CH23-68	EL195UH110XE60C	7785950
XP16-048-230	48500	16	12	45000	29400	8.5	CH23-68	EL196UH090XE48C	201933200
XP16-048-230	48500	16	12	45000	29400	9	CH23-68	EL196UH110XE60C	201933201
XP16-048-230	48500	16	12	45000	29400	8.5	CH23-68	EL296UH090XE48C	7785951
XP16-048-230	48500	16	12	45000	29400	9	CH23-68	EL296UH110XE60C	7785963
XP16-048-230	48500	16	12	45000	29400	9	CH23-68	EL296UH135XV60D	7785959
XP16-048-230	48500	16	12.5	45000	29200	9	CH23-68	ML180UH090E60C	10589837
XP16-048-230	48500	16	12.5	45000	29200	9	CH23-68	ML180UH110E60C	10590091
XP16-048-230	48500	16	12	45000	29200	9	CH23-68	SL280UH135V60D	7785965
XP16-048-230	48500	16	12	45500	29400	9	CH23-68	SLP98UH135XV60D	7785956
XP16-048-230	48000	14.5	11.5	45500	30000	8.5	CH23-68		7785907
XP16-048-230	48000	15	12	45500	31600	8.7	CH33-60D	EL296UH135XV60D	7785966
XP16-048-230	48000	15	12	45000	31400	8.7	CH33-60D	SL280UH135V60D	7785957
XP16-048-230	48500	15	12	45500	31600	8.7	CH33-60D	SLP98UH135XV60D	7785960
XP16-048-230	47000	15	12	43500	28600	8.7	CH33-62D	EL296UH135XV60D	7785952
XP16-048-230	46500	15	12	43500	28600	8.7	CH33-62D	SL280UH135V60D	7785964
XP16-048-230	47000	15	12	43500	28800	8.7	CH33-62D	SLP98UH135XV60D	7785953
XP16-048-230	48000	15.5	11.5	43500	29600	8.2	CH35-51C	EL180UH090E60C	9910888
XP16-048-230	48000	15.5	11.5	43500	29600	8.2	CH35-51C	EL180UH110E60C	9910889
XP16-048-230	48000	15	11.5	43500	29600	8.2	CH35-51C	EL195UH110XE60C	9910890
XP16-048-230	48000	15	11.5	43500	29600	8.2	CH35-51C	EL196UH110XE60C	201933206
XP16-048-230	47500	15.5	11.5	43000	29200	8.2	CH35-51C	EL296UH090XE48C	9910891
XP16-048-230	48000	15	11.5	43500	29600	8.2	CH35-51C	EL296UH110XE60C	9910893
XP16-048-230	47500	15.5	11.5	43000	29200	8.2	CH35-51C	EL296UH110XV60C	9910894
XP16-048-230	48000	15.5	11.5	43500	29600	8.2	CH35-51C	ML180UH090E60C	10589898
XP16-048-230	48000	15.5	11.5	43500	29600	8.2	CH35-51C	ML180UH110E60C	10590150
XP16-048-230	47500	15.5	12	43000	29000	8.2	CH35-51C	SL280UH090V60C	9910895
XP16-048-230	47500	15.5	12	43000	29000	8.2	CH35-51C	SL280UH090XV60C	9910896
XP16-048-230	47500	15.5	11.5	43000	29200	8.2	CH35-51C	SLP98UH090XV48C	9910897
XP16-048-230	47500	15.5	11.5	43000	29200	8.2	CH35-51C	SLP98UH110XV60C	9910898

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-048-230	48000	15.5	11.5	43500	29600	8.2	CHX35-51/61C	EL180UH090E60C	202192124
XP16-048-230	48000	15.5	11.5	43500	29600	8.2	CHX35-51/61C	EL180UH110E60C	202192125
XP16-048-230	48000	15	11.5	43500	29600	8.2	CHX35-51/61C	EL195UH110XE60C	202192126
XP16-048-230	48000	15	11.5	43500	29600	8.2	CHX35-51/61C	EL196UH110XE60C	202192148
XP16-048-230	47500	15.5	11.5	43000	29200	8.2	CHX35-51/61C	EL296UH090XE48C	202192127
XP16-048-230	48000	15	11.5	43500	29600	8.2	CHX35-51/61C	EL296UH110XE60C	202192128
XP16-048-230	47500	15.5	11.5	43000	29200	8.2	CHX35-51/61C	EL296UH110XV60C	202192129
XP16-048-230	48000	15.5	11.5	43500	29600	8.2	CHX35-51/61C	ML180UH090E60C	202192140
XP16-048-230	48000	15.5	11.5	43500	29600	8.2	CHX35-51/61C	ML180UH110E60C	202192141
XP16-048-230	47500	15.5	12	43000	29000	8.2	CHX35-51/61C	SL280UH090V60C	202192130
XP16-048-230	47500	15.5	12	43000	29000	8.2	CHX35-51/61C	SL280UH090XV60C	202192131
XP16-048-230	47500	15.5	11.5	43000	29200	8.2	CHX35-51/61C	SLP98UH090XV48C	202192132
XP16-048-230	47500	15.5	11.5	43000	29200	8.2	CHX35-51/61C	SLP98UH110XV60C	202192133
XP16-048-230	47500	16	12.5	44000	30200	9.5	CR33-50/60	EL180DF110E60C	7785925
XP16-048-230	47000	15.5	12	44500	30400	9.2	CR33-50/60	EL195DF090XE48C	7785967
XP16-048-230	47000	16	12	44000	30200	9	CR33-50/60	EL195DF110XE60C	7785958
XP16-048-230	47000	15.5	12	44500	30400	9.2	CR33-50/60	EL296DF090XE48C	7785961
XP16-048-230	47000	16	12	44000	30200	9	CR33-50/60	EL296DF110XE60C	7785933
XP16-048-230	47000	16	12	44500	30600	9	CR33-50/60	EL296DF110XV60C	8688153
XP16-048-230	47500	16	12.5	44000	30200	9.5	CR33-50/60	ML180DF110E60C	10589536
XP16-048-230	47000	16	12	44500	30400	9	CR33-50/60	SLP98DF090XV60C	7785948
XP16-048-230	47000	16	12	44500	30600	9	CR33-50/60	SLP98DF110XV60C	7785928
XP16-048-230	47000	14.5	11.5	44500	30800	9	CR33-50/60		7785908
XP16-048-230	47000	16	12	44500	30400	9	CR33-60	SLP98DF090XV60C	7785944
XP16-048-230	47000	16	12	44500	30400	9	CR33-60	SLP98DF110XV60C	7785938
XP16-048-230	47000	14.5	11.5	44500	30600	9	CR33-60		7785909
XP16-048-230	46500	15	11.5	42000	28000	8.2	CX35-49C	EL180UH090E60C	9910899
XP16-048-230	47000	15	11.5	42500	28600	8.2	CX35-49C	EL180UH110E60C	9910900
XP16-048-230	46500	15	11.5	42000	28000	8.2	CX35-49C	EL195UH110XE60C	9910901
XP16-048-230	46500	15	11.5	42000	28000	8.2	CX35-49C	EL196UH110XE60C	201933207
XP16-048-230	46500	15	11.5	42500	28400	8.2	CX35-49C	EL296UH090XV48C	9910902
XP16-048-230	46500	15	11.5	42500	28400	8.2	CX35-49C	EL296UH090XV60C	9910903
XP16-048-230	46500	15	11.5	42000	28000	8.2	CX35-49C	EL296UH110XE60C	9910905
XP16-048-230	46500	15	11.5	42000	28200	8.2	CX35-49C	EL296UH110XV48C	9910904
XP16-048-230	46500	15	11.5	42500	28200	8.2	CX35-49C	EL296UH110XV60C	9910906
XP16-048-230	46500	15	11.5	42000	28000	8.2	CX35-49C	ML180UH090E60C	10589899
XP16-048-230	47000	15	11.5	42500	28600	8.2	CX35-49C	ML180UH110E60C	10590151
XP16-048-230	46500	15.5	11.5	42000	28000	8.2	CX35-49C	SL280UH090V60C	9910907
XP16-048-230	46500	15.5	11.5	42000	28000	8.2	CX35-49C	SL280UH090XV60C	9910908
XP16-048-230	46500	15.5	11.5	42000	28000	8.2	CX35-49C	SL280UH110V60C	9910909
XP16-048-230	46500	15.5	11.5	42000	28000	8.2	CX35-49C	SL280UH110XV60C	9910910
XP16-048-230	46500	15	11.5	42000	28200	8.2	CX35-49C	SLP98UH090XV48C	9910911
XP16-048-230	47000	15.5	12	43000	26000	8.2	CX35-60C	EL180UH090E60C	9910912
XP16-048-230	47500	15.5	11.5	44000	26600	8.2	CX35-60C	EL180UH110E60C	9910913
XP16-048-230	46500	15	11.5	43500	26200	8.2	CX35-60C	EL195UH090XE48C	9910914
XP16-048-230	47000	15.5	11.5	43500	26000	8.2	CX35-60C	EL195UH110XE60C	9910915
XP16-048-230	46500	15	11.5	43500	26200	8.2	CX35-60C	EL196UH090XE48C	201933204
XP16-048-230	47000	15.5	11.5	43500	26000	8.2	CX35-60C	EL196UH110XE60C	201933205
XP16-048-230	46500	15	11.5	43500	26200	8.2	CX35-60C	EL296UH090XE48C	9910916
XP16-048-230	47000	15.5	11.5	44000	26400	8.2	CX35-60C	EL296UH090XV48C	9910917
XP16-048-230	47000	15.5	11.5	44000	26400	8.2	CX35-60C	EL296UH090XV60C	9910918
XP16-048-230	47000	15.5	11.5	43500	26000	8.2	CX35-60C	EL296UH110XE60C	9910920
XP16-048-230	47000	15.5	11.5	43500	26200	8.2	CX35-60C	EL296UH110XV48C	9910919
XP16-048-230	47000	15.5	11.5	43500	26200	8.2	CX35-60C	EL296UH110XV60C	9910921
XP16-048-230	47000	15.5	12	43000	26000	8.2	CX35-60C	ML180UH090E60C	10589900

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-048-230	47500	15.5	11.5	44000	26600	8.2	CX35-60C	ML180UH110E60C	10590152
XP16-048-230	47000	15.5	11.5	43500	26000	8.2	CX35-60C	SL280UH090V60C	9910922
XP16-048-230	47000	15.5	11.5	43500	26000	8.2	CX35-60C	SL280UH090XV60C	9910923
XP16-048-230	47000	15.5	11.5	43500	26000	8.2	CX35-60C	SL280UH110V60C	9910924
XP16-048-230	47000	15.5	11.5	43500	26000	8.2	CX35-60C	SL280UH110XV60C	9910925
XP16-048-230	47000	15.5	11.5	43500	26200	8.2	CX35-60C	SLP98UH090XV48C	9910926
XP16-048-230	47000	15.5	11.5	43500	26200	8.2	CX35-60C	SLP98UH090XV60C	9910927
XP16-048-230	47000	15.5	11.5	43500	26200	8.2	CX35-60C	SLP98UH110XV60C	9910928
XP16-048-230	47500	15.5	12	43000	28200	8.2	CX35-60D	SL280UH135V60D	9910929
XP16-048-230	48000	15.5	12	43000	28400	8.2	CX35-60D	SLP98UH135XV60D	9910930
XP16-048-230	46500	15.5	11.5	43000	28800	8.5	CX38-60D	SL280UH135V60D	10086733
XP16-048-230	46500	16	11.5	43500	29000	8.5	CX38-60D	SLP98UH135XV60D	10086735
XP16-048-230	46000	14	11	43500	29400	8.2	CX38-60D		10086667
XP16-048-230	47000	15.5	12	41500	28000	9	CX38-62C	EL180UH090E60C	10086727
XP16-048-230	47500	15	11.5	42000	28600	9	CX38-62C	EL180UH110E60C	10086728
XP16-048-230	47000	15	12	41500	28200	8.7	CX38-62C	EL195UH090XE48C	10086731
XP16-048-230	47000	15	12	41500	28200	9	CX38-62C	EL195UH110XE60C	10086743
XP16-048-230	47000	15	11.5	41500	28200	8.7	CX38-62C	EL196UH090XE48C	201933202
XP16-048-230	47000	15	11.7	41500	28200	9	CX38-62C	EL196UH110XE60C	201933203
XP16-048-230	47000	15	12	41500	28200	8.7	CX38-62C	EL296UH090XE48C	10086740
XP16-048-230	47000	15.5	11.5	42000	28400	8.7	CX38-62C	EL296UH090XV48C	10086738
XP16-048-230	47000	15.5	11.5	42000	28400	8.7	CX38-62C	EL296UH090XV60C	10086902
XP16-048-230	47000	15	12	41500	28200	9	CX38-62C	EL296UH110XE60C	10086736
XP16-048-230	47000	15.5	12	41500	28200	8.7	CX38-62C	EL296UH110XV48C	10086729
XP16-048-230	47000	15.5	11.5	42000	28400	8.7	CX38-62C	EL296UH110XV60C	10086742
XP16-048-230	47000	15.5	12	41500	28000	9	CX38-62C	ML180UH090E60C	10589955
XP16-048-230	47500	15	11.5	42000	28600	9	CX38-62C	ML180UH110E60C	10590207
XP16-048-230	47000	15.5	12	41500	28200	9	CX38-62C	SL280UH090V60C	10086732
XP16-048-230	47000	15.5	12	41500	28200	9	CX38-62C	SL280UH090XV60C	10086744
XP16-048-230	47000	15.5	12	41500	28200	9	CX38-62C	SL280UH110V60C	10086741
XP16-048-230	47000	15.5	12	41500	28200	9	CX38-62C	SL280UH110XV60C	10086737
XP16-048-230	47000	15.5	11.5	42000	28200	8.7	CX38-62C	SLP98UH090XV48C	10086739
XP16-048-230	47000	15	11.5	42000	28200	8.7	CX38-62C	SLP98UH090XV60C	10086734
XP16-048-230	47000	15.5	11.5	42000	28400	8.7	CX38-62C	SLP98UH110XV60C	10086730
XP16-048-230	46500	14	11	42000	28800	8.5	CX38-62C		10086666
XP16-048-230	48500	16	12	43000	27600	8.5	CX38-62D	EL296UH135XV60D	10084999
XP16-048-230	48000	16	12	42500	27600	8.5	CX38-62D	SL280UH135V60D	10084998
XP16-048-230	48500	16	12	43000	27800	8.5	CX38-62D	SLP98UH135XV60D	10084997
XP16-048-230	48000	15	11.5	43000	28200	8.2	CX38-62D		10084113
XP16-060-230	58500	15.7	12.2	53000	34800	8.5	C37-62D	EL180UH135E60D	10085007
XP16-060-230	58000	15.2	11.5	53000	35200	8.2	C37-62D	EL195UH135XE60D	10085003
XP16-060-230	58000	15	11.5	53000	35200	8.2	C37-62D	EL196UH135XE60D	201933211
XP16-060-230	58000	15.2	11.5	53000	35200	8.2	C37-62D	EL296UH135XE60D	10085001
XP16-060-230	58500	15.7	12	53000	34800	8.5	C37-62D	EL296UH135XV60D	10085005
XP16-060-230	58500	15.7	12.2	53000	34800	8.5	C37-62D	ML180UH135E60D	10590406
XP16-060-230	58000	15.7	12	53000	35000	8.5	C37-62D	SL280UH135V60D	10085009
XP16-060-230	58500	15.7	12	53000	34800	8.5	C37-62D	SLP98UH135XV60D	10085011
XP16-060-230	57000	14.5	11.5	53000	35000	8.2	C37-62D		10084115
XP16-060-230	57000	14.5	11.5	56000	34400	8.5	CBA27UHE-060-230		10258975
XP16-060-230	57000	15	12	56000	34600	8.5	CBA38MV-060-230		201924996
XP16-060-230	57000	15	11.5	53500	35400	8.2	CBX25UHV-060-230		7785988
XP16-060-230	58000	15.5	12	56500	34400	8.5	CBX27UH-060-230		7785978
XP16-060-230	57000	14.5	11.5	56000	36200	8.5	CBX32M-060		7785980
XP16-060-230	58500	15.5	11.5	61000	37400	8.5	CH23-68	EL180UH135E60D	7785983
XP16-060-230	58500	15.2	11.5	61500	37600	8.5	CH23-68	EL195UH135XE60D	7786017

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-060-230	58500	15	11.5	61500	37600	8.5	CH23-68	EL196UH135XE60D	201933212
XP16-060-230	58500	15.2	11.5	61500	37600	8.5	CH23-68	EL296UH135XE60D	7786015
XP16-060-230	59000	15.5	11.5	61500	37600	8.5	CH23-68	EL296UH135XV60D	7786013
XP16-060-230	58500	15.5	11.5	61000	37400	8.5	CH23-68	ML180UH135E60D	10590365
XP16-060-230	58500	15.7	11.5	61000	37400	8.5	CH23-68	SL280UH135V60D	7786012
XP16-060-230	59000	15.5	11.5	61500	37600	8.5	CH23-68	SLP98UH135XV60D	7786014
XP16-060-230	58500	14.5	11.5	61500	37800	8.2	CH23-68		7785974
XP16-060-230	54500	15.7	11.5	52500	34600	8.2	CH33-62D	EL180UH135E60D	7786008
XP16-060-230	54500	15.2	11	53000	35000	8.2	CH33-62D	EL195UH135XE60D	7786007
XP16-060-230	54500	15	11	53000	35000	8.2	CH33-62D	EL196UH135XE60D	201933213
XP16-060-230	54500	15.2	11	53000	35000	8.2	CH33-62D	EL296UH135XE60D	7786016
XP16-060-230	54500	15.5	11	53000	34800	8.2	CH33-62D	EL296UH135XV60D	7786002
XP16-060-230	54500	15.7	11.5	52500	34600	8.2	CH33-62D	ML180UH135E60D	10590368
XP16-060-230	54500	15.7	11	53000	34800	8.2	CH33-62D	SL280UH135V60D	7786010
XP16-060-230	54500	15.5	11	53000	34800	8.2	CH33-62D	SLP98UH135XV60D	7786011
XP16-060-230	57500	15.2	12	57500	37200	8.5	CR33-50/60	EL180DF110E60C	7786006
XP16-060-230	57000	15	12	57000	37200	8.2	CR33-50/60	EL195DF110XE60C	7785997
XP16-060-230	56500	15	11.5	57000	37400	8.2	CR33-50/60	EL296DF090XV60C	7785998
XP16-060-230	57000	15	12	57000	37200	8.2	CR33-50/60	EL296DF110XE60C	7785995
XP16-060-230	56500	15	11.5	57000	37400	8.2	CR33-50/60	EL296DF110XV60C	7785996
XP16-060-230	57500	15.2	12	57500	37200	8.5	CR33-50/60	ML180DF110E60C	10589537
XP16-060-230	57000	15.2	11.5	57500	37400	8.5	CR33-50/60	SL280DF090V60C	7786004
XP16-060-230	57000	15.2	12	57500	37200	8.5	CR33-50/60	SL280DF110V60C	7786018
XP16-060-230	56500	15	11.5	57000	37400	8.2	CR33-50/60	SLP98DF090XV60C	7786003
XP16-060-230	56500	15	11.5	57000	37400	8.2	CR33-50/60	SLP98DF110XV60C	7786001
XP16-060-230	56500	15	11.5	57000	37400	8.2	CR33-60	EL296DF110XV60C	7786005
XP16-060-230	56500	15	11.5	57000	37400	8.2	CR33-60	SLP98DF110XV60C	7786009
XP16-060-230	57000	14.2	11.5	57500	37600	8.2	CR33-60		7785975
XP16-060-230	58500	15.7	12.2	53000	34800	8.5	CX38-62D	EL180UH135E60D	10085006
XP16-060-230	58000	15.2	11.5	53000	35200	8.2	CX38-62D	EL195UH135XE60D	10085002
XP16-060-230	58000	15	11.5	53000	35200	8.2	CX38-62D	EL196UH135XE60D	201933214
XP16-060-230	58000	15.2	11.5	53000	35200	8.2	CX38-62D	EL296UH135XE60D	10085000
XP16-060-230	58500	15.7	12	53000	34800	8.5	CX38-62D	EL296UH135XV60D	10085004
XP16-060-230	58500	15.7	12.2	53000	34800	8.5	CX38-62D	ML180UH135E60D	10590460
XP16-060-230	58000	15.7	12	53000	35000	8.5	CX38-62D	SL280UH135V60D	10085008
XP16-060-230	58500	15.7	12	53000	34800	8.5	CX38-62D	SLP98UH135XV60D	10085010
XP16-060-230	57000	14.5	11.5	53000	35000	8.2	CX38-62D		10084114
XP20-024-230	21600	18	12.5	21400	13000	9	C35-30B	EL296UH045XV36B	10093927
XP20-024-230	21600	18	12.5	21400	13000	9	C35-30B	EL296UH070XV36B	10093928
XP20-024-230	21600	18	12.5	21400	12900	9	C35-30B	SL280UH090V36B	10093929
XP20-024-230	21600	18	12.5	21400	13000	9	C35-30B	SLP98UH070XV36B	10093931
XP20-024-230	22600	18.5	13.5	21600	13500	9	C37-31A	SL280UH070V36A	10085635
XP20-024-230	22600	18.5	13.5	21600	13500	9	C37-31A	SL280UH070XV36A	10085636
XP20-024-230	22600	18.5	13.5	21600	13600	9	C37-31B	EL296UH045XV36B	10085637
XP20-024-230	22600	19	13.5	21600	13500	9	C37-31B	EL296UH070XV36B	10085638
XP20-024-230	22600	19	13.5	21400	13500	9	C37-31B	SL280UH090V36B	10085639
XP20-024-230	22600	19	13.5	21600	13500	9	C37-31B	SLP98UH070XV36B	10085640
XP20-024-230	23000	18.5	13.5	21800	13300	9.5	C37-38A	SL280UH070V36A	10085525
XP20-024-230	23000	18.5	13.5	21800	13300	9.5	C37-38A	SL280UH070XV36A	10085526
XP20-024-230	23000	18.5	13.5	21800	13300	9.6	C37-38B	EL296UH045XV36B	10085527
XP20-024-230	23000	19	13.5	21800	13300	9.6	C37-38B	EL296UH070XV36B	10085528
XP20-024-230	23000	19	13.5	21800	13300	9.6	C37-38B	SL280UH090V36B	10085529
XP20-024-230	23000	19	13.5	21800	13300	9.6	C37-38B	SLP98UH070XV36B	10085530
XP20-024-230	23000	20	14	22200	13600	10	CBA38MV-018/024-230		201842142
XP20-024-230	23200	19	14	21600	14000	10	CBA38MV-030-230		201842143

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP20-024-230	23000	19.5	14	22200	14400	9.6	CH35-30B	EL296UH045XV36B	8550447
XP20-024-230	23000	19.5	13.5	22200	14400	9.6	CH35-30B	EL296UH070XV36B	8550448
XP20-024-230	23200	20	13.5	22200	14300	9.6	CH35-30B	SL280UH090V36B	8550449
XP20-024-230	23000	19.5	13.5	22200	14400	9.6	CH35-30B	SLP98UH070XV36B	8550450
XP20-024-230	23000	19.5	14	22200	14400	9.6	CHX35-30B	EL296UH045XV36B	202192030
XP20-024-230	23000	19.5	13.5	22200	14400	9.6	CHX35-30B	EL296UH070XV36B	202192031
XP20-024-230	23200	20	13.5	22200	14300	9.6	CHX35-30B	SL280UH090V36B	202192032
XP20-024-230	23000	19.5	13.5	22200	14400	9.6	CHX35-30B	SLP98UH070XV36B	202192033
XP20-024-230	22600	19	13.5	22000	14700	9.6	CR33-48B	EL296DF045XV36B	8550432
XP20-024-230	22600	19	13.5	22000	14700	9.6	CR33-48B	SL280DF070V36A	8688155
XP20-024-230	22600	19	13.5	22000	14700	9.6	CR33-48B	SL280DF090V48B	8688154
XP20-024-230	22600	19	13.5	22000	14700	9.6	CR33-48B	SLP98DF070XV36B	8550433
XP20-024-230	22600	19.5	14	22000	14700	9.6	CR33-48B	SLP98DF090XV36C	8550434
XP20-024-230	21600	18	12.5	21400	13000	9	CX35-30B	EL296UH045XV36B	10093941
XP20-024-230	21600	18	12.5	21400	13000	9	CX35-30B	EL296UH070XV36B	10093942
XP20-024-230	21600	18	12.5	21400	12900	9	CX35-30B	SL280UH090V36B	10093943
XP20-024-230	21600	18	12.5	21400	13000	9	CX35-30B	SLP98UH070XV36B	10093945
XP20-024-230	22600	18.5	13.5	21600	13500	9	CX38-31A	SL280UH070V36A	10085531
XP20-024-230	22600	18.5	13.5	21600	13500	9	CX38-31A	SL280UH070XV36A	10085532
XP20-024-230	22600	18.5	13.5	21600	13600	9	CX38-31B	EL296UH045XV36B	10085533
XP20-024-230	22600	19	13.5	21600	13500	9	CX38-31B	EL296UH070XV36B	10085534
XP20-024-230	22600	19	13.5	21400	13500	9	CX38-31B	SL280UH090V36B	10085535
XP20-024-230	22600	19	13.5	21600	13500	9	CX38-31B	SLP98UH070XV36B	10085536
XP20-024-230	23000	18.5	13.5	21800	13300	9.5	CX38-38A	SL280UH070V36A	10085629
XP20-024-230	23000	18.5	13.5	21800	13300	9.5	CX38-38A	SL280UH070XV36A	10085630
XP20-024-230	23000	18.5	13.5	21800	13300	9.6	CX38-38B	EL296UH045XV36B	10085631
XP20-024-230	23000	18.5	13.5	21800	13300	9.6	CX38-38B	EL296UH070XV36B	10085632
XP20-024-230	23000	19	13.5	21800	13300	9.6	CX38-38B	SL280UH090V36B	10085633
XP20-024-230	23000	18.5	13.5	21800	13300	9.6	CX38-38B	SLP98UH070XV36B	10085634
XP20-036-230	34000	19	12.5	31800	21800	8.5	C35-49C	EL296UH090XV36C	10093933
XP20-036-230	34000	20	12.5	33000	22000	9	C37-38A	SL280UH070V36A	10085537
XP20-036-230	34000	20	12.5	33000	22000	9	C37-38A	SL280UH070XV36A	10085538
XP20-036-230	34000	20	12.5	33000	22000	9	C37-38B	EL296UH045XV36B	10085540
XP20-036-230	34000	20	12.5	33000	22000	9.6	C37-38B	EL296UH070XV36B	10085541
XP20-036-230	34200	20	13	32600	21800	9.6	C37-38B	SL280UH090V36B	10085539
XP20-036-230	34000	20	12.5	33000	22000	9.6	C37-38B	SLP98UH070XV36B	10085542
XP20-036-230	34200	20	12.5	32600	21400	9	C37-43B	EL296UH045XV36B	10085544
XP20-036-230	34400	20	12.5	32600	21400	9	C37-43B	EL296UH070XV36B	10085545
XP20-036-230	34400	20	13	32400	21200	9	C37-43B	SL280UH090V36B	10085543
XP20-036-230	34400	20	12.5	32600	21400	9	C37-43B	SLP98UH070XV36B	10085546
XP20-036-230	34400	20	13	32400	21200	9	C37-43C	EL296UH090XV36C	10085547
XP20-036-230	34400	20	13	32400	21200	9	C37-43C	SLP98UH090XV36C	10085548
XP20-036-230	33600	19	12.5	33000	21600	9.6	C37-48B	EL296UH045XV36B	10085550
XP20-036-230	33600	19	12.5	33000	21600	9.6	C37-48B	EL296UH070XV36B	10085551
XP20-036-230	33800	19	13	32800	21400	9.6	C37-48B	SL280UH090V36B	10085549
XP20-036-230	33600	19	12.5	33000	21600	9.6	C37-48B	SLP98UH070XV36B	10085552
XP20-036-230	33800	19	12.5	32800	21400	9.6	C37-48C	EL296UH090XV36C	10085553
XP20-036-230	33800	19	12.5	32800	21400	9.6	C37-48C	SLP98UH090XV36C	10085554
XP20-036-230	34800	20	13.5	33000	21400	10	CBA38MV-042-230		201953305
XP20-036-230	34800	19.5	13	32600	21200	9	CH33-43C	EL296UH090XV36C	8550471
XP20-036-230	34800	19.5	13	32600	21200	9	CH33-43C	SLP98UH090XV36C	8550472
XP20-036-230	33800	19	12.5	33000	22000	9	CH33-44/48B	EL296UH045XV36B	8550474
XP20-036-230	33800	19	12.5	32800	22000	9	CH33-44/48B	EL296UH070XV36B	8550475
XP20-036-230	34000	20	13	32800	21800	9.6	CH33-44/48B	SL280UH060NV36A-	10581351
XP20-036-230	34200	20	13	32800	21800	9	CH33-44/48B	SL280UH070V36A	9150403

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP20-036-230	34200	20	13	32800	21800	9	CH33-44/48B	SL280UH070XV36A	202074918
XP20-036-230	34000	19	13	32600	21600	9.6	CH33-44/48B	SL280UH090V36B	8550473
XP20-036-230	33800	19	12.5	32800	22000	9	CH33-44/48B	SLP98UH070XV36B	8550476
XP20-036-230	34400	19	12.5	33600	22400	8.5	CH35-48B	EL296UH045XV36B	8550478
XP20-036-230	34400	19	12.5	33600	22400	8.5	CH35-48B	EL296UH070XV36B	8550479
XP20-036-230	34600	19	13	33400	22200	9	CH35-48B	SL280UH090V36B	8550477
XP20-036-230	34400	19	12.5	33600	22400	8.5	CH35-48B	SLP98UH070XV36B	8550480
XP20-036-230	34000	19	13	32400	21600	9	CH35-48C	EL296UH090XV36C	8550481
XP20-036-230	34400	19	12.5	33600	22400	8.5	CHX35-48B	EL296UH045XV36B	202192035
XP20-036-230	34400	19	12.5	33600	22400	8.5	CHX35-48B	EL296UH070XV36B	202192036
XP20-036-230	34600	19	13	33400	22200	9	CHX35-48B	SL280UH090V36B	202192034
XP20-036-230	34400	19	12.5	33600	22400	8.5	CHX35-48B	SLP98UH070XV36B	202192037
XP20-036-230	34000	19	13	32400	21600	9	CHX35-48C	EL296UH090XV36C	202192038
XP20-036-230	35000	20	13	33200	21200	10	CR33-50/60	SLP98DF090XV36C	8550482
XP20-036-230	34000	19	12.5	31800	21800	8.5	CX35-49C	EL296UH090XV36C	10093947
XP20-036-230	34000	19	12.5	31800	21800	8.5	CX35-49C	SLP98UH090XV36C	10093946
XP20-036-230	34000	20	12.5	33000	22000	9.6	CX38-38A	SL280UH070V36A	10085555
XP20-036-230	34000	20	12.5	33000	22000	9.6	CX38-38A	SL280UH070XV36A	10085556
XP20-036-230	34000	20	12.5	33000	22000	9	CX38-38B	EL296UH045XV36B	10085558
XP20-036-230	34000	20	12.5	33000	22000	9.6	CX38-38B	EL296UH070XV36B	10085559
XP20-036-230	34200	20	13	32600	21800	9.6	CX38-38B	SL280UH090V36B	10085557
XP20-036-230	34000	20	12.5	33000	22000	9.6	CX38-38B	SLP98UH070XV36B	10085560
XP20-036-230	34200	20	12.5	32600	21400	9	CX38-43B	EL296UH045XV36B	10085562
XP20-036-230	34400	20	12.5	32600	21400	9	CX38-43B	EL296UH070XV36B	10085563
XP20-036-230	34400	20	13	32400	21200	9	CX38-43B	SL280UH090V36B	10085561
XP20-036-230	34400	20	12.5	32600	21400	9	CX38-43B	SLP98UH070XV36B	10085564
XP20-036-230	34400	20	13	32400	21200	9	CX38-43C	EL296UH090XV36C	10085565
XP20-036-230	34400	20	13	32400	21200	9	CX38-43C	SLP98UH090XV36C	10085566
XP20-036-230	33600	19	12.5	33000	21600	9.6	CX38-44/48B	EL296UH045XV36B	10085567
XP20-036-230	33600	19	12.5	33000	21600	9.6	CX38-44/48B	EL296UH070XV36B	10085568
XP20-036-230	33600	19	12.5	33000	21600	9.6	CX38-44/48B	SLP98UH070XV36B	10085569
XP20-036-230	33800	19	12.5	32800	21400	9.6	CX38-44/48C	EL296UH090XV36C	10085570
XP20-036-230	33800	19	12.5	32800	21400	9.6	CX38-44/48C	SLP98UH090XV36C	10085571
XP20-048-230	46000	18	12	43000	28400	8.2	C35-60C	EL296UH090XV48C	201795815
XP20-048-230	46000	17.5	12	43000	28400	8.2	C35-60C	EL296UH090XV60C	10093939
XP20-048-230	46000	17.5	12	43000	28400	8.2	C35-60C	EL296UH110XV60C	10093940
XP20-048-230	46000	17.5	12	43000	28400	8.2	C35-60C	SL280UH090V60C	10093934
XP20-048-230	46000	17.5	12	43000	28400	8.2	C35-60C	SL280UH090XV60C	10093935
XP20-048-230	46000	17.5	12	43000	28400	8.2	C35-60C	SL280UH110V60C	10093936
XP20-048-230	46000	17.5	12	43000	28400	8.2	C35-60C	SL280UH110XV60C	10093937
XP20-048-230	47000	18.5	12	43500	27800	9	C37-49C	EL296UH090XV48C	10085607
XP20-048-230	47000	18.5	12	43500	27800	9	C37-49C	EL296UH090XV60C	10085608
XP20-048-230	47000	18.5	12	43500	27800	9	C37-49C	EL296UH110XV48C	10085609
XP20-048-230	47000	18.5	12	43500	27800	9	C37-49C	EL296UH110XV60C	10085610
XP20-048-230	47000	18.5	12.5	43500	27800	9	C37-49C	SL280UH090V60C	10085611
XP20-048-230	47000	18.5	12.5	43500	27800	9	C37-49C	SL280UH090XV60C	10085612
XP20-048-230	47000	18	12	43500	27800	9	C37-49C	SL280UH110V60C	10085613
XP20-048-230	47000	18	12	43500	27800	9	C37-49C	SL280UH110XV60C	10085614
XP20-048-230	47000	18.5	12	43500	27800	9	C37-49C	SLP98UH090XV48C	10085615
XP20-048-230	47000	18.5	12	43500	27800	9	C37-49C	SLP98UH090XV60C	10085616
XP20-048-230	47000	18.5	12	43500	27800	9	C37-49C	SLP98UH110XV60C	10085617
XP20-048-230	48000	18.5	12	43500	27000	9	C37-62C	EL296UH090XV48C	10085514
XP20-048-230	48000	18	12	43500	27000	9	C37-62C	EL296UH090XV60C	10085515
XP20-048-230	48000	18.5	12	43500	27000	9	C37-62C	EL296UH110XV48C	10085516
XP20-048-230	48000	18	12	43500	27000	9	C37-62C	EL296UH110XV60C	10085517

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP20-048-230	48000	18.5	12.5	43500	27000	9	C37-62C	SL280UH090V60C	10085518
XP20-048-230	48000	18.5	12.5	43500	27000	9	C37-62C	SL280UH090XV60C	10085519
XP20-048-230	48000	18	12	43500	27000	9	C37-62C	SL280UH110V60C	10085520
XP20-048-230	48000	18	12	43500	27000	9	C37-62C	SL280UH110XV60C	10085521
XP20-048-230	48000	18.5	12	43500	27000	9	C37-62C	SLP98UH090XV48C	10085522
XP20-048-230	48000	18	12	43500	27000	9	C37-62C	SLP98UH090XV60C	10085523
XP20-048-230	48000	18	12	43500	27000	9	C37-62C	SLP98UH110XV60C	10085524
XP20-048-230	47500	18	12	44000	28200	9.5	C37-62D	EL296UH135XV60D	10086831
XP20-048-230	47500	18.5	12	44000	28200	9.6	C37-62D	SL280UH135V60D	10085602
XP20-048-230	47500	18	12	44000	28200	9.5	C37-62D	SLP98UH135XV60D	10085603
XP20-048-230	48000	19	12.5	45000	26400	9.6	CBA38MV-060-230		201842144
XP20-048-230	48000	19	12	44500	28400	9	CH33-49	EL296UH090XV48C	8547478
XP20-048-230	48000	19	12	44500	28400	9	CH33-49	EL296UH090XV60C	8547479
XP20-048-230	48000	19	12	44500	28400	9	CH33-49	EL296UH110XV48C	8547480
XP20-048-230	48000	19	12	44500	28400	9	CH33-49	EL296UH110XV60C	8547481
XP20-048-230	48000	19	12	44000	28200	9	CH33-49	SL280UH090V60C	8547482
XP20-048-230	48000	19	12	44000	28200	9	CH33-49	SL280UH090XV60C	8547483
XP20-048-230	48000	18.5	12	44500	28400	9	CH33-49	SL280UH110V60C	8547484
XP20-048-230	48000	18.5	12	44500	28400	9	CH33-49	SL280UH110XV60C	8547485
XP20-048-230	48000	19	12	44500	28400	9	CH33-49	SLP98UH090XV48C	8547486
XP20-048-230	48000	19	12	44500	28400	9	CH33-49	SLP98UH090XV60C	8547487
XP20-048-230	48000	19	12	44500	28400	9	CH33-49	SLP98UH110XV60C	8547488
XP20-048-230	47500	19	12	44500	28400	9	CH33-50/60C	EL296UH090XV48C	8547489
XP20-048-230	47500	18.5	12	44500	28400	9	CH33-50/60C	EL296UH090XV60C	8547490
XP20-048-230	47500	19	12	44500	28400	9	CH33-50/60C	EL296UH110XV48C	8547491
XP20-048-230	47500	18.5	12	44500	28400	9	CH33-50/60C	EL296UH110XV60C	8547492
XP20-048-230	48000	18.5	12	44000	28400	9	CH33-50/60C	SL280UH090V60C	8547493
XP20-048-230	48000	18.5	12	44000	28400	9	CH33-50/60C	SL280UH090XV60C	8547494
XP20-048-230	47500	18.5	12	44500	28400	9	CH33-50/60C	SL280UH110V60C	8547495
XP20-048-230	47500	18.5	12	44500	28400	9	CH33-50/60C	SL280UH110XV60C	8547496
XP20-048-230	47500	19	12	44500	28400	9	CH33-50/60C	SLP98UH090XV48C	8547497
XP20-048-230	47500	18.5	12	44500	28400	9	CH33-50/60C	SLP98UH090XV60C	8547498
XP20-048-230	47500	18.5	12	44500	28400	9	CH33-50/60C	SLP98UH110XV60C	8547499
XP20-048-230	48000	18	12	43500	26800	9.6	CH33-62D	SL280UH135V60D	8601360
XP20-048-230	48000	18	12	43500	27000	9.6	CH33-62D	SLP98UH135XV60D	8601361
XP20-048-230	48000	18.5	12	44000	29200	9	CH35-60D	SL280UH135V60D	8601363
XP20-048-230	48000	18	12	44000	29200	9	CH35-60D	SLP98UH135XV60D	8601364
XP20-048-230	48000	18.5	12	44000	29200	9	CHX35-60D	SL280UH135V60D	202189873
XP20-048-230	48000	18	12	44000	29200	9	CHX35-60D	SLP98UH135XV60D	202189875
XP20-048-230	47000	17.5	12	45500	29600	8.5	CR33-50/60	EL296DF090XV60C	8601365
XP20-048-230	47000	18	12	45500	29600	8.5	CR33-50/60	EL296DF110XV60C	8601366
XP20-048-230	47000	18	12	45500	29200	8.5	CR33-50/60	SL280DF090V60C	8601367
XP20-048-230	47000	18	12	45500	29200	8.5	CR33-50/60	SL280DF110V60C	8601368
XP20-048-230	47000	18	12	45500	29600	8.5	CR33-50/60	SLP98DF090XV48C	8601369
XP20-048-230	47000	17.5	12	45500	29600	8.5	CR33-50/60	SLP98DF090XV60C	8601370
XP20-048-230	47000	18	12	45500	29600	8.5	CR33-50/60	SLP98DF110XV60C	8601371
XP20-048-230	46000	18	12	43000	28400	8.2	CX35-60C	EL296UH090XV48C	201795816
XP20-048-230	46000	17.5	12	43000	28400	8.2	CX35-60C	EL296UH090XV60C	10093953
XP20-048-230	46000	17.5	12	43000	28400	8.2	CX35-60C	EL296UH110XV60C	10093954
XP20-048-230	46000	17.5	12	43000	28400	8.2	CX35-60C	SL280UH090V60C	10093948
XP20-048-230	46000	17.5	12	43000	28400	8.2	CX35-60C	SL280UH090XV60C	10093949
XP20-048-230	46000	17.5	12	43000	28400	8.2	CX35-60C	SL280UH110V60C	10093950
XP20-048-230	46000	17.5	12	43000	28400	8.2	CX35-60C	SL280UH110XV60C	10093951
XP20-048-230	47000	18.5	12	43500	27800	9	CX38-49C	EL296UH090XV48C	10085618
XP20-048-230	47000	18.5	12	43500	27800	9	CX38-49C	EL296UH090XV60C	10085619

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP20-048-230	47000	18.5	12	43500	27800	9	CX38-49C	EL296UH110XV48C	10085620
XP20-048-230	47000	18.5	12	43500	27800	9	CX38-49C	EL296UH110XV60C	10085621
XP20-048-230	47000	18.5	12.5	43500	27800	9	CX38-49C	SL280UH090V60C	10085622
XP20-048-230	47000	18.5	12.5	43500	27800	9	CX38-49C	SL280UH090XV60C	10085623
XP20-048-230	47000	18	12	43500	27800	9	CX38-49C	SL280UH110V60C	10085624
XP20-048-230	47000	18	12	43500	27800	9	CX38-49C	SL280UH110XV60C	10085625
XP20-048-230	47000	18.5	12	43500	27800	9	CX38-49C	SLP98UH090XV48C	10085626
XP20-048-230	47000	18.5	12	43500	27800	9	CX38-49C	SLP98UH090XV60C	10085627
XP20-048-230	47000	18.5	12	43500	27800	9	CX38-49C	SLP98UH110XV60C	10085628
XP20-048-230	48000	18.5	12	43500	27000	9	CX38-62C	EL296UH090XV48C	10086811
XP20-048-230	48000	18	12	43500	27000	9	CX38-62C	EL296UH090XV60C	10086812
XP20-048-230	48000	18.5	12	43500	27000	9	CX38-62C	EL296UH110XV48C	10086813
XP20-048-230	48000	18	12	43500	27000	9	CX38-62C	EL296UH110XV60C	10086814
XP20-048-230	48000	18.5	12.5	43500	27000	9	CX38-62C	SL280UH090V60C	10086815
XP20-048-230	48000	18.5	12.5	43500	27000	9	CX38-62C	SL280UH090XV60C	10086816
XP20-048-230	48000	18	12	43500	27000	9	CX38-62C	SL280UH110V60C	10086817
XP20-048-230	48000	18	12	43500	27000	9	CX38-62C	SL280UH110XV60C	10086818
XP20-048-230	48000	18.5	12	43500	27000	9	CX38-62C	SLP98UH090XV48C	10086819
XP20-048-230	48000	18	12	43500	27000	9	CX38-62C	SLP98UH090XV60C	10086820
XP20-048-230	48000	18	12	43500	27000	9	CX38-62C	SLP98UH110XV60C	10086821
XP20-048-230	47500	18	12	44000	28200	9.5	CX38-62D	EL296UH135XV60D	10085604
XP20-048-230	47500	18.5	12	44000	28200	9.6	CX38-62D	SL280UH135V60D	10085605
XP20-048-230	47500	18	12	44000	28200	9.5	CX38-62D	SLP98UH135XV60D	10085606
XP20-060-230	56500	18	11.5	54000	35400	9	C37-49C	EL296UH090XV60C	10085572
XP20-060-230	56500	18	11.5	54000	35200	9	C37-49C	EL296UH110XV60C	10085573
XP20-060-230	57000	18.5	12	54000	35000	9	C37-49C	SL280UH090V60C	10085574
XP20-060-230	57000	18.5	12	54000	35000	9	C37-49C	SL280UH090XV60C	10085576
XP20-060-230	56500	18	11.5	54000	35200	9	C37-49C	SL280UH110V60C	10085575
XP20-060-230	56500	18	11.5	54000	35200	9	C37-49C	SL280UH110XV60C	10085577
XP20-060-230	56500	18	11.5	54000	35400	9	C37-49C	SLP98UH090XV60C	10085578
XP20-060-230	56500	18	11.5	54000	35200	9	C37-49C	SLP98UH110XV60C	10085579
XP20-060-230	57000	18.5	12	54500	35200	9.6	C37-62C	EL296UH090XV60C	10085580
XP20-060-230	57500	18.5	12	54500	35000	9.6	C37-62C	EL296UH110XV60C	10085581
XP20-060-230	57500	18.5	12	54000	34800	9.6	C37-62C	SL280UH090V60C	10085582
XP20-060-230	57500	18.5	12	54000	34800	9.6	C37-62C	SL280UH090XV60C	10085584
XP20-060-230	57500	18.5	12	54000	35000	9.6	C37-62C	SL280UH110V60C	10085583
XP20-060-230	57500	18.5	12	54000	35000	9.6	C37-62C	SL280UH110XV60C	10085585
XP20-060-230	57000	18.5	12	54500	35200	9.6	C37-62C	SLP98UH090XV60C	10085586
XP20-060-230	57500	18.5	12	54500	35000	9.6	C37-62C	SLP98UH110XV60C	10085587
XP20-060-230	58000	18.5	12.5	53000	36000	9.6	C37-62D	EL296UH135XV60D	10085588
XP20-060-230	58000	19	12.5	53000	35800	9.6	C37-62D	SL280UH135V60D	10085589
XP20-060-230	58000	18.5	12.5	53000	36000	9.6	C37-62D	SLP98UH135XV60D	10085590
XP20-060-230	56500	19	12.5	54500	36200	9.6	CBA38MV-060-230		201842145
XP20-060-230	56500	18.5	11.5	55000	36400	9	CH33-49	EL296UH090XV60C	8561560
XP20-060-230	56500	18.5	11.5	55000	36400	9	CH33-49	EL296UH110XV60C	8561561
XP20-060-230	57000	19	12.5	54500	35800	9.4	CH33-49	SL280UH080NV60C-	10581352
XP20-060-230	57000	19	12	54500	36000	9	CH33-49	SL280UH090V60C	8561562
XP20-060-230	57000	19	12	54500	36000	9	CH33-49	SL280UH090XV60C	8561564
XP20-060-230	57000	18.5	12	54500	36200	9	CH33-49	SL280UH110V60C	8561563
XP20-060-230	57000	18.5	12	54500	36200	9	CH33-49	SL280UH110XV60C	8561565
XP20-060-230	56500	18.5	11.5	55000	36400	9	CH33-49	SLP98UH090XV60C	8561566
XP20-060-230	56500	18.5	11.5	55000	36400	9	CH33-49	SLP98UH110XV60C	8561567
XP20-060-230	56000	18.5	11.5	55000	36400	9	CH33-50/60C	EL296UH090XV60C	8561568
XP20-060-230	56500	18.5	11.5	55000	36400	9	CH33-50/60C	EL296UH110XV60C	8561569
XP20-060-230	56500	18.5	12	54500	35800	9.2	CH33-50/60C	SL280UH080NV60C-	10581353

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP20-060-230	56500	18.5	12	54500	36000	9	CH33-50/60C	SL280UH090V60C	8561570
XP20-060-230	56500	18.5	12	54500	36000	9	CH33-50/60C	SL280UH090XV60C	8561572
XP20-060-230	56500	18.5	12	54500	36200	9	CH33-50/60C	SL280UH110V60C	8561571
XP20-060-230	56500	18.5	12	54500	36200	9	CH33-50/60C	SL280UH110XV60C	8561573
XP20-060-230	56000	18.5	11.5	55000	36400	9	CH33-50/60C	SLP98UH090XV60C	8561574
XP20-060-230	56500	18.5	11.5	55000	36400	9	CH33-50/60C	SLP98UH110XV60C	8561575
XP20-060-230	56500	18	12	55000	36200	9.6	CH33-62D	EL296UH135XV60D	8561576
XP20-060-230	56500	18	12	55000	36200	9	CH33-62D	SL280UH135V60D	8561577
XP20-060-230	56500	18	12	55000	36200	9	CH33-62D	SLP98UH135XV60D	8561578
XP20-060-230	56500	18.5	12	55000	36600	9	CH35-60D	EL296UH135XV60D	8593312
XP20-060-230	57000	18.5	12	55000	36400	9	CH35-60D	SL280UH135V60D	8593313
XP20-060-230	56500	18.5	12	55000	36600	9	CH35-60D	SLP98UH135XV60D	8593311
XP20-060-230	56500	18.5	12	55000	36600	9	CHX35-60D	EL296UH135XV60D	202189869
XP20-060-230	57000	18.5	12	55000	36400	9	CHX35-60D	SL280UH135V60D	202189872
XP20-060-230	56500	18.5	12	55000	36600	9	CHX35-60D	SLP98UH135XV60D	202189867
XP20-060-230	56000	18.5	12	54000	36400	9.6	CR33-60	EL296DF090XV60C	8561579
XP20-060-230	56000	18.5	12	54000	36400	9.6	CR33-60	EL296DF110XV60C	8561580
XP20-060-230	56500	19	12	53500	36000	9.6	CR33-60	SL280DF090V60C	8561581
XP20-060-230	56500	19	12.5	53500	36000	9.6	CR33-60	SL280DF110V60C	8561582
XP20-060-230	56000	18.5	12	54000	36400	9.6	CR33-60	SLP98DF090XV60C	8561583
XP20-060-230	56000	18.5	12	54000	36400	9.6	CR33-60	SLP98DF110XV60C	8561584
XP20-060-230	56500	18	11.5	54000	35400	9	CX38-49C	EL296UH090XV60C	10085591
XP20-060-230	56500	18	11.5	54000	35200	9	CX38-49C	EL296UH110XV60C	10085592
XP20-060-230	57000	18.5	12	54000	35000	9	CX38-49C	SL280UH090V60C	10085593
XP20-060-230	57000	18.5	12	54000	35000	9	CX38-49C	SL280UH090XV60C	10085595
XP20-060-230	56500	18	11.5	54000	35200	9	CX38-49C	SL280UH110V60C	10085594
XP20-060-230	56500	18	11.5	54000	35200	9	CX38-49C	SL280UH110XV60C	10085596
XP20-060-230	56500	18	11.5	54000	35400	9	CX38-49C	SLP98UH090XV60C	10085597
XP20-060-230	56500	18	11.5	54000	35200	9	CX38-49C	SLP98UH110XV60C	10085598
XP20-060-230	57000	18.5	12	54500	35200	9.6	CX38-62C	EL296UH090XV60C	10086823
XP20-060-230	57500	18.5	12	54500	35000	9.6	CX38-62C	EL296UH110XV60C	10086824
XP20-060-230	57500	18.5	12	54000	34800	9.6	CX38-62C	SL280UH090V60C	10086825
XP20-060-230	57500	18.5	12	54000	34800	9.6	CX38-62C	SL280UH090XV60C	10086827
XP20-060-230	57500	18.5	12	54000	35000	9.6	CX38-62C	SL280UH110V60C	10086826
XP20-060-230	57500	18.5	12	54000	35000	9.6	CX38-62C	SL280UH110XV60C	10086828
XP20-060-230	57000	18.5	12	54500	35200	9.6	CX38-62C	SLP98UH090XV60C	10086829
XP20-060-230	57500	18.5	12	54500	35000	9.6	CX38-62C	SLP98UH110XV60C	10086830
XP20-060-230	58000	18.5	12.5	53000	36000	9.6	CX38-62D	EL296UH135XV60D	10085599
XP20-060-230	58000	19	12.5	53000	35800	9.6	CX38-62D	SL280UH135V60D	10085600
XP20-060-230	58000	18.5	12.5	53000	36000	9.6	CX38-62D	SLP98UH135XV60D	10085601
XP21-024-230	24600	16	13	22600	15900	8.5	C35-48B	EL195UH045XE36B	202087706
XP21-024-230	24600	16	13	22000	15200	8.5	C35-48B	EL196UH045XE36B	202087693
XP21-024-230	25200	16	13	22000	15200	8.5	C35-48B	EL296UH045XE36B	202087707
XP21-024-230	25200	17	13	22000	15200	8.5	C35-48B	EL296UH045XV36B	202087708
XP21-024-230	25400	17	13	22000	15200	8.5	C35-48B	EL296UH070XV36B	202087709
XP21-024-230	25600	18	13.5	22000	15100	9	C35-48B	SL280UH080NV48B-	202087701
XP21-024-230	25400	17	13	22200	15400	8.5	C35-48B	SL280UH090V36B	202087710
XP21-024-230	25600	17	13	22000	15200	8.5	C35-48B	SL280UH090V48B	202087711
XP21-024-230	25600	17	13	22200	15300	8.5	C35-48B	SL280UH090XV48B	202087712
XP21-024-230	25600	17	13	22200	15300	8.5	C35-48B	SLP98UH070XV36B	202087713
XP21-024-230	24600	15	12	22600	15900	8.2	C35-48B		202087688
XP21-024-230	25400	18	13	22200	15400	8.2	C35-49C	EL296UH090XV36C	202087714
XP21-024-230	25600	18	13	22200	13200	8.5	C35-49C	EL296UH090XV48C	202087715
XP21-024-230	26200	18	13	22400	13500	8.5	C35-49C	EL296UH110XV48C	202087716
XP21-024-230	26000	18	13	22400	13400	8.2	C35-49C	SLP98UH090XV36C	202087717

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-024-230	25600	18	13	22200	13200	8.5	C35-49C	SLP98UH090XV48C	202087718
XP21-024-230	25600	18	13	22400	14100	8.5	C37-31A	EL180UH045E36A	10084751
XP21-024-230	25600	18	13	22400	14100	8.5	C37-31A	ML180UH045E36A	10589569
XP21-024-230	25600	19	13	22200	13900	8.5	C37-31A	SL280UH070V36A	10084268
XP21-024-230	25600	19	13	22200	13900	8.5	C37-31A	SL280UH070XV36A	10084271
XP21-024-230	25200	18	13	22200	13900	8.2	C37-31B	CBWMV-24B-040	10084274
XP21-024-230	25400	18	13	22400	14000	8.5	C37-31B	CBWMV-36B-070	10084270
XP21-024-230	25200	18	13	22200	13900	8.2	C37-31B	EL296UH045XV36B	10084763
XP21-024-230	25200	18	13	22200	13900	8.2	C37-31B	EL296UH070XV36B	10084766
XP21-024-230	25400	18	13	22200	13900	8.2	C37-31B	SL280UH090V36B	10084267
XP21-024-230	25400	18	13	22400	14000	8.2	C37-31B	SL280UH090V48B	10084273
XP21-024-230	25400	18	13	22400	14000	8.2	C37-31B	SL280UH090XV48B	10084269
XP21-024-230	25200	18	13	22200	14000	8.2	C37-31B	SLO185B79/105V42	10084917
XP21-024-230	25000	17	12.5	22400	14100	8.2	C37-31B	SLO185UF79/105V42	10084905
XP21-024-230	25200	18	13	22200	13900	8.2	C37-31B	SLP98UH070XV36B	10084260
XP21-024-230	25800	18	13	22400	14000	8.5	C37-38A	EL180UH045E36A	10086303
XP21-024-230	25800	18	13	22400	14000	8.5	C37-38A	ML180UH045E36A	10590629
XP21-024-230	25600	18	13	22200	13900	8.5	C37-38A	SL280UH070V36A	10084257
XP21-024-230	25600	18	13	22200	13900	8.5	C37-38A	SL280UH070XV36A	10084248
XP21-024-230	25400	18	13	22200	13900	8.2	C37-38B	CBWMV-24B-040	10084245
XP21-024-230	25600	18	13	22400	14000	8.5	C37-38B	CBWMV-36B-070	10084256
XP21-024-230	25400	18	13	22200	13900	8.2	C37-38B	EL296UH045XV36B	10084756
XP21-024-230	25400	18	13	22200	13900	8.2	C37-38B	EL296UH070XV36B	10084765
XP21-024-230	25600	17	13	22200	13900	8.2	C37-38B	SL280UH090V36B	10084261
XP21-024-230	25600	17	13	22400	14000	8.2	C37-38B	SL280UH090V48B	10084255
XP21-024-230	25600	17	13	22400	14000	8.2	C37-38B	SL280UH090XV48B	10084265
XP21-024-230	25200	18	13	22200	14000	8.2	C37-38B	SLO185B79/105V42	10084915
XP21-024-230	25200	17	12.5	22400	14100	8.2	C37-38B	SLO185UF79/105V42	10084903
XP21-024-230	25200	18	13	22200	13900	8.2	C37-48B	CBWMV-24B-040	10084263
XP21-024-230	25400	18	13	22200	14000	8.2	C37-48B	CBWMV-36B-070	10084247
XP21-024-230	25200	18	13	22200	13900	8.2	C37-48B	EL296UH045XV36B	10084759
XP21-024-230	25200	18	13	22200	13900	8.2	C37-48B	EL296UH070XV36B	10084769
XP21-024-230	25400	18	13	22200	13800	8.2	C37-48B	SL280UH090V36B	10084252
XP21-024-230	25400	18	13	22200	14000	8.2	C37-48B	SL280UH090V48B	10084262
XP21-024-230	25400	18	13	22200	14000	8.2	C37-48B	SL280UH090XV48B	10084259
XP21-024-230	25000	18	13	22200	14000	8.2	C37-48B	SLO185B79/105V42	10084916
XP21-024-230	25000	17	12.5	22400	14100	8.2	C37-48B	SLO185UF79/105V42	10084902
XP21-024-230	25200	18	13	22200	13900	8.2	C37-48B	SLP98UH070XV36B	10084246
XP21-024-230	25600	19	13.5	23000	14600	9	CBA38MV-042-230		201924997
XP21-024-230	24800	17	13	22800	14200	9	CBX27UH-024-230		5269236
XP21-024-230	25000	19	13	22800	14200	9	CBX27UH-030-230		5269237
XP21-024-230	24600	16	12	23200	14600	8.5	CBX32M-030		5269234
XP21-024-230	24600	16	12	23200	14700	8.5	CBX32M-036		5269235
XP21-024-230	25400	18	13	22400	14000	8.5	CH33-31A	EL180UH045E36A	5741785
XP21-024-230	25400	18	13	22400	14000	8.5	CH33-31A	ML180UH045E36A	10589552
XP21-024-230	25400	18	13	22400	14000	8.5	CH33-31A	SL280UH070V36A	5268786
XP21-024-230	25400	18	13	22400	14000	8.5	CH33-31A	SL280UH070XV36A	5268827
XP21-024-230	25400	18	13	22200	13900	8.2	CH33-31B	EL296UH045XV36B	5760874
XP21-024-230	25400	18	13	22200	13900	8.2	CH33-31B	EL296UH070XV36B	5760979
XP21-024-230	25600	17	13	22200	13900	8.2	CH33-31B	SL280UH090V36B	5268788
XP21-024-230	25600	17	13	22400	14000	8.2	CH33-31B	SL280UH090V48B	5268790
XP21-024-230	25600	17	13	22400	14000	8.2	CH33-31B	SL280UH090XV48B	5268794
XP21-024-230	25200	18	13	22200	13900	8.2	CH33-42B	EL296UH045XV36B	5760875
XP21-024-230	26000	19	13	22600	14200	8.5	CH33-42B	EL296UH070XV36B	5760972
XP21-024-230	25400	18	13	22200	13900	8.2	CH33-42B	SL280UH090V36B	5268793

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-024-230	25400	18	13	22400	14000	8.2	CH33-42B	SL280UH090V48B	5268795
XP21-024-230	25400	18	13	22400	14000	8.2	CH33-42B	SL280UH090XV48B	5268831
XP21-024-230	25200	18	13	22200	13900	8.2	CH33-42B	SLP98UH070XV36B	5268796
XP21-024-230	25600	18	13	22000	13800	8.5	CH35-42B	EL296UH045XV36B	9114968
XP21-024-230	25400	18	13	22200	13900	8.5	CH35-42B	EL296UH070XV36B	9114969
XP21-024-230	25800	18.5	14	22000	13700	9.4	CH35-42B	SL280UH080NV48B-	10581379
XP21-024-230	25800	18	13	22000	13800	8.5	CH35-42B	SL280UH090V36B	9114970
XP21-024-230	25800	18	13	22200	13900	8.5	CH35-42B	SL280UH090V48B	9114971
XP21-024-230	25800	18	13	22200	13900	8.5	CH35-42B	SL280UH090XV48B	9114972
XP21-024-230	25400	18	13	22200	13900	8.5	CH35-42B	SLP98UH070XV36B	9114973
XP21-024-230	25000	15.5	12.2	22600	14400	8.5	CH35-42B		9114967
XP21-024-230	25200	18	13	22400	13200	8.5	CH35-42C	EL296UH090XV36C	9114974
XP21-024-230	25800	18	13	22600	13400	8.5	CH35-42C	EL296UH090XV48C	9114975
XP21-024-230	25200	18	13	22400	13200	8.5	CH35-42C	SLP98UH090XV36C	9114976
XP21-024-230	25800	18	13	22600	13400	8.5	CH35-42C	SLP98UH090XV48C	9114977
XP21-024-230	25600	18	13	22000	13800	8.5	CHX35-42B	EL296UH045XV36B	202192039
XP21-024-230	25400	18	13	22200	13900	8.5	CHX35-42B	EL296UH070XV36B	202192040
XP21-024-230	25800	18.5	14	22000	13700	9.4	CHX35-42B	SL280UH080NV48B-	202190406
XP21-024-230	25800	18	13	22000	13800	8.5	CHX35-42B	SL280UH090V36B	202192041
XP21-024-230	25800	18	13	22200	13900	8.5	CHX35-42B	SL280UH090V48B	202192042
XP21-024-230	25800	18	13	22200	13900	8.5	CHX35-42B	SL280UH090XV48B	202192043
XP21-024-230	25400	18	13	22200	13900	8.5	CHX35-42B	SLP98UH070XV36B	202192044
XP21-024-230	25000	15.5	12.2	22600	14400	8.5	CHX35-42B		202189877
XP21-024-230	25200	18	13	22400	13200	8.5	CHX35-42C	EL296UH090XV36C	202192045
XP21-024-230	25800	18	13	22600	13400	8.5	CHX35-42C	EL296UH090XV48C	202192046
XP21-024-230	25200	18	13	22400	13200	8.5	CHX35-42C	SLP98UH090XV36C	202192047
XP21-024-230	25800	18	13	22600	13400	8.5	CHX35-42C	SLP98UH090XV48C	202192048
XP21-024-230	24200	15.7	11.5	23000	14700	8.5	CR33-48		5269246
XP21-024-230	24600	18	12.5	22600	14100	9	CR33-48B	EL296DF045XV36B	7505739
XP21-024-230	25000	17	12.5	22800	14300	9	CR33-48B	EL296DF070XV48B	7487526
XP21-024-230	25200	17	12.7	22800	14200	9.2	CR33-48B	SL280DF090V48B	5268799
XP21-024-230	25000	18	12.5	22600	14100	9	CR33-48B	SLP98DF070XV36B	5268800
XP21-024-230	25400	18	13	22600	14100	9	CR33-50/60	SLP98DF090XV36C	5268803
XP21-024-230	25800	18	13	22800	14200	9	CR33-50/60	SLP98DF090XV48C	5268804
XP21-024-230	24800	16	11.7	23000	14700	8.5	CR33-50/60		5269247
XP21-024-230	24600	16	13	22600	15900	8.5	CX35-48B	EL195UH045XE36B	9114979
XP21-024-230	24600	16	13	22000	15200	8.5	CX35-48B	EL196UH045XE36B	201933137
XP21-024-230	25200	16	13	22000	15200	8.5	CX35-48B	EL296UH045XE36B	9114980
XP21-024-230	25200	17	13	22000	15200	8.5	CX35-48B	EL296UH045XV36B	9114981
XP21-024-230	25400	17	13	22000	15200	8.5	CX35-48B	EL296UH070XV36B	9114982
XP21-024-230	25600	17.5	13.5	22000	15100	9	CX35-48B	SL280UH080NV48B-	10581380
XP21-024-230	25400	17	13	22200	15400	8.5	CX35-48B	SL280UH090V36B	9114983
XP21-024-230	25600	17	13	22000	15200	8.5	CX35-48B	SL280UH090V48B	9114984
XP21-024-230	25600	17	13	22200	15300	8.5	CX35-48B	SL280UH090XV48B	9114985
XP21-024-230	25600	17	13	22200	15300	8.5	CX35-48B	SLP98UH070XV36B	9114986
XP21-024-230	24600	14.5	12	22600	15900	8.2	CX35-48B		9114978
XP21-024-230	25400	18	13	22200	15400	8.2	CX35-49C	EL296UH090XV36C	9114987
XP21-024-230	25600	18	13	22200	13200	8.5	CX35-49C	EL296UH090XV48C	9114988
XP21-024-230	26200	18	13	22400	13500	8.5	CX35-49C	EL296UH110XV48C	9114989
XP21-024-230	26000	18	13	22400	13400	8.2	CX35-49C	SLP98UH090XV36C	9114990
XP21-024-230	25600	18	13	22200	13200	8.5	CX35-49C	SLP98UH090XV48C	9114991
XP21-024-230	25600	18	13	22400	14100	8.5	CX38-31A	EL180UH045E36A	10084749
XP21-024-230	25600	18	13	22400	14100	8.5	CX38-31A	ML180UH045E36A	10589567
XP21-024-230	25600	19	13	22200	13900	8.5	CX38-31A	SL280UH070V36A	10084278
XP21-024-230	25600	19	13	22200	13900	8.5	CX38-31A	SL280UH070XV36A	10084276

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-024-230	25200	18	13	22200	13900	8.2	CX38-31B	CBWMV-24B-040	10084243
XP21-024-230	25400	18	13	22400	14000	8.5	CX38-31B	CBWMV-36B-070	10084254
XP21-024-230	25200	18	13	22200	13900	8.2	CX38-31B	EL296UH045XV36B	10084761
XP21-024-230	25200	18	13	22200	13900	8.2	CX38-31B	EL296UH070XV36B	10084768
XP21-024-230	25400	18	13	22200	13900	8.2	CX38-31B	SL280UH090V36B	10084275
XP21-024-230	25400	18	13	22400	14000	8.2	CX38-31B	SL280UH090V48B	10084272
XP21-024-230	25400	18	13	22400	14000	8.2	CX38-31B	SL280UH090XV48B	10084244
XP21-024-230	25200	18	13	22200	14000	8.2	CX38-31B	SLO185B79/105V42	10084914
XP21-024-230	25000	17	12.5	22400	14100	8.2	CX38-31B	SLO185UF79/105V42	10084904
XP21-024-230	25200	18	13	22200	13900	8.2	CX38-31B	SLP98UH070XV36B	10084277
XP21-024-230	25800	18	13	22400	14000	8.5	CX38-38A	EL180UH045E36A	10084753
XP21-024-230	25800	18	13	22400	14000	8.5	CX38-38A	ML180UH045E36A	10589570
XP21-024-230	25600	18	13	22200	13900	8.5	CX38-38A	SL280UH070V36A	10084251
XP21-024-230	25600	18	13	22200	13900	8.5	CX38-38A	SL280UH070XV36A	10084253
XP21-024-230	25400	18	13	22200	13900	8.2	CX38-38B	CBWMV-24B-040	10084266
XP21-024-230	25600	18	13	22400	14000	8.5	CX38-38B	CBWMV-36B-070	10084250
XP21-024-230	25400	18	13	22200	13900	8.2	CX38-38B	EL296UH045XV36B	10084757
XP21-024-230	25400	18	13	22200	13900	8.2	CX38-38B	EL296UH070XV36B	10084772
XP21-024-230	25600	17	13	22200	13900	8.2	CX38-38B	SL280UH090V36B	10084258
XP21-024-230	25600	17	13	22400	14000	8.2	CX38-38B	SL280UH090V48B	10084249
XP21-024-230	25600	17	13	22400	14000	8.2	CX38-38B	SL280UH090XV48B	10084264
XP21-024-230	25200	18	13	22200	14000	8.2	CX38-38B	SLO185B79/105V42	10084913
XP21-024-230	25200	17	12.5	22400	14100	8.2	CX38-38B	SLO185UF79/105V42	10084901
XP21-036-230	34200	16	12.2	34400	21800	9	C35-48B	EL180UH070E36B	202087719
XP21-036-230	34400	16	12.2	34600	22000	9	C35-48B	EL180UH090E48B	202087720
XP21-036-230	34000	16	11.5	35000	22400	8.5	C35-48B	EL195UH045XE36B	202087721
XP21-036-230	34000	16	12	34600	22000	8.5	C35-48B	EL195UH070XE36B	202087722
XP21-036-230	34000	16	11.5	35000	22400	8.5	C35-48B	EL196UH045XE36B	202087694
XP21-036-230	34000	16	12	34600	22000	8.5	C35-48B	EL196UH070XE36B	202087695
XP21-036-230	34000	16	11.5	35000	22400	8.5	C35-48B	EL296UH045XE36B	202087723
XP21-036-230	34200	16	12	34800	22200	8.5	C35-48B	EL296UH045XV36B	202087724
XP21-036-230	34000	16	12	34600	22000	8.5	C35-48B	EL296UH070XE36B	202087725
XP21-036-230	34200	16	12	34800	22200	8.5	C35-48B	EL296UH070XV36B	202087726
XP21-036-230	34200	16	12.2	34400	21800	9	C35-48B	ML180UH070E36B	202087779
XP21-036-230	34400	16	12.2	34600	22000	9	C35-48B	ML180UH090E48B	202087780
XP21-036-230	34400	17	12.5	34400	21800	9.2	C35-48B	SL280UH080NV48B-	202087702
XP21-036-230	34200	16	12.2	34600	21800	9	C35-48B	SL280UH090V36B	202087727
XP21-036-230	34400	16	12.2	34600	22000	9	C35-48B	SL280UH090V48B	202087728
XP21-036-230	34400	16	12.2	34600	22000	9	C35-48B	SL280UH090XV48B	202087729
XP21-036-230	34200	16	12	34800	22200	8.5	C35-48B	SLP98UH070XV36B	202087730
XP21-036-230	33800	14	11	35200	22600	8.5	C35-48B		202087689
XP21-036-230	34600	16	12.2	30000	19400	8.5	C35-49C	EL195UH090XE48C	202087731
XP21-036-230	34600	16	12.2	30000	19500	8.5	C35-49C	EL196UH090XE48C	202087696
XP21-036-230	34600	16	12.2	30000	19400	8.5	C35-49C	EL296UH090XE48C	202087732
XP21-036-230	34600	16	12.2	30000	19400	8.5	C35-49C	EL296UH090XV36C	202087733
XP21-036-230	34800	16	12.2	30200	19500	9	C35-49C	EL296UH090XV48C	202087734
XP21-036-230	34600	16	12.5	30000	19300	9	C35-49C	EL296UH110XV48C	202087735
XP21-036-230	35000	16	12.5	30200	19500	9	C35-49C	EL296UH110XV60C	202087736
XP21-036-230	35000	17	12.5	30200	19300	9.2	C35-49C	SL280UH080NV60C-	202087703
XP21-036-230	35000	16	12.5	30200	19500	9	C35-49C	SL280UH090V60C	202087737
XP21-036-230	35000	16	12.5	30200	19500	9	C35-49C	SL280UH090XV60C	202087738
XP21-036-230	35000	16	12.5	30200	19500	9	C35-49C	SL280UH110V60C	202087739
XP21-036-230	35000	16	12.5	30200	19500	9	C35-49C	SL280UH110XV60C	202087740
XP21-036-230	34600	16	12.5	30000	19400	8.5	C35-49C	SLP98UH090XV36C	202087741
XP21-036-230	34800	16	12.2	30200	19500	9	C35-49C	SLP98UH090XV48C	202087742

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-036-230	35000	16	12.5	30200	19500	9	C35-49C	SLP98UH110XV60C	202087743
XP21-036-230	34000	14	11.5	30600	20000	8.5	C35-49C		202087690
XP21-036-230	36000	17	12.5	32600	20800	8.5	C37-38A	EL180UH045E36A	10084746
XP21-036-230	36000	17	12.5	32600	20800	8.5	C37-38A	ML180UH045E36A	10589564
XP21-036-230	35800	17	12.5	32600	20800	8.5	C37-38A	SL280UH070V36A	10084169
XP21-036-230	35800	17	12.5	32600	20800	8.5	C37-38A	SL280UH070XV36A	10084170
XP21-036-230	35400	15.5	11.7	33000	21200	8.5	C37-38A		10084077
XP21-036-230	35800	17	13	32200	20400	9	C37-38B	EL180UH070E36B	10084740
XP21-036-230	36200	18	13	32400	20600	9	C37-38B	EL180UH090E48B	10084733
XP21-036-230	35600	17	12	32800	21000	8.5	C37-38B	EL195UH045XE36B	10084168
XP21-036-230	35600	17	12.5	32400	20600	9	C37-38B	EL195UH070XE36B	10084177
XP21-036-230	35600	17	12	32800	21000	8.5	C37-38B	EL196UH045XE36B	201933138
XP21-036-230	35600	17	12.5	32400	20600	9	C37-38B	EL196UH070XE36B	201933139
XP21-036-230	35600	17	12	32800	21000	8.5	C37-38B	EL296UH045XE36B	10084648
XP21-036-230	35800	17	12.5	32600	20800	8.5	C37-38B	EL296UH045XV36B	10084762
XP21-036-230	35600	17	12.5	32400	20600	9	C37-38B	EL296UH070XE36B	10084632
XP21-036-230	35800	17	12.5	32600	20800	8.5	C37-38B	EL296UH070XV36B	10084771
XP21-036-230	35800	17	13	32200	20400	9	C37-38B	ML180UH070E36B	10589639
XP21-036-230	36200	18	13	32400	20600	9	C37-38B	ML180UH090E48B	10589763
XP21-036-230	36000	17	13	32400	20600	9	C37-38B	SL280UH090V36B	10084185
XP21-036-230	36000	17	12.5	32400	20600	9	C37-38B	SL280UH090V48B	10084165
XP21-036-230	36000	17	12.5	32400	20600	9	C37-38B	SL280UH090XV48B	10084166
XP21-036-230	35600	17	12	32800	21000	8.5	C37-38B	SLO185B79/105V42	10084911
XP21-036-230	35600	17	12	32800	21000	8.5	C37-38B	SLO185UF79/105V42	10084894
XP21-036-230	35800	17	12.5	32600	20800	8.5	C37-38B	SLP98UH070XV36B	10084209
XP21-036-230	35400	15.5	11.7	33000	21200	8.5	C37-38B		10084078
XP21-036-230	35800	17	12.5	32400	20800	8.5	C37-43B	CBWMV-36B-070	10084162
XP21-036-230	35800	17	13	32000	20400	9	C37-43B	EL180UH070E36B	10084745
XP21-036-230	36200	18	13	32400	20600	9	C37-43B	EL180UH090E48B	10084736
XP21-036-230	35600	17	12	32800	21000	8.5	C37-43B	EL195UH045XE36B	10084182
XP21-036-230	35800	17	12.5	32400	20600	8.5	C37-43B	EL195UH070XE36B	10084175
XP21-036-230	35600	17	12	32800	21000	8.5	C37-43B	EL196UH045XE36B	201933142
XP21-036-230	35800	17	12.5	32400	20600	8.5	C37-43B	EL196UH070XE36B	201933143
XP21-036-230	35600	17	12	32800	21000	8.5	C37-43B	EL296UH045XE36B	10084652
XP21-036-230	36000	17	12.5	32600	20800	8.5	C37-43B	EL296UH045XV36B	10084760
XP21-036-230	35800	17	12.5	32400	20600	8.5	C37-43B	EL296UH070XE36B	10084639
XP21-036-230	35800	17	12.5	32600	20800	8.5	C37-43B	EL296UH070XV36B	10084770
XP21-036-230	35800	17	13	32000	20400	9	C37-43B	ML180UH070E36B	10589644
XP21-036-230	36200	18	13	32400	20600	9	C37-43B	ML180UH090E48B	10589766
XP21-036-230	36200	17	13	32200	20600	8.5	C37-43B	SL280UH090V36B	10084186
XP21-036-230	36000	17	12.5	32400	20600	9	C37-43B	SL280UH090V48B	10084167
XP21-036-230	36000	17	12.5	32400	20600	9	C37-43B	SL280UH090XV48B	10084212
XP21-036-230	35800	17	12	32600	21000	8.5	C37-43B	SLO185B79/105V42	10084906
XP21-036-230	35800	17	12	32800	21000	8.5	C37-43B	SLO185UF79/105V42	10084898
XP21-036-230	35800	17	12.5	32600	20800	8.5	C37-43B	SLP98UH070XV36B	10084211
XP21-036-230	35600	15.5	11.7	33000	21200	8.5	C37-43B		10084082
XP21-036-230	35800	17	12.5	32200	20600	8.5	C37-43C	CBWMV-36C-090	10084174
XP21-036-230	36200	17	13	32400	20600	9	C37-43C	EL195UH090XE48C	10084180
XP21-036-230	36200	17	13	32400	20600	9	C37-43C	EL196UH090XE48C	201933146
XP21-036-230	36200	17	13	32400	20600	9	C37-43C	EL296UH090XE48C	10084633
XP21-036-230	36200	17	12.5	32400	20600	9	C37-43C	EL296UH090XV36C	10084773
XP21-036-230	35800	17	12.5	32200	20400	8.5	C37-43C	EL296UH090XV48C	10084778
XP21-036-230	36600	17	12.5	32600	20800	9	C37-43C	EL296UH090XV60C	10084790
XP21-036-230	36200	18	13	32200	20600	9	C37-43C	EL296UH110XV48C	10084674
XP21-036-230	36400	18	13	32600	20600	9	C37-43C	EL296UH110XV60C	10084797

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-036-230	36400	17	12.5	32600	20600	9	C37-43C	SL280UH090V60C	10084176
XP21-036-230	36400	17	12.5	32600	20600	9	C37-43C	SL280UH090XV60C	10084225
XP21-036-230	36400	17	12.5	32600	20800	8.5	C37-43C	SL280UH110V60C	10084173
XP21-036-230	36400	17	12.5	32600	20800	8.5	C37-43C	SL280UH110XV60C	10084189
XP21-036-230	35800	17	12	32600	21000	8.5	C37-43C	SLO185B79/105V42	10084920
XP21-036-230	35800	17	12	32800	21000	8.5	C37-43C	SLO185UF79/105V42	10084893
XP21-036-230	36200	17	12.5	32400	20600	9	C37-43C	SLP98UH090XV36C	10084224
XP21-036-230	35800	17	12.5	32200	20400	8.5	C37-43C	SLP98UH090XV48C	10084183
XP21-036-230	36600	17	12.5	32600	20800	9	C37-43C	SLP98UH090XV60C	10084188
XP21-036-230	36400	18	13	32600	20600	9	C37-43C	SLP98UH110XV60C	10084237
XP21-036-230	35600	15.5	11.7	33000	21200	8.5	C37-43C		10084083
XP21-036-230	35400	17	12.5	32200	20600	8.5	C37-48B	CBWMV-36B-070	10084217
XP21-036-230	35400	17	12.5	31800	20200	8.5	C37-48B	EL180UH070E36B	10084754
XP21-036-230	35800	17	12.5	32200	20400	8.5	C37-48B	EL180UH090E48B	10084729
XP21-036-230	35400	17	12	32600	21000	8.5	C37-48B	EL195UH045XE36B	10084198
XP21-036-230	35400	17	12.5	32200	20600	8.5	C37-48B	EL195UH070XE36B	10084223
XP21-036-230	35400	17	12	32600	21000	8.5	C37-48B	EL196UH045XE36B	201933148
XP21-036-230	35400	17	12.5	32000	20400	8.5	C37-48B	EL196UH070XE36B	201933149
XP21-036-230	35400	17	12	32600	21000	8.5	C37-48B	EL296UH045XE36B	10084649
XP21-036-230	35400	17	12	32200	20600	8.5	C37-48B	EL296UH045XV36B	10084758
XP21-036-230	35400	17	12.5	32200	20600	8.5	C37-48B	EL296UH070XE36B	10084661
XP21-036-230	35600	17	12.5	32400	20600	8.5	C37-48B	EL296UH070XV36B	10084767
XP21-036-230	35400	17	12.5	31800	20200	8.5	C37-48B	ML180UH070E36B	10589646
XP21-036-230	35800	17	12.5	32200	20400	8.5	C37-48B	ML180UH090E48B	10589759
XP21-036-230	35600	17	12.5	32000	20400	8.5	C37-48B	SL280UH090V36B	10084218
XP21-036-230	35800	17	12.5	32000	20400	8.5	C37-48B	SL280UH090V48B	10084201
XP21-036-230	35800	17	12.5	32000	20400	8.5	C37-48B	SL280UH090XV48B	10084219
XP21-036-230	35400	16	12	32400	20800	8.5	C37-48B	SLO185B79/105V42	10084909
XP21-036-230	35200	16	12	32400	20800	8.5	C37-48B	SLO185UF79/105V42	10084899
XP21-036-230	35600	17	12.5	32400	20600	8.5	C37-48B	SLP98UH070XV36B	10084178
XP21-036-230	35000	15.2	11.7	32600	21000	8.2	C37-48B		10084080
XP21-036-230	35400	17	12.5	32000	20400	8.5	C37-48C	CBWMV-36C-090	10084195
XP21-036-230	36200	17	13	32400	20600	9	C37-48C	EL195UH090XE48C	10084236
XP21-036-230	36200	17	13	32400	20600	9	C37-48C	EL196UH090XE48C	201933150
XP21-036-230	36200	17	13	32400	20600	9	C37-48C	EL296UH090XE48C	10084637
XP21-036-230	35600	17	12.5	32200	20400	8.5	C37-48C	EL296UH090XV36C	10084776
XP21-036-230	35400	17	12.5	32000	20400	8.5	C37-48C	EL296UH090XV48C	10084781
XP21-036-230	36200	17	12.5	32400	20800	8.5	C37-48C	EL296UH090XV60C	10084786
XP21-036-230	35600	17	12.5	32000	20400	8.5	C37-48C	EL296UH110XV48C	10084672
XP21-036-230	36000	17	12.5	32200	20600	8.5	C37-48C	EL296UH110XV60C	10084803
XP21-036-230	36200	17	12.5	32200	20600	8.5	C37-48C	SL280UH090V60C	10084238
XP21-036-230	36200	17	12.5	32200	20600	8.5	C37-48C	SL280UH090XV60C	10084215
XP21-036-230	36000	17	12.5	32400	20600	8.5	C37-48C	SL280UH110V60C	10084194
XP21-036-230	36000	17	12.5	32400	20600	8.5	C37-48C	SL280UH110XV60C	10084232
XP21-036-230	35400	16	12	32400	20800	8.5	C37-48C	SLO185B79/105V42	10084907
XP21-036-230	35200	16	12	32400	20800	8.5	C37-48C	SLO185UF79/105V42	10084895
XP21-036-230	35600	17	12.5	32200	20400	8.5	C37-48C	SLP98UH090XV36C	10084214
XP21-036-230	35400	17	12.5	32000	20400	8.5	C37-48C	SLP98UH090XV48C	10084179
XP21-036-230	36200	17	12.5	32400	20800	8.5	C37-48C	SLP98UH090XV60C	10084231
XP21-036-230	36000	17	12.5	32200	20600	8.5	C37-48C	SLP98UH110XV60C	10084184
XP21-036-230	35000	15.2	11.7	32600	21000	8.2	C37-48C		10084081
XP21-036-230	36000	17	12.5	32400	20600	9	C37-49C	CBWMV-36C-090	10084203
XP21-036-230	36200	17	12.5	32400	20600	9	C37-49C	EL195UH090XE48C	10084181
XP21-036-230	36200	17	12.5	32400	20600	9	C37-49C	EL196UH090XE48C	201933151
XP21-036-230	36200	17	12.5	32400	20600	9	C37-49C	EL296UH090XE48C	10084634

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-036-230	36200	17	12.5	32400	20600	9	C37-49C	EL296UH090XV36C	10084774
XP21-036-230	36000	17	13	32200	20400	9	C37-49C	EL296UH090XV48C	10084779
XP21-036-230	36800	17	13	32400	20800	9	C37-49C	EL296UH090XV60C	10084788
XP21-036-230	36400	17	13	32400	20600	9	C37-49C	EL296UH110XV48C	10084671
XP21-036-230	36600	17	13	32600	20600	9	C37-49C	EL296UH110XV60C	10084801
XP21-036-230	36800	17	13	32600	20600	9	C37-49C	SL280UH090V60C	10084239
XP21-036-230	36800	17	13	32600	20600	9	C37-49C	SL280UH090XV60C	10084220
XP21-036-230	36600	17	12.5	32600	20800	8.5	C37-49C	SL280UH110V60C	10084202
XP21-036-230	36600	17	12.5	32600	20800	8.5	C37-49C	SL280UH110XV60C	10084234
XP21-036-230	35800	17	12	32800	21000	8.5	C37-49C	SLO185B79/105V42	10084910
XP21-036-230	35800	17	12	32800	21000	8.5	C37-49C	SLO185UF79/105V42	10084896
XP21-036-230	36200	17	12.5	32400	20600	9	C37-49C	SLP98UH090XV36C	10084216
XP21-036-230	36000	17	13	32200	20400	9	C37-49C	SLP98UH090XV48C	10084191
XP21-036-230	36800	17	13	32800	20800	9	C37-49C	SLP98UH090XV60C	10084233
XP21-036-230	36600	17	13	32600	20600	9	C37-49C	SLP98UH110XV60C	10084206
XP21-036-230	35600	15.5	11.7	33000	21200	8.5	C37-49C		10084087
XP21-036-230	35800	17	12.5	32200	20600	8.5	C37-50/60C	CBWMV-36C-090	10084242
XP21-036-230	36000	17	12.5	32200	20600	9	C37-50/60C	EL195UH090XE48C	10084199
XP21-036-230	36000	17	12.5	32200	20600	9	C37-50/60C	EL196UH090XE48C	201933153
XP21-036-230	36000	17	12.5	32200	20600	9	C37-50/60C	EL296UH090XE48C	10084653
XP21-036-230	36000	17	12.5	32400	20600	8.5	C37-50/60C	EL296UH090XV36C	10084777
XP21-036-230	35800	17	12.5	32200	20400	8.5	C37-50/60C	EL296UH090XV48C	10084782
XP21-036-230	36400	17	12.5	32600	20800	8.5	C37-50/60C	EL296UH090XV60C	10084795
XP21-036-230	36000	17	13	32200	20600	9	C37-50/60C	EL296UH110XV48C	10084673
XP21-036-230	36400	17	13	32400	20600	9	C37-50/60C	EL296UH110XV60C	10084806
XP21-036-230	36400	17	12.5	32600	20600	8.5	C37-50/60C	SL280UH090V60C	10084208
XP21-036-230	36400	18	12.5	32600	20600	8.5	C37-50/60C	SL280UH090XV60C	10084228
XP21-036-230	36400	17.7	12.5	32600	20600	8.5	C37-50/60C	SL280UH110V60C	10084241
XP21-036-230	36400	17	12.5	32600	20600	8.5	C37-50/60C	SL280UH110XV60C	10084222
XP21-036-230	35600	17	12	32600	21000	8.5	C37-50/60C	SLO185B79/105V42	10084912
XP21-036-230	35600	17	12	32600	21000	8.5	C37-50/60C	SLO185UF79/105V42	10084897
XP21-036-230	36000	17	12.5	32400	20600	8.5	C37-50/60C	SLP98UH090XV36C	10084227
XP21-036-230	35800	17	12.5	32200	20400	8.5	C37-50/60C	SLP98UH090XV48C	10084205
XP21-036-230	36400	17	12.5	32600	20800	8.5	C37-50/60C	SLP98UH090XV60C	10084221
XP21-036-230	36400	17	13	32400	20600	9	C37-50/60C	SLP98UH110XV60C	10084196
XP21-036-230	35400	15.5	11.7	32800	21200	8.2	C37-50/60C		10084079
XP21-036-230	35400	17.5	12.5	34800	22200	9.6	CBA27UHE-042-230		10258576
XP21-036-230	35400	18	13	34000	22000	9.5	CBA38MV-042-230		201924998
XP21-036-230	35200	17	12.5	33200	21000	9.5	CBX27UH-036-230		5268809
XP21-036-230	36400	18	13	33000	21000	9.6	CBX27UH-042-230		5268810
XP21-036-230	36600	17	12.5	32600	20800	8.5	CH33-43B	CBWMV-36B-070	5269092
XP21-036-230	37000	18	12.5	33000	21000	9	CH33-43B	EL180UH070E36B	5742099
XP21-036-230	36600	17	13	32600	20800	9	CH33-43B	EL180UH090E48B	5742410
XP21-036-230	36600	17	12.5	33000	21200	8.5	CH33-43B	EL195UH045XE36B	5269209
XP21-036-230	36600	16	12.5	33000	21200	8.5	CH33-43B	EL195UH070XE36B	5269210
XP21-036-230	36600	17	12.5	33000	21200	8.5	CH33-43B	EL196UH045XE36B	201933154
XP21-036-230	36600	16	12.5	33000	21200	8.5	CH33-43B	EL196UH070XE36B	201933155
XP21-036-230	36600	17	12.5	33000	21200	8.5	CH33-43B	EL296UH045XE36B	5650497
XP21-036-230	36600	17	12.5	32800	21000	8.5	CH33-43B	EL296UH045XV36B	5760872
XP21-036-230	36600	16	12.5	33000	21200	8.5	CH33-43B	EL296UH070XE36B	5650500
XP21-036-230	36800	17	12.5	32800	21000	8.5	CH33-43B	EL296UH070XV36B	5760973
XP21-036-230	37000	18	12.5	33000	21000	9	CH33-43B	ML180UH070E36B	10589610
XP21-036-230	36600	17	13	32600	20800	9	CH33-43B	ML180UH090E48B	10589728
XP21-036-230	36800	17	13	32600	20800	9	CH33-43B	SL280UH090V36B	5269078
XP21-036-230	36800	17	13	32600	20800	9	CH33-43B	SL280UH090V48B	5269080

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-036-230	36800	17	13	32600	20800	9	CH33-43B	SL280UH090XV48B	5269114
XP21-036-230	36400	17	12	33000	21200	8.5	CH33-43B	SLO185B79/105V42	7087721
XP21-036-230	36400	17	12	33000	21200	8.5	CH33-43B	SLO185UF79/105V42	7087692
XP21-036-230	36800	17	12.5	32800	21000	8.5	CH33-43B	SLP98UH070XV36B	5269081
XP21-036-230	36400	16	12	33200	21400	8.5	CH33-43B		5268821
XP21-036-230	36200	17	12.5	32400	20600	8.5	CH33-43C	CBWMV-36C-090	5269112
XP21-036-230	36200	17	12.5	32400	20600	9	CH33-43C	EL296UH090XE48C	5650517
XP21-036-230	36400	17	13	32400	20600	9	CH33-43C	EL296UH090XV36C	5761056
XP21-036-230	36000	18	13	32200	20400	9	CH33-43C	EL296UH090XV48C	5761146
XP21-036-230	36800	18	13	32800	20800	9	CH33-43C	EL296UH090XV60C	5761234
XP21-036-230	36400	18	13	32200	20600	9	CH33-43C	EL296UH110XV48C	5761280
XP21-036-230	36400	18	13	32200	20600	9	CH33-43C	EL296UH110XV48C	5685242
XP21-036-230	36600	18	13	32600	20600	9	CH33-43C	EL296UH110XV60C	5761356
XP21-036-230	36800	17	13	32600	20600	9	CH33-43C	SL280UH090V60C	5269094
XP21-036-230	36800	18	13	32600	20600	9	CH33-43C	SL280UH090XV60C	5269128
XP21-036-230	36600	18	12.5	32600	20800	8.5	CH33-43C	SL280UH110V60C	5269096
XP21-036-230	36600	18	12.5	32600	20800	8.5	CH33-43C	SL280UH110XV60C	5269130
XP21-036-230	36000	17	12	32800	21000	8.5	CH33-43C	SLO185B79/105V42	7087720
XP21-036-230	36000	17	12	32800	21000	8.5	CH33-43C	SLO185UF79/105V42	7087691
XP21-036-230	36400	17	13	32400	20600	9	CH33-43C	SLP98UH090XV36C	5269097
XP21-036-230	36000	18	13	32200	20400	9	CH33-43C	SLP98UH090XV48C	5269098
XP21-036-230	36800	18	13	32800	20800	9	CH33-43C	SLP98UH090XV60C	5269099
XP21-036-230	36600	18	13	32600	20600	9	CH33-43C	SLP98UH110XV60C	5269100
XP21-036-230	35800	17	12.5	32600	20800	8.5	CH33-44/48B	CBWMV-36B-070	5269127
XP21-036-230	36000	17	12.5	32800	21000	9	CH33-44/48B	EL180UH070E36B	5742093
XP21-036-230	35800	17	12.5	32400	20600	9	CH33-44/48B	EL180UH090E48B	5742413
XP21-036-230	35800	17	12	32800	21000	8.5	CH33-44/48B	EL296UH045XV36B	5760873
XP21-036-230	35800	17	12.5	32800	21000	8.5	CH33-44/48B	EL296UH070XV36B	5760974
XP21-036-230	36000	17	12.5	32800	21000	9	CH33-44/48B	ML180UH070E36B	10589606
XP21-036-230	35800	17	12.5	32400	20600	9	CH33-44/48B	ML180UH090E48B	10589731
XP21-036-230	36000	17	12.5	32400	20600	9	CH33-44/48B	SL280UH090V36B	5269113
XP21-036-230	36000	17	12.5	32600	20800	8.5	CH33-44/48B	SL280UH090V48B	5269115
XP21-036-230	36000	17	12.5	32600	20800	8.5	CH33-44/48B	SL280UH090XV48B	5269219
XP21-036-230	35600	17	12	33000	21200	8.5	CH33-44/48B	SLO185B79/105V42	7087722
XP21-036-230	35600	16	12	33000	21200	8.5	CH33-44/48B	SLO185UF79/105V42	7087693
XP21-036-230	35800	17	12.5	32800	21000	8.5	CH33-44/48B	SLP98UH070XV36B	5269116
XP21-036-230	35400	15.5	11.7	33000	21200	8.5	CH33-44/48B		5268822
XP21-036-230	36400	17	13	32400	20600	9	CH33-49	CBWMV-36C-090	5269147
XP21-036-230	36600	17	13	32400	20600	9	CH33-49	EL296UH090XE48C	5650511
XP21-036-230	36600	18	13	32600	20600	9	CH33-49	EL296UH090XV36C	5761057
XP21-036-230	36400	18	13	32400	20600	9	CH33-49	EL296UH090XV48C	5761147
XP21-036-230	37200	18	13	32800	20800	9	CH33-49	EL296UH090XV60C	5761235
XP21-036-230	36600	18	13	32400	20600	9	CH33-49	EL296UH110XV48C	5761287
XP21-036-230	36600	18	13	32400	20600	9	CH33-49	EL296UH110XV48C	5685249
XP21-036-230	37000	18	13	32600	20800	9	CH33-49	EL296UH110XV60C	5761357
XP21-036-230	37200	18	13	32600	20800	9	CH33-49	SL280UH090V60C	5269129
XP21-036-230	37200	18	13	32600	20800	9	CH33-49	SL280UH090XV60C	5269148
XP21-036-230	37000	18	13	32600	20800	9	CH33-49	SL280UH110V60C	5269131
XP21-036-230	37000	17	13	32600	20800	9	CH33-49	SL280UH110XV60C	5269150
XP21-036-230	36400	17	12.5	32800	21000	8.5	CH33-49	SLO185B79/105V42	7087729
XP21-036-230	36200	17	12	32800	21000	8.5	CH33-49	SLO185UF79/105V42	7087694
XP21-036-230	36600	18	13	32600	20600	9	CH33-49	SLP98UH090XV36C	5269132
XP21-036-230	36400	18	13	32400	20600	9	CH33-49	SLP98UH090XV48C	5269133
XP21-036-230	37200	18	13	32800	20800	9	CH33-49	SLP98UH090XV60C	5269134
XP21-036-230	37000	18	13	32600	20800	9	CH33-49	SLP98UH110XV60C	5269135

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-036-230	36000	15.7	12	33000	21200	8.5	CH33-49		5268823
XP21-036-230	36400	17	13	32400	20600	9	CH33-50/60C	CBWMV-36C-090	5269166
XP21-036-230	36400	17	13	32400	20600	9	CH33-50/60C	EL296UH090XE48C	5650494
XP21-036-230	36600	17	13	32400	20600	9	CH33-50/60C	EL296UH090XV36C	5761058
XP21-036-230	36200	18	13	32400	20600	9	CH33-50/60C	EL296UH090XV48C	5761148
XP21-036-230	37000	18	13	32800	21000	9	CH33-50/60C	EL296UH090XV60C	5761236
XP21-036-230	36600	18	13	32400	20600	9	CH33-50/60C	EL296UH110XV48C	5761281
XP21-036-230	36600	18	13	32400	20600	9	CH33-50/60C	EL296UH110XV48C	5685243
XP21-036-230	37000	17	13	32600	20800	9	CH33-50/60C	SL280UH090V60C	5269149
XP21-036-230	37000	17	13	32600	20800	9	CH33-50/60C	SL280UH090XV60C	5269557
XP21-036-230	36800	17	13	32600	20800	9	CH33-50/60C	SL280UH110V60C	5269151
XP21-036-230	36800	17	13	32600	20800	9	CH33-50/60C	SL280UH110XV60C	5269558
XP21-036-230	36200	17	12	32800	21000	8.5	CH33-50/60C	SLO185B79/105V42	7087736
XP21-036-230	36200	17	12	32800	21000	8.5	CH33-50/60C	SLO185UF79/105V42	7087705
XP21-036-230	36600	17	13	32400	20600	9	CH33-50/60C	SLP98UH090XV36C	5269152
XP21-036-230	36200	18	13	32400	20600	9	CH33-50/60C	SLP98UH090XV48C	5269153
XP21-036-230	37000	18	13	32800	21000	9	CH33-50/60C	SLP98UH090XV60C	5269154
XP21-036-230	36800	18	13	32600	20800	9	CH33-50/60C	SLP98UH110XV60C	5269155
XP21-036-230	36000	15.7	12	33000	21200	8.5	CH33-50/60C		5268824
XP21-036-230	35200	16	12.5	33600	22200	8.5	CH35-42C	EL195UH090XE48C	9114993
XP21-036-230	35200	16	12.5	33600	22200	8.5	CH35-42C	EL196UH090XE48C	201933159
XP21-036-230	35200	16	12.5	33600	22200	8.5	CH35-42C	EL296UH090XE48C	9114994
XP21-036-230	35400	16.5	12.5	33600	22200	8.5	CH35-42C	EL296UH090XV36C	9114995
XP21-036-230	35600	16.5	12.5	33800	22200	9	CH35-42C	EL296UH090XV48C	9114996
XP21-036-230	35800	16.5	12.5	34000	22400	9	CH35-42C	EL296UH090XV60C	9114997
XP21-036-230	35400	16.5	12.5	33400	22000	9	CH35-42C	EL296UH110XV48C	9114998
XP21-036-230	35600	16.5	12.5	33600	22200	9	CH35-42C	EL296UH110XV60C	9114999
XP21-036-230	35600	17	13	33600	22000	9.2	CH35-42C	SL280UH080NV60C-	10581383
XP21-036-230	35800	16.5	12.5	33800	22200	9	CH35-42C	SL280UH090V60C	9115000
XP21-036-230	35800	16.5	12.5	33800	22200	9	CH35-42C	SL280UH090XV60C	9115001
XP21-036-230	35600	16.5	12.5	33800	22200	9	CH35-42C	SL280UH110V60C	9115002
XP21-036-230	35600	16.5	12.5	33800	22200	9	CH35-42C	SL280UH110XV60C	9115003
XP21-036-230	35400	16.5	12.5	33600	22200	8.5	CH35-42C	SLP98UH090XV36C	9115004
XP21-036-230	35600	16.5	12.5	33800	22200	9	CH35-42C	SLP98UH090XV48C	9115005
XP21-036-230	35800	16.5	12.5	34000	22400	9	CH35-42C	SLP98UH090XV60C	9115006
XP21-036-230	35600	16.5	12.5	33600	22200	9	CH35-42C	SLP98UH110XV60C	9115007
XP21-036-230	34800	14.5	11.5	34200	22800	8.5	CH35-42C		9114992
XP21-036-230	35400	16.5	12.5	34200	23200	9	CH35-48B	EL180UH070E36B	9115170
XP21-036-230	35200	16.5	12.5	34000	23000	9	CH35-48B	EL180UH090E48B	9115171
XP21-036-230	35000	16	12.2	34400	23400	9	CH35-48B	EL195UH045XE36B	9115172
XP21-036-230	35000	16	12.2	34400	23400	9	CH35-48B	EL195UH070XE36B	9115173
XP21-036-230	35000	16	12.2	34400	23400	9	CH35-48B	EL196UH045XE36B	201933160
XP21-036-230	35000	16	12.2	34400	23400	9	CH35-48B	EL196UH070XE36B	201933161
XP21-036-230	35000	16	12.2	34400	23400	9	CH35-48B	EL296UH045XE36B	9115011
XP21-036-230	35200	16.5	12.5	34200	23200	9	CH35-48B	EL296UH045XV36B	9115012
XP21-036-230	35000	16	12.2	34400	23400	9	CH35-48B	EL296UH070XE36B	9115013
XP21-036-230	35200	16.5	12.5	34200	23200	9	CH35-48B	EL296UH070XV36B	9115014
XP21-036-230	35400	16.5	12.5	34200	23200	9	CH35-48B	ML180UH070E36B	10589628
XP21-036-230	35200	16.5	12.5	34000	23000	9	CH35-48B	ML180UH090E48B	10589747
XP21-036-230	35200	17	13	34000	23000	9.6	CH35-48B	SL280UH080NV48B-	10581381
XP21-036-230	35400	16.5	12.5	33800	23000	9	CH35-48B	SL280UH090V36B	9115015
XP21-036-230	35400	16.5	12.5	34000	23000	9	CH35-48B	SL280UH090V48B	9115016
XP21-036-230	35400	16.5	12.5	34000	23000	9	CH35-48B	SL280UH090XV48B	9115017
XP21-036-230	35200	16.5	12.5	34200	23200	9	CH35-48B	SLP98UH070XV36B	9115018
XP21-036-230	34800	15	12	34600	23600	9	CH35-48B		9115008

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-036-230	35200	16	12.5	32400	21400	8.5	CH35-48C	EL296UH090XE48C	9115033
XP21-036-230	35200	16	12.5	32600	21400	8.5	CH35-48C	EL296UH090XV36C	9115174
XP21-036-230	35600	16.5	12.5	32800	21600	8.5	CH35-48C	EL296UH090XV48C	9115020
XP21-036-230	35600	16.5	12.5	33000	21600	8.5	CH35-48C	EL296UH090XV60C	9115021
XP21-036-230	35200	16.5	12.5	32400	21400	8.5	CH35-48C	EL296UH110XV48C	9115022
XP21-036-230	35600	16.5	12.5	32800	21400	8.5	CH35-48C	EL296UH110XV60C	9115023
XP21-036-230	35600	17	12.5	32600	21400	9.2	CH35-48C	SL280UH080NV60C-	10581384
XP21-036-230	35600	16.5	12.5	32800	21400	8.5	CH35-48C	SL280UH090V60C	9115024
XP21-036-230	35600	16.5	12.5	32800	21400	8.5	CH35-48C	SL280UH090XV60C	9115025
XP21-036-230	35600	16.5	12.5	32800	21600	8.5	CH35-48C	SL280UH110V60C	9115027
XP21-036-230	35600	16.5	12.5	32800	21600	8.5	CH35-48C	SL280UH110XV60C	9115026
XP21-036-230	35200	16	12.5	32600	21400	8.5	CH35-48C	SLP98UH090XV36C	9115028
XP21-036-230	35600	16.5	12.5	32800	21600	8.5	CH35-48C	SLP98UH090XV48C	9115029
XP21-036-230	35600	16.5	12.5	33000	21600	8.5	CH35-48C	SLP98UH090XV60C	9115030
XP21-036-230	35600	16.5	12.5	32800	21400	8.5	CH35-48C	SLP98UH110XV60C	9115031
XP21-036-230	34800	14.5	11.5	33000	22000	8.2	CH35-48C		9115019
XP21-036-230	36400	16.5	12.5	33400	20800	8.5	CH35-51C	EL296UH090XE48C	9115036
XP21-036-230	36400	16.5	12.5	33600	20800	8.5	CH35-51C	EL296UH090XV36C	9115037
XP21-036-230	36600	17	12.5	33600	21000	9	CH35-51C	EL296UH090XV48C	9115038
XP21-036-230	36800	17	12.5	33800	21000	9	CH35-51C	EL296UH090XV60C	9115039
XP21-036-230	36400	17	12.5	33400	20800	8.5	CH35-51C	EL296UH110XV48C	9115040
XP21-036-230	36800	17	12.5	33600	20800	9	CH35-51C	EL296UH110XV60C-	9115041
XP21-036-230	36800	17.5	13	33600	20800	9.2	CH35-51C	SL280UH080NV60C-	10581385
XP21-036-230	37000	17	12.5	33600	20800	9	CH35-51C	SL280UH090V60C	9115042
XP21-036-230	37000	17	12.5	33600	20800	9	CH35-51C	SL280UH090XV60C	9115043
XP21-036-230	36800	16.5	12.5	33600	20800	8.5	CH35-51C	SL280UH110V60C	9115044
XP21-036-230	36800	16.5	12.5	33600	20800	8.5	CH35-51C	SL280UH110XV60C	9115045
XP21-036-230	36400	16.5	12.5	33600	20800	8.5	CH35-51C	SLP98UH090XV36C	9115046
XP21-036-230	36200	16.5	12.5	33400	20600	8.5	CH35-51C	SLP98UH090XV48C	9115047
XP21-036-230	36800	17	12.5	33800	21000	9	CH35-51C	SLP98UH090XV60C	9115048
XP21-036-230	36800	17	12.5	33600	20800	9	CH35-51C	SLP98UH110XV60C	9115049
XP21-036-230	36000	14.5	11.5	34000	21400	8.5	CH35-51C		9115034
XP21-036-230	35200	16	12.5	33600	22200	8.5	CHX35-42C	EL195UH090XE48C	202192049
XP21-036-230	35200	16	12.5	33600	22200	8.5	CHX35-42C	EL196UH090XE48C	202192143
XP21-036-230	35200	16	12.5	33600	22200	8.5	CHX35-42C	EL296UH090XE48C	202192050
XP21-036-230	35400	16.5	12.5	33600	22200	8.5	CHX35-42C	EL296UH090XV36C	202192051
XP21-036-230	35600	16.5	12.5	33800	22200	9	CHX35-42C	EL296UH090XV48C	202192052
XP21-036-230	35800	16.5	12.5	34000	22400	9	CHX35-42C	EL296UH090XV60C	202192053
XP21-036-230	35400	16.5	12.5	33400	22000	9	CHX35-42C	EL296UH110XV48C	202192054
XP21-036-230	35600	16.5	12.5	33600	22200	9	CHX35-42C	EL296UH110XV60C	202192055
XP21-036-230	35600	17	13	33600	22000	9.2	CHX35-42C	SL280UH080NV60C-	202190411
XP21-036-230	35800	16.5	12.5	33800	22200	9	CHX35-42C	SL280UH090V60C	202192056
XP21-036-230	35800	16.5	12.5	33800	22200	9	CHX35-42C	SL280UH090XV60C	202192057
XP21-036-230	35600	16.5	12.5	33800	22200	9	CHX35-42C	SL280UH110V60C	202192058
XP21-036-230	35600	16.5	12.5	33800	22200	9	CHX35-42C	SL280UH110XV60C	202192059
XP21-036-230	35400	16.5	12.5	33600	22200	8.5	CHX35-42C	SLP98UH090XV36C	202192060
XP21-036-230	35600	16.5	12.5	33800	22200	9	CHX35-42C	SLP98UH090XV48C	202192061
XP21-036-230	35800	16.5	12.5	34000	22400	9	CHX35-42C	SLP98UH090XV60C	202192062
XP21-036-230	35600	16.5	12.5	33600	22200	9	CHX35-42C	SLP98UH110XV60C	202192063
XP21-036-230	34800	14.5	11.5	34200	22800	8.5	CHX35-42C		202189880
XP21-036-230	35400	16.5	12.5	34200	23200	9	CHX35-48B	EL180UH070E36B	202192119
XP21-036-230	35200	16.5	12.5	34000	23000	9	CHX35-48B	EL180UH090E48B	202192120
XP21-036-230	35000	16	12.2	34400	23400	9	CHX35-48B	EL195UH045XE36B	202192121
XP21-036-230	35000	16	12.2	34400	23400	9	CHX35-48B	EL195UH070XE36B	202192122
XP21-036-230	35000	16	12.2	34400	23400	9	CHX35-48B	EL196UH045XE36B	202192144

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-036-230	35000	16	12.2	34400	23400	9	CHX35-48B	EL196UH070XE36B	202192145
XP21-036-230	35000	16	12.2	34400	23400	9	CHX35-48B	EL296UH045XE36B	202192064
XP21-036-230	35200	16.5	12.5	34200	23200	9	CHX35-48B	EL296UH045XV36B	202192065
XP21-036-230	35000	16	12.2	34400	23400	9	CHX35-48B	EL296UH070XE36B	202192066
XP21-036-230	35200	16.5	12.5	34200	23200	9	CHX35-48B	EL296UH070XV36B	202192067
XP21-036-230	35400	16.5	12.5	34200	23200	9	CHX35-48B	ML180UH070E36B	202192137
XP21-036-230	35200	16.5	12.5	34000	23000	9	CHX35-48B	ML180UH090E48B	202192138
XP21-036-230	35200	17	13	34000	23000	9.6	CHX35-48B	SL280UH080NV48B-	202190408
XP21-036-230	35400	16.5	12.5	33800	23000	9	CHX35-48B	SL280UH090V36B	202192068
XP21-036-230	35400	16.5	12.5	34000	23000	9	CHX35-48B	SL280UH090V48B	202192069
XP21-036-230	35400	16.5	12.5	34000	23000	9	CHX35-48B	SL280UH090XV48B	202192070
XP21-036-230	35200	16.5	12.5	34200	23200	9	CHX35-48B	SLP98UH070XV36B	202192071
XP21-036-230	34800	15	12	34600	23600	9	CHX35-48B		202189884
XP21-036-230	35200	16	12.5	32400	21400	8.5	CHX35-48C	EL296UH090XE48C	202192084
XP21-036-230	35200	16	12.5	32600	21400	8.5	CHX35-48C	EL296UH090XV36C	202192123
XP21-036-230	35600	16.5	12.5	32800	21600	8.5	CHX35-48C	EL296UH090XV48C	202192072
XP21-036-230	35600	16.5	12.5	33000	21600	8.5	CHX35-48C	EL296UH090XV60C	202192073
XP21-036-230	35200	16.5	12.5	32400	21400	8.5	CHX35-48C	EL296UH110XV48C	202192074
XP21-036-230	35600	16.5	12.5	32800	21400	8.5	CHX35-48C	EL296UH110XV60C	202192075
XP21-036-230	35600	17	12.5	32600	21400	9.2	CHX35-48C	SL280UH080NV60C-	202190413
XP21-036-230	35600	16.5	12.5	32800	21400	8.5	CHX35-48C	SL280UH090V60C	202192076
XP21-036-230	35600	16.5	12.5	32800	21400	8.5	CHX35-48C	SL280UH090XV60C	202192077
XP21-036-230	35600	16.5	12.5	32800	21600	8.5	CHX35-48C	SL280UH110V60C	202192079
XP21-036-230	35600	16.5	12.5	32800	21600	8.5	CHX35-48C	SL280UH110XV60C	202192078
XP21-036-230	35200	16	12.5	32600	21400	8.5	CHX35-48C	SLP98UH090XV36C	202192080
XP21-036-230	35600	16.5	12.5	32800	21600	8.5	CHX35-48C	SLP98UH090XV48C	202192081
XP21-036-230	35600	16.5	12.5	33000	21600	8.5	CHX35-48C	SLP98UH090XV60C	202192082
XP21-036-230	35600	16.5	12.5	32800	21400	8.5	CHX35-48C	SLP98UH110XV60C	202192083
XP21-036-230	34800	14.5	11.5	33000	22000	8.2	CHX35-48C		202189888
XP21-036-230	36400	16.5	12.5	33400	20800	8.5	CHX35-51/61C	EL296UH090XE48C	202192085
XP21-036-230	36400	16.5	12.5	33600	20800	8.5	CHX35-51/61C	EL296UH090XV36C	202192086
XP21-036-230	36600	17	12.5	33600	21000	9	CHX35-51/61C	EL296UH090XV48C	202192087
XP21-036-230	36800	17	12.5	33800	21000	9	CHX35-51/61C	EL296UH090XV60C	202192088
XP21-036-230	36400	17	12.5	33400	20800	8.5	CHX35-51/61C	EL296UH110XV48C	202192089
XP21-036-230	36800	17	12.5	33600	20800	9	CHX35-51/61C	EL296UH110XV60C-	202192090
XP21-036-230	36800	17.5	13	33600	20800	9.2	CHX35-51/61C	SL280UH080NV60C-	202190414
XP21-036-230	37000	17	12.5	33600	20800	9	CHX35-51/61C	SL280UH090V60C	202192091
XP21-036-230	37000	17	12.5	33600	20800	9	CHX35-51/61C	SL280UH090XV60C	202192092
XP21-036-230	36800	16.5	12.5	33600	20800	8.5	CHX35-51/61C	SL280UH110V60C	202192093
XP21-036-230	36800	16.5	12.5	33600	20800	8.5	CHX35-51/61C	SL280UH110XV60C	202192094
XP21-036-230	36400	16.5	12.5	33600	20800	8.5	CHX35-51/61C	SLP98UH090XV36C	202192095
XP21-036-230	36200	16.5	12.5	33400	20600	8.5	CHX35-51/61C	SLP98UH090XV48C	202192096
XP21-036-230	36800	17	12.5	33800	21000	9	CHX35-51/61C	SLP98UH090XV60C	202192097
XP21-036-230	36800	17	12.5	33600	20800	9	CHX35-51/61C	SLP98UH110XV60C	202192098
XP21-036-230	36000	14.5	11.5	34000	21400	8.5	CHX35-51/61C		202189891
XP21-036-230	34600	15	11.5	33000	21200	8.5	CR33-48		5268825
XP21-036-230	35000	17	12.5	32200	20600	9	CR33-48B	EL180DF070E36B	5741565
XP21-036-230	35000	17	12.5	32400	20600	9	CR33-48B	EL180DF090E48B	5741589
XP21-036-230	35000	17	12	32600	20800	9	CR33-48B	EL195DF070XE48B	5269215
XP21-036-230	35000	17	12	32600	21000	9	CR33-48B	EL196DF070XE48B	201953309
XP21-036-230	34600	16	12	32600	20800	9	CR33-48B	EL296DF045XE36B	5650507
XP21-036-230	35000	17	12	32600	21000	9	CR33-48B	EL296DF045XV36B	7505740
XP21-036-230	35000	17	12	32600	20800	9	CR33-48B	EL296DF070XE48B	5650504
XP21-036-230	35000	16	12	32800	21000	9	CR33-48B	EL296DF070XV48B	7487527
XP21-036-230	35000	17	12.5	32200	20600	9	CR33-48B	ML180DF070E36B	10589522

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-036-230	35000	17	12.5	32400	20600	9	CR33-48B	ML180DF090E48B	10589528
XP21-036-230	35200	17	12.5	32400	20800	9	CR33-48B	SL280DF090V48B	5269167
XP21-036-230	35200	17	12.5	32800	20800	9	CR33-48B	SLP98DF070XV36B	5269168
XP21-036-230	35400	17	12.5	32600	20800	9	CR33-48C	EL195DF090XE48C	5269216
XP21-036-230	35400	17	12.5	32600	21000	9	CR33-48C	EL196DF090XE48C	201953310
XP21-036-230	35400	17	12.5	32600	20800	9	CR33-48C	EL296DF090XE48C	5650514
XP21-036-230	35800	17	12.5	32600	20800	9.2	CR33-48C	SL280DF090V60C	5269173
XP21-036-230	35200	17	12.5	32600	20800	9	CR33-48C	SLP98DF090XV36C	5269174
XP21-036-230	35200	17	12.5	32600	20800	9	CR33-48C	SLP98DF090XV48C	5269175
XP21-036-230	35400	17	12.5	32600	20800	9	CR33-48C	SLP98DF090XV60C	5269176
XP21-036-230	35400	17	12.5	32600	20800	9	CR33-48C	SLP98DF110XV60C	5269177
XP21-036-230	35400	17	12.5	32800	20800	9	CR33-50/60	EL195DF090XE48C	5269217
XP21-036-230	35400	17	12.5	32800	21200	9	CR33-50/60	EL196DF090XE48C	201953311
XP21-036-230	35400	17	12.5	32800	20800	9	CR33-50/60	EL296DF090XE48C	5650498
XP21-036-230	36600	18	13	33000	20800	9.5	CR33-50/60	SL280DF090V60C	5269181
XP21-036-230	36000	17	12.5	32800	20800	9	CR33-50/60	SLP98DF090XV36C	5269182
XP21-036-230	36200	17	12.5	32800	20800	9	CR33-50/60	SLP98DF090XV48C	5269183
XP21-036-230	36400	17	12.5	32800	20800	9	CR33-50/60	SLP98DF090XV60C	5269184
XP21-036-230	36400	17	12.5	33000	21000	9	CR33-50/60	SLP98DF110XV60C	5269185
XP21-036-230	35600	15.7	11.7	33400	21200	8.7	CR33-50/60		5268826
XP21-036-230	34200	16	12.2	34400	21800	9	CX35-48B	EL180UH070E36B	9115051
XP21-036-230	34400	16	12.2	34600	22000	9	CX35-48B	EL180UH090E48B	9115052
XP21-036-230	34000	15.5	11.5	35000	22400	8.5	CX35-48B	EL195UH045XE36B	9115053
XP21-036-230	34000	16	12	34600	22000	8.5	CX35-48B	EL195UH070XE36B	9115054
XP21-036-230	34000	15.5	11.5	35000	22400	8.5	CX35-48B	EL196UH045XE36B	201933156
XP21-036-230	34000	16	12	34600	22000	8.5	CX35-48B	EL196UH070XE36B	201933157
XP21-036-230	34000	15.5	11.5	35000	22400	8.5	CX35-48B	EL296UH045XE36B	9115055
XP21-036-230	34200	16	12	34800	22200	8.5	CX35-48B	EL296UH045XV36B	9115056
XP21-036-230	34000	16	12	34600	22000	8.5	CX35-48B	EL296UH070XE36B	9115057
XP21-036-230	34200	16	12	34800	22200	8.5	CX35-48B	EL296UH070XV36B	9115058
XP21-036-230	34200	16	12.2	34400	21800	9	CX35-48B	ML180UH070E36B	10589627
XP21-036-230	34400	16	12.2	34600	22000	9	CX35-48B	ML180UH090E48B	10589746
XP21-036-230	34400	16.5	12.5	34400	21800	9.2	CX35-48B	SL280UH080NV48B-	10581382
XP21-036-230	34200	16	12.2	34600	21800	9	CX35-48B	SL280UH090V36B	9115059
XP21-036-230	34400	16	12.2	34600	22000	9	CX35-48B	SL280UH090V48B	9115060
XP21-036-230	34400	16	12.2	34600	22000	9	CX35-48B	SL280UH090XV48B	9115061
XP21-036-230	34200	16	12	34800	22200	8.5	CX35-48B	SLP98UH070XV36B	9115062
XP21-036-230	33800	14.3	11	35200	22600	8.5	CX35-48B		9115050
XP21-036-230	34600	16	12.2	30000	19400	8.5	CX35-49C	EL195UH090XE48C	9115064
XP21-036-230	34600	16	12.2	30000	19500	8.5	CX35-49C	EL196UH090XE48C	201933158
XP21-036-230	34600	16	12.2	30000	19400	8.5	CX35-49C	EL296UH090XE48C	9115065
XP21-036-230	34600	16	12.2	30000	19400	8.5	CX35-49C	EL296UH090XV36C	9115066
XP21-036-230	34800	16	12.2	30200	19500	9	CX35-49C	EL296UH090XV48C	9115067
XP21-036-230	34600	16	12.5	30000	19300	9	CX35-49C	EL296UH110XV48C	9115068
XP21-036-230	35000	16	12.5	30200	19500	9	CX35-49C	EL296UH110XV60C	9115069
XP21-036-230	35000	17	12.5	30200	19300	9.2	CX35-49C	SL280UH080NV60C-	10581386
XP21-036-230	35000	16	12.5	30200	19500	9	CX35-49C	SL280UH090V60C	9115070
XP21-036-230	35000	16	12.5	30200	19500	9	CX35-49C	SL280UH090XV60C	9115071
XP21-036-230	35000	16	12.5	30200	19500	9	CX35-49C	SL280UH110V60C	9115072
XP21-036-230	35000	16	12.5	30200	19500	9	CX35-49C	SL280UH110XV60C	9115073
XP21-036-230	34600	16	12.5	30000	19400	8.5	CX35-49C	SLP98UH090XV36C	9115074
XP21-036-230	34800	16	12.2	30200	19500	9	CX35-49C	SLP98UH090XV48C	9115075
XP21-036-230	35000	16	12.5	30200	19500	9	CX35-49C	SLP98UH110XV60C	9115076
XP21-036-230	34000	14.3	11.5	30600	20000	8.5	CX35-49C		9115063
XP21-036-230	36000	17	12.5	32600	20800	8.5	CX38-38A	EL180UH045E36A	10084747

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-036-230	36000	17	12.5	32600	20800	8.5	CX38-38A	ML180UH045E36A	10589565
XP21-036-230	35800	17	12.5	32600	20800	8.5	CX38-38A	SL280UH070V36A	10084164
XP21-036-230	35800	17	12.5	32600	20800	8.5	CX38-38A	SL280UH070XV36A	10084187
XP21-036-230	35800	17	12.5	32400	20800	8.5	CX38-38B	CBWMV-36B-070	10084172
XP21-036-230	35800	17	13	32200	20400	9	CX38-38B	EL180UH070E36B	10084743
XP21-036-230	36200	18	13	32400	20600	9	CX38-38B	EL180UH090E48B	10084732
XP21-036-230	35600	17	12	32800	21000	8.5	CX38-38B	EL195UH045XE36B	10084197
XP21-036-230	35600	17	12.5	32400	20600	9	CX38-38B	EL195UH070XE36B	10084213
XP21-036-230	35600	17	12	32800	21000	8.5	CX38-38B	EL196UH045XE36B	201933140
XP21-036-230	35600	17	12.5	32400	20600	9	CX38-38B	EL196UH070XE36B	201933141
XP21-036-230	35600	17	12	32800	21000	8.5	CX38-38B	EL296UH045XE36B	10084645
XP21-036-230	35800	17	12.5	32600	20800	8.5	CX38-38B	EL296UH045XV36B	10084755
XP21-036-230	35600	17	12.5	32400	20600	9	CX38-38B	EL296UH070XE36B	10084636
XP21-036-230	35800	17	12.5	32600	20800	8.5	CX38-38B	EL296UH070XV36B	10084764
XP21-036-230	35800	17	13	32200	20400	9	CX38-38B	ML180UH070E36B	10589642
XP21-036-230	36200	18	13	32400	20600	9	CX38-38B	ML180UH090E48B	10589762
XP21-036-230	36000	17	13	32400	20600	9	CX38-38B	SL280UH090V36B	10084163
XP21-036-230	36000	17	12.5	32400	20600	9	CX38-38B	SL280UH090V48B	10084210
XP21-036-230	36000	17	12.5	32400	20600	9	CX38-38B	SL280UH090XV48B	10084171
XP21-036-230	35600	17	12	32800	21000	8.5	CX38-38B	SLO185B79/105V42	10084908
XP21-036-230	35600	17	12	32800	21000	8.5	CX38-38B	SLO185UF79/105V42	10084892
XP21-036-230	35800	17	12.5	32600	20800	8.5	CX38-38B	SLP98UH070XV36B	10084190
XP21-036-230	35800	17	12.5	32400	20800	8.5	CX38-43B	CBWMV-36B-070	10085069
XP21-036-230	35800	17	13	32000	20400	9	CX38-43B	EL180UH070E36B	10085080
XP21-036-230	36200	18	13	32400	20600	9	CX38-43B	EL180UH090E48B	10085079
XP21-036-230	35600	17	12	32800	21000	8.5	CX38-43B	EL195UH045XE36B	10085082
XP21-036-230	35800	17	12.5	32400	20600	8.5	CX38-43B	EL195UH070XE36B	10085081
XP21-036-230	35600	17	12	32800	21000	8.5	CX38-43B	EL196UH045XE36B	201933144
XP21-036-230	35800	17	12.5	32400	20600	8.5	CX38-43B	EL196UH070XE36B	201933145
XP21-036-230	35600	17	12	32800	21000	8.5	CX38-43B	EL296UH045XE36B	10085078
XP21-036-230	36000	17	12.5	32600	20800	8.5	CX38-43B	EL296UH045XV36B	10085075
XP21-036-230	35800	17	12.5	32400	20600	8.5	CX38-43B	EL296UH070XE36B	10085077
XP21-036-230	35800	17	12.5	32600	20800	8.5	CX38-43B	EL296UH070XV36B	10085076
XP21-036-230	35800	17	13	32000	20400	9	CX38-43B	ML180UH070E36B	10589649
XP21-036-230	36200	18	13	32400	20600	9	CX38-43B	ML180UH090E48B	10589768
XP21-036-230	36200	17	13	32200	20600	8.5	CX38-43B	SL280UH090V36B	10085071
XP21-036-230	36000	17	12.5	32400	20600	9	CX38-43B	SL280UH090V48B	10085070
XP21-036-230	36000	17	12.5	32400	20600	9	CX38-43B	SL280UH090XV48B	10085083
XP21-036-230	35800	17	12	32600	21000	8.5	CX38-43B	SLO185B79/105V42	10085074
XP21-036-230	35800	17	12	32800	21000	8.5	CX38-43B	SLO185UF79/105V42	10085073
XP21-036-230	35800	17	12.5	32600	20800	8.5	CX38-43B	SLP98UH070XV36B	10085072
XP21-036-230	35600	15.5	11.7	33000	21200	8.5	CX38-43B		10084116
XP21-036-230	35800	17	12.5	32200	20600	8.5	CX38-43C	CBWMV-36C-090	10085064
XP21-036-230	36200	17	13	32400	20600	9	CX38-43C	EL195UH090XE48C	10085061
XP21-036-230	36200	17	13	32400	20600	9	CX38-43C	EL196UH090XE48C	201933147
XP21-036-230	36200	17	13	32400	20600	9	CX38-43C	EL296UH090XE48C	10085059
XP21-036-230	36200	17	12.5	32400	20600	9	CX38-43C	EL296UH090XV36C	10085055
XP21-036-230	35800	17	12.5	32200	20400	8.5	CX38-43C	EL296UH090XV48C	10085056
XP21-036-230	36600	17	12.5	32600	20800	9	CX38-43C	EL296UH090XV60C	10085057
XP21-036-230	36200	18	13	32200	20600	9	CX38-43C	EL296UH110XV48C	10085058
XP21-036-230	36400	18	13	32600	20600	9	CX38-43C	EL296UH110XV60C	10085052
XP21-036-230	36400	17	12.5	32600	20600	9	CX38-43C	SL280UH090V60C	10085065
XP21-036-230	36400	17	12.5	32600	20600	9	CX38-43C	SL280UH090XV60C	10085063
XP21-036-230	36400	17	12.5	32600	20800	8.5	CX38-43C	SL280UH110V60C	10085051
XP21-036-230	36400	17	12.5	32600	20800	8.5	CX38-43C	SL280UH110XV60C	10085062

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-036-230	35800	17	12	32600	21000	8.5	CX38-43C	SLO185B79/105V42	10085054
XP21-036-230	35800	17	12	32800	21000	8.5	CX38-43C	SLO185UF79/105V42	10085053
XP21-036-230	36200	17	12.5	32400	20600	9	CX38-43C	SLP98UH090XV36C	10085068
XP21-036-230	35800	17	12.5	32200	20400	8.5	CX38-43C	SLP98UH090XV48C	10085066
XP21-036-230	36600	17	12.5	32600	20800	9	CX38-43C	SLP98UH090XV60C	10085067
XP21-036-230	36400	18	13	32600	20600	9	CX38-43C	SLP98UH110XV60C	10085060
XP21-036-230	35600	15.5	11.7	33000	21200	8.5	CX38-43C		10084117
XP21-036-230	35000	15.2	11.7	32600	21000	8.2	CX38-44/48B		10084084
XP21-036-230	35600	17	12.5	32200	20400	8.5	CX38-44/48C	SLP98UH090XV36C	10085643
XP21-036-230	35000	15.2	11.7	32600	21000	8.2	CX38-44/48C		10084085
XP21-036-230	36000	17	12.5	32400	20600	9	CX38-49C	CBWMV-36C-090	10084193
XP21-036-230	36200	17	12.5	32400	20600	9	CX38-49C	EL195UH090XE48C	10084200
XP21-036-230	36200	17	12.5	32400	20600	9	CX38-49C	EL196UH090XE48C	201933152
XP21-036-230	36200	17	12.5	32400	20600	9	CX38-49C	EL296UH090XE48C	10084640
XP21-036-230	36200	17	12.5	32400	20600	9	CX38-49C	EL296UH090XV36C	10084775
XP21-036-230	36000	17	13	32200	20400	9	CX38-49C	EL296UH090XV48C	10084783
XP21-036-230	36800	17	13	32800	20800	9	CX38-49C	EL296UH090XV60C	10084792
XP21-036-230	36400	17	13	32400	20600	9	CX38-49C	EL296UH110XV48C	10084668
XP21-036-230	36600	17	13	32600	20600	9	CX38-49C	EL296UH110XV60C	10084800
XP21-036-230	36800	17	13	32600	20600	9	CX38-49C	SL280UH090V60C	10084192
XP21-036-230	36800	17	13	32600	20600	9	CX38-49C	SL280UH090XV60C	10084235
XP21-036-230	36600	17	12.5	32600	20800	8.5	CX38-49C	SL280UH110V60C	10084207
XP21-036-230	36600	17	12.5	32600	20800	8.5	CX38-49C	SL280UH110XV60C	10084230
XP21-036-230	35800	17	12	32800	21000	8.5	CX38-49C	SLO185UF79/105V42	10084900
XP21-036-230	36200	17	12.5	32400	20600	9	CX38-49C	SLP98UH090XV36C	10084229
XP21-036-230	36000	17	13	32200	20400	9	CX38-49C	SLP98UH090XV48C	10084240
XP21-036-230	36800	17	13	32800	20800	9	CX38-49C	SLP98UH090XV60C	10084226
XP21-036-230	36600	17	13	32600	20600	9	CX38-49C	SLP98UH110XV60C	10084204
XP21-036-230	35600	15.5	11.7	33000	21200	8.5	CX38-49C		10084086
XP21-048-230	45000	16	11.5	46000	31600	8.5	C35-49C	EL180UH090E60C	202087744
XP21-048-230	44500	16	11.5	46000	31600	8.5	C35-49C	EL180UH110E60C	202087745
XP21-048-230	45000	16	11.5	46000	31800	8.5	C35-49C	EL195UH090XE48C	202087746
XP21-048-230	45000	16	11.5	46000	31800	8.5	C35-49C	EL195UH110XE60C	202087747
XP21-048-230	45000	16	11.5	46000	32000	8.5	C35-49C	EL196UH090XE48C	202087697
XP21-048-230	45000	16	11.5	46000	31800	8.5	C35-49C	EL196UH110XE60C	202087698
XP21-048-230	45000	16	11.5	46000	31800	8.5	C35-49C	EL296UH090XE48C	202087748
XP21-048-230	45000	16	11.5	46000	31800	8.5	C35-49C	EL296UH090XV48C	202087749
XP21-048-230	45000	16	11.5	46000	31800	8.5	C35-49C	EL296UH090XV60C	202087750
XP21-048-230	45000	16	11.5	46000	31800	8.5	C35-49C	EL296UH110XV48C	202087751
XP21-048-230	45000	16	11.5	46500	32000	8.5	C35-49C	EL296UH110XV60C	202087752
XP21-048-230	45000	16	11.5	46000	31600	8.5	C35-49C	ML180UH090E60C	202087781
XP21-048-230	44500	16	11.5	46000	31600	8.5	C35-49C	ML180UH110E60C	202087783
XP21-048-230	45000	17	11.7	46000	31800	9	C35-49C	SL280UH080NV60C-	202087704
XP21-048-230	45000	16	11.5	46000	31800	8.5	C35-49C	SL280UH090V60C	202087753
XP21-048-230	45000	16	11.5	46000	31800	8.5	C35-49C	SL280UH090XV60C	202087754
XP21-048-230	45000	16	11.5	46000	31600	8.5	C35-49C	SL280UH110V60C	202087755
XP21-048-230	45000	16	11.5	46000	31600	8.5	C35-49C	SL280UH110XV60C	202087756
XP21-048-230	45000	16	11.5	46000	31800	8.5	C35-49C	SLP98UH090XV48C	202087778
XP21-048-230	45000	16	11.5	46000	31800	8.5	C35-49C	SLP98UH090XV60C	202087757
XP21-048-230	45000	16	11.5	46500	32000	8.5	C35-49C	SLP98UH110XV60C	202087758
XP21-048-230	44500	14	11	46500	32400	8.5	C35-49C		202087691
XP21-048-230	45500	15	11.5	47000	30400	8.5	C35-60D	EL180UH135E60D	202087759
XP21-048-230	45500	14	11.5	47500	30600	8.5	C35-60D	EL195UH135XE60D	202087760
XP21-048-230	45500	14	11.5	47500	30600	8.5	C35-60D	EL296UH135XE60D	202087761
XP21-048-230	45500	15	11.5	47500	30600	8.5	C35-60D	EL296UH135XV60D	202087762

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-048-230	45500	15	11.5	47000	30400	8.5	C35-60D	ML180UH135E60D	202087784
XP21-048-230	45500	15	11.5	47000	30400	8.5	C35-60D	SL280UH135V60D	202087763
XP21-048-230	45500	15	11.5	47500	30600	8.5	C35-60D	SLP98UH135XV60D	202087764
XP21-048-230	47500	16	12	45500	28400	8.2	C37-49C	CBWMV-60C-100	10084340
XP21-048-230	47500	16	12	45500	28600	8.2	C37-49C	CBWMV-60C-120	10084307
XP21-048-230	47500	16	12.5	45000	28200	8.5	C37-49C	EL180UH090E60C	10084694
XP21-048-230	47000	16	12	45000	28200	8.5	C37-49C	EL180UH110E60C	10084692
XP21-048-230	47000	16	12	45000	28400	8.2	C37-49C	EL195UH090XE48C	10084304
XP21-048-230	47500	16	12	45000	28400	8.2	C37-49C	EL195UH110XE60C	10084311
XP21-048-230	47000	16	12	45000	28600	8.2	C37-49C	EL196UH090XE48C	201933162
XP21-048-230	47500	16	12	45000	28400	8.2	C37-49C	EL196UH110XE60C	201933163
XP21-048-230	47000	16	12	45000	28400	8.2	C37-49C	EL296UH090XE48C	10084650
XP21-048-230	47500	16	12	45500	28400	8.2	C37-49C	EL296UH090XV48C	10084785
XP21-048-230	47500	16	12	45500	28600	8.2	C37-49C	EL296UH090XV60C	10084789
XP21-048-230	47500	16	12	45000	28400	8.2	C37-49C	EL296UH110XV48C	10084670
XP21-048-230	47500	16	12	45500	28600	8.2	C37-49C	EL296UH110XV60C	10084798
XP21-048-230	47500	16	12.5	45000	28200	8.5	C37-49C	ML180UH090E60C	10589914
XP21-048-230	47000	16	12	45000	28200	8.5	C37-49C	ML180UH110E60C	10590158
XP21-048-230	47500	16	12	45000	28400	8.2	C37-49C	SL280UH090V60C	10084280
XP21-048-230	47500	16	12	45000	28400	8.2	C37-49C	SL280UH090XV60C	10084303
XP21-048-230	47500	16	12.5	45000	28200	8.2	C37-49C	SL280UH110V60C	10084298
XP21-048-230	47500	16	12.5	45000	28200	8.2	C37-49C	SL280UH110XV60C	10084299
XP21-048-230	47500	16	12	45500	28400	8.2	C37-49C	SLP98UH090XV48C	10084281
XP21-048-230	47500	16	12	45500	28600	8.2	C37-49C	SLP98UH090XV60C	10084283
XP21-048-230	47500	16	12	45500	28600	8.2	C37-49C	SLP98UH110XV60C	10084285
XP21-048-230	47000	15.2	11.7	46000	29000	8.2	C37-49C		10084090
XP21-048-230	49000	17	12.5	45500	28400	8.2	C37-62C	CBWMV-60C-100	10084297
XP21-048-230	49000	17	12.5	45500	28600	8.2	C37-62C	CBWMV-60C-120	10084293
XP21-048-230	49000	17	12.5	45000	28200	8.2	C37-62C	EL180UH090E60C	10084698
XP21-048-230	48500	17	12.5	45000	28200	8.5	C37-62C	EL180UH110E60C	10084679
XP21-048-230	48500	17	12.5	45500	28400	8.2	C37-62C	EL195UH090XE48C	10084291
XP21-048-230	49000	17	12.5	45000	28400	8.2	C37-62C	EL195UH110XE60C	10084287
XP21-048-230	48500	17	12.5	45500	28600	8.2	C37-62C	EL196UH090XE48C	201933166
XP21-048-230	49000	17	12.5	45000	28400	8.2	C37-62C	EL196UH110XE60C	201933167
XP21-048-230	48500	17	12.5	45500	28400	8.2	C37-62C	EL296UH090XE48C	10084662
XP21-048-230	49000	17	12.5	45500	28400	8.2	C37-62C	EL296UH090XV48C	10084780
XP21-048-230	49000	17	12.5	45500	28400	8.2	C37-62C	EL296UH090XV60C	10084787
XP21-048-230	48500	17	12.5	45500	28400	8.2	C37-62C	EL296UH110XV48C	10084669
XP21-048-230	49000	17	12.5	45500	28600	8.2	C37-62C	EL296UH110XV60C	10084805
XP21-048-230	49000	17	12.5	45000	28200	8.2	C37-62C	ML180UH090E60C	10589918
XP21-048-230	48500	17	12.5	45000	28200	8.5	C37-62C	ML180UH110E60C	10590155
XP21-048-230	49000	17	12.5	45500	28400	8.2	C37-62C	SL280UH090V60C	10084288
XP21-048-230	49000	17	12.5	45500	28400	8.2	C37-62C	SL280UH090XV60C	10084289
XP21-048-230	49000	17	12.5	45000	28200	8.2	C37-62C	SL280UH110V60C	10084308
XP21-048-230	49000	17	12.5	45000	28200	8.2	C37-62C	SL280UH110XV60C	10084309
XP21-048-230	49000	17	12.5	45500	28400	8.2	C37-62C	SLP98UH090XV48C	10084306
XP21-048-230	49000	17	12.5	45500	28400	8.2	C37-62C	SLP98UH090XV60C	10084313
XP21-048-230	49000	17	12.5	45500	28600	8.2	C37-62C	SLP98UH110XV60C	10084302
XP21-048-230	48500	15.7	12	46000	29000	8.2	C37-62C		10084088
XP21-048-230	48000	17	12.5	45500	28400	8.5	C37-62D	EL180UH135E60D	10084719
XP21-048-230	48000	16	12	45500	28200	8.5	C37-62D	EL195UH135XE60D	10084305
XP21-048-230	48000	16	12	45500	28600	8.5	C37-62D	EL196UH135XE60D	201933168
XP21-048-230	48000	16	12	45500	28200	8.5	C37-62D	EL296UH135XE60D	10084654
XP21-048-230	48000	17	12	45500	28600	8.5	C37-62D	EL296UH135XV60D	10084809
XP21-048-230	48000	17	12.5	45500	28400	8.5	C37-62D	ML180UH135E60D	10590399

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-048-230	48000	16	12.5	45500	28400	8.5	C37-62D	SL280UH135V60D	10084284
XP21-048-230	48000	16	12	45500	28600	8.2	C37-62D	SLO185UF124/141V60	10084918
XP21-048-230	48000	17	12	45500	28600	8.5	C37-62D	SLP98UH135XV60D	10084279
XP21-048-230	47500	15.2	11.7	46000	29000	8.2	C37-62D		10084091
XP21-048-230	46000	16	12	46000	29000	9	CBA27UHE-060-230		10258577
XP21-048-230	47000	16.5	12	46000	29000	9	CBA38MV-060-230		201924999
XP21-048-230	47500	17	12	46500	29000	9	CBX27UH-048-230		5272172
XP21-048-230	46500	16	12	46000	28800	9	CBX27UH-060-230		5272173
XP21-048-230	48000	16	12	45500	28600	8.2	CH33-49	CBWMV-60C-100	5272274
XP21-048-230	47500	16	12.5	45000	28200	8.2	CH33-49	EL180UH090E60C	5740287
XP21-048-230	47000	16	12	45000	28200	8.5	CH33-49	EL180UH110E60C	5740754
XP21-048-230	47500	16	12	45000	28400	8.2	CH33-49	EL195UH090XE48C	5272309
XP21-048-230	47500	16	12	45000	28400	8.2	CH33-49	EL195UH110XE60C	5272310
XP21-048-230	47500	16	12	45000	28600	8.2	CH33-49	EL196UH090XE48C	201933170
XP21-048-230	47500	16	12	45000	28400	8.2	CH33-49	EL196UH110XE60C	201933171
XP21-048-230	47500	16	12	45000	28400	8.2	CH33-49	EL296UH090XE48C	5650525
XP21-048-230	47500	16	12	45500	28600	8.2	CH33-49	EL296UH090XV48C	5761157
XP21-048-230	48000	16	12	45500	28600	8.2	CH33-49	EL296UH090XV60C	5761246
XP21-048-230	47500	16	12	45500	28600	8.2	CH33-49	EL296UH110XV48C	5761291
XP21-048-230	47500	16	12	45500	28600	8.2	CH33-49	EL296UH110XV48C	5685253
XP21-048-230	48000	16	12	45500	28600	8.2	CH33-49	EL296UH110XV60C	5761367
XP21-048-230	47500	16	12.5	45000	28200	8.2	CH33-49	ML180UH090E60C	10589827
XP21-048-230	47000	16	12	45000	28200	8.5	CH33-49	ML180UH110E60C	10590089
XP21-048-230	48000	16	12.5	45500	28400	8.2	CH33-49	SL280UH090V60C	5272262
XP21-048-230	48000	16	12.5	45500	28400	8.2	CH33-49	SL280UH090XV60C	5272330
XP21-048-230	47500	16	12	45500	28400	8.2	CH33-49	SL280UH110V60C	5272264
XP21-048-230	47500	16	12	45500	28400	8.2	CH33-49	SL280UH110XV60C	5272275
XP21-048-230	47500	16	12	45500	28600	8.2	CH33-49	SLP98UH090XV48C	5272265
XP21-048-230	48000	16	12	45500	28600	8.2	CH33-49	SLP98UH090XV60C	5272266
XP21-048-230	48000	16	12	45500	28600	8.2	CH33-49	SLP98UH110XV60C	5272267
XP21-048-230	47500	15.2	11.7	46000	29000	8.2	CH33-49		5272180
XP21-048-230	47500	16	12	45500	28600	8.2	CH33-50/60C	CBWMV-60C-100	5272286
XP21-048-230	47500	16	12	45500	28800	8.2	CH33-50/60C	CBWMV-60C-120	5272287
XP21-048-230	47000	16	12	45000	28200	8.2	CH33-50/60C	EL180UH090E60C	5740286
XP21-048-230	47000	16	12	45000	28200	8.5	CH33-50/60C	EL180UH110E60C	5740744
XP21-048-230	47000	16	12	45000	28400	8.2	CH33-50/60C	EL195UH090XE48C	5272311
XP21-048-230	47000	16	12	45000	28400	8.2	CH33-50/60C	EL195UH110XE60C	5272312
XP21-048-230	47000	16	12	45000	28600	8.2	CH33-50/60C	EL196UH090XE48C	201933172
XP21-048-230	47000	16	12	45000	28400	8.2	CH33-50/60C	EL196UH110XE60C	201933173
XP21-048-230	47000	16	12	45000	28400	8.2	CH33-50/60C	EL296UH090XE48C	5650521
XP21-048-230	47500	16	12	45500	28600	8.2	CH33-50/60C	EL296UH090XV48C	5761158
XP21-048-230	47500	16	12	45500	28600	8.2	CH33-50/60C	EL296UH090XV60C	5761256
XP21-048-230	47500	16	12	45500	28600	8.2	CH33-50/60C	EL296UH110XV48C	5761290
XP21-048-230	47500	16	12	45500	28600	8.2	CH33-50/60C	EL296UH110XV48C	5685252
XP21-048-230	47500	16	12	45500	28600	8.2	CH33-50/60C	EL296UH110XV60C	5761368
XP21-048-230	47000	16	12	45000	28200	8.2	CH33-50/60C	ML180UH090E60C	10589826
XP21-048-230	47000	16	12	45000	28200	8.5	CH33-50/60C	ML180UH110E60C	10590081
XP21-048-230	47500	16	12	45500	28400	8.2	CH33-50/60C	SL280UH110V60C	5272276
XP21-048-230	47500	16	12	45500	28400	8.2	CH33-50/60C	SL280UH110XV60C	5272332
XP21-048-230	47500	16	12	45500	28600	8.2	CH33-50/60C	SLP98UH090XV48C	5272277
XP21-048-230	47500	16	12	45500	28600	8.2	CH33-50/60C	SLP98UH090XV60C	5272278
XP21-048-230	47500	16	12	45500	28600	8.2	CH33-50/60C	SLP98UH110XV60C	5272279
XP21-048-230	47000	15.2	11.7	46000	29000	8.2	CH33-50/60C		5272181
XP21-048-230	47500	16	12.5	45500	28400	8.5	CH33-62D	EL180UH135E60D	5741102
XP21-048-230	47500	16	12	45500	28200	8.5	CH33-62D	EL195UH135XE60D	5272313

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-048-230	47500	16	12	45500	28600	8.5	CH33-62D	EL196UH135XE60D	201933174
XP21-048-230	47500	16	12	45500	28200	8.5	CH33-62D	EL296UH135XE60D	5650541
XP21-048-230	47500	16	12.5	45500	28400	8.5	CH33-62D	ML180UH135E60D	10590361
XP21-048-230	47500	16	12	45500	28600	8.5	CH33-62D	SL280UH135V60D	5272288
XP21-048-230	47500	16	12	45500	28600	8.5	CH33-62D	SLP98UH135XV60D	5272289
XP21-048-230	47000	15	11.7	46000	29000	8.2	CH33-62D		5272182
XP21-048-230	46500	16	12.2	48500	32000	8.2	CH35-60D	EL180UH135E60D	9115078
XP21-048-230	46000	15.5	11.5	49000	32400	8.2	CH35-60D	EL195UH135XE60D	9115079
XP21-048-230	46000	14.5	11	49000	32800	8.2	CH35-60D	EL196UH135XE60D	201933178
XP21-048-230	46000	15.5	11.5	49000	32400	8.2	CH35-60D	EL296UH135XE60D	9115080
XP21-048-230	46500	16	12.2	48500	32000	8.2	CH35-60D	ML180UH135E60D	10590373
XP21-048-230	46500	16	12	48500	32200	8.2	CH35-60D	SL280UH135V60D	9115082
XP21-048-230	46500	16	12	49000	32200	8.2	CH35-60D	SLP98UH135XV60D	9115083
XP21-048-230	46000	14.5	11.5	49000	32800	8.2	CH35-60D		9115077
XP21-048-230	46500	16	12.2	48500	32000	8.2	CHX35-60D	EL180UH135E60D	202192099
XP21-048-230	46000	15.5	11.5	49000	32400	8.2	CHX35-60D	EL195UH135XE60D	202192100
XP21-048-230	46000	14.5	11	49000	32800	8.2	CHX35-60D	EL196UH135XE60D	202192146
XP21-048-230	46000	15.5	11.5	49000	32400	8.2	CHX35-60D	EL296UH135XE60D	202192101
XP21-048-230	46500	16	12.2	48500	32000	8.2	CHX35-60D	ML180UH135E60D	202192142
XP21-048-230	46500	16	12	48500	32200	8.2	CHX35-60D	SL280UH135V60D	202192102
XP21-048-230	46500	16	12	49000	32200	8.2	CHX35-60D	SLP98UH135XV60D	202192103
XP21-048-230	46000	14.5	11.5	49000	32800	8.2	CHX35-60D		202189895
XP21-048-230	47000	16	11.7	46000	28800	9	CR33-50/60	EL296DF090XE48C	5650535
XP21-048-230	47000	16	11.7	46000	28600	9	CR33-50/60	EL296DF110XE60C	5650528
XP21-048-230	47000	16	12.5	46000	28600	9	CR33-50/60	SL280DF090V60C	5272291
XP21-048-230	47000	16	12.5	46000	28600	9	CR33-50/60	SL280DF110V60C	5277847
XP21-048-230	47000	16	12	46000	29000	9	CR33-50/60	SLP98DF090XV48C	5272292
XP21-048-230	47000	16	11.7	46000	29000	9	CR33-50/60	SLP98DF090XV60C	5272293
XP21-048-230	47000	16	11.7	46000	29000	9	CR33-50/60	SLP98DF110XV60C	5272294
XP21-048-230	46500	15	11.5	47000	29200	8.5	CR33-50/60		5272183
XP21-048-230	46500	15	11.5	47000	29200	8.5	CR33-60		5272184
XP21-048-230	45000	15.5	11.5	46000	31600	8.5	CX35-49C	EL180UH090E60C	9115085
XP21-048-230	44500	15.5	11.5	46000	31600	8.5	CX35-49C	EL180UH110E60C	9115086
XP21-048-230	45000	15.5	11.5	46000	31800	8.5	CX35-49C	EL195UH090XE48C	9115087
XP21-048-230	45000	15.5	11.5	46000	31800	8.5	CX35-49C	EL195UH110XE60C	9115088
XP21-048-230	45000	15.5	11.5	46000	32000	8.5	CX35-49C	EL196UH090XE48C	201933175
XP21-048-230	45000	15.5	11.5	46000	31800	8.5	CX35-49C	EL196UH110XE60C	201933176
XP21-048-230	45000	15.5	11.5	46000	31800	8.5	CX35-49C	EL296UH090XE48C	9115089
XP21-048-230	45000	15.5	11.5	46000	31800	8.5	CX35-49C	EL296UH090XV48C	9115090
XP21-048-230	45000	15.5	11.5	46000	31800	8.5	CX35-49C	EL296UH090XV60C	9115091
XP21-048-230	45000	15.5	11.5	46000	31800	8.5	CX35-49C	EL296UH110XV48C	9115093
XP21-048-230	45000	15.5	11.5	46500	32000	8.5	CX35-49C	EL296UH110XV60C	9115094
XP21-048-230	45000	15.5	11.5	46000	31600	8.5	CX35-49C	ML180UH090E60C	10589864
XP21-048-230	44500	15.5	11.5	46000	31600	8.5	CX35-49C	ML180UH110E60C	10590118
XP21-048-230	45000	16.5	11.7	46000	31800	9	CX35-49C	SL280UH080NV60C-	10581387
XP21-048-230	45000	15.5	11.5	46000	31800	8.5	CX35-49C	SL280UH090V60C	9115095
XP21-048-230	45000	15.5	11.5	46000	31800	8.5	CX35-49C	SL280UH090XV60C	9115096
XP21-048-230	45000	15.5	11.5	46000	31600	8.5	CX35-49C	SL280UH110V60C	9115097
XP21-048-230	45000	15.5	11.5	46000	31600	8.5	CX35-49C	SL280UH110XV60C	9115098
XP21-048-230	45000	15.5	11.5	46000	31800	8.5	CX35-49C	SLP98UH090XV48C	9115169
XP21-048-230	45000	15.5	11.5	46000	31800	8.5	CX35-49C	SLP98UH090XV60C	9115099
XP21-048-230	45000	15.5	11.5	46500	32000	8.5	CX35-49C	SLP98UH110XV60C	9115100
XP21-048-230	44500	14.3	11	46500	32400	8.5	CX35-49C		9115084
XP21-048-230	45500	14.5	11.5	47000	30400	8.5	CX35-60D	EL180UH135E60D	9115101
XP21-048-230	45500	14.3	11.5	47500	30600	8.5	CX35-60D	EL195UH135XE60D	9115102

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-048-230	45500	14	11.5	47500	30600	8.5	CX35-60D	EL196UH135XE60D	201933177
XP21-048-230	45500	14.3	11.5	47500	30600	8.5	CX35-60D	EL296UH135XE60D	9115103
XP21-048-230	45500	14.5	11.5	47500	30600	8.5	CX35-60D	EL296UH135XV60D	9115104
XP21-048-230	45500	14.5	11.5	47000	30400	8.5	CX35-60D	ML180UH135E60D	10590374
XP21-048-230	45500	14.5	11.5	47000	30400	8.5	CX35-60D	SL280UH135V60D	9115105
XP21-048-230	45500	14.5	11.5	47500	30600	8.5	CX35-60D	SLP98UH135XV60D	9115106
XP21-048-230	47500	16	12	45500	28400	8.2	CX38-49C	CBWMV-60C-100	10084301
XP21-048-230	47500	16	12	45500	28600	8.2	CX38-49C	CBWMV-60C-120	10084296
XP21-048-230	47500	16	12.5	45000	28200	8.5	CX38-49C	EL180UH090E60C	10084695
XP21-048-230	47000	16	12	45000	28200	8.5	CX38-49C	EL180UH110E60C	10084675
XP21-048-230	47000	16	12	45000	28400	8.2	CX38-49C	EL195UH090XE48C	10084300
XP21-048-230	47500	16	12	45000	28400	8.2	CX38-49C	EL195UH110XE60C	10084295
XP21-048-230	47000	16	12	45000	28600	8.2	CX38-49C	EL196UH090XE48C	201933164
XP21-048-230	47500	16	12	45000	28400	8.2	CX38-49C	EL196UH110XE60C	201933165
XP21-048-230	47000	16	12	45000	28400	8.2	CX38-49C	EL296UH090XE48C	10084638
XP21-048-230	47500	16	12	45500	28400	8.2	CX38-49C	EL296UH090XV48C	10084784
XP21-048-230	47500	16	12	45500	28600	8.2	CX38-49C	EL296UH090XV60C	10084793
XP21-048-230	47500	16	12	45000	28400	8.2	CX38-49C	EL296UH110XV48C	10084667
XP21-048-230	47500	16	12	45500	28600	8.2	CX38-49C	EL296UH110XV60C	10084799
XP21-048-230	47500	16	12.5	45000	28200	8.5	CX38-49C	ML180UH090E60C	10589915
XP21-048-230	47000	16	12	45000	28200	8.5	CX38-49C	ML180UH110E60C	10590153
XP21-048-230	47500	16	12	45000	28400	8.2	CX38-49C	SL280UH090V60C	10084310
XP21-048-230	47500	16	12	45000	28400	8.2	CX38-49C	SL280UH090XV60C	10084292
XP21-048-230	47500	16	12.5	45000	28200	8.2	CX38-49C	SL280UH110V60C	10084294
XP21-048-230	47500	16	12.5	45000	28200	8.2	CX38-49C	SL280UH110XV60C	10084342
XP21-048-230	47500	16	12	45500	28400	8.2	CX38-49C	SLP98UH090XV48C	10084290
XP21-048-230	47500	16	12	45500	28600	8.2	CX38-49C	SLP98UH090XV60C	10084286
XP21-048-230	47500	16	12	45500	28600	8.2	CX38-49C	SLP98UH110XV60C	10084341
XP21-048-230	47000	15.2	11.7	46000	29000	8.2	CX38-49C		10084094
XP21-048-230	49000	17	12.5	45500	28400	8.2	CX38-62C	EL296UH090XV48C	10086745
XP21-048-230	48000	17	12.5	45500	28400	8.5	CX38-62D	EL180UH135E60D	10084715
XP21-048-230	48000	16	12	45500	28200	8.5	CX38-62D	EL195UH135XE60D	10084312
XP21-048-230	48000	16	12	45500	28600	8.5	CX38-62D	EL196UH135XE60D	201933169
XP21-048-230	48000	16	12	45500	28200	8.5	CX38-62D	EL296UH135XE60D	10084635
XP21-048-230	48000	17	12	45500	28600	8.5	CX38-62D	EL296UH135XV60D	10084808
XP21-048-230	48000	17	12.5	45500	28400	8.5	CX38-62D	ML180UH135E60D	10590459
XP21-048-230	48000	16	12.5	45500	28400	8.5	CX38-62D	SL280UH135V60D	10084282
XP21-048-230	48000	16	12	45500	28600	8.2	CX38-62D	SLO185UF124/141V60	10084919
XP21-048-230	48000	17	12	45500	28600	8.5	CX38-62D	SLP98UH135XV60D	10084339
XP21-048-230	47500	15.2	11.7	46000	29000	8.2	CX38-62D		10084089
XP21-060-230	54500	15	11.5	53500	37600	8.5	C35-49C	EL180UH090E60C	202087765
XP21-060-230	54000	15	11.5	53500	37800	8.5	C35-49C	EL195UH110XE60C	202087766
XP21-060-230	54000	15	11.5	53500	37800	8.5	C35-49C	EL196UH110XE60C	202087700
XP21-060-230	54000	15	11	53500	38000	8.5	C35-49C	EL296UH090XV48C	202087767
XP21-060-230	53500	15	11.5	53000	37600	8.2	C35-49C	EL296UH090XV60C	202087768
XP21-060-230	54500	15	11.5	53500	37800	8.5	C35-49C	EL296UH110XV48C	202087769
XP21-060-230	54000	15	11	53500	38000	8.5	C35-49C	EL296UH110XV60C	202087770
XP21-060-230	54500	15	11.5	53500	37600	8.5	C35-49C	ML180UH090E60C	202087782
XP21-060-230	54500	16	11.7	53500	37600	8.8	C35-49C	SL280UH080NV60C-	202087705
XP21-060-230	54500	15	11.5	53500	37600	8.5	C35-49C	SL280UH090V60C	202087771
XP21-060-230	54500	15	11.5	53500	37600	8.5	C35-49C	SL280UH090XV60C	202087772
XP21-060-230	54000	15	11.5	53000	37600	8.5	C35-49C	SL280UH110V60C	202087773
XP21-060-230	54000	15	11.5	53000	37600	8.5	C35-49C	SL280UH110XV60C	202087774
XP21-060-230	54000	15	11	53500	38000	8.5	C35-49C	SLP98UH090XV48C	202087775
XP21-060-230	53500	15	11.5	53000	37600	8.2	C35-49C	SLP98UH090XV60C	202087776

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-060-230	54000	15	11	53500	38000	8.5	C35-49C	SLP98UH110XV60C	202087777
XP21-060-230	54500	14	11	54000	38000	8.5	C35-49C		202087692
XP21-060-230	56000	15.7	12	53000	33600	8.5	C37-49C	CBWMV-60C-100	10084334
XP21-060-230	56000	15.5	12	53000	33600	8.5	C37-49C	CBWMV-60C-120	10084325
XP21-060-230	56000	15.7	12.2	52500	33200	8.5	C37-49C	EL180UH090E60C	10084688
XP21-060-230	56000	15.5	12.2	52500	33200	8.5	C37-49C	EL180UH110E60C	10084676
XP21-060-230	56000	15.5	12.2	52500	33200	8.5	C37-49C	EL195UH110XE60C	10084338
XP21-060-230	56000	15.5	12	52500	33200	8.5	C37-49C	EL196UH110XE60C	201933179
XP21-060-230	55500	15.5	12	52000	33200	8.2	C37-49C	EL296UH090XV60C	10084796
XP21-060-230	56000	15.7	12	53000	33600	8.2	C37-49C	EL296UH110XV60C	10084804
XP21-060-230	56000	15.7	12.2	52500	33200	8.5	C37-49C	ML180UH090E60C	10589909
XP21-060-230	56000	15.5	12.2	52500	33200	8.5	C37-49C	ML180UH110E60C	10590154
XP21-060-230	56500	15.7	12.2	52500	33400	8.5	C37-49C	SL280UH090V60C	10084329
XP21-060-230	56500	15.7	12.2	52500	33400	8.5	C37-49C	SL280UH090XV60C	10084321
XP21-060-230	56000	15.5	12	53000	33600	8.5	C37-49C	SL280UH110V60C	10084324
XP21-060-230	56000	15.5	12	53000	33600	8.5	C37-49C	SL280UH110XV60C	10084317
XP21-060-230	55500	15.5	12	52000	33200	8.2	C37-49C	SLP98UH090XV60C	10084320
XP21-060-230	56000	15.7	12	53000	33600	8.2	C37-49C	SLP98UH110XV60C	10084314
XP21-060-230	56000	14.7	12	53000	33600	8.2	C37-49C		10084095
XP21-060-230	56500	16	12	53000	33600	8.5	C37-60D	EL296UH135XV60D	10084597
XP21-060-230	56500	16	12	53000	33400	8.5	C37-60D	SL280UH135V60D	10084595
XP21-060-230	56500	16	12	53000	33600	8.5	C37-60D	SLP98UH135XV60D	10084599
XP21-060-230	56000	14.5	11.7	53000	33600	8.5	C37-60D		10084110
XP21-060-230	57000	16	12	53000	33600	8.5	C37-62C	CBWMV-60C-100	10084336
XP21-060-230	57000	16	12	53000	33600	8.5	C37-62C	CBWMV-60C-120	10084327
XP21-060-230	57000	16	12.5	52500	33200	8.5	C37-62C	EL180UH090E60C	10084691
XP21-060-230	57000	16	12.5	52500	33200	8.5	C37-62C	EL180UH110E60C	10084685
XP21-060-230	57000	15.7	12.2	52500	33200	8.5	C37-62C	EL195UH110XE60C	10084328
XP21-060-230	57000	15.5	12.2	52500	33200	8.5	C37-62C	EL196UH110XE60C	201933181
XP21-060-230	56500	16	12	52500	33200	8.2	C37-62C	EL296UH090XV60C	10084794
XP21-060-230	57000	16	12	53000	33600	8.5	C37-62C	EL296UH110XV60C	10084802
XP21-060-230	57000	16	12.5	52500	33200	8.5	C37-62C	ML180UH090E60C	10589912
XP21-060-230	57000	16	12.5	52500	33200	8.5	C37-62C	ML180UH110E60C	10590157
XP21-060-230	57500	16	12	53000	33400	8.5	C37-62C	SL280UH090V60C	10084331
XP21-060-230	57500	16	12	53000	33400	8.5	C37-62C	SL280UH090XV60C	10084323
XP21-060-230	57000	16	12	53000	33600	8.5	C37-62C	SL280UH110V60C	10084326
XP21-060-230	57000	16	12	53000	33600	8.5	C37-62C	SL280UH110XV60C	10084319
XP21-060-230	56500	16	12	52500	33200	8.2	C37-62C	SLP98UH090XV60C	10084322
XP21-060-230	57000	16	12	53000	33600	8.5	C37-62C	SLP98UH110XV60C	10084316
XP21-060-230	57000	15	12	53000	33600	8.5	C37-62C		10084092
XP21-060-230	57000	16	12	53000	33600	8.5	C37-62D	EL296UH135XV60D	10084594
XP21-060-230	57000	16	12	53000	33400	8.5	C37-62D	SL280UH135V60D	10084598
XP21-060-230	57000	16	12	53000	33600	8.5	C37-62D	SLP98UH135XV60D	10084601
XP21-060-230	56500	16.5	12.5	54000	34000	9.2	CBA38MV-060-230		201925000
XP21-060-230	56000	16	12	53500	33400	9	CBX27UH-060-230		5272320
XP21-060-230	55500	15	12	54000	34000	9	CBX32M-060		5272318
XP21-060-230	56500	15.7	12	53000	33600	8.5	CH33-49	CBWMV-60C-100	5272387
XP21-060-230	56000	15.7	12	53000	33600	8.5	CH33-49	CBWMV-60C-120	5272388
XP21-060-230	56000	15.7	12.2	52500	33200	8.5	CH33-49	EL180UH090E60C	5740297
XP21-060-230	56000	15.5	12.2	52500	33200	8.5	CH33-49	EL195UH110XE60C	5272416
XP21-060-230	56000	15.5	12	52500	33200	8.5	CH33-49	EL196UH110XE60C	201933183
XP21-060-230	55500	15.7	12	52500	33200	8.2	CH33-49	EL296UH090XV60C	5761252
XP21-060-230	56000	15.7	12	53000	33600	8.5	CH33-49	EL296UH110XV60C	5761377
XP21-060-230	56000	15.7	12.2	52500	33200	8.5	CH33-49	ML180UH090E60C	10589834
XP21-060-230	56500	16	12	53000	33400	8.5	CH33-49	SL280UH090V60C	5272379

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-060-230	56500	16	12	53000	33400	8.5	CH33-49	SL280UH090XV60C	5272389
XP21-060-230	56500	15.7	12	53000	33600	8.5	CH33-49	SL280UH110V60C	5272381
XP21-060-230	56500	15.7	12	53000	33600	8.5	CH33-49	SL280UH110XV60C	5272391
XP21-060-230	56500	15.7	12	52500	33200	8.2	CH33-49	SLP98UH090XV60C	5272382
XP21-060-230	56000	15.7	12	53000	33600	8.5	CH33-49	SLP98UH110XV60C	5272383
XP21-060-230	55000	14.7	11.7	52500	33200	8.2	CH33-49		5272325
XP21-060-230	56000	15.5	11.7	53000	33600	8.5	CH33-50/60C	CBWMV-60C-100	5272399
XP21-060-230	55000	15.2	12	52000	33200	8.2	CH33-50/60C	CBWMV-60C-120	5272400
XP21-060-230	55500	15.5	12	52500	33200	8.5	CH33-50/60C	EL180UH090E60C	5740298
XP21-060-230	55500	15.5	12	52500	33200	8.5	CH33-50/60C	EL180UH110E60C	5740751
XP21-060-230	55500	15.5	12	52500	33200	8.5	CH33-50/60C	EL195UH110XE60C	5272417
XP21-060-230	55500	15.5	12	52500	33200	8.5	CH33-50/60C	EL196UH110XE60C	201933184
XP21-060-230	55000	15.2	11.7	52500	33200	8.2	CH33-50/60C	EL296UH090XV60C	5761253
XP21-060-230	55000	15.5	12	52000	33000	8.2	CH33-50/60C	EL296UH110XV60C	5761373
XP21-060-230	55500	15.5	12	52500	33200	8.5	CH33-50/60C	ML180UH090E60C	10589835
XP21-060-230	55500	15.5	12	52500	33200	8.5	CH33-50/60C	ML180UH110E60C	10590086
XP21-060-230	56000	15.7	12	53000	33600	8.5	CH33-50/60C	SL280UH090V60C	5272390
XP21-060-230	56000	15.7	12	53000	33600	8.5	CH33-50/60C	SL280UH090XV60C	5272420
XP21-060-230	55500	15.5	12	52500	33400	8.2	CH33-50/60C	SL280UH110V60C	5272392
XP21-060-230	55500	15.5	12	52500	33400	8.2	CH33-50/60C	SL280UH110XV60C	5272421
XP21-060-230	55000	15.2	11.7	52500	33200	8.2	CH33-50/60C	SLP98UH090XV60C	5272393
XP21-060-230	55000	15.5	12	52000	33000	8.2	CH33-50/60C	SLP98UH110XV60C	5272394
XP21-060-230	54500	14.5	11.7	52500	33200	8.2	CH33-50/60C		5272326
XP21-060-230	56000	16	12	53000	33400	8.5	CH33-62D	EL180UH135E60D	5741105
XP21-060-230	56000	15.5	12	53000	33600	8.5	CH33-62D	EL195UH135XE60D	5272418
XP21-060-230	56000	15.1	11.7	53000	33600	8.5	CH33-62D	EL196UH135XE60D	201933185
XP21-060-230	56000	15.5	12	53000	33600	8.5	CH33-62D	EL296UH135XE60D	5650538
XP21-060-230	56000	15.7	12	53000	33400	8.5	CH33-62D	EL296UH135XV60D	5761431
XP21-060-230	56000	16	12	53000	33400	8.5	CH33-62D	ML180UH135E60D	10590364
XP21-060-230	56000	16	12	53000	33400	8.5	CH33-62D	SL280UH135V60D	5272401
XP21-060-230	56000	15.7	12	53000	33400	8.5	CH33-62D	SLP98UH135XV60D	5272402
XP21-060-230	55500	14.5	11.7	53000	33800	8.5	CH33-62D		5272327
XP21-060-230	54500	15.5	11.5	55000	35600	8.5	CH35-51C	EL180UH090E60C	9115107
XP21-060-230	54000	15.1	11.5	55000	35800	8.2	CH35-51C	EL195UH110XE60C	9115108
XP21-060-230	54000	15.1	11.5	55000	35800	8.2	CH35-51C	EL196UH110XE60C	201933186
XP21-060-230	53500	15.1	11.5	55000	35800	8.2	CH35-51C	EL296UH090XV60C	9115109
XP21-060-230	54000	15.1	11.5	55000	35800	8.2	CH35-51C	EL296UH110XE60C	9115110
XP21-060-230	54500	15.1	11.5	55500	36000	8.2	CH35-51C	EL296UH110XV48C	9115111
XP21-060-230	54000	15.5	11.5	55000	36000	8.2	CH35-51C	EL296UH110XV60C	9115112
XP21-060-230	54500	15.5	11.5	55000	35600	8.5	CH35-51C	ML180UH090E60C	10589865
XP21-060-230	54500	16	11.7	55000	35800	8.5	CH35-51C	SL280UH080NV60C-	10581388
XP21-060-230	54500	15.5	11.5	55000	35800	8.2	CH35-51C	SL280UH090V60C	9115113
XP21-060-230	54500	15.5	11.5	55000	35800	8.2	CH35-51C	SL280UH090XV60C	9115114
XP21-060-230	54000	15.1	11.5	55000	35800	8.2	CH35-51C	SL280UH110V60C	9115115
XP21-060-230	54000	15.1	11.5	55000	35800	8.2	CH35-51C	SL280UH110XV60C	9115116
XP21-060-230	53500	15.1	11.5	55000	35800	8.2	CH35-51C	SLP98UH090XV60C	9115117
XP21-060-230	54000	15.5	11.5	55000	36000	8.2	CH35-51C	SLP98UH110XV60C	9115118
XP21-060-230	54500	14.5	11.5	55500	36200	8.2	CH35-51C		9115119
XP21-060-230	55000	15.5	11.5	53000	34400	8.5	CH35-60D	EL296UH135XV60D	9115120
XP21-060-230	55000	15.5	11.5	53000	34400	8.5	CH35-60D	SL280UH135V60D	9115121
XP21-060-230	55000	15.5	11.5	53000	34400	8.5	CH35-60D	SLP98UH135XV60D	9115122
XP21-060-230	54500	14	11.5	53500	34600	8.5	CH35-60D		9115123
XP21-060-230	54500	15.5	11.5	55000	35600	8.5	CHX35-51/61C	EL180UH090E60C	202192104
XP21-060-230	54000	15.1	11.5	55000	35800	8.2	CHX35-51/61C	EL195UH110XE60C	202192105
XP21-060-230	54000	15.1	11.5	55000	35800	8.2	CHX35-51/61C	EL196UH110XE60C	202192147

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-060-230	53500	15.1	11.5	55000	35800	8.2	CHX35-51/61C	EL296UH090XV60C	202192106
XP21-060-230	54000	15.1	11.5	55000	35800	8.2	CHX35-51/61C	EL296UH110XE60C	202192107
XP21-060-230	54500	15.1	11.5	55500	36000	8.2	CHX35-51/61C	EL296UH110XV48C	202192108
XP21-060-230	54000	15.5	11.5	55000	36000	8.2	CHX35-51/61C	EL296UH110XV60C	202192109
XP21-060-230	54500	15.5	11.5	55000	35600	8.5	CHX35-51/61C	ML180UH090E60C	202192139
XP21-060-230	54500	16	11.7	55000	35800	8.5	CHX35-51/61C	SL280UH080NV60C-	202190416
XP21-060-230	54500	15.5	11.5	55000	35800	8.2	CHX35-51/61C	SL280UH090V60C	202192110
XP21-060-230	54500	15.5	11.5	55000	35800	8.2	CHX35-51/61C	SL280UH090XV60C	202192111
XP21-060-230	54000	15.1	11.5	55000	35800	8.2	CHX35-51/61C	SL280UH110V60C	202192112
XP21-060-230	54000	15.1	11.5	55000	35800	8.2	CHX35-51/61C	SL280UH110XV60C	202192113
XP21-060-230	53500	15.1	11.5	55000	35800	8.2	CHX35-51/61C	SLP98UH090XV60C	202192114
XP21-060-230	54000	15.5	11.5	55000	36000	8.2	CHX35-51/61C	SLP98UH110XV60C	202192115
XP21-060-230	54500	14.5	11.5	55500	36200	8.2	CHX35-51/61C		202189899
XP21-060-230	55000	15.5	11.5	53000	34400	8.5	CHX35-60D	EL296UH135XV60D	202192116
XP21-060-230	55000	15.5	11.5	53000	34400	8.5	CHX35-60D	SL280UH135V60D	202192117
XP21-060-230	55000	15.5	11.5	53000	34400	8.5	CHX35-60D	SLP98UH135XV60D	202192118
XP21-060-230	54500	14	11.5	53500	34600	8.5	CHX35-60D		202189902
XP21-060-230	54500	15.2	11.7	53000	33400	8.7	CR33-50/60	EL195DF110XE60C	5272419
XP21-060-230	54500	15.2	11.7	53000	33400	8.7	CR33-50/60	EL296DF110XE60C	5650537
XP21-060-230	55500	15.5	11.7	53500	33800	8.7	CR33-50/60	SL280DF090V60C	5272405
XP21-060-230	54000	15.2	11.5	53000	33600	8.7	CR33-50/60	SLP98DF090XV60C	5272406
XP21-060-230	54000	15.2	11.5	53000	33600	8.7	CR33-50/60	SLP98DF110XV60C	5272407
XP21-060-230	54500	14.2	11.5	53000	33600	8.5	CR33-50/60		5272328
XP21-060-230	54500	14.2	11.5	53000	33600	8.5	CR33-60		5272329
XP21-060-230	54500	14.5	11.5	53500	37600	8.5	CX35-49C	EL180UH090E60C	9115124
XP21-060-230	54000	14.5	11.5	53500	37800	8.5	CX35-49C	EL195UH110XE60C	9115125
XP21-060-230	54000	14.5	11.5	53500	37800	8.5	CX35-49C	EL196UH110XE60C	201933187
XP21-060-230	54000	14.5	11	53500	38000	8.5	CX35-49C	EL296UH090XV48C	9115126
XP21-060-230	53500	14.5	11.5	53000	37600	8.2	CX35-49C	EL296UH090XV60C	9115127
XP21-060-230	54500	14.5	11.5	53500	37800	8.5	CX35-49C	EL296UH110XV48C	9115129
XP21-060-230	54000	14.5	11	53500	38000	8.5	CX35-49C	EL296UH110XV60C	9115130
XP21-060-230	54500	14.5	11.5	53500	37600	8.5	CX35-49C	ML180UH090E60C	10589866
XP21-060-230	54500	15.5	11.7	53500	37600	8.8	CX35-49C	SL280UH080NV60C-	10581389
XP21-060-230	54500	14.5	11.5	53500	37600	8.5	CX35-49C	SL280UH090V60C	9115131
XP21-060-230	54500	14.5	11.5	53500	37600	8.5	CX35-49C	SL280UH090XV60C	9115132
XP21-060-230	54000	14.5	11.5	53000	37600	8.5	CX35-49C	SL280UH110V60C	9115133
XP21-060-230	54000	14.5	11.5	53000	37600	8.5	CX35-49C	SL280UH110XV60C	9115134
XP21-060-230	54000	14.5	11	53500	38000	8.5	CX35-49C	SLP98UH090XV48C	9115135
XP21-060-230	53500	14.5	11.5	53000	37600	8.2	CX35-49C	SLP98UH090XV60C	9115136
XP21-060-230	54000	14.5	11	53500	38000	8.5	CX35-49C	SLP98UH110XV60C	9115137
XP21-060-230	54500	14	11	54000	38000	8.5	CX35-49C		9115138
XP21-060-230	56000	15.7	12	53000	33600	8.5	CX38-49C	CBWMV-60C-100	10084318
XP21-060-230	56000	15.5	12	53000	33600	8.5	CX38-49C	CBWMV-60C-120	10084344
XP21-060-230	56000	15.7	12.2	52500	33200	8.5	CX38-49C	EL180UH090E60C	10084701
XP21-060-230	56000	15.5	12.2	52500	33200	8.5	CX38-49C	EL180UH110E60C	10084683
XP21-060-230	56000	15.5	12.2	52500	33200	8.5	CX38-49C	EL195UH110XE60C	10084337
XP21-060-230	56000	15.5	12	52500	33200	8.5	CX38-49C	EL196UH110XE60C	201933180
XP21-060-230	55500	15.5	12	52000	33200	8.2	CX38-49C	EL296UH090XV60C	10084791
XP21-060-230	56000	15.7	12	53000	33600	8.2	CX38-49C	EL296UH110XV60C	10084807
XP21-060-230	56000	15.7	12.2	52500	33200	8.5	CX38-49C	ML180UH090E60C	10589921
XP21-060-230	56000	15.5	12.2	52500	33200	8.5	CX38-49C	ML180UH110E60C	10590156
XP21-060-230	56500	15.7	12.2	52500	33400	8.5	CX38-49C	SL280UH090V60C	10084315
XP21-060-230	56500	15.7	12.2	52500	33400	8.5	CX38-49C	SL280UH090XV60C	10084333
XP21-060-230	56000	15.5	12	53000	33600	8.5	CX38-49C	SL280UH110V60C	10084343
XP21-060-230	56000	15.5	12	53000	33600	8.5	CX38-49C	SL280UH110XV60C	10084335

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-060-230	55500	15.5	12	52000	33200	8.2	CX38-49C	SLP98UH090XV60C	10084332
XP21-060-230	56000	15.7	12	53000	33600	8.2	CX38-49C	SLP98UH110XV60C	10084330
XP21-060-230	56000	14.7	12	53000	33600	8.2	CX38-49C		10084093
XP21-060-230	56500	16	12	53000	33600	8.5	CX38-60D	EL296UH135XV60D	10086710
XP21-060-230	56500	16	12	53000	33400	8.5	CX38-60D	SL280UH135V60D	10086711
XP21-060-230	56500	16	12	53000	33600	8.5	CX38-60D	SLP98UH135XV60D	10086712
XP21-060-230	56000	14.5	11.7	53000	33600	8.5	CX38-60D		10086663
XP21-060-230	57000	16	12	53000	33600	8.5	CX38-62C	CBWMV-60C-100	10086756
XP21-060-230	57000	16	12	53000	33600	8.5	CX38-62C	CBWMV-60C-120	10086763
XP21-060-230	57000	16	12.5	52500	33200	8.5	CX38-62C	EL180UH090E60C	10086759
XP21-060-230	57000	16	12.5	52500	33200	8.5	CX38-62C	EL180UH110E60C	10086758
XP21-060-230	57000	15.7	12.2	52500	33200	8.5	CX38-62C	EL195UH110XE60C	10086764
XP21-060-230	57000	15.5	12.2	52500	33200	8.5	CX38-62C	EL196UH110XE60C	201933182
XP21-060-230	56500	16	12	52500	33200	8.2	CX38-62C	EL296UH090XV60C	10086760
XP21-060-230	57000	16	12	53000	33600	8.5	CX38-62C	EL296UH110XV60C	10086761
XP21-060-230	57000	16	12	53000	33600	8.5	CX38-62C	EL296UH135XV60D	10086765
XP21-060-230	57000	16	12.5	52500	33200	8.5	CX38-62C	ML180UH090E60C	10589956
XP21-060-230	57000	16	12.5	52500	33200	8.5	CX38-62C	ML180UH110E60C	10590208
XP21-060-230	57500	16	12	53000	33400	8.5	CX38-62C	SL280UH090V60C	10086752
XP21-060-230	57500	16	12	53000	33400	8.5	CX38-62C	SL280UH090XV60C	10086762
XP21-060-230	57000	16	12	53000	33600	8.5	CX38-62C	SL280UH110V60C	10086755
XP21-060-230	57000	16	12	53000	33600	8.5	CX38-62C	SL280UH110XV60C	10086757
XP21-060-230	57000	16	12	53000	33400	8.5	CX38-62C	SL280UH135V60D	10086766
XP21-060-230	56500	16	12	52500	33200	8.2	CX38-62C	SLP98UH090XV60C	10086754
XP21-060-230	57000	16	12	53000	33600	8.5	CX38-62C	SLP98UH110XV60C	10086753
XP21-060-230	57000	16	12	53000	33600	8.5	CX38-62C	SLP98UH135XV60D	10086767
XP21-060-230	57000	15	12	53000	33600	8.5	CX38-62C		10086668
XP21-060-230	57000	16	12	53000	33600	8.5	CX38-62D	EL296UH135XV60D	10084596
XP21-060-230	57000	16	12	53000	33400	8.5	CX38-62D	SL280UH135V60D	10084593
XP21-060-230	57000	16	12	53000	33600	8.5	CX38-62D	SLP98UH135XV60D	10084600
XP25-024-230	22400	20.5	15	21400	13800	9.2	C35-36B	EL296UH045XV36B	10092279
XP25-024-230	22400	21	15	21400	13800	9.2	C35-36B	EL296UH070XV36B	10092280
XP25-024-230	22600	21	15.5	21400	13700	9.2	C35-36B	SL280UH090V36B	10092278
XP25-024-230	22400	21	15	21400	13800	9.2	C35-36B	SLP98DF070XV36B	10092281
XP25-024-230	22600	22	15	20800	13400	9.7	C37-31A	SL280UH070V36A	10259672
XP25-024-230	22400	22.5	15	20800	13300	9.6	C37-31B	EL296UH045XV36B	10259651
XP25-024-230	22400	22.5	15	20800	13300	9.7	C37-31B	EL296UH070XV36B	10259652
XP25-024-230	22600	22.5	15	20800	13200	9.7	C37-31B	SL280UH090V36B	10259653
XP25-024-230	22400	22.5	15	20800	13300	9.7	C37-31B	SLP98UH070XV36B	10259654
XP25-024-230	23000	22	15.5	21400	13800	9.2	C37-38A	SL280UH070V36A	10259655
XP25-024-230	23000	22.5	15.5	21400	13800	9.2	C37-38B	EL296UH045XV36B	10259656
XP25-024-230	23000	23	15.5	21400	13800	9.2	C37-38B	EL296UH070XV36B	10259657
XP25-024-230	23000	23	15.5	21200	13700	9.2	C37-38B	SL280UH090V48B	10259658
XP25-024-230	23000	23	15.5	21400	13800	9.2	C37-38B	SLP98UH070XV36B	10259659
XP25-024-230	22800	23	15.5	21600	13900	9.6	C37-48B	EL296UH045XV36B	10259660
XP25-024-230	22800	23.5	15.5	21600	13900	9.6	C37-48B	EL296UH070XV36B	10259661
XP25-024-230	22800	23.5	16	21400	13900	9.7	C37-48B	SL280UH090V36B	10259662
XP25-024-230	22800	23.5	15.5	21600	13900	9.6	C37-48B	SLP98UH070XV36B	10259663
XP25-024-230	22800	22	15.5	22000	13600	10	CBA38MV-036-230		201953308
XP25-024-230	22400	23.5	15.5	22200	14600	10.2	CH33-31B	EL296UH045XV36B	5947275
XP25-024-230	22400	23.5	16	22200	14600	10.2	CH33-31B	EL296UH070XV36B	5947276
XP25-024-230	22400	23	16	22200	14600	10.2	CH33-31B	SL280UH070V36A	5947277
XP25-024-230	22400	23.5	16	22200	14500	10.2	CH33-31B	SL280UH090V36B	5947278
XP25-024-230	22400	23.5	16	22200	14600	10.2	CH33-31B	SLP98UH070XV36B	5947279
XP25-024-230	22200	22.5	15.5	22200	14600	10	CH33-42B	EL296UH045XV36B	5947280

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP25-024-230	22200	22.5	15.5	22200	14600	10.2	CH33-42B	EL296UH070XV36B	5947281
XP25-024-230	22200	22	15.5	22200	14600	10.2	CH33-42B	SL280UH070V36A	5947282
XP25-024-230	22200	23	15.5	22000	14600	10.2	CH33-42B	SL280UH090V36B	5947283
XP25-024-230	22200	22.5	15.5	22200	14600	10.2	CH33-42B	SLP98UH070XV36B	5947284
XP25-024-230	22200	21	15	21200	14600	9	CH35-42B	EL296UH045XV36B	10092239
XP25-024-230	22200	21	15	21200	14600	9	CH35-42B	EL296UH070XV36B	10092240
XP25-024-230	22200	21	15	21200	14600	9	CH35-42B	SL280UH090V36B	10092238
XP25-024-230	22200	21	15	21200	14600	9	CH35-42B	SLP98UH070XV36B	10092241
XP25-024-230	22800	21	15.5	21800	14200	9.2	CH35-42C	EL296UH090XV36C	10092242
XP25-024-230	22800	21	15.5	21800	14200	9.2	CH35-42C	SLP98UH090XV36C	10092243
XP25-024-230	22200	21	15	21200	14600	9	CHX35-42B	EL296UH045XV36B	202192157
XP25-024-230	22200	21	15	21200	14600	9	CHX35-42B	EL296UH070XV36B	202192158
XP25-024-230	22200	21	15	21200	14600	9	CHX35-42B	SL280UH090V36B	202192156
XP25-024-230	22200	21	15	21200	14600	9	CHX35-42B	SLP98UH070XV36B	202192159
XP25-024-230	22800	21	15.5	21800	14200	9.2	CHX35-42C	EL296UH090XV36C	202192160
XP25-024-230	22800	21	15.5	21800	14200	9.2	CHX35-42C	SLP98UH090XV36C	202192161
XP25-024-230	23000	22.5	15.5	23600	15000	8.5	CR33-48B	EL296DF045XV36B	7505748
XP25-024-230	23000	22.5	16	23600	15000	8.5	CR33-48B	SL280DF070V36A	5947272
XP25-024-230	23000	23	16	23600	15000	8.5	CR33-48B	SLP98DF070XV36B	5947273
XP25-024-230	23000	23.5	16	23600	14900	8.7	CR33-48B	SLP98DF090XV36C	5947274
XP25-024-230	22400	20.5	15	21400	13800	9.2	CX35-36B	EL296UH045XV36B	10092245
XP25-024-230	22400	21	15	21400	13800	9.2	CX35-36B	EL296UH070XV36B	10092246
XP25-024-230	22600	21	15.5	21400	13700	9.2	CX35-36B	SL280UH090V36B	10092244
XP25-024-230	22400	21	15	21400	13800	9.2	CX35-36B	SLP98UH070XV36B	10444469
XP25-024-230	22600	22	15	20800	13400	9.7	CX38-31A	SL280UH070V36A	10259673
XP25-024-230	22400	22.5	15	20800	13300	9.6	CX38-31B	EL296UH045XV36B	10259664
XP25-024-230	22400	22.5	15	20800	13300	9.7	CX38-31B	EL296UH070XV36B	10259665
XP25-024-230	22600	22.5	15	20800	13200	9.7	CX38-31B	SL280UH090V36B	10259666
XP25-024-230	22400	22.5	15	20800	13300	9.7	CX38-31B	SLP98UH070XV36B	10259667
XP25-024-230	23000	22.5	15.5	21400	13800	9.2	CX38-38B	EL296UH045XV36B	10259668
XP25-024-230	23000	23	15.5	21400	13800	9.2	CX38-38B	EL296UH070XV36B	10259669
XP25-024-230	23000	23	15.5	21200	13700	9.2	CX38-38B	SL280UH090V36B	10259670
XP25-024-230	23000	23	15.5	21400	13800	9.2	CX38-38B	SLP98UH070XV36B	10259671
XP25-036-230	34600	20	13	33600	20400	8.5	C35-50/60C	EL296UH090XV36C	10092282
XP25-036-230	34600	20	13	33600	20400	8.5	C35-50/60C	SLP98UH090XV36C	10092283
XP25-036-230	35000	21	13	31600	20000	8.7	C37-38A	SL280UH070V36A	10084825
XP25-036-230	35000	21	13	31600	20000	8.7	C37-38B	EL296UH045XV36B	10084810
XP25-036-230	35000	21.5	13	31600	20000	8.7	C37-38B	EL296UH070XV36B	10084831
XP25-036-230	35200	21.5	13.5	31400	19800	8.7	C37-38B	SL280UH090V36B	10084828
XP25-036-230	35000	21.5	13	31600	20000	8.7	C37-38B	SLP98UH070XV36B	10084816
XP25-036-230	35200	20	13	31200	20800	9.2	C37-43B	EL296UH045XV36B	10084819
XP25-036-230	35400	20	13	31200	20800	9.2	C37-43B	EL296UH070XV36B	10084813
XP25-036-230	35600	20.5	13.5	31000	20400	9.2	C37-43B	SL280UH090V36B	10084822
XP25-036-230	35400	20	13	31200	20800	9.2	C37-43B	SLP98UH070XV36B	10084826
XP25-036-230	35400	20.5	13.5	31000	20600	9.2	C37-43C	EL296UH090XV36C	10084811
XP25-036-230	35400	20.5	13.5	31000	20600	9.2	C37-43C	SLP98UH090XV36C	10084832
XP25-036-230	34600	21	13	31800	20600	8.5	C37-48B	EL296UH045XV36B	10084829
XP25-036-230	34600	21	13	31600	20400	8.5	C37-48B	EL296UH070XV36B	10084817
XP25-036-230	34800	21.5	13.5	31400	20200	8.7	C37-48B	SL280UH090V36B	10084820
XP25-036-230	34600	21	13	31600	20400	8.5	C37-48B	SLP98UH070XV36B	10084814
XP25-036-230	34800	21	13	31600	20200	8.5	C37-48C	EL296UH090XV36C	10084823
XP25-036-230	34800	21	13	31600	20200	8.5	C37-48C	SLP98UH090XV36C	10084827
XP25-036-230	35200	20	13	31000	20400	9.2	C37-50/60C	EL296UH090XV36C	10084812
XP25-036-230	35200	20	13	31000	20400	9.2	C37-50/60C	SLP98UH090XV36C	10084833
XP25-036-230	34800	21.5	13.5	33800	21400	10	CBA38MV-042-230		201930688

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP25-036-230	35200	21	13.5	31000	20600	9.2	CH33-43C	EL296UH090XV36C	5947720
XP25-036-230	35200	20	13	31000	20600	9.2	CH33-43C	SLP98UH070XV36B	6810978
XP25-036-230	35200	21	13.5	31000	20600	9.2	CH33-43C	SLP98UH090XV36C	5947721
XP25-036-230	34600	20	12.5	31200	20800	9.2	CH33-44/48B	EL296UH045XV36B	5947722
XP25-036-230	34600	20	12.5	31200	20800	9.2	CH33-44/48B	EL296UH070XV36B	5947723
XP25-036-230	34800	20.5	13	31000	20600	9.2	CH33-44/48B	SL280UH090V36B	5947724
XP25-036-230	34800	20	13	31200	20600	9.2	CH33-44/48B	SLP98UH070XV36B	5947725
XP25-036-230	35200	20	12.5	33600	19800	9.5	CH35-42B	EL296UH045XV36B	10092249
XP25-036-230	35200	20	12.5	33600	19800	9.5	CH35-42B	EL296UH070XV36B	10092250
XP25-036-230	35400	20	13	33400	19400	9.5	CH35-42B	SL280UH090V36B	10092248
XP25-036-230	35200	20	12.5	33600	19600	9.5	CH35-42B	SLP98UH070XV36B	10092251
XP25-036-230	35200	20	12.5	33600	19800	9.5	CHX35-42B	EL296UH045XV36B	202192163
XP25-036-230	35200	20	12.5	33600	19800	9.5	CHX35-42B	EL296UH070XV36B	202192164
XP25-036-230	35400	20	13	33400	19400	9.5	CHX35-42B	SL280UH090V36B	202192162
XP25-036-230	35200	20	12.5	33600	19600	9.5	CHX35-42B	SLP98UH070XV36B	202192165
XP25-036-230	35200	20.5	13.5	30200	19900	9.5	CR33-50/60	SL280DF090V48B	7176690
XP25-036-230	35000	20.5	13	30200	20000	9.5	CR33-50/60	SLP98DF070XV36B	7133800
XP25-036-230	35200	21	13.5	30200	20000	10	CR33-50/60	SLP98DF090XV36C	5947719
XP25-036-230	34600	20	13	33600	20400	8.5	CX35-50/60C	EL296UH090XV36C	10092252
XP25-036-230	34600	20	13	33600	20400	8.5	CX35-50/60C	SLP98UH090XV36C	10092253
XP25-036-230	35000	21	13	31600	20000	8.7	CX38-38A	SL280UH070V36A	10084830
XP25-036-230	35000	21	13	31600	20000	8.7	CX38-38B	EL296UH045XV36B	10084818
XP25-036-230	35000	21.5	13	31600	20000	8.7	CX38-38B	EL296UH070XV36B	10084821
XP25-036-230	35200	21.5	13.5	31400	19800	8.7	CX38-38B	SL280UH090V36B	10084815
XP25-036-230	35000	21.5	13	31600	20000	8.7	CX38-38B	SLP98UH070XV36B	10084824
XP25-036-230	35600	20.5	13.5	31000	20400	9.2	CX38-43B	SL280UH090V36B	10084834
XP25-036-230	35400	20	13	31200	20800	9.2	CX38-43B	SLP98UH070XV36B	10086052
XP25-036-230	34800	21	13	31600	20200	8.5	CX38-43C	SLP98UH090XV36C	10085642
XP25-036-230	34800	21.5	13.5	31400	20200	8.7	CX38-44/48B	SL280UH090V36B	10085644
XP25-036-230	34800	21	13	31600	20200	8.5	CX38-44/48C	SLP98UH090XV36C	10085012
XP25-048-230	46000	19	12	46000	28000	8.2	C35-60C	EL296UH090XV48C	10092288
XP25-048-230	46000	19	12	46000	28000	8.2	C35-60C	EL296UH090XV60C	10092289
XP25-048-230	46000	19	12	46000	28000	8.2	C35-60C	EL296UH110XV48C	10092290
XP25-048-230	46000	19	12	46000	28000	8.2	C35-60C	EL296UH110XV60C	10092291
XP25-048-230	46500	19.5	12.5	46000	27600	8.2	C35-60C	SL280UH080NV60C-	10581354
XP25-048-230	46500	19	12.5	46000	27800	8.2	C35-60C	SL280UH090V60C	10092284
XP25-048-230	46500	19	12.5	46000	27800	8.2	C35-60C	SL280UH090XV60C	10092285
XP25-048-230	46000	19	12	46000	28000	8.2	C35-60C	SL280UH110V60C	10092286
XP25-048-230	46000	19	12	46000	28000	8.2	C35-60C	SL280UH110XV60C	10092287
XP25-048-230	46000	19	12	46000	28000	8.2	C35-60C	SLP98UH090XV48C	10092292
XP25-048-230	46000	19	12	46000	28000	8.2	C35-60C	SLP98UH090XV60C	10092293
XP25-048-230	46000	19	12	46000	28000	8.2	C35-60C	SLP98UH110XV60C	10092294
XP25-048-230	47500	20	12.5	45000	29600	9.2	C37-49C	EL296UH090XV48C	10084849
XP25-048-230	47500	20	12.5	45000	29600	9.2	C37-49C	EL296UH090XV60C	10084835
XP25-048-230	47500	20	12.5	45000	29600	9.2	C37-49C	EL296UH110XV48C	10084858
XP25-048-230	47500	20	12.5	45000	29600	9.2	C37-49C	EL296UH110XV60C	10084863
XP25-048-230	47500	20	13	45000	29400	9.2	C37-49C	SL280UH090V60C	10084853
XP25-048-230	47500	19.5	12.5	45000	29600	9.2	C37-49C	SL280UH110V60C	10084841
XP25-048-230	47500	20	12.5	45000	29600	9.2	C37-49C	SLP98UH090XV48C	10084845
XP25-048-230	47500	20	12.5	45000	29600	9.2	C37-49C	SLP98UH090XV60C	10084838
XP25-048-230	47500	20	12.5	45000	29600	9.2	C37-49C	SLP98UH110XV60C	10084850
XP25-048-230	49000	20	13	46000	30000	9.5	C37-62C	EL296UH090XV48C	10084836
XP25-048-230	49000	20	13	46000	30000	9.5	C37-62C	EL296UH090XV60C	10084859
XP25-048-230	49000	20	13	46000	30000	9.5	C37-62C	EL296UH110XV48C	10084864
XP25-048-230	49000	20	13	46000	30000	9.5	C37-62C	EL296UH110XV60C	10084854

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP25-048-230	49000	20	13	46000	29800	9.6	C37-62C	SL280UH090V60C	10084842
XP25-048-230	49000	19.5	13	46000	30000	9.5	C37-62C	SL280UH110V60C	10084846
XP25-048-230	49000	20	13	46000	30000	9.5	C37-62C	SLP98UH090XV48C	10084860
XP25-048-230	49000	20	13	46000	30000	9.5	C37-62C	SLP98UH090XV60C	10084865
XP25-048-230	49000	20	13	46000	30000	9.5	C37-62C	SLP98UH110XV60C	10084855
XP25-048-230	47500	19.5	13	45000	28600	9.7	C37-62D	EL296UH135XV60D	10084843
XP25-048-230	47500	19.5	13	45000	28400	9.7	C37-62D	SL280UH135V60D	10084847
XP25-048-230	47500	19.5	13	45000	28600	9.7	C37-62D	SLP98UH135XV60D	10084839
XP25-048-230	46500	19.5	12.5	46500	31600	9.6	CBA38MV-048-230		201924837
XP25-048-230	46500	20	13	47000	30000	10.2	CBA38MV-060-230		202073556
XP25-048-230	48000	20.5	12.5	46500	30400	9.5	CH33-49	EL296UH090XV48C	5947782
XP25-048-230	48000	20	12.5	46500	30400	9.2	CH33-49	EL296UH090XV60C	5947783
XP25-048-230	48000	20	12.5	46500	30400	9.2	CH33-49	EL296UH110XV48C	5947784
XP25-048-230	48000	20	12.5	46500	30400	9.2	CH33-49	EL296UH110XV60C	5947785
XP25-048-230	48000	20	13	46000	30200	9.5	CH33-49	SL280UH090V60C	5947786
XP25-048-230	48000	20	12.5	46500	30400	9.2	CH33-49	SL280UH110V60C	5947787
XP25-048-230	48000	20.5	12.5	46500	30400	9.5	CH33-49	SLP98UH090XV48C	5947788
XP25-048-230	48000	20	12.5	46500	30400	9.2	CH33-49	SLP98UH090XV60C	5947789
XP25-048-230	48000	20	12.5	46500	30400	9.2	CH33-49	SLP98UH110XV60C	5947790
XP25-048-230	47500	20	12.5	46500	30400	9.2	CH33-50/60C	EL296UH090XV48C	5947791
XP25-048-230	47500	19.5	12.5	46500	30400	9.2	CH33-50/60C	EL296UH090XV60C	5947792
XP25-048-230	47500	20	12.5	46500	30400	9.2	CH33-50/60C	EL296UH110XV48C	5947793
XP25-048-230	47500	19.5	12.5	46500	30400	9.2	CH33-50/60C	EL296UH110XV60C	5947794
XP25-048-230	47500	19.5	12.5	46000	30200	9.2	CH33-50/60C	SL280UH090V60C	5947795
XP25-048-230	47500	19.5	12.5	46500	30400	9.2	CH33-50/60C	SL280UH110V60C	5947796
XP25-048-230	47500	20	12.5	46500	30400	9.2	CH33-50/60C	SLP98UH090XV48C	5947797
XP25-048-230	47500	19.5	12.5	46500	30400	9.2	CH33-50/60C	SLP98UH090XV60C	5947798
XP25-048-230	47500	19.5	12.5	46500	30400	9.2	CH33-50/60C	SLP98UH110XV60C	5947799
XP25-048-230	47500	19.5	13	46000	30200	9.5	CH33-62D	SL280UH135V60D	5947801
XP25-048-230	47500	19.5	12.5	46000	30200	9.5	CH33-62D	SLP98UH135XV60D	5947802
XP25-048-230	47000	18.5	12.5	46000	30200	9	CH35-60D	EL296UH135XV60D	10092255
XP25-048-230	47000	19	12.5	46000	30200	9	CH35-60D	SL280UH135V60D	10092254
XP25-048-230	47000	18.5	12.5	46000	30200	9	CH35-60D	SLP98UH135XV60D	10092256
XP25-048-230	47000	18.5	12.5	46000	30200	9	CHX35-60D	EL296UH135XV60D	202192167
XP25-048-230	47000	19	12.5	46000	30200	9	CHX35-60D	SL280UH135V60D	202192166
XP25-048-230	47000	18.5	12.5	46000	30200	9	CHX35-60D	SLP98UH135XV60D	202192168
XP25-048-230	46500	19.5	12.5	46000	30400	9	CR33-50/60	EL296DF090XV60C	5947775
XP25-048-230	46500	19.5	12.5	46000	30400	9	CR33-50/60	EL296DF110XV60C	5947776
XP25-048-230	46500	19.5	12.5	45500	30000	9	CR33-50/60	SL280DF090V60C	5947777
XP25-048-230	47000	20	12.5	45500	30000	9	CR33-50/60	SL280DF110V60C	5947778
XP25-048-230	46500	20	12	46000	30400	9	CR33-50/60	SLP98DF090XV48C	5947779
XP25-048-230	46500	19.5	12.5	46000	30400	9	CR33-50/60	SLP98DF090XV60C	5947780
XP25-048-230	46500	19.5	12.5	46000	30400	9	CR33-50/60	SLP98DF110XV60C	5947781
XP25-048-230	46500	19.5	12.5	46000	30400	9	CR33-60	EL296DF090XV60C	5947849
XP25-048-230	46500	19.5	12.5	46000	30400	9	CR33-60	EL296DF110XV60C	5947850
XP25-048-230	46500	19.5	12.5	45500	30000	9	CR33-60	SL280DF090V60C	5947851
XP25-048-230	47000	20	12.5	45500	30000	9	CR33-60	SL280DF110V60C	5947852
XP25-048-230	46500	20	12	46000	30400	9	CR33-60	SLP98DF090XV48C	5947853
XP25-048-230	46500	19.5	12.5	46000	30400	9	CR33-60	SLP98DF110XV60C	5947854
XP25-048-230	46000	19	12	46000	28000	8.2	CX35-60C	EL296UH090XV48C	10092261
XP25-048-230	46000	19	12	46000	28000	8.2	CX35-60C	EL296UH090XV60C	10092262
XP25-048-230	46000	19	12	46000	28000	8.2	CX35-60C	EL296UH110XV48C	10092263
XP25-048-230	46000	19	12	46000	28000	8.2	CX35-60C	EL296UH110XV60C	10092264
XP25-048-230	46500	19.5	12.5	46000	27600	8.2	CX35-60C	SL280UH080NV60C-	10581355
XP25-048-230	46500	19	12.5	46000	27800	8.2	CX35-60C	SL280UH090V60C	10092257

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP25-048-230	46500	19	12.5	46000	27800	8.2	CX35-60C	SL280UH090XV60C	10092258
XP25-048-230	46500	19	12.5	46500	27600	8.2	CX35-60C	SL280UH100NV60C-	10581358
XP25-048-230	46000	19	12	46000	28000	8.2	CX35-60C	SL280UH110V60C	10092259
XP25-048-230	46000	19	12	46000	28000	8.2	CX35-60C	SL280UH110XV60C	10092260
XP25-048-230	46000	19	12	46000	28000	8.2	CX35-60C	SLP98UH090XV48C	10092265
XP25-048-230	46000	19	12	46000	28000	8.2	CX35-60C	SLP98UH090XV60C	10092266
XP25-048-230	46000	19	12	46000	28000	8.2	CX35-60C	SLP98UH110XV60C	10092267
XP25-048-230	47500	20	12.5	45000	29600	9.2	CX38-49C	EL296UH090XV48C	10084851
XP25-048-230	47500	20	12.5	45000	29600	9.2	CX38-49C	EL296UH090XV60C	10084837
XP25-048-230	47500	20	12.5	45000	29600	9.2	CX38-49C	EL296UH110XV48C	10084861
XP25-048-230	47500	20	12.5	45000	29600	9.2	CX38-49C	EL296UH110XV60C	10084866
XP25-048-230	47500	20	13	45000	29400	9.2	CX38-49C	SL280UH090XV60C	10084856
XP25-048-230	47500	19.5	12.5	45000	29600	9.2	CX38-49C	SL280UH110V60C	10084844
XP25-048-230	47500	20	12.5	45000	29600	9.2	CX38-49C	SLP98UH090XV48C	10084848
XP25-048-230	47500	20	12.5	45000	29600	9.2	CX38-49C	SLP98UH090XV60C	10084840
XP25-048-230	47500	20	12.5	45000	29600	9.2	CX38-49C	SLP98UH110XV60C	10084852
XP25-048-230	49000	20	13	46000	30000	9.5	CX38-62C	EL296UH090XV48C	10086774
XP25-048-230	49000	20	13	46000	30000	9.5	CX38-62C	EL296UH090XV60C	10086775
XP25-048-230	49000	20	13	46000	30000	9.5	CX38-62C	EL296UH110XV48C	10086779
XP25-048-230	49000	20	13	46000	30000	9.5	CX38-62C	EL296UH110XV60C	10086778
XP25-048-230	49000	20	13	46000	29800	9.6	CX38-62C	SL280UH090V60C	10086776
XP25-048-230	49000	19.5	13	46000	30000	9.5	CX38-62C	SL280UH110V60C	10086777
XP25-048-230	49000	20	13	46000	30000	9.5	CX38-62C	SLP98UH090XV48C	10086781
XP25-048-230	49000	20	13	46000	30000	9.5	CX38-62C	SLP98UH090XV60C	10086782
XP25-048-230	49000	20	13	46000	30000	9.5	CX38-62C	SLP98UH110XV60C	10086780
XP25-048-230	47500	19.5	13	45000	28600	9.7	CX38-62D	EL296UH135XV60D	10084862
XP25-048-230	47500	19.5	13	45000	28400	9.7	CX38-62D	SL280UH135V60D	10084867
XP25-048-230	47500	19.5	13	45000	28600	9.7	CX38-62D	SLP98UH135XV60D	10084857
XP25-060-230	59500	19	12	54000	32000	9	C35-60C	EL296UH110XV60C	10092299
XP25-060-230	60000	19	12.5	53500	32000	9.6	C35-60C	SL280UH080NV60C-	10581356
XP25-060-230	60000	19	12.5	54000	32000	9	C35-60C	SL280UH090V60C	10092295
XP25-060-230	60000	19	12.5	54000	32000	9	C35-60C	SL280UH090XV60C	10092296
XP25-060-230	60000	19	12	54000	32000	9	C35-60C	SL280UH110V60C	10092297
XP25-060-230	60000	19	12	54000	32000	9	C35-60C	SL280UH110XV60C	10092298
XP25-060-230	59500	19	12	54000	32000	9	C35-60C	SLP98UH090XV60C	10092300
XP25-060-230	59500	19	12	54000	32000	9	C35-60C	SLP98UH110XV60C	10092301
XP25-060-230	58500	18.5	12	51500	29400	8.5	C35-60D	EL296UH135XV60D	10092306
XP25-060-230	58500	18.5	12	51500	29400	8.5	C35-60D	SL280UH135V60D	10092305
XP25-060-230	58500	18.5	12	51500	29400	8.5	C35-60D	SLP98UH135XV60D	10092307
XP25-060-230	57500	18.5	12	52000	33200	9.7	C37-49C	EL296UH090XV60C	10084884
XP25-060-230	57500	18.5	12	52000	33200	9.7	C37-49C	EL296UH110XV60C	10084887
XP25-060-230	58000	19	12	51500	32800	9.7	C37-49C	SL280UH090V60C	10084873
XP25-060-230	58000	18.5	12	51500	33000	9.7	C37-49C	SL280UH110V60C	10084876
XP25-060-230	57500	18.5	12	52000	33200	9.7	C37-49C	SLP98UH090XV60C	10084880
XP25-060-230	58000	18.5	12	52000	33200	9.7	C37-49C	SLP98UH110XV60C	10084870
XP25-060-230	60000	19	12	54000	33400	9.7	C37-62C	EL296UH090XV60C	10084868
XP25-060-230	60000	19	12	54000	33400	10	C37-62C	EL296UH110XV60C	10084890
XP25-060-230	60500	19.5	12.5	54000	33200	10	C37-62C	SL280UH090V60C	10084885
XP25-060-230	60000	19	12.5	54000	33200	10	C37-62C	SL280UH110V60C	10084888
XP25-060-230	60000	19	12	54000	33400	9.7	C37-62C	SLP98UH090XV60C	10084874
XP25-060-230	60000	19	12	54000	33400	10	C37-62C	SLP98UH110XV60C	10084877
XP25-060-230	58500	19	12.5	53000	33400	9.7	C37-62D	EL296UH135XV60D	10084881
XP25-060-230	58500	19	12.5	53000	33400	9.7	C37-62D	SL280UH135V60D	10084871
XP25-060-230	58500	19	12.5	53000	33400	9.7	C37-62D	SLP98UH135XV60D	10084869
XP25-060-230	58000	19.5	12.5	54500	36000	10	CBA38MV-060-230		201930689

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPROs.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP25-060-230	58000	19	12	54000	33800	9.2	CH33-49	EL296UH090XV60C	5947834
XP25-060-230	58000	19	12	54000	33600	9.2	CH33-49	EL296UH110XV60C	5947835
XP25-060-230	58000	19	12	54000	33400	9.2	CH33-49	SL280UH090V60C	5947836
XP25-060-230	58000	19	12	54000	33400	9.2	CH33-49	SL280UH090XV60C	8177629
XP25-060-230	58000	19	12	54000	33600	9.2	CH33-49	SL280UH110V60C	5947837
XP25-060-230	58000	19	12	54000	33600	9.2	CH33-49	SL280UH110XV60C	8177630
XP25-060-230	58000	19	12	54000	33800	9.2	CH33-49	SLP98UH090XV60C	5947838
XP25-060-230	58000	19	12	54000	33600	9.2	CH33-49	SLP98UH110XV60C	5947839
XP25-060-230	57500	18.5	11.5	54000	33800	9.2	CH33-50/60C	EL296UH090XV60C	5947840
XP25-060-230	57500	18.5	11.5	54000	33600	9.2	CH33-50/60C	EL296UH110XV60C	5947841
XP25-060-230	58000	19	12	54000	33400	9.2	CH33-50/60C	SL280UH090V60C	5947842
XP25-060-230	58000	19	12	54000	33400	9.2	CH33-50/60C	SL280UH090XV60C	8177631
XP25-060-230	57500	18.5	12	54000	33600	9.2	CH33-50/60C	SL280UH110V60C	5947843
XP25-060-230	57500	18.5	12	54000	33600	9.2	CH33-50/60C	SL280UH110XV60C	8177632
XP25-060-230	57500	18.5	11.5	54000	33800	9.2	CH33-50/60C	SLP98UH090XV60C	5947844
XP25-060-230	57500	18.5	11.5	54000	33600	9.2	CH33-50/60C	SLP98UH110XV60C	5947845
XP25-060-230	59000	19	12	55500	35600	8.7	CH33-62D	EL296UH135XV60D	5947846
XP25-060-230	59000	19	12	55000	35400	8.7	CH33-62D	SL280UH135V60D	5947847
XP25-060-230	59000	19	12	55500	35600	8.7	CH33-62D	SLP98UH135XV60D	5947848
XP25-060-230	59000	19	12	54000	35000	8.7	CH35-60D	EL296UH135XV60D	10092269
XP25-060-230	59000	19	12	54000	35000	8.7	CH35-60D	SL280UH135V60D	10092268
XP25-060-230	59000	19	12	54000	35000	8.7	CH35-60D	SLP98UH135XV60D	10092270
XP25-060-230	59000	19	12	54000	35000	8.7	CHX35-60D	EL296UH135XV60D	202192170
XP25-060-230	59000	19	12	54000	35000	8.7	CHX35-60D	SL280UH135V60D	202192169
XP25-060-230	59000	19	12	54000	35000	8.7	CHX35-60D	SLP98UH135XV60D	202192171
XP25-060-230	57500	18.5	11.5	53500	35600	9.7	CR33-60	EL296DF090XV60C	5947856
XP25-060-230	58000	18.5	12	53500	35600	9.7	CR33-60	EL296DF110XV60C	5947857
XP25-060-230	58000	19	12	53000	35200	10	CR33-60	SL280DF090V60C	5947858
XP25-060-230	58000	19	12	53000	35200	10	CR33-60	SL280DF110V60C	5947859
XP25-060-230	57500	18.5	11.5	53500	35600	9.7	CR33-60	SLP98DF090XV60C	7979864
XP25-060-230	58000	18.5	12	53500	35600	9.7	CR33-60	SLP98DF110XV60C	5947861
XP25-060-230	59500	19	12	54000	32000	9	CX35-60C	EL296UH110XV60C	10092275
XP25-060-230	60000	19	12.5	53500	32000	9.6	CX35-60C	SL280UH080NV60C-	10581357
XP25-060-230	60000	19	12.5	54000	32000	9	CX35-60C	SL280UH090V60C	10092271
XP25-060-230	60000	19	12.5	54000	32000	9	CX35-60C	SL280UH090XV60C	10092272
XP25-060-230	60000	19	12	54000	32000	9	CX35-60C	SL280UH110V60C	10092273
XP25-060-230	60000	19	12	54000	32000	9	CX35-60C	SL280UH110XV60C	10092274
XP25-060-230	59500	19	12	54000	32000	9	CX35-60C	SLP98UH090XV60C	10092276
XP25-060-230	59500	19	12	54000	32000	9	CX35-60C	SLP98UH110XV60C	10092277
XP25-060-230	58500	18.5	12	51500	29400	8.5	CX35-60D	EL296UH135XV60D	10092303
XP25-060-230	58500	18.5	12	51500	29400	8.5	CX35-60D	SL280UH135V60D	10092302
XP25-060-230	58500	18.5	12	51500	29400	8.5	CX35-60D	SLP98UH135XV60D	10092304
XP25-060-230	57500	18.5	12	52000	33200	9.7	CX38-49C	EL296UH090XV60C	10084891
XP25-060-230	57500	18.5	12	52000	33200	9.7	CX38-49C	EL296UH110XV60C	10084886
XP25-060-230	58000	19	12	51500	32800	9.7	CX38-49C	SL280UH090V60C	10084889
XP25-060-230	58000	18.5	12	51500	33000	9.7	CX38-49C	SL280UH110V60C	10084875
XP25-060-230	57500	18.5	12	52000	33200	9.7	CX38-49C	SLP98UH090XV60C	10084878
XP25-060-230	58000	18.5	12	52000	33200	9.7	CX38-49C	SLP98UH110XV60C	10084882
XP25-060-230	60000	19	12	54000	33400	9.7	CX38-62C	EL296UH090XV60C	10086768
XP25-060-230	60000	19	12	54000	33400	10	CX38-62C	EL296UH110XV60C	10086769
XP25-060-230	60500	19.5	12.5	54000	33200	10	CX38-62C	SL280UH090V60C	10086772
XP25-060-230	60000	19	12.5	54000	33200	10	CX38-62C	SL280UH110V60C	10086773
XP25-060-230	60000	19	12	54000	33400	9.7	CX38-62C	SLP98UH090XV60C	10086770
XP25-060-230	60000	19	12	54000	33400	10	CX38-62C	SLP98UH110XV60C	10086771
XP25-060-230	58500	19	12.5	53000	33400	9.7	CX38-62D	EL296UH135XV60D	10084879

