



PRODUCT SPECIFICATIONS

AHRI SYSTEM MATCHES - LENNOX + LENNOX COILS

HEAT PUMPS

Bulletin No. 210828
June 2020B

Supersedes All Previous Versions

NOTES:

Ratings are AHRI certified to AHRI Standard 210/240 (with 25 ft. of connecting refrigerant lines);

- Cooling Ratings - 95°F outdoor air temperature and 80 °F db/67° F wb entering indoor coil air.
- High Temperature Heating Ratings - 47° F db/43° F wb outdoor air temperature and 70 °F db entering indoor coil air.
- Low Temperature Heating Ratings - 17 °F db/15° F wb outdoor air temperature and 70 °F db entering indoor coil air.

All ratings include the use of a blower time delay relay (TDR). All Lennox variable-speed Furnaces and Air Handlers have time delay capabilities. Other Furnaces and Air Handlers may require an optional time delay relay (58M81) for field installation. See furnace or air handler specifications to determine if relay is needed.

IMPORTANT - All C35 and C37 Coils have a factory installed RFC Orifice that must be replaced with a field installed check/expansion valve!

When used with gas furnaces, a dual-fuel control, a control system with dual-fuel capabilities (LZP-2 or LZP-4), or a thermostat with dual-fuel capabilities must be used (ordered extra).

To convert HSPF from Region IV to Region V - Divide by 1.15.

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-018-230	18000	16	13	17500	11100	8.5	CBA27UHE-018-230		201925566
14HPX-018-230	18000	16	13	17500	11100	8.5	CBA27UHE-024-230		201925567
14HPX-018-230	18000	15.5	12.5	17800	11000	8.5	CBA38MV-018/024-230		201925574
14HPX-018-230	18000	14	12	17800	11800	8.2	CBX25UH-018-230		201925552
14HPX-018-230	18000	15	12.5	17600	11600	8.5	CBX25UHV-018-230		201925553
14HPX-018-230	18000	15.5	12.5	18000	11600	8.5	CBX25UHV-024-230		201925559
14HPX-018-230	18000	16	13	17700	11300	8.5	CH33-25A	ML180UH045E36A	201925569
14HPX-018-230	18000	14	12	18000	11700	8.2	CH33-25A		201925550
14HPX-018-230	18000	14	11.5	18000	11700	8.2	CH33-25B		201925551
14HPX-018-230	18000	16	13	18000	11400	8.5	CR33-30/36A	ML180DF045E36A	201925568
14HPX-024-230	25200	16	13.5	21800	13600	8.5	CBA27UHE-024-230		201927801
14HPX-024-230	24600	16	13	21600	13600	9	CBA27UHE-030-230		201927802
14HPX-024-230	24000	14.5	12.2	22000	13800	8.2	CBA38MV-018/024-230		201927820
14HPX-024-230	24800	15.5	13	21800	13800	8.5	CBA38MV-030-230		201927821
14HPX-024-230	24000	15.5	12.5	21600	13600	9	CBA38MV-036-230		201927822
14HPX-024-230	23200	14	11.7	22200	14000	8.2	CBX25UH-024-230		201927702
14HPX-024-230	23200	14	11.7	22200	14100	8.2	CBX25UH-030-230		201927715
14HPX-024-230	23600	15.5	12.5	21400	13400	8.5	CBX25UHV-024-230		201927665
14HPX-024-230	23200	15	12.5	21800	13700	8.2	CBX25UHV-030-230		201927669
14HPX-024-230	24800	14.2	11.7	22800	14100	8.2	CBX32M-018/024		201927675
14HPX-024-230	25000	15.2	12.7	22400	14000	8.7	CBX32M-030		201927676
14HPX-024-230	24600	15.7	13.2	21600	13500	8.5	CH23-41	EL296UH045XV36B	201927714
14HPX-024-230	24600	16	13	21600	13500	8.5	CH23-41	EL296UH070XV36B	201927718
14HPX-024-230	24200	15.7	13.2	21400	13500	8.5	CH23-41	ML180UH045E36A	201927807
14HPX-024-230	24600	15.7	13.2	21600	13500	8.5	CH23-41	ML296UH045XV36B	202842856
14HPX-024-230	24600	16	13	21600	13500	8.5	CH23-41	ML296UH070XV36B	202842857
14HPX-024-230	24800	16	13	21600	13500	8.5	CH23-41	SL280UH090V36B	201927701
14HPX-024-230	24400	15.1	13	21600	13600	8.2	CH23-41	SL280UH090V48B	201927682
14HPX-024-230	24400	15.1	13	21600	13600	8.2	CH23-41	SL280UH090XV48B	201927668
14HPX-024-230	24600	16	13	21600	13500	8.5	CH23-41	SLP98UH070XV36B	201927691
14HPX-024-230	24600	16	13	21600	13500	8.5	CH23-41	SLP99UH070XV36B	205544541
14HPX-024-230	24400	15.7	13.2	21600	13500	8.5	CH33-25A	ML180UH045E36A	201927808
14HPX-024-230	24800	15.7	13	21800	13700	8.5	CH33-25A	SL280UH070V36A	201927698
14HPX-024-230	24800	15.7	13	21800	13700	8.5	CH33-25A	SL280UH070XV36A	201927671
14HPX-024-230	24000	15.5	13	21600	13500	8.5	CH33-25B	EL296UH045XE36B	201927700
14HPX-024-230	24600	15.7	13.2	21600	13600	8.7	CH33-25B	EL296UH045XV36B	201927713
14HPX-024-230	24400	15.5	13	21800	13600	8.5	CH33-25B	EL296UH070XE36B	201927699
14HPX-024-230	24600	16	13	21600	13600	8.5	CH33-25B	EL296UH070XV36B	201927712
14HPX-024-230	24600	16	13	21600	13600	8.5	CH33-25B	ML180UH070E36B	201927814

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-024-230	24600	15.7	13.2	21600	13600	8.7	CH33-25B	ML296UH045XV36B	202842855
14HPX-024-230	24600	16	13	21600	13600	8.5	CH33-25B	ML296UH070XV36B	202842854
14HPX-024-230	24600	15.1	13	21600	13500	8.5	CH33-25B	SL280UH090V36B	201927697
14HPX-024-230	24400	15.1	13	21600	13600	8.5	CH33-25B	SL280UH090V48B	201927683
14HPX-024-230	24400	15.1	13	21600	13600	8.5	CH33-25B	SL280UH090XV48B	201927667
14HPX-024-230	24600	16	13	21600	13600	8.5	CH33-25B	SLP98UH070XV36B	201927692
14HPX-024-230	24400	15.7	13.2	21600	13600	8.5	CH33-31A	ML180UH045E36A	201927806
14HPX-024-230	25200	16	13	22000	13700	8.5	CH33-31A	SL280UH070V36A	201927696
14HPX-024-230	25200	16	13	22000	13700	8.5	CH33-31A	SL280UH070XV36A	201927673
14HPX-024-230	24400	14.2	12	22400	14200	8.2	CH33-31A		201927663
14HPX-024-230	23800	15.2	12.7	21400	13500	8.2	CH33-36A	ML180UH045E36A	201927805
14HPX-024-230	24600	15.1	13	21800	13600	8.5	CH33-36A	SL280UH070V36A	201927695
14HPX-024-230	24600	15.1	13	21800	13600	8.5	CH33-36A	SL280UH070XV36A	201927672
14HPX-024-230	24600	16	13.5	21800	13500	8.5	CH33-36C	EL296UH090XV36C	201927666
14HPX-024-230	24600	16	13.5	21800	13500	8.5	CH33-36C	SLP98UH090XV36C	201927694
14HPX-024-230	24000	14	11.7	22400	14200	8.2	CH33-36C		201927661
14HPX-024-230	25200	16	13	22200	13600	8.5	CR33-30/36	EL296DF045XE36B	201927704
14HPX-024-230	25200	16	13.5	22200	13600	8.7	CR33-30/36	EL296DF045XV36B	201927670
14HPX-024-230	25400	16	13.5	22200	13600	9	CR33-30/36	EL296DF070XE48B	201927705
14HPX-024-230	25600	15.7	13.2	22400	13800	8.7	CR33-30/36	EL296DF070XV48B	201927679
14HPX-024-230	24800	15.7	13.2	22000	13600	8.7	CR33-30/36	ML180DF045E36A	201927803
14HPX-024-230	25400	16	13.5	22200	13600	9	CR33-30/36	ML180DF070E36B	201927804
14HPX-024-230	25200	16	13	22000	13600	8.5	CR33-30/36	ML196DF045XE36B	204497811
14HPX-024-230	25400	16	13	22200	13600	9	CR33-30/36	ML196DF070XE48B	204497812
14HPX-024-230	25200	16	13.5	22200	13600	8.7	CR33-30/36	ML296DF045XV36B	202842852
14HPX-024-230	25600	15.7	13.2	22400	13800	8.7	CR33-30/36	ML296DF070XV48B	202842853
14HPX-024-230	25200	15.7	13	22200	13700	8.5	CR33-30/36	SL280DF070V36A	201927664
14HPX-024-230	25600	15.1	13.5	22200	13700	9	CR33-30/36	SL280DF090V48B	201927693
14HPX-024-230	25400	16	13.5	22200	13600	9	CR33-30/36	SLP98DF070XV36B	201927689
14HPX-024-230	25400	16	13.5	22200	13600	9	CR33-30/36	SLP98DF090XV36C	201927690
14HPX-024-230	25400	16	13.5	22200	13600	9	CR33-30/36	SLP99DF070XV36B	205544536
14HPX-024-230	25400	16	13.5	22200	13600	9	CR33-30/36	SLP99DF090XV36C	205544538
14HPX-024-230	24800	14.2	12.2	22600	14200	8.2	CR33-30/36		201927662
14HPX-030-230	30000	15	13	26000	16600	8.5	CBA27UHE-030-230		201928156
14HPX-030-230	29400	15	12.5	24800	15800	8.5	CBA27UHE-036-230		202180846
14HPX-030-230	30000	14.5	12.5	25200	16000	8.5	CBA38MV-030-230		201926845
14HPX-030-230	29400	15	12.5	24800	15800	8.5	CBA38MV-036-230		201926846
14HPX-030-230	28200	14	12	26200	17100	8.2	CBX25UH-030-230		201927895
14HPX-030-230	28200	14	12	26600	17100	8.2	CBX25UH-036-230		201927926
14HPX-030-230	28600	15	12.5	25600	16400	8.5	CBX25UHV-030-230		201927927
14HPX-030-230	28200	15	12.5	26000	16700	8.2	CBX25UHV-036-230		201927826
14HPX-030-230	29200	14.5	12.5	26200	16900	8.7	CBX32M-030		201927845
14HPX-030-230	30000	14.5	12	26800	17300	8.7	CBX32M-036		201927836
14HPX-030-230	29600	15	13	25800	16600	8.5	CH23-41	EL296UH045XE36B	201927898
14HPX-030-230	29400	15.2	13.2	25600	16400	8.5	CH23-41	EL296UH045XV36B	201927917
14HPX-030-230	29600	15	12.7	25800	16700	8.5	CH23-41	EL296UH070XE36B	201927885
14HPX-030-230	29400	15.5	13.2	25400	16300	8.5	CH23-41	EL296UH070XV36B	201927919
14HPX-030-230	29800	15.2	13.2	25800	16600	8.5	CH23-41	ML180UH045E36A	201928162
14HPX-030-230	29800	15.5	13.5	25600	16400	8.7	CH23-41	ML180UH070E36B	201928167
14HPX-030-230	29800	15.7	13.5	25600	16400	8.7	CH23-41	ML180UH090E48B	201928187
14HPX-030-230	29600	15	13	25800	16600	8.5	CH23-41	ML196UH045XE36B	204497813
14HPX-030-230	29600	15	12.5	25800	16600	8.5	CH23-41	ML196UH070XE36B	204497814
14HPX-030-230	29400	15.2	13.2	25600	16400	8.5	CH23-41	ML296UH045XV36B	202842873
14HPX-030-230	29400	15.5	13.2	25400	16300	8.5	CH23-41	ML296UH070XV36B	202842875
14HPX-030-230	29400	15.7	13.5	25400	16300	8.5	CH23-41	SL280UH090V36B	201927882
14HPX-030-230	29800	15.5	13.2	25600	16400	8.7	CH23-41	SL280UH090V48B	201927848

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-030-230	29800	15.5	13.2	25600	16400	8.7	CH23-41	SL280UH090XV48B	201927829
14HPX-030-230	29600	15.2	13.2	25600	16400	8.5	CH23-41	SLP98UH070XV36B	201927866
14HPX-030-230	29600	15.2	13.2	25600	16400	8.5	CH23-41	SLP99UH070XV36B	205544556
14HPX-030-230	29600	15.2	13	25800	16700	8.5	CH23-51	EL296UH045XE36B	201927891
14HPX-030-230	29600	15	12.7	26000	16700	8.5	CH23-51	EL296UH070XE36B	201927890
14HPX-030-230	29400	15.5	13.2	25400	16400	8.7	CH23-51	EL296UH090XV36C	201927921
14HPX-030-230	29800	15.7	13.5	25800	16500	8.7	CH23-51	EL296UH090XV48C	201927929
14HPX-030-230	29600	15.7	13.2	25600	16500	8.7	CH23-51	ML180UH070E36B	201928170
14HPX-030-230	29800	15.7	13.2	25800	16500	8.7	CH23-51	ML180UH090E48B	201928186
14HPX-030-230	29600	15	13	25800	16700	8.5	CH23-51	ML196UH045XE36B	204497815
14HPX-030-230	29600	15	12.5	25800	16700	8.5	CH23-51	ML196UH070XE36B	204497816
14HPX-030-230	29800	15.7	13.5	25800	16500	8.7	CH23-51	ML296UH090XV48C	202842880
14HPX-030-230	29400	15.5	13.2	25400	16400	8.7	CH23-51	SLP98UH090XV36C	201927864
14HPX-030-230	29400	15.5	13.2	25400	16400	8.7	CH23-51	SLP99UH090XV36C	205544553
14HPX-030-230	29800	15.2	13	26000	16800	8.7	CH33-31A	ML180UH045E36A	201928161
14HPX-030-230	30000	15.2	13.2	26000	16700	8.7	CH33-31A	SL280UH070V36A	201927867
14HPX-030-230	30000	15.2	13.2	26000	16700	8.7	CH33-31A	SL280UH070XV36A	201927831
14HPX-030-230	29600	14	12.2	26600	17300	8.2	CH33-31A		201927825
14HPX-030-230	30200	15.2	13.2	25800	16700	8.5	CH33-31B	EL296UH045XE36B	201927887
14HPX-030-230	30000	15.2	13.2	25800	16600	8.5	CH33-31B	EL296UH045XV36B	201927915
14HPX-030-230	30400	15.5	13.2	26000	16800	8.7	CH33-31B	EL296UH070XE36B	201927893
14HPX-030-230	30000	15.7	13.2	25600	16500	8.5	CH33-31B	EL296UH070XV36B	201927920
14HPX-030-230	30400	15.7	13.5	25800	16500	8.7	CH33-31B	ML180UH070E36B	201928169
14HPX-030-230	30400	15.7	13.7	25600	16500	8.7	CH33-31B	ML180UH090E48B	201928185
14HPX-030-230	30000	15.2	13.2	25800	16600	8.5	CH33-31B	ML296UH045XV36B	202842871
14HPX-030-230	30000	15.7	13.2	25600	16500	8.5	CH33-31B	ML296UH070XV36B	202842876
14HPX-030-230	30200	15.7	13.7	25600	16400	8.7	CH33-31B	SL280UH090V36B	201927880
14HPX-030-230	30400	15.7	13.5	25800	16600	8.7	CH33-31B	SL280UH090V48B	201927841
14HPX-030-230	30400	15.7	13.5	25800	16600	8.7	CH33-31B	SL280UH090XV48B	201927830
14HPX-030-230	30200	15.5	13.2	25800	16600	8.7	CH33-31B	SLP98UH070XV36B	201927868
14HPX-030-230	29800	14	12.2	26400	17200	8.2	CH33-31B		201927824
14HPX-030-230	29000	14.7	12.7	25600	16600	8.2	CH33-36A	ML180UH045E36A	201928160
14HPX-030-230	29000	14.7	12.7	25600	16600	8.2	CH33-36A	SL280UH070V36A	201927876
14HPX-030-230	29000	14.7	12.7	25600	16600	8.2	CH33-36A	SL280UH070XV36A	201927833
14HPX-030-230	29400	14.7	12.7	25800	16600	8.5	CH33-36B	EL296UH045XE36B	201927892
14HPX-030-230	29200	14.7	12.7	25600	16600	8.5	CH33-36B	EL296UH045XV36B	201927912
14HPX-030-230	29600	15	12.7	26000	16700	8.5	CH33-36B	EL296UH070XE36B	201927889
14HPX-030-230	29200	15.2	13	25600	16400	8.5	CH33-36B	EL296UH070XV36B	201927918
14HPX-030-230	29600	15.2	13.2	25600	16500	8.5	CH33-36B	ML180UH070E36B	201928168
14HPX-030-230	29400	15.2	13.2	25600	16400	8.7	CH33-36B	ML180UH090E48B	201928184
14HPX-030-230	29200	14.7	12.7	25600	16600	8.5	CH33-36B	ML296UH045XV36B	202842870
14HPX-030-230	29200	15.2	13	25600	16400	8.5	CH33-36B	ML296UH070XV36B	202842874
14HPX-030-230	29200	15.2	13.2	25400	16400	8.5	CH33-36B	SL280UH090V36B	201927878
14HPX-030-230	29600	15.2	13.2	25600	16500	8.5	CH33-36B	SL280UH090V48B	201927842
14HPX-030-230	29600	15.2	13.2	25600	16500	8.5	CH33-36B	SL280UH090XV48B	201927827
14HPX-030-230	29400	15.2	13	25600	16500	8.5	CH33-36B	SLP98UH070XV36B	201927869
14HPX-030-230	29800	15.2	13	26000	16700	8.7	CH33-36C	EL296UH090XE48C	201927883
14HPX-030-230	29400	15.5	13.2	25600	16500	8.7	CH33-36C	EL296UH090XV36C	201927924
14HPX-030-230	30000	15.5	13.2	26000	16700	8.7	CH33-36C	EL296UH090XV48C	201927928
14HPX-030-230	30000	15.5	13.2	26000	16700	8.7	CH33-36C	ML296UH090XV48C	202842879
14HPX-030-230	29400	15.5	13.2	25600	16500	8.7	CH33-36C	SLP98UH090XV36C	201927870
14HPX-030-230	30000	15.5	13.2	26000	16700	8.7	CH33-36C	SLP98UH090XV48C	201927871
14HPX-030-230	30000	15.2	13.2	25800	16600	8.5	CH33-42	EL296UH045XE36B	201927886
14HPX-030-230	29800	15.2	13	25600	16600	8.5	CH33-42	EL296UH045XV36B	201927916
14HPX-030-230	30200	15.2	13.2	25800	16700	8.5	CH33-42	EL296UH070XE36B	201927894
14HPX-030-230	29800	15.5	13.2	25600	16400	8.5	CH33-42	EL296UH070XV36B	201927923

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-030-230	30000	15.7	13.2	25600	16500	8.5	CH33-42	ML180UH070E36B	201928171
14HPX-030-230	30000	15.7	13.5	25600	16500	8.7	CH33-42	ML180UH090E48B	201928188
14HPX-030-230	29800	15.2	13	25600	16600	8.5	CH33-42	ML296UH045XV36B	202842872
14HPX-030-230	29800	15.5	13.2	25600	16400	8.5	CH33-42	ML296UH070XV36B	202842878
14HPX-030-230	29800	15.7	13.5	25400	16400	8.5	CH33-42	SL280UH090V36B	201927879
14HPX-030-230	30200	15.5	13.5	25800	16500	8.7	CH33-42	SL280UH090V48B	201927843
14HPX-030-230	30200	15.5	13.5	25800	16500	8.7	CH33-42	SL280UH090XV48B	201927828
14HPX-030-230	30000	15.5	13.2	25600	16600	8.5	CH33-42	SLP98UH070XV36B	201927865
14HPX-030-230	31000	15.7	13.7	26000	16700	8.7	CH33-43C	EL296UH090XE48C	201927881
14HPX-030-230	30400	16	13.5	25600	16400	8.5	CH33-43C	EL296UH090XV36C	201927925
14HPX-030-230	31000	16	14	25800	16500	8.5	CH33-43C	EL296UH090XV48C	201927922
14HPX-030-230	31000	16	14	25800	16500	8.5	CH33-43C	ML296UH090XV48C	202842877
14HPX-030-230	30400	16	13.5	25600	16400	8.5	CH33-43C	SLP98UH090XV36C	201927872
14HPX-030-230	31000	16	14	25800	16500	8.5	CH33-43C	SLP98UH090XV48C	201927873
14HPX-030-230	30000	14.2	12.2	26400	17200	8.2	CH33-43C		201927823
14HPX-030-230	29600	15	12.7	27000	17300	8.7	CR33-30/36	EL296DF045XE36B	201927888
14HPX-030-230	29600	15.2	13.2	26800	17100	8.7	CR33-30/36	EL296DF045XV36B	201927832
14HPX-030-230	30000	15.2	13.2	27000	17300	9	CR33-30/36	EL296DF070XE48B	201927897
14HPX-030-230	29600	15	13	26800	17200	8.7	CR33-30/36	EL296DF070XV48B	201927835
14HPX-030-230	29600	15.2	13.2	26800	17100	8.7	CR33-30/36	EL296DF090XE48C	201927884
14HPX-030-230	29800	15	13	27000	17300	8.7	CR33-30/36	ML180DF045E36A	201928157
14HPX-030-230	29800	15.5	13.2	26800	17100	9	CR33-30/36	ML180DF070E36B	201928158
14HPX-030-230	29800	15.5	13.2	26800	17100	9	CR33-30/36	ML180DF090E48B	201928159
14HPX-030-230	29600	15	12.5	27000	17300	8.7	CR33-30/36	ML196DF045XE36B	204497817
14HPX-030-230	29800	15	12.5	27000	17300	8.5	CR33-30/36	ML196DF070XE48B	204497818
14HPX-030-230	29600	15.1	13	26800	17100	8.7	CR33-30/36	ML196DF090XE48C	204497819
14HPX-030-230	29600	15.2	13.2	26800	17100	8.7	CR33-30/36	ML296DF045XV36B	202842868
14HPX-030-230	29600	15	13	26800	17200	8.7	CR33-30/36	ML296DF070XV48B	202842869
14HPX-030-230	29600	15.2	13	26800	17200	8.7	CR33-30/36	SL280DF070V36A	201927844
14HPX-030-230	29600	15.2	13.2	26800	17100	8.7	CR33-30/36	SL280DF090V48B	201927877
14HPX-030-230	29600	15.2	13	26800	17200	8.7	CR33-30/36	SLP98DF070XV36B	201927874
14HPX-030-230	29800	15.5	13.2	26800	17100	9	CR33-30/36	SLP98DF090XV36C	201927875
14HPX-030-230	29600	15.2	13.2	26800	17100	8.7	CR33-30/36	SLP98DF090XV48C	201927863
14HPX-030-230	29600	15.2	13	26800	17200	8.7	CR33-30/36	SLP99DF070XV36B	205544560
14HPX-030-230	29800	15.5	13.2	26800	17100	9	CR33-30/36	SLP99DF090XV36C	205544564
14HPX-030-230	29600	15.2	13.2	26800	17100	8.7	CR33-30/36	SLP99DF090XV48C	205544550
14HPX-036-230	34200	15	12.5	32800	21000	8.5	CBA27UHE-036-230		201928579
14HPX-036-230	35000	15.5	12.5	33000	20000	8.5	CBA27UHE-042-230		201928580
14HPX-036-230	34200	14.7	12.2	33200	20800	8.5	CBA38MV-036-230		201926884
14HPX-036-230	34800	15	12.5	32600	20000	9	CBA38MV-042-230		201926886
14HPX-036-230	34600	14	12	34600	21400	8.2	CBX25UH-036-230		201928307
14HPX-036-230	34600	15	12.5	34000	21000	8.5	CBX25UHV-036-230		201928337
14HPX-036-230	34600	14.5	11.7	33400	20800	8.5	CBX32M-036		201928223
14HPX-036-230	34400	14.5	11.7	33200	20800	8.5	CBX32M-042		201928220
14HPX-036-230	35400	14.7	12.5	32800	21000	8.5	CH33-43B	EL296UH045XE36B	201928291
14HPX-036-230	35400	15.2	12.7	32600	20800	8.7	CH33-43B	EL296UH045XV36B	201928320
14HPX-036-230	35200	15.2	12.7	32200	20600	8.7	CH33-43B	EL296UH070XE36B	201928294
14HPX-036-230	35600	15.2	12.7	32600	20800	8.7	CH33-43B	EL296UH070XV36B	201928323
14HPX-036-230	35200	15.7	13.2	32000	20200	9	CH33-43B	ML180UH070E36B	201928587
14HPX-036-230	35600	15.7	13.2	32200	20400	9	CH33-43B	ML180UH090E48B	201928595
14HPX-036-230	35400	15.2	12.7	32600	20800	8.7	CH33-43B	ML296UH045XV36B	202842912
14HPX-036-230	35600	15.2	12.7	32600	20800	8.7	CH33-43B	ML296UH070XV36B	202842914
14HPX-036-230	35600	15.7	13.2	32200	20400	9	CH33-43B	SL280UH090V36B	201928283
14HPX-036-230	35600	15.7	13.2	32400	20600	9	CH33-43B	SL280UH090V48B	201928228
14HPX-036-230	35600	15.7	13.2	32400	20600	9	CH33-43B	SL280UH090XV48B	201928217
14HPX-036-230	35600	15.2	12.7	32600	20800	8.7	CH33-43B	SLP98UH070XV36B	201928258

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-036-230	35200	14.5	12.2	32800	21000	8.5	CH33-43B		201928203
14HPX-036-230	35200	15.5	13.2	32600	20600	8.2	CH33-43C	EL296UH090XE48C	201928296
14HPX-036-230	35200	15.5	13.2	32600	20600	8.2	CH33-43C	EL296UH090XV36C	201928327
14HPX-036-230	35000	15.5	13.2	32400	20400	8.5	CH33-43C	EL296UH090XV48C	201928328
14HPX-036-230	35600	15.5	13	32800	20800	8.5	CH33-43C	EL296UH090XV60C	201928334
14HPX-036-230	35400	15.7	13.2	32600	20600	8.5	CH33-43C	EL296UH110XE60C	201928302
14HPX-036-230	35200	15.7	13.2	32400	20600	8.5	CH33-43C	EL296UH110XV48C	201928299
14HPX-036-230	35600	15.7	13.2	32600	20600	8.5	CH33-43C	EL296UH110XV60C	201928338
14HPX-036-230	35400	15.7	13.2	32600	20600	8.5	CH33-43C	ML180UH090E60C	201928603
14HPX-036-230	35200	15.7	13.2	32400	20400	8.5	CH33-43C	ML180UH110E60C	201928615
14HPX-036-230	35000	15.5	13.2	32400	20400	8.5	CH33-43C	ML296UH090XV48C	202842915
14HPX-036-230	35200	15.1	12.5	32600	20600	8.4	CH33-43C	ML296UH110XV60C	202849907
14HPX-036-230	35600	15.1	13	32600	20600	8.2	CH33-43C	SL280UH090V60C	201928206
14HPX-036-230	35600	15.1	13	32600	20600	8.2	CH33-43C	SL280UH090XV60C	201928214
14HPX-036-230	35400	15.1	13	32800	20600	8.2	CH33-43C	SL280UH110V60C	201928229
14HPX-036-230	35400	15.1	13	32800	20600	8.2	CH33-43C	SL280UH110XV60C	201928212
14HPX-036-230	35200	15.5	13.2	32600	20600	8.2	CH33-43C	SLP98UH090XV36C	201928254
14HPX-036-230	35000	15.5	13.2	32400	20400	8.5	CH33-43C	SLP98UH090XV48C	201928255
14HPX-036-230	35600	15.5	13	32800	20800	8.5	CH33-43C	SLP98UH090XV60C	201928261
14HPX-036-230	35600	15.7	13.2	32600	20600	8.5	CH33-43C	SLP98UH110XV60C	201928262
14HPX-036-230	34200	14.5	12.2	33000	21000	8.2	CH33-44/48	EL296UH045XV36B	201928319
14HPX-036-230	34000	14.7	12.5	32800	20800	8.2	CH33-44/48	EL296UH070XE36B	201928295
14HPX-036-230	34200	14.7	12.5	33000	21000	8.2	CH33-44/48	EL296UH070XV36B	201928322
14HPX-036-230	34000	15.2	12.7	32400	20400	8.2	CH33-44/48	ML180UH070E36B	201928588
14HPX-036-230	34200	15.2	12.7	32800	20600	8.2	CH33-44/48	ML180UH090E48B	201928596
14HPX-036-230	34200	14.5	12.2	33000	21000	8.2	CH33-44/48	ML296UH045XV36B	202842911
14HPX-036-230	34200	14.7	12.5	33000	21000	8.2	CH33-44/48	ML296UH070XV36B	202842913
14HPX-036-230	34400	15.2	12.7	32800	20600	8.2	CH33-44/48	SL280UH090V36B	201928284
14HPX-036-230	34400	15	12.7	32800	20800	8.2	CH33-44/48	SL280UH090V48B	201928230
14HPX-036-230	34400	15	12.7	32800	20800	8.2	CH33-44/48	SL280UH090XV48B	201928218
14HPX-036-230	34200	14.7	12.5	33000	21000	8.2	CH33-44/48	SLP98UH070XV36B	201928263
14HPX-036-230	35000	15.5	13	32600	20600	8.2	CH33-48	EL296UH090XV36C	201928325
14HPX-036-230	34800	15.5	13	32400	20400	8.5	CH33-48	EL296UH090XV48C	201928332
14HPX-036-230	35400	15.2	13	32800	20800	8.5	CH33-48	EL296UH090XV60C	201928330
14HPX-036-230	35000	15.5	13.2	32400	20600	8.5	CH33-48	EL296UH110XV48C	201928305
14HPX-036-230	35200	15.5	13.2	32600	20600	8.5	CH33-48	EL296UH110XV60C	201928340
14HPX-036-230	34800	15.5	13	32400	20400	8.5	CH33-48	ML296UH090XV48C	202842918
14HPX-036-230	35000	15.1	12.5	32600	20600	8.2	CH33-48	ML296UH110XV60C	202849908
14HPX-036-230	35400	15.1	13	32600	20600	8.2	CH33-48	SL280UH090V60C	201928231
14HPX-036-230	35400	15.1	13	32600	20600	8.2	CH33-48	SL280UH090XV60C	201928213
14HPX-036-230	35200	15.1	12.5	32600	20600	8.2	CH33-48	SL280UH110V60C	201928221
14HPX-036-230	35200	15.1	12.5	32600	20600	8.2	CH33-48	SL280UH110XV60C	201928209
14HPX-036-230	35000	15.5	13	32600	20600	8.2	CH33-48	SLP98UH090XV36C	201928250
14HPX-036-230	34800	15.5	13	32400	20400	8.5	CH33-48	SLP98UH090XV48C	201928251
14HPX-036-230	35400	15.2	13	32800	20800	8.5	CH33-48	SLP98UH090XV60C	201928252
14HPX-036-230	35200	15.5	13.2	32600	20600	8.5	CH33-48	SLP98UH110XV60C	201928253
14HPX-036-230	34800	15.5	13	31800	20400	8.5	CH33-49	EL296UH090XE48C	201928292
14HPX-036-230	35000	15.7	13.2	32200	20400	9	CH33-49	EL296UH090XV36C	201928324
14HPX-036-230	34800	15.7	13.2	32000	20400	9	CH33-49	EL296UH090XV48C	201928331
14HPX-036-230	35400	15.5	13	32400	20600	9	CH33-49	EL296UH090XV60C	201928333
14HPX-036-230	35200	15.7	13.2	31800	20400	9	CH33-49	EL296UH110XE60C	201928298
14HPX-036-230	35000	15.7	13.2	32000	20400	9	CH33-49	EL296UH110XV48C	201928303
14HPX-036-230	35400	15.7	13.2	32200	20400	9	CH33-49	EL296UH110XV60C	201928339
14HPX-036-230	35200	15.7	13.2	31800	20400	9	CH33-49	ML180UH090E60C	201928604
14HPX-036-230	35000	15.7	13.2	31600	20200	9	CH33-49	ML180UH110E60C	201928614
14HPX-036-230	34800	15.7	13.2	32000	20400	9	CH33-49	ML296UH090XV48C	202842917

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-036-230	35000	15.5	12.5	32200	20400	9	CH33-49	ML296UH110XV60C	202849909
14HPX-036-230	35400	15.1	13	32200	20400	9	CH33-49	SL280UH090V60C	201928234
14HPX-036-230	35400	15.1	13	32200	20400	9	CH33-49	SL280UH090XV60C	201928215
14HPX-036-230	35200	15.1	13	32200	20600	9	CH33-49	SL280UH110V60C	201928235
14HPX-036-230	35200	15.1	13	32200	20600	9	CH33-49	SL280UH110XV60C	201928210
14HPX-036-230	35000	15.7	13.2	32200	20400	9	CH33-49	SLP98UH090XV36C	201928264
14HPX-036-230	34800	15.7	13.2	32000	20400	9	CH33-49	SLP98UH090XV48C	201928256
14HPX-036-230	35400	15.5	13	32400	20600	9	CH33-49	SLP98UH090XV60C	201928257
14HPX-036-230	35400	15.7	13.2	32200	20400	9	CH33-49	SLP98UH110XV60C	201928267
14HPX-036-230	34400	14.2	12	32800	21000	8.5	CH33-49		201928204
14HPX-036-230	34800	15.5	13	31600	20400	9	CH33-50/60C	EL296UH090XE48C	201928300
14HPX-036-230	34800	15.5	13	32000	20400	9	CH33-50/60C	EL296UH090XV36C	201928326
14HPX-036-230	34600	15.7	13	31800	20400	9	CH33-50/60C	EL296UH090XV48C	201928329
14HPX-036-230	35400	15.5	13	32400	20600	9	CH33-50/60C	EL296UH090XV60C	201928335
14HPX-036-230	35000	15.7	13.2	31800	20400	9	CH33-50/60C	EL296UH110XE60C	201928297
14HPX-036-230	34800	15.7	13.2	32000	20400	9	CH33-50/60C	EL296UH110XV48C	201928301
14HPX-036-230	35200	15.7	13.2	32200	20400	9	CH33-50/60C	EL296UH110XV60C	201928336
14HPX-036-230	35000	15.7	13.2	31600	20400	9	CH33-50/60C	ML180UH090E60C	201928605
14HPX-036-230	34800	15.7	13.2	31400	20200	9	CH33-50/60C	ML180UH110E60C	201928616
14HPX-036-230	34600	15.7	13	31800	20400	9	CH33-50/60C	ML296UH090XV48C	202842916
14HPX-036-230	34800	15.1	12.5	32200	20400	9	CH33-50/60C	ML296UH110XV60C	202849910
14HPX-036-230	35400	15.1	13	32200	20400	9	CH33-50/60C	SL280UH090V60C	201928236
14HPX-036-230	35400	15.1	13	32200	20400	9	CH33-50/60C	SL280UH090XV60C	201928216
14HPX-036-230	35000	15.5	12.5	32200	20400	8.5	CH33-50/60C	SL280UH110V60C	201928237
14HPX-036-230	35000	15.5	12.5	32200	20400	8.5	CH33-50/60C	SL280UH110XV60C	201928211
14HPX-036-230	34800	15.5	13	32000	20400	9	CH33-50/60C	SLP98UH090XV36C	201928268
14HPX-036-230	34600	15.7	13	31800	20400	9	CH33-50/60C	SLP98UH090XV48C	201928269
14HPX-036-230	35400	15.5	13	32400	20600	9	CH33-50/60C	SLP98UH090XV60C	201928270
14HPX-036-230	35200	15.7	13.2	32200	20400	9	CH33-50/60C	SLP98UH110XV60C	201928259
14HPX-036-230	34200	14.2	12	32600	21000	8.2	CH33-50/60C		201928205
14HPX-036-230	34800	15	12.7	33400	21200	8.2	CR33-48	EL296DF045XE36B	201928293
14HPX-036-230	35200	15	12.7	33600	21200	8.2	CR33-48	EL296DF045XV36B	201928219
14HPX-036-230	35200	15.2	13	33400	21000	8.5	CR33-48	EL296DF070XE48B	201928288
14HPX-036-230	35200	15	12.5	33800	21200	8.2	CR33-48	EL296DF070XV48B	201928222
14HPX-036-230	35200	15.2	12.7	33400	21000	8.5	CR33-48	EL296DF090XE48C	201928287
14HPX-036-230	35600	15.5	13	35800	21000	8.5	CR33-48	EL296DF110XE60C	201928289
14HPX-036-230	35200	15.7	13.2	33200	20800	8.5	CR33-48	ML180DF070E36B	201928581
14HPX-036-230	35200	15.5	13	33400	21000	8.5	CR33-48	ML180DF090E48B	201928582
14HPX-036-230	35800	15.7	13.2	33400	21000	8.7	CR33-48	ML180DF110E60C	201928584
14HPX-036-230	34800	15	12.5	33400	21200	8.2	CR33-48	ML196DF045XE36B	204497820
14HPX-036-230	35200	15.1	12.5	33400	21200	8.5	CR33-48	ML196DF070XE48B	204497821
14HPX-036-230	35200	15.1	12.5	33400	21200	8.5	CR33-48	ML196DF090XE48C	204497822
14HPX-036-230	35200	15	12.7	33600	21200	8.2	CR33-48	ML296DF045XV36B	202842909
14HPX-036-230	35200	15	12.5	33800	21200	8.2	CR33-48	ML296DF070XV48B	202842910
14HPX-036-230	35200	15.5	13	33400	21000	8.5	CR33-48	SL280DF090V48B	201928286
14HPX-036-230	35800	15.7	13	33600	21000	8.5	CR33-48	SL280DF090V60C	201928239
14HPX-036-230	35600	15.1	13	33400	21000	8.5	CR33-48	SL280DF110V60C	201928240
14HPX-036-230	35400	15.2	12.7	33600	21200	8.5	CR33-48	SLP98DF070XV36B	201928260
14HPX-036-230	35400	15.5	13	33400	21000	8.5	CR33-48	SLP98DF090XV36C	201928271
14HPX-036-230	35400	15.5	13	33400	21000	8.5	CR33-48	SLP98DF090XV48C	201928272
14HPX-036-230	35600	15.5	13	33600	21000	8.5	CR33-48	SLP98DF090XV60C	201928273
14HPX-036-230	35600	15.5	13	33600	21200	8.5	CR33-48	SLP98DF110XV60C	201928274
14HPX-036-230	35400	15.2	12.7	33600	21200	8.5	CR33-48	SLP99DF070XV36B	205544571
14HPX-036-230	35400	15.5	13	33400	21000	8.5	CR33-48	SLP99DF090XV36C	205544584
14HPX-036-230	35400	15.5	13	33400	21000	8.5	CR33-48	SLP99DF090XV48C	205544588
14HPX-036-230	35600	15.5	13	33600	21000	8.5	CR33-48	SLP99DF090XV60C	205544592

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-036-230	35600	15.5	13	33600	21200	8.5	CR33-48	SLP99DF110XV60C	205544593
14HPX-036-230	34800	14.2	12	34000	21600	8.2	CR33-48		201928201
14HPX-036-230	35600	15.5	13.2	32800	20600	8.7	CR33-50/60	EL296DF090XE48C	201928290
14HPX-036-230	35800	15.7	13.2	32800	20600	9	CR33-50/60	EL296DF110XE60C	201928285
14HPX-036-230	36000	16	13.5	32800	20400	9	CR33-50/60	ML180DF110E60C	201928583
14HPX-036-230	35600	15.1	12.5	32800	20600	8.7	CR33-50/60	ML196DF090XE48C	204497823
14HPX-036-230	36600	15.1	13	34000	21200	9	CR33-50/60	SL280DF090V60C	201928233
14HPX-036-230	36400	15.1	13	33800	21000	8.5	CR33-50/60	SL280DF110V60C	201928232
14HPX-036-230	36200	15.7	13.2	33800	21200	8.7	CR33-50/60	SLP98DF090XV36C	201928265
14HPX-036-230	36200	15.7	13.2	33800	21200	8.7	CR33-50/60	SLP98DF090XV48C	201928266
14HPX-036-230	36400	15.7	13.2	34000	21200	9	CR33-50/60	SLP98DF090XV60C	201928275
14HPX-036-230	36400	15.7	13.2	34000	21200	9	CR33-50/60	SLP98DF110XV60C	201928276
14HPX-036-230	36200	15.7	13.2	33800	21200	8.7	CR33-50/60	SLP99DF090XV36C	205544576
14HPX-036-230	36200	15.7	13.2	33800	21200	8.7	CR33-50/60	SLP99DF090XV48C	205544581
14HPX-036-230	36400	15.7	13.2	34000	21200	9	CR33-50/60	SLP99DF090XV60C	205544600
14HPX-036-230	36400	15.7	13.2	34000	21200	9	CR33-50/60	SLP99DF110XV60C	205544603
14HPX-036-230	35200	14.2	12.2	33400	21200	8.5	CR33-50/60		201928202
14HPX-042-230	42000	15	12.5	42000	27400	8.5	CBA27UHE-042-230		10491520
14HPX-042-230	42500	15	12.5	42000	27000	8.5	CBA27UHE-048-230		10491521
14HPX-042-230	42500	15	12.5	42000	27400	8.5	CBA38MV-042-230		201851180
14HPX-042-230	43000	15.5	12.5	42500	26200	8.5	CBA38MV-048-230		201851181
14HPX-042-230	42500	14	12	45500	28200	8.2	CBX25UH-042-230		10491379
14HPX-042-230	42000	15.5	13	44500	27400	8.5	CBX25UHV-042-230		10491166
14HPX-042-230	43000	14.5	12.5	44000	27800	8.7	CBX32M-048		10491182
14HPX-042-230	43500	15	13	42500	27400	9.2	CH23-68	EL196UH090XE48C	201933315
14HPX-042-230	44000	15	12.5	42500	27600	9.2	CH23-68	EL196UH110XE60C	201933316
14HPX-042-230	43500	15.2	13	42500	27400	9.2	CH23-68	EL296UH090XE48C	10491361
14HPX-042-230	44000	15.2	13	42500	27600	9.2	CH23-68	EL296UH110XE60C	10491350
14HPX-042-230	44000	15.2	13	42500	27600	9.2	CH23-68	EL296UH135XE60D	10491347
14HPX-042-230	44000	15.7	13.2	42500	27400	9.5	CH23-68	EL296UH135XV60D	10491316
14HPX-042-230	44000	15.7	13.2	42500	27400	9.2	CH23-68	ML180UH090E60C	10590012
14HPX-042-230	44000	15.5	13.2	42500	27400	9.2	CH23-68	ML180UH110E60C	10590266
14HPX-042-230	44000	15.7	13.2	42500	27400	9.2	CH23-68	ML180UH135E60D	10590450
14HPX-042-230	43500	15	13	42500	27400	9.2	CH23-68	ML196UH090XE48C	204497824
14HPX-042-230	44000	15	12.5	42500	27600	9.2	CH23-68	ML196UH110XE60C	204497825
14HPX-042-230	44000	16	13	42500	27200	9.5	CH23-68	SL280UH135V60D	10491199
14HPX-042-230	44000	15.7	13.2	42500	27400	9.5	CH23-68	SLP98UH135XV60D	10491224
14HPX-042-230	44000	15.7	13.2	42500	27400	9.5	CH23-68	SLP99UH135XV60D	205544528
14HPX-042-230	43500	14.5	12.2	43000	28000	9	CH23-68		10491148
14HPX-042-230	43500	14.7	12.7	42500	27400	8.5	CH33-43B	EL296UH045XV36B	10491323
14HPX-042-230	43500	14.7	12.5	42500	27400	8.5	CH33-43B	EL296UH070XV36B	10491307
14HPX-042-230	44000	15.2	13	42500	27200	8.7	CH33-43B	ML180UH090E48B	10589796
14HPX-042-230	44000	15.5	13	42500	27200	8.7	CH33-43B	SL280UH090V36B	10491294
14HPX-042-230	44000	15.2	13	42500	27200	8.7	CH33-43B	SL280UH090V48B	10491188
14HPX-042-230	44000	15.2	13	42500	27200	8.7	CH33-43B	SL280UH090XV48B	10491185
14HPX-042-230	43500	14.7	12.5	42500	27400	8.5	CH33-43B	SLP98UH070XV36B	10491225
14HPX-042-230	43500	14.5	12.2	43000	27600	8.5	CH33-43B		10491151
14HPX-042-230	42500	15	12.5	42000	26800	8.2	CH33-43C	EL196UH090XE48C	201933318
14HPX-042-230	43000	15	12.5	42500	27000	8.2	CH33-43C	EL196UH110XE60C	201933319
14HPX-042-230	42500	15	12.7	42000	26800	8.2	CH33-43C	EL296UH090XE48C	10491353
14HPX-042-230	42500	15.2	12.7	42500	26800	8.2	CH33-43C	EL296UH090XV36C	10491300
14HPX-042-230	42500	15.2	12.7	42500	26800	8.2	CH33-43C	EL296UH090XV48C	10491320
14HPX-042-230	43000	15.2	12.7	42500	27000	8.2	CH33-43C	EL296UH090XV60C	10491333
14HPX-042-230	43000	15	12.7	42500	27000	8.2	CH33-43C	EL296UH110XE60C	10491354
14HPX-042-230	43000	15.2	13	42500	26800	8.2	CH33-43C	EL296UH110XV48C	10491344
14HPX-042-230	43000	15.2	13	42500	26800	8.2	CH33-43C	EL296UH110XV60C	10491342

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-042-230	43000	15.2	13	42500	26800	8.2	CH33-43C	ML180UH090E60C	10590008
14HPX-042-230	43000	15.2	13	42000	26800	8.2	CH33-43C	ML180UH110E60C	10590258
14HPX-042-230	42000	15	12.5	42000	27000	8.2	CH33-43C	ML296UH110XV60C	202849911
14HPX-042-230	43000	15.5	13	42500	26800	8.5	CH33-43C	SL280UH090V60C	10491189
14HPX-042-230	43000	15.5	13	42500	26800	8.5	CH33-43C	SL280UH090XV60C	10491170
14HPX-042-230	42500	15.2	12.7	42500	26800	8.2	CH33-43C	SL280UH110V60C	10491190
14HPX-042-230	42500	15.2	12.7	42500	26800	8.2	CH33-43C	SL280UH110XV60C	10491169
14HPX-042-230	42500	15.2	12.7	42500	26800	8.2	CH33-43C	SLP98UH090XV36C	10491226
14HPX-042-230	42500	15.2	12.7	42500	26800	8.2	CH33-43C	SLP98UH090XV48C	10491227
14HPX-042-230	43000	15.2	12.7	42500	27000	8.2	CH33-43C	SLP98UH090XV60C	10491228
14HPX-042-230	43000	15.2	13	42500	26800	8.2	CH33-43C	SLP98UH110XV60C	10491241
14HPX-042-230	41500	14.2	12.2	42500	27200	8.2	CH33-44/48	EL296UH045XV36B	10491314
14HPX-042-230	41500	14.2	12.2	42500	27200	8.2	CH33-44/48	EL296UH070XV36B	10491326
14HPX-042-230	42000	14.7	12.5	42500	27000	8.5	CH33-44/48	ML180UH090E48B	10589795
14HPX-042-230	42000	14.7	12.7	42500	27000	8.5	CH33-44/48	SL280UH090V36B	10491293
14HPX-042-230	42000	14.7	12.5	42500	27000	8.5	CH33-44/48	SL280UH090V48B	10491191
14HPX-042-230	42000	14.7	12.5	42500	27000	8.5	CH33-44/48	SL280UH090XV48B	10491186
14HPX-042-230	41500	14.2	12.2	42500	27200	8.2	CH33-44/48	SLP98UH070XV36B	10491230
14HPX-042-230	41500	14	11.7	43000	27600	8.2	CH33-44/48		10491152
14HPX-042-230	42000	14.7	12.5	42500	26800	8.2	CH33-48	EL296UH090XV36C	10491348
14HPX-042-230	42500	15	12.7	42500	26800	8.2	CH33-48	EL296UH090XV48C	10491335
14HPX-042-230	42500	14.7	12.5	42500	27000	8.2	CH33-48	EL296UH090XV60C	10491312
14HPX-042-230	42500	15	12.7	42500	26800	8.2	CH33-48	EL296UH110XV48C	10491319
14HPX-042-230	42500	15	12.7	42500	26800	8.2	CH33-48	EL296UH110XV60C	10491321
14HPX-042-230	42500	15	12.7	42000	26800	8.2	CH33-48	ML180UH090E60C	10590014
14HPX-042-230	42000	15	12.7	42000	26800	8.2	CH33-48	ML180UH110E60C	10590259
14HPX-042-230	42000	14.5	12.5	42000	27000	8.2	CH33-48	ML296UH110XV60C	202849912
14HPX-042-230	42500	15.2	12.7	42500	26800	8.2	CH33-48	SL280UH090V60C	10491204
14HPX-042-230	42500	15.2	12.7	42500	26800	8.2	CH33-48	SL280UH090XV60C	10491179
14HPX-042-230	42500	15	12.7	42500	26800	8.2	CH33-48	SL280UH110V60C	10491205
14HPX-042-230	42500	15	12.7	42500	26800	8.2	CH33-48	SL280UH110XV60C	10491171
14HPX-042-230	42000	14.7	12.5	42500	26800	8.2	CH33-48	SLP98UH090XV36C	10491231
14HPX-042-230	42500	15	12.7	42500	26800	8.2	CH33-48	SLP98UH090XV48C	10491232
14HPX-042-230	42500	14.7	12.5	42500	27000	8.2	CH33-48	SLP98UH090XV60C	10491233
14HPX-042-230	42500	15	12.7	42500	26800	8.2	CH33-48	SLP98UH110XV60C	10491234
14HPX-042-230	42000	14.5	12.5	42000	26800	8.2	CH33-48C	EL196UH090XE48C	201933320
14HPX-042-230	42500	14.5	12.5	42500	27000	8.2	CH33-48C	EL196UH110XE60C	201933321
14HPX-042-230	42000	14.7	12.5	42000	26800	8.2	CH33-48C	EL296UH090XE48C	10491364
14HPX-042-230	42500	14.7	12.5	42500	27000	8.2	CH33-48C	EL296UH110XE60C	10491365
14HPX-042-230	43000	15	12.5	42000	26800	8.5	CH33-49	EL196UH090XE48C	201933322
14HPX-042-230	43500	15	12.5	42500	27000	8.7	CH33-49	EL196UH110XE60C	201933323
14HPX-042-230	43000	15	12.7	42000	26800	8.5	CH33-49	EL296UH090XE48C	10491370
14HPX-042-230	43500	15.2	13	42000	27000	8.7	CH33-49	EL296UH090XV36C	10491343
14HPX-042-230	43500	15.2	13	42000	26800	8.7	CH33-49	EL296UH090XV48C	10491334
14HPX-042-230	44000	15.2	13	42500	27200	8.7	CH33-49	EL296UH090XV60C	10491311
14HPX-042-230	43500	15.2	12.7	42500	27000	8.7	CH33-49	EL296UH110XE60C	10491371
14HPX-042-230	43500	15.2	13	42000	26800	8.7	CH33-49	EL296UH110XV48C	10491318
14HPX-042-230	43500	15.2	13	42000	26800	8.7	CH33-49	EL296UH110XV60C	10491303
14HPX-042-230	43500	15.2	13	42000	26800	8.7	CH33-49	ML180UH090E60C	10590009
14HPX-042-230	43000	15.2	13	42000	26800	8.7	CH33-49	ML180UH110E60C	10590265
14HPX-042-230	43500	15.2	13	42000	26800	8.7	CH33-49	ML296UH090XV48C	202842847
14HPX-042-230	42000	15	12.5	41500	27000	8.5	CH33-49	ML296UH110XV60C	202849913
14HPX-042-230	44000	15.5	13.2	42000	27000	8.7	CH33-49	SL280UH090V60C	10491194
14HPX-042-230	44000	15.5	13.2	42000	27000	8.7	CH33-49	SL280UH090XV60C	10491180
14HPX-042-230	43500	15.2	13	42000	27000	8.7	CH33-49	SL280UH110V60C	10491195
14HPX-042-230	43500	15.2	13	42000	27000	8.7	CH33-49	SL280UH110XV60C	10491167

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-042-230	43500	15.2	13	42000	27000	8.7	CH33-49	SLP98UH090XV36C	10491247
14HPX-042-230	43500	15.2	13	42000	26800	8.7	CH33-49	SLP98UH090XV48C	10491236
14HPX-042-230	44000	15.2	13	42500	27200	8.7	CH33-49	SLP98UH090XV60C	10491237
14HPX-042-230	43500	15.2	13	42000	26800	8.7	CH33-49	SLP98UH110XV60C	10491238
14HPX-042-230	43000	14.2	12.2	42500	27400	8.5	CH33-49		10491153
14HPX-042-230	43000	15	12.5	42000	26800	8.5	CH33-50/60C	EL196UH090XE48C	201933324
14HPX-042-230	43500	15	12.5	42000	27000	8.5	CH33-50/60C	EL196UH110XE60C	201933325
14HPX-042-230	43000	15	12.7	42000	26800	8.5	CH33-50/60C	EL296UH090XE48C	10491377
14HPX-042-230	43000	15.2	12.7	42500	27200	8.5	CH33-50/60C	EL296UH090XV36C	10491295
14HPX-042-230	43500	15.2	13	42500	27200	8.5	CH33-50/60C	EL296UH090XV48C	10491325
14HPX-042-230	43500	15.2	12.7	42500	27400	8.5	CH33-50/60C	EL296UH090XV60C	10491327
14HPX-042-230	43500	15	12.7	42000	27000	8.5	CH33-50/60C	EL296UH110XE60C	10491378
14HPX-042-230	43500	15.2	13	42500	27200	8.5	CH33-50/60C	EL296UH110XV48C	10491349
14HPX-042-230	43500	15.2	13	42500	27200	8.5	CH33-50/60C	EL296UH110XV60C	10491336
14HPX-042-230	43000	15.2	12.7	42000	26800	8.7	CH33-50/60C	ML180UH090E60C	10590013
14HPX-042-230	43000	15.2	13	42000	26800	8.5	CH33-50/60C	ML180UH110E60C	10590264
14HPX-042-230	43500	15.2	13	42500	27200	8.5	CH33-50/60C	ML296UH090XV48C	202842846
14HPX-042-230	42000	15	12.5	42000	27400	8.5	CH33-50/60C	ML296UH110XV60C	202849914
14HPX-042-230	43500	15.5	13	42500	27200	8.7	CH33-50/60C	SL280UH090V60C	10491196
14HPX-042-230	43500	15.5	13	42500	27200	8.7	CH33-50/60C	SL280UH090XV60C	10491181
14HPX-042-230	43500	15.2	13	42500	27200	8.5	CH33-50/60C	SL280UH110V60C	10491197
14HPX-042-230	43500	15.2	13	42500	27200	8.5	CH33-50/60C	SL280UH110XV60C	10491168
14HPX-042-230	43000	15.2	12.7	42500	27200	8.5	CH33-50/60C	SLP98UH090XV36C	10491239
14HPX-042-230	43500	15.2	13	42500	27200	8.5	CH33-50/60C	SLP98UH090XV48C	10491277
14HPX-042-230	43500	15.2	12.7	42500	27400	8.5	CH33-50/60C	SLP98UH090XV60C	10491266
14HPX-042-230	43500	15.2	13	42500	27200	8.5	CH33-50/60C	SLP98UH110XV60C	10491267
14HPX-042-230	43000	14.2	12.2	43000	27800	8.2	CH33-50/60C		10491154
14HPX-042-230	44000	15.2	13	42500	27200	8.5	CH33-60D	EL296UH135XE60D	10491351
14HPX-042-230	44500	15.7	13.2	42500	27000	8.7	CH33-60D	EL296UH135XV60D	10491304
14HPX-042-230	44500	15.7	13.2	42500	27000	8.5	CH33-60D	ML180UH135E60D	10590449
14HPX-042-230	44000	16	13	42000	26800	8.5	CH33-60D	SL280UH135V60D	10491210
14HPX-042-230	44000	15.7	13.2	42500	26800	8.7	CH33-60D	SLP98UH135XV60D	10491280
14HPX-042-230	43500	14.5	12.2	43000	27600	8.2	CH33-60D		10491157
14HPX-042-230	42500	14.7	12.7	41500	26400	8.7	CH33-62D	EL296UH135XE60D	10491352
14HPX-042-230	43500	15.5	13	42000	26800	8.7	CH33-62D	EL296UH135XV60D	10491297
14HPX-042-230	42500	15	12.7	41500	26200	9.2	CH33-62D	ML180UH135E60D	10590446
14HPX-042-230	43500	15.7	13.2	41500	26600	8.7	CH33-62D	SL280UH135V60D	10491211
14HPX-042-230	43500	15.7	13.2	42000	26800	8.7	CH33-62D	SLP98UH135XV60D	10491281
14HPX-042-230	43000	14.2	12.2	42500	27400	8.2	CH33-62D		10491158
14HPX-042-230	44000	15	12.5	43000	27200	8.7	CR33-50/60	EL196DF090XE48C	201953271
14HPX-042-230	44000	15.2	13	43000	27200	8.7	CR33-50/60	EL296DF090XE48C	10491369
14HPX-042-230	44500	15.2	13	43500	27200	9	CR33-50/60	EL296DF090XV60C	10491315
14HPX-042-230	44500	15.2	13	43500	27200	9	CR33-50/60	EL296DF110XE60C	10491362
14HPX-042-230	44500	15.5	13.2	43000	27200	9	CR33-50/60	EL296DF110XV60C	10491328
14HPX-042-230	44500	15.5	13.2	43000	27000	9	CR33-50/60	ML180DF110E60C	10589549
14HPX-042-230	44000	15	12.5	43000	27200	8.7	CR33-50/60	ML196DF090XE48C	204497826
14HPX-042-230	44500	15.2	13	43500	27200	9	CR33-50/60	ML296DF090XV60C	202842845
14HPX-042-230	44000	15.7	13.2	43000	27000	9	CR33-50/60	SL280DF090V60C	10491200
14HPX-042-230	44500	15.7	13.2	43000	27000	9	CR33-50/60	SL280DF110V60C	10491201
14HPX-042-230	44000	15.2	13	43000	27200	9	CR33-50/60	SLP98DF090XV36C	10491282
14HPX-042-230	44500	15.2	13	43000	27200	9	CR33-50/60	SLP98DF090XV48C	10491283
14HPX-042-230	44500	15.2	13	43500	27200	9	CR33-50/60	SLP98DF090XV60C	10491272
14HPX-042-230	44500	15.5	13.2	43000	27200	9	CR33-50/60	SLP98DF110XV60C	10491273
14HPX-042-230	44000	15.2	13	43000	27200	9	CR33-50/60	SLP99DF090XV36C	205544532
14HPX-042-230	44500	15.2	13	43000	27200	9	CR33-50/60	SLP99DF090XV48C	205544533
14HPX-042-230	44500	15.2	13	43500	27200	9	CR33-50/60	SLP99DF090XV60C	205544529

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-042-230	44500	15.5	13.2	43000	27200	9	CR33-50/60	SLP99DF110XV60C	205544531
14HPX-042-230	43500	14.2	12.2	43500	27800	8.7	CR33-50/60		10491159
14HPX-042-230	43500	14.2	12.2	43500	27800	8.7	CR33-60		10491160
14HPX-048-230	49500	15	12.5	47500	30600	9	CBA27UHE-048-230		10491142
14HPX-048-230	48000	14.5	12.5	47000	30600	8.5	CBA27UHE-060-230		10491143
14HPX-048-230	49000	15	12.5	47500	30600	9	CBA38MV-048-230		201851182
14HPX-048-230	49500	15	12.5	47500	30600	9	CBA38MV-060-230		201851183
14HPX-048-230	49000	14	12	47000	30200	8.2	CBX25UH-048-230		10491011
14HPX-048-230	48500	14	12	47000	30400	8.2	CBX25UH-060-230		10491044
14HPX-048-230	48000	15	12.5	46500	29800	8.5	CBX25UHV-048-230		10491045
14HPX-048-230	49000	15	12.5	47000	30000	8.2	CBX25UHV-060-230		10490905
14HPX-048-230	49500	14.7	12.5	48000	30800	9	CBX32M-048		10490920
14HPX-048-230	49500	14.5	12.2	48000	30800	8.7	CBX32M-060		10490921
14HPX-048-230	50000	15	12.5	47000	31200	9.2	CH23-68	EL196UH090XE48C	201933357
14HPX-048-230	50500	15	12.5	47000	31200	9.2	CH23-68	EL196UH110XE60C	201933358
14HPX-048-230	50000	15	12.7	47000	31200	9.2	CH23-68	EL296UH090XE48C	10490986
14HPX-048-230	50500	15.2	13	47000	31200	9.2	CH23-68	EL296UH110XE60C	10490999
14HPX-048-230	50500	14.7	12.7	47000	31400	9.2	CH23-68	EL296UH135XE60D	10491003
14HPX-048-230	51000	15.2	13.2	47000	30800	9.2	CH23-68	EL296UH135XV60D	10491037
14HPX-048-230	50500	15.2	13.2	46500	31000	9.2	CH23-68	ML180UH090E60C	10590000
14HPX-048-230	50000	15.2	13	46500	31000	9.2	CH23-68	ML180UH110E60C	10590249
14HPX-048-230	50500	15.2	13	47000	31000	9.2	CH23-68	ML180UH135E60D	10590437
14HPX-048-230	50000	15	12.5	47000	31200	9.2	CH23-68	ML196UH090XE48C	204497827
14HPX-048-230	50500	15	12.5	47000	31200	9.2	CH23-68	ML196UH110XE60C	204497828
14HPX-048-230	50500	15.2	13.2	46500	30800	9.2	CH23-68	SL280UH135V60D	10490931
14HPX-048-230	50500	15.2	13.2	46500	30600	9.2	CH23-68	SLP98UH135XV60D	10490971
14HPX-048-230	50500	15.2	13.2	46500	30600	9.2	CH23-68	SLP99UH135XV60D	205544525
14HPX-048-230	49500	14	12.2	47500	31400	9	CH23-68		10490892
14HPX-048-230	48000	14.25	12.2	45500	30000	8.2	CH33-50/60C	EL196UH090XE48C	201933360
14HPX-048-230	48000	14.25	12.5	45500	29800	8.2	CH33-50/60C	EL196UH110XE60C	201933361
14HPX-048-230	48000	14.2	12.2	45500	29800	8.2	CH33-50/60C	EL296UH090XE48C	10490984
14HPX-048-230	48500	14.2	12.5	46000	29800	8.2	CH33-50/60C	EL296UH090XV48C	10491024
14HPX-048-230	48500	14.2	12.2	46000	29800	8.2	CH33-50/60C	EL296UH090XV60C	10491026
14HPX-048-230	48000	14.2	12.5	45500	29800	8.2	CH33-50/60C	EL296UH110XE60C	10490982
14HPX-048-230	48500	14.2	12.5	46000	29800	8.5	CH33-50/60C	EL296UH110XV48C	10490995
14HPX-048-230	48500	14.2	12.5	46000	29800	8.2	CH33-50/60C	EL296UH110XV60C	10491030
14HPX-048-230	48500	14.7	12.7	45500	29800	8.5	CH33-50/60C	ML180UH090E60C	10589997
14HPX-048-230	49000	14.2	12.2	46500	30200	8.5	CH33-50/60C	ML180UH110E60C	10590253
14HPX-048-230	48000	14	12	46000	29800	8.4	CH33-50/60C	ML296UH110XV60C	202849915
14HPX-048-230	48500	14.5	12.5	46000	29600	8.5	CH33-50/60C	SL280UH090V60C	10490932
14HPX-048-230	48500	14.5	12.5	46000	29600	8.5	CH33-50/60C	SL280UH090XV60C	10490909
14HPX-048-230	48500	14.2	12.5	46000	29600	8.5	CH33-50/60C	SL280UH110V60C	10490933
14HPX-048-230	48500	14.2	12.5	46000	29600	8.5	CH33-50/60C	SL280UH110XV60C	10490902
14HPX-048-230	48500	14.2	12.5	46000	29800	8.2	CH33-50/60C	SLP98UH090XV48C	10490972
14HPX-048-230	48500	14.2	12.2	46000	29800	8.2	CH33-50/60C	SLP98UH090XV60C	10490973
14HPX-048-230	48500	14.2	12.5	46000	29800	8.2	CH33-50/60C	SLP98UH110XV60C	10490974
14HPX-048-230	48000	14.2	12.2	46500	30600	8.5	CH33-60D	EL296UH135XE60D	10491005
14HPX-048-230	48500	14.2	12.5	46500	30200	8.7	CH33-60D	EL296UH135XV60D	10491036
14HPX-048-230	48500	14.7	12.7	46000	30200	8.7	CH33-60D	ML180UH135E60D	10590441
14HPX-048-230	48500	14.5	12.7	46000	30000	8.7	CH33-60D	SL280UH135V60D	10490894
14HPX-048-230	48000	14.5	12.5	46000	30000	8.5	CH33-60D	SLP98UH135XV60D	10490963
14HPX-048-230	48000	14.7	12.2	46000	30400	8.7	CH33-62D	EL296UH135XE60D	10490988
14HPX-048-230	48500	14.7	12.7	46000	30200	8.7	CH33-62D	EL296UH135XV60D	10491042
14HPX-048-230	48500	15	12.7	46000	30200	8.7	CH33-62D	ML180UH135E60D	10590438
14HPX-048-230	48500	14.7	12.7	46000	30000	8.7	CH33-62D	SL280UH135V60D	10490895
14HPX-048-230	48000	14.7	12.7	45500	30000	8.7	CH33-62D	SLP98UH135XV60D	10490966

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
14HPX-048-230	48000	14	12	46500	30600	8.5	CH33-62D		10490891
14HPX-048-230	49500	14	12.2	49000	31600	8.7	CR33-50/60	EL196DF090XE48C	201953277
14HPX-048-230	49500	14.2	12.5	49000	31400	8.7	CR33-50/60	EL296DF090XE48C	10490993
14HPX-048-230	49500	14.2	12.7	48500	31200	8.7	CR33-50/60	EL296DF110XE60C	10490997
14HPX-048-230	49500	15	12.7	48500	31200	9	CR33-50/60	ML180DF110E60C	10589548
14HPX-048-230	49500	14	12.2	49000	31600	8.7	CR33-50/60	ML196DF090XE48C	204497829
14HPX-048-230	49500	14.7	12.7	48500	31000	8.7	CR33-50/60	SL280DF090V60C	10490912
14HPX-048-230	49500	14.7	13	48500	31000	8.7	CR33-50/60	SL280DF110V60C	10490913
14HPX-048-230	49500	14.2	12.5	49000	31400	8.7	CR33-50/60	SLP98DF090XV48C	10490967
14HPX-048-230	49500	14.2	12.5	49000	31400	8.7	CR33-50/60	SLP98DF090XV60C	10490968
14HPX-048-230	49500	14.2	12.7	48500	31200	8.7	CR33-50/60	SLP98DF110XV60C	10490969
14HPX-048-230	49500	14.2	12.5	49000	31400	8.7	CR33-50/60	SLP99DF090XV48C	205544519
14HPX-048-230	49500	14.2	12.5	49000	31400	8.7	CR33-50/60	SLP99DF090XV60C	205544520
14HPX-048-230	49500	14.2	12.7	48500	31200	8.7	CR33-50/60	SLP99DF110XV60C	205544522
14HPX-060-230	59000	15	12.5	56000	36800	8.5	CBA27UHE-060-230		10490885
14HPX-060-230	59000	15	12.5	56000	37000	8.5	CBA38MV-060-230		201851184
14HPX-060-230	58500	14	12	55500	35800	8.2	CBX25UH-060-230		10490886
14HPX-060-230	58000	14.5	12.5	54500	35000	8.5	CBX25UHV-060-230		10490833
14HPX-060-230	59000	14.5	12	56500	37200	8.5	CBX32M-060		10490770
14HPX-060-230	59500	15	12.5	57000	37400	9	CH23-68	EL296UH110XE60C	10490804
14HPX-060-230	60000	14.7	12.2	57500	37800	9	CH23-68	EL296UH135XE60D	10490805
14HPX-060-230	60000	14.7	12.5	57500	37800	9	CH23-68	EL296UH135XV60D	10490763
14HPX-060-230	59500	15	12.5	57000	37400	9	CH23-68	ML180UH090E60C	10589991
14HPX-060-230	59500	14.7	12.5	57000	37400	9	CH23-68	ML180UH110E60C	10590243
14HPX-060-230	60000	15	12.7	57000	37600	9	CH23-68	ML180UH135E60D	10590425
14HPX-060-230	59500	14.25	12.5	57000	37600	9	CH23-68	ML196UH110XE60C	204497830
14HPX-060-230	60000	14.7	12.5	57500	37800	9	CH23-68	SL280UH135V60D	10490762
14HPX-060-230	59500	15	12.5	57000	37400	9	CH23-68	SLP98UH135XV60D	10490787
14HPX-060-230	59500	15	12.5	57000	37400	9	CH23-68	SLP99UH135XV60D	205544516
14HPX-060-230	59500	14.2	12.2	57500	38000	8.7	CH23-68		10490753
14HPX-060-230	57000	14	11.7	54500	35200	8.2	CH33-60D	EL296UH135XE60D	10490814
14HPX-060-230	57000	14.2	11.7	54000	35000	8.2	CH33-60D	ML180UH135E60D	10590424
14HPX-060-230	57500	14.2	12	54000	36400	8.5	CH33-62D	EL296UH135XE60D	10490818
14HPX-060-230	57500	14.2	12.2	54000	36200	8.5	CH33-62D	EL296UH135XV60D	10490831
14HPX-060-230	57500	14.5	12.2	54000	36000	8.5	CH33-62D	ML180UH135E60D	10590429
14HPX-060-230	57500	14.2	12.2	54000	36200	8.5	CH33-62D	SL280UH135V60D	10490777
14HPX-060-230	57500	14.5	12.2	54000	36200	8.5	CH33-62D	SLP98UH135XV60D	10490793
14HPX-060-230	57000	14	11.7	54000	36400	8.2	CH33-62D		10490758
14HPX-060-230	58500	14	11.7	58000	37600	8.2	CR33-50/60	EL296DF110XE60C	10490802
14HPX-060-230	59000	14.7	12.2	58000	37800	8.2	CR33-50/60	ML180DF110E60C	10589547
14HPX-060-230	59000	14.5	12	58500	37800	8.2	CR33-50/60	SL280DF090V60C	10490771
14HPX-060-230	59000	14.7	12.2	58000	37800	8.2	CR33-50/60	SL280DF110V60C	10490774
14HPX-060-230	58500	14	11.7	58500	38000	8.2	CR33-50/60	SLP98DF090XV60C	10490778
14HPX-060-230	58500	14	11.7	58500	38000	8.2	CR33-50/60	SLP98DF110XV60C	10490779
14HPX-060-230	58500	14	11.7	58500	38000	8.2	CR33-50/60	SLP99DF090XV60C	205544511
14HPX-060-230	58500	14	11.7	58500	38000	8.2	CR33-50/60	SLP99DF110XV60C	205544514
14HPX-060-230	58500	14.2	11.7	58500	38000	8.2	CR33-50/60		10490755
14HPX-060-230	58500	14.2	11.7	58500	38000	8.2	CR33-60		10490756
16HPX-024-230	23600	16	12.2	22400	13900	9	C35-30A	ML180UH030V36A	204495076
16HPX-024-230	23600	16	12.2	22400	13900	9	C35-30A	ML180UH045V36A	204495179
16HPX-024-230	23400	15.5	12	22400	13900	8.5	C35-30A	ML180UH070V36A	204495282
16HPX-024-230	23800	16	12.2	22200	13700	9	C35-30A	SL280UH060NV36A-	202346825
16HPX-024-230	23800	16	12.2	22400	13900	8.5	C35-30A	SL280UH070V36A	202347095
16HPX-024-230	23800	16	12.2	22400	13900	8.5	C35-30A	SL280UH070XV36A	202347096
16HPX-024-230	23600	15.5	12.2	22400	13900	8.5	C35-30B	EL296UH070XV36B	202347097
16HPX-024-230	23600	16	12.5	22400	13900	9	C35-30B	ML180UH070V36B	204495429

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-024-230	23800	15.1	12.5	22400	13900	8.5	C35-30B	ML180UH070V48B	204495553
16HPX-024-230	23800	16	12.2	22600	13900	8.8	C35-30B	ML180UH090V48B	204495677
16HPX-024-230	23600	15.5	12.2	21800	13500	8.5	C35-30B	ML296UH070XV36B	202842937
16HPX-024-230	23600	15	12.2	22400	13800	8.5	C35-30B	SL280UH090V36B	202347098
16HPX-024-230	23600	15.5	12.2	22400	13900	8.5	C35-30B	SLP98UH070XV36B	202347099
16HPX-024-230	23600	15.5	12.2	22400	13900	8.5	C35-30B	SLP99UH070XV36B	205544739
16HPX-024-230	24000	16	12.5	22200	13700	8.5	C35-36A	ML180UH030V36A	204495077
16HPX-024-230	24000	16	12.5	22200	13700	8.5	C35-36A	ML180UH045V36A	204495180
16HPX-024-230	24000	15.5	12.2	22000	13600	8.5	C35-36A	ML180UH070V36A	204495283
16HPX-024-230	24000	16	12.5	21600	13300	8.8	C35-36A	SL280UH060NV36A-	202346826
16HPX-024-230	24000	16	12.2	22200	13700	8.5	C35-36A	SL280UH070V36A	202347101
16HPX-024-230	24000	16	12.2	22200	13700	8.5	C35-36A	SL280UH070XV36A	202347102
16HPX-024-230	24000	15.5	12.2	22200	13700	8.5	C35-36B	EL296UH070XV36B	202347103
16HPX-024-230	24000	16	12.5	22000	13600	8.5	C35-36B	ML180UH070V36B	204495430
16HPX-024-230	24000	15.1	12.5	22200	13700	8.5	C35-36B	ML180UH070V48B	204495554
16HPX-024-230	24000	16	12.5	22200	13700	8.8	C35-36B	ML180UH090V48B	204495678
16HPX-024-230	24000	15.5	12.2	21800	13500	8.5	C35-36B	ML296UH070XV36B	202842938
16HPX-024-230	24000	15	12.5	22000	13600	8.2	C35-36B	SL280UH090V36B	202347104
16HPX-024-230	24000	15.5	12.2	22200	13700	8.5	C35-36B	SLP98UH070XV36B	202347105
16HPX-024-230	24000	15.5	12.2	22200	13700	8.5	C35-36B	SLP99UH070XV36B	205544740
16HPX-024-230	24000	16	12.2	21600	13300	8.5	C37-38B	ML296UH070XV36B	202842939
16HPX-024-230	24000	16	12.5	21400	13000	8.2	CBA25UHV-030-230		202540667
16HPX-024-230	24000	15.5	12	22600	13600	8.5	CBA27UHE-024-230		202347113
16HPX-024-230	24000	16.5	12.5	22400	14000	8.5	CBA38MV-030-230		202346828
16HPX-024-230	24000	16.5	12.5	22400	14000	8.5	CBA38MV-036-230		202346829
16HPX-024-230	24000	14.5	12	23400	14400	8.2	CBX25UHV-030-230		202347114
16HPX-024-230	24000	16.5	12.5	22400	14000	8.5	CBX32MV-024/030		202347581
16HPX-024-230	24000	16	12	21000	13900	8.5	CH33-31B	EL296UH070XV36B	202347122
16HPX-024-230	24000	16	12	21000	13500	8.5	CH33-31B	ML296UH070XV36B	202842940
16HPX-024-230	24000	15.1	12.2	21000	13900	8.2	CH33-31B	SL280UH090V36B	202347123
16HPX-024-230	24000	16	12	21000	13900	8.5	CH33-31B	SLP98UH070XV36B	202347124
16HPX-024-230	23800	15.5	12.2	21800	13600	8.2	CH35-30B	EL296UH070XV36B	202347126
16HPX-024-230	23600	15.5	12.5	21600	13500	8.2	CH35-30B	ML180UH070V36B	205724759
16HPX-024-230	23600	15.5	12	21800	13700	8.4	CH35-30B	ML193UH030XE36B	202890783
16HPX-024-230	23600	15.5	12	21800	13700	8.4	CH35-30B	ML193UH045XE36B	202890789
16HPX-024-230	23600	15.5	12	21800	13700	8.4	CH35-30B	ML193UH070XE36B	202890795
16HPX-024-230	23600	15.5	12	21800	13700	8.4	CH35-30B	ML193UH090XE36C	202890801
16HPX-024-230	23600	15.5	12	21800	13700	8.4	CH35-30B	ML193UH090XE48C	202890807
16HPX-024-230	23600	15.5	12	21800	13700	8.4	CH35-30B	ML193UH110XE48C	202890813
16HPX-024-230	23600	15.5	12	21800	13700	8.4	CH35-30B	ML193UH110XE60C	202890819
16HPX-024-230	23800	15.5	12.2	21800	13500	8.2	CH35-30B	ML296UH070XV36B	202842941
16HPX-024-230	23800	15	12.2	21600	13500	8.2	CH35-30B	SL280UH090V36B	202347127
16HPX-024-230	23800	15.5	12.2	21800	13600	8.2	CH35-30B	SLP98UH070XV36B	202347128
16HPX-024-230	23800	15.5	12.2	21800	13600	8.2	CH35-30B	SLP99UH070XV36B	205544742
16HPX-024-230	23800	15.5	12.2	21800	13600	8.2	CHX35-30B	EL296UH070XV36B	202346831
16HPX-024-230	23600	15.5	12	21800	13700	8.4	CHX35-30B	ML193UH030XE36B	202890784
16HPX-024-230	23600	15.5	12	21800	13700	8.4	CHX35-30B	ML193UH045XE36B	202890790
16HPX-024-230	23600	15.5	12	21800	13700	8.4	CHX35-30B	ML193UH070XE36B	202890796
16HPX-024-230	23600	15.5	12	21800	13700	8.4	CHX35-30B	ML193UH090XE36C	202890802
16HPX-024-230	23600	15.5	12	21800	13700	8.4	CHX35-30B	ML193UH090XE48C	202890808
16HPX-024-230	23600	15.5	12	21800	13700	8.4	CHX35-30B	ML193UH110XE48C	202890814
16HPX-024-230	23600	15.5	12	21800	13700	8.4	CHX35-30B	ML193UH110XE60C	202890820
16HPX-024-230	23800	15.5	12.2	21800	13500	8.2	CHX35-30B	ML296UH070XV36B	202842936
16HPX-024-230	23800	15	12.2	21600	13500	8.2	CHX35-30B	SL280UH090V36B	202346832
16HPX-024-230	23800	15.5	12.2	21800	13600	8.2	CHX35-30B	SLP98UH070XV36B	202346833
16HPX-024-230	23800	15.5	12.2	21800	13600	8.2	CHX35-30B	SLP99UH070XV36B	205544737

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-024-230	23600	16	12.2	23200	13900	8.2	CR33-30/36	SLP98DF070XV36B	202347129
16HPX-024-230	23600	16	12.2	23200	13900	8.2	CR33-30/36	SLP98DF090XV36C	202347130
16HPX-024-230	23600	16	12.2	23200	13900	8.2	CR33-30/36	SLP99DF070XV36B	205544744
16HPX-024-230	23600	16	12.2	23200	13900	8.2	CR33-30/36	SLP99DF090XV36C	205544746
16HPX-024-230	23800	16	12.2	22200	13700	9	CX35-30A	SL280UH060NV36A-	202346835
16HPX-024-230	23800	16	12.2	22400	13900	8.5	CX35-30A	SL280UH070V36A	202347131
16HPX-024-230	23800	16	12.2	22400	13900	8.5	CX35-30A	SL280UH070XV36A	202347133
16HPX-024-230	23600	15.5	12.2	22400	13900	8.5	CX35-30B	EL296UH070XV36B	202347134
16HPX-024-230	23600	16	12.5	22400	13900	9	CX35-30B	ML180UH070V36B	204495431
16HPX-024-230	23800	15.1	12.5	22400	13900	8.5	CX35-30B	ML180UH070V48B	204495555
16HPX-024-230	23800	16	12.2	22600	13900	8.8	CX35-30B	ML180UH090V48B	204495679
16HPX-024-230	23600	15.5	12.2	21800	13500	8.5	CX35-30B	ML296UH070XV36B	202842942
16HPX-024-230	23600	15	12.2	22400	13800	8.5	CX35-30B	SL280UH090V36B	202347135
16HPX-024-230	23600	15.5	12.2	22400	13900	8.5	CX35-30B	SLP98UH070XV36B	202347136
16HPX-024-230	23600	15.5	12.2	22400	13900	8.5	CX35-30B	SLP99UH070XV36B	205544748
16HPX-024-230	24000	16	12.5	22200	13700	8.5	CX35-36A	ML180UH030V36A	204495078
16HPX-024-230	24000	16	12.5	22200	13700	8.5	CX35-36A	ML180UH045V36A	204495181
16HPX-024-230	24000	15.5	12.2	22000	13600	8.5	CX35-36A	ML180UH070V36A	204495284
16HPX-024-230	24000	16	12.5	21600	13300	8.8	CX35-36A	SL280UH060NV36A-	202346836
16HPX-024-230	24000	16	12.2	22200	13700	8.5	CX35-36A	SL280UH070V36A	202347137
16HPX-024-230	24000	16	12.2	22200	13700	8.5	CX35-36A	SL280UH070XV36A	202347139
16HPX-024-230	24000	15.5	12.2	22200	13700	8.5	CX35-36B	EL296UH070XV36B	202347140
16HPX-024-230	24000	16	12.5	22000	13600	8.5	CX35-36B	ML180UH070V36B	204495432
16HPX-024-230	24000	15.1	12.5	22200	13700	8.5	CX35-36B	ML180UH070V48B	204495556
16HPX-024-230	24000	16	12.5	22200	13700	8.8	CX35-36B	ML180UH090V48B	204495680
16HPX-024-230	24000	15.5	12.2	21800	13500	8.5	CX35-36B	ML296UH070XV36B	202842943
16HPX-024-230	24000	15	12.5	22000	13600	8.2	CX35-36B	SL280UH090V36B	202347141
16HPX-024-230	24000	15.5	12.2	22200	13700	8.5	CX35-36B	SLP98UH070XV36B	202347142
16HPX-024-230	24000	15.5	12.2	22200	13700	8.5	CX35-36B	SLP99UH070XV36B	205544749
16HPX-024-230	24000	16	12.2	21600	13400	8.5	CX38-38B	ML296UH070XV36B	202842944
16HPX-036-230	36000	16	12.5	33200	22000	8.5	C37-43B	ML296UH070XV36B	202842945
16HPX-036-230	36000	16	13	32800	21600	8.5	C37-43C	ML296UH090XV48C	202842946
16HPX-036-230	36000	16	13	33000	21800	8.8	C37-43C	ML296UH110XV60C	202849985
16HPX-036-230	36000	16	13	33800	22800	8.2	C37-50/60C	ML296UH110XV60C	202849986
16HPX-036-230	36000	16	13	34600	22600	8.5	CBA25UHV-048-230		202540673
16HPX-036-230	36000	16	13	35600	23000	9	CBA27UHE-042-230		202347880
16HPX-036-230	36000	16	13	35600	23000	8.5	CBA38MV-042-230		202347881
16HPX-036-230	36000	14.5	12	36000	24400	8.2	CBX25UH-036-230		202347882
16HPX-036-230	36000	16	12.5	34600	23200	8.5	CBX25UHV-036-230		202347883
16HPX-036-230	35600	14.5	12	34800	23400	8.7	CBX32M-036		202347887
16HPX-036-230	36000	16.5	12.5	34600	23200	9	CBX32MV-036		202347888
16HPX-036-230	36000	15.5	12.5	33200	22400	8.5	CH33-43B	EL196UH045XE36B	202348431
16HPX-036-230	36000	15.5	12.5	33200	22600	8.5	CH33-43B	EL196UH070XE36B	202348432
16HPX-036-230	36000	15.5	12.5	33200	22400	8.5	CH33-43B	EL296UH045XE36B	202347901
16HPX-036-230	36000	16	12.5	33000	22400	8.5	CH33-43B	EL296UH045XV36B	202347902
16HPX-036-230	36000	15.5	12.5	33000	22400	8.5	CH33-43B	EL296UH070XE36B	202347903
16HPX-036-230	36000	16	12.5	33000	22200	8.5	CH33-43B	EL296UH070XV36B	202347904
16HPX-036-230	36000	16	13	33000	22200	8.5	CH33-43B	ML180UH070E36B	202347906
16HPX-036-230	36000	16	13	33000	22200	9	CH33-43B	ML180UH090E48B	202347907
16HPX-036-230	36000	16	12.5	33000	22200	8.5	CH33-43B	ML296UH045XV36B	202842947
16HPX-036-230	36000	16	12.5	33000	22200	8.5	CH33-43B	ML296UH070XV36B	202842948
16HPX-036-230	36000	16	13	32600	22000	8.5	CH33-43B	SL280UH090V36B	202347908
16HPX-036-230	36000	16	13	32800	22000	8.5	CH33-43B	SL280UH090V48B	202347909
16HPX-036-230	36000	16	13	32800	22000	8.5	CH33-43B	SL280UH090XV48B	202347910
16HPX-036-230	36000	16	12.5	33000	22200	8.5	CH33-43B	SLP98UH070XV36B	202347911
16HPX-036-230	36000	14.5	12	33200	22600	8.5	CH33-43B		202347895

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-036-230	36000	16	13	33000	21800	8.5	CH33-43C	EL196UH090XE48C	202348433
16HPX-036-230	36000	16	13	33000	21800	8.5	CH33-43C	EL296UH090XE48C	202347915
16HPX-036-230	36000	16	13	32400	21800	8.5	CH33-43C	EL296UH090XV36C	202347916
16HPX-036-230	36000	16	13	32400	21800	8.5	CH33-43C	EL296UH090XV48C	202347917
16HPX-036-230	36000	16	13	32800	22000	8.5	CH33-43C	EL296UH090XV60C	202347918
16HPX-036-230	36000	16	13	32600	22000	8.5	CH33-43C	EL296UH110XV60C	202347920
16HPX-036-230	36000	16	13	32400	21600	8.5	CH33-43C	ML296UH090XV48C	202842949
16HPX-036-230	36000	16	13	32600	22000	8.5	CH33-43C	ML296UH110XV60C	202849977
16HPX-036-230	36000	16	13	32600	22000	8.5	CH33-43C	SL280UH090V60C	202347921
16HPX-036-230	36000	16	13	32600	22000	8.5	CH33-43C	SL280UH090XV60C	202347922
16HPX-036-230	36000	16	13	32600	22000	8.5	CH33-43C	SL280UH110V60C	202347923
16HPX-036-230	36000	16	13	32600	22000	8.5	CH33-43C	SL280UH110XV60C	202347924
16HPX-036-230	36000	16	13	32400	21800	8.5	CH33-43C	SLP98UH090XV36C	202347926
16HPX-036-230	36000	16	13	32400	21800	8.5	CH33-43C	SLP98UH090XV48C	202347927
16HPX-036-230	36000	16	13	32800	22000	8.5	CH33-43C	SLP98UH090XV60C	202347928
16HPX-036-230	36000	16	13	32600	22000	8.5	CH33-43C	SLP98UH110XV60C	202347929
16HPX-036-230	36000	14.5	12	33600	22400	8.2	CH33-43C		202347913
16HPX-036-230	36000	16	13	33000	21800	8.5	CH33-48C	EL196UH090XE48C	202348434
16HPX-036-230	36000	16	13	33000	21800	8.5	CH33-48C	EL296UH090XE48C	202347933
16HPX-036-230	36000	16	13	33000	21800	8.5	CH33-48C	EL296UH090XV36C	202347934
16HPX-036-230	36000	16	13	32800	21800	8.5	CH33-48C	EL296UH090XV48C	202347935
16HPX-036-230	36000	16	13	33200	22000	8.5	CH33-48C	EL296UH090XV60C	202347937
16HPX-036-230	36000	16	13	33000	21800	8.5	CH33-48C	EL296UH110XV60C	202347938
16HPX-036-230	36000	16	13	32800	21600	8.5	CH33-48C	ML296UH090XV48C	202842950
16HPX-036-230	36000	16	13	33000	21800	8.5	CH33-48C	ML296UH110XV60C	202849978
16HPX-036-230	36000	16	13	33200	22000	8.5	CH33-48C	SL280UH090V60C	202347939
16HPX-036-230	36000	16	13	33200	22000	8.5	CH33-48C	SL280UH090XV60C	202347940
16HPX-036-230	36000	16	13	33200	22000	8.5	CH33-48C	SL280UH110V60C	202347942
16HPX-036-230	36000	16	13	33200	22000	8.5	CH33-48C	SL280UH110XV60C	202347943
16HPX-036-230	36000	16	13	33000	21800	8.5	CH33-48C	SLP98UH090XV36C	202347944
16HPX-036-230	36000	16	13	32800	21800	8.5	CH33-48C	SLP98UH090XV48C	202347945
16HPX-036-230	36000	16	13	33200	22000	8.5	CH33-48C	SLP98UH090XV60C	202347946
16HPX-036-230	36000	16	13	33000	21800	8.5	CH33-48C	SLP98UH110XV60C	202347947
16HPX-036-230	36000	14.5	12	33600	22400	8.2	CH33-48C		202347931
16HPX-036-230	36000	16	12.5	36000	22800	8.5	CR33-48B	EL280DF070E36A	202890823
16HPX-036-230	36000	16	12.5	36000	22600	8.8	CR33-48B	EL280DF090E48B	202890824
16HPX-036-230	36000	15.5	12	36000	23000	8.5	CR33-48B	EL296DF045XE36B	202347953
16HPX-036-230	36000	15.5	12.5	36000	22600	8.7	CR33-48B	EL296DF070XE48B	202347955
16HPX-036-230	36000	15	12.5	36000	22800	8.5	CR33-48B	EL296DF070XV48B	202347956
16HPX-036-230	36000	16	13	35800	22400	8.5	CR33-48B	ML180DF070E36B	202347957
16HPX-036-230	36000	15.5	12	36000	22800	8.5	CR33-48B	ML193DF045XE36B	202890837
16HPX-036-230	36000	15.5	12	36000	22800	8.5	CR33-48B	ML193DF070XE36B	202890838
16HPX-036-230	36000	15	12.5	36000	22800	8.5	CR33-48B	ML296DF070XV48B	202842951
16HPX-036-230	36000	16	12.5	36000	22600	8.5	CR33-48B	SL280DF090V48B	202347958
16HPX-036-230	36000	16	12.5	36000	22600	8.5	CR33-48B	SLP98DF070XV36B	202347960
16HPX-036-230	36000	16	12.5	36000	22600	8.5	CR33-48B	SLP99DF070XV36B	205544751
16HPX-036-230	36000	14	11.5	36000	23200	8.2	CR33-48B		202347949
16HPX-036-230	35400	14.5	12.2	35800	22400	9.2	CR33-48C	ML196DF090XE48C	204497840
16HPX-036-230	36000	16	13	36000	22600	8.5	CR33-48C	SL280DF090V60C	202347961
16HPX-036-230	36000	16	13	36000	22600	8.5	CR33-48C	SL280DF110V60C	202347962
16HPX-036-230	36000	16	12.5	36000	22600	8.5	CR33-48C	SLP98DF090XV36C	202347963
16HPX-036-230	36000	16	12.5	36000	22600	8.5	CR33-48C	SLP98DF090XV48C	202347964
16HPX-036-230	36000	16	12.5	36000	22600	8.5	CR33-48C	SLP98DF090XV60C	202347966
16HPX-036-230	36000	16	12.5	36000	22800	8.5	CR33-48C	SLP98DF110XV60C	202347967
16HPX-036-230	36000	16	12.5	36000	22600	8.5	CR33-48C	SLP99DF090XV36C	205544752
16HPX-036-230	36000	16	12.5	36000	22600	8.5	CR33-48C	SLP99DF090XV48C	205544754

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-036-230	36000	16	12.5	36000	22600	8.5	CR33-48C	SLP99DF090XV60C	205544755
16HPX-036-230	36000	16	12.5	36000	22800	8.5	CR33-48C	SLP99DF110XV60C	205544757
16HPX-036-230	36000	16	12.5	33200	22000	8.5	CX38-43B	ML296UH070XV36B	202842952
16HPX-036-230	36000	16	13	32800	21600	8.5	CX38-43C	ML296UH090XV48C	202842953
16HPX-036-230	36000	16	13	33000	21800	8.8	CX38-43C	ML296UH110XV60C	202849979
16HPX-036-230	36000	16	13	33800	22800	8.2	CX38-50/60C	ML296UH110XV60C	202849980
16HPX-048-230	46500	15	11.5	42000	28000	8.2	C35-49C	EL196UH110XE60C	202348438
16HPX-048-230	46500	15.5	11.5	42000	28200	8.2	C35-49C	EL280UH090E48B	202890868
16HPX-048-230	46500	15.5	11.5	42000	28200	8.2	C35-49C	EL280UH090XE48B	203361691
16HPX-048-230	46500	16	11.7	42000	28200	8.2	C35-49C	EL280UH110E48C	202890877
16HPX-048-230	46500	16	12	42000	28000	8.2	C35-49C	EL280UH110E60C	202890886
16HPX-048-230	46500	16	12	42000	28000	8.2	C35-49C	EL280UH110XE60C	203361700
16HPX-048-230	46500	15	11.5	42500	28400	8.2	C35-49C	EL296UH090XV48C	202348253
16HPX-048-230	46500	15	11.5	42500	28400	8.2	C35-49C	EL296UH090XV60C	202348254
16HPX-048-230	46500	15	11.5	42000	28000	8.2	C35-49C	EL296UH110XE60C	202348255
16HPX-048-230	46500	15	11.5	42000	28200	8.2	C35-49C	EL296UH110XV48C	202348256
16HPX-048-230	46500	15	11.5	42500	28200	8.2	C35-49C	EL296UH110XV60C	202348257
16HPX-048-230	46500	15	11.5	42000	28000	8.2	C35-49C	ML180UH090E60C	202348258
16HPX-048-230	47000	15	11.5	42500	28600	8.2	C35-49C	ML180UH110E60C	202348259
16HPX-048-230	46500	15.5	11.5	42000	27800	8.2	C35-49C	ML180UH110V60C	204495817
16HPX-048-230	46000	15.5	11.5	42000	28200	8.2	C35-49C	ML193UH090XE48C	202890896
16HPX-048-230	46500	15.5	11.5	42000	28200	8.2	C35-49C	ML193UH110XE48C	202890903
16HPX-048-230	47000	15.5	11.5	42500	28400	8.2	C35-49C	ML193UH110XE60C	202890912
16HPX-048-230	46500	15	11.5	42000	28000	8.2	C35-49C	ML196UH110XE60C	204497844
16HPX-048-230	46500	15	11.5	42500	28400	8.2	C35-49C	ML296UH090XV48C	202842955
16HPX-048-230	46500	15.5	11.5	42000	28000	8.2	C35-49C	SL280UH090V60C	202348260
16HPX-048-230	46500	15.5	11.5	42000	28000	8.2	C35-49C	SL280UH090XV60C	202348261
16HPX-048-230	46500	15.5	11.5	42000	28000	8.2	C35-49C	SL280UH110V60C	202348262
16HPX-048-230	46500	15.5	11.5	42000	28000	8.2	C35-49C	SL280UH110XV60C	202348263
16HPX-048-230	47000	15.5	11.7	42500	28400	8.2	C35-49C	SL297UH080NV48C	205746281
16HPX-048-230	47000	15.1	11.7	42500	28400	8.2	C35-49C	SL297UH080NV60C	205746282
16HPX-048-230	46500	15	11.5	42000	28200	8.2	C35-49C	SLP98UH090XV48C	202348264
16HPX-048-230	46500	15	11.5	42000	28200	8.2	C35-49C	SLP99UH090XV48C	205544765
16HPX-048-230	47000	15	11.5	43500	26200	8.2	C35-60C	EL196UH090XE48C	202348439
16HPX-048-230	47000	15.5	11.5	43500	26000	8.2	C35-60C	EL196UH110XE60C	202348440
16HPX-048-230	46500	16	11.7	43500	26200	8.2	C35-60C	EL280UH090E48B	202890869
16HPX-048-230	46500	16	11.7	43500	26200	8.2	C35-60C	EL280UH090XE48B	203361692
16HPX-048-230	47000	16	12	43500	26200	8.2	C35-60C	EL280UH110E48C	202890878
16HPX-048-230	47000	16	12	43500	26000	8.4	C35-60C	EL280UH110E60C	202890887
16HPX-048-230	47000	16	12	43500	26000	8.4	C35-60C	EL280UH110XE60C	203361701
16HPX-048-230	46500	15	11.5	43500	26200	8.2	C35-60C	EL296UH090XE48C	202348269
16HPX-048-230	47000	15.5	11.5	44000	26400	8.2	C35-60C	EL296UH090XV48C	202348270
16HPX-048-230	47000	15.5	11.5	44000	26400	8.2	C35-60C	EL296UH090XV60C	202348271
16HPX-048-230	47000	15.5	11.5	43500	26000	8.2	C35-60C	EL296UH110XE60C	202348272
16HPX-048-230	47000	15.5	11.5	43500	26200	8.2	C35-60C	EL296UH110XV48C	202348273
16HPX-048-230	47000	15.5	11.5	43500	26200	8.2	C35-60C	EL296UH110XV60C	202348274
16HPX-048-230	47000	15.5	12	43000	26000	8.2	C35-60C	ML180UH090E60C	202348275
16HPX-048-230	47500	15.5	11.5	44000	26600	8.2	C35-60C	ML180UH110E60C	202348276
16HPX-048-230	47000	15.5	11.5	43500	26000	8.2	C35-60C	ML180UH110V60C	204495818
16HPX-048-230	46500	16	11.7	43500	26200	8.2	C35-60C	ML193UH090XE48C	202890897
16HPX-048-230	46500	16	11.7	43500	26200	8.2	C35-60C	ML193UH110XE48C	202890904
16HPX-048-230	47000	16	11.7	44000	26400	8.2	C35-60C	ML193UH110XE60C	202890913
16HPX-048-230	47000	15	11.5	43500	26200	8.2	C35-60C	ML196UH090XE48C	204497845
16HPX-048-230	47000	15.5	11.5	43500	26000	8.2	C35-60C	ML196UH110XE60C	204497846
16HPX-048-230	47000	15.5	11.5	42500	26400	8.2	C35-60C	ML296UH090XV48C	202842956
16HPX-048-230	46500	16	11.7	43500	26200	8.2	C35-60C	ML296UH110XV60C	202849981

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-048-230	47000	15.5	11.5	43500	26000	8.2	C35-60C	SL280UH090V60C	202348277
16HPX-048-230	47000	15.5	11.5	43500	26000	8.2	C35-60C	SL280UH090XV60C	202348278
16HPX-048-230	47000	15.5	11.5	43500	26000	8.2	C35-60C	SL280UH110V60C	202348279
16HPX-048-230	47000	15.5	11.5	43500	26000	8.2	C35-60C	SL280UH110XV60C	202348280
16HPX-048-230	47000	15.5	11.7	43500	26200	8.2	C35-60C	SL297UH080NV48C	205746283
16HPX-048-230	47000	15.5	11.7	43500	26400	8.2	C35-60C	SL297UH080NV60C	205746284
16HPX-048-230	47000	15.5	11.5	43500	26200	8.2	C35-60C	SLP98UH090XV48C	202348281
16HPX-048-230	47000	15.5	11.5	43500	26200	8.2	C35-60C	SLP98UH090XV60C	202348282
16HPX-048-230	47000	15.5	11.5	43500	26200	8.2	C35-60C	SLP98UH110XV60C	202348283
16HPX-048-230	47000	15.5	11.5	43500	26200	8.2	C35-60C	SLP99UH090XV48C	205544767
16HPX-048-230	47000	15.5	11.5	43500	26200	8.2	C35-60C	SLP99UH090XV60C	205544768
16HPX-048-230	47000	15.5	11.5	43500	26200	8.2	C35-60C	SLP99UH110XV60C	205544770
16HPX-048-230	47500	15.5	12	43000	28200	8.2	C35-60D	SL280UH135V60D	202348284
16HPX-048-230	48000	15.5	12	43000	28400	8.2	C35-60D	SLP98UH135XV60D	202348285
16HPX-048-230	48000	15.5	12	43000	28400	8.2	C35-60D	SLP99UH135XV60D	205544772
16HPX-048-230	48000	16	12.5	44500	31200	8.5	CBA25UHV-048-230		202540669
16HPX-048-230	47500	16	12	45000	30000	9	CBA27UHE-048-230		202348294
16HPX-048-230	47000	15	11.5	44500	27400	9	CBA27UHE-060-230		202348295
16HPX-048-230	48000	16	12	45000	30000	8.5	CBA38MV-048-230		202348296
16HPX-048-230	47000	16	12	44500	30000	9	CBA38MV-060-230		202348297
16HPX-048-230	47500	14	12	44000	29800	8.2	CBX25UH-048-230		202849418
16HPX-048-230	48000	15	12	44000	29400	8.5	CBX25UHV-048-230		202348298
16HPX-048-230	48000	15.5	12	45500	30200	8.7	CBX32M-048		202348301
16HPX-048-230	48000	16	12.5	45000	30800	9.5	CBX32MV-060		202348303
16HPX-048-230	48000	16	12	45500	29400	8.5	CH23-68	EL196UH090XE48C	202348443
16HPX-048-230	48000	16	12	45500	29400	9	CH23-68	EL196UH110XE60C	202348444
16HPX-048-230	48000	16	12	45500	29600	9	CH23-68	EL280UH090E48B	202890871
16HPX-048-230	48000	16	12	45500	29600	9	CH23-68	EL280UH090XE48B	203361694
16HPX-048-230	48000	16	12	45500	29400	9	CH23-68	EL280UH110E48C	202890880
16HPX-048-230	48000	16	12	45000	29400	9	CH23-68	EL280UH110E60C	202890889
16HPX-048-230	48000	16	12	45000	29400	9	CH23-68	EL280UH110XE60C	203361703
16HPX-048-230	48000	16	12	45000	29400	8.5	CH23-68	EL296UH090XE48C	202348312
16HPX-048-230	48000	16	12	45000	29400	9	CH23-68	EL296UH110XE60C	202348313
16HPX-048-230	48000	16	12	45500	29400	9	CH23-68	EL296UH135XV60D	202348314
16HPX-048-230	48000	16	12.5	45000	29200	9	CH23-68	ML180UH090E60C	202348315
16HPX-048-230	48000	16	12.5	45000	29200	9	CH23-68	ML180UH110E60C	202348316
16HPX-048-230	48000	16	12	45000	29400	9	CH23-68	ML193UH090XE48C	202891631
16HPX-048-230	48000	16	12	45000	29400	9	CH23-68	ML193UH110XE48C	202890906
16HPX-048-230	48000	16	12	45000	29400	9	CH23-68	ML193UH110XE60C	202890915
16HPX-048-230	48000	15.5	12	45000	29400	8.5	CH23-68	ML196UH090XE48C	204497847
16HPX-048-230	48000	16	12	45000	29400	9	CH23-68	ML196UH110XE60C	204497848
16HPX-048-230	48000	16	12	45000	29200	9	CH23-68	SL280UH135V60D	202348317
16HPX-048-230	48000	16	12	45500	29400	9	CH23-68	SLP98UH135XV60D	202348318
16HPX-048-230	48000	16	12	45500	29400	9	CH23-68	SLP99UH135XV60D	205544773
16HPX-048-230	48000	14.5	11.5	46000	30000	8.5	CH23-68		202348307
16HPX-048-230	48000	15	12	45500	31600	8.7	CH33-60D	EL296UH135XV60D	202348319
16HPX-048-230	48000	15	12	45000	31400	8.7	CH33-60D	SL280UH135V60D	202348320
16HPX-048-230	48000	15	12	45500	31600	8.7	CH33-60D	SLP98UH135XV60D	202348321
16HPX-048-230	47000	15	12	43500	28600	8.7	CH33-62D	EL296UH135XV60D	202348322
16HPX-048-230	46500	15	12	43500	28600	8.7	CH33-62D	SL280UH135V60D	202348323
16HPX-048-230	47000	15	12	43500	28800	8.7	CH33-62D	SLP98UH135XV60D	202348324
16HPX-048-230	48000	15	11.5	43500	29600	8.2	CH35-51C	EL196UH110XE60C	202348445
16HPX-048-230	47000	16	12	43000	29200	8.2	CH35-51C	EL280UH090E48B	202890872
16HPX-048-230	47000	16	12	43000	29200	8.2	CH35-51C	EL280UH090XE48B	203361695
16HPX-048-230	47500	16	12	43000	29000	8.2	CH35-51C	EL280UH110E48C	202890881
16HPX-048-230	47000	16	12	42500	29000	8.2	CH35-51C	EL280UH110E60C	202890890

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-048-230	47000	16	12	42500	29000	8.2	CH35-51C	EL280UH110XE60C	203361704
16HPX-048-230	47500	15	11.5	43500	29600	8.2	CH35-51C	EL296UH110XE60C	202348328
16HPX-048-230	47500	15.5	11.5	43000	29200	8.2	CH35-51C	EL296UH110XV60C	202348329
16HPX-048-230	48000	15.5	11.5	43500	29600	8.2	CH35-51C	ML180UH090E60C	202348330
16HPX-048-230	48000	15.5	11.5	43500	29600	8.2	CH35-51C	ML180UH110E60C	202348331
16HPX-048-230	48000	16	12.5	43000	29000	8.4	CH35-51C	ML180UH110V60C	204495819
16HPX-048-230	47000	16	12	43000	29000	8.2	CH35-51C	ML193UH090XE48C	202890899
16HPX-048-230	47000	16	12	43000	29000	8.2	CH35-51C	ML193UH110XE48C	202890907
16HPX-048-230	47500	16	12	43500	29400	8.2	CH35-51C	ML193UH110XE60C	202890916
16HPX-048-230	47500	15	11.5	43500	29400	8.2	CH35-51C	ML196UH110XE60C	204497849
16HPX-048-230	46500	16	11.7	42500	28400	8.2	CH35-51C	ML296UH110XV60C	202849982
16HPX-048-230	47500	15.5	12	43000	29000	8.2	CH35-51C	SL280UH090V60C	202348332
16HPX-048-230	47500	15.5	12	43000	29000	8.2	CH35-51C	SL280UH090XV60C	202348333
16HPX-048-230	48000	15.5	11.7	43500	29600	8.2	CH35-51C	SL297UH080NV48C	205746285
16HPX-048-230	48000	15.5	12	43500	29400	8.2	CH35-51C	SL297UH080NV60C	205746286
16HPX-048-230	47500	15.5	11.5	43000	29200	8.2	CH35-51C	SLP98UH090XV48C	202348334
16HPX-048-230	47500	15.5	11.5	43000	29200	8.2	CH35-51C	SLP98UH110XV60C	202348335
16HPX-048-230	47500	15.5	11.5	43000	29200	8.2	CH35-51C	SLP99UH090XV48C	205544775
16HPX-048-230	47500	15.5	11.5	43000	29200	8.2	CH35-51C	SLP99UH110XV60C	205544776
16HPX-048-230	48000	15	11.5	43500	29600	8.2	CHX35-51/61C	EL196UH110XE60C	202348339
16HPX-048-230	47000	16	12	43000	29200	8.2	CHX35-51/61C	EL280UH090E48B	202890873
16HPX-048-230	47000	16	12	43000	29200	8.2	CHX35-51/61C	EL280UH090XE48B	203361696
16HPX-048-230	47500	16	12	43000	29000	8.2	CHX35-51/61C	EL280UH110E48C	202890882
16HPX-048-230	47000	16	12	42500	29000	8.2	CHX35-51/61C	EL280UH110E60C	202890891
16HPX-048-230	47000	16	12	42500	29000	8.2	CHX35-51/61C	EL280UH110XE60C	203361705
16HPX-048-230	47500	15	11.5	43500	29600	8.2	CHX35-51/61C	EL296UH110XE60C	202348340
16HPX-048-230	47500	15.5	11.5	43000	29200	8.2	CHX35-51/61C	EL296UH110XV60C	202348341
16HPX-048-230	48000	15.5	11.5	43500	29600	8.2	CHX35-51/61C	ML180UH090E60C	202348342
16HPX-048-230	48000	15.5	11.5	43500	29600	8.2	CHX35-51/61C	ML180UH110E60C	202348343
16HPX-048-230	48000	16	12.5	43000	29000	8.4	CHX35-51/61C	ML180UH110V60C	204495820
16HPX-048-230	47000	16	12	43000	29000	8.2	CHX35-51/61C	ML193UH090XE48C	202890900
16HPX-048-230	47000	16	12	43000	29000	8.2	CHX35-51/61C	ML193UH110XE48C	202890908
16HPX-048-230	47500	16	12	43500	29400	8.2	CHX35-51/61C	ML193UH110XE60C	202890917
16HPX-048-230	47500	15	11.5	43500	29400	8.2	CHX35-51/61C	ML196UH110XE60C	204497850
16HPX-048-230	46500	16	11.7	42500	28400	8.2	CHX35-51/61C	ML296UH110XV60C	202850003
16HPX-048-230	47500	15.5	12	43000	29000	8.2	CHX35-51/61C	SL280UH090V60C	202348344
16HPX-048-230	47500	15.5	12	43000	29000	8.2	CHX35-51/61C	SL280UH090XV60C	202348345
16HPX-048-230	48000	15.5	11.7	43500	29600	8.2	CHX35-51/61C	SL297UH080NV48C	205746287
16HPX-048-230	48000	15.5	12	43500	29400	8.2	CHX35-51/61C	SL297UH080NV60C	205746288
16HPX-048-230	47500	15.5	11.5	43000	29200	8.2	CHX35-51/61C	SLP98UH090XV48C	202348346
16HPX-048-230	47500	15.5	11.5	43000	29200	8.2	CHX35-51/61C	SLP98UH110XV60C	202348347
16HPX-048-230	47500	15.5	11.5	43000	29200	8.2	CHX35-51/61C	SLP99UH090XV48C	205544778
16HPX-048-230	47500	15.5	11.5	43000	29200	8.2	CHX35-51/61C	SLP99UH110XV60C	205544780
16HPX-048-230	46500	15.5	12	44000	30400	9.2	CR33-50/60	EL280DF090E48B	202890867
16HPX-048-230	47000	15.5	12	44500	30400	9.2	CR33-50/60	EL296DF090XE48C	202348352
16HPX-048-230	47000	16	12	44000	30200	9	CR33-50/60	EL296DF110XE60C	202348353
16HPX-048-230	47000	16	12	44500	30600	9	CR33-50/60	EL296DF110XV60C	202348354
16HPX-048-230	47500	16	12.5	44000	30200	9.5	CR33-50/60	ML180DF110E60C	202348355
16HPX-048-230	47000	16	12	44000	30400	9.2	CR33-50/60	ML193DF090XE48C	202890895
16HPX-048-230	47000	16	12	44500	30400	9	CR33-50/60	SLP98DF090XV60C	202348356
16HPX-048-230	47000	16	12	44500	30600	9	CR33-50/60	SLP98DF110XV60C	202348357
16HPX-048-230	47000	16	12	44500	30400	9	CR33-50/60	SLP99DF090XV60C	205544781
16HPX-048-230	47000	16	12	44500	30600	9	CR33-50/60	SLP99DF110XV60C	205544783
16HPX-048-230	47000	14.5	11.5	44500	30800	9	CR33-50/60	SLP98DF090XV60C	202348348
16HPX-048-230	47000	16	12	44500	30400	9	CR33-60	SLP98DF090XV60C	202348359
16HPX-048-230	47000	16	12	44500	30400	9	CR33-60	SLP98DF110XV60C	202348360

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-048-230	47000	16	12	44500	30400	9	CR33-60	SLP99DF090XV60C	205544785
16HPX-048-230	47000	16	12	44500	30400	9	CR33-60	SLP99DF110XV60C	205544786
16HPX-048-230	47000	14.5	11.5	44500	30600	9	CR33-60		202348358
16HPX-048-230	46500	15	11.5	42000	28000	8.2	CX35-49C	EL196UH110XE60C	202348446
16HPX-048-230	46500	15.5	11.5	42000	28200	8.2	CX35-49C	EL280UH090E48B	202890874
16HPX-048-230	46500	15.5	11.5	42000	28200	8.2	CX35-49C	EL280UH090XE48B	203361697
16HPX-048-230	46500	16	11.7	42000	28200	8.2	CX35-49C	EL280UH110E48C	202890883
16HPX-048-230	46500	16	12	42000	28000	8.2	CX35-49C	EL280UH110E60C	202890892
16HPX-048-230	46500	16	12	42000	28000	8.2	CX35-49C	EL280UH110XE60C	203361706
16HPX-048-230	46500	15	11.5	42500	28400	8.2	CX35-49C	EL296UH090XV48C	202348364
16HPX-048-230	46500	15	11.5	42500	28400	8.2	CX35-49C	EL296UH090XV60C	202348365
16HPX-048-230	46500	15	11.5	42000	28000	8.2	CX35-49C	EL296UH110XE60C	202348366
16HPX-048-230	46500	15	11.5	42000	28200	8.2	CX35-49C	EL296UH110XV48C	202348367
16HPX-048-230	46500	15	11.5	42500	28200	8.2	CX35-49C	EL296UH110XV60C	202348368
16HPX-048-230	46500	15	11.5	42000	28000	8.2	CX35-49C	ML180UH090E60C	202348369
16HPX-048-230	47000	15	11.5	42500	28600	8.2	CX35-49C	ML180UH110E60C	202348370
16HPX-048-230	46500	15.5	11.5	42000	27800	8.2	CX35-49C	ML180UH110V60C	204495821
16HPX-048-230	46000	15.5	11.5	42000	28200	8.2	CX35-49C	ML193UH090XE48C	202891632
16HPX-048-230	46500	15.5	11.5	42000	28200	8.2	CX35-49C	ML193UH110XE48C	202890909
16HPX-048-230	47000	15.5	11.5	42500	28400	8.2	CX35-49C	ML193UH110XE60C	202890918
16HPX-048-230	46500	15	11.5	42000	28000	8.2	CX35-49C	ML196UH110XE60C	204497851
16HPX-048-230	46500	15	11.5	42500	28400	8.2	CX35-49C	ML296UH090XV48C	202842957
16HPX-048-230	46500	15.5	11.5	42000	28000	8.2	CX35-49C	SL280UH090V60C	202348371
16HPX-048-230	46500	15.5	11.5	42000	28000	8.2	CX35-49C	SL280UH090XV60C	202348372
16HPX-048-230	46500	15.5	11.5	42000	28000	8.2	CX35-49C	SL280UH110V60C	202348373
16HPX-048-230	46500	15.5	11.5	42000	28000	8.2	CX35-49C	SL280UH110XV60C	202348374
16HPX-048-230	47000	15.5	11.7	42500	28400	8.2	CX35-49C	SL297UH080NV48C	205746289
16HPX-048-230	47000	15.1	11.7	42500	28200	8.2	CX35-49C	SL297UH080NV60C	205746290
16HPX-048-230	46500	15	11.5	42000	28200	8.2	CX35-49C	SLP98UH090XV48C	202348375
16HPX-048-230	46500	15	11.5	42000	28200	8.2	CX35-49C	SLP99UH090XV48C	205544787
16HPX-048-230	47000	15	11.5	43500	26200	8.2	CX35-60C	EL196UH090XE48C	202348447
16HPX-048-230	47000	15.5	11.5	43500	26000	8.2	CX35-60C	EL196UH110XE60C	202348448
16HPX-048-230	46500	16	11.7	43500	26200	8.2	CX35-60C	EL280UH090E48B	202890875
16HPX-048-230	46500	16	11.7	43500	26200	8.2	CX35-60C	EL280UH090XE48B	203361698
16HPX-048-230	47000	16	12	43500	26200	8.2	CX35-60C	EL280UH110E48C	202890884
16HPX-048-230	47000	16	12	43500	26000	8.4	CX35-60C	EL280UH110E60C	202890893
16HPX-048-230	47000	16	12	43500	26000	8.4	CX35-60C	EL280UH110XE60C	203361707
16HPX-048-230	46500	15	11.5	43500	26200	8.2	CX35-60C	EL296UH090XE48C	202348380
16HPX-048-230	47000	15.5	11.5	44000	26400	8.2	CX35-60C	EL296UH090XV48C	202348381
16HPX-048-230	47000	15.5	11.5	44000	26400	8.2	CX35-60C	EL296UH090XV60C	202348382
16HPX-048-230	47000	15.5	11.5	43500	26000	8.2	CX35-60C	EL296UH110XE60C	202348383
16HPX-048-230	47000	15.5	11.5	43500	26200	8.2	CX35-60C	EL296UH110XV48C	202348384
16HPX-048-230	47000	15.5	11.5	43500	26200	8.2	CX35-60C	EL296UH110XV60C	202348385
16HPX-048-230	47000	15.5	12	43000	26000	8.2	CX35-60C	ML180UH090E60C	202348386
16HPX-048-230	47500	15.5	11.5	44000	26600	8.2	CX35-60C	ML180UH110E60C	202348387
16HPX-048-230	47000	15.5	11.5	43500	26000	8.2	CX35-60C	ML180UH110V60C	204495822
16HPX-048-230	46500	16	11.7	43500	26200	8.2	CX35-60C	ML193UH090XE48C	202890901
16HPX-048-230	46500	16	11.7	43500	26200	8.2	CX35-60C	ML193UH110XE48C	202890910
16HPX-048-230	47000	16	11.7	44000	26400	8.2	CX35-60C	ML193UH110XE60C	202890919
16HPX-048-230	47000	15	11.5	43500	26200	8.2	CX35-60C	ML196UH090XE48C	204497852
16HPX-048-230	47000	15.5	11.5	43500	26000	8.2	CX35-60C	ML196UH110XE60C	204497853
16HPX-048-230	47000	15.5	11.5	42500	26400	8.2	CX35-60C	ML296UH090XV48C	202842958
16HPX-048-230	46500	16	11.7	43500	26200	8.2	CX35-60C	ML296UH110XV60C	202849983
16HPX-048-230	47000	15.5	11.5	43500	26000	8.2	CX35-60C	SL280UH090V60C	202348388
16HPX-048-230	47000	15.5	11.5	43500	26000	8.2	CX35-60C	SL280UH090XV60C	202348389
16HPX-048-230	47000	15.5	11.5	43500	26000	8.2	CX35-60C	SL280UH110V60C	202348390

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-048-230	47000	15.5	11.5	43500	26000	8.2	CX35-60C	SL280UH110XV60C	202348391
16HPX-048-230	47000	15.5	11.7	43500	26200	8.2	CX35-60C	SL297UH080NV48C	205746291
16HPX-048-230	47000	15.5	11.7	43500	26400	8.2	CX35-60C	SL297UH080NV60C	205746292
16HPX-048-230	47000	15.5	11.5	43500	26200	8.2	CX35-60C	SLP98UH090XV48C	202348392
16HPX-048-230	47000	15.5	11.5	43500	26200	8.2	CX35-60C	SLP98UH090XV60C	202348393
16HPX-048-230	47000	15.5	11.5	43500	26200	8.2	CX35-60C	SLP98UH110XV60C	202348394
16HPX-048-230	47000	15.5	11.5	43500	26200	8.2	CX35-60C	SLP99UH090XV48C	205544788
16HPX-048-230	47000	15.5	11.5	43500	26200	8.2	CX35-60C	SLP99UH090XV60C	205544789
16HPX-048-230	47000	15.5	11.5	43500	26200	8.2	CX35-60C	SLP99UH110XV60C	205544791
16HPX-048-230	47500	15.5	12	43000	28200	8.2	CX35-60D	SL280UH135V60D	202348395
16HPX-048-230	48000	15.5	12	43000	28400	8.2	CX35-60D	SLP98UH135XV60D	202348396
16HPX-048-230	48000	15.5	12	43000	28400	8.2	CX35-60D	SLP99UH135XV60D	205544793
16HPX-048-230	47000	15.5	11.5	42000	26400	8.2	CX38-62C	ML296UH090XV48C	202842959
16HPX-048-230	46500	15.5	11.5	42000	28200	8.8	CX38-62C	ML296UH110XV60C	202849984
16HPX-060-230	57000	16	12	54000	35600	8.2	CBA25UHV-060-230		202540671
16HPX-060-230	57000	14.5	11.5	56500	34800	8.5	CBA27UHE-060-230		202348207
16HPX-060-230	57000	15	11.5	56000	34600	8.5	CBA38MV-060-230		202348451
16HPX-060-230	58000	15	11.5	54500	35400	8.2	CBX25UHV-060-230		202348208
16HPX-060-230	57000	14.5	11.5	56000	36200	8.5	CBX32M-060		202348210
16HPX-060-230	57000	15.7	11.5	55500	35800	8.5	CBX32MV-060		202348211
16HPX-060-230	57500	15.5	11.5	60000	36800	8.5	CH23-68	EL280UH110E48C	202890922
16HPX-060-230	58000	15.5	11.5	60000	37200	8.5	CH23-68	EL280UH110E60C	202890925
16HPX-060-230	58000	15.5	11.5	60000	37200	8.5	CH23-68	EL280UH110XE60C	203361710
16HPX-060-230	58500	15.2	11.5	60000	37600	8.5	CH23-68	EL296UH135XE60D	202348217
16HPX-060-230	59000	15.5	11.5	60000	37600	8.5	CH23-68	EL296UH135XV60D	202348218
16HPX-060-230	58500	15.5	11.5	60000	37400	8.5	CH23-68	ML180UH135E60D	202348219
16HPX-060-230	58000	15.5	11.5	60000	37200	8.5	CH23-68	ML193UH110XE60C	202890928
16HPX-060-230	58500	15.7	11.5	60000	37400	8.5	CH23-68	SL280UH135V60D	202348220
16HPX-060-230	59000	15.5	11.5	60000	37600	8.5	CH23-68	SLP98UH135XV60D	202348221
16HPX-060-230	59000	15.5	11.5	60000	37600	8.5	CH23-68	SLP99UH135XV60D	205544758
16HPX-060-230	58500	14.2	11.5	60000	37800	8.2	CH23-68		202348214
16HPX-060-230	54500	15.2	11	53000	35000	8.2	CH33-62D	EL296UH135XE60D	202348224
16HPX-060-230	54500	15.5	11	53000	34800	8.2	CH33-62D	EL296UH135XV60D	202348225
16HPX-060-230	54500	15.7	11.5	52500	34600	8.2	CH33-62D	ML180UH135E60D	202348226
16HPX-060-230	54500	15.7	11	53000	34800	8.2	CH33-62D	SL280UH135V60D	202348227
16HPX-060-230	54500	15.5	11	53000	34800	8.2	CH33-62D	SLP98UH135XV60D	202348228
16HPX-060-230	56500	15	11.5	57000	37400	8.2	CR33-50/60	EL296DF090XV60C	202348231
16HPX-060-230	57000	15	11.5	57000	37200	8.2	CR33-50/60	EL296DF110XE60C	202348232
16HPX-060-230	56500	15	11.5	57000	37400	8.2	CR33-50/60	EL296DF110XV60C	202348233
16HPX-060-230	57500	15.2	12	57500	37400	8.5	CR33-50/60	ML180DF110E60C	202348234
16HPX-060-230	56500	15	11.5	57000	37200	8.2	CR33-50/60	ML296DF090XV60C	202842954
16HPX-060-230	57000	15.2	11.5	57000	37400	8.2	CR33-50/60	SL280DF090V60C	202348235
16HPX-060-230	57000	15.2	11.5	57000	37400	8.2	CR33-50/60	SL280DF110V60C	202348236
16HPX-060-230	56500	15	11.5	57000	37400	8.2	CR33-50/60	SLP98DF090XV60C	202348237
16HPX-060-230	56500	15	11.5	57000	37400	8.2	CR33-50/60	SLP98DF110XV60C	202348238
16HPX-060-230	56500	15	11.5	57000	37400	8.2	CR33-50/60	SLP99DF090XV60C	205544759
16HPX-060-230	56500	15	11.5	57000	37400	8.2	CR33-50/60	SLP99DF110XV60C	205544761
16HPX-060-230	56500	15	11.5	57000	37400	8.2	CR33-60	EL296DF110XV60C	202348240
16HPX-060-230	56500	15	11.5	57000	37400	8.2	CR33-60	SLP98DF110XV60C	202348241
16HPX-060-230	56500	15	11.5	57000	37400	8.2	CR33-60	SLP99DF110XV60C	205544763
16HPX-060-230	57000	14.2	11.5	57500	37600	8.2	CR33-60		202348239
16HPX-060-230	58500	15.1	12	56500	35800	8.2	CX35-60C	EL180UH100NE60C	205707527
16HPX-060-230	58500	15	12	56500	35800	8.2	CX35-60C	EL195UH110XE60C	205707528
16HPX-060-230	58500	15	12	56500	36000	8.2	CX35-60C	EL196UH110XE60C	205707529
16HPX-060-230	58500	15	12	56500	35800	8.2	CX35-60C	EL280UH110E60C	205707530
16HPX-060-230	58500	15	12	56500	35800	8.2	CX35-60C	EL280UH110XE60C	205707531

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
16HPX-060-230	58500	15.1	12	56500	36200	8.2	CX35-60C	EL296UH090XV48C	205707532
16HPX-060-230	58500	15	11.5	57000	36400	8.2	CX35-60C	EL296UH090XV60C	205707533
16HPX-060-230	58500	15	12	56500	35800	8.2	CX35-60C	EL296UH110XE60C	205707534
16HPX-060-230	58500	15.1	12	56500	36000	8.2	CX35-60C	EL296UH110XV48C	205707535
16HPX-060-230	58500	15.1	12	56500	36200	8.2	CX35-60C	EL296UH110XV60C	205707536
16HPX-060-230	58500	15.1	12	56500	35800	8.2	CX35-60C	ML180UH090E60C	205707537
16HPX-060-230	58000	15.1	12	56500	35800	8.2	CX35-60C	ML180UH110E60C	205707538
16HPX-060-230	59000	15.5	12	56500	35800	8.4	CX35-60C	ML180UH110V60C	205707539
16HPX-060-230	58000	15.1	12	56500	35800	8.2	CX35-60C	ML180UH110XE60C	205707540
16HPX-060-230	59500	14.5	11.7	57500	36600	8.2	CX35-60C	ML193UH110XE60C	205707541
16HPX-060-230	58500	15	12	56500	36200	8.2	CX35-60C	ML296UH090XV48C	205707542
16HPX-060-230	59000	15.1	12	56500	36000	8.2	CX35-60C	ML296UH110XV60C	205707543
16HPX-060-230	59000	15.5	12	56500	35800	8.4	CX35-60C	SL280UH080NV60C	205707544
16HPX-060-230	59000	15.1	12	56500	36000	8.2	CX35-60C	SL280UH090V60C	205707545
16HPX-060-230	59000	15.1	12	56500	36000	8.2	CX35-60C	SL280UH090XV60C	205707546
16HPX-060-230	59000	15.1	12	56500	35800	8.2	CX35-60C	SL280UH100NV60C	205707547
16HPX-060-230	59000	15	12	57000	36200	8.2	CX35-60C	SL280UH110V60C	205707548
16HPX-060-230	59000	15	12	57000	36200	8.2	CX35-60C	SL280UH110XV60C	205707549
16HPX-060-230	58500	15.1	12	56500	35800	8.2	CX35-60C	SL297UH080NV48C	205707550
16HPX-060-230	59000	15	12	57000	36200	8.2	CX35-60C	SL297UH080NV60C	205707551
16HPX-060-230	58500	15.1	12	56500	36200	8.2	CX35-60C	SLP98UH090XV48C	205707552
16HPX-060-230	58500	15	11.5	57000	36400	8.2	CX35-60C	SLP98UH090XV60C	205707553
16HPX-060-230	58500	15.1	12	56500	36200	8.2	CX35-60C	SLP98UH110XV60C	205707554
16HPX-060-230	58500	15.1	12	56500	36200	8.2	CX35-60C	SLP99UH110XV60C	205707555
16HPX-060-230	58500	14	11.7	57000	36400	8.2	CX35-60C		205707526
16HPX-060-230	56500	14	11	57000	35800	8.2	CX35-60D	EL296UH135XE60D	205707521
16HPX-060-230	56500	15	11	57000	35600	8.2	CX35-60D	EL296UH135XV60D	205707522
16HPX-060-230	56500	14.25	11.5	56500	35400	8.2	CX35-60D	ML180UH135E60D	205707523
16HPX-060-230	56500	15	11	56500	35600	8.2	CX35-60D	SL280UH135V60D	205707524
16HPX-060-230	56500	15	11.5	56500	35200	8.2	CX35-60D	SLP98UH135XV60D	205707525
EL15XP1-018-230	18000	15.5	12.5	16900	10400	8.5	C35-24A	EL180UH040NE36A	202564802
EL15XP1-018-230	18000	15.5	12.5	16900	10400	8.5	C35-24A	EL180UH060NE36A	202564803
EL15XP1-018-230	18000	15.1	12.5	17000	10400	8.4	C35-24A	EL280UH045E36A	204043310
EL15XP1-018-230	18000	15.5	12.5	16800	10300	8.4	C35-24A	EL280UH070E36A	204043311
EL15XP1-018-230	18000	15.5	12.5	16800	10300	8.5	C35-24A	ML180UH030V36A	204494980
EL15XP1-018-230	18000	15.1	12.5	17000	10500	8.2	C35-24A	ML180UH045E36A	202564804
EL15XP1-018-230	18000	15.5	12.5	16800	10300	8.5	C35-24A	ML180UH045V36A	204495083
EL15XP1-018-230	18000	16	13	17600	10700	8.5	C35-24A	ML180UH070E36A	204495823
EL15XP1-018-230	18000	15.5	12.5	16900	10300	8.5	C35-24A	ML180UH070V36A	204495186
EL15XP1-018-230	18000	16	13	17600	10700	8.5	C35-24A	ML180UH070XE36A	204495949
EL15XP1-018-230	18000	16	13	17200	10500	8.5	C35-24A	SL280UH060NV36A	202564805
EL15XP1-018-230	18000	16	13	16900	10300	8.5	C35-24B	EL196UH030XE24B	202564809
EL15XP1-018-230	18000	16	13	16900	10300	8.5	C35-24B	EL196UH045XE24B	202564810
EL15XP1-018-230	18000	15	12.5	17100	10600	8.2	C35-24B	EL196UH070XE36B	202564811
EL15XP1-018-230	18000	15.1	12.5	16900	10400	8.2	C35-24B	EL280UH090E36B	204043312
EL15XP1-018-230	18000	14.5	12.5	17100	10600	8.2	C35-24B	EL296UH045XE36B	202564812
EL15XP1-018-230	18000	16	13	17300	10600	8.5	C35-24B	EL296UH045XV36B	202564813
EL15XP1-018-230	18000	16	13	17200	10600	8.5	C35-24B	EL296UH070XV36B	202564814
EL15XP1-018-230	18000	14.5	12.5	17100	10600	8.2	C35-24B	ML180UH070E36B	202564815
EL15XP1-018-230	18000	15.5	12.5	16900	10300	8.5	C35-24B	ML180UH070V36B	204495289
EL15XP1-018-230	18000	15.1	12.5	16900	10400	8.4	C35-24B	ML193UH030XE36B	204043313
EL15XP1-018-230	18000	15.1	12.5	16900	10400	8.4	C35-24B	ML193UH045XE36B	204043314
EL15XP1-018-230	18000	15.1	12.5	16900	10400	8.2	C35-24B	ML193UH070XE36B	204043315
EL15XP1-018-230	18000	15.1	12.5	16900	10300	8.2	C35-24B	ML196UH030XE24B	204497854
EL15XP1-018-230	18000	15.1	12.5	16900	10300	8.2	C35-24B	ML196UH045XE24B	204497855
EL15XP1-018-230	18000	15	12.5	17100	10600	8.2	C35-24B	ML196UH070XE36B	204497856

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-018-230	18000	16	13	17300	10600	8.5	C35-24B	ML296UH045XV36B	205470158
EL15XP1-018-230	18000	16	13	17200	10600	8.5	C35-24B	ML296UH070XV36B	205470159
EL15XP1-018-230	18000	16	13	17200	10600	8.5	C35-24B	SLP98UH070XV36B	202564816
EL15XP1-018-230	18000	16	13	17200	10600	8.5	C35-24B	SLP99UH070XV36B	205544805
EL15XP1-018-230	18000	16	13	16900	10300	8.5	C35-30A	EL180UH040NE36A	202564817
EL15XP1-018-230	18000	16	13	16900	10300	8.5	C35-30A	EL180UH060NE36A	202564818
EL15XP1-018-230	18000	15.5	12.5	16900	10300	8.4	C35-30A	EL280UH045E36A	204043316
EL15XP1-018-230	18000	15.5	12.5	16800	10300	8.5	C35-30A	EL280UH070E36A	204043317
EL15XP1-018-230	18000	16	13.5	16800	10200	8.5	C35-30A	ML180UH030V36A	204494981
EL15XP1-018-230	18000	15.5	12.5	16900	10400	8.2	C35-30A	ML180UH045E36A	202564819
EL15XP1-018-230	18000	16	13.5	16800	10200	8.5	C35-30A	ML180UH045V36A	204495084
EL15XP1-018-230	18000	16	13	17600	10700	8.5	C35-30A	ML180UH070E36A	204495824
EL15XP1-018-230	18000	16	13.5	16900	10300	8.5	C35-30A	ML180UH070V36A	204495187
EL15XP1-018-230	18000	16	13	17600	10700	8.5	C35-30A	ML180UH070XE36A	204495950
EL15XP1-018-230	18000	14	12	18000	11700	8.2	C35-30A		204101039
EL15XP1-018-230	18000	15.5	12.5	16600	10100	8.2	C35-30B	EL196UH030XE24B	202564823
EL15XP1-018-230	18000	15.5	12.5	16600	10100	8.2	C35-30B	EL196UH045XE24B	202564824
EL15XP1-018-230	18000	15	12.5	17000	10500	8.2	C35-30B	EL196UH045XE36B	202564825
EL15XP1-018-230	18000	15.1	12.5	17000	10500	8.2	C35-30B	EL196UH070XE36B	202564826
EL15XP1-018-230	18000	15.5	12.5	16900	10300	8.4	C35-30B	EL280UH090E36B	204043318
EL15XP1-018-230	18000	15	12.5	17100	10500	8.2	C35-30B	EL296UH045XE36B	202564827
EL15XP1-018-230	18000	16	13	17300	10500	8.5	C35-30B	EL296UH045XV36B	202564828
EL15XP1-018-230	18000	16	13	17300	10600	8.5	C35-30B	EL296UH070XE36B	202564829
EL15XP1-018-230	18000	16	13	17200	10400	8.5	C35-30B	EL296UH070XV36B	202564830
EL15XP1-018-230	18000	15	12.5	17100	10500	8.2	C35-30B	ML180UH070E36B	202564831
EL15XP1-018-230	18000	16	13.5	16800	10200	8.5	C35-30B	ML180UH070V36B	204495290
EL15XP1-018-230	18000	15.5	12.5	16900	10300	8.4	C35-30B	ML193UH030XE36B	204043319
EL15XP1-018-230	18000	15.5	12.5	16900	10300	8.4	C35-30B	ML193UH045XE36B	204043320
EL15XP1-018-230	18000	15.5	12.5	16900	10300	8.4	C35-30B	ML193UH070XE36B	204043321
EL15XP1-018-230	18000	15.5	12.5	16600	10100	8.2	C35-30B	ML196UH030XE24B	204497857
EL15XP1-018-230	18000	15.5	12.5	16600	10100	8.2	C35-30B	ML196UH045XE24B	204497858
EL15XP1-018-230	18000	15	12.5	17000	10500	8.2	C35-30B	ML196UH045XE36B	204497859
EL15XP1-018-230	18000	15.1	12.5	17000	10500	8.2	C35-30B	ML196UH070XE36B	204497860
EL15XP1-018-230	18000	16	13	17300	10500	8.5	C35-30B	ML296UH045XV36B	205470160
EL15XP1-018-230	18000	16	13	17200	10400	8.5	C35-30B	ML296UH070XV36B	205470161
EL15XP1-018-230	18000	16	13	17300	10500	8.5	C35-30B	SL297UH040NV36B	202564832
EL15XP1-018-230	18000	16	13	17300	10500	8.5	C35-30B	SL297UH060NV36B	202564833
EL15XP1-018-230	18000	16	13	17200	10400	8.5	C35-30B	SLP98UH070XV36B	202564834
EL15XP1-018-230	18000	16	13	17200	10400	8.5	C35-30B	SLP99UH070XV36B	205544807
EL15XP1-018-230	18000	14	12	18000	11700	8.2	C35-30B		204101040
EL15XP1-018-230	18000	14	12	17600	10800	8.2	CBA25UH-018-230		202564835
EL15XP1-018-230	18000	14.25	12.2	17600	11000	8.2	CBA25UH-024-230		202564836
EL15XP1-018-230	18000	15.5	12.5	17200	10500	8.5	CBA25UHV-018-230		202564837
EL15XP1-018-230	18000	15.5	12.5	17300	10600	8.5	CBA25UHV-024-230		202564838
EL15XP1-018-230	18000	16	13	17500	10700	9	CBA27UHE-018-230		202564839
EL15XP1-018-230	18000	16	13	17300	10600	8.5	CBA27UHE-024-230		202564840
EL15XP1-018-230	18000	16	13	17700	10900	8.5	CBA38MV-018/024-230		202564841
EL15XP1-018-230	18000	15.5	12.5	17300	10600	8.5	CH35-24A	EL180UH040NE36A	202564842
EL15XP1-018-230	18000	15.5	12.5	17300	10600	8.5	CH35-24A	EL180UH060NE36A	202564843
EL15XP1-018-230	18000	16	13.5	17500	10700	8.5	CH35-24A	EL280UH045E36A	204043322
EL15XP1-018-230	18000	15.5	12.5	17300	10500	8.5	CH35-24A	EL280UH070E36A	204043323
EL15XP1-018-230	18000	15.5	12.5	17200	10500	8.5	CH35-24A	ML180UH030V36A	204494982
EL15XP1-018-230	18000	15.5	12.5	17400	10600	8.5	CH35-24A	ML180UH045E36A	202564844
EL15XP1-018-230	18000	15.5	12.5	17200	10500	8.5	CH35-24A	ML180UH045V36A	204495085
EL15XP1-018-230	18000	16	13	17900	10900	8.8	CH35-24A	ML180UH070E36A	204495825
EL15XP1-018-230	18000	15.5	12.5	17300	10600	8.5	CH35-24A	ML180UH070V36A	204495188

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-018-230	18000	16	13	17900	10900	8.8	CH35-24A	ML180UH070XE36A	204495951
EL15XP1-018-230	18000	15.5	12.5	17400	10700	8.5	CH35-24B	EL196UH030XE24B	202564849
EL15XP1-018-230	18000	15.5	12.5	17400	10700	8.5	CH35-24B	EL196UH045XE24B	202564850
EL15XP1-018-230	18000	14.5	12.5	17700	10900	8.2	CH35-24B	EL196UH045XE36B	202564851
EL15XP1-018-230	18000	14.5	12.5	17700	10900	8.2	CH35-24B	EL196UH070XE36B	202564852
EL15XP1-018-230	18000	15	12.5	17500	10800	8.5	CH35-24B	EL280UH090E36B	204043324
EL15XP1-018-230	18000	14.5	12.5	17700	10900	8.2	CH35-24B	EL296UH045XE36B	202564853
EL15XP1-018-230	18000	16	13	17800	10900	8.5	CH35-24B	EL296UH045XV36B	202564854
EL15XP1-018-230	18000	14.5	12.5	17700	10900	8.2	CH35-24B	EL296UH070XE36B	202564855
EL15XP1-018-230	18000	16	13	17800	10900	8.5	CH35-24B	EL296UH070XV36B	202564856
EL15XP1-018-230	18000	14.5	12.5	17700	10900	8.2	CH35-24B	ML180UH070E36B	202564857
EL15XP1-018-230	18000	15.5	12.5	17400	10700	8.8	CH35-24B	ML180UH070V36B	204495291
EL15XP1-018-230	18000	15.1	12.5	17500	10800	8.5	CH35-24B	ML193UH030XE36B	204043325
EL15XP1-018-230	18000	15.1	12.5	17500	10800	8.5	CH35-24B	ML193UH045XE36B	204043326
EL15XP1-018-230	18000	15	12.5	17400	10800	8.5	CH35-24B	ML193UH070XE36B	204043327
EL15XP1-018-230	18000	15.1	12.5	17400	10700	8.5	CH35-24B	ML196UH030XE24B	204497861
EL15XP1-018-230	18000	15.1	12.5	17400	10700	8.5	CH35-24B	ML196UH045XE24B	204497862
EL15XP1-018-230	18000	14.5	12.5	17700	10900	8.2	CH35-24B	ML196UH045XE36B	204497863
EL15XP1-018-230	18000	14.5	12.5	17700	10900	8.2	CH35-24B	ML196UH070XE36B	204497864
EL15XP1-018-230	18000	16	13	17800	10900	8.5	CH35-24B	ML296UH045XV36B	205470162
EL15XP1-018-230	18000	16	13	17800	10900	8.5	CH35-24B	ML296UH070XV36B	205470163
EL15XP1-018-230	18000	16	13	17700	10900	8.5	CH35-24B	SLP98UH070XV36B	202564858
EL15XP1-018-230	18000	16	13	17700	10900	8.5	CH35-24B	SLP99UH070XV36B	205544808
EL15XP1-018-230	18000	16	13	17300	11100	9	CH35-30A	EL180UH040NE36A	204101047
EL15XP1-018-230	18000	16	13	17300	11100	9	CH35-30A	EL180UH060NE36A	204101048
EL15XP1-018-230	18000	16	13	17400	11200	9	CH35-30A	EL280UH045E36A	204101049
EL15XP1-018-230	18000	16	13	17300	11100	9	CH35-30A	EL280UH070E36A	204101050
EL15XP1-018-230	18000	16	13.5	17200	11100	9.2	CH35-30A	ML180UH030V36A	204494983
EL15XP1-018-230	18000	15.5	12.5	17400	11200	9	CH35-30A	ML180UH045E36A	204101051
EL15XP1-018-230	18000	16	13.5	17200	11100	9.2	CH35-30A	ML180UH045V36A	204495086
EL15XP1-018-230	18000	15.5	12.5	17400	11200	9	CH35-30A	ML180UH045XE36A	204101052
EL15XP1-018-230	18000	16	13	17900	11500	9.4	CH35-30A	ML180UH070E36A	204495826
EL15XP1-018-230	18000	16	13.5	17300	11100	9.2	CH35-30A	ML180UH070V36A	204495189
EL15XP1-018-230	18000	16	13	17900	11500	9.4	CH35-30A	ML180UH070XE36A	204495952
EL15XP1-018-230	18000	16	13	17600	11300	9	CH35-30A	SL280UH060NV36A	204101053
EL15XP1-018-230	18000	14	12	17800	11700	8.5	CH35-30A		204101041
EL15XP1-018-230	18000	15	12.5	17800	11200	8.5	CH35-30B	EL195UH040NE36B	204101054
EL15XP1-018-230	18000	15	12.5	17800	11300	8.5	CH35-30B	EL195UH060NE36B	204101055
EL15XP1-018-230	18000	15.5	12.5	17600	11100	8.5	CH35-30B	EL196UH030XE24B	204101056
EL15XP1-018-230	18000	15.5	12.5	17600	11100	8.5	CH35-30B	EL196UH045XE24B	204101057
EL15XP1-018-230	18000	15.1	12.5	17700	11200	8.5	CH35-30B	EL196UH045XE36B	204101058
EL15XP1-018-230	18000	15.1	12.5	17700	11200	8.5	CH35-30B	EL196UH070XE36B	204101059
EL15XP1-018-230	18000	15.1	12.5	17700	11200	8.5	CH35-30B	EL296UH045XE36B	204101060
EL15XP1-018-230	18000	16	13	17900	11200	8.5	CH35-30B	EL296UH045XV36B	204101061
EL15XP1-018-230	18000	15.1	12.5	17700	11200	8.5	CH35-30B	EL296UH070XE36B	204101062
EL15XP1-018-230	18000	16	13.5	17800	11100	8.5	CH35-30B	EL296UH070XV36B	204101063
EL15XP1-018-230	18000	15.1	12.5	17700	11200	8.5	CH35-30B	ML180UH070E36B	204101064
EL15XP1-018-230	18000	16	14	17500	10900	9	CH35-30B	ML180UH070V36B	204495292
EL15XP1-018-230	18000	15.1	12.5	17700	11200	8.5	CH35-30B	ML180UH070XE36B	204101065
EL15XP1-018-230	18000	16	13	17600	11000	8.5	CH35-30B	ML193UH030XE36B	204101066
EL15XP1-018-230	18000	16	13	17600	11000	8.5	CH35-30B	ML193UH045XE36B	204101067
EL15XP1-018-230	18000	16	13	17600	11000	8.5	CH35-30B	ML193UH070XE36B	204101068
EL15XP1-018-230	18000	15.5	12.5	17600	11100	8.5	CH35-30B	ML196UH030XE24B	204497865
EL15XP1-018-230	18000	15.5	12.5	17600	11100	8.5	CH35-30B	ML196UH045XE24B	204497866
EL15XP1-018-230	18000	15.1	12.5	17700	11200	8.5	CH35-30B	ML196UH045XE36B	204497867
EL15XP1-018-230	18000	15.1	12.5	17700	11200	8.5	CH35-30B	ML196UH070XE36B	204497868

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-018-230	18000	16	13	17400	10600	8.5	CH35-30B	ML296UH045XV36B	204101069
EL15XP1-018-230	18000	16	13	17500	10700	8.5	CH35-30B	ML296UH070XV36B	204101070
EL15XP1-018-230	18000	16	13	17900	11200	9	CH35-30B	SL297UH040NV36B	204101071
EL15XP1-018-230	18000	16	13.5	17900	11200	8.5	CH35-30B	SL297UH060NV36B	204101072
EL15XP1-018-230	18000	16	13	17800	11100	8.5	CH35-30B	SLP98UH070XV36B	204101073
EL15XP1-018-230	18000	16	13	17800	11100	8.5	CH35-30B	SLP99UH070XV36B	205545888
EL15XP1-018-230	18000	14	12	18000	11500	8.2	CH35-30B		204101042
EL15XP1-018-230	18000	15.5	12.5	17300	10600	8.5	CHX35-24A	EL180UH040NE36A	202564859
EL15XP1-018-230	18000	15.5	12.5	17300	10600	8.5	CHX35-24A	EL180UH060NE36A	202564860
EL15XP1-018-230	18000	16	13.5	17500	10700	8.5	CHX35-24A	EL280UH045E36A	204043328
EL15XP1-018-230	18000	15.5	12.5	17300	10500	8.5	CHX35-24A	EL280UH070E36A	204043329
EL15XP1-018-230	18000	15.5	12.5	17200	10500	8.5	CHX35-24A	ML180UH030V36A	204494984
EL15XP1-018-230	18000	15.5	12.5	17400	10600	8.5	CHX35-24A	ML180UH045E36A	202564861
EL15XP1-018-230	18000	15.5	12.5	17200	10500	8.5	CHX35-24A	ML180UH045V36A	204495087
EL15XP1-018-230	18000	16	13	17900	10900	8.8	CHX35-24A	ML180UH070E36A	204495827
EL15XP1-018-230	18000	15.5	12.5	17300	10600	8.5	CHX35-24A	ML180UH070V36A	204495190
EL15XP1-018-230	18000	16	13	17900	10900	8.8	CHX35-24A	ML180UH070XE36A	204495953
EL15XP1-018-230	18000	15.5	12.5	17400	10700	8.5	CHX35-24B	EL196UH030XE24B	202564866
EL15XP1-018-230	18000	15.5	12.5	17400	10700	8.5	CHX35-24B	EL196UH045XE24B	202564867
EL15XP1-018-230	18000	14.5	12.5	17700	10900	8.2	CHX35-24B	EL196UH045XE36B	202564868
EL15XP1-018-230	18000	14.5	12.5	17700	10900	8.2	CHX35-24B	EL196UH070XE36B	202564869
EL15XP1-018-230	18000	15	12.5	17500	10800	8.5	CHX35-24B	EL280UH090E36B	204043330
EL15XP1-018-230	18000	14.5	12.5	17700	10900	8.2	CHX35-24B	EL296UH045XE36B	202564870
EL15XP1-018-230	18000	16	13	17800	10900	8.5	CHX35-24B	EL296UH045XV36B	202564871
EL15XP1-018-230	18000	14.5	12.5	17700	10900	8.2	CHX35-24B	EL296UH070XE36B	202564872
EL15XP1-018-230	18000	16	13	17800	10900	8.5	CHX35-24B	EL296UH070XV36B	202564873
EL15XP1-018-230	18000	14.5	12.5	17700	10900	8.2	CHX35-24B	ML180UH070E36B	202564874
EL15XP1-018-230	18000	15.5	12.5	17400	10700	8.8	CHX35-24B	ML180UH070V36B	204495293
EL15XP1-018-230	18000	15.1	12.5	17500	10800	8.5	CHX35-24B	ML193UH030XE36B	204043331
EL15XP1-018-230	18000	15.1	12.5	17500	10800	8.5	CHX35-24B	ML193UH045XE36B	204043332
EL15XP1-018-230	18000	15	12.5	17400	10800	8.5	CHX35-24B	ML193UH070XE36B	204043333
EL15XP1-018-230	18000	15.1	12.5	17400	10700	8.5	CHX35-24B	ML196UH030XE24B	204497869
EL15XP1-018-230	18000	15.1	12.5	17400	10700	8.5	CHX35-24B	ML196UH045XE24B	204497870
EL15XP1-018-230	18000	14.5	12.5	17700	10900	8.2	CHX35-24B	ML196UH045XE36B	204497871
EL15XP1-018-230	18000	14.5	12.5	17700	10900	8.2	CHX35-24B	ML196UH070XE36B	204497872
EL15XP1-018-230	18000	16	13	17800	10900	8.5	CHX35-24B	ML296UH045XV36B	205470164
EL15XP1-018-230	18000	16	13	17800	10900	8.5	CHX35-24B	ML296UH070XV36B	205470165
EL15XP1-018-230	18000	16	13	17700	10900	8.5	CHX35-24B	SLP98UH070XV36B	202564875
EL15XP1-018-230	18000	16	13	17700	10900	8.5	CHX35-24B	SLP99UH070XV36B	205544810
EL15XP1-018-230	18000	16	13	17300	11100	9	CHX35-30A	EL180UH040NE36A	204101075
EL15XP1-018-230	18000	16	13	17300	11100	9	CHX35-30A	EL180UH060NE36A	204101076
EL15XP1-018-230	18000	16	13	17400	11200	9	CHX35-30A	EL280UH045E36A	204101077
EL15XP1-018-230	18000	16	13	17300	11100	9	CHX35-30A	EL280UH070E36A	204101078
EL15XP1-018-230	18000	16	13.5	17200	11100	9.2	CHX35-30A	ML180UH030V36A	204494985
EL15XP1-018-230	18000	15.5	12.5	17400	11200	9	CHX35-30A	ML180UH045E36A	204101079
EL15XP1-018-230	18000	16	13.5	17200	11100	9.2	CHX35-30A	ML180UH045V36A	204495088
EL15XP1-018-230	18000	15.5	12.5	17400	11200	9	CHX35-30A	ML180UH045XE36A	204101080
EL15XP1-018-230	18000	16	13	17900	11500	9.4	CHX35-30A	ML180UH070E36A	204495828
EL15XP1-018-230	18000	16	13.5	17300	11100	9.2	CHX35-30A	ML180UH070V36A	204495191
EL15XP1-018-230	18000	16	13	17900	11500	9.4	CHX35-30A	ML180UH070XE36A	204495954
EL15XP1-018-230	18000	16	13	17600	11300	9	CHX35-30A	SL280UH060NV36A	204101074
EL15XP1-018-230	18000	14	12	17800	11700	8.5	CHX35-30A		204101043
EL15XP1-018-230	18000	15	12.5	17800	11200	8.5	CHX35-30B	EL195UH040NE36B	204101081
EL15XP1-018-230	18000	15	12.5	17800	11300	8.5	CHX35-30B	EL195UH060NE36B	204101082
EL15XP1-018-230	18000	15.5	12.5	17600	11100	8.5	CHX35-30B	EL196UH030XE24B	204101083
EL15XP1-018-230	18000	15.5	12.5	17600	11100	8.5	CHX35-30B	EL196UH045XE24B	204101084

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-018-230	18000	15.1	12.5	17700	11200	8.5	CHX35-30B	EL196UH045XE36B	204101085
EL15XP1-018-230	18000	15.1	12.5	17700	11200	8.5	CHX35-30B	EL196UH070XE36B	204101086
EL15XP1-018-230	18000	15.1	12.5	17700	11200	8.5	CHX35-30B	EL296UH045XE36B	204101087
EL15XP1-018-230	18000	16	13	17900	11200	8.5	CHX35-30B	EL296UH045XV36B	204101088
EL15XP1-018-230	18000	15.1	12.5	17700	11200	8.5	CHX35-30B	EL296UH070XE36B	204101089
EL15XP1-018-230	18000	16	13	17800	11100	8.5	CHX35-30B	EL296UH070XV36B	204101090
EL15XP1-018-230	18000	15.1	12.5	17700	11200	8.5	CHX35-30B	ML180UH070E36B	204101091
EL15XP1-018-230	18000	16	14	17500	10900	9	CHX35-30B	ML180UH070V36B	204495294
EL15XP1-018-230	18000	15.1	12.5	17700	11200	8.5	CHX35-30B	ML180UH070XE36B	204101092
EL15XP1-018-230	18000	16	13	17600	11000	8.5	CHX35-30B	ML193UH030XE36B	204101093
EL15XP1-018-230	18000	16	13	17600	11000	8.5	CHX35-30B	ML193UH045XE36B	204101094
EL15XP1-018-230	18000	16	13	17600	11000	8.5	CHX35-30B	ML193UH070XE36B	204101095
EL15XP1-018-230	18000	15.5	12.5	17600	11100	8.5	CHX35-30B	ML196UH030XE24B	204497873
EL15XP1-018-230	18000	15.5	12.5	17600	11100	8.5	CHX35-30B	ML196UH045XE24B	204497874
EL15XP1-018-230	18000	15.1	12.5	17700	11200	8.5	CHX35-30B	ML196UH045XE36B	204497875
EL15XP1-018-230	18000	15.1	12.5	17700	11200	8.5	CHX35-30B	ML196UH070XE36B	204497876
EL15XP1-018-230	18000	16	13	17400	10600	8.5	CHX35-30B	ML296UH045XV36B	204101096
EL15XP1-018-230	18000	16	13	17500	10700	8.5	CHX35-30B	ML296UH070XV36B	204101097
EL15XP1-018-230	18000	16	13	17900	11200	9	CHX35-30B	SL297UH040NV36B	204101098
EL15XP1-018-230	18000	16	13	17900	11200	8.5	CHX35-30B	SL297UH060NV36B	204101099
EL15XP1-018-230	18000	16	13	17800	11100	8.5	CHX35-30B	SLP98UH070XV36B	204101100
EL15XP1-018-230	18000	16	13	17800	11100	8.5	CHX35-30B	SLP99UH070XV36B	205545889
EL15XP1-018-230	18000	14	12	18000	11500	8.2	CHX35-30B		204101044
EL15XP1-018-230	18000	15.5	12.5	17200	10500	8.5	CR33-24A	EL280DF070E36A	204043334
EL15XP1-018-230	18000	15.1	12.5	17100	10500	8.2	CR33-24A	ML180DF045E36A	202564876
EL15XP1-018-230	18000	15.5	12.5	17800	10800	8.5	CR33-24A	ML180DF070E36A	204495919
EL15XP1-018-230	18000	14.5	12.5	17200	10600	8.2	CR33-24B	EL296DF045XE36B	202564879
EL15XP1-018-230	18000	15.1	12.5	18000	11600	9	CR33-30/36A	EL280DF070E36A	204043335
EL15XP1-018-230	18000	15.1	12.5	18000	11600	8.5	CR33-30/36A	ML180DF045E36A	202564880
EL15XP1-018-230	18000	16	13	18000	12000	9.4	CR33-30/36A	ML180DF070E36A	204495920
EL15XP1-018-230	18000	14	12	18000	12000	8.2	CR33-30/36A		202564800
EL15XP1-018-230	18000	15	12.5	18000	11800	8.5	CR33-30/36B	EL296DF045XE36B	202564883
EL15XP1-018-230	18000	14.5	12.5	18000	11800	8.5	CR33-30/36B	ML180DF070E36B	202564884
EL15XP1-018-230	18000	15	12.5	18000	11500	8.8	CR33-30/36B	ML193DF045XE36B	204043336
EL15XP1-018-230	18000	15	12.5	18000	11500	8.8	CR33-30/36B	ML193DF070XE36B	204043337
EL15XP1-018-230	18000	14	12	18000	12000	8.2	CR33-30/36B		202564801
EL15XP1-018-230	18000	15.5	12.5	16900	10400	8.5	CX35-24A	EL180UH040NE36A	202564885
EL15XP1-018-230	18000	15.5	12.5	16900	10400	8.5	CX35-24A	EL180UH060NE36A	202564886
EL15XP1-018-230	18000	15.1	12.5	17000	10400	8.4	CX35-24A	EL280UH045E36A	204043338
EL15XP1-018-230	18000	15.5	12.5	16800	10300	8.4	CX35-24A	EL280UH070E36A	204043339
EL15XP1-018-230	18000	15.5	12.5	16800	10300	8.5	CX35-24A	ML180UH030V36A	204494986
EL15XP1-018-230	18000	15.1	12.5	17000	10500	8.2	CX35-24A	ML180UH045E36A	202564887
EL15XP1-018-230	18000	15.5	12.5	16800	10300	8.5	CX35-24A	ML180UH045V36A	204495089
EL15XP1-018-230	18000	16	13	17600	10700	8.5	CX35-24A	ML180UH070E36A	204495829
EL15XP1-018-230	18000	15.5	12.5	16900	10300	8.5	CX35-24A	ML180UH070V36A	204495192
EL15XP1-018-230	18000	16	13	17600	10700	8.5	CX35-24A	ML180UH070XE36A	204495955
EL15XP1-018-230	18000	16	13	17200	10500	8.5	CX35-24A	SL280UH060NV36A	202564888
EL15XP1-018-230	18000	16	13	16900	10300	8.5	CX35-24B	EL196UH030XE24B	202564892
EL15XP1-018-230	18000	16	13	16900	10300	8.5	CX35-24B	EL196UH045XE24B	202564893
EL15XP1-018-230	18000	15	12.5	17100	10600	8.2	CX35-24B	EL196UH070XE36B	202564894
EL15XP1-018-230	18000	15.1	12.5	16900	10400	8.2	CX35-24B	EL280UH090E36B	204043340
EL15XP1-018-230	18000	14.5	12.5	17100	10600	8.2	CX35-24B	EL296UH045XE36B	202564895
EL15XP1-018-230	18000	16	13	17300	10600	8.5	CX35-24B	EL296UH045XV36B	202564896
EL15XP1-018-230	18000	16	13	17200	10600	8.5	CX35-24B	EL296UH070XV36B	202564897
EL15XP1-018-230	18000	14.5	12.5	17100	10600	8.2	CX35-24B	ML180UH070E36B	202564898
EL15XP1-018-230	18000	15.5	12.5	16900	10300	8.5	CX35-24B	ML180UH070V36B	204495295

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-018-230	18000	15.1	12.5	16900	10400	8.4	CX35-24B	ML193UH030XE36B	204043341
EL15XP1-018-230	18000	15.1	12.5	16900	10400	8.4	CX35-24B	ML193UH045XE36B	204043342
EL15XP1-018-230	18000	15.1	12.5	16900	10400	8.2	CX35-24B	ML193UH070XE36B	204043343
EL15XP1-018-230	18000	15.1	12.5	16900	10300	8.2	CX35-24B	ML196UH030XE24B	204497877
EL15XP1-018-230	18000	15.1	12.5	16900	10300	8.2	CX35-24B	ML196UH045XE24B	204497878
EL15XP1-018-230	18000	15	12.5	17100	10600	8.2	CX35-24B	ML196UH070XE36B	204497879
EL15XP1-018-230	18000	16	13	17300	10600	8.5	CX35-24B	ML296UH045XV36B	205470166
EL15XP1-018-230	18000	16	13	17200	10600	8.5	CX35-24B	ML296UH070XV36B	205470167
EL15XP1-018-230	18000	16	13	17200	10600	8.5	CX35-24B	SLP98UH070XV36B	202564899
EL15XP1-018-230	18000	16	13	17200	10600	8.5	CX35-24B	SLP99UH070XV36B	205544812
EL15XP1-018-230	18000	16	13	16900	10300	8.5	CX35-30A	EL180UH040NE36A	202564900
EL15XP1-018-230	18000	16	13	16900	10300	8.5	CX35-30A	EL180UH060NE36A	202564901
EL15XP1-018-230	18000	15.5	12.5	16900	10300	8.4	CX35-30A	EL280UH045E36A	204043344
EL15XP1-018-230	18000	15.5	12.5	16800	10300	8.5	CX35-30A	EL280UH070E36A	204043345
EL15XP1-018-230	18000	16	13.5	16800	10200	8.5	CX35-30A	ML180UH030V36A	204494987
EL15XP1-018-230	18000	15.5	12.5	16900	10400	8.2	CX35-30A	ML180UH045E36A	202564902
EL15XP1-018-230	18000	16	13.5	16800	10200	8.5	CX35-30A	ML180UH045V36A	204495090
EL15XP1-018-230	18000	16	13	17600	10700	8.5	CX35-30A	ML180UH070E36A	204495830
EL15XP1-018-230	18000	16	13.5	16900	10300	8.5	CX35-30A	ML180UH070V36A	204495193
EL15XP1-018-230	18000	16	13	17600	10700	8.5	CX35-30A	ML180UH070XE36A	204495956
EL15XP1-018-230	18000	14	12	18000	11700	8.2	CX35-30A		204101045
EL15XP1-018-230	18000	15.5	12.5	16600	10100	8.2	CX35-30B	EL196UH030XE24B	202564906
EL15XP1-018-230	18000	15.5	12.5	16600	10100	8.2	CX35-30B	EL196UH045XE24B	202564907
EL15XP1-018-230	18000	15	12.5	17000	10500	8.2	CX35-30B	EL196UH045XE36B	202564908
EL15XP1-018-230	18000	15.1	12.5	17000	10500	8.2	CX35-30B	EL196UH070XE36B	202564909
EL15XP1-018-230	18000	15.5	12.5	16900	10300	8.4	CX35-30B	EL280UH090E36B	204043346
EL15XP1-018-230	18000	15	12.5	17100	10500	8.2	CX35-30B	EL296UH045XE36B	202564910
EL15XP1-018-230	18000	16	13	17300	10500	8.5	CX35-30B	EL296UH045XV36B	202564911
EL15XP1-018-230	18000	16	13	17300	10600	8.5	CX35-30B	EL296UH070XE36B	202564912
EL15XP1-018-230	18000	16	13	17200	10400	8.5	CX35-30B	EL296UH070XV36B	202564913
EL15XP1-018-230	18000	15	12.5	17100	10500	8.2	CX35-30B	ML180UH070E36B	202564914
EL15XP1-018-230	18000	16	13.5	16800	10200	8.5	CX35-30B	ML180UH070V36B	204495296
EL15XP1-018-230	18000	15.5	12.5	16900	10300	8.4	CX35-30B	ML193UH030XE36B	204043347
EL15XP1-018-230	18000	15.5	12.5	16900	10300	8.4	CX35-30B	ML193UH045XE36B	204043348
EL15XP1-018-230	18000	15.5	12.5	16900	10300	8.4	CX35-30B	ML193UH070XE36B	204043349
EL15XP1-018-230	18000	15.5	12.5	16600	10100	8.2	CX35-30B	ML196UH030XE24B	204497880
EL15XP1-018-230	18000	15.5	12.5	16600	10100	8.2	CX35-30B	ML196UH045XE24B	204497881
EL15XP1-018-230	18000	15	12.5	17000	10500	8.2	CX35-30B	ML196UH045XE36B	204497882
EL15XP1-018-230	18000	15.1	12.5	17000	10500	8.2	CX35-30B	ML196UH070XE36B	204497883
EL15XP1-018-230	18000	16	13	17300	10500	8.5	CX35-30B	ML296UH045XV36B	205470168
EL15XP1-018-230	18000	16	13	17200	10400	8.5	CX35-30B	ML296UH070XV36B	205470169
EL15XP1-018-230	18000	16	13	17300	10500	8.5	CX35-30B	SL297UH040NV36B	202564915
EL15XP1-018-230	18000	16	13	17300	10500	8.5	CX35-30B	SL297UH060NV36B	202564916
EL15XP1-018-230	18000	16	13	17200	10400	8.5	CX35-30B	SLP98UH070XV36B	202564917
EL15XP1-018-230	18000	16	13	17200	10400	8.5	CX35-30B	SLP99UH070XV36B	205544815
EL15XP1-018-230	18000	14	12	18000	11700	8.2	CX35-30B		204101046
EL15XP1-024-230	23600	15.5	12.5	21600	13800	8.5	C35-24A	EL180UH040NE36A	202565178
EL15XP1-024-230	23600	15.5	12.5	21600	13800	8.5	C35-24A	EL180UH060NE36A	202565179
EL15XP1-024-230	24000	15.5	12.5	22200	14100	9	C35-24A	EL280UH045E36A	204043350
EL15XP1-024-230	23800	15.5	12.5	21800	14000	9	C35-24A	EL280UH070E36A	204043351
EL15XP1-024-230	24000	15.5	12.5	22000	14000	9	C35-24A	ML180UH030V36A	204494988
EL15XP1-024-230	24000	15.5	12.5	22000	14100	8.5	C35-24A	ML180UH045E36A	202565180
EL15XP1-024-230	24000	15.5	12.5	22000	14000	9	C35-24A	ML180UH045V36A	204495091
EL15XP1-024-230	23800	15.5	12.5	21800	13900	9	C35-24A	ML180UH070E36A	204495831
EL15XP1-024-230	23800	15.5	12.5	21800	13900	8.5	C35-24A	ML180UH070V36A	204495194
EL15XP1-024-230	23800	15.5	12.5	21800	13900	9	C35-24A	ML180UH070XE36A	204495957

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-024-230	24000	16	13	22000	14000	9	C35-24A	SL280UH060NV36A	202565181
EL15XP1-024-230	24000	15.5	12.5	22000	14000	8.5	C35-24A	SL280UH070V36A	202565182
EL15XP1-024-230	24000	15.5	12.5	22000	14000	8.5	C35-24A	SL280UH070XV36A	202565183
EL15XP1-024-230	23400	14	11.5	22400	14500	8.2	C35-24A		202565158
EL15XP1-024-230	23800	15.5	12.5	21800	13900	8.5	C35-24B	EL195UH040NE36B	202565185
EL15XP1-024-230	24000	15.5	12.5	22000	14000	8.5	C35-24B	EL195UH060NE36B	202565188
EL15XP1-024-230	23800	15.5	12.5	21800	14000	8.5	C35-24B	EL196UH030XE24B	202565190
EL15XP1-024-230	23800	15.5	12.5	21800	14000	8.5	C35-24B	EL196UH045XE24B	202565191
EL15XP1-024-230	23800	15.5	12.5	21800	14000	8.5	C35-24B	EL196UH045XE36B	202565192
EL15XP1-024-230	23800	15.5	12.5	21800	13900	8.5	C35-24B	EL196UH070XE36B	202565193
EL15XP1-024-230	23600	15.1	12.5	21800	14000	8.8	C35-24B	EL280UH090E36B	204043352
EL15XP1-024-230	23600	15.5	12.5	21800	13900	8.5	C35-24B	EL296UH045XE36B	202565194
EL15XP1-024-230	23800	15.5	12.5	22000	14000	8.5	C35-24B	EL296UH045XV36B	202565195
EL15XP1-024-230	23800	15.5	12.5	22000	14000	8.5	C35-24B	EL296UH070XE36B	202565196
EL15XP1-024-230	23800	15.5	12.5	21800	13900	8.5	C35-24B	EL296UH070XV36B	202565197
EL15XP1-024-230	23800	15.5	12.5	21800	13900	8.5	C35-24B	ML180UH070E36B	202565198
EL15XP1-024-230	24000	15.5	12.5	21800	13900	9	C35-24B	ML180UH070V36B	204495297
EL15XP1-024-230	24000	16	13.5	22000	14000	9.2	C35-24B	ML180UH070V48B	204495441
EL15XP1-024-230	24000	15.5	12.5	22000	14100	9.2	C35-24B	ML180UH090V48B	204495565
EL15XP1-024-230	23800	15.1	12.5	22000	14100	8.8	C35-24B	ML193UH030XE36B	204043353
EL15XP1-024-230	23400	15	12.5	21800	13900	8.5	C35-24B	ML193UH045XE36B	204043354
EL15XP1-024-230	23400	15.1	12.5	21800	13900	8.8	C35-24B	ML193UH070XE36B	204043355
EL15XP1-024-230	23800	15.5	12.5	21800	14000	8.5	C35-24B	ML196UH030XE24B	204497884
EL15XP1-024-230	23800	15.5	12.5	21800	14000	8.5	C35-24B	ML196UH045XE24B	204497885
EL15XP1-024-230	23800	15.5	12.5	21800	14000	8.5	C35-24B	ML196UH045XE36B	204497886
EL15XP1-024-230	23800	15.5	12.5	21800	13900	8.5	C35-24B	ML196UH070XE36B	204497887
EL15XP1-024-230	23800	15.5	12.5	22000	14000	8.5	C35-24B	ML296UH045XV36B	205470170
EL15XP1-024-230	23800	15.5	12.5	21800	13900	8.5	C35-24B	ML296UH070XV36B	205470171
EL15XP1-024-230	24000	16	13	21800	13900	8.5	C35-24B	SL280UH090V36B	202565199
EL15XP1-024-230	24000	15.5	12.5	22000	14000	8.5	C35-24B	SL297UH040NV36B	202565200
EL15XP1-024-230	23800	15.5	12.5	22000	14000	8.5	C35-24B	SL297UH060NV36B	202565201
EL15XP1-024-230	23800	15.5	12.5	21800	13900	8.5	C35-24B	SLP98UH070XV36B	202565202
EL15XP1-024-230	23800	15.5	12.5	21800	13900	8.5	C35-24B	SLP99UH070XV36B	205544837
EL15XP1-024-230	23400	14	11.5	22400	14500	8.2	C35-24B		202565159
EL15XP1-024-230	24000	16	13	21000	13100	8.5	C35-30A	EL180UH040NE36A	202565203
EL15XP1-024-230	24000	16	13	21000	13100	8.5	C35-30A	EL180UH060NE36A	202565204
EL15XP1-024-230	24000	16	13.5	21600	13400	9	C35-30A	EL280UH045E36A	204043356
EL15XP1-024-230	24000	15.5	12.5	21200	13300	8.8	C35-30A	EL280UH070E36A	204043357
EL15XP1-024-230	24000	16	13.5	21200	13200	9	C35-30A	ML180UH030V36A	204494989
EL15XP1-024-230	24000	16	13	21400	13400	8.5	C35-30A	ML180UH045E36A	202565205
EL15XP1-024-230	24000	16	13.5	21200	13200	9	C35-30A	ML180UH045V36A	204495092
EL15XP1-024-230	24000	16	13	21200	13200	9	C35-30A	ML180UH070E36A	204495832
EL15XP1-024-230	24000	16	13	21200	13200	8.5	C35-30A	ML180UH070V36A	204495195
EL15XP1-024-230	24000	16	13	21200	13200	9	C35-30A	ML180UH070XE36A	204495958
EL15XP1-024-230	24000	16	13	21200	13100	8.5	C35-30A	SL280UH060NV36A	202565206
EL15XP1-024-230	24000	16	13	21400	13300	8.5	C35-30A	SL280UH070V36A	202565207
EL15XP1-024-230	24000	16	13	21400	13300	8.5	C35-30A	SL280UH070XV36A	202565208
EL15XP1-024-230	23600	14	12	21800	13900	8.2	C35-30A		202565160
EL15XP1-024-230	24000	16	13	21200	13200	8.5	C35-30B	EL195UH040NE36B	202565210
EL15XP1-024-230	24000	16	13	21200	13200	8.5	C35-30B	EL195UH060NE36B	202565213
EL15XP1-024-230	24000	16	13	21200	13300	8.5	C35-30B	EL196UH030XE24B	202565215
EL15XP1-024-230	24000	16	13	21200	13300	8.5	C35-30B	EL196UH045XE24B	202565216
EL15XP1-024-230	24000	16	13	21200	13300	8.5	C35-30B	EL196UH045XE36B	202565217
EL15XP1-024-230	24000	16	13	21200	13200	8.5	C35-30B	EL196UH070XE36B	202565218
EL15XP1-024-230	24000	15.5	12.5	21200	13300	8.8	C35-30B	EL280UH090E36B	204043358
EL15XP1-024-230	24000	15.5	12.5	21200	13200	8.5	C35-30B	EL296UH045XE36B	202565219

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-024-230	24000	16	13	21200	13200	8.5	C35-30B	EL296UH045XV36B	202565220
EL15XP1-024-230	24000	16	13	21400	13300	8.5	C35-30B	EL296UH070XE36B	202565221
EL15XP1-024-230	24000	16	13	21200	13200	8.5	C35-30B	EL296UH070XV36B	202565222
EL15XP1-024-230	24000	16	13	21200	13200	8.5	C35-30B	ML180UH070E36B	202565223
EL15XP1-024-230	24000	16	13.5	21200	13200	9	C35-30B	ML180UH070V36B	204495298
EL15XP1-024-230	24000	16	13.5	21400	13200	9	C35-30B	ML180UH070V48B	204495442
EL15XP1-024-230	24000	16	13.5	21400	13300	9	C35-30B	ML180UH090V48B	204495566
EL15XP1-024-230	24000	15.5	12.5	21400	13400	8.8	C35-30B	ML193UH030XE36B	204043359
EL15XP1-024-230	23800	15.5	12.5	21200	13300	8.5	C35-30B	ML193UH045XE36B	204043360
EL15XP1-024-230	23800	15.5	12.5	21200	13300	8.5	C35-30B	ML193UH070XE36B	204043361
EL15XP1-024-230	24000	16	13	21200	13300	8.5	C35-30B	ML196UH030XE24B	204497888
EL15XP1-024-230	24000	16	13	21200	13300	8.5	C35-30B	ML196UH045XE24B	204497889
EL15XP1-024-230	24000	16	13	21200	13300	8.5	C35-30B	ML196UH045XE36B	204497890
EL15XP1-024-230	24000	16	13	21200	13200	8.5	C35-30B	ML196UH070XE36B	204497891
EL15XP1-024-230	24000	16	13	21200	13200	8.5	C35-30B	ML296UH045XV36B	205470172
EL15XP1-024-230	24000	16	13	21200	13200	8.5	C35-30B	ML296UH070XV36B	205470173
EL15XP1-024-230	24000	16	13	21200	13200	8.5	C35-30B	SL280UH090V36B	202565224
EL15XP1-024-230	24000	16	13	21200	13200	8.5	C35-30B	SL297UH040NV36B	202565225
EL15XP1-024-230	24000	16	13	21200	13300	8.5	C35-30B	SL297UH060NV36B	202565226
EL15XP1-024-230	24000	16	13	21200	13200	8.5	C35-30B	SLP98UH070XV36B	202565227
EL15XP1-024-230	24000	16	13	21200	13200	8.5	C35-30B	SLP99UH070XV36B	205544839
EL15XP1-024-230	23600	14	12	21800	13900	8.2	C35-30B		202565161
EL15XP1-024-230	23800	14	12	22200	14300	8.2	CBA25UH-024-230		202565228
EL15XP1-024-230	23800	14.5	12.5	19600	13900	8.5	CBA25UH-030-230		202565229
EL15XP1-024-230	24000	15.1	12.5	21600	13800	8.5	CBA25UHV-024-230		202565684
EL15XP1-024-230	24000	16	13	19200	13500	9	CBA25UHV-030-230		202565685
EL15XP1-024-230	23800	16	13	21600	13700	9	CBA27UHE-024-230		202565686
EL15XP1-024-230	24000	16	13	21800	13800	9	CBA27UHE-030-230		202565687
EL15XP1-024-230	23800	15.5	12.5	22000	14000	9	CBA38MV-018/024-230		202565688
EL15XP1-024-230	24000	16	13	22200	14000	9	CBA38MV-030-230		202565689
EL15XP1-024-230	23600	16	13	21400	13400	8.5	CH35-24A	EL180UH040NE36A	202565230
EL15XP1-024-230	23600	15.5	12.5	21400	13400	8.5	CH35-24A	EL180UH060NE36A	202565231
EL15XP1-024-230	24000	15.5	12.5	21800	13800	9	CH35-24A	EL280UH045E36A	204043362
EL15XP1-024-230	23800	15.5	12.5	21600	13600	9	CH35-24A	EL280UH070E36A	204043363
EL15XP1-024-230	24000	16	13.5	21600	13600	9	CH35-24A	ML180UH030V36A	204494990
EL15XP1-024-230	24000	15.5	12.5	21800	13700	8.5	CH35-24A	ML180UH045E36A	202565232
EL15XP1-024-230	24000	16	13.5	21600	13600	9	CH35-24A	ML180UH045V36A	204495093
EL15XP1-024-230	23800	15.5	12.5	21600	13600	9	CH35-24A	ML180UH070E36A	204495833
EL15XP1-024-230	23800	15.5	12.5	21600	13600	8.5	CH35-24A	ML180UH070V36A	204495196
EL15XP1-024-230	23800	15.5	12.5	21600	13600	9	CH35-24A	ML180UH070XE36A	204495959
EL15XP1-024-230	24000	16	13	21600	13600	8.5	CH35-24A	SL280UH060NV36A	202565233
EL15XP1-024-230	24000	15.5	12.5	21800	13700	8.5	CH35-24A	SL280UH070V36A	202565234
EL15XP1-024-230	24000	15.5	12.5	21800	13700	8.5	CH35-24A	SL280UH070XV36A	202565235
EL15XP1-024-230	23400	14	12	22200	14200	8.5	CH35-24A		202565162
EL15XP1-024-230	23600	15.5	12.5	21600	13600	8.5	CH35-24B	EL195UH040NE36B	202565237
EL15XP1-024-230	23600	15.5	12.5	21600	13600	8.5	CH35-24B	EL195UH060NE36B	202565240
EL15XP1-024-230	23600	15.5	12.5	21800	13700	8.5	CH35-24B	EL196UH030XE24B	202565242
EL15XP1-024-230	23600	15.5	12.5	21800	13700	8.5	CH35-24B	EL196UH045XE24B	202565243
EL15XP1-024-230	23800	15.5	12.5	21800	13700	9	CH35-24B	EL196UH045XE36B	202565244
EL15XP1-024-230	23800	16	13	21800	13600	9	CH35-24B	EL196UH070XE36B	202565245
EL15XP1-024-230	23600	15.1	12.5	21800	13700	9	CH35-24B	EL280UH090E36B	204043364
EL15XP1-024-230	23400	15.5	12.5	21600	13600	8.5	CH35-24B	EL296UH045XE36B	202565246
EL15XP1-024-230	23800	15.5	12.5	21600	13600	8.5	CH35-24B	EL296UH045XV36B	202565247
EL15XP1-024-230	23800	15.5	12.5	21800	13700	8.5	CH35-24B	EL296UH070XE36B	202565248
EL15XP1-024-230	23600	15.5	12.5	21600	13600	8.5	CH35-24B	EL296UH070XV36B	202565249
EL15XP1-024-230	23600	15.5	12.5	21600	13600	8.5	CH35-24B	ML180UH070E36B	202565250

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-024-230	23800	16	13.5	21600	13600	9.2	CH35-24B	ML180UH070V36B	204495299
EL15XP1-024-230	24000	16	13.5	21800	13600	9.2	CH35-24B	ML180UH070V48B	204495443
EL15XP1-024-230	24000	16	13.5	21800	13700	9.2	CH35-24B	ML180UH090V48B	204495567
EL15XP1-024-230	23600	15.1	12.5	21800	13800	9	CH35-24B	ML193UH030XE36B	204043365
EL15XP1-024-230	23400	15	12.5	21600	13600	8.8	CH35-24B	ML193UH045XE36B	204043366
EL15XP1-024-230	23400	15.1	12.5	21600	13600	8.8	CH35-24B	ML193UH070XE36B	204043367
EL15XP1-024-230	23600	15.5	12.5	21800	13700	8.5	CH35-24B	ML196UH030XE24B	204497892
EL15XP1-024-230	23600	15.5	12.5	21800	13700	8.5	CH35-24B	ML196UH045XE24B	204497893
EL15XP1-024-230	23800	15.5	12.5	21800	13700	9	CH35-24B	ML196UH045XE36B	204497894
EL15XP1-024-230	23800	16	13	21800	13600	9	CH35-24B	ML196UH070XE36B	204497895
EL15XP1-024-230	23800	15.5	12.5	21600	13600	8.5	CH35-24B	ML296UH045XV36B	205470174
EL15XP1-024-230	23600	15.5	12.5	21600	13600	8.5	CH35-24B	ML296UH070XV36B	205470175
EL15XP1-024-230	23800	16	13	21600	13500	9	CH35-24B	SL280UH080NV48B	202565251
EL15XP1-024-230	23800	16	13	21600	13600	9	CH35-24B	SL297UH040NV36B	202565252
EL15XP1-024-230	23800	15.5	12.5	21600	13600	8.5	CH35-24B	SL297UH060NV36B	202565253
EL15XP1-024-230	23600	15.5	12.5	21600	13600	8.5	CH35-24B	SLP98UH070XV36B	202565254
EL15XP1-024-230	23600	15.5	12.5	21600	13600	8.5	CH35-24B	SLP99UH070XV36B	205544842
EL15XP1-024-230	23200	14	11.5	22400	14300	8.2	CH35-24B		202565163
EL15XP1-024-230	24000	16	13	21400	13200	8.5	CH35-30A	EL180UH040NE36A	202565255
EL15XP1-024-230	24000	16	13	21400	13300	8.5	CH35-30A	EL180UH060NE36A	202565256
EL15XP1-024-230	24000	15.5	12.5	21600	13500	8.8	CH35-30A	EL280UH045E36A	204043368
EL15XP1-024-230	24000	16	13.5	21600	13400	9	CH35-30A	EL280UH070E36A	204043369
EL15XP1-024-230	24000	16	13.5	21600	13400	9.2	CH35-30A	ML180UH030V36A	204494991
EL15XP1-024-230	24000	16	13	21800	13500	8.5	CH35-30A	ML180UH045E36A	202565257
EL15XP1-024-230	24000	16	13.5	21600	13400	9.2	CH35-30A	ML180UH045V36A	204495094
EL15XP1-024-230	24000	16	13	21600	13400	9.2	CH35-30A	ML180UH070E36A	204495834
EL15XP1-024-230	24000	16	13	21600	13400	8.5	CH35-30A	ML180UH070V36A	204495197
EL15XP1-024-230	24000	16	13	21600	13400	9.2	CH35-30A	ML180UH070XE36A	204495960
EL15XP1-024-230	24000	16	13	21800	13500	8.5	CH35-30A	SL280UH070V36A	202565258
EL15XP1-024-230	24000	16	13	21800	13500	8.5	CH35-30A	SL280UH070XV36A	202565259
EL15XP1-024-230	23600	14	12	22200	14000	8.2	CH35-30A		202565164
EL15XP1-024-230	24000	16	13	21400	13400	8.5	CH35-30B	EL195UH040NE36B	202565261
EL15XP1-024-230	24000	16	13	21400	13400	8.5	CH35-30B	EL195UH060NE36B	202565264
EL15XP1-024-230	24000	16	13	21400	13400	8.5	CH35-30B	EL196UH030XE24B	202565266
EL15XP1-024-230	24000	16	13	21400	13400	8.5	CH35-30B	EL196UH045XE24B	202565267
EL15XP1-024-230	24000	16	13	21400	13400	8.5	CH35-30B	EL196UH045XE36B	202565268
EL15XP1-024-230	24000	16	13	21400	13400	8.5	CH35-30B	EL196UH070XE36B	202565269
EL15XP1-024-230	24000	15.5	12.5	21400	13400	8.8	CH35-30B	EL280UH090E36B	204043370
EL15XP1-024-230	24000	16	13	21400	13400	8.5	CH35-30B	EL296UH045XE36B	202565270
EL15XP1-024-230	24000	16	13	21400	13400	8.5	CH35-30B	EL296UH045XV36B	202565271
EL15XP1-024-230	24000	16	13	21600	13500	8.5	CH35-30B	EL296UH070XE36B	202565272
EL15XP1-024-230	24000	16	13	21400	13400	8.5	CH35-30B	EL296UH070XV36B	202565273
EL15XP1-024-230	24000	16	13	21400	13400	8.5	CH35-30B	ML180UH070E36B	202565274
EL15XP1-024-230	24000	16	13.5	21400	13300	9	CH35-30B	ML180UH070V36B	204495300
EL15XP1-024-230	24000	16	14	21400	13400	9.2	CH35-30B	ML180UH070V48B	204495444
EL15XP1-024-230	24000	16	14	21600	13500	9.2	CH35-30B	ML180UH090V48B	204495568
EL15XP1-024-230	24000	15.5	12.5	21600	13500	8.8	CH35-30B	ML193UH030XE36B	204043371
EL15XP1-024-230	23800	15.5	12.5	21400	13400	8.5	CH35-30B	ML193UH045XE36B	204043372
EL15XP1-024-230	23800	15.5	12.5	21400	13400	8.8	CH35-30B	ML193UH070XE36B	204043373
EL15XP1-024-230	24000	16	13	21400	13400	8.5	CH35-30B	ML196UH030XE24B	204497896
EL15XP1-024-230	24000	16	13	21400	13400	8.5	CH35-30B	ML196UH045XE24B	204497897
EL15XP1-024-230	24000	16	13	21400	13400	8.5	CH35-30B	ML196UH045XE36B	204497898
EL15XP1-024-230	24000	16	13	21400	13400	8.5	CH35-30B	ML196UH070XE36B	204497899
EL15XP1-024-230	24000	16	13	21400	13400	8.5	CH35-30B	ML296UH045XV36B	205470176
EL15XP1-024-230	24000	16	13	21400	13400	8.5	CH35-30B	ML296UH070XV36B	205470177
EL15XP1-024-230	24000	16	13	21400	13400	8.5	CH35-30B	SL297UH040NV36B	202565275

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-024-230	24000	16	13	21400	13400	8.5	CH35-30B	SL297UH060NV36B	202565276
EL15XP1-024-230	24000	16	13	21400	13400	8.5	CH35-30B	SLP98UH070XV36B	202565277
EL15XP1-024-230	24000	16	13	21400	13400	8.5	CH35-30B	SLP99UH070XV36B	205544844
EL15XP1-024-230	23600	14	12	22000	14000	8.2	CH35-30B		202565165
EL15XP1-024-230	23600	16	13	21400	13400	8.5	CHX35-24A	EL180UH040NE36A	202565278
EL15XP1-024-230	23600	15.5	12.5	21400	13400	8.5	CHX35-24A	EL180UH060NE36A	202565279
EL15XP1-024-230	24000	15.5	12.5	21800	13800	9	CHX35-24A	EL280UH045E36A	204043374
EL15XP1-024-230	23800	15.5	12.5	21600	13600	9	CHX35-24A	EL280UH070E36A	204043375
EL15XP1-024-230	24000	16	13.5	21600	13600	9	CHX35-24A	ML180UH030V36A	204494992
EL15XP1-024-230	24000	15.5	12.5	21800	13700	8.5	CHX35-24A	ML180UH045E36A	202565280
EL15XP1-024-230	24000	16	13.5	21600	13600	9	CHX35-24A	ML180UH045V36A	204495095
EL15XP1-024-230	23800	15.5	12.5	21600	13600	9	CHX35-24A	ML180UH070E36A	204495835
EL15XP1-024-230	23800	15.5	12.5	21600	13600	8.5	CHX35-24A	ML180UH070V36A	204495198
EL15XP1-024-230	23800	15.5	12.5	21600	13600	9	CHX35-24A	ML180UH070XE36A	204495961
EL15XP1-024-230	24000	16	13	21600	13600	8.5	CHX35-24A	SL280UH060NV36A	202565281
EL15XP1-024-230	24000	15.5	12.5	21800	13700	8.5	CHX35-24A	SL280UH070V36A	202565282
EL15XP1-024-230	24000	15.5	12.5	21800	13700	8.5	CHX35-24A	SL280UH070XV36A	202565283
EL15XP1-024-230	23400	14	12	22200	14200	8.5	CHX35-24A		202565166
EL15XP1-024-230	23600	15.5	12.5	21600	13600	8.5	CHX35-24B	EL195UH040NE36B	202565285
EL15XP1-024-230	23600	15.5	12.5	21600	13600	8.5	CHX35-24B	EL195UH060NE36B	202565288
EL15XP1-024-230	23600	15.5	12.5	21800	13700	8.5	CHX35-24B	EL196UH030XE24B	202565290
EL15XP1-024-230	23600	15.5	12.5	21800	13700	8.5	CHX35-24B	EL196UH045XE24B	202565291
EL15XP1-024-230	23800	15.5	12.5	21800	13700	9	CHX35-24B	EL196UH045XE36B	202565292
EL15XP1-024-230	23800	16	13	21800	13600	9	CHX35-24B	EL196UH070XE36B	202565293
EL15XP1-024-230	23600	15.1	12.5	21800	13700	9	CHX35-24B	EL280UH090E36B	204043376
EL15XP1-024-230	23400	15.5	12.5	21600	13600	8.5	CHX35-24B	EL296UH045XE36B	202565294
EL15XP1-024-230	23800	15.5	12.5	21600	13600	8.5	CHX35-24B	EL296UH045XV36B	202565295
EL15XP1-024-230	23800	15.5	12.5	21800	13700	8.5	CHX35-24B	EL296UH070XE36B	202565296
EL15XP1-024-230	23600	15.5	12.5	21600	13600	8.5	CHX35-24B	EL296UH070XV36B	202565297
EL15XP1-024-230	23600	15.5	12.5	21600	13600	8.5	CHX35-24B	ML180UH070E36B	202565298
EL15XP1-024-230	23800	16	13.5	21600	13600	9.2	CHX35-24B	ML180UH070V36B	204495301
EL15XP1-024-230	24000	16	13.5	21800	13600	9.2	CHX35-24B	ML180UH070V48B	204495445
EL15XP1-024-230	24000	16	13.5	21800	13700	9.2	CHX35-24B	ML180UH090V48B	204495569
EL15XP1-024-230	23600	15.1	12.5	21800	13800	9	CHX35-24B	ML193UH030XE36B	204043377
EL15XP1-024-230	23400	15	12.5	21600	13600	8.8	CHX35-24B	ML193UH045XE36B	204043378
EL15XP1-024-230	23400	15.1	12.5	21600	13600	8.8	CHX35-24B	ML193UH070XE36B	204043379
EL15XP1-024-230	23600	15.5	12.5	21800	13700	8.5	CHX35-24B	ML196UH030XE24B	204497900
EL15XP1-024-230	23600	15.5	12.5	21800	13700	8.5	CHX35-24B	ML196UH045XE24B	204497901
EL15XP1-024-230	23800	15.5	12.5	21800	13700	9	CHX35-24B	ML196UH045XE36B	204497902
EL15XP1-024-230	23800	16	13	21800	13600	9	CHX35-24B	ML196UH070XE36B	204497903
EL15XP1-024-230	23800	15.5	12.5	21600	13600	8.5	CHX35-24B	ML296UH045XV36B	205470178
EL15XP1-024-230	23600	15.5	12.5	21600	13600	8.5	CHX35-24B	ML296UH070XV36B	205470179
EL15XP1-024-230	23800	16	13	21600	13500	9	CHX35-24B	SL280UH080NV48B	202565299
EL15XP1-024-230	23800	16	13	21600	13600	9	CHX35-24B	SL297UH040NV36B	202565300
EL15XP1-024-230	23800	15.5	12.5	21600	13600	8.5	CHX35-24B	SL297UH060NV36B	202565301
EL15XP1-024-230	23600	15.5	12.5	21600	13600	8.5	CHX35-24B	SLP98UH070XV36B	202565302
EL15XP1-024-230	23600	15.5	12.5	21600	13600	8.5	CHX35-24B	SLP99UH070XV36B	205544846
EL15XP1-024-230	23200	14	11.5	22400	14300	8.2	CHX35-24B		202565167
EL15XP1-024-230	24000	16	13	21400	13200	8.5	CHX35-30A	EL180UH040NE36A	202565303
EL15XP1-024-230	24000	16	13	21400	13300	8.5	CHX35-30A	EL180UH060NE36A	202565304
EL15XP1-024-230	24000	15.5	12.5	21600	13500	8.8	CHX35-30A	EL280UH045E36A	204043380
EL15XP1-024-230	24000	16	13.5	21600	13400	9	CHX35-30A	EL280UH070E36A	204043381
EL15XP1-024-230	24000	16	13.5	21600	13400	9.2	CHX35-30A	ML180UH030V36A	204494993
EL15XP1-024-230	24000	16	13	21800	13500	8.5	CHX35-30A	ML180UH045E36A	202565305
EL15XP1-024-230	24000	16	13.5	21600	13400	9.2	CHX35-30A	ML180UH045V36A	204495096
EL15XP1-024-230	24000	16	13	21600	13400	9.2	CHX35-30A	ML180UH070E36A	204495836

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-024-230	24000	16	13	21600	13400	8.5	CHX35-30A	ML180UH070V36A	204495199
EL15XP1-024-230	24000	16	13	21600	13400	9.2	CHX35-30A	ML180UH070XE36A	204495962
EL15XP1-024-230	24000	16	13	21800	13500	8.5	CHX35-30A	SL280UH070V36A	202565306
EL15XP1-024-230	24000	16	13	21800	13500	8.5	CHX35-30A	SL280UH070XV36A	202565307
EL15XP1-024-230	23600	14	12	22200	14000	8.2	CHX35-30A		202565168
EL15XP1-024-230	24000	16	13	21400	13400	8.5	CHX35-30B	EL195UH040NE36B	202565309
EL15XP1-024-230	24000	16	13	21400	13400	8.5	CHX35-30B	EL195UH060NE36B	202565312
EL15XP1-024-230	24000	16	13	21400	13400	8.5	CHX35-30B	EL196UH030XE24B	202565314
EL15XP1-024-230	24000	16	13	21400	13400	8.5	CHX35-30B	EL196UH045XE24B	202565315
EL15XP1-024-230	24000	16	13	21400	13400	8.5	CHX35-30B	EL196UH045XE36B	202565316
EL15XP1-024-230	24000	16	13	21400	13400	8.5	CHX35-30B	EL196UH070XE36B	202565317
EL15XP1-024-230	24000	15.5	12.5	21400	13400	8.8	CHX35-30B	EL280UH090E36B	204043382
EL15XP1-024-230	24000	16	13	21400	13400	8.5	CHX35-30B	EL296UH045XE36B	202565318
EL15XP1-024-230	24000	16	13	21400	13400	8.5	CHX35-30B	EL296UH045XV36B	202565319
EL15XP1-024-230	24000	16	13	21600	13500	8.5	CHX35-30B	EL296UH070XE36B	202565320
EL15XP1-024-230	24000	16	13	21400	13400	8.5	CHX35-30B	EL296UH070XV36B	202565321
EL15XP1-024-230	24000	16	13	21400	13400	8.5	CHX35-30B	ML180UH070E36B	202565322
EL15XP1-024-230	24000	16	13.5	21400	13300	9	CHX35-30B	ML180UH070V36B	204495302
EL15XP1-024-230	24000	16	14	21400	13400	9.2	CHX35-30B	ML180UH070V48B	204495446
EL15XP1-024-230	24000	16	14	21600	13500	9.2	CHX35-30B	ML180UH090V48B	204495570
EL15XP1-024-230	24000	15.5	12.5	21600	13500	8.8	CHX35-30B	ML193UH030XE36B	204043383
EL15XP1-024-230	23800	15.5	12.5	21400	13400	8.5	CHX35-30B	ML193UH045XE36B	204043384
EL15XP1-024-230	23800	15.5	12.5	21400	13400	8.8	CHX35-30B	ML193UH070XE36B	204043385
EL15XP1-024-230	24000	16	13	21400	13400	8.5	CHX35-30B	ML196UH030XE24B	204497904
EL15XP1-024-230	24000	16	13	21400	13400	8.5	CHX35-30B	ML196UH045XE24B	204497905
EL15XP1-024-230	24000	16	13	21400	13400	8.5	CHX35-30B	ML196UH045XE36B	204497906
EL15XP1-024-230	24000	16	13	21400	13400	8.5	CHX35-30B	ML196UH070XE36B	204497907
EL15XP1-024-230	24000	16	13	21400	13400	8.5	CHX35-30B	ML296UH045XV36B	205470180
EL15XP1-024-230	24000	16	13	21400	13400	8.5	CHX35-30B	ML296UH070XV36B	205470181
EL15XP1-024-230	24000	16	13	21400	13400	8.5	CHX35-30B	SL297UH040NV36B	202565323
EL15XP1-024-230	24000	16	13	21400	13400	8.5	CHX35-30B	SL297UH060NV36B	202565324
EL15XP1-024-230	24000	16	13	21400	13400	8.5	CHX35-30B	SLP98UH070XV36B	202565325
EL15XP1-024-230	24000	16	13	21400	13400	8.5	CHX35-30B	SLP99UH070XV36B	205544849
EL15XP1-024-230	23600	14	12	22000	14000	8.2	CHX35-30B		202565169
EL15XP1-024-230	23400	15	12.5	21000	13100	8.5	CR33-24A	EL280DF070E36A	204043386
EL15XP1-024-230	23200	15.1	12.5	21000	13000	8.5	CR33-24A	ML180DF045E36A	202565326
EL15XP1-024-230	23800	15.5	12.5	21200	13200	8.8	CR33-24A	ML180DF070E36A	204495921
EL15XP1-024-230	23600	15.1	12.5	21200	13100	8.5	CR33-24A	SL280DF070V36A	202565327
EL15XP1-024-230	23200	14	11.5	21600	13600	8.2	CR33-24A		202565170
EL15XP1-024-230	23200	15	12.5	21000	13000	8.5	CR33-24B	EL296DF045XE36B	202565329
EL15XP1-024-230	23600	15.1	12.5	21200	13200	8.5	CR33-24B	EL296DF045XV36B	202565330
EL15XP1-024-230	23400	15.1	12.5	21000	13000	8.5	CR33-24B	ML180DF070E36B	202565331
EL15XP1-024-230	23600	15.1	12.5	21200	13200	8.5	CR33-24B	ML296DF045XV36B	205470182
EL15XP1-024-230	23800	15.5	12.5	21400	13200	8.5	CR33-24B	SLP98DF070XV36B	202565332
EL15XP1-024-230	23800	15.5	12.5	21400	13200	8.5	CR33-24B	SLP99DF070XV36B	205544854
EL15XP1-024-230	23200	14	11.5	21600	13600	8.2	CR33-24B		202565171
EL15XP1-024-230	23600	15.1	12.5	22200	13600	9	CR33-30/36A	EL280DF070E36A	204043387
EL15XP1-024-230	23400	15.5	12.5	22000	13500	8.5	CR33-30/36A	ML180DF045E36A	202565333
EL15XP1-024-230	24000	15.5	12.5	22400	13700	9.2	CR33-30/36A	ML180DF070E36A	204495922
EL15XP1-024-230	23600	15.5	12.5	22200	13600	8.5	CR33-30/36A	SL280DF070V36A	202565334
EL15XP1-024-230	23200	14	12	22800	14100	8.2	CR33-30/36A		202565172
EL15XP1-024-230	23600	15.5	12.5	22200	13600	8.5	CR33-30/36B	EL296DF045XE36B	202565337
EL15XP1-024-230	23600	15.5	12.5	22200	13600	9	CR33-30/36B	EL296DF045XV36B	202565338
EL15XP1-024-230	23800	15.5	12.5	22200	13600	9	CR33-30/36B	EL296DF070XE48B	202565339
EL15XP1-024-230	23800	16	13	22200	13600	9	CR33-30/36B	ML180DF070E36B	202565340
EL15XP1-024-230	23600	15.5	12.5	22200	13600	9	CR33-30/36B	ML296DF045XV36B	205470183

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-024-230	23400	15.5	12.5	22000	13500	8.5	CR33-30/36B	SLP98DF070XV36B	202565341
EL15XP1-024-230	23400	15.5	12.5	22000	13500	8.5	CR33-30/36B	SLP99DF070XV36B	205544860
EL15XP1-024-230	23200	14	12	22800	14100	8.2	CR33-30/36B		202565173
EL15XP1-024-230	23600	15.5	12.5	21600	13800	8.5	CX35-24A	EL180UH040NE36A	202565342
EL15XP1-024-230	23600	15.5	12.5	21600	13800	8.5	CX35-24A	EL180UH060NE36A	202565343
EL15XP1-024-230	24000	15.5	12.5	22200	14100	9	CX35-24A	EL280UH045E36A	204043388
EL15XP1-024-230	23800	15.5	12.5	21800	14000	9	CX35-24A	EL280UH070E36A	204043389
EL15XP1-024-230	24000	15.5	12.5	22000	14000	9	CX35-24A	ML180UH030V36A	204494994
EL15XP1-024-230	24000	15.5	12.5	22000	14100	8.5	CX35-24A	ML180UH045E36A	202565344
EL15XP1-024-230	24000	15.5	12.5	22000	14000	9	CX35-24A	ML180UH045V36A	204495097
EL15XP1-024-230	23800	15.5	12.5	21800	13900	9	CX35-24A	ML180UH070E36A	204495837
EL15XP1-024-230	23800	15.5	12.5	21800	13900	8.5	CX35-24A	ML180UH070V36A	204495200
EL15XP1-024-230	23800	15.5	12.5	21800	13900	9	CX35-24A	ML180UH070XE36A	204495963
EL15XP1-024-230	24000	16	13	22000	14000	9	CX35-24A	SL280UH060NV36A	202565345
EL15XP1-024-230	24000	15.5	12.5	22000	14000	8.5	CX35-24A	SL280UH070V36A	202565346
EL15XP1-024-230	24000	15.5	12.5	22000	14000	8.5	CX35-24A	SL280UH070XV36A	202565347
EL15XP1-024-230	23400	14	11.5	22400	14500	8.2	CX35-24A		202565174
EL15XP1-024-230	23800	15.5	12.5	21800	13900	8.5	CX35-24B	EL195UH040NE36B	202565349
EL15XP1-024-230	24000	15.5	12.5	22000	14000	8.5	CX35-24B	EL195UH060NE36B	202565352
EL15XP1-024-230	23800	15.5	12.5	21800	14000	8.5	CX35-24B	EL196UH030XE24B	202565354
EL15XP1-024-230	23800	15.5	12.5	21800	14000	8.5	CX35-24B	EL196UH045XE24B	202565355
EL15XP1-024-230	23800	15.5	12.5	21800	14000	8.5	CX35-24B	EL196UH045XE36B	202565356
EL15XP1-024-230	23800	15.5	12.5	21800	13900	8.5	CX35-24B	EL196UH070XE36B	202565357
EL15XP1-024-230	23600	15.1	12.5	21800	14000	8.8	CX35-24B	EL280UH090E36B	204043390
EL15XP1-024-230	23600	15.5	12.5	21800	13900	8.5	CX35-24B	EL296UH045XE36B	202565358
EL15XP1-024-230	23800	15.5	12.5	22000	14000	8.5	CX35-24B	EL296UH045XV36B	202565359
EL15XP1-024-230	23800	15.5	12.5	22000	14000	8.5	CX35-24B	EL296UH070XE36B	202565360
EL15XP1-024-230	23800	15.5	12.5	21800	13900	8.5	CX35-24B	EL296UH070XV36B	202565361
EL15XP1-024-230	23800	15.5	12.5	21800	13900	8.5	CX35-24B	ML180UH070E36B	202565362
EL15XP1-024-230	24000	15.5	12.5	21800	13900	9	CX35-24B	ML180UH070V36B	204495303
EL15XP1-024-230	24000	16	13.5	22000	14000	9.2	CX35-24B	ML180UH070V48B	204495447
EL15XP1-024-230	24000	15.5	12.5	22000	14100	9.2	CX35-24B	ML180UH090V48B	204495571
EL15XP1-024-230	23800	15.1	12.5	22000	14100	8.8	CX35-24B	ML193UH030XE36B	204043392
EL15XP1-024-230	23400	15	12.5	21800	13900	8.5	CX35-24B	ML193UH045XE36B	204043393
EL15XP1-024-230	23400	15.1	12.5	21800	13900	8.8	CX35-24B	ML193UH070XE36B	204043394
EL15XP1-024-230	23800	15.5	12.5	21800	14000	8.5	CX35-24B	ML196UH030XE24B	204497908
EL15XP1-024-230	23800	15.5	12.5	21800	14000	8.5	CX35-24B	ML196UH045XE24B	204497909
EL15XP1-024-230	23800	15.5	12.5	21800	14000	8.5	CX35-24B	ML196UH045XE36B	204497910
EL15XP1-024-230	23800	15.5	12.5	21800	13900	8.5	CX35-24B	ML196UH070XE36B	204497911
EL15XP1-024-230	23800	15.5	12.5	22000	14000	8.5	CX35-24B	ML296UH045XV36B	205470184
EL15XP1-024-230	23800	15.5	12.5	21800	13900	8.5	CX35-24B	ML296UH070XV36B	205470185
EL15XP1-024-230	24000	16	13	21800	13900	8.5	CX35-24B	SL280UH090V36B	202565363
EL15XP1-024-230	24000	15.5	12.5	22000	14000	8.5	CX35-24B	SL297UH040NV36B	202565364
EL15XP1-024-230	23800	15.5	12.5	22000	14000	8.5	CX35-24B	SL297UH060NV36B	202565365
EL15XP1-024-230	23800	15.5	12.5	21800	13900	8.5	CX35-24B	SLP98UH070XV36B	202565366
EL15XP1-024-230	23800	15.5	12.5	21800	13900	8.5	CX35-24B	SLP99UH070XV36B	205544866
EL15XP1-024-230	23400	14	11.5	22400	14500	8.2	CX35-24B		202565175
EL15XP1-024-230	24000	16	13	21000	13100	8.5	CX35-30A	EL180UH040NE36A	202565367
EL15XP1-024-230	24000	16	13	21000	13100	8.5	CX35-30A	EL180UH060NE36A	202565368
EL15XP1-024-230	24000	16	13.5	21600	13400	9	CX35-30A	EL280UH045E36A	204043395
EL15XP1-024-230	24000	15.5	12.5	21200	13300	8.8	CX35-30A	EL280UH070E36A	204043396
EL15XP1-024-230	24000	16	13.5	21200	13200	9	CX35-30A	ML180UH030V36A	204494995
EL15XP1-024-230	24000	16	13	21400	13400	8.5	CX35-30A	ML180UH045E36A	202565369
EL15XP1-024-230	24000	16	13.5	21200	13200	9	CX35-30A	ML180UH045V36A	204495098
EL15XP1-024-230	24000	16	13	21200	13200	9	CX35-30A	ML180UH070E36A	204495838
EL15XP1-024-230	24000	16	13	21200	13200	8.5	CX35-30A	ML180UH070V36A	204495201

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-024-230	24000	16	13	21200	13200	9	CX35-30A	ML180UH070XE36A	204495964
EL15XP1-024-230	24000	16	13	21200	13100	8.5	CX35-30A	SL280UH060NV36A	202565370
EL15XP1-024-230	24000	16	13	21400	13300	8.5	CX35-30A	SL280UH070V36A	202565371
EL15XP1-024-230	24000	16	13	21400	13300	8.5	CX35-30A	SL280UH070XV36A	202565372
EL15XP1-024-230	23600	14	12	21800	13900	8.2	CX35-30A		202565176
EL15XP1-024-230	24000	16	13	21200	13200	8.5	CX35-30B	EL195UH040NE36B	202565374
EL15XP1-024-230	24000	16	13	21200	13200	8.5	CX35-30B	EL195UH060NE36B	202565377
EL15XP1-024-230	24000	16	13	21200	13300	8.5	CX35-30B	EL196UH030XE24B	202565379
EL15XP1-024-230	24000	16	13	21200	13300	8.5	CX35-30B	EL196UH045XE24B	202565380
EL15XP1-024-230	24000	16	13	21200	13300	8.5	CX35-30B	EL196UH045XE36B	202565381
EL15XP1-024-230	24000	16	13	21200	13200	8.5	CX35-30B	EL196UH070XE36B	202565382
EL15XP1-024-230	24000	15.5	12.5	21200	13300	8.8	CX35-30B	EL280UH090E36B	204043397
EL15XP1-024-230	24000	15.5	12.5	21200	13200	8.5	CX35-30B	EL296UH045XE36B	202565383
EL15XP1-024-230	24000	16	13	21200	13200	8.5	CX35-30B	EL296UH045XV36B	202565384
EL15XP1-024-230	24000	16	13	21400	13300	8.5	CX35-30B	EL296UH070XE36B	202565385
EL15XP1-024-230	24000	16	13	21200	13200	8.5	CX35-30B	EL296UH070XV36B	202565386
EL15XP1-024-230	24000	16	13	21200	13200	8.5	CX35-30B	ML180UH070E36B	202565387
EL15XP1-024-230	24000	16	13.5	21200	13200	9	CX35-30B	ML180UH070V36B	204495304
EL15XP1-024-230	24000	16	13.5	21400	13200	9	CX35-30B	ML180UH070V48B	204495448
EL15XP1-024-230	24000	16	13.5	21400	13300	9	CX35-30B	ML180UH090V48B	204495572
EL15XP1-024-230	24000	15.5	12.5	21400	13400	8.8	CX35-30B	ML193UH030XE36B	204043398
EL15XP1-024-230	23800	15.5	12.5	21200	13300	8.5	CX35-30B	ML193UH045XE36B	204043399
EL15XP1-024-230	23800	15.5	12.5	21200	13300	8.5	CX35-30B	ML193UH070XE36B	204043400
EL15XP1-024-230	24000	16	13	21200	13300	8.5	CX35-30B	ML196UH030XE24B	204497912
EL15XP1-024-230	24000	16	13	21200	13300	8.5	CX35-30B	ML196UH045XE24B	204497913
EL15XP1-024-230	24000	16	13	21200	13300	8.5	CX35-30B	ML196UH045XE36B	204497914
EL15XP1-024-230	24000	16	13	21200	13200	8.5	CX35-30B	ML196UH070XE36B	204497915
EL15XP1-024-230	24000	16	13	21200	13200	8.5	CX35-30B	ML296UH045XV36B	205470186
EL15XP1-024-230	24000	16	13	21200	13200	8.5	CX35-30B	ML296UH070XV36B	205470187
EL15XP1-024-230	24000	16	13	21200	13200	8.5	CX35-30B	SL280UH090V36B	202565388
EL15XP1-024-230	24000	16	13	21200	13200	8.5	CX35-30B	SL297UH040NV36B	202565389
EL15XP1-024-230	24000	16	13	21200	13300	8.5	CX35-30B	SL297UH060NV36B	202565390
EL15XP1-024-230	24000	16	13	21200	13200	8.5	CX35-30B	SLP98UH070XV36B	202565391
EL15XP1-024-230	24000	16	13	21200	13200	8.5	CX35-30B	SLP99UH070XV36B	205544869
EL15XP1-024-230	23600	14	12	21800	13900	8.2	CX35-30B		202565177
EL15XP1-030-230	29800	15.5	12.5	27400	17900	9	C35-30/36A	EL180UH040NE36A	202565704
EL15XP1-030-230	29800	15.5	12.5	27400	17900	9	C35-30/36A	EL180UH060NE36A	202565705
EL15XP1-030-230	29400	15	12.5	27200	18000	8.8	C35-30/36A	EL280UH045E36A	204043401
EL15XP1-030-230	29000	14.5	12.5	27000	18000	8.8	C35-30/36A	EL280UH070E36A	204043402
EL15XP1-030-230	29600	15.1	12.5	27400	17900	9.2	C35-30/36A	ML180UH030V36A	204494996
EL15XP1-030-230	29400	15.1	12.5	27400	17900	8.5	C35-30/36A	ML180UH045E36A	202565706
EL15XP1-030-230	29600	15.1	12.5	27400	17900	9.2	C35-30/36A	ML180UH045V36A	204495099
EL15XP1-030-230	29800	15.1	12.5	27600	18000	9	C35-30/36A	ML180UH070E36A	204495839
EL15XP1-030-230	29400	15.1	12.5	27400	17900	9	C35-30/36A	ML180UH070V36A	204495202
EL15XP1-030-230	29800	15.1	12.5	27600	18000	9	C35-30/36A	ML180UH070XE36A	204495965
EL15XP1-030-230	29600	15.5	12.5	27400	17800	9	C35-30/36A	SL280UH060NV36A	202565707
EL15XP1-030-230	29400	15.1	12.5	27400	17900	9	C35-30/36A	SL280UH070V36A	202565708
EL15XP1-030-230	29400	15.1	12.5	27400	17900	9	C35-30/36A	SL280UH070XV36A	202565709
EL15XP1-030-230	29600	15.5	12.5	27200	17800	9	C35-30/36B	EL180UH080NE48B	202566021
EL15XP1-030-230	29800	15.1	12.5	27600	18100	8.5	C35-30/36B	EL195UH040NE36B	202566022
EL15XP1-030-230	29800	15.1	12.5	27600	18000	8.5	C35-30/36B	EL195UH060NE36B	202566024
EL15XP1-030-230	29200	15.1	12.5	27200	17800	8.5	C35-30/36B	EL196UH030XE24B	202566026
EL15XP1-030-230	29200	15.1	12.5	27200	17800	8.5	C35-30/36B	EL196UH045XE24B	202566027
EL15XP1-030-230	29600	15.1	12.5	27600	18000	8.5	C35-30/36B	EL196UH045XE36B	202566028
EL15XP1-030-230	29600	15.1	12.5	27600	18000	8.5	C35-30/36B	EL196UH070XE36B	202566029
EL15XP1-030-230	29200	14.5	12.5	27200	18000	8.8	C35-30/36B	EL280UH090E36B	204043403

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-030-230	28800	15	12.5	26800	17800	8.8	C35-30/36B	EL280UH090E48B	204043404
EL15XP1-030-230	29400	15.1	12.5	27400	18000	8.5	C35-30/36B	EL296UH045XE36B	202566030
EL15XP1-030-230	29600	15.1	12.5	27400	18000	8.5	C35-30/36B	EL296UH045XV36B	202566031
EL15XP1-030-230	29600	15.1	12.5	27600	18000	8.5	C35-30/36B	EL296UH070XE36B	202566032
EL15XP1-030-230	29400	15.1	12.5	27400	17900	9	C35-30/36B	EL296UH070XV36B	202566033
EL15XP1-030-230	29600	15.5	12.5	27400	17800	9	C35-30/36B	ML180UH070E36B	202566034
EL15XP1-030-230	29600	15.1	12.5	27200	17800	9.2	C35-30/36B	ML180UH070V36B	204495305
EL15XP1-030-230	29800	15.5	12.5	27400	17800	9.2	C35-30/36B	ML180UH070V48B	204495449
EL15XP1-030-230	29600	15.1	12.5	27200	17800	9.2	C35-30/36B	ML180UH090V48B	204495573
EL15XP1-030-230	28800	14.5	12.2	27000	18000	8.8	C35-30/36B	ML193UH030XE36B	204043405
EL15XP1-030-230	29000	14.5	12.5	27000	18000	8.8	C35-30/36B	ML193UH045XE36B	204043406
EL15XP1-030-230	29000	14.5	12.5	27000	18000	8.8	C35-30/36B	ML193UH070XE36B	204043407
EL15XP1-030-230	29200	15.1	12.5	27200	17800	8.5	C35-30/36B	ML196UH030XE24B	204497916
EL15XP1-030-230	29200	15.1	12.5	27200	17800	8.5	C35-30/36B	ML196UH045XE24B	204497917
EL15XP1-030-230	29600	15.1	12.5	27600	18000	8.5	C35-30/36B	ML196UH045XE36B	204497918
EL15XP1-030-230	29600	15.1	12.5	27600	18000	8.5	C35-30/36B	ML196UH070XE36B	204497919
EL15XP1-030-230	29200	15.1	12.5	27400	18000	8.5	C35-30/36B	ML296UH045XV36B	205470188
EL15XP1-030-230	29200	15.1	12.5	27400	17900	8.5	C35-30/36B	ML296UH070XV36B	205470189
EL15XP1-030-230	29600	15.5	12.5	27200	17700	9	C35-30/36B	SL280UH080NV48B	202566035
EL15XP1-030-230	29600	15.5	12.5	27200	17700	9	C35-30/36B	SL280UH090V36B	202566036
EL15XP1-030-230	29600	15.1	12.5	27400	17800	9	C35-30/36B	SL297UH040NV36B	202566037
EL15XP1-030-230	29400	15.1	12.5	27400	17900	9	C35-30/36B	SL297UH060NV36B	202566038
EL15XP1-030-230	29400	15.1	12.5	27400	17900	9	C35-30/36B	SLP98UH070XV36B	202566039
EL15XP1-030-230	29400	15.1	12.5	27400	17900	9	C35-30/36B	SLP99UH070XV36B	205544946
EL15XP1-030-230	29000	14.5	12.5	27800	18000	8.8	C35-30/36C	ML193UH090XE36C	205109427
EL15XP1-030-230	30000	15.5	12.5	27000	17400	9	C35-30A	EL180UH040NE36A	202565710
EL15XP1-030-230	30000	15.5	12.5	27000	17400	8.5	C35-30A	EL180UH060NE36A	202565711
EL15XP1-030-230	29800	15.1	12.5	26600	17500	8.8	C35-30A	EL280UH045E36A	204043408
EL15XP1-030-230	29600	14.5	12.5	26600	17500	8.6	C35-30A	EL280UH070E36A	204043409
EL15XP1-030-230	30000	15.1	12.5	27000	17400	9	C35-30A	ML180UH030V36A	204494997
EL15XP1-030-230	29800	15.1	12.5	26800	17500	8.5	C35-30A	ML180UH045E36A	202565712
EL15XP1-030-230	30000	15.1	12.5	27000	17400	9	C35-30A	ML180UH045V36A	204495100
EL15XP1-030-230	30000	15.1	12.5	27000	17500	9	C35-30A	ML180UH070E36A	204495840
EL15XP1-030-230	30000	15.1	12.5	26800	17400	8.5	C35-30A	ML180UH070V36A	204495203
EL15XP1-030-230	30000	15.1	12.5	27000	17500	9	C35-30A	ML180UH070XE36A	204495966
EL15XP1-030-230	30000	15.5	12.5	26800	17300	8.5	C35-30A	SL280UH060NV36A	202565713
EL15XP1-030-230	30000	15.5	12.5	26800	17400	8.5	C35-30A	SL280UH070V36A	202565714
EL15XP1-030-230	30000	15.5	12.5	26800	17400	8.5	C35-30A	SL280UH070XV36A	202565715
EL15XP1-030-230	29200	14	11.5	27400	18100	8.5	C35-30A		202565690
EL15XP1-030-230	30000	15.5	12.5	26800	17300	8.5	C35-30B	EL180UH080NE48B	202565716
EL15XP1-030-230	30000	15.1	12.5	27200	17600	8.5	C35-30B	EL195UH040NE36B	202565717
EL15XP1-030-230	30000	15.1	12.5	27000	17600	8.5	C35-30B	EL195UH060NE36B	202565718
EL15XP1-030-230	29800	15.1	12.5	26800	17400	8.5	C35-30B	EL196UH030XE24B	202565720
EL15XP1-030-230	29800	15.1	12.5	26800	17400	8.5	C35-30B	EL196UH045XE24B	202565721
EL15XP1-030-230	30000	15.1	12.5	27000	17500	8.5	C35-30B	EL196UH045XE36B	202565722
EL15XP1-030-230	30000	15.1	12.5	27000	17500	8.5	C35-30B	EL196UH070XE36B	202565723
EL15XP1-030-230	29800	15	12.5	26600	17600	8.8	C35-30B	EL280UH090E36B	204043410
EL15XP1-030-230	29400	15.1	12.5	26200	17300	8.6	C35-30B	EL280UH090E48B	204043411
EL15XP1-030-230	30000	15.1	12.5	27000	17500	8.5	C35-30B	EL296UH045XE36B	202565724
EL15XP1-030-230	30000	15.1	12.5	27000	17500	8.5	C35-30B	EL296UH045XV36B	202565725
EL15XP1-030-230	30000	15.1	12.5	27000	17600	8.5	C35-30B	EL296UH070XE36B	202565726
EL15XP1-030-230	30000	15.5	12.5	26800	17400	8.5	C35-30B	EL296UH070XV36B	202565727
EL15XP1-030-230	30000	15.5	12.5	26800	17400	8.5	C35-30B	ML180UH070E36B	202565728
EL15XP1-030-230	30000	15.5	12.5	26800	17300	9	C35-30B	ML180UH070V36B	204495306
EL15XP1-030-230	30000	15.5	12.5	26800	17400	9	C35-30B	ML180UH070V48B	204495450
EL15XP1-030-230	30000	15.5	12.5	26800	17300	8.5	C35-30B	ML180UH090E48B	202565729

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-030-230	30000	15.5	12.5	26800	17300	8.5	C35-30B	ML180UH090V48B	204495574
EL15XP1-030-230	29400	14.5	12.5	26400	17500	8.6	C35-30B	ML193UH030XE36B	204043412
EL15XP1-030-230	29400	14.5	12.5	26600	17500	8.6	C35-30B	ML193UH045XE36B	204043413
EL15XP1-030-230	29400	14.5	12.5	26600	17500	8.6	C35-30B	ML193UH070XE36B	204043414
EL15XP1-030-230	29800	15.1	12.5	26800	17400	8.5	C35-30B	ML196UH030XE24B	204497920
EL15XP1-030-230	29800	15.1	12.5	26800	17400	8.5	C35-30B	ML196UH045XE24B	204497921
EL15XP1-030-230	30000	15.1	12.5	27000	17500	8.5	C35-30B	ML196UH045XE36B	204497922
EL15XP1-030-230	30000	15.1	12.5	27000	17500	8.5	C35-30B	ML196UH070XE36B	204497923
EL15XP1-030-230	30000	15.1	12.5	27600	17900	8.5	C35-30B	ML296UH045XV36B	205470190
EL15XP1-030-230	30000	15.5	12.5	27400	17800	8.5	C35-30B	ML296UH070XV36B	205470191
EL15XP1-030-230	30000	15.5	12.5	26800	17300	9	C35-30B	SL280UH080NV48B	202565730
EL15XP1-030-230	30000	15.5	12.5	26800	17300	8.5	C35-30B	SL280UH090V36B	202565731
EL15XP1-030-230	30000	15.5	12.5	26800	17400	8.5	C35-30B	SL280UH090V48B	202565732
EL15XP1-030-230	30000	15.5	12.5	26800	17400	8.5	C35-30B	SL297UH040NV36B	202565733
EL15XP1-030-230	30000	15.5	12.5	26800	17400	8.5	C35-30B	SL297UH060NV36B	202565734
EL15XP1-030-230	30000	15.5	12.5	26800	17400	8.5	C35-30B	SLP98UH070XV36B	202565735
EL15XP1-030-230	30000	15.5	12.5	26800	17400	8.5	C35-30B	SLP99UH070XV36B	205544913
EL15XP1-030-230	29200	14	11.5	27400	18100	8.5	C35-30B		202565691
EL15XP1-030-230	30000	15.5	12.5	27000	17500	9	C35-36A	EL180UH040NE36A	202565736
EL15XP1-030-230	30000	15.5	12.5	27000	17500	9	C35-36A	EL180UH060NE36A	202565737
EL15XP1-030-230	30000	15.1	12.5	26600	17600	9	C35-36A	EL280UH045E36A	204043415
EL15XP1-030-230	29800	15.1	12.5	26600	17600	8.8	C35-36A	EL280UH070E36A	204043416
EL15XP1-030-230	30000	15.5	12.5	27000	17500	9.2	C35-36A	ML180UH030V36A	204494998
EL15XP1-030-230	30000	15.5	12.5	27000	17600	8.5	C35-36A	ML180UH045E36A	202565738
EL15XP1-030-230	30000	15.5	12.5	27000	17500	9.2	C35-36A	ML180UH045V36A	204495101
EL15XP1-030-230	30000	15.5	12.5	27200	17600	9.2	C35-36A	ML180UH070E36A	204495841
EL15XP1-030-230	30000	15.5	12.5	27000	17500	9	C35-36A	ML180UH070V36A	204495204
EL15XP1-030-230	30000	15.5	12.5	27200	17600	9.2	C35-36A	ML180UH070XE36A	204495967
EL15XP1-030-230	30000	16	13	26800	17400	9	C35-36A	SL280UH060NV36A	202565739
EL15XP1-030-230	30000	15.5	12.5	27000	17500	9	C35-36A	SL280UH070V36A	202565740
EL15XP1-030-230	30000	15.5	12.5	27000	17500	9	C35-36A	SL280UH070XV36A	202565741
EL15XP1-030-230	29400	14	12	27600	18100	8.5	C35-36A		202565692
EL15XP1-030-230	30000	15.5	12.5	26800	17400	9	C35-36B	EL180UH080NE48B	202565742
EL15XP1-030-230	30000	15.5	12.5	27200	17700	9	C35-36B	EL195UH040NE36B	202565743
EL15XP1-030-230	30000	15.5	12.5	27200	17700	9	C35-36B	EL195UH060NE36B	202565745
EL15XP1-030-230	30000	15.5	12.5	26800	17500	8.5	C35-36B	EL196UH030XE24B	202565747
EL15XP1-030-230	30000	15.5	12.5	26800	17500	8.5	C35-36B	EL196UH045XE24B	202565748
EL15XP1-030-230	30000	15.5	12.5	27000	17600	9	C35-36B	EL196UH045XE36B	202565749
EL15XP1-030-230	30000	15.5	12.5	27000	17600	9	C35-36B	EL196UH070XE36B	202565750
EL15XP1-030-230	30000	15.1	12.5	26800	17700	9	C35-36B	EL280UH090E36B	204043417
EL15XP1-030-230	29600	15.1	12.5	26400	17400	8.8	C35-36B	EL280UH090E48B	204043418
EL15XP1-030-230	30000	15.1	12.5	27000	17600	9	C35-36B	EL296UH045XE36B	202565751
EL15XP1-030-230	30000	15.1	12.5	27000	17500	8.5	C35-36B	EL296UH045XV36B	202565752
EL15XP1-030-230	30000	15.5	12.5	27200	17700	9	C35-36B	EL296UH070XE36B	202565753
EL15XP1-030-230	30000	15.5	12.5	27000	17500	9	C35-36B	EL296UH070XV36B	202565754
EL15XP1-030-230	30000	15.5	12.5	26800	17500	9	C35-36B	ML180UH070E36B	202565755
EL15XP1-030-230	30000	15.5	12.5	26800	17400	9.2	C35-36B	ML180UH070V36B	204495307
EL15XP1-030-230	30000	15.5	12.5	26800	17500	9.2	C35-36B	ML180UH070V48B	204495451
EL15XP1-030-230	30000	15.5	12.5	26800	17400	9	C35-36B	ML180UH090E48B	202565756
EL15XP1-030-230	30000	15.5	12.5	26800	17400	9.2	C35-36B	ML180UH090V48B	204495575
EL15XP1-030-230	29600	14.5	12.5	26600	17600	8.8	C35-36B	ML193UH030XE36B	204043419
EL15XP1-030-230	29600	14.5	12.5	26600	17600	8.8	C35-36B	ML193UH045XE36B	204043420
EL15XP1-030-230	29600	15	12.5	26600	17600	8.8	C35-36B	ML193UH070XE36B	204043421
EL15XP1-030-230	30000	15.5	12.5	26800	17500	8.5	C35-36B	ML196UH030XE24B	204497924
EL15XP1-030-230	30000	15.5	12.5	26800	17500	8.5	C35-36B	ML196UH045XE24B	204497925
EL15XP1-030-230	30000	15.5	12.5	27000	17600	9	C35-36B	ML196UH045XE36B	204497926

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-030-230	30000	15.5	12.5	27000	17600	9	C35-36B	ML196UH070XE36B	204497927
EL15XP1-030-230	30000	15.1	12.5	27200	17900	9	C35-36B	ML296UH045XV36B	205470192
EL15XP1-030-230	30000	15.5	12.5	27400	17800	9	C35-36B	ML296UH070XV36B	205470193
EL15XP1-030-230	30000	16	13	26800	17400	9	C35-36B	SL280UH080NV48B	202565757
EL15XP1-030-230	30000	16	13	26800	17400	9	C35-36B	SL280UH090V36B	202565758
EL15XP1-030-230	30000	15.5	12.5	27000	17500	9	C35-36B	SL297UH040NV36B	202565759
EL15XP1-030-230	30000	15.5	12.5	27000	17500	9	C35-36B	SL297UH060NV36B	202565760
EL15XP1-030-230	30000	15.5	12.5	27000	17500	9	C35-36B	SLP98UH070XV36B	202565761
EL15XP1-030-230	30000	15.5	12.5	27000	17500	9	C35-36B	SLP99UH070XV36B	205544916
EL15XP1-030-230	29400	14	12	27600	18100	8.5	C35-36B		202565693
EL15XP1-030-230	29600	14	11.5	27000	17500	8.2	CBA25UH-030-230		202566040
EL15XP1-030-230	30000	14.5	12.2	27800	18000	8.5	CBA25UH-036-230		202565762
EL15XP1-030-230	30000	15.5	12.5	26400	16900	8.5	CBA25UHV-030-230		202565763
EL15XP1-030-230	30000	15.5	12.5	27400	17600	9	CBA25UHV-036-230		202565764
EL15XP1-030-230	30000	16	13	27200	17600	9	CBA27UHE-030-230		202634149
EL15XP1-030-230	29800	16	13	27400	17800	9	CBA27UHE-036-230		202634150
EL15XP1-030-230	29400	15.5	12.5	27200	17600	9	CBA38MV-030-230		202566043
EL15XP1-030-230	29800	15.5	12.5	27400	17900	9	CBA38MV-036-230		202566044
EL15XP1-030-230	30000	15.5	12.5	27600	17900	9	CH35-30A	EL180UH040NE36A	202565765
EL15XP1-030-230	30000	15.5	12.5	27600	17900	9	CH35-30A	EL180UH060NE36A	202565766
EL15XP1-030-230	29800	15.1	12.5	27400	18000	9.2	CH35-30A	EL280UH045E36A	204043422
EL15XP1-030-230	29600	15	12.5	27200	18000	9	CH35-30A	EL280UH070E36A	204043423
EL15XP1-030-230	30000	15.1	12.5	27600	18000	9.4	CH35-30A	ML180UH030V36A	204494999
EL15XP1-030-230	29800	15.1	12.5	27600	17900	9	CH35-30A	ML180UH045E36A	202565767
EL15XP1-030-230	30000	15.1	12.5	27600	18000	9.4	CH35-30A	ML180UH045V36A	204495102
EL15XP1-030-230	30000	15.1	12.5	27800	18000	9.4	CH35-30A	ML180UH070E36A	204495842
EL15XP1-030-230	29800	15.1	12.5	27600	17900	9	CH35-30A	ML180UH070V36A	204495205
EL15XP1-030-230	30000	15.1	12.5	27800	18000	9.4	CH35-30A	ML180UH070XE36A	204495968
EL15XP1-030-230	30000	15.5	12.5	27600	17800	9	CH35-30A	SL280UH060NV36A	202565768
EL15XP1-030-230	29800	15.1	12.5	27600	17900	9	CH35-30A	SL280UH070V36A	202565769
EL15XP1-030-230	29800	15.1	12.5	27600	17900	9	CH35-30A	SL280UH070XV36A	202565770
EL15XP1-030-230	30000	15.5	12.5	27000	17600	9	CH35-30B	EL180UH080NE48B	202565771
EL15XP1-030-230	30000	15.1	12.5	27400	17800	9	CH35-30B	EL195UH040NE36B	202565772
EL15XP1-030-230	30000	15.5	12.5	27400	17800	9	CH35-30B	EL195UH060NE36B	202565774
EL15XP1-030-230	29800	15.5	12.5	27000	17600	9	CH35-30B	EL196UH030XE24B	202565776
EL15XP1-030-230	29800	15.5	12.5	27000	17600	9	CH35-30B	EL196UH045XE24B	202565777
EL15XP1-030-230	30000	15.5	12.5	27200	17700	9	CH35-30B	EL196UH045XE36B	202565778
EL15XP1-030-230	30000	15.5	12.5	27200	17700	9	CH35-30B	EL196UH070XE36B	202565779
EL15XP1-030-230	30000	15.1	12.5	27000	17800	9	CH35-30B	EL280UH090E36B	204043424
EL15XP1-030-230	29600	15.1	12.5	26600	17600	9	CH35-30B	EL280UH090E48B	204043425
EL15XP1-030-230	30000	15.1	12.5	27200	17700	9	CH35-30B	EL296UH045XE36B	202565780
EL15XP1-030-230	30000	15.1	12.5	27200	17700	9	CH35-30B	EL296UH045XV36B	202565781
EL15XP1-030-230	30000	15.1	12.5	27400	17800	9	CH35-30B	EL296UH070XE36B	202565782
EL15XP1-030-230	30000	15.5	12.5	27000	17600	9	CH35-30B	EL296UH070XV36B	202565783
EL15XP1-030-230	30000	15.5	12.5	27000	17600	9	CH35-30B	ML180UH070E36B	202565784
EL15XP1-030-230	30000	15.5	12.5	27000	17600	9.2	CH35-30B	ML180UH070V36B	204495308
EL15XP1-030-230	30000	15.5	12.5	27000	17600	9.4	CH35-30B	ML180UH070V48B	204495452
EL15XP1-030-230	30000	15.5	12.5	27000	17500	9	CH35-30B	ML180UH090E48B	202565785
EL15XP1-030-230	30000	15.5	12.5	27000	17500	9	CH35-30B	ML180UH090V48B	204495576
EL15XP1-030-230	29600	14.5	12.5	26800	17700	8.8	CH35-30B	ML193UH030XE36B	204043427
EL15XP1-030-230	29600	14.5	12.5	26800	17700	8.8	CH35-30B	ML193UH045XE36B	204043428
EL15XP1-030-230	29600	15	12.5	26800	17700	9	CH35-30B	ML193UH070XE36B	204043429
EL15XP1-030-230	29800	15.5	12.5	27000	17600	9	CH35-30B	ML196UH030XE24B	204497928
EL15XP1-030-230	29800	15.5	12.5	27000	17600	9	CH35-30B	ML196UH045XE24B	204497929
EL15XP1-030-230	30000	15.5	12.5	27200	17700	9	CH35-30B	ML196UH045XE36B	204497930
EL15XP1-030-230	30000	15.5	12.5	27200	17700	9	CH35-30B	ML196UH070XE36B	204497931

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-030-230	30000	15.1	12.5	27600	18000	9	CH35-30B	ML296UH045XV36B	205470194
EL15XP1-030-230	30000	15.5	12.5	27600	17900	9	CH35-30B	ML296UH070XV36B	205470195
EL15XP1-030-230	30000	16	13	27000	17500	9	CH35-30B	SL280UH080NV48B	202565786
EL15XP1-030-230	30000	16	13	27000	17500	9	CH35-30B	SL280UH090V36B	202565787
EL15XP1-030-230	30000	15.5	12.5	27000	17600	9	CH35-30B	SL280UH090V48B	202565788
EL15XP1-030-230	30000	15.5	12.5	27000	17600	9	CH35-30B	SL297UH040NV36B	202565789
EL15XP1-030-230	30000	15.5	12.5	27000	17600	9	CH35-30B	SL297UH060NV36B	202565790
EL15XP1-030-230	30000	15.5	12.5	27000	17600	9	CH35-30B	SLP98UH070XV36B	202565791
EL15XP1-030-230	30000	15.5	12.5	27000	17600	9	CH35-30B	SLP99UH070XV36B	205544918
EL15XP1-030-230	29400	14	12	27800	18300	8.5	CH35-30B		202565694
EL15XP1-030-230	29800	15.1	12.5	27400	17700	8.5	CH35-36A	EL180UH040NE36A	202565792
EL15XP1-030-230	29600	15.1	12.5	27200	17700	8.5	CH35-36A	EL180UH060NE36A	202565793
EL15XP1-030-230	29400	14.5	12.5	27000	17800	8.8	CH35-36A	EL280UH045E36A	204043430
EL15XP1-030-230	29200	14.5	12.5	27000	17800	8.6	CH35-36A	EL280UH070E36A	204043431
EL15XP1-030-230	29800	15.1	12.5	27400	17800	9	CH35-36A	ML180UH030V36A	204495000
EL15XP1-030-230	29400	15	12.5	27200	17700	8.5	CH35-36A	ML180UH045E36A	202565794
EL15XP1-030-230	29800	15.1	12.5	27400	17800	9	CH35-36A	ML180UH045V36A	204495103
EL15XP1-030-230	29800	15.1	12.5	27400	17800	9	CH35-36A	ML180UH070E36A	204495843
EL15XP1-030-230	29400	15	12.5	27200	17700	8.5	CH35-36A	ML180UH070V36A	204495206
EL15XP1-030-230	29800	15.1	12.5	27400	17800	9	CH35-36A	ML180UH070XE36A	204495969
EL15XP1-030-230	29600	15.1	12.5	27200	17600	8.5	CH35-36A	SL280UH060NV36A	202565795
EL15XP1-030-230	29600	15.1	12.5	27200	17700	8.5	CH35-36A	SL280UH070V36A	202565796
EL15XP1-030-230	29600	15.1	12.5	27200	17700	8.5	CH35-36A	SL280UH070XV36A	202565797
EL15XP1-030-230	29400	15.1	12.5	27200	17700	9	CH35-36B	EL180UH080NE48B	202565798
EL15XP1-030-230	29600	15	12.5	27600	18000	8.5	CH35-36B	EL195UH040NE36B	202565799
EL15XP1-030-230	29600	15.1	12.5	27600	18000	8.5	CH35-36B	EL195UH060NE36B	202565801
EL15XP1-030-230	29000	15.1	12.5	27200	17800	8.5	CH35-36B	EL196UH030XE24B	202565803
EL15XP1-030-230	29000	15.1	12.5	27200	17800	8.5	CH35-36B	EL196UH045XE24B	202565804
EL15XP1-030-230	29400	15.1	12.5	27400	17900	9	CH35-36B	EL196UH045XE36B	202565805
EL15XP1-030-230	29600	15.1	12.5	27400	17900	9	CH35-36B	EL196UH070XE36B	202565806
EL15XP1-030-230	29200	14.5	12.5	27200	18000	8.8	CH35-36B	EL280UH090E36B	204043432
EL15XP1-030-230	28600	14.5	12.5	26800	17700	8.8	CH35-36B	EL280UH090E48B	204043433
EL15XP1-030-230	29200	15	12.5	27400	17900	9	CH35-36B	EL296UH045XE36B	202565807
EL15XP1-030-230	29400	15	12.5	27400	17900	9	CH35-36B	EL296UH045XV36B	202565808
EL15XP1-030-230	29200	15.1	12.5	27200	17800	9	CH35-36B	EL296UH070XV36B	202565809
EL15XP1-030-230	29400	15.5	12.5	27200	17700	9	CH35-36B	ML180UH070E36B	202565810
EL15XP1-030-230	29400	15.1	12.5	27200	17700	9.2	CH35-36B	ML180UH070V36B	204495309
EL15XP1-030-230	29600	15.5	12.5	27200	17700	9.2	CH35-36B	ML180UH070V48B	204495453
EL15XP1-030-230	29400	15.5	12.5	27200	17700	9	CH35-36B	ML180UH090E48B	202565811
EL15XP1-030-230	29400	15.1	12.5	27200	17700	9	CH35-36B	ML180UH090V48B	204495577
EL15XP1-030-230	28600	14.5	12.2	27000	17900	8.8	CH35-36B	ML193UH030XE36B	204043434
EL15XP1-030-230	28800	14.5	12.2	27000	17900	8.8	CH35-36B	ML193UH045XE36B	204043435
EL15XP1-030-230	28800	14.5	12.5	27000	17900	8.8	CH35-36B	ML193UH070XE36B	204043436
EL15XP1-030-230	29000	15.1	12.5	27200	17800	8.5	CH35-36B	ML196UH030XE24B	204497932
EL15XP1-030-230	29000	15.1	12.5	27200	17800	8.5	CH35-36B	ML196UH045XE24B	204497933
EL15XP1-030-230	29400	15.1	12.5	27400	17900	9	CH35-36B	ML196UH045XE36B	204497934
EL15XP1-030-230	29600	15.1	12.5	27400	17900	9	CH35-36B	ML196UH070XE36B	204497935
EL15XP1-030-230	29000	15	12.5	27000	17300	8.5	CH35-36B	ML296UH045XV36B	205470196
EL15XP1-030-230	29000	15.1	12.5	26800	17200	8.5	CH35-36B	ML296UH070XV36B	205470197
EL15XP1-030-230	29400	15.5	12.5	27200	17700	9	CH35-36B	SL280UH080NV48B	202565812
EL15XP1-030-230	29400	15.5	12.5	27200	17700	9	CH35-36B	SL280UH090V36B	202565813
EL15XP1-030-230	29400	15.5	12.5	27200	17800	9	CH35-36B	SL280UH090V48B	202565814
EL15XP1-030-230	29400	15.1	12.5	27200	17800	9	CH35-36B	SL297UH040NV36B	202565815
EL15XP1-030-230	29200	15.1	12.5	27200	17800	9	CH35-36B	SL297UH060NV36B	202565816
EL15XP1-030-230	29200	15.1	12.5	27200	17800	9	CH35-36B	SLP98UH070XV36B	202565817
EL15XP1-030-230	29200	15.1	12.5	27200	17800	9	CH35-36B	SLP99UH070XV36B	205544920

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-030-230	29800	15.5	12.5	27200	17700	9	CH35-36C	EL195UH080NE48C	202565818
EL15XP1-030-230	29800	15.5	12.5	27000	17600	9	CH35-36C	EL196UH090XE48C	202565820
EL15XP1-030-230	29400	15.1	12.5	26800	17700	9.2	CH35-36C	EL280UH110E48C	204043437
EL15XP1-030-230	29600	15.5	12.5	27000	17600	9	CH35-36C	EL296UH090XE48C	202565821
EL15XP1-030-230	30000	15.5	12.5	27200	17700	9	CH35-36C	EL296UH090XV36C	202565822
EL15XP1-030-230	30000	15.5	12.5	27200	17800	9	CH35-36C	EL296UH090XV48C	202565823
EL15XP1-030-230	29200	15	12.5	26800	17800	9	CH35-36C	ML193UH090XE36C	204043438
EL15XP1-030-230	29200	15.1	12.5	26600	17600	9.2	CH35-36C	ML193UH090XE48C	204043439
EL15XP1-030-230	29400	15.1	12.5	26600	17700	9.2	CH35-36C	ML193UH110XE48C	204043440
EL15XP1-030-230	29800	15.5	12.5	27000	17600	9	CH35-36C	ML196UH090XE48C	204497936
EL15XP1-030-230	29800	15.5	12.5	27000	17400	9	CH35-36C	ML296UH090XV48C	205470198
EL15XP1-030-230	29800	15.5	12.5	27000	17700	9	CH35-36C	SL297UH080NV48C	202565824
EL15XP1-030-230	30000	15.5	12.5	27200	17700	9	CH35-36C	SLP98UH090XV36C	202565825
EL15XP1-030-230	30000	15.5	12.5	27200	17800	9	CH35-36C	SLP98UH090XV48C	202565826
EL15XP1-030-230	30000	15.5	12.5	27200	17700	9	CH35-36C	SLP99UH090XV36C	205544922
EL15XP1-030-230	30000	15.5	12.5	27200	17800	9	CH35-36C	SLP99UH090XV48C	205544924
EL15XP1-030-230	29000	14	11.5	27800	18400	8.5	CH35-36C		202565695
EL15XP1-030-230	30000	15.5	12.5	27600	17900	9	CHX35-30A	EL180UH040NE36A	202565827
EL15XP1-030-230	30000	15.5	12.5	27600	17900	9	CHX35-30A	EL180UH060NE36A	202565828
EL15XP1-030-230	29800	15.1	12.5	27400	18000	9.2	CHX35-30A	EL280UH045E36A	204043441
EL15XP1-030-230	29600	15	12.5	27200	18000	9	CHX35-30A	EL280UH070E36A	204043442
EL15XP1-030-230	30000	15.1	12.5	27600	18000	9.4	CHX35-30A	ML180UH030V36A	204495001
EL15XP1-030-230	29800	15.1	12.5	27600	17900	9	CHX35-30A	ML180UH045E36A	202565829
EL15XP1-030-230	30000	15.1	12.5	27600	18000	9.4	CHX35-30A	ML180UH045V36A	204495104
EL15XP1-030-230	30000	15.1	12.5	27800	18000	9.4	CHX35-30A	ML180UH070E36A	204495844
EL15XP1-030-230	29800	15.1	12.5	27600	17900	9	CHX35-30A	ML180UH070V36A	204495207
EL15XP1-030-230	30000	15.1	12.5	27800	18000	9.4	CHX35-30A	ML180UH070XE36A	204495970
EL15XP1-030-230	30000	15.5	12.5	27600	17800	9	CHX35-30A	SL280UH060NV36A	202565830
EL15XP1-030-230	29800	15.1	12.5	27600	17900	9	CHX35-30A	SL280UH070V36A	202565831
EL15XP1-030-230	29800	15.1	12.5	27600	17900	9	CHX35-30A	SL280UH070XV36A	202565832
EL15XP1-030-230	30000	15.5	12.5	27000	17600	9	CHX35-30B	EL180UH080NE48B	202565833
EL15XP1-030-230	30000	15.1	12.5	27400	17800	9	CHX35-30B	EL195UH040NE36B	202565834
EL15XP1-030-230	30000	15.5	12.5	27400	17800	9	CHX35-30B	EL195UH060NE36B	202565836
EL15XP1-030-230	29800	15.5	12.5	27000	17600	9	CHX35-30B	EL196UH030XE24B	202565838
EL15XP1-030-230	29800	15.5	12.5	27000	17600	9	CHX35-30B	EL196UH045XE24B	202565839
EL15XP1-030-230	30000	15.5	12.5	27200	17700	9	CHX35-30B	EL196UH045XE36B	202565840
EL15XP1-030-230	30000	15.5	12.5	27200	17700	9	CHX35-30B	EL196UH070XE36B	202565841
EL15XP1-030-230	30000	15.1	12.5	27000	17800	9	CHX35-30B	EL280UH090E36B	204043443
EL15XP1-030-230	29600	15.1	12.5	26600	17600	9	CHX35-30B	EL280UH090E48B	204043444
EL15XP1-030-230	30000	15.1	12.5	27200	17700	9	CHX35-30B	EL296UH045XE36B	202565842
EL15XP1-030-230	30000	15.1	12.5	27200	17700	9	CHX35-30B	EL296UH045XV36B	202565843
EL15XP1-030-230	30000	15.1	12.5	27400	17800	9	CHX35-30B	EL296UH070XE36B	202565844
EL15XP1-030-230	30000	15.5	12.5	27000	17600	9	CHX35-30B	EL296UH070XV36B	202565845
EL15XP1-030-230	30000	15.5	12.5	27000	17600	9	CHX35-30B	ML180UH070E36B	202565846
EL15XP1-030-230	30000	15.5	12.5	27000	17600	9.2	CHX35-30B	ML180UH070V36B	204495310
EL15XP1-030-230	30000	15.5	12.5	27000	17600	9.4	CHX35-30B	ML180UH070V48B	204495454
EL15XP1-030-230	30000	15.5	13	27000	17500	9	CHX35-30B	ML180UH090E48B	202565847
EL15XP1-030-230	30000	15.5	12.5	27000	17500	9	CHX35-30B	ML180UH090V48B	204495578
EL15XP1-030-230	29600	14.5	12.5	26800	17700	8.8	CHX35-30B	ML193UH030XE36B	204043445
EL15XP1-030-230	29600	14.5	12.5	26800	17700	8.8	CHX35-30B	ML193UH045XE36B	204043446
EL15XP1-030-230	29600	15	12.5	26800	17700	9	CHX35-30B	ML193UH070XE36B	204043447
EL15XP1-030-230	29800	15.5	12.5	27000	17600	9	CHX35-30B	ML196UH030XE24B	204497937
EL15XP1-030-230	29800	15.5	12.5	27000	17600	9	CHX35-30B	ML196UH045XE24B	204497938
EL15XP1-030-230	30000	15.5	12.5	27200	17700	9	CHX35-30B	ML196UH045XE36B	204497939
EL15XP1-030-230	30000	15.5	12.5	27200	17700	9	CHX35-30B	ML196UH070XE36B	204497940
EL15XP1-030-230	30000	15.1	12.5	27600	18000	9	CHX35-30B	ML296UH045XV36B	205470199

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-030-230	30000	15.5	12.5	27600	17900	9	CHX35-30B	ML296UH070XV36B	205470200
EL15XP1-030-230	30000	16	13	27000	17500	9	CHX35-30B	SL280UH080NV48B	202565848
EL15XP1-030-230	30000	16	13	27000	17500	9	CHX35-30B	SL280UH090V36B	202565849
EL15XP1-030-230	30000	15.5	12.5	27000	17600	9	CHX35-30B	SL280UH090V48B	202565850
EL15XP1-030-230	30000	15.5	12.5	27000	17600	9	CHX35-30B	SL297UH040NV36B	202565851
EL15XP1-030-230	30000	15.5	12.5	27000	17600	9	CHX35-30B	SL297UH060NV36B	202565852
EL15XP1-030-230	30000	15.5	12.5	27000	17600	9	CHX35-30B	SLP98UH070XV36B	202565853
EL15XP1-030-230	30000	15.5	12.5	27000	17600	9	CHX35-30B	SLP99UH070XV36B	205544927
EL15XP1-030-230	29400	14	12	27800	18300	8.5	CHX35-30B		202565696
EL15XP1-030-230	29800	15.1	12.5	27400	17700	8.5	CHX35-36A	EL180UH040NE36A	202565854
EL15XP1-030-230	29600	15.1	12.5	27200	17700	8.5	CHX35-36A	EL180UH060NE36A	202565855
EL15XP1-030-230	29400	14.5	12.5	27000	17800	8.8	CHX35-36A	EL280UH045E36A	204043448
EL15XP1-030-230	29200	14.5	12.5	27000	17800	8.6	CHX35-36A	EL280UH070E36A	204043449
EL15XP1-030-230	29800	15.1	12.5	27400	17800	9	CHX35-36A	ML180UH030V36A	204495002
EL15XP1-030-230	29400	15	12.5	27200	17700	8.5	CHX35-36A	ML180UH045E36A	202565856
EL15XP1-030-230	29800	15.1	12.5	27400	17800	9	CHX35-36A	ML180UH045V36A	204495105
EL15XP1-030-230	29800	15.1	12.5	27400	17800	9	CHX35-36A	ML180UH070E36A	204495845
EL15XP1-030-230	29400	15	12.5	27200	17700	8.5	CHX35-36A	ML180UH070V36A	204495208
EL15XP1-030-230	29800	15.1	12.5	27400	17800	9	CHX35-36A	ML180UH070XE36A	204495971
EL15XP1-030-230	29600	15.1	12.5	27200	17600	8.5	CHX35-36A	SL280UH060NV36A	202565857
EL15XP1-030-230	29600	15.1	12.5	27200	17700	8.5	CHX35-36A	SL280UH070V36A	202565858
EL15XP1-030-230	29600	15.1	12.5	27200	17700	8.5	CHX35-36A	SL280UH070XV36A	202565859
EL15XP1-030-230	29400	15.1	12.5	27200	17700	9	CHX35-36B	EL180UH080NE48B	202565860
EL15XP1-030-230	29600	15	12.5	27600	18000	8.5	CHX35-36B	EL195UH040NE36B	202565861
EL15XP1-030-230	29600	15.1	12.5	27600	18000	8.5	CHX35-36B	EL195UH060NE36B	202565863
EL15XP1-030-230	29000	15.1	12.5	27200	17800	8.5	CHX35-36B	EL196UH030XE24B	202565865
EL15XP1-030-230	29000	15.1	12.5	27200	17800	8.5	CHX35-36B	EL196UH045XE24B	202565866
EL15XP1-030-230	29400	15.1	12.5	27400	17900	9	CHX35-36B	EL196UH045XE36B	202565867
EL15XP1-030-230	29600	15.1	12.5	27400	17900	9	CHX35-36B	EL196UH070XE36B	202565868
EL15XP1-030-230	29200	14.5	12.5	27200	18000	8.8	CHX35-36B	EL280UH090E36B	204043450
EL15XP1-030-230	28600	14.5	12.5	26800	17700	8.8	CHX35-36B	EL280UH090E48B	204043451
EL15XP1-030-230	29200	15	12.5	27400	17900	9	CHX35-36B	EL296UH045XE36B	202565869
EL15XP1-030-230	29400	15	12.5	27400	17900	9	CHX35-36B	EL296UH045XV36B	202565870
EL15XP1-030-230	29200	15.1	12.5	27200	17800	9	CHX35-36B	EL296UH070XV36B	202565871
EL15XP1-030-230	29400	15.5	12.5	27200	17700	9	CHX35-36B	ML180UH070E36B	202565872
EL15XP1-030-230	29400	15.1	12.5	27200	17700	9.2	CHX35-36B	ML180UH070V36B	204495311
EL15XP1-030-230	29600	15.5	12.5	27200	17700	9.2	CHX35-36B	ML180UH070V48B	204495455
EL15XP1-030-230	29400	15.5	12.5	27200	17700	9	CHX35-36B	ML180UH090E48B	202565873
EL15XP1-030-230	29400	15.1	12.5	27200	17700	9	CHX35-36B	ML180UH090V48B	204495579
EL15XP1-030-230	28600	14.5	12.2	27000	17900	8.8	CHX35-36B	ML193UH030XE36B	204043452
EL15XP1-030-230	28800	14.5	12.2	27000	17900	8.8	CHX35-36B	ML193UH045XE36B	204043453
EL15XP1-030-230	28800	14.5	12.5	27000	17900	8.8	CHX35-36B	ML193UH070XE36B	204043454
EL15XP1-030-230	29000	15.1	12.5	27200	17800	8.5	CHX35-36B	ML196UH030XE24B	204497941
EL15XP1-030-230	29000	15.1	12.5	27200	17800	8.5	CHX35-36B	ML196UH045XE24B	204497942
EL15XP1-030-230	29400	15.1	12.5	27400	17900	9	CHX35-36B	ML196UH045XE36B	204497943
EL15XP1-030-230	29600	15.1	12.5	27400	17900	9	CHX35-36B	ML196UH070XE36B	204497944
EL15XP1-030-230	29000	15	12.5	27000	17300	8.5	CHX35-36B	ML296UH045XV36B	205470201
EL15XP1-030-230	29000	15.1	12.5	26800	17200	8.5	CHX35-36B	ML296UH070XV36B	205470202
EL15XP1-030-230	29400	15.5	12.5	27200	17700	9	CHX35-36B	SL280UH080NV48B	202565874
EL15XP1-030-230	29400	15.5	12.5	27200	17700	9	CHX35-36B	SL280UH090V36B	202565875
EL15XP1-030-230	29400	15.5	12.5	27200	17800	9	CHX35-36B	SL280UH090V48B	202565876
EL15XP1-030-230	29400	15.1	12.5	27200	17800	9	CHX35-36B	SL297UH040NV36B	202565877
EL15XP1-030-230	29200	15.1	12.5	27200	17800	9	CHX35-36B	SL297UH060NV36B	202565878
EL15XP1-030-230	29200	15.1	12.5	27200	17800	9	CHX35-36B	SLP98UH070XV36B	202565879
EL15XP1-030-230	29200	15.1	12.5	27200	17800	9	CHX35-36B	SLP99UH070XV36B	205544930
EL15XP1-030-230	29800	15.5	12.5	27200	17700	9	CHX35-36C	EL195UH080NE48C	202565880

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-030-230	29800	15.5	12.5	27000	17600	9	CHX35-36C	EL196UH090XE48C	202565882
EL15XP1-030-230	29400	15.1	12.5	26800	17700	9.2	CHX35-36C	EL280UH110E48C	204043455
EL15XP1-030-230	29600	15.5	12.5	27000	17600	9	CHX35-36C	EL296UH090XE48C	202565883
EL15XP1-030-230	30000	15.5	12.5	27200	17700	9	CHX35-36C	EL296UH090XV36C	202565884
EL15XP1-030-230	30000	15.5	12.5	27200	17800	9	CHX35-36C	EL296UH090XV48C	202565885
EL15XP1-030-230	29200	15	12.5	26800	17800	9	CHX35-36C	ML193UH090XE36C	204043456
EL15XP1-030-230	29200	15.1	12.5	26600	17600	9.2	CHX35-36C	ML193UH090XE48C	204043457
EL15XP1-030-230	29400	15.1	12.5	26600	17700	9.2	CHX35-36C	ML193UH110XE48C	204043458
EL15XP1-030-230	29800	15.5	12.5	27000	17600	9	CHX35-36C	ML196UH090XE48C	204497945
EL15XP1-030-230	29800	15.5	12.5	27000	17400	9	CHX35-36C	ML296UH090XV48C	205470203
EL15XP1-030-230	29800	15.5	12.5	27000	17700	9	CHX35-36C	SL297UH080NV48C	202565886
EL15XP1-030-230	30000	15.5	12.5	27200	17700	9	CHX35-36C	SLP98UH090XV36C	202565887
EL15XP1-030-230	30000	15.5	12.5	27200	17800	9	CHX35-36C	SLP98UH090XV48C	202565888
EL15XP1-030-230	30000	15.5	12.5	27200	17700	9	CHX35-36C	SLP99UH090XV36C	205544932
EL15XP1-030-230	30000	15.5	12.5	27200	17800	9	CHX35-36C	SLP99UH090XV48C	205544935
EL15XP1-030-230	29000	14	11.5	27800	18400	8.5	CHX35-36C		202565697
EL15XP1-030-230	29200	14.5	12.5	27800	18300	9	CR33-30/36A	EL280DF070E36A	204043459
EL15XP1-030-230	29800	15.1	12.5	28400	18300	9	CR33-30/36A	ML180DF045E36A	202565889
EL15XP1-030-230	29600	15.1	12.5	28200	18200	9.3	CR33-30/36A	ML180DF070E36A	204495923
EL15XP1-030-230	29600	15.1	12.5	28200	18200	9	CR33-30/36A	SL280DF070V36A	202565890
EL15XP1-030-230	29000	14	11.5	28800	18800	8.5	CR33-30/36A		202565698
EL15XP1-030-230	29400	14.5	12.5	28000	18400	9	CR33-30/36B	EL280DF090E48B	204043460
EL15XP1-030-230	29600	15	12.5	28200	18300	9	CR33-30/36B	EL296DF045XE36B	202565893
EL15XP1-030-230	29600	15.1	12.5	28200	18200	9	CR33-30/36B	EL296DF045XV36B	202566045
EL15XP1-030-230	30000	15.1	12.5	28200	18300	9	CR33-30/36B	EL296DF070XE48B	202566046
EL15XP1-030-230	29600	15	12.5	28200	18300	9	CR33-30/36B	EL296DF070XV48B	202566047
EL15XP1-030-230	30000	15.5	12.5	28200	18100	9	CR33-30/36B	ML180DF070E36B	202566048
EL15XP1-030-230	29600	15.5	12.5	28000	18100	9	CR33-30/36B	ML180DF090E48B	202566049
EL15XP1-030-230	28800	14.5	12.2	27800	18300	8.8	CR33-30/36B	ML193DF045XE36B	204043461
EL15XP1-030-230	28800	14.5	12.2	27800	18300	8.8	CR33-30/36B	ML193DF070XE36B	204043462
EL15XP1-030-230	29400	15.1	12.5	28200	18000	9	CR33-30/36B	ML296DF045XV36B	205470204
EL15XP1-030-230	29400	15	12.5	28200	18100	9	CR33-30/36B	ML296DF070XV48B	205470205
EL15XP1-030-230	29600	15.1	12.5	28000	18100	9	CR33-30/36B	SL280DF090V48B	202566050
EL15XP1-030-230	29600	15.1	12.5	28200	18200	9	CR33-30/36B	SLP98DF070XV36B	202566051
EL15XP1-030-230	29600	15.1	12.5	28200	18200	9	CR33-30/36B	SLP99DF070XV36B	205544947
EL15XP1-030-230	29000	14	11.5	28800	18800	8.5	CR33-30/36B		202565699
EL15XP1-030-230	29800	15.5	12.5	27400	17900	9	CX35-30/36A	EL180UH040NE36A	202565894
EL15XP1-030-230	29800	15.5	12.5	27400	17900	9	CX35-30/36A	EL180UH060NE36A	202565895
EL15XP1-030-230	29400	15	12.5	27200	18000	8.8	CX35-30/36A	EL280UH045E36A	204043464
EL15XP1-030-230	29000	14.5	12.5	27000	18000	8.8	CX35-30/36A	EL280UH070E36A	204043465
EL15XP1-030-230	29600	15.1	12.5	27400	17900	9.2	CX35-30/36A	ML180UH030V36A	204495003
EL15XP1-030-230	29400	15.1	12.5	27400	17900	8.5	CX35-30/36A	ML180UH045E36A	202565896
EL15XP1-030-230	29600	15.1	12.5	27400	17900	9.2	CX35-30/36A	ML180UH045V36A	204495106
EL15XP1-030-230	29800	15.1	12.5	27600	18000	9	CX35-30/36A	ML180UH070E36A	204495846
EL15XP1-030-230	29400	15.1	12.5	27400	17900	9	CX35-30/36A	ML180UH070V36A	204495209
EL15XP1-030-230	29800	15.1	12.5	27600	18000	9	CX35-30/36A	ML180UH070XE36A	204495972
EL15XP1-030-230	29600	15.5	12.5	27400	17800	9	CX35-30/36A	SL280UH060NV36A	202565897
EL15XP1-030-230	29400	15.1	12.5	27400	17900	9	CX35-30/36A	SL280UH070V36A	202565898
EL15XP1-030-230	29400	15.1	12.5	27400	17900	9	CX35-30/36A	SL280UH070XV36A	202565899
EL15XP1-030-230	29400	15.1	12.5	27400	17900	9	CX35-30/36B	EL180UH080NE48B	202565900
EL15XP1-030-230	28800	15.1	12.5	26800	17600	8.5	CX35-30/36B	EL195UH030XE24B	202565901
EL15XP1-030-230	29800	15.1	12.5	27600	18100	8.5	CX35-30/36B	EL195UH040NE36B	202565902
EL15XP1-030-230	28800	15.1	12.5	26800	17600	8.5	CX35-30/36B	EL195UH045XE24B	202565903
EL15XP1-030-230	29800	15.1	12.5	27600	18000	8.5	CX35-30/36B	EL195UH060NE36B	202565905
EL15XP1-030-230	29600	15.1	12.5	27600	18000	8.5	CX35-30/36B	EL196UH045XE36B	202565907
EL15XP1-030-230	29600	15.1	12.5	27600	18000	8.5	CX35-30/36B	EL196UH070XE36B	202565908

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-030-230	29200	14.5	12.5	27200	18000	8.8	CX35-30/36B	EL280UH090E36B	204043466
EL15XP1-030-230	28800	15	12.5	26800	17800	8.8	CX35-30/36B	EL280UH090E48B	204043467
EL15XP1-030-230	29400	15.1	12.5	27400	18000	8.5	CX35-30/36B	EL296UH045XE36B	202565909
EL15XP1-030-230	29600	15.1	12.5	27400	18000	8.5	CX35-30/36B	EL296UH045XV36B	202565910
EL15XP1-030-230	29600	15.1	12.5	27600	18000	8.5	CX35-30/36B	EL296UH070XE36B	202565911
EL15XP1-030-230	29400	15.1	12.5	27400	17900	9	CX35-30/36B	EL296UH070XV36B	202565912
EL15XP1-030-230	29600	15.5	12.5	27400	17800	9	CX35-30/36B	ML180UH070E36B	202565913
EL15XP1-030-230	29600	15.1	12.5	27200	17800	9.2	CX35-30/36B	ML180UH070V36B	204495312
EL15XP1-030-230	29800	15.5	12.5	27400	17800	9.2	CX35-30/36B	ML180UH070V48B	204495456
EL15XP1-030-230	29600	15.1	12.5	27200	17800	9.2	CX35-30/36B	ML180UH090V48B	204495580
EL15XP1-030-230	28800	14.5	12.2	27000	18000	8.8	CX35-30/36B	ML193UH030XE36B	204043468
EL15XP1-030-230	29000	14.5	12.5	27000	18000	8.8	CX35-30/36B	ML193UH045XE36B	204043469
EL15XP1-030-230	29000	14.5	12.5	27000	18000	8.8	CX35-30/36B	ML193UH070XE36B	204043470
EL15XP1-030-230	29600	15.1	12.5	27600	18000	8.5	CX35-30/36B	ML196UH045XE36B	204497946
EL15XP1-030-230	29600	15.1	12.5	27600	18000	8.5	CX35-30/36B	ML196UH070XE36B	204497947
EL15XP1-030-230	29200	15.1	12.5	27400	18000	8.5	CX35-30/36B	ML296UH045XV36B	205470206
EL15XP1-030-230	29200	15.1	12.5	27400	17900	8.5	CX35-30/36B	ML296UH070XV36B	205470207
EL15XP1-030-230	29600	15.5	12.5	27200	17700	9	CX35-30/36B	SL280UH080NV48B	202565914
EL15XP1-030-230	29600	15.5	12.5	27200	17700	9	CX35-30/36B	SL280UH090V36B	202565915
EL15XP1-030-230	29600	15.1	12.5	27400	17800	9	CX35-30/36B	SL297UH040NV36B	202565916
EL15XP1-030-230	29400	15.1	12.5	27400	17900	9	CX35-30/36B	SL297UH060NV36B	202565917
EL15XP1-030-230	29400	15.1	12.5	27400	17900	9	CX35-30/36B	SLP98UH070XV36B	202565918
EL15XP1-030-230	29400	15.1	12.5	27400	17900	9	CX35-30/36B	SLP99UH070XV36B	205544937
EL15XP1-030-230	29000	14.5	12.5	27800	18000	8.8	CX35-30/36C	ML193UH090XE36C	205109429
EL15XP1-030-230	30000	15.5	12.5	27000	17400	9	CX35-30A	EL180UH040NE36A	202565919
EL15XP1-030-230	30000	15.5	12.5	27000	17400	8.5	CX35-30A	EL180UH060NE36A	202565920
EL15XP1-030-230	29800	15.1	12.5	26600	17500	8.8	CX35-30A	EL280UH045E36A	204043471
EL15XP1-030-230	29600	14.5	12.5	26600	17500	8.6	CX35-30A	EL280UH070E36A	204043472
EL15XP1-030-230	30000	15.1	12.5	27000	17400	9	CX35-30A	ML180UH030V36A	204495004
EL15XP1-030-230	29800	15.1	12.5	26800	17500	8.5	CX35-30A	ML180UH045E36A	202565921
EL15XP1-030-230	30000	15.1	12.5	27000	17400	9	CX35-30A	ML180UH045V36A	204495107
EL15XP1-030-230	30000	15.1	12.5	27000	17500	9	CX35-30A	ML180UH070E36A	204495847
EL15XP1-030-230	30000	15.1	12.5	26800	17400	8.5	CX35-30A	ML180UH070V36A	204495210
EL15XP1-030-230	30000	15.1	12.5	27000	17500	9	CX35-30A	ML180UH070XE36A	204495973
EL15XP1-030-230	30000	15.5	12.5	26800	17300	8.5	CX35-30A	SL280UH060NV36A	202565922
EL15XP1-030-230	30000	15.5	12.5	26800	17400	8.5	CX35-30A	SL280UH070V36A	202565923
EL15XP1-030-230	30000	15.5	12.5	26800	17400	8.5	CX35-30A	SL280UH070XV36A	202565924
EL15XP1-030-230	29200	14	11.5	27400	18100	8.5	CX35-30A		202565700
EL15XP1-030-230	30000	15.5	12.5	26800	17300	8.5	CX35-30B	EL180UH080NE48B	202565925
EL15XP1-030-230	30000	15.1	12.5	27200	17600	8.5	CX35-30B	EL195UH040NE36B	202565926
EL15XP1-030-230	30000	15.1	12.5	27000	17600	8.5	CX35-30B	EL195UH060NE36B	202565927
EL15XP1-030-230	29800	15.1	12.5	26800	17400	8.5	CX35-30B	EL196UH030XE24B	202565929
EL15XP1-030-230	29800	15.1	12.5	26800	17400	8.5	CX35-30B	EL196UH045XE24B	202565930
EL15XP1-030-230	30000	15.1	12.5	27000	17500	8.5	CX35-30B	EL196UH045XE36B	202565931
EL15XP1-030-230	30000	15.1	12.5	27000	17500	8.5	CX35-30B	EL196UH070XE36B	202565932
EL15XP1-030-230	29800	15	12.5	26600	17600	8.8	CX35-30B	EL280UH090E36B	204043473
EL15XP1-030-230	29400	15.1	12.5	26200	17300	8.6	CX35-30B	EL280UH090E48B	204043474
EL15XP1-030-230	30000	15.1	12.5	27000	17500	8.5	CX35-30B	EL296UH045XE36B	202565933
EL15XP1-030-230	30000	15.1	12.5	27000	17500	8.5	CX35-30B	EL296UH045XV36B	202565934
EL15XP1-030-230	30000	15.1	12.5	27000	17600	8.5	CX35-30B	EL296UH070XE36B	202565935
EL15XP1-030-230	30000	15.5	12.5	26800	17400	8.5	CX35-30B	EL296UH070XV36B	202565936
EL15XP1-030-230	30000	15.5	12.5	26800	17400	8.5	CX35-30B	ML180UH070E36B	202565937
EL15XP1-030-230	30000	15.5	12.5	26800	17300	9	CX35-30B	ML180UH070V36B	204495313
EL15XP1-030-230	30000	15.5	12.5	26800	17400	9	CX35-30B	ML180UH070V48B	204495457
EL15XP1-030-230	30000	15.5	12.5	26800	17300	8.5	CX35-30B	ML180UH090E48B	202565938
EL15XP1-030-230	30000	15.5	12.5	26800	17300	8.5	CX35-30B	ML180UH090V48B	204495581

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-030-230	29400	14.5	12.5	26400	17500	8.6	CX35-30B	ML193UH030XE36B	204043475
EL15XP1-030-230	29400	14.5	12.5	26600	17500	8.6	CX35-30B	ML193UH045XE36B	204043476
EL15XP1-030-230	29400	14.5	12.5	26600	17500	8.6	CX35-30B	ML193UH070XE36B	204043477
EL15XP1-030-230	29800	15.1	12.5	26800	17400	8.5	CX35-30B	ML196UH030XE24B	204497948
EL15XP1-030-230	29800	15.1	12.5	26800	17400	8.5	CX35-30B	ML196UH045XE24B	204497949
EL15XP1-030-230	30000	15.1	12.5	27000	17500	8.5	CX35-30B	ML196UH045XE36B	204497950
EL15XP1-030-230	30000	15.1	12.5	27000	17500	8.5	CX35-30B	ML196UH070XE36B	204497951
EL15XP1-030-230	30000	15.1	12.5	27600	17900	8.5	CX35-30B	ML296UH045XV36B	205470208
EL15XP1-030-230	30000	15.5	12.5	27400	17800	8.5	CX35-30B	ML296UH070XV36B	205470209
EL15XP1-030-230	30000	15.5	12.5	26800	17300	9	CX35-30B	SL280UH080NV48B	202565939
EL15XP1-030-230	30000	15.5	12.5	26800	17300	8.5	CX35-30B	SL280UH090V36B	202565940
EL15XP1-030-230	30000	15.5	12.5	26800	17400	8.5	CX35-30B	SL280UH090V48B	202565941
EL15XP1-030-230	30000	15.5	12.5	26800	17400	8.5	CX35-30B	SL297UH040NV36B	202565942
EL15XP1-030-230	30000	15.5	12.5	26800	17400	8.5	CX35-30B	SL297UH060NV36B	202565943
EL15XP1-030-230	30000	15.5	12.5	26800	17400	8.5	CX35-30B	SLP98UH070XV36B	202565944
EL15XP1-030-230	30000	15.5	12.5	26800	17400	8.5	CX35-30B	SLP99UH070XV36B	205544940
EL15XP1-030-230	29200	14	11.5	27400	18100	8.5	CX35-30B		202565701
EL15XP1-030-230	30000	15.5	12.5	27000	17500	9	CX35-36A	EL180UH040NE36A	202565945
EL15XP1-030-230	30000	15.5	12.5	27000	17500	9	CX35-36A	EL180UH060NE36A	202565946
EL15XP1-030-230	30000	15.1	12.5	26600	17600	9	CX35-36A	EL280UH045E36A	204043478
EL15XP1-030-230	29800	15.1	12.5	26600	17600	8.8	CX35-36A	EL280UH070E36A	204043479
EL15XP1-030-230	30000	15.5	12.5	27000	17500	9.2	CX35-36A	ML180UH030V36A	204495005
EL15XP1-030-230	30000	15.5	12.5	27000	17600	8.5	CX35-36A	ML180UH045E36A	202565947
EL15XP1-030-230	30000	15.5	12.5	27000	17500	9.2	CX35-36A	ML180UH045V36A	204495108
EL15XP1-030-230	30000	15.5	12.5	27200	17600	9.2	CX35-36A	ML180UH070E36A	204495848
EL15XP1-030-230	30000	15.5	12.5	27000	17500	9	CX35-36A	ML180UH070V36A	204495211
EL15XP1-030-230	30000	15.5	12.5	27200	17600	9.2	CX35-36A	ML180UH070XE36A	204495974
EL15XP1-030-230	30000	16	13	26800	17400	9	CX35-36A	SL280UH060NV36A	202565948
EL15XP1-030-230	30000	15.5	12.5	27000	17500	9	CX35-36A	SL280UH070V36A	202565949
EL15XP1-030-230	30000	15.5	12.5	27000	17500	9	CX35-36A	SL280UH070XV36A	202565950
EL15XP1-030-230	29400	14	12	27600	18100	8.5	CX35-36A		202565702
EL15XP1-030-230	30000	15.5	12.5	26800	17400	9	CX35-36B	EL180UH080NE48B	202565951
EL15XP1-030-230	30000	15.5	12.5	27200	17700	9	CX35-36B	EL195UH040NE36B	202565952
EL15XP1-030-230	30000	15.5	12.5	27200	17700	9	CX35-36B	EL195UH060NE36B	202565954
EL15XP1-030-230	30000	15.5	12.5	26800	17500	8.5	CX35-36B	EL196UH030XE24B	202565956
EL15XP1-030-230	30000	15.5	12.5	26800	17500	8.5	CX35-36B	EL196UH045XE24B	202565957
EL15XP1-030-230	30000	15.5	12.5	27000	17600	9	CX35-36B	EL196UH045XE36B	202565958
EL15XP1-030-230	30000	15.5	12.5	27000	17600	9	CX35-36B	EL196UH070XE36B	202565959
EL15XP1-030-230	30000	15.1	12.5	26800	17700	9	CX35-36B	EL280UH090E36B	204043480
EL15XP1-030-230	29600	15.1	12.5	26400	17400	8.8	CX35-36B	EL280UH090E48B	204043481
EL15XP1-030-230	30000	15.1	12.5	27000	17600	9	CX35-36B	EL296UH045XE36B	202565960
EL15XP1-030-230	30000	15.1	12.5	27000	17500	8.5	CX35-36B	EL296UH045XV36B	202565961
EL15XP1-030-230	30000	15.5	12.5	27200	17700	9	CX35-36B	EL296UH070XE36B	202565962
EL15XP1-030-230	30000	15.5	12.5	27000	17500	9	CX35-36B	EL296UH070XV36B	202565963
EL15XP1-030-230	30000	15.5	12.5	26800	17500	9	CX35-36B	ML180UH070E36B	202565964
EL15XP1-030-230	30000	15.5	12.5	26800	17400	9.2	CX35-36B	ML180UH070V36B	204495314
EL15XP1-030-230	30000	15.5	12.5	26800	17500	9.2	CX35-36B	ML180UH070V48B	204495458
EL15XP1-030-230	30000	15.5	12.5	26800	17400	9	CX35-36B	ML180UH090E48B	202565965
EL15XP1-030-230	30000	15.5	12.5	26800	17400	9.2	CX35-36B	ML180UH090V48B	204495582
EL15XP1-030-230	29600	14.5	12.5	26600	17600	8.8	CX35-36B	ML193UH030XE36B	204043482
EL15XP1-030-230	29600	14.5	12.5	26600	17600	8.8	CX35-36B	ML193UH045XE36B	204043483
EL15XP1-030-230	29600	15	12.5	26600	17600	8.8	CX35-36B	ML193UH070XE36B	204043484
EL15XP1-030-230	30000	15.5	12.5	26800	17500	8.5	CX35-36B	ML196UH030XE24B	204497952
EL15XP1-030-230	30000	15.5	12.5	26800	17500	8.5	CX35-36B	ML196UH045XE24B	204497953
EL15XP1-030-230	30000	15.5	12.5	27000	17600	9	CX35-36B	ML196UH045XE36B	204497954
EL15XP1-030-230	30000	15.5	12.5	27000	17600	9	CX35-36B	ML196UH070XE36B	204497955

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-030-230	30000	15.1	12.5	27200	17900	9	CX35-36B	ML296UH045XV36B	205470210
EL15XP1-030-230	30000	15.5	12.5	27400	17800	9	CX35-36B	ML296UH070XV36B	205470211
EL15XP1-030-230	30000	16	13	26800	17400	9	CX35-36B	SL280UH080NV48B	202565966
EL15XP1-030-230	30000	16	13	26800	17400	9	CX35-36B	SL280UH090V36B	202565967
EL15XP1-030-230	30000	15.5	12.5	27000	17500	9	CX35-36B	SL297UH040NV36B	202565968
EL15XP1-030-230	30000	15.5	12.5	27000	17500	9	CX35-36B	SL297UH060NV36B	202565969
EL15XP1-030-230	30000	15.5	12.5	27000	17500	9	CX35-36B	SLP98UH070XV36B	202565970
EL15XP1-030-230	30000	15.5	12.5	27000	17500	9	CX35-36B	SLP99UH070XV36B	205544941
EL15XP1-030-230	29400	14	12	27600	18100	8.5	CX35-36B		202565703
EL15XP1-036-230	34400	15	12.5	31800	20600	8.5	C35-36A	EL180UH040NE36A	202566344
EL15XP1-036-230	34200	15	12.5	31800	20600	8.5	C35-36A	EL180UH060NE36A	202566345
EL15XP1-036-230	34400	14.5	12	32000	21000	8.5	C35-36A	EL280UH045E36A	204043485
EL15XP1-036-230	34000	14.5	12.5	31600	20600	8.5	C35-36A	EL280UH070E36A	204043486
EL15XP1-036-230	34000	14.5	12.5	31600	20600	8.5	C35-36A	ML180UH030V36A	204495006
EL15XP1-036-230	34000	14.5	12.5	31600	20600	8.5	C35-36A	ML180UH045E36A	202566346
EL15XP1-036-230	34000	14.5	12.5	31600	20600	8.5	C35-36A	ML180UH045V36A	204495109
EL15XP1-036-230	34400	14.5	12.5	31800	20800	8.5	C35-36A	ML180UH070E36A	204495849
EL15XP1-036-230	34000	14.5	12.5	31600	20600	8.5	C35-36A	ML180UH070V36A	204495212
EL15XP1-036-230	34400	14.5	12.5	31800	20800	8.5	C35-36A	ML180UH070XE36A	204495975
EL15XP1-036-230	34200	15.1	12.5	31400	20400	8.5	C35-36A	SL280UH060NV36A	202566347
EL15XP1-036-230	34000	14.5	12.5	31600	20600	8.5	C35-36A	SL280UH070V36A	202566348
EL15XP1-036-230	34000	14.5	12.5	31600	20600	8.5	C35-36A	SL280UH070XV36A	202566349
EL15XP1-036-230	34200	15.5	12.5	31400	20400	8.5	C35-36B	EL180UH080NE48B	202566350
EL15XP1-036-230	33800	14.5	12.5	31600	20600	8.5	C35-36B	EL195UH040NE36B	202566351
EL15XP1-036-230	33800	14.5	12.5	31400	20600	8.5	C35-36B	EL195UH060NE36B	202566353
EL15XP1-036-230	33800	14.5	12.5	31400	20400	8.5	C35-36B	EL196UH045XE36B	202566355
EL15XP1-036-230	33800	15	12.5	31400	20400	8.5	C35-36B	EL196UH070XE36B	202566356
EL15XP1-036-230	34000	14.5	12.5	31600	20600	8.5	C35-36B	EL280UH090E36B	204043487
EL15XP1-036-230	34000	14.5	12.5	31400	20400	8.5	C35-36B	EL280UH090E48B	204043488
EL15XP1-036-230	33800	14.25	12.2	31800	21000	8.2	C35-36B	EL296UH045XE36B	202568012
EL15XP1-036-230	34000	14.5	12.5	31600	20600	8.5	C35-36B	EL296UH045XV36B	202566357
EL15XP1-036-230	33800	14.5	12.5	31400	20600	8.5	C35-36B	EL296UH070XE36B	202566358
EL15XP1-036-230	34000	14.5	12.5	31600	20600	8.5	C35-36B	EL296UH070XV36B	202566359
EL15XP1-036-230	34200	14.5	12.5	31800	20800	8.5	C35-36B	ML180UH070E36B	202566360
EL15XP1-036-230	34000	15	12.5	31400	20400	8.5	C35-36B	ML180UH070V36B	204495315
EL15XP1-036-230	34400	15.1	12.5	31600	20400	8.5	C35-36B	ML180UH070V48B	204495459
EL15XP1-036-230	34200	15.1	12.5	31400	20400	8.5	C35-36B	ML180UH090E48B	202566361
EL15XP1-036-230	34200	15.1	12.5	31400	20400	8.5	C35-36B	ML180UH090V48B	204495583
EL15XP1-036-230	34000	14	12.2	32000	21000	8.4	C35-36B	ML193UH030XE36B	204043489
EL15XP1-036-230	34000	14	12.2	32000	21000	8.4	C35-36B	ML193UH045XE36B	204043490
EL15XP1-036-230	34000	14.25	12.2	32000	21000	8.4	C35-36B	ML193UH070XE36B	204043491
EL15XP1-036-230	33800	14.5	12.5	31400	20400	8.5	C35-36B	ML196UH045XE36B	204497956
EL15XP1-036-230	33800	15	12.5	31400	20400	8.5	C35-36B	ML196UH070XE36B	204497957
EL15XP1-036-230	34000	14.5	12.5	31600	20600	8.5	C35-36B	ML296UH045XV36B	205470212
EL15XP1-036-230	34000	14.5	12.5	31600	20600	8.5	C35-36B	ML296UH070XV36B	205470213
EL15XP1-036-230	34200	15.5	12.5	31400	20400	8.5	C35-36B	SL280UH080NV48B	202566362
EL15XP1-036-230	34200	15.1	12.5	31400	20400	8.5	C35-36B	SL280UH090V36B	202566363
EL15XP1-036-230	34200	15.1	12.5	31400	20400	8.5	C35-36B	SL280UH090V48B	202566364
EL15XP1-036-230	34200	14.5	12.5	31600	20600	8.5	C35-36B	SL297UH040NV36B	202566365
EL15XP1-036-230	34000	14.5	12.5	31600	20600	8.5	C35-36B	SL297UH060NV36B	202566366
EL15XP1-036-230	34000	14.5	12.5	31600	20600	8.5	C35-36B	SLP98UH070XV36B	202566367
EL15XP1-036-230	34000	14.5	12.5	31600	20600	8.5	C35-36B	SLP99UH070XV36B	205544993
EL15XP1-036-230	34400	15.5	12.5	30400	19200	8.5	C35-48B	EL180UH080NE48B	202566368
EL15XP1-036-230	34000	14.5	12.5	30400	19500	8.2	C35-48B	EL195UH040NE36B	202566369
EL15XP1-036-230	33800	14.5	12.5	30400	19500	8.2	C35-48B	EL195UH060NE36B	202566371
EL15XP1-036-230	33800	14.5	12.5	30400	19400	8.2	C35-48B	EL196UH045XE36B	202566373

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-036-230	33800	15	12.5	30400	19400	8.2	C35-48B	EL196UH070XE36B	202566374
EL15XP1-036-230	34200	14.5	12.5	30600	19500	8.2	C35-48B	EL280UH090E36B	204043492
EL15XP1-036-230	34000	15	12.5	30400	19400	8.4	C35-48B	EL280UH090E48B	204043493
EL15XP1-036-230	33400	14.5	12.5	30200	19400	8.2	C35-48B	EL296UH045XE36B	202566375
EL15XP1-036-230	34000	14.5	12.5	30600	19600	8.2	C35-48B	EL296UH045XV36B	202566376
EL15XP1-036-230	33800	14.5	12.5	30400	19400	8.2	C35-48B	EL296UH070XE36B	202566377
EL15XP1-036-230	34000	14.5	12.5	30600	19600	8.2	C35-48B	EL296UH070XV36B	202566378
EL15XP1-036-230	33800	15.1	12.5	30200	19100	8.2	C35-48B	ML180UH070E36B	202566379
EL15XP1-036-230	34000	15.1	12.5	30200	19300	8.4	C35-48B	ML180UH070V36B	204495316
EL15XP1-036-230	34400	15.1	12.5	30400	19400	8.5	C35-48B	ML180UH070V48B	204495460
EL15XP1-036-230	34200	15.1	12.5	30400	19400	8.5	C35-48B	ML180UH090E48B	202566380
EL15XP1-036-230	34200	15.1	12.5	30400	19300	8.2	C35-48B	ML180UH090V48B	204495584
EL15XP1-036-230	34000	14	12.2	31000	19900	8.2	C35-48B	ML193UH030XE36B	204043494
EL15XP1-036-230	34000	14	12.2	31000	19900	8.2	C35-48B	ML193UH045XE36B	204043496
EL15XP1-036-230	33600	14.5	12	30400	19400	8.2	C35-48B	ML193UH070XE36B	204043497
EL15XP1-036-230	33800	14.5	12.5	30400	19400	8.2	C35-48B	ML196UH045XE36B	204497958
EL15XP1-036-230	33800	15	12.5	30400	19400	8.2	C35-48B	ML196UH070XE36B	204497959
EL15XP1-036-230	34000	14.5	12.5	30600	19600	8.2	C35-48B	ML296UH045XV36B	205470214
EL15XP1-036-230	34000	14.5	12.5	30600	19600	8.2	C35-48B	ML296UH070XV36B	205470215
EL15XP1-036-230	34200	15.5	12.5	30200	19200	8.5	C35-48B	SL280UH080NV48B	202566381
EL15XP1-036-230	34200	15.1	12.5	30400	19300	8.2	C35-48B	SL280UH090V36B	202566382
EL15XP1-036-230	34200	15.1	12.5	30400	19300	8.2	C35-48B	SL280UH090V48B	202566383
EL15XP1-036-230	34600	15.5	12.5	30400	19400	8.5	C35-48C	EL196UH090XE48C	202566385
EL15XP1-036-230	34000	15.1	12.5	30200	19200	8.4	C35-48C	EL280UH110E48C	204043498
EL15XP1-036-230	34400	15.1	12.5	30600	19400	8.5	C35-48C	EL280UH110E60C	204043499
EL15XP1-036-230	34200	15.1	12.5	30400	19300	8.2	C35-48C	EL296UH090XE48C	202566386
EL15XP1-036-230	34200	15.1	12.5	30400	19400	8.2	C35-48C	EL296UH090XV36C	202566387
EL15XP1-036-230	34000	15.1	12.5	30200	19200	8.2	C35-48C	EL296UH090XV48C	202566388
EL15XP1-036-230	34600	15.5	12.5	30400	19300	8.5	C35-48C	ML180UH110V60C	204495687
EL15XP1-036-230	34000	14.5	12.5	30400	19400	8.2	C35-48C	ML193UH090XE36C	204043500
EL15XP1-036-230	34200	15.1	12.5	30400	19300	8.4	C35-48C	ML193UH090XE48C	204043501
EL15XP1-036-230	34200	15.1	12.5	30400	19400	8.5	C35-48C	ML193UH110XE48C	204043502
EL15XP1-036-230	34200	15.1	12.5	30400	19400	8.5	C35-48C	ML193UH110XE60C	204043503
EL15XP1-036-230	34600	15.5	12.5	30400	19400	8.5	C35-48C	ML196UH090XE48C	204497960
EL15XP1-036-230	34000	15.1	12.5	30200	19200	8.2	C35-48C	ML296UH090XV48C	205470216
EL15XP1-036-230	34000	15.1	12.5	30400	19300	8.2	C35-48C	SL297UH080NV48C	202566389
EL15XP1-036-230	34200	15.1	12.5	30400	19400	8.2	C35-48C	SLP98UH090XV36C	202566390
EL15XP1-036-230	34000	15.1	12.5	30200	19200	8.2	C35-48C	SLP98UH090XV48C	202566391
EL15XP1-036-230	34200	15.1	12.5	30400	19400	8.2	C35-48C	SLP99UH090XV36C	205544996
EL15XP1-036-230	34000	15.1	12.5	30200	19200	8.2	C35-48C	SLP99UH090XV48C	205545000
EL15XP1-036-230	35200	15.5	12.5	31600	20600	8.5	C35-50/60C	EL180UH100NE60C	204118772
EL15XP1-036-230	35000	15.1	12.5	32000	21000	8.5	C35-50/60C	EL195UH080NE48C	204118773
EL15XP1-036-230	35200	15.1	12.5	32000	21000	8.5	C35-50/60C	EL195UH100NE60C	204118774
EL15XP1-036-230	35400	15.5	12.5	31800	20800	8.5	C35-50/60C	EL196UH090XE48C	204118776
EL15XP1-036-230	35600	15.5	12.5	32000	20800	8.5	C35-50/60C	EL196UH110XE60C	204118777
EL15XP1-036-230	35000	15.5	12.5	31600	20600	8.5	C35-50/60C	EL280UH110E48C	204118778
EL15XP1-036-230	35600	15.5	12.5	32000	20800	8.5	C35-50/60C	EL280UH110E60C	204118779
EL15XP1-036-230	35000	15.1	12.5	31800	20800	8.5	C35-50/60C	EL296UH090XE48C	204118780
EL15XP1-036-230	35000	15.5	12.5	31800	20800	8.5	C35-50/60C	EL296UH090XV36C	204118782
EL15XP1-036-230	35200	15.1	12.5	32000	21000	8.5	C35-50/60C	EL296UH090XV48C	204118783
EL15XP1-036-230	35400	15.1	12.5	32200	21000	8.5	C35-50/60C	EL296UH090XV60C	204118784
EL15XP1-036-230	35200	15.5	12.5	31800	20800	8.5	C35-50/60C	EL296UH110XE60C	204118785
EL15XP1-036-230	35200	15.5	12.5	31600	20800	8.5	C35-50/60C	EL296UH110XV48C	204118787
EL15XP1-036-230	35400	15.5	12.5	32000	20800	8.5	C35-50/60C	EL296UH110XV60C	204118788
EL15XP1-036-230	35200	15.5	12.5	31800	20800	8.5	C35-50/60C	ML180UH090E60C	204118789
EL15XP1-036-230	35000	15.5	12.5	31600	20600	8.5	C35-50/60C	ML180UH110E60C	204118790

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-036-230	35200	15.5	12.5	31800	20800	8.5	C35-50/60C	ML180UH110V60C	204118791
EL15XP1-036-230	35000	15.5	12.5	31600	20600	8.5	C35-50/60C	ML180UH110XE60C	204118792
EL15XP1-036-230	35000	15.1	12.5	31800	21000	8.5	C35-50/60C	ML193UH090XE36C	204118794
EL15XP1-036-230	35200	15.5	12.5	31800	20800	8.5	C35-50/60C	ML193UH090XE48C	204118795
EL15XP1-036-230	35400	15.5	12.5	31800	20800	8.5	C35-50/60C	ML193UH110XE48C	204118796
EL15XP1-036-230	35400	15.5	12.5	32000	20800	8.5	C35-50/60C	ML193UH110XE60C	204118797
EL15XP1-036-230	35400	15.5	12.5	31800	20800	8.5	C35-50/60C	ML196UH090XE48C	204497961
EL15XP1-036-230	35600	15.5	12.5	32000	20800	8.5	C35-50/60C	ML196UH110XE60C	204497962
EL15XP1-036-230	35000	15.5	12.5	31800	20800	8.5	C35-50/60C	ML296UH090XV36C	204118799
EL15XP1-036-230	35200	15.5	12.5	31800	20800	8.5	C35-50/60C	ML296UH110XV60C	204118800
EL15XP1-036-230	35400	15.5	12.5	31800	20800	8.5	C35-50/60C	SL280UH080NV60C	204118801
EL15XP1-036-230	35400	15.5	12.5	32000	20800	8.5	C35-50/60C	SL280UH090V60C	204118803
EL15XP1-036-230	35400	15.5	12.5	32000	20800	8.5	C35-50/60C	SL280UH090XV60C	204118804
EL15XP1-036-230	35200	15.5	12.5	32000	21000	8.5	C35-50/60C	SL280UH110V60C	204118805
EL15XP1-036-230	35200	15.5	12.5	32000	21000	8.5	C35-50/60C	SL280UH110XV60C	204118806
EL15XP1-036-230	35200	15.5	12.5	31800	20800	8.5	C35-50/60C	SL297UH080NV48C	204118807
EL15XP1-036-230	35000	15.5	12.5	31800	20800	8.5	C35-50/60C	SLP98UH090XV36C	204118808
EL15XP1-036-230	35200	15.1	12.5	32000	21000	8.5	C35-50/60C	SLP98UH090XV48C	204118810
EL15XP1-036-230	35000	15.5	12.5	31800	20800	8.5	C35-50/60C	SLP99UH090XV36C	205545907
EL15XP1-036-230	35200	15.1	12.5	32000	21000	8.5	C35-50/60C	SLP99UH090XV48C	205545909
EL15XP1-036-230	34200	14	11.5	32400	21600	8.5	C35-50/60C		204118923
EL15XP1-036-230	33200	15.5	12.2	31400	20800	8.5	C35-60D	EL296UH135XV60D	204119001
EL15XP1-036-230	32600	15.5	12	31200	20800	8.5	C35-60D	SL280UH135V60D	204119002
EL15XP1-036-230	33400	14	12	31200	20000	8.2	CBA25UH-036-230		202576852
EL15XP1-036-230	34200	15	12.5	30800	19600	8.5	CBA25UHV-036-230		202566392
EL15XP1-036-230	33600	15	12.5	32600	21600	9	CBA27UHE-036-230		202566393
EL15XP1-036-230	33600	15.1	12.5	32600	21400	9	CBA38MV-036-230		202566394
EL15XP1-036-230	34600	15.5	12.5	30200	19200	8.5	CH35-42C	EL196UH090XE48C	202566396
EL15XP1-036-230	34400	15.1	12.5	30200	19200	8.4	CH35-42C	EL280UH110E48C	204043504
EL15XP1-036-230	34800	15.1	12.5	30600	19500	8.5	CH35-42C	EL280UH110E60C	204043505
EL15XP1-036-230	34600	15.1	12.5	30400	19400	8.2	CH35-42C	EL296UH090XE48C	202566397
EL15XP1-036-230	34600	15.1	12.5	30400	19400	8.2	CH35-42C	EL296UH090XV36C	202566398
EL15XP1-036-230	34400	15.5	12.5	30400	19200	8.2	CH35-42C	EL296UH090XV48C	202566400
EL15XP1-036-230	34600	15.5	12.5	30400	19300	8.5	CH35-42C	EL296UH110XV48C	202566401
EL15XP1-036-230	34400	15	12.5	30600	19500	8.2	CH35-42C	ML193UH090XE36C	204043506
EL15XP1-036-230	34600	15.1	12.5	30400	19400	8.4	CH35-42C	ML193UH090XE48C	204043507
EL15XP1-036-230	34600	15.1	12.5	30600	19400	8.4	CH35-42C	ML193UH110XE48C	204043508
EL15XP1-036-230	34800	15.1	12.5	30600	19400	8.4	CH35-42C	ML193UH110XE60C	204043509
EL15XP1-036-230	34600	15.5	12.5	30200	19200	8.5	CH35-42C	ML196UH090XE48C	204497963
EL15XP1-036-230	34400	15.5	12.5	30400	19200	8.2	CH35-42C	ML296UH090XV48C	205470217
EL15XP1-036-230	34600	15.1	12.5	30400	19300	8.2	CH35-42C	SL297UH080NV48C	202566402
EL15XP1-036-230	34600	15.1	12.5	30400	19400	8.2	CH35-42C	SLP98UH090XV36C	202566403
EL15XP1-036-230	34400	15.5	12.5	30400	19200	8.2	CH35-42C	SLP98UH090XV48C	202566404
EL15XP1-036-230	34600	15.1	12.5	30400	19400	8.2	CH35-42C	SLP99UH090XV36C	205545004
EL15XP1-036-230	34400	15.5	12.5	30400	19200	8.2	CH35-42C	SLP99UH090XV48C	205545006
EL15XP1-036-230	34400	15.1	12.5	30200	19400	8.5	CH35-48B	EL180UH080NE48B	202566405
EL15XP1-036-230	34000	14.5	12.5	30400	19600	8.2	CH35-48B	EL195UH060NE36B	202566406
EL15XP1-036-230	34000	14.5	12.5	30400	19500	8.2	CH35-48B	EL196UH045XE36B	202566408
EL15XP1-036-230	34000	15	12.5	30400	19500	8.2	CH35-48B	EL196UH070XE36B	202566409
EL15XP1-036-230	34200	14.5	12.5	30600	19700	8.4	CH35-48B	EL280UH090E36B	204043510
EL15XP1-036-230	34000	14.5	12.5	30400	19500	8.4	CH35-48B	EL280UH090E48B	204043511
EL15XP1-036-230	34200	14.5	12.5	30600	19700	8.2	CH35-48B	EL296UH045XV36B	202566410
EL15XP1-036-230	34000	14.5	12.5	30400	19500	8.2	CH35-48B	EL296UH070XE36B	202566411
EL15XP1-036-230	34200	14.5	12.5	30600	19700	8.2	CH35-48B	EL296UH070XV36B	202566412
EL15XP1-036-230	34400	14.5	12.5	30800	19800	8.5	CH35-48B	ML180UH070E36B	202566413
EL15XP1-036-230	34200	15	12.5	30400	19400	8.5	CH35-48B	ML180UH070V36B	204495317

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-036-230	34600	15.1	12.5	30400	19500	8.5	CH35-48B	ML180UH070V48B	204495461
EL15XP1-036-230	34200	15.1	12.5	30400	19500	8.5	CH35-48B	ML180UH090E48B	202566414
EL15XP1-036-230	34200	15	12.5	30400	19500	8.5	CH35-48B	ML180UH090V48B	204495585
EL15XP1-036-230	34000	14	12.2	31000	20000	8.2	CH35-48B	ML193UH030XE36B	204043512
EL15XP1-036-230	34000	14	12.2	31000	20000	8.2	CH35-48B	ML193UH045XE36B	204043513
EL15XP1-036-230	34200	14.25	12.2	31000	20000	8.2	CH35-48B	ML193UH070XE36B	204043514
EL15XP1-036-230	34000	14.5	12.5	30400	19500	8.2	CH35-48B	ML196UH045XE36B	204497964
EL15XP1-036-230	34000	15	12.5	30400	19500	8.2	CH35-48B	ML196UH070XE36B	204497965
EL15XP1-036-230	34200	14.5	12.5	30600	19700	8.2	CH35-48B	ML296UH045XV36B	205470218
EL15XP1-036-230	34200	14.5	12.5	30600	19700	8.2	CH35-48B	ML296UH070XV36B	205470219
EL15XP1-036-230	34400	15.1	12.5	30400	19400	8.5	CH35-48B	SL280UH080NV48B	202566415
EL15XP1-036-230	34200	15.1	12.5	30400	19400	8.5	CH35-48B	SL280UH090V36B	202566416
EL15XP1-036-230	34200	15.1	12.5	30400	19500	8.5	CH35-48B	SL280UH090V48B	202566417
EL15XP1-036-230	34200	14.5	12.5	30600	19700	8.2	CH35-48B	SL297UH040NV36B	202566418
EL15XP1-036-230	34200	14.5	12.5	30600	19700	8.2	CH35-48B	SL297UH060NV36B	202566419
EL15XP1-036-230	34200	14.5	12.5	30600	19700	8.2	CH35-48B	SLP98UH070XV36B	202566420
EL15XP1-036-230	34200	14.5	12.5	30600	19700	8.2	CH35-48B	SLP99UH070XV36B	205545007
EL15XP1-036-230	33800	14	11.5	31000	20000	8.2	CH35-48B		202566340
EL15XP1-036-230	34000	15	12.5	31200	20000	8.5	CH35-48C	EL195UH080NE48C	202566421
EL15XP1-036-230	33800	15.1	12.5	30800	19800	8.5	CH35-48C	EL196UH090XE48C	202566423
EL15XP1-036-230	34000	15	12.5	31200	20000	8.5	CH35-48C	EL280UH110E48C	204043515
EL15XP1-036-230	34200	15	12.5	31200	20000	8.5	CH35-48C	EL280UH110E60C	204043516
EL15XP1-036-230	33800	15	12.5	31000	19900	8.5	CH35-48C	EL296UH090XE48C	202566424
EL15XP1-036-230	34000	15	12.5	31200	20000	8.5	CH35-48C	EL296UH090XV36C	202566425
EL15XP1-036-230	33800	15.1	12.5	31000	19800	8.5	CH35-48C	EL296UH090XV48C	202566426
EL15XP1-036-230	34000	15.1	12.5	31000	19900	8.5	CH35-48C	EL296UH110XV48C	202566427
EL15XP1-036-230	34400	15.1	12.5	31200	19900	8.5	CH35-48C	ML180UH110V60C	204495688
EL15XP1-036-230	33600	14.5	12.5	31200	20000	8.4	CH35-48C	ML193UH090XE36C	204043517
EL15XP1-036-230	33800	15	12.5	31000	19900	8.5	CH35-48C	ML193UH090XE48C	204043518
EL15XP1-036-230	34000	15	12.5	31200	20000	8.5	CH35-48C	ML193UH110XE48C	204043520
EL15XP1-036-230	34000	15	12.5	31200	20000	8.5	CH35-48C	ML193UH110XE60C	204043521
EL15XP1-036-230	33800	15.1	12.5	30800	19800	8.5	CH35-48C	ML196UH090XE48C	204497966
EL15XP1-036-230	33800	15.1	12.5	31000	19800	8.5	CH35-48C	ML296UH090XV48C	205470220
EL15XP1-036-230	33800	15	12.5	31000	19900	8.5	CH35-48C	SL297UH080NV48C	202566428
EL15XP1-036-230	34000	15	12.5	31200	20000	8.5	CH35-48C	SLP98UH090XV36C	202566429
EL15XP1-036-230	34000	15	12.5	31200	20000	8.5	CH35-48C	SLP99UH090XV36C	205545010
EL15XP1-036-230	34400	15.1	12.5	30800	20000	8.5	CH35-51C	EL195UH080NE48C	202566430
EL15XP1-036-230	34600	15.5	12.5	30800	19900	8.5	CH35-51C	EL196UH090XE48C	202566432
EL15XP1-036-230	34600	15.1	12.5	31000	19900	8.8	CH35-51C	EL280UH110E48C	204043522
EL15XP1-036-230	35000	15.1	12.5	31200	20200	8.8	CH35-51C	EL280UH110E60C	204043523
EL15XP1-036-230	34800	15.1	12.5	31000	20000	8.5	CH35-51C	EL296UH090XE48C	202566433
EL15XP1-036-230	34800	15.1	12.5	31000	20000	8.5	CH35-51C	EL296UH090XV36C	202566434
EL15XP1-036-230	34600	15.5	12.5	31000	19900	8.5	CH35-51C	EL296UH090XV48C	202566435
EL15XP1-036-230	34800	15.5	12.5	31000	20000	8.5	CH35-51C	EL296UH110XV48C	202566436
EL15XP1-036-230	35200	15.5	12.5	31200	20000	9	CH35-51C	ML180UH110V60C	204495689
EL15XP1-036-230	34600	15	12.5	31200	20200	8.5	CH35-51C	ML193UH090XE36C	204043524
EL15XP1-036-230	34800	15.1	12.5	31000	20000	8.8	CH35-51C	ML193UH090XE48C	204043525
EL15XP1-036-230	34800	15.1	12.5	31200	20000	8.8	CH35-51C	ML193UH110XE48C	204043526
EL15XP1-036-230	34800	15.1	12.5	31200	20200	8.8	CH35-51C	ML193UH110XE60C	204043527
EL15XP1-036-230	34600	15.5	12.5	30800	19900	8.5	CH35-51C	ML196UH090XE48C	204497967
EL15XP1-036-230	34600	15.5	12.5	31000	19900	8.5	CH35-51C	ML296UH090XV48C	205470221
EL15XP1-036-230	34600	15.1	12.5	31000	20000	8.5	CH35-51C	SL297UH080NV48C	202566437
EL15XP1-036-230	34800	15.1	12.5	31000	20000	8.5	CH35-51C	SLP98UH090XV36C	202566438
EL15XP1-036-230	34600	15.5	12.5	31000	19900	8.5	CH35-51C	SLP98UH090XV48C	202566439
EL15XP1-036-230	34800	15.1	12.5	31000	20000	8.5	CH35-51C	SLP99UH090XV36C	205545012
EL15XP1-036-230	34600	15.5	12.5	31000	19900	8.5	CH35-51C	SLP99UH090XV48C	205545014

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-036-230	34200	14	12	31600	20800	8.2	CH35-51C		202566341
EL15XP1-036-230	34600	15.5	12.5	30200	19200	8.5	CHX35-42C	EL196UH090XE48C	202566441
EL15XP1-036-230	34400	15.1	12.5	30200	19200	8.4	CHX35-42C	EL280UH110E48C	204043528
EL15XP1-036-230	34800	15.1	12.5	30600	19500	8.5	CHX35-42C	EL280UH110E60C	204043529
EL15XP1-036-230	34600	15.1	12.5	30400	19400	8.2	CHX35-42C	EL296UH090XE48C	202566442
EL15XP1-036-230	34600	15.1	12.5	30400	19400	8.2	CHX35-42C	EL296UH090XV36C	202566443
EL15XP1-036-230	34400	15.5	12.5	30400	19200	8.2	CHX35-42C	EL296UH090XV48C	202566444
EL15XP1-036-230	34600	15.5	12.5	30400	19300	8.5	CHX35-42C	EL296UH110XV48C	202566445
EL15XP1-036-230	35000	15.5	12.5	30600	19400	8.5	CHX35-42C	ML180UH110V60C	204495690
EL15XP1-036-230	34400	15	12.5	30600	19500	8.2	CHX35-42C	ML193UH090XE36C	204043530
EL15XP1-036-230	34600	15.1	12.5	30400	19400	8.4	CHX35-42C	ML193UH090XE48C	204043531
EL15XP1-036-230	34600	15.1	12.5	30600	19400	8.4	CHX35-42C	ML193UH110XE48C	204043533
EL15XP1-036-230	34800	15.1	12.5	30600	19400	8.4	CHX35-42C	ML193UH110XE60C	204043534
EL15XP1-036-230	34600	15.5	12.5	30200	19200	8.5	CHX35-42C	ML196UH090XE48C	204497968
EL15XP1-036-230	34400	15.5	12.5	30400	19200	8.2	CHX35-42C	ML296UH090XV48C	205470222
EL15XP1-036-230	34600	15.1	12.5	30400	19300	8.2	CHX35-42C	SL297UH080NV48C	202566446
EL15XP1-036-230	34600	15.1	12.5	30400	19400	8.2	CHX35-42C	SLP98UH090XV36C	202566447
EL15XP1-036-230	34400	15.5	12.5	30400	19200	8.2	CHX35-42C	SLP98UH090XV48C	202566448
EL15XP1-036-230	34600	15.1	12.5	30400	19400	8.2	CHX35-42C	SLP99UH090XV36C	205545018
EL15XP1-036-230	34400	15.5	12.5	30400	19200	8.2	CHX35-42C	SLP99UH090XV48C	205545019
EL15XP1-036-230	34400	15.1	12.5	30200	19400	8.5	CHX35-48B	EL180UH080NE48B	202566449
EL15XP1-036-230	34000	14.5	12.5	30400	19600	8.2	CHX35-48B	EL195UH060NE36B	202566450
EL15XP1-036-230	34000	14.5	12.5	30400	19500	8.2	CHX35-48B	EL196UH045XE36B	202566452
EL15XP1-036-230	34000	15	12.5	30400	19500	8.2	CHX35-48B	EL196UH070XE36B	202566453
EL15XP1-036-230	34200	14.5	12.5	30600	19700	8.4	CHX35-48B	EL280UH090E36B	204043535
EL15XP1-036-230	34000	14.5	12.5	30400	19500	8.4	CHX35-48B	EL280UH090E48B	204043536
EL15XP1-036-230	34200	14.5	12.5	30600	19700	8.2	CHX35-48B	EL296UH045XV36B	202566454
EL15XP1-036-230	34000	14.5	12.5	30400	19500	8.2	CHX35-48B	EL296UH070XE36B	202566455
EL15XP1-036-230	34200	14.5	12.5	30600	19700	8.2	CHX35-48B	EL296UH070XV36B	202566456
EL15XP1-036-230	34400	14.5	12.5	30800	19800	8.5	CHX35-48B	ML180UH070E36B	202566457
EL15XP1-036-230	34200	15	12.5	30400	19400	8.5	CHX35-48B	ML180UH070V36B	204495318
EL15XP1-036-230	34600	15.1	12.5	30400	19500	8.5	CHX35-48B	ML180UH070V48B	204495462
EL15XP1-036-230	34200	15.1	12.5	30400	19500	8.5	CHX35-48B	ML180UH090E48B	202566458
EL15XP1-036-230	34200	15	12.5	30400	19500	8.5	CHX35-48B	ML180UH090V48B	204495586
EL15XP1-036-230	34000	14	12.2	31000	20000	8.2	CHX35-48B	ML193UH030XE36B	204043537
EL15XP1-036-230	34000	14	12.2	31000	20000	8.2	CHX35-48B	ML193UH045XE36B	204043538
EL15XP1-036-230	34200	14.25	12.2	31000	20000	8.2	CHX35-48B	ML193UH070XE36B	204043539
EL15XP1-036-230	34000	14.5	12.5	30400	19500	8.2	CHX35-48B	ML196UH045XE36B	204497969
EL15XP1-036-230	34000	15	12.5	30400	19500	8.2	CHX35-48B	ML196UH070XE36B	204497970
EL15XP1-036-230	34200	14.5	12.5	30600	19700	8.2	CHX35-48B	ML296UH045XV36B	205470223
EL15XP1-036-230	34200	14.5	12.5	30600	19700	8.2	CHX35-48B	ML296UH070XV36B	205470224
EL15XP1-036-230	34400	15.1	12.5	30400	19400	8.5	CHX35-48B	SL280UH080NV48B	202566459
EL15XP1-036-230	34200	15.1	12.5	30400	19400	8.5	CHX35-48B	SL280UH090V36B	202566460
EL15XP1-036-230	34200	15.1	12.5	30400	19500	8.5	CHX35-48B	SL280UH090V48B	202566461
EL15XP1-036-230	34200	14.5	12.5	30600	19700	8.2	CHX35-48B	SL297UH040NV36B	202566462
EL15XP1-036-230	34200	14.5	12.5	30600	19700	8.2	CHX35-48B	SL297UH060NV36B	202566463
EL15XP1-036-230	34200	14.5	12.5	30600	19700	8.2	CHX35-48B	SLP98UH070XV36B	202566464
EL15XP1-036-230	34200	14.5	12.5	30600	19700	8.2	CHX35-48B	SLP99UH070XV36B	205545021
EL15XP1-036-230	33800	14	11.5	31000	20000	8.2	CHX35-48B		202566342
EL15XP1-036-230	34000	15	12.5	31200	20000	8.5	CHX35-48C	EL195UH080NE48C	202566465
EL15XP1-036-230	33800	15.1	12.5	30800	19800	8.5	CHX35-48C	EL196UH090XE48C	202566467
EL15XP1-036-230	34000	15	12.5	31200	20000	8.5	CHX35-48C	EL280UH110E48C	204043540
EL15XP1-036-230	34200	15	12.5	31200	20000	8.5	CHX35-48C	EL280UH110E60C	204043541
EL15XP1-036-230	33800	15	12.5	31000	19900	8.5	CHX35-48C	EL296UH090XE48C	202566468
EL15XP1-036-230	34000	15	12.5	31200	20000	8.5	CHX35-48C	EL296UH090XV36C	202566469
EL15XP1-036-230	33800	15.1	12.5	31000	19800	8.5	CHX35-48C	EL296UH090XV48C	202566470

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-036-230	34000	15.1	12.5	31000	19900	8.5	CHX35-48C	EL296UH110XV48C	202566471
EL15XP1-036-230	34400	15.1	12.5	31200	19900	8.5	CHX35-48C	ML180UH110V60C	204495691
EL15XP1-036-230	33600	14.5	12.5	31200	20000	8.4	CHX35-48C	ML193UH090XE36C	204043542
EL15XP1-036-230	33800	15	12.5	31000	19900	8.5	CHX35-48C	ML193UH090XE48C	204043543
EL15XP1-036-230	34000	15	12.5	31200	20000	8.5	CHX35-48C	ML193UH110XE48C	204043544
EL15XP1-036-230	34000	15	12.5	31200	20000	8.5	CHX35-48C	ML193UH110XE60C	204043545
EL15XP1-036-230	33800	15.1	12.5	30800	19800	8.5	CHX35-48C	ML196UH090XE48C	204497971
EL15XP1-036-230	33800	15.1	12.5	31000	19800	8.5	CHX35-48C	ML296UH090XV48C	205470225
EL15XP1-036-230	33800	15	12.5	31000	19900	8.5	CHX35-48C	SL297UH080NV48C	202566472
EL15XP1-036-230	34000	15	12.5	31200	20000	8.5	CHX35-48C	SLP98UH090XV36C	202566473
EL15XP1-036-230	34000	15	12.5	31200	20000	8.5	CHX35-48C	SLP99UH090XV36C	205545022
EL15XP1-036-230	34400	15.1	12.5	30800	20000	8.5	CHX35-51/61C	EL195UH080NE48C	202566474
EL15XP1-036-230	34600	15.5	12.5	30800	19900	8.5	CHX35-51/61C	EL196UH090XE48C	202566476
EL15XP1-036-230	34600	15.1	12.5	31000	19900	8.8	CHX35-51/61C	EL280UH110E48C	204043546
EL15XP1-036-230	35000	15.1	12.5	31200	20200	8.8	CHX35-51/61C	EL280UH110E60C	204043547
EL15XP1-036-230	34800	15.1	12.5	31000	20000	8.5	CHX35-51/61C	EL296UH090XE48C	202566477
EL15XP1-036-230	34800	15.1	12.5	31000	20000	8.5	CHX35-51/61C	EL296UH090XV36C	202566478
EL15XP1-036-230	34600	15.5	12.5	31000	19900	8.5	CHX35-51/61C	EL296UH090XV48C	202566479
EL15XP1-036-230	34800	15.5	12.5	31000	20000	8.5	CHX35-51/61C	EL296UH110XV48C	202566480
EL15XP1-036-230	35200	15.5	12.5	31200	20000	9	CHX35-51/61C	ML180UH110V60C	204495692
EL15XP1-036-230	34600	15	12.5	31200	20200	8.5	CHX35-51/61C	ML193UH090XE36C	204043548
EL15XP1-036-230	34800	15.1	12.5	31000	20000	8.8	CHX35-51/61C	ML193UH090XE48C	204043549
EL15XP1-036-230	34800	15.1	12.5	31200	20000	8.8	CHX35-51/61C	ML193UH110XE48C	204043550
EL15XP1-036-230	34800	15.1	12.5	31200	20200	8.8	CHX35-51/61C	ML193UH110XE60C	204043551
EL15XP1-036-230	34600	15.5	12.5	30800	19900	8.5	CHX35-51/61C	ML196UH090XE48C	204497972
EL15XP1-036-230	34600	15.5	12.5	31000	19900	8.5	CHX35-51/61C	ML296UH090XV48C	205470226
EL15XP1-036-230	34600	15.1	12.5	31000	20000	8.5	CHX35-51/61C	SL297UH080NV48C	202566481
EL15XP1-036-230	34800	15.1	12.5	31000	20000	8.5	CHX35-51/61C	SLP98UH090XV36C	202566482
EL15XP1-036-230	34600	15.5	12.5	31000	19900	8.5	CHX35-51/61C	SLP98UH090XV48C	202566483
EL15XP1-036-230	34800	15.1	12.5	31000	20000	8.5	CHX35-51/61C	SLP99UH090XV36C	205545025
EL15XP1-036-230	34600	15.5	12.5	31000	19900	8.5	CHX35-51/61C	SLP99UH090XV48C	205545027
EL15XP1-036-230	34200	14	12	31600	20800	8.2	CHX35-51/61C		202566343
EL15XP1-036-230	33600	14.5	12.5	32800	20600	8.4	CR33-48B	EL280DF090E48B	204043552
EL15XP1-036-230	33400	14.5	12.5	32800	20600	8.2	CR33-48B	EL296DF045XE36B	202566486
EL15XP1-036-230	33600	14.5	12.2	32800	20800	8.2	CR33-48B	EL296DF045XV36B	202566487
EL15XP1-036-230	33600	15	12.5	32800	20600	8.2	CR33-48B	EL296DF070XE48B	202566488
EL15XP1-036-230	33800	14.5	12.2	33000	20800	8.2	CR33-48B	EL296DF070XV48B	202566489
EL15XP1-036-230	33800	15.1	12.5	32400	20400	8.5	CR33-48B	ML180DF070E36B	202566490
EL15XP1-036-230	33800	15.1	12.5	32600	20400	8.5	CR33-48B	ML180DF090E48B	202566491
EL15XP1-036-230	33400	14.25	12.2	32800	20800	8.2	CR33-48B	ML193DF045XE36B	204043553
EL15XP1-036-230	33400	14.25	12.2	32800	20800	8.2	CR33-48B	ML193DF070XE36B	204043554
EL15XP1-036-230	33600	14.5	12.2	32800	20800	8.2	CR33-48B	ML296DF045XV36B	205470227
EL15XP1-036-230	33800	14.5	12.2	33000	20800	8.2	CR33-48B	ML296DF070XV48B	205470228
EL15XP1-036-230	33800	15	12.5	32600	20600	8.2	CR33-48B	SL280DF090V48B	202566492
EL15XP1-036-230	33800	14.5	12.5	32800	20800	8.2	CR33-48B	SLP98DF070XV36B	202566493
EL15XP1-036-230	33800	14.5	12.5	32800	20800	8.2	CR33-48B	SLP99DF070XV36B	205545028
EL15XP1-036-230	33800	15	12.5	32800	20600	8.2	CR33-48C	EL296DF090XE48C	202566495
EL15XP1-036-230	33800	14.5	12.5	32800	20600	8.4	CR33-48C	ML193DF090XE48C	204043555
EL15XP1-036-230	33800	14.5	12.5	32800	20600	8.2	CR33-48C	SLP98DF090XV36C	202566496
EL15XP1-036-230	33800	15	12.5	32800	20600	8.2	CR33-48C	SLP98DF090XV48C	202566497
EL15XP1-036-230	33800	14.5	12.5	32800	20600	8.2	CR33-48C	SLP99DF090XV36C	205545030
EL15XP1-036-230	33800	15	12.5	32800	20600	8.2	CR33-48C	SLP99DF090XV48C	205545031
EL15XP1-036-230	35200	15.1	12.5	32400	20800	9	CR33-50/60	EL195DF090XE48C	204119003
EL15XP1-036-230	35400	15.5	12.5	32400	20800	9	CR33-50/60	EL195DF110XE60C	204118811
EL15XP1-036-230	35200	15.1	12.5	32400	20800	9	CR33-50/60	EL296DF090XE48C	204118812
EL15XP1-036-230	35400	15.1	12.5	32600	21000	9	CR33-50/60	EL296DF090XV60C	204118813

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-036-230	35400	15.5	12.5	32400	20800	9	CR33-50/60	EL296DF110XE60C	204118815
EL15XP1-036-230	35400	15.1	12.5	32600	21000	9	CR33-50/60	EL296DF110XV60C	204118816
EL15XP1-036-230	35400	15.5	12.5	32400	20800	9	CR33-50/60	ML180DF110E60C	204118817
EL15XP1-036-230	35200	15.1	12.5	32400	20800	9	CR33-50/60	ML193DF090XE48C	204118818
EL15XP1-036-230	35600	15.5	12.5	32600	20800	9	CR33-50/60	SL280DF090V60C	204118820
EL15XP1-036-230	35400	15.5	12.5	32200	20800	9	CR33-50/60	SL280DF110V60C	204118821
EL15XP1-036-230	35200	15.1	12.5	32400	20800	9	CR33-50/60	SLP98DF090XV36C	204118822
EL15XP1-036-230	35200	15.1	12.5	32400	20800	9	CR33-50/60	SLP98DF090XV48C	204118823
EL15XP1-036-230	35400	15.1	12.5	32600	21000	9	CR33-50/60	SLP98DF090XV60C	204118824
EL15XP1-036-230	35400	15.1	12.5	32600	21000	9	CR33-50/60	SLP98DF110XV60C	204118825
EL15XP1-036-230	35200	15.1	12.5	32400	20800	9	CR33-50/60	SLP99DF090XV36C	205545910
EL15XP1-036-230	35200	15.1	12.5	32400	20800	9	CR33-50/60	SLP99DF090XV48C	205545912
EL15XP1-036-230	35400	15.1	12.5	32600	21000	9	CR33-50/60	SLP99DF090XV60C	205545914
EL15XP1-036-230	35400	15.1	12.5	32600	21000	9	CR33-50/60	SLP99DF110XV60C	205545916
EL15XP1-036-230	34400	14	11.5	33000	21600	8.5	CR33-50/60		204118924
EL15XP1-036-230	34400	15	12.5	31800	20600	8.5	CX35-36A	EL180UH040NE36A	202566498
EL15XP1-036-230	34200	15	12.5	31800	20600	8.5	CX35-36A	EL180UH060NE36A	202566499
EL15XP1-036-230	34400	14.5	12	32000	21000	8.5	CX35-36A	EL280UH045E36A	204043556
EL15XP1-036-230	34000	14.5	12.5	31600	20600	8.5	CX35-36A	EL280UH070E36A	204043557
EL15XP1-036-230	34000	14.5	12.5	31600	20600	8.5	CX35-36A	ML180UH030V36A	204495007
EL15XP1-036-230	34000	14.5	12.5	31600	20600	8.5	CX35-36A	ML180UH045E36A	202566500
EL15XP1-036-230	34000	14.5	12.5	31600	20600	8.5	CX35-36A	ML180UH045V36A	204495110
EL15XP1-036-230	34400	14.5	12.5	31800	20800	8.5	CX35-36A	ML180UH070E36A	204495850
EL15XP1-036-230	34000	14.5	12.5	31600	20600	8.5	CX35-36A	ML180UH070V36A	204495213
EL15XP1-036-230	34400	14.5	12.5	31800	20800	8.5	CX35-36A	ML180UH070XE36A	204495976
EL15XP1-036-230	34200	15.1	12.5	31400	20400	8.5	CX35-36A	SL280UH060NV36A	202566501
EL15XP1-036-230	34000	14.5	12.5	31600	20600	8.5	CX35-36A	SL280UH070V36A	202566502
EL15XP1-036-230	34000	14.5	12.5	31600	20600	8.5	CX35-36A	SL280UH070XV36A	202566503
EL15XP1-036-230	34200	15.5	12.5	31400	20400	8.5	CX35-36B	EL180UH080NE48B	202566504
EL15XP1-036-230	33800	14.5	12.5	31600	20600	8.5	CX35-36B	EL195UH040NE36B	202566505
EL15XP1-036-230	33800	14.5	12.5	31400	20600	8.5	CX35-36B	EL195UH060NE36B	202566507
EL15XP1-036-230	33800	14.5	12.5	31400	20400	8.5	CX35-36B	EL196UH045XE36B	202566509
EL15XP1-036-230	33800	15	12.5	31400	20400	8.5	CX35-36B	EL196UH070XE36B	202566510
EL15XP1-036-230	34000	14.5	12.5	31600	20600	8.5	CX35-36B	EL280UH090E36B	204043559
EL15XP1-036-230	34000	14.5	12.5	31400	20400	8.5	CX35-36B	EL280UH090E48B	204043560
EL15XP1-036-230	33800	14.25	12.2	31800	21000	8.2	CX35-36B	EL296UH045XE36B	202566511
EL15XP1-036-230	34000	14.5	12.5	31600	20600	8.5	CX35-36B	EL296UH045XV36B	202566512
EL15XP1-036-230	33800	14.5	12.5	31400	20600	8.5	CX35-36B	EL296UH070XE36B	202566513
EL15XP1-036-230	34000	14.5	12.5	31600	20600	8.5	CX35-36B	EL296UH070XV36B	202566514
EL15XP1-036-230	34200	14.5	12.5	31800	20800	8.5	CX35-36B	ML180UH070E36B	202566515
EL15XP1-036-230	34000	15	12.5	31400	20400	8.5	CX35-36B	ML180UH070V36B	204495319
EL15XP1-036-230	34400	15.1	12.5	31600	20400	8.5	CX35-36B	ML180UH070V48B	204495463
EL15XP1-036-230	34200	15.1	12.5	31400	20400	8.5	CX35-36B	ML180UH090E48B	202566516
EL15XP1-036-230	34200	15.1	12.5	31400	20400	8.5	CX35-36B	ML180UH090V48B	204495587
EL15XP1-036-230	34000	14	12.2	32000	21000	8.4	CX35-36B	ML193UH030XE36B	204043561
EL15XP1-036-230	34000	14	12.2	32000	21000	8.4	CX35-36B	ML193UH045XE36B	204043562
EL15XP1-036-230	34000	14.25	12.2	32000	21000	8.4	CX35-36B	ML193UH070XE36B	204043563
EL15XP1-036-230	33800	14.5	12.5	31400	20400	8.5	CX35-36B	ML196UH045XE36B	204497973
EL15XP1-036-230	33800	15	12.5	31400	20400	8.5	CX35-36B	ML196UH070XE36B	204497974
EL15XP1-036-230	34000	14.5	12.5	31600	20600	8.5	CX35-36B	ML296UH045XV36B	205470229
EL15XP1-036-230	34000	14.5	12.5	31600	20600	8.5	CX35-36B	ML296UH070XV36B	205470230
EL15XP1-036-230	34200	15.5	12.5	31400	20400	8.5	CX35-36B	SL280UH080NV48B	202566517
EL15XP1-036-230	34200	15.1	12.5	31400	20400	8.5	CX35-36B	SL280UH090V36B	202566518
EL15XP1-036-230	34200	15.1	12.5	31400	20400	8.5	CX35-36B	SL280UH090V48B	202566519
EL15XP1-036-230	34200	14.5	12.5	31600	20600	8.5	CX35-36B	SL297UH040NV36B	202566520
EL15XP1-036-230	34000	14.5	12.5	31600	20600	8.5	CX35-36B	SL297UH060NV36B	202566521

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-036-230	34000	14.5	12.5	31600	20600	8.5	CX35-36B	SLP98UH070XV36B	202566522
EL15XP1-036-230	34000	14.5	12.5	31600	20600	8.5	CX35-36B	SLP99UH070XV36B	205545033
EL15XP1-036-230	34400	15.5	12.5	30400	19200	8.5	CX35-48B	EL180UH080NE48B	202566523
EL15XP1-036-230	34000	14.5	12.5	30400	19500	8.2	CX35-48B	EL195UH040NE36B	202566524
EL15XP1-036-230	33800	14.5	12.5	30400	19500	8.2	CX35-48B	EL195UH060NE36B	202566526
EL15XP1-036-230	33800	14.5	12.5	30400	19400	8.2	CX35-48B	EL196UH045XE36B	202566528
EL15XP1-036-230	33800	15	12.5	30400	19400	8.2	CX35-48B	EL196UH070XE36B	202566529
EL15XP1-036-230	34200	14.5	12.5	30600	19500	8.2	CX35-48B	EL280UH090E36B	204043564
EL15XP1-036-230	34000	15	12.5	30400	19400	8.4	CX35-48B	EL280UH090E48B	204043565
EL15XP1-036-230	33400	14.5	12.5	30200	19400	8.2	CX35-48B	EL296UH045XE36B	202566530
EL15XP1-036-230	34000	14.5	12.5	30600	19600	8.2	CX35-48B	EL296UH045XV36B	202566531
EL15XP1-036-230	33800	14.5	12.5	30400	19400	8.2	CX35-48B	EL296UH070XE36B	202566532
EL15XP1-036-230	34000	14.5	12.5	30600	19600	8.2	CX35-48B	EL296UH070XV36B	202566533
EL15XP1-036-230	33800	15.1	12.5	30200	19100	8.2	CX35-48B	ML180UH070E36B	202566534
EL15XP1-036-230	34000	15.1	12.5	30200	19300	8.4	CX35-48B	ML180UH070V36B	204495320
EL15XP1-036-230	34400	15.1	12.5	30400	19400	8.5	CX35-48B	ML180UH070V48B	204495464
EL15XP1-036-230	34200	15.1	12.5	30400	19400	8.5	CX35-48B	ML180UH090E48B	202566535
EL15XP1-036-230	34200	15.1	12.5	30400	19300	8.2	CX35-48B	ML180UH090V48B	204495588
EL15XP1-036-230	34000	14	12.2	31000	19900	8.2	CX35-48B	ML193UH030XE36B	204043566
EL15XP1-036-230	34000	14	12.2	31000	19900	8.2	CX35-48B	ML193UH045XE36B	204043567
EL15XP1-036-230	33600	14.5	12	30400	19400	8.2	CX35-48B	ML193UH070XE36B	204043568
EL15XP1-036-230	33800	14.5	12.5	30400	19400	8.2	CX35-48B	ML196UH045XE36B	204497975
EL15XP1-036-230	33800	15	12.5	30400	19400	8.2	CX35-48B	ML196UH070XE36B	204497976
EL15XP1-036-230	34000	14.5	12.5	30600	19600	8.2	CX35-48B	ML296UH045XV36B	205470231
EL15XP1-036-230	34000	14.5	12.5	30600	19600	8.2	CX35-48B	ML296UH070XV36B	205470232
EL15XP1-036-230	34200	15.5	12.5	30200	19200	8.5	CX35-48B	SL280UH080NV48B	202566536
EL15XP1-036-230	34200	15.1	12.5	30400	19300	8.2	CX35-48B	SL280UH090V36B	202566537
EL15XP1-036-230	34200	15.1	12.5	30400	19300	8.2	CX35-48B	SL280UH090V48B	202566538
EL15XP1-036-230	34600	15.5	12.5	30400	19400	8.5	CX35-48C	EL196UH090XE48C	202566540
EL15XP1-036-230	34000	15.1	12.5	30200	19200	8.4	CX35-48C	EL280UH110E48C	204043569
EL15XP1-036-230	34400	15.1	12.5	30600	19400	8.5	CX35-48C	EL280UH110E60C	204043570
EL15XP1-036-230	34200	15.1	12.5	30400	19300	8.2	CX35-48C	EL296UH090XE48C	202566541
EL15XP1-036-230	34200	15.1	12.5	30400	19400	8.2	CX35-48C	EL296UH090XV36C	202566542
EL15XP1-036-230	34000	15.1	12.5	30200	19200	8.2	CX35-48C	EL296UH090XV48C	202566543
EL15XP1-036-230	34600	15.5	12.5	30400	19300	8.5	CX35-48C	ML180UH110V60C	204495693
EL15XP1-036-230	34000	14.5	12.5	30400	19400	8.2	CX35-48C	ML193UH090XE36C	204043571
EL15XP1-036-230	34200	15.1	12.5	30400	19300	8.4	CX35-48C	ML193UH090XE48C	204043572
EL15XP1-036-230	34200	15.1	12.5	30400	19400	8.5	CX35-48C	ML193UH110XE48C	204043573
EL15XP1-036-230	34200	15.1	12.5	30400	19400	8.5	CX35-48C	ML193UH110XE60C	204043574
EL15XP1-036-230	34600	15.5	12.5	30400	19400	8.5	CX35-48C	ML196UH090XE48C	204497977
EL15XP1-036-230	34000	15.1	12.5	30200	19200	8.2	CX35-48C	ML296UH090XV48C	205470233
EL15XP1-036-230	34000	15.1	12.5	30400	19300	8.2	CX35-48C	SL297UH080NV48C	202566544
EL15XP1-036-230	34200	15.1	12.5	30400	19400	8.2	CX35-48C	SLP98UH090XV36C	202566545
EL15XP1-036-230	34000	15.1	12.5	30200	19200	8.2	CX35-48C	SLP98UH090XV48C	202566546
EL15XP1-036-230	34200	15.1	12.5	30400	19400	8.2	CX35-48C	SLP99UH090XV36C	205545036
EL15XP1-036-230	34000	15.1	12.5	30200	19200	8.2	CX35-48C	SLP99UH090XV48C	205545037
EL15XP1-036-230	35200	15.5	12.5	31600	20600	8.5	CX35-50/60C	EL180UH100NE60C	204118827
EL15XP1-036-230	35000	15.1	12.5	32000	21000	8.5	CX35-50/60C	EL195UH080NE48C	204118828
EL15XP1-036-230	35200	15.1	12.5	32000	21000	8.5	CX35-50/60C	EL195UH100NE60C	204118829
EL15XP1-036-230	35400	15.5	12.5	31800	20800	8.5	CX35-50/60C	EL196UH090XE48C	204118830
EL15XP1-036-230	35600	15.5	12.5	32000	20800	8.5	CX35-50/60C	EL196UH110XE60C	204118832
EL15XP1-036-230	35000	15.5	12.5	31600	20600	8.5	CX35-50/60C	EL280UH110E48C	204118833
EL15XP1-036-230	35600	15.5	12.5	32000	20800	8.5	CX35-50/60C	EL280UH110E60C	204118834
EL15XP1-036-230	35000	15.1	12.5	31800	20800	8.5	CX35-50/60C	EL296UH090XE48C	204118835
EL15XP1-036-230	35000	15.5	12.5	31800	20800	8.5	CX35-50/60C	EL296UH090XV36C	204118837
EL15XP1-036-230	35200	15.1	12.5	32000	21000	8.5	CX35-50/60C	EL296UH090XV48C	204118838

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-036-230	35400	15.1	12.5	32200	21000	8.5	CX35-50/60C	EL296UH090XV60C	204118839
EL15XP1-036-230	35200	15.5	12.5	31800	20800	8.5	CX35-50/60C	EL296UH110XE60C	204118840
EL15XP1-036-230	35200	15.5	12.5	31600	20800	8.5	CX35-50/60C	EL296UH110XV48C	204118842
EL15XP1-036-230	35400	15.5	12.5	32000	20800	8.5	CX35-50/60C	EL296UH110XV60C	204118843
EL15XP1-036-230	35200	15.5	12.5	31800	20800	8.5	CX35-50/60C	ML180UH090E60C	204118844
EL15XP1-036-230	35000	15.5	12.5	31600	20600	8.5	CX35-50/60C	ML180UH110E60C	204118846
EL15XP1-036-230	35200	15.5	12.5	31800	20800	8.5	CX35-50/60C	ML180UH110V60C	204118847
EL15XP1-036-230	35000	15.5	12.5	31600	20600	8.5	CX35-50/60C	ML180UH110XE60C	204118848
EL15XP1-036-230	35000	15.1	12.5	31800	21000	8.5	CX35-50/60C	ML193UH090XE36C	204118850
EL15XP1-036-230	35200	15.5	12.5	31800	20800	8.5	CX35-50/60C	ML193UH090XE48C	204118851
EL15XP1-036-230	35400	15.5	12.5	31800	20800	8.5	CX35-50/60C	ML193UH110XE48C	204118852
EL15XP1-036-230	35400	15.5	12.5	32000	20800	8.5	CX35-50/60C	ML193UH110XE60C	204118854
EL15XP1-036-230	35400	15.5	12.5	31800	20800	8.5	CX35-50/60C	ML196UH090XE48C	204497978
EL15XP1-036-230	35600	15.5	12.5	32000	20800	8.5	CX35-50/60C	ML196UH110XE60C	204497979
EL15XP1-036-230	35000	15.5	12.5	31800	20800	8.5	CX35-50/60C	ML296UH090XV36C	204118855
EL15XP1-036-230	35200	15.5	12.5	31800	20800	8.5	CX35-50/60C	ML296UH110XV60C	204118856
EL15XP1-036-230	35400	15.5	12.5	31800	20800	8.5	CX35-50/60C	SL280UH080NV60C	204118858
EL15XP1-036-230	35400	15.5	12.5	32000	20800	8.5	CX35-50/60C	SL280UH090V60C	204118859
EL15XP1-036-230	35400	15.5	12.5	32000	20800	8.5	CX35-50/60C	SL280UH090XV60C	204118860
EL15XP1-036-230	35200	15.5	12.5	32000	21000	8.5	CX35-50/60C	SL280UH110V60C	204118862
EL15XP1-036-230	35200	15.5	12.5	32000	21000	8.5	CX35-50/60C	SL280UH110XV60C	204118863
EL15XP1-036-230	35200	15.5	12.5	31800	20800	8.5	CX35-50/60C	SL297UH080NV48C	204118864
EL15XP1-036-230	35000	15.5	12.5	31800	20800	8.5	CX35-50/60C	SLP98UH090XV36C	204118866
EL15XP1-036-230	35200	15.1	12.5	32000	21000	8.5	CX35-50/60C	SLP98UH090XV48C	204118867
EL15XP1-036-230	35000	15.5	12.5	31800	20800	8.5	CX35-50/60C	SLP99UH090XV36C	205545918
EL15XP1-036-230	35200	15.1	12.5	32000	21000	8.5	CX35-50/60C	SLP99UH090XV48C	205545920
EL15XP1-036-230	34200	14	11.5	32400	21600	8.5	CX35-50/60C		204118926
EL15XP1-036-230	33200	15.5	12.2	31400	20800	8.5	CX35-60D	EL296UH135XV60D	204119005
EL15XP1-036-230	32600	15.5	12	31200	20800	8.5	CX35-60D	SL280UH135V60D	204119006
EL15XP1-042-230	41000	15	12.5	39500	25400	8.5	C35-36B	EL180UH080NE48B	202568123
EL15XP1-042-230	40500	14	12	39500	25800	8.2	C35-36B	EL296UH070XV36B	202568124
EL15XP1-042-230	40500	14.5	12	39000	25400	8.4	C35-36B	ML180UH070V36B	204495321
EL15XP1-042-230	41000	14.5	12.5	39000	25400	8.5	C35-36B	ML180UH070V48B	204495465
EL15XP1-042-230	41000	14.5	12.5	39500	25600	8.5	C35-36B	ML180UH090E48B	202568125
EL15XP1-042-230	41000	14.5	12.2	39500	25600	8.5	C35-36B	ML180UH090V48B	204495589
EL15XP1-042-230	40500	14	12	39500	25800	8.2	C35-36B	ML296UH070XV36B	205470234
EL15XP1-042-230	41000	14.5	12.5	39500	25400	8.5	C35-36B	SL280UH080NV48B	202568126
EL15XP1-042-230	41000	14.5	12.5	39500	25600	8.5	C35-36B	SL280UH090V36B	202568127
EL15XP1-042-230	41000	14.5	12.5	39500	25600	8.5	C35-36B	SL280UH090V48B	202568128
EL15XP1-042-230	41000	14.25	12.3	39500	25800	8.2	C35-36B	SL297UH060NV36B	202568129
EL15XP1-042-230	40500	14	12	39500	25800	8.2	C35-36B	SLP98UH070XV36B	202568130
EL15XP1-042-230	40500	14	12	39500	25800	8.2	C35-36B	SLP99UH070XV36B	205545123
EL15XP1-042-230	40500	14	11.8	39000	26400	8.2	C35-36B		202568115
EL15XP1-042-230	41500	15.1	13	39000	25200	8.2	C35-48B	EL180UH080NE48B	202568131
EL15XP1-042-230	41000	15	12.5	39000	25200	8.2	C35-48B	ML180UH070V48B	204495466
EL15XP1-042-230	41500	15	12.8	39000	25400	8.2	C35-48B	ML180UH090E48B	202568132
EL15XP1-042-230	41500	14.5	12.5	39000	25400	8.2	C35-48B	ML180UH090V48B	204495590
EL15XP1-042-230	41500	15.1	13	39000	25200	8.2	C35-48B	SL280UH080NV48B	202568133
EL15XP1-042-230	41500	15	12.8	39000	25400	8.2	C35-48B	SL280UH090V48B	202568134
EL15XP1-042-230	41500	15.1	13	39000	25200	8.2	C35-48C	EL180UH100NE60C	202568135
EL15XP1-042-230	41000	15	12.5	39000	25400	8.2	C35-48C	EL195UH080NE48C	202568136
EL15XP1-042-230	41500	15	12.8	39000	25400	8.2	C35-48C	EL195UH100NE60C	202568138
EL15XP1-042-230	41500	15.1	13	39000	25200	8.2	C35-48C	EL196UH090XE48C	202568140
EL15XP1-042-230	42000	15.1	13	39000	25400	8.2	C35-48C	EL196UH110XE60C	202568141
EL15XP1-042-230	41500	15	12.5	39000	25200	8.2	C35-48C	EL280UH110E48C	204043575
EL15XP1-042-230	42000	15	12.5	39000	25400	8.2	C35-48C	EL280UH110E60C	204043576

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-042-230	41000	15	12.8	39000	25200	8.2	C35-48C	EL296UH090XE48C	202568142
EL15XP1-042-230	41500	15	12.8	39000	25200	8.2	C35-48C	EL296UH090XV48C	202568143
EL15XP1-042-230	41500	15	12.8	39000	25400	8.2	C35-48C	EL296UH090XV60C	202568144
EL15XP1-042-230	42000	15.1	13	39000	25400	8.2	C35-48C	EL296UH110XE60C	202568145
EL15XP1-042-230	41500	15.1	12.8	39000	25200	8.2	C35-48C	EL296UH110XV48C	202568146
EL15XP1-042-230	41500	15.1	13	39000	25200	8.2	C35-48C	EL296UH110XV60C	202568147
EL15XP1-042-230	41500	15.1	13	39000	25200	8.2	C35-48C	ML180UH090E60C	202568148
EL15XP1-042-230	41500	15.1	13	39000	25200	8.2	C35-48C	ML180UH110E60C	202568149
EL15XP1-042-230	41500	15	12.5	39000	25200	8.2	C35-48C	ML180UH110V60C	204495694
EL15XP1-042-230	41000	15	12.5	39000	25200	8.2	C35-48C	ML193UH090XE48C	204043577
EL15XP1-042-230	41000	15	12.5	39000	25200	8.2	C35-48C	ML193UH110XE48C	204043578
EL15XP1-042-230	41500	15	12.5	39000	25400	8.2	C35-48C	ML193UH110XE60C	204043579
EL15XP1-042-230	41500	15.1	13	39000	25200	8.2	C35-48C	ML196UH090XE48C	204497980
EL15XP1-042-230	42000	15.1	13	39000	25400	8.2	C35-48C	ML196UH110XE60C	204497981
EL15XP1-042-230	41500	15	12.5	39000	25200	8.2	C35-48C	ML296UH090XV48C	205470235
EL15XP1-042-230	41000	15.1	12.5	38500	25000	8.2	C35-48C	ML296UH110XV60C	205470236
EL15XP1-042-230	41500	15.1	13	39000	25200	8.2	C35-48C	SL280UH080NV60C	202568150
EL15XP1-042-230	42000	15.1	13	39000	25200	8.2	C35-48C	SL280UH090V60C	202568151
EL15XP1-042-230	42000	15.1	13	39000	25200	8.2	C35-48C	SL280UH090XV60C	202568152
EL15XP1-042-230	42000	15.5	13	39000	25000	8.2	C35-48C	SL280UH100NV60C	202568153
EL15XP1-042-230	41500	15	12.8	39000	25400	8.2	C35-48C	SL280UH110V60C	202568154
EL15XP1-042-230	41500	15	12.8	39000	25400	8.2	C35-48C	SL280UH110XV60C	202568155
EL15XP1-042-230	41500	15.1	13	39000	25200	8.2	C35-48C	SL297UH080NV48C	202568156
EL15XP1-042-230	42000	15.1	13	39000	25400	8.2	C35-48C	SL297UH080NV60C	202568157
EL15XP1-042-230	41500	15.1	12.8	39000	25400	8.2	C35-48C	SLP98UH090XV48C	202568158
EL15XP1-042-230	41500	15	12.8	39000	25400	8.2	C35-48C	SLP98UH090XV60C	202568159
EL15XP1-042-230	41500	15.1	13	39000	25200	8.2	C35-48C	SLP98UH110XV60C	202568160
EL15XP1-042-230	41500	15.1	12.8	39000	25400	8.2	C35-48C	SLP99UH090XV48C	205545125
EL15XP1-042-230	41500	15	12.8	39000	25400	8.2	C35-48C	SLP99UH090XV60C	205545126
EL15XP1-042-230	41500	15.1	13	39000	25200	8.2	C35-48C	SLP99UH110XV60C	205545128
EL15XP1-042-230	42000	15.5	13	37800	23600	8.2	C35-49C	EL180UH100NE60C	202568161
EL15XP1-042-230	42000	15.1	13	38000	23800	8.2	C35-49C	EL195UH080NE48C	202568162
EL15XP1-042-230	42000	15.1	13	38000	23800	8.2	C35-49C	EL195UH100NE60C	202568164
EL15XP1-042-230	42000	15.5	13	37800	23600	8.2	C35-49C	EL196UH090XE48C	202568166
EL15XP1-042-230	42000	15.5	13	38000	23800	8.2	C35-49C	EL196UH110XE60C	202568167
EL15XP1-042-230	42000	15.1	12.5	37800	23600	8.2	C35-49C	EL280UH110E48C	204043580
EL15XP1-042-230	42000	15.1	12.5	38000	23800	8.2	C35-49C	EL280UH110E60C	204043581
EL15XP1-042-230	42000	15.5	13	38000	23800	8.2	C35-49C	EL296UH090XV48C	202568168
EL15XP1-042-230	42000	15.1	13	38000	23800	8.2	C35-49C	EL296UH090XV60C	202568169
EL15XP1-042-230	42000	15.1	13	38000	23800	8.2	C35-49C	EL296UH110XE60C	202568170
EL15XP1-042-230	42000	15.5	13	38000	23800	8.2	C35-49C	EL296UH110XV48C	202568171
EL15XP1-042-230	42000	15.5	13	38000	23800	8.2	C35-49C	EL296UH110XV60C	202568172
EL15XP1-042-230	42000	15.5	13	37800	23600	8.2	C35-49C	ML180UH090E60C	202568173
EL15XP1-042-230	42000	15.5	13	37800	23600	8.2	C35-49C	ML180UH110E60C	202568174
EL15XP1-042-230	42000	15.1	12.5	37800	23600	8.2	C35-49C	ML180UH110V60C	204495695
EL15XP1-042-230	42000	15.1	12.5	37800	23600	8.2	C35-49C	ML193UH090XE48C	204043582
EL15XP1-042-230	42000	15.1	12.5	37800	23600	8.2	C35-49C	ML193UH110XE48C	204043583
EL15XP1-042-230	42000	15.1	12.5	38000	23800	8.2	C35-49C	ML193UH110XE60C	204043584
EL15XP1-042-230	42000	15.5	13	37800	23600	8.2	C35-49C	ML196UH090XE48C	204497982
EL15XP1-042-230	42000	15.5	13	38000	23800	8.2	C35-49C	ML196UH110XE60C	204497983
EL15XP1-042-230	42000	15.5	12.5	38000	23800	8.2	C35-49C	ML296UH090XV48C	205470237
EL15XP1-042-230	42000	15.5	12.5	37600	23600	8.2	C35-49C	ML296UH110XV60C	205470238
EL15XP1-042-230	42000	15.5	13	37800	23600	8.2	C35-49C	SL280UH080NV60C	202568175
EL15XP1-042-230	42000	15.5	13	38000	23600	8.2	C35-49C	SL280UH090V60C	202568176
EL15XP1-042-230	42000	15.5	13	38000	23600	8.2	C35-49C	SL280UH090XV60C	202568177
EL15XP1-042-230	42000	16	13	37800	23600	8.2	C35-49C	SL280UH100NV60C	202568178

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-042-230	42000	15.1	13	38000	23800	8.2	C35-49C	SL280UH110V60C	202568179
EL15XP1-042-230	42000	15.1	13	38000	23800	8.2	C35-49C	SL280UH110XV60C	202568180
EL15XP1-042-230	42000	15.5	13	38000	23800	8.2	C35-49C	SL297UH080NV60C	202568181
EL15XP1-042-230	42000	15.5	13	38000	23800	8.2	C35-49C	SLP98UH090XV48C	202568182
EL15XP1-042-230	42000	15.1	13	38000	23800	8.2	C35-49C	SLP98UH090XV60C	202568183
EL15XP1-042-230	42000	15.5	13	38000	23800	8.2	C35-49C	SLP98UH110XV60C	202568184
EL15XP1-042-230	42000	15.5	13	38000	23800	8.2	C35-49C	SLP99UH090XV48C	205545130
EL15XP1-042-230	42000	15.1	13	38000	23800	8.2	C35-49C	SLP99UH090XV60C	205545131
EL15XP1-042-230	42000	15.5	13	38000	23800	8.2	C35-49C	SLP99UH110XV60C	205545133
EL15XP1-042-230	40500	14	12	39500	26200	8.2	CBA25UH-042-230		202568185
EL15XP1-042-230	42000	15.1	13	39000	25800	8.5	CBA25UH-048-230		202568186
EL15XP1-042-230	41500	15	12.8	39000	25800	8.5	CBA25UHV-042-230		202568187
EL15XP1-042-230	42000	15.5	13	39000	25600	8.5	CBA25UHV-048-230		202568188
EL15XP1-042-230	41500	15.1	12.8	39500	25400	8.5	CBA27UHE-042-230		202568189
EL15XP1-042-230	42000	15.5	13	39500	26200	9	CBA27UHE-048-230		202568190
EL15XP1-042-230	42000	15.5	13	39500	25200	9	CBA38MV-042-230		202568191
EL15XP1-042-230	42000	15.5	13	39500	26200	9	CBA38MV-048-230		202568192
EL15XP1-042-230	42000	15.1	13	38000	24800	8.5	CH35-42B	EL180UH080NE48B	202568193
EL15XP1-042-230	42000	14.5	12.5	37800	24600	8.5	CH35-42B	ML180UH070V36B	204495323
EL15XP1-042-230	42000	15	12.5	38000	24800	8.5	CH35-42B	ML180UH070V48B	204495467
EL15XP1-042-230	42000	15	13	38000	24800	8.5	CH35-42B	ML180UH090E48B	202568194
EL15XP1-042-230	42000	14.5	12.5	38000	25000	8.5	CH35-42B	ML180UH090V48B	204495591
EL15XP1-042-230	42000	15.1	13	38000	24800	8.5	CH35-42B	SL280UH080NV48B	202568195
EL15XP1-042-230	42000	15	12.8	38000	25000	8.5	CH35-42B	SL280UH090V48B	202568196
EL15XP1-042-230	42000	14	12	38500	25200	8.2	CH35-42B		202568116
EL15XP1-042-230	42000	15.1	13	39500	26600	8.5	CH35-42C	EL180UH100NE60C	202568197
EL15XP1-042-230	41500	14.5	12.5	40000	26800	8.2	CH35-42C	EL195UH080NE48C	202568198
EL15XP1-042-230	42000	14.5	12.8	40000	27000	8.5	CH35-42C	EL195UH100NE60C	202568200
EL15XP1-042-230	41500	15	12.8	40000	26800	8.5	CH35-42C	EL196UH090XE48C	202568202
EL15XP1-042-230	42000	15	12.8	40000	27000	8.5	CH35-42C	EL196UH110XE60C	202568203
EL15XP1-042-230	41500	14.5	12.5	40000	26800	8.5	CH35-42C	EL280UH110E48C	204043585
EL15XP1-042-230	42000	14.5	12.5	40000	27000	8.5	CH35-42C	EL280UH110E60C	204043586
EL15XP1-042-230	41500	14.5	12.8	39500	26800	8.5	CH35-42C	EL296UH090XE48C	202568204
EL15XP1-042-230	42000	14.5	12.8	40000	27000	8.5	CH35-42C	EL296UH090XV48C	202568205
EL15XP1-042-230	42000	14.5	12.8	40000	27000	8.5	CH35-42C	EL296UH090XV60C	202568206
EL15XP1-042-230	42000	15	12.8	40000	27000	8.5	CH35-42C	EL296UH110XE60C	202568207
EL15XP1-042-230	42000	15	12.8	40000	26800	8.5	CH35-42C	EL296UH110XV48C	202568208
EL15XP1-042-230	42000	15	12.8	40000	26800	8.5	CH35-42C	EL296UH110XV60C	202568209
EL15XP1-042-230	42000	15.1	13	40000	26800	8.5	CH35-42C	ML180UH090E60C	202568210
EL15XP1-042-230	41500	15	12.8	39500	26800	8.5	CH35-42C	ML180UH110E60C	202568211
EL15XP1-042-230	41500	14.5	12.5	39500	26800	8.4	CH35-42C	ML193UH090XE48C	204043587
EL15XP1-042-230	41500	14.5	12.5	39500	26800	8.5	CH35-42C	ML193UH110XE48C	204043588
EL15XP1-042-230	42000	14.5	12.5	40000	27000	8.5	CH35-42C	ML193UH110XE60C	204043589
EL15XP1-042-230	41500	15	12.8	40000	26800	8.5	CH35-42C	ML196UH090XE48C	204497984
EL15XP1-042-230	42000	15	12.8	40000	27000	8.5	CH35-42C	ML196UH110XE60C	204497985
EL15XP1-042-230	42000	14.5	12.5	40000	27000	8.5	CH35-42C	ML296UH090XV48C	205470239
EL15XP1-042-230	41500	15	12.5	39500	26600	8.5	CH35-42C	ML296UH110XV60C	205470240
EL15XP1-042-230	42000	15.1	13	39500	26600	8.5	CH35-42C	SL280UH080NV60C	202568212
EL15XP1-042-230	42000	15.1	12.8	40000	26800	8.5	CH35-42C	SL280UH090V60C	202568213
EL15XP1-042-230	42000	15.1	12.8	40000	26800	8.5	CH35-42C	SL280UH090XV60C	202568214
EL15XP1-042-230	42000	15.1	13	39500	26600	8.5	CH35-42C	SL280UH100NV60C	202568215
EL15XP1-042-230	41500	14.5	12.5	40000	26800	8.5	CH35-42C	SL280UH110V60C	202568216
EL15XP1-042-230	41500	14.5	12.5	40000	26800	8.5	CH35-42C	SL280UH110XV60C	202568217
EL15XP1-042-230	41500	15	12.8	40000	26800	8.5	CH35-42C	SL297UH080NV48C	202568218
EL15XP1-042-230	42000	15	12.8	40000	27000	8.5	CH35-42C	SL297UH080NV60C	202568219
EL15XP1-042-230	42000	14.5	12.8	40000	27000	8.5	CH35-42C	SLP98UH090XV48C	202568220

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-042-230	42000	14.5	12.8	40000	27000	8.5	CH35-42C	SLP98UH090XV60C	202568221
EL15XP1-042-230	42000	15	12.8	40000	26800	8.5	CH35-42C	SLP98UH110XV60C	202568222
EL15XP1-042-230	42000	14.5	12.8	40000	27000	8.5	CH35-42C	SLP99UH090XV48C	205545134
EL15XP1-042-230	42000	14.5	12.8	40000	27000	8.5	CH35-42C	SLP99UH090XV60C	205545136
EL15XP1-042-230	42000	15	12.8	40000	26800	8.5	CH35-42C	SLP99UH110XV60C	205545137
EL15XP1-042-230	41500	14	12	40500	27400	8.2	CH35-42C		202568117
EL15XP1-042-230	41500	14.5	12.8	40000	26600	8.5	CH35-48B	EL180UH080NE48B	202568223
EL15XP1-042-230	40500	14.25	12.2	40000	26600	8.4	CH35-48B	ML180UH070V36B	204495324
EL15XP1-042-230	41000	14.5	12.5	40000	26600	8.5	CH35-48B	ML180UH070V48B	204495468
EL15XP1-042-230	41000	14.5	12.5	40000	26600	8.5	CH35-48B	ML180UH090E48B	202568224
EL15XP1-042-230	41000	14.25	12.3	40500	26800	8.5	CH35-48B	ML180UH090V48B	204495592
EL15XP1-042-230	41500	14.5	12.8	40000	26600	8.5	CH35-48B	SL280UH080NV48B	202568225
EL15XP1-042-230	41000	14.5	12.3	40500	26800	8.5	CH35-48B	SL280UH090V48B	202568226
EL15XP1-042-230	41000	15	12.8	39500	26800	8.5	CH35-48C	EL180UH100NE60C	202568227
EL15XP1-042-230	41000	14.5	12.5	39500	27000	8.2	CH35-48C	EL195UH080NE48C	202568228
EL15XP1-042-230	41500	14.5	12.5	40000	27000	8.5	CH35-48C	EL195UH100NE60C	202568230
EL15XP1-042-230	41000	14.5	12.5	39500	26800	8.5	CH35-48C	EL196UH090XE48C	202568232
EL15XP1-042-230	41500	14.5	12.5	40000	27000	8.5	CH35-48C	EL196UH110XE60C	202568233
EL15XP1-042-230	41000	14.5	12.5	39500	26800	8.5	CH35-48C	EL280UH110E48C	204043590
EL15XP1-042-230	41500	14.5	12.5	39500	27000	8.5	CH35-48C	EL280UH110E60C	204043591
EL15XP1-042-230	41000	14.5	12.5	39500	26800	8.2	CH35-48C	EL296UH090XE48C	202568234
EL15XP1-042-230	41500	14.5	12.5	40000	27000	8.5	CH35-48C	EL296UH090XV48C	202568235
EL15XP1-042-230	41500	14.5	12.5	40000	27000	8.5	CH35-48C	EL296UH090XV60C	202568236
EL15XP1-042-230	41500	14.5	12.5	40000	27000	8.5	CH35-48C	EL296UH110XE60C	202568237
EL15XP1-042-230	41500	14.5	12.5	39500	27000	8.5	CH35-48C	EL296UH110XV48C	202568238
EL15XP1-042-230	41500	14.5	12.5	39500	27000	8.5	CH35-48C	EL296UH110XV60C	202568239
EL15XP1-042-230	41500	14.5	12.5	39500	27000	8.5	CH35-48C	ML180UH090E60C	202568240
EL15XP1-042-230	41500	14.5	12.5	39500	27000	8.5	CH35-48C	ML180UH110E60C	202568241
EL15XP1-042-230	41000	14.5	12.5	39500	26800	8.5	CH35-48C	ML180UH110V60C	204495696
EL15XP1-042-230	40500	14.5	12.2	39500	26800	8.4	CH35-48C	ML193UH090XE48C	204043592
EL15XP1-042-230	41000	14.5	12.5	39500	26800	8.5	CH35-48C	ML193UH110XE48C	204043593
EL15XP1-042-230	41000	14.5	12	39500	27000	8.5	CH35-48C	ML193UH110XE60C	204043594
EL15XP1-042-230	41000	14.5	12.5	39500	26800	8.5	CH35-48C	ML196UH090XE48C	204497986
EL15XP1-042-230	41500	14.5	12.5	40000	27000	8.5	CH35-48C	ML196UH110XE60C	204497987
EL15XP1-042-230	41500	14.5	12.5	40000	27000	8.5	CH35-48C	ML296UH090XV48C	205470241
EL15XP1-042-230	41000	14.5	12.5	39500	26600	8.5	CH35-48C	ML296UH110XV60C	205470396
EL15XP1-042-230	41500	15	12.8	39500	26600	8.5	CH35-48C	SL280UH080NV60C	202568242
EL15XP1-042-230	41500	14.5	12.8	39500	27000	8.5	CH35-48C	SL280UH090V60C	202568243
EL15XP1-042-230	41500	14.5	12.8	39500	27000	8.5	CH35-48C	SL280UH090XV60C	202568244
EL15XP1-042-230	41500	15.1	13	39500	26600	8.5	CH35-48C	SL280UH100NV60C	202568245
EL15XP1-042-230	41000	14.5	12.5	39500	27000	8.5	CH35-48C	SL280UH110V60C	202568246
EL15XP1-042-230	41000	14.5	12.5	39500	27000	8.5	CH35-48C	SL280UH110XV60C	202568247
EL15XP1-042-230	41000	14.5	12.5	39500	26800	8.5	CH35-48C	SL297UH080NV48C	202568248
EL15XP1-042-230	41500	14.5	12.5	40000	27000	8.5	CH35-48C	SL297UH080NV60C	202568249
EL15XP1-042-230	41500	14.5	12.5	40000	27000	8.5	CH35-48C	SLP98UH090XV48C	202568250
EL15XP1-042-230	41500	14.5	12.5	40000	27000	8.5	CH35-48C	SLP98UH090XV60C	202568251
EL15XP1-042-230	41500	14.5	12.5	39500	27000	8.5	CH35-48C	SLP98UH110XV60C	202568252
EL15XP1-042-230	41500	14.5	12.5	40000	27000	8.5	CH35-48C	SLP99UH090XV48C	205545139
EL15XP1-042-230	41500	14.5	12.5	40000	27000	8.5	CH35-48C	SLP99UH090XV60C	205545141
EL15XP1-042-230	41500	14.5	12.5	39500	27000	8.5	CH35-48C	SLP99UH110XV60C	205545143
EL15XP1-042-230	42000	15.1	13	39000	26400	8.5	CH35-51C	EL180UH100NE60C	202568253
EL15XP1-042-230	42000	14.5	12.8	39000	26600	8.5	CH35-51C	EL195UH080NE48C	202568254
EL15XP1-042-230	42000	14.5	12.8	39500	26800	8.5	CH35-51C	EL195UH100NE60C	202568256
EL15XP1-042-230	42000	15.1	12.8	39000	26400	8.5	CH35-51C	EL196UH090XE48C	202568258
EL15XP1-042-230	42000	15.1	12.8	39500	26600	8.5	CH35-51C	EL196UH110XE60C	202568259
EL15XP1-042-230	42000	15	12.5	39000	26400	8.8	CH35-51C	EL280UH110E48C	204043595

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-042-230	42000	15	12.5	39500	26600	8.8	CH35-51C	EL280UH110E60C	204043596
EL15XP1-042-230	42000	15	12.8	39000	26400	8.5	CH35-51C	EL296UH090XE48C	202568260
EL15XP1-042-230	42000	15	12.8	39500	26600	8.5	CH35-51C	EL296UH090XV48C	202568261
EL15XP1-042-230	42000	15	12.8	39500	26800	8.5	CH35-51C	EL296UH090XV60C	202568262
EL15XP1-042-230	42000	15	12.8	39500	26600	8.5	CH35-51C	EL296UH110XE60C	202568263
EL15XP1-042-230	42000	15	13	39500	26600	8.5	CH35-51C	EL296UH110XV48C	202568264
EL15XP1-042-230	42000	15	13	39500	26600	8.5	CH35-51C	EL296UH110XV60C	202568265
EL15XP1-042-230	42000	15.1	13	39000	26400	8.5	CH35-51C	ML180UH090E60C	202568266
EL15XP1-042-230	42000	15.1	13	39000	26400	8.5	CH35-51C	ML180UH110E60C	202568267
EL15XP1-042-230	42000	15	12.5	39000	26400	8.5	CH35-51C	ML180UH110V60C	204495697
EL15XP1-042-230	42000	14.5	12.5	39000	26400	8.5	CH35-51C	ML193UH090XE48C	204043597
EL15XP1-042-230	42000	15	12.5	39000	26400	8.8	CH35-51C	ML193UH110XE48C	204043598
EL15XP1-042-230	42000	14.5	12.5	39500	26600	8.8	CH35-51C	ML193UH110XE60C	204043599
EL15XP1-042-230	42000	15.1	12.8	39000	26400	8.5	CH35-51C	ML196UH090XE48C	204497988
EL15XP1-042-230	42000	15.1	12.8	39500	26600	8.5	CH35-51C	ML196UH110XE60C	204497989
EL15XP1-042-230	42000	15	12.5	39500	26600	8.5	CH35-51C	ML296UH090XV48C	205470242
EL15XP1-042-230	42000	15	12.5	39000	26400	8.8	CH35-51C	ML296UH110XV60C	205470243
EL15XP1-042-230	42000	15.1	13	39000	26400	8.5	CH35-51C	SL280UH080NV60C	202568268
EL15XP1-042-230	42000	15.1	13	39500	26600	8.5	CH35-51C	SL280UH090V60C	202568269
EL15XP1-042-230	42000	15.1	13	39500	26600	8.5	CH35-51C	SL280UH090XV60C	202568270
EL15XP1-042-230	42000	15.5	13	39000	26400	8.5	CH35-51C	SL280UH100NV60C	202568271
EL15XP1-042-230	42000	15	12.8	39500	26600	8.5	CH35-51C	SL280UH110V60C	202568272
EL15XP1-042-230	42000	15	12.8	39500	26600	8.5	CH35-51C	SL280UH110XV60C	202568273
EL15XP1-042-230	42000	15	12.8	39500	26600	8.5	CH35-51C	SL297UH080NV48C	202568274
EL15XP1-042-230	42000	15	12.8	39500	26600	8.5	CH35-51C	SL297UH080NV60C	202568275
EL15XP1-042-230	42000	15	12.8	39500	26600	8.5	CH35-51C	SLP98UH090XV48C	202568276
EL15XP1-042-230	42000	15	12.8	39500	26800	8.5	CH35-51C	SLP98UH090XV60C	202568277
EL15XP1-042-230	42000	15	13	39500	26600	8.5	CH35-51C	SLP98UH110XV60C	202568278
EL15XP1-042-230	42000	15	12.8	39500	26600	8.5	CH35-51C	SLP99UH090XV48C	205545144
EL15XP1-042-230	42000	15	12.8	39500	26800	8.5	CH35-51C	SLP99UH090XV60C	205545146
EL15XP1-042-230	42000	15	13	39500	26600	8.5	CH35-51C	SLP99UH110XV60C	205545149
EL15XP1-042-230	42000	14	12	40000	27200	8.2	CH35-51C		202568118
EL15XP1-042-230	42000	15.1	13	38000	24800	8.5	CHX35-42B	EL180UH080NE48B	202568279
EL15XP1-042-230	42000	14.5	12.5	37800	24600	8.5	CHX35-42B	ML180UH070V36B	204495325
EL15XP1-042-230	42000	15	12.5	38000	24800	8.5	CHX35-42B	ML180UH070V48B	204495469
EL15XP1-042-230	42000	15	13	38000	24800	8.5	CHX35-42B	ML180UH090E48B	202568280
EL15XP1-042-230	42000	14.5	12.5	38000	25000	8.5	CHX35-42B	ML180UH090V48B	204495593
EL15XP1-042-230	42000	15.1	13	38000	24800	8.5	CHX35-42B	SL280UH080NV48B	202568281
EL15XP1-042-230	42000	15	12.8	38000	25000	8.5	CHX35-42B	SL280UH090V48B	202568282
EL15XP1-042-230	42000	14	12	38500	25200	8.2	CHX35-42B		202568119
EL15XP1-042-230	42000	15.1	13	39500	26600	8.5	CHX35-42C	EL180UH100NE60C	202568283
EL15XP1-042-230	41500	14.5	12.5	40000	26800	8.2	CHX35-42C	EL195UH080NE48C	202568284
EL15XP1-042-230	42000	14.5	12.8	40000	27000	8.5	CHX35-42C	EL195UH100NE60C	202568286
EL15XP1-042-230	41500	15	12.8	40000	26800	8.5	CHX35-42C	EL196UH090XE48C	202568288
EL15XP1-042-230	42000	15	12.8	40000	27000	8.5	CHX35-42C	EL196UH110XE60C	202568289
EL15XP1-042-230	41500	14.5	12.5	40000	26800	8.5	CHX35-42C	EL280UH110E48C	204043600
EL15XP1-042-230	42000	14.5	12.5	40000	27000	8.5	CHX35-42C	EL280UH110E60C	204043601
EL15XP1-042-230	41500	14.5	12.8	39500	26800	8.5	CHX35-42C	EL296UH090XE48C	202568290
EL15XP1-042-230	42000	14.5	12.8	40000	27000	8.5	CHX35-42C	EL296UH090XV48C	202568291
EL15XP1-042-230	42000	14.5	12.8	40000	27000	8.5	CHX35-42C	EL296UH090XV60C	202568292
EL15XP1-042-230	42000	15	12.8	40000	27000	8.5	CHX35-42C	EL296UH110XE60C	202568293
EL15XP1-042-230	42000	15	12.8	40000	26800	8.5	CHX35-42C	EL296UH110XV48C	202568294
EL15XP1-042-230	42000	15	12.8	40000	26800	8.5	CHX35-42C	EL296UH110XV60C	202568295
EL15XP1-042-230	42000	15.1	13	40000	26800	8.5	CHX35-42C	ML180UH090E60C	202568296
EL15XP1-042-230	41500	15	12.8	39500	26800	8.5	CHX35-42C	ML180UH110E60C	202568297
EL15XP1-042-230	41500	14.5	12.5	39500	26600	8.5	CHX35-42C	ML180UH110V60C	204495698

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-042-230	41500	14.5	12.5	39500	26800	8.4	CHX35-42C	ML193UH090XE48C	204043602
EL15XP1-042-230	41500	14.5	12.5	39500	26800	8.5	CHX35-42C	ML193UH110XE48C	204043604
EL15XP1-042-230	42000	14.5	12.5	40000	27000	8.5	CHX35-42C	ML193UH110XE60C	204043605
EL15XP1-042-230	41500	15	12.8	40000	26800	8.5	CHX35-42C	ML196UH090XE48C	204497990
EL15XP1-042-230	42000	15	12.8	40000	27000	8.5	CHX35-42C	ML196UH110XE60C	204497991
EL15XP1-042-230	42000	14.5	12.5	40000	27000	8.5	CHX35-42C	ML296UH090XV48C	205470244
EL15XP1-042-230	41500	15	12.5	39500	26600	8.5	CHX35-42C	ML296UH110XV60C	205470245
EL15XP1-042-230	42000	15.1	13	39500	26600	8.5	CHX35-42C	SL280UH080NV60C	202568298
EL15XP1-042-230	42000	15.1	12.8	40000	26800	8.5	CHX35-42C	SL280UH090V60C	202568299
EL15XP1-042-230	42000	15.1	12.8	40000	26800	8.5	CHX35-42C	SL280UH090XV60C	202568300
EL15XP1-042-230	42000	15.1	13	39500	26600	8.5	CHX35-42C	SL280UH100NV60C	202568301
EL15XP1-042-230	41500	14.5	12.5	40000	26800	8.5	CHX35-42C	SL280UH110V60C	202568302
EL15XP1-042-230	41500	14.5	12.5	40000	26800	8.5	CHX35-42C	SL280UH110XV60C	202568303
EL15XP1-042-230	41500	15	12.8	40000	26800	8.5	CHX35-42C	SL297UH080NV48C	202568304
EL15XP1-042-230	42000	15	12.8	40000	27000	8.5	CHX35-42C	SL297UH080NV60C	202568305
EL15XP1-042-230	42000	14.5	12.8	40000	27000	8.5	CHX35-42C	SLP98UH090XV48C	202568306
EL15XP1-042-230	42000	14.5	12.8	40000	27000	8.5	CHX35-42C	SLP98UH090XV60C	202568307
EL15XP1-042-230	42000	15	12.8	40000	26800	8.5	CHX35-42C	SLP98UH110XV60C	202568308
EL15XP1-042-230	42000	14.5	12.8	40000	27000	8.5	CHX35-42C	SLP99UH090XV48C	205545152
EL15XP1-042-230	42000	14.5	12.8	40000	27000	8.5	CHX35-42C	SLP99UH090XV60C	205545154
EL15XP1-042-230	42000	15	12.8	40000	26800	8.5	CHX35-42C	SLP99UH110XV60C	205545156
EL15XP1-042-230	41500	14	12	40500	27400	8.2	CHX35-42C		202568120
EL15XP1-042-230	41500	14.5	12.8	40000	26600	8.5	CHX35-48B	EL180UH080NE48B	202568309
EL15XP1-042-230	40500	14.25	12.2	40000	26600	8.4	CHX35-48B	ML180UH070V36B	204495326
EL15XP1-042-230	41000	14.5	12.5	40000	26600	8.5	CHX35-48B	ML180UH070V48B	204495470
EL15XP1-042-230	41000	14.5	12.5	40000	26600	8.5	CHX35-48B	ML180UH090E48B	202568310
EL15XP1-042-230	41000	14.25	12.3	40500	26800	8.5	CHX35-48B	ML180UH090V48B	204495594
EL15XP1-042-230	41500	14.5	12.8	40000	26600	8.5	CHX35-48B	SL280UH080NV48B	202568311
EL15XP1-042-230	41000	14.5	12.3	40500	26800	8.5	CHX35-48B	SL280UH090V48B	202568312
EL15XP1-042-230	41000	15	12.8	39500	26800	8.5	CHX35-48C	EL180UH100NE60C	202568313
EL15XP1-042-230	41000	14.5	12.5	39500	27000	8.2	CHX35-48C	EL195UH080NE48C	202568314
EL15XP1-042-230	41500	14.5	12.5	40000	27000	8.5	CHX35-48C	EL195UH100NE60C	202568316
EL15XP1-042-230	41000	14.5	12.5	39500	26800	8.5	CHX35-48C	EL196UH090XE48C	202568318
EL15XP1-042-230	41500	14.5	12.5	40000	27000	8.5	CHX35-48C	EL196UH110XE60C	202568319
EL15XP1-042-230	41000	14.5	12.5	39500	26800	8.5	CHX35-48C	EL280UH110E48C	204043606
EL15XP1-042-230	41500	14.5	12.5	39500	27000	8.5	CHX35-48C	EL280UH110E60C	204043607
EL15XP1-042-230	41000	14.5	12.5	39500	26800	8.2	CHX35-48C	EL296UH090XE48C	202568320
EL15XP1-042-230	41500	14.5	12.5	40000	27000	8.5	CHX35-48C	EL296UH090XV48C	202568321
EL15XP1-042-230	41500	14.5	12.5	40000	27000	8.5	CHX35-48C	EL296UH090XV60C	202568322
EL15XP1-042-230	41500	14.5	12.5	40000	27000	8.5	CHX35-48C	EL296UH110XE60C	202568323
EL15XP1-042-230	41500	14.5	12.5	39500	27000	8.5	CHX35-48C	EL296UH110XV48C	202568324
EL15XP1-042-230	41500	14.5	12.5	39500	27000	8.5	CHX35-48C	EL296UH110XV60C	202568325
EL15XP1-042-230	41500	14.5	12.5	39500	27000	8.5	CHX35-48C	ML180UH090E60C	202568326
EL15XP1-042-230	41500	14.5	12.5	39500	27000	8.5	CHX35-48C	ML180UH110E60C	202568327
EL15XP1-042-230	41000	14.5	12.5	39500	26800	8.5	CHX35-48C	ML180UH110V60C	204495699
EL15XP1-042-230	40500	14.5	12.2	39500	26800	8.4	CHX35-48C	ML193UH090XE48C	204043608
EL15XP1-042-230	41000	14.5	12.5	39500	26800	8.5	CHX35-48C	ML193UH110XE48C	204043609
EL15XP1-042-230	41000	14.5	12	39500	27000	8.5	CHX35-48C	ML193UH110XE60C	204043610
EL15XP1-042-230	41000	14.5	12.5	39500	26800	8.5	CHX35-48C	ML196UH090XE48C	204497992
EL15XP1-042-230	41500	14.5	12.5	40000	27000	8.5	CHX35-48C	ML196UH110XE60C	204497993
EL15XP1-042-230	41500	14.5	12.5	40000	27000	8.5	CHX35-48C	ML296UH090XV48C	205470246
EL15XP1-042-230	41000	14.5	12.5	39500	26600	8.5	CHX35-48C	ML296UH110XV60C	205470247
EL15XP1-042-230	41500	15	12.8	39500	26600	8.5	CHX35-48C	SL280UH080NV60C	202568328
EL15XP1-042-230	41500	14.5	12.8	39500	27000	8.5	CHX35-48C	SL280UH090V60C	202568329
EL15XP1-042-230	41500	14.5	12.8	39500	27000	8.5	CHX35-48C	SL280UH090XV60C	202568330
EL15XP1-042-230	41500	15.1	13	39500	26600	8.5	CHX35-48C	SL280UH100NV60C	202568331

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-042-230	41000	14.5	12.5	39500	27000	8.5	CHX35-48C	SL280UH110V60C	202568332
EL15XP1-042-230	41000	14.5	12.5	39500	27000	8.5	CHX35-48C	SL280UH110XV60C	202568333
EL15XP1-042-230	41000	14.5	12.5	39500	26800	8.5	CHX35-48C	SL297UH080NV48C	202568334
EL15XP1-042-230	41500	14.5	12.5	40000	27000	8.5	CHX35-48C	SL297UH080NV60C	202568335
EL15XP1-042-230	41500	14.5	12.5	40000	27000	8.5	CHX35-48C	SLP98UH090XV48C	202568336
EL15XP1-042-230	41500	14.5	12.5	40000	27000	8.5	CHX35-48C	SLP98UH090XV60C	202568337
EL15XP1-042-230	41500	14.5	12.5	39500	27000	8.5	CHX35-48C	SLP98UH110XV60C	202568338
EL15XP1-042-230	41500	14.5	12.5	40000	27000	8.5	CHX35-48C	SLP99UH090XV48C	205545159
EL15XP1-042-230	41500	14.5	12.5	40000	27000	8.5	CHX35-48C	SLP99UH090XV60C	205545161
EL15XP1-042-230	41500	14.5	12.5	39500	27000	8.5	CHX35-48C	SLP99UH110XV60C	205545164
EL15XP1-042-230	42000	15.1	13	39000	26400	8.5	CHX35-51/61C	EL180UH100NE60C	202568339
EL15XP1-042-230	42000	14.5	12.8	39000	26600	8.5	CHX35-51/61C	EL195UH080NE48C	202568340
EL15XP1-042-230	42000	14.5	12.8	39500	26800	8.5	CHX35-51/61C	EL195UH100NE60C	202568342
EL15XP1-042-230	42000	15.1	12.8	39000	26400	8.5	CHX35-51/61C	EL196UH090XE48C	202568344
EL15XP1-042-230	42000	15.1	12.8	39500	26600	8.5	CHX35-51/61C	EL196UH110XE60C	202568345
EL15XP1-042-230	42000	15	12.5	39000	26400	8.8	CHX35-51/61C	EL280UH110E48C	204043611
EL15XP1-042-230	42000	15	12.5	39500	26600	8.8	CHX35-51/61C	EL280UH110E60C	204043612
EL15XP1-042-230	42000	15	12.8	39000	26400	8.5	CHX35-51/61C	EL296UH090XE48C	202568346
EL15XP1-042-230	42000	15	12.8	39500	26600	8.5	CHX35-51/61C	EL296UH090XV48C	202568347
EL15XP1-042-230	42000	15	12.8	39500	26800	8.5	CHX35-51/61C	EL296UH090XV60C	202568348
EL15XP1-042-230	42000	15	12.8	39500	26600	8.5	CHX35-51/61C	EL296UH110XE60C	202568349
EL15XP1-042-230	42000	15	13	39500	26600	8.5	CHX35-51/61C	EL296UH110XV48C	202568350
EL15XP1-042-230	42000	15	13	39500	26600	8.5	CHX35-51/61C	EL296UH110XV60C	202568351
EL15XP1-042-230	42000	15.1	13	39000	26400	8.5	CHX35-51/61C	ML180UH090E60C	202568352
EL15XP1-042-230	42000	15.1	13	39000	26400	8.5	CHX35-51/61C	ML180UH110E60C	202568353
EL15XP1-042-230	42000	15	12.5	39000	26400	8.5	CHX35-51/61C	ML180UH110V60C	204495700
EL15XP1-042-230	42000	14.5	12.5	39000	26400	8.5	CHX35-51/61C	ML193UH090XE48C	204043613
EL15XP1-042-230	42000	15	12.5	39000	26400	8.8	CHX35-51/61C	ML193UH110XE48C	204043614
EL15XP1-042-230	42000	14.5	12.5	39500	26600	8.8	CHX35-51/61C	ML193UH110XE60C	204043615
EL15XP1-042-230	42000	15.1	12.8	39000	26400	8.5	CHX35-51/61C	ML196UH090XE48C	204497994
EL15XP1-042-230	42000	15.1	12.8	39500	26600	8.5	CHX35-51/61C	ML196UH110XE60C	204497995
EL15XP1-042-230	42000	15	12.5	39500	26600	8.5	CHX35-51/61C	ML296UH090XV48C	205470248
EL15XP1-042-230	42000	15	12.5	39000	26400	8.8	CHX35-51/61C	ML296UH110XV60C	205470249
EL15XP1-042-230	42000	15.1	13	39000	26400	8.5	CHX35-51/61C	SL280UH080NV60C	202568354
EL15XP1-042-230	42000	15.1	13	39500	26600	8.5	CHX35-51/61C	SL280UH090V60C	202568355
EL15XP1-042-230	42000	15.1	13	39500	26600	8.5	CHX35-51/61C	SL280UH090XV60C	202568356
EL15XP1-042-230	42000	15.5	13	39000	26400	8.5	CHX35-51/61C	SL280UH100NV60C	202568357
EL15XP1-042-230	42000	15	12.8	39500	26600	8.5	CHX35-51/61C	SL280UH110V60C	202568358
EL15XP1-042-230	42000	15	12.8	39500	26600	8.5	CHX35-51/61C	SL280UH110XV60C	202568359
EL15XP1-042-230	42000	15	12.8	39500	26600	8.5	CHX35-51/61C	SL297UH080NV48C	202568360
EL15XP1-042-230	42000	15	12.8	39500	26600	8.5	CHX35-51/61C	SL297UH080NV60C	202568361
EL15XP1-042-230	42000	15	12.8	39500	26600	8.5	CHX35-51/61C	SLP98UH090XV48C	202568362
EL15XP1-042-230	42000	15	12.8	39500	26800	8.5	CHX35-51/61C	SLP98UH090XV60C	202568363
EL15XP1-042-230	42000	15	13	39500	26600	8.5	CHX35-51/61C	SLP98UH110XV60C	202568364
EL15XP1-042-230	42000	15	12.8	39500	26600	8.5	CHX35-51/61C	SLP99UH090XV48C	205545165
EL15XP1-042-230	42000	15	12.8	39500	26800	8.5	CHX35-51/61C	SLP99UH090XV60C	205545167
EL15XP1-042-230	42000	15	13	39500	26600	8.5	CHX35-51/61C	SLP99UH110XV60C	205545168
EL15XP1-042-230	42000	14	12	40000	27200	8.2	CHX35-51/61C		202568121
EL15XP1-042-230	40000	14	12	42000	27400	8.2	CR33-48B	EL296DF070XE48B	202568366
EL15XP1-042-230	40500	14.5	12.3	41500	27200	8.5	CR33-48B	ML180DF090E48B	202568367
EL15XP1-042-230	40500	14	12	42000	27400	8.2	CR33-48B	SL280DF090V48B	202568368
EL15XP1-042-230	40000	14.25	12.3	41500	27200	8.2	CR33-48C	EL296DF090XE48C	202568371
EL15XP1-042-230	40500	14	12	42000	27400	8.2	CR33-48C	EL296DF090XV60C	202568372
EL15XP1-042-230	40500	14.25	12.3	41500	27200	8.5	CR33-48C	EL296DF110XE60C	202568373
EL15XP1-042-230	40500	14.25	12	42000	27400	8.5	CR33-48C	EL296DF110XV60C	202568374
EL15XP1-042-230	40500	14.5	12.5	41500	27200	8.5	CR33-48C	ML180DF110E60C	202568375

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-042-230	40000	14	12.2	41500	27200	8.4	CR33-48C	ML193DF090XE48C	204043616
EL15XP1-042-230	40500	14	12	42000	27400	8.2	CR33-48C	ML296DF090XV60C	205470250
EL15XP1-042-230	40500	14.5	12.3	41500	27200	8.5	CR33-48C	SL280DF090V60C	202568376
EL15XP1-042-230	40500	14.5	12.3	41500	27200	8.5	CR33-48C	SL280DF110V60C	202568377
EL15XP1-042-230	40500	14	12	42000	27400	8.2	CR33-48C	SLP98DF090XV48C	202568378
EL15XP1-042-230	40500	14	12	42000	27400	8.2	CR33-48C	SLP98DF090XV60C	202568379
EL15XP1-042-230	40500	14.25	12	42000	27400	8.5	CR33-48C	SLP98DF110XV60C	202568380
EL15XP1-042-230	40500	14	12	42000	27400	8.2	CR33-48C	SLP99DF090XV48C	205545170
EL15XP1-042-230	40500	14	12	42000	27400	8.2	CR33-48C	SLP99DF090XV60C	205545173
EL15XP1-042-230	40500	14.25	12	42000	27400	8.5	CR33-48C	SLP99DF110XV60C	205545175
EL15XP1-042-230	41000	14.5	12.5	39000	25800	8.5	CR33-50/60	EL296DF090XE48C	202568383
EL15XP1-042-230	41500	14.5	12.5	39500	26000	8.5	CR33-50/60	EL296DF090XV60C	202568384
EL15XP1-042-230	41500	14.5	12.5	39000	25800	9	CR33-50/60	EL296DF110XE60C	202568385
EL15XP1-042-230	41500	14.5	12.5	39500	26000	8.5	CR33-50/60	EL296DF110XV60C	202568386
EL15XP1-042-230	41500	15	12.8	39000	25800	9	CR33-50/60	ML180DF110E60C	202568387
EL15XP1-042-230	41000	14.25	12.5	39000	25800	9	CR33-50/60	ML193DF090XE48C	204043617
EL15XP1-042-230	41500	14.5	12.5	39500	26000	8.5	CR33-50/60	ML296DF090XV60C	205470251
EL15XP1-042-230	41500	15	12.8	39000	25800	9	CR33-50/60	SL280DF090V60C	202568388
EL15XP1-042-230	41500	15	12.8	39000	25800	9	CR33-50/60	SL280DF110V60C	202568389
EL15XP1-042-230	41500	14.5	12.5	39500	26000	8.5	CR33-50/60	SLP98DF090XV48C	202568390
EL15XP1-042-230	41500	14.5	12.5	39500	26000	8.5	CR33-50/60	SLP98DF090XV60C	202568391
EL15XP1-042-230	41500	14.5	12.5	39500	26000	8.5	CR33-50/60	SLP98DF110XV60C	202568392
EL15XP1-042-230	41500	14.5	12.5	39500	26000	8.5	CR33-50/60	SLP99DF090XV48C	205545178
EL15XP1-042-230	41500	14.5	12.5	39500	26000	8.5	CR33-50/60	SLP99DF090XV60C	205545180
EL15XP1-042-230	41500	14.5	12.5	39500	26000	8.5	CR33-50/60	SLP99DF110XV60C	205545182
EL15XP1-042-230	41000	15	12.5	39500	25400	8.5	CX35-36B	EL180UH080NE48B	202568393
EL15XP1-042-230	40500	14	12	39500	25800	8.2	CX35-36B	EL296UH070XV36B	202568394
EL15XP1-042-230	40500	14.5	12	39000	25400	8.4	CX35-36B	ML180UH070V36B	204495327
EL15XP1-042-230	41000	14.5	12.5	39000	25400	8.5	CX35-36B	ML180UH070V48B	204495471
EL15XP1-042-230	41000	14.5	12.5	39500	25600	8.5	CX35-36B	ML180UH090E48B	202568395
EL15XP1-042-230	41000	14.5	12.2	39500	25600	8.5	CX35-36B	ML180UH090V48B	204495595
EL15XP1-042-230	40500	14	12	39500	25800	8.2	CX35-36B	ML296UH070XV36B	205470252
EL15XP1-042-230	41000	14.5	12.5	39500	25400	8.5	CX35-36B	SL280UH080NV48B	202568396
EL15XP1-042-230	41000	14.5	12.5	39500	25600	8.5	CX35-36B	SL280UH090V36B	202568397
EL15XP1-042-230	41000	14.5	12.5	39500	25600	8.5	CX35-36B	SL280UH090V48B	202568398
EL15XP1-042-230	41000	14.25	12.3	39500	25800	8.2	CX35-36B	SL297UH060NV36B	202568399
EL15XP1-042-230	40500	14	12	39500	25800	8.2	CX35-36B	SLP98UH070XV36B	202568400
EL15XP1-042-230	40500	14	12	39500	25800	8.2	CX35-36B	SLP99UH070XV36B	205545184
EL15XP1-042-230	40500	14	11.8	39000	26400	8.2	CX35-36B		202568122
EL15XP1-042-230	41500	15.1	13	39000	25200	8.2	CX35-48B	EL180UH080NE48B	202568401
EL15XP1-042-230	41000	15	12.5	39000	25200	8.2	CX35-48B	ML180UH070V48B	204495472
EL15XP1-042-230	41500	15	12.8	39000	25400	8.2	CX35-48B	ML180UH090E48B	202568402
EL15XP1-042-230	41500	14.5	12.5	39000	25400	8.2	CX35-48B	ML180UH090V48B	204495596
EL15XP1-042-230	41500	15.1	13	39000	25200	8.2	CX35-48B	SL280UH080NV48B	202568403
EL15XP1-042-230	41500	15	12.8	39000	25400	8.2	CX35-48B	SL280UH090V48B	202568404
EL15XP1-042-230	41500	15.1	13	39000	25200	8.2	CX35-48C	EL180UH100NE60C	202568405
EL15XP1-042-230	41000	15	12.5	39000	25400	8.2	CX35-48C	EL195UH080NE48C	202568406
EL15XP1-042-230	41500	14.5	12.5	39000	25400	8.2	CX35-48C	EL195UH100NE60C	202568408
EL15XP1-042-230	41500	15	12.8	39000	25200	8.2	CX35-48C	EL196UH090XE48C	202568410
EL15XP1-042-230	42000	15.1	13	39000	25400	8.2	CX35-48C	EL196UH110XE60C	202568411
EL15XP1-042-230	41500	15	12.5	39000	25200	8.2	CX35-48C	EL280UH110E48C	204043618
EL15XP1-042-230	42000	15	12.5	39000	25400	8.2	CX35-48C	EL280UH110E60C	204043619
EL15XP1-042-230	41000	15	12.8	39000	25200	8.2	CX35-48C	EL296UH090XE48C	202568412
EL15XP1-042-230	41500	15	12.8	39000	25400	8.2	CX35-48C	EL296UH090XV48C	202568413
EL15XP1-042-230	41500	14.5	12.5	39500	25600	8.2	CX35-48C	EL296UH090XV60C	202568414
EL15XP1-042-230	42000	15.1	13	39000	25400	8.2	CX35-48C	EL296UH110XE60C	202568415

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-042-230	41500	15	12.8	39000	25400	8.2	CX35-48C	EL296UH110XV48C	202568416
EL15XP1-042-230	41500	15	12.8	39000	25400	8.2	CX35-48C	EL296UH110XV60C	202568417
EL15XP1-042-230	41500	15.1	13	39000	25200	8.2	CX35-48C	ML180UH090E60C	202568418
EL15XP1-042-230	41500	15	12.8	39000	25400	8.2	CX35-48C	ML180UH110E60C	202568419
EL15XP1-042-230	41500	15	12.5	39000	25200	8.2	CX35-48C	ML180UH110V60C	204495701
EL15XP1-042-230	41000	15	12.5	39000	25200	8.2	CX35-48C	ML193UH090XE48C	204043620
EL15XP1-042-230	41000	15	12.5	39000	25200	8.2	CX35-48C	ML193UH110XE48C	204043621
EL15XP1-042-230	41500	15	12.5	39000	25400	8.2	CX35-48C	ML193UH110XE60C	204043622
EL15XP1-042-230	41500	15	12.8	39000	25200	8.2	CX35-48C	ML196UH090XE48C	204497996
EL15XP1-042-230	42000	15.1	13	39000	25400	8.2	CX35-48C	ML196UH110XE60C	204497997
EL15XP1-042-230	41500	15	12.5	39000	25400	8.2	CX35-48C	ML296UH090XV48C	205470253
EL15XP1-042-230	41500	15	12.5	39000	25400	8.2	CX35-48C	ML296UH110XV60C	205470254
EL15XP1-042-230	41500	15.1	13	39000	25200	8.2	CX35-48C	SL280UH080NV60C	202568420
EL15XP1-042-230	41500	15	12.8	39000	25400	8.2	CX35-48C	SL280UH090V60C	202568421
EL15XP1-042-230	41500	15	12.8	39000	25400	8.2	CX35-48C	SL280UH090XV60C	202568422
EL15XP1-042-230	41500	15.5	13	39000	25200	8.2	CX35-48C	SL280UH100NV60C	202568423
EL15XP1-042-230	41500	15	12.8	39000	25400	8.2	CX35-48C	SL280UH110V60C	202568424
EL15XP1-042-230	41500	15	12.8	39000	25400	8.2	CX35-48C	SL280UH110XV60C	202568425
EL15XP1-042-230	41500	15	12.8	39000	25400	8.2	CX35-48C	SL297UH080NV48C	202568426
EL15XP1-042-230	41500	15	12.8	39000	25400	8.2	CX35-48C	SL297UH080NV60C	202568427
EL15XP1-042-230	41500	15	12.8	39000	25400	8.2	CX35-48C	SLP98UH090XV48C	202568428
EL15XP1-042-230	41500	14.5	12.5	39500	25600	8.2	CX35-48C	SLP98UH090XV60C	202568429
EL15XP1-042-230	41500	15	12.8	39000	25400	8.2	CX35-48C	SLP98UH110XV60C	202568430
EL15XP1-042-230	41500	15	12.8	39000	25400	8.2	CX35-48C	SLP99UH090XV48C	205545187
EL15XP1-042-230	41500	14.5	12.5	39500	25600	8.2	CX35-48C	SLP99UH090XV60C	205545189
EL15XP1-042-230	41500	15	12.8	39000	25400	8.2	CX35-48C	SLP99UH110XV60C	205545191
EL15XP1-042-230	42000	15.5	13	37800	23600	8.2	CX35-49C	EL180UH100NE60C	202568431
EL15XP1-042-230	42000	15.1	13	38000	23800	8.2	CX35-49C	EL195UH080NE48C	202568432
EL15XP1-042-230	42000	15.1	13	38000	23800	8.2	CX35-49C	EL195UH100NE60C	202568434
EL15XP1-042-230	42000	15.5	13	37800	23600	8.2	CX35-49C	EL196UH090XE48C	202568436
EL15XP1-042-230	42000	15.5	13	38000	23800	8.2	CX35-49C	EL196UH110XE60C	202568437
EL15XP1-042-230	42000	15.1	12.5	37800	23600	8.2	CX35-49C	EL280UH110E48C	204043623
EL15XP1-042-230	42000	15.1	12.5	38000	23800	8.2	CX35-49C	EL280UH110E60C	204043624
EL15XP1-042-230	42000	15.5	13	38000	23800	8.2	CX35-49C	EL296UH090XV48C	202568438
EL15XP1-042-230	42000	15.1	13	38000	23800	8.2	CX35-49C	EL296UH090XV60C	202568439
EL15XP1-042-230	42000	15.1	13	38000	23800	8.2	CX35-49C	EL296UH110XE60C	202568440
EL15XP1-042-230	42000	15.5	13	38000	23800	8.2	CX35-49C	EL296UH110XV48C	202568441
EL15XP1-042-230	42000	15.5	13	38000	23800	8.2	CX35-49C	EL296UH110XV60C	202568442
EL15XP1-042-230	42000	15.5	13	37800	23600	8.2	CX35-49C	ML180UH090E60C	202568443
EL15XP1-042-230	42000	15.5	13	37800	23600	8.2	CX35-49C	ML180UH110E60C	202568444
EL15XP1-042-230	42000	15.1	12.5	37800	23600	8.2	CX35-49C	ML180UH110V60C	204495702
EL15XP1-042-230	42000	15.1	12.5	37800	23600	8.2	CX35-49C	ML193UH090XE48C	204043625
EL15XP1-042-230	42000	15.1	12.5	37800	23600	8.2	CX35-49C	ML193UH110XE48C	204043626
EL15XP1-042-230	42000	15.1	12.5	38000	23800	8.2	CX35-49C	ML193UH110XE60C	204043627
EL15XP1-042-230	42000	15.5	13	37800	23600	8.2	CX35-49C	ML196UH090XE48C	204497998
EL15XP1-042-230	42000	15.5	13	38000	23800	8.2	CX35-49C	ML196UH110XE60C	204497999
EL15XP1-042-230	42000	15.5	12.5	38000	23800	8.2	CX35-49C	ML296UH090XV48C	205470255
EL15XP1-042-230	42000	15.5	12.5	37600	23600	8.2	CX35-49C	ML296UH110XV60C	205470256
EL15XP1-042-230	42000	15.5	13	37800	23600	8.2	CX35-49C	SL280UH080NV60C	202568445
EL15XP1-042-230	42000	15.5	13	38000	23600	8.2	CX35-49C	SL280UH090V60C	202568446
EL15XP1-042-230	42000	15.5	13	38000	23600	8.2	CX35-49C	SL280UH090XV60C	202568447
EL15XP1-042-230	42000	16	13	37800	23600	8.2	CX35-49C	SL280UH100NV60C	202568448
EL15XP1-042-230	42000	15.1	13	38000	23800	8.2	CX35-49C	SL280UH110V60C	202568449
EL15XP1-042-230	42000	15.1	13	38000	23800	8.2	CX35-49C	SL280UH110XV60C	202568450
EL15XP1-042-230	42000	15.5	13	38000	23800	8.2	CX35-49C	SL297UH080NV60C	202568451
EL15XP1-042-230	42000	15.5	13	38000	23800	8.2	CX35-49C	SLP98UH090XV48C	202568452

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-042-230	42000	15.1	13	38000	23800	8.2	CX35-49C	SLP98UH090XV60C	202568453
EL15XP1-042-230	42000	15.5	13	38000	23800	8.2	CX35-49C	SLP98UH110XV60C	202568454
EL15XP1-042-230	42000	15.5	13	38000	23800	8.2	CX35-49C	SLP99UH090XV48C	205545193
EL15XP1-042-230	42000	15.1	13	38000	23800	8.2	CX35-49C	SLP99UH090XV60C	205545195
EL15XP1-042-230	42000	15.5	13	38000	23800	8.2	CX35-49C	SLP99UH110XV60C	205545197
EL15XP1-048-230	48000	15.1	12.5	42000	26600	8.2	C35-49C	EL180UH100NE60C	202569845
EL15XP1-048-230	48000	14.5	12.5	42500	27000	8.2	C35-49C	EL195UH080NE48C	202569846
EL15XP1-048-230	48000	14.5	12.5	42500	27000	8.2	C35-49C	EL195UH100NE60C	202569848
EL15XP1-048-230	48000	15	12.5	42500	27000	8.2	C35-49C	EL196UH090XE48C	202569850
EL15XP1-048-230	48000	15.1	12.5	42500	26800	8.2	C35-49C	EL196UH110XE60C	202569851
EL15XP1-048-230	48000	15	12.5	42000	27000	8.4	C35-49C	EL280UH110E48C	204043629
EL15XP1-048-230	48000	15	12.5	41500	26800	8.4	C35-49C	EL280UH110E60C	204043630
EL15XP1-048-230	48000	15	12.5	42500	27000	8.2	C35-49C	EL296UH090XE48C	202569852
EL15XP1-048-230	48000	15	12.5	42500	27000	8.2	C35-49C	EL296UH090XV48C	202569853
EL15XP1-048-230	48000	15	12.5	42500	27000	8.2	C35-49C	EL296UH090XV60C	202569854
EL15XP1-048-230	48000	15.1	12.5	42500	26800	8.2	C35-49C	EL296UH110XE60C	202569855
EL15XP1-048-230	48000	15	12.5	42500	27000	8.2	C35-49C	EL296UH110XV48C	202569856
EL15XP1-048-230	48000	15	12.5	42500	27000	8.2	C35-49C	EL296UH110XV60C	202569857
EL15XP1-048-230	48000	15.1	12.5	42000	26800	8.2	C35-49C	ML180UH090E60C	202569858
EL15XP1-048-230	48000	15.1	12.5	42000	26600	8.2	C35-49C	ML180UH110E60C	202569859
EL15XP1-048-230	48000	15.1	12.5	42500	26800	8.2	C35-49C	ML180UH110V60C	204495703
EL15XP1-048-230	48000	14.5	12.5	42000	26800	8.2	C35-49C	ML193UH090XE48C	204043631
EL15XP1-048-230	48000	14.5	12.5	42000	27000	8.2	C35-49C	ML193UH110XE48C	204043632
EL15XP1-048-230	48000	14.5	12	42500	27200	8.4	C35-49C	ML193UH110XE60C	204043633
EL15XP1-048-230	48000	15	12.5	42500	27000	8.2	C35-49C	ML196UH090XE48C	204498000
EL15XP1-048-230	48000	15.1	12.5	42500	26800	8.2	C35-49C	ML196UH110XE60C	204498001
EL15XP1-048-230	48000	15	12.5	42500	27000	8.2	C35-49C	ML296UH090XV48C	205470257
EL15XP1-048-230	48000	15	12.5	42500	26800	8.2	C35-49C	ML296UH110XV60C	205470258
EL15XP1-048-230	48000	15.5	12.5	42000	26600	8.5	C35-49C	SL280UH080NV60C	202569860
EL15XP1-048-230	48000	15.1	12.5	42500	26800	8.2	C35-49C	SL280UH090V60C	202569861
EL15XP1-048-230	48000	15.1	12.5	42500	26800	8.2	C35-49C	SL280UH090XV60C	202569862
EL15XP1-048-230	48000	15.5	12.5	42500	26800	8.5	C35-49C	SL280UH100NV60C	202569863
EL15XP1-048-230	48000	15.1	12.5	42500	26800	8.2	C35-49C	SL280UH110V60C	202569864
EL15XP1-048-230	48000	15.1	12.5	42500	26800	8.2	C35-49C	SL280UH110XV60C	202569865
EL15XP1-048-230	48000	15	12.5	42500	27000	8.2	C35-49C	SL297UH080NV60C	202569866
EL15XP1-048-230	48000	15	12.5	42500	27000	8.2	C35-49C	SLP98UH090XV48C	202569867
EL15XP1-048-230	48000	15	12.5	42500	27000	8.2	C35-49C	SLP98UH090XV60C	202569868
EL15XP1-048-230	48000	15	12.5	42500	27000	8.2	C35-49C	SLP98UH110XV60C	202569869
EL15XP1-048-230	48000	15	12.5	42500	27000	8.2	C35-49C	SLP99UH090XV48C	205545200
EL15XP1-048-230	48000	15	12.5	42500	27000	8.2	C35-49C	SLP99UH090XV60C	205545201
EL15XP1-048-230	48000	15	12.5	42500	27000	8.2	C35-49C	SLP99UH110XV60C	205545203
EL15XP1-048-230	48000	14.5	12	43000	27400	8.2	C35-49C		202569837
EL15XP1-048-230	48000	15	12.5	44000	27000	8.2	C35-50/60C	EL180UH100NE60C	202569870
EL15XP1-048-230	48000	14.5	12.2	44500	27400	8.2	C35-50/60C	EL196UH090XE48C	202569873
EL15XP1-048-230	48000	14.5	12.2	44500	27400	8.2	C35-50/60C	EL196UH110XE60C	202569874
EL15XP1-048-230	47500	14.5	12	44000	27400	8.2	C35-50/60C	EL280UH110E48C	204043634
EL15XP1-048-230	47500	14.5	12	44000	27200	8.2	C35-50/60C	EL280UH110E60C	204043635
EL15XP1-048-230	48000	14.5	12.2	44500	27400	8.2	C35-50/60C	EL296UH090XE48C	202569875
EL15XP1-048-230	48000	14.5	12.2	44500	27600	8.2	C35-50/60C	EL296UH090XV48C	202569876
EL15XP1-048-230	48000	14.5	12.2	44500	27600	8.2	C35-50/60C	EL296UH090XV60C	202569877
EL15XP1-048-230	48000	14.5	12.2	44500	27200	8.2	C35-50/60C	EL296UH110XE60C	202569878
EL15XP1-048-230	48000	14.5	12.2	44500	27400	8.2	C35-50/60C	EL296UH110XV48C	202569879
EL15XP1-048-230	48000	14.5	12.2	44500	27600	8.2	C35-50/60C	EL296UH110XV60C	202569880
EL15XP1-048-230	48000	14.5	12.5	44500	27200	8.2	C35-50/60C	ML180UH090E60C	202569881
EL15XP1-048-230	48000	14.5	12.2	44500	27200	8.2	C35-50/60C	ML180UH110V60C	204495704
EL15XP1-048-230	47000	14.25	12	44000	27400	8.2	C35-50/60C	ML193UH110XE48C	204043636

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-048-230	47500	14.25	11.7	44500	27800	8.2	C35-50/60C	ML193UH110XE60C	204043637
EL15XP1-048-230	48000	14.5	12.2	44500	27400	8.2	C35-50/60C	ML196UH090XE48C	204498002
EL15XP1-048-230	48000	14.5	12.2	44500	27400	8.2	C35-50/60C	ML196UH110XE60C	204498003
EL15XP1-048-230	48000	14.5	12.2	44500	27600	8.2	C35-50/60C	ML296UH090XV48C	205470259
EL15XP1-048-230	48000	15.1	12.5	44500	27200	8.2	C35-50/60C	SL280UH080NV60C	202569882
EL15XP1-048-230	48000	14.5	12.2	44500	27400	8.2	C35-50/60C	SL280UH090V60C	202569883
EL15XP1-048-230	48000	14.5	12.2	44500	27400	8.2	C35-50/60C	SL280UH090XV60C	202569884
EL15XP1-048-230	48000	15	12.5	44500	27200	8.2	C35-50/60C	SL280UH100NV60C	202569885
EL15XP1-048-230	48000	14.5	12.2	44500	27400	8.2	C35-50/60C	SL280UH110V60C	202569886
EL15XP1-048-230	48000	14.5	12.2	44500	27400	8.2	C35-50/60C	SL280UH110XV60C	202569887
EL15XP1-048-230	48000	14.5	12.2	44500	27400	8.2	C35-50/60C	SL297UH080NV48C	202569888
EL15XP1-048-230	48000	14.5	12.2	44500	27400	8.2	C35-50/60C	SL297UH080NV60C	202569889
EL15XP1-048-230	48000	14.5	12.2	44500	27600	8.2	C35-50/60C	SLP98UH090XV48C	202569890
EL15XP1-048-230	48000	14.5	12.2	44500	27600	8.2	C35-50/60C	SLP98UH090XV60C	202569891
EL15XP1-048-230	48000	14.5	12.2	44500	27600	8.2	C35-50/60C	SLP98UH110XV60C	202569892
EL15XP1-048-230	48000	14.5	12.2	44500	27600	8.2	C35-50/60C	SLP99UH090XV48C	205545204
EL15XP1-048-230	48000	14.5	12.2	44500	27600	8.2	C35-50/60C	SLP99UH090XV60C	205545206
EL15XP1-048-230	48000	14.5	12.2	44500	27600	8.2	C35-50/60C	SLP99UH110XV60C	205545208
EL15XP1-048-230	48000	15.1	12.5	42500	26400	8.5	C35-60C	EL180UH100NE60C	202569893
EL15XP1-048-230	48000	15	12.5	42000	26000	8.2	C35-60C	EL195UH080NE48C	202569894
EL15XP1-048-230	48000	15.1	12.5	42000	26000	8.2	C35-60C	EL195UH100NE60C	202569896
EL15XP1-048-230	48000	15.1	12.5	42000	26000	8.5	C35-60C	EL196UH090XE48C	202569898
EL15XP1-048-230	48000	15.5	12.5	42000	26000	8.5	C35-60C	EL196UH110XE60C	202569899
EL15XP1-048-230	48000	15.1	12.5	41500	26000	8.4	C35-60C	EL280UH110E48C	204043638
EL15XP1-048-230	48000	15.1	12.5	41500	25800	8.5	C35-60C	EL280UH110E60C	204043639
EL15XP1-048-230	48000	15.1	12.5	42000	26000	8.2	C35-60C	EL296UH090XE48C	202569900
EL15XP1-048-230	48000	15.1	12.5	42000	26000	8.2	C35-60C	EL296UH090XV48C	202569901
EL15XP1-048-230	48000	15.1	12.5	42000	26000	8.2	C35-60C	EL296UH090XV60C	202569902
EL15XP1-048-230	48000	15.1	12.5	42000	26000	8.2	C35-60C	EL296UH110XE60C	202569903
EL15XP1-048-230	48000	15.1	12.5	42000	26000	8.2	C35-60C	EL296UH110XV48C	202569904
EL15XP1-048-230	48000	15.1	12.5	42500	26200	8.2	C35-60C	EL296UH110XV60C	202569905
EL15XP1-048-230	48000	15.5	12.5	42000	25800	8.5	C35-60C	ML180UH090E60C	202569906
EL15XP1-048-230	48000	15.1	12.5	42500	26400	8.5	C35-60C	ML180UH110E60C	202569907
EL15XP1-048-230	48000	15.5	12.5	42000	25800	8.5	C35-60C	ML180UH110V60C	204495705
EL15XP1-048-230	48000	15	12.5	41500	26000	8.4	C35-60C	ML193UH090XE48C	204043640
EL15XP1-048-230	48000	15	12.5	41500	26000	8.4	C35-60C	ML193UH110XE48C	204043641
EL15XP1-048-230	48000	15	12.5	42000	26400	8.4	C35-60C	ML193UH110XE60C	204043642
EL15XP1-048-230	48000	15.1	12.5	42000	26000	8.5	C35-60C	ML196UH090XE48C	204498004
EL15XP1-048-230	48000	15.5	12.5	42000	26000	8.5	C35-60C	ML196UH110XE60C	204498005
EL15XP1-048-230	48000	15.1	12.5	42000	26000	8.2	C35-60C	ML296UH090XV48C	205470260
EL15XP1-048-230	48000	15.1	12.5	42000	26200	8.2	C35-60C	ML296UH110XV60C	205470261
EL15XP1-048-230	48000	15.5	12.5	42000	25800	8.5	C35-60C	SL280UH080NV60C	202569908
EL15XP1-048-230	48000	15.5	12.5	42000	26000	8.5	C35-60C	SL280UH090V60C	202569909
EL15XP1-048-230	48000	15.5	12.5	42000	26000	8.5	C35-60C	SL280UH090XV60C	202569910
EL15XP1-048-230	48000	15.5	12.5	42000	25800	8.5	C35-60C	SL280UH100NV60C	202569911
EL15XP1-048-230	48000	15.5	12.5	42000	25800	8.5	C35-60C	SL280UH110V60C	202569912
EL15XP1-048-230	48000	15.5	12.5	42000	25800	8.5	C35-60C	SL280UH110XV60C	202569913
EL15XP1-048-230	48000	15.1	12.5	42000	26000	8.2	C35-60C	SL297UH080NV48C	202569914
EL15XP1-048-230	48000	15.1	12.5	42000	26000	8.2	C35-60C	SL297UH080NV60C	202569915
EL15XP1-048-230	48000	15.1	12.5	42000	26000	8.2	C35-60C	SLP98UH090XV48C	202569916
EL15XP1-048-230	48000	15.1	12.5	42000	26000	8.2	C35-60C	SLP98UH090XV60C	202569917
EL15XP1-048-230	48000	15.1	12.5	42500	26200	8.2	C35-60C	SLP98UH110XV60C	202569918
EL15XP1-048-230	48000	15.1	12.5	42000	26000	8.2	C35-60C	SLP99UH090XV48C	205545209
EL15XP1-048-230	48000	15.1	12.5	42000	26000	8.2	C35-60C	SLP99UH090XV60C	205545211
EL15XP1-048-230	48000	15.1	12.5	42500	26200	8.2	C35-60C	SLP99UH110XV60C	205545212
EL15XP1-048-230	48000	14.5	12	42500	26600	8.2	C35-60C		202569838

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-048-230	47500	14	12	46000	29000	8.2	CBA25UH-048-230		202569919
EL15XP1-048-230	48000	15.1	12.5	42000	27600	8.5	CBA25UH-060-230		202569920
EL15XP1-048-230	48000	14.5	12.2	46000	28600	8.2	CBA25UHV-048-230		202569921
EL15XP1-048-230	48000	15.1	12.5	42000	27800	8.5	CBA25UHV-060-230		202569922
EL15XP1-048-230	48000	15	12.5	47000	31200	9	CBA27UHE-048-230		202569923
EL15XP1-048-230	48000	15.5	12.5	46500	30600	9	CBA38MV-048-230		202569924
EL15XP1-048-230	47000	14	12	45500	30400	9	CBA38MV-060-230		205013642
EL15XP1-048-230	48000	14.5	12.2	44000	28400	8.2	CH35-48C	EL196UH110XE60C	202569925
EL15XP1-048-230	48000	14.5	12.2	44500	29000	8.2	CH35-48C	ML180UH110E60C	202569926
EL15XP1-048-230	48000	15	12.5	44000	28400	8.2	CH35-48C	ML180UH110V60C	204495706
EL15XP1-048-230	48000	14.5	12.2	44000	28400	8.2	CH35-48C	ML196UH110XE60C	204498006
EL15XP1-048-230	48000	15.1	12.5	44000	28400	8.2	CH35-48C	SL280UH080NV60C	202569927
EL15XP1-048-230	48000	14.5	12.5	44000	28600	8.2	CH35-48C	SL280UH090V60C	202569928
EL15XP1-048-230	48000	14.5	12.5	44000	28600	8.2	CH35-48C	SL280UH090XV60C	202569929
EL15XP1-048-230	48000	15	12.5	44000	28400	8.2	CH35-48C	SL280UH100NV60C	202569930
EL15XP1-048-230	48000	15.1	12.5	45000	29200	8.5	CH35-51C	EL180UH100NE60C	202569931
EL15XP1-048-230	48000	14.5	12.2	45000	29400	8.5	CH35-51C	EL195UH100NE60C	202569933
EL15XP1-048-230	48000	15	12.5	45000	29400	8.5	CH35-51C	EL196UH090XE48C	202569935
EL15XP1-048-230	48000	15	12.5	45000	29400	8.5	CH35-51C	EL196UH110XE60C	202569936
EL15XP1-048-230	48000	14.5	12.5	44500	29400	8.5	CH35-51C	EL280UH110E48C	204043643
EL15XP1-048-230	48000	15	12.5	44500	29200	8.8	CH35-51C	EL280UH110E60C	204043644
EL15XP1-048-230	48000	14.5	12.5	45000	29400	8.5	CH35-51C	EL296UH090XE48C	202569937
EL15XP1-048-230	48000	14.5	12.5	45000	29600	8.5	CH35-51C	EL296UH090XV48C	202569938
EL15XP1-048-230	48000	14.5	12.2	45500	29600	8.5	CH35-51C	EL296UH090XV60C	202569939
EL15XP1-048-230	48000	15	12.5	45000	29400	8.5	CH35-51C	EL296UH110XE60C	202569940
EL15XP1-048-230	48000	14.5	12.5	45000	29400	8.5	CH35-51C	EL296UH110XV48C	202569941
EL15XP1-048-230	48000	14.5	12.5	45000	29600	8.5	CH35-51C	EL296UH110XV60C	202569942
EL15XP1-048-230	48000	15	12.5	45000	29200	8.5	CH35-51C	ML180UH090E60C	202569943
EL15XP1-048-230	48000	14.5	12.5	45500	29800	8.5	CH35-51C	ML180UH110E60C	202569944
EL15XP1-048-230	48000	15	12.5	45000	29200	8.5	CH35-51C	ML180UH110V60C	204495707
EL15XP1-048-230	48000	14.5	12	44500	29400	8.5	CH35-51C	ML193UH090XE48C	204043645
EL15XP1-048-230	48000	14.5	12	44500	29400	8.5	CH35-51C	ML193UH110XE48C	204043646
EL15XP1-048-230	48000	14.5	12	45000	29800	8.5	CH35-51C	ML193UH110XE60C	204043647
EL15XP1-048-230	48000	15	12.5	45000	29400	8.5	CH35-51C	ML196UH090XE48C	204498007
EL15XP1-048-230	48000	15	12.5	45000	29400	8.5	CH35-51C	ML196UH110XE60C	204498008
EL15XP1-048-230	48000	14.5	12.5	45000	29600	8.5	CH35-51C	ML296UH090XV48C	205470262
EL15XP1-048-230	48000	14.5	12.5	45000	29400	8.5	CH35-51C	ML296UH110XV60C	205470263
EL15XP1-048-230	48000	15.1	12.5	45000	29200	8.5	CH35-51C	SL280UH080NV60C	202569945
EL15XP1-048-230	48000	15	12.5	45000	29400	8.5	CH35-51C	SL280UH090V60C	202569946
EL15XP1-048-230	48000	15	12.5	45000	29400	8.5	CH35-51C	SL280UH090XV60C	202569947
EL15XP1-048-230	48000	15.1	12.5	45000	29200	8.5	CH35-51C	SL280UH100NV60C	202569948
EL15XP1-048-230	48000	15	12.5	45000	29400	8.5	CH35-51C	SL280UH110V60C	202569949
EL15XP1-048-230	48000	15	12.5	45000	29400	8.5	CH35-51C	SL280UH110XV60C	202569950
EL15XP1-048-230	48000	14.5	12.5	45000	29600	8.5	CH35-51C	SL297UH080NV48C	202569951
EL15XP1-048-230	48000	15	12.5	45000	29400	8.5	CH35-51C	SL297UH080NV60C	202569952
EL15XP1-048-230	48000	14.5	12.5	45000	29600	8.5	CH35-51C	SLP98UH090XV48C	202569953
EL15XP1-048-230	48000	14.5	12.2	45500	29600	8.5	CH35-51C	SLP98UH090XV60C	202569954
EL15XP1-048-230	48000	14.5	12.5	45500	29600	8.5	CH35-51C	SLP98UH110XV60C	202569955
EL15XP1-048-230	48000	14.5	12.5	45000	29600	8.5	CH35-51C	SLP99UH090XV48C	205545214
EL15XP1-048-230	48000	14.5	12.2	45500	29600	8.5	CH35-51C	SLP99UH090XV60C	205545216
EL15XP1-048-230	48000	14.5	12.5	45500	29600	8.5	CH35-51C	SLP99UH110XV60C	205545218
EL15XP1-048-230	48000	14.25	12	45500	30000	8.2	CH35-51C		202569839
EL15XP1-048-230	48000	14.5	12.5	42000	26600	8.2	CH35-60D	EL296UH135XE60D	202569958
EL15XP1-048-230	48000	15	12.5	42000	26600	8.2	CH35-60D	EL296UH135XV60D	202569959
EL15XP1-048-230	48000	15.1	12.5	41500	26400	8.2	CH35-60D	ML180UH135E60D	202569960
EL15XP1-048-230	48000	15	12.5	41500	26400	8.2	CH35-60D	SL280UH135V60D	202569961

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-048-230	48000	15	12.5	41500	26600	8.2	CH35-60D	SLP98UH135XV60D	202569962
EL15XP1-048-230	48000	15	12.5	41500	26600	8.2	CH35-60D	SLP99UH135XV60D	205545220
EL15XP1-048-230	48000	14.5	12.2	44000	28400	8.2	CHX35-48C	EL196UH110XE60C	202569963
EL15XP1-048-230	48000	14.5	12.2	44500	29000	8.2	CHX35-48C	ML180UH110E60C	202569964
EL15XP1-048-230	48000	15	12.5	44000	28400	8.2	CHX35-48C	ML180UH110V60C	204495708
EL15XP1-048-230	48000	14.5	12.2	44000	28400	8.2	CHX35-48C	ML196UH110XE60C	204498009
EL15XP1-048-230	48000	15.1	12.5	44000	28400	8.2	CHX35-48C	SL280UH080NV60C	202569965
EL15XP1-048-230	48000	14.5	12.5	44000	28600	8.2	CHX35-48C	SL280UH090V60C	202569966
EL15XP1-048-230	48000	14.5	12.5	44000	28600	8.2	CHX35-48C	SL280UH090XV60C	202569967
EL15XP1-048-230	48000	15	12.5	44000	28400	8.2	CHX35-48C	SL280UH100NV60C	202569968
EL15XP1-048-230	48000	15.1	12.5	45000	29200	8.5	CHX35-51/61C	EL180UH100NE60C	202569969
EL15XP1-048-230	48000	14.5	12.2	45000	29400	8.5	CHX35-51/61C	EL195UH100NE60C	202569971
EL15XP1-048-230	48000	15	12.5	45000	29400	8.5	CHX35-51/61C	EL196UH090XE48C	202569973
EL15XP1-048-230	48000	15	12.5	45000	29400	8.5	CHX35-51/61C	EL196UH110XE60C	202569974
EL15XP1-048-230	48000	14.5	12.5	44500	29400	8.5	CHX35-51/61C	EL280UH110E48C	204043648
EL15XP1-048-230	48000	15	12.5	44500	29200	8.8	CHX35-51/61C	EL280UH110E60C	204043649
EL15XP1-048-230	48000	14.5	12.5	45000	29400	8.5	CHX35-51/61C	EL296UH090XE48C	202569975
EL15XP1-048-230	48000	14.5	12.5	45000	29600	8.5	CHX35-51/61C	EL296UH090XV48C	202569976
EL15XP1-048-230	48000	14.5	12.2	45500	29600	8.5	CHX35-51/61C	EL296UH090XV60C	202569977
EL15XP1-048-230	48000	15	12.5	45000	29400	8.5	CHX35-51/61C	EL296UH110XE60C	202569978
EL15XP1-048-230	48000	14.5	12.5	45000	29400	8.5	CHX35-51/61C	EL296UH110XV48C	202569979
EL15XP1-048-230	48000	14.5	12.5	45500	29600	8.5	CHX35-51/61C	EL296UH110XV60C	202569980
EL15XP1-048-230	48000	15	12.5	45000	29200	8.5	CHX35-51/61C	ML180UH090E60C	202569981
EL15XP1-048-230	48000	14.5	12.2	45500	29800	8.5	CHX35-51/61C	ML180UH110E60C	202569982
EL15XP1-048-230	48000	15	12.5	45000	29200	8.5	CHX35-51/61C	ML180UH110V60C	204495709
EL15XP1-048-230	48000	14.5	12	44500	29400	8.5	CHX35-51/61C	ML193UH090XE48C	204043650
EL15XP1-048-230	48000	14.5	12	44500	29400	8.5	CHX35-51/61C	ML193UH110XE48C	204043651
EL15XP1-048-230	48000	14.5	12	45000	29800	8.5	CHX35-51/61C	ML193UH110XE60C	204043652
EL15XP1-048-230	48000	15	12.5	45000	29400	8.5	CHX35-51/61C	ML196UH090XE48C	204498010
EL15XP1-048-230	48000	15	12.5	45000	29400	8.5	CHX35-51/61C	ML196UH110XE60C	204498011
EL15XP1-048-230	48000	14.5	12.5	45000	29600	8.5	CHX35-51/61C	ML296UH090XV48C	205470264
EL15XP1-048-230	48000	14.5	12.5	45000	29400	8.5	CHX35-51/61C	ML296UH110XV60C	205470265
EL15XP1-048-230	48000	15.1	12.5	45000	29200	8.5	CHX35-51/61C	SL280UH080NV60C	202569983
EL15XP1-048-230	48000	15	12.5	45000	29400	8.5	CHX35-51/61C	SL280UH090V60C	202569984
EL15XP1-048-230	48000	15	12.5	45000	29400	8.5	CHX35-51/61C	SL280UH090XV60C	202569985
EL15XP1-048-230	48000	15.1	12.5	45000	29200	8.5	CHX35-51/61C	SL280UH100NV60C	202569986
EL15XP1-048-230	48000	15	12.5	45000	29400	8.5	CHX35-51/61C	SL280UH110V60C	202569987
EL15XP1-048-230	48000	15	12.5	45000	29400	8.5	CHX35-51/61C	SL280UH110XV60C	202569989
EL15XP1-048-230	48000	14.5	12.5	45000	29600	8.5	CHX35-51/61C	SL297UH080NV48C	202569990
EL15XP1-048-230	48000	15	12.5	45000	29400	8.5	CHX35-51/61C	SL297UH080NV60C	202569991
EL15XP1-048-230	48000	14.5	12.5	45000	29600	8.5	CHX35-51/61C	SLP98UH090XV48C	202569992
EL15XP1-048-230	48000	14.5	12.2	45500	29600	8.5	CHX35-51/61C	SLP98UH090XV60C	202569993
EL15XP1-048-230	48000	14.5	12.5	45500	29600	8.5	CHX35-51/61C	SLP98UH110XV60C	202569994
EL15XP1-048-230	48000	14.5	12.5	45000	29600	8.5	CHX35-51/61C	SLP99UH090XV48C	205545222
EL15XP1-048-230	48000	14.5	12.2	45500	29600	8.5	CHX35-51/61C	SLP99UH090XV60C	205545224
EL15XP1-048-230	48000	14.5	12.5	45500	29600	8.5	CHX35-51/61C	SLP99UH110XV60C	205545226
EL15XP1-048-230	48000	14.25	12	45500	30000	8.2	CHX35-51/61C		202569840
EL15XP1-048-230	48000	14.5	12.5	42000	26600	8.2	CHX35-60D	EL296UH135XE60D	202569997
EL15XP1-048-230	48000	15	12.5	42000	26600	8.2	CHX35-60D	EL296UH135XV60D	202569998
EL15XP1-048-230	48000	15.1	12.5	41500	26400	8.2	CHX35-60D	ML180UH135E60D	202569999
EL15XP1-048-230	48000	15	12.5	41500	26400	8.2	CHX35-60D	SL280UH135V60D	202570000
EL15XP1-048-230	48000	15	12.5	41500	26600	8.2	CHX35-60D	SLP98UH135XV60D	202570001
EL15XP1-048-230	48000	15	12.5	41500	26600	8.2	CHX35-60D	SLP99UH135XV60D	205545228
EL15XP1-048-230	48000	14.5	12.2	44000	28800	8.5	CR33-50/60	EL296DF090XE48C	202570004
EL15XP1-048-230	48000	14.5	12.2	44000	28800	8.5	CR33-50/60	EL296DF090XV60C	202570005
EL15XP1-048-230	48000	14.5	12.5	44000	28600	8.5	CR33-50/60	EL296DF110XE60C	202570006

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-048-230	48000	14.5	12.2	44000	28800	8.5	CR33-50/60	EL296DF110XV60C	202570007
EL15XP1-048-230	48000	15	12.5	44000	28600	9	CR33-50/60	ML180DF110E60C	202570008
EL15XP1-048-230	47500	14.25	12	43500	28800	9	CR33-50/60	ML193DF090XE48C	204043653
EL15XP1-048-230	48000	14.5	12.2	44000	28800	8.5	CR33-50/60	ML296DF090XV60C	205470266
EL15XP1-048-230	48000	15	12.5	44000	28600	9	CR33-50/60	SL280DF090V60C	202570009
EL15XP1-048-230	48000	15	12.5	44000	28600	9	CR33-50/60	SL280DF110V60C	202570010
EL15XP1-048-230	48000	14.25	12	44500	29000	8.5	CR33-50/60	SLP98DF090XV48C	202570011
EL15XP1-048-230	48000	14.5	12.2	44000	28800	8.5	CR33-50/60	SLP98DF090XV60C	202570012
EL15XP1-048-230	48000	14.5	12.2	44000	28800	8.5	CR33-50/60	SLP98DF110XV60C	202570013
EL15XP1-048-230	48000	14.25	12	44500	29000	8.5	CR33-50/60	SLP99DF090XV48C	205545229
EL15XP1-048-230	48000	14.5	12.2	44000	28800	8.5	CR33-50/60	SLP99DF090XV60C	205545230
EL15XP1-048-230	48000	14.5	12.2	44000	28800	8.5	CR33-50/60	SLP99DF110XV60C	205545231
EL15XP1-048-230	48000	14	11.5	44500	29200	8.2	CR33-50/60		202569841
EL15XP1-048-230	48000	14.25	12	47500	32400	9	CR33-60	EL296DF090XV60C	202570015
EL15XP1-048-230	48000	14.5	12.2	47500	32000	9	CR33-60	EL296DF110XE60C	202570016
EL15XP1-048-230	48000	14.25	12	47500	32400	9	CR33-60	EL296DF110XV60C	202570017
EL15XP1-048-230	48000	14.5	12.5	47500	32000	9	CR33-60	ML180DF110E60C	202570018
EL15XP1-048-230	48000	14.25	12	47500	32400	9	CR33-60	ML296DF090XV60C	205470267
EL15XP1-048-230	48000	14.5	12.2	47500	32200	9	CR33-60	SL280DF090V60C	202570019
EL15XP1-048-230	48000	14.5	12.5	47500	32000	9	CR33-60	SL280DF110V60C	202570020
EL15XP1-048-230	48000	14.25	12	47500	32400	9	CR33-60	SLP98DF090XV60C	202570021
EL15XP1-048-230	48000	14.25	12	47500	32400	9	CR33-60	SLP98DF110XV60C	202570022
EL15XP1-048-230	48000	14.25	12	47500	32400	9	CR33-60	SLP99DF090XV60C	205545233
EL15XP1-048-230	48000	14.25	12	47500	32400	9	CR33-60	SLP99DF110XV60C	205545234
EL15XP1-048-230	48000	14	11.5	48000	32800	8.2	CR33-60		202569842
EL15XP1-048-230	48000	15.1	12.5	42000	26600	8.2	CX35-49C	EL180UH100NE60C	202570023
EL15XP1-048-230	48000	14.5	12.5	42500	27000	8.2	CX35-49C	EL195UH080NE48C	202570024
EL15XP1-048-230	48000	14.5	12.5	42500	27000	8.2	CX35-49C	EL195UH100NE60C	202570026
EL15XP1-048-230	48000	15	12.5	42500	27000	8.2	CX35-49C	EL196UH090XE48C	202570028
EL15XP1-048-230	48000	15.1	12.5	42500	26800	8.2	CX35-49C	EL196UH110XE60C	202570029
EL15XP1-048-230	48000	15	12.5	42000	27000	8.4	CX35-49C	EL280UH110E48C	204043654
EL15XP1-048-230	48000	15	12.5	41500	26800	8.4	CX35-49C	EL280UH110E60C	204043655
EL15XP1-048-230	48000	15	12.5	42500	27000	8.2	CX35-49C	EL296UH090XE48C	202570030
EL15XP1-048-230	48000	15	12.5	42500	27000	8.2	CX35-49C	EL296UH090XV48C	202570031
EL15XP1-048-230	48000	15	12.5	42500	27000	8.2	CX35-49C	EL296UH090XV60C	202570032
EL15XP1-048-230	48000	15.1	12.5	42500	26800	8.2	CX35-49C	EL296UH110XE60C	202570033
EL15XP1-048-230	48000	15	12.5	42500	27000	8.2	CX35-49C	EL296UH110XV48C	202570034
EL15XP1-048-230	48000	15	12.5	42500	27000	8.2	CX35-49C	EL296UH110XV60C	202570035
EL15XP1-048-230	48000	15.1	12.5	42000	26800	8.2	CX35-49C	ML180UH090E60C	202570036
EL15XP1-048-230	48000	15.1	12.5	42000	26600	8.2	CX35-49C	ML180UH110E60C	202570037
EL15XP1-048-230	48000	15.1	12.5	42500	26800	8.2	CX35-49C	ML180UH110V60C	204495710
EL15XP1-048-230	48000	14.5	12.5	42000	26800	8.2	CX35-49C	ML193UH090XE48C	204043656
EL15XP1-048-230	48000	14.5	12.5	42000	27000	8.2	CX35-49C	ML193UH110XE48C	204043657
EL15XP1-048-230	48000	14.5	12	42500	27200	8.4	CX35-49C	ML193UH110XE60C	204043658
EL15XP1-048-230	48000	15	12.5	42500	27000	8.2	CX35-49C	ML196UH090XE48C	204498012
EL15XP1-048-230	48000	15.1	12.5	42500	26800	8.2	CX35-49C	ML196UH110XE60C	204498013
EL15XP1-048-230	48000	15	12.5	42500	27000	8.2	CX35-49C	ML296UH090XV48C	205470268
EL15XP1-048-230	48000	15	12.5	42500	26800	8.2	CX35-49C	ML296UH110XV60C	205470269
EL15XP1-048-230	48000	15.5	12.5	42000	26600	8.5	CX35-49C	SL280UH080NV60C	202570038
EL15XP1-048-230	48000	15.1	12.5	42500	26800	8.2	CX35-49C	SL280UH090V60C	202570039
EL15XP1-048-230	48000	15.1	12.5	42500	26800	8.2	CX35-49C	SL280UH090XV60C	202570040
EL15XP1-048-230	48000	15.5	12.5	42500	26800	8.5	CX35-49C	SL280UH100NV60C	202570041
EL15XP1-048-230	48000	15.1	12.5	42500	26800	8.2	CX35-49C	SL280UH110V60C	202570042
EL15XP1-048-230	48000	15.1	12.5	42500	26800	8.2	CX35-49C	SL280UH110XV60C	202570043
EL15XP1-048-230	48000	15	12.5	42500	27000	8.2	CX35-49C	SL297UH080NV60C	202570044
EL15XP1-048-230	48000	15	12.5	42500	27000	8.2	CX35-49C	SLP98UH090XV48C	202570045

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-048-230	48000	15	12.5	42500	27000	8.2	CX35-49C	SLP98UH090XV60C	202570046
EL15XP1-048-230	48000	15	12.5	42500	27000	8.2	CX35-49C	SLP98UH110XV60C	202570047
EL15XP1-048-230	48000	15	12.5	42500	27000	8.2	CX35-49C	SLP99UH090XV48C	205545236
EL15XP1-048-230	48000	15	12.5	42500	27000	8.2	CX35-49C	SLP99UH090XV60C	205545237
EL15XP1-048-230	48000	15	12.5	42500	27000	8.2	CX35-49C	SLP99UH110XV60C	205545239
EL15XP1-048-230	48000	14.5	12	43000	27400	8.2	CX35-49C		202569843
EL15XP1-048-230	48000	15	12.5	44000	27000	8.2	CX35-50/60C	EL180UH100NE60C	202570048
EL15XP1-048-230	48000	14.5	12.2	44500	27400	8.2	CX35-50/60C	EL196UH090XE48C	202570051
EL15XP1-048-230	48000	14.5	12.2	44500	27400	8.2	CX35-50/60C	EL196UH110XE60C	202570052
EL15XP1-048-230	47500	14.5	12	44000	27400	8.2	CX35-50/60C	EL280UH110E48C	204043659
EL15XP1-048-230	47500	14.5	12	44000	27200	8.2	CX35-50/60C	EL280UH110E60C	204043660
EL15XP1-048-230	48000	14.5	12.2	44500	27400	8.2	CX35-50/60C	EL296UH090XE48C	202570053
EL15XP1-048-230	48000	14.5	12.2	44500	27600	8.2	CX35-50/60C	EL296UH090XV48C	202570054
EL15XP1-048-230	48000	14.5	12.2	44500	27600	8.2	CX35-50/60C	EL296UH090XV60C	202570055
EL15XP1-048-230	48000	14.5	12.2	44500	27200	8.2	CX35-50/60C	EL296UH110XE60C	202570056
EL15XP1-048-230	48000	14.5	12.2	44500	27400	8.2	CX35-50/60C	EL296UH110XV48C	202570057
EL15XP1-048-230	48000	14.5	12.2	44500	27600	8.2	CX35-50/60C	EL296UH110XV60C	202570058
EL15XP1-048-230	48000	14.5	12.5	44500	27200	8.2	CX35-50/60C	ML180UH090E60C	202570059
EL15XP1-048-230	47000	14.25	12	44000	27400	8.2	CX35-50/60C	ML193UH110XE48C	204043661
EL15XP1-048-230	47500	14.25	11.7	44500	27800	8.2	CX35-50/60C	ML193UH110XE60C	204043662
EL15XP1-048-230	48000	14.5	12.2	44500	27400	8.2	CX35-50/60C	ML196UH090XE48C	204498014
EL15XP1-048-230	48000	14.5	12.2	44500	27400	8.2	CX35-50/60C	ML196UH110XE60C	204498015
EL15XP1-048-230	48000	14.5	12.2	44500	27600	8.2	CX35-50/60C	ML296UH090XV48C	205470270
EL15XP1-048-230	48000	15.1	12.5	44500	27200	8.2	CX35-50/60C	SL280UH080NV60C	202570060
EL15XP1-048-230	48000	14.5	12.2	44500	27400	8.2	CX35-50/60C	SL280UH090V60C	202570061
EL15XP1-048-230	48000	14.5	12.2	44500	27400	8.2	CX35-50/60C	SL280UH090XV60C	202570062
EL15XP1-048-230	48000	15	12.5	44500	27200	8.2	CX35-50/60C	SL280UH100NV60C	202570063
EL15XP1-048-230	48000	14.5	12.2	44500	27400	8.2	CX35-50/60C	SL280UH110V60C	202570064
EL15XP1-048-230	48000	14.5	12.2	44500	27400	8.2	CX35-50/60C	SL280UH110XV60C	202570065
EL15XP1-048-230	48000	14.5	12.2	44500	27400	8.2	CX35-50/60C	SL297UH080NV48C	202570066
EL15XP1-048-230	48000	14.5	12.2	44500	27400	8.2	CX35-50/60C	SL297UH080NV60C	202570067
EL15XP1-048-230	48000	14.5	12.2	44500	27600	8.2	CX35-50/60C	SLP98UH090XV48C	202570068
EL15XP1-048-230	48000	14.5	12.2	44500	27600	8.2	CX35-50/60C	SLP98UH090XV60C	202570069
EL15XP1-048-230	48000	14.5	12.2	44500	27600	8.2	CX35-50/60C	SLP98UH110XV60C	202570070
EL15XP1-048-230	48000	14.5	12.2	44500	27600	8.2	CX35-50/60C	SLP99UH090XV48C	205545240
EL15XP1-048-230	48000	14.5	12.2	44500	27600	8.2	CX35-50/60C	SLP99UH090XV60C	205545241
EL15XP1-048-230	48000	14.5	12.2	44500	27600	8.2	CX35-50/60C	SLP99UH110XV60C	205545243
EL15XP1-048-230	48000	15.5	12.5	41500	25600	8.5	CX35-60C	EL180UH100NE60C	202570071
EL15XP1-048-230	48000	15	12.5	42000	26000	8.2	CX35-60C	EL195UH080NE48C	202570072
EL15XP1-048-230	48000	15.1	12.5	42000	26000	8.2	CX35-60C	EL195UH100NE60C	202570074
EL15XP1-048-230	48000	15.1	12.5	42000	26000	8.5	CX35-60C	EL196UH090XE48C	202570076
EL15XP1-048-230	48000	15.5	12.5	42000	26000	8.5	CX35-60C	EL196UH110XE60C	202570077
EL15XP1-048-230	48000	15.1	12.5	41500	26000	8.4	CX35-60C	EL280UH110E48C	204043663
EL15XP1-048-230	48000	15.1	12.5	41500	25800	8.5	CX35-60C	EL280UH110E60C	204043664
EL15XP1-048-230	48000	15.1	12.5	42000	26000	8.2	CX35-60C	EL296UH090XE48C	202570078
EL15XP1-048-230	48000	15.1	12.5	42000	26000	8.2	CX35-60C	EL296UH090XV48C	202570079
EL15XP1-048-230	48000	15.1	12.5	42000	26000	8.2	CX35-60C	EL296UH090XV60C	202570080
EL15XP1-048-230	48000	15.1	12.5	42000	26000	8.2	CX35-60C	EL296UH110XE60C	202570081
EL15XP1-048-230	48000	15.1	12.5	42000	26000	8.2	CX35-60C	EL296UH110XV48C	202570082
EL15XP1-048-230	48000	15.1	12.5	42500	26200	8.2	CX35-60C	EL296UH110XV60C	202570083
EL15XP1-048-230	48000	15.5	12.5	42000	25800	8.5	CX35-60C	ML180UH090E60C	202570084
EL15XP1-048-230	48000	15.1	12.5	42500	26400	8.5	CX35-60C	ML180UH110E60C	202570085
EL15XP1-048-230	48000	15.5	12.5	42000	25800	8.5	CX35-60C	ML180UH110V60C	204495711
EL15XP1-048-230	48000	15	12.5	41500	26000	8.4	CX35-60C	ML193UH090XE48C	204043665
EL15XP1-048-230	48000	15	12.5	41500	26000	8.4	CX35-60C	ML193UH110XE48C	204043666
EL15XP1-048-230	48000	15	12.5	42000	26400	8.4	CX35-60C	ML193UH110XE60C	204043667

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-048-230	48000	15.1	12.5	42000	26000	8.5	CX35-60C	ML196UH090XE48C	204498016
EL15XP1-048-230	48000	15.5	12.5	42000	26000	8.5	CX35-60C	ML196UH110XE60C	204498017
EL15XP1-048-230	48000	15.1	12.5	42000	26000	8.2	CX35-60C	ML296UH090XV48C	205470271
EL15XP1-048-230	48000	15.1	12.5	42000	26200	8.2	CX35-60C	ML296UH110XV60C	205470272
EL15XP1-048-230	48000	15.5	12.5	42000	25800	8.5	CX35-60C	SL280UH080NV60C	202570086
EL15XP1-048-230	48000	15.5	12.5	42000	26000	8.5	CX35-60C	SL280UH090V60C	202570087
EL15XP1-048-230	48000	15.5	12.5	42000	26000	8.5	CX35-60C	SL280UH090XV60C	202570088
EL15XP1-048-230	48000	15.5	12.5	42000	25800	8.5	CX35-60C	SL280UH100NV60C	202570089
EL15XP1-048-230	48000	15.5	12.5	42000	25800	8.5	CX35-60C	SL280UH110V60C	202570090
EL15XP1-048-230	48000	15.5	12.5	42000	25800	8.5	CX35-60C	SL280UH110XV60C	202570091
EL15XP1-048-230	48000	15.1	12.5	42000	26000	8.2	CX35-60C	SL297UH080NV48C	202570092
EL15XP1-048-230	48000	15.1	12.5	42000	26000	8.2	CX35-60C	SL297UH080NV60C	202570093
EL15XP1-048-230	48000	15.1	12.5	42000	26000	8.2	CX35-60C	SLP98UH090XV48C	202570094
EL15XP1-048-230	48000	15.1	12.5	42000	26000	8.2	CX35-60C	SLP98UH090XV60C	202570095
EL15XP1-048-230	48000	15.1	12.5	42500	26200	8.2	CX35-60C	SLP98UH110XV60C	202570096
EL15XP1-048-230	48000	15.1	12.5	42000	26000	8.2	CX35-60C	SLP99UH090XV48C	205545244
EL15XP1-048-230	48000	15.1	12.5	42000	26000	8.2	CX35-60C	SLP99UH090XV60C	205545245
EL15XP1-048-230	48000	15.1	12.5	42500	26200	8.2	CX35-60C	SLP99UH110XV60C	205545247
EL15XP1-048-230	48000	14.5	12	42500	26600	8.2	CX35-60C		202569844
EL15XP1-060-230	57000	14.25	12.2	56500	36400	8.5	C35-49C	EL180UH100NE60C	202573043
EL15XP1-060-230	56500	14	11.5	57000	36600	8.2	C35-49C	EL195UH100NE60C	202573044
EL15XP1-060-230	56000	14.25	12.2	56000	36000	8.2	C35-49C	EL196UH110XE60C	202573046
EL15XP1-060-230	56500	14	11.7	56500	36400	8.5	C35-49C	EL280UH110E60C	204043668
EL15XP1-060-230	56500	14	12	56500	36400	8.2	C35-49C	EL296UH090XV60C	202573047
EL15XP1-060-230	56500	14	12	56500	36400	8.2	C35-49C	EL296UH110XE60C	202573048
EL15XP1-060-230	57000	14	12	57000	36600	8.2	C35-49C	EL296UH110XV60C	202573049
EL15XP1-060-230	57000	14.25	12.2	56500	36400	8.5	C35-49C	ML180UH090E60C	202573050
EL15XP1-060-230	57000	14.25	12	56500	36400	8.5	C35-49C	ML180UH110E60C	202573051
EL15XP1-060-230	57500	14	12	56500	36200	8.5	C35-49C	ML180UH110V60C	204495712
EL15XP1-060-230	56000	14.25	12.2	56000	36000	8.2	C35-49C	ML196UH110XE60C	204498018
EL15XP1-060-230	57500	14.5	12.2	57000	36400	8.5	C35-49C	SL280UH080NV60C	202573052
EL15XP1-060-230	57500	14.25	12	57000	36600	8.5	C35-49C	SL280UH090V60C	202573053
EL15XP1-060-230	57500	14.25	12	57000	36600	8.5	C35-49C	SL280UH090XV60C	202573054
EL15XP1-060-230	57500	14.5	12.2	57000	36400	8.5	C35-49C	SL280UH100NV60C	202573055
EL15XP1-060-230	57500	14	12	57500	36800	8.5	C35-49C	SL280UH110V60C	202573056
EL15XP1-060-230	57500	14	12	57500	36800	8.5	C35-49C	SL280UH110XV60C	202573057
EL15XP1-060-230	57500	14	12	57000	36800	8.5	C35-49C	SL297UH080NV60C	202573058
EL15XP1-060-230	56500	14	12	56500	36400	8.2	C35-49C	SLP98UH090XV60C	202573059
EL15XP1-060-230	57000	14	12	57000	36600	8.2	C35-49C	SLP98UH110XV60C	202573060
EL15XP1-060-230	56500	14	12	56500	36400	8.2	C35-49C	SLP99UH090XV60C	205545294
EL15XP1-060-230	57000	14	12	57000	36600	8.2	C35-49C	SLP99UH110XV60C	205545296
EL15XP1-060-230	58000	14.5	12.2	58000	36800	8.5	C35-60C	EL180UH100NE60C	202573061
EL15XP1-060-230	57500	14.25	12	58000	37000	8.5	C35-60C	EL195UH100NE60C	202573062
EL15XP1-060-230	58000	14.5	12.2	58000	36800	8.5	C35-60C	EL196UH110XE60C	202573064
EL15XP1-060-230	58000	14.25	12	58000	36800	8.8	C35-60C	EL280UH110E60C	204043669
EL15XP1-060-230	57500	14.25	12.2	58000	36800	8.5	C35-60C	EL296UH090XV60C	202573065
EL15XP1-060-230	58000	14.5	12.2	58000	36800	8.5	C35-60C	EL296UH110XE60C	202573066
EL15XP1-060-230	58000	14.25	12	58500	37200	8.5	C35-60C	EL296UH110XV60C	202573067
EL15XP1-060-230	58000	14.5	12.2	58000	36800	8.5	C35-60C	ML180UH090E60C	202573068
EL15XP1-060-230	58000	14.5	12.2	58000	36800	8.5	C35-60C	ML180UH110E60C	202573069
EL15XP1-060-230	58500	14.25	12.2	58000	36600	8.5	C35-60C	ML180UH110V60C	204495713
EL15XP1-060-230	58500	14	11.7	59000	37600	8.8	C35-60C	ML193UH110XE60C	204043670
EL15XP1-060-230	58000	14.5	12.2	58000	36800	8.5	C35-60C	ML196UH110XE60C	204498019
EL15XP1-060-230	58000	14.25	12	58000	37000	8.8	C35-60C	ML296UH110XV60C	205470273
EL15XP1-060-230	58500	14.5	12.5	58000	36800	8.5	C35-60C	SL280UH080NV60C	202573070
EL15XP1-060-230	58500	14.5	12.2	58500	37000	8.5	C35-60C	SL280UH090V60C	202573071

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-060-230	58500	14.5	12.2	58500	37000	8.5	C35-60C	SL280UH090XV60C	202573072
EL15XP1-060-230	58500	14.5	12.5	58000	36800	8.5	C35-60C	SL280UH100NV60C	202573073
EL15XP1-060-230	58500	14.25	12.2	58500	37200	8.5	C35-60C	SL280UH110V60C	202573074
EL15XP1-060-230	58500	14.25	12.2	58500	37200	8.5	C35-60C	SL280UH110XV60C	202573075
EL15XP1-060-230	58500	14.25	12.2	58500	37200	8.5	C35-60C	SL297UH080NV60C	202573076
EL15XP1-060-230	57500	14.25	12.2	58000	36800	8.5	C35-60C	SLP98UH090XV60C	202573077
EL15XP1-060-230	58000	14.25	12	58500	37200	8.5	C35-60C	SLP98UH110XV60C	202573078
EL15XP1-060-230	57500	14.25	12.2	58000	36800	8.5	C35-60C	SLP99UH090XV60C	205545298
EL15XP1-060-230	58000	14.25	12	58500	37200	8.5	C35-60C	SLP99UH110XV60C	205545299
EL15XP1-060-230	58000	14	12	58500	37400	8.2	C35-60C		202573039
EL15XP1-060-230	57000	14	12	57000	39000	8.5	C35-60D	EL296UH135XV60D	204031841
EL15XP1-060-230	57000	14	12	57000	38500	8.5	C35-60D	ML180UH135E60D	204031842
EL15XP1-060-230	57500	14.25	12.2	57000	38500	8.5	C35-60D	SL280UH135V60D	204031843
EL15XP1-060-230	56500	14	12	57000	38500	8.5	C35-60D	SLP98UH135XV60D	204031844
EL15XP1-060-230	56500	14	12	57000	38500	8.5	C35-60D	SLP99UH135XV60D	205545883
EL15XP1-060-230	56500	14	12	54500	35400	8.2	CBA25UH-060-230		202573079
EL15XP1-060-230	56500	14	12	55000	35800	8.2	CBA25UHV-060-230		202573080
EL15XP1-060-230	57000	15	12.5	54500	35800	9	CBA27UHE-060-230		202573081
EL15XP1-060-230	57000	14.5	12.2	58500	40000	9	CBA38MV-048-230		202573082
EL15XP1-060-230	57000	15	12.5	54500	36000	9	CBA38MV-060-230		202573083
EL15XP1-060-230	56500	14	11.7	58000	37200	8.2	CH35-48C	ML180UH110V60C	204495714
EL15XP1-060-230	56500	14	12	58000	37200	8.2	CH35-48C	SL280UH080NV60C	202573084
EL15XP1-060-230	56000	14	11.5	58000	37200	8.2	CH35-48C	SL280UH100NV60C	202573085
EL15XP1-060-230	58000	14.5	12.2	58000	37000	8.5	CH35-51C	EL180UH100NE60C	202573086
EL15XP1-060-230	57500	14	12	58000	37200	8.2	CH35-51C	EL195UH100NE60C	202573087
EL15XP1-060-230	58000	14.25	12.2	58000	37000	8.5	CH35-51C	EL196UH110XE60C	202573089
EL15XP1-060-230	59000	14	11.7	59000	37800	8.5	CH35-51C	EL280UH110E60C	204043672
EL15XP1-060-230	57500	14	12	58000	37000	8.2	CH35-51C	EL296UH090XV60C	202573090
EL15XP1-060-230	57500	14.25	12.2	58000	37000	8.2	CH35-51C	EL296UH110XE60C	202573091
EL15XP1-060-230	58000	14.25	12	58500	37200	8.2	CH35-51C	EL296UH110XV60C	202573092
EL15XP1-060-230	58000	14.5	12.2	58000	37000	8.5	CH35-51C	ML180UH090E60C	202573093
EL15XP1-060-230	57500	14.25	12.2	58000	37000	8.5	CH35-51C	ML180UH110E60C	202573094
EL15XP1-060-230	58000	14.25	12	58000	37000	8.5	CH35-51C	ML180UH110V60C	204495715
EL15XP1-060-230	58500	14	11.7	59000	37800	8.5	CH35-51C	ML193UH110XE60C	204043673
EL15XP1-060-230	58000	14.25	12.2	58000	37000	8.5	CH35-51C	ML196UH110XE60C	204498020
EL15XP1-060-230	58000	14.25	12	58500	37200	8.4	CH35-51C	ML296UH110XV60C	205470274
EL15XP1-060-230	58500	14.5	12.2	58500	37200	8.5	CH35-51C	SL280UH080NV60C	202573095
EL15XP1-060-230	58500	14.25	12.2	58500	37400	8.5	CH35-51C	SL280UH090V60C	202573096
EL15XP1-060-230	58500	14.25	12.2	58500	37400	8.5	CH35-51C	SL280UH090XV60C	202573097
EL15XP1-060-230	58500	14.5	12.2	58000	37000	8.5	CH35-51C	SL280UH100NV60C	202573098
EL15XP1-060-230	58000	14.25	12.2	58000	37200	8.5	CH35-51C	SL280UH110V60C	202573099
EL15XP1-060-230	58000	14.25	12.2	58000	37200	8.5	CH35-51C	SL280UH110XV60C	202573100
EL15XP1-060-230	57500	14.25	12.2	58000	37000	8.5	CH35-51C	SL297UH080NV60C	202573101
EL15XP1-060-230	57500	14	12	58000	37000	8.2	CH35-51C	SLP98UH090XV60C	202573102
EL15XP1-060-230	58000	14.25	12	58500	37200	8.2	CH35-51C	SLP98UH110XV60C	202573103
EL15XP1-060-230	57500	14	12	58000	37000	8.2	CH35-51C	SLP99UH090XV60C	205545301
EL15XP1-060-230	58000	14.25	12	58500	37200	8.2	CH35-51C	SLP99UH110XV60C	205545303
EL15XP1-060-230	57000	14	11.5	58000	37200	8.2	CH35-51C		202573040
EL15XP1-060-230	56500	14	11.5	55500	37200	8.5	CH35-60D	EL296UH135XE60D	204031845
EL15XP1-060-230	57000	14	12	55500	37200	8.5	CH35-60D	EL296UH135XV60D	204031846
EL15XP1-060-230	56500	14.25	12	55000	36800	8.5	CH35-60D	ML180UH135E60D	204031847
EL15XP1-060-230	56500	14.25	12	55500	37000	8.5	CH35-60D	SL280UH135V60D	204031848
EL15XP1-060-230	57000	14.25	12	55500	37200	8.5	CH35-60D	SLP98UH135XV60D	204031849
EL15XP1-060-230	57000	14.25	12	55500	37200	8.5	CH35-60D	SLP99UH135XV60D	205545884
EL15XP1-060-230	56500	14	11.7	58000	37200	8.2	CHX35-48C	ML180UH110V60C	204495716
EL15XP1-060-230	56500	14	12	58000	37200	8.2	CHX35-48C	SL280UH080NV60C	202573104

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-060-230	56000	14	11.5	58000	37200	8.2	CHX35-48C	SL280UH100NV60C	202573105
EL15XP1-060-230	58000	14.5	12.2	58000	37000	8.5	CHX35-51/61C	EL180UH100NE60C	202573106
EL15XP1-060-230	57500	14	12	58000	37200	8.2	CHX35-51/61C	EL195UH100NE60C	202573107
EL15XP1-060-230	58000	14.25	12.2	58000	37000	8.5	CHX35-51/61C	EL196UH110XE60C	202573109
EL15XP1-060-230	59000	14	11.7	59000	37800	8.5	CHX35-51/61C	EL280UH110E60C	204043674
EL15XP1-060-230	57500	14	12	58000	37000	8.2	CHX35-51/61C	EL296UH090XV60C	202573110
EL15XP1-060-230	57500	14.25	12.2	58000	37000	8.2	CHX35-51/61C	EL296UH110XE60C	202573111
EL15XP1-060-230	58000	14.25	12	58500	37200	8.2	CHX35-51/61C	EL296UH110XV60C	202573112
EL15XP1-060-230	58000	14.5	12.2	58000	37000	8.5	CHX35-51/61C	ML180UH090E60C	202573113
EL15XP1-060-230	57500	14.25	12.2	58000	37000	8.5	CHX35-51/61C	ML180UH110E60C	202573114
EL15XP1-060-230	58000	14.25	12	58000	37000	8.5	CHX35-51/61C	ML180UH110V60C	204495717
EL15XP1-060-230	58500	14	11.7	59000	37800	8.5	CHX35-51/61C	ML193UH110XE60C	204043675
EL15XP1-060-230	58000	14.25	12.2	58000	37000	8.5	CHX35-51/61C	ML196UH110XE60C	204498021
EL15XP1-060-230	58000	14.25	12	58500	37200	8.4	CHX35-51/61C	ML296UH110XV60C	205470275
EL15XP1-060-230	58500	14.5	12.2	58500	37200	8.5	CHX35-51/61C	SL280UH080NV60C	202573115
EL15XP1-060-230	58500	14.25	12.2	58500	37400	8.5	CHX35-51/61C	SL280UH090V60C	202573116
EL15XP1-060-230	58500	14.25	12.2	58500	37400	8.5	CHX35-51/61C	SL280UH090XV60C	202573117
EL15XP1-060-230	58500	14.5	12.2	58000	37000	8.5	CHX35-51/61C	SL280UH100NV60C	202573118
EL15XP1-060-230	58000	14.25	12.2	58000	37200	8.5	CHX35-51/61C	SL280UH110V60C	202573119
EL15XP1-060-230	58000	14.25	12.2	58000	37200	8.5	CHX35-51/61C	SL280UH110XV60C	202573120
EL15XP1-060-230	57500	14.25	12.2	58000	37000	8.5	CHX35-51/61C	SL297UH080NV60C	202573121
EL15XP1-060-230	57500	14	12	58000	37000	8.2	CHX35-51/61C	SLP98UH090XV60C	202573122
EL15XP1-060-230	58000	14.25	12	58500	37200	8.2	CHX35-51/61C	SLP98UH110XV60C	202573123
EL15XP1-060-230	57500	14	12	58000	37000	8.2	CHX35-51/61C	SLP99UH090XV60C	205545305
EL15XP1-060-230	58000	14.25	12	58500	37200	8.2	CHX35-51/61C	SLP99UH110XV60C	205545307
EL15XP1-060-230	57000	14	11.5	58000	37200	8.2	CHX35-51/61C		202573041
EL15XP1-060-230	56500	14	11.5	55500	37200	8.5	CHX35-60D	EL296UH135XE60D	204031850
EL15XP1-060-230	57000	14	12	55500	37200	8.5	CHX35-60D	EL296UH135XV60D	204031851
EL15XP1-060-230	56500	14.25	12	55000	36800	8.5	CHX35-60D	ML180UH135E60D	204031852
EL15XP1-060-230	56500	14.25	12	55500	37000	8.5	CHX35-60D	SL280UH135V60D	204031853
EL15XP1-060-230	57000	14.25	12	55500	37200	8.5	CHX35-60D	SLP98UH135XV60D	204031854
EL15XP1-060-230	57000	14.25	12	55500	37200	8.5	CHX35-60D	SLP99UH135XV60D	205545885
EL15XP1-060-230	56500	14	12	58500	39000	9	CR33-50/60	ML180DF110E60C	202573124
EL15XP1-060-230	56000	14	11.5	59500	39500	8.5	CR33-60	EL296DF110XE60C	202573126
EL15XP1-060-230	57000	14.25	12.2	59500	39000	9	CR33-60	ML180DF110E60C	202573127
EL15XP1-060-230	57000	14	12	60000	39500	9	CR33-60	SL280DF090V60C	202573128
EL15XP1-060-230	56500	14	12	59500	39500	9	CR33-60	SL280DF110V60C	202573129
EL15XP1-060-230	57000	14.25	12.2	56500	36400	8.5	CX35-49C	EL180UH100NE60C	202573130
EL15XP1-060-230	56500	14	11.5	57000	36600	8.2	CX35-49C	EL195UH100NE60C	202573131
EL15XP1-060-230	56000	14.25	12.2	56000	36000	8.2	CX35-49C	EL196UH110XE60C	202573133
EL15XP1-060-230	56500	14	11.7	56500	36400	8.5	CX35-49C	EL280UH110E60C	204043676
EL15XP1-060-230	56500	14	12	56500	36400	8.2	CX35-49C	EL296UH090XV60C	202573134
EL15XP1-060-230	56500	14	12	56500	36400	8.2	CX35-49C	EL296UH110XE60C	202573135
EL15XP1-060-230	56000	14.25	12	56500	36200	8.2	CX35-49C	EL296UH110XV60C	202573136
EL15XP1-060-230	57000	14.25	12.2	56500	36400	8.5	CX35-49C	ML180UH090E60C	202573137
EL15XP1-060-230	57000	14.25	12	56500	36400	8.5	CX35-49C	ML180UH110E60C	202573138
EL15XP1-060-230	57500	14	12	56500	36200	8.5	CX35-49C	ML180UH110V60C	204495718
EL15XP1-060-230	56000	14.25	12.2	56000	36000	8.2	CX35-49C	ML196UH110XE60C	204498022
EL15XP1-060-230	57500	14.5	12.2	57000	36400	8.5	CX35-49C	SL280UH080NV60C	202573139
EL15XP1-060-230	57500	14.25	12	57000	36600	8.5	CX35-49C	SL280UH090V60C	202573140
EL15XP1-060-230	57500	14.25	12	57000	36600	8.5	CX35-49C	SL280UH090XV60C	202573141
EL15XP1-060-230	57500	14.5	12.2	57000	36400	8.5	CX35-49C	SL280UH100NV60C	202573142
EL15XP1-060-230	57500	14	12	57500	36800	8.5	CX35-49C	SL280UH110V60C	202573143
EL15XP1-060-230	57500	14	12	57500	36800	8.5	CX35-49C	SL280UH110XV60C	202573144
EL15XP1-060-230	57500	14	12	57000	36800	8.5	CX35-49C	SL297UH080NV60C	202573145
EL15XP1-060-230	56500	14	12	56500	36400	8.2	CX35-49C	SLP98UH090XV60C	202573146

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL15XP1-060-230	57000	14	12	57000	36600	8.2	CX35-49C	SLP98UH110XV60C	202573147
EL15XP1-060-230	56500	14	12	56500	36400	8.2	CX35-49C	SLP99UH090XV60C	205545309
EL15XP1-060-230	57000	14	12	57000	36600	8.2	CX35-49C	SLP99UH110XV60C	205545310
EL15XP1-060-230	58000	14.5	12.2	58000	36800	8.5	CX35-60C	EL180UH100NE60C	202573148
EL15XP1-060-230	57500	14.25	12	58000	37000	8.5	CX35-60C	EL195UH100NE60C	202573149
EL15XP1-060-230	58000	14.5	12.2	58000	36800	8.5	CX35-60C	EL196UH110XE60C	202573151
EL15XP1-060-230	58000	14.25	12	58000	36800	8.8	CX35-60C	EL280UH110E60C	204043677
EL15XP1-060-230	57500	14.25	12.2	58000	36800	8.5	CX35-60C	EL296UH090XV60C	202573152
EL15XP1-060-230	58000	14.5	12.2	58000	36800	8.5	CX35-60C	EL296UH110XE60C	202573153
EL15XP1-060-230	58000	14.25	12	58500	37200	8.5	CX35-60C	EL296UH110XV60C	202573154
EL15XP1-060-230	58000	14.5	12.2	58000	36800	8.5	CX35-60C	ML180UH090E60C	202573155
EL15XP1-060-230	58000	14.5	12.2	58000	36800	8.5	CX35-60C	ML180UH110E60C	202573156
EL15XP1-060-230	58500	14.25	12.2	58000	36600	8.5	CX35-60C	ML180UH110V60C	204495719
EL15XP1-060-230	58500	14	11.7	59000	37600	8.8	CX35-60C	ML193UH110XE60C	204043678
EL15XP1-060-230	58000	14.5	12.2	58000	36800	8.5	CX35-60C	ML196UH110XE60C	204498023
EL15XP1-060-230	58000	14.25	12	58000	37000	8.8	CX35-60C	ML296UH110XV60C	205470276
EL15XP1-060-230	58500	14.5	12.5	58000	36800	8.5	CX35-60C	SL280UH080NV60C	202573157
EL15XP1-060-230	58500	14.5	12.2	58500	37000	8.5	CX35-60C	SL280UH090V60C	202573158
EL15XP1-060-230	58500	14.5	12.2	58500	37000	8.5	CX35-60C	SL280UH090XV60C	202573159
EL15XP1-060-230	58500	14.5	12.5	58000	36800	8.5	CX35-60C	SL280UH100NV60C	202573160
EL15XP1-060-230	58500	14.25	12.2	58500	37200	8.5	CX35-60C	SL280UH110V60C	202573161
EL15XP1-060-230	58500	14.25	12.2	58500	37200	8.5	CX35-60C	SL280UH110XV60C	202573162
EL15XP1-060-230	58500	14.25	12.2	58500	37200	8.5	CX35-60C	SL297UH080NV60C	202573163
EL15XP1-060-230	57500	14.25	12.2	58000	36800	8.5	CX35-60C	SLP98UH090XV60C	202573164
EL15XP1-060-230	58000	14.25	12	58500	37200	8.5	CX35-60C	SLP98UH110XV60C	202573165
EL15XP1-060-230	57500	14.25	12.2	58000	36800	8.5	CX35-60C	SLP99UH090XV60C	205545312
EL15XP1-060-230	58000	14.25	12	58500	37200	8.5	CX35-60C	SLP99UH110XV60C	205545314
EL15XP1-060-230	58000	14	12	58500	37400	8.2	CX35-60C		202573042
EL15XP1-060-230	57000	14	12	57000	39000	8.5	CX35-60D	EL296UH135XV60D	204031855
EL15XP1-060-230	57000	14	12	57000	38500	8.5	CX35-60D	ML180UH135E60D	204031856
EL15XP1-060-230	57500	14.25	12.2	57000	38500	8.5	CX35-60D	SL280UH135V60D	204031857
EL15XP1-060-230	56500	14	12	57000	38500	8.5	CX35-60D	SLP98UH135XV60D	204031858
EL15XP1-060-230	56500	14	12	57000	38500	8.5	CX35-60D	SLP99UH135XV60D	205545887
EL16XP1-018-230	18000	16.5	13	17600	11200	9.2	C35-24A	EL180UH040NE36A	202919269
EL16XP1-018-230	18000	16.5	13	17600	11200	9	C35-24A	EL180UH060NE36A	202919271
EL16XP1-018-230	18000	15.5	12.5	17500	11200	8.5	C35-24A	EL280UH045E36A	202919272
EL16XP1-018-230	18000	16	13	17400	11100	9.2	C35-24A	EL280UH070E36A	202919273
EL16XP1-018-230	18000	16	13	17400	11100	9.2	C35-24A	EL280UH070XE36A	203362248
EL16XP1-018-230	18000	16	13.5	17400	11100	9.2	C35-24A	ML180UH030V36A	204495036
EL16XP1-018-230	18000	16	13	17600	11300	9	C35-24A	ML180UH045E36A	202919275
EL16XP1-018-230	18000	16	13.5	17400	11100	9.2	C35-24A	ML180UH045V36A	204495139
EL16XP1-018-230	18000	16	13	18000	11500	9.4	C35-24A	ML180UH070E36A	204495879
EL16XP1-018-230	18000	16	13.5	17400	11100	9.2	C35-24A	ML180UH070V36A	204495242
EL16XP1-018-230	18000	16	13	18000	11500	9.4	C35-24A	ML180UH070XE36A	204496005
EL16XP1-018-230	18000	16.5	13	17700	11300	9.2	C35-24A	SL280UH060NV36A	202919276
EL16XP1-018-230	18000	14.5	12.5	17700	11400	8.5	C35-24B	EL195UH040NE36B	202919277
EL16XP1-018-230	18000	16	13	17400	11100	9.2	C35-24B	EL196UH030XE24B	202919278
EL16XP1-018-230	18000	16	13	17400	11100	9.2	C35-24B	EL196UH045XE24B	202919279
EL16XP1-018-230	18000	15.1	12.5	17600	11300	8.5	C35-24B	EL196UH070XE36B	202919281
EL16XP1-018-230	18000	15.5	12.5	17500	11200	9	C35-24B	EL280UH090E36B	202919282
EL16XP1-018-230	18000	14.5	12.5	17600	11300	8.5	C35-24B	EL296UH045XE36B	202919283
EL16XP1-018-230	18000	16	13	17800	11300	9.2	C35-24B	EL296UH045XV36B	202919284
EL16XP1-018-230	18000	16	13	17800	11300	9.2	C35-24B	EL296UH070XV36B	202919286
EL16XP1-018-230	18000	14.5	12.5	17600	11300	8.5	C35-24B	ML180UH070E36B	202919287
EL16XP1-018-230	18000	16	13.5	17400	11100	9.4	C35-24B	ML180UH070V36B	204495369
EL16XP1-018-230	18000	16	13	17600	11200	9	C35-24B	ML193UH030XE36B	202919288

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-018-230	18000	15.5	12.5	17500	11200	9	C35-24B	ML193UH045XE36B	202919289
EL16XP1-018-230	18000	15.5	12.5	17500	11200	9.2	C35-24B	ML193UH070XE36B	202919290
EL16XP1-018-230	18000	15.1	12.5	17400	11100	8.5	C35-24B	ML196UH030XE24B	204498024
EL16XP1-018-230	18000	15.1	12.5	17400	11100	8.5	C35-24B	ML196UH045XE24B	204498025
EL16XP1-018-230	18000	15.1	12.5	17600	11300	8.5	C35-24B	ML196UH070XE36B	204498026
EL16XP1-018-230	18000	16	13	17800	11300	9.2	C35-24B	ML296UH045XV36B	202919292
EL16XP1-018-230	18000	16	13	17800	11300	9.2	C35-24B	ML296UH070XV36B	202919293
EL16XP1-018-230	18000	16	13	17800	11300	9.2	C35-24B	SLP98UH070XV36B	202919294
EL16XP1-018-230	18000	16	13	17800	11300	9.2	C35-24B	SLP99UH070XV36B	205545566
EL16XP1-018-230	18000	16	13	17200	11000	9.2	C35-30A	EL180UH040NE36A	202919295
EL16XP1-018-230	18000	16	13	17200	11000	9.2	C35-30A	EL180UH060NE36A	202919297
EL16XP1-018-230	18000	16	13	17400	11100	9.2	C35-30A	EL280UH045E36A	202919298
EL16XP1-018-230	18000	16	13	17200	11000	9.2	C35-30A	EL280UH070E36A	202919299
EL16XP1-018-230	18000	16	13	17200	11000	9.2	C35-30A	EL280UH070XE36A	203362249
EL16XP1-018-230	18000	16	13.5	17100	11000	9.4	C35-30A	ML180UH030V36A	204495037
EL16XP1-018-230	18000	15.5	12.5	17300	11100	9	C35-30A	ML180UH045E36A	202919300
EL16XP1-018-230	18000	16	13.5	17100	11000	9.4	C35-30A	ML180UH045V36A	204495140
EL16XP1-018-230	18000	16	13	17800	11400	9.4	C35-30A	ML180UH070E36A	204495880
EL16XP1-018-230	18000	16	13.5	17200	11000	9.4	C35-30A	ML180UH070V36A	204495243
EL16XP1-018-230	18000	16	13	17800	11400	9.4	C35-30A	ML180UH070XE36A	204496006
EL16XP1-018-230	18000	14.5	12.5	17400	11300	8.5	C35-30B	EL195UH040NE36B	202919301
EL16XP1-018-230	18000	15.5	12.5	16900	10900	9	C35-30B	EL196UH030XE24B	202919303
EL16XP1-018-230	18000	15.5	12.5	16900	10900	9	C35-30B	EL196UH045XE24B	202919304
EL16XP1-018-230	18000	15.1	12.5	17400	11200	9	C35-30B	EL196UH045XE36B	202919305
EL16XP1-018-230	18000	15.1	12.5	17400	11200	9	C35-30B	EL196UH070XE36B	202919306
EL16XP1-018-230	18000	15.5	12.5	17200	11100	9	C35-30B	EL280UH090E36B	202919307
EL16XP1-018-230	18000	15.1	12.5	17400	11200	8.5	C35-30B	EL296UH045XE36B	202919309
EL16XP1-018-230	18000	16.5	13	17600	11200	9.2	C35-30B	EL296UH045XV36B	202919310
EL16XP1-018-230	18000	16	13	17600	11300	9	C35-30B	EL296UH070XE36B	202919311
EL16XP1-018-230	18000	16.5	13	17500	11200	9.2	C35-30B	EL296UH070XV36B	202919312
EL16XP1-018-230	18000	15.1	12.5	17400	11300	8.5	C35-30B	ML180UH070E36B	202919314
EL16XP1-018-230	18000	16	13.5	17200	11000	9.4	C35-30B	ML180UH070V36B	204495370
EL16XP1-018-230	18000	16	13	17400	11100	9.4	C35-30B	ML193UH030XE36B	202919315
EL16XP1-018-230	18000	15.5	12.5	17300	11100	9.2	C35-30B	ML193UH045XE36B	202919316
EL16XP1-018-230	18000	15.5	12.5	17300	11100	9.2	C35-30B	ML193UH070XE36B	202919317
EL16XP1-018-230	18000	15.5	12.5	16900	10900	9	C35-30B	ML196UH030XE24B	204498027
EL16XP1-018-230	18000	15.5	12.5	16900	10900	9	C35-30B	ML196UH045XE24B	204498028
EL16XP1-018-230	18000	15.1	12.5	17400	11200	9	C35-30B	ML196UH045XE36B	204498029
EL16XP1-018-230	18000	15.1	12.5	17400	11200	9	C35-30B	ML196UH070XE36B	204498030
EL16XP1-018-230	18000	16.5	13	17600	11200	9.2	C35-30B	ML296UH045XV36B	202919318
EL16XP1-018-230	18000	16	13	17500	11200	9.2	C35-30B	ML296UH070XV36B	202919320
EL16XP1-018-230	18000	16.5	13	17600	11200	9.2	C35-30B	SL297UH040NV36B	202919321
EL16XP1-018-230	18000	16.5	13	17600	11200	9.2	C35-30B	SL297UH060NV36B	202919322
EL16XP1-018-230	18000	16.5	13	17500	11200	9.2	C35-30B	SLP98UH070XV36B	202919323
EL16XP1-018-230	18000	16.5	13	17500	11200	9.2	C35-30B	SLP99UH070XV36B	205545569
EL16XP1-018-230	18000	14.25	12	17400	11000	8.5	CBA25UH-018-230		202919324
EL16XP1-018-230	18000	14	12	18000	11600	8.5	CBA25UH-024-230		202919326
EL16XP1-018-230	18000	15.5	12.5	17100	10700	9	CBA25UHV-018-230		202919327
EL16XP1-018-230	18000	15.5	12.5	17900	11400	9.2	CBA25UHV-024-230		202919328
EL16XP1-018-230	18000	16	13	17300	10900	9.5	CBA27UHE-018-230		202919693
EL16XP1-018-230	18000	16	13	17300	10900	9.5	CBA27UHE-024-230		202919329
EL16XP1-018-230	18000	16	13	17400	10900	9.5	CBA38MV-018/024-230		202919330
EL16XP1-018-230	18000	16	13	17400	11100	9.2	CH35-24A	EL180UH040NE36A	202919332
EL16XP1-018-230	18000	16	13	17400	11100	9.2	CH35-24A	EL180UH060NE36A	202919333
EL16XP1-018-230	18000	16	13	17700	11200	9	CH35-24A	EL280UH045E36A	202919334
EL16XP1-018-230	18000	16	13	17400	11100	9.2	CH35-24A	EL280UH070E36A	202919335

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-018-230	18000	16	13	17400	11100	9.2	CH35-24A	EL280UH070XE36A	203362250
EL16XP1-018-230	18000	16	13.5	17400	11100	9.2	CH35-24A	ML180UH030V36A	204495038
EL16XP1-018-230	18000	15.5	12.5	17500	11200	8.5	CH35-24A	ML180UH045E36A	202919336
EL16XP1-018-230	18000	16	13.5	17400	11100	9.2	CH35-24A	ML180UH045V36A	204495141
EL16XP1-018-230	18000	16	13	18000	11500	9.4	CH35-24A	ML180UH070E36A	204495881
EL16XP1-018-230	18000	16	13.5	17400	11100	9.2	CH35-24A	ML180UH070V36A	204495244
EL16XP1-018-230	18000	16	13	18000	11500	9.4	CH35-24A	ML180UH070XE36A	204496007
EL16XP1-018-230	18000	16	13	17500	11100	9.4	CH35-24B	EL196UH030XE24B	202919338
EL16XP1-018-230	18000	16	13	17500	11100	9.4	CH35-24B	EL196UH045XE24B	202919339
EL16XP1-018-230	18000	14.5	12.5	17700	11400	8.5	CH35-24B	EL196UH045XE36B	202919340
EL16XP1-018-230	18000	14.5	12.5	17700	11400	8.5	CH35-24B	EL196UH070XE36B	202919341
EL16XP1-018-230	18000	15.1	12.5	17600	11200	8.5	CH35-24B	EL280UH090E36B	202919342
EL16XP1-018-230	18000	14.5	12.5	17700	11400	8.5	CH35-24B	EL296UH045XE36B	202919344
EL16XP1-018-230	18000	16	13	17900	11400	9.2	CH35-24B	EL296UH045XV36B	202919345
EL16XP1-018-230	18000	14.5	12.5	17800	11400	8.5	CH35-24B	EL296UH070XE36B	202919346
EL16XP1-018-230	18000	16	13	17800	11300	9.2	CH35-24B	EL296UH070XV36B	202919347
EL16XP1-018-230	18000	14.5	12.5	17700	11400	8.5	CH35-24B	ML180UH070E36B	202919348
EL16XP1-018-230	18000	16	13.5	17500	11100	9.4	CH35-24B	ML180UH070V36B	204495371
EL16XP1-018-230	18000	15.5	12.5	17700	11300	9	CH35-24B	ML193UH030XE36B	202919350
EL16XP1-018-230	18000	15.5	12.5	17600	11200	8.5	CH35-24B	ML193UH045XE36B	202919351
EL16XP1-018-230	18000	15.5	12.5	17600	11200	8.5	CH35-24B	ML193UH070XE36B	202919352
EL16XP1-018-230	18000	15.1	12.5	17500	11100	8.5	CH35-24B	ML196UH030XE24B	204498031
EL16XP1-018-230	18000	15.1	12.5	17500	11100	8.5	CH35-24B	ML196UH045XE24B	204498032
EL16XP1-018-230	18000	14.5	12.5	17700	11400	8.5	CH35-24B	ML196UH045XE36B	204498033
EL16XP1-018-230	18000	14.5	12.5	17700	11400	8.5	CH35-24B	ML196UH070XE36B	204498034
EL16XP1-018-230	18000	16	13	17900	11400	9.2	CH35-24B	ML296UH045XV36B	202919353
EL16XP1-018-230	18000	16	13	17800	11300	9.2	CH35-24B	ML296UH070XV36B	202919355
EL16XP1-018-230	18000	16	13	17800	11300	9.2	CH35-24B	SLP98UH070XV36B	202919356
EL16XP1-018-230	18000	16	13	17800	11300	9.2	CH35-24B	SLP99UH070XV36B	205545571
EL16XP1-018-230	18000	16	13	17400	11100	9.2	CHX35-24A	EL180UH040NE36A	202919357
EL16XP1-018-230	18000	16	13	17400	11100	9.2	CHX35-24A	EL180UH060NE36A	202919358
EL16XP1-018-230	18000	16	13	17700	11200	9	CHX35-24A	EL280UH045E36A	202919360
EL16XP1-018-230	18000	16	13	17400	11100	9.2	CHX35-24A	EL280UH070E36A	202919361
EL16XP1-018-230	18000	16	13	17400	11100	9.2	CHX35-24A	EL280UH070XE36A	203362251
EL16XP1-018-230	18000	16	13.5	17400	11100	9.2	CHX35-24A	ML180UH030V36A	204495039
EL16XP1-018-230	18000	15.5	12.5	17500	11200	8.5	CHX35-24A	ML180UH045E36A	202919362
EL16XP1-018-230	18000	16	13.5	17400	11100	9.2	CHX35-24A	ML180UH045V36A	204495142
EL16XP1-018-230	18000	16	13	18000	11500	9.4	CHX35-24A	ML180UH070E36A	204495882
EL16XP1-018-230	18000	16	13.5	17400	11100	9.2	CHX35-24A	ML180UH070V36A	204495245
EL16XP1-018-230	18000	16	13	18000	11500	9.4	CHX35-24A	ML180UH070XE36A	204496008
EL16XP1-018-230	18000	16	13	17500	11100	9.4	CHX35-24B	EL196UH030XE24B	202919363
EL16XP1-018-230	18000	16	13	17500	11100	9.4	CHX35-24B	EL196UH045XE24B	202919365
EL16XP1-018-230	18000	14.5	12.5	17700	11400	8.5	CHX35-24B	EL196UH045XE36B	202919366
EL16XP1-018-230	18000	14.5	12.5	17700	11400	8.5	CHX35-24B	EL196UH070XE36B	202919367
EL16XP1-018-230	18000	15.1	12.5	17600	11200	8.5	CHX35-24B	EL280UH090E36B	202919368
EL16XP1-018-230	18000	14.5	12.5	17700	11400	8.5	CHX35-24B	EL296UH045XE36B	202919370
EL16XP1-018-230	18000	16	13	17900	11400	9.2	CHX35-24B	EL296UH045XV36B	202919371
EL16XP1-018-230	18000	14.5	12.5	17800	11400	8.5	CHX35-24B	EL296UH070XE36B	202919372
EL16XP1-018-230	18000	16	13	17800	11300	9.2	CHX35-24B	EL296UH070XV36B	202919373
EL16XP1-018-230	18000	14.5	12.5	17700	11400	8.5	CHX35-24B	ML180UH070E36B	202919375
EL16XP1-018-230	18000	16	13.5	17500	11100	9.4	CHX35-24B	ML180UH070V36B	204495372
EL16XP1-018-230	18000	15.5	12.5	17700	11300	9	CHX35-24B	ML193UH030XE36B	202919376
EL16XP1-018-230	18000	15.5	12.5	17600	11200	8.5	CHX35-24B	ML193UH045XE36B	202919377
EL16XP1-018-230	18000	15.5	12.5	17600	11200	8.5	CHX35-24B	ML193UH070XE36B	202919378
EL16XP1-018-230	18000	15.1	12.5	17500	11100	8.5	CHX35-24B	ML196UH030XE24B	204498035
EL16XP1-018-230	18000	15.1	12.5	17500	11100	8.5	CHX35-24B	ML196UH045XE24B	204498036

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-018-230	18000	14.5	12.5	17700	11400	8.5	CHX35-24B	ML196UH045XE36B	204498037
EL16XP1-018-230	18000	14.5	12.5	17700	11400	8.5	CHX35-24B	ML196UH070XE36B	204498038
EL16XP1-018-230	18000	16	13	17900	11400	9.2	CHX35-24B	ML296UH045XV36B	202919380
EL16XP1-018-230	18000	16	13	17800	11300	9.2	CHX35-24B	ML296UH070XV36B	202919381
EL16XP1-018-230	18000	16	13	17800	11300	9.2	CHX35-24B	SLP98UH070XV36B	202919382
EL16XP1-018-230	18000	16	13	17800	11300	9.2	CHX35-24B	SLP99UH070XV36B	205545574
EL16XP1-018-230	18000	15.5	12.5	17300	10900	9	CR33-24A	EL280DF070E36A	202919383
EL16XP1-018-230	18000	15.5	12.5	17400	10900	9	CR33-24A	ML180DF045E36A	202919384
EL16XP1-018-230	18000	15.5	12.5	18000	11200	9.2	CR33-24A	ML180DF070E36A	204495929
EL16XP1-018-230	18000	14.5	12.5	17400	11000	8.5	CR33-24B	EL296DF045XE36B	202919386
EL16XP1-018-230	18000	15.5	12.5	17700	11300	9.2	CR33-30/36A	EL280DF070E36A	202919387
EL16XP1-018-230	18000	15.5	12.5	17800	11300	9	CR33-30/36A	ML180DF045E36A	202919388
EL16XP1-018-230	18000	16	13	18000	11700	9.8	CR33-30/36A	ML180DF070E36A	204495930
EL16XP1-018-230	18000	15.1	12.5	17900	11500	9	CR33-30/36B	EL296DF045XE36B	202919390
EL16XP1-018-230	18000	15.1	12.5	17900	11500	9	CR33-30/36B	ML180DF070E36B	202919391
EL16XP1-018-230	18000	15.5	12.5	17700	11300	9	CR33-30/36B	ML193DF045XE36B	202919392
EL16XP1-018-230	18000	15.5	12.5	17700	11300	9.2	CR33-30/36B	ML193DF070XE36B	202919393
EL16XP1-018-230	18000	16.5	13	17600	11200	9.2	CX35-24A	EL180UH040NE36A	202919395
EL16XP1-018-230	18000	16.5	13	17600	11200	9	CX35-24A	EL180UH060NE36A	202919396
EL16XP1-018-230	18000	15.5	12.5	17500	11200	8.5	CX35-24A	EL280UH045E36A	202919397
EL16XP1-018-230	18000	16	13	17400	11100	9.2	CX35-24A	EL280UH070E36A	202919398
EL16XP1-018-230	18000	16	13	17400	11100	9.2	CX35-24A	EL280UH070XE36A	203362252
EL16XP1-018-230	18000	16	13.5	17400	11100	9.2	CX35-24A	ML180UH030V36A	204495040
EL16XP1-018-230	18000	16	13	17600	11300	9	CX35-24A	ML180UH045E36A	202919399
EL16XP1-018-230	18000	16	13.5	17400	11100	9.2	CX35-24A	ML180UH045V36A	204495143
EL16XP1-018-230	18000	16	13	18000	11500	9.4	CX35-24A	ML180UH070E36A	204495883
EL16XP1-018-230	18000	16	13.5	17400	11100	9.2	CX35-24A	ML180UH070V36A	204495246
EL16XP1-018-230	18000	16	13	18000	11500	9.4	CX35-24A	ML180UH070XE36A	204496009
EL16XP1-018-230	18000	16.5	13	17700	11300	9.2	CX35-24A	SL280UH060NV36A	202919401
EL16XP1-018-230	18000	14.5	12.5	17700	11400	8.5	CX35-24B	EL195UH040NE36B	202919402
EL16XP1-018-230	18000	16	13	17400	11100	9.2	CX35-24B	EL196UH030XE24B	202919403
EL16XP1-018-230	18000	16	13	17400	11100	9.2	CX35-24B	EL196UH045XE24B	202919404
EL16XP1-018-230	18000	15.1	12.5	17600	11300	8.5	CX35-24B	EL196UH070XE36B	202919405
EL16XP1-018-230	18000	15.5	12.5	17500	11200	9	CX35-24B	EL280UH090E36B	202919406
EL16XP1-018-230	18000	14.5	12.5	17600	11300	8.5	CX35-24B	EL296UH045XE36B	202919408
EL16XP1-018-230	18000	16	13	17800	11300	9.2	CX35-24B	EL296UH045XV36B	202919409
EL16XP1-018-230	18000	16	13	17800	11300	9.2	CX35-24B	EL296UH070XV36B	202919410
EL16XP1-018-230	18000	14.5	12.5	17600	11300	8.5	CX35-24B	ML180UH070E36B	202919411
EL16XP1-018-230	18000	16	13.5	17400	11100	9.4	CX35-24B	ML180UH070V36B	204495373
EL16XP1-018-230	18000	16	13	17600	11200	9	CX35-24B	ML193UH030XE36B	202919412
EL16XP1-018-230	18000	15.5	12.5	17500	11200	9	CX35-24B	ML193UH045XE36B	202919414
EL16XP1-018-230	18000	15.5	12.5	17500	11200	9.2	CX35-24B	ML193UH070XE36B	202919415
EL16XP1-018-230	18000	15.1	12.5	17400	11100	8.5	CX35-24B	ML196UH030XE24B	204498039
EL16XP1-018-230	18000	15.1	12.5	17400	11100	8.5	CX35-24B	ML196UH045XE24B	204498040
EL16XP1-018-230	18000	15.1	12.5	17600	11300	8.5	CX35-24B	ML196UH070XE36B	204498041
EL16XP1-018-230	18000	16	13	17800	11300	9.2	CX35-24B	ML296UH045XV36B	202919416
EL16XP1-018-230	18000	16	13	17800	11300	9.2	CX35-24B	ML296UH070XV36B	202919417
EL16XP1-018-230	18000	16	13	17800	11300	9.2	CX35-24B	SLP98UH070XV36B	202919419
EL16XP1-018-230	18000	16	13	17800	11300	9.2	CX35-24B	SLP99UH070XV36B	205545576
EL16XP1-018-230	18000	16	13	17200	11000	9.2	CX35-30A	EL180UH040NE36A	202919420
EL16XP1-018-230	18000	16	13	17200	11000	9.2	CX35-30A	EL180UH060NE36A	202919421
EL16XP1-018-230	18000	16	13	17400	11100	9.2	CX35-30A	EL280UH045E36A	202919422
EL16XP1-018-230	18000	16	13	17200	11000	9.2	CX35-30A	EL280UH070E36A	202919423
EL16XP1-018-230	18000	16	13	17200	11000	9.2	CX35-30A	EL280UH070XE36A	203362253
EL16XP1-018-230	18000	16	13.5	17100	11000	9.4	CX35-30A	ML180UH030V36A	204495041
EL16XP1-018-230	18000	15.5	12.5	17300	11100	9	CX35-30A	ML180UH045E36A	202919425

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-018-230	18000	16	13.5	17100	11000	9.4	CX35-30A	ML180UH045V36A	204495144
EL16XP1-018-230	18000	16	13	17800	11400	9.4	CX35-30A	ML180UH070E36A	204495884
EL16XP1-018-230	18000	16	13.5	17200	11000	9.4	CX35-30A	ML180UH070V36A	204495247
EL16XP1-018-230	18000	16	13	17800	11400	9.4	CX35-30A	ML180UH070XE36A	204496010
EL16XP1-018-230	18000	14.5	12.5	17400	11300	8.5	CX35-30B	EL195UH040NE36B	202919426
EL16XP1-018-230	18000	15.5	12.5	16900	10900	9	CX35-30B	EL196UH030XE24B	202919427
EL16XP1-018-230	18000	15.5	12.5	16900	10900	9	CX35-30B	EL196UH045XE24B	202919428
EL16XP1-018-230	18000	15.1	12.5	17400	11200	9	CX35-30B	EL196UH045XE36B	202919429
EL16XP1-018-230	18000	15.1	12.5	17400	11200	9	CX35-30B	EL196UH070XE36B	202919430
EL16XP1-018-230	18000	15.5	12.5	17200	11100	9	CX35-30B	EL280UH090E36B	202919432
EL16XP1-018-230	18000	15.1	12.5	17400	11200	8.5	CX35-30B	EL296UH045XE36B	202919433
EL16XP1-018-230	18000	16.5	13	17600	11200	9.2	CX35-30B	EL296UH045XV36B	202919434
EL16XP1-018-230	18000	16	13	17600	11300	9	CX35-30B	EL296UH070XE36B	202919435
EL16XP1-018-230	18000	16.5	13	17500	11200	9.2	CX35-30B	EL296UH070XV36B	202919436
EL16XP1-018-230	18000	15.1	12.5	17400	11300	8.5	CX35-30B	ML180UH070E36B	202919438
EL16XP1-018-230	18000	16	13.5	17200	11000	9.4	CX35-30B	ML180UH070V36B	204495374
EL16XP1-018-230	18000	16	13	17400	11100	9.4	CX35-30B	ML193UH030XE36B	202919439
EL16XP1-018-230	18000	15.5	12.5	17300	11100	9.2	CX35-30B	ML193UH045XE36B	202919440
EL16XP1-018-230	18000	15.5	12.5	17300	11100	9.2	CX35-30B	ML193UH070XE36B	202919441
EL16XP1-018-230	18000	15.5	12.5	16900	10900	9	CX35-30B	ML196UH030XE24B	204498042
EL16XP1-018-230	18000	15.5	12.5	16900	10900	9	CX35-30B	ML196UH045XE24B	204498043
EL16XP1-018-230	18000	15.1	12.5	17400	11200	9	CX35-30B	ML196UH045XE36B	204498044
EL16XP1-018-230	18000	15.1	12.5	17400	11200	9	CX35-30B	ML196UH070XE36B	204498045
EL16XP1-018-230	18000	16.5	13	17600	11200	9.2	CX35-30B	ML296UH045XV36B	202919442
EL16XP1-018-230	18000	16	13	17500	11200	9.2	CX35-30B	ML296UH070XV36B	202919444
EL16XP1-018-230	18000	16.5	13	17600	11200	9.2	CX35-30B	SL297UH040NV36B	202919445
EL16XP1-018-230	18000	16.5	13	17600	11200	9.2	CX35-30B	SL297UH060NV36B	202919446
EL16XP1-018-230	18000	16.5	13	17500	11200	9.2	CX35-30B	SLP98UH070XV36B	202919447
EL16XP1-018-230	18000	16.5	13	17500	11200	9.2	CX35-30B	SLP99UH070XV36B	205545578
EL16XP1-024-230	24000	17	13	22200	14300	9	C35-30A	EL180UH040NE36A	202919740
EL16XP1-024-230	24000	17	13	21800	14200	8.5	C35-30A	EL180UH060NE36A	202919741
EL16XP1-024-230	24000	17	13	22400	14400	8.5	C35-30A	EL280UH045E36A	202919742
EL16XP1-024-230	24000	17	13	22200	14300	8.5	C35-30A	EL280UH070E36A	202919744
EL16XP1-024-230	24000	17	13	22200	14300	8.5	C35-30A	EL280UH070XE36A	203362254
EL16XP1-024-230	24000	17	14.5	22000	14300	9	C35-30A	ML180UH030V36A	204495042
EL16XP1-024-230	24000	17	13	22200	14400	8.5	C35-30A	ML180UH045E36A	202919745
EL16XP1-024-230	24000	17	14.5	22000	14300	9	C35-30A	ML180UH045V36A	204495145
EL16XP1-024-230	24000	17	13	22000	14300	9	C35-30A	ML180UH070E36A	204495885
EL16XP1-024-230	24000	17	13	22000	14200	8.8	C35-30A	ML180UH070V36A	204495248
EL16XP1-024-230	24000	17	13	22000	14300	9	C35-30A	ML180UH070XE36A	204496011
EL16XP1-024-230	24000	17	13	22000	14200	9	C35-30A	SL280UH060NV36A	202919746
EL16XP1-024-230	24000	17	13	22200	14300	9	C35-30A	SL280UH070V36A	202919747
EL16XP1-024-230	24000	17	13	22200	14300	9	C35-30A	SL280UH070XV36A	202919749
EL16XP1-024-230	24000	14.5	12.5	22600	14900	8.2	C35-30A		202919723
EL16XP1-024-230	24000	17	13	22000	14300	8.5	C35-30B	EL195UH040NE36B	202919750
EL16XP1-024-230	24000	17	13	22200	14300	8.5	C35-30B	EL195UH060NE36B	202919751
EL16XP1-024-230	24000	17	13	22000	14300	8.5	C35-30B	EL196UH030XE24B	202919752
EL16XP1-024-230	24000	17	13	22000	14300	8.5	C35-30B	EL196UH045XE24B	202919753
EL16XP1-024-230	24000	17	13	22000	14300	8.5	C35-30B	EL196UH045XE36B	202919755
EL16XP1-024-230	24000	17	13	22000	14300	8.5	C35-30B	EL196UH070XE36B	202919756
EL16XP1-024-230	24000	17	13	22200	14400	9	C35-30B	EL280UH090E36B	202919757
EL16XP1-024-230	24000	16.5	13	22000	14300	8.5	C35-30B	EL296UH045XE36B	202919758
EL16XP1-024-230	24000	17	13	22000	14300	8.5	C35-30B	EL296UH045XV36B	202919760
EL16XP1-024-230	24000	17	13	22200	14300	8.5	C35-30B	EL296UH070XE36B	202919761
EL16XP1-024-230	24000	17	13	22000	14200	8.5	C35-30B	EL296UH070XV36B	202919762
EL16XP1-024-230	24000	17	13	22000	14300	8.5	C35-30B	ML180UH070E36B	202919763

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-024-230	24000	17	14.5	22000	14200	9	C35-30B	ML180UH070V36B	204495375
EL16XP1-024-230	24000	17	14.5	22000	14300	9	C35-30B	ML180UH070V48B	204495505
EL16XP1-024-230	24000	17	14.5	22200	14300	9	C35-30B	ML180UH090V48B	204495629
EL16XP1-024-230	24000	17	13	22200	14400	8.5	C35-30B	ML193UH030XE36B	202919764
EL16XP1-024-230	24000	17	13	22000	14300	8.5	C35-30B	ML193UH045XE36B	202919765
EL16XP1-024-230	24000	17	13	22000	14300	8.5	C35-30B	ML193UH070XE36B	202919767
EL16XP1-024-230	24000	17	13	22000	14300	8.5	C35-30B	ML196UH030XE24B	204498046
EL16XP1-024-230	24000	17	13	22000	14300	8.5	C35-30B	ML196UH045XE24B	204498047
EL16XP1-024-230	24000	17	13	22000	14300	8.5	C35-30B	ML196UH045XE36B	204498048
EL16XP1-024-230	24000	17	13	22000	14300	8.5	C35-30B	ML196UH070XE36B	204498049
EL16XP1-024-230	24000	17	13	22000	14300	8.5	C35-30B	ML296UH045XV36B	202919768
EL16XP1-024-230	24000	17	13	22000	14200	8.5	C35-30B	ML296UH070XV36B	202919769
EL16XP1-024-230	24000	17	13	22000	14200	9	C35-30B	SL280UH090V36B	202919770
EL16XP1-024-230	24000	17	13	22000	14300	8.5	C35-30B	SL297UH040NV36B	202919772
EL16XP1-024-230	24000	17	13	22000	14300	8.5	C35-30B	SL297UH060NV36B	202919773
EL16XP1-024-230	24000	17	13	22200	14300	8.5	C35-30B	SLP98UH070XV36B	202919774
EL16XP1-024-230	24000	17	13	22200	14300	8.5	C35-30B	SLP99UH070XV36B	205545579
EL16XP1-024-230	24000	14.5	12.5	22600	14900	8.2	C35-30B		202919724
EL16XP1-024-230	24000	17	13	22000	14400	9.4	C35-36A	EL180UH040NE36A	202919775
EL16XP1-024-230	24000	17	13	21800	14200	9.2	C35-36A	EL180UH060NE36A	202919777
EL16XP1-024-230	24000	17	14.5	21800	14300	9.4	C35-36A	ML180UH030V36A	204495043
EL16XP1-024-230	24000	17	13	22000	14500	9.2	C35-36A	ML180UH045E36A	202919778
EL16XP1-024-230	24000	17	14.5	21800	14300	9.4	C35-36A	ML180UH045V36A	204495146
EL16XP1-024-230	24000	17	13	21800	14300	9.4	C35-36A	ML180UH070E36A	204495886
EL16XP1-024-230	24000	17	13	21800	14300	9.2	C35-36A	ML180UH070V36A	204495249
EL16XP1-024-230	24000	17	13	21800	14300	9.4	C35-36A	ML180UH070XE36A	204496012
EL16XP1-024-230	24000	17	13	21800	14300	9.4	C35-36A	SL280UH060NV36A	202919779
EL16XP1-024-230	24000	17	13	22000	14400	9.2	C35-36A	SL280UH070V36A	202919781
EL16XP1-024-230	24000	17	13	22000	14400	9.2	C35-36A	SL280UH070XV36A	202919782
EL16XP1-024-230	24000	14.5	12.5	22400	15000	8.5	C35-36A		202919725
EL16XP1-024-230	24000	17	13	21800	14300	9.2	C35-36B	EL195UH040NE36B	202919784
EL16XP1-024-230	24000	17	13	22000	14400	9.2	C35-36B	EL195UH060NE36B	202919785
EL16XP1-024-230	24000	16.5	13	21800	14400	9.2	C35-36B	EL196UH030XE24B	202919786
EL16XP1-024-230	24000	16.5	13	21800	14400	9.2	C35-36B	EL196UH045XE24B	202919788
EL16XP1-024-230	24000	17	13	21800	14400	9.2	C35-36B	EL196UH045XE36B	202919789
EL16XP1-024-230	24000	17	13	21800	14300	9.2	C35-36B	EL196UH070XE36B	202919790
EL16XP1-024-230	24000	16.5	13	21800	14400	9	C35-36B	EL296UH045XE36B	202919792
EL16XP1-024-230	24000	17	13	21800	14300	9.2	C35-36B	EL296UH045XV36B	202919793
EL16XP1-024-230	24000	17	13	22000	14400	9.2	C35-36B	EL296UH070XE36B	202919794
EL16XP1-024-230	24000	17	13	22000	14400	9.2	C35-36B	EL296UH070XV36B	202919795
EL16XP1-024-230	24000	17	13	21800	14300	9.2	C35-36B	ML180UH070E36B	202919797
EL16XP1-024-230	24000	17	14.5	21800	14300	9.4	C35-36B	ML180UH070V36B	204495376
EL16XP1-024-230	24000	17	14.5	21800	14300	9.4	C35-36B	ML180UH070V48B	204495506
EL16XP1-024-230	24000	17	14.5	22000	14400	9.4	C35-36B	ML180UH090V48B	204495630
EL16XP1-024-230	24000	16.5	13	21800	14400	9.2	C35-36B	ML196UH030XE24B	204498050
EL16XP1-024-230	24000	16.5	13	21800	14400	9.2	C35-36B	ML196UH045XE24B	204498051
EL16XP1-024-230	24000	17	13	21800	14400	9.2	C35-36B	ML196UH045XE36B	204498052
EL16XP1-024-230	24000	17	13	21800	14300	9.2	C35-36B	ML196UH070XE36B	204498053
EL16XP1-024-230	24000	16	13	21800	14300	8.8	C35-36B	ML296UH045XV36B	202919798
EL16XP1-024-230	24000	16	13	22000	14400	9	C35-36B	ML296UH070XV36B	202919799
EL16XP1-024-230	24000	17	13	21800	14300	9.2	C35-36B	SL280UH090V36B	202919801
EL16XP1-024-230	24000	17	13	21800	14300	9.2	C35-36B	SL297UH040NV36B	202919802
EL16XP1-024-230	24000	17	13	21800	14400	9.2	C35-36B	SL297UH060NV36B	202919803
EL16XP1-024-230	24000	17	13	22000	14400	9.2	C35-36B	SLP98UH070XV36B	202919804
EL16XP1-024-230	24000	17	13	22000	14400	9.2	C35-36B	SLP99UH070XV36B	205545581
EL16XP1-024-230	24000	14.5	12.5	22400	15000	8.5	C35-36B		202919727

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-024-230	24000	15.1	12.5	23400	14700	9	CBA25UH-024-230		202919805
EL16XP1-024-230	24000	16	13	23000	14500	9.2	CBA25UHV-024-230		202919807
EL16XP1-024-230	24000	16	13	22800	14600	9.5	CBA25UHV-030-230		202919808
EL16XP1-024-230	24000	16	13	22000	14100	9.5	CBA27UHE-024-230		202921670
EL16XP1-024-230	24000	16.5	13	22800	14500	9.5	CBA27UHE-030-230		204337941
EL16XP1-024-230	24000	16.5	13	22200	14100	9.6	CBA38MV-018/024-230		202919809
EL16XP1-024-230	24000	17	13	22800	14400	9.8	CBA38MV-030-230		202919811
EL16XP1-024-230	24000	17	13	21800	14300	9.2	CH35-30A	EL180UH040NE36A	202919812
EL16XP1-024-230	24000	17	13	21800	14300	9.2	CH35-30A	EL180UH060NE36A	202919813
EL16XP1-024-230	24000	17	13	22200	14600	9.4	CH35-30A	EL280UH045E36A	202919814
EL16XP1-024-230	24000	17	13	22000	14500	9.2	CH35-30A	EL280UH070E36A	202919816
EL16XP1-024-230	24000	17	13	22000	14500	9.2	CH35-30A	EL280UH070XE36A	203362255
EL16XP1-024-230	24000	17	14.5	22000	14500	9.4	CH35-30A	ML180UH030V36A	204495044
EL16XP1-024-230	24000	17	13	22200	14600	9.2	CH35-30A	ML180UH045E36A	202919817
EL16XP1-024-230	24000	17	14.5	22000	14500	9.4	CH35-30A	ML180UH045V36A	204495147
EL16XP1-024-230	24000	17	13	22000	14500	9.4	CH35-30A	ML180UH070E36A	204495887
EL16XP1-024-230	24000	17	13	22000	14500	9.2	CH35-30A	ML180UH070V36A	204495250
EL16XP1-024-230	24000	17	13	22000	14500	9.4	CH35-30A	ML180UH070XE36A	204496013
EL16XP1-024-230	24000	17	13	22000	14500	9.4	CH35-30A	SL280UH060NV36A	202919818
EL16XP1-024-230	24000	17	13	22000	14600	9.2	CH35-30A	SL280UH070V36A	202919819
EL16XP1-024-230	24000	17	13	22000	14600	9.2	CH35-30A	SL280UH070XV36A	202919821
EL16XP1-024-230	24000	14.5	12.5	22600	15100	8.5	CH35-30A		202919728
EL16XP1-024-230	24000	17	13	21800	13800	9	CH35-30B	EL195UH040NE36B	202919822
EL16XP1-024-230	24000	17	13	21800	13900	9	CH35-30B	EL195UH060NE36B	202919823
EL16XP1-024-230	24000	17	13	21800	13800	8.5	CH35-30B	EL196UH030XE24B	202919824
EL16XP1-024-230	24000	17	13	21800	13800	8.5	CH35-30B	EL196UH045XE24B	202919826
EL16XP1-024-230	24000	17	13	21800	13800	9	CH35-30B	EL196UH045XE36B	202919827
EL16XP1-024-230	24000	17	13	21800	13800	9	CH35-30B	EL196UH070XE36B	202919828
EL16XP1-024-230	24000	17	13	22000	13900	9	CH35-30B	EL280UH090E36B	202919829
EL16XP1-024-230	24000	16.5	13	21800	13800	8.5	CH35-30B	EL296UH045XE36B	202919831
EL16XP1-024-230	24000	17	13	21800	13800	9	CH35-30B	EL296UH045XV36B	202919832
EL16XP1-024-230	24000	17	13	21800	13900	9	CH35-30B	EL296UH070XE36B	202919833
EL16XP1-024-230	24000	17	13	21800	13800	9	CH35-30B	EL296UH070XV36B	202919834
EL16XP1-024-230	24000	17	13	21800	13800	9	CH35-30B	ML180UH070E36B	202919836
EL16XP1-024-230	24000	17	14.5	21800	13800	9.2	CH35-30B	ML180UH070V36B	204495377
EL16XP1-024-230	24000	17	14.5	21800	13800	9.2	CH35-30B	ML180UH070V48B	204495507
EL16XP1-024-230	24000	17	14.5	22000	13900	9.2	CH35-30B	ML180UH090V48B	204495631
EL16XP1-024-230	24000	17	13	22000	14000	9	CH35-30B	ML193UH030XE36B	202919837
EL16XP1-024-230	24000	16.5	13	21800	13800	8.5	CH35-30B	ML193UH045XE36B	202919838
EL16XP1-024-230	24000	17	13	21800	13800	9	CH35-30B	ML193UH070XE36B	202919840
EL16XP1-024-230	24000	17	13	21800	13800	8.5	CH35-30B	ML196UH030XE24B	204498054
EL16XP1-024-230	24000	17	13	21800	13800	8.5	CH35-30B	ML196UH045XE24B	204498055
EL16XP1-024-230	24000	17	13	21800	13800	9	CH35-30B	ML196UH045XE36B	204498056
EL16XP1-024-230	24000	17	13	21800	13800	9	CH35-30B	ML196UH070XE36B	204498057
EL16XP1-024-230	24000	16	13	21800	13800	8.8	CH35-30B	ML296UH045XV36B	202919841
EL16XP1-024-230	24000	17	13	21800	13800	9	CH35-30B	ML296UH070XV36B	202919842
EL16XP1-024-230	24000	17	13	21800	13800	9	CH35-30B	SL297UH040NV36B	202919843
EL16XP1-024-230	24000	17	13	21800	13800	9	CH35-30B	SL297UH060NV36B	202919845
EL16XP1-024-230	24000	17	13	21800	13800	9	CH35-30B	SLP98UH070XV36B	202919846
EL16XP1-024-230	24000	17	13	21800	13800	9	CH35-30B	SLP99UH070XV36B	205545583
EL16XP1-024-230	24000	14.5	12.5	22400	14400	8.5	CH35-30B		202919729
EL16XP1-024-230	24000	17	13	21800	14300	9.2	CHX35-30A	EL180UH040NE36A	202919847
EL16XP1-024-230	24000	17	13	21800	14300	9.2	CHX35-30A	EL180UH060NE36A	202919848
EL16XP1-024-230	24000	17	13	22200	14600	9.4	CHX35-30A	EL280UH045E36A	202919850
EL16XP1-024-230	24000	17	13	22000	14500	9.2	CHX35-30A	EL280UH070E36A	202919851
EL16XP1-024-230	24000	17	13	22000	14500	9.2	CHX35-30A	EL280UH070XE36A	203362256

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-024-230	24000	17	14.5	22000	14500	9.4	CHX35-30A	ML180UH030V36A	204495045
EL16XP1-024-230	24000	17	13	22200	14600	9.2	CHX35-30A	ML180UH045E36A	202919852
EL16XP1-024-230	24000	17	14.5	22000	14500	9.4	CHX35-30A	ML180UH045V36A	204495148
EL16XP1-024-230	24000	17	13	22000	14500	9.4	CHX35-30A	ML180UH070E36A	204495888
EL16XP1-024-230	24000	17	13	22000	14500	9.2	CHX35-30A	ML180UH070V36A	204495251
EL16XP1-024-230	24000	17	13	22000	14500	9.4	CHX35-30A	ML180UH070XE36A	204496014
EL16XP1-024-230	24000	17	13	22000	14500	9.4	CHX35-30A	SL280UH060NV36A	202919853
EL16XP1-024-230	24000	17	13	22000	14600	9.2	CHX35-30A	SL280UH070V36A	202919855
EL16XP1-024-230	24000	17	13	22000	14600	9.2	CHX35-30A	SL280UH070XV36A	202919856
EL16XP1-024-230	24000	14.5	12.5	22600	15100	8.5	CHX35-30A		202919730
EL16XP1-024-230	24000	17	13	21800	13800	9	CHX35-30B	EL195UH040NE36B	202919857
EL16XP1-024-230	24000	17	13	21800	13900	9	CHX35-30B	EL195UH060NE36B	202919858
EL16XP1-024-230	24000	17	13	21800	13800	8.5	CHX35-30B	EL196UH030XE24B	202919860
EL16XP1-024-230	24000	17	13	21800	13800	8.5	CHX35-30B	EL196UH045XE24B	202919861
EL16XP1-024-230	24000	17	13	21800	13800	9	CHX35-30B	EL196UH045XE36B	202919862
EL16XP1-024-230	24000	17	13	21800	13800	9	CHX35-30B	EL196UH070XE36B	202919863
EL16XP1-024-230	24000	17	13	22000	13900	9	CHX35-30B	EL280UH090E36B	202919865
EL16XP1-024-230	24000	16.5	13	21800	13800	8.5	CHX35-30B	EL296UH045XE36B	202919866
EL16XP1-024-230	24000	17	13	21800	13800	9	CHX35-30B	EL296UH045XV36B	202919867
EL16XP1-024-230	24000	17	13	21800	13900	9	CHX35-30B	EL296UH070XE36B	202919868
EL16XP1-024-230	24000	17	13	21800	13800	9	CHX35-30B	EL296UH070XV36B	202919870
EL16XP1-024-230	24000	17	13	21800	13800	9	CHX35-30B	ML180UH070E36B	202919871
EL16XP1-024-230	24000	17	14.5	21800	13800	9.2	CHX35-30B	ML180UH070V36B	204495378
EL16XP1-024-230	24000	17	14.5	21800	13800	9.2	CHX35-30B	ML180UH070V48B	204495508
EL16XP1-024-230	24000	17	14.5	22000	13900	9.2	CHX35-30B	ML180UH090V48B	204495632
EL16XP1-024-230	24000	17	13	22000	14000	9	CHX35-30B	ML193UH030XE36B	202919872
EL16XP1-024-230	24000	16.5	13	21800	13800	8.5	CHX35-30B	ML193UH045XE36B	202919873
EL16XP1-024-230	24000	17	13	21800	13800	9	CHX35-30B	ML193UH070XE36B	202919875
EL16XP1-024-230	24000	17	13	21800	13800	8.5	CHX35-30B	ML196UH030XE24B	204498058
EL16XP1-024-230	24000	17	13	21800	13800	8.5	CHX35-30B	ML196UH045XE24B	204498059
EL16XP1-024-230	24000	17	13	21800	13800	9	CHX35-30B	ML196UH045XE36B	204498060
EL16XP1-024-230	24000	17	13	21800	13800	9	CHX35-30B	ML196UH070XE36B	204498061
EL16XP1-024-230	24000	16	13	21800	13800	8.8	CHX35-30B	ML296UH045XV36B	202919876
EL16XP1-024-230	24000	17	13	21800	13800	9	CHX35-30B	ML296UH070XV36B	202919877
EL16XP1-024-230	24000	17	13	21800	13800	9	CHX35-30B	SL297UH040NV36B	202919878
EL16XP1-024-230	24000	17	13	21800	13800	9	CHX35-30B	SL297UH060NV36B	202919880
EL16XP1-024-230	24000	17	13	21800	13800	9	CHX35-30B	SLP98UH070XV36B	202919881
EL16XP1-024-230	24000	17	13	21800	13800	9	CHX35-30B	SLP99UH070XV36B	205545586
EL16XP1-024-230	24000	14.5	12.5	22400	14400	8.5	CHX35-30B		202919731
EL16XP1-024-230	24000	16.5	13	24000	14700	9	CR33-30/36A	EL280DF070E36A	202919882
EL16XP1-024-230	24000	16.5	13	24000	14800	9	CR33-30/36A	ML180DF045E36A	202919884
EL16XP1-024-230	24000	17	13	24000	14700	9.2	CR33-30/36A	ML180DF070E36A	204495931
EL16XP1-024-230	24000	16.5	13	23800	14700	9	CR33-30/36A	SL280DF070V36A	202919885
EL16XP1-024-230	23800	14.5	12	24000	15200	8.5	CR33-30/36A		202919733
EL16XP1-024-230	24000	16	13	23800	14600	9	CR33-30/36B	EL296DF045XE36B	202919886
EL16XP1-024-230	24000	16.5	13	23800	14700	9	CR33-30/36B	EL296DF045XV36B	202919887
EL16XP1-024-230	24000	16.5	13	23800	14600	9	CR33-30/36B	EL296DF070XE48B	202919889
EL16XP1-024-230	24000	16.5	13	23800	14600	9	CR33-30/36B	ML180DF070E36B	202919890
EL16XP1-024-230	24000	16	13	23800	14600	8.5	CR33-30/36B	ML193DF045XE36B	202919891
EL16XP1-024-230	24000	16	13	23800	14600	8.5	CR33-30/36B	ML193DF070XE36B	202919893
EL16XP1-024-230	24000	16	13	23800	14700	9	CR33-30/36B	ML296DF045XV36B	202919894
EL16XP1-024-230	24000	16.5	13	24000	14700	9	CR33-30/36B	SLP98DF070XV36B	202919895
EL16XP1-024-230	24000	16.5	13	24000	14700	9	CR33-30/36B	SLP99DF070XV36B	205545587
EL16XP1-024-230	23800	14.5	12	24000	15200	8.5	CR33-30/36B		202919734
EL16XP1-024-230	24000	17	13	22200	14300	9	CX35-30A	EL180UH040NE36A	202919896
EL16XP1-024-230	24000	17	13	21800	14200	8.5	CX35-30A	EL180UH060NE36A	202919898

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-024-230	24000	17	13	22400	14400	8.5	CX35-30A	EL280UH045E36A	202919899
EL16XP1-024-230	24000	17	13	22200	14300	8.5	CX35-30A	EL280UH070E36A	202919900
EL16XP1-024-230	24000	17	13	22200	14300	8.5	CX35-30A	EL280UH070XE36A	203362257
EL16XP1-024-230	24000	17	14.5	22000	14300	9	CX35-30A	ML180UH030V36A	204495046
EL16XP1-024-230	24000	17	13	22200	14400	8.5	CX35-30A	ML180UH045E36A	202919901
EL16XP1-024-230	24000	17	14.5	22000	14300	9	CX35-30A	ML180UH045V36A	204495149
EL16XP1-024-230	24000	17	13	22000	14300	9	CX35-30A	ML180UH070E36A	204495889
EL16XP1-024-230	24000	17	13	22000	14200	8.8	CX35-30A	ML180UH070V36A	204495252
EL16XP1-024-230	24000	17	13	22000	14300	9	CX35-30A	ML180UH070XE36A	204496015
EL16XP1-024-230	24000	17	13	22000	14200	9	CX35-30A	SL280UH060NV36A	202919903
EL16XP1-024-230	24000	17	13	22200	14300	9	CX35-30A	SL280UH070V36A	202919904
EL16XP1-024-230	24000	17	13	22200	14300	9	CX35-30A	SL280UH070XV36A	202919905
EL16XP1-024-230	24000	14.5	12.5	22600	14900	8.2	CX35-30A		202919735
EL16XP1-024-230	24000	17	13	22000	14300	8.5	CX35-30B	EL195UH040NE36B	202919906
EL16XP1-024-230	24000	17	13	22200	14300	8.5	CX35-30B	EL195UH060NE36B	202919908
EL16XP1-024-230	24000	17	13	22000	14300	8.5	CX35-30B	EL196UH030XE24B	202919909
EL16XP1-024-230	24000	17	13	22000	14300	8.5	CX35-30B	EL196UH045XE24B	202919910
EL16XP1-024-230	24000	17	13	22000	14300	8.5	CX35-30B	EL196UH045XE36B	202919911
EL16XP1-024-230	24000	17	13	22000	14300	8.5	CX35-30B	EL196UH070XE36B	202919913
EL16XP1-024-230	24000	17	13	22200	14400	9	CX35-30B	EL280UH090E36B	202919914
EL16XP1-024-230	24000	16.5	13	22000	14300	8.5	CX35-30B	EL296UH045XE36B	202919915
EL16XP1-024-230	24000	17	13	22000	14300	8.5	CX35-30B	EL296UH045XV36B	202919916
EL16XP1-024-230	24000	17	13	22200	14300	8.5	CX35-30B	EL296UH070XE36B	202919918
EL16XP1-024-230	24000	17	13	22000	14200	8.5	CX35-30B	EL296UH070XV36B	202919919
EL16XP1-024-230	24000	17	13	22000	14300	8.5	CX35-30B	ML180UH070E36B	202919920
EL16XP1-024-230	24000	17	14.5	22000	14200	9	CX35-30B	ML180UH070V36B	204495379
EL16XP1-024-230	24000	17	14.5	22000	14300	9	CX35-30B	ML180UH070V48B	204495509
EL16XP1-024-230	24000	17	14.5	22200	14300	9	CX35-30B	ML180UH090V48B	204495633
EL16XP1-024-230	24000	17	13	22200	14400	8.5	CX35-30B	ML193UH030XE36B	202919921
EL16XP1-024-230	24000	17	13	22000	14300	8.5	CX35-30B	ML193UH045XE36B	202919923
EL16XP1-024-230	24000	17	13	22000	14300	8.5	CX35-30B	ML193UH070XE36B	202919924
EL16XP1-024-230	24000	17	13	22000	14300	8.5	CX35-30B	ML196UH030XE24B	204498062
EL16XP1-024-230	24000	17	13	22000	14300	8.5	CX35-30B	ML196UH045XE24B	204498063
EL16XP1-024-230	24000	17	13	22000	14300	8.5	CX35-30B	ML196UH045XE36B	204498064
EL16XP1-024-230	24000	17	13	22000	14300	8.5	CX35-30B	ML196UH070XE36B	204498065
EL16XP1-024-230	24000	17	13	22000	14300	8.5	CX35-30B	ML296UH045XV36B	202919925
EL16XP1-024-230	24000	17	13	22000	14200	8.5	CX35-30B	ML296UH070XV36B	202919926
EL16XP1-024-230	24000	17	13	22000	14200	9	CX35-30B	SL280UH090V36B	202919928
EL16XP1-024-230	24000	17	13	22000	14300	8.5	CX35-30B	SL297UH040NV36B	202919929
EL16XP1-024-230	24000	17	13	22000	14300	8.5	CX35-30B	SL297UH060NV36B	202919930
EL16XP1-024-230	24000	17	13	22200	14300	8.5	CX35-30B	SLP98UH070XV36B	202919931
EL16XP1-024-230	24000	17	13	22200	14300	8.5	CX35-30B	SLP99UH070XV36B	205545589
EL16XP1-024-230	24000	14.5	12.5	22600	14900	8.2	CX35-30B		202919736
EL16XP1-024-230	24000	17	13	22000	14400	9.4	CX35-36A	EL180UH040NE36A	202919933
EL16XP1-024-230	24000	17	13	21800	14200	9.2	CX35-36A	EL180UH060NE36A	202919934
EL16XP1-024-230	24000	17	14.5	21800	14300	9.4	CX35-36A	ML180UH030V36A	204495047
EL16XP1-024-230	24000	17	13	22000	14500	9.2	CX35-36A	ML180UH045E36A	202919935
EL16XP1-024-230	24000	17	14.5	21800	14300	9.4	CX35-36A	ML180UH045V36A	204495150
EL16XP1-024-230	24000	17	13	21800	14300	9.4	CX35-36A	ML180UH070E36A	204495890
EL16XP1-024-230	24000	17	13	21800	14300	9.2	CX35-36A	ML180UH070V36A	204495253
EL16XP1-024-230	24000	17	13	21800	14300	9.4	CX35-36A	ML180UH070XE36A	204496016
EL16XP1-024-230	24000	17	13	21800	14300	9.4	CX35-36A	SL280UH060NV36A	202919936
EL16XP1-024-230	24000	17	13	22000	14400	9.2	CX35-36A	SL280UH070V36A	202919938
EL16XP1-024-230	24000	17	13	22000	14400	9.2	CX35-36A	SL280UH070XV36A	202919939
EL16XP1-024-230	24000	14.5	12.5	22400	15000	8.5	CX35-36A		202919738
EL16XP1-024-230	24000	17	13	21800	14300	9.2	CX35-36B	EL195UH040NE36B	202919940

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-024-230	24000	17	13	22000	14400	9.2	CX35-36B	EL195UH060NE36B	202919941
EL16XP1-024-230	24000	16.5	13	21800	14400	9.2	CX35-36B	EL196UH030XE24B	202919943
EL16XP1-024-230	24000	16.5	13	21800	14400	9.2	CX35-36B	EL196UH045XE24B	202919944
EL16XP1-024-230	24000	17	13	21800	14400	9.2	CX35-36B	EL196UH045XE36B	202919945
EL16XP1-024-230	24000	17	13	21800	14300	9.2	CX35-36B	EL196UH070XE36B	202919946
EL16XP1-024-230	24000	16.5	13	21800	14400	9	CX35-36B	EL296UH045XE36B	202919948
EL16XP1-024-230	24000	17	13	21800	14300	9.2	CX35-36B	EL296UH045XV36B	202919949
EL16XP1-024-230	24000	17	13	22000	14400	9.2	CX35-36B	EL296UH070XE36B	202919950
EL16XP1-024-230	24000	17	13	22000	14400	9.2	CX35-36B	EL296UH070XV36B	202919951
EL16XP1-024-230	24000	17	13	21800	14300	9.2	CX35-36B	ML180UH070E36B	202919953
EL16XP1-024-230	24000	17	14.5	21800	14300	9.4	CX35-36B	ML180UH070V36B	204495380
EL16XP1-024-230	24000	17	14.5	21800	14300	9.4	CX35-36B	ML180UH070V48B	204495510
EL16XP1-024-230	24000	17	14.5	22000	14400	9.4	CX35-36B	ML180UH090V48B	204495634
EL16XP1-024-230	24000	16.5	13	21800	14400	9.2	CX35-36B	ML196UH030XE24B	204498066
EL16XP1-024-230	24000	16.5	13	21800	14400	9.2	CX35-36B	ML196UH045XE24B	204498067
EL16XP1-024-230	24000	17	13	21800	14400	9.2	CX35-36B	ML196UH045XE36B	204498068
EL16XP1-024-230	24000	17	13	21800	14300	9.2	CX35-36B	ML196UH070XE36B	204498069
EL16XP1-024-230	24000	16	13	21800	14300	8.8	CX35-36B	ML296UH045XV36B	202919954
EL16XP1-024-230	24000	16	13	22000	14400	9	CX35-36B	ML296UH070XV36B	202919955
EL16XP1-024-230	24000	17	13	21800	14300	9.2	CX35-36B	SL280UH090V36B	202919956
EL16XP1-024-230	24000	17	13	21800	14300	9.2	CX35-36B	SL297UH040NV36B	202919958
EL16XP1-024-230	24000	17	13	21800	14400	9.2	CX35-36B	SL297UH060NV36B	202919959
EL16XP1-024-230	24000	17	13	22000	14400	9.2	CX35-36B	SLP98UH070XV36B	202919960
EL16XP1-024-230	24000	17	13	22000	14400	9.2	CX35-36B	SLP99UH070XV36B	205545591
EL16XP1-024-230	24000	14.5	12.5	22400	15000	8.5	CX35-36B		202919739
EL16XP1-030-230	30000	16	13	28000	18300	8.5	C35-30A	EL180UH040NE36A	202919999
EL16XP1-030-230	30000	16	13	28000	18300	8.5	C35-30A	EL180UH060NE36A	202920001
EL16XP1-030-230	30000	16	13	28200	18400	8.5	C35-30A	EL280UH045E36A	202920002
EL16XP1-030-230	30000	15.5	12.5	28000	18400	8.5	C35-30A	EL280UH070E36A	202920003
EL16XP1-030-230	30000	15.5	12.5	28000	18400	8.5	C35-30A	EL280UH070XE36A	203362258
EL16XP1-030-230	30000	16	13.5	28000	18300	8.8	C35-30A	ML180UH030V36A	204495048
EL16XP1-030-230	30000	15.5	12.5	28000	18300	8.5	C35-30A	ML180UH045E36A	202920004
EL16XP1-030-230	30000	16	13.5	28000	18300	8.8	C35-30A	ML180UH045V36A	204495151
EL16XP1-030-230	30000	16	13	28200	18400	8.8	C35-30A	ML180UH070E36A	204495891
EL16XP1-030-230	30000	15.5	12.5	27800	18300	8.5	C35-30A	ML180UH070V36A	204495254
EL16XP1-030-230	30000	16	13	28200	18400	8.8	C35-30A	ML180UH070XE36A	204496017
EL16XP1-030-230	30000	16	13	28000	18300	8.5	C35-30A	SL280UH060NV36A	202920005
EL16XP1-030-230	30000	15.5	12.5	27800	18300	8.5	C35-30A	SL280UH070V36A	202920007
EL16XP1-030-230	30000	15.5	12.5	27800	18300	8.5	C35-30A	SL280UH070XV36A	202920008
EL16XP1-030-230	29600	14.25	12	28600	18900	8.2	C35-30A		202919987
EL16XP1-030-230	30000	16	13	27800	18200	8.5	C35-30B	EL180UH080NE48B	202920009
EL16XP1-030-230	30000	15.5	12.5	28200	18500	8.5	C35-30B	EL195UH040NE36B	202920010
EL16XP1-030-230	30000	15.5	12.5	28200	18500	8.5	C35-30B	EL195UH060NE36B	202920011
EL16XP1-030-230	30000	15.5	12.5	27800	18200	8.5	C35-30B	EL196UH030XE24B	202920013
EL16XP1-030-230	30000	15.5	12.5	27800	18200	8.5	C35-30B	EL196UH045XE24B	202920014
EL16XP1-030-230	30000	15.5	12.5	28000	18400	8.5	C35-30B	EL196UH045XE36B	202920015
EL16XP1-030-230	30000	15.5	12.5	28000	18400	8.5	C35-30B	EL196UH070XE36B	202920016
EL16XP1-030-230	30000	16	13	28200	18500	8.5	C35-30B	EL280UH090E36B	202920017
EL16XP1-030-230	30000	16	13	27800	18200	8.5	C35-30B	EL280UH090E48B	202920019
EL16XP1-030-230	30000	16	13	27800	18200	8.5	C35-30B	EL280UH090XE48B	203362259
EL16XP1-030-230	30000	15.5	12.5	28000	18400	8.5	C35-30B	EL296UH045XE36B	202920020
EL16XP1-030-230	30000	15.5	12.5	28000	18400	8.5	C35-30B	EL296UH045XV36B	202920021
EL16XP1-030-230	30000	15.5	12.5	28200	18500	8.5	C35-30B	EL296UH070XE36B	202920022
EL16XP1-030-230	30000	15.5	12.5	27800	18300	8.5	C35-30B	EL296UH070XV36B	202920023
EL16XP1-030-230	30000	16	13	27800	18200	8.5	C35-30B	ML180UH070E36B	202920025
EL16XP1-030-230	30000	16	13.5	27800	18200	8.8	C35-30B	ML180UH070V36B	204495381

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-030-230	30000	16	13.5	28000	18300	8.8	C35-30B	ML180UH070V48B	204495511
EL16XP1-030-230	30000	16	13	27800	18200	8.5	C35-30B	ML180UH090E48B	202920026
EL16XP1-030-230	30000	16	13	27800	18200	8.5	C35-30B	ML180UH090V48B	204495635
EL16XP1-030-230	30000	15.5	12.5	28000	18400	8.5	C35-30B	ML193UH030XE36B	202920027
EL16XP1-030-230	30000	15.5	12.5	28000	18400	8.5	C35-30B	ML193UH045XE36B	202920028
EL16XP1-030-230	30000	15.5	12.5	28000	18400	8.5	C35-30B	ML193UH070XE36B	202920029
EL16XP1-030-230	30000	15.5	12.5	27800	18200	8.5	C35-30B	ML196UH030XE24B	204498070
EL16XP1-030-230	30000	15.5	12.5	27800	18200	8.5	C35-30B	ML196UH045XE24B	204498071
EL16XP1-030-230	30000	15.5	12.5	28000	18400	8.5	C35-30B	ML196UH045XE36B	204498072
EL16XP1-030-230	30000	15.5	12.5	28000	18400	8.5	C35-30B	ML196UH070XE36B	204498073
EL16XP1-030-230	30000	15.5	12.5	28000	18300	8.5	C35-30B	ML296UH045XV36B	202920030
EL16XP1-030-230	30000	15.5	12.5	27800	18300	8.5	C35-30B	ML296UH070XV36B	202920032
EL16XP1-030-230	30000	16	13	28000	18300	8.5	C35-30B	SL280UH080NV48B	202920033
EL16XP1-030-230	30000	16	13	28000	18300	8.5	C35-30B	SL280UH090V36B	202920034
EL16XP1-030-230	30000	16	13	28000	18300	8.5	C35-30B	SL280UH090V48B	202920035
EL16XP1-030-230	30000	16	13	27800	18300	8.5	C35-30B	SL297UH040NV36B	202920036
EL16XP1-030-230	30000	15.5	12.5	27800	18300	8.5	C35-30B	SL297UH060NV36B	202920038
EL16XP1-030-230	30000	15.5	12.5	27800	18300	8.5	C35-30B	SLP98UH070XV36B	202920039
EL16XP1-030-230	30000	15.5	12.5	27800	18300	8.5	C35-30B	SLP99UH070XV36B	205545593
EL16XP1-030-230	30000	14.25	12	28400	18800	8.2	C35-30B		202919988
EL16XP1-030-230	30000	16	13	27800	18600	9	C35-36A	EL180UH040NE36A	202920040
EL16XP1-030-230	30000	16	13	27800	18600	9	C35-36A	EL180UH060NE36A	202920041
EL16XP1-030-230	30000	16	13	28000	18700	9	C35-36A	EL280UH045E36A	202920042
EL16XP1-030-230	30000	16	13	27800	18700	8.5	C35-36A	EL280UH070E36A	202920043
EL16XP1-030-230	30000	16	13	27800	18700	8.5	C35-36A	EL280UH070XE36A	203362260
EL16XP1-030-230	30000	16	13.5	27800	18600	9	C35-36A	ML180UH030V36A	204495049
EL16XP1-030-230	30000	16	13	27800	18600	8.5	C35-36A	ML180UH045E36A	202920045
EL16XP1-030-230	30000	16	13.5	27800	18600	9	C35-36A	ML180UH045V36A	204495152
EL16XP1-030-230	30000	16	13	28000	18700	9	C35-36A	ML180UH070E36A	204495892
EL16XP1-030-230	30000	16	13	27800	18600	9	C35-36A	ML180UH070V36A	204495255
EL16XP1-030-230	30000	16	13	28000	18700	9	C35-36A	ML180UH070XE36A	204496018
EL16XP1-030-230	30000	16	13	27800	18600	9	C35-36A	SL280UH060NV36A	202920046
EL16XP1-030-230	30000	16	13	27800	18700	9	C35-36A	SL280UH070V36A	202920047
EL16XP1-030-230	30000	16	13	27800	18700	9	C35-36A	SL280UH070XV36A	202920048
EL16XP1-030-230	29800	14.5	12	28400	19200	8.5	C35-36A		202919989
EL16XP1-030-230	30000	16	13	27600	18500	9	C35-36B	EL180UH080NE48B	202920049
EL16XP1-030-230	30000	16	13	28000	18800	9	C35-36B	EL195UH040NE36B	202920051
EL16XP1-030-230	30000	16	13	28000	18700	9	C35-36B	EL195UH060NE36B	202920052
EL16XP1-030-230	30000	16	13	27600	18500	8.5	C35-36B	EL196UH030XE24B	202920053
EL16XP1-030-230	30000	16	13	27600	18500	8.5	C35-36B	EL196UH045XE24B	202920054
EL16XP1-030-230	30000	16	13	28000	18700	9	C35-36B	EL196UH045XE36B	202920055
EL16XP1-030-230	30000	16	13	27800	18700	9	C35-36B	EL196UH070XE36B	202920056
EL16XP1-030-230	30000	16	13	28000	18700	9	C35-36B	EL280UH090E36B	202920058
EL16XP1-030-230	30000	16	13	27600	18500	8.5	C35-36B	EL280UH090E48B	202920059
EL16XP1-030-230	30000	16	13	27600	18500	8.5	C35-36B	EL280UH090XE48B	203362261
EL16XP1-030-230	30000	15.5	12.5	27800	18700	8.5	C35-36B	EL296UH045XE36B	202920060
EL16XP1-030-230	30000	16	13	27800	18700	8.5	C35-36B	EL296UH045XV36B	202920061
EL16XP1-030-230	30000	16	13	28000	18700	8.5	C35-36B	EL296UH070XE36B	202920062
EL16XP1-030-230	30000	16	13	27800	18700	9	C35-36B	EL296UH070XV36B	202920064
EL16XP1-030-230	30000	16	13	27800	18500	9	C35-36B	ML180UH070E36B	202920065
EL16XP1-030-230	30000	16	13.5	27800	18500	9	C35-36B	ML180UH070V36B	204495382
EL16XP1-030-230	30000	16	13.5	27800	18500	9.2	C35-36B	ML180UH070V48B	204495512
EL16XP1-030-230	30000	16	13	27600	18500	9	C35-36B	ML180UH090E48B	202920066
EL16XP1-030-230	30000	16	13.5	27600	18500	9	C35-36B	ML180UH090V48B	204495636
EL16XP1-030-230	30000	15.5	12.5	27800	18700	8.5	C35-36B	ML193UH030XE36B	202920067
EL16XP1-030-230	30000	15.5	12.5	27800	18700	8.5	C35-36B	ML193UH045XE36B	202920068

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-030-230	30000	16	13	27800	18700	8.5	C35-36B	ML193UH070XE36B	202920070
EL16XP1-030-230	30000	16	13	27600	18500	8.5	C35-36B	ML196UH030XE24B	204498074
EL16XP1-030-230	30000	16	13	27600	18500	8.5	C35-36B	ML196UH045XE24B	204498075
EL16XP1-030-230	30000	16	13	28000	18700	9	C35-36B	ML196UH045XE36B	204498076
EL16XP1-030-230	30000	16	13	27800	18700	9	C35-36B	ML196UH070XE36B	204498077
EL16XP1-030-230	30000	15.5	12.5	27800	18300	8.5	C35-36B	ML296UH045XV36B	202920071
EL16XP1-030-230	30000	15.5	12.5	27800	18600	8.8	C35-36B	ML296UH070XV36B	202920072
EL16XP1-030-230	30000	16.5	13	27800	18500	9	C35-36B	SL280UH080NV48B	202920073
EL16XP1-030-230	30000	16.5	13	27600	18500	9	C35-36B	SL280UH090V36B	202920074
EL16XP1-030-230	30000	16	13	28000	18700	9	C35-36B	SL297UH040NV36B	202920076
EL16XP1-030-230	30000	16	13	28000	18800	9	C35-36B	SL297UH060NV36B	202920077
EL16XP1-030-230	30000	16	13	27800	18700	9	C35-36B	SLP98UH070XV36B	202920078
EL16XP1-030-230	30000	16	13	27800	18700	9	C35-36B	SLP99UH070XV36B	205545596
EL16XP1-030-230	30000	14.5	12	28200	19100	8.5	C35-36B		202919991
EL16XP1-030-230	29000	14.5	12	27200	19200	9	CBA25UH-030-230		202920079
EL16XP1-030-230	29600	15.1	12.5	27800	18900	9.2	CBA25UH-036-230		202920080
EL16XP1-030-230	29600	16	13	27000	18700	9.5	CBA25UHV-030-230		202920082
EL16XP1-030-230	30000	16.5	13	27600	18500	9.6	CBA25UHV-036-230		202920083
EL16XP1-030-230	29800	16	13	27600	17700	9.5	CBA27UHE-030-230		202919986
EL16XP1-030-230	30000	16.5	13	27400	17800	9.6	CBA27UHE-036-230		202920084
EL16XP1-030-230	30000	16.5	13	27600	17900	9.5	CBA38MV-030-230		202920085
EL16XP1-030-230	30000	16.5	13	27400	17800	9.8	CBA38MV-036-230		202920087
EL16XP1-030-230	30000	16	13	27800	18200	9.4	CH35-30A	EL180UH040NE36A	202920088
EL16XP1-030-230	30000	16	13	27600	18200	9.2	CH35-30A	EL180UH060NE36A	202920089
EL16XP1-030-230	30000	15.5	12.5	27800	18300	9.2	CH35-30A	EL280UH045E36A	202920091
EL16XP1-030-230	29800	15.5	12.5	27800	18300	9.2	CH35-30A	EL280UH070E36A	202920092
EL16XP1-030-230	29800	15.5	12.5	27800	18300	9.2	CH35-30A	EL280UH070XE36A	203362262
EL16XP1-030-230	30000	15.5	12.5	27800	18300	9.4	CH35-30A	ML180UH030V36A	204495050
EL16XP1-030-230	29800	15.5	12.5	27600	18300	9.2	CH35-30A	ML180UH045E36A	202920093
EL16XP1-030-230	30000	15.5	12.5	27800	18300	9.4	CH35-30A	ML180UH045V36A	204495153
EL16XP1-030-230	30000	15.5	12.5	27800	18400	9.4	CH35-30A	ML180UH070E36A	204495893
EL16XP1-030-230	29800	15.5	12.5	27600	18300	9.2	CH35-30A	ML180UH070V36A	204495256
EL16XP1-030-230	30000	15.5	12.5	27800	18400	9.4	CH35-30A	ML180UH070XE36A	204496019
EL16XP1-030-230	30000	16	13	27800	18300	9.4	CH35-30A	SL280UH060NV36A	202920094
EL16XP1-030-230	29800	15.5	12.5	27600	18300	9.2	CH35-30A	SL280UH070V36A	202920096
EL16XP1-030-230	29800	15.5	12.5	27600	18300	9.2	CH35-30A	SL280UH070XV36A	202920097
EL16XP1-030-230	29600	15.5	12.5	27600	18100	9	CH35-30B	EL180UH080NE48B	202920098
EL16XP1-030-230	29800	15.5	12.5	28000	18300	9	CH35-30B	EL195UH040NE36B	202920099
EL16XP1-030-230	29600	15.5	12.5	28000	18300	9	CH35-30B	EL195UH060NE36B	202920101
EL16XP1-030-230	29200	15.5	12.5	27600	18100	8.5	CH35-30B	EL196UH030XE24B	202920102
EL16XP1-030-230	29200	15.5	12.5	27600	18100	8.5	CH35-30B	EL196UH045XE24B	202920103
EL16XP1-030-230	29600	15.5	12.5	27800	18200	9	CH35-30B	EL196UH045XE36B	202920104
EL16XP1-030-230	29600	15.5	12.5	27800	18200	9	CH35-30B	EL196UH070XE36B	202920106
EL16XP1-030-230	30000	15.5	12.5	28000	18300	9.2	CH35-30B	EL280UH090E36B	202920107
EL16XP1-030-230	29600	15.5	12.5	27600	18100	9	CH35-30B	EL280UH090E48B	202920108
EL16XP1-030-230	29600	15.5	12.5	27600	18100	9	CH35-30B	EL280UH090XE48B	203362263
EL16XP1-030-230	29400	15.5	12.5	27800	18200	9	CH35-30B	EL296UH045XE36B	202920109
EL16XP1-030-230	29400	15.5	12.5	27800	18200	9	CH35-30B	EL296UH045XV36B	202920111
EL16XP1-030-230	29600	15.5	12.5	28000	18300	9	CH35-30B	EL296UH070XE36B	202920112
EL16XP1-030-230	29400	15.5	12.5	27600	18100	9	CH35-30B	EL296UH070XV36B	202920113
EL16XP1-030-230	29600	16	13	27600	18100	9	CH35-30B	ML180UH070E36B	202920114
EL16XP1-030-230	29600	16	13.5	27600	18100	9.2	CH35-30B	ML180UH070V36B	204495383
EL16XP1-030-230	29600	16	13.5	27600	18100	9.2	CH35-30B	ML180UH070V48B	204495513
EL16XP1-030-230	29600	16	13	27600	18000	9	CH35-30B	ML180UH090E48B	202920116
EL16XP1-030-230	29600	16	13	27600	18000	9	CH35-30B	ML180UH090V48B	204495637
EL16XP1-030-230	29400	15.5	12.5	27800	18300	9	CH35-30B	ML193UH030XE36B	202920117

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-030-230	29400	15.5	12.5	27800	18300	9	CH35-30B	ML193UH045XE36B	202920118
EL16XP1-030-230	29600	15.5	12.5	27800	18300	9	CH35-30B	ML193UH070XE36B	202920120
EL16XP1-030-230	29200	15.5	12.5	27600	18100	8.5	CH35-30B	ML196UH030XE24B	204498078
EL16XP1-030-230	29200	15.5	12.5	27600	18100	8.5	CH35-30B	ML196UH045XE24B	204498079
EL16XP1-030-230	29600	15.5	12.5	27800	18200	9	CH35-30B	ML196UH045XE36B	204498080
EL16XP1-030-230	29600	15.5	12.5	27800	18200	9	CH35-30B	ML196UH070XE36B	204498081
EL16XP1-030-230	29400	15.5	12.5	27800	18200	8.6	CH35-30B	ML296UH045XV36B	202920121
EL16XP1-030-230	29400	15.5	12.5	27600	18100	8.6	CH35-30B	ML296UH070XV36B	202920122
EL16XP1-030-230	29600	16	13	27600	18000	9	CH35-30B	SL280UH080NV48B	202920123
EL16XP1-030-230	29600	16	13	27600	18000	9	CH35-30B	SL280UH090V36B	202920125
EL16XP1-030-230	29600	16	13	27800	18100	9	CH35-30B	SL280UH090V48B	202920126
EL16XP1-030-230	29600	15.5	12.5	27600	18100	9	CH35-30B	SL297UH040NV36B	202920127
EL16XP1-030-230	29400	15.5	12.5	27600	18100	9	CH35-30B	SL297UH060NV36B	202920128
EL16XP1-030-230	29400	15.5	12.5	27600	18100	9	CH35-30B	SLP98UH070XV36B	202920129
EL16XP1-030-230	29400	15.5	12.5	27600	18100	9	CH35-30B	SLP99UH070XV36B	205545598
EL16XP1-030-230	29400	15.5	12.5	28400	17900	8.5	CH35-36C	EL195UH080NE48C	202920131
EL16XP1-030-230	29400	16	13	28400	17800	8.5	CH35-36C	EL196UH090XE48C	202920132
EL16XP1-030-230	29400	15.5	12.5	28400	17900	8.5	CH35-36C	EL280UH110E48C	202920133
EL16XP1-030-230	30000	15.5	12.5	28800	18100	8.5	CH35-36C	EL296UH090XE48C	202920134
EL16XP1-030-230	29600	15.5	12.5	28600	17900	8.5	CH35-36C	EL296UH090XV36C	202920135
EL16XP1-030-230	29800	16	13	28600	17900	8.5	CH35-36C	EL296UH090XV48C	202920137
EL16XP1-030-230	29600	15.5	12.5	28600	17900	8.5	CH35-36C	ML193UH090XE36C	202920138
EL16XP1-030-230	29400	15.5	12.5	28400	17800	8.5	CH35-36C	ML193UH090XE48C	202920139
EL16XP1-030-230	29400	15.5	12.5	28400	17800	8.5	CH35-36C	ML193UH110XE48C	202920140
EL16XP1-030-230	29400	16	13	28400	17800	8.5	CH35-36C	ML196UH090XE48C	204498082
EL16XP1-030-230	29800	15.5	12.5	28400	17900	8.5	CH35-36C	ML296UH090XV48C	202920141
EL16XP1-030-230	29800	15.5	12.5	28600	17900	8.5	CH35-36C	SL297UH080NV48C	202920143
EL16XP1-030-230	29600	15.5	12.5	28600	17900	8.5	CH35-36C	SLP98UH090XV36C	202920144
EL16XP1-030-230	29800	16	13	28600	17900	8.5	CH35-36C	SLP98UH090XV48C	202920145
EL16XP1-030-230	29600	15.5	12.5	28600	17900	8.5	CH35-36C	SLP99UH090XV36C	205545599
EL16XP1-030-230	29800	16	13	28600	17900	8.5	CH35-36C	SLP99UH090XV48C	205545602
EL16XP1-030-230	30000	16	13	27800	18200	9.4	CHX35-30A	EL180UH040NE36A	202920146
EL16XP1-030-230	30000	16	13	27600	18200	9.2	CHX35-30A	EL180UH060NE36A	202920147
EL16XP1-030-230	30000	15.5	12.5	27800	18300	9.2	CHX35-30A	EL280UH045E36A	202920149
EL16XP1-030-230	29800	15.5	12.5	27800	18300	9.2	CHX35-30A	EL280UH070E36A	202920150
EL16XP1-030-230	29800	15.5	12.5	27800	18300	9.2	CHX35-30A	EL280UH070XE36A	203362264
EL16XP1-030-230	30000	15.5	12.5	27800	18300	9.4	CHX35-30A	ML180UH030V36A	204495051
EL16XP1-030-230	29800	15.5	12.5	27600	18300	9.2	CHX35-30A	ML180UH045E36A	202920151
EL16XP1-030-230	30000	15.5	12.5	27800	18300	9.4	CHX35-30A	ML180UH045V36A	204495154
EL16XP1-030-230	30000	15.5	12.5	27800	18400	9.4	CHX35-30A	ML180UH070E36A	204495894
EL16XP1-030-230	29800	15.5	12.5	27600	18300	9.2	CHX35-30A	ML180UH070V36A	204495257
EL16XP1-030-230	30000	15.5	12.5	27800	18400	9.4	CHX35-30A	ML180UH070XE36A	204496020
EL16XP1-030-230	30000	16	13	27800	18300	9.4	CHX35-30A	SL280UH060NV36A	202920152
EL16XP1-030-230	29800	15.5	12.5	27600	18300	9.2	CHX35-30A	SL280UH070V36A	202920153
EL16XP1-030-230	29800	15.5	12.5	27600	18300	9.2	CHX35-30A	SL280UH070XV36A	202920154
EL16XP1-030-230	29600	15.5	12.5	27600	18100	9	CHX35-30B	EL180UH080NE48B	202920156
EL16XP1-030-230	29800	15.5	12.5	28000	18300	9	CHX35-30B	EL195UH040NE36B	202920157
EL16XP1-030-230	29600	15.5	12.5	28000	18300	9	CHX35-30B	EL195UH060NE36B	202920158
EL16XP1-030-230	29200	15.5	12.5	27600	18100	8.5	CHX35-30B	EL196UH030XE24B	202920159
EL16XP1-030-230	29200	15.5	12.5	27600	18100	8.5	CHX35-30B	EL196UH045XE24B	202920160
EL16XP1-030-230	29600	15.5	12.5	27800	18200	9	CHX35-30B	EL196UH045XE36B	202920162
EL16XP1-030-230	29600	15.5	12.5	27800	18200	9	CHX35-30B	EL196UH070XE36B	202920163
EL16XP1-030-230	30000	15.5	12.5	28000	18300	9.2	CHX35-30B	EL280UH090E36B	202920164
EL16XP1-030-230	29600	15.5	12.5	27600	18100	9	CHX35-30B	EL280UH090E48B	202920165
EL16XP1-030-230	29600	15.5	12.5	27600	18100	9	CHX35-30B	EL280UH090XE48B	203362265
EL16XP1-030-230	29400	15.5	12.5	27800	18200	9	CHX35-30B	EL296UH045XE36B	202920166

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-030-230	29400	15.5	12.5	27800	18200	9	CHX35-30B	EL296UH045XV36B	202920168
EL16XP1-030-230	29600	15.5	12.5	28000	18300	9	CHX35-30B	EL296UH070XE36B	202920169
EL16XP1-030-230	29400	15.5	12.5	27600	18100	9	CHX35-30B	EL296UH070XV36B	202920170
EL16XP1-030-230	29600	16	13	27600	18100	9	CHX35-30B	ML180UH070E36B	202920171
EL16XP1-030-230	29600	16	13.5	27600	18100	9.2	CHX35-30B	ML180UH070V36B	204495384
EL16XP1-030-230	29600	16	13.5	27600	18100	9.2	CHX35-30B	ML180UH070V48B	204495514
EL16XP1-030-230	29600	16	13	27600	18000	9	CHX35-30B	ML180UH090E48B	202920173
EL16XP1-030-230	29600	16	13	27600	18000	9	CHX35-30B	ML180UH090V48B	204495638
EL16XP1-030-230	29400	15.5	12.5	27800	18300	9	CHX35-30B	ML193UH030XE36B	202920174
EL16XP1-030-230	29400	15.5	12.5	27800	18300	9	CHX35-30B	ML193UH045XE36B	202920175
EL16XP1-030-230	29600	15.5	12.5	27800	18300	9	CHX35-30B	ML193UH070XE36B	202920176
EL16XP1-030-230	29200	15.5	12.5	27600	18100	8.5	CHX35-30B	ML196UH030XE24B	204498083
EL16XP1-030-230	29200	15.5	12.5	27600	18100	8.5	CHX35-30B	ML196UH045XE24B	204498084
EL16XP1-030-230	29600	15.5	12.5	27800	18200	9	CHX35-30B	ML196UH045XE36B	204498085
EL16XP1-030-230	29600	15.5	12.5	27800	18200	9	CHX35-30B	ML196UH070XE36B	204498086
EL16XP1-030-230	29400	15.5	12.5	27800	18200	8.6	CHX35-30B	ML296UH045XV36B	202920177
EL16XP1-030-230	29400	15.5	12.5	27600	18100	8.6	CHX35-30B	ML296UH070XV36B	202920178
EL16XP1-030-230	29600	16	13	27600	18000	9	CHX35-30B	SL280UH080NV48B	202920180
EL16XP1-030-230	29600	16	13	27600	18000	9	CHX35-30B	SL280UH090V36B	202920181
EL16XP1-030-230	29600	16	13	27800	18100	9	CHX35-30B	SL280UH090V48B	202920182
EL16XP1-030-230	29600	15.5	12.5	27600	18100	9	CHX35-30B	SL297UH040NV36B	202920183
EL16XP1-030-230	29400	15.5	12.5	27600	18100	9	CHX35-30B	SL297UH060NV36B	202920184
EL16XP1-030-230	29400	15.5	12.5	27600	18100	9	CHX35-30B	SLP98UH070XV36B	202920186
EL16XP1-030-230	29400	15.5	12.5	27600	18100	9	CHX35-30B	SLP99UH070XV36B	205545603
EL16XP1-030-230	29400	15.5	12.5	28400	17900	8.5	CHX35-36C	EL195UH080NE48C	202920187
EL16XP1-030-230	29400	16	13	28400	17800	8.5	CHX35-36C	EL196UH090XE48C	202920188
EL16XP1-030-230	29400	15.5	12.5	28400	17900	8.5	CHX35-36C	EL280UH110E48C	202920189
EL16XP1-030-230	30000	15.5	12.5	28800	18100	8.5	CHX35-36C	EL296UH090XE48C	202920190
EL16XP1-030-230	29600	15.5	12.5	28600	17900	8.5	CHX35-36C	EL296UH090XV36C	202920192
EL16XP1-030-230	29800	16	13	28600	17900	8.5	CHX35-36C	EL296UH090XV48C	202920193
EL16XP1-030-230	29600	15.5	12.5	28600	17900	8.5	CHX35-36C	ML193UH090XE36C	202920194
EL16XP1-030-230	29400	15.5	12.5	28400	17800	8.5	CHX35-36C	ML193UH090XE48C	202920195
EL16XP1-030-230	29400	15.5	12.5	28400	17800	8.5	CHX35-36C	ML193UH110XE48C	202920196
EL16XP1-030-230	29400	16	13	28400	17800	8.5	CHX35-36C	ML196UH090XE48C	204498087
EL16XP1-030-230	29800	15.5	12.5	28400	17900	8.5	CHX35-36C	ML296UH090XV48C	202920198
EL16XP1-030-230	29800	15.5	12.5	28600	17900	8.5	CHX35-36C	SL297UH080NV48C	202920199
EL16XP1-030-230	29600	15.5	12.5	28600	17900	8.5	CHX35-36C	SLP98UH090XV36C	202920200
EL16XP1-030-230	29800	16	13	28600	17900	8.5	CHX35-36C	SLP98UH090XV48C	202920201
EL16XP1-030-230	29600	15.5	12.5	28600	17900	8.5	CHX35-36C	SLP99UH090XV36C	205545605
EL16XP1-030-230	29800	16	13	28600	17900	8.5	CHX35-36C	SLP99UH090XV48C	205545607
EL16XP1-030-230	30000	15.5	12.5	30000	19000	9	CR33-30/36A	EL280DF070E36A	202920202
EL16XP1-030-230	30000	15.5	12.5	30000	19100	9	CR33-30/36A	ML180DF045E36A	202920204
EL16XP1-030-230	30000	16	13	30000	18900	9	CR33-30/36A	ML180DF070E36A	204495932
EL16XP1-030-230	30000	15.5	12.5	30000	19000	9	CR33-30/36A	SL280DF070V36A	202920205
EL16XP1-030-230	29600	14.25	12	30000	19500	8.5	CR33-30/36A		202919992
EL16XP1-030-230	30000	16	13	30000	19100	9	CR33-30/36B	EL280DF090E48B	202920206
EL16XP1-030-230	30000	15.5	12.5	30000	19000	9	CR33-30/36B	EL296DF045XE36B	202920207
EL16XP1-030-230	30000	15.5	12.5	30000	19000	9	CR33-30/36B	EL296DF045XV36B	202920209
EL16XP1-030-230	30000	16	13	30000	19000	9	CR33-30/36B	EL296DF070XE48B	202920210
EL16XP1-030-230	30000	15.5	12.5	30000	19000	9	CR33-30/36B	EL296DF070XV48B	202920211
EL16XP1-030-230	30000	16	13	30000	18900	9	CR33-30/36B	ML180DF070E36B	202920212
EL16XP1-030-230	30000	16	13	30000	18800	9	CR33-30/36B	ML180DF090E48B	202920213
EL16XP1-030-230	30000	15.5	12.5	30000	19000	9	CR33-30/36B	ML193DF045XE36B	202920215
EL16XP1-030-230	30000	15.5	12.5	30000	19000	9	CR33-30/36B	ML193DF070XE36B	202920216
EL16XP1-030-230	30000	15.5	12.5	30000	19000	9	CR33-30/36B	ML296DF045XV36B	202920217
EL16XP1-030-230	30000	15.5	12.5	30000	19000	9	CR33-30/36B	ML296DF070XV48B	202920218

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-030-230	30000	16	13	30000	18900	9	CR33-30/36B	SL280DF090V48B	202920219
EL16XP1-030-230	30000	15.5	12.5	30000	19100	9	CR33-30/36B	SLP98DF070XV36B	202920221
EL16XP1-030-230	30000	15.5	12.5	30000	19100	9	CR33-30/36B	SLP99DF070XV36B	205545609
EL16XP1-030-230	29600	14.25	12	30000	19500	8.5	CR33-30/36B		202919993
EL16XP1-030-230	30000	16	13	28000	18300	8.5	CX35-30A	EL180UH040NE36A	202920222
EL16XP1-030-230	30000	16	13	28000	18300	8.5	CX35-30A	EL180UH060NE36A	202920223
EL16XP1-030-230	30000	16	13	28200	18400	8.5	CX35-30A	EL280UH045E36A	202920224
EL16XP1-030-230	30000	15.5	12.5	28000	18400	8.5	CX35-30A	EL280UH070E36A	202920225
EL16XP1-030-230	30000	15.5	12.5	28000	18400	8.5	CX35-30A	EL280UH070XE36A	203362266
EL16XP1-030-230	30000	16	13.5	28000	18300	8.8	CX35-30A	ML180UH030V36A	204495052
EL16XP1-030-230	30000	15.5	12.5	28000	18300	8.5	CX35-30A	ML180UH045E36A	202920227
EL16XP1-030-230	30000	16	13.5	28000	18300	8.8	CX35-30A	ML180UH045V36A	204495155
EL16XP1-030-230	30000	16	13	28200	18400	8.8	CX35-30A	ML180UH070E36A	204495895
EL16XP1-030-230	30000	15.5	12.5	27800	18300	8.5	CX35-30A	ML180UH070V36A	204495258
EL16XP1-030-230	30000	16	13	28200	18400	8.8	CX35-30A	ML180UH070XE36A	204496021
EL16XP1-030-230	30000	16	13	27600	18100	8.5	CX35-30A	SL280UH060NV36A	202920228
EL16XP1-030-230	30000	15.5	12.5	27800	18300	8.5	CX35-30A	SL280UH070V36A	202920229
EL16XP1-030-230	30000	15.5	12.5	27800	18300	8.5	CX35-30A	SL280UH070XV36A	202920230
EL16XP1-030-230	29600	14.25	12	28600	18900	8.2	CX35-30A		202919994
EL16XP1-030-230	30000	16	13	27800	18200	8.5	CX35-30B	EL180UH080NE48B	202920231
EL16XP1-030-230	30000	15.5	12.5	28200	18500	8.5	CX35-30B	EL195UH040NE36B	202920233
EL16XP1-030-230	30000	15.5	12.5	28200	18500	8.5	CX35-30B	EL195UH060NE36B	202920234
EL16XP1-030-230	30000	15.5	12.5	27800	18200	8.5	CX35-30B	EL196UH030XE24B	202920235
EL16XP1-030-230	30000	15.5	12.5	27800	18200	8.5	CX35-30B	EL196UH045XE24B	202920236
EL16XP1-030-230	30000	15.5	12.5	28000	18400	8.5	CX35-30B	EL196UH045XE36B	202920238
EL16XP1-030-230	30000	15.5	12.5	28000	18400	8.5	CX35-30B	EL196UH070XE36B	202920239
EL16XP1-030-230	30000	16	13	28200	18500	8.5	CX35-30B	EL280UH090E36B	202920240
EL16XP1-030-230	30000	16	13	27800	18200	8.5	CX35-30B	EL280UH090E48B	202920241
EL16XP1-030-230	30000	16	13	27800	18200	8.5	CX35-30B	EL280UH090XE48B	203362267
EL16XP1-030-230	30000	15.5	12.5	28000	18400	8.5	CX35-30B	EL296UH045XE36B	202920243
EL16XP1-030-230	30000	15.5	12.5	28000	18400	8.5	CX35-30B	EL296UH045XV36B	202920244
EL16XP1-030-230	30000	15.5	12.5	28200	18500	8.5	CX35-30B	EL296UH070XE36B	202920245
EL16XP1-030-230	30000	15.5	12.5	27800	18300	8.5	CX35-30B	EL296UH070XV36B	202920247
EL16XP1-030-230	30000	16	13	27800	18200	8.5	CX35-30B	ML180UH070E36B	202920248
EL16XP1-030-230	30000	16	13.5	27800	18200	8.8	CX35-30B	ML180UH070V36B	204495385
EL16XP1-030-230	30000	16	13.5	28000	18300	8.8	CX35-30B	ML180UH070V48B	204495515
EL16XP1-030-230	30000	16	13	27800	18200	8.5	CX35-30B	ML180UH090E48B	202920249
EL16XP1-030-230	30000	16	13	27800	18200	8.5	CX35-30B	ML180UH090V48B	204495639
EL16XP1-030-230	30000	15.5	12.5	28000	18400	8.5	CX35-30B	ML193UH030XE36B	202920251
EL16XP1-030-230	30000	15.5	12.5	28000	18400	8.5	CX35-30B	ML193UH045XE36B	202920252
EL16XP1-030-230	30000	15.5	12.5	28000	18400	8.5	CX35-30B	ML193UH070XE36B	202920253
EL16XP1-030-230	30000	15.5	12.5	27800	18200	8.5	CX35-30B	ML196UH030XE24B	204498088
EL16XP1-030-230	30000	15.5	12.5	27800	18200	8.5	CX35-30B	ML196UH045XE24B	204498089
EL16XP1-030-230	30000	15.5	12.5	28000	18400	8.5	CX35-30B	ML196UH045XE36B	204498090
EL16XP1-030-230	30000	15.5	12.5	28000	18400	8.5	CX35-30B	ML196UH070XE36B	204498091
EL16XP1-030-230	30000	15.5	12.5	28000	18300	8.5	CX35-30B	ML296UH045XV36B	202920255
EL16XP1-030-230	30000	15.5	12.5	27800	18300	8.5	CX35-30B	ML296UH070XV36B	202920256
EL16XP1-030-230	30000	16	13	28000	18300	8.5	CX35-30B	SL280UH080NV48B	202920257
EL16XP1-030-230	30000	16	13	28000	18300	8.5	CX35-30B	SL280UH090V36B	202920258
EL16XP1-030-230	30000	16	13	28000	18300	8.5	CX35-30B	SL280UH090V48B	202920259
EL16XP1-030-230	30000	16	13	27800	18300	8.5	CX35-30B	SL297UH040NV36B	202920261
EL16XP1-030-230	30000	15.5	12.5	27800	18300	8.5	CX35-30B	SL297UH060NV36B	202920262
EL16XP1-030-230	30000	15.5	12.5	27800	18300	8.5	CX35-30B	SLP98UH070XV36B	202920263
EL16XP1-030-230	30000	15.5	12.5	27800	18300	8.5	CX35-30B	SLP99UH070XV36B	205545611
EL16XP1-030-230	29600	14.25	12	28600	18900	8.2	CX35-30B		202919996
EL16XP1-030-230	30000	16	13	27800	18600	9	CX35-36A	EL180UH040NE36A	202920264

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-030-230	30000	16	13	27800	18600	9	CX35-36A	EL180UH060NE36A	202920265
EL16XP1-030-230	30000	16	13	28000	18700	9	CX35-36A	EL280UH045E36A	202920267
EL16XP1-030-230	30000	16	13	27800	18700	8.5	CX35-36A	EL280UH070E36A	202920268
EL16XP1-030-230	30000	16	13	27800	18700	8.5	CX35-36A	EL280UH070XE36A	203362268
EL16XP1-030-230	30000	16	13.5	27800	18600	9	CX35-36A	ML180UH030V36A	204495053
EL16XP1-030-230	30000	16	13	27800	18600	8.5	CX35-36A	ML180UH045E36A	202920269
EL16XP1-030-230	30000	16	13.5	27800	18600	9	CX35-36A	ML180UH045V36A	204495156
EL16XP1-030-230	30000	16	13	28000	18700	9	CX35-36A	ML180UH070E36A	204495896
EL16XP1-030-230	30000	16	13	27800	18600	9	CX35-36A	ML180UH070V36A	204495259
EL16XP1-030-230	30000	16	13	28000	18700	9	CX35-36A	ML180UH070XE36A	204496022
EL16XP1-030-230	30000	16	13	27800	18600	9	CX35-36A	SL280UH060NV36A	202920270
EL16XP1-030-230	30000	16	13	27800	18700	9	CX35-36A	SL280UH070V36A	202920271
EL16XP1-030-230	30000	16	13	27800	18700	9	CX35-36A	SL280UH070XV36A	202920273
EL16XP1-030-230	29800	14.5	12	28400	19200	8.5	CX35-36A		202919997
EL16XP1-030-230	30000	16	13	27600	18500	9	CX35-36B	EL180UH080NE48B	202920274
EL16XP1-030-230	30000	16	13	28000	18800	9	CX35-36B	EL195UH040NE36B	202920275
EL16XP1-030-230	30000	16	13	28000	18700	9	CX35-36B	EL195UH060NE36B	202920276
EL16XP1-030-230	30000	16	13	27600	18500	8.5	CX35-36B	EL196UH030XE24B	202920277
EL16XP1-030-230	30000	16	13	27600	18500	8.5	CX35-36B	EL196UH045XE24B	202920279
EL16XP1-030-230	30000	16	13	28000	18700	9	CX35-36B	EL196UH045XE36B	202920280
EL16XP1-030-230	30000	16	13	27800	18700	9	CX35-36B	EL196UH070XE36B	202920281
EL16XP1-030-230	30000	16	13	28000	18700	9	CX35-36B	EL280UH090E36B	202920282
EL16XP1-030-230	30000	16	13	27600	18500	9	CX35-36B	EL280UH090E48B	202920283
EL16XP1-030-230	30000	16	13	27600	18500	9	CX35-36B	EL280UH090XE48B	203362269
EL16XP1-030-230	30000	15.5	12.5	27800	18700	8.5	CX35-36B	EL296UH045XE36B	202920285
EL16XP1-030-230	30000	16	13	27800	18700	8.5	CX35-36B	EL296UH045XV36B	202920286
EL16XP1-030-230	30000	16	13	28000	18700	8.5	CX35-36B	EL296UH070XE36B	202920287
EL16XP1-030-230	30000	16	13	27800	18700	9	CX35-36B	EL296UH070XV36B	202920288
EL16XP1-030-230	30000	16	13	27800	18500	9	CX35-36B	ML180UH070E36B	202920290
EL16XP1-030-230	30000	16	13.5	27800	18500	9	CX35-36B	ML180UH070V36B	204495386
EL16XP1-030-230	30000	16	13.5	27800	18500	9.2	CX35-36B	ML180UH070V48B	204495516
EL16XP1-030-230	30000	16	13	27600	18500	9	CX35-36B	ML180UH090E48B	202920291
EL16XP1-030-230	30000	16	13.5	27600	18500	9	CX35-36B	ML180UH090V48B	204495640
EL16XP1-030-230	30000	15.5	12.5	27800	18700	8.5	CX35-36B	ML193UH030XE36B	202920292
EL16XP1-030-230	30000	15.5	12.5	27800	18700	8.5	CX35-36B	ML193UH045XE36B	202920293
EL16XP1-030-230	30000	16	13	27800	18700	9	CX35-36B	ML193UH070XE36B	202920294
EL16XP1-030-230	30000	16	13	27600	18500	8.5	CX35-36B	ML196UH030XE24B	204498092
EL16XP1-030-230	30000	16	13	27600	18500	8.5	CX35-36B	ML196UH045XE24B	204498093
EL16XP1-030-230	30000	16	13	28000	18700	9	CX35-36B	ML196UH045XE36B	204498094
EL16XP1-030-230	30000	16	13	27800	18700	9	CX35-36B	ML196UH070XE36B	204498095
EL16XP1-030-230	30000	15.5	12.5	27800	18300	8.5	CX35-36B	ML296UH045XV36B	202920296
EL16XP1-030-230	30000	15.5	12.5	27800	18600	8.8	CX35-36B	ML296UH070XV36B	202920297
EL16XP1-030-230	30000	16.5	13	27800	18500	9	CX35-36B	SL280UH080NV48B	202920298
EL16XP1-030-230	30000	16.5	13	27600	18500	9	CX35-36B	SL280UH090V36B	202920299
EL16XP1-030-230	30000	16	13	28000	18700	9	CX35-36B	SL297UH040NV36B	202920300
EL16XP1-030-230	30000	16	13	28000	18800	9	CX35-36B	SL297UH060NV36B	202920301
EL16XP1-030-230	30000	16	13	27800	18700	9	CX35-36B	SLP98UH070XV36B	202920303
EL16XP1-030-230	30000	16	13	27800	18700	9	CX35-36B	SLP99UH070XV36B	205545614
EL16XP1-030-230	29800	14.5	12	28400	19200	8.5	CX35-36B		202919998
EL16XP1-036-230	36000	16	13	35000	23400	9.6	C35-36A	EL180UH040NE36A	202920345
EL16XP1-036-230	36000	16	13	35000	23400	9.4	C35-36A	EL180UH060NE36A	202920346
EL16XP1-036-230	36000	16	13	35400	23600	9.4	C35-36A	EL280UH045E36A	202920347
EL16XP1-036-230	36000	16	13	34800	23400	9.4	C35-36A	EL280UH070E36A	202920348
EL16XP1-036-230	36000	16	13	34800	23400	9.4	C35-36A	EL280UH070XE36A	203362270
EL16XP1-036-230	36000	16	13.5	34800	23200	9.6	C35-36A	ML180UH030V36A	204495054
EL16XP1-036-230	36000	16	13	35000	23400	9.4	C35-36A	ML180UH045E36A	202920350

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-036-230	36000	16	13.5	34800	23200	9.6	C35-36A	ML180UH045V36A	204495157
EL16XP1-036-230	36000	16	13	35200	23600	9.6	C35-36A	ML180UH070E36A	204495897
EL16XP1-036-230	36000	16	13	34800	23400	9.4	C35-36A	ML180UH070V36A	204495260
EL16XP1-036-230	36000	16	13	35200	23600	9.6	C35-36A	ML180UH070XE36A	204496023
EL16XP1-036-230	36000	16.5	13	34800	23200	9.6	C35-36A	SL280UH060NV36A	202920351
EL16XP1-036-230	36000	16	13	35000	23400	9.4	C35-36A	SL280UH070V36A	202920352
EL16XP1-036-230	36000	16	13	35000	23400	9.4	C35-36A	SL280UH070XV36A	202920353
EL16XP1-036-230	35200	14.5	12	35400	23800	9.2	C35-36A		202920323
EL16XP1-036-230	36000	16.5	13	34600	23000	9.6	C35-36B	EL180UH080NE48B	202920354
EL16XP1-036-230	35800	16	13	34800	23400	9.4	C35-36B	EL195UH040NE36B	202920356
EL16XP1-036-230	35800	16	13	34800	23400	9.4	C35-36B	EL195UH060NE36B	202920357
EL16XP1-036-230	35800	16	13	34800	23200	9.4	C35-36B	EL196UH045XE36B	202920358
EL16XP1-036-230	35800	16	13	34800	23200	9.4	C35-36B	EL196UH070XE36B	202920359
EL16XP1-036-230	36000	16	13	35000	23400	9.6	C35-36B	EL280UH090E36B	202920360
EL16XP1-036-230	36000	16.5	13	34800	23200	9.6	C35-36B	EL280UH090E48B	202920362
EL16XP1-036-230	36000	16.5	13	34800	23200	9.6	C35-36B	EL280UH090XE48B	203362271
EL16XP1-036-230	35400	16	13	34600	23200	9.2	C35-36B	EL296UH045XE36B	202920363
EL16XP1-036-230	36000	16	13	35000	23400	9.4	C35-36B	EL296UH045XV36B	202920364
EL16XP1-036-230	35600	16	13	34800	23400	9.4	C35-36B	EL296UH070XE36B	202920365
EL16XP1-036-230	36000	16	13	35000	23400	9.4	C35-36B	EL296UH070XV36B	202920366
EL16XP1-036-230	36000	16	13	35000	23400	9.4	C35-36B	ML180UH070E36B	202920368
EL16XP1-036-230	35800	16	13.5	34600	23200	9.6	C35-36B	ML180UH070V36B	204495387
EL16XP1-036-230	36000	16	13.5	34800	23200	9.8	C35-36B	ML180UH070V48B	204495517
EL16XP1-036-230	36000	16.5	13	34800	23200	9.6	C35-36B	ML180UH090E48B	202920369
EL16XP1-036-230	36000	16	13	34600	23200	9.6	C35-36B	ML180UH090V48B	204495641
EL16XP1-036-230	36000	15.5	12.5	35200	23800	9.4	C35-36B	ML193UH030XE36B	202920370
EL16XP1-036-230	36000	15.5	12.5	35200	23600	9.4	C35-36B	ML193UH045XE36B	202920371
EL16XP1-036-230	35800	16	13	34800	23400	9.4	C35-36B	ML193UH070XE36B	202920372
EL16XP1-036-230	35800	16	13	34800	23200	9.4	C35-36B	ML196UH045XE36B	204498096
EL16XP1-036-230	35800	16	13	34800	23200	9.4	C35-36B	ML196UH070XE36B	204498097
EL16XP1-036-230	36000	16	13	35000	23400	9.4	C35-36B	ML296UH045XV36B	202920374
EL16XP1-036-230	36000	16	13	35000	23400	9.4	C35-36B	ML296UH070XV36B	202920375
EL16XP1-036-230	36000	16.5	13	34600	23000	9.6	C35-36B	SL280UH080NV48B	202920376
EL16XP1-036-230	36000	16.5	13	34600	23200	9.6	C35-36B	SL280UH090V36B	202920377
EL16XP1-036-230	36000	16.5	13	34800	23200	9.6	C35-36B	SL280UH090V48B	202920378
EL16XP1-036-230	36000	16	13	35000	23400	9.4	C35-36B	SL297UH040NV36B	202920380
EL16XP1-036-230	36000	16	13	34800	23400	9.4	C35-36B	SL297UH060NV36B	202920381
EL16XP1-036-230	36000	16	13	35000	23400	9.4	C35-36B	SLP98UH070XV36B	202920382
EL16XP1-036-230	36000	16	13	35000	23400	9.4	C35-36B	SLP99UH070XV36B	205545615
EL16XP1-036-230	35200	14.5	12	35400	23800	9.2	C35-36B		202920325
EL16XP1-036-230	36000	16.5	13	34200	22600	9.6	C35-48B	EL180UH080NE48B	202920383
EL16XP1-036-230	35800	15.5	12.5	34400	22800	9.4	C35-48B	EL195UH040NE36B	202920384
EL16XP1-036-230	35600	15.5	12.5	34400	22800	9.4	C35-48B	EL195UH060NE36B	202920386
EL16XP1-036-230	35600	15.5	12.5	34200	22800	9.4	C35-48B	EL196UH045XE36B	202920387
EL16XP1-036-230	35600	16	13	34200	22800	9.4	C35-48B	EL196UH070XE36B	202920388
EL16XP1-036-230	36000	16	13	34600	23000	9.6	C35-48B	EL280UH090E36B	202920389
EL16XP1-036-230	36000	16	13	34400	22800	9.6	C35-48B	EL280UH090E48B	202920390
EL16XP1-036-230	36000	16	13	34400	22800	9.6	C35-48B	EL280UH090XE48B	203362272
EL16XP1-036-230	35200	15.5	12.5	34200	22800	9.2	C35-48B	EL296UH045XE36B	202920392
EL16XP1-036-230	35800	15.5	12.5	34400	23000	9.4	C35-48B	EL296UH045XV36B	202920393
EL16XP1-036-230	35600	15.5	12.5	34200	22800	9.4	C35-48B	EL296UH070XE36B	202920394
EL16XP1-036-230	35800	15.5	12.5	34400	23000	9.4	C35-48B	EL296UH070XV36B	202920395
EL16XP1-036-230	35600	16	13	34000	22600	9.4	C35-48B	ML180UH070E36B	202920396
EL16XP1-036-230	35800	16	13.5	34200	22600	9.6	C35-48B	ML180UH070V36B	204495388
EL16XP1-036-230	36000	16	13.5	34200	22800	9.6	C35-48B	ML180UH070V48B	204495518
EL16XP1-036-230	36000	16	13	34200	22800	9.6	C35-48B	ML180UH090E48B	202920397

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-036-230	36000	16	13	34200	22800	9.4	C35-48B	ML180UH090V48B	204495642
EL16XP1-036-230	36000	15.1	12.5	34800	23200	9.4	C35-48B	ML193UH030XE36B	202920399
EL16XP1-036-230	35600	15.5	12.5	34400	23000	9.2	C35-48B	ML193UH045XE36B	202920400
EL16XP1-036-230	35600	15.5	12.5	34200	22800	9.4	C35-48B	ML193UH070XE36B	202920401
EL16XP1-036-230	35600	15.5	12.5	34200	22800	9.4	C35-48B	ML196UH045XE36B	204498098
EL16XP1-036-230	35600	16	13	34200	22800	9.4	C35-48B	ML196UH070XE36B	204498099
EL16XP1-036-230	35800	15.5	12.5	34400	23000	9.4	C35-48B	ML296UH045XV36B	202920402
EL16XP1-036-230	35800	15.5	12.5	34400	23000	9.4	C35-48B	ML296UH070XV36B	202920403
EL16XP1-036-230	36000	16.5	13	34000	22600	9.6	C35-48B	SL280UH080NV48B	202920405
EL16XP1-036-230	36000	16	13	34200	22600	9.4	C35-48B	SL280UH090V36B	202920406
EL16XP1-036-230	36000	16	13	34200	22800	9.4	C35-48B	SL280UH090V48B	202920407
EL16XP1-036-230	35000	14.5	12	35000	23400	9.2	C35-48B		202920326
EL16XP1-036-230	36000	16.5	13	34400	22800	9.6	C35-48C	EL196UH090XE48C	202920408
EL16XP1-036-230	36000	16.5	13	34200	22600	9.6	C35-48C	EL280UH110E48C	202920409
EL16XP1-036-230	35800	16	13	34200	22800	9.4	C35-48C	EL280UH110E60C	202920411
EL16XP1-036-230	35800	16	13	34200	22800	9.4	C35-48C	EL280UH110XE60C	203362273
EL16XP1-036-230	36000	16	13	34200	22800	9.6	C35-48C	EL296UH090XE48C	202920412
EL16XP1-036-230	36000	16	13	34200	22800	9.6	C35-48C	EL296UH090XV36C	202920413
EL16XP1-036-230	35800	16.5	13	34000	22600	9.4	C35-48C	EL296UH090XV48C	202920414
EL16XP1-036-230	36000	16	14	34200	22600	9.8	C35-48C	ML180UH110V60C	204495753
EL16XP1-036-230	36000	16	13	34400	22800	9.4	C35-48C	ML193UH090XE36C	202920415
EL16XP1-036-230	36000	16.5	13	34200	22800	9.6	C35-48C	ML193UH090XE48C	202920417
EL16XP1-036-230	36000	16.5	13	34000	22600	9.6	C35-48C	ML193UH110XE48C	202920418
EL16XP1-036-230	35800	16	13	34200	22800	9.4	C35-48C	ML193UH110XE60C	202920419
EL16XP1-036-230	36000	16.5	13	34400	22800	9.6	C35-48C	ML196UH090XE48C	204498100
EL16XP1-036-230	35800	16.5	13	34000	22600	9.4	C35-48C	ML296UH090XV48C	202920420
EL16XP1-036-230	35800	16	13	34200	22600	9.4	C35-48C	SL297UH080NV48C	202920421
EL16XP1-036-230	36000	16	13	34200	22800	9.6	C35-48C	SLP98UH090XV36C	202920423
EL16XP1-036-230	35800	16.5	13	34000	22600	9.4	C35-48C	SLP98UH090XV48C	202920424
EL16XP1-036-230	36000	16	13	34200	22800	9.6	C35-48C	SLP99UH090XV36C	205545617
EL16XP1-036-230	35800	16.5	13	34000	22600	9.4	C35-48C	SLP99UH090XV48C	205545619
EL16XP1-036-230	35000	14.5	12	35000	23400	9.2	C35-48C		202920327
EL16XP1-036-230	36000	16.5	13	33800	22400	9.6	C35-50/60C	EL196UH090XE48C	202920425
EL16XP1-036-230	36000	16.5	13	33600	22400	9.4	C35-50/60C	EL296UH090XE48C	202920426
EL16XP1-036-230	36000	16.5	13	33600	22400	9.4	C35-50/60C	EL296UH090XV36C	202920427
EL16XP1-036-230	36000	16.5	13	33600	22400	9.4	C35-50/60C	EL296UH090XV48C	202920429
EL16XP1-036-230	36000	17	14	33800	22400	9.6	C35-50/60C	ML180UH110V60C	204495754
EL16XP1-036-230	36000	16.5	13	33800	22400	9.4	C35-50/60C	ML193UH090XE48C	202920430
EL16XP1-036-230	36000	16.5	13	33800	22400	9.6	C35-50/60C	ML193UH110XE48C	202920431
EL16XP1-036-230	36000	16	13	33600	22600	9.4	C35-50/60C	ML193UH110XE60C	202920432
EL16XP1-036-230	36000	16.5	13	33800	22400	9.6	C35-50/60C	ML196UH090XE48C	204498101
EL16XP1-036-230	35600	16.5	13	33600	22400	9.4	C35-50/60C	ML296UH090XV48C	202920434
EL16XP1-036-230	36000	16.5	13	33600	22400	9.4	C35-50/60C	SL297UH080NV48C	202920435
EL16XP1-036-230	36000	16.5	13	33600	22400	9.4	C35-50/60C	SLP98UH090XV36C	202920436
EL16XP1-036-230	36000	16.5	13	33600	22400	9.4	C35-50/60C	SLP98UH090XV48C	202920437
EL16XP1-036-230	36000	16.5	13	33600	22400	9.4	C35-50/60C	SLP99UH090XV36C	205545621
EL16XP1-036-230	36000	16.5	13	33600	22400	9.4	C35-50/60C	SLP99UH090XV48C	205545623
EL16XP1-036-230	35600	14.5	12.5	34400	23200	9	C35-50/60C		202920329
EL16XP1-036-230	33600	14.5	12	34400	22200	9	CBA25UH-036-230		202920438
EL16XP1-036-230	33800	15.1	12	34400	22200	9	CBA25UH-042-230		202920440
EL16XP1-036-230	33800	16	13	33600	21600	9.2	CBA25UHV-036-230		202920441
EL16XP1-036-230	34400	16	13	34000	21800	9.5	CBA25UHV-042-230		202920443
EL16XP1-036-230	35400	16	13	34200	22400	9.5	CBA27UHE-036-230		202920322
EL16XP1-036-230	36000	16.5	13	34000	22200	9.6	CBA27UHE-042-230		202920444
EL16XP1-036-230	35800	16	13	34400	22000	9.6	CBA38MV-036-230		202920445
EL16XP1-036-230	36000	17	13	33800	22000	9.8	CBA38MV-042-230		202920446

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-036-230	36000	16.5	13	34400	22800	9.6	CH35-42B	EL180UH080NE48B	202920448
EL16XP1-036-230	35800	15.5	12.5	34600	23000	9.4	CH35-42B	EL195UH060NE36B	202920449
EL16XP1-036-230	35600	15.5	12.5	34600	23000	9.4	CH35-42B	EL196UH045XE36B	202920450
EL16XP1-036-230	35800	16	13	34600	22800	9.4	CH35-42B	EL196UH070XE36B	202920451
EL16XP1-036-230	36000	16	13	34800	23000	9.6	CH35-42B	EL280UH090E36B	202920453
EL16XP1-036-230	36000	16	13	34600	22800	9.6	CH35-42B	EL280UH090E48B	202920454
EL16XP1-036-230	36000	16	13	34600	22800	9.6	CH35-42B	EL280UH090XE48B	203362274
EL16XP1-036-230	36000	15.5	12.5	34800	23200	9.4	CH35-42B	EL296UH045XV36B	202920455
EL16XP1-036-230	35600	15.5	12.5	34600	23000	9.4	CH35-42B	EL296UH070XE36B	202920456
EL16XP1-036-230	36000	15.5	12.5	34800	23000	9.4	CH35-42B	EL296UH070XV36B	202920458
EL16XP1-036-230	36000	15.5	12.5	34800	23200	9.6	CH35-42B	ML180UH070E36B	202920459
EL16XP1-036-230	36000	16	13.5	34400	22800	9.6	CH35-42B	ML180UH070V36B	204495389
EL16XP1-036-230	36000	16	13.5	34600	23000	9.8	CH35-42B	ML180UH070V48B	204495519
EL16XP1-036-230	36000	16	13	34600	22800	9.6	CH35-42B	ML180UH090E48B	202920460
EL16XP1-036-230	36000	16	13	34600	22800	9.6	CH35-42B	ML180UH090V48B	204495643
EL16XP1-036-230	36000	15.5	12.5	35200	23400	9.4	CH35-42B	ML193UH030XE36B	202920461
EL16XP1-036-230	35600	15.5	12.5	34600	23000	9.4	CH35-42B	ML193UH045XE36B	202920463
EL16XP1-036-230	35600	15.5	12.5	34600	23000	9.4	CH35-42B	ML193UH070XE36B	202920464
EL16XP1-036-230	35600	15.5	12.5	34600	22800	9.4	CH35-42B	ML196UH045XE36B	204498102
EL16XP1-036-230	35800	16	13	34600	22800	9.4	CH35-42B	ML196UH070XE36B	204498103
EL16XP1-036-230	36000	15.5	12.5	34800	23200	9.4	CH35-42B	ML296UH045XV36B	202920465
EL16XP1-036-230	36000	15.5	12.5	34800	23000	9.4	CH35-42B	ML296UH070XV36B	202920466
EL16XP1-036-230	36000	16.5	13	34400	22800	9.6	CH35-42B	SL280UH080NV48B	202920468
EL16XP1-036-230	36000	16	13	34600	22800	9.6	CH35-42B	SL280UH090V36B	202920469
EL16XP1-036-230	36000	16	13	34600	22800	9.6	CH35-42B	SL280UH090V48B	202920470
EL16XP1-036-230	36000	15.5	12.5	34800	23000	9.6	CH35-42B	SL297UH040NV36B	202920471
EL16XP1-036-230	36000	15.5	12.5	34800	23000	9.4	CH35-42B	SL297UH060NV36B	202920473
EL16XP1-036-230	36000	15.5	12.5	34800	23000	9.4	CH35-42B	SLP98UH070XV36B	202920474
EL16XP1-036-230	36000	15.5	12.5	34800	23000	9.4	CH35-42B	SLP99UH070XV36B	205545624
EL16XP1-036-230	35400	14.5	12.5	35200	23600	9.4	CH35-42B		202920330
EL16XP1-036-230	36000	16	13	33600	21600	9.2	CH35-42C	EL196UH090XE48C	202920475
EL16XP1-036-230	36000	16.5	13	33800	21800	9.2	CH35-42C	EL280UH110E48C	202920477
EL16XP1-036-230	36000	16	13	33800	22000	9	CH35-42C	EL280UH110E60C	202920478
EL16XP1-036-230	36000	16	13	33800	22000	9	CH35-42C	EL280UH110XE60C	203362275
EL16XP1-036-230	36000	16	13	33800	21800	9.2	CH35-42C	EL296UH090XE48C	202920479
EL16XP1-036-230	36000	16	13	33800	21800	9.2	CH35-42C	EL296UH090XV36C	202920481
EL16XP1-036-230	36000	16	13	34000	22000	9.2	CH35-42C	EL296UH090XV48C	202920482
EL16XP1-036-230	36000	16	13	33800	21800	9.2	CH35-42C	EL296UH110XV48C	202920483
EL16XP1-036-230	36000	16	13	34000	22000	9.2	CH35-42C	ML193UH090XE36C	202920484
EL16XP1-036-230	36000	16	13	33800	21800	9.2	CH35-42C	ML193UH090XE48C	202920486
EL16XP1-036-230	36000	16	13	34000	21800	9.2	CH35-42C	ML193UH110XE48C	202920487
EL16XP1-036-230	36000	16	13	33800	22000	9	CH35-42C	ML193UH110XE60C	202920488
EL16XP1-036-230	36000	16	13	33600	21600	9.2	CH35-42C	ML196UH090XE48C	204498104
EL16XP1-036-230	36000	16	13	34000	22000	9.2	CH35-42C	ML296UH090XV48C	202920490
EL16XP1-036-230	36000	16	13	34000	22000	9.2	CH35-42C	SL297UH080NV48C	202920491
EL16XP1-036-230	36000	16	13	33800	21800	9.2	CH35-42C	SLP98UH090XV36C	202920492
EL16XP1-036-230	36000	16	13	34000	22000	9.2	CH35-42C	SLP98UH090XV48C	202920494
EL16XP1-036-230	36000	16	13	33800	21800	9.2	CH35-42C	SLP99UH090XV36C	205545626
EL16XP1-036-230	36000	16	13	34000	22000	9.2	CH35-42C	SLP99UH090XV48C	205545629
EL16XP1-036-230	36000	16.5	13	34000	22600	9.8	CH35-48B	EL180UH080NE48B	202920495
EL16XP1-036-230	36000	16	13	34200	22800	9.4	CH35-48B	EL195UH060NE36B	202920496
EL16XP1-036-230	36000	16	13	34200	22800	9.4	CH35-48B	EL196UH045XE36B	202920498
EL16XP1-036-230	36000	16	13	34200	22800	9.6	CH35-48B	EL196UH070XE36B	202920499
EL16XP1-036-230	36000	16	13	34400	23000	9.6	CH35-48B	EL280UH090E36B	202920500
EL16XP1-036-230	36000	16.5	13	34200	22800	9.6	CH35-48B	EL280UH090E48B	202920502
EL16XP1-036-230	36000	16.5	13	34200	22800	9.6	CH35-48B	EL280UH090XE48B	203362276

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-036-230	36000	15.5	12.5	34400	23000	9.4	CH35-48B	EL296UH045XV36B	202920503
EL16XP1-036-230	36000	16	13	34200	22800	9.4	CH35-48B	EL296UH070XE36B	202920505
EL16XP1-036-230	36000	16	13	34400	23000	9.6	CH35-48B	EL296UH070XV36B	202920506
EL16XP1-036-230	36000	16	13	34400	23000	9.6	CH35-48B	ML180UH070E36B	202920507
EL16XP1-036-230	36000	16	13.5	34000	22800	9.8	CH35-48B	ML180UH070V36B	204495390
EL16XP1-036-230	36000	16	14	34200	22800	9.8	CH35-48B	ML180UH070V48B	204495520
EL16XP1-036-230	36000	16.5	13	34200	22800	9.6	CH35-48B	ML180UH090E48B	202920509
EL16XP1-036-230	36000	16	13	34000	22800	9.6	CH35-48B	ML180UH090V48B	204495644
EL16XP1-036-230	36000	15.5	12.5	34600	23200	9.4	CH35-48B	ML193UH030XE36B	202920510
EL16XP1-036-230	36000	15.5	12.5	34200	23000	9.4	CH35-48B	ML193UH045XE36B	202920511
EL16XP1-036-230	36000	16	13	34200	22800	9.4	CH35-48B	ML193UH070XE36B	202920513
EL16XP1-036-230	36000	16	13	34200	22800	9.4	CH35-48B	ML196UH045XE36B	204498105
EL16XP1-036-230	36000	16	13	34200	22800	9.6	CH35-48B	ML196UH070XE36B	204498106
EL16XP1-036-230	35800	15.5	12.5	34400	23000	9.4	CH35-48B	ML296UH045XV36B	202920514
EL16XP1-036-230	36000	15.5	12.5	34400	23000	9.6	CH35-48B	ML296UH070XV36B	202920516
EL16XP1-036-230	36000	16.5	13	34000	22600	9.8	CH35-48B	SL280UH080NV48B	202920517
EL16XP1-036-230	36000	16.5	13	34000	22800	9.6	CH35-48B	SL280UH090V36B	202920518
EL16XP1-036-230	36000	16	13	34200	22800	9.6	CH35-48B	SL280UH090V48B	202920520
EL16XP1-036-230	36000	16	13	34400	23000	9.6	CH35-48B	SL297UH040NV36B	202920521
EL16XP1-036-230	36000	16	13	34400	23000	9.6	CH35-48B	SL297UH060NV36B	202920522
EL16XP1-036-230	36000	16	13	34400	23000	9.6	CH35-48B	SLP98UH070XV36B	202920523
EL16XP1-036-230	36000	16	13	34400	23000	9.6	CH35-48B	SLP99UH070XV36B	205545631
EL16XP1-036-230	35800	14.5	12.5	34800	23400	9.4	CH35-48B		202920331
EL16XP1-036-230	36000	15.5	12.5	35000	23400	9.4	CH35-48C	EL195UH080NE48C	202920525
EL16XP1-036-230	36000	16	13	34800	23200	9.4	CH35-48C	EL196UH090XE48C	202920526
EL16XP1-036-230	36000	16	13	34600	23000	9.4	CH35-48C	EL280UH110E48C	202920528
EL16XP1-036-230	36000	15.5	12.5	34800	23200	9.4	CH35-48C	EL280UH110E60C	202920529
EL16XP1-036-230	36000	15.5	12.5	34800	23200	9.4	CH35-48C	EL280UH110XE60C	203362277
EL16XP1-036-230	36000	16	13	34800	23200	9.4	CH35-48C	EL296UH090XE48C	202920530
EL16XP1-036-230	36000	16	13	34800	23200	9.4	CH35-48C	EL296UH090XV36C	202920531
EL16XP1-036-230	36000	16	13	35000	23400	9.4	CH35-48C	EL296UH090XV48C	202920533
EL16XP1-036-230	36000	16	13	34800	23200	9.4	CH35-48C	EL296UH110XV48C	202920534
EL16XP1-036-230	36000	16	13.5	34800	23200	9.6	CH35-48C	ML180UH110V60C	204495755
EL16XP1-036-230	36000	15.5	12.5	34800	23200	9.4	CH35-48C	ML193UH090XE36C	202920535
EL16XP1-036-230	36000	16	13	34800	23200	9.4	CH35-48C	ML193UH090XE48C	202920537
EL16XP1-036-230	36000	16	13	34800	23200	9.4	CH35-48C	ML193UH110XE48C	202920538
EL16XP1-036-230	36000	15.5	12.5	34800	23200	9.4	CH35-48C	ML193UH110XE60C	202920539
EL16XP1-036-230	36000	16	13	34800	23200	9.4	CH35-48C	ML196UH090XE48C	204498107
EL16XP1-036-230	36000	16	13	34800	23200	9.4	CH35-48C	ML296UH090XV48C	202920541
EL16XP1-036-230	36000	16	13	34800	23200	9.4	CH35-48C	SL297UH080NV48C	202920542
EL16XP1-036-230	36000	16	13	34800	23200	9.4	CH35-48C	SLP98UH090XV36C	202920543
EL16XP1-036-230	36000	16	13	34800	23200	9.4	CH35-48C	SLP99UH090XV36C	205545633
EL16XP1-036-230	36000	16	13	33600	22200	9.4	CH35-51C	EL195UH080NE48C	202920545
EL16XP1-036-230	36000	16.5	13	33600	22200	9.6	CH35-51C	EL196UH090XE48C	202920546
EL16XP1-036-230	36000	16.5	13	33400	22000	9.6	CH35-51C	EL280UH110E48C	202920547
EL16XP1-036-230	36000	16	13	33600	22200	9.4	CH35-51C	EL280UH110E60C	202920549
EL16XP1-036-230	36000	16	13	33600	22200	9.4	CH35-51C	EL280UH110XE60C	203362278
EL16XP1-036-230	36000	16	13	33400	22200	9.4	CH35-51C	EL296UH090XE48C	202920550
EL16XP1-036-230	36000	16	13	33600	22200	9.6	CH35-51C	EL296UH090XV36C	202920551
EL16XP1-036-230	36000	16	13	33800	22200	9.6	CH35-51C	EL296UH090XV48C	202920553
EL16XP1-036-230	36000	16.5	13	33400	22000	9.6	CH35-51C	EL296UH110XV48C	202920554
EL16XP1-036-230	36000	16	14	33600	22000	9.8	CH35-51C	ML180UH110V60C	204495756
EL16XP1-036-230	36000	16	13	33600	22200	9.4	CH35-51C	ML193UH090XE36C	202920555
EL16XP1-036-230	36000	16.5	13	33600	22000	9.6	CH35-51C	ML193UH090XE48C	202920557
EL16XP1-036-230	36000	16.5	13	33600	22200	9.6	CH35-51C	ML193UH110XE48C	202920558
EL16XP1-036-230	36000	16	13	33600	22200	9.4	CH35-51C	ML193UH110XE60C	202920559

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-036-230	36000	16.5	13	33600	22200	9.6	CH35-51C	ML196UH090XE48C	204498108
EL16XP1-036-230	36000	16	13	33800	22200	9.6	CH35-51C	ML296UH090XV48C	202920561
EL16XP1-036-230	36000	16	13	33600	22200	9.6	CH35-51C	SL297UH080NV48C	202920562
EL16XP1-036-230	36000	16	13	33600	22200	9.6	CH35-51C	SLP98UH090XV36C	202920563
EL16XP1-036-230	36000	16	13	33800	22200	9.6	CH35-51C	SLP98UH090XV48C	202920565
EL16XP1-036-230	36000	16	13	33600	22200	9.6	CH35-51C	SLP99UH090XV36C	205545635
EL16XP1-036-230	36000	16	13	33800	22200	9.6	CH35-51C	SLP99UH090XV48C	205545636
EL16XP1-036-230	36000	14.5	12.5	34200	22800	9.2	CH35-51C		202920332
EL16XP1-036-230	36000	16.5	13	34400	22800	9.6	CHX35-42B	EL180UH080NE48B	202920566
EL16XP1-036-230	35800	15.5	12.5	34600	23000	9.4	CHX35-42B	EL195UH060NE36B	202920567
EL16XP1-036-230	35600	15.5	12.5	34600	23000	9.4	CHX35-42B	EL196UH045XE36B	202920569
EL16XP1-036-230	35800	16	13	34600	22800	9.4	CHX35-42B	EL196UH070XE36B	202920570
EL16XP1-036-230	36000	16	13	34800	23000	9.6	CHX35-42B	EL280UH090E36B	202920571
EL16XP1-036-230	36000	16	13	34600	22800	9.6	CHX35-42B	EL280UH090E48B	202920572
EL16XP1-036-230	36000	16	13	34600	22800	9.6	CHX35-42B	EL280UH090XE48B	203362279
EL16XP1-036-230	36000	15.5	12.5	34800	23200	9.4	CHX35-42B	EL296UH045XV36B	202920574
EL16XP1-036-230	35600	15.5	12.5	34600	23000	9.4	CHX35-42B	EL296UH070XE36B	202920575
EL16XP1-036-230	36000	15.5	12.5	34800	23000	9.4	CHX35-42B	EL296UH070XV36B	202920577
EL16XP1-036-230	36000	15.5	12.5	34800	23200	9.6	CHX35-42B	ML180UH070E36B	202920578
EL16XP1-036-230	36000	16	13.5	34400	22800	9.6	CHX35-42B	ML180UH070V36B	204495391
EL16XP1-036-230	36000	16	13.5	34600	23000	9.8	CHX35-42B	ML180UH070V48B	204495521
EL16XP1-036-230	36000	16	13	34600	22800	9.6	CHX35-42B	ML180UH090E48B	202920579
EL16XP1-036-230	36000	16	13	34600	22800	9.6	CHX35-42B	ML180UH090V48B	204495645
EL16XP1-036-230	36000	15.5	12.5	35200	23400	9.4	CHX35-42B	ML193UH030XE36B	202920581
EL16XP1-036-230	35600	15.5	12.5	34600	23000	9.4	CHX35-42B	ML193UH045XE36B	202920582
EL16XP1-036-230	35600	15.5	12.5	34600	23000	9.4	CHX35-42B	ML193UH070XE36B	202920583
EL16XP1-036-230	35600	15.5	12.5	34600	22800	9.4	CHX35-42B	ML196UH045XE36B	204498109
EL16XP1-036-230	35800	16	13	34600	22800	9.4	CHX35-42B	ML196UH070XE36B	204498110
EL16XP1-036-230	36000	15.5	12.5	34800	23200	9.4	CHX35-42B	ML296UH045XV36B	202920585
EL16XP1-036-230	36000	15.5	12.5	34800	23000	9.4	CHX35-42B	ML296UH070XV36B	202920586
EL16XP1-036-230	36000	16.5	13	34400	22800	9.6	CHX35-42B	SL280UH080NV48B	202920587
EL16XP1-036-230	36000	16	13	34600	22800	9.6	CHX35-42B	SL280UH090V36B	202920589
EL16XP1-036-230	36000	16	13	34600	22800	9.6	CHX35-42B	SL280UH090V48B	202920590
EL16XP1-036-230	36000	15.5	12.5	34800	23000	9.6	CHX35-42B	SL297UH040NV36B	202920591
EL16XP1-036-230	36000	15.5	12.5	34800	23000	9.4	CHX35-42B	SL297UH060NV36B	202920593
EL16XP1-036-230	36000	15.5	12.5	34800	23000	9.4	CHX35-42B	SLP98UH070XV36B	202920594
EL16XP1-036-230	36000	15.5	12.5	34800	23000	9.4	CHX35-42B	SLP99UH070XV36B	205545637
EL16XP1-036-230	35400	14.5	12.5	35200	23600	9.4	CHX35-42B		202920334
EL16XP1-036-230	36000	16	13	33600	21600	9.2	CHX35-42C	EL196UH090XE48C	202920596
EL16XP1-036-230	36000	16.5	13	33800	21800	9.2	CHX35-42C	EL280UH110E48C	202920597
EL16XP1-036-230	36000	16	13	33800	22000	9	CHX35-42C	EL280UH110E60C	202920599
EL16XP1-036-230	36000	16	13	33800	22000	9	CHX35-42C	EL280UH110XE60C	203362280
EL16XP1-036-230	36000	16	13	33800	21800	9.2	CHX35-42C	EL296UH090XE48C	202920600
EL16XP1-036-230	36000	16	13	33800	21800	9.2	CHX35-42C	EL296UH090XV36C	202920602
EL16XP1-036-230	36000	16	13	34000	22000	9.2	CHX35-42C	EL296UH090XV48C	202920603
EL16XP1-036-230	36000	16	13	33800	21800	9.2	CHX35-42C	EL296UH110XV48C	202920604
EL16XP1-036-230	36000	16	14	33800	21800	9.4	CHX35-42C	ML180UH110V60C	204495757
EL16XP1-036-230	36000	16	13	34000	22000	9.2	CHX35-42C	ML193UH090XE36C	202920606
EL16XP1-036-230	36000	16	13	33800	21800	9.2	CHX35-42C	ML193UH090XE48C	202920607
EL16XP1-036-230	36000	16	13	34000	21800	9.2	CHX35-42C	ML193UH110XE48C	202920609
EL16XP1-036-230	36000	16	13	33800	22000	9	CHX35-42C	ML193UH110XE60C	202920610
EL16XP1-036-230	36000	16	13	33600	21600	9.2	CHX35-42C	ML196UH090XE48C	204498111
EL16XP1-036-230	36000	16	13	34000	22000	9.2	CHX35-42C	ML296UH090XV48C	202920611
EL16XP1-036-230	36000	16	13	34000	22000	9.2	CHX35-42C	SL297UH080NV48C	202920613
EL16XP1-036-230	36000	16	13	33800	21800	9.2	CHX35-42C	SLP98UH090XV36C	202920614
EL16XP1-036-230	36000	16	13	34000	22000	9.2	CHX35-42C	SLP98UH090XV48C	202920616

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-036-230	36000	16	13	33800	21800	9.2	CHX35-42C	SLP99UH090XV36C	205545639
EL16XP1-036-230	36000	16	13	34000	22000	9.2	CHX35-42C	SLP99UH090XV48C	205545641
EL16XP1-036-230	36000	16.5	13	34000	22600	9.8	CHX35-48B	EL180UH080NE48B	202920617
EL16XP1-036-230	36000	16	13	34200	22800	9.4	CHX35-48B	EL195UH060NE36B	202920619
EL16XP1-036-230	36000	16	13	34200	22800	9.4	CHX35-48B	EL196UH045XE36B	202920620
EL16XP1-036-230	36000	16	13	34200	22800	9.6	CHX35-48B	EL196UH070XE36B	202920622
EL16XP1-036-230	36000	16	13	34400	23000	9.6	CHX35-48B	EL280UH090E36B	202920623
EL16XP1-036-230	36000	16.5	13	34200	22800	9.6	CHX35-48B	EL280UH090E48B	202920625
EL16XP1-036-230	36000	16.5	13	34200	22800	9.6	CHX35-48B	EL280UH090XE48B	203362281
EL16XP1-036-230	36000	15.5	12.5	34400	23000	9.4	CHX35-48B	EL296UH045XV36B	202920626
EL16XP1-036-230	36000	16	13	34200	22800	9.4	CHX35-48B	EL296UH070XE36B	202920628
EL16XP1-036-230	36000	16	13	34400	23000	9.6	CHX35-48B	EL296UH070XV36B	202920629
EL16XP1-036-230	36000	16	13	34400	23000	9.6	CHX35-48B	ML180UH070E36B	202920630
EL16XP1-036-230	36000	16	13.5	34000	22800	9.8	CHX35-48B	ML180UH070V36B	204495392
EL16XP1-036-230	36000	16	14	34200	22800	9.8	CHX35-48B	ML180UH070V48B	204495522
EL16XP1-036-230	36000	16.5	13	34200	22800	9.6	CHX35-48B	ML180UH090E48B	202920632
EL16XP1-036-230	36000	16	13	34000	22800	9.6	CHX35-48B	ML180UH090V48B	204495646
EL16XP1-036-230	36000	15.5	12.5	34600	23200	9.4	CHX35-48B	ML193UH030XE36B	202920633
EL16XP1-036-230	36000	15.5	12.5	34200	23000	9.4	CHX35-48B	ML193UH045XE36B	202920635
EL16XP1-036-230	36000	16	13	34200	22800	9.4	CHX35-48B	ML193UH070XE36B	202920636
EL16XP1-036-230	36000	16	13	34200	22800	9.4	CHX35-48B	ML196UH045XE36B	204498112
EL16XP1-036-230	36000	16	13	34200	22800	9.6	CHX35-48B	ML196UH070XE36B	204498113
EL16XP1-036-230	35800	15.5	12.5	34400	23000	9.4	CHX35-48B	ML296UH045XV36B	202920637
EL16XP1-036-230	36000	15.5	12.5	34400	23000	9.6	CHX35-48B	ML296UH070XV36B	202920639
EL16XP1-036-230	36000	16.5	13	34000	22600	9.8	CHX35-48B	SL280UH080NV48B	202920640
EL16XP1-036-230	36000	16.5	13	34000	22800	9.6	CHX35-48B	SL280UH090V36B	202920641
EL16XP1-036-230	36000	16	13	34200	22800	9.6	CHX35-48B	SL280UH090V48B	202920643
EL16XP1-036-230	36000	16	13	34400	23000	9.6	CHX35-48B	SL297UH040NV36B	202920644
EL16XP1-036-230	36000	16	13	34400	23000	9.6	CHX35-48B	SL297UH060NV36B	202920645
EL16XP1-036-230	36000	16	13	34400	23000	9.6	CHX35-48B	SLP98UH070XV36B	202920647
EL16XP1-036-230	36000	16	13	34400	23000	9.6	CHX35-48B	SLP99UH070XV36B	205545643
EL16XP1-036-230	35800	14.5	12.5	34800	23400	9.4	CHX35-48B		202920335
EL16XP1-036-230	36000	15.5	12.5	35000	23400	9.4	CHX35-48C	EL195UH080NE48C	202920648
EL16XP1-036-230	36000	16	13	34800	23200	9.4	CHX35-48C	EL196UH090XE48C	202920649
EL16XP1-036-230	36000	16	13	34600	23000	9.4	CHX35-48C	EL280UH110E48C	202920651
EL16XP1-036-230	36000	15.5	12.5	34800	23200	9.4	CHX35-48C	EL280UH110E60C	202920652
EL16XP1-036-230	36000	15.5	12.5	34800	23200	9.4	CHX35-48C	EL280UH110XE60C	203362282
EL16XP1-036-230	36000	16	13	34800	23200	9.4	CHX35-48C	EL296UH090XE48C	202920653
EL16XP1-036-230	36000	16	13	34800	23200	9.4	CHX35-48C	EL296UH090XV36C	202920655
EL16XP1-036-230	36000	16	13	35000	23400	9.4	CHX35-48C	EL296UH090XV48C	202920656
EL16XP1-036-230	36000	16	13	34800	23200	9.4	CHX35-48C	EL296UH110XV48C	202920657
EL16XP1-036-230	36000	16	13.5	34800	23200	9.6	CHX35-48C	ML180UH110V60C	204495758
EL16XP1-036-230	36000	15.5	12.5	34800	23200	9.4	CHX35-48C	ML193UH090XE36C	202920659
EL16XP1-036-230	36000	16	13	34800	23200	9.4	CHX35-48C	ML193UH090XE48C	202920660
EL16XP1-036-230	36000	16	13	34800	23200	9.4	CHX35-48C	ML193UH110XE48C	202920661
EL16XP1-036-230	36000	15.5	12.5	34800	23200	9.4	CHX35-48C	ML193UH110XE60C	202920663
EL16XP1-036-230	36000	16	13	34800	23200	9.4	CHX35-48C	ML196UH090XE48C	204498114
EL16XP1-036-230	36000	16	13	34800	23200	9.4	CHX35-48C	ML296UH090XV48C	202920664
EL16XP1-036-230	36000	16	13	34800	23200	9.4	CHX35-48C	SL297UH080NV48C	202920665
EL16XP1-036-230	36000	16	13	34800	23200	9.4	CHX35-48C	SLP98UH090XV36C	202920667
EL16XP1-036-230	36000	16	13	34800	23200	9.4	CHX35-48C	SLP99UH090XV36C	205545645
EL16XP1-036-230	36000	16	13	33600	22200	9.4	CHX35-51/61C	EL195UH080NE48C	202920668
EL16XP1-036-230	36000	16.5	13	33600	22200	9.6	CHX35-51/61C	EL196UH090XE48C	202920669
EL16XP1-036-230	36000	16.5	13	33400	22000	9.6	CHX35-51/61C	EL280UH110E48C	202920671
EL16XP1-036-230	36000	16	13	33600	22200	9.4	CHX35-51/61C	EL280UH110E60C	202920672
EL16XP1-036-230	36000	16	13	33600	22200	9.4	CHX35-51/61C	EL280UH110XE60C	203362283

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-036-230	36000	16	13	33400	22200	9.4	CHX35-51/61C	EL296UH090XE48C	202920673
EL16XP1-036-230	36000	16	13	33600	22200	9.6	CHX35-51/61C	EL296UH090XV36C	202920675
EL16XP1-036-230	36000	16	13	33800	22200	9.6	CHX35-51/61C	EL296UH090XV48C	202920676
EL16XP1-036-230	36000	16.5	13	33400	22000	9.6	CHX35-51/61C	EL296UH110XV48C	202920678
EL16XP1-036-230	36000	16	14	33600	22000	9.8	CHX35-51/61C	ML180UH110V60C	204495759
EL16XP1-036-230	36000	16	13	33600	22200	9.4	CHX35-51/61C	ML193UH090XE36C	202920679
EL16XP1-036-230	36000	16.5	13	33600	22000	9.6	CHX35-51/61C	ML193UH090XE48C	202920680
EL16XP1-036-230	36000	16.5	13	33600	22200	9.6	CHX35-51/61C	ML193UH110XE48C	202920681
EL16XP1-036-230	36000	16	13	33600	22200	9.4	CHX35-51/61C	ML193UH110XE60C	202920683
EL16XP1-036-230	36000	16.5	13	33600	22200	9.6	CHX35-51/61C	ML196UH090XE48C	204498115
EL16XP1-036-230	36000	16	13	33800	22200	9.6	CHX35-51/61C	ML296UH090XV48C	202920684
EL16XP1-036-230	36000	16	13	33600	22200	9.6	CHX35-51/61C	SL297UH080NV48C	202920685
EL16XP1-036-230	36000	16	13	33600	22200	9.6	CHX35-51/61C	SLP98UH090XV36C	202920687
EL16XP1-036-230	36000	16	13	33800	22200	9.6	CHX35-51/61C	SLP98UH090XV48C	202920688
EL16XP1-036-230	36000	16	13	33600	22200	9.6	CHX35-51/61C	SLP99UH090XV36C	205545647
EL16XP1-036-230	36000	16	13	33800	22200	9.6	CHX35-51/61C	SLP99UH090XV48C	205545649
EL16XP1-036-230	36000	14.5	12.5	34200	22800	9.2	CHX35-51/61C		202920336
EL16XP1-036-230	35000	15.5	12.5	36000	23800	9.2	CR33-30/36B	EL280DF090E48B	202920689
EL16XP1-036-230	34600	15.1	12.5	36000	23800	9.2	CR33-30/36B	EL296DF045XE36B	202920691
EL16XP1-036-230	35000	15.1	12.5	36000	24000	9.2	CR33-30/36B	EL296DF045XV36B	202920692
EL16XP1-036-230	34800	15.5	12.5	36000	23800	9.2	CR33-30/36B	EL296DF070XE48B	202920693
EL16XP1-036-230	35000	15.1	12.5	36000	24200	9	CR33-30/36B	EL296DF070XV48B	202920695
EL16XP1-036-230	34800	16	13	36000	23600	9.2	CR33-30/36B	ML180DF070E36B	202920696
EL16XP1-036-230	35200	16	13	36000	23800	9.4	CR33-30/36B	ML180DF090E48B	202920697
EL16XP1-036-230	34600	15.1	12.5	36000	24000	9.2	CR33-30/36B	ML193DF045XE36B	202920699
EL16XP1-036-230	34600	15.1	12.5	36000	24000	9.2	CR33-30/36B	ML193DF070XE36B	202920700
EL16XP1-036-230	35200	15.5	12.5	36000	23800	9.4	CR33-30/36B	SL280DF090V48B	202920701
EL16XP1-036-230	35200	15.5	12.5	36000	24000	9.2	CR33-30/36B	SLP98DF070XV36B	202920703
EL16XP1-036-230	35200	15.5	12.5	36000	24000	9.2	CR33-30/36B	SLP99DF070XV36B	205545651
EL16XP1-036-230	35000	15.5	12.5	36000	23800	9.2	CR33-30/36C	EL296DF090XE48C	202920704
EL16XP1-036-230	35200	15.5	12.5	36000	23800	9.4	CR33-30/36C	ML193DF090XE48C	202920705
EL16XP1-036-230	35200	15.5	12.5	36000	24000	9.2	CR33-30/36C	SLP98DF090XV36C	202920707
EL16XP1-036-230	35200	15.5	12.5	36000	24000	9.2	CR33-30/36C	SLP98DF090XV48C	202920708
EL16XP1-036-230	35200	15.5	12.5	36000	24000	9.2	CR33-30/36C	SLP99DF090XV36C	205545653
EL16XP1-036-230	35200	15.5	12.5	36000	24000	9.2	CR33-30/36C	SLP99DF090XV48C	205545655
EL16XP1-036-230	35600	16	13	36000	24200	9.8	CR33-48B	EL280DF090E48B	202920709
EL16XP1-036-230	35200	15.5	12.5	36000	24200	9.6	CR33-48B	EL296DF045XE36B	202920711
EL16XP1-036-230	35600	15.5	12.5	36000	24200	9.6	CR33-48B	EL296DF045XV36B	202920712
EL16XP1-036-230	35600	16	13	35800	24000	9.6	CR33-48B	EL296DF070XE48B	202920714
EL16XP1-036-230	35600	15.5	12.5	36000	24400	9.6	CR33-48B	EL296DF070XV48B	202920715
EL16XP1-036-230	35400	16.5	13	35600	23800	9.8	CR33-48B	ML180DF070E36B	202920716
EL16XP1-036-230	36000	16	13	36000	24000	9.8	CR33-48B	ML180DF090E48B	202920718
EL16XP1-036-230	35400	15.5	12.5	36000	24200	9.6	CR33-48B	ML193DF045XE36B	202920719
EL16XP1-036-230	35400	15.5	12.5	36000	24200	9.6	CR33-48B	ML193DF070XE36B	202920720
EL16XP1-036-230	35600	16	13	35800	24000	9.8	CR33-48B	SL280DF090V48B	202920721
EL16XP1-036-230	35600	15.5	12.5	36000	24200	9.6	CR33-48B	SLP98DF070XV36B	202920723
EL16XP1-036-230	35600	15.5	12.5	36000	24200	9.6	CR33-48B	SLP99DF070XV36B	205545657
EL16XP1-036-230	34800	14.5	12	36000	24800	9.4	CR33-48B		202920337
EL16XP1-036-230	35800	16	13	36000	24000	9.8	CR33-48C	EL296DF090XE48C	202920724
EL16XP1-036-230	35800	16	13	36000	24000	9.8	CR33-48C	ML193DF090XE48C	202920725
EL16XP1-036-230	35600	16	13	36000	24200	9.6	CR33-48C	SLP98DF090XV36C	202920727
EL16XP1-036-230	35800	16	13	36000	24000	9.8	CR33-48C	SLP98DF090XV48C	202920728
EL16XP1-036-230	35600	16	13	36000	24200	9.6	CR33-48C	SLP99DF090XV36C	205545659
EL16XP1-036-230	35800	16	13	36000	24000	9.8	CR33-48C	SLP99DF090XV48C	205545661
EL16XP1-036-230	34800	14.5	12	36000	24800	9.4	CR33-48C		202920339
EL16XP1-036-230	36000	16	13	35000	23400	9.6	CX35-36A	EL180UH040NE36A	202920729

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-036-230	36000	16	13	35000	23400	9.4	CX35-36A	EL180UH060NE36A	202920730
EL16XP1-036-230	36000	16	13	35400	23600	9.4	CX35-36A	EL280UH045E36A	202920731
EL16XP1-036-230	36000	16	13	34800	23400	9.4	CX35-36A	EL280UH070E36A	202920733
EL16XP1-036-230	36000	16	13	34800	23400	9.4	CX35-36A	EL280UH070XE36A	203362284
EL16XP1-036-230	36000	16	13.5	34800	23200	9.6	CX35-36A	ML180UH030V36A	204495055
EL16XP1-036-230	36000	16	13	35000	23400	9.4	CX35-36A	ML180UH045E36A	202920734
EL16XP1-036-230	36000	16	13.5	34800	23200	9.6	CX35-36A	ML180UH045V36A	204495158
EL16XP1-036-230	36000	16	13	35200	23600	9.6	CX35-36A	ML180UH070E36A	204495898
EL16XP1-036-230	36000	16	13	34800	23400	9.4	CX35-36A	ML180UH070V36A	204495261
EL16XP1-036-230	36000	16	13	35200	23600	9.6	CX35-36A	ML180UH070XE36A	204496024
EL16XP1-036-230	36000	16.5	13	34800	23200	9.6	CX35-36A	SL280UH060NV36A	202920735
EL16XP1-036-230	36000	16	13	35000	23400	9.4	CX35-36A	SL280UH070V36A	202920737
EL16XP1-036-230	36000	16	13	35000	23400	9.4	CX35-36A	SL280UH070XV36A	202920738
EL16XP1-036-230	35200	14.5	12	35400	23800	9.2	CX35-36A		202920340
EL16XP1-036-230	36000	16.5	13	34600	23000	9.6	CX35-36B	EL180UH080NE48B	202920739
EL16XP1-036-230	35800	16	13	34800	23400	9.4	CX35-36B	EL195UH040NE36B	202920740
EL16XP1-036-230	35800	16	13	34800	23400	9.4	CX35-36B	EL195UH060NE36B	202920742
EL16XP1-036-230	35800	16	13	34800	23200	9.4	CX35-36B	EL196UH045XE36B	202920743
EL16XP1-036-230	35800	16	13	34800	23200	9.4	CX35-36B	EL196UH070XE36B	202920744
EL16XP1-036-230	36000	16	13	35000	23400	9.6	CX35-36B	EL280UH090E36B	202920745
EL16XP1-036-230	36000	16.5	13	34800	23200	9.6	CX35-36B	EL280UH090E48B	202920747
EL16XP1-036-230	36000	16.5	13	34800	23200	9.6	CX35-36B	EL280UH090XE48B	203362285
EL16XP1-036-230	35400	16	13	34600	23200	9.2	CX35-36B	EL296UH045XE36B	202920748
EL16XP1-036-230	36000	16	13	35000	23400	9.4	CX35-36B	EL296UH045XV36B	202920749
EL16XP1-036-230	35600	16	13	34800	23400	9.4	CX35-36B	EL296UH070XE36B	202920750
EL16XP1-036-230	36000	16	13	35000	23400	9.4	CX35-36B	EL296UH070XV36B	202920752
EL16XP1-036-230	36000	16	13	35000	23400	9.4	CX35-36B	ML180UH070E36B	202920753
EL16XP1-036-230	35800	16	13.5	34600	23200	9.6	CX35-36B	ML180UH070V36B	204495393
EL16XP1-036-230	36000	16	13.5	34800	23200	9.8	CX35-36B	ML180UH070V48B	204495523
EL16XP1-036-230	36000	16.5	13	34800	23200	9.6	CX35-36B	ML180UH090E48B	202920754
EL16XP1-036-230	36000	16	13	34600	23200	9.6	CX35-36B	ML180UH090V48B	204495647
EL16XP1-036-230	36000	15.5	12.5	35200	23800	9.4	CX35-36B	ML193UH030XE36B	202920755
EL16XP1-036-230	36000	15.5	12.5	35200	23600	9.4	CX35-36B	ML193UH045XE36B	202920757
EL16XP1-036-230	35800	16	13	34800	23400	9.4	CX35-36B	ML193UH070XE36B	202920758
EL16XP1-036-230	35800	16	13	34800	23200	9.4	CX35-36B	ML196UH045XE36B	204498116
EL16XP1-036-230	35800	16	13	34800	23200	9.4	CX35-36B	ML196UH070XE36B	204498117
EL16XP1-036-230	36000	16	13	35000	23400	9.4	CX35-36B	ML296UH045XV36B	202920759
EL16XP1-036-230	36000	16	13	35000	23400	9.4	CX35-36B	ML296UH070XV36B	202920760
EL16XP1-036-230	36000	16.5	13	34600	23000	9.6	CX35-36B	SL280UH080NV48B	202920762
EL16XP1-036-230	36000	16.5	13	34600	23200	9.6	CX35-36B	SL280UH090V36B	202920763
EL16XP1-036-230	36000	16.5	13	34800	23200	9.6	CX35-36B	SL280UH090V48B	202920764
EL16XP1-036-230	36000	16	13	35000	23400	9.4	CX35-36B	SL297UH040NV36B	202920765
EL16XP1-036-230	36000	16	13	34800	23400	9.4	CX35-36B	SL297UH060NV36B	202920767
EL16XP1-036-230	36000	16	13	35000	23400	9.4	CX35-36B	SLP98UH070XV36B	202920768
EL16XP1-036-230	36000	16	13	35000	23400	9.4	CX35-36B	SLP99UH070XV36B	205545663
EL16XP1-036-230	35200	14.5	12	35400	23800	9.2	CX35-36B		202920341
EL16XP1-036-230	36000	16.5	13	34200	22600	9.6	CX35-48B	EL180UH080NE48B	202920769
EL16XP1-036-230	35800	15.5	12.5	34400	22800	9.4	CX35-48B	EL195UH040NE36B	202920771
EL16XP1-036-230	35600	15.5	12.5	34400	22800	9.4	CX35-48B	EL195UH060NE36B	202920772
EL16XP1-036-230	35600	15.5	12.5	34200	22800	9.4	CX35-48B	EL196UH045XE36B	202920773
EL16XP1-036-230	35600	16	13	34200	22800	9.4	CX35-48B	EL196UH070XE36B	202920775
EL16XP1-036-230	36000	16	13	34600	23000	9.6	CX35-48B	EL280UH090E36B	202920776
EL16XP1-036-230	36000	16	13	34400	22800	9.6	CX35-48B	EL280UH090E48B	202920777
EL16XP1-036-230	36000	16	13	34400	22800	9.6	CX35-48B	EL280UH090XE48B	203362286
EL16XP1-036-230	35200	15.5	12.5	34200	22800	9.2	CX35-48B	EL296UH045XE36B	202920778
EL16XP1-036-230	35800	15.5	12.5	34400	23000	9.4	CX35-48B	EL296UH045XV36B	202920780

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-036-230	35600	15.5	12.5	34200	22800	9.4	CX35-48B	EL296UH070XE36B	202920781
EL16XP1-036-230	35800	15.5	12.5	34400	23000	9.4	CX35-48B	EL296UH070XV36B	202920782
EL16XP1-036-230	35600	16	13	34000	22600	9.4	CX35-48B	ML180UH070E36B	202920783
EL16XP1-036-230	35800	16	13.5	34200	22600	9.6	CX35-48B	ML180UH070V36B	204495394
EL16XP1-036-230	36000	16	13.5	34200	22800	9.6	CX35-48B	ML180UH070V48B	204495524
EL16XP1-036-230	36000	16	13	34200	22800	9.6	CX35-48B	ML180UH090E48B	202920784
EL16XP1-036-230	36000	16	13	34200	22800	9.4	CX35-48B	ML180UH090V48B	204495648
EL16XP1-036-230	36000	15.1	12.5	34800	23200	9.4	CX35-48B	ML193UH030XE36B	202920786
EL16XP1-036-230	35600	15.5	12.5	34400	23000	9.2	CX35-48B	ML193UH045XE36B	202920787
EL16XP1-036-230	35600	15.5	12.5	34200	22800	9.4	CX35-48B	ML193UH070XE36B	202920788
EL16XP1-036-230	35600	15.5	12.5	34200	22800	9.4	CX35-48B	ML196UH045XE36B	204498118
EL16XP1-036-230	35600	16	13	34200	22800	9.4	CX35-48B	ML196UH070XE36B	204498119
EL16XP1-036-230	35800	15.5	12.5	34400	23000	9.4	CX35-48B	ML296UH045XV36B	202920789
EL16XP1-036-230	35800	15.5	12.5	34400	23000	9.4	CX35-48B	ML296UH070XV36B	202920791
EL16XP1-036-230	36000	16.5	13	34000	22600	9.6	CX35-48B	SL280UH080NV48B	202920792
EL16XP1-036-230	36000	16	13	34200	22600	9.4	CX35-48B	SL280UH090V36B	202920793
EL16XP1-036-230	36000	16	13	34200	22800	9.4	CX35-48B	SL280UH090V48B	202920794
EL16XP1-036-230	35000	14.5	12	35000	23400	9.2	CX35-48B		202920343
EL16XP1-036-230	36000	16.5	13	34400	22800	9.6	CX35-48C	EL196UH090XE48C	202920796
EL16XP1-036-230	36000	16.5	13	34200	22600	9.6	CX35-48C	EL280UH110E48C	202920797
EL16XP1-036-230	35800	16	13	34200	22800	9.4	CX35-48C	EL280UH110E60C	202920798
EL16XP1-036-230	35800	16	13	34200	22800	9.4	CX35-48C	EL280UH110XE60C	203362287
EL16XP1-036-230	36000	16	13	34200	22800	9.6	CX35-48C	EL296UH090XE48C	202920799
EL16XP1-036-230	36000	16	13	34200	22800	9.6	CX35-48C	EL296UH090XV36C	202920801
EL16XP1-036-230	35800	16.5	13	34000	22600	9.4	CX35-48C	EL296UH090XV48C	202920802
EL16XP1-036-230	36000	16	14	34200	22600	9.8	CX35-48C	ML180UH110V60C	204495760
EL16XP1-036-230	36000	16	13	34400	22800	9.4	CX35-48C	ML193UH090XE36C	202920803
EL16XP1-036-230	36000	16.5	13	34200	22800	9.6	CX35-48C	ML193UH090XE48C	202920804
EL16XP1-036-230	36000	16.5	13	34000	22600	9.6	CX35-48C	ML193UH110XE48C	202920806
EL16XP1-036-230	35800	16	13	34200	22800	9.4	CX35-48C	ML193UH110XE60C	202920807
EL16XP1-036-230	36000	16.5	13	34400	22800	9.6	CX35-48C	ML196UH090XE48C	204498120
EL16XP1-036-230	35800	16.5	13	34000	22600	9.4	CX35-48C	ML296UH090XV48C	202920808
EL16XP1-036-230	35800	16	13	34200	22600	9.4	CX35-48C	SL297UH080NV48C	202920809
EL16XP1-036-230	36000	16	13	34200	22800	9.6	CX35-48C	SLP98UH090XV36C	202920811
EL16XP1-036-230	35800	16.5	13	34000	22600	9.4	CX35-48C	SLP98UH090XV48C	202920812
EL16XP1-036-230	36000	16	13	34200	22800	9.6	CX35-48C	SLP99UH090XV36C	205545665
EL16XP1-036-230	35800	16.5	13	34000	22600	9.4	CX35-48C	SLP99UH090XV48C	205545666
EL16XP1-036-230	35000	14.5	12	35000	23400	9.2	CX35-48C		202920344
EL16XP1-036-230	36000	16.5	13	33800	22400	9.6	CX35-50/60C	EL196UH090XE48C	202920813
EL16XP1-036-230	36000	16.5	13	33600	22400	9.4	CX35-50/60C	EL296UH090XE48C	202920814
EL16XP1-036-230	36000	16.5	13	33600	22400	9.4	CX35-50/60C	EL296UH090XV36C	202920816
EL16XP1-036-230	36000	16.5	13	33600	22400	9.4	CX35-50/60C	EL296UH090XV48C	202920817
EL16XP1-036-230	36000	16.5	13	33800	22400	9.4	CX35-50/60C	ML193UH090XE48C	202920818
EL16XP1-036-230	36000	16.5	13	33800	22400	9.6	CX35-50/60C	ML193UH110XE48C	202920819
EL16XP1-036-230	36000	16	13	33600	22600	9.4	CX35-50/60C	ML193UH110XE60C	202920821
EL16XP1-036-230	36000	16.5	13	33800	22400	9.6	CX35-50/60C	ML196UH090XE48C	204498121
EL16XP1-036-230	35600	16.5	13	33600	22400	9.4	CX35-50/60C	ML296UH090XV48C	202920822
EL16XP1-036-230	36000	16.5	13	33600	22400	9.4	CX35-50/60C	SL297UH080NV48C	202920823
EL16XP1-036-230	36000	16.5	13	33600	22400	9.4	CX35-50/60C	SLP98UH090XV36C	202920824
EL16XP1-036-230	36000	16.5	13	33600	22400	9.4	CX35-50/60C	SLP98UH090XV48C	202920826
EL16XP1-036-230	36000	16.5	13	33600	22400	9.4	CX35-50/60C	SLP99UH090XV36C	205545668
EL16XP1-036-230	36000	16.5	13	33600	22400	9.4	CX35-50/60C	SLP99UH090XV48C	205545670
EL16XP1-042-230	42000	16.5	13	39000	25400	8.5	C35-49C	EL180UH100NE60C	202920877
EL16XP1-042-230	41500	16	13	39000	25600	8.5	C35-49C	EL195UH080NE48C	202920878
EL16XP1-042-230	42000	16	13	39500	25800	8.5	C35-49C	EL195UH100NE60C	202920879
EL16XP1-042-230	41500	16	13	39000	25600	8.5	C35-49C	EL196UH090XE48C	202920881

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-042-230	42000	16.5	13	39500	25800	8.5	C35-49C	EL196UH110XE60C	202920882
EL16XP1-042-230	42000	16.5	13	39000	25600	8.5	C35-49C	EL280UH110E48C	202920883
EL16XP1-042-230	42000	16.5	13	39000	25600	8.5	C35-49C	EL280UH110E60C	202920884
EL16XP1-042-230	42000	16.5	13	39000	25600	8.5	C35-49C	EL280UH110XE60C	203362288
EL16XP1-042-230	42000	16	13	39000	25600	8.5	C35-49C	EL296UH090XV48C	202920885
EL16XP1-042-230	42000	16	13	39500	25800	8.5	C35-49C	EL296UH090XV60C	202920887
EL16XP1-042-230	42000	16	13	39000	25600	8.5	C35-49C	EL296UH110XE60C	202920888
EL16XP1-042-230	41500	16	13	39000	25600	8.5	C35-49C	EL296UH110XV48C	202920889
EL16XP1-042-230	42000	16	13	39000	25600	8.5	C35-49C	EL296UH110XV60C	202920890
EL16XP1-042-230	42000	16.5	13	39000	25400	8.5	C35-49C	ML180UH090E60C	202920891
EL16XP1-042-230	41500	16.5	13	39000	25400	8.5	C35-49C	ML180UH110E60C	202920893
EL16XP1-042-230	42000	16	13	39000	25400	8.5	C35-49C	ML180UH110V60C	204495761
EL16XP1-042-230	41000	15.5	12.5	39000	25600	8.5	C35-49C	ML193UH090XE36C	202920894
EL16XP1-042-230	41500	16	13	39000	25400	8.5	C35-49C	ML193UH090XE48C	202920895
EL16XP1-042-230	42000	16.5	13	39000	25600	8.5	C35-49C	ML193UH110XE48C	202920896
EL16XP1-042-230	42000	16	13	39000	25600	8.5	C35-49C	ML193UH110XE60C	202920898
EL16XP1-042-230	41500	16	13	39000	25600	8.5	C35-49C	ML196UH090XE48C	204498122
EL16XP1-042-230	42000	16.5	13	39500	25800	8.5	C35-49C	ML196UH110XE60C	204498123
EL16XP1-042-230	42000	16	13	39000	25600	8.5	C35-49C	ML296UH090XV48C	202920899
EL16XP1-042-230	42000	16.5	13	39000	25400	8.5	C35-49C	SL280UH080NV60C	202920900
EL16XP1-042-230	42000	16.5	13	39000	25600	8.5	C35-49C	SL280UH090V60C	202920901
EL16XP1-042-230	42000	16.5	13	39000	25600	8.5	C35-49C	SL280UH090XV60C	202920902
EL16XP1-042-230	42000	16.5	13	39000	25400	8.5	C35-49C	SL280UH100NV60C	202920904
EL16XP1-042-230	42000	16.5	13	39000	25400	8.5	C35-49C	SL280UH110V60C	202920905
EL16XP1-042-230	42000	16.5	13	39000	25400	8.5	C35-49C	SL280UH110XV60C	202920906
EL16XP1-042-230	42000	16	13	39000	25600	8.5	C35-49C	SL297UH080NV60C	202920907
EL16XP1-042-230	42000	16	13	39000	25600	8.5	C35-49C	SLP98UH090XV48C	202920908
EL16XP1-042-230	42000	16	13	39500	25800	8.5	C35-49C	SLP98UH090XV60C	202920909
EL16XP1-042-230	42000	16	13	39000	25600	8.5	C35-49C	SLP98UH110XV60C	202920911
EL16XP1-042-230	42000	16	13	39000	25600	8.5	C35-49C	SLP99UH090XV48C	205545673
EL16XP1-042-230	42000	16	13	39500	25800	8.5	C35-49C	SLP99UH090XV60C	205545674
EL16XP1-042-230	42000	16	13	39000	25600	8.5	C35-49C	SLP99UH110XV60C	205545675
EL16XP1-042-230	41000	14.5	12.5	40000	26200	8.5	C35-49C		202920860
EL16XP1-042-230	40500	16	13	38500	25200	8.5	C35-50/60C	EL180UH100NE60C	202920912
EL16XP1-042-230	40000	15.5	12.5	38500	25400	8.2	C35-50/60C	EL195UH080NE48C	202920913
EL16XP1-042-230	40500	15.5	12.5	39000	25600	8.5	C35-50/60C	EL195UH100NE60C	202920914
EL16XP1-042-230	40500	16	13	38500	25200	8.5	C35-50/60C	EL196UH090XE48C	202920915
EL16XP1-042-230	41000	16	13	39000	25400	8.5	C35-50/60C	EL196UH110XE60C	202920917
EL16XP1-042-230	40500	16	13	38500	25200	8.5	C35-50/60C	EL280UH110E48C	202920918
EL16XP1-042-230	41000	16	13	38500	25400	8.5	C35-50/60C	EL280UH110E60C	202920919
EL16XP1-042-230	41000	16	13	38500	25400	8.5	C35-50/60C	EL280UH110XE60C	203362289
EL16XP1-042-230	40500	15.5	12.5	38500	25400	8.5	C35-50/60C	EL296UH090XV48C	202920920
EL16XP1-042-230	41000	15.5	12.5	39000	25600	8.5	C35-50/60C	EL296UH090XV60C	202920921
EL16XP1-042-230	41000	15.5	12.5	38500	25400	8.5	C35-50/60C	EL296UH110XE60C	202920923
EL16XP1-042-230	40500	16	13	38500	25400	8.5	C35-50/60C	EL296UH110XV48C	202920924
EL16XP1-042-230	40500	16	13	38500	25400	8.5	C35-50/60C	EL296UH110XV60C	202920925
EL16XP1-042-230	40500	16	13	38500	25200	8.5	C35-50/60C	ML180UH090E60C	202920926
EL16XP1-042-230	40500	16	13	38500	25200	8.5	C35-50/60C	ML180UH110E60C	202920928
EL16XP1-042-230	40500	16	13	38500	25400	8.5	C35-50/60C	ML180UH110V60C	204495762
EL16XP1-042-230	39500	15.5	12.5	38500	25200	8.2	C35-50/60C	ML193UH090XE36C	202920929
EL16XP1-042-230	40500	16	13	38500	25200	8.5	C35-50/60C	ML193UH090XE48C	202920930
EL16XP1-042-230	40500	16	13	38500	25200	8.5	C35-50/60C	ML193UH110XE48C	202920931
EL16XP1-042-230	41000	16	13	38500	25400	8.5	C35-50/60C	ML193UH110XE60C	202920933
EL16XP1-042-230	40500	16	13	38500	25200	8.5	C35-50/60C	ML196UH090XE48C	204498124
EL16XP1-042-230	41000	16	13	39000	25400	8.5	C35-50/60C	ML196UH110XE60C	204498125
EL16XP1-042-230	40500	15.5	12.5	38500	25400	8.5	C35-50/60C	ML296UH090XV48C	202920934

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-042-230	41000	16	13	38500	25200	8.5	C35-50/60C	SL280UH080NV60C	202920935
EL16XP1-042-230	41000	16	13	38500	25400	8.5	C35-50/60C	SL280UH090V60C	202920936
EL16XP1-042-230	41000	16	13	38500	25400	8.5	C35-50/60C	SL280UH090XV60C	202920938
EL16XP1-042-230	41000	16.5	13	38500	25200	8.5	C35-50/60C	SL280UH100NV60C	202920939
EL16XP1-042-230	40500	16	13	38500	25400	8.5	C35-50/60C	SL280UH110V60C	202920940
EL16XP1-042-230	40500	16	13	38500	25400	8.5	C35-50/60C	SL280UH110XV60C	202920941
EL16XP1-042-230	41000	15.5	12.5	38500	25400	8.5	C35-50/60C	SL297UH080NV60C	202920943
EL16XP1-042-230	40500	15.5	12.5	38500	25400	8.5	C35-50/60C	SLP98UH090XV48C	202920944
EL16XP1-042-230	41000	15.5	12.5	39000	25600	8.5	C35-50/60C	SLP98UH090XV60C	202920945
EL16XP1-042-230	40500	16	13	38500	25400	8.5	C35-50/60C	SLP98UH110XV60C	202920946
EL16XP1-042-230	40500	15.5	12.5	38500	25400	8.5	C35-50/60C	SLP99UH090XV48C	205545677
EL16XP1-042-230	41000	15.5	12.5	39000	25600	8.5	C35-50/60C	SLP99UH090XV60C	205545679
EL16XP1-042-230	40500	16	13	38500	25400	8.5	C35-50/60C	SLP99UH110XV60C	205545681
EL16XP1-042-230	39500	14.5	12	39500	26000	8.2	C35-50/60C		202920861
EL16XP1-042-230	41500	16.5	13	38500	25000	9.2	C35-60C	EL180UH100NE60C	202920947
EL16XP1-042-230	41000	16	13	38500	25200	9.2	C35-60C	EL195UH080NE48C	202920949
EL16XP1-042-230	41500	16	13	38500	25400	9.2	C35-60C	EL195UH100NE60C	202920950
EL16XP1-042-230	41500	16.5	13	38500	25000	9.2	C35-60C	EL196UH090XE48C	202920951
EL16XP1-042-230	42000	16.5	13	38500	25200	9.4	C35-60C	EL196UH110XE60C	202920952
EL16XP1-042-230	41500	16.5	13	38500	25000	9.2	C35-60C	EL280UH110E48C	202920954
EL16XP1-042-230	42000	16.5	13	38500	25200	9.4	C35-60C	EL280UH110E60C	202920955
EL16XP1-042-230	42000	16.5	13	38500	25200	9.4	C35-60C	EL280UH110XE60C	203362290
EL16XP1-042-230	41500	16.5	13	38500	25200	9.2	C35-60C	EL296UH090XV48C	202920956
EL16XP1-042-230	41500	16	13	38500	25200	9.2	C35-60C	EL296UH090XV60C	202920957
EL16XP1-042-230	42000	16.5	13	38500	25200	9.2	C35-60C	EL296UH110XE60C	202920959
EL16XP1-042-230	41500	16.5	13	38500	25200	9.2	C35-60C	EL296UH110XV48C	202920960
EL16XP1-042-230	41500	16.5	13	38500	25200	9.2	C35-60C	EL296UH110XV60C	202920961
EL16XP1-042-230	41500	16.5	13	38500	25000	9.2	C35-60C	ML180UH090E60C	202920962
EL16XP1-042-230	41500	16.5	13	38500	25000	9.2	C35-60C	ML180UH110E60C	202920964
EL16XP1-042-230	41500	16.5	13	38500	25000	9.2	C35-60C	ML180UH110V60C	204495763
EL16XP1-042-230	40500	16	13	38000	25000	9	C35-60C	ML193UH090XE36C	202920965
EL16XP1-042-230	41500	16.5	13	38500	25000	9.2	C35-60C	ML193UH090XE48C	202920966
EL16XP1-042-230	41500	16.5	13	38500	25000	9.2	C35-60C	ML193UH110XE48C	202920967
EL16XP1-042-230	42000	16.5	13	38500	25200	9.2	C35-60C	ML193UH110XE60C	202920969
EL16XP1-042-230	41500	16.5	13	38500	25000	9.2	C35-60C	ML196UH090XE48C	204498126
EL16XP1-042-230	42000	16.5	13	38500	25200	9.4	C35-60C	ML196UH110XE60C	204498127
EL16XP1-042-230	41500	16	13	38500	25200	8.8	C35-60C	ML296UH090XV48C	202920970
EL16XP1-042-230	42000	17	13	38500	25000	9.4	C35-60C	SL280UH080NV60C	202920971
EL16XP1-042-230	42000	16.5	13	38500	25000	9.4	C35-60C	SL280UH090V60C	202920972
EL16XP1-042-230	42000	16.5	13	38500	25000	9.4	C35-60C	SL280UH090XV60C	202920973
EL16XP1-042-230	42000	17	13	38500	25000	9.4	C35-60C	SL280UH100NV60C	202920975
EL16XP1-042-230	41500	16.5	13	38500	25000	9.2	C35-60C	SL280UH110V60C	202920976
EL16XP1-042-230	41500	16.5	13	38500	25000	9.2	C35-60C	SL280UH110XV60C	202920977
EL16XP1-042-230	42000	16.5	13	38500	25200	9.2	C35-60C	SL297UH080NV60C	202920978
EL16XP1-042-230	41500	16.5	13	38500	25200	9.2	C35-60C	SLP98UH090XV48C	202920980
EL16XP1-042-230	41500	16	13	38500	25200	9.2	C35-60C	SLP98UH090XV60C	202920981
EL16XP1-042-230	41500	16.5	13	38500	25200	9.2	C35-60C	SLP98UH110XV60C	202920982
EL16XP1-042-230	41500	16.5	13	38500	25200	9.2	C35-60C	SLP99UH090XV48C	205545683
EL16XP1-042-230	41500	16	13	38500	25200	9.2	C35-60C	SLP99UH090XV60C	205545685
EL16XP1-042-230	41500	16.5	13	38500	25200	9.2	C35-60C	SLP99UH110XV60C	205545686
EL16XP1-042-230	40500	15.1	12.5	39000	25800	9	C35-60C		202920862
EL16XP1-042-230	41000	15.5	12.5	38500	24800	8.5	CBA25UH-048-230		202920983
EL16XP1-042-230	41000	16	13	37800	24400	8.5	CBA25UHV-048-230		202920985
EL16XP1-042-230	41000	16	13	39000	24000	8.5	CBA27UHE-042-230		202920986
EL16XP1-042-230	41000	16	13	37800	24600	9.5	CBA27UHE-048-230		202920858
EL16XP1-042-230	41000	16.5	13	39000	23800	9	CBA38MV-042-230		202920987

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-042-230	41000	16.5	13	37800	24400	9.5	CBA38MV-048-230		202920988
EL16XP1-042-230	42000	16.5	13	38500	25200	9	CH35-42B	EL180UH080NE48B	202920989
EL16XP1-042-230	42000	16	13	39000	25400	8.5	CH35-42B	EL280UH090E36B	202920991
EL16XP1-042-230	42000	16.5	13	38500	25200	8.5	CH35-42B	EL280UH090E48B	202920992
EL16XP1-042-230	42000	16.5	13	38500	25200	8.5	CH35-42B	EL280UH090XE48B	203362291
EL16XP1-042-230	41500	16	13.5	38500	25600	9	CH35-42B	ML180UH070V36B	204495395
EL16XP1-042-230	42000	16	14	38500	25600	9.2	CH35-42B	ML180UH070V48B	204495525
EL16XP1-042-230	42000	16.5	13	38500	25400	9	CH35-42B	ML180UH090E48B	202920993
EL16XP1-042-230	42000	16	13	39000	25400	9	CH35-42B	ML180UH090V48B	204495649
EL16XP1-042-230	41000	15.5	12.5	38500	25400	8.5	CH35-42B	ML193UH030XE36B	202920994
EL16XP1-042-230	41000	15.5	12.5	38500	25400	8.5	CH35-42B	ML193UH045XE36B	202920996
EL16XP1-042-230	41500	15.5	12.5	38500	25400	8.5	CH35-42B	ML193UH070XE36B	202920997
EL16XP1-042-230	42000	16.5	13	38500	25200	9	CH35-42B	SL280UH080NV48B	202920998
EL16XP1-042-230	42000	16	13	39000	25400	9	CH35-42B	SL280UH090V48B	202920999
EL16XP1-042-230	41000	15.1	12.5	39000	25800	8.5	CH35-42B		202920863
EL16XP1-042-230	41000	16.5	13	39500	24800	8.5	CH35-42C	EL180UH100NE60C	202921001
EL16XP1-042-230	40500	15.5	12.5	39500	25000	8.2	CH35-42C	EL195UH080NE48C	202921002
EL16XP1-042-230	41000	15.5	12.5	39500	25200	8.5	CH35-42C	EL195UH100NE60C	202921003
EL16XP1-042-230	41000	16	13	39500	24800	8.5	CH35-42C	EL196UH090XE48C	202921004
EL16XP1-042-230	41000	16	13	39500	25000	8.5	CH35-42C	EL196UH110XE60C	202921006
EL16XP1-042-230	41000	16	13	39500	24800	8.5	CH35-42C	EL280UH110E48C	202921007
EL16XP1-042-230	41000	16	13	39500	25000	8.5	CH35-42C	EL280UH110E60C	202921008
EL16XP1-042-230	41000	16	13	39500	25000	8.5	CH35-42C	EL280UH110XE60C	203362292
EL16XP1-042-230	40500	16	13	39500	24800	8.5	CH35-42C	EL296UH090XE48C	202921009
EL16XP1-042-230	41000	16	13	39500	25000	8.5	CH35-42C	EL296UH090XV48C	202921011
EL16XP1-042-230	41000	16	13	39500	25200	8.5	CH35-42C	EL296UH090XV60C	202921012
EL16XP1-042-230	41000	16	13	39500	25000	8.5	CH35-42C	EL296UH110XE60C	202921013
EL16XP1-042-230	41000	16	13	39500	25000	8.5	CH35-42C	EL296UH110XV48C	202921014
EL16XP1-042-230	41000	16	13	39500	25000	8.5	CH35-42C	EL296UH110XV60C	202921016
EL16XP1-042-230	41000	16	13	39500	24800	8.5	CH35-42C	ML180UH090E60C	202921017
EL16XP1-042-230	41000	16	13	39500	24800	8.5	CH35-42C	ML180UH110E60C	202921018
EL16XP1-042-230	40500	16	13	39500	24800	8.5	CH35-42C	ML193UH090XE48C	202921019
EL16XP1-042-230	41000	16	13	39500	24800	8.5	CH35-42C	ML193UH110XE48C	202921021
EL16XP1-042-230	41000	16	13	39500	25000	8.5	CH35-42C	ML193UH110XE60C	202921022
EL16XP1-042-230	41000	16	13	39500	24800	8.5	CH35-42C	ML196UH090XE48C	204498128
EL16XP1-042-230	41000	16	13	39500	25000	8.5	CH35-42C	ML196UH110XE60C	204498129
EL16XP1-042-230	41000	16	13	39500	25000	8.5	CH35-42C	ML296UH090XV48C	202921023
EL16XP1-042-230	41000	16.5	13	39500	24800	8.5	CH35-42C	SL280UH080NV60C	202921024
EL16XP1-042-230	41000	16	13	39500	25000	8.5	CH35-42C	SL280UH090V60C	202921026
EL16XP1-042-230	41000	16	13	39500	25000	8.5	CH35-42C	SL280UH090XV60C	202921027
EL16XP1-042-230	41000	16.5	13	39500	24800	8.5	CH35-42C	SL280UH100NV60C	202921028
EL16XP1-042-230	41000	16	13	39500	25000	8.5	CH35-42C	SL280UH110V60C	202921029
EL16XP1-042-230	41000	16	13	39500	25000	8.5	CH35-42C	SL280UH110XV60C	202921031
EL16XP1-042-230	41000	16	13	39500	25000	8.5	CH35-42C	SL297UH080NV48C	202921032
EL16XP1-042-230	41000	16	13	39500	25000	8.5	CH35-42C	SL297UH080NV60C	202921033
EL16XP1-042-230	41000	16	13	39500	25000	8.5	CH35-42C	SLP98UH090XV48C	202921034
EL16XP1-042-230	41000	16	13	39500	25200	8.5	CH35-42C	SLP98UH090XV60C	202921036
EL16XP1-042-230	41000	16	13	39500	25000	8.5	CH35-42C	SLP98UH110XV60C	202921037
EL16XP1-042-230	41000	16	13	39500	25000	8.5	CH35-42C	SLP99UH090XV48C	205545688
EL16XP1-042-230	41000	16	13	39500	25200	8.5	CH35-42C	SLP99UH090XV60C	205545689
EL16XP1-042-230	41000	16	13	39500	25000	8.5	CH35-42C	SLP99UH110XV60C	205545690
EL16XP1-042-230	40000	14.5	12	40000	25600	8.2	CH35-42C		202920865
EL16XP1-042-230	40500	16	13	40000	25600	8.5	CH35-48B	EL180UH080NE48B	202921038
EL16XP1-042-230	40500	15.5	12.5	40000	25800	8.2	CH35-48B	EL280UH090E36B	202921039
EL16XP1-042-230	40000	15.5	12.5	40000	25600	8.2	CH35-48B	EL280UH090E48B	202921041
EL16XP1-042-230	40000	15.5	12.5	40000	25600	8.2	CH35-48B	EL280UH090XE48B	203362293

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-042-230	40000	15.5	12.5	39500	25600	8.4	CH35-48B	ML180UH070V36B	204495396
EL16XP1-042-230	40500	16	13	40000	25800	8.5	CH35-48B	ML180UH070V48B	204495526
EL16XP1-042-230	40500	15.5	12.5	40000	25600	8.2	CH35-48B	ML180UH090E48B	202921042
EL16XP1-042-230	40500	15.5	12.5	40000	25800	8.2	CH35-48B	ML180UH090V48B	204495650
EL16XP1-042-230	40500	16	13	40000	25600	8.5	CH35-48B	SL280UH080NV48B	202921043
EL16XP1-042-230	40500	15.5	12.5	40000	25800	8.2	CH35-48B	SL280UH090V48B	202921044
EL16XP1-042-230	40500	15.5	12.5	39000	25000	8.5	CH35-48C	EL180UH100NE60C	202921045
EL16XP1-042-230	40000	15.1	12.5	39500	25200	8.2	CH35-48C	EL195UH080NE48C	202921047
EL16XP1-042-230	40500	15.1	12.5	39500	25400	8.5	CH35-48C	EL195UH100NE60C	202921048
EL16XP1-042-230	40500	15.5	12.5	39000	25200	8.5	CH35-48C	EL196UH090XE48C	202921049
EL16XP1-042-230	40500	15.5	12.5	39500	25400	8.5	CH35-48C	EL196UH110XE60C	202921050
EL16XP1-042-230	40500	15.5	12.5	39000	25200	8.5	CH35-48C	EL280UH110E48C	202921052
EL16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CH35-48C	EL280UH110E60C	202921053
EL16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CH35-48C	EL280UH110XE60C	203362294
EL16XP1-042-230	40000	15.5	12.5	39000	25000	8.2	CH35-48C	EL296UH090XE48C	202921054
EL16XP1-042-230	40500	15.5	12.5	39500	25400	8.5	CH35-48C	EL296UH090XV48C	202921055
EL16XP1-042-230	40500	15.1	12.5	39500	25400	8.5	CH35-48C	EL296UH090XV60C	202921056
EL16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CH35-48C	EL296UH110XE60C	202921058
EL16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CH35-48C	EL296UH110XV48C	202921059
EL16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CH35-48C	EL296UH110XV60C	202921060
EL16XP1-042-230	40500	15.5	12.5	39000	25000	8.5	CH35-48C	ML180UH090E60C	202921061
EL16XP1-042-230	41000	15.5	12.5	39500	25400	8.5	CH35-48C	ML180UH110E60C	202921063
EL16XP1-042-230	40500	15.5	12.5	39000	25000	8.5	CH35-48C	ML180UH110V60C	204495764
EL16XP1-042-230	40000	15.5	12.5	39000	25000	8.5	CH35-48C	ML193UH090XE48C	202921064
EL16XP1-042-230	40000	15.5	12.5	39000	25000	8.5	CH35-48C	ML193UH110XE48C	202921065
EL16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CH35-48C	ML193UH110XE60C	202921067
EL16XP1-042-230	40000	15.5	12.5	39000	25200	8.5	CH35-48C	ML196UH090XE48C	204498130
EL16XP1-042-230	40500	15.5	12.5	39500	25400	8.5	CH35-48C	ML196UH110XE60C	204498131
EL16XP1-042-230	40500	15.5	12.5	39500	25400	8.5	CH35-48C	ML296UH090XV48C	202921068
EL16XP1-042-230	40500	16	13	39500	25000	8.5	CH35-48C	SL280UH080NV60C	202921069
EL16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CH35-48C	SL280UH090V60C	202921070
EL16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CH35-48C	SL280UH090XV60C	202921071
EL16XP1-042-230	40500	16	13	39000	25000	8.5	CH35-48C	SL280UH100NV60C	202921073
EL16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CH35-48C	SL280UH110V60C	202921074
EL16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CH35-48C	SL280UH110XV60C	202921075
EL16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CH35-48C	SL297UH080NV48C	202921076
EL16XP1-042-230	40500	15.5	12.5	39500	25400	8.5	CH35-48C	SL297UH080NV60C	202921078
EL16XP1-042-230	40500	15.5	12.5	39500	25400	8.5	CH35-48C	SLP98UH090XV48C	202921079
EL16XP1-042-230	40500	15.1	12.5	39500	25400	8.5	CH35-48C	SLP98UH090XV60C	202921080
EL16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CH35-48C	SLP98UH110XV60C	202921081
EL16XP1-042-230	40500	15.5	12.5	39500	25400	8.5	CH35-48C	SLP99UH090XV48C	205545691
EL16XP1-042-230	40500	15.1	12.5	39500	25400	8.5	CH35-48C	SLP99UH090XV60C	205545693
EL16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CH35-48C	SLP99UH110XV60C	205545695
EL16XP1-042-230	39500	14.25	12	40000	25800	8.2	CH35-48C		202920866
EL16XP1-042-230	41500	16.5	13	39000	25200	8.5	CH35-51C	EL180UH100NE60C	202921083
EL16XP1-042-230	41000	15.5	12.5	39500	25400	8.5	CH35-51C	EL195UH080NE48C	202921084
EL16XP1-042-230	41500	16	13	39500	25600	8.5	CH35-51C	EL195UH100NE60C	202921085
EL16XP1-042-230	41500	16	13	39000	25400	8.5	CH35-51C	EL196UH090XE48C	202921086
EL16XP1-042-230	41500	16	13	39500	25400	8.5	CH35-51C	EL196UH110XE60C	202921088
EL16XP1-042-230	41500	16	13	39000	25400	8.5	CH35-51C	EL280UH110E48C	202921089
EL16XP1-042-230	41500	16	13	39500	25400	9	CH35-51C	EL280UH110E60C	202921090
EL16XP1-042-230	41500	16	13	39500	25400	9	CH35-51C	EL280UH110XE60C	203362295
EL16XP1-042-230	41000	16	13	39000	25200	8.5	CH35-51C	EL296UH090XE48C	202921091
EL16XP1-042-230	41500	16	13	39500	25600	8.5	CH35-51C	EL296UH090XV48C	202921093
EL16XP1-042-230	41500	16	13	39500	25600	8.5	CH35-51C	EL296UH090XV60C	202921094
EL16XP1-042-230	41500	16	13	39500	25400	8.5	CH35-51C	EL296UH110XE60C	202921095

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-042-230	41500	16	13	39500	25400	8.5	CH35-51C	EL296UH110XV48C	202921096
EL16XP1-042-230	41500	16	13	39500	25400	8.5	CH35-51C	EL296UH110XV60C	202921098
EL16XP1-042-230	41500	16	13	39000	25200	8.5	CH35-51C	ML180UH090E60C	202921099
EL16XP1-042-230	41000	16	13	39000	25200	8.5	CH35-51C	ML180UH110E60C	202921100
EL16XP1-042-230	41500	16	13	39000	25400	8.5	CH35-51C	ML180UH110V60C	204495765
EL16XP1-042-230	41000	16	13	39000	25200	8.5	CH35-51C	ML193UH090XE48C	202921101
EL16XP1-042-230	41000	16	13	39000	25200	8.5	CH35-51C	ML193UH110XE48C	202921103
EL16XP1-042-230	41500	16	13	39500	25400	8.5	CH35-51C	ML193UH110XE60C	202921104
EL16XP1-042-230	41500	16	13	39000	25400	8.5	CH35-51C	ML196UH090XE48C	204498132
EL16XP1-042-230	41500	16	13	39500	25400	8.5	CH35-51C	ML196UH110XE60C	204498133
EL16XP1-042-230	41500	16	13	39500	25600	8.5	CH35-51C	ML296UH090XV48C	202921105
EL16XP1-042-230	41500	16.5	13	39000	25200	9	CH35-51C	SL280UH080NV60C	202921106
EL16XP1-042-230	41500	16	13	39500	25400	8.5	CH35-51C	SL280UH090V60C	202921108
EL16XP1-042-230	41500	16	13	39500	25400	8.5	CH35-51C	SL280UH090XV60C	202921109
EL16XP1-042-230	42000	16.5	13	39500	25200	9	CH35-51C	SL280UH100NV60C	202921110
EL16XP1-042-230	41500	16	13	39500	25400	8.5	CH35-51C	SL280UH110V60C	202921111
EL16XP1-042-230	41500	16	13	39500	25400	8.5	CH35-51C	SL280UH110XV60C	202921113
EL16XP1-042-230	41500	16	13	39500	25400	8.5	CH35-51C	SL297UH080NV48C	202921114
EL16XP1-042-230	41500	16	13	39500	25400	8.5	CH35-51C	SL297UH080NV60C	202921115
EL16XP1-042-230	41500	16	13	39500	25600	8.5	CH35-51C	SLP98UH090XV48C	202921116
EL16XP1-042-230	41500	16	13	39500	25600	8.5	CH35-51C	SLP98UH090XV60C	202921118
EL16XP1-042-230	41500	16	13	39500	25400	8.5	CH35-51C	SLP98UH110XV60C	202921119
EL16XP1-042-230	41500	16	13	39500	25600	8.5	CH35-51C	SLP99UH090XV48C	205545697
EL16XP1-042-230	41500	16	13	39500	25600	8.5	CH35-51C	SLP99UH090XV60C	205545699
EL16XP1-042-230	41500	16	13	39500	25400	8.5	CH35-51C	SLP99UH110XV60C	205545700
EL16XP1-042-230	40500	14.5	12	40000	26000	8.5	CH35-51C		202920867
EL16XP1-042-230	42000	16.5	13	38500	25200	9	CHX35-42B	EL180UH080NE48B	202921120
EL16XP1-042-230	42000	16	13	39000	25400	8.5	CHX35-42B	EL280UH090E36B	202921121
EL16XP1-042-230	42000	16.5	13	38500	25200	8.5	CHX35-42B	EL280UH090E48B	202921123
EL16XP1-042-230	42000	16.5	13	38500	25200	8.5	CHX35-42B	EL280UH090XE48B	203362296
EL16XP1-042-230	41500	16	13.5	38500	25600	9	CHX35-42B	ML180UH070V36B	204495397
EL16XP1-042-230	42000	16	14	38500	25600	9.2	CHX35-42B	ML180UH070V48B	204495527
EL16XP1-042-230	42000	16.5	13	38500	25400	9	CHX35-42B	ML180UH090E48B	202921124
EL16XP1-042-230	42000	16	13	39000	25400	9	CHX35-42B	ML180UH090V48B	204495651
EL16XP1-042-230	41000	15.5	12.5	38500	25400	8.5	CHX35-42B	ML193UH030XE36B	202921125
EL16XP1-042-230	41000	15.5	12.5	38500	25400	8.5	CHX35-42B	ML193UH045XE36B	202921126
EL16XP1-042-230	41500	15.5	12.5	38500	25400	8.5	CHX35-42B	ML193UH070XE36B	202921128
EL16XP1-042-230	42000	16.5	13	38500	25200	9	CHX35-42B	SL280UH080NV48B	202921129
EL16XP1-042-230	42000	16	13	39000	25400	9	CHX35-42B	SL280UH090V48B	202921130
EL16XP1-042-230	41000	15.1	12.5	39000	25800	8.5	CHX35-42B		202920868
EL16XP1-042-230	41000	16.5	13	39500	24800	8.5	CHX35-42C	EL180UH100NE60C	202921131
EL16XP1-042-230	40500	15.5	12.5	39500	25000	8.2	CHX35-42C	EL195UH080NE48C	202921133
EL16XP1-042-230	41000	15.5	12.5	39500	25200	8.5	CHX35-42C	EL195UH100NE60C	202921134
EL16XP1-042-230	41000	16	13	39500	24800	8.5	CHX35-42C	EL196UH090XE48C	202921135
EL16XP1-042-230	41000	16	13	39500	25000	8.5	CHX35-42C	EL196UH110XE60C	202921136
EL16XP1-042-230	41000	16	13	39500	24800	8.5	CHX35-42C	EL280UH110E48C	202921138
EL16XP1-042-230	41000	16	13	39500	25000	8.5	CHX35-42C	EL280UH110E60C	202921139
EL16XP1-042-230	41000	16	13	39500	25000	8.5	CHX35-42C	EL280UH110XE60C	203362297
EL16XP1-042-230	40500	16	13	39500	24800	8.5	CHX35-42C	EL296UH090XE48C	202921140
EL16XP1-042-230	41000	16	13	39500	25000	8.5	CHX35-42C	EL296UH090XV48C	202921141
EL16XP1-042-230	41000	16	13	39500	25200	8.5	CHX35-42C	EL296UH090XV60C	202921143
EL16XP1-042-230	41000	16	13	39500	25000	8.5	CHX35-42C	EL296UH110XE60C	202921144
EL16XP1-042-230	41000	16	13	39500	25000	8.5	CHX35-42C	EL296UH110XV48C	202921145
EL16XP1-042-230	41000	16	13	39500	25000	8.5	CHX35-42C	EL296UH110XV60C	202921146
EL16XP1-042-230	41000	16	13	39500	24800	8.5	CHX35-42C	ML180UH090E60C	202921148
EL16XP1-042-230	41000	16	13	39500	24800	8.5	CHX35-42C	ML180UH110E60C	202921149

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-042-230	41000	16	13	39500	24800	8.5	CHX35-42C	ML180UH110V60C	204495766
EL16XP1-042-230	40500	16	13	39500	24800	8.5	CHX35-42C	ML193UH090XE48C	202921150
EL16XP1-042-230	41000	16	13	39500	24800	8.5	CHX35-42C	ML193UH110XE48C	202921151
EL16XP1-042-230	41000	16	13	39500	25000	8.5	CHX35-42C	ML193UH110XE60C	202921153
EL16XP1-042-230	41000	16	13	39500	24800	8.5	CHX35-42C	ML196UH090XE48C	204498134
EL16XP1-042-230	41000	16	13	39500	25000	8.5	CHX35-42C	ML196UH110XE60C	204498135
EL16XP1-042-230	41000	16	13	39500	25000	8.5	CHX35-42C	ML296UH090XV48C	202921154
EL16XP1-042-230	41000	16.5	13	39500	24800	8.5	CHX35-42C	SL280UH080NV60C	202921155
EL16XP1-042-230	41000	16	13	39500	25000	8.5	CHX35-42C	SL280UH090V60C	202921156
EL16XP1-042-230	41000	16	13	39500	25000	8.5	CHX35-42C	SL280UH090XV60C	202921158
EL16XP1-042-230	41000	16.5	13	39500	24800	8.5	CHX35-42C	SL280UH100NV60C	202921159
EL16XP1-042-230	41000	16	13	39500	25000	8.5	CHX35-42C	SL280UH110V60C	202921160
EL16XP1-042-230	41000	16	13	39500	25000	8.5	CHX35-42C	SL280UH110XV60C	202921161
EL16XP1-042-230	41000	16	13	39500	25000	8.5	CHX35-42C	SL297UH080NV48C	202921163
EL16XP1-042-230	41000	16	13	39500	25000	8.5	CHX35-42C	SL297UH080NV60C	202921164
EL16XP1-042-230	41000	16	13	39500	25000	8.5	CHX35-42C	SLP98UH090XV48C	202921165
EL16XP1-042-230	41000	16	13	39500	25200	8.5	CHX35-42C	SLP98UH090XV60C	202921166
EL16XP1-042-230	41000	16	13	39500	25000	8.5	CHX35-42C	SLP98UH110XV60C	202921168
EL16XP1-042-230	41000	16	13	39500	25000	8.5	CHX35-42C	SLP99UH090XV48C	205545702
EL16XP1-042-230	41000	16	13	39500	25200	8.5	CHX35-42C	SLP99UH090XV60C	205545703
EL16XP1-042-230	41000	16	13	39500	25000	8.5	CHX35-42C	SLP99UH110XV60C	205545704
EL16XP1-042-230	40000	14.5	12	40000	25600	8.2	CHX35-42C		202920870
EL16XP1-042-230	40500	16	13	40000	25600	8.5	CHX35-48B	EL180UH080NE48B	202921169
EL16XP1-042-230	40500	15.5	12.5	40000	25800	8.2	CHX35-48B	EL280UH090E36B	202921170
EL16XP1-042-230	40000	15.5	12.5	40000	25600	8.2	CHX35-48B	EL280UH090E48B	202921171
EL16XP1-042-230	40000	15.5	12.5	40000	25600	8.2	CHX35-48B	EL280UH090XE48B	203362298
EL16XP1-042-230	40000	15.5	12.5	39500	25600	8.4	CHX35-48B	ML180UH070V36B	204495398
EL16XP1-042-230	40500	16	13	40000	25800	8.5	CHX35-48B	ML180UH070V48B	204495528
EL16XP1-042-230	40500	15.5	12.5	40000	25600	8.2	CHX35-48B	ML180UH090E48B	202921173
EL16XP1-042-230	40500	15.5	12.5	40000	25800	8.2	CHX35-48B	ML180UH090V48B	204495652
EL16XP1-042-230	40500	16	13	40000	25600	8.5	CHX35-48B	SL280UH080NV48B	202921174
EL16XP1-042-230	40500	15.5	12.5	40000	25800	8.2	CHX35-48B	SL280UH090V48B	202921175
EL16XP1-042-230	40500	15.5	12.5	39000	25000	8.5	CHX35-48C	EL180UH100NE60C	202921176
EL16XP1-042-230	40000	15.1	12.5	39500	25200	8.2	CHX35-48C	EL195UH080NE48C	202921178
EL16XP1-042-230	40500	15.1	12.5	39500	25400	8.5	CHX35-48C	EL195UH100NE60C	202921179
EL16XP1-042-230	40500	15.5	12.5	39000	25200	8.5	CHX35-48C	EL196UH090XE48C	202921180
EL16XP1-042-230	40500	15.5	12.5	39500	25400	8.5	CHX35-48C	EL196UH110XE60C	202921181
EL16XP1-042-230	40500	15.5	12.5	39000	25200	8.5	CHX35-48C	EL280UH110E48C	202921183
EL16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CHX35-48C	EL280UH110E60C	202921184
EL16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CHX35-48C	EL280UH110XE60C	203362299
EL16XP1-042-230	40000	15.5	12.5	39000	25000	8.2	CHX35-48C	EL296UH090XE48C	202921185
EL16XP1-042-230	40500	15.5	12.5	39500	25400	8.5	CHX35-48C	EL296UH090XV48C	202921186
EL16XP1-042-230	40500	15.1	12.5	39500	25400	8.5	CHX35-48C	EL296UH090XV60C	202921188
EL16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CHX35-48C	EL296UH110XE60C	202921189
EL16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CHX35-48C	EL296UH110XV48C	202921190
EL16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CHX35-48C	EL296UH110XV60C	202921191
EL16XP1-042-230	40500	15.5	12.5	39000	25000	8.5	CHX35-48C	ML180UH090E60C	202921193
EL16XP1-042-230	41000	15.5	12.5	39500	25400	8.5	CHX35-48C	ML180UH110E60C	202921194
EL16XP1-042-230	40500	15.5	12.5	39000	25000	8.5	CHX35-48C	ML180UH110V60C	204495767
EL16XP1-042-230	40000	15.5	12.5	39000	25000	8.5	CHX35-48C	ML193UH090XE48C	202921195
EL16XP1-042-230	40000	15.5	12.5	39000	25000	8.5	CHX35-48C	ML193UH110XE48C	202921196
EL16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CHX35-48C	ML193UH110XE60C	202921198
EL16XP1-042-230	40000	15.5	12.5	39000	25200	8.5	CHX35-48C	ML196UH090XE48C	204498136
EL16XP1-042-230	40500	15.5	12.5	39500	25400	8.5	CHX35-48C	ML196UH110XE60C	204498137
EL16XP1-042-230	40500	15.5	12.5	39500	25400	8.5	CHX35-48C	ML296UH090XV48C	202921199
EL16XP1-042-230	40500	16	13	39500	25000	8.5	CHX35-48C	SL280UH080NV60C	202921200

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CHX35-48C	SL280UH090V60C	202921201
EL16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CHX35-48C	SL280UH090XV60C	202921202
EL16XP1-042-230	40500	16	13	39000	25000	8.5	CHX35-48C	SL280UH100NV60C	202921204
EL16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CHX35-48C	SL280UH110V60C	202921205
EL16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CHX35-48C	SL280UH110XV60C	202921206
EL16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CHX35-48C	SL297UH080NV48C	202921207
EL16XP1-042-230	40500	15.5	12.5	39500	25400	8.5	CHX35-48C	SL297UH080NV60C	202921209
EL16XP1-042-230	40500	15.5	12.5	39500	25400	8.5	CHX35-48C	SLP98UH090XV48C	202921210
EL16XP1-042-230	40500	15.1	12.5	39500	25400	8.5	CHX35-48C	SLP98UH090XV60C	202921211
EL16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CHX35-48C	SLP98UH110XV60C	202921212
EL16XP1-042-230	40500	15.5	12.5	39500	25400	8.5	CHX35-48C	SLP99UH090XV48C	205545706
EL16XP1-042-230	40500	15.1	12.5	39500	25400	8.5	CHX35-48C	SLP99UH090XV60C	205545708
EL16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CHX35-48C	SLP99UH110XV60C	205545709
EL16XP1-042-230	39500	14.25	12	40000	25800	8.2	CHX35-48C		202920871
EL16XP1-042-230	41500	16.5	13	39000	25200	8.5	CHX35-51/61C	EL180UH100NE60C	202921213
EL16XP1-042-230	41000	15.5	12.5	39500	25400	8.5	CHX35-51/61C	EL195UH080NE48C	202921215
EL16XP1-042-230	41500	16	13	39500	25600	8.5	CHX35-51/61C	EL195UH100NE60C	202921216
EL16XP1-042-230	41500	16	13	39000	25400	8.5	CHX35-51/61C	EL196UH090XE48C	202921217
EL16XP1-042-230	41500	16	13	39500	25400	8.5	CHX35-51/61C	EL196UH110XE60C	202921218
EL16XP1-042-230	41500	16	13	39000	25400	8.5	CHX35-51/61C	EL280UH110E48C	202921220
EL16XP1-042-230	41500	16	13	39500	25400	9	CHX35-51/61C	EL280UH110E60C	202921221
EL16XP1-042-230	41500	16	13	39500	25400	9	CHX35-51/61C	EL280UH110XE60C	203362300
EL16XP1-042-230	41000	16	13	39000	25200	8.5	CHX35-51/61C	EL296UH090XE48C	202921222
EL16XP1-042-230	41500	16	13	39500	25600	8.5	CHX35-51/61C	EL296UH090XV48C	202921223
EL16XP1-042-230	41500	16	13	39500	25600	8.5	CHX35-51/61C	EL296UH090XV60C	202921225
EL16XP1-042-230	41500	16	13	39500	25400	8.5	CHX35-51/61C	EL296UH110XE60C	202921226
EL16XP1-042-230	41500	16	13	39500	25400	8.5	CHX35-51/61C	EL296UH110XV48C	202921227
EL16XP1-042-230	41500	16	13	39500	25400	8.5	CHX35-51/61C	EL296UH110XV60C	202921229
EL16XP1-042-230	41500	16	13	39000	25200	8.5	CHX35-51/61C	ML180UH090E60C	202921230
EL16XP1-042-230	41000	16	13	39000	25200	8.5	CHX35-51/61C	ML180UH110E60C	202921231
EL16XP1-042-230	41500	16	13	39000	25400	8.5	CHX35-51/61C	ML180UH110V60C	204495768
EL16XP1-042-230	41000	16	13	39000	25200	8.5	CHX35-51/61C	ML193UH090XE48C	202921232
EL16XP1-042-230	41000	16	13	39000	25200	8.5	CHX35-51/61C	ML193UH110XE48C	202921233
EL16XP1-042-230	41500	16	13	39500	25400	8.5	CHX35-51/61C	ML193UH110XE60C	202921235
EL16XP1-042-230	41500	16	13	39000	25400	8.5	CHX35-51/61C	ML196UH090XE48C	204498138
EL16XP1-042-230	41500	16	13	39500	25400	8.5	CHX35-51/61C	ML196UH110XE60C	204498139
EL16XP1-042-230	41500	16	13	39500	25600	8.5	CHX35-51/61C	ML296UH090XV48C	202921236
EL16XP1-042-230	41500	16.5	13	39000	25200	9	CHX35-51/61C	SL280UH080NV60C	202921237
EL16XP1-042-230	41500	16	13	39500	25400	8.5	CHX35-51/61C	SL280UH090V60C	202921238
EL16XP1-042-230	41500	16	13	39500	25400	8.5	CHX35-51/61C	SL280UH090XV60C	202921240
EL16XP1-042-230	42000	16.5	13	39500	25200	9	CHX35-51/61C	SL280UH100NV60C	202921241
EL16XP1-042-230	41500	16	13	39500	25400	8.5	CHX35-51/61C	SL280UH110V60C	202921242
EL16XP1-042-230	41500	16	13	39500	25400	8.5	CHX35-51/61C	SL280UH110XV60C	202921243
EL16XP1-042-230	41500	16	13	39500	25400	8.5	CHX35-51/61C	SL297UH080NV48C	202921245
EL16XP1-042-230	41500	16	13	39500	25400	8.5	CHX35-51/61C	SL297UH080NV60C	202921246
EL16XP1-042-230	41500	16	13	39500	25600	8.5	CHX35-51/61C	SLP98UH090XV48C	202921247
EL16XP1-042-230	41500	16	13	39500	25600	8.5	CHX35-51/61C	SLP98UH090XV60C	202921248
EL16XP1-042-230	41500	16	13	39500	25400	8.5	CHX35-51/61C	SLP98UH110XV60C	202921250
EL16XP1-042-230	41500	16	13	39500	25600	8.5	CHX35-51/61C	SLP99UH090XV48C	205545711
EL16XP1-042-230	41500	16	13	39500	25600	8.5	CHX35-51/61C	SLP99UH090XV60C	205545712
EL16XP1-042-230	41500	16	13	39500	25400	8.5	CHX35-51/61C	SLP99UH110XV60C	205545714
EL16XP1-042-230	40500	14.5	12	40000	26000	8.5	CHX35-51/61C		202920872
EL16XP1-042-230	39500	15.1	12.5	42000	26200	8.2	CR33-48B	EL296DF070XE48B	202921251
EL16XP1-042-230	40000	15.5	12.5	42000	26000	8.5	CR33-48B	ML180DF090E48B	202921252
EL16XP1-042-230	40000	15.5	12.5	42000	26200	8.2	CR33-48B	SL280DF090V48B	202921253
EL16XP1-042-230	39500	15.5	12.5	42000	26000	8.2	CR33-48C	EL296DF090XE48C	202921255

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-042-230	40000	15.5	12.5	42000	26400	8.2	CR33-48C	EL296DF090XV60C	202921256
EL16XP1-042-230	40000	15.5	12.5	42000	26200	8.5	CR33-48C	EL296DF110XE60C	202921257
EL16XP1-042-230	40000	15.5	12.5	42000	26400	8.5	CR33-48C	EL296DF110XV60C	202921258
EL16XP1-042-230	40000	16	13	42000	26000	8.5	CR33-48C	ML180DF110E60C	202921260
EL16XP1-042-230	40000	15.5	12.5	42000	26000	8.5	CR33-48C	ML193DF090XE48C	202921261
EL16XP1-042-230	40000	16	13	42000	26000	8.5	CR33-48C	SL280DF090V60C	202921262
EL16XP1-042-230	40000	16	13	42000	26000	8.5	CR33-48C	SL280DF110V60C	202921263
EL16XP1-042-230	40000	15.5	12.5	42000	26400	8.2	CR33-48C	SLP98DF090XV48C	202921265
EL16XP1-042-230	40000	15.5	12.5	42000	26400	8.2	CR33-48C	SLP98DF090XV60C	202921266
EL16XP1-042-230	40000	15.5	12.5	42000	26400	8.5	CR33-48C	SLP98DF110XV60C	202921267
EL16XP1-042-230	40000	15.5	12.5	42000	26400	8.2	CR33-48C	SLP99DF090XV48C	205545715
EL16XP1-042-230	40000	15.5	12.5	42000	26400	8.2	CR33-48C	SLP99DF090XV60C	205545717
EL16XP1-042-230	40000	15.5	12.5	42000	26400	8.5	CR33-48C	SLP99DF110XV60C	205545719
EL16XP1-042-230	40500	16	13	38500	25000	9.2	CR33-50/60	EL296DF090XE48C	202921268
EL16XP1-042-230	40500	15.5	12.5	38500	25200	9.2	CR33-50/60	EL296DF090XV60C	202921270
EL16XP1-042-230	41000	16	13	38500	25200	9.2	CR33-50/60	EL296DF110XE60C	202921271
EL16XP1-042-230	40500	16	13	38500	25200	9.2	CR33-50/60	EL296DF110XV60C	202921272
EL16XP1-042-230	41000	16	13	38500	25000	9.4	CR33-50/60	ML180DF110E60C	202921273
EL16XP1-042-230	40500	16	13	38500	25000	9.2	CR33-50/60	ML193DF090XE48C	202921275
EL16XP1-042-230	40500	16	13	38500	25000	9.4	CR33-50/60	SL280DF090V60C	202921276
EL16XP1-042-230	40500	16	13	38500	25000	9.2	CR33-50/60	SL280DF110V60C	202921277
EL16XP1-042-230	40500	15.5	12.5	38500	25200	9.2	CR33-50/60	SLP98DF090XV48C	202921278
EL16XP1-042-230	40500	15.5	12.5	38500	25200	9.2	CR33-50/60	SLP98DF090XV60C	202921280
EL16XP1-042-230	40500	16	13	38500	25200	9.2	CR33-50/60	SLP98DF110XV60C	202921281
EL16XP1-042-230	40500	15.5	12.5	38500	25200	9.2	CR33-50/60	SLP99DF090XV48C	205545720
EL16XP1-042-230	40500	15.5	12.5	38500	25200	9.2	CR33-50/60	SLP99DF090XV60C	205545722
EL16XP1-042-230	40500	16	13	38500	25200	9.2	CR33-50/60	SLP99DF110XV60C	205545724
EL16XP1-042-230	42000	16.5	13	39000	25400	8.5	CX35-49C	EL180UH100NE60C	202921282
EL16XP1-042-230	41500	16	13	39000	25600	8.5	CX35-49C	EL195UH080NE48C	202921283
EL16XP1-042-230	42000	16	13	39500	25800	8.5	CX35-49C	EL195UH100NE60C	202921285
EL16XP1-042-230	41500	16	13	39000	25600	8.5	CX35-49C	EL196UH090XE48C	202921286
EL16XP1-042-230	42000	16.5	13	39500	25800	8.5	CX35-49C	EL196UH110XE60C	202921287
EL16XP1-042-230	42000	16.5	13	39000	25600	8.5	CX35-49C	EL280UH110E48C	202921288
EL16XP1-042-230	42000	16.5	13	39000	25600	8.5	CX35-49C	EL280UH110E60C	202921290
EL16XP1-042-230	42000	16.5	13	39000	25600	8.5	CX35-49C	EL280UH110XE60C	203362301
EL16XP1-042-230	42000	16	13	39000	25600	8.5	CX35-49C	EL296UH090XV48C	202921291
EL16XP1-042-230	42000	16	13	39500	25800	8.5	CX35-49C	EL296UH090XV60C	202921292
EL16XP1-042-230	42000	16	13	39000	25600	8.5	CX35-49C	EL296UH110XE60C	202921293
EL16XP1-042-230	41500	16	13	39000	25600	8.5	CX35-49C	EL296UH110XV48C	202921295
EL16XP1-042-230	42000	16	13	39000	25600	8.5	CX35-49C	EL296UH110XV60C	202921296
EL16XP1-042-230	42000	16.5	13	39000	25400	8.5	CX35-49C	ML180UH090E60C	202921297
EL16XP1-042-230	41500	16.5	13	39000	25400	8.5	CX35-49C	ML180UH110E60C	202921298
EL16XP1-042-230	42000	16	13	39000	25400	8.5	CX35-49C	ML180UH110V60C	204495769
EL16XP1-042-230	41000	15.5	12.5	39000	25600	8.5	CX35-49C	ML193UH090XE36C	202921300
EL16XP1-042-230	41500	16	13	39000	25400	8.5	CX35-49C	ML193UH090XE48C	202921301
EL16XP1-042-230	42000	16.5	13	39000	25600	8.5	CX35-49C	ML193UH110XE48C	202921302
EL16XP1-042-230	42000	16	13	39000	25600	8.5	CX35-49C	ML193UH110XE60C	202921303
EL16XP1-042-230	41500	16	13	39000	25600	8.5	CX35-49C	ML196UH090XE48C	204498140
EL16XP1-042-230	42000	16.5	13	39500	25800	8.5	CX35-49C	ML196UH110XE60C	204498141
EL16XP1-042-230	42000	16	13	39000	25600	8.5	CX35-49C	ML296UH090XV48C	202921305
EL16XP1-042-230	42000	16.5	13	39000	25400	8.5	CX35-49C	SL280UH080NV60C	202921306
EL16XP1-042-230	42000	16.5	13	39000	25600	8.5	CX35-49C	SL280UH090V60C	202921307
EL16XP1-042-230	42000	16.5	13	39000	25600	8.5	CX35-49C	SL280UH090XV60C	202921308
EL16XP1-042-230	42000	16.5	13	39000	25400	8.5	CX35-49C	SL280UH100NV60C	202921310
EL16XP1-042-230	42000	16.5	13	39000	25400	8.5	CX35-49C	SL280UH110V60C	202921311
EL16XP1-042-230	42000	16.5	13	39000	25400	8.5	CX35-49C	SL280UH110XV60C	202921312

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-042-230	42000	16	13	39000	25600	8.5	CX35-49C	SL297UH080NV60C	202921313
EL16XP1-042-230	42000	16	13	39000	25600	8.5	CX35-49C	SLP98UH090XV48C	202921315
EL16XP1-042-230	42000	16	13	39500	25800	8.5	CX35-49C	SLP98UH090XV60C	202921316
EL16XP1-042-230	42000	16	13	39000	25600	8.5	CX35-49C	SLP98UH110XV60C	202921317
EL16XP1-042-230	42000	16	13	39000	25600	8.5	CX35-49C	SLP99UH090XV48C	205545725
EL16XP1-042-230	42000	16	13	39500	25800	8.5	CX35-49C	SLP99UH090XV60C	205545727
EL16XP1-042-230	42000	16	13	39000	25600	8.5	CX35-49C	SLP99UH110XV60C	205545730
EL16XP1-042-230	41000	14.5	12.5	40000	26200	8.5	CX35-49C		202920873
EL16XP1-042-230	40500	16	13	38500	25200	8.5	CX35-50/60C	EL180UH100NE60C	202921318
EL16XP1-042-230	40000	15.5	12.5	38500	25400	8.2	CX35-50/60C	EL195UH080NE48C	202921320
EL16XP1-042-230	40500	15.5	12.5	39000	25600	8.5	CX35-50/60C	EL195UH100NE60C	202921321
EL16XP1-042-230	40500	16	13	38500	25200	8.5	CX35-50/60C	EL196UH090XE48C	202921322
EL16XP1-042-230	41000	16	13	39000	25400	8.5	CX35-50/60C	EL196UH110XE60C	202921323
EL16XP1-042-230	40500	16	13	38500	25200	8.5	CX35-50/60C	EL280UH110E48C	202921325
EL16XP1-042-230	41000	16	13	38500	25400	8.5	CX35-50/60C	EL280UH110E60C	202921326
EL16XP1-042-230	41000	16	13	38500	25400	8.5	CX35-50/60C	EL280UH110XE60C	203362302
EL16XP1-042-230	40500	15.5	12.5	38500	25400	8.5	CX35-50/60C	EL296UH090XV48C	202921327
EL16XP1-042-230	41000	15.5	12.5	39000	25600	8.5	CX35-50/60C	EL296UH090XV60C	202921329
EL16XP1-042-230	41000	15.5	12.5	38500	25400	8.5	CX35-50/60C	EL296UH110XE60C	202921330
EL16XP1-042-230	40500	16	13	38500	25400	8.5	CX35-50/60C	EL296UH110XV48C	202921331
EL16XP1-042-230	40500	16	13	38500	25400	8.5	CX35-50/60C	EL296UH110XV60C	202921332
EL16XP1-042-230	40500	16	13	38500	25200	8.5	CX35-50/60C	ML180UH090E60C	202921334
EL16XP1-042-230	40500	16	13	38500	25200	8.5	CX35-50/60C	ML180UH110E60C	202921335
EL16XP1-042-230	39500	15.5	12.5	38500	25200	8.2	CX35-50/60C	ML193UH090XE36C	202921336
EL16XP1-042-230	40500	16	13	38500	25200	8.5	CX35-50/60C	ML193UH090XE48C	202921337
EL16XP1-042-230	40500	16	13	38500	25200	8.5	CX35-50/60C	ML193UH110XE48C	202921339
EL16XP1-042-230	41000	16	13	38500	25400	8.5	CX35-50/60C	ML193UH110XE60C	202921340
EL16XP1-042-230	40500	16	13	38500	25200	8.5	CX35-50/60C	ML196UH090XE48C	204498142
EL16XP1-042-230	41000	16	13	39000	25400	8.5	CX35-50/60C	ML196UH110XE60C	204498143
EL16XP1-042-230	40500	15.5	12.5	38500	25400	8.5	CX35-50/60C	ML296UH090XV48C	202921341
EL16XP1-042-230	41000	16	13	38500	25200	8.5	CX35-50/60C	SL280UH080NV60C	202921342
EL16XP1-042-230	41000	16	13	38500	25400	8.5	CX35-50/60C	SL280UH090V60C	202921344
EL16XP1-042-230	41000	16	13	38500	25400	8.5	CX35-50/60C	SL280UH090XV60C	202921345
EL16XP1-042-230	41000	16.5	13	38500	25200	8.5	CX35-50/60C	SL280UH100NV60C	202921346
EL16XP1-042-230	40500	16	13	38500	25400	8.5	CX35-50/60C	SL280UH110V60C	202921347
EL16XP1-042-230	40500	16	13	38500	25400	8.5	CX35-50/60C	SL280UH110XV60C	202921349
EL16XP1-042-230	41000	15.5	12.5	38500	25400	8.5	CX35-50/60C	SL297UH080NV60C	202921350
EL16XP1-042-230	40500	15.5	12.5	38500	25400	8.5	CX35-50/60C	SLP98UH090XV48C	202921351
EL16XP1-042-230	41000	15.5	12.5	39000	25600	8.5	CX35-50/60C	SLP98UH090XV60C	202921353
EL16XP1-042-230	40500	16	13	38500	25400	8.5	CX35-50/60C	SLP98UH110XV60C	202921354
EL16XP1-042-230	40500	15.5	12.5	38500	25400	8.5	CX35-50/60C	SLP99UH090XV48C	205545731
EL16XP1-042-230	41000	15.5	12.5	39000	25600	8.5	CX35-50/60C	SLP99UH090XV60C	205545733
EL16XP1-042-230	40500	16	13	38500	25400	8.5	CX35-50/60C	SLP99UH110XV60C	205545735
EL16XP1-042-230	39500	14.5	12	39500	26000	8.2	CX35-50/60C		202920874
EL16XP1-042-230	41500	16.5	13	38500	25000	9.2	CX35-60C	EL180UH100NE60C	202921355
EL16XP1-042-230	41000	16	13	38500	25200	9.2	CX35-60C	EL195UH080NE48C	202921356
EL16XP1-042-230	41500	16	13	38500	25400	9.2	CX35-60C	EL195UH100NE60C	202921358
EL16XP1-042-230	41500	16.5	13	38500	25000	9.2	CX35-60C	EL196UH090XE48C	202921359
EL16XP1-042-230	42000	16.5	13	38500	25200	9.4	CX35-60C	EL196UH110XE60C	202921360
EL16XP1-042-230	41500	16.5	13	38500	25000	9.2	CX35-60C	EL280UH110E48C	202921361
EL16XP1-042-230	42000	16.5	13	38500	25200	9.4	CX35-60C	EL280UH110E60C	202921363
EL16XP1-042-230	42000	16.5	13	38500	25200	9.4	CX35-60C	EL280UH110XE60C	203362303
EL16XP1-042-230	41500	16.5	13	38500	25200	9.2	CX35-60C	EL296UH090XV48C	202921364
EL16XP1-042-230	41500	16	13	38500	25200	9.2	CX35-60C	EL296UH090XV60C	202921365
EL16XP1-042-230	42000	16.5	13	38500	25200	9.2	CX35-60C	EL296UH110XE60C	202921366
EL16XP1-042-230	41500	16.5	13	38500	25200	9.2	CX35-60C	EL296UH110XV48C	202921368

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-042-230	41500	16.5	13	38500	25200	9.2	CX35-60C	EL296UH110XV60C	202921369
EL16XP1-042-230	41500	16.5	13	38500	25000	9.2	CX35-60C	ML180UH090E60C	202921370
EL16XP1-042-230	41500	16.5	13	38500	25000	9.2	CX35-60C	ML180UH110E60C	202921371
EL16XP1-042-230	41500	16.5	13	38500	25000	9.2	CX35-60C	ML180UH110V60C	204495770
EL16XP1-042-230	40500	16	13	38000	25000	9	CX35-60C	ML193UH090XE36C	202921373
EL16XP1-042-230	41500	16.5	13	38500	25000	9.2	CX35-60C	ML193UH090XE48C	202921374
EL16XP1-042-230	41500	16.5	13	38500	25000	9.2	CX35-60C	ML193UH110XE48C	202921375
EL16XP1-042-230	42000	16.5	13	38500	25200	9.2	CX35-60C	ML193UH110XE60C	202921376
EL16XP1-042-230	41500	16.5	13	38500	25000	9.2	CX35-60C	ML196UH090XE48C	204498144
EL16XP1-042-230	42000	16.5	13	38500	25200	9.4	CX35-60C	ML196UH110XE60C	204498145
EL16XP1-042-230	41500	16	13	38500	25200	8.8	CX35-60C	ML296UH090XV48C	202921378
EL16XP1-042-230	42000	17	13	38500	25000	9.4	CX35-60C	SL280UH080NV60C	202921379
EL16XP1-042-230	42000	16.5	13	38500	25000	9.4	CX35-60C	SL280UH090V60C	202921380
EL16XP1-042-230	42000	16.5	13	38500	25000	9.4	CX35-60C	SL280UH090XV60C	202921381
EL16XP1-042-230	42000	17	13	38500	25000	9.4	CX35-60C	SL280UH100NV60C	202921383
EL16XP1-042-230	41500	16.5	13	38500	25000	9.2	CX35-60C	SL280UH110V60C	202921384
EL16XP1-042-230	41500	16.5	13	38500	25000	9.2	CX35-60C	SL280UH110XV60C	202921385
EL16XP1-042-230	42000	16.5	13	38500	25200	9.2	CX35-60C	SL297UH080NV60C	202921386
EL16XP1-042-230	41500	16.5	13	38500	25200	9.2	CX35-60C	SLP98UH090XV48C	202921388
EL16XP1-042-230	41500	16	13	38500	25200	9.2	CX35-60C	SLP98UH090XV60C	202921389
EL16XP1-042-230	41500	16.5	13	38500	25200	9.2	CX35-60C	SLP98UH110XV60C	202921390
EL16XP1-042-230	41500	16.5	13	38500	25200	9.2	CX35-60C	SLP99UH090XV48C	205545736
EL16XP1-042-230	41500	16	13	38500	25200	9.2	CX35-60C	SLP99UH090XV60C	205545738
EL16XP1-042-230	41500	16.5	13	38500	25200	9.2	CX35-60C	SLP99UH110XV60C	205545741
EL16XP1-042-230	40500	15.1	12.5	39000	25800	9	CX35-60C		202920876
EL16XP1-048-230	45500	15.5	12.5	43000	29800	9.6	C35-49C	EL180UH100NE60C	202921408
EL16XP1-048-230	45000	14.5	12.5	43500	30200	9.4	C35-49C	EL195UH080NE48C	202921409
EL16XP1-048-230	45000	15.1	12.5	43500	30000	9.4	C35-49C	EL195UH100NE60C	202921410
EL16XP1-048-230	45500	15.1	12.5	43500	30000	9.6	C35-49C	EL196UH090XE48C	202921412
EL16XP1-048-230	45500	15.5	12.5	43500	30000	9.6	C35-49C	EL196UH110XE60C	202921413
EL16XP1-048-230	45500	15.5	12.5	43500	30000	9.6	C35-49C	EL280UH110E48C	202921414
EL16XP1-048-230	45500	15.5	12.5	43500	29800	9.8	C35-49C	EL280UH110E60C	202921415
EL16XP1-048-230	45500	15.5	12.5	43500	29800	9.8	C35-49C	EL280UH110XE60C	203362304
EL16XP1-048-230	45000	15.1	12.5	43500	30000	9.6	C35-49C	EL296UH090XE48C	202921416
EL16XP1-048-230	45500	15.1	12.5	43500	30000	9.6	C35-49C	EL296UH090XV48C	202921418
EL16XP1-048-230	45500	15.1	12.5	43500	30000	9.6	C35-49C	EL296UH090XV60C	202921419
EL16XP1-048-230	45500	15.5	12.5	43500	30000	9.6	C35-49C	EL296UH110XE60C	202921420
EL16XP1-048-230	45500	15.1	12.5	43500	30000	9.6	C35-49C	EL296UH110XV48C	202921421
EL16XP1-048-230	45500	15.1	12.5	43500	30200	9.6	C35-49C	EL296UH110XV60C	202921423
EL16XP1-048-230	45500	15.5	12.5	43500	29800	9.6	C35-49C	ML180UH090E60C	202921424
EL16XP1-048-230	45000	15.5	12.5	43000	29800	9.6	C35-49C	ML180UH110E60C	202921425
EL16XP1-048-230	45500	15.5	12.5	43500	29800	9.6	C35-49C	ML180UH110V60C	204495771
EL16XP1-048-230	45500	15.1	12.5	43500	30000	9.6	C35-49C	ML193UH090XE48C	202921426
EL16XP1-048-230	45500	15.1	12.5	43500	30000	9.6	C35-49C	ML193UH110XE48C	202921427
EL16XP1-048-230	45000	15.5	12.5	43500	29800	9.6	C35-49C	ML193UH110XE60C	202921429
EL16XP1-048-230	45500	15.1	12.5	43500	30000	9.6	C35-49C	ML196UH090XE48C	204498146
EL16XP1-048-230	45500	15.5	12.5	43500	30000	9.6	C35-49C	ML196UH110XE60C	204498147
EL16XP1-048-230	45000	15.1	12.5	43500	29800	9.6	C35-49C	ML296UH090XV48C	202921430
EL16XP1-048-230	45500	15.1	12.5	43500	30200	9.6	C35-49C	ML296UH110XV60C	202921431
EL16XP1-048-230	45500	15.5	12.5	43500	29800	9.8	C35-49C	SL280UH080NV60C	202921432
EL16XP1-048-230	45500	15.5	12.5	43500	30000	9.6	C35-49C	SL280UH090V60C	202921434
EL16XP1-048-230	45500	15.5	12.5	43500	30000	9.6	C35-49C	SL280UH090XV60C	202921435
EL16XP1-048-230	46000	15.5	12.5	43500	29800	9.8	C35-49C	SL280UH100NV60C	202921436
EL16XP1-048-230	45500	15.5	12.5	43500	29800	9.6	C35-49C	SL280UH110V60C	202921437
EL16XP1-048-230	45500	15.5	12.5	43500	29800	9.6	C35-49C	SL280UH110XV60C	202921438
EL16XP1-048-230	45500	15.1	12.5	43500	30000	9.6	C35-49C	SL297UH080NV60C	202921439

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-048-230	45500	15.1	12.5	43500	30000	9.6	C35-49C	SLP98UH090XV48C	202921441
EL16XP1-048-230	45500	15.1	12.5	43500	30000	9.6	C35-49C	SLP98UH090XV60C	202921442
EL16XP1-048-230	45500	15.1	12.5	43500	30200	9.6	C35-49C	SLP98UH110XV60C	202921443
EL16XP1-048-230	45500	15.1	12.5	43500	30000	9.6	C35-49C	SLP99UH090XV48C	205545742
EL16XP1-048-230	45500	15.1	12.5	43500	30000	9.6	C35-49C	SLP99UH090XV60C	205545743
EL16XP1-048-230	45500	15.1	12.5	43500	30200	9.6	C35-49C	SLP99UH110XV60C	205545745
EL16XP1-048-230	44500	14.5	12	44000	30600	9.4	C35-49C		202921399
EL16XP1-048-230	47000	16	13	43500	29200	9.8	C35-60C	EL180UH100NE60C	202921444
EL16XP1-048-230	46500	15.1	12.5	44000	29600	9.6	C35-60C	EL195UH080NE48C	202921445
EL16XP1-048-230	46500	15.5	12.5	44000	29600	9.6	C35-60C	EL195UH100NE60C	202921447
EL16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	C35-60C	EL196UH090XE48C	202921448
EL16XP1-048-230	47000	15.5	12.5	44000	29400	9.8	C35-60C	EL196UH110XE60C	202921449
EL16XP1-048-230	47000	15.5	12.5	44000	29400	9.8	C35-60C	EL280UH110E48C	202921450
EL16XP1-048-230	47000	16	13	43500	29400	9.8	C35-60C	EL280UH110E60C	202921451
EL16XP1-048-230	47000	16	13	43500	29400	9.8	C35-60C	EL280UH110XE60C	203362305
EL16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	C35-60C	EL296UH090XE48C	202921453
EL16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	C35-60C	EL296UH090XV48C	202921454
EL16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	C35-60C	EL296UH090XV60C	202921455
EL16XP1-048-230	47000	15.5	12.5	43500	29400	9.8	C35-60C	EL296UH110XE60C	202921456
EL16XP1-048-230	47000	15.5	12.5	44000	29400	9.8	C35-60C	EL296UH110XV48C	202921457
EL16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	C35-60C	EL296UH110XV60C	202921459
EL16XP1-048-230	47000	16	13	43500	29400	9.8	C35-60C	ML180UH090E60C	202921460
EL16XP1-048-230	47500	15.5	12.5	44500	29800	9.8	C35-60C	ML180UH110E60C	202921461
EL16XP1-048-230	47000	16	13	43500	29200	9.8	C35-60C	ML180UH110V60C	204495772
EL16XP1-048-230	47000	15.5	12.5	43500	29400	9.8	C35-60C	ML193UH090XE48C	202921462
EL16XP1-048-230	47000	15.5	12.5	44000	29400	9.8	C35-60C	ML193UH110XE48C	202921463
EL16XP1-048-230	47000	15.5	12.5	43500	29400	9.8	C35-60C	ML193UH110XE60C	202921465
EL16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	C35-60C	ML196UH090XE48C	204498148
EL16XP1-048-230	47000	15.5	12.5	44000	29400	9.8	C35-60C	ML196UH110XE60C	204498149
EL16XP1-048-230	46000	15.5	12.5	44000	29600	9.8	C35-60C	ML296UH090XV48C	202921466
EL16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	C35-60C	ML296UH110XV60C	202921467
EL16XP1-048-230	47000	16	13	43500	29200	9.8	C35-60C	SL280UH080NV60C	202921468
EL16XP1-048-230	47000	15.5	12.5	44000	29400	9.8	C35-60C	SL280UH090V60C	202921470
EL16XP1-048-230	47000	15.5	12.5	44000	29400	9.8	C35-60C	SL280UH090XV60C	202921471
EL16XP1-048-230	47500	16	13	43500	29200	9.8	C35-60C	SL280UH100NV60C	202921472
EL16XP1-048-230	47000	16	13	43500	29400	9.8	C35-60C	SL280UH110V60C	202921473
EL16XP1-048-230	47000	16	13	43500	29400	9.8	C35-60C	SL280UH110XV60C	202921475
EL16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	C35-60C	SL297UH080NV48C	202921476
EL16XP1-048-230	47000	15.5	12.5	44000	29400	9.8	C35-60C	SL297UH080NV60C	202921477
EL16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	C35-60C	SLP98UH090XV48C	202921478
EL16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	C35-60C	SLP98UH090XV60C	202921479
EL16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	C35-60C	SLP98UH110XV60C	202921481
EL16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	C35-60C	SLP99UH090XV48C	205545746
EL16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	C35-60C	SLP99UH090XV60C	205545748
EL16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	C35-60C	SLP99UH110XV60C	205545749
EL16XP1-048-230	46000	14.5	12	44500	30000	9.6	C35-60C		202921671
EL16XP1-048-230	45500	14.5	12.5	43500	29200	9.5	CBA25UH-048-230		202921482
EL16XP1-048-230	45500	15.1	12.5	43000	29000	9.6	CBA25UHV-048-230		202921483
EL16XP1-048-230	46000	16	13	43000	28600	9.5	CBA27UHE-048-230		202921398
EL16XP1-048-230	45000	15.1	12.5	42500	27400	9.6	CBA27UHE-060-230		202921484
EL16XP1-048-230	46500	16	13	43500	29000	9.8	CBA38MV-048-230		202921672
EL16XP1-048-230	45500	15.5	12.5	42500	27200	9.6	CBA38MV-060-230		202921673
EL16XP1-048-230	45500	15.5	12.5	43000	28800	9.4	CH35-51C	EL180UH100NE60C	202921486
EL16XP1-048-230	45500	15.1	12.5	43000	29000	9.4	CH35-51C	EL195UH100NE60C	202921487
EL16XP1-048-230	45500	15.1	12.5	43500	29200	9.4	CH35-51C	EL196UH090XE48C	202921488
EL16XP1-048-230	45500	15.5	12.5	43000	29000	9.4	CH35-51C	EL196UH110XE60C	202921489

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-048-230	45500	15.5	12.5	43000	29000	9.4	CH35-51C	EL280UH110E48C	202921491
EL16XP1-048-230	45500	15.5	12.5	43000	28800	9.4	CH35-51C	EL280UH110E60C	202921492
EL16XP1-048-230	45500	15.5	12.5	43000	28800	9.4	CH35-51C	EL280UH110XE60C	203362306
EL16XP1-048-230	45500	15.1	12.5	43000	29000	9.4	CH35-51C	EL296UH090XE48C	202921493
EL16XP1-048-230	45500	15.1	12.5	43500	29200	9.4	CH35-51C	EL296UH090XV48C	202921494
EL16XP1-048-230	45500	15.1	12.5	43500	29200	9.4	CH35-51C	EL296UH090XV60C	202921496
EL16XP1-048-230	45500	15.1	12.5	43000	29000	9.4	CH35-51C	EL296UH110XE60C	202921497
EL16XP1-048-230	45500	15.1	12.5	43500	29000	9.4	CH35-51C	EL296UH110XV48C	202921498
EL16XP1-048-230	45500	15.1	12.5	43500	29200	9.4	CH35-51C	EL296UH110XV60C	202921499
EL16XP1-048-230	45500	15.5	12.5	43000	28800	9.4	CH35-51C	ML180UH090E60C	202921501
EL16XP1-048-230	46000	15.1	12.5	43500	29400	9.4	CH35-51C	ML180UH110E60C	202921502
EL16XP1-048-230	45500	15.5	12.5	43000	28800	9.4	CH35-51C	ML180UH110V60C	204495773
EL16XP1-048-230	45500	15.1	12.5	43000	29000	9.4	CH35-51C	ML193UH090XE48C	202921503
EL16XP1-048-230	45500	15.1	12.5	43000	29000	9.4	CH35-51C	ML193UH110XE48C	202921504
EL16XP1-048-230	45500	15.5	12.5	43000	28800	9.4	CH35-51C	ML193UH110XE60C	202921506
EL16XP1-048-230	45500	15.1	12.5	43500	29200	9.4	CH35-51C	ML196UH090XE48C	204498150
EL16XP1-048-230	45500	15.5	12.5	43000	29000	9.4	CH35-51C	ML196UH110XE60C	204498151
EL16XP1-048-230	45000	15.1	12.5	43500	29200	9.4	CH35-51C	ML296UH090XV48C	202921507
EL16XP1-048-230	46000	15.1	12.5	43500	29200	9.4	CH35-51C	ML296UH110XV60C	202921508
EL16XP1-048-230	46000	15.5	12.5	43000	28800	9.6	CH35-51C	SL280UH080NV60C	202921509
EL16XP1-048-230	46000	15.5	12.5	43500	29000	9.4	CH35-51C	SL280UH090V60C	202921511
EL16XP1-048-230	46000	15.5	12.5	43500	29000	9.4	CH35-51C	SL280UH090XV60C	202921512
EL16XP1-048-230	46000	15.5	12.5	43000	28800	9.6	CH35-51C	SL280UH100NV60C	202921513
EL16XP1-048-230	45500	15.5	12.5	43000	29000	9.4	CH35-51C	SL280UH110V60C	202921514
EL16XP1-048-230	45500	15.5	12.5	43000	29000	9.4	CH35-51C	SL280UH110XV60C	202921516
EL16XP1-048-230	45500	15.1	12.5	43500	29200	9.4	CH35-51C	SL297UH080NV48C	202921517
EL16XP1-048-230	45500	15.1	12.5	43500	29000	9.4	CH35-51C	SL297UH080NV60C	202921518
EL16XP1-048-230	45500	15.1	12.5	43500	29200	9.4	CH35-51C	SLP98UH090XV48C	202921519
EL16XP1-048-230	45500	15.1	12.5	43500	29200	9.4	CH35-51C	SLP98UH090XV60C	202921521
EL16XP1-048-230	45500	15.1	12.5	43500	29200	9.4	CH35-51C	SLP98UH110XV60C	202921522
EL16XP1-048-230	45500	15.1	12.5	43500	29200	9.4	CH35-51C	SLP99UH090XV48C	205545752
EL16XP1-048-230	45500	15.1	12.5	43500	29200	9.4	CH35-51C	SLP99UH090XV60C	205545753
EL16XP1-048-230	45500	15.1	12.5	43500	29200	9.4	CH35-51C	SLP99UH110XV60C	205545755
EL16XP1-048-230	45000	14.5	12	44000	29600	9.4	CH35-51C		202921400
EL16XP1-048-230	46000	15.1	12.5	43500	29000	9.2	CH35-60D	EL296UH135XE60D	202921523
EL16XP1-048-230	46000	15.5	12.5	43000	28400	9.2	CH35-60D	EL296UH135XV60D	202921525
EL16XP1-048-230	46500	15.5	12.5	43500	28600	9.4	CH35-60D	ML180UH135E60D	202921526
EL16XP1-048-230	46500	15.5	12.5	43500	28800	9.2	CH35-60D	SL280UH135V60D	202921527
EL16XP1-048-230	46500	15.5	12.5	43500	28800	9.2	CH35-60D	SLP98UH135XV60D	202921528
EL16XP1-048-230	46500	15.5	12.5	43500	28800	9.2	CH35-60D	SLP99UH135XV60D	205545758
EL16XP1-048-230	45500	15.5	12.5	43000	28800	9.4	CHX35-51/61C	EL180UH100NE60C	202921530
EL16XP1-048-230	45500	15.1	12.5	43000	29000	9.4	CHX35-51/61C	EL195UH100NE60C	202921531
EL16XP1-048-230	45500	15.1	12.5	43500	29200	9.4	CHX35-51/61C	EL196UH090XE48C	202921532
EL16XP1-048-230	45500	15.5	12.5	43000	29000	9.4	CHX35-51/61C	EL196UH110XE60C	202921533
EL16XP1-048-230	45500	15.5	12.5	43000	29000	9.4	CHX35-51/61C	EL280UH110E48C	202921535
EL16XP1-048-230	45500	15.5	12.5	43000	28800	9.4	CHX35-51/61C	EL280UH110E60C	202921536
EL16XP1-048-230	45500	15.5	12.5	43000	28800	9.4	CHX35-51/61C	EL280UH110XE60C	203362307
EL16XP1-048-230	45500	15.1	12.5	43000	29000	9.4	CHX35-51/61C	EL296UH090XE48C	202921537
EL16XP1-048-230	45500	15.1	12.5	43500	29200	9.4	CHX35-51/61C	EL296UH090XV48C	202921539
EL16XP1-048-230	45500	15.1	12.5	43500	29200	9.4	CHX35-51/61C	EL296UH090XV60C	202921540
EL16XP1-048-230	45500	15.1	12.5	43000	29000	9.4	CHX35-51/61C	EL296UH110XE60C	202921541
EL16XP1-048-230	45500	15.1	12.5	43500	29000	9.4	CHX35-51/61C	EL296UH110XV48C	202921542
EL16XP1-048-230	45500	15.1	12.5	43500	29200	9.4	CHX35-51/61C	EL296UH110XV60C	202921544
EL16XP1-048-230	45500	15.5	12.5	43000	28800	9.4	CHX35-51/61C	ML180UH090E60C	202921545
EL16XP1-048-230	46000	15.1	12.5	43500	29400	9.4	CHX35-51/61C	ML180UH110E60C	202921546
EL16XP1-048-230	45500	15.5	12.5	43000	28800	9.4	CHX35-51/61C	ML180UH110V60C	204495774

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-048-230	45500	15.1	12.5	43000	29000	9.4	CHX35-51/61C	ML193UH090XE48C	202921547
EL16XP1-048-230	45500	15.1	12.5	43000	29000	9.4	CHX35-51/61C	ML193UH110XE48C	202921549
EL16XP1-048-230	45500	15.5	12.5	43000	28800	9.4	CHX35-51/61C	ML193UH110XE60C	202921550
EL16XP1-048-230	45500	15.1	12.5	43500	29200	9.4	CHX35-51/61C	ML196UH090XE48C	204498152
EL16XP1-048-230	45500	15.5	12.5	43000	29000	9.4	CHX35-51/61C	ML196UH110XE60C	204498153
EL16XP1-048-230	45000	15.1	12.5	43500	29200	9.4	CHX35-51/61C	ML296UH090XV48C	202921551
EL16XP1-048-230	46000	15.1	12.5	43500	29200	9.4	CHX35-51/61C	ML296UH110XV60C	202921552
EL16XP1-048-230	46000	15.5	12.5	43000	28800	9.6	CHX35-51/61C	SL280UH080NV60C	202921554
EL16XP1-048-230	46000	15.5	12.5	43500	29000	9.4	CHX35-51/61C	SL280UH090V60C	202921555
EL16XP1-048-230	46000	15.5	12.5	43500	29000	9.4	CHX35-51/61C	SL280UH090XV60C	202921556
EL16XP1-048-230	46000	15.5	12.5	43000	28800	9.6	CHX35-51/61C	SL280UH100NV60C	202921558
EL16XP1-048-230	45500	15.5	12.5	43000	29000	9.4	CHX35-51/61C	SL280UH110V60C	202921559
EL16XP1-048-230	45500	15.5	12.5	43000	29000	9.4	CHX35-51/61C	SL280UH110XV60C	202921560
EL16XP1-048-230	45500	15.1	12.5	43500	29200	9.4	CHX35-51/61C	SL297UH080NV48C	202921561
EL16XP1-048-230	45500	15.1	12.5	43500	29000	9.4	CHX35-51/61C	SL297UH080NV60C	202921563
EL16XP1-048-230	45500	15.1	12.5	43500	29200	9.4	CHX35-51/61C	SLP98UH090XV48C	202921564
EL16XP1-048-230	45500	15.1	12.5	43500	29200	9.4	CHX35-51/61C	SLP98UH090XV60C	202921565
EL16XP1-048-230	45500	15.1	12.5	43500	29200	9.4	CHX35-51/61C	SLP98UH110XV60C	202921566
EL16XP1-048-230	45500	15.1	12.5	43500	29200	9.4	CHX35-51/61C	SLP99UH090XV48C	205545760
EL16XP1-048-230	45500	15.1	12.5	43500	29200	9.4	CHX35-51/61C	SLP99UH090XV60C	205545762
EL16XP1-048-230	45500	15.1	12.5	43500	29200	9.4	CHX35-51/61C	SLP99UH110XV60C	205545763
EL16XP1-048-230	45000	14.5	12	44000	29600	9.4	CHX35-51/61C		202921402
EL16XP1-048-230	46000	15.1	12.5	43500	29000	9.2	CHX35-60D	EL296UH135XE60D	202921568
EL16XP1-048-230	46000	15.5	12.5	43000	28400	9.2	CHX35-60D	EL296UH135XV60D	202921569
EL16XP1-048-230	46500	15.5	12.5	43500	28600	9.4	CHX35-60D	ML180UH135E60D	202921570
EL16XP1-048-230	46500	15.5	12.5	43500	28800	9.2	CHX35-60D	SL280UH135V60D	202921571
EL16XP1-048-230	46500	15.5	12.5	43500	28800	9.2	CHX35-60D	SLP98UH135XV60D	202921573
EL16XP1-048-230	46500	15.5	12.5	43500	28800	9.2	CHX35-60D	SLP99UH135XV60D	205545765
EL16XP1-048-230	45000	15.1	12.5	43500	29400	9.8	CR33-50/60	EL296DF090XE48C	202921574
EL16XP1-048-230	45000	14.5	12	43500	29600	9.8	CR33-50/60	EL296DF090XV60C	202921575
EL16XP1-048-230	45000	15.5	12.5	43500	29200	9.8	CR33-50/60	EL296DF110XE60C	202921576
EL16XP1-048-230	45000	15.1	12.5	43500	29400	9.8	CR33-50/60	EL296DF110XV60C	202921578
EL16XP1-048-230	45500	15.5	12.5	43500	29200	9.8	CR33-50/60	ML180DF110E60C	202921579
EL16XP1-048-230	45000	15.1	12.5	43500	29400	9.8	CR33-50/60	ML193DF090XE48C	202921580
EL16XP1-048-230	45000	14.5	12	43500	29400	9.8	CR33-50/60	ML296DF090XV60C	202921581
EL16XP1-048-230	45500	15.5	12.5	43500	29400	9.8	CR33-50/60	SL280DF090V60C	202921583
EL16XP1-048-230	45500	15.5	12.5	43500	29200	9.8	CR33-50/60	SL280DF110V60C	202921584
EL16XP1-048-230	45000	14.5	12	44000	29600	9.8	CR33-50/60	SLP98DF090XV48C	202921585
EL16XP1-048-230	45000	14.5	12	43500	29600	9.8	CR33-50/60	SLP98DF090XV60C	202921587
EL16XP1-048-230	45000	15.1	12.5	43500	29400	9.8	CR33-50/60	SLP98DF110XV60C	202921588
EL16XP1-048-230	45000	14.5	12	44000	29600	9.8	CR33-50/60	SLP99DF090XV48C	205545767
EL16XP1-048-230	45000	14.5	12	43500	29600	9.8	CR33-50/60	SLP99DF090XV60C	205545768
EL16XP1-048-230	45000	15.1	12.5	43500	29400	9.8	CR33-50/60	SLP99DF110XV60C	205545770
EL16XP1-048-230	44500	14.25	12	44000	30000	9.8	CR33-50/60		202921403
EL16XP1-048-230	45500	15.5	12.5	44500	29800	9.8	CR33-60	EL296DF110XE60C	202921589
EL16XP1-048-230	45500	14.5	12.5	45000	30200	9.8	CR33-60	EL296DF110XV60C	202921590
EL16XP1-048-230	45500	15.5	12.5	44500	29800	9.8	CR33-60	ML180DF110E60C	202921592
EL16XP1-048-230	46000	15.5	12.5	44500	29800	9.8	CR33-60	SL280DF110V60C	202921593
EL16XP1-048-230	45500	15.1	12.5	44500	30000	9.8	CR33-60	SLP98DF110XV60C	202921594
EL16XP1-048-230	45500	15.1	12.5	44500	30000	9.8	CR33-60	SLP99DF110XV60C	205545772
EL16XP1-048-230	45000	14.5	12	45000	30400	9.6	CR33-60		202921404
EL16XP1-048-230	45500	15.5	12.5	43000	29800	9.6	CX35-49C	EL180UH100NE60C	202921595
EL16XP1-048-230	45000	14.5	12.5	43500	30200	9.4	CX35-49C	EL195UH080NE48C	202921597
EL16XP1-048-230	45000	15.1	12.5	43500	30000	9.4	CX35-49C	EL195UH100NE60C	202921598
EL16XP1-048-230	45500	15.1	12.5	43500	30000	9.6	CX35-49C	EL196UH090XE48C	202921599
EL16XP1-048-230	45500	15.5	12.5	43500	30000	9.6	CX35-49C	EL196UH110XE60C	202921600

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-048-230	45500	15.5	12.5	43500	30000	9.6	CX35-49C	EL280UH110E48C	202921602
EL16XP1-048-230	45500	15.5	12.5	43500	29800	9.8	CX35-49C	EL280UH110E60C	202921603
EL16XP1-048-230	45500	15.5	12.5	43500	29800	9.8	CX35-49C	EL280UH110XE60C	203362308
EL16XP1-048-230	45000	15.1	12.5	43500	30000	9.6	CX35-49C	EL296UH090XE48C	202921604
EL16XP1-048-230	45500	15.1	12.5	43500	30000	9.6	CX35-49C	EL296UH090XV48C	202921605
EL16XP1-048-230	45500	15.1	12.5	43500	30000	9.6	CX35-49C	EL296UH090XV60C	202921607
EL16XP1-048-230	45500	15.5	12.5	43500	30000	9.6	CX35-49C	EL296UH110XE60C	202921608
EL16XP1-048-230	45500	15.1	12.5	43500	30000	9.6	CX35-49C	EL296UH110XV48C	202921609
EL16XP1-048-230	45500	15.1	12.5	43500	30200	9.6	CX35-49C	EL296UH110XV60C	202921610
EL16XP1-048-230	45500	15.5	12.5	43500	29800	9.6	CX35-49C	ML180UH090E60C	202921612
EL16XP1-048-230	45000	15.5	12.5	43000	29800	9.6	CX35-49C	ML180UH110E60C	202921613
EL16XP1-048-230	45500	15.5	12.5	43500	29800	9.6	CX35-49C	ML180UH110V60C	204495775
EL16XP1-048-230	45500	15.1	12.5	43500	30000	9.6	CX35-49C	ML193UH090XE48C	202921614
EL16XP1-048-230	45500	15.1	12.5	43500	30000	9.6	CX35-49C	ML193UH110XE48C	202921616
EL16XP1-048-230	45000	15.5	12.5	43500	29800	9.6	CX35-49C	ML193UH110XE60C	202921617
EL16XP1-048-230	45500	15.1	12.5	43500	30000	9.6	CX35-49C	ML196UH090XE48C	204498154
EL16XP1-048-230	45500	15.5	12.5	43500	30000	9.6	CX35-49C	ML196UH110XE60C	204498155
EL16XP1-048-230	45000	15.1	12.5	43500	29800	9.6	CX35-49C	ML296UH090XV48C	202921618
EL16XP1-048-230	45500	15.1	12.5	43500	30200	9.6	CX35-49C	ML296UH110XV60C	202921619
EL16XP1-048-230	45500	15.5	12.5	43500	29800	9.8	CX35-49C	SL280UH080NV60C	202921621
EL16XP1-048-230	45500	15.5	12.5	43500	30000	9.6	CX35-49C	SL280UH090V60C	202921622
EL16XP1-048-230	45500	15.5	12.5	43500	30000	9.6	CX35-49C	SL280UH090XV60C	202921623
EL16XP1-048-230	46000	15.5	12.5	43500	29800	9.8	CX35-49C	SL280UH100NV60C	202921625
EL16XP1-048-230	45500	15.5	12.5	43500	29800	9.6	CX35-49C	SL280UH110V60C	202921626
EL16XP1-048-230	45500	15.5	12.5	43500	29800	9.6	CX35-49C	SL280UH110XV60C	202921627
EL16XP1-048-230	45500	15.1	12.5	43500	30000	9.6	CX35-49C	SL297UH080NV60C	202921628
EL16XP1-048-230	45500	15.1	12.5	43500	30000	9.6	CX35-49C	SLP98UH090XV48C	202921630
EL16XP1-048-230	45500	15.1	12.5	43500	30000	9.6	CX35-49C	SLP98UH090XV60C	202921631
EL16XP1-048-230	45500	15.1	12.5	43500	30200	9.6	CX35-49C	SLP98UH110XV60C	202921632
EL16XP1-048-230	45500	15.1	12.5	43500	30000	9.6	CX35-49C	SLP99UH090XV48C	205545773
EL16XP1-048-230	45500	15.1	12.5	43500	30000	9.6	CX35-49C	SLP99UH090XV60C	205545775
EL16XP1-048-230	45500	15.1	12.5	43500	30200	9.6	CX35-49C	SLP99UH110XV60C	205545777
EL16XP1-048-230	44500	14.5	12	44000	30600	9.4	CX35-49C		202921406
EL16XP1-048-230	47000	16	13	43500	29200	9.8	CX35-60C	EL180UH100NE60C	202921633
EL16XP1-048-230	46500	15.1	12.5	44000	29600	9.6	CX35-60C	EL195UH080NE48C	202921635
EL16XP1-048-230	46500	15.5	12.5	44000	29600	9.6	CX35-60C	EL195UH100NE60C	202921636
EL16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	CX35-60C	EL196UH090XE48C	202921637
EL16XP1-048-230	47000	15.5	12.5	44000	29400	9.8	CX35-60C	EL196UH110XE60C	202921638
EL16XP1-048-230	47000	15.5	12.5	44000	29400	9.8	CX35-60C	EL280UH110E48C	202921640
EL16XP1-048-230	47000	16	13	43500	29400	9.8	CX35-60C	EL280UH110E60C	202921641
EL16XP1-048-230	47000	16	13	43500	29400	9.8	CX35-60C	EL280UH110XE60C	203362309
EL16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	CX35-60C	EL296UH090XE48C	202921642
EL16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	CX35-60C	EL296UH090XV48C	202921643
EL16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	CX35-60C	EL296UH090XV60C	202921645
EL16XP1-048-230	47000	15.5	12.5	43500	29400	9.8	CX35-60C	EL296UH110XE60C	202921646
EL16XP1-048-230	47000	15.5	12.5	44000	29400	9.8	CX35-60C	EL296UH110XV48C	202921647
EL16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	CX35-60C	EL296UH110XV60C	202921648
EL16XP1-048-230	47000	16	13	43500	29400	9.8	CX35-60C	ML180UH090E60C	202921650
EL16XP1-048-230	47500	15.5	12.5	44500	29800	9.8	CX35-60C	ML180UH110E60C	202921651
EL16XP1-048-230	47000	16	13	43500	29200	9.8	CX35-60C	ML180UH110V60C	204495776
EL16XP1-048-230	47000	15.5	12.5	43500	29400	9.8	CX35-60C	ML193UH090XE48C	202921652
EL16XP1-048-230	47000	15.5	12.5	44000	29400	9.8	CX35-60C	ML193UH110XE48C	202921653
EL16XP1-048-230	47000	15.5	12.5	43500	29400	9.8	CX35-60C	ML193UH110XE60C	202921655
EL16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	CX35-60C	ML196UH090XE48C	204498156
EL16XP1-048-230	47000	15.5	12.5	44000	29400	9.8	CX35-60C	ML196UH110XE60C	204498157
EL16XP1-048-230	46000	15.5	12.5	44000	29600	9.8	CX35-60C	ML296UH090XV48C	202921656

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	CX35-60C	ML296UH110XV60C	202921657
EL16XP1-048-230	47000	16	13	43500	29200	9.8	CX35-60C	SL280UH080NV60C	202921658
EL16XP1-048-230	47000	15.5	12.5	44000	29400	9.8	CX35-60C	SL280UH090V60C	202921660
EL16XP1-048-230	47000	15.5	12.5	44000	29400	9.8	CX35-60C	SL280UH090XV60C	202921661
EL16XP1-048-230	47500	16	13	43500	29200	9.8	CX35-60C	SL280UH100NV60C	202921662
EL16XP1-048-230	47000	16	13	43500	29400	9.8	CX35-60C	SL280UH110V60C	202921663
EL16XP1-048-230	47000	16	13	43500	29400	9.8	CX35-60C	SL280UH110XV60C	202921664
EL16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	CX35-60C	SL297UH080NV48C	202921665
EL16XP1-048-230	47000	15.5	12.5	44000	29400	9.8	CX35-60C	SL297UH080NV60C	202921666
EL16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	CX35-60C	SLP98UH090XV48C	202921667
EL16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	CX35-60C	SLP98UH090XV60C	202921668
EL16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	CX35-60C	SLP98UH110XV60C	202921669
EL16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	CX35-60C	SLP99UH090XV48C	205545779
EL16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	CX35-60C	SLP99UH090XV60C	205545781
EL16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	CX35-60C	SLP99UH110XV60C	205545782
EL16XP1-048-230	46000	14.5	12	44500	30000	9.6	CX35-60C		202921407
EL16XP1-060-230	57500	15	12.2	55000	37800	9	C35-49C	EL180UH100NE60C	202921677
EL16XP1-060-230	57000	14.5	12	55000	38000	8.5	C35-49C	EL195UH100NE60C	202921678
EL16XP1-060-230	56500	15	12.2	54000	37400	9	C35-49C	EL196UH110XE60C	202921679
EL16XP1-060-230	57500	15	12.2	54500	37800	9	C35-49C	EL280UH110E60C	202921680
EL16XP1-060-230	57500	15	12.2	54500	37800	9	C35-49C	EL280UH110XE60C	203362310
EL16XP1-060-230	56500	14.5	12	54500	37600	8.5	C35-49C	EL296UH090XV60C	202921681
EL16XP1-060-230	57500	14.5	12.2	55000	38000	9	C35-49C	EL296UH110XE60C	202921682
EL16XP1-060-230	57000	14.5	12.2	54500	37600	9	C35-49C	EL296UH110XV60C	202921683
EL16XP1-060-230	57500	14.5	12.2	55000	37800	9	C35-49C	ML180UH090E60C	202921684
EL16XP1-060-230	57500	14.5	12.2	55000	37800	9	C35-49C	ML180UH110E60C	202921685
EL16XP1-060-230	57500	14.5	12.2	54500	37800	9	C35-49C	ML180UH110V60C	204495777
EL16XP1-060-230	56500	15	12.2	54000	37400	9	C35-49C	ML196UH110XE60C	204498158
EL16XP1-060-230	57500	14.5	12	55000	38000	9	C35-49C	ML296UH110XV60C	202921686
EL16XP1-060-230	57000	15	12.5	54000	37200	9	C35-49C	SL280UH080NV60C	202921687
EL16XP1-060-230	57000	15	12.2	54000	37400	9	C35-49C	SL280UH090V60C	202921688
EL16XP1-060-230	57000	15	12.2	54000	37400	9	C35-49C	SL280UH090XV60C	202921689
EL16XP1-060-230	57000	15	12.5	54000	37200	9	C35-49C	SL280UH100NV60C	202921690
EL16XP1-060-230	57500	14.5	12.2	54500	37800	9	C35-49C	SL280UH110V60C	202921691
EL16XP1-060-230	57500	14.5	12.2	54500	37800	9	C35-49C	SL280UH110XV60C	202921692
EL16XP1-060-230	57000	14.5	12.2	54500	37800	9	C35-49C	SL297UH080NV60C	202921693
EL16XP1-060-230	56500	14.5	12	54500	37600	8.5	C35-49C	SLP98UH090XV60C	202921694
EL16XP1-060-230	57000	14.5	12.2	54500	37600	9	C35-49C	SLP98UH110XV60C	202921695
EL16XP1-060-230	56500	14.5	12	54500	37600	8.5	C35-49C	SLP99UH090XV60C	205545784
EL16XP1-060-230	57000	14.5	12.2	54500	37600	9	C35-49C	SLP99UH110XV60C	205545786
EL16XP1-060-230	58000	15	12.2	54500	37400	9.6	C35-60C	EL180UH100NE60C	202921696
EL16XP1-060-230	57500	14.5	12	54500	37600	9.4	C35-60C	EL195UH100NE60C	202921697
EL16XP1-060-230	58000	15	12.2	54500	37400	9.6	C35-60C	EL196UH110XE60C	202921698
EL16XP1-060-230	57500	14.5	12.2	54000	37400	9.4	C35-60C	EL296UH090XV60C	202921699
EL16XP1-060-230	58000	15	12.2	54500	37400	9.6	C35-60C	EL296UH110XE60C	202921700
EL16XP1-060-230	58000	15	12.2	54500	37600	9.6	C35-60C	EL296UH110XV60C	202921701
EL16XP1-060-230	58000	15	12.2	54500	37400	9.6	C35-60C	ML180UH090E60C	202921702
EL16XP1-060-230	58000	15	12.2	54500	37400	9.6	C35-60C	ML180UH110E60C	202921703
EL16XP1-060-230	58000	15	12.2	54500	37200	9.6	C35-60C	ML180UH110V60C	204495778
EL16XP1-060-230	58000	15	12.2	54500	37400	9.6	C35-60C	ML196UH110XE60C	204498159
EL16XP1-060-230	58500	15.5	12.5	54000	37200	9.8	C35-60C	SL280UH080NV60C	202921704
EL16XP1-060-230	58000	15	12.2	54500	37400	9.6	C35-60C	SL280UH090V60C	202921705
EL16XP1-060-230	58000	15	12.2	54500	37400	9.6	C35-60C	SL280UH090XV60C	202921706
EL16XP1-060-230	58500	15	12.5	54500	37400	9.8	C35-60C	SL280UH100NV60C	202921707
EL16XP1-060-230	58000	15	12.2	54500	37400	9.6	C35-60C	SL280UH110V60C	202921708
EL16XP1-060-230	58000	15	12.2	54500	37400	9.6	C35-60C	SL280UH110XV60C	202921709

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-060-230	58000	15	12.2	54000	37400	9.6	C35-60C	SL297UH080NV60C	202921710
EL16XP1-060-230	57500	14.5	12.2	54000	37400	9.4	C35-60C	SLP98UH090XV60C	202921711
EL16XP1-060-230	58000	15	12.2	54500	37600	9.6	C35-60C	SLP98UH110XV60C	202921712
EL16XP1-060-230	57500	14.5	12.2	54000	37400	9.4	C35-60C	SLP99UH090XV60C	205545788
EL16XP1-060-230	58000	15	12.2	54500	37600	9.6	C35-60C	SLP99UH110XV60C	205545790
EL16XP1-060-230	57000	14.5	12	54500	37800	9.6	C35-60C		202921675
EL16XP1-060-230	57000	14.5	12.2	54500	37200	9	C35-60D	EL180UH135E60D	202921713
EL16XP1-060-230	56500	14.5	12	54500	37400	9	C35-60D	EL296UH135XE60D	202921714
EL16XP1-060-230	57000	14.5	12.2	54500	37400	9	C35-60D	EL296UH135XV60D	202921715
EL16XP1-060-230	57000	14.5	12.2	54500	37200	9	C35-60D	ML180UH135E60D	202921716
EL16XP1-060-230	57500	15	12.5	54500	37400	9.2	C35-60D	SL280UH135V60D	202921717
EL16XP1-060-230	56500	14.5	12.2	54500	37200	9	C35-60D	SLP98UH135XV60D	202921718
EL16XP1-060-230	56500	14.5	12.2	54500	37200	9	C35-60D	SLP99UH135XV60D	205545791
EL16XP1-060-230	56000	14.5	12	54000	36200	9.5	CBA25UH-060-230		202921719
EL16XP1-060-230	55000	14.5	12	52500	35600	9	CBA25UHV-060-230		202921720
EL16XP1-060-230	56000	15	12.5	53000	35200	9.5	CBA27UHE-060-230		202921674
EL16XP1-060-230	56500	15	12.5	53000	35200	9.5	CBA38MV-060-230		202921721
EL16XP1-060-230	56500	14.5	12	54500	35600	8.5	CH35-51C	EL180UH100NE60C	202921722
EL16XP1-060-230	56000	14	11.7	54500	35800	8.5	CH35-51C	EL195UH100NE60C	202921723
EL16XP1-060-230	56500	14.5	12	54500	35800	8.5	CH35-51C	EL196UH110XE60C	202921724
EL16XP1-060-230	56500	14.5	12	54000	35600	8.5	CH35-51C	EL280UH110E60C	202921725
EL16XP1-060-230	56500	14.5	12	54000	35600	8.5	CH35-51C	EL280UH110XE60C	203362311
EL16XP1-060-230	56000	14.5	12	54000	35400	8.5	CH35-51C	EL296UH090XV60C	202921726
EL16XP1-060-230	56500	14.5	12	54500	35800	8.5	CH35-51C	EL296UH110XE60C	202921727
EL16XP1-060-230	56000	14.5	12	54000	35400	8.5	CH35-51C	EL296UH110XV60C	202921728
EL16XP1-060-230	56500	14.5	12	54500	35600	8.5	CH35-51C	ML180UH090E60C	202921729
EL16XP1-060-230	56500	14.5	12	54500	35600	8.5	CH35-51C	ML180UH110E60C	202921730
EL16XP1-060-230	56000	14.5	12	54000	35200	8.5	CH35-51C	ML180UH110V60C	204495779
EL16XP1-060-230	56500	14.5	12	54000	35600	8.5	CH35-51C	ML193UH110XE60C	202921731
EL16XP1-060-230	56500	14.5	12	54500	35800	8.5	CH35-51C	ML196UH110XE60C	204498160
EL16XP1-060-230	56500	14	12	54500	36000	8.5	CH35-51C	ML296UH110XV60C	202921732
EL16XP1-060-230	56000	15	12.2	53500	35200	8.5	CH35-51C	SL280UH080NV60C	202921733
EL16XP1-060-230	56000	14.5	12.2	54000	35200	8.5	CH35-51C	SL280UH090V60C	202921734
EL16XP1-060-230	56000	14.5	12.2	54000	35200	8.5	CH35-51C	SL280UH090XV60C	202921735
EL16XP1-060-230	56500	15	12.2	54000	35200	8.5	CH35-51C	SL280UH100NV60C	202921736
EL16XP1-060-230	56000	14.5	12.2	54000	35200	8.5	CH35-51C	SL280UH110V60C	202921737
EL16XP1-060-230	56000	14.5	12.2	54000	35200	8.5	CH35-51C	SL280UH110XV60C	202921738
EL16XP1-060-230	56500	14.5	12	54500	35600	8.5	CH35-51C	SL297UH080NV60C	202921739
EL16XP1-060-230	56000	14.5	12	54000	35400	8.5	CH35-51C	SLP98UH090XV60C	202921740
EL16XP1-060-230	56000	14.5	12	54000	35400	8.5	CH35-51C	SLP98UH110XV60C	202921741
EL16XP1-060-230	56000	14.5	12	54000	35400	8.5	CH35-51C	SLP99UH090XV60C	205545793
EL16XP1-060-230	56000	14.5	12	54000	35400	8.5	CH35-51C	SLP99UH110XV60C	205545794
EL16XP1-060-230	56500	15	12.2	52500	35600	8.5	CH35-60D	EL180UH135E60D	202921742
EL16XP1-060-230	56500	14.5	12.2	53000	35800	8.5	CH35-60D	EL296UH135XE60D	202921743
EL16XP1-060-230	57000	14.5	12.2	53000	35800	8.5	CH35-60D	EL296UH135XV60D	202921744
EL16XP1-060-230	56500	15	12.2	52500	35600	8.5	CH35-60D	ML180UH135E60D	202921745
EL16XP1-060-230	56500	15	12.2	52500	35600	8.5	CH35-60D	SL280UH135V60D	202921746
EL16XP1-060-230	57000	15	12.2	53000	35800	8.5	CH35-60D	SLP98UH135XV60D	202921747
EL16XP1-060-230	57000	15	12.2	53000	35800	8.5	CH35-60D	SLP99UH135XV60D	205545795
EL16XP1-060-230	56500	14.5	12	54500	35600	8.5	CHX35-51/61C	EL180UH100NE60C	202921748
EL16XP1-060-230	56000	14	11.7	54500	35800	8.5	CHX35-51/61C	EL195UH100NE60C	202921749
EL16XP1-060-230	56500	14.5	12	54500	35800	8.5	CHX35-51/61C	EL196UH110XE60C	202921750
EL16XP1-060-230	56500	14.5	12	54000	35600	8.5	CHX35-51/61C	EL280UH110E60C	202921751
EL16XP1-060-230	56500	14.5	12	54000	35600	8.5	CHX35-51/61C	EL280UH110XE60C	203362312
EL16XP1-060-230	56000	14.5	12	54000	35400	8.5	CHX35-51/61C	EL296UH090XV60C	202921752
EL16XP1-060-230	56500	14.5	12	54500	35800	8.5	CHX35-51/61C	EL296UH110XE60C	202921753

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-060-230	56000	14.5	12	54000	35400	8.5	CHX35-51/61C	EL296UH110XV60C	202921754
EL16XP1-060-230	56500	14.5	12	54500	35600	8.5	CHX35-51/61C	ML180UH090E60C	202921755
EL16XP1-060-230	56500	14.5	12	54500	35600	8.5	CHX35-51/61C	ML180UH110E60C	202921756
EL16XP1-060-230	56000	14.5	12	54000	35200	8.5	CHX35-51/61C	ML180UH110V60C	204495780
EL16XP1-060-230	56500	14.5	12	54000	35600	8.5	CHX35-51/61C	ML193UH110XE60C	202921757
EL16XP1-060-230	56500	14.5	12	54500	35800	8.5	CHX35-51/61C	ML196UH110XE60C	204498161
EL16XP1-060-230	56500	14	12	54500	36000	8.5	CHX35-51/61C	ML296UH110XV60C	202921758
EL16XP1-060-230	56000	15	12.2	53500	35200	8.5	CHX35-51/61C	SL280UH080NV60C	202921759
EL16XP1-060-230	56000	14.5	12.2	54000	35200	8.5	CHX35-51/61C	SL280UH090V60C	202921760
EL16XP1-060-230	56000	14.5	12.2	54000	35200	8.5	CHX35-51/61C	SL280UH090XV60C	202921761
EL16XP1-060-230	56500	15	12.2	54000	35200	8.5	CHX35-51/61C	SL280UH100NV60C	202921762
EL16XP1-060-230	56000	14.5	12.2	54000	35200	8.5	CHX35-51/61C	SL280UH110V60C	202921763
EL16XP1-060-230	56000	14.5	12.2	54000	35200	8.5	CHX35-51/61C	SL280UH110XV60C	202921764
EL16XP1-060-230	56500	14.5	12	54500	35600	8.5	CHX35-51/61C	SL297UH080NV60C	202921765
EL16XP1-060-230	56000	14.5	12	54000	35400	8.5	CHX35-51/61C	SLP98UH090XV60C	202921766
EL16XP1-060-230	56000	14.5	12	54000	35400	8.5	CHX35-51/61C	SLP98UH110XV60C	202921767
EL16XP1-060-230	56000	14.5	12	54000	35400	8.5	CHX35-51/61C	SLP99UH090XV60C	205545797
EL16XP1-060-230	56000	14.5	12	54000	35400	8.5	CHX35-51/61C	SLP99UH110XV60C	205545798
EL16XP1-060-230	56500	15	12.2	52500	35600	8.5	CHX35-60D	EL180UH135E60D	202921768
EL16XP1-060-230	56500	14.5	12.2	53000	35800	8.5	CHX35-60D	EL296UH135XE60D	202921769
EL16XP1-060-230	57000	14.5	12.2	53000	35800	8.5	CHX35-60D	EL296UH135XV60D	202921770
EL16XP1-060-230	56500	15	12.2	52500	35600	8.5	CHX35-60D	ML180UH135E60D	202921771
EL16XP1-060-230	56500	15	12.2	52500	35600	8.5	CHX35-60D	SL280UH135V60D	202921772
EL16XP1-060-230	57000	15	12.2	53000	35800	8.5	CHX35-60D	SLP98UH135XV60D	202921773
EL16XP1-060-230	57000	15	12.2	53000	35800	8.5	CHX35-60D	SLP99UH135XV60D	205545800
EL16XP1-060-230	55500	14	12	55500	35600	9	CR33-50/60	EL296DF090XV60C	202921774
EL16XP1-060-230	56000	14.5	12	56000	35800	9.2	CR33-50/60	EL296DF110XE60C	202921775
EL16XP1-060-230	55500	14	11.7	56000	35800	9	CR33-50/60	EL296DF110XV60C	202921776
EL16XP1-060-230	56500	14.5	12.2	56000	35800	9.4	CR33-50/60	ML180DF110E60C	202921777
EL16XP1-060-230	56500	14.5	12	56000	35800	9.2	CR33-50/60	SL280DF090V60C	202921778
EL16XP1-060-230	56500	14.5	12.2	56000	35600	9.2	CR33-50/60	SL280DF110V60C	202921779
EL16XP1-060-230	55500	14	11.7	56000	35800	9	CR33-50/60	SLP98DF110XV60C	202921780
EL16XP1-060-230	55500	14	11.7	56000	35800	9	CR33-50/60	SLP99DF110XV60C	205545802
EL16XP1-060-230	56000	14.5	12	56000	36200	9.2	CR33-60	EL296DF110XE60C	202921781
EL16XP1-060-230	55500	14	12	55500	36200	9	CR33-60	EL296DF110XV60C	202921782
EL16XP1-060-230	56500	14.5	12.2	56000	36200	9.4	CR33-60	ML180DF110E60C	202921783
EL16XP1-060-230	56500	14.5	12.2	56000	36200	9.4	CR33-60	SL280DF110V60C	202921784
EL16XP1-060-230	55500	14	12	55500	36200	9	CR33-60	SLP98DF110XV60C	202921785
EL16XP1-060-230	55500	14	12	55500	36200	9	CR33-60	SLP99DF110XV60C	205545803
EL16XP1-060-230	57500	15	12.2	55000	37800	9	CX35-49C	EL180UH100NE60C	202921786
EL16XP1-060-230	57000	14.5	12	55000	38000	8.5	CX35-49C	EL195UH100NE60C	202921787
EL16XP1-060-230	56500	15	12.2	54000	37400	9	CX35-49C	EL196UH110XE60C	202921788
EL16XP1-060-230	57500	15	12.2	54500	37800	9	CX35-49C	EL280UH110E60C	202921789
EL16XP1-060-230	57500	15	12.2	54500	37800	9	CX35-49C	EL280UH110XE60C	203362313
EL16XP1-060-230	56500	14.5	12	54500	37600	8.5	CX35-49C	EL296UH090XV60C	202921790
EL16XP1-060-230	57500	14.5	12.2	55000	38000	9	CX35-49C	EL296UH110XE60C	202921791
EL16XP1-060-230	57000	14.5	12.2	54500	37600	9	CX35-49C	EL296UH110XV60C	202921792
EL16XP1-060-230	57500	14.5	12.2	55000	37800	9	CX35-49C	ML180UH090E60C	202921793
EL16XP1-060-230	57500	14.5	12.2	55000	37800	9	CX35-49C	ML180UH110E60C	202921794
EL16XP1-060-230	57500	14.5	12.2	54500	37800	9	CX35-49C	ML180UH110V60C	204495781
EL16XP1-060-230	56500	15	12.2	54000	37400	9	CX35-49C	ML196UH110XE60C	204498162
EL16XP1-060-230	57500	14.5	12	55000	38000	9	CX35-49C	ML296UH110XV60C	202921795
EL16XP1-060-230	57000	15	12.5	54000	37200	9	CX35-49C	SL280UH080NV60C	202921796
EL16XP1-060-230	57000	15	12.2	54000	37400	9	CX35-49C	SL280UH090V60C	202921797
EL16XP1-060-230	57000	15	12.2	54000	37400	9	CX35-49C	SL280UH090XV60C	202921798
EL16XP1-060-230	57000	15	12.5	54000	37200	9	CX35-49C	SL280UH100NV60C	202921799

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
EL16XP1-060-230	57500	14.5	12.2	54500	37800	9	CX35-49C	SL280UH110V60C	202921800
EL16XP1-060-230	57500	14.5	12.2	54500	37800	9	CX35-49C	SL280UH110XV60C	202921801
EL16XP1-060-230	57000	14.5	12.2	54500	37800	9	CX35-49C	SL297UH080NV60C	202921802
EL16XP1-060-230	56500	14.5	12	54500	37600	8.5	CX35-49C	SLP98UH090XV60C	202921803
EL16XP1-060-230	57000	14.5	12.2	54500	37600	9	CX35-49C	SLP98UH110XV60C	202921804
EL16XP1-060-230	56500	14.5	12	54500	37600	8.5	CX35-49C	SLP99UH090XV60C	205545805
EL16XP1-060-230	57000	14.5	12.2	54500	37600	9	CX35-49C	SLP99UH110XV60C	205545808
EL16XP1-060-230	58000	15	12.2	54500	37400	9.6	CX35-60C	EL180UH100NE60C	202921805
EL16XP1-060-230	57500	14.5	12	54500	37600	9.4	CX35-60C	EL195UH100NE60C	202921806
EL16XP1-060-230	58000	15	12.2	54500	37400	9.6	CX35-60C	EL196UH110XE60C	202921807
EL16XP1-060-230	57500	14.5	12.2	54000	37400	9.4	CX35-60C	EL296UH090XV60C	202921808
EL16XP1-060-230	58000	15	12.2	54500	37400	9.6	CX35-60C	EL296UH110XE60C	202921809
EL16XP1-060-230	58000	15	12.2	54500	37600	9.6	CX35-60C	EL296UH110XV60C	202921810
EL16XP1-060-230	58000	15	12.2	54500	37400	9.6	CX35-60C	ML180UH090E60C	202921811
EL16XP1-060-230	58000	15	12.2	54500	37400	9.6	CX35-60C	ML180UH110E60C	202921812
EL16XP1-060-230	58000	15	12.2	54500	37200	9.6	CX35-60C	ML180UH110V60C	204495782
EL16XP1-060-230	58000	15	12.2	54500	37400	9.6	CX35-60C	ML196UH110XE60C	204498163
EL16XP1-060-230	58500	15.5	12.5	54000	37200	9.8	CX35-60C	SL280UH080NV60C	202921813
EL16XP1-060-230	58000	15	12.2	54500	37400	9.6	CX35-60C	SL280UH090V60C	202921814
EL16XP1-060-230	58000	15	12.2	54500	37400	9.6	CX35-60C	SL280UH090XV60C	202921815
EL16XP1-060-230	58500	15	12.5	54500	37400	9.8	CX35-60C	SL280UH100NV60C	202921816
EL16XP1-060-230	58000	15	12.2	54500	37400	9.6	CX35-60C	SL280UH110V60C	202921817
EL16XP1-060-230	58000	15	12.2	54500	37400	9.6	CX35-60C	SL280UH110XV60C	202921818
EL16XP1-060-230	58000	15	12.2	54000	37400	9.6	CX35-60C	SL297UH080NV60C	202921819
EL16XP1-060-230	57500	14.5	12.2	54000	37400	9.4	CX35-60C	SLP98UH090XV60C	202921820
EL16XP1-060-230	58000	15	12.2	54500	37600	9.6	CX35-60C	SLP98UH110XV60C	202921821
EL16XP1-060-230	57500	14.5	12.2	54000	37400	9.4	CX35-60C	SLP99UH090XV60C	205545810
EL16XP1-060-230	58000	15	12.2	54500	37600	9.6	CX35-60C	SLP99UH110XV60C	205545812
EL16XP1-060-230	57000	14.5	12	54500	37800	9.6	CX35-60C		202921676
EL16XP1-060-230	57000	14.5	12.2	54500	37200	9	CX35-60D	EL180UH135E60D	202921822
EL16XP1-060-230	56500	14.5	12	54500	37400	9	CX35-60D	EL296UH135XE60D	202921823
EL16XP1-060-230	57000	14.5	12.2	54500	37400	9	CX35-60D	EL296UH135XV60D	202921824
EL16XP1-060-230	57000	14.5	12.2	54500	37200	9	CX35-60D	ML180UH135E60D	202921825
EL16XP1-060-230	57500	15	12.5	54500	37400	9.2	CX35-60D	SL280UH135V60D	202921826
EL16XP1-060-230	56500	14.5	12.2	54500	37200	9	CX35-60D	SLP98UH135XV60D	202921827
EL16XP1-060-230	56500	14.5	12.2	54500	37200	9	CX35-60D	SLP99UH135XV60D	205545814
ML14XP1-018-230	18000	15.5	12.5	16900	10400	8.5	C35-24A	EL180UH040NE36A	202564240
ML14XP1-018-230	18000	15.5	12.5	16900	10400	8.5	C35-24A	EL180UH060NE36A	202564016
ML14XP1-018-230	18000	15.5	12.5	17000	10400	8.5	C35-24A	EL280UH045E36A	204043679
ML14XP1-018-230	18000	15.5	12.5	16800	10300	8.4	C35-24A	EL280UH070E36A	204043680
ML14XP1-018-230	18000	15.5	12.5	16800	10300	8.5	C35-24A	ML180UH030V36A	204495008
ML14XP1-018-230	18000	15.1	12.5	17000	10500	8.2	C35-24A	ML180UH045E36A	202563941
ML14XP1-018-230	18000	15.5	12.5	16800	10300	8.5	C35-24A	ML180UH045V36A	204495111
ML14XP1-018-230	18000	16	13	17600	10700	8.5	C35-24A	ML180UH070E36A	204495851
ML14XP1-018-230	18000	15.5	12.5	16900	10300	8.5	C35-24A	ML180UH070V36A	204495214
ML14XP1-018-230	18000	16	13	17600	10700	8.5	C35-24A	ML180UH070XE36A	204495977
ML14XP1-018-230	18000	16	13	17200	10500	8.5	C35-24A	SL280UH060NV36A	202564216
ML14XP1-018-230	18000	16	13	16900	10300	8.5	C35-24B	EL196UH030XE24B	202563965
ML14XP1-018-230	18000	16	13	16900	10300	8.5	C35-24B	EL196UH045XE24B	202564179
ML14XP1-018-230	18000	15	12.5	17100	10600	8.2	C35-24B	EL196UH070XE36B	202564095
ML14XP1-018-230	18000	15.1	12.5	16900	10400	8.2	C35-24B	EL280UH090E36B	204043681
ML14XP1-018-230	18000	14.5	12.5	17100	10600	8.2	C35-24B	EL296UH045XE36B	202563953
ML14XP1-018-230	18000	16	13	17300	10600	8.5	C35-24B	EL296UH045XV36B	202564046
ML14XP1-018-230	18000	16	13	17200	10600	8.5	C35-24B	EL296UH070XV36B	202564227
ML14XP1-018-230	18000	14.5	12.5	17100	10600	8.2	C35-24B	ML180UH070E36B	202564181
ML14XP1-018-230	18000	15.5	12.5	16900	10300	8.5	C35-24B	ML180UH070V36B	204495329

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-018-230	18000	15.1	12.5	16900	10400	8.4	C35-24B	ML193UH030XE36B	204043682
ML14XP1-018-230	18000	15.1	12.5	16900	10400	8.4	C35-24B	ML193UH045XE36B	204043683
ML14XP1-018-230	18000	15.1	12.5	16900	10400	8.2	C35-24B	ML193UH070XE36B	204043684
ML14XP1-018-230	18000	15.1	12.5	16900	10300	8.2	C35-24B	ML196UH030XE24B	204498164
ML14XP1-018-230	18000	15.1	12.5	16900	10300	8.2	C35-24B	ML196UH045XE24B	204498165
ML14XP1-018-230	18000	15	12.5	17100	10600	8.2	C35-24B	ML196UH070XE36B	204498166
ML14XP1-018-230	18000	16	13	17300	10600	8.5	C35-24B	ML296UH045XV36B	205470277
ML14XP1-018-230	18000	16	13	17200	10600	8.5	C35-24B	ML296UH070XV36B	205470278
ML14XP1-018-230	18000	16	13	17200	10600	8.5	C35-24B	SLP98UH070XV36B	202564154
ML14XP1-018-230	18000	16	13	17200	10600	8.5	C35-24B	SLP99UH070XV36B	205544800
ML14XP1-018-230	18000	16	13	16900	10300	8.5	C35-30A	EL180UH040NE36A	202563945
ML14XP1-018-230	18000	16	13	16900	10300	8.5	C35-30A	EL180UH060NE36A	202564229
ML14XP1-018-230	18000	15.5	12.5	17000	10400	8.5	C35-30A	EL280UH045E36A	204043685
ML14XP1-018-230	18000	15.5	12.5	16800	10300	8.5	C35-30A	EL280UH070E36A	204043686
ML14XP1-018-230	18000	16	13.5	16800	10200	8.5	C35-30A	ML180UH030V36A	204495009
ML14XP1-018-230	18000	15.5	12.5	16900	10400	8.2	C35-30A	ML180UH045E36A	202563991
ML14XP1-018-230	18000	16	13.5	16800	10200	8.5	C35-30A	ML180UH045V36A	204495112
ML14XP1-018-230	18000	16	13	17600	10700	8.5	C35-30A	ML180UH070E36A	204495852
ML14XP1-018-230	18000	16	13.5	16900	10300	8.5	C35-30A	ML180UH070V36A	204495215
ML14XP1-018-230	18000	16	13	17600	10700	8.5	C35-30A	ML180UH070XE36A	204495978
ML14XP1-018-230	18000	14	12	18000	11700	8.2	C35-30A		203986165
ML14XP1-018-230	18000	15.5	12.5	16600	10100	8.2	C35-30B	EL196UH030XE24B	202564057
ML14XP1-018-230	18000	15.5	12.5	16600	10100	8.2	C35-30B	EL196UH045XE24B	202563968
ML14XP1-018-230	18000	15	12.5	17000	10500	8.2	C35-30B	EL196UH045XE36B	202564222
ML14XP1-018-230	18000	15.1	12.5	17000	10500	8.2	C35-30B	EL196UH070XE36B	202563959
ML14XP1-018-230	18000	15.5	12.5	16900	10300	8.4	C35-30B	EL280UH090E36B	204043687
ML14XP1-018-230	18000	15	12.5	17100	10500	8.2	C35-30B	EL296UH045XE36B	202564040
ML14XP1-018-230	18000	16	13	17300	10500	8.5	C35-30B	EL296UH045XV36B	202563976
ML14XP1-018-230	18000	16	13	17300	10600	8.5	C35-30B	EL296UH070XE36B	202564147
ML14XP1-018-230	18000	16	13	17200	10400	8.5	C35-30B	EL296UH070XV36B	202564210
ML14XP1-018-230	18000	15	12.5	17100	10500	8.2	C35-30B	ML180UH070E36B	202564231
ML14XP1-018-230	18000	16	13.5	16800	10200	8.5	C35-30B	ML180UH070V36B	204495330
ML14XP1-018-230	18000	15.5	12.5	16900	10300	8.4	C35-30B	ML193UH030XE36B	204043688
ML14XP1-018-230	18000	15.5	12.5	16900	10300	8.4	C35-30B	ML193UH045XE36B	204043689
ML14XP1-018-230	18000	15.5	12.5	16900	10300	8.4	C35-30B	ML193UH070XE36B	204043690
ML14XP1-018-230	18000	15.5	12.5	16600	10100	8.2	C35-30B	ML196UH030XE24B	204498167
ML14XP1-018-230	18000	15.5	12.5	16600	10100	8.2	C35-30B	ML196UH045XE24B	204498168
ML14XP1-018-230	18000	15	12.5	17000	10500	8.2	C35-30B	ML196UH045XE36B	204498169
ML14XP1-018-230	18000	15.1	12.5	17000	10500	8.2	C35-30B	ML196UH070XE36B	204498170
ML14XP1-018-230	18000	16	13	17300	10500	8.5	C35-30B	ML296UH045XV36B	205470279
ML14XP1-018-230	18000	16	13	17200	10400	8.5	C35-30B	ML296UH070XV36B	205470280
ML14XP1-018-230	18000	16	13	17300	10500	8.5	C35-30B	SL297UH040NV36B	202564125
ML14XP1-018-230	18000	16	13	17300	10500	8.5	C35-30B	SL297UH060NV36B	202564012
ML14XP1-018-230	18000	16	13	17200	10400	8.5	C35-30B	SLP98UH070XV36B	202564225
ML14XP1-018-230	18000	16	13	17200	10400	8.5	C35-30B	SLP99UH070XV36B	205544804
ML14XP1-018-230	18000	14	12	18000	11700	8.2	C35-30B		203986166
ML14XP1-018-230	18000	14	12	17600	10800	8.2	CBA25UH-018-230		202564114
ML14XP1-018-230	18000	14.25	12.2	17600	11000	8.2	CBA25UH-024-230		202564003
ML14XP1-018-230	18000	15.5	12.5	17200	10500	8.5	CBA25UHV-018-230		202564192
ML14XP1-018-230	18000	15.5	12.5	17300	10600	8.5	CBA25UHV-024-230		202564105
ML14XP1-018-230	18000	16	13	17500	10700	9	CBA27UHE-018-230		202563979
ML14XP1-018-230	18000	16	13	17300	10600	8.5	CBA27UHE-024-230		202563950
ML14XP1-018-230	18000	16	13	17700	10900	8.5	CBA38MV-018/024-230		202564023
ML14XP1-018-230	18000	15.5	12.5	17300	10600	8.5	CH35-24A	EL180UH040NE36A	202564141
ML14XP1-018-230	18000	15.5	12.5	17300	10600	8.5	CH35-24A	EL180UH060NE36A	202564116
ML14XP1-018-230	18000	15.5	12.5	17400	10600	8.5	CH35-24A	EL280UH045E36A	204043691

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-018-230	18000	15.5	12.5	17300	10500	8.5	CH35-24A	EL280UH070E36A	204043692
ML14XP1-018-230	18000	15.5	12.5	17200	10500	8.5	CH35-24A	ML180UH030V36A	204495010
ML14XP1-018-230	18000	15.5	12.5	17400	10600	8.5	CH35-24A	ML180UH045E36A	202564127
ML14XP1-018-230	18000	15.5	12.5	17200	10500	8.5	CH35-24A	ML180UH045V36A	204495113
ML14XP1-018-230	18000	16	13	17900	10900	8.8	CH35-24A	ML180UH070E36A	204495853
ML14XP1-018-230	18000	15.5	12.5	17300	10600	8.5	CH35-24A	ML180UH070V36A	204495216
ML14XP1-018-230	18000	16	13	17900	10900	8.8	CH35-24A	ML180UH070XE36A	204495979
ML14XP1-018-230	18000	15.5	12.5	17400	10700	8.5	CH35-24B	EL196UH030XE24B	202564103
ML14XP1-018-230	18000	15.5	12.5	17400	10700	8.5	CH35-24B	EL196UH045XE24B	202564034
ML14XP1-018-230	18000	14.5	12.5	17700	10900	8.2	CH35-24B	EL196UH045XE36B	202564005
ML14XP1-018-230	18000	14.5	12.5	17700	10900	8.2	CH35-24B	EL196UH070XE36B	202563956
ML14XP1-018-230	18000	15	12.5	17500	10800	8.5	CH35-24B	EL280UH090E36B	204043693
ML14XP1-018-230	18000	14.5	12.5	17700	10900	8.2	CH35-24B	EL296UH045XE36B	202564013
ML14XP1-018-230	18000	16	13	17800	10900	8.5	CH35-24B	EL296UH045XV36B	202564112
ML14XP1-018-230	18000	14.5	12.5	17700	10900	8.2	CH35-24B	EL296UH070XE36B	202564098
ML14XP1-018-230	18000	16	13	17800	10900	8.5	CH35-24B	EL296UH070XV36B	202563999
ML14XP1-018-230	18000	14.5	12.5	17700	10900	8.2	CH35-24B	ML180UH070E36B	202564138
ML14XP1-018-230	18000	15.5	12.5	17400	10700	8.8	CH35-24B	ML180UH070V36B	204495331
ML14XP1-018-230	18000	15.1	12.5	17500	10800	8.5	CH35-24B	ML193UH030XE36B	204043694
ML14XP1-018-230	18000	15.1	12.5	17500	10800	8.5	CH35-24B	ML193UH045XE36B	204043695
ML14XP1-018-230	18000	15	12.5	17400	10800	8.5	CH35-24B	ML193UH070XE36B	204043696
ML14XP1-018-230	18000	15.1	12.5	17400	10700	8.2	CH35-24B	ML196UH030XE24B	204498171
ML14XP1-018-230	18000	15.1	12.5	17400	10700	8.2	CH35-24B	ML196UH045XE24B	204498172
ML14XP1-018-230	18000	14.5	12.5	17700	10900	8.2	CH35-24B	ML196UH045XE36B	204498173
ML14XP1-018-230	18000	14.5	12.5	17700	10900	8.2	CH35-24B	ML196UH070XE36B	204498174
ML14XP1-018-230	18000	16	13	17800	10900	8.5	CH35-24B	ML296UH045XV36B	205470281
ML14XP1-018-230	18000	16	13	17800	10900	8.5	CH35-24B	ML296UH070XV36B	205470282
ML14XP1-018-230	18000	16	13	17700	10900	8.5	CH35-24B	SLP98UH070XV36B	202563974
ML14XP1-018-230	18000	16	13	17700	10900	8.5	CH35-24B	SLP99UH070XV36B	205544794
ML14XP1-018-230	18000	16	13	17300	11100	9	CH35-30A	EL180UH040NE36A	203986499
ML14XP1-018-230	18000	16	13	17300	11100	9	CH35-30A	EL180UH060NE36A	203986501
ML14XP1-018-230	18000	16	13	17400	11200	9	CH35-30A	EL280UH045E36A	203986502
ML14XP1-018-230	18000	16	13	17300	11100	9	CH35-30A	EL280UH070E36A	203986503
ML14XP1-018-230	18000	16	13.5	17200	11100	9.2	CH35-30A	ML180UH030V36A	204495011
ML14XP1-018-230	18000	15.5	12.5	17400	11200	9	CH35-30A	ML180UH045E36A	203986504
ML14XP1-018-230	18000	16	13.5	17200	11100	9.2	CH35-30A	ML180UH045V36A	204495114
ML14XP1-018-230	18000	15.5	12.5	17400	11200	9	CH35-30A	ML180UH045XE36A	203986505
ML14XP1-018-230	18000	16	13	17900	11500	9.4	CH35-30A	ML180UH070E36A	204495854
ML14XP1-018-230	18000	16	13.5	17300	11100	9.2	CH35-30A	ML180UH070V36A	204495217
ML14XP1-018-230	18000	16	13	17900	11500	9.4	CH35-30A	ML180UH070XE36A	204495980
ML14XP1-018-230	18000	16	13.5	17600	11300	9	CH35-30A	SL280UH060NV36A	203986506
ML14XP1-018-230	18000	14	12	17800	11700	8.5	CH35-30A		203986167
ML14XP1-018-230	18000	15	12.5	17800	11200	8.5	CH35-30B	EL195UH040NE36B	203986507
ML14XP1-018-230	18000	15	12.5	17800	11300	8.5	CH35-30B	EL195UH060NE36B	203986508
ML14XP1-018-230	18000	15.5	12.5	17600	11100	8.5	CH35-30B	EL196UH030XE24B	203986509
ML14XP1-018-230	18000	15.5	12.5	17600	11100	8.5	CH35-30B	EL196UH045XE24B	203986510
ML14XP1-018-230	18000	15.1	12.5	17700	11200	8.5	CH35-30B	EL196UH045XE36B	203986511
ML14XP1-018-230	18000	15.1	12.5	17700	11200	8.5	CH35-30B	EL196UH070XE36B	203986512
ML14XP1-018-230	18000	15.1	12.5	17700	11200	8.5	CH35-30B	EL296UH045XE36B	203986513
ML14XP1-018-230	18000	16	13	17900	11200	8.5	CH35-30B	EL296UH045XV36B	203986514
ML14XP1-018-230	18000	15.1	12.5	17700	11200	8.5	CH35-30B	EL296UH070XE36B	203986515
ML14XP1-018-230	18000	16	13.5	17800	11100	8.5	CH35-30B	EL296UH070XV36B	203986517
ML14XP1-018-230	18000	15.1	12.5	17700	11200	8.5	CH35-30B	ML180UH070E36B	203986518
ML14XP1-018-230	18000	16	14	17500	10900	9	CH35-30B	ML180UH070V36B	204495332
ML14XP1-018-230	18000	15.1	12.5	17700	11200	8.5	CH35-30B	ML180UH070XE36B	203986519
ML14XP1-018-230	18000	16	13	17600	11000	8.5	CH35-30B	ML193UH030XE36B	203986520

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-018-230	18000	16	13	17600	11000	8.5	CH35-30B	ML193UH045XE36B	203986521
ML14XP1-018-230	18000	16	13	17600	11000	8.5	CH35-30B	ML193UH070XE36B	203986522
ML14XP1-018-230	18000	15.5	12.5	17600	11100	8.5	CH35-30B	ML196UH030XE24B	204498175
ML14XP1-018-230	18000	15.5	12.5	17600	11100	8.5	CH35-30B	ML196UH045XE24B	204498176
ML14XP1-018-230	18000	15.1	12.5	17700	11200	8.5	CH35-30B	ML196UH045XE36B	204498177
ML14XP1-018-230	18000	15.1	12.5	17700	11200	8.5	CH35-30B	ML196UH070XE36B	204498178
ML14XP1-018-230	18000	16	13	17400	10600	8.5	CH35-30B	ML296UH045XV36B	203986523
ML14XP1-018-230	18000	16	13	17500	10700	8.5	CH35-30B	ML296UH070XV36B	203986524
ML14XP1-018-230	18000	16	13.5	17900	11200	9	CH35-30B	SL297UH040NV36B	203986525
ML14XP1-018-230	18000	16	13.5	17900	11200	8.5	CH35-30B	SL297UH060NV36B	203986526
ML14XP1-018-230	18000	16	13.5	17800	11100	8.5	CH35-30B	SLP98UH070XV36B	203986527
ML14XP1-018-230	18000	16	13.5	17800	11100	8.5	CH35-30B	SLP99UH070XV36B	205545873
ML14XP1-018-230	18000	14	12	18000	11500	8.2	CH35-30B		203986347
ML14XP1-018-230	18000	15.5	12.5	17300	10600	8.5	CHX35-24A	EL180UH040NE36A	202564118
ML14XP1-018-230	18000	15.5	12.5	17300	10600	8.5	CHX35-24A	EL180UH060NE36A	202564101
ML14XP1-018-230	18000	15.5	12.5	17400	10600	8.5	CHX35-24A	EL280UH045E36A	204043697
ML14XP1-018-230	18000	15.5	12.5	17300	10500	8.5	CHX35-24A	EL280UH070E36A	204043698
ML14XP1-018-230	18000	15.5	12.5	17200	10500	8.5	CHX35-24A	ML180UH030V36A	204495012
ML14XP1-018-230	18000	15.5	12.5	17400	10600	8.5	CHX35-24A	ML180UH045E36A	202564051
ML14XP1-018-230	18000	15.5	12.5	17200	10500	8.5	CHX35-24A	ML180UH045V36A	204495115
ML14XP1-018-230	18000	16	13	17900	10900	8.8	CHX35-24A	ML180UH070E36A	204495855
ML14XP1-018-230	18000	15.5	12.5	17300	10600	8.5	CHX35-24A	ML180UH070V36A	204495218
ML14XP1-018-230	18000	16	13	17900	10900	8.8	CHX35-24A	ML180UH070XE36A	204495981
ML14XP1-018-230	18000	15.5	12.5	17400	10700	8.5	CHX35-24B	EL196UH030XE24B	202564156
ML14XP1-018-230	18000	15.5	12.5	17400	10700	8.5	CHX35-24B	EL196UH045XE24B	202564207
ML14XP1-018-230	18000	14.5	12.5	17700	10900	8.2	CHX35-24B	EL196UH045XE36B	202564107
ML14XP1-018-230	18000	14.5	12.5	17700	10900	8.2	CHX35-24B	EL196UH070XE36B	202564122
ML14XP1-018-230	18000	15	12.5	17500	10800	8.5	CHX35-24B	EL280UH090E36B	204043699
ML14XP1-018-230	18000	14.5	12.5	17700	10900	8.2	CHX35-24B	EL296UH045XE36B	202564011
ML14XP1-018-230	18000	16	13	17800	10900	8.5	CHX35-24B	EL296UH045XV36B	202564076
ML14XP1-018-230	18000	14.5	12.5	17700	10900	8.2	CHX35-24B	EL296UH070XE36B	202564063
ML14XP1-018-230	18000	16	13	17800	10900	8.5	CHX35-24B	EL296UH070XV36B	202564037
ML14XP1-018-230	18000	14.5	12.5	17700	10900	8.2	CHX35-24B	ML180UH070E36B	202564149
ML14XP1-018-230	18000	15.5	12.5	17400	10700	8.8	CHX35-24B	ML180UH070V36B	204495333
ML14XP1-018-230	18000	15.1	12.5	17500	10800	8.5	CHX35-24B	ML193UH030XE36B	204043701
ML14XP1-018-230	18000	15.1	12.5	17500	10800	8.5	CHX35-24B	ML193UH045XE36B	204043702
ML14XP1-018-230	18000	15	12.5	17400	10800	8.5	CHX35-24B	ML193UH070XE36B	204043703
ML14XP1-018-230	18000	15.1	12.5	17400	10700	8.2	CHX35-24B	ML196UH030XE24B	204498179
ML14XP1-018-230	18000	15.1	12.5	17400	10700	8.2	CHX35-24B	ML196UH045XE24B	204498180
ML14XP1-018-230	18000	14.5	12.5	17700	10900	8.2	CHX35-24B	ML196UH045XE36B	204498181
ML14XP1-018-230	18000	14.5	12.5	17700	10900	8.2	CHX35-24B	ML196UH070XE36B	204498182
ML14XP1-018-230	18000	16	13	17800	10900	8.5	CHX35-24B	ML296UH045XV36B	205470283
ML14XP1-018-230	18000	16	13	17800	10900	8.5	CHX35-24B	ML296UH070XV36B	205470284
ML14XP1-018-230	18000	16	13	17700	10900	8.5	CHX35-24B	SLP98UH070XV36B	202564190
ML14XP1-018-230	18000	16	13	17700	10900	8.5	CHX35-24B	SLP99UH070XV36B	205544802
ML14XP1-018-230	18000	16	13	17300	11100	9	CHX35-30A	EL180UH040NE36A	203986528
ML14XP1-018-230	18000	16	13	17300	11100	9	CHX35-30A	EL180UH060NE36A	203986529
ML14XP1-018-230	18000	15	12.5	17800	11200	8.5	CHX35-30A	EL195UH040NE36B	203986536
ML14XP1-018-230	18000	15	12.5	17800	11300	8.5	CHX35-30A	EL195UH060NE36B	203986537
ML14XP1-018-230	18000	15.5	12.5	17600	11100	8.5	CHX35-30A	EL196UH030XE24B	203986538
ML14XP1-018-230	18000	15.5	12.5	17600	11100	8.5	CHX35-30A	EL196UH045XE24B	203986539
ML14XP1-018-230	18000	15.1	12.5	17700	11200	8.5	CHX35-30A	EL196UH045XE36B	203986540
ML14XP1-018-230	18000	15.1	12.5	17700	11200	8.5	CHX35-30A	EL196UH070XE36B	203986541
ML14XP1-018-230	18000	16	13	17400	11200	9	CHX35-30A	EL280UH045E36A	203986531
ML14XP1-018-230	18000	16	13	17300	11100	9	CHX35-30A	EL280UH070E36A	203986532
ML14XP1-018-230	18000	15.1	12.5	17700	11200	8.5	CHX35-30A	EL296UH045XE36B	203986543

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-018-230	18000	16	13	17900	11200	8.5	CHX35-30A	EL296UH045XV36B	203986544
ML14XP1-018-230	18000	15.1	12.5	17700	11200	8.5	CHX35-30A	EL296UH070XE36B	203986545
ML14XP1-018-230	18000	16	13.5	17800	11100	8.5	CHX35-30A	EL296UH070XV36B	203986546
ML14XP1-018-230	18000	16	13.5	17200	11100	9.2	CHX35-30A	ML180UH030V36A	204495013
ML14XP1-018-230	18000	15.5	12.5	17400	11200	9	CHX35-30A	ML180UH045E36A	203986533
ML14XP1-018-230	18000	16	13.5	17200	11100	9.2	CHX35-30A	ML180UH045V36A	204495116
ML14XP1-018-230	18000	15.5	12.5	17400	11200	9	CHX35-30A	ML180UH045XE36A	203986534
ML14XP1-018-230	18000	16	13	17900	11500	9.4	CHX35-30A	ML180UH070E36A	204495856
ML14XP1-018-230	18000	15.1	12.5	17700	11200	8.5	CHX35-30A	ML180UH070E36B	203986547
ML14XP1-018-230	18000	16	13.5	17300	11100	9.2	CHX35-30A	ML180UH070V36A	204495219
ML14XP1-018-230	18000	16	13	17900	11500	9.4	CHX35-30A	ML180UH070XE36A	204495982
ML14XP1-018-230	18000	15.1	12.5	17700	11200	8.5	CHX35-30A	ML180UH070XE36B	203986548
ML14XP1-018-230	18000	16	13	17600	11000	8.5	CHX35-30A	ML193UH030XE36B	203986549
ML14XP1-018-230	18000	16	13	17600	11000	8.5	CHX35-30A	ML193UH045XE36B	203986550
ML14XP1-018-230	18000	16	13	17600	11000	8.5	CHX35-30A	ML193UH070XE36B	203986551
ML14XP1-018-230	18000	15.5	12.5	17600	11100	8.5	CHX35-30A	ML196UH030XE24B	204498183
ML14XP1-018-230	18000	15.5	12.5	17600	11100	8.5	CHX35-30A	ML196UH045XE24B	204498184
ML14XP1-018-230	18000	15.1	12.5	17700	11200	8.5	CHX35-30A	ML196UH045XE36B	204498185
ML14XP1-018-230	18000	15.1	12.5	17700	11200	8.5	CHX35-30A	ML196UH070XE36B	204498186
ML14XP1-018-230	18000	16	13	17600	10700	8.5	CHX35-30A	ML296UH045XV36B	203986552
ML14XP1-018-230	18000	16	13	17500	10700	8.5	CHX35-30A	ML296UH070XV36B	203986553
ML14XP1-018-230	18000	16	13.5	17600	11300	9	CHX35-30A	SL280UH060NV36A	203986535
ML14XP1-018-230	18000	16	13.5	17900	11200	9	CHX35-30A	SL297UH040NV36B	203986554
ML14XP1-018-230	18000	16	13.5	17900	11200	8.5	CHX35-30A	SL297UH060NV36B	203986556
ML14XP1-018-230	18000	16	13.5	17800	11100	8.5	CHX35-30A	SLP98UH070XV36B	203986557
ML14XP1-018-230	18000	16	13.5	17800	11100	8.5	CHX35-30A	SLP99UH070XV36B	205545874
ML14XP1-018-230	18000	14	12	17800	11700	8.5	CHX35-30A		204036485
ML14XP1-018-230	18000	16	14	17500	10900	9	CHX35-30B	ML180UH070V36B	204495334
ML14XP1-018-230	18000	15.1	12.5	17700	11200	8.5	CHX35-30B	ML196UH070XE36B	205274275
ML14XP1-018-230	18000	14	12	18000	11500	8.2	CHX35-30B		204036487
ML14XP1-018-230	18000	15.1	12.5	17100	10400	8.4	CR33-24A	EL280DF070E36A	204043704
ML14XP1-018-230	18000	15.1	12.5	17100	10500	8.2	CR33-24A	ML180DF045E36A	202564219
ML14XP1-018-230	18000	15.5	12.5	17800	10800	8.5	CR33-24A	ML180DF070E36A	204495924
ML14XP1-018-230	18000	14.5	12.5	17200	10600	8.2	CR33-24B	EL296DF045XE36B	202564120
ML14XP1-018-230	18000	14.25	12.2	17300	10600	8.2	CR33-24B	ML196DF045XE36B	205706937
ML14XP1-018-230	18000	14.25	12.2	17300	10600	8.2	CR33-24B	ML196DF070XE48B	205706938
ML14XP1-018-230	18000	15.5	12.5	18000	11600	9.2	CR33-30/36A	EL280DF070E36A	204043705
ML14XP1-018-230	18000	15.1	12.5	18000	11600	8.5	CR33-30/36A	ML180DF045E36A	202563985
ML14XP1-018-230	18000	16	13	18000	12000	9.4	CR33-30/36A	ML180DF070E36A	204495925
ML14XP1-018-230	18000	14	12	18000	12000	8.2	CR33-30/36A		202564161
ML14XP1-018-230	18000	15	12.5	18000	11800	8.5	CR33-30/36B	EL296DF045XE36B	202564201
ML14XP1-018-230	18000	14.5	12.5	18000	11800	8.5	CR33-30/36B	ML180DF070E36B	202564158
ML14XP1-018-230	18000	15	12.5	18000	11500	8.8	CR33-30/36B	ML193DF045XE36B	204043706
ML14XP1-018-230	18000	15	12.5	18000	11500	8.8	CR33-30/36B	ML193DF070XE36B	204043707
ML14XP1-018-230	18000	14.5	12.5	18800	11800	8.5	CR33-30/36B	ML196DF045XE36B	205706939
ML14XP1-018-230	18000	14.5	12.5	18800	11800	8.5	CR33-30/36B	ML196DF070XE48B	205706940
ML14XP1-018-230	18000	14	12	18000	12000	8.2	CR33-30/36B		202564152
ML14XP1-018-230	18000	15.5	12.5	16900	10400	8.5	CX35-24A	EL180UH040NE36A	202564084
ML14XP1-018-230	18000	15.5	12.5	16900	10400	8.5	CX35-24A	EL180UH060NE36A	202563993
ML14XP1-018-230	18000	15.5	12.5	17000	10400	8.5	CX35-24A	EL280UH045E36A	204043708
ML14XP1-018-230	18000	15.5	12.5	16800	10300	8.4	CX35-24A	EL280UH070E36A	204043709
ML14XP1-018-230	18000	15.5	12.5	16800	10300	8.5	CX35-24A	ML180UH030V36A	204495014
ML14XP1-018-230	18000	15.1	12.5	17000	10500	8.2	CX35-24A	ML180UH045E36A	202564130
ML14XP1-018-230	18000	15.5	12.5	16800	10300	8.5	CX35-24A	ML180UH045V36A	204495117
ML14XP1-018-230	18000	16	13	17600	10700	8.5	CX35-24A	ML180UH070E36A	204495857
ML14XP1-018-230	18000	15.5	12.5	16900	10300	8.5	CX35-24A	ML180UH070V36A	204495220

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-018-230	18000	16	13	17600	10700	8.5	CX35-24A	ML180UH070XE36A	204495983
ML14XP1-018-230	18000	16	13	17200	10500	8.5	CX35-24A	SL280UH060NV36A	202564109
ML14XP1-018-230	18000	16	13	16900	10300	8.5	CX35-24B	EL196UH030XE24B	202564072
ML14XP1-018-230	18000	16	13	16900	10300	8.5	CX35-24B	EL196UH045XE24B	202564054
ML14XP1-018-230	18000	15	12.5	17100	10600	8.2	CX35-24B	EL196UH070XE36B	202564233
ML14XP1-018-230	18000	15.1	12.5	16900	10400	8.2	CX35-24B	EL280UH090E36B	204043710
ML14XP1-018-230	18000	14.5	12.5	17100	10600	8.2	CX35-24B	EL296UH045XE36B	202564196
ML14XP1-018-230	18000	16	13	17300	10600	8.5	CX35-24B	EL296UH045XV36B	202564144
ML14XP1-018-230	18000	16	13	17200	10600	8.5	CX35-24B	EL296UH070XV36B	202563971
ML14XP1-018-230	18000	14.5	12.5	17100	10600	8.2	CX35-24B	ML180UH070E36B	202564093
ML14XP1-018-230	18000	15.5	12.5	16900	10300	8.5	CX35-24B	ML180UH070V36B	204495335
ML14XP1-018-230	18000	15.1	12.5	16900	10400	8.4	CX35-24B	ML193UH030XE36B	204043711
ML14XP1-018-230	18000	15.1	12.5	16900	10400	8.4	CX35-24B	ML193UH045XE36B	204043712
ML14XP1-018-230	18000	15.1	12.5	16900	10400	8.2	CX35-24B	ML193UH070XE36B	204043713
ML14XP1-018-230	18000	15.1	12.5	16900	10300	8.2	CX35-24B	ML196UH030XE24B	204498187
ML14XP1-018-230	18000	15.1	12.5	16900	10300	8.2	CX35-24B	ML196UH045XE24B	204498188
ML14XP1-018-230	18000	15	12.5	17100	10600	8.2	CX35-24B	ML196UH070XE36B	204498189
ML14XP1-018-230	18000	16	13	17300	10600	8.5	CX35-24B	ML296UH045XV36B	205470285
ML14XP1-018-230	18000	16	13	17200	10600	8.5	CX35-24B	ML296UH070XV36B	205470286
ML14XP1-018-230	18000	16	13	17200	10600	8.5	CX35-24B	SLP98UH070XV36B	202563996
ML14XP1-018-230	18000	16	13	17200	10600	8.5	CX35-24B	SLP99UH070XV36B	205544797
ML14XP1-018-230	18000	16	13	16900	10300	8.5	CX35-30A	EL180UH040NE36A	202564243
ML14XP1-018-230	18000	16	13	16900	10300	8.5	CX35-30A	EL180UH060NE36A	202564014
ML14XP1-018-230	18000	15.5	12.5	17000	10400	8.5	CX35-30A	EL280UH045E36A	204043714
ML14XP1-018-230	18000	15.5	12.5	16800	10300	8.5	CX35-30A	EL280UH070E36A	204043715
ML14XP1-018-230	18000	16	13.5	16800	10200	8.5	CX35-30A	ML180UH030V36A	204495015
ML14XP1-018-230	18000	15.5	12.5	16900	10400	8.2	CX35-30A	ML180UH045E36A	202564010
ML14XP1-018-230	18000	16	13.5	16800	10200	8.5	CX35-30A	ML180UH045V36A	204495118
ML14XP1-018-230	18000	16	13	17600	10700	8.5	CX35-30A	ML180UH070E36A	204495858
ML14XP1-018-230	18000	16	13.5	16900	10300	8.5	CX35-30A	ML180UH070V36A	204495221
ML14XP1-018-230	18000	16	13	17600	10700	8.5	CX35-30A	ML180UH070XE36A	204495984
ML14XP1-018-230	18000	14	12	18000	11700	8.2	CX35-30A		203986168
ML14XP1-018-230	18000	15.5	12.5	16600	10100	8.2	CX35-30B	EL196UH030XE24B	202564188
ML14XP1-018-230	18000	15.5	12.5	16600	10100	8.2	CX35-30B	EL196UH045XE24B	202564176
ML14XP1-018-230	18000	15	12.5	17000	10500	8.2	CX35-30B	EL196UH045XE36B	202564194
ML14XP1-018-230	18000	15.1	12.5	17000	10500	8.2	CX35-30B	EL196UH070XE36B	202564029
ML14XP1-018-230	18000	15.5	12.5	16900	10300	8.4	CX35-30B	EL280UH090E36B	204043716
ML14XP1-018-230	18000	15	12.5	17100	10500	8.2	CX35-30B	EL296UH045XE36B	202564025
ML14XP1-018-230	18000	16	13	17300	10500	8.5	CX35-30B	EL296UH045XV36B	202563962
ML14XP1-018-230	18000	16	13	17300	10600	8.5	CX35-30B	EL296UH070XE36B	202564086
ML14XP1-018-230	18000	16	13	17200	10400	8.5	CX35-30B	EL296UH070XV36B	202564049
ML14XP1-018-230	18000	15	12.5	17100	10500	8.2	CX35-30B	ML180UH070E36B	202563982
ML14XP1-018-230	18000	16	13.5	16800	10200	8.5	CX35-30B	ML180UH070V36B	204495336
ML14XP1-018-230	18000	15.5	12.5	16900	10300	8.4	CX35-30B	ML193UH030XE36B	204043717
ML14XP1-018-230	18000	15.5	12.5	16900	10300	8.4	CX35-30B	ML193UH045XE36B	204043718
ML14XP1-018-230	18000	15.5	12.5	16900	10300	8.4	CX35-30B	ML193UH070XE36B	204043719
ML14XP1-018-230	18000	15.5	12.5	16600	10100	8.2	CX35-30B	ML196UH030XE24B	204498190
ML14XP1-018-230	18000	15.5	12.5	16600	10100	8.2	CX35-30B	ML196UH045XE24B	204498191
ML14XP1-018-230	18000	15	12.5	17000	10500	8.2	CX35-30B	ML196UH045XE36B	204498192
ML14XP1-018-230	18000	15.1	12.5	17000	10500	8.2	CX35-30B	ML196UH070XE36B	204498193
ML14XP1-018-230	18000	16	13	17300	10500	8.5	CX35-30B	ML296UH045XV36B	205470287
ML14XP1-018-230	18000	16	13	17200	10400	8.5	CX35-30B	ML296UH070XV36B	205470288
ML14XP1-018-230	18000	16	13	17300	10500	8.5	CX35-30B	SL297UH040NV36B	202564043
ML14XP1-018-230	18000	16	13	17300	10500	8.5	CX35-30B	SL297UH060NV36B	202564009
ML14XP1-018-230	18000	16	13	17200	10400	8.5	CX35-30B	SLP98UH070XV36B	202564079
ML14XP1-018-230	18000	16	13	17200	10400	8.5	CX35-30B	SLP99UH070XV36B	205544799

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-018-230	18000	14	12	18000	11700	8.2	CX35-30B		203986169
ML14XP1-024-230	23600	15.5	12.5	21600	13800	8.5	C35-24A	EL180UH040NE36A	202564938
ML14XP1-024-230	23600	15.5	12.5	21600	13800	8.5	C35-24A	EL180UH060NE36A	202564939
ML14XP1-024-230	24000	15.5	12.5	22200	14100	9	C35-24A	EL280UH045E36A	204043720
ML14XP1-024-230	23800	15.5	12.5	21800	14000	9	C35-24A	EL280UH070E36A	204043721
ML14XP1-024-230	24000	15.5	12.5	22000	14000	9	C35-24A	ML180UH030V36A	204495016
ML14XP1-024-230	24000	15.5	12.5	22000	14100	8.5	C35-24A	ML180UH045E36A	202564940
ML14XP1-024-230	24000	15.5	12.5	22000	14000	9	C35-24A	ML180UH045V36A	204495119
ML14XP1-024-230	23800	15.5	12.5	21800	13900	9	C35-24A	ML180UH070E36A	204495859
ML14XP1-024-230	23800	15.5	12.5	21800	13900	8.5	C35-24A	ML180UH070V36A	204495222
ML14XP1-024-230	23800	15.5	12.5	21800	13900	9	C35-24A	ML180UH070XE36A	204495985
ML14XP1-024-230	24000	16	13	22000	14000	9	C35-24A	SL280UH060NV36A	202564941
ML14XP1-024-230	24000	15.5	12.5	22000	14000	8.5	C35-24A	SL280UH070V36A	202564942
ML14XP1-024-230	24000	15.5	12.5	22000	14000	8.5	C35-24A	SL280UH070XV36A	202564943
ML14XP1-024-230	23400	14	11.5	22400	14500	8.2	C35-24A		202564918
ML14XP1-024-230	23800	15.5	12.5	21800	13900	8.5	C35-24B	EL195UH040NE36B	202564945
ML14XP1-024-230	24000	15.5	12.5	22000	14000	8.5	C35-24B	EL195UH060NE36B	202564948
ML14XP1-024-230	23800	15.5	12.5	21800	14000	8.5	C35-24B	EL196UH030XE24B	202564950
ML14XP1-024-230	23800	15.5	12.5	21800	14000	8.5	C35-24B	EL196UH045XE24B	202564951
ML14XP1-024-230	23800	15.5	12.5	21800	14000	8.5	C35-24B	EL196UH045XE36B	202564952
ML14XP1-024-230	23800	15.5	12.5	21800	13900	8.5	C35-24B	EL196UH070XE36B	202564953
ML14XP1-024-230	23600	15.1	12.5	21800	14000	8.8	C35-24B	EL280UH090E36B	204043722
ML14XP1-024-230	23600	15.5	12.5	21800	13900	8.5	C35-24B	EL296UH045XE36B	202564954
ML14XP1-024-230	23800	15.5	12.5	22000	14000	8.5	C35-24B	EL296UH045XV36B	202564955
ML14XP1-024-230	23800	15.5	12.5	22000	14000	8.5	C35-24B	EL296UH070XE36B	202564956
ML14XP1-024-230	23800	15.5	12.5	21800	13900	8.5	C35-24B	EL296UH070XV36B	202564957
ML14XP1-024-230	23800	15.5	12.5	21800	13900	8.5	C35-24B	ML180UH070E36B	202564958
ML14XP1-024-230	24000	15.5	12.5	21800	13900	9	C35-24B	ML180UH070V36B	204495337
ML14XP1-024-230	24000	16	13.5	22000	14000	9.2	C35-24B	ML180UH070V48B	204495473
ML14XP1-024-230	24000	15.5	12.5	22000	14100	9.2	C35-24B	ML180UH090V48B	204495597
ML14XP1-024-230	23800	15.1	12.5	22000	14100	8.8	C35-24B	ML193UH030XE36B	204043723
ML14XP1-024-230	23400	15	12.5	21800	13900	8.5	C35-24B	ML193UH045XE36B	204043724
ML14XP1-024-230	23400	15.1	12.5	21800	13900	8.8	C35-24B	ML193UH070XE36B	204043725
ML14XP1-024-230	23800	15.5	12.5	21800	14000	8.5	C35-24B	ML196UH030XE24B	204498194
ML14XP1-024-230	23800	15.5	12.5	21800	14000	8.5	C35-24B	ML196UH045XE24B	204498195
ML14XP1-024-230	23800	15.5	12.5	21800	14000	8.5	C35-24B	ML196UH045XE36B	204498196
ML14XP1-024-230	23800	15.5	12.5	21800	13900	8.5	C35-24B	ML196UH070XE36B	204498197
ML14XP1-024-230	23800	15.5	12.5	22000	14000	8.5	C35-24B	ML296UH045XV36B	205470289
ML14XP1-024-230	23800	15.5	12.5	21800	13900	8.5	C35-24B	ML296UH070XV36B	205470290
ML14XP1-024-230	24000	16	13	21800	13900	8.5	C35-24B	SL280UH090V36B	202564959
ML14XP1-024-230	24000	15.5	12.5	22000	14000	8.5	C35-24B	SL297UH040NV36B	202564960
ML14XP1-024-230	23800	15.5	12.5	22000	14000	8.5	C35-24B	SL297UH060NV36B	202564961
ML14XP1-024-230	23800	15.5	12.5	21800	13900	8.5	C35-24B	SLP98UH070XV36B	202564962
ML14XP1-024-230	23800	15.5	12.5	21800	13900	8.5	C35-24B	SLP99UH070XV36B	205544816
ML14XP1-024-230	23400	14	11.5	22400	14500	8.2	C35-24B		202564919
ML14XP1-024-230	24000	16	13	21000	13100	8.5	C35-30A	EL180UH040NE36A	202564963
ML14XP1-024-230	24000	16	13	21000	13100	8.5	C35-30A	EL180UH060NE36A	202564964
ML14XP1-024-230	24000	16	13.5	21600	13400	9	C35-30A	EL280UH045E36A	204043726
ML14XP1-024-230	24000	15.5	12.5	21200	13300	8.8	C35-30A	EL280UH070E36A	204043727
ML14XP1-024-230	24000	16	13.5	21200	13200	9	C35-30A	ML180UH030V36A	204495017
ML14XP1-024-230	24000	16	13	21400	13400	8.5	C35-30A	ML180UH045E36A	202564965
ML14XP1-024-230	24000	16	13.5	21200	13200	9	C35-30A	ML180UH045V36A	204495120
ML14XP1-024-230	24000	16	13	21200	13200	9	C35-30A	ML180UH070E36A	204495860
ML14XP1-024-230	24000	16	13	21200	13200	8.5	C35-30A	ML180UH070V36A	204495223
ML14XP1-024-230	24000	16	13	21200	13200	9	C35-30A	ML180UH070XE36A	204495986
ML14XP1-024-230	24000	16	13	21200	13100	8.5	C35-30A	SL280UH060NV36A	202564966

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-024-230	24000	16	13	21400	13300	8.5	C35-30A	SL280UH070V36A	202564967
ML14XP1-024-230	24000	16	13	21400	13300	8.5	C35-30A	SL280UH070XV36A	202564968
ML14XP1-024-230	23600	14	12	21800	13900	8.2	C35-30A		202564920
ML14XP1-024-230	24000	16	13	21200	13200	8.5	C35-30B	EL195UH040NE36B	202564970
ML14XP1-024-230	24000	16	13	21200	13200	8.5	C35-30B	EL195UH060NE36B	202564973
ML14XP1-024-230	24000	16	13	21200	13300	8.5	C35-30B	EL196UH030XE24B	202564975
ML14XP1-024-230	24000	16	13	21200	13300	8.5	C35-30B	EL196UH045XE24B	202564976
ML14XP1-024-230	24000	16	13	21200	13300	8.5	C35-30B	EL196UH045XE36B	202564977
ML14XP1-024-230	24000	16	13	21200	13200	8.5	C35-30B	EL196UH070XE36B	202564978
ML14XP1-024-230	24000	15.5	12.5	21200	13300	8.8	C35-30B	EL280UH090E36B	204043728
ML14XP1-024-230	24000	15.5	12.5	21200	13200	8.5	C35-30B	EL296UH045XE36B	202564979
ML14XP1-024-230	24000	16	13	21200	13200	8.5	C35-30B	EL296UH045XV36B	202564980
ML14XP1-024-230	24000	16	13	21400	13300	8.5	C35-30B	EL296UH070XE36B	202564981
ML14XP1-024-230	24000	16	13	21200	13200	8.5	C35-30B	EL296UH070XV36B	202564982
ML14XP1-024-230	24000	16	13	21200	13200	8.5	C35-30B	ML180UH070E36B	202564983
ML14XP1-024-230	24000	16	13.5	21200	13200	9	C35-30B	ML180UH070V36B	204495338
ML14XP1-024-230	24000	16	13.5	21400	13200	9	C35-30B	ML180UH070V48B	204495474
ML14XP1-024-230	24000	16	13.5	21400	13300	9	C35-30B	ML180UH090V48B	204495598
ML14XP1-024-230	24000	15.5	12.5	21400	13400	8.8	C35-30B	ML193UH030XE36B	204043729
ML14XP1-024-230	23800	15.5	12.5	21200	13300	8.5	C35-30B	ML193UH045XE36B	204043730
ML14XP1-024-230	23800	15.5	12.5	21200	13300	8.5	C35-30B	ML193UH070XE36B	204043731
ML14XP1-024-230	24000	16	13	21200	13300	8.5	C35-30B	ML196UH030XE24B	204498198
ML14XP1-024-230	24000	16	13	21200	13300	8.5	C35-30B	ML196UH045XE24B	204498199
ML14XP1-024-230	24000	16	13	21200	13300	8.5	C35-30B	ML196UH045XE36B	204498200
ML14XP1-024-230	24000	16	13	21200	13200	8.5	C35-30B	ML196UH070XE36B	204498201
ML14XP1-024-230	24000	16	13	21200	13200	8.5	C35-30B	ML296UH045XV36B	205470291
ML14XP1-024-230	24000	16	13	21200	13200	8.5	C35-30B	ML296UH070XV36B	205470292
ML14XP1-024-230	24000	16	13	21200	13200	8.5	C35-30B	SL280UH090V36B	202564984
ML14XP1-024-230	24000	16	13	21200	13200	8.5	C35-30B	SL297UH040NV36B	202564985
ML14XP1-024-230	24000	16	13	21200	13300	8.5	C35-30B	SL297UH060NV36B	202564986
ML14XP1-024-230	24000	16	13	21200	13200	8.5	C35-30B	SLP98UH070XV36B	202564987
ML14XP1-024-230	24000	16	13	21200	13200	8.5	C35-30B	SLP99UH070XV36B	205544819
ML14XP1-024-230	23600	14	12	21800	13900	8.2	C35-30B		202564921
ML14XP1-024-230	23800	14	12	22200	14300	8.2	CBA25UH-024-230		202564988
ML14XP1-024-230	23800	14.5	12.5	19600	13900	8.5	CBA25UH-030-230		202564989
ML14XP1-024-230	24000	15.1	12.5	21600	13800	8.5	CBA25UHV-024-230		202564990
ML14XP1-024-230	24000	16	13	19200	13500	9	CBA25UHV-030-230		202564991
ML14XP1-024-230	23800	16	13	21600	13700	9	CBA27UHE-024-230		202564992
ML14XP1-024-230	24000	16	13	21800	13800	9	CBA27UHE-030-230		202564993
ML14XP1-024-230	23800	15.5	12.5	22000	14000	9	CBA38MV-018/024-230		202564994
ML14XP1-024-230	24000	16	13	22200	14000	9	CBA38MV-030-230		202564995
ML14XP1-024-230	23600	16	13	21400	13400	8.5	CH35-24A	EL180UH040NE36A	202564996
ML14XP1-024-230	23600	15.5	12.5	21400	13400	8.5	CH35-24A	EL180UH060NE36A	202564997
ML14XP1-024-230	24000	15.5	12.5	21800	13800	9	CH35-24A	EL280UH045E36A	204043732
ML14XP1-024-230	23800	15.5	12.5	21600	13600	9	CH35-24A	EL280UH070E36A	204043733
ML14XP1-024-230	24000	16	13.5	21600	13600	9	CH35-24A	ML180UH030V36A	204495018
ML14XP1-024-230	24000	15.5	12.5	21800	13700	8.5	CH35-24A	ML180UH045E36A	202564998
ML14XP1-024-230	24000	16	13.5	21600	13600	9	CH35-24A	ML180UH045V36A	204495121
ML14XP1-024-230	23800	15.5	12.5	21600	13600	9	CH35-24A	ML180UH070E36A	204495861
ML14XP1-024-230	23800	15.5	12.5	21600	13600	8.5	CH35-24A	ML180UH070V36A	204495224
ML14XP1-024-230	23800	15.5	12.5	21600	13600	9	CH35-24A	ML180UH070XE36A	204495987
ML14XP1-024-230	24000	16	13	21600	13600	8.5	CH35-24A	SL280UH060NV36A	202564999
ML14XP1-024-230	24000	15.5	12.5	21800	13700	8.5	CH35-24A	SL280UH070V36A	202565000
ML14XP1-024-230	24000	15.5	12.5	21800	13700	8.5	CH35-24A	SL280UH070XV36A	202565001
ML14XP1-024-230	23400	14	12	22200	14200	8.5	CH35-24A		202564922
ML14XP1-024-230	23600	15.5	12.5	21600	13600	8.5	CH35-24B	EL195UH040NE36B	202565003

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-024-230	23600	15.5	12.5	21600	13600	8.5	CH35-24B	EL195UH060NE36B	202565006
ML14XP1-024-230	23600	15.5	12.5	21800	13700	8.5	CH35-24B	EL196UH030XE24B	202565008
ML14XP1-024-230	23600	15.5	12.5	21800	13700	8.5	CH35-24B	EL196UH045XE24B	202565009
ML14XP1-024-230	23800	15.5	12.5	21800	13700	9	CH35-24B	EL196UH045XE36B	202565010
ML14XP1-024-230	23800	16	13	21800	13600	9	CH35-24B	EL196UH070XE36B	202565011
ML14XP1-024-230	23600	15.1	12.5	21800	13700	9	CH35-24B	EL280UH090E36B	204043734
ML14XP1-024-230	23400	15.5	12.5	21600	13600	8.5	CH35-24B	EL296UH045XE36B	202565012
ML14XP1-024-230	23800	15.5	12.5	21600	13600	8.5	CH35-24B	EL296UH045XV36B	202565013
ML14XP1-024-230	23800	15.5	12.5	21800	13700	8.5	CH35-24B	EL296UH070XE36B	202565014
ML14XP1-024-230	23600	15.5	12.5	21600	13600	8.5	CH35-24B	EL296UH070XV36B	202565015
ML14XP1-024-230	23600	15.5	12.5	21600	13600	8.5	CH35-24B	ML180UH070E36B	202565016
ML14XP1-024-230	23800	16	13.5	21600	13600	9.2	CH35-24B	ML180UH070V36B	204495339
ML14XP1-024-230	24000	16	13.5	21800	13600	9.2	CH35-24B	ML180UH070V48B	204495475
ML14XP1-024-230	24000	16	13.5	21800	13700	9.2	CH35-24B	ML180UH090V48B	204495599
ML14XP1-024-230	23600	15.1	12.5	21800	13800	9	CH35-24B	ML193UH030XE36B	204043735
ML14XP1-024-230	23400	15	12.5	21600	13600	8.8	CH35-24B	ML193UH045XE36B	204043736
ML14XP1-024-230	23400	15.1	12.5	21600	13600	8.8	CH35-24B	ML193UH070XE36B	204043737
ML14XP1-024-230	23600	15.5	12.5	21800	13700	8.5	CH35-24B	ML196UH030XE24B	204498202
ML14XP1-024-230	23600	15.5	12.5	21800	13700	8.5	CH35-24B	ML196UH045XE24B	204498203
ML14XP1-024-230	23800	15.5	12.5	21800	13700	9	CH35-24B	ML196UH045XE36B	204498204
ML14XP1-024-230	23800	16	13	21800	13600	9	CH35-24B	ML196UH070XE36B	204498205
ML14XP1-024-230	23800	15.5	12.5	21600	13600	8.5	CH35-24B	ML296UH045XV36B	205470293
ML14XP1-024-230	23600	15.5	12.5	21600	13600	8.5	CH35-24B	ML296UH070XV36B	205470294
ML14XP1-024-230	23800	16	13	21600	13500	9	CH35-24B	SL280UH080NV48B	202565017
ML14XP1-024-230	23800	16	13	21600	13600	9	CH35-24B	SL297UH040NV36B	202565018
ML14XP1-024-230	23800	15.5	12.5	21600	13600	8.5	CH35-24B	SL297UH060NV36B	202565019
ML14XP1-024-230	23600	15.5	12.5	21600	13600	8.5	CH35-24B	SLP98UH070XV36B	202565020
ML14XP1-024-230	23600	15.5	12.5	21600	13600	8.5	CH35-24B	SLP99UH070XV36B	205544821
ML14XP1-024-230	23200	14	11.5	22400	14300	8.2	CH35-24B		202564923
ML14XP1-024-230	24000	16	13	21400	13200	8.5	CH35-30A	EL180UH040NE36A	202565021
ML14XP1-024-230	24000	16	13	21400	13300	8.5	CH35-30A	EL180UH060NE36A	202565022
ML14XP1-024-230	24000	16	13.5	21800	13600	9.2	CH35-30A	EL280UH045E36A	204043738
ML14XP1-024-230	24000	16	13.5	21600	13400	9	CH35-30A	EL280UH070E36A	204043739
ML14XP1-024-230	24000	16	13.5	21600	13400	9.2	CH35-30A	ML180UH030V36A	204495019
ML14XP1-024-230	24000	16	13	21800	13500	8.5	CH35-30A	ML180UH045E36A	202565023
ML14XP1-024-230	24000	16	13.5	21600	13400	9.2	CH35-30A	ML180UH045V36A	204495122
ML14XP1-024-230	24000	16	13	21600	13400	9.2	CH35-30A	ML180UH070E36A	204495862
ML14XP1-024-230	24000	16	13	21600	13400	8.5	CH35-30A	ML180UH070V36A	204495225
ML14XP1-024-230	24000	16	13	21600	13400	9.2	CH35-30A	ML180UH070XE36A	204495988
ML14XP1-024-230	24000	16	13	21800	13500	8.5	CH35-30A	SL280UH070V36A	202565024
ML14XP1-024-230	24000	16	13	21800	13500	8.5	CH35-30A	SL280UH070XV36A	202565025
ML14XP1-024-230	23600	14	12	22200	14000	8.2	CH35-30A		202564924
ML14XP1-024-230	24000	16	13	21400	13400	8.5	CH35-30B	EL195UH040NE36B	202565027
ML14XP1-024-230	24000	16	13	21400	13400	8.5	CH35-30B	EL195UH060NE36B	202565030
ML14XP1-024-230	24000	16	13	21400	13400	8.5	CH35-30B	EL196UH030XE24B	202565032
ML14XP1-024-230	24000	16	13	21400	13400	8.5	CH35-30B	EL196UH045XE24B	202565033
ML14XP1-024-230	24000	16	13	21400	13400	8.5	CH35-30B	EL196UH045XE36B	202565034
ML14XP1-024-230	24000	16	13	21400	13400	8.5	CH35-30B	EL196UH070XE36B	202565035
ML14XP1-024-230	24000	15.5	12.5	21400	13400	8.8	CH35-30B	EL280UH090E36B	204043740
ML14XP1-024-230	24000	16	13	21400	13400	8.5	CH35-30B	EL296UH045XE36B	202565036
ML14XP1-024-230	24000	16	13	21400	13400	8.5	CH35-30B	EL296UH045XV36B	202565037
ML14XP1-024-230	24000	16	13	21600	13500	8.5	CH35-30B	EL296UH070XE36B	202565038
ML14XP1-024-230	24000	16	13	21400	13400	8.5	CH35-30B	EL296UH070XV36B	202565039
ML14XP1-024-230	24000	16	13	21400	13400	8.5	CH35-30B	ML180UH070E36B	202565040
ML14XP1-024-230	24000	16	13.5	21400	13300	9	CH35-30B	ML180UH070V36B	204495340
ML14XP1-024-230	24000	16	14	21400	13400	9.2	CH35-30B	ML180UH070V48B	204495476

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-024-230	24000	16	14	21600	13500	9.2	CH35-30B	ML180UH090V48B	204495600
ML14XP1-024-230	24000	15.5	12.5	21600	13500	8.8	CH35-30B	ML193UH030XE36B	204043741
ML14XP1-024-230	23800	15.5	12.5	21400	13400	8.5	CH35-30B	ML193UH045XE36B	204043742
ML14XP1-024-230	23800	15.5	12.5	21400	13400	8.8	CH35-30B	ML193UH070XE36B	204043743
ML14XP1-024-230	24000	16	13	21400	13400	8.5	CH35-30B	ML196UH030XE24B	204498206
ML14XP1-024-230	24000	16	13	21400	13400	8.5	CH35-30B	ML196UH045XE24B	204498207
ML14XP1-024-230	24000	16	13	21400	13400	8.5	CH35-30B	ML196UH045XE36B	204498208
ML14XP1-024-230	24000	16	13	21400	13400	8.5	CH35-30B	ML196UH070XE36B	204498209
ML14XP1-024-230	24000	16	13	21400	13400	8.5	CH35-30B	ML296UH045XV36B	205470295
ML14XP1-024-230	24000	16	13	21400	13400	8.5	CH35-30B	ML296UH070XV36B	205470296
ML14XP1-024-230	24000	16	13	21400	13400	8.5	CH35-30B	SL297UH040NV36B	202565041
ML14XP1-024-230	24000	16	13	21400	13400	8.5	CH35-30B	SL297UH060NV36B	202565042
ML14XP1-024-230	24000	16	13	21400	13400	8.5	CH35-30B	SLP98UH070XV36B	202565043
ML14XP1-024-230	24000	16	13	21400	13400	8.5	CH35-30B	SLP99UH070XV36B	205544823
ML14XP1-024-230	23600	14	12	22000	14000	8.2	CH35-30B		202564925
ML14XP1-024-230	23600	16	13	21400	13400	8.5	CHX35-24A	EL180UH040NE36A	202565044
ML14XP1-024-230	23600	15.5	12.5	21400	13400	8.5	CHX35-24A	EL180UH060NE36A	202565045
ML14XP1-024-230	24000	15.5	12.5	21800	13800	9	CHX35-24A	EL280UH045E36A	204043744
ML14XP1-024-230	23800	15.5	12.5	21600	13600	9	CHX35-24A	EL280UH070E36A	204043746
ML14XP1-024-230	24000	16	13.5	21600	13600	9	CHX35-24A	ML180UH030V36A	204495020
ML14XP1-024-230	24000	15.5	12.5	21800	13700	8.5	CHX35-24A	ML180UH045E36A	202565046
ML14XP1-024-230	24000	16	13.5	21600	13600	9	CHX35-24A	ML180UH045V36A	204495123
ML14XP1-024-230	23800	15.5	12.5	21600	13600	9	CHX35-24A	ML180UH070E36A	204495863
ML14XP1-024-230	23800	15.5	12.5	21600	13600	8.5	CHX35-24A	ML180UH070V36A	204495226
ML14XP1-024-230	23800	15.5	12.5	21600	13600	9	CHX35-24A	ML180UH070XE36A	204495989
ML14XP1-024-230	24000	16	13	21600	13600	8.5	CHX35-24A	SL280UH060NV36A	202565047
ML14XP1-024-230	24000	15.5	12.5	21800	13700	8.5	CHX35-24A	SL280UH070V36A	202565048
ML14XP1-024-230	24000	15.5	12.5	21800	13700	8.5	CHX35-24A	SL280UH070XV36A	202565049
ML14XP1-024-230	23400	14	12	22200	14200	8.5	CHX35-24A		202564926
ML14XP1-024-230	23600	15.5	12.5	21600	13600	8.5	CHX35-24B	EL195UH040NE36B	202565051
ML14XP1-024-230	23600	15.5	12.5	21600	13600	8.5	CHX35-24B	EL195UH060NE36B	202565054
ML14XP1-024-230	23600	15.5	12.5	21800	13700	8.5	CHX35-24B	EL196UH030XE24B	202565056
ML14XP1-024-230	23600	15.5	12.5	21800	13700	8.5	CHX35-24B	EL196UH045XE24B	202565057
ML14XP1-024-230	23800	15.5	12.5	21800	13700	9	CHX35-24B	EL196UH045XE36B	202565058
ML14XP1-024-230	23800	16	13	21800	13600	9	CHX35-24B	EL196UH070XE36B	202565059
ML14XP1-024-230	23600	15.1	12.5	21800	13700	9	CHX35-24B	EL280UH090E36B	204043747
ML14XP1-024-230	23400	15.5	12.5	21600	13600	8.5	CHX35-24B	EL296UH045XE36B	202565060
ML14XP1-024-230	23800	15.5	12.5	21600	13600	8.5	CHX35-24B	EL296UH045XV36B	202565061
ML14XP1-024-230	23800	15.5	12.5	21800	13700	8.5	CHX35-24B	EL296UH070XE36B	202565062
ML14XP1-024-230	23600	15.5	12.5	21600	13600	8.5	CHX35-24B	EL296UH070XV36B	202565063
ML14XP1-024-230	23600	15.5	12.5	21600	13600	8.5	CHX35-24B	ML180UH070E36B	202565064
ML14XP1-024-230	23800	16	13.5	21600	13600	9.2	CHX35-24B	ML180UH070V36B	204495341
ML14XP1-024-230	24000	16	13.5	21800	13600	9.2	CHX35-24B	ML180UH070V48B	204495477
ML14XP1-024-230	24000	16	13.5	21800	13700	9.2	CHX35-24B	ML180UH090V48B	204495601
ML14XP1-024-230	23600	15.1	12.5	21800	13800	9	CHX35-24B	ML193UH030XE36B	204043748
ML14XP1-024-230	23400	15	12.5	21600	13600	8.8	CHX35-24B	ML193UH045XE36B	204043749
ML14XP1-024-230	23400	15.1	12.5	21600	13600	8.8	CHX35-24B	ML193UH070XE36B	204043750
ML14XP1-024-230	23600	15.5	12.5	21800	13700	8.5	CHX35-24B	ML196UH030XE24B	204498210
ML14XP1-024-230	23600	15.5	12.5	21800	13700	8.5	CHX35-24B	ML196UH045XE24B	204498211
ML14XP1-024-230	23800	15.5	12.5	21800	13700	9	CHX35-24B	ML196UH045XE36B	204498212
ML14XP1-024-230	23800	16	13	21800	13600	9	CHX35-24B	ML196UH070XE36B	204498213
ML14XP1-024-230	23800	15.5	12.5	21600	13600	8.5	CHX35-24B	ML296UH045XV36B	205470297
ML14XP1-024-230	23600	15.5	12.5	21600	13600	8.5	CHX35-24B	ML296UH070XV36B	205470298
ML14XP1-024-230	23800	16	13	21600	13500	9	CHX35-24B	SL280UH080NV48B	202565065
ML14XP1-024-230	23800	16	13	21600	13600	9	CHX35-24B	SL297UH040NV36B	202565066
ML14XP1-024-230	23800	15.5	12.5	21600	13600	8.5	CHX35-24B	SL297UH060NV36B	202565067

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-024-230	23600	15.5	12.5	21600	13600	8.5	CHX35-24B	SLP98UH070XV36B	202565068
ML14XP1-024-230	23600	15.5	12.5	21600	13600	8.5	CHX35-24B	SLP99UH070XV36B	205544825
ML14XP1-024-230	23200	14	11.5	22400	14300	8.2	CHX35-24B		202564927
ML14XP1-024-230	24000	16	13	21400	13200	8.5	CHX35-30A	EL180UH040NE36A	202565069
ML14XP1-024-230	24000	16	13	21400	13300	8.5	CHX35-30A	EL180UH060NE36A	202565070
ML14XP1-024-230	24000	16	13.5	21800	13600	9.2	CHX35-30A	EL280UH045E36A	204043751
ML14XP1-024-230	24000	16	13.5	21600	13400	9	CHX35-30A	EL280UH070E36A	204043752
ML14XP1-024-230	24000	16	13.5	21600	13400	9.2	CHX35-30A	ML180UH030V36A	204495021
ML14XP1-024-230	24000	16	13	21800	13500	8.5	CHX35-30A	ML180UH045E36A	202565071
ML14XP1-024-230	24000	16	13.5	21600	13400	9.2	CHX35-30A	ML180UH045V36A	204495124
ML14XP1-024-230	24000	16	13	21600	13400	9.2	CHX35-30A	ML180UH070E36A	204495864
ML14XP1-024-230	24000	16	13	21600	13400	8.5	CHX35-30A	ML180UH070V36A	204495227
ML14XP1-024-230	24000	16	13	21600	13400	9.2	CHX35-30A	ML180UH070XE36A	204495990
ML14XP1-024-230	24000	16	13	21800	13500	8.5	CHX35-30A	SL280UH070V36A	202565072
ML14XP1-024-230	24000	16	13	21800	13500	8.5	CHX35-30A	SL280UH070XV36A	202565073
ML14XP1-024-230	23600	14	12	22200	14000	8.2	CHX35-30A		202564928
ML14XP1-024-230	24000	16	13	21400	13400	8.5	CHX35-30B	EL195UH040NE36B	202565075
ML14XP1-024-230	24000	16	13	21400	13400	8.5	CHX35-30B	EL195UH060NE36B	202565078
ML14XP1-024-230	24000	16	13	21400	13400	8.5	CHX35-30B	EL196UH030XE24B	202565080
ML14XP1-024-230	24000	16	13	21400	13400	8.5	CHX35-30B	EL196UH045XE24B	202565081
ML14XP1-024-230	24000	16	13	21400	13400	8.5	CHX35-30B	EL196UH045XE36B	202565082
ML14XP1-024-230	24000	16	13	21400	13400	8.5	CHX35-30B	EL196UH070XE36B	202565083
ML14XP1-024-230	24000	15.5	12.5	21400	13400	8.8	CHX35-30B	EL280UH090E36B	204043753
ML14XP1-024-230	24000	16	13	21400	13400	8.5	CHX35-30B	EL296UH045XE36B	202565084
ML14XP1-024-230	24000	16	13	21400	13400	8.5	CHX35-30B	EL296UH045XV36B	202565085
ML14XP1-024-230	24000	16	13	21600	13500	8.5	CHX35-30B	EL296UH070XE36B	202565086
ML14XP1-024-230	24000	16	13	21400	13400	8.5	CHX35-30B	EL296UH070XV36B	202565087
ML14XP1-024-230	24000	16	13	21400	13400	8.5	CHX35-30B	ML180UH070E36B	202565088
ML14XP1-024-230	24000	16	13.5	21400	13300	9	CHX35-30B	ML180UH070V36B	204495342
ML14XP1-024-230	24000	16	14	21400	13400	9.2	CHX35-30B	ML180UH070V48B	204495478
ML14XP1-024-230	24000	16	14	21600	13500	9.2	CHX35-30B	ML180UH090V48B	204495602
ML14XP1-024-230	24000	15.5	12.5	21600	13500	8.8	CHX35-30B	ML193UH030XE36B	204043754
ML14XP1-024-230	23800	15.5	12.5	21400	13400	8.5	CHX35-30B	ML193UH045XE36B	204043755
ML14XP1-024-230	23800	15.5	12.5	21400	13400	8.8	CHX35-30B	ML193UH070XE36B	204043756
ML14XP1-024-230	24000	16	13	21400	13400	8.5	CHX35-30B	ML196UH030XE24B	204498214
ML14XP1-024-230	24000	16	13	21400	13400	8.5	CHX35-30B	ML196UH045XE24B	204498215
ML14XP1-024-230	24000	16	13	21400	13400	8.5	CHX35-30B	ML196UH045XE36B	204498216
ML14XP1-024-230	24000	16	13	21400	13400	8.5	CHX35-30B	ML196UH070XE36B	204498217
ML14XP1-024-230	24000	16	13	21400	13400	8.5	CHX35-30B	ML296UH045XV36B	205470299
ML14XP1-024-230	24000	16	13	21400	13400	8.5	CHX35-30B	ML296UH070XV36B	205470300
ML14XP1-024-230	24000	16	13	21400	13400	8.5	CHX35-30B	SL297UH040NV36B	202565089
ML14XP1-024-230	24000	16	13	21400	13400	8.5	CHX35-30B	SL297UH060NV36B	202565090
ML14XP1-024-230	24000	16	13	21400	13400	8.5	CHX35-30B	SLP98UH070XV36B	202565091
ML14XP1-024-230	24000	16	13	21400	13400	8.5	CHX35-30B	SLP99UH070XV36B	205544827
ML14XP1-024-230	23600	14	12	22000	14000	8.2	CHX35-30B		202564929
ML14XP1-024-230	23400	15	12.5	21000	13100	8.5	CR33-24A	EL280DF070E36A	204043757
ML14XP1-024-230	23200	15.1	12.5	21000	13000	8.5	CR33-24A	ML180DF045E36A	202565092
ML14XP1-024-230	23800	15.5	12.5	21200	13200	8.8	CR33-24A	ML180DF070E36A	204495926
ML14XP1-024-230	23600	15.1	12.5	21200	13100	8.5	CR33-24A	SL280DF070V36A	202565093
ML14XP1-024-230	23200	14	11.5	21600	13600	8.2	CR33-24A		202564930
ML14XP1-024-230	23200	15	12.5	21000	13000	8.5	CR33-24B	EL296DF045XE36B	202565095
ML14XP1-024-230	23600	15.1	12.5	21200	13200	8.5	CR33-24B	EL296DF045XV36B	202565096
ML14XP1-024-230	23400	15.1	12.5	21000	13000	8.5	CR33-24B	ML180DF070E36B	202565097
ML14XP1-024-230	23000	15	12.5	21000	13000	8.5	CR33-24B	ML196DF045XE36B	205706952
ML14XP1-024-230	23000	15	12.5	21000	13100	8.5	CR33-24B	ML196DF070XE48B	205706953
ML14XP1-024-230	23600	15.1	12.5	21200	13200	8.5	CR33-24B	ML296DF045XV36B	205470301

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-024-230	23800	15.5	12.5	21400	13200	8.5	CR33-24B	SLP98DF070XV36B	202565098
ML14XP1-024-230	23800	15.5	12.5	21400	13200	8.5	CR33-24B	SLP99DF070XV36B	205544829
ML14XP1-024-230	23200	14	11.5	21600	13600	8.2	CR33-24B		202564931
ML14XP1-024-230	23600	15.1	12.5	22200	13600	9	CR33-30/36A	EL280DF070E36A	204043758
ML14XP1-024-230	23400	15.5	12.5	22000	13500	8.5	CR33-30/36A	ML180DF045E36A	202565099
ML14XP1-024-230	24000	15.5	12.5	22400	13700	9.2	CR33-30/36A	ML180DF070E36A	204495927
ML14XP1-024-230	23600	15.5	12.5	22200	13600	8.5	CR33-30/36A	SL280DF070V36A	202565100
ML14XP1-024-230	23200	14	12	22800	14100	8.2	CR33-30/36A		202564932
ML14XP1-024-230	23600	15.5	12.5	22200	13600	8.5	CR33-30/36B	EL296DF045XE36B	202565103
ML14XP1-024-230	23600	15.5	12.5	22200	13600	9	CR33-30/36B	EL296DF045XV36B	202565104
ML14XP1-024-230	23800	15.5	12.5	22200	13600	9	CR33-30/36B	EL296DF070XE48B	202565105
ML14XP1-024-230	23800	16	13	22200	13600	9	CR33-30/36B	ML180DF070E36B	202565106
ML14XP1-024-230	23400	15.5	12.5	22200	13600	9	CR33-30/36B	ML196DF045XE36B	205706954
ML14XP1-024-230	23600	15.5	12.5	22200	13600	9	CR33-30/36B	ML196DF070XE48B	205706955
ML14XP1-024-230	23600	15.5	12.5	22200	13600	9	CR33-30/36B	ML296DF045XV36B	205470302
ML14XP1-024-230	23400	15.5	12.5	22000	13500	8.5	CR33-30/36B	SLP98DF070XV36B	202565107
ML14XP1-024-230	23400	15.5	12.5	22000	13500	8.5	CR33-30/36B	SLP99DF070XV36B	205544831
ML14XP1-024-230	23200	14	12	22800	14100	8.2	CR33-30/36B		202564933
ML14XP1-024-230	23600	15.5	12.5	21600	13800	8.5	CX35-24A	EL180UH040NE36A	202565108
ML14XP1-024-230	23600	15.5	12.5	21600	13800	8.5	CX35-24A	EL180UH060NE36A	202565109
ML14XP1-024-230	24000	15.5	12.5	22200	14100	9	CX35-24A	EL280UH045E36A	204043759
ML14XP1-024-230	23800	15.5	12.5	21800	14000	9	CX35-24A	EL280UH070E36A	204043760
ML14XP1-024-230	24000	15.5	12.5	22000	14000	9	CX35-24A	ML180UH030V36A	204495022
ML14XP1-024-230	24000	15.5	12.5	22000	14100	8.5	CX35-24A	ML180UH045E36A	202565110
ML14XP1-024-230	24000	15.5	12.5	22000	14000	9	CX35-24A	ML180UH045V36A	204495125
ML14XP1-024-230	23800	15.5	12.5	21800	13900	9	CX35-24A	ML180UH070E36A	204495865
ML14XP1-024-230	23800	15.5	12.5	21800	13900	8.5	CX35-24A	ML180UH070V36A	204495228
ML14XP1-024-230	23800	15.5	12.5	21800	13900	9	CX35-24A	ML180UH070XE36A	204495991
ML14XP1-024-230	24000	16	13	22000	14000	9	CX35-24A	SL280UH060NV36A	202565111
ML14XP1-024-230	24000	15.5	12.5	22000	14000	8.5	CX35-24A	SL280UH070V36A	202565112
ML14XP1-024-230	24000	15.5	12.5	22000	14000	8.5	CX35-24A	SL280UH070XV36A	202565113
ML14XP1-024-230	23400	14	11.5	22400	14500	8.2	CX35-24A		202564934
ML14XP1-024-230	23800	15.5	12.5	21800	13900	8.5	CX35-24B	EL195UH040NE36B	202565115
ML14XP1-024-230	24000	15.5	12.5	22000	14000	8.5	CX35-24B	EL195UH060NE36B	202565118
ML14XP1-024-230	23800	15.5	12.5	21800	14000	8.5	CX35-24B	EL196UH030XE24B	202565120
ML14XP1-024-230	23800	15.5	12.5	21800	14000	8.5	CX35-24B	EL196UH045XE24B	202565121
ML14XP1-024-230	23800	15.5	12.5	21800	14000	8.5	CX35-24B	EL196UH045XE36B	202565122
ML14XP1-024-230	23800	15.5	12.5	21800	13900	8.5	CX35-24B	EL196UH070XE36B	202565123
ML14XP1-024-230	23600	15.1	12.5	21800	14000	8.8	CX35-24B	EL280UH090E36B	204043761
ML14XP1-024-230	23600	15.5	12.5	21800	13900	8.5	CX35-24B	EL296UH045XE36B	202565124
ML14XP1-024-230	23800	15.5	12.5	22000	14000	8.5	CX35-24B	EL296UH045XV36B	202565125
ML14XP1-024-230	23800	15.5	12.5	22000	14000	8.5	CX35-24B	EL296UH070XE36B	202565126
ML14XP1-024-230	23800	15.5	12.5	21800	13900	8.5	CX35-24B	EL296UH070XV36B	202565127
ML14XP1-024-230	23800	15.5	12.5	21800	13900	8.5	CX35-24B	ML180UH070E36B	202565128
ML14XP1-024-230	24000	15.5	12.5	21800	13900	9	CX35-24B	ML180UH070V36B	204495343
ML14XP1-024-230	24000	16	13.5	22000	14000	9.2	CX35-24B	ML180UH070V48B	204495479
ML14XP1-024-230	24000	15.5	12.5	22000	14100	9.2	CX35-24B	ML180UH090V48B	204495603
ML14XP1-024-230	23800	15.1	12.5	22000	14100	8.8	CX35-24B	ML193UH030XE36B	204043762
ML14XP1-024-230	23400	15	12.5	21800	13900	8.5	CX35-24B	ML193UH045XE36B	204043763
ML14XP1-024-230	23400	15.1	12.5	21800	13900	8.8	CX35-24B	ML193UH070XE36B	204043764
ML14XP1-024-230	23800	15.5	12.5	21800	14000	8.5	CX35-24B	ML196UH030XE24B	204498218
ML14XP1-024-230	23800	15.5	12.5	21800	14000	8.5	CX35-24B	ML196UH045XE24B	204498219
ML14XP1-024-230	23800	15.5	12.5	21800	14000	8.5	CX35-24B	ML196UH045XE36B	204498220
ML14XP1-024-230	23800	15.5	12.5	21800	13900	8.5	CX35-24B	ML196UH070XE36B	204498221
ML14XP1-024-230	23800	15.5	12.5	22000	14000	8.5	CX35-24B	ML296UH045XV36B	205470303
ML14XP1-024-230	23800	15.5	12.5	21800	13900	8.5	CX35-24B	ML296UH070XV36B	205470304

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-024-230	24000	16	13	21800	13900	8.5	CX35-24B	SL280UH090V36B	202565129
ML14XP1-024-230	24000	15.5	12.5	22000	14000	8.5	CX35-24B	SL297UH040NV36B	202565130
ML14XP1-024-230	23800	15.5	12.5	22000	14000	8.5	CX35-24B	SL297UH060NV36B	202565131
ML14XP1-024-230	23800	15.5	12.5	21800	13900	8.5	CX35-24B	SLP98UH070XV36B	202565132
ML14XP1-024-230	23800	15.5	12.5	21800	13900	8.5	CX35-24B	SLP99UH070XV36B	205544833
ML14XP1-024-230	23400	14	11.5	22400	14500	8.2	CX35-24B		202564935
ML14XP1-024-230	24000	16	13	21000	13100	8.5	CX35-30A	EL180UH040NE36A	202565133
ML14XP1-024-230	24000	16	13	21000	13100	8.5	CX35-30A	EL180UH060NE36A	202565134
ML14XP1-024-230	24000	16	13.5	21600	13400	9	CX35-30A	EL280UH045E36A	204043765
ML14XP1-024-230	24000	15.5	12.5	21200	13300	8.8	CX35-30A	EL280UH070E36A	204043766
ML14XP1-024-230	24000	16	13.5	21200	13200	9	CX35-30A	ML180UH030V36A	204495023
ML14XP1-024-230	24000	16	13	21400	13400	8.5	CX35-30A	ML180UH045E36A	202565135
ML14XP1-024-230	24000	16	13.5	21200	13200	9	CX35-30A	ML180UH045V36A	204495126
ML14XP1-024-230	24000	16	13	21200	13200	9	CX35-30A	ML180UH070E36A	204495866
ML14XP1-024-230	24000	16	13	21200	13200	8.5	CX35-30A	ML180UH070V36A	204495229
ML14XP1-024-230	24000	16	13	21200	13200	9	CX35-30A	ML180UH070XE36A	204495992
ML14XP1-024-230	24000	16	13	21200	13100	8.5	CX35-30A	SL280UH060NV36A	202565136
ML14XP1-024-230	24000	16	13	21400	13300	8.5	CX35-30A	SL280UH070V36A	202565137
ML14XP1-024-230	24000	16	13	21400	13300	8.5	CX35-30A	SL280UH070XV36A	202565138
ML14XP1-024-230	23600	14	12	21800	13900	8.2	CX35-30A		202564936
ML14XP1-024-230	24000	16	13	21200	13200	8.5	CX35-30B	EL195UH040NE36B	202565140
ML14XP1-024-230	24000	16	13	21200	13200	8.5	CX35-30B	EL195UH060NE36B	202565143
ML14XP1-024-230	24000	16	13	21200	13300	8.5	CX35-30B	EL196UH030XE24B	202565145
ML14XP1-024-230	24000	16	13	21200	13300	8.5	CX35-30B	EL196UH045XE24B	202565146
ML14XP1-024-230	24000	16	13	21200	13300	8.5	CX35-30B	EL196UH045XE36B	202565147
ML14XP1-024-230	24000	16	13	21200	13200	8.5	CX35-30B	EL196UH070XE36B	202565148
ML14XP1-024-230	24000	15.5	12.5	21200	13300	8.8	CX35-30B	EL280UH090E36B	204043767
ML14XP1-024-230	24000	15.5	12.5	21200	13200	8.5	CX35-30B	EL296UH045XE36B	202565149
ML14XP1-024-230	24000	16	13	21200	13200	8.5	CX35-30B	EL296UH045XV36B	202565150
ML14XP1-024-230	24000	16	13	21400	13300	8.5	CX35-30B	EL296UH070XE36B	202565151
ML14XP1-024-230	24000	16	13	21200	13200	8.5	CX35-30B	EL296UH070XV36B	202565152
ML14XP1-024-230	24000	16	13	21200	13200	8.5	CX35-30B	ML180UH070E36B	202565153
ML14XP1-024-230	24000	16	13.5	21200	13200	9	CX35-30B	ML180UH070V36B	204495344
ML14XP1-024-230	24000	16	13.5	21400	13200	9	CX35-30B	ML180UH070V48B	204495480
ML14XP1-024-230	24000	16	13.5	21400	13300	9	CX35-30B	ML180UH090V48B	204495604
ML14XP1-024-230	24000	15.5	12.5	21400	13400	8.8	CX35-30B	ML193UH030XE36B	204043768
ML14XP1-024-230	23800	15.5	12.5	21200	13300	8.5	CX35-30B	ML193UH045XE36B	204043769
ML14XP1-024-230	23800	15.5	12.5	21200	13300	8.5	CX35-30B	ML193UH070XE36B	204043770
ML14XP1-024-230	24000	16	13	21200	13300	8.5	CX35-30B	ML196UH030XE24B	204498222
ML14XP1-024-230	24000	16	13	21200	13300	8.5	CX35-30B	ML196UH045XE24B	204498223
ML14XP1-024-230	24000	16	13	21200	13300	8.5	CX35-30B	ML196UH045XE36B	204498224
ML14XP1-024-230	24000	16	13	21200	13200	8.5	CX35-30B	ML196UH070XE36B	204498225
ML14XP1-024-230	24000	16	13	21200	13200	8.5	CX35-30B	ML296UH045XV36B	205470305
ML14XP1-024-230	24000	16	13	21200	13200	8.5	CX35-30B	ML296UH070XV36B	205470306
ML14XP1-024-230	24000	16	13	21200	13200	8.5	CX35-30B	SL280UH090V36B	202565154
ML14XP1-024-230	24000	16	13	21200	13200	8.5	CX35-30B	SL297UH040NV36B	202565155
ML14XP1-024-230	24000	16	13	21200	13300	8.5	CX35-30B	SL297UH060NV36B	202565156
ML14XP1-024-230	24000	16	13	21200	13200	8.5	CX35-30B	SLP98UH070XV36B	202565157
ML14XP1-024-230	24000	16	13	21200	13200	8.5	CX35-30B	SLP99UH070XV36B	205544835
ML14XP1-024-230	23600	14	12	21800	13900	8.2	CX35-30B		202564937
ML14XP1-030-230	29800	15.5	12.5	27400	17900	9	C35-30/36A	EL180UH040NE36A	202565406
ML14XP1-030-230	29800	15.5	12.5	27400	17900	9	C35-30/36A	EL180UH060NE36A	202565407
ML14XP1-030-230	29400	15	12.5	27200	18000	8.8	C35-30/36A	EL280UH045E36A	204043771
ML14XP1-030-230	29000	14.5	12.5	27000	18000	8.8	C35-30/36A	EL280UH070E36A	204043772
ML14XP1-030-230	29600	15.1	12.5	27400	17900	9.2	C35-30/36A	ML180UH030V36A	204495024
ML14XP1-030-230	29400	15.1	12.5	27400	17900	8.5	C35-30/36A	ML180UH045E36A	202565408

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-030-230	29600	15.1	12.5	27400	17900	9.2	C35-30/36A	ML180UH045V36A	204495127
ML14XP1-030-230	29800	15.1	12.5	27600	18000	9	C35-30/36A	ML180UH070E36A	204495867
ML14XP1-030-230	29400	15.1	12.5	27400	17900	9	C35-30/36A	ML180UH070V36A	204495230
ML14XP1-030-230	29800	15.1	12.5	27600	18000	9	C35-30/36A	ML180UH070XE36A	204495993
ML14XP1-030-230	29600	15.5	12.5	27400	17800	9	C35-30/36A	SL280UH060NV36A	202565409
ML14XP1-030-230	29400	15.1	12.5	27400	17900	9	C35-30/36A	SL280UH070V36A	202565410
ML14XP1-030-230	29400	15.1	12.5	27400	17900	9	C35-30/36A	SL280UH070XV36A	202565411
ML14XP1-030-230	29600	15.5	12.5	27200	17800	9	C35-30/36B	EL180UH080NE48B	202566002
ML14XP1-030-230	29800	15.1	12.5	27600	18100	8.5	C35-30/36B	EL195UH040NE36B	202566003
ML14XP1-030-230	29800	15.1	12.5	27600	18000	8.5	C35-30/36B	EL195UH060NE36B	202566005
ML14XP1-030-230	29200	15.1	12.5	27200	17800	8.5	C35-30/36B	EL196UH030XE24B	202566007
ML14XP1-030-230	29200	15.1	12.5	27200	17800	8.5	C35-30/36B	EL196UH045XE24B	202566008
ML14XP1-030-230	29600	15.1	12.5	27600	18000	8.5	C35-30/36B	EL196UH045XE36B	202566009
ML14XP1-030-230	29600	15.1	12.5	27600	18000	8.5	C35-30/36B	EL196UH070XE36B	202566010
ML14XP1-030-230	29200	14.5	12.5	27200	18000	8.8	C35-30/36B	EL280UH090E36B	204043773
ML14XP1-030-230	28800	15	12.5	26800	17800	8.8	C35-30/36B	EL280UH090E48B	204043774
ML14XP1-030-230	29400	15.1	12.5	27400	18000	8.5	C35-30/36B	EL296UH045XE36B	202566011
ML14XP1-030-230	29600	15.1	12.5	27400	18000	8.5	C35-30/36B	EL296UH045XV36B	202566012
ML14XP1-030-230	29600	15.1	12.5	27600	18000	8.5	C35-30/36B	EL296UH070XE36B	202566013
ML14XP1-030-230	29400	15.1	12.5	27400	17900	9	C35-30/36B	EL296UH070XV36B	202566014
ML14XP1-030-230	29600	15.5	12.5	27400	17800	9	C35-30/36B	ML180UH070E36B	202566015
ML14XP1-030-230	29600	15.1	12.5	27200	17800	9.2	C35-30/36B	ML180UH070V36B	204495345
ML14XP1-030-230	29800	15.5	12.5	27400	17800	9.2	C35-30/36B	ML180UH070V48B	204495481
ML14XP1-030-230	29600	15.1	12.5	27200	17800	9.2	C35-30/36B	ML180UH090V48B	204495605
ML14XP1-030-230	28800	14.5	12.2	27000	18000	8.8	C35-30/36B	ML193UH030XE36B	204043775
ML14XP1-030-230	29000	14.5	12.5	27000	18000	8.8	C35-30/36B	ML193UH045XE36B	204043776
ML14XP1-030-230	29000	14.5	12.5	27000	18000	8.8	C35-30/36B	ML193UH070XE36B	204043777
ML14XP1-030-230	29200	15.1	12.5	27200	17800	8.5	C35-30/36B	ML196UH030XE24B	204498226
ML14XP1-030-230	29200	15.1	12.5	27200	17800	8.5	C35-30/36B	ML196UH045XE24B	204498227
ML14XP1-030-230	29600	15.1	12.5	27600	18000	8.5	C35-30/36B	ML196UH045XE36B	204498228
ML14XP1-030-230	29600	15.1	12.5	27600	18000	8.5	C35-30/36B	ML196UH070XE36B	204498229
ML14XP1-030-230	29200	15.1	12.5	27400	18000	8.5	C35-30/36B	ML296UH045XV36B	205470307
ML14XP1-030-230	29200	15.1	12.5	27400	17900	8.5	C35-30/36B	ML296UH070XV36B	205470308
ML14XP1-030-230	29600	15.5	12.5	27200	17700	9	C35-30/36B	SL280UH080NV48B	202566016
ML14XP1-030-230	29600	15.5	12.5	27200	17700	9	C35-30/36B	SL280UH090V36B	202566017
ML14XP1-030-230	29600	15.1	12.5	27400	17800	9	C35-30/36B	SL297UH040NV36B	202566018
ML14XP1-030-230	29400	15.1	12.5	27400	17900	9	C35-30/36B	SL297UH060NV36B	202566019
ML14XP1-030-230	29400	15.1	12.5	27400	17900	9	C35-30/36B	SLP98UH070XV36B	202566020
ML14XP1-030-230	29400	15.1	12.5	27400	17900	9	C35-30/36B	SLP99UH070XV36B	205544944
ML14XP1-030-230	29000	14.5	12.5	27800	18000	8.8	C35-30/36C	ML193UH090XE36C	205109422
ML14XP1-030-230	30000	15.5	12.5	27000	17400	9	C35-30A	EL180UH040NE36A	202565412
ML14XP1-030-230	30000	15.5	12.5	27000	17400	8.5	C35-30A	EL180UH060NE36A	202565413
ML14XP1-030-230	29800	15.1	12.5	26600	17500	8.8	C35-30A	EL280UH045E36A	204043779
ML14XP1-030-230	29600	14.5	12.5	26600	17500	8.6	C35-30A	EL280UH070E36A	204043780
ML14XP1-030-230	30000	15.1	12.5	27000	17400	9	C35-30A	ML180UH030V36A	204495025
ML14XP1-030-230	29800	15.1	12.5	26800	17500	8.5	C35-30A	ML180UH045E36A	202565414
ML14XP1-030-230	30000	15.1	12.5	27000	17400	9	C35-30A	ML180UH045V36A	204495128
ML14XP1-030-230	30000	15.1	12.5	27000	17500	9	C35-30A	ML180UH070E36A	204495868
ML14XP1-030-230	30000	15.1	12.5	26800	17400	8.5	C35-30A	ML180UH070V36A	204495231
ML14XP1-030-230	30000	15.1	12.5	27000	17500	9	C35-30A	ML180UH070XE36A	204495994
ML14XP1-030-230	30000	15.5	12.5	26800	17300	8.5	C35-30A	SL280UH060NV36A	202565415
ML14XP1-030-230	30000	15.5	12.5	26800	17400	8.5	C35-30A	SL280UH070V36A	202565416
ML14XP1-030-230	30000	15.5	12.5	26800	17400	8.5	C35-30A	SL280UH070XV36A	202565417
ML14XP1-030-230	29200	14	11.5	27400	18100	8.5	C35-30A		202565392
ML14XP1-030-230	30000	15.5	12.5	26800	17300	8.5	C35-30B	EL180UH080NE48B	202565418
ML14XP1-030-230	30000	15.1	12.5	27200	17600	8.5	C35-30B	EL195UH040NE36B	202565419

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-030-230	30000	15.1	12.5	27000	17600	8.5	C35-30B	EL195UH060NE36B	202565420
ML14XP1-030-230	29800	15.1	12.5	26800	17400	8.5	C35-30B	EL196UH030XE24B	202565422
ML14XP1-030-230	29800	15.1	12.5	26800	17400	8.5	C35-30B	EL196UH045XE24B	202565423
ML14XP1-030-230	30000	15.1	12.5	27000	17500	8.5	C35-30B	EL196UH045XE36B	202565424
ML14XP1-030-230	30000	15.1	12.5	27000	17500	8.5	C35-30B	EL196UH070XE36B	202565425
ML14XP1-030-230	29800	15	12.5	26600	17600	8.8	C35-30B	EL280UH090E36B	204043781
ML14XP1-030-230	29400	15.1	12.5	26200	17300	8.6	C35-30B	EL280UH090E48B	204043782
ML14XP1-030-230	30000	15.1	12.5	27000	17500	8.5	C35-30B	EL296UH045XE36B	202565426
ML14XP1-030-230	30000	15.1	12.5	27000	17500	8.5	C35-30B	EL296UH045XV36B	202565427
ML14XP1-030-230	30000	15.1	12.5	27000	17600	8.5	C35-30B	EL296UH070XE36B	202565428
ML14XP1-030-230	30000	15.5	12.5	26800	17400	8.5	C35-30B	EL296UH070XV36B	202565429
ML14XP1-030-230	30000	15.5	12.5	26800	17400	8.5	C35-30B	ML180UH070E36B	202565430
ML14XP1-030-230	30000	15.5	12.5	26800	17300	9	C35-30B	ML180UH070V36B	204495346
ML14XP1-030-230	30000	15.5	12.5	26800	17400	9	C35-30B	ML180UH070V48B	204495482
ML14XP1-030-230	30000	15.5	12.5	26800	17300	8.5	C35-30B	ML180UH090E48B	202565431
ML14XP1-030-230	30000	15.5	12.5	26800	17300	8.5	C35-30B	ML180UH090V48B	204495606
ML14XP1-030-230	29400	14.5	12.5	26400	17500	8.6	C35-30B	ML193UH030XE36B	204043783
ML14XP1-030-230	29400	14.5	12.5	26600	17500	8.6	C35-30B	ML193UH045XE36B	204043784
ML14XP1-030-230	29400	14.5	12.5	26600	17500	8.6	C35-30B	ML193UH070XE36B	204043785
ML14XP1-030-230	29800	15.1	12.5	26800	17400	8.5	C35-30B	ML196UH030XE24B	204498230
ML14XP1-030-230	29800	15.1	12.5	26800	17400	8.5	C35-30B	ML196UH045XE24B	204498231
ML14XP1-030-230	30000	15.1	12.5	27000	17500	8.5	C35-30B	ML196UH045XE36B	204498232
ML14XP1-030-230	30000	15.1	12.5	27000	17500	8.5	C35-30B	ML196UH070XE36B	204498233
ML14XP1-030-230	30000	15.1	12.5	27600	17900	8.5	C35-30B	ML296UH045XV36B	205470309
ML14XP1-030-230	30000	15.5	12.5	27400	17800	8.5	C35-30B	ML296UH070XV36B	205470310
ML14XP1-030-230	30000	15.5	12.5	26800	17300	9	C35-30B	SL280UH080NV48B	202565432
ML14XP1-030-230	30000	15.5	12.5	26800	17300	8.5	C35-30B	SL280UH090V36B	202565433
ML14XP1-030-230	30000	15.5	12.5	26800	17400	8.5	C35-30B	SL280UH090V48B	202565434
ML14XP1-030-230	30000	15.5	12.5	26800	17400	8.5	C35-30B	SL297UH040NV36B	202565435
ML14XP1-030-230	30000	15.5	12.5	26800	17400	8.5	C35-30B	SL297UH060NV36B	202565436
ML14XP1-030-230	30000	15.5	12.5	26800	17400	8.5	C35-30B	SLP98UH070XV36B	202565437
ML14XP1-030-230	30000	15.5	12.5	26800	17400	8.5	C35-30B	SLP99UH070XV36B	205544871
ML14XP1-030-230	29200	14	11.5	27400	18100	8.5	C35-30B		202565393
ML14XP1-030-230	30000	15.5	12.5	27000	17500	9	C35-36A	EL180UH040NE36A	202565438
ML14XP1-030-230	30000	15.5	12.5	27000	17500	9	C35-36A	EL180UH060NE36A	202565439
ML14XP1-030-230	30000	15.1	12.5	26600	17600	9	C35-36A	EL280UH045E36A	204043786
ML14XP1-030-230	29800	15.1	12.5	26600	17600	8.8	C35-36A	EL280UH070E36A	204043787
ML14XP1-030-230	30000	15.5	12.5	27000	17500	9.2	C35-36A	ML180UH030V36A	204495026
ML14XP1-030-230	30000	15.5	12.5	27000	17600	8.5	C35-36A	ML180UH045E36A	202565440
ML14XP1-030-230	30000	15.5	12.5	27000	17500	9.2	C35-36A	ML180UH045V36A	204495129
ML14XP1-030-230	30000	15.5	12.5	27200	17600	9.2	C35-36A	ML180UH070E36A	204495869
ML14XP1-030-230	30000	15.5	12.5	27000	17500	9	C35-36A	ML180UH070V36A	204495232
ML14XP1-030-230	30000	15.5	12.5	27200	17600	9.2	C35-36A	ML180UH070XE36A	204495995
ML14XP1-030-230	30000	16	13	26800	17400	9	C35-36A	SL280UH060NV36A	202565441
ML14XP1-030-230	30000	15.5	12.5	27000	17500	9	C35-36A	SL280UH070V36A	202565442
ML14XP1-030-230	30000	15.5	12.5	27000	17500	9	C35-36A	SL280UH070XV36A	202565443
ML14XP1-030-230	29400	14	12	27600	18100	8.5	C35-36A		202565394
ML14XP1-030-230	30000	15.5	12.5	26800	17400	9	C35-36B	EL180UH080NE48B	202565444
ML14XP1-030-230	30000	15.5	12.5	27200	17700	9	C35-36B	EL195UH040NE36B	202565445
ML14XP1-030-230	30000	15.5	12.5	27200	17700	9	C35-36B	EL195UH060NE36B	202565447
ML14XP1-030-230	30000	15.5	12.5	26800	17500	8.5	C35-36B	EL196UH030XE24B	202565449
ML14XP1-030-230	30000	15.5	12.5	26800	17500	8.5	C35-36B	EL196UH045XE24B	202565450
ML14XP1-030-230	30000	15.5	12.5	27000	17600	9	C35-36B	EL196UH045XE36B	202565451
ML14XP1-030-230	30000	15.5	12.5	27000	17600	9	C35-36B	EL196UH070XE36B	202565452
ML14XP1-030-230	30000	15.1	12.5	26800	17700	9	C35-36B	EL280UH090E36B	204043788
ML14XP1-030-230	29600	15.1	12.5	26400	17400	8.8	C35-36B	EL280UH090E48B	204043789

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-030-230	30000	15.1	12.5	27000	17600	9	C35-36B	EL296UH045XE36B	202565453
ML14XP1-030-230	30000	15.1	12.5	27000	17500	8.5	C35-36B	EL296UH045XV36B	202565454
ML14XP1-030-230	30000	15.5	12.5	27200	17700	9	C35-36B	EL296UH070XE36B	202565455
ML14XP1-030-230	30000	15.5	12.5	27000	17500	9	C35-36B	EL296UH070XV36B	202565456
ML14XP1-030-230	30000	15.5	12.5	26800	17500	9	C35-36B	ML180UH070E36B	202565457
ML14XP1-030-230	30000	15.5	12.5	26800	17400	9.2	C35-36B	ML180UH070V36B	204495347
ML14XP1-030-230	30000	15.5	12.5	26800	17500	9.2	C35-36B	ML180UH070V48B	204495483
ML14XP1-030-230	30000	15.5	12.5	26800	17400	9	C35-36B	ML180UH090E48B	202565458
ML14XP1-030-230	30000	15.5	12.5	26800	17400	9.2	C35-36B	ML180UH090V48B	204495607
ML14XP1-030-230	29600	14.5	12.5	26600	17600	8.8	C35-36B	ML193UH030XE36B	204043790
ML14XP1-030-230	29600	14.5	12.5	26600	17600	8.8	C35-36B	ML193UH045XE36B	204043791
ML14XP1-030-230	29600	15	12.5	26600	17600	8.8	C35-36B	ML193UH070XE36B	204043792
ML14XP1-030-230	30000	15.5	12.5	26800	17500	8.5	C35-36B	ML196UH030XE24B	204498234
ML14XP1-030-230	30000	15.5	12.5	26800	17500	8.5	C35-36B	ML196UH045XE24B	204498235
ML14XP1-030-230	30000	15.5	12.5	27000	17600	9	C35-36B	ML196UH045XE36B	204498236
ML14XP1-030-230	30000	15.5	12.5	27000	17600	9	C35-36B	ML196UH070XE36B	204498237
ML14XP1-030-230	30000	15.1	12.5	27200	17900	9	C35-36B	ML296UH045XV36B	205470311
ML14XP1-030-230	30000	15.5	12.5	27400	17800	9	C35-36B	ML296UH070XV36B	205470312
ML14XP1-030-230	30000	16	13	26800	17400	9	C35-36B	SL280UH080NV48B	202565459
ML14XP1-030-230	30000	16	13	26800	17400	9	C35-36B	SL280UH090V36B	202565460
ML14XP1-030-230	30000	15.5	12.5	27000	17500	9	C35-36B	SL297UH040NV36B	202565461
ML14XP1-030-230	30000	15.5	12.5	27000	17500	9	C35-36B	SL297UH060NV36B	202565462
ML14XP1-030-230	30000	15.5	12.5	27000	17500	9	C35-36B	SLP98UH070XV36B	202565463
ML14XP1-030-230	30000	15.5	12.5	27000	17500	9	C35-36B	SLP99UH070XV36B	205544873
ML14XP1-030-230	29400	14	12	27600	18100	8.5	C35-36B		202565395
ML14XP1-030-230	29600	14	11.5	27000	17500	8.2	CBA25UH-030-230		202576424
ML14XP1-030-230	30000	14.5	12.2	27800	18000	8.5	CBA25UH-036-230		202565464
ML14XP1-030-230	30000	15.5	12.5	26400	16900	8.5	CBA25UHV-030-230		202565465
ML14XP1-030-230	30000	15.5	12.5	27400	17600	9	CBA25UHV-036-230		202565466
ML14XP1-030-230	30000	16	13	27200	17600	9	CBA27UHE-030-230		202565467
ML14XP1-030-230	29800	16	13	27400	17800	9	CBA27UHE-036-230		202565468
ML14XP1-030-230	29400	15.5	12.5	27200	17600	9	CBA38MV-030-230		202565469
ML14XP1-030-230	29800	15.5	12.5	27400	17900	9	CBA38MV-036-230		202565470
ML14XP1-030-230	30000	15.5	12.5	27600	17900	9	CH35-30A	EL180UH040NE36A	202565471
ML14XP1-030-230	30000	15.5	12.5	27600	17900	9	CH35-30A	EL180UH060NE36A	202565472
ML14XP1-030-230	29800	15.1	12.5	27400	18000	9.2	CH35-30A	EL280UH045E36A	204043793
ML14XP1-030-230	29600	15	12.5	27200	18000	9	CH35-30A	EL280UH070E36A	204043794
ML14XP1-030-230	30000	15.1	12.5	27600	18000	9.4	CH35-30A	ML180UH030V36A	204495027
ML14XP1-030-230	29800	15.1	12.5	27600	17900	9	CH35-30A	ML180UH045E36A	202565473
ML14XP1-030-230	30000	15.1	12.5	27600	18000	9.4	CH35-30A	ML180UH045V36A	204495130
ML14XP1-030-230	30000	15.1	12.5	27800	18000	9.4	CH35-30A	ML180UH070E36A	204495870
ML14XP1-030-230	29800	15.1	12.5	27600	17900	9	CH35-30A	ML180UH070V36A	204495233
ML14XP1-030-230	30000	15.1	12.5	27800	18000	9.4	CH35-30A	ML180UH070XE36A	204495996
ML14XP1-030-230	30000	15.5	12.5	27600	17800	9	CH35-30A	SL280UH060NV36A	202565474
ML14XP1-030-230	29800	15.1	12.5	27600	17900	9	CH35-30A	SL280UH070V36A	202565475
ML14XP1-030-230	29800	15.1	12.5	27600	17900	9	CH35-30A	SL280UH070XV36A	202565476
ML14XP1-030-230	30000	15.5	12.5	27000	17600	9	CH35-30B	EL180UH080NE48B	202565477
ML14XP1-030-230	30000	15.1	12.5	27400	17800	9	CH35-30B	EL195UH040NE36B	202565478
ML14XP1-030-230	30000	15.5	12.5	27400	17800	9	CH35-30B	EL195UH060NE36B	202565480
ML14XP1-030-230	29800	15.5	12.5	27000	17600	9	CH35-30B	EL196UH030XE24B	202565482
ML14XP1-030-230	29800	15.5	12.5	27000	17600	9	CH35-30B	EL196UH045XE24B	202565483
ML14XP1-030-230	30000	15.5	12.5	27200	17700	9	CH35-30B	EL196UH045XE36B	202565484
ML14XP1-030-230	30000	15.5	12.5	27200	17700	9	CH35-30B	EL196UH070XE36B	202565485
ML14XP1-030-230	30000	15.1	12.5	27000	17800	9	CH35-30B	EL280UH090E36B	204043795
ML14XP1-030-230	29600	15.1	12.5	26600	17600	9	CH35-30B	EL280UH090E48B	204043796
ML14XP1-030-230	30000	15.1	12.5	27200	17700	9	CH35-30B	EL296UH045XE36B	202565486

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-030-230	30000	15.1	12.5	27200	17700	9	CH35-30B	EL296UH045XV36B	202565487
ML14XP1-030-230	30000	15.1	12.5	27400	17800	9	CH35-30B	EL296UH070XE36B	202565488
ML14XP1-030-230	30000	15.5	12.5	27000	17600	9	CH35-30B	EL296UH070XV36B	202565489
ML14XP1-030-230	30000	15.5	12.5	27000	17600	9	CH35-30B	ML180UH070E36B	202565490
ML14XP1-030-230	30000	15.5	12.5	27000	17600	9.2	CH35-30B	ML180UH070V36B	204495348
ML14XP1-030-230	30000	15.5	12.5	27000	17600	9.4	CH35-30B	ML180UH070V48B	204495484
ML14XP1-030-230	30000	15.5	12.5	27000	17500	9	CH35-30B	ML180UH090E48B	202565491
ML14XP1-030-230	30000	15.5	12.5	27000	17500	9	CH35-30B	ML180UH090V48B	204495608
ML14XP1-030-230	29600	14.5	12.5	26800	17700	8.8	CH35-30B	ML193UH030XE36B	204043797
ML14XP1-030-230	29600	14.5	12.5	26800	17700	8.8	CH35-30B	ML193UH045XE36B	204043798
ML14XP1-030-230	29600	15	12.5	26800	17700	9	CH35-30B	ML193UH070XE36B	204043799
ML14XP1-030-230	29800	15.5	12.5	27000	17600	9	CH35-30B	ML196UH030XE24B	204498238
ML14XP1-030-230	29800	15.5	12.5	27000	17600	9	CH35-30B	ML196UH045XE24B	204498239
ML14XP1-030-230	30000	15.5	12.5	27200	17700	9	CH35-30B	ML196UH045XE36B	204498240
ML14XP1-030-230	30000	15.5	12.5	27200	17700	9	CH35-30B	ML196UH070XE36B	204498241
ML14XP1-030-230	30000	15.1	12.5	27600	18000	9	CH35-30B	ML296UH045XV36B	205470313
ML14XP1-030-230	30000	15.5	12.5	27600	17900	9	CH35-30B	ML296UH070XV36B	205470314
ML14XP1-030-230	30000	16	13	27000	17500	9	CH35-30B	SL280UH080NV48B	202565492
ML14XP1-030-230	30000	16	13	27000	17500	9	CH35-30B	SL280UH090V36B	202565493
ML14XP1-030-230	30000	15.5	12.5	27000	17600	9	CH35-30B	SL280UH090V48B	202565494
ML14XP1-030-230	30000	15.5	12.5	27000	17600	9	CH35-30B	SL297UH040NV36B	202565495
ML14XP1-030-230	30000	15.5	12.5	27000	17600	9	CH35-30B	SL297UH060NV36B	202565496
ML14XP1-030-230	30000	15.5	12.5	27000	17600	9	CH35-30B	SLP98UH070XV36B	202565497
ML14XP1-030-230	30000	15.5	12.5	27000	17600	9	CH35-30B	SLP99UH070XV36B	205544876
ML14XP1-030-230	29400	14	12	27800	18300	8.5	CH35-30B		202565396
ML14XP1-030-230	29800	15.1	12.5	27400	17700	8.5	CH35-36A	EL180UH040NE36A	202565498
ML14XP1-030-230	29600	15.1	12.5	27200	17700	8.5	CH35-36A	EL180UH060NE36A	202565499
ML14XP1-030-230	29400	14.5	12.5	27000	17800	8.8	CH35-36A	EL280UH045E36A	204043800
ML14XP1-030-230	29200	14.5	12.5	27000	17800	8.6	CH35-36A	EL280UH070E36A	204043801
ML14XP1-030-230	29800	15.1	12.5	27400	17800	9	CH35-36A	ML180UH030V36A	204495028
ML14XP1-030-230	29400	15	12.5	27200	17700	8.5	CH35-36A	ML180UH045E36A	202565500
ML14XP1-030-230	29800	15.1	12.5	27400	17800	9	CH35-36A	ML180UH045V36A	204495131
ML14XP1-030-230	29800	15.1	12.5	27400	17800	9	CH35-36A	ML180UH070E36A	204495871
ML14XP1-030-230	29400	15	12.5	27200	17700	8.5	CH35-36A	ML180UH070V36A	204495234
ML14XP1-030-230	29800	15.1	12.5	27400	17800	9	CH35-36A	ML180UH070XE36A	204495997
ML14XP1-030-230	29600	15.1	12.5	27200	17600	8.5	CH35-36A	SL280UH060NV36A	202565501
ML14XP1-030-230	29600	15.1	12.5	27200	17700	8.5	CH35-36A	SL280UH070V36A	202565502
ML14XP1-030-230	29600	15.1	12.5	27200	17700	8.5	CH35-36A	SL280UH070XV36A	202565503
ML14XP1-030-230	29400	15.1	12.5	27200	17700	9	CH35-36B	EL180UH080NE48B	202565504
ML14XP1-030-230	29600	15	12.5	27600	18000	8.5	CH35-36B	EL195UH040NE36B	202565505
ML14XP1-030-230	29600	15.1	12.5	27600	18000	8.5	CH35-36B	EL195UH060NE36B	202565507
ML14XP1-030-230	29000	15.1	12.5	27200	17800	8.5	CH35-36B	EL196UH030XE24B	202565509
ML14XP1-030-230	29000	15.1	12.5	27200	17800	8.5	CH35-36B	EL196UH045XE24B	202565510
ML14XP1-030-230	29400	15.1	12.5	27400	17900	9	CH35-36B	EL196UH045XE36B	202565511
ML14XP1-030-230	29600	15.1	12.5	27400	17900	9	CH35-36B	EL196UH070XE36B	202565512
ML14XP1-030-230	29200	14.5	12.5	27200	18000	8.8	CH35-36B	EL280UH090E36B	204043802
ML14XP1-030-230	28600	14.5	12.5	26800	17700	8.8	CH35-36B	EL280UH090E48B	204043803
ML14XP1-030-230	29200	15	12.5	27400	17900	9	CH35-36B	EL296UH045XE36B	202565513
ML14XP1-030-230	29400	15	12.5	27400	17900	9	CH35-36B	EL296UH045XV36B	202565514
ML14XP1-030-230	29200	15.1	12.5	27200	17800	9	CH35-36B	EL296UH070XV36B	202565515
ML14XP1-030-230	29400	15.5	12.5	27200	17700	9	CH35-36B	ML180UH070E36B	202565516
ML14XP1-030-230	29400	15.1	12.5	27200	17700	9.2	CH35-36B	ML180UH070V36B	204495349
ML14XP1-030-230	29600	15.5	12.5	27200	17700	9.2	CH35-36B	ML180UH070V48B	204495485
ML14XP1-030-230	29400	15.5	12.5	27200	17700	9	CH35-36B	ML180UH090E48B	202565517
ML14XP1-030-230	29400	15.1	12.5	27200	17700	9	CH35-36B	ML180UH090V48B	204495609
ML14XP1-030-230	28600	14.5	12.2	27000	17900	8.8	CH35-36B	ML193UH030XE36B	204043804

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-030-230	28800	14.5	12.2	27000	17900	8.8	CH35-36B	ML193UH045XE36B	204043805
ML14XP1-030-230	28800	14.5	12.5	27000	17900	8.8	CH35-36B	ML193UH070XE36B	204043806
ML14XP1-030-230	29000	15.1	12.5	27200	17800	8.5	CH35-36B	ML196UH030XE24B	204498242
ML14XP1-030-230	29000	15.1	12.5	27200	17800	8.5	CH35-36B	ML196UH045XE24B	204498243
ML14XP1-030-230	29400	15.1	12.5	27400	17900	9	CH35-36B	ML196UH045XE36B	204498244
ML14XP1-030-230	29600	15.1	12.5	27400	17900	9	CH35-36B	ML196UH070XE36B	204498245
ML14XP1-030-230	29000	15	12.5	27000	17300	8.5	CH35-36B	ML296UH045XV36B	205470315
ML14XP1-030-230	29000	15.1	12.5	26800	17200	8.5	CH35-36B	ML296UH070XV36B	205470316
ML14XP1-030-230	29400	15.5	12.5	27200	17700	9	CH35-36B	SL280UH080NV48B	202565518
ML14XP1-030-230	29400	15.5	12.5	27200	17700	9	CH35-36B	SL280UH090V36B	202565519
ML14XP1-030-230	29400	15.5	12.5	27200	17800	9	CH35-36B	SL280UH090V48B	202565520
ML14XP1-030-230	29400	15.1	12.5	27200	17800	9	CH35-36B	SL297UH040NV36B	202565521
ML14XP1-030-230	29200	15.1	12.5	27200	17800	9	CH35-36B	SL297UH060NV36B	202565522
ML14XP1-030-230	29200	15.1	12.5	27200	17800	9	CH35-36B	SLP98UH070XV36B	202565523
ML14XP1-030-230	29200	15.1	12.5	27200	17800	9	CH35-36B	SLP99UH070XV36B	205544878
ML14XP1-030-230	29800	15.5	12.5	27200	17700	9	CH35-36C	EL195UH080NE48C	202565524
ML14XP1-030-230	29800	15.5	12.5	27000	17600	9	CH35-36C	EL196UH090XE48C	202565526
ML14XP1-030-230	29400	15.1	12.5	26800	17700	9.2	CH35-36C	EL280UH110E48C	204043807
ML14XP1-030-230	29600	15.5	12.5	27000	17600	9	CH35-36C	EL296UH090XE48C	202565527
ML14XP1-030-230	30000	15.5	12.5	27200	17700	9	CH35-36C	EL296UH090XV36C	202565528
ML14XP1-030-230	30000	15.5	12.5	27200	17800	9	CH35-36C	EL296UH090XV48C	202565529
ML14XP1-030-230	29200	15	12.5	26800	17800	9	CH35-36C	ML193UH090XE36C	204043809
ML14XP1-030-230	29200	15.1	12.5	26600	17600	9.2	CH35-36C	ML193UH090XE48C	204043810
ML14XP1-030-230	29400	15.1	12.5	26600	17700	9.2	CH35-36C	ML193UH110XE48C	204043811
ML14XP1-030-230	29800	15.5	12.5	27000	17600	9	CH35-36C	ML196UH090XE48C	204498246
ML14XP1-030-230	29800	15.5	12.5	27000	17400	9	CH35-36C	ML296UH090XV48C	205470317
ML14XP1-030-230	29800	15.5	12.5	27000	17700	9	CH35-36C	SL297UH080NV48C	202565530
ML14XP1-030-230	30000	15.5	12.5	27200	17700	9	CH35-36C	SLP98UH090XV36C	202565531
ML14XP1-030-230	30000	15.5	12.5	27200	17800	9	CH35-36C	SLP98UH090XV48C	202565532
ML14XP1-030-230	30000	15.5	12.5	27200	17700	9	CH35-36C	SLP99UH090XV36C	205544880
ML14XP1-030-230	30000	15.5	12.5	27200	17800	9	CH35-36C	SLP99UH090XV48C	205544884
ML14XP1-030-230	29000	14	11.5	27800	18400	8.5	CH35-36C		202565397
ML14XP1-030-230	30000	15.5	12.5	27600	17900	9	CHX35-30A	EL180UH040NE36A	202565533
ML14XP1-030-230	30000	15.5	12.5	27600	17900	9	CHX35-30A	EL180UH060NE36A	202565534
ML14XP1-030-230	29800	15.1	12.5	27400	18000	9.2	CHX35-30A	EL280UH045E36A	204043812
ML14XP1-030-230	29600	15	12.5	27200	18000	9	CHX35-30A	EL280UH070E36A	204043813
ML14XP1-030-230	30000	15.1	12.5	27600	18000	9.4	CHX35-30A	ML180UH030V36A	204495029
ML14XP1-030-230	29800	15.1	12.5	27600	17900	9	CHX35-30A	ML180UH045E36A	202565535
ML14XP1-030-230	30000	15.1	12.5	27600	18000	9.4	CHX35-30A	ML180UH045V36A	204495132
ML14XP1-030-230	30000	15.1	12.5	27800	18000	9.4	CHX35-30A	ML180UH070E36A	204495872
ML14XP1-030-230	29800	15.1	12.5	27600	17900	9	CHX35-30A	ML180UH070V36A	204495235
ML14XP1-030-230	30000	15.1	12.5	27800	18000	9.4	CHX35-30A	ML180UH070XE36A	204495998
ML14XP1-030-230	30000	15.5	12.5	27600	17800	9	CHX35-30A	SL280UH060NV36A	202565536
ML14XP1-030-230	29800	15.1	12.5	27600	17900	9	CHX35-30A	SL280UH070V36A	202565537
ML14XP1-030-230	29800	15.1	12.5	27600	17900	9	CHX35-30A	SL280UH070XV36A	202565538
ML14XP1-030-230	30000	15.5	12.5	27000	17600	9	CHX35-30B	EL180UH080NE48B	202565539
ML14XP1-030-230	30000	15.1	12.5	27400	17800	9	CHX35-30B	EL195UH040NE36B	202565540
ML14XP1-030-230	30000	15.5	12.5	27400	17800	9	CHX35-30B	EL195UH060NE36B	202565542
ML14XP1-030-230	29800	15.5	12.5	27000	17600	9	CHX35-30B	EL196UH030XE24B	202565544
ML14XP1-030-230	29800	15.5	12.5	27000	17600	9	CHX35-30B	EL196UH045XE24B	202565545
ML14XP1-030-230	30000	15.5	12.5	27200	17700	9	CHX35-30B	EL196UH045XE36B	202565546
ML14XP1-030-230	30000	15.5	12.5	27200	17700	9	CHX35-30B	EL196UH070XE36B	202565547
ML14XP1-030-230	30000	15.1	12.5	27000	17800	9	CHX35-30B	EL280UH090E36B	204043814
ML14XP1-030-230	29600	15.1	12.5	26600	17600	9	CHX35-30B	EL280UH090E48B	204043815
ML14XP1-030-230	30000	15.1	12.5	27200	17700	9	CHX35-30B	EL296UH045XE36B	202565548
ML14XP1-030-230	30000	15.1	12.5	27200	17700	9	CHX35-30B	EL296UH045XV36B	202565549

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-030-230	30000	15.1	12.5	27400	17800	9	CHX35-30B	EL296UH070XE36B	202565550
ML14XP1-030-230	30000	15.5	12.5	27000	17600	9	CHX35-30B	EL296UH070XV36B	202565551
ML14XP1-030-230	30000	15.5	12.5	27000	17600	9	CHX35-30B	ML180UH070E36B	202565552
ML14XP1-030-230	30000	15.5	12.5	27000	17600	9.2	CHX35-30B	ML180UH070V36B	204495350
ML14XP1-030-230	30000	15.5	12.5	27000	17600	9.4	CHX35-30B	ML180UH070V48B	204495486
ML14XP1-030-230	30000	15.5	13	27000	17500	9	CHX35-30B	ML180UH090E48B	202565553
ML14XP1-030-230	30000	15.5	12.5	27000	17500	9	CHX35-30B	ML180UH090V48B	204495610
ML14XP1-030-230	29600	14.5	12.5	26800	17700	8.8	CHX35-30B	ML193UH030XE36B	204043816
ML14XP1-030-230	29600	14.5	12.5	26800	17700	8.8	CHX35-30B	ML193UH045XE36B	204043817
ML14XP1-030-230	29600	15	12.5	26800	17700	9	CHX35-30B	ML193UH070XE36B	204043818
ML14XP1-030-230	29800	15.5	12.5	27000	17600	9	CHX35-30B	ML196UH030XE24B	204498247
ML14XP1-030-230	29800	15.5	12.5	27000	17600	9	CHX35-30B	ML196UH045XE24B	204498248
ML14XP1-030-230	30000	15.5	12.5	27200	17700	9	CHX35-30B	ML196UH045XE36B	204498249
ML14XP1-030-230	30000	15.5	12.5	27200	17700	9	CHX35-30B	ML196UH070XE36B	204498250
ML14XP1-030-230	30000	15.1	12.5	27600	18000	9	CHX35-30B	ML296UH045XV36B	205470318
ML14XP1-030-230	30000	15.5	12.5	27600	17900	9	CHX35-30B	ML296UH070XV36B	205470319
ML14XP1-030-230	30000	16	13	27000	17500	9	CHX35-30B	SL280UH080NV48B	202565554
ML14XP1-030-230	30000	16	13	27000	17500	9	CHX35-30B	SL280UH090V36B	202565555
ML14XP1-030-230	30000	15.5	12.5	27000	17600	9	CHX35-30B	SL280UH090V48B	202565556
ML14XP1-030-230	30000	15.5	12.5	27000	17600	9	CHX35-30B	SL297UH040NV36B	202565557
ML14XP1-030-230	30000	15.5	12.5	27000	17600	9	CHX35-30B	SL297UH060NV36B	202565558
ML14XP1-030-230	30000	15.5	12.5	27000	17600	9	CHX35-30B	SLP98UH070XV36B	202565559
ML14XP1-030-230	30000	15.5	12.5	27000	17600	9	CHX35-30B	SLP99UH070XV36B	205544887
ML14XP1-030-230	29400	14	12	27800	18300	8.5	CHX35-30B		202565398
ML14XP1-030-230	29800	15.1	12.5	27400	17700	8.5	CHX35-36A	EL180UH040NE36A	202565560
ML14XP1-030-230	29600	15.1	12.5	27200	17700	8.5	CHX35-36A	EL180UH060NE36A	202565561
ML14XP1-030-230	29400	14.5	12.5	27000	17800	8.8	CHX35-36A	EL280UH045E36A	204043819
ML14XP1-030-230	29200	14.5	12.5	27000	17800	8.6	CHX35-36A	EL280UH070E36A	204043820
ML14XP1-030-230	29800	15.1	12.5	27400	17800	9	CHX35-36A	ML180UH030V36A	204495030
ML14XP1-030-230	29400	15	12.5	27200	17700	8.5	CHX35-36A	ML180UH045E36A	202565562
ML14XP1-030-230	29800	15.1	12.5	27400	17800	9	CHX35-36A	ML180UH045V36A	204495133
ML14XP1-030-230	29800	15.1	12.5	27400	17800	9	CHX35-36A	ML180UH070E36A	204495873
ML14XP1-030-230	29400	15	12.5	27200	17700	8.5	CHX35-36A	ML180UH070V36A	204495236
ML14XP1-030-230	29800	15.1	12.5	27400	17800	9	CHX35-36A	ML180UH070XE36A	204495999
ML14XP1-030-230	29600	15.1	12.5	27200	17600	8.5	CHX35-36A	SL280UH060NV36A	202565563
ML14XP1-030-230	29600	15.1	12.5	27200	17700	8.5	CHX35-36A	SL280UH070V36A	202565564
ML14XP1-030-230	29600	15.1	12.5	27200	17700	8.5	CHX35-36A	SL280UH070XV36A	202565565
ML14XP1-030-230	29400	15.1	12.5	27200	17700	9	CHX35-36B	EL180UH080NE48B	202565566
ML14XP1-030-230	29600	15	12.5	27600	18000	8.5	CHX35-36B	EL195UH040NE36B	202565567
ML14XP1-030-230	29600	15.1	12.5	27600	18000	8.5	CHX35-36B	EL195UH060NE36B	202565569
ML14XP1-030-230	29000	15.1	12.5	27200	17800	8.5	CHX35-36B	EL196UH030XE24B	202565571
ML14XP1-030-230	29000	15.1	12.5	27200	17800	8.5	CHX35-36B	EL196UH045XE24B	202565572
ML14XP1-030-230	29400	15.1	12.5	27400	17900	9	CHX35-36B	EL196UH045XE36B	202565573
ML14XP1-030-230	29600	15.1	12.5	27400	17900	9	CHX35-36B	EL196UH070XE36B	202565574
ML14XP1-030-230	29200	14.5	12.5	27200	18000	8.8	CHX35-36B	EL280UH090E36B	204043821
ML14XP1-030-230	28600	14.5	12.5	26800	17700	8.8	CHX35-36B	EL280UH090E48B	204043822
ML14XP1-030-230	29200	15	12.5	27400	17900	9	CHX35-36B	EL296UH045XE36B	202565575
ML14XP1-030-230	29400	15	12.5	27400	17900	9	CHX35-36B	EL296UH045XV36B	202565576
ML14XP1-030-230	29200	15.1	12.5	27200	17800	9	CHX35-36B	EL296UH070XV36B	202565577
ML14XP1-030-230	29400	15.5	12.5	27200	17700	9	CHX35-36B	ML180UH070E36B	202565578
ML14XP1-030-230	29400	15.1	12.5	27200	17700	9.2	CHX35-36B	ML180UH070V36B	204495351
ML14XP1-030-230	29600	15.5	12.5	27200	17700	9.2	CHX35-36B	ML180UH070V48B	204495487
ML14XP1-030-230	29400	15.5	12.5	27200	17700	9	CHX35-36B	ML180UH090E48B	202565579
ML14XP1-030-230	29400	15.1	12.5	27200	17700	9	CHX35-36B	ML180UH090V48B	204495611
ML14XP1-030-230	28600	14.5	12.2	27000	17900	8.8	CHX35-36B	ML193UH030XE36B	204043823
ML14XP1-030-230	28800	14.5	12.2	27000	17900	8.8	CHX35-36B	ML193UH045XE36B	204043824

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-030-230	28800	14.5	12.5	27000	17900	8.8	CHX35-36B	ML193UH070XE36B	204043825
ML14XP1-030-230	29000	15.1	12.5	27200	17800	8.5	CHX35-36B	ML196UH030XE24B	204498251
ML14XP1-030-230	29000	15.1	12.5	27200	17800	8.5	CHX35-36B	ML196UH045XE24B	204498252
ML14XP1-030-230	29400	15.1	12.5	27400	17900	9	CHX35-36B	ML196UH045XE36B	204498253
ML14XP1-030-230	29600	15.1	12.5	27400	17900	9	CHX35-36B	ML196UH070XE36B	204498254
ML14XP1-030-230	29000	15	12.5	27000	17300	8.5	CHX35-36B	ML296UH045XV36B	205470320
ML14XP1-030-230	29000	15.1	12.5	26800	17200	8.5	CHX35-36B	ML296UH070XV36B	205470321
ML14XP1-030-230	29400	15.5	12.5	27200	17700	9	CHX35-36B	SL280UH080NV48B	202565580
ML14XP1-030-230	29400	15.5	12.5	27200	17700	9	CHX35-36B	SL280UH090V36B	202565581
ML14XP1-030-230	29400	15.5	12.5	27200	17800	9	CHX35-36B	SL280UH090V48B	202565582
ML14XP1-030-230	29400	15.1	12.5	27200	17800	9	CHX35-36B	SL297UH040NV36B	202565583
ML14XP1-030-230	29200	15.1	12.5	27200	17800	9	CHX35-36B	SL297UH060NV36B	202565584
ML14XP1-030-230	29200	15.1	12.5	27200	17800	9	CHX35-36B	SLP98UH070XV36B	202565585
ML14XP1-030-230	29200	15.1	12.5	27200	17800	9	CHX35-36B	SLP99UH070XV36B	205544889
ML14XP1-030-230	29800	15.5	12.5	27200	17700	9	CHX35-36C	EL195UH080NE48C	202565586
ML14XP1-030-230	29800	15.5	12.5	27000	17600	9	CHX35-36C	EL196UH090XE48C	202565588
ML14XP1-030-230	29400	15.1	12.5	26800	17700	9.2	CHX35-36C	EL280UH110E48C	204043826
ML14XP1-030-230	29600	15.5	12.5	27000	17600	9	CHX35-36C	EL296UH090XE48C	202565589
ML14XP1-030-230	30000	15.5	12.5	27200	17700	9	CHX35-36C	EL296UH090XV36C	202565590
ML14XP1-030-230	30000	15.5	12.5	27200	17800	9	CHX35-36C	EL296UH090XV48C	202565591
ML14XP1-030-230	29200	15	12.5	26800	17800	9	CHX35-36C	ML193UH090XE36C	204043827
ML14XP1-030-230	29200	15.1	12.5	26600	17600	9.2	CHX35-36C	ML193UH090XE48C	204043828
ML14XP1-030-230	29400	15.1	12.5	26600	17700	9.2	CHX35-36C	ML193UH110XE48C	204043829
ML14XP1-030-230	29800	15.5	12.5	27000	17600	9	CHX35-36C	ML196UH090XE48C	204498255
ML14XP1-030-230	29800	15.5	12.5	27000	17400	9	CHX35-36C	ML296UH090XV48C	205470322
ML14XP1-030-230	29800	15.5	12.5	27000	17700	9	CHX35-36C	SL297UH080NV48C	202565592
ML14XP1-030-230	30000	15.5	12.5	27200	17700	9	CHX35-36C	SLP98UH090XV36C	202565593
ML14XP1-030-230	30000	15.5	12.5	27200	17800	9	CHX35-36C	SLP98UH090XV48C	202565594
ML14XP1-030-230	30000	15.5	12.5	27200	17700	9	CHX35-36C	SLP99UH090XV36C	205544898
ML14XP1-030-230	30000	15.5	12.5	27200	17800	9	CHX35-36C	SLP99UH090XV48C	205544901
ML14XP1-030-230	29000	14	11.5	27800	18400	8.5	CHX35-36C		202565399
ML14XP1-030-230	29200	14.5	12.5	27800	18300	9	CR33-30/36A	EL280DF070E36A	204043830
ML14XP1-030-230	29800	15.1	12.5	28400	18300	9	CR33-30/36A	ML180DF045E36A	202565595
ML14XP1-030-230	29600	15.1	12.5	28200	18200	9.3	CR33-30/36A	ML180DF070E36A	204495928
ML14XP1-030-230	29600	15.1	12.5	28200	18200	9	CR33-30/36A	SL280DF070V36A	202565596
ML14XP1-030-230	29000	14	11.5	28800	18800	8.5	CR33-30/36A		202565400
ML14XP1-030-230	29400	14.5	12.5	28000	18400	9	CR33-30/36B	EL280DF090E48B	204043831
ML14XP1-030-230	29600	15	12.5	28200	18300	9	CR33-30/36B	EL296DF045XE36B	202565599
ML14XP1-030-230	29600	15.1	12.5	28200	18200	9	CR33-30/36B	EL296DF045XV36B	202565600
ML14XP1-030-230	30000	15.1	12.5	28200	18300	9	CR33-30/36B	EL296DF070XE48B	202565601
ML14XP1-030-230	29600	15	12.5	28200	18300	9	CR33-30/36B	EL296DF070XV48B	202565602
ML14XP1-030-230	30000	15.5	12.5	28200	18100	9	CR33-30/36B	ML180DF070E36B	202565603
ML14XP1-030-230	29600	15.5	12.5	28000	18100	9	CR33-30/36B	ML180DF090E48B	202565604
ML14XP1-030-230	28800	14.5	12.2	27800	18300	8.8	CR33-30/36B	ML193DF045XE36B	204043832
ML14XP1-030-230	28800	14.5	12.2	27800	18300	8.8	CR33-30/36B	ML193DF070XE36B	204043833
ML14XP1-030-230	29600	14.5	12.5	28200	18300	9	CR33-30/36B	ML196DF045XE36B	205706941
ML14XP1-030-230	29600	14.5	12.5	28200	18300	9	CR33-30/36B	ML196DF070XE48B	205706942
ML14XP1-030-230	29400	15.1	12.5	28200	18000	9	CR33-30/36B	ML296DF045XV36B	205470323
ML14XP1-030-230	29400	15	12.5	28200	18100	9	CR33-30/36B	ML296DF070XV48B	205470324
ML14XP1-030-230	29600	15.1	12.5	28000	18100	9	CR33-30/36B	SL280DF090V48B	202565605
ML14XP1-030-230	29600	15.1	12.5	28200	18200	9	CR33-30/36B	SLP98DF070XV36B	202565606
ML14XP1-030-230	29600	15.1	12.5	28200	18200	9	CR33-30/36B	SLP99DF070XV36B	205544903
ML14XP1-030-230	29000	14	11.5	28800	18800	8.5	CR33-30/36B		202565401
ML14XP1-030-230	29800	15.5	12.5	27400	17900	9	CX35-30/36A	EL180UH040NE36A	202565607
ML14XP1-030-230	29800	15.5	12.5	27400	17900	9	CX35-30/36A	EL180UH060NE36A	202565608
ML14XP1-030-230	29400	15	12.5	27200	18000	8.8	CX35-30/36A	EL280UH045E36A	204043834

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-030-230	29000	14.5	12.5	27000	18000	8.8	CX35-30/36A	EL280UH070E36A	204043835
ML14XP1-030-230	29600	15.1	12.5	27400	17900	9.2	CX35-30/36A	ML180UH030V36A	204495031
ML14XP1-030-230	29400	15.1	12.5	27400	17900	8.5	CX35-30/36A	ML180UH045E36A	202565609
ML14XP1-030-230	29600	15.1	12.5	27400	17900	9.2	CX35-30/36A	ML180UH045V36A	204495134
ML14XP1-030-230	29800	15.1	12.5	27600	18000	9	CX35-30/36A	ML180UH070E36A	204495874
ML14XP1-030-230	29400	15.1	12.5	27400	17900	9	CX35-30/36A	ML180UH070V36A	204495237
ML14XP1-030-230	29800	15.1	12.5	27600	18000	9	CX35-30/36A	ML180UH070XE36A	204496000
ML14XP1-030-230	29600	15.5	12.5	27400	17800	9	CX35-30/36A	SL280UH060NV36A	202565610
ML14XP1-030-230	29400	15.1	12.5	27400	17900	9	CX35-30/36A	SL280UH070V36A	202565611
ML14XP1-030-230	29400	15.1	12.5	27400	17900	9	CX35-30/36A	SL280UH070XV36A	202565612
ML14XP1-030-230	29400	15.1	12.5	27400	17900	9	CX35-30/36B	EL180UH080NE48B	202565613
ML14XP1-030-230	29800	15.1	12.5	27600	18100	8.5	CX35-30/36B	EL195UH040NE36B	202565615
ML14XP1-030-230	29800	15.1	12.5	27600	18000	8.5	CX35-30/36B	EL195UH060NE36B	202565618
ML14XP1-030-230	29600	15.1	12.5	27600	18000	8.5	CX35-30/36B	EL196UH045XE36B	202565620
ML14XP1-030-230	29600	15.1	12.5	27600	18000	8.5	CX35-30/36B	EL196UH070XE36B	202565621
ML14XP1-030-230	29200	14.5	12.5	27200	18000	8.8	CX35-30/36B	EL280UH090E36B	204043836
ML14XP1-030-230	28800	15	12.5	26800	17800	8.8	CX35-30/36B	EL280UH090E48B	204043837
ML14XP1-030-230	29400	15.1	12.5	27400	18000	8.5	CX35-30/36B	EL296UH045XE36B	202565622
ML14XP1-030-230	29600	15.1	12.5	27400	18000	8.5	CX35-30/36B	EL296UH045XV36B	202565623
ML14XP1-030-230	29600	15.1	12.5	27600	18000	8.5	CX35-30/36B	EL296UH070XE36B	202565624
ML14XP1-030-230	29400	15.1	12.5	27400	17900	9	CX35-30/36B	EL296UH070XV36B	202565625
ML14XP1-030-230	29600	15.5	12.5	27400	17800	9	CX35-30/36B	ML180UH070E36B	202565626
ML14XP1-030-230	29600	15.1	12.5	27200	17800	9.2	CX35-30/36B	ML180UH070V36B	204495352
ML14XP1-030-230	29800	15.5	12.5	27400	17800	9.2	CX35-30/36B	ML180UH070V48B	204495488
ML14XP1-030-230	29600	15.1	12.5	27200	17800	9.2	CX35-30/36B	ML180UH090V48B	204495612
ML14XP1-030-230	28800	14.5	12.2	27000	18000	8.8	CX35-30/36B	ML193UH030XE36B	204043838
ML14XP1-030-230	29000	14.5	12.5	27000	18000	8.8	CX35-30/36B	ML193UH045XE36B	204043839
ML14XP1-030-230	29000	14.5	12.5	27000	18000	8.8	CX35-30/36B	ML193UH070XE36B	204043840
ML14XP1-030-230	29600	15.1	12.5	27600	18000	8.5	CX35-30/36B	ML196UH045XE36B	204498256
ML14XP1-030-230	29600	15.1	12.5	27600	18000	8.5	CX35-30/36B	ML196UH070XE36B	204498257
ML14XP1-030-230	29200	15.1	12.5	27400	18000	8.5	CX35-30/36B	ML296UH045XV36B	205470325
ML14XP1-030-230	29200	15.1	12.5	27400	17900	8.5	CX35-30/36B	ML296UH070XV36B	205470326
ML14XP1-030-230	29600	15.5	12.5	27200	17700	9	CX35-30/36B	SL280UH080NV48B	202565627
ML14XP1-030-230	29600	15.5	12.5	27200	17700	9	CX35-30/36B	SL280UH090V36B	202565628
ML14XP1-030-230	29600	15.1	12.5	27400	17800	9	CX35-30/36B	SL297UH040NV36B	202565629
ML14XP1-030-230	29400	15.1	12.5	27400	17900	9	CX35-30/36B	SL297UH060NV36B	202565630
ML14XP1-030-230	29400	15.1	12.5	27400	17900	9	CX35-30/36B	SLP98UH070XV36B	202565631
ML14XP1-030-230	29400	15.1	12.5	27400	17900	9	CX35-30/36B	SLP99UH070XV36B	205544907
ML14XP1-030-230	29000	14.5	12.5	27800	18000	8.8	CX35-30/36C	ML193UH090XE36C	205109425
ML14XP1-030-230	30000	15.5	12.5	27000	17400	9	CX35-30A	EL180UH040NE36A	202565632
ML14XP1-030-230	30000	15.5	12.5	27000	17400	8.5	CX35-30A	EL180UH060NE36A	202565633
ML14XP1-030-230	29800	15.1	12.5	26600	17500	8.8	CX35-30A	EL280UH045E36A	204043841
ML14XP1-030-230	29600	14.5	12.5	26600	17500	8.6	CX35-30A	EL280UH070E36A	204043843
ML14XP1-030-230	30000	15.1	12.5	27000	17400	9	CX35-30A	ML180UH030V36A	204495032
ML14XP1-030-230	29800	15.1	12.5	26800	17500	8.5	CX35-30A	ML180UH045E36A	202565634
ML14XP1-030-230	30000	15.1	12.5	27000	17400	9	CX35-30A	ML180UH045V36A	204495135
ML14XP1-030-230	30000	15.1	12.5	27000	17500	9	CX35-30A	ML180UH070E36A	204495875
ML14XP1-030-230	30000	15.1	12.5	26800	17400	8.5	CX35-30A	ML180UH070V36A	204495238
ML14XP1-030-230	30000	15.1	12.5	27000	17500	9	CX35-30A	ML180UH070XE36A	204496001
ML14XP1-030-230	30000	15.5	12.5	26800	17300	8.5	CX35-30A	SL280UH060NV36A	202565635
ML14XP1-030-230	30000	15.5	12.5	26800	17400	8.5	CX35-30A	SL280UH070V36A	202565636
ML14XP1-030-230	30000	15.5	12.5	26800	17400	8.5	CX35-30A	SL280UH070XV36A	202565637
ML14XP1-030-230	29200	14	11.5	27400	18100	8.5	CX35-30A		202565402
ML14XP1-030-230	30000	15.5	12.5	26800	17300	8.5	CX35-30B	EL180UH080NE48B	202565638
ML14XP1-030-230	30000	15.1	12.5	27200	17600	8.5	CX35-30B	EL195UH040NE36B	202565639
ML14XP1-030-230	30000	15.1	12.5	27000	17600	8.5	CX35-30B	EL195UH060NE36B	202565640

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-030-230	29800	15.1	12.5	26800	17400	8.5	CX35-30B	EL196UH030XE24B	202565642
ML14XP1-030-230	29800	15.1	12.5	26800	17400	8.5	CX35-30B	EL196UH045XE24B	202565643
ML14XP1-030-230	30000	15.1	12.5	27000	17500	8.5	CX35-30B	EL196UH045XE36B	202565644
ML14XP1-030-230	30000	15.1	12.5	27000	17500	8.5	CX35-30B	EL196UH070XE36B	202565645
ML14XP1-030-230	29800	15	12.5	26600	17600	8.8	CX35-30B	EL280UH090E36B	204043844
ML14XP1-030-230	29400	15.1	12.5	26200	17300	8.6	CX35-30B	EL280UH090E48B	204043845
ML14XP1-030-230	30000	15.1	12.5	27000	17500	8.5	CX35-30B	EL296UH045XE36B	202565646
ML14XP1-030-230	30000	15.1	12.5	27000	17500	8.5	CX35-30B	EL296UH045XV36B	202565647
ML14XP1-030-230	30000	15.1	12.5	27000	17600	8.5	CX35-30B	EL296UH070XE36B	202565648
ML14XP1-030-230	30000	15.5	12.5	26800	17400	8.5	CX35-30B	EL296UH070XV36B	202565649
ML14XP1-030-230	30000	15.5	12.5	26800	17400	8.5	CX35-30B	ML180UH070E36B	202565650
ML14XP1-030-230	30000	15.5	12.5	26800	17300	9	CX35-30B	ML180UH070V36B	204495353
ML14XP1-030-230	30000	15.5	12.5	26800	17400	9	CX35-30B	ML180UH070V48B	204495489
ML14XP1-030-230	30000	15.5	12.5	26800	17300	8.5	CX35-30B	ML180UH090E48B	202565651
ML14XP1-030-230	30000	15.5	12.5	26800	17300	8.5	CX35-30B	ML180UH090V48B	204495613
ML14XP1-030-230	29400	14.5	12.5	26400	17500	8.6	CX35-30B	ML193UH030XE36B	204043846
ML14XP1-030-230	29400	14.5	12.5	26600	17500	8.6	CX35-30B	ML193UH045XE36B	204043847
ML14XP1-030-230	29400	14.5	12.5	26600	17500	8.6	CX35-30B	ML193UH070XE36B	204043848
ML14XP1-030-230	29800	15.1	12.5	26800	17400	8.5	CX35-30B	ML196UH030XE24B	204498258
ML14XP1-030-230	29800	15.1	12.5	26800	17400	8.5	CX35-30B	ML196UH045XE24B	204498259
ML14XP1-030-230	30000	15.1	12.5	27000	17500	8.5	CX35-30B	ML196UH045XE36B	204498260
ML14XP1-030-230	30000	15.1	12.5	27000	17500	8.5	CX35-30B	ML196UH070XE36B	204498261
ML14XP1-030-230	30000	15.1	12.5	27600	17900	8.5	CX35-30B	ML296UH045XV36B	205470327
ML14XP1-030-230	30000	15.5	12.5	27400	17800	8.5	CX35-30B	ML296UH070XV36B	205470328
ML14XP1-030-230	30000	15.5	12.5	26800	17300	9	CX35-30B	SL280UH080NV48B	202565652
ML14XP1-030-230	30000	15.5	12.5	26800	17300	8.5	CX35-30B	SL280UH090V36B	202565653
ML14XP1-030-230	30000	15.5	12.5	26800	17400	8.5	CX35-30B	SL280UH090V48B	202565654
ML14XP1-030-230	30000	15.5	12.5	26800	17400	8.5	CX35-30B	SL297UH040NV36B	202565655
ML14XP1-030-230	30000	15.5	12.5	26800	17400	8.5	CX35-30B	SL297UH060NV36B	202565656
ML14XP1-030-230	30000	15.5	12.5	26800	17400	8.5	CX35-30B	SLP98UH070XV36B	202565657
ML14XP1-030-230	30000	15.5	12.5	26800	17400	8.5	CX35-30B	SLP99UH070XV36B	205544909
ML14XP1-030-230	29200	14	11.5	27400	18100	8.5	CX35-30B		202565403
ML14XP1-030-230	30000	15.5	12.5	27000	17500	9	CX35-36A	EL180UH040NE36A	202565658
ML14XP1-030-230	30000	15.5	12.5	27000	17500	9	CX35-36A	EL180UH060NE36A	202565659
ML14XP1-030-230	30000	15.1	12.5	26600	17600	9	CX35-36A	EL280UH045E36A	204043849
ML14XP1-030-230	29800	15.1	12.5	26600	17600	8.8	CX35-36A	EL280UH070E36A	204043850
ML14XP1-030-230	30000	15.5	12.5	27000	17500	9.2	CX35-36A	ML180UH030V36A	204495033
ML14XP1-030-230	30000	15.5	12.5	27000	17600	8.5	CX35-36A	ML180UH045E36A	202565660
ML14XP1-030-230	30000	15.5	12.5	27000	17500	9.2	CX35-36A	ML180UH045V36A	204495136
ML14XP1-030-230	30000	15.5	12.5	27200	17600	9.2	CX35-36A	ML180UH070E36A	204495876
ML14XP1-030-230	30000	15.5	12.5	27000	17500	9	CX35-36A	ML180UH070V36A	204495239
ML14XP1-030-230	30000	15.5	12.5	27200	17600	9.2	CX35-36A	ML180UH070XE36A	204496002
ML14XP1-030-230	30000	16	13	26800	17400	9	CX35-36A	SL280UH060NV36A	202565661
ML14XP1-030-230	30000	15.5	12.5	27000	17500	9	CX35-36A	SL280UH070V36A	202565662
ML14XP1-030-230	30000	15.5	12.5	27000	17500	9	CX35-36A	SL280UH070XV36A	202565663
ML14XP1-030-230	29400	14	12	27600	18100	8.5	CX35-36A		202565404
ML14XP1-030-230	30000	15.5	12.5	26800	17400	9	CX35-36B	EL180UH080NE48B	202565664
ML14XP1-030-230	30000	15.5	12.5	27200	17700	9	CX35-36B	EL195UH040NE36B	202565665
ML14XP1-030-230	30000	15.5	12.5	27200	17700	9	CX35-36B	EL195UH060NE36B	202565667
ML14XP1-030-230	30000	15.5	12.5	26800	17500	8.5	CX35-36B	EL196UH030XE24B	202565669
ML14XP1-030-230	30000	15.5	12.5	26800	17500	8.5	CX35-36B	EL196UH045XE24B	202565670
ML14XP1-030-230	30000	15.5	12.5	27000	17600	9	CX35-36B	EL196UH045XE36B	202565671
ML14XP1-030-230	30000	15.5	12.5	27000	17600	9	CX35-36B	EL196UH070XE36B	202565672
ML14XP1-030-230	30000	15.1	12.5	26800	17700	9	CX35-36B	EL280UH090E36B	204043851
ML14XP1-030-230	29600	15.1	12.5	26400	17400	8.8	CX35-36B	EL280UH090E48B	204043852
ML14XP1-030-230	30000	15.1	12.5	27000	17600	9	CX35-36B	EL296UH045XE36B	202565673

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-030-230	30000	15.1	12.5	27000	17500	8.5	CX35-36B	EL296UH045XV36B	202565674
ML14XP1-030-230	30000	15.5	12.5	27200	17700	9	CX35-36B	EL296UH070XE36B	202565675
ML14XP1-030-230	30000	15.5	12.5	27000	17500	9	CX35-36B	EL296UH070XV36B	202565676
ML14XP1-030-230	30000	15.5	12.5	26800	17500	9	CX35-36B	ML180UH070E36B	202565677
ML14XP1-030-230	30000	15.5	12.5	26800	17400	9.2	CX35-36B	ML180UH070V36B	204495354
ML14XP1-030-230	30000	15.5	12.5	26800	17500	9.2	CX35-36B	ML180UH070V48B	204495490
ML14XP1-030-230	30000	15.5	12.5	26800	17400	9	CX35-36B	ML180UH090E48B	202565678
ML14XP1-030-230	30000	15.5	12.5	26800	17400	9.2	CX35-36B	ML180UH090V48B	204495614
ML14XP1-030-230	29600	14.5	12.5	26600	17600	8.8	CX35-36B	ML193UH030XE36B	204043853
ML14XP1-030-230	29600	14.5	12.5	26600	17600	8.8	CX35-36B	ML193UH045XE36B	204043854
ML14XP1-030-230	29600	15	12.5	26600	17600	8.8	CX35-36B	ML193UH070XE36B	204043855
ML14XP1-030-230	30000	15.5	12.5	26800	17500	8.5	CX35-36B	ML196UH030XE24B	204498262
ML14XP1-030-230	30000	15.5	12.5	26800	17500	8.5	CX35-36B	ML196UH045XE24B	204498263
ML14XP1-030-230	30000	15.5	12.5	27000	17600	9	CX35-36B	ML196UH045XE36B	204498264
ML14XP1-030-230	30000	15.5	12.5	27000	17600	9	CX35-36B	ML196UH070XE36B	204498265
ML14XP1-030-230	30000	15.1	12.5	27200	17900	9	CX35-36B	ML296UH045XV36B	205470329
ML14XP1-030-230	30000	15.5	12.5	27400	17800	9	CX35-36B	ML296UH070XV36B	205470330
ML14XP1-030-230	30000	16	13	26800	17400	9	CX35-36B	SL280UH080NV48B	202565679
ML14XP1-030-230	30000	16	13	26800	17400	9	CX35-36B	SL280UH090V36B	202565680
ML14XP1-030-230	30000	15.5	12.5	27000	17500	9	CX35-36B	SL297UH040NV36B	202565681
ML14XP1-030-230	30000	15.5	12.5	27000	17500	9	CX35-36B	SL297UH060NV36B	202565682
ML14XP1-030-230	30000	15.5	12.5	27000	17500	9	CX35-36B	SLP98UH070XV36B	202565683
ML14XP1-030-230	30000	15.5	12.5	27000	17500	9	CX35-36B	SLP99UH070XV36B	205544912
ML14XP1-030-230	29400	14	12	27600	18100	8.5	CX35-36B		202565405
ML14XP1-036-230	34400	15	12.5	31800	20600	8.5	C35-36A	EL180UH040NE36A	202566138
ML14XP1-036-230	34200	15	12.5	31800	20600	8.5	C35-36A	EL180UH060NE36A	202566139
ML14XP1-036-230	34400	14.5	12	32000	21000	8.5	C35-36A	EL280UH045E36A	204043856
ML14XP1-036-230	34000	14.5	12.5	31600	20600	8.5	C35-36A	EL280UH070E36A	204043857
ML14XP1-036-230	34000	14.5	12.5	31600	20600	8.5	C35-36A	ML180UH030V36A	204495034
ML14XP1-036-230	34000	14.5	12.5	31600	20600	8.5	C35-36A	ML180UH045E36A	202566140
ML14XP1-036-230	34000	14.5	12.5	31600	20600	8.5	C35-36A	ML180UH045V36A	204495137
ML14XP1-036-230	34400	14.5	12.5	31800	20800	8.5	C35-36A	ML180UH070E36A	204495877
ML14XP1-036-230	34000	14.5	12.5	31600	20600	8.5	C35-36A	ML180UH070V36A	204495240
ML14XP1-036-230	34400	14.5	12.5	31800	20800	8.5	C35-36A	ML180UH070XE36A	204496003
ML14XP1-036-230	34200	15.1	12.5	31400	20400	8.5	C35-36A	SL280UH060NV36A	202566141
ML14XP1-036-230	34000	14.5	12.5	31600	20600	8.5	C35-36A	SL280UH070V36A	202566142
ML14XP1-036-230	34000	14.5	12.5	31600	20600	8.5	C35-36A	SL280UH070XV36A	202566143
ML14XP1-036-230	34200	15.5	12.5	31400	20400	8.5	C35-36B	EL180UH080NE48B	202566144
ML14XP1-036-230	33800	14.5	12.5	31600	20600	8.5	C35-36B	EL195UH040NE36B	202566145
ML14XP1-036-230	33800	14.5	12.5	31400	20600	8.5	C35-36B	EL195UH060NE36B	202566147
ML14XP1-036-230	33800	14.5	12.5	31400	20400	8.5	C35-36B	EL196UH045XE36B	202566149
ML14XP1-036-230	33800	15	12.5	31400	20400	8.5	C35-36B	EL196UH070XE36B	202566150
ML14XP1-036-230	34000	14.5	12.5	31600	20600	8.5	C35-36B	EL280UH090E36B	204043858
ML14XP1-036-230	34000	14.5	12.5	31400	20400	8.5	C35-36B	EL280UH090E48B	204043859
ML14XP1-036-230	33800	14.25	12.2	31800	21000	8.2	C35-36B	EL296UH045XE36B	202576850
ML14XP1-036-230	34000	14.5	12.5	31600	20600	8.5	C35-36B	EL296UH045XV36B	202566151
ML14XP1-036-230	33800	14.5	12.5	31400	20600	8.5	C35-36B	EL296UH070XE36B	202566152
ML14XP1-036-230	34000	14.5	12.5	31600	20600	8.5	C35-36B	EL296UH070XV36B	202566153
ML14XP1-036-230	34200	14.5	12.5	31800	20800	8.5	C35-36B	ML180UH070E36B	202566154
ML14XP1-036-230	34000	15	12.5	31400	20400	8.5	C35-36B	ML180UH070V36B	204495355
ML14XP1-036-230	34400	15.1	12.5	31600	20400	8.5	C35-36B	ML180UH070V48B	204495491
ML14XP1-036-230	34200	15.1	12.5	31400	20400	8.5	C35-36B	ML180UH090E48B	202566155
ML14XP1-036-230	34200	15.1	12.5	31400	20400	8.5	C35-36B	ML180UH090V48B	204495615
ML14XP1-036-230	34000	14	12.2	32000	21000	8.2	C35-36B	ML193UH030XE36B	204043860
ML14XP1-036-230	34000	14	12.2	32000	21000	8.2	C35-36B	ML193UH045XE36B	204043861
ML14XP1-036-230	34000	14.25	12.2	32000	21000	8.2	C35-36B	ML193UH070XE36B	204043862

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-036-230	33800	14.5	12.5	31400	20400	8.5	C35-36B	ML196UH045XE36B	204498266
ML14XP1-036-230	33800	15	12.5	31400	20400	8.5	C35-36B	ML196UH070XE36B	204498267
ML14XP1-036-230	34000	14.5	12.5	31600	20600	8.5	C35-36B	ML296UH045XV36B	205470331
ML14XP1-036-230	34000	14.5	12.5	31600	20600	8.5	C35-36B	ML296UH070XV36B	205470332
ML14XP1-036-230	34200	15.5	12.5	31400	20400	8.5	C35-36B	SL280UH080NV48B	202566156
ML14XP1-036-230	34200	15.1	12.5	31400	20400	8.5	C35-36B	SL280UH090V36B	202566157
ML14XP1-036-230	34200	15.1	12.5	31400	20400	8.5	C35-36B	SL280UH090V48B	202566158
ML14XP1-036-230	34200	14.5	12.5	31600	20600	8.5	C35-36B	SL297UH040NV36B	202566159
ML14XP1-036-230	34000	14.5	12.5	31600	20600	8.5	C35-36B	SL297UH060NV36B	202566160
ML14XP1-036-230	34000	14.5	12.5	31600	20600	8.5	C35-36B	SLP98UH070XV36B	202566161
ML14XP1-036-230	34000	14.5	12.5	31600	20600	8.5	C35-36B	SLP99UH070XV36B	205544949
ML14XP1-036-230	34400	15.5	12.5	30400	19200	8.5	C35-48B	EL180UH080NE48B	202566162
ML14XP1-036-230	34000	14.5	12.5	30400	19500	8.2	C35-48B	EL195UH040NE36B	202566163
ML14XP1-036-230	33800	14.5	12.5	30400	19500	8.2	C35-48B	EL195UH060NE36B	202566165
ML14XP1-036-230	33800	14.5	12.5	30400	19400	8.2	C35-48B	EL196UH045XE36B	202566167
ML14XP1-036-230	33800	15	12.5	30400	19400	8.2	C35-48B	EL196UH070XE36B	202566168
ML14XP1-036-230	34200	14.5	12.5	30600	19500	8.2	C35-48B	EL280UH090E36B	204043863
ML14XP1-036-230	34000	15	12.5	30400	19400	8.2	C35-48B	EL280UH090E48B	204043864
ML14XP1-036-230	33400	14.5	12.5	30200	19400	8.2	C35-48B	EL296UH045XE36B	202566169
ML14XP1-036-230	34000	14.5	12.5	30600	19600	8.2	C35-48B	EL296UH045XV36B	202566170
ML14XP1-036-230	33800	14.5	12.5	30400	19400	8.2	C35-48B	EL296UH070XE36B	202566171
ML14XP1-036-230	34000	14.5	12.5	30600	19600	8.2	C35-48B	EL296UH070XV36B	202566172
ML14XP1-036-230	33800	15.1	12.5	30200	19100	8.2	C35-48B	ML180UH070E36B	202566173
ML14XP1-036-230	34000	15.1	12.5	30200	19300	8.2	C35-48B	ML180UH070V36B	204495356
ML14XP1-036-230	34400	15.1	12.5	30400	19400	8.5	C35-48B	ML180UH070V48B	204495492
ML14XP1-036-230	34200	15.1	12.5	30400	19400	8.5	C35-48B	ML180UH090E48B	202566174
ML14XP1-036-230	34200	15.1	12.5	30400	19300	8.2	C35-48B	ML180UH090V48B	204495616
ML14XP1-036-230	34000	14	12.2	31000	19900	8.2	C35-48B	ML193UH030XE36B	204043865
ML14XP1-036-230	34000	14	12.2	31000	19900	8.2	C35-48B	ML193UH045XE36B	204043866
ML14XP1-036-230	33600	14.5	12	30400	19400	8.2	C35-48B	ML193UH070XE36B	204043867
ML14XP1-036-230	33800	14.5	12.5	30400	19400	8.2	C35-48B	ML196UH045XE36B	204498268
ML14XP1-036-230	33800	15	12.5	30400	19400	8.2	C35-48B	ML196UH070XE36B	204498269
ML14XP1-036-230	34000	14.5	12.5	30600	19600	8.2	C35-48B	ML296UH045XV36B	205470333
ML14XP1-036-230	34000	14.5	12.5	30600	19600	8.2	C35-48B	ML296UH070XV36B	205470334
ML14XP1-036-230	34200	15.5	12.5	30200	19200	8.5	C35-48B	SL280UH080NV48B	202566175
ML14XP1-036-230	34200	15.1	12.5	30400	19300	8.2	C35-48B	SL280UH090V36B	202566176
ML14XP1-036-230	34200	15.1	12.5	30400	19300	8.2	C35-48B	SL280UH090V48B	202566177
ML14XP1-036-230	34600	15.5	12.5	30400	19400	8.5	C35-48C	EL196UH090XE48C	202566179
ML14XP1-036-230	34000	15.1	12.5	30200	19200	8.2	C35-48C	EL280UH110E48C	204043868
ML14XP1-036-230	34400	15.1	12.5	30600	19400	8.5	C35-48C	EL280UH110E60C	204043869
ML14XP1-036-230	34200	15.1	12.5	30400	19300	8.2	C35-48C	EL296UH090XE48C	202566180
ML14XP1-036-230	34200	15.1	12.5	30400	19400	8.2	C35-48C	EL296UH090XV36C	202566181
ML14XP1-036-230	34000	15.1	12.5	30200	19200	8.2	C35-48C	EL296UH090XV48C	202566182
ML14XP1-036-230	34600	15.5	12.5	30400	19300	8.5	C35-48C	ML180UH110V60C	204495720
ML14XP1-036-230	34000	14.5	12.5	30400	19400	8.2	C35-48C	ML193UH090XE36C	204043870
ML14XP1-036-230	34200	15.1	12.5	30400	19300	8.2	C35-48C	ML193UH090XE48C	204043871
ML14XP1-036-230	34200	15.1	12.5	30400	19400	8.5	C35-48C	ML193UH110XE48C	204043872
ML14XP1-036-230	34200	15.1	12.5	30400	19400	8.5	C35-48C	ML193UH110XE60C	204043873
ML14XP1-036-230	34600	15.5	12.5	30400	19400	8.5	C35-48C	ML196UH090XE48C	204498270
ML14XP1-036-230	34000	15.1	12.5	30200	19200	8.2	C35-48C	ML296UH090XV48C	205470335
ML14XP1-036-230	34000	15.1	12.5	30400	19300	8.2	C35-48C	SL297UH080NV48C	202566183
ML14XP1-036-230	34200	15.1	12.5	30400	19400	8.2	C35-48C	SLP98UH090XV36C	202566184
ML14XP1-036-230	34000	15.1	12.5	30200	19200	8.2	C35-48C	SLP98UH090XV48C	202566185
ML14XP1-036-230	34200	15.1	12.5	30400	19400	8.2	C35-48C	SLP99UH090XV36C	205544952
ML14XP1-036-230	34000	15.1	12.5	30200	19200	8.2	C35-48C	SLP99UH090XV48C	205544953
ML14XP1-036-230	35200	15.5	12.5	31600	20600	8.5	C35-50/60C	EL180UH100NE60C	204117226

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-036-230	35000	15.1	12.5	32000	21000	8.5	C35-50/60C	EL195UH080NE48C	204117227
ML14XP1-036-230	35200	15.1	12.5	32000	21000	8.5	C35-50/60C	EL195UH100NE60C	204117228
ML14XP1-036-230	35400	15.5	12.5	31800	20800	8.5	C35-50/60C	EL196UH090XE48C	204117229
ML14XP1-036-230	35600	15.5	12.5	32000	20800	8.5	C35-50/60C	EL196UH110XE60C	204117230
ML14XP1-036-230	35000	15.5	12.5	31600	20600	8.5	C35-50/60C	EL280UH110E48C	204117231
ML14XP1-036-230	35600	15.5	12.5	32000	20800	8.5	C35-50/60C	EL280UH110E60C	204117232
ML14XP1-036-230	35000	15.1	12.5	31800	20800	8.5	C35-50/60C	EL296UH090XE48C	204117233
ML14XP1-036-230	35000	15.5	12.5	31800	20800	8.5	C35-50/60C	EL296UH090XV36C	204117234
ML14XP1-036-230	35200	15.1	12.5	32000	21000	8.5	C35-50/60C	EL296UH090XV48C	204117235
ML14XP1-036-230	35400	15.1	12.5	32200	21000	8.5	C35-50/60C	EL296UH090XV60C	204117236
ML14XP1-036-230	35200	15.5	12.5	31800	20800	8.5	C35-50/60C	EL296UH110XE60C	204117237
ML14XP1-036-230	35200	15.5	12.5	31600	20800	8.5	C35-50/60C	EL296UH110XV48C	204117238
ML14XP1-036-230	35400	15.5	12.5	32000	20800	8.5	C35-50/60C	EL296UH110XV60C	204117239
ML14XP1-036-230	35200	15.5	12.5	31800	20800	8.5	C35-50/60C	ML180UH090E60C	204117240
ML14XP1-036-230	35000	15.5	12.5	31600	20600	8.5	C35-50/60C	ML180UH110E60C	204117241
ML14XP1-036-230	35200	15.5	12.5	31800	20800	8.5	C35-50/60C	ML180UH110V60C	204117242
ML14XP1-036-230	35000	15.5	12.5	31600	20600	8.5	C35-50/60C	ML180UH110XE60C	204117243
ML14XP1-036-230	35000	15.1	12.5	31800	21000	8.5	C35-50/60C	ML193UH090XE36C	204117244
ML14XP1-036-230	35200	15.5	12.5	31800	20800	8.5	C35-50/60C	ML193UH090XE48C	204117245
ML14XP1-036-230	35400	15.5	12.5	31800	20800	8.5	C35-50/60C	ML193UH110XE48C	204117246
ML14XP1-036-230	35400	15.5	12.5	32000	20800	8.5	C35-50/60C	ML193UH110XE60C	204117247
ML14XP1-036-230	35400	15.5	12.5	31800	20800	8.5	C35-50/60C	ML196UH090XE48C	204498271
ML14XP1-036-230	35600	15.5	12.5	32000	20800	8.5	C35-50/60C	ML196UH110XE60C	204498272
ML14XP1-036-230	35000	15.5	12.5	31800	20800	8.5	C35-50/60C	ML296UH090XV36C	204117248
ML14XP1-036-230	35200	15.5	12.5	31800	20800	8.5	C35-50/60C	ML296UH110XV60C	204117249
ML14XP1-036-230	35400	15.5	12.5	31800	20800	8.5	C35-50/60C	SL280UH080NV60C	204117250
ML14XP1-036-230	35400	15.5	12.5	32000	20800	8.5	C35-50/60C	SL280UH090V60C	204117251
ML14XP1-036-230	35400	15.5	12.5	32000	20800	8.5	C35-50/60C	SL280UH090XV60C	204117252
ML14XP1-036-230	35200	15.5	12.5	32000	21000	8.5	C35-50/60C	SL280UH110V60C	204117253
ML14XP1-036-230	35200	15.5	12.5	32000	21000	8.5	C35-50/60C	SL280UH110XV60C	204117254
ML14XP1-036-230	35200	15.5	12.5	31800	20800	8.5	C35-50/60C	SL297UH080NV48C	204117255
ML14XP1-036-230	35000	15.5	12.5	31800	20800	8.5	C35-50/60C	SLP98UH090XV36C	204117256
ML14XP1-036-230	35200	15.1	12.5	32000	21000	8.5	C35-50/60C	SLP98UH090XV48C	204117257
ML14XP1-036-230	35000	15.5	12.5	31800	20800	8.5	C35-50/60C	SLP99UH090XV36C	205545890
ML14XP1-036-230	35200	15.1	12.5	32000	21000	8.5	C35-50/60C	SLP99UH090XV48C	205545892
ML14XP1-036-230	34200	14	11.5	32400	21600	8.5	C35-50/60C		204117224
ML14XP1-036-230	33200	15.5	12.2	31400	20800	8.5	C35-60D	EL296UH135XV60D	204117258
ML14XP1-036-230	32600	15.5	12	31200	20800	8.5	C35-60D	SL280UH135V60D	204117259
ML14XP1-036-230	33400	14	12	31200	20000	8.2	CBA25UH-036-230		202576851
ML14XP1-036-230	33400	14.25	12	31000	19900	8.2	CBA25UH-042-230		205139709
ML14XP1-036-230	34200	15	12.5	30800	19600	8.5	CBA25UHV-036-230		202566186
ML14XP1-036-230	34200	15.5	12.5	30800	19500	8.5	CBA25UHV-042-230		205142426
ML14XP1-036-230	33600	15	12.5	32600	21600	9	CBA27UHE-036-230		202566187
ML14XP1-036-230	34400	15.5	12.5	32400	21600	9	CBA27UHE-042-230		205142427
ML14XP1-036-230	33600	15.1	12.5	32600	21400	9	CBA38MV-036-230		202566188
ML14XP1-036-230	34600	16	13	32400	21400	9	CBA38MV-042-230		205142428
ML14XP1-036-230	35200	15.5	12.5	30800	19400	8.5	CH35-42B	EL180UH080NE48B	205142429
ML14XP1-036-230	34800	15	12.5	31000	19600	8.2	CH35-42B	EL195UH040NE36B	205139710
ML14XP1-036-230	34800	14.5	12.5	31400	20000	8.2	CH35-42B	EL195UH045XE36B	205139711
ML14XP1-036-230	34800	15	12.5	31000	19600	8.2	CH35-42B	EL195UH060NE36B	205139712
ML14XP1-036-230	34800	15	12.5	30800	19600	8.2	CH35-42B	EL195UH070XE36B	205142393
ML14XP1-036-230	34800	15.1	12.5	30800	19600	8.2	CH35-42B	EL196UH045XE36B	205142394
ML14XP1-036-230	34800	15.1	12.5	30800	19600	8.5	CH35-42B	EL196UH070XE36B	205142430
ML14XP1-036-230	35200	15.1	12.5	31200	19700	8.5	CH35-42B	EL280UH090E36B	205142431
ML14XP1-036-230	35200	15.5	12.5	31000	19600	8.5	CH35-42B	EL280UH090E48B	205142432
ML14XP1-036-230	34800	14.5	12.5	31400	20000	8.2	CH35-42B	EL296UH045XE36B	205142395

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-036-230	35000	15	12.5	31200	19800	8.2	CH35-42B	EL296UH045XV36B	205142396
ML14XP1-036-230	34800	15	12.5	30800	19600	8.2	CH35-42B	EL296UH070XE36B	205142397
ML14XP1-036-230	35000	15	12.5	31200	19800	8.5	CH35-42B	EL296UH070XV36B	205142433
ML14XP1-036-230	35200	15	12.5	31200	19800	8.5	CH35-42B	ML180UH070E36B	205142434
ML14XP1-036-230	35000	15.5	12.5	30800	19500	8.5	CH35-42B	ML180UH090E48B	205142435
ML14XP1-036-230	34800	15	12.5	30800	19600	8.2	CH35-42B	ML193UH070XE36B	205142398
ML14XP1-036-230	34600	14.5	12.5	31800	20800	8.5	CH35-42B	ML296UH045XV36B	205142399
ML14XP1-036-230	34600	14.5	12.5	32000	21000	8.5	CH35-42B	ML296UH070XV36B	205142436
ML14XP1-036-230	35200	15.5	12.5	30800	19500	8.5	CH35-42B	SL280UH080NV48B	205142437
ML14XP1-036-230	35000	15.5	12.5	30800	19500	8.5	CH35-42B	SL280UH090V36B	205142438
ML14XP1-036-230	35000	15.1	12.5	31000	19600	8.5	CH35-42B	SL280UH090V48B	205142440
ML14XP1-036-230	35000	15.1	12.5	31200	19800	8.5	CH35-42B	SL297UH040NV36B	205142441
ML14XP1-036-230	35000	15	12.5	31000	19700	8.5	CH35-42B	SL297UH060NV36B	205142442
ML14XP1-036-230	35000	15	12.5	31200	19800	8.5	CH35-42B	SLP98UH070XV36B	205142444
ML14XP1-036-230	35000	15	12.5	31200	19800	8.5	CH35-42B	SLP99UH070XV36B	205545984
ML14XP1-036-230	34600	14.25	12.2	31400	20200	8.2	CH35-42B		205142467
ML14XP1-036-230	34600	15.5	12.5	30200	19200	8.5	CH35-42C	EL196UH090XE48C	202566190
ML14XP1-036-230	34400	15.1	12.5	30200	19200	8.2	CH35-42C	EL280UH110E48C	204043874
ML14XP1-036-230	34800	15.1	12.5	30600	19500	8.5	CH35-42C	EL280UH110E60C	204043875
ML14XP1-036-230	34600	15.1	12.5	30400	19400	8.2	CH35-42C	EL296UH090XE48C	202566191
ML14XP1-036-230	34600	15.1	12.5	30400	19400	8.2	CH35-42C	EL296UH090XV36C	202566192
ML14XP1-036-230	34400	15.5	12.5	30400	19200	8.2	CH35-42C	EL296UH090XV48C	202566193
ML14XP1-036-230	34600	15.5	12.5	30400	19300	8.5	CH35-42C	EL296UH110XV48C	202566194
ML14XP1-036-230	34400	15	12.5	30600	19500	8.2	CH35-42C	ML193UH090XE36C	204043876
ML14XP1-036-230	34600	15.1	12.5	30400	19400	8.2	CH35-42C	ML193UH090XE48C	204043877
ML14XP1-036-230	34600	15.1	12.5	30600	19400	8.2	CH35-42C	ML193UH110XE48C	204043878
ML14XP1-036-230	34800	15.1	12.5	30600	19400	8.2	CH35-42C	ML193UH110XE60C	204043879
ML14XP1-036-230	34600	15.5	12.5	30200	19200	8.5	CH35-42C	ML196UH090XE48C	204498273
ML14XP1-036-230	34400	15.5	12.5	30400	19200	8.2	CH35-42C	ML296UH090XV48C	205470336
ML14XP1-036-230	34600	15.1	12.5	30400	19300	8.2	CH35-42C	SL297UH080NV48C	202566195
ML14XP1-036-230	34600	15.1	12.5	30400	19400	8.2	CH35-42C	SLP98UH090XV36C	202566196
ML14XP1-036-230	34400	15.5	12.5	30400	19200	8.2	CH35-42C	SLP98UH090XV48C	202566197
ML14XP1-036-230	34600	15.1	12.5	30400	19400	8.2	CH35-42C	SLP99UH090XV36C	205544954
ML14XP1-036-230	34400	15.5	12.5	30400	19200	8.2	CH35-42C	SLP99UH090XV48C	205544956
ML14XP1-036-230	34400	15.1	12.5	30200	19400	8.5	CH35-48B	EL180UH080NE48B	202566198
ML14XP1-036-230	34000	14.5	12.5	30400	19600	8.2	CH35-48B	EL195UH060NE36B	202566199
ML14XP1-036-230	34000	14.5	12.5	30400	19500	8.2	CH35-48B	EL196UH045XE36B	202566201
ML14XP1-036-230	34000	15	12.5	30400	19500	8.2	CH35-48B	EL196UH070XE36B	202566202
ML14XP1-036-230	34200	14.5	12.5	30600	19700	8.2	CH35-48B	EL280UH090E36B	204043880
ML14XP1-036-230	34000	14.5	12.5	30400	19500	8.2	CH35-48B	EL280UH090E48B	204043881
ML14XP1-036-230	34200	14.5	12.5	30600	19700	8.2	CH35-48B	EL296UH045XV36B	202566203
ML14XP1-036-230	34000	14.5	12.5	30400	19500	8.2	CH35-48B	EL296UH070XE36B	202566204
ML14XP1-036-230	34200	14.5	12.5	30600	19700	8.2	CH35-48B	EL296UH070XV36B	202566205
ML14XP1-036-230	34400	14.5	12.5	30800	19800	8.5	CH35-48B	ML180UH070E36B	202566206
ML14XP1-036-230	34200	15	12.5	30400	19400	8.5	CH35-48B	ML180UH070V36B	204495357
ML14XP1-036-230	34600	15.1	12.5	30400	19500	8.5	CH35-48B	ML180UH070V48B	204495493
ML14XP1-036-230	34200	15.1	12.5	30400	19500	8.5	CH35-48B	ML180UH090E48B	202566207
ML14XP1-036-230	34200	15	12.5	30400	19500	8.5	CH35-48B	ML180UH090V48B	204495617
ML14XP1-036-230	34000	14	12.2	31000	20000	8.2	CH35-48B	ML193UH030XE36B	204043882
ML14XP1-036-230	34000	14	12.2	31000	20000	8.2	CH35-48B	ML193UH045XE36B	204043883
ML14XP1-036-230	34200	14.25	12.2	31000	20000	8.2	CH35-48B	ML193UH070XE36B	204043884
ML14XP1-036-230	34000	14.5	12.5	30400	19500	8.2	CH35-48B	ML196UH045XE36B	204498274
ML14XP1-036-230	34000	15	12.5	30400	19500	8.2	CH35-48B	ML196UH070XE36B	204498275
ML14XP1-036-230	34200	14.5	12.5	30600	19700	8.2	CH35-48B	ML296UH045XV36B	205470337
ML14XP1-036-230	34200	14.5	12.5	30600	19700	8.2	CH35-48B	ML296UH070XV36B	205470338
ML14XP1-036-230	34400	15.1	12.5	30400	19400	8.5	CH35-48B	SL280UH080NV48B	202566208

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-036-230	34200	15.1	12.5	30400	19400	8.5	CH35-48B	SL280UH090V36B	202566209
ML14XP1-036-230	34200	15.1	12.5	30400	19500	8.5	CH35-48B	SL280UH090V48B	202566210
ML14XP1-036-230	34200	14.5	12.5	30600	19700	8.2	CH35-48B	SL297UH040NV36B	202566211
ML14XP1-036-230	34200	14.5	12.5	30600	19700	8.2	CH35-48B	SL297UH060NV36B	202566212
ML14XP1-036-230	34200	14.5	12.5	30600	19700	8.2	CH35-48B	SLP98UH070XV36B	202566213
ML14XP1-036-230	34200	14.5	12.5	30600	19700	8.2	CH35-48B	SLP99UH070XV36B	205544957
ML14XP1-036-230	33800	14	11.5	31000	20000	8.2	CH35-48B		202566134
ML14XP1-036-230	34000	15	12.5	31200	20000	8.5	CH35-48C	EL195UH080NE48C	202566214
ML14XP1-036-230	33800	15.1	12.5	30800	19800	8.5	CH35-48C	EL196UH090XE48C	202566216
ML14XP1-036-230	34000	15	12.5	31200	20000	8.5	CH35-48C	EL280UH110E48C	204043885
ML14XP1-036-230	34200	15	12.5	31200	20000	8.5	CH35-48C	EL280UH110E60C	204043886
ML14XP1-036-230	33800	15	12.5	31000	19900	8.5	CH35-48C	EL296UH090XE48C	202566217
ML14XP1-036-230	34000	15	12.5	31200	20000	8.5	CH35-48C	EL296UH090XV36C	202566218
ML14XP1-036-230	33800	15.1	12.5	31000	19800	8.5	CH35-48C	EL296UH090XV48C	202566219
ML14XP1-036-230	34000	15.1	12.5	31000	19900	8.5	CH35-48C	EL296UH110XV48C	202566220
ML14XP1-036-230	34400	15.1	12.5	31200	19900	8.5	CH35-48C	ML180UH110V60C	204495721
ML14XP1-036-230	33600	14.5	12.5	31200	20000	8.2	CH35-48C	ML193UH090XE36C	204043887
ML14XP1-036-230	33800	15	12.5	31000	19900	8.5	CH35-48C	ML193UH090XE48C	204043888
ML14XP1-036-230	34000	15	12.5	31200	20000	8.5	CH35-48C	ML193UH110XE48C	204043889
ML14XP1-036-230	34000	15	12.5	31200	20000	8.5	CH35-48C	ML193UH110XE60C	204043890
ML14XP1-036-230	33800	15.1	12.5	30800	19800	8.5	CH35-48C	ML196UH090XE48C	204498276
ML14XP1-036-230	33800	15.1	12.5	31000	19800	8.5	CH35-48C	ML296UH090XV48C	205470339
ML14XP1-036-230	33800	15	12.5	31000	19900	8.5	CH35-48C	SL297UH080NV48C	202566221
ML14XP1-036-230	34000	15	12.5	31200	20000	8.5	CH35-48C	SLP98UH090XV36C	202566222
ML14XP1-036-230	34000	15	12.5	31200	20000	8.5	CH35-48C	SLP99UH090XV36C	205544959
ML14XP1-036-230	34400	15.1	12.5	30800	20000	8.5	CH35-51C	EL195UH080NE48C	202566223
ML14XP1-036-230	34600	15.5	12.5	30800	19900	8.5	CH35-51C	EL196UH090XE48C	202566225
ML14XP1-036-230	34600	15.1	12.5	31000	19900	8.5	CH35-51C	EL280UH110E48C	204043892
ML14XP1-036-230	35000	15.1	12.5	31200	20200	8.5	CH35-51C	EL280UH110E60C	204043893
ML14XP1-036-230	34800	15.1	12.5	31000	20000	8.5	CH35-51C	EL296UH090XE48C	202566226
ML14XP1-036-230	34800	15.1	12.5	31000	20000	8.5	CH35-51C	EL296UH090XV36C	202566227
ML14XP1-036-230	34600	15.5	12.5	31000	19900	8.5	CH35-51C	EL296UH090XV48C	202566228
ML14XP1-036-230	34800	15.5	12.5	31000	20000	8.5	CH35-51C	EL296UH110XV48C	202566229
ML14XP1-036-230	35200	15.5	12.5	31200	20000	9	CH35-51C	ML180UH110V60C	204495722
ML14XP1-036-230	34600	15	12.5	31200	20200	8.5	CH35-51C	ML193UH090XE36C	204043894
ML14XP1-036-230	34800	15.1	12.5	31000	20000	8.5	CH35-51C	ML193UH090XE48C	204043895
ML14XP1-036-230	34800	15.1	12.5	31200	20000	8.5	CH35-51C	ML193UH110XE48C	204043896
ML14XP1-036-230	34800	15.1	12.5	31200	20200	8.5	CH35-51C	ML193UH110XE60C	204043897
ML14XP1-036-230	34600	15.5	12.5	30800	19900	8.5	CH35-51C	ML196UH090XE48C	204498277
ML14XP1-036-230	34600	15.5	12.5	31000	19900	8.5	CH35-51C	ML296UH090XV48C	205470340
ML14XP1-036-230	34600	15.1	12.5	31000	20000	8.5	CH35-51C	SL297UH080NV48C	202566230
ML14XP1-036-230	34800	15.1	12.5	31000	20000	8.5	CH35-51C	SLP98UH090XV36C	202566231
ML14XP1-036-230	34600	15.5	12.5	31000	19900	8.5	CH35-51C	SLP98UH090XV48C	202566232
ML14XP1-036-230	34800	15.1	12.5	31000	20000	8.5	CH35-51C	SLP99UH090XV36C	205544961
ML14XP1-036-230	34600	15.5	12.5	31000	19900	8.5	CH35-51C	SLP99UH090XV48C	205544962
ML14XP1-036-230	34200	14	12	31600	20800	8.2	CH35-51C		202566135
ML14XP1-036-230	35200	15.5	12.5	30800	19400	8.5	CHX35-42B	EL180UH080NE48B	205142446
ML14XP1-036-230	34800	15	12.5	31000	19600	8.2	CHX35-42B	EL195UH040NE36B	205142447
ML14XP1-036-230	34800	14.5	12.5	31400	20000	8.2	CHX35-42B	EL195UH045XE36B	205142400
ML14XP1-036-230	34800	15	12.5	31000	19600	8.2	CHX35-42B	EL195UH060NE36B	205142401
ML14XP1-036-230	34800	15	12.5	30800	19600	8.2	CHX35-42B	EL195UH070XE36B	205142402
ML14XP1-036-230	34800	15.1	12.5	30800	19600	8.2	CHX35-42B	EL196UH045XE36B	205142403
ML14XP1-036-230	34800	15.1	12.5	30800	19600	8.5	CHX35-42B	EL196UH070XE36B	205142404
ML14XP1-036-230	35200	15.1	12.5	31200	19700	8.5	CHX35-42B	EL280UH090E36B	205142449
ML14XP1-036-230	35200	15.5	12.5	31000	19600	8.5	CHX35-42B	EL280UH090E48B	205142450
ML14XP1-036-230	34800	14.5	12.5	31400	20000	8.2	CHX35-42B	EL296UH045XE36B	205142405

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-036-230	35000	15	12.5	31200	19800	8.2	CHX35-42B	EL296UH045XV36B	205142406
ML14XP1-036-230	34800	15	12.5	30800	19600	8.2	CHX35-42B	EL296UH070XE36B	205142407
ML14XP1-036-230	35000	15	12.5	31200	19800	8.5	CHX35-42B	EL296UH070XV36B	205142451
ML14XP1-036-230	35200	15	12.5	31200	19800	8.5	CHX35-42B	ML180UH070E36B	205142452
ML14XP1-036-230	35000	15.5	12.5	30800	19500	8.5	CHX35-42B	ML180UH090E48B	205142453
ML14XP1-036-230	34800	15	12.5	30800	19600	8.2	CHX35-42B	ML193UH070XE36B	205142454
ML14XP1-036-230	34600	14.5	12.5	31800	20800	8.5	CHX35-42B	ML296UH045XV36B	205142408
ML14XP1-036-230	34600	14.5	12.5	32000	21000	8.5	CHX35-42B	ML296UH070XV36B	205142409
ML14XP1-036-230	35200	15.5	12.5	30800	19500	8.5	CHX35-42B	SL280UH080NV48B	205142455
ML14XP1-036-230	35000	15.5	12.5	30800	19500	8.5	CHX35-42B	SL280UH090V36B	205142456
ML14XP1-036-230	35000	15.1	12.5	31000	19600	8.5	CHX35-42B	SL280UH090V48B	205142457
ML14XP1-036-230	35000	15.1	12.5	31200	19800	8.5	CHX35-42B	SL297UH040NV36B	205142458
ML14XP1-036-230	35000	15	12.5	31000	19700	8.5	CHX35-42B	SL297UH060NV36B	205142459
ML14XP1-036-230	35000	15	12.5	31200	19800	8.5	CHX35-42B	SLP98UH070XV36B	205142460
ML14XP1-036-230	35000	15	12.5	31200	19800	8.5	CHX35-42B	SLP99UH070XV36B	205545987
ML14XP1-036-230	34600	14.25	12.2	31400	20200	8.2	CHX35-42B		205142445
ML14XP1-036-230	34600	15.5	12.5	30200	19200	8.5	CHX35-42C	EL196UH090XE48C	202566234
ML14XP1-036-230	34400	15.1	12.5	30200	19200	8.2	CHX35-42C	EL280UH110E48C	204043898
ML14XP1-036-230	34800	15.1	12.5	30600	19500	8.5	CHX35-42C	EL280UH110E60C	204043899
ML14XP1-036-230	34600	15.1	12.5	30400	19400	8.2	CHX35-42C	EL296UH090XE48C	202566235
ML14XP1-036-230	34600	15.1	12.5	30400	19400	8.2	CHX35-42C	EL296UH090XV36C	202566236
ML14XP1-036-230	34400	15.5	12.5	30400	19200	8.2	CHX35-42C	EL296UH090XV48C	202566237
ML14XP1-036-230	34600	15.5	12.5	30400	19300	8.5	CHX35-42C	EL296UH110XV48C	202566238
ML14XP1-036-230	35000	15.5	12.5	30600	19400	8.5	CHX35-42C	ML180UH110V60C	204495723
ML14XP1-036-230	34400	15	12.5	30600	19500	8.2	CHX35-42C	ML193UH090XE36C	204043900
ML14XP1-036-230	34600	15.1	12.5	30400	19400	8.2	CHX35-42C	ML193UH090XE48C	204043901
ML14XP1-036-230	34600	15.1	12.5	30600	19400	8.2	CHX35-42C	ML193UH110XE48C	204043902
ML14XP1-036-230	34800	15.1	12.5	30600	19400	8.2	CHX35-42C	ML193UH110XE60C	204043903
ML14XP1-036-230	34600	15.5	12.5	30200	19200	8.5	CHX35-42C	ML196UH090XE48C	204498278
ML14XP1-036-230	34400	15.5	12.5	30400	19200	8.2	CHX35-42C	ML296UH090XV48C	205470341
ML14XP1-036-230	34600	15.1	12.5	30400	19300	8.2	CHX35-42C	SL297UH080NV48C	202566239
ML14XP1-036-230	34600	15.1	12.5	30400	19400	8.2	CHX35-42C	SLP98UH090XV36C	202566240
ML14XP1-036-230	34400	15.5	12.5	30400	19200	8.2	CHX35-42C	SLP98UH090XV48C	202566241
ML14XP1-036-230	34600	15.1	12.5	30400	19400	8.2	CHX35-42C	SLP99UH090XV36C	205544964
ML14XP1-036-230	34400	15.5	12.5	30400	19200	8.2	CHX35-42C	SLP99UH090XV48C	205544965
ML14XP1-036-230	34400	15.1	12.5	30200	19400	8.5	CHX35-48B	EL180UH080NE48B	202566242
ML14XP1-036-230	34000	14.5	12.5	30400	19600	8.2	CHX35-48B	EL195UH060NE36B	202566243
ML14XP1-036-230	34000	14.5	12.5	30400	19500	8.2	CHX35-48B	EL196UH045XE36B	202566245
ML14XP1-036-230	34000	15	12.5	30400	19500	8.2	CHX35-48B	EL196UH070XE36B	202566246
ML14XP1-036-230	34200	14.5	12.5	30600	19700	8.2	CHX35-48B	EL280UH090E36B	204043904
ML14XP1-036-230	34000	14.5	12.5	30400	19500	8.2	CHX35-48B	EL280UH090E48B	204043905
ML14XP1-036-230	34200	14.5	12.5	30600	19700	8.2	CHX35-48B	EL296UH045XV36B	202566247
ML14XP1-036-230	34000	14.5	12.5	30400	19500	8.2	CHX35-48B	EL296UH070XE36B	202566248
ML14XP1-036-230	34200	14.5	12.5	30600	19700	8.2	CHX35-48B	EL296UH070XV36B	202566249
ML14XP1-036-230	34400	14.5	12.5	30800	19800	8.5	CHX35-48B	ML180UH070E36B	202566250
ML14XP1-036-230	34200	15	12.5	30400	19400	8.5	CHX35-48B	ML180UH070V36B	204495358
ML14XP1-036-230	34600	15.1	12.5	30400	19500	8.5	CHX35-48B	ML180UH070V48B	204495494
ML14XP1-036-230	34200	15.1	12.5	30400	19500	8.5	CHX35-48B	ML180UH090E48B	202566251
ML14XP1-036-230	34200	15	12.5	30400	19500	8.5	CHX35-48B	ML180UH090V48B	204495618
ML14XP1-036-230	34000	14	12.2	31000	20000	8.2	CHX35-48B	ML193UH030XE36B	204043906
ML14XP1-036-230	34000	14	12.2	31000	20000	8.2	CHX35-48B	ML193UH045XE36B	204043907
ML14XP1-036-230	34200	14.25	12.2	31000	20000	8.2	CHX35-48B	ML193UH070XE36B	204043908
ML14XP1-036-230	34000	14.5	12.5	30400	19500	8.2	CHX35-48B	ML196UH045XE36B	204498279
ML14XP1-036-230	34000	15	12.5	30400	19500	8.2	CHX35-48B	ML196UH070XE36B	204498280
ML14XP1-036-230	34200	14.5	12.5	30600	19700	8.2	CHX35-48B	ML296UH045XV36B	205470342
ML14XP1-036-230	34200	14.5	12.5	30600	19700	8.2	CHX35-48B	ML296UH070XV36B	205470343

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-036-230	34400	15.1	12.5	30400	19400	8.5	CHX35-48B	SL280UH080NV48B	202566252
ML14XP1-036-230	34200	15.1	12.5	30400	19400	8.5	CHX35-48B	SL280UH090V36B	202566253
ML14XP1-036-230	34200	15.1	12.5	30400	19500	8.5	CHX35-48B	SL280UH090V48B	202566254
ML14XP1-036-230	34200	14.5	12.5	30600	19700	8.2	CHX35-48B	SL297UH040NV36B	202566255
ML14XP1-036-230	34200	14.5	12.5	30600	19700	8.2	CHX35-48B	SL297UH060NV36B	202566256
ML14XP1-036-230	34200	14.5	12.5	30600	19700	8.2	CHX35-48B	SLP98UH070XV36B	202566257
ML14XP1-036-230	34200	14.5	12.5	30600	19700	8.2	CHX35-48B	SLP99UH070XV36B	205544967
ML14XP1-036-230	33800	14	11.5	31000	20000	8.2	CHX35-48B		202566136
ML14XP1-036-230	34000	15	12.5	31200	20000	8.5	CHX35-48C	EL195UH080NE48C	202566258
ML14XP1-036-230	33800	15.1	12.5	30800	19800	8.5	CHX35-48C	EL196UH090XE48C	202566260
ML14XP1-036-230	34000	15	12.5	31200	20000	8.5	CHX35-48C	EL280UH110E48C	204043909
ML14XP1-036-230	34200	15	12.5	31200	20000	8.5	CHX35-48C	EL280UH110E60C	204043910
ML14XP1-036-230	33800	15	12.5	31000	19900	8.5	CHX35-48C	EL296UH090XE48C	202566261
ML14XP1-036-230	34000	15	12.5	31200	20000	8.5	CHX35-48C	EL296UH090XV36C	202566262
ML14XP1-036-230	33800	15.1	12.5	31000	19800	8.5	CHX35-48C	EL296UH090XV48C	202566263
ML14XP1-036-230	34000	15.1	12.5	31000	19900	8.5	CHX35-48C	EL296UH110XV48C	202566264
ML14XP1-036-230	34400	15.1	12.5	31200	19900	8.5	CHX35-48C	ML180UH110V60C	204495724
ML14XP1-036-230	33600	14.5	12.5	31200	20000	8.2	CHX35-48C	ML193UH090XE36C	204043911
ML14XP1-036-230	33800	15	12.5	31000	19900	8.5	CHX35-48C	ML193UH090XE48C	204043912
ML14XP1-036-230	34000	15	12.5	31200	20000	8.5	CHX35-48C	ML193UH110XE48C	204043913
ML14XP1-036-230	34000	15	12.5	31200	20000	8.5	CHX35-48C	ML193UH110XE60C	204043914
ML14XP1-036-230	33800	15.1	12.5	30800	19800	8.5	CHX35-48C	ML196UH090XE48C	204498281
ML14XP1-036-230	33800	15.1	12.5	31000	19800	8.5	CHX35-48C	ML296UH090XV48C	205470344
ML14XP1-036-230	33800	15	12.5	31000	19900	8.5	CHX35-48C	SL297UH080NV48C	202566265
ML14XP1-036-230	34000	15	12.5	31200	20000	8.5	CHX35-48C	SLP98UH090XV36C	202566266
ML14XP1-036-230	34000	15	12.5	31200	20000	8.5	CHX35-48C	SLP99UH090XV36C	205544969
ML14XP1-036-230	34400	15.1	12.5	30800	20000	8.5	CHX35-51/61C	EL195UH080NE48C	202566267
ML14XP1-036-230	34600	15.5	12.5	30800	19900	8.5	CHX35-51/61C	EL196UH090XE48C	202566269
ML14XP1-036-230	34600	15.1	12.5	31000	19900	8.5	CHX35-51/61C	EL280UH110E48C	204043915
ML14XP1-036-230	35000	15.1	12.5	31200	20200	8.5	CHX35-51/61C	EL280UH110E60C	204043916
ML14XP1-036-230	34800	15.1	12.5	31000	20000	8.5	CHX35-51/61C	EL296UH090XE48C	202566270
ML14XP1-036-230	34800	15.1	12.5	31000	20000	8.5	CHX35-51/61C	EL296UH090XV36C	202566271
ML14XP1-036-230	34600	15.5	12.5	31000	19900	8.5	CHX35-51/61C	EL296UH090XV48C	202566272
ML14XP1-036-230	34800	15.5	12.5	31000	20000	8.5	CHX35-51/61C	EL296UH110XV48C	202566273
ML14XP1-036-230	35200	15.5	12.5	31200	20000	9	CHX35-51/61C	ML180UH110V60C	204495725
ML14XP1-036-230	34600	15	12.5	31200	20200	8.5	CHX35-51/61C	ML193UH090XE36C	204043917
ML14XP1-036-230	34800	15.1	12.5	31000	20000	8.5	CHX35-51/61C	ML193UH090XE48C	204043918
ML14XP1-036-230	34800	15.1	12.5	31200	20000	8.5	CHX35-51/61C	ML193UH110XE48C	204043919
ML14XP1-036-230	34800	15.1	12.5	31200	20200	8.5	CHX35-51/61C	ML193UH110XE60C	204043921
ML14XP1-036-230	34600	15.5	12.5	30800	19900	8.5	CHX35-51/61C	ML196UH090XE48C	204498282
ML14XP1-036-230	34600	15.5	12.5	31000	19900	8.5	CHX35-51/61C	ML296UH090XV48C	205470345
ML14XP1-036-230	34600	15.1	12.5	31000	20000	8.5	CHX35-51/61C	SL297UH080NV48C	202566274
ML14XP1-036-230	34800	15.1	12.5	31000	20000	8.5	CHX35-51/61C	SLP98UH090XV36C	202566275
ML14XP1-036-230	34600	15.5	12.5	31000	19900	8.5	CHX35-51/61C	SLP98UH090XV48C	202566276
ML14XP1-036-230	34800	15.1	12.5	31000	20000	8.5	CHX35-51/61C	SLP99UH090XV36C	205544971
ML14XP1-036-230	34600	15.5	12.5	31000	19900	8.5	CHX35-51/61C	SLP99UH090XV48C	205544974
ML14XP1-036-230	34200	14	12	31600	20800	8.2	CHX35-51/61C		202566137
ML14XP1-036-230	33600	14.5	12.5	32800	20600	8.2	CR33-48B	EL280DF090E48B	204043922
ML14XP1-036-230	33400	14.5	12.5	32800	20600	8.2	CR33-48B	EL296DF045XE36B	202566279
ML14XP1-036-230	33600	14.5	12.2	32800	20800	8.2	CR33-48B	EL296DF045XV36B	202566280
ML14XP1-036-230	33600	15	12.5	32800	20600	8.2	CR33-48B	EL296DF070XE48B	202566281
ML14XP1-036-230	33800	14.5	12.2	33000	20800	8.2	CR33-48B	EL296DF070XV48B	202566282
ML14XP1-036-230	33800	15.1	12.5	32400	20400	8.5	CR33-48B	ML180DF070E36B	202566283
ML14XP1-036-230	33800	15.1	12.5	32600	20400	8.5	CR33-48B	ML180DF090E48B	202566284
ML14XP1-036-230	33400	14.25	12.2	32800	20800	8.2	CR33-48B	ML193DF045XE36B	204043923
ML14XP1-036-230	33400	14.25	12.2	32800	20800	8.2	CR33-48B	ML193DF070XE36B	204043924

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-036-230	33400	14.5	12.2	32800	20600	8.2	CR33-48B	ML196DF045XE36B	205706943
ML14XP1-036-230	33400	14.5	12.5	32800	20600	8.2	CR33-48B	ML196DF070XE48B	205706944
ML14XP1-036-230	33600	14.5	12.2	32800	20800	8.2	CR33-48B	ML296DF045XV36B	205470346
ML14XP1-036-230	33800	14.5	12.2	33000	20800	8.2	CR33-48B	ML296DF070XV48B	205470347
ML14XP1-036-230	33800	15	12.5	32600	20600	8.2	CR33-48B	SL280DF090V48B	202566285
ML14XP1-036-230	33800	14.5	12.5	32800	20800	8.2	CR33-48B	SLP98DF070XV36B	202566286
ML14XP1-036-230	33800	14.5	12.5	32800	20800	8.2	CR33-48B	SLP99DF070XV36B	205544978
ML14XP1-036-230	33800	15	12.5	32800	20600	8.2	CR33-48C	EL296DF090XE48C	202566288
ML14XP1-036-230	33800	14.5	12.5	32800	20600	8.2	CR33-48C	ML193DF090XE48C	204043925
ML14XP1-036-230	33800	14.5	12.5	32800	20600	8.2	CR33-48C	SLP98DF090XV36C	202566289
ML14XP1-036-230	33800	15	12.5	32800	20600	8.2	CR33-48C	SLP98DF090XV48C	202566290
ML14XP1-036-230	33800	14.5	12.5	32800	20600	8.2	CR33-48C	SLP99DF090XV36C	205544982
ML14XP1-036-230	33800	15	12.5	32800	20600	8.2	CR33-48C	SLP99DF090XV48C	205544985
ML14XP1-036-230	35200	15.1	12.5	32400	20800	9	CR33-50/60	EL195DF090XE48C	204117260
ML14XP1-036-230	35400	15.5	12.5	32400	20800	9	CR33-50/60	EL195DF110XE60C	204117261
ML14XP1-036-230	35200	15.1	12.5	32400	20800	9	CR33-50/60	EL296DF090XE48C	204117262
ML14XP1-036-230	35400	15.1	12.5	32600	21000	9	CR33-50/60	EL296DF090XV60C	204117263
ML14XP1-036-230	35400	15.5	12.5	32400	20800	9	CR33-50/60	EL296DF110XE60C	204117264
ML14XP1-036-230	35400	15.1	12.5	32600	21000	9	CR33-50/60	EL296DF110XV60C	204117265
ML14XP1-036-230	35400	15.5	12.5	32400	20800	9	CR33-50/60	ML180DF110E60C	204117266
ML14XP1-036-230	35200	15.1	12.5	32400	20800	9	CR33-50/60	ML193DF090XE48C	204117267
ML14XP1-036-230	34600	15	12.5	32200	20800	9	CR33-50/60	ML196DF090XE48C	205706956
ML14XP1-036-230	35600	15.5	12.5	32600	20800	9	CR33-50/60	SL280DF090V60C	204117268
ML14XP1-036-230	35400	15.5	12.5	32200	20800	9	CR33-50/60	SL280DF110V60C	204117269
ML14XP1-036-230	35200	15.1	12.5	32400	20800	9	CR33-50/60	SLP98DF090XV36C	204117270
ML14XP1-036-230	35200	15.1	12.5	32400	20800	9	CR33-50/60	SLP98DF090XV48C	204117271
ML14XP1-036-230	35400	15.1	12.5	32600	21000	9	CR33-50/60	SLP98DF090XV60C	204117272
ML14XP1-036-230	35400	15.1	12.5	32600	21000	9	CR33-50/60	SLP98DF110XV60C	204117273
ML14XP1-036-230	35200	15.1	12.5	32400	20800	9	CR33-50/60	SLP99DF090XV36C	205545894
ML14XP1-036-230	35200	15.1	12.5	32400	20800	9	CR33-50/60	SLP99DF090XV48C	205545896
ML14XP1-036-230	35400	15.1	12.5	32600	21000	9	CR33-50/60	SLP99DF090XV60C	205545898
ML14XP1-036-230	35400	15.1	12.5	32600	21000	9	CR33-50/60	SLP99DF110XV60C	205545900
ML14XP1-036-230	34400	14	11.5	33000	21600	8.5	CR33-50/60		204117225
ML14XP1-036-230	34400	15	12.5	31800	20600	8.5	CX35-36A	EL180UH040NE36A	202566291
ML14XP1-036-230	34200	15	12.5	31800	20600	8.5	CX35-36A	EL180UH060NE36A	202566292
ML14XP1-036-230	34400	14.5	12	32000	21000	8.5	CX35-36A	EL280UH045E36A	204043926
ML14XP1-036-230	34000	14.5	12.5	31600	20600	8.5	CX35-36A	EL280UH070E36A	204043927
ML14XP1-036-230	34000	14.5	12.5	31600	20600	8.5	CX35-36A	ML180UH030V36A	204495035
ML14XP1-036-230	34000	14.5	12.5	31600	20600	8.5	CX35-36A	ML180UH045E36A	202566293
ML14XP1-036-230	34000	14.5	12.5	31600	20600	8.5	CX35-36A	ML180UH045V36A	204495138
ML14XP1-036-230	34400	14.5	12.5	31800	20800	8.5	CX35-36A	ML180UH070E36A	204495878
ML14XP1-036-230	34000	14.5	12.5	31600	20600	8.5	CX35-36A	ML180UH070V36A	204495241
ML14XP1-036-230	34400	14.5	12.5	31800	20800	8.5	CX35-36A	ML180UH070XE36A	204496004
ML14XP1-036-230	34200	15.1	12.5	31400	20400	8.5	CX35-36A	SL280UH060NV36A	202566294
ML14XP1-036-230	34000	14.5	12.5	31600	20600	8.5	CX35-36A	SL280UH070V36A	202566295
ML14XP1-036-230	34000	14.5	12.5	31600	20600	8.5	CX35-36A	SL280UH070XV36A	202566296
ML14XP1-036-230	34200	15.5	12.5	31400	20400	8.5	CX35-36B	EL180UH080NE48B	202566297
ML14XP1-036-230	33800	14.5	12.5	31600	20600	8.5	CX35-36B	EL195UH040NE36B	202566298
ML14XP1-036-230	33800	14.5	12.5	31400	20600	8.5	CX35-36B	EL195UH060NE36B	202566300
ML14XP1-036-230	33800	14.5	12.5	31400	20400	8.5	CX35-36B	EL196UH045XE36B	202566302
ML14XP1-036-230	33800	15	12.5	31400	20400	8.5	CX35-36B	EL196UH070XE36B	202566303
ML14XP1-036-230	34000	14.5	12.5	31600	20600	8.5	CX35-36B	EL280UH090E36B	204043928
ML14XP1-036-230	34000	14.5	12.5	31400	20400	8.5	CX35-36B	EL280UH090E48B	204043929
ML14XP1-036-230	33800	14.25	12.2	31800	21000	8.2	CX35-36B	EL296UH045XE36B	202566304
ML14XP1-036-230	34000	14.5	12.5	31600	20600	8.5	CX35-36B	EL296UH045XV36B	202566305
ML14XP1-036-230	33800	14.5	12.5	31400	20600	8.5	CX35-36B	EL296UH070XE36B	202566306

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-036-230	34000	14.5	12.5	31600	20600	8.5	CX35-36B	EL296UH070XV36B	202566307
ML14XP1-036-230	34200	14.5	12.5	31800	20800	8.5	CX35-36B	ML180UH070E36B	202566308
ML14XP1-036-230	34000	15	12.5	31400	20400	8.5	CX35-36B	ML180UH070V36B	204495359
ML14XP1-036-230	34400	15.1	12.5	31600	20400	8.5	CX35-36B	ML180UH070V48B	204495495
ML14XP1-036-230	34200	15.1	12.5	31400	20400	8.5	CX35-36B	ML180UH090E48B	202566309
ML14XP1-036-230	34200	15.1	12.5	31400	20400	8.5	CX35-36B	ML180UH090V48B	204495619
ML14XP1-036-230	34000	14	12.2	32000	21000	8.2	CX35-36B	ML193UH030XE36B	204043930
ML14XP1-036-230	34000	14	12.2	32000	21000	8.2	CX35-36B	ML193UH045XE36B	204043931
ML14XP1-036-230	34000	14.25	12.2	32000	21000	8.2	CX35-36B	ML193UH070XE36B	204043932
ML14XP1-036-230	33800	14.5	12.5	31400	20400	8.5	CX35-36B	ML196UH045XE36B	204498283
ML14XP1-036-230	33800	15	12.5	31400	20400	8.5	CX35-36B	ML196UH070XE36B	204498284
ML14XP1-036-230	34000	14.5	12.5	31600	20600	8.5	CX35-36B	ML296UH045XV36B	205470348
ML14XP1-036-230	34000	14.5	12.5	31600	20600	8.5	CX35-36B	ML296UH070XV36B	205470349
ML14XP1-036-230	34200	15.5	12.5	31400	20400	8.5	CX35-36B	SL280UH080NV48B	202566310
ML14XP1-036-230	34200	15.1	12.5	31400	20400	8.5	CX35-36B	SL280UH090V36B	202566311
ML14XP1-036-230	34200	15.1	12.5	31400	20400	8.5	CX35-36B	SL280UH090V48B	202566312
ML14XP1-036-230	34200	14.5	12.5	31600	20600	8.5	CX35-36B	SL297UH040NV36B	202566313
ML14XP1-036-230	34000	14.5	12.5	31600	20600	8.5	CX35-36B	SL297UH060NV36B	202566314
ML14XP1-036-230	34000	14.5	12.5	31600	20600	8.5	CX35-36B	SLP98UH070XV36B	202566315
ML14XP1-036-230	34000	14.5	12.5	31600	20600	8.5	CX35-36B	SLP99UH070XV36B	205544987
ML14XP1-036-230	34400	15.5	12.5	30400	19200	8.5	CX35-48B	EL180UH080NE48B	202566316
ML14XP1-036-230	34000	14.5	12.5	30400	19500	8.2	CX35-48B	EL195UH040NE36B	202566317
ML14XP1-036-230	33800	14.5	12.5	30400	19500	8.2	CX35-48B	EL195UH060NE36B	202566319
ML14XP1-036-230	33800	14.5	12.5	30400	19400	8.2	CX35-48B	EL196UH045XE36B	202566321
ML14XP1-036-230	33800	15	12.5	30400	19400	8.2	CX35-48B	EL196UH070XE36B	202566322
ML14XP1-036-230	34200	14.5	12.5	30600	19500	8.2	CX35-48B	EL280UH090E36B	204043933
ML14XP1-036-230	34000	15	12.5	30400	19400	8.2	CX35-48B	EL280UH090E48B	204043934
ML14XP1-036-230	33400	14.5	12.5	30200	19400	8.2	CX35-48B	EL296UH045XE36B	202566323
ML14XP1-036-230	34000	14.5	12.5	30600	19600	8.2	CX35-48B	EL296UH045XV36B	202566324
ML14XP1-036-230	33800	14.5	12.5	30400	19400	8.2	CX35-48B	EL296UH070XE36B	202566325
ML14XP1-036-230	34000	14.5	12.5	30600	19600	8.2	CX35-48B	EL296UH070XV36B	202566326
ML14XP1-036-230	33800	15.1	12.5	30200	19100	8.2	CX35-48B	ML180UH070E36B	202566327
ML14XP1-036-230	34000	15.1	12.5	30200	19300	8.2	CX35-48B	ML180UH070V36B	204495360
ML14XP1-036-230	34400	15.1	12.5	30400	19400	8.5	CX35-48B	ML180UH070V48B	204495496
ML14XP1-036-230	34200	15.1	12.5	30400	19400	8.5	CX35-48B	ML180UH090E48B	202566328
ML14XP1-036-230	34200	15.1	12.5	30400	19300	8.2	CX35-48B	ML180UH090V48B	204495620
ML14XP1-036-230	34000	14	12.2	31000	19900	8.2	CX35-48B	ML193UH030XE36B	204043935
ML14XP1-036-230	34000	14	12.2	31000	19900	8.2	CX35-48B	ML193UH045XE36B	204043936
ML14XP1-036-230	33600	14.5	12	30400	19400	8.2	CX35-48B	ML193UH070XE36B	204043937
ML14XP1-036-230	33800	14.5	12.5	30400	19400	8.2	CX35-48B	ML196UH045XE36B	204498285
ML14XP1-036-230	33800	15	12.5	30400	19400	8.2	CX35-48B	ML196UH070XE36B	204498286
ML14XP1-036-230	34000	14.5	12.5	30600	19600	8.2	CX35-48B	ML296UH045XV36B	205470350
ML14XP1-036-230	34000	14.5	12.5	30600	19600	8.2	CX35-48B	ML296UH070XV36B	205470351
ML14XP1-036-230	34200	15.5	12.5	30200	19200	8.5	CX35-48B	SL280UH080NV48B	202566329
ML14XP1-036-230	34200	15.1	12.5	30400	19300	8.2	CX35-48B	SL280UH090V36B	202566330
ML14XP1-036-230	34200	15.1	12.5	30400	19300	8.2	CX35-48B	SL280UH090V48B	202566331
ML14XP1-036-230	34600	15.5	12.5	30400	19400	8.5	CX35-48C	EL196UH090XE48C	202566333
ML14XP1-036-230	34000	15.1	12.5	30200	19200	8.2	CX35-48C	EL280UH110E48C	204043938
ML14XP1-036-230	34400	15.1	12.5	30600	19400	8.5	CX35-48C	EL280UH110E60C	204043939
ML14XP1-036-230	34200	15.1	12.5	30400	19300	8.2	CX35-48C	EL296UH090XE48C	202566334
ML14XP1-036-230	34200	15.1	12.5	30400	19400	8.2	CX35-48C	EL296UH090XV36C	202566335
ML14XP1-036-230	34000	15.1	12.5	30200	19200	8.2	CX35-48C	EL296UH090XV48C	202566336
ML14XP1-036-230	34600	15.5	12.5	30400	19300	8.5	CX35-48C	ML180UH110V60C	204495726
ML14XP1-036-230	34000	14.5	12.5	30400	19400	8.2	CX35-48C	ML193UH090XE36C	204043940
ML14XP1-036-230	34200	15.1	12.5	30400	19300	8.2	CX35-48C	ML193UH090XE48C	204043941
ML14XP1-036-230	34200	15.1	12.5	30400	19400	8.5	CX35-48C	ML193UH110XE48C	204043942

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-036-230	34200	15.1	12.5	30400	19400	8.5	CX35-48C	ML193UH110XE60C	204043943
ML14XP1-036-230	34600	15.5	12.5	30400	19400	8.5	CX35-48C	ML196UH090XE48C	204498287
ML14XP1-036-230	34000	15.1	12.5	30200	19200	8.2	CX35-48C	ML296UH090XV48C	205470352
ML14XP1-036-230	34000	15.1	12.5	30400	19300	8.2	CX35-48C	SL297UH080NV48C	202566337
ML14XP1-036-230	34200	15.1	12.5	30400	19400	8.2	CX35-48C	SLP98UH090XV36C	202566338
ML14XP1-036-230	34000	15.1	12.5	30200	19200	8.2	CX35-48C	SLP98UH090XV48C	202566339
ML14XP1-036-230	34200	15.1	12.5	30400	19400	8.2	CX35-48C	SLP99UH090XV36C	205544989
ML14XP1-036-230	34000	15.1	12.5	30200	19200	8.2	CX35-48C	SLP99UH090XV48C	205544991
ML14XP1-036-230	35200	15.5	12.5	31600	20600	8.5	CX35-50/60C	EL180UH100NE60C	204117274
ML14XP1-036-230	35000	15.1	12.5	32000	21000	8.5	CX35-50/60C	EL195UH080NE48C	204117275
ML14XP1-036-230	35200	15.1	12.5	32000	21000	8.5	CX35-50/60C	EL195UH100NE60C	204117276
ML14XP1-036-230	35400	15.5	12.5	31800	20800	8.5	CX35-50/60C	EL196UH090XE48C	204117277
ML14XP1-036-230	35600	15.5	12.5	32000	20800	8.5	CX35-50/60C	EL196UH110XE60C	204117278
ML14XP1-036-230	35000	15.5	12.5	31600	20600	8.5	CX35-50/60C	EL280UH110E48C	204117279
ML14XP1-036-230	35600	15.5	12.5	32000	20800	8.5	CX35-50/60C	EL280UH110E60C	204117280
ML14XP1-036-230	35000	15.1	12.5	31800	20800	8.5	CX35-50/60C	EL296UH090XE48C	204117281
ML14XP1-036-230	35000	15.5	12.5	31800	20800	8.5	CX35-50/60C	EL296UH090XV36C	204117282
ML14XP1-036-230	35200	15.1	12.5	32000	21000	8.5	CX35-50/60C	EL296UH090XV48C	204117283
ML14XP1-036-230	35400	15.1	12.5	32200	21000	8.5	CX35-50/60C	EL296UH090XV60C	204117284
ML14XP1-036-230	35200	15.5	12.5	31800	20800	8.5	CX35-50/60C	EL296UH110XE60C	204117285
ML14XP1-036-230	35200	15.5	12.5	31600	20800	8.5	CX35-50/60C	EL296UH110XV48C	204117286
ML14XP1-036-230	35400	15.5	12.5	32000	20800	8.5	CX35-50/60C	EL296UH110XV60C	204117287
ML14XP1-036-230	35200	15.5	12.5	31800	20800	8.5	CX35-50/60C	ML180UH090E60C	204117288
ML14XP1-036-230	35000	15.5	12.5	31600	20600	8.5	CX35-50/60C	ML180UH110E60C	204117289
ML14XP1-036-230	35200	15.5	12.5	31800	20800	8.5	CX35-50/60C	ML180UH110V60C	204117290
ML14XP1-036-230	35000	15.5	12.5	31600	20600	8.5	CX35-50/60C	ML180UH110XE60C	204117291
ML14XP1-036-230	35000	15.1	12.5	31800	21000	8.5	CX35-50/60C	ML193UH090XE36C	204117292
ML14XP1-036-230	35200	15.5	12.5	31800	20800	8.5	CX35-50/60C	ML193UH090XE48C	204117293
ML14XP1-036-230	35400	15.5	12.5	31800	20800	8.5	CX35-50/60C	ML193UH110XE48C	204117294
ML14XP1-036-230	35400	15.5	12.5	32000	20800	8.5	CX35-50/60C	ML193UH110XE60C	204117295
ML14XP1-036-230	35400	15.5	12.5	31800	20800	8.5	CX35-50/60C	ML196UH090XE48C	204498288
ML14XP1-036-230	35600	15.5	12.5	32000	20800	8.5	CX35-50/60C	ML196UH110XE60C	204498289
ML14XP1-036-230	35000	15.5	12.5	31800	20800	8.5	CX35-50/60C	ML296UH090XV36C	204117296
ML14XP1-036-230	35200	15.5	12.5	31800	20800	8.5	CX35-50/60C	ML296UH110XV60C	204117297
ML14XP1-036-230	35400	15.5	12.5	31800	20800	8.5	CX35-50/60C	SL280UH080NV60C	204117298
ML14XP1-036-230	35400	15.5	12.5	32000	20800	8.5	CX35-50/60C	SL280UH090V60C	204117299
ML14XP1-036-230	35400	15.5	12.5	32000	20800	8.5	CX35-50/60C	SL280UH090XV60C	204117300
ML14XP1-036-230	35200	15.5	12.5	32000	21000	8.5	CX35-50/60C	SL280UH110V60C	204117301
ML14XP1-036-230	35200	15.5	12.5	32000	21000	8.5	CX35-50/60C	SL280UH110XV60C	204117302
ML14XP1-036-230	35200	15.5	12.5	31800	20800	8.5	CX35-50/60C	SL297UH080NV48C	204117303
ML14XP1-036-230	35000	15.5	12.5	31800	20800	8.5	CX35-50/60C	SLP98UH090XV36C	204117304
ML14XP1-036-230	35200	15.1	12.5	32000	21000	8.5	CX35-50/60C	SLP98UH090XV48C	204117305
ML14XP1-036-230	35000	15.5	12.5	31800	20800	8.5	CX35-50/60C	SLP99UH090XV36C	205545903
ML14XP1-036-230	35200	15.1	12.5	32000	21000	8.5	CX35-50/60C	SLP99UH090XV48C	205545905
ML14XP1-036-230	34200	14	11.5	32400	21600	8.5	CX35-50/60C		204119010
ML14XP1-036-230	33200	15.5	12.2	31400	20800	8.5	CX35-60D	EL296UH135XV60D	204119011
ML14XP1-036-230	32600	15.5	12	31200	20800	8.5	CX35-60D	SL280UH135V60D	204119012
ML14XP1-036-233	34200	15	12.5	31600	20600	8.5	C35-36A	EL180UH040NE36A	205293040
ML14XP1-036-233	34000	15	12.5	31600	20600	8.5	C35-36A	EL180UH060NE36A	205293041
ML14XP1-036-233	34200	14.5	12	31800	21000	8.5	C35-36A	EL280UH045E36A	205293042
ML14XP1-036-233	33800	14.5	12.5	31400	20600	8.5	C35-36A	EL280UH070E36A	205293043
ML14XP1-036-233	33800	14.5	12.5	31400	20600	8.5	C35-36A	ML180UH030V36A	205293044
ML14XP1-036-233	33800	14.5	12.5	31600	20600	8.5	C35-36A	ML180UH045E36A	205293045
ML14XP1-036-233	33800	14.5	12.5	31400	20600	8.5	C35-36A	ML180UH045V36A	205293046
ML14XP1-036-233	34200	14.5	12.5	31800	20800	8.5	C35-36A	ML180UH070E36A	205293047
ML14XP1-036-233	33800	14.5	12.5	31400	20600	8.5	C35-36A	ML180UH070V36A	205293048

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-036-233	34200	14.5	12.5	31800	20800	8.5	C35-36A	ML180UH070XE36A	205293505
ML14XP1-036-233	34000	15.1	12.5	31400	20400	8.5	C35-36A	SL280UH060NV36A	205293049
ML14XP1-036-233	33800	14.5	12.5	31600	20600	8.5	C35-36A	SL280UH070V36A	205293050
ML14XP1-036-233	33800	14.5	12.5	31600	20600	8.5	C35-36A	SL280UH070XV36A	205293051
ML14XP1-036-233	34000	15.5	12.5	31200	20400	8.5	C35-36B	EL180UH080NE48B	205293052
ML14XP1-036-233	33600	14.5	12.5	31400	20600	8.5	C35-36B	EL195UH040NE36B	205293053
ML14XP1-036-233	33600	14.5	12.5	31400	20600	8.5	C35-36B	EL195UH060NE36B	205293054
ML14XP1-036-233	33600	14.5	12.5	31200	20400	8.5	C35-36B	EL196UH045XE36B	205293055
ML14XP1-036-233	33600	15	12.5	31200	20400	8.5	C35-36B	EL196UH070XE36B	205293056
ML14XP1-036-233	34000	14.5	12.5	31600	20600	8.5	C35-36B	EL280UH090E36B	205293057
ML14XP1-036-233	33800	14.5	12.5	31400	20400	8.5	C35-36B	EL280UH090E48B	205293058
ML14XP1-036-233	33600	14.25	12.2	31800	21000	8.2	C35-36B	EL296UH045XE36B	205293059
ML14XP1-036-233	33800	14.5	12.5	31600	20600	8.5	C35-36B	EL296UH045XV36B	205293060
ML14XP1-036-233	33600	14.5	12.5	31400	20600	8.5	C35-36B	EL296UH070XE36B	205293061
ML14XP1-036-233	33800	14.5	12.5	31600	20600	8.5	C35-36B	EL296UH070XV36B	205293062
ML14XP1-036-233	34000	14.5	12.5	31600	20800	8.5	C35-36B	ML180UH070E36B	205293063
ML14XP1-036-233	33800	15	12.5	31200	20400	8.5	C35-36B	ML180UH070V36B	205293064
ML14XP1-036-233	34200	15.1	12.5	31400	20400	8.5	C35-36B	ML180UH070V48B	205293065
ML14XP1-036-233	34000	15.1	12.5	31400	20400	8.5	C35-36B	ML180UH090E48B	205293066
ML14XP1-036-233	34000	15.1	12.5	31200	20400	8.5	C35-36B	ML180UH090V48B	205293067
ML14XP1-036-233	33800	14	12.2	31800	21000	8.2	C35-36B	ML193UH030XE36B	205293068
ML14XP1-036-233	33800	14	12.2	31800	21000	8.2	C35-36B	ML193UH045XE36B	205293069
ML14XP1-036-233	33800	14.25	12.2	31800	21000	8.2	C35-36B	ML193UH070XE36B	205293070
ML14XP1-036-233	33600	14.5	12.5	31200	20400	8.5	C35-36B	ML196UH045XE36B	205293071
ML14XP1-036-233	33600	15	12.5	31200	20400	8.5	C35-36B	ML196UH070XE36B	205293072
ML14XP1-036-233	34000	15.5	12.5	31200	20400	8.5	C35-36B	SL280UH080NV48B	205293073
ML14XP1-036-233	34000	15.1	12.5	31200	20400	8.5	C35-36B	SL280UH090V36B	205293074
ML14XP1-036-233	34000	15.1	12.5	31200	20400	8.5	C35-36B	SL280UH090V48B	205293075
ML14XP1-036-233	34000	14.5	12.5	31600	20600	8.5	C35-36B	SL297UH040NV36B	205293076
ML14XP1-036-233	33800	14.5	12.5	31400	20600	8.5	C35-36B	SL297UH060NV36B	205293077
ML14XP1-036-233	33800	14.5	12.5	31600	20600	8.5	C35-36B	SLP98UH070XV36B	205293078
ML14XP1-036-233	33800	14.5	12.5	31600	20600	8.5	C35-36B	SLP99UH070XV36B	205552274
ML14XP1-036-233	34200	15.5	12.5	30200	19200	8.5	C35-48B	EL180UH080NE48B	205293079
ML14XP1-036-233	33800	14.5	12.5	30400	19500	8.2	C35-48B	EL195UH040NE36B	205293080
ML14XP1-036-233	33800	14.5	12.5	30400	19500	8.2	C35-48B	EL195UH060NE36B	205293081
ML14XP1-036-233	33600	14.5	12.5	30200	19400	8.2	C35-48B	EL196UH045XE36B	205293082
ML14XP1-036-233	33600	15	12.5	30200	19400	8.2	C35-48B	EL196UH070XE36B	205293083
ML14XP1-036-233	34000	14.5	12.5	30400	19500	8.2	C35-48B	EL280UH090E36B	205293084
ML14XP1-036-233	33800	15	12.5	30200	19400	8.2	C35-48B	EL280UH090E48B	205293085
ML14XP1-036-233	33200	14.5	12.5	30200	19400	8.2	C35-48B	EL296UH045XE36B	205293086
ML14XP1-036-233	33800	14.5	12.5	30400	19600	8.2	C35-48B	EL296UH045XV36B	205293087
ML14XP1-036-233	33600	14.5	12.5	30200	19400	8.2	C35-48B	EL296UH070XE36B	205293088
ML14XP1-036-233	33800	14.5	12.5	30400	19600	8.2	C35-48B	EL296UH070XV36B	205293089
ML14XP1-036-233	33800	15.1	12.5	30000	19100	8.2	C35-48B	ML180UH070E36B	205293090
ML14XP1-036-233	33800	15.1	12.5	30000	19300	8.2	C35-48B	ML180UH070V36B	205293091
ML14XP1-036-233	34200	15.1	12.5	30400	19400	8.5	C35-48B	ML180UH070V48B	205293092
ML14XP1-036-233	34000	15.1	12.5	30200	19400	8.5	C35-48B	ML180UH090E48B	205293093
ML14XP1-036-233	34000	15.1	12.5	30200	19300	8.2	C35-48B	ML180UH090V48B	205293094
ML14XP1-036-233	33800	14	12.2	30800	19900	8.2	C35-48B	ML193UH030XE36B	205293095
ML14XP1-036-233	33800	14	12.2	30800	19900	8.2	C35-48B	ML193UH045XE36B	205293096
ML14XP1-036-233	33400	14.5	12	30200	19400	8.2	C35-48B	ML193UH070XE36B	205293097
ML14XP1-036-233	33600	14.5	12.5	30200	19400	8.2	C35-48B	ML196UH045XE36B	205293098
ML14XP1-036-233	33600	15	12.5	30200	19400	8.2	C35-48B	ML196UH070XE36B	205293099
ML14XP1-036-233	34000	15.5	12.5	30000	19200	8.5	C35-48B	SL280UH080NV48B	205293100
ML14XP1-036-233	34000	15.1	12.5	30200	19300	8.2	C35-48B	SL280UH090V36B	205293101
ML14XP1-036-233	34000	15.1	12.5	30200	19300	8.2	C35-48B	SL280UH090V48B	205293102

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-036-233	34400	15.5	12.5	30400	19400	8.5	C35-48C	EL196UH090XE48C	205293103
ML14XP1-036-233	33800	15.1	12.5	30000	19200	8.2	C35-48C	EL280UH110E48C	205293104
ML14XP1-036-233	34200	15.1	12.5	30400	19400	8.5	C35-48C	EL280UH110E60C	205293105
ML14XP1-036-233	34000	15.1	12.5	30200	19300	8.2	C35-48C	EL296UH090XE48C	205293106
ML14XP1-036-233	34000	15.1	12.5	30200	19400	8.2	C35-48C	EL296UH090XV36C	205293107
ML14XP1-036-233	33800	15.1	12.5	30000	19200	8.2	C35-48C	EL296UH090XV48C	205293108
ML14XP1-036-233	34400	15.5	12.5	30200	19300	8.5	C35-48C	ML180UH110V60C	205293109
ML14XP1-036-233	33800	14.5	12.5	30400	19400	8.2	C35-48C	ML193UH090XE36C	205293110
ML14XP1-036-233	34000	15.1	12.5	30200	19300	8.2	C35-48C	ML193UH090XE48C	205293111
ML14XP1-036-233	34000	15.1	12.5	30400	19400	8.5	C35-48C	ML193UH110XE48C	205293112
ML14XP1-036-233	34000	15.1	12.5	30400	19400	8.5	C35-48C	ML193UH110XE60C	205293113
ML14XP1-036-233	34400	15.5	12.5	30400	19400	8.5	C35-48C	ML196UH090XE48C	205293114
ML14XP1-036-233	33800	15.1	12.5	30200	19300	8.2	C35-48C	SL297UH080NV48C	205293115
ML14XP1-036-233	34000	15.1	12.5	30200	19400	8.2	C35-48C	SLP98UH090XV36C	205293116
ML14XP1-036-233	33800	15.1	12.5	30000	19200	8.2	C35-48C	SLP98UH090XV48C	205293117
ML14XP1-036-233	34000	15.1	12.5	30200	19400	8.2	C35-48C	SLP99UH090XV36C	205552275
ML14XP1-036-233	33800	15.1	12.5	30000	19200	8.2	C35-48C	SLP99UH090XV48C	205552276
ML14XP1-036-233	35000	15.5	12.5	31600	20600	8.5	C35-50/60C	EL180UH100NE60C	205293118
ML14XP1-036-233	34800	15.1	12.5	31800	21000	8.5	C35-50/60C	EL195UH080NE48C	205293119
ML14XP1-036-233	35000	15.1	12.5	31800	21000	8.5	C35-50/60C	EL195UH100NE60C	205293120
ML14XP1-036-233	35200	15.5	12.5	31600	20800	8.5	C35-50/60C	EL196UH090XE48C	205293121
ML14XP1-036-233	35400	15.5	12.5	31800	20800	8.5	C35-50/60C	EL196UH110XE60C	205293122
ML14XP1-036-233	34800	15.5	12.5	31400	20600	8.5	C35-50/60C	EL280UH110E48C	205293123
ML14XP1-036-233	35200	15.5	12.5	31800	20800	8.5	C35-50/60C	EL280UH110E60C	205293124
ML14XP1-036-233	34800	15.1	12.5	31600	20800	8.5	C35-50/60C	EL296UH090XE48C	205293125
ML14XP1-036-233	34800	15.5	12.5	31600	20800	8.5	C35-50/60C	EL296UH090XV36C	205293126
ML14XP1-036-233	35000	15.1	12.5	31800	21000	8.5	C35-50/60C	EL296UH090XV48C	205293127
ML14XP1-036-233	35200	15.1	12.5	32000	21000	8.5	C35-50/60C	EL296UH090XV60C	205293128
ML14XP1-036-233	35000	15.5	12.5	31600	20800	8.5	C35-50/60C	EL296UH110XE60C	205293129
ML14XP1-036-233	34800	15.5	12.5	31600	20800	8.5	C35-50/60C	EL296UH110XV48C	205293130
ML14XP1-036-233	35200	15.5	12.5	31800	20800	8.5	C35-50/60C	EL296UH110XV60C	205293131
ML14XP1-036-233	35000	15.5	12.5	31600	20800	8.5	C35-50/60C	ML180UH090E60C	205293132
ML14XP1-036-233	34800	15.5	12.5	31400	20600	8.5	C35-50/60C	ML180UH110E60C	205293133
ML14XP1-036-233	34800	15.5	12.5	31600	20800	8.5	C35-50/60C	ML180UH110V60C	205293134
ML14XP1-036-233	34800	15.5	12.5	31400	20600	8.5	C35-50/60C	ML180UH110XE60C	205293135
ML14XP1-036-233	34800	15.1	12.5	31800	21000	8.5	C35-50/60C	ML193UH090XE36C	205293136
ML14XP1-036-233	35000	15.5	12.5	31600	20800	8.5	C35-50/60C	ML193UH090XE48C	205293137
ML14XP1-036-233	35200	15.5	12.5	31600	20800	8.5	C35-50/60C	ML193UH110XE48C	205293138
ML14XP1-036-233	35200	15.5	12.5	31800	20800	8.5	C35-50/60C	ML193UH110XE60C	205293139
ML14XP1-036-233	35200	15.5	12.5	31600	20800	8.5	C35-50/60C	ML196UH090XE48C	205293140
ML14XP1-036-233	35400	15.5	12.5	31800	20800	8.5	C35-50/60C	ML196UH110XE60C	205293141
ML14XP1-036-233	35000	15.5	12.5	31600	20800	8.5	C35-50/60C	ML296UH110XV60C	205293143
ML14XP1-036-233	35200	15.5	12.5	31600	20800	8.5	C35-50/60C	SL280UH080NV60C	205293144
ML14XP1-036-233	35200	15.5	12.5	31800	20800	8.5	C35-50/60C	SL280UH090V60C	205293145
ML14XP1-036-233	35200	15.5	12.5	31800	20800	8.5	C35-50/60C	SL280UH090XV60C	205293146
ML14XP1-036-233	35000	15.5	12.5	31800	21000	8.5	C35-50/60C	SL280UH110V60C	205293147
ML14XP1-036-233	35000	15.5	12.5	31800	21000	8.5	C35-50/60C	SL280UH110XV60C	205293148
ML14XP1-036-233	35000	15.5	12.5	31800	20800	8.5	C35-50/60C	SL297UH080NV48C	205293149
ML14XP1-036-233	34800	15.5	12.5	31600	20800	8.5	C35-50/60C	SLP98UH090XV36C	205293150
ML14XP1-036-233	35000	15.1	12.5	31800	21000	8.5	C35-50/60C	SLP98UH090XV48C	205293151
ML14XP1-036-233	34800	15.5	12.5	31600	20800	8.5	C35-50/60C	SLP99UH090XV36C	205552277
ML14XP1-036-233	35000	15.1	12.5	31800	21000	8.5	C35-50/60C	SLP99UH090XV48C	205552278
ML14XP1-036-233	34000	14	11.5	32400	21600	8.5	C35-50/60C		205293506
ML14XP1-036-233	32800	15.5	12	31400	20800	8.5	C35-60D	EL296UH135XV60D	205293152
ML14XP1-036-233	32400	15.5	12	31000	20800	8.5	C35-60D	SL280UH135V60D	205293153
ML14XP1-036-233	33400	14	12	31200	20000	8.2	CBA25UH-036-230		205293504

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-036-233	33400	14.25	12	31000	19900	8.2	CBA25UH-042-230		205293515
ML14XP1-036-233	34200	15	12.5	30800	19600	8.5	CBA25UHV-036-230		205293516
ML14XP1-036-233	34200	15.5	12.5	30800	19500	8.5	CBA25UHV-042-230		205293517
ML14XP1-036-233	33400	15	12.5	32200	21400	9	CBA27UHE-036-230		205293507
ML14XP1-036-233	34200	15.5	12.5	32200	21600	9	CBA27UHE-042-230		205293518
ML14XP1-036-233	33400	15.1	12.5	32400	21400	9	CBA38MV-036-230		205293519
ML14XP1-036-233	34400	16	13	32200	21400	9	CBA38MV-042-230		205293520
ML14XP1-036-233	35000	15.5	12.5	30600	19400	8.5	CH35-42B	EL180UH080NE48B	205293154
ML14XP1-036-233	34600	15	12.5	30800	19600	8.2	CH35-42B	EL195UH040NE36B	205293155
ML14XP1-036-233	34600	15	12.5	30800	19600	8.2	CH35-42B	EL195UH060NE36B	205293156
ML14XP1-036-233	34600	15.1	12.5	30800	19600	8.2	CH35-42B	EL196UH045XE36B	205293157
ML14XP1-036-233	34600	15.1	12.5	30800	19600	8.5	CH35-42B	EL196UH070XE36B	205293158
ML14XP1-036-233	35000	15.1	12.5	31000	19700	8.5	CH35-42B	EL280UH090E36B	205293159
ML14XP1-036-233	35000	15.5	12.5	30800	19600	8.5	CH35-42B	EL280UH090E48B	205293160
ML14XP1-036-233	34600	14.5	12.5	31200	20000	8.2	CH35-42B	EL296UH045XE36B	205293161
ML14XP1-036-233	34600	15	12.5	31000	19800	8.2	CH35-42B	EL296UH045XV36B	205293162
ML14XP1-036-233	34400	15	12.5	30800	19600	8.2	CH35-42B	EL296UH070XE36B	205293163
ML14XP1-036-233	34800	15	12.5	31000	19800	8.5	CH35-42B	EL296UH070XV36B	205293164
ML14XP1-036-233	35000	15	12.5	31000	19800	8.5	CH35-42B	ML180UH070E36B	205293165
ML14XP1-036-233	34800	15.5	12.5	30800	19500	8.5	CH35-42B	ML180UH090E48B	205293166
ML14XP1-036-233	34400	15	12.5	30800	19600	8.2	CH35-42B	ML193UH070XE36B	205293167
ML14XP1-036-233	34600	15	12.5	31000	19800	8.2	CH35-42B	ML296UH045XV36B	205293168
ML14XP1-036-233	34800	15	12.5	31000	19800	8.5	CH35-42B	ML296UH070XV36B	205293169
ML14XP1-036-233	35000	15.5	12.5	30600	19400	8.5	CH35-42B	SL280UH080NV48B	205293170
ML14XP1-036-233	34800	15.5	12.5	30800	19500	8.5	CH35-42B	SL280UH090V36B	205293171
ML14XP1-036-233	34800	15.1	12.5	30800	19600	8.5	CH35-42B	SL280UH090V48B	205293172
ML14XP1-036-233	34800	15.1	12.5	31000	19800	8.5	CH35-42B	SL297UH040NV36B	205293173
ML14XP1-036-233	34800	15	12.5	31000	19700	8.5	CH35-42B	SL297UH060NV36B	205293174
ML14XP1-036-233	34800	15	12.5	31000	19800	8.5	CH35-42B	SLP98UH070XV36B	205293175
ML14XP1-036-233	34800	15	12.5	31000	19800	8.5	CH35-42B	SLP99UH070XV36B	205552280
ML14XP1-036-233	34400	14.25	12.2	31400	20200	8.2	CH35-42B		205293508
ML14XP1-036-233	34400	15.5	12.5	30200	19200	8.5	CH35-42C	EL196UH090XE48C	205293176
ML14XP1-036-233	34200	15.1	12.5	30200	19200	8.2	CH35-42C	EL280UH110E48C	205293177
ML14XP1-036-233	34600	15.1	12.5	30400	19500	8.5	CH35-42C	EL280UH110E60C	205293178
ML14XP1-036-233	34400	15.1	12.5	30400	19400	8.2	CH35-42C	EL296UH090XE48C	205293179
ML14XP1-036-233	34400	15.1	12.5	30400	19400	8.2	CH35-42C	EL296UH090XV36C	205293180
ML14XP1-036-233	34200	15.5	12.5	30200	19200	8.2	CH35-42C	EL296UH090XV48C	205293181
ML14XP1-036-233	34400	15.5	12.5	30200	19300	8.5	CH35-42C	EL296UH110XV48C	205293182
ML14XP1-036-233	34200	15	12.5	30400	19500	8.2	CH35-42C	ML193UH090XE36C	205293183
ML14XP1-036-233	34400	15.1	12.5	30400	19400	8.2	CH35-42C	ML193UH090XE48C	205293184
ML14XP1-036-233	34400	15.1	12.5	30400	19400	8.2	CH35-42C	ML193UH110XE48C	205293185
ML14XP1-036-233	34600	15.1	12.5	30400	19400	8.2	CH35-42C	ML193UH110XE60C	205293186
ML14XP1-036-233	34400	15.5	12.5	30200	19200	8.5	CH35-42C	ML196UH090XE48C	205293187
ML14XP1-036-233	34400	15.1	12.5	30200	19300	8.2	CH35-42C	SL297UH080NV48C	205293188
ML14XP1-036-233	34400	15.1	12.5	30400	19400	8.2	CH35-42C	SLP98UH090XV36C	205293189
ML14XP1-036-233	34200	15.5	12.5	30200	19200	8.2	CH35-42C	SLP98UH090XV48C	205293190
ML14XP1-036-233	34400	15.1	12.5	30400	19400	8.2	CH35-42C	SLP99UH090XV36C	205552281
ML14XP1-036-233	34200	15.5	12.5	30200	19200	8.2	CH35-42C	SLP99UH090XV48C	205552282
ML14XP1-036-233	34200	15.1	12.5	30200	19400	8.5	CH35-48B	EL180UH080NE48B	205293191
ML14XP1-036-233	33800	14.5	12.5	30400	19600	8.2	CH35-48B	EL195UH060NE36B	205293192
ML14XP1-036-233	33800	14.5	12.5	30200	19500	8.2	CH35-48B	EL196UH045XE36B	205293193
ML14XP1-036-233	33800	15	12.5	30200	19500	8.2	CH35-48B	EL196UH070XE36B	205293194
ML14XP1-036-233	34000	14.5	12.5	30400	19700	8.2	CH35-48B	EL280UH090E36B	205293195
ML14XP1-036-233	33800	14.5	12.5	30200	19500	8.2	CH35-48B	EL280UH090E48B	205293196
ML14XP1-036-233	34000	14.5	12.5	30400	19700	8.2	CH35-48B	EL296UH045XV36B	205293197
ML14XP1-036-233	33800	14.5	12.5	30200	19500	8.2	CH35-48B	EL296UH070XE36B	205293198

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-036-233	34000	14.5	12.5	30400	19700	8.2	CH35-48B	EL296UH070XV36B	205293199
ML14XP1-036-233	34200	14.5	12.5	30600	19800	8.5	CH35-48B	ML180UH070E36B	205293200
ML14XP1-036-233	34000	15	12.5	30200	19400	8.5	CH35-48B	ML180UH070V36B	205293201
ML14XP1-036-233	34200	15.1	12.5	30400	19500	8.5	CH35-48B	ML180UH070V48B	205293202
ML14XP1-036-233	34000	15.1	12.5	30200	19500	8.5	CH35-48B	ML180UH090E48B	205293203
ML14XP1-036-233	34200	15	12.5	30200	19500	8.5	CH35-48B	ML180UH090V48B	205293204
ML14XP1-036-233	33800	14	12.2	30800	20000	8.2	CH35-48B	ML193UH030XE36B	205293205
ML14XP1-036-233	33800	14	12.2	30800	20000	8.2	CH35-48B	ML193UH045XE36B	205293206
ML14XP1-036-233	34000	14.25	12.2	30800	20000	8.2	CH35-48B	ML193UH070XE36B	205293207
ML14XP1-036-233	33800	14.5	12.5	30200	19500	8.2	CH35-48B	ML196UH045XE36B	205293208
ML14XP1-036-233	33800	15	12.5	30200	19500	8.2	CH35-48B	ML196UH070XE36B	205293209
ML14XP1-036-233	34200	15.1	12.5	30200	19400	8.5	CH35-48B	SL280UH080NV48B	205293210
ML14XP1-036-233	34000	15.1	12.5	30200	19400	8.5	CH35-48B	SL280UH090V36B	205293211
ML14XP1-036-233	34000	15.1	12.5	30200	19500	8.5	CH35-48B	SL280UH090V48B	205293212
ML14XP1-036-233	34000	14.5	12.5	30400	19700	8.2	CH35-48B	SL297UH040NV36B	205293213
ML14XP1-036-233	34000	14.5	12.5	30400	19700	8.2	CH35-48B	SL297UH060NV36B	205293214
ML14XP1-036-233	34000	14.5	12.5	30400	19700	8.2	CH35-48B	SLP98UH070XV36B	205293215
ML14XP1-036-233	34000	14.5	12.5	30400	19700	8.2	CH35-48B	SLP99UH070XV36B	205552283
ML14XP1-036-233	33600	14	11.5	30800	20000	8.2	CH35-48B		205293509
ML14XP1-036-233	33800	15	12.5	31000	20000	8.5	CH35-48C	EL195UH080NE48C	205293216
ML14XP1-036-233	33600	15.1	12.5	30800	19800	8.5	CH35-48C	EL196UH090XE48C	205293217
ML14XP1-036-233	33800	15	12.5	31000	20000	8.5	CH35-48C	EL280UH110E48C	205293218
ML14XP1-036-233	33800	15	12.5	31000	20000	8.5	CH35-48C	EL280UH110E60C	205293219
ML14XP1-036-233	33600	15	12.5	31000	19900	8.5	CH35-48C	EL296UH090XE48C	205293220
ML14XP1-036-233	33800	15	12.5	31000	20000	8.5	CH35-48C	EL296UH090XV36C	205293221
ML14XP1-036-233	33600	15.1	12.5	30800	19800	8.5	CH35-48C	EL296UH090XV48C	205293222
ML14XP1-036-233	33800	15.1	12.5	30800	19900	8.5	CH35-48C	EL296UH110XV48C	205293223
ML14XP1-036-233	34200	15.1	12.5	31000	19900	8.5	CH35-48C	ML180UH110V60C	205293224
ML14XP1-036-233	33600	14.5	12.5	31000	20000	8.2	CH35-48C	ML193UH090XE36C	205293225
ML14XP1-036-233	33600	15	12.5	30800	19900	8.5	CH35-48C	ML193UH090XE48C	205293226
ML14XP1-036-233	33800	15	12.5	31000	20000	8.5	CH35-48C	ML193UH110XE48C	205293227
ML14XP1-036-233	33800	15	12.5	31000	20000	8.5	CH35-48C	ML193UH110XE60C	205293228
ML14XP1-036-233	33600	15.1	12.5	30800	19800	8.5	CH35-48C	ML196UH090XE48C	205293229
ML14XP1-036-233	33600	15	12.5	30800	19900	8.5	CH35-48C	SL297UH080NV48C	205293230
ML14XP1-036-233	33800	15	12.5	31000	20000	8.5	CH35-48C	SLP98UH090XV36C	205293231
ML14XP1-036-233	33800	15	12.5	31000	20000	8.5	CH35-48C	SLP99UH090XV36C	205552284
ML14XP1-036-233	34200	15.1	12.5	30800	20000	8.5	CH35-51C	EL195UH080NE48C	205293232
ML14XP1-036-233	34400	15.5	12.5	30800	19900	8.5	CH35-51C	EL196UH090XE48C	205293233
ML14XP1-036-233	34400	15.1	12.5	30800	19900	8.5	CH35-51C	EL280UH110E48C	205293234
ML14XP1-036-233	34800	15.1	12.5	31000	20200	8.5	CH35-51C	EL280UH110E60C	205293235
ML14XP1-036-233	34400	15.1	12.5	31000	20000	8.5	CH35-51C	EL296UH090XE48C	205293236
ML14XP1-036-233	34600	15.1	12.5	31000	20000	8.5	CH35-51C	EL296UH090XV36C	205293237
ML14XP1-036-233	34400	15.5	12.5	30800	19900	8.5	CH35-51C	EL296UH090XV48C	205293238
ML14XP1-036-233	34600	15.5	12.5	30800	20000	8.5	CH35-51C	EL296UH110XV48C	205293239
ML14XP1-036-233	35000	15.5	12.5	31000	20000	8.5	CH35-51C	ML180UH110V60C	205293240
ML14XP1-036-233	34400	15	12.5	31000	20200	8.5	CH35-51C	ML193UH090XE36C	205293241
ML14XP1-036-233	34600	15.1	12.5	31000	20000	8.5	CH35-51C	ML193UH090XE48C	205293242
ML14XP1-036-233	34600	15.1	12.5	31000	20000	8.5	CH35-51C	ML193UH110XE48C	205293243
ML14XP1-036-233	34600	15.1	12.5	31000	20200	8.5	CH35-51C	ML193UH110XE60C	205293244
ML14XP1-036-233	34400	15.5	12.5	30800	19900	8.5	CH35-51C	ML196UH090XE48C	205293245
ML14XP1-036-233	34400	15.1	12.5	30800	20000	8.5	CH35-51C	SL297UH080NV48C	205293246
ML14XP1-036-233	34600	15.1	12.5	31000	20000	8.5	CH35-51C	SLP98UH090XV36C	205293247
ML14XP1-036-233	34400	15.5	12.5	30800	19900	8.5	CH35-51C	SLP98UH090XV48C	205293248
ML14XP1-036-233	34600	15.1	12.5	31000	20000	8.5	CH35-51C	SLP99UH090XV36C	205552285
ML14XP1-036-233	34400	15.5	12.5	30800	19900	8.5	CH35-51C	SLP99UH090XV48C	205552286
ML14XP1-036-233	34000	14	12	31600	20800	8.5	CH35-51C		205293510

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-036-233	35000	15.5	12.5	30600	19400	8.5	CHX35-42B	EL180UH080NE48B	205293249
ML14XP1-036-233	34600	15	12.5	30800	19600	8.5	CHX35-42B	EL195UH040NE36B	205293250
ML14XP1-036-233	34600	15	12.5	30800	19600	8.2	CHX35-42B	EL195UH060NE36B	205293251
ML14XP1-036-233	34600	15.1	12.5	30800	19600	8.2	CHX35-42B	EL196UH045XE36B	205293252
ML14XP1-036-233	34600	15.1	12.5	30800	19600	8.5	CHX35-42B	EL196UH070XE36B	205293253
ML14XP1-036-233	35000	15.1	12.5	31000	19700	8.5	CHX35-42B	EL280UH090E36B	205293254
ML14XP1-036-233	35000	15.5	12.5	30800	19600	8.5	CHX35-42B	EL280UH090E48B	205293255
ML14XP1-036-233	34600	14.5	12.5	31200	20000	8.2	CHX35-42B	EL296UH045XE36B	205293256
ML14XP1-036-233	34600	15	12.5	31000	19800	8.2	CHX35-42B	EL296UH045XV36B	205293257
ML14XP1-036-233	34400	15	12.5	30800	19600	8.2	CHX35-42B	EL296UH070XE36B	205293258
ML14XP1-036-233	34800	15	12.5	31000	19800	8.5	CHX35-42B	EL296UH070XV36B	205293259
ML14XP1-036-233	35000	15	12.5	31000	19800	8.5	CHX35-42B	ML180UH070E36B	205293260
ML14XP1-036-233	34800	15.5	12.5	30800	19500	8.5	CHX35-42B	ML180UH090E48B	205293261
ML14XP1-036-233	34400	15	12.5	30800	19600	8.2	CHX35-42B	ML193UH070XE36B	205293262
ML14XP1-036-233	34600	15	12.5	31000	19800	8.2	CHX35-42B	ML296UH045XV36B	205293263
ML14XP1-036-233	34800	15	12.5	31000	19800	8.5	CHX35-42B	ML296UH070XV36B	205293264
ML14XP1-036-233	35000	15.5	12.5	30600	19400	8.5	CHX35-42B	SL280UH080NV48B	205293265
ML14XP1-036-233	34800	15.5	12.5	30800	19500	8.5	CHX35-42B	SL280UH090V36B	205293266
ML14XP1-036-233	34800	15.1	12.5	30800	19600	8.5	CHX35-42B	SL280UH090V48B	205293267
ML14XP1-036-233	34800	15.1	12.5	31000	19800	8.5	CHX35-42B	SL297UH040NV36B	205293268
ML14XP1-036-233	34800	15	12.5	31000	19700	8.5	CHX35-42B	SL297UH060NV36B	205293269
ML14XP1-036-233	34800	15	12.5	31000	19800	8.5	CHX35-42B	SLP98UH070XV36B	205293270
ML14XP1-036-233	34800	15	12.5	31000	19800	8.5	CHX35-42B	SLP99UH070XV36B	205552288
ML14XP1-036-233	34400	14.25	12.2	31400	20200	8.2	CHX35-42B		205293511
ML14XP1-036-233	34400	15.5	12.5	30200	19200	8.5	CHX35-42C	EL196UH090XE48C	205293271
ML14XP1-036-233	34200	15.1	12.5	30200	19200	8.2	CHX35-42C	EL280UH110E48C	205293272
ML14XP1-036-233	34600	15.1	12.5	30400	19500	8.5	CHX35-42C	EL280UH110E60C	205293273
ML14XP1-036-233	34400	15.1	12.5	30400	19400	8.2	CHX35-42C	EL296UH090XE48C	205293274
ML14XP1-036-233	34400	15.1	12.5	30400	19400	8.2	CHX35-42C	EL296UH090XV36C	205293275
ML14XP1-036-233	34200	15.5	12.5	30200	19200	8.2	CHX35-42C	EL296UH090XV48C	205293276
ML14XP1-036-233	34400	15.5	12.5	30200	19300	8.5	CHX35-42C	EL296UH110XV48C	205293277
ML14XP1-036-233	34800	15.5	12.5	30400	19400	8.5	CHX35-42C	ML180UH110V60C	205293278
ML14XP1-036-233	34200	15	12.5	30400	19500	8.2	CHX35-42C	ML193UH090XE36C	205293279
ML14XP1-036-233	34400	15.1	12.5	30400	19400	8.2	CHX35-42C	ML193UH090XE48C	205293280
ML14XP1-036-233	34400	15.1	12.5	30400	19400	8.2	CHX35-42C	ML193UH110XE48C	205293281
ML14XP1-036-233	34600	15.1	12.5	30400	19400	8.2	CHX35-42C	ML193UH110XE60C	205293282
ML14XP1-036-233	34400	15.5	12.5	30200	19200	8.5	CHX35-42C	ML196UH090XE48C	205293283
ML14XP1-036-233	34400	15.1	12.5	30200	19300	8.2	CHX35-42C	SL297UH080NV48C	205293284
ML14XP1-036-233	34400	15.1	12.5	30400	19400	8.2	CHX35-42C	SLP98UH090XV36C	205293285
ML14XP1-036-233	34200	15.5	12.5	30200	19200	8.2	CHX35-42C	SLP98UH090XV48C	205293286
ML14XP1-036-233	34400	15.1	12.5	30400	19400	8.2	CHX35-42C	SLP99UH090XV36C	205552289
ML14XP1-036-233	34200	15.5	12.5	30200	19200	8.2	CHX35-42C	SLP99UH090XV48C	205552290
ML14XP1-036-233	34200	15.1	12.5	30200	19400	8.5	CHX35-48B	EL180UH080NE48B	205293287
ML14XP1-036-233	33800	14.5	12.5	30400	19600	8.2	CHX35-48B	EL195UH060NE36B	205293288
ML14XP1-036-233	33800	14.5	12.5	30200	19500	8.2	CHX35-48B	EL196UH045XE36B	205293289
ML14XP1-036-233	33800	15	12.5	30200	19500	8.2	CHX35-48B	EL196UH070XE36B	205293290
ML14XP1-036-233	34000	14.5	12.5	30400	19700	8.2	CHX35-48B	EL280UH090E36B	205293291
ML14XP1-036-233	33800	14.5	12.5	30200	19500	8.2	CHX35-48B	EL280UH090E48B	205293292
ML14XP1-036-233	34000	14.5	12.5	30400	19700	8.2	CHX35-48B	EL296UH045XV36B	205293293
ML14XP1-036-233	33800	14.5	12.5	30200	19500	8.2	CHX35-48B	EL296UH070XE36B	205293294
ML14XP1-036-233	34000	14.5	12.5	30400	19700	8.2	CHX35-48B	EL296UH070XV36B	205293295
ML14XP1-036-233	34200	14.5	12.5	30600	19800	8.5	CHX35-48B	ML180UH070E36B	205293296
ML14XP1-036-233	34000	15	12.5	30200	19400	8.5	CHX35-48B	ML180UH070V36B	205293297
ML14XP1-036-233	34200	15.1	12.5	30400	19500	8.5	CHX35-48B	ML180UH070V48B	205293298
ML14XP1-036-233	34000	15.1	12.5	30200	19500	8.5	CHX35-48B	ML180UH090E48B	205293299
ML14XP1-036-233	34200	15	12.5	30200	19500	8.5	CHX35-48B	ML180UH090V48B	205293300

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-036-233	33800	14	12.2	30800	20000	8.2	CHX35-48B	ML193UH030XE36B	205293301
ML14XP1-036-233	33800	14	12.2	30800	20000	8.2	CHX35-48B	ML193UH045XE36B	205293302
ML14XP1-036-233	34000	14.25	12.2	30800	20000	8.2	CHX35-48B	ML193UH070XE36B	205293303
ML14XP1-036-233	33800	14.5	12.5	30200	19500	8.2	CHX35-48B	ML196UH045XE36B	205293304
ML14XP1-036-233	33800	15	12.5	30200	19500	8.2	CHX35-48B	ML196UH070XE36B	205293305
ML14XP1-036-233	34200	15.1	12.5	30200	19400	8.5	CHX35-48B	SL280UH080NV48B	205293306
ML14XP1-036-233	34000	15.1	12.5	30200	19400	8.5	CHX35-48B	SL280UH090V36B	205293307
ML14XP1-036-233	34000	15.1	12.5	30200	19500	8.5	CHX35-48B	SL280UH090V48B	205293308
ML14XP1-036-233	34000	14.5	12.5	30400	19700	8.2	CHX35-48B	SL297UH040NV36B	205293309
ML14XP1-036-233	34000	14.5	12.5	30400	19700	8.2	CHX35-48B	SL297UH060NV36B	205293310
ML14XP1-036-233	34000	14.5	12.5	30400	19700	8.2	CHX35-48B	SLP98UH070XV36B	205293311
ML14XP1-036-233	34000	14.5	12.5	30400	19700	8.2	CHX35-48B	SLP99UH070XV36B	205552291
ML14XP1-036-233	33600	14	11.5	30800	20000	8.2	CHX35-48B		205293512
ML14XP1-036-233	33800	15	12.5	31000	20000	8.5	CHX35-48C	EL195UH080NE48C	205293312
ML14XP1-036-233	33600	15.1	12.5	30800	19800	8.5	CHX35-48C	EL196UH090XE48C	205293313
ML14XP1-036-233	33800	15	12.5	31000	20000	8.5	CHX35-48C	EL280UH110E48C	205293314
ML14XP1-036-233	33800	15	12.5	31000	20000	8.5	CHX35-48C	EL280UH110E60C	205293315
ML14XP1-036-233	33600	15	12.5	31000	19900	8.5	CHX35-48C	EL296UH090XE48C	205293316
ML14XP1-036-233	33800	15	12.5	31000	20000	8.5	CHX35-48C	EL296UH090XV36C	205293317
ML14XP1-036-233	33600	15.1	12.5	30800	19800	8.5	CHX35-48C	EL296UH090XV48C	205293318
ML14XP1-036-233	33800	15.1	12.5	30800	19900	8.5	CHX35-48C	EL296UH110XV48C	205293319
ML14XP1-036-233	34200	15.1	12.5	31000	19900	8.5	CHX35-48C	ML180UH110V60C	205293320
ML14XP1-036-233	33600	14.5	12.5	31000	20000	8.2	CHX35-48C	ML193UH090XE36C	205293321
ML14XP1-036-233	33600	15	12.5	30800	19900	8.5	CHX35-48C	ML193UH090XE48C	205293322
ML14XP1-036-233	33800	15	12.5	31000	20000	8.5	CHX35-48C	ML193UH110XE48C	205293323
ML14XP1-036-233	33800	15	12.5	31000	20000	8.5	CHX35-48C	ML193UH110XE60C	205293324
ML14XP1-036-233	33600	15.1	12.5	30800	19800	8.5	CHX35-48C	ML196UH090XE48C	205293325
ML14XP1-036-233	33600	15	12.5	30800	19900	8.5	CHX35-48C	SL297UH080NV48C	205293326
ML14XP1-036-233	33800	15	12.5	31000	20000	8.5	CHX35-48C	SLP98UH090XV36C	205293327
ML14XP1-036-233	33800	15	12.5	31000	20000	8.5	CHX35-48C	SLP99UH090XV36C	205552292
ML14XP1-036-233	34200	15.1	12.5	30800	20000	8.5	CHX35-51/61C	EL195UH080NE48C	205293328
ML14XP1-036-233	34400	15.5	12.5	30800	19900	8.5	CHX35-51/61C	EL196UH090XE48C	205293329
ML14XP1-036-233	34400	15.1	12.5	30800	19900	8.5	CHX35-51/61C	EL280UH110E48C	205293330
ML14XP1-036-233	34800	15.1	12.5	31000	20200	8.5	CHX35-51/61C	EL280UH110E60C	205293331
ML14XP1-036-233	34400	15.1	12.5	31000	20000	8.5	CHX35-51/61C	EL296UH090XE48C	205293332
ML14XP1-036-233	34600	15.1	12.5	31000	20000	8.5	CHX35-51/61C	EL296UH090XV36C	205293333
ML14XP1-036-233	34400	15.5	12.5	30800	19900	8.5	CHX35-51/61C	EL296UH090XV48C	205293334
ML14XP1-036-233	34600	15.5	12.5	30800	20000	8.5	CHX35-51/61C	EL296UH110XV48C	205293335
ML14XP1-036-233	35000	15.5	12.5	31000	20000	9	CHX35-51/61C	ML180UH110V60C	205293336
ML14XP1-036-233	34400	15	12.5	31000	20200	8.5	CHX35-51/61C	ML193UH090XE36C	205293337
ML14XP1-036-233	34600	15.1	12.5	31000	20000	8.5	CHX35-51/61C	ML193UH090XE48C	205293338
ML14XP1-036-233	34600	15.1	12.5	31000	20000	8.5	CHX35-51/61C	ML193UH110XE48C	205293339
ML14XP1-036-233	34600	15.1	12.5	31000	20200	8.5	CHX35-51/61C	ML193UH110XE60C	205293340
ML14XP1-036-233	34400	15.5	12.5	30800	19900	8.5	CHX35-51/61C	ML196UH090XE48C	205293341
ML14XP1-036-233	34600	15.1	12.5	31000	20000	8.5	CHX35-51/61C	SL297UH080NV48C	205293342
ML14XP1-036-233	34400	15.5	12.5	30800	19900	8.5	CHX35-51/61C	SLP98UH090XV36C	205293343
ML14XP1-036-233	34400	15.5	12.5	30800	19900	8.5	CHX35-51/61C	SLP98UH090XV48C	205293344
ML14XP1-036-233	34600	15.1	12.5	31000	20000	8.5	CHX35-51/61C	SLP99UH090XV36C	205552293
ML14XP1-036-233	34400	15.5	12.5	30800	19900	8.5	CHX35-51/61C	SLP99UH090XV48C	205552295
ML14XP1-036-233	34000	14	12	31600	20800	8.2	CHX35-51/61C		205293513
ML14XP1-036-233	33400	14.5	12.5	32600	20600	8.2	CR33-48B	EL280DF090E48B	205293345
ML14XP1-036-233	33200	14.5	12.5	32600	20600	8.2	CR33-48B	EL296DF045XE36B	205293346
ML14XP1-036-233	33400	14.5	12.2	32800	20800	8.2	CR33-48B	EL296DF045XV36B	205293347
ML14XP1-036-233	33400	15	12.5	32600	20600	8.2	CR33-48B	EL296DF070XE48B	205293348
ML14XP1-036-233	33600	14.5	12.2	32800	20800	8.2	CR33-48B	EL296DF070XV48B	205293349
ML14XP1-036-233	33400	15.1	12.5	32400	20400	8.5	CR33-48B	ML180DF070E36B	205293350

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-036-233	33600	15.1	12.5	32400	20400	8.5	CR33-48B	ML180DF090E48B	205293351
ML14XP1-036-233	33200	14.25	12.2	32600	20800	8.2	CR33-48B	ML193DF045XE36B	205293352
ML14XP1-036-233	33200	14.25	12.2	32600	20800	8.2	CR33-48B	ML193DF070XE36B	205293353
ML14XP1-036-233	33600	15	12.5	32600	20600	8.2	CR33-48B	SL280DF090V48B	205293354
ML14XP1-036-233	33600	14.5	12.5	32800	20800	8.2	CR33-48B	SLP98DF070XV36B	205293355
ML14XP1-036-233	33600	14.5	12.5	32800	20800	8.2	CR33-48B	SLP99DF070XV36B	205552296
ML14XP1-036-233	33600	15	12.5	32600	20600	8.2	CR33-48C	EL296DF090XE48C	205293356
ML14XP1-036-233	33600	14.5	12.5	32600	20600	8.2	CR33-48C	ML193DF090XE48C	205293357
ML14XP1-036-233	33600	14.5	12.5	32600	20600	8.2	CR33-48C	SLP98DF090XV36C	205293358
ML14XP1-036-233	33600	15	12.5	32600	20600	8.2	CR33-48C	SLP98DF090XV48C	205293359
ML14XP1-036-233	33600	14.5	12.5	32600	20600	8.2	CR33-48C	SLP99DF090XV36C	205552297
ML14XP1-036-233	33600	15	12.5	32600	20600	8.2	CR33-48C	SLP99DF090XV48C	205552298
ML14XP1-036-233	35000	15.1	12.5	32200	20800	9	CR33-50/60	EL296DF090XE48C	205293360
ML14XP1-036-233	35200	15.1	12.5	32400	21000	9	CR33-50/60	EL296DF090XV60C	205293361
ML14XP1-036-233	35200	15.5	12.5	32200	20800	9	CR33-50/60	EL296DF110XE60C	205293362
ML14XP1-036-233	35200	15.1	12.5	32400	21000	9	CR33-50/60	EL296DF110XV60C	205293363
ML14XP1-036-233	35200	15.5	12.5	32200	20800	9	CR33-50/60	ML180DF110E60C	205293364
ML14XP1-036-233	35000	15.1	12.5	32200	20800	9	CR33-50/60	ML193DF090XE48C	205293365
ML14XP1-036-233	35400	15.5	12.5	32400	20800	9	CR33-50/60	SL280DF090V60C	205293366
ML14XP1-036-233	35200	15.5	12.5	32200	20800	9	CR33-50/60	SL280DF110V60C	205293367
ML14XP1-036-233	35000	15.1	12.5	32200	20800	9	CR33-50/60	SLP98DF090XV36C	205293368
ML14XP1-036-233	35000	15.1	12.5	32200	20800	9	CR33-50/60	SLP98DF090XV48C	205293369
ML14XP1-036-233	35200	15.1	12.5	32400	20800	9	CR33-50/60	SLP98DF090XV60C	205293370
ML14XP1-036-233	35200	15.1	12.5	32400	21000	9	CR33-50/60	SLP98DF110XV60C	205293371
ML14XP1-036-233	35000	15.1	12.5	32200	20800	9	CR33-50/60	SLP99DF090XV36C	205552299
ML14XP1-036-233	35000	15.1	12.5	32200	20800	9	CR33-50/60	SLP99DF090XV48C	205552300
ML14XP1-036-233	35200	15.1	12.5	32400	20800	9	CR33-50/60	SLP99DF090XV60C	205552301
ML14XP1-036-233	35200	15.1	12.5	32400	21000	9	CR33-50/60	SLP99DF110XV60C	205552303
ML14XP1-036-233	34000	14	11.5	32800	21400	8.5	CR33-50/60		205293514
ML14XP1-036-233	34200	15	12.5	31600	20600	8.5	CX35-36A	EL180UH040NE36A	205293372
ML14XP1-036-233	34000	15	12.5	31600	20600	8.5	CX35-36A	EL180UH060NE36A	205293373
ML14XP1-036-233	34200	14.5	12	31800	21000	8.5	CX35-36A	EL280UH045E36A	205293374
ML14XP1-036-233	33800	14.5	12.5	31400	20600	8.5	CX35-36A	EL280UH070E36A	205293375
ML14XP1-036-233	33800	14.5	12.5	31400	20600	8.5	CX35-36A	ML180UH030V36A	205293376
ML14XP1-036-233	33800	14.5	12.5	31600	20600	8.5	CX35-36A	ML180UH045E36A	205293377
ML14XP1-036-233	33800	14.5	12.5	31400	20600	8.5	CX35-36A	ML180UH045V36A	205293378
ML14XP1-036-233	34200	14.5	12.5	31800	20800	8.5	CX35-36A	ML180UH070E36A	205293379
ML14XP1-036-233	33800	14.5	12.5	31400	20600	8.5	CX35-36A	ML180UH070V36A	205293380
ML14XP1-036-233	34200	14.5	12.5	31800	20800	8.5	CX35-36A	ML180UH070XE36A	205293522
ML14XP1-036-233	34000	15.1	12.5	31400	20400	8.5	CX35-36A	SL280UH060NV36A	205293381
ML14XP1-036-233	33800	14.5	12.5	31600	20600	8.5	CX35-36A	SL280UH070V36A	205293382
ML14XP1-036-233	33800	14.5	12.5	31600	20600	8.5	CX35-36A	SL280UH070XV36A	205293383
ML14XP1-036-233	34000	15.5	12.5	31200	20400	8.5	CX35-36B	EL180UH080NE48B	205293384
ML14XP1-036-233	33600	14.5	12.5	31400	20600	8.5	CX35-36B	EL195UH040NE36B	205293385
ML14XP1-036-233	33600	14.5	12.5	31400	20600	8.5	CX35-36B	EL195UH060NE36B	205293386
ML14XP1-036-233	33600	14.5	12.5	31200	20400	8.5	CX35-36B	EL196UH045XE36B	205293387
ML14XP1-036-233	33600	15	12.5	31200	20400	8.5	CX35-36B	EL196UH070XE36B	205293388
ML14XP1-036-233	34000	14.5	12.5	31600	20600	8.5	CX35-36B	EL280UH090E36B	205293389
ML14XP1-036-233	33800	14.5	12.5	31400	20400	8.5	CX35-36B	EL280UH090E48B	205293390
ML14XP1-036-233	33600	14.25	12.2	31800	21000	8.2	CX35-36B	EL296UH045XE36B	205293391
ML14XP1-036-233	33800	14.5	12.5	31600	20600	8.5	CX35-36B	EL296UH045XV36B	205293392
ML14XP1-036-233	33600	14.5	12.5	31400	20600	8.5	CX35-36B	EL296UH070XE36B	205293393
ML14XP1-036-233	33800	14.5	12.5	31600	20600	8.5	CX35-36B	EL296UH070XV36B	205293394
ML14XP1-036-233	34000	14.5	12.5	31600	20800	8.5	CX35-36B	ML180UH070E36B	205293395
ML14XP1-036-233	33800	15	12.5	31200	20400	8.5	CX35-36B	ML180UH070V36B	205293396
ML14XP1-036-233	34200	15.1	12.5	31400	20400	8.5	CX35-36B	ML180UH070V48B	205293397

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-036-233	34000	15.1	12.5	31400	20400	8.5	CX35-36B	ML180UH090E48B	205293398
ML14XP1-036-233	34000	15.1	12.5	31200	20400	8.5	CX35-36B	ML180UH090V48B	205293399
ML14XP1-036-233	33800	14	12.2	31800	21000	8.2	CX35-36B	ML193UH030XE36B	205293400
ML14XP1-036-233	33800	14	12.2	31800	21000	8.2	CX35-36B	ML193UH045XE36B	205293401
ML14XP1-036-233	33800	14.25	12.2	31800	21000	8.2	CX35-36B	ML193UH070XE36B	205293402
ML14XP1-036-233	33600	14.5	12.5	31200	20400	8.5	CX35-36B	ML196UH045XE36B	205293403
ML14XP1-036-233	33600	15	12.5	31200	20400	8.5	CX35-36B	ML196UH070XE36B	205293404
ML14XP1-036-233	34000	15.5	12.5	31200	20400	8.5	CX35-36B	SL280UH080NV48B	205293405
ML14XP1-036-233	34000	15.1	12.5	31200	20400	8.5	CX35-36B	SL280UH090V36B	205293406
ML14XP1-036-233	34000	15.1	12.5	31200	20400	8.5	CX35-36B	SL280UH090V48B	205293407
ML14XP1-036-233	34000	14.5	12.5	31600	20600	8.5	CX35-36B	SL297UH040NV36B	205293408
ML14XP1-036-233	33800	14.5	12.5	31400	20600	8.5	CX35-36B	SL297UH060NV36B	205293409
ML14XP1-036-233	33800	14.5	12.5	31600	20600	8.5	CX35-36B	SLP98UH070XV36B	205293410
ML14XP1-036-233	33800	14.5	12.5	31600	20600	8.5	CX35-36B	SLP99UH070XV36B	205552304
ML14XP1-036-233	34200	15.5	12.5	30200	19200	8.5	CX35-48B	EL180UH080NE48B	205293411
ML14XP1-036-233	33800	14.5	12.5	30400	19500	8.2	CX35-48B	EL195UH040NE36B	205293412
ML14XP1-036-233	33800	14.5	12.5	30400	19500	8.2	CX35-48B	EL195UH060NE36B	205293413
ML14XP1-036-233	33600	14.5	12.5	30200	19400	8.2	CX35-48B	EL196UH045XE36B	205293414
ML14XP1-036-233	33600	15	12.5	30200	19400	8.2	CX35-48B	EL196UH070XE36B	205293415
ML14XP1-036-233	34000	14.5	12.5	30400	19500	8.2	CX35-48B	EL280UH090E36B	205293416
ML14XP1-036-233	33800	15	12.5	30200	19400	8.2	CX35-48B	EL280UH090E48B	205293417
ML14XP1-036-233	33200	14.5	12.5	30200	19400	8.2	CX35-48B	EL296UH045XE36B	205293418
ML14XP1-036-233	33800	14.5	12.5	30400	19600	8.2	CX35-48B	EL296UH045XV36B	205293419
ML14XP1-036-233	33600	14.5	12.5	30200	19400	8.2	CX35-48B	EL296UH070XE36B	205293420
ML14XP1-036-233	33800	14.5	12.5	30400	19600	8.2	CX35-48B	EL296UH070XV36B	205293421
ML14XP1-036-233	33800	15.1	12.5	30000	19100	8.2	CX35-48B	ML180UH070E36B	205293422
ML14XP1-036-233	33800	15.1	12.5	30000	19300	8.2	CX35-48B	ML180UH070V36B	205293423
ML14XP1-036-233	34200	15.1	12.5	30400	19400	8.5	CX35-48B	ML180UH070V48B	205293424
ML14XP1-036-233	34000	15.1	12.5	30200	19400	8.5	CX35-48B	ML180UH090E48B	205293425
ML14XP1-036-233	34000	15.1	12.5	30200	19300	8.2	CX35-48B	ML180UH090V48B	205293426
ML14XP1-036-233	33800	14	12.2	30800	19900	8.2	CX35-48B	ML193UH030XE36B	205293427
ML14XP1-036-233	33800	14	12.2	30800	19900	8.2	CX35-48B	ML193UH045XE36B	205293428
ML14XP1-036-233	33400	14.5	12	30200	19400	8.2	CX35-48B	ML193UH070XE36B	205293429
ML14XP1-036-233	33600	14.5	12.5	30200	19400	8.2	CX35-48B	ML196UH045XE36B	205293430
ML14XP1-036-233	33600	15	12.5	30200	19400	8.2	CX35-48B	ML196UH070XE36B	205293431
ML14XP1-036-233	34000	15.5	12.5	30000	19200	8.5	CX35-48B	SL280UH080NV48B	205293432
ML14XP1-036-233	34000	15.1	12.5	30200	19300	8.2	CX35-48B	SL280UH090V36B	205293433
ML14XP1-036-233	34000	15.1	12.5	30200	19300	8.2	CX35-48B	SL280UH090V48B	205293434
ML14XP1-036-233	34400	15.5	12.5	30400	19400	8.5	CX35-48C	EL196UH090XE48C	205293435
ML14XP1-036-233	33800	15.1	12.5	30000	19200	8.2	CX35-48C	EL280UH110E48C	205293436
ML14XP1-036-233	34200	15.1	12.5	30400	19400	8.5	CX35-48C	EL280UH110E60C	205293437
ML14XP1-036-233	34000	15.1	12.5	30200	19300	8.2	CX35-48C	EL296UH090XE48C	205293438
ML14XP1-036-233	34000	15.1	12.5	30200	19400	8.2	CX35-48C	EL296UH090XV36C	205293439
ML14XP1-036-233	33800	15.1	12.5	30000	19200	8.2	CX35-48C	EL296UH090XV48C	205293440
ML14XP1-036-233	34400	15.5	12.5	30200	19300	8.5	CX35-48C	ML180UH110V60C	205293441
ML14XP1-036-233	33800	14.5	12.5	30400	19400	8.2	CX35-48C	ML193UH090XE36C	205293442
ML14XP1-036-233	34000	15.1	12.5	30200	19300	8.2	CX35-48C	ML193UH090XE48C	205293443
ML14XP1-036-233	34000	15.1	12.5	30400	19400	8.5	CX35-48C	ML193UH110XE48C	205293444
ML14XP1-036-233	34000	15.1	12.5	30400	19400	8.5	CX35-48C	ML193UH110XE60C	205293445
ML14XP1-036-233	34400	15.5	12.5	30400	19400	8.5	CX35-48C	ML196UH090XE48C	205293446
ML14XP1-036-233	33800	15.1	12.5	30200	19300	8.2	CX35-48C	SL297UH080NV48C	205293447
ML14XP1-036-233	34000	15.1	12.5	30200	19400	8.2	CX35-48C	SLP98UH090XV36C	205293448
ML14XP1-036-233	33800	15.1	12.5	30000	19200	8.2	CX35-48C	SLP98UH090XV48C	205293449
ML14XP1-036-233	34000	15.1	12.5	30200	19400	8.2	CX35-48C	SLP99UH090XV36C	205552305
ML14XP1-036-233	33800	15.1	12.5	30000	19200	8.2	CX35-48C	SLP99UH090XV48C	205552306
ML14XP1-036-233	35000	15.5	12.5	31600	20600	8.5	CX35-50/60C	EL180UH100NE60C	205293450

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-036-233	34800	15.1	12.5	31800	21000	8.5	CX35-50/60C	EL195UH080NE48C	205293451
ML14XP1-036-233	35000	15.1	12.5	31800	21000	8.5	CX35-50/60C	EL195UH100NE60C	205293452
ML14XP1-036-233	35200	15.5	12.5	31600	20800	8.5	CX35-50/60C	EL196UH090XE48C	205293453
ML14XP1-036-233	35400	15.5	12.5	31800	20800	8.5	CX35-50/60C	EL196UH110XE60C	205293454
ML14XP1-036-233	34800	15.5	12.5	31400	20600	8.5	CX35-50/60C	EL280UH110E48C	205293455
ML14XP1-036-233	35200	15.5	12.5	31800	20800	8.5	CX35-50/60C	EL280UH110E60C	205293456
ML14XP1-036-233	34800	15.1	12.5	31600	20800	8.5	CX35-50/60C	EL296UH090XE48C	205293457
ML14XP1-036-233	34800	15.1	12.5	31600	20800	8.5	CX35-50/60C	EL296UH090XV36C	205293458
ML14XP1-036-233	35000	15.1	12.5	31800	21000	8.5	CX35-50/60C	EL296UH090XV48C	205293459
ML14XP1-036-233	35200	15.1	12.5	32000	21000	8.5	CX35-50/60C	EL296UH090XV60C	205293460
ML14XP1-036-233	35000	15.5	12.5	31600	20800	8.5	CX35-50/60C	EL296UH110XE60C	205293461
ML14XP1-036-233	34800	15.5	12.5	31600	20800	8.5	CX35-50/60C	EL296UH110XV48C	205293462
ML14XP1-036-233	35200	15.5	12.5	31800	20800	8.5	CX35-50/60C	EL296UH110XV60C	205293463
ML14XP1-036-233	35000	15.5	12.5	31600	20800	8.5	CX35-50/60C	ML180UH090E60C	205293464
ML14XP1-036-233	34800	15.5	12.5	31400	20600	8.5	CX35-50/60C	ML180UH110E60C	205293465
ML14XP1-036-233	34800	15.5	12.5	31600	20800	8.5	CX35-50/60C	ML180UH110V60C	205293466
ML14XP1-036-233	34800	15.5	12.5	31400	20600	8.5	CX35-50/60C	ML180UH110XE60C	205293467
ML14XP1-036-233	34800	15.1	12.5	31800	21000	8.5	CX35-50/60C	ML193UH090XE36C	205293468
ML14XP1-036-233	35000	15.5	12.5	31600	20800	8.5	CX35-50/60C	ML193UH090XE48C	205293469
ML14XP1-036-233	35200	15.5	12.5	31600	20800	8.5	CX35-50/60C	ML193UH110XE48C	205293470
ML14XP1-036-233	35200	15.5	12.5	31800	20800	8.5	CX35-50/60C	ML193UH110XE60C	205293471
ML14XP1-036-233	35200	15.5	12.5	31600	20800	8.5	CX35-50/60C	ML196UH090XE48C	205293472
ML14XP1-036-233	35400	15.5	12.5	31800	20800	8.5	CX35-50/60C	ML196UH110XE60C	205293473
ML14XP1-036-233	35000	15.5	12.5	31600	20800	8.5	CX35-50/60C	ML296UH110XV60C	205293475
ML14XP1-036-233	35200	15.5	12.5	31600	20800	8.5	CX35-50/60C	SL280UH080NV60C	205293476
ML14XP1-036-233	35200	15.5	12.5	31800	20800	8.5	CX35-50/60C	SL280UH090V60C	205293477
ML14XP1-036-233	35200	15.5	12.5	31800	20800	8.5	CX35-50/60C	SL280UH090XV60C	205293478
ML14XP1-036-233	35000	15.1	12.5	31800	21000	8.5	CX35-50/60C	SL280UH110V60C	205293479
ML14XP1-036-233	35000	15.1	12.5	31800	21000	8.5	CX35-50/60C	SL280UH110XV60C	205293480
ML14XP1-036-233	35000	15.1	12.5	31800	20800	8.5	CX35-50/60C	SL297UH080NV48C	205293481
ML14XP1-036-233	34800	15.1	12.5	31600	20800	8.5	CX35-50/60C	SLP98UH090XV36C	205293482
ML14XP1-036-233	35000	15.1	12.5	31800	21000	8.5	CX35-50/60C	SLP98UH090XV48C	205293483
ML14XP1-036-233	34800	15.1	12.5	31600	20800	8.5	CX35-50/60C	SLP99UH090XV36C	205552307
ML14XP1-036-233	35000	15.1	12.5	31800	21000	8.5	CX35-50/60C	SLP99UH090XV48C	205552308
ML14XP1-036-233	34000	14	11.5	32400	21600	8.5	CX35-50/60C		205293521
ML14XP1-036-233	32800	15.5	12	31400	20800	8.5	CX35-60D	EL296UH135XV60D	205293484
ML14XP1-036-233	32400	15.5	12	31000	20800	8.5	CX35-60D	SL280UH135V60D	205293485
ML14XP1-042-230	41000	15	12.5	39500	25400	8.5	C35-36B	EL180UH080NE48B	202567706
ML14XP1-042-230	40500	14	12	39500	25800	8.2	C35-36B	EL296UH070XV36B	202567707
ML14XP1-042-230	40500	14.5	12	39000	25400	8.4	C35-36B	ML180UH070V36B	204495361
ML14XP1-042-230	41000	14.5	12.5	39000	25400	8.5	C35-36B	ML180UH070V48B	204495497
ML14XP1-042-230	41000	14.5	12.5	39500	25600	8.5	C35-36B	ML180UH090E48B	202567708
ML14XP1-042-230	41000	14.5	12.2	39500	25600	8.5	C35-36B	ML180UH090V48B	204495621
ML14XP1-042-230	40500	14	12	39500	25800	8.2	C35-36B	ML296UH070XV36B	205470353
ML14XP1-042-230	41000	14.5	12.5	39500	25400	8.5	C35-36B	SL280UH080NV48B	202567709
ML14XP1-042-230	41000	14.5	12.5	39500	25600	8.5	C35-36B	SL280UH090V36B	202567710
ML14XP1-042-230	41000	14.5	12.5	39500	25600	8.5	C35-36B	SL280UH090V48B	202567711
ML14XP1-042-230	41000	14.25	12.3	39500	25800	8.2	C35-36B	SL297UH060NV36B	202567712
ML14XP1-042-230	40500	14	12	39500	25800	8.2	C35-36B	SLP98UH070XV36B	202567713
ML14XP1-042-230	40500	14	12	39500	25800	8.2	C35-36B	SLP99UH070XV36B	205545040
ML14XP1-042-230	40500	14	11.8	39000	26400	8.2	C35-36B		202567699
ML14XP1-042-230	41500	15.1	12.5	39000	25200	8.2	C35-48B	EL180UH080NE48B	202567714
ML14XP1-042-230	41000	15	12.5	39000	25200	8.2	C35-48B	ML180UH070V48B	204495498
ML14XP1-042-230	41500	15	12.5	39000	25400	8.2	C35-48B	ML180UH090E48B	202567715
ML14XP1-042-230	41500	14.5	12.5	39000	25400	8.2	C35-48B	ML180UH090V48B	204495622
ML14XP1-042-230	41500	15.1	12.5	39000	25200	8.2	C35-48B	SL280UH080NV48B	202567716

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-042-230	41500	15	12.5	39000	25400	8.2	C35-48B	SL280UH090V48B	202567717
ML14XP1-042-230	41500	15.1	12.5	39000	25200	8.2	C35-48C	EL180UH100NE60C	202567718
ML14XP1-042-230	41000	15	12.5	39000	25400	8.2	C35-48C	EL195UH080NE48C	202567719
ML14XP1-042-230	41500	15	12.5	39000	25400	8.2	C35-48C	EL195UH100NE60C	202567721
ML14XP1-042-230	41500	15.1	12.5	39000	25200	8.2	C35-48C	EL196UH090XE48C	202567723
ML14XP1-042-230	42000	15.1	12.5	39000	25400	8.2	C35-48C	EL196UH110XE60C	202567724
ML14XP1-042-230	41500	15	12.5	39000	25200	8.2	C35-48C	EL280UH110E48C	204043944
ML14XP1-042-230	42000	15	12.5	39000	25400	8.2	C35-48C	EL280UH110E60C	204043945
ML14XP1-042-230	41000	15	12.5	39000	25200	8.2	C35-48C	EL296UH090XE48C	202567725
ML14XP1-042-230	41500	15	12.5	39000	25200	8.2	C35-48C	EL296UH090XV48C	202567726
ML14XP1-042-230	41500	15	12.5	39000	25400	8.2	C35-48C	EL296UH090XV60C	202567727
ML14XP1-042-230	42000	15.1	12.5	39000	25400	8.2	C35-48C	EL296UH110XE60C	202567728
ML14XP1-042-230	41500	15.1	12.5	39000	25200	8.2	C35-48C	EL296UH110XV48C	202567729
ML14XP1-042-230	41500	15.1	12.5	39000	25200	8.2	C35-48C	EL296UH110XV60C	202567730
ML14XP1-042-230	41500	15.1	12.5	39000	25200	8.2	C35-48C	ML180UH090E60C	202567731
ML14XP1-042-230	41500	15.1	12.5	39000	25200	8.2	C35-48C	ML180UH110E60C	202567732
ML14XP1-042-230	41500	15	12.5	39000	25200	8.2	C35-48C	ML180UH110V60C	204495727
ML14XP1-042-230	41000	15	12.5	39000	25200	8.2	C35-48C	ML193UH090XE48C	204043946
ML14XP1-042-230	41000	15	12.5	39000	25200	8.2	C35-48C	ML193UH110XE48C	204043947
ML14XP1-042-230	41500	15	12.5	39000	25400	8.2	C35-48C	ML193UH110XE60C	204043948
ML14XP1-042-230	41500	15.1	12.5	39000	25200	8.2	C35-48C	ML196UH090XE48C	204498290
ML14XP1-042-230	42000	15.1	12.5	39000	25400	8.2	C35-48C	ML196UH110XE60C	204498291
ML14XP1-042-230	41500	15	12.5	39000	25200	8.2	C35-48C	ML296UH090XV48C	205470354
ML14XP1-042-230	41000	15.1	12.5	38500	25000	8.2	C35-48C	ML296UH110XV60C	205470355
ML14XP1-042-230	41500	15.1	12.5	39000	25200	8.2	C35-48C	SL280UH080NV60C	202567733
ML14XP1-042-230	42000	15.1	12.5	39000	25200	8.2	C35-48C	SL280UH090V60C	202567734
ML14XP1-042-230	42000	15.1	12.5	39000	25200	8.2	C35-48C	SL280UH090XV60C	202567735
ML14XP1-042-230	42000	15.5	12.5	39000	25000	8.2	C35-48C	SL280UH100NV60C	202567736
ML14XP1-042-230	41500	15	12.5	39000	25400	8.2	C35-48C	SL280UH110V60C	202567737
ML14XP1-042-230	41500	15	12.5	39000	25400	8.2	C35-48C	SL280UH110XV60C	202567738
ML14XP1-042-230	41500	15.1	12.5	39000	25200	8.2	C35-48C	SL297UH080NV48C	202567739
ML14XP1-042-230	42000	15.1	12.5	39000	25400	8.2	C35-48C	SL297UH080NV60C	202567740
ML14XP1-042-230	41500	15.1	12.5	39000	25400	8.2	C35-48C	SLP98UH090XV48C	202567741
ML14XP1-042-230	41500	15	12.5	39000	25400	8.2	C35-48C	SLP98UH090XV60C	202567742
ML14XP1-042-230	41500	15.1	12.5	39000	25200	8.2	C35-48C	SLP98UH110XV60C	202567743
ML14XP1-042-230	41500	15.1	12.5	39000	25400	8.2	C35-48C	SLP99UH090XV48C	205545042
ML14XP1-042-230	41500	15	12.5	39000	25400	8.2	C35-48C	SLP99UH090XV60C	205545045
ML14XP1-042-230	41500	15.1	12.5	39000	25200	8.2	C35-48C	SLP99UH110XV60C	205545048
ML14XP1-042-230	42000	15.5	12.5	37800	23600	8.2	C35-49C	EL180UH100NE60C	202567744
ML14XP1-042-230	42000	15.1	12.5	38000	23800	8.2	C35-49C	EL195UH080NE48C	202567745
ML14XP1-042-230	42000	15.1	12.5	38000	23800	8.2	C35-49C	EL195UH100NE60C	202567747
ML14XP1-042-230	42000	15.5	12.5	37800	23600	8.2	C35-49C	EL196UH090XE48C	202567749
ML14XP1-042-230	42000	15.5	12.5	38000	23800	8.2	C35-49C	EL196UH110XE60C	202567750
ML14XP1-042-230	42000	15.1	12.5	37800	23600	8.2	C35-49C	EL280UH110E48C	204043949
ML14XP1-042-230	42000	15.1	12.5	38000	23800	8.2	C35-49C	EL280UH110E60C	204043950
ML14XP1-042-230	42000	15.5	12.5	38000	23800	8.2	C35-49C	EL296UH090XV48C	202567751
ML14XP1-042-230	42000	15.1	12.5	38000	23800	8.2	C35-49C	EL296UH090XV60C	202567752
ML14XP1-042-230	42000	15.1	12.5	38000	23800	8.2	C35-49C	EL296UH110XE60C	202567753
ML14XP1-042-230	42000	15.5	12.5	38000	23800	8.2	C35-49C	EL296UH110XV48C	202567754
ML14XP1-042-230	42000	15.5	12.5	38000	23800	8.2	C35-49C	EL296UH110XV60C	202567755
ML14XP1-042-230	42000	15.5	12.5	37800	23600	8.2	C35-49C	ML180UH090E60C	202567756
ML14XP1-042-230	42000	15.5	12.5	37800	23600	8.2	C35-49C	ML180UH110E60C	202567757
ML14XP1-042-230	42000	15.1	12.5	37800	23600	8.2	C35-49C	ML180UH110V60C	204495728
ML14XP1-042-230	42000	15.1	12.5	37800	23600	8.2	C35-49C	ML193UH090XE48C	204043951
ML14XP1-042-230	42000	15.1	12.5	37800	23600	8.2	C35-49C	ML193UH110XE48C	204043952
ML14XP1-042-230	42000	15.1	12.5	38000	23800	8.2	C35-49C	ML193UH110XE60C	204043954

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-042-230	42000	15.5	12.5	37800	23600	8.2	C35-49C	ML196UH090XE48C	204498292
ML14XP1-042-230	42000	15.5	12.5	38000	23800	8.2	C35-49C	ML196UH110XE60C	204498293
ML14XP1-042-230	42000	15.5	12.5	38000	23800	8.2	C35-49C	ML296UH090XV48C	205470356
ML14XP1-042-230	42000	15.5	12.5	37600	23600	8.2	C35-49C	ML296UH110XV60C	205470397
ML14XP1-042-230	42000	15.5	12.5	37800	23600	8.2	C35-49C	SL280UH080NV60C	202567758
ML14XP1-042-230	42000	15.5	12.5	38000	23600	8.2	C35-49C	SL280UH090V60C	202567759
ML14XP1-042-230	42000	15.5	12.5	38000	23600	8.2	C35-49C	SL280UH090XV60C	202567760
ML14XP1-042-230	42000	16	13	37800	23600	8.2	C35-49C	SL280UH100NV60C	202567761
ML14XP1-042-230	42000	15.1	12.5	38000	23800	8.2	C35-49C	SL280UH110V60C	202567762
ML14XP1-042-230	42000	15.1	12.5	38000	23800	8.2	C35-49C	SL280UH110XV60C	202567763
ML14XP1-042-230	42000	15.5	12.5	38000	23800	8.2	C35-49C	SL297UH080NV60C	202567764
ML14XP1-042-230	42000	15.5	12.5	38000	23800	8.2	C35-49C	SLP98UH090XV48C	202567765
ML14XP1-042-230	42000	15.1	12.5	38000	23800	8.2	C35-49C	SLP98UH090XV60C	202567766
ML14XP1-042-230	42000	15.5	12.5	38000	23800	8.2	C35-49C	SLP98UH110XV60C	202567767
ML14XP1-042-230	42000	15.5	12.5	38000	23800	8.2	C35-49C	SLP99UH090XV48C	205545050
ML14XP1-042-230	42000	15.1	12.5	38000	23800	8.2	C35-49C	SLP99UH090XV60C	205545053
ML14XP1-042-230	42000	15.5	12.5	38000	23800	8.2	C35-49C	SLP99UH110XV60C	205545054
ML14XP1-042-230	41000	14	12	39500	25200	8.2	C35-49C		204139244
ML14XP1-042-230	40500	14	12	39500	26200	8.2	CBA25UH-042-230		202567768
ML14XP1-042-230	42000	15.1	12.5	39000	25800	8.5	CBA25UH-048-230		202567769
ML14XP1-042-230	41500	15	12.5	39000	25800	8.5	CBA25UHV-042-230		202567770
ML14XP1-042-230	42000	15.5	12.5	39000	25600	8.5	CBA25UHV-048-230		202567771
ML14XP1-042-230	41500	15.1	12.5	39500	25400	8.5	CBA27UHE-042-230		202567772
ML14XP1-042-230	42000	15.5	12.5	39500	26200	9	CBA27UHE-048-230		202567773
ML14XP1-042-230	42000	15.5	12.5	39500	25200	9	CBA38MV-042-230		202567774
ML14XP1-042-230	42000	15.5	12.5	39500	26200	9	CBA38MV-048-230		202567775
ML14XP1-042-230	42000	15.1	12.5	38000	24800	8.5	CH35-42B	EL180UH080NE48B	202567776
ML14XP1-042-230	42000	14.5	12.5	37800	24600	8.5	CH35-42B	ML180UH070V36B	204495363
ML14XP1-042-230	42000	15	12.5	38000	24800	8.5	CH35-42B	ML180UH070V48B	204495499
ML14XP1-042-230	42000	15	12.5	38000	24800	8.5	CH35-42B	ML180UH090E48B	202567777
ML14XP1-042-230	42000	14.5	12.5	38000	25000	8.5	CH35-42B	ML180UH090V48B	204495623
ML14XP1-042-230	42000	15.1	12.5	38000	24800	8.5	CH35-42B	SL280UH080NV48B	202567778
ML14XP1-042-230	42000	15	12.5	38000	25000	8.5	CH35-42B	SL280UH090V48B	202567779
ML14XP1-042-230	42000	14	12	38500	25200	8.2	CH35-42B		202567700
ML14XP1-042-230	42000	15.1	12.5	39500	26600	8.5	CH35-42C	EL180UH100NE60C	202567780
ML14XP1-042-230	41500	14.5	12.5	40000	26800	8.2	CH35-42C	EL195UH080NE48C	202567781
ML14XP1-042-230	42000	14.5	12.5	40000	27000	8.5	CH35-42C	EL195UH100NE60C	202567783
ML14XP1-042-230	41500	15	12.5	40000	26800	8.5	CH35-42C	EL196UH090XE48C	202567785
ML14XP1-042-230	42000	15	12.5	40000	27000	8.5	CH35-42C	EL196UH110XE60C	202567786
ML14XP1-042-230	41500	14.5	12.5	40000	26800	8.5	CH35-42C	EL280UH110E48C	204043955
ML14XP1-042-230	42000	14.5	12.5	40000	27000	8.5	CH35-42C	EL280UH110E60C	204043956
ML14XP1-042-230	41500	14.5	12.5	39500	26800	8.5	CH35-42C	EL296UH090XE48C	202567787
ML14XP1-042-230	42000	14.5	12.5	40000	27000	8.5	CH35-42C	EL296UH090XV48C	202567788
ML14XP1-042-230	42000	14.5	12.5	40000	27000	8.5	CH35-42C	EL296UH090XV60C	202567789
ML14XP1-042-230	42000	15	12.5	40000	27000	8.5	CH35-42C	EL296UH110XE60C	202567790
ML14XP1-042-230	42000	15	12.5	40000	26800	8.5	CH35-42C	EL296UH110XV48C	202567791
ML14XP1-042-230	42000	15	12.5	40000	26800	8.5	CH35-42C	EL296UH110XV60C	202567792
ML14XP1-042-230	42000	15.1	12.5	40000	26800	8.5	CH35-42C	ML180UH090E60C	202567793
ML14XP1-042-230	41500	15	12.5	39500	26800	8.5	CH35-42C	ML180UH110E60C	202567794
ML14XP1-042-230	41500	14.5	12.5	39500	26800	8.4	CH35-42C	ML193UH090XE48C	204043957
ML14XP1-042-230	41500	14.5	12.5	39500	26800	8.5	CH35-42C	ML193UH110XE48C	204043958
ML14XP1-042-230	42000	14.5	12.5	40000	27000	8.5	CH35-42C	ML193UH110XE60C	204043959
ML14XP1-042-230	41000	15	12.5	40000	26800	8.5	CH35-42C	ML196UH090XE48C	204498294
ML14XP1-042-230	42000	15	12.5	40000	27000	8.5	CH35-42C	ML196UH110XE60C	204498295
ML14XP1-042-230	42000	14.5	12.5	40000	27000	8.5	CH35-42C	ML296UH090XV48C	205470357
ML14XP1-042-230	41500	15	12.5	39500	26600	8.5	CH35-42C	ML296UH110XV60C	205470358

AHRI SYSTEM MATCHESNOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-042-230	42000	15.1	12.5	39500	26600	8.5	CH35-42C	SL280UH080NV60C	202567795
ML14XP1-042-230	42000	15.1	12.5	40000	26800	8.5	CH35-42C	SL280UH090V60C	202567796
ML14XP1-042-230	42000	15.1	12.5	40000	26800	8.5	CH35-42C	SL280UH090XV60C	202567797
ML14XP1-042-230	42000	15.1	12.5	39500	26600	8.5	CH35-42C	SL280UH100NV60C	202567798
ML14XP1-042-230	41500	14.5	12.5	40000	26800	8.5	CH35-42C	SL280UH110V60C	202567799
ML14XP1-042-230	41500	14.5	12.5	40000	26800	8.5	CH35-42C	SL280UH110XV60C	202567800
ML14XP1-042-230	41500	15	12.5	40000	26800	8.5	CH35-42C	SL297UH080NV48C	202567801
ML14XP1-042-230	42000	15	12.5	40000	27000	8.5	CH35-42C	SL297UH080NV60C	202567802
ML14XP1-042-230	42000	14.5	12.5	40000	27000	8.5	CH35-42C	SLP98UH090XV48C	202567803
ML14XP1-042-230	42000	14.5	12.5	40000	27000	8.5	CH35-42C	SLP98UH090XV60C	202567804
ML14XP1-042-230	42000	15	12.5	40000	26800	8.5	CH35-42C	SLP98UH110XV60C	202567805
ML14XP1-042-230	42000	14.5	12.5	40000	27000	8.5	CH35-42C	SLP99UH090XV48C	205545056
ML14XP1-042-230	42000	14.5	12.5	40000	27000	8.5	CH35-42C	SLP99UH090XV60C	205545058
ML14XP1-042-230	42000	15	12.5	40000	26800	8.5	CH35-42C	SLP99UH110XV60C	205545060
ML14XP1-042-230	41500	14	12	40500	27400	8.2	CH35-42C		202567701
ML14XP1-042-230	41500	14.5	12.5	40000	26600	8.5	CH35-48B	EL180UH080NE48B	202567806
ML14XP1-042-230	40500	14.25	12.2	40000	26600	8.4	CH35-48B	ML180UH070V36B	204495364
ML14XP1-042-230	41000	14.5	12.5	40000	26600	8.5	CH35-48B	ML180UH070V48B	204495500
ML14XP1-042-230	41000	14.5	12.5	40000	26600	8.5	CH35-48B	ML180UH090E48B	202567807
ML14XP1-042-230	41000	14.25	12.3	40500	26800	8.5	CH35-48B	ML180UH090V48B	204495624
ML14XP1-042-230	41500	14.5	12.5	40000	26600	8.5	CH35-48B	SL280UH080NV48B	202567808
ML14XP1-042-230	41000	14.5	12.3	40500	26800	8.5	CH35-48B	SL280UH090V48B	202567809
ML14XP1-042-230	41000	15	12.5	39500	26800	8.5	CH35-48C	EL180UH100NE60C	202567810
ML14XP1-042-230	41000	14.5	12.5	39500	27000	8.2	CH35-48C	EL195UH080NE48C	202567811
ML14XP1-042-230	41500	14.5	12.5	40000	27000	8.5	CH35-48C	EL195UH100NE60C	202567813
ML14XP1-042-230	41000	14.5	12.5	39500	26800	8.5	CH35-48C	EL196UH090XE48C	202567815
ML14XP1-042-230	41500	14.5	12.5	40000	27000	8.5	CH35-48C	EL196UH110XE60C	202567816
ML14XP1-042-230	41000	14.5	12.5	39500	26800	8.5	CH35-48C	EL280UH110E48C	204043960
ML14XP1-042-230	41500	14.5	12.5	39500	27000	8.5	CH35-48C	EL280UH110E60C	204043961
ML14XP1-042-230	41000	14.5	12.5	39500	26800	8.2	CH35-48C	EL296UH090XE48C	202567817
ML14XP1-042-230	41500	14.5	12.5	40000	27000	8.5	CH35-48C	EL296UH090XV48C	202567818
ML14XP1-042-230	41500	14.5	12.5	40000	27000	8.5	CH35-48C	EL296UH090XV60C	202567819
ML14XP1-042-230	41500	14.5	12.5	40000	27000	8.5	CH35-48C	EL296UH110XE60C	202567820
ML14XP1-042-230	41500	14.5	12.5	39500	27000	8.5	CH35-48C	EL296UH110XV48C	202567821
ML14XP1-042-230	41500	14.5	12.5	39500	27000	8.5	CH35-48C	EL296UH110XV60C	202567822
ML14XP1-042-230	41500	14.5	12.5	39500	27000	8.5	CH35-48C	ML180UH090E60C	202567823
ML14XP1-042-230	41500	14.5	12.5	39500	27000	8.5	CH35-48C	ML180UH110E60C	202567824
ML14XP1-042-230	41000	14.5	12.5	39500	26800	8.5	CH35-48C	ML180UH110V60C	204495729
ML14XP1-042-230	40500	14.5	12.2	39500	26800	8.4	CH35-48C	ML193UH090XE48C	204043962
ML14XP1-042-230	41000	14.5	12.5	39500	26800	8.5	CH35-48C	ML193UH110XE48C	204043963
ML14XP1-042-230	41000	14.5	12	39500	27000	8.5	CH35-48C	ML193UH110XE60C	204043964
ML14XP1-042-230	41000	14.5	12.5	39500	26800	8.5	CH35-48C	ML196UH090XE48C	204498296
ML14XP1-042-230	41500	14.5	12.5	40000	27000	8.5	CH35-48C	ML196UH110XE60C	204498297
ML14XP1-042-230	41500	14.5	12.5	40000	27000	8.5	CH35-48C	ML296UH090XV48C	205470359
ML14XP1-042-230	41000	14.5	12.5	39500	26600	8.5	CH35-48C	ML296UH110XV60C	205470360
ML14XP1-042-230	41500	15	12.5	39500	26600	8.5	CH35-48C	SL280UH080NV60C	202567825
ML14XP1-042-230	41500	14.5	12.5	39500	27000	8.5	CH35-48C	SL280UH090V60C	202567826
ML14XP1-042-230	41500	14.5	12.5	39500	27000	8.5	CH35-48C	SL280UH090XV60C	202567827
ML14XP1-042-230	41500	15.1	12.5	39500	26600	8.5	CH35-48C	SL280UH100NV60C	202567828
ML14XP1-042-230	41000	14.5	12.5	39500	27000	8.5	CH35-48C	SL280UH110V60C	202567829
ML14XP1-042-230	41000	14.5	12.5	39500	27000	8.5	CH35-48C	SL280UH110XV60C	202567830
ML14XP1-042-230	41000	14.5	12.5	39500	26800	8.5	CH35-48C	SL297UH080NV48C	202567831
ML14XP1-042-230	41500	14.5	12.5	40000	27000	8.5	CH35-48C	SL297UH080NV60C	202567832
ML14XP1-042-230	41500	14.5	12.5	40000	27000	8.5	CH35-48C	SLP98UH090XV48C	202567833
ML14XP1-042-230	41500	14.5	12.5	40000	27000	8.5	CH35-48C	SLP98UH090XV60C	202567834
ML14XP1-042-230	41500	14.5	12.5	39500	27000	8.5	CH35-48C	SLP98UH110XV60C	202567835

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-042-230	41500	14.5	12.5	40000	27000	8.5	CH35-48C	SLP99UH090XV48C	205545062
ML14XP1-042-230	41500	14.5	12.5	40000	27000	8.5	CH35-48C	SLP99UH090XV60C	205545064
ML14XP1-042-230	41500	14.5	12.5	39500	27000	8.5	CH35-48C	SLP99UH110XV60C	205545066
ML14XP1-042-230	42000	15.1	12.5	39000	26400	8.5	CH35-51C	EL180UH100NE60C	202567836
ML14XP1-042-230	42000	14.5	12.5	39000	26600	8.5	CH35-51C	EL195UH080NE48C	202567837
ML14XP1-042-230	42000	14.5	12.5	39500	26800	8.5	CH35-51C	EL195UH100NE60C	202567839
ML14XP1-042-230	42000	15.1	12.5	39000	26400	8.5	CH35-51C	EL196UH090XE48C	202567841
ML14XP1-042-230	42000	15.1	12.5	39500	26600	8.5	CH35-51C	EL196UH110XE60C	202567842
ML14XP1-042-230	42000	15	12.5	39000	26400	8.8	CH35-51C	EL280UH110E48C	204043965
ML14XP1-042-230	42000	15	12.5	39500	26600	8.8	CH35-51C	EL280UH110E60C	204043966
ML14XP1-042-230	42000	15	12.5	39000	26400	8.5	CH35-51C	EL296UH090XE48C	202567843
ML14XP1-042-230	42000	15	12.5	39500	26600	8.5	CH35-51C	EL296UH090XV48C	202567844
ML14XP1-042-230	42000	15	12.5	39500	26800	8.5	CH35-51C	EL296UH090XV60C	202567845
ML14XP1-042-230	42000	15	12.5	39500	26600	8.5	CH35-51C	EL296UH110XE60C	202567846
ML14XP1-042-230	42000	15	12.5	39500	26600	8.5	CH35-51C	EL296UH110XV48C	202567847
ML14XP1-042-230	42000	15	12.5	39500	26600	8.5	CH35-51C	EL296UH110XV60C	202567848
ML14XP1-042-230	42000	15.1	12.5	39000	26400	8.5	CH35-51C	ML180UH090E60C	202567849
ML14XP1-042-230	42000	15.1	12.5	39000	26400	8.5	CH35-51C	ML180UH110E60C	202567850
ML14XP1-042-230	42000	15	12.5	39000	26400	8.5	CH35-51C	ML180UH110V60C	204495730
ML14XP1-042-230	42000	14.5	12.5	39000	26400	8.5	CH35-51C	ML193UH090XE48C	204043967
ML14XP1-042-230	42000	15	12.5	39000	26400	8.8	CH35-51C	ML193UH110XE48C	204043968
ML14XP1-042-230	42000	14.5	12.5	39500	26600	8.8	CH35-51C	ML193UH110XE60C	204043969
ML14XP1-042-230	42000	15.1	12.5	39000	26400	8.5	CH35-51C	ML196UH090XE48C	204498298
ML14XP1-042-230	42000	15.1	12.5	39500	26600	8.5	CH35-51C	ML196UH110XE60C	204498299
ML14XP1-042-230	42000	15	12.5	39500	26600	8.5	CH35-51C	ML296UH090XV48C	205470361
ML14XP1-042-230	42000	15	12.5	39000	26400	8.8	CH35-51C	ML296UH110XV60C	205470362
ML14XP1-042-230	42000	15.1	12.5	39000	26400	8.5	CH35-51C	SL280UH080NV60C	202567851
ML14XP1-042-230	42000	15.1	12.5	39500	26600	8.5	CH35-51C	SL280UH090V60C	202567852
ML14XP1-042-230	42000	15.1	12.5	39500	26600	8.5	CH35-51C	SL280UH090XV60C	202567853
ML14XP1-042-230	42000	15.5	12.5	39000	26400	8.5	CH35-51C	SL280UH100NV60C	202567854
ML14XP1-042-230	42000	15	12.5	39500	26600	8.5	CH35-51C	SL280UH110V60C	202567855
ML14XP1-042-230	42000	15	12.5	39500	26600	8.5	CH35-51C	SL280UH110XV60C	202567856
ML14XP1-042-230	42000	15	12.5	39500	26600	8.5	CH35-51C	SL297UH080NV48C	202567857
ML14XP1-042-230	42000	15	12.5	39500	26600	8.5	CH35-51C	SL297UH080NV60C	202567858
ML14XP1-042-230	42000	15	12.5	39500	26600	8.5	CH35-51C	SLP98UH090XV48C	202567859
ML14XP1-042-230	42000	15	12.5	39500	26800	8.5	CH35-51C	SLP98UH090XV60C	202567860
ML14XP1-042-230	42000	15	12.5	39500	26600	8.5	CH35-51C	SLP98UH110XV60C	202567861
ML14XP1-042-230	42000	15	12.5	39500	26600	8.5	CH35-51C	SLP99UH090XV48C	205545069
ML14XP1-042-230	42000	15	12.5	39500	26800	8.5	CH35-51C	SLP99UH090XV60C	205545071
ML14XP1-042-230	42000	15	12.5	39500	26600	8.5	CH35-51C	SLP99UH110XV60C	205545073
ML14XP1-042-230	42000	14	12	40000	27200	8.2	CH35-51C		202567702
ML14XP1-042-230	42000	15.1	12.5	38000	24800	8.5	CHX35-42B	EL180UH080NE48B	202567862
ML14XP1-042-230	42000	14.5	12.5	37800	24600	8.5	CHX35-42B	ML180UH070V36B	204495365
ML14XP1-042-230	42000	15	12.5	38000	24800	8.5	CHX35-42B	ML180UH070V48B	204495501
ML14XP1-042-230	42000	15	12.5	38000	24800	8.5	CHX35-42B	ML180UH090E48B	202567863
ML14XP1-042-230	42000	14.5	12.5	38000	25000	8.5	CHX35-42B	ML180UH090V48B	204495625
ML14XP1-042-230	42000	15.1	12.5	38000	24800	8.5	CHX35-42B	SL280UH080NV48B	202567864
ML14XP1-042-230	42000	15	12.5	38000	25000	8.5	CHX35-42B	SL280UH090V48B	202567865
ML14XP1-042-230	42000	14	12	38500	25200	8.2	CHX35-42B		202567703
ML14XP1-042-230	42000	15.1	12.5	39500	26600	8.5	CHX35-42C	EL180UH100NE60C	202567866
ML14XP1-042-230	41500	14.5	12.5	40000	26800	8.2	CHX35-42C	EL195UH080NE48C	202567867
ML14XP1-042-230	42000	14.5	12.5	40000	27000	8.5	CHX35-42C	EL195UH100NE60C	202567869
ML14XP1-042-230	41500	15	12.5	40000	26800	8.5	CHX35-42C	EL196UH090XE48C	202567871
ML14XP1-042-230	42000	15	12.5	40000	27000	8.5	CHX35-42C	EL196UH110XE60C	202567872
ML14XP1-042-230	41500	14.5	12.5	40000	26800	8.5	CHX35-42C	EL280UH110E48C	204043970
ML14XP1-042-230	42000	14.5	12.5	40000	27000	8.5	CHX35-42C	EL280UH110E60C	204043971

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-042-230	41500	14.5	12.5	39500	26800	8.5	CHX35-42C	EL296UH090XE48C	202567873
ML14XP1-042-230	42000	14.5	12.5	40000	27000	8.5	CHX35-42C	EL296UH090XV48C	202567874
ML14XP1-042-230	42000	14.5	12.5	40000	27000	8.5	CHX35-42C	EL296UH090XV60C	202567875
ML14XP1-042-230	42000	15	12.5	40000	27000	8.5	CHX35-42C	EL296UH110XE60C	202567876
ML14XP1-042-230	42000	15	12.5	40000	26800	8.5	CHX35-42C	EL296UH110XV48C	202567877
ML14XP1-042-230	42000	15	12.5	40000	26800	8.5	CHX35-42C	EL296UH110XV60C	202567878
ML14XP1-042-230	42000	15.1	12.5	40000	26800	8.5	CHX35-42C	ML180UH090E60C	202567879
ML14XP1-042-230	41500	15	12.5	39500	26800	8.5	CHX35-42C	ML180UH110E60C	202567880
ML14XP1-042-230	41500	14.5	12.5	39500	26600	8.5	CHX35-42C	ML180UH110V60C	204495731
ML14XP1-042-230	41500	14.5	12.5	39500	26800	8.4	CHX35-42C	ML193UH090XE48C	204043972
ML14XP1-042-230	41500	14.5	12.5	39500	26800	8.5	CHX35-42C	ML193UH110XE48C	204043973
ML14XP1-042-230	42000	14.5	12.5	40000	27000	8.5	CHX35-42C	ML193UH110XE60C	204043974
ML14XP1-042-230	41000	15	12.5	40000	26800	8.5	CHX35-42C	ML196UH090XE48C	204498300
ML14XP1-042-230	42000	15	12.5	40000	27000	8.5	CHX35-42C	ML196UH110XE60C	204498301
ML14XP1-042-230	42000	14.5	12.5	40000	27000	8.5	CHX35-42C	ML296UH090XV48C	205470363
ML14XP1-042-230	41500	15	12.5	39500	26600	8.5	CHX35-42C	ML296UH110XV60C	205470364
ML14XP1-042-230	42000	15.1	12.5	39500	26600	8.5	CHX35-42C	SL280UH080NV60C	202567881
ML14XP1-042-230	42000	15.1	12.5	40000	26800	8.5	CHX35-42C	SL280UH090V60C	202567882
ML14XP1-042-230	42000	15.1	12.5	40000	26800	8.5	CHX35-42C	SL280UH090XV60C	202567883
ML14XP1-042-230	42000	15.1	12.5	39500	26600	8.5	CHX35-42C	SL280UH100NV60C	202567884
ML14XP1-042-230	41500	14.5	12.5	40000	26800	8.5	CHX35-42C	SL280UH110V60C	202567885
ML14XP1-042-230	41500	14.5	12.5	40000	26800	8.5	CHX35-42C	SL280UH110XV60C	202567886
ML14XP1-042-230	41500	15	12.5	40000	26800	8.5	CHX35-42C	SL297UH080NV48C	202567887
ML14XP1-042-230	42000	15	12.5	40000	27000	8.5	CHX35-42C	SL297UH080NV60C	202567888
ML14XP1-042-230	42000	14.5	12.5	40000	27000	8.5	CHX35-42C	SLP98UH090XV48C	202567889
ML14XP1-042-230	42000	14.5	12.5	40000	27000	8.5	CHX35-42C	SLP98UH090XV60C	202567890
ML14XP1-042-230	42000	15	12.5	40000	26800	8.5	CHX35-42C	SLP98UH110XV60C	202567891
ML14XP1-042-230	42000	14.5	12.5	40000	27000	8.5	CHX35-42C	SLP99UH090XV48C	205545075
ML14XP1-042-230	42000	14.5	12.5	40000	27000	8.5	CHX35-42C	SLP99UH090XV60C	205545078
ML14XP1-042-230	42000	15	12.5	40000	26800	8.5	CHX35-42C	SLP99UH110XV60C	205545079
ML14XP1-042-230	41500	14	12	40500	27400	8.2	CHX35-42C		202567704
ML14XP1-042-230	41500	14.5	12.5	40000	26600	8.5	CHX35-48B	EL180UH080NE48B	202567892
ML14XP1-042-230	40500	14.25	12.2	40000	26600	8.4	CHX35-48B	ML180UH070V36B	204495366
ML14XP1-042-230	41000	14.5	12.5	40000	26600	8.5	CHX35-48B	ML180UH070V48B	204495502
ML14XP1-042-230	41000	14.5	12.5	40000	26600	8.5	CHX35-48B	ML180UH090E48B	202567893
ML14XP1-042-230	41000	14.25	12.3	40500	26800	8.5	CHX35-48B	ML180UH090V48B	204495626
ML14XP1-042-230	41500	14.5	12.5	40000	26600	8.5	CHX35-48B	SL280UH080NV48B	202567894
ML14XP1-042-230	41000	14.5	12.3	40500	26800	8.5	CHX35-48B	SL280UH090V48B	202567895
ML14XP1-042-230	41000	15	12.5	39500	26800	8.5	CHX35-48C	EL180UH100NE60C	202567896
ML14XP1-042-230	41000	14.5	12.5	39500	27000	8.2	CHX35-48C	EL195UH080NE48C	202567897
ML14XP1-042-230	41500	14.5	12.5	40000	27000	8.5	CHX35-48C	EL195UH100NE60C	202567899
ML14XP1-042-230	41000	14.5	12.5	39500	26800	8.5	CHX35-48C	EL196UH090XE48C	202567901
ML14XP1-042-230	41500	14.5	12.5	40000	27000	8.5	CHX35-48C	EL196UH110XE60C	202567902
ML14XP1-042-230	41000	14.5	12.5	39500	26800	8.5	CHX35-48C	EL280UH110E48C	204043975
ML14XP1-042-230	41500	14.5	12.5	39500	27000	8.5	CHX35-48C	EL280UH110E60C	204043976
ML14XP1-042-230	41000	14.5	12.5	39500	26800	8.2	CHX35-48C	EL296UH090XE48C	202567903
ML14XP1-042-230	41500	14.5	12.5	40000	27000	8.5	CHX35-48C	EL296UH090XV48C	202567904
ML14XP1-042-230	41500	14.5	12.5	40000	27000	8.5	CHX35-48C	EL296UH090XV60C	202567905
ML14XP1-042-230	41500	14.5	12.5	40000	27000	8.5	CHX35-48C	EL296UH110XE60C	202567906
ML14XP1-042-230	41500	14.5	12.5	39500	27000	8.5	CHX35-48C	EL296UH110XV48C	202567907
ML14XP1-042-230	41500	14.5	12.5	39500	27000	8.5	CHX35-48C	EL296UH110XV60C	202567908
ML14XP1-042-230	41500	14.5	12.5	39500	27000	8.5	CHX35-48C	ML180UH090E60C	202567909
ML14XP1-042-230	41500	14.5	12.5	39500	27000	8.5	CHX35-48C	ML180UH110E60C	202567910
ML14XP1-042-230	41000	14.5	12.5	39500	26800	8.5	CHX35-48C	ML180UH110V60C	204495732
ML14XP1-042-230	40500	14.5	12.2	39500	26800	8.4	CHX35-48C	ML193UH090XE48C	204043977
ML14XP1-042-230	41000	14.5	12.5	39500	26800	8.5	CHX35-48C	ML193UH110XE48C	204043978

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-042-230	41000	14.5	12	39500	27000	8.5	CHX35-48C	ML193UH110XE60C	204043979
ML14XP1-042-230	41000	14.5	12.5	39500	26800	8.5	CHX35-48C	ML196UH090XE48C	204498302
ML14XP1-042-230	41500	14.5	12.5	40000	27000	8.5	CHX35-48C	ML196UH110XE60C	204498303
ML14XP1-042-230	41500	14.5	12.5	40000	27000	8.5	CHX35-48C	ML296UH090XV48C	205470365
ML14XP1-042-230	41000	14.5	12.5	39500	26600	8.5	CHX35-48C	ML296UH110XV60C	205470366
ML14XP1-042-230	41500	15	12.5	39500	26600	8.5	CHX35-48C	SL280UH080NV60C	202567911
ML14XP1-042-230	41500	14.5	12.5	39500	27000	8.5	CHX35-48C	SL280UH090V60C	202567912
ML14XP1-042-230	41500	14.5	12.5	39500	27000	8.5	CHX35-48C	SL280UH090XV60C	202567913
ML14XP1-042-230	41500	15.1	12.5	39500	26600	8.5	CHX35-48C	SL280UH100NV60C	202567914
ML14XP1-042-230	41000	14.5	12.5	39500	27000	8.5	CHX35-48C	SL280UH110V60C	202567915
ML14XP1-042-230	41000	14.5	12.5	39500	27000	8.5	CHX35-48C	SL280UH110XV60C	202567916
ML14XP1-042-230	41000	14.5	12.5	39500	26800	8.5	CHX35-48C	SL297UH080NV48C	202567917
ML14XP1-042-230	41500	14.5	12.5	40000	27000	8.5	CHX35-48C	SL297UH080NV60C	202567918
ML14XP1-042-230	41500	14.5	12.5	40000	27000	8.5	CHX35-48C	SLP98UH090XV48C	202567919
ML14XP1-042-230	41500	14.5	12.5	40000	27000	8.5	CHX35-48C	SLP98UH090XV60C	202567920
ML14XP1-042-230	41500	14.5	12.5	39500	27000	8.5	CHX35-48C	SLP98UH110XV60C	202567921
ML14XP1-042-230	41500	14.5	12.5	40000	27000	8.5	CHX35-48C	SLP99UH090XV48C	205545081
ML14XP1-042-230	41500	14.5	12.5	40000	27000	8.5	CHX35-48C	SLP99UH090XV60C	205545082
ML14XP1-042-230	41500	14.5	12.5	39500	27000	8.5	CHX35-48C	SLP99UH110XV60C	205545084
ML14XP1-042-230	42000	15.1	12.5	39000	26400	8.5	CHX35-51/61C	EL180UH100NE60C	202568014
ML14XP1-042-230	42000	14.5	12.5	39000	26600	8.5	CHX35-51/61C	EL195UH080NE48C	202568015
ML14XP1-042-230	42000	14.5	12.5	39500	26800	8.5	CHX35-51/61C	EL195UH100NE60C	202568017
ML14XP1-042-230	42000	15.1	12.5	39000	26400	8.5	CHX35-51/61C	EL196UH090XE48C	202568019
ML14XP1-042-230	42000	15.1	12.5	39500	26600	8.5	CHX35-51/61C	EL196UH110XE60C	202568020
ML14XP1-042-230	42000	15	12.5	39000	26400	8.8	CHX35-51/61C	EL280UH110E48C	204043980
ML14XP1-042-230	42000	15	12.5	39500	26600	8.8	CHX35-51/61C	EL280UH110E60C	204043981
ML14XP1-042-230	42000	15	12.5	39000	26400	8.5	CHX35-51/61C	EL296UH090XE48C	202568021
ML14XP1-042-230	42000	15	12.5	39500	26600	8.5	CHX35-51/61C	EL296UH090XV48C	202568022
ML14XP1-042-230	42000	15	12.5	39500	26800	8.5	CHX35-51/61C	EL296UH090XV60C	202568023
ML14XP1-042-230	42000	15	12.5	39500	26600	8.5	CHX35-51/61C	EL296UH110XE60C	202568024
ML14XP1-042-230	42000	15	12.5	39500	26600	8.5	CHX35-51/61C	EL296UH110XV48C	202568025
ML14XP1-042-230	42000	15	12.5	39500	26600	8.5	CHX35-51/61C	EL296UH110XV60C	202568026
ML14XP1-042-230	42000	15.1	12.5	39000	26400	8.5	CHX35-51/61C	ML180UH090E60C	202568027
ML14XP1-042-230	42000	15.1	12.5	39000	26400	8.5	CHX35-51/61C	ML180UH110E60C	202568028
ML14XP1-042-230	42000	15	12.5	39000	26400	8.5	CHX35-51/61C	ML180UH110V60C	204495733
ML14XP1-042-230	42000	14.5	12.5	39000	26400	8.5	CHX35-51/61C	ML193UH090XE48C	204043982
ML14XP1-042-230	42000	15	12.5	39000	26400	8.8	CHX35-51/61C	ML193UH110XE48C	204043983
ML14XP1-042-230	42000	14.5	12.5	39500	26600	8.8	CHX35-51/61C	ML193UH110XE60C	204043984
ML14XP1-042-230	42000	15.1	12.5	39000	26400	8.5	CHX35-51/61C	ML196UH090XE48C	204498304
ML14XP1-042-230	42000	15.1	12.5	39500	26600	8.5	CHX35-51/61C	ML196UH110XE60C	204498305
ML14XP1-042-230	42000	15	12.5	39500	26600	8.5	CHX35-51/61C	ML296UH090XV48C	205470367
ML14XP1-042-230	42000	15	12.5	39000	26400	8.8	CHX35-51/61C	ML296UH110XV60C	205470368
ML14XP1-042-230	42000	15.1	12.5	39000	26400	8.5	CHX35-51/61C	SL280UH080NV60C	202568029
ML14XP1-042-230	42000	15.1	12.5	39500	26600	8.5	CHX35-51/61C	SL280UH090V60C	202568030
ML14XP1-042-230	42000	15.1	12.5	39500	26600	8.5	CHX35-51/61C	SL280UH090XV60C	202568031
ML14XP1-042-230	42000	15.5	12.5	39000	26400	8.5	CHX35-51/61C	SL280UH100NV60C	202568032
ML14XP1-042-230	42000	15	12.5	39500	26600	8.5	CHX35-51/61C	SL280UH110V60C	202568033
ML14XP1-042-230	42000	15	12.5	39500	26600	8.5	CHX35-51/61C	SL280UH110XV60C	202568034
ML14XP1-042-230	42000	15	12.5	39500	26600	8.5	CHX35-51/61C	SL297UH080NV48C	202568035
ML14XP1-042-230	42000	15	12.5	39500	26600	8.5	CHX35-51/61C	SL297UH080NV60C	202568036
ML14XP1-042-230	42000	15	12.5	39500	26600	8.5	CHX35-51/61C	SLP98UH090XV48C	202568037
ML14XP1-042-230	42000	15	12.5	39500	26800	8.5	CHX35-51/61C	SLP98UH090XV60C	202568038
ML14XP1-042-230	42000	15	12.5	39500	26600	8.5	CHX35-51/61C	SLP98UH110XV60C	202568039
ML14XP1-042-230	42000	15	12.5	39500	26600	8.5	CHX35-51/61C	SLP99UH090XV48C	205545118
ML14XP1-042-230	42000	15	12.5	39500	26800	8.5	CHX35-51/61C	SLP99UH090XV60C	205545119
ML14XP1-042-230	42000	15	12.5	39500	26600	8.5	CHX35-51/61C	SLP99UH110XV60C	205545121

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-042-230	42000	14	12	40000	27200	8.2	CHX35-51/61C		202568013
ML14XP1-042-230	40000	14	12	42000	27400	8.2	CR33-48B	EL296DF070XE48B	202567923
ML14XP1-042-230	40500	14.5	12.3	41500	27200	8.5	CR33-48B	ML180DF090E48B	202567924
ML14XP1-042-230	40500	14	12	42000	27400	8.2	CR33-48B	SL280DF090V48B	202567925
ML14XP1-042-230	40000	14.25	12.3	41500	27200	8.2	CR33-48C	EL296DF090XE48C	202567928
ML14XP1-042-230	40500	14	12	42000	27400	8.2	CR33-48C	EL296DF090XV60C	202567929
ML14XP1-042-230	40500	14.25	12.3	41500	27200	8.5	CR33-48C	EL296DF110XE60C	202567930
ML14XP1-042-230	40500	14.25	12	42000	27400	8.5	CR33-48C	EL296DF110XV60C	202567931
ML14XP1-042-230	40500	14.5	12.5	41500	27200	8.5	CR33-48C	ML180DF110E60C	202567932
ML14XP1-042-230	40000	14	12.2	41500	27200	8.4	CR33-48C	ML193DF090XE48C	204043986
ML14XP1-042-230	40000	14.25	12.2	41500	27200	8.2	CR33-48C	ML196DF090XE48C	205706945
ML14XP1-042-230	40500	14	12	42000	27400	8.2	CR33-48C	ML296DF090XV60C	205470369
ML14XP1-042-230	40500	14.5	12.3	41500	27200	8.5	CR33-48C	SL280DF090V60C	202567933
ML14XP1-042-230	40500	14.5	12.3	41500	27200	8.5	CR33-48C	SL280DF110V60C	202567934
ML14XP1-042-230	40500	14	12	42000	27400	8.2	CR33-48C	SLP98DF090XV48C	202567935
ML14XP1-042-230	40500	14	12	42000	27400	8.2	CR33-48C	SLP98DF090XV60C	202567936
ML14XP1-042-230	40500	14.25	12	42000	27400	8.5	CR33-48C	SLP98DF110XV60C	202567937
ML14XP1-042-230	40500	14	12	42000	27400	8.2	CR33-48C	SLP99DF090XV48C	205545087
ML14XP1-042-230	40500	14	12	42000	27400	8.2	CR33-48C	SLP99DF090XV60C	205545089
ML14XP1-042-230	40500	14.25	12	42000	27400	8.5	CR33-48C	SLP99DF110XV60C	205545091
ML14XP1-042-230	41000	14.5	12.5	39000	25800	8.5	CR33-50/60	EL296DF090XE48C	202567940
ML14XP1-042-230	41500	14.5	12.5	39500	26000	8.5	CR33-50/60	EL296DF090XV60C	202567941
ML14XP1-042-230	41500	14.5	12.5	39000	25800	9	CR33-50/60	EL296DF110XE60C	202567942
ML14XP1-042-230	41500	14.5	12.5	39500	26000	8.5	CR33-50/60	EL296DF110XV60C	202567943
ML14XP1-042-230	41500	15	12.5	39000	25800	9	CR33-50/60	ML180DF110E60C	202567944
ML14XP1-042-230	41000	14.25	12.5	39000	25800	9	CR33-50/60	ML193DF090XE48C	204043987
ML14XP1-042-230	40500	14.5	12.2	39000	25800	8.5	CR33-50/60	ML196DF090XE48C	205706946
ML14XP1-042-230	41500	14.5	12.5	39500	26000	8.5	CR33-50/60	ML296DF090XV60C	205470370
ML14XP1-042-230	41500	15	12.5	39000	25800	9	CR33-50/60	SL280DF090V60C	202567945
ML14XP1-042-230	41500	15	12.5	39000	25800	9	CR33-50/60	SL280DF110V60C	202567946
ML14XP1-042-230	41500	14.5	12.5	39500	26000	8.5	CR33-50/60	SLP98DF090XV48C	202567947
ML14XP1-042-230	41500	14.5	12.5	39500	26000	8.5	CR33-50/60	SLP98DF090XV60C	202567948
ML14XP1-042-230	41500	14.5	12.5	39500	26000	8.5	CR33-50/60	SLP98DF110XV60C	202567949
ML14XP1-042-230	41500	14.5	12.5	39500	26000	8.5	CR33-50/60	SLP99DF090XV48C	205545093
ML14XP1-042-230	41500	14.5	12.5	39500	26000	8.5	CR33-50/60	SLP99DF090XV60C	205545095
ML14XP1-042-230	41500	14.5	12.5	39500	26000	8.5	CR33-50/60	SLP99DF110XV60C	205545098
ML14XP1-042-230	41000	15	12.5	39500	25400	8.5	CX35-36B	EL180UH080NE48B	202567950
ML14XP1-042-230	40500	14	12	39500	25800	8.2	CX35-36B	EL296UH070XV36B	202567951
ML14XP1-042-230	40500	14.5	12	39000	25400	8.4	CX35-36B	ML180UH070V36B	204495367
ML14XP1-042-230	41000	14.5	12.5	39000	25400	8.5	CX35-36B	ML180UH070V48B	204495503
ML14XP1-042-230	41000	14.5	12.5	39500	25600	8.5	CX35-36B	ML180UH090E48B	202567952
ML14XP1-042-230	41000	14.5	12.2	39500	25600	8.5	CX35-36B	ML180UH090V48B	204495627
ML14XP1-042-230	40500	14	12	39500	25800	8.2	CX35-36B	ML296UH070XV36B	205470371
ML14XP1-042-230	41000	14.5	12.5	39500	25400	8.5	CX35-36B	SL280UH080NV48B	202567953
ML14XP1-042-230	41000	14.5	12.5	39500	25600	8.5	CX35-36B	SL280UH090V36B	202567954
ML14XP1-042-230	41000	14.5	12.5	39500	25600	8.5	CX35-36B	SL280UH090V48B	202567955
ML14XP1-042-230	41000	14.25	12.3	39500	25800	8.2	CX35-36B	SL297UH060NV36B	202567956
ML14XP1-042-230	40500	14	12	39500	25800	8.2	CX35-36B	SLP98UH070XV36B	202567957
ML14XP1-042-230	40500	14	12	39500	25800	8.2	CX35-36B	SLP99UH070XV36B	205545100
ML14XP1-042-230	40500	14	11.8	39000	26400	8.2	CX35-36B		202567705
ML14XP1-042-230	41500	15.1	12.5	39000	25200	8.2	CX35-48B	EL180UH080NE48B	202567958
ML14XP1-042-230	41000	15	12.5	39000	25200	8.2	CX35-48B	ML180UH070V48B	204495504
ML14XP1-042-230	41500	15	12.5	39000	25400	8.2	CX35-48B	ML180UH090E48B	202567959
ML14XP1-042-230	41500	14.5	12.5	39000	25400	8.2	CX35-48B	ML180UH090V48B	204495628
ML14XP1-042-230	41500	15.1	12.5	39000	25200	8.2	CX35-48B	SL280UH080NV48B	202567960
ML14XP1-042-230	41500	15	12.5	39000	25400	8.2	CX35-48B	SL280UH090V48B	202567961

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-042-230	41500	15.1	12.5	39000	25200	8.2	CX35-48C	EL180UH100NE60C	202567962
ML14XP1-042-230	41000	15	12.5	39000	25400	8.2	CX35-48C	EL195UH080NE48C	202567963
ML14XP1-042-230	41500	14.5	12.5	39000	25400	8.2	CX35-48C	EL195UH100NE60C	202567965
ML14XP1-042-230	41500	15	12.5	39000	25200	8.2	CX35-48C	EL196UH090XE48C	202567967
ML14XP1-042-230	42000	15.1	12.5	39000	25400	8.2	CX35-48C	EL196UH110XE60C	202567968
ML14XP1-042-230	41500	15	12.5	39000	25200	8.2	CX35-48C	EL280UH110E48C	204043988
ML14XP1-042-230	42000	15	12.5	39000	25400	8.2	CX35-48C	EL280UH110E60C	204043989
ML14XP1-042-230	41000	15	12.5	39000	25200	8.2	CX35-48C	EL296UH090XE48C	202567969
ML14XP1-042-230	41500	15	12.5	39000	25400	8.2	CX35-48C	EL296UH090XV48C	202567970
ML14XP1-042-230	41500	14.5	12.5	39500	25600	8.2	CX35-48C	EL296UH090XV60C	202567971
ML14XP1-042-230	42000	15.1	12.5	39000	25400	8.2	CX35-48C	EL296UH110XE60C	202567972
ML14XP1-042-230	41500	15	12.5	39000	25400	8.2	CX35-48C	EL296UH110XV48C	202567973
ML14XP1-042-230	41500	15	12.5	39000	25400	8.2	CX35-48C	EL296UH110XV60C	202567974
ML14XP1-042-230	41500	15.1	12.5	39000	25200	8.2	CX35-48C	ML180UH090E60C	202567975
ML14XP1-042-230	41500	15	12.5	39000	25400	8.2	CX35-48C	ML180UH110E60C	202567976
ML14XP1-042-230	41500	15	12.5	39000	25200	8.2	CX35-48C	ML180UH110V60C	204495734
ML14XP1-042-230	41000	15	12.5	39000	25200	8.2	CX35-48C	ML193UH090XE48C	204043990
ML14XP1-042-230	41000	15	12.5	39000	25200	8.2	CX35-48C	ML193UH110XE48C	204043991
ML14XP1-042-230	41500	15	12.5	39000	25400	8.2	CX35-48C	ML193UH110XE60C	204043992
ML14XP1-042-230	41500	15	12.5	39000	25200	8.2	CX35-48C	ML196UH090XE48C	204498306
ML14XP1-042-230	42000	15.1	12.5	39000	25400	8.2	CX35-48C	ML196UH110XE60C	204498307
ML14XP1-042-230	41500	15	12.5	39000	25400	8.2	CX35-48C	ML296UH090XV48C	205470372
ML14XP1-042-230	41500	15	12.5	39000	25400	8.2	CX35-48C	ML296UH110XV60C	205470373
ML14XP1-042-230	41500	15.1	12.5	39000	25200	8.2	CX35-48C	SL280UH080NV60C	202567977
ML14XP1-042-230	41500	15	12.5	39000	25400	8.2	CX35-48C	SL280UH090V60C	202567978
ML14XP1-042-230	41500	15	12.5	39000	25400	8.2	CX35-48C	SL280UH090XV60C	202567979
ML14XP1-042-230	41500	15.5	12.5	39000	25200	8.2	CX35-48C	SL280UH100NV60C	202567980
ML14XP1-042-230	41500	15	12.5	39000	25400	8.2	CX35-48C	SL280UH110V60C	202567981
ML14XP1-042-230	41500	15	12.5	39000	25400	8.2	CX35-48C	SL280UH110XV60C	202567982
ML14XP1-042-230	41500	15	12.5	39000	25400	8.2	CX35-48C	SL297UH080NV48C	202567983
ML14XP1-042-230	41500	15	12.5	39000	25400	8.2	CX35-48C	SL297UH080NV60C	202567984
ML14XP1-042-230	41500	15	12.5	39000	25400	8.2	CX35-48C	SLP98UH090XV48C	202567985
ML14XP1-042-230	41500	14.5	12.5	39500	25600	8.2	CX35-48C	SLP98UH090XV60C	202567986
ML14XP1-042-230	41500	15	12.5	39000	25400	8.2	CX35-48C	SLP98UH110XV60C	202567987
ML14XP1-042-230	41500	15	12.5	39000	25400	8.2	CX35-48C	SLP99UH090XV48C	205545103
ML14XP1-042-230	41500	14.5	12.5	39500	25600	8.2	CX35-48C	SLP99UH090XV60C	205545105
ML14XP1-042-230	41500	15	12.5	39000	25400	8.2	CX35-48C	SLP99UH110XV60C	205545108
ML14XP1-042-230	42000	15.5	12.5	37800	23600	8.2	CX35-49C	EL180UH100NE60C	202567988
ML14XP1-042-230	42000	15.1	12.5	38000	23800	8.2	CX35-49C	EL195UH080NE48C	202567989
ML14XP1-042-230	42000	15.1	12.5	38000	23800	8.2	CX35-49C	EL195UH100NE60C	202567991
ML14XP1-042-230	42000	15.5	12.5	37800	23600	8.2	CX35-49C	EL196UH090XE48C	202567993
ML14XP1-042-230	42000	15.5	12.5	38000	23800	8.2	CX35-49C	EL196UH110XE60C	202567994
ML14XP1-042-230	42000	15.1	12.5	37800	23600	8.2	CX35-49C	EL280UH110E48C	204043993
ML14XP1-042-230	42000	15.1	12.5	38000	23800	8.2	CX35-49C	EL280UH110E60C	204043994
ML14XP1-042-230	42000	15.5	12.5	38000	23800	8.2	CX35-49C	EL296UH090XV48C	202567995
ML14XP1-042-230	42000	15.1	12.5	38000	23800	8.2	CX35-49C	EL296UH090XV60C	202567996
ML14XP1-042-230	42000	15.1	12.5	38000	23800	8.2	CX35-49C	EL296UH110XE60C	202567997
ML14XP1-042-230	42000	15.5	12.5	38000	23800	8.2	CX35-49C	EL296UH110XV48C	202567998
ML14XP1-042-230	42000	15.5	12.5	38000	23800	8.2	CX35-49C	EL296UH110XV60C	202567999
ML14XP1-042-230	42000	15.5	12.5	37800	23600	8.2	CX35-49C	ML180UH090E60C	202568000
ML14XP1-042-230	42000	15.5	12.5	37800	23600	8.2	CX35-49C	ML180UH110E60C	202568001
ML14XP1-042-230	42000	15.1	12.5	37800	23600	8.2	CX35-49C	ML180UH110V60C	204495735
ML14XP1-042-230	42000	15.1	12.5	37800	23600	8.2	CX35-49C	ML193UH090XE48C	204043995
ML14XP1-042-230	42000	15.1	12.5	37800	23600	8.2	CX35-49C	ML193UH110XE48C	204043996
ML14XP1-042-230	42000	15.1	12.5	38000	23800	8.2	CX35-49C	ML193UH110XE60C	204043997
ML14XP1-042-230	42000	15.5	12.5	37800	23600	8.2	CX35-49C	ML196UH090XE48C	204498308

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-042-230	42000	15.5	12.5	38000	23800	8.2	CX35-49C	ML196UH110XE60C	204498309
ML14XP1-042-230	42000	15.5	12.5	38000	23800	8.2	CX35-49C	ML296UH090XV48C	205470374
ML14XP1-042-230	42000	15.5	12.5	37600	23600	8.2	CX35-49C	ML296UH110XV60C	205470375
ML14XP1-042-230	42000	15.5	12.5	37800	23600	8.2	CX35-49C	SL280UH080NV60C	202568002
ML14XP1-042-230	42000	15.5	12.5	38000	23600	8.2	CX35-49C	SL280UH090V60C	202568003
ML14XP1-042-230	42000	15.5	12.5	38000	23600	8.2	CX35-49C	SL280UH090XV60C	202568004
ML14XP1-042-230	42000	16	13	37800	23600	8.2	CX35-49C	SL280UH100NV60C	202568005
ML14XP1-042-230	42000	15.1	12.5	38000	23800	8.2	CX35-49C	SL280UH110V60C	202568006
ML14XP1-042-230	42000	15.1	12.5	38000	23800	8.2	CX35-49C	SL280UH110XV60C	202568007
ML14XP1-042-230	42000	15.5	12.5	38000	23800	8.2	CX35-49C	SL297UH080NV60C	202568008
ML14XP1-042-230	42000	15.5	12.5	38000	23800	8.2	CX35-49C	SLP98UH090XV48C	202568009
ML14XP1-042-230	42000	15.1	12.5	38000	23800	8.2	CX35-49C	SLP98UH090XV60C	202568010
ML14XP1-042-230	42000	15.5	12.5	38000	23800	8.2	CX35-49C	SLP98UH110XV60C	202568011
ML14XP1-042-230	42000	15.5	12.5	38000	23800	8.2	CX35-49C	SLP99UH090XV48C	205545111
ML14XP1-042-230	42000	15.1	12.5	38000	23800	8.2	CX35-49C	SLP99UH090XV60C	205545113
ML14XP1-042-230	42000	15.5	12.5	38000	23800	8.2	CX35-49C	SLP99UH110XV60C	205545116
ML14XP1-042-230	41000	14	12	39500	25200	8.2	CX35-49C		204139245
ML14XP1-042-233	41000	14.5	12.5	39500	25400	8.5	C35-36B	EL180UH080NE48B	205293542
ML14XP1-042-233	40500	14	12	39500	25800	8.2	C35-36B	EL296UH070XV36B	205293543
ML14XP1-042-233	40500	14.5	12	39000	25400	8.2	C35-36B	ML180UH070V36B	205293544
ML14XP1-042-233	41000	14.5	12.5	39000	25400	8.5	C35-36B	ML180UH070V48B	205293545
ML14XP1-042-233	41000	14.5	12.5	39500	25600	8.5	C35-36B	ML180UH090E48B	205293546
ML14XP1-042-233	41000	14.5	12.2	39500	25600	8.5	C35-36B	ML180UH090V48B	205293547
ML14XP1-042-233	41000	14.5	12.5	39500	25400	8.5	C35-36B	SL280UH080NV48B	205293548
ML14XP1-042-233	41000	14.5	12.5	39500	25600	8.5	C35-36B	SL280UH090V36B	205293549
ML14XP1-042-233	41000	14.5	12.5	39500	25600	8.5	C35-36B	SL280UH090V48B	205293550
ML14XP1-042-233	40500	14.25	12	39500	25800	8.2	C35-36B	SL297UH060NV36B	205293551
ML14XP1-042-233	40500	14	12	39500	25800	8.2	C35-36B	SLP98UH070XV36B	205293552
ML14XP1-042-233	40500	14	12	39500	25800	8.2	C35-36B	SLP99UH070XV36B	205552309
ML14XP1-042-233	40500	14	11.5	39000	26400	8.2	C35-36B		205293541
ML14XP1-042-233	41500	15.1	12.5	39000	25200	8.2	C35-48B	EL180UH080NE48B	205293553
ML14XP1-042-233	41000	15.1	12.5	39000	25200	8.2	C35-48B	ML180UH070V48B	205293554
ML14XP1-042-233	41500	15	12.5	39000	25400	8.2	C35-48B	ML180UH090E48B	205293555
ML14XP1-042-233	41500	15	12.5	39000	25400	8.2	C35-48B	ML180UH090V48B	205293556
ML14XP1-042-233	41500	15.1	12.5	39000	25200	8.2	C35-48B	SL280UH080NV48B	205293557
ML14XP1-042-233	41500	14.5	12.5	39000	25400	8.2	C35-48B	SL280UH090V48B	205293558
ML14XP1-042-233	41500	15.1	12.5	39000	25200	8.2	C35-48C	EL180UH100NE60C	205293559
ML14XP1-042-233	41000	15	12.5	39000	25400	8.2	C35-48C	EL195UH080NE48C	205293560
ML14XP1-042-233	41500	15	12.5	39000	25400	8.2	C35-48C	EL195UH100NE60C	205293561
ML14XP1-042-233	41500	15.1	12.5	39000	25200	8.2	C35-48C	EL196UH090XE48C	205293562
ML14XP1-042-233	42000	15.1	12.5	39000	25400	8.2	C35-48C	EL196UH110XE60C	205293563
ML14XP1-042-233	41500	15.1	12.5	39000	25200	8.2	C35-48C	EL280UH110E48C	205293564
ML14XP1-042-233	42000	15.1	12.5	39000	25400	8.2	C35-48C	EL280UH110E60C	205293565
ML14XP1-042-233	41000	15	12.5	39000	25200	8.2	C35-48C	EL296UH090XE48C	205293566
ML14XP1-042-233	41500	15	12.5	39000	25200	8.2	C35-48C	EL296UH090XV48C	205293567
ML14XP1-042-233	41500	15	12.5	39000	25400	8.2	C35-48C	EL296UH090XV60C	205293568
ML14XP1-042-233	42000	15.1	12.5	39000	25400	8.2	C35-48C	EL296UH110XE60C	205293569
ML14XP1-042-233	41500	15.1	12.5	39000	25200	8.2	C35-48C	EL296UH110XV48C	205293570
ML14XP1-042-233	41500	15.1	12.5	39000	25200	8.2	C35-48C	EL296UH110XV60C	205293571
ML14XP1-042-233	41500	15.1	12.5	39000	25200	8.2	C35-48C	ML180UH090E60C	205293572
ML14XP1-042-233	41500	15.1	12.5	39000	25200	8.2	C35-48C	ML180UH110E60C	205293573
ML14XP1-042-233	41500	15.5	12.5	39000	25000	8.2	C35-48C	ML180UH110V60C	205293574
ML14XP1-042-233	41000	15	12.5	39000	25200	8.2	C35-48C	ML193UH090XE48C	205293575
ML14XP1-042-233	41000	15.1	12.5	39000	25200	8.2	C35-48C	ML193UH110XE48C	205293576
ML14XP1-042-233	41500	15	12.5	39000	25400	8.2	C35-48C	ML193UH110XE60C	205293577
ML14XP1-042-233	41500	15.1	12.5	39000	25200	8.2	C35-48C	ML196UH090XE48C	205293578

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-042-233	42000	15.1	12.5	39000	25400	8.2	C35-48C	ML196UH110XE60C	205293579
ML14XP1-042-233	41500	15.5	12.5	39000	25000	8.2	C35-48C	SL280UH080NV60C	205293580
ML14XP1-042-233	42000	15.1	12.5	39000	25200	8.2	C35-48C	SL280UH090V60C	205293581
ML14XP1-042-233	42000	15.1	12.5	39000	25200	8.2	C35-48C	SL280UH090XV60C	205293582
ML14XP1-042-233	41500	15.5	12.5	39000	25000	8.2	C35-48C	SL280UH100NV60C	205293583
ML14XP1-042-233	41500	15	12.5	39000	25400	8.2	C35-48C	SL280UH110V60C	205293584
ML14XP1-042-233	41500	15	12.5	39000	25400	8.2	C35-48C	SL280UH110XV60C	205293585
ML14XP1-042-233	41500	15.1	12.5	39000	25200	8.2	C35-48C	SL297UH080NV48C	205293586
ML14XP1-042-233	42000	15.1	12.5	39000	25400	8.2	C35-48C	SL297UH080NV60C	205293587
ML14XP1-042-233	41500	15.1	12.5	39000	25400	8.2	C35-48C	SLP98UH090XV48C	205293588
ML14XP1-042-233	41500	15	12.5	39000	25400	8.2	C35-48C	SLP98UH090XV60C	205293589
ML14XP1-042-233	41500	15.1	12.5	39000	25200	8.2	C35-48C	SLP98UH110XV60C	205293590
ML14XP1-042-233	41500	15.1	12.5	39000	25400	8.2	C35-48C	SLP99UH090XV48C	205552311
ML14XP1-042-233	41500	15	12.5	39000	25400	8.2	C35-48C	SLP99UH090XV60C	205552312
ML14XP1-042-233	41500	15.1	12.5	39000	25200	8.2	C35-48C	SLP99UH110XV60C	205552313
ML14XP1-042-233	42000	15.5	12.5	37800	23600	8.2	C35-49C	EL180UH100NE60C	205293592
ML14XP1-042-233	42000	15.1	12.5	38000	23800	8.2	C35-49C	EL195UH080NE48C	205293593
ML14XP1-042-233	42000	15.1	12.5	38000	23800	8.2	C35-49C	EL195UH100NE60C	205293594
ML14XP1-042-233	42000	15.5	12.5	37800	23600	8.2	C35-49C	EL196UH090XE48C	205293595
ML14XP1-042-233	42000	15.5	12.5	38000	23800	8.2	C35-49C	EL196UH110XE60C	205293596
ML14XP1-042-233	42000	15.5	12.5	37800	23600	8.2	C35-49C	EL280UH110E48C	205293597
ML14XP1-042-233	42000	15.5	12.5	38000	23800	8.2	C35-49C	EL280UH110E60C	205293598
ML14XP1-042-233	42000	15.5	12.5	38000	23800	8.2	C35-49C	EL296UH090XV48C	205293599
ML14XP1-042-233	42000	15.1	12.5	38000	23800	8.2	C35-49C	EL296UH090XV60C	205293600
ML14XP1-042-233	42000	15.1	12.5	38000	23800	8.2	C35-49C	EL296UH110XE60C	205293601
ML14XP1-042-233	42000	15.5	12.5	38000	23800	8.2	C35-49C	EL296UH110XV48C	205293602
ML14XP1-042-233	42000	15.5	12.5	38000	23800	8.2	C35-49C	EL296UH110XV60C	205293603
ML14XP1-042-233	42000	15.5	12.5	37800	23600	8.2	C35-49C	ML180UH090E60C	205293604
ML14XP1-042-233	42000	15.5	12.5	37800	23600	8.2	C35-49C	ML180UH110E60C	205293605
ML14XP1-042-233	42000	15.5	12.5	37800	23600	8.2	C35-49C	ML180UH110V60C	205293606
ML14XP1-042-233	42000	15.1	12.5	37800	23600	8.2	C35-49C	ML193UH090XE48C	205293607
ML14XP1-042-233	42000	15.1	12.5	37800	23600	8.2	C35-49C	ML193UH110XE48C	205293608
ML14XP1-042-233	42000	15.1	12.5	38000	23800	8.2	C35-49C	ML193UH110XE60C	205293609
ML14XP1-042-233	42000	15.5	12.5	37800	23600	8.2	C35-49C	ML196UH090XE48C	205293610
ML14XP1-042-233	42000	15.5	12.5	38000	23800	8.2	C35-49C	ML196UH110XE60C	205293611
ML14XP1-042-233	42000	15.5	12.5	37800	23600	8.2	C35-49C	SL280UH080NV60C	205293612
ML14XP1-042-233	42000	15.5	12.5	38000	23600	8.2	C35-49C	SL280UH090V60C	205293613
ML14XP1-042-233	42000	15.5	12.5	38000	23600	8.2	C35-49C	SL280UH090XV60C	205293614
ML14XP1-042-233	42000	16	13	37800	23400	8.2	C35-49C	SL280UH100NV60C	205293615
ML14XP1-042-233	42000	15.1	12.5	38000	23800	8.2	C35-49C	SL280UH110V60C	205293616
ML14XP1-042-233	42000	15.1	12.5	38000	23800	8.2	C35-49C	SL280UH110XV60C	205293617
ML14XP1-042-233	42000	15.5	12.5	38000	23800	8.2	C35-49C	SL297UH080NV60C	205293618
ML14XP1-042-233	42000	15.5	12.5	38000	23800	8.2	C35-49C	SLP98UH090XV48C	205293619
ML14XP1-042-233	42000	15.1	12.5	38000	23800	8.2	C35-49C	SLP98UH090XV60C	205293620
ML14XP1-042-233	42000	15.5	12.5	38000	23800	8.2	C35-49C	SLP98UH110XV60C	205293621
ML14XP1-042-233	42000	15.5	12.5	38000	23800	8.2	C35-49C	SLP99UH090XV48C	205552314
ML14XP1-042-233	42000	15.1	12.5	38000	23800	8.2	C35-49C	SLP99UH090XV60C	205552315
ML14XP1-042-233	42000	15.5	12.5	38000	23800	8.2	C35-49C	SLP99UH110XV60C	205552316
ML14XP1-042-233	41000	14.25	12	39500	25200	8.2	C35-49C		205293591
ML14XP1-042-233	40500	14	12	39500	26200	8.2	CBA25UH-042-230		205293962
ML14XP1-042-233	42000	15.1	12.5	39000	25800	8.5	CBA25UH-048-230		205293955
ML14XP1-042-233	41500	15	12.5	39000	25800	8.5	CBA25UHV-042-230		205293956
ML14XP1-042-233	42000	15.5	12.5	39000	25600	8.5	CBA25UHV-048-230		205293957
ML14XP1-042-233	41500	15.1	12.5	39500	25400	8.5	CBA27UHE-042-230		205293622
ML14XP1-042-233	42000	15.1	12.5	39500	26200	9	CBA27UHE-048-230		205293623
ML14XP1-042-233	42000	15.5	12.5	39500	25200	9	CBA38MV-042-230		205293958

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-042-233	42000	15.5	12.5	39500	26200	9	CBA38MV-048-230		205293959
ML14XP1-042-233	42000	15.1	12.5	38000	24800	8.5	CH35-42B	EL180UH080NE48B	205293625
ML14XP1-042-233	42000	15	12.5	37800	24600	8.5	CH35-42B	ML180UH070V36B	205293626
ML14XP1-042-233	42000	15.1	12.5	38000	24800	8.5	CH35-42B	ML180UH070V48B	205293627
ML14XP1-042-233	42000	15	12.5	38000	24800	8.5	CH35-42B	ML180UH090E48B	205293628
ML14XP1-042-233	42000	15	12.5	38000	25000	8.5	CH35-42B	ML180UH090V48B	205293629
ML14XP1-042-233	42000	15.1	12.5	38000	24800	8.5	CH35-42B	SL280UH080NV48B	205293630
ML14XP1-042-233	42000	14.5	12.5	38000	25000	8.5	CH35-42B	SL280UH090V48B	205293631
ML14XP1-042-233	42000	14.25	12	38500	25200	8.2	CH35-42B		205293624
ML14XP1-042-233	42000	15.1	12.5	39500	26600	8.5	CH35-42C	EL180UH100NE60C	205293633
ML14XP1-042-233	41500	14.5	12.5	40000	26800	8.2	CH35-42C	EL195UH080NE48C	205293634
ML14XP1-042-233	42000	14.5	12.5	40000	27000	8.5	CH35-42C	EL195UH100NE60C	205293635
ML14XP1-042-233	41500	15	12.5	40000	26800	8.5	CH35-42C	EL196UH090XE48C	205293636
ML14XP1-042-233	42000	15	12.5	40000	27000	8.5	CH35-42C	EL196UH110XE60C	205293637
ML14XP1-042-233	41500	15	12.5	39500	26800	8.5	CH35-42C	EL280UH110E48C	205293638
ML14XP1-042-233	42000	15	12.5	40000	26800	8.5	CH35-42C	EL280UH110E60C	205293639
ML14XP1-042-233	41500	14.5	12.5	39500	26800	8.2	CH35-42C	EL296UH090XE48C	205293640
ML14XP1-042-233	42000	14.5	12.5	40000	27000	8.5	CH35-42C	EL296UH090XV48C	205293641
ML14XP1-042-233	42000	14.5	12.5	40000	27000	8.5	CH35-42C	EL296UH090XV60C	205293642
ML14XP1-042-233	42000	14.5	12.5	40000	27000	8.5	CH35-42C	EL296UH110XE60C	205293643
ML14XP1-042-233	42000	15	12.5	40000	26800	8.5	CH35-42C	EL296UH110XV48C	205293644
ML14XP1-042-233	42000	15	12.5	40000	26800	8.5	CH35-42C	EL296UH110XV60C	205293645
ML14XP1-042-233	42000	15	12.5	39500	26800	8.5	CH35-42C	ML180UH090E60C	205293646
ML14XP1-042-233	41500	15	12.5	39500	26800	8.5	CH35-42C	ML180UH110E60C	205293647
ML14XP1-042-233	41500	14.5	12.5	39500	26800	8.2	CH35-42C	ML193UH090XE48C	205293648
ML14XP1-042-233	41500	14.5	12.5	39500	26800	8.2	CH35-42C	ML193UH110XE48C	205293649
ML14XP1-042-233	42000	14.5	12.5	40000	27000	8.5	CH35-42C	ML193UH110XE60C	205293650
ML14XP1-042-233	41000	15	12.5	40000	26800	8.5	CH35-42C	ML196UH090XE48C	205293651
ML14XP1-042-233	42000	15	12.5	40000	27000	8.5	CH35-42C	ML196UH110XE60C	205293652
ML14XP1-042-233	42000	15.1	12.5	39500	26600	8.5	CH35-42C	SL280UH080NV60C	205293653
ML14XP1-042-233	42000	15	12.5	40000	26800	8.5	CH35-42C	SL280UH090V60C	205293654
ML14XP1-042-233	42000	15	12.5	40000	26800	8.5	CH35-42C	SL280UH090XV60C	205293655
ML14XP1-042-233	42000	15.1	12.5	39500	26600	8.5	CH35-42C	SL280UH100NV60C	205293656
ML14XP1-042-233	41500	14.5	12.5	40000	26800	8.5	CH35-42C	SL280UH110V60C	205293657
ML14XP1-042-233	41500	14.5	12.5	40000	26800	8.5	CH35-42C	SL280UH110XV60C	205293658
ML14XP1-042-233	41500	15	12.5	40000	26800	8.5	CH35-42C	SL297UH080NV48C	205293659
ML14XP1-042-233	42000	15	12.5	40000	27000	8.5	CH35-42C	SL297UH080NV60C	205293660
ML14XP1-042-233	42000	14.5	12.5	40000	27000	8.5	CH35-42C	SLP98UH090XV48C	205293661
ML14XP1-042-233	42000	14.5	12.5	40000	27000	8.5	CH35-42C	SLP98UH090XV60C	205293662
ML14XP1-042-233	42000	15	12.5	40000	26800	8.5	CH35-42C	SLP98UH110XV60C	205293663
ML14XP1-042-233	42000	14.5	12.5	40000	27000	8.5	CH35-42C	SLP99UH090XV48C	205552317
ML14XP1-042-233	42000	14.5	12.5	40000	27000	8.5	CH35-42C	SLP99UH090XV60C	205552318
ML14XP1-042-233	42000	15	12.5	40000	26800	8.5	CH35-42C	SLP99UH110XV60C	205552319
ML14XP1-042-233	41000	14	11.5	40500	27400	8.2	CH35-42C		205293632
ML14XP1-042-233	41500	14.5	12.5	40000	26600	8.5	CH35-48B	EL180UH080NE48B	205293664
ML14XP1-042-233	40500	14.5	12.2	40000	26600	8.2	CH35-48B	ML180UH070V36B	205293665
ML14XP1-042-233	41000	14.5	12.5	40000	26600	8.5	CH35-48B	ML180UH070V48B	205293666
ML14XP1-042-233	41000	14.5	12.5	40000	26600	8.2	CH35-48B	ML180UH090E48B	205293667
ML14XP1-042-233	41000	14.5	12.3	40000	26800	8.2	CH35-48B	ML180UH090V48B	205293668
ML14XP1-042-233	41500	14.5	12.5	40000	26600	8.5	CH35-48B	SL280UH080NV48B	205293669
ML14XP1-042-233	41000	14.5	12.2	40000	26800	8.2	CH35-48B	SL280UH090V48B	205293670
ML14XP1-042-233	41000	15	12.5	39500	26600	8.5	CH35-48C	EL180UH100NE60C	205293671
ML14XP1-042-233	41000	14.5	12.5	39500	26800	8.2	CH35-48C	EL195UH080NE48C	205293672
ML14XP1-042-233	41000	14.5	12.2	40000	27000	8.5	CH35-48C	EL195UH100NE60C	205293673
ML14XP1-042-233	41000	14.5	12.5	39500	26800	8.5	CH35-48C	EL196UH090XE48C	205293674
ML14XP1-042-233	41500	14.5	12.5	40000	27000	8.5	CH35-48C	EL196UH110XE60C	205293675

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-042-233	41000	14.5	12.5	39500	26800	8.5	CH35-48C	EL280UH110E48C	205293676
ML14XP1-042-233	41500	14.5	12.5	39500	27000	8.5	CH35-48C	EL280UH110E60C	205293677
ML14XP1-042-233	41000	14.5	12.5	39500	26800	8.2	CH35-48C	EL296UH090XE48C	205293678
ML14XP1-042-233	41500	14.5	12.5	40000	27000	8.5	CH35-48C	EL296UH090XV48C	205293679
ML14XP1-042-233	41500	14.5	12.5	40000	27000	8.5	CH35-48C	EL296UH090XV60C	205293680
ML14XP1-042-233	41500	14.5	12.5	40000	27000	8.5	CH35-48C	EL296UH110XE60C	205293681
ML14XP1-042-233	41000	14.5	12.5	39500	26800	8.5	CH35-48C	EL296UH110XV48C	205293682
ML14XP1-042-233	41000	14.5	12.5	39500	26800	8.5	CH35-48C	EL296UH110XV60C	205293683
ML14XP1-042-233	41000	14.5	12.5	39500	26800	8.5	CH35-48C	ML180UH090E60C	205293684
ML14XP1-042-233	41500	14.5	12.5	39500	27000	8.5	CH35-48C	ML180UH110E60C	205293685
ML14XP1-042-233	41000	15.1	12.5	39500	26600	8.5	CH35-48C	ML180UH110V60C	205293686
ML14XP1-042-233	40500	14.5	12.2	39500	26800	8.2	CH35-48C	ML193UH090XE48C	205293687
ML14XP1-042-233	41000	14.5	12.5	39500	26800	8.2	CH35-48C	ML193UH110XE48C	205293688
ML14XP1-042-233	41000	14.5	12	39500	26800	8.5	CH35-48C	ML193UH110XE60C	205293689
ML14XP1-042-233	41000	14.5	12.5	39500	26800	8.5	CH35-48C	ML196UH090XE48C	205293690
ML14XP1-042-233	41500	14.5	12.5	40000	27000	8.5	CH35-48C	ML196UH110XE60C	205293691
ML14XP1-042-233	41500	15	12.5	39500	26600	8.5	CH35-48C	SL280UH080NV60C	205293692
ML14XP1-042-233	41500	14.5	12.5	39500	26800	8.5	CH35-48C	SL280UH090V60C	205293693
ML14XP1-042-233	41500	14.5	12.5	39500	26800	8.5	CH35-48C	SL280UH090XV60C	205293694
ML14XP1-042-233	41500	15.1	12.5	39500	26600	8.5	CH35-48C	SL280UH100NV60C	205293695
ML14XP1-042-233	41000	14.5	12.5	39500	27000	8.5	CH35-48C	SL280UH110V60C	205293696
ML14XP1-042-233	41000	14.5	12.5	39500	27000	8.5	CH35-48C	SL280UH110XV60C	205293697
ML14XP1-042-233	41000	14.5	12.5	39500	26800	8.5	CH35-48C	SL297UH080NV48C	205293698
ML14XP1-042-233	41500	14.5	12.5	40000	27000	8.5	CH35-48C	SL297UH080NV60C	205293699
ML14XP1-042-233	41500	14.5	12.5	40000	27000	8.5	CH35-48C	SLP98UH090XV48C	205293700
ML14XP1-042-233	41500	14.5	12.5	40000	27000	8.5	CH35-48C	SLP98UH090XV60C	205293701
ML14XP1-042-233	41000	14.5	12.5	39500	26800	8.5	CH35-48C	SLP98UH110XV60C	205293702
ML14XP1-042-233	41500	14.5	12.5	40000	27000	8.5	CH35-48C	SLP99UH090XV48C	205552321
ML14XP1-042-233	41500	14.5	12.5	40000	27000	8.5	CH35-48C	SLP99UH090XV60C	205552322
ML14XP1-042-233	41000	14.5	12.5	39500	26800	8.5	CH35-48C	SLP99UH110XV60C	205552323
ML14XP1-042-233	42000	15.1	12.5	39000	26400	8.5	CH35-51C	EL180UH100NE60C	205293704
ML14XP1-042-233	42000	14.5	12.5	39000	26600	8.5	CH35-51C	EL195UH080NE48C	205293705
ML14XP1-042-233	42000	14.5	12.5	39500	26800	8.5	CH35-51C	EL195UH100NE60C	205293706
ML14XP1-042-233	42000	15.1	12.5	39000	26400	8.5	CH35-51C	EL196UH090XE48C	205293707
ML14XP1-042-233	42000	15.1	12.5	39500	26600	8.5	CH35-51C	EL196UH110XE60C	205293708
ML14XP1-042-233	42000	15	12.5	39000	26400	8.5	CH35-51C	EL280UH110E48C	205293709
ML14XP1-042-233	42000	15	12.5	39500	26600	8.5	CH35-51C	EL280UH110E60C	205293710
ML14XP1-042-233	42000	15	12.5	39000	26400	8.5	CH35-51C	EL296UH090XE48C	205293711
ML14XP1-042-233	42000	15	12.5	39500	26600	8.5	CH35-51C	EL296UH090XV48C	205293712
ML14XP1-042-233	42000	15	12.5	39500	26800	8.5	CH35-51C	EL296UH090XV60C	205293713
ML14XP1-042-233	42000	15	12.5	39500	26600	8.5	CH35-51C	EL296UH110XE60C	205293714
ML14XP1-042-233	42000	15	12.5	39500	26600	8.5	CH35-51C	EL296UH110XV48C	205293715
ML14XP1-042-233	42000	15	12.5	39500	26600	8.5	CH35-51C	EL296UH110XV60C	205293716
ML14XP1-042-233	42000	15.1	12.5	39000	26400	8.5	CH35-51C	ML180UH090E60C	205293717
ML14XP1-042-233	42000	15.1	12.5	39000	26400	8.5	CH35-51C	ML180UH110E60C	205293718
ML14XP1-042-233	42000	15.5	12.5	39000	26400	8.5	CH35-51C	ML180UH110V60C	205293719
ML14XP1-042-233	42000	15	12.5	39000	26400	8.5	CH35-51C	ML193UH090XE48C	205293720
ML14XP1-042-233	42000	15	12.5	39000	26400	8.5	CH35-51C	ML193UH110XE48C	205293721
ML14XP1-042-233	42000	15	12.5	39500	26600	8.5	CH35-51C	ML193UH110XE60C	205293722
ML14XP1-042-233	42000	15.1	12.5	39000	26400	8.5	CH35-51C	ML196UH090XE48C	205293723
ML14XP1-042-233	42000	15.1	12.5	39500	26600	8.5	CH35-51C	ML196UH110XE60C	205293724
ML14XP1-042-233	42000	15.1	12.5	39000	26400	8.5	CH35-51C	SL280UH080NV60C	205293725
ML14XP1-042-233	42000	15.1	12.5	39500	26600	8.5	CH35-51C	SL280UH090V60C	205293726
ML14XP1-042-233	42000	15.1	12.5	39500	26600	8.5	CH35-51C	SL280UH090XV60C	205293727
ML14XP1-042-233	42000	15.5	12.5	39000	26400	8.5	CH35-51C	SL280UH100NV60C	205293728
ML14XP1-042-233	42000	15	12.5	39500	26600	8.5	CH35-51C	SL280UH110V60C	205293729

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-042-233	42000	15	12.5	39500	26600	8.5	CH35-51C	SL280UH110XV60C	205293730
ML14XP1-042-233	42000	15	12.5	39000	26600	8.5	CH35-51C	SL297UH080NV48C	205293731
ML14XP1-042-233	42000	15	12.5	39500	26600	8.5	CH35-51C	SL297UH080NV60C	205293732
ML14XP1-042-233	42000	15	12.5	39500	26600	8.5	CH35-51C	SLP98UH090XV48C	205293733
ML14XP1-042-233	42000	15	12.5	39500	26800	8.5	CH35-51C	SLP98UH090XV60C	205293734
ML14XP1-042-233	42000	15	12.5	39500	26600	8.5	CH35-51C	SLP98UH110XV60C	205293735
ML14XP1-042-233	42000	15	12.5	39500	26600	8.5	CH35-51C	SLP99UH090XV48C	205552324
ML14XP1-042-233	42000	15	12.5	39500	26800	8.5	CH35-51C	SLP99UH090XV60C	205552325
ML14XP1-042-233	42000	15	12.5	39500	26600	8.5	CH35-51C	SLP99UH110XV60C	205552326
ML14XP1-042-233	42000	14	12	40000	27200	8.5	CH35-51C		205293703
ML14XP1-042-233	42000	15.1	12.5	38000	24800	8.5	CHX35-42B	EL180UH080NE48B	205293737
ML14XP1-042-233	42000	15	12.5	37800	24600	8.5	CHX35-42B	ML180UH070V36B	205293738
ML14XP1-042-233	42000	15.1	12.5	38000	24800	8.5	CHX35-42B	ML180UH070V48B	205293739
ML14XP1-042-233	42000	15	12.5	38000	24800	8.5	CHX35-42B	ML180UH090E48B	205293740
ML14XP1-042-233	42000	15	12.5	38000	25000	8.5	CHX35-42B	ML180UH090V48B	205293741
ML14XP1-042-233	42000	15.1	12.5	38000	24800	8.5	CHX35-42B	SL280UH080NV48B	205293742
ML14XP1-042-233	42000	14.5	12.5	38000	25000	8.5	CHX35-42B	SL280UH090V48B	205293743
ML14XP1-042-233	42000	14.25	12	38500	25200	8.2	CHX35-42B		205293736
ML14XP1-042-233	42000	15.1	12.5	39500	26600	8.5	CHX35-42C	EL180UH100NE60C	205293745
ML14XP1-042-233	41500	14.5	12.5	40000	26800	8.2	CHX35-42C	EL195UH080NE48C	205293746
ML14XP1-042-233	42000	14.5	12.5	40000	27000	8.5	CHX35-42C	EL195UH100NE60C	205293747
ML14XP1-042-233	41500	15	12.5	40000	26800	8.5	CHX35-42C	EL196UH090XE48C	205293748
ML14XP1-042-233	42000	15	12.5	40000	27000	8.5	CHX35-42C	EL196UH110XE60C	205293749
ML14XP1-042-233	41500	15	12.5	39500	26800	8.5	CHX35-42C	EL280UH110E48C	205293750
ML14XP1-042-233	42000	15	12.5	40000	26800	8.5	CHX35-42C	EL280UH110E60C	205293751
ML14XP1-042-233	41500	14.5	12.5	39500	26800	8.2	CHX35-42C	EL296UH090XE48C	205293752
ML14XP1-042-233	42000	14.5	12.5	40000	27000	8.5	CHX35-42C	EL296UH090XV48C	205293753
ML14XP1-042-233	42000	14.5	12.5	40000	27000	8.5	CHX35-42C	EL296UH090XV60C	205293754
ML14XP1-042-233	42000	14.5	12.5	40000	27000	8.5	CHX35-42C	EL296UH110XE60C	205293755
ML14XP1-042-233	42000	15	12.5	40000	26800	8.5	CHX35-42C	EL296UH110XV48C	205293756
ML14XP1-042-233	42000	15	12.5	40000	26800	8.5	CHX35-42C	EL296UH110XV60C	205293757
ML14XP1-042-233	42000	15	12.5	39500	26800	8.5	CHX35-42C	ML180UH090E60C	205293758
ML14XP1-042-233	41500	15	12.5	39500	26800	8.5	CHX35-42C	ML180UH110E60C	205293759
ML14XP1-042-233	41500	15.1	12.5	39500	26600	8.5	CHX35-42C	ML180UH110V60C	205293760
ML14XP1-042-233	41500	14.5	12.5	39500	26800	8.2	CHX35-42C	ML193UH090XE48C	205293761
ML14XP1-042-233	41500	14.5	12.5	39500	26800	8.2	CHX35-42C	ML193UH110XE48C	205293762
ML14XP1-042-233	42000	14.5	12.5	40000	27000	8.5	CHX35-42C	ML193UH110XE60C	205293763
ML14XP1-042-233	41000	15	12.5	40000	26800	8.5	CHX35-42C	ML196UH090XE48C	205293764
ML14XP1-042-233	42000	15	12.5	40000	27000	8.5	CHX35-42C	ML196UH110XE60C	205293765
ML14XP1-042-233	42000	15.1	12.5	39500	26600	8.5	CHX35-42C	SL280UH080NV60C	205293766
ML14XP1-042-233	42000	15	12.5	40000	26800	8.5	CHX35-42C	SL280UH090V60C	205293767
ML14XP1-042-233	42000	15	12.5	40000	26800	8.5	CHX35-42C	SL280UH090XV60C	205293768
ML14XP1-042-233	42000	15.1	12.5	39500	26600	8.5	CHX35-42C	SL280UH100NV60C	205293769
ML14XP1-042-233	41500	14.5	12.5	40000	26800	8.5	CHX35-42C	SL280UH110V60C	205293770
ML14XP1-042-233	41500	14.5	12.5	40000	26800	8.5	CHX35-42C	SL280UH110XV60C	205293771
ML14XP1-042-233	41500	15	12.5	40000	26800	8.5	CHX35-42C	SL297UH080NV48C	205293772
ML14XP1-042-233	42000	15	12.5	40000	27000	8.5	CHX35-42C	SL297UH080NV60C	205293773
ML14XP1-042-233	42000	14.5	12.5	40000	27000	8.5	CHX35-42C	SLP98UH090XV48C	205293774
ML14XP1-042-233	42000	14.5	12.5	40000	27000	8.5	CHX35-42C	SLP98UH090XV60C	205293775
ML14XP1-042-233	42000	15	12.5	40000	26800	8.5	CHX35-42C	SLP98UH110XV60C	205293776
ML14XP1-042-233	42000	14.5	12.5	40000	27000	8.5	CHX35-42C	SLP99UH090XV48C	205552327
ML14XP1-042-233	42000	14.5	12.5	40000	27000	8.5	CHX35-42C	SLP99UH090XV60C	205552328
ML14XP1-042-233	42000	15	12.5	40000	26800	8.5	CHX35-42C	SLP99UH110XV60C	205552329
ML14XP1-042-233	41000	14	11.5	40500	27400	8.2	CHX35-42C		205293744
ML14XP1-042-233	41500	14.5	12.5	40000	26600	8.5	CHX35-48B	EL180UH080NE48B	205293777
ML14XP1-042-233	40500	14.5	12.2	40000	26600	8.2	CHX35-48B	ML180UH070V36B	205293778

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-042-233	41000	14.5	12.5	40000	26600	8.5	CHX35-48B	ML180UH070V48B	205293779
ML14XP1-042-233	41000	14.5	12.5	40000	26600	8.2	CHX35-48B	ML180UH090E48B	205293780
ML14XP1-042-233	41000	14.5	12.2	40000	26800	8.2	CHX35-48B	ML180UH090V48B	205293781
ML14XP1-042-233	41500	14.5	12.5	40000	26600	8.5	CHX35-48B	SL280UH080NV48B	205293782
ML14XP1-042-233	41000	14.5	12.2	40000	26800	8.2	CHX35-48B	SL280UH090V48B	205293783
ML14XP1-042-233	41000	15	12.5	39500	26600	8.5	CHX35-48C	EL180UH100NE60C	205293784
ML14XP1-042-233	41000	14.5	12.5	39500	26800	8.2	CHX35-48C	EL195UH080NE48C	205293785
ML14XP1-042-233	41000	14.5	12.2	40000	27000	8.5	CHX35-48C	EL195UH100NE60C	205293786
ML14XP1-042-233	41000	14.5	12.5	39500	26800	8.5	CHX35-48C	EL196UH090XE48C	205293787
ML14XP1-042-233	41500	14.5	12.5	40000	27000	8.5	CHX35-48C	EL196UH110XE60C	205293788
ML14XP1-042-233	41000	14.5	12.5	39500	26800	8.5	CHX35-48C	EL280UH110E48C	205293789
ML14XP1-042-233	41500	14.5	12.5	39500	27000	8.5	CHX35-48C	EL280UH110E60C	205293790
ML14XP1-042-233	41000	14.5	12.5	39500	26800	8.2	CHX35-48C	EL296UH090XE48C	205293791
ML14XP1-042-233	41500	14.5	12.5	40000	27000	8.5	CHX35-48C	EL296UH090XV48C	205293792
ML14XP1-042-233	41500	14.5	12.5	40000	27000	8.5	CHX35-48C	EL296UH090XV60C	205293793
ML14XP1-042-233	41500	14.5	12.5	40000	27000	8.5	CHX35-48C	EL296UH110XE60C	205293794
ML14XP1-042-233	41000	14.5	12.5	39500	26800	8.5	CHX35-48C	EL296UH110XV48C	205293795
ML14XP1-042-233	41000	14.5	12.5	39500	26800	8.5	CHX35-48C	EL296UH110XV60C	205293796
ML14XP1-042-233	41000	14.5	12.5	39500	26800	8.5	CHX35-48C	ML180UH090E60C	205293797
ML14XP1-042-233	41500	14.5	12.5	39500	27000	8.5	CHX35-48C	ML180UH110E60C	205293798
ML14XP1-042-233	41000	15.1	12.5	39500	26600	8.5	CHX35-48C	ML180UH110V60C	205293799
ML14XP1-042-233	40500	14.5	12.2	39500	26800	8.2	CHX35-48C	ML193UH090XE48C	205293800
ML14XP1-042-233	41000	14.5	12.5	39500	26800	8.2	CHX35-48C	ML193UH110XE48C	205293801
ML14XP1-042-233	41000	14.5	12	39500	26800	8.5	CHX35-48C	ML193UH110XE60C	205293802
ML14XP1-042-233	41000	14.5	12.5	39500	26800	8.5	CHX35-48C	ML196UH090XE48C	205293803
ML14XP1-042-233	41500	14.5	12.5	40000	27000	8.5	CHX35-48C	ML196UH110XE60C	205293804
ML14XP1-042-233	41500	15	12.5	39500	26600	8.5	CHX35-48C	SL280UH080NV60C	205293805
ML14XP1-042-233	41500	14.5	12.5	39500	26800	8.5	CHX35-48C	SL280UH090V60C	205293806
ML14XP1-042-233	41500	14.5	12.5	39500	26800	8.5	CHX35-48C	SL280UH090XV60C	205293807
ML14XP1-042-233	41500	15.1	12.5	39500	26600	8.5	CHX35-48C	SL280UH100NV60C	205293808
ML14XP1-042-233	41000	14.5	12.5	39500	27000	8.5	CHX35-48C	SL280UH110V60C	205293809
ML14XP1-042-233	41000	14.5	12.5	39500	27000	8.5	CHX35-48C	SL280UH110XV60C	205293810
ML14XP1-042-233	41000	14.5	12.5	39500	26800	8.5	CHX35-48C	SL297UH080NV48C	205293811
ML14XP1-042-233	41500	14.5	12.5	40000	27000	8.5	CHX35-48C	SL297UH080NV60C	205293812
ML14XP1-042-233	41500	14.5	12.5	40000	27000	8.5	CHX35-48C	SLP98UH090XV48C	205293813
ML14XP1-042-233	41500	14.5	12.5	40000	27000	8.5	CHX35-48C	SLP98UH090XV60C	205293814
ML14XP1-042-233	41000	14.5	12.5	39500	26800	8.5	CHX35-48C	SLP98UH110XV60C	205293815
ML14XP1-042-233	41500	14.5	12.5	40000	27000	8.5	CHX35-48C	SLP99UH090XV48C	205552330
ML14XP1-042-233	41500	14.5	12.5	40000	27000	8.5	CHX35-48C	SLP99UH090XV60C	205552332
ML14XP1-042-233	41000	14.5	12.5	39500	26800	8.5	CHX35-48C	SLP99UH110XV60C	205552333
ML14XP1-042-233	42000	15.1	12.5	39000	26400	8.5	CHX35-51/61C	EL180UH100NE60C	205293817
ML14XP1-042-233	42000	14.5	12.5	39000	26600	8.5	CHX35-51/61C	EL195UH080NE48C	205293818
ML14XP1-042-233	42000	14.5	12.5	39500	26800	8.5	CHX35-51/61C	EL195UH100NE60C	205293819
ML14XP1-042-233	42000	15.1	12.5	39000	26400	8.5	CHX35-51/61C	EL196UH090XE48C	205293820
ML14XP1-042-233	42000	15.1	12.5	39500	26600	8.5	CHX35-51/61C	EL196UH110XE60C	205293821
ML14XP1-042-233	42000	15	12.5	39000	26400	8.5	CHX35-51/61C	EL280UH110E48C	205293822
ML14XP1-042-233	42000	15	12.5	39500	26600	8.5	CHX35-51/61C	EL280UH110E60C	205293823
ML14XP1-042-233	42000	15	12.5	39000	26400	8.5	CHX35-51/61C	EL296UH090XE48C	205293824
ML14XP1-042-233	42000	15	12.5	39500	26600	8.5	CHX35-51/61C	EL296UH090XV48C	205293825
ML14XP1-042-233	42000	15	12.5	39500	26800	8.5	CHX35-51/61C	EL296UH090XV60C	205293826
ML14XP1-042-233	42000	15	12.5	39500	26600	8.5	CHX35-51/61C	EL296UH110XE60C	205293827
ML14XP1-042-233	42000	15	12.5	39500	26600	8.5	CHX35-51/61C	EL296UH110XV48C	205293828
ML14XP1-042-233	42000	15	12.5	39500	26600	8.5	CHX35-51/61C	EL296UH110XV60C	205293829
ML14XP1-042-233	42000	15.1	12.5	39000	26400	8.5	CHX35-51/61C	ML180UH090E60C	205293830
ML14XP1-042-233	42000	15.1	12.5	39000	26400	8.5	CHX35-51/61C	ML180UH110E60C	205293831
ML14XP1-042-233	42000	15.5	12.5	39000	26400	8.5	CHX35-51/61C	ML180UH110V60C	205293832

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-042-233	42000	15	12.5	39000	26400	8.5	CHX35-51/61C	ML193UH090XE48C	205293833
ML14XP1-042-233	42000	15	12.5	39000	26400	8.5	CHX35-51/61C	ML193UH110XE48C	205293834
ML14XP1-042-233	42000	15	12.5	39500	26600	8.5	CHX35-51/61C	ML193UH110XE60C	205293835
ML14XP1-042-233	42000	15.1	12.5	39000	26400	8.5	CHX35-51/61C	ML196UH090XE48C	205293836
ML14XP1-042-233	42000	15.1	12.5	39500	26600	8.5	CHX35-51/61C	ML196UH110XE60C	205293837
ML14XP1-042-233	42000	15.1	12.5	39000	26400	8.5	CHX35-51/61C	SL280UH080NV60C	205293838
ML14XP1-042-233	42000	15.1	12.5	39500	26600	8.5	CHX35-51/61C	SL280UH090V60C	205293839
ML14XP1-042-233	42000	15.1	12.5	39500	26600	8.5	CHX35-51/61C	SL280UH090XV60C	205293840
ML14XP1-042-233	42000	15.5	12.5	39000	26400	8.5	CHX35-51/61C	SL280UH100NV60C	205293841
ML14XP1-042-233	42000	15	12.5	39500	26600	8.5	CHX35-51/61C	SL280UH110V60C	205293842
ML14XP1-042-233	42000	15	12.5	39500	26600	8.5	CHX35-51/61C	SL280UH110XV60C	205293843
ML14XP1-042-233	42000	15	12.5	39000	26600	8.5	CHX35-51/61C	SL297UH080NV48C	205293844
ML14XP1-042-233	42000	15	12.5	39500	26600	8.5	CHX35-51/61C	SL297UH080NV60C	205293845
ML14XP1-042-233	42000	15	12.5	39500	26600	8.5	CHX35-51/61C	SLP98UH090XV48C	205293846
ML14XP1-042-233	42000	15	12.5	39500	26800	8.5	CHX35-51/61C	SLP98UH090XV60C	205293847
ML14XP1-042-233	42000	15	12.5	39500	26600	8.5	CHX35-51/61C	SLP98UH110XV60C	205293848
ML14XP1-042-233	42000	15	12.5	39500	26600	8.5	CHX35-51/61C	SLP99UH090XV48C	205552334
ML14XP1-042-233	42000	15	12.5	39500	26800	8.5	CHX35-51/61C	SLP99UH090XV60C	205552335
ML14XP1-042-233	42000	15	12.5	39500	26600	8.5	CHX35-51/61C	SLP99UH110XV60C	205552336
ML14XP1-042-233	42000	14	12	40000	27200	8.5	CHX35-51/61C		205293816
ML14XP1-042-233	40000	14	12	41500	27400	8.2	CR33-48B	EL296DF070XE48B	205293849
ML14XP1-042-233	40500	14.5	12.2	41500	27200	8.2	CR33-48B	ML180DF090E48B	205293850
ML14XP1-042-233	40500	14	12	42000	27400	8.2	CR33-48B	SL280DF090V48B	205293851
ML14XP1-042-233	40000	14.25	12.2	41500	27200	8.2	CR33-48C	EL296DF090XE48C	205293852
ML14XP1-042-233	40500	14	12	42000	27400	8.2	CR33-48C	EL296DF090XV60C	205293853
ML14XP1-042-233	40500	14.25	12.2	41500	27200	8.5	CR33-48C	EL296DF110XE60C	205293854
ML14XP1-042-233	40500	14.25	12.2	42000	27400	8.2	CR33-48C	EL296DF110XV60C	205293855
ML14XP1-042-233	40500	14.5	12.5	41500	27000	8.5	CR33-48C	ML180DF110E60C	205293856
ML14XP1-042-233	40000	14.25	12.2	41500	27200	8.2	CR33-48C	ML193DF090XE48C	205293857
ML14XP1-042-233	40500	14.5	12.2	41500	27200	8.5	CR33-48C	SL280DF090V60C	205293858
ML14XP1-042-233	40500	14.5	12.2	41500	27200	8.5	CR33-48C	SL280DF110V60C	205293859
ML14XP1-042-233	40500	14	12	42000	27400	8.2	CR33-48C	SLP98DF090XV48C	205293860
ML14XP1-042-233	40500	14	12	42000	27400	8.2	CR33-48C	SLP98DF090XV60C	205293861
ML14XP1-042-233	40500	14.25	12	42000	27400	8.2	CR33-48C	SLP98DF110XV60C	205293862
ML14XP1-042-233	40500	14	12	42000	27400	8.2	CR33-48C	SLP99DF090XV48C	205552337
ML14XP1-042-233	40500	14	12	42000	27400	8.2	CR33-48C	SLP99DF090XV60C	205552338
ML14XP1-042-233	40500	14.25	12	42000	27400	8.2	CR33-48C	SLP99DF110XV60C	205552339
ML14XP1-042-233	41000	14.5	12.5	39000	25800	8.5	CR33-50/60	EL296DF090XE48C	205293863
ML14XP1-042-233	41500	14.5	12.5	39500	26000	8.5	CR33-50/60	EL296DF090XV60C	205293864
ML14XP1-042-233	41500	14.5	12.5	39000	25800	9	CR33-50/60	EL296DF110XE60C	205293865
ML14XP1-042-233	41500	14.5	12.5	39500	26000	8.5	CR33-50/60	EL296DF110XV60C	205293866
ML14XP1-042-233	41500	15	12.5	39000	25800	9	CR33-50/60	ML180DF110E60C	205293867
ML14XP1-042-233	41000	14.5	12.5	39000	25800	8.5	CR33-50/60	ML193DF090XE48C	205293868
ML14XP1-042-233	41500	14.5	12.5	39000	25800	9	CR33-50/60	SL280DF090V60C	205293869
ML14XP1-042-233	41500	14.5	12.5	39000	25800	9	CR33-50/60	SL280DF110V60C	205293870
ML14XP1-042-233	41000	14.5	12.2	39500	26000	8.5	CR33-50/60	SLP98DF090XV48C	205293871
ML14XP1-042-233	41500	14.5	12.5	39500	26000	8.5	CR33-50/60	SLP98DF090XV60C	205293872
ML14XP1-042-233	41500	14.5	12.5	39500	26000	8.5	CR33-50/60	SLP98DF110XV60C	205293873
ML14XP1-042-233	41000	14.5	12.2	39500	26000	8.5	CR33-50/60	SLP99DF090XV48C	205552340
ML14XP1-042-233	41500	14.5	12.5	39500	26000	8.5	CR33-50/60	SLP99DF090XV60C	205552342
ML14XP1-042-233	41500	14.5	12.5	39500	26000	8.5	CR33-50/60	SLP99DF110XV60C	205552343
ML14XP1-042-233	41000	14.5	12.5	39500	25400	8.5	CX35-36B	EL180UH080NE48B	205293875
ML14XP1-042-233	40500	14	12	39500	25800	8.2	CX35-36B	EL296UH070XV36B	205293876
ML14XP1-042-233	40500	14.5	12	39000	25400	8.2	CX35-36B	ML180UH070V36B	205293877
ML14XP1-042-233	41000	14.5	12.5	39000	25400	8.5	CX35-36B	ML180UH070V48B	205293878
ML14XP1-042-233	41000	14.5	12.5	39500	25600	8.5	CX35-36B	ML180UH090E48B	205293879

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-042-233	41000	14.5	12.2	39500	25600	8.5	CX35-36B	ML180UH090V48B	205293880
ML14XP1-042-233	41000	14.5	12.5	39500	25400	8.5	CX35-36B	SL280UH080NV48B	205293881
ML14XP1-042-233	41000	14.5	12.5	39500	25600	8.5	CX35-36B	SL280UH090V36B	205293882
ML14XP1-042-233	41000	14.5	12.5	39500	25600	8.5	CX35-36B	SL280UH090V48B	205293883
ML14XP1-042-233	40500	14.25	12	39500	25800	8.2	CX35-36B	SL297UH060NV36B	205293884
ML14XP1-042-233	40500	14	12	39500	25800	8.2	CX35-36B	SLP98UH070XV36B	205293885
ML14XP1-042-233	40500	14	12	39500	25800	8.2	CX35-36B	SLP99UH070XV36B	205552344
ML14XP1-042-233	40500	14	11.5	39000	26400	8.2	CX35-36B		205293874
ML14XP1-042-233	41500	15.1	12.5	39000	25200	8.2	CX35-48B	EL180UH080NE48B	205293886
ML14XP1-042-233	41000	15.1	12.5	39000	25200	8.2	CX35-48B	ML180UH070V48B	205293887
ML14XP1-042-233	41500	15	12.5	39000	25400	8.2	CX35-48B	ML180UH090E48B	205293888
ML14XP1-042-233	41500	15	12.5	39000	25400	8.2	CX35-48B	ML180UH090V48B	205293889
ML14XP1-042-233	41500	15.1	12.5	39000	25200	8.2	CX35-48B	SL280UH080NV48B	205293890
ML14XP1-042-233	41500	14.5	12.5	39000	25400	8.2	CX35-48B	SL280UH090V48B	205293891
ML14XP1-042-233	41500	15.1	12.5	39000	25200	8.2	CX35-48C	EL180UH100NE60C	205293892
ML14XP1-042-233	41000	15	12.5	39000	25400	8.2	CX35-48C	EL195UH080NE48C	205293893
ML14XP1-042-233	41500	14.5	12.5	39000	25400	8.2	CX35-48C	EL195UH100NE60C	205293894
ML14XP1-042-233	41500	15	12.5	39000	25200	8.2	CX35-48C	EL196UH090XE48C	205293895
ML14XP1-042-233	42000	15	12.5	39000	25400	8.2	CX35-48C	EL196UH110XE60C	205293896
ML14XP1-042-233	41500	15.1	12.5	39000	25200	8.2	CX35-48C	EL280UH110E48C	205293897
ML14XP1-042-233	42000	15.1	12.5	39000	25400	8.2	CX35-48C	EL280UH110E60C	205293898
ML14XP1-042-233	41000	15	12.5	39000	25200	8.2	CX35-48C	EL296UH090XE48C	205293899
ML14XP1-042-233	41000	15	12.5	39000	25200	8.2	CX35-48C	EL296UH090XV48C	205293900
ML14XP1-042-233	41500	14.5	12.5	39000	25600	8.2	CX35-48C	EL296UH090XV60C	205293901
ML14XP1-042-233	42000	15.1	12.5	39000	25400	8.2	CX35-48C	EL296UH110XE60C	205293902
ML14XP1-042-233	41500	15	12.5	39000	25400	8.2	CX35-48C	EL296UH110XV48C	205293903
ML14XP1-042-233	41500	15	12.5	39000	25400	8.2	CX35-48C	EL296UH110XV60C	205293904
ML14XP1-042-233	41500	15.1	12.5	39000	25200	8.2	CX35-48C	ML180UH090E60C	205293905
ML14XP1-042-233	41500	15	12.5	39000	25400	8.2	CX35-48C	ML180UH110E60C	205293906
ML14XP1-042-233	41500	15.5	12.5	39000	25000	8.2	CX35-48C	ML180UH110V60C	205293907
ML14XP1-042-233	41000	15	12.5	39000	25200	8.2	CX35-48C	ML193UH090XE48C	205293908
ML14XP1-042-233	41000	15.1	12.5	39000	25200	8.2	CX35-48C	ML193UH110XE48C	205293909
ML14XP1-042-233	41500	15	12.5	39000	25400	8.2	CX35-48C	ML193UH110XE60C	205293910
ML14XP1-042-233	41500	15	12.5	39000	25200	8.2	CX35-48C	ML196UH090XE48C	205293911
ML14XP1-042-233	42000	15	12.5	39000	25400	8.2	CX35-48C	ML196UH110XE60C	205293912
ML14XP1-042-233	41500	15.1	12.5	39000	25200	8.2	CX35-48C	SL280UH080NV60C	205293913
ML14XP1-042-233	41500	15	12.5	39000	25400	8.2	CX35-48C	SL280UH090V60C	205293914
ML14XP1-042-233	41500	15	12.5	39000	25400	8.2	CX35-48C	SL280UH090XV60C	205293915
ML14XP1-042-233	41500	15.5	12.5	39000	25000	8.2	CX35-48C	SL280UH100NV60C	205293916
ML14XP1-042-233	41500	15	12.5	39000	25400	8.2	CX35-48C	SL280UH110V60C	205293917
ML14XP1-042-233	41500	15	12.5	39000	25400	8.2	CX35-48C	SL280UH110XV60C	205293918
ML14XP1-042-233	41500	15	12.5	39000	25400	8.2	CX35-48C	SL297UH080NV48C	205293919
ML14XP1-042-233	41500	15	12.5	39000	25400	8.2	CX35-48C	SL297UH080NV60C	205293920
ML14XP1-042-233	41500	15	12.5	39000	25400	8.2	CX35-48C	SLP98UH090XV48C	205293921
ML14XP1-042-233	41500	14.5	12.5	39000	25600	8.2	CX35-48C	SLP98UH090XV60C	205293922
ML14XP1-042-233	41500	15	12.5	39000	25400	8.2	CX35-48C	SLP98UH110XV60C	205293923
ML14XP1-042-233	41500	15	12.5	39000	25400	8.2	CX35-48C	SLP99UH090XV48C	205552345
ML14XP1-042-233	41500	14.5	12.5	39000	25600	8.2	CX35-48C	SLP99UH090XV60C	205552346
ML14XP1-042-233	41500	15	12.5	39000	25400	8.2	CX35-48C	SLP99UH110XV60C	205552347
ML14XP1-042-233	42000	15.5	12.5	37800	23600	8.2	CX35-49C	EL180UH100NE60C	205293925
ML14XP1-042-233	42000	15.1	12.5	38000	23800	8.2	CX35-49C	EL195UH080NE48C	205293926
ML14XP1-042-233	42000	15.1	12.5	38000	23800	8.2	CX35-49C	EL195UH100NE60C	205293927
ML14XP1-042-233	42000	15.5	12.5	37800	23600	8.2	CX35-49C	EL196UH090XE48C	205293928
ML14XP1-042-233	42000	15.5	12.5	38000	23800	8.2	CX35-49C	EL196UH110XE60C	205293929
ML14XP1-042-233	42000	15.5	12.5	37800	23600	8.2	CX35-49C	EL280UH110E48C	205293930
ML14XP1-042-233	42000	15.5	12.5	38000	23800	8.2	CX35-49C	EL280UH110E60C	205293931

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-042-233	42000	15.5	12.5	38000	23800	8.2	CX35-49C	EL296UH090XV48C	205293932
ML14XP1-042-233	42000	15.1	12.5	38000	23800	8.2	CX35-49C	EL296UH090XV60C	205293933
ML14XP1-042-233	42000	15.1	12.5	38000	23800	8.2	CX35-49C	EL296UH110XE60C	205293934
ML14XP1-042-233	42000	15.5	12.5	38000	23800	8.2	CX35-49C	EL296UH110XV48C	205293935
ML14XP1-042-233	42000	15.5	12.5	38000	23800	8.2	CX35-49C	EL296UH110XV60C	205293936
ML14XP1-042-233	42000	15.5	12.5	37800	23600	8.2	CX35-49C	ML180UH090E60C	205293937
ML14XP1-042-233	42000	15.5	12.5	37800	23600	8.2	CX35-49C	ML180UH110E60C	205293938
ML14XP1-042-233	42000	15.5	12.5	37800	23600	8.2	CX35-49C	ML180UH110V60C	205293939
ML14XP1-042-233	42000	15.1	12.5	37800	23600	8.2	CX35-49C	ML193UH090XE48C	205293940
ML14XP1-042-233	42000	15.1	12.5	37800	23600	8.2	CX35-49C	ML193UH110XE48C	205293941
ML14XP1-042-233	42000	15.1	12.5	38000	23800	8.2	CX35-49C	ML193UH110XE60C	205293942
ML14XP1-042-233	42000	15.5	12.5	37800	23600	8.2	CX35-49C	ML196UH090XE48C	205293943
ML14XP1-042-233	42000	15.5	12.5	38000	23800	8.2	CX35-49C	ML196UH110XE60C	205293944
ML14XP1-042-233	42000	15.5	12.5	37800	23600	8.2	CX35-49C	SL280UH080NV60C	205293945
ML14XP1-042-233	42000	15.5	12.5	38000	23600	8.2	CX35-49C	SL280UH090V60C	205293946
ML14XP1-042-233	42000	15.5	12.5	38000	23600	8.2	CX35-49C	SL280UH090XV60C	205293947
ML14XP1-042-233	42000	16	13	37800	23400	8.2	CX35-49C	SL280UH100NV60C	205293948
ML14XP1-042-233	42000	15.1	12.5	38000	23800	8.2	CX35-49C	SL280UH110V60C	205293949
ML14XP1-042-233	42000	15.1	12.5	38000	23800	8.2	CX35-49C	SL280UH110XV60C	205293950
ML14XP1-042-233	42000	15.5	12.5	38000	23800	8.2	CX35-49C	SL297UH080NV60C	205293951
ML14XP1-042-233	42000	15.5	12.5	38000	23800	8.2	CX35-49C	SLP98UH090XV48C	205293952
ML14XP1-042-233	42000	15.1	12.5	38000	23800	8.2	CX35-49C	SLP98UH090XV60C	205293953
ML14XP1-042-233	42000	15.5	12.5	38000	23800	8.2	CX35-49C	SLP98UH110XV60C	205293954
ML14XP1-042-233	42000	15.5	12.5	38000	23800	8.2	CX35-49C	SLP99UH090XV48C	205552348
ML14XP1-042-233	42000	15.1	12.5	38000	23800	8.2	CX35-49C	SLP99UH090XV60C	205552349
ML14XP1-042-233	42000	15.5	12.5	38000	23800	8.2	CX35-49C	SLP99UH110XV60C	205552350
ML14XP1-042-233	41000	14.25	12	39500	25200	8.2	CX35-49C		205293924
ML14XP1-042-463	41000	14.5	12.5	39500	25400	8.5	C35-36B	EL180UH080NE48B	205754976
ML14XP1-042-463	40500	14	12	39500	25800	8.2	C35-36B	EL296UH070XV36B	205754977
ML14XP1-042-463	40500	14.5	12	39000	25400	8.2	C35-36B	ML180UH070V36B	205754978
ML14XP1-042-463	41000	14.5	12.5	39000	25400	8.5	C35-36B	ML180UH070V48B	205754979
ML14XP1-042-463	41000	14.5	12.5	39500	25600	8.5	C35-36B	ML180UH090E48B	205754980
ML14XP1-042-463	41000	14.5	12.2	39500	25600	8.5	C35-36B	ML180UH090V48B	205754981
ML14XP1-042-463	41000	14.5	12.5	39500	25400	8.5	C35-36B	SL280UH080NV48B	205754982
ML14XP1-042-463	41000	14.5	12.5	39500	25600	8.5	C35-36B	SL280UH090V36B	205754983
ML14XP1-042-463	41000	14.5	12.5	39500	25600	8.5	C35-36B	SL280UH090V48B	205754984
ML14XP1-042-463	40500	14.25	12	39500	25800	8.2	C35-36B	SL297UH060NV36B	205754985
ML14XP1-042-463	40500	14	12	39500	25800	8.2	C35-36B	SLP98UH070XV36B	205754986
ML14XP1-042-463	40500	14	11.5	39000	26400	8.2	C35-36B		205755379
ML14XP1-042-463	41500	15.1	12.5	39000	25200	8.2	C35-48B	EL180UH080NE48B	205754987
ML14XP1-042-463	41000	15.1	12.5	39000	25200	8.2	C35-48B	ML180UH070V48B	205754988
ML14XP1-042-463	41500	15	12.5	39000	25400	8.2	C35-48B	ML180UH090E48B	205754989
ML14XP1-042-463	41500	15	12.5	39000	25400	8.2	C35-48B	ML180UH090V48B	205754990
ML14XP1-042-463	41500	15.1	12.5	39000	25200	8.2	C35-48B	SL280UH080NV48B	205754991
ML14XP1-042-463	41500	14.5	12.5	39000	25400	8.2	C35-48B	SL280UH090V48B	205754992
ML14XP1-042-463	41500	15.1	12.5	39000	25200	8.2	C35-48C	EL180UH100NE60C	205754993
ML14XP1-042-463	41000	15	12.5	39000	25400	8.2	C35-48C	EL195UH080NE48C	205754994
ML14XP1-042-463	41500	15	12.5	39000	25400	8.2	C35-48C	EL195UH100NE60C	205754995
ML14XP1-042-463	41500	15.1	12.5	39000	25200	8.2	C35-48C	EL196UH090XE48C	205754996
ML14XP1-042-463	42000	15.1	12.5	39000	25400	8.2	C35-48C	EL196UH110XE60C	205754997
ML14XP1-042-463	41500	15.1	12.5	39000	25200	8.2	C35-48C	EL280UH110E48C	205754998
ML14XP1-042-463	42000	15.1	12.5	39000	25400	8.2	C35-48C	EL280UH110E60C	205754999
ML14XP1-042-463	41000	15	12.5	39000	25200	8.2	C35-48C	EL296UH090XE48C	205755000
ML14XP1-042-463	41500	15	12.5	39000	25200	8.2	C35-48C	EL296UH090XV48C	205755001
ML14XP1-042-463	41500	15	12.5	39000	25400	8.2	C35-48C	EL296UH090XV60C	205755002
ML14XP1-042-463	42000	15.1	12.5	39000	25400	8.2	C35-48C	EL296UH110XE60C	205755003

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-042-463	41500	15.1	12.5	39000	25200	8.2	C35-48C	EL296UH110XV48C	205755004
ML14XP1-042-463	41500	15.1	12.5	39000	25200	8.2	C35-48C	EL296UH110XV60C	205755005
ML14XP1-042-463	41500	15.1	12.5	39000	25200	8.2	C35-48C	ML180UH090E60C	205755006
ML14XP1-042-463	41500	15.1	12.5	39000	25200	8.2	C35-48C	ML180UH110E60C	205755007
ML14XP1-042-463	41500	15.5	12.5	39000	25000	8.2	C35-48C	ML180UH110V60C	205755008
ML14XP1-042-463	41000	15	12.5	39000	25200	8.2	C35-48C	ML193UH090XE48C	205755009
ML14XP1-042-463	41000	15.1	12.5	39000	25200	8.2	C35-48C	ML193UH110XE48C	205755010
ML14XP1-042-463	41500	15	12.5	39000	25400	8.2	C35-48C	ML193UH110XE60C	205755011
ML14XP1-042-463	41500	15.1	12.5	39000	25200	8.2	C35-48C	ML196UH090XE48C	205755012
ML14XP1-042-463	42000	15.1	12.5	39000	25400	8.2	C35-48C	ML196UH110XE60C	205755013
ML14XP1-042-463	41500	15.5	12.5	39000	25000	8.2	C35-48C	SL280UH080NV60C	205755014
ML14XP1-042-463	42000	15.1	12.5	39000	25200	8.2	C35-48C	SL280UH090V60C	205755015
ML14XP1-042-463	42000	15.1	12.5	39000	25200	8.2	C35-48C	SL280UH090XV60C	205755016
ML14XP1-042-463	41500	15.5	12.5	39000	25000	8.2	C35-48C	SL280UH100NV60C	205755017
ML14XP1-042-463	41500	15	12.5	39000	25200	8.2	C35-48C	SL280UH110V60C	205755018
ML14XP1-042-463	41500	15	12.5	39000	25200	8.2	C35-48C	SL280UH110XV60C	205755019
ML14XP1-042-463	41500	15.1	12.5	39000	25200	8.2	C35-48C	SL297UH080NV48C	205755020
ML14XP1-042-463	42000	15.1	12.5	39000	25400	8.2	C35-48C	SL297UH080NV60C	205755021
ML14XP1-042-463	41500	15.1	12.5	39000	25400	8.2	C35-48C	SLP98UH090XV48C	205755022
ML14XP1-042-463	41500	15	12.5	39000	25400	8.2	C35-48C	SLP98UH090XV60C	205755023
ML14XP1-042-463	41500	15.1	12.5	39000	25200	8.2	C35-48C	SLP98UH110XV60C	205755024
ML14XP1-042-463	42000	15.5	12.5	37800	23600	8.2	C35-49C	EL180UH100NE60C	205755025
ML14XP1-042-463	42000	15.1	12.5	38000	23800	8.2	C35-49C	EL195UH080NE48C	205755026
ML14XP1-042-463	42000	15.1	12.5	38000	23800	8.2	C35-49C	EL195UH100NE60C	205755027
ML14XP1-042-463	42000	15.5	12.5	37800	23600	8.2	C35-49C	EL196UH090XE48C	205755028
ML14XP1-042-463	42000	15.5	12.5	38000	23800	8.2	C35-49C	EL196UH110XE60C	205755029
ML14XP1-042-463	42000	15.5	12.5	37800	23600	8.2	C35-49C	EL280UH110E48C	205755030
ML14XP1-042-463	42000	15.5	12.5	38000	23800	8.2	C35-49C	EL280UH110E60C	205755031
ML14XP1-042-463	42000	15.5	12.5	38000	23800	8.2	C35-49C	EL296UH090XV48C	205755032
ML14XP1-042-463	42000	15.1	12.5	38000	23800	8.2	C35-49C	EL296UH090XV60C	205755033
ML14XP1-042-463	42000	15.1	12.5	38000	23800	8.2	C35-49C	EL296UH110XE60C	205755034
ML14XP1-042-463	42000	15.5	12.5	38000	23800	8.2	C35-49C	EL296UH110XV48C	205755035
ML14XP1-042-463	42000	15.5	12.5	38000	23600	8.2	C35-49C	EL296UH110XV60C	205755036
ML14XP1-042-463	42000	15.5	12.5	37800	23600	8.2	C35-49C	ML180UH090E60C	205755037
ML14XP1-042-463	42000	15.5	12.5	37800	23600	8.2	C35-49C	ML180UH110E60C	205755038
ML14XP1-042-463	42000	15.5	12.5	37800	23600	8.2	C35-49C	ML180UH110V60C	205755039
ML14XP1-042-463	42000	15.1	12.5	37800	23600	8.2	C35-49C	ML193UH090XE48C	205755040
ML14XP1-042-463	42000	15.1	12.5	37800	23600	8.2	C35-49C	ML193UH110XE48C	205755041
ML14XP1-042-463	42000	15.1	12.5	38000	23800	8.2	C35-49C	ML193UH110XE60C	205755042
ML14XP1-042-463	42000	15.5	12.5	37800	23600	8.2	C35-49C	ML196UH090XE48C	205755043
ML14XP1-042-463	42000	15.5	12.5	38000	23800	8.2	C35-49C	ML196UH110XE60C	205755044
ML14XP1-042-463	42000	15.5	12.5	37800	23600	8.2	C35-49C	SL280UH080NV60C	205755045
ML14XP1-042-463	42000	15.5	12.5	38000	23600	8.2	C35-49C	SL280UH090V60C	205755046
ML14XP1-042-463	42000	15.5	12.5	38000	23600	8.2	C35-49C	SL280UH090XV60C	205755047
ML14XP1-042-463	42000	16	13	37800	23400	8.2	C35-49C	SL280UH100NV60C	205755048
ML14XP1-042-463	42000	15.1	12.5	38000	23800	8.2	C35-49C	SL280UH110V60C	205755049
ML14XP1-042-463	42000	15.1	12.5	38000	23800	8.2	C35-49C	SL280UH110XV60C	205755050
ML14XP1-042-463	42000	15.5	12.5	38000	23800	8.2	C35-49C	SL297UH080NV60C	205755051
ML14XP1-042-463	42000	15.5	12.5	38000	23800	8.2	C35-49C	SLP98UH090XV48C	205755052
ML14XP1-042-463	42000	15.1	12.5	38000	23800	8.2	C35-49C	SLP98UH090XV60C	205755053
ML14XP1-042-463	42000	15.5	12.5	38000	23600	8.2	C35-49C	SLP98UH110XV60C	205755054
ML14XP1-042-463	41000	14.25	12	39500	25200	8.2	C35-49C		205755380
ML14XP1-042-463	40500	14	12	39500	26200	8.2	CBA25UH-042-230		205755397
ML14XP1-042-463	42000	15.1	12.5	39000	25800	8.5	CBA25UH-048-230		205755389
ML14XP1-042-463	41500	15	12.5	39000	25800	8.5	CBA25UHV-042-230		205755390
ML14XP1-042-463	42000	15.5	12.5	39000	25600	8.5	CBA25UHV-048-230		205755391

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-042-463	41500	15.1	12.5	39500	25400	8.5	CBA27UHE-042-230		205755392
ML14XP1-042-463	42000	15.1	12.5	39500	26200	9	CBA27UHE-048-230		205755393
ML14XP1-042-463	42000	15.1	12.5	39500	26200	9	CBA27UHE-048-460		205755394
ML14XP1-042-463	42000	15.5	12.5	39500	25200	9	CBA38MV-042-230		205755395
ML14XP1-042-463	42000	15.5	12.5	39500	26200	9	CBA38MV-048-230		205755396
ML14XP1-042-463	42000	15.1	12.5	38000	24800	8.5	CH35-42B	EL180UH080NE48B	205755055
ML14XP1-042-463	42000	15	12.5	37800	24600	8.5	CH35-42B	ML180UH070V36B	205755056
ML14XP1-042-463	42000	15.1	12.5	38000	24800	8.5	CH35-42B	ML180UH070V48B	205755057
ML14XP1-042-463	42000	15	12.5	38000	24800	8.5	CH35-42B	ML180UH090E48B	205755058
ML14XP1-042-463	42000	15	12.5	38000	25000	8.5	CH35-42B	ML180UH090V48B	205755059
ML14XP1-042-463	42000	15.1	12.5	38000	24800	8.5	CH35-42B	SL280UH080NV48B	205755060
ML14XP1-042-463	42000	14.5	12.5	38000	25000	8.5	CH35-42B	SL280UH090V48B	205755061
ML14XP1-042-463	42000	14.25	12	38500	25200	8.2	CH35-42B		205755381
ML14XP1-042-463	42000	15.1	12.5	39500	26600	8.5	CH35-42C	EL180UH100NE60C	205755062
ML14XP1-042-463	41500	14.5	12.5	40000	26800	8.2	CH35-42C	EL195UH080NE48C	205755063
ML14XP1-042-463	42000	14.5	12.5	40000	27000	8.5	CH35-42C	EL195UH100NE60C	205755064
ML14XP1-042-463	41500	15	12.5	40000	26800	8.5	CH35-42C	EL196UH090XE48C	205755065
ML14XP1-042-463	42000	15	12.5	40000	27000	8.5	CH35-42C	EL196UH110XE60C	205755066
ML14XP1-042-463	41500	15	12.5	39500	26800	8.5	CH35-42C	EL280UH110E48C	205755067
ML14XP1-042-463	42000	15	12.5	40000	26800	8.5	CH35-42C	EL280UH110E60C	205755068
ML14XP1-042-463	41500	14.5	12.5	39500	26800	8.2	CH35-42C	EL296UH090XE48C	205755069
ML14XP1-042-463	42000	14.5	12.5	40000	27000	8.5	CH35-42C	EL296UH090XV48C	205755070
ML14XP1-042-463	42000	14.5	12.5	40000	27000	8.5	CH35-42C	EL296UH090XV60C	205755071
ML14XP1-042-463	42000	14.5	12.5	40000	27000	8.5	CH35-42C	EL296UH110XE60C	205755072
ML14XP1-042-463	42000	15	12.5	40000	26800	8.5	CH35-42C	EL296UH110XV48C	205755073
ML14XP1-042-463	42000	15	12.5	40000	26800	8.5	CH35-42C	EL296UH110XV60C	205755074
ML14XP1-042-463	42000	15	12.5	39500	26800	8.5	CH35-42C	ML180UH090E60C	205755075
ML14XP1-042-463	41500	15	12.5	39500	26800	8.5	CH35-42C	ML180UH110E60C	205755076
ML14XP1-042-463	41500	14.5	12.5	39500	26800	8.2	CH35-42C	ML193UH090XE48C	205755077
ML14XP1-042-463	41500	14.5	12.5	39500	26800	8.2	CH35-42C	ML193UH110XE48C	205755078
ML14XP1-042-463	42000	14.5	12.5	40000	27000	8.5	CH35-42C	ML193UH110XE60C	205755079
ML14XP1-042-463	41000	15	12.5	40000	26800	8.5	CH35-42C	ML196UH090XE48C	205755080
ML14XP1-042-463	42000	15	12.5	40000	27000	8.5	CH35-42C	ML196UH110XE60C	205755081
ML14XP1-042-463	42000	15.1	12.5	39500	26600	8.5	CH35-42C	SL280UH080NV60C	205755082
ML14XP1-042-463	42000	15	12.5	40000	26800	8.5	CH35-42C	SL280UH090V60C	205755083
ML14XP1-042-463	42000	15	12.5	40000	26800	8.5	CH35-42C	SL280UH090XV60C	205755084
ML14XP1-042-463	42000	15.1	12.5	39500	26600	8.5	CH35-42C	SL280UH100NV60C	205755085
ML14XP1-042-463	41500	14.5	12.5	40000	26800	8.5	CH35-42C	SL280UH110V60C	205755086
ML14XP1-042-463	41500	14.5	12.5	40000	26800	8.5	CH35-42C	SL280UH110XV60C	205755087
ML14XP1-042-463	41500	15	12.5	40000	26800	8.5	CH35-42C	SL297UH080NV48C	205755088
ML14XP1-042-463	42000	15	12.5	40000	26800	8.5	CH35-42C	SL297UH080NV60C	205755089
ML14XP1-042-463	42000	14.5	12.5	40000	27000	8.5	CH35-42C	SLP98UH090XV48C	205755090
ML14XP1-042-463	42000	14.5	12.5	40000	27000	8.5	CH35-42C	SLP98UH090XV60C	205755091
ML14XP1-042-463	42000	15	12.5	40000	26800	8.5	CH35-42C	SLP98UH110XV60C	205755092
ML14XP1-042-463	41000	14	11.5	40500	27400	8.2	CH35-42C		205755382
ML14XP1-042-463	41500	14.5	12.5	40000	26600	8.5	CH35-48B	EL180UH080NE48B	205755093
ML14XP1-042-463	40500	14.5	12.2	40000	26400	8.2	CH35-48B	ML180UH070V36B	205755094
ML14XP1-042-463	41000	14.5	12.5	40000	26600	8.5	CH35-48B	ML180UH070V48B	205755095
ML14XP1-042-463	41000	14.5	12.5	40000	26600	8.5	CH35-48B	ML180UH090E48B	205755096
ML14XP1-042-463	41000	14.5	12.3	40000	26800	8.2	CH35-48B	ML180UH090V48B	205755097
ML14XP1-042-463	41500	14.5	12.5	40000	26600	8.5	CH35-48B	SL280UH080NV48B	205755098
ML14XP1-042-463	41000	14.5	12.2	40000	26800	8.2	CH35-48B	SL280UH090V48B	205755099
ML14XP1-042-463	41000	15	12.5	39500	26600	8.5	CH35-48C	EL180UH100NE60C	205755100
ML14XP1-042-463	41000	14.5	12.5	39500	26800	8.2	CH35-48C	EL195UH080NE48C	205755101
ML14XP1-042-463	41000	14.5	12.2	40000	27000	8.5	CH35-48C	EL195UH100NE60C	205755102
ML14XP1-042-463	41000	14.5	12.5	39500	26800	8.5	CH35-48C	EL196UH090XE48C	205755103

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-042-463	41500	14.5	12.5	40000	27000	8.5	CH35-48C	EL196UH110XE60C	205755104
ML14XP1-042-463	41000	14.5	12.5	39500	26800	8.5	CH35-48C	EL280UH110E48C	205755105
ML14XP1-042-463	41500	14.5	12.5	39500	27000	8.5	CH35-48C	EL280UH110E60C	205755106
ML14XP1-042-463	41000	14.5	12.5	39500	26800	8.2	CH35-48C	EL296UH090XE48C	205755107
ML14XP1-042-463	41500	14.5	12.5	40000	27000	8.5	CH35-48C	EL296UH090XV48C	205755108
ML14XP1-042-463	41500	14.5	12.5	40000	27000	8.5	CH35-48C	EL296UH090XV60C	205755109
ML14XP1-042-463	41500	14.5	12.5	40000	27000	8.5	CH35-48C	EL296UH110XE60C	205755110
ML14XP1-042-463	41000	14.5	12.5	39500	26800	8.5	CH35-48C	EL296UH110XV48C	205755111
ML14XP1-042-463	41000	14.5	12.5	39500	26800	8.5	CH35-48C	EL296UH110XV60C	205755112
ML14XP1-042-463	41000	14.5	12.5	39500	26800	8.5	CH35-48C	ML180UH090E60C	205755113
ML14XP1-042-463	41500	14.5	12.5	39500	27000	8.5	CH35-48C	ML180UH110E60C	205755114
ML14XP1-042-463	41000	15.1	12.5	39500	26600	8.5	CH35-48C	ML180UH110V60C	205755115
ML14XP1-042-463	40500	14.5	12.2	39500	26800	8.2	CH35-48C	ML193UH090XE48C	205755116
ML14XP1-042-463	41000	14.5	12.5	39500	26800	8.2	CH35-48C	ML193UH110XE48C	205755117
ML14XP1-042-463	41000	14.5	12	39500	26800	8.5	CH35-48C	ML193UH110XE60C	205755118
ML14XP1-042-463	41000	14.5	12.5	39500	26800	8.5	CH35-48C	ML196UH090XE48C	205755119
ML14XP1-042-463	41500	14.5	12.5	40000	27000	8.5	CH35-48C	ML196UH110XE60C	205755120
ML14XP1-042-463	41500	15	12.5	39500	26600	8.5	CH35-48C	SL280UH080NV60C	205755121
ML14XP1-042-463	41500	14.5	12.5	39500	26800	8.5	CH35-48C	SL280UH090V60C	205755122
ML14XP1-042-463	41500	14.5	12.5	39500	26800	8.5	CH35-48C	SL280UH090XV60C	205755123
ML14XP1-042-463	41500	15.1	12.5	39500	26600	8.5	CH35-48C	SL280UH100NV60C	205755124
ML14XP1-042-463	41000	14.5	12.5	39500	27000	8.5	CH35-48C	SL280UH110V60C	205755125
ML14XP1-042-463	41000	14.5	12.5	39500	27000	8.5	CH35-48C	SL280UH110XV60C	205755126
ML14XP1-042-463	41000	14.5	12.5	39500	26800	8.5	CH35-48C	SL297UH080NV48C	205755127
ML14XP1-042-463	41500	14.5	12.5	40000	27000	8.5	CH35-48C	SL297UH080NV60C	205755128
ML14XP1-042-463	41500	14.5	12.5	40000	27000	8.5	CH35-48C	SLP98UH090XV48C	205755129
ML14XP1-042-463	41500	14.5	12.5	40000	27000	8.5	CH35-48C	SLP98UH090XV60C	205755130
ML14XP1-042-463	41000	14.5	12.5	39500	26800	8.5	CH35-48C	SLP98UH110XV60C	205755131
ML14XP1-042-463	42000	15.1	12.5	39000	26400	8.5	CH35-51C	EL180UH100NE60C	205755132
ML14XP1-042-463	42000	14.5	12.5	39000	26600	8.5	CH35-51C	EL195UH080NE48C	205755133
ML14XP1-042-463	42000	14.5	12.5	39500	26800	8.5	CH35-51C	EL195UH100NE60C	205755134
ML14XP1-042-463	42000	15.1	12.5	39000	26400	8.5	CH35-51C	EL196UH090XE48C	205755135
ML14XP1-042-463	42000	15.1	12.5	39500	26600	8.5	CH35-51C	EL196UH110XE60C	205755136
ML14XP1-042-463	42000	15	12.5	39000	26400	8.5	CH35-51C	EL280UH110E48C	205755137
ML14XP1-042-463	42000	15	12.5	39500	26600	8.5	CH35-51C	EL280UH110E60C	205755138
ML14XP1-042-463	42000	15	12.5	39000	26400	8.5	CH35-51C	EL296UH090XE48C	205755139
ML14XP1-042-463	42000	15	12.5	39500	26600	8.5	CH35-51C	EL296UH090XV48C	205755140
ML14XP1-042-463	42000	15	12.5	39500	26800	8.5	CH35-51C	EL296UH090XV60C	205755141
ML14XP1-042-463	42000	15	12.5	39500	26600	8.5	CH35-51C	EL296UH110XE60C	205755142
ML14XP1-042-463	42000	15	12.5	39500	26600	8.5	CH35-51C	EL296UH110XV48C	205755143
ML14XP1-042-463	42000	15	12.5	39500	26600	8.5	CH35-51C	EL296UH110XV60C	205755144
ML14XP1-042-463	42000	15.1	12.5	39000	26400	8.5	CH35-51C	ML180UH090E60C	205755145
ML14XP1-042-463	42000	15.1	12.5	39000	26400	8.5	CH35-51C	ML180UH110E60C	205755146
ML14XP1-042-463	42000	15.5	12.5	39000	26400	8.5	CH35-51C	ML180UH110V60C	205755147
ML14XP1-042-463	42000	15	12.5	39000	26400	8.5	CH35-51C	ML193UH090XE48C	205755148
ML14XP1-042-463	42000	15	12.5	39000	26400	8.5	CH35-51C	ML193UH110XE48C	205755149
ML14XP1-042-463	42000	15	12.5	39500	26600	8.5	CH35-51C	ML193UH110XE60C	205755150
ML14XP1-042-463	42000	15.1	12.5	39000	26400	8.5	CH35-51C	ML196UH090XE48C	205755151
ML14XP1-042-463	42000	15.1	12.5	39500	26600	8.5	CH35-51C	ML196UH110XE60C	205755152
ML14XP1-042-463	42000	15.1	12.5	39000	26400	8.5	CH35-51C	SL280UH080NV60C	205755153
ML14XP1-042-463	42000	15.1	12.5	39500	26600	8.5	CH35-51C	SL280UH090V60C	205755154
ML14XP1-042-463	42000	15.1	12.5	39500	26600	8.5	CH35-51C	SL280UH090XV60C	205755155
ML14XP1-042-463	42000	15.5	12.5	39000	26400	8.5	CH35-51C	SL280UH100NV60C	205755156
ML14XP1-042-463	42000	15	12.5	39500	26600	8.5	CH35-51C	SL280UH110V60C	205755157
ML14XP1-042-463	42000	15	12.5	39500	26600	8.5	CH35-51C	SL280UH110XV60C	205755158
ML14XP1-042-463	42000	15	12.5	39000	26600	8.5	CH35-51C	SL297UH080NV48C	205755159

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-042-463	42000	15	12.5	39500	26600	8.5	CH35-51C	SL297UH080NV60C	205755160
ML14XP1-042-463	42000	15	12.5	39500	26600	8.5	CH35-51C	SLP98UH090XV48C	205755161
ML14XP1-042-463	42000	15	12.5	39500	26800	8.5	CH35-51C	SLP98UH090XV60C	205755162
ML14XP1-042-463	42000	15	12.5	39500	26600	8.5	CH35-51C	SLP98UH110XV60C	205755163
ML14XP1-042-463	42000	14	12	40000	27200	8.5	CH35-51C		205755383
ML14XP1-042-463	42000	15.1	12.5	38000	24800	8.5	CHX35-42B	EL180UH080NE48B	205755164
ML14XP1-042-463	42000	15	12.5	37800	24600	8.5	CHX35-42B	ML180UH070V36B	205755165
ML14XP1-042-463	42000	15.1	12.5	38000	24800	8.5	CHX35-42B	ML180UH070V48B	205755166
ML14XP1-042-463	42000	15	12.5	38000	24800	8.5	CHX35-42B	ML180UH090E48B	205755167
ML14XP1-042-463	42000	15	12.5	38000	25000	8.5	CHX35-42B	ML180UH090V48B	205755168
ML14XP1-042-463	42000	15.1	12.5	38000	24800	8.5	CHX35-42B	SL280UH080NV48B	205755169
ML14XP1-042-463	42000	14.5	12.5	38000	25000	8.5	CHX35-42B	SL280UH090V48B	205755170
ML14XP1-042-463	42000	14.25	12	38500	25200	8.2	CHX35-42B		205755384
ML14XP1-042-463	42000	15.1	12.5	39500	26600	8.5	CHX35-42C	EL180UH100NE60C	205755171
ML14XP1-042-463	41500	14.5	12.5	40000	26800	8.2	CHX35-42C	EL195UH080NE48C	205755172
ML14XP1-042-463	42000	14.5	12.5	40000	27000	8.5	CHX35-42C	EL195UH100NE60C	205755173
ML14XP1-042-463	41500	15	12.5	40000	26800	8.5	CHX35-42C	EL196UH090XE48C	205755174
ML14XP1-042-463	42000	15	12.5	40000	27000	8.5	CHX35-42C	EL196UH110XE60C	205755175
ML14XP1-042-463	41500	15	12.5	39500	26800	8.5	CHX35-42C	EL280UH110E48C	205755176
ML14XP1-042-463	42000	15	12.5	40000	26800	8.5	CHX35-42C	EL280UH110E60C	205755177
ML14XP1-042-463	41500	14.5	12.5	39500	26800	8.2	CHX35-42C	EL296UH090XE48C	205755178
ML14XP1-042-463	42000	14.5	12.5	40000	27000	8.5	CHX35-42C	EL296UH090XV48C	205755179
ML14XP1-042-463	42000	14.5	12.5	40000	27000	8.5	CHX35-42C	EL296UH090XV60C	205755180
ML14XP1-042-463	42000	14.5	12.5	40000	27000	8.5	CHX35-42C	EL296UH110XE60C	205755181
ML14XP1-042-463	42000	15	12.5	40000	26800	8.5	CHX35-42C	EL296UH110XV48C	205755182
ML14XP1-042-463	42000	15	12.5	40000	26800	8.5	CHX35-42C	EL296UH110XV60C	205755183
ML14XP1-042-463	42000	15	12.5	39500	26800	8.5	CHX35-42C	ML180UH090E60C	205755184
ML14XP1-042-463	41500	15	12.5	39500	26800	8.5	CHX35-42C	ML180UH110E60C	205755185
ML14XP1-042-463	41500	15.1	12.5	39500	26600	8.5	CHX35-42C	ML180UH110V60C	205755186
ML14XP1-042-463	41500	14.5	12.5	39500	26800	8.2	CHX35-42C	ML193UH090XE48C	205755187
ML14XP1-042-463	41500	14.5	12.5	39500	26800	8.2	CHX35-42C	ML193UH110XE48C	205755188
ML14XP1-042-463	42000	14.5	12.5	40000	27000	8.5	CHX35-42C	ML193UH110XE60C	205755189
ML14XP1-042-463	41000	15	12.5	40000	26800	8.5	CHX35-42C	ML196UH090XE48C	205755190
ML14XP1-042-463	42000	15	12.5	40000	27000	8.5	CHX35-42C	ML196UH110XE60C	205755191
ML14XP1-042-463	42000	15.1	12.5	39500	26600	8.5	CHX35-42C	SL280UH080NV60C	205755192
ML14XP1-042-463	42000	15	12.5	40000	26800	8.5	CHX35-42C	SL280UH090V60C	205755193
ML14XP1-042-463	42000	15	12.5	40000	26800	8.5	CHX35-42C	SL280UH090XV60C	205755194
ML14XP1-042-463	42000	15.1	12.5	39500	26600	8.5	CHX35-42C	SL280UH100NV60C	205755195
ML14XP1-042-463	41500	14.5	12.5	40000	26800	8.5	CHX35-42C	SL280UH110V60C	205755196
ML14XP1-042-463	41500	14.5	12.5	40000	26800	8.5	CHX35-42C	SL280UH110XV60C	205755197
ML14XP1-042-463	41500	15	12.5	40000	26800	8.5	CHX35-42C	SL297UH080NV48C	205755198
ML14XP1-042-463	42000	15	12.5	40000	26800	8.5	CHX35-42C	SL297UH080NV60C	205755199
ML14XP1-042-463	42000	14.5	12.5	40000	27000	8.5	CHX35-42C	SLP98UH090XV48C	205755200
ML14XP1-042-463	42000	14.5	12.5	40000	27000	8.5	CHX35-42C	SLP98UH090XV60C	205755201
ML14XP1-042-463	42000	15	12.5	40000	26800	8.5	CHX35-42C	SLP98UH110XV60C	205755202
ML14XP1-042-463	41000	14	11.5	40500	27400	8.2	CHX35-42C		205755385
ML14XP1-042-463	41500	14.5	12.5	40000	26600	8.5	CHX35-48B	EL180UH080NE48B	205755203
ML14XP1-042-463	40500	14.5	12.2	40000	26400	8.2	CHX35-48B	ML180UH070V36B	205755204
ML14XP1-042-463	41000	14.5	12.5	40000	26600	8.5	CHX35-48B	ML180UH070V48B	205755205
ML14XP1-042-463	41000	14.5	12.5	40000	26600	8.2	CHX35-48B	ML180UH090E48B	205755206
ML14XP1-042-463	41000	14.5	12.2	40000	26800	8.2	CHX35-48B	ML180UH090V48B	205755207
ML14XP1-042-463	41500	14.5	12.5	40000	26600	8.5	CHX35-48B	SL280UH080NV48B	205755208
ML14XP1-042-463	41000	14.5	12.2	40000	26800	8.2	CHX35-48B	SL280UH090V48B	205755209
ML14XP1-042-463	41000	15	12.5	39500	26600	8.5	CHX35-48C	EL180UH100NE60C	205755210
ML14XP1-042-463	41000	14.5	12.5	39500	26800	8.2	CHX35-48C	EL195UH080NE48C	205755211
ML14XP1-042-463	41000	14.5	12.2	40000	27000	8.5	CHX35-48C	EL195UH100NE60C	205755212

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-042-463	41000	14.5	12.5	39500	26800	8.5	CHX35-48C	EL196UH090XE48C	205755213
ML14XP1-042-463	41500	14.5	12.5	40000	27000	8.5	CHX35-48C	EL196UH110XE60C	205755214
ML14XP1-042-463	41000	14.5	12.5	39500	26800	8.5	CHX35-48C	EL280UH110E48C	205755215
ML14XP1-042-463	41500	14.5	12.5	39500	27000	8.5	CHX35-48C	EL280UH110E60C	205755216
ML14XP1-042-463	41000	14.5	12.5	39500	26800	8.2	CHX35-48C	EL296UH090XE48C	205755217
ML14XP1-042-463	41500	14.5	12.5	40000	27000	8.5	CHX35-48C	EL296UH090XV48C	205755218
ML14XP1-042-463	41500	14.5	12.5	40000	27000	8.5	CHX35-48C	EL296UH090XV60C	205755219
ML14XP1-042-463	41500	14.5	12.5	40000	27000	8.5	CHX35-48C	EL296UH110XE60C	205755220
ML14XP1-042-463	41000	14.5	12.5	39500	26800	8.5	CHX35-48C	EL296UH110XV48C	205755221
ML14XP1-042-463	41000	14.5	12.5	39500	26800	8.5	CHX35-48C	EL296UH110XV60C	205755222
ML14XP1-042-463	41000	14.5	12.5	39500	26800	8.5	CHX35-48C	ML180UH090E60C	205755223
ML14XP1-042-463	41500	14.5	12.5	39500	27000	8.5	CHX35-48C	ML180UH110E60C	205755224
ML14XP1-042-463	41000	15.1	12.5	39500	26600	8.5	CHX35-48C	ML180UH110V60C	205755225
ML14XP1-042-463	40500	14.5	12.2	39500	26800	8.2	CHX35-48C	ML193UH090XE48C	205755226
ML14XP1-042-463	41000	14.5	12.5	39500	26800	8.2	CHX35-48C	ML193UH110XE48C	205755227
ML14XP1-042-463	41000	14.5	12	39500	26800	8.5	CHX35-48C	ML193UH110XE60C	205755228
ML14XP1-042-463	41000	14.5	12.5	39500	26800	8.5	CHX35-48C	ML196UH090XE48C	205755229
ML14XP1-042-463	41500	14.5	12.5	40000	27000	8.5	CHX35-48C	ML196UH110XE60C	205755230
ML14XP1-042-463	41500	15	12.5	39500	26600	8.5	CHX35-48C	SL280UH080NV60C	205755231
ML14XP1-042-463	41500	14.5	12.5	39500	26800	8.5	CHX35-48C	SL280UH090V60C	205755232
ML14XP1-042-463	41500	14.5	12.5	39500	26800	8.5	CHX35-48C	SL280UH090XV60C	205755233
ML14XP1-042-463	41500	15.1	12.5	39500	26600	8.5	CHX35-48C	SL280UH100NV60C	205755234
ML14XP1-042-463	41000	14.5	12.5	39500	27000	8.5	CHX35-48C	SL280UH110V60C	205755235
ML14XP1-042-463	41000	14.5	12.5	39500	27000	8.5	CHX35-48C	SL280UH110XV60C	205755236
ML14XP1-042-463	41000	14.5	12.5	39500	26800	8.5	CHX35-48C	SL297UH080NV48C	205755237
ML14XP1-042-463	41500	14.5	12.5	40000	27000	8.5	CHX35-48C	SL297UH080NV60C	205755238
ML14XP1-042-463	41500	14.5	12.5	40000	27000	8.5	CHX35-48C	SLP98UH090XV48C	205755239
ML14XP1-042-463	41500	14.5	12.5	40000	27000	8.5	CHX35-48C	SLP98UH090XV60C	205755240
ML14XP1-042-463	41000	14.5	12.5	39500	26800	8.5	CHX35-48C	SLP98UH110XV60C	205755241
ML14XP1-042-463	42000	15.1	12.5	39000	26400	8.5	CHX35-51/61C	EL180UH100NE60C	205755242
ML14XP1-042-463	42000	14.5	12.5	39000	26600	8.5	CHX35-51/61C	EL195UH080NE48C	205755243
ML14XP1-042-463	42000	14.5	12.5	39500	26800	8.5	CHX35-51/61C	EL195UH100NE60C	205755244
ML14XP1-042-463	42000	15.1	12.5	39000	26400	8.5	CHX35-51/61C	EL196UH090XE48C	205755245
ML14XP1-042-463	42000	15.1	12.5	39500	26600	8.5	CHX35-51/61C	EL196UH110XE60C	205755246
ML14XP1-042-463	42000	15	12.5	39000	26400	8.5	CHX35-51/61C	EL280UH110E48C	205755247
ML14XP1-042-463	42000	15	12.5	39500	26600	8.5	CHX35-51/61C	EL280UH110E60C	205755248
ML14XP1-042-463	42000	15	12.5	39000	26400	8.5	CHX35-51/61C	EL296UH090XE48C	205755249
ML14XP1-042-463	42000	15	12.5	39500	26600	8.5	CHX35-51/61C	EL296UH090XV48C	205755250
ML14XP1-042-463	42000	15	12.5	39500	26800	8.5	CHX35-51/61C	EL296UH090XV60C	205755251
ML14XP1-042-463	42000	15	12.5	39500	26600	8.5	CHX35-51/61C	EL296UH110XE60C	205755252
ML14XP1-042-463	42000	15	12.5	39500	26600	8.5	CHX35-51/61C	EL296UH110XV48C	205755253
ML14XP1-042-463	42000	15	12.5	39500	26600	8.5	CHX35-51/61C	EL296UH110XV60C	205755254
ML14XP1-042-463	42000	15.1	12.5	39000	26400	8.5	CHX35-51/61C	ML180UH090E60C	205755255
ML14XP1-042-463	42000	15.1	12.5	39000	26400	8.5	CHX35-51/61C	ML180UH110E60C	205755256
ML14XP1-042-463	42000	15.5	12.5	39000	26400	8.5	CHX35-51/61C	ML180UH110V60C	205755257
ML14XP1-042-463	42000	15	12.5	39000	26400	8.5	CHX35-51/61C	ML193UH090XE48C	205755258
ML14XP1-042-463	42000	15	12.5	39000	26400	8.5	CHX35-51/61C	ML193UH110XE48C	205755259
ML14XP1-042-463	42000	15	12.5	39500	26600	8.5	CHX35-51/61C	ML193UH110XE60C	205755260
ML14XP1-042-463	42000	15.1	12.5	39000	26400	8.5	CHX35-51/61C	ML196UH090XE48C	205755261
ML14XP1-042-463	42000	15.1	12.5	39500	26600	8.5	CHX35-51/61C	ML196UH110XE60C	205755262
ML14XP1-042-463	42000	15.1	12.5	39000	26400	8.5	CHX35-51/61C	SL280UH080NV60C	205755263
ML14XP1-042-463	42000	15.1	12.5	39500	26600	8.5	CHX35-51/61C	SL280UH090V60C	205755264
ML14XP1-042-463	42000	15.1	12.5	39500	26600	8.5	CHX35-51/61C	SL280UH090XV60C	205755265
ML14XP1-042-463	42000	15.5	12.5	39000	26400	8.5	CHX35-51/61C	SL280UH100NV60C	205755266
ML14XP1-042-463	42000	15	12.5	39500	26600	8.5	CHX35-51/61C	SL280UH110V60C	205755267
ML14XP1-042-463	42000	15	12.5	39500	26600	8.5	CHX35-51/61C	SL280UH110XV60C	205755268

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-042-463	42000	15	12.5	39000	26600	8.5	CHX35-51/61C	SL297UH080NV48C	205755269
ML14XP1-042-463	42000	15	12.5	39500	26600	8.5	CHX35-51/61C	SL297UH080NV60C	205755270
ML14XP1-042-463	42000	15	12.5	39500	26600	8.5	CHX35-51/61C	SLP98UH090XV48C	205755271
ML14XP1-042-463	42000	15	12.5	39500	26800	8.5	CHX35-51/61C	SLP98UH090XV60C	205755272
ML14XP1-042-463	42000	15	12.5	39500	26600	8.5	CHX35-51/61C	SLP98UH110XV60C	205755273
ML14XP1-042-463	42000	14	12	40000	27200	8.5	CHX35-51/61C		205755386
ML14XP1-042-463	40000	14	12	41500	27400	8.2	CR33-48B	EL296DF070XE48B	205755274
ML14XP1-042-463	40500	14.5	12.2	41500	27200	8.2	CR33-48B	ML180DF090E48B	205755275
ML14XP1-042-463	40500	14	12	42000	27400	8.2	CR33-48B	SL280DF090V48B	205755276
ML14XP1-042-463	40000	14.25	12.2	41500	27200	8.2	CR33-48C	EL296DF090XE48C	205755277
ML14XP1-042-463	40500	14	12	42000	27400	8.2	CR33-48C	EL296DF090XV60C	205755278
ML14XP1-042-463	40500	14.25	12.2	41500	27200	8.5	CR33-48C	EL296DF110XE60C	205755279
ML14XP1-042-463	40500	14.25	12.2	42000	27400	8.2	CR33-48C	EL296DF110XV60C	205755280
ML14XP1-042-463	40500	14.5	12.5	41500	27000	8.5	CR33-48C	ML180DF110E60C	205755281
ML14XP1-042-463	40000	14.25	12.2	41500	27200	8.2	CR33-48C	ML193DF090XE48C	205755282
ML14XP1-042-463	40500	14.5	12.2	41500	27200	8.5	CR33-48C	SL280DF090V60C	205755283
ML14XP1-042-463	40500	14.5	12.2	41500	27200	8.5	CR33-48C	SL280DF110V60C	205755284
ML14XP1-042-463	40500	14	12	42000	27400	8.2	CR33-48C	SLP98DF090XV48C	205755285
ML14XP1-042-463	40500	14	12	42000	27400	8.2	CR33-48C	SLP98DF090XV60C	205755286
ML14XP1-042-463	40500	14.25	12	42000	27400	8.2	CR33-48C	SLP98DF110XV60C	205755287
ML14XP1-042-463	41000	14.5	12.5	39000	25800	8.5	CR33-50/60	EL296DF090XE48C	205755288
ML14XP1-042-463	41500	14.5	12.5	39500	26000	8.5	CR33-50/60	EL296DF090XV60C	205755289
ML14XP1-042-463	41500	14.5	12.5	39000	25800	9	CR33-50/60	EL296DF110XE60C	205755290
ML14XP1-042-463	41500	14.5	12.5	39500	26000	8.5	CR33-50/60	EL296DF110XV60C	205755291
ML14XP1-042-463	41500	15	12.5	39000	25800	9	CR33-50/60	ML180DF110E60C	205755292
ML14XP1-042-463	41000	14.5	12.5	39000	25800	8.5	CR33-50/60	ML193DF090XE48C	205755293
ML14XP1-042-463	41500	14.5	12.5	39000	25800	9	CR33-50/60	SL280DF090V60C	205755294
ML14XP1-042-463	41500	14.5	12.5	39000	25800	9	CR33-50/60	SL280DF110V60C	205755295
ML14XP1-042-463	41000	14.5	12.2	39500	26000	8.5	CR33-50/60	SLP98DF090XV48C	205755296
ML14XP1-042-463	41500	14.5	12.5	39500	26000	8.5	CR33-50/60	SLP98DF090XV60C	205755297
ML14XP1-042-463	41500	14.5	12.5	39500	26000	8.5	CR33-50/60	SLP98DF110XV60C	205755298
ML14XP1-042-463	41000	14.5	12.5	39500	25400	8.5	CX35-36B	EL180UH080NE48B	205755299
ML14XP1-042-463	40500	14	12	39500	25800	8.2	CX35-36B	EL296UH070XV36B	205755300
ML14XP1-042-463	40500	14.5	12	39000	25400	8.2	CX35-36B	ML180UH070V36B	205755301
ML14XP1-042-463	41000	14.5	12.5	39000	25400	8.5	CX35-36B	ML180UH070V48B	205755302
ML14XP1-042-463	41000	14.5	12.5	39500	25600	8.5	CX35-36B	ML180UH090E48B	205755303
ML14XP1-042-463	41000	14.5	12.2	39500	25600	8.5	CX35-36B	ML180UH090V48B	205755304
ML14XP1-042-463	41000	14.5	12.5	39500	25400	8.5	CX35-36B	SL280UH080NV48B	205755305
ML14XP1-042-463	41000	14.5	12.5	39500	25600	8.5	CX35-36B	SL280UH090V36B	205755306
ML14XP1-042-463	41000	14.5	12.5	39500	25600	8.5	CX35-36B	SL280UH090V48B	205755307
ML14XP1-042-463	40500	14.25	12	39500	25800	8.2	CX35-36B	SL297UH060NV36B	205755308
ML14XP1-042-463	40500	14	12	39500	25800	8.2	CX35-36B	SLP98UH070XV36B	205755309
ML14XP1-042-463	40500	14	11.5	39000	26400	8.2	CX35-36B		205755387
ML14XP1-042-463	41500	15.1	12.5	39000	25200	8.2	CX35-48B	EL180UH080NE48B	205755310
ML14XP1-042-463	41000	15.1	12.5	39000	25200	8.2	CX35-48B	ML180UH070V48B	205755311
ML14XP1-042-463	41500	15	12.5	39000	25400	8.2	CX35-48B	ML180UH090E48B	205755312
ML14XP1-042-463	41500	15	12.5	39000	25400	8.2	CX35-48B	ML180UH090V48B	205755313
ML14XP1-042-463	41500	15.1	12.5	39000	25200	8.2	CX35-48B	SL280UH080NV48B	205755314
ML14XP1-042-463	41500	14.5	12.5	39000	25400	8.2	CX35-48B	SL280UH090V48B	205755315
ML14XP1-042-463	41500	15.1	12.5	39000	25200	8.2	CX35-48C	EL180UH100NE60C	205755316
ML14XP1-042-463	41000	15	12.5	39000	25400	8.2	CX35-48C	EL195UH080NE48C	205755317
ML14XP1-042-463	41500	14.5	12.5	39000	25400	8.2	CX35-48C	EL195UH100NE60C	205755318
ML14XP1-042-463	41500	15	12.5	39000	25200	8.2	CX35-48C	EL196UH090XE48C	205755319
ML14XP1-042-463	42000	15	12.5	39000	25400	8.2	CX35-48C	EL196UH110XE60C	205755320
ML14XP1-042-463	41500	15.1	12.5	39000	25200	8.2	CX35-48C	EL280UH110E48C	205755321
ML14XP1-042-463	42000	15.1	12.5	39000	25400	8.2	CX35-48C	EL280UH110E60C	205755322

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-042-463	41000	15	12.5	39000	25200	8.2	CX35-48C	EL296UH090XE48C	205755323
ML14XP1-042-463	41000	15	12.5	39000	25200	8.2	CX35-48C	EL296UH090XV48C	205755324
ML14XP1-042-463	41500	14.5	12.5	39000	25600	8.2	CX35-48C	EL296UH090XV60C	205755325
ML14XP1-042-463	42000	15.1	12.5	39000	25400	8.2	CX35-48C	EL296UH110XE60C	205755326
ML14XP1-042-463	41500	15	12.5	39000	25400	8.2	CX35-48C	EL296UH110XV48C	205755327
ML14XP1-042-463	41500	15	12.5	39000	25400	8.2	CX35-48C	EL296UH110XV60C	205755328
ML14XP1-042-463	41500	15.1	12.5	39000	25200	8.2	CX35-48C	ML180UH090E60C	205755329
ML14XP1-042-463	41500	15	12.5	39000	25400	8.2	CX35-48C	ML180UH110E60C	205755330
ML14XP1-042-463	41500	15.5	12.5	39000	25000	8.2	CX35-48C	ML180UH110V60C	205755331
ML14XP1-042-463	41000	15	12.5	39000	25200	8.2	CX35-48C	ML193UH090XE48C	205755332
ML14XP1-042-463	41000	15.1	12.5	39000	25200	8.2	CX35-48C	ML193UH110XE48C	205755333
ML14XP1-042-463	41500	15	12.5	39000	25400	8.2	CX35-48C	ML193UH110XE60C	205755334
ML14XP1-042-463	41500	15	12.5	39000	25200	8.2	CX35-48C	ML196UH090XE48C	205755335
ML14XP1-042-463	42000	15	12.5	39000	25400	8.2	CX35-48C	ML196UH110XE60C	205755336
ML14XP1-042-463	41500	15.1	12.5	39000	25200	8.2	CX35-48C	SL280UH080NV60C	205755337
ML14XP1-042-463	41500	15	12.5	39000	25400	8.2	CX35-48C	SL280UH090V60C	205755338
ML14XP1-042-463	41500	15	12.5	39000	25400	8.2	CX35-48C	SL280UH090XV60C	205755339
ML14XP1-042-463	41500	15.5	12.5	39000	25000	8.2	CX35-48C	SL280UH100NV60C	205755340
ML14XP1-042-463	41500	15	12.5	39000	25400	8.2	CX35-48C	SL280UH110V60C	205755341
ML14XP1-042-463	41500	15	12.5	39000	25400	8.2	CX35-48C	SL280UH110XV60C	205755342
ML14XP1-042-463	41500	15	12.5	39000	25400	8.2	CX35-48C	SL297UH080NV48C	205755343
ML14XP1-042-463	41500	15	12.5	39000	25400	8.2	CX35-48C	SL297UH080NV60C	205755344
ML14XP1-042-463	41500	15	12.5	39000	25400	8.2	CX35-48C	SLP98UH090XV48C	205755345
ML14XP1-042-463	41500	14.5	12.5	39000	25600	8.2	CX35-48C	SLP98UH090XV60C	205755346
ML14XP1-042-463	41500	15	12.5	39000	25400	8.2	CX35-48C	SLP98UH110XV60C	205755347
ML14XP1-042-463	42000	15.5	12.5	38000	23600	8.2	CX35-49C	EL180UH100NE60C	205755348
ML14XP1-042-463	42000	15.1	12.5	38000	23800	8.2	CX35-49C	EL195UH080NE48C	205755349
ML14XP1-042-463	42000	15.1	12.5	38000	23800	8.2	CX35-49C	EL195UH100NE60C	205755350
ML14XP1-042-463	42000	15.5	12.5	38000	23600	8.2	CX35-49C	EL196UH090XE48C	205755378
ML14XP1-042-463	42000	15.5	12.5	38500	23800	8.2	CX35-49C	EL196UH110XE60C	205755351
ML14XP1-042-463	42000	15.5	12.5	38000	23600	8.2	CX35-49C	EL280UH110E48C	205755352
ML14XP1-042-463	42000	15.5	12.5	38000	23800	8.2	CX35-49C	EL280UH110E60C	205755353
ML14XP1-042-463	42000	15.5	12.5	38000	23800	8.2	CX35-49C	EL296UH090XV48C	205755354
ML14XP1-042-463	42000	15.1	12.5	38000	23800	8.2	CX35-49C	EL296UH090XV60C	205755355
ML14XP1-042-463	42000	15.1	12.5	38000	23800	8.2	CX35-49C	EL296UH110XE60C	205755356
ML14XP1-042-463	42000	15.5	12.5	38000	23800	8.2	CX35-49C	EL296UH110XV48C	205755357
ML14XP1-042-463	42000	15.5	12.5	38000	23600	8.2	CX35-49C	EL296UH110XV60C	205755358
ML14XP1-042-463	42000	15.5	12.5	37800	23600	8.2	CX35-49C	ML180UH090E60C	205755359
ML14XP1-042-463	42000	15.5	12.5	37800	23600	8.2	CX35-49C	ML180UH110E60C	205755360
ML14XP1-042-463	42000	15.5	12.5	37800	23600	8.2	CX35-49C	ML180UH110V60C	205755361
ML14XP1-042-463	42000	15.1	12.5	37800	23600	8.2	CX35-49C	ML193UH090XE48C	205755362
ML14XP1-042-463	42000	15.1	12.5	38000	23800	8.2	CX35-49C	ML193UH110XE48C	205755363
ML14XP1-042-463	42000	15.1	12.5	38000	23800	8.2	CX35-49C	ML193UH110XE60C	205755364
ML14XP1-042-463	42000	15.5	12.5	38000	23600	8.2	CX35-49C	ML196UH090XE48C	205755365
ML14XP1-042-463	42000	15.5	12.5	38500	23800	8.2	CX35-49C	ML196UH110XE60C	205755366
ML14XP1-042-463	42000	15.5	12.5	37800	23600	8.2	CX35-49C	SL280UH080NV60C	205755367
ML14XP1-042-463	42000	15.5	12.5	38000	23600	8.2	CX35-49C	SL280UH090V60C	205755368
ML14XP1-042-463	42000	15.5	12.5	38000	23600	8.2	CX35-49C	SL280UH090XV60C	205755369
ML14XP1-042-463	42000	16	13	37800	23400	8.2	CX35-49C	SL280UH100NV60C	205755370
ML14XP1-042-463	42000	15.1	12.5	38000	23800	8.2	CX35-49C	SL280UH110V60C	205755371
ML14XP1-042-463	42000	15.1	12.5	38000	23800	8.2	CX35-49C	SL280UH110XV60C	205755372
ML14XP1-042-463	42000	15.5	12.5	38000	23800	8.2	CX35-49C	SL297UH080NV60C	205755373
ML14XP1-042-463	42000	15.5	12.5	38000	23800	8.2	CX35-49C	SLP98UH090XV48C	205755374
ML14XP1-042-463	42000	15.1	12.5	38000	23800	8.2	CX35-49C	SLP98UH090XV60C	205755375
ML14XP1-042-463	42000	15.5	12.5	38000	23600	8.2	CX35-49C	SLP98UH110XV60C	205755376
ML14XP1-042-463	41000	14.25	12	39500	25200	8.2	CX35-49C		205755388

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-048-230	48000	15.1	12.5	42000	26600	8.2	C35-49C	EL180UH100NE60C	202570536
ML14XP1-048-230	48000	14.5	12.5	42500	27000	8.2	C35-49C	EL195UH080NE48C	202570537
ML14XP1-048-230	48000	14.5	12.5	42500	27000	8.2	C35-49C	EL195UH100NE60C	202570539
ML14XP1-048-230	48000	15	12.5	42500	27000	8.2	C35-49C	EL196UH090XE48C	202570541
ML14XP1-048-230	48000	15.1	12.5	42500	26800	8.2	C35-49C	EL196UH110XE60C	202570542
ML14XP1-048-230	48000	15	12.5	42000	27000	8.2	C35-49C	EL280UH110E48C	204043998
ML14XP1-048-230	48000	15	12.5	41500	26800	8.2	C35-49C	EL280UH110E60C	204043999
ML14XP1-048-230	48000	15	12.5	42500	27000	8.2	C35-49C	EL296UH090XE48C	202570543
ML14XP1-048-230	48000	15	12.5	42500	27000	8.2	C35-49C	EL296UH090XV48C	202570544
ML14XP1-048-230	48000	15	12.5	42500	27000	8.2	C35-49C	EL296UH090XV60C	202570545
ML14XP1-048-230	48000	15.1	12.5	42500	26800	8.2	C35-49C	EL296UH110XE60C	202570546
ML14XP1-048-230	48000	15	12.5	42500	27000	8.2	C35-49C	EL296UH110XV48C	202570547
ML14XP1-048-230	48000	15	12.5	42500	27000	8.2	C35-49C	EL296UH110XV60C	202570548
ML14XP1-048-230	48000	15.1	12.5	42000	26800	8.2	C35-49C	ML180UH090E60C	202570549
ML14XP1-048-230	48000	15.1	12.5	42000	26600	8.2	C35-49C	ML180UH110E60C	202570550
ML14XP1-048-230	48000	15.1	12.5	42500	26800	8.2	C35-49C	ML180UH110V60C	204495736
ML14XP1-048-230	48000	14.5	12.5	42000	26800	8.2	C35-49C	ML193UH090XE48C	204044000
ML14XP1-048-230	48000	14.5	12.5	42000	27000	8.2	C35-49C	ML193UH110XE48C	204044001
ML14XP1-048-230	48000	14.5	12	42500	27200	8.2	C35-49C	ML193UH110XE60C	204044002
ML14XP1-048-230	48000	15	12.5	42500	27000	8.2	C35-49C	ML196UH090XE48C	204498310
ML14XP1-048-230	48000	15.1	12.5	42500	26800	8.2	C35-49C	ML196UH110XE60C	204498311
ML14XP1-048-230	48000	15	12.5	42500	27000	8.2	C35-49C	ML296UH090XV48C	205470376
ML14XP1-048-230	48000	15	12.5	42500	26800	8.2	C35-49C	ML296UH110XV60C	205470377
ML14XP1-048-230	48000	15.5	12.5	42000	26600	8.5	C35-49C	SL280UH080NV60C	202570551
ML14XP1-048-230	48000	15.1	12.5	42500	26800	8.2	C35-49C	SL280UH090V60C	202570552
ML14XP1-048-230	48000	15.1	12.5	42500	26800	8.2	C35-49C	SL280UH090XV60C	202570553
ML14XP1-048-230	48000	15.5	12.5	42500	26800	8.5	C35-49C	SL280UH100NV60C	202570554
ML14XP1-048-230	48000	15.1	12.5	42500	26800	8.2	C35-49C	SL280UH110V60C	202570555
ML14XP1-048-230	48000	15.1	12.5	42500	26800	8.2	C35-49C	SL280UH110XV60C	202570556
ML14XP1-048-230	48000	15	12.5	42500	27000	8.2	C35-49C	SL297UH080NV60C	202570557
ML14XP1-048-230	48000	15	12.5	42500	27000	8.2	C35-49C	SLP98UH090XV48C	202570558
ML14XP1-048-230	48000	15	12.5	42500	27000	8.2	C35-49C	SLP98UH090XV60C	202570559
ML14XP1-048-230	48000	15	12.5	42500	27000	8.2	C35-49C	SLP98UH110XV60C	202570560
ML14XP1-048-230	48000	15	12.5	42500	27000	8.2	C35-49C	SLP99UH090XV48C	205545248
ML14XP1-048-230	48000	15	12.5	42500	27000	8.2	C35-49C	SLP99UH090XV60C	205545249
ML14XP1-048-230	48000	15	12.5	42500	27000	8.2	C35-49C	SLP99UH110XV60C	205545251
ML14XP1-048-230	48000	14	12	43000	27400	8.2	C35-49C		202570529
ML14XP1-048-230	48000	15	12.5	44000	27000	8.2	C35-50/60C	EL180UH100NE60C	202570561
ML14XP1-048-230	48000	14.5	12.2	44500	27400	8.2	C35-50/60C	EL196UH090XE48C	202570564
ML14XP1-048-230	48000	14.5	12.2	44500	27400	8.2	C35-50/60C	EL196UH110XE60C	202570565
ML14XP1-048-230	47500	14.5	12	44000	27400	8.2	C35-50/60C	EL280UH110E48C	204044003
ML14XP1-048-230	47500	14.5	12	44000	27200	8.2	C35-50/60C	EL280UH110E60C	204044004
ML14XP1-048-230	48000	14.5	12.2	44500	27400	8.2	C35-50/60C	EL296UH090XE48C	202570566
ML14XP1-048-230	48000	14.5	12.2	44500	27600	8.2	C35-50/60C	EL296UH090XV48C	202570567
ML14XP1-048-230	48000	14.5	12.2	44500	27600	8.2	C35-50/60C	EL296UH090XV60C	202570568
ML14XP1-048-230	48000	14.5	12.2	44500	27200	8.2	C35-50/60C	EL296UH110XE60C	202570569
ML14XP1-048-230	48000	14.5	12.2	44500	27400	8.2	C35-50/60C	EL296UH110XV48C	202570570
ML14XP1-048-230	48000	14.5	12.2	44500	27600	8.2	C35-50/60C	EL296UH110XV60C	202570571
ML14XP1-048-230	48000	14.5	12.5	44500	27200	8.2	C35-50/60C	ML180UH090E60C	202570572
ML14XP1-048-230	48000	14.5	12.2	44500	27200	8.2	C35-50/60C	ML180UH110V60C	204495737
ML14XP1-048-230	47000	14.25	12	44000	27400	8.2	C35-50/60C	ML193UH110XE48C	204044005
ML14XP1-048-230	47500	14.25	11.7	44500	27800	8.2	C35-50/60C	ML193UH110XE60C	204044006
ML14XP1-048-230	48000	14.5	12.2	44500	27400	8.2	C35-50/60C	ML196UH090XE48C	204498312
ML14XP1-048-230	48000	14.5	12.2	44500	27400	8.2	C35-50/60C	ML196UH110XE60C	204498313
ML14XP1-048-230	48000	14.5	12.2	44500	27600	8.2	C35-50/60C	ML296UH090XV48C	205470378
ML14XP1-048-230	48000	15.1	12.5	44500	27200	8.2	C35-50/60C	SL280UH080NV60C	202570573

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-048-230	48000	14.5	12.2	44500	27400	8.2	C35-50/60C	SL280UH090V60C	202570574
ML14XP1-048-230	48000	14.5	12.2	44500	27400	8.2	C35-50/60C	SL280UH090XV60C	202570575
ML14XP1-048-230	48000	15	12.5	44500	27200	8.2	C35-50/60C	SL280UH100NV60C	202570576
ML14XP1-048-230	48000	14.5	12.2	44500	27400	8.2	C35-50/60C	SL280UH110V60C	202570577
ML14XP1-048-230	48000	14.5	12.2	44500	27400	8.2	C35-50/60C	SL280UH110XV60C	202570578
ML14XP1-048-230	48000	14.5	12.2	44500	27400	8.2	C35-50/60C	SL297UH080NV48C	202570579
ML14XP1-048-230	48000	14.5	12.2	44500	27400	8.2	C35-50/60C	SL297UH080NV60C	202570580
ML14XP1-048-230	48000	14.5	12.2	44500	27600	8.2	C35-50/60C	SLP98UH090XV48C	202570581
ML14XP1-048-230	48000	14.5	12.2	44500	27600	8.2	C35-50/60C	SLP98UH090XV60C	202570582
ML14XP1-048-230	48000	14.5	12.2	44500	27600	8.2	C35-50/60C	SLP98UH110XV60C	202570583
ML14XP1-048-230	48000	14.5	12.2	44500	27600	8.2	C35-50/60C	SLP99UH090XV48C	205545252
ML14XP1-048-230	48000	14.5	12.2	44500	27600	8.2	C35-50/60C	SLP99UH090XV60C	205545253
ML14XP1-048-230	48000	14.5	12.2	44500	27600	8.2	C35-50/60C	SLP99UH110XV60C	205545255
ML14XP1-048-230	48000	15.1	12.5	42500	26400	8.5	C35-60C	EL180UH100NE60C	202570584
ML14XP1-048-230	48000	15	12.5	42000	26000	8.2	C35-60C	EL195UH080NE48C	202570585
ML14XP1-048-230	48000	15.1	12.5	42000	26000	8.2	C35-60C	EL195UH100NE60C	202570587
ML14XP1-048-230	48000	15.1	12.5	42000	26000	8.5	C35-60C	EL196UH090XE48C	202570589
ML14XP1-048-230	48000	15.5	12.5	42000	26000	8.5	C35-60C	EL196UH110XE60C	202570590
ML14XP1-048-230	48000	15.1	12.5	41500	26000	8.2	C35-60C	EL280UH110E48C	204044007
ML14XP1-048-230	48000	15.1	12.5	41500	25800	8.5	C35-60C	EL280UH110E60C	204044008
ML14XP1-048-230	48000	15.1	12.5	42000	26000	8.2	C35-60C	EL296UH090XE48C	202570591
ML14XP1-048-230	48000	15.1	12.5	42000	26000	8.2	C35-60C	EL296UH090XV48C	202570592
ML14XP1-048-230	48000	15.1	12.5	42000	26000	8.2	C35-60C	EL296UH090XV60C	202570593
ML14XP1-048-230	48000	15.1	12.5	42000	26000	8.2	C35-60C	EL296UH110XE60C	202570594
ML14XP1-048-230	48000	15.1	12.5	42000	26000	8.2	C35-60C	EL296UH110XV48C	202570595
ML14XP1-048-230	48000	15.1	12.5	42500	26200	8.2	C35-60C	EL296UH110XV60C	202570596
ML14XP1-048-230	48000	15.5	12.5	42000	25800	8.5	C35-60C	ML180UH090E60C	202570597
ML14XP1-048-230	48000	15.1	12.5	42500	26400	8.5	C35-60C	ML180UH110E60C	202570598
ML14XP1-048-230	48000	15.5	12.5	42000	25800	8.5	C35-60C	ML180UH110V60C	204495738
ML14XP1-048-230	48000	15	12.5	41500	26000	8.2	C35-60C	ML193UH090XE48C	204044009
ML14XP1-048-230	48000	15	12.5	41500	26000	8.2	C35-60C	ML193UH110XE48C	204044010
ML14XP1-048-230	48000	15	12.5	42000	26400	8.2	C35-60C	ML193UH110XE60C	204044011
ML14XP1-048-230	48000	15.1	12.5	42000	26000	8.5	C35-60C	ML196UH090XE48C	204498314
ML14XP1-048-230	48000	15.5	12.5	42000	26000	8.5	C35-60C	ML196UH110XE60C	204498315
ML14XP1-048-230	48000	15.1	12.5	42000	26000	8.2	C35-60C	ML296UH090XV48C	205470379
ML14XP1-048-230	48000	15.1	12.5	42000	26200	8.2	C35-60C	ML296UH110XV60C	205470380
ML14XP1-048-230	48000	15.5	12.5	42000	25800	8.5	C35-60C	SL280UH080NV60C	202570599
ML14XP1-048-230	48000	15.5	12.5	42000	26000	8.5	C35-60C	SL280UH090V60C	202570600
ML14XP1-048-230	48000	15.5	12.5	42000	26000	8.5	C35-60C	SL280UH090XV60C	202570601
ML14XP1-048-230	48000	15.5	12.5	42000	25800	8.5	C35-60C	SL280UH100NV60C	202570602
ML14XP1-048-230	48000	15.5	12.5	42000	25800	8.5	C35-60C	SL280UH110V60C	202570603
ML14XP1-048-230	48000	15.5	12.5	42000	25800	8.5	C35-60C	SL280UH110XV60C	202570604
ML14XP1-048-230	48000	15.1	12.5	42000	26000	8.2	C35-60C	SL297UH080NV48C	202570605
ML14XP1-048-230	48000	15.1	12.5	42000	26000	8.2	C35-60C	SL297UH080NV60C	202570606
ML14XP1-048-230	48000	15.1	12.5	42000	26000	8.2	C35-60C	SLP98UH090XV48C	202570607
ML14XP1-048-230	48000	15.1	12.5	42000	26000	8.2	C35-60C	SLP98UH090XV60C	202570608
ML14XP1-048-230	48000	15.1	12.5	42500	26200	8.2	C35-60C	SLP98UH110XV60C	202570609
ML14XP1-048-230	48000	15.1	12.5	42000	26000	8.2	C35-60C	SLP99UH090XV48C	205545257
ML14XP1-048-230	48000	15.1	12.5	42000	26000	8.2	C35-60C	SLP99UH090XV60C	205545258
ML14XP1-048-230	48000	15.1	12.5	42500	26200	8.2	C35-60C	SLP99UH110XV60C	205545260
ML14XP1-048-230	48000	14	12	42500	26600	8.2	C35-60C		202570530
ML14XP1-048-230	47500	14	12	46000	29000	8.2	CBA25UH-048-230		202570610
ML14XP1-048-230	48000	15.1	12.5	42000	27600	8.5	CBA25UH-060-230		202570611
ML14XP1-048-230	48000	14.5	12.2	46000	28600	8.2	CBA25UHV-048-230		202570612
ML14XP1-048-230	48000	15.1	12.5	42000	27800	8.5	CBA25UHV-060-230		202570613
ML14XP1-048-230	48000	15	12.5	47000	31200	9	CBA27UHE-048-230		202607279

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-048-230	48000	15.5	12.5	46500	30600	9	CBA38MV-048-230		202570615
ML14XP1-048-230	48000	14.5	12.2	44000	28400	8.2	CH35-48C	EL196UH110XE60C	202570616
ML14XP1-048-230	48000	14.5	12.2	44500	29000	8.2	CH35-48C	ML180UH110E60C	202570617
ML14XP1-048-230	48000	15	12.5	44000	28400	8.2	CH35-48C	ML180UH110V60C	204495739
ML14XP1-048-230	48000	14.5	12.2	44000	28400	8.2	CH35-48C	ML196UH110XE60C	204498316
ML14XP1-048-230	48000	15.1	12.5	44000	28400	8.2	CH35-48C	SL280UH080NV60C	202570618
ML14XP1-048-230	48000	14.5	12.5	44000	28600	8.2	CH35-48C	SL280UH090V60C	202570619
ML14XP1-048-230	48000	14.5	12.5	44000	28600	8.2	CH35-48C	SL280UH090XV60C	202570620
ML14XP1-048-230	48000	15	12.5	44000	28400	8.2	CH35-48C	SL280UH100NV60C	202570621
ML14XP1-048-230	48000	15.1	12.5	45000	29200	8.5	CH35-51C	EL180UH100NE60C	202570622
ML14XP1-048-230	48000	14.5	12.2	45000	29400	8.5	CH35-51C	EL195UH100NE60C	202570624
ML14XP1-048-230	48000	15	12.5	45000	29400	8.5	CH35-51C	EL196UH090XE48C	202570626
ML14XP1-048-230	48000	15	12.5	45000	29400	8.5	CH35-51C	EL196UH110XE60C	202570627
ML14XP1-048-230	48000	14.5	12.5	44500	29400	8.5	CH35-51C	EL280UH110E48C	204044012
ML14XP1-048-230	48000	15	12.5	44500	29200	8.5	CH35-51C	EL280UH110E60C	204044013
ML14XP1-048-230	48000	14.5	12.5	45000	29400	8.5	CH35-51C	EL296UH090XE48C	202570628
ML14XP1-048-230	48000	14.5	12.5	45000	29600	8.5	CH35-51C	EL296UH090XV48C	202570629
ML14XP1-048-230	48000	14.5	12.2	45500	29600	8.5	CH35-51C	EL296UH090XV60C	202570630
ML14XP1-048-230	48000	15	12.5	45000	29400	8.5	CH35-51C	EL296UH110XE60C	202570631
ML14XP1-048-230	48000	14.5	12.5	45000	29400	8.5	CH35-51C	EL296UH110XV48C	202570632
ML14XP1-048-230	48000	14.5	12.5	45500	29600	8.5	CH35-51C	EL296UH110XV60C	202570633
ML14XP1-048-230	48000	15	12.5	45000	29200	8.5	CH35-51C	ML180UH090E60C	202570634
ML14XP1-048-230	48000	14.5	12.2	45500	29800	8.5	CH35-51C	ML180UH110E60C	202570635
ML14XP1-048-230	48000	15	12.5	45000	29200	8.5	CH35-51C	ML180UH110V60C	204495740
ML14XP1-048-230	48000	14.5	12	44500	29400	8.5	CH35-51C	ML193UH090XE48C	204044014
ML14XP1-048-230	48000	14.5	12	44500	29400	8.5	CH35-51C	ML193UH110XE48C	204044015
ML14XP1-048-230	48000	14.5	12	45000	29800	8.5	CH35-51C	ML193UH110XE60C	204044016
ML14XP1-048-230	48000	15	12.5	45000	29400	8.5	CH35-51C	ML196UH090XE48C	204498317
ML14XP1-048-230	48000	15	12.5	45000	29400	8.5	CH35-51C	ML196UH110XE60C	204498318
ML14XP1-048-230	48000	14.5	12.5	45000	29600	8.5	CH35-51C	ML296UH090XV48C	205470381
ML14XP1-048-230	48000	14.5	12.5	45000	29400	8.5	CH35-51C	ML296UH110XV60C	205470382
ML14XP1-048-230	48000	15.1	12.5	45000	29200	8.5	CH35-51C	SL280UH080NV60C	202570636
ML14XP1-048-230	48000	15	12.5	45000	29400	8.5	CH35-51C	SL280UH090V60C	202570637
ML14XP1-048-230	48000	15	12.5	45000	29400	8.5	CH35-51C	SL280UH090XV60C	202570638
ML14XP1-048-230	48000	15.1	12.5	45000	29200	8.5	CH35-51C	SL280UH100NV60C	202570639
ML14XP1-048-230	48000	15	12.5	45000	29400	8.5	CH35-51C	SL280UH110V60C	202570640
ML14XP1-048-230	48000	15	12.5	45000	29400	8.5	CH35-51C	SL280UH110XV60C	202570641
ML14XP1-048-230	48000	14.5	12.5	45000	29600	8.5	CH35-51C	SL297UH080NV48C	202570642
ML14XP1-048-230	48000	15	12.5	45000	29400	8.5	CH35-51C	SL297UH080NV60C	202570643
ML14XP1-048-230	48000	14.5	12.5	45000	29600	8.5	CH35-51C	SLP98UH090XV48C	202570644
ML14XP1-048-230	48000	14.5	12.2	45500	29600	8.5	CH35-51C	SLP98UH090XV60C	202570645
ML14XP1-048-230	48000	14.5	12.5	45500	29600	8.5	CH35-51C	SLP98UH110XV60C	202570646
ML14XP1-048-230	48000	14.5	12.5	45000	29600	8.5	CH35-51C	SLP99UH090XV48C	205545261
ML14XP1-048-230	48000	14.5	12.2	45500	29600	8.5	CH35-51C	SLP99UH090XV60C	205545263
ML14XP1-048-230	48000	14.5	12.5	45500	29600	8.5	CH35-51C	SLP99UH110XV60C	205545265
ML14XP1-048-230	48000	14	12	45500	30000	8.2	CH35-51C		202570531
ML14XP1-048-230	48000	14.5	12.5	42000	26600	8.2	CH35-60D	EL296UH135XE60D	202570649
ML14XP1-048-230	48000	15	12.5	42000	26600	8.2	CH35-60D	EL296UH135XV60D	202570650
ML14XP1-048-230	48000	15.1	12.5	41500	26400	8.2	CH35-60D	ML180UH135E60D	202570651
ML14XP1-048-230	48000	15	12.5	41500	26400	8.2	CH35-60D	SL280UH135V60D	202570652
ML14XP1-048-230	48000	15	12.5	41500	26600	8.2	CH35-60D	SLP98UH135XV60D	202570653
ML14XP1-048-230	48000	15	12.5	41500	26600	8.2	CH35-60D	SLP99UH135XV60D	205545266
ML14XP1-048-230	48000	14.5	12.2	44000	28400	8.2	CHX35-48C	EL196UH110XE60C	202570654
ML14XP1-048-230	48000	14.5	12.2	44500	29000	8.2	CHX35-48C	ML180UH110E60C	202570655
ML14XP1-048-230	48000	15	12.5	44000	28400	8.2	CHX35-48C	ML180UH110V60C	204495741
ML14XP1-048-230	48000	14.5	12.2	44000	28400	8.2	CHX35-48C	ML196UH110XE60C	204498319

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-048-230	48000	15.1	12.5	44000	28400	8.2	CHX35-48C	SL280UH080NV60C	202570656
ML14XP1-048-230	48000	14.5	12.5	44000	28600	8.2	CHX35-48C	SL280UH090V60C	202570657
ML14XP1-048-230	48000	14.5	12.5	44000	28600	8.2	CHX35-48C	SL280UH090XV60C	202570658
ML14XP1-048-230	48000	15	12.5	44000	28400	8.2	CHX35-48C	SL280UH100NV60C	202570659
ML14XP1-048-230	48000	15.1	12.5	45000	29200	8.5	CHX35-51/61C	EL180UH100NE60C	202570762
ML14XP1-048-230	48000	14.5	12.2	45000	29400	8.5	CHX35-51/61C	EL195UH100NE60C	202570764
ML14XP1-048-230	48000	15	12.5	45000	29400	8.5	CHX35-51/61C	EL196UH090XE48C	202570766
ML14XP1-048-230	48000	15	12.5	45000	29400	8.5	CHX35-51/61C	EL196UH110XE60C	202570767
ML14XP1-048-230	48000	14.5	12.5	44500	29400	8.5	CHX35-51/61C	EL280UH110E48C	204044018
ML14XP1-048-230	48000	15	12.5	44500	29200	8.5	CHX35-51/61C	EL280UH110E60C	204044019
ML14XP1-048-230	48000	14.5	12.5	45000	29400	8.5	CHX35-51/61C	EL296UH090XE48C	202570768
ML14XP1-048-230	48000	14.5	12.5	45000	29600	8.5	CHX35-51/61C	EL296UH090XV48C	202570769
ML14XP1-048-230	48000	14.5	12.2	45500	29600	8.5	CHX35-51/61C	EL296UH090XV60C	202570770
ML14XP1-048-230	48000	15	12.5	45000	29400	8.5	CHX35-51/61C	EL296UH110XE60C	202570771
ML14XP1-048-230	48000	14.5	12.5	45000	29400	8.5	CHX35-51/61C	EL296UH110XV48C	202570772
ML14XP1-048-230	48000	14.5	12.5	45500	29600	8.5	CHX35-51/61C	EL296UH110XV60C	202570773
ML14XP1-048-230	48000	15	12.5	45000	29200	8.5	CHX35-51/61C	ML180UH090E60C	202570774
ML14XP1-048-230	48000	14.5	12.2	45500	29800	8.5	CHX35-51/61C	ML180UH110E60C	202570775
ML14XP1-048-230	48000	15	12.5	45000	29200	8.5	CHX35-51/61C	ML180UH110V60C	204495742
ML14XP1-048-230	48000	14.5	12	44500	29400	8.5	CHX35-51/61C	ML193UH090XE48C	204044020
ML14XP1-048-230	48000	14.5	12	44500	29400	8.5	CHX35-51/61C	ML193UH110XE48C	204044021
ML14XP1-048-230	48000	14.5	12	45000	29800	8.5	CHX35-51/61C	ML193UH110XE60C	204044022
ML14XP1-048-230	48000	15	12.5	45000	29400	8.5	CHX35-51/61C	ML196UH090XE48C	204498320
ML14XP1-048-230	48000	15	12.5	45000	29400	8.5	CHX35-51/61C	ML196UH110XE60C	204498321
ML14XP1-048-230	48000	14.5	12.5	45000	29600	8.5	CHX35-51/61C	ML296UH090XV48C	205470383
ML14XP1-048-230	48000	14.5	12.5	45000	29400	8.5	CHX35-51/61C	ML296UH110XV60C	205470384
ML14XP1-048-230	48000	15.1	12.5	45000	29200	8.5	CHX35-51/61C	SL280UH080NV60C	202570776
ML14XP1-048-230	48000	15	12.5	45000	29400	8.5	CHX35-51/61C	SL280UH090V60C	202570777
ML14XP1-048-230	48000	15	12.5	45000	29400	8.5	CHX35-51/61C	SL280UH090XV60C	202570778
ML14XP1-048-230	48000	15.1	12.5	45000	29200	8.5	CHX35-51/61C	SL280UH100NV60C	202570779
ML14XP1-048-230	48000	15	12.5	45000	29400	8.5	CHX35-51/61C	SL280UH110V60C	202570780
ML14XP1-048-230	48000	15	12.5	45000	29400	8.5	CHX35-51/61C	SL280UH110XV60C	202570781
ML14XP1-048-230	48000	14.5	12.5	45000	29600	8.5	CHX35-51/61C	SL297UH080NV48C	202570782
ML14XP1-048-230	48000	15	12.5	45000	29400	8.5	CHX35-51/61C	SL297UH080NV60C	202570783
ML14XP1-048-230	48000	14.5	12.5	45000	29600	8.5	CHX35-51/61C	SLP98UH090XV48C	202570784
ML14XP1-048-230	48000	14.5	12.2	45500	29600	8.5	CHX35-51/61C	SLP98UH090XV60C	202570785
ML14XP1-048-230	48000	14.5	12.5	45500	29600	8.5	CHX35-51/61C	SLP98UH110XV60C	202570786
ML14XP1-048-230	48000	14.5	12.5	45000	29600	8.5	CHX35-51/61C	SLP99UH090XV48C	205545289
ML14XP1-048-230	48000	14.5	12.2	45500	29600	8.5	CHX35-51/61C	SLP99UH090XV60C	205545291
ML14XP1-048-230	48000	14.5	12.5	45500	29600	8.5	CHX35-51/61C	SLP99UH110XV60C	205545292
ML14XP1-048-230	48000	14	12	45500	30000	8.2	CHX35-51/61C		202585748
ML14XP1-048-230	48000	14.5	12.5	42000	26600	8.2	CHX35-60D	EL296UH135XE60D	202570662
ML14XP1-048-230	48000	15	12.5	42000	26600	8.2	CHX35-60D	EL296UH135XV60D	202570663
ML14XP1-048-230	48000	15.1	12.5	41500	26400	8.2	CHX35-60D	ML180UH135E60D	202570664
ML14XP1-048-230	48000	15	12.5	41500	26400	8.2	CHX35-60D	SL280UH135V60D	202570665
ML14XP1-048-230	48000	15	12.5	41500	26600	8.2	CHX35-60D	SLP98UH135XV60D	202570666
ML14XP1-048-230	48000	15	12.5	41500	26600	8.2	CHX35-60D	SLP99UH135XV60D	205545268
ML14XP1-048-230	48000	14.5	12.2	44000	28800	8.5	CR33-50/60	EL296DF090XE48C	202570669
ML14XP1-048-230	48000	14.5	12.2	44000	28800	8.5	CR33-50/60	EL296DF090XV60C	202570670
ML14XP1-048-230	48000	14.5	12.5	44000	28600	8.5	CR33-50/60	EL296DF110XE60C	202570671
ML14XP1-048-230	48000	14.5	12.2	44000	28800	8.5	CR33-50/60	EL296DF110XV60C	202570672
ML14XP1-048-230	48000	15	12.5	44000	28600	9	CR33-50/60	ML180DF110E60C	202570673
ML14XP1-048-230	47500	14.25	12	43500	28800	9	CR33-50/60	ML193DF090XE48C	204044023
ML14XP1-048-230	47500	14.25	12.2	44000	28800	8.5	CR33-50/60	ML196DF090XE48C	205706947
ML14XP1-048-230	48000	14.5	12.2	44000	28800	8.5	CR33-50/60	ML296DF090XV60C	205470385
ML14XP1-048-230	48000	15	12.5	44000	28600	9	CR33-50/60	SL280DF090V60C	202570674

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-048-230	48000	15	12.5	44000	28600	9	CR33-50/60	SL280DF110V60C	202570675
ML14XP1-048-230	48000	14.25	12	44500	29000	8.5	CR33-50/60	SLP98DF090XV48C	202570676
ML14XP1-048-230	48000	14.5	12.2	44000	28800	8.5	CR33-50/60	SLP98DF090XV60C	202570677
ML14XP1-048-230	48000	14.5	12.2	44000	28800	8.5	CR33-50/60	SLP98DF110XV60C	202570678
ML14XP1-048-230	48000	14.25	12	44500	29000	8.5	CR33-50/60	SLP99DF090XV48C	205545270
ML14XP1-048-230	48000	14.5	12.2	44000	28800	8.5	CR33-50/60	SLP99DF090XV60C	205545271
ML14XP1-048-230	48000	14.5	12.2	44000	28800	8.5	CR33-50/60	SLP99DF110XV60C	205545273
ML14XP1-048-230	48000	14	11.5	44500	29200	8.2	CR33-50/60		202570532
ML14XP1-048-230	48000	14.25	12	47500	32400	9	CR33-60	EL296DF090XV60C	202570680
ML14XP1-048-230	48000	14.5	12.2	47500	32000	9	CR33-60	EL296DF110XE60C	202570681
ML14XP1-048-230	48000	14.25	12	47500	32400	9	CR33-60	EL296DF110XV60C	202570682
ML14XP1-048-230	48000	14.5	12.5	47500	32000	9	CR33-60	ML180DF110E60C	202570683
ML14XP1-048-230	48000	14.25	12	47500	32400	9	CR33-60	ML296DF090XV60C	205470386
ML14XP1-048-230	48000	14.5	12.2	47500	32200	9	CR33-60	SL280DF090V60C	202570684
ML14XP1-048-230	48000	14.5	12.5	47500	32000	9	CR33-60	SL280DF110V60C	202570685
ML14XP1-048-230	48000	14.25	12	47500	32400	9	CR33-60	SLP98DF090XV60C	202570686
ML14XP1-048-230	48000	14.25	12	47500	32400	9	CR33-60	SLP98DF110XV60C	202570687
ML14XP1-048-230	48000	14.25	12	47500	32400	9	CR33-60	SLP99DF090XV60C	205545275
ML14XP1-048-230	48000	14.25	12	47500	32400	9	CR33-60	SLP99DF110XV60C	205545276
ML14XP1-048-230	48000	14	11.5	48000	32800	8.2	CR33-60		202570533
ML14XP1-048-230	48000	15.1	12.5	42000	26600	8.2	CX35-49C	EL180UH100NE60C	202570688
ML14XP1-048-230	48000	14.5	12.5	42500	27000	8.2	CX35-49C	EL195UH080NE48C	202570689
ML14XP1-048-230	48000	14.5	12.5	42500	27000	8.2	CX35-49C	EL195UH100NE60C	202570691
ML14XP1-048-230	48000	15	12.5	42500	27000	8.2	CX35-49C	EL196UH090XE48C	202570693
ML14XP1-048-230	48000	15.1	12.5	42500	26800	8.2	CX35-49C	EL196UH110XE60C	202570694
ML14XP1-048-230	48000	15	12.5	42000	27000	8.2	CX35-49C	EL280UH110E48C	204044024
ML14XP1-048-230	48000	15	12.5	41500	26800	8.2	CX35-49C	EL280UH110E60C	204044025
ML14XP1-048-230	48000	15	12.5	42500	27000	8.2	CX35-49C	EL296UH090XE48C	202570695
ML14XP1-048-230	48000	15	12.5	42500	27000	8.2	CX35-49C	EL296UH090XV48C	202570696
ML14XP1-048-230	48000	15	12.5	42500	27000	8.2	CX35-49C	EL296UH090XV60C	202570697
ML14XP1-048-230	48000	15.1	12.5	42500	26800	8.2	CX35-49C	EL296UH110XE60C	202570698
ML14XP1-048-230	48000	15	12.5	42500	27000	8.2	CX35-49C	EL296UH110XV48C	202570699
ML14XP1-048-230	48000	15	12.5	42500	27000	8.2	CX35-49C	EL296UH110XV60C	202570700
ML14XP1-048-230	48000	15.1	12.5	42000	26800	8.2	CX35-49C	ML180UH090E60C	202570701
ML14XP1-048-230	48000	15.1	12.5	42000	26600	8.2	CX35-49C	ML180UH110E60C	202570702
ML14XP1-048-230	48000	15.1	12.5	42500	26800	8.2	CX35-49C	ML180UH110V60C	204495743
ML14XP1-048-230	48000	14.5	12.5	42000	26800	8.2	CX35-49C	ML193UH090XE48C	204044026
ML14XP1-048-230	48000	14.5	12.5	42000	27000	8.2	CX35-49C	ML193UH110XE48C	204044027
ML14XP1-048-230	48000	14.5	12	42500	27200	8.2	CX35-49C	ML193UH110XE60C	204044028
ML14XP1-048-230	48000	15	12.5	42500	27000	8.2	CX35-49C	ML196UH090XE48C	204498322
ML14XP1-048-230	48000	15.1	12.5	42500	26800	8.2	CX35-49C	ML196UH110XE60C	204498323
ML14XP1-048-230	48000	15	12.5	42500	27000	8.2	CX35-49C	ML296UH090XV48C	205470387
ML14XP1-048-230	48000	15	12.5	42500	26800	8.2	CX35-49C	ML296UH110XV60C	205470388
ML14XP1-048-230	48000	15.5	12.5	42000	26600	8.5	CX35-49C	SL280UH080NV60C	202570703
ML14XP1-048-230	48000	15.1	12.5	42500	26800	8.2	CX35-49C	SL280UH090V60C	202570704
ML14XP1-048-230	48000	15.1	12.5	42500	26800	8.2	CX35-49C	SL280UH090XV60C	202570705
ML14XP1-048-230	48000	15.5	12.5	42500	26800	8.5	CX35-49C	SL280UH100NV60C	202570706
ML14XP1-048-230	48000	15.1	12.5	42500	26800	8.2	CX35-49C	SL280UH110V60C	202570707
ML14XP1-048-230	48000	15.1	12.5	42500	26800	8.2	CX35-49C	SL280UH110XV60C	202570708
ML14XP1-048-230	48000	15	12.5	42500	27000	8.2	CX35-49C	SL297UH080NV60C	202570709
ML14XP1-048-230	48000	15	12.5	42500	27000	8.2	CX35-49C	SLP98UH090XV48C	202570710
ML14XP1-048-230	48000	15	12.5	42500	27000	8.2	CX35-49C	SLP98UH090XV60C	202570711
ML14XP1-048-230	48000	15	12.5	42500	27000	8.2	CX35-49C	SLP98UH110XV60C	202570712
ML14XP1-048-230	48000	15	12.5	42500	27000	8.2	CX35-49C	SLP99UH090XV48C	205545277
ML14XP1-048-230	48000	15	12.5	42500	27000	8.2	CX35-49C	SLP99UH090XV60C	205545279
ML14XP1-048-230	48000	15	12.5	42500	27000	8.2	CX35-49C	SLP99UH110XV60C	205545280

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-048-230	48000	14	12	43000	27400	8.2	CX35-49C		202570534
ML14XP1-048-230	48000	15	12.5	44000	27000	8.2	CX35-50/60C	EL180UH100NE60C	202570713
ML14XP1-048-230	48000	14.5	12.2	44500	27400	8.2	CX35-50/60C	EL196UH090XE48C	202570716
ML14XP1-048-230	48000	14.5	12.2	44500	27400	8.2	CX35-50/60C	EL196UH110XE60C	202570717
ML14XP1-048-230	47500	14.5	12	44000	27400	8.2	CX35-50/60C	EL280UH110E48C	204044029
ML14XP1-048-230	47500	14.5	12	44000	27200	8.2	CX35-50/60C	EL280UH110E60C	204044030
ML14XP1-048-230	48000	14.5	12.2	44500	27400	8.2	CX35-50/60C	EL296UH090XE48C	202570718
ML14XP1-048-230	48000	14.5	12.2	44500	27600	8.2	CX35-50/60C	EL296UH090XV48C	202570719
ML14XP1-048-230	48000	14.5	12.2	44500	27600	8.2	CX35-50/60C	EL296UH090XV60C	202570720
ML14XP1-048-230	48000	14.5	12.2	44500	27200	8.2	CX35-50/60C	EL296UH110XE60C	202570721
ML14XP1-048-230	48000	14.5	12.2	44500	27400	8.2	CX35-50/60C	EL296UH110XV48C	202570722
ML14XP1-048-230	48000	14.5	12.2	44500	27600	8.2	CX35-50/60C	EL296UH110XV60C	202570723
ML14XP1-048-230	48000	14.5	12.5	44500	27200	8.2	CX35-50/60C	ML180UH090E60C	202570724
ML14XP1-048-230	47000	14.25	12	44000	27400	8.2	CX35-50/60C	ML193UH110XE48C	204044031
ML14XP1-048-230	47500	14.25	11.7	44500	27800	8.2	CX35-50/60C	ML193UH110XE60C	204044032
ML14XP1-048-230	48000	14.5	12.2	44500	27400	8.2	CX35-50/60C	ML196UH090XE48C	204498324
ML14XP1-048-230	48000	14.5	12.2	44500	27400	8.2	CX35-50/60C	ML196UH110XE60C	204498325
ML14XP1-048-230	48000	14.5	12.2	44500	27600	8.2	CX35-50/60C	ML296UH090XV48C	205470389
ML14XP1-048-230	48000	15.1	12.5	44500	27200	8.2	CX35-50/60C	SL280UH080NV60C	202570725
ML14XP1-048-230	48000	14.5	12.2	44500	27400	8.2	CX35-50/60C	SL280UH090V60C	202570726
ML14XP1-048-230	48000	14.5	12.2	44500	27400	8.2	CX35-50/60C	SL280UH090XV60C	202570727
ML14XP1-048-230	48000	15	12.5	44500	27200	8.2	CX35-50/60C	SL280UH100NV60C	202570728
ML14XP1-048-230	48000	14.5	12.2	44500	27400	8.2	CX35-50/60C	SL280UH110V60C	202570729
ML14XP1-048-230	48000	14.5	12.2	44500	27400	8.2	CX35-50/60C	SL280UH110XV60C	202570730
ML14XP1-048-230	48000	14.5	12.2	44500	27400	8.2	CX35-50/60C	SL297UH080NV48C	202570731
ML14XP1-048-230	48000	14.5	12.2	44500	27400	8.2	CX35-50/60C	SL297UH080NV60C	202570732
ML14XP1-048-230	48000	14.5	12.2	44500	27600	8.2	CX35-50/60C	SLP98UH090XV48C	202570733
ML14XP1-048-230	48000	14.5	12.2	44500	27600	8.2	CX35-50/60C	SLP98UH090XV60C	202570734
ML14XP1-048-230	48000	14.5	12.2	44500	27600	8.2	CX35-50/60C	SLP98UH110XV60C	202570735
ML14XP1-048-230	48000	14.5	12.2	44500	27600	8.2	CX35-50/60C	SLP99UH090XV48C	205545281
ML14XP1-048-230	48000	14.5	12.2	44500	27600	8.2	CX35-50/60C	SLP99UH090XV60C	205545283
ML14XP1-048-230	48000	14.5	12.2	44500	27600	8.2	CX35-50/60C	SLP99UH110XV60C	205545284
ML14XP1-048-230	48000	15.5	12.5	41500	25600	8.5	CX35-60C	EL180UH100NE60C	202570736
ML14XP1-048-230	48000	15	12.5	42000	26000	8.2	CX35-60C	EL195UH080NE48C	202570737
ML14XP1-048-230	48000	15.1	12.5	42000	26000	8.2	CX35-60C	EL195UH100NE60C	202570739
ML14XP1-048-230	48000	15.1	12.5	42000	26000	8.5	CX35-60C	EL196UH090XE48C	202570741
ML14XP1-048-230	48000	15.5	12.5	42000	26000	8.5	CX35-60C	EL196UH110XE60C	202570742
ML14XP1-048-230	48000	15.1	12.5	41500	26000	8.2	CX35-60C	EL280UH110E48C	204044033
ML14XP1-048-230	48000	15.1	12.5	41500	25800	8.5	CX35-60C	EL280UH110E60C	204044034
ML14XP1-048-230	48000	15.1	12.5	42000	26000	8.2	CX35-60C	EL296UH090XE48C	202570743
ML14XP1-048-230	48000	15.1	12.5	42000	26000	8.2	CX35-60C	EL296UH090XV48C	202570744
ML14XP1-048-230	48000	15.1	12.5	42000	26000	8.2	CX35-60C	EL296UH090XV60C	202570745
ML14XP1-048-230	48000	15.1	12.5	42000	26000	8.2	CX35-60C	EL296UH110XE60C	202570746
ML14XP1-048-230	48000	15.1	12.5	42000	26000	8.2	CX35-60C	EL296UH110XV48C	202570747
ML14XP1-048-230	48000	15.1	12.5	42500	26200	8.2	CX35-60C	EL296UH110XV60C	202570748
ML14XP1-048-230	48000	15.5	12.5	42000	25800	8.5	CX35-60C	ML180UH090E60C	202570749
ML14XP1-048-230	48000	15.1	12.5	42500	26400	8.5	CX35-60C	ML180UH110E60C	202570750
ML14XP1-048-230	48000	15.5	12.5	42000	25800	8.5	CX35-60C	ML180UH110V60C	204495744
ML14XP1-048-230	48000	15	12.5	41500	26000	8.2	CX35-60C	ML193UH090XE48C	204044035
ML14XP1-048-230	48000	15	12.5	41500	26000	8.2	CX35-60C	ML193UH110XE48C	204044036
ML14XP1-048-230	48000	15	12.5	42000	26400	8.2	CX35-60C	ML193UH110XE60C	204044037
ML14XP1-048-230	48000	15.1	12.5	42000	26000	8.5	CX35-60C	ML196UH090XE48C	204498326
ML14XP1-048-230	48000	15.5	12.5	42000	26000	8.5	CX35-60C	ML196UH110XE60C	204498327
ML14XP1-048-230	48000	15.1	12.5	42000	26000	8.2	CX35-60C	ML296UH090XV48C	205470390
ML14XP1-048-230	48000	15.1	12.5	42000	26200	8.2	CX35-60C	ML296UH110XV60C	205470391
ML14XP1-048-230	48000	15.5	12.5	42000	25800	8.5	CX35-60C	SL280UH080NV60C	202570751

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-048-230	48000	15.5	12.5	42000	26000	8.5	CX35-60C	SL280UH090V60C	202570752
ML14XP1-048-230	48000	15.5	12.5	42000	26000	8.5	CX35-60C	SL280UH090XV60C	202570753
ML14XP1-048-230	48000	15.5	12.5	42000	25800	8.5	CX35-60C	SL280UH100NV60C	202570754
ML14XP1-048-230	48000	15.5	12.5	42000	25800	8.5	CX35-60C	SL280UH110V60C	202570755
ML14XP1-048-230	48000	15.5	12.5	42000	25800	8.5	CX35-60C	SL280UH110XV60C	202570756
ML14XP1-048-230	48000	15.1	12.5	42000	26000	8.2	CX35-60C	SL297UH080NV48C	202570757
ML14XP1-048-230	48000	15.1	12.5	42000	26000	8.2	CX35-60C	SL297UH080NV60C	202570758
ML14XP1-048-230	48000	15.1	12.5	42000	26000	8.2	CX35-60C	SLP98UH090XV48C	202570759
ML14XP1-048-230	48000	15.1	12.5	42000	26000	8.2	CX35-60C	SLP98UH090XV60C	202570760
ML14XP1-048-230	48000	15.1	12.5	42500	26200	8.2	CX35-60C	SLP98UH110XV60C	202570761
ML14XP1-048-230	48000	15.1	12.5	42000	26000	8.2	CX35-60C	SLP99UH090XV48C	205545285
ML14XP1-048-230	48000	15.1	12.5	42000	26000	8.2	CX35-60C	SLP99UH090XV60C	205545287
ML14XP1-048-230	48000	15.1	12.5	42500	26200	8.2	CX35-60C	SLP99UH110XV60C	205545288
ML14XP1-048-230	48000	14	12	42500	26600	8.2	CX35-60C		202570535
ML14XP1-048-233	48000	15.1	12.5	42000	26400	8.2	C35-49C	EL180UH100NE60C	205293972
ML14XP1-048-233	48000	14.5	12	42500	27000	8.2	C35-49C	EL195UH080NE48C	205293973
ML14XP1-048-233	48000	14.5	12.2	42000	26800	8.2	C35-49C	EL195UH100NE60C	205293974
ML14XP1-048-233	48000	15	12.2	42500	27000	8.2	C35-49C	EL196UH090XE48C	205293975
ML14XP1-048-233	48000	15.1	12.5	42500	26800	8.2	C35-49C	EL196UH110XE60C	205293976
ML14XP1-048-233	48000	15	12.2	42000	26800	8.2	C35-49C	EL280UH110E48C	205293977
ML14XP1-048-233	48000	15	12.5	41500	26600	8.2	C35-49C	EL280UH110E60C	205293978
ML14XP1-048-233	48000	14.5	12.2	42500	26800	8.2	C35-49C	EL296UH090XE48C	205293979
ML14XP1-048-233	48000	14.5	12.2	42500	26800	8.2	C35-49C	EL296UH090XV48C	205293980
ML14XP1-048-233	48000	14.5	12.2	42500	26800	8.2	C35-49C	EL296UH090XV60C	205293981
ML14XP1-048-233	48000	15	12.5	42000	26800	8.2	C35-49C	EL296UH110XE60C	205293982
ML14XP1-048-233	48000	15	12.2	42500	26800	8.2	C35-49C	EL296UH110XV48C	205293983
ML14XP1-048-233	48000	14.5	12.2	42500	27000	8.2	C35-49C	EL296UH110XV60C	205293984
ML14XP1-048-233	48000	15.1	12.5	42000	26600	8.2	C35-49C	ML180UH090E60C	205293985
ML14XP1-048-233	48000	15.1	12.5	42000	26600	8.2	C35-49C	ML180UH110E60C	205293986
ML14XP1-048-233	48000	15.1	12.5	42000	26600	8.2	C35-49C	ML180UH110V60C	205293987
ML14XP1-048-233	48000	14.5	12.2	42000	26800	8.2	C35-49C	ML193UH090XE48C	205293988
ML14XP1-048-233	48000	14.5	12.2	42000	26800	8.2	C35-49C	ML193UH110XE48C	205293989
ML14XP1-048-233	48000	14.5	12	42500	27200	8.2	C35-49C	ML193UH110XE60C	205293990
ML14XP1-048-233	48000	15	12.2	42500	27000	8.2	C35-49C	ML196UH090XE48C	205293991
ML14XP1-048-233	48000	15.1	12.5	42500	26800	8.2	C35-49C	ML196UH110XE60C	205293992
ML14XP1-048-233	48000	15.1	12.5	42000	26600	8.5	C35-49C	SL280UH080NV60C	205293993
ML14XP1-048-233	48000	15.1	12.5	42500	26800	8.2	C35-49C	SL280UH090V60C	205293994
ML14XP1-048-233	48000	15.1	12.5	42500	26800	8.2	C35-49C	SL280UH090XV60C	205293995
ML14XP1-048-233	48000	15.1	12.5	42000	26600	8.5	C35-49C	SL280UH100NV60C	205293996
ML14XP1-048-233	48000	15.1	12.5	42000	26600	8.2	C35-49C	SL280UH110V60C	205293997
ML14XP1-048-233	48000	15.1	12.5	42000	26600	8.2	C35-49C	SL280UH110XV60C	205293998
ML14XP1-048-233	48000	15	12.2	42500	26800	8.2	C35-49C	SL297UH080NV60C	205293999
ML14XP1-048-233	48000	14.5	12.2	42500	26800	8.2	C35-49C	SLP98UH090XV48C	205294000
ML14XP1-048-233	48000	14.5	12.2	42500	26800	8.2	C35-49C	SLP98UH090XV60C	205294001
ML14XP1-048-233	48000	14.5	12.2	42500	27000	8.2	C35-49C	SLP98UH110XV60C	205294002
ML14XP1-048-233	48000	14.5	12.2	42500	26800	8.2	C35-49C	SLP99UH090XV48C	205552351
ML14XP1-048-233	48000	14.5	12.2	42500	26800	8.2	C35-49C	SLP99UH090XV60C	205552352
ML14XP1-048-233	48000	14.5	12.2	42500	27000	8.2	C35-49C	SLP99UH110XV60C	205552353
ML14XP1-048-233	48000	14	11.5	43000	27400	8.2	C35-49C		205293965
ML14XP1-048-233	47000	14.5	12.2	44000	26800	8.2	C35-50/60C	EL180UH100NE60C	205294003
ML14XP1-048-233	47000	14.5	12	44500	27200	8.2	C35-50/60C	EL196UH090XE48C	205294004
ML14XP1-048-233	47500	14.5	12.2	44500	27000	8.2	C35-50/60C	EL196UH110XE60C	205294005
ML14XP1-048-233	47000	14.5	12	44000	27000	8.2	C35-50/60C	EL280UH110E48C	205294006
ML14XP1-048-233	47000	14.5	12	44000	27000	8.2	C35-50/60C	EL280UH110E60C	205294007
ML14XP1-048-233	47000	14.5	12	44500	27000	8.2	C35-50/60C	EL296UH090XE48C	205294008
ML14XP1-048-233	47000	14.5	11.5	44500	27200	8.2	C35-50/60C	EL296UH090XV48C	205294009

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-048-233	47000	14.25	11.5	44500	27400	8.2	C35-50/60C	EL296UH090XV60C	205294010
ML14XP1-048-233	47000	14.5	12	44000	27000	8.2	C35-50/60C	EL296UH110XE60C	205294011
ML14XP1-048-233	47000	14.5	12	44500	27200	8.2	C35-50/60C	EL296UH110XV48C	205294012
ML14XP1-048-233	47000	14.5	11.5	44500	27200	8.2	C35-50/60C	EL296UH110XV60C	205294013
ML14XP1-048-233	47000	14.5	12.2	44000	27000	8.2	C35-50/60C	ML180UH090E60C	205294014
ML14XP1-048-233	47500	14.5	12.2	44500	27000	8.2	C35-50/60C	ML180UH110V60C	205294015
ML14XP1-048-233	46500	14.25	11.5	44000	27000	8.2	C35-50/60C	ML193UH110XE48C	205294016
ML14XP1-048-233	47500	14.25	11.5	44500	27400	8.2	C35-50/60C	ML193UH110XE60C	205294017
ML14XP1-048-233	47000	14.5	12	44500	27200	8.2	C35-50/60C	ML196UH090XE48C	205294018
ML14XP1-048-233	47500	14.5	12.2	44500	27000	8.2	C35-50/60C	ML196UH110XE60C	205294019
ML14XP1-048-233	47500	15	12.2	44000	27000	8.2	C35-50/60C	SL280UH080NV60C	205294020
ML14XP1-048-233	47500	14.5	12.2	44500	27200	8.2	C35-50/60C	SL280UH090V60C	205294021
ML14XP1-048-233	47500	14.5	12.2	44500	27200	8.2	C35-50/60C	SL280UH090XV60C	205294022
ML14XP1-048-233	47500	15	12.2	44500	27000	8.2	C35-50/60C	SL280UH100NV60C	205294023
ML14XP1-048-233	47000	14.5	12	44500	27200	8.2	C35-50/60C	SL280UH110V60C	205294024
ML14XP1-048-233	47000	14.5	12	44500	27200	8.2	C35-50/60C	SL280UH110XV60C	205294025
ML14XP1-048-233	47000	14.5	12	44500	27200	8.2	C35-50/60C	SL297UH080NV48C	205294026
ML14XP1-048-233	47000	14.5	12	44500	27200	8.2	C35-50/60C	SL297UH080NV60C	205294027
ML14XP1-048-233	47000	14.5	11.5	44500	27200	8.2	C35-50/60C	SLP98UH090XV48C	205294028
ML14XP1-048-233	47000	14.25	11.5	44500	27400	8.2	C35-50/60C	SLP98UH090XV60C	205294029
ML14XP1-048-233	47000	14.5	11.5	44500	27200	8.2	C35-50/60C	SLP98UH110XV60C	205294030
ML14XP1-048-233	47000	14.5	11.5	44500	27200	8.2	C35-50/60C	SLP99UH090XV48C	205552354
ML14XP1-048-233	47000	14.25	11.5	44500	27400	8.2	C35-50/60C	SLP99UH090XV60C	205552356
ML14XP1-048-233	47000	14.5	11.5	44500	27200	8.2	C35-50/60C	SLP99UH110XV60C	205552357
ML14XP1-048-233	48000	15.1	12.5	42500	26200	8.5	C35-60C	EL180UH100NE60C	205294031
ML14XP1-048-233	48000	14.5	12.2	42000	25800	8.2	C35-60C	EL195UH080NE48C	205294032
ML14XP1-048-233	48000	15	12.5	42000	25800	8.2	C35-60C	EL195UH100NE60C	205294033
ML14XP1-048-233	48000	15.1	12.5	42000	25800	8.5	C35-60C	EL196UH090XE48C	205294034
ML14XP1-048-233	48000	15.1	12.5	42000	25800	8.5	C35-60C	EL196UH110XE60C	205294035
ML14XP1-048-233	48000	15.1	12.5	41500	25800	8.2	C35-60C	EL280UH110E48C	205294036
ML14XP1-048-233	48000	15.1	12.5	41500	25600	8.5	C35-60C	EL280UH110E60C	205294037
ML14XP1-048-233	48000	15.1	12.5	42000	25800	8.2	C35-60C	EL296UH090XE48C	205294038
ML14XP1-048-233	48000	15.1	12.5	42000	25800	8.2	C35-60C	EL296UH090XV48C	205294039
ML14XP1-048-233	48000	15.1	12.5	42000	25800	8.2	C35-60C	EL296UH090XV60C	205294040
ML14XP1-048-233	48000	15.1	12.5	42000	25800	8.2	C35-60C	EL296UH110XE60C	205294041
ML14XP1-048-233	48000	15.1	12.5	42000	25800	8.2	C35-60C	EL296UH110XV48C	205294042
ML14XP1-048-233	48000	15	12.5	42000	26000	8.2	C35-60C	EL296UH110XV60C	205294043
ML14XP1-048-233	48000	15.1	12.5	41500	25600	8.5	C35-60C	ML180UH090E60C	205294044
ML14XP1-048-233	48000	15	12.5	42500	26200	8.5	C35-60C	ML180UH110E60C	205294045
ML14XP1-048-233	48000	15.5	12.5	42000	25600	8.5	C35-60C	ML180UH110V60C	205294046
ML14XP1-048-233	48000	15	12.5	41500	25800	8.2	C35-60C	ML193UH090XE48C	205294047
ML14XP1-048-233	48000	15	12.5	41500	25800	8.2	C35-60C	ML193UH110XE48C	205294048
ML14XP1-048-233	48000	15	12.2	42000	26200	8.2	C35-60C	ML193UH110XE60C	205294049
ML14XP1-048-233	48000	15.1	12.5	42000	25800	8.5	C35-60C	ML196UH090XE48C	205294050
ML14XP1-048-233	48000	15.1	12.5	42000	25800	8.5	C35-60C	ML196UH110XE60C	205294051
ML14XP1-048-233	48000	15.5	12.5	42000	25600	8.5	C35-60C	SL280UH080NV60C	205294052
ML14XP1-048-233	48000	15.1	12.5	42000	25800	8.5	C35-60C	SL280UH090V60C	205294053
ML14XP1-048-233	48000	15.1	12.5	42000	25800	8.5	C35-60C	SL280UH090XV60C	205294054
ML14XP1-048-233	48000	15.5	12.5	42000	25600	8.5	C35-60C	SL280UH100NV60C	205294055
ML14XP1-048-233	48000	15.1	12.5	42000	25600	8.5	C35-60C	SL280UH110V60C	205294056
ML14XP1-048-233	48000	15.1	12.5	42000	25600	8.5	C35-60C	SL280UH110XV60C	205294057
ML14XP1-048-233	48000	15.1	12.5	42000	25800	8.2	C35-60C	SL297UH080NV48C	205294058
ML14XP1-048-233	48000	15.1	12.5	42000	25800	8.2	C35-60C	SL297UH080NV60C	205294059
ML14XP1-048-233	48000	15.1	12.5	42000	25800	8.2	C35-60C	SLP98UH090XV48C	205294060
ML14XP1-048-233	48000	15.1	12.5	42000	25800	8.2	C35-60C	SLP98UH090XV60C	205294061
ML14XP1-048-233	48000	15	12.5	42000	26000	8.2	C35-60C	SLP98UH110XV60C	205294062

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-048-233	48000	15.1	12.5	42000	25800	8.2	C35-60C	SLP99UH090XV48C	205552358
ML14XP1-048-233	48000	15.1	12.5	42000	25800	8.2	C35-60C	SLP99UH090XV60C	205552359
ML14XP1-048-233	48000	15	12.5	42000	26000	8.2	C35-60C	SLP99UH110XV60C	205552360
ML14XP1-048-233	48000	14	12	42500	26400	8.2	C35-60C		205293966
ML14XP1-048-233	47500	14	11.7	46000	29000	8.2	CBA25UH-048-230		205294267
ML14XP1-048-233	48000	15.1	12.5	42000	27400	8.5	CBA25UH-060-230		205294063
ML14XP1-048-233	47500	14.5	12.2	46000	28600	8.2	CBA25UHV-048-230		205294064
ML14XP1-048-233	48000	15.1	12.5	42000	27600	8.5	CBA25UHV-060-230		205294065
ML14XP1-048-233	48000	15	12.2	47000	31200	9	CBA27UHE-048-230		205294066
ML14XP1-048-233	47000	15.1	12.5	46500	30600	9	CBA38MV-048-230		205294067
ML14XP1-048-233	47500	14.5	12.2	44000	28000	8.2	CH35-48C	EL196UH110XE60C	205294068
ML14XP1-048-233	48000	14.5	12	44500	28600	8.2	CH35-48C	ML180UH110E60C	205294069
ML14XP1-048-233	47500	15	12.2	44000	28000	8.2	CH35-48C	ML180UH110V60C	205294070
ML14XP1-048-233	47500	14.5	12.2	44000	28000	8.2	CH35-48C	ML196UH110XE60C	205294071
ML14XP1-048-233	47500	15	12.2	44000	28000	8.2	CH35-48C	SL280UH080NV60C	205294072
ML14XP1-048-233	47500	14.5	12.2	44000	28200	8.2	CH35-48C	SL280UH090V60C	205294073
ML14XP1-048-233	47500	14.5	12.2	44000	28200	8.2	CH35-48C	SL280UH090XV60C	205294074
ML14XP1-048-233	47500	15	12.2	44000	28000	8.2	CH35-48C	SL280UH100NV60C	205294075
ML14XP1-048-233	48000	15.1	12.5	44500	28800	8.5	CH35-51C	EL180UH100NE60C	205294076
ML14XP1-048-233	48000	14.5	12.2	45000	29200	8.5	CH35-51C	EL195UH100NE60C	205294077
ML14XP1-048-233	48000	14.5	12.2	45000	29200	8.5	CH35-51C	EL196UH090XE48C	205294078
ML14XP1-048-233	48000	15	12.2	45000	29000	8.5	CH35-51C	EL196UH110XE60C	205294079
ML14XP1-048-233	48000	14.5	12.2	44500	29000	8.5	CH35-51C	EL280UH110E48C	205294080
ML14XP1-048-233	48000	15	12.2	44500	29000	8.5	CH35-51C	EL280UH110E60C	205294081
ML14XP1-048-233	48000	14.5	12.2	45000	29000	8.5	CH35-51C	EL296UH090XE48C	205294082
ML14XP1-048-233	48000	14.5	12.2	45000	29200	8.5	CH35-51C	EL296UH090XV48C	205294083
ML14XP1-048-233	48000	14.5	12	45000	29200	8.5	CH35-51C	EL296UH090XV60C	205294084
ML14XP1-048-233	48000	14.5	12.2	45000	29000	8.5	CH35-51C	EL296UH110XE60C	205294085
ML14XP1-048-233	48000	14.5	12.2	45000	29200	8.5	CH35-51C	EL296UH110XV48C	205294086
ML14XP1-048-233	48000	14.5	12.2	45000	29200	8.5	CH35-51C	EL296UH110XV60C	205294087
ML14XP1-048-233	48000	15	12.2	44500	29000	8.5	CH35-51C	ML180UH090E60C	205294088
ML14XP1-048-233	48000	14.5	12	45500	29600	8.5	CH35-51C	ML180UH110E60C	205294089
ML14XP1-048-233	48000	15	12.5	45000	29000	8.5	CH35-51C	ML180UH110V60C	205294090
ML14XP1-048-233	47500	14.5	12	44500	29000	8.5	CH35-51C	ML193UH090XE48C	205294091
ML14XP1-048-233	48000	14.5	12	44500	29000	8.5	CH35-51C	ML193UH110XE48C	205294092
ML14XP1-048-233	48000	14.5	12	45000	29400	8.5	CH35-51C	ML193UH110XE60C	205294093
ML14XP1-048-233	48000	14.5	12.2	45000	29200	8.5	CH35-51C	ML196UH090XE48C	205294094
ML14XP1-048-233	48000	15	12.2	45000	29000	8.5	CH35-51C	ML196UH110XE60C	205294095
ML14XP1-048-233	48000	15.1	12.5	45000	28800	8.5	CH35-51C	SL280UH080NV60C	205294096
ML14XP1-048-233	48000	15	12.2	45000	29200	8.5	CH35-51C	SL280UH090V60C	205294097
ML14XP1-048-233	48000	15	12.2	45000	29200	8.5	CH35-51C	SL280UH090XV60C	205294098
ML14XP1-048-233	48000	15.1	12.5	45000	29000	8.5	CH35-51C	SL280UH100NV60C	205294099
ML14XP1-048-233	48000	14.5	12.2	45000	29000	8.5	CH35-51C	SL280UH110V60C	205294100
ML14XP1-048-233	48000	14.5	12.2	45000	29000	8.5	CH35-51C	SL280UH110XV60C	205294101
ML14XP1-048-233	48000	14.5	12.2	45000	29200	8.5	CH35-51C	SL297UH080NV48C	205294102
ML14XP1-048-233	48000	14.5	12.2	45000	29200	8.5	CH35-51C	SL297UH080NV60C	205294103
ML14XP1-048-233	48000	14.5	12	45000	29200	8.5	CH35-51C	SLP98UH090XV48C	205294104
ML14XP1-048-233	48000	14.5	12	45000	29200	8.5	CH35-51C	SLP98UH090XV60C	205294105
ML14XP1-048-233	48000	14.5	12.2	45000	29200	8.5	CH35-51C	SLP98UH110XV60C	205294106
ML14XP1-048-233	48000	14.5	12	45000	29200	8.5	CH35-51C	SLP99UH090XV48C	205552361
ML14XP1-048-233	48000	14.5	12	45000	29200	8.5	CH35-51C	SLP99UH090XV60C	205552362
ML14XP1-048-233	48000	14.5	12.2	45000	29200	8.5	CH35-51C	SLP99UH110XV60C	205552363
ML14XP1-048-233	48000	14	11.5	45500	29600	8.2	CH35-51C		205293967
ML14XP1-048-233	48000	15	12.2	41500	26200	8.2	CH35-60D	EL180UH135E60D	205294107
ML14XP1-048-233	48000	14.5	12.2	41500	26400	8.2	CH35-60D	EL296UH135XE60D	205294108
ML14XP1-048-233	48000	14.5	12.2	41500	26400	8.2	CH35-60D	EL296UH135XV60D	205294109

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-048-233	48000	15	12.2	41500	26200	8.2	CH35-60D	ML180UH135E60D	205294110
ML14XP1-048-233	48000	15	12.2	41500	26200	8.2	CH35-60D	SL280UH135V60D	205294111
ML14XP1-048-233	48000	14.5	12.2	41500	26200	8.2	CH35-60D	SLP98UH135XV60D	205294112
ML14XP1-048-233	48000	14.5	12.2	41500	26200	8.2	CH35-60D	SLP99UH135XV60D	205552364
ML14XP1-048-233	47500	14.5	12.2	44000	28000	8.2	CHX35-48C	EL196UH110XE60C	205294113
ML14XP1-048-233	48000	14.5	12	44500	28600	8.2	CHX35-48C	ML180UH110E60C	205294114
ML14XP1-048-233	47500	15	12.2	44000	28000	8.2	CHX35-48C	ML180UH110V60C	205294115
ML14XP1-048-233	47500	14.5	12.2	44000	28000	8.2	CHX35-48C	ML196UH110XE60C	205294116
ML14XP1-048-233	47500	15	12.2	44000	28000	8.2	CHX35-48C	SL280UH080NV60C	205294117
ML14XP1-048-233	47500	14.5	12.2	44000	28200	8.2	CHX35-48C	SL280UH090V60C	205294118
ML14XP1-048-233	47500	14.5	12.2	44000	28200	8.2	CHX35-48C	SL280UH090XV60C	205294119
ML14XP1-048-233	47500	15	12.2	44000	28000	8.2	CHX35-48C	SL280UH100NV60C	205294120
ML14XP1-048-233	48000	15.1	12.5	44500	28800	8.5	CHX35-51/61C	EL180UH100NE60C	205294121
ML14XP1-048-233	48000	14.5	12.2	45000	29200	8.5	CHX35-51/61C	EL195UH100NE60C	205294122
ML14XP1-048-233	48000	14.5	12.2	45000	29200	8.5	CHX35-51/61C	EL196UH090XE48C	205294123
ML14XP1-048-233	48000	15	12.2	45000	29000	8.5	CHX35-51/61C	EL196UH110XE60C	205294124
ML14XP1-048-233	48000	14.5	12.2	44500	29000	8.5	CHX35-51/61C	EL280UH110E48C	205294125
ML14XP1-048-233	48000	15	12.2	44500	29000	8.5	CHX35-51/61C	EL280UH110E60C	205294126
ML14XP1-048-233	48000	14.5	12.2	45000	29000	8.5	CHX35-51/61C	EL296UH090XE48C	205294127
ML14XP1-048-233	48000	14.5	12	45000	29200	8.5	CHX35-51/61C	EL296UH090XV48C	205294128
ML14XP1-048-233	48000	14.5	12	45000	29200	8.5	CHX35-51/61C	EL296UH090XV60C	205294129
ML14XP1-048-233	48000	14.5	12.2	45000	29000	8.5	CHX35-51/61C	EL296UH110XE60C	205294130
ML14XP1-048-233	48000	14.5	12.2	45000	29200	8.5	CHX35-51/61C	EL296UH110XV48C	205294131
ML14XP1-048-233	48000	14.5	12.2	45000	29200	8.5	CHX35-51/61C	EL296UH110XV60C	205294132
ML14XP1-048-233	48000	15	12.2	44500	29000	8.5	CHX35-51/61C	ML180UH090E60C	205294133
ML14XP1-048-233	48000	14.5	12	45500	29600	8.5	CHX35-51/61C	ML180UH110E60C	205294134
ML14XP1-048-233	48000	15	12.5	45000	29000	8.5	CHX35-51/61C	ML180UH110V60C	205294135
ML14XP1-048-233	47500	14.5	12	44500	29000	8.5	CHX35-51/61C	ML193UH090XE48C	205294136
ML14XP1-048-233	48000	14.5	12	44500	29000	8.5	CHX35-51/61C	ML193UH110XE48C	205294137
ML14XP1-048-233	48000	14.5	12	45000	29400	8.5	CHX35-51/61C	ML193UH110XE60C	205294138
ML14XP1-048-233	48000	14.5	12.2	45000	29200	8.5	CHX35-51/61C	ML196UH090XE48C	205294139
ML14XP1-048-233	48000	15	12.2	45000	29000	8.5	CHX35-51/61C	ML196UH110XE60C	205294140
ML14XP1-048-233	48000	15.1	12.5	45000	28800	8.5	CHX35-51/61C	SL280UH080NV60C	205294141
ML14XP1-048-233	48000	15	12.2	45000	29200	8.5	CHX35-51/61C	SL280UH090V60C	205294142
ML14XP1-048-233	48000	15	12.2	45000	29200	8.5	CHX35-51/61C	SL280UH090XV60C	205294143
ML14XP1-048-233	48000	15.1	12.5	45000	29000	8.5	CHX35-51/61C	SL280UH100NV60C	205294144
ML14XP1-048-233	48000	14.5	12.2	45000	29000	8.5	CHX35-51/61C	SL280UH110V60C	205294145
ML14XP1-048-233	48000	14.5	12.2	45000	29000	8.5	CHX35-51/61C	SL280UH110XV60C	205294146
ML14XP1-048-233	48000	14.5	12.2	45000	29200	8.5	CHX35-51/61C	SL297UH080NV48C	205294147
ML14XP1-048-233	48000	14.5	12.2	45000	29200	8.5	CHX35-51/61C	SL297UH080NV60C	205294148
ML14XP1-048-233	48000	14.5	12	45000	29200	8.5	CHX35-51/61C	SLP98UH090XV48C	205294149
ML14XP1-048-233	48000	14.5	12	45000	29200	8.5	CHX35-51/61C	SLP98UH090XV60C	205294150
ML14XP1-048-233	48000	14.5	12.2	45000	29200	8.5	CHX35-51/61C	SLP98UH110XV60C	205294151
ML14XP1-048-233	48000	14.5	12	45000	29200	8.5	CHX35-51/61C	SLP99UH090XV48C	205552365
ML14XP1-048-233	48000	14.5	12	45000	29200	8.5	CHX35-51/61C	SLP99UH090XV60C	205552366
ML14XP1-048-233	48000	14.5	12.2	45000	29200	8.5	CHX35-51/61C	SLP99UH110XV60C	205552368
ML14XP1-048-233	48000	14	11.5	45500	29600	8.2	CHX35-51/61C		205293968
ML14XP1-048-233	48000	15	12.2	41500	26200	8.2	CHX35-60D	EL180UH135E60D	205294152
ML14XP1-048-233	48000	14.5	12.2	41500	26400	8.2	CHX35-60D	EL296UH135XE60D	205294153
ML14XP1-048-233	48000	14.5	12.2	41500	26400	8.2	CHX35-60D	EL296UH135XV60D	205294154
ML14XP1-048-233	48000	15	12.2	41500	26200	8.2	CHX35-60D	ML180UH135E60D	205294155
ML14XP1-048-233	48000	15	12.2	41500	26200	8.2	CHX35-60D	SL280UH135V60D	205294156
ML14XP1-048-233	48000	14.5	12.2	41500	26200	8.2	CHX35-60D	SLP98UH135XV60D	205294157
ML14XP1-048-233	48000	14.5	12.2	41500	26200	8.2	CHX35-60D	SLP99UH135XV60D	205552369
ML14XP1-048-233	47000	14.5	12	44000	28800	8.5	CR33-50/60	EL296DF090XE48C	205294158
ML14XP1-048-233	47500	14.25	12	44000	28800	8.5	CR33-50/60	EL296DF090XV60C	205294159

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-048-233	47500	14.5	12.2	44000	28400	8.5	CR33-50/60	EL296DF110XE60C	205294160
ML14XP1-048-233	47500	14.5	12	44000	28800	8.5	CR33-50/60	EL296DF110XV60C	205294161
ML14XP1-048-233	47500	14.5	12.2	44000	28400	9	CR33-50/60	ML180DF110E60C	205294162
ML14XP1-048-233	47000	14.25	11.5	43500	28600	8.5	CR33-50/60	ML193DF090XE48C	205294163
ML14XP1-048-233	47500	14.5	12.2	44000	28600	9	CR33-50/60	SL280DF090V60C	205294164
ML14XP1-048-233	47500	14.5	12.2	44000	28600	9	CR33-50/60	SL280DF110V60C	205294165
ML14XP1-048-233	47500	14.25	11.5	44500	29000	8.5	CR33-50/60	SLP98DF090XV48C	205294166
ML14XP1-048-233	47500	14.25	12	44000	28800	8.5	CR33-50/60	SLP98DF090XV60C	205294167
ML14XP1-048-233	47000	14.25	11.5	44000	28800	8.5	CR33-50/60	SLP98DF110XV60C	205294168
ML14XP1-048-233	47500	14.25	11.5	44500	29000	8.5	CR33-50/60	SLP99DF090XV48C	205552370
ML14XP1-048-233	47500	14.25	12	44000	28800	8.5	CR33-50/60	SLP99DF090XV60C	205552371
ML14XP1-048-233	47000	14.25	11.5	44000	28800	8.5	CR33-50/60	SLP99DF110XV60C	205552372
ML14XP1-048-233	47000	14	11.5	44500	29200	8.2	CR33-50/60		205293969
ML14XP1-048-233	47000	14.25	11.5	47500	32400	9	CR33-60	EL296DF090XV60C	205294169
ML14XP1-048-233	47000	14.5	12	47500	32000	9	CR33-60	EL296DF110XE60C	205294170
ML14XP1-048-233	47000	14.25	11.5	47500	32400	9	CR33-60	EL296DF110XV60C	205294171
ML14XP1-048-233	47500	14.5	12.2	47500	32000	9	CR33-60	ML180DF110E60C	205294172
ML14XP1-048-233	47500	14.5	12	47500	32000	9	CR33-60	SL280DF090V60C	205294173
ML14XP1-048-233	47500	14.5	12.2	47500	32000	9	CR33-60	SL280DF110V60C	205294174
ML14XP1-048-233	47000	14.25	11.5	47500	32400	9	CR33-60	SLP98DF090XV60C	205294175
ML14XP1-048-233	47000	14.25	11.5	47500	32400	9	CR33-60	SLP98DF110XV60C	205294176
ML14XP1-048-233	47000	14.25	11.5	47500	32400	9	CR33-60	SLP99DF090XV60C	205552373
ML14XP1-048-233	47000	14.25	11.5	47500	32400	9	CR33-60	SLP99DF110XV60C	205552374
ML14XP1-048-233	48000	15.1	12.5	42000	26400	8.2	CX35-49C	EL180UH100NE60C	205294177
ML14XP1-048-233	48000	14.5	12	42500	27000	8.2	CX35-49C	EL195UH080NE48C	205294178
ML14XP1-048-233	48000	14.5	12.2	42000	26800	8.2	CX35-49C	EL195UH100NE60C	205294179
ML14XP1-048-233	48000	15	12.2	42500	27000	8.2	CX35-49C	EL196UH090XE48C	205294180
ML14XP1-048-233	48000	15.1	12.5	42500	26800	8.2	CX35-49C	EL196UH110XE60C	205294181
ML14XP1-048-233	48000	15	12.2	42000	26800	8.2	CX35-49C	EL280UH110E48C	205294182
ML14XP1-048-233	48000	15	12.5	41500	26600	8.2	CX35-49C	EL280UH110E60C	205294183
ML14XP1-048-233	48000	14.5	12.2	42500	26800	8.2	CX35-49C	EL296UH090XE48C	205294184
ML14XP1-048-233	48000	14.5	12.2	42500	26800	8.2	CX35-49C	EL296UH090XV48C	205294185
ML14XP1-048-233	48000	14.5	12.2	42500	26800	8.2	CX35-49C	EL296UH090XV60C	205294186
ML14XP1-048-233	48000	15	12.5	42000	26800	8.2	CX35-49C	EL296UH110XE60C	205294187
ML14XP1-048-233	48000	15	12.2	42500	26800	8.2	CX35-49C	EL296UH110XV48C	205294188
ML14XP1-048-233	48000	14.5	12.2	42500	27000	8.2	CX35-49C	EL296UH110XV60C	205294189
ML14XP1-048-233	48000	15.1	12.5	42000	26600	8.2	CX35-49C	ML180UH090E60C	205294190
ML14XP1-048-233	48000	15.1	12.5	42000	26600	8.2	CX35-49C	ML180UH110E60C	205294191
ML14XP1-048-233	48000	15.1	12.5	42000	26600	8.2	CX35-49C	ML180UH110V60C	205294192
ML14XP1-048-233	48000	14.5	12.2	42000	26800	8.2	CX35-49C	ML193UH090XE48C	205294193
ML14XP1-048-233	48000	14.5	12.2	42000	26800	8.2	CX35-49C	ML193UH110XE48C	205294194
ML14XP1-048-233	48000	14.5	12	42500	27200	8.2	CX35-49C	ML193UH110XE60C	205294195
ML14XP1-048-233	48000	15	12.2	42500	27000	8.2	CX35-49C	ML196UH090XE48C	205294196
ML14XP1-048-233	48000	15.1	12.5	42500	26800	8.2	CX35-49C	ML196UH110XE60C	205294197
ML14XP1-048-233	48000	15.1	12.5	42000	26600	8.5	CX35-49C	SL280UH080NV60C	205294198
ML14XP1-048-233	48000	15.1	12.5	42500	26800	8.2	CX35-49C	SL280UH090V60C	205294199
ML14XP1-048-233	48000	15.1	12.5	42500	26800	8.2	CX35-49C	SL280UH090XV60C	205294200
ML14XP1-048-233	48000	15.1	12.5	42000	26600	8.5	CX35-49C	SL280UH100NV60C	205294201
ML14XP1-048-233	48000	15.1	12.5	42000	26600	8.2	CX35-49C	SL280UH110V60C	205294202
ML14XP1-048-233	48000	15.1	12.5	42000	26600	8.2	CX35-49C	SL280UH110XV60C	205294203
ML14XP1-048-233	48000	15	12.2	42500	26800	8.2	CX35-49C	SL297UH080NV60C	205294204
ML14XP1-048-233	48000	14.5	12.2	42500	26800	8.2	CX35-49C	SLP98UH090XV48C	205294205
ML14XP1-048-233	48000	14.5	12.2	42500	26800	8.2	CX35-49C	SLP98UH090XV60C	205294206
ML14XP1-048-233	48000	14.5	12.2	42500	27000	8.2	CX35-49C	SLP98UH110XV60C	205294207
ML14XP1-048-233	48000	14.5	12.2	42500	26800	8.2	CX35-49C	SLP99UH090XV48C	205552375
ML14XP1-048-233	48000	14.5	12.2	42500	26800	8.2	CX35-49C	SLP99UH090XV60C	205552377

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-048-233	48000	14.5	12.2	42500	27000	8.2	CX35-49C	SLP99UH110XV60C	205552378
ML14XP1-048-233	48000	14	11.5	43000	27400	8.2	CX35-49C		205293970
ML14XP1-048-233	47000	14.5	12.2	44000	26800	8.2	CX35-50/60C	EL180UH100NE60C	205294208
ML14XP1-048-233	47000	14.5	12	44500	27200	8.2	CX35-50/60C	EL196UH090XE48C	205294209
ML14XP1-048-233	47500	14.5	12.2	44500	27000	8.2	CX35-50/60C	EL196UH110XE60C	205294210
ML14XP1-048-233	47000	14.5	12	44000	27000	8.2	CX35-50/60C	EL280UH110E48C	205294211
ML14XP1-048-233	47000	14.5	12	44000	27000	8.2	CX35-50/60C	EL280UH110E60C	205294212
ML14XP1-048-233	47000	14.5	12	44500	27000	8.2	CX35-50/60C	EL296UH090XE48C	205294213
ML14XP1-048-233	47000	14.5	11.5	44500	27200	8.2	CX35-50/60C	EL296UH090XV48C	205294214
ML14XP1-048-233	47000	14.25	11.5	44500	27400	8.2	CX35-50/60C	EL296UH090XV60C	205294215
ML14XP1-048-233	47000	14.5	12	44000	27000	8.2	CX35-50/60C	EL296UH110XE60C	205294216
ML14XP1-048-233	47000	14.5	12	44500	27200	8.2	CX35-50/60C	EL296UH110XV48C	205294217
ML14XP1-048-233	47000	14.5	11.5	44500	27200	8.2	CX35-50/60C	EL296UH110XV60C	205294218
ML14XP1-048-233	47000	14.5	12.2	44000	27000	8.2	CX35-50/60C	ML180UH090E60C	205294219
ML14XP1-048-233	46500	14.25	11.5	44000	27000	8.2	CX35-50/60C	ML193UH110XE48C	205294220
ML14XP1-048-233	47500	14.25	11.5	44500	27400	8.2	CX35-50/60C	ML193UH110XE60C	205294221
ML14XP1-048-233	47000	14.5	12	44500	27200	8.2	CX35-50/60C	ML196UH090XE48C	205294222
ML14XP1-048-233	47500	14.5	12.2	44500	27000	8.2	CX35-50/60C	ML196UH110XE60C	205294223
ML14XP1-048-233	47500	15	12.2	44000	27000	8.2	CX35-50/60C	SL280UH080NV60C	205294224
ML14XP1-048-233	47500	14.5	12.2	44500	27200	8.2	CX35-50/60C	SL280UH090V60C	205294225
ML14XP1-048-233	47500	14.5	12.2	44500	27200	8.2	CX35-50/60C	SL280UH090XV60C	205294226
ML14XP1-048-233	47500	15	12.2	44500	27000	8.2	CX35-50/60C	SL280UH100NV60C	205294227
ML14XP1-048-233	47000	14.5	12	44500	27200	8.2	CX35-50/60C	SL280UH110V60C	205294228
ML14XP1-048-233	47000	14.5	12	44500	27200	8.2	CX35-50/60C	SL280UH110XV60C	205294229
ML14XP1-048-233	47000	14.5	12	44500	27200	8.2	CX35-50/60C	SL297UH080NV48C	205294230
ML14XP1-048-233	47000	14.5	12	44500	27200	8.2	CX35-50/60C	SL297UH080NV60C	205294231
ML14XP1-048-233	47000	14.5	11.5	44500	27200	8.2	CX35-50/60C	SLP98UH090XV48C	205294232
ML14XP1-048-233	47000	14.25	11.5	44500	27400	8.2	CX35-50/60C	SLP98UH090XV60C	205294233
ML14XP1-048-233	47000	14.5	11.5	44500	27200	8.2	CX35-50/60C	SLP98UH110XV60C	205294234
ML14XP1-048-233	47000	14.5	11.5	44500	27200	8.2	CX35-50/60C	SLP99UH090XV48C	205552379
ML14XP1-048-233	47000	14.25	11.5	44500	27400	8.2	CX35-50/60C	SLP99UH090XV60C	205552380
ML14XP1-048-233	47000	14.5	11.5	44500	27200	8.2	CX35-50/60C	SLP99UH110XV60C	205552381
ML14XP1-048-233	48000	15.5	12.5	41500	25400	8.5	CX35-60C	EL180UH100NE60C	205294235
ML14XP1-048-233	48000	14.5	12.2	42000	25800	8.2	CX35-60C	EL195UH080NE48C	205294236
ML14XP1-048-233	48000	15	12.5	42000	25800	8.2	CX35-60C	EL195UH100NE60C	205294237
ML14XP1-048-233	48000	15.1	12.5	42000	25800	8.5	CX35-60C	EL196UH090XE48C	205294238
ML14XP1-048-233	48000	15.1	12.5	42000	25800	8.5	CX35-60C	EL196UH110XE60C	205294239
ML14XP1-048-233	48000	15.1	12.5	41500	25800	8.2	CX35-60C	EL280UH110E48C	205294240
ML14XP1-048-233	48000	15.1	12.5	41500	25600	8.5	CX35-60C	EL280UH110E60C	205294241
ML14XP1-048-233	48000	15.1	12.5	42000	25800	8.2	CX35-60C	EL296UH090XE48C	205294242
ML14XP1-048-233	48000	15.1	12.5	42000	25800	8.2	CX35-60C	EL296UH090XV48C	205294243
ML14XP1-048-233	48000	15.1	12.5	42000	25800	8.2	CX35-60C	EL296UH090XV60C	205294244
ML14XP1-048-233	48000	15.1	12.5	42000	25800	8.2	CX35-60C	EL296UH110XE60C	205294245
ML14XP1-048-233	48000	15.1	12.5	42000	25800	8.2	CX35-60C	EL296UH110XV48C	205294246
ML14XP1-048-233	48000	15	12.5	42000	26000	8.2	CX35-60C	EL296UH110XV60C	205294247
ML14XP1-048-233	48000	15.1	12.5	41500	25600	8.5	CX35-60C	ML180UH090E60C	205294248
ML14XP1-048-233	48000	15	12.5	42500	26200	8.5	CX35-60C	ML180UH110E60C	205294249
ML14XP1-048-233	48000	15.5	12.5	42000	25600	8.5	CX35-60C	ML180UH110V60C	205294250
ML14XP1-048-233	48000	15	12.5	41500	25800	8.2	CX35-60C	ML193UH090XE48C	205294251
ML14XP1-048-233	48000	15	12.5	41500	25800	8.2	CX35-60C	ML193UH110XE48C	205294252
ML14XP1-048-233	48000	15	12.2	42000	26200	8.2	CX35-60C	ML193UH110XE60C	205294253
ML14XP1-048-233	48000	15.1	12.5	42000	25800	8.5	CX35-60C	ML196UH090XE48C	205294254
ML14XP1-048-233	48000	15.1	12.5	42000	25800	8.5	CX35-60C	ML196UH110XE60C	205294255
ML14XP1-048-233	48000	15.5	12.5	42000	25600	8.5	CX35-60C	SL280UH080NV60C	205294256
ML14XP1-048-233	48000	15.1	12.5	42000	25800	8.5	CX35-60C	SL280UH090V60C	205294257
ML14XP1-048-233	48000	15.1	12.5	42000	25800	8.5	CX35-60C	SL280UH090XV60C	205294258

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-048-233	48000	15.5	12.5	42000	25600	8.5	CX35-60C	SL280UH100NV60C	205294259
ML14XP1-048-233	48000	15.1	12.5	42000	25600	8.5	CX35-60C	SL280UH110V60C	205294260
ML14XP1-048-233	48000	15.1	12.5	42000	25600	8.5	CX35-60C	SL280UH110XV60C	205294261
ML14XP1-048-233	48000	15.1	12.5	42000	25800	8.2	CX35-60C	SL297UH080NV48C	205294262
ML14XP1-048-233	48000	15.1	12.5	42000	25800	8.2	CX35-60C	SL297UH080NV60C	205294263
ML14XP1-048-233	48000	15.1	12.5	42000	25800	8.2	CX35-60C	SLP98UH090XV48C	205294264
ML14XP1-048-233	48000	15.1	12.5	42000	25800	8.2	CX35-60C	SLP98UH090XV60C	205294265
ML14XP1-048-233	48000	15	12.5	42000	26000	8.2	CX35-60C	SLP98UH110XV60C	205294266
ML14XP1-048-233	48000	15.1	12.5	42000	25800	8.2	CX35-60C	SLP99UH090XV48C	205552382
ML14XP1-048-233	48000	15.1	12.5	42000	25800	8.2	CX35-60C	SLP99UH090XV60C	205552383
ML14XP1-048-233	48000	15	12.5	42000	26000	8.2	CX35-60C	SLP99UH110XV60C	205552384
ML14XP1-048-233	48000	14	12	42500	26400	8.2	CX35-60C		205293971
ML14XP1-048-463	48000	15.1	12.5	42000	26400	8.2	C35-49C	EL180UH100NE60C	205755402
ML14XP1-048-463	48000	14.5	12	42500	27000	8.2	C35-49C	EL195UH080NE48C	205755403
ML14XP1-048-463	48000	14.5	12.2	42000	26800	8.2	C35-49C	EL195UH100NE60C	205755404
ML14XP1-048-463	48000	15	12.2	42500	27000	8.2	C35-49C	EL196UH090XE48C	205755405
ML14XP1-048-463	48000	15.1	12.5	42500	26800	8.2	C35-49C	EL196UH110XE60C	205755406
ML14XP1-048-463	48000	15	12.2	42000	26800	8.2	C35-49C	EL280UH110E48C	205755407
ML14XP1-048-463	48000	15	12.5	41500	26600	8.2	C35-49C	EL280UH110E60C	205755408
ML14XP1-048-463	48000	14.5	12.2	42500	26800	8.2	C35-49C	EL296UH090XE48C	205755409
ML14XP1-048-463	48000	14.5	12.2	42500	26800	8.2	C35-49C	EL296UH090XV48C	205755410
ML14XP1-048-463	48000	14.5	12.2	42500	26800	8.2	C35-49C	EL296UH090XV60C	205755411
ML14XP1-048-463	48000	15	12.5	42000	26800	8.2	C35-49C	EL296UH110XE60C	205755412
ML14XP1-048-463	48000	15	12.2	42500	26800	8.2	C35-49C	EL296UH110XV48C	205755413
ML14XP1-048-463	48000	14.5	12.2	42500	27000	8.2	C35-49C	EL296UH110XV60C	205755414
ML14XP1-048-463	48000	15.1	12.5	42000	26600	8.2	C35-49C	ML180UH090E60C	205755415
ML14XP1-048-463	48000	15.1	12.5	42000	26600	8.2	C35-49C	ML180UH110E60C	205755416
ML14XP1-048-463	48000	15.1	12.5	42000	26600	8.2	C35-49C	ML180UH110V60C	205755417
ML14XP1-048-463	48000	14.5	12.2	42000	26800	8.2	C35-49C	ML193UH090XE48C	205755418
ML14XP1-048-463	48000	14.5	12.2	42000	26800	8.2	C35-49C	ML193UH110XE48C	205755419
ML14XP1-048-463	48000	14.5	12	42500	27200	8.2	C35-49C	ML193UH110XE60C	205755420
ML14XP1-048-463	48000	15	12.2	42500	27000	8.2	C35-49C	ML196UH090XE48C	205755421
ML14XP1-048-463	48000	15.1	12.5	42500	26800	8.2	C35-49C	ML196UH110XE60C	205755422
ML14XP1-048-463	48000	15.1	12.5	42000	26600	8.5	C35-49C	SL280UH080NV60C	205755423
ML14XP1-048-463	48000	15.1	12.5	42500	26800	8.2	C35-49C	SL280UH090V60C	205755424
ML14XP1-048-463	48000	15.1	12.5	42500	26800	8.2	C35-49C	SL280UH090XV60C	205755425
ML14XP1-048-463	48000	15.1	12.5	42000	26600	8.5	C35-49C	SL280UH100NV60C	205755426
ML14XP1-048-463	48000	15.1	12.5	42000	26600	8.2	C35-49C	SL280UH110V60C	205755427
ML14XP1-048-463	48000	15.1	12.5	42000	26600	8.2	C35-49C	SL280UH110XV60C	205755428
ML14XP1-048-463	48000	15	12.2	42500	26800	8.2	C35-49C	SL297UH080NV60C	205755429
ML14XP1-048-463	48000	14.5	12.2	42500	26800	8.2	C35-49C	SLP98UH090XV48C	205755430
ML14XP1-048-463	48000	14.5	12.2	42500	26800	8.2	C35-49C	SLP98UH090XV60C	205755431
ML14XP1-048-463	48000	14.5	12.2	42500	27000	8.2	C35-49C	SLP98UH110XV60C	205755432
ML14XP1-048-463	48000	14	11.5	43000	27400	8.2	C35-49C		205755692
ML14XP1-048-463	47000	14.5	12.2	44000	26800	8.2	C35-50/60C	EL180UH100NE60C	205755433
ML14XP1-048-463	47000	14.5	12	44500	27200	8.2	C35-50/60C	EL196UH090XE48C	205755434
ML14XP1-048-463	47500	14.5	12.2	44500	27000	8.2	C35-50/60C	EL196UH110XE60C	205755435
ML14XP1-048-463	47000	14.5	12	44000	27000	8.2	C35-50/60C	EL280UH110E48C	205755436
ML14XP1-048-463	47000	14.5	12	44000	27000	8.2	C35-50/60C	EL280UH110E60C	205755437
ML14XP1-048-463	47000	14.5	12	44500	27000	8.2	C35-50/60C	EL296UH090XE48C	205755438
ML14XP1-048-463	47000	14.5	11.5	44500	27200	8.2	C35-50/60C	EL296UH090XV48C	205755439
ML14XP1-048-463	47000	14.25	11.5	44500	27400	8.2	C35-50/60C	EL296UH090XV60C	205755440
ML14XP1-048-463	47000	14.5	12	44000	27000	8.2	C35-50/60C	EL296UH110XE60C	205755441
ML14XP1-048-463	47000	14.5	12	44500	27200	8.2	C35-50/60C	EL296UH110XV48C	205755442
ML14XP1-048-463	47000	14.5	11.5	44500	27200	8.2	C35-50/60C	EL296UH110XV60C	205755443
ML14XP1-048-463	47000	14.5	12.2	44000	27000	8.2	C35-50/60C	ML180UH090E60C	205755444

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-048-463	47500	14.5	12.2	44500	27000	8.2	C35-50/60C	ML180UH110V60C	205755445
ML14XP1-048-463	46500	14.25	11.5	44000	27000	8.2	C35-50/60C	ML193UH110XE48C	205755446
ML14XP1-048-463	47500	14.25	11.5	44500	27400	8.2	C35-50/60C	ML193UH110XE60C	205755447
ML14XP1-048-463	47000	14.5	12	44500	27200	8.2	C35-50/60C	ML196UH090XE48C	205755448
ML14XP1-048-463	47500	14.5	12.2	44500	27000	8.2	C35-50/60C	ML196UH110XE60C	205755449
ML14XP1-048-463	47500	15	12.2	44000	27000	8.2	C35-50/60C	SL280UH080NV60C	205755450
ML14XP1-048-463	47500	14.5	12.2	44500	27200	8.2	C35-50/60C	SL280UH090V60C	205755451
ML14XP1-048-463	47500	14.5	12.2	44500	27200	8.2	C35-50/60C	SL280UH090XV60C	205755452
ML14XP1-048-463	47500	15	12.2	44500	27000	8.2	C35-50/60C	SL280UH100NV60C	205755453
ML14XP1-048-463	47000	14.5	12	44500	27200	8.2	C35-50/60C	SL280UH110V60C	205755454
ML14XP1-048-463	47000	14.5	12	44500	27200	8.2	C35-50/60C	SL280UH110XV60C	205755455
ML14XP1-048-463	47000	14.5	12	44500	27200	8.2	C35-50/60C	SL297UH080NV48C	205755456
ML14XP1-048-463	47000	14.5	12	44500	27200	8.2	C35-50/60C	SL297UH080NV60C	205755457
ML14XP1-048-463	47000	14.5	11.5	44500	27200	8.2	C35-50/60C	SLP98UH090XV48C	205755458
ML14XP1-048-463	47000	14.25	11.5	44500	27400	8.2	C35-50/60C	SLP98UH090XV60C	205755459
ML14XP1-048-463	47000	14.5	11.5	44500	27200	8.2	C35-50/60C	SLP98UH110XV60C	205755460
ML14XP1-048-463	48000	15.1	12.5	42500	26200	8.5	C35-60C	EL180UH100NE60C	205755461
ML14XP1-048-463	48000	14.5	12.2	42000	25800	8.2	C35-60C	EL195UH080NE48C	205755462
ML14XP1-048-463	48000	15	12.5	42000	25800	8.2	C35-60C	EL195UH100NE60C	205755463
ML14XP1-048-463	48000	15.1	12.5	42000	25800	8.5	C35-60C	EL196UH090XE48C	205755464
ML14XP1-048-463	48000	15.1	12.5	42000	25800	8.5	C35-60C	EL196UH110XE60C	205755465
ML14XP1-048-463	48000	15.1	12.5	41500	25800	8.2	C35-60C	EL280UH110E48C	205755466
ML14XP1-048-463	48000	15.1	12.5	41500	25600	8.5	C35-60C	EL280UH110E60C	205755467
ML14XP1-048-463	48000	15.1	12.5	42000	25800	8.2	C35-60C	EL296UH090XE48C	205755468
ML14XP1-048-463	48000	15.1	12.5	42000	25800	8.2	C35-60C	EL296UH090XV48C	205755469
ML14XP1-048-463	48000	15.1	12.5	42000	25800	8.2	C35-60C	EL296UH090XV60C	205755470
ML14XP1-048-463	48000	15.1	12.5	42000	25800	8.2	C35-60C	EL296UH110XE60C	205755471
ML14XP1-048-463	48000	15.1	12.5	42000	25800	8.2	C35-60C	EL296UH110XV48C	205755472
ML14XP1-048-463	48000	15	12.5	42000	26000	8.2	C35-60C	EL296UH110XV60C	205755473
ML14XP1-048-463	48000	15.1	12.5	41500	25600	8.5	C35-60C	ML180UH090E60C	205755474
ML14XP1-048-463	48000	15	12.5	42500	26200	8.5	C35-60C	ML180UH110E60C	205755475
ML14XP1-048-463	48000	15.5	12.5	42000	25600	8.5	C35-60C	ML180UH110V60C	205755476
ML14XP1-048-463	48000	15	12.5	41500	25800	8.2	C35-60C	ML193UH090XE48C	205755477
ML14XP1-048-463	48000	15	12.5	41500	25800	8.2	C35-60C	ML193UH110XE48C	205755478
ML14XP1-048-463	48000	15	12.2	42000	26200	8.2	C35-60C	ML193UH110XE60C	205755479
ML14XP1-048-463	48000	15.1	12.5	42000	25800	8.5	C35-60C	ML196UH090XE48C	205755480
ML14XP1-048-463	48000	15.1	12.5	42000	25800	8.5	C35-60C	ML196UH110XE60C	205755481
ML14XP1-048-463	48000	15.5	12.5	42000	25600	8.5	C35-60C	SL280UH080NV60C	205755482
ML14XP1-048-463	48000	15.1	12.5	42000	25800	8.5	C35-60C	SL280UH090V60C	205755483
ML14XP1-048-463	48000	15.1	12.5	42000	25800	8.5	C35-60C	SL280UH090XV60C	205755484
ML14XP1-048-463	48000	15.5	12.5	42000	25600	8.5	C35-60C	SL280UH100NV60C	205755485
ML14XP1-048-463	48000	15.1	12.5	42000	25600	8.5	C35-60C	SL280UH110V60C	205755486
ML14XP1-048-463	48000	15.1	12.5	42000	25600	8.5	C35-60C	SL280UH110XV60C	205755487
ML14XP1-048-463	48000	15.1	12.5	42000	25800	8.2	C35-60C	SL297UH080NV48C	205755488
ML14XP1-048-463	48000	15.1	12.5	42000	25800	8.2	C35-60C	SL297UH080NV60C	205755489
ML14XP1-048-463	48000	15.1	12.5	42000	25800	8.2	C35-60C	SLP98UH090XV48C	205755490
ML14XP1-048-463	48000	15.1	12.5	42000	25800	8.2	C35-60C	SLP98UH090XV60C	205755491
ML14XP1-048-463	48000	15	12.5	42000	26000	8.2	C35-60C	SLP98UH110XV60C	205755492
ML14XP1-048-463	48000	14	12	42500	26400	8.2	C35-60C		205755693
ML14XP1-048-463	47500	14	11.7	46000	29000	8.2	CBA25UH-048-230		205755401
ML14XP1-048-463	48000	15.1	12.5	42000	27400	8.5	CBA25UH-060-230		205755699
ML14XP1-048-463	47500	14.5	12.2	46000	28600	8.2	CBA25UHV-048-230		205755700
ML14XP1-048-463	48000	15.1	12.5	42000	27600	8.5	CBA25UHV-060-230		205755701
ML14XP1-048-463	48000	15	12.2	47000	31200	9	CBA27UHE-048-230		205755702
ML14XP1-048-463	48000	15	12.2	47000	31200	9	CBA27UHE-048-460		205755703
ML14XP1-048-463	47000	15.1	12.5	46500	30600	9	CBA38MV-048-230		205755704

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-048-463	47500	14.5	12.2	44000	28000	8.2	CH35-48C	EL196UH110XE60C	205755493
ML14XP1-048-463	48000	14.5	12	44500	28600	8.2	CH35-48C	ML180UH110E60C	205755494
ML14XP1-048-463	47500	15	12.2	44000	28000	8.2	CH35-48C	ML180UH110V60C	205755495
ML14XP1-048-463	47500	14.5	12.2	44000	28000	8.2	CH35-48C	ML196UH110XE60C	205755496
ML14XP1-048-463	47500	15	12.2	44000	28000	8.2	CH35-48C	SL280UH080NV60C	205755497
ML14XP1-048-463	47500	14.5	12.2	44000	28200	8.2	CH35-48C	SL280UH090V60C	205755498
ML14XP1-048-463	47500	14.5	12.2	44000	28200	8.2	CH35-48C	SL280UH090XV60C	205755499
ML14XP1-048-463	47500	15	12.2	44000	28000	8.2	CH35-48C	SL280UH100NV60C	205755500
ML14XP1-048-463	48000	15.1	12.5	44500	28800	8.5	CH35-51C	EL180UH100NE60C	205755501
ML14XP1-048-463	48000	14.5	12.2	45000	29200	8.5	CH35-51C	EL195UH100NE60C	205755502
ML14XP1-048-463	48000	14.5	12.2	45000	29200	8.5	CH35-51C	EL196UH090XE48C	205755503
ML14XP1-048-463	48000	15	12.2	45000	29000	8.5	CH35-51C	EL196UH110XE60C	205755504
ML14XP1-048-463	48000	14.5	12.2	44500	29000	8.5	CH35-51C	EL280UH110E48C	205755505
ML14XP1-048-463	48000	15	12.2	44500	29000	8.5	CH35-51C	EL280UH110E60C	205755506
ML14XP1-048-463	48000	14.5	12.2	45000	29000	8.5	CH35-51C	EL296UH090XE48C	205755507
ML14XP1-048-463	48000	14.5	12.2	45000	29200	8.5	CH35-51C	EL296UH090XV48C	205755508
ML14XP1-048-463	48000	14.5	12	45000	29200	8.5	CH35-51C	EL296UH090XV60C	205755509
ML14XP1-048-463	48000	14.5	12.2	45000	29000	8.5	CH35-51C	EL296UH110XE60C	205755510
ML14XP1-048-463	48000	14.5	12.2	45000	29200	8.5	CH35-51C	EL296UH110XV48C	205755511
ML14XP1-048-463	48000	14.5	12.2	45000	29200	8.5	CH35-51C	EL296UH110XV60C	205755512
ML14XP1-048-463	48000	15	12.2	44500	29000	8.5	CH35-51C	ML180UH090E60C	205755513
ML14XP1-048-463	48000	14.5	12	45500	29600	8.5	CH35-51C	ML180UH110E60C	205755514
ML14XP1-048-463	48000	15	12.5	45000	29000	8.5	CH35-51C	ML180UH110V60C	205755515
ML14XP1-048-463	47500	14.5	12	44500	29000	8.5	CH35-51C	ML193UH090XE48C	205755516
ML14XP1-048-463	48000	14.5	12	44500	29000	8.5	CH35-51C	ML193UH110XE48C	205755517
ML14XP1-048-463	48000	14.5	12	45000	29400	8.5	CH35-51C	ML193UH110XE60C	205755518
ML14XP1-048-463	48000	14.5	12.2	45000	29200	8.5	CH35-51C	ML196UH090XE48C	205755519
ML14XP1-048-463	48000	15	12.2	45000	29000	8.5	CH35-51C	ML196UH110XE60C	205755520
ML14XP1-048-463	48000	15.1	12.5	45000	28800	8.5	CH35-51C	SL280UH080NV60C	205755521
ML14XP1-048-463	48000	15	12.2	45000	29200	8.5	CH35-51C	SL280UH090V60C	205755522
ML14XP1-048-463	48000	15	12.2	45000	29200	8.5	CH35-51C	SL280UH090XV60C	205755523
ML14XP1-048-463	48000	15.1	12.5	45000	29000	8.5	CH35-51C	SL280UH100NV60C	205755524
ML14XP1-048-463	48000	14.5	12.2	45000	29000	8.5	CH35-51C	SL280UH110V60C	205755525
ML14XP1-048-463	48000	14.5	12.2	45000	29000	8.5	CH35-51C	SL280UH110XV60C	205755526
ML14XP1-048-463	48000	14.5	12.2	45000	29200	8.5	CH35-51C	SL297UH080NV48C	205755527
ML14XP1-048-463	48000	14.5	12.2	45000	29200	8.5	CH35-51C	SL297UH080NV60C	205755528
ML14XP1-048-463	48000	14.5	12	45000	29200	8.5	CH35-51C	SLP98UH090XV48C	205755529
ML14XP1-048-463	48000	14.5	12	45000	29200	8.5	CH35-51C	SLP98UH090XV60C	205755530
ML14XP1-048-463	48000	14.5	12.2	45000	29200	8.5	CH35-51C	SLP98UH110XV60C	205755531
ML14XP1-048-463	48000	14	11.5	45500	29600	8.2	CH35-51C		205755694
ML14XP1-048-463	48000	15	12.2	41500	26200	8.2	CH35-60D	EL180UH135E60D	205755532
ML14XP1-048-463	48000	14.5	12.2	41500	26400	8.2	CH35-60D	EL296UH135XE60D	205755533
ML14XP1-048-463	48000	14.5	12.2	41500	26400	8.2	CH35-60D	EL296UH135XV60D	205755534
ML14XP1-048-463	48000	15	12.2	41500	26200	8.2	CH35-60D	ML180UH135E60D	205755535
ML14XP1-048-463	48000	15	12.2	41500	26200	8.2	CH35-60D	SL280UH135V60D	205755536
ML14XP1-048-463	48000	14.5	12.2	41500	26200	8.2	CH35-60D	SLP98UH135XV60D	205755537
ML14XP1-048-463	47500	14.5	12.2	44000	28000	8.2	CHX35-48C	EL196UH110XE60C	205755538
ML14XP1-048-463	48000	14.5	12	44500	28600	8.2	CHX35-48C	ML180UH110E60C	205755539
ML14XP1-048-463	47500	15	12.2	44000	28000	8.2	CHX35-48C	ML180UH110V60C	205755540
ML14XP1-048-463	47500	14.5	12.2	44000	28000	8.2	CHX35-48C	ML196UH110XE60C	205755541
ML14XP1-048-463	47500	15	12.2	44000	28000	8.2	CHX35-48C	SL280UH080NV60C	205755542
ML14XP1-048-463	47500	14.5	12.2	44000	28200	8.2	CHX35-48C	SL280UH090V60C	205755543
ML14XP1-048-463	47500	14.5	12.2	44000	28200	8.2	CHX35-48C	SL280UH090XV60C	205755544
ML14XP1-048-463	47500	15	12.2	44000	28000	8.2	CHX35-48C	SL280UH100NV60C	205755545
ML14XP1-048-463	48000	15.1	12.5	44500	28800	8.5	CHX35-51/61C	EL180UH100NE60C	205755546
ML14XP1-048-463	48000	14.5	12.2	45000	29200	8.5	CHX35-51/61C	EL195UH100NE60C	205755547

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-048-463	48000	14.5	12.2	45000	29200	8.5	CHX35-51/61C	EL196UH090XE48C	205755548
ML14XP1-048-463	48000	15	12.2	45000	29000	8.5	CHX35-51/61C	EL196UH110XE60C	205755549
ML14XP1-048-463	48000	14.5	12.2	44500	29000	8.5	CHX35-51/61C	EL280UH110E48C	205755550
ML14XP1-048-463	48000	15	12.2	44500	29000	8.5	CHX35-51/61C	EL280UH110E60C	205755551
ML14XP1-048-463	48000	14.5	12.2	45000	29000	8.5	CHX35-51/61C	EL296UH090XE48C	205755552
ML14XP1-048-463	48000	14.5	12	45000	29200	8.5	CHX35-51/61C	EL296UH090XV48C	205755553
ML14XP1-048-463	48000	14.5	12	45000	29200	8.5	CHX35-51/61C	EL296UH090XV60C	205755554
ML14XP1-048-463	48000	14.5	12.2	45000	29000	8.5	CHX35-51/61C	EL296UH110XE60C	205755555
ML14XP1-048-463	48000	14.5	12.2	45000	29200	8.5	CHX35-51/61C	EL296UH110XV48C	205755556
ML14XP1-048-463	48000	14.5	12.2	45000	29200	8.5	CHX35-51/61C	EL296UH110XV60C	205755557
ML14XP1-048-463	48000	15	12.2	44500	29000	8.5	CHX35-51/61C	ML180UH090E60C	205755558
ML14XP1-048-463	48000	14.5	12	45500	29600	8.5	CHX35-51/61C	ML180UH110E60C	205755559
ML14XP1-048-463	48000	15	12.5	45000	29000	8.5	CHX35-51/61C	ML180UH110V60C	205755560
ML14XP1-048-463	47500	14.5	12	44500	29000	8.5	CHX35-51/61C	ML193UH090XE48C	205755561
ML14XP1-048-463	48000	14.5	12	44500	29000	8.5	CHX35-51/61C	ML193UH110XE48C	205755562
ML14XP1-048-463	48000	14.5	12	45000	29400	8.5	CHX35-51/61C	ML193UH110XE60C	205755563
ML14XP1-048-463	48000	14.5	12.2	45000	29200	8.5	CHX35-51/61C	ML196UH090XE48C	205755564
ML14XP1-048-463	48000	15	12.2	45000	29000	8.5	CHX35-51/61C	ML196UH110XE60C	205755565
ML14XP1-048-463	48000	15.1	12.5	45000	28800	8.5	CHX35-51/61C	SL280UH080NV60C	205755566
ML14XP1-048-463	48000	15	12.2	45000	29200	8.5	CHX35-51/61C	SL280UH090V60C	205755567
ML14XP1-048-463	48000	15	12.2	45000	29200	8.5	CHX35-51/61C	SL280UH090XV60C	205755568
ML14XP1-048-463	48000	15.1	12.5	45000	29000	8.5	CHX35-51/61C	SL280UH100NV60C	205755569
ML14XP1-048-463	48000	14.5	12.2	45000	29000	8.5	CHX35-51/61C	SL280UH110V60C	205755570
ML14XP1-048-463	48000	14.5	12.2	45000	29000	8.5	CHX35-51/61C	SL280UH110XV60C	205755571
ML14XP1-048-463	48000	14.5	12.2	45000	29200	8.5	CHX35-51/61C	SL297UH080NV48C	205755572
ML14XP1-048-463	48000	14.5	12.2	45000	29200	8.5	CHX35-51/61C	SL297UH080NV60C	205755573
ML14XP1-048-463	48000	14.5	12	45000	29200	8.5	CHX35-51/61C	SLP98UH090XV48C	205755574
ML14XP1-048-463	48000	14.5	12	45000	29200	8.5	CHX35-51/61C	SLP98UH090XV60C	205755575
ML14XP1-048-463	48000	14.5	12.2	45000	29200	8.5	CHX35-51/61C	SLP98UH110XV60C	205755576
ML14XP1-048-463	48000	14	11.5	45500	29600	8.2	CHX35-51/61C		205755695
ML14XP1-048-463	48000	15	12.2	41500	26200	8.2	CHX35-60D	EL180UH135E60D	205755577
ML14XP1-048-463	48000	14.5	12.2	41500	26400	8.2	CHX35-60D	EL296UH135XE60D	205755578
ML14XP1-048-463	48000	14.5	12.2	41500	26400	8.2	CHX35-60D	EL296UH135XV60D	205755579
ML14XP1-048-463	48000	15	12.2	41500	26200	8.2	CHX35-60D	ML180UH135E60D	205755580
ML14XP1-048-463	48000	15	12.2	41500	26200	8.2	CHX35-60D	SL280UH135V60D	205755581
ML14XP1-048-463	48000	14.5	12.2	41500	26200	8.2	CHX35-60D	SLP98UH135XV60D	205755582
ML14XP1-048-463	47000	14.5	12	44000	28800	8.5	CR33-50/60	EL296DF090XE48C	205755583
ML14XP1-048-463	47500	14.25	12	44000	28800	8.5	CR33-50/60	EL296DF090XV60C	205755584
ML14XP1-048-463	47500	14.5	12.2	44000	28400	8.5	CR33-50/60	EL296DF110XE60C	205755585
ML14XP1-048-463	47500	14.5	12	44000	28800	8.5	CR33-50/60	EL296DF110XV60C	205755586
ML14XP1-048-463	47500	14.5	12.2	44000	28400	9	CR33-50/60	ML180DF110E60C	205755587
ML14XP1-048-463	47000	14.25	11.5	43500	28600	8.5	CR33-50/60	ML193DF090XE48C	205755588
ML14XP1-048-463	47500	14.5	12.2	44000	28600	9	CR33-50/60	SL280DF090V60C	205755589
ML14XP1-048-463	47500	14.5	12.2	44000	28600	9	CR33-50/60	SL280DF110V60C	205755590
ML14XP1-048-463	47500	14.25	11.5	44500	29000	8.5	CR33-50/60	SLP98DF090XV48C	205755591
ML14XP1-048-463	47500	14.25	12	44000	28800	8.5	CR33-50/60	SLP98DF090XV60C	205755592
ML14XP1-048-463	47000	14.25	11.5	44000	28800	8.5	CR33-50/60	SLP98DF110XV60C	205755593
ML14XP1-048-463	47000	14	11.5	44500	29200	8.2	CR33-50/60		205755696
ML14XP1-048-463	47000	14.25	11.5	47500	32400	9	CR33-60	EL296DF090XV60C	205755594
ML14XP1-048-463	47000	14.5	12	47500	32000	9	CR33-60	EL296DF110XE60C	205755595
ML14XP1-048-463	47000	14.25	11.5	47500	32400	9	CR33-60	EL296DF110XV60C	205755596
ML14XP1-048-463	47500	14.5	12.2	47500	32000	9	CR33-60	ML180DF110E60C	205755597
ML14XP1-048-463	47000	14.5	12	47500	32000	9	CR33-60	SL280DF090V60C	205755598
ML14XP1-048-463	47500	14.5	12.2	47500	32000	9	CR33-60	SL280DF110V60C	205755599
ML14XP1-048-463	47000	14.25	11.5	47500	32400	9	CR33-60	SLP98DF090XV60C	205755600
ML14XP1-048-463	47000	14.25	11.5	47500	32400	9	CR33-60	SLP98DF110XV60C	205755601

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-048-463	48000	15.1	12.5	42000	26400	8.2	CX35-49C	EL180UH100NE60C	205755602
ML14XP1-048-463	48000	14.5	12	42500	27000	8.2	CX35-49C	EL195UH080NE48C	205755603
ML14XP1-048-463	48000	14.5	12.2	42000	26800	8.2	CX35-49C	EL195UH100NE60C	205755604
ML14XP1-048-463	48000	15	12.2	42500	27000	8.2	CX35-49C	EL196UH090XE48C	205755605
ML14XP1-048-463	48000	15.1	12.5	42500	26800	8.2	CX35-49C	EL196UH110XE60C	205755606
ML14XP1-048-463	48000	15	12.2	42000	26800	8.2	CX35-49C	EL280UH110E48C	205755607
ML14XP1-048-463	48000	15	12.5	41500	26600	8.2	CX35-49C	EL280UH110E60C	205755608
ML14XP1-048-463	48000	14.5	12.2	42500	26800	8.2	CX35-49C	EL296UH090XE48C	205755609
ML14XP1-048-463	48000	14.5	12.2	42500	26800	8.2	CX35-49C	EL296UH090XV48C	205755610
ML14XP1-048-463	48000	14.5	12.2	42500	26800	8.2	CX35-49C	EL296UH090XV60C	205755611
ML14XP1-048-463	48000	15	12.5	42000	26800	8.2	CX35-49C	EL296UH110XE60C	205755612
ML14XP1-048-463	48000	15	12.2	42500	26800	8.2	CX35-49C	EL296UH110XV48C	205755613
ML14XP1-048-463	48000	14.5	12.2	42500	27000	8.2	CX35-49C	EL296UH110XV60C	205755614
ML14XP1-048-463	48000	15.1	12.5	42000	26600	8.2	CX35-49C	ML180UH090E60C	205755615
ML14XP1-048-463	48000	15.1	12.5	42000	26600	8.2	CX35-49C	ML180UH110E60C	205755616
ML14XP1-048-463	48000	15.1	12.5	42000	26600	8.2	CX35-49C	ML180UH110V60C	205755617
ML14XP1-048-463	48000	14.5	12.2	42000	26800	8.2	CX35-49C	ML193UH090XE48C	205755618
ML14XP1-048-463	48000	14.5	12.2	42000	26800	8.2	CX35-49C	ML193UH110XE48C	205755619
ML14XP1-048-463	48000	14.5	12	42500	27200	8.2	CX35-49C	ML193UH110XE60C	205755620
ML14XP1-048-463	48000	15	12.2	42500	27000	8.2	CX35-49C	ML196UH090XE48C	205755621
ML14XP1-048-463	48000	15.1	12.5	42500	26800	8.2	CX35-49C	ML196UH110XE60C	205755622
ML14XP1-048-463	48000	15.1	12.5	42000	26600	8.5	CX35-49C	SL280UH080NV60C	205755623
ML14XP1-048-463	48000	15.1	12.5	42500	26800	8.2	CX35-49C	SL280UH090V60C	205755624
ML14XP1-048-463	48000	15.1	12.5	42500	26800	8.2	CX35-49C	SL280UH090XV60C	205755625
ML14XP1-048-463	48000	15.1	12.5	42000	26600	8.5	CX35-49C	SL280UH100NV60C	205755626
ML14XP1-048-463	48000	15.1	12.5	42000	26600	8.2	CX35-49C	SL280UH110V60C	205755627
ML14XP1-048-463	48000	15.1	12.5	42000	26600	8.2	CX35-49C	SL280UH110XV60C	205755628
ML14XP1-048-463	48000	15	12.2	42500	26800	8.2	CX35-49C	SL297UH080NV60C	205755629
ML14XP1-048-463	48000	14.5	12.2	42500	26800	8.2	CX35-49C	SLP98UH090XV48C	205755630
ML14XP1-048-463	48000	14.5	12.2	42500	26800	8.2	CX35-49C	SLP98UH090XV60C	205755631
ML14XP1-048-463	48000	14.5	12.2	42500	27000	8.2	CX35-49C	SLP98UH110XV60C	205755632
ML14XP1-048-463	48000	14	11.5	43000	27400	8.2	CX35-49C		205755697
ML14XP1-048-463	47000	14.5	12.2	44000	26800	8.2	CX35-50/60C	EL180UH100NE60C	205755633
ML14XP1-048-463	47000	14.5	12	44500	27200	8.2	CX35-50/60C	EL196UH090XE48C	205755634
ML14XP1-048-463	47500	14.5	12.2	44500	27000	8.2	CX35-50/60C	EL196UH110XE60C	205755635
ML14XP1-048-463	47000	14.5	12	44000	27000	8.2	CX35-50/60C	EL280UH110E48C	205755636
ML14XP1-048-463	47000	14.5	12	44000	27000	8.2	CX35-50/60C	EL280UH110E60C	205755637
ML14XP1-048-463	47000	14.5	12	44500	27000	8.2	CX35-50/60C	EL296UH090XE48C	205755638
ML14XP1-048-463	47000	14.5	11.5	44500	27200	8.2	CX35-50/60C	EL296UH090XV48C	205755639
ML14XP1-048-463	47000	14.25	11.5	44500	27400	8.2	CX35-50/60C	EL296UH090XV60C	205755640
ML14XP1-048-463	47000	14.5	12	44000	27000	8.2	CX35-50/60C	EL296UH110XE60C	205755641
ML14XP1-048-463	47000	14.5	12	44500	27200	8.2	CX35-50/60C	EL296UH110XV48C	205755642
ML14XP1-048-463	47000	14.5	11.5	44500	27200	8.2	CX35-50/60C	EL296UH110XV60C	205755643
ML14XP1-048-463	47000	14.5	12.2	44000	27000	8.2	CX35-50/60C	ML180UH090E60C	205755644
ML14XP1-048-463	46500	14.25	11.5	44000	27000	8.2	CX35-50/60C	ML193UH110XE48C	205755645
ML14XP1-048-463	47500	14.25	11.5	44500	27400	8.2	CX35-50/60C	ML193UH110XE60C	205755646
ML14XP1-048-463	47000	14.5	12	44500	27200	8.2	CX35-50/60C	ML196UH090XE48C	205755647
ML14XP1-048-463	47500	14.5	12.2	44500	27000	8.2	CX35-50/60C	ML196UH110XE60C	205755648
ML14XP1-048-463	47500	15	12.2	44000	27000	8.2	CX35-50/60C	SL280UH080NV60C	205755649
ML14XP1-048-463	47500	14.5	12.2	44500	27200	8.2	CX35-50/60C	SL280UH090V60C	205755650
ML14XP1-048-463	47500	14.5	12.2	44500	27200	8.2	CX35-50/60C	SL280UH090XV60C	205755651
ML14XP1-048-463	47500	15	12.2	44500	27000	8.2	CX35-50/60C	SL280UH100NV60C	205755652
ML14XP1-048-463	47000	14.5	12	44500	27200	8.2	CX35-50/60C	SL280UH110V60C	205755653
ML14XP1-048-463	47000	14.5	12	44500	27200	8.2	CX35-50/60C	SL280UH110XV60C	205755654
ML14XP1-048-463	47000	14.5	12	44500	27200	8.2	CX35-50/60C	SL297UH080NV48C	205755655
ML14XP1-048-463	47000	14.5	12	44500	27200	8.2	CX35-50/60C	SL297UH080NV60C	205755656

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-048-463	47000	14.5	11.5	44500	27200	8.2	CX35-50/60C	SLP98UH090XV48C	205755657
ML14XP1-048-463	47000	14.25	11.5	44500	27400	8.2	CX35-50/60C	SLP98UH090XV60C	205755658
ML14XP1-048-463	47000	14.5	11.5	44500	27200	8.2	CX35-50/60C	SLP98UH110XV60C	205755659
ML14XP1-048-463	48000	15.5	12.5	41500	25400	8.5	CX35-60C	EL180UH100NE60C	205755660
ML14XP1-048-463	48000	14.5	12.2	42000	25800	8.2	CX35-60C	EL195UH080NE48C	205755661
ML14XP1-048-463	48000	15	12.5	42000	25800	8.2	CX35-60C	EL195UH100NE60C	205755662
ML14XP1-048-463	48000	15.1	12.5	42000	25800	8.5	CX35-60C	EL196UH090XE48C	205755663
ML14XP1-048-463	48000	15.1	12.5	42000	25800	8.5	CX35-60C	EL196UH110XE60C	205755664
ML14XP1-048-463	48000	15.1	12.5	41500	25800	8.2	CX35-60C	EL280UH110E48C	205755665
ML14XP1-048-463	48000	15.1	12.5	41500	25600	8.5	CX35-60C	EL280UH110E60C	205755666
ML14XP1-048-463	48000	15.1	12.5	42000	25800	8.2	CX35-60C	EL296UH090XE48C	205755667
ML14XP1-048-463	48000	15.1	12.5	42000	25800	8.2	CX35-60C	EL296UH090XV48C	205755668
ML14XP1-048-463	48000	15.1	12.5	42000	25800	8.2	CX35-60C	EL296UH090XV60C	205755669
ML14XP1-048-463	48000	15.1	12.5	42000	25800	8.2	CX35-60C	EL296UH110XE60C	205755670
ML14XP1-048-463	48000	15.1	12.5	42000	25800	8.2	CX35-60C	EL296UH110XV48C	205755671
ML14XP1-048-463	48000	15	12.5	42000	26000	8.2	CX35-60C	EL296UH110XV60C	205755672
ML14XP1-048-463	48000	15.1	12.5	41500	25600	8.5	CX35-60C	ML180UH090E60C	205755673
ML14XP1-048-463	48000	15	12.5	42500	26200	8.5	CX35-60C	ML180UH110E60C	205755674
ML14XP1-048-463	48000	15.5	12.5	42000	25600	8.5	CX35-60C	ML180UH110V60C	205755675
ML14XP1-048-463	48000	15	12.5	41500	25800	8.2	CX35-60C	ML193UH090XE48C	205755676
ML14XP1-048-463	48000	15	12.5	41500	25800	8.2	CX35-60C	ML193UH110XE48C	205755677
ML14XP1-048-463	48000	15	12.2	42000	26200	8.2	CX35-60C	ML193UH110XE60C	205755678
ML14XP1-048-463	48000	15.1	12.5	42000	25800	8.5	CX35-60C	ML196UH090XE48C	205755679
ML14XP1-048-463	48000	15.1	12.5	42000	25800	8.5	CX35-60C	ML196UH110XE60C	205755680
ML14XP1-048-463	48000	15.5	12.5	42000	25600	8.5	CX35-60C	SL280UH080NV60C	205755681
ML14XP1-048-463	48000	15.1	12.5	42000	25800	8.5	CX35-60C	SL280UH090V60C	205755682
ML14XP1-048-463	48000	15.1	12.5	42000	25800	8.5	CX35-60C	SL280UH090XV60C	205755683
ML14XP1-048-463	48000	15.5	12.5	42000	25600	8.5	CX35-60C	SL280UH100NV60C	205755684
ML14XP1-048-463	48000	15.1	12.5	42000	25600	8.5	CX35-60C	SL280UH110V60C	205755685
ML14XP1-048-463	48000	15.1	12.5	42000	25600	8.5	CX35-60C	SL280UH110XV60C	205755686
ML14XP1-048-463	48000	15.1	12.5	42000	25800	8.2	CX35-60C	SL297UH080NV48C	205755687
ML14XP1-048-463	48000	15.1	12.5	42000	25800	8.2	CX35-60C	SL297UH080NV60C	205755688
ML14XP1-048-463	48000	15.1	12.5	42000	25800	8.2	CX35-60C	SLP98UH090XV48C	205755689
ML14XP1-048-463	48000	15.1	12.5	42000	25800	8.2	CX35-60C	SLP98UH090XV60C	205755690
ML14XP1-048-463	48000	15	12.5	42000	26000	8.2	CX35-60C	SLP98UH110XV60C	205755691
ML14XP1-048-463	48000	14	12	42500	26400	8.2	CX35-60C		205755698
ML14XP1-060-230	57000	14.25	12.2	56500	36400	8.5	C35-49C	EL180UH100NE60C	202573557
ML14XP1-060-230	56500	14	11.5	57000	36600	8.2	C35-49C	EL195UH100NE60C	202573558
ML14XP1-060-230	56000	14.25	12.2	56000	36000	8.2	C35-49C	EL196UH110XE60C	202573561
ML14XP1-060-230	56500	14	11.7	56500	36400	8.5	C35-49C	EL280UH110E60C	204044038
ML14XP1-060-230	56500	14	12	56500	36400	8.2	C35-49C	EL296UH090XV60C	202573563
ML14XP1-060-230	56500	14	12	56500	36400	8.2	C35-49C	EL296UH110XE60C	202573564
ML14XP1-060-230	57000	14	12	57000	36600	8.2	C35-49C	EL296UH110XV60C	202573565
ML14XP1-060-230	57000	14.25	12.2	56500	36400	8.5	C35-49C	ML180UH090E60C	202573567
ML14XP1-060-230	57000	14.25	12	56500	36400	8.5	C35-49C	ML180UH110E60C	202573568
ML14XP1-060-230	57500	14	12	56500	36200	8.5	C35-49C	ML180UH110V60C	204495745
ML14XP1-060-230	56000	14.25	12.2	56000	36000	8.2	C35-49C	ML196UH110XE60C	204498328
ML14XP1-060-230	57500	14.5	12.2	57000	36400	8.5	C35-49C	SL280UH080NV60C	202573569
ML14XP1-060-230	57500	14.25	12	57000	36600	8.5	C35-49C	SL280UH090V60C	202573571
ML14XP1-060-230	57500	14.25	12	57000	36600	8.5	C35-49C	SL280UH090XV60C	202573572
ML14XP1-060-230	57500	14.5	12.2	57000	36400	8.5	C35-49C	SL280UH100NV60C	202573574
ML14XP1-060-230	57500	14	12	57500	36800	8.5	C35-49C	SL280UH110V60C	202573575
ML14XP1-060-230	57500	14	12	57500	36800	8.5	C35-49C	SL280UH110XV60C	202573576
ML14XP1-060-230	57500	14	12	57000	36800	8.5	C35-49C	SL297UH080NV60C	202573578
ML14XP1-060-230	56500	14	12	56500	36400	8.2	C35-49C	SLP98UH090XV60C	202573579
ML14XP1-060-230	57000	14	12	57000	36600	8.2	C35-49C	SLP98UH110XV60C	202573581

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-060-230	56500	14	12	56500	36400	8.2	C35-49C	SLP99UH090XV60C	205545316
ML14XP1-060-230	57000	14	12	57000	36600	8.2	C35-49C	SLP99UH110XV60C	205545317
ML14XP1-060-230	58000	14.5	12.2	58000	36800	8.5	C35-60C	EL180UH100NE60C	202573582
ML14XP1-060-230	57500	14.25	12	58000	37000	8.5	C35-60C	EL195UH100NE60C	202573584
ML14XP1-060-230	58000	14.5	12.2	58000	36800	8.5	C35-60C	EL196UH110XE60C	202573587
ML14XP1-060-230	58000	14.25	12	58000	36800	8.8	C35-60C	EL280UH110E60C	204044039
ML14XP1-060-230	57500	14.25	12.2	58000	36800	8.5	C35-60C	EL296UH090XV60C	202573588
ML14XP1-060-230	58000	14.5	12.2	58000	36800	8.5	C35-60C	EL296UH110XE60C	202573590
ML14XP1-060-230	58000	14.25	12	58500	37200	8.5	C35-60C	EL296UH110XV60C	202573591
ML14XP1-060-230	58000	14.5	12.2	58000	36800	8.5	C35-60C	ML180UH090E60C	202573592
ML14XP1-060-230	58000	14.5	12.2	58000	36800	8.5	C35-60C	ML180UH110E60C	202573593
ML14XP1-060-230	58500	14.25	12.2	58000	36600	8.5	C35-60C	ML180UH110V60C	204495746
ML14XP1-060-230	58500	14	11.7	59000	37600	8.8	C35-60C	ML193UH110XE60C	204044040
ML14XP1-060-230	58000	14.5	12.2	58000	36800	8.5	C35-60C	ML196UH110XE60C	204498329
ML14XP1-060-230	58000	14.25	12	58000	37000	8.8	C35-60C	ML296UH110XV60C	205470392
ML14XP1-060-230	58500	14.5	12.5	58000	36800	8.5	C35-60C	SL280UH080NV60C	202573595
ML14XP1-060-230	58500	14.5	12.2	58500	37000	8.5	C35-60C	SL280UH090V60C	202573596
ML14XP1-060-230	58500	14.5	12.2	58500	37000	8.5	C35-60C	SL280UH090XV60C	202573598
ML14XP1-060-230	58500	14.5	12.5	58000	36800	8.5	C35-60C	SL280UH100NV60C	202573599
ML14XP1-060-230	58500	14.25	12.2	58500	37200	8.5	C35-60C	SL280UH110V60C	202573601
ML14XP1-060-230	58500	14.25	12.2	58500	37200	8.5	C35-60C	SL280UH110XV60C	202573602
ML14XP1-060-230	58500	14.25	12.2	58500	37200	8.5	C35-60C	SL297UH080NV60C	202573603
ML14XP1-060-230	57500	14.25	12.2	58000	36800	8.5	C35-60C	SLP98UH090XV60C	202573605
ML14XP1-060-230	58000	14.25	12	58500	37200	8.5	C35-60C	SLP98UH110XV60C	202573606
ML14XP1-060-230	57500	14.25	12.2	58000	36800	8.5	C35-60C	SLP99UH090XV60C	205545319
ML14XP1-060-230	58000	14.25	12	58500	37200	8.5	C35-60C	SLP99UH110XV60C	205545321
ML14XP1-060-230	58000	14	12	58500	37400	8.2	C35-60C		202573553
ML14XP1-060-230	57000	14	12	57000	39000	8.5	C35-60D	EL296UH135XV60D	203999105
ML14XP1-060-230	57000	14	12	57000	38500	8.5	C35-60D	ML180UH135E60D	203999106
ML14XP1-060-230	57500	14.25	12.2	57000	38500	8.5	C35-60D	SL280UH135V60D	203999107
ML14XP1-060-230	56500	14	12	57000	38500	8.5	C35-60D	SLP98UH135XV60D	203999108
ML14XP1-060-230	56500	14	12	57000	38500	8.5	C35-60D	SLP99UH135XV60D	205545878
ML14XP1-060-230	56500	14	12	54500	35400	8.2	CBA25UH-060-230		202573608
ML14XP1-060-230	56500	14	12	55000	35800	8.2	CBA25UHV-060-230		202573609
ML14XP1-060-230	57000	15	12.5	54500	35800	9	CBA27UHE-060-230		202573610
ML14XP1-060-230	57000	14.5	12.2	58500	40000	9	CBA38MV-048-230		202573612
ML14XP1-060-230	57000	15	12.5	54500	36000	9	CBA38MV-060-230		202573613
ML14XP1-060-230	56500	14	11.7	58000	37200	8.2	CH35-48C	ML180UH110V60C	204495747
ML14XP1-060-230	56500	14	12	58000	37200	8.2	CH35-48C	SL280UH080NV60C	202573615
ML14XP1-060-230	56000	14	11.5	58000	37200	8.2	CH35-48C	SL280UH100NV60C	202573616
ML14XP1-060-230	58000	14.5	12.2	58000	37000	8.5	CH35-51C	EL180UH100NE60C	202573618
ML14XP1-060-230	57500	14	12	58000	37200	8.2	CH35-51C	EL195UH100NE60C	202573620
ML14XP1-060-230	58000	14.25	12.2	58000	37000	8.5	CH35-51C	EL196UH110XE60C	202573623
ML14XP1-060-230	59000	14	11.7	59000	37800	8.5	CH35-51C	EL280UH110E60C	204044041
ML14XP1-060-230	57500	14	12	58000	37000	8.2	CH35-51C	EL296UH090XV60C	202573625
ML14XP1-060-230	57500	14.25	12.2	58000	37000	8.2	CH35-51C	EL296UH110XE60C	202573627
ML14XP1-060-230	58000	14.25	12	58500	37200	8.2	CH35-51C	EL296UH110XV60C	202573629
ML14XP1-060-230	58000	14.5	12.2	58000	37000	8.5	CH35-51C	ML180UH090E60C	202573631
ML14XP1-060-230	57500	14.25	12.2	58000	37000	8.5	CH35-51C	ML180UH110E60C	202573632
ML14XP1-060-230	58000	14.25	12	58000	37000	8.5	CH35-51C	ML180UH110V60C	204495748
ML14XP1-060-230	58500	14	11.7	59000	37800	8.5	CH35-51C	ML193UH110XE60C	204044042
ML14XP1-060-230	58000	14.25	12.2	58000	37000	8.5	CH35-51C	ML196UH110XE60C	204498330
ML14XP1-060-230	58000	14.25	12	58500	37200	8.4	CH35-51C	ML296UH110XV60C	205470393
ML14XP1-060-230	58500	14.5	12.2	58500	37200	8.5	CH35-51C	SL280UH080NV60C	202573633
ML14XP1-060-230	58500	14.25	12.2	58500	37400	8.5	CH35-51C	SL280UH090V60C	202573635
ML14XP1-060-230	58500	14.25	12.2	58500	37400	8.5	CH35-51C	SL280UH090XV60C	202573636

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-060-230	58500	14.5	12.2	58000	37000	8.5	CH35-51C	SL280UH100NV60C	202573638
ML14XP1-060-230	58000	14.25	12.2	58000	37200	8.5	CH35-51C	SL280UH110V60C	202573639
ML14XP1-060-230	58000	14.25	12.2	58000	37200	8.5	CH35-51C	SL280UH110XV60C	202573641
ML14XP1-060-230	57500	14.25	12.2	58000	37000	8.5	CH35-51C	SL297UH080NV60C	202573642
ML14XP1-060-230	57500	14	12	58000	37000	8.2	CH35-51C	SLP98UH090XV60C	202573643
ML14XP1-060-230	58000	14.25	12	58500	37200	8.2	CH35-51C	SLP98UH110XV60C	202573645
ML14XP1-060-230	57500	14	12	58000	37000	8.2	CH35-51C	SLP99UH090XV60C	205545323
ML14XP1-060-230	58000	14.25	12	58500	37200	8.2	CH35-51C	SLP99UH110XV60C	205545324
ML14XP1-060-230	57000	14	11.5	58000	37200	8.2	CH35-51C		202573554
ML14XP1-060-230	56500	14	11.5	55500	37200	8.5	CH35-60D	EL296UH135XE60D	203999109
ML14XP1-060-230	57000	14	12	55500	37200	8.5	CH35-60D	EL296UH135XV60D	203999110
ML14XP1-060-230	56500	14.25	12	55000	36800	8.5	CH35-60D	ML180UH135E60D	203999111
ML14XP1-060-230	56500	14.25	12	55500	37000	8.5	CH35-60D	SL280UH135V60D	203999112
ML14XP1-060-230	57000	14.25	12	55500	37200	8.5	CH35-60D	SLP98UH135XV60D	203999113
ML14XP1-060-230	57000	14.25	12	55500	37200	8.5	CH35-60D	SLP99UH135XV60D	205545879
ML14XP1-060-230	56500	14	11.7	58000	37200	8.2	CHX35-48C	ML180UH110V60C	204495749
ML14XP1-060-230	56500	14	12	58000	37200	8.2	CHX35-48C	SL280UH080NV60C	202573646
ML14XP1-060-230	56000	14	11.5	58000	37200	8.2	CHX35-48C	SL280UH100NV60C	202573648
ML14XP1-060-230	58000	14.5	12.2	58000	37000	8.5	CHX35-51/61C	EL180UH100NE60C	202573649
ML14XP1-060-230	57500	14	12	58000	37200	8.2	CHX35-51/61C	EL195UH100NE60C	202573650
ML14XP1-060-230	58000	14.25	12.2	58000	37000	8.5	CHX35-51/61C	EL196UH110XE60C	202573653
ML14XP1-060-230	59000	14	11.7	59000	37800	8.5	CHX35-51/61C	EL280UH110E60C	204044043
ML14XP1-060-230	57500	14	12	58000	37000	8.2	CHX35-51/61C	EL296UH090XV60C	202573654
ML14XP1-060-230	57500	14.25	12.2	58000	37000	8.2	CHX35-51/61C	EL296UH110XE60C	202573656
ML14XP1-060-230	58000	14.25	12	58500	37200	8.2	CHX35-51/61C	EL296UH110XV60C	202573657
ML14XP1-060-230	58000	14.5	12.2	58000	37000	8.5	CHX35-51/61C	ML180UH090E60C	202573659
ML14XP1-060-230	57500	14.25	12.2	58000	37000	8.5	CHX35-51/61C	ML180UH110E60C	202573660
ML14XP1-060-230	58000	14.25	12	58000	37000	8.5	CHX35-51/61C	ML180UH110V60C	204495750
ML14XP1-060-230	58500	14	11.7	59000	37800	8.5	CHX35-51/61C	ML193UH110XE60C	204044044
ML14XP1-060-230	58000	14.25	12.2	58000	37000	8.5	CHX35-51/61C	ML196UH110XE60C	204498331
ML14XP1-060-230	58000	14.25	12	58500	37200	8.4	CHX35-51/61C	ML296UH110XV60C	205470394
ML14XP1-060-230	58500	14.5	12.2	58500	37200	8.5	CHX35-51/61C	SL280UH080NV60C	202573662
ML14XP1-060-230	58500	14.25	12.2	58500	37400	8.5	CHX35-51/61C	SL280UH090V60C	202573663
ML14XP1-060-230	58500	14.25	12.2	58500	37400	8.5	CHX35-51/61C	SL280UH090XV60C	202573665
ML14XP1-060-230	58500	14.5	12.2	58000	37000	8.5	CHX35-51/61C	SL280UH100NV60C	202573666
ML14XP1-060-230	58000	14.25	12.2	58000	37200	8.5	CHX35-51/61C	SL280UH110V60C	202573668
ML14XP1-060-230	58000	14.25	12.2	58000	37200	8.5	CHX35-51/61C	SL280UH110XV60C	202573669
ML14XP1-060-230	57500	14.25	12.2	58000	37000	8.5	CHX35-51/61C	SL297UH080NV60C	202573671
ML14XP1-060-230	57500	14	12	58000	37000	8.2	CHX35-51/61C	SLP98UH090XV60C	202573672
ML14XP1-060-230	58000	14.25	12	58500	37200	8.2	CHX35-51/61C	SLP98UH110XV60C	202573673
ML14XP1-060-230	57500	14	12	58000	37000	8.2	CHX35-51/61C	SLP99UH090XV60C	205545326
ML14XP1-060-230	58000	14.25	12	58500	37200	8.2	CHX35-51/61C	SLP99UH110XV60C	205545328
ML14XP1-060-230	57000	14	11.5	58000	37200	8.2	CHX35-51/61C		202573866
ML14XP1-060-230	56500	14	11.5	55500	37200	8.5	CHX35-60D	EL296UH135XE60D	203999114
ML14XP1-060-230	57000	14	12	55500	37200	8.5	CHX35-60D	EL296UH135XV60D	203999115
ML14XP1-060-230	56500	14.25	12	55000	36800	8.5	CHX35-60D	ML180UH135E60D	203999116
ML14XP1-060-230	56500	14.25	12	55500	37000	8.5	CHX35-60D	SL280UH135V60D	203999117
ML14XP1-060-230	57000	14.25	12	55500	37200	8.5	CHX35-60D	SLP98UH135XV60D	203999118
ML14XP1-060-230	57000	14.25	12	55500	37200	8.5	CHX35-60D	SLP99UH135XV60D	205545880
ML14XP1-060-230	56500	14	12	58500	39000	9	CR33-50/60	ML180DF110E60C	202573675
ML14XP1-060-230	56000	14	11.5	59500	39500	8.5	CR33-60	EL296DF110XE60C	202573678
ML14XP1-060-230	57000	14.25	12.2	59500	39000	9	CR33-60	ML180DF110E60C	202573679
ML14XP1-060-230	57000	14	12	60000	39500	9	CR33-60	SL280DF090V60C	202573680
ML14XP1-060-230	56500	14	12	59500	39500	9	CR33-60	SL280DF110V60C	202573681
ML14XP1-060-230	57000	14.25	12.2	56500	36400	8.5	CX35-49C	EL180UH100NE60C	202573683
ML14XP1-060-230	56500	14	11.5	57000	36600	8.2	CX35-49C	EL195UH100NE60C	202573684

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-060-230	56000	14.25	12.2	56000	36000	8.2	CX35-49C	EL196UH110XE60C	202573687
ML14XP1-060-230	56500	14	11.7	56500	36400	8.5	CX35-49C	EL280UH110E60C	204044045
ML14XP1-060-230	56500	14	12	56500	36400	8.2	CX35-49C	EL296UH090XV60C	202573688
ML14XP1-060-230	56500	14	12	56500	36400	8.2	CX35-49C	EL296UH110XE60C	202573690
ML14XP1-060-230	56000	14.25	12	56500	36200	8.2	CX35-49C	EL296UH110XV60C	202573691
ML14XP1-060-230	57000	14.25	12.2	56500	36400	8.5	CX35-49C	ML180UH090E60C	202573692
ML14XP1-060-230	57000	14.25	12	56500	36400	8.5	CX35-49C	ML180UH110E60C	202573694
ML14XP1-060-230	57500	14	12	56500	36200	8.5	CX35-49C	ML180UH110V60C	204495751
ML14XP1-060-230	56000	14.25	12.2	56000	36000	8.2	CX35-49C	ML196UH110XE60C	204498332
ML14XP1-060-230	57500	14.5	12.2	57000	36400	8.5	CX35-49C	SL280UH080NV60C	202573695
ML14XP1-060-230	57500	14.25	12	57000	36600	8.5	CX35-49C	SL280UH090V60C	202573697
ML14XP1-060-230	57500	14.25	12	57000	36600	8.5	CX35-49C	SL280UH090XV60C	202573698
ML14XP1-060-230	57500	14.5	12.2	57000	36400	8.5	CX35-49C	SL280UH100NV60C	202573700
ML14XP1-060-230	57500	14	12	57500	36800	8.5	CX35-49C	SL280UH110V60C	202573701
ML14XP1-060-230	57500	14	12	57500	36800	8.5	CX35-49C	SL280UH110XV60C	202573703
ML14XP1-060-230	57500	14	12	57000	36800	8.5	CX35-49C	SL297UH080NV60C	202573704
ML14XP1-060-230	56500	14	12	56500	36400	8.2	CX35-49C	SLP98UH090XV60C	202573706
ML14XP1-060-230	57000	14	12	57000	36600	8.2	CX35-49C	SLP98UH110XV60C	202573707
ML14XP1-060-230	56500	14	12	56500	36400	8.2	CX35-49C	SLP99UH090XV60C	205545330
ML14XP1-060-230	57000	14	12	57000	36600	8.2	CX35-49C	SLP99UH110XV60C	205545332
ML14XP1-060-230	58000	14.5	12.2	58000	36800	8.5	CX35-60C	EL180UH100NE60C	202573709
ML14XP1-060-230	57500	14.25	12	58000	37000	8.5	CX35-60C	EL195UH100NE60C	202573710
ML14XP1-060-230	58000	14.5	12.2	58000	36800	8.5	CX35-60C	EL196UH110XE60C	202573713
ML14XP1-060-230	58000	14.25	12	58000	36800	8.8	CX35-60C	EL280UH110E60C	204044046
ML14XP1-060-230	57500	14.25	12.2	58000	36800	8.5	CX35-60C	EL296UH090XV60C	202573714
ML14XP1-060-230	58000	14.5	12.2	58000	36800	8.5	CX35-60C	EL296UH110XE60C	202573716
ML14XP1-060-230	58000	14.25	12	58500	37200	8.5	CX35-60C	EL296UH110XV60C	202573717
ML14XP1-060-230	58000	14.5	12.2	58000	36800	8.5	CX35-60C	ML180UH090E60C	202573719
ML14XP1-060-230	58000	14.5	12.2	58000	36800	8.5	CX35-60C	ML180UH110E60C	202573720
ML14XP1-060-230	58500	14.25	12.2	58000	36600	8.5	CX35-60C	ML180UH110V60C	204495752
ML14XP1-060-230	58500	14	11.7	59000	37600	8.8	CX35-60C	ML193UH110XE60C	204044047
ML14XP1-060-230	58000	14.5	12.2	58000	36800	8.5	CX35-60C	ML196UH110XE60C	204498333
ML14XP1-060-230	58000	14.25	12	58000	37000	8.8	CX35-60C	ML296UH110XV60C	205470395
ML14XP1-060-230	58500	14.5	12.5	58000	36800	8.5	CX35-60C	SL280UH080NV60C	202573722
ML14XP1-060-230	58500	14.5	12.2	58500	37000	8.5	CX35-60C	SL280UH090V60C	202573723
ML14XP1-060-230	58500	14.5	12.2	58500	37000	8.5	CX35-60C	SL280UH090XV60C	202573724
ML14XP1-060-230	58500	14.5	12.5	58000	36800	8.5	CX35-60C	SL280UH100NV60C	202573726
ML14XP1-060-230	58500	14.25	12.2	58500	37200	8.5	CX35-60C	SL280UH110V60C	202573727
ML14XP1-060-230	58500	14.25	12.2	58500	37200	8.5	CX35-60C	SL280UH110XV60C	202573729
ML14XP1-060-230	58500	14.25	12.2	58500	37200	8.5	CX35-60C	SL297UH080NV60C	202573730
ML14XP1-060-230	57500	14.25	12.2	58000	36800	8.5	CX35-60C	SLP98UH090XV60C	202573731
ML14XP1-060-230	58000	14.25	12	58500	37200	8.5	CX35-60C	SLP98UH110XV60C	202573733
ML14XP1-060-230	57500	14.25	12.2	58000	36800	8.5	CX35-60C	SLP99UH090XV60C	205545333
ML14XP1-060-230	58000	14.25	12	58500	37200	8.5	CX35-60C	SLP99UH110XV60C	205545335
ML14XP1-060-230	58000	14	12	58500	37400	8.2	CX35-60C		202573555
ML14XP1-060-230	57000	14	12	57000	39000	8.5	CX35-60D	EL296UH135XV60D	203999119
ML14XP1-060-230	57000	14	12	57000	38500	8.5	CX35-60D	ML180UH135E60D	203999120
ML14XP1-060-230	57500	14.25	12.2	57000	38500	8.5	CX35-60D	SL280UH135V60D	203999121
ML14XP1-060-230	56500	14	12	57000	38500	8.5	CX35-60D	SLP98UH135XV60D	203999122
ML14XP1-060-230	56500	14	12	57000	38500	8.5	CX35-60D	SLP99UH135XV60D	205545882
ML14XP1-060-233	57000	14.25	12.2	56000	35800	8.5	C35-49C	EL180UH100NE60C	205294863
ML14XP1-060-233	56000	14	11.5	56000	36000	8.2	C35-49C	EL195UH100NE60C	205294864
ML14XP1-060-233	56000	14.25	12.2	55000	35200	8.2	C35-49C	EL196UH110XE60C	205294865
ML14XP1-060-233	56500	14	11.7	55500	35800	8.2	C35-49C	EL280UH110E60C	205294866
ML14XP1-060-233	56000	14	12	55500	35800	8.2	C35-49C	EL296UH090XV60C	205294867
ML14XP1-060-233	56000	14	12	55500	35800	8.2	C35-49C	EL296UH110XE60C	205294868

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-060-233	56500	14	12	56000	36000	8.2	C35-49C	EL296UH110XV60C	205294869
ML14XP1-060-233	56500	14.25	12.2	56000	35800	8.5	C35-49C	ML180UH090E60C	205294870
ML14XP1-060-233	56500	14.25	12	56000	35800	8.5	C35-49C	ML180UH110E60C	205294871
ML14XP1-060-233	57500	14	12	56000	35600	8.5	C35-49C	ML180UH110V60C	205294872
ML14XP1-060-233	56000	14.25	12.2	55000	35200	8.2	C35-49C	ML196UH110XE60C	205294873
ML14XP1-060-233	57500	14.5	12.2	56000	35800	8.5	C35-49C	SL280UH080NV60C	205294874
ML14XP1-060-233	57000	14	12	56500	36000	8.5	C35-49C	SL280UH090V60C	205294875
ML14XP1-060-233	57000	14	12	56500	36000	8.5	C35-49C	SL280UH090XV60C	205294876
ML14XP1-060-233	57000	14.5	12.2	56000	35800	8.5	C35-49C	SL280UH100NV60C	205294877
ML14XP1-060-233	57000	14	12	56500	36200	8.5	C35-49C	SL280UH110V60C	205294878
ML14XP1-060-233	57000	14	12	56500	36200	8.5	C35-49C	SL280UH110XV60C	205294879
ML14XP1-060-233	57000	14	12	56500	36200	8.5	C35-49C	SL297UH080NV60C	205294880
ML14XP1-060-233	56000	14	12	55500	35800	8.2	C35-49C	SLP98UH090XV60C	205294881
ML14XP1-060-233	56500	14	12	56000	36000	8.2	C35-49C	SLP98UH110XV60C	205294882
ML14XP1-060-233	56000	14	12	55500	35800	8.2	C35-49C	SLP99UH090XV60C	205552385
ML14XP1-060-233	56500	14	12	56000	36000	8.2	C35-49C	SLP99UH110XV60C	205552386
ML14XP1-060-233	58000	14.5	12.2	57500	36200	8.5	C35-60C	EL180UH100NE60C	205294883
ML14XP1-060-233	57500	14.25	12	57500	36400	8.5	C35-60C	EL195UH100NE60C	205294884
ML14XP1-060-233	58000	14.5	12.2	57500	36400	8.5	C35-60C	EL196UH110XE60C	205294885
ML14XP1-060-233	57500	14.25	12	57000	36200	8.5	C35-60C	EL280UH110E60C	205294886
ML14XP1-060-233	57000	14.25	12.2	57000	36200	8.5	C35-60C	EL296UH090XV60C	205294887
ML14XP1-060-233	58000	14.5	12.2	57500	36400	8.5	C35-60C	EL296UH110XE60C	205294888
ML14XP1-060-233	58000	14	12	57500	36600	8.5	C35-60C	EL296UH110XV60C	205294889
ML14XP1-060-233	58000	14.5	12.2	57500	36200	8.5	C35-60C	ML180UH090E60C	205294890
ML14XP1-060-233	57500	14.5	12.2	57500	36200	8.5	C35-60C	ML180UH110E60C	205294891
ML14XP1-060-233	58500	14.25	12.2	57000	36200	8.5	C35-60C	ML180UH110V60C	205294892
ML14XP1-060-233	58500	14	11.7	58500	37200	8.5	C35-60C	ML193UH110XE60C	205294893
ML14XP1-060-233	58000	14.5	12.2	57500	36400	8.5	C35-60C	ML196UH110XE60C	205294894
ML14XP1-060-233	58500	14.5	12.5	57500	36400	8.5	C35-60C	SL280UH080NV60C	205294895
ML14XP1-060-233	58500	14.5	12.2	57500	36600	8.5	C35-60C	SL280UH090V60C	205294896
ML14XP1-060-233	58500	14.5	12.2	57500	36600	8.5	C35-60C	SL280UH090XV60C	205294897
ML14XP1-060-233	58500	14.5	12.5	57500	36200	8.5	C35-60C	SL280UH100NV60C	205294898
ML14XP1-060-233	58000	14.25	12.2	58000	36600	8.5	C35-60C	SL280UH110V60C	205294899
ML14XP1-060-233	58000	14.25	12.2	58000	36600	8.5	C35-60C	SL280UH110XV60C	205294900
ML14XP1-060-233	58500	14.25	12.2	58000	36800	8.5	C35-60C	SL297UH080NV60C	205294901
ML14XP1-060-233	57000	14.25	12.2	57000	36200	8.5	C35-60C	SLP98UH090XV60C	205294902
ML14XP1-060-233	58000	14	12	57500	36600	8.5	C35-60C	SLP98UH110XV60C	205294903
ML14XP1-060-233	57000	14.25	12.2	57000	36200	8.5	C35-60C	SLP99UH090XV60C	205552387
ML14XP1-060-233	58000	14	12	57500	36600	8.5	C35-60C	SLP99UH110XV60C	205552389
ML14XP1-060-233	58000	14	12	58000	36800	8.2	C35-60C		205294861
ML14XP1-060-233	56000	14	12	56000	37800	8.5	C35-60D	ML180UH135E60D	205294904
ML14XP1-060-233	56500	14.25	12.2	56000	38000	8.5	C35-60D	SL280UH135V60D	205294905
ML14XP1-060-233	55500	14	12	56000	37800	8.5	C35-60D	SLP98UH135XV60D	205294906
ML14XP1-060-233	55500	14	12	56000	37800	8.5	C35-60D	SLP99UH135XV60D	205552390
ML14XP1-060-233	56500	14	12	54500	35400	8.2	CBA25UH-060-230		205295002
ML14XP1-060-233	56500	14	12	54500	35800	8.2	CBA25UHV-060-230		205294907
ML14XP1-060-233	56000	14.5	12.2	53500	35400	9	CBA27UHE-060-230		205294908
ML14XP1-060-233	56500	14.5	12.2	57500	39500	9	CBA38MV-048-230		205294909
ML14XP1-060-233	56500	14.5	12.5	54000	35400	9	CBA38MV-060-230		205294910
ML14XP1-060-233	57000	14.25	12.2	57000	36200	8.5	CH35-51C	EL180UH100NE60C	205294911
ML14XP1-060-233	56500	14	12	57000	36400	8.2	CH35-51C	EL195UH100NE60C	205294912
ML14XP1-060-233	57000	14.25	12.2	57000	36400	8.2	CH35-51C	EL196UH110XE60C	205294913
ML14XP1-060-233	56000	14	11.5	57000	36200	8.2	CH35-51C	EL296UH090XV60C	205294914
ML14XP1-060-233	56500	14	12	57000	36200	8.2	CH35-51C	EL296UH110XE60C	205294915
ML14XP1-060-233	57000	14	12	57500	36600	8.2	CH35-51C	EL296UH110XV60C	205294916
ML14XP1-060-233	57000	14.25	12.2	57000	36200	8.2	CH35-51C	ML180UH090E60C	205294917

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-060-233	56500	14	12	57000	36200	8.2	CH35-51C	ML180UH110E60C	205294918
ML14XP1-060-233	57500	14.25	12	57500	36200	8.5	CH35-51C	ML180UH110V60C	205294919
ML14XP1-060-233	57000	14.25	12.2	57000	36400	8.2	CH35-51C	ML196UH110XE60C	205294920
ML14XP1-060-233	57500	14.25	12.2	57500	36400	8.5	CH35-51C	SL280UH080NV60C	205294921
ML14XP1-060-233	57500	14	12	57500	36600	8.5	CH35-51C	SL280UH090V60C	205294922
ML14XP1-060-233	57500	14	12	57500	36600	8.5	CH35-51C	SL280UH090XV60C	205294923
ML14XP1-060-233	57500	14.25	12.2	57500	36200	8.5	CH35-51C	SL280UH100NV60C	205294924
ML14XP1-060-233	56500	14	12	57000	36400	8.2	CH35-51C	SL280UH110V60C	205294925
ML14XP1-060-233	56500	14	12	57000	36400	8.2	CH35-51C	SL280UH110XV60C	205294926
ML14XP1-060-233	56500	14	12	57000	36200	8.2	CH35-51C	SL297UH080NV60C	205294927
ML14XP1-060-233	56000	14	11.5	57000	36200	8.2	CH35-51C	SLP98UH090XV60C	205294928
ML14XP1-060-233	57000	14	12	57500	36600	8.2	CH35-51C	SLP98UH110XV60C	205294929
ML14XP1-060-233	56000	14	11.5	57000	36200	8.2	CH35-51C	SLP99UH090XV60C	205552391
ML14XP1-060-233	57000	14	12	57500	36600	8.2	CH35-51C	SLP99UH110XV60C	205552392
ML14XP1-060-233	55500	14	11.5	54500	36400	8.5	CH35-60D	EL296UH135XV60D	205294930
ML14XP1-060-233	55500	14	12	54500	36200	8.5	CH35-60D	ML180UH135E60D	205294931
ML14XP1-060-233	55500	14	12	54500	36200	8.5	CH35-60D	SL280UH135V60D	205294932
ML14XP1-060-233	56000	14	12	54500	36400	8.5	CH35-60D	SLP98UH135XV60D	205294933
ML14XP1-060-233	56000	14	12	54500	36400	8.5	CH35-60D	SLP99UH135XV60D	205552393
ML14XP1-060-233	57000	14.25	12.2	57000	36200	8.5	CHX35-51/61C	EL180UH100NE60C	205294934
ML14XP1-060-233	56500	14	12	57000	36400	8.2	CHX35-51/61C	EL195UH100NE60C	205294935
ML14XP1-060-233	57000	14.25	12.2	57000	36400	8.2	CHX35-51/61C	EL196UH110XE60C	205294936
ML14XP1-060-233	56000	14	11.5	57000	36200	8.2	CHX35-51/61C	EL296UH090XV60C	205294937
ML14XP1-060-233	56500	14	12	57000	36200	8.2	CHX35-51/61C	EL296UH110XE60C	205294938
ML14XP1-060-233	57000	14	12	57500	36600	8.2	CHX35-51/61C	EL296UH110XV60C	205294939
ML14XP1-060-233	57000	14.25	12.2	57000	36200	8.2	CHX35-51/61C	ML180UH090E60C	205294940
ML14XP1-060-233	56500	14	12	57000	36200	8.2	CHX35-51/61C	ML180UH110E60C	205294941
ML14XP1-060-233	57500	14.25	12	57500	36200	8.5	CHX35-51/61C	ML180UH110V60C	205294942
ML14XP1-060-233	57000	14.25	12.2	57000	36400	8.2	CHX35-51/61C	ML196UH110XE60C	205294943
ML14XP1-060-233	57500	14.25	12.2	57500	36400	8.5	CHX35-51/61C	SL280UH080NV60C	205294944
ML14XP1-060-233	57500	14	12	57500	36600	8.5	CHX35-51/61C	SL280UH090V60C	205294945
ML14XP1-060-233	57500	14	12	57500	36600	8.5	CHX35-51/61C	SL280UH090XV60C	205294946
ML14XP1-060-233	57500	14.25	12.2	57500	36200	8.5	CHX35-51/61C	SL280UH100NV60C	205294947
ML14XP1-060-233	56500	14	12	57000	36400	8.2	CHX35-51/61C	SL280UH110V60C	205294948
ML14XP1-060-233	56500	14	12	57000	36400	8.2	CHX35-51/61C	SL280UH110XV60C	205294949
ML14XP1-060-233	56500	14	12	57000	36200	8.2	CHX35-51/61C	SL297UH080NV60C	205294950
ML14XP1-060-233	56000	14	11.5	57000	36200	8.2	CHX35-51/61C	SLP98UH090XV60C	205294951
ML14XP1-060-233	57000	14	12	57500	36600	8.2	CHX35-51/61C	SLP98UH110XV60C	205294952
ML14XP1-060-233	56000	14	11.5	57000	36200	8.2	CHX35-51/61C	SLP99UH090XV60C	205552395
ML14XP1-060-233	57000	14	12	57500	36600	8.2	CHX35-51/61C	SLP99UH110XV60C	205552396
ML14XP1-060-233	55500	14	11.5	54500	36400	8.5	CHX35-60D	EL296UH135XV60D	205294953
ML14XP1-060-233	55500	14	12	54500	36200	8.5	CHX35-60D	ML180UH135E60D	205294954
ML14XP1-060-233	55500	14	12	54500	36200	8.5	CHX35-60D	SL280UH135V60D	205294955
ML14XP1-060-233	56000	14	12	54500	36400	8.5	CHX35-60D	SLP98UH135XV60D	205294956
ML14XP1-060-233	56000	14	12	54500	36400	8.5	CHX35-60D	SLP99UH135XV60D	205552397
ML14XP1-060-233	55000	14	11.5	57500	38500	9	CR33-50/60	ML180DF110E60C	205295003
ML14XP1-060-233	55500	14	12	58500	38500	9	CR33-60	ML180DF110E60C	205294957
ML14XP1-060-233	57000	14.25	12.2	56000	35800	8.5	CX35-49C	EL180UH100NE60C	205294958
ML14XP1-060-233	56000	14	11.5	56000	36000	8.2	CX35-49C	EL195UH100NE60C	205294959
ML14XP1-060-233	56000	14.25	12.2	55000	35200	8.2	CX35-49C	EL196UH110XE60C	205294960
ML14XP1-060-233	56500	14	11.7	55500	35800	8.2	CX35-49C	EL280UH110E60C	205294961
ML14XP1-060-233	56000	14	12	55500	35800	8.2	CX35-49C	EL296UH090XV60C	205294962
ML14XP1-060-233	56000	14	12	55500	35800	8.2	CX35-49C	EL296UH110XE60C	205294963
ML14XP1-060-233	56000	14.25	12	55500	35400	8.2	CX35-49C	EL296UH110XV60C	205294964
ML14XP1-060-233	56500	14.25	12.2	56000	35800	8.5	CX35-49C	ML180UH090E60C	205294965
ML14XP1-060-233	56500	14.25	12	56000	35800	8.5	CX35-49C	ML180UH110E60C	205294966

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-060-233	57500	14	12	56000	35600	8.5	CX35-49C	ML180UH110V60C	205294967
ML14XP1-060-233	56000	14.25	12.2	55000	35200	8.2	CX35-49C	ML196UH110XE60C	205294968
ML14XP1-060-233	57500	14.5	12.2	56000	35800	8.5	CX35-49C	SL280UH080NV60C	205294969
ML14XP1-060-233	57000	14	12	56500	36000	8.5	CX35-49C	SL280UH090V60C	205294970
ML14XP1-060-233	57000	14	12	56500	36000	8.5	CX35-49C	SL280UH090XV60C	205294971
ML14XP1-060-233	57000	14.5	12.2	56000	35800	8.5	CX35-49C	SL280UH100NV60C	205294972
ML14XP1-060-233	57000	14	12	56500	36200	8.5	CX35-49C	SL280UH110V60C	205294973
ML14XP1-060-233	57000	14	12	56500	36200	8.5	CX35-49C	SL280UH110XV60C	205294974
ML14XP1-060-233	57000	14	12	56500	36200	8.5	CX35-49C	SL297UH080NV60C	205294975
ML14XP1-060-233	56000	14	12	55500	35800	8.2	CX35-49C	SLP98UH090XV60C	205294976
ML14XP1-060-233	56500	14	12	56000	36000	8.2	CX35-49C	SLP98UH110XV60C	205294977
ML14XP1-060-233	56000	14	12	55500	35800	8.2	CX35-49C	SLP99UH090XV60C	205552398
ML14XP1-060-233	56500	14	12	56000	36000	8.2	CX35-49C	SLP99UH110XV60C	205552400
ML14XP1-060-233	58000	14.5	12.2	57500	36200	8.5	CX35-60C	EL180UH100NE60C	205294978
ML14XP1-060-233	57500	14.25	12	57500	36400	8.5	CX35-60C	EL195UH100NE60C	205294979
ML14XP1-060-233	58000	14.5	12.2	57500	36400	8.5	CX35-60C	EL196UH110XE60C	205294980
ML14XP1-060-233	57500	14.25	12	57000	36200	8.5	CX35-60C	EL280UH110E60C	205294981
ML14XP1-060-233	57000	14.25	12.2	57000	36200	8.5	CX35-60C	EL296UH090XV60C	205294982
ML14XP1-060-233	58000	14.5	12.2	57500	36400	8.5	CX35-60C	EL296UH110XE60C	205294983
ML14XP1-060-233	58000	14	12	57500	36600	8.5	CX35-60C	EL296UH110XV60C	205294984
ML14XP1-060-233	58000	14.5	12.2	57500	36200	8.5	CX35-60C	ML180UH090E60C	205294985
ML14XP1-060-233	57500	14.5	12.2	57500	36200	8.5	CX35-60C	ML180UH110E60C	205294986
ML14XP1-060-233	58500	14.25	12.2	57000	36200	8.5	CX35-60C	ML180UH110V60C	205294987
ML14XP1-060-233	58500	14	11.7	58500	37200	8.5	CX35-60C	ML193UH110XE60C	205294988
ML14XP1-060-233	58000	14.5	12.2	57500	36400	8.5	CX35-60C	ML196UH110XE60C	205294989
ML14XP1-060-233	58500	14.5	12.5	57500	36400	8.5	CX35-60C	SL280UH080NV60C	205294990
ML14XP1-060-233	58500	14.5	12.2	57500	36600	8.5	CX35-60C	SL280UH090V60C	205294991
ML14XP1-060-233	58500	14.5	12.2	57500	36600	8.5	CX35-60C	SL280UH090XV60C	205294992
ML14XP1-060-233	58500	14.5	12.5	57500	36200	8.5	CX35-60C	SL280UH100NV60C	205294993
ML14XP1-060-233	58000	14.25	12.2	58000	36600	8.5	CX35-60C	SL280UH110V60C	205294994
ML14XP1-060-233	58000	14.25	12.2	58000	36600	8.5	CX35-60C	SL280UH110XV60C	205294995
ML14XP1-060-233	58500	14.25	12.2	58000	36800	8.5	CX35-60C	SL297UH080NV60C	205294996
ML14XP1-060-233	57000	14.25	12.2	57000	36200	8.5	CX35-60C	SLP98UH090XV60C	205294997
ML14XP1-060-233	58000	14	12	57500	36600	8.5	CX35-60C	SLP98UH110XV60C	205294998
ML14XP1-060-233	57000	14.25	12.2	57000	36200	8.5	CX35-60C	SLP99UH090XV60C	205552401
ML14XP1-060-233	58000	14	12	57500	36600	8.5	CX35-60C	SLP99UH110XV60C	205552402
ML14XP1-060-233	58000	14	12	58000	36800	8.2	CX35-60C		205294862
ML14XP1-060-233	56000	14	12	56000	37800	8.5	CX35-60D	ML180UH135E60D	205294999
ML14XP1-060-233	56500	14.25	12.2	56000	38000	8.5	CX35-60D	SL280UH135V60D	205295000
ML14XP1-060-233	55500	14	12	56000	37800	8.5	CX35-60D	SLP98UH135XV60D	205295001
ML14XP1-060-233	55500	14	12	56000	37800	8.5	CX35-60D	SLP99UH135XV60D	205552403
ML14XP1-060-463	56000	14	12	56000	37800	8.5	C33-60D	ML180UH135E60D	205755844
ML14XP1-060-463	56500	14.25	12.2	56000	38000	8.5	C33-60D	SL280UH135V60D	205755845
ML14XP1-060-463	55500	14	12	56000	37800	8.5	C33-60D	SLP98UH135XV60D	205755846
ML14XP1-060-463	57000	14.25	12.2	56000	35800	8.5	C35-49C	EL180UH100NE60C	205755803
ML14XP1-060-463	56000	14	11.5	56000	36000	8.2	C35-49C	EL195UH100NE60C	205755804
ML14XP1-060-463	56000	14.25	12.2	55000	35200	8.2	C35-49C	EL196UH110XE60C	205755805
ML14XP1-060-463	56500	14	11.7	55500	35800	8.2	C35-49C	EL280UH110E60C	205755806
ML14XP1-060-463	56000	14	12	55500	35800	8.2	C35-49C	EL296UH090XV60C	205755807
ML14XP1-060-463	56000	14	12	55500	35800	8.2	C35-49C	EL296UH110XE60C	205755808
ML14XP1-060-463	56500	14	12	56000	36000	8.2	C35-49C	EL296UH110XV60C	205755809
ML14XP1-060-463	56500	14.25	12.2	56000	35800	8.5	C35-49C	ML180UH090E60C	205755810
ML14XP1-060-463	56500	14.25	12	56000	35800	8.5	C35-49C	ML180UH110E60C	205755811
ML14XP1-060-463	57500	14	12	56000	35600	8.5	C35-49C	ML180UH110V60C	205755812
ML14XP1-060-463	56000	14.25	12.2	55000	35200	8.2	C35-49C	ML196UH110XE60C	205755813
ML14XP1-060-463	57500	14.5	12.2	56000	35800	8.5	C35-49C	SL280UH080NV60C	205755814

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-060-463	57000	14	12	56500	36000	8.5	C35-49C	SL280UH090V60C	205755815
ML14XP1-060-463	57000	14	12	56500	36000	8.5	C35-49C	SL280UH090XV60C	205755816
ML14XP1-060-463	57000	14.5	12.2	56000	35800	8.5	C35-49C	SL280UH100NV60C	205755817
ML14XP1-060-463	57000	14	12	56500	36200	8.5	C35-49C	SL280UH110V60C	205755818
ML14XP1-060-463	57000	14	12	56500	36200	8.5	C35-49C	SL280UH110XV60C	205755819
ML14XP1-060-463	57000	14	12	56500	36200	8.5	C35-49C	SL297UH080NV60C	205755820
ML14XP1-060-463	56000	14	12	55500	35800	8.2	C35-49C	SLP98UH090XV60C	205755821
ML14XP1-060-463	56500	14	12	56000	36000	8.2	C35-49C	SLP98UH110XV60C	205755822
ML14XP1-060-463	58000	14.5	12.2	57500	36200	8.5	C35-60C	EL180UH100NE60C	205755823
ML14XP1-060-463	57500	14.25	12	57500	36400	8.5	C35-60C	EL195UH100NE60C	205755824
ML14XP1-060-463	58000	14.5	12.2	57500	36400	8.5	C35-60C	EL196UH110XE60C	205755825
ML14XP1-060-463	57500	14.25	12	57000	36200	8.5	C35-60C	EL280UH110E60C	205755826
ML14XP1-060-463	57000	14.25	12.2	57000	36200	8.5	C35-60C	EL296UH090XV60C	205755827
ML14XP1-060-463	58000	14.5	12.2	57500	36400	8.5	C35-60C	EL296UH110XE60C	205755828
ML14XP1-060-463	58000	14	12	57500	36600	8.5	C35-60C	EL296UH110XV60C	205755829
ML14XP1-060-463	58000	14.5	12.2	57500	36200	8.5	C35-60C	ML180UH090E60C	205755830
ML14XP1-060-463	57500	14.5	12.2	57500	36200	8.5	C35-60C	ML180UH110E60C	205755831
ML14XP1-060-463	58500	14.25	12.2	57000	36200	8.5	C35-60C	ML180UH110V60C	205755832
ML14XP1-060-463	58500	14	11.7	58500	37200	8.5	C35-60C	ML193UH110XE60C	205755833
ML14XP1-060-463	58000	14.5	12.2	57500	36400	8.5	C35-60C	ML196UH110XE60C	205755834
ML14XP1-060-463	58500	14.5	12.5	57500	36400	8.5	C35-60C	SL280UH080NV60C	205755835
ML14XP1-060-463	58500	14.5	12.2	57500	36600	8.5	C35-60C	SL280UH090V60C	205755836
ML14XP1-060-463	58500	14.5	12.2	57500	36600	8.5	C35-60C	SL280UH090XV60C	205755837
ML14XP1-060-463	58500	14.5	12.5	57500	36200	8.5	C35-60C	SL280UH100NV60C	205755838
ML14XP1-060-463	58000	14.25	12.2	58000	36600	8.5	C35-60C	SL280UH110V60C	205755839
ML14XP1-060-463	58000	14.25	12.2	58000	36600	8.5	C35-60C	SL280UH110XV60C	205755840
ML14XP1-060-463	58500	14.25	12.2	58000	36800	8.5	C35-60C	SL297UH080NV60C	205755841
ML14XP1-060-463	57000	14.25	12.2	57000	36200	8.5	C35-60C	SLP98UH090XV60C	205755842
ML14XP1-060-463	58000	14	12	57500	36600	8.5	C35-60C	SLP98UH110XV60C	205755843
ML14XP1-060-463	58000	14	12	58000	36800	8.2	C35-60C		205755939
ML14XP1-060-463	56500	14	12	54500	35400	8.2	CBA25UH-060-230		205755802
ML14XP1-060-463	56500	14	12	54500	35600	8.2	CBA25UHV-060-230		205755941
ML14XP1-060-463	56000	14.5	12.2	53500	35400	9	CBA27UHE-060-230		205755942
ML14XP1-060-463	56000	14.5	12.2	53500	35400	9	CBA27UHE-060-460		205755943
ML14XP1-060-463	56500	14.5	12.2	57500	39500	9	CBA38MV-048-230		205755944
ML14XP1-060-463	56500	14.5	12.5	54000	35400	9	CBA38MV-060-230		205755945
ML14XP1-060-463	57000	14.25	12.2	57000	36200	8.5	CH35-51C	EL180UH100NE60C	205755847
ML14XP1-060-463	56500	14	12	57000	36400	8.2	CH35-51C	EL195UH100NE60C	205755848
ML14XP1-060-463	57000	14.25	12.2	57000	36400	8.2	CH35-51C	EL196UH110XE60C	205755849
ML14XP1-060-463	56000	14	11.5	57000	36200	8.2	CH35-51C	EL296UH090XV60C	205755850
ML14XP1-060-463	56500	14	12	57000	36200	8.2	CH35-51C	EL296UH110XE60C	205755851
ML14XP1-060-463	57000	14	12	57500	36600	8.2	CH35-51C	EL296UH110XV60C	205755852
ML14XP1-060-463	57000	14.25	12.2	57000	36200	8.2	CH35-51C	ML180UH090E60C	205755853
ML14XP1-060-463	56500	14	12	57000	36200	8.2	CH35-51C	ML180UH110E60C	205755854
ML14XP1-060-463	57500	14.25	12	57500	36200	8.5	CH35-51C	ML180UH110V60C	205755855
ML14XP1-060-463	57000	14.25	12.2	57000	36400	8.2	CH35-51C	ML196UH110XE60C	205755856
ML14XP1-060-463	57500	14.25	12.2	57500	36400	8.5	CH35-51C	SL280UH080NV60C	205755857
ML14XP1-060-463	57500	14	12	57500	36600	8.5	CH35-51C	SL280UH090V60C	205755858
ML14XP1-060-463	57500	14	12	57500	36600	8.5	CH35-51C	SL280UH090XV60C	205755859
ML14XP1-060-463	57500	14.25	12.2	57500	36200	8.5	CH35-51C	SL280UH100NV60C	205755860
ML14XP1-060-463	56500	14	12	57000	36400	8.2	CH35-51C	SL280UH110V60C	205755861
ML14XP1-060-463	56500	14	12	57000	36400	8.2	CH35-51C	SL280UH110XV60C	205755862
ML14XP1-060-463	56500	14	12	57000	36200	8.2	CH35-51C	SL297UH080NV60C	205755863
ML14XP1-060-463	56000	14	11.5	57000	36200	8.2	CH35-51C	SLP98UH090XV60C	205755864
ML14XP1-060-463	57000	14	12	57500	36600	8.2	CH35-51C	SLP98UH110XV60C	205755865
ML14XP1-060-463	55500	14	11.5	54500	36400	8.5	CH35-60D	EL296UH135XV60D	205755866

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-060-463	55500	14	12	54500	36200	8.5	CH35-60D	ML180UH135E60D	205755867
ML14XP1-060-463	55500	14	12	54500	36200	8.5	CH35-60D	SL280UH135V60D	205755868
ML14XP1-060-463	56000	14	12	54500	36400	8.5	CH35-60D	SLP98UH135XV60D	205755869
ML14XP1-060-463	57000	14.25	12.2	57000	36200	8.5	CHX35-51/61C	EL180UH100NE60C	205755870
ML14XP1-060-463	56500	14	12	57000	36400	8.2	CHX35-51/61C	EL195UH100NE60C	205755871
ML14XP1-060-463	57000	14.25	12.2	57000	36400	8.2	CHX35-51/61C	EL196UH110XE60C	205755872
ML14XP1-060-463	56000	14	11.5	57000	36200	8.2	CHX35-51/61C	EL296UH090XV60C	205755873
ML14XP1-060-463	56500	14	12	57000	36200	8.2	CHX35-51/61C	EL296UH110XE60C	205755874
ML14XP1-060-463	57000	14	12	57500	36600	8.2	CHX35-51/61C	EL296UH110XV60C	205755875
ML14XP1-060-463	57000	14.25	12.2	57000	36200	8.2	CHX35-51/61C	ML180UH090E60C	205755876
ML14XP1-060-463	56500	14	12	57000	36200	8.2	CHX35-51/61C	ML180UH110E60C	205755877
ML14XP1-060-463	57500	14.25	12	57500	36200	8.5	CHX35-51/61C	ML180UH110V60C	205755878
ML14XP1-060-463	57000	14.25	12.2	57000	36400	8.2	CHX35-51/61C	ML196UH110XE60C	205755879
ML14XP1-060-463	57500	14.25	12.2	57500	36400	8.5	CHX35-51/61C	SL280UH080NV60C	205755880
ML14XP1-060-463	57500	14	12	57500	36600	8.5	CHX35-51/61C	SL280UH090V60C	205755881
ML14XP1-060-463	57500	14	12	57500	36600	8.5	CHX35-51/61C	SL280UH090XV60C	205755882
ML14XP1-060-463	57500	14.25	12.2	57500	36200	8.5	CHX35-51/61C	SL280UH100NV60C	205755883
ML14XP1-060-463	56500	14	12	57000	36400	8.2	CHX35-51/61C	SL280UH110V60C	205755884
ML14XP1-060-463	56500	14	12	57000	36400	8.2	CHX35-51/61C	SL280UH110XV60C	205755885
ML14XP1-060-463	56500	14	12	57000	36200	8.2	CHX35-51/61C	SL297UH080NV60C	205755886
ML14XP1-060-463	56000	14	11.5	57000	36200	8.2	CHX35-51/61C	SLP98UH090XV60C	205755887
ML14XP1-060-463	57000	14	12	57500	36600	8.2	CHX35-51/61C	SLP98UH110XV60C	205755888
ML14XP1-060-463	55500	14	11.5	54500	36400	8.5	CHX35-60D	EL296UH135XV60D	205755889
ML14XP1-060-463	55500	14	12	54500	36200	8.5	CHX35-60D	ML180UH135E60D	205755890
ML14XP1-060-463	55500	14	12	54500	36200	8.5	CHX35-60D	SL280UH135V60D	205755891
ML14XP1-060-463	56000	14	12	54500	36400	8.5	CHX35-60D	SLP98UH135XV60D	205755892
ML14XP1-060-463	55000	14	11.5	57500	38500	9	CR33-50/60	ML180DF110E60C	205755893
ML14XP1-060-463	55500	14	12	58500	38500	9	CR33-60	ML180DF110E60C	205755894
ML14XP1-060-463	57000	14.25	12.2	56000	35800	8.5	CX35-49C	EL180UH100NE60C	205755895
ML14XP1-060-463	56000	14	11.5	56000	36000	8.2	CX35-49C	EL195UH100NE60C	205755896
ML14XP1-060-463	56000	14.25	12.2	55000	35200	8.2	CX35-49C	EL196UH110XE60C	205755897
ML14XP1-060-463	56500	14	11.7	55500	35800	8.2	CX35-49C	EL280UH110E60C	205755898
ML14XP1-060-463	56000	14	12	55500	35800	8.2	CX35-49C	EL296UH090XV60C	205755899
ML14XP1-060-463	56000	14	12	55500	35800	8.2	CX35-49C	EL296UH110XE60C	205755900
ML14XP1-060-463	56000	14.25	12	55500	35400	8.2	CX35-49C	EL296UH110XV60C	205755901
ML14XP1-060-463	56500	14.25	12.2	56000	35800	8.5	CX35-49C	ML180UH090E60C	205755902
ML14XP1-060-463	56500	14.25	12	56000	35800	8.5	CX35-49C	ML180UH110E60C	205755903
ML14XP1-060-463	57500	14	12	56000	35600	8.5	CX35-49C	ML180UH110V60C	205755904
ML14XP1-060-463	56000	14.25	12.2	55000	35200	8.2	CX35-49C	ML196UH110XE60C	205755905
ML14XP1-060-463	57500	14.5	12.2	56000	35800	8.5	CX35-49C	SL280UH080NV60C	205755906
ML14XP1-060-463	57000	14	12	56500	36000	8.5	CX35-49C	SL280UH090V60C	205755907
ML14XP1-060-463	57000	14	12	56500	36000	8.5	CX35-49C	SL280UH090XV60C	205755908
ML14XP1-060-463	57000	14.5	12.2	56000	35800	8.5	CX35-49C	SL280UH100NV60C	205755909
ML14XP1-060-463	57000	14	12	56500	36200	8.5	CX35-49C	SL280UH110V60C	205755910
ML14XP1-060-463	57000	14	12	56500	36200	8.5	CX35-49C	SL280UH110XV60C	205755911
ML14XP1-060-463	57000	14	12	56500	36200	8.5	CX35-49C	SL297UH080NV60C	205755912
ML14XP1-060-463	56000	14	12	55500	35800	8.2	CX35-49C	SLP98UH090XV60C	205755913
ML14XP1-060-463	56500	14	12	56000	36000	8.2	CX35-49C	SLP98UH110XV60C	205755914
ML14XP1-060-463	58000	14.5	12.2	57500	36200	8.5	CX35-60C	EL180UH100NE60C	205755915
ML14XP1-060-463	57500	14.25	12	57500	36400	8.5	CX35-60C	EL195UH100NE60C	205755916
ML14XP1-060-463	58000	14.5	12.2	57500	36400	8.5	CX35-60C	EL196UH110XE60C	205755917
ML14XP1-060-463	57500	14.25	12	57000	36200	8.5	CX35-60C	EL280UH110E60C	205755918
ML14XP1-060-463	57000	14.25	12.2	57000	36200	8.5	CX35-60C	EL296UH090XV60C	205755919
ML14XP1-060-463	58000	14.5	12.2	57500	36400	8.5	CX35-60C	EL296UH110XE60C	205755920
ML14XP1-060-463	58000	14	12	57500	36600	8.5	CX35-60C	EL296UH110XV60C	205755921
ML14XP1-060-463	58000	14.5	12.2	57500	36200	8.5	CX35-60C	ML180UH090E60C	205755922

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML14XP1-060-463	57500	14.5	12.2	57500	36200	8.5	CX35-60C	ML180UH110E60C	205755923
ML14XP1-060-463	58500	14.25	12.2	57000	36200	8.5	CX35-60C	ML180UH110V60C	205755924
ML14XP1-060-463	58500	14	11.7	58500	37200	8.5	CX35-60C	ML193UH110XE60C	205755925
ML14XP1-060-463	58000	14.5	12.2	57500	36400	8.5	CX35-60C	ML196UH110XE60C	205755926
ML14XP1-060-463	58500	14.5	12.5	57500	36400	8.5	CX35-60C	SL280UH080NV60C	205755927
ML14XP1-060-463	58500	14.5	12.2	57500	36600	8.5	CX35-60C	SL280UH090V60C	205755928
ML14XP1-060-463	58500	14.5	12.2	57500	36600	8.5	CX35-60C	SL280UH090XV60C	205755929
ML14XP1-060-463	58500	14.5	12.5	57500	36200	8.5	CX35-60C	SL280UH100NV60C	205755930
ML14XP1-060-463	58000	14.25	12.2	58000	36600	8.5	CX35-60C	SL280UH110V60C	205755931
ML14XP1-060-463	58000	14.25	12.2	58000	36600	8.5	CX35-60C	SL280UH110XV60C	205755932
ML14XP1-060-463	58500	14.25	12.2	58000	36800	8.5	CX35-60C	SL297UH080NV60C	205755933
ML14XP1-060-463	57000	14.25	12.2	57000	36200	8.5	CX35-60C	SLP98UH090XV60C	205755934
ML14XP1-060-463	58000	14	12	57500	36600	8.5	CX35-60C	SLP98UH110XV60C	205755935
ML14XP1-060-463	58000	14	12	58000	36800	8.2	CX35-60C		205755940
ML14XP1-060-463	56000	14	12	56000	37800	8.5	CX35-60D	ML180UH135E60D	205755936
ML14XP1-060-463	56500	14.25	12.2	56000	38000	8.5	CX35-60D	SL280UH135V60D	205755937
ML14XP1-060-463	55500	14	12	56000	37800	8.5	CX35-60D	SLP98UH135XV60D	205755938
ML16XP1-018-230	18000	16.5	13	17600	11200	9.2	C35-24A	EL180UH040NE36A	202899010
ML16XP1-018-230	18000	16.5	13	17600	11200	9	C35-24A	EL180UH060NE36A	202899011
ML16XP1-018-230	18000	15.5	12.5	17500	11200	8.5	C35-24A	EL280UH045E36A	202899012
ML16XP1-018-230	18000	16	13	17400	11100	9.2	C35-24A	EL280UH070E36A	202899013
ML16XP1-018-230	18000	16	13	17400	11100	9.2	C35-24A	EL280UH070XE36A	203362004
ML16XP1-018-230	18000	16	13.5	17400	11100	9.2	C35-24A	ML180UH030V36A	204495056
ML16XP1-018-230	18000	16	13	17600	11300	9	C35-24A	ML180UH045E36A	202899014
ML16XP1-018-230	18000	16	13.5	17400	11100	9.2	C35-24A	ML180UH045V36A	204495159
ML16XP1-018-230	18000	16	13	18000	11500	9.4	C35-24A	ML180UH070E36A	204495899
ML16XP1-018-230	18000	16	13.5	17400	11100	9.2	C35-24A	ML180UH070V36A	204495262
ML16XP1-018-230	18000	16	13	18000	11500	9.4	C35-24A	ML180UH070XE36A	204496025
ML16XP1-018-230	18000	16.5	13	17700	11300	9.2	C35-24A	SL280UH060NV36A	202899015
ML16XP1-018-230	18000	14.5	12.5	17700	11400	8.5	C35-24B	EL195UH040NE36B	202899016
ML16XP1-018-230	18000	16	13	17400	11100	9.2	C35-24B	EL196UH030XE24B	202899017
ML16XP1-018-230	18000	16	13	17400	11100	9.2	C35-24B	EL196UH045XE24B	202899018
ML16XP1-018-230	18000	15.1	12.5	17600	11300	8.5	C35-24B	EL196UH070XE36B	202899019
ML16XP1-018-230	18000	15.5	12.5	17500	11200	9	C35-24B	EL280UH090E36B	202899020
ML16XP1-018-230	18000	14.5	12.5	17600	11300	8.5	C35-24B	EL296UH045XE36B	202899021
ML16XP1-018-230	18000	16	13	17800	11300	9.2	C35-24B	EL296UH045XV36B	202899022
ML16XP1-018-230	18000	16	13	17800	11300	9.2	C35-24B	EL296UH070XV36B	202899023
ML16XP1-018-230	18000	14.5	12.5	17600	11300	8.5	C35-24B	ML180UH070E36B	202899024
ML16XP1-018-230	18000	16	13.5	17400	11100	9.4	C35-24B	ML180UH070V36B	204495399
ML16XP1-018-230	18000	16	13	17600	11200	9	C35-24B	ML193UH030XE36B	202899025
ML16XP1-018-230	18000	15.5	12.5	17500	11200	9	C35-24B	ML193UH045XE36B	202899026
ML16XP1-018-230	18000	15.5	12.5	17500	11200	9.2	C35-24B	ML193UH070XE36B	202899027
ML16XP1-018-230	18000	15.1	12.5	17400	11100	8.5	C35-24B	ML196UH030XE24B	204498334
ML16XP1-018-230	18000	15.1	12.5	17400	11100	8.5	C35-24B	ML196UH045XE24B	204498335
ML16XP1-018-230	18000	15.1	12.5	17600	11300	8.5	C35-24B	ML196UH070XE36B	204498336
ML16XP1-018-230	18000	16	13	17800	11300	9.2	C35-24B	ML296UH045XV36B	202899028
ML16XP1-018-230	18000	16	13	17800	11300	9.2	C35-24B	ML296UH070XV36B	202899029
ML16XP1-018-230	18000	16	13	17800	11300	9.2	C35-24B	SLP98UH070XV36B	202899030
ML16XP1-018-230	18000	16	13	17800	11300	9.2	C35-24B	SLP99UH070XV36B	205545336
ML16XP1-018-230	18000	16	13	17200	11000	9.2	C35-30A	EL180UH040NE36A	202899031
ML16XP1-018-230	18000	16	13	17200	11000	9.2	C35-30A	EL180UH060NE36A	202899032
ML16XP1-018-230	18000	16	13	17400	11100	9.2	C35-30A	EL280UH045E36A	202899033
ML16XP1-018-230	18000	16	13	17200	11000	9.2	C35-30A	EL280UH070E36A	202899034
ML16XP1-018-230	18000	16	13	17200	11000	9.2	C35-30A	EL280UH070XE36A	203362005
ML16XP1-018-230	18000	16	13.5	17100	11000	9.4	C35-30A	ML180UH030V36A	204495057
ML16XP1-018-230	18000	15.5	12.5	17300	11100	9	C35-30A	ML180UH045E36A	202899035

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-018-230	18000	16	13.5	17100	11000	9.4	C35-30A	ML180UH045V36A	204495160
ML16XP1-018-230	18000	16	13	17800	11400	9.4	C35-30A	ML180UH070E36A	204495900
ML16XP1-018-230	18000	16	13.5	17200	11000	9.4	C35-30A	ML180UH070V36A	204495263
ML16XP1-018-230	18000	16	13	17800	11400	9.4	C35-30A	ML180UH070XE36A	204496026
ML16XP1-018-230	18000	14.5	12.5	17400	11300	8.5	C35-30B	EL195UH040NE36B	202899036
ML16XP1-018-230	18000	15.5	12.5	16900	10900	9	C35-30B	EL196UH030XE24B	202899037
ML16XP1-018-230	18000	15.5	12.5	16900	10900	9	C35-30B	EL196UH045XE24B	202899038
ML16XP1-018-230	18000	15.1	12.5	17400	11200	9	C35-30B	EL196UH045XE36B	202899039
ML16XP1-018-230	18000	15.1	12.5	17400	11200	9	C35-30B	EL196UH070XE36B	202899040
ML16XP1-018-230	18000	15.5	12.5	17200	11100	9	C35-30B	EL280UH090E36B	202899041
ML16XP1-018-230	18000	15.1	12.5	17400	11200	8.5	C35-30B	EL296UH045XE36B	202899042
ML16XP1-018-230	18000	16.5	13	17600	11200	9.2	C35-30B	EL296UH045XV36B	202899043
ML16XP1-018-230	18000	16	13	17600	11300	9	C35-30B	EL296UH070XE36B	202899044
ML16XP1-018-230	18000	16.5	13	17500	11200	9.2	C35-30B	EL296UH070XV36B	202899045
ML16XP1-018-230	18000	15.1	12.5	17400	11300	8.5	C35-30B	ML180UH070E36B	202899046
ML16XP1-018-230	18000	16	13.5	17200	11000	9.4	C35-30B	ML180UH070V36B	204495400
ML16XP1-018-230	18000	16	13	17400	11100	9.4	C35-30B	ML193UH030XE36B	202899047
ML16XP1-018-230	18000	15.5	12.5	17300	11100	9.2	C35-30B	ML193UH045XE36B	202899048
ML16XP1-018-230	18000	15.5	12.5	17300	11100	9.2	C35-30B	ML193UH070XE36B	202899049
ML16XP1-018-230	18000	15.5	12.5	16900	10900	9	C35-30B	ML196UH030XE24B	204498337
ML16XP1-018-230	18000	15.5	12.5	16900	10900	9	C35-30B	ML196UH045XE24B	204498338
ML16XP1-018-230	18000	15.1	12.5	17400	11200	9	C35-30B	ML196UH045XE36B	204498339
ML16XP1-018-230	18000	15.1	12.5	17400	11200	9	C35-30B	ML196UH070XE36B	204498340
ML16XP1-018-230	18000	16.5	13	17600	11200	9.2	C35-30B	ML296UH045XV36B	202899050
ML16XP1-018-230	18000	16	13	17500	11200	9.2	C35-30B	ML296UH070XV36B	202899051
ML16XP1-018-230	18000	16.5	13	17600	11200	9.2	C35-30B	SL297UH040NV36B	202899052
ML16XP1-018-230	18000	16.5	13	17600	11200	9.2	C35-30B	SL297UH060NV36B	202899053
ML16XP1-018-230	18000	16.5	13	17500	11200	9.2	C35-30B	SLP98UH070XV36B	202899054
ML16XP1-018-230	18000	16.5	13	17500	11200	9.2	C35-30B	SLP99UH070XV36B	205545338
ML16XP1-018-230	18000	14.25	12	17400	11000	8.5	CBA25UH-018-230		202899055
ML16XP1-018-230	18000	14	12	18000	11600	8.5	CBA25UH-024-230		202899056
ML16XP1-018-230	18000	15.5	12.5	17100	10700	9	CBA25UHV-018-230		202899057
ML16XP1-018-230	18000	15.5	12.5	17900	11400	9.2	CBA25UHV-024-230		202899058
ML16XP1-018-230	18000	16	13	17300	10900	9.5	CBA27UHE-018-230		202899157
ML16XP1-018-230	18000	16	13	17300	10900	9.5	CBA27UHE-024-230		202899059
ML16XP1-018-230	18000	16	13	17400	10900	9.5	CBA38MV-018/024-230		202899060
ML16XP1-018-230	18000	16	13	17400	11100	9.2	CH35-24A	EL180UH040NE36A	202899061
ML16XP1-018-230	18000	16	13	17400	11100	9.2	CH35-24A	EL180UH060NE36A	202899062
ML16XP1-018-230	18000	16	13	17700	11200	9	CH35-24A	EL280UH045E36A	202899063
ML16XP1-018-230	18000	16	13	17400	11100	9.2	CH35-24A	EL280UH070E36A	202899064
ML16XP1-018-230	18000	16	13	17400	11100	9.2	CH35-24A	EL280UH070XE36A	203362006
ML16XP1-018-230	18000	16	13.5	17400	11100	9.2	CH35-24A	ML180UH030V36A	204495058
ML16XP1-018-230	18000	15.5	12.5	17500	11200	8.5	CH35-24A	ML180UH045E36A	202899065
ML16XP1-018-230	18000	16	13.5	17400	11100	9.2	CH35-24A	ML180UH045V36A	204495161
ML16XP1-018-230	18000	16	13	18000	11500	9.4	CH35-24A	ML180UH070E36A	204495901
ML16XP1-018-230	18000	16	13.5	17400	11100	9.2	CH35-24A	ML180UH070V36A	204495264
ML16XP1-018-230	18000	16	13	18000	11500	9.4	CH35-24A	ML180UH070XE36A	204496027
ML16XP1-018-230	18000	16	13	17500	11100	9.4	CH35-24B	EL196UH030XE24B	202899066
ML16XP1-018-230	18000	16	13	17500	11100	9.4	CH35-24B	EL196UH045XE24B	202899067
ML16XP1-018-230	18000	14.5	12.5	17700	11400	8.5	CH35-24B	EL196UH045XE36B	202899068
ML16XP1-018-230	18000	14.5	12.5	17700	11400	8.5	CH35-24B	EL196UH070XE36B	202899069
ML16XP1-018-230	18000	15.1	12.5	17600	11200	8.5	CH35-24B	EL280UH090E36B	202899070
ML16XP1-018-230	18000	14.5	12.5	17700	11400	8.5	CH35-24B	EL296UH045XE36B	202899071
ML16XP1-018-230	18000	16	13	17900	11400	9.2	CH35-24B	EL296UH045XV36B	202899072
ML16XP1-018-230	18000	14.5	12.5	17800	11400	8.5	CH35-24B	EL296UH070XE36B	202899073
ML16XP1-018-230	18000	16	13	17800	11300	9.2	CH35-24B	EL296UH070XV36B	202899074

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-018-230	18000	14.5	12.5	17700	11400	8.5	CH35-24B	ML180UH070E36B	202899075
ML16XP1-018-230	18000	16	13.5	17500	11100	9.4	CH35-24B	ML180UH070V36B	204495401
ML16XP1-018-230	18000	15.5	12.5	17700	11300	9	CH35-24B	ML193UH030XE36B	202899076
ML16XP1-018-230	18000	15.5	12.5	17600	11200	8.5	CH35-24B	ML193UH045XE36B	202899077
ML16XP1-018-230	18000	15.5	12.5	17600	11200	8.5	CH35-24B	ML193UH070XE36B	202899078
ML16XP1-018-230	18000	15.1	12.5	17500	11100	8.5	CH35-24B	ML196UH030XE24B	204498341
ML16XP1-018-230	18000	15.1	12.5	17500	11100	8.5	CH35-24B	ML196UH045XE24B	204498342
ML16XP1-018-230	18000	14.5	12.5	17700	11400	8.5	CH35-24B	ML196UH045XE36B	204498343
ML16XP1-018-230	18000	14.5	12.5	17700	11400	8.5	CH35-24B	ML196UH070XE36B	204498344
ML16XP1-018-230	18000	16	13	17900	11400	9.2	CH35-24B	ML296UH045XV36B	202899079
ML16XP1-018-230	18000	16	13	17800	11300	9.2	CH35-24B	ML296UH070XV36B	202899080
ML16XP1-018-230	18000	16	13	17800	11300	9.2	CH35-24B	SLP98UH070XV36B	202899081
ML16XP1-018-230	18000	16	13	17800	11300	9.2	CH35-24B	SLP99UH070XV36B	205545341
ML16XP1-018-230	18000	16	13	17400	11100	9.2	CHX35-24A	EL180UH040NE36A	202899082
ML16XP1-018-230	18000	16	13	17400	11100	9.2	CHX35-24A	EL180UH060NE36A	202899083
ML16XP1-018-230	18000	16	13	17700	11200	9	CHX35-24A	EL280UH045E36A	202899084
ML16XP1-018-230	18000	16	13	17400	11100	9.2	CHX35-24A	EL280UH070E36A	202899085
ML16XP1-018-230	18000	16	13	17400	11100	9.2	CHX35-24A	EL280UH070XE36A	203362007
ML16XP1-018-230	18000	16	13.5	17400	11100	9.2	CHX35-24A	ML180UH030V36A	204495059
ML16XP1-018-230	18000	15.5	12.5	17500	11200	8.5	CHX35-24A	ML180UH045E36A	202899086
ML16XP1-018-230	18000	16	13.5	17400	11100	9.2	CHX35-24A	ML180UH045V36A	204495162
ML16XP1-018-230	18000	16	13	18000	11500	9.4	CHX35-24A	ML180UH070E36A	204495902
ML16XP1-018-230	18000	16	13.5	17400	11100	9.2	CHX35-24A	ML180UH070V36A	204495265
ML16XP1-018-230	18000	16	13	18000	11500	9.4	CHX35-24A	ML180UH070XE36A	204496028
ML16XP1-018-230	18000	16	13	17500	11100	9.4	CHX35-24B	EL196UH030XE24B	202899087
ML16XP1-018-230	18000	16	13	17500	11100	9.4	CHX35-24B	EL196UH045XE24B	202899088
ML16XP1-018-230	18000	14.5	12.5	17700	11400	8.5	CHX35-24B	EL196UH045XE36B	202899089
ML16XP1-018-230	18000	14.5	12.5	17700	11400	8.5	CHX35-24B	EL196UH070XE36B	202899090
ML16XP1-018-230	18000	15.1	12.5	17600	11200	8.5	CHX35-24B	EL280UH090E36B	202899091
ML16XP1-018-230	18000	14.5	12.5	17700	11400	8.5	CHX35-24B	EL296UH045XE36B	202899092
ML16XP1-018-230	18000	16	13	17900	11400	9.2	CHX35-24B	EL296UH045XV36B	202899093
ML16XP1-018-230	18000	14.5	12.5	17800	11400	8.5	CHX35-24B	EL296UH070XE36B	202899094
ML16XP1-018-230	18000	16	13	17800	11300	9.2	CHX35-24B	EL296UH070XV36B	202899095
ML16XP1-018-230	18000	14.5	12.5	17700	11400	8.5	CHX35-24B	ML180UH070E36B	202899096
ML16XP1-018-230	18000	16	13.5	17500	11100	9.4	CHX35-24B	ML180UH070V36B	204495402
ML16XP1-018-230	18000	15.5	12.5	17700	11300	9	CHX35-24B	ML193UH030XE36B	202899097
ML16XP1-018-230	18000	15.5	12.5	17600	11200	8.5	CHX35-24B	ML193UH045XE36B	202899098
ML16XP1-018-230	18000	15.5	12.5	17600	11200	8.5	CHX35-24B	ML193UH070XE36B	202899099
ML16XP1-018-230	18000	15.1	12.5	17500	11100	8.5	CHX35-24B	ML196UH030XE24B	204498345
ML16XP1-018-230	18000	15.1	12.5	17500	11100	8.5	CHX35-24B	ML196UH045XE24B	204498346
ML16XP1-018-230	18000	14.5	12.5	17700	11400	8.5	CHX35-24B	ML196UH045XE36B	204498347
ML16XP1-018-230	18000	14.5	12.5	17700	11400	8.5	CHX35-24B	ML196UH070XE36B	204498348
ML16XP1-018-230	18000	16	13	17900	11400	9.2	CHX35-24B	ML296UH045XV36B	202899100
ML16XP1-018-230	18000	16	13	17800	11300	9.2	CHX35-24B	ML296UH070XV36B	202899101
ML16XP1-018-230	18000	16	13	17800	11300	9.2	CHX35-24B	SLP98UH070XV36B	202899102
ML16XP1-018-230	18000	16	13	17800	11300	9.2	CHX35-24B	SLP99UH070XV36B	205545342
ML16XP1-018-230	18000	15.5	12.5	17300	10900	9	CR33-24A	EL280DF070E36A	202899103
ML16XP1-018-230	18000	15.5	12.5	17400	10900	9	CR33-24A	ML180DF045E36A	202899104
ML16XP1-018-230	18000	15.5	12.5	18000	11200	9.2	CR33-24A	ML180DF070E36A	204495933
ML16XP1-018-230	18000	14.5	12.5	17400	11000	8.5	CR33-24B	EL296DF045XE36B	202899105
ML16XP1-018-230	18000	15.5	12.5	17700	11300	9.2	CR33-30/36A	EL280DF070E36A	202899106
ML16XP1-018-230	18000	15.5	12.5	17800	11300	9	CR33-30/36A	ML180DF045E36A	202899107
ML16XP1-018-230	18000	16	13	18000	11700	9.8	CR33-30/36A	ML180DF070E36A	204495934
ML16XP1-018-230	18000	15.1	12.5	17900	11500	9	CR33-30/36B	EL296DF045XE36B	202899108
ML16XP1-018-230	18000	15.1	12.5	17900	11500	9	CR33-30/36B	ML180DF070E36B	202899109
ML16XP1-018-230	18000	15.5	12.5	17700	11300	9	CR33-30/36B	ML193DF045XE36B	202899110

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-018-230	18000	15.5	12.5	17700	11300	9.2	CR33-30/36B	ML193DF070XE36B	202899111
ML16XP1-018-230	18000	14.5	12.5	17900	11500	8.5	CR33-30/36B	ML196DF045XE36B	205706948
ML16XP1-018-230	18000	14.5	12.5	17900	11500	8.5	CR33-30/36B	ML196DF070XE48B	205706949
ML16XP1-018-230	18000	16.5	13	17600	11200	9.2	CX35-24A	EL180UH040NE36A	202899112
ML16XP1-018-230	18000	16.5	13	17600	11200	9	CX35-24A	EL180UH060NE36A	202899113
ML16XP1-018-230	18000	15.5	12.5	17500	11200	8.5	CX35-24A	EL280UH045E36A	202899114
ML16XP1-018-230	18000	16	13	17400	11100	9.2	CX35-24A	EL280UH070E36A	202899115
ML16XP1-018-230	18000	16	13	17400	11100	9.2	CX35-24A	EL280UH070XE36A	203362008
ML16XP1-018-230	18000	16	13.5	17400	11100	9.2	CX35-24A	ML180UH030V36A	204495060
ML16XP1-018-230	18000	16	13	17600	11300	9	CX35-24A	ML180UH045E36A	202899116
ML16XP1-018-230	18000	16	13.5	17400	11100	9.2	CX35-24A	ML180UH045V36A	204495163
ML16XP1-018-230	18000	16	13	18000	11500	9.4	CX35-24A	ML180UH070E36A	204495903
ML16XP1-018-230	18000	16	13.5	17400	11100	9.2	CX35-24A	ML180UH070V36A	204495266
ML16XP1-018-230	18000	16	13	18000	11500	9.4	CX35-24A	ML180UH070XE36A	204496029
ML16XP1-018-230	18000	16.5	13	17700	11300	9.2	CX35-24A	SL280UH060NV36A	202899117
ML16XP1-018-230	18000	14.5	12.5	17700	11400	8.5	CX35-24B	EL195UH040NE36B	202899118
ML16XP1-018-230	18000	16	13	17400	11100	9.2	CX35-24B	EL196UH030XE24B	202899119
ML16XP1-018-230	18000	16	13	17400	11100	9.2	CX35-24B	EL196UH045XE24B	202899120
ML16XP1-018-230	18000	15.1	12.5	17600	11300	8.5	CX35-24B	EL196UH070XE36B	202899121
ML16XP1-018-230	18000	15.5	12.5	17500	11200	9	CX35-24B	EL280UH090E36B	202899122
ML16XP1-018-230	18000	14.5	12.5	17600	11300	8.5	CX35-24B	EL296UH045XE36B	202899123
ML16XP1-018-230	18000	16	13	17800	11300	9.2	CX35-24B	EL296UH045XV36B	202899124
ML16XP1-018-230	18000	16	13	17800	11300	9.2	CX35-24B	EL296UH070XV36B	202899125
ML16XP1-018-230	18000	14.5	12.5	17600	11300	8.5	CX35-24B	ML180UH070E36B	202899126
ML16XP1-018-230	18000	16	13.5	17400	11100	9.4	CX35-24B	ML180UH070V36B	204495403
ML16XP1-018-230	18000	16	13	17600	11200	9	CX35-24B	ML193UH030XE36B	202899127
ML16XP1-018-230	18000	15.5	12.5	17500	11200	9	CX35-24B	ML193UH045XE36B	202899128
ML16XP1-018-230	18000	15.5	12.5	17500	11200	9.2	CX35-24B	ML193UH070XE36B	202899129
ML16XP1-018-230	18000	15.1	12.5	17400	11100	8.5	CX35-24B	ML196UH030XE24B	204498349
ML16XP1-018-230	18000	15.1	12.5	17400	11100	8.5	CX35-24B	ML196UH045XE24B	204498350
ML16XP1-018-230	18000	15.1	12.5	17600	11300	8.5	CX35-24B	ML196UH070XE36B	204498351
ML16XP1-018-230	18000	16	13	17800	11300	9.2	CX35-24B	ML296UH045XV36B	202899130
ML16XP1-018-230	18000	16	13	17800	11300	9.2	CX35-24B	ML296UH070XV36B	202899131
ML16XP1-018-230	18000	16	13	17800	11300	9.2	CX35-24B	SLP98UH070XV36B	202899132
ML16XP1-018-230	18000	16	13	17800	11300	9.2	CX35-24B	SLP99UH070XV36B	205545344
ML16XP1-018-230	18000	16	13	17200	11000	9.2	CX35-30A	EL180UH040NE36A	202899133
ML16XP1-018-230	18000	16	13	17200	11000	9.2	CX35-30A	EL180UH060NE36A	202899134
ML16XP1-018-230	18000	16	13	17400	11100	9.2	CX35-30A	EL280UH045E36A	202899135
ML16XP1-018-230	18000	16	13	17200	11000	9.2	CX35-30A	EL280UH070E36A	202899136
ML16XP1-018-230	18000	16	13	17200	11000	9.2	CX35-30A	EL280UH070XE36A	203362009
ML16XP1-018-230	18000	16	13.5	17100	11000	9.4	CX35-30A	ML180UH030V36A	204495061
ML16XP1-018-230	18000	15.5	12.5	17300	11100	9	CX35-30A	ML180UH045E36A	202899137
ML16XP1-018-230	18000	16	13.5	17100	11000	9.4	CX35-30A	ML180UH045V36A	204495164
ML16XP1-018-230	18000	16	13	17800	11400	9.4	CX35-30A	ML180UH070E36A	204495904
ML16XP1-018-230	18000	16	13.5	17200	11000	9.4	CX35-30A	ML180UH070V36A	204495267
ML16XP1-018-230	18000	16	13	17800	11400	9.4	CX35-30A	ML180UH070XE36A	204496030
ML16XP1-018-230	18000	14.5	12.5	17400	11300	8.5	CX35-30B	EL195UH040NE36B	202899138
ML16XP1-018-230	18000	15.5	12.5	16900	10900	9	CX35-30B	EL196UH030XE24B	202899139
ML16XP1-018-230	18000	15.5	12.5	16900	10900	9	CX35-30B	EL196UH045XE24B	202899140
ML16XP1-018-230	18000	15.1	12.5	17400	11200	9	CX35-30B	EL196UH045XE36B	202899141
ML16XP1-018-230	18000	15.1	12.5	17400	11200	9	CX35-30B	EL196UH070XE36B	202899142
ML16XP1-018-230	18000	15.5	12.5	17200	11100	9	CX35-30B	EL280UH090E36B	202899143
ML16XP1-018-230	18000	15.1	12.5	17400	11200	8.5	CX35-30B	EL296UH045XE36B	202899144
ML16XP1-018-230	18000	16.5	13	17600	11200	9.2	CX35-30B	EL296UH045XV36B	202899145
ML16XP1-018-230	18000	16	13	17600	11300	9	CX35-30B	EL296UH070XE36B	202899146
ML16XP1-018-230	18000	16.5	13	17500	11200	9.2	CX35-30B	EL296UH070XV36B	202899147

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-018-230	18000	15.1	12.5	17400	11300	8.5	CX35-30B	ML180UH070E36B	202899148
ML16XP1-018-230	18000	16	13.5	17200	11000	9.4	CX35-30B	ML180UH070V36B	204495404
ML16XP1-018-230	18000	16	13	17400	11100	9.4	CX35-30B	ML193UH030XE36B	202899149
ML16XP1-018-230	18000	15.5	12.5	17300	11100	9.2	CX35-30B	ML193UH045XE36B	202899150
ML16XP1-018-230	18000	15.5	12.5	17300	11100	9.2	CX35-30B	ML193UH070XE36B	202899151
ML16XP1-018-230	18000	15.5	12.5	16900	10900	9	CX35-30B	ML196UH030XE24B	204498352
ML16XP1-018-230	18000	15.5	12.5	16900	10900	9	CX35-30B	ML196UH045XE24B	204498353
ML16XP1-018-230	18000	15.1	12.5	17400	11200	9	CX35-30B	ML196UH045XE36B	204498354
ML16XP1-018-230	18000	15.1	12.5	17400	11200	9	CX35-30B	ML196UH070XE36B	204498355
ML16XP1-018-230	18000	16.5	13	17600	11200	9.2	CX35-30B	ML296UH045XV36B	202899152
ML16XP1-018-230	18000	16	13	17500	11200	9.2	CX35-30B	ML296UH070XV36B	202899153
ML16XP1-018-230	18000	16.5	13	17600	11200	9.2	CX35-30B	SL297UH040NV36B	202899154
ML16XP1-018-230	18000	16.5	13	17600	11200	9.2	CX35-30B	SL297UH060NV36B	202899155
ML16XP1-018-230	18000	16.5	13	17500	11200	9.2	CX35-30B	SLP98UH070XV36B	202899156
ML16XP1-018-230	18000	16.5	13	17500	11200	9.2	CX35-30B	SLP99UH070XV36B	205545346
ML16XP1-024-230	24000	17	13	22200	14300	9	C35-30A	EL180UH040NE36A	202899178
ML16XP1-024-230	24000	17	13	21800	14200	8.5	C35-30A	EL180UH060NE36A	202899179
ML16XP1-024-230	24000	17	13	22400	14400	8.5	C35-30A	EL280UH045E36A	202899180
ML16XP1-024-230	24000	17	13	22200	14300	8.5	C35-30A	EL280UH070E36A	202899181
ML16XP1-024-230	24000	17	13	22200	14300	8.5	C35-30A	EL280UH070XE36A	203362010
ML16XP1-024-230	24000	17	14.5	22000	14300	9	C35-30A	ML180UH030V36A	204495062
ML16XP1-024-230	24000	17	13	22200	14400	8.5	C35-30A	ML180UH045E36A	202899182
ML16XP1-024-230	24000	17	14.5	22000	14300	9	C35-30A	ML180UH045V36A	204495165
ML16XP1-024-230	24000	17	13	22000	14300	9	C35-30A	ML180UH070E36A	204495905
ML16XP1-024-230	24000	17	13	22000	14200	8.8	C35-30A	ML180UH070V36A	204495268
ML16XP1-024-230	24000	17	13	22000	14300	9	C35-30A	ML180UH070XE36A	204496031
ML16XP1-024-230	24000	17	13	22000	14200	9	C35-30A	SL280UH060NV36A	202899183
ML16XP1-024-230	24000	17	13	22200	14300	9	C35-30A	SL280UH070V36A	202899184
ML16XP1-024-230	24000	17	13	22200	14300	9	C35-30A	SL280UH070XV36A	202899185
ML16XP1-024-230	24000	14.5	12.5	22600	14900	8.2	C35-30A		202899177
ML16XP1-024-230	24000	17	13	22000	14300	8.5	C35-30B	EL195UH040NE36B	202899187
ML16XP1-024-230	24000	17	13	22200	14300	8.5	C35-30B	EL195UH060NE36B	202899188
ML16XP1-024-230	24000	17	13	22000	14300	8.5	C35-30B	EL196UH030XE24B	202899189
ML16XP1-024-230	24000	17	13	22000	14300	8.5	C35-30B	EL196UH045XE24B	202899190
ML16XP1-024-230	24000	17	13	22000	14300	8.5	C35-30B	EL196UH045XE36B	202899191
ML16XP1-024-230	24000	17	13	22000	14300	8.5	C35-30B	EL196UH070XE36B	202899192
ML16XP1-024-230	24000	17	13	22200	14400	9	C35-30B	EL280UH090E36B	202899193
ML16XP1-024-230	24000	16.5	13	22000	14300	8.5	C35-30B	EL296UH045XE36B	202899194
ML16XP1-024-230	24000	17	13	22000	14300	8.5	C35-30B	EL296UH045XV36B	202899195
ML16XP1-024-230	24000	17	13	22200	14300	8.5	C35-30B	EL296UH070XE36B	202899196
ML16XP1-024-230	24000	17	13	22000	14200	8.5	C35-30B	EL296UH070XV36B	202899197
ML16XP1-024-230	24000	17	13	22000	14300	8.5	C35-30B	ML180UH070E36B	202899198
ML16XP1-024-230	24000	17	14.5	22000	14200	9	C35-30B	ML180UH070V36B	204495405
ML16XP1-024-230	24000	17	14.5	22000	14300	9	C35-30B	ML180UH070V48B	204495529
ML16XP1-024-230	24000	17	14.5	22200	14300	9	C35-30B	ML180UH090V48B	204495653
ML16XP1-024-230	24000	17	13	22200	14400	8.5	C35-30B	ML193UH030XE36B	202899199
ML16XP1-024-230	24000	17	13	22000	14300	8.5	C35-30B	ML193UH045XE36B	202899200
ML16XP1-024-230	24000	17	13	22000	14300	8.5	C35-30B	ML193UH070XE36B	202899201
ML16XP1-024-230	24000	17	13	22000	14300	8.5	C35-30B	ML196UH030XE24B	204498356
ML16XP1-024-230	24000	17	13	22000	14300	8.5	C35-30B	ML196UH045XE24B	204498357
ML16XP1-024-230	24000	17	13	22000	14300	8.5	C35-30B	ML196UH045XE36B	204498358
ML16XP1-024-230	24000	17	13	22000	14300	8.5	C35-30B	ML196UH070XE36B	204498359
ML16XP1-024-230	24000	17	13	22000	14300	8.5	C35-30B	ML296UH045XV36B	202899202
ML16XP1-024-230	24000	17	13	22000	14200	8.5	C35-30B	ML296UH070XV36B	202899203
ML16XP1-024-230	24000	17	13	22000	14200	9	C35-30B	SL280UH090V36B	202899204
ML16XP1-024-230	24000	17	13	22000	14300	8.5	C35-30B	SL297UH040NV36B	202899205

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-024-230	24000	17	13	22000	14300	8.5	C35-30B	SL297UH060NV36B	202899206
ML16XP1-024-230	24000	17	13	22200	14300	8.5	C35-30B	SLP98UH070XV36B	202899207
ML16XP1-024-230	24000	17	13	22200	14300	8.5	C35-30B	SLP99UH070XV36B	205545348
ML16XP1-024-230	24000	14.5	12.5	22600	14900	8.2	C35-30B		202899186
ML16XP1-024-230	24000	17	13	22000	14400	9.4	C35-36A	EL180UH040NE36A	202899209
ML16XP1-024-230	24000	17	13	21800	14200	9.2	C35-36A	EL180UH060NE36A	202899210
ML16XP1-024-230	24000	17	14.5	21800	14300	9.4	C35-36A	ML180UH030V36A	204495063
ML16XP1-024-230	24000	17	13	22000	14500	9.2	C35-36A	ML180UH045E36A	202899211
ML16XP1-024-230	24000	17	14.5	21800	14300	9.4	C35-36A	ML180UH045V36A	204495166
ML16XP1-024-230	24000	17	13	21800	14300	9.4	C35-36A	ML180UH070E36A	204495906
ML16XP1-024-230	24000	17	13	21800	14300	9.2	C35-36A	ML180UH070V36A	204495269
ML16XP1-024-230	24000	17	13	21800	14300	9.4	C35-36A	ML180UH070XE36A	204496032
ML16XP1-024-230	24000	17	13	21800	14300	9.4	C35-36A	SL280UH060NV36A	202899212
ML16XP1-024-230	24000	17	13	22000	14400	9.2	C35-36A	SL280UH070V36A	202899213
ML16XP1-024-230	24000	17	13	22000	14400	9.2	C35-36A	SL280UH070XV36A	202899214
ML16XP1-024-230	24000	14.5	12.5	22400	15000	8.5	C35-36A		202899208
ML16XP1-024-230	24000	17	13	21800	14300	9.2	C35-36B	EL195UH040NE36B	202899216
ML16XP1-024-230	24000	17	13	22000	14400	9.2	C35-36B	EL195UH060NE36B	202899217
ML16XP1-024-230	24000	16.5	13	21800	14400	9.2	C35-36B	EL196UH030XE24B	202899218
ML16XP1-024-230	24000	16.5	13	21800	14400	9.2	C35-36B	EL196UH045XE24B	202899219
ML16XP1-024-230	24000	17	13	21800	14400	9.2	C35-36B	EL196UH045XE36B	202899220
ML16XP1-024-230	24000	17	13	21800	14300	9.2	C35-36B	EL196UH070XE36B	202899221
ML16XP1-024-230	24000	16.5	13	21800	14400	9	C35-36B	EL296UH045XE36B	202899222
ML16XP1-024-230	24000	17	13	21800	14300	9.2	C35-36B	EL296UH045XV36B	202899223
ML16XP1-024-230	24000	17	13	22000	14400	9.2	C35-36B	EL296UH070XE36B	202899224
ML16XP1-024-230	24000	17	13	22000	14400	9.2	C35-36B	EL296UH070XV36B	202899225
ML16XP1-024-230	24000	17	13	21800	14300	9.2	C35-36B	ML180UH070E36B	202899226
ML16XP1-024-230	24000	17	14.5	21800	14300	9.4	C35-36B	ML180UH070V36B	204495406
ML16XP1-024-230	24000	17	14.5	21800	14300	9.4	C35-36B	ML180UH070V48B	204495530
ML16XP1-024-230	24000	17	14.5	22000	14400	9.4	C35-36B	ML180UH090V48B	204495654
ML16XP1-024-230	24000	16.5	13	21800	14400	9.2	C35-36B	ML196UH030XE24B	204498360
ML16XP1-024-230	24000	16.5	13	21800	14400	9.2	C35-36B	ML196UH045XE24B	204498361
ML16XP1-024-230	24000	17	13	21800	14400	9.2	C35-36B	ML196UH045XE36B	204498362
ML16XP1-024-230	24000	17	13	21800	14300	9.2	C35-36B	ML196UH070XE36B	204498363
ML16XP1-024-230	24000	16	13	21800	14300	8.8	C35-36B	ML296UH045XV36B	202899227
ML16XP1-024-230	24000	16	13	22000	14400	9	C35-36B	ML296UH070XV36B	202899228
ML16XP1-024-230	24000	17	13	21800	14300	9.2	C35-36B	SL280UH090V36B	202899229
ML16XP1-024-230	24000	17	13	21800	14300	9.2	C35-36B	SL297UH040NV36B	202899230
ML16XP1-024-230	24000	17	13	21800	14400	9.2	C35-36B	SL297UH060NV36B	202899231
ML16XP1-024-230	24000	17	13	22000	14400	9.2	C35-36B	SLP98UH070XV36B	202899232
ML16XP1-024-230	24000	17	13	22000	14400	9.2	C35-36B	SLP99UH070XV36B	205545349
ML16XP1-024-230	24000	14.5	12.5	22400	15000	8.5	C35-36B		202899215
ML16XP1-024-230	24000	15.1	12.5	23400	14700	9	CBA25UH-024-230		202899233
ML16XP1-024-230	24000	16	13	23000	14500	9.2	CBA25UHV-024-230		202899234
ML16XP1-024-230	24000	16	13	22800	14600	9.5	CBA25UHV-030-230		202899235
ML16XP1-024-230	24000	16	13	22000	14100	9.5	CBA27UHE-024-230		202899381
ML16XP1-024-230	24000	16.5	13	22800	14500	9.5	CBA27UHE-030-230		204337942
ML16XP1-024-230	24000	16.5	13	22200	14100	9.6	CBA38MV-018/024-230		202899236
ML16XP1-024-230	24000	17	13	22800	14400	9.8	CBA38MV-030-230		202899237
ML16XP1-024-230	24000	17	13	21800	14300	9.2	CH35-30A	EL180UH040NE36A	202899239
ML16XP1-024-230	24000	17	13	21800	14300	9.2	CH35-30A	EL180UH060NE36A	202899240
ML16XP1-024-230	24000	17	13	22200	14600	9.4	CH35-30A	EL280UH045E36A	202899241
ML16XP1-024-230	24000	17	13	22000	14500	9.2	CH35-30A	EL280UH070E36A	202899242
ML16XP1-024-230	24000	17	13	22000	14500	9.2	CH35-30A	EL280UH070XE36A	203362011
ML16XP1-024-230	24000	17	14.5	22000	14500	9.4	CH35-30A	ML180UH030V36A	204495064
ML16XP1-024-230	24000	17	13	22200	14600	9.2	CH35-30A	ML180UH045E36A	202899243

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-024-230	24000	17	14.5	22000	14500	9.4	CH35-30A	ML180UH045V36A	204495167
ML16XP1-024-230	24000	17	13	22000	14500	9.4	CH35-30A	ML180UH070E36A	204495907
ML16XP1-024-230	24000	17	13	22000	14500	9.2	CH35-30A	ML180UH070V36A	204495270
ML16XP1-024-230	24000	17	13	22000	14500	9.4	CH35-30A	ML180UH070XE36A	204496033
ML16XP1-024-230	24000	17	13	22000	14500	9.4	CH35-30A	SL280UH060NV36A	202899244
ML16XP1-024-230	24000	17	13	22000	14600	9.2	CH35-30A	SL280UH070V36A	202899245
ML16XP1-024-230	24000	17	13	22000	14600	9.2	CH35-30A	SL280UH070XV36A	202899246
ML16XP1-024-230	24000	14.5	12.5	22600	15100	8.5	CH35-30A		202899238
ML16XP1-024-230	24000	17	13	21800	13800	9	CH35-30B	EL195UH040NE36B	202899248
ML16XP1-024-230	24000	17	13	21800	13900	9	CH35-30B	EL195UH060NE36B	202899249
ML16XP1-024-230	24000	17	13	21800	13800	8.5	CH35-30B	EL196UH030XE24B	202899250
ML16XP1-024-230	24000	17	13	21800	13800	8.5	CH35-30B	EL196UH045XE24B	202899251
ML16XP1-024-230	24000	17	13	21800	13800	9	CH35-30B	EL196UH045XE36B	202899252
ML16XP1-024-230	24000	17	13	21800	13800	9	CH35-30B	EL196UH070XE36B	202899253
ML16XP1-024-230	24000	17	13	22000	13900	9	CH35-30B	EL280UH090E36B	202899254
ML16XP1-024-230	24000	16.5	13	21800	13800	8.5	CH35-30B	EL296UH045XE36B	202899255
ML16XP1-024-230	24000	17	13	21800	13800	9	CH35-30B	EL296UH045XV36B	202899256
ML16XP1-024-230	24000	17	13	21800	13900	9	CH35-30B	EL296UH070XE36B	202899257
ML16XP1-024-230	24000	17	13	21800	13800	9	CH35-30B	EL296UH070XV36B	202899258
ML16XP1-024-230	24000	17	13	21800	13800	9	CH35-30B	ML180UH070E36B	202899259
ML16XP1-024-230	24000	17	14.5	21800	13800	9.2	CH35-30B	ML180UH070V36B	204495407
ML16XP1-024-230	24000	17	14.5	21800	13800	9.2	CH35-30B	ML180UH070V48B	204495531
ML16XP1-024-230	24000	17	14.5	22000	13900	9.2	CH35-30B	ML180UH090V48B	204495655
ML16XP1-024-230	24000	17	13	22000	14000	9	CH35-30B	ML193UH030XE36B	202899260
ML16XP1-024-230	24000	16.5	13	21800	13800	8.5	CH35-30B	ML193UH045XE36B	202899261
ML16XP1-024-230	24000	17	13	21800	13800	9	CH35-30B	ML193UH070XE36B	202899262
ML16XP1-024-230	24000	17	13	21800	13800	8.5	CH35-30B	ML196UH030XE24B	204498364
ML16XP1-024-230	24000	17	13	21800	13800	8.5	CH35-30B	ML196UH045XE24B	204498365
ML16XP1-024-230	24000	17	13	21800	13800	9	CH35-30B	ML196UH045XE36B	204498366
ML16XP1-024-230	24000	17	13	21800	13800	9	CH35-30B	ML196UH070XE36B	204498367
ML16XP1-024-230	24000	16	13	21800	13800	8.8	CH35-30B	ML296UH045XV36B	202899263
ML16XP1-024-230	24000	17	13	21800	13800	9	CH35-30B	ML296UH070XV36B	202899264
ML16XP1-024-230	24000	17	13	21800	13800	9	CH35-30B	SL297UH040NV36B	202899265
ML16XP1-024-230	24000	17	13	21800	13800	9	CH35-30B	SL297UH060NV36B	202899266
ML16XP1-024-230	24000	17	13	21800	13800	9	CH35-30B	SLP98UH070XV36B	202899267
ML16XP1-024-230	24000	17	13	21800	13800	9	CH35-30B	SLP99UH070XV36B	205545351
ML16XP1-024-230	24000	14.5	12.5	22400	14400	8.5	CH35-30B		202899247
ML16XP1-024-230	24000	17	13	21800	14300	9.2	CHX35-30A	EL180UH040NE36A	202899269
ML16XP1-024-230	24000	17	13	21800	14300	9.2	CHX35-30A	EL180UH060NE36A	202899270
ML16XP1-024-230	24000	17	13	22200	14600	9.4	CHX35-30A	EL280UH045E36A	202899271
ML16XP1-024-230	24000	17	13	22000	14500	9.2	CHX35-30A	EL280UH070E36A	202899272
ML16XP1-024-230	24000	17	13	22000	14500	9.2	CHX35-30A	EL280UH070XE36A	203362012
ML16XP1-024-230	24000	17	14.5	22000	14500	9.4	CHX35-30A	ML180UH030V36A	204495065
ML16XP1-024-230	24000	17	13	22200	14600	9.2	CHX35-30A	ML180UH045E36A	202899273
ML16XP1-024-230	24000	17	14.5	22000	14500	9.4	CHX35-30A	ML180UH045V36A	204495168
ML16XP1-024-230	24000	17	13	22000	14500	9.4	CHX35-30A	ML180UH070E36A	204495908
ML16XP1-024-230	24000	17	13	22000	14500	9.2	CHX35-30A	ML180UH070V36A	204495271
ML16XP1-024-230	24000	17	13	22000	14500	9.4	CHX35-30A	ML180UH070XE36A	204496034
ML16XP1-024-230	24000	17	13	22000	14500	9.4	CHX35-30A	SL280UH060NV36A	202899274
ML16XP1-024-230	24000	17	13	22000	14600	9.2	CHX35-30A	SL280UH070V36A	202899275
ML16XP1-024-230	24000	17	13	22000	14600	9.2	CHX35-30A	SL280UH070XV36A	202899276
ML16XP1-024-230	24000	14.5	12.5	22600	15100	8.5	CHX35-30A		202899268
ML16XP1-024-230	24000	17	13	21800	13800	9	CHX35-30B	EL195UH040NE36B	202899278
ML16XP1-024-230	24000	17	13	21800	13900	9	CHX35-30B	EL195UH060NE36B	202899279
ML16XP1-024-230	24000	17	13	21800	13800	8.5	CHX35-30B	EL196UH030XE24B	202899280
ML16XP1-024-230	24000	17	13	21800	13800	8.5	CHX35-30B	EL196UH045XE24B	202899281

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-024-230	24000	17	13	21800	13800	9	CHX35-30B	EL196UH045XE36B	202899282
ML16XP1-024-230	24000	17	13	21800	13800	9	CHX35-30B	EL196UH070XE36B	202899283
ML16XP1-024-230	24000	17	13	22000	13900	9	CHX35-30B	EL280UH090E36B	202899284
ML16XP1-024-230	24000	16.5	13	21800	13800	8.5	CHX35-30B	EL296UH045XE36B	202899285
ML16XP1-024-230	24000	17	13	21800	13800	9	CHX35-30B	EL296UH045XV36B	202899286
ML16XP1-024-230	24000	17	13	21800	13900	9	CHX35-30B	EL296UH070XE36B	202899287
ML16XP1-024-230	24000	17	13	21800	13800	9	CHX35-30B	EL296UH070XV36B	202899288
ML16XP1-024-230	24000	17	13	21800	13800	9	CHX35-30B	ML180UH070E36B	202899289
ML16XP1-024-230	24000	17	14.5	21800	13800	9.2	CHX35-30B	ML180UH070V36B	204495408
ML16XP1-024-230	24000	17	14.5	21800	13800	9.2	CHX35-30B	ML180UH070V48B	204495532
ML16XP1-024-230	24000	17	14.5	22000	13900	9.2	CHX35-30B	ML180UH090V48B	204495656
ML16XP1-024-230	24000	17	13	22000	14000	9	CHX35-30B	ML193UH030XE36B	202899290
ML16XP1-024-230	24000	16.5	13	21800	13800	8.5	CHX35-30B	ML193UH045XE36B	202899291
ML16XP1-024-230	24000	17	13	21800	13800	9	CHX35-30B	ML193UH070XE36B	202899292
ML16XP1-024-230	24000	17	13	21800	13800	8.5	CHX35-30B	ML196UH030XE24B	204498368
ML16XP1-024-230	24000	17	13	21800	13800	8.5	CHX35-30B	ML196UH045XE24B	204498369
ML16XP1-024-230	24000	17	13	21800	13800	9	CHX35-30B	ML196UH045XE36B	204498370
ML16XP1-024-230	24000	17	13	21800	13800	9	CHX35-30B	ML196UH070XE36B	204498371
ML16XP1-024-230	24000	16	13	21800	13800	8.8	CHX35-30B	ML296UH045XV36B	202899293
ML16XP1-024-230	24000	17	13	21800	13800	9	CHX35-30B	ML296UH070XV36B	202899294
ML16XP1-024-230	24000	17	13	21800	13800	9	CHX35-30B	SL297UH040NV36B	202899295
ML16XP1-024-230	24000	17	13	21800	13800	9	CHX35-30B	SL297UH060NV36B	202899296
ML16XP1-024-230	24000	17	13	21800	13800	9	CHX35-30B	SLP98UH070XV36B	202899297
ML16XP1-024-230	24000	17	13	21800	13800	9	CHX35-30B	SLP99UH070XV36B	205545353
ML16XP1-024-230	24000	14.5	12.5	22400	14400	8.5	CHX35-30B		202899277
ML16XP1-024-230	24000	16.5	13	24000	14700	9	CR33-30/36A	EL280DF070E36A	202899299
ML16XP1-024-230	24000	16.5	13	24000	14800	9	CR33-30/36A	ML180DF045E36A	202899300
ML16XP1-024-230	24000	17	13	24000	14700	9.2	CR33-30/36A	ML180DF070E36A	204495935
ML16XP1-024-230	24000	16.5	13	23800	14700	9	CR33-30/36A	SL280DF070V36A	202899301
ML16XP1-024-230	23800	14.5	12	24000	15200	8.5	CR33-30/36A		202899298
ML16XP1-024-230	24000	16	13	23800	14600	9	CR33-30/36B	EL296DF045XE36B	202899303
ML16XP1-024-230	24000	16.5	13	23800	14700	9	CR33-30/36B	EL296DF045XV36B	202899304
ML16XP1-024-230	24000	16.5	13	23800	14600	9	CR33-30/36B	EL296DF070XE48B	202899305
ML16XP1-024-230	24000	16.5	13	23800	14600	9	CR33-30/36B	ML180DF070E36B	202899306
ML16XP1-024-230	24000	16	13	23800	14600	8.5	CR33-30/36B	ML193DF045XE36B	202899307
ML16XP1-024-230	24000	16	13	23800	14600	8.5	CR33-30/36B	ML193DF070XE36B	202899308
ML16XP1-024-230	24000	16	13	23800	14600	9	CR33-30/36B	ML196DF045XE36B	205706957
ML16XP1-024-230	24000	16	13	23800	14700	9	CR33-30/36B	ML196DF070XE48B	205706958
ML16XP1-024-230	24000	16	13	23800	14700	9	CR33-30/36B	ML296DF045XV36B	202899309
ML16XP1-024-230	24000	16.5	13	24000	14700	9	CR33-30/36B	SLP98DF070XV36B	202899310
ML16XP1-024-230	24000	16.5	13	24000	14700	9	CR33-30/36B	SLP99DF070XV36B	205545354
ML16XP1-024-230	23800	14.5	12	24000	15200	8.5	CR33-30/36B		202899302
ML16XP1-024-230	24000	17	13	22200	14300	9	CX35-30A	EL180UH040NE36A	202899312
ML16XP1-024-230	24000	17	13	21800	14200	8.5	CX35-30A	EL180UH060NE36A	202899313
ML16XP1-024-230	24000	17	13	22400	14400	8.5	CX35-30A	EL280UH045E36A	202899314
ML16XP1-024-230	24000	17	13	22200	14300	8.5	CX35-30A	EL280UH070E36A	202899315
ML16XP1-024-230	24000	17	13	22200	14300	8.5	CX35-30A	EL280UH070XE36A	203362013
ML16XP1-024-230	24000	17	14.5	22000	14300	9	CX35-30A	ML180UH030V36A	204495066
ML16XP1-024-230	24000	17	13	22200	14400	8.5	CX35-30A	ML180UH045E36A	202899316
ML16XP1-024-230	24000	17	14.5	22000	14300	9	CX35-30A	ML180UH045V36A	204495169
ML16XP1-024-230	24000	17	13	22000	14300	9	CX35-30A	ML180UH070E36A	204495909
ML16XP1-024-230	24000	17	13	22000	14200	8.8	CX35-30A	ML180UH070V36A	204495272
ML16XP1-024-230	24000	17	13	22000	14300	9	CX35-30A	ML180UH070XE36A	204496035
ML16XP1-024-230	24000	17	13	22000	14200	9	CX35-30A	SL280UH060NV36A	202899317
ML16XP1-024-230	24000	17	13	22200	14300	9	CX35-30A	SL280UH070V36A	202899318
ML16XP1-024-230	24000	17	13	22200	14300	9	CX35-30A	SL280UH070XV36A	202899319

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-024-230	24000	14.5	12.5	22600	14900	8.2	CX35-30A		202899311
ML16XP1-024-230	24000	17	13	22000	14300	8.5	CX35-30B	EL195UH040NE36B	202899321
ML16XP1-024-230	24000	17	13	22200	14300	8.5	CX35-30B	EL195UH060NE36B	202899322
ML16XP1-024-230	24000	17	13	22000	14300	8.5	CX35-30B	EL196UH030XE24B	202899323
ML16XP1-024-230	24000	17	13	22000	14300	8.5	CX35-30B	EL196UH045XE24B	202899324
ML16XP1-024-230	24000	17	13	22000	14300	8.5	CX35-30B	EL196UH045XE36B	202899325
ML16XP1-024-230	24000	17	13	22000	14300	8.5	CX35-30B	EL196UH070XE36B	202899326
ML16XP1-024-230	24000	17	13	22200	14400	9	CX35-30B	EL280UH090E36B	202899327
ML16XP1-024-230	24000	16.5	13	22000	14300	8.5	CX35-30B	EL296UH045XE36B	202899328
ML16XP1-024-230	24000	17	13	22000	14300	8.5	CX35-30B	EL296UH045XV36B	202899329
ML16XP1-024-230	24000	17	13	22200	14300	8.5	CX35-30B	EL296UH070XE36B	202899330
ML16XP1-024-230	24000	17	13	22000	14200	8.5	CX35-30B	EL296UH070XV36B	202899331
ML16XP1-024-230	24000	17	13	22000	14300	8.5	CX35-30B	ML180UH070E36B	202899332
ML16XP1-024-230	24000	17	14.5	22000	14200	9	CX35-30B	ML180UH070V36B	204495409
ML16XP1-024-230	24000	17	14.5	22000	14300	9	CX35-30B	ML180UH070V48B	204495533
ML16XP1-024-230	24000	17	14.5	22200	14300	9	CX35-30B	ML180UH090V48B	204495657
ML16XP1-024-230	24000	17	13	22200	14400	8.5	CX35-30B	ML193UH030XE36B	202899333
ML16XP1-024-230	24000	17	13	22000	14300	8.5	CX35-30B	ML193UH045XE36B	202899334
ML16XP1-024-230	24000	17	13	22000	14300	8.5	CX35-30B	ML193UH070XE36B	202899335
ML16XP1-024-230	24000	17	13	22000	14300	8.5	CX35-30B	ML196UH030XE24B	204498372
ML16XP1-024-230	24000	17	13	22000	14300	8.5	CX35-30B	ML196UH045XE24B	204498373
ML16XP1-024-230	24000	17	13	22000	14300	8.5	CX35-30B	ML196UH045XE36B	204498374
ML16XP1-024-230	24000	17	13	22000	14300	8.5	CX35-30B	ML196UH070XE36B	204498375
ML16XP1-024-230	24000	17	13	22000	14300	8.5	CX35-30B	ML296UH045XV36B	202899336
ML16XP1-024-230	24000	17	13	22000	14200	8.5	CX35-30B	ML296UH070XV36B	202899337
ML16XP1-024-230	24000	17	13	22000	14200	9	CX35-30B	SL280UH090V36B	202899338
ML16XP1-024-230	24000	17	13	22000	14300	8.5	CX35-30B	SL297UH040NV36B	202899339
ML16XP1-024-230	24000	17	13	22000	14300	8.5	CX35-30B	SL297UH060NV36B	202899340
ML16XP1-024-230	24000	17	13	22200	14300	8.5	CX35-30B	SLP98UH070XV36B	202899341
ML16XP1-024-230	24000	17	13	22200	14300	8.5	CX35-30B	SLP99UH070XV36B	205545356
ML16XP1-024-230	24000	14.5	12.5	22600	14900	8.2	CX35-30B		202899320
ML16XP1-024-230	24000	17	13	22000	14400	9.4	CX35-36A	EL180UH040NE36A	202899343
ML16XP1-024-230	24000	17	13	21800	14200	9.2	CX35-36A	EL180UH060NE36A	202899344
ML16XP1-024-230	24000	17	14.5	21800	14300	9.4	CX35-36A	ML180UH030V36A	204495067
ML16XP1-024-230	24000	17	13	22000	14500	9.2	CX35-36A	ML180UH045E36A	202899345
ML16XP1-024-230	24000	17	14.5	21800	14300	9.4	CX35-36A	ML180UH045V36A	204495170
ML16XP1-024-230	24000	17	13	21800	14300	9.4	CX35-36A	ML180UH070E36A	204495910
ML16XP1-024-230	24000	17	13	21800	14300	9.2	CX35-36A	ML180UH070V36A	204495273
ML16XP1-024-230	24000	17	13	21800	14300	9.4	CX35-36A	ML180UH070XE36A	204496036
ML16XP1-024-230	24000	17	13	21800	14300	9.4	CX35-36A	SL280UH060NV36A	202899346
ML16XP1-024-230	24000	17	13	22000	14400	9.2	CX35-36A	SL280UH070V36A	202899347
ML16XP1-024-230	24000	17	13	22000	14400	9.2	CX35-36A	SL280UH070XV36A	202899348
ML16XP1-024-230	24000	14.5	12.5	22400	15000	8.5	CX35-36A		202899342
ML16XP1-024-230	24000	17	13	21800	14300	9.2	CX35-36B	EL195UH040NE36B	202899350
ML16XP1-024-230	24000	17	13	22000	14400	9.2	CX35-36B	EL195UH060NE36B	202899351
ML16XP1-024-230	24000	16.5	13	21800	14400	9.2	CX35-36B	EL196UH030XE24B	202899352
ML16XP1-024-230	24000	16.5	13	21800	14400	9.2	CX35-36B	EL196UH045XE24B	202899353
ML16XP1-024-230	24000	17	13	21800	14400	9.2	CX35-36B	EL196UH045XE36B	202899354
ML16XP1-024-230	24000	17	13	21800	14300	9.2	CX35-36B	EL196UH070XE36B	202899355
ML16XP1-024-230	24000	16.5	13	21800	14400	9	CX35-36B	EL296UH045XE36B	202899356
ML16XP1-024-230	24000	17	13	21800	14300	9.2	CX35-36B	EL296UH045XV36B	202899357
ML16XP1-024-230	24000	17	13	22000	14400	9.2	CX35-36B	EL296UH070XE36B	202899358
ML16XP1-024-230	24000	17	13	22000	14400	9.2	CX35-36B	EL296UH070XV36B	202899359
ML16XP1-024-230	24000	17	13	21800	14300	9.2	CX35-36B	ML180UH070E36B	202899360
ML16XP1-024-230	24000	17	14.5	21800	14300	9.4	CX35-36B	ML180UH070V36B	204495410
ML16XP1-024-230	24000	17	14.5	21800	14300	9.4	CX35-36B	ML180UH070V48B	204495534

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-024-230	24000	17	14.5	22000	14400	9.4	CX35-36B	ML180UH090V48B	204495658
ML16XP1-024-230	24000	16.5	13	21800	14400	9.2	CX35-36B	ML196UH030XE24B	204498376
ML16XP1-024-230	24000	16.5	13	21800	14400	9.2	CX35-36B	ML196UH045XE24B	204498377
ML16XP1-024-230	24000	17	13	21800	14400	9.2	CX35-36B	ML196UH045XE36B	204498378
ML16XP1-024-230	24000	17	13	21800	14300	9.2	CX35-36B	ML196UH070XE36B	204498379
ML16XP1-024-230	24000	16	13	21800	14300	8.8	CX35-36B	ML296UH045XV36B	202899361
ML16XP1-024-230	24000	16	13	22000	14400	9	CX35-36B	ML296UH070XV36B	202899362
ML16XP1-024-230	24000	17	13	21800	14300	9.2	CX35-36B	SL280UH090V36B	202899363
ML16XP1-024-230	24000	17	13	21800	14300	9.2	CX35-36B	SL297UH040NV36B	202899364
ML16XP1-024-230	24000	17	13	21800	14400	9.2	CX35-36B	SL297UH060NV36B	202899365
ML16XP1-024-230	24000	17	13	22000	14400	9.2	CX35-36B	SLP98UH070XV36B	202899366
ML16XP1-024-230	24000	17	13	22000	14400	9.2	CX35-36B	SLP99UH070XV36B	205545357
ML16XP1-024-230	24000	14.5	12.5	22400	15000	8.5	CX35-36B		202899349
ML16XP1-030-230	30000	16	13	28000	18300	8.5	C35-30A	EL180UH040NE36A	202902437
ML16XP1-030-230	30000	16	13	28000	18300	8.5	C35-30A	EL180UH060NE36A	202902438
ML16XP1-030-230	30000	16	13	28200	18400	8.5	C35-30A	EL280UH045E36A	202902440
ML16XP1-030-230	30000	15.5	12.5	28000	18400	8.5	C35-30A	EL280UH070E36A	202902441
ML16XP1-030-230	30000	15.5	12.5	28000	18400	8.5	C35-30A	EL280UH070XE36A	203362210
ML16XP1-030-230	30000	16	13.5	28000	18300	8.8	C35-30A	ML180UH030V36A	204495068
ML16XP1-030-230	30000	15.5	12.5	28000	18300	8.5	C35-30A	ML180UH045E36A	202902443
ML16XP1-030-230	30000	16	13.5	28000	18300	8.8	C35-30A	ML180UH045V36A	204495171
ML16XP1-030-230	30000	16	13	28200	18400	8.8	C35-30A	ML180UH070E36A	204495911
ML16XP1-030-230	30000	15.5	12.5	27800	18300	8.5	C35-30A	ML180UH070V36A	204495274
ML16XP1-030-230	30000	16	13	28200	18400	8.8	C35-30A	ML180UH070XE36A	204496037
ML16XP1-030-230	30000	16	13	28000	18300	8.5	C35-30A	SL280UH060NV36A	202902444
ML16XP1-030-230	30000	15.5	12.5	27800	18300	8.5	C35-30A	SL280UH070V36A	202902445
ML16XP1-030-230	30000	15.5	12.5	27800	18300	8.5	C35-30A	SL280UH070XV36A	202902447
ML16XP1-030-230	29600	14.25	12	28600	18900	8.2	C35-30A		202903173
ML16XP1-030-230	30000	16	13	27800	18200	8.5	C35-30B	EL180UH080NE48B	202902450
ML16XP1-030-230	30000	15.5	12.5	28200	18500	8.5	C35-30B	EL195UH040NE36B	202902451
ML16XP1-030-230	30000	15.5	12.5	28200	18500	8.5	C35-30B	EL195UH060NE36B	202902453
ML16XP1-030-230	30000	15.5	12.5	27800	18200	8.5	C35-30B	EL196UH030XE24B	202902454
ML16XP1-030-230	30000	15.5	12.5	27800	18200	8.5	C35-30B	EL196UH045XE24B	202902456
ML16XP1-030-230	30000	15.5	12.5	28000	18400	8.5	C35-30B	EL196UH045XE36B	202902457
ML16XP1-030-230	30000	15.5	12.5	28000	18400	8.5	C35-30B	EL196UH070XE36B	202902458
ML16XP1-030-230	30000	16	13	28200	18500	8.5	C35-30B	EL280UH090E36B	202902460
ML16XP1-030-230	30000	16	13	27800	18200	8.5	C35-30B	EL280UH090E48B	202902462
ML16XP1-030-230	30000	16	13	27800	18200	8.5	C35-30B	EL280UH090XE48B	203362211
ML16XP1-030-230	30000	15.5	12.5	28000	18400	8.5	C35-30B	EL296UH045XE36B	202902463
ML16XP1-030-230	30000	15.5	12.5	28000	18400	8.5	C35-30B	EL296UH045XV36B	202902465
ML16XP1-030-230	30000	15.5	12.5	28200	18500	8.5	C35-30B	EL296UH070XE36B	202902466
ML16XP1-030-230	30000	15.5	12.5	27800	18300	8.5	C35-30B	EL296UH070XV36B	202902468
ML16XP1-030-230	30000	16	13	27800	18200	8.5	C35-30B	ML180UH070E36B	202902469
ML16XP1-030-230	30000	16	13.5	27800	18200	8.8	C35-30B	ML180UH070V36B	204495411
ML16XP1-030-230	30000	16	13.5	28000	18300	8.8	C35-30B	ML180UH070V48B	204495535
ML16XP1-030-230	30000	16	13	27800	18200	8.5	C35-30B	ML180UH090E48B	202902470
ML16XP1-030-230	30000	16	13	27800	18200	8.5	C35-30B	ML180UH090V48B	204495659
ML16XP1-030-230	30000	15.5	12.5	28000	18400	8.5	C35-30B	ML193UH030XE36B	202902471
ML16XP1-030-230	30000	15.5	12.5	28000	18400	8.5	C35-30B	ML193UH045XE36B	202902472
ML16XP1-030-230	30000	15.5	12.5	28000	18400	8.5	C35-30B	ML193UH070XE36B	202902474
ML16XP1-030-230	30000	15.5	12.5	27800	18200	8.5	C35-30B	ML196UH030XE24B	204498380
ML16XP1-030-230	30000	15.5	12.5	27800	18200	8.5	C35-30B	ML196UH045XE24B	204498381
ML16XP1-030-230	30000	15.5	12.5	28000	18400	8.5	C35-30B	ML196UH045XE36B	204498382
ML16XP1-030-230	30000	15.5	12.5	28000	18400	8.5	C35-30B	ML196UH070XE36B	204498383
ML16XP1-030-230	30000	15.5	12.5	28000	18300	8.5	C35-30B	ML296UH045XV36B	202902475
ML16XP1-030-230	30000	15.5	12.5	27800	18300	8.5	C35-30B	ML296UH070XV36B	202902477

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-030-230	30000	16	13	28000	18300	8.5	C35-30B	SL280UH080NV48B	202902478
ML16XP1-030-230	30000	16	13	28000	18300	8.5	C35-30B	SL280UH090V36B	202902480
ML16XP1-030-230	30000	16	13	28000	18300	8.5	C35-30B	SL280UH090V48B	202902481
ML16XP1-030-230	30000	16	13	27800	18300	8.5	C35-30B	SL297UH040NV36B	202902482
ML16XP1-030-230	30000	15.5	12.5	27800	18300	8.5	C35-30B	SL297UH060NV36B	202902484
ML16XP1-030-230	30000	15.5	12.5	27800	18300	8.5	C35-30B	SLP98UH070XV36B	202902485
ML16XP1-030-230	30000	15.5	12.5	27800	18300	8.5	C35-30B	SLP99UH070XV36B	205545408
ML16XP1-030-230	30000	14.25	12	28400	18800	8.2	C35-30B		202902448
ML16XP1-030-230	30000	16	13	27800	18600	9	C35-36A	EL180UH040NE36A	202902488
ML16XP1-030-230	30000	16	13	27800	18600	9	C35-36A	EL180UH060NE36A	202902489
ML16XP1-030-230	30000	16	13	28000	18700	9	C35-36A	EL280UH045E36A	202902491
ML16XP1-030-230	30000	16	13	27800	18700	8.5	C35-36A	EL280UH070E36A	202902492
ML16XP1-030-230	30000	16	13	27800	18700	8.5	C35-36A	EL280UH070XE36A	203362212
ML16XP1-030-230	30000	16	13.5	27800	18600	9	C35-36A	ML180UH030V36A	204495069
ML16XP1-030-230	30000	16	13	27800	18600	8.5	C35-36A	ML180UH045E36A	202902494
ML16XP1-030-230	30000	16	13.5	27800	18600	9	C35-36A	ML180UH045V36A	204495172
ML16XP1-030-230	30000	16	13	28000	18700	9	C35-36A	ML180UH070E36A	204495912
ML16XP1-030-230	30000	16	13	27800	18600	9	C35-36A	ML180UH070V36A	204495275
ML16XP1-030-230	30000	16	13	28000	18700	9	C35-36A	ML180UH070XE36A	204496038
ML16XP1-030-230	30000	16	13	27800	18600	9	C35-36A	SL280UH060NV36A	202902495
ML16XP1-030-230	30000	16	13	27800	18700	9	C35-36A	SL280UH070V36A	202902497
ML16XP1-030-230	30000	16	13	27800	18700	9	C35-36A	SL280UH070XV36A	202902498
ML16XP1-030-230	29800	14.5	12	28400	19200	8.5	C35-36A		202902487
ML16XP1-030-230	30000	16	13	27600	18500	9	C35-36B	EL180UH080NE48B	202902501
ML16XP1-030-230	30000	16	13	28000	18800	9	C35-36B	EL195UH040NE36B	202902502
ML16XP1-030-230	30000	16	13	28000	18700	9	C35-36B	EL195UH060NE36B	202902503
ML16XP1-030-230	30000	16	13	27600	18500	8.5	C35-36B	EL196UH030XE24B	202902505
ML16XP1-030-230	30000	16	13	27600	18500	8.5	C35-36B	EL196UH045XE24B	202902506
ML16XP1-030-230	30000	16	13	28000	18700	9	C35-36B	EL196UH045XE36B	202902507
ML16XP1-030-230	30000	16	13	27800	18700	9	C35-36B	EL196UH070XE36B	202902509
ML16XP1-030-230	30000	16	13	28000	18700	9	C35-36B	EL280UH090E36B	202902510
ML16XP1-030-230	30000	16	13	27600	18500	8.5	C35-36B	EL280UH090E48B	202902511
ML16XP1-030-230	30000	16	13	27600	18500	8.5	C35-36B	EL280UH090XE48B	203362213
ML16XP1-030-230	30000	15.5	12.5	27800	18700	8.5	C35-36B	EL296UH045XE36B	202902512
ML16XP1-030-230	30000	16	13	27800	18700	8.5	C35-36B	EL296UH045XV36B	202902514
ML16XP1-030-230	30000	16	13	28000	18700	8.5	C35-36B	EL296UH070XE36B	202902515
ML16XP1-030-230	30000	16	13	27800	18700	9	C35-36B	EL296UH070XV36B	202902516
ML16XP1-030-230	30000	16	13	27800	18500	9	C35-36B	ML180UH070E36B	202902518
ML16XP1-030-230	30000	16	13.5	27800	18500	9	C35-36B	ML180UH070V36B	204495412
ML16XP1-030-230	30000	16	13.5	27800	18500	9.2	C35-36B	ML180UH070V48B	204495536
ML16XP1-030-230	30000	16	13	27600	18500	9	C35-36B	ML180UH090E48B	202902519
ML16XP1-030-230	30000	16	13.5	27600	18500	9	C35-36B	ML180UH090V48B	204495660
ML16XP1-030-230	30000	15.5	12.5	27800	18700	8.5	C35-36B	ML193UH030XE36B	202902520
ML16XP1-030-230	30000	15.5	12.5	27800	18700	8.5	C35-36B	ML193UH045XE36B	202902522
ML16XP1-030-230	30000	16	13	27800	18700	8.5	C35-36B	ML193UH070XE36B	202902523
ML16XP1-030-230	30000	16	13	27600	18500	8.5	C35-36B	ML196UH030XE24B	204498384
ML16XP1-030-230	30000	16	13	27600	18500	8.5	C35-36B	ML196UH045XE24B	204498385
ML16XP1-030-230	30000	16	13	28000	18700	9	C35-36B	ML196UH045XE36B	204498386
ML16XP1-030-230	30000	16	13	27800	18700	9	C35-36B	ML196UH070XE36B	204498387
ML16XP1-030-230	30000	15.5	12.5	27800	18300	8.5	C35-36B	ML296UH045XV36B	202902525
ML16XP1-030-230	30000	15.5	12.5	27800	18600	8.8	C35-36B	ML296UH070XV36B	202902526
ML16XP1-030-230	30000	16.5	13	27800	18500	9	C35-36B	SL280UH080NV48B	202902527
ML16XP1-030-230	30000	16.5	13	27600	18500	9	C35-36B	SL280UH090V36B	202902528
ML16XP1-030-230	30000	16	13	28000	18700	9	C35-36B	SL297UH040NV36B	202902530
ML16XP1-030-230	30000	16	13	28000	18800	9	C35-36B	SL297UH060NV36B	202902531
ML16XP1-030-230	30000	16	13	27800	18700	9	C35-36B	SLP98UH070XV36B	202902533

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-030-230	30000	16	13	27800	18700	9	C35-36B	SLP99UH070XV36B	205545409
ML16XP1-030-230	30000	14.5	12	28200	19100	8.5	C35-36B		202902499
ML16XP1-030-230	29000	14.5	12	27200	19200	9	CBA25UH-030-230		202902534
ML16XP1-030-230	29600	15.1	12.5	27800	18900	9.2	CBA25UH-036-230		202902535
ML16XP1-030-230	29600	16	13	27000	18700	9.5	CBA25UHV-030-230		202902536
ML16XP1-030-230	30000	16.5	13	27600	18500	9.6	CBA25UHV-036-230		202902537
ML16XP1-030-230	29800	16	13	27600	17700	9.5	CBA27UHE-030-230		202903171
ML16XP1-030-230	30000	16.5	13	27400	17800	9.6	CBA27UHE-036-230		202902539
ML16XP1-030-230	30000	16.5	13	27600	17900	9.5	CBA38MV-030-230		202902541
ML16XP1-030-230	30000	16.5	13	27400	17800	9.8	CBA38MV-036-230		202902542
ML16XP1-030-230	30000	16	13	27800	18200	9.4	CH35-30A	EL180UH040NE36A	202902543
ML16XP1-030-230	30000	16	13	27600	18200	9.2	CH35-30A	EL180UH060NE36A	202902545
ML16XP1-030-230	30000	15.5	12.5	27800	18300	9.2	CH35-30A	EL280UH045E36A	202902546
ML16XP1-030-230	29800	15.5	12.5	27800	18300	9.2	CH35-30A	EL280UH070E36A	202902548
ML16XP1-030-230	29800	15.5	12.5	27800	18300	9.2	CH35-30A	EL280UH070XE36A	203362214
ML16XP1-030-230	30000	15.5	12.5	27800	18300	9.4	CH35-30A	ML180UH030V36A	204495070
ML16XP1-030-230	29800	15.5	12.5	27600	18300	9.2	CH35-30A	ML180UH045E36A	202902549
ML16XP1-030-230	30000	15.5	12.5	27800	18300	9.4	CH35-30A	ML180UH045V36A	204495173
ML16XP1-030-230	30000	15.5	12.5	27800	18400	9.4	CH35-30A	ML180UH070E36A	204495913
ML16XP1-030-230	29800	15.5	12.5	27600	18300	9.2	CH35-30A	ML180UH070V36A	204495276
ML16XP1-030-230	30000	15.5	12.5	27800	18400	9.4	CH35-30A	ML180UH070XE36A	204496039
ML16XP1-030-230	30000	16	13	27800	18300	9.4	CH35-30A	SL280UH060NV36A	202902550
ML16XP1-030-230	29800	15.5	12.5	27600	18300	9.2	CH35-30A	SL280UH070V36A	202902552
ML16XP1-030-230	29800	15.5	12.5	27600	18300	9.2	CH35-30A	SL280UH070XV36A	202902553
ML16XP1-030-230	29600	15.5	12.5	27600	18100	9	CH35-30B	EL180UH080NE48B	202902554
ML16XP1-030-230	29800	15.5	12.5	28000	18300	9	CH35-30B	EL195UH040NE36B	202902556
ML16XP1-030-230	29600	15.5	12.5	28000	18300	9	CH35-30B	EL195UH060NE36B	202902558
ML16XP1-030-230	29200	15.5	12.5	27600	18100	8.5	CH35-30B	EL196UH030XE24B	202902559
ML16XP1-030-230	29200	15.5	12.5	27600	18100	8.5	CH35-30B	EL196UH045XE24B	202902560
ML16XP1-030-230	29600	15.5	12.5	27800	18200	9	CH35-30B	EL196UH045XE36B	202902562
ML16XP1-030-230	29600	15.5	12.5	27800	18200	9	CH35-30B	EL196UH070XE36B	202902564
ML16XP1-030-230	30000	15.5	12.5	28000	18300	9.2	CH35-30B	EL280UH090E36B	202902565
ML16XP1-030-230	29600	15.5	12.5	27600	18100	9	CH35-30B	EL280UH090E48B	202902566
ML16XP1-030-230	29600	15.5	12.5	27600	18100	9	CH35-30B	EL280UH090XE48B	203362215
ML16XP1-030-230	29400	15.5	12.5	27800	18200	9	CH35-30B	EL296UH045XE36B	202902568
ML16XP1-030-230	29400	15.5	12.5	27800	18200	9	CH35-30B	EL296UH045XV36B	202902569
ML16XP1-030-230	29600	15.5	12.5	28000	18300	9	CH35-30B	EL296UH070XE36B	202902571
ML16XP1-030-230	29400	15.5	12.5	27600	18100	9	CH35-30B	EL296UH070XV36B	202902572
ML16XP1-030-230	29600	16	13	27600	18100	9	CH35-30B	ML180UH070E36B	202902573
ML16XP1-030-230	29600	16	13.5	27600	18100	9.2	CH35-30B	ML180UH070V36B	204495413
ML16XP1-030-230	29600	16	13.5	27600	18100	9.2	CH35-30B	ML180UH070V48B	204495537
ML16XP1-030-230	29600	16	13	27600	18000	9	CH35-30B	ML180UH090E48B	202902574
ML16XP1-030-230	29600	16	13	27600	18000	9	CH35-30B	ML180UH090V48B	204495661
ML16XP1-030-230	29400	15.5	12.5	27800	18300	9	CH35-30B	ML193UH030XE36B	202902576
ML16XP1-030-230	29400	15.5	12.5	27800	18300	9	CH35-30B	ML193UH045XE36B	202902577
ML16XP1-030-230	29600	15.5	12.5	27800	18300	9	CH35-30B	ML193UH070XE36B	202902579
ML16XP1-030-230	29200	15.5	12.5	27600	18100	8.5	CH35-30B	ML196UH030XE24B	204498388
ML16XP1-030-230	29200	15.5	12.5	27600	18100	8.5	CH35-30B	ML196UH045XE24B	204498389
ML16XP1-030-230	29600	15.5	12.5	27800	18200	9	CH35-30B	ML196UH045XE36B	204498390
ML16XP1-030-230	29600	15.5	12.5	27800	18200	9	CH35-30B	ML196UH070XE36B	204498391
ML16XP1-030-230	29400	15.5	12.5	27800	18200	8.6	CH35-30B	ML296UH045XV36B	202902580
ML16XP1-030-230	29400	15.5	12.5	27600	18100	8.6	CH35-30B	ML296UH070XV36B	202902582
ML16XP1-030-230	29600	16	13	27600	18000	9	CH35-30B	SL280UH080NV48B	202902583
ML16XP1-030-230	29600	16	13	27600	18000	9	CH35-30B	SL280UH090V36B	202902585
ML16XP1-030-230	29600	16	13	27800	18100	9	CH35-30B	SL280UH090V48B	202902586
ML16XP1-030-230	29600	15.5	12.5	27600	18100	9	CH35-30B	SL297UH040NV36B	202902587

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-030-230	29400	15.5	12.5	27600	18100	9	CH35-30B	SL297UH060NV36B	202902589
ML16XP1-030-230	29400	15.5	12.5	27600	18100	9	CH35-30B	SLP98UH070XV36B	202902591
ML16XP1-030-230	29400	15.5	12.5	27600	18100	9	CH35-30B	SLP99UH070XV36B	205545413
ML16XP1-030-230	29400	15.5	12.5	28400	17900	8.5	CH35-36C	EL195UH080NE48C	202902592
ML16XP1-030-230	29400	16	13	28400	17800	8.5	CH35-36C	EL196UH090XE48C	202902594
ML16XP1-030-230	29400	15.5	12.5	28400	17900	8.5	CH35-36C	EL280UH110E48C	202902595
ML16XP1-030-230	30000	15.5	12.5	28800	18100	8.5	CH35-36C	EL296UH090XE48C	202902596
ML16XP1-030-230	29600	15.5	12.5	28600	17900	8.5	CH35-36C	EL296UH090XV36C	202902597
ML16XP1-030-230	29800	16	13	28600	17900	8.5	CH35-36C	EL296UH090XV48C	202902599
ML16XP1-030-230	29600	15.5	12.5	28600	17900	8.5	CH35-36C	ML193UH090XE36C	202902600
ML16XP1-030-230	29400	15.5	12.5	28400	17800	8.5	CH35-36C	ML193UH090XE48C	202902601
ML16XP1-030-230	29400	15.5	12.5	28400	17800	8.5	CH35-36C	ML193UH110XE48C	202902603
ML16XP1-030-230	29400	16	13	28400	17800	8.5	CH35-36C	ML196UH090XE48C	204498392
ML16XP1-030-230	29800	15.5	12.5	28400	17900	8.5	CH35-36C	ML296UH090XV48C	202902604
ML16XP1-030-230	29800	15.5	12.5	28600	17900	8.5	CH35-36C	SL297UH080NV48C	202902605
ML16XP1-030-230	29600	15.5	12.5	28600	17900	8.5	CH35-36C	SLP98UH090XV36C	202902606
ML16XP1-030-230	29800	16	13	28600	17900	8.5	CH35-36C	SLP98UH090XV48C	202902607
ML16XP1-030-230	29600	15.5	12.5	28600	17900	8.5	CH35-36C	SLP99UH090XV36C	205545414
ML16XP1-030-230	29800	16	13	28600	17900	8.5	CH35-36C	SLP99UH090XV48C	205545416
ML16XP1-030-230	30000	16	13	27800	18200	9.4	CHX35-30A	EL180UH040NE36A	202902609
ML16XP1-030-230	30000	16	13	27600	18200	9.2	CHX35-30A	EL180UH060NE36A	202902610
ML16XP1-030-230	30000	15.5	12.5	27800	18300	9.2	CHX35-30A	EL280UH045E36A	202902611
ML16XP1-030-230	29800	15.5	12.5	27800	18300	9.2	CHX35-30A	EL280UH070E36A	202902613
ML16XP1-030-230	29800	15.5	12.5	27800	18300	9.2	CHX35-30A	EL280UH070XE36A	203362216
ML16XP1-030-230	30000	15.5	12.5	27800	18300	9.4	CHX35-30A	ML180UH030V36A	204495071
ML16XP1-030-230	29800	15.5	12.5	27600	18300	9.2	CHX35-30A	ML180UH045E36A	202902614
ML16XP1-030-230	30000	15.5	12.5	27800	18300	9.4	CHX35-30A	ML180UH045V36A	204495174
ML16XP1-030-230	30000	15.5	12.5	27800	18400	9.4	CHX35-30A	ML180UH070E36A	204495914
ML16XP1-030-230	29800	15.5	12.5	27600	18300	9.2	CHX35-30A	ML180UH070V36A	204495277
ML16XP1-030-230	30000	15.5	12.5	27800	18400	9.4	CHX35-30A	ML180UH070XE36A	204496040
ML16XP1-030-230	30000	16	13	27800	18300	9.4	CHX35-30A	SL280UH060NV36A	202902616
ML16XP1-030-230	29800	15.5	12.5	27600	18300	9.2	CHX35-30A	SL280UH070V36A	202902617
ML16XP1-030-230	29800	15.5	12.5	27600	18300	9.2	CHX35-30A	SL280UH070XV36A	202902619
ML16XP1-030-230	29600	15.5	12.5	27600	18100	9	CHX35-30B	EL180UH080NE48B	202902620
ML16XP1-030-230	29800	15.5	12.5	28000	18300	9	CHX35-30B	EL195UH040NE36B	202902622
ML16XP1-030-230	29600	15.5	12.5	28000	18300	9	CHX35-30B	EL195UH060NE36B	202902623
ML16XP1-030-230	29200	15.5	12.5	27600	18100	8.5	CHX35-30B	EL196UH030XE24B	202902624
ML16XP1-030-230	29200	15.5	12.5	27600	18100	8.5	CHX35-30B	EL196UH045XE24B	202902626
ML16XP1-030-230	29600	15.5	12.5	27800	18200	9	CHX35-30B	EL196UH045XE36B	202902627
ML16XP1-030-230	29600	15.5	12.5	27800	18200	9	CHX35-30B	EL196UH070XE36B	202902629
ML16XP1-030-230	30000	15.5	12.5	28000	18300	9.2	CHX35-30B	EL280UH090E36B	202902630
ML16XP1-030-230	29600	15.5	12.5	27600	18100	9	CHX35-30B	EL280UH090E48B	202902631
ML16XP1-030-230	29600	15.5	12.5	27600	18100	9	CHX35-30B	EL280UH090XE48B	203362217
ML16XP1-030-230	29400	15.5	12.5	27800	18200	9	CHX35-30B	EL296UH045XE36B	202902633
ML16XP1-030-230	29400	15.5	12.5	27800	18200	9	CHX35-30B	EL296UH045XV36B	202902634
ML16XP1-030-230	29600	15.5	12.5	28000	18300	9	CHX35-30B	EL296UH070XE36B	202902636
ML16XP1-030-230	29400	15.5	12.5	27600	18100	9	CHX35-30B	EL296UH070XV36B	202902637
ML16XP1-030-230	29600	16	13	27600	18100	9	CHX35-30B	ML180UH070E36B	202902638
ML16XP1-030-230	29600	16	13.5	27600	18100	9.2	CHX35-30B	ML180UH070V36B	204495414
ML16XP1-030-230	29600	16	13.5	27600	18100	9.2	CHX35-30B	ML180UH070V48B	204495538
ML16XP1-030-230	29600	16	13	27600	18000	9	CHX35-30B	ML180UH090E48B	202902640
ML16XP1-030-230	29600	16	13	27600	18000	9	CHX35-30B	ML180UH090V48B	204495662
ML16XP1-030-230	29400	15.5	12.5	27800	18300	9	CHX35-30B	ML193UH030XE36B	202902641
ML16XP1-030-230	29400	15.5	12.5	27800	18300	9	CHX35-30B	ML193UH045XE36B	202902643
ML16XP1-030-230	29600	15.5	12.5	27800	18300	9	CHX35-30B	ML193UH070XE36B	202902644
ML16XP1-030-230	29200	15.5	12.5	27600	18100	8.5	CHX35-30B	ML196UH030XE24B	204498393

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-030-230	29200	15.5	12.5	27600	18100	8.5	CHX35-30B	ML196UH045XE24B	204498394
ML16XP1-030-230	29600	15.5	12.5	27800	18200	9	CHX35-30B	ML196UH045XE36B	204498395
ML16XP1-030-230	29600	15.5	12.5	27800	18200	9	CHX35-30B	ML196UH070XE36B	204498396
ML16XP1-030-230	29400	15.5	12.5	27800	18200	8.6	CHX35-30B	ML296UH045XV36B	202902646
ML16XP1-030-230	29400	15.5	12.5	27600	18100	8.8	CHX35-30B	ML296UH070XV36B	202902647
ML16XP1-030-230	29600	16	13	27600	18000	9	CHX35-30B	SL280UH080NV48B	202902649
ML16XP1-030-230	29600	16	13	27600	18000	9	CHX35-30B	SL280UH090V36B	202902650
ML16XP1-030-230	29600	16	13	27800	18100	9	CHX35-30B	SL280UH090V48B	202902652
ML16XP1-030-230	29600	15.5	12.5	27600	18100	9	CHX35-30B	SL297UH040NV36B	202902653
ML16XP1-030-230	29400	15.5	12.5	27600	18100	9	CHX35-30B	SL297UH060NV36B	202902655
ML16XP1-030-230	29400	15.5	12.5	27600	18100	9	CHX35-30B	SLP98UH070XV36B	202902656
ML16XP1-030-230	29400	15.5	12.5	27600	18100	9	CHX35-30B	SLP99UH070XV36B	205545418
ML16XP1-030-230	29400	15.5	12.5	28400	17900	8.5	CHX35-36C	EL195UH080NE48C	202902657
ML16XP1-030-230	29400	16	13	28400	17800	8.5	CHX35-36C	EL196UH090XE48C	202902659
ML16XP1-030-230	29400	15.5	12.5	28400	17900	8.5	CHX35-36C	EL280UH110E48C	202902660
ML16XP1-030-230	30000	15.5	12.5	28800	18100	8.5	CHX35-36C	EL296UH090XE48C	202902661
ML16XP1-030-230	29600	15.5	12.5	28600	17900	8.5	CHX35-36C	EL296UH090XV36C	202902663
ML16XP1-030-230	29800	16	13	28600	17900	8.5	CHX35-36C	EL296UH090XV48C	202902664
ML16XP1-030-230	29600	15.5	12.5	28600	17900	8.5	CHX35-36C	ML193UH090XE36C	202902665
ML16XP1-030-230	29400	15.5	12.5	28400	17800	8.5	CHX35-36C	ML193UH090XE48C	202902667
ML16XP1-030-230	29400	15.5	12.5	28400	17800	8.5	CHX35-36C	ML193UH110XE48C	202902668
ML16XP1-030-230	29400	16	13	28400	17800	8.5	CHX35-36C	ML196UH090XE48C	204498397
ML16XP1-030-230	29800	15.5	12.5	28400	17900	8.5	CHX35-36C	ML296UH090XV48C	202902669
ML16XP1-030-230	29800	15.5	12.5	28600	17900	8.5	CHX35-36C	SL297UH080NV48C	202902671
ML16XP1-030-230	29600	15.5	12.5	28600	17900	8.5	CHX35-36C	SLP98UH090XV36C	202902673
ML16XP1-030-230	29800	16	13	28600	17900	8.5	CHX35-36C	SLP98UH090XV48C	202902674
ML16XP1-030-230	29600	15.5	12.5	28600	17900	8.5	CHX35-36C	SLP99UH090XV36C	205545419
ML16XP1-030-230	29800	16	13	28600	17900	8.5	CHX35-36C	SLP99UH090XV48C	205545421
ML16XP1-030-230	30000	15.5	12.5	30000	19000	9	CR33-30/36A	EL280DF070E36A	202902677
ML16XP1-030-230	30000	15.5	12.5	30000	19100	9	CR33-30/36A	ML180DF045E36A	202902679
ML16XP1-030-230	30000	16	13	30000	18900	9	CR33-30/36A	ML180DF070E36A	204495936
ML16XP1-030-230	30000	15.5	12.5	30000	19000	9	CR33-30/36A	SL280DF070V36A	202902680
ML16XP1-030-230	29600	14.25	12	30000	19500	8.5	CR33-30/36A		202902676
ML16XP1-030-230	30000	16	13	30000	19100	9	CR33-30/36B	EL280DF090E48B	202902683
ML16XP1-030-230	30000	15.5	12.5	30000	19000	9	CR33-30/36B	EL296DF045XE36B	202902685
ML16XP1-030-230	30000	15.5	12.5	30000	19000	9	CR33-30/36B	EL296DF045XV36B	202902686
ML16XP1-030-230	30000	16	13	30000	19000	9	CR33-30/36B	EL296DF070XE48B	202902687
ML16XP1-030-230	30000	15.5	12.5	30000	19000	9	CR33-30/36B	EL296DF070XV48B	202902689
ML16XP1-030-230	30000	16	13	30000	18900	9	CR33-30/36B	ML180DF070E36B	202902690
ML16XP1-030-230	30000	16	13	30000	18800	9	CR33-30/36B	ML180DF090E48B	202902691
ML16XP1-030-230	30000	15.5	12.5	30000	19000	9	CR33-30/36B	ML193DF045XE36B	202902693
ML16XP1-030-230	30000	15.5	12.5	30000	19000	9	CR33-30/36B	ML193DF070XE36B	202902694
ML16XP1-030-230	30000	15.5	12.5	30200	19100	8.5	CR33-30/36B	ML196DF045XE36B	205706959
ML16XP1-030-230	30000	15.5	12.5	30200	19000	9	CR33-30/36B	ML196DF070XE48B	205706960
ML16XP1-030-230	30000	15.5	12.5	30000	19000	9	CR33-30/36B	ML296DF045XV36B	202902695
ML16XP1-030-230	30000	15.5	12.5	30000	19000	9	CR33-30/36B	ML296DF070XV48B	202902697
ML16XP1-030-230	30000	16	13	30000	18900	9	CR33-30/36B	SL280DF090V48B	202902698
ML16XP1-030-230	30000	15.5	12.5	30000	19100	9	CR33-30/36B	SLP98DF070XV36B	202902700
ML16XP1-030-230	30000	15.5	12.5	30000	19100	9	CR33-30/36B	SLP99DF070XV36B	205545423
ML16XP1-030-230	29600	14.25	12	30000	19500	8.5	CR33-30/36B		202902681
ML16XP1-030-230	30000	16	13	28000	18300	8.5	CX35-30A	EL180UH040NE36A	202902702
ML16XP1-030-230	30000	16	13	28000	18300	8.5	CX35-30A	EL180UH060NE36A	202902704
ML16XP1-030-230	30000	16	13	28200	18400	8.5	CX35-30A	EL280UH045E36A	202902705
ML16XP1-030-230	30000	15.5	12.5	28000	18400	8.5	CX35-30A	EL280UH070E36A	202902706
ML16XP1-030-230	30000	15.5	12.5	28000	18400	8.5	CX35-30A	EL280UH070XE36A	203362218
ML16XP1-030-230	30000	16	13.5	28000	18300	8.8	CX35-30A	ML180UH030V36A	204495072

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-030-230	30000	15.5	12.5	28000	18300	8.5	CX35-30A	ML180UH045E36A	202902707
ML16XP1-030-230	30000	16	13.5	28000	18300	8.8	CX35-30A	ML180UH045V36A	204495175
ML16XP1-030-230	30000	16	13	28200	18400	8.8	CX35-30A	ML180UH070E36A	204495915
ML16XP1-030-230	30000	15.5	12.5	27800	18300	8.5	CX35-30A	ML180UH070V36A	204495278
ML16XP1-030-230	30000	16	13	28200	18400	8.8	CX35-30A	ML180UH070XE36A	204496041
ML16XP1-030-230	30000	16	13	27600	18100	8.5	CX35-30A	SL280UH060NV36A	202902709
ML16XP1-030-230	30000	15.5	12.5	27800	18300	8.5	CX35-30A	SL280UH070V36A	202902710
ML16XP1-030-230	30000	15.5	12.5	27800	18300	8.5	CX35-30A	SL280UH070XV36A	202902712
ML16XP1-030-230	29600	14.25	12	28600	18900	8.2	CX35-30A		202902701
ML16XP1-030-230	30000	16	13	27800	18200	8.5	CX35-30B	EL180UH080NE48B	202902714
ML16XP1-030-230	30000	15.5	12.5	28200	18500	8.5	CX35-30B	EL195UH040NE36B	202902715
ML16XP1-030-230	30000	15.5	12.5	28200	18500	8.5	CX35-30B	EL195UH060NE36B	202902717
ML16XP1-030-230	30000	15.5	12.5	27800	18200	8.5	CX35-30B	EL196UH030XE24B	202902718
ML16XP1-030-230	30000	15.5	12.5	27800	18200	8.5	CX35-30B	EL196UH045XE24B	202902720
ML16XP1-030-230	30000	15.5	12.5	28000	18400	8.5	CX35-30B	EL196UH045XE36B	202902721
ML16XP1-030-230	30000	15.5	12.5	28000	18400	8.5	CX35-30B	EL196UH070XE36B	202902722
ML16XP1-030-230	30000	16	13	28200	18500	8.5	CX35-30B	EL280UH090E36B	202902724
ML16XP1-030-230	30000	16	13	27800	18200	8.5	CX35-30B	EL280UH090E48B	202902725
ML16XP1-030-230	30000	16	13	27800	18200	8.5	CX35-30B	EL280UH090XE48B	203362219
ML16XP1-030-230	30000	15.5	12.5	28000	18400	8.5	CX35-30B	EL296UH045XE36B	202902726
ML16XP1-030-230	30000	15.5	12.5	28000	18400	8.5	CX35-30B	EL296UH045XV36B	202902728
ML16XP1-030-230	30000	15.5	12.5	28200	18500	8.5	CX35-30B	EL296UH070XE36B	202902730
ML16XP1-030-230	30000	15.5	12.5	27800	18300	8.5	CX35-30B	EL296UH070XV36B	202902731
ML16XP1-030-230	30000	16	13	27800	18200	8.5	CX35-30B	ML180UH070E36B	202902733
ML16XP1-030-230	30000	16	13.5	27800	18200	8.8	CX35-30B	ML180UH070V36B	204495415
ML16XP1-030-230	30000	16	13.5	28000	18300	8.8	CX35-30B	ML180UH070V48B	204495539
ML16XP1-030-230	30000	16	13	27800	18200	8.5	CX35-30B	ML180UH090E48B	202902735
ML16XP1-030-230	30000	16	13	27800	18200	8.5	CX35-30B	ML180UH090V48B	204495663
ML16XP1-030-230	30000	15.5	12.5	28000	18400	8.5	CX35-30B	ML193UH030XE36B	202902736
ML16XP1-030-230	30000	15.5	12.5	28000	18400	8.5	CX35-30B	ML193UH045XE36B	202902738
ML16XP1-030-230	30000	15.5	12.5	28000	18400	8.5	CX35-30B	ML193UH070XE36B	202902739
ML16XP1-030-230	30000	15.5	12.5	27800	18200	8.5	CX35-30B	ML196UH030XE24B	204498398
ML16XP1-030-230	30000	15.5	12.5	27800	18200	8.5	CX35-30B	ML196UH045XE24B	204498399
ML16XP1-030-230	30000	15.5	12.5	28000	18400	8.5	CX35-30B	ML196UH045XE36B	204498400
ML16XP1-030-230	30000	15.5	12.5	28000	18400	8.5	CX35-30B	ML196UH070XE36B	204498401
ML16XP1-030-230	30000	15.5	12.5	28000	18300	8.5	CX35-30B	ML296UH045XV36B	202902741
ML16XP1-030-230	30000	15.5	12.5	27800	18300	8.5	CX35-30B	ML296UH070XV36B	202902742
ML16XP1-030-230	30000	16	13	28000	18300	8.5	CX35-30B	SL280UH080NV48B	202902743
ML16XP1-030-230	30000	16	13	28000	18300	8.5	CX35-30B	SL280UH090V36B	202902745
ML16XP1-030-230	30000	16	13	28000	18300	8.5	CX35-30B	SL280UH090V48B	202902747
ML16XP1-030-230	30000	16	13	27800	18300	8.5	CX35-30B	SL297UH040NV36B	202902748
ML16XP1-030-230	30000	15.5	12.5	27800	18300	8.5	CX35-30B	SL297UH060NV36B	202902749
ML16XP1-030-230	30000	15.5	12.5	27800	18300	8.5	CX35-30B	SLP98UH070XV36B	202902751
ML16XP1-030-230	30000	15.5	12.5	27800	18300	8.5	CX35-30B	SLP99UH070XV36B	205545425
ML16XP1-030-230	29600	14.25	12	28600	18900	8.2	CX35-30B		202902713
ML16XP1-030-230	30000	16	13	27800	18600	9	CX35-36A	EL180UH040NE36A	202902754
ML16XP1-030-230	30000	16	13	27800	18600	9	CX35-36A	EL180UH060NE36A	202902756
ML16XP1-030-230	30000	16	13	28000	18700	9	CX35-36A	EL280UH045E36A	202902757
ML16XP1-030-230	30000	16	13	27800	18700	8.5	CX35-36A	EL280UH070E36A	202902759
ML16XP1-030-230	30000	16	13	27800	18700	8.5	CX35-36A	EL280UH070XE36A	203362220
ML16XP1-030-230	30000	16	13.5	27800	18600	9	CX35-36A	ML180UH030V36A	204495073
ML16XP1-030-230	30000	16	13	27800	18600	8.5	CX35-36A	ML180UH045E36A	202902760
ML16XP1-030-230	30000	16	13.5	27800	18600	9	CX35-36A	ML180UH045V36A	204495176
ML16XP1-030-230	30000	16	13	28000	18700	9	CX35-36A	ML180UH070E36A	204495916
ML16XP1-030-230	30000	16	13	27800	18600	9	CX35-36A	ML180UH070V36A	204495279
ML16XP1-030-230	30000	16	13	28000	18700	9	CX35-36A	ML180UH070XE36A	204496042

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-030-230	30000	16	13	27800	18600	9	CX35-36A	SL280UH060NV36A	202902762
ML16XP1-030-230	30000	16	13	27800	18700	9	CX35-36A	SL280UH070V36A	202902763
ML16XP1-030-230	30000	16	13	27800	18700	9	CX35-36A	SL280UH070XV36A	202902765
ML16XP1-030-230	29800	14.5	12	28400	19200	8.5	CX35-36A		202902752
ML16XP1-030-230	30000	16	13	27600	18500	9	CX35-36B	EL180UH080NE48B	202902768
ML16XP1-030-230	30000	16	13	28000	18800	9	CX35-36B	EL195UH040NE36B	202902769
ML16XP1-030-230	30000	16	13	28000	18700	9	CX35-36B	EL195UH060NE36B	202902771
ML16XP1-030-230	30000	16	13	27600	18500	8.5	CX35-36B	EL196UH030XE24B	202902772
ML16XP1-030-230	30000	16	13	27600	18500	8.5	CX35-36B	EL196UH045XE24B	202902774
ML16XP1-030-230	30000	16	13	28000	18700	9	CX35-36B	EL196UH045XE36B	202902775
ML16XP1-030-230	30000	16	13	27800	18700	9	CX35-36B	EL196UH070XE36B	202902777
ML16XP1-030-230	30000	16	13	28000	18700	9	CX35-36B	EL280UH090E36B	202902778
ML16XP1-030-230	30000	16	13	27600	18500	9	CX35-36B	EL280UH090E48B	202902779
ML16XP1-030-230	30000	16	13	27600	18500	9	CX35-36B	EL280UH090XE48B	203362221
ML16XP1-030-230	30000	15.5	12.5	27800	18700	8.5	CX35-36B	EL296UH045XE36B	202902781
ML16XP1-030-230	30000	16	13	27800	18700	8.5	CX35-36B	EL296UH045XV36B	202902782
ML16XP1-030-230	30000	16	13	28000	18700	8.5	CX35-36B	EL296UH070XE36B	202902784
ML16XP1-030-230	30000	16	13	27800	18700	9	CX35-36B	EL296UH070XV36B	202902785
ML16XP1-030-230	30000	16	13	27800	18500	9	CX35-36B	ML180UH070E36B	202902786
ML16XP1-030-230	30000	16	13.5	27800	18500	9	CX35-36B	ML180UH070V36B	204495416
ML16XP1-030-230	30000	16	13.5	27800	18500	9.2	CX35-36B	ML180UH070V48B	204495540
ML16XP1-030-230	30000	16	13	27600	18500	9	CX35-36B	ML180UH090E48B	202902787
ML16XP1-030-230	30000	16	13.5	27600	18500	9	CX35-36B	ML180UH090V48B	204495664
ML16XP1-030-230	30000	15.5	12.5	27800	18700	8.5	CX35-36B	ML193UH030XE36B	202902789
ML16XP1-030-230	30000	15.5	12.5	27800	18700	8.5	CX35-36B	ML193UH045XE36B	202902790
ML16XP1-030-230	30000	16	13	27800	18700	9	CX35-36B	ML193UH070XE36B	202902792
ML16XP1-030-230	30000	16	13	27600	18500	8.5	CX35-36B	ML196UH030XE24B	204498402
ML16XP1-030-230	30000	16	13	27600	18500	8.5	CX35-36B	ML196UH045XE24B	204498403
ML16XP1-030-230	30000	16	13	28000	18700	9	CX35-36B	ML196UH045XE36B	204498404
ML16XP1-030-230	30000	16	13	27800	18700	9	CX35-36B	ML196UH070XE36B	204498405
ML16XP1-030-230	30000	15.5	12.5	27800	18300	8.5	CX35-36B	ML296UH045XV36B	202902793
ML16XP1-030-230	30000	15.5	12.5	27800	18600	8.8	CX35-36B	ML296UH070XV36B	202902795
ML16XP1-030-230	30000	16.5	13	27800	18500	9	CX35-36B	SL280UH080NV48B	202902797
ML16XP1-030-230	30000	16.5	13	27600	18500	9	CX35-36B	SL280UH090V36B	202902798
ML16XP1-030-230	30000	16	13	28000	18700	9	CX35-36B	SL297UH040NV36B	202902799
ML16XP1-030-230	30000	16	13	28000	18800	9	CX35-36B	SL297UH060NV36B	202902801
ML16XP1-030-230	30000	16	13	27800	18700	9	CX35-36B	SLP98UH070XV36B	202902802
ML16XP1-030-230	30000	16	13	27800	18700	9	CX35-36B	SLP99UH070XV36B	205545426
ML16XP1-030-230	29800	14.5	12	28400	19200	8.5	CX35-36B		202902766
ML16XP1-036-230	36000	16	13	35000	23400	9.6	C35-36A	EL180UH040NE36A	202901262
ML16XP1-036-230	36000	16	13	35000	23400	9.4	C35-36A	EL180UH060NE36A	202901263
ML16XP1-036-230	36000	16	13	35400	23600	9.4	C35-36A	EL280UH045E36A	202901264
ML16XP1-036-230	36000	16	13	34800	23400	9.4	C35-36A	EL280UH070E36A	202901265
ML16XP1-036-230	36000	16	13	34800	23400	9.4	C35-36A	EL280UH070XE36A	203362192
ML16XP1-036-230	36000	16	13.5	34800	23200	9.6	C35-36A	ML180UH030V36A	204495074
ML16XP1-036-230	36000	16	13	35000	23400	9.4	C35-36A	ML180UH045E36A	202901266
ML16XP1-036-230	36000	16	13.5	34800	23200	9.6	C35-36A	ML180UH045V36A	204495177
ML16XP1-036-230	36000	16	13	35200	23600	9.6	C35-36A	ML180UH070E36A	204495917
ML16XP1-036-230	36000	16	13	34800	23400	9.4	C35-36A	ML180UH070V36A	204495280
ML16XP1-036-230	36000	16	13	35200	23600	9.6	C35-36A	ML180UH070XE36A	204496043
ML16XP1-036-230	36000	16.5	13	34800	23200	9.6	C35-36A	SL280UH060NV36A	202901267
ML16XP1-036-230	36000	16	13	35000	23400	9.4	C35-36A	SL280UH070V36A	202901268
ML16XP1-036-230	36000	16	13	35000	23400	9.4	C35-36A	SL280UH070XV36A	202901269
ML16XP1-036-230	35200	14.5	12	35400	23800	9.2	C35-36A		202901247
ML16XP1-036-230	36000	16.5	13	34600	23000	9.6	C35-36B	EL180UH080NE48B	202901270
ML16XP1-036-230	35800	16	13	34800	23400	9.4	C35-36B	EL195UH040NE36B	202901271

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-036-230	35800	16	13	34800	23400	9.4	C35-36B	EL195UH060NE36B	202901272
ML16XP1-036-230	35800	16	13	34800	23200	9.4	C35-36B	EL196UH045XE36B	202901273
ML16XP1-036-230	35800	16	13	34800	23200	9.4	C35-36B	EL196UH070XE36B	202901274
ML16XP1-036-230	36000	16	13	35000	23400	9.6	C35-36B	EL280UH090E36B	202901275
ML16XP1-036-230	36000	16.5	13	34800	23200	9.6	C35-36B	EL280UH090E48B	202901276
ML16XP1-036-230	36000	16.5	13	34800	23200	9.6	C35-36B	EL280UH090XE48B	203362193
ML16XP1-036-230	35400	16	13	34600	23200	9.2	C35-36B	EL296UH045XE36B	202901277
ML16XP1-036-230	36000	16	13	35000	23400	9.4	C35-36B	EL296UH045XV36B	202901278
ML16XP1-036-230	35600	16	13	34800	23400	9.4	C35-36B	EL296UH070XE36B	202901279
ML16XP1-036-230	36000	16	13	35000	23400	9.4	C35-36B	EL296UH070XV36B	202901280
ML16XP1-036-230	36000	16	13	35000	23400	9.4	C35-36B	ML180UH070E36B	202901281
ML16XP1-036-230	35800	16	13.5	34600	23200	9.6	C35-36B	ML180UH070V36B	204495417
ML16XP1-036-230	36000	16	13.5	34800	23200	9.8	C35-36B	ML180UH070V48B	204495541
ML16XP1-036-230	36000	16.5	13	34800	23200	9.6	C35-36B	ML180UH090E48B	202901282
ML16XP1-036-230	36000	16	13	34600	23200	9.6	C35-36B	ML180UH090V48B	204495665
ML16XP1-036-230	36000	15.5	12.5	35200	23800	9.4	C35-36B	ML193UH030XE36B	202901283
ML16XP1-036-230	36000	15.5	12.5	35200	23600	9.4	C35-36B	ML193UH045XE36B	202901284
ML16XP1-036-230	35800	16	13	34800	23400	9.4	C35-36B	ML193UH070XE36B	202901285
ML16XP1-036-230	35800	16	13	34800	23200	9.4	C35-36B	ML196UH045XE36B	204498406
ML16XP1-036-230	35800	16	13	34800	23200	9.4	C35-36B	ML196UH070XE36B	204498407
ML16XP1-036-230	36000	16	13	35000	23400	9.4	C35-36B	ML296UH045XV36B	202901286
ML16XP1-036-230	36000	16	13	35000	23400	9.4	C35-36B	ML296UH070XV36B	202901287
ML16XP1-036-230	36000	16.5	13	34600	23000	9.6	C35-36B	SL280UH080NV48B	202901288
ML16XP1-036-230	36000	16.5	13	34600	23200	9.6	C35-36B	SL280UH090V36B	202901289
ML16XP1-036-230	36000	16.5	13	34800	23200	9.6	C35-36B	SL280UH090V48B	202901290
ML16XP1-036-230	36000	16	13	35000	23400	9.4	C35-36B	SL297UH040NV36B	202901291
ML16XP1-036-230	36000	16	13	34800	23400	9.4	C35-36B	SL297UH060NV36B	202901292
ML16XP1-036-230	36000	16	13	35000	23400	9.4	C35-36B	SLP98UH070XV36B	202901293
ML16XP1-036-230	36000	16	13	35000	23400	9.4	C35-36B	SLP99UH070XV36B	205545359
ML16XP1-036-230	35200	14.5	12	35400	23800	9.2	C35-36B		202901248
ML16XP1-036-230	36000	16.5	13	34200	22600	9.6	C35-48B	EL180UH080NE48B	202901294
ML16XP1-036-230	35800	15.5	12.5	34400	22800	9.4	C35-48B	EL195UH040NE36B	202901295
ML16XP1-036-230	35600	15.5	12.5	34400	22800	9.4	C35-48B	EL195UH060NE36B	202901296
ML16XP1-036-230	35600	15.5	12.5	34200	22800	9.4	C35-48B	EL196UH045XE36B	202901297
ML16XP1-036-230	35600	16	13	34200	22800	9.4	C35-48B	EL196UH070XE36B	202901298
ML16XP1-036-230	36000	16	13	34600	23000	9.6	C35-48B	EL280UH090E36B	202901299
ML16XP1-036-230	36000	16	13	34400	22800	9.6	C35-48B	EL280UH090E48B	202901300
ML16XP1-036-230	36000	16	13	34400	22800	9.6	C35-48B	EL280UH090XE48B	203362194
ML16XP1-036-230	35200	15.5	12.5	34200	22800	9.2	C35-48B	EL296UH045XE36B	202901301
ML16XP1-036-230	35800	15.5	12.5	34400	23000	9.4	C35-48B	EL296UH045XV36B	202901302
ML16XP1-036-230	35600	15.5	12.5	34200	22800	9.4	C35-48B	EL296UH070XE36B	202901303
ML16XP1-036-230	35800	15.5	12.5	34400	23000	9.4	C35-48B	EL296UH070XV36B	202901304
ML16XP1-036-230	35600	16	13	34000	22600	9.4	C35-48B	ML180UH070E36B	202901305
ML16XP1-036-230	35800	16	13.5	34200	22600	9.6	C35-48B	ML180UH070V36B	204495418
ML16XP1-036-230	36000	16	13.5	34200	22800	9.6	C35-48B	ML180UH070V48B	204495542
ML16XP1-036-230	36000	16	13	34200	22800	9.6	C35-48B	ML180UH090E48B	202901306
ML16XP1-036-230	36000	16	13	34200	22800	9.4	C35-48B	ML180UH090V48B	204495666
ML16XP1-036-230	36000	15.1	12.5	34800	23200	9.4	C35-48B	ML193UH030XE36B	202901307
ML16XP1-036-230	35600	15.5	12.5	34400	23000	9.2	C35-48B	ML193UH045XE36B	202901308
ML16XP1-036-230	35600	15.5	12.5	34200	22800	9.4	C35-48B	ML193UH070XE36B	202901309
ML16XP1-036-230	35600	15.5	12.5	34200	22800	9.4	C35-48B	ML196UH045XE36B	204498408
ML16XP1-036-230	35600	16	13	34200	22800	9.4	C35-48B	ML196UH070XE36B	204498409
ML16XP1-036-230	35800	15.5	12.5	34400	23000	9.4	C35-48B	ML296UH045XV36B	202901310
ML16XP1-036-230	35800	15.5	12.5	34400	23000	9.4	C35-48B	ML296UH070XV36B	202901311
ML16XP1-036-230	36000	16.5	13	34000	22600	9.6	C35-48B	SL280UH080NV48B	202901312
ML16XP1-036-230	36000	16	13	34200	22600	9.4	C35-48B	SL280UH090V36B	202901313

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-036-230	36000	16	13	34200	22800	9.4	C35-48B	SL280UH090V48B	202901314
ML16XP1-036-230	35000	14.5	12	35000	23400	9.2	C35-48B		202901249
ML16XP1-036-230	36000	16.5	13	34400	22800	9.6	C35-48C	EL196UH090XE48C	202901315
ML16XP1-036-230	36000	16.5	13	34200	22600	9.6	C35-48C	EL280UH110E48C	202901316
ML16XP1-036-230	35800	16	13	34200	22800	9.4	C35-48C	EL280UH110E60C	202901317
ML16XP1-036-230	35800	16	13	34200	22800	9.4	C35-48C	EL280UH110XE60C	203362195
ML16XP1-036-230	36000	16	13	34200	22800	9.6	C35-48C	EL296UH090XE48C	202901318
ML16XP1-036-230	36000	16	13	34200	22800	9.6	C35-48C	EL296UH090XV36C	202901319
ML16XP1-036-230	35800	16.5	13	34000	22600	9.4	C35-48C	EL296UH090XV48C	202901320
ML16XP1-036-230	36000	16	14	34200	22600	9.8	C35-48C	ML180UH110V60C	204495783
ML16XP1-036-230	36000	16	13	34400	22800	9.4	C35-48C	ML193UH090XE36C	202901321
ML16XP1-036-230	36000	16.5	13	34200	22800	9.6	C35-48C	ML193UH090XE48C	202901322
ML16XP1-036-230	36000	16.5	13	34000	22600	9.6	C35-48C	ML193UH110XE48C	202901323
ML16XP1-036-230	35800	16	13	34200	22800	9.4	C35-48C	ML193UH110XE60C	202901324
ML16XP1-036-230	36000	16.5	13	34400	22800	9.6	C35-48C	ML196UH090XE48C	204498410
ML16XP1-036-230	35800	16.5	13	34000	22600	9.4	C35-48C	ML296UH090XV48C	202901325
ML16XP1-036-230	35800	16	13	34200	22600	9.4	C35-48C	SL297UH080NV48C	202901326
ML16XP1-036-230	36000	16	13	34200	22800	9.6	C35-48C	SLP98UH090XV36C	202901327
ML16XP1-036-230	35800	16.5	13	34000	22600	9.4	C35-48C	SLP98UH090XV48C	202901328
ML16XP1-036-230	36000	16	13	34200	22800	9.6	C35-48C	SLP99UH090XV36C	205545361
ML16XP1-036-230	35800	16.5	13	34000	22600	9.4	C35-48C	SLP99UH090XV48C	205545363
ML16XP1-036-230	35000	14.5	12	35000	23400	9.2	C35-48C		202901250
ML16XP1-036-230	36000	16.5	13	33800	22400	9.6	C35-50/60C	EL196UH090XE48C	202901329
ML16XP1-036-230	36000	16.5	13	33600	22400	9.4	C35-50/60C	EL296UH090XE48C	202901330
ML16XP1-036-230	36000	16.5	13	33600	22400	9.4	C35-50/60C	EL296UH090XV36C	202901331
ML16XP1-036-230	36000	16.5	13	33600	22400	9.4	C35-50/60C	EL296UH090XV48C	202901332
ML16XP1-036-230	36000	17	14	33800	22400	9.6	C35-50/60C	ML180UH110V60C	204495784
ML16XP1-036-230	36000	16.5	13	33800	22400	9.4	C35-50/60C	ML193UH090XE48C	202901333
ML16XP1-036-230	36000	16.5	13	33800	22400	9.6	C35-50/60C	ML193UH110XE48C	202901334
ML16XP1-036-230	36000	16	13	33600	22600	9.4	C35-50/60C	ML193UH110XE60C	202901335
ML16XP1-036-230	36000	16.5	13	33800	22400	9.6	C35-50/60C	ML196UH090XE48C	204498411
ML16XP1-036-230	35600	16.5	13	33600	22400	9.4	C35-50/60C	ML296UH090XV48C	202901336
ML16XP1-036-230	36000	16.5	13	33600	22400	9.4	C35-50/60C	SL297UH080NV48C	202901337
ML16XP1-036-230	36000	16.5	13	33600	22400	9.4	C35-50/60C	SLP98UH090XV36C	202901338
ML16XP1-036-230	36000	16.5	13	33600	22400	9.4	C35-50/60C	SLP98UH090XV48C	202901339
ML16XP1-036-230	36000	16.5	13	33600	22400	9.4	C35-50/60C	SLP99UH090XV36C	205545364
ML16XP1-036-230	36000	16.5	13	33600	22400	9.4	C35-50/60C	SLP99UH090XV48C	205545366
ML16XP1-036-230	35600	14.5	12.5	34400	23200	9	C35-50/60C		202901251
ML16XP1-036-230	33600	14.5	12	34400	22200	9	CBA25UH-036-230		202901949
ML16XP1-036-230	33800	15.1	12	34400	22200	9	CBA25UH-042-230		202901950
ML16XP1-036-230	33800	16	13	33600	21600	9.2	CBA25UHV-036-230		202901340
ML16XP1-036-230	34400	16	13	34000	21800	9.5	CBA25UHV-042-230		202901341
ML16XP1-036-230	35400	16	13	34200	22400	9.5	CBA27UHE-036-230		202901899
ML16XP1-036-230	36000	16.5	13	34000	22200	9.6	CBA27UHE-042-230		202901342
ML16XP1-036-230	35800	16	13	34400	22000	9.6	CBA38MV-036-230		202901343
ML16XP1-036-230	36000	17	13	33800	22000	9.8	CBA38MV-042-230		202901344
ML16XP1-036-230	36000	16.5	13	34400	22800	9.6	CH35-42B	EL180UH080NE48B	202901345
ML16XP1-036-230	35800	15.5	12.5	34600	23000	9.4	CH35-42B	EL195UH060NE36B	202901346
ML16XP1-036-230	35600	15.5	12.5	34600	23000	9.4	CH35-42B	EL196UH045XE36B	202901347
ML16XP1-036-230	35800	16	13	34600	22800	9.4	CH35-42B	EL196UH070XE36B	202901348
ML16XP1-036-230	36000	16	13	34800	23000	9.6	CH35-42B	EL280UH090E36B	202901349
ML16XP1-036-230	36000	16	13	34600	22800	9.6	CH35-42B	EL280UH090E48B	202901350
ML16XP1-036-230	36000	16	13	34600	22800	9.6	CH35-42B	EL280UH090XE48B	203362196
ML16XP1-036-230	36000	15.5	12.5	34800	23200	9.4	CH35-42B	EL296UH045XV36B	202901351
ML16XP1-036-230	35600	15.5	12.5	34600	23000	9.4	CH35-42B	EL296UH070XE36B	202901352
ML16XP1-036-230	36000	15.5	12.5	34800	23000	9.4	CH35-42B	EL296UH070XV36B	202901353

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-036-230	36000	15.5	12.5	34800	23200	9.6	CH35-42B	ML180UH070E36B	202901354
ML16XP1-036-230	36000	16	13.5	34400	22800	9.6	CH35-42B	ML180UH070V36B	204495419
ML16XP1-036-230	36000	16	13.5	34600	23000	9.8	CH35-42B	ML180UH070V48B	204495543
ML16XP1-036-230	36000	16	13	34600	22800	9.6	CH35-42B	ML180UH090E48B	202901355
ML16XP1-036-230	36000	16	13	34600	22800	9.6	CH35-42B	ML180UH090V48B	204495667
ML16XP1-036-230	36000	15.5	12.5	35200	23400	9.4	CH35-42B	ML193UH030XE36B	202901356
ML16XP1-036-230	35600	15.5	12.5	34600	23000	9.4	CH35-42B	ML193UH045XE36B	202901357
ML16XP1-036-230	35600	15.5	12.5	34600	23000	9.4	CH35-42B	ML193UH070XE36B	202901358
ML16XP1-036-230	35600	15.5	12.5	34600	22800	9.4	CH35-42B	ML196UH045XE36B	204498412
ML16XP1-036-230	35800	16	13	34600	22800	9.4	CH35-42B	ML196UH070XE36B	204498413
ML16XP1-036-230	36000	15.5	12.5	34800	23200	9.4	CH35-42B	ML296UH045XV36B	202901359
ML16XP1-036-230	36000	15.5	12.5	34800	23000	9.4	CH35-42B	ML296UH070XV36B	202901360
ML16XP1-036-230	36000	16.5	13	34400	22800	9.6	CH35-42B	SL280UH080NV48B	202901361
ML16XP1-036-230	36000	16	13	34600	22800	9.6	CH35-42B	SL280UH090V36B	202901362
ML16XP1-036-230	36000	16	13	34600	22800	9.6	CH35-42B	SL280UH090V48B	202901363
ML16XP1-036-230	36000	15.5	12.5	34800	23000	9.6	CH35-42B	SL297UH040NV36B	202901364
ML16XP1-036-230	36000	15.5	12.5	34800	23000	9.4	CH35-42B	SL297UH060NV36B	202901365
ML16XP1-036-230	36000	15.5	12.5	34800	23000	9.4	CH35-42B	SLP98UH070XV36B	202901366
ML16XP1-036-230	36000	15.5	12.5	34800	23000	9.4	CH35-42B	SLP99UH070XV36B	205545368
ML16XP1-036-230	35400	14.5	12.5	35200	23600	9.4	CH35-42B		202901252
ML16XP1-036-230	36000	16	13	33600	21600	9.2	CH35-42C	EL196UH090XE48C	202901367
ML16XP1-036-230	36000	16.5	13	33800	21800	9.2	CH35-42C	EL280UH110E48C	202901368
ML16XP1-036-230	36000	16	13	33800	22000	9	CH35-42C	EL280UH110E60C	202901369
ML16XP1-036-230	36000	16	13	33800	22000	9	CH35-42C	EL280UH110XE60C	203362197
ML16XP1-036-230	36000	16	13	33800	21800	9.2	CH35-42C	EL296UH090XE48C	202901370
ML16XP1-036-230	36000	16	13	33800	21800	9.2	CH35-42C	EL296UH090XV36C	202901371
ML16XP1-036-230	36000	16	13	34000	22000	9.2	CH35-42C	EL296UH090XV48C	202901372
ML16XP1-036-230	36000	16	13	33800	21800	9.2	CH35-42C	EL296UH110XV48C	202901373
ML16XP1-036-230	36000	16	13	34000	22000	9.2	CH35-42C	ML193UH090XE36C	202901374
ML16XP1-036-230	36000	16	13	33800	21800	9.2	CH35-42C	ML193UH090XE48C	202901375
ML16XP1-036-230	36000	16	13	34000	21800	9.2	CH35-42C	ML193UH110XE48C	202901376
ML16XP1-036-230	36000	16	13	33800	22000	9	CH35-42C	ML193UH110XE60C	202901377
ML16XP1-036-230	36000	16	13	33600	21600	9.2	CH35-42C	ML196UH090XE48C	204498414
ML16XP1-036-230	36000	16	13	34000	22000	9.2	CH35-42C	ML296UH090XV48C	202901378
ML16XP1-036-230	36000	16	13	34000	22000	9.2	CH35-42C	SL297UH080NV48C	202901379
ML16XP1-036-230	36000	16	13	33800	21800	9.2	CH35-42C	SLP98UH090XV36C	202901380
ML16XP1-036-230	36000	16	13	34000	22000	9.2	CH35-42C	SLP98UH090XV48C	202901381
ML16XP1-036-230	36000	16	13	33800	21800	9.2	CH35-42C	SLP99UH090XV36C	205545369
ML16XP1-036-230	36000	16	13	34000	22000	9.2	CH35-42C	SLP99UH090XV48C	205545370
ML16XP1-036-230	36000	16.5	13	34000	22600	9.8	CH35-48B	EL180UH080NE48B	202901382
ML16XP1-036-230	36000	16	13	34200	22800	9.4	CH35-48B	EL195UH060NE36B	202901383
ML16XP1-036-230	36000	16	13	34200	22800	9.4	CH35-48B	EL196UH045XE36B	202901384
ML16XP1-036-230	36000	16	13	34200	22800	9.6	CH35-48B	EL196UH070XE36B	202901385
ML16XP1-036-230	36000	16	13	34400	23000	9.6	CH35-48B	EL280UH090E36B	202901386
ML16XP1-036-230	36000	16.5	13	34200	22800	9.6	CH35-48B	EL280UH090E48B	202901387
ML16XP1-036-230	36000	16.5	13	34200	22800	9.6	CH35-48B	EL280UH090XE48B	203362198
ML16XP1-036-230	36000	15.5	12.5	34400	23000	9.4	CH35-48B	EL296UH045XV36B	202901388
ML16XP1-036-230	36000	16	13	34200	22800	9.4	CH35-48B	EL296UH070XE36B	202901389
ML16XP1-036-230	36000	16	13	34400	23000	9.6	CH35-48B	EL296UH070XV36B	202901390
ML16XP1-036-230	36000	16	13	34400	23000	9.6	CH35-48B	ML180UH070E36B	202901391
ML16XP1-036-230	36000	16	13.5	34000	22800	9.8	CH35-48B	ML180UH070V36B	204495420
ML16XP1-036-230	36000	16	14	34200	22800	9.8	CH35-48B	ML180UH070V48B	204495544
ML16XP1-036-230	36000	16.5	13	34200	22800	9.6	CH35-48B	ML180UH090E48B	202901392
ML16XP1-036-230	36000	16	13	34000	22800	9.6	CH35-48B	ML180UH090V48B	204495668
ML16XP1-036-230	36000	15.5	12.5	34600	23200	9.4	CH35-48B	ML193UH030XE36B	202901393
ML16XP1-036-230	36000	15.5	12.5	34200	23000	9.4	CH35-48B	ML193UH045XE36B	202901394

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-036-230	36000	16	13	34200	22800	9.4	CH35-48B	ML193UH070XE36B	202901395
ML16XP1-036-230	36000	16	13	34200	22800	9.4	CH35-48B	ML196UH045XE36B	204498415
ML16XP1-036-230	36000	16	13	34200	22800	9.6	CH35-48B	ML196UH070XE36B	204498416
ML16XP1-036-230	35800	15.5	12.5	34400	23000	9.4	CH35-48B	ML296UH045XV36B	202901396
ML16XP1-036-230	36000	15.5	12.5	34400	23000	9.6	CH35-48B	ML296UH070XV36B	202901397
ML16XP1-036-230	36000	16.5	13	34000	22600	9.8	CH35-48B	SL280UH080NV48B	202901398
ML16XP1-036-230	36000	16.5	13	34000	22800	9.6	CH35-48B	SL280UH090V36B	202901399
ML16XP1-036-230	36000	16	13	34200	22800	9.6	CH35-48B	SL280UH090V48B	202901400
ML16XP1-036-230	36000	16	13	34400	23000	9.6	CH35-48B	SL297UH040NV36B	202901401
ML16XP1-036-230	36000	16	13	34400	23000	9.6	CH35-48B	SL297UH060NV36B	202901402
ML16XP1-036-230	36000	16	13	34400	23000	9.6	CH35-48B	SLP98UH070XV36B	202901403
ML16XP1-036-230	36000	16	13	34400	23000	9.6	CH35-48B	SLP99UH070XV36B	205545372
ML16XP1-036-230	35800	14.5	12.5	34800	23400	9.4	CH35-48B		202901253
ML16XP1-036-230	36000	15.5	12.5	35000	23400	9.4	CH35-48C	EL195UH080NE48C	202901404
ML16XP1-036-230	36000	16	13	34800	23200	9.4	CH35-48C	EL196UH090XE48C	202901405
ML16XP1-036-230	36000	16	13	34600	23000	9.4	CH35-48C	EL280UH110E48C	202901406
ML16XP1-036-230	36000	15.5	12.5	34800	23200	9.4	CH35-48C	EL280UH110E60C	202901407
ML16XP1-036-230	36000	15.5	12.5	34800	23200	9.4	CH35-48C	EL280UH110XE60C	203362199
ML16XP1-036-230	36000	16	13	34800	23200	9.4	CH35-48C	EL296UH090XE48C	202901408
ML16XP1-036-230	36000	16	13	34800	23200	9.4	CH35-48C	EL296UH090XV36C	202901409
ML16XP1-036-230	36000	16	13	35000	23400	9.4	CH35-48C	EL296UH090XV48C	202901410
ML16XP1-036-230	36000	16	13	34800	23200	9.4	CH35-48C	EL296UH110XV48C	202901411
ML16XP1-036-230	36000	16	13.5	34800	23200	9.6	CH35-48C	ML180UH110V60C	204495785
ML16XP1-036-230	36000	15.5	12.5	34800	23200	9.4	CH35-48C	ML193UH090XE36C	202901412
ML16XP1-036-230	36000	16	13	34800	23200	9.4	CH35-48C	ML193UH090XE48C	202901413
ML16XP1-036-230	36000	16	13	34800	23200	9.4	CH35-48C	ML193UH110XE48C	202901414
ML16XP1-036-230	36000	15.5	12.5	34800	23200	9.4	CH35-48C	ML193UH110XE60C	202901415
ML16XP1-036-230	36000	16	13	34800	23200	9.4	CH35-48C	ML196UH090XE48C	204498417
ML16XP1-036-230	36000	16	13	34800	23200	9.4	CH35-48C	ML296UH090XV48C	202901416
ML16XP1-036-230	36000	16	13	34800	23200	9.4	CH35-48C	SL297UH080NV48C	202901417
ML16XP1-036-230	36000	16	13	34800	23200	9.4	CH35-48C	SLP98UH090XV36C	202901418
ML16XP1-036-230	36000	16	13	34800	23200	9.4	CH35-48C	SLP99UH090XV36C	205545374
ML16XP1-036-230	36000	16	13	33600	22200	9.4	CH35-51C	EL195UH080NE48C	202901419
ML16XP1-036-230	36000	16.5	13	33600	22200	9.6	CH35-51C	EL196UH090XE48C	202901420
ML16XP1-036-230	36000	16.5	13	33400	22000	9.6	CH35-51C	EL280UH110E48C	202901421
ML16XP1-036-230	36000	16	13	33600	22200	9.4	CH35-51C	EL280UH110E60C	202901422
ML16XP1-036-230	36000	16	13	33600	22200	9.4	CH35-51C	EL280UH110XE60C	203362200
ML16XP1-036-230	36000	16	13	33400	22200	9.4	CH35-51C	EL296UH090XE48C	202901423
ML16XP1-036-230	36000	16	13	33600	22200	9.6	CH35-51C	EL296UH090XV36C	202901424
ML16XP1-036-230	36000	16	13	33800	22200	9.6	CH35-51C	EL296UH090XV48C	202901425
ML16XP1-036-230	36000	16.5	13	33400	22000	9.6	CH35-51C	EL296UH110XV48C	202901426
ML16XP1-036-230	36000	16	14	33600	22000	9.8	CH35-51C	ML180UH110V60C	204495786
ML16XP1-036-230	36000	16	13	33600	22200	9.4	CH35-51C	ML193UH090XE36C	202901427
ML16XP1-036-230	36000	16.5	13	33600	22000	9.6	CH35-51C	ML193UH090XE48C	202901428
ML16XP1-036-230	36000	16.5	13	33600	22200	9.6	CH35-51C	ML193UH110XE48C	202901429
ML16XP1-036-230	36000	16	13	33600	22200	9.4	CH35-51C	ML193UH110XE60C	202901430
ML16XP1-036-230	36000	16.5	13	33600	22200	9.6	CH35-51C	ML196UH090XE48C	204498418
ML16XP1-036-230	36000	16	13	33800	22200	9.6	CH35-51C	ML296UH090XV48C	202901431
ML16XP1-036-230	36000	16	13	33600	22200	9.6	CH35-51C	SL297UH080NV48C	202901432
ML16XP1-036-230	36000	16	13	33600	22200	9.6	CH35-51C	SLP98UH090XV36C	202901433
ML16XP1-036-230	36000	16	13	33800	22200	9.6	CH35-51C	SLP98UH090XV48C	202901434
ML16XP1-036-230	36000	16	13	33600	22200	9.6	CH35-51C	SLP99UH090XV36C	205545376
ML16XP1-036-230	36000	16	13	33800	22200	9.6	CH35-51C	SLP99UH090XV48C	205545379
ML16XP1-036-230	36000	14.5	12.5	34200	22800	9.2	CH35-51C		202901254
ML16XP1-036-230	36000	16.5	13	34400	22800	9.6	CHX35-42B	EL180UH080NE48B	202901905
ML16XP1-036-230	35800	15.5	12.5	34600	23000	9.4	CHX35-42B	EL195UH060NE36B	202901906

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-036-230	35600	15.5	12.5	34600	23000	9.4	CHX35-42B	EL196UH045XE36B	202901907
ML16XP1-036-230	35800	16	13	34600	22800	9.4	CHX35-42B	EL196UH070XE36B	202901908
ML16XP1-036-230	36000	16	13	34800	23000	9.6	CHX35-42B	EL280UH090E36B	202901909
ML16XP1-036-230	36000	16	13	34600	22800	9.6	CHX35-42B	EL280UH090E48B	202901910
ML16XP1-036-230	36000	16	13	34600	22800	9.6	CHX35-42B	EL280UH090XE48B	203362208
ML16XP1-036-230	36000	15.5	12.5	34800	23200	9.4	CHX35-42B	EL296UH045XV36B	202901911
ML16XP1-036-230	35600	15.5	12.5	34600	23000	9.4	CHX35-42B	EL296UH070XE36B	202901912
ML16XP1-036-230	36000	15.5	12.5	34800	23000	9.4	CHX35-42B	EL296UH070XV36B	202901913
ML16XP1-036-230	36000	15.5	12.5	34800	23200	9.6	CHX35-42B	ML180UH070E36B	202901914
ML16XP1-036-230	36000	16	13.5	34400	22800	9.6	CHX35-42B	ML180UH070V36B	204495421
ML16XP1-036-230	36000	16	13.5	34600	23000	9.8	CHX35-42B	ML180UH070V48B	204495545
ML16XP1-036-230	36000	16	13	34600	22800	9.6	CHX35-42B	ML180UH090E48B	202901915
ML16XP1-036-230	36000	16	13	34600	22800	9.6	CHX35-42B	ML180UH090V48B	204495669
ML16XP1-036-230	36000	15.5	12.5	35200	23400	9.4	CHX35-42B	ML193UH030XE36B	202901916
ML16XP1-036-230	35600	15.5	12.5	34600	23000	9.4	CHX35-42B	ML193UH045XE36B	202901917
ML16XP1-036-230	35600	15.5	12.5	34600	23000	9.4	CHX35-42B	ML193UH070XE36B	202901918
ML16XP1-036-230	35600	15.5	12.5	34600	22800	9.4	CHX35-42B	ML196UH045XE36B	204498419
ML16XP1-036-230	35800	16	13	34600	22800	9.4	CHX35-42B	ML196UH070XE36B	204498420
ML16XP1-036-230	36000	15.5	12.5	34800	23200	9.4	CHX35-42B	ML296UH045XV36B	202901919
ML16XP1-036-230	36000	15.5	12.5	34800	23000	9.4	CHX35-42B	ML296UH070XV36B	202901920
ML16XP1-036-230	36000	16.5	13	34400	22800	9.6	CHX35-42B	SL280UH080NV48B	202901921
ML16XP1-036-230	36000	16	13	34600	22800	9.6	CHX35-42B	SL280UH090V36B	202901922
ML16XP1-036-230	36000	16	13	34600	22800	9.6	CHX35-42B	SL280UH090V48B	202901923
ML16XP1-036-230	36000	15.5	12.5	34800	23000	9.6	CHX35-42B	SL297UH040NV36B	202901924
ML16XP1-036-230	36000	15.5	12.5	34800	23000	9.4	CHX35-42B	SL297UH060NV36B	202901925
ML16XP1-036-230	36000	15.5	12.5	34800	23000	9.4	CHX35-42B	SLP98UH070XV36B	202901926
ML16XP1-036-230	36000	16	13	33800	21800	9.2	CHX35-42B	SLP98UH090XV36C	202901903
ML16XP1-036-230	36000	15.5	12.5	34800	23000	9.4	CHX35-42B	SLP99UH070XV36B	205545403
ML16XP1-036-230	36000	16	13	33800	21800	9.2	CHX35-42B	SLP99UH090XV36C	205545400
ML16XP1-036-230	35400	14.5	12.5	35200	23600	9.4	CHX35-42B		202901901
ML16XP1-036-230	36000	16	13	33600	21600	9.2	CHX35-42C	EL196UH090XE48C	202901435
ML16XP1-036-230	36000	16.5	13	33800	21800	9.2	CHX35-42C	EL280UH110E48C	202901436
ML16XP1-036-230	36000	16	13	33800	22000	9	CHX35-42C	EL280UH110E60C	202901437
ML16XP1-036-230	36000	16	13	33800	22000	9	CHX35-42C	EL280UH110XE60C	203362201
ML16XP1-036-230	36000	16	13	33800	21800	9.2	CHX35-42C	EL296UH090XE48C	202901438
ML16XP1-036-230	36000	16	13	33800	21800	9.2	CHX35-42C	EL296UH090XV36C	202901439
ML16XP1-036-230	36000	16	13	34000	22000	9.2	CHX35-42C	EL296UH090XV48C	202901440
ML16XP1-036-230	36000	16	13	33800	21800	9.2	CHX35-42C	EL296UH110XV48C	202901441
ML16XP1-036-230	36000	16	14	33800	21800	9.4	CHX35-42C	ML180UH110V60C	204495787
ML16XP1-036-230	36000	16	13	34000	22000	9.2	CHX35-42C	ML193UH090XE36C	202901442
ML16XP1-036-230	36000	16	13	33800	21800	9.2	CHX35-42C	ML193UH090XE48C	202901443
ML16XP1-036-230	36000	16	13	34000	21800	9.2	CHX35-42C	ML193UH110XE48C	202901444
ML16XP1-036-230	36000	16	13	33800	22000	9	CHX35-42C	ML193UH110XE60C	202901445
ML16XP1-036-230	36000	16	13	33600	22800	9.2	CHX35-42C	ML196UH090XE48C	204498421
ML16XP1-036-230	36000	16	13	34000	22000	9.2	CHX35-42C	ML296UH090XV48C	202901446
ML16XP1-036-230	36000	16	13	34000	22000	9.2	CHX35-42C	SL297UH080NV48C	202901447
ML16XP1-036-230	36000	16	13	34000	22000	9.2	CHX35-42C	SLP98UH090XV48C	202901904
ML16XP1-036-230	36000	16	13	34000	22000	9.2	CHX35-42C	SLP99UH090XV48C	205545401
ML16XP1-036-230	36000	16.5	13	34000	22600	9.8	CHX35-48B	EL180UH080NE48B	202901927
ML16XP1-036-230	36000	16	13	34200	22800	9.4	CHX35-48B	EL195UH060NE36B	202901928
ML16XP1-036-230	36000	16	13	34200	22800	9.4	CHX35-48B	EL196UH045XE36B	202901929
ML16XP1-036-230	36000	16	13	34200	22800	9.6	CHX35-48B	EL196UH070XE36B	202901930
ML16XP1-036-230	36000	16	13	34400	23000	9.6	CHX35-48B	EL280UH090E36B	202901931
ML16XP1-036-230	36000	16.5	13	34200	22800	9.6	CHX35-48B	EL280UH090E48B	202901932
ML16XP1-036-230	36000	16.5	13	34200	22800	9.6	CHX35-48B	EL280UH090XE48B	203362209
ML16XP1-036-230	36000	15.5	12.5	34400	23000	9.4	CHX35-48B	EL296UH045XV36B	202901933

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-036-230	36000	16	13	34200	22800	9.4	CHX35-48B	EL296UH070XE36B	202901934
ML16XP1-036-230	36000	16	13	34400	23000	9.6	CHX35-48B	EL296UH070XV36B	202901935
ML16XP1-036-230	36000	16	13	34400	23000	9.6	CHX35-48B	ML180UH070E36B	202901936
ML16XP1-036-230	36000	16	13.5	34000	22800	9.8	CHX35-48B	ML180UH070V36B	204495422
ML16XP1-036-230	36000	16	14	34200	22800	9.8	CHX35-48B	ML180UH070V48B	204495546
ML16XP1-036-230	36000	16.5	13	34200	22800	9.6	CHX35-48B	ML180UH090E48B	202901937
ML16XP1-036-230	36000	16	13	34000	22800	9.6	CHX35-48B	ML180UH090V48B	204495670
ML16XP1-036-230	36000	15.5	12.5	34600	23200	9.4	CHX35-48B	ML193UH030XE36B	202901938
ML16XP1-036-230	36000	15.5	12.5	34200	23000	9.4	CHX35-48B	ML193UH045XE36B	202901939
ML16XP1-036-230	36000	16	13	34200	22800	9.4	CHX35-48B	ML193UH070XE36B	202901940
ML16XP1-036-230	36000	16	13	34200	22800	9.4	CHX35-48B	ML196UH045XE36B	204498422
ML16XP1-036-230	36000	16	13	34200	22800	9.6	CHX35-48B	ML196UH070XE36B	204498423
ML16XP1-036-230	35800	15.5	12.5	34400	23000	9.4	CHX35-48B	ML296UH045XV36B	202901941
ML16XP1-036-230	36000	15.5	12.5	34400	23000	9.6	CHX35-48B	ML296UH070XV36B	202901942
ML16XP1-036-230	36000	16.5	13	34000	22600	9.8	CHX35-48B	SL280UH080NV48B	202901943
ML16XP1-036-230	36000	16.5	13	34000	22800	9.6	CHX35-48B	SL280UH090V36B	202901944
ML16XP1-036-230	36000	16	13	34200	22800	9.6	CHX35-48B	SL280UH090V48B	202901945
ML16XP1-036-230	36000	16	13	34400	23000	9.6	CHX35-48B	SL297UH040NV36B	202901946
ML16XP1-036-230	36000	16	13	34400	23000	9.6	CHX35-48B	SL297UH060NV36B	202901947
ML16XP1-036-230	36000	16	13	34400	23000	9.6	CHX35-48B	SLP98UH070XV36B	202901948
ML16XP1-036-230	36000	16	13	34400	23000	9.6	CHX35-48B	SLP99UH070XV36B	205545405
ML16XP1-036-230	35800	14.5	12.5	34800	23400	9.4	CHX35-48B		202901902
ML16XP1-036-230	36000	15.5	12.5	35000	23400	9.4	CHX35-48C	EL195UH080NE48C	202901448
ML16XP1-036-230	36000	16	13	34800	23200	9.4	CHX35-48C	EL196UH090XE48C	202901449
ML16XP1-036-230	36000	16	13	34600	23000	9.4	CHX35-48C	EL280UH110E48C	202901450
ML16XP1-036-230	36000	15.5	12.5	34800	23200	9.4	CHX35-48C	EL280UH110E60C	202901451
ML16XP1-036-230	36000	15.5	12.5	34800	23200	9.4	CHX35-48C	EL280UH110XE60C	203362202
ML16XP1-036-230	36000	16	13	34800	23200	9.4	CHX35-48C	EL296UH090XE48C	202901452
ML16XP1-036-230	36000	16	13	34800	23200	9.4	CHX35-48C	EL296UH090XV36C	202901453
ML16XP1-036-230	36000	16	13	35000	23400	9.4	CHX35-48C	EL296UH090XV48C	202901454
ML16XP1-036-230	36000	16	13	34800	23200	9.4	CHX35-48C	EL296UH110XV48C	202901455
ML16XP1-036-230	36000	16	13.5	34800	23200	9.6	CHX35-48C	ML180UH110V60C	204495788
ML16XP1-036-230	36000	15.5	12.5	34800	23200	9.4	CHX35-48C	ML193UH090XE36C	202901456
ML16XP1-036-230	36000	16	13	34800	23200	9.4	CHX35-48C	ML193UH090XE48C	202901457
ML16XP1-036-230	36000	16	13	34800	23200	9.4	CHX35-48C	ML193UH110XE48C	202901458
ML16XP1-036-230	36000	15.5	12.5	34800	23200	9.4	CHX35-48C	ML193UH110XE60C	202901459
ML16XP1-036-230	36000	16	13	34800	23200	9.4	CHX35-48C	ML196UH090XE48C	204498424
ML16XP1-036-230	36000	16	13	34800	23200	9.4	CHX35-48C	ML296UH090XV48C	202901460
ML16XP1-036-230	36000	16	13	34800	23200	9.4	CHX35-48C	SL297UH080NV48C	202901461
ML16XP1-036-230	36000	16	13	34800	23200	9.4	CHX35-48C	SLP98UH090XV36C	202901462
ML16XP1-036-230	36000	16	13	34800	23200	9.4	CHX35-48C	SLP99UH090XV36C	205545380
ML16XP1-036-230	36000	16	13	33600	22200	9.4	CHX35-51/61C	EL195UH080NE48C	202901463
ML16XP1-036-230	36000	16.5	13	33600	22200	9.6	CHX35-51/61C	EL196UH090XE48C	202901464
ML16XP1-036-230	36000	16.5	13	33400	22000	9.6	CHX35-51/61C	EL280UH110E48C	202901465
ML16XP1-036-230	36000	16	13	33600	22200	9.4	CHX35-51/61C	EL280UH110E60C	202901466
ML16XP1-036-230	36000	16	13	33600	22200	9.4	CHX35-51/61C	EL280UH110XE60C	203362203
ML16XP1-036-230	36000	16	13	33400	22200	9.4	CHX35-51/61C	EL296UH090XE48C	202901467
ML16XP1-036-230	36000	16	13	33600	22200	9.6	CHX35-51/61C	EL296UH090XV36C	202901468
ML16XP1-036-230	36000	16	13	33800	22200	9.6	CHX35-51/61C	EL296UH090XV48C	202901469
ML16XP1-036-230	36000	16.5	13	33400	22000	9.6	CHX35-51/61C	EL296UH110XV48C	202901470
ML16XP1-036-230	36000	16	14	33600	22000	9.8	CHX35-51/61C	ML180UH110V60C	204495789
ML16XP1-036-230	36000	16	13	33600	22200	9.4	CHX35-51/61C	ML193UH090XE36C	202901471
ML16XP1-036-230	36000	16.5	13	33600	22000	9.6	CHX35-51/61C	ML193UH090XE48C	202901472
ML16XP1-036-230	36000	16.5	13	33600	22200	9.6	CHX35-51/61C	ML193UH110XE48C	202901473
ML16XP1-036-230	36000	16	13	33600	22200	9.4	CHX35-51/61C	ML193UH110XE60C	202901474
ML16XP1-036-230	36000	16.5	13	33600	22200	9.6	CHX35-51/61C	ML196UH090XE48C	204498425

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-036-230	36000	16	13	33800	22200	9.6	CHX35-51/61C	ML296UH090XV48C	202901475
ML16XP1-036-230	36000	16	13	33600	22200	9.6	CHX35-51/61C	SL297UH080NV48C	202901476
ML16XP1-036-230	36000	16	13	33600	22200	9.6	CHX35-51/61C	SLP98UH090XV36C	202901477
ML16XP1-036-230	36000	16	13	33800	22200	9.6	CHX35-51/61C	SLP98UH090XV48C	202901478
ML16XP1-036-230	36000	16	13	33600	22200	9.6	CHX35-51/61C	SLP99UH090XV36C	205545382
ML16XP1-036-230	36000	16	13	33800	22200	9.6	CHX35-51/61C	SLP99UH090XV48C	205545383
ML16XP1-036-230	36000	14.5	12.5	34200	22800	9.2	CHX35-51/61C		202901255
ML16XP1-036-230	35000	15.5	12.5	36000	23800	9.2	CR33-30/36B	EL280DF090E48B	202901479
ML16XP1-036-230	34600	15.1	12.5	36000	23800	9.2	CR33-30/36B	EL296DF045XE36B	202901480
ML16XP1-036-230	35000	15.1	12.5	36000	24000	9.2	CR33-30/36B	EL296DF045XV36B	202901481
ML16XP1-036-230	34800	15.5	12.5	36000	23800	9.2	CR33-30/36B	EL296DF070XE48B	202901482
ML16XP1-036-230	35000	15.1	12.5	36000	24200	9	CR33-30/36B	EL296DF070XV48B	202901483
ML16XP1-036-230	34800	16	13	36000	23600	9.2	CR33-30/36B	ML180DF070E36B	202901484
ML16XP1-036-230	35200	16	13	36000	23800	9.4	CR33-30/36B	ML180DF090E48B	202901485
ML16XP1-036-230	34600	15.1	12.5	36000	24000	9.2	CR33-30/36B	ML193DF045XE36B	202901486
ML16XP1-036-230	34600	15.1	12.5	36000	24000	9.2	CR33-30/36B	ML193DF070XE36B	202901487
ML16XP1-036-230	34400	15	12.5	36000	23800	9	CR33-30/36B	ML196DF045XE36B	205706961
ML16XP1-036-230	34600	15.5	12.5	36000	23800	9	CR33-30/36B	ML196DF070XE48B	205706962
ML16XP1-036-230	35200	15.5	12.5	36000	23800	9.4	CR33-30/36B	SL280DF090V48B	202901488
ML16XP1-036-230	35200	15.5	12.5	36000	24000	9.2	CR33-30/36B	SLP98DF070XV36B	202901489
ML16XP1-036-230	35200	15.5	12.5	36000	24000	9.2	CR33-30/36B	SLP99DF070XV36B	205545384
ML16XP1-036-230	35000	15.5	12.5	36000	23800	9.2	CR33-30/36C	EL296DF090XE48C	202901490
ML16XP1-036-230	35200	15.5	12.5	36000	23800	9.4	CR33-30/36C	ML193DF090XE48C	202901491
ML16XP1-036-230	35000	15.5	12.5	36000	23800	9	CR33-30/36C	ML196DF090XE48C	205706963
ML16XP1-036-230	35200	15.5	12.5	36000	24000	9.2	CR33-30/36C	SLP98DF090XV36C	202901492
ML16XP1-036-230	35200	15.5	12.5	36000	24000	9.2	CR33-30/36C	SLP98DF090XV48C	202901493
ML16XP1-036-230	35200	15.5	12.5	36000	24000	9.2	CR33-30/36C	SLP99DF090XV36C	205545385
ML16XP1-036-230	35200	15.5	12.5	36000	24000	9.2	CR33-30/36C	SLP99DF090XV48C	205545387
ML16XP1-036-230	35600	16	13	36000	24200	9.8	CR33-48B	EL280DF090E48B	202901494
ML16XP1-036-230	35200	15.5	12.5	36000	24200	9.6	CR33-48B	EL296DF045XE36B	202901495
ML16XP1-036-230	35600	15.5	12.5	36000	24200	9.6	CR33-48B	EL296DF045XV36B	202901496
ML16XP1-036-230	35600	16	13	35800	24000	9.6	CR33-48B	EL296DF070XE48B	202901497
ML16XP1-036-230	35600	15.5	12.5	36000	24400	9.6	CR33-48B	EL296DF070XV48B	202901498
ML16XP1-036-230	35400	16.5	13	35600	23800	9.8	CR33-48B	ML180DF070E36B	202901499
ML16XP1-036-230	36000	16	13	36000	24000	9.8	CR33-48B	ML180DF090E48B	202901500
ML16XP1-036-230	35400	15.5	12.5	36000	24200	9.6	CR33-48B	ML193DF045XE36B	202901501
ML16XP1-036-230	35400	15.5	12.5	36000	24200	9.6	CR33-48B	ML193DF070XE36B	202901502
ML16XP1-036-230	35200	16	13	36000	24200	9.5	CR33-48B	ML196DF070XE48B	205706964
ML16XP1-036-230	35600	16	13	35800	24000	9.8	CR33-48B	SL280DF090V48B	202901503
ML16XP1-036-230	35600	15.5	12.5	36000	24200	9.6	CR33-48B	SLP98DF070XV36B	202901504
ML16XP1-036-230	35600	15.5	12.5	36000	24200	9.6	CR33-48B	SLP99DF070XV36B	205545388
ML16XP1-036-230	34800	14.5	12	36000	24800	9.4	CR33-48B		202901256
ML16XP1-036-230	35800	16	13	36000	24000	9.8	CR33-48C	EL296DF090XE48C	202901505
ML16XP1-036-230	35800	16	13	36000	24000	9.8	CR33-48C	ML193DF090XE48C	202901506
ML16XP1-036-230	35200	16	13	35800	24000	9.5	CR33-48C	ML196DF090XE48C	205706965
ML16XP1-036-230	35600	16	13	36000	24200	9.6	CR33-48C	SLP98DF090XV36C	202901507
ML16XP1-036-230	35800	16	13	36000	24000	9.8	CR33-48C	SLP98DF090XV48C	202901508
ML16XP1-036-230	35600	16	13	36000	24200	9.6	CR33-48C	SLP99DF090XV36C	205545390
ML16XP1-036-230	35800	16	13	36000	24000	9.8	CR33-48C	SLP99DF090XV48C	205545391
ML16XP1-036-230	34800	14.5	12	36000	24800	9.4	CR33-48C		202901257
ML16XP1-036-230	36000	16	13	35000	23400	9.6	CX35-36A	EL180UH040NE36A	202901509
ML16XP1-036-230	36000	16	13	35000	23400	9.4	CX35-36A	EL180UH060NE36A	202901510
ML16XP1-036-230	36000	16	13	35400	23600	9.4	CX35-36A	EL280UH045E36A	202901511
ML16XP1-036-230	36000	16	13	34800	23400	9.4	CX35-36A	EL280UH070E36A	202901512
ML16XP1-036-230	36000	16	13	34800	23400	9.4	CX35-36A	EL280UH070XE36A	203362204
ML16XP1-036-230	36000	16	13.5	34800	23200	9.6	CX35-36A	ML180UH030V36A	204495075

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-036-230	36000	16	13	35000	23400	9.4	CX35-36A	ML180UH045E36A	202901513
ML16XP1-036-230	36000	16	13.5	34800	23200	9.6	CX35-36A	ML180UH045V36A	204495178
ML16XP1-036-230	36000	16	13	35200	23600	9.6	CX35-36A	ML180UH070E36A	204495918
ML16XP1-036-230	36000	16	13	34800	23400	9.4	CX35-36A	ML180UH070V36A	204495281
ML16XP1-036-230	36000	16	13	35200	23600	9.6	CX35-36A	ML180UH070XE36A	204496044
ML16XP1-036-230	36000	16.5	13	34800	23200	9.6	CX35-36A	SL280UH060NV36A	202901514
ML16XP1-036-230	36000	16	13	35000	23400	9.4	CX35-36A	SL280UH070V36A	202901515
ML16XP1-036-230	36000	16	13	35000	23400	9.4	CX35-36A	SL280UH070XV36A	202901516
ML16XP1-036-230	35200	14.5	12	35400	23800	9.2	CX35-36A		202901258
ML16XP1-036-230	36000	16.5	13	34600	23000	9.6	CX35-36B	EL180UH080NE48B	202901517
ML16XP1-036-230	35800	16	13	34800	23400	9.4	CX35-36B	EL195UH040NE36B	202901518
ML16XP1-036-230	35800	16	13	34800	23400	9.4	CX35-36B	EL195UH060NE36B	202901519
ML16XP1-036-230	35800	16	13	34800	23200	9.4	CX35-36B	EL196UH045XE36B	202901520
ML16XP1-036-230	35800	16	13	34800	23200	9.4	CX35-36B	EL196UH070XE36B	202901521
ML16XP1-036-230	36000	16	13	35000	23400	9.6	CX35-36B	EL280UH090E36B	202901522
ML16XP1-036-230	36000	16.5	13	34800	23200	9.6	CX35-36B	EL280UH090E48B	202901523
ML16XP1-036-230	36000	16.5	13	34800	23200	9.6	CX35-36B	EL280UH090XE48B	203362205
ML16XP1-036-230	35400	16	13	34600	23200	9.2	CX35-36B	EL296UH045XE36B	202901524
ML16XP1-036-230	36000	16	13	35000	23400	9.4	CX35-36B	EL296UH045XV36B	202901525
ML16XP1-036-230	35600	16	13	34800	23400	9.4	CX35-36B	EL296UH070XE36B	202901526
ML16XP1-036-230	36000	16	13	35000	23400	9.4	CX35-36B	EL296UH070XV36B	202901527
ML16XP1-036-230	36000	16	13	35000	23400	9.4	CX35-36B	ML180UH070E36B	202901528
ML16XP1-036-230	35800	16	13.5	34600	23200	9.6	CX35-36B	ML180UH070V36B	204495423
ML16XP1-036-230	36000	16	13.5	34800	23200	9.8	CX35-36B	ML180UH070V48B	204495547
ML16XP1-036-230	36000	16.5	13	34800	23200	9.6	CX35-36B	ML180UH090E48B	202901529
ML16XP1-036-230	36000	16	13	34600	23200	9.6	CX35-36B	ML180UH090V48B	204495671
ML16XP1-036-230	36000	15.5	12.5	35200	23800	9.4	CX35-36B	ML193UH030XE36B	202901530
ML16XP1-036-230	36000	15.5	12.5	35200	23600	9.4	CX35-36B	ML193UH045XE36B	202901531
ML16XP1-036-230	35800	16	13	34800	23400	9.4	CX35-36B	ML193UH070XE36B	202901532
ML16XP1-036-230	35800	16	13	34800	23200	9.4	CX35-36B	ML196UH045XE36B	204498426
ML16XP1-036-230	35800	16	13	34800	23200	9.4	CX35-36B	ML196UH070XE36B	204498427
ML16XP1-036-230	36000	16	13	35000	23400	9.4	CX35-36B	ML296UH045XV36B	202901533
ML16XP1-036-230	36000	16	13	35000	23400	9.4	CX35-36B	ML296UH070XV36B	202901534
ML16XP1-036-230	36000	16.5	13	34600	23000	9.6	CX35-36B	SL280UH080NV48B	202901535
ML16XP1-036-230	36000	16.5	13	34600	23200	9.6	CX35-36B	SL280UH090V36B	202901536
ML16XP1-036-230	36000	16.5	13	34800	23200	9.6	CX35-36B	SL280UH090V48B	202901537
ML16XP1-036-230	36000	16	13	35000	23400	9.4	CX35-36B	SL297UH040NV36B	202901538
ML16XP1-036-230	36000	16	13	34800	23400	9.4	CX35-36B	SL297UH060NV36B	202901539
ML16XP1-036-230	36000	16	13	35000	23400	9.4	CX35-36B	SLP98UH070XV36B	202901540
ML16XP1-036-230	36000	16	13	35000	23400	9.4	CX35-36B	SLP99UH070XV36B	205545393
ML16XP1-036-230	35200	14.5	12	35400	23800	9.2	CX35-36B		202901259
ML16XP1-036-230	36000	16.5	13	34200	22600	9.6	CX35-48B	EL180UH080NE48B	202901541
ML16XP1-036-230	35800	15.5	12.5	34400	22800	9.4	CX35-48B	EL195UH040NE36B	202901542
ML16XP1-036-230	35600	15.5	12.5	34400	22800	9.4	CX35-48B	EL195UH060NE36B	202901543
ML16XP1-036-230	35600	15.5	12.5	34200	22800	9.4	CX35-48B	EL196UH045XE36B	202901544
ML16XP1-036-230	35600	16	13	34200	22800	9.4	CX35-48B	EL196UH070XE36B	202901545
ML16XP1-036-230	36000	16	13	34600	23000	9.6	CX35-48B	EL280UH090E36B	202901546
ML16XP1-036-230	36000	16	13	34400	22800	9.6	CX35-48B	EL280UH090E48B	202901547
ML16XP1-036-230	36000	16	13	34400	22800	9.6	CX35-48B	EL280UH090XE48B	203362206
ML16XP1-036-230	35200	15.5	12.5	34200	22800	9.2	CX35-48B	EL296UH045XE36B	202901548
ML16XP1-036-230	35800	15.5	12.5	34400	23000	9.4	CX35-48B	EL296UH045XV36B	202901549
ML16XP1-036-230	35600	15.5	12.5	34200	22800	9.4	CX35-48B	EL296UH070XE36B	202901550
ML16XP1-036-230	35800	15.5	12.5	34400	23000	9.4	CX35-48B	EL296UH070XV36B	202901551
ML16XP1-036-230	35600	16	13	34000	22600	9.4	CX35-48B	ML180UH070E36B	202901552
ML16XP1-036-230	35800	16	13.5	34200	22600	9.6	CX35-48B	ML180UH070V36B	204495424
ML16XP1-036-230	36000	16	13.5	34200	22800	9.6	CX35-48B	ML180UH070V48B	204495548

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-036-230	36000	16	13	34200	22800	9.6	CX35-48B	ML180UH090E48B	202901553
ML16XP1-036-230	36000	16	13	34200	22800	9.4	CX35-48B	ML180UH090V48B	204495672
ML16XP1-036-230	36000	15.1	12.5	34800	23200	9.4	CX35-48B	ML193UH030XE36B	202901554
ML16XP1-036-230	35600	15.5	12.5	34400	23000	9.2	CX35-48B	ML193UH045XE36B	202901555
ML16XP1-036-230	35600	15.5	12.5	34200	22800	9.4	CX35-48B	ML193UH070XE36B	202901556
ML16XP1-036-230	35600	15.5	12.5	34200	22800	9.4	CX35-48B	ML196UH045XE36B	204498428
ML16XP1-036-230	35600	16	13	34200	22800	9.4	CX35-48B	ML196UH070XE36B	204498429
ML16XP1-036-230	35800	15.5	12.5	34400	23000	9.4	CX35-48B	ML296UH045XV36B	202901557
ML16XP1-036-230	35800	15.5	12.5	34400	23000	9.4	CX35-48B	ML296UH070XV36B	202901558
ML16XP1-036-230	36000	16.5	13	34000	22600	9.6	CX35-48B	SL280UH080NV48B	202901559
ML16XP1-036-230	36000	16	13	34200	22600	9.4	CX35-48B	SL280UH090V36B	202901560
ML16XP1-036-230	36000	16	13	34200	22800	9.4	CX35-48B	SL280UH090V48B	202901561
ML16XP1-036-230	35000	14.5	12	35000	23400	9.2	CX35-48B		202901260
ML16XP1-036-230	36000	16.5	13	34400	22800	9.6	CX35-48C	EL196UH090XE48C	202901562
ML16XP1-036-230	36000	16.5	13	34200	22600	9.6	CX35-48C	EL280UH110E48C	202901563
ML16XP1-036-230	35800	16	13	34200	22800	9.4	CX35-48C	EL280UH110E60C	202901564
ML16XP1-036-230	35800	16	13	34200	22800	9.4	CX35-48C	EL280UH110XE60C	203362207
ML16XP1-036-230	36000	16	13	34200	22800	9.6	CX35-48C	EL296UH090XE48C	202901565
ML16XP1-036-230	36000	16	13	34200	22800	9.6	CX35-48C	EL296UH090XV36C	202901566
ML16XP1-036-230	35800	16.5	13	34000	22600	9.4	CX35-48C	EL296UH090XV48C	202901567
ML16XP1-036-230	36000	16	14	34200	22600	9.8	CX35-48C	ML180UH110V60C	204495790
ML16XP1-036-230	36000	16	13	34400	22800	9.4	CX35-48C	ML193UH090XE36C	202901568
ML16XP1-036-230	36000	16.5	13	34200	22800	9.6	CX35-48C	ML193UH090XE48C	202901569
ML16XP1-036-230	36000	16.5	13	34000	22600	9.6	CX35-48C	ML193UH110XE48C	202901570
ML16XP1-036-230	35800	16	13	34200	22800	9.4	CX35-48C	ML193UH110XE60C	202901571
ML16XP1-036-230	36000	16.5	13	34400	22800	9.6	CX35-48C	ML196UH090XE48C	204498430
ML16XP1-036-230	35800	16.5	13	34000	22600	9.4	CX35-48C	ML296UH090XV48C	202901572
ML16XP1-036-230	35800	16	13	34200	22600	9.4	CX35-48C	SL297UH080NV48C	202901573
ML16XP1-036-230	36000	16	13	34200	22800	9.6	CX35-48C	SLP98UH090XV36C	202901574
ML16XP1-036-230	35800	16.5	13	34000	22600	9.4	CX35-48C	SLP98UH090XV48C	202901575
ML16XP1-036-230	36000	16	13	34200	22800	9.6	CX35-48C	SLP99UH090XV36C	205545395
ML16XP1-036-230	35800	16.5	13	34000	22600	9.4	CX35-48C	SLP99UH090XV48C	205545396
ML16XP1-036-230	35000	14.5	12	35000	23400	9.2	CX35-48C		202901261
ML16XP1-036-230	36000	16.5	13	33800	22400	9.6	CX35-50/60C	EL196UH090XE48C	202901576
ML16XP1-036-230	36000	16.5	13	33600	22400	9.4	CX35-50/60C	EL296UH090XE48C	202901577
ML16XP1-036-230	36000	16.5	13	33600	22400	9.4	CX35-50/60C	EL296UH090XV36C	202901578
ML16XP1-036-230	36000	16.5	13	33600	22400	9.4	CX35-50/60C	EL296UH090XV48C	202901579
ML16XP1-036-230	36000	16.5	13	33800	22400	9.4	CX35-50/60C	ML193UH090XE48C	202901580
ML16XP1-036-230	36000	16.5	13	33800	22400	9.6	CX35-50/60C	ML193UH110XE48C	202901581
ML16XP1-036-230	36000	16	13	33600	22600	9.4	CX35-50/60C	ML193UH110XE60C	202901582
ML16XP1-036-230	36000	16.5	13	33800	22400	9.6	CX35-50/60C	ML196UH090XE48C	204498431
ML16XP1-036-230	36000	16.5	13	33600	22400	9.4	CX35-50/60C	ML296UH090XV48C	202901583
ML16XP1-036-230	36000	16.5	13	33600	22400	9.4	CX35-50/60C	SL297UH080NV48C	202901584
ML16XP1-036-230	36000	16.5	13	33600	22400	9.4	CX35-50/60C	SLP98UH090XV36C	202901585
ML16XP1-036-230	36000	16.5	13	33600	22400	9.4	CX35-50/60C	SLP98UH090XV48C	202901586
ML16XP1-036-230	36000	16.5	13	33600	22400	9.4	CX35-50/60C	SLP99UH090XV36C	205545397
ML16XP1-036-230	36000	16.5	13	33600	22400	9.4	CX35-50/60C	SLP99UH090XV48C	205545399
ML16XP1-042-230	42000	16.5	13	39000	25400	8.5	C35-49C	EL180UH100NE60C	202908070
ML16XP1-042-230	41500	16	13	39000	25600	8.5	C35-49C	EL195UH080NE48C	202908071
ML16XP1-042-230	42000	16	13	39500	25800	8.5	C35-49C	EL195UH100NE60C	202908072
ML16XP1-042-230	41500	16	13	39000	25600	8.5	C35-49C	EL196UH090XE48C	202908073
ML16XP1-042-230	42000	16.5	13	39500	25800	8.5	C35-49C	EL196UH110XE60C	202908074
ML16XP1-042-230	42000	16.5	13	39000	25600	8.5	C35-49C	EL280UH110E48C	202908075
ML16XP1-042-230	42000	16.5	13	39000	25600	8.5	C35-49C	EL280UH110E60C	202908076
ML16XP1-042-230	42000	16.5	13	39000	25600	8.5	C35-49C	EL280UH110XE60C	203362222
ML16XP1-042-230	42000	16	13	39000	25600	8.5	C35-49C	EL296UH090XV48C	202908077

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-042-230	42000	16	13	39500	25800	8.5	C35-49C	EL296UH090XV60C	202908078
ML16XP1-042-230	42000	16	13	39000	25600	8.5	C35-49C	EL296UH110XE60C	202908079
ML16XP1-042-230	41500	16	13	39000	25600	8.5	C35-49C	EL296UH110XV48C	202908080
ML16XP1-042-230	42000	16	13	39000	25600	8.5	C35-49C	EL296UH110XV60C	202908081
ML16XP1-042-230	42000	16.5	13	39000	25400	8.5	C35-49C	ML180UH090E60C	202908082
ML16XP1-042-230	41500	16.5	13	39000	25400	8.5	C35-49C	ML180UH110E60C	202908083
ML16XP1-042-230	42000	16	13	39000	25400	8.5	C35-49C	ML180UH110V60C	204495791
ML16XP1-042-230	41000	15.5	12.5	39000	25600	8.5	C35-49C	ML193UH090XE36C	202908084
ML16XP1-042-230	41500	16	13	39000	25400	8.5	C35-49C	ML193UH090XE48C	202908085
ML16XP1-042-230	42000	16.5	13	39000	25600	8.5	C35-49C	ML193UH110XE48C	202908086
ML16XP1-042-230	42000	16	13	39000	25600	8.5	C35-49C	ML193UH110XE60C	202908087
ML16XP1-042-230	41500	16	13	39000	25600	8.5	C35-49C	ML196UH090XE48C	204498432
ML16XP1-042-230	42000	16.5	13	39500	25800	8.5	C35-49C	ML196UH110XE60C	204498433
ML16XP1-042-230	42000	16	13	39000	25600	8.5	C35-49C	ML296UH090XV48C	202908088
ML16XP1-042-230	42000	16.5	13	39000	25400	8.5	C35-49C	SL280UH080NV60C	202908089
ML16XP1-042-230	42000	16.5	13	39000	25600	8.5	C35-49C	SL280UH090V60C	202908090
ML16XP1-042-230	42000	16.5	13	39000	25600	8.5	C35-49C	SL280UH090XV60C	202908091
ML16XP1-042-230	42000	16.5	13	39000	25400	8.5	C35-49C	SL280UH100NV60C	202908092
ML16XP1-042-230	42000	16.5	13	39000	25400	8.5	C35-49C	SL280UH110V60C	202908093
ML16XP1-042-230	42000	16.5	13	39000	25400	8.5	C35-49C	SL280UH110XV60C	202908094
ML16XP1-042-230	42000	16	13	39000	25600	8.5	C35-49C	SL297UH080NV60C	202908095
ML16XP1-042-230	42000	16	13	39000	25600	8.5	C35-49C	SLP98UH090XV48C	202908096
ML16XP1-042-230	42000	16	13	39500	25800	8.5	C35-49C	SLP98UH090XV60C	202908097
ML16XP1-042-230	42000	16	13	39000	25600	8.5	C35-49C	SLP98UH110XV60C	202908098
ML16XP1-042-230	42000	16	13	39000	25600	8.5	C35-49C	SLP99UH090XV48C	205545428
ML16XP1-042-230	42000	16	13	39500	25800	8.5	C35-49C	SLP99UH090XV60C	205545429
ML16XP1-042-230	42000	16	13	39000	25600	8.5	C35-49C	SLP99UH110XV60C	205545431
ML16XP1-042-230	41000	14.5	12.5	40000	26200	8.5	C35-49C		202908056
ML16XP1-042-230	40500	16	13	38500	25200	8.5	C35-50/60C	EL180UH100NE60C	202908099
ML16XP1-042-230	40000	15.5	12.5	38500	25400	8.2	C35-50/60C	EL195UH080NE48C	202908100
ML16XP1-042-230	40500	15.5	12.5	39000	25600	8.5	C35-50/60C	EL195UH100NE60C	202908101
ML16XP1-042-230	40500	16	13	38500	25200	8.5	C35-50/60C	EL196UH090XE48C	202908102
ML16XP1-042-230	41000	16	13	39000	25400	8.5	C35-50/60C	EL196UH110XE60C	202908103
ML16XP1-042-230	40500	16	13	38500	25200	8.5	C35-50/60C	EL280UH110E48C	202908104
ML16XP1-042-230	41000	16	13	38500	25400	8.5	C35-50/60C	EL280UH110E60C	202908105
ML16XP1-042-230	41000	16	13	38500	25400	8.5	C35-50/60C	EL280UH110XE60C	203362223
ML16XP1-042-230	40500	15.5	12.5	38500	25400	8.5	C35-50/60C	EL296UH090XV48C	202908106
ML16XP1-042-230	41000	15.5	12.5	39000	25600	8.5	C35-50/60C	EL296UH090XV60C	202908107
ML16XP1-042-230	41000	15.5	12.5	38500	25400	8.5	C35-50/60C	EL296UH110XE60C	202908108
ML16XP1-042-230	40500	16	13	38500	25400	8.5	C35-50/60C	EL296UH110XV48C	202908109
ML16XP1-042-230	40500	16	13	38500	25400	8.5	C35-50/60C	EL296UH110XV60C	202908110
ML16XP1-042-230	40500	16	13	38500	25200	8.5	C35-50/60C	ML180UH090E60C	202908111
ML16XP1-042-230	40500	16	13	38500	25200	8.5	C35-50/60C	ML180UH110E60C	202908112
ML16XP1-042-230	40500	16	13	38500	25400	8.5	C35-50/60C	ML180UH110V60C	204495792
ML16XP1-042-230	39500	15.5	12.5	38500	25200	8.2	C35-50/60C	ML193UH090XE36C	202908113
ML16XP1-042-230	40500	16	13	38500	25200	8.5	C35-50/60C	ML193UH090XE48C	202908114
ML16XP1-042-230	40500	16	13	38500	25200	8.5	C35-50/60C	ML193UH110XE48C	202908115
ML16XP1-042-230	41000	16	13	38500	25400	8.5	C35-50/60C	ML193UH110XE60C	202908116
ML16XP1-042-230	40500	16	13	38500	25200	8.5	C35-50/60C	ML196UH090XE48C	204498434
ML16XP1-042-230	41000	16	13	39000	25400	8.5	C35-50/60C	ML196UH110XE60C	204498435
ML16XP1-042-230	40500	15.5	12.5	38500	25400	8.5	C35-50/60C	ML296UH090XV48C	202908117
ML16XP1-042-230	41000	16	13	38500	25200	8.5	C35-50/60C	SL280UH080NV60C	202908118
ML16XP1-042-230	41000	16	13	38500	25400	8.5	C35-50/60C	SL280UH090V60C	202908119
ML16XP1-042-230	41000	16	13	38500	25400	8.5	C35-50/60C	SL280UH090XV60C	202908120
ML16XP1-042-230	41000	16.5	13	38500	25200	8.5	C35-50/60C	SL280UH100NV60C	202908121
ML16XP1-042-230	40500	16	13	38500	25400	8.5	C35-50/60C	SL280UH110V60C	202908122

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-042-230	40500	16	13	38500	25400	8.5	C35-50/60C	SL280UH110XV60C	202908123
ML16XP1-042-230	41000	15.5	12.5	38500	25400	8.5	C35-50/60C	SL297UH080NV60C	202908124
ML16XP1-042-230	40500	15.5	12.5	38500	25400	8.5	C35-50/60C	SLP98UH090XV48C	202908125
ML16XP1-042-230	41000	15.5	12.5	39000	25600	8.5	C35-50/60C	SLP98UH090XV60C	202908126
ML16XP1-042-230	40500	16	13	38500	25400	8.5	C35-50/60C	SLP98UH110XV60C	202908127
ML16XP1-042-230	40500	15.5	12.5	38500	25400	8.5	C35-50/60C	SLP99UH090XV48C	205545432
ML16XP1-042-230	41000	15.5	12.5	39000	25600	8.5	C35-50/60C	SLP99UH090XV60C	205545433
ML16XP1-042-230	40500	16	13	38500	25400	8.5	C35-50/60C	SLP99UH110XV60C	205545435
ML16XP1-042-230	39500	14.5	12	39500	26000	8.2	C35-50/60C		202908057
ML16XP1-042-230	41500	16.5	13	38500	25000	9.2	C35-60C	EL180UH100NE60C	202908128
ML16XP1-042-230	41000	16	13	38500	25200	9.2	C35-60C	EL195UH080NE48C	202908129
ML16XP1-042-230	41500	16	13	38500	25400	9.2	C35-60C	EL195UH100NE60C	202908130
ML16XP1-042-230	41500	16.5	13	38500	25000	9.2	C35-60C	EL196UH090XE48C	202908131
ML16XP1-042-230	42000	16.5	13	38500	25200	9.4	C35-60C	EL196UH110XE60C	202908132
ML16XP1-042-230	41500	16.5	13	38500	25000	9.2	C35-60C	EL280UH110E48C	202908133
ML16XP1-042-230	42000	16.5	13	38500	25200	9.4	C35-60C	EL280UH110E60C	202908134
ML16XP1-042-230	42000	16.5	13	38500	25200	9.4	C35-60C	EL280UH110XE60C	203362224
ML16XP1-042-230	41500	16.5	13	38500	25200	9.2	C35-60C	EL296UH090XV48C	202908135
ML16XP1-042-230	41500	16	13	38500	25200	9.2	C35-60C	EL296UH090XV60C	202908136
ML16XP1-042-230	42000	16.5	13	38500	25200	9.2	C35-60C	EL296UH110XE60C	202908137
ML16XP1-042-230	41500	16.5	13	38500	25200	9.2	C35-60C	EL296UH110XV48C	202908138
ML16XP1-042-230	41500	16.5	13	38500	25200	9.2	C35-60C	EL296UH110XV60C	202908139
ML16XP1-042-230	41500	16.5	13	38500	25000	9.2	C35-60C	ML180UH090E60C	202908140
ML16XP1-042-230	41500	16.5	13	38500	25000	9.2	C35-60C	ML180UH110E60C	202908141
ML16XP1-042-230	41500	16.5	13	38500	25000	9.2	C35-60C	ML180UH110V60C	204495793
ML16XP1-042-230	40500	16	13	38000	25000	9	C35-60C	ML193UH090XE36C	202908142
ML16XP1-042-230	41500	16.5	13	38500	25000	9.2	C35-60C	ML193UH090XE48C	202908143
ML16XP1-042-230	41500	16.5	13	38500	25000	9.2	C35-60C	ML193UH110XE48C	202908144
ML16XP1-042-230	42000	16.5	13	38500	25200	9.2	C35-60C	ML193UH110XE60C	202908145
ML16XP1-042-230	41500	16.5	13	38500	25000	9.2	C35-60C	ML196UH090XE48C	204498436
ML16XP1-042-230	42000	16.5	13	38500	25200	9.4	C35-60C	ML196UH110XE60C	204498437
ML16XP1-042-230	41500	16	13	38500	25200	8.8	C35-60C	ML296UH090XV48C	202908146
ML16XP1-042-230	42000	17	13	38500	25000	9.4	C35-60C	SL280UH080NV60C	202908147
ML16XP1-042-230	42000	16.5	13	38500	25000	9.4	C35-60C	SL280UH090V60C	202908148
ML16XP1-042-230	42000	16.5	13	38500	25000	9.4	C35-60C	SL280UH090XV60C	202908149
ML16XP1-042-230	42000	17	13	38500	25000	9.4	C35-60C	SL280UH100NV60C	202908150
ML16XP1-042-230	41500	16.5	13	38500	25000	9.2	C35-60C	SL280UH110V60C	202908151
ML16XP1-042-230	41500	16.5	13	38500	25000	9.2	C35-60C	SL280UH110XV60C	202908152
ML16XP1-042-230	42000	16.5	13	38500	25200	9.2	C35-60C	SL297UH080NV60C	202908153
ML16XP1-042-230	41500	16.5	13	38500	25200	9.2	C35-60C	SLP98UH090XV48C	202908154
ML16XP1-042-230	41500	16	13	38500	25200	9.2	C35-60C	SLP98UH090XV60C	202908155
ML16XP1-042-230	41500	16.5	13	38500	25200	9.2	C35-60C	SLP98UH110XV60C	202908156
ML16XP1-042-230	41500	16.5	13	38500	25200	9.2	C35-60C	SLP99UH090XV48C	205545436
ML16XP1-042-230	41500	16	13	38500	25200	9.2	C35-60C	SLP99UH090XV60C	205545438
ML16XP1-042-230	41500	16.5	13	38500	25200	9.2	C35-60C	SLP99UH110XV60C	205545440
ML16XP1-042-230	40500	15.1	12.5	39000	25800	9	C35-60C		202908058
ML16XP1-042-230	41000	15.5	12.5	38500	24800	8.5	CBA25UH-048-230		202908157
ML16XP1-042-230	41000	16	13	37800	24400	8.5	CBA25UHV-048-230		202908158
ML16XP1-042-230	41000	16	13	39000	24000	8.5	CBA27UHE-042-230		202908159
ML16XP1-042-230	41000	16	13	37800	24600	9.5	CBA27UHE-048-230		202908055
ML16XP1-042-230	41000	16.5	13	39000	23800	9	CBA38MV-042-230		202908160
ML16XP1-042-230	41000	16.5	13	37800	24400	9.5	CBA38MV-048-230		202908161
ML16XP1-042-230	42000	16.5	13	38500	25200	9	CH35-42B	EL180UH080NE48B	202908162
ML16XP1-042-230	42000	16	13	39000	25400	8.5	CH35-42B	EL280UH090E36B	202908163
ML16XP1-042-230	42000	16.5	13	38500	25200	8.5	CH35-42B	EL280UH090E48B	202908164
ML16XP1-042-230	42000	16.5	13	38500	25200	8.5	CH35-42B	EL280UH090XE48B	203362225

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-042-230	41500	16	13.5	38500	25600	9	CH35-42B	ML180UH070V36B	204495425
ML16XP1-042-230	42000	16	14	38500	25600	9.2	CH35-42B	ML180UH070V48B	204495549
ML16XP1-042-230	42000	16.5	13	38500	25400	9	CH35-42B	ML180UH090E48B	202908165
ML16XP1-042-230	42000	16	13	39000	25400	9	CH35-42B	ML180UH090V48B	204495673
ML16XP1-042-230	41000	15.5	12.5	38500	25400	8.5	CH35-42B	ML193UH030XE36B	202908166
ML16XP1-042-230	41000	15.5	12.5	38500	25400	8.5	CH35-42B	ML193UH045XE36B	202908167
ML16XP1-042-230	41500	15.5	12.5	38500	25400	8.5	CH35-42B	ML193UH070XE36B	202908168
ML16XP1-042-230	42000	16.5	13	38500	25200	9	CH35-42B	SL280UH080NV48B	202908169
ML16XP1-042-230	42000	16	13	39000	25400	9	CH35-42B	SL280UH090V48B	202908170
ML16XP1-042-230	41000	15.1	12.5	39000	25800	8.5	CH35-42B		202908059
ML16XP1-042-230	41000	16.5	13	39500	24800	8.5	CH35-42C	EL180UH100NE60C	202908171
ML16XP1-042-230	40500	15.5	12.5	39500	25000	8.2	CH35-42C	EL195UH080NE48C	202908172
ML16XP1-042-230	41000	15.5	12.5	39500	25200	8.5	CH35-42C	EL195UH100NE60C	202908173
ML16XP1-042-230	41000	16	13	39500	24800	8.5	CH35-42C	EL196UH090XE48C	202908174
ML16XP1-042-230	41000	16	13	39500	25000	8.5	CH35-42C	EL196UH110XE60C	202908175
ML16XP1-042-230	41000	16	13	39500	24800	8.5	CH35-42C	EL280UH110E48C	202908176
ML16XP1-042-230	41000	16	13	39500	25000	8.5	CH35-42C	EL280UH110E60C	202908177
ML16XP1-042-230	41000	16	13	39500	25000	8.5	CH35-42C	EL280UH110XE60C	203362226
ML16XP1-042-230	40500	16	13	39500	24800	8.5	CH35-42C	EL296UH090XE48C	202908178
ML16XP1-042-230	41000	16	13	39500	25000	8.5	CH35-42C	EL296UH090XV48C	202908179
ML16XP1-042-230	41000	16	13	39500	25200	8.5	CH35-42C	EL296UH090XV60C	202908180
ML16XP1-042-230	41000	16	13	39500	25000	8.5	CH35-42C	EL296UH110XE60C	202908181
ML16XP1-042-230	41000	16	13	39500	25000	8.5	CH35-42C	EL296UH110XV48C	202908182
ML16XP1-042-230	41000	16	13	39500	25000	8.5	CH35-42C	EL296UH110XV60C	202908183
ML16XP1-042-230	41000	16	13	39500	24800	8.5	CH35-42C	ML180UH090E60C	202908184
ML16XP1-042-230	41000	16	13	39500	24800	8.5	CH35-42C	ML180UH110E60C	202908185
ML16XP1-042-230	40500	16	13	39500	24800	8.5	CH35-42C	ML193UH090XE48C	202908186
ML16XP1-042-230	41000	16	13	39500	24800	8.5	CH35-42C	ML193UH110XE48C	202908187
ML16XP1-042-230	41000	16	13	39500	25000	8.5	CH35-42C	ML193UH110XE60C	202908188
ML16XP1-042-230	41000	16	13	39500	24800	8.5	CH35-42C	ML196UH090XE48C	204498438
ML16XP1-042-230	41000	16	13	39500	25000	8.5	CH35-42C	ML196UH110XE60C	204498439
ML16XP1-042-230	41000	16	13	39500	25000	8.5	CH35-42C	ML296UH090XV48C	202908189
ML16XP1-042-230	41000	16.5	13	39500	24800	8.5	CH35-42C	SL280UH080NV60C	202908190
ML16XP1-042-230	41000	16	13	39500	25000	8.5	CH35-42C	SL280UH090V60C	202908191
ML16XP1-042-230	41000	16	13	39500	25000	8.5	CH35-42C	SL280UH090XV60C	202908192
ML16XP1-042-230	41000	16.5	13	39500	24800	8.5	CH35-42C	SL280UH100NV60C	202908193
ML16XP1-042-230	41000	16	13	39500	25000	8.5	CH35-42C	SL280UH110V60C	202908194
ML16XP1-042-230	41000	16	13	39500	25000	8.5	CH35-42C	SL280UH110XV60C	202908195
ML16XP1-042-230	41000	16	13	39500	25000	8.5	CH35-42C	SL297UH080NV48C	202908196
ML16XP1-042-230	41000	16	13	39500	25000	8.5	CH35-42C	SL297UH080NV60C	202908197
ML16XP1-042-230	41000	16	13	39500	25000	8.5	CH35-42C	SLP98UH090XV48C	202908198
ML16XP1-042-230	41000	16	13	39500	25200	8.5	CH35-42C	SLP98UH090XV60C	202908199
ML16XP1-042-230	41000	16	13	39500	25000	8.5	CH35-42C	SLP98UH110XV60C	202908200
ML16XP1-042-230	41000	16	13	39500	25000	8.5	CH35-42C	SLP99UH090XV48C	205545442
ML16XP1-042-230	41000	16	13	39500	25200	8.5	CH35-42C	SLP99UH090XV60C	205545444
ML16XP1-042-230	41000	16	13	39500	25000	8.5	CH35-42C	SLP99UH110XV60C	205545445
ML16XP1-042-230	40000	14.5	12	40000	25600	8.2	CH35-42C		202908060
ML16XP1-042-230	40500	16	13	40000	25600	8.5	CH35-48B	EL180UH080NE48B	202908201
ML16XP1-042-230	40500	15.5	12.5	40000	25800	8.2	CH35-48B	EL280UH090E36B	202908202
ML16XP1-042-230	40000	15.5	12.5	40000	25600	8.2	CH35-48B	EL280UH090E48B	202908203
ML16XP1-042-230	40000	15.5	12.5	40000	25600	8.2	CH35-48B	EL280UH090XE48B	203362227
ML16XP1-042-230	40000	15.5	12.5	39500	25600	8.4	CH35-48B	ML180UH070V36B	204495426
ML16XP1-042-230	40500	16	13	40000	25800	8.5	CH35-48B	ML180UH070V48B	204495550
ML16XP1-042-230	40500	15.5	12.5	40000	25600	8.2	CH35-48B	ML180UH090E48B	202908204
ML16XP1-042-230	40500	15.5	12.5	40000	25800	8.2	CH35-48B	ML180UH090V48B	204495674
ML16XP1-042-230	40500	16	13	40000	25600	8.5	CH35-48B	SL280UH080NV48B	202908205

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-042-230	40500	15.5	12.5	40000	25800	8.2	CH35-48B	SL280UH090V48B	202908206
ML16XP1-042-230	40500	15.5	12.5	39000	25000	8.5	CH35-48C	EL180UH100NE60C	202908207
ML16XP1-042-230	40000	15.1	12.5	39500	25200	8.2	CH35-48C	EL195UH080NE48C	202908208
ML16XP1-042-230	40500	15.1	12.5	39500	25400	8.5	CH35-48C	EL195UH100NE60C	202908209
ML16XP1-042-230	40500	15.5	12.5	39000	25200	8.5	CH35-48C	EL196UH090XE48C	202908210
ML16XP1-042-230	40500	15.5	12.5	39500	25400	8.5	CH35-48C	EL196UH110XE60C	202908211
ML16XP1-042-230	40500	15.5	12.5	39000	25200	8.5	CH35-48C	EL280UH110E48C	202908212
ML16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CH35-48C	EL280UH110E60C	202908213
ML16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CH35-48C	EL280UH110XE60C	203362228
ML16XP1-042-230	40000	15.5	12.5	39000	25000	8.2	CH35-48C	EL296UH090XE48C	202908214
ML16XP1-042-230	40500	15.5	12.5	39500	25400	8.5	CH35-48C	EL296UH090XV48C	202908215
ML16XP1-042-230	40500	15.1	12.5	39500	25400	8.5	CH35-48C	EL296UH090XV60C	202908216
ML16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CH35-48C	EL296UH110XE60C	202908217
ML16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CH35-48C	EL296UH110XV48C	202908218
ML16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CH35-48C	EL296UH110XV60C	202908219
ML16XP1-042-230	40500	15.5	12.5	39000	25000	8.5	CH35-48C	ML180UH090E60C	202908220
ML16XP1-042-230	41000	15.5	12.5	39500	25400	8.5	CH35-48C	ML180UH110E60C	202908221
ML16XP1-042-230	40500	15.5	12.5	39000	25000	8.5	CH35-48C	ML180UH110V60C	204495794
ML16XP1-042-230	40000	15.5	12.5	39000	25000	8.5	CH35-48C	ML193UH090XE48C	202908222
ML16XP1-042-230	40000	15.5	12.5	39000	25000	8.5	CH35-48C	ML193UH110XE48C	202908223
ML16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CH35-48C	ML193UH110XE60C	202908224
ML16XP1-042-230	40000	15.5	12.5	39000	25200	8.5	CH35-48C	ML196UH090XE48C	204498440
ML16XP1-042-230	40500	15.5	12.5	39500	25400	8.5	CH35-48C	ML196UH110XE60C	204498441
ML16XP1-042-230	40500	15.5	12.5	39500	25400	8.5	CH35-48C	ML296UH090XV48C	202908225
ML16XP1-042-230	40500	16	13	39500	25000	8.5	CH35-48C	SL280UH080NV60C	202908226
ML16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CH35-48C	SL280UH090V60C	202908227
ML16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CH35-48C	SL280UH090XV60C	202908228
ML16XP1-042-230	40500	16	13	39000	25000	8.5	CH35-48C	SL280UH100NV60C	202908229
ML16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CH35-48C	SL280UH110V60C	202908230
ML16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CH35-48C	SL280UH110XV60C	202908231
ML16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CH35-48C	SL297UH080NV48C	202908232
ML16XP1-042-230	40500	15.5	12.5	39500	25400	8.5	CH35-48C	SL297UH080NV60C	202908233
ML16XP1-042-230	40500	15.5	12.5	39500	25400	8.5	CH35-48C	SLP98UH090XV48C	202908234
ML16XP1-042-230	40500	15.1	12.5	39500	25400	8.5	CH35-48C	SLP98UH090XV60C	202908235
ML16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CH35-48C	SLP98UH110XV60C	202908236
ML16XP1-042-230	40500	15.5	12.5	39500	25400	8.5	CH35-48C	SLP99UH090XV48C	205545447
ML16XP1-042-230	40500	15.1	12.5	39500	25400	8.5	CH35-48C	SLP99UH090XV60C	205545448
ML16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CH35-48C	SLP99UH110XV60C	205545450
ML16XP1-042-230	39500	14.25	12	40000	25800	8.2	CH35-48C		202908061
ML16XP1-042-230	41500	16.5	13	39000	25200	8.5	CH35-51C	EL180UH100NE60C	202908237
ML16XP1-042-230	41000	15.5	12.5	39500	25400	8.5	CH35-51C	EL195UH080NE48C	202908238
ML16XP1-042-230	41500	16	13	39500	25600	8.5	CH35-51C	EL195UH100NE60C	202908239
ML16XP1-042-230	41500	16	13	39000	25400	8.5	CH35-51C	EL196UH090XE48C	202908240
ML16XP1-042-230	41500	16	13	39500	25400	8.5	CH35-51C	EL196UH110XE60C	202908241
ML16XP1-042-230	41500	16	13	39000	25400	8.5	CH35-51C	EL280UH110E48C	202908242
ML16XP1-042-230	41500	16	13	39500	25400	9	CH35-51C	EL280UH110E60C	202908243
ML16XP1-042-230	41500	16	13	39500	25400	9	CH35-51C	EL280UH110XE60C	203362229
ML16XP1-042-230	41000	16	13	39000	25200	8.5	CH35-51C	EL296UH090XE48C	202908244
ML16XP1-042-230	41500	16	13	39500	25600	8.5	CH35-51C	EL296UH090XV48C	202908245
ML16XP1-042-230	41500	16	13	39500	25600	8.5	CH35-51C	EL296UH090XV60C	202908246
ML16XP1-042-230	41500	16	13	39500	25400	8.5	CH35-51C	EL296UH110XE60C	202908247
ML16XP1-042-230	41500	16	13	39500	25400	8.5	CH35-51C	EL296UH110XV48C	202908248
ML16XP1-042-230	41500	16	13	39500	25400	8.5	CH35-51C	EL296UH110XV60C	202908249
ML16XP1-042-230	41500	16	13	39000	25200	8.5	CH35-51C	ML180UH090E60C	202908250
ML16XP1-042-230	41000	16	13	39000	25200	8.5	CH35-51C	ML180UH110E60C	202908251
ML16XP1-042-230	41500	16	13	39000	25400	8.5	CH35-51C	ML180UH110V60C	204495795

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-042-230	41000	16	13	39000	25200	8.5	CH35-51C	ML193UH090XE48C	202908252
ML16XP1-042-230	41000	16	13	39000	25200	8.5	CH35-51C	ML193UH110XE48C	202908253
ML16XP1-042-230	41500	16	13	39500	25400	8.5	CH35-51C	ML193UH110XE60C	202908254
ML16XP1-042-230	41500	16	13	39000	25400	8.5	CH35-51C	ML196UH090XE48C	204498442
ML16XP1-042-230	41500	16	13	39500	25400	8.5	CH35-51C	ML196UH110XE60C	204498443
ML16XP1-042-230	41500	16	13	39500	25600	8.5	CH35-51C	ML296UH090XV48C	202908255
ML16XP1-042-230	41500	16.5	13	39000	25200	9	CH35-51C	SL280UH080NV60C	202908256
ML16XP1-042-230	41500	16	13	39500	25400	8.5	CH35-51C	SL280UH090V60C	202908257
ML16XP1-042-230	41500	16	13	39500	25400	8.5	CH35-51C	SL280UH090XV60C	202908258
ML16XP1-042-230	42000	16.5	13	39500	25200	9	CH35-51C	SL280UH100NV60C	202908259
ML16XP1-042-230	41500	16	13	39500	25400	8.5	CH35-51C	SL280UH110V60C	202908260
ML16XP1-042-230	41500	16	13	39500	25400	8.5	CH35-51C	SL280UH110XV60C	202908261
ML16XP1-042-230	41500	16	13	39500	25400	8.5	CH35-51C	SL297UH080NV48C	202908262
ML16XP1-042-230	41500	16	13	39500	25400	8.5	CH35-51C	SL297UH080NV60C	202908263
ML16XP1-042-230	41500	16	13	39500	25600	8.5	CH35-51C	SLP98UH090XV48C	202908264
ML16XP1-042-230	41500	16	13	39500	25600	8.5	CH35-51C	SLP98UH090XV60C	202908265
ML16XP1-042-230	41500	16	13	39500	25400	8.5	CH35-51C	SLP98UH110XV60C	202908266
ML16XP1-042-230	41500	16	13	39500	25600	8.5	CH35-51C	SLP99UH090XV48C	205545451
ML16XP1-042-230	41500	16	13	39500	25600	8.5	CH35-51C	SLP99UH090XV60C	205545453
ML16XP1-042-230	41500	16	13	39500	25400	8.5	CH35-51C	SLP99UH110XV60C	205545454
ML16XP1-042-230	40500	14.5	12	40000	26000	8.5	CH35-51C		202908062
ML16XP1-042-230	42000	16.5	13	38500	25200	9	CHX35-42B	EL180UH080NE48B	202908267
ML16XP1-042-230	42000	16	13	39000	25400	8.5	CHX35-42B	EL280UH090E36B	202908268
ML16XP1-042-230	42000	16.5	13	38500	25200	8.5	CHX35-42B	EL280UH090E48B	202908269
ML16XP1-042-230	42000	16.5	13	38500	25200	8.5	CHX35-42B	EL280UH090XE48B	203362230
ML16XP1-042-230	41500	16	13.5	38500	25600	9	CHX35-42B	ML180UH070V36B	204495427
ML16XP1-042-230	42000	16	14	38500	25600	9.2	CHX35-42B	ML180UH070V48B	204495551
ML16XP1-042-230	42000	16.5	13	38500	25400	9	CHX35-42B	ML180UH090E48B	202908270
ML16XP1-042-230	42000	16	13	39000	25400	9	CHX35-42B	ML180UH090V48B	204495675
ML16XP1-042-230	41000	15.5	12.5	38500	25400	8.5	CHX35-42B	ML193UH030XE36B	202908271
ML16XP1-042-230	41000	15.5	12.5	38500	25400	8.5	CHX35-42B	ML193UH045XE36B	202908272
ML16XP1-042-230	41500	15.5	12.5	38500	25400	8.5	CHX35-42B	ML193UH070XE36B	202908273
ML16XP1-042-230	42000	16.5	13	38500	25200	9	CHX35-42B	SL280UH080NV48B	202908274
ML16XP1-042-230	42000	16	13	39000	25400	9	CHX35-42B	SL280UH090V48B	202908275
ML16XP1-042-230	41000	15.1	12.5	39000	25800	8.5	CHX35-42B		202908063
ML16XP1-042-230	41000	16.5	13	39500	24800	8.5	CHX35-42C	EL180UH100NE60C	202908276
ML16XP1-042-230	40500	15.5	12.5	39500	25000	8.2	CHX35-42C	EL195UH080NE48C	202908277
ML16XP1-042-230	41000	15.5	12.5	39500	25200	8.5	CHX35-42C	EL195UH100NE60C	202908278
ML16XP1-042-230	41000	16	13	39500	24800	8.5	CHX35-42C	EL196UH090XE48C	202908279
ML16XP1-042-230	41000	16	13	39500	25000	8.5	CHX35-42C	EL196UH110XE60C	202908280
ML16XP1-042-230	41000	16	13	39500	24800	8.5	CHX35-42C	EL280UH110E48C	202908281
ML16XP1-042-230	41000	16	13	39500	25000	8.5	CHX35-42C	EL280UH110E60C	202908282
ML16XP1-042-230	41000	16	13	39500	25000	8.5	CHX35-42C	EL280UH110XE60C	203362231
ML16XP1-042-230	40500	16	13	39500	24800	8.5	CHX35-42C	EL296UH090XE48C	202908283
ML16XP1-042-230	41000	16	13	39500	25000	8.5	CHX35-42C	EL296UH090XV48C	202908284
ML16XP1-042-230	41000	16	13	39500	25200	8.5	CHX35-42C	EL296UH090XV60C	202908285
ML16XP1-042-230	41000	16	13	39500	25000	8.5	CHX35-42C	EL296UH110XE60C	202908286
ML16XP1-042-230	41000	16	13	39500	25000	8.5	CHX35-42C	EL296UH110XV48C	202908287
ML16XP1-042-230	41000	16	13	39500	25000	8.5	CHX35-42C	EL296UH110XV60C	202908288
ML16XP1-042-230	41000	16	13	39500	24800	8.5	CHX35-42C	ML180UH090E60C	202908289
ML16XP1-042-230	41000	16	13	39500	24800	8.5	CHX35-42C	ML180UH110E60C	202908290
ML16XP1-042-230	41000	16	13	39500	24800	8.5	CHX35-42C	ML180UH110V60C	204495796
ML16XP1-042-230	40500	16	13	39500	24800	8.5	CHX35-42C	ML193UH090XE48C	202908291
ML16XP1-042-230	41000	16	13	39500	24800	8.5	CHX35-42C	ML193UH110XE48C	202908292
ML16XP1-042-230	41000	16	13	39500	25000	8.5	CHX35-42C	ML193UH110XE60C	202908293
ML16XP1-042-230	41000	16	13	39500	24800	8.5	CHX35-42C	ML196UH090XE48C	204498444

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-042-230	41000	16	13	39500	25000	8.5	CHX35-42C	ML196UH110XE60C	204498445
ML16XP1-042-230	41000	16	13	39500	25000	8.5	CHX35-42C	ML296UH090XV48C	202908294
ML16XP1-042-230	41000	16.5	13	39500	24800	8.5	CHX35-42C	SL280UH080NV60C	202908295
ML16XP1-042-230	41000	16	13	39500	25000	8.5	CHX35-42C	SL280UH090V60C	202908296
ML16XP1-042-230	41000	16	13	39500	25000	8.5	CHX35-42C	SL280UH090XV60C	202908297
ML16XP1-042-230	41000	16.5	13	39500	24800	8.5	CHX35-42C	SL280UH100NV60C	202908298
ML16XP1-042-230	41000	16	13	39500	25000	8.5	CHX35-42C	SL280UH110V60C	202908299
ML16XP1-042-230	41000	16	13	39500	25000	8.5	CHX35-42C	SL280UH110XV60C	202908300
ML16XP1-042-230	41000	16	13	39500	25000	8.5	CHX35-42C	SL297UH080NV48C	202908301
ML16XP1-042-230	41000	16	13	39500	25000	8.5	CHX35-42C	SL297UH080NV60C	202908302
ML16XP1-042-230	41000	16	13	39500	25000	8.5	CHX35-42C	SLP98UH090XV48C	202908303
ML16XP1-042-230	41000	16	13	39500	25200	8.5	CHX35-42C	SLP98UH090XV60C	202908304
ML16XP1-042-230	41000	16	13	39500	25000	8.5	CHX35-42C	SLP98UH110XV60C	202908305
ML16XP1-042-230	41000	16	13	39500	25000	8.5	CHX35-42C	SLP99UH090XV48C	205545456
ML16XP1-042-230	41000	16	13	39500	25200	8.5	CHX35-42C	SLP99UH090XV60C	205545458
ML16XP1-042-230	41000	16	13	39500	25000	8.5	CHX35-42C	SLP99UH110XV60C	205545460
ML16XP1-042-230	40000	14.5	12	40000	25600	8.2	CHX35-42C		202908064
ML16XP1-042-230	40500	16	13	40000	25600	8.5	CHX35-48B	EL180UH080NE48B	202908306
ML16XP1-042-230	40500	15.5	12.5	40000	25800	8.2	CHX35-48B	EL280UH090E36B	202908307
ML16XP1-042-230	40000	15.5	12.5	40000	25600	8.2	CHX35-48B	EL280UH090E48B	202908308
ML16XP1-042-230	40000	15.5	12.5	40000	25600	8.2	CHX35-48B	EL280UH090XE48B	203362232
ML16XP1-042-230	40000	15.5	12.5	39500	25600	8.4	CHX35-48B	ML180UH070V36B	204495428
ML16XP1-042-230	40500	16	13	40000	25800	8.5	CHX35-48B	ML180UH070V48B	204495552
ML16XP1-042-230	40500	15.5	12.5	40000	25600	8.2	CHX35-48B	ML180UH090E48B	202908309
ML16XP1-042-230	40500	15.5	12.5	40000	25800	8.2	CHX35-48B	ML180UH090V48B	204495676
ML16XP1-042-230	40500	16	13	40000	25600	8.5	CHX35-48B	SL280UH080NV48B	202908310
ML16XP1-042-230	40500	15.5	12.5	40000	25800	8.2	CHX35-48B	SL280UH090V48B	202908311
ML16XP1-042-230	40500	15.5	12.5	39000	25000	8.5	CHX35-48C	EL180UH100NE60C	202908312
ML16XP1-042-230	40000	15.1	12.5	39500	25200	8.2	CHX35-48C	EL195UH080NE48C	202908313
ML16XP1-042-230	40500	15.1	12.5	39500	25400	8.5	CHX35-48C	EL195UH100NE60C	202908314
ML16XP1-042-230	40500	15.5	12.5	39000	25200	8.5	CHX35-48C	EL196UH090XE48C	202908315
ML16XP1-042-230	40500	15.5	12.5	39500	25400	8.5	CHX35-48C	EL196UH110XE60C	202908316
ML16XP1-042-230	40500	15.5	12.5	39000	25200	8.5	CHX35-48C	EL280UH110E48C	202908317
ML16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CHX35-48C	EL280UH110E60C	202908318
ML16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CHX35-48C	EL280UH110XE60C	203362233
ML16XP1-042-230	40000	15.5	12.5	39000	25000	8.2	CHX35-48C	EL296UH090XE48C	202908319
ML16XP1-042-230	40500	15.5	12.5	39500	25400	8.5	CHX35-48C	EL296UH090XV48C	202908320
ML16XP1-042-230	40500	15.1	12.5	39500	25400	8.5	CHX35-48C	EL296UH090XV60C	202908321
ML16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CHX35-48C	EL296UH110XE60C	202908322
ML16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CHX35-48C	EL296UH110XV48C	202908323
ML16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CHX35-48C	EL296UH110XV60C	202908324
ML16XP1-042-230	40500	15.5	12.5	39000	25000	8.5	CHX35-48C	ML180UH090E60C	202908325
ML16XP1-042-230	41000	15.5	12.5	39500	25400	8.5	CHX35-48C	ML180UH110E60C	202908326
ML16XP1-042-230	40500	15.5	12.5	39000	25000	8.5	CHX35-48C	ML180UH110V60C	204495797
ML16XP1-042-230	40000	15.5	12.5	39000	25000	8.5	CHX35-48C	ML193UH090XE48C	202908327
ML16XP1-042-230	40000	15.5	12.5	39000	25000	8.5	CHX35-48C	ML193UH110XE48C	202908328
ML16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CHX35-48C	ML193UH110XE60C	202908329
ML16XP1-042-230	40000	15.5	12.5	39000	25200	8.5	CHX35-48C	ML196UH090XE48C	204498446
ML16XP1-042-230	40500	15.5	12.5	39500	25400	8.5	CHX35-48C	ML196UH110XE60C	204498447
ML16XP1-042-230	40500	15.5	12.5	39500	25400	8.5	CHX35-48C	ML296UH090XV48C	202908330
ML16XP1-042-230	40500	16	13	39500	25000	8.5	CHX35-48C	SL280UH080NV60C	202908331
ML16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CHX35-48C	SL280UH090V60C	202908332
ML16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CHX35-48C	SL280UH090XV60C	202908333
ML16XP1-042-230	40500	16	13	39000	25000	8.5	CHX35-48C	SL280UH100NV60C	202908334
ML16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CHX35-48C	SL280UH110V60C	202908335
ML16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CHX35-48C	SL280UH110XV60C	202908336

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CHX35-48C	SL297UH080NV48C	202908337
ML16XP1-042-230	40500	15.5	12.5	39500	25400	8.5	CHX35-48C	SL297UH080NV60C	202908338
ML16XP1-042-230	40500	15.5	12.5	39500	25400	8.5	CHX35-48C	SLP98UH090XV48C	202908339
ML16XP1-042-230	40500	15.1	12.5	39500	25400	8.5	CHX35-48C	SLP98UH090XV60C	202908340
ML16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CHX35-48C	SLP98UH110XV60C	202908341
ML16XP1-042-230	40500	15.5	12.5	39500	25400	8.5	CHX35-48C	SLP99UH090XV48C	205545462
ML16XP1-042-230	40500	15.1	12.5	39500	25400	8.5	CHX35-48C	SLP99UH090XV60C	205545463
ML16XP1-042-230	40500	15.5	12.5	39500	25200	8.5	CHX35-48C	SLP99UH110XV60C	205545464
ML16XP1-042-230	39500	14.25	12	40000	25800	8.2	CHX35-48C		202908065
ML16XP1-042-230	41500	16.5	13	39000	25200	8.5	CHX35-51/61C	EL180UH100NE60C	202908342
ML16XP1-042-230	41000	15.5	12.5	39500	25400	8.5	CHX35-51/61C	EL195UH080NE48C	202908343
ML16XP1-042-230	41500	16	13	39500	25600	8.5	CHX35-51/61C	EL195UH100NE60C	202908344
ML16XP1-042-230	41500	16	13	39000	25400	8.5	CHX35-51/61C	EL196UH090XE48C	202908345
ML16XP1-042-230	41500	16	13	39500	25400	8.5	CHX35-51/61C	EL196UH110XE60C	202908346
ML16XP1-042-230	41500	16	13	39000	25400	8.5	CHX35-51/61C	EL280UH110E48C	202908347
ML16XP1-042-230	41500	16	13	39500	25400	9	CHX35-51/61C	EL280UH110E60C	202908348
ML16XP1-042-230	41500	16	13	39500	25400	9	CHX35-51/61C	EL280UH110XE60C	203362234
ML16XP1-042-230	41000	16	13	39000	25200	8.5	CHX35-51/61C	EL296UH090XE48C	202908349
ML16XP1-042-230	41500	16	13	39500	25600	8.5	CHX35-51/61C	EL296UH090XV48C	202908350
ML16XP1-042-230	41500	16	13	39500	25600	8.5	CHX35-51/61C	EL296UH090XV60C	202908351
ML16XP1-042-230	41500	16	13	39500	25400	8.5	CHX35-51/61C	EL296UH110XE60C	202908352
ML16XP1-042-230	41500	16	13	39500	25400	8.5	CHX35-51/61C	EL296UH110XV48C	202908353
ML16XP1-042-230	41500	16	13	39500	25400	8.5	CHX35-51/61C	EL296UH110XV60C	202908354
ML16XP1-042-230	41500	16	13	39000	25200	8.5	CHX35-51/61C	ML180UH090E60C	202908355
ML16XP1-042-230	41000	16	13	39000	25200	8.5	CHX35-51/61C	ML180UH110E60C	202908356
ML16XP1-042-230	41500	16	13	39000	25400	8.5	CHX35-51/61C	ML180UH110V60C	204495798
ML16XP1-042-230	41000	16	13	39000	25200	8.5	CHX35-51/61C	ML193UH090XE48C	202908357
ML16XP1-042-230	41000	16	13	39000	25200	8.5	CHX35-51/61C	ML193UH110XE48C	202908358
ML16XP1-042-230	41500	16	13	39500	25400	8.5	CHX35-51/61C	ML193UH110XE60C	202908359
ML16XP1-042-230	41500	16	13	39000	25400	8.5	CHX35-51/61C	ML196UH090XE48C	204498448
ML16XP1-042-230	41500	16	13	39500	25400	8.5	CHX35-51/61C	ML196UH110XE60C	204498449
ML16XP1-042-230	41500	16	13	39500	25600	8.5	CHX35-51/61C	ML296UH090XV48C	202908360
ML16XP1-042-230	41500	16.5	13	39000	25200	9	CHX35-51/61C	SL280UH080NV60C	202908361
ML16XP1-042-230	41500	16	13	39500	25400	8.5	CHX35-51/61C	SL280UH090V60C	202908362
ML16XP1-042-230	41500	16	13	39500	25400	8.5	CHX35-51/61C	SL280UH090XV60C	202908363
ML16XP1-042-230	42000	16.5	13	39500	25200	9	CHX35-51/61C	SL280UH100NV60C	202908364
ML16XP1-042-230	41500	16	13	39500	25400	8.5	CHX35-51/61C	SL280UH110V60C	202908365
ML16XP1-042-230	41500	16	13	39500	25400	8.5	CHX35-51/61C	SL280UH110XV60C	202908366
ML16XP1-042-230	41500	16	13	39500	25400	8.5	CHX35-51/61C	SL297UH080NV48C	202908367
ML16XP1-042-230	41500	16	13	39500	25400	8.5	CHX35-51/61C	SL297UH080NV60C	202908368
ML16XP1-042-230	41500	16	13	39500	25600	8.5	CHX35-51/61C	SLP98UH090XV48C	202908369
ML16XP1-042-230	41500	16	13	39500	25600	8.5	CHX35-51/61C	SLP98UH090XV60C	202908370
ML16XP1-042-230	41500	16	13	39500	25400	8.5	CHX35-51/61C	SLP98UH110XV60C	202908371
ML16XP1-042-230	41500	16	13	39500	25600	8.5	CHX35-51/61C	SLP99UH090XV48C	205545466
ML16XP1-042-230	41500	16	13	39500	25600	8.5	CHX35-51/61C	SLP99UH090XV60C	205545468
ML16XP1-042-230	41500	16	13	39500	25400	8.5	CHX35-51/61C	SLP99UH110XV60C	205545470
ML16XP1-042-230	40500	14.5	12	40000	26000	8.5	CHX35-51/61C		202908066
ML16XP1-042-230	39500	15.1	12.5	42000	26200	8.2	CR33-48B	EL296DF070XE48B	202908372
ML16XP1-042-230	40000	15.5	12.5	42000	26000	8.5	CR33-48B	ML180DF090E48B	202908373
ML16XP1-042-230	39000	15	12.5	42000	26600	8.2	CR33-48B	ML196DF070XE48B	205706950
ML16XP1-042-230	40000	15.5	12.5	42000	26200	8.2	CR33-48B	SL280DF090V48B	202908374
ML16XP1-042-230	39500	15.5	12.5	42000	26000	8.2	CR33-48C	EL296DF090XE48C	202908375
ML16XP1-042-230	40000	15.5	12.5	42000	26400	8.2	CR33-48C	EL296DF090XV60C	202908376
ML16XP1-042-230	40000	15.5	12.5	42000	26200	8.5	CR33-48C	EL296DF110XE60C	202908377
ML16XP1-042-230	40000	15.5	12.5	42000	26400	8.5	CR33-48C	EL296DF110XV60C	202908378
ML16XP1-042-230	40000	16	13	42000	26000	8.5	CR33-48C	ML180DF110E60C	202908379

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-042-230	40000	15.5	12.5	42000	26000	8.5	CR33-48C	ML193DF090XE48C	202908380
ML16XP1-042-230	39500	15.5	12.5	42000	26400	8.2	CR33-48C	ML196DF090XE48C	205706951
ML16XP1-042-230	40000	16	13	42000	26000	8.5	CR33-48C	SL280DF090V60C	202908381
ML16XP1-042-230	40000	16	13	42000	26000	8.5	CR33-48C	SL280DF110V60C	202908382
ML16XP1-042-230	40000	15.5	12.5	42000	26400	8.2	CR33-48C	SLP98DF090XV48C	202908383
ML16XP1-042-230	40000	15.5	12.5	42000	26400	8.2	CR33-48C	SLP98DF090XV60C	202908384
ML16XP1-042-230	40000	15.5	12.5	42000	26400	8.5	CR33-48C	SLP98DF110XV60C	202908385
ML16XP1-042-230	40000	15.5	12.5	42000	26400	8.2	CR33-48C	SLP99DF090XV48C	205545471
ML16XP1-042-230	40000	15.5	12.5	42000	26400	8.2	CR33-48C	SLP99DF090XV60C	205545473
ML16XP1-042-230	40000	15.5	12.5	42000	26400	8.5	CR33-48C	SLP99DF110XV60C	205545474
ML16XP1-042-230	40500	16	13	38500	25000	9.2	CR33-50/60	EL296DF090XE48C	202908386
ML16XP1-042-230	40500	15.5	12.5	38500	25200	9.2	CR33-50/60	EL296DF090XV60C	202908387
ML16XP1-042-230	41000	16	13	38500	25200	9.2	CR33-50/60	EL296DF110XE60C	202908388
ML16XP1-042-230	40500	16	13	38500	25200	9.2	CR33-50/60	EL296DF110XV60C	202908389
ML16XP1-042-230	41000	16	13	38500	25000	9.4	CR33-50/60	ML180DF110E60C	202908390
ML16XP1-042-230	40500	16	13	38500	25000	9.2	CR33-50/60	ML193DF090XE48C	202908391
ML16XP1-042-230	40000	16	13	38500	25200	9	CR33-50/60	ML196DF090XE48C	205706966
ML16XP1-042-230	40500	16	13	38500	25000	9.4	CR33-50/60	SL280DF090V60C	202908392
ML16XP1-042-230	40500	16	13	38500	25000	9.2	CR33-50/60	SL280DF110V60C	202908393
ML16XP1-042-230	40500	15.5	12.5	38500	25200	9.2	CR33-50/60	SLP98DF090XV48C	202908394
ML16XP1-042-230	40500	15.5	12.5	38500	25200	9.2	CR33-50/60	SLP98DF090XV60C	202908395
ML16XP1-042-230	40500	16	13	38500	25200	9.2	CR33-50/60	SLP98DF110XV60C	202908396
ML16XP1-042-230	40500	15.5	12.5	38500	25200	9.2	CR33-50/60	SLP99DF090XV48C	205545475
ML16XP1-042-230	40500	15.5	12.5	38500	25200	9.2	CR33-50/60	SLP99DF090XV60C	205545477
ML16XP1-042-230	40500	16	13	38500	25200	9.2	CR33-50/60	SLP99DF110XV60C	205545478
ML16XP1-042-230	42000	16.5	13	39000	25400	8.5	CX35-49C	EL180UH100NE60C	202908397
ML16XP1-042-230	41500	16	13	39000	25600	8.5	CX35-49C	EL195UH080NE48C	202908398
ML16XP1-042-230	42000	16	13	39500	25800	8.5	CX35-49C	EL195UH100NE60C	202908399
ML16XP1-042-230	41500	16	13	39000	25600	8.5	CX35-49C	EL196UH090XE48C	202908400
ML16XP1-042-230	42000	16.5	13	39500	25800	8.5	CX35-49C	EL196UH110XE60C	202908401
ML16XP1-042-230	42000	16.5	13	39000	25600	8.5	CX35-49C	EL280UH110E48C	202908402
ML16XP1-042-230	42000	16.5	13	39000	25600	8.5	CX35-49C	EL280UH110E60C	202908403
ML16XP1-042-230	42000	16.5	13	39000	25600	8.5	CX35-49C	EL280UH110XE60C	203362235
ML16XP1-042-230	42000	16	13	39000	25600	8.5	CX35-49C	EL296UH090XV48C	202908404
ML16XP1-042-230	42000	16	13	39500	25800	8.5	CX35-49C	EL296UH090XV60C	202908405
ML16XP1-042-230	42000	16	13	39000	25600	8.5	CX35-49C	EL296UH110XE60C	202908406
ML16XP1-042-230	41500	16	13	39000	25600	8.5	CX35-49C	EL296UH110XV48C	202908407
ML16XP1-042-230	42000	16	13	39000	25600	8.5	CX35-49C	EL296UH110XV60C	202908408
ML16XP1-042-230	42000	16.5	13	39000	25400	8.5	CX35-49C	ML180UH090E60C	202908409
ML16XP1-042-230	41500	16.5	13	39000	25400	8.5	CX35-49C	ML180UH110E60C	202908410
ML16XP1-042-230	42000	16	13	39000	25400	8.5	CX35-49C	ML180UH110V60C	204495799
ML16XP1-042-230	41000	15.5	12.5	39000	25600	8.5	CX35-49C	ML193UH090XE36C	202908411
ML16XP1-042-230	41500	16	13	39000	25400	8.5	CX35-49C	ML193UH090XE48C	202908412
ML16XP1-042-230	42000	16.5	13	39000	25600	8.5	CX35-49C	ML193UH110XE48C	202908413
ML16XP1-042-230	42000	16	13	39000	25600	8.5	CX35-49C	ML193UH110XE60C	202908414
ML16XP1-042-230	41500	16	13	39000	25600	8.5	CX35-49C	ML196UH090XE48C	204498450
ML16XP1-042-230	42000	16.5	13	39500	25800	8.5	CX35-49C	ML196UH110XE60C	204498451
ML16XP1-042-230	42000	16	13	39000	25600	8.5	CX35-49C	ML296UH090XV48C	202908415
ML16XP1-042-230	42000	16.5	13	39000	25400	8.5	CX35-49C	SL280UH080NV60C	202908416
ML16XP1-042-230	42000	16.5	13	39000	25600	8.5	CX35-49C	SL280UH090V60C	202908417
ML16XP1-042-230	42000	16.5	13	39000	25600	8.5	CX35-49C	SL280UH090XV60C	202908418
ML16XP1-042-230	42000	16.5	13	39000	25400	8.5	CX35-49C	SL280UH100NV60C	202908419
ML16XP1-042-230	42000	16.5	13	39000	25400	8.5	CX35-49C	SL280UH110V60C	202908420
ML16XP1-042-230	42000	16.5	13	39000	25400	8.5	CX35-49C	SL280UH110XV60C	202908421
ML16XP1-042-230	42000	16	13	39000	25600	8.5	CX35-49C	SL297UH080NV60C	202908422
ML16XP1-042-230	42000	16	13	39000	25600	8.5	CX35-49C	SLP98UH090XV48C	202908423

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-042-230	42000	16	13	39500	25800	8.5	CX35-49C	SLP98UH090XV60C	202908424
ML16XP1-042-230	42000	16	13	39000	25600	8.5	CX35-49C	SLP98UH110XV60C	202908425
ML16XP1-042-230	42000	16	13	39000	25600	8.5	CX35-49C	SLP99UH090XV48C	205545480
ML16XP1-042-230	42000	16	13	39500	25800	8.5	CX35-49C	SLP99UH090XV60C	205545482
ML16XP1-042-230	42000	16	13	39000	25600	8.5	CX35-49C	SLP99UH110XV60C	205545483
ML16XP1-042-230	41000	14.5	12.5	40000	26200	8.5	CX35-49C		202908067
ML16XP1-042-230	40500	16	13	38500	25200	8.5	CX35-50/60C	EL180UH100NE60C	202908426
ML16XP1-042-230	40000	15.5	12.5	38500	25400	8.2	CX35-50/60C	EL195UH080NE48C	202908427
ML16XP1-042-230	40500	15.5	12.5	39000	25600	8.5	CX35-50/60C	EL195UH100NE60C	202908428
ML16XP1-042-230	40500	16	13	38500	25200	8.5	CX35-50/60C	EL196UH090XE48C	202908429
ML16XP1-042-230	41000	16	13	39000	25400	8.5	CX35-50/60C	EL196UH110XE60C	202908430
ML16XP1-042-230	40500	16	13	38500	25200	8.5	CX35-50/60C	EL280UH110E48C	202908431
ML16XP1-042-230	41000	16	13	38500	25400	8.5	CX35-50/60C	EL280UH110E60C	202908432
ML16XP1-042-230	41000	16	13	38500	25400	8.5	CX35-50/60C	EL280UH110XE60C	203362236
ML16XP1-042-230	40500	15.5	12.5	38500	25400	8.5	CX35-50/60C	EL296UH090XV48C	202908433
ML16XP1-042-230	41000	15.5	12.5	39000	25600	8.5	CX35-50/60C	EL296UH090XV60C	202908434
ML16XP1-042-230	41000	15.5	12.5	38500	25400	8.5	CX35-50/60C	EL296UH110XE60C	202908435
ML16XP1-042-230	40500	16	13	38500	25400	8.5	CX35-50/60C	EL296UH110XV48C	202908436
ML16XP1-042-230	40500	16	13	38500	25400	8.5	CX35-50/60C	EL296UH110XV60C	202908437
ML16XP1-042-230	40500	16	13	38500	25200	8.5	CX35-50/60C	ML180UH090E60C	202908438
ML16XP1-042-230	40500	16	13	38500	25200	8.5	CX35-50/60C	ML180UH110E60C	202908439
ML16XP1-042-230	39500	15.5	12.5	38500	25200	8.2	CX35-50/60C	ML193UH090XE36C	202908440
ML16XP1-042-230	40500	16	13	38500	25200	8.5	CX35-50/60C	ML193UH090XE48C	202908441
ML16XP1-042-230	40500	16	13	38500	25200	8.5	CX35-50/60C	ML193UH110XE48C	202908442
ML16XP1-042-230	41000	16	13	38500	25400	8.5	CX35-50/60C	ML193UH110XE60C	202908443
ML16XP1-042-230	40500	16	13	38500	25200	8.5	CX35-50/60C	ML196UH090XE48C	204498452
ML16XP1-042-230	41000	16	13	39000	25400	8.5	CX35-50/60C	ML196UH110XE60C	204498453
ML16XP1-042-230	40500	15.5	12.5	38500	25400	8.5	CX35-50/60C	ML296UH090XV48C	202908444
ML16XP1-042-230	41000	16	13	38500	25200	8.5	CX35-50/60C	SL280UH080NV60C	202908445
ML16XP1-042-230	41000	16	13	38500	25400	8.5	CX35-50/60C	SL280UH090V60C	202908446
ML16XP1-042-230	41000	16	13	38500	25400	8.5	CX35-50/60C	SL280UH090XV60C	202908447
ML16XP1-042-230	41000	16.5	13	38500	25200	8.5	CX35-50/60C	SL280UH100NV60C	202908448
ML16XP1-042-230	40500	16	13	38500	25400	8.5	CX35-50/60C	SL280UH110V60C	202908449
ML16XP1-042-230	40500	16	13	38500	25400	8.5	CX35-50/60C	SL280UH110XV60C	202908450
ML16XP1-042-230	41000	15.5	12.5	38500	25400	8.5	CX35-50/60C	SL297UH080NV60C	202908451
ML16XP1-042-230	40500	15.5	12.5	38500	25400	8.5	CX35-50/60C	SLP98UH090XV48C	202908452
ML16XP1-042-230	41000	15.5	12.5	39000	25600	8.5	CX35-50/60C	SLP98UH090XV60C	202908453
ML16XP1-042-230	40500	16	13	38500	25400	8.5	CX35-50/60C	SLP98UH110XV60C	202908454
ML16XP1-042-230	40500	15.5	12.5	38500	25400	8.5	CX35-50/60C	SLP99UH090XV48C	205545486
ML16XP1-042-230	41000	15.5	12.5	39000	25600	8.5	CX35-50/60C	SLP99UH090XV60C	205545487
ML16XP1-042-230	40500	16	13	38500	25400	8.5	CX35-50/60C	SLP99UH110XV60C	205545489
ML16XP1-042-230	39500	14.5	12	39500	26000	8.2	CX35-50/60C		202908068
ML16XP1-042-230	41500	16.5	13	38500	25000	9.2	CX35-60C	EL180UH100NE60C	202908455
ML16XP1-042-230	41000	16	13	38500	25200	9.2	CX35-60C	EL195UH080NE48C	202908456
ML16XP1-042-230	41500	16	13	38500	25400	9.2	CX35-60C	EL195UH100NE60C	202908457
ML16XP1-042-230	41500	16.5	13	38500	25000	9.2	CX35-60C	EL196UH090XE48C	202908458
ML16XP1-042-230	42000	16.5	13	38500	25200	9.4	CX35-60C	EL196UH110XE60C	202908459
ML16XP1-042-230	41500	16.5	13	38500	25000	9.2	CX35-60C	EL280UH110E48C	202908460
ML16XP1-042-230	42000	16.5	13	38500	25200	9.4	CX35-60C	EL280UH110E60C	202908461
ML16XP1-042-230	42000	16.5	13	38500	25200	9.4	CX35-60C	EL280UH110XE60C	203362237
ML16XP1-042-230	41500	16.5	13	38500	25200	9.2	CX35-60C	EL296UH090XV48C	202908462
ML16XP1-042-230	41500	16	13	38500	25200	9.2	CX35-60C	EL296UH090XV60C	202908463
ML16XP1-042-230	42000	16.5	13	38500	25200	9.2	CX35-60C	EL296UH110XE60C	202908464
ML16XP1-042-230	41500	16.5	13	38500	25200	9.2	CX35-60C	EL296UH110XV48C	202908465
ML16XP1-042-230	41500	16.5	13	38500	25200	9.2	CX35-60C	EL296UH110XV60C	202908466
ML16XP1-042-230	41500	16.5	13	38500	25000	9.2	CX35-60C	ML180UH090E60C	202908467

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-042-230	41500	16.5	13	38500	25000	9.2	CX35-60C	ML180UH110E60C	202908468
ML16XP1-042-230	41500	16.5	13	38500	25000	9.2	CX35-60C	ML180UH110V60C	204495800
ML16XP1-042-230	40500	16	13	38000	25000	9	CX35-60C	ML193UH090XE36C	202908469
ML16XP1-042-230	41500	16.5	13	38500	25000	9.2	CX35-60C	ML193UH090XE48C	202908470
ML16XP1-042-230	41500	16.5	13	38500	25000	9.2	CX35-60C	ML193UH110XE48C	202908471
ML16XP1-042-230	42000	16.5	13	38500	25200	9.2	CX35-60C	ML193UH110XE60C	202908472
ML16XP1-042-230	41500	16.5	13	38500	25000	9.2	CX35-60C	ML196UH090XE48C	204498454
ML16XP1-042-230	42000	16.5	13	38500	25200	9.4	CX35-60C	ML196UH110XE60C	204498455
ML16XP1-042-230	41500	16	13	38500	25200	8.8	CX35-60C	ML296UH090XV48C	202908473
ML16XP1-042-230	42000	17	13	38500	25000	9.4	CX35-60C	SL280UH080NV60C	202908474
ML16XP1-042-230	42000	16.5	13	38500	25000	9.4	CX35-60C	SL280UH090V60C	202908475
ML16XP1-042-230	42000	16.5	13	38500	25000	9.4	CX35-60C	SL280UH090XV60C	202908476
ML16XP1-042-230	42000	17	13	38500	25000	9.4	CX35-60C	SL280UH100NV60C	202908477
ML16XP1-042-230	41500	16.5	13	38500	25000	9.2	CX35-60C	SL280UH110V60C	202908478
ML16XP1-042-230	41500	16.5	13	38500	25000	9.2	CX35-60C	SL280UH110XV60C	202908479
ML16XP1-042-230	42000	16.5	13	38500	25200	9.2	CX35-60C	SL297UH080NV60C	202908480
ML16XP1-042-230	41500	16.5	13	38500	25200	9.2	CX35-60C	SLP98UH090XV48C	202908481
ML16XP1-042-230	41500	16	13	38500	25200	9.2	CX35-60C	SLP98UH090XV60C	202908482
ML16XP1-042-230	41500	16.5	13	38500	25200	9.2	CX35-60C	SLP98UH110XV60C	202908483
ML16XP1-042-230	41500	16.5	13	38500	25200	9.2	CX35-60C	SLP99UH090XV48C	205545490
ML16XP1-042-230	41500	16	13	38500	25200	9.2	CX35-60C	SLP99UH090XV60C	205545491
ML16XP1-042-230	41500	16.5	13	38500	25200	9.2	CX35-60C	SLP99UH110XV60C	205545493
ML16XP1-042-230	40500	15.1	12.5	39000	25800	9	CX35-60C		202908069
ML16XP1-048-230	45500	15.5	12.5	43000	29800	9.6	C35-49C	EL180UH100NE60C	202908492
ML16XP1-048-230	45000	14.5	12.5	43500	30200	9.4	C35-49C	EL195UH080NE48C	202908493
ML16XP1-048-230	45000	15.1	12.5	43500	30000	9.4	C35-49C	EL195UH100NE60C	202908494
ML16XP1-048-230	45500	15.1	12.5	43500	30000	9.6	C35-49C	EL196UH090XE48C	202908495
ML16XP1-048-230	45500	15.5	12.5	43500	30000	9.6	C35-49C	EL196UH110XE60C	202908496
ML16XP1-048-230	45500	15.5	12.5	43500	30000	9.6	C35-49C	EL280UH110E48C	202908497
ML16XP1-048-230	45500	15.5	12.5	43500	29800	9.8	C35-49C	EL280UH110E60C	202908498
ML16XP1-048-230	45500	15.5	12.5	43500	29800	9.8	C35-49C	EL280UH110XE60C	203362238
ML16XP1-048-230	45000	15.1	12.5	43500	30000	9.6	C35-49C	EL296UH090XE48C	202908499
ML16XP1-048-230	45500	15.1	12.5	43500	30000	9.6	C35-49C	EL296UH090XV48C	202908500
ML16XP1-048-230	45500	15.1	12.5	43500	30000	9.6	C35-49C	EL296UH090XV60C	202908501
ML16XP1-048-230	45500	15.5	12.5	43500	30000	9.6	C35-49C	EL296UH110XE60C	202908502
ML16XP1-048-230	45500	15.1	12.5	43500	30000	9.6	C35-49C	EL296UH110XV48C	202908503
ML16XP1-048-230	45500	15.1	12.5	43500	30200	9.6	C35-49C	EL296UH110XV60C	202908504
ML16XP1-048-230	45500	15.5	12.5	43500	29800	9.6	C35-49C	ML180UH090E60C	202908505
ML16XP1-048-230	45000	15.5	12.5	43000	29800	9.6	C35-49C	ML180UH110E60C	202908506
ML16XP1-048-230	45500	15.5	12.5	43500	29800	9.6	C35-49C	ML180UH110V60C	204495801
ML16XP1-048-230	45500	15.1	12.5	43500	30000	9.6	C35-49C	ML193UH090XE48C	202908507
ML16XP1-048-230	45500	15.1	12.5	43500	30000	9.6	C35-49C	ML193UH110XE48C	202908508
ML16XP1-048-230	45000	15.5	12.5	43500	29800	9.6	C35-49C	ML193UH110XE60C	202908509
ML16XP1-048-230	45500	15.1	12.5	43500	30000	9.6	C35-49C	ML196UH090XE48C	204498456
ML16XP1-048-230	45500	15.5	12.5	43500	30000	9.6	C35-49C	ML196UH110XE60C	204498457
ML16XP1-048-230	45000	15.1	12.5	43500	29800	9.6	C35-49C	ML296UH090XV48C	202908510
ML16XP1-048-230	45500	15.1	12.5	43500	30200	9.6	C35-49C	ML296UH110XV60C	202908511
ML16XP1-048-230	45500	15.5	12.5	43500	29800	9.8	C35-49C	SL280UH080NV60C	202908512
ML16XP1-048-230	45500	15.5	12.5	43500	30000	9.6	C35-49C	SL280UH090V60C	202908513
ML16XP1-048-230	45500	15.5	12.5	43500	30000	9.6	C35-49C	SL280UH090XV60C	202908514
ML16XP1-048-230	46000	15.5	12.5	43500	29800	9.8	C35-49C	SL280UH100NV60C	202908515
ML16XP1-048-230	45500	15.5	12.5	43500	29800	9.6	C35-49C	SL280UH110V60C	202908516
ML16XP1-048-230	45500	15.5	12.5	43500	29800	9.6	C35-49C	SL280UH110XV60C	202908517
ML16XP1-048-230	45500	15.1	12.5	43500	30000	9.6	C35-49C	SL297UH080NV60C	202908518
ML16XP1-048-230	45500	15.1	12.5	43500	30000	9.6	C35-49C	SLP98UH090XV48C	202908519
ML16XP1-048-230	45500	15.1	12.5	43500	30000	9.6	C35-49C	SLP98UH090XV60C	202908520

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-048-230	45500	15.1	12.5	43500	30200	9.6	C35-49C	SLP98UH110XV60C	202908521
ML16XP1-048-230	45500	15.1	12.5	43500	30000	9.6	C35-49C	SLP99UH090XV48C	205545494
ML16XP1-048-230	45500	15.1	12.5	43500	30000	9.6	C35-49C	SLP99UH090XV60C	205545495
ML16XP1-048-230	45500	15.1	12.5	43500	30200	9.6	C35-49C	SLP99UH110XV60C	205545497
ML16XP1-048-230	44500	14.5	12	44000	30600	9.4	C35-49C		202908485
ML16XP1-048-230	47000	16	13	43500	29200	9.8	C35-60C	EL180UH100NE60C	202908522
ML16XP1-048-230	46500	15.1	12.5	44000	29600	9.6	C35-60C	EL195UH080NE48C	202908523
ML16XP1-048-230	46500	15.5	12.5	44000	29600	9.6	C35-60C	EL195UH100NE60C	202908524
ML16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	C35-60C	EL196UH090XE48C	202908525
ML16XP1-048-230	47000	15.5	12.5	44000	29400	9.8	C35-60C	EL196UH110XE60C	202908526
ML16XP1-048-230	47000	15.5	12.5	44000	29400	9.8	C35-60C	EL280UH110E48C	202908527
ML16XP1-048-230	47000	16	13	43500	29400	9.8	C35-60C	EL280UH110E60C	202908528
ML16XP1-048-230	47000	16	13	43500	29400	9.8	C35-60C	EL280UH110XE60C	203362239
ML16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	C35-60C	EL296UH090XE48C	202908529
ML16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	C35-60C	EL296UH090XV48C	202908530
ML16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	C35-60C	EL296UH090XV60C	202908531
ML16XP1-048-230	47000	15.5	12.5	43500	29400	9.8	C35-60C	EL296UH110XE60C	202908532
ML16XP1-048-230	47000	15.5	12.5	44000	29400	9.8	C35-60C	EL296UH110XV48C	202908533
ML16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	C35-60C	EL296UH110XV60C	202908534
ML16XP1-048-230	47000	16	13	43500	29400	9.8	C35-60C	ML180UH090E60C	202908535
ML16XP1-048-230	47500	15.5	12.5	44500	29800	9.8	C35-60C	ML180UH110E60C	202908536
ML16XP1-048-230	47000	16	13	43500	29200	9.8	C35-60C	ML180UH110V60C	204495802
ML16XP1-048-230	47000	15.5	12.5	43500	29400	9.8	C35-60C	ML193UH090XE48C	202908537
ML16XP1-048-230	47000	15.5	12.5	44000	29400	9.8	C35-60C	ML193UH110XE48C	202908538
ML16XP1-048-230	47000	15.5	12.5	43500	29400	9.8	C35-60C	ML193UH110XE60C	202908539
ML16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	C35-60C	ML196UH090XE48C	204498458
ML16XP1-048-230	47000	15.5	12.5	44000	29400	9.8	C35-60C	ML196UH110XE60C	204498459
ML16XP1-048-230	46000	15.5	12.5	44000	29600	9.8	C35-60C	ML296UH090XV48C	202908540
ML16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	C35-60C	ML296UH110XV60C	202908541
ML16XP1-048-230	47000	16	13	43500	29200	9.8	C35-60C	SL280UH080NV60C	202908542
ML16XP1-048-230	47000	15.5	12.5	44000	29400	9.8	C35-60C	SL280UH090V60C	202908543
ML16XP1-048-230	47000	15.5	12.5	44000	29400	9.8	C35-60C	SL280UH090XV60C	202908544
ML16XP1-048-230	47500	16	13	43500	29200	9.8	C35-60C	SL280UH100NV60C	202908545
ML16XP1-048-230	47000	16	13	43500	29400	9.8	C35-60C	SL280UH110V60C	202908546
ML16XP1-048-230	47000	16	13	43500	29400	9.8	C35-60C	SL280UH110XV60C	202908547
ML16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	C35-60C	SL297UH080NV48C	202908548
ML16XP1-048-230	47000	15.5	12.5	44000	29400	9.8	C35-60C	SL297UH080NV60C	202908549
ML16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	C35-60C	SLP98UH090XV48C	202908550
ML16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	C35-60C	SLP98UH090XV60C	202908551
ML16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	C35-60C	SLP98UH110XV60C	202908552
ML16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	C35-60C	SLP99UH090XV48C	205545499
ML16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	C35-60C	SLP99UH090XV60C	205545500
ML16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	C35-60C	SLP99UH110XV60C	205545502
ML16XP1-048-230	46000	14.5	12	44500	30000	9.6	C35-60C		202908860
ML16XP1-048-230	45500	14.5	12.5	43500	29200	9.5	CBA25UH-048-230		202908553
ML16XP1-048-230	45500	15.1	12.5	43000	29000	9.6	CBA25UHV-048-230		202908554
ML16XP1-048-230	46000	16	13	43000	28600	9.5	CBA27UHE-048-230		202908484
ML16XP1-048-230	45000	15.1	12.5	42500	27400	9.6	CBA27UHE-060-230		202908555
ML16XP1-048-230	46500	16	13	43500	29000	9.8	CBA38MV-048-230		202908858
ML16XP1-048-230	45500	15.5	12.5	42500	27200	9.6	CBA38MV-060-230		202908859
ML16XP1-048-230	45500	15.5	12.5	43000	28800	9.4	CH35-51C	EL180UH100NE60C	202908556
ML16XP1-048-230	45500	15.1	12.5	43000	29000	9.4	CH35-51C	EL195UH100NE60C	202908557
ML16XP1-048-230	45500	15.1	12.5	43500	29200	9.4	CH35-51C	EL196UH090XE48C	202908558
ML16XP1-048-230	45500	15.5	12.5	43000	29000	9.4	CH35-51C	EL196UH110XE60C	202908559
ML16XP1-048-230	45500	15.5	12.5	43000	29000	9.4	CH35-51C	EL280UH110E48C	202908560
ML16XP1-048-230	45500	15.5	12.5	43000	28800	9.4	CH35-51C	EL280UH110E60C	202908561

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-048-230	45500	15.5	12.5	43000	28800	9.4	CH35-51C	EL280UH110XE60C	203362240
ML16XP1-048-230	45500	15.1	12.5	43000	29000	9.4	CH35-51C	EL296UH090XE48C	202908562
ML16XP1-048-230	45500	15.1	12.5	43500	29200	9.4	CH35-51C	EL296UH090XV48C	202908563
ML16XP1-048-230	45500	15.1	12.5	43500	29200	9.4	CH35-51C	EL296UH090XV60C	202908564
ML16XP1-048-230	45500	15.1	12.5	43000	29000	9.4	CH35-51C	EL296UH110XE60C	202908565
ML16XP1-048-230	45500	15.1	12.5	43500	29000	9.4	CH35-51C	EL296UH110XV48C	202908566
ML16XP1-048-230	45500	15.1	12.5	43500	29200	9.4	CH35-51C	EL296UH110XV60C	202908567
ML16XP1-048-230	45500	15.5	12.5	43000	28800	9.4	CH35-51C	ML180UH090E60C	202908568
ML16XP1-048-230	46000	15.1	12.5	43500	29400	9.4	CH35-51C	ML180UH110E60C	202908569
ML16XP1-048-230	45500	15.5	12.5	43000	28800	9.4	CH35-51C	ML180UH110V60C	204495803
ML16XP1-048-230	45500	15.1	12.5	43000	29000	9.4	CH35-51C	ML193UH090XE48C	202908570
ML16XP1-048-230	45500	15.1	12.5	43000	29000	9.4	CH35-51C	ML193UH110XE48C	202908571
ML16XP1-048-230	45500	15.5	12.5	43000	28800	9.4	CH35-51C	ML193UH110XE60C	202908572
ML16XP1-048-230	45500	15.1	12.5	43500	29200	9.4	CH35-51C	ML196UH090XE48C	204498460
ML16XP1-048-230	45500	15.5	12.5	43000	29000	9.4	CH35-51C	ML196UH110XE60C	204498461
ML16XP1-048-230	45000	15.1	12.5	43500	29200	9.4	CH35-51C	ML296UH090XV48C	202908573
ML16XP1-048-230	46000	15.1	12.5	43500	29200	9.4	CH35-51C	ML296UH110XV60C	202908574
ML16XP1-048-230	46000	15.5	12.5	43000	28800	9.6	CH35-51C	SL280UH080NV60C	202908575
ML16XP1-048-230	46000	15.5	12.5	43500	29000	9.4	CH35-51C	SL280UH090V60C	202908576
ML16XP1-048-230	46000	15.5	12.5	43500	29000	9.4	CH35-51C	SL280UH090XV60C	202908577
ML16XP1-048-230	46000	15.5	12.5	43000	28800	9.6	CH35-51C	SL280UH100NV60C	202908578
ML16XP1-048-230	45500	15.5	12.5	43000	29000	9.4	CH35-51C	SL280UH110V60C	202908579
ML16XP1-048-230	45500	15.5	12.5	43000	29000	9.4	CH35-51C	SL280UH110XV60C	202908580
ML16XP1-048-230	45500	15.1	12.5	43500	29200	9.4	CH35-51C	SL297UH080NV48C	202908581
ML16XP1-048-230	45500	15.1	12.5	43500	29000	9.4	CH35-51C	SL297UH080NV60C	202908582
ML16XP1-048-230	45500	15.1	12.5	43500	29200	9.4	CH35-51C	SLP98UH090XV48C	202908583
ML16XP1-048-230	45500	15.1	12.5	43500	29200	9.4	CH35-51C	SLP98UH090XV60C	202908584
ML16XP1-048-230	45500	15.1	12.5	43500	29200	9.4	CH35-51C	SLP98UH110XV60C	202908585
ML16XP1-048-230	45500	15.1	12.5	43500	29200	9.4	CH35-51C	SLP99UH090XV48C	205545504
ML16XP1-048-230	45500	15.1	12.5	43500	29200	9.4	CH35-51C	SLP99UH090XV60C	205545505
ML16XP1-048-230	45500	15.1	12.5	43500	29200	9.4	CH35-51C	SLP99UH110XV60C	205545507
ML16XP1-048-230	45000	14.5	12	44000	29600	9.4	CH35-51C		202908486
ML16XP1-048-230	46000	15.1	12.5	43500	29000	9.2	CH35-60D	EL296UH135XE60D	202908586
ML16XP1-048-230	46000	15.5	12.5	43000	28400	9.2	CH35-60D	EL296UH135XV60D	202908587
ML16XP1-048-230	46500	15.5	12.5	43500	28600	9.4	CH35-60D	ML180UH135E60D	202908588
ML16XP1-048-230	46500	15.5	12.5	43500	28800	9.2	CH35-60D	SL280UH135V60D	202908589
ML16XP1-048-230	46500	15.5	12.5	43500	28800	9.2	CH35-60D	SLP98UH135XV60D	202908590
ML16XP1-048-230	46500	15.5	12.5	43500	28800	9.2	CH35-60D	SLP99UH135XV60D	205545508
ML16XP1-048-230	45500	15.5	12.5	43000	28800	9.4	CHX35-51/61C	EL180UH100NE60C	202908591
ML16XP1-048-230	45500	15.1	12.5	43000	29000	9.4	CHX35-51/61C	EL195UH100NE60C	202908592
ML16XP1-048-230	45500	15.1	12.5	43500	29200	9.4	CHX35-51/61C	EL196UH090XE48C	202908593
ML16XP1-048-230	45500	15.5	12.5	43000	29000	9.4	CHX35-51/61C	EL196UH110XE60C	202908594
ML16XP1-048-230	45500	15.5	12.5	43000	29000	9.4	CHX35-51/61C	EL280UH110E48C	202908595
ML16XP1-048-230	45500	15.5	12.5	43000	28800	9.4	CHX35-51/61C	EL280UH110E60C	202908596
ML16XP1-048-230	45500	15.5	12.5	43000	28800	9.4	CHX35-51/61C	EL280UH110XE60C	203362241
ML16XP1-048-230	45500	15.1	12.5	43000	29000	9.4	CHX35-51/61C	EL296UH090XE48C	202908597
ML16XP1-048-230	45500	15.1	12.5	43500	29200	9.4	CHX35-51/61C	EL296UH090XV48C	202908598
ML16XP1-048-230	45500	15.1	12.5	43500	29200	9.4	CHX35-51/61C	EL296UH090XV60C	202908599
ML16XP1-048-230	45500	15.1	12.5	43000	29000	9.4	CHX35-51/61C	EL296UH110XE60C	202908600
ML16XP1-048-230	45500	15.1	12.5	43500	29000	9.4	CHX35-51/61C	EL296UH110XV48C	202908601
ML16XP1-048-230	45500	15.1	12.5	43500	29200	9.4	CHX35-51/61C	EL296UH110XV60C	202908602
ML16XP1-048-230	45500	15.5	12.5	43000	28800	9.4	CHX35-51/61C	ML180UH090E60C	202908603
ML16XP1-048-230	46000	15.1	12.5	43500	29400	9.4	CHX35-51/61C	ML180UH110E60C	202908604
ML16XP1-048-230	45500	15.5	12.5	43000	28800	9.4	CHX35-51/61C	ML180UH110V60C	204495804
ML16XP1-048-230	45500	15.1	12.5	43000	29000	9.4	CHX35-51/61C	ML193UH090XE48C	202908605
ML16XP1-048-230	45500	15.1	12.5	43000	29000	9.4	CHX35-51/61C	ML193UH110XE48C	202908606

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-048-230	45500	15.5	12.5	43000	28800	9.4	CHX35-51/61C	ML193UH110XE60C	202908607
ML16XP1-048-230	45500	15.1	12.5	43500	29200	9.4	CHX35-51/61C	ML196UH090XE48C	204498462
ML16XP1-048-230	45500	15.5	12.5	43000	29000	9.4	CHX35-51/61C	ML196UH110XE60C	204498463
ML16XP1-048-230	45000	15.1	12.5	43500	29200	9.4	CHX35-51/61C	ML296UH090XV48C	202908608
ML16XP1-048-230	46000	15.1	12.5	43500	29200	9.4	CHX35-51/61C	ML296UH110XV60C	202908609
ML16XP1-048-230	46000	15.5	12.5	43000	28800	9.6	CHX35-51/61C	SL280UH080NV60C	202908610
ML16XP1-048-230	46000	15.5	12.5	43500	29000	9.4	CHX35-51/61C	SL280UH090V60C	202908611
ML16XP1-048-230	46000	15.5	12.5	43500	29000	9.4	CHX35-51/61C	SL280UH090XV60C	202908612
ML16XP1-048-230	46000	15.5	12.5	43000	28800	9.6	CHX35-51/61C	SL280UH100NV60C	202908613
ML16XP1-048-230	45500	15.5	12.5	43000	29000	9.4	CHX35-51/61C	SL280UH110V60C	202908614
ML16XP1-048-230	45500	15.5	12.5	43000	29000	9.4	CHX35-51/61C	SL280UH110XV60C	202908615
ML16XP1-048-230	45500	15.1	12.5	43500	29200	9.4	CHX35-51/61C	SL297UH080NV48C	202908616
ML16XP1-048-230	45500	15.1	12.5	43500	29000	9.4	CHX35-51/61C	SL297UH080NV60C	202908617
ML16XP1-048-230	45500	15.1	12.5	43500	29200	9.4	CHX35-51/61C	SLP98UH090XV48C	202908618
ML16XP1-048-230	45500	15.1	12.5	43500	29200	9.4	CHX35-51/61C	SLP98UH090XV60C	202908619
ML16XP1-048-230	45500	15.1	12.5	43500	29200	9.4	CHX35-51/61C	SLP98UH110XV60C	202908620
ML16XP1-048-230	45500	15.1	12.5	43500	29200	9.4	CHX35-51/61C	SLP99UH090XV48C	205545510
ML16XP1-048-230	45500	15.1	12.5	43500	29200	9.4	CHX35-51/61C	SLP99UH090XV60C	205545512
ML16XP1-048-230	45500	15.1	12.5	43500	29200	9.4	CHX35-51/61C	SLP99UH110XV60C	205545513
ML16XP1-048-230	45000	14.5	12	44000	29600	9.4	CHX35-51/61C		202908487
ML16XP1-048-230	46000	15.1	12.5	43500	29000	9.2	CHX35-60D	EL296UH135XE60D	202908621
ML16XP1-048-230	46000	15.5	12.5	43000	28400	9.2	CHX35-60D	EL296UH135XV60D	202908622
ML16XP1-048-230	46500	15.5	12.5	43500	28600	9.4	CHX35-60D	ML180UH135E60D	202908623
ML16XP1-048-230	46500	15.5	12.5	43500	28800	9.2	CHX35-60D	SL280UH135V60D	202908624
ML16XP1-048-230	46500	15.5	12.5	43500	28800	9.2	CHX35-60D	SLP98UH135XV60D	202908625
ML16XP1-048-230	46500	15.5	12.5	43500	28800	9.2	CHX35-60D	SLP99UH135XV60D	205545515
ML16XP1-048-230	45000	15.1	12.5	43500	29400	9.8	CR33-50/60	EL296DF090XE48C	202908626
ML16XP1-048-230	45000	14.5	12	43500	29600	9.8	CR33-50/60	EL296DF090XV60C	202908627
ML16XP1-048-230	45000	15.5	12.5	43500	29200	9.8	CR33-50/60	EL296DF110XE60C	202908628
ML16XP1-048-230	45000	15.1	12.5	43500	29400	9.8	CR33-50/60	EL296DF110XV60C	202908629
ML16XP1-048-230	45500	15.5	12.5	43500	29200	9.8	CR33-50/60	ML180DF110E60C	202908630
ML16XP1-048-230	45000	15.1	12.5	43500	29400	9.8	CR33-50/60	ML193DF090XE48C	202908631
ML16XP1-048-230	45000	15	12.5	43500	29400	9.5	CR33-50/60	ML196DF090XE48C	205706967
ML16XP1-048-230	45000	14.5	12	43500	29400	9.8	CR33-50/60	ML296DF090XV60C	202908632
ML16XP1-048-230	45500	15.5	12.5	43500	29400	9.8	CR33-50/60	SL280DF090V60C	202908633
ML16XP1-048-230	45500	15.5	12.5	43500	29200	9.8	CR33-50/60	SL280DF110V60C	202908634
ML16XP1-048-230	45000	14.5	12	44000	29600	9.8	CR33-50/60	SLP98DF090XV48C	202908635
ML16XP1-048-230	45000	14.5	12	43500	29600	9.8	CR33-50/60	SLP98DF090XV60C	202908636
ML16XP1-048-230	45000	15.1	12.5	43500	29400	9.8	CR33-50/60	SLP98DF110XV60C	202908637
ML16XP1-048-230	45000	14.5	12	44000	29600	9.8	CR33-50/60	SLP99DF090XV48C	205545517
ML16XP1-048-230	45000	14.5	12	43500	29600	9.8	CR33-50/60	SLP99DF090XV60C	205545518
ML16XP1-048-230	45000	15.1	12.5	43500	29400	9.8	CR33-50/60	SLP99DF110XV60C	205545520
ML16XP1-048-230	44500	14.25	12	44000	30000	9.8	CR33-50/60		202908488
ML16XP1-048-230	45500	15.5	12.5	44500	29800	9.8	CR33-60	EL296DF110XE60C	202908638
ML16XP1-048-230	45500	14.5	12.5	45000	30200	9.8	CR33-60	EL296DF110XV60C	202908639
ML16XP1-048-230	45500	15.5	12.5	44500	29800	9.8	CR33-60	ML180DF110E60C	202908640
ML16XP1-048-230	46000	15.5	12.5	44500	29800	9.8	CR33-60	SL280DF110V60C	202908641
ML16XP1-048-230	45500	15.1	12.5	44500	30000	9.8	CR33-60	SLP98DF110XV60C	202908642
ML16XP1-048-230	45500	15.1	12.5	44500	30000	9.8	CR33-60	SLP99DF110XV60C	205545522
ML16XP1-048-230	45000	14.5	12	45000	30400	9.6	CR33-60		202908489
ML16XP1-048-230	45500	15.5	12.5	43000	29800	9.6	CX35-49C	EL180UH100NE60C	202908643
ML16XP1-048-230	45000	14.5	12.5	43500	30200	9.4	CX35-49C	EL195UH080NE48C	202908644
ML16XP1-048-230	45000	15.1	12.5	43500	30000	9.4	CX35-49C	EL195UH100NE60C	202908645
ML16XP1-048-230	45500	15.1	12.5	43500	30000	9.6	CX35-49C	EL196UH090XE48C	202908646
ML16XP1-048-230	45500	15.5	12.5	43500	30000	9.6	CX35-49C	EL196UH110XE60C	202908647
ML16XP1-048-230	45500	15.5	12.5	43500	30000	9.6	CX35-49C	EL280UH110E48C	202908648

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-048-230	45500	15.5	12.5	43500	29800	9.8	CX35-49C	EL280UH110E60C	202908649
ML16XP1-048-230	45500	15.5	12.5	43500	29800	9.8	CX35-49C	EL280UH110XE60C	203362242
ML16XP1-048-230	45000	15.1	12.5	43500	30000	9.6	CX35-49C	EL296UH090XE48C	202908650
ML16XP1-048-230	45500	15.1	12.5	43500	30000	9.6	CX35-49C	EL296UH090XV48C	202908651
ML16XP1-048-230	45500	15.1	12.5	43500	30000	9.6	CX35-49C	EL296UH090XV60C	202908652
ML16XP1-048-230	45500	15.5	12.5	43500	30000	9.6	CX35-49C	EL296UH110XE60C	202908653
ML16XP1-048-230	45500	15.1	12.5	43500	30000	9.6	CX35-49C	EL296UH110XV48C	202908654
ML16XP1-048-230	45500	15.1	12.5	43500	30200	9.6	CX35-49C	EL296UH110XV60C	202908655
ML16XP1-048-230	45500	15.5	12.5	43500	29800	9.6	CX35-49C	ML180UH090E60C	202908656
ML16XP1-048-230	45000	15.5	12.5	43000	29800	9.6	CX35-49C	ML180UH110E60C	202908657
ML16XP1-048-230	45500	15.5	12.5	43500	29800	9.6	CX35-49C	ML180UH110V60C	204495805
ML16XP1-048-230	45500	15.1	12.5	43500	30000	9.6	CX35-49C	ML193UH090XE48C	202908658
ML16XP1-048-230	45500	15.1	12.5	43500	30000	9.6	CX35-49C	ML193UH110XE48C	202908659
ML16XP1-048-230	45000	15.5	12.5	43500	29800	9.6	CX35-49C	ML193UH110XE60C	202908660
ML16XP1-048-230	45500	15.1	12.5	43500	30000	9.6	CX35-49C	ML196UH090XE48C	204498464
ML16XP1-048-230	45500	15.5	12.5	43500	30000	9.6	CX35-49C	ML196UH110XE60C	204498465
ML16XP1-048-230	45000	15.1	12.5	43500	29800	9.6	CX35-49C	ML296UH090XV48C	202908661
ML16XP1-048-230	45500	15.1	12.5	43500	30200	9.6	CX35-49C	ML296UH110XV60C	202908662
ML16XP1-048-230	45500	15.5	12.5	43500	29800	9.8	CX35-49C	SL280UH080NV60C	202908663
ML16XP1-048-230	45500	15.5	12.5	43500	30000	9.6	CX35-49C	SL280UH090V60C	202908664
ML16XP1-048-230	45500	15.5	12.5	43500	30000	9.6	CX35-49C	SL280UH090XV60C	202908665
ML16XP1-048-230	46000	15.5	12.5	43500	29800	9.8	CX35-49C	SL280UH100NV60C	202908666
ML16XP1-048-230	45500	15.5	12.5	43500	29800	9.6	CX35-49C	SL280UH110V60C	202908667
ML16XP1-048-230	45500	15.5	12.5	43500	29800	9.6	CX35-49C	SL280UH110XV60C	202908668
ML16XP1-048-230	45500	15.1	12.5	43500	30000	9.6	CX35-49C	SL297UH080NV60C	202908669
ML16XP1-048-230	45500	15.1	12.5	43500	30000	9.6	CX35-49C	SLP98UH090XV48C	202908670
ML16XP1-048-230	45500	15.1	12.5	43500	30000	9.6	CX35-49C	SLP98UH090XV60C	202908671
ML16XP1-048-230	45500	15.1	12.5	43500	30200	9.6	CX35-49C	SLP98UH110XV60C	202908672
ML16XP1-048-230	45500	15.1	12.5	43500	30000	9.6	CX35-49C	SLP99UH090XV48C	205545524
ML16XP1-048-230	45500	15.1	12.5	43500	30000	9.6	CX35-49C	SLP99UH090XV60C	205545526
ML16XP1-048-230	45500	15.1	12.5	43500	30200	9.6	CX35-49C	SLP99UH110XV60C	205545528
ML16XP1-048-230	44500	14.5	12	44000	30600	9.4	CX35-49C		202908490
ML16XP1-048-230	47000	16	13	43500	29200	9.8	CX35-60C	EL180UH100NE60C	202908673
ML16XP1-048-230	46500	15.1	12.5	44000	29600	9.6	CX35-60C	EL195UH080NE48C	202908674
ML16XP1-048-230	46500	15.5	12.5	44000	29600	9.6	CX35-60C	EL195UH100NE60C	202908675
ML16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	CX35-60C	EL196UH090XE48C	202908676
ML16XP1-048-230	47000	15.5	12.5	44000	29400	9.8	CX35-60C	EL196UH110XE60C	202908677
ML16XP1-048-230	47000	15.5	12.5	44000	29400	9.8	CX35-60C	EL280UH110E48C	202908678
ML16XP1-048-230	47000	16	13	43500	29400	9.8	CX35-60C	EL280UH110E60C	202908679
ML16XP1-048-230	47000	16	13	43500	29400	9.8	CX35-60C	EL280UH110XE60C	203362243
ML16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	CX35-60C	EL296UH090XE48C	202908680
ML16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	CX35-60C	EL296UH090XV48C	202908681
ML16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	CX35-60C	EL296UH090XV60C	202908682
ML16XP1-048-230	47000	15.5	12.5	43500	29400	9.8	CX35-60C	EL296UH110XE60C	202908683
ML16XP1-048-230	47000	15.5	12.5	44000	29400	9.8	CX35-60C	EL296UH110XV48C	202908684
ML16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	CX35-60C	EL296UH110XV60C	202908685
ML16XP1-048-230	47000	16	13	43500	29400	9.8	CX35-60C	ML180UH090E60C	202908686
ML16XP1-048-230	47500	15.5	12.5	44500	29800	9.8	CX35-60C	ML180UH110E60C	202908687
ML16XP1-048-230	47000	16	13	43500	29200	9.8	CX35-60C	ML180UH110V60C	204495806
ML16XP1-048-230	47000	15.5	12.5	43500	29400	9.8	CX35-60C	ML193UH090XE48C	202908688
ML16XP1-048-230	47000	15.5	12.5	44000	29400	9.8	CX35-60C	ML193UH110XE48C	202908689
ML16XP1-048-230	47000	15.5	12.5	43500	29400	9.8	CX35-60C	ML193UH110XE60C	202908690
ML16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	CX35-60C	ML196UH090XE48C	204498466
ML16XP1-048-230	47000	15.5	12.5	44000	29400	9.8	CX35-60C	ML196UH110XE60C	204498467
ML16XP1-048-230	46000	15.5	12.5	44000	29600	9.8	CX35-60C	ML296UH090XV48C	202908691
ML16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	CX35-60C	ML296UH110XV60C	202908692

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-048-230	47000	16	13	43500	29200	9.8	CX35-60C	SL280UH080NV60C	202908693
ML16XP1-048-230	47000	15.5	12.5	44000	29400	9.8	CX35-60C	SL280UH090V60C	202908694
ML16XP1-048-230	47000	15.5	12.5	44000	29400	9.8	CX35-60C	SL280UH090XV60C	202908695
ML16XP1-048-230	47500	16	13	43500	29200	9.8	CX35-60C	SL280UH100NV60C	202908696
ML16XP1-048-230	47000	16	13	43500	29400	9.8	CX35-60C	SL280UH110V60C	202908697
ML16XP1-048-230	47000	16	13	43500	29400	9.8	CX35-60C	SL280UH110XV60C	202908698
ML16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	CX35-60C	SL297UH080NV48C	202908699
ML16XP1-048-230	47000	15.5	12.5	44000	29400	9.8	CX35-60C	SL297UH080NV60C	202908700
ML16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	CX35-60C	SLP98UH090XV48C	202908701
ML16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	CX35-60C	SLP98UH090XV60C	202908702
ML16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	CX35-60C	SLP98UH110XV60C	202908703
ML16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	CX35-60C	SLP99UH090XV48C	205545530
ML16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	CX35-60C	SLP99UH090XV60C	205545532
ML16XP1-048-230	47000	15.5	12.5	44000	29600	9.8	CX35-60C	SLP99UH110XV60C	205545533
ML16XP1-048-230	46000	14.5	12	44500	30000	9.6	CX35-60C		202908491
ML16XP1-060-230	57500	15	12.2	55000	37800	9	C35-49C	EL180UH100NE60C	202908707
ML16XP1-060-230	57000	14.5	12	55000	38000	8.5	C35-49C	EL195UH100NE60C	202908708
ML16XP1-060-230	56500	15	12.2	54000	37400	9	C35-49C	EL196UH110XE60C	202908709
ML16XP1-060-230	57500	15	12.2	54500	37800	9	C35-49C	EL280UH110E60C	202908710
ML16XP1-060-230	57500	15	12.2	54500	37800	9	C35-49C	EL280UH110XE60C	203362244
ML16XP1-060-230	56500	14.5	12	54500	37600	8.5	C35-49C	EL296UH090XV60C	202908711
ML16XP1-060-230	57500	14.5	12.2	55000	38000	9	C35-49C	EL296UH110XE60C	202908712
ML16XP1-060-230	57000	14.5	12.2	54500	37600	9	C35-49C	EL296UH110XV60C	202908713
ML16XP1-060-230	57500	14.5	12.2	55000	37800	9	C35-49C	ML180UH090E60C	202908714
ML16XP1-060-230	57500	14.5	12.2	55000	37800	9	C35-49C	ML180UH110E60C	202908715
ML16XP1-060-230	57500	14.5	12.2	54500	37800	9	C35-49C	ML180UH110V60C	204495807
ML16XP1-060-230	56500	15	12.2	54000	37400	9	C35-49C	ML196UH110XE60C	204498468
ML16XP1-060-230	57500	14.5	12	55000	38000	9	C35-49C	ML296UH110XV60C	202908716
ML16XP1-060-230	57000	15	12.5	54000	37200	9	C35-49C	SL280UH080NV60C	202908717
ML16XP1-060-230	57000	15	12.2	54000	37400	9	C35-49C	SL280UH090V60C	202908718
ML16XP1-060-230	57000	15	12.2	54000	37400	9	C35-49C	SL280UH090XV60C	202908719
ML16XP1-060-230	57000	15	12.5	54000	37200	9	C35-49C	SL280UH100NV60C	202908720
ML16XP1-060-230	57500	14.5	12.2	54500	37800	9	C35-49C	SL280UH110V60C	202908721
ML16XP1-060-230	57500	14.5	12.2	54500	37800	9	C35-49C	SL280UH110XV60C	202908722
ML16XP1-060-230	57000	14.5	12.2	54500	37800	9	C35-49C	SL297UH080NV60C	202908723
ML16XP1-060-230	56500	14.5	12	54500	37600	8.5	C35-49C	SLP98UH090XV60C	202908724
ML16XP1-060-230	57000	14.5	12.2	54500	37600	9	C35-49C	SLP98UH110XV60C	202908725
ML16XP1-060-230	56500	14.5	12	54500	37600	8.5	C35-49C	SLP99UH090XV60C	205545535
ML16XP1-060-230	57000	14.5	12.2	54500	37600	9	C35-49C	SLP99UH110XV60C	205545538
ML16XP1-060-230	58000	15	12.2	54500	37400	9.6	C35-60C	EL180UH100NE60C	202908726
ML16XP1-060-230	57500	14.5	12	54500	37600	9.4	C35-60C	EL195UH100NE60C	202908727
ML16XP1-060-230	58000	15	12.2	54500	37400	9.6	C35-60C	EL196UH110XE60C	202908728
ML16XP1-060-230	57500	14.5	12.2	54000	37400	9.4	C35-60C	EL296UH090XV60C	202908729
ML16XP1-060-230	58000	15	12.2	54500	37400	9.6	C35-60C	EL296UH110XE60C	202908730
ML16XP1-060-230	58000	15	12.2	54500	37600	9.6	C35-60C	EL296UH110XV60C	202908731
ML16XP1-060-230	58000	15	12.2	54500	37400	9.6	C35-60C	ML180UH090E60C	202908732
ML16XP1-060-230	58000	15	12.2	54500	37400	9.6	C35-60C	ML180UH110E60C	202908733
ML16XP1-060-230	58000	15	12.2	54500	37200	9.6	C35-60C	ML180UH110V60C	204495808
ML16XP1-060-230	58000	15	12.2	54500	37400	9.6	C35-60C	ML196UH110XE60C	204498469
ML16XP1-060-230	58500	15.5	12.5	54000	37200	9.8	C35-60C	SL280UH080NV60C	202908734
ML16XP1-060-230	58000	15	12.2	54500	37400	9.6	C35-60C	SL280UH090V60C	202908735
ML16XP1-060-230	58000	15	12.2	54500	37400	9.6	C35-60C	SL280UH090XV60C	202908736
ML16XP1-060-230	58500	15	12.5	54500	37400	9.8	C35-60C	SL280UH100NV60C	202908737
ML16XP1-060-230	58000	15	12.2	54500	37400	9.6	C35-60C	SL280UH110V60C	202908738
ML16XP1-060-230	58000	15	12.2	54500	37400	9.6	C35-60C	SL280UH110XV60C	202908739
ML16XP1-060-230	58000	15	12.2	54000	37400	9.6	C35-60C	SL297UH080NV60C	202908740

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-060-230	57500	14.5	12.2	54000	37400	9.4	C35-60C	SLP98UH090XV60C	202908741
ML16XP1-060-230	58000	15	12.2	54500	37600	9.6	C35-60C	SLP98UH110XV60C	202908742
ML16XP1-060-230	57500	14.5	12.2	54000	37400	9.4	C35-60C	SLP99UH090XV60C	205545540
ML16XP1-060-230	58000	15	12.2	54500	37600	9.6	C35-60C	SLP99UH110XV60C	205545542
ML16XP1-060-230	57000	14.5	12	54500	37800	9.6	C35-60C		202908705
ML16XP1-060-230	57000	14.5	12.2	54500	37200	9	C35-60D	EL180UH135E60D	202908743
ML16XP1-060-230	56500	14.5	12	54500	37400	9	C35-60D	EL296UH135XE60D	202908744
ML16XP1-060-230	57000	14.5	12.2	54500	37400	9	C35-60D	EL296UH135XV60D	202908745
ML16XP1-060-230	57000	14.5	12.2	54500	37200	9	C35-60D	ML180UH135E60D	202908746
ML16XP1-060-230	57500	15	12.5	54500	37400	9.2	C35-60D	SL280UH135V60D	202908747
ML16XP1-060-230	56500	14.5	12.2	54500	37200	9	C35-60D	SLP98UH135XV60D	202908748
ML16XP1-060-230	56500	14.5	12.2	54500	37200	9	C35-60D	SLP99UH135XV60D	205545543
ML16XP1-060-230	56000	14.5	12	54000	36200	9.5	CBA25UH-060-230		202908749
ML16XP1-060-230	55000	14.5	12	52500	35600	9	CBA25UHV-060-230		202908750
ML16XP1-060-230	56000	15	12.5	53000	35200	9.5	CBA27UHE-060-230		202908704
ML16XP1-060-230	56500	15	12.5	53000	35200	9.5	CBA38MV-060-230		202908751
ML16XP1-060-230	56500	14.5	12	54500	35600	8.5	CH35-51C	EL180UH100NE60C	202908752
ML16XP1-060-230	56000	14	11.7	54500	35800	8.5	CH35-51C	EL195UH100NE60C	202908753
ML16XP1-060-230	56500	14.5	12	54500	35800	8.5	CH35-51C	EL196UH110XE60C	202908754
ML16XP1-060-230	56500	14.5	12	54000	35600	8.5	CH35-51C	EL280UH110E60C	202908755
ML16XP1-060-230	56500	14.5	12	54000	35600	8.5	CH35-51C	EL280UH110XE60C	203362245
ML16XP1-060-230	56000	14.5	12	54000	35400	8.5	CH35-51C	EL296UH090XV60C	202908756
ML16XP1-060-230	56500	14.5	12	54500	35800	8.5	CH35-51C	EL296UH110XE60C	202908757
ML16XP1-060-230	56000	14.5	12	54000	35400	8.5	CH35-51C	EL296UH110XV60C	202908758
ML16XP1-060-230	56500	14.5	12	54500	35600	8.5	CH35-51C	ML180UH090E60C	202908759
ML16XP1-060-230	56500	14.5	12	54500	35600	8.5	CH35-51C	ML180UH110E60C	202908760
ML16XP1-060-230	56000	14.5	12	54000	35200	8.5	CH35-51C	ML180UH110V60C	204495809
ML16XP1-060-230	56500	14.5	12	54000	35600	8.5	CH35-51C	ML193UH110XE60C	202908761
ML16XP1-060-230	56500	14.5	12	54500	35800	8.5	CH35-51C	ML196UH110XE60C	204498470
ML16XP1-060-230	56500	14	12	54500	36000	8.5	CH35-51C	ML296UH110XV60C	202908762
ML16XP1-060-230	56000	15	12.2	53500	35200	8.5	CH35-51C	SL280UH080NV60C	202908763
ML16XP1-060-230	56000	14.5	12.2	54000	35200	8.5	CH35-51C	SL280UH090V60C	202908764
ML16XP1-060-230	56000	14.5	12.2	54000	35200	8.5	CH35-51C	SL280UH090XV60C	202908765
ML16XP1-060-230	56500	15	12.2	54000	35200	8.5	CH35-51C	SL280UH100NV60C	202908766
ML16XP1-060-230	56000	14.5	12.2	54000	35200	8.5	CH35-51C	SL280UH110V60C	202908767
ML16XP1-060-230	56000	14.5	12.2	54000	35200	8.5	CH35-51C	SL280UH110XV60C	202908768
ML16XP1-060-230	56500	14.5	12	54500	35600	8.5	CH35-51C	SL297UH080NV60C	202908769
ML16XP1-060-230	56000	14.5	12	54000	35400	8.5	CH35-51C	SLP98UH090XV60C	202908770
ML16XP1-060-230	56000	14.5	12	54000	35400	8.5	CH35-51C	SLP98UH110XV60C	202908771
ML16XP1-060-230	56000	14.5	12	54000	35400	8.5	CH35-51C	SLP99UH090XV60C	205545546
ML16XP1-060-230	56000	14.5	12	54000	35400	8.5	CH35-51C	SLP99UH110XV60C	205545547
ML16XP1-060-230	56500	15	12.2	52500	35600	8.5	CH35-60D	EL180UH135E60D	202908772
ML16XP1-060-230	56500	14.5	12.2	53000	35800	8.5	CH35-60D	EL296UH135XE60D	202908773
ML16XP1-060-230	57000	14.5	12.2	53000	35800	8.5	CH35-60D	EL296UH135XV60D	202908774
ML16XP1-060-230	56500	15	12.2	52500	35600	8.5	CH35-60D	ML180UH135E60D	202908775
ML16XP1-060-230	56500	15	12.2	52500	35600	8.5	CH35-60D	SL280UH135V60D	202908776
ML16XP1-060-230	57000	15	12.2	53000	35800	8.5	CH35-60D	SLP98UH135XV60D	202908777
ML16XP1-060-230	57000	15	12.2	53000	35800	8.5	CH35-60D	SLP99UH135XV60D	205545548
ML16XP1-060-230	56500	14.5	12	54500	35600	8.5	CHX35-51/61C	EL180UH100NE60C	202908778
ML16XP1-060-230	56000	14	11.7	54500	35800	8.5	CHX35-51/61C	EL195UH100NE60C	202908779
ML16XP1-060-230	56500	14.5	12	54500	35800	8.5	CHX35-51/61C	EL196UH110XE60C	202908780
ML16XP1-060-230	56500	14.5	12	54000	35600	8.5	CHX35-51/61C	EL280UH110E60C	202908781
ML16XP1-060-230	56500	14.5	12	54000	35600	8.5	CHX35-51/61C	EL280UH110XE60C	203362246
ML16XP1-060-230	56000	14.5	12	54000	35400	8.5	CHX35-51/61C	EL296UH090XV60C	202908782
ML16XP1-060-230	56500	14.5	12	54500	35800	8.5	CHX35-51/61C	EL296UH110XE60C	202908783
ML16XP1-060-230	56000	14.5	12	54000	35400	8.5	CHX35-51/61C	EL296UH110XV60C	202908784

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-060-230	56500	14.5	12	54500	35600	8.5	CHX35-51/61C	ML180UH090E60C	202908785
ML16XP1-060-230	56500	14.5	12	54500	35600	8.5	CHX35-51/61C	ML180UH110E60C	202908786
ML16XP1-060-230	56000	14.5	12	54000	35200	8.5	CHX35-51/61C	ML180UH110V60C	204495810
ML16XP1-060-230	56500	14.5	12	54000	35600	8.5	CHX35-51/61C	ML193UH110XE60C	202908787
ML16XP1-060-230	56500	14.5	12	54500	35800	8.5	CHX35-51/61C	ML196UH110XE60C	204498471
ML16XP1-060-230	56500	14	12	54500	36000	8.5	CHX35-51/61C	ML296UH110XV60C	202908788
ML16XP1-060-230	56000	15	12.2	53500	35200	8.5	CHX35-51/61C	SL280UH080NV60C	202908789
ML16XP1-060-230	56000	14.5	12.2	54000	35200	8.5	CHX35-51/61C	SL280UH090V60C	202908790
ML16XP1-060-230	56000	14.5	12.2	54000	35200	8.5	CHX35-51/61C	SL280UH090XV60C	202908791
ML16XP1-060-230	56500	15	12.2	54000	35200	8.5	CHX35-51/61C	SL280UH100NV60C	202908792
ML16XP1-060-230	56000	14.5	12.2	54000	35200	8.5	CHX35-51/61C	SL280UH110V60C	202908793
ML16XP1-060-230	56000	14.5	12.2	54000	35200	8.5	CHX35-51/61C	SL280UH110XV60C	202908794
ML16XP1-060-230	56500	14.5	12	54500	35600	8.5	CHX35-51/61C	SL297UH080NV60C	202908795
ML16XP1-060-230	56000	14.5	12	54000	35400	8.5	CHX35-51/61C	SLP98UH090XV60C	202908796
ML16XP1-060-230	56000	14.5	12	54000	35400	8.5	CHX35-51/61C	SLP98UH110XV60C	202908797
ML16XP1-060-230	56000	14.5	12	54000	35400	8.5	CHX35-51/61C	SLP99UH090XV60C	205545549
ML16XP1-060-230	56000	14.5	12	54000	35400	8.5	CHX35-51/61C	SLP99UH110XV60C	205545551
ML16XP1-060-230	56500	15	12.2	52500	35600	8.5	CHX35-60D	EL180UH135E60D	202908798
ML16XP1-060-230	56500	14.5	12.2	53000	35800	8.5	CHX35-60D	EL296UH135XE60D	202908799
ML16XP1-060-230	57000	14.5	12.2	53000	35800	8.5	CHX35-60D	EL296UH135XV60D	202908800
ML16XP1-060-230	56500	15	12.2	52500	35600	8.5	CHX35-60D	ML180UH135E60D	202908801
ML16XP1-060-230	56500	15	12.2	52500	35600	8.5	CHX35-60D	SL280UH135V60D	202908802
ML16XP1-060-230	57000	15	12.2	53000	35800	8.5	CHX35-60D	SLP98UH135XV60D	202908803
ML16XP1-060-230	57000	15	12.2	53000	35800	8.5	CHX35-60D	SLP99UH135XV60D	205545552
ML16XP1-060-230	55500	14	12	55500	35600	9	CR33-50/60	EL296DF090XV60C	202908804
ML16XP1-060-230	56000	14.5	12	56000	35800	9.2	CR33-50/60	EL296DF110XE60C	202908805
ML16XP1-060-230	55500	14	11.7	56000	35800	9	CR33-50/60	EL296DF110XV60C	202908806
ML16XP1-060-230	56500	14.5	12.2	56000	35800	9.4	CR33-50/60	ML180DF110E60C	202908807
ML16XP1-060-230	56500	14.5	12	56000	35800	9.2	CR33-50/60	SL280DF090V60C	202908808
ML16XP1-060-230	56500	14.5	12.2	56000	35600	9.2	CR33-50/60	SL280DF110V60C	202908809
ML16XP1-060-230	55500	14	11.7	56000	35800	9	CR33-50/60	SLP98DF110XV60C	202908810
ML16XP1-060-230	55500	14	11.7	56000	35800	9	CR33-50/60	SLP99DF110XV60C	205545553
ML16XP1-060-230	56000	14.5	12	56000	36200	9.2	CR33-60	EL296DF110XE60C	202908811
ML16XP1-060-230	55500	14	12	55500	36200	9	CR33-60	EL296DF110XV60C	202908812
ML16XP1-060-230	56500	14.5	12.2	56000	36200	9.4	CR33-60	ML180DF110E60C	202908813
ML16XP1-060-230	56500	14.5	12.2	56000	36200	9.4	CR33-60	SL280DF110V60C	202908814
ML16XP1-060-230	55500	14	12	55500	36200	9	CR33-60	SLP98DF110XV60C	202908815
ML16XP1-060-230	55500	14	12	55500	36200	9	CR33-60	SLP99DF110XV60C	205545554
ML16XP1-060-230	57500	15	12.2	55000	37800	9	CX35-49C	EL180UH100NE60C	202908816
ML16XP1-060-230	57000	14.5	12	55000	38000	8.5	CX35-49C	EL195UH100NE60C	202908817
ML16XP1-060-230	56500	15	12.2	54000	37400	9	CX35-49C	EL196UH110XE60C	202908818
ML16XP1-060-230	57500	15	12.2	54500	37800	9	CX35-49C	EL280UH110E60C	202908819
ML16XP1-060-230	57500	15	12.2	54500	37800	9	CX35-49C	EL280UH110XE60C	203362247
ML16XP1-060-230	56500	14.5	12	54500	37600	8.5	CX35-49C	EL296UH090XV60C	202908820
ML16XP1-060-230	57500	14.5	12.2	55000	38000	9	CX35-49C	EL296UH110XE60C	202908821
ML16XP1-060-230	57000	14.5	12.2	54500	37600	9	CX35-49C	EL296UH110XV60C	202908822
ML16XP1-060-230	57500	14.5	12.2	55000	37800	9	CX35-49C	ML180UH090E60C	202908823
ML16XP1-060-230	57500	14.5	12.2	55000	37800	9	CX35-49C	ML180UH110E60C	202908824
ML16XP1-060-230	57500	14.5	12.2	54500	37800	9	CX35-49C	ML180UH110V60C	204495811
ML16XP1-060-230	56500	15	12.2	54000	37400	9	CX35-49C	ML196UH110XE60C	204498472
ML16XP1-060-230	57500	14.5	12	55000	38000	9	CX35-49C	ML296UH110XV60C	202908825
ML16XP1-060-230	57000	15	12.5	54000	37200	9	CX35-49C	SL280UH080NV60C	202908826
ML16XP1-060-230	57000	15	12.2	54000	37400	9	CX35-49C	SL280UH090V60C	202908827
ML16XP1-060-230	57000	15	12.2	54000	37400	9	CX35-49C	SL280UH090XV60C	202908828
ML16XP1-060-230	57000	15	12.5	54000	37200	9	CX35-49C	SL280UH100NV60C	202908829
ML16XP1-060-230	57500	14.5	12.2	54500	37800	9	CX35-49C	SL280UH110V60C	202908830

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
ML16XP1-060-230	57500	14.5	12.2	54500	37800	9	CX35-49C	SL280UH110XV60C	202908831
ML16XP1-060-230	57000	14.5	12.2	54500	37800	9	CX35-49C	SL297UH080NV60C	202908832
ML16XP1-060-230	56500	14.5	12	54500	37600	8.5	CX35-49C	SLP98UH090XV60C	202908833
ML16XP1-060-230	57000	14.5	12.2	54500	37600	9	CX35-49C	SLP98UH110XV60C	202908834
ML16XP1-060-230	56500	14.5	12	54500	37600	8.5	CX35-49C	SLP99UH090XV60C	205545557
ML16XP1-060-230	57000	14.5	12.2	54500	37600	9	CX35-49C	SLP99UH110XV60C	205545559
ML16XP1-060-230	58000	15	12.2	54500	37400	9.6	CX35-60C	EL180UH100NE60C	202908835
ML16XP1-060-230	57500	14.5	12	54500	37600	9.4	CX35-60C	EL195UH100NE60C	202908836
ML16XP1-060-230	58000	15	12.2	54500	37400	9.6	CX35-60C	EL196UH110XE60C	202908837
ML16XP1-060-230	57500	14.5	12.2	54000	37400	9.4	CX35-60C	EL296UH090XV60C	202908838
ML16XP1-060-230	58000	15	12.2	54500	37400	9.6	CX35-60C	EL296UH110XE60C	202908839
ML16XP1-060-230	58000	15	12.2	54500	37600	9.6	CX35-60C	EL296UH110XV60C	202908840
ML16XP1-060-230	58000	15	12.2	54500	37400	9.6	CX35-60C	ML180UH090E60C	202908841
ML16XP1-060-230	58000	15	12.2	54500	37400	9.6	CX35-60C	ML180UH110E60C	202908842
ML16XP1-060-230	58000	15	12.2	54500	37200	9.6	CX35-60C	ML180UH110V60C	204495812
ML16XP1-060-230	58000	15	12.2	54500	37400	9.6	CX35-60C	ML196UH110XE60C	204498473
ML16XP1-060-230	58500	15.5	12.5	54000	37200	9.8	CX35-60C	SL280UH080NV60C	202908843
ML16XP1-060-230	58000	15	12.2	54500	37400	9.6	CX35-60C	SL280UH090V60C	202908844
ML16XP1-060-230	58000	15	12.2	54500	37400	9.6	CX35-60C	SL280UH090XV60C	202908845
ML16XP1-060-230	58500	15	12.5	54500	37400	9.8	CX35-60C	SL280UH100NV60C	202908846
ML16XP1-060-230	58000	15	12.2	54500	37400	9.6	CX35-60C	SL280UH110V60C	202908847
ML16XP1-060-230	58000	15	12.2	54500	37400	9.6	CX35-60C	SL280UH110XV60C	202908848
ML16XP1-060-230	58000	15	12.2	54000	37400	9.6	CX35-60C	SL297UH080NV60C	202908849
ML16XP1-060-230	57500	14.5	12.2	54000	37400	9.4	CX35-60C	SLP98UH090XV60C	202908850
ML16XP1-060-230	58000	15	12.2	54500	37600	9.6	CX35-60C	SLP98UH110XV60C	202908851
ML16XP1-060-230	57500	14.5	12.2	54000	37400	9.4	CX35-60C	SLP99UH090XV60C	205545561
ML16XP1-060-230	58000	15	12.2	54500	37600	9.6	CX35-60C	SLP99UH110XV60C	205545563
ML16XP1-060-230	57000	14.5	12	54500	37800	9.6	CX35-60C		202908706
ML16XP1-060-230	57000	14.5	12.2	54500	37200	9	CX35-60D	EL180UH135E60D	202908852
ML16XP1-060-230	56500	14.5	12	54500	37400	9	CX35-60D	EL296UH135XE60D	202908853
ML16XP1-060-230	57000	14.5	12.2	54500	37400	9	CX35-60D	EL296UH135XV60D	202908854
ML16XP1-060-230	57000	14.5	12.2	54500	37200	9	CX35-60D	ML180UH135E60D	202908855
ML16XP1-060-230	57500	15	12.5	54500	37400	9.2	CX35-60D	SL280UH135V60D	202908856
ML16XP1-060-230	56500	14.5	12.2	54500	37200	9	CX35-60D	SLP98UH135XV60D	202908857
ML16XP1-060-230	56500	14.5	12.2	54500	37200	9	CX35-60D	SLP99UH135XV60D	205545565
SL18XP1-024-230	24000	18	15	21400	13700	9.6	C35-30A	SL280UH060NV36A-	10581363
SL18XP1-024-230	24000	18	15	21400	13800	9.5	C35-30A	SL280UH070V36A	10098124
SL18XP1-024-230	24000	18	15	21400	13800	9.5	C35-30A	SL280UH070XV36A	10098125
SL18XP1-024-230	24000	17.5	14.5	21400	13800	9	C35-30B	EL196UH045XE36B	201933392
SL18XP1-024-230	23800	17.5	14.5	21200	13700	9	C35-30B	EL196UH070XE36B	201933393
SL18XP1-024-230	24000	18	15	21600	14000	9.6	C35-30B	EL280UH045E36A	202890931
SL18XP1-024-230	24000	17	14.5	21400	13900	9.4	C35-30B	EL280UH070E36A	202890941
SL18XP1-024-230	24000	17	14.5	21400	13900	9.4	C35-30B	EL280UH070XE36A	203361712
SL18XP1-024-230	24000	17	14.5	21400	13900	9.2	C35-30B	EL280UH090E36B	202890951
SL18XP1-024-230	24000	17.5	14.5	21400	13800	9	C35-30B	EL296UH045XE36B	10098130
SL18XP1-024-230	24000	18	15	21400	13800	9.5	C35-30B	EL296UH045XV36B	10098131
SL18XP1-024-230	24000	17.5	14.5	21200	13800	9	C35-30B	EL296UH070XE36B	10098132
SL18XP1-024-230	24000	18	15	21400	13800	9.5	C35-30B	SL280UH090V36B	10098133
SL18XP1-024-230	24000	17	14.5	21400	13900	9	C35-30B	SLP98UH070XV36B	10098134
SL18XP1-024-230	24000	17	14.5	21400	13900	9	C35-30B	SLP99UH070XV36B	205544281
SL18XP1-024-230	23400	15	13	22000	14400	8.5	C35-30B		10098121
SL18XP1-024-230	24000	18.5	15	21400	13400	10	C35-36A	SL280UH060NV36A-	10581364
SL18XP1-024-230	24000	18	15	21400	13700	9.6	C35-36A	SL280UH070V36A	10098138
SL18XP1-024-230	24000	18	15	21400	13700	9.6	C35-36A	SL280UH070XV36A	10098139
SL18XP1-024-230	23800	17.5	14.5	21400	13700	9.6	C35-36B	EL196UH045XE36B	201933398
SL18XP1-024-230	24000	18	14.5	21400	13700	9.6	C35-36B	EL196UH070XE36B	201933399

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-024-230	24000	18	14.5	21600	13800	9.8	C35-36B	EL280UH045E36A	202890932
SL18XP1-024-230	24000	18	14.5	21400	13700	9.8	C35-36B	EL280UH070E36A	202890942
SL18XP1-024-230	24000	18	14.5	21400	13700	9.8	C35-36B	EL280UH070XE36A	203361713
SL18XP1-024-230	23800	18	14.5	21400	13700	9.6	C35-36B	EL280UH090E36B	202890952
SL18XP1-024-230	23800	17.5	14.5	21400	13700	9.6	C35-36B	EL296UH045XE36B	10098144
SL18XP1-024-230	24000	18	14.5	21400	13700	9.6	C35-36B	EL296UH045XV36B	10098145
SL18XP1-024-230	24000	18	14.5	21400	13800	9.6	C35-36B	EL296UH070XE36B	10098146
SL18XP1-024-230	23800	18	14.5	21400	13600	9.6	C35-36B	SL280UH090V36B	10098963
SL18XP1-024-230	24000	18	14.5	21400	13700	9.6	C35-36B	SLP98UH070XV36B	10098964
SL18XP1-024-230	24000	18	14.5	21400	13700	9.6	C35-36B	SLP99UH070XV36B	205544391
SL18XP1-024-230	23200	15.5	12.5	22000	14300	9	C35-36B		10098135
SL18XP1-024-230	24000	18.5	15	22200	14200	10	CBA27UHE-030-230		10258578
SL18XP1-024-230	24400	18	15	22400	14000	10	CBA38MV-030-230		201841618
SL18XP1-024-230	24400	18	15	22600	14000	10.2	CBA38MV-036-230		201841619
SL18XP1-024-230	23600	16.5	13.5	22000	14000	9.5	CBX32M-030		8331365
SL18XP1-024-230	24000	16.5	13.5	22800	15000	9.6	CBX32M-036		8331366
SL18XP1-024-230	24000	18	14.5	21600	13700	9.6	CBX32MV-024/030		8331367
SL18XP1-024-230	24000	17.5	14.5	21400	13700	9	CH33-44/48B	EL196UH045XE36B	201933388
SL18XP1-024-230	24000	18	15	21400	13700	9.5	CH33-44/48B	EL196UH070XE36B	201933389
SL18XP1-024-230	24000	17.5	14.5	21400	13700	9	CH33-44/48B	EL296UH045XE36B	8329093
SL18XP1-024-230	24000	18	15	21400	13700	9.5	CH33-44/48B	EL296UH045XV36B	8329094
SL18XP1-024-230	24000	18	15	21400	13700	9.5	CH33-44/48B	EL296UH070XE36B	8329095
SL18XP1-024-230	24000	18	15	21400	13700	9.5	CH33-44/48B	EL296UH070XV36B	8657241
SL18XP1-024-230	24000	18	15	21400	13600	9.6	CH33-44/48B	SL280UH090V36B	8329096
SL18XP1-024-230	24000	18	15	21400	13700	9.5	CH33-44/48B	SLP98UH070XV36B	8329097
SL18XP1-024-230	24000	15.5	13	22000	14300	9	CH33-44/48B		8329098
SL18XP1-024-230	24000	17.5	14.5	21800	14000	9.5	CH35-30B	EL196UH045XE36B	201933394
SL18XP1-024-230	24000	18	14.5	21800	14000	9.6	CH35-30B	EL196UH070XE36B	201933395
SL18XP1-024-230	24000	18	15	22000	14100	9.8	CH35-30B	EL280UH045E36A	202890934
SL18XP1-024-230	24000	18	14.5	21800	14000	9.6	CH35-30B	EL280UH070E36A	202890944
SL18XP1-024-230	24000	18	14.5	21800	14000	9.6	CH35-30B	EL280UH070XE36A	203361715
SL18XP1-024-230	24000	17	14.5	21800	14000	9.6	CH35-30B	EL280UH090E36B	202890954
SL18XP1-024-230	24000	17.5	14.5	21800	14000	9.5	CH35-30B	EL296UH045XE36B	10098103
SL18XP1-024-230	24000	18	14.5	21800	14000	9.6	CH35-30B	EL296UH045XV36B	10098104
SL18XP1-024-230	24000	18	14.5	22000	14000	9.6	CH35-30B	EL296UH070XE36B	10098105
SL18XP1-024-230	24000	18	15	21800	13900	9.6	CH35-30B	SL280UH090V36B	10098106
SL18XP1-024-230	24000	18	14.5	21800	14000	9.6	CH35-30B	SLP98UH070XV36B	10098952
SL18XP1-024-230	24000	18	14.5	21800	14000	9.6	CH35-30B	SLP99UH070XV36B	205544387
SL18XP1-024-230	23400	15.5	12.5	22400	14500	9	CH35-30B		10098098
SL18XP1-024-230	24000	17.5	14.5	21400	13500	9.6	CH35-42B	EL196UH045XE36B	201933396
SL18XP1-024-230	24000	18	14.5	21400	13500	9.6	CH35-42B	EL196UH070XE36B	201933397
SL18XP1-024-230	24000	18	14.5	21600	13700	10	CH35-42B	EL280UH045E36A	202890935
SL18XP1-024-230	24000	18	14.5	21400	13600	9.8	CH35-42B	EL280UH070E36A	202890945
SL18XP1-024-230	24000	18	14.5	21400	13600	9.8	CH35-42B	EL280UH070XE36A	203361716
SL18XP1-024-230	24000	17	14.5	21400	13600	9.8	CH35-42B	EL280UH090E36B	202890955
SL18XP1-024-230	24000	17.5	14.5	21400	13500	9.6	CH35-42B	EL296UH045XE36B	10098958
SL18XP1-024-230	24000	18	14.5	21400	13500	9.6	CH35-42B	EL296UH045XV36B	10098959
SL18XP1-024-230	24000	18	14.5	21600	13600	9.6	CH35-42B	EL296UH070XE36B	10098960
SL18XP1-024-230	24000	18	15	21400	13500	9.6	CH35-42B	SL280UH090V36B	10098961
SL18XP1-024-230	24000	18	14.5	21400	13600	9.6	CH35-42B	SLP98UH070XV36B	10098962
SL18XP1-024-230	24000	18	14.5	21400	13600	9.6	CH35-42B	SLP99UH070XV36B	205544389
SL18XP1-024-230	24000	15.5	13	22000	14100	9	CH35-42B		10098953
SL18XP1-024-230	24000	17.5	14.5	21800	14000	9.5	CHX35-30B	EL196UH045XE36B	202186988
SL18XP1-024-230	24000	18	14.5	21800	14000	9.6	CHX35-30B	EL196UH070XE36B	202186989
SL18XP1-024-230	24000	18	15	22000	14100	9.8	CHX35-30B	EL280UH045E36A	202890936
SL18XP1-024-230	24000	18	14.5	21800	14000	9.6	CHX35-30B	EL280UH070E36A	202890946

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-024-230	24000	18	14.5	21800	14000	9.6	CHX35-30B	EL280UH070XE36A	203361717
SL18XP1-024-230	24000	17	14.5	21800	14000	9.6	CHX35-30B	EL280UH090E36B	202890956
SL18XP1-024-230	24000	17.5	14.5	21800	14000	9.5	CHX35-30B	EL296UH045XE36B	202189920
SL18XP1-024-230	24000	18	14.5	21800	14000	9.6	CHX35-30B	EL296UH045XV36B	202189922
SL18XP1-024-230	24000	18	14.5	22000	14000	9.6	CHX35-30B	EL296UH070XE36B	202189924
SL18XP1-024-230	24000	18	15	21800	13900	9.6	CHX35-30B	SL280UH090V36B	202189926
SL18XP1-024-230	24000	18	14.5	21800	14000	9.6	CHX35-30B	SLP98UH070XV36B	202190245
SL18XP1-024-230	24000	18	14.5	21800	14000	9.6	CHX35-30B	SLP99UH070XV36B	205544674
SL18XP1-024-230	23400	15.5	12.5	22400	14500	9	CHX35-30B		202189910
SL18XP1-024-230	24000	17.5	14.5	21400	13500	9.6	CHX35-42B	EL196UH045XE36B	202186990
SL18XP1-024-230	24000	18	14.5	21400	13500	9.6	CHX35-42B	EL196UH070XE36B	202186991
SL18XP1-024-230	24000	18	14.5	21600	13700	10	CHX35-42B	EL280UH045E36A	202890937
SL18XP1-024-230	24000	18	14.5	21400	13600	9.8	CHX35-42B	EL280UH070E36A	202890947
SL18XP1-024-230	24000	18	14.5	21400	13600	9.8	CHX35-42B	EL280UH070XE36A	203361718
SL18XP1-024-230	24000	17	14.5	21400	13600	9.8	CHX35-42B	EL280UH090E36B	202890957
SL18XP1-024-230	24000	17.5	14.5	21400	13500	9.6	CHX35-42B	EL296UH045XE36B	202190258
SL18XP1-024-230	24000	18	14.5	21400	13500	9.6	CHX35-42B	EL296UH045XV36B	202190260
SL18XP1-024-230	24000	18	14.5	21600	13600	9.6	CHX35-42B	EL296UH070XE36B	202190263
SL18XP1-024-230	24000	18	15	21400	13500	9.6	CHX35-42B	SL280UH090V36B	202190266
SL18XP1-024-230	24000	18	14.5	21400	13600	9.6	CHX35-42B	SLP98UH070XV36B	202190268
SL18XP1-024-230	24000	18	14.5	21400	13600	9.6	CHX35-42B	SLP99UH070XV36B	205544675
SL18XP1-024-230	24000	15.5	13	22000	14100	9	CHX35-42B		202190247
SL18XP1-024-230	24000	18	14.5	21600	14200	9.6	CR33-48B	EL196DF045XE36B	201953299
SL18XP1-024-230	24000	17.5	14.5	21800	14200	9.6	CR33-48B	EL196DF070XE48B	201953300
SL18XP1-024-230	24000	17	14.5	22000	14200	9.8	CR33-48B	EL280DF070E36A	202890930
SL18XP1-024-230	24000	18	14.5	21600	13700	9.6	CR33-48B	EL296DF045XE36B	8329103
SL18XP1-024-230	24000	18	14.5	21800	13900	9.6	CR33-48B	EL296DF045XV36B	8329102
SL18XP1-024-230	24000	18.5	15	21800	13700	9.6	CR33-48B	EL296DF070XE48B	8329104
SL18XP1-024-230	24000	18	14.5	21600	13800	9.6	CR33-48B	SL280DF070V36A	8329105
SL18XP1-024-230	24000	18	14.5	22000	13900	9.6	CR33-48B	SL280DF090V48B	8329106
SL18XP1-024-230	24000	18	15	21800	13800	9.6	CR33-48B	SLP98DF070XV36B	8329107
SL18XP1-024-230	24000	18	15	21800	13800	9.6	CR33-48B	SLP99DF070XV36B	205544202
SL18XP1-024-230	23600	15.5	13	22200	14300	9	CR33-48B		8329108
SL18XP1-024-230	24000	18	15	21400	13700	9.6	CX35-30A	SL280UH060NV36A-	10581366
SL18XP1-024-230	24000	18	15	21400	13800	9.5	CX35-30A	SL280UH070V36A	10098110
SL18XP1-024-230	24000	18	15	21400	13800	9.5	CX35-30A	SL280UH070XV36A	10098111
SL18XP1-024-230	24000	17.5	14.5	21400	13800	9	CX35-30B	EL196UH045XE36B	201933390
SL18XP1-024-230	23800	17.5	14.5	21200	13700	9	CX35-30B	EL196UH070XE36B	201933391
SL18XP1-024-230	24000	18	15	21600	14000	9.6	CX35-30B	EL280UH045E36A	202890938
SL18XP1-024-230	24000	17	14.5	21400	13900	9.4	CX35-30B	EL280UH070E36A	202890948
SL18XP1-024-230	24000	17	14.5	21400	13900	9.4	CX35-30B	EL280UH070XE36A	203361719
SL18XP1-024-230	24000	17	14.5	21400	13900	9.2	CX35-30B	EL280UH090E36B	202890958
SL18XP1-024-230	24000	17.5	14.5	21400	13800	9	CX35-30B	EL296UH045XE36B	10098116
SL18XP1-024-230	24000	17	14.5	21400	13900	9	CX35-30B	EL296UH045XV36B	10098120
SL18XP1-024-230	24000	18	15	21400	13800	9.5	CX35-30B	EL296UH070XE36B	10098117
SL18XP1-024-230	24000	17.5	14.5	21200	13800	9	CX35-30B	SL280UH090V36B	10098118
SL18XP1-024-230	24000	18	15	21400	13800	9.5	CX35-30B	SLP98UH070XV36B	10098119
SL18XP1-024-230	24000	18	15	21400	13800	9.5	CX35-30B	SLP99UH070XV36B	205544279
SL18XP1-024-230	23400	15	13	22000	14400	8.5	CX35-30B		10098107
SL18XP1-024-230	24000	18.5	15	21400	13400	10	CX35-36A	SL280UH060NV36A-	10581367
SL18XP1-024-230	24000	18	15	21400	13700	9.6	CX35-36A	SL280UH070V36A	10098150
SL18XP1-024-230	24000	18	15	21400	13700	9.6	CX35-36A	SL280UH070XV36A	10098151
SL18XP1-024-230	23800	17.5	14.5	21400	13700	9.6	CX35-36B	EL196UH045XE36B	201933400
SL18XP1-024-230	24000	18	14.5	21400	13700	9.6	CX35-36B	EL196UH070XE36B	201933401
SL18XP1-024-230	24000	18	14.5	21600	13800	9.8	CX35-36B	EL280UH045E36A	202890939
SL18XP1-024-230	24000	18	14.5	21400	13700	9.8	CX35-36B	EL280UH070E36A	202890949

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-024-230	24000	18	14.5	21400	13700	9.8	CX35-36B	EL280UH070XE36A	203361720
SL18XP1-024-230	23800	18	14.5	21400	13700	9.6	CX35-36B	EL280UH090E36B	202890959
SL18XP1-024-230	23800	17.5	14.5	21400	13700	9.6	CX35-36B	EL296UH045XE36B	10098156
SL18XP1-024-230	24000	18	14.5	21400	13700	9.6	CX35-36B	EL296UH045XV36B	10098966
SL18XP1-024-230	24000	18	14.5	21400	13700	9.6	CX35-36B	EL296UH070XE36B	10098157
SL18XP1-024-230	24000	18	14.5	21400	13800	9.6	CX35-36B	SL280UH090V36B	10098158
SL18XP1-024-230	23800	18	14.5	21400	13600	9.6	CX35-36B	SLP98UH070XV36B	10098965
SL18XP1-024-230	23800	18	14.5	21400	13600	9.6	CX35-36B	SLP99UH070XV36B	205544392
SL18XP1-024-230	23200	15.5	12.5	22000	14300	9	CX35-36B		10098147
SL18XP1-030-230	29200	16	13.5	28000	16800	9.2	C35-30A	SL280UH060NV36A-	10581369
SL18XP1-030-230	29400	16	13.5	27800	16800	9	C35-30A	SL280UH070V36A	10098201
SL18XP1-030-230	29200	16	13	28000	16800	9	C35-30A	SL280UH070XV36A	10098202
SL18XP1-030-230	29400	15.5	13	28000	17000	9	C35-30B	EL196UH045XE36B	201933415
SL18XP1-030-230	29600	15.5	13	28200	16900	9	C35-30B	EL196UH070XE36B	201933416
SL18XP1-030-230	29600	16	13.5	28200	17000	9	C35-30B	EL280UH045E36A	202890963
SL18XP1-030-230	29200	15.5	12.5	28000	16900	9	C35-30B	EL280UH070E36A	202890981
SL18XP1-030-230	29200	15.5	12.5	28000	16900	9	C35-30B	EL280UH070XE36A	203361722
SL18XP1-030-230	29600	16	13.5	28200	17000	9	C35-30B	EL280UH090E36B	202890999
SL18XP1-030-230	29200	16	13.5	27800	16800	9	C35-30B	EL280UH090E48B	202891017
SL18XP1-030-230	29200	16	13.5	27800	16800	9	C35-30B	EL280UH090XE48B	203361740
SL18XP1-030-230	29400	16	13.5	28000	16800	9.2	C35-30B	EL280UH110E48C	202891035
SL18XP1-030-230	29400	15.5	13	28000	16900	9	C35-30B	EL296UH045XE36B	10098197
SL18XP1-030-230	29200	15.5	13	28000	16900	9	C35-30B	EL296UH045XV36B	10098198
SL18XP1-030-230	29600	15.5	13	28200	17000	9	C35-30B	EL296UH070XE36B	10098199
SL18XP1-030-230	29000	16	13	27800	16700	9	C35-30B	EL296UH070XV36B	10098200
SL18XP1-030-230	29200	16	13.5	27800	16700	9	C35-30B	ML180UH070E36B	10589670
SL18XP1-030-230	29200	16	13.5	27800	16700	9	C35-30B	ML180UH070XE36B	10589707
SL18XP1-030-230	29400	16	13.5	27800	16800	9	C35-30B	ML180UH090E48B	10589785
SL18XP1-030-230	29400	16	13.5	27800	16800	9	C35-30B	ML180UH090XE48B	10590040
SL18XP1-030-230	29400	16.5	13.5	27800	16700	9	C35-30B	SL280UH090V36B	202087858
SL18XP1-030-230	29000	16	13.5	27600	16700	9	C35-30B	SL280UH090V48B	10098203
SL18XP1-030-230	29000	16	13.5	27600	16700	9	C35-30B	SL280UH090XV48B	10098204
SL18XP1-030-230	29000	16	13	27800	16700	9	C35-30B	SLP98UH070XV36B	10098205
SL18XP1-030-230	30000	17	14	27800	17900	9.5	C35-30B	SLP98UH090XV36C	205758045
SL18XP1-030-230	29000	16	13	27800	16700	9	C35-30B	SLP99UH070XV36B	205544286
SL18XP1-030-230	28600	14	12	28600	17500	8.5	C35-30B		10098968
SL18XP1-030-230	29800	16	13.5	27800	17900	9.5	C35-36A	ML180UH045E36A	10589581
SL18XP1-030-230	29800	16	13.5	27800	17900	9.5	C35-36A	ML180UH045XE36A	10589595
SL18XP1-030-230	29600	17	14	27600	17800	9.6	C35-36A	SL280UH060NV36A-	10581370
SL18XP1-030-230	29600	16	13.5	27600	17800	9.5	C35-36A	SL280UH070V36A	10098218
SL18XP1-030-230	29600	16	13.5	27600	17800	9.5	C35-36A	SL280UH070XV36A	10098985
SL18XP1-030-230	29800	16	13	27800	18000	9.5	C35-36B	EL196UH045XE36B	201933417
SL18XP1-030-230	30000	16	13.5	27800	18000	9.5	C35-36B	EL196UH070XE36B	201933418
SL18XP1-030-230	30000	16	14	27800	18000	9.6	C35-36B	EL280UH045E36A	202890964
SL18XP1-030-230	30000	16	14	27800	18000	9.4	C35-36B	EL280UH070E36A	202890982
SL18XP1-030-230	30000	16	14	27800	18000	9.4	C35-36B	EL280UH070XE36A	203361723
SL18XP1-030-230	30000	16	14	28000	18000	9.6	C35-36B	EL280UH090E36B	202891000
SL18XP1-030-230	30000	16	14	27600	17800	9.4	C35-36B	EL280UH090E48B	202891018
SL18XP1-030-230	30000	16	14	27600	17800	9.4	C35-36B	EL280UH090XE48B	203361741
SL18XP1-030-230	30000	17	14	27600	17800	9.6	C35-36B	EL280UH110E48C	202891036
SL18XP1-030-230	29800	16	13	27800	18000	9.5	C35-36B	EL296UH045XE36B	10098214
SL18XP1-030-230	29600	16	13	27600	17900	9	C35-36B	EL296UH045XV36B	10098215
SL18XP1-030-230	30000	16	13.5	28000	18100	9.5	C35-36B	EL296UH070XE36B	10098216
SL18XP1-030-230	29600	16	13.5	27600	17800	9.5	C35-36B	EL296UH070XV36B	10098217
SL18XP1-030-230	29800	16.5	13.5	27600	17800	9.5	C35-36B	ML180UH070E36B	10589671
SL18XP1-030-230	29800	16.5	13.5	27600	17800	9.5	C35-36B	ML180UH070XE36B	10589708

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-030-230	29800	16.5	13.5	27600	17800	9.5	C35-36B	ML180UH090E48B	10589786
SL18XP1-030-230	29800	16.5	13.5	27600	17800	9.5	C35-36B	ML180UH090XE48B	10590041
SL18XP1-030-230	30000	16.5	13.5	27600	17800	9.5	C35-36B	SL280UH090V36B	10098219
SL18XP1-030-230	29400	16	13.5	27400	17700	9.6	C35-36B	SL280UH090V48B	10098220
SL18XP1-030-230	29400	16	13.5	27400	17700	9.6	C35-36B	SL280UH090XV48B	10098221
SL18XP1-030-230	29600	16	13.5	27600	17800	9.5	C35-36B	SLP98UH070XV36B	10098222
SL18XP1-030-230	29600	16	13.5	27600	17800	9.5	C35-36B	SLP99UH070XV36B	205544288
SL18XP1-030-230	30000	17	14	27800	17900	9.5	C35-36B	SLP99UH090XV36C	205758047
SL18XP1-030-230	29200	14.5	12	28400	18500	9	C35-36B		10098984
SL18XP1-030-230	29800	16.5	13.5	27000	17200	9.6	CBA27UHE-030-230		10258579
SL18XP1-030-230	29800	17	13.5	27000	17200	9.6	CBA27UHE-036-230		202337993
SL18XP1-030-230	29800	16	13.5	27400	17400	9.6	CBA38MV-030-230		201841620
SL18XP1-030-230	29800	16	13.5	26400	17200	9.5	CBA38MV-036-230		201841621
SL18XP1-030-230	29600	15.5	13	27600	18100	9.5	CBX32M-030		8331374
SL18XP1-030-230	29400	15	12.5	26400	17700	9	CBX32M-036		8331375
SL18XP1-030-230	29800	16	13.5	27400	17800	9.6	CBX32MV-024/030		8331376
SL18XP1-030-230	30000	16	13.5	27200	17000	9.5	CH33-44/48B	EL196UH045XE36B	201933406
SL18XP1-030-230	30000	16	13.5	27200	17000	9.5	CH33-44/48B	EL196UH070XE36B	201933407
SL18XP1-030-230	30000	16	13.5	27200	17000	9.5	CH33-44/48B	EL296UH045XE36B	8329273
SL18XP1-030-230	30000	16	13	27200	17000	9	CH33-44/48B	EL296UH045XV36B	8657491
SL18XP1-030-230	30000	16	13.5	27400	17100	9.5	CH33-44/48B	EL296UH070XE36B	8329274
SL18XP1-030-230	30000	16.5	14	26800	16800	9.5	CH33-44/48B	ML180UH070E36B	10589621
SL18XP1-030-230	30000	16.5	14	26800	16800	9.5	CH33-44/48B	ML180UH070XE36B	10589687
SL18XP1-030-230	30000	17	14	27000	16800	9.5	CH33-44/48B	ML180UH090E48B	10589738
SL18XP1-030-230	30000	17	14	27000	16800	9.5	CH33-44/48B	ML180UH090XE48B	10590021
SL18XP1-030-230	30000	17	14	26800	16700	9.5	CH33-44/48B	SL280UH090V36B	8329275
SL18XP1-030-230	30000	16.5	14	26800	16700	9.5	CH33-44/48B	SL280UH090V48B	8329276
SL18XP1-030-230	30000	16.5	14	26800	16700	9.5	CH33-44/48B	SL280UH090XV48B	8329277
SL18XP1-030-230	30000	16	13.5	27000	16900	9	CH33-44/48B	SLP98UH070XV36B	8657493
SL18XP1-030-230	30000	15	12.5	27800	17500	9	CH33-44/48B		8329278
SL18XP1-030-230	30000	16	13.5	28600	17900	9.5	CH35-30B	EL196UH045XE36B	201933408
SL18XP1-030-230	30000	16	13.5	28600	17900	9.5	CH35-30B	EL196UH070XE36B	201933409
SL18XP1-030-230	30000	16	13.5	28600	17900	9.6	CH35-30B	EL280UH045E36A	202890969
SL18XP1-030-230	30000	16	13.5	28600	17900	9.4	CH35-30B	EL280UH070E36A	202890987
SL18XP1-030-230	30000	16	13.5	28600	17900	9.4	CH35-30B	EL280UH070XE36A	203361728
SL18XP1-030-230	30000	16	13.5	28600	17900	9.6	CH35-30B	EL280UH090E36B	202891005
SL18XP1-030-230	29600	16	13.5	28400	17700	9.4	CH35-30B	EL280UH090E48B	202891023
SL18XP1-030-230	29600	16	13.5	28400	17700	9.4	CH35-30B	EL280UH090XE48B	203361746
SL18XP1-030-230	30000	16	14	28400	17700	9.6	CH35-30B	EL280UH110E48C	202891041
SL18XP1-030-230	30000	16	13.5	28600	17900	9.5	CH35-30B	EL296UH045XE36B	10098167
SL18XP1-030-230	30000	16	13.5	28600	17900	9.5	CH35-30B	EL296UH045XV36B	10098168
SL18XP1-030-230	30000	16	13.5	28600	17900	9.5	CH35-30B	EL296UH070XE36B	10098169
SL18XP1-030-230	30000	16.5	13.5	28400	17700	9.5	CH35-30B	EL296UH070XV36B	10098170
SL18XP1-030-230	29800	16.5	13.5	28200	17600	9.5	CH35-30B	ML180UH070E36B	10589668
SL18XP1-030-230	29800	16.5	13.5	28200	17600	9.5	CH35-30B	ML180UH070XE36B	10589705
SL18XP1-030-230	30000	16.5	13.5	28400	17700	9.5	CH35-30B	ML180UH090E48B	10589783
SL18XP1-030-230	30000	16.5	13.5	28400	17700	9.5	CH35-30B	ML180UH090XE48B	10590038
SL18XP1-030-230	29800	16.5	13.5	28200	17600	9.5	CH35-30B	SL280UH090V36B	10098171
SL18XP1-030-230	29600	16.5	13.5	28200	17600	9.5	CH35-30B	SL280UH090V48B	10098172
SL18XP1-030-230	29600	16.5	13.5	28200	17600	9.5	CH35-30B	SL280UH090XV48B	10098173
SL18XP1-030-230	30000	16.5	13.5	28400	17700	9.5	CH35-30B	SLP98UH070XV36B	10098174
SL18XP1-030-230	30000	16.5	13.5	28400	17700	9.5	CH35-30B	SLP99UH070XV36B	205544282
SL18XP1-030-230	29200	14.5	12	29000	18400	9	CH35-30B		10098160
SL18XP1-030-230	30000	16	13.5	27600	18100	9.5	CH35-42B	EL196UH045XE36B	201933410
SL18XP1-030-230	30000	16	13.5	27800	18100	9.6	CH35-42B	EL196UH070XE36B	201933411
SL18XP1-030-230	30000	16	13.5	27800	18100	9.8	CH35-42B	EL280UH045E36A	202890970

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-030-230	30000	16	13.5	27600	18100	9.8	CH35-42B	EL280UH070E36A	202890988
SL18XP1-030-230	30000	16	13.5	27600	18100	9.8	CH35-42B	EL280UH070XE36A	203361729
SL18XP1-030-230	30000	16	13.5	27800	18100	9.8	CH35-42B	EL280UH090E36B	202891006
SL18XP1-030-230	30000	16	13.5	27400	17900	9.8	CH35-42B	EL280UH090E48B	202891024
SL18XP1-030-230	30000	16	13.5	27400	17900	9.8	CH35-42B	EL280UH090XE48B	203361747
SL18XP1-030-230	30000	16	14	27600	17900	9.8	CH35-42B	EL280UH110E48C	202891042
SL18XP1-030-230	30000	16	13.5	27600	18000	9.5	CH35-42B	EL296UH045XE36B	10098976
SL18XP1-030-230	30000	16	13.5	27600	18000	9.5	CH35-42B	EL296UH045XV36B	10098977
SL18XP1-030-230	30000	16	13.5	27800	18100	9.6	CH35-42B	EL296UH070XE36B	10098978
SL18XP1-030-230	30000	16	13.5	27600	18000	9.6	CH35-42B	EL296UH070XV36B	10098979
SL18XP1-030-230	30000	16.5	13.5	27400	17800	9.6	CH35-42B	ML180UH070E36B	10589680
SL18XP1-030-230	30000	16.5	13.5	27400	17800	9.6	CH35-42B	ML180UH070XE36B	10589717
SL18XP1-030-230	30000	16.5	13.5	27400	17900	9.6	CH35-42B	ML180UH090E48B	10589794
SL18XP1-030-230	30000	16.5	13.5	27400	17900	9.6	CH35-42B	ML180UH090XE48B	10590051
SL18XP1-030-230	30000	16.5	13.5	27400	17800	9.6	CH35-42B	SL280UH090V36B	10098980
SL18XP1-030-230	30000	16.5	13.5	27200	17800	9.6	CH35-42B	SL280UH090V48B	10098981
SL18XP1-030-230	30000	16.5	13.5	27200	17800	9.6	CH35-42B	SL280UH090XV48B	10098982
SL18XP1-030-230	30000	16	13.5	27600	18000	9.6	CH35-42B	SLP98UH070XV36B	10098983
SL18XP1-030-230	30000	16	13.5	27600	18000	9.6	CH35-42B	SLP99UH070XV36B	205544394
SL18XP1-030-230	30000	14.5	12	28200	18600	9	CH35-42B		10098969
SL18XP1-030-230	30000	16.5	13.5	27000	17400	9.5	CH35-42C	EL196UH090XE48C	201933412
SL18XP1-030-230	30000	16	14	27400	17600	9.8	CH35-42C	EL280UH045E36A	202890971
SL18XP1-030-230	30000	16	14	27400	17600	9.6	CH35-42C	EL280UH070E36A	202890989
SL18XP1-030-230	30000	16	14	27400	17600	9.6	CH35-42C	EL280UH070XE36A	203361730
SL18XP1-030-230	30000	16	14	27600	17700	9.6	CH35-42C	EL280UH090E36B	202891007
SL18XP1-030-230	30000	16	14	27200	17400	9.6	CH35-42C	EL280UH090E48B	202891025
SL18XP1-030-230	30000	16	14	27200	17400	9.6	CH35-42C	EL280UH090XE48B	203361748
SL18XP1-030-230	30000	17	14	27200	17400	9.8	CH35-42C	EL280UH110E48C	202891043
SL18XP1-030-230	30000	16.5	13.5	27000	17400	9.5	CH35-42C	EL296UH090XE48C	10098243
SL18XP1-030-230	30000	16.5	13.5	27000	17300	9.5	CH35-42C	EL296UH090XV36C	10098244
SL18XP1-030-230	30000	16.5	13.5	27000	17300	9.5	CH35-42C	SLP98UH090XV36C	10098245
SL18XP1-030-230	30000	16.5	13.5	27000	17300	9.5	CH35-42C	SLP99UH090XV36C	205544292
SL18XP1-030-230	30000	15	12.5	27800	18100	9	CH35-42C		10098241
SL18XP1-030-230	30000	16	13.5	28600	17900	9.5	CHX35-30B	EL196UH045XE36B	202186992
SL18XP1-030-230	30000	16	13.5	28600	17900	9.5	CHX35-30B	EL196UH070XE36B	202186993
SL18XP1-030-230	30000	16	13.5	28600	17900	9.6	CHX35-30B	EL280UH045E36A	202890972
SL18XP1-030-230	30000	16	13.5	28600	17900	9.4	CHX35-30B	EL280UH070E36A	202890990
SL18XP1-030-230	30000	16	13.5	28600	17900	9.4	CHX35-30B	EL280UH070XE36A	203361731
SL18XP1-030-230	30000	16	13.5	28600	17900	9.6	CHX35-30B	EL280UH090E36B	202891008
SL18XP1-030-230	29600	16	13.5	28400	17700	9.4	CHX35-30B	EL280UH090E48B	202891026
SL18XP1-030-230	29600	16	13.5	28400	17700	9.4	CHX35-30B	EL280UH090XE48B	203361749
SL18XP1-030-230	30000	16	14	28400	17700	9.6	CHX35-30B	EL280UH110E48C	202891044
SL18XP1-030-230	30000	16	13.5	28600	17900	9.5	CHX35-30B	EL296UH045XE36B	202189942
SL18XP1-030-230	30000	16	13.5	28600	17900	9.5	CHX35-30B	EL296UH045XV36B	202189945
SL18XP1-030-230	30000	16	13.5	28600	17900	9.5	CHX35-30B	EL296UH070XE36B	202189948
SL18XP1-030-230	30000	16.5	13.5	28400	17700	9.5	CHX35-30B	EL296UH070XV36B	202189950
SL18XP1-030-230	29800	16.5	13.5	28200	17600	9.5	CHX35-30B	ML180UH070E36B	202190431
SL18XP1-030-230	29800	16.5	13.5	28200	17600	9.5	CHX35-30B	ML180UH070XE36B	202190443
SL18XP1-030-230	30000	16.5	13.5	28400	17700	9.5	CHX35-30B	ML180UH090E48B	202190454
SL18XP1-030-230	30000	16.5	13.5	28400	17700	9.5	CHX35-30B	ML180UH090XE48B	202190475
SL18XP1-030-230	29800	16.5	13.5	28200	17600	9.5	CHX35-30B	SL280UH090V36B	202189952
SL18XP1-030-230	29600	16.5	13.5	28200	17600	9.5	CHX35-30B	SL280UH090V48B	202189955
SL18XP1-030-230	29600	16.5	13.5	28200	17600	9.5	CHX35-30B	SL280UH090XV48B	202189957
SL18XP1-030-230	30000	16.5	13.5	28400	17700	9.5	CHX35-30B	SLP98UH070XV36B	202189959
SL18XP1-030-230	30000	16.5	13.5	28400	17700	9.5	CHX35-30B	SLP99UH070XV36B	205544637
SL18XP1-030-230	29200	14.5	12	29000	18400	9	CHX35-30B		202189929

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-030-230	30000	16	13.5	27600	18100	9.5	CHX35-42B	EL196UH045XE36B	202186994
SL18XP1-030-230	30000	16	13.5	27800	18100	9.6	CHX35-42B	EL196UH070XE36B	202186995
SL18XP1-030-230	30000	16	13.5	27800	18100	9.8	CHX35-42B	EL280UH045E36A	202890973
SL18XP1-030-230	30000	16	13.5	27600	18100	9.8	CHX35-42B	EL280UH070E36A	202890991
SL18XP1-030-230	30000	16	13.5	27600	18100	9.8	CHX35-42B	EL280UH070XE36A	203361732
SL18XP1-030-230	30000	16	13.5	27800	18100	9.8	CHX35-42B	EL280UH090E36B	202891009
SL18XP1-030-230	30000	16	13.5	27400	17900	9.8	CHX35-42B	EL280UH090E48B	202891027
SL18XP1-030-230	30000	16	13.5	27400	17900	9.8	CHX35-42B	EL280UH090XE48B	203361750
SL18XP1-030-230	30000	16	14	27600	17900	9.8	CHX35-42B	EL280UH110E48C	202891045
SL18XP1-030-230	30000	16	13.5	27600	18000	9.5	CHX35-42B	EL296UH045XE36B	202190285
SL18XP1-030-230	30000	16	13.5	27600	18000	9.5	CHX35-42B	EL296UH045XV36B	202190287
SL18XP1-030-230	30000	16	13.5	27800	18100	9.6	CHX35-42B	EL296UH070XE36B	202190289
SL18XP1-030-230	30000	16	13.5	27600	18000	9.6	CHX35-42B	EL296UH070XV36B	202190291
SL18XP1-030-230	30000	16.5	13.5	27400	17800	9.6	CHX35-42B	ML180UH070E36B	202190439
SL18XP1-030-230	30000	16.5	13.5	27400	17800	9.6	CHX35-42B	ML180UH070XE36B	202190451
SL18XP1-030-230	30000	16.5	13.5	27400	17900	9.6	CHX35-42B	ML180UH090E48B	202190456
SL18XP1-030-230	30000	16.5	13.5	27400	17900	9.6	CHX35-42B	ML180UH090XE48B	202190481
SL18XP1-030-230	30000	16.5	13.5	27400	17800	9.6	CHX35-42B	SL280UH090V36B	202190293
SL18XP1-030-230	30000	16.5	13.5	27200	17800	9.6	CHX35-42B	SL280UH090V48B	202190295
SL18XP1-030-230	30000	16.5	13.5	27200	17800	9.6	CHX35-42B	SL280UH090XV48B	202190297
SL18XP1-030-230	30000	16	13.5	27600	18000	9.6	CHX35-42B	SLP98UH070XV36B	202190299
SL18XP1-030-230	30000	16	13.5	27600	18000	9.6	CHX35-42B	SLP99UH070XV36B	205544677
SL18XP1-030-230	30000	14.5	12	28200	18600	9	CHX35-42B		202190270
SL18XP1-030-230	30000	16.5	13.5	27000	17400	9.5	CHX35-42C	EL196UH090XE48C	202186996
SL18XP1-030-230	30000	16	14	27400	17600	9.8	CHX35-42C	EL280UH045E36A	202890974
SL18XP1-030-230	30000	16	14	27400	17600	9.6	CHX35-42C	EL280UH070E36A	202890992
SL18XP1-030-230	30000	16	14	27400	17600	9.6	CHX35-42C	EL280UH070XE36A	203361733
SL18XP1-030-230	30000	16	14	27600	17700	9.6	CHX35-42C	EL280UH090E36B	202891010
SL18XP1-030-230	30000	16	14	27200	17400	9.6	CHX35-42C	EL280UH090E48B	202891028
SL18XP1-030-230	30000	16	14	27200	17400	9.6	CHX35-42C	EL280UH090XE48B	203361751
SL18XP1-030-230	30000	17	14	27200	17400	9.8	CHX35-42C	EL280UH110E48C	202891046
SL18XP1-030-230	30000	16.5	13.5	27000	17400	9.5	CHX35-42C	EL296UH090XE48C	202189966
SL18XP1-030-230	30000	16.5	13.5	27000	17300	9.5	CHX35-42C	EL296UH090XV36C	202189968
SL18XP1-030-230	30000	16.5	13.5	27000	17300	9.5	CHX35-42C	SLP98UH090XV36C	202189970
SL18XP1-030-230	30000	16.5	13.5	27000	17300	9.5	CHX35-42C	SLP99UH090XV36C	205544639
SL18XP1-030-230	30000	15	12.5	27800	18100	9	CHX35-42C		202189961
SL18XP1-030-230	29200	15.5	13	27200	18600	9.6	CR33-48B	EL196DF045XE36B	201953297
SL18XP1-030-230	29200	16	13	27000	18600	9.6	CR33-48B	EL196DF070XE48B	201953298
SL18XP1-030-230	29200	16	13	27200	18600	10	CR33-48B	EL280DF070E36A	202890961
SL18XP1-030-230	28800	16	13	26800	18400	10	CR33-48B	EL280DF090E48B	202890962
SL18XP1-030-230	29200	15.5	13	27200	18600	9.6	CR33-48B	EL296DF045XE36B	8329326
SL18XP1-030-230	29000	16	13	26800	18400	9.6	CR33-48B	EL296DF045XV36B	8329327
SL18XP1-030-230	29200	16	13	27000	18600	9.6	CR33-48B	EL296DF070XE48B	8329328
SL18XP1-030-230	29000	15.5	13	27000	18500	9.6	CR33-48B	EL296DF070XV48B	8329329
SL18XP1-030-230	29600	16.5	13.5	27000	18400	9.6	CR33-48B	ML180DF070E36B	10589525
SL18XP1-030-230	29400	16.5	13.5	26800	18400	9.6	CR33-48B	ML180DF090E48B	10589529
SL18XP1-030-230	29400	16	13	27000	18400	9.6	CR33-48B	SL280DF070V36A	8329330
SL18XP1-030-230	29200	16	13	26800	18400	9.6	CR33-48B	SL280DF090V48B	8329331
SL18XP1-030-230	29000	16	13	26800	18400	9.6	CR33-48B	SLP98DF070XV36B	8329332
SL18XP1-030-230	29000	16	13	26800	18400	9.6	CR33-48B	SLP99DF070XV36B	205544207
SL18XP1-030-230	28800	14.5	12	27600	19100	9.5	CR33-48B		8329333
SL18XP1-030-230	28800	16	13	26600	18200	9.6	CR33-48C	SLP98DF090XV36C	8329334
SL18XP1-030-230	28800	16	13	26600	18200	9.6	CR33-48C	SLP98DF090XV48C	8329335
SL18XP1-030-230	28800	16	13	26600	18200	9.6	CR33-48C	SLP99DF090XV36C	205544209
SL18XP1-030-230	28800	16	13	26600	18200	9.6	CR33-48C	SLP99DF090XV48C	205544210
SL18XP1-030-230	29200	16	13.5	28000	16800	9.2	CX35-30A	SL280UH060NV36A-	10581372

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-030-230	29200	16	13	28000	16800	9	CX35-30A	SL280UH070V36A	10098185
SL18XP1-030-230	29200	16	13	28000	16800	9	CX35-30A	SL280UH070XV36A	10098186
SL18XP1-030-230	29400	15.5	13	28000	17000	9	CX35-30B	EL196UH045XE36B	201933413
SL18XP1-030-230	29600	15.5	13	28200	16900	9	CX35-30B	EL196UH070XE36B	201933414
SL18XP1-030-230	29600	16	13.5	28200	17000	9	CX35-30B	EL280UH045E36A	202890975
SL18XP1-030-230	29200	15.5	12.5	28000	16900	9	CX35-30B	EL280UH070E36A	202890993
SL18XP1-030-230	29200	15.5	12.5	28000	16900	9	CX35-30B	EL280UH070XE36A	203361734
SL18XP1-030-230	29600	16	13.5	28200	17000	9	CX35-30B	EL280UH090E36B	202891011
SL18XP1-030-230	29200	16	13.5	27800	16800	9	CX35-30B	EL280UH090E48B	202891029
SL18XP1-030-230	29200	16	13.5	27800	16800	9	CX35-30B	EL280UH090XE48B	203361752
SL18XP1-030-230	29400	16	13.5	28000	16800	9.2	CX35-30B	EL280UH110E48C	202891047
SL18XP1-030-230	29400	15.5	13	28000	16900	9	CX35-30B	EL296UH045XE36B	10098181
SL18XP1-030-230	29200	15.5	13	28000	16900	9	CX35-30B	EL296UH045XV36B	10098182
SL18XP1-030-230	29600	15.5	13	28200	17000	9	CX35-30B	EL296UH070XE36B	10098183
SL18XP1-030-230	29000	16	13	27800	16700	9	CX35-30B	EL296UH070XV36B	10098184
SL18XP1-030-230	29200	16	13.5	27800	16700	9	CX35-30B	ML180UH070E36B	10589669
SL18XP1-030-230	29200	16	13.5	27800	16700	9	CX35-30B	ML180UH070XE36B	10589706
SL18XP1-030-230	29400	16	13.5	27800	16800	9	CX35-30B	ML180UH090E48B	10589784
SL18XP1-030-230	29400	16	13.5	27800	16800	9	CX35-30B	ML180UH090XE48B	10590039
SL18XP1-030-230	29400	16.5	13.5	27800	16700	9	CX35-30B	SL280UH090V36B	10098187
SL18XP1-030-230	29000	16	13.5	27600	16700	9	CX35-30B	SL280UH090V48B	10098188
SL18XP1-030-230	29000	16	13.5	27600	16700	9	CX35-30B	SL280UH090XV48B	10098189
SL18XP1-030-230	29000	16	13	27800	16700	9	CX35-30B	SLP98UH070XV36B	10098190
SL18XP1-030-230	29000	16	13	27800	16700	9	CX35-30B	SLP99UH070XV36B	205544284
SL18XP1-030-230	28600	14	12	28600	17500	8.5	CX35-30B		10098967
SL18XP1-030-230	29800	16	13.5	27800	17900	9.5	CX35-36A	ML180UH045E36A	10589582
SL18XP1-030-230	29800	16	13.5	27800	17900	9.5	CX35-36A	ML180UH045XE36A	10589596
SL18XP1-030-230	29600	17	14	27600	17800	9.6	CX35-36A	SL280UH060NV36A-	10581373
SL18XP1-030-230	29600	16	13.5	27600	17800	9.5	CX35-36A	SL280UH070V36A	10098235
SL18XP1-030-230	29600	16	13.5	27600	17800	9.5	CX35-36A	SL280UH070XV36A	10098236
SL18XP1-030-230	29800	16	13	27800	18000	9.5	CX35-36B	EL196UH045XE36B	201933419
SL18XP1-030-230	30000	16	13.5	27800	18000	9.5	CX35-36B	EL196UH070XE36B	201933420
SL18XP1-030-230	30000	16	14	27800	18000	9.6	CX35-36B	EL280UH045E36A	202890976
SL18XP1-030-230	30000	16	14	27800	18000	9.4	CX35-36B	EL280UH070E36A	202890994
SL18XP1-030-230	30000	16	14	27800	18000	9.4	CX35-36B	EL280UH070XE36A	203361735
SL18XP1-030-230	30000	16	14	28000	18000	9.6	CX35-36B	EL280UH090E36B	202891012
SL18XP1-030-230	30000	16	14	27600	17800	9.4	CX35-36B	EL280UH090E48B	202891030
SL18XP1-030-230	30000	16	14	27600	17800	9.4	CX35-36B	EL280UH090XE48B	203361753
SL18XP1-030-230	30000	17	14	27600	17800	9.6	CX35-36B	EL280UH110E48C	202891048
SL18XP1-030-230	29800	16	13	27800	18000	9.5	CX35-36B	EL296UH045XE36B	10098231
SL18XP1-030-230	29600	16	13	27600	17900	9	CX35-36B	EL296UH045XV36B	10098232
SL18XP1-030-230	30000	16	13.5	28000	18100	9.5	CX35-36B	EL296UH070XE36B	10098233
SL18XP1-030-230	29600	16	13.5	27600	17800	9.5	CX35-36B	EL296UH070XV36B	10098234
SL18XP1-030-230	29800	16.5	13.5	27600	17800	9.5	CX35-36B	ML180UH070E36B	10589672
SL18XP1-030-230	29800	16.5	13.5	27600	17800	9.5	CX35-36B	ML180UH070XE36B	10589709
SL18XP1-030-230	29800	16.5	13.5	27600	17800	9.5	CX35-36B	ML180UH090E48B	10589787
SL18XP1-030-230	29800	16.5	13.5	27600	17800	9.5	CX35-36B	ML180UH090XE48B	10590042
SL18XP1-030-230	30000	16.5	13.5	27600	17800	9.5	CX35-36B	SL280UH090V36B	10098237
SL18XP1-030-230	29400	16	13.5	27400	17700	9.6	CX35-36B	SL280UH090V48B	10098238
SL18XP1-030-230	29400	16	13.5	27400	17700	9.6	CX35-36B	SL280UH090XV48B	10098239
SL18XP1-030-230	29600	16	13.5	27600	17800	9.5	CX35-36B	SLP98UH070XV36B	10098240
SL18XP1-030-230	30000	17	14	27800	17900	9.5	CX35-36B	SLP98UH090XV36C	205758046
SL18XP1-030-230	29600	16	13.5	27600	17800	9.5	CX35-36B	SLP99UH070XV36B	205544290
SL18XP1-030-230	30000	17	14	27800	17900	9.5	CX35-36B	SLP99UH090XV36C	205758048
SL18XP1-030-230	29200	14.5	12	28400	18500	9	CX35-36B		10098986
SL18XP1-036-230	35800	15	12.5	33800	22200	8.5	C35-36B	EL196UH045XE36B	201933449

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-036-230	35800	15.5	12.5	33400	21800	8.5	C35-36B	EL196UH070XE36B	201933450
SL18XP1-036-230	36000	15.5	12.5	34000	22200	8.8	C35-36B	EL280UH045E36A	202891055
SL18XP1-036-230	36000	15.5	12.5	33600	22000	8.5	C35-36B	EL280UH070E36A	202891077
SL18XP1-036-230	36000	15.5	12.5	33600	22000	8.5	C35-36B	EL280UH070XE36A	203361758
SL18XP1-036-230	36000	15.5	12.5	33600	22000	8.5	C35-36B	EL280UH090E36B	202891101
SL18XP1-036-230	36000	16	13	33400	21800	8.5	C35-36B	EL280UH090E48B	202891125
SL18XP1-036-230	36000	16	13	33400	21800	8.5	C35-36B	EL280UH090XE48B	203361782
SL18XP1-036-230	36000	16	13.5	33400	21800	8.8	C35-36B	EL280UH110E48C	202891149
SL18XP1-036-230	36000	16	13.5	33400	21800	8.8	C35-36B	EL280UH110E60C	202891173
SL18XP1-036-230	36000	16	13.5	33400	21800	8.8	C35-36B	EL280UH110XE60C	203361806
SL18XP1-036-230	35800	15	12.5	33800	22200	8.5	C35-36B	EL296UH045XE36B	10098319
SL18XP1-036-230	36000	15.5	12.5	33600	22000	8.5	C35-36B	EL296UH045XV36B	10098320
SL18XP1-036-230	35800	15.5	12.5	33400	21800	8.5	C35-36B	EL296UH070XE36B	10098321
SL18XP1-036-230	36000	16	13	33200	21600	8.5	C35-36B	SL280UH090V36B	10098322
SL18XP1-036-230	36000	16	13	33400	21800	8.5	C35-36B	SL280UH090V48B	10098323
SL18XP1-036-230	36000	16	13	33400	21800	8.5	C35-36B	SL280UH090XV48B	10098324
SL18XP1-036-230	36000	15.5	12.5	33600	22000	8.5	C35-36B	SLP98UH070XV36B	10098325
SL18XP1-036-230	36000	15.5	12.5	33600	22000	8.5	C35-36B	SLP99UH070XV36B	205544311
SL18XP1-036-230	35400	14.5	12	34000	22400	8.5	C35-36B		10099340
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	C35-48B	EL196UH070XE36B	201933460
SL18XP1-036-230	35600	15.5	12.5	33000	21200	8.5	C35-48B	EL280UH045E36A	202891056
SL18XP1-036-230	36000	15.5	12.5	33600	21600	8.8	C35-48B	EL280UH070E36A	202891078
SL18XP1-036-230	36000	15.5	12.5	33600	21600	8.8	C35-48B	EL280UH070XE36A	203361759
SL18XP1-036-230	36000	15.5	12.5	33600	21600	8.8	C35-48B	EL280UH090E36B	202891102
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.8	C35-48B	EL280UH090E48B	202891126
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.8	C35-48B	EL280UH090XE48B	203361783
SL18XP1-036-230	36000	16	13.5	33400	21400	9	C35-48B	EL280UH110E48C	202891150
SL18XP1-036-230	36000	16	13.5	33400	21600	9	C35-48B	EL280UH110E60C	202891174
SL18XP1-036-230	36000	16	13.5	33400	21600	9	C35-48B	EL280UH110XE60C	203361807
SL18XP1-036-230	36000	15	12.5	33600	21600	8.5	C35-48B	EL296UH045XV36B	10098344
SL18XP1-036-230	36000	15.5	12.5	33400	21600	8.5	C35-48B	EL296UH070XE36B	10098345
SL18XP1-036-230	36000	16	13.5	33200	21200	8.5	C35-48B	SL280UH090V36B	10098346
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	C35-48B	SL280UH090V48B	10098347
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	C35-48B	SL280UH090XV48B	10098348
SL18XP1-036-230	36000	15.5	12.5	33200	21400	8.5	C35-48B	SLP98UH070XV36B	10098349
SL18XP1-036-230	36000	15.5	12.5	33200	21400	8.5	C35-48B	SLP99UH070XV36B	205544314
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	C35-48C	EL196UH090XE48C	201933457
SL18XP1-036-230	36000	16	13.5	33400	21600	8.5	C35-48C	EL196UH110XE60C	201933458
SL18XP1-036-230	35800	15.5	12.5	33000	21200	8.5	C35-48C	EL280UH045E36A	202891057
SL18XP1-036-230	36000	15.5	12.5	33600	21600	8.8	C35-48C	EL280UH070E36A	202891079
SL18XP1-036-230	36000	15.5	12.5	33600	21600	8.8	C35-48C	EL280UH070XE36A	203361760
SL18XP1-036-230	36000	15.5	12.5	33600	21600	9	C35-48C	EL280UH090E36B	202891103
SL18XP1-036-230	36000	15.5	12.5	33400	21400	9	C35-48C	EL280UH090E48B	202891127
SL18XP1-036-230	36000	15.5	12.5	33400	21400	9	C35-48C	EL280UH090XE48B	203361784
SL18XP1-036-230	36000	16	13.5	33200	21200	9	C35-48C	EL280UH110E48C	202891151
SL18XP1-036-230	36000	16	13.5	33600	21400	9	C35-48C	EL280UH110E60C	202891175
SL18XP1-036-230	36000	16	13.5	33600	21400	9	C35-48C	EL280UH110XE60C	203361808
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	C35-48C	EL296UH090XE48C	10098355
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	C35-48C	EL296UH090XV36C	10098356
SL18XP1-036-230	36000	15.5	12.5	33200	21400	8.5	C35-48C	EL296UH090XV48C	10098357
SL18XP1-036-230	36000	16	13.5	33400	21400	8.5	C35-48C	EL296UH110XE60C	10098358
SL18XP1-036-230	36000	16	13.5	33400	21400	8.5	C35-48C	EL296UH110XV48C	10098359
SL18XP1-036-230	36000	16	13.5	33400	21400	8.5	C35-48C	EL296UH110XV60C	10098360
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	C35-48C	SL280UH090V60C	202087859
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	C35-48C	SL280UH090XV60C	202087860
SL18XP1-036-230	36000	15.5	12.5	33600	21600	8.5	C35-48C	SL280UH110V60C	202087861

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-036-230	36000	15.5	12.5	33600	21600	8.5	C35-48C	SL280UH110XV60C	202087862
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	C35-48C	SLP98UH090XV36C	203808545
SL18XP1-036-230	36000	15.5	12.5	33200	21400	8.5	C35-48C	SLP98UH090XV48C	10099343
SL18XP1-036-230	36000	15.5	12.5	33800	21600	8.5	C35-48C	SLP98UH090XV60C	10098361
SL18XP1-036-230	36000	16	13.5	33600	21400	8.5	C35-48C	SLP98UH110XV60C	202087865
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	C35-48C	SLP99UH090XV36C	205545868
SL18XP1-036-230	36000	15.5	12.5	33200	21400	8.5	C35-48C	SLP99UH090XV48C	205544465
SL18XP1-036-230	36000	15.5	12.5	33800	21600	8.5	C35-48C	SLP99UH090XV60C	205544316
SL18XP1-036-230	36000	16	13.5	33600	21400	8.5	C35-48C	SLP99UH110XV60C	205544633
SL18XP1-036-230	35600	14	12	34000	22200	8.5	C35-48C		10099342
SL18XP1-036-230	36000	15.5	12.5	33200	21400	8.5	C35-50/60C	EL196UH090XE48C	201933453
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	C35-50/60C	EL196UH110XE60C	201933454
SL18XP1-036-230	35400	15.5	12.5	32800	21200	8.5	C35-50/60C	EL280UH045E36A	202891058
SL18XP1-036-230	36000	15.5	12.5	33400	21600	8.8	C35-50/60C	EL280UH070E36A	202891080
SL18XP1-036-230	36000	15.5	12.5	33400	21600	8.8	C35-50/60C	EL280UH070XE36A	203361761
SL18XP1-036-230	36000	15.5	12.5	33600	21600	8.8	C35-50/60C	EL280UH090E36B	202891104
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.8	C35-50/60C	EL280UH090E48B	202891128
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.8	C35-50/60C	EL280UH090XE48B	203361785
SL18XP1-036-230	36000	15.5	12.5	33200	21200	8.8	C35-50/60C	EL280UH110E48C	202891152
SL18XP1-036-230	36000	15.5	12.5	33400	21400	9	C35-50/60C	EL280UH110E60C	202891176
SL18XP1-036-230	36000	15.5	12.5	33400	21400	9	C35-50/60C	EL280UH110XE60C	203361809
SL18XP1-036-230	36000	15.5	12.5	33200	21400	8.5	C35-50/60C	EL296UH090XE48C	10098367
SL18XP1-036-230	36000	15.5	12.5	33200	21400	8.5	C35-50/60C	EL296UH090XV36C	10098368
SL18XP1-036-230	36000	15.5	12.5	33200	21200	8.5	C35-50/60C	EL296UH090XV48C	10098369
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	C35-50/60C	EL296UH110XE60C	10098370
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	C35-50/60C	EL296UH110XV48C	10098371
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	C35-50/60C	EL296UH110XV60C	10098372
SL18XP1-036-230	36000	16	13.5	33600	21400	8.5	C35-50/60C	SL280UH090V60C	10098373
SL18XP1-036-230	36000	16	13.5	33600	21400	8.5	C35-50/60C	SL280UH090XV60C	10098374
SL18XP1-036-230	36000	15.5	12.5	33400	21600	8.5	C35-50/60C	SL280UH110V60C	10098375
SL18XP1-036-230	36000	15.5	12.5	33400	21600	8.5	C35-50/60C	SL280UH110XV60C	10098376
SL18XP1-036-230	36000	15.5	12.5	33200	21400	8.5	C35-50/60C	SLP98UH090XV36C	10099344
SL18XP1-036-230	36000	15.5	12.5	33200	21200	8.5	C35-50/60C	SLP98UH090XV48C	10099345
SL18XP1-036-230	36000	15.5	12.5	33600	21600	8.5	C35-50/60C	SLP98UH090XV60C	10098377
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	C35-50/60C	SLP98UH110XV60C	10099346
SL18XP1-036-230	36000	15.5	12.5	33200	21400	8.5	C35-50/60C	SLP99UH090XV36C	205544466
SL18XP1-036-230	36000	15.5	12.5	33200	21200	8.5	C35-50/60C	SLP99UH090XV48C	205544468
SL18XP1-036-230	36000	15.5	12.5	33600	21600	8.5	C35-50/60C	SLP99UH090XV60C	205544318
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	C35-50/60C	SLP99UH110XV60C	205544470
SL18XP1-036-230	35400	14	12	34000	22000	8.5	C35-50/60C		10098378
SL18XP1-036-230	35800	15.5	13	34000	22200	9	CBA27UHE-036-230		10258580
SL18XP1-036-230	36000	16	13	33400	21600	9	CBA27UHE-042-230		10258581
SL18XP1-036-230	36000	15.5	12.5	34000	22400	9	CBA38MV-036-230		201841622
SL18XP1-036-230	36000	16	13.5	33400	21800	9	CBA38MV-042-230		201841623
SL18XP1-036-230	36000	16	13.5	33400	22400	9.6	CBA38MV-048-230		201841629
SL18XP1-036-230	35200	14.5	12	34000	22600	9	CBX32M-036		8331383
SL18XP1-036-230	35200	14.5	12	34000	22600	9	CBX32M-042		8331384
SL18XP1-036-230	36000	14.5	12.5	33800	22200	8.5	CBX32M-048		8331385
SL18XP1-036-230	36000	14.5	12.5	33800	22400	8.5	CH33-43B	EL196UH045XE36B	201933437
SL18XP1-036-230	36000	15	12.5	33600	22400	8.5	CH33-43B	EL196UH070XE36B	201933438
SL18XP1-036-230	36000	14.5	12.5	33800	22400	8.5	CH33-43B	EL296UH045XE36B	8329519
SL18XP1-036-230	36000	15	12.5	33600	22200	8.5	CH33-43B	EL296UH045XV36B	8329520
SL18XP1-036-230	36000	15	12.5	33600	22400	8.5	CH33-43B	EL296UH070XE36B	8329521
SL18XP1-036-230	36000	15.5	12.5	33200	22000	8.5	CH33-43B	EL296UH070XV36B	8329522
SL18XP1-036-230	36000	16	13	33000	21800	8.5	CH33-43B	SL280UH090V36B	8329523
SL18XP1-036-230	36000	16	13	33200	22000	9	CH33-43B	SL280UH090V48B	8329524

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-036-230	36000	16	13	33200	22000	9	CH33-43B	SL280UH090XV48B	8329525
SL18XP1-036-230	36000	15.5	12.5	33200	22000	8.5	CH33-43B	SLP98UH070XV36B	8329526
SL18XP1-036-230	36000	14.5	12	34000	22600	8.5	CH33-43B		8329527
SL18XP1-036-230	36000	15.5	13	32800	21800	8.5	CH33-49	EL196UH090XE48C	201933433
SL18XP1-036-230	36000	16	13	32800	22000	9	CH33-49	EL196UH110XE60C	201933434
SL18XP1-036-230	36000	15.5	13	32800	21800	8.5	CH33-49	EL296UH090XE48C	8329395
SL18XP1-036-230	36000	15.5	13	32800	21800	9	CH33-49	EL296UH090XV36C	8329396
SL18XP1-036-230	36000	16	13	32600	21800	8.5	CH33-49	EL296UH090XV48C	8329397
SL18XP1-036-230	36000	16	13	32800	21800	9	CH33-49	EL296UH110XE60C	8329398
SL18XP1-036-230	36000	16	13	32800	21800	9	CH33-49	EL296UH110XV48C	8329399
SL18XP1-036-230	36000	16	13	32800	21800	9	CH33-49	EL296UH110XV60C	8329400
SL18XP1-036-230	36000	16	13	32800	22000	9	CH33-49	SL280UH090V60C	8329401
SL18XP1-036-230	36000	16	13	32800	22000	9	CH33-49	SL280UH090XV60C	8329402
SL18XP1-036-230	36000	15.5	13	32800	22000	9	CH33-49	SL280UH110V60C	8329403
SL18XP1-036-230	36000	15.5	13	32800	22000	9	CH33-49	SL280UH110XV60C	8329404
SL18XP1-036-230	36000	15.5	13	32800	21800	9	CH33-49	SLP98UH090XV36C	8329405
SL18XP1-036-230	36000	16	13	32600	21800	8.5	CH33-49	SLP98UH090XV48C	8329406
SL18XP1-036-230	36000	15.5	13	33000	22000	9	CH33-49	SLP98UH090XV60C	8329407
SL18XP1-036-230	36000	16	13	32800	21800	9	CH33-49	SLP98UH110XV60C	8329408
SL18XP1-036-230	36000	14.5	12	33200	22400	8.5	CH33-49		8329409
SL18XP1-036-230	36000	15.5	12.5	32600	21800	8.5	CH33-50/60C	EL196UH090XE48C	201933435
SL18XP1-036-230	36000	15.5	13	32800	21800	8.5	CH33-50/60C	EL196UH110XE60C	201933436
SL18XP1-036-230	36000	15.5	12.5	32600	21800	8.5	CH33-50/60C	EL296UH090XE48C	8329415
SL18XP1-036-230	36000	15.5	13	32600	21800	8.5	CH33-50/60C	EL296UH090XV36C	8329416
SL18XP1-036-230	36000	15.5	13	32400	21800	9	CH33-50/60C	EL296UH090XV48C	8329417
SL18XP1-036-230	36000	15.5	13	32800	21800	8.5	CH33-50/60C	EL296UH110XE60C	8329418
SL18XP1-036-230	36000	15.5	13	32800	21800	9	CH33-50/60C	EL296UH110XV48C	8329419
SL18XP1-036-230	36000	16	13	32800	21800	9	CH33-50/60C	EL296UH110XV60C	8329420
SL18XP1-036-230	36000	16	13	32800	21800	9	CH33-50/60C	SL280UH090V60C	8329421
SL18XP1-036-230	36000	16	13	32800	21800	9	CH33-50/60C	SL280UH090XV60C	8329422
SL18XP1-036-230	36000	15.5	13	32800	22000	9	CH33-50/60C	SL280UH110V60C	8329423
SL18XP1-036-230	36000	15.5	13	32800	22000	9	CH33-50/60C	SL280UH110XV60C	8329424
SL18XP1-036-230	36000	15.5	13	32600	21800	8.5	CH33-50/60C	SLP98UH090XV36C	8329425
SL18XP1-036-230	36000	15.5	13	32400	21800	9	CH33-50/60C	SLP98UH090XV48C	8329426
SL18XP1-036-230	36000	15.5	13	33000	22000	9	CH33-50/60C	SLP98UH090XV60C	8329427
SL18XP1-036-230	36000	16	13	32800	21800	9	CH33-50/60C	SLP98UH110XV60C	8329428
SL18XP1-036-230	36000	14.5	12	33400	22400	8.5	CH33-50/60C		8329429
SL18XP1-036-230	36000	15	12.5	33800	22400	8.5	CH35-42B	EL196UH045XE36B	201933439
SL18XP1-036-230	36000	15	12.5	33600	22600	8.5	CH35-42B	EL196UH070XE36B	201933440
SL18XP1-036-230	36000	15.5	12.5	34200	22600	9	CH35-42B	EL280UH045E36A	202891063
SL18XP1-036-230	36000	15.5	12.5	33800	22200	9	CH35-42B	EL280UH070E36A	202891085
SL18XP1-036-230	36000	15.5	12.5	33800	22200	9	CH35-42B	EL280UH070XE36A	203361766
SL18XP1-036-230	36000	15.5	12.5	33800	22200	9	CH35-42B	EL280UH090E36B	202891109
SL18XP1-036-230	36000	15.5	12.5	33600	22000	9	CH35-42B	EL280UH090E48B	202891133
SL18XP1-036-230	36000	15.5	12.5	33600	22000	9	CH35-42B	EL280UH090XE48B	203361790
SL18XP1-036-230	36000	16	13.5	33600	22000	9.2	CH35-42B	EL280UH110E48C	202891157
SL18XP1-036-230	36000	16	13.5	33800	22000	9.2	CH35-42B	EL280UH110E60C	202891181
SL18XP1-036-230	36000	16	13.5	33800	22000	9.2	CH35-42B	EL280UH110XE60C	203361814
SL18XP1-036-230	36000	15	12.5	33800	22400	8.5	CH35-42B	EL296UH045XE36B	10098252
SL18XP1-036-230	36000	15	12.5	33600	22200	8.5	CH35-42B	EL296UH045XV36B	10098253
SL18XP1-036-230	36000	15	12.5	33600	22400	8.5	CH35-42B	EL296UH070XE36B	10098254
SL18XP1-036-230	36000	15.5	12.5	33200	22000	8.5	CH35-42B	EL296UH070XV36B	10098255
SL18XP1-036-230	36000	16	13.5	33000	21800	8.5	CH35-42B	SL280UH090V36B	10098256
SL18XP1-036-230	36000	16	13.5	33200	22000	9	CH35-42B	SL280UH090V48B	10099338
SL18XP1-036-230	36000	16	13.5	33200	22000	9	CH35-42B	SL280UH090XV48B	10099339
SL18XP1-036-230	36000	15.5	12.5	33200	22000	8.5	CH35-42B	SLP98UH070XV36B	10098257

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-036-230	36000	15.5	12.5	33200	22000	8.5	CH35-42B	SLP99UH070XV36B	205544293
SL18XP1-036-230	36000	14.5	12	34000	22600	8.5	CH35-42B		10098258
SL18XP1-036-230	36000	15.5	12.5	33400	22200	8.5	CH35-42C	EL196UH090XE48C	201933441
SL18XP1-036-230	36000	16	13.5	33600	22200	8.5	CH35-42C	EL196UH110XE60C	201933442
SL18XP1-036-230	35800	15.5	12.5	33000	22000	8.4	CH35-42C	EL280UH045E36A	202891064
SL18XP1-036-230	36000	15.5	12.5	33600	22400	8.5	CH35-42C	EL280UH070E36A	202891086
SL18XP1-036-230	36000	15.5	12.5	33600	22400	8.5	CH35-42C	EL280UH070XE36A	203361767
SL18XP1-036-230	36000	15.5	12.5	33600	22400	8.5	CH35-42C	EL280UH090E36B	202891110
SL18XP1-036-230	36000	16	13.5	33400	22200	8.5	CH35-42C	EL280UH090E48B	202891134
SL18XP1-036-230	36000	16	13.5	33400	22200	8.5	CH35-42C	EL280UH090XE48B	203361791
SL18XP1-036-230	36000	16	13.5	33200	22000	8.5	CH35-42C	EL280UH110E48C	202891158
SL18XP1-036-230	36000	16	13.5	33600	22200	8.5	CH35-42C	EL280UH110E60C	202891182
SL18XP1-036-230	36000	16	13.5	33600	22200	8.5	CH35-42C	EL280UH110XE60C	203361815
SL18XP1-036-230	36000	15.5	12.5	33400	22200	8.5	CH35-42C	EL296UH090XE48C	10098264
SL18XP1-036-230	36000	16	13	33400	22200	8.5	CH35-42C	EL296UH090XV36C	10098265
SL18XP1-036-230	36000	16	13	33200	22000	8.5	CH35-42C	EL296UH090XV48C	10098266
SL18XP1-036-230	36000	16	13.5	33600	22200	8.5	CH35-42C	EL296UH110XE60C	10098267
SL18XP1-036-230	36000	16	13.5	33400	22000	8.5	CH35-42C	EL296UH110XV48C	10098268
SL18XP1-036-230	36000	16	13.5	33600	22200	8.5	CH35-42C	EL296UH110XV60C	10098269
SL18XP1-036-230	36000	16	13.5	33600	22200	8.5	CH35-42C	SL280UH090V60C	10098270
SL18XP1-036-230	36000	16	13.5	33600	22200	8.5	CH35-42C	SL280UH090XV60C	10098271
SL18XP1-036-230	36000	16	13	33600	22200	8.5	CH35-42C	SL280UH110V60C	10098272
SL18XP1-036-230	36000	16	13	33600	22200	8.5	CH35-42C	SL280UH110XV60C	10098273
SL18XP1-036-230	36000	16	13	33400	22200	8.5	CH35-42C	SLP98UH090XV36C	10098274
SL18XP1-036-230	36000	16	13	33200	22000	8.5	CH35-42C	SLP98UH090XV48C	10098275
SL18XP1-036-230	36000	15.5	12.5	33800	22400	8.5	CH35-42C	SLP98UH090XV60C	10098276
SL18XP1-036-230	36000	16	13.5	33600	22200	8.5	CH35-42C	SLP98UH110XV60C	10098277
SL18XP1-036-230	36000	16	13	33400	22200	8.5	CH35-42C	SLP99UH090XV36C	205544295
SL18XP1-036-230	36000	16	13	33200	22000	8.5	CH35-42C	SLP99UH090XV48C	205544296
SL18XP1-036-230	36000	15.5	12.5	33800	22400	8.5	CH35-42C	SLP99UH090XV60C	205544298
SL18XP1-036-230	36000	16	13.5	33600	22200	8.5	CH35-42C	SLP99UH110XV60C	205544301
SL18XP1-036-230	35600	14	12	34200	22800	8.2	CH35-42C		10098278
SL18XP1-036-230	36000	14.5	12.5	34200	22400	8.5	CH35-48B	EL196UH045XE36B	201933443
SL18XP1-036-230	36000	15.5	12.5	33600	22000	8.5	CH35-48B	EL196UH070XE36B	201933444
SL18XP1-036-230	36000	15.5	12.5	34200	22400	9	CH35-48B	EL280UH045E36A	202891065
SL18XP1-036-230	36000	15.5	12.5	33800	22200	8.8	CH35-48B	EL280UH070E36A	202891087
SL18XP1-036-230	36000	15.5	12.5	33800	22200	8.8	CH35-48B	EL280UH070XE36A	203361768
SL18XP1-036-230	36000	15.5	12.5	33800	22200	8.8	CH35-48B	EL280UH090E36B	202891111
SL18XP1-036-230	36000	15.5	12.5	33600	22000	8.8	CH35-48B	EL280UH090E48B	202891135
SL18XP1-036-230	36000	15.5	12.5	33600	22000	8.8	CH35-48B	EL280UH090XE48B	203361792
SL18XP1-036-230	36000	16	13.5	33800	22000	9	CH35-48B	EL280UH110E48C	202891159
SL18XP1-036-230	36000	16	13.5	33800	22000	9	CH35-48B	EL280UH110E60C	202891183
SL18XP1-036-230	36000	16	13.5	33800	22000	9	CH35-48B	EL280UH110XE60C	203361816
SL18XP1-036-230	36000	14.5	12.5	34200	22400	8.5	CH35-48B	EL296UH045XE36B	10098284
SL18XP1-036-230	36000	15	12.5	34000	22200	8.5	CH35-48B	EL296UH045XV36B	10098285
SL18XP1-036-230	36000	15.5	12.5	33600	22200	8.5	CH35-48B	EL296UH070XE36B	10098286
SL18XP1-036-230	36000	15.5	12.5	33600	22000	8.5	CH35-48B	EL296UH070XV36B	10098287
SL18XP1-036-230	36000	16	13	33600	22000	8.5	CH35-48B	SL280UH090V36B	10098288
SL18XP1-036-230	36000	15.5	12.5	33800	22000	8.5	CH35-48B	SL280UH090V48B	10098289
SL18XP1-036-230	36000	15.5	12.5	33800	22000	8.5	CH35-48B	SL280UH090XV48B	10098290
SL18XP1-036-230	36000	15.5	12.5	33600	22000	8.5	CH35-48B	SLP98UH070XV36B	10098291
SL18XP1-036-230	36000	15.5	12.5	33600	22000	8.5	CH35-48B	SLP99UH070XV36B	205544303
SL18XP1-036-230	35600	14	12	34400	22600	8.5	CH35-48B		10098292
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CH35-48C	EL196UH090XE48C	201933445
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CH35-48C	EL196UH110XE60C	201933446
SL18XP1-036-230	36000	15.5	12.5	33600	21600	8.5	CH35-48C	EL280UH070E36A	202891088

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-036-230	36000	15.5	12.5	33600	21600	8.5	CH35-48C	EL280UH070XE36A	203361769
SL18XP1-036-230	36000	16	13.5	33800	21800	8.5	CH35-48C	EL280UH090E36B	202891112
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CH35-48C	EL280UH090E48B	202891136
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CH35-48C	EL280UH090XE48B	203361793
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CH35-48C	EL280UH110E48C	202891160
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CH35-48C	EL280UH110E60C	202891184
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CH35-48C	EL280UH110XE60C	203361817
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CH35-48C	EL296UH090XE48C	10098299
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CH35-48C	EL296UH090XV36C	10098300
SL18XP1-036-230	36000	16	13.5	33400	21400	8.5	CH35-48C	EL296UH090XV48C	10098301
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CH35-48C	EL296UH110XE60C	10098302
SL18XP1-036-230	36000	16	13.5	33400	21400	8.5	CH35-48C	EL296UH110XV48C	10098303
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CH35-48C	EL296UH110XV60C	10098304
SL18XP1-036-230	36000	16	13.5	33800	21600	8.5	CH35-48C	SL280UH090V60C	10098305
SL18XP1-036-230	36000	16	13.5	33800	21600	8.5	CH35-48C	SL280UH090XV60C	10098306
SL18XP1-036-230	36000	16	13.5	33800	21600	8.5	CH35-48C	SL280UH110V60C	10098307
SL18XP1-036-230	36000	16	13.5	33800	21600	8.5	CH35-48C	SL280UH110XV60C	10098308
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CH35-48C	SLP98UH090XV36C	10098309
SL18XP1-036-230	36000	16	13.5	33400	21400	8.5	CH35-48C	SLP98UH090XV48C	10098310
SL18XP1-036-230	36000	16	13.5	34000	21800	8.5	CH35-48C	SLP98UH090XV60C	10098311
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CH35-48C	SLP98UH110XV60C	10098312
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CH35-48C	SLP99UH090XV36C	205544304
SL18XP1-036-230	36000	16	13.5	33400	21400	8.5	CH35-48C	SLP99UH090XV48C	205544305
SL18XP1-036-230	36000	16	13.5	34000	21800	8.5	CH35-48C	SLP99UH090XV60C	205544307
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CH35-48C	SLP99UH110XV60C	205544308
SL18XP1-036-230	36000	14.5	12.5	34200	22200	8.2	CH35-48C		10098293
SL18XP1-036-230	36000	15	12.5	33800	22400	8.5	CHX35-42B	EL196UH045XE36B	202186997
SL18XP1-036-230	36000	15	12.5	33600	22600	8.5	CHX35-42B	EL196UH070XE36B	202186998
SL18XP1-036-230	36000	15.5	12.5	34200	22600	9	CHX35-42B	EL280UH045E36A	202891066
SL18XP1-036-230	36000	15.5	12.5	33800	22200	9	CHX35-42B	EL280UH070E36A	202891089
SL18XP1-036-230	36000	15.5	12.5	33800	22200	9	CHX35-42B	EL280UH070XE36A	203361770
SL18XP1-036-230	36000	15.5	12.5	33800	22200	9	CHX35-42B	EL280UH090E36B	202891113
SL18XP1-036-230	36000	15.5	12.5	33600	22000	9	CHX35-42B	EL280UH090E48B	202891137
SL18XP1-036-230	36000	15.5	12.5	33600	22000	9	CHX35-42B	EL280UH090XE48B	203361794
SL18XP1-036-230	36000	16	13.5	33600	22000	9.2	CHX35-42B	EL280UH110E48C	202891161
SL18XP1-036-230	36000	16	13.5	33800	22000	9.2	CHX35-42B	EL280UH110E60C	202891185
SL18XP1-036-230	36000	16	13.5	33800	22000	9.2	CHX35-42B	EL280UH110XE60C	203361818
SL18XP1-036-230	36000	15	12.5	33800	22400	8.5	CHX35-42B	EL296UH045XE36B	202189983
SL18XP1-036-230	36000	15	12.5	33600	22200	8.5	CHX35-42B	EL296UH045XV36B	202189985
SL18XP1-036-230	36000	15	12.5	33600	22400	8.5	CHX35-42B	EL296UH070XE36B	202189987
SL18XP1-036-230	36000	15.5	12.5	33200	22000	8.5	CHX35-42B	EL296UH070XV36B	202189989
SL18XP1-036-230	36000	16	13.5	33000	21800	8.5	CHX35-42B	SL280UH090V36B	202189991
SL18XP1-036-230	36000	16	13.5	33200	22000	9	CHX35-42B	SL280UH090V48B	202190394
SL18XP1-036-230	36000	16	13.5	33200	22000	9	CHX35-42B	SL280UH090XV48B	202190395
SL18XP1-036-230	36000	15.5	12.5	33200	22000	8.5	CHX35-42B	SLP98UH070XV36B	202189993
SL18XP1-036-230	36000	15.5	12.5	33200	22000	8.5	CHX35-42B	SLP99UH070XV36B	205544640
SL18XP1-036-230	36000	14.5	12	34000	22600	8.5	CHX35-42B		202189995
SL18XP1-036-230	36000	15.5	12.5	33400	22200	8.5	CHX35-42C	EL196UH090XE48C	202186999
SL18XP1-036-230	36000	16	13.5	33600	22200	8.5	CHX35-42C	EL196UH110XE60C	202187000
SL18XP1-036-230	35800	15.5	12.5	33000	22000	8.4	CHX35-42C	EL280UH045E36A	202891067
SL18XP1-036-230	36000	15.5	12.5	33600	22400	8.5	CHX35-42C	EL280UH070E36A	202891090
SL18XP1-036-230	36000	15.5	12.5	33600	22400	8.5	CHX35-42C	EL280UH070XE36A	203361771
SL18XP1-036-230	36000	15.5	12.5	33600	22400	8.5	CHX35-42C	EL280UH090E36B	202891114
SL18XP1-036-230	36000	16	13.5	33400	22200	8.5	CHX35-42C	EL280UH090E48B	202891138
SL18XP1-036-230	36000	16	13.5	33400	22200	8.5	CHX35-42C	EL280UH090XE48B	203361795
SL18XP1-036-230	36000	16	13.5	33200	22000	8.5	CHX35-42C	EL280UH110E48C	202891162

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-036-230	36000	16	13.5	33600	22200	8.5	CHX35-42C	EL280UH110E60C	202891186
SL18XP1-036-230	36000	16	13.5	33600	22200	8.5	CHX35-42C	EL280UH110XE60C	203361819
SL18XP1-036-230	36000	15.5	12.5	33400	22200	8.5	CHX35-42C	EL296UH090XE48C	202190008
SL18XP1-036-230	36000	16	13	33400	22200	8.5	CHX35-42C	EL296UH090XV36C	202190011
SL18XP1-036-230	36000	16	13	33200	22000	8.5	CHX35-42C	EL296UH090XV48C	202190013
SL18XP1-036-230	36000	16	13.5	33600	22200	8.5	CHX35-42C	EL296UH110XE60C	202190015
SL18XP1-036-230	36000	16	13.5	33400	22000	8.5	CHX35-42C	EL296UH110XV48C	202190017
SL18XP1-036-230	36000	16	13.5	33600	22200	8.5	CHX35-42C	EL296UH110XV60C	202190020
SL18XP1-036-230	36000	16	13.5	33600	22200	8.5	CHX35-42C	SL280UH090V60C	202190024
SL18XP1-036-230	36000	16	13.5	33600	22200	8.5	CHX35-42C	SL280UH090XV60C	202190026
SL18XP1-036-230	36000	16	13	33600	22200	8.5	CHX35-42C	SL280UH110V60C	202190028
SL18XP1-036-230	36000	16	13	33600	22200	8.5	CHX35-42C	SL280UH110XV60C	202190030
SL18XP1-036-230	36000	16	13	33400	22200	8.5	CHX35-42C	SLP98UH090XV36C	202190032
SL18XP1-036-230	36000	16	13	33200	22000	8.5	CHX35-42C	SLP98UH090XV48C	202190034
SL18XP1-036-230	36000	15.5	12.5	33800	22400	8.5	CHX35-42C	SLP98UH090XV60C	202190037
SL18XP1-036-230	36000	16	13.5	33600	22200	8.5	CHX35-42C	SLP98UH110XV60C	202190039
SL18XP1-036-230	36000	16	13	33400	22200	8.5	CHX35-42C	SLP99UH090XV36C	205544642
SL18XP1-036-230	36000	16	13	33200	22000	8.5	CHX35-42C	SLP99UH090XV48C	205544643
SL18XP1-036-230	36000	15.5	12.5	33800	22400	8.5	CHX35-42C	SLP99UH090XV60C	205544645
SL18XP1-036-230	36000	16	13.5	33600	22200	8.5	CHX35-42C	SLP99UH110XV60C	205544647
SL18XP1-036-230	35600	14	12	34200	22800	8.2	CHX35-42C		202190041
SL18XP1-036-230	36000	14.5	12.5	34200	22400	8.5	CHX35-48B	EL196UH045XE36B	202187001
SL18XP1-036-230	36000	15.5	12.5	33600	22000	8.5	CHX35-48B	EL196UH070XE36B	202187002
SL18XP1-036-230	36000	15.5	12.5	34200	22400	9	CHX35-48B	EL280UH045E36A	202891068
SL18XP1-036-230	36000	15.5	12.5	33800	22200	8.8	CHX35-48B	EL280UH070E36A	202891091
SL18XP1-036-230	36000	15.5	12.5	33800	22200	8.8	CHX35-48B	EL280UH070XE36A	203361772
SL18XP1-036-230	36000	15.5	12.5	33800	22200	8.8	CHX35-48B	EL280UH090E36B	202891115
SL18XP1-036-230	36000	15.5	12.5	33600	22000	8.8	CHX35-48B	EL280UH090E48B	202891139
SL18XP1-036-230	36000	15.5	12.5	33600	22000	8.8	CHX35-48B	EL280UH090XE48B	203361796
SL18XP1-036-230	36000	16	13.5	33800	22000	9	CHX35-48B	EL280UH110E48C	202891163
SL18XP1-036-230	36000	16	13.5	33800	22000	9	CHX35-48B	EL280UH110E60C	202891187
SL18XP1-036-230	36000	16	13.5	33800	22000	9	CHX35-48B	EL280UH110XE60C	203361820
SL18XP1-036-230	36000	14.5	12.5	34200	22400	8.5	CHX35-48B	EL296UH045XE36B	202190053
SL18XP1-036-230	36000	15	12.5	34000	22200	8.5	CHX35-48B	EL296UH045XV36B	202190055
SL18XP1-036-230	36000	15.5	12.5	33600	22200	8.5	CHX35-48B	EL296UH070XE36B	202190058
SL18XP1-036-230	36000	15.5	12.5	33600	22000	8.5	CHX35-48B	EL296UH070XV36B	202190060
SL18XP1-036-230	36000	16	13	33600	22000	8.5	CHX35-48B	SL280UH090V36B	202190061
SL18XP1-036-230	36000	15.5	12.5	33800	22000	8.5	CHX35-48B	SL280UH090V48B	202190063
SL18XP1-036-230	36000	15.5	12.5	33800	22000	8.5	CHX35-48B	SL280UH090XV48B	202190065
SL18XP1-036-230	36000	15.5	12.5	33600	22000	8.5	CHX35-48B	SLP98UH070XV36B	202190068
SL18XP1-036-230	36000	15.5	12.5	33600	22000	8.5	CHX35-48B	SLP99UH070XV36B	205544649
SL18XP1-036-230	35600	14	12	34400	22600	8.5	CHX35-48B		202190069
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CHX35-48C	EL196UH090XE48C	202187003
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CHX35-48C	EL196UH110XE60C	202187004
SL18XP1-036-230	36000	15.5	12.5	33600	21600	8.5	CHX35-48C	EL280UH070E36A	202891092
SL18XP1-036-230	36000	15.5	12.5	33600	21600	8.5	CHX35-48C	EL280UH070XE36A	203361773
SL18XP1-036-230	36000	16	13.5	33800	21800	8.5	CHX35-48C	EL280UH090E36B	202891116
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CHX35-48C	EL280UH090E48B	202891140
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CHX35-48C	EL280UH090XE48B	203361797
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CHX35-48C	EL280UH110E48C	202891164
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CHX35-48C	EL280UH110E60C	202891188
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CHX35-48C	EL280UH110XE60C	203361821
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CHX35-48C	EL296UH090XE48C	202190084
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CHX35-48C	EL296UH090XV36C	202190086
SL18XP1-036-230	36000	16	13.5	33400	21400	8.5	CHX35-48C	EL296UH090XV48C	202190088
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CHX35-48C	EL296UH110XE60C	202190090

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-036-230	36000	16	13.5	33400	21400	8.5	CHX35-48C	EL296UH110XV48C	202190093
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CHX35-48C	EL296UH110XV60C	202190095
SL18XP1-036-230	36000	16	13.5	33800	21600	8.5	CHX35-48C	SL280UH090V60C	202190097
SL18XP1-036-230	36000	16	13.5	33800	21600	8.5	CHX35-48C	SL280UH090XV60C	202190100
SL18XP1-036-230	36000	16	13.5	33800	21600	8.5	CHX35-48C	SL280UH110V60C	202190102
SL18XP1-036-230	36000	16	13.5	33800	21600	8.5	CHX35-48C	SL280UH110XV60C	202190104
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CHX35-48C	SLP98UH090XV36C	202190106
SL18XP1-036-230	36000	16	13.5	33400	21400	8.5	CHX35-48C	SLP98UH090XV48C	202190108
SL18XP1-036-230	36000	16	13.5	34000	21800	8.5	CHX35-48C	SLP98UH090XV60C	202190111
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CHX35-48C	SLP98UH110XV60C	202190113
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CHX35-48C	SLP99UH090XV36C	205544651
SL18XP1-036-230	36000	16	13.5	33400	21400	8.5	CHX35-48C	SLP99UH090XV48C	205544653
SL18XP1-036-230	36000	16	13.5	34000	21800	8.5	CHX35-48C	SLP99UH090XV60C	205544654
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CHX35-48C	SLP99UH110XV60C	205544655
SL18XP1-036-230	36000	14.5	12.5	34200	22200	8.2	CHX35-48C		202190072
SL18XP1-036-230	36000	15.5	13	33200	22200	9	CR33-50/60	EL196DF090XE48C	201953291
SL18XP1-036-230	36000	15.1	12.5	33400	22200	9	CR33-50/60	EL280DF070E36A	202891053
SL18XP1-036-230	36000	15.1	12.5	33200	22000	9	CR33-50/60	EL280DF090E48B	202891054
SL18XP1-036-230	36000	15.5	13	33200	22000	9	CR33-50/60	EL296DF090XE48C	8329433
SL18XP1-036-230	36000	15.5	13	33200	22000	9	CR33-50/60	EL296DF090XV60C	8329434
SL18XP1-036-230	36000	15.5	13	33200	22000	9	CR33-50/60	EL296DF110XE60C	8329435
SL18XP1-036-230	36000	16	13.5	33000	22000	9	CR33-50/60	SL280DF110V60C	8329436
SL18XP1-036-230	36000	15.5	13	33000	22000	9	CR33-50/60	SLP98DF090XV36C	8329437
SL18XP1-036-230	36000	15.5	13	33200	22000	9	CR33-50/60	SLP98DF090XV48C	8329438
SL18XP1-036-230	36000	15.5	13	33200	22000	9	CR33-50/60	SLP98DF090XV60C	8329439
SL18XP1-036-230	36000	15.5	13	33400	22200	9	CR33-50/60	SLP98DF110XV60C	8329440
SL18XP1-036-230	36000	15.5	13	33000	22000	9	CR33-50/60	SLP99DF090XV36C	205544212
SL18XP1-036-230	36000	15.5	13	33200	22000	9	CR33-50/60	SLP99DF090XV48C	205544214
SL18XP1-036-230	36000	15.5	13	33200	22000	9	CR33-50/60	SLP99DF090XV60C	205544216
SL18XP1-036-230	36000	15.5	13	33400	22200	9	CR33-50/60	SLP99DF110XV60C	205544218
SL18XP1-036-230	36000	14.5	12	33800	22600	8.5	CR33-50/60		8329441
SL18XP1-036-230	35800	15	12.5	33800	22200	8.5	CX35-36B	EL196UH045XE36B	201933447
SL18XP1-036-230	35800	15.5	12.5	33400	21800	8.5	CX35-36B	EL196UH070XE36B	201933448
SL18XP1-036-230	36000	15.5	12.5	34000	22200	8.8	CX35-36B	EL280UH045E36A	202891069
SL18XP1-036-230	36000	15.5	12.5	33600	22000	8.5	CX35-36B	EL280UH070E36A	202891093
SL18XP1-036-230	36000	15.5	12.5	33600	22000	8.5	CX35-36B	EL280UH070XE36A	203361774
SL18XP1-036-230	36000	15.5	12.5	33600	22000	8.5	CX35-36B	EL280UH090E36B	202891117
SL18XP1-036-230	36000	16	13	33400	21800	8.5	CX35-36B	EL280UH090E48B	202891141
SL18XP1-036-230	36000	16	13	33400	21800	8.5	CX35-36B	EL280UH090XE48B	203361798
SL18XP1-036-230	36000	16	13.5	33400	21800	8.8	CX35-36B	EL280UH110E48C	202891165
SL18XP1-036-230	36000	16	13.5	33400	21800	8.8	CX35-36B	EL280UH110E60C	202891189
SL18XP1-036-230	36000	16	13.5	33400	21800	8.8	CX35-36B	EL280UH110XE60C	203361822
SL18XP1-036-230	35800	15	12.5	33800	22200	8.5	CX35-36B	EL296UH045XE36B	10098332
SL18XP1-036-230	36000	15.5	12.5	33600	22000	8.5	CX35-36B	EL296UH045XV36B	10098333
SL18XP1-036-230	35800	15.5	12.5	33400	21800	8.5	CX35-36B	EL296UH070XE36B	10098334
SL18XP1-036-230	36000	16	13	33200	21600	8.5	CX35-36B	SL280UH090V36B	10098335
SL18XP1-036-230	36000	16	13	33400	21800	8.5	CX35-36B	SL280UH090V48B	10098336
SL18XP1-036-230	36000	16	13	33400	21800	8.5	CX35-36B	SL280UH090XV48B	10098337
SL18XP1-036-230	36000	15.5	12.5	33600	22000	8.5	CX35-36B	SLP98UH070XV36B	10098338
SL18XP1-036-230	36000	15.5	12.5	33600	22000	8.5	CX35-36B	SLP99UH070XV36B	205544313
SL18XP1-036-230	35400	14.5	12	34000	22400	8.5	CX35-36B		10099341
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	CX35-48B	EL196UH070XE36B	201933459
SL18XP1-036-230	35600	15.5	12.5	33000	21200	8.5	CX35-48B	EL280UH045E36A	202891070
SL18XP1-036-230	36000	15.5	12.5	33600	21600	8.8	CX35-48B	EL280UH070E36A	202891094
SL18XP1-036-230	36000	15.5	12.5	33600	21600	8.8	CX35-48B	EL280UH070XE36A	203361775
SL18XP1-036-230	36000	15.5	12.5	33600	21600	8.8	CX35-48B	EL280UH090E36B	202891118

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.8	CX35-48B	EL280UH090E48B	202891142
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.8	CX35-48B	EL280UH090XE48B	203361799
SL18XP1-036-230	36000	16	13.5	33400	21400	9	CX35-48B	EL280UH110E48C	202891166
SL18XP1-036-230	36000	16	13.5	33400	21600	9	CX35-48B	EL280UH110E60C	202891190
SL18XP1-036-230	36000	16	13.5	33400	21600	9	CX35-48B	EL280UH110XE60C	203361823
SL18XP1-036-230	36000	15	12.5	33600	21600	8.5	CX35-48B	EL296UH045XV36B	10098384
SL18XP1-036-230	36000	15.5	12.5	33400	21600	8.5	CX35-48B	EL296UH070XE36B	10098385
SL18XP1-036-230	36000	16	13.5	33200	21200	8.5	CX35-48B	SL280UH090V36B	10098386
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	CX35-48B	SL280UH090V48B	10098387
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	CX35-48B	SL280UH090XV48B	10098388
SL18XP1-036-230	36000	15.5	12.5	33200	21400	8.5	CX35-48B	SLP98UH070XV36B	10098389
SL18XP1-036-230	36000	15.5	12.5	33200	21400	8.5	CX35-48B	SLP99UH070XV36B	205544320
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	CX35-48C	EL196UH090XE48C	201933455
SL18XP1-036-230	36000	16	13.5	33400	21600	8.5	CX35-48C	EL196UH110XE60C	201933456
SL18XP1-036-230	35800	15.5	12.5	33000	21200	8.5	CX35-48C	EL280UH045E36A	202891071
SL18XP1-036-230	36000	15.5	12.5	33600	21600	8.8	CX35-48C	EL280UH070E36A	202891095
SL18XP1-036-230	36000	15.5	12.5	33600	21600	8.8	CX35-48C	EL280UH070XE36A	203361776
SL18XP1-036-230	36000	15.5	12.5	33600	21600	9	CX35-48C	EL280UH090E36B	202891119
SL18XP1-036-230	36000	15.5	12.5	33400	21400	9	CX35-48C	EL280UH090E48B	202891143
SL18XP1-036-230	36000	15.5	12.5	33400	21400	9	CX35-48C	EL280UH090XE48B	203361800
SL18XP1-036-230	36000	16	13.5	33200	21200	9	CX35-48C	EL280UH110E48C	202891167
SL18XP1-036-230	36000	16	13.5	33600	21400	9	CX35-48C	EL280UH110E60C	202891191
SL18XP1-036-230	36000	16	13.5	33600	21400	9	CX35-48C	EL280UH110XE60C	203361824
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	CX35-48C	EL296UH090XE48C	10098395
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	CX35-48C	EL296UH090XV36C	10098396
SL18XP1-036-230	36000	15.5	12.5	33200	21400	8.5	CX35-48C	EL296UH090XV48C	10098397
SL18XP1-036-230	36000	16	13.5	33400	21400	8.5	CX35-48C	EL296UH110XE60C	10098398
SL18XP1-036-230	36000	16	13.5	33400	21400	8.5	CX35-48C	EL296UH110XV48C	10098399
SL18XP1-036-230	36000	16	13.5	33400	21400	8.5	CX35-48C	EL296UH110XV60C	10098400
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CX35-48C	SL280UH090V60C	10098401
SL18XP1-036-230	36000	16	13.5	33600	21600	8.5	CX35-48C	SL280UH090XV60C	10098402
SL18XP1-036-230	36000	15.5	12.5	33600	21600	8.5	CX35-48C	SL280UH110V60C	10098403
SL18XP1-036-230	36000	15.5	12.5	33600	21600	8.5	CX35-48C	SL280UH110XV60C	10098404
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	CX35-48C	SLP98UH090XV36C	10099348
SL18XP1-036-230	36000	15.5	12.5	33200	21400	8.5	CX35-48C	SLP98UH090XV48C	10099349
SL18XP1-036-230	36000	15.5	12.5	33800	21600	8.5	CX35-48C	SLP98UH090XV60C	10098405
SL18XP1-036-230	36000	16	13.5	33600	21400	8.5	CX35-48C	SLP98UH110XV60C	10099350
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	CX35-48C	SLP99UH090XV36C	205544472
SL18XP1-036-230	36000	15.5	12.5	33200	21400	8.5	CX35-48C	SLP99UH090XV48C	205544473
SL18XP1-036-230	36000	15.5	12.5	33800	21600	8.5	CX35-48C	SLP99UH090XV60C	205544322
SL18XP1-036-230	36000	16	13.5	33600	21400	8.5	CX35-48C	SLP99UH110XV60C	205544476
SL18XP1-036-230	35600	14	12	34000	22200	8.5	CX35-48C		10099347
SL18XP1-036-230	36000	15.5	12.5	33200	21400	8.5	CX35-50/60C	EL196UH090XE48C	201933451
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	CX35-50/60C	EL196UH110XE60C	201933452
SL18XP1-036-230	35400	15.5	12.5	32800	21200	8.5	CX35-50/60C	EL280UH045E36A	202891072
SL18XP1-036-230	36000	15.5	12.5	33400	21600	8.8	CX35-50/60C	EL280UH070E36A	202891096
SL18XP1-036-230	36000	15.5	12.5	33400	21600	8.8	CX35-50/60C	EL280UH070XE36A	203361777
SL18XP1-036-230	36000	15.5	12.5	33600	21600	8.8	CX35-50/60C	EL280UH090E36B	202891120
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.8	CX35-50/60C	EL280UH090E48B	202891144
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.8	CX35-50/60C	EL280UH090XE48B	203361801
SL18XP1-036-230	36000	15.5	12.5	33200	21200	8.8	CX35-50/60C	EL280UH110E48C	202891168
SL18XP1-036-230	36000	15.5	12.5	33400	21400	9	CX35-50/60C	EL280UH110E60C	202891192
SL18XP1-036-230	36000	15.5	12.5	33400	21400	9	CX35-50/60C	EL280UH110XE60C	203361825
SL18XP1-036-230	36000	15.5	12.5	33200	21400	8.5	CX35-50/60C	EL296UH090XE48C	10098411
SL18XP1-036-230	36000	15.5	12.5	33200	21400	8.5	CX35-50/60C	EL296UH090XV36C	10098412
SL18XP1-036-230	36000	15.5	12.5	33200	21200	8.5	CX35-50/60C	EL296UH090XV48C	10098413

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	CX35-50/60C	EL296UH110XE60C	10098414
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	CX35-50/60C	EL296UH110XV48C	10098415
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	CX35-50/60C	EL296UH110XV60C	10098416
SL18XP1-036-230	36000	16	13.5	33600	21400	8.5	CX35-50/60C	SL280UH090V60C	10098417
SL18XP1-036-230	36000	16	13.5	33600	21400	8.5	CX35-50/60C	SL280UH090XV60C	10098418
SL18XP1-036-230	36000	15.5	12.5	33400	21600	8.5	CX35-50/60C	SL280UH110V60C	10098420
SL18XP1-036-230	36000	15.5	12.5	33400	21600	8.5	CX35-50/60C	SL280UH110XV60C	10098421
SL18XP1-036-230	36000	15.5	12.5	33200	21400	8.5	CX35-50/60C	SLP98UH090XV36C	10099351
SL18XP1-036-230	36000	15.5	12.5	33200	21200	8.5	CX35-50/60C	SLP98UH090XV48C	10099352
SL18XP1-036-230	36000	15.5	12.5	33600	21600	8.5	CX35-50/60C	SLP98UH090XV60C	10098422
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	CX35-50/60C	SLP98UH110XV60C	10099353
SL18XP1-036-230	36000	15.5	12.5	33200	21400	8.5	CX35-50/60C	SLP99UH090XV36C	205544477
SL18XP1-036-230	36000	15.5	12.5	33200	21200	8.5	CX35-50/60C	SLP99UH090XV48C	205544478
SL18XP1-036-230	36000	15.5	12.5	33600	21600	8.5	CX35-50/60C	SLP99UH090XV60C	205544323
SL18XP1-036-230	36000	15.5	12.5	33400	21400	8.5	CX35-50/60C	SLP99UH110XV60C	205544480
SL18XP1-036-230	35400	14	12	34000	22000	8.5	CX35-50/60C		10098423
SL18XP1-042-230	40000	14.5	12	36800	24800	8.5	C35-48B	EL296UH045XV36B	10098485
SL18XP1-042-230	40000	14.5	12	36800	25000	8.5	C35-48B	EL296UH070XV36B	10098486
SL18XP1-042-230	40000	15.1	12.5	36600	24600	8.5	C35-48B	SL280UH090V36B	10098487
SL18XP1-042-230	40000	15.1	12.5	36400	24600	8.5	C35-48B	SL280UH090V48B	10099358
SL18XP1-042-230	40000	15.1	12.5	36400	24600	8.5	C35-48B	SL280UH090XV48B	10099359
SL18XP1-042-230	40000	14.5	12	36800	25000	8.5	C35-48B	SLP98UH070XV36B	10099418
SL18XP1-042-230	40000	14.5	12	36800	25000	8.5	C35-48B	SLP99UH070XV36B	205544505
SL18XP1-042-230	40000	15.1	12.5	36400	24400	8.5	C35-48C	EL196UH090XE48C	201933491
SL18XP1-042-230	40500	15.1	12.5	36800	24600	9	C35-48C	EL196UH110XE60C	201933492
SL18XP1-042-230	40000	15	12.5	36600	24600	9	C35-48C	EL280UH045E36A	202891199
SL18XP1-042-230	39500	14.5	12.5	36600	24600	8.8	C35-48C	EL280UH070E36A	202891217
SL18XP1-042-230	39500	14.5	12.5	36600	24600	8.8	C35-48C	EL280UH070XE36A	203361830
SL18XP1-042-230	40000	15	12.5	36600	24600	9	C35-48C	EL280UH090E36B	202891235
SL18XP1-042-230	40000	15.1	12.5	36400	24400	9	C35-48C	EL280UH090E48B	202891253
SL18XP1-042-230	40000	15.1	12.5	36400	24400	9	C35-48C	EL280UH090XE48B	203361848
SL18XP1-042-230	40500	15.5	12.5	36400	24400	9.2	C35-48C	EL280UH110E48C	202891271
SL18XP1-042-230	40500	15.5	12.5	36800	24600	9.2	C35-48C	EL280UH110E60C	202891289
SL18XP1-042-230	40500	15.5	12.5	36800	24600	9.2	C35-48C	EL280UH110XE60C	203361866
SL18XP1-042-230	40000	15.1	12.5	36400	24400	8.5	C35-48C	EL296UH090XE48C	10098493
SL18XP1-042-230	40000	15.1	12.5	36600	24600	8.5	C35-48C	EL296UH090XV36C	10098494
SL18XP1-042-230	40000	15.1	12.5	36400	24600	8.5	C35-48C	EL296UH090XV48C	10098495
SL18XP1-042-230	40000	15.1	12.5	36200	24400	8.5	C35-48C	EL296UH090XV60C	10098496
SL18XP1-042-230	40500	15.1	12.5	36800	24600	9	C35-48C	EL296UH110XE60C	10098497
SL18XP1-042-230	40500	15.1	12.5	36600	24600	8.5	C35-48C	EL296UH110XV48C	10098498
SL18XP1-042-230	40500	15.5	12.5	36600	24400	9	C35-48C	EL296UH110XV60C	10098499
SL18XP1-042-230	40000	15.5	12.5	36200	24200	8.5	C35-48C	SL280UH090V60C	10098500
SL18XP1-042-230	40000	15.5	12.5	36200	24200	8.5	C35-48C	SL280UH090XV60C	10098501
SL18XP1-042-230	40500	16	13.5	36400	24200	9.2	C35-48C	SL280UH100NV60C-	10581390
SL18XP1-042-230	40500	15.5	12.5	36400	24400	9	C35-48C	SL280UH110V60C	10099361
SL18XP1-042-230	40500	15.5	12.5	36400	24400	9	C35-48C	SL280UH110XV60C	10099362
SL18XP1-042-230	40000	15.1	12.5	36400	24600	8.5	C35-48C	SLP98UH090XV36C	10099363
SL18XP1-042-230	40000	15.5	12.5	36200	24400	8.5	C35-48C	SLP98UH090XV48C	10099364
SL18XP1-042-230	40000	15.1	12.5	36200	24400	8.5	C35-48C	SLP98UH090XV60C	10098502
SL18XP1-042-230	40500	15.5	12.5	36600	24400	9	C35-48C	SLP98UH110XV60C	10098503
SL18XP1-042-230	40000	15.1	12.5	36400	24600	8.5	C35-48C	SLP99UH090XV36C	205544484
SL18XP1-042-230	40000	15.5	12.5	36200	24400	8.5	C35-48C	SLP99UH090XV48C	205544487
SL18XP1-042-230	40000	15.1	12.5	36200	24400	8.5	C35-48C	SLP99UH090XV60C	205544346
SL18XP1-042-230	40500	15.5	12.5	36600	24400	9	C35-48C	SLP99UH110XV60C	205544348
SL18XP1-042-230	39500	14	12	37200	25200	8.5	C35-48C		10099360
SL18XP1-042-230	39500	15.1	12.5	36400	24400	8.5	C35-50/60C	EL196UH090XE48C	201933489

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-042-230	40000	15.1	12.5	36600	24600	8.5	C35-50/60C	EL196UH110XE60C	201933490
SL18XP1-042-230	39500	15	12.5	36400	24600	8.8	C35-50/60C	EL280UH045E36A	202891200
SL18XP1-042-230	39000	14.5	12	36400	24600	8.5	C35-50/60C	EL280UH070E36A	202891218
SL18XP1-042-230	39000	14.5	12	36400	24600	8.5	C35-50/60C	EL280UH070XE36A	203361831
SL18XP1-042-230	39500	14.5	12.5	36600	24600	8.8	C35-50/60C	EL280UH090E36B	202891236
SL18XP1-042-230	39500	15	12.5	36400	24400	9	C35-50/60C	EL280UH090E48B	202891254
SL18XP1-042-230	39500	15	12.5	36400	24400	9	C35-50/60C	EL280UH090XE48B	203361849
SL18XP1-042-230	40000	15.1	12.5	36400	24400	9	C35-50/60C	EL280UH110E48C	202891272
SL18XP1-042-230	40000	15.1	12.5	36600	24600	9	C35-50/60C	EL280UH110E60C	202891290
SL18XP1-042-230	40000	15.1	12.5	36600	24600	9	C35-50/60C	EL280UH110XE60C	203361867
SL18XP1-042-230	39500	15.1	12.5	36400	24400	8.5	C35-50/60C	EL296UH090XE48C	10098509
SL18XP1-042-230	39500	14.5	12.5	36600	24600	8.5	C35-50/60C	EL296UH090XV36C	10098510
SL18XP1-042-230	40000	15.1	12.5	36400	24600	8.5	C35-50/60C	EL296UH090XV48C	10098511
SL18XP1-042-230	39500	15.1	12.5	36400	24400	8.5	C35-50/60C	EL296UH090XV60C	10098512
SL18XP1-042-230	40000	15.1	12.5	36600	24600	8.5	C35-50/60C	EL296UH110XE60C	10098513
SL18XP1-042-230	40000	15.1	12.5	36600	24600	8.5	C35-50/60C	EL296UH110XV48C	10098514
SL18XP1-042-230	40000	15.1	12.5	36600	24600	8.5	C35-50/60C	EL296UH110XV60C	10098515
SL18XP1-042-230	39500	15.1	12.5	36000	24200	8.5	C35-50/60C	SL280UH090V60C	10098516
SL18XP1-042-230	39500	15.1	12.5	36000	24200	8.5	C35-50/60C	SL280UH090XV60C	10098517
SL18XP1-042-230	40000	15.5	12.5	36400	24400	9.2	C35-50/60C	SL280UH100NV60C-	10581391
SL18XP1-042-230	40000	15.1	12.5	36600	24600	8.5	C35-50/60C	SL280UH110V60C	10099365
SL18XP1-042-230	40000	15.1	12.5	36600	24600	8.5	C35-50/60C	SL280UH110XV60C	10099366
SL18XP1-042-230	39500	14.5	12.5	36600	24600	8.5	C35-50/60C	SLP98UH090XV36C	10099367
SL18XP1-042-230	39500	15.1	12.5	36400	24600	8.5	C35-50/60C	SLP98UH090XV48C	10098518
SL18XP1-042-230	39500	15.1	12.5	36400	24400	8.5	C35-50/60C	SLP98UH090XV60C	10098519
SL18XP1-042-230	40000	15.1	12.5	36600	24600	8.5	C35-50/60C	SLP98UH110XV60C	10098520
SL18XP1-042-230	39500	14.5	12.5	36600	24600	8.5	C35-50/60C	SLP99UH090XV36C	205544489
SL18XP1-042-230	39500	15.1	12.5	36400	24600	8.5	C35-50/60C	SLP99UH090XV48C	205544350
SL18XP1-042-230	39500	15.1	12.5	36400	24400	8.5	C35-50/60C	SLP99UH090XV60C	205544353
SL18XP1-042-230	40000	15.1	12.5	36600	24600	8.5	C35-50/60C	SLP99UH110XV60C	205544356
SL18XP1-042-230	39000	14	11.5	37200	25200	8.5	C35-50/60C		10098521
SL18XP1-042-230	41500	15.5	12.5	37000	24800	9	C35-60C	EL196UH090XE48C	201933495
SL18XP1-042-230	42000	15.5	12.5	37200	24800	9.2	C35-60C	EL196UH110XE60C	201933496
SL18XP1-042-230	41500	15.5	12.5	37200	24800	9.2	C35-60C	EL280UH045E36A	202891201
SL18XP1-042-230	41000	15.1	12.5	37200	24800	9.2	C35-60C	EL280UH070E36A	202891219
SL18XP1-042-230	41000	15.1	12.5	37200	24800	9.2	C35-60C	EL280UH070XE36A	203361832
SL18XP1-042-230	42000	15.5	12.5	37200	24800	9.4	C35-60C	EL280UH090E36B	202891237
SL18XP1-042-230	41500	15.5	12.5	37000	24800	9.4	C35-60C	EL280UH090E48B	202891255
SL18XP1-042-230	41500	15.5	12.5	37000	24800	9.4	C35-60C	EL280UH090XE48B	203361850
SL18XP1-042-230	42000	16	13.5	37000	24600	9.4	C35-60C	EL280UH110E48C	202891273
SL18XP1-042-230	42000	16	13.5	37200	24800	9.4	C35-60C	EL280UH110E60C	202891291
SL18XP1-042-230	42000	16	13.5	37200	24800	9.4	C35-60C	EL280UH110XE60C	203361868
SL18XP1-042-230	41500	15.5	12.5	37000	24600	9	C35-60C	EL296UH090XE48C	10098566
SL18XP1-042-230	42000	15.5	12.5	37200	24800	9	C35-60C	EL296UH090XV36C	10098567
SL18XP1-042-230	42000	15.5	12.5	37000	24800	9.2	C35-60C	EL296UH090XV48C	10098568
SL18XP1-042-230	41500	16	13.5	37000	24600	9	C35-60C	EL296UH090XV60C	10098569
SL18XP1-042-230	42000	15.5	12.5	37200	24800	9.2	C35-60C	EL296UH110XE60C	10098570
SL18XP1-042-230	42000	16	13.5	37200	24800	9.2	C35-60C	EL296UH110XV48C	10098571
SL18XP1-042-230	42000	16	13.5	37200	24800	9.2	C35-60C	EL296UH110XV60C	10098572
SL18XP1-042-230	42000	16	13.5	37200	24800	9.2	C35-60C	SL280UH090V60C	10098573
SL18XP1-042-230	42000	16	13.5	37200	24800	9.2	C35-60C	SL280UH090XV60C	10098574
SL18XP1-042-230	42000	16.5	14	37000	24600	9.6	C35-60C	SL280UH100NV60C-	10581392
SL18XP1-042-230	42000	16	13.5	37000	24600	9.2	C35-60C	SL280UH110V60C	10098575
SL18XP1-042-230	42000	16	13.5	37000	24600	9.2	C35-60C	SL280UH110XV60C	10098576
SL18XP1-042-230	42000	15.5	12.5	37200	24800	9	C35-60C	SLP98UH090XV36C	10098577
SL18XP1-042-230	42000	15.5	12.5	37000	24800	9.2	C35-60C	SLP98UH090XV48C	10098578

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-042-230	41500	16	13.5	37000	24600	9	C35-60C	SLP98UH090XV60C	10098579
SL18XP1-042-230	42000	16	13.5	37200	24800	9.2	C35-60C	SLP98UH110XV60C	10098580
SL18XP1-042-230	42000	15.5	12.5	37200	24800	9	C35-60C	SLP99UH090XV36C	205544370
SL18XP1-042-230	42000	15.5	12.5	37000	24800	9.2	C35-60C	SLP99UH090XV48C	205544372
SL18XP1-042-230	41500	16	13.5	37000	24600	9	C35-60C	SLP99UH090XV60C	205544375
SL18XP1-042-230	42000	16	13.5	37200	24800	9.2	C35-60C	SLP99UH110XV60C	205544377
SL18XP1-042-230	41000	14.5	12.5	37800	25400	8.5	C35-60C		10098581
SL18XP1-042-230	41000	15.5	13	37200	24200	9	CBA27UHE-042-230		10258582
SL18XP1-042-230	41000	15.5	13	37000	23800	9	CBA27UHE-048-230		10258973
SL18XP1-042-230	40500	15	12.5	37000	24000	9	CBA38MV-042-230		201841624
SL18XP1-042-230	41500	16	13	36800	23800	9	CBA38MV-048-230		201841625
SL18XP1-042-230	41000	14.5	12.5	37200	24400	9	CBX32M-048		8331393
SL18XP1-042-230	41000	14.5	12.5	36400	24400	9	CH33-43B	EL296UH045XV36B	8329623
SL18XP1-042-230	41000	14.5	12.5	36400	24400	9	CH33-43B	EL296UH070XV36B	8329621
SL18XP1-042-230	41500	15.1	13	36200	24200	9	CH33-43B	SL280UH090V36B	8329620
SL18XP1-042-230	41000	15.1	12.5	36000	24000	9	CH33-43B	SL280UH090V48B	8329618
SL18XP1-042-230	41000	15.1	12.5	36000	24000	9	CH33-43B	SL280UH090XV48B	8329619
SL18XP1-042-230	41000	14.5	12.5	36400	24400	9	CH33-43B	SLP98UH070XV36B	8329622
SL18XP1-042-230	40500	14	12	36600	24600	9	CH33-43B		8329624
SL18XP1-042-230	41000	15.1	13	35400	23000	9	CH33-49	EL196UH090XE48C	201933477
SL18XP1-042-230	41500	15.1	13	35600	23200	9	CH33-49	EL196UH110XE60C	201933478
SL18XP1-042-230	41000	15.1	13	35400	23000	9	CH33-49	EL296UH090XE48C	8329632
SL18XP1-042-230	41000	15.1	12.5	35600	23200	9	CH33-49	EL296UH090XV36C	8329643
SL18XP1-042-230	41000	15.1	13	35600	23000	9	CH33-49	EL296UH090XV48C	8329633
SL18XP1-042-230	41000	15.1	13	35400	23000	9	CH33-49	EL296UH090XV60C	8329634
SL18XP1-042-230	41500	15.1	13	35600	23200	9	CH33-49	EL296UH110XE60C	8329635
SL18XP1-042-230	41500	15.1	13	35600	23200	9	CH33-49	EL296UH110XV48C	8329636
SL18XP1-042-230	41500	15.1	13	35600	23200	9	CH33-49	EL296UH110XV60C	8329637
SL18XP1-042-230	41000	15.5	13	35200	22800	9	CH33-49	SL280UH090V60C	8329628
SL18XP1-042-230	41000	15.5	13	35200	22800	9	CH33-49	SL280UH090XV60C	8329629
SL18XP1-042-230	41500	16	13.5	35400	22800	9.4	CH33-49	SL280UH100NV60C-	10581396
SL18XP1-042-230	41500	15.1	13	35600	23000	9	CH33-49	SL280UH110V60C	8329638
SL18XP1-042-230	41500	15.1	13	35600	23000	9	CH33-49	SL280UH110XV60C	8329639
SL18XP1-042-230	41000	15.1	12.5	35600	23200	9	CH33-49	SLP98UH090XV36C	8329644
SL18XP1-042-230	41000	15.1	13	35400	23000	9	CH33-49	SLP98UH090XV48C	8329640
SL18XP1-042-230	41000	15.1	13	35400	23000	9	CH33-49	SLP98UH090XV60C	8329641
SL18XP1-042-230	41500	15.1	13	35600	23200	9	CH33-49	SLP98UH110XV60C	8329642
SL18XP1-042-230	41000	14	12	36200	23600	9	CH33-49		8329645
SL18XP1-042-230	40500	15.1	12.5	35400	23000	9	CH33-50/60C	EL196UH090XE48C	201933479
SL18XP1-042-230	41000	15.1	12.5	35600	23200	9	CH33-50/60C	EL196UH110XE60C	201933480
SL18XP1-042-230	40500	15.1	12.5	35400	23000	9	CH33-50/60C	EL296UH090XE48C	8329662
SL18XP1-042-230	41000	15	12.5	35600	23200	9	CH33-50/60C	EL296UH090XV36C	8329663
SL18XP1-042-230	41000	15.1	13	35600	23000	9	CH33-50/60C	EL296UH090XV48C	8329652
SL18XP1-042-230	41000	15.1	13	35400	23000	9	CH33-50/60C	EL296UH090XV60C	8329653
SL18XP1-042-230	41000	15.1	12.5	35600	23200	9	CH33-50/60C	EL296UH110XE60C	8329654
SL18XP1-042-230	41000	15.1	12.5	35600	23200	9	CH33-50/60C	EL296UH110XV48C	8329655
SL18XP1-042-230	41000	15.1	12.5	35600	23200	9	CH33-50/60C	EL296UH110XV60C	8329656
SL18XP1-042-230	41000	15.5	13	35200	22800	9	CH33-50/60C	SL280UH090V60C	8329646
SL18XP1-042-230	41000	15.5	13	35200	22800	9	CH33-50/60C	SL280UH090XV60C	8329647
SL18XP1-042-230	41000	15.5	12.5	35400	22800	9.2	CH33-50/60C	SL280UH100NV60C-	10581397
SL18XP1-042-230	41000	15.1	13	35400	23000	9	CH33-50/60C	SL280UH110V60C	8329657
SL18XP1-042-230	41000	15.1	13	35400	23000	9	CH33-50/60C	SL280UH110XV60C	8329658
SL18XP1-042-230	41000	15	12.5	35600	23200	9	CH33-50/60C	SLP98UH090XV36C	8329664
SL18XP1-042-230	41000	15.1	13	35400	23000	9	CH33-50/60C	SLP98UH090XV48C	8329659
SL18XP1-042-230	41000	15.1	13	35400	23000	9	CH33-50/60C	SLP98UH090XV60C	8329660
SL18XP1-042-230	41000	15.1	12.5	35600	23200	9	CH33-50/60C	SLP98UH110XV60C	8329661

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-042-230	40500	14	12	36200	23600	8.5	CH33-50/60C		8329665
SL18XP1-042-230	40000	15.1	12.5	36800	24400	8.5	CH35-42C	EL196UH090XE48C	201933481
SL18XP1-042-230	40500	15.1	12.5	37200	24600	8.5	CH35-42C	EL196UH110XE60C	201933482
SL18XP1-042-230	40000	15	12.5	37000	24600	8.8	CH35-42C	EL280UH045E36A	202891205
SL18XP1-042-230	40000	14.5	12.5	37000	24600	8.5	CH35-42C	EL280UH070E36A	202891223
SL18XP1-042-230	40000	14.5	12.5	37000	24600	8.5	CH35-42C	EL280UH070XE36A	203361836
SL18XP1-042-230	40500	15	12.5	37200	24600	8.8	CH35-42C	EL280UH090E36B	202891241
SL18XP1-042-230	40000	15.1	12.5	37000	24400	8.8	CH35-42C	EL280UH090E48B	202891259
SL18XP1-042-230	40000	15.1	12.5	37000	24400	8.8	CH35-42C	EL280UH090XE48B	203361854
SL18XP1-042-230	40500	15.1	12.5	37000	24400	9	CH35-42C	EL280UH110E48C	202891277
SL18XP1-042-230	41000	15.1	12.5	37200	24600	9	CH35-42C	EL280UH110E60C	202891295
SL18XP1-042-230	41000	15.1	12.5	37200	24600	9	CH35-42C	EL280UH110XE60C	203361872
SL18XP1-042-230	40000	15.1	12.5	36800	24400	8.5	CH35-42C	EL296UH090XE48C	10098430
SL18XP1-042-230	40500	15.1	12.5	37000	24600	8.5	CH35-42C	EL296UH090XV36C	10098431
SL18XP1-042-230	40500	15.1	12.5	37000	24400	8.5	CH35-42C	EL296UH090XV48C	10098432
SL18XP1-042-230	40500	15.1	12.5	36800	24400	8.5	CH35-42C	EL296UH090XV60C	10098433
SL18XP1-042-230	40500	15.1	12.5	37200	24600	8.5	CH35-42C	EL296UH110XE60C	10098434
SL18XP1-042-230	40500	15.1	12.5	37000	24400	8.5	CH35-42C	EL296UH110XV48C	10098435
SL18XP1-042-230	40500	15.1	12.5	37000	24400	8.5	CH35-42C	EL296UH110XV60C	10098436
SL18XP1-042-230	41000	15.5	12.5	37000	24400	8.5	CH35-42C	SL280UH090V60C	10098437
SL18XP1-042-230	41000	15.5	12.5	37000	24400	8.5	CH35-42C	SL280UH090XV60C	10098438
SL18XP1-042-230	40500	15.5	12.5	36800	24200	9.2	CH35-42C	SL280UH100NV60C-	10581398
SL18XP1-042-230	40500	15.1	12.5	37000	24400	8.5	CH35-42C	SL280UH110V60C	10098439
SL18XP1-042-230	40500	15.1	12.5	37000	24400	8.5	CH35-42C	SL280UH110XV60C	10098440
SL18XP1-042-230	40500	15.1	12.5	37000	24600	8.5	CH35-42C	SLP98UH090XV36C	10098441
SL18XP1-042-230	40500	15.1	12.5	37000	24400	8.5	CH35-42C	SLP98UH090XV48C	10098442
SL18XP1-042-230	40500	15.1	12.5	36800	24400	8.5	CH35-42C	SLP98UH090XV60C	10098443
SL18XP1-042-230	40500	15.1	12.5	37000	24400	8.5	CH35-42C	SLP98UH110XV60C	10098444
SL18XP1-042-230	40500	15.1	12.5	37000	24600	8.5	CH35-42C	SLP99UH090XV36C	205544324
SL18XP1-042-230	40500	15.1	12.5	37000	24400	8.5	CH35-42C	SLP99UH090XV48C	205544325
SL18XP1-042-230	40500	15.1	12.5	36800	24400	8.5	CH35-42C	SLP99UH090XV60C	205544327
SL18XP1-042-230	40500	15.1	12.5	37000	24400	8.5	CH35-42C	SLP99UH110XV60C	205544329
SL18XP1-042-230	40000	14	12	37800	25200	8.5	CH35-42C		10098424
SL18XP1-042-230	40500	15.5	12.5	36600	23800	8.5	CH35-48C	EL196UH090XE48C	201933483
SL18XP1-042-230	41000	15.1	12.5	37000	24000	8.5	CH35-48C	EL196UH110XE60C	201933484
SL18XP1-042-230	40500	15.1	12.5	36800	24000	8.5	CH35-48C	EL280UH045E36A	202891206
SL18XP1-042-230	40000	15	12.5	36600	24000	8.5	CH35-48C	EL280UH070E36A	202891224
SL18XP1-042-230	40000	15	12.5	36600	24000	8.5	CH35-48C	EL280UH070XE36A	203361837
SL18XP1-042-230	40500	15.1	12.5	36800	24000	8.5	CH35-48C	EL280UH090E36B	202891242
SL18XP1-042-230	40500	15.1	12.5	36600	23800	8.5	CH35-48C	EL280UH090E48B	202891260
SL18XP1-042-230	40500	15.1	12.5	36600	23800	8.5	CH35-48C	EL280UH090XE48B	203361855
SL18XP1-042-230	41000	15.5	12.5	36600	23800	8.8	CH35-48C	EL280UH110E48C	202891278
SL18XP1-042-230	41000	15.5	12.5	36800	24000	8.8	CH35-48C	EL280UH110E60C	202891296
SL18XP1-042-230	41000	15.5	12.5	36800	24000	8.8	CH35-48C	EL280UH110XE60C	203361873
SL18XP1-042-230	40500	15.5	12.5	36600	23800	8.5	CH35-48C	EL296UH090XE48C	10098451
SL18XP1-042-230	41000	15.1	12.5	36800	24000	8.5	CH35-48C	EL296UH090XV36C	10098452
SL18XP1-042-230	41000	15.5	12.5	36800	24000	8.5	CH35-48C	EL296UH090XV48C	10098453
SL18XP1-042-230	40500	15.5	12.5	36600	23800	8.5	CH35-48C	EL296UH090XV60C	10098454
SL18XP1-042-230	41000	15.1	12.5	37000	24000	8.5	CH35-48C	EL296UH110XE60C	10098455
SL18XP1-042-230	41000	15.5	12.5	36800	24000	8.5	CH35-48C	EL296UH110XV48C	10098456
SL18XP1-042-230	41000	15.5	12.5	36800	24000	8.5	CH35-48C	EL296UH110XV60C	10098457
SL18XP1-042-230	41000	15.5	12.5	36800	24000	8.5	CH35-48C	SL280UH090V60C	10098458
SL18XP1-042-230	41000	15.5	12.5	36800	24000	8.5	CH35-48C	SL280UH090XV60C	10098459
SL18XP1-042-230	41000	16	13.5	36600	23800	9	CH35-48C	SL280UH100NV60C-	10581399
SL18XP1-042-230	41000	15.5	12.5	36800	24000	8.5	CH35-48C	SL280UH110V60C	10098460
SL18XP1-042-230	41000	15.5	12.5	36800	24000	8.5	CH35-48C	SL280UH110XV60C	10098461

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-042-230	41000	15.1	12.5	36800	24000	8.5	CH35-48C	SLP98UH090XV36C	10098462
SL18XP1-042-230	41000	15.5	12.5	36800	24000	8.5	CH35-48C	SLP98UH090XV48C	10098463
SL18XP1-042-230	40500	15.5	12.5	36600	23800	8.5	CH35-48C	SLP98UH090XV60C	10098464
SL18XP1-042-230	41000	15.5	12.5	36800	24000	8.5	CH35-48C	SLP98UH110XV60C	10098465
SL18XP1-042-230	41000	15.1	12.5	36800	24000	8.5	CH35-48C	SLP99UH090XV36C	205544330
SL18XP1-042-230	41000	15.5	12.5	36800	24000	8.5	CH35-48C	SLP99UH090XV48C	205544333
SL18XP1-042-230	40500	15.5	12.5	36600	23800	8.5	CH35-48C	SLP99UH090XV60C	205544335
SL18XP1-042-230	41000	15.5	12.5	36800	24000	8.5	CH35-48C	SLP99UH110XV60C	205544340
SL18XP1-042-230	40000	14	12	37400	24600	8.5	CH35-48C		10098445
SL18XP1-042-230	41000	15.5	12.5	36400	24200	9	CH35-51C	EL196UH090XE48C	201933485
SL18XP1-042-230	41500	15.5	12.5	36800	24400	9	CH35-51C	EL196UH110XE60C	201933486
SL18XP1-042-230	41000	15.1	12.5	36600	24400	9.2	CH35-51C	EL280UH045E36A	202891207
SL18XP1-042-230	40500	15	12.5	36400	24400	9	CH35-51C	EL280UH070E36A	202891225
SL18XP1-042-230	40500	15	12.5	36400	24400	9	CH35-51C	EL280UH070XE36A	203361838
SL18XP1-042-230	41000	15.1	12.5	36600	24400	9.2	CH35-51C	EL280UH090E36B	202891243
SL18XP1-042-230	41000	15.5	12.5	36400	24400	9.2	CH35-51C	EL280UH090E48B	202891261
SL18XP1-042-230	41000	15.5	12.5	36400	24400	9.2	CH35-51C	EL280UH090XE48B	203361856
SL18XP1-042-230	41000	15.5	12.5	36400	24200	9.2	CH35-51C	EL280UH110E48C	202891279
SL18XP1-042-230	41500	15.5	12.5	36800	24400	9.2	CH35-51C	EL280UH110E60C	202891297
SL18XP1-042-230	41500	15.5	12.5	36800	24400	9.2	CH35-51C	EL280UH110XE60C	203361874
SL18XP1-042-230	41000	15.5	12.5	36400	24200	9	CH35-51C	EL296UH090XE48C	10098471
SL18XP1-042-230	41000	15.1	12.5	36600	24400	9	CH35-51C	EL296UH090XV36C	10098472
SL18XP1-042-230	41000	15.5	12.5	36600	24400	9	CH35-51C	EL296UH090XV48C	10098473
SL18XP1-042-230	41000	15.5	12.5	36400	24200	9	CH35-51C	EL296UH090XV60C	10098474
SL18XP1-042-230	41500	15.5	12.5	36800	24400	9	CH35-51C	EL296UH110XE60C	10098475
SL18XP1-042-230	41500	15.5	12.5	36600	24400	9	CH35-51C	EL296UH110XV48C	10098476
SL18XP1-042-230	41500	15.5	12.5	36600	24400	9	CH35-51C	EL296UH110XV60C	10098477
SL18XP1-042-230	41000	15.5	12.5	36200	24200	9	CH35-51C	SL280UH090V60C	10098478
SL18XP1-042-230	41000	15.5	12.5	36200	24200	9	CH35-51C	SL280UH090XV60C	10098479
SL18XP1-042-230	41500	16	13.5	36400	24200	9.4	CH35-51C	SL280UH100NV60C-	10581400
SL18XP1-042-230	41500	15.5	12.5	36600	24400	9	CH35-51C	SL280UH110V60C	10099354
SL18XP1-042-230	41500	15.5	12.5	36600	24400	9	CH35-51C	SL280UH110XV60C	10099355
SL18XP1-042-230	41000	15.1	12.5	36600	24400	9	CH35-51C	SLP98UH090XV36C	10099356
SL18XP1-042-230	41000	15.5	12.5	36400	24200	9	CH35-51C	SLP98UH090XV48C	10099357
SL18XP1-042-230	41000	15.5	12.5	36400	24200	9	CH35-51C	SLP98UH090XV60C	10098480
SL18XP1-042-230	41500	15.5	12.5	36600	24400	9	CH35-51C	SLP98UH110XV60C	10098481
SL18XP1-042-230	41000	15.1	12.5	36600	24400	9	CH35-51C	SLP99UH090XV36C	205544481
SL18XP1-042-230	41000	15.5	12.5	36400	24200	9	CH35-51C	SLP99UH090XV48C	205544483
SL18XP1-042-230	41000	15.5	12.5	36400	24200	9	CH35-51C	SLP99UH090XV60C	205544341
SL18XP1-042-230	41500	15.5	12.5	36600	24400	9	CH35-51C	SLP99UH110XV60C	205544343
SL18XP1-042-230	40500	14	12	37200	25000	8.5	CH35-51C		10098482
SL18XP1-042-230	40000	15.1	12.5	36800	24400	8.5	CHX35-42C	EL196UH090XE48C	202187005
SL18XP1-042-230	40500	15.1	12.5	37200	24600	8.5	CHX35-42C	EL196UH110XE60C	202187006
SL18XP1-042-230	40000	15	12.5	37000	24600	8.8	CHX35-42C	EL280UH045E36A	202891208
SL18XP1-042-230	40000	14.5	12.5	37000	24600	8.5	CHX35-42C	EL280UH070E36A	202891226
SL18XP1-042-230	40000	14.5	12.5	37000	24600	8.5	CHX35-42C	EL280UH070XE36A	203361839
SL18XP1-042-230	40500	15	12.5	37200	24600	8.8	CHX35-42C	EL280UH090E36B	202891244
SL18XP1-042-230	40000	15.1	12.5	37000	24400	8.8	CHX35-42C	EL280UH090E48B	202891262
SL18XP1-042-230	40000	15.1	12.5	37000	24400	8.8	CHX35-42C	EL280UH090XE48B	203361857
SL18XP1-042-230	40500	15.1	12.5	37000	24400	9	CHX35-42C	EL280UH110E48C	202891280
SL18XP1-042-230	41000	15.1	12.5	37200	24600	9	CHX35-42C	EL280UH110E60C	202891298
SL18XP1-042-230	41000	15.1	12.5	37200	24600	9	CHX35-42C	EL280UH110XE60C	203361875
SL18XP1-042-230	40000	15.1	12.5	36800	24400	8.5	CHX35-42C	EL296UH090XE48C	202190127
SL18XP1-042-230	40500	15.1	12.5	37000	24600	8.5	CHX35-42C	EL296UH090XV36C	202190129
SL18XP1-042-230	40500	15.1	12.5	37000	24400	8.5	CHX35-42C	EL296UH090XV48C	202190131
SL18XP1-042-230	40500	15.1	12.5	36800	24400	8.5	CHX35-42C	EL296UH090XV60C	202190133

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-042-230	40500	15.1	12.5	37200	24600	8.5	CHX35-42C	EL296UH110XE60C	202190135
SL18XP1-042-230	40500	15.1	12.5	37000	24400	8.5	CHX35-42C	EL296UH110XV48C	202190138
SL18XP1-042-230	40500	15.1	12.5	37000	24400	8.5	CHX35-42C	EL296UH110XV60C	202190139
SL18XP1-042-230	41000	15.5	12.5	37000	24400	8.5	CHX35-42C	SL280UH090V60C	202190142
SL18XP1-042-230	41000	15.5	12.5	37000	24400	8.5	CHX35-42C	SL280UH090XV60C	202190145
SL18XP1-042-230	40500	15.5	12.5	36800	24200	9.2	CHX35-42C	SL280UH100NV60C-	202190418
SL18XP1-042-230	40500	15.1	12.5	37000	24400	8.5	CHX35-42C	SL280UH110V60C	202190147
SL18XP1-042-230	40500	15.1	12.5	37000	24400	8.5	CHX35-42C	SL280UH110XV60C	202190149
SL18XP1-042-230	40500	15.1	12.5	37000	24600	8.5	CHX35-42C	SLP98UH090XV36C	202190151
SL18XP1-042-230	40500	15.1	12.5	37000	24400	8.5	CHX35-42C	SLP98UH090XV48C	202190154
SL18XP1-042-230	40500	15.1	12.5	36800	24400	8.5	CHX35-42C	SLP98UH090XV60C	202190157
SL18XP1-042-230	40500	15.1	12.5	37000	24400	8.5	CHX35-42C	SLP98UH110XV60C	202190160
SL18XP1-042-230	40500	15.1	12.5	37000	24600	8.5	CHX35-42C	SLP99UH090XV36C	205544657
SL18XP1-042-230	40500	15.1	12.5	37000	24400	8.5	CHX35-42C	SLP99UH090XV48C	205544659
SL18XP1-042-230	40500	15.1	12.5	36800	24400	8.5	CHX35-42C	SLP99UH090XV60C	205544660
SL18XP1-042-230	40500	15.1	12.5	37000	24400	8.5	CHX35-42C	SLP99UH110XV60C	205544661
SL18XP1-042-230	40000	14	12	37800	25200	8.5	CHX35-42C		202190115
SL18XP1-042-230	40500	15.5	12.5	36600	23800	8.5	CHX35-48C	EL196UH090XE48C	202187007
SL18XP1-042-230	41000	15.1	12.5	37000	24000	8.5	CHX35-48C	EL196UH110XE60C	202187008
SL18XP1-042-230	40500	15.1	12.5	36800	24000	8.5	CHX35-48C	EL280UH045E36A	202891209
SL18XP1-042-230	40000	15	12.5	36600	24000	8.5	CHX35-48C	EL280UH070E36A	202891227
SL18XP1-042-230	40000	15	12.5	36600	24000	8.5	CHX35-48C	EL280UH070XE36A	203361840
SL18XP1-042-230	40500	15.1	12.5	36800	24000	8.5	CHX35-48C	EL280UH090E36B	202891245
SL18XP1-042-230	40500	15.1	12.5	36600	23800	8.5	CHX35-48C	EL280UH090E48B	202891263
SL18XP1-042-230	40500	15.1	12.5	36600	23800	8.5	CHX35-48C	EL280UH090XE48B	203361858
SL18XP1-042-230	41000	15.5	12.5	36600	23800	8.8	CHX35-48C	EL280UH110E48C	202891281
SL18XP1-042-230	41000	15.5	12.5	36800	24000	8.8	CHX35-48C	EL280UH110E60C	202891299
SL18XP1-042-230	41000	15.5	12.5	36800	24000	8.8	CHX35-48C	EL280UH110XE60C	203361876
SL18XP1-042-230	40500	15.5	12.5	36600	23800	8.5	CHX35-48C	EL296UH090XE48C	202190174
SL18XP1-042-230	41000	15.1	12.5	36800	24000	8.5	CHX35-48C	EL296UH090XV36C	202190176
SL18XP1-042-230	41000	15.5	12.5	36800	24000	8.5	CHX35-48C	EL296UH090XV48C	202190178
SL18XP1-042-230	40500	15.5	12.5	36600	23800	8.5	CHX35-48C	EL296UH090XV60C	202190180
SL18XP1-042-230	41000	15.1	12.5	37000	24000	8.5	CHX35-48C	EL296UH110XE60C	202190182
SL18XP1-042-230	41000	15.5	12.5	36800	24000	8.5	CHX35-48C	EL296UH110XV48C	202190185
SL18XP1-042-230	41000	15.5	12.5	36800	24000	8.5	CHX35-48C	EL296UH110XV60C	202190187
SL18XP1-042-230	41000	15.5	12.5	36800	24000	8.5	CHX35-48C	SL280UH090V60C	202190190
SL18XP1-042-230	41000	15.5	12.5	36800	24000	8.5	CHX35-48C	SL280UH090XV60C	202190192
SL18XP1-042-230	41000	16	13.5	36600	23800	9	CHX35-48C	SL280UH100NV60C-	202190420
SL18XP1-042-230	41000	15.5	12.5	36800	24000	8.5	CHX35-48C	SL280UH110V60C	202190193
SL18XP1-042-230	41000	15.5	12.5	36800	24000	8.5	CHX35-48C	SL280UH110XV60C	202190196
SL18XP1-042-230	41000	15.1	12.5	36800	24000	8.5	CHX35-48C	SLP98UH090XV36C	202190199
SL18XP1-042-230	41000	15.5	12.5	36800	24000	8.5	CHX35-48C	SLP98UH090XV48C	202190201
SL18XP1-042-230	40500	15.5	12.5	36600	23800	8.5	CHX35-48C	SLP98UH090XV60C	202190203
SL18XP1-042-230	41000	15.5	12.5	36800	24000	8.5	CHX35-48C	SLP98UH110XV60C	202190205
SL18XP1-042-230	41000	15.1	12.5	36800	24000	8.5	CHX35-48C	SLP99UH090XV36C	205544662
SL18XP1-042-230	41000	15.5	12.5	36800	24000	8.5	CHX35-48C	SLP99UH090XV48C	205544663
SL18XP1-042-230	40500	15.5	12.5	36600	23800	8.5	CHX35-48C	SLP99UH090XV60C	205544665
SL18XP1-042-230	41000	15.5	12.5	36800	24000	8.5	CHX35-48C	SLP99UH110XV60C	205544667
SL18XP1-042-230	40000	14	12	37400	24600	8.5	CHX35-48C		202190162
SL18XP1-042-230	41000	15.5	12.5	36400	24200	9	CHX35-51/61C	EL196UH090XE48C	202190524
SL18XP1-042-230	41500	15.5	12.5	36800	24400	9	CHX35-51/61C	EL196UH110XE60C	202190526
SL18XP1-042-230	41000	15.1	12.5	36600	24400	9.2	CHX35-51/61C	EL280UH045E36A	202891210
SL18XP1-042-230	40500	15	12.5	36400	24400	9	CHX35-51/61C	EL280UH070E36A	202891228
SL18XP1-042-230	40500	15	12.5	36400	24400	9	CHX35-51/61C	EL280UH070XE36A	203361841
SL18XP1-042-230	41000	15.1	12.5	36600	24400	9.2	CHX35-51/61C	EL280UH090E36B	202891246
SL18XP1-042-230	41000	15.5	12.5	36400	24400	9.2	CHX35-51/61C	EL280UH090E48B	202891264

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-042-230	41000	15.5	12.5	36400	24400	9.2	CHX35-51/61C	EL280UH090XE48B	203361859
SL18XP1-042-230	41000	15.5	12.5	36400	24200	9.2	CHX35-51/61C	EL280UH110E48C	202891282
SL18XP1-042-230	41500	15.5	12.5	36800	24400	9.2	CHX35-51/61C	EL280UH110E60C	202891300
SL18XP1-042-230	41500	15.5	12.5	36800	24400	9.2	CHX35-51/61C	EL280UH110XE60C	203361877
SL18XP1-042-230	41000	15.5	12.5	36400	24200	9	CHX35-51/61C	EL296UH090XE48C	202190217
SL18XP1-042-230	41000	15.1	12.5	36600	24400	9	CHX35-51/61C	EL296UH090XV36C	202190219
SL18XP1-042-230	41000	15.5	12.5	36600	24400	9	CHX35-51/61C	EL296UH090XV48C	202190222
SL18XP1-042-230	41000	15.5	12.5	36400	24200	9	CHX35-51/61C	EL296UH090XV60C	202190224
SL18XP1-042-230	41500	15.5	12.5	36800	24400	9	CHX35-51/61C	EL296UH110XE60C	202190227
SL18XP1-042-230	41500	15.5	12.5	36600	24400	9	CHX35-51/61C	EL296UH110XV48C	202190230
SL18XP1-042-230	41500	15.5	12.5	36600	24400	9	CHX35-51/61C	EL296UH110XV60C	202190232
SL18XP1-042-230	41000	15.5	12.5	36200	24200	9	CHX35-51/61C	SL280UH090V60C	202190234
SL18XP1-042-230	41000	15.5	12.5	36200	24200	9	CHX35-51/61C	SL280UH090XV60C	202190236
SL18XP1-042-230	41500	16	13.5	36400	24200	9.4	CHX35-51/61C	SL280UH100NV60C-	202190422
SL18XP1-042-230	41500	15.5	12.5	36600	24400	9	CHX35-51/61C	SL280UH110V60C	202190398
SL18XP1-042-230	41500	15.5	12.5	36600	24400	9	CHX35-51/61C	SL280UH110XV60C	202190400
SL18XP1-042-230	41000	15.1	12.5	36600	24400	9	CHX35-51/61C	SLP98UH090XV36C	202190402
SL18XP1-042-230	41000	15.5	12.5	36400	24200	9	CHX35-51/61C	SLP98UH090XV48C	202190404
SL18XP1-042-230	41000	15.5	12.5	36400	24200	9	CHX35-51/61C	SLP98UH090XV60C	202190239
SL18XP1-042-230	41500	15.5	12.5	36600	24400	9	CHX35-51/61C	SLP98UH110XV60C	202190241
SL18XP1-042-230	41000	15.1	12.5	36600	24400	9	CHX35-51/61C	SLP99UH090XV36C	205544691
SL18XP1-042-230	41000	15.5	12.5	36400	24200	9	CHX35-51/61C	SLP99UH090XV48C	205544693
SL18XP1-042-230	41000	15.5	12.5	36400	24200	9	CHX35-51/61C	SLP99UH090XV60C	205544670
SL18XP1-042-230	41500	15.5	12.5	36600	24400	9	CHX35-51/61C	SLP99UH110XV60C	205544671
SL18XP1-042-230	40500	14	12	37200	25000	8.5	CHX35-51/61C		202190243
SL18XP1-042-230	40000	15	12.5	36600	23200	9	CR33-50/60	EL196DF090XE48C	201953295
SL18XP1-042-230	40000	14.25	12.5	36800	23400	9.2	CR33-50/60	EL280DF070E36A	202891197
SL18XP1-042-230	40000	14.5	12.5	36600	23200	9.2	CR33-50/60	EL280DF090E48B	202891198
SL18XP1-042-230	40000	15	12.5	36600	23200	9	CR33-50/60	EL296DF090XE48C	8329674
SL18XP1-042-230	40500	15.1	12.5	36800	23200	9.5	CR33-50/60	EL296DF110XE60C	8329670
SL18XP1-042-230	40500	15.1	13	36600	23000	9.5	CR33-50/60	SL280DF090V60C	8329667
SL18XP1-042-230	40500	15.5	13	36600	23000	9.5	CR33-50/60	SL280DF110V60C	8329666
SL18XP1-042-230	40500	14.5	12.5	36800	23200	9	CR33-50/60	SLP98DF090XV36C	8329676
SL18XP1-042-230	40500	15.1	13	36600	23200	9	CR33-50/60	SLP98DF090XV48C	8329672
SL18XP1-042-230	40500	15	12.5	37000	23400	9	CR33-50/60	SLP98DF090XV60C	8329675
SL18XP1-042-230	40500	15.1	12.5	36800	23200	9.5	CR33-50/60	SLP98DF110XV60C	8329671
SL18XP1-042-230	40500	14.5	12.5	36800	23200	9	CR33-50/60	SLP99DF090XV36C	205544224
SL18XP1-042-230	40500	15.1	13	36600	23200	9	CR33-50/60	SLP99DF090XV48C	205544221
SL18XP1-042-230	40500	15	12.5	37000	23400	9	CR33-50/60	SLP99DF090XV60C	205544223
SL18XP1-042-230	40500	15.1	12.5	36800	23200	9.5	CR33-50/60	SLP99DF110XV60C	205544219
SL18XP1-042-230	40000	14	12	37400	23800	9	CR33-50/60		8329677
SL18XP1-042-230	40000	14.5	12	36800	24800	8.5	CX35-48B	EL296UH045XV36B	10098524
SL18XP1-042-230	40000	14.5	12	36800	25000	8.5	CX35-48B	EL296UH070XV36B	10098525
SL18XP1-042-230	40000	15.1	12.5	36600	24600	8.5	CX35-48B	SL280UH090V36B	10098526
SL18XP1-042-230	40000	15.1	12.5	36400	24600	8.5	CX35-48B	SL280UH090V48B	10099368
SL18XP1-042-230	40000	15.1	12.5	36400	24600	8.5	CX35-48B	SL280UH090XV48B	10099369
SL18XP1-042-230	40000	14.5	12	36800	25000	8.5	CX35-48B	SLP98UH070XV36B	10099370
SL18XP1-042-230	40000	14.5	12	36800	25000	8.5	CX35-48B	SLP99UH070XV36B	205544492
SL18XP1-042-230	40000	15.1	12.5	36400	24400	8.5	CX35-48C	EL196UH090XE48C	201933493
SL18XP1-042-230	40500	15.1	12.5	36800	24600	9	CX35-48C	EL196UH110XE60C	201933494
SL18XP1-042-230	40000	15	12.5	36600	24600	9	CX35-48C	EL280UH045E36A	202891211
SL18XP1-042-230	39500	14.5	12.5	36600	24600	8.8	CX35-48C	EL280UH070E36A	202891229
SL18XP1-042-230	39500	14.5	12.5	36600	24600	8.8	CX35-48C	EL280UH070XE36A	203361842
SL18XP1-042-230	40000	15	12.5	36600	24600	9	CX35-48C	EL280UH090E36B	202891247
SL18XP1-042-230	40000	15.1	12.5	36400	24400	9	CX35-48C	EL280UH090E48B	202891265
SL18XP1-042-230	40000	15.1	12.5	36400	24400	9	CX35-48C	EL280UH090XE48B	203361860

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-042-230	40500	15.5	12.5	36400	24400	9.2	CX35-48C	EL280UH110E48C	202891283
SL18XP1-042-230	40500	15.5	12.5	36800	24600	9.2	CX35-48C	EL280UH110E60C	202891301
SL18XP1-042-230	40500	15.5	12.5	36800	24600	9.2	CX35-48C	EL280UH110XE60C	203361878
SL18XP1-042-230	40000	15.1	12.5	36400	24400	8.5	CX35-48C	EL296UH090XE48C	10098532
SL18XP1-042-230	40000	15.1	12.5	36600	24600	8.5	CX35-48C	EL296UH090XV36C	10098533
SL18XP1-042-230	40000	15.1	12.5	36400	24600	8.5	CX35-48C	EL296UH090XV48C	10098534
SL18XP1-042-230	40000	15.1	12.5	36200	24400	8.5	CX35-48C	EL296UH090XV60C	10098535
SL18XP1-042-230	40500	15.1	12.5	36800	24600	9	CX35-48C	EL296UH110XE60C	10098536
SL18XP1-042-230	40500	15.1	12.5	36600	24600	8.5	CX35-48C	EL296UH110XV48C	10098537
SL18XP1-042-230	40500	15.5	12.5	36600	24400	9	CX35-48C	EL296UH110XV60C	10098538
SL18XP1-042-230	40000	15.5	12.5	36200	24200	8.5	CX35-48C	SL280UH090V60C	10098539
SL18XP1-042-230	40000	15.5	12.5	36200	24200	8.5	CX35-48C	SL280UH090XV60C	10098540
SL18XP1-042-230	40500	15.5	12.5	36400	24400	9.2	CX35-48C	SL280UH100NV60C-	10581401
SL18XP1-042-230	40500	15.5	12.5	36400	24400	9	CX35-48C	SL280UH110V60C	10099372
SL18XP1-042-230	40500	15.5	12.5	36400	24400	9	CX35-48C	SL280UH110XV60C	10099373
SL18XP1-042-230	40000	15.1	12.5	36400	24600	8.5	CX35-48C	SLP98UH090XV36C	10099374
SL18XP1-042-230	40000	15.5	12.5	36200	24400	8.5	CX35-48C	SLP98UH090XV48C	10099375
SL18XP1-042-230	40000	15.1	12.5	36200	24400	8.5	CX35-48C	SLP98UH090XV60C	10098541
SL18XP1-042-230	40500	15.5	12.5	36600	24400	9	CX35-48C	SLP98UH110XV60C	10098542
SL18XP1-042-230	40000	15.1	12.5	36400	24600	8.5	CX35-48C	SLP99UH090XV36C	205544494
SL18XP1-042-230	40000	15.5	12.5	36200	24400	8.5	CX35-48C	SLP99UH090XV48C	205544495
SL18XP1-042-230	40000	15.1	12.5	36200	24400	8.5	CX35-48C	SLP99UH090XV60C	205544359
SL18XP1-042-230	40500	15.5	12.5	36600	24400	9	CX35-48C	SLP99UH110XV60C	205544360
SL18XP1-042-230	39500	14	12	37200	25200	8.5	CX35-48C		10099371
SL18XP1-042-230	39500	15.1	12.5	36400	24400	8.5	CX35-50/60C	EL196UH090XE48C	201933487
SL18XP1-042-230	40000	15.1	12.5	36600	24600	8.5	CX35-50/60C	EL196UH110XE60C	201933488
SL18XP1-042-230	39500	15	12.5	36400	24600	8.8	CX35-50/60C	EL280UH045E36A	202891212
SL18XP1-042-230	39000	14.5	12	36400	24600	8.5	CX35-50/60C	EL280UH070E36A	202891230
SL18XP1-042-230	39000	14.5	12	36400	24600	8.5	CX35-50/60C	EL280UH070XE36A	203361843
SL18XP1-042-230	39500	14.5	12.5	36600	24600	8.8	CX35-50/60C	EL280UH090E36B	202891248
SL18XP1-042-230	39500	15	12.5	36400	24400	9	CX35-50/60C	EL280UH090E48B	202891266
SL18XP1-042-230	39500	15	12.5	36400	24400	9	CX35-50/60C	EL280UH090XE48B	203361861
SL18XP1-042-230	40000	15.1	12.5	36400	24400	9	CX35-50/60C	EL280UH110E48C	202891284
SL18XP1-042-230	40000	15.1	12.5	36600	24600	9	CX35-50/60C	EL280UH110E60C	202891302
SL18XP1-042-230	40000	15.1	12.5	36600	24600	9	CX35-50/60C	EL280UH110XE60C	203361879
SL18XP1-042-230	39500	15.1	12.5	36400	24400	8.5	CX35-50/60C	EL296UH090XE48C	10098548
SL18XP1-042-230	39500	14.5	12.5	36600	24600	8.5	CX35-50/60C	EL296UH090XV36C	10098549
SL18XP1-042-230	40000	15.1	12.5	36400	24600	8.5	CX35-50/60C	EL296UH090XV48C	10098550
SL18XP1-042-230	39500	15.1	12.5	36400	24400	8.5	CX35-50/60C	EL296UH090XV60C	10098551
SL18XP1-042-230	40000	15.1	12.5	36600	24600	8.5	CX35-50/60C	EL296UH110XE60C	10098552
SL18XP1-042-230	40000	15.1	12.5	36600	24600	8.5	CX35-50/60C	EL296UH110XV48C	10098553
SL18XP1-042-230	40000	15.1	12.5	36600	24600	8.5	CX35-50/60C	EL296UH110XV60C	10098554
SL18XP1-042-230	39500	15.1	12.5	36000	24200	8.5	CX35-50/60C	SL280UH090V60C	10098555
SL18XP1-042-230	39500	15.1	12.5	36000	24200	8.5	CX35-50/60C	SL280UH090XV60C	10098556
SL18XP1-042-230	40000	15.5	12.5	36400	24400	9.2	CX35-50/60C	SL280UH100NV60C-	10581402
SL18XP1-042-230	40000	15.1	12.5	36600	24600	8.5	CX35-50/60C	SL280UH110V60C	10099376
SL18XP1-042-230	40000	15.1	12.5	36600	24600	8.5	CX35-50/60C	SL280UH110XV60C	10099377
SL18XP1-042-230	39500	14.5	12.5	36600	24600	8.5	CX35-50/60C	SLP98UH090XV36C	10099378
SL18XP1-042-230	40000	15.1	12.5	36400	24600	8.5	CX35-50/60C	SLP98UH090XV48C	10098557
SL18XP1-042-230	39500	15.1	12.5	36400	24400	8.5	CX35-50/60C	SLP98UH090XV60C	10098558
SL18XP1-042-230	40000	15.1	12.5	36600	24600	8.5	CX35-50/60C	SLP98UH110XV60C	10098559
SL18XP1-042-230	39500	14.5	12.5	36600	24600	8.5	CX35-50/60C	SLP99UH090XV36C	205544497
SL18XP1-042-230	40000	15.1	12.5	36400	24600	8.5	CX35-50/60C	SLP99UH090XV48C	205544363
SL18XP1-042-230	39500	15.1	12.5	36400	24400	8.5	CX35-50/60C	SLP99UH090XV60C	205544366
SL18XP1-042-230	40000	15.1	12.5	36600	24600	8.5	CX35-50/60C	SLP99UH110XV60C	205544369
SL18XP1-042-230	39000	14	11.5	37200	25200	8.5	CX35-50/60C		10098560

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-042-230	41500	15.5	12.5	37000	24800	9	CX35-60C	EL196UH090XE48C	201933497
SL18XP1-042-230	42000	15.5	12.5	37200	24800	9.2	CX35-60C	EL196UH110XE60C	201933498
SL18XP1-042-230	41500	15.5	12.5	37200	24800	9.2	CX35-60C	EL280UH045E36A	202891213
SL18XP1-042-230	41000	15.1	12.5	37200	24800	9.2	CX35-60C	EL280UH070E36A	202891231
SL18XP1-042-230	41000	15.1	12.5	37200	24800	9.2	CX35-60C	EL280UH070XE36A	203361844
SL18XP1-042-230	42000	15.5	12.5	37200	24800	9.4	CX35-60C	EL280UH090E36B	202891249
SL18XP1-042-230	41500	15.5	12.5	37000	24800	9.4	CX35-60C	EL280UH090E48B	202891267
SL18XP1-042-230	41500	15.5	12.5	37000	24800	9.4	CX35-60C	EL280UH090XE48B	203361862
SL18XP1-042-230	42000	16	13.5	37000	24600	9.4	CX35-60C	EL280UH110E48C	202891285
SL18XP1-042-230	42000	16	13.5	37200	24800	9.4	CX35-60C	EL280UH110E60C	202891303
SL18XP1-042-230	42000	16	13.5	37200	24800	9.4	CX35-60C	EL280UH110XE60C	203361880
SL18XP1-042-230	41500	15.5	12.5	37000	24600	9	CX35-60C	EL296UH090XE48C	10098587
SL18XP1-042-230	42000	15.5	12.5	37200	24800	9	CX35-60C	EL296UH090XV36C	10098588
SL18XP1-042-230	42000	15.5	12.5	37000	24800	9.2	CX35-60C	EL296UH090XV48C	10098589
SL18XP1-042-230	41500	16	13.5	37000	24600	9	CX35-60C	EL296UH090XV60C	10098590
SL18XP1-042-230	42000	15.5	12.5	37200	24800	9.2	CX35-60C	EL296UH110XE60C	10098591
SL18XP1-042-230	42000	16	13.5	37200	24800	9.2	CX35-60C	EL296UH110XV48C	10098592
SL18XP1-042-230	42000	16	13.5	37200	24800	9.2	CX35-60C	EL296UH110XV60C	10098593
SL18XP1-042-230	42000	16	13.5	37200	24800	9.2	CX35-60C	SL280UH090V60C	10098594
SL18XP1-042-230	42000	16	13.5	37200	24800	9.2	CX35-60C	SL280UH090XV60C	10098595
SL18XP1-042-230	42000	16.5	14	37000	24600	9.6	CX35-60C	SL280UH100NV60C-	10581403
SL18XP1-042-230	42000	16	13.5	37000	24600	9.2	CX35-60C	SL280UH110V60C	10098596
SL18XP1-042-230	42000	16	13.5	37000	24600	9.2	CX35-60C	SL280UH110XV60C	10098597
SL18XP1-042-230	42000	15.5	12.5	37200	24800	9	CX35-60C	SLP98UH090XV36C	10098598
SL18XP1-042-230	42000	15.5	12.5	37000	24800	9.2	CX35-60C	SLP98UH090XV48C	10098599
SL18XP1-042-230	41500	16	13.5	37000	24600	9	CX35-60C	SLP98UH090XV60C	10098600
SL18XP1-042-230	42000	16	13.5	37200	24800	9.2	CX35-60C	SLP98UH110XV60C	10098601
SL18XP1-042-230	42000	15.5	12.5	37200	24800	9	CX35-60C	SLP99UH090XV36C	205544380
SL18XP1-042-230	42000	15.5	12.5	37000	24800	9.2	CX35-60C	SLP99UH090XV48C	205544382
SL18XP1-042-230	41500	16	13.5	37000	24600	9	CX35-60C	SLP99UH090XV60C	205544384
SL18XP1-042-230	42000	16	13.5	37200	24800	9.2	CX35-60C	SLP99UH110XV60C	205544386
SL18XP1-042-230	41000	14.5	12.5	37800	25400	8.5	CX35-60C		10098602
SL18XP1-048-230	47000	15	12.5	46000	31800	8.5	C35-48C	EL196UH090XE48C	201933529
SL18XP1-048-230	47500	15.1	12.5	46000	31600	8.5	C35-48C	EL196UH110XE60C	201933530
SL18XP1-048-230	47000	15	12.5	46000	30800	8.8	C35-48C	EL280UH090E48B	202891308
SL18XP1-048-230	47000	15	12.5	46000	30800	8.8	C35-48C	EL280UH090XE48B	203361884
SL18XP1-048-230	47500	15	12.5	46000	30800	8.8	C35-48C	EL280UH110E48C	202891326
SL18XP1-048-230	47000	15.1	12.5	46000	30600	9	C35-48C	EL280UH110E60C	202891344
SL18XP1-048-230	47000	15.1	12.5	46000	30600	9	C35-48C	EL280UH110XE60C	203361902
SL18XP1-048-230	47000	15	12.5	46000	30800	8.5	C35-48C	EL296UH090XE48C	10099081
SL18XP1-048-230	47000	14.5	12	46500	31000	8.5	C35-48C	EL296UH090XV48C	10099082
SL18XP1-048-230	47000	14.5	12	46500	31000	8.5	C35-48C	EL296UH090XV60C	10099083
SL18XP1-048-230	47500	15.1	12.5	46000	30800	8.5	C35-48C	EL296UH110XE60C	10099084
SL18XP1-048-230	47000	14.5	12	46500	30800	8.5	C35-48C	EL296UH110XV48C	10099085
SL18XP1-048-230	47500	14.5	12	46500	31000	8.5	C35-48C	EL296UH110XV60C	10099086
SL18XP1-048-230	47500	15	12.5	46000	30800	8.5	C35-48C	SL280UH090V60C	10099087
SL18XP1-048-230	47500	15	12.5	46000	30800	8.5	C35-48C	SL280UH090XV60C	10099088
SL18XP1-048-230	47000	15.5	12.5	46000	30600	9	C35-48C	SL280UH100NV60C-	10581407
SL18XP1-048-230	47000	15	12.5	46000	30800	8.5	C35-48C	SL280UH110V60C	10099089
SL18XP1-048-230	47000	15	12.5	46000	30800	8.5	C35-48C	SL280UH110XV60C	10099090
SL18XP1-048-230	47000	14.5	12	46500	31000	8.5	C35-48C	SLP98UH090XV48C	10099091
SL18XP1-048-230	47000	14.5	12	46500	31000	8.5	C35-48C	SLP98UH090XV60C	10099092
SL18XP1-048-230	47000	14.5	12	46000	31000	8.5	C35-48C	SLP98UH110XV60C	10099093
SL18XP1-048-230	47000	14.5	12	46500	31000	8.5	C35-48C	SLP99UH090XV48C	205544416
SL18XP1-048-230	47000	14.5	12	46500	31000	8.5	C35-48C	SLP99UH090XV60C	205544418
SL18XP1-048-230	47000	14.5	12	46000	31000	8.5	C35-48C	SLP99UH110XV60C	205544420

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-048-230	46500	14	11.5	47000	31400	8.5	C35-48C		10099094
SL18XP1-048-230	47000	15.1	12	45000	30000	9	C35-49C	EL196UH090XE48C	201933521
SL18XP1-048-230	47500	15.1	12.5	45000	29800	9	C35-49C	EL196UH110XE60C	201933522
SL18XP1-048-230	47000	15	12.5	45000	30000	9.2	C35-49C	EL280UH090E48B	202891309
SL18XP1-048-230	47000	15	12.5	45000	30000	9.2	C35-49C	EL280UH090XE48B	203361885
SL18XP1-048-230	47500	15.1	12.5	45000	29800	9.4	C35-49C	EL280UH110E48C	202891327
SL18XP1-048-230	47500	15.1	12.5	45000	29800	9.4	C35-49C	EL280UH110E60C	202891345
SL18XP1-048-230	47500	15.1	12.5	45000	29800	9.4	C35-49C	EL280UH110XE60C	203361903
SL18XP1-048-230	47000	15.1	12	45000	30000	9	C35-49C	EL296UH090XE48C	10099065
SL18XP1-048-230	47500	15.1	12.5	45000	30000	9	C35-49C	EL296UH090XV48C	202087863
SL18XP1-048-230	47500	15.1	12.5	45000	30000	9	C35-49C	EL296UH090XV60C	202087864
SL18XP1-048-230	47500	15.1	12.5	45000	29800	9	C35-49C	EL296UH110XE60C	10099066
SL18XP1-048-230	47000	15.1	12	45000	29800	9	C35-49C	EL296UH110XV48C	10099067
SL18XP1-048-230	47500	15	12	45000	30000	8.5	C35-49C	EL296UH110XV60C	10099068
SL18XP1-048-230	47500	15.1	12.5	45000	29800	9	C35-49C	SL280UH090V60C	10099069
SL18XP1-048-230	47500	15.1	12.5	45000	29800	9	C35-49C	SL280UH090XV60C	10099070
SL18XP1-048-230	47500	15.5	12.5	45000	29800	9.4	C35-49C	SL280UH100NV60C-	10581408
SL18XP1-048-230	47500	15.1	12.5	45000	29800	9	C35-49C	SL280UH110V60C	10099071
SL18XP1-048-230	47500	15.1	12.5	45000	29800	9	C35-49C	SL280UH110XV60C	10099072
SL18XP1-048-230	47500	15.1	12.5	45000	30000	9	C35-49C	SLP98UH090XV48C	10099073
SL18XP1-048-230	47500	15.1	12.5	45000	30000	9	C35-49C	SLP98UH090XV60C	10099074
SL18XP1-048-230	47000	15.1	12	45000	29800	9	C35-49C	SLP98UH110XV60C	10099075
SL18XP1-048-230	47500	15.1	12.5	45000	30000	9	C35-49C	SLP99UH090XV48C	205544411
SL18XP1-048-230	47500	15.1	12.5	45000	30000	9	C35-49C	SLP99UH090XV60C	205544412
SL18XP1-048-230	47000	15.1	12	45000	29800	9	C35-49C	SLP99UH110XV60C	205544414
SL18XP1-048-230	46500	14	11.5	45500	30400	8.5	C35-49C		10099059
SL18XP1-048-230	46500	14.5	12	46000	31600	8.5	C35-50/60C	EL196UH090XE48C	201933525
SL18XP1-048-230	47000	14.5	12.5	46000	31600	8.5	C35-50/60C	EL196UH110XE60C	201933526
SL18XP1-048-230	46500	14.5	12	46000	30800	8.5	C35-50/60C	EL280UH090E48B	202891310
SL18XP1-048-230	46500	14.5	12	46000	30800	8.5	C35-50/60C	EL280UH090XE48B	203361886
SL18XP1-048-230	47000	15	12.5	46000	30800	8.8	C35-50/60C	EL280UH110E48C	202891328
SL18XP1-048-230	46500	15	12.5	46000	30600	8.8	C35-50/60C	EL280UH110E60C	202891346
SL18XP1-048-230	46500	15	12.5	46000	30600	8.8	C35-50/60C	EL280UH110XE60C	203361904
SL18XP1-048-230	46500	14.5	12	46000	30800	8.5	C35-50/60C	EL296UH090XE48C	10099100
SL18XP1-048-230	47000	14.5	12	46500	31000	8.5	C35-50/60C	EL296UH090XV48C	10099101
SL18XP1-048-230	47000	14.5	12	46500	31000	8.5	C35-50/60C	EL296UH090XV60C	10099102
SL18XP1-048-230	47000	14.5	12.5	46000	30800	8.5	C35-50/60C	EL296UH110XE60C	10099103
SL18XP1-048-230	47000	14.5	12	46000	30800	8.5	C35-50/60C	EL296UH110XV48C	10099104
SL18XP1-048-230	47000	14.5	12	46500	31000	8.5	C35-50/60C	EL296UH110XV60C	10099106
SL18XP1-048-230	47000	15	12.5	46000	30800	8.5	C35-50/60C	SL280UH090V60C	10099107
SL18XP1-048-230	47000	15	12.5	46000	30800	8.5	C35-50/60C	SL280UH090XV60C	10099108
SL18XP1-048-230	47000	15.1	12.5	46000	30600	9	C35-50/60C	SL280UH100NV60C-	10581409
SL18XP1-048-230	47000	14.5	12	46000	30800	8.5	C35-50/60C	SL280UH110V60C	10099109
SL18XP1-048-230	47000	14.5	12	46000	30800	8.5	C35-50/60C	SL280UH110XV60C	10099110
SL18XP1-048-230	47000	14.5	12	46500	31000	8.5	C35-50/60C	SLP98UH090XV48C	10099111
SL18XP1-048-230	47000	14.5	12	46500	31000	8.5	C35-50/60C	SLP98UH090XV60C	10099112
SL18XP1-048-230	47000	14.5	12	46000	30800	8.5	C35-50/60C	SLP98UH110XV60C	10099113
SL18XP1-048-230	47000	14.5	12	46500	31000	8.5	C35-50/60C	SLP99UH090XV48C	205544422
SL18XP1-048-230	47000	14.5	12	46500	31000	8.5	C35-50/60C	SLP99UH090XV60C	205544423
SL18XP1-048-230	47000	14.5	12	46000	30800	8.5	C35-50/60C	SLP99UH110XV60C	205544424
SL18XP1-048-230	46500	14	11.5	47000	31400	8.5	C35-50/60C		10099114
SL18XP1-048-230	47500	15.1	12.5	46000	30600	9	C35-60C	EL196UH090XE48C	201933533
SL18XP1-048-230	47500	15.5	12.5	46000	30600	9	C35-60C	EL196UH110XE60C	201933534
SL18XP1-048-230	47000	15.1	12.5	46000	30600	9.2	C35-60C	EL280UH090E48B	202891311
SL18XP1-048-230	47000	15.1	12.5	46000	30600	9.2	C35-60C	EL280UH090XE48B	203361887
SL18XP1-048-230	47500	15.5	12.5	46000	30600	9.4	C35-60C	EL280UH110E48C	202891329

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-048-230	47500	15.5	12.5	46000	30600	9.4	C35-60C	EL280UH110E60C	202891347
SL18XP1-048-230	47500	15.5	12.5	46000	30600	9.4	C35-60C	EL280UH110XE60C	203361905
SL18XP1-048-230	47500	15.1	12.5	46000	30600	9	C35-60C	EL296UH090XE48C	10099158
SL18XP1-048-230	47500	15.1	12	46000	30800	9	C35-60C	EL296UH090XV48C	10099159
SL18XP1-048-230	47500	15.1	12	46000	30600	9	C35-60C	EL296UH090XV60C	10099160
SL18XP1-048-230	47500	15.5	12.5	46000	30600	9	C35-60C	EL296UH110XE60C	10099161
SL18XP1-048-230	47500	15.1	12.5	46000	30600	9	C35-60C	EL296UH110XV48C	10099162
SL18XP1-048-230	47500	15.1	12	46000	30800	9	C35-60C	EL296UH110XV60C	10099163
SL18XP1-048-230	47500	15.5	12.5	46000	30600	9	C35-60C	SL280UH090V60C	10099164
SL18XP1-048-230	47500	15.5	12.5	46000	30600	9	C35-60C	SL280UH090XV60C	10099165
SL18XP1-048-230	47500	16	12.5	46000	30400	9.4	C35-60C	SL280UH100NV60C-	10581410
SL18XP1-048-230	47500	15.5	12.5	46000	30400	9	C35-60C	SL280UH110V60C	10099166
SL18XP1-048-230	47500	15.5	12.5	46000	30400	9	C35-60C	SL280UH110XV60C	10099167
SL18XP1-048-230	47500	15.1	12	46000	30800	9	C35-60C	SLP98UH090XV48C	10099168
SL18XP1-048-230	47500	15.1	12	46000	30600	9	C35-60C	SLP98UH090XV60C	10099169
SL18XP1-048-230	47500	15.1	12.5	46000	30600	9	C35-60C	SLP98UH110XV60C	10099170
SL18XP1-048-230	47500	15.1	12	46000	30800	9	C35-60C	SLP99UH090XV48C	205544440
SL18XP1-048-230	47500	15.1	12	46000	30600	9	C35-60C	SLP99UH090XV60C	205544442
SL18XP1-048-230	47500	15.1	12.5	46000	30600	9	C35-60C	SLP99UH110XV60C	205544444
SL18XP1-048-230	47000	14.5	11.5	46500	31200	9	C35-60C		10099171
SL18XP1-048-230	48000	15	12.5	46000	30800	9.2	C35-60D	EL280UH090E48B	202891312
SL18XP1-048-230	48000	15	12.5	46000	30800	9.2	C35-60D	EL280UH090XE48B	203361888
SL18XP1-048-230	48000	15.1	12.5	46000	30800	9.2	C35-60D	EL280UH110E48C	202891330
SL18XP1-048-230	48000	15.1	12.5	45500	30600	9.2	C35-60D	EL280UH110E60C	202891348
SL18XP1-048-230	48000	15.1	12.5	45500	30600	9.2	C35-60D	EL280UH110XE60C	203361906
SL18XP1-048-230	48000	14.5	12	46000	31000	9	C35-60D	EL296UH135XE60D	10099193
SL18XP1-048-230	48000	15.1	12.5	46000	30800	9	C35-60D	EL296UH135XV60D	10099194
SL18XP1-048-230	48000	15.1	12.5	45500	30400	9	C35-60D	SL280UH135V60D	10099195
SL18XP1-048-230	48000	14.5	12.5	46000	30800	9	C35-60D	SLP98UH135XV60D	10099196
SL18XP1-048-230	48000	14.5	12.5	46000	30800	9	C35-60D	SLP99UH135XV60D	205544450
SL18XP1-048-230	47500	14	11.5	46500	31400	9	C35-60D		10099197
SL18XP1-048-230	48000	15	12.5	46500	31000	9	CBA27UHE-048-230		10258583
SL18XP1-048-230	47500	15	12.5	45000	30600	9.5	CBA27UHE-060-230		10258584
SL18XP1-048-230	47500	15.5	12.5	46500	30400	9	CBA38MV-048-230		201841626
SL18XP1-048-230	48000	15	12.5	45500	30600	9.6	CBA38MV-060-230		201841627
SL18XP1-048-230	47500	15.1	12	47000	30600	9	CBX32M-048		8331399
SL18XP1-048-230	48000	14.5	12.5	46500	30400	9	CBX32M-060		8331400
SL18XP1-048-230	48000	15.5	13	46000	30000	9.6	CBX32MV-060		8331402
SL18XP1-048-230	48000	14.5	12	45000	30000	9	CH33-49	EL196UH090XE48C	201933511
SL18XP1-048-230	48000	15	12.5	45000	29800	9	CH33-49	EL196UH110XE60C	201933512
SL18XP1-048-230	48000	14.5	12	45000	29800	9	CH33-49	EL296UH090XE48C	8329151
SL18XP1-048-230	48000	14.5	12	45000	30000	9	CH33-49	EL296UH090XV48C	8329154
SL18XP1-048-230	48000	14.5	12	45000	30000	9	CH33-49	EL296UH090XV60C	8329155
SL18XP1-048-230	48000	15	12.5	45000	29800	9	CH33-49	EL296UH110XE60C	8329149
SL18XP1-048-230	48000	14.5	12	45000	30000	9	CH33-49	EL296UH110XV48C	8329152
SL18XP1-048-230	48000	14.5	12	45000	30000	9	CH33-49	EL296UH110XV60C	8329153
SL18XP1-048-230	48000	15	12	45000	29800	9	CH33-49	SL280UH090V60C	8329146
SL18XP1-048-230	48000	15	12	45000	29800	9	CH33-49	SL280UH090XV60C	8329147
SL18XP1-048-230	48000	15.5	12.5	45000	29800	9.6	CH33-49	SL280UH100NV60C-	10581412
SL18XP1-048-230	48000	15	12.5	45000	29800	9	CH33-49	SL280UH110V60C	8329210
SL18XP1-048-230	48000	15	12	45000	29800	9	CH33-49	SL280UH110XV60C	8329211
SL18XP1-048-230	48000	14.5	12	45000	30000	9	CH33-49	SLP98UH090XV48C	8329212
SL18XP1-048-230	48000	14.5	12	45000	30000	9	CH33-49	SLP98UH090XV60C	8329213
SL18XP1-048-230	48000	14.5	12	45000	30000	9	CH33-49	SLP98UH110XV60C	8329214
SL18XP1-048-230	48000	14	11.5	45500	30400	9	CH33-49		8329156
SL18XP1-048-230	47500	14.5	12	45000	30000	9	CH33-50/60C	EL196UH090XE48C	201933513

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-048-230	47500	14.5	12	45000	29800	9	CH33-50/60C	EL196UH110XE60C	201933514
SL18XP1-048-230	47500	14.5	12	45000	29800	9	CH33-50/60C	EL296UH090XE48C	8329165
SL18XP1-048-230	47500	14.5	12	45000	30000	9	CH33-50/60C	EL296UH090XV48C	8329169
SL18XP1-048-230	47500	14.5	12	45000	30000	9	CH33-50/60C	EL296UH090XV60C	8329170
SL18XP1-048-230	47500	14.5	12	45000	29800	9	CH33-50/60C	EL296UH110XE60C	8329163
SL18XP1-048-230	47500	14.5	12	45000	30000	9	CH33-50/60C	EL296UH110XV48C	8329166
SL18XP1-048-230	48000	14.5	12	45000	30000	9	CH33-50/60C	EL296UH110XV60C	8329167
SL18XP1-048-230	48000	15.1	12.5	45000	29800	9.5	CH33-50/60C	SL280UH090V60C	8329157
SL18XP1-048-230	48000	15.1	12.5	45000	29800	9.5	CH33-50/60C	SL280UH090XV60C	8329158
SL18XP1-048-230	48000	15.1	12.5	45000	29800	9.6	CH33-50/60C	SL280UH100NV60C-	10581413
SL18XP1-048-230	48000	15.1	12.5	45000	29800	9.5	CH33-50/60C	SL280UH110V60C	8329215
SL18XP1-048-230	48000	15.1	12.5	45000	29800	9.5	CH33-50/60C	SL280UH110XV60C	8329216
SL18XP1-048-230	47500	14.5	12	45000	30000	9	CH33-50/60C	SLP98UH090XV48C	8329217
SL18XP1-048-230	48000	14.5	12	45000	30000	9	CH33-50/60C	SLP98UH090XV60C	8329336
SL18XP1-048-230	47500	14.5	12	45000	30000	9	CH33-50/60C	SLP98UH110XV60C	8329168
SL18XP1-048-230	47500	14	11.5	45500	30400	9	CH33-50/60C		8329171
SL18XP1-048-230	47500	14.5	12	45000	31000	9	CH33-62D	EL296UH135XE60D	8654267
SL18XP1-048-230	47500	15	12.5	44500	30400	9	CH33-62D	SL280UH135V60D	202075392
SL18XP1-048-230	47500	14.5	12.5	44500	30600	9	CH33-62D	SLP98UH135XV60D	8654270
SL18XP1-048-230	47000	14	11.5	45500	31400	9	CH33-62D		8654265
SL18XP1-048-230	48000	15.1	12	46000	32200	8.5	CH35-51C	EL196UH090XE48C	201933516
SL18XP1-048-230	48000	15.1	12.5	46000	32000	8.5	CH35-51C	EL196UH110XE60C	201933517
SL18XP1-048-230	48000	15.1	12.5	46000	31200	8.5	CH35-51C	EL280UH090E48B	202891315
SL18XP1-048-230	48000	15.1	12.5	46000	31200	8.5	CH35-51C	EL280UH090XE48B	203361891
SL18XP1-048-230	48000	15.5	12.5	46000	31200	8.5	CH35-51C	EL280UH110E48C	202891333
SL18XP1-048-230	48000	15.5	12.5	46000	31000	8.5	CH35-51C	EL280UH110E60C	202891351
SL18XP1-048-230	48000	15.5	12.5	46000	31000	8.5	CH35-51C	EL280UH110XE60C	203361909
SL18XP1-048-230	48000	15.1	12	46000	31200	8.5	CH35-51C	EL296UH090XE48C	10099020
SL18XP1-048-230	48000	15.1	12	46000	31400	8.5	CH35-51C	EL296UH090XV48C	10099021
SL18XP1-048-230	48000	15.1	12	46000	31400	8.5	CH35-51C	EL296UH090XV60C	10099022
SL18XP1-048-230	48000	15.1	12.5	46000	31200	8.5	CH35-51C	EL296UH110XE60C	10099023
SL18XP1-048-230	48000	15.1	12	46000	31200	8.5	CH35-51C	EL296UH110XV48C	10099024
SL18XP1-048-230	48000	15.1	12	46000	31400	8.5	CH35-51C	EL296UH110XV60C	10099025
SL18XP1-048-230	48000	15.5	12.5	46000	31200	8.5	CH35-51C	SL280UH090V60C	10099026
SL18XP1-048-230	48000	15.5	12.5	46000	31200	8.5	CH35-51C	SL280UH090XV60C	10099027
SL18XP1-048-230	48000	15.5	12.5	46000	31000	8.8	CH35-51C	SL280UH100NV60C-	10581414
SL18XP1-048-230	48000	15.1	12.5	46000	31200	8.5	CH35-51C	SL280UH110V60C	10099028
SL18XP1-048-230	48000	15.1	12.5	46000	31200	8.5	CH35-51C	SL280UH110XV60C	10099029
SL18XP1-048-230	48000	15.1	12	46000	31400	8.5	CH35-51C	SLP98UH090XV48C	10099030
SL18XP1-048-230	48000	15.1	12	46000	31400	8.5	CH35-51C	SLP98UH090XV60C	10099031
SL18XP1-048-230	48000	15.1	12	46000	31400	8.5	CH35-51C	SLP98UH110XV60C	10099032
SL18XP1-048-230	48000	15.1	12	46000	31400	8.5	CH35-51C	SLP99UH090XV48C	205544395
SL18XP1-048-230	48000	15.1	12	46000	31400	8.5	CH35-51C	SLP99UH090XV60C	205544397
SL18XP1-048-230	48000	15.1	12	46000	31400	8.5	CH35-51C	SLP99UH110XV60C	205544400
SL18XP1-048-230	47500	14.5	11.5	46500	31600	8.5	CH35-51C		10099033
SL18XP1-048-230	48000	15.1	12.5	45000	30800	9.4	CH35-60D	EL280UH090E48B	202891316
SL18XP1-048-230	48000	15.1	12.5	45000	30800	9.4	CH35-60D	EL280UH090XE48B	203361892
SL18XP1-048-230	48000	15.1	12.5	44500	30800	9.4	CH35-60D	EL280UH110E48C	202891334
SL18XP1-048-230	48000	15.5	12.5	44500	30600	9.4	CH35-60D	EL280UH110E60C	202891352
SL18XP1-048-230	48000	15.5	12.5	44500	30600	9.4	CH35-60D	EL280UH110XE60C	203361910
SL18XP1-048-230	48000	15.1	12	45000	31000	9	CH35-60D	EL296UH135XE60D	10099037
SL18XP1-048-230	48000	15.5	12.5	44500	30400	9.2	CH35-60D	SL280UH135V60D	10099038
SL18XP1-048-230	48000	15.5	12.5	44500	30800	9.2	CH35-60D	SLP98UH135XV60D	10099039
SL18XP1-048-230	48000	15.5	12.5	44500	30800	9.2	CH35-60D	SLP99UH135XV60D	205544402
SL18XP1-048-230	47500	14.5	11.5	45500	31400	8.5	CH35-60D		10099034
SL18XP1-048-230	48000	15.1	12	46000	32200	8.5	CHX35-51/61C	EL196UH090XE48C	202190528

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-048-230	48000	15.1	12.5	46000	32000	8.5	CHX35-51/61C	EL196UH110XE60C	202190530
SL18XP1-048-230	48000	15.1	12.5	46000	31200	8.5	CHX35-51/61C	EL280UH090E48B	202891317
SL18XP1-048-230	48000	15.1	12.5	46000	31200	8.5	CHX35-51/61C	EL280UH090XE48B	203361893
SL18XP1-048-230	48000	15.5	12.5	46000	31200	8.5	CHX35-51/61C	EL280UH110E48C	202891335
SL18XP1-048-230	48000	15.5	12.5	46000	31000	8.5	CHX35-51/61C	EL280UH110E60C	202891353
SL18XP1-048-230	48000	15.5	12.5	46000	31000	8.5	CHX35-51/61C	EL280UH110XE60C	203361911
SL18XP1-048-230	48000	15.1	12	46000	31200	8.5	CHX35-51/61C	EL296UH090XE48C	202190312
SL18XP1-048-230	48000	15.1	12	46000	31400	8.5	CHX35-51/61C	EL296UH090XV48C	202190314
SL18XP1-048-230	48000	15.1	12	46000	31400	8.5	CHX35-51/61C	EL296UH090XV60C	202190316
SL18XP1-048-230	48000	15.1	12.5	46000	31200	8.5	CHX35-51/61C	EL296UH110XE60C	202190318
SL18XP1-048-230	48000	15.1	12	46000	31200	8.5	CHX35-51/61C	EL296UH110XV48C	202190319
SL18XP1-048-230	48000	15.1	12	46000	31400	8.5	CHX35-51/61C	EL296UH110XV60C	202190321
SL18XP1-048-230	48000	15.5	12.5	46000	31200	8.5	CHX35-51/61C	SL280UH090V60C	202190322
SL18XP1-048-230	48000	15.5	12.5	46000	31200	8.5	CHX35-51/61C	SL280UH090XV60C	202190325
SL18XP1-048-230	48000	15.5	12.5	46000	31000	8.8	CHX35-51/61C	SL280UH100NV60C-	202190425
SL18XP1-048-230	48000	15.1	12.5	46000	31200	8.5	CHX35-51/61C	SL280UH110V60C	202190327
SL18XP1-048-230	48000	15.1	12.5	46000	31200	8.5	CHX35-51/61C	SL280UH110XV60C	202190329
SL18XP1-048-230	48000	15.1	12	46000	31400	8.5	CHX35-51/61C	SLP98UH090XV48C	202190331
SL18XP1-048-230	48000	15.1	12	46000	31400	8.5	CHX35-51/61C	SLP98UH090XV60C	202190333
SL18XP1-048-230	48000	15.1	12	46000	31400	8.5	CHX35-51/61C	SLP98UH110XV60C	202190335
SL18XP1-048-230	48000	15.1	12	46000	31400	8.5	CHX35-51/61C	SLP99UH090XV48C	205544678
SL18XP1-048-230	48000	15.1	12	46000	31400	8.5	CHX35-51/61C	SLP99UH090XV60C	205544680
SL18XP1-048-230	48000	15.1	12	46000	31400	8.5	CHX35-51/61C	SLP99UH110XV60C	205544682
SL18XP1-048-230	47500	14.5	11.5	46500	31600	8.5	CHX35-51/61C		202190338
SL18XP1-048-230	48000	15.1	12.5	45000	30800	9.4	CHX35-60D	EL280UH090E48B	202891318
SL18XP1-048-230	48000	15.1	12.5	45000	30800	9.4	CHX35-60D	EL280UH090XE48B	203361894
SL18XP1-048-230	48000	15.1	12.5	44500	30800	9.4	CHX35-60D	EL280UH110E48C	202891336
SL18XP1-048-230	48000	15.5	12.5	44500	30600	9.4	CHX35-60D	EL280UH110E60C	202891354
SL18XP1-048-230	48000	15.5	12.5	44500	30600	9.4	CHX35-60D	EL280UH110XE60C	203361912
SL18XP1-048-230	48000	15.1	12	45000	31000	9	CHX35-60D	EL296UH135XE60D	202190345
SL18XP1-048-230	48000	15.5	12.5	44500	30400	9.2	CHX35-60D	SL280UH135V60D	202190347
SL18XP1-048-230	48000	15.5	12.5	44500	30800	9.2	CHX35-60D	SLP98UH135XV60D	202190349
SL18XP1-048-230	48000	15.5	12.5	44500	30800	9.2	CHX35-60D	SLP99UH135XV60D	205544684
SL18XP1-048-230	47500	14.5	11.5	45500	31400	8.5	CHX35-60D		202190339
SL18XP1-048-230	47500	14.5	12	47000	31200	9	CR33-50/60	EL196DF090XE48C	201953293
SL18XP1-048-230	47000	14.5	12	46500	31200	9	CR33-50/60	EL280DF090E48B	202891307
SL18XP1-048-230	47500	14.5	12	47000	31200	9	CR33-50/60	EL296DF090XE48C	8329180
SL18XP1-048-230	47500	14.5	12.5	46500	31000	9	CR33-50/60	EL296DF110XE60C	8329176
SL18XP1-048-230	48000	15.1	12.5	46500	31000	9	CR33-50/60	SL280DF090V60C	8329174
SL18XP1-048-230	48000	15.1	12.5	46500	30800	9	CR33-50/60	SL280DF110V60C	8329172
SL18XP1-048-230	48000	14.5	12	47000	31200	9	CR33-50/60	SLP98DF090XV60C	8329177
SL18XP1-048-230	48000	14.5	12	47000	31200	9	CR33-50/60	SLP98DF110XV60C	8329178
SL18XP1-048-230	48000	14.5	12	47000	31200	9	CR33-50/60	SLP99DF090XV60C	205544204
SL18XP1-048-230	48000	14.5	12	47000	31200	9	CR33-50/60	SLP99DF110XV60C	205544206
SL18XP1-048-230	47500	14	11.5	47000	31600	9	CR33-50/60		8329181
SL18XP1-048-230	47500	14	11.5	47000	31600	9	CR33-60		8329218
SL18XP1-048-230	47000	15	12.5	46000	31800	8.5	CX35-48C	EL196UH090XE48C	201933527
SL18XP1-048-230	47500	15.1	12.5	46000	31600	8.5	CX35-48C	EL196UH110XE60C	201933528
SL18XP1-048-230	47000	15	12.5	46000	30800	8.8	CX35-48C	EL280UH090E48B	202891319
SL18XP1-048-230	47000	15	12.5	46000	30800	8.8	CX35-48C	EL280UH090XE48B	203361895
SL18XP1-048-230	47500	15	12.5	46000	30800	8.8	CX35-48C	EL280UH110E48C	202891337
SL18XP1-048-230	47000	15.1	12.5	46000	30600	9	CX35-48C	EL280UH110E60C	202891355
SL18XP1-048-230	47000	15.1	12.5	46000	30600	9	CX35-48C	EL280UH110XE60C	203361913
SL18XP1-048-230	47000	15	12.5	46000	30800	8.5	CX35-48C	EL296UH090XE48C	10099120
SL18XP1-048-230	47000	14.5	12	46500	31000	8.5	CX35-48C	EL296UH090XV48C	10099121
SL18XP1-048-230	47000	14.5	12	46500	31000	8.5	CX35-48C	EL296UH090XV60C	10099122

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-048-230	47500	15.1	12.5	46000	30800	8.5	CX35-48C	EL296UH110XE60C	10099123
SL18XP1-048-230	47000	14.5	12	46500	30800	8.5	CX35-48C	EL296UH110XV48C	10099124
SL18XP1-048-230	47500	14.5	12	46500	31000	8.5	CX35-48C	EL296UH110XV60C	10099125
SL18XP1-048-230	47500	15	12.5	46000	30800	8.5	CX35-48C	SL280UH090V60C	10099126
SL18XP1-048-230	47500	15	12.5	46000	30800	8.5	CX35-48C	SL280UH090XV60C	10099127
SL18XP1-048-230	47000	15.1	12.5	46000	30800	9	CX35-48C	SL280UH100NV60C-	10581415
SL18XP1-048-230	47000	15	12.5	46000	30800	8.5	CX35-48C	SL280UH110V60C	10099128
SL18XP1-048-230	47000	15	12.5	46000	30800	8.5	CX35-48C	SL280UH110XV60C	10099129
SL18XP1-048-230	47000	14.5	12	46500	31000	8.5	CX35-48C	SLP98UH090XV48C	10099130
SL18XP1-048-230	47000	14.5	12	46500	31000	8.5	CX35-48C	SLP98UH090XV60C	10099131
SL18XP1-048-230	47000	14.5	12	46000	31000	8.5	CX35-48C	SLP98UH110XV60C	10099132
SL18XP1-048-230	47000	14.5	12	46500	31000	8.5	CX35-48C	SLP99UH090XV48C	205544426
SL18XP1-048-230	47000	14.5	12	46500	31000	8.5	CX35-48C	SLP99UH090XV60C	205544429
SL18XP1-048-230	47000	14.5	12	46000	31000	8.5	CX35-48C	SLP99UH110XV60C	205544432
SL18XP1-048-230	46500	14	11.5	47000	31400	8.5	CX35-48C		10099133
SL18XP1-048-230	47000	15.1	12	45000	30000	9	CX35-49C	EL196UH090XE48C	201933519
SL18XP1-048-230	47000	15.1	12	45000	30000	9	CX35-49C	EL196UH090XE48C	202087591
SL18XP1-048-230	47500	15.1	12.5	45000	29800	9	CX35-49C	EL196UH110XE60C	201933520
SL18XP1-048-230	47500	15.1	12.5	45000	29800	9	CX35-49C	EL196UH110XE60C	202087592
SL18XP1-048-230	47000	15	12.5	45000	30000	9.2	CX35-49C	EL280UH090E48B	202891320
SL18XP1-048-230	47000	15	12.5	45000	30000	9.2	CX35-49C	EL280UH090XE48B	203361896
SL18XP1-048-230	47500	15.1	12.5	45000	29800	9.4	CX35-49C	EL280UH110E48C	202891338
SL18XP1-048-230	47500	15.1	12.5	45000	29800	9.4	CX35-49C	EL280UH110E60C	202891356
SL18XP1-048-230	47500	15.1	12.5	45000	29800	9.4	CX35-49C	EL280UH110XE60C	203361914
SL18XP1-048-230	47000	15.1	12	45000	30000	9	CX35-49C	EL296UH090XE48C	10099046
SL18XP1-048-230	47500	15.1	12.5	45000	30000	9	CX35-49C	EL296UH090XV48C	10099047
SL18XP1-048-230	47500	15.1	12.5	45000	30000	9	CX35-49C	EL296UH090XV60C	10099048
SL18XP1-048-230	47500	15.1	12.5	45000	29800	9	CX35-49C	EL296UH110XE60C	10099049
SL18XP1-048-230	47000	15.1	12	45000	29800	9	CX35-49C	EL296UH110XV48C	10099050
SL18XP1-048-230	47500	15	12	45000	30000	8.5	CX35-49C	EL296UH110XV60C	10099051
SL18XP1-048-230	47500	15.1	12.5	45000	29800	9	CX35-49C	SL280UH090V60C	10099052
SL18XP1-048-230	47500	15.1	12.5	45000	29800	9	CX35-49C	SL280UH090XV60C	10099053
SL18XP1-048-230	47500	15.5	12.5	45000	29800	9.4	CX35-49C	SL280UH100NV60C-	10581416
SL18XP1-048-230	47500	15.1	12.5	45000	29800	9	CX35-49C	SL280UH110V60C	10099054
SL18XP1-048-230	47500	15.1	12.5	45000	29800	9	CX35-49C	SL280UH110XV60C	10099055
SL18XP1-048-230	47500	15.1	12.5	45000	30000	9	CX35-49C	SLP98UH090XV48C	10099056
SL18XP1-048-230	47500	15.1	12.5	45000	30000	9	CX35-49C	SLP98UH090XV60C	10099057
SL18XP1-048-230	47000	15.1	12	45000	29800	9	CX35-49C	SLP98UH110XV60C	10099058
SL18XP1-048-230	47500	15.1	12.5	45000	30000	9	CX35-49C	SLP99UH090XV48C	205544404
SL18XP1-048-230	47500	15.1	12.5	45000	30000	9	CX35-49C	SLP99UH090XV60C	205544407
SL18XP1-048-230	47000	15.1	12	45000	29800	9	CX35-49C	SLP99UH110XV60C	205544409
SL18XP1-048-230	46500	14	11.5	45500	30400	8.5	CX35-49C		10099040
SL18XP1-048-230	46500	14.5	12	46000	31600	8.5	CX35-50/60C	EL196UH090XE48C	201933523
SL18XP1-048-230	47000	14.5	12.5	46000	31600	8.5	CX35-50/60C	EL196UH110XE60C	201933524
SL18XP1-048-230	46500	14.5	12	46000	30800	8.5	CX35-50/60C	EL280UH090E48B	202891321
SL18XP1-048-230	46500	14.5	12	46000	30800	8.5	CX35-50/60C	EL280UH090XE48B	203361897
SL18XP1-048-230	47000	15	12.5	46000	30800	8.8	CX35-50/60C	EL280UH110E48C	202891339
SL18XP1-048-230	46500	15	12.5	46000	30600	8.8	CX35-50/60C	EL280UH110E60C	202891357
SL18XP1-048-230	46500	15	12.5	46000	30600	8.8	CX35-50/60C	EL280UH110XE60C	203361915
SL18XP1-048-230	46500	14.5	12	46000	30800	8.5	CX35-50/60C	EL296UH090XE48C	10099139
SL18XP1-048-230	47000	14.5	12	46500	31000	8.5	CX35-50/60C	EL296UH090XV48C	10099140
SL18XP1-048-230	47000	14.5	12	46500	31000	8.5	CX35-50/60C	EL296UH090XV60C	10099141
SL18XP1-048-230	47000	14.5	12.5	46000	30800	8.5	CX35-50/60C	EL296UH110XE60C	10099142
SL18XP1-048-230	47000	14.5	12	46000	30800	8.5	CX35-50/60C	EL296UH110XV48C	10099143
SL18XP1-048-230	47000	14.5	12	46500	31000	8.5	CX35-50/60C	EL296UH110XV60C	10099144
SL18XP1-048-230	47000	15	12.5	46000	30800	8.5	CX35-50/60C	SL280UH090V60C	10099145

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-048-230	47000	15	12.5	46000	30800	8.5	CX35-50/60C	SL280UH090XV60C	10099146
SL18XP1-048-230	47000	15.1	12.5	46000	30600	9	CX35-50/60C	SL280UH100NV60C-	10581417
SL18XP1-048-230	47000	14.5	12	46000	30800	8.5	CX35-50/60C	SL280UH110V60C	10099147
SL18XP1-048-230	47000	14.5	12	46000	30800	8.5	CX35-50/60C	SL280UH110XV60C	10099148
SL18XP1-048-230	47000	14.5	12	46500	31000	8.5	CX35-50/60C	SLP98UH090XV48C	10099149
SL18XP1-048-230	47000	14.5	12	46500	31000	8.5	CX35-50/60C	SLP98UH090XV60C	10099150
SL18XP1-048-230	47000	14.5	12	46000	30800	8.5	CX35-50/60C	SLP98UH110XV60C	10099151
SL18XP1-048-230	47000	14.5	12	46500	31000	8.5	CX35-50/60C	SLP99UH090XV48C	205544434
SL18XP1-048-230	47000	14.5	12	46500	31000	8.5	CX35-50/60C	SLP99UH090XV60C	205544436
SL18XP1-048-230	47000	14.5	12	46000	30800	8.5	CX35-50/60C	SLP99UH110XV60C	205544438
SL18XP1-048-230	46500	14	11.5	47000	31400	8.5	CX35-50/60C		10099152
SL18XP1-048-230	47500	15.1	12.5	46000	30600	9	CX35-60C	EL196UH090XE48C	201933531
SL18XP1-048-230	47500	15.5	12.5	46000	30600	9	CX35-60C	EL196UH110XE60C	201933532
SL18XP1-048-230	47000	15.1	12.5	46000	30600	9.2	CX35-60C	EL280UH090E48B	202891322
SL18XP1-048-230	47000	15.1	12.5	46000	30600	9.2	CX35-60C	EL280UH090XE48B	203361898
SL18XP1-048-230	47500	15.5	12.5	46000	30600	9.4	CX35-60C	EL280UH110E48C	202891340
SL18XP1-048-230	47500	15.5	12.5	46000	30600	9.4	CX35-60C	EL280UH110E60C	202891358
SL18XP1-048-230	47500	15.5	12.5	46000	30600	9.4	CX35-60C	EL280UH110XE60C	203361916
SL18XP1-048-230	47500	15.1	12.5	46000	30600	9	CX35-60C	EL296UH090XE48C	10099177
SL18XP1-048-230	47500	15.1	12	46000	30800	9	CX35-60C	EL296UH090XV48C	10099178
SL18XP1-048-230	47500	15.1	12	46000	30600	9	CX35-60C	EL296UH090XV60C	10099179
SL18XP1-048-230	47500	15.5	12.5	46000	30600	9	CX35-60C	EL296UH110XE60C	10099180
SL18XP1-048-230	47500	15.1	12.5	46000	30600	9	CX35-60C	EL296UH110XV48C	10099181
SL18XP1-048-230	47500	15.1	12	46000	30800	9	CX35-60C	EL296UH110XV60C	10099182
SL18XP1-048-230	47500	15.5	12.5	46000	30600	9	CX35-60C	SL280UH090V60C	10099183
SL18XP1-048-230	47500	15.5	12.5	46000	30600	9	CX35-60C	SL280UH090XV60C	10099184
SL18XP1-048-230	47500	16	12.5	46000	30400	9.4	CX35-60C	SL280UH100NV60C-	10581418
SL18XP1-048-230	47500	15.5	12.5	46000	30400	9	CX35-60C	SL280UH110V60C	10099185
SL18XP1-048-230	47500	15.5	12.5	46000	30400	9	CX35-60C	SL280UH110XV60C	10099186
SL18XP1-048-230	47500	15.1	12	46000	30800	9	CX35-60C	SLP98UH090XV48C	10099187
SL18XP1-048-230	47500	15.1	12	46000	30600	9	CX35-60C	SLP98UH090XV60C	10099188
SL18XP1-048-230	47500	15.1	12.5	46000	30600	9	CX35-60C	SLP98UH110XV60C	10099189
SL18XP1-048-230	47500	15.1	12	46000	30800	9	CX35-60C	SLP99UH090XV48C	205544446
SL18XP1-048-230	47500	15.1	12	46000	30600	9	CX35-60C	SLP99UH090XV60C	205544447
SL18XP1-048-230	47500	15.1	12.5	46000	30600	9	CX35-60C	SLP99UH110XV60C	205544448
SL18XP1-048-230	47000	14.5	11.5	46500	31200	9	CX35-60C		10099190
SL18XP1-048-230	48000	15	12.5	46000	30800	9.2	CX35-60D	EL280UH090E48B	202891323
SL18XP1-048-230	48000	15	12.5	46000	30800	9.2	CX35-60D	EL280UH090XE48B	203361899
SL18XP1-048-230	48000	15.1	12.5	46000	30800	9.2	CX35-60D	EL280UH110E48C	202891341
SL18XP1-048-230	48000	15.1	12.5	45500	30600	9.2	CX35-60D	EL280UH110E60C	202891359
SL18XP1-048-230	48000	15.1	12.5	45500	30600	9.2	CX35-60D	EL280UH110XE60C	203361917
SL18XP1-048-230	48000	14.5	12	46000	31000	9	CX35-60D	EL296UH135XE60D	10099200
SL18XP1-048-230	48000	15.1	12.5	46000	30800	9	CX35-60D	EL296UH135XV60D	10099201
SL18XP1-048-230	48000	15.1	12.5	45500	30400	9	CX35-60D	SL280UH135V60D	10099202
SL18XP1-048-230	48000	15.1	12.5	46000	30800	9	CX35-60D	SLP98UH135XV60D	10099203
SL18XP1-048-230	48000	15.1	12.5	46000	30800	9	CX35-60D	SLP99UH135XV60D	205544451
SL18XP1-048-230	47500	14	11.5	46500	31400	9	CX35-60D		10099204
SL18XP1-060-230	54500	14	11.5	53500	36400	8.5	C35-49C	EL196UH110XE60C	201933548
SL18XP1-060-230	54500	14.5	12	53500	35000	9	C35-49C	EL280UH110E60C	202891368
SL18XP1-060-230	54500	14.5	12	53500	35000	9	C35-49C	EL280UH110XE60C	203361920
SL18XP1-060-230	54500	14	11.5	53500	35200	8.5	C35-49C	EL296UH110XE60C	10099244
SL18XP1-060-230	54500	14	11.5	54000	35400	8.5	C35-49C	EL296UH110XV60C	10099245
SL18XP1-060-230	54500	14.5	11.5	53500	35200	8.5	C35-49C	SL280UH090V60C	10099246
SL18XP1-060-230	54500	14.5	11.5	53500	35200	8.5	C35-49C	SL280UH090XV60C	10099247
SL18XP1-060-230	54500	15	12.2	53500	35000	9.2	C35-49C	SL280UH100NV60C-	10581420
SL18XP1-060-230	54500	14.5	12	53500	35200	8.5	C35-49C	SL280UH110V60C	10099248

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-060-230	54500	14.5	12	53500	35200	8.5	C35-49C	SL280UH110XV60C	10099249
SL18XP1-060-230	54500	14	11.5	54000	35400	8.5	C35-49C	SLP98UH110XV60C	10099250
SL18XP1-060-230	54500	14	11.5	54000	35400	8.5	C35-49C	SLP99UH110XV60C	205544461
SL18XP1-060-230	54000	14	11.5	54500	35800	8.5	C35-49C		10099239
SL18XP1-060-230	56500	15	12	53000	34200	8.5	C35-60C	EL196UH110XE60C	201933550
SL18XP1-060-230	56500	15.1	12.5	53000	34200	9	C35-60C	EL280UH110E60C	202891369
SL18XP1-060-230	56500	15.1	12.5	53000	34200	9	C35-60C	EL280UH110XE60C	203361921
SL18XP1-060-230	56000	15	12	53000	34200	8.5	C35-60C	EL296UH090XV60C	10099384
SL18XP1-060-230	56500	15	12	53000	34200	8.5	C35-60C	EL296UH110XE60C	202087866
SL18XP1-060-230	56500	15	12	53000	34400	8.5	C35-60C	EL296UH110XV60C	10099385
SL18XP1-060-230	57000	15	12.5	53000	34200	9	C35-60C	SL280UH090V60C	10099386
SL18XP1-060-230	57000	15	12.5	53000	34200	9	C35-60C	SL280UH090XV60C	10099387
SL18XP1-060-230	56500	15.5	12.5	53000	34200	9.2	C35-60C	SL280UH100NV60C-	10581421
SL18XP1-060-230	56500	15	12	53000	34200	8.5	C35-60C	SL280UH110V60C	10099388
SL18XP1-060-230	56500	15	12	53000	34200	8.5	C35-60C	SL280UH110XV60C	10099389
SL18XP1-060-230	56000	15	12	53000	34200	8.5	C35-60C	SLP98UH090XV60C	10099390
SL18XP1-060-230	56500	15	12	53000	34400	8.5	C35-60C	SLP98UH110XV60C	10099391
SL18XP1-060-230	56000	15	12	53000	34200	8.5	C35-60C	SLP99UH090XV60C	205544498
SL18XP1-060-230	56500	15	12	53000	34400	8.5	C35-60C	SLP99UH110XV60C	205544500
SL18XP1-060-230	56500	14.5	12	53500	34600	9	C35-60C		10099379
SL18XP1-060-230	55500	15	12	54000	35200	8.8	C35-60D	EL280UH110E48C	202891362
SL18XP1-060-230	56500	15	12	54500	35600	9	C35-60D	EL280UH110E60C	202891370
SL18XP1-060-230	56500	15	12	54500	35600	9	C35-60D	EL280UH110XE60C	203361922
SL18XP1-060-230	56500	14.5	11.5	55000	36200	8.5	C35-60D	EL296UH135XE60D	10099409
SL18XP1-060-230	57000	14.5	12	55000	35800	9	C35-60D	EL296UH135XV60D	10099410
SL18XP1-060-230	57000	14.5	12	55000	35800	9	C35-60D	SL280UH135V60D	10099411
SL18XP1-060-230	56500	14.5	12	54500	35600	9	C35-60D	SLP98UH135XV60D	10099419
SL18XP1-060-230	56500	14.5	12	54500	35600	9	C35-60D	SLP99UH135XV60D	205544507
SL18XP1-060-230	56000	14	11.5	55500	36200	8.5	C35-60D		10099406
SL18XP1-060-230	56000	15	12	53500	35000	9.5	CBA27UHE-060-230		10258585
SL18XP1-060-230	56000	15	12.5	53500	35200	9.6	CBA38MV-060-230		201841628
SL18XP1-060-230	55500	14.5	11.5	54000	35600	9.5	CBX32M-060		8331406
SL18XP1-060-230	56000	15	12.5	53500	35200	9.5	CBX32MV-060		8331407
SL18XP1-060-230	55500	14	11.5	54500	36200	9	CH33-49	EL196UH110XE60C	201933544
SL18XP1-060-230	55500	14	11.5	54000	36000	9	CH33-49	EL296UH090XV60C	8657244
SL18XP1-060-230	55500	14	11.5	54500	36200	9	CH33-49	EL296UH110XE60C	8329030
SL18XP1-060-230	56000	14	11.5	54500	36200	9	CH33-49	EL296UH110XV60C	8657245
SL18XP1-060-230	56000	14.5	12	54500	36200	9	CH33-49	SL280UH090V60C	8329022
SL18XP1-060-230	56000	14.5	12	54500	36200	9	CH33-49	SL280UH090XV60C	8329023
SL18XP1-060-230	56000	14.5	12.2	54500	36000	9.4	CH33-49	SL280UH100NV60C-	10581423
SL18XP1-060-230	56000	14.5	12	54500	36000	9	CH33-49	SL280UH110V60C	8329024
SL18XP1-060-230	56000	14.5	12	54500	36000	9	CH33-49	SL280UH110XV60C	8329025
SL18XP1-060-230	55500	14	11.5	54000	36000	9	CH33-49	SLP98UH090XV60C	8329031
SL18XP1-060-230	56000	14	11.5	54500	36200	9	CH33-49	SLP98UH110XV60C	8329032
SL18XP1-060-230	56000	14	11.5	55000	36600	9	CH33-49		8329033
SL18XP1-060-230	55500	14	11.5	54000	36200	9	CH33-50/60C	EL196UH110XE60C	201933543
SL18XP1-060-230	55500	14	11.5	54000	36000	9	CH33-50/60C	EL296UH110XE60C	8329042
SL18XP1-060-230	56000	14.5	12	54500	36000	9	CH33-50/60C	SL280UH090V60C	8329034
SL18XP1-060-230	56000	14.5	12	54500	36000	9	CH33-50/60C	SL280UH090XV60C	8329035
SL18XP1-060-230	55500	14.5	12.2	54000	36000	9.4	CH33-50/60C	SL280UH100NV60C-	10581424
SL18XP1-060-230	55500	14.5	11.5	54000	36000	9	CH33-50/60C	SL280UH110V60C	8329036
SL18XP1-060-230	55500	14.5	11.5	54000	36000	9	CH33-50/60C	SL280UH110XV60C	8329037
SL18XP1-060-230	55000	14	11.5	54000	36200	9	CH33-50/60C	SLP98UH090XV60C	8331724
SL18XP1-060-230	56000	14	11.5	55000	36600	9	CH33-50/60C		8329044
SL18XP1-060-230	56000	14	11.5	54500	35800	9	CH33-62D	EL296UH135XE60D	8329049
SL18XP1-060-230	56500	14	11.5	54500	35600	9	CH33-62D	EL296UH135XV60D	8329046

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-060-230	56000	14.5	12	53500	34800	9	CH33-62D	SL280UH135V60D	8329203
SL18XP1-060-230	56500	14	11.5	54500	35600	9	CH33-62D	SLP98UH135XV60D	8329047
SL18XP1-060-230	56000	14	11.5	55000	35800	9	CH33-62D		8329050
SL18XP1-060-230	54500	14.5	11.5	53500	35000	8.5	CH35-51C	EL196UH110XE60C	201933546
SL18XP1-060-230	55500	14.25	11.7	54500	35800	8.5	CH35-51C	EL280UH110E60C	202891373
SL18XP1-060-230	55500	14.25	11.7	54500	35800	8.5	CH35-51C	EL280UH110XE60C	203361925
SL18XP1-060-230	54000	14	11.5	53500	35200	8.5	CH35-51C	EL296UH090XV60C	10099221
SL18XP1-060-230	54500	14.5	11.5	53500	35000	8.5	CH35-51C	EL296UH110XE60C	10099222
SL18XP1-060-230	54500	14	11.5	54000	35400	8.5	CH35-51C	EL296UH110XV60C	10099223
SL18XP1-060-230	55000	14.5	12	54000	35200	8.5	CH35-51C	SL280UH090V60C	10099224
SL18XP1-060-230	55000	14.5	12	54000	35200	8.5	CH35-51C	SL280UH090XV60C	10099225
SL18XP1-060-230	54500	15	12.2	53500	35000	8.8	CH35-51C	SL280UH100NV60C-	10581425
SL18XP1-060-230	54500	14.5	11.5	53500	35200	8.5	CH35-51C	SL280UH110V60C	10099226
SL18XP1-060-230	54500	14.5	11.5	53500	35200	8.5	CH35-51C	SL280UH110XV60C	10099227
SL18XP1-060-230	54000	14	11.5	53500	35200	8.5	CH35-51C	SLP98UH090XV60C	10099228
SL18XP1-060-230	54500	14	11.5	54000	35400	8.5	CH35-51C	SLP98UH110XV60C	10099229
SL18XP1-060-230	54000	14	11.5	53500	35200	8.5	CH35-51C	SLP99UH090XV60C	205544453
SL18XP1-060-230	54500	14	11.5	54000	35400	8.5	CH35-51C	SLP99UH110XV60C	205544456
SL18XP1-060-230	54500	14	11.5	54500	35600	8.5	CH35-51C		10099230
SL18XP1-060-230	54000	14.5	12	53500	35600	8.8	CH35-60D	EL280UH110E48C	202891364
SL18XP1-060-230	55000	14.5	12	54000	36000	9	CH35-60D	EL280UH110E60C	202891374
SL18XP1-060-230	55000	14.5	12	54000	36000	9	CH35-60D	EL280UH110XE60C	203361926
SL18XP1-060-230	55500	14	11.5	54500	36400	8.5	CH35-60D	EL296UH135XE60D	10099234
SL18XP1-060-230	55500	14.5	12	54500	36200	9	CH35-60D	EL296UH135XV60D	10099235
SL18XP1-060-230	55500	14.5	12	54500	36200	9	CH35-60D	SL280UH135V60D	10099236
SL18XP1-060-230	55500	14.5	12	54500	36200	9	CH35-60D	SLP98UH135XV60D	10099237
SL18XP1-060-230	55500	14.5	12	54500	36200	9	CH35-60D	SLP99UH135XV60D	205544458
SL18XP1-060-230	54500	14	11.5	55000	36600	8.5	CH35-60D		10099238
SL18XP1-060-230	54500	14.5	11.5	53500	35000	8.5	CHX35-51/61C	EL196UH110XE60C	202190532
SL18XP1-060-230	55500	14.25	11.7	54500	35800	8.5	CHX35-51/61C	EL280UH110E60C	202891375
SL18XP1-060-230	55500	14.25	11.7	54500	35800	8.5	CHX35-51/61C	EL280UH110XE60C	203361927
SL18XP1-060-230	54000	14	11.5	53500	35200	8.5	CHX35-51/61C	EL296UH090XV60C	202190360
SL18XP1-060-230	54500	14.5	11.5	53500	35000	8.5	CHX35-51/61C	EL296UH110XE60C	202190362
SL18XP1-060-230	54500	14	11.5	54000	35400	8.5	CHX35-51/61C	EL296UH110XV60C	202190364
SL18XP1-060-230	55000	14.5	12	54000	35200	8.5	CHX35-51/61C	SL280UH090V60C	202190366
SL18XP1-060-230	55000	14.5	12	54000	35200	8.5	CHX35-51/61C	SL280UH090XV60C	202190367
SL18XP1-060-230	54500	15	12.2	53500	35000	8.8	CHX35-51/61C	SL280UH100NV60C-	202190426
SL18XP1-060-230	54500	14.5	11.5	53500	35200	8.5	CHX35-51/61C	SL280UH110V60C	202190371
SL18XP1-060-230	54500	14.5	11.5	53500	35200	8.5	CHX35-51/61C	SL280UH110XV60C	202190372
SL18XP1-060-230	54000	14	11.5	53500	35200	8.5	CHX35-51/61C	SLP98UH090XV60C	202190374
SL18XP1-060-230	54500	14	11.5	54000	35400	8.5	CHX35-51/61C	SLP98UH110XV60C	202190376
SL18XP1-060-230	54000	14	11.5	53500	35200	8.5	CHX35-51/61C	SLP99UH090XV60C	205544686
SL18XP1-060-230	54500	14	11.5	54000	35400	8.5	CHX35-51/61C	SLP99UH110XV60C	205544687
SL18XP1-060-230	54500	14	11.5	54500	35600	8.5	CHX35-51/61C		202190378
SL18XP1-060-230	54000	14.5	12	53500	35600	8.8	CHX35-60D	EL280UH110E48C	202891365
SL18XP1-060-230	55000	14.5	12	54000	36000	9	CHX35-60D	EL280UH110E60C	202891376
SL18XP1-060-230	55000	14.5	12	54000	36000	9	CHX35-60D	EL280UH110XE60C	203361928
SL18XP1-060-230	55500	14	11.5	54500	36400	8.5	CHX35-60D	EL296UH135XE60D	202190384
SL18XP1-060-230	55500	14.5	12	54500	36200	9	CHX35-60D	EL296UH135XV60D	202190386
SL18XP1-060-230	55500	14.5	12	54500	36200	9	CHX35-60D	SL280UH135V60D	202190388
SL18XP1-060-230	55500	14.5	12	54500	36200	9	CHX35-60D	SLP98UH135XV60D	202190390
SL18XP1-060-230	55500	14.5	12	54500	36200	9	CHX35-60D	SLP99UH135XV60D	205544689
SL18XP1-060-230	54500	14	11.5	55000	36600	8.5	CHX35-60D		202190392
SL18XP1-060-230	54500	14	11.5	55000	35400	9	CR33-50/60	EL296DF110XE60C	8329054
SL18XP1-060-230	55000	14	11.5	55000	35400	9.5	CR33-50/60	SL280DF090V60C	8329055
SL18XP1-060-230	55000	14.5	12	55000	35200	9.5	CR33-50/60	SL280DF110V60C	8329052

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SL18XP1-060-230	54500	14	11.5	55500	35800	9	CR33-50/60		8329056
SL18XP1-060-230	54500	14	11.5	55500	35800	9	CR33-60		8329057
SL18XP1-060-230	54500	14	11.5	53500	36400	8.5	CX35-49C	EL196UH110XE60C	201933549
SL18XP1-060-230	54500	14.5	12	53500	35000	9	CX35-49C	EL280UH110E60C	202891377
SL18XP1-060-230	54500	14.5	12	53500	35000	9	CX35-49C	EL280UH110XE60C	203361929
SL18XP1-060-230	54500	14	11.5	53500	35200	8.5	CX35-49C	EL296UH110XE60C	202087867
SL18XP1-060-230	54500	14	11.5	54000	35400	8.5	CX35-49C	EL296UH110XV60C	202087868
SL18XP1-060-230	54500	14.5	11.5	53500	35200	8.5	CX35-49C	SL280UH090V60C	202087869
SL18XP1-060-230	54500	14.5	11.5	53500	35200	8.5	CX35-49C	SL280UH090XV60C	202087870
SL18XP1-060-230	54500	15	12.2	53500	35000	9.2	CX35-49C	SL280UH100NV60C-	10581426
SL18XP1-060-230	54500	14.5	12	53500	35200	8.5	CX35-49C	SL280UH110V60C	202087871
SL18XP1-060-230	54500	14.5	12	53500	35200	8.5	CX35-49C	SL280UH110XV60C	10099256
SL18XP1-060-230	54500	14	11.5	54000	35400	8.5	CX35-49C	SLP98UH110XV60C	10099257
SL18XP1-060-230	54500	14	11.5	54000	35400	8.5	CX35-49C	SLP99UH110XV60C	205544463
SL18XP1-060-230	54000	14	11.5	54500	35800	8.5	CX35-49C		10099251
SL18XP1-060-230	56500	15	12	53000	34200	8.5	CX35-60C	EL196UH110XE60C	201933551
SL18XP1-060-230	56500	15.1	12.5	53000	34200	9	CX35-60C	EL280UH110E60C	202891378
SL18XP1-060-230	56500	15.1	12.5	53000	34200	9	CX35-60C	EL280UH110XE60C	203361930
SL18XP1-060-230	56000	15	12	53000	34200	8.5	CX35-60C	EL296UH090XV60C	10099397
SL18XP1-060-230	56500	15	12	53000	34200	8.5	CX35-60C	EL296UH110XE60C	10099398
SL18XP1-060-230	56500	15	12	53000	34400	8.5	CX35-60C	EL296UH110XV60C	10099399
SL18XP1-060-230	57000	15	12.5	53000	34200	9	CX35-60C	SL280UH090V60C	10099400
SL18XP1-060-230	57000	15	12.5	53000	34200	9	CX35-60C	SL280UH090XV60C	10099401
SL18XP1-060-230	56500	15.5	12.5	53000	34200	9.2	CX35-60C	SL280UH100NV60C-	10581427
SL18XP1-060-230	56500	15	12	53000	34200	8.5	CX35-60C	SL280UH110V60C	10099402
SL18XP1-060-230	56500	15	12	53000	34200	8.5	CX35-60C	SL280UH110XV60C	10099403
SL18XP1-060-230	56000	15	12	53000	34200	8.5	CX35-60C	SLP98UH090XV60C	10099404
SL18XP1-060-230	56500	15	12	53000	34400	8.5	CX35-60C	SLP98UH110XV60C	10099405
SL18XP1-060-230	56000	15	12	53000	34200	8.5	CX35-60C	SLP99UH090XV60C	205544502
SL18XP1-060-230	56500	15	12	53000	34400	8.5	CX35-60C	SLP99UH110XV60C	205544503
SL18XP1-060-230	56500	14.5	12	53500	34800	9	CX35-60C		10099392
SL18XP1-060-230	55500	15	12	54000	35200	8.8	CX35-60D	EL280UH110E48C	202891366
SL18XP1-060-230	56500	15	12	54500	35600	9	CX35-60D	EL280UH110E60C	202891379
SL18XP1-060-230	56500	15	12	54500	35600	9	CX35-60D	EL280UH110XE60C	203361931
SL18XP1-060-230	56500	14.5	11.5	55000	36200	8.5	CX35-60D	EL296UH135XE60D	10099415
SL18XP1-060-230	57000	14.5	12	55000	35800	9	CX35-60D	EL296UH135XV60D	10099416
SL18XP1-060-230	57000	14.5	12	55000	35800	9	CX35-60D	SL280UH135V60D	10099417
SL18XP1-060-230	56500	14.5	12	54500	35600	9	CX35-60D	SLP98UH135XV60D	10099420
SL18XP1-060-230	56500	14.5	12	54500	35600	9	CX35-60D	SLP99UH135XV60D	205544510
SL18XP1-060-230	56000	14	11.5	55500	36200	8.5	CX35-60D		10099412
SPB036H4 (208/230V)	35200	15.1	12	34000	21600	8.5	C35-36B	ML196UH045XE36B	204520322
SPB036H4 (208/230V)	35200	15.1	12	34000	21600	8.5	C35-36B	ML196UH070XE36B	204520323
SPB036H4 (208/230V)	36000	14.5	12.5	34400	22000	9	C35-49C	ML196UH090XE48C	204520324
SPB036H4 (208/230V)	36000	16	12.5	33200	22000	8.6	C37-43B	ML296UH070XV36B	202848457
SPB036H4 (208/230V)	36000	16	13	33000	21800	8.8	C37-43C	ML296UH110XV60C	202849999
SPB036H4 (208/230V)	36000	16	13	33000	22200	8.2	C37-50/60C	ML296UH110XV60C	202850001
SPB036H4 (208/230V)	36000	16	12.5	35600	23400	9	CBA27UHE-042-230		201930358
SPB036H4 (208/230V)	36000	16	13	35000	23000	8.5	CBA38MV-042-230		202087585
SPB036H4 (208/230V)	36200	14.5	12	36800	24400	8.2	CBX25UH-036-230		8231657
SPB036H4 (208/230V)	36200	16	12.5	34600	23200	8.7	CBX25UHV-036-230		8231789
SPB036H4 (208/230V)	35600	14.5	12	34800	23400	8.7	CBX32M-036		8231793
SPB036H4 (208/230V)	36400	16.5	12.5	34600	23200	9	CBX32MV-036		8231794
SPB036H4 (208/230V)	37600	15.5	12.5	33200	22800	8.5	CH33-43B	EL196UH045XE36B	201992978
SPB036H4 (208/230V)	37800	15.5	12.5	33000	22800	8.5	CH33-43B	EL196UH070XE36B	201992977
SPB036H4 (208/230V)	37600	15.5	12.5	33200	22400	8.5	CH33-43B	EL296UH045XE36B	8231667
SPB036H4 (208/230V)	37800	16	12.5	33000	22400	8.7	CH33-43B	EL296UH045XV36B	8231658

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SPB036H4 (208/230V)	37800	15.5	12.5	33000	22400	8.5	CH33-43B	EL296UH070XE36B	8231669
SPB036H4 (208/230V)	37800	16	12.5	33000	22200	8.7	CH33-43B	EL296UH070XV36B	8231659
SPB036H4 (208/230V)	38000	16.5	13	33000	22200	8.7	CH33-43B	ML180UH070E36B	10591203
SPB036H4 (208/230V)	38000	16.5	13	33000	22200	9	CH33-43B	ML180UH090E48B	10591206
SPB036H4 (208/230V)	36000	16	12.5	33000	22400	8.7	CH33-43B	ML296UH045XV36B	202848358
SPB036H4 (208/230V)	36000	16	12.5	33000	22200	8.6	CH33-43B	ML296UH070XV36B	202848359
SPB036H4 (208/230V)	37800	16.5	13	32600	22000	8.7	CH33-43B	SL280UH090V36B	8231660
SPB036H4 (208/230V)	38000	16.5	13	32800	22000	8.7	CH33-43B	SL280UH090V48B	8231670
SPB036H4 (208/230V)	38000	16.5	13	32800	22000	8.7	CH33-43B	SL280UH090XV48B	8231666
SPB036H4 (208/230V)	37800	16	12.5	33000	22200	8.7	CH33-43B	SLP98UH070XV36B	8231662
SPB036H4 (208/230V)	37400	14.5	12	33200	22600	8.5	CH33-43B		8231652
SPB036H4 (208/230V)	37400	16	13	33000	22200	8.7	CH33-43C	EL196UH090XE48C	201992976
SPB036H4 (208/230V)	37400	16	13	33000	21800	8.7	CH33-43C	EL296UH090XE48C	8231672
SPB036H4 (208/230V)	37400	16.5	13	32400	21800	8.7	CH33-43C	EL296UH090XV36C	8231677
SPB036H4 (208/230V)	37200	16.5	13	32400	21800	8.7	CH33-43C	EL296UH090XV48C	8231668
SPB036H4 (208/230V)	38000	16.5	13	32800	22000	8.7	CH33-43C	EL296UH090XV60C	8231783
SPB036H4 (208/230V)	37800	16.5	13	32600	22000	8.7	CH33-43C	EL296UH110XV60C	8231788
SPB036H4 (208/230V)	37200	16.5	13	32400	21800	8.7	CH33-43C	ML296UH090XV48C	202848360
SPB036H4 (208/230V)	36000	16	13	32600	22000	8.5	CH33-43C	ML296UH110XV60C	202849996
SPB036H4 (208/230V)	37200	16	13	32400	21800	9	CH33-43C	SL280UH080NV60C-	10590483
SPB036H4 (208/230V)	38000	16.5	13	32800	22000	8.7	CH33-43C	SL280UH090V60C	8231682
SPB036H4 (208/230V)	38000	16.5	13	32600	22000	8.7	CH33-43C	SL280UH090XV60C	8231675
SPB036H4 (208/230V)	37800	16.5	13	32600	22000	8.7	CH33-43C	SL280UH110V60C	8231679
SPB036H4 (208/230V)	37800	16.5	13	32600	22000	8.7	CH33-43C	SL280UH110XV60C	8231691
SPB036H4 (208/230V)	37400	16.5	13	32400	21800	8.7	CH33-43C	SLP98UH090XV36C	8231695
SPB036H4 (208/230V)	37200	16.5	13	32400	21800	8.7	CH33-43C	SLP98UH090XV48C	8231712
SPB036H4 (208/230V)	38000	16.5	13	32800	22000	8.7	CH33-43C	SLP98UH090XV60C	8231687
SPB036H4 (208/230V)	37800	16.5	13	32600	22000	8.7	CH33-43C	SLP98UH110XV60C	8231707
SPB036H4 (208/230V)	36800	14.5	12	33600	22400	8.2	CH33-43C		8231654
SPB036H4 (208/230V)	37000	16	13	33000	22200	8.7	CH33-48C	EL196UH090XE48C	201992979
SPB036H4 (208/230V)	37000	16	13	33000	21800	8.7	CH33-48C	EL296UH090XE48C	8231701
SPB036H4 (208/230V)	37000	16	13	33000	21800	8.5	CH33-48C	EL296UH090XV36C	8231680
SPB036H4 (208/230V)	36800	16	13	32800	21800	8.5	CH33-48C	EL296UH090XV48C	8231688
SPB036H4 (208/230V)	37600	16	13	33200	22000	8.7	CH33-48C	EL296UH090XV60C	8231692
SPB036H4 (208/230V)	37400	16	13	33000	21800	8.7	CH33-48C	EL296UH110XV60C	8231684
SPB036H4 (208/230V)	36800	16	13	32800	21800	8.5	CH33-48C	ML296UH090XV48C	202848361
SPB036H4 (208/230V)	36000	16	13	33000	22000	8.5	CH33-48C	ML296UH110XV60C	202849997
SPB036H4 (208/230V)	37000	16	13	33000	21800	8.8	CH33-48C	SL280UH080NV60C-	10590484
SPB036H4 (208/230V)	37600	16.5	13	33200	22000	8.7	CH33-48C	SL280UH090V60C	8231713
SPB036H4 (208/230V)	37600	16.5	13	33200	22000	8.7	CH33-48C	SL280UH090XV60C	8231700
SPB036H4 (208/230V)	37200	16	13	33200	22000	8.7	CH33-48C	SL280UH110V60C	8231696
SPB036H4 (208/230V)	37200	16	13	33200	22000	8.7	CH33-48C	SL280UH110XV60C	8231698
SPB036H4 (208/230V)	37000	16	13	33000	21800	8.7	CH33-48C	SLP98UH090XV36C	8231681
SPB036H4 (208/230V)	36800	16	13	32800	21800	8.7	CH33-48C	SLP98UH090XV48C	8231689
SPB036H4 (208/230V)	37600	16	13	33200	22000	8.7	CH33-48C	SLP98UH090XV60C	8231693
SPB036H4 (208/230V)	37400	16	13	33000	21800	8.7	CH33-48C	SLP98UH110XV60C	8231685
SPB036H4 (208/230V)	36400	14.5	12	33600	22400	8.2	CH33-48C		8231655
SPB036H4 (208/230V)	35000	15	12	34000	21600	8.5	CH35-48B	ML196UH045XE36B	204520325
SPB036H4 (208/230V)	35000	15	12	34000	21600	8.5	CH35-48B	ML196UH070XE36B	204520326
SPB036H4 (208/230V)	36000	15	12.5	34000	21600	9	CH35-51C	ML196UH090XE48C	204520327
SPB036H4 (208/230V)	35000	15	12	34000	21600	8.5	CHX35-48B	ML196UH045XE36B	204520328
SPB036H4 (208/230V)	35000	15	12	34000	21600	8.5	CHX35-48B	ML196UH070XE36B	204520329
SPB036H4 (208/230V)	36000	15	12.5	34000	21600	9	CHX35-51/61C	ML196UH090XE48C	204520330
SPB036H4 (208/230V)	36600	15.5	12	36400	23000	8.5	CR33-48B	EL196DF045XE36B	202066707
SPB036H4 (208/230V)	36400	15.5	12.5	36000	22600	8.5	CR33-48B	EL196DF070XE48B	202066670
SPB036H4 (208/230V)	36000	16	12.5	36000	22800	8.5	CR33-48B	EL280DF070E36A	202900427

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SPB036H4 (208/230V)	36000	16	12.5	36000	22600	8.8	CR33-48B	EL280DF090E48B	202900428
SPB036H4 (208/230V)	36600	15.5	12	36400	23000	8.5	CR33-48B	EL296DF045XE36B	8231694
SPB036H4 (208/230V)	36400	15.5	12.5	36000	22600	8.7	CR33-48B	EL296DF070XE48B	8231678
SPB036H4 (208/230V)	36400	16	13	35800	22400	8.7	CR33-48B	ML180DF070E36B	10590547
SPB036H4 (208/230V)	36000	15.5	12	36000	22800	8.5	CR33-48B	ML193DF045XE36B	202900429
SPB036H4 (208/230V)	36000	15.5	12	36000	22800	8.5	CR33-48B	ML193DF070XE36B	202900430
SPB036H4 (208/230V)	36600	15.5	12	36400	23000	8.5	CR33-48B	ML196DF045XE36B	204520295
SPB036H4 (208/230V)	36400	15.5	12.5	36000	22600	8.5	CR33-48B	ML196DF070XE48B	204520296
SPB036H4 (208/230V)	36600	16	12.5	36000	22600	8.7	CR33-48B	SL280DF090V48B	8231686
SPB036H4 (208/230V)	36200	16	12.5	36000	22600	8.7	CR33-48B	SLP98DF070XV36B	8231674
SPB036H4 (208/230V)	36200	16	12.5	36000	22600	8.7	CR33-48B	SLP99DF070XV36B	205551934
SPB036H4 (208/230V)	36000	14	11.5	36600	23200	8.2	CR33-48B		8231653
SPB036H4 (208/230V)	35400	14.5	12.2	35800	22400	9.2	CR33-48C	ML196DF090XE48C	204520331
SPB036H4 (208/230V)	37200	16.5	13	36000	22600	9	CR33-48C	SL280DF090V60C	8231703
SPB036H4 (208/230V)	36800	16.5	13	36000	22600	8.7	CR33-48C	SL280DF110V60C	8231690
SPB036H4 (208/230V)	36600	16	12.5	36000	22600	8.7	CR33-48C	SLP98DF090XV36C	8231673
SPB036H4 (208/230V)	36600	16	12.5	36000	22600	8.7	CR33-48C	SLP98DF090XV48C	8231749
SPB036H4 (208/230V)	36800	16	12.5	36200	22600	8.7	CR33-48C	SLP98DF090XV60C	8231710
SPB036H4 (208/230V)	36800	16	12.5	36200	22800	8.7	CR33-48C	SLP98DF110XV60C	8231723
SPB036H4 (208/230V)	36600	16	12.5	36000	22600	8.7	CR33-48C	SLP99DF090XV36C	205551933
SPB036H4 (208/230V)	36600	16	12.5	36000	22600	8.7	CR33-48C	SLP99DF090XV48C	205551938
SPB036H4 (208/230V)	36800	16	12.5	36200	22600	8.7	CR33-48C	SLP99DF090XV60C	205551935
SPB036H4 (208/230V)	36800	16	12.5	36200	22800	8.7	CR33-48C	SLP99DF110XV60C	205551936
SPB036H4 (208/230V)	35200	15.1	12	34000	21600	8.5	CX35-36B	ML196UH045XE36B	204520332
SPB036H4 (208/230V)	35200	15.1	12	34000	21600	8.5	CX35-36B	ML196UH070XE36B	204520333
SPB036H4 (208/230V)	36000	14.5	12.5	34400	22000	9	CX35-49C	ML196UH090XE48C	204520334
SPB036H4 (208/230V)	37200	16	12.5	33200	22000	8.5	CX38-43B	EL296UH070XV36B	202195866
SPB036H4 (208/230V)	36000	16	12.5	33200	22000	8.5	CX38-43B	ML296UH070XV36B	202848464
SPB036H4 (208/230V)	36000	16	12.5	33200	22000	8.6	CX38-43C	ML296UH070XV36B	202848461
SPB036H4 (208/230V)	36000	16	13	33000	21800	8.8	CX38-43C	ML296UH110XV60C	202849998
SPB036H4 (208/230V)	36000	16	13	33000	22200	8.2	CX38-50/60C	ML296UH110XV60C	202850000
SPB048H4 (208/230V)	46500	15	11.5	42000	28000	8.2	C35-49C	ML196UH110XE60C	204520335
SPB048H4 (208/230V)	46500	15	11.5	43500	26200	8.2	C35-60C	ML196UH090XE48C	204520336
SPB048H4 (208/230V)	47000	15.5	11.5	43500	26000	8.2	C35-60C	ML196UH110XE60C	204520337
SPB048H4 (208/230V)	47500	16	12	45000	30000	9	CBA27UHE-048-230		10262309
SPB048H4 (208/230V)	47500	16	12	45000	30000	9	CBA27UHE-048-460		205282536
SPB048H4 (208/230V)	47000	15	11.5	44000	27400	9	CBA27UHE-060-230		10262310
SPB048H4 (208/230V)	47000	15	11.5	44000	27400	9	CBA27UHE-060-460		205282537
SPB048H4 (208/230V)	48000	16	12	45000	30000	8.5	CBA38MV-048-230		202087586
SPB048H4 (208/230V)	47000	16	12	44000	30000	9	CBA38MV-060-230		202087587
SPB048H4 (208/230V)	48000	15.5	12	45500	30200	8.7	CBX32M-048		8231807
SPB048H4 (208/230V)	48500	16	12.5	45000	30800	9.5	CBX32MV-060		8231898
SPB048H4 (208/230V)	48500	16	12	45000	29600	8.5	CH23-68	EL196UH090XE48C	201992986
SPB048H4 (208/230V)	48500	16	12	45000	29600	9	CH23-68	EL196UH110XE60C	201992987
SPB048H4 (208/230V)	48000	16	12	45500	29600	9	CH23-68	EL280UH090E48B	202900448
SPB048H4 (208/230V)	48000	16	12	45500	29600	9	CH23-68	EL280UH090XE48B	203362021
SPB048H4 (208/230V)	48000	16	12	45500	29400	9	CH23-68	EL280UH110E48C	202900449
SPB048H4 (208/230V)	48000	16	12	45000	29400	9	CH23-68	EL280UH110E60C	202900450
SPB048H4 (208/230V)	48000	16	12	45000	29400	9	CH23-68	EL280UH110XE60C	203362022
SPB048H4 (208/230V)	48500	16	12	45000	29400	8.5	CH23-68	EL296UH090XE48C	8231828
SPB048H4 (208/230V)	48500	16	12	45000	29400	9	CH23-68	EL296UH110XE60C	8231817
SPB048H4 (208/230V)	48500	16	12	45000	29400	9	CH23-68	EL296UH135XV60D	8231824
SPB048H4 (208/230V)	48500	16	12.5	45000	29200	9	CH23-68	ML180UH090E60C	10590891
SPB048H4 (208/230V)	48500	16	12.5	45000	29200	9	CH23-68	ML180UH110E60C	10591004
SPB048H4 (208/230V)	48000	16	12	45000	29400	9	CH23-68	ML193UH090XE48C	202900451
SPB048H4 (208/230V)	48000	16	12	45000	29400	9	CH23-68	ML193UH110XE48C	202900452

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SPB048H4 (208/230V)	48000	16	12	45000	29400	9	CH23-68	ML193UH110XE60C	202900453
SPB048H4 (208/230V)	48000	15.5	12	45000	29400	8.5	CH23-68	ML196UH090XE48C	204520298
SPB048H4 (208/230V)	48000	16	12	45000	29400	9	CH23-68	ML196UH110XE60C	204520297
SPB048H4 (208/230V)	48500	16	12	45000	29200	9	CH23-68	SL280UH135V60D	8231808
SPB048H4 (208/230V)	48500	16	12	45500	29400	9	CH23-68	SLP98UH135XV60D	8231822
SPB048H4 (208/230V)	48500	16	12	45500	29400	9	CH23-68	SLP99UH135XV60D	205551939
SPB048H4 (208/230V)	48000	14.5	11.5	45500	30000	8.5	CH23-68		8231796
SPB048H4 (208/230V)	47000	15.5	11.5	44500	28600	8.2	CH33-49	ML180UH090E60C	10591314
SPB048H4 (208/230V)	47000	15.5	11.5	44500	28600	8.2	CH33-49	ML180UH110E60C	10591317
SPB048H4 (208/230V)	47000	15.5	11.5	44500	28600	8.2	CH33-50/60C	ML180UH090E60C	10591315
SPB048H4 (208/230V)	47000	15.5	11.5	44500	28600	8.2	CH33-50/60C	ML180UH110E60C	10591316
SPB048H4 (208/230V)	48000	15	12	45500	31600	8.7	CH33-60D	EL296UH135XV60D	8231841
SPB048H4 (208/230V)	48000	15	12	45000	31400	8.7	CH33-60D	SL280UH135V60D	8231846
SPB048H4 (208/230V)	48500	15	12	45500	31600	8.7	CH33-60D	SLP98UH135XV60D	8231838
SPB048H4 (208/230V)	46500	14.5	11.5	43500	28600	8.5	CH33-62D	EL296UH090XV60C	8341609
SPB048H4 (208/230V)	46500	14.5	11.5	43500	28800	8.5	CH33-62D	EL296UH110XV60C	8341610
SPB048H4 (208/230V)	47000	15	12	43500	28600	8.7	CH33-62D	EL296UH135XV60D	8231855
SPB048H4 (208/230V)	46500	15.1	11.5	41000	28200	8.5	CH33-62D	ML296UH110XV60C	202849923
SPB048H4 (208/230V)	46500	15	12	43500	28600	8.7	CH33-62D	SL280UH135V60D	8231835
SPB048H4 (208/230V)	47000	15	12	43500	28800	8.7	CH33-62D	SLP98UH135XV60D	8231859
SPB048H4 (208/230V)	48000	15	11.5	43500	29600	8.2	CH35-51C	EL196UH110XE60C	204096272
SPB048H4 (208/230V)	47000	16	12	43000	29200	8.2	CH35-51C	EL280UH090E48B	204096285
SPB048H4 (208/230V)	47000	16	12	43000	29200	8.2	CH35-51C	EL280UH090XE48B	204096297
SPB048H4 (208/230V)	47500	16	12	43000	29000	8.2	CH35-51C	EL280UH110E48C	204096287
SPB048H4 (208/230V)	47000	16	12	42500	29000	8.2	CH35-51C	EL280UH110E60C	204096289
SPB048H4 (208/230V)	47000	16	12	42500	29000	8.2	CH35-51C	EL280UH110XE60C	204096299
SPB048H4 (208/230V)	47500	15.5	11.5	43000	29200	8.2	CH35-51C	EL296UH090XE48C	204096263
SPB048H4 (208/230V)	48000	15	11.5	43500	29600	8.2	CH35-51C	EL296UH110XE60C	204096264
SPB048H4 (208/230V)	47500	15.5	11.5	43000	29200	8.2	CH35-51C	EL296UH110XV60C	204096265
SPB048H4 (208/230V)	48000	15.5	11.5	43500	29600	8.2	CH35-51C	ML180UH090E60C	204096270
SPB048H4 (208/230V)	48000	15.5	11.5	43500	29600	8.2	CH35-51C	ML180UH110E60C	204096271
SPB048H4 (208/230V)	47000	16	12	43000	29000	8.2	CH35-51C	ML193UH090XE48C	204096291
SPB048H4 (208/230V)	47000	16	12	43000	29000	8.2	CH35-51C	ML193UH110XE48C	204096293
SPB048H4 (208/230V)	47500	16	12	43500	29400	8.2	CH35-51C	ML193UH110XE60C	204096295
SPB048H4 (208/230V)	47500	15	11.5	43500	29400	8.2	CH35-51C	ML196UH110XE60C	204520299
SPB048H4 (208/230V)	46500	16	11.7	41500	28400	8.2	CH35-51C	ML296UH110XV60C	204096283
SPB048H4 (208/230V)	47500	15.5	12	43000	29000	8.2	CH35-51C	SL280UH090V60C	204096266
SPB048H4 (208/230V)	47500	15.5	12	43000	29000	8.2	CH35-51C	SL280UH090XV60C	204096267
SPB048H4 (208/230V)	47500	15.5	11.5	43000	29200	8.2	CH35-51C	SLP98UH090XV48C	204096268
SPB048H4 (208/230V)	47500	15.5	11.5	43000	29200	8.2	CH35-51C	SLP98UH110XV60C	204096269
SPB048H4 (208/230V)	47500	15.5	11.5	43000	29200	8.2	CH35-51C	SLP99UH090XV48C	205551995
SPB048H4 (208/230V)	47500	15.5	11.5	43000	29200	8.2	CH35-51C	SLP99UH110XV60C	205551996
SPB048H4 (208/230V)	48000	15	11.5	43500	29600	8.2	CHX35-51/61C	EL196UH110XE60C	204096282
SPB048H4 (208/230V)	47000	16	12	43000	29200	8.2	CHX35-51/61C	EL280UH090E48B	204096286
SPB048H4 (208/230V)	47000	16	12	43000	29200	8.2	CHX35-51/61C	EL280UH090XE48B	204096298
SPB048H4 (208/230V)	47500	16	12	43000	29000	8.2	CHX35-51/61C	EL280UH110E48C	204096288
SPB048H4 (208/230V)	47000	16	12	42500	29000	8.2	CHX35-51/61C	EL280UH110E60C	204096290
SPB048H4 (208/230V)	47000	16	12	42500	29000	8.2	CHX35-51/61C	EL280UH110XE60C	204096300
SPB048H4 (208/230V)	47500	15.5	11.5	43000	29200	8.2	CHX35-51/61C	EL296UH090XE48C	204096273
SPB048H4 (208/230V)	48000	15	11.5	43500	29600	8.2	CHX35-51/61C	EL296UH110XE60C	204096274
SPB048H4 (208/230V)	47500	15.5	11.5	43000	29200	8.2	CHX35-51/61C	EL296UH110XV60C	204096275
SPB048H4 (208/230V)	48000	15.5	11.5	43500	29600	8.2	CHX35-51/61C	ML180UH090E60C	204096280
SPB048H4 (208/230V)	48000	15.5	11.5	43500	29600	8.2	CHX35-51/61C	ML180UH110E60C	204096281
SPB048H4 (208/230V)	47000	16	12	43000	29000	8.2	CHX35-51/61C	ML193UH090XE48C	204096292
SPB048H4 (208/230V)	47000	16	12	43000	29000	8.2	CHX35-51/61C	ML193UH110XE48C	204096294
SPB048H4 (208/230V)	47500	16	12	43500	29400	8.2	CHX35-51/61C	ML193UH110XE60C	204096296

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SPB048H4 (208/230V)	47500	15	11.5	43500	29400	8.2	CHX35-51/61C	ML196UH110XE60C	204520300
SPB048H4 (208/230V)	46500	16	11.7	41500	28400	8.2	CHX35-51/61C	ML296UH110XV60C	204096284
SPB048H4 (208/230V)	47500	15.5	12	43000	29000	8.2	CHX35-51/61C	SL280UH090V60C	204096276
SPB048H4 (208/230V)	47500	15.5	12	43000	29000	8.2	CHX35-51/61C	SL280UH090XV60C	204096277
SPB048H4 (208/230V)	47500	15.5	11.5	43000	29200	8.2	CHX35-51/61C	SLP98UH090XV48C	204096278
SPB048H4 (208/230V)	47500	15.5	11.5	43000	29200	8.2	CHX35-51/61C	SLP98UH110XV60C	204096279
SPB048H4 (208/230V)	47500	15.5	11.5	43000	29200	8.2	CHX35-51/61C	SLP99UH090XV48C	205551997
SPB048H4 (208/230V)	47500	15.5	11.5	43000	29200	8.2	CHX35-51/61C	SLP99UH110XV60C	205551998
SPB048H4 (208/230V)	47000	15.5	12	44500	30400	9	CR33-50/60	EL196DF090XE48C	202066671
SPB048H4 (208/230V)	46500	15.5	12	44000	30400	9.2	CR33-50/60	EL280DF090E48B	202900454
SPB048H4 (208/230V)	47000	15.5	12	44500	30400	9.2	CR33-50/60	EL296DF090XE48C	8231861
SPB048H4 (208/230V)	47000	16	12	44000	30200	9	CR33-50/60	EL296DF110XE60C	8231877
SPB048H4 (208/230V)	47500	16	12.5	44000	30200	9.5	CR33-50/60	ML180DF110E60C	10590562
SPB048H4 (208/230V)	47000	16	12	44000	30400	9.2	CR33-50/60	ML193DF090XE48C	202900455
SPB048H4 (208/230V)	47000	15.5	12	44500	30400	9	CR33-50/60	ML196DF090XE48C	204520301
SPB048H4 (208/230V)	47000	16	12	44500	30400	9	CR33-50/60	SLP98DF090XV60C	8231856
SPB048H4 (208/230V)	47000	16	12	44500	30600	9	CR33-50/60	SLP98DF110XV60C	8231884
SPB048H4 (208/230V)	47000	16	12	44500	30400	9	CR33-50/60	SLP99DF090XV60C	205551940
SPB048H4 (208/230V)	47000	16	12	44500	30600	9	CR33-50/60	SLP99DF110XV60C	205551943
SPB048H4 (208/230V)	47000	14.5	11.5	44500	30800	9	CR33-50/60		8231802
SPB048H4 (208/230V)	47000	16	12	44500	30400	9	CR33-60	SLP98DF090XV60C	8231864
SPB048H4 (208/230V)	47000	16	12	44500	30400	9	CR33-60	SLP98DF110XV60C	8231870
SPB048H4 (208/230V)	47000	16	12	44500	30400	9	CR33-60	SLP99DF090XV60C	205551941
SPB048H4 (208/230V)	47000	16	12	44500	30400	9	CR33-60	SLP99DF110XV60C	205551942
SPB048H4 (208/230V)	47000	14.5	11.5	44500	30600	9	CR33-60		8231804
SPB048H4 (208/230V)	46500	15	11.5	42000	28000	8.2	CX35-49C	ML196UH110XE60C	204520338
SPB048H4 (208/230V)	46500	15	11.5	43500	26200	8.2	CX35-60C	ML196UH090XE48C	204520339
SPB048H4 (208/230V)	47000	15.5	11.5	43500	26000	8.2	CX35-60C	ML196UH110XE60C	204520340
SPB048H4 (208/230V)	46500	15.5	11.5	41500	28400	8.8	CX38-62C	ML296UH110XV60C	202849995
SPB060H4 (208/230V)	57000	14.5	11.5	56000	34400	8.5	CBA27UHE-060-230		10262311
SPB060H4 (208/230V)	57000	14.5	11.5	56000	34400	8.5	CBA27UHE-060-460		205282538
SPB060H4 (208/230V)	56500	15	12	56000	34600	8.5	CBA38MV-060-230		202087588
SPB060H4 (208/230V)	57000	14.5	11.5	56000	36200	8.5	CBX32M-060		8231939
SPB060H4 (208/230V)	57000	15.7	12	55500	35800	8.5	CBX32MV-060		8231940
SPB060H4 (208/230V)	57500	15.5	12	60000	36800	8.5	CH23-68	EL280UH110E48C	202900465
SPB060H4 (208/230V)	58000	15.5	11.5	60000	37200	8.5	CH23-68	EL280UH110E60C	202900466
SPB060H4 (208/230V)	58000	15.5	11.5	60000	37200	8.5	CH23-68	EL280UH110XE60C	203362026
SPB060H4 (208/230V)	58500	15.2	11.5	61500	37600	8.5	CH23-68	EL296UH135XE60D	8231935
SPB060H4 (208/230V)	59000	15.5	11.5	61500	37600	8.5	CH23-68	EL296UH135XV60D	8231933
SPB060H4 (208/230V)	58500	15.5	11.5	61000	37400	8.5	CH23-68	ML180UH135E60D	10591149
SPB060H4 (208/230V)	58000	15.5	11.5	60000	37200	8.5	CH23-68	ML193UH110XE60C	202900467
SPB060H4 (208/230V)	58500	15.7	11.5	61000	37400	8.5	CH23-68	SL280UH135V60D	8231932
SPB060H4 (208/230V)	59000	15.5	11.5	61500	37600	8.5	CH23-68	SLP98UH135XV60D	8231934
SPB060H4 (208/230V)	59000	15.5	11.5	61500	37600	8.5	CH23-68	SLP99UH135XV60D	205551948
SPB060H4 (208/230V)	58500	14.5	11.5	61500	37800	8.2	CH23-68		8231901
SPB060H4 (208/230V)	54500	15.2	11	53000	35000	8.2	CH33-62D	EL296UH135XE60D	8231926
SPB060H4 (208/230V)	54500	15.5	11	53000	34800	8.2	CH33-62D	EL296UH135XV60D	8231937
SPB060H4 (208/230V)	54500	15.7	11.5	52500	34600	8.2	CH33-62D	ML180UH135E60D	10591214
SPB060H4 (208/230V)	54500	15.7	11	53000	34800	8.2	CH33-62D	SL280UH135V60D	8231928
SPB060H4 (208/230V)	54500	15.5	11	53000	34800	8.2	CH33-62D	SLP98UH135XV60D	8231929
SPB060H4 (208/230V)	56500	15	11.5	57000	37400	8.2	CR33-50/60	EL296DF090XV60C	8231921
SPB060H4 (208/230V)	57000	15	12	57000	37200	8.2	CR33-50/60	EL296DF110XE60C	8231925
SPB060H4 (208/230V)	56500	15	11.5	57000	37400	8.2	CR33-50/60	EL296DF110XV60C	8231931
SPB060H4 (208/230V)	57500	15.2	12	57500	37200	8.5	CR33-50/60	ML180DF110E60C	10590563
SPB060H4 (208/230V)	55500	15	11	57000	37000	8	CR33-50/60	ML296DF090XV60C	202848362
SPB060H4 (208/230V)	57000	15.2	11.5	57500	37400	8.5	CR33-50/60	SL280DF090V60C	8231923

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
SPB060H4 (208/230V)	57000	15.2	12	57500	37200	8.5	CR33-50/60	SL280DF110V60C	8231913
SPB060H4 (208/230V)	56500	15	11.5	57000	37400	8.2	CR33-50/60	SLP98DF090XV60C	8231922
SPB060H4 (208/230V)	56500	15	11.5	57000	37400	8.2	CR33-50/60	SLP98DF110XV60C	8231914
SPB060H4 (208/230V)	56500	15	11.5	57000	37400	8.2	CR33-50/60	SLP99DF090XV60C	205551947
SPB060H4 (208/230V)	56500	15	11.5	57000	37400	8.2	CR33-50/60	SLP99DF110XV60C	205551944
SPB060H4 (208/230V)	56500	15	11.5	57000	37400	8.2	CR33-60	EL296DF110XV60C	8231915
SPB060H4 (208/230V)	56500	15	11.5	57000	37400	8.2	CR33-60	SLP98DF110XV60C	8231916
SPB060H4 (208/230V)	56500	15	11.5	57000	37400	8.2	CR33-60	SLP99DF110XV60C	205551946
SPB060H4 (208/230V)	57000	14.2	11.5	57500	37600	8.2	CR33-60		8231902
TPA036H4 (460V)	34200	15	12.5	32800	20800	8.2	C37-38B	ML296UH045XV36B	202848417
TPA036H4 (460V)	34200	14.5	12.5	32800	20800	8.2	C37-38B	ML296UH070XV36B	202848418
TPA036H4 (460V)	35200	15	12.7	32800	20400	8.2	C37-43B	ML296UH045XV36B	202848419
TPA036H4 (460V)	34400	15	12.5	32800	20600	8.2	C37-43B	ML296UH070XV36B	202848420
TPA036H4 (460V)	34200	15	12.5	32800	21000	8.5	CBA27UHE-036-230		10262314
TPA036H4 (460V)	34200	15	12.5	32800	21000	8.5	CBA27UHE-036-460		10262315
TPA036H4 (460V)	34200	14.7	12.2	33200	20800	8.5	CBA38MV-036-230		202084047
TPA036H4 (460V)	34800	15	12.5	32600	20000	9	CBA38MV-042-230		202084049
TPA036H4 (460V)	34600	14	12	34800	21800	8.2	CBX25UH-036-230		9031621
TPA036H4 (460V)	35000	15	12.5	34200	21400	8.5	CBX25UHV-036-230		9031622
TPA036H4 (460V)	34400	14.5	11.7	33200	20800	8.5	CBX32M-036		9031625
TPA036H4 (460V)	34400	14.5	11.7	33200	20800	8.5	CBX32M-042		9031626
TPA036H4 (460V)	35200	14.5	12.2	32800	21000	8.5	CH33-43		9031632
TPA036H4 (460V)	35400	14.5	12.5	32600	20800	8.5	CH33-43B	EL196UH045XE36B	201993051
TPA036H4 (460V)	35200	15	12.5	32200	20400	8.7	CH33-43B	EL196UH070XE36B	201993052
TPA036H4 (460V)	35400	14.7	12.5	32600	21000	8.5	CH33-43B	EL296UH045XE36B	9031639
TPA036H4 (460V)	35400	15.2	12.7	32600	20800	8.7	CH33-43B	EL296UH045XV36B	9031640
TPA036H4 (460V)	35200	15.2	12.7	32200	20600	8.7	CH33-43B	EL296UH070XE36B	9031641
TPA036H4 (460V)	35600	15.2	12.7	32600	20600	8.7	CH33-43B	EL296UH070XV36B	9031642
TPA036H4 (460V)	35200	15.7	13.2	32000	20200	8.7	CH33-43B	ML180UH070E36B	10590684
TPA036H4 (460V)	35200	15.7	13.2	32000	20200	8.7	CH33-43B	ML180UH070XE36B	10590768
TPA036H4 (460V)	35600	15.7	13.2	32200	20400	9	CH33-43B	ML180UH090E48B	10590815
TPA036H4 (460V)	34800	15.1	12.5	32600	20800	8.4	CH33-43B	ML296UH045XV36B	202848373
TPA036H4 (460V)	35600	15	12.5	32600	20600	8.5	CH33-43B	ML296UH070XV36B	202848374
TPA036H4 (460V)	35600	15.7	13.2	32200	20400	9	CH33-43B	SL280UH090V36B	9031643
TPA036H4 (460V)	35600	15.7	13.2	32200	20400	9	CH33-43B	SL280UH090V48B	9031644
TPA036H4 (460V)	35600	15.7	13.2	32200	20400	9	CH33-43B	SL280UH090XV48B	9031645
TPA036H4 (460V)	35600	15.2	12.7	32600	20600	8.7	CH33-43B	SLP98UH070XV36B	9031646
TPA036H4 (460V)	35200	15.5	13	32600	20600	8.2	CH33-43C	EL196UH090XE48C	201993053
TPA036H4 (460V)	35400	15.5	13	32600	20600	8.5	CH33-43C	EL196UH110XE60C	201993054
TPA036H4 (460V)	35200	15.5	13.2	32600	20600	8.2	CH33-43C	EL296UH090XE48C	9031652
TPA036H4 (460V)	35200	15.5	13.2	32600	20600	8.2	CH33-43C	EL296UH090XV36C	9031653
TPA036H4 (460V)	35000	15.5	13.2	32400	20400	8.5	CH33-43C	EL296UH090XV48C	9031654
TPA036H4 (460V)	35600	15.5	13	32800	20800	8.5	CH33-43C	EL296UH090XV60C	9031655
TPA036H4 (460V)	35400	15.7	13.2	32600	20600	8.5	CH33-43C	EL296UH110XE60C	9031656
TPA036H4 (460V)	35200	15.7	13.2	32400	20600	8.5	CH33-43C	EL296UH110XV48C	9031657
TPA036H4 (460V)	35600	15.7	13.2	32600	20600	8.5	CH33-43C	EL296UH110XV60C	9031658
TPA036H4 (460V)	35400	15.7	13.2	32600	20600	8.5	CH33-43C	ML180UH090E60C	10590913
TPA036H4 (460V)	35000	15.7	13.2	32400	20400	8.5	CH33-43C	ML180UH110E60C	10591023
TPA036H4 (460V)	35000	15.7	13.2	32400	20400	8.5	CH33-43C	ML180UH110XE60C	10591100
TPA036H4 (460V)	35000	15.5	13.2	32400	20400	8.5	CH33-43C	ML296UH090XV48C	202848375
TPA036H4 (460V)	35200	15.5	12.5	32600	20600	8.4	CH33-43C	ML296UH110XV60C	202849937
TPA036H4 (460V)	35200	16	13.5	32600	20400	8.5	CH33-43C	SL280UH080NV60C-	10590485
TPA036H4 (460V)	35200	15.1	13	32600	20800	8.2	CH33-43C	SL280UH090V60C	9031659
TPA036H4 (460V)	35200	15.1	13	32600	20800	8.2	CH33-43C	SL280UH090XV60C	9031660
TPA036H4 (460V)	35400	15.1	13	32600	20600	8.2	CH33-43C	SL280UH110V60C	9031661
TPA036H4 (460V)	35400	15.1	13	32600	20600	8.2	CH33-43C	SL280UH110XV60C	9031662

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036H4 (460V)	35200	15.5	13.2	32600	20600	8.2	CH33-43C	SLP98UH090XV36C	9031663
TPA036H4 (460V)	35000	15.5	13.2	32400	20400	8.5	CH33-43C	SLP98UH090XV48C	9031664
TPA036H4 (460V)	35600	15.5	13	32800	20800	8.5	CH33-43C	SLP98UH090XV60C	9031665
TPA036H4 (460V)	35600	15.7	13.2	32600	20600	8.5	CH33-43C	SLP98UH110XV60C	9031666
TPA036H4 (460V)	34000	14.5	12.5	32600	20600	8.2	CH33-44/48B	EL196UH070XE36B	201993055
TPA036H4 (460V)	34000	14.7	12.5	32800	20800	8.2	CH33-44/48B	EL296UH070XE36B	9031673
TPA036H4 (460V)	34200	14.7	12.5	33000	20800	8.2	CH33-44/48B	EL296UH070XV36B	9031674
TPA036H4 (460V)	34000	15.2	12.7	32400	20400	8.2	CH33-44/48B	ML180UH070E36B	10590685
TPA036H4 (460V)	34000	15.2	12.7	32400	20400	8.2	CH33-44/48B	ML180UH070XE36B	10590769
TPA036H4 (460V)	34200	15.2	12.7	32600	20800	8.7	CH33-44/48B	ML180UH090E48B	10590816
TPA036H4 (460V)	34200	15.2	12.7	32200	20800	9	CH33-44/48B	ML180UH090XE48B	10590974
TPA036H4 (460V)	34200	14.7	12.5	33000	20800	8.2	CH33-44/48B	ML296UH070XV36B	202848376
TPA036H4 (460V)	34400	15.2	12.7	32600	20600	8.2	CH33-44/48B	SL280UH090V36B	9031675
TPA036H4 (460V)	34400	15	12.7	32800	20600	8.2	CH33-44/48B	SL280UH090V48B	9031676
TPA036H4 (460V)	34400	15	12.7	32800	20600	8.2	CH33-44/48B	SL280UH090XV48B	9031677
TPA036H4 (460V)	34200	14.7	12.5	33000	20800	8.2	CH33-44/48B	SLP98UH070XV36B	9031678
TPA036H4 (460V)	35000	15.5	13	32400	20600	8.2	CH33-48C	EL296UH090XV36C	9031679
TPA036H4 (460V)	34800	15.5	13	32400	20400	8.5	CH33-48C	EL296UH090XV48C	9031680
TPA036H4 (460V)	35400	15.2	13	32400	20600	8.5	CH33-48C	EL296UH090XV60C	9031681
TPA036H4 (460V)	35000	15.5	13.2	32400	20400	8.5	CH33-48C	EL296UH110XV48C	9031682
TPA036H4 (460V)	35400	15.5	13.2	32600	20600	8.5	CH33-48C	EL296UH110XV60C	9031683
TPA036H4 (460V)	34800	15.5	13	32400	20400	8.5	CH33-48C	ML296UH090XV48C	202848377
TPA036H4 (460V)	35000	15.1	12.5	32600	20600	8.4	CH33-48C	ML296UH110XV60C	202849938
TPA036H4 (460V)	35400	15.5	12.5	32600	20600	8.2	CH33-48C	SL280UH080NV60C-	10590486
TPA036H4 (460V)	35400	15.1	13	32600	20600	8.2	CH33-48C	SL280UH090V60C	9031684
TPA036H4 (460V)	35400	15.1	13	32600	20600	8.2	CH33-48C	SL280UH090XV60C	9031685
TPA036H4 (460V)	35200	15.1	12.5	32600	20600	8.2	CH33-48C	SL280UH110V60C	9031686
TPA036H4 (460V)	35200	15.1	12.5	32600	20600	8.2	CH33-48C	SL280UH110XV60C	9031687
TPA036H4 (460V)	35000	15.5	13	32400	20600	8.2	CH33-48C	SLP98UH090XV36C	9031688
TPA036H4 (460V)	34800	15.5	13	32400	20400	8.5	CH33-48C	SLP98UH090XV48C	9031689
TPA036H4 (460V)	35400	15.2	13	32800	20800	8.5	CH33-48C	SLP98UH090XV60C	9031690
TPA036H4 (460V)	35400	15.5	13.2	32600	20600	8.5	CH33-48C	SLP98UH110XV60C	9031691
TPA036H4 (460V)	35000	15.5	13	31600	20400	8.5	CH33-49	EL196UH090XE48C	201993056
TPA036H4 (460V)	35200	15.5	13	31800	20400	9	CH33-49	EL196UH110XE60C	201993057
TPA036H4 (460V)	35000	15.5	13	31600	20400	8.5	CH33-49	EL296UH090XE48C	9031697
TPA036H4 (460V)	35000	15.7	13.2	32000	20400	9	CH33-49	EL296UH090XV36C	9031698
TPA036H4 (460V)	34800	15.7	13.2	32000	20400	9	CH33-49	EL296UH090XV48C	9031699
TPA036H4 (460V)	35400	15.5	13	32400	20600	9	CH33-49	EL296UH090XV60C	9031700
TPA036H4 (460V)	35200	15.7	13.2	31800	20400	9	CH33-49	EL296UH110XE60C	9031701
TPA036H4 (460V)	35000	15.7	13.2	32000	20400	9	CH33-49	EL296UH110XV48C	9031702
TPA036H4 (460V)	35400	15.7	13.2	32200	20400	9	CH33-49	EL296UH110XV60C	9031703
TPA036H4 (460V)	35200	15.7	13.2	31600	20400	9	CH33-49	ML180UH090E60C	10590914
TPA036H4 (460V)	35000	15.7	13.2	31600	20200	9	CH33-49	ML180UH110E60C	10591024
TPA036H4 (460V)	35000	15.7	13.2	31600	20200	9	CH33-49	ML180UH110XE60C	10591101
TPA036H4 (460V)	34800	15.7	13.2	32000	20400	9	CH33-49	ML296UH090XV48C	202848378
TPA036H4 (460V)	35000	15.5	12.5	32200	20400	9	CH33-49	ML296UH110XV60C	202849939
TPA036H4 (460V)	35400	16	13	32000	20400	9.2	CH33-49	SL280UH080NV60C-	10590487
TPA036H4 (460V)	35400	15.1	13	32200	20400	9	CH33-49	SL280UH090V60C	9031704
TPA036H4 (460V)	35400	15.1	13	32200	20400	9	CH33-49	SL280UH090XV60C	9031705
TPA036H4 (460V)	35200	15.1	13	32200	20400	9	CH33-49	SL280UH110V60C	9031706
TPA036H4 (460V)	35200	15.1	13	32200	20400	9	CH33-49	SL280UH110XV60C	9031707
TPA036H4 (460V)	35000	15.7	13.2	32000	20400	9	CH33-49	SLP98UH090XV36C	9031708
TPA036H4 (460V)	34800	15.7	13.2	32000	20200	9	CH33-49	SLP98UH090XV48C	9031709
TPA036H4 (460V)	35400	15.5	13	32400	20600	9	CH33-49	SLP98UH090XV60C	9031710
TPA036H4 (460V)	35400	15.7	13.2	32200	20400	9	CH33-49	SLP98UH110XV60C	9031711
TPA036H4 (460V)	34400	14.2	12	32600	21000	8.5	CH33-49		9031712

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036H4 (460V)	34800	15.5	13	31600	20400	9	CH33-50/60C	EL196UH090XE48C	201993058
TPA036H4 (460V)	35000	15.5	13	31800	20400	9	CH33-50/60C	EL196UH110XE60C	201993059
TPA036H4 (460V)	34800	15.5	13	31600	20400	9	CH33-50/60C	EL296UH090XE48C	9031718
TPA036H4 (460V)	34800	15.5	13	32000	20400	9	CH33-50/60C	EL296UH090XV36C	9031719
TPA036H4 (460V)	34600	15.7	13	31800	20400	9	CH33-50/60C	EL296UH090XV48C	9031720
TPA036H4 (460V)	35200	15.5	13	32400	20600	9	CH33-50/60C	EL296UH090XV60C	9031721
TPA036H4 (460V)	35000	15.7	13.2	31800	20400	9	CH33-50/60C	EL296UH110XE60C	9031722
TPA036H4 (460V)	34800	15.7	13.2	32000	20400	9	CH33-50/60C	EL296UH110XV48C	9031723
TPA036H4 (460V)	35200	15.7	13.2	32200	20400	9	CH33-50/60C	EL296UH110XV60C	9031724
TPA036H4 (460V)	35000	15.7	13.2	31600	20400	9	CH33-50/60C	ML180UH090E60C	10590915
TPA036H4 (460V)	34800	15.7	13.2	31400	20200	9	CH33-50/60C	ML180UH110E60C	10591025
TPA036H4 (460V)	34800	15.7	13.2	31400	20200	9	CH33-50/60C	ML180UH110XE60C	10591102
TPA036H4 (460V)	34600	15.7	13	31800	20400	9	CH33-50/60C	ML296UH090XV48C	202848379
TPA036H4 (460V)	34800	15.1	12.5	32000	20400	9	CH33-50/60C	ML296UH110XV60C	202849940
TPA036H4 (460V)	35200	16	13	32000	20400	9.2	CH33-50/60C	SL280UH080NV60C-	10590488
TPA036H4 (460V)	35200	15.1	13	32200	20400	9	CH33-50/60C	SL280UH090V60C	9031725
TPA036H4 (460V)	35200	15.1	13	32200	20400	9	CH33-50/60C	SL280UH090XV60C	9031726
TPA036H4 (460V)	35000	15.5	12.5	32200	20400	8.5	CH33-50/60C	SL280UH110V60C	9031727
TPA036H4 (460V)	35000	15.5	12.5	32200	20400	8.5	CH33-50/60C	SL280UH110XV60C	9031728
TPA036H4 (460V)	34800	15.5	13	32000	20400	9	CH33-50/60C	SLP98UH090XV36C	9031729
TPA036H4 (460V)	34600	15.7	13	31800	20400	9	CH33-50/60C	SLP98UH090XV48C	9031730
TPA036H4 (460V)	35200	15.5	13	32400	20600	9	CH33-50/60C	SLP98UH090XV60C	9031731
TPA036H4 (460V)	35200	15.7	13.2	32200	20400	9	CH33-50/60C	SLP98UH110XV60C	9031732
TPA036H4 (460V)	34200	14.2	12	32200	21000	8.2	CH33-50/60C		9031733
TPA036H4 (460V)	35000	15	12.7	33600	21200	8.2	CR33-48B	EL196DF045XE36B	202066692
TPA036H4 (460V)	35200	15	12.5	33600	21200	8.5	CR33-48B	EL196DF070XE48B	202066693
TPA036H4 (460V)	35000	15	12.5	33800	21400	8.5	CR33-48B	EL280DF070E36A	202900545
TPA036H4 (460V)	35200	15.1	12.5	33600	21200	8.5	CR33-48B	EL280DF090E48B	202900546
TPA036H4 (460V)	35000	15	12.7	33600	21200	8.2	CR33-48B	EL296DF045XE36B	9032714
TPA036H4 (460V)	35200	15	12.7	33800	21200	8.2	CR33-48B	EL296DF045XV36B	9032715
TPA036H4 (460V)	35200	15.2	13	33600	21200	8.5	CR33-48B	EL296DF070XE48B	9032716
TPA036H4 (460V)	35200	15	12.5	34000	21400	8.2	CR33-48B	EL296DF070XV48B	9032717
TPA036H4 (460V)	35200	15.5	13	31600	20800	8.5	CR33-48B	ML180DF070E36B	10590549
TPA036H4 (460V)	34800	14.5	12.5	33800	21200	8.5	CR33-48B	ML193DF045XE36B	202900547
TPA036H4 (460V)	34800	15	12.5	33800	21200	8.5	CR33-48B	ML193DF070XE36B	202900548
TPA036H4 (460V)	35400	15.1	12.5	33600	21200	8.5	CR33-48B	ML193DF090XE48C	202900549
TPA036H4 (460V)	35000	15	12.7	33600	21200	8.2	CR33-48B	ML196DF045XE36B	204520302
TPA036H4 (460V)	35200	15	12.5	33600	21200	8.5	CR33-48B	ML196DF070XE48B	204520303
TPA036H4 (460V)	35000	14.5	12.5	33800	21200	8.2	CR33-48B	ML296DF045XV36B	202848403
TPA036H4 (460V)	35200	15	12.5	34000	21400	8.2	CR33-48B	ML296DF070XV48B	202848404
TPA036H4 (460V)	35400	15.5	13	33600	21000	8.5	CR33-48B	SL280DF090V48B	9032718
TPA036H4 (460V)	35400	15.2	12.7	33800	21200	8.5	CR33-48B	SLP98DF070XV36B	9032719
TPA036H4 (460V)	35400	15.2	12.7	33800	21200	8.5	CR33-48B	SLP99DF070XV36B	205551990
TPA036H4 (460V)	34800	14.2	12	34200	21800	8.2	CR33-48B		9032720
TPA036H4 (460V)	35200	15	12.7	33600	21200	8.5	CR33-48C	EL196DF090XE48C	202066694
TPA036H4 (460V)	35000	15	12.5	33800	21400	8.5	CR33-48C	EL280DF070E36A	202900550
TPA036H4 (460V)	35200	15.1	12.5	33600	21200	8.5	CR33-48C	EL280DF090E48B	202900551
TPA036H4 (460V)	35200	15.2	12.7	33600	21200	8.5	CR33-48C	EL296DF090XE48C	9032725
TPA036H4 (460V)	35600	15.5	13	33800	21200	8.5	CR33-48C	EL296DF090XV60C	9032791
TPA036H4 (460V)	35600	15.5	13	33800	21200	8.5	CR33-48C	EL296DF110XE60C	9032726
TPA036H4 (460V)	35600	15.5	13	33800	21200	8.5	CR33-48C	EL296DF110XV60C	9032727
TPA036H4 (460V)	34600	15.5	13	31400	20800	8.7	CR33-48C	ML180DF110E60C	10590573
TPA036H4 (460V)	34800	14.5	12.5	33800	21200	8.5	CR33-48C	ML193DF045XE36B	202900552
TPA036H4 (460V)	34800	15	12.5	33800	21200	8.5	CR33-48C	ML193DF070XE36B	202900553
TPA036H4 (460V)	35400	15.1	12.5	33600	21200	8.5	CR33-48C	ML193DF090XE48C	202900554
TPA036H4 (460V)	35200	15	12.7	33600	21200	8.5	CR33-48C	ML196DF090XE48C	204520304

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036H4 (460V)	35400	15.5	13	33800	21200	8.5	CR33-48C	ML296DF090XV60C	202848408
TPA036H4 (460V)	35800	15.7	13	33600	21000	8.5	CR33-48C	SL280DF090V60C	9032728
TPA036H4 (460V)	35600	15.1	13	33600	21000	8.5	CR33-48C	SL280DF110V60C	9032729
TPA036H4 (460V)	35400	15.5	13	33600	21200	8.5	CR33-48C	SLP98DF090XV36C	9032730
TPA036H4 (460V)	35400	15.5	13	33600	21000	8.5	CR33-48C	SLP98DF090XV48C	9032731
TPA036H4 (460V)	35600	15.5	13	33800	21200	8.5	CR33-48C	SLP98DF090XV60C	9032724
TPA036H4 (460V)	35600	15.5	13	33800	21200	8.5	CR33-48C	SLP98DF110XV60C	9032732
TPA036H4 (460V)	35400	15.5	13	33600	21200	8.5	CR33-48C	SLP99DF090XV36C	205551992
TPA036H4 (460V)	35400	15.5	13	33600	21000	8.5	CR33-48C	SLP99DF090XV48C	205551993
TPA036H4 (460V)	35600	15.5	13	33800	21200	8.5	CR33-48C	SLP99DF090XV60C	205551991
TPA036H4 (460V)	35600	15.5	13	33800	21200	8.5	CR33-48C	SLP99DF110XV60C	205551994
TPA036H4 (460V)	35600	15.5	12.7	32800	20600	8.7	CR33-50/60	EL196DF090XE48C	202066678
TPA036H4 (460V)	35400	15	12.5	33000	20600	8.8	CR33-50/60	EL280DF070E36A	202900555
TPA036H4 (460V)	35400	15.1	12.5	32800	20600	8.8	CR33-50/60	EL280DF090E48B	202900556
TPA036H4 (460V)	35600	15.5	13.2	32800	20600	8.7	CR33-50/60	EL296DF090XE48C	9031737
TPA036H4 (460V)	36000	15.7	13.2	34000	21200	9	CR33-50/60	EL296DF090XV60C	9031738
TPA036H4 (460V)	36000	16	13.2	32800	20400	9	CR33-50/60	EL296DF110XE60C	9031739
TPA036H4 (460V)	36000	15.7	13.2	34000	21200	9	CR33-50/60	EL296DF110XV60C	9031740
TPA036H4 (460V)	35200	15.1	13	32200	21000	9	CR33-50/60	ML180DF110E60C	10590567
TPA036H4 (460V)	35200	15	12.5	32800	20600	8.8	CR33-50/60	ML193DF045XE36B	202900557
TPA036H4 (460V)	35400	14.5	12	33200	21000	8.8	CR33-50/60	ML193DF070XE36B	202900558
TPA036H4 (460V)	35600	15.5	12.5	32800	20600	9	CR33-50/60	ML193DF090XE48C	202900559
TPA036H4 (460V)	35600	15.5	12.7	32800	20600	8.7	CR33-50/60	ML196DF090XE48C	204520305
TPA036H4 (460V)	36000	15.5	12.5	34000	21200	8.8	CR33-50/60	ML296DF090XV60C	202848380
TPA036H4 (460V)	36000	15.1	13	34000	21200	9	CR33-50/60	SL280DF090V60C	9031741
TPA036H4 (460V)	36000	15.1	13	33800	21000	8.5	CR33-50/60	SL280DF110V60C	9031742
TPA036H4 (460V)	36000	15.7	13.2	33800	21200	8.7	CR33-50/60	SLP98DF090XV36C	9031743
TPA036H4 (460V)	36000	15.7	13.2	33800	21200	8.7	CR33-50/60	SLP98DF090XV48C	9031744
TPA036H4 (460V)	36000	15.7	13.2	34000	21200	9	CR33-50/60	SLP98DF090XV60C	9031745
TPA036H4 (460V)	36000	15.7	13.2	34000	21200	9	CR33-50/60	SLP98DF110XV60C	9031746
TPA036H4 (460V)	36000	15.7	13.2	33800	21200	8.7	CR33-50/60	SLP99DF090XV36C	205551960
TPA036H4 (460V)	36000	15.7	13.2	33800	21200	8.7	CR33-50/60	SLP99DF090XV48C	205551962
TPA036H4 (460V)	36000	15.7	13.2	34000	21200	9	CR33-50/60	SLP99DF090XV60C	205551963
TPA036H4 (460V)	36000	15.7	13.2	34000	21200	9	CR33-50/60	SLP99DF110XV60C	205551964
TPA036H4 (460V)	34600	15.7	13	31800	21600	9	CR33-50/60		9031747
TPA036H4 (460V)	34200	15	12.5	32800	20800	8.2	CX38-38B	ML296UH045XV36B	202848441
TPA036H4 (460V)	34200	14.5	12.5	31800	20600	8.2	CX38-38B	ML296UH070XV36B	202848442
TPA036H4 (460V)	35200	15	12.7	32800	20400	8.2	CX38-43B	ML296UH045XV36B	202848443
TPA036H4 (460V)	34400	15	12.5	31800	20600	8.2	CX38-43B	ML296UH070XV36B	202848444
TPA036H4 (208/230V)	34200	15	12.5	32800	20600	8.2	C37-38B	ML296UH045XV36B	202848409
TPA036H4 (208/230V)	34200	14.5	12.5	32800	20800	8.2	C37-38B	ML296UH070XV36B	202848410
TPA036H4 (208/230V)	35200	15	12.7	32800	20400	8.2	C37-43B	ML296UH045XV36B	202848411
TPA036H4 (208/230V)	34400	15	12.5	31800	20600	8.2	C37-43B	ML296UH070XV36B	202848412
TPA036H4 (208/230V)	34200	15	12.5	32800	21000	8.5	CBA27UHE-036-230		10262316
TPA036H4 (208/230V)	34200	15	12.5	32800	21000	8.5	CBA27UHE-036-460		205282539
TPA036H4 (208/230V)	34200	14.7	12.2	33200	20800	8.5	CBA38MV-036-230		202084046
TPA036H4 (208/230V)	34800	15	12.5	32600	20000	9	CBA38MV-042-230		202084048
TPA036H4 (208/230V)	34600	14	12	34800	21800	8.2	CBX25UH-036-230		9031277
TPA036H4 (208/230V)	35000	15	12.5	34200	21400	8.5	CBX25UHV-036-230		9031278
TPA036H4 (208/230V)	34400	14.5	11.7	33200	20800	8.5	CBX32M-036		9031281
TPA036H4 (208/230V)	34400	14.5	11.7	33200	20800	8.5	CBX32M-042		9031282
TPA036H4 (208/230V)	35200	14.5	12.2	32800	21000	8.5	CH33-43		9031288
TPA036H4 (208/230V)	35400	14.5	12.5	32600	20800	8.5	CH33-43B	EL196UH045XE36B	201993018
TPA036H4 (208/230V)	35200	15	12.5	32200	20600	8.7	CH33-43B	EL196UH070XE36B	201993019
TPA036H4 (208/230V)	35400	14.7	12.5	32600	21000	8.5	CH33-43B	EL296UH045XE36B	9031295
TPA036H4 (208/230V)	35400	15.2	12.7	32600	20800	8.7	CH33-43B	EL296UH045XV36B	9031296

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036H4 (208/230V)	35200	15.2	12.7	32200	20600	8.7	CH33-43B	EL296UH070XE36B	9031297
TPA036H4 (208/230V)	35600	15.2	12.7	32600	20600	8.7	CH33-43B	EL296UH070XV36B	9031298
TPA036H4 (208/230V)	35200	15.7	13.2	32000	20200	9	CH33-43B	ML180UH070E36B	10590676
TPA036H4 (208/230V)	35200	15.7	13.2	32000	20200	9	CH33-43B	ML180UH070XE36B	10590760
TPA036H4 (208/230V)	35600	15.7	13.2	32200	20400	9	CH33-43B	ML180UH090E48B	10590807
TPA036H4 (208/230V)	34800	15.1	12.5	32600	20800	8.4	CH33-43B	ML296UH045XV36B	202848365
TPA036H4 (208/230V)	35600	15	12.5	32600	20600	8.5	CH33-43B	ML296UH070XV36B	202848366
TPA036H4 (208/230V)	35600	15.7	13.2	32200	20400	9	CH33-43B	SL280UH090V36B	9031299
TPA036H4 (208/230V)	35600	15.7	13.2	32200	20400	9	CH33-43B	SL280UH090V48B	9031300
TPA036H4 (208/230V)	35600	15.7	13.2	32200	20400	9	CH33-43B	SL280UH090XV48B	9031301
TPA036H4 (208/230V)	35600	15.2	12.7	32600	20600	8.7	CH33-43B	SLP98UH070XV36B	9031302
TPA036H4 (208/230V)	35200	15.5	13	32600	20600	8.2	CH33-43C	EL196UH090XE48C	201993020
TPA036H4 (208/230V)	35400	15.5	13	32600	20600	8.5	CH33-43C	EL196UH110XE60C	201993021
TPA036H4 (208/230V)	35200	15.5	13.2	32600	20600	8.2	CH33-43C	EL296UH090XE48C	9031308
TPA036H4 (208/230V)	35200	15.5	13.2	32600	20600	8.2	CH33-43C	EL296UH090XV36C	9031309
TPA036H4 (208/230V)	35000	15.5	13.2	32400	20400	8.5	CH33-43C	EL296UH090XV48C	9031310
TPA036H4 (208/230V)	35600	15.5	13	32800	20800	8.5	CH33-43C	EL296UH090XV60C	9031311
TPA036H4 (208/230V)	35400	15.7	13.2	32600	20600	8.5	CH33-43C	EL296UH110XE60C	9031312
TPA036H4 (208/230V)	35200	15.7	13.2	32400	20600	8.5	CH33-43C	EL296UH110XV48C	9031313
TPA036H4 (208/230V)	35600	15.7	13.2	32600	20600	8.5	CH33-43C	EL296UH110XV60C	9031314
TPA036H4 (208/230V)	35400	15.7	13.2	32600	20600	8.5	CH33-43C	ML180UH090E60C	10590902
TPA036H4 (208/230V)	35000	15.7	13.2	32400	20400	8.5	CH33-43C	ML180UH110E60C	10591012
TPA036H4 (208/230V)	35000	15.7	13.2	32400	20400	8.5	CH33-43C	ML180UH110XE60C	10591089
TPA036H4 (208/230V)	35000	15.5	13.2	32400	20400	8.5	CH33-43C	ML296UH090XV48C	202848367
TPA036H4 (208/230V)	35200	15.5	12.5	32600	20600	8.4	CH33-43C	ML296UH110XV60C	202849933
TPA036H4 (208/230V)	35600	16	13.5	32600	20400	8.5	CH33-43C	SL280UH080NV60C-	10590489
TPA036H4 (208/230V)	35600	15.1	13	32600	20800	8.2	CH33-43C	SL280UH090V60C	9031315
TPA036H4 (208/230V)	35600	15.1	13	32600	20800	8.2	CH33-43C	SL280UH090XV60C	9031316
TPA036H4 (208/230V)	35400	15.1	13	32600	20600	8.2	CH33-43C	SL280UH110V60C	9031317
TPA036H4 (208/230V)	35400	15.1	13	32600	20600	8.2	CH33-43C	SL280UH110XV60C	9031318
TPA036H4 (208/230V)	35200	15.5	13.2	32600	20600	8.2	CH33-43C	SLP98UH090XV36C	9031319
TPA036H4 (208/230V)	35000	15.5	13.2	32400	20400	8.5	CH33-43C	SLP98UH090XV48C	9031320
TPA036H4 (208/230V)	35600	15.5	13	32800	20800	8.5	CH33-43C	SLP98UH090XV60C	9031321
TPA036H4 (208/230V)	35600	15.7	13.2	32600	20600	8.5	CH33-43C	SLP98UH110XV60C	9031322
TPA036H4 (208/230V)	34000	14.5	12.5	32800	20800	8.2	CH33-44/48B	EL196UH070XE36B	201993022
TPA036H4 (208/230V)	34000	14.7	12.5	32800	20800	8.2	CH33-44/48B	EL296UH070XE36B	9031329
TPA036H4 (208/230V)	34200	14.7	12.5	33000	20800	8.2	CH33-44/48B	EL296UH070XV36B	9031330
TPA036H4 (208/230V)	34000	15.2	12.7	32400	20400	8.2	CH33-44/48B	ML180UH070E36B	10590677
TPA036H4 (208/230V)	34000	15.2	12.7	32400	20400	8.2	CH33-44/48B	ML180UH070XE36B	10590761
TPA036H4 (208/230V)	34000	15.2	12.7	32400	20800	8.2	CH33-44/48B	ML180UH090E48B	10590808
TPA036H4 (208/230V)	34200	15.2	12.7	32600	20800	8.2	CH33-44/48B	ML180UH090XE48B	10590967
TPA036H4 (208/230V)	34200	14.7	12.5	33000	20800	8.2	CH33-44/48B	ML296UH070XV36B	202848368
TPA036H4 (208/230V)	34400	15.2	12.7	32600	20600	8.2	CH33-44/48B	SL280UH090V36B	9031331
TPA036H4 (208/230V)	34400	15	12.7	32800	20600	8.2	CH33-44/48B	SL280UH090V48B	9031332
TPA036H4 (208/230V)	34400	15	12.7	32800	20600	8.2	CH33-44/48B	SL280UH090XV48B	9031333
TPA036H4 (208/230V)	34200	14.7	12.5	33000	20800	8.2	CH33-44/48B	SLP98UH070XV36B	9031334
TPA036H4 (208/230V)	35000	15.5	13	32400	20600	8.2	CH33-48C	EL296UH090XV36C	9031335
TPA036H4 (208/230V)	34800	15.5	13	32400	20400	8.5	CH33-48C	EL296UH090XV48C	9031336
TPA036H4 (208/230V)	35400	15.2	13	32400	20600	8.5	CH33-48C	EL296UH090XV60C	9031337
TPA036H4 (208/230V)	35000	15.5	13.2	32400	20400	8.5	CH33-48C	EL296UH110XV48C	9031338
TPA036H4 (208/230V)	35400	15.5	13.2	32600	20600	8.5	CH33-48C	EL296UH110XV60C	9031339
TPA036H4 (208/230V)	34800	15.5	13	32400	20400	8.5	CH33-48C	ML296UH090XV48C	202848369
TPA036H4 (208/230V)	35000	15.1	12.5	32600	20600	8.4	CH33-48C	ML296UH110XV60C	202849934
TPA036H4 (208/230V)	35400	15.5	12.5	32600	20600	8.2	CH33-48C	SL280UH080NV60C-	10590490
TPA036H4 (208/230V)	35400	15.1	13	32600	20600	8.2	CH33-48C	SL280UH090V60C	9031340
TPA036H4 (208/230V)	35400	15.1	13	32600	20600	8.2	CH33-48C	SL280UH090XV60C	9031341

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036H4 (208/230V)	35200	15.1	12.5	32600	20600	8.2	CH33-48C	SL280UH110V60C	9031342
TPA036H4 (208/230V)	35200	15.1	12.5	32600	20600	8.2	CH33-48C	SL280UH110XV60C	9031343
TPA036H4 (208/230V)	35000	15.5	13	32400	20600	8.2	CH33-48C	SLP98UH090XV36C	9031344
TPA036H4 (208/230V)	34800	15.5	13	32400	20400	8.5	CH33-48C	SLP98UH090XV48C	9031345
TPA036H4 (208/230V)	35400	15.2	13	32800	20800	8.5	CH33-48C	SLP98UH090XV60C	9031346
TPA036H4 (208/230V)	35400	15.5	13.2	32600	20600	8.5	CH33-48C	SLP98UH110XV60C	9031347
TPA036H4 (208/230V)	35000	15.5	13	31600	20400	8.5	CH33-49	EL196UH090XE48C	201993023
TPA036H4 (208/230V)	35200	15.5	13	31800	20400	9	CH33-49	EL196UH110XE60C	201993024
TPA036H4 (208/230V)	35000	15.5	13	31600	20400	8.5	CH33-49	EL296UH090XE48C	9031353
TPA036H4 (208/230V)	35000	15.7	13.2	32000	20400	9	CH33-49	EL296UH090XV36C	9031354
TPA036H4 (208/230V)	34800	15.7	13.2	32000	20400	9	CH33-49	EL296UH090XV48C	9031355
TPA036H4 (208/230V)	35400	15.5	13	32400	20600	9	CH33-49	EL296UH090XV60C	9031356
TPA036H4 (208/230V)	35200	15.7	13.2	31800	20400	9	CH33-49	EL296UH110XE60C	9031357
TPA036H4 (208/230V)	35000	15.7	13.2	32000	20400	9	CH33-49	EL296UH110XV48C	9031358
TPA036H4 (208/230V)	35400	15.7	13.2	32200	20400	9	CH33-49	EL296UH110XV60C	9031359
TPA036H4 (208/230V)	35200	15.7	13.2	31600	20400	9	CH33-49	ML180UH090E60C	10590903
TPA036H4 (208/230V)	35000	15.7	13.2	31600	20200	9	CH33-49	ML180UH110E60C	10591013
TPA036H4 (208/230V)	35000	15.7	13.2	31600	20200	9	CH33-49	ML180UH110XE60C	10591090
TPA036H4 (208/230V)	34800	15.7	13.2	32000	20400	9	CH33-49	ML296UH090XV48C	202848370
TPA036H4 (208/230V)	35000	15.5	12.5	32200	20400	9	CH33-49	ML296UH110XV60C	202849935
TPA036H4 (208/230V)	35400	16	13	32000	20400	9.2	CH33-49	SL280UH080NV60C-	10590491
TPA036H4 (208/230V)	35400	15.1	13	32200	20400	9	CH33-49	SL280UH090V60C	9031360
TPA036H4 (208/230V)	35400	15.1	13	32200	20400	9	CH33-49	SL280UH090XV60C	9031361
TPA036H4 (208/230V)	35200	15.1	13	32200	20400	9	CH33-49	SL280UH110V60C	9031362
TPA036H4 (208/230V)	35200	15.1	13	32200	20400	9	CH33-49	SL280UH110XV60C	9031363
TPA036H4 (208/230V)	35000	15.7	13.2	32000	20400	9	CH33-49	SLP98UH090XV36C	9031364
TPA036H4 (208/230V)	34800	15.7	13.2	32000	20200	9	CH33-49	SLP98UH090XV48C	9031365
TPA036H4 (208/230V)	35400	15.5	13	32400	20600	9	CH33-49	SLP98UH090XV60C	9031366
TPA036H4 (208/230V)	35400	15.7	13.2	32200	20400	9	CH33-49	SLP98UH110XV60C	9031367
TPA036H4 (208/230V)	34400	14.2	12	32600	21000	8.5	CH33-49		9031368
TPA036H4 (208/230V)	34800	15.5	13	31600	20400	9	CH33-50/60C	EL196UH090XE48C	201993025
TPA036H4 (208/230V)	35000	15.5	12.5	31800	20400	9	CH33-50/60C	EL196UH110XE60C	201993026
TPA036H4 (208/230V)	34800	15.5	13	31600	20400	9	CH33-50/60C	EL296UH090XE48C	9031374
TPA036H4 (208/230V)	34800	15.5	13	32000	20400	9	CH33-50/60C	EL296UH090XV36C	9031375
TPA036H4 (208/230V)	34600	15.7	13	31800	20400	9	CH33-50/60C	EL296UH090XV48C	9031376
TPA036H4 (208/230V)	35200	15.5	13	32400	20600	9	CH33-50/60C	EL296UH090XV60C	9031377
TPA036H4 (208/230V)	35000	15.7	13.2	31800	20400	9	CH33-50/60C	EL296UH110XE60C	9031378
TPA036H4 (208/230V)	34800	15.7	13.2	32000	20400	9	CH33-50/60C	EL296UH110XV48C	9031379
TPA036H4 (208/230V)	35200	15.7	13.2	32200	20400	9	CH33-50/60C	EL296UH110XV60C	9031380
TPA036H4 (208/230V)	35000	15.7	13.2	31600	20400	9	CH33-50/60C	ML180UH090E60C	10590904
TPA036H4 (208/230V)	34800	15.7	13.2	31400	20200	9	CH33-50/60C	ML180UH110E60C	10591014
TPA036H4 (208/230V)	34800	15.7	13.2	31400	20200	9	CH33-50/60C	ML180UH110XE60C	10591091
TPA036H4 (208/230V)	34600	15.7	13	31800	20400	9	CH33-50/60C	ML296UH090XV48C	202848371
TPA036H4 (208/230V)	34800	15.1	12.5	32000	20400	9	CH33-50/60C	ML296UH110XV60C	202849936
TPA036H4 (208/230V)	35200	16	13	32000	20400	9.2	CH33-50/60C	SL280UH080NV60C-	10590492
TPA036H4 (208/230V)	35200	15.1	13	32200	20400	9	CH33-50/60C	SL280UH090V60C	9031381
TPA036H4 (208/230V)	35200	15.1	13	32200	20400	9	CH33-50/60C	SL280UH090XV60C	9031382
TPA036H4 (208/230V)	35000	15.5	12.5	32200	20400	8.5	CH33-50/60C	SL280UH110V60C	9031383
TPA036H4 (208/230V)	35000	15.5	12.5	32200	20400	8.5	CH33-50/60C	SL280UH110XV60C	9031384
TPA036H4 (208/230V)	34800	15.5	13	32000	20400	9	CH33-50/60C	SLP98UH090XV36C	9031385
TPA036H4 (208/230V)	34600	15.7	13	31800	20400	9	CH33-50/60C	SLP98UH090XV48C	9031386
TPA036H4 (208/230V)	35200	15.5	13	32400	20600	9	CH33-50/60C	SLP98UH090XV60C	9031387
TPA036H4 (208/230V)	35200	15.7	13.2	32200	20400	9	CH33-50/60C	SLP98UH110XV60C	9031388
TPA036H4 (208/230V)	34200	14.2	12	32200	21000	8.2	CH33-50/60C		9031389
TPA036H4 (208/230V)	35000	15	12.7	33600	21200	8.2	CR33-48B	EL196DF045XE36B	202066688
TPA036H4 (208/230V)	35200	15	12.5	33600	21200	8.5	CR33-48B	EL196DF070XE48B	202066689

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036H4 (208/230V)	35000	15	12.5	33800	21400	8.5	CR33-48B	EL280DF070E36A	202900708
TPA036H4 (208/230V)	35200	15.1	12.5	33600	21200	8.5	CR33-48B	EL280DF090E48B	202900709
TPA036H4 (208/230V)	35000	15	12.7	32200	21200	8.2	CR33-48B	EL296DF045XE36B	9032689
TPA036H4 (208/230V)	35200	15	12.7	33800	21200	8.2	CR33-48B	EL296DF045XV36B	9032690
TPA036H4 (208/230V)	35200	15.2	13	33600	21200	8.5	CR33-48B	EL296DF070XE48B	9032691
TPA036H4 (208/230V)	35200	15	12.5	34000	21400	8.2	CR33-48B	EL296DF070XV48B	9032692
TPA036H4 (208/230V)	34000	15.2	12.7	32400	20800	8.2	CR33-48B	ML180DF070E36B	10590548
TPA036H4 (208/230V)	34800	14.5	12.5	33800	21200	8.5	CR33-48B	ML193DF045XE36B	202900710
TPA036H4 (208/230V)	34800	15	12.5	33800	21200	8.5	CR33-48B	ML193DF070XE36B	202900711
TPA036H4 (208/230V)	35400	15.1	12.5	33600	21200	8.5	CR33-48B	ML193DF090XE48C	202900712
TPA036H4 (208/230V)	35000	15	12.7	33600	21200	8.2	CR33-48B	ML196DF045XE36B	204520306
TPA036H4 (208/230V)	35200	15	12.5	33600	21200	8.5	CR33-48B	ML196DF070XE48B	204520307
TPA036H4 (208/230V)	35000	14.5	12.5	33800	21200	8.2	CR33-48B	ML296DF045XV36B	202848401
TPA036H4 (208/230V)	35200	15	12.5	34000	21400	8.2	CR33-48B	ML296DF070XV48B	202848402
TPA036H4 (208/230V)	35400	15.5	13	33600	21000	8.5	CR33-48B	SL280DF090V48B	9032693
TPA036H4 (208/230V)	35400	15.2	12.7	33800	21200	8.5	CR33-48B	SLP98DF070XV36B	9032694
TPA036H4 (208/230V)	35400	15.2	12.7	33800	21200	8.5	CR33-48B	SLP99DF070XV36B	205551985
TPA036H4 (208/230V)	34800	14.2	12	34200	21800	8.2	CR33-48B		9032695
TPA036H4 (208/230V)	35200	15	12.7	33600	21200	8.5	CR33-48C	EL196DF090XE48C	202066690
TPA036H4 (208/230V)	35000	15	12.5	33800	21400	8.5	CR33-48C	EL280DF070E36A	202900713
TPA036H4 (208/230V)	35200	15.1	12.5	33600	21200	8.5	CR33-48C	EL280DF090E48B	202900714
TPA036H4 (208/230V)	35200	15.2	12.7	33600	21200	8.5	CR33-48C	EL296DF090XE48C	9032700
TPA036H4 (208/230V)	35600	15.5	13	33800	21200	8.5	CR33-48C	EL296DF090XV60C	9032790
TPA036H4 (208/230V)	35600	15.5	13	33800	21200	8.5	CR33-48C	EL296DF110XE60C	9032701
TPA036H4 (208/230V)	35600	15.5	13	33800	21200	8.5	CR33-48C	EL296DF110XV60C	9032702
TPA036H4 (208/230V)	35200	15.7	13.2	31400	20800	8.7	CR33-48C	ML180DF110E60C	10590572
TPA036H4 (208/230V)	34800	14.5	12.5	33800	21200	8.5	CR33-48C	ML193DF045XE36B	202900715
TPA036H4 (208/230V)	34800	15	12.5	33800	21200	8.5	CR33-48C	ML193DF070XE36B	202900716
TPA036H4 (208/230V)	35400	15.1	12.5	33600	21200	8.5	CR33-48C	ML193DF090XE48C	202900717
TPA036H4 (208/230V)	35200	15	12.7	33600	21200	8.5	CR33-48C	ML196DF090XE48C	204520308
TPA036H4 (208/230V)	35400	15.5	13	33800	21200	8.5	CR33-48C	ML296DF090XV60C	202848407
TPA036H4 (208/230V)	35800	15.7	13	33600	21000	8.5	CR33-48C	SL280DF090V60C	9032703
TPA036H4 (208/230V)	35600	15.1	13	33600	21000	8.5	CR33-48C	SL280DF110V60C	9032704
TPA036H4 (208/230V)	35400	15.5	13	33600	21200	8.5	CR33-48C	SLP98DF090XV36C	9032705
TPA036H4 (208/230V)	35400	15.5	13	33600	21000	8.5	CR33-48C	SLP98DF090XV48C	9032706
TPA036H4 (208/230V)	35600	15.5	13	33800	21200	8.5	CR33-48C	SLP98DF090XV60C	9032699
TPA036H4 (208/230V)	35600	15.5	13	33800	21200	8.5	CR33-48C	SLP98DF110XV60C	9032707
TPA036H4 (208/230V)	35400	15.5	13	33600	21200	8.5	CR33-48C	SLP99DF090XV36C	205551987
TPA036H4 (208/230V)	35400	15.5	13	33600	21000	8.5	CR33-48C	SLP99DF090XV48C	205551988
TPA036H4 (208/230V)	35600	15.5	13	33800	21200	8.5	CR33-48C	SLP99DF090XV60C	205551986
TPA036H4 (208/230V)	35600	15.5	13	33800	21200	8.5	CR33-48C	SLP99DF110XV60C	205551989
TPA036H4 (208/230V)	35600	15.5	12.7	32800	20600	8.7	CR33-50/60	EL196DF090XE48C	202066676
TPA036H4 (208/230V)	35400	15	12.5	33000	20600	8.8	CR33-50/60	EL280DF070E36A	202900718
TPA036H4 (208/230V)	35400	15.1	12.5	32800	20600	8.8	CR33-50/60	EL280DF090E48B	202900719
TPA036H4 (208/230V)	35600	15.5	13.2	32800	20600	8.7	CR33-50/60	EL296DF090XE48C	9031393
TPA036H4 (208/230V)	36000	15.7	13.2	34000	21200	9	CR33-50/60	EL296DF090XV60C	9031394
TPA036H4 (208/230V)	36000	16	13.2	32800	20400	9	CR33-50/60	EL296DF110XE60C	9031395
TPA036H4 (208/230V)	36000	15.7	13.2	34000	21200	9	CR33-50/60	EL296DF110XV60C	9031396
TPA036H4 (208/230V)	34200	14.2	12	32200	21000	8.2	CR33-50/60	ML180DF110E60C	10590566
TPA036H4 (208/230V)	35200	15	12.5	32800	20600	8.8	CR33-50/60	ML193DF045XE36B	202900720
TPA036H4 (208/230V)	35400	14.5	12	33200	21000	8.8	CR33-50/60	ML193DF070XE36B	202900721
TPA036H4 (208/230V)	35600	15.5	12.5	32800	20600	9	CR33-50/60	ML193DF090XE48C	202900722
TPA036H4 (208/230V)	35600	15.5	12.7	32800	20600	8.7	CR33-50/60	ML196DF090XE48C	204520309
TPA036H4 (208/230V)	36000	15.5	12.5	34000	21200	8.8	CR33-50/60	ML296DF090XV60C	202848372
TPA036H4 (208/230V)	36000	15.1	13	34000	21200	9	CR33-50/60	SL280DF090V60C	9031397
TPA036H4 (208/230V)	36000	15.1	13	33800	21000	8.5	CR33-50/60	SL280DF110V60C	9031398

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA036H4 (208/230V)	36000	15.7	13.2	33800	21200	8.7	CR33-50/60	SLP98DF090XV36C	9031399
TPA036H4 (208/230V)	36000	15.7	13.2	33800	21200	8.7	CR33-50/60	SLP98DF090XV48C	9031400
TPA036H4 (208/230V)	36000	15.7	13.2	34000	21200	9	CR33-50/60	SLP98DF090XV60C	9031401
TPA036H4 (208/230V)	36000	15.7	13.2	34000	21200	9	CR33-50/60	SLP98DF110XV60C	9031402
TPA036H4 (208/230V)	36000	15.7	13.2	33800	21200	8.7	CR33-50/60	SLP99DF090XV36C	205551956
TPA036H4 (208/230V)	36000	15.7	13.2	33800	21200	8.7	CR33-50/60	SLP99DF090XV48C	205551957
TPA036H4 (208/230V)	36000	15.7	13.2	34000	21200	9	CR33-50/60	SLP99DF090XV60C	205551958
TPA036H4 (208/230V)	36000	15.7	13.2	34000	21200	9	CR33-50/60	SLP99DF110XV60C	205551959
TPA036H4 (208/230V)	35200	15.2	12.7	33600	21600	8.5	CR33-50/60		9031403
TPA036H4 (208/230V)	34200	15	12.5	32800	20600	8.2	CX38-38B	ML296UH045XV36B	202848433
TPA036H4 (208/230V)	34200	14.5	12.5	31800	20600	8.2	CX38-38B	ML296UH070XV36B	202848434
TPA036H4 (208/230V)	35200	15	12.7	32800	20400	8.2	CX38-43B	ML296UH045XV36B	202848435
TPA036H4 (208/230V)	34400	15	12.5	31800	20600	8.2	CX38-43B	ML296UH070XV36B	202848436
TPA042H4 (460V)	42500	15	12.5	42000	27000	8.5	CBA27UHE-048-230		10262318
TPA042H4 (460V)	42500	15	12.5	42000	27000	8.5	CBA27UHE-048-460		10262317
TPA042H4 (460V)	42500	15	12.5	42000	27400	8.5	CBA38MV-042-230		202084051
TPA042H4 (460V)	43000	15.5	12.5	42500	26200	8.2	CBA38MV-048-230		202084053
TPA042H4 (460V)	42000	14	12	42000	28400	8.2	CBX25UH-042-230		9032765
TPA042H4 (460V)	42000	15.5	13	42000	27800	8.5	CBX25UHV-042-230		9032766
TPA042H4 (460V)	42000	14.5	12.5	42000	27800	8.7	CBX32M-048		9032152
TPA042H4 (460V)	42000	15	13	42000	27400	8.5	CH23-68	EL196UH090XE48C	201993099
TPA042H4 (460V)	42000	15	13	42000	27600	8.5	CH23-68	EL196UH110XE60C	201993100
TPA042H4 (460V)	42000	15.1	12.5	41500	27600	9.2	CH23-68	EL280UH045E36A	202900849
TPA042H4 (460V)	42000	15	12.5	41500	27600	9	CH23-68	EL280UH070E36A	202900850
TPA042H4 (460V)	42000	15	12.5	41500	27600	9	CH23-68	EL280UH070XE36A	203362112
TPA042H4 (460V)	42000	15.1	12.5	41500	27600	9.2	CH23-68	EL280UH090E36B	202900851
TPA042H4 (460V)	42000	15.5	12.5	41500	27400	9.2	CH23-68	EL280UH090E48B	202900852
TPA042H4 (460V)	42000	15.5	12.5	41500	27400	9.2	CH23-68	EL280UH090XE48B	203362113
TPA042H4 (460V)	42000	15.5	12.5	41500	27400	9.4	CH23-68	EL280UH110E48C	202900853
TPA042H4 (460V)	42000	15.5	12.5	41500	27400	9.4	CH23-68	EL280UH110E60C	202900854
TPA042H4 (460V)	42000	15.5	12.5	41500	27400	9.4	CH23-68	EL280UH110XE60C	203362114
TPA042H4 (460V)	42000	15.2	13	42000	27400	9.2	CH23-68	EL296UH090XE48C	9032163
TPA042H4 (460V)	42000	15.2	13	42000	27600	9.2	CH23-68	EL296UH110XE60C	9032164
TPA042H4 (460V)	42000	15.2	13	42000	27600	9.2	CH23-68	EL296UH135XE60D	9032165
TPA042H4 (460V)	42000	15.7	13.2	42000	27400	9.5	CH23-68	EL296UH135XV60D	9032166
TPA042H4 (460V)	42000	15.7	13.2	42000	27400	9.2	CH23-68	ML180UH090E60C	10590930
TPA042H4 (460V)	42000	15.5	13.2	42000	27400	9.2	CH23-68	ML180UH110E60C	10591040
TPA042H4 (460V)	42000	15.5	13.2	42000	27400	9.2	CH23-68	ML180UH110XE60C	10591117
TPA042H4 (460V)	42000	15.7	13.2	42000	27400	9.2	CH23-68	ML180UH135E60D	10591167
TPA042H4 (460V)	42000	14.5	12.5	41500	27600	9	CH23-68	ML193UH030XE36B	202900855
TPA042H4 (460V)	42000	14.5	12.5	41500	27600	9	CH23-68	ML193UH045XE36B	202900856
TPA042H4 (460V)	42000	15	12.5	41500	27600	9	CH23-68	ML193UH070XE36B	202900857
TPA042H4 (460V)	42000	15	12.5	41000	27400	9	CH23-68	ML193UH090XE36C	202900858
TPA042H4 (460V)	42000	15.5	12.5	41500	27400	9.2	CH23-68	ML193UH090XE48C	202900859
TPA042H4 (460V)	42000	15.5	12.5	41500	27400	9.2	CH23-68	ML193UH110XE48C	202900860
TPA042H4 (460V)	42000	15.5	12.5	41500	27400	9.4	CH23-68	ML193UH110XE60C	202900861
TPA042H4 (460V)	42000	15	13	42000	27600	8.5	CH23-68	ML196UH090XE48C	204520311
TPA042H4 (460V)	42000	15	13	42000	27400	8.5	CH23-68	ML196UH110XE60C	204520310
TPA042H4 (460V)	42000	16	13	42000	27200	9.5	CH23-68	SL280UH135V60D	9032167
TPA042H4 (460V)	42000	15.7	13.2	42000	27200	9.2	CH23-68	SLP98UH135XV60D	9032168
TPA042H4 (460V)	42000	15.7	13.2	42000	27200	9.2	CH23-68	SLP99UH135XV60D	205551970
TPA042H4 (460V)	42000	14.5	12.2	42000	28000	9	CH23-68		9032169
TPA042H4 (460V)	42000	14.7	12.7	42000	27400	8.5	CH33-43B	EL296UH045XV36B	9032172
TPA042H4 (460V)	42000	14.7	12.5	42000	27400	8.5	CH33-43B	EL296UH070XV36B	9032173
TPA042H4 (460V)	42000	15.2	13	42000	27200	8.7	CH33-43B	ML180UH090E48B	10590822
TPA042H4 (460V)	42000	15.2	13	42000	27200	8.7	CH33-43B	ML180UH090XE48B	10590979

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA042H4 (460V)	42000	14.5	12.5	41000	27200	8.5	CH33-43B	ML296UH045XV36B	202848389
TPA042H4 (460V)	41500	14.5	12.2	41500	27200	8.2	CH33-43B	ML296UH070XV36B	202848390
TPA042H4 (460V)	42000	15.5	13	42000	27200	8.7	CH33-43B	SL280UH090V36B	9032174
TPA042H4 (460V)	42000	15.2	13	42000	27200	8.7	CH33-43B	SL280UH090V48B	9032175
TPA042H4 (460V)	42000	15.2	13	42000	27200	8.7	CH33-43B	SL280UH090XV48B	9032176
TPA042H4 (460V)	42000	14.7	12.5	42000	27400	8.5	CH33-43B	SLP98UH070XV36B	9032177
TPA042H4 (460V)	42000	14.5	12.2	42000	27600	8.5	CH33-43B		9032178
TPA042H4 (460V)	42000	15	12.5	42000	26800	8.2	CH33-43C	EL196UH090XE48C	201993102
TPA042H4 (460V)	42000	15	12.5	42000	27000	8.2	CH33-43C	EL196UH110XE60C	201993103
TPA042H4 (460V)	42000	15	12.7	42000	26600	8.2	CH33-43C	EL296UH090XE48C	9032184
TPA042H4 (460V)	42000	15.2	12.7	42000	26800	8.2	CH33-43C	EL296UH090XV36C	9032185
TPA042H4 (460V)	42000	15.2	12.7	42000	26800	8.2	CH33-43C	EL296UH090XV48C	9032186
TPA042H4 (460V)	42000	15.2	12.7	42000	27000	8.2	CH33-43C	EL296UH090XV60C	9032187
TPA042H4 (460V)	42000	15	12.7	42000	26800	8.2	CH33-43C	EL296UH110XE60C	9032188
TPA042H4 (460V)	42000	15.2	13	42000	26800	8.2	CH33-43C	EL296UH110XV48C	9032189
TPA042H4 (460V)	42000	15.2	13	42000	26800	8.2	CH33-43C	EL296UH110XV60C	9032190
TPA042H4 (460V)	42000	15.2	13	42000	26600	8.2	CH33-43C	ML180UH090E60C	10590931
TPA042H4 (460V)	42000	15.2	13	42000	26600	8.2	CH33-43C	ML180UH110E60C	10591041
TPA042H4 (460V)	42000	15.2	13	42000	26600	8.2	CH33-43C	ML180UH110XE60C	10591118
TPA042H4 (460V)	42000	15.2	12.7	42000	26800	8.2	CH33-43C	ML296UH090XV48C	202848391
TPA042H4 (460V)	42000	15	12.5	42000	27000	8.2	CH33-43C	ML296UH110XV60C	202849929
TPA042H4 (460V)	42000	15.5	12.5	42000	26600	8.2	CH33-43C	SL280UH080NV60C-	10590493
TPA042H4 (460V)	42000	15.5	13	42000	26800	8.5	CH33-43C	SL280UH090V60C	9032191
TPA042H4 (460V)	42000	15.5	13	42000	26800	8.5	CH33-43C	SL280UH090XV60C	9032192
TPA042H4 (460V)	42000	15.1	12.5	42000	26800	8.2	CH33-43C	SL280UH100NV60C-	10590503
TPA042H4 (460V)	42000	15.2	12.7	42000	26800	8.2	CH33-43C	SL280UH110V60C	9032193
TPA042H4 (460V)	42000	15.2	12.7	42000	26800	8.2	CH33-43C	SL280UH110XV60C	9032194
TPA042H4 (460V)	42000	15.2	12.7	42000	26800	8.2	CH33-43C	SLP98UH090XV36C	9032195
TPA042H4 (460V)	42000	15.2	12.7	42000	26800	8.2	CH33-43C	SLP98UH090XV48C	9032196
TPA042H4 (460V)	42000	15.2	12.7	42000	27000	8.2	CH33-43C	SLP98UH090XV60C	9032197
TPA042H4 (460V)	42000	15.2	13	42000	26800	8.2	CH33-43C	SLP98UH110XV60C	9032198
TPA042H4 (460V)	41500	14.2	12.2	42000	27200	8.2	CH33-44/48	EL296UH045XV36B	9032201
TPA042H4 (460V)	41500	14.2	12.2	42000	27200	8.2	CH33-44/48	EL296UH070XV36B	9032202
TPA042H4 (460V)	42000	14.7	12.5	42000	27000	8.5	CH33-44/48	ML180UH090E48B	10590823
TPA042H4 (460V)	41000	14.2	12.2	41000	27200	8.2	CH33-44/48	ML296UH045XV36B	202848392
TPA042H4 (460V)	40500	14.2	12.2	41500	27000	8.2	CH33-44/48	ML296UH070XV36B	202848393
TPA042H4 (460V)	42000	14.7	12.7	42000	27000	8.5	CH33-44/48	SL280UH090V36B	9032203
TPA042H4 (460V)	42000	14.7	12.5	42000	27000	8.5	CH33-44/48	SL280UH090V48B	9032204
TPA042H4 (460V)	42000	14.7	12.5	42000	27000	8.5	CH33-44/48	SL280UH090XV48B	9032205
TPA042H4 (460V)	41500	14.2	12.2	42000	27200	8.2	CH33-44/48	SLP98UH070XV36B	9032206
TPA042H4 (460V)	41500	14	11.7	42000	27600	8.2	CH33-44/48		9032207
TPA042H4 (460V)	42000	14.5	12.5	41500	26600	8.2	CH33-48C	EL196UH090XE48C	201993104
TPA042H4 (460V)	42000	14.5	12.5	42000	26800	8.2	CH33-48C	EL196UH110XE60C	201993105
TPA042H4 (460V)	42000	14.7	12.5	41500	26600	8.2	CH33-48C	EL296UH090XE48C	9032213
TPA042H4 (460V)	42000	14.7	12.5	42000	26800	8.2	CH33-48C	EL296UH090XV36C	9032214
TPA042H4 (460V)	42000	15	12.7	42000	26800	8.2	CH33-48C	EL296UH090XV48C	9032215
TPA042H4 (460V)	42000	14.7	12.5	42000	27000	8.2	CH33-48C	EL296UH090XV60C	9032216
TPA042H4 (460V)	42000	14.7	12.5	42000	26800	8.2	CH33-48C	EL296UH110XE60C	9032217
TPA042H4 (460V)	42000	15	12.7	42000	26800	8.2	CH33-48C	EL296UH110XV48C	9032218
TPA042H4 (460V)	42000	15	12.7	42000	26800	8.2	CH33-48C	EL296UH110XV60C	9032219
TPA042H4 (460V)	42000	15	12.7	42000	26600	8.2	CH33-48C	ML180UH090E60C	10590932
TPA042H4 (460V)	42000	15	12.7	42000	26600	8.2	CH33-48C	ML180UH110E60C	10591042
TPA042H4 (460V)	42000	15	12.7	42000	26600	8.2	CH33-48C	ML180UH110XE60C	10591119
TPA042H4 (460V)	42000	15	12.7	42000	26800	8.2	CH33-48C	ML296UH090XV48C	202848394
TPA042H4 (460V)	42000	14.5	12.5	42000	27000	8.2	CH33-48C	ML296UH110XV60C	202849930
TPA042H4 (460V)	42000	15.5	12.5	42000	26600	8.2	CH33-48C	SL280UH080NV60C-	10590494

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA042H4 (460V)	42000	15.2	12.7	42000	26800	8.2	CH33-48C	SL280UH090V60C	9032220
TPA042H4 (460V)	42000	15.2	12.7	42000	26800	8.2	CH33-48C	SL280UH090XV60C	9032221
TPA042H4 (460V)	42000	15	12.5	42000	26800	8.2	CH33-48C	SL280UH100NV60C-	10590504
TPA042H4 (460V)	42000	15	12.7	42000	26800	8.2	CH33-48C	SL280UH110V60C	9032222
TPA042H4 (460V)	42000	15	12.7	42000	26800	8.2	CH33-48C	SL280UH110XV60C	9032223
TPA042H4 (460V)	42000	14.7	12.5	42000	26800	8.2	CH33-48C	SLP98UH090XV36C	9032224
TPA042H4 (460V)	42000	15	12.7	42000	26800	8.2	CH33-48C	SLP98UH090XV48C	9032225
TPA042H4 (460V)	42000	14.7	12.5	42000	27000	8.2	CH33-48C	SLP98UH090XV60C	9032226
TPA042H4 (460V)	42000	15	12.7	42000	26800	8.2	CH33-48C	SLP98UH110XV60C	9032227
TPA042H4 (460V)	42000	15	12.5	42000	26800	8.5	CH33-49	EL196UH090XE48C	201993150
TPA042H4 (460V)	42000	15	12.5	42000	27000	8.5	CH33-49	EL196UH110XE60C	201993151
TPA042H4 (460V)	42000	15	12.7	42000	26800	8.5	CH33-49	EL296UH090XE48C	9032772
TPA042H4 (460V)	42000	15.2	13	42000	27000	8.7	CH33-49	EL296UH090XV36C	9032773
TPA042H4 (460V)	42000	15.2	13	42000	26800	8.7	CH33-49	EL296UH090XV48C	9032774
TPA042H4 (460V)	42000	15.2	13	42000	27000	8.7	CH33-49	EL296UH090XV60C	9032775
TPA042H4 (460V)	42000	15.2	12.7	42000	27000	8.7	CH33-49	EL296UH110XE60C	9032776
TPA042H4 (460V)	42000	15.2	13	42000	26800	8.7	CH33-49	EL296UH110XV48C	9032777
TPA042H4 (460V)	42000	15.2	13	42000	26800	8.7	CH33-49	EL296UH110XV60C	9032778
TPA042H4 (460V)	42000	15.2	13	42000	26800	8.7	CH33-49	ML180UH090E60C	10590949
TPA042H4 (460V)	42000	15.2	13	42000	26800	8.7	CH33-49	ML180UH110E60C	10591059
TPA042H4 (460V)	42000	15.2	13	42000	26800	8.7	CH33-49	ML180UH110XE60C	10591136
TPA042H4 (460V)	42000	15.2	13	42000	26800	8.7	CH33-49	ML296UH090XV48C	202848406
TPA042H4 (460V)	42000	15	12.5	41500	27000	8.5	CH33-49	ML296UH110XV60C	202849931
TPA042H4 (460V)	42000	15.5	12.5	42000	26800	9	CH33-49	SL280UH080NV60C-	10590495
TPA042H4 (460V)	42000	15.5	13.2	42000	27000	8.7	CH33-49	SL280UH090V60C	9032779
TPA042H4 (460V)	42000	15.5	13.2	42000	27000	8.7	CH33-49	SL280UH090XV60C	9032780
TPA042H4 (460V)	42000	15.1	12.5	42000	27000	8.8	CH33-49	SL280UH100NV60C-	10590505
TPA042H4 (460V)	42000	15.2	13	42000	27000	8.7	CH33-49	SL280UH110V60C	9032781
TPA042H4 (460V)	42000	15.2	13	42000	27000	8.7	CH33-49	SL280UH110XV60C	9032782
TPA042H4 (460V)	42000	15.2	13	42000	27000	8.7	CH33-49	SLP98UH090XV36C	9032783
TPA042H4 (460V)	42000	15.2	13	42000	26800	8.7	CH33-49	SLP98UH090XV48C	9032784
TPA042H4 (460V)	42000	15.2	13	42000	27000	8.7	CH33-49	SLP98UH090XV60C	9032785
TPA042H4 (460V)	42000	15.2	13	42000	26800	8.7	CH33-49	SLP98UH110XV60C	9032786
TPA042H4 (460V)	42000	14.2	12.2	42000	27400	8.5	CH33-49		9032787
TPA042H4 (460V)	42000	15	12.5	41500	26800	8.5	CH33-50/60C	EL196UH090XE48C	201993106
TPA042H4 (460V)	42000	15	12.5	42000	27000	8.5	CH33-50/60C	EL196UH110XE60C	201993107
TPA042H4 (460V)	42000	15	12.7	41500	26800	8.5	CH33-50/60C	EL296UH090XE48C	9032233
TPA042H4 (460V)	42000	15.2	12.7	42000	27200	8.5	CH33-50/60C	EL296UH090XV36C	9032234
TPA042H4 (460V)	42000	15.2	13	42000	27200	8.5	CH33-50/60C	EL296UH090XV48C	9032235
TPA042H4 (460V)	42000	15.2	12.7	42000	27400	8.5	CH33-50/60C	EL296UH090XV60C	9032236
TPA042H4 (460V)	42000	15	12.7	42000	27000	8.5	CH33-50/60C	EL296UH110XE60C	9032237
TPA042H4 (460V)	42000	15.2	13	42000	27200	8.5	CH33-50/60C	EL296UH110XV48C	9032238
TPA042H4 (460V)	42000	15.2	13	42000	27200	8.5	CH33-50/60C	EL296UH110XV60C	9032239
TPA042H4 (460V)	42000	15.2	12.7	42000	26800	8.7	CH33-50/60C	ML180UH090E60C	10590933
TPA042H4 (460V)	42000	15.2	13	41500	26600	8.5	CH33-50/60C	ML180UH110E60C	10591043
TPA042H4 (460V)	42000	15.2	13	41500	26600	8.5	CH33-50/60C	ML180UH110XE60C	10591120
TPA042H4 (460V)	42000	15.2	13	42000	27200	8.5	CH33-50/60C	ML296UH090XV48C	202848395
TPA042H4 (460V)	42000	15	12.5	42000	27400	8.5	CH33-50/60C	ML296UH110XV60C	202849932
TPA042H4 (460V)	42000	15.5	12.5	42000	27000	8.8	CH33-50/60C	SL280UH080NV60C-	10590496
TPA042H4 (460V)	42000	15.5	13	42000	27200	8.7	CH33-50/60C	SL280UH090V60C	9032240
TPA042H4 (460V)	42000	15.5	13	42000	27200	8.7	CH33-50/60C	SL280UH090XV60C	9032241
TPA042H4 (460V)	42000	15.1	12.5	42000	27200	8.5	CH33-50/60C	SL280UH100NV60C-	10590506
TPA042H4 (460V)	42000	15.2	13	42000	27200	8.5	CH33-50/60C	SL280UH110V60C	9032242
TPA042H4 (460V)	42000	15.2	13	42000	27200	8.5	CH33-50/60C	SL280UH110XV60C	9032243
TPA042H4 (460V)	42000	15.2	12.7	42000	27200	8.5	CH33-50/60C	SLP98UH090XV36C	9032244
TPA042H4 (460V)	42000	15.2	13	42000	27200	8.5	CH33-50/60C	SLP98UH090XV48C	9032245

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA042H4 (460V)	42000	15.2	12.7	42000	27400	8.5	CH33-50/60C	SLP98UH090XV60C	9032246
TPA042H4 (460V)	42000	15.2	13	42000	27200	8.5	CH33-50/60C	SLP98UH110XV60C	9032247
TPA042H4 (460V)	42000	14.2	12.2	42000	27800	8.2	CH33-50/60C		9032248
TPA042H4 (460V)	42000	15.2	13	42000	27000	8.5	CH33-60D	EL296UH135XE60D	9032251
TPA042H4 (460V)	42000	15.7	13.2	42000	27000	8.7	CH33-60D	EL296UH135XV60D	9032252
TPA042H4 (460V)	42000	15.7	13.2	42000	26800	8.5	CH33-60D	ML180UH135E60D	10591168
TPA042H4 (460V)	42000	16	13	42000	26800	8.5	CH33-60D	SL280UH135V60D	9032253
TPA042H4 (460V)	42000	15.5	13.2	41500	26400	8.7	CH33-60D	SLP98UH135XV60D	9032254
TPA042H4 (460V)	42000	14.5	12.2	42000	27600	8.2	CH33-60D		9032255
TPA042H4 (460V)	42000	14.7	12.7	41500	26600	8.7	CH33-62D	EL296UH135XE60D	9032258
TPA042H4 (460V)	42000	15.5	13	42000	26800	8.7	CH33-62D	EL296UH135XV60D	9032259
TPA042H4 (460V)	42000	15	12.7	42000	26600	8.7	CH33-62D	ML180UH135E60D	10591169
TPA042H4 (460V)	42000	15.7	13.2	41500	26600	8.7	CH33-62D	SL280UH135V60D	9032260
TPA042H4 (460V)	42000	15.7	13.2	41500	26400	8.7	CH33-62D	SLP98UH135XV60D	9032261
TPA042H4 (460V)	42000	14.2	12.2	42000	27400	8.2	CH33-62D		9032262
TPA042H4 (460V)	42000	15	12.7	42000	27200	8.7	CR33-50/60	EL196DF090XE48C	202066682
TPA042H4 (460V)	42000	14.5	12.5	42000	27200	8.5	CR33-50/60	EL280DF070E36A	202900862
TPA042H4 (460V)	42000	15	12.5	42000	27200	8.8	CR33-50/60	EL280DF090E48B	202900863
TPA042H4 (460V)	42000	15.2	13	42000	27000	8.7	CR33-50/60	EL296DF090XE48C	9032266
TPA042H4 (460V)	42000	15.2	13	42000	27200	9	CR33-50/60	EL296DF090XV60C	9032267
TPA042H4 (460V)	42000	15.2	13	42000	27200	9	CR33-50/60	EL296DF110XE60C	9032268
TPA042H4 (460V)	42000	15.5	13.2	42000	27200	9	CR33-50/60	EL296DF110XV60C	9032269
TPA042H4 (460V)	42000	15.5	13.2	42000	27000	9	CR33-50/60	ML180DF110E60C	10590569
TPA042H4 (460V)	42000	14.5	12.2	42000	27200	8.5	CR33-50/60	ML193DF045XE36B	202900864
TPA042H4 (460V)	42000	14.5	12	42000	27200	8.5	CR33-50/60	ML193DF070XE36B	202900865
TPA042H4 (460V)	42000	15.1	12.5	42000	27000	8.8	CR33-50/60	ML193DF090XE48C	202900866
TPA042H4 (460V)	42000	15	12.7	42000	27200	8.7	CR33-50/60	ML196DF090XE48C	204520312
TPA042H4 (460V)	42000	15.2	13	42000	27200	9	CR33-50/60	ML296DF090XV60C	202848396
TPA042H4 (460V)	42000	15.7	13.2	42000	27000	9	CR33-50/60	SL280DF090V60C	9032270
TPA042H4 (460V)	42000	15.7	13.2	42000	27000	9	CR33-50/60	SL280DF110V60C	9032271
TPA042H4 (460V)	42000	15.2	13	42000	27200	9	CR33-50/60	SLP98DF090XV36C	9032272
TPA042H4 (460V)	42000	15.2	13	42000	27200	9	CR33-50/60	SLP98DF090XV48C	9032273
TPA042H4 (460V)	42000	15.2	13	42000	27200	9	CR33-50/60	SLP98DF090XV60C	9032274
TPA042H4 (460V)	42000	15.5	13.2	42000	27200	9	CR33-50/60	SLP98DF110XV60C	9032275
TPA042H4 (460V)	42000	15.2	13	42000	27200	9	CR33-50/60	SLP99DF090XV36C	205551971
TPA042H4 (460V)	42000	15.2	13	42000	27200	9	CR33-50/60	SLP99DF090XV48C	205551972
TPA042H4 (460V)	42000	15.2	13	42000	27200	9	CR33-50/60	SLP99DF090XV60C	205551974
TPA042H4 (460V)	42000	15.5	13.2	42000	27200	9	CR33-50/60	SLP99DF110XV60C	205551975
TPA042H4 (460V)	42000	14.2	12.2	42000	27800	8.7	CR33-50/60		9032276
TPA042H4 (460V)	42000	14.2	12.2	42000	27800	8.7	CR33-60		9032277
TPA042H4 (208/230V)	42500	15	12.5	42000	27000	8.5	CBA27UHE-048-230		10262328
TPA042H4 (208/230V)	42500	15	12.5	42000	27000	8.5	CBA27UHE-048-460		205282543
TPA042H4 (208/230V)	42500	15	12.5	42000	27400	8.5	CBA38MV-042-230		202084050
TPA042H4 (208/230V)	43000	15.5	12.5	42500	26200	8.2	CBA38MV-048-230		202084052
TPA042H4 (208/230V)	42000	14	12	42000	28400	8.2	CBX25UH-042-230		9032738
TPA042H4 (208/230V)	42000	15.5	13	42000	27800	8.5	CBX25UHV-042-230		9032739
TPA042H4 (208/230V)	42000	14.5	12.5	42000	27800	8.7	CBX32M-048		9031916
TPA042H4 (208/230V)	42000	15	13	42000	27400	9	CH23-68	EL196UH090XE48C	201993078
TPA042H4 (208/230V)	42000	15	13	42000	27600	9	CH23-68	EL196UH110XE60C	201993079
TPA042H4 (208/230V)	42000	15.1	12.5	41500	27600	9.2	CH23-68	EL280UH045E36A	202900971
TPA042H4 (208/230V)	42000	15	12.5	41500	27600	9	CH23-68	EL280UH070E36A	202900972
TPA042H4 (208/230V)	42000	15	12.5	41500	27600	9	CH23-68	EL280UH070XE36A	203362139
TPA042H4 (208/230V)	42000	15.1	12.5	41500	27600	9.2	CH23-68	EL280UH090E36B	202900973
TPA042H4 (208/230V)	42000	15.5	12.5	41500	27400	9.2	CH23-68	EL280UH090E48B	202900974
TPA042H4 (208/230V)	42000	15.5	12.5	41500	27400	9.2	CH23-68	EL280UH090XE48B	203362140
TPA042H4 (208/230V)	42000	15.5	12.5	41500	27400	9.4	CH23-68	EL280UH110E48C	202900975

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA042H4 (208/230V)	42000	15.5	12.5	41500	27400	9.4	CH23-68	EL280UH110E60C	202900976
TPA042H4 (208/230V)	42000	15.5	12.5	41500	27400	9.4	CH23-68	EL280UH110XE60C	203362141
TPA042H4 (208/230V)	42000	15.2	13	42000	27400	9.2	CH23-68	EL296UH090XE48C	9031927
TPA042H4 (208/230V)	42000	15.2	13	42000	27600	9.2	CH23-68	EL296UH110XE60C	9031928
TPA042H4 (208/230V)	42000	15.2	13	42000	27600	9.2	CH23-68	EL296UH135XE60D	9031929
TPA042H4 (208/230V)	42000	15.7	13.2	42000	27400	9.5	CH23-68	EL296UH135XV60D	9031930
TPA042H4 (208/230V)	42000	15.7	13.2	42000	27400	9.2	CH23-68	ML180UH090E60C	10590922
TPA042H4 (208/230V)	42000	15.5	13.2	42000	27400	9.2	CH23-68	ML180UH110E60C	10591032
TPA042H4 (208/230V)	42000	15.5	13.2	42000	27400	9.2	CH23-68	ML180UH110XE60C	10591109
TPA042H4 (208/230V)	42000	15.7	13.2	42000	27400	9.2	CH23-68	ML180UH135E60D	10591160
TPA042H4 (208/230V)	42000	14.5	12.5	41500	27600	9	CH23-68	ML193UH030XE36B	202900977
TPA042H4 (208/230V)	42000	14.5	12.5	41500	27600	9	CH23-68	ML193UH045XE36B	202900978
TPA042H4 (208/230V)	42000	15	12.5	41500	27600	9	CH23-68	ML193UH070XE36B	202900979
TPA042H4 (208/230V)	42000	15	12.5	41000	27400	9	CH23-68	ML193UH090XE36C	202900980
TPA042H4 (208/230V)	42000	15.5	12.5	41500	27400	9.2	CH23-68	ML193UH090XE48C	202900981
TPA042H4 (208/230V)	42000	15.5	12.5	41500	27400	9.2	CH23-68	ML193UH110XE48C	202900982
TPA042H4 (208/230V)	42000	15.5	12.5	41500	27400	9.4	CH23-68	ML193UH110XE60C	202900983
TPA042H4 (208/230V)	42000	15	13	42000	27600	9	CH23-68	ML196UH090XE48C	204520314
TPA042H4 (208/230V)	42000	15	13	42000	27400	9	CH23-68	ML196UH110XE60C	204520313
TPA042H4 (208/230V)	42000	16	13	42000	27200	9.5	CH23-68	SL280UH135V60D	9031931
TPA042H4 (208/230V)	42000	15.7	13.2	42000	27200	9.2	CH23-68	SLP98UH135XV60D	9031932
TPA042H4 (208/230V)	42000	15.7	13.2	42000	27200	9.2	CH23-68	SLP99UH135XV60D	205551965
TPA042H4 (208/230V)	42000	14.5	12.2	42000	28000	9	CH23-68		9031933
TPA042H4 (208/230V)	42000	14.7	12.7	42000	27400	8.5	CH33-43B	EL296UH045XV36B	9031936
TPA042H4 (208/230V)	42000	14.7	12.5	42000	27400	8.5	CH33-43B	EL296UH070XV36B	9031937
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	8.7	CH33-43B	ML180UH090E48B	10590820
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	8.7	CH33-43B	ML180UH090XE48B	10590978
TPA042H4 (208/230V)	42000	14.5	12.5	41000	27200	8.5	CH33-43B	ML296UH045XV36B	202848381
TPA042H4 (208/230V)	41500	14.5	12.2	41500	27200	8.2	CH33-43B	ML296UH070XV36B	202848382
TPA042H4 (208/230V)	42000	15.5	13	42000	27200	8.7	CH33-43B	SL280UH090V36B	9031938
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	8.7	CH33-43B	SL280UH090V48B	9031939
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	8.7	CH33-43B	SL280UH090XV48B	9031940
TPA042H4 (208/230V)	42000	14.7	12.5	42000	27400	8.5	CH33-43B	SLP98UH070XV36B	9031941
TPA042H4 (208/230V)	42000	14.5	12.2	42000	27600	8.5	CH33-43B		9031942
TPA042H4 (208/230V)	42000	15	12.5	42000	26800	8.2	CH33-43C	EL196UH090XE48C	201993081
TPA042H4 (208/230V)	42000	15	12.5	42000	27000	8.2	CH33-43C	EL196UH110XE60C	201993082
TPA042H4 (208/230V)	42000	15	12.7	42000	26600	8.2	CH33-43C	EL296UH090XE48C	9031948
TPA042H4 (208/230V)	42000	15.2	12.7	42000	26800	8.2	CH33-43C	EL296UH090XV36C	9031949
TPA042H4 (208/230V)	42000	15.2	12.7	42000	26800	8.2	CH33-43C	EL296UH090XV48C	9031950
TPA042H4 (208/230V)	42000	15.2	12.7	42000	27000	8.2	CH33-43C	EL296UH090XV60C	9031951
TPA042H4 (208/230V)	42000	15	12.7	42000	26800	8.2	CH33-43C	EL296UH110XE60C	9031952
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	8.2	CH33-43C	EL296UH110XV48C	9031953
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	8.2	CH33-43C	EL296UH110XV60C	9031954
TPA042H4 (208/230V)	42000	15.2	13	42000	26600	8.2	CH33-43C	ML180UH090E60C	10590923
TPA042H4 (208/230V)	42000	15.2	13	42000	26600	8.2	CH33-43C	ML180UH110E60C	10591033
TPA042H4 (208/230V)	42000	15.2	13	42000	26600	8.2	CH33-43C	ML180UH110XE60C	10591110
TPA042H4 (208/230V)	42000	15.2	12.7	42000	26800	8.2	CH33-43C	ML296UH090XV48C	202848383
TPA042H4 (208/230V)	42000	15	12.5	42000	27000	8.2	CH33-43C	ML296UH110XV60C	202849924
TPA042H4 (208/230V)	42000	15.5	12.5	42000	26600	8.2	CH33-43C	SL280UH080NV60C-	10590497
TPA042H4 (208/230V)	42000	15.5	13	42000	26800	8.5	CH33-43C	SL280UH090V60C	9031955
TPA042H4 (208/230V)	42000	15.5	13	42000	26800	8.5	CH33-43C	SL280UH090XV60C	9031956
TPA042H4 (208/230V)	42000	15.1	12.5	42000	26800	8.2	CH33-43C	SL280UH100NV60C-	10590507
TPA042H4 (208/230V)	42000	15.2	12.7	42000	26800	8.2	CH33-43C	SL280UH110V60C	9031957
TPA042H4 (208/230V)	42000	15.2	12.7	42000	26800	8.2	CH33-43C	SL280UH110XV60C	9031958
TPA042H4 (208/230V)	42000	15.2	12.7	42000	26800	8.2	CH33-43C	SLP98UH090XV36C	9031959
TPA042H4 (208/230V)	42000	15.2	12.7	42000	26800	8.2	CH33-43C	SLP98UH090XV48C	9031960

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA042H4 (208/230V)	42000	15.2	12.7	42000	27000	8.2	CH33-43C	SLP98UH090XV60C	9031961
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	8.2	CH33-43C	SLP98UH110XV60C	9031962
TPA042H4 (208/230V)	41500	14.2	12.2	42000	27200	8.2	CH33-44/48	EL296UH045XV36B	9031965
TPA042H4 (208/230V)	41500	14.2	12.2	42000	27200	8.2	CH33-44/48	EL296UH070XV36B	9031966
TPA042H4 (208/230V)	42000	14.7	12.5	42000	27000	8.5	CH33-44/48	ML180UH090E48B	10590821
TPA042H4 (208/230V)	41000	14.2	12.2	41000	27200	8.2	CH33-44/48	ML296UH045XV36B	202848384
TPA042H4 (208/230V)	40500	14.2	12.2	41500	27000	8.2	CH33-44/48	ML296UH070XV36B	202848385
TPA042H4 (208/230V)	42000	14.7	12.7	42000	27000	8.5	CH33-44/48	SL280UH090V36B	9031967
TPA042H4 (208/230V)	42000	14.7	12.5	42000	27000	8.5	CH33-44/48	SL280UH090V48B	9031968
TPA042H4 (208/230V)	42000	14.7	12.5	42000	27000	8.5	CH33-44/48	SL280UH090XV48B	9031969
TPA042H4 (208/230V)	41500	14.2	12.2	42000	27200	8.2	CH33-44/48	SLP98UH070XV36B	9031970
TPA042H4 (208/230V)	41500	14	11.7	42000	27600	8.2	CH33-44/48		9031971
TPA042H4 (208/230V)	42000	14.5	12.5	41500	26800	8.2	CH33-48C	EL196UH090XE48C	201993083
TPA042H4 (208/230V)	42000	14.5	12.5	42000	27000	8.2	CH33-48C	EL196UH110XE60C	201993084
TPA042H4 (208/230V)	42000	14.7	12.5	41500	26600	8.2	CH33-48C	EL296UH090XE48C	9031977
TPA042H4 (208/230V)	42000	14.7	12.5	42000	26800	8.2	CH33-48C	EL296UH090XV36C	9031978
TPA042H4 (208/230V)	42000	15	12.7	42000	26800	8.2	CH33-48C	EL296UH090XV48C	9031979
TPA042H4 (208/230V)	42000	14.7	12.5	42000	27000	8.2	CH33-48C	EL296UH090XV60C	9031980
TPA042H4 (208/230V)	42000	14.7	12.5	42000	26800	8.2	CH33-48C	EL296UH110XE60C	9031981
TPA042H4 (208/230V)	42000	15	12.7	42000	26800	8.2	CH33-48C	EL296UH110XV48C	9031982
TPA042H4 (208/230V)	42000	15	12.7	42000	26800	8.2	CH33-48C	EL296UH110XV60C	9031983
TPA042H4 (208/230V)	42000	15	12.7	42000	26600	8.2	CH33-48C	ML180UH090E60C	10590924
TPA042H4 (208/230V)	42000	15	12.7	42000	26600	8.2	CH33-48C	ML180UH110E60C	10591034
TPA042H4 (208/230V)	42000	15	12.7	42000	26600	8.2	CH33-48C	ML180UH110XE60C	10591111
TPA042H4 (208/230V)	42000	15	12.7	42000	26800	8.2	CH33-48C	ML296UH090XV48C	202848386
TPA042H4 (208/230V)	42000	14.5	12.5	42000	27000	8.2	CH33-48C	ML296UH110XV60C	202849925
TPA042H4 (208/230V)	42000	15.5	12.5	42000	26600	8.2	CH33-48C	SL280UH080NV60C-	10590498
TPA042H4 (208/230V)	42000	15.2	12.7	42000	26800	8.2	CH33-48C	SL280UH090V60C	9031984
TPA042H4 (208/230V)	42000	15.2	12.7	42000	26800	8.2	CH33-48C	SL280UH090XV60C	9031985
TPA042H4 (208/230V)	42000	15	12.5	42000	26800	8.2	CH33-48C	SL280UH100NV60C-	10590508
TPA042H4 (208/230V)	42000	15	12.7	42000	26800	8.2	CH33-48C	SL280UH110V60C	9031986
TPA042H4 (208/230V)	42000	15	12.7	42000	26800	8.2	CH33-48C	SL280UH110XV60C	9031987
TPA042H4 (208/230V)	42000	14.7	12.5	42000	26800	8.2	CH33-48C	SLP98UH090XV36C	9031988
TPA042H4 (208/230V)	42000	15	12.7	42000	26800	8.2	CH33-48C	SLP98UH090XV48C	9031989
TPA042H4 (208/230V)	42000	14.7	12.5	42000	27000	8.2	CH33-48C	SLP98UH090XV60C	9031990
TPA042H4 (208/230V)	42000	15	12.7	42000	26800	8.2	CH33-48C	SLP98UH110XV60C	9031991
TPA042H4 (208/230V)	42000	15	12.5	42000	26800	8.5	CH33-49	EL196UH090XE48C	201993148
TPA042H4 (208/230V)	42000	15	12.5	42000	27000	8.5	CH33-49	EL196UH110XE60C	201993149
TPA042H4 (208/230V)	42000	15	12.7	42000	26800	8.5	CH33-49	EL296UH090XE48C	9032749
TPA042H4 (208/230V)	42000	15.2	13	42000	27000	8.7	CH33-49	EL296UH090XV36C	9032750
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	8.7	CH33-49	EL296UH090XV48C	9032751
TPA042H4 (208/230V)	42000	15.2	13	42000	27000	8.7	CH33-49	EL296UH090XV60C	9032752
TPA042H4 (208/230V)	42000	15.2	12.7	42000	27000	8.7	CH33-49	EL296UH110XE60C	9032753
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	8.7	CH33-49	EL296UH110XV48C	9032754
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	8.7	CH33-49	EL296UH110XV60C	9032755
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	8.7	CH33-49	ML180UH090E60C	10590948
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	8.7	CH33-49	ML180UH110E60C	10591058
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	8.7	CH33-49	ML180UH110XE60C	10591135
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	8.7	CH33-49	ML296UH090XV48C	202848405
TPA042H4 (208/230V)	42000	15	12.5	41500	27000	8.5	CH33-49	ML296UH110XV60C	202849926
TPA042H4 (208/230V)	42000	15.5	12.5	42000	26800	9	CH33-49	SL280UH080NV60C-	10590499
TPA042H4 (208/230V)	42000	15.5	13.2	42000	27000	8.7	CH33-49	SL280UH090V60C	9032756
TPA042H4 (208/230V)	42000	15.5	13.2	42000	27000	8.7	CH33-49	SL280UH090XV60C	9032757
TPA042H4 (208/230V)	42000	15.1	12.5	42000	27000	8.8	CH33-49	SL280UH100NV60C-	10590509
TPA042H4 (208/230V)	42000	15.2	13	42000	27000	8.7	CH33-49	SL280UH110V60C	9032758
TPA042H4 (208/230V)	42000	15.2	13	42000	27000	8.7	CH33-49	SL280UH110XV60C	9032759

AHRI SYSTEM MATCHESNOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA042H4 (208/230V)	42000	15.2	13	42000	27000	8.7	CH33-49	SLP98UH090XV36C	9032760
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	8.7	CH33-49	SLP98UH090XV48C	9032761
TPA042H4 (208/230V)	42000	15.2	13	42000	27000	8.7	CH33-49	SLP98UH090XV60C	9032762
TPA042H4 (208/230V)	42000	15.2	13	42000	26800	8.7	CH33-49	SLP98UH110XV60C	9032763
TPA042H4 (208/230V)	42000	14.2	12.2	42000	27400	8.5	CH33-49		9032764
TPA042H4 (208/230V)	42000	15	12.5	41500	26800	8.5	CH33-50/60C	EL196UH090XE48C	201993085
TPA042H4 (208/230V)	42000	15	12.5	42000	27000	8.5	CH33-50/60C	EL196UH110XE60C	201993086
TPA042H4 (208/230V)	42000	15	12.7	41500	26800	8.5	CH33-50/60C	EL296UH090XE48C	9031997
TPA042H4 (208/230V)	42000	15.2	12.7	42000	27200	8.5	CH33-50/60C	EL296UH090XV36C	9031998
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	8.5	CH33-50/60C	EL296UH090XV48C	9031999
TPA042H4 (208/230V)	42000	15.2	12.7	42000	27400	8.5	CH33-50/60C	EL296UH090XV60C	9032000
TPA042H4 (208/230V)	42000	15	12.7	42000	27000	8.5	CH33-50/60C	EL296UH110XE60C	9032001
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	8.5	CH33-50/60C	EL296UH110XV48C	9032002
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	8.5	CH33-50/60C	EL296UH110XV60C	9032003
TPA042H4 (208/230V)	42000	15.2	12.7	42000	26800	8.7	CH33-50/60C	ML180UH090E60C	10590925
TPA042H4 (208/230V)	42000	15.2	13	41500	26600	8.5	CH33-50/60C	ML180UH110E60C	10591035
TPA042H4 (208/230V)	42000	15.2	13	41500	26600	8.5	CH33-50/60C	ML180UH110XE60C	10591112
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	8.5	CH33-50/60C	ML296UH090XV48C	202848387
TPA042H4 (208/230V)	42000	15	12.5	42000	27400	8.5	CH33-50/60C	ML296UH110XV60C	202849927
TPA042H4 (208/230V)	42000	15.5	12.5	42000	27000	8.8	CH33-50/60C	SL280UH080NV60C-	10590500
TPA042H4 (208/230V)	42000	15.5	13	42000	27200	8.7	CH33-50/60C	SL280UH090V60C	9032004
TPA042H4 (208/230V)	42000	15.5	13	42000	27200	8.7	CH33-50/60C	SL280UH090XV60C	9032005
TPA042H4 (208/230V)	42000	15.1	12.5	42000	27200	8.5	CH33-50/60C	SL280UH100NV60C-	10590510
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	8.5	CH33-50/60C	SL280UH110V60C	9032006
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	8.5	CH33-50/60C	SL280UH110XV60C	9032007
TPA042H4 (208/230V)	42000	15.2	12.7	42000	27200	8.5	CH33-50/60C	SLP98UH090XV36C	9032008
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	8.5	CH33-50/60C	SLP98UH090XV48C	9032009
TPA042H4 (208/230V)	42000	15.2	12.7	42000	27400	8.5	CH33-50/60C	SLP98UH090XV60C	9032010
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	8.5	CH33-50/60C	SLP98UH110XV60C	9032011
TPA042H4 (208/230V)	42000	14.2	12.2	42000	27800	8.2	CH33-50/60C		9032012
TPA042H4 (208/230V)	42000	15.2	13	42000	27000	8.5	CH33-60D	EL296UH135XE60D	9032015
TPA042H4 (208/230V)	42000	15.7	13.2	42000	27000	8.7	CH33-60D	EL296UH135XV60D	9032016
TPA042H4 (208/230V)	42000	15.7	13.2	42000	26800	8.5	CH33-60D	ML180UH135E60D	10591161
TPA042H4 (208/230V)	42000	16	13	42000	26800	8.5	CH33-60D	SL280UH135V60D	9032017
TPA042H4 (208/230V)	42000	15.5	13.2	41500	26400	8.7	CH33-60D	SLP98UH135XV60D	9032018
TPA042H4 (208/230V)	42000	14.5	12.2	42000	27600	8.2	CH33-60D		9032019
TPA042H4 (208/230V)	42000	14.7	12.7	41500	26600	8.7	CH33-62D	EL296UH135XE60D	9032022
TPA042H4 (208/230V)	42000	15.5	13	42000	26800	8.7	CH33-62D	EL296UH135XV60D	9032023
TPA042H4 (208/230V)	42000	15	12.7	42000	26600	8.7	CH33-62D	ML180UH135E60D	10591162
TPA042H4 (208/230V)	42000	15.7	13.2	41500	26600	8.7	CH33-62D	SL280UH135V60D	9032024
TPA042H4 (208/230V)	42000	15.7	13.2	41500	26400	8.7	CH33-62D	SLP98UH135XV60D	9032025
TPA042H4 (208/230V)	42000	14.2	12.2	42000	27400	8.2	CH33-62D		9032026
TPA042H4 (208/230V)	42000	15	12.7	42000	27200	8.7	CR33-50/60	EL196DF090XE48C	202066680
TPA042H4 (208/230V)	42000	14.5	12.5	42000	27200	8.5	CR33-50/60	EL280DF070E36A	202900984
TPA042H4 (208/230V)	42000	15	12.5	42000	27200	8.8	CR33-50/60	EL280DF090E48B	202900985
TPA042H4 (208/230V)	42000	15.2	13	42000	27000	8.7	CR33-50/60	EL296DF090XE48C	9032030
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	9	CR33-50/60	EL296DF090XV60C	9032031
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	9	CR33-50/60	EL296DF110XE60C	9032032
TPA042H4 (208/230V)	42000	15.5	13.2	42000	27200	9	CR33-50/60	EL296DF110XV60C	9032033
TPA042H4 (208/230V)	42000	15.5	13.2	42000	27000	9	CR33-50/60	ML180DF110E60C	10590568
TPA042H4 (208/230V)	42000	14.5	12.2	42000	27200	8.5	CR33-50/60	ML193DF045XE36B	202900986
TPA042H4 (208/230V)	42000	14.5	12	42000	27200	8.5	CR33-50/60	ML193DF070XE36B	202900987
TPA042H4 (208/230V)	42000	15.1	12.5	42000	27000	8.8	CR33-50/60	ML193DF090XE48C	202900988
TPA042H4 (208/230V)	42000	15	12.7	42000	27200	8.7	CR33-50/60	ML196DF090XE48C	204520315
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	9	CR33-50/60	ML296DF090XV60C	202848388
TPA042H4 (208/230V)	42000	15.7	13.2	42000	27000	9	CR33-50/60	SL280DF090V60C	9032034

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA042H4 (208/230V)	42000	15.7	13.2	42000	27000	9	CR33-50/60	SL280DF110V60C	9032035
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	9	CR33-50/60	SLP98DF090XV36C	9032036
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	9	CR33-50/60	SLP98DF090XV48C	9032037
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	9	CR33-50/60	SLP98DF090XV60C	9032038
TPA042H4 (208/230V)	42000	15.5	13.2	42000	27200	9	CR33-50/60	SLP98DF110XV60C	9032039
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	9	CR33-50/60	SLP99DF090XV36C	205551966
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	9	CR33-50/60	SLP99DF090XV48C	205551967
TPA042H4 (208/230V)	42000	15.2	13	42000	27200	9	CR33-50/60	SLP99DF090XV60C	205551968
TPA042H4 (208/230V)	42000	15.5	13.2	42000	27200	9	CR33-50/60	SLP99DF110XV60C	205551969
TPA042H4 (208/230V)	42000	14.2	12.2	42000	27800	8.7	CR33-50/60		9032040
TPA042H4 (208/230V)	42000	14.2	12.2	42000	27800	8.7	CR33-60		9032041
TPA048H4 (460V)	48500	15	12.5	47500	30600	9	CBA27UHE-048-230		10262320
TPA048H4 (460V)	48500	15	12.5	47500	30600	9	CBA27UHE-048-460		10262319
TPA048H4 (460V)	48000	14.5	12.5	47000	30600	8.5	CBA27UHE-060-230		10262323
TPA048H4 (460V)	48000	14.5	12.5	47000	30600	8.5	CBA27UHE-060-460		10262322
TPA048H4 (460V)	48500	15	12.5	47500	30600	9	CBA38MV-048-230		202084055
TPA048H4 (460V)	49500	15	12.5	47000	30600	9	CBA38MV-060-230		202084057
TPA048H4 (460V)	48000	14	12	47000	30600	8.2	CBX25UH-048-230		9032679
TPA048H4 (460V)	48000	14	12	47000	30800	8.2	CBX25UH-060-230		9032680
TPA048H4 (460V)	48000	15	12.5	46500	30200	8.5	CBX25UHV-048-230		9032681
TPA048H4 (460V)	48000	15	12.5	47000	30400	8.2	CBX25UHV-060-230		9032682
TPA048H4 (460V)	48000	14.7	12.5	48000	30800	9	CBX32M-048		9032539
TPA048H4 (460V)	48000	14.5	12.2	48000	30800	8.7	CBX32M-060		9032540
TPA048H4 (460V)	48000	15	13	46500	30800	8.5	CH23-68	EL196UH110XE60C	201993133
TPA048H4 (460V)	48000	14.5	12.5	47000	31200	9.2	CH23-68	EL280UH090E48B	202901059
TPA048H4 (460V)	48000	14.5	12.5	47000	31200	9.2	CH23-68	EL280UH090XE48B	203362160
TPA048H4 (460V)	48000	14.5	12.5	47000	31200	9.2	CH23-68	EL280UH110E48C	202901060
TPA048H4 (460V)	48000	15	12.5	46500	31000	9.2	CH23-68	EL280UH110E60C	202901061
TPA048H4 (460V)	48000	15	12.5	46500	31000	9.2	CH23-68	EL280UH110XE60C	203362161
TPA048H4 (460V)	48000	15	12.7	47000	31200	9.2	CH23-68	EL296UH090XE48C	9032553
TPA048H4 (460V)	48000	15.2	13	47000	31200	9.2	CH23-68	EL296UH110XE60C	9032554
TPA048H4 (460V)	48000	14.7	12.7	47000	31400	9.2	CH23-68	EL296UH135XE60D	9032555
TPA048H4 (460V)	48000	15.2	13.2	46500	30800	9.2	CH23-68	EL296UH135XV60D	9032556
TPA048H4 (460V)	48000	15.2	13.2	46500	31000	9.2	CH23-68	ML180UH090E60C	10590944
TPA048H4 (460V)	48000	15.2	13	46500	31000	9.2	CH23-68	ML180UH110E60C	10591054
TPA048H4 (460V)	48000	15.2	13	46500	31000	9.2	CH23-68	ML180UH110XE60C	10591131
TPA048H4 (460V)	48000	15.2	13	47000	31000	9.2	CH23-68	ML180UH135E60D	10591181
TPA048H4 (460V)	48000	14.5	12.5	47000	31200	9.2	CH23-68	ML193UH090XE48C	202901062
TPA048H4 (460V)	48000	14.5	12.5	47000	31200	9.2	CH23-68	ML193UH110XE48C	202901063
TPA048H4 (460V)	48000	14.5	12.5	47000	31000	9.2	CH23-68	ML193UH110XE60C	202901064
TPA048H4 (460V)	48000	15	13	46500	30800	8.5	CH23-68	ML196UH110XE60C	204520316
TPA048H4 (460V)	48000	15.2	13.2	46500	30800	9.2	CH23-68	SL280UH135V60D	9032557
TPA048H4 (460V)	48000	15	13.2	47000	30800	9.2	CH23-68	SLP98UH135XV60D	9032558
TPA048H4 (460V)	48000	15	13.2	47000	30800	9.2	CH23-68	SLP99UH135XV60D	205551980
TPA048H4 (460V)	48000	15.2	13	46500	31000	9.2	CH23-68		9032559
TPA048H4 (460V)	48000	14.25	12.2	45500	29600	8.2	CH33-50/60C	EL196UH090XE48C	201993135
TPA048H4 (460V)	48000	14.25	12.5	45500	29600	8.5	CH33-50/60C	EL196UH110XE60C	201993136
TPA048H4 (460V)	48000	14.2	12.2	45500	29800	8.2	CH33-50/60C	EL296UH090XE48C	9032565
TPA048H4 (460V)	48000	14.2	12.5	46000	29800	8.2	CH33-50/60C	EL296UH090XV48C	9032566
TPA048H4 (460V)	48000	14.2	12.2	46000	29800	8.2	CH33-50/60C	EL296UH090XV60C	9032567
TPA048H4 (460V)	48000	14.2	12.5	45500	29800	8.2	CH33-50/60C	EL296UH110XE60C	9032568
TPA048H4 (460V)	48000	14.2	12.5	46000	29600	8.5	CH33-50/60C	EL296UH110XV48C	9032569
TPA048H4 (460V)	48000	14.2	12.5	46000	29800	8.2	CH33-50/60C	EL296UH110XV60C	9032570
TPA048H4 (460V)	48000	14.7	12.7	45500	29800	8.5	CH33-50/60C	ML180UH090E60C	10590945
TPA048H4 (460V)	48000	14.2	12.2	46500	30200	8.5	CH33-50/60C	ML180UH110E60C	10591055
TPA048H4 (460V)	48000	14.2	12.2	46500	30200	8.5	CH33-50/60C	ML180UH110XE60C	10591132

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA048H4 (460V)	48000	14.2	12.5	46000	29800	8.2	CH33-50/60C	ML296UH090XV48C	202848399
TPA048H4 (460V)	48000	14	12	46000	29800	8.4	CH33-50/60C	ML296UH110XV60C	202849944
TPA048H4 (460V)	48000	14.5	12.5	45500	29600	8.5	CH33-50/60C	SL280UH080NV60C-	10590501
TPA048H4 (460V)	48000	14.5	12.5	46000	29600	8.5	CH33-50/60C	SL280UH090V60C	9032571
TPA048H4 (460V)	48000	14.5	12.5	46000	29600	8.5	CH33-50/60C	SL280UH090XV60C	9032572
TPA048H4 (460V)	48000	14.2	12.5	46000	29800	8.2	CH33-50/60C	SLP98UH090XV48C	9032575
TPA048H4 (460V)	48000	14.2	12.2	46000	29800	8.2	CH33-50/60C	SLP98UH090XV60C	9032576
TPA048H4 (460V)	48000	14.2	12.5	46000	29800	8.2	CH33-50/60C	SLP98UH110XV60C	9032577
TPA048H4 (460V)	48000	14.2	12.2	46500	30600	8.5	CH33-60D	EL296UH135XE60D	9032580
TPA048H4 (460V)	48000	14.2	12.5	46500	30200	8.7	CH33-60D	EL296UH135XV60D	9032581
TPA048H4 (460V)	48000	14.7	12.7	46000	30200	8.7	CH33-60D	ML180UH135E60D	10591182
TPA048H4 (460V)	48000	14.5	12.7	46000	30000	8.7	CH33-60D	SL280UH135V60D	9032582
TPA048H4 (460V)	48000	14.2	12.5	46500	30200	8.5	CH33-60D	SLP98UH135XV60D	9032583
TPA048H4 (460V)	48000	14.7	12.2	46000	30400	8.7	CH33-62D	EL296UH135XE60D	9032586
TPA048H4 (460V)	48000	14.7	12.7	46000	30200	8.7	CH33-62D	EL296UH135XV60D	9032587
TPA048H4 (460V)	48000	15	12.7	46000	30200	8.7	CH33-62D	ML180UH135E60D	10591183
TPA048H4 (460V)	48000	14.7	12.7	46000	30000	8.7	CH33-62D	SL280UH135V60D	9032588
TPA048H4 (460V)	48000	14.7	12.7	46000	30200	8.7	CH33-62D	SLP98UH135XV60D	9032589
TPA048H4 (460V)	48000	14.2	12.2	46500	30600	8.5	CH33-62D		9032590
TPA048H4 (460V)	48000	14.25	12.5	49000	31600	8.7	CR33-50/60	EL196DF090XE48C	202066686
TPA048H4 (460V)	48000	14	12	48000	31400	8.5	CR33-50/60	EL280DF090E48B	202901065
TPA048H4 (460V)	48000	14.2	12.5	49000	31600	8.7	CR33-50/60	EL296DF090XE48C	9032594
TPA048H4 (460V)	48000	15	12.7	46000	30200	8.7	CR33-50/60	EL296DF090XV60C	9032595
TPA048H4 (460V)	48000	14.2	12.2	48500	31200	8.7	CR33-50/60	EL296DF110XE60C	9032596
TPA048H4 (460V)	49500	14.2	12.5	46000	30400	8.7	CR33-50/60	EL296DF110XV60C	9032597
TPA048H4 (460V)	48000	15	12.7	48500	31200	9	CR33-50/60	ML180DF110E60C	10590571
TPA048H4 (460V)	48000	14.25	12	48000	31400	8.5	CR33-50/60	ML193DF090XE48C	202901066
TPA048H4 (460V)	48000	14.25	12.5	49000	31600	8.7	CR33-50/60	ML196DF090XE48C	204520317
TPA048H4 (460V)	48000	14.25	12.5	46000	30200	8.6	CR33-50/60	ML296DF090XV60C	202848400
TPA048H4 (460V)	48000	14.7	12.7	48500	31000	8.7	CR33-50/60	SL280DF090V60C	9032598
TPA048H4 (460V)	48000	14.7	13	48500	31000	8.7	CR33-50/60	SL280DF110V60C	9032599
TPA048H4 (460V)	48000	14.2	12.5	49000	31400	8.7	CR33-50/60	SLP98DF090XV48C	9032600
TPA048H4 (460V)	48000	14.2	12.5	49000	31400	8.7	CR33-50/60	SLP98DF090XV60C	9032601
TPA048H4 (460V)	48000	14.2	12.7	49000	31200	8.7	CR33-50/60	SLP98DF110XV60C	9032602
TPA048H4 (460V)	48000	14.2	12.5	49000	31400	8.7	CR33-50/60	SLP99DF090XV48C	205551981
TPA048H4 (460V)	48000	14.2	12.5	49000	31400	8.7	CR33-50/60	SLP99DF090XV60C	205551982
TPA048H4 (460V)	48000	14.2	12.7	49000	31200	8.7	CR33-50/60	SLP99DF110XV60C	205551983
TPA048H4 (208/230V)	48500	15	12.5	47500	30600	9	CBA27UHE-048-230		10262321
TPA048H4 (208/230V)	48500	15	12.5	47500	30600	9	CBA27UHE-048-460		205282540
TPA048H4 (208/230V)	48000	14.5	12.5	47000	30600	8.5	CBA27UHE-060-230		10262324
TPA048H4 (208/230V)	48000	14.5	12.5	47000	30600	8.5	CBA27UHE-060-460		205282541
TPA048H4 (208/230V)	48500	15	12.5	47500	30600	9	CBA38MV-048-230		202084054
TPA048H4 (208/230V)	49500	15	12.5	47000	30600	9	CBA38MV-060-230		202084056
TPA048H4 (208/230V)	48000	14	12	47000	30600	8.2	CBX25UH-048-230		9032673
TPA048H4 (208/230V)	48000	14	12	47000	30800	8.2	CBX25UH-060-230		9032674
TPA048H4 (208/230V)	48000	15	12.5	46500	30200	8.5	CBX25UHV-048-230		9032675
TPA048H4 (208/230V)	48000	15	12.5	47000	30400	8.2	CBX25UHV-060-230		9032676
TPA048H4 (208/230V)	48000	14.7	12.5	48000	30800	9	CBX32M-048		9032385
TPA048H4 (208/230V)	48000	14.5	12.2	48000	30800	8.7	CBX32M-060		9032386
TPA048H4 (208/230V)	48000	15	13	46500	30800	8.5	CH23-68	EL196UH110XE60C	201993119
TPA048H4 (208/230V)	48000	14.5	12.5	47000	31200	9.2	CH23-68	EL280UH090E48B	202901103
TPA048H4 (208/230V)	48000	14.5	12.5	47000	31200	9.2	CH23-68	EL280UH090XE48B	203362174
TPA048H4 (208/230V)	48000	14.5	12.5	47000	31200	9.2	CH23-68	EL280UH110E48C	202901104
TPA048H4 (208/230V)	48000	15	12.5	46500	31000	9.2	CH23-68	EL280UH110E60C	202901105
TPA048H4 (208/230V)	48000	15	12.5	46500	31000	9.2	CH23-68	EL280UH110XE60C	203362175
TPA048H4 (208/230V)	48000	15	12.7	47000	31200	9.2	CH23-68	EL296UH090XE48C	9032399

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA048H4 (208/230V)	48000	15.2	13	47000	31200	9.2	CH23-68	EL296UH110XE60C	9032400
TPA048H4 (208/230V)	48000	14.7	12.7	47000	31400	9.2	CH23-68	EL296UH135XE60D	9032401
TPA048H4 (208/230V)	48000	15.2	13.2	46500	30800	9.2	CH23-68	EL296UH135XV60D	9032402
TPA048H4 (208/230V)	48000	15.2	13.2	46500	31000	9.2	CH23-68	ML180UH090E60C	10590938
TPA048H4 (208/230V)	48000	15.2	13	46500	31000	9.2	CH23-68	ML180UH110E60C	10591048
TPA048H4 (208/230V)	48000	15.2	13	46500	31000	9.2	CH23-68	ML180UH110XE60C	10591125
TPA048H4 (208/230V)	48000	15.2	13	47000	31000	9.2	CH23-68	ML180UH135E60D	10591174
TPA048H4 (208/230V)	48000	14.5	12.5	47000	31200	9.2	CH23-68	ML193UH090XE48C	202901106
TPA048H4 (208/230V)	48000	14.5	12.5	47000	31200	9.2	CH23-68	ML193UH110XE48C	202901107
TPA048H4 (208/230V)	48000	14.5	12.5	47000	31000	9.2	CH23-68	ML193UH110XE60C	202901108
TPA048H4 (208/230V)	48000	15	13	46500	30800	8.5	CH23-68	ML196UH110XE60C	204520318
TPA048H4 (208/230V)	48000	15.2	13.2	46500	30800	9.2	CH23-68	SL280UH135V60D	9032403
TPA048H4 (208/230V)	48000	15	13.2	47000	30800	9.2	CH23-68	SLP98UH135XV60D	9032404
TPA048H4 (208/230V)	48000	15	13.2	47000	30800	9.2	CH23-68	SLP99UH135XV60D	205551976
TPA048H4 (208/230V)	48000	15.2	13	47000	31200	9.2	CH23-68		9032405
TPA048H4 (208/230V)	48000	14.25	12.2	45500	29600	8.2	CH33-50/60C	EL196UH090XE48C	201993121
TPA048H4 (208/230V)	48000	14.25	12.5	45500	29600	8.5	CH33-50/60C	EL196UH110XE60C	201993122
TPA048H4 (208/230V)	48000	14.2	12.2	45500	29800	8.2	CH33-50/60C	EL296UH090XE48C	9032411
TPA048H4 (208/230V)	48000	14.2	12.5	46000	29800	8.2	CH33-50/60C	EL296UH090XV48C	9032412
TPA048H4 (208/230V)	48000	14.2	12.2	46000	29800	8.2	CH33-50/60C	EL296UH090XV60C	9032413
TPA048H4 (208/230V)	48000	14.2	12.5	45500	29800	8.2	CH33-50/60C	EL296UH110XE60C	9032414
TPA048H4 (208/230V)	48000	14.2	12.5	46000	29600	8.5	CH33-50/60C	EL296UH110XV48C	9032415
TPA048H4 (208/230V)	48000	14.2	12.5	46000	29800	8.2	CH33-50/60C	EL296UH110XV60C	9032416
TPA048H4 (208/230V)	48000	14.7	12.7	45500	29800	8.5	CH33-50/60C	ML180UH090E60C	10590939
TPA048H4 (208/230V)	48000	14.2	12.2	46500	30200	8.5	CH33-50/60C	ML180UH110E60C	10591049
TPA048H4 (208/230V)	48000	14.2	12.2	46500	30200	8.5	CH33-50/60C	ML180UH110XE60C	10591126
TPA048H4 (208/230V)	48000	14.2	12.5	46000	29800	8.2	CH33-50/60C	ML296UH090XV48C	202848397
TPA048H4 (208/230V)	48000	14	12	46000	29800	8.4	CH33-50/60C	ML296UH110XV60C	202849942
TPA048H4 (208/230V)	48000	14.5	12.5	45500	29600	8.5	CH33-50/60C	SL280UH080NV60C-	10590502
TPA048H4 (208/230V)	48000	14.5	12.5	46000	29600	8.5	CH33-50/60C	SL280UH090V60C	9032417
TPA048H4 (208/230V)	48000	14.5	12.5	46000	29600	8.5	CH33-50/60C	SL280UH090XV60C	9032418
TPA048H4 (208/230V)	48000	14.2	12.5	46000	29800	8.2	CH33-50/60C	SLP98UH090XV48C	9032421
TPA048H4 (208/230V)	48000	14.2	12.2	46000	29800	8.2	CH33-50/60C	SLP98UH090XV60C	9032422
TPA048H4 (208/230V)	48000	14.2	12.5	46000	29800	8.2	CH33-50/60C	SLP98UH110XV60C	9032423
TPA048H4 (208/230V)	48000	14.2	12.2	46500	30600	8.5	CH33-60D	EL296UH135XE60D	9032426
TPA048H4 (208/230V)	48000	14.2	12.5	46500	30200	8.7	CH33-60D	EL296UH135XV60D	9032427
TPA048H4 (208/230V)	48000	14.7	12.7	46000	30200	8.7	CH33-60D	ML180UH135E60D	10591175
TPA048H4 (208/230V)	48000	14.5	12.7	46000	30000	8.7	CH33-60D	SL280UH135V60D	9032428
TPA048H4 (208/230V)	48000	14.2	12.5	46500	30200	8.5	CH33-60D	SLP98UH135XV60D	9032429
TPA048H4 (208/230V)	48000	14.7	12.2	46000	30400	8.7	CH33-62D	EL296UH135XE60D	9032432
TPA048H4 (208/230V)	48000	14.7	12.7	46000	30200	8.7	CH33-62D	EL296UH135XV60D	9032433
TPA048H4 (208/230V)	48000	15	12.7	46000	30200	8.7	CH33-62D	ML180UH135E60D	10591176
TPA048H4 (208/230V)	48000	14.7	12.7	46000	30000	8.7	CH33-62D	SL280UH135V60D	9032434
TPA048H4 (208/230V)	48000	14.7	12.7	46000	30200	8.7	CH33-62D	SLP98UH135XV60D	9032435
TPA048H4 (208/230V)	48000	14.7	12.2	46000	30400	8.7	CH33-62D		9032436
TPA048H4 (208/230V)	48000	14.25	12.5	49000	31600	8.7	CR33-50/60	EL196DF090XE48C	202066684
TPA048H4 (208/230V)	48000	14	12	48000	31400	8.5	CR33-50/60	EL280DF090E48B	202901109
TPA048H4 (208/230V)	48000	14.2	12.5	49000	31600	8.7	CR33-50/60	EL296DF090XE48C	9032440
TPA048H4 (208/230V)	48000	14	12	46500	30600	8.5	CR33-50/60	EL296DF090XV60C	9032441
TPA048H4 (208/230V)	48000	14.2	12.7	48500	31200	8.7	CR33-50/60	EL296DF110XE60C	9032442
TPA048H4 (208/230V)	49500	14.2	12.5	49000	31600	8.7	CR33-50/60	EL296DF110XV60C	9032443
TPA048H4 (208/230V)	48000	15	12.7	48500	31200	9	CR33-50/60	ML180DF110E60C	10590570
TPA048H4 (208/230V)	48000	14.25	12	48000	31400	8.5	CR33-50/60	ML193DF090XE48C	202901110
TPA048H4 (208/230V)	48000	14.25	12.5	49000	31600	8.7	CR33-50/60	ML196DF090XE48C	204520319
TPA048H4 (208/230V)	48000	14	12	46500	30600	8.5	CR33-50/60	ML296DF090XV60C	202848398
TPA048H4 (208/230V)	48000	14.7	12.7	48500	31000	8.7	CR33-50/60	SL280DF090V60C	9032444

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA048H4 (208/230V)	48000	14.7	13	48500	31000	8.7	CR33-50/60	SL280DF110V60C	9032445
TPA048H4 (208/230V)	48000	14.2	12.5	49000	31400	8.7	CR33-50/60	SLP98DF090XV48C	9032446
TPA048H4 (208/230V)	48000	14.2	12.5	49000	31400	8.7	CR33-50/60	SLP98DF090XV60C	9032447
TPA048H4 (208/230V)	48000	14.2	12.7	49000	31200	8.7	CR33-50/60	SLP98DF110XV60C	9032448
TPA048H4 (208/230V)	48000	14.2	12.5	49000	31400	8.7	CR33-50/60	SLP99DF090XV48C	205551977
TPA048H4 (208/230V)	48000	14.2	12.5	49000	31400	8.7	CR33-50/60	SLP99DF090XV60C	205551978
TPA048H4 (208/230V)	48000	14.2	12.7	49000	31200	8.7	CR33-50/60	SLP99DF110XV60C	205551979
TPA060H4 (460V)	59000	15	12.5	55500	36600	8.5	CBA27UHE-060-230		10262326
TPA060H4 (460V)	59000	15	12.5	55500	36600	8.5	CBA27UHE-060-460		10262325
TPA060H4 (460V)	59000	15	12.5	56000	37000	8.5	CBA38MV-060-230		202084064
TPA060H4 (460V)	58500	14	12	55000	35800	8.2	CBX25UH-060-230		9032663
TPA060H4 (460V)	58500	14.5	12.5	54000	34800	8.5	CBX25UHV-060-230		9032664
TPA060H4 (460V)	59500	14.5	12	56000	36400	8.5	CBX32M-060		9031121
TPA060H4 (460V)	60000	15	12.5	56500	37200	9	CH23-68	EL196UH110XE60C	201993002
TPA060H4 (460V)	58500	15.1	12.5	56000	36800	9	CH23-68	EL280UH110E48C	202901135
TPA060H4 (460V)	59500	15.1	12.5	56500	37000	9.2	CH23-68	EL280UH110E60C	202901136
TPA060H4 (460V)	59500	15.1	12.5	56500	37000	9.2	CH23-68	EL280UH110XE60C	203362184
TPA060H4 (460V)	60000	15	12.5	56500	36600	9	CH23-68	EL296UH110XE60C	9031131
TPA060H4 (460V)	60000	14.7	12.2	57000	37000	9	CH23-68	EL296UH135XE60D	9031132
TPA060H4 (460V)	60000	14.7	12.5	57000	37000	9	CH23-68	EL296UH135XV60D	9031133
TPA060H4 (460V)	60000	15	12.5	56500	36600	9	CH23-68	ML180UH090E60C	10590896
TPA060H4 (460V)	59500	14.7	12.5	56500	36800	9	CH23-68	ML180UH110E60C	10591007
TPA060H4 (460V)	59500	14.7	12.5	56500	36800	9	CH23-68	ML180UH110XE60C	10591084
TPA060H4 (460V)	60000	15	12.7	56500	36800	9	CH23-68	ML180UH135E60D	10591155
TPA060H4 (460V)	59000	15	12.5	56500	37000	9.2	CH23-68	ML193UH110XE60C	202901137
TPA060H4 (460V)	60000	15	12.5	56500	36800	9	CH23-68	ML196UH110XE60C	204520320
TPA060H4 (460V)	60000	15	12.5	57000	37000	9	CH23-68	SLP98UH135XV60D	9031134
TPA060H4 (460V)	60000	15	12.5	57000	37000	9	CH23-68	SLP99UH135XV60D	205551953
TPA060H4 (460V)	59500	14.2	12.2	57000	37200	8.7	CH23-68		9031135
TPA060H4 (460V)	57000	14	11.7	54000	34800	8.2	CH33-60D	EL296UH135XE60D	9032667
TPA060H4 (460V)	57000	14.2	11.7	53500	34200	8.2	CH33-60D	ML180UH135E60D	10591189
TPA060H4 (460V)	57500	14.2	12	53500	36000	8.5	CH33-62D	EL296UH135XE60D	9031138
TPA060H4 (460V)	57500	14.2	12.2	53500	35400	8.5	CH33-62D	EL296UH135XV60D	9031139
TPA060H4 (460V)	57500	14.5	12.2	53000	35400	8.5	CH33-62D	ML180UH135E60D	10591156
TPA060H4 (460V)	57500	14.2	12.2	53500	35400	8.5	CH33-62D	SL280UH135V60D	9031140
TPA060H4 (460V)	57500	14.5	12.2	53500	35400	8.5	CH33-62D	SLP98UH135XV60D	9031141
TPA060H4 (460V)	57500	14	11.7	53500	36200	8.2	CH33-62D		9031142
TPA060H4 (460V)	58500	14	11.7	58000	37400	8.2	CR33-50/60	EL296DF090XV60C	9031145
TPA060H4 (460V)	58500	14	11.7	57500	37000	8.2	CR33-50/60	EL296DF110XE60C	9031147
TPA060H4 (460V)	59000	14	11.7	58000	37600	8.2	CR33-50/60	EL296DF110XV60C	9031146
TPA060H4 (460V)	59500	14.7	12.2	57500	37000	8.2	CR33-50/60	ML180DF110E60C	10590565
TPA060H4 (460V)	58500	14	11.7	54500	36200	8.2	CR33-50/60	ML296DF090XV60C	202848364
TPA060H4 (460V)	59000	14.5	12	57500	37200	8.2	CR33-50/60	SL280DF090V60C	9031148
TPA060H4 (460V)	59000	14.7	12.2	57500	37000	8.2	CR33-50/60	SL280DF110V60C	9031149
TPA060H4 (460V)	58500	14	11.7	58000	37400	8.2	CR33-50/60	SLP98DF090XV60C	9031150
TPA060H4 (460V)	59000	14	11.7	58000	37600	8.2	CR33-50/60	SLP98DF110XV60C	9031151
TPA060H4 (460V)	58500	14	11.7	58000	37400	8.2	CR33-50/60	SLP99DF090XV60C	205551954
TPA060H4 (460V)	59000	14	11.7	58000	37600	8.2	CR33-50/60	SLP99DF110XV60C	205551955
TPA060H4 (460V)	58500	14.2	11.7	58000	37400	8.2	CR33-50/60		9031152
TPA060H4 (460V)	59000	14.2	11.7	58000	37600	8.2	CR33-60		9032789
TPA060H4 (208/230V)	59000	15	12.5	55500	36200	8.5	CBA27UHE-060-230		10262327
TPA060H4 (208/230V)	59000	15	12.5	55500	36200	8.5	CBA27UHE-060-460		205282542
TPA060H4 (208/230V)	59000	15	12.5	56000	37000	8.5	CBA38MV-060-230		202084058
TPA060H4 (208/230V)	58500	14	12	55000	35800	8.2	CBX25UH-060-230		9032653
TPA060H4 (208/230V)	58500	14.5	12.5	54000	34800	8.5	CBX25UHV-060-230		9032654
TPA060H4 (208/230V)	59500	14.5	12	56000	36400	8.5	CBX32M-060		9031047

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
TPA060H4 (208/230V)	60000	15	12.5	56500	36800	9	CH23-68	EL196UH110XE60C	201992997
TPA060H4 (208/230V)	58500	15.1	12.5	56000	36400	9	CH23-68	EL280UH110E48C	202901149
TPA060H4 (208/230V)	59500	15	12.5	56500	36600	9	CH23-68	EL280UH110E60C	202901150
TPA060H4 (208/230V)	59500	15	12.5	56500	36600	9	CH23-68	EL280UH110XE60C	203362189
TPA060H4 (208/230V)	60000	15	12.5	56500	36600	9	CH23-68	EL296UH110XE60C	9031057
TPA060H4 (208/230V)	60000	14.7	12.2	57000	37000	9	CH23-68	EL296UH135XE60D	9031058
TPA060H4 (208/230V)	60000	14.7	12.5	57000	37000	9	CH23-68	EL296UH135XV60D	9031059
TPA060H4 (208/230V)	60000	15	12.5	56500	36600	9	CH23-68	ML180UH090E60C	10590893
TPA060H4 (208/230V)	59500	14.7	12.5	56500	36800	9	CH23-68	ML180UH110E60C	10591006
TPA060H4 (208/230V)	59500	14.7	12.5	56500	36800	9	CH23-68	ML180UH110XE60C	10591083
TPA060H4 (208/230V)	60000	15	12.7	56500	36800	9	CH23-68	ML180UH135E60D	10591151
TPA060H4 (208/230V)	59000	15	12.5	56500	36600	9	CH23-68	ML193UH110XE60C	202901151
TPA060H4 (208/230V)	60000	15	12.5	56500	36800	9	CH23-68	ML196UH110XE60C	204520321
TPA060H4 (208/230V)	60000	15	12.5	57000	37000	9	CH23-68	SLP98UH135XV60D	9031060
TPA060H4 (208/230V)	60000	15	12.5	57000	37000	9	CH23-68	SLP99UH135XV60D	205551949
TPA060H4 (208/230V)	59500	14.2	12.2	57000	37200	8.7	CH23-68		9031061
TPA060H4 (208/230V)	57000	14	11.7	54000	34600	8.2	CH33-60D	EL296UH135XE60D	9032656
TPA060H4 (208/230V)	57500	14.2	12	53500	35600	8.5	CH33-62D	EL296UH135XE60D	9031064
TPA060H4 (208/230V)	57500	14.2	12.2	53500	35400	8.5	CH33-62D	EL296UH135XV60D	9031065
TPA060H4 (208/230V)	57500	14.5	12.2	53000	35400	8.5	CH33-62D	ML180UH135E60D	10591152
TPA060H4 (208/230V)	57500	14.2	12.2	53500	35400	8.5	CH33-62D	SL280UH135V60D	9031066
TPA060H4 (208/230V)	57500	14.5	12.2	53500	35400	8.5	CH33-62D	SLP98UH135XV60D	9031067
TPA060H4 (208/230V)	57000	14	11.7	53500	35800	8.2	CH33-62D		9031068
TPA060H4 (208/230V)	58500	14	11.7	58000	37400	8.2	CR33-50/60	EL296DF090XV60C	9031071
TPA060H4 (208/230V)	58500	14	11.7	57500	37000	8.2	CR33-50/60	EL296DF110XE60C	9031073
TPA060H4 (208/230V)	59000	14	11.7	58000	37600	8.2	CR33-50/60	EL296DF110XV60C	9031072
TPA060H4 (208/230V)	59500	14.7	12.2	57500	37000	8.2	CR33-50/60	ML180DF110E60C	10590564
TPA060H4 (208/230V)	58500	14	11.7	54500	35800	8.2	CR33-50/60	ML296DF090XV60C	202848363
TPA060H4 (208/230V)	59000	14.5	12	57500	37200	8.2	CR33-50/60	SL280DF090V60C	9031074
TPA060H4 (208/230V)	59000	14.7	12.2	57500	37000	8.2	CR33-50/60	SL280DF110V60C	9031075
TPA060H4 (208/230V)	58500	14	11.7	58000	37400	8.2	CR33-50/60	SLP98DF090XV60C	9031076
TPA060H4 (208/230V)	59000	14	11.7	58000	37600	8.2	CR33-50/60	SLP98DF110XV60C	9031077
TPA060H4 (208/230V)	58500	14	11.7	58000	37400	8.2	CR33-50/60	SLP99DF090XV60C	205551950
TPA060H4 (208/230V)	59000	14	11.7	58000	37600	8.2	CR33-50/60	SLP99DF110XV60C	205551951
TPA060H4 (208/230V)	58500	14.2	11.7	58000	37400	8.2	CR33-50/60		9031078
TPA060H4 (208/230V)	59000	14.2	11.7	58000	37600	8.2	CR33-60		9032788
XP16-024-230	23800	16	12.2	22200	13700	9	C35-30A	SL280UH060NV36A-	10581375
XP16-024-230	23800	16	12.2	22400	13900	8.5	C35-30A	SL280UH070V36A	9910944
XP16-024-230	23800	16	12.2	22400	13900	8.5	C35-30A	SL280UH070XV36A	9910945
XP16-024-230	23800	15.5	12.2	22400	13900	8.5	C35-30B	EL296UH070XV36B	9910946
XP16-024-230	23800	15.5	12.2	21800	13500	8.5	C35-30B	ML296UH070XV36B	202842704
XP16-024-230	23600	15	12.2	22400	13800	8.5	C35-30B	SL280UH090V36B	9910947
XP16-024-230	23800	15.5	12.2	22400	13900	8.5	C35-30B	SLP98UH070XV36B	9910948
XP16-024-230	23800	15.5	12.2	22400	13900	8.5	C35-30B	SLP99UH070XV36B	205544273
XP16-024-230	24200	16	12.5	21600	13300	8.8	C35-36A	SL280UH060NV36A-	10581376
XP16-024-230	24200	16	12.2	22200	13700	8.5	C35-36A	SL280UH070V36A	9910949
XP16-024-230	24200	16	12.2	22200	13700	8.5	C35-36A	SL280UH070XV36A	9910950
XP16-024-230	24200	15.5	12.2	22200	13700	8.5	C35-36B	EL296UH070XV36B	9910951
XP16-024-230	24000	15.5	12.2	21800	13500	8.5	C35-36B	ML296UH070XV36B	202842706
XP16-024-230	24200	15	12.5	22000	13600	8.2	C35-36B	SL280UH090V36B	9910952
XP16-024-230	24200	15.5	12.2	22200	13700	8.5	C35-36B	SLP98UH070XV36B	9910953
XP16-024-230	24200	15.5	12.2	22200	13700	8.5	C35-36B	SLP99UH070XV36B	205544275
XP16-024-230	24000	16	12.5	21000	13000	8.2	CBA25UHV-030-230		202540666
XP16-024-230	24000	15.5	12	22600	13600	8.5	CBA27UHE-024-230		10258586
XP16-024-230	24400	16.5	12.5	22400	14000	8.5	CBA38MV-030-230		201924991
XP16-024-230	24400	16.5	12.5	22400	14000	8.5	CBA38MV-036-230		201924992

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-024-230	24000	14.5	12	23400	14400	8.2	CBX25UHV-030-230		7785764
XP16-024-230	24400	16.5	12.5	22400	14000	8.5	CBX32MV-024/030		7785758
XP16-024-230	24800	16	12	21000	13900	8.5	CH33-31B	EL296UH070XV36B	7785771
XP16-024-230	24000	16	12	21000	13500	8.5	CH33-31B	ML296UH070XV36B	202842663
XP16-024-230	24800	15.1	12.2	21000	13900	8.2	CH33-31B	SL280UH090V36B	7785775
XP16-024-230	24800	16	12	21000	13900	8.5	CH33-31B	SLP98UH070XV36B	7785774
XP16-024-230	23800	15.5	12.2	21800	13600	8.2	CH35-30B	EL296UH070XV36B	9910941
XP16-024-230	23800	15.5	12.5	21600	13500	8.4	CH35-30B	ML180UH070V36B	204495937
XP16-024-230	23800	15	12.5	21800	13600	8.2	CH35-30B	ML180UH070V48B	204495939
XP16-024-230	24000	16	12.5	21800	13700	8.5	CH35-30B	ML180UH090V48B	204495941
XP16-024-230	23600	15.5	12	21800	13700	8.4	CH35-30B	ML193UH030XE36B	202891384
XP16-024-230	23600	15.5	12	21800	13700	8.4	CH35-30B	ML193UH045XE36B	202891390
XP16-024-230	23600	15.5	12	21800	13700	8.4	CH35-30B	ML193UH070XE36B	202891396
XP16-024-230	23600	15.5	12	21800	13700	8.4	CH35-30B	ML193UH090XE36C	202891402
XP16-024-230	23600	15.5	12	21800	13700	8.4	CH35-30B	ML193UH090XE48C	202891408
XP16-024-230	23600	15.5	12	21800	13700	8.4	CH35-30B	ML193UH110XE48C	202891414
XP16-024-230	23600	15.5	12	21800	13700	8.4	CH35-30B	ML193UH110XE60C	202891420
XP16-024-230	23800	15.5	12.2	21800	13500	8.2	CH35-30B	ML296UH070XV36B	202842701
XP16-024-230	23800	15	12.2	21600	13500	8.2	CH35-30B	SL280UH090V36B	9910942
XP16-024-230	23800	15.5	12.2	21800	13600	8.2	CH35-30B	SLP98UH070XV36B	9910943
XP16-024-230	23800	15.5	12.2	21800	13600	8.2	CH35-30B	SLP99UH070XV36B	205544271
XP16-024-230	23800	15.5	12.2	21800	13600	8.2	CHX35-30B	EL296UH070XV36B	202192134
XP16-024-230	23800	15.5	12.5	21600	13500	8.4	CHX35-30B	ML180UH070V36B	204495938
XP16-024-230	23800	15	12.5	21800	13600	8.2	CHX35-30B	ML180UH070V48B	204495940
XP16-024-230	24000	16	12.5	21800	13700	8.5	CHX35-30B	ML180UH090V48B	204495942
XP16-024-230	23600	15.5	12	21800	13700	8.4	CHX35-30B	ML193UH030XE36B	202891385
XP16-024-230	23600	15.5	12	21800	13700	8.4	CHX35-30B	ML193UH045XE36B	202891391
XP16-024-230	23600	15.5	12	21800	13700	8.4	CHX35-30B	ML193UH070XE36B	202891397
XP16-024-230	23600	15.5	12	21800	13700	8.4	CHX35-30B	ML193UH090XE36C	202891403
XP16-024-230	23600	15.5	12	21800	13700	8.4	CHX35-30B	ML193UH090XE48C	202891409
XP16-024-230	23600	15.5	12	21800	13700	8.4	CHX35-30B	ML193UH110XE48C	202891415
XP16-024-230	23600	15.5	12	21800	13700	8.4	CHX35-30B	ML193UH110XE60C	202891421
XP16-024-230	23800	15.5	12.2	21800	13500	8.2	CHX35-30B	ML296UH070XV36B	202842935
XP16-024-230	23800	15	12.2	21600	13500	8.2	CHX35-30B	SL280UH090V36B	202192135
XP16-024-230	23800	15.5	12.2	21800	13600	8.2	CHX35-30B	SLP98UH070XV36B	202192136
XP16-024-230	23800	15.5	12.2	21800	13600	8.2	CHX35-30B	SLP99UH070XV36B	205544726
XP16-024-230	23600	16	12.5	23200	13900	8.2	CR33-30/36	SLP98DF070XV36B	7785772
XP16-024-230	23600	16	12.5	23200	13900	8.2	CR33-30/36	SLP98DF090XV36C	7785766
XP16-024-230	23600	16	12.5	23200	13900	8.2	CR33-30/36	SLP99DF070XV36B	205544191
XP16-024-230	23600	16	12.5	23200	13900	8.2	CR33-30/36	SLP99DF090XV36C	205544190
XP16-024-230	23800	16	12.2	22200	13700	9	CX35-30A	SL280UH060NV36A-	10581377
XP16-024-230	23800	16	12.2	22400	13900	8.5	CX35-30A	SL280UH070V36A	9910931
XP16-024-230	23800	16	12.2	22400	13900	8.5	CX35-30A	SL280UH070XV36A	9910932
XP16-024-230	23800	15.5	12.2	22400	13900	8.5	CX35-30B	EL296UH070XV36B	9910933
XP16-024-230	23800	15.5	12.2	21800	13500	8.5	CX35-30B	ML296UH070XV36B	202842696
XP16-024-230	23600	15	12.2	22400	13800	8.5	CX35-30B	SL280UH090V36B	9910934
XP16-024-230	23800	15.5	12.2	22400	13900	8.5	CX35-30B	SLP98UH070XV36B	9910935
XP16-024-230	23800	15.5	12.2	22400	13900	8.5	CX35-30B	SLP99UH070XV36B	205544268
XP16-024-230	24200	16	12.5	21600	13300	8.8	CX35-36A	SL280UH060NV36A-	10581378
XP16-024-230	24200	16	12.2	22200	13700	8.5	CX35-36A	SL280UH070V36A	9910936
XP16-024-230	24200	16	12.2	22200	13700	8.5	CX35-36A	SL280UH070XV36A	9910937
XP16-024-230	24200	15.5	12.2	22200	13700	8.5	CX35-36B	EL296UH070XV36B	9910938
XP16-024-230	24000	15.5	12.2	21800	13500	8.5	CX35-36B	ML296UH070XV36B	202842699
XP16-024-230	24200	15	12.5	22000	13600	8.2	CX35-36B	SL280UH090V36B	9910939
XP16-024-230	24200	15.5	12.2	22200	13700	8.5	CX35-36B	SLP98UH070XV36B	9910940
XP16-024-230	24200	15.5	12.2	22200	13700	8.5	CX35-36B	SLP99UH070XV36B	205544270

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-036-230	36000	15.5	12.5	34400	21800	8.8	C35-36A	EL180UH060NE36A	203330454
XP16-036-230	35600	15	12	34200	21600	8.8	C35-36A	EL280UH070E36A	203324280
XP16-036-230	35600	15	12	34200	21600	8.8	C35-36A	EL280UH070XE36A	203362314
XP16-036-230	35800	15.1	12.5	34000	21600	8.5	C35-36A	ML180UH030V36A	204495081
XP16-036-230	35800	15	12	34200	21800	8.5	C35-36A	ML180UH045E36A	203330455
XP16-036-230	35800	15.1	12.5	34000	21600	8.5	C35-36A	ML180UH045V36A	204495184
XP16-036-230	35800	15	12	34200	21800	8.5	C35-36A	ML180UH045XE36A	203330456
XP16-036-230	35800	15	12	34200	21800	8.5	C35-36A	ML180UH070V36A	204495287
XP16-036-230	36000	15.1	12.5	34000	21600	8.8	C35-36A	SL280UH060NV36A	203330457
XP16-036-230	35800	15	12	34200	21800	8.5	C35-36A	SL280UH070V36A	203330458
XP16-036-230	35800	15	12	34200	21800	8.5	C35-36A	SL280UH070XV36A	203330459
XP16-036-230	36000	14.5	12.5	34200	21600	8.8	C35-36B	EL180UH080NE48B	203330460
XP16-036-230	35600	15	12.5	34000	21600	8.5	C35-36B	EL195UH040NE36B	203330461
XP16-036-230	35200	15	12	34000	21600	8.5	C35-36B	EL195UH045XE36B	203330462
XP16-036-230	35600	15	12.5	34000	21600	8.5	C35-36B	EL195UH060NE36B	203330463
XP16-036-230	35600	15	12.5	34000	21600	8.5	C35-36B	EL195UH070XE36B	203330464
XP16-036-230	35200	15.1	12	34000	21600	8.5	C35-36B	EL196UH045XE36B	203324281
XP16-036-230	35200	15.1	12	34000	21600	8.5	C35-36B	EL196UH070XE36B	203324282
XP16-036-230	36000	15.1	12.5	34200	21800	8.8	C35-36B	EL280UH090E36B	203324283
XP16-036-230	35600	15	12	34600	22000	8.5	C35-36B	EL296UH045XE36B	203324284
XP16-036-230	35600	15.1	12	34400	22000	8.5	C35-36B	EL296UH045XV36B	203324285
XP16-036-230	35600	15.1	12	34400	22000	8.5	C35-36B	EL296UH070XE36B	203324286
XP16-036-230	35800	15.1	12	34400	21800	8.5	C35-36B	EL296UH070XV36B	203324287
XP16-036-230	35600	14.25	12.5	33800	21400	8.5	C35-36B	ML180UH070E36B	203330465
XP16-036-230	35800	15.5	12.5	33800	21400	8.5	C35-36B	ML180UH070V36B	204495437
XP16-036-230	36000	15.5	12.5	34000	21600	8.8	C35-36B	ML180UH070V48B	204495561
XP16-036-230	35600	14.25	12.5	33800	21400	8.5	C35-36B	ML180UH070XE36B	203330466
XP16-036-230	36000	14.5	12.5	34000	21600	8.5	C35-36B	ML180UH090E48B	203330467
XP16-036-230	35800	15.5	12	34200	21800	8.8	C35-36B	ML180UH090V48B	203330468
XP16-036-230	36000	14.5	12.5	34000	21600	8.5	C35-36B	ML180UH090XE48B	203330469
XP16-036-230	35800	15	12	34600	22000	8.5	C35-36B	ML193UH030XE36B	203324288
XP16-036-230	35800	15	12	34600	22000	8.5	C35-36B	ML193UH045XE36B	203324289
XP16-036-230	35800	15	12	34600	22000	8.5	C35-36B	ML193UH070XE36B	203324290
XP16-036-230	35200	15.1	12	34000	21600	8.5	C35-36B	ML196UH045XE36B	204498611
XP16-036-230	35200	15.1	12	34000	21600	8.5	C35-36B	ML196UH070XE36B	204498612
XP16-036-230	35600	15.1	12	34200	21800	8.5	C35-36B	ML296UH045XV36B	203330470
XP16-036-230	35800	15.1	12	34400	21800	8.5	C35-36B	ML296UH070XV36B	203330471
XP16-036-230	36000	15.1	12.5	33800	21400	8.8	C35-36B	SL280UH080NV48B	203330472
XP16-036-230	36000	15.1	12.5	34400	21800	8.5	C35-36B	SL280UH090V36B	203324291
XP16-036-230	36000	15.1	12.5	34200	21600	8.5	C35-36B	SL280UH090V48B	203324292
XP16-036-230	36000	15.1	12.5	34200	21600	8.5	C35-36B	SL280UH090XV48B	203324293
XP16-036-230	36000	15.1	12.5	34200	21800	8.5	C35-36B	SL297UH040NV36B	203330473
XP16-036-230	35800	15.1	12.5	34200	21800	8.5	C35-36B	SL297UH060NV36B	203330474
XP16-036-230	35800	15.3	12	34400	21800	8.5	C35-36B	SLP98UH070XV36B	203324294
XP16-036-230	35800	15.3	12	34400	21800	8.5	C35-36B	SLP99UH070XV36B	205545816
XP16-036-230	36000	14.5	12.2	34400	22200	9	C35-49C	EL195UH080NE48C	203330475
XP16-036-230	36000	14.5	12.2	34200	22000	9	C35-49C	EL195UH090XE48C	203330476
XP16-036-230	36000	14.5	12.5	34400	22000	9	C35-49C	EL196UH090XE48C	203330477
XP16-036-230	36000	14.5	12.5	34400	22000	9	C35-49C	EL280UH110E48C	203330478
XP16-036-230	36000	14.5	12.2	34200	22000	9	C35-49C	EL296UH090XE48C	203330479
XP16-036-230	36000	15.1	12.5	34200	22000	9	C35-49C	EL296UH090XV36C	203330480
XP16-036-230	36000	15.5	12	34400	22200	9	C35-49C	EL296UH090XV48C	203330481
XP16-036-230	36000	15.1	12.5	34600	22200	9	C35-49C	EL296UH090XV60C	203330482
XP16-036-230	36000	15.5	12.5	34200	22000	9	C35-49C	EL296UH110XV48C	203330483
XP16-036-230	36000	15.1	12.5	34400	22000	9	C35-49C	EL296UH110XV60C	203330484
XP16-036-230	36000	15.5	12.5	34200	22000	9.2	C35-49C	ML180UH110V60C	203330485

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-036-230	36000	14.25	12.2	34400	22200	8.8	C35-49C	ML193UH090XE36C	203330486
XP16-036-230	36000	14.5	12.5	34400	22000	9	C35-49C	ML193UH090XE48C	203330487
XP16-036-230	36000	14.5	12.5	34400	22000	9	C35-49C	ML193UH110XE48C	203330488
XP16-036-230	36000	14.5	12.5	34400	22000	9	C35-49C	ML196UH090XE48C	204498613
XP16-036-230	36000	15.1	12.5	34000	21400	8.8	C35-49C	ML296UH110XV60C	203330490
XP16-036-230	36000	15.5	12.5	34200	22000	9.2	C35-49C	SL280UH080NV60C	203330491
XP16-036-230	36000	15.5	12.5	34400	22000	9.2	C35-49C	SL280UH090V60C	203330492
XP16-036-230	36000	15.5	12.5	34400	22000	9.2	C35-49C	SL280UH090XV60C	203330493
XP16-036-230	36000	15.1	12.5	34400	22200	9	C35-49C	SL280UH110V60C	203330494
XP16-036-230	36000	15.1	12.5	34400	22200	9	C35-49C	SL280UH110XV60C	203330495
XP16-036-230	36000	15.1	12.5	34200	22000	9	C35-49C	SL297UH080NV48C	203330496
XP16-036-230	36000	15.1	12.5	34400	22200	9	C35-49C	SL297UH080NV60C	203330497
XP16-036-230	36000	15.1	12.5	34200	22000	9	C35-49C	SLP98UH090XV36C	203330498
XP16-036-230	36000	15.1	12.5	34000	22000	9	C35-49C	SLP98UH090XV48C	203330499
XP16-036-230	36000	15.1	12.5	34400	22000	9	C35-49C	SLP98UH110XV60C	203330500
XP16-036-230	36000	15.1	12.5	34200	22000	9	C35-49C	SLP99UH090XV36C	205545826
XP16-036-230	36000	15.1	12.5	34000	22000	9	C35-49C	SLP99UH090XV48C	205545828
XP16-036-230	36000	15.1	12.5	34400	22000	9	C35-49C	SLP99UH110XV60C	205545829
XP16-036-230	36000	15.5	12.5	34600	22000	9.2	C35-60D	EL296UH135XV60D	203330501
XP16-036-230	36000	15.1	12.5	34200	21800	9	C35-60D	SL280UH135V60D	203330502
XP16-036-230	36000	15.1	12.5	34400	21800	9.2	C35-60D	SLP98UH135XV60D	203330503
XP16-036-230	36000	15.1	12.5	34400	21800	9.2	C35-60D	SLP99UH135XV60D	205545831
XP16-036-230	35200	15.1	12.2	32800	20400	8.5	CBA25UHV-030-230		203330717
XP16-036-230	35400	15.1	12.5	34000	20800	9	CBA25UHV-036-230		203330666
XP16-036-230	36000	15.1	12.5	34200	20800	9	CBA25UHV-042-230		203330667
XP16-036-230	36000	15.5	12.5	34000	21200	9	CBA25UHV-048-230		203330668
XP16-036-230	35400	15.1	12.5	34600	22200	9	CBA27UHE-036-230		203324295
XP16-036-230	36000	15.5	12.5	34800	21400	9.5	CBA27UHE-042-230		203324296
XP16-036-230	35400	15.5	12.5	34600	22000	9.2	CBA38MV-030-230		203330669
XP16-036-230	35800	15.5	12.5	34800	22200	9	CBA38MV-036-230		203324279
XP16-036-230	36000	16	13	34800	21400	9.5	CBA38MV-042-230		203324297
XP16-036-230	36000	16	13	34200	21200	9	CBA38MV-048-230		205357303
XP16-036-230	35000	14.5	12	34000	21600	8.5	CH35-48B	EL195UH040NE36B	203330504
XP16-036-230	34600	14.5	12	33800	21600	8.5	CH35-48B	EL195UH045XE36B	203330505
XP16-036-230	35000	14.5	12	34000	21600	8.5	CH35-48B	EL195UH060NE36B	203330506
XP16-036-230	35000	14.5	12	34000	21600	8.5	CH35-48B	EL195UH070XE36B	203330507
XP16-036-230	35000	15	12	34000	21600	8.5	CH35-48B	EL196UH045XE36B	203330508
XP16-036-230	35000	15	12	34000	21600	8.5	CH35-48B	EL196UH070XE36B	203330509
XP16-036-230	35600	14	12.2	34200	21800	8.8	CH35-48B	EL280UH090E36B	203330510
XP16-036-230	35400	14.25	12.2	34000	21600	8.8	CH35-48B	EL280UH090E48B	203330511
XP16-036-230	35400	14.25	12.2	34000	21600	8.8	CH35-48B	EL280UH090XE48B	203362316
XP16-036-230	34600	14.5	12	33800	21600	8.5	CH35-48B	EL296UH045XE36B	203330512
XP16-036-230	35200	15	12	34200	21800	8.5	CH35-48B	EL296UH045XV36B	203330513
XP16-036-230	35000	14.5	12	34000	21600	8.5	CH35-48B	EL296UH070XE36B	203330514
XP16-036-230	35200	15	12	34200	21800	8.5	CH35-48B	EL296UH070XV36B	203330515
XP16-036-230	35400	14.5	12	34200	21800	8.5	CH35-48B	ML180UH070E36B	203330516
XP16-036-230	35200	15.1	12	33800	21600	8.5	CH35-48B	ML180UH070V36B	204495438
XP16-036-230	35600	15.1	12.5	34000	21600	8.8	CH35-48B	ML180UH070V48B	204495562
XP16-036-230	35400	14.25	12.2	34000	21600	8.5	CH35-48B	ML180UH090E48B	203330517
XP16-036-230	35400	15	12	34000	21600	8.8	CH35-48B	ML180UH090V48B	204495685
XP16-036-230	35400	14	11.5	34400	22000	8.5	CH35-48B	ML193UH030XE36B	203330518
XP16-036-230	35400	14	11.5	34400	22000	8.5	CH35-48B	ML193UH045XE36B	203330519
XP16-036-230	35000	15	12	34000	21600	8.5	CH35-48B	ML193UH070XE36B	203330520
XP16-036-230	35000	15	12	34000	21600	8.5	CH35-48B	ML196UH045XE36B	204498614
XP16-036-230	35000	15	12	34000	21600	8.5	CH35-48B	ML196UH070XE36B	204498615
XP16-036-230	35200	15	12	34200	21800	8.5	CH35-48B	ML296UH045XV36B	203330521

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-036-230	35200	15	12	34200	21800	8.5	CH35-48B	ML296UH070XV36B	203330522
XP16-036-230	35400	15	12.5	33800	21400	8.8	CH35-48B	SL280UH080NV48B	203330523
XP16-036-230	35400	15	12.5	34000	21600	8.8	CH35-48B	SL280UH090V36B	203330524
XP16-036-230	35400	15	12	34000	21600	8.8	CH35-48B	SL280UH090V48B	203330525
XP16-036-230	35400	15	12	34200	21800	8.5	CH35-48B	SL297UH040NV36B	203330526
XP16-036-230	35200	14.5	12	34200	21800	8.5	CH35-48B	SL297UH060NV36B	203330527
XP16-036-230	35200	15	12	34200	21800	8.5	CH35-48B	SLP98UH070XV36B	203330528
XP16-036-230	35200	15	12	34200	21800	8.5	CH35-48B	SLP99UH070XV36B	205545832
XP16-036-230	36000	14.5	12.5	34000	21800	9	CH35-51C	EL195UH080NE48C	203330529
XP16-036-230	36000	14.5	12.5	33800	21600	9	CH35-51C	EL195UH090XE48C	203330530
XP16-036-230	36000	15	12.5	34000	21600	9	CH35-51C	EL196UH090XE48C	203330531
XP16-036-230	36000	15	12.5	34000	21800	9	CH35-51C	EL280UH110E48C	203330532
XP16-036-230	36000	14.5	12.5	33800	21600	9	CH35-51C	EL296UH090XE48C	203330533
XP16-036-230	36000	15.1	12.5	33800	21600	9	CH35-51C	EL296UH090XV36C	203330534
XP16-036-230	36000	15.5	12.5	33600	21600	9	CH35-51C	EL296UH090XV48C	203330535
XP16-036-230	36000	15.5	12.5	33800	21600	9	CH35-51C	EL296UH110XV48C	203330536
XP16-036-230	36000	15.5	12.5	33800	21800	9	CH35-51C	EL296UH110XV60C	203330537
XP16-036-230	36000	16	12.5	33800	21600	9.2	CH35-51C	ML180UH110V60C	203330716
XP16-036-230	36000	14.25	12.5	34000	21800	8.8	CH35-51C	ML193UH090XE36C	203330538
XP16-036-230	36000	15	12.5	33800	21600	9	CH35-51C	ML193UH090XE48C	203330539
XP16-036-230	36000	15	12.5	34000	21800	9	CH35-51C	ML193UH110XE48C	203330540
XP16-036-230	36000	15	12.5	34000	21600	9	CH35-51C	ML196UH090XE48C	204498616
XP16-036-230	36000	15.5	12.5	33800	21600	9	CH35-51C	ML296UH110XV60C	203330542
XP16-036-230	36000	15.5	12.5	33800	21600	9.2	CH35-51C	SL280UH080NV60C	203330543
XP16-036-230	36000	15.5	12.5	34000	21800	9.2	CH35-51C	SL280UH090V60C	203330544
XP16-036-230	36000	15.5	12.5	34000	21800	9.2	CH35-51C	SL280UH090XV60C	203330545
XP16-036-230	36000	15.5	12.5	34000	21800	9	CH35-51C	SL280UH110V60C	203330546
XP16-036-230	36000	15.5	12.5	34000	21800	9	CH35-51C	SL280UH110XV60C	203330547
XP16-036-230	36000	15.5	12.5	33800	21600	9	CH35-51C	SL297UH080NV48C	203330548
XP16-036-230	36000	15.5	12.5	34000	21800	9	CH35-51C	SL297UH080NV60C	203330549
XP16-036-230	36000	15.1	12.5	33800	21600	9	CH35-51C	SLP98UH090XV36C	203330550
XP16-036-230	36000	15.5	12.5	33600	21600	9	CH35-51C	SLP98UH090XV48C	203330551
XP16-036-230	36000	15.5	12.5	33800	21800	9	CH35-51C	SLP98UH110XV60C	203330552
XP16-036-230	36000	15.1	12.5	33800	21600	9	CH35-51C	SLP99UH090XV36C	205545834
XP16-036-230	36000	15.5	12.5	33600	21600	9	CH35-51C	SLP99UH090XV48C	205545836
XP16-036-230	36000	15.5	12.5	33800	21800	9	CH35-51C	SLP99UH110XV60C	205545837
XP16-036-230	35000	14.5	12	34000	21600	8.5	CHX35-48B	EL195UH040NE36B	203330553
XP16-036-230	34600	14.5	12	33800	21600	8.5	CHX35-48B	EL195UH045XE36B	203330554
XP16-036-230	35000	14.5	12	34000	21600	8.5	CHX35-48B	EL195UH060NE36B	203330555
XP16-036-230	35000	14.5	12	34000	21600	8.5	CHX35-48B	EL195UH070XE36B	203330556
XP16-036-230	35000	15	12	34000	21600	8.5	CHX35-48B	EL196UH045XE36B	203330557
XP16-036-230	35000	15	12	34000	21600	8.5	CHX35-48B	EL196UH070XE36B	203330558
XP16-036-230	35600	14	12.2	34200	21800	8.8	CHX35-48B	EL280UH090E36B	203330559
XP16-036-230	35400	14.25	12.2	34000	21600	8.8	CHX35-48B	EL280UH090E48B	203330560
XP16-036-230	35400	14.25	12.2	34000	21600	8.8	CHX35-48B	EL280UH090XE48B	203362317
XP16-036-230	34600	14.5	12	33800	21600	8.5	CHX35-48B	EL296UH045XE36B	203330561
XP16-036-230	35200	15	12	34200	21800	8.5	CHX35-48B	EL296UH045XV36B	203330562
XP16-036-230	35000	14.5	12	34000	21600	8.5	CHX35-48B	EL296UH070XE36B	203330563
XP16-036-230	35200	15	12	34200	21800	8.5	CHX35-48B	EL296UH070XV36B	203330564
XP16-036-230	35400	14.5	12	34200	21800	8.5	CHX35-48B	ML180UH070E36B	203330565
XP16-036-230	35200	15.1	12	33800	21600	8.5	CHX35-48B	ML180UH070V36B	204495439
XP16-036-230	35600	15.1	12.5	34000	21600	8.8	CHX35-48B	ML180UH070V48B	204495563
XP16-036-230	35400	14.25	12.2	34000	21600	8.5	CHX35-48B	ML180UH090E48B	203330566
XP16-036-230	35400	15	12	34000	21600	8.8	CHX35-48B	ML180UH090V48B	204495686
XP16-036-230	35400	14	11.5	34400	22000	8.5	CHX35-48B	ML193UH030XE36B	203330567
XP16-036-230	35400	14	11.5	34400	22000	8.5	CHX35-48B	ML193UH045XE36B	203330568

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-036-230	35000	15	12	34000	21600	8.5	CHX35-48B	ML193UH070XE36B	203330569
XP16-036-230	35000	15	12	34000	21600	8.5	CHX35-48B	ML196UH045XE36B	204498617
XP16-036-230	35000	15	12	34000	21600	8.5	CHX35-48B	ML196UH070XE36B	204498618
XP16-036-230	35200	15	12	34200	21800	8.5	CHX35-48B	ML296UH045XV36B	203330570
XP16-036-230	35200	15	12	34200	21800	8.5	CHX35-48B	ML296UH070XV36B	203330571
XP16-036-230	35400	15	12.5	33800	21400	8.8	CHX35-48B	SL280UH080NV48B	203330572
XP16-036-230	35400	15	12.5	34000	21600	8.8	CHX35-48B	SL280UH090V36B	203330573
XP16-036-230	35400	15	12	34000	21600	8.8	CHX35-48B	SL280UH090V48B	203330574
XP16-036-230	35400	15	12	34200	21800	8.5	CHX35-48B	SL297UH040NV36B	203330575
XP16-036-230	35200	14.5	12	34200	21800	8.5	CHX35-48B	SL297UH060NV36B	203330576
XP16-036-230	35200	15	12	34200	21800	8.5	CHX35-48B	SLP98UH070XV36B	203330577
XP16-036-230	35200	15	12	34200	21800	8.5	CHX35-48B	SLP99UH070XV36B	205545839
XP16-036-230	36000	14.5	12.5	34000	21800	9	CHX35-51/61C	EL195UH080NE48C	203330578
XP16-036-230	36000	14.5	12.5	33800	21600	9	CHX35-51/61C	EL195UH090XE48C	203330579
XP16-036-230	36000	15	12.5	34000	21600	9	CHX35-51/61C	EL196UH090XE48C	203330580
XP16-036-230	36000	15	12.5	34000	21800	9	CHX35-51/61C	EL280UH110E48C	203330581
XP16-036-230	36000	14.5	12.5	33800	21600	9	CHX35-51/61C	EL296UH090XE48C	203330582
XP16-036-230	36000	15.1	12.5	33800	21600	9	CHX35-51/61C	EL296UH090XV36C	203330583
XP16-036-230	36000	15.5	12.5	33600	21600	9	CHX35-51/61C	EL296UH090XV48C	203330584
XP16-036-230	36000	15.5	12.5	33800	21600	9	CHX35-51/61C	EL296UH110XV48C	203330585
XP16-036-230	36000	15.5	12.5	33800	21800	9	CHX35-51/61C	EL296UH110XV60C	203330586
XP16-036-230	36000	16	12.5	33800	21600	9.2	CHX35-51/61C	ML180UH110V60C	203330587
XP16-036-230	36000	14.25	12.5	34000	21800	8.8	CHX35-51/61C	ML193UH090XE36C	203330588
XP16-036-230	36000	15	12.5	33800	21600	9	CHX35-51/61C	ML193UH090XE48C	203330589
XP16-036-230	36000	15	12.5	34000	21800	9	CHX35-51/61C	ML193UH110XE48C	203330590
XP16-036-230	36000	15	12.5	34000	21600	9	CHX35-51/61C	ML196UH090XE48C	204498619
XP16-036-230	36000	15.5	12.5	33800	21600	9	CHX35-51/61C	ML296UH110XV60C	203330592
XP16-036-230	36000	15.5	12.5	33800	21600	9.2	CHX35-51/61C	SL280UH080NV60C	203330593
XP16-036-230	36000	15.5	12.5	34000	21800	9.2	CHX35-51/61C	SL280UH090V60C	203330594
XP16-036-230	36000	15.5	12.5	34000	21800	9.2	CHX35-51/61C	SL280UH090XV60C	203330595
XP16-036-230	36000	15.5	12.5	34000	21800	9	CHX35-51/61C	SL280UH110V60C	203330596
XP16-036-230	36000	15.5	12.5	34000	21800	9	CHX35-51/61C	SL280UH110XV60C	203330597
XP16-036-230	36000	15.5	12.5	33800	21600	9	CHX35-51/61C	SL297UH080NV48C	203330598
XP16-036-230	36000	15.5	12.5	34000	21800	9	CHX35-51/61C	SL297UH080NV60C	203330599
XP16-036-230	36000	15.1	12.5	33800	21600	9	CHX35-51/61C	SLP98UH090XV36C	203330600
XP16-036-230	36000	15.5	12.5	33600	21600	9	CHX35-51/61C	SLP98UH090XV48C	203330601
XP16-036-230	36000	15.5	12.5	33800	21800	9	CHX35-51/61C	SLP98UH110XV60C	203330602
XP16-036-230	36000	15.1	12.5	33800	21600	9	CHX35-51/61C	SLP99UH090XV36C	205545841
XP16-036-230	36000	15.5	12.5	33600	21600	9	CHX35-51/61C	SLP99UH090XV48C	205545843
XP16-036-230	36000	15.5	12.5	33800	21800	9	CHX35-51/61C	SLP99UH110XV60C	205545844
XP16-036-230	35400	14.5	12.2	35600	22200	9.2	CR33-48C	EL195DF090XE48C	203330603
XP16-036-230	35400	14.5	12.2	35800	22400	9.2	CR33-48C	EL196DF090XE48C	203330604
XP16-036-230	35400	14.5	12.2	35600	22200	9.2	CR33-48C	EL296DF090XE48C	203330605
XP16-036-230	35600	15.1	12	35800	22200	9.2	CR33-48C	EL296DF090XV60C	203330606
XP16-036-230	35600	15.1	12	35800	22400	9.2	CR33-48C	EL296DF110XV60C	203330607
XP16-036-230	35400	14.5	12.2	35800	22200	9.2	CR33-48C	ML193DF090XE48C	203330608
XP16-036-230	35400	14.5	12.2	35800	22400	9.2	CR33-48C	ML196DF090XE48C	204498620
XP16-036-230	35800	15.1	12.5	35800	22200	9.4	CR33-48C	SL280DF090V60C	203330609
XP16-036-230	35600	15.5	12.5	35600	22000	9.2	CR33-48C	SL280DF110V60C	203330610
XP16-036-230	35400	15.1	12	35600	22200	9.2	CR33-48C	SLP98DF090XV36C	203330611
XP16-036-230	35400	15.1	12	35600	22200	9.2	CR33-48C	SLP98DF090XV48C	203330612
XP16-036-230	35600	15.1	12	35800	22200	9.2	CR33-48C	SLP98DF090XV60C	203330613
XP16-036-230	35600	15.1	12	35800	22400	9.2	CR33-48C	SLP98DF110XV60C	203330614
XP16-036-230	35400	15.1	12	35600	22200	9.2	CR33-48C	SLP99DF090XV36C	205545846
XP16-036-230	35400	15.1	12	35600	22200	9.2	CR33-48C	SLP99DF090XV48C	205545848
XP16-036-230	35600	15.1	12	35800	22200	9.2	CR33-48C	SLP99DF090XV60C	205545849

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-036-230	35600	15.1	12	35800	22400	9.2	CR33-48C	SLP99DF110XV60C	205545851
XP16-036-230	36000	15.1	12.5	34800	21800	9.5	CR33-50/60	SL280DF090V60C	203324298
XP16-036-230	35800	15.1	12.5	34600	21600	9.5	CR33-50/60	SL280DF110V60C	203324299
XP16-036-230	35600	15.1	12	34800	21800	9	CR33-50/60	SLP98DF090XV36C	203324300
XP16-036-230	35600	15.1	12	34800	21800	9	CR33-50/60	SLP98DF090XV48C	203324301
XP16-036-230	35800	15.1	12	34800	21800	9	CR33-50/60	SLP98DF090XV60C	203324302
XP16-036-230	35800	15	12	34800	21800	9	CR33-50/60	SLP98DF110XV60C	203324303
XP16-036-230	35600	15.1	12	34800	21800	9	CR33-50/60	SLP99DF090XV36C	205545817
XP16-036-230	35600	15.1	12	34800	21800	9	CR33-50/60	SLP99DF090XV48C	205545819
XP16-036-230	35800	15.1	12	34800	21800	9	CR33-50/60	SLP99DF090XV60C	205545821
XP16-036-230	35800	15	12	34800	21800	9	CR33-50/60	SLP99DF110XV60C	205545822
XP16-036-230	36000	15.1	12.5	34600	21600	9.4	CR33-60	SLP98UH135XV60D	203330615
XP16-036-230	36000	15.1	12.5	34600	21600	9.4	CR33-60	SLP99UH135XV60D	205545853
XP16-036-230	36000	15.5	12.5	34400	21800	8.8	CX35-36A	EL180UH060NE36A	203330616
XP16-036-230	35600	15	12	34200	21600	8.8	CX35-36A	EL280UH070E36A	203324304
XP16-036-230	35600	15	12	34200	21600	8.8	CX35-36A	EL280UH070XE36A	203362315
XP16-036-230	35800	15.1	12.5	34000	21600	8.5	CX35-36A	ML180UH030V36A	204495082
XP16-036-230	35800	15	12	34200	21800	8.5	CX35-36A	ML180UH045E36A	203330617
XP16-036-230	35800	15.1	12.5	34000	21600	8.5	CX35-36A	ML180UH045V36A	204495185
XP16-036-230	35800	15	12	34200	21800	8.5	CX35-36A	ML180UH045XE36A	203330618
XP16-036-230	35800	15	12	34200	21800	8.5	CX35-36A	ML180UH070V36A	204495288
XP16-036-230	36000	15.1	12.5	34000	21600	8.8	CX35-36A	SL280UH060NV36A	203330619
XP16-036-230	35800	15	12	34200	21800	8.5	CX35-36A	SL280UH070V36A	203330620
XP16-036-230	35800	15	12	34200	21800	8.5	CX35-36A	SL280UH070XV36A	203330621
XP16-036-230	36000	14.5	12.5	34200	21600	8.8	CX35-36B	EL180UH080NE48B	203330622
XP16-036-230	35600	15	12.5	34000	21600	8.5	CX35-36B	EL195UH040NE36B	203330623
XP16-036-230	35200	15	12	34000	21600	8.5	CX35-36B	EL195UH045XE36B	203330624
XP16-036-230	35600	15	12.5	34000	21600	8.5	CX35-36B	EL195UH070XE36B	203330626
XP16-036-230	35200	15.1	12	34000	21600	8.5	CX35-36B	EL196UH045XE36B	203324305
XP16-036-230	35200	15.1	12	34000	21600	8.5	CX35-36B	EL196UH070XE36B	203324306
XP16-036-230	36000	15.1	12.5	34200	21800	8.8	CX35-36B	EL280UH090E36B	203324307
XP16-036-230	35600	15	12	34600	22000	8.5	CX35-36B	EL296UH045XE36B	203324308
XP16-036-230	35600	15.1	12	34400	22000	8.5	CX35-36B	EL296UH045XV36B	203324309
XP16-036-230	35600	15.1	12	34400	22000	8.5	CX35-36B	EL296UH070XE36B	203324310
XP16-036-230	35800	15.1	12	34400	21800	8.5	CX35-36B	EL296UH070XV36B	203324311
XP16-036-230	35600	14.25	12.5	33800	21400	8.5	CX35-36B	ML180UH070E36B	203330627
XP16-036-230	35800	15.5	12.5	33800	21400	8.5	CX35-36B	ML180UH070V36B	204495440
XP16-036-230	36000	15.5	12.5	34000	21600	8.8	CX35-36B	ML180UH070V48B	204495564
XP16-036-230	35600	14.25	12.5	33800	21400	8.5	CX35-36B	ML180UH070XE36B	203330628
XP16-036-230	36000	14.5	12.5	34000	21600	8.5	CX35-36B	ML180UH090E48B	203330629
XP16-036-230	35800	15.5	12	34200	21800	8.8	CX35-36B	ML180UH090V48B	203330630
XP16-036-230	36000	14.5	12.5	34000	21600	8.5	CX35-36B	ML180UH090XE48B	203330631
XP16-036-230	35800	15	12	34600	22000	8.5	CX35-36B	ML193UH030XE36B	203324312
XP16-036-230	35800	15	12	34600	22000	8.5	CX35-36B	ML193UH045XE36B	203324313
XP16-036-230	35800	15	12	34600	22000	8.5	CX35-36B	ML193UH070XE36B	203324314
XP16-036-230	35200	15.1	12	34000	21600	8.5	CX35-36B	ML196UH045XE36B	204498621
XP16-036-230	35200	15.1	12	34000	21600	8.5	CX35-36B	ML196UH070XE36B	204498622
XP16-036-230	35600	15.1	12	34200	21800	8.5	CX35-36B	ML296UH045XV36B	203330632
XP16-036-230	35800	15.1	12	34400	21800	8.5	CX35-36B	ML296UH070XV36B	203330633
XP16-036-230	36000	15.1	12.5	33800	21400	8.8	CX35-36B	SL280UH080NV48B	203330634
XP16-036-230	36000	15.1	12.5	34400	21800	8.5	CX35-36B	SL280UH090V36B	203324315
XP16-036-230	36000	15.1	12.5	34200	21600	8.5	CX35-36B	SL280UH090V48B	203324316
XP16-036-230	36000	15.1	12.5	34200	21600	8.5	CX35-36B	SL280UH090XV48B	203324317
XP16-036-230	36000	15.1	12.5	34200	21800	8.5	CX35-36B	SL297UH040NV36B	203330635
XP16-036-230	35800	15.1	12.5	34200	21800	8.5	CX35-36B	SL297UH060NV36B	203330636
XP16-036-230	35800	15.3	12	34400	21800	8.5	CX35-36B	SLP98UH070XV36B	203324318

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-036-230	35800	15.3	12	34400	21800	8.5	CX35-36B	SLP99UH070XV36B	205545824
XP16-036-230	35600	15	12.5	34000	21600	8.5	CX35-36B		203330625
XP16-036-230	36000	14.5	12.2	34400	22200	9	CX35-49C	EL195UH080NE48C	203330637
XP16-036-230	36000	14.5	12.2	34200	22000	9	CX35-49C	EL195UH090XE48C	203330638
XP16-036-230	36000	14.5	12.5	34400	22000	9	CX35-49C	EL196UH090XE48C	203330639
XP16-036-230	36000	14.5	12.5	34400	22000	9	CX35-49C	EL280UH110E48C	203330640
XP16-036-230	36000	14.5	12.2	34200	22000	9	CX35-49C	EL296UH090XE48C	203330641
XP16-036-230	36000	15.1	12.5	34200	22000	9	CX35-49C	EL296UH090XV36C	203330642
XP16-036-230	36000	15.5	12	34400	22200	9	CX35-49C	EL296UH090XV48C	203330643
XP16-036-230	36000	15.1	12.5	34600	22200	9	CX35-49C	EL296UH090XV60C	203330644
XP16-036-230	36000	15.5	12.5	34200	22000	9	CX35-49C	EL296UH110XV48C	203330645
XP16-036-230	36000	15.1	12.5	34400	22000	9	CX35-49C	EL296UH110XV60C	203330646
XP16-036-230	36000	15.5	12.5	34200	22000	9.2	CX35-49C	ML180UH110V60C	203330647
XP16-036-230	36000	14.25	12.2	34400	22200	8.8	CX35-49C	ML193UH090XE36C	203330648
XP16-036-230	36000	14.5	12.5	34400	22000	9	CX35-49C	ML193UH090XE48C	203330649
XP16-036-230	36000	14.5	12.5	34400	22000	9	CX35-49C	ML193UH110XE48C	203330650
XP16-036-230	36000	14.5	12.5	34400	22000	9	CX35-49C	ML196UH090XE48C	204498623
XP16-036-230	36000	15.1	12.5	34000	21400	8.8	CX35-49C	ML296UH110XV60C	203330652
XP16-036-230	36000	15.5	12.5	34200	22000	9.2	CX35-49C	SL280UH080NV60C	203330653
XP16-036-230	36000	15.5	12.5	34400	22000	9.2	CX35-49C	SL280UH090V60C	203330654
XP16-036-230	36000	15.5	12.5	34400	22000	9.2	CX35-49C	SL280UH090XV60C	203330655
XP16-036-230	36000	15.1	12.5	34400	22200	9	CX35-49C	SL280UH110V60C	203330656
XP16-036-230	36000	15.1	12.5	34400	22200	9	CX35-49C	SL280UH110XV60C	203330657
XP16-036-230	36000	15.1	12.5	34200	22000	9	CX35-49C	SL297UH080NV48C	203330658
XP16-036-230	36000	15.1	12.5	34400	22200	9	CX35-49C	SL297UH080NV60C	203330659
XP16-036-230	36000	15.1	12.5	34200	22000	9	CX35-49C	SLP98UH090XV36C	203330660
XP16-036-230	36000	15.1	12.5	34000	22000	9	CX35-49C	SLP98UH090XV48C	203330661
XP16-036-230	36000	15.1	12.5	34400	22000	9	CX35-49C	SLP98UH110XV60C	203330662
XP16-036-230	36000	15.1	12.5	34200	22000	9	CX35-49C	SLP99UH090XV36C	205545854
XP16-036-230	36000	15.1	12.5	34000	22000	9	CX35-49C	SLP99UH090XV48C	205545856
XP16-036-230	36000	15.1	12.5	34400	22000	9	CX35-49C	SLP99UH110XV60C	205545858
XP16-036-230	36000	15.5	12.5	34600	22000	9.2	CX35-60D	EL296UH135XV60D	203330663
XP16-036-230	36000	15.1	12.5	34200	21800	9	CX35-60D	SL280UH135V60D	203330664
XP16-036-230	36000	15.1	12.5	34400	21800	9.2	CX35-60D	SLP98UH135XV60D	203330665
XP16-036-230	36000	15.1	12.5	34400	21800	9.2	CX35-60D	SLP99UH135XV60D	205545859
XP16-048-230	46500	15	11.5	42000	28000	8.2	C35-49C	EL196UH110XE60C	204457346
XP16-048-230	46500	15.5	11.5	42000	28200	8.2	C35-49C	EL280UH090E48B	204457362
XP16-048-230	46500	15.5	11.5	42000	28200	8.2	C35-49C	EL280UH090XE48B	204457405
XP16-048-230	46500	16	11.7	42000	28200	8.2	C35-49C	EL280UH110E48C	204457369
XP16-048-230	46500	16	12	42000	28000	8.2	C35-49C	EL280UH110E60C	204457376
XP16-048-230	46500	16	12	42000	28000	8.2	C35-49C	EL280UH110XE60C	204457412
XP16-048-230	46500	15	11.5	42500	28400	8.2	C35-49C	EL296UH090XV48C	204457264
XP16-048-230	46500	15	11.5	42500	28400	8.2	C35-49C	EL296UH090XV60C	204457265
XP16-048-230	46500	15	11.5	42000	28000	8.2	C35-49C	EL296UH110XE60C	204457267
XP16-048-230	46500	15	11.5	42000	28200	8.2	C35-49C	EL296UH110XV48C	204457266
XP16-048-230	46500	15	11.5	42500	28200	8.2	C35-49C	EL296UH110XV60C	204457268
XP16-048-230	46500	15	11.5	42000	28000	8.2	C35-49C	ML180UH090E60C	204457325
XP16-048-230	47000	15	11.5	42500	28600	8.2	C35-49C	ML180UH110E60C	204457331
XP16-048-230	47000	16	12	42000	27800	8.2	C35-49C	ML180UH110V60C	204495943
XP16-048-230	46000	15.5	11.5	42000	28200	8.2	C35-49C	ML193UH090XE48C	204457384
XP16-048-230	46500	15.5	11.5	42000	28200	8.2	C35-49C	ML193UH110XE48C	204457391
XP16-048-230	47000	15.5	11.5	42500	28400	8.2	C35-49C	ML193UH110XE60C	204457398
XP16-048-230	46500	15.5	11.5	42000	28000	8.2	C35-49C	SL280UH090V60C	204457269
XP16-048-230	46500	15.5	11.5	42000	28000	8.2	C35-49C	SL280UH090XV60C	204457270
XP16-048-230	46500	15.5	11.5	42000	28000	8.2	C35-49C	SL280UH110V60C	204457271
XP16-048-230	46500	15.5	11.5	42000	28000	8.2	C35-49C	SL280UH110XV60C	204457272

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-048-230	47000	15.5	11.7	42500	28400	8.2	C35-49C	SL297UH080NV48C	205746269
XP16-048-230	47000	15.1	11.7	42500	28400	8.2	C35-49C	SL297UH080NV60C	205746270
XP16-048-230	46500	15	11.5	42000	28200	8.2	C35-49C	SLP98UH090XV48C	204457273
XP16-048-230	46500	15	11.5	42000	28200	8.2	C35-49C	SLP99UH090XV48C	205545930
XP16-048-230	46500	15	11.5	43500	26200	8.2	C35-60C	EL196UH090XE48C	204457344
XP16-048-230	47000	15.5	11.5	43500	26000	8.2	C35-60C	EL196UH110XE60C	204457345
XP16-048-230	46500	16	11.7	43500	26200	8.2	C35-60C	EL280UH090E48B	204457363
XP16-048-230	46500	16	11.7	43500	26200	8.2	C35-60C	EL280UH090XE48B	204457406
XP16-048-230	47000	16	12	43500	26200	8.2	C35-60C	EL280UH110E48C	204457370
XP16-048-230	47000	16	12	43500	26000	8.4	C35-60C	EL280UH110E60C	204457377
XP16-048-230	47000	16	12	43500	26000	8.4	C35-60C	EL280UH110XE60C	204457413
XP16-048-230	46500	15	11.5	43500	26200	8.2	C35-60C	EL296UH090XE48C	204457274
XP16-048-230	47000	15.5	11.5	44000	26400	8.2	C35-60C	EL296UH090XV48C	204457275
XP16-048-230	47000	15.5	11.5	44000	26400	8.2	C35-60C	EL296UH090XV60C	204457276
XP16-048-230	47000	15.5	11.5	43500	26000	8.2	C35-60C	EL296UH110XE60C	204457278
XP16-048-230	47000	15.5	11.5	43500	26200	8.2	C35-60C	EL296UH110XV48C	204457277
XP16-048-230	47000	15.5	11.5	43500	26200	8.2	C35-60C	EL296UH110XV60C	204457279
XP16-048-230	47000	15.5	12	43000	26000	8.2	C35-60C	ML180UH090E60C	204457326
XP16-048-230	47500	15.5	11.5	44000	26600	8.2	C35-60C	ML180UH110E60C	204457332
XP16-048-230	47500	16	12.5	43500	26000	8.4	C35-60C	ML180UH110V60C	204495944
XP16-048-230	46500	16	11.7	43500	26200	8.2	C35-60C	ML193UH090XE48C	204457385
XP16-048-230	46500	16	11.7	43500	26200	8.2	C35-60C	ML193UH110XE48C	204457392
XP16-048-230	47000	16	11.7	44000	26400	8.2	C35-60C	ML193UH110XE60C	204457399
XP16-048-230	46500	16	11.7	42500	26400	8.2	C35-60C	ML296UH110XV60C	204457359
XP16-048-230	47000	15.5	11.5	43500	26000	8.2	C35-60C	SL280UH090V60C	204457280
XP16-048-230	47000	15.5	11.5	43500	26000	8.2	C35-60C	SL280UH090XV60C	204457281
XP16-048-230	47000	15.5	11.5	43500	26000	8.2	C35-60C	SL280UH110V60C	204457282
XP16-048-230	47000	15.5	11.5	43500	26000	8.2	C35-60C	SL280UH110XV60C	204457283
XP16-048-230	47000	15.5	11.7	43500	26200	8.2	C35-60C	SL297UH080NV48C	205746271
XP16-048-230	47000	15.5	11.7	43500	26400	8.2	C35-60C	SL297UH080NV60C	205746272
XP16-048-230	47000	15.5	11.5	43500	26200	8.2	C35-60C	SLP98UH090XV48C	204457284
XP16-048-230	47000	15.5	11.5	43500	26200	8.2	C35-60C	SLP98UH090XV60C	204457285
XP16-048-230	47000	15.5	11.5	43500	26200	8.2	C35-60C	SLP98UH110XV60C	204457286
XP16-048-230	47000	15.5	11.5	43500	26200	8.2	C35-60C	SLP99UH090XV48C	205545933
XP16-048-230	47000	15.5	11.5	43500	26200	8.2	C35-60C	SLP99UH090XV60C	205545935
XP16-048-230	47000	15.5	11.5	43500	26200	8.2	C35-60C	SLP99UH110XV60C	205545937
XP16-048-230	47500	15.5	12	43000	28200	8.2	C35-60D	SL280UH135V60D	204457287
XP16-048-230	48000	15.5	12	43000	28400	8.2	C35-60D	SLP98UH135XV60D	204457288
XP16-048-230	48000	15.5	12	43000	28400	8.2	C35-60D	SLP99UH135XV60D	205545938
XP16-048-230	48000	16	12.5	44500	31200	8.5	CBA25UHV-048-230		204457356
XP16-048-230	47500	16	12	45000	30000	9	CBA27UHE-048-230		204457321
XP16-048-230	47000	15	11.5	44500	27400	9	CBA27UHE-060-230		204457322
XP16-048-230	48000	16	12	45000	30000	8.5	CBA38MV-048-230		204457336
XP16-048-230	47000	16	12	44500	30000	9	CBA38MV-060-230		204457337
XP16-048-230	47500	15	12	44000	29400	8.5	CBX25UHV-048-230		204457239
XP16-048-230	48000	15.5	12	45500	30200	8.7	CBX32M-048		204457262
XP16-048-230	48000	16	12.5	45500	30000	8.5	CBX32MV-048		204457258
XP16-048-230	48500	16	12.5	45000	30800	9.5	CBX32MV-060		204457237
XP16-048-230	48000	16	12.5	41000	26600	8.5	CBX32MV-068		204457253
XP16-048-230	48000	16	12.5	45500	30000	8.5	CBX40UHV-048		204457259
XP16-048-230	48500	16	12.5	45000	31000	9.5	CBX40UHV-060		204457260
XP16-048-230	48500	16	12	45000	29400	8.5	CH23-68	EL196UH090XE48C	204457338
XP16-048-230	48500	16	12	45000	29400	8.5	CH23-68	EL196UH110XE60C	204457339
XP16-048-230	48000	16	12	45500	29600	9	CH23-68	EL280UH090E48B	204457364
XP16-048-230	48000	16	12	45500	29600	9	CH23-68	EL280UH090XE48B	204457407
XP16-048-230	48000	16	12	45500	29400	9	CH23-68	EL280UH110E48C	204457371

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-048-230	48000	16	12	45000	29400	9	CH23-68	EL280UH110E60C	204457378
XP16-048-230	48000	16	12	45000	29400	9	CH23-68	EL280UH110XE60C	204457414
XP16-048-230	48500	16	12	45000	29400	8.5	CH23-68	EL296UH090XE48C	204457245
XP16-048-230	48500	16	12	45000	29400	9	CH23-68	EL296UH110XE60C	204457254
XP16-048-230	48500	16	12	45000	29400	9	CH23-68	EL296UH135XV60D	204457250
XP16-048-230	48500	16	12.5	45000	29200	9	CH23-68	ML180UH090E60C	204457324
XP16-048-230	48500	16	12.5	45000	29200	9	CH23-68	ML180UH110E60C	204457330
XP16-048-230	48000	16	12	45000	29400	9	CH23-68	ML193UH090XE48C	204457386
XP16-048-230	48000	16	12	45000	29400	9	CH23-68	ML193UH110XE48C	204457393
XP16-048-230	48000	16	12	45000	29400	9	CH23-68	ML193UH110XE60C	204457400
XP16-048-230	48500	16	12	45000	29200	9	CH23-68	SL280UH135V60D	204457256
XP16-048-230	48500	16	12	45500	29400	9	CH23-68	SLP98UH135XV60D	204457248
XP16-048-230	48500	16	12	45500	29400	9	CH23-68	SLP99UH135XV60D	205545928
XP16-048-230	48000	14.5	11.5	45500	30000	8.5	CH23-68		204457234
XP16-048-230	48000	15	12	45500	31600	8.7	CH33-60D	EL296UH135XV60D	204457257
XP16-048-230	48000	15	12	45000	31400	8.7	CH33-60D	SL280UH135V60D	204457249
XP16-048-230	48500	15	12	45500	31600	8.7	CH33-60D	SLP98UH135XV60D	204457251
XP16-048-230	47000	15	12	43500	28600	8.7	CH33-62D	EL296UH135XV60D	204457246
XP16-048-230	46500	15	12	43500	28600	8.7	CH33-62D	SL280UH135V60D	204457255
XP16-048-230	47000	15	12	43500	28800	8.7	CH33-62D	SLP98UH135XV60D	204457247
XP16-048-230	48000	15	11.5	43500	29600	8.2	CH35-51C	EL196UH110XE60C	204457342
XP16-048-230	47000	16	12	43000	29200	8.2	CH35-51C	EL280UH090E48B	204457365
XP16-048-230	47000	16	12	43000	29200	8.2	CH35-51C	EL280UH090XE48B	204457408
XP16-048-230	47500	16	12	43000	29000	8.2	CH35-51C	EL280UH110E48C	204457372
XP16-048-230	47000	16	12	42500	29000	8.2	CH35-51C	EL280UH110E60C	204457379
XP16-048-230	47000	16	12	42500	29000	8.2	CH35-51C	EL280UH110XE60C	204457415
XP16-048-230	47500	15.5	11.5	43000	29200	8.2	CH35-51C	EL296UH090XE48C	204457289
XP16-048-230	48000	15	11.5	43500	29600	8.2	CH35-51C	EL296UH110XE60C	204457290
XP16-048-230	47500	15.5	11.5	43000	29200	8.2	CH35-51C	EL296UH110XV60C	204457291
XP16-048-230	48000	15.5	11.5	43500	29600	8.2	CH35-51C	ML180UH090E60C	204457327
XP16-048-230	48000	15.5	11.5	43500	29600	8.2	CH35-51C	ML180UH110E60C	204457333
XP16-048-230	48000	16	12.5	43000	29000	8.4	CH35-51C	ML180UH110V60C	204495945
XP16-048-230	47000	16	12	43000	29000	8.2	CH35-51C	ML193UH090XE48C	204457387
XP16-048-230	47000	16	12	43000	29000	8.2	CH35-51C	ML193UH110XE48C	204457394
XP16-048-230	47500	16	12	43500	29400	8.2	CH35-51C	ML193UH110XE60C	204457401
XP16-048-230	47000	16	11.7	42500	28400	8.2	CH35-51C	ML296UH110XV60C	204457358
XP16-048-230	47500	15.5	12	43000	29000	8.2	CH35-51C	SL280UH090V60C	204457292
XP16-048-230	47500	15.5	12	43000	29000	8.2	CH35-51C	SL280UH090XV60C	204457293
XP16-048-230	48000	15.5	11.7	43500	29600	8.2	CH35-51C	SL297UH080NV48C	205746273
XP16-048-230	48000	15.5	12	43500	29400	8.2	CH35-51C	SL297UH080NV60C	205746274
XP16-048-230	47500	15.5	11.5	43000	29200	8.2	CH35-51C	SLP98UH090XV48C	204457294
XP16-048-230	47500	15.5	11.5	43000	29200	8.2	CH35-51C	SLP98UH110XV60C	204457295
XP16-048-230	47500	15.5	11.5	43000	29200	8.2	CH35-51C	SLP99UH090XV48C	205545940
XP16-048-230	47500	15.5	11.5	43000	29200	8.2	CH35-51C	SLP99UH110XV60C	205545942
XP16-048-230	47000	16	12	43000	29200	8.2	CHX35-51/61C	EL280UH090E48B	204457366
XP16-048-230	47000	16	12	43000	29200	8.2	CHX35-51/61C	EL280UH090XE48B	204457409
XP16-048-230	47500	16	12	43000	29000	8.2	CHX35-51/61C	EL280UH110E48C	204457373
XP16-048-230	47000	16	12	42500	29000	8.2	CHX35-51/61C	EL280UH110E60C	204457380
XP16-048-230	47000	16	12	42500	29000	8.2	CHX35-51/61C	EL280UH110XE60C	204457416
XP16-048-230	47500	15.5	11.5	43000	29200	8.2	CHX35-51/61C	EL296UH090XE48C	204457347
XP16-048-230	48000	15	11.5	43500	29600	8.2	CHX35-51/61C	EL296UH110XE60C	204457348
XP16-048-230	47500	15.5	11.5	43000	29200	8.2	CHX35-51/61C	EL296UH110XV60C	204457349
XP16-048-230	48000	15.5	11.5	43500	29600	8.2	CHX35-51/61C	ML180UH090E60C	204457354
XP16-048-230	48000	15.5	11.5	43500	29600	8.2	CHX35-51/61C	ML180UH110E60C	204457355
XP16-048-230	48000	16	12.5	43000	29000	8.4	CHX35-51/61C	ML180UH110V60C	204495946
XP16-048-230	47000	16	12	43000	29000	8.2	CHX35-51/61C	ML193UH090XE48C	204457388

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-048-230	47000	16	12	43000	29000	8.2	CHX35-51/61C	ML193UH110XE48C	204457395
XP16-048-230	47500	16	12	43500	29400	8.2	CHX35-51/61C	ML193UH110XE60C	204457402
XP16-048-230	47000	16	11.7	42500	28400	8.2	CHX35-51/61C	ML296UH110XV60C	204457360
XP16-048-230	47500	15.5	12	43000	29000	8.2	CHX35-51/61C	SL280UH090V60C	204457350
XP16-048-230	47500	15.5	12	43000	29000	8.2	CHX35-51/61C	SL280UH090XV60C	204457351
XP16-048-230	48000	15.5	11.7	43500	29600	8.2	CHX35-51/61C	SL297UH080NV48C	205746275
XP16-048-230	48000	15.5	12	43500	29400	8.2	CHX35-51/61C	SL297UH080NV60C	205746276
XP16-048-230	47500	15.5	11.5	43000	29200	8.2	CHX35-51/61C	SLP98UH090XV48C	204457352
XP16-048-230	47500	15.5	11.5	43000	29200	8.2	CHX35-51/61C	SLP98UH110XV60C	204457353
XP16-048-230	47500	15.5	11.5	43000	29200	8.2	CHX35-51/61C	SLP99UH090XV48C	205545953
XP16-048-230	47500	15.5	11.5	43000	29200	8.2	CHX35-51/61C	SLP99UH110XV60C	205545956
XP16-048-230	46500	15.5	12	44000	30400	9.2	CR33-50/60	EL280DF090E48B	204457361
XP16-048-230	47000	15.5	12	44500	30400	9.2	CR33-50/60	EL296DF090XE48C	204457252
XP16-048-230	47000	16	12	44000	30200	9	CR33-50/60	EL296DF110XE60C	204457241
XP16-048-230	47000	16	12	44500	30600	9	CR33-50/60	EL296DF110XV60C	204457263
XP16-048-230	47500	16	12.5	44000	30200	9.5	CR33-50/60	ML180DF110E60C	204457323
XP16-048-230	47000	16	12	44000	30400	9.2	CR33-50/60	ML193DF090XE48C	204457383
XP16-048-230	47000	16	12	44500	30400	9	CR33-50/60	SLP98DF090XV60C	204457244
XP16-048-230	47000	16	12	44500	30600	9	CR33-50/60	SLP98DF110XV60C	204457240
XP16-048-230	47000	16	12	44500	30400	9	CR33-50/60	SLP99DF090XV60C	205545927
XP16-048-230	47000	16	12	44500	30600	9	CR33-50/60	SLP99DF110XV60C	205545922
XP16-048-230	47000	14.5	11.5	44500	30800	9	CR33-50/60		204457235
XP16-048-230	47000	16	12	44500	30400	9	CR33-60	SLP98DF090XV60C	204457243
XP16-048-230	47000	16	12	44500	30400	9	CR33-60	SLP98DF110XV60C	204457242
XP16-048-230	47000	16	12	44500	30400	9	CR33-60	SLP99DF090XV60C	205545925
XP16-048-230	47000	16	12	44500	30400	9	CR33-60	SLP99DF110XV60C	205545923
XP16-048-230	47000	14.5	11.5	44500	30600	9	CR33-60		204457236
XP16-048-230	46500	15	11.5	42000	28000	8.2	CX35-49C	EL196UH110XE60C	204457343
XP16-048-230	46500	15.5	11.5	42000	28200	8.2	CX35-49C	EL280UH090E48B	204457367
XP16-048-230	46500	15.5	11.5	42000	28200	8.2	CX35-49C	EL280UH090XE48B	204457410
XP16-048-230	46500	16	11.7	42000	28200	8.2	CX35-49C	EL280UH110E48C	204457374
XP16-048-230	46500	16	12	42000	28000	8.2	CX35-49C	EL280UH110E60C	204457381
XP16-048-230	46500	16	12	42000	28000	8.2	CX35-49C	EL280UH110XE60C	204457417
XP16-048-230	46500	15	11.5	42500	28400	8.2	CX35-49C	EL296UH090XV48C	204457296
XP16-048-230	46500	15	11.5	42500	28400	8.2	CX35-49C	EL296UH090XV60C	204457297
XP16-048-230	46500	15	11.5	42000	28000	8.2	CX35-49C	EL296UH110XE60C	204457299
XP16-048-230	46500	15	11.5	42000	28200	8.2	CX35-49C	EL296UH110XV48C	204457298
XP16-048-230	46500	15	11.5	42500	28200	8.2	CX35-49C	EL296UH110XV60C	204457300
XP16-048-230	46500	15	11.5	42000	28000	8.2	CX35-49C	ML180UH090E60C	204457328
XP16-048-230	47000	15	11.5	42500	28600	8.2	CX35-49C	ML180UH110E60C	204457334
XP16-048-230	47000	16	12	42000	27800	8.2	CX35-49C	ML180UH110V60C	204495947
XP16-048-230	46000	15.5	11.5	42000	28200	8.2	CX35-49C	ML193UH090XE48C	204457389
XP16-048-230	46500	15.5	11.5	42000	28200	8.2	CX35-49C	ML193UH110XE48C	204457396
XP16-048-230	47000	15.5	11.5	42500	28400	8.2	CX35-49C	ML193UH110XE60C	204457403
XP16-048-230	46500	15.5	11.5	42000	28000	8.2	CX35-49C	SL280UH090V60C	204457301
XP16-048-230	46500	15.5	11.5	42000	28000	8.2	CX35-49C	SL280UH090XV60C	204457302
XP16-048-230	46500	15.5	11.5	42000	28000	8.2	CX35-49C	SL280UH110V60C	204457303
XP16-048-230	46500	15.5	11.5	42000	28000	8.2	CX35-49C	SL280UH110XV60C	204457304
XP16-048-230	47000	15.5	11.7	42500	28400	8.2	CX35-49C	SL297UH080NV48C	205746277
XP16-048-230	47000	15.1	11.7	42500	28200	8.2	CX35-49C	SL297UH080NV60C	205746278
XP16-048-230	46500	15	11.5	42000	28200	8.2	CX35-49C	SLP98UH090XV48C	204457305
XP16-048-230	46500	15	11.5	42000	28200	8.2	CX35-49C	SLP99UH090XV48C	205545943
XP16-048-230	46500	15	11.5	43500	26200	8.2	CX35-60C	EL196UH090XE48C	204457340
XP16-048-230	47000	15.5	11.5	43500	26000	8.2	CX35-60C	EL196UH110XE60C	204457341
XP16-048-230	46500	16	11.7	43500	26200	8.2	CX35-60C	EL280UH090E48B	204457368
XP16-048-230	46500	16	11.7	43500	26200	8.2	CX35-60C	EL280UH090XE48B	204457411

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-048-230	47000	16	12	43500	26200	8.2	CX35-60C	EL280UH110E48C	204457375
XP16-048-230	47000	16	12	43500	26000	8.4	CX35-60C	EL280UH110E60C	204457382
XP16-048-230	47000	16	12	43500	26000	8.4	CX35-60C	EL280UH110XE60C	204457418
XP16-048-230	46500	15	11.5	43500	26200	8.2	CX35-60C	EL296UH090XE48C	204457306
XP16-048-230	47000	15.5	11.5	44000	26400	8.2	CX35-60C	EL296UH090XV48C	204457307
XP16-048-230	47000	15.5	11.5	44000	26400	8.2	CX35-60C	EL296UH090XV60C	204457308
XP16-048-230	47000	15.5	11.5	43500	26000	8.2	CX35-60C	EL296UH110XE60C	204457310
XP16-048-230	47000	15.5	11.5	43500	26200	8.2	CX35-60C	EL296UH110XV48C	204457309
XP16-048-230	47000	15.5	11.5	43500	26200	8.2	CX35-60C	EL296UH110XV60C	204457311
XP16-048-230	47000	15.5	12	43000	26000	8.2	CX35-60C	ML180UH090E60C	204457329
XP16-048-230	47500	15.5	11.5	44000	26600	8.2	CX35-60C	ML180UH110E60C	204457335
XP16-048-230	47500	16	12.5	43500	26000	8.4	CX35-60C	ML180UH110V60C	204495948
XP16-048-230	46500	16	11.7	43500	26200	8.2	CX35-60C	ML193UH090XE48C	204457390
XP16-048-230	46500	16	11.7	43500	26200	8.2	CX35-60C	ML193UH110XE48C	204457397
XP16-048-230	47000	16	11.7	44000	26400	8.2	CX35-60C	ML193UH110XE60C	204457404
XP16-048-230	46500	16	11.7	42500	26400	8.2	CX35-60C	ML296UH110XV60C	204457357
XP16-048-230	47000	15.5	11.5	43500	26000	8.2	CX35-60C	SL280UH090V60C	204457312
XP16-048-230	47000	15.5	11.5	43500	26000	8.2	CX35-60C	SL280UH090XV60C	204457313
XP16-048-230	47000	15.5	11.5	43500	26000	8.2	CX35-60C	SL280UH110V60C	204457314
XP16-048-230	47000	15.5	11.5	43500	26000	8.2	CX35-60C	SL280UH110XV60C	204457315
XP16-048-230	47000	15.5	11.7	43500	26200	8.2	CX35-60C	SL297UH080NV48C	205746279
XP16-048-230	47000	15.5	11.7	43500	26400	8.2	CX35-60C	SL297UH080NV60C	205746280
XP16-048-230	47000	15.5	11.5	43500	26200	8.2	CX35-60C	SLP98UH090XV48C	204457316
XP16-048-230	47000	15.5	11.5	43500	26200	8.2	CX35-60C	SLP98UH090XV60C	204457317
XP16-048-230	47000	15.5	11.5	43500	26200	8.2	CX35-60C	SLP98UH110XV60C	204457318
XP16-048-230	47000	15.5	11.5	43500	26200	8.2	CX35-60C	SLP99UH090XV48C	205545945
XP16-048-230	47000	15.5	11.5	43500	26200	8.2	CX35-60C	SLP99UH090XV60C	205545948
XP16-048-230	47000	15.5	11.5	43500	26200	8.2	CX35-60C	SLP99UH110XV60C	205545950
XP16-048-230	47500	15.5	12	43000	28200	8.2	CX35-60D	SL280UH135V60D	204457319
XP16-048-230	48000	15.5	12	43000	28400	8.2	CX35-60D	SLP98UH135XV60D	204457320
XP16-048-230	48000	15.5	12	43000	28400	8.2	CX35-60D	SLP99UH135XV60D	205545952
XP16-060-230	57000	16	12	54000	35600	8.2	CBA25UHV-060-230		202540670
XP16-060-230	57000	14.5	11.5	56000	34400	8.5	CBA27UHE-060-230		10258975
XP16-060-230	57000	15	12	56000	34600	8.5	CBA38MV-060-230		201924996
XP16-060-230	57000	15	11.5	53500	35400	8.2	CBX25UHV-060-230		7785988
XP16-060-230	57000	14.5	11.5	56000	36200	8.5	CBX32M-060		7785980
XP16-060-230	57000	15.7	12	55500	35800	8.5	CBX32MV-060		7785979
XP16-060-230	57500	15.5	12	60000	36800	8.5	CH23-68	EL280UH110E48C	202891525
XP16-060-230	58000	15.5	11.5	60000	37200	8.5	CH23-68	EL280UH110E60C	202891528
XP16-060-230	58000	15.5	11.5	60000	37200	8.5	CH23-68	EL280UH110XE60C	203361957
XP16-060-230	58500	15.2	11.5	61500	37600	8.5	CH23-68	EL296UH135XE60D	7786015
XP16-060-230	59000	15.5	11.5	61500	37600	8.5	CH23-68	EL296UH135XV60D	7786013
XP16-060-230	58500	15.5	11.5	61000	37400	8.5	CH23-68	ML180UH135E60D	10590365
XP16-060-230	58000	15.5	11.5	60000	37200	8.5	CH23-68	ML193UH110XE60C	202891531
XP16-060-230	58500	15.7	11.5	61000	37400	8.5	CH23-68	SL280UH135V60D	7786012
XP16-060-230	59000	15.5	11.5	61500	37600	8.5	CH23-68	SLP98UH135XV60D	7786014
XP16-060-230	59000	15.5	11.5	61500	37600	8.5	CH23-68	SLP99UH135XV60D	205544199
XP16-060-230	58500	14.5	11.5	61500	37800	8.2	CH23-68		7785974
XP16-060-230	54500	15.2	11	53000	35000	8.2	CH33-62D	EL296UH135XE60D	7786016
XP16-060-230	54500	15.5	11	53000	34800	8.2	CH33-62D	EL296UH135XV60D	7786002
XP16-060-230	54500	15.7	11.5	52500	34600	8.2	CH33-62D	ML180UH135E60D	10590368
XP16-060-230	54500	15.7	11	53000	34800	8.2	CH33-62D	SL280UH135V60D	7786010
XP16-060-230	54500	15.5	11	53000	34800	8.2	CH33-62D	SLP98UH135XV60D	7786011
XP16-060-230	56500	15	11.5	57000	37400	8.2	CR33-50/60	EL296DF090XV60C	7785998
XP16-060-230	57000	15	12	57000	37200	8.2	CR33-50/60	EL296DF110XE60C	7785995
XP16-060-230	56500	15	11.5	57000	37400	8.2	CR33-50/60	EL296DF110XV60C	7785996

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP16-060-230	57500	15.2	12	57500	37200	8.5	CR33-50/60	ML180DF110E60C	10589537
XP16-060-230	56500	15	11.5	57000	37200	8.2	CR33-50/60	ML296DF090XV60C	202848356
XP16-060-230	57000	15.2	11.5	57500	37400	8.5	CR33-50/60	SL280DF090V60C	7786004
XP16-060-230	57000	15.2	12	57500	37200	8.5	CR33-50/60	SL280DF110V60C	7786018
XP16-060-230	56500	15	11.5	57000	37400	8.2	CR33-50/60	SLP98DF090XV60C	7786003
XP16-060-230	56500	15	11.5	57000	37400	8.2	CR33-50/60	SLP98DF110XV60C	7786001
XP16-060-230	56500	15	11.5	57000	37400	8.2	CR33-50/60	SLP99DF090XV60C	205544195
XP16-060-230	56500	15	11.5	57000	37400	8.2	CR33-50/60	SLP99DF110XV60C	205544193
XP16-060-230	56500	15	11.5	57000	37400	8.2	CR33-60	EL296DF110XV60C	7786005
XP16-060-230	56500	15	11.5	57000	37400	8.2	CR33-60	SLP98DF110XV60C	7786009
XP16-060-230	56500	15	11.5	57000	37400	8.2	CR33-60	SLP99DF110XV60C	205544197
XP16-060-230	57000	14.2	11.5	57500	37600	8.2	CR33-60		7785975
XP16-060-230	58500	15.5	12	56500	35800	8.2	CX35-60C	EL180UH100NE60C	205707492
XP16-060-230	58500	15.1	12	56500	35800	8.2	CX35-60C	EL195UH110XE60C	205707493
XP16-060-230	58500	15.1	12	56500	36000	8.2	CX35-60C	EL196UH110XE60C	205707494
XP16-060-230	58500	15.1	12	56500	35800	8.2	CX35-60C	EL280UH110E60C	205707495
XP16-060-230	58500	15.1	12	56500	35800	8.2	CX35-60C	EL280UH110XE60C	205707496
XP16-060-230	58500	15.1	12	56500	36200	8.2	CX35-60C	EL296UH090XV48C	205707497
XP16-060-230	58500	15	11.5	57000	36400	8.2	CX35-60C	EL296UH090XV60C	205707498
XP16-060-230	58500	15.1	12	56500	35800	8.2	CX35-60C	EL296UH110XE60C	205707499
XP16-060-230	58500	15.1	12	56500	36000	8.2	CX35-60C	EL296UH110XV48C	205707500
XP16-060-230	58500	15.1	12	56500	36200	8.2	CX35-60C	EL296UH110XV60C	205707501
XP16-060-230	58500	15.1	12	56500	35800	8.2	CX35-60C	ML180UH090E60C	205707502
XP16-060-230	58000	15.5	12	56500	35800	8.2	CX35-60C	ML180UH110E60C	205707503
XP16-060-230	59000	15.5	12.5	56500	35800	8.4	CX35-60C	ML180UH110V60C	205707504
XP16-060-230	58000	15.5	12	56500	35800	8.2	CX35-60C	ML180UH110XE60C	205707505
XP16-060-230	59500	15	12	57500	36600	8.2	CX35-60C	ML193UH110XE60C	205707506
XP16-060-230	58500	15.1	12	56500	36200	8.2	CX35-60C	ML296UH090XV48C	205707507
XP16-060-230	59000	15.1	12	56500	36000	8.4	CX35-60C	ML296UH110XV60C	205707508
XP16-060-230	59000	15.5	12	56500	35800	8.4	CX35-60C	SL280UH080NV60C	205707509
XP16-060-230	59000	15.1	12	56500	36000	8.2	CX35-60C	SL280UH090V60C	205707510
XP16-060-230	59000	15.1	12	56500	36000	8.2	CX35-60C	SL280UH090XV60C	205707511
XP16-060-230	59000	15.5	12.5	56500	35800	8.4	CX35-60C	SL280UH100NV60C	205707512
XP16-060-230	59000	15	12	57000	36200	8.2	CX35-60C	SL280UH110V60C	205707513
XP16-060-230	59000	15	12	57000	36200	8.2	CX35-60C	SL280UH110XV60C	205707514
XP16-060-230	58500	15.1	12	56500	35800	8.2	CX35-60C	SL297UH080NV48C	205707515
XP16-060-230	59000	15.1	12	57000	36200	8.2	CX35-60C	SL297UH080NV60C	205707516
XP16-060-230	58500	15.1	12	56500	36200	8.2	CX35-60C	SLP98UH090XV48C	205707517
XP16-060-230	58500	15	11.5	57000	36400	8.2	CX35-60C	SLP98UH090XV60C	205707518
XP16-060-230	58500	15.1	12	56500	36200	8.2	CX35-60C	SLP98UH110XV60C	205707519
XP16-060-230	58500	15.1	12	56500	36200	8.2	CX35-60C	SLP99UH110XV60C	205707520
XP16-060-230	58500	14.25	11.7	57000	36400	8.2	CX35-60C		205707491
XP16-060-230	56500	14.25	11	57000	35800	8.2	CX35-60D	EL296UH135XE60D	205707486
XP16-060-230	56500	15	11.5	57000	35600	8.4	CX35-60D	EL296UH135XV60D	205707487
XP16-060-230	56500	14.5	11.5	56500	35400	8.2	CX35-60D	ML180UH135E60D	205707488
XP16-060-230	56500	15	11.5	56500	35600	8.4	CX35-60D	SL280UH135V60D	205707489
XP16-060-230	56500	15.1	11.5	56500	35200	8.4	CX35-60D	SLP98UH135XV60D	205707490
XP16-060-230	55500	14	11	57000	35800	8.2	CX35-60D		205707485
XP20-024-230	21600	18	12.5	21400	13000	9	C35-30B	EL296UH045XV36B	10093927
XP20-024-230	21600	18	12.5	21400	13000	9	C35-30B	EL296UH070XV36B	10093928
XP20-024-230	21600	18	12.5	21400	12900	9	C35-30B	SL280UH090V36B	10093929
XP20-024-230	21600	18	12.5	21400	13000	9	C35-30B	SLP98UH070XV36B	10093931
XP20-024-230	21600	18	12.5	21400	13000	9	C35-30B	SLP99UH070XV36B	205550023
XP20-024-230	23000	20	14	22200	13600	10	CBA38MV-018/024-230		201842142
XP20-024-230	23200	19	14	21600	14000	10	CBA38MV-030-230		201842143
XP20-024-230	23200	20	14	22000	13700	10	CBX32MV-024/030-230		8550431

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP20-024-230	23000	19.5	14	22200	14400	9.6	CH35-30B	EL296UH045XV36B	8550447
XP20-024-230	23000	19.5	13.5	22200	14400	9.6	CH35-30B	EL296UH070XV36B	8550448
XP20-024-230	23200	20	13.5	22200	14300	9.6	CH35-30B	SL280UH090V36B	8550449
XP20-024-230	23000	19.5	13.5	22200	14400	9.6	CH35-30B	SLP98UH070XV36B	8550450
XP20-024-230	23000	19.5	13.5	22200	14400	9.6	CH35-30B	SLP99UH070XV36B	205544229
XP20-024-230	23000	19.5	14	22200	14400	9.6	CHX35-30B	EL296UH045XV36B	202192030
XP20-024-230	23000	19.5	13.5	22200	14400	9.6	CHX35-30B	EL296UH070XV36B	202192031
XP20-024-230	23200	20	13.5	22200	14300	9.6	CHX35-30B	SL280UH090V36B	202192032
XP20-024-230	23000	19.5	13.5	22200	14400	9.6	CHX35-30B	SLP98UH070XV36B	202192033
XP20-024-230	23000	19.5	13.5	22200	14400	9.6	CHX35-30B	SLP99UH070XV36B	205544694
XP20-024-230	22600	19	13.5	22000	14700	9.6	CR33-48B	EL296DF045XV36B	8550432
XP20-024-230	22600	19	13.5	22000	14700	9.6	CR33-48B	SL280DF070V36A	8688155
XP20-024-230	22600	19	13.5	22000	14700	9.6	CR33-48B	SL280DF090V48B	8688154
XP20-024-230	22600	19	13.5	22000	14700	9.6	CR33-48B	SLP98DF070XV36B	8550433
XP20-024-230	22600	19.5	14	22000	14700	9.6	CR33-48B	SLP98DF090XV36C	8550434
XP20-024-230	22600	19	13.5	22000	14700	9.6	CR33-48B	SLP99DF070XV36B	205544226
XP20-024-230	22600	19.5	14	22000	14700	9.6	CR33-48B	SLP99DF090XV36C	205544228
XP20-024-230	21600	18	12.5	21400	13000	9	CX35-30B	EL296UH045XV36B	10093941
XP20-024-230	21600	18	12.5	21400	13000	9	CX35-30B	EL296UH070XV36B	10093942
XP20-024-230	21600	18	12.5	21400	12900	9	CX35-30B	SL280UH090V36B	10093943
XP20-024-230	21600	18	12.5	21400	13000	9	CX35-30B	SLP98UH070XV36B	10093945
XP20-024-230	21600	18	12.5	21400	13000	9	CX35-30B	SLP99UH070XV36B	205550024
XP20-036-230	34000	19	12.5	31800	21800	8.5	C35-49C	EL296UH090XV36C	10093933
XP20-036-230	34000	19	12.5	31800	21800	8.5	C35-49C	SLP98UH090XV36C	10093932
XP20-036-230	34800	20	13.5	33000	21400	10	CBA38MV-042-230		201953305
XP20-036-230	34400	20	13.5	33200	21800	10	CBX32MV-036-230		8550469
XP20-036-230	34800	19.5	13	32600	21200	9	CH33-43C	EL296UH090XV36C	8550471
XP20-036-230	34800	19.5	13	32600	21200	9	CH33-43C	SLP98UH090XV36C	8550472
XP20-036-230	33800	19	12.5	33000	22000	9	CH33-44/48B	EL296UH045XV36B	8550474
XP20-036-230	33800	19	12.5	32800	22000	9	CH33-44/48B	EL296UH070XV36B	8550475
XP20-036-230	34000	20	13	32800	21800	9.6	CH33-44/48B	SL280UH060NV36A-	10581351
XP20-036-230	34200	20	13	32800	21800	9	CH33-44/48B	SL280UH070V36A	9150403
XP20-036-230	34200	20	13	32800	21800	9	CH33-44/48B	SL280UH070XV36A	202074918
XP20-036-230	34000	19	13	32600	21600	9.6	CH33-44/48B	SL280UH090V36B	8550473
XP20-036-230	33800	19	12.5	32800	22000	9	CH33-44/48B	SLP98UH070XV36B	8550476
XP20-036-230	34400	19	12.5	33600	22400	8.5	CH35-48B	EL296UH045XV36B	8550478
XP20-036-230	34400	19	12.5	33600	22400	8.5	CH35-48B	EL296UH070XV36B	8550479
XP20-036-230	34600	19	13	33400	22200	9	CH35-48B	SL280UH090V36B	8550477
XP20-036-230	34400	19	12.5	33600	22400	8.5	CH35-48B	SLP98UH070XV36B	8550480
XP20-036-230	34400	19	12.5	33600	22400	8.5	CH35-48B	SLP99UH070XV36B	205544231
XP20-036-230	34000	19	13	32400	21600	9	CH35-48C	EL296UH090XV36C	8550481
XP20-036-230	34400	19	12.5	33600	22400	8.5	CHX35-48B	EL296UH045XV36B	202192035
XP20-036-230	34400	19	12.5	33600	22400	8.5	CHX35-48B	EL296UH070XV36B	202192036
XP20-036-230	34600	19	13	33400	22200	9	CHX35-48B	SL280UH090V36B	202192034
XP20-036-230	34400	19	12.5	33600	22400	8.5	CHX35-48B	SLP98UH070XV36B	202192037
XP20-036-230	34400	19	12.5	33600	22400	8.5	CHX35-48B	SLP99UH070XV36B	205544695
XP20-036-230	34000	19	13	32400	21600	9	CHX35-48C	EL296UH090XV36C	202192038
XP20-036-230	35000	18.5	13	33200	21200	10	CR33-50/60	EL296DF090XV60C	203237240
XP20-036-230	35000	18.5	13	33200	21200	10	CR33-50/60	EL296DF110XV60C	203237241
XP20-036-230	35000	18.5	13	33000	21200	10	CR33-50/60	SL280DF090V60C	205550798
XP20-036-230	35000	20	13	33200	21200	10	CR33-50/60	SLP98DF090XV36C	8550482
XP20-036-230	35000	20	13	33200	21200	10	CR33-50/60	SLP99DF090XV36C	205544232
XP20-036-230	34000	19	12.5	31800	21800	8.5	CX35-49C	EL296UH090XV36C	10093947
XP20-036-230	34000	19	12.5	31800	21800	8.5	CX35-49C	SLP98UH090XV36C	10093946
XP20-036-230	34000	19	12.5	31800	21800	8.5	CX35-49C	SLP99UH090XV36C	205550026
XP20-036-230	34400	20	13	31800	20400	9.6	C35-36A	SL280UH070V36A	205743038

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP20-036-230	34400	20	13	31800	20400	9.6	C35-36A	SL280UH070XV36A	205743039
XP20-036-230	34400	20	13	32000	20600	9.6	C35-36B	EL296UH045XV36B	205743041
XP20-036-230	34400	20	13	32000	20600	9.6	C35-36B	EL296UH070XV36B	205743042
XP20-036-230	34600	20	13.5	31600	20200	9.8	C35-36B	SL280UH080NV48B	205743043
XP20-036-230	34600	20	13.5	31800	20400	9.8	C35-36B	SL280UH090V36B	205743044
XP20-036-230	34400	20	13	31800	20400	9.6	C35-36B	SL280UH090V48B	205743045
XP20-036-230	34400	20	13	31800	20400	9.6	C35-36B	SL280UH090XV48B	205743047
XP20-036-230	34400	20	13	31800	20400	9.6	C35-36B	SL297UH040NV36B	205743048
XP20-036-230	34400	20	13	31800	20600	9.6	C35-36B	SL297UH060NV36B	205743049
XP20-036-230	34400	20	13	32000	20600	9.6	C35-36B	SLP98UH070XV36B	205743050
XP20-036-230	34600	19	12.5	31600	20600	9	C35-48B	EL296UH045XV36B	205743051
XP20-036-230	34400	19	12.5	31600	20800	9.2	C35-48B	EL296UH070XV36B	205743052
XP20-036-230	34600	19	12.5	31400	20600	9.2	C35-48B	EL296UH090XV36C	205743053
XP20-036-230	34600	19	12.5	31400	20600	9.2	C35-48B	EL296UH090XV48C	205743054
XP20-036-230	34600	18	12.5	31400	20600	9.2	C35-48B	EL296UH090XV60C	205743055
XP20-036-230	34800	19	12.5	31400	20400	9.2	C35-48B	EL296UH110XV48C	205743056
XP20-036-230	34800	18	13	31400	20400	9.2	C35-48B	EL296UH110XV60C	205743058
XP20-036-230	34800	19	13	31200	20400	9.2	C35-48B	SL280UH080NV48B	205743059
XP20-036-230	34800	18	13	31200	20400	9.2	C35-48B	SL280UH080NV60C	205743060
XP20-036-230	34800	19	12.5	31400	20400	9.2	C35-48B	SL280UH090V36B	205743061
XP20-036-230	34600	19	12.5	31400	20600	9.2	C35-48B	SL280UH090V48B	205743062
XP20-036-230	34800	18	13	31200	20400	9.2	C35-48B	SL280UH090V60C	205743063
XP20-036-230	34600	19	12.5	31400	20600	9.2	C35-48B	SL280UH090XV48B	205743064
XP20-036-230	34800	18	13	31200	20400	9.2	C35-48B	SL280UH090XV60C	205743065
XP20-036-230	34800	18	13	31200	20400	9.2	C35-48B	SL280UH100NV60C	205743067
XP20-036-230	34800	18	12.5	31400	20400	9	C35-48B	SL280UH110V60C	205743068
XP20-036-230	34800	18	12.5	31400	20400	9	C35-48B	SL280UH110XV60C	205743069
XP20-036-230	34600	19	12.5	31400	20600	9.2	C35-48B	SL297UH040NV36B	205743070
XP20-036-230	34600	19	12.5	31600	20600	9.2	C35-48B	SL297UH060NV36B	205743071
XP20-036-230	34600	19	12.5	31400	20600	9.2	C35-48B	SL297UH080NV48C	205743072
XP20-036-230	34800	18	12.5	31400	20400	9.2	C35-48B	SL297UH080NV60C	205743073
XP20-036-230	34400	19	12.5	31600	20800	9.2	C35-48B	SLP98UH070XV36B	205743074
XP20-036-230	34600	19	12.5	31400	20600	9.2	C35-48B	SLP98UH090XV36C	205743075
XP20-036-230	34600	19	12.5	31400	20600	9.2	C35-48B	SLP98UH090XV48C	205743076
XP20-036-230	34600	18	12.5	31400	20600	9.2	C35-48B	SLP98UH090XV60C	205743078
XP20-036-230	34800	18	13	31400	20400	9.2	C35-48B	SLP98UH110XV60C	205743079
XP20-036-230	34600	17	12.5	30200	20200	9	C35-60D	EL296UH135XV60D	205743080
XP20-036-230	34600	18	12.5	30200	20200	9.2	C35-60D	SL280UH135V60D	205743081
XP20-036-230	34600	17	12.5	30200	20200	9	C35-60D	SLP98UH135XV60D	205743082
XP20-036-230	34200	20	13	32200	20800	10.4	CBA38MV-030-230		205743083
XP20-036-230	34000	20	13	32200	20800	10	CBA38MV-036-230		205743037
XP20-036-230	35000	20	13.5	29600	19400	9.2	CBA38MV-042-230		205743084
XP20-036-230	34800	17	13.5	29600	19400	8.6	CBA38MV-048-230		205743085
XP20-036-230	33600	19	12.5	32000	21000	9.8	CH23-65	EL296UH045XV36B	205743086
XP20-036-230	33600	19	12.5	32000	21000	9.8	CH23-65	EL296UH070XV36B	205743087
XP20-036-230	33800	19	13	31800	20800	9.8	CH23-65	EL296UH090XV36C	205743089
XP20-036-230	33800	19	13	31800	20600	9.8	CH23-65	EL296UH090XV48C	205743090
XP20-036-230	33800	18	13	31600	20600	9.8	CH23-65	EL296UH090XV60C	205743091
XP20-036-230	33800	19	13	31600	20600	9.8	CH23-65	EL296UH110XV48C	205743092
XP20-036-230	33800	18	13	31600	20600	9.8	CH23-65	EL296UH110XV60C	205743093
XP20-036-230	33800	18	13	31600	20600	9.6	CH23-65	EL296UH135XV60D	205743094
XP20-036-230	33600	19	12.5	31800	20800	9.8	CH23-65	SL280UH070V36A	205743095
XP20-036-230	33600	19	12.5	31800	20800	9.8	CH23-65	SL280UH070XV36A	205743096
XP20-036-230	33800	19	13	31600	20600	9.8	CH23-65	SL280UH080NV48B	205743097
XP20-036-230	34000	19	13	31600	20600	9.8	CH23-65	SL280UH080NV60C	205743099
XP20-036-230	33800	20	13	31600	20600	9.8	CH23-65	SL280UH090V36B	205743100

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP20-036-230	33800	19	13	31800	20800	9.8	CH23-65	SL280UH090V48B	205743101
XP20-036-230	33800	18	13	31600	20600	9.8	CH23-65	SL280UH090V60C	205743102
XP20-036-230	33800	19	13	31800	20800	9.8	CH23-65	SL280UH090XV48B	205743103
XP20-036-230	33800	18	13	31600	20600	9.8	CH23-65	SL280UH090XV60C	205743104
XP20-036-230	34000	18	13	31600	20600	9.8	CH23-65	SL280UH100NV60C	205743105
XP20-036-230	33800	18	13	31600	20600	9.6	CH23-65	SL280UH110V60C	205743106
XP20-036-230	33800	18	13	31600	20600	9.6	CH23-65	SL280UH110XV60C	205743107
XP20-036-230	33800	18	13	31600	20600	9.8	CH23-65	SL280UH135V60D	205743109
XP20-036-230	33600	19	12.5	31800	20800	9.8	CH23-65	SL297UH040NV36B	205743110
XP20-036-230	33600	19	12.5	31800	20800	9.8	CH23-65	SL297UH060NV36B	205743111
XP20-036-230	33800	19	13	31800	20600	9.8	CH23-65	SL297UH080NV48C	205743112
XP20-036-230	33800	18	13	31600	20600	9.6	CH23-65	SL297UH080NV60C	205743113
XP20-036-230	33600	19	12.5	32000	21000	9.8	CH23-65	SLP98UH070XV36B	205743114
XP20-036-230	33800	19	13	31800	20800	9.8	CH23-65	SLP98UH090XV36C	205743115
XP20-036-230	33800	19	13	31800	20600	9.8	CH23-65	SLP98UH090XV48C	205743116
XP20-036-230	33800	18	13	31600	20600	9.8	CH23-65	SLP98UH090XV60C	205743117
XP20-036-230	33800	18	13	31600	20600	9.8	CH23-65	SLP98UH110XV60C	205743119
XP20-036-230	33800	18	13	31600	20600	9.6	CH23-65	SLP98UH135XV60D	205743120
XP20-036-230	34400	19	12.5	31200	20600	9.6	CH35-48B	EL296UH045XV36B	205743121
XP20-036-230	34200	19	12.5	31200	20800	9.8	CH35-48B	EL296UH070XV36B	205743122
XP20-036-230	34400	20	13	31000	20400	9.8	CH35-48B	SL280UH080NV48B	205743123
XP20-036-230	34400	20	13	31000	20400	9.8	CH35-48B	SL280UH090V36B	205743124
XP20-036-230	34400	19	13	31000	20600	9.8	CH35-48B	SL280UH090V48B	205743125
XP20-036-230	34400	19	13	31000	20600	9.8	CH35-48B	SL280UH090XV48B	205743126
XP20-036-230	34200	20	13	31200	20600	9.8	CH35-48B	SL297UH040NV36B	205743127
XP20-036-230	34200	19	12.5	31200	20600	9.8	CH35-48B	SL297UH060NV36B	205743128
XP20-036-230	34200	20	12.5	31200	20600	9.8	CH35-48B	SLP98UH070XV36B	205743129
XP20-036-230	35000	20	13.5	30800	20200	9.4	CH35-51C	EL296UH090XV36C	205743130
XP20-036-230	35200	20	13.5	30800	20200	9.4	CH35-51C	EL296UH090XV48C	205743132
XP20-036-230	35200	19	13.5	30800	20200	9.4	CH35-51C	EL296UH090XV60C	205743133
XP20-036-230	35200	20	13.5	30800	20000	9.4	CH35-51C	EL296UH110XV48C	205743134
XP20-036-230	35200	19	13.5	30800	20000	9.4	CH35-51C	EL296UH110XV60C	205743135
XP20-036-230	35200	20	14	30600	20000	9.4	CH35-51C	SL280UH080NV60C	205743136
XP20-036-230	35200	19	13.5	30800	20000	9.4	CH35-51C	SL280UH090V60C	205743137
XP20-036-230	35200	19	13.5	30800	20000	9.4	CH35-51C	SL280UH090XV60C	205743139
XP20-036-230	35200	19	14	30600	20000	9.4	CH35-51C	SL280UH100NV60C	205743140
XP20-036-230	35200	19	13.5	30800	20000	9.2	CH35-51C	SL280UH110V60C	205743141
XP20-036-230	35200	19	13.5	30800	20000	9.2	CH35-51C	SL280UH110XV60C	205743142
XP20-036-230	35200	20	13.5	30800	20200	9.4	CH35-51C	SL297UH080NV48C	205743144
XP20-036-230	35200	19	13.5	30800	20200	9.4	CH35-51C	SL297UH080NV60C	205743145
XP20-036-230	35000	20	13.5	30800	20200	9.4	CH35-51C	SLP98UH090XV36C	205743146
XP20-036-230	35200	20	13.5	30800	20200	9.4	CH35-51C	SLP98UH090XV48C	205743147
XP20-036-230	35200	19	13.5	30800	20200	9.4	CH35-51C	SLP98UH090XV60C	205743148
XP20-036-230	35200	19	13.5	30800	20000	9.4	CH35-51C	SLP98UH110XV60C	205743149
XP20-036-230	34400	19	12.5	31200	20600	9.6	CHX35-48B	EL296UH045XV36B	205743150
XP20-036-230	34200	19	12.5	31200	20800	9.8	CHX35-48B	EL296UH070XV36B	205743151
XP20-036-230	34400	20	13	31000	20400	9.8	CHX35-48B	SL280UH080NV48B	205743152
XP20-036-230	34400	20	13	31000	20400	9.8	CHX35-48B	SL280UH090V36B	205743153
XP20-036-230	34400	19	13	31000	20600	9.8	CHX35-48B	SL280UH090V48B	205743154
XP20-036-230	34400	19	13	31000	20600	9.8	CHX35-48B	SL280UH090XV48B	205743155
XP20-036-230	34200	20	13	31200	20600	9.8	CHX35-48B	SL297UH040NV36B	205743156
XP20-036-230	34200	19	12.5	31200	20600	9.8	CHX35-48B	SL297UH060NV36B	205743157
XP20-036-230	34200	20	12.5	31200	20600	9.8	CHX35-48B	SLP98UH070XV36B	205743159
XP20-036-230	35000	20	13.5	30800	20200	9.4	CHX35-51/61C	EL296UH090XV36C	205743160
XP20-036-230	35200	20	13.5	30800	20200	9.4	CHX35-51/61C	EL296UH090XV48C	205743161
XP20-036-230	35200	19	13.5	30800	20200	9.4	CHX35-51/61C	EL296UH090XV60C	205743162

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP20-036-230	35200	20	13.5	30800	20000	9.4	CHX35-51/61C	EL296UH110XV48C	205743163
XP20-036-230	35200	19	13.5	30800	20000	9.4	CHX35-51/61C	EL296UH110XV60C	205743164
XP20-036-230	35200	20	14	30600	20000	9.4	CHX35-51/61C	SL280UH080NV60C	205743165
XP20-036-230	35200	19	13.5	30800	20000	9.4	CHX35-51/61C	SL280UH090V60C	205743166
XP20-036-230	35200	19	13.5	30800	20000	9.4	CHX35-51/61C	SL280UH090XV60C	205743167
XP20-036-230	35200	19	14	30600	20000	9.4	CHX35-51/61C	SL280UH100NV60C	205743168
XP20-036-230	35200	19	13.5	30800	20000	9.2	CHX35-51/61C	SL280UH110V60C	205743169
XP20-036-230	35200	19	13.5	30800	20000	9.2	CHX35-51/61C	SL280UH110XV60C	205743170
XP20-036-230	35200	20	13.5	30800	20200	9.4	CHX35-51/61C	SL297UH080NV48C	205743171
XP20-036-230	35200	19	13.5	30800	20200	9.4	CHX35-51/61C	SL297UH080NV60C	205743172
XP20-036-230	35000	20	13.5	30800	20200	9.4	CHX35-51/61C	SLP98UH090XV36C	205743173
XP20-036-230	35200	20	13.5	30800	20200	9.4	CHX35-51/61C	SLP98UH090XV48C	205743174
XP20-036-230	35200	19	13.5	30800	20200	9.4	CHX35-51/61C	SLP98UH090XV60C	205743175
XP20-036-230	35200	19	13.5	30800	20000	9.4	CHX35-51/61C	SLP98UH110XV60C	205743176
XP20-036-230	34200	19	12.5	32800	21600	9.4	CR33-48B	EL296DF045XV36B	205743177
XP20-036-230	34200	19	12.5	33000	21600	9.4	CR33-48B	EL296DF070XV48B	205743178
XP20-036-230	34400	19	13	32600	21400	9.4	CR33-48B	SL280DF090V48B	205743179
XP20-036-230	34200	20	13	32800	21600	9.4	CR33-48B	SLP98DF070XV36B	205743180
XP20-036-230	34200	19	13	32800	21400	9.4	CR33-48C	EL296DF090XV60C	205743181
XP20-036-230	34200	19	13	32600	21400	9.4	CR33-48C	EL296DF110XV60C	205743182
XP20-036-230	34400	19	13	32600	21400	9.4	CR33-48C	SL280DF090V60C	205743183
XP20-036-230	34400	19	13	32600	21400	9.6	CR33-48C	SL280DF110V60C	205743185
XP20-036-230	34200	20	13	32800	21400	9.6	CR33-48C	SLP98DF090XV36C	205743186
XP20-036-230	34200	20	13	32800	21400	9.6	CR33-48C	SLP98DF090XV48C	205743187
XP20-036-230	34200	19	13	32800	21400	9.4	CR33-48C	SLP98DF090XV60C	205743188
XP20-036-230	34200	19	13	32600	21400	9.4	CR33-48C	SLP98DF110XV60C	205743189
XP20-036-230	34800	18	12.5	32000	20600	10	CR33-50/60	EL296DF090XV60C	205743190
XP20-036-230	34800	18	12.5	32000	20600	10	CR33-50/60	EL296DF110XV60C	205743191
XP20-036-230	35000	18	13	31800	20400	10	CR33-50/60	SL280DF090V60C	205743192
XP20-036-230	35000	18	13	31800	20400	10	CR33-50/60	SL280DF110V60C	205743193
XP20-036-230	34800	19	12.5	32000	20600	10	CR33-50/60	SLP98DF090XV36C	205743194
XP20-036-230	34800	18	12.5	32000	20600	10	CR33-50/60	SLP98DF090XV48C	205743195
XP20-036-230	34800	18	12.5	32000	20600	10	CR33-50/60	SLP98DF090XV60C	205743196
XP20-036-230	34800	18	12.5	32000	20600	10	CR33-50/60	SLP98DF110XV60C	205743197
XP20-036-230	34400	20	13	31800	20400	9.6	CX35-36A	SL280UH070V36A	205743198
XP20-036-230	34400	20	13	31800	20400	9.6	CX35-36A	SL280UH070XV36A	205743199
XP20-036-230	34400	20	13	32000	20600	9.6	CX35-36B	EL296UH045XV36B	205743201
XP20-036-230	34400	20	13	32000	20600	9.6	CX35-36B	EL296UH070XV36B	205743202
XP20-036-230	34600	20	13.5	31600	20200	9.8	CX35-36B	SL280UH080NV48B	205743203
XP20-036-230	34600	20	13.5	31800	20400	9.8	CX35-36B	SL280UH090V36B	205743204
XP20-036-230	34400	20	13	31800	20400	9.6	CX35-36B	SL280UH090V48B	205743205
XP20-036-230	34400	20	13	31800	20400	9.6	CX35-36B	SL280UH090XV48B	205743206
XP20-036-230	34400	20	13	31800	20400	9.6	CX35-36B	SL297UH040NV36B	205743207
XP20-036-230	34400	20	13	31800	20600	9.6	CX35-36B	SL297UH060NV36B	205743208
XP20-036-230	34400	20	13	32000	20600	9.6	CX35-36B	SLP98UH070XV36B	205743209
XP20-036-230	34600	19	12.5	31600	20600	9	CX35-48B	EL296UH045XV36B	205743210
XP20-036-230	34400	19	12.5	31600	20800	9.2	CX35-48B	EL296UH070XV36B	205743211
XP20-036-230	34800	19	13	31200	20400	9.2	CX35-48B	SL280UH080NV48B	205743212
XP20-036-230	34800	19	12.5	31400	20400	9.2	CX35-48B	SL280UH090V36B	205743213
XP20-036-230	34600	19	12.5	31400	20600	9.2	CX35-48B	SL280UH090V48B	205743214
XP20-036-230	34600	19	12.5	31400	20600	9.2	CX35-48B	SL280UH090XV48B	205743215
XP20-036-230	34600	19	12.5	31400	20600	9.2	CX35-48B	SL297UH040NV36B	205743216
XP20-036-230	34600	19	12.5	31600	20600	9.2	CX35-48B	SL297UH060NV36B	205743218
XP20-036-230	34400	19	12.5	31600	20800	9.2	CX35-48B	SLP98UH070XV36B	205743219
XP20-036-230	34600	19	12.5	31400	20600	9.2	CX35-48C	EL296UH090XV36C	205743220
XP20-036-230	34600	19	12.5	31400	20600	9.2	CX35-48C	EL296UH090XV48C	205743221

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP20-036-230	34600	18	12.5	31400	20600	9.2	CX35-48C	EL296UH090XV60C	205743222
XP20-036-230	34800	19	12.5	31400	20400	9.2	CX35-48C	EL296UH110XV48C	205743223
XP20-036-230	34800	18	13	31400	20400	9.2	CX35-48C	EL296UH110XV60C	205743224
XP20-036-230	34800	18	13	31200	20400	9.2	CX35-48C	SL280UH080NV60C	205743225
XP20-036-230	34800	18	13	31200	20400	9.2	CX35-48C	SL280UH090V60C	205743226
XP20-036-230	34800	18	13	31200	20400	9.2	CX35-48C	SL280UH090XV60C	205743227
XP20-036-230	34800	18	13	31200	20400	9.2	CX35-48C	SL280UH100NV60C	205743228
XP20-036-230	34800	18	12.5	31400	20400	9	CX35-48C	SL280UH110V60C	205743229
XP20-036-230	34800	18	12.5	31400	20400	9	CX35-48C	SL280UH110XV60C	205743230
XP20-036-230	34600	19	12.5	31400	20600	9.2	CX35-48C	SL297UH080NV48C	205743231
XP20-036-230	34800	18	12.5	31400	20400	9.2	CX35-48C	SL297UH080NV60C	205743233
XP20-036-230	34600	19	12.5	31400	20600	9.2	CX35-48C	SLP98UH090XV36C	205743234
XP20-036-230	34600	19	12.5	31400	20600	9.2	CX35-48C	SLP98UH090XV48C	205743235
XP20-036-230	34600	18	12.5	31400	20600	9.2	CX35-48C	SLP98UH090XV60C	205743236
XP20-036-230	34800	18	13	31400	20400	9.2	CX35-48C	SLP98UH110XV60C	205743237
XP20-036-230	34600	17	12.5	30200	20200	9	CX35-60D	EL296UH135XV60D	205743238
XP20-036-230	34600	18	12.5	30200	20200	9.2	CX35-60D	SL280UH135V60D	205743239
XP20-036-230	34600	17	12.5	30200	20200	9	CX35-60D	SLP98UH135XV60D	205743240
XP20-048-230	46000	18	12	43000	28400	8.2	C35-60C	EL296UH090XV48C	201795815
XP20-048-230	46000	17.5	12	43000	28400	8.2	C35-60C	EL296UH090XV60C	10093939
XP20-048-230	46000	17.5	12	43000	28400	8.2	C35-60C	EL296UH110XV60C	10093940
XP20-048-230	46000	17.5	12	43000	28400	8.2	C35-60C	SL280UH090V60C	10093934
XP20-048-230	46000	17.5	12	43000	28400	8.2	C35-60C	SL280UH090XV60C	10093935
XP20-048-230	46000	17.5	12	43000	28400	8.2	C35-60C	SL280UH110V60C	10093936
XP20-048-230	46000	17.5	12	43000	28400	8.2	C35-60C	SL280UH110XV60C	10093937
XP20-048-230	46000	17.5	12	43000	28400	8.2	C35-60C	SLP98UH090XV60C	203459805
XP20-048-230	46000	17.5	12	43000	28400	8.2	C35-60C	SLP98UH110XV60C	203459807
XP20-048-230	46000	17.5	12	43000	28400	8.2	C35-60C	SLP99UH090XV60C	205545861
XP20-048-230	46000	17.5	12	43000	28400	8.2	C35-60C	SLP99UH110XV60C	205545864
XP20-048-230	48000	19	12.5	45000	26400	9.6	CBA38MV-060-230		201842144
XP20-048-230	48000	19.5	12.5	45000	29000	9.6	CBX32MV-048-230		8547522
XP20-048-230	48000	19	12	44500	28400	9	CH33-49	EL296UH090XV48C	8547478
XP20-048-230	48000	19	12	44500	28400	9	CH33-49	EL296UH090XV60C	8547479
XP20-048-230	48000	19	12	44500	28400	9	CH33-49	EL296UH110XV48C	8547480
XP20-048-230	48000	19	12	44500	28400	9	CH33-49	EL296UH110XV60C	8547481
XP20-048-230	48000	19	12	44000	28200	9	CH33-49	SL280UH090V60C	8547482
XP20-048-230	48000	19	12	44000	28200	9	CH33-49	SL280UH090XV60C	8547483
XP20-048-230	48000	18.5	12	44500	28400	9	CH33-49	SL280UH110V60C	8547484
XP20-048-230	48000	18.5	12	44500	28400	9	CH33-49	SL280UH110XV60C	8547485
XP20-048-230	48000	19	12	44500	28400	9	CH33-49	SLP98UH090XV48C	8547486
XP20-048-230	48000	19	12	44500	28400	9	CH33-49	SLP98UH090XV60C	8547487
XP20-048-230	48000	19	12	44500	28400	9	CH33-49	SLP98UH110XV60C	8547488
XP20-048-230	47500	19	12	44500	28400	9	CH33-50/60C	EL296UH090XV48C	8547489
XP20-048-230	47500	18.5	12	44500	28400	9	CH33-50/60C	EL296UH090XV60C	8547490
XP20-048-230	47500	19	12	44500	28400	9	CH33-50/60C	EL296UH110XV48C	8547491
XP20-048-230	47500	18.5	12	44500	28400	9	CH33-50/60C	EL296UH110XV60C	8547492
XP20-048-230	48000	18.5	12	44000	28400	9	CH33-50/60C	SL280UH090V60C	8547493
XP20-048-230	48000	18.5	12	44000	28400	9	CH33-50/60C	SL280UH090XV60C	8547494
XP20-048-230	47500	18.5	12	44500	28400	9	CH33-50/60C	SL280UH110V60C	8547495
XP20-048-230	47500	18.5	12	44500	28400	9	CH33-50/60C	SL280UH110XV60C	8547496
XP20-048-230	47500	19	12	44500	28400	9	CH33-50/60C	SLP98UH090XV48C	8547497
XP20-048-230	47500	18.5	12	44500	28400	9	CH33-50/60C	SLP98UH090XV60C	8547498
XP20-048-230	47500	18.5	12	44500	28400	9	CH33-50/60C	SLP98UH110XV60C	8547499
XP20-048-230	48000	18	12	43500	26800	9.6	CH33-62D	SL280UH135V60D	8601360
XP20-048-230	48000	18	12	43500	27000	9.6	CH33-62D	SLP98UH135XV60D	8601361
XP20-048-230	48000	18.5	12	44000	29200	9	CH35-60D	SL280UH135V60D	8601363

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP20-048-230	48000	18	12	44000	29200	9	CH35-60D	SLP98UH135XV60D	8601364
XP20-048-230	48000	18	12	44000	29200	9	CH35-60D	SLP99UH135XV60D	205544237
XP20-048-230	48000	18.5	12	44000	29200	9	CHX35-60D	SL280UH135V60D	202189873
XP20-048-230	48000	18	12	44000	29200	9	CHX35-60D	SLP98UH135XV60D	202189875
XP20-048-230	48000	18	12	44000	29200	9	CHX35-60D	SLP99UH135XV60D	205544636
XP20-048-230	47000	17.5	12	45500	29600	8.5	CR33-50/60	EL296DF090XV60C	8601365
XP20-048-230	47000	18	12	45500	29600	8.5	CR33-50/60	EL296DF110XV60C	8601366
XP20-048-230	47000	18	12	45500	29200	8.5	CR33-50/60	SL280DF090V60C	8601367
XP20-048-230	47000	18	12	45500	29200	8.5	CR33-50/60	SL280DF110V60C	8601368
XP20-048-230	47000	18	12	45500	29600	8.5	CR33-50/60	SLP98DF090XV48C	8601369
XP20-048-230	47000	17.5	12	45500	29600	8.5	CR33-50/60	SLP98DF090XV60C	8601370
XP20-048-230	47000	18	12	45500	29600	8.5	CR33-50/60	SLP98DF110XV60C	8601371
XP20-048-230	47000	18	12	45500	29600	8.5	CR33-50/60	SLP99DF090XV48C	205544239
XP20-048-230	47000	17.5	12	45500	29600	8.5	CR33-50/60	SLP99DF090XV60C	205544240
XP20-048-230	47000	18	12	45500	29600	8.5	CR33-50/60	SLP99DF110XV60C	205544241
XP20-048-230	46000	18	12	43000	28400	8.2	CX35-60C	EL296UH090XV48C	201795816
XP20-048-230	46000	17.5	12	43000	28400	8.2	CX35-60C	EL296UH090XV60C	10093953
XP20-048-230	46000	17.5	12	43000	28400	8.2	CX35-60C	EL296UH110XV60C	10093954
XP20-048-230	46000	17.5	12	43000	28400	8.2	CX35-60C	SL280UH090V60C	10093948
XP20-048-230	46000	17.5	12	43000	28400	8.2	CX35-60C	SL280UH090XV60C	10093949
XP20-048-230	46000	17.5	12	43000	28400	8.2	CX35-60C	SL280UH110V60C	10093950
XP20-048-230	46000	17.5	12	43000	28400	8.2	CX35-60C	SL280UH110XV60C	10093951
XP20-048-230	46000	17.5	12	43000	28400	8.2	CX35-60C	SLP98UH090XV60C	203459806
XP20-048-230	46000	17.5	12	43000	28400	8.2	CX35-60C	SLP98UH110XV60C	203459808
XP20-048-230	46000	17.5	12	43000	28400	8.2	CX35-60C	SLP99UH090XV60C	205545862
XP20-048-230	46000	17.5	12	43000	28400	8.2	CX35-60C	SLP99UH110XV60C	205545866
XP20-060-230	56500	19	12.5	54500	36200	9.6	CBA38MV-060-230		201842145
XP20-060-230	56500	19	12.5	54500	36400	9.6	CBX32MV-060-230		8561558
XP20-060-230	56500	18.5	11.5	55000	36400	9	CH33-49	EL296UH090XV60C	8561560
XP20-060-230	56500	18.5	11.5	55000	36400	9	CH33-49	EL296UH110XV60C	8561561
XP20-060-230	57000	19	12.5	54500	35800	9.4	CH33-49	SL280UH080NV60C-	10581352
XP20-060-230	57000	19	12	54500	36000	9	CH33-49	SL280UH090V60C	8561562
XP20-060-230	57000	19	12	54500	36000	9	CH33-49	SL280UH090XV60C	8561564
XP20-060-230	57000	18.5	12	54500	36200	9	CH33-49	SL280UH110V60C	8561563
XP20-060-230	57000	18.5	12	54500	36200	9	CH33-49	SL280UH110XV60C	8561565
XP20-060-230	56500	18.5	11.5	55000	36400	9	CH33-49	SLP98UH090XV60C	8561566
XP20-060-230	56500	18.5	11.5	55000	36400	9	CH33-49	SLP98UH110XV60C	8561567
XP20-060-230	56000	18.5	11.5	55000	36400	9	CH33-50/60C	EL296UH090XV60C	8561568
XP20-060-230	56500	18.5	11.5	55000	36400	9	CH33-50/60C	EL296UH110XV60C	8561569
XP20-060-230	56500	18.5	12	54500	35800	9.2	CH33-50/60C	SL280UH080NV60C-	10581353
XP20-060-230	56500	18.5	12	54500	36000	9	CH33-50/60C	SL280UH090V60C	8561570
XP20-060-230	56500	18.5	12	54500	36000	9	CH33-50/60C	SL280UH090XV60C	8561572
XP20-060-230	56500	18.5	12	54500	36200	9	CH33-50/60C	SL280UH110V60C	8561571
XP20-060-230	56500	18.5	12	54500	36200	9	CH33-50/60C	SL280UH110XV60C	8561573
XP20-060-230	56000	18.5	11.5	55000	36400	9	CH33-50/60C	SLP98UH090XV60C	8561574
XP20-060-230	56500	18.5	11.5	55000	36400	9	CH33-50/60C	SLP98UH110XV60C	8561575
XP20-060-230	56500	18	12	55000	36200	9.6	CH33-62D	EL296UH135XV60D	8561576
XP20-060-230	56500	18	12	55000	36200	9	CH33-62D	SL280UH135V60D	8561577
XP20-060-230	56500	18	12	55000	36200	9	CH33-62D	SLP98UH135XV60D	8561578
XP20-060-230	56500	18.5	12	55000	36600	9	CH35-60D	EL296UH135XV60D	8593312
XP20-060-230	57000	18.5	12	55000	36400	9	CH35-60D	SL280UH135V60D	8593313
XP20-060-230	56500	18.5	12	55000	36600	9	CH35-60D	SLP98UH135XV60D	8593311
XP20-060-230	56500	18.5	12	55000	36600	9	CH35-60D	SLP99UH135XV60D	205544236
XP20-060-230	56500	18.5	12	55000	36600	9	CHX35-60D	EL296UH135XV60D	202189869
XP20-060-230	57000	18.5	12	55000	36400	9	CHX35-60D	SL280UH135V60D	202189872
XP20-060-230	56500	18.5	12	55000	36600	9	CHX35-60D	SLP98UH135XV60D	202189867

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP20-060-230	56500	18.5	12	55000	36600	9	CHX35-60D	SLP99UH135XV60D	205544635
XP20-060-230	56000	18.5	12	54000	36400	9.6	CR33-60	EL296DF090XV60C	8561579
XP20-060-230	56000	18.5	12	54000	36400	9.6	CR33-60	EL296DF110XV60C	8561580
XP20-060-230	56500	19	12	53500	36000	9.6	CR33-60	SL280DF090V60C	8561581
XP20-060-230	56500	19	12.5	53500	36000	9.6	CR33-60	SL280DF110V60C	8561582
XP20-060-230	56000	18.5	12	54000	36400	9.6	CR33-60	SLP98DF090XV60C	8561583
XP20-060-230	56000	18.5	12	54000	36400	9.6	CR33-60	SLP98DF110XV60C	8561584
XP20-060-230	56000	18.5	12	54000	36400	9.6	CR33-60	SLP99DF090XV60C	205544233
XP20-060-230	56000	18.5	12	54000	36400	9.6	CR33-60	SLP99DF110XV60C	205544235
XP21-024-230	24600	16	13	22000	15200	8.5	C35-48B	EL196UH045XE36B	202087693
XP21-024-230	24000	17	13.5	22200	15400	9.2	C35-48B	EL280UH045E36A	202891533
XP21-024-230	24000	17	13.5	22000	15300	9.2	C35-48B	EL280UH070E36A	202891535
XP21-024-230	24000	17	13.5	22000	15300	9.2	C35-48B	EL280UH070XE36A	203361959
XP21-024-230	24000	17	13.5	22000	15300	9	C35-48B	EL280UH090E36B	202891537
XP21-024-230	25200	16	13	22000	15200	8.5	C35-48B	EL296UH045XE36B	202087707
XP21-024-230	25200	17	13	22000	15200	8.5	C35-48B	EL296UH045XV36B	202087708
XP21-024-230	25400	17	13	22000	15200	8.5	C35-48B	EL296UH070XV36B	202087709
XP21-024-230	25600	18	13.5	22000	15100	9	C35-48B	SL280UH080NV48B-	202087701
XP21-024-230	25400	17	13	22200	15400	8.5	C35-48B	SL280UH090V36B	202087710
XP21-024-230	25600	17	13	22000	15200	8.5	C35-48B	SL280UH090V48B	202087711
XP21-024-230	25600	17	13	22200	15300	8.5	C35-48B	SL280UH090XV48B	202087712
XP21-024-230	25600	17	13	22200	15300	8.5	C35-48B	SLP98UH070XV36B	202087713
XP21-024-230	25600	17	13	22200	15300	8.5	C35-48B	SLP99UH070XV36B	205544607
XP21-024-230	24600	15	12	22600	15900	8.2	C35-48B		202087688
XP21-024-230	25400	18	13	22200	15400	8.2	C35-49C	EL296UH090XV36C	202087714
XP21-024-230	25600	18	13	22200	13200	8.5	C35-49C	EL296UH090XV48C	202087715
XP21-024-230	26200	18	13	22400	13500	8.5	C35-49C	EL296UH110XV48C	202087716
XP21-024-230	26000	18	13	22400	13400	8.2	C35-49C	SLP98UH090XV36C	202087717
XP21-024-230	25600	18	13	22200	13200	8.5	C35-49C	SLP98UH090XV48C	202087718
XP21-024-230	26000	18	13	22400	13400	8.2	C35-49C	SLP99UH090XV36C	205544609
XP21-024-230	25600	18	13	22200	13200	8.5	C35-49C	SLP99UH090XV48C	205544612
XP21-024-230	25600	19	13.5	23000	14600	9	CBA38MV-042-230		201924997
XP21-024-230	24600	16	12	23200	14600	8.5	CBX32M-030		5269234
XP21-024-230	24600	16	12	23200	14700	8.5	CBX32M-036		5269235
XP21-024-230	25600	19.2	13.5	23000	14300	9.2	CBX32MV-036-230		5268652
XP21-024-230	25400	18	13	22400	14000	8.5	CH33-31A	SL280UH070V36A	5268786
XP21-024-230	25400	18	13	22400	14000	8.5	CH33-31A	SL280UH070XV36A	5268827
XP21-024-230	25400	18	13	22200	13900	8.2	CH33-31B	EL296UH045XV36B	5760874
XP21-024-230	25400	18	13	22200	13900	8.2	CH33-31B	EL296UH070XV36B	5760979
XP21-024-230	25600	17	13	22200	13900	8.2	CH33-31B	SL280UH090V36B	5268788
XP21-024-230	25600	17	13	22400	14000	8.2	CH33-31B	SL280UH090V48B	5268790
XP21-024-230	25600	17	13	22400	14000	8.2	CH33-31B	SL280UH090XV48B	5268794
XP21-024-230	25200	18	13	22200	13900	8.2	CH33-42B	EL296UH045XV36B	5760875
XP21-024-230	26000	19	13	22600	14200	8.5	CH33-42B	EL296UH070XV36B	5760972
XP21-024-230	25400	18	13	22200	13900	8.2	CH33-42B	SL280UH090V36B	5268793
XP21-024-230	25400	18	13	22400	14000	8.2	CH33-42B	SL280UH090V48B	5268795
XP21-024-230	25400	18	13	22400	14000	8.2	CH33-42B	SL280UH090XV48B	5268831
XP21-024-230	25200	18	13	22200	13900	8.2	CH33-42B	SLP98UH070XV36B	5268796
XP21-024-230	25600	18	13	22000	13800	8.5	CH35-42B	EL296UH045XV36B	9114968
XP21-024-230	25400	18	13	22200	13900	8.5	CH35-42B	EL296UH070XV36B	9114969
XP21-024-230	25800	18.5	14	22000	13700	9.4	CH35-42B	SL280UH080NV48B-	10581379
XP21-024-230	25800	18	13	22000	13800	8.5	CH35-42B	SL280UH090V36B	9114970
XP21-024-230	25800	18	13	22200	13900	8.5	CH35-42B	SL280UH090V48B	9114971
XP21-024-230	25800	18	13	22200	13900	8.5	CH35-42B	SL280UH090XV48B	9114972
XP21-024-230	25400	18	13	22200	13900	8.5	CH35-42B	SLP98UH070XV36B	9114973
XP21-024-230	25400	18	13	22200	13900	8.5	CH35-42B	SLP99UH070XV36B	205544243

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-024-230	25000	15.5	12.2	22600	14400	8.5	CH35-42B		9114967
XP21-024-230	25200	18	13	22400	13200	8.5	CH35-42C	EL296UH090XV36C	9114974
XP21-024-230	25800	18	13	22600	13400	8.5	CH35-42C	EL296UH090XV48C	9114975
XP21-024-230	25200	18	13	22400	13200	8.5	CH35-42C	SLP98UH090XV36C	9114976
XP21-024-230	25800	18	13	22600	13400	8.5	CH35-42C	SLP98UH090XV48C	9114977
XP21-024-230	25200	18	13	22400	13200	8.5	CH35-42C	SLP99UH090XV36C	205544244
XP21-024-230	25800	18	13	22600	13400	8.5	CH35-42C	SLP99UH090XV48C	205544245
XP21-024-230	25600	18	13	22000	13800	8.5	CHX35-42B	EL296UH045XV36B	202192039
XP21-024-230	25400	18	13	22200	13900	8.5	CHX35-42B	EL296UH070XV36B	202192040
XP21-024-230	25800	18.5	14	22000	13700	9.4	CHX35-42B	SL280UH080NV48B-	202190406
XP21-024-230	25800	18	13	22000	13800	8.5	CHX35-42B	SL280UH090V36B	202192041
XP21-024-230	25800	18	13	22200	13900	8.5	CHX35-42B	SL280UH090V48B	202192042
XP21-024-230	25800	18	13	22200	13900	8.5	CHX35-42B	SL280UH090XV48B	202192043
XP21-024-230	25400	18	13	22200	13900	8.5	CHX35-42B	SLP98UH070XV36B	202192044
XP21-024-230	25400	18	13	22200	13900	8.5	CHX35-42B	SLP99UH070XV36B	205544697
XP21-024-230	25000	15.5	12.2	22600	14400	8.5	CHX35-42B		202189877
XP21-024-230	25200	18	13	22400	13200	8.5	CHX35-42C	EL296UH090XV36C	202192045
XP21-024-230	25800	18	13	22600	13400	8.5	CHX35-42C	EL296UH090XV48C	202192046
XP21-024-230	25200	18	13	22400	13200	8.5	CHX35-42C	SLP98UH090XV36C	202192047
XP21-024-230	25800	18	13	22600	13400	8.5	CHX35-42C	SLP98UH090XV48C	202192048
XP21-024-230	25200	18	13	22400	13200	8.5	CHX35-42C	SLP99UH090XV36C	205544699
XP21-024-230	25800	18	13	22600	13400	8.5	CHX35-42C	SLP99UH090XV48C	205544700
XP21-024-230	24200	15.7	11.5	23000	14700	8.5	CR33-48		5269246
XP21-024-230	24600	18	12.5	22600	14100	9	CR33-48B	EL296DF045XV36B	7505739
XP21-024-230	25000	17	12.5	22800	14300	9	CR33-48B	EL296DF070XV48B	7487526
XP21-024-230	25200	17	12.7	22800	14200	9.2	CR33-48B	SL280DF090V48B	5268799
XP21-024-230	25000	18	12.5	22600	14100	9	CR33-48B	SLP98DF070XV36B	5268800
XP21-024-230	25000	18	12.5	22600	14100	9	CR33-48B	SLP99DF070XV36B	205544160
XP21-024-230	25400	18	13	22600	14100	9	CR33-50/60	SLP98DF090XV36C	5268803
XP21-024-230	25800	18	13	22800	14200	9	CR33-50/60	SLP98DF090XV48C	5268804
XP21-024-230	25400	18	13	22600	14100	9	CR33-50/60	SLP99DF090XV36C	205544161
XP21-024-230	25800	18	13	22800	14200	9	CR33-50/60	SLP99DF090XV48C	205544163
XP21-024-230	24800	16	11.7	23000	14700	8.5	CR33-50/60		5269247
XP21-024-230	24600	16	13	22000	15200	8.5	CX35-48B	EL196UH045XE36B	201933137
XP21-024-230	24000	17	13.5	22200	15400	9.2	CX35-48B	EL280UH045E36A	202891534
XP21-024-230	24000	17	13.5	22000	15300	9.2	CX35-48B	EL280UH070E36A	202891536
XP21-024-230	24000	17	13.5	22000	15300	9.2	CX35-48B	EL280UH070XE36A	203361960
XP21-024-230	24000	17	13.5	22000	15300	9	CX35-48B	EL280UH090E36B	202891538
XP21-024-230	25200	16	13	22000	15200	8.5	CX35-48B	EL296UH045XE36B	9114980
XP21-024-230	25200	17	13	22000	15200	8.5	CX35-48B	EL296UH045XV36B	9114981
XP21-024-230	25400	17	13	22000	15200	8.5	CX35-48B	EL296UH070XV36B	9114982
XP21-024-230	25600	17.5	13.5	22000	15100	9	CX35-48B	SL280UH080NV48B-	10581380
XP21-024-230	25400	17	13	22200	15400	8.5	CX35-48B	SL280UH090V36B	9114983
XP21-024-230	25600	17	13	22000	15200	8.5	CX35-48B	SL280UH090V48B	9114984
XP21-024-230	25600	17	13	22200	15300	8.5	CX35-48B	SL280UH090XV48B	9114985
XP21-024-230	25600	17	13	22200	15300	8.5	CX35-48B	SLP98UH070XV36B	9114986
XP21-024-230	25600	17	13	22200	15300	8.5	CX35-48B	SLP99UH070XV36B	205544247
XP21-024-230	24600	14.5	12	22600	15900	8.2	CX35-48B		9114978
XP21-024-230	25400	18	13	22200	15400	8.2	CX35-49C	EL296UH090XV36C	9114987
XP21-024-230	25600	18	13	22200	13200	8.5	CX35-49C	EL296UH090XV48C	9114988
XP21-024-230	26200	18	13	22400	13500	8.5	CX35-49C	EL296UH110XV48C	9114989
XP21-024-230	26000	18	13	22400	13400	8.2	CX35-49C	SLP98UH090XV36C	9114990
XP21-024-230	25600	18	13	22200	13200	8.5	CX35-49C	SLP98UH090XV48C	9114991
XP21-024-230	26000	18	13	22400	13400	8.2	CX35-49C	SLP99UH090XV36C	205544248
XP21-024-230	25600	18	13	22200	13200	8.5	CX35-49C	SLP99UH090XV48C	205544250
XP21-036-230	34000	16	11.5	35000	22400	8.5	C35-48B	EL196UH045XE36B	202087694

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-036-230	34000	16	12	34600	22000	8.5	C35-48B	EL196UH070XE36B	202087695
XP21-036-230	33400	16	12.2	34200	21600	9	C35-48B	EL280UH045E36A	202891543
XP21-036-230	34200	16	12	34800	22000	9.2	C35-48B	EL280UH070E36A	202891562
XP21-036-230	34200	16	12	34800	22000	9.2	C35-48B	EL280UH070XE36A	203361961
XP21-036-230	34200	16	12	34800	22200	9.2	C35-48B	EL280UH090E36B	202891581
XP21-036-230	34000	16	11.5	35000	22400	8.5	C35-48B	EL296UH045XE36B	202087723
XP21-036-230	34200	16	12	34800	22200	8.5	C35-48B	EL296UH045XV36B	202087724
XP21-036-230	34000	16	12	34600	22000	8.5	C35-48B	EL296UH070XE36B	202087725
XP21-036-230	34200	16	12	34800	22200	8.5	C35-48B	EL296UH070XV36B	202087726
XP21-036-230	34200	16	12.2	34400	21800	9	C35-48B	ML180UH070E36B	202087779
XP21-036-230	34400	16	12.2	34600	22000	9	C35-48B	ML180UH090E48B	202087780
XP21-036-230	34000	16	11.5	35000	22400	8.5	C35-48B	ML196UH045XE36B	204498636
XP21-036-230	34000	16	12	34600	22000	8.5	C35-48B	ML196UH070XE36B	204498637
XP21-036-230	34400	17	12.5	34400	21800	9.2	C35-48B	SL280UH080NV48B-	202087702
XP21-036-230	34200	16	12.2	34600	21800	9	C35-48B	SL280UH090V36B	202087727
XP21-036-230	34400	16	12.2	34600	22000	9	C35-48B	SL280UH090V48B	202087728
XP21-036-230	34400	16	12.2	34600	22000	9	C35-48B	SL280UH090XV48B	202087729
XP21-036-230	34200	16	12	34800	22200	8.5	C35-48B	SLP98UH070XV36B	202087730
XP21-036-230	34200	16	12	34800	22200	8.5	C35-48B	SLP99UH070XV36B	205544615
XP21-036-230	33800	14	11	35200	22600	8.5	C35-48B		202087689
XP21-036-230	34600	16	12.2	30000	19500	8.5	C35-49C	EL196UH090XE48C	202087696
XP21-036-230	33800	16	12.2	29600	19200	9	C35-49C	EL280UH045E36A	202891544
XP21-036-230	34600	16	12.2	30400	19600	9	C35-49C	EL280UH070E36A	202891563
XP21-036-230	34600	16	12.2	30400	19600	9	C35-49C	EL280UH070XE36A	203361962
XP21-036-230	34800	16	12.2	30400	19600	9	C35-49C	EL280UH090E36B	202891582
XP21-036-230	34600	16	12.2	30000	19400	8.5	C35-49C	EL296UH090XE48C	202087732
XP21-036-230	34600	16	12.2	30000	19400	8.5	C35-49C	EL296UH090XV36C	202087733
XP21-036-230	34800	16	12.2	30200	19500	9	C35-49C	EL296UH090XV48C	202087734
XP21-036-230	34600	16	12.5	30000	19300	9	C35-49C	EL296UH110XV48C	202087735
XP21-036-230	35000	16	12.5	30200	19500	9	C35-49C	EL296UH110XV60C	202087736
XP21-036-230	34600	16	12.2	30000	19500	8.5	C35-49C	ML196UH090XE48C	204498638
XP21-036-230	35000	17	12.5	30200	19300	9.2	C35-49C	SL280UH080NV60C-	202087703
XP21-036-230	35000	16	12.5	30200	19500	9	C35-49C	SL280UH090V60C	202087737
XP21-036-230	35000	16	12.5	30200	19500	9	C35-49C	SL280UH090XV60C	202087738
XP21-036-230	35000	16	12.5	30200	19500	9	C35-49C	SL280UH110V60C	202087739
XP21-036-230	35000	16	12.5	30200	19500	9	C35-49C	SL280UH110XV60C	202087740
XP21-036-230	34600	16	12.5	30000	19400	8.5	C35-49C	SLP98UH090XV36C	202087741
XP21-036-230	34800	16	12.2	30200	19500	9	C35-49C	SLP98UH090XV48C	202087742
XP21-036-230	35000	16	12.5	30200	19500	9	C35-49C	SLP98UH110XV60C	202087743
XP21-036-230	34600	16	12.5	30000	19400	8.5	C35-49C	SLP99UH090XV36C	205544617
XP21-036-230	34800	16	12.2	30200	19500	9	C35-49C	SLP99UH090XV48C	205544618
XP21-036-230	35000	16	12.5	30200	19500	9	C35-49C	SLP99UH110XV60C	205544620
XP21-036-230	34000	14	11.5	30600	20000	8.5	C35-49C		202087690
XP21-036-230	35400	17.5	12.5	34800	22200	9.6	CBA27UHE-042-230		10258576
XP21-036-230	35400	18	13	34000	22000	9.5	CBA38MV-042-230		201924998
XP21-036-230	36600	18.5	13.2	33200	21000	9.7	CBX32MV-048-230		5268653
XP21-036-230	36600	17	12.5	32600	20800	8.5	CH33-43B	CBWMV-36B-070	5269092
XP21-036-230	36600	17	12.5	33000	21200	8.5	CH33-43B	EL196UH045XE36B	201933154
XP21-036-230	36600	16	12.5	33000	21200	8.5	CH33-43B	EL196UH070XE36B	201933155
XP21-036-230	36600	17	12.5	33000	21200	8.5	CH33-43B	EL296UH045XE36B	5650497
XP21-036-230	36600	17	12.5	32800	21000	8.5	CH33-43B	EL296UH045XV36B	5760872
XP21-036-230	36600	16	12.5	33000	21200	8.5	CH33-43B	EL296UH070XE36B	5650500
XP21-036-230	36800	17	12.5	32800	21000	8.5	CH33-43B	EL296UH070XV36B	5760973
XP21-036-230	37000	18	12.5	33000	21000	9	CH33-43B	ML180UH070E36B	10589610
XP21-036-230	36600	17	13	32600	20800	9	CH33-43B	ML180UH090E48B	10589728
XP21-036-230	36800	17	13	32600	20800	9	CH33-43B	SL280UH090V36B	5269078

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-036-230	36800	17	13	32600	20800	9	CH33-43B	SL280UH090V48B	5269080
XP21-036-230	36800	17	13	32600	20800	9	CH33-43B	SL280UH090XV48B	5269114
XP21-036-230	36400	17	12	33000	21200	8.5	CH33-43B	SLO185B79/105V42	7087721
XP21-036-230	36400	17	12	33000	21200	8.5	CH33-43B	SLO185UF79/105V42	7087692
XP21-036-230	36800	17	12.5	32800	21000	8.5	CH33-43B	SLP98UH070XV36B	5269081
XP21-036-230	36400	16	12	33200	21400	8.5	CH33-43B		5268821
XP21-036-230	36200	17	12.5	32400	20600	8.5	CH33-43C	CBWMV-36C-090	5269112
XP21-036-230	36200	17	12.5	32400	20600	9	CH33-43C	EL296UH090XE48C	5650517
XP21-036-230	36400	17	13	32400	20600	9	CH33-43C	EL296UH090XV36C	5761056
XP21-036-230	36000	18	13	32200	20400	9	CH33-43C	EL296UH090XV48C	5761146
XP21-036-230	36800	18	13	32800	20800	9	CH33-43C	EL296UH090XV60C	5761234
XP21-036-230	36400	18	13	32200	20600	9	CH33-43C	EL296UH110XV48C	5685242
XP21-036-230	36400	18	13	32200	20600	9	CH33-43C	EL296UH110XV48C	5761280
XP21-036-230	36600	18	13	32600	20600	9	CH33-43C	EL296UH110XV60C	5761356
XP21-036-230	36800	17	13	32600	20600	9	CH33-43C	SL280UH090V60C	5269094
XP21-036-230	36800	18	13	32600	20600	9	CH33-43C	SL280UH090XV60C	5269128
XP21-036-230	36600	18	12.5	32600	20800	8.5	CH33-43C	SL280UH110V60C	5269096
XP21-036-230	36600	18	12.5	32600	20800	8.5	CH33-43C	SL280UH110XV60C	5269130
XP21-036-230	36000	17	12	32800	21000	8.5	CH33-43C	SLO185B79/105V42	7087720
XP21-036-230	36000	17	12	32800	21000	8.5	CH33-43C	SLO185UF79/105V42	7087691
XP21-036-230	36400	17	13	32400	20600	9	CH33-43C	SLP98UH090XV36C	5269097
XP21-036-230	36000	18	13	32200	20400	9	CH33-43C	SLP98UH090XV48C	5269098
XP21-036-230	36800	18	13	32800	20800	9	CH33-43C	SLP98UH090XV60C	5269099
XP21-036-230	36600	18	13	32600	20600	9	CH33-43C	SLP98UH110XV60C	5269100
XP21-036-230	35800	17	12.5	32600	20800	8.5	CH33-44/48B	CBWMV-36B-070	5269127
XP21-036-230	35800	17	12	32800	21000	8.5	CH33-44/48B	EL296UH045XV36B	5760873
XP21-036-230	35800	17	12.5	32800	21000	8.5	CH33-44/48B	EL296UH070XV36B	5760974
XP21-036-230	36000	17	12.5	32800	21000	9	CH33-44/48B	ML180UH070E36B	10589606
XP21-036-230	35800	17	12.5	32400	20600	9	CH33-44/48B	ML180UH090E48B	10589731
XP21-036-230	36000	17	12.5	32400	20600	9	CH33-44/48B	SL280UH090V36B	5269113
XP21-036-230	36000	17	12.5	32600	20800	8.5	CH33-44/48B	SL280UH090V48B	5269115
XP21-036-230	36000	17	12.5	32600	20800	8.5	CH33-44/48B	SL280UH090XV48B	5269219
XP21-036-230	35600	17	12	33000	21200	8.5	CH33-44/48B	SLO185B79/105V42	7087722
XP21-036-230	35600	16	12	33000	21200	8.5	CH33-44/48B	SLO185UF79/105V42	7087693
XP21-036-230	35800	17	12.5	32800	21000	8.5	CH33-44/48B	SLP98UH070XV36B	5269116
XP21-036-230	35400	15.5	11.7	33000	21200	8.5	CH33-44/48B		5268822
XP21-036-230	36400	17	13	32400	20600	9	CH33-49	CBWMV-36C-090	5269147
XP21-036-230	36600	17	13	32400	20600	9	CH33-49	EL296UH090XE48C	5650511
XP21-036-230	36600	18	13	32600	20600	9	CH33-49	EL296UH090XV36C	5761057
XP21-036-230	36400	18	13	32400	20600	9	CH33-49	EL296UH090XV48C	5761147
XP21-036-230	37200	18	13	32800	20800	9	CH33-49	EL296UH090XV60C	5761235
XP21-036-230	36600	18	13	32400	20600	9	CH33-49	EL296UH110XV48C	5685249
XP21-036-230	36600	18	13	32400	20600	9	CH33-49	EL296UH110XV48C	5761287
XP21-036-230	37000	18	13	32600	20800	9	CH33-49	EL296UH110XV60C	5761357
XP21-036-230	37200	18	13	32600	20800	9	CH33-49	SL280UH090V60C	5269129
XP21-036-230	37200	18	13	32600	20800	9	CH33-49	SL280UH090XV60C	5269148
XP21-036-230	37000	18	13	32600	20800	9	CH33-49	SL280UH110V60C	5269131
XP21-036-230	37000	17	13	32600	20800	9	CH33-49	SL280UH110XV60C	5269150
XP21-036-230	36400	17	12.5	32800	21000	8.5	CH33-49	SLO185B79/105V42	7087729
XP21-036-230	36200	17	12	32800	21000	8.5	CH33-49	SLO185UF79/105V42	7087694
XP21-036-230	36600	18	13	32600	20600	9	CH33-49	SLP98UH090XV36C	5269132
XP21-036-230	36400	18	13	32400	20600	9	CH33-49	SLP98UH090XV48C	5269133
XP21-036-230	37200	18	13	32800	20800	9	CH33-49	SLP98UH090XV60C	5269134
XP21-036-230	37000	18	13	32600	20800	9	CH33-49	SLP98UH110XV60C	5269135
XP21-036-230	36000	15.7	12	33000	21200	8.5	CH33-49		5268823
XP21-036-230	36400	17	13	32400	20600	9	CH33-50/60C	CBWMV-36C-090	5269166

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-036-230	36400	17	13	32400	20600	9	CH33-50/60C	EL296UH090XE48C	5650494
XP21-036-230	36600	17	13	32400	20600	9	CH33-50/60C	EL296UH090XV36C	5761058
XP21-036-230	36200	18	13	32400	20600	9	CH33-50/60C	EL296UH090XV48C	5761148
XP21-036-230	37000	18	13	32800	21000	9	CH33-50/60C	EL296UH090XV60C	5761236
XP21-036-230	36600	18	13	32400	20600	9	CH33-50/60C	EL296UH110XV48C	5685243
XP21-036-230	36600	18	13	32400	20600	9	CH33-50/60C	EL296UH110XV48C	5761281
XP21-036-230	37000	17	13	32600	20800	9	CH33-50/60C	SL280UH090V60C	5269149
XP21-036-230	37000	17	13	32600	20800	9	CH33-50/60C	SL280UH090XV60C	5269557
XP21-036-230	36800	17	13	32600	20800	9	CH33-50/60C	SL280UH110V60C	5269151
XP21-036-230	36800	17	13	32600	20800	9	CH33-50/60C	SL280UH110XV60C	5269558
XP21-036-230	36200	17	12	32800	21000	8.5	CH33-50/60C	SLO185B79/105V42	7087736
XP21-036-230	36200	17	12	32800	21000	8.5	CH33-50/60C	SLO185UF79/105V42	7087705
XP21-036-230	36600	17	13	32400	20600	9	CH33-50/60C	SLP98UH090XV36C	5269152
XP21-036-230	36200	18	13	32400	20600	9	CH33-50/60C	SLP98UH090XV48C	5269153
XP21-036-230	37000	18	13	32800	21000	9	CH33-50/60C	SLP98UH090XV60C	5269154
XP21-036-230	36800	18	13	32600	20800	9	CH33-50/60C	SLP98UH110XV60C	5269155
XP21-036-230	36000	15.7	12	33000	21200	8.5	CH33-50/60C		5268824
XP21-036-230	35200	16	12.5	33600	22200	8.5	CH35-42C	EL196UH090XE48C	201933159
XP21-036-230	34400	17	12.5	33000	21800	9	CH35-42C	EL280UH045E36A	202891552
XP21-036-230	35200	16	12.5	33800	22200	9	CH35-42C	EL280UH070E36A	202891571
XP21-036-230	35200	16	12.5	33800	22200	9	CH35-42C	EL280UH070XE36A	203361970
XP21-036-230	35400	16	12.5	33800	22400	9	CH35-42C	EL280UH090E36B	202891590
XP21-036-230	35200	16	12.5	33600	22200	8.5	CH35-42C	EL296UH090XE48C	9114994
XP21-036-230	35400	16.5	12.5	33600	22200	8.5	CH35-42C	EL296UH090XV36C	9114995
XP21-036-230	35600	16.5	12.5	33800	22200	9	CH35-42C	EL296UH090XV48C	9114996
XP21-036-230	35800	16.5	12.5	34000	22400	9	CH35-42C	EL296UH090XV60C	9114997
XP21-036-230	35400	16.5	12.5	33400	22000	9	CH35-42C	EL296UH110XV48C	9114998
XP21-036-230	35600	16.5	12.5	33600	22200	9	CH35-42C	EL296UH110XV60C	9114999
XP21-036-230	35200	16	12.5	33600	22200	8.5	CH35-42C	ML196UH090XE48C	204498639
XP21-036-230	35600	17	13	33600	22000	9.2	CH35-42C	SL280UH080NV60C-	10581383
XP21-036-230	35800	16.5	12.5	33800	22200	9	CH35-42C	SL280UH090V60C	9115000
XP21-036-230	35800	16.5	12.5	33800	22200	9	CH35-42C	SL280UH090XV60C	9115001
XP21-036-230	35600	16.5	12.5	33800	22200	9	CH35-42C	SL280UH110V60C	9115002
XP21-036-230	35600	16.5	12.5	33800	22200	9	CH35-42C	SL280UH110XV60C	9115003
XP21-036-230	35400	16.5	12.5	33600	22200	8.5	CH35-42C	SLP98UH090XV36C	9115004
XP21-036-230	35600	16.5	12.5	33800	22200	9	CH35-42C	SLP98UH090XV48C	9115005
XP21-036-230	35800	16.5	12.5	34000	22400	9	CH35-42C	SLP98UH090XV60C	9115006
XP21-036-230	35600	16.5	12.5	33600	22200	9	CH35-42C	SLP98UH110XV60C	9115007
XP21-036-230	35400	16.5	12.5	33600	22200	8.5	CH35-42C	SLP99UH090XV36C	205550221
XP21-036-230	35600	16.5	12.5	33800	22200	9	CH35-42C	SLP99UH090XV48C	205550223
XP21-036-230	35800	16.5	12.5	34000	22400	9	CH35-42C	SLP99UH090XV60C	205550225
XP21-036-230	35600	16.5	12.5	33600	22200	9	CH35-42C	SLP99UH110XV60C	205550226
XP21-036-230	34800	14.5	11.5	34200	22800	8.5	CH35-42C		9114992
XP21-036-230	35000	16	12.2	34400	23400	9	CH35-48B	EL196UH045XE36B	201933160
XP21-036-230	35000	16	12.2	34400	23400	9	CH35-48B	EL196UH070XE36B	201933161
XP21-036-230	35600	17	12.5	34600	23400	9.8	CH35-48B	EL280UH045E36A	202891553
XP21-036-230	35000	16	12.5	34200	23200	9.6	CH35-48B	EL280UH070E36A	202891572
XP21-036-230	35000	16	12.5	34200	23200	9.6	CH35-48B	EL280UH070XE36A	203361971
XP21-036-230	35200	17	12.5	34200	23200	9.6	CH35-48B	EL280UH090E36B	202891591
XP21-036-230	35000	16	12.2	34400	23400	9	CH35-48B	EL296UH045XE36B	9115011
XP21-036-230	35200	16.5	12.5	34200	23200	9	CH35-48B	EL296UH045XV36B	9115012
XP21-036-230	35000	16	12.2	34400	23400	9	CH35-48B	EL296UH070XE36B	9115013
XP21-036-230	35200	16.5	12.5	34200	23200	9	CH35-48B	EL296UH070XV36B	9115014
XP21-036-230	35400	16.5	12.5	34200	23200	9	CH35-48B	ML180UH070E36B	10589628
XP21-036-230	35200	16.5	12.5	34000	23000	9	CH35-48B	ML180UH090E48B	10589747
XP21-036-230	35000	16	12.2	34400	23400	9	CH35-48B	ML196UH045XE36B	204498640

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-036-230	35000	16	12.2	34400	23400	9	CH35-48B	ML196UH070XE36B	204498641
XP21-036-230	35200	17	13	34000	23000	9.6	CH35-48B	SL280UH080NV48B-	10581381
XP21-036-230	35400	16.5	12.5	33800	23000	9	CH35-48B	SL280UH090V36B	9115015
XP21-036-230	35400	16.5	12.5	34000	23000	9	CH35-48B	SL280UH090V48B	9115016
XP21-036-230	35400	16.5	12.5	34000	23000	9	CH35-48B	SL280UH090XV48B	9115017
XP21-036-230	35200	16.5	12.5	34200	23200	9	CH35-48B	SLP98UH070XV36B	9115018
XP21-036-230	35200	16.5	12.5	34200	23200	9	CH35-48B	SLP99UH070XV36B	205550228
XP21-036-230	34800	15	12	34600	23600	9	CH35-48B		9115008
XP21-036-230	35200	16	12.5	32400	21400	8.5	CH35-48C	EL296UH090XE48C	9115033
XP21-036-230	35200	16	12.5	32600	21400	8.5	CH35-48C	EL296UH090XV36C	9115174
XP21-036-230	35600	16.5	12.5	32800	21600	8.5	CH35-48C	EL296UH090XV48C	9115020
XP21-036-230	35600	16.5	12.5	33000	21600	8.5	CH35-48C	EL296UH090XV60C	9115021
XP21-036-230	35200	16.5	12.5	32400	21400	8.5	CH35-48C	EL296UH110XV48C	9115022
XP21-036-230	35600	16.5	12.5	32800	21400	8.5	CH35-48C	EL296UH110XV60C	9115023
XP21-036-230	35600	17	12.5	32600	21400	9.2	CH35-48C	SL280UH080NV60C-	10581384
XP21-036-230	35600	16.5	12.5	32800	21400	8.5	CH35-48C	SL280UH090V60C	9115024
XP21-036-230	35600	16.5	12.5	32800	21400	8.5	CH35-48C	SL280UH090XV60C	9115025
XP21-036-230	35600	16.5	12.5	32800	21600	8.5	CH35-48C	SL280UH110V60C	9115027
XP21-036-230	35600	16.5	12.5	32800	21600	8.5	CH35-48C	SL280UH110XV60C	9115026
XP21-036-230	35200	16	12.5	32600	21400	8.5	CH35-48C	SLP98UH090XV36C	9115028
XP21-036-230	35600	16.5	12.5	32800	21600	8.5	CH35-48C	SLP98UH090XV48C	9115029
XP21-036-230	35600	16.5	12.5	33000	21600	8.5	CH35-48C	SLP98UH090XV60C	9115030
XP21-036-230	35600	16.5	12.5	32800	21400	8.5	CH35-48C	SLP98UH110XV60C	9115031
XP21-036-230	35200	16	12.5	32600	21400	8.5	CH35-48C	SLP99UH090XV36C	205550229
XP21-036-230	35600	16.5	12.5	32800	21600	8.5	CH35-48C	SLP99UH090XV48C	205550231
XP21-036-230	35600	16.5	12.5	33000	21600	8.5	CH35-48C	SLP99UH090XV60C	205550232
XP21-036-230	35600	16.5	12.5	32800	21400	8.5	CH35-48C	SLP99UH110XV60C	205550234
XP21-036-230	34800	14.5	11.5	33000	22000	8.2	CH35-48C		9115019
XP21-036-230	36400	16.5	12.5	33400	20800	8.5	CH35-51C	EL296UH090XE48C	9115036
XP21-036-230	36400	16.5	12.5	33600	20800	8.5	CH35-51C	EL296UH090XV36C	9115037
XP21-036-230	36600	17	12.5	33600	21000	9	CH35-51C	EL296UH090XV48C	9115038
XP21-036-230	36800	17	12.5	33800	21000	9	CH35-51C	EL296UH090XV60C	9115039
XP21-036-230	36400	17	12.5	33400	20800	8.5	CH35-51C	EL296UH110XV48C	9115040
XP21-036-230	36800	17	12.5	33600	20800	9	CH35-51C	EL296UH110XV60C-	9115041
XP21-036-230	36800	17.5	13	33600	20800	9.2	CH35-51C	SL280UH080NV60C-	10581385
XP21-036-230	37000	17	12.5	33600	20800	9	CH35-51C	SL280UH090V60C	9115042
XP21-036-230	37000	17	12.5	33600	20800	9	CH35-51C	SL280UH090XV60C	9115043
XP21-036-230	36800	16.5	12.5	33600	20800	8.5	CH35-51C	SL280UH110V60C	9115044
XP21-036-230	36800	16.5	12.5	33600	20800	8.5	CH35-51C	SL280UH110XV60C	9115045
XP21-036-230	36400	16.5	12.5	33600	20800	8.5	CH35-51C	SLP98UH090XV36C	9115046
XP21-036-230	36200	16.5	12.5	33400	20600	8.5	CH35-51C	SLP98UH090XV48C	9115047
XP21-036-230	36800	17	12.5	33800	21000	9	CH35-51C	SLP98UH090XV60C	9115048
XP21-036-230	36800	17	12.5	33600	20800	9	CH35-51C	SLP98UH110XV60C	9115049
XP21-036-230	36400	16.5	12.5	33600	20800	8.5	CH35-51C	SLP99UH090XV36C	205550236
XP21-036-230	36200	16.5	12.5	33400	20600	8.5	CH35-51C	SLP99UH090XV48C	205550238
XP21-036-230	36800	17	12.5	33800	21000	9	CH35-51C	SLP99UH090XV60C	205550239
XP21-036-230	36800	17	12.5	33600	20800	9	CH35-51C	SLP99UH110XV60C	205550241
XP21-036-230	36000	14.5	11.5	34000	21400	8.5	CH35-51C		9115034
XP21-036-230	35200	16	12.5	33600	22200	8.5	CHX35-42C	EL196UH090XE48C	202192143
XP21-036-230	34400	17	12.5	33000	21800	9	CHX35-42C	EL280UH045E36A	202891554
XP21-036-230	35200	16	12.5	33800	22200	9	CHX35-42C	EL280UH070E36A	202891573
XP21-036-230	35200	16	12.5	33800	22200	9	CHX35-42C	EL280UH070XE36A	203361972
XP21-036-230	35400	16	12.5	33800	22400	9	CHX35-42C	EL280UH090E36B	202891592
XP21-036-230	35200	16	12.5	33600	22200	8.5	CHX35-42C	EL296UH090XE48C	202192050
XP21-036-230	35400	16.5	12.5	33600	22200	8.5	CHX35-42C	EL296UH090XV36C	202192051
XP21-036-230	35600	16.5	12.5	33800	22200	9	CHX35-42C	EL296UH090XV48C	202192052

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-036-230	35800	16.5	12.5	34000	22400	9	CHX35-42C	EL296UH090XV60C	202192053
XP21-036-230	35400	16.5	12.5	33400	22000	9	CHX35-42C	EL296UH110XV48C	202192054
XP21-036-230	35600	16.5	12.5	33600	22200	9	CHX35-42C	EL296UH110XV60C	202192055
XP21-036-230	35200	16	12.5	33600	22200	8.5	CHX35-42C	ML196UH090XE48C	204498642
XP21-036-230	35600	17	13	33600	22000	9.2	CHX35-42C	SL280UH080NV60C-	202190411
XP21-036-230	35800	16.5	12.5	33800	22200	9	CHX35-42C	SL280UH090V60C	202192056
XP21-036-230	35800	16.5	12.5	33800	22200	9	CHX35-42C	SL280UH090XV60C	202192057
XP21-036-230	35600	16.5	12.5	33800	22200	9	CHX35-42C	SL280UH110V60C	202192058
XP21-036-230	35600	16.5	12.5	33800	22200	9	CHX35-42C	SL280UH110XV60C	202192059
XP21-036-230	35400	16.5	12.5	33600	22200	8.5	CHX35-42C	SLP98UH090XV36C	202192060
XP21-036-230	35600	16.5	12.5	33800	22200	9	CHX35-42C	SLP98UH090XV48C	202192061
XP21-036-230	35800	16.5	12.5	34000	22400	9	CHX35-42C	SLP98UH090XV60C	202192062
XP21-036-230	35600	16.5	12.5	33600	22200	9	CHX35-42C	SLP98UH110XV60C	202192063
XP21-036-230	35400	16.5	12.5	33600	22200	8.5	CHX35-42C	SLP99UH090XV36C	205544702
XP21-036-230	35600	16.5	12.5	33800	22200	9	CHX35-42C	SLP99UH090XV48C	205544703
XP21-036-230	35800	16.5	12.5	34000	22400	9	CHX35-42C	SLP99UH090XV60C	205544704
XP21-036-230	35600	16.5	12.5	33600	22200	9	CHX35-42C	SLP99UH110XV60C	205544705
XP21-036-230	34800	14.5	11.5	34200	22800	8.5	CHX35-42C		202189880
XP21-036-230	35000	16	12.2	34400	23400	9	CHX35-48B	EL196UH045XE36B	202192144
XP21-036-230	35000	16	12.2	34400	23400	9	CHX35-48B	EL196UH070XE36B	202192145
XP21-036-230	35600	17	12.5	34600	23400	9.8	CHX35-48B	EL280UH045E36A	202891555
XP21-036-230	35000	16	12.5	34200	23200	9.6	CHX35-48B	EL280UH070E36A	202891574
XP21-036-230	35000	16	12.5	34200	23200	9.6	CHX35-48B	EL280UH070XE36A	203361973
XP21-036-230	35200	17	12.5	34200	23200	9.6	CHX35-48B	EL280UH090E36B	202891593
XP21-036-230	35000	16	12.2	34400	23400	9	CHX35-48B	EL296UH045XE36B	202192064
XP21-036-230	35200	16.5	12.5	34200	23200	9	CHX35-48B	EL296UH045XV36B	202192065
XP21-036-230	35000	16	12.2	34400	23400	9	CHX35-48B	EL296UH070XE36B	202192066
XP21-036-230	35200	16.5	12.5	34200	23200	9	CHX35-48B	EL296UH070XV36B	202192067
XP21-036-230	35400	16.5	12.5	34200	23200	9	CHX35-48B	ML180UH070E36B	202192137
XP21-036-230	35200	16.5	12.5	34000	23000	9	CHX35-48B	ML180UH090E48B	202192138
XP21-036-230	35000	16	12.2	34400	23400	9	CHX35-48B	ML196UH045XE36B	204498643
XP21-036-230	35000	16	12.2	34400	23400	9	CHX35-48B	ML196UH070XE36B	204498644
XP21-036-230	35200	17	13	34000	23000	9.6	CHX35-48B	SL280UH080NV48B-	202190408
XP21-036-230	35400	16.5	12.5	33800	23000	9	CHX35-48B	SL280UH090V36B	202192068
XP21-036-230	35400	16.5	12.5	34000	23000	9	CHX35-48B	SL280UH090V48B	202192069
XP21-036-230	35400	16.5	12.5	34000	23000	9	CHX35-48B	SL280UH090XV48B	202192070
XP21-036-230	35200	16.5	12.5	34200	23200	9	CHX35-48B	SLP98UH070XV36B	202192071
XP21-036-230	35200	16.5	12.5	34200	23200	9	CHX35-48B	SLP99UH070XV36B	205544706
XP21-036-230	34800	15	12	34600	23600	9	CHX35-48B		202189884
XP21-036-230	35200	16	12.5	32400	21400	8.5	CHX35-48C	EL296UH090XE48C	202192084
XP21-036-230	35200	16	12.5	32600	21400	8.5	CHX35-48C	EL296UH090XV36C	202192123
XP21-036-230	35600	16.5	12.5	32800	21600	8.5	CHX35-48C	EL296UH090XV48C	202192072
XP21-036-230	35600	16.5	12.5	33000	21600	8.5	CHX35-48C	EL296UH090XV60C	202192073
XP21-036-230	35200	16.5	12.5	32400	21400	8.5	CHX35-48C	EL296UH110XV48C	202192074
XP21-036-230	35600	16.5	12.5	32800	21400	8.5	CHX35-48C	EL296UH110XV60C	202192075
XP21-036-230	35600	17	12.5	32600	21400	9.2	CHX35-48C	SL280UH080NV60C-	202190413
XP21-036-230	35600	16.5	12.5	32800	21400	8.5	CHX35-48C	SL280UH090V60C	202192076
XP21-036-230	35600	16.5	12.5	32800	21400	8.5	CHX35-48C	SL280UH090XV60C	202192077
XP21-036-230	35600	16.5	12.5	32800	21600	8.5	CHX35-48C	SL280UH110V60C	202192079
XP21-036-230	35600	16.5	12.5	32800	21600	8.5	CHX35-48C	SL280UH110XV60C	202192078
XP21-036-230	35200	16	12.5	32600	21400	8.5	CHX35-48C	SLP98UH090XV36C	202192080
XP21-036-230	35600	16.5	12.5	32800	21600	8.5	CHX35-48C	SLP98UH090XV48C	202192081
XP21-036-230	35600	16.5	12.5	33000	21600	8.5	CHX35-48C	SLP98UH090XV60C	202192082
XP21-036-230	35600	16.5	12.5	32800	21400	8.5	CHX35-48C	SLP98UH110XV60C	202192083
XP21-036-230	35200	16	12.5	32600	21400	8.5	CHX35-48C	SLP99UH090XV36C	205544707
XP21-036-230	35600	16.5	12.5	32800	21600	8.5	CHX35-48C	SLP99UH090XV48C	205544709

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-036-230	35600	16.5	12.5	33000	21600	8.5	CHX35-48C	SLP99UH090XV60C	205544710
XP21-036-230	35600	16.5	12.5	32800	21400	8.5	CHX35-48C	SLP99UH110XV60C	205544711
XP21-036-230	34800	14.5	11.5	33000	22000	8.2	CHX35-48C		202189888
XP21-036-230	36400	16.5	12.5	33400	20800	8.5	CHX35-51/61C	EL296UH090XE48C	202192085
XP21-036-230	36400	16.5	12.5	33600	20800	8.5	CHX35-51/61C	EL296UH090XV36C	202192086
XP21-036-230	36600	17	12.5	33600	21000	9	CHX35-51/61C	EL296UH090XV48C	202192087
XP21-036-230	36800	17	12.5	33800	21000	9	CHX35-51/61C	EL296UH090XV60C	202192088
XP21-036-230	36400	17	12.5	33400	20800	8.5	CHX35-51/61C	EL296UH110XV48C	202192089
XP21-036-230	36800	17	12.5	33600	20800	9	CHX35-51/61C	EL296UH110XV60C-	202192090
XP21-036-230	36800	17.5	13	33600	20800	9.2	CHX35-51/61C	SL280UH080NV60C-	202190414
XP21-036-230	37000	17	12.5	33600	20800	9	CHX35-51/61C	SL280UH090V60C	202192091
XP21-036-230	37000	17	12.5	33600	20800	9	CHX35-51/61C	SL280UH090XV60C	202192092
XP21-036-230	36800	16.5	12.5	33600	20800	8.5	CHX35-51/61C	SL280UH110V60C	202192093
XP21-036-230	36800	16.5	12.5	33600	20800	8.5	CHX35-51/61C	SL280UH110XV60C	202192094
XP21-036-230	36400	16.5	12.5	33600	20800	8.5	CHX35-51/61C	SLP98UH090XV36C	202192095
XP21-036-230	36200	16.5	12.5	33400	20600	8.5	CHX35-51/61C	SLP98UH090XV48C	202192096
XP21-036-230	36800	17	12.5	33800	21000	9	CHX35-51/61C	SLP98UH090XV60C	202192097
XP21-036-230	36800	17	12.5	33600	20800	9	CHX35-51/61C	SLP98UH110XV60C	202192098
XP21-036-230	36400	16.5	12.5	33600	20800	8.5	CHX35-51/61C	SLP99UH090XV36C	205544713
XP21-036-230	36200	16.5	12.5	33400	20600	8.5	CHX35-51/61C	SLP99UH090XV48C	205544714
XP21-036-230	36800	17	12.5	33800	21000	9	CHX35-51/61C	SLP99UH090XV60C	205544716
XP21-036-230	36800	17	12.5	33600	20800	9	CHX35-51/61C	SLP99UH110XV60C	205544717
XP21-036-230	36000	14.5	11.5	34000	21400	8.5	CHX35-51/61C		202189891
XP21-036-230	34600	15	11.5	33000	21200	8.5	CR33-48		5268825
XP21-036-230	35000	17	12	32600	21000	9	CR33-48B	EL196DF070XE48B	201953309
XP21-036-230	35200	17	12.2	33000	21200	9.2	CR33-48B	EL280DF070E36A	202891539
XP21-036-230	35200	17	12.5	33000	21000	9.4	CR33-48B	EL280DF090E48B	202891541
XP21-036-230	34600	16	12	32600	20800	9	CR33-48B	EL296DF045XE36B	5650507
XP21-036-230	35000	17	12	32600	21000	9	CR33-48B	EL296DF045XV36B	7505740
XP21-036-230	35000	17	12	32600	20800	9	CR33-48B	EL296DF070XE48B	5650504
XP21-036-230	35000	16	12	32800	21000	9	CR33-48B	EL296DF070XV48B	7487527
XP21-036-230	35000	17	12.5	32200	20600	9	CR33-48B	ML180DF070E36B	10589522
XP21-036-230	35000	17	12.5	32400	20600	9	CR33-48B	ML180DF090E48B	10589528
XP21-036-230	35000	17	12	32600	21000	9	CR33-48B	ML196DF070XE48B	204498645
XP21-036-230	35200	17	12.5	32400	20800	9	CR33-48B	SL280DF090V48B	5269167
XP21-036-230	35200	17	12.5	32800	20800	9	CR33-48B	SLP98DF070XV36B	5269168
XP21-036-230	35200	17	12.5	32800	20800	9	CR33-48B	SLP99DF070XV36B	205550245
XP21-036-230	35400	17	12.5	32600	21000	9	CR33-48C	EL196DF090XE48C	201953310
XP21-036-230	35200	17	12.2	33000	21200	9.2	CR33-48C	EL280DF070E36A	202891540
XP21-036-230	35200	17	12.5	33000	21000	9.4	CR33-48C	EL280DF090E48B	202891542
XP21-036-230	35400	17	12.5	32600	20800	9	CR33-48C	EL296DF090XE48C	5650514
XP21-036-230	35400	17	12.5	32600	21000	9	CR33-48C	ML196DF090XE48C	204498646
XP21-036-230	35800	17	12.5	32600	20800	9.2	CR33-48C	SL280DF090V60C	5269173
XP21-036-230	35200	17	12.5	32600	20800	9	CR33-48C	SLP98DF090XV36C	5269174
XP21-036-230	35200	17	12.5	32600	20800	9	CR33-48C	SLP98DF090XV48C	5269175
XP21-036-230	35400	17	12.5	32600	20800	9	CR33-48C	SLP98DF090XV60C	5269176
XP21-036-230	35400	17	12.5	32600	20800	9	CR33-48C	SLP98DF110XV60C	5269177
XP21-036-230	35200	17	12.5	32600	20800	9	CR33-48C	SLP99DF090XV36C	205550246
XP21-036-230	35200	17	12.5	32600	20800	9	CR33-48C	SLP99DF090XV48C	205550248
XP21-036-230	35400	17	12.5	32600	20800	9	CR33-48C	SLP99DF090XV60C	205550249
XP21-036-230	35400	17	12.5	32600	20800	9	CR33-48C	SLP99DF110XV60C	205550251
XP21-036-230	35400	17	12.5	32800	21200	9	CR33-50/60	EL196DF090XE48C	201953311
XP21-036-230	35400	17	12.5	32800	20800	9	CR33-50/60	EL296DF090XE48C	5650498
XP21-036-230	35400	17	12.5	32800	21200	9	CR33-50/60	ML196DF090XE48C	204498647
XP21-036-230	36600	18	13	33000	20800	9.5	CR33-50/60	SL280DF090V60C	5269181
XP21-036-230	36000	17	12.5	32800	20800	9	CR33-50/60	SLP98DF090XV36C	5269182

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-036-230	36200	17	12.5	32800	20800	9	CR33-50/60	SLP98DF090XV48C	5269183
XP21-036-230	36400	17	12.5	32800	20800	9	CR33-50/60	SLP98DF090XV60C	5269184
XP21-036-230	36400	17	12.5	33000	21000	9	CR33-50/60	SLP98DF110XV60C	5269185
XP21-036-230	36000	17	12.5	32800	20800	9	CR33-50/60	SLP99DF090XV36C	205550252
XP21-036-230	36200	17	12.5	32800	20800	9	CR33-50/60	SLP99DF090XV48C	205550254
XP21-036-230	36400	17	12.5	32800	20800	9	CR33-50/60	SLP99DF090XV60C	205550255
XP21-036-230	36400	17	12.5	33000	21000	9	CR33-50/60	SLP99DF110XV60C	205550256
XP21-036-230	35600	15.7	11.7	33400	21200	8.7	CR33-50/60		5268826
XP21-036-230	34000	15.5	11.5	35000	22400	8.5	CX35-48B	EL196UH045XE36B	201933156
XP21-036-230	34000	16	12	34600	22000	8.5	CX35-48B	EL196UH070XE36B	201933157
XP21-036-230	33400	16	12.2	34200	21600	9	CX35-48B	EL280UH045E36A	202891556
XP21-036-230	34200	16	12	34800	22000	9.2	CX35-48B	EL280UH070E36A	202891575
XP21-036-230	34200	16	12	34800	22000	9.2	CX35-48B	EL280UH070XE36A	203361974
XP21-036-230	34200	16	12	34800	22200	9.2	CX35-48B	EL280UH090E36B	202891594
XP21-036-230	34000	15.5	11.5	35000	22400	8.5	CX35-48B	EL296UH045XE36B	9115055
XP21-036-230	34200	16	12	34800	22200	8.5	CX35-48B	EL296UH045XV36B	9115056
XP21-036-230	34000	16	12	34600	22000	8.5	CX35-48B	EL296UH070XE36B	9115057
XP21-036-230	34200	16	12	34800	22200	8.5	CX35-48B	EL296UH070XV36B	9115058
XP21-036-230	34200	16	12.2	34400	21800	9	CX35-48B	ML180UH070E36B	10589627
XP21-036-230	34400	16	12.2	34600	22000	9	CX35-48B	ML180UH090E48B	10589746
XP21-036-230	34000	15.5	11.5	35000	22400	8.5	CX35-48B	ML196UH045XE36B	204498648
XP21-036-230	34000	16	12	34600	22000	8.5	CX35-48B	ML196UH070XE36B	204498649
XP21-036-230	34400	16.5	12.5	34400	21800	9.2	CX35-48B	SL280UH080NV48B-	10581382
XP21-036-230	34200	16	12.2	34600	21800	9	CX35-48B	SL280UH090V36B	9115059
XP21-036-230	34400	16	12.2	34600	22000	9	CX35-48B	SL280UH090V48B	9115060
XP21-036-230	34400	16	12.2	34600	22000	9	CX35-48B	SL280UH090XV48B	9115061
XP21-036-230	34200	16	12	34800	22200	8.5	CX35-48B	SLP98UH070XV36B	9115062
XP21-036-230	34200	16	12	34800	22200	8.5	CX35-48B	SLP99UH070XV36B	205550258
XP21-036-230	33800	14.3	11	35200	22600	8.5	CX35-48B		9115050
XP21-036-230	34600	16	12.2	30000	19500	8.5	CX35-49C	EL196UH090XE48C	201933158
XP21-036-230	33800	16	12.2	29600	19200	9	CX35-49C	EL280UH045E36A	202891557
XP21-036-230	34600	16	12.2	30400	19600	9	CX35-49C	EL280UH070E36A	202891576
XP21-036-230	34600	16	12.2	30400	19600	9	CX35-49C	EL280UH070XE36A	203361975
XP21-036-230	34800	16	12.2	30400	19600	9	CX35-49C	EL280UH090E36B	202891595
XP21-036-230	34600	16	12.2	30000	19400	8.5	CX35-49C	EL296UH090XE48C	9115065
XP21-036-230	34600	16	12.2	30000	19400	8.5	CX35-49C	EL296UH090XV36C	9115066
XP21-036-230	34800	16	12.2	30200	19500	9	CX35-49C	EL296UH090XV48C	9115067
XP21-036-230	34600	16	12.5	30000	19300	9	CX35-49C	EL296UH110XV48C	9115068
XP21-036-230	35000	16	12.5	30200	19500	9	CX35-49C	EL296UH110XV60C	9115069
XP21-036-230	34600	16	12.2	30000	19500	8.5	CX35-49C	ML196UH090XE48C	204498650
XP21-036-230	35000	17	12.5	30200	19300	9.2	CX35-49C	SL280UH080NV60C-	10581386
XP21-036-230	35000	16	12.5	30200	19500	9	CX35-49C	SL280UH090V60C	9115070
XP21-036-230	35000	16	12.5	30200	19500	9	CX35-49C	SL280UH090XV60C	9115071
XP21-036-230	35000	16	12.5	30200	19500	9	CX35-49C	SL280UH110V60C	9115072
XP21-036-230	35000	16	12.5	30200	19500	9	CX35-49C	SL280UH110XV60C	9115073
XP21-036-230	34600	16	12.5	30000	19400	8.5	CX35-49C	SLP98UH090XV36C	9115074
XP21-036-230	34800	16	12.2	30200	19500	9	CX35-49C	SLP98UH090XV48C	9115075
XP21-036-230	35000	16	12.5	30200	19500	9	CX35-49C	SLP98UH110XV60C	9115076
XP21-036-230	34600	16	12.5	30000	19400	8.5	CX35-49C	SLP99UH090XV36C	205550242
XP21-036-230	34800	16	12.2	30200	19500	9	CX35-49C	SLP99UH090XV48C	205550260
XP21-036-230	35000	16	12.5	30200	19500	9	CX35-49C	SLP99UH110XV60C	205550244
XP21-036-230	34000	14.3	11.5	30600	20000	8.5	CX35-49C		9115063
XP21-048-230	45000	16	11.5	46000	32000	8.5	C35-49C	EL196UH090XE48C	202087697
XP21-048-230	45000	16	11.5	46000	31800	8.5	C35-49C	EL196UH110XE60C	202087698
XP21-048-230	45000	15.5	11.5	46000	31800	9	C35-49C	EL280UH090E48B	202891602
XP21-048-230	45000	15.5	11.5	46000	31800	9	C35-49C	EL280UH090XE48B	203361982

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-048-230	45000	16	11.5	46000	31800	9	C35-49C	EL280UH110E48C	202891609
XP21-048-230	45000	16	11.5	46000	31600	9	C35-49C	EL280UH110E60C	202891616
XP21-048-230	45000	16	11.5	46000	31600	9	C35-49C	EL280UH110XE60C	203361989
XP21-048-230	45000	16	11.5	46000	31800	8.5	C35-49C	EL296UH090XE48C	202087748
XP21-048-230	45000	16	11.5	46000	31800	8.5	C35-49C	EL296UH090XV48C	202087749
XP21-048-230	45000	16	11.5	46000	31800	8.5	C35-49C	EL296UH090XV60C	202087750
XP21-048-230	45000	16	11.5	46000	31800	8.5	C35-49C	EL296UH110XV48C	202087751
XP21-048-230	45000	16	11.5	46500	32000	8.5	C35-49C	EL296UH110XV60C	202087752
XP21-048-230	45000	17	11.7	46000	31800	9	C35-49C	SL280UH080NV60C-	202087704
XP21-048-230	45000	16	11.5	46000	31800	8.5	C35-49C	SL280UH090V60C	202087753
XP21-048-230	45000	16	11.5	46000	31800	8.5	C35-49C	SL280UH090XV60C	202087754
XP21-048-230	45000	16	11.5	46000	31600	8.5	C35-49C	SL280UH110V60C	202087755
XP21-048-230	45000	16	11.5	46000	31600	8.5	C35-49C	SL280UH110XV60C	202087756
XP21-048-230	45000	16	11.5	46000	31800	8.5	C35-49C	SLP98UH090XV48C	202087778
XP21-048-230	45000	16	11.5	46000	31800	8.5	C35-49C	SLP98UH090XV60C	202087757
XP21-048-230	45000	16	11.5	46500	32000	8.5	C35-49C	SLP98UH110XV60C	202087758
XP21-048-230	45000	16	11.5	46000	31800	8.5	C35-49C	SLP99UH090XV48C	205544631
XP21-048-230	45000	16	11.5	46000	31800	8.5	C35-49C	SLP99UH090XV60C	205544621
XP21-048-230	45000	16	11.5	46500	32000	8.5	C35-49C	SLP99UH110XV60C	205544623
XP21-048-230	44500	14	11	46500	32400	8.5	C35-49C		202087691
XP21-048-230	45500	14	11.5	47500	30600	8.5	C35-60D	EL296UH135XE60D	202087761
XP21-048-230	45500	15	11.5	47500	30600	8.5	C35-60D	EL296UH135XV60D	202087762
XP21-048-230	45500	15	11.5	47000	30400	8.5	C35-60D	SL280UH135V60D	202087763
XP21-048-230	45500	15	11.5	47500	30600	8.5	C35-60D	SLP98UH135XV60D	202087764
XP21-048-230	45500	15	11.5	47500	30600	8.5	C35-60D	SLP99UH135XV60D	205544625
XP21-048-230	46000	16	12	46000	29000	9	CBA27UHE-060-230		10258577
XP21-048-230	47000	16.5	12	45000	29000	9	CBA38MV-060-230		201924999
XP21-048-230	47500	17.2	12.5	46000	28800	9.2	CBX32MV-060-230		5272167
XP21-048-230	48000	16	12	45500	28600	8.2	CH33-49	CBWMV-60C-100	5272274
XP21-048-230	47500	16	12	45000	28600	8.2	CH33-49	EL196UH090XE48C	201933170
XP21-048-230	47500	16	12	45000	28400	8.2	CH33-49	EL196UH110XE60C	201933171
XP21-048-230	47500	16	12	45000	28400	8.2	CH33-49	EL296UH090XE48C	5650525
XP21-048-230	47500	16	12	45500	28600	8.2	CH33-49	EL296UH090XV48C	5761157
XP21-048-230	48000	16	12	45500	28600	8.2	CH33-49	EL296UH090XV60C	5761246
XP21-048-230	47500	16	12	45500	28600	8.2	CH33-49	EL296UH110XV48C	5685253
XP21-048-230	47500	16	12	45500	28600	8.2	CH33-49	EL296UH110XV48C	5761291
XP21-048-230	48000	16	12	45500	28600	8.2	CH33-49	EL296UH110XV60C	5761367
XP21-048-230	48000	16	12.5	45500	28400	8.2	CH33-49	SL280UH090V60C	5272262
XP21-048-230	48000	16	12.5	45500	28400	8.2	CH33-49	SL280UH090XV60C	5272330
XP21-048-230	47500	16	12	45500	28400	8.2	CH33-49	SL280UH110V60C	5272264
XP21-048-230	47500	16	12	45500	28400	8.2	CH33-49	SL280UH110XV60C	5272275
XP21-048-230	47500	16	12	45500	28600	8.2	CH33-49	SLP98UH090XV48C	5272265
XP21-048-230	48000	16	12	45500	28600	8.2	CH33-49	SLP98UH090XV60C	5272266
XP21-048-230	48000	16	12	45500	28600	8.2	CH33-49	SLP98UH110XV60C	5272267
XP21-048-230	47500	15.2	11.7	46000	29000	8.2	CH33-49		5272180
XP21-048-230	47500	16	12	45500	28600	8.2	CH33-50/60C	CBWMV-60C-100	5272286
XP21-048-230	47500	16	12	45500	28800	8.2	CH33-50/60C	CBWMV-60C-120	5272287
XP21-048-230	47000	16	12	45000	28600	8.2	CH33-50/60C	EL196UH090XE48C	201933172
XP21-048-230	47000	16	12	45000	28400	8.2	CH33-50/60C	EL196UH110XE60C	201933173
XP21-048-230	47000	16	12	45000	28400	8.2	CH33-50/60C	EL296UH090XE48C	5650521
XP21-048-230	47500	16	12	45500	28600	8.2	CH33-50/60C	EL296UH090XV48C	5761158
XP21-048-230	47500	16	12	45500	28600	8.2	CH33-50/60C	EL296UH090XV60C	5761256
XP21-048-230	47500	16	12	45500	28600	8.2	CH33-50/60C	EL296UH110XV48C	5685252
XP21-048-230	47500	16	12	45500	28600	8.2	CH33-50/60C	EL296UH110XV48C	5761290
XP21-048-230	47500	16	12	45500	28600	8.2	CH33-50/60C	EL296UH110XV60C	5761368
XP21-048-230	47500	16	12	45500	28400	8.2	CH33-50/60C	SL280UH110V60C	5272276

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-048-230	47500	16	12	45500	28400	8.2	CH33-50/60C	SL280UH110XV60C	5272332
XP21-048-230	47500	16	12	45500	28600	8.2	CH33-50/60C	SLP98UH090XV48C	5272277
XP21-048-230	47500	16	12	45500	28600	8.2	CH33-50/60C	SLP98UH090XV60C	5272278
XP21-048-230	47500	16	12	45500	28600	8.2	CH33-50/60C	SLP98UH110XV60C	5272279
XP21-048-230	47000	15.2	11.7	46000	29000	8.2	CH33-50/60C		5272181
XP21-048-230	47500	16	12	45500	28200	8.5	CH33-62D	EL296UH135XE60D	5650541
XP21-048-230	47500	16	12	45500	28600	8.5	CH33-62D	SL280UH135V60D	5272288
XP21-048-230	47500	16	12	45500	28600	8.5	CH33-62D	SLP98UH135XV60D	5272289
XP21-048-230	47000	15	11.7	46000	29000	8.2	CH33-62D		5272182
XP21-048-230	46000	15.5	11.5	49000	32400	8.2	CH35-60D	EL296UH135XE60D	9115080
XP21-048-230	46500	16	12	48500	32200	8.2	CH35-60D	SL280UH135V60D	9115082
XP21-048-230	46500	16	12	49000	32200	8.2	CH35-60D	SLP98UH135XV60D	9115083
XP21-048-230	46500	16	12	49000	32200	8.2	CH35-60D	SLP99UH135XV60D	205544252
XP21-048-230	46000	14.5	11.5	49000	32800	8.2	CH35-60D		9115077
XP21-048-230	46000	15.5	11.5	49000	32400	8.2	CHX35-60D	EL296UH135XE60D	202192101
XP21-048-230	46500	16	12	48500	32200	8.2	CHX35-60D	SL280UH135V60D	202192102
XP21-048-230	46500	16	12	49000	32200	8.2	CHX35-60D	SLP98UH135XV60D	202192103
XP21-048-230	46500	16	12	49000	32200	8.2	CHX35-60D	SLP99UH135XV60D	205544719
XP21-048-230	46000	14.5	11.5	49000	32800	8.2	CHX35-60D		202189895
XP21-048-230	47000	16	11.7	46000	28800	9	CR33-50/60	EL296DF090XE48C	5650535
XP21-048-230	47000	16	11.7	46000	28600	9	CR33-50/60	EL296DF110XE60C	5650528
XP21-048-230	47000	16	12.5	46000	28600	9	CR33-50/60	SL280DF090V60C	5272291
XP21-048-230	47000	16	12.5	46000	28600	9	CR33-50/60	SL280DF110V60C	5277847
XP21-048-230	47000	16	12	46000	29000	9	CR33-50/60	SLP98DF090XV48C	5272292
XP21-048-230	47000	16	11.7	46000	29000	9	CR33-50/60	SLP98DF090XV60C	5272293
XP21-048-230	47000	16	11.7	46000	29000	9	CR33-50/60	SLP98DF110XV60C	5272294
XP21-048-230	47000	16	12	46000	29000	9	CR33-50/60	SLP99DF090XV48C	205544166
XP21-048-230	47000	16	11.7	46000	29000	9	CR33-50/60	SLP99DF090XV60C	205544167
XP21-048-230	47000	16	11.7	46000	29000	9	CR33-50/60	SLP99DF110XV60C	205544168
XP21-048-230	46500	15	11.5	47000	29200	8.5	CR33-50/60		5272183
XP21-048-230	46500	15	11.5	47000	29200	8.5	CR33-60		5272184
XP21-048-230	45000	15.5	11.5	46000	32000	8.5	CX35-49C	EL196UH090XE48C	201933175
XP21-048-230	45000	15.5	11.5	46000	31800	8.5	CX35-49C	EL196UH110XE60C	201933176
XP21-048-230	45000	15.5	11.5	46000	31800	9	CX35-49C	EL280UH090E48B	202891606
XP21-048-230	45000	15.5	11.5	46000	31800	9	CX35-49C	EL280UH090XE48B	203361986
XP21-048-230	45000	16	11.5	46000	31800	9	CX35-49C	EL280UH110E48C	202891613
XP21-048-230	45000	16	11.5	46000	31600	9	CX35-49C	EL280UH110E60C	202891620
XP21-048-230	45000	16	11.5	46000	31600	9	CX35-49C	EL280UH110XE60C	203361993
XP21-048-230	45000	15.5	11.5	46000	31800	8.5	CX35-49C	EL296UH090XE48C	9115089
XP21-048-230	45000	15.5	11.5	46000	31800	8.5	CX35-49C	EL296UH090XV48C	9115090
XP21-048-230	45000	15.5	11.5	46000	31800	8.5	CX35-49C	EL296UH090XV60C	9115091
XP21-048-230	45000	15.5	11.5	46000	31800	8.5	CX35-49C	EL296UH110XV48C	9115093
XP21-048-230	45000	15.5	11.5	46500	32000	8.5	CX35-49C	EL296UH110XV60C	9115094
XP21-048-230	45000	16.5	11.7	46000	31800	9	CX35-49C	SL280UH080NV60C-	10581387
XP21-048-230	45000	15.5	11.5	46000	31800	8.5	CX35-49C	SL280UH090V60C	9115095
XP21-048-230	45000	15.5	11.5	46000	31800	8.5	CX35-49C	SL280UH090XV60C	9115096
XP21-048-230	45000	15.5	11.5	46000	31600	8.5	CX35-49C	SL280UH110V60C	9115097
XP21-048-230	45000	15.5	11.5	46000	31600	8.5	CX35-49C	SL280UH110XV60C	9115098
XP21-048-230	45000	15.5	11.5	46000	31800	8.5	CX35-49C	SLP98UH090XV48C	9115169
XP21-048-230	45000	15.5	11.5	46000	31800	8.5	CX35-49C	SLP98UH090XV60C	9115099
XP21-048-230	45000	15.5	11.5	46500	32000	8.5	CX35-49C	SLP98UH110XV60C	9115100
XP21-048-230	45000	15.5	11.5	46000	31800	8.5	CX35-49C	SLP99UH090XV48C	205544266
XP21-048-230	45000	15.5	11.5	46000	31800	8.5	CX35-49C	SLP99UH090XV60C	205544253
XP21-048-230	45000	15.5	11.5	46500	32000	8.5	CX35-49C	SLP99UH110XV60C	205544255
XP21-048-230	44500	14.3	11	46500	32400	8.5	CX35-49C		9115084
XP21-048-230	45500	14.3	11.5	47500	30600	8.5	CX35-60D	EL296UH135XE60D	9115103

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-048-230	45500	14.5	11.5	47500	30600	8.5	CX35-60D	EL296UH135XV60D	9115104
XP21-048-230	45500	14.5	11.5	47000	30400	8.5	CX35-60D	SL280UH135V60D	9115105
XP21-048-230	45500	14.5	11.5	47500	30600	8.5	CX35-60D	SLP98UH135XV60D	9115106
XP21-048-230	45500	14.5	11.5	47500	30600	8.5	CX35-60D	SLP99UH135XV60D	205544256
XP21-060-230	54000	15	11.5	53500	37800	8.5	C35-49C	EL196UH110XE60C	202087700
XP21-060-230	52000	15.1	11.5	52000	37600	8.8	C35-49C	EL280UH110E60C	202891623
XP21-060-230	52000	15.1	11.5	52000	37600	8.8	C35-49C	EL280UH110XE60C	203361996
XP21-060-230	54000	15	11	53500	38000	8.5	C35-49C	EL296UH090XV48C	202087767
XP21-060-230	53500	15	11.5	53000	37600	8.2	C35-49C	EL296UH090XV60C	202087768
XP21-060-230	54500	15	11.5	53500	37800	8.5	C35-49C	EL296UH110XV48C	202087769
XP21-060-230	54000	15	11	53500	38000	8.5	C35-49C	EL296UH110XV60C	202087770
XP21-060-230	54500	16	11.7	53500	37600	8.8	C35-49C	SL280UH080NV60C-	202087705
XP21-060-230	54500	15	11.5	53500	37600	8.5	C35-49C	SL280UH090V60C	202087771
XP21-060-230	54500	15	11.5	53500	37600	8.5	C35-49C	SL280UH090XV60C	202087772
XP21-060-230	54000	15	11.5	53000	37600	8.5	C35-49C	SL280UH110V60C	202087773
XP21-060-230	54000	15	11.5	53000	37600	8.5	C35-49C	SL280UH110XV60C	202087774
XP21-060-230	54000	15	11	53500	38000	8.5	C35-49C	SLP98UH090XV48C	202087775
XP21-060-230	53500	15	11.5	53000	37600	8.2	C35-49C	SLP98UH090XV60C	202087776
XP21-060-230	54000	15	11	53500	38000	8.5	C35-49C	SLP98UH110XV60C	202087777
XP21-060-230	54000	15	11	53500	38000	8.5	C35-49C	SLP99UH090XV48C	205544626
XP21-060-230	53500	15	11.5	53000	37600	8.2	C35-49C	SLP99UH090XV60C	205544628
XP21-060-230	54000	15	11	53500	38000	8.5	C35-49C	SLP99UH110XV60C	205544630
XP21-060-230	54500	14	11	54000	38000	8.5	C35-49C		202087692
XP21-060-230	56000	15.5	12.2	54000	34000	9	CBA27UHE-060-230		204031834
XP21-060-230	56500	16.5	12.5	54000	34000	9.2	CBA38MV-060-230		201925000
XP21-060-230	55500	15	12	54000	34000	9	CBX32M-060		5272318
XP21-060-230	56500	16.5	12.5	53500	33400	9.2	CBX32MV-060-230		5272316
XP21-060-230	56500	15.7	12	53000	33600	8.5	CH33-49	CBWMV-60C-100	5272387
XP21-060-230	56000	15.7	12	53000	33600	8.5	CH33-49	CBWMV-60C-120	5272388
XP21-060-230	56000	15.5	12	52500	33200	8.5	CH33-49	EL196UH110XE60C	201933183
XP21-060-230	55500	15.7	12	52500	33200	8.2	CH33-49	EL296UH090XV60C	5761252
XP21-060-230	56000	15.7	12	53000	33600	8.5	CH33-49	EL296UH110XV60C	5761377
XP21-060-230	56500	16	12	53000	33400	8.5	CH33-49	SL280UH090V60C	5272379
XP21-060-230	56500	16	12	53000	33400	8.5	CH33-49	SL280UH090XV60C	5272389
XP21-060-230	56500	15.7	12	53000	33600	8.5	CH33-49	SL280UH110V60C	5272381
XP21-060-230	56500	15.7	12	53000	33600	8.5	CH33-49	SL280UH110XV60C	5272391
XP21-060-230	56500	15.7	12	52500	33200	8.2	CH33-49	SLP98UH090XV60C	5272382
XP21-060-230	56000	15.7	12	53000	33600	8.5	CH33-49	SLP98UH110XV60C	5272383
XP21-060-230	55000	14.7	11.7	52500	33200	8.2	CH33-49		5272325
XP21-060-230	56000	15.5	11.7	53000	33600	8.5	CH33-50/60C	CBWMV-60C-100	5272399
XP21-060-230	55000	15.2	12	52000	33200	8.2	CH33-50/60C	CBWMV-60C-120	5272400
XP21-060-230	55500	15.5	12	52500	33200	8.5	CH33-50/60C	EL196UH110XE60C	201933184
XP21-060-230	55000	15.2	11.7	52500	33200	8.2	CH33-50/60C	EL296UH090XV60C	5761253
XP21-060-230	55000	15.5	12	52000	33000	8.2	CH33-50/60C	EL296UH110XV60C	5761373
XP21-060-230	56000	15.7	12	53000	33600	8.5	CH33-50/60C	SL280UH090V60C	5272390
XP21-060-230	56000	15.7	12	53000	33600	8.5	CH33-50/60C	SL280UH090XV60C	5272420
XP21-060-230	55500	15.5	12	52500	33400	8.2	CH33-50/60C	SL280UH110V60C	5272392
XP21-060-230	55500	15.5	12	52500	33400	8.2	CH33-50/60C	SL280UH110XV60C	5272421
XP21-060-230	55000	15.2	11.7	52500	33200	8.2	CH33-50/60C	SLP98UH090XV60C	5272393
XP21-060-230	55000	15.5	12	52000	33000	8.2	CH33-50/60C	SLP98UH110XV60C	5272394
XP21-060-230	54500	14.5	11.7	52500	33200	8.2	CH33-50/60C		5272326
XP21-060-230	56000	15.5	12	53000	33600	8.5	CH33-62D	EL296UH135XE60D	5650538
XP21-060-230	56000	15.7	12	53000	33400	8.5	CH33-62D	EL296UH135XV60D	5761431
XP21-060-230	56000	16	12	53000	33400	8.5	CH33-62D	SL280UH135V60D	5272401
XP21-060-230	56000	15.7	12	53000	33400	8.5	CH33-62D	SLP98UH135XV60D	5272402
XP21-060-230	55500	14.5	11.7	53000	33800	8.5	CH33-62D		5272327

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-060-230	54000	15.1	11.5	55000	35800	8.2	CH35-51C	EL196UH110XE60C	201933186
XP21-060-230	53000	15.5	11.5	55000	36400	8.5	CH35-51C	EL280UH110E60C	202891626
XP21-060-230	53000	15.5	11.5	55000	36400	8.5	CH35-51C	EL280UH110XE60C	203361999
XP21-060-230	53500	15.1	11.5	55000	35800	8.2	CH35-51C	EL296UH090XV60C	9115109
XP21-060-230	54000	15.1	11.5	55000	35800	8.2	CH35-51C	EL296UH110XE60C	9115110
XP21-060-230	54500	15.1	11.5	55500	36000	8.2	CH35-51C	EL296UH110XV48C	9115111
XP21-060-230	54000	15.5	11.5	55000	36000	8.2	CH35-51C	EL296UH110XV60C	9115112
XP21-060-230	54500	16	11.7	55000	35800	8.5	CH35-51C	SL280UH080NV60C-	10581388
XP21-060-230	54500	15.5	11.5	55000	35800	8.2	CH35-51C	SL280UH090V60C	9115113
XP21-060-230	54500	15.5	11.5	55000	35800	8.2	CH35-51C	SL280UH090XV60C	9115114
XP21-060-230	54000	15.1	11.5	55000	35800	8.2	CH35-51C	SL280UH110V60C	9115115
XP21-060-230	54000	15.1	11.5	55000	35800	8.2	CH35-51C	SL280UH110XV60C	9115116
XP21-060-230	53500	15.1	11.5	55000	35800	8.2	CH35-51C	SLP98UH090XV60C	9115117
XP21-060-230	54000	15.5	11.5	55000	36000	8.2	CH35-51C	SLP98UH110XV60C	9115118
XP21-060-230	53500	15.1	11.5	55000	35800	8.2	CH35-51C	SLP99UH090XV60C	205544258
XP21-060-230	54000	15.5	11.5	55000	36000	8.2	CH35-51C	SLP99UH110XV60C	205544260
XP21-060-230	54500	14.5	11.5	55500	36200	8.2	CH35-51C		9115119
XP21-060-230	55000	15.5	11.5	53000	34400	8.5	CH35-60D	EL296UH135XV60D	9115120
XP21-060-230	55000	15.5	11.5	53000	34400	8.5	CH35-60D	SL280UH135V60D	9115121
XP21-060-230	55000	15.5	11.5	53000	34400	8.5	CH35-60D	SLP98UH135XV60D	9115122
XP21-060-230	55000	15.5	11.5	53000	34400	8.5	CH35-60D	SLP99UH135XV60D	205544261
XP21-060-230	54500	14	11.5	53500	34600	8.5	CH35-60D		9115123
XP21-060-230	54000	15.1	11.5	55000	35800	8.2	CHX35-51/61C	EL196UH110XE60C	202192147
XP21-060-230	53000	15.5	11.5	55000	36400	8.5	CHX35-51/61C	EL280UH110E60C	202891627
XP21-060-230	53000	15.5	11.5	55000	36400	8.5	CHX35-51/61C	EL280UH110XE60C	203362000
XP21-060-230	53500	15.1	11.5	55000	35800	8.2	CHX35-51/61C	EL296UH090XV60C	202192106
XP21-060-230	54000	15.1	11.5	55000	35800	8.2	CHX35-51/61C	EL296UH110XE60C	202192107
XP21-060-230	54500	15.1	11.5	55500	36000	8.2	CHX35-51/61C	EL296UH110XV48C	202192108
XP21-060-230	54000	15.5	11.5	55000	36000	8.2	CHX35-51/61C	EL296UH110XV60C	202192109
XP21-060-230	54500	16	11.7	55000	35800	8.5	CHX35-51/61C	SL280UH080NV60C-	202190416
XP21-060-230	54500	15.5	11.5	55000	35800	8.2	CHX35-51/61C	SL280UH090V60C	202192110
XP21-060-230	54500	15.5	11.5	55000	35800	8.2	CHX35-51/61C	SL280UH090XV60C	202192111
XP21-060-230	54000	15.1	11.5	55000	35800	8.2	CHX35-51/61C	SL280UH110V60C	202192112
XP21-060-230	54000	15.1	11.5	55000	35800	8.2	CHX35-51/61C	SL280UH110XV60C	202192113
XP21-060-230	53500	15.1	11.5	55000	35800	8.2	CHX35-51/61C	SLP98UH090XV60C	202192114
XP21-060-230	54000	15.5	11.5	55000	36000	8.2	CHX35-51/61C	SLP98UH110XV60C	202192115
XP21-060-230	53500	15.1	11.5	55000	35800	8.2	CHX35-51/61C	SLP99UH090XV60C	205544721
XP21-060-230	54000	15.5	11.5	55000	36000	8.2	CHX35-51/61C	SLP99UH110XV60C	205544723
XP21-060-230	54500	14.5	11.5	55500	36200	8.2	CHX35-51/61C		202189899
XP21-060-230	55000	15.5	11.5	53000	34400	8.5	CHX35-60D	EL296UH135XV60D	202192116
XP21-060-230	55000	15.5	11.5	53000	34400	8.5	CHX35-60D	SL280UH135V60D	202192117
XP21-060-230	55000	15.5	11.5	53000	34400	8.5	CHX35-60D	SLP98UH135XV60D	202192118
XP21-060-230	55000	15.5	11.5	53000	34400	8.5	CHX35-60D	SLP99UH135XV60D	205544724
XP21-060-230	54500	14	11.5	53500	34600	8.5	CHX35-60D		202189902
XP21-060-230	54500	15.2	11.7	53000	33400	8.7	CR33-50/60	EL296DF110XE60C	5650537
XP21-060-230	55500	15.5	11.7	53500	33800	8.7	CR33-50/60	SL280DF090V60C	5272405
XP21-060-230	54000	15.2	11.5	53000	33600	8.7	CR33-50/60	SLP98DF090XV60C	5272406
XP21-060-230	54000	15.2	11.5	53000	33600	8.7	CR33-50/60	SLP98DF110XV60C	5272407
XP21-060-230	54000	15.2	11.5	53000	33600	8.7	CR33-50/60	SLP99DF090XV60C	205544170
XP21-060-230	54000	15.2	11.5	53000	33600	8.7	CR33-50/60	SLP99DF110XV60C	205544171
XP21-060-230	54500	14.2	11.5	53000	33600	8.5	CR33-50/60		5272328
XP21-060-230	54500	14.2	11.5	53000	33600	8.5	CR33-60		5272329
XP21-060-230	54000	14.5	11.5	53500	37800	8.5	CX35-49C	EL196UH110XE60C	201933187
XP21-060-230	52000	15.1	11.5	52000	37600	8.8	CX35-49C	EL280UH110E60C	202891628
XP21-060-230	52000	15.1	11.5	52000	37600	8.8	CX35-49C	EL280UH110XE60C	203362001
XP21-060-230	54000	14.5	11	53500	38000	8.5	CX35-49C	EL296UH090XV48C	9115126

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP21-060-230	53500	14.5	11.5	53000	37600	8.2	CX35-49C	EL296UH090XV60C	9115127
XP21-060-230	54500	14.5	11.5	53500	37800	8.5	CX35-49C	EL296UH110XV48C	9115129
XP21-060-230	54000	14.5	11	53500	38000	8.5	CX35-49C	EL296UH110XV60C	9115130
XP21-060-230	54500	15.5	11.7	53500	37600	8.8	CX35-49C	SL280UH080NV60C-	10581389
XP21-060-230	54500	14.5	11.5	53500	37600	8.5	CX35-49C	SL280UH090V60C	9115131
XP21-060-230	54500	14.5	11.5	53500	37600	8.5	CX35-49C	SL280UH090XV60C	9115132
XP21-060-230	54000	14.5	11.5	53000	37600	8.5	CX35-49C	SL280UH110V60C	9115133
XP21-060-230	54000	14.5	11.5	53000	37600	8.5	CX35-49C	SL280UH110XV60C	9115134
XP21-060-230	54000	14.5	11	53500	38000	8.5	CX35-49C	SLP98UH090XV48C	9115135
XP21-060-230	53500	14.5	11.5	53000	37600	8.2	CX35-49C	SLP98UH090XV60C	9115136
XP21-060-230	54000	14.5	11	53500	38000	8.5	CX35-49C	SLP98UH110XV60C	9115137
XP21-060-230	54000	14.5	11	53500	38000	8.5	CX35-49C	SLP99UH090XV48C	205544262
XP21-060-230	53500	14.5	11.5	53000	37600	8.2	CX35-49C	SLP99UH090XV60C	205544263
XP21-060-230	54000	14.5	11	53500	38000	8.5	CX35-49C	SLP99UH110XV60C	205544265
XP21-060-230	54500	14	11	54000	38000	8.5	CX35-49C		9115138
XP25-024-230	22400	20.5	15	21400	13800	9.2	C35-36B	EL296UH045XV36B	10092279
XP25-024-230	22400	21	15	21400	13800	9.2	C35-36B	EL296UH070XV36B	10092280
XP25-024-230	22600	21	15.5	21400	13700	9.2	C35-36B	SL280UH090V36B	10092278
XP25-024-230	22400	21	15	21400	13800	9.2	C35-36B	SLP98DF070XV36B	10092281
XP25-024-230	22400	21	15	21400	13800	9.2	C35-36B	SLP99DF070XV36B	205548848
XP25-024-230	22800	22	15.5	22000	13600	10	CBA38MV-036-230		201953308
XP25-024-230	22800	22	15.5	21600	13600	10	CBX40UHV-024		5947243
XP25-024-230	22400	23.5	15.5	22200	14600	10.2	CH33-31B	EL296UH045XV36B	5947275
XP25-024-230	22400	23.5	16	22200	14600	10.2	CH33-31B	EL296UH070XV36B	5947276
XP25-024-230	22400	23	16	22200	14600	10.2	CH33-31B	SL280UH070V36A	5947277
XP25-024-230	22400	23.5	16	22200	14500	10.2	CH33-31B	SL280UH090V36B	5947278
XP25-024-230	22400	23.5	16	22200	14600	10.2	CH33-31B	SLP98UH070XV36B	5947279
XP25-024-230	22200	22.5	15.5	22200	14600	10	CH33-42B	EL296UH045XV36B	5947280
XP25-024-230	22200	22.5	15.5	22200	14600	10.2	CH33-42B	EL296UH070XV36B	5947281
XP25-024-230	22200	22	15.5	22200	14600	10.2	CH33-42B	SL280UH070V36A	5947282
XP25-024-230	22200	23	15.5	22000	14600	10.2	CH33-42B	SL280UH090V36B	5947283
XP25-024-230	22200	22.5	15.5	22200	14600	10.2	CH33-42B	SLP98UH070XV36B	5947284
XP25-024-230	22200	21	15	21200	14600	9	CH35-42B	EL296UH045XV36B	10092239
XP25-024-230	22200	21	15	21200	14600	9	CH35-42B	EL296UH070XV36B	10092240
XP25-024-230	22200	21	15	21200	14600	9	CH35-42B	SL280UH090V36B	10092238
XP25-024-230	22200	21	15	21200	14600	9	CH35-42B	SLP98UH070XV36B	10092241
XP25-024-230	22200	21	15	21200	14600	9	CH35-42B	SLP99UH070XV36B	205548830
XP25-024-230	22800	21	15.5	21800	14200	9.2	CH35-42C	EL296UH090XV36C	10092242
XP25-024-230	22800	21	15.5	21800	14200	9.2	CH35-42C	SLP98UH090XV36C	10092243
XP25-024-230	22800	21	15.5	21800	14200	9.2	CH35-42C	SLP99UH090XV36C	205548831
XP25-024-230	22200	21	15	21200	14600	9	CHX35-42B	EL296UH045XV36B	202192157
XP25-024-230	22200	21	15	21200	14600	9	CHX35-42B	EL296UH070XV36B	202192158
XP25-024-230	22200	21	15	21200	14600	9	CHX35-42B	SL280UH090V36B	202192156
XP25-024-230	22200	21	15	21200	14600	9	CHX35-42B	SLP98UH070XV36B	202192159
XP25-024-230	22200	21	15	21200	14600	9	CHX35-42B	SLP99UH070XV36B	205544727
XP25-024-230	22800	21	15.5	21800	14200	9.2	CHX35-42C	EL296UH090XV36C	202192160
XP25-024-230	22800	21	15.5	21800	14200	9.2	CHX35-42C	SLP98UH090XV36C	202192161
XP25-024-230	22800	21	15.5	21800	14200	9.2	CHX35-42C	SLP99UH090XV36C	205544729
XP25-024-230	23000	22.5	15.5	23600	15000	8.5	CR33-48B	EL296DF045XV36B	7505748
XP25-024-230	23000	22.5	16	23600	15000	8.5	CR33-48B	SL280DF070V36A	5947272
XP25-024-230	23000	23	16	23600	15000	8.5	CR33-48B	SLP98DF070XV36B	5947273
XP25-024-230	23000	23.5	16	23600	14900	8.7	CR33-48B	SLP98DF090XV36C	5947274
XP25-024-230	23000	23	16	23600	15000	8.5	CR33-48B	SLP99DF070XV36B	205544173
XP25-024-230	23000	23.5	16	23600	14900	8.7	CR33-48B	SLP99DF090XV36C	205544175
XP25-024-230	22400	20.5	15	21400	13800	9.2	CX35-36B	EL296UH045XV36B	10092245
XP25-024-230	22400	21	15	21400	13800	9.2	CX35-36B	EL296UH070XV36B	10092246

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP25-024-230	22600	21	15.5	21400	13700	9.2	CX35-36B	SL280UH090V36B	10092244
XP25-024-230	22400	21	15	21400	13800	9.2	CX35-36B	SLP98UH070XV36B	10444469
XP25-024-230	22400	21	15	21400	13800	9.2	CX35-36B	SLP99UH070XV36B	205548863
XP25-036-230	35600	21	13	31400	19800	8.5	C35-49C	SLP98UH090XV48C	204713332
XP25-036-230	35600	20	13	31400	19800	8.5	C35-49C	SLP98UH090XV60C	204713333
XP25-036-230	35600	20	13.5	31400	19800	8.5	C35-49C	SLP98UH110XV60C	204713334
XP25-036-230	35600	21	13	31400	19800	8.5	C35-49C	SLP99UH090XV48C	205545957
XP25-036-230	35600	20	13	31400	19800	8.5	C35-49C	SLP99UH090XV60C	205545959
XP25-036-230	35600	20	13.5	31400	19800	8.5	C35-49C	SLP99UH110XV60C	205545962
XP25-036-230	34600	20	13	33600	20400	8.5	C35-50/60C	EL296UH090XV36C	10092282
XP25-036-230	34600	20	13	33600	20400	8.5	C35-50/60C	SLP98UH090XV36C	10092283
XP25-036-230	35200	21	13	31400	19700	8.5	C35-50/60C	SLP98UH090XV48C	204713335
XP25-036-230	35400	19	13	31000	20400	9	C35-50/60C	SLP98UH090XV60C	204713336
XP25-036-230	35400	19	13	30800	20400	9	C35-50/60C	SLP98UH110XV60C	204713337
XP25-036-230	34600	20	13	33600	20400	8.5	C35-50/60C	SLP99UH090XV36C	205548849
XP25-036-230	35200	21	13	31400	19700	8.5	C35-50/60C	SLP99UH090XV48C	205545963
XP25-036-230	35400	19	13	31000	20400	9	C35-50/60C	SLP99UH090XV60C	205545965
XP25-036-230	35400	19	13	30800	20400	9	C35-50/60C	SLP99UH110XV60C	205545967
XP25-036-230	34800	21.5	13.5	33800	21400	10	CBA38MV-042-230		201930688
XP25-036-230	34400	21.5	13.5	32000	21000	10	CBX40UHV-036		5947679
XP25-036-230	35200	21	13.5	31000	20600	9.2	CH33-43C	EL296UH090XV36C	5947720
XP25-036-230	35200	20	13	31000	20600	9.2	CH33-43C	SLP98UH070XV36B	6810978
XP25-036-230	35200	21	13.5	31000	20600	9.2	CH33-43C	SLP98UH090XV36C	5947721
XP25-036-230	34600	20	12.5	31200	20800	9.2	CH33-44/48B	EL296UH045XV36B	5947722
XP25-036-230	34600	20	12.5	31200	20800	9.2	CH33-44/48B	EL296UH070XV36B	5947723
XP25-036-230	34800	20.5	13	31000	20600	9.2	CH33-44/48B	SL280UH090V36B	5947724
XP25-036-230	34800	20	13	31200	20600	9.2	CH33-44/48B	SLP98UH070XV36B	5947725
XP25-036-230	35200	20	12.5	33600	19800	9.5	CH35-42B	EL296UH045XV36B	10092249
XP25-036-230	35200	20	12.5	33600	19800	9.5	CH35-42B	EL296UH070XV36B	10092250
XP25-036-230	35400	20	13	33400	19400	9.5	CH35-42B	SL280UH090V36B	10092248
XP25-036-230	35200	20	12.5	33600	19600	9.5	CH35-42B	SLP98UH070XV36B	10092251
XP25-036-230	35200	20	12.5	33600	19600	9.5	CH35-42B	SLP99UH070XV36B	205548833
XP25-036-230	35200	20	12.5	33600	19800	9.5	CHX35-42B	EL296UH045XV36B	202192163
XP25-036-230	35200	20	12.5	33600	19800	9.5	CHX35-42B	EL296UH070XV36B	202192164
XP25-036-230	35400	20	13	33400	19400	9.5	CHX35-42B	SL280UH090V36B	202192162
XP25-036-230	35200	20	12.5	33600	19600	9.5	CHX35-42B	SLP98UH070XV36B	202192165
XP25-036-230	35200	20	12.5	33600	19600	9.5	CHX35-42B	SLP99UH070XV36B	205544730
XP25-036-230	35200	20.5	13.5	30200	19900	9.5	CR33-50/60	SL280DF090V48B	7176690
XP25-036-230	35000	20.5	13	30200	20000	9.5	CR33-50/60	SLP98DF070XV36B	7133800
XP25-036-230	35200	21	13.5	30200	20000	10	CR33-50/60	SLP98DF090XV36C	5947719
XP25-036-230	35200	19	13	32200	20400	9	CR33-50/60	SLP98DF090XV60C	204713345
XP25-036-230	34800	18	13	31600	20800	9	CR33-50/60	SLP98DF110XV60C	204713346
XP25-036-230	35000	20.5	13	30200	20000	9.5	CR33-50/60	SLP99DF070XV36B	205544188
XP25-036-230	35200	21	13.5	30200	20000	10	CR33-50/60	SLP99DF090XV36C	205544177
XP25-036-230	35200	19	13	32200	20400	9	CR33-50/60	SLP99DF090XV60C	205545981
XP25-036-230	34800	18	13	31600	20800	9	CR33-50/60	SLP99DF110XV60C	205545982
XP25-036-230	35600	21	13	31600	20200	8.5	CX35-49C	SLP98UH090XV48C	204713338
XP25-036-230	35800	19	13	30800	20400	9	CX35-49C	SLP98UH090XV60C	204713339
XP25-036-230	35800	19	13	30800	20400	9	CX35-49C	SLP98UH110XV60C	204713340
XP25-036-230	35600	21	13	31600	20200	8.5	CX35-49C	SLP99UH090XV48C	205545969
XP25-036-230	35800	19	13	30800	20400	9	CX35-49C	SLP99UH090XV60C	205545970
XP25-036-230	35800	19	13	30800	20400	9	CX35-49C	SLP99UH110XV60C	205545972
XP25-036-230	34600	20	13	33600	20400	8.5	CX35-50/60C	EL296UH090XV36C	10092252
XP25-036-230	35200	20	13	32200	20400	9	CX35-50/60C	SLP98DF090XV48C	204713344
XP25-036-230	34600	20	13	33600	20400	8.5	CX35-50/60C	SLP98UH090XV36C	10092253
XP25-036-230	34800	20	13	33600	24000	8.5	CX35-50/60C	SLP98UH090XV48C	204713341

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP25-036-230	35200	20	13	31400	19700	8.5	CX35-50/60C	SLP98UH090XV60C	204713342
XP25-036-230	35200	20	13	31400	19700	8.5	CX35-50/60C	SLP98UH110XV60C	204713343
XP25-036-230	35200	20	13	32200	20400	9	CX35-50/60C	SLP99DF090XV48C	205545979
XP25-036-230	34600	20	13	33600	20400	8.5	CX35-50/60C	SLP99UH090XV36C	205548835
XP25-036-230	34800	20	13	33600	24000	8.5	CX35-50/60C	SLP99UH090XV48C	205545975
XP25-036-230	35200	20	13	31400	19700	8.5	CX35-50/60C	SLP99UH090XV60C	205545977
XP25-036-230	35200	20	13	31400	19700	8.5	CX35-50/60C	SLP99UH110XV60C	205545978
XP25-036-230	34800	20	13	32200	21200	9.2	C35-48B	EL296UH045XV36B	205747024
XP25-036-230	34800	20	13	32200	21200	9.2	C35-48B	EL296UH070XV36B	205747025
XP25-036-230	35200	20	13.5	31800	21000	9.4	C35-48B	SL280UH080NV48B	205747026
XP25-036-230	35000	20	13.5	32000	21000	9.4	C35-48B	SL280UH090V36B	205747027
XP25-036-230	35000	20	13.5	32000	21000	9.2	C35-48B	SL280UH090V48B	205747028
XP25-036-230	35000	20	13.5	32000	21000	9.2	C35-48B	SL280UH090XV48B	205747029
XP25-036-230	35000	20	13	32000	21200	9.2	C35-48B	SL297UH040NV36B	205747030
XP25-036-230	34800	20	13	32200	21200	9.2	C35-48B	SL297UH060NV36B	205747031
XP25-036-230	34800	20	13	32200	21200	9.2	C35-48B	SLP98UH070XV36B	205747032
XP25-036-230	35000	20	13.5	32000	21000	9.4	C35-48C	EL296UH090XV36C	205747033
XP25-036-230	35000	20	13.5	32000	21000	9.4	C35-48C	EL296UH090XV48C	205747034
XP25-036-230	35200	20	13.5	32000	21000	9.2	C35-48C	EL296UH090XV60C	205747035
XP25-036-230	35200	20	13.5	32000	21000	9.4	C35-48C	EL296UH110XV48C	205747036
XP25-036-230	35200	19	13.5	32000	21000	9.2	C35-48C	EL296UH110XV60C	205747037
XP25-036-230	35200	20	14	31800	20800	9.4	C35-48C	SL280UH080NV60C	205747038
XP25-036-230	35200	19	13.5	31800	20800	9.2	C35-48C	SL280UH090V60C	205747039
XP25-036-230	35200	19	13.5	31800	20800	9.2	C35-48C	SL280UH090XV60C	205747040
XP25-036-230	35200	20	14	31800	20800	9.2	C35-48C	SL280UH100NV60C	205747041
XP25-036-230	35000	19	13.5	32000	21000	9.2	C35-48C	SL280UH110V60C	205747042
XP25-036-230	35000	19	13.5	32000	21000	9.2	C35-48C	SL280UH110XV60C	205747043
XP25-036-230	35200	20	13.5	32000	21000	9.4	C35-48C	SL297UH080NV48C	205747044
XP25-036-230	35200	19	13.5	32000	21000	9.2	C35-48C	SL297UH080NV60C	205747045
XP25-036-230	35000	20	13.5	32000	21000	9.4	C35-48C	SLP98UH090XV36C	205747046
XP25-036-230	35000	20	13.5	32000	21000	9.4	C35-48C	SLP98UH090XV48C	205747047
XP25-036-230	35200	20	13.5	32000	21000	9.2	C35-48C	SLP98UH090XV60C	205747048
XP25-036-230	35200	19	13.5	32000	21000	9.2	C35-48C	SLP98UH110XV60C	205747049
XP25-036-230	35000	18	12.5	32400	21200	9.4	C35-60D	EL296UH135XV60D	205747050
XP25-036-230	35000	18	12.5	32400	21200	9.6	C35-60D	SL280UH135V60D	205747051
XP25-036-230	35000	18	12.5	32400	21200	9.4	C35-60D	SLP98UH135XV60D	205747052
XP25-036-230	33800	20	13	32800	21200	9.2	CBA38MV-030-230		205747053
XP25-036-230	33800	20	13	32600	21200	9.2	CBA38MV-036-230		205747143
XP25-036-230	35000	20	13	33000	21000	9.6	CBA38MV-042-230		205747054
XP25-036-230	35200	18	13.5	33000	20800	9.2	CBA38MV-048-230		205747055
XP25-036-230	33800	19	12.2	34800	22200	9.2	CH23-65	EL296UH045XV36B	205747056
XP25-036-230	33800	19	12.2	34800	22200	9.2	CH23-65	EL296UH070XV36B	205747057
XP25-036-230	34000	19	12.5	34600	22200	9.2	CH23-65	EL296UH090XV36C	205747058
XP25-036-230	34000	19	12.5	34600	22000	9.4	CH23-65	EL296UH090XV48C	205747059
XP25-036-230	34000	18	12.5	34600	22000	9.2	CH23-65	EL296UH090XV60C	205747060
XP25-036-230	34000	19	12.5	34600	22000	9.4	CH23-65	EL296UH110XV48C	205747061
XP25-036-230	34000	18	12.5	34600	22000	9.2	CH23-65	EL296UH110XV60C	205747062
XP25-036-230	34000	18	12.5	34400	22000	9.2	CH23-65	EL296UH135XV60D	205747063
XP25-036-230	33800	19	12.5	34600	22200	9.2	CH23-65	SL280UH070V36A	205747064
XP25-036-230	33800	19	12.5	34600	22200	9.2	CH23-65	SL280UH070XV36A	205747065
XP25-036-230	34200	19	13	34400	21800	9.4	CH23-65	SL280UH080NV48B	205747066
XP25-036-230	34200	19	13	34400	21800	9.4	CH23-65	SL280UH080NV60C	205747067
XP25-036-230	34000	19	12.5	34600	22000	9.4	CH23-65	SL280UH090V36B	205747068
XP25-036-230	34000	19	12.5	34600	22000	9.2	CH23-65	SL280UH090V48B	205747069
XP25-036-230	34200	18	13	34400	22000	9.2	CH23-65	SL280UH090V60C	205747070
XP25-036-230	34000	19	12.5	34600	22000	9.2	CH23-65	SL280UH090XV48B	205747071

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP25-036-230	34200	18	13	34400	22000	9.2	CH23-65	SL280UH090XV60C	205747072
XP25-036-230	34200	18	13	34400	21800	9.2	CH23-65	SL280UH100NV60C	205747073
XP25-036-230	34000	18	12.5	34600	22000	9.2	CH23-65	SL280UH110V60C	205747074
XP25-036-230	34000	18	12.5	34600	22000	9.2	CH23-65	SL280UH110XV60C	205747075
XP25-036-230	34000	18	12.5	34400	22000	9.2	CH23-65	SL280UH135V60D	205747076
XP25-036-230	33800	19	12.5	34600	22200	9.2	CH23-65	SL297UH040NV36B	205747077
XP25-036-230	33800	19	12.5	34800	22200	9.2	CH23-65	SL297UH060NV36B	205747078
XP25-036-230	34000	19	12.5	34600	22000	9.2	CH23-65	SL297UH080NV48C	205747079
XP25-036-230	34000	18	12.5	34600	22000	9.2	CH23-65	SL297UH080NV60C	205747080
XP25-036-230	33800	19	12.2	34800	22200	9.2	CH23-65	SLP98UH070XV36B	205747081
XP25-036-230	34000	19	12.5	34600	22200	9.2	CH23-65	SLP98UH090XV36C	205747082
XP25-036-230	34000	19	12.5	34600	22000	9.4	CH23-65	SLP98UH090XV48C	205747083
XP25-036-230	34000	18	12.5	34600	22000	9.2	CH23-65	SLP98UH090XV60C	205747084
XP25-036-230	34000	18	12.5	34600	22000	9.2	CH23-65	SLP98UH110XV60C	205747085
XP25-036-230	34000	18	12.5	34400	22000	9.2	CH23-65	SLP98UH135XV60D	205747086
XP25-036-230	34000	19	12.5	32800	20800	9.4	CH35-48B	EL296UH045XV36B	205747087
XP25-036-230	34000	19	12.5	32800	20800	9.4	CH35-48B	EL296UH070XV36B	205747088
XP25-036-230	34400	19	13	32400	20400	9.6	CH35-48B	SL280UH080NV48B	205747089
XP25-036-230	34200	20	13	32400	20600	9.6	CH35-48B	SL280UH090V36B	205747090
XP25-036-230	34200	19	13	32600	20600	9.4	CH35-48B	SL280UH090V48B	205747091
XP25-036-230	34200	19	13	32600	20600	9.4	CH35-48B	SL280UH090XV48B	205747092
XP25-036-230	34000	19	12.5	32600	20600	9.4	CH35-48B	SL297UH040NV36B	205747093
XP25-036-230	34000	19	12.5	32800	20800	9.4	CH35-48B	SL297UH060NV36B	205747094
XP25-036-230	34000	19	12.5	32800	20800	9.4	CH35-48B	SLP98UH070XV36B	205747095
XP25-036-230	34000	19	12.5	32800	20800	9.4	CHX35-48B	EL296UH045XV36B	205747096
XP25-036-230	34000	19	12.5	32800	20800	9.4	CHX35-48B	EL296UH070XV36B	205747097
XP25-036-230	34400	19	13	32400	20400	9.6	CHX35-48B	SL280UH080NV48B	205747098
XP25-036-230	34200	20	13	32400	20600	9.6	CHX35-48B	SL280UH090V36B	205747099
XP25-036-230	34200	19	13	32600	20600	9.4	CHX35-48B	SL280UH090V48B	205747100
XP25-036-230	34200	19	13	32600	20600	9.4	CHX35-48B	SL280UH090XV48B	205747101
XP25-036-230	34000	19	12.5	32600	20600	9.4	CHX35-48B	SL297UH040NV36B	205747102
XP25-036-230	34000	19	12.5	32800	20800	9.4	CHX35-48B	SL297UH060NV36B	205747103
XP25-036-230	34000	19	12.5	32800	20800	9.4	CHX35-48B	SLP98UH070XV36B	205747104
XP25-036-230	34000	17	12.2	32600	21000	9.4	CR33-50/60	EL296DF090XV60C	205747105
XP25-036-230	34000	18	12.2	32600	21000	9.4	CR33-50/60	EL296DF110XV60C	205747106
XP25-036-230	34200	17	12.5	32400	21000	9.4	CR33-50/60	SL280DF090V60C	205747107
XP25-036-230	34200	18	12.5	32400	21000	9.4	CR33-50/60	SL280DF110V60C	205747108
XP25-036-230	34000	19	12.2	32600	21000	9.4	CR33-50/60	SLP98DF090XV36C	205747109
XP25-036-230	34000	18	12.2	32600	21000	9.4	CR33-50/60	SLP98DF090XV48C	205747110
XP25-036-230	34000	17	12.2	32600	21000	9.4	CR33-50/60	SLP98DF090XV60C	205747111
XP25-036-230	34000	18	12.2	32600	21000	9.4	CR33-50/60	SLP98DF110XV60C	205747112
XP25-036-230	34800	20	13	32200	21200	9.2	CX35-48B	EL296UH045XV36B	205747113
XP25-036-230	34800	20	13	32200	21200	9.2	CX35-48B	EL296UH070XV36B	205747114
XP25-036-230	35200	20	13.5	31800	21000	9.4	CX35-48B	SL280UH080NV48B	205747115
XP25-036-230	35000	20	13.5	32000	21000	9.4	CX35-48B	SL280UH090V36B	205747116
XP25-036-230	35000	20	13.5	32000	21000	9.2	CX35-48B	SL280UH090V48B	205747117
XP25-036-230	35000	20	13.5	32000	21000	9.2	CX35-48B	SL280UH090XV48B	205747118
XP25-036-230	35000	20	13	32000	21200	9.2	CX35-48B	SL297UH040NV36B	205747119
XP25-036-230	34800	20	13	32200	21200	9.2	CX35-48B	SL297UH060NV36B	205747120
XP25-036-230	34800	20	13	32200	21200	9.2	CX35-48B	SLP98UH070XV36B	205747121
XP25-036-230	35000	20	13.5	32000	21000	9.4	CX35-48C	EL296UH090XV36C	205747122
XP25-036-230	35000	20	13.5	32000	21000	9.4	CX35-48C	EL296UH090XV48C	205747123
XP25-036-230	35200	20	13.5	32000	21000	9.2	CX35-48C	EL296UH090XV60C	205747124
XP25-036-230	35200	20	13.5	32000	21000	9.4	CX35-48C	EL296UH110XV48C	205747125
XP25-036-230	35200	19	13.5	32000	21000	9.2	CX35-48C	EL296UH110XV60C	205747126
XP25-036-230	35200	20	14	31800	20800	9.4	CX35-48C	SL280UH080NV60C	205747127

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP25-036-230	35200	19	13.5	31800	20800	9.2	CX35-48C	SL280UH090V60C	205747128
XP25-036-230	35200	19	13.5	31800	20800	9.2	CX35-48C	SL280UH090XV60C	205747129
XP25-036-230	35200	20	14	31800	20800	9.2	CX35-48C	SL280UH100NV60C	205747130
XP25-036-230	35000	19	13.5	32000	21000	9.2	CX35-48C	SL280UH110V60C	205747131
XP25-036-230	35000	19	13.5	32000	21000	9.2	CX35-48C	SL280UH110XV60C	205747132
XP25-036-230	35200	20	13.5	32000	21000	9.4	CX35-48C	SL297UH080NV48C	205747133
XP25-036-230	35200	19	13.5	32000	21000	9.2	CX35-48C	SL297UH080NV60C	205747134
XP25-036-230	35000	20	13.5	32000	21000	9.4	CX35-48C	SLP98UH090XV36C	205747135
XP25-036-230	35000	20	13.5	32000	21000	9.4	CX35-48C	SLP98UH090XV48C	205747136
XP25-036-230	35200	20	13.5	32000	21000	9.2	CX35-48C	SLP98UH090XV60C	205747137
XP25-036-230	35200	19	13.5	32000	21000	9.2	CX35-48C	SLP98UH110XV60C	205747138
XP25-036-230	35000	18	12.5	32400	21200	9.4	CX35-60D	EL296UH135XV60D	205747139
XP25-036-230	35000	18	12.5	32400	21200	9.6	CX35-60D	SL280UH135V60D	205747140
XP25-036-230	35000	18	12.5	32400	21200	9.4	CX35-60D	SLP98UH135XV60D	205747141
XP25-048-230	48000	19	12.5	46000	30000	9	C35-49C	SLP98UH090XV60C	203996898
XP25-048-230	48000	19	12.5	46000	30000	9	C35-49C	SLP98UH110XV60C	203808546
XP25-048-230	48000	19	12.5	46000	30000	9	C35-49C	SLP99UH090XV60C	205545876
XP25-048-230	48000	19	12.5	46000	30000	9	C35-49C	SLP99UH110XV60C	205545870
XP25-048-230	46000	19	12	46000	28000	8.2	C35-60C	EL296UH090XV48C	10092288
XP25-048-230	46000	19	12	46000	28000	8.2	C35-60C	EL296UH090XV60C	10092289
XP25-048-230	46000	19	12	46000	28000	8.2	C35-60C	EL296UH110XV48C	10092290
XP25-048-230	46000	19	12	46000	28000	8.2	C35-60C	EL296UH110XV60C	10092291
XP25-048-230	46500	19.5	12.5	46000	27600	8.2	C35-60C	SL280UH080NV60C-	10581354
XP25-048-230	46500	19	12.5	46000	27800	8.2	C35-60C	SL280UH090V60C	10092284
XP25-048-230	46500	19	12.5	46000	27800	8.2	C35-60C	SL280UH090XV60C	10092285
XP25-048-230	46000	19	12	46000	28000	8.2	C35-60C	SL280UH110V60C	10092286
XP25-048-230	46000	19	12	46000	28000	8.2	C35-60C	SL280UH110XV60C	10092287
XP25-048-230	46000	19	12	46000	28000	8.2	C35-60C	SLP98UH090XV48C	10092292
XP25-048-230	46000	19	12	46000	28000	8.2	C35-60C	SLP98UH090XV60C	10092293
XP25-048-230	46000	19	12	46000	28000	8.2	C35-60C	SLP98UH110XV60C	10092294
XP25-048-230	46000	19	12	46000	28000	8.2	C35-60C	SLP99UH090XV48C	205548851
XP25-048-230	46000	19	12	46000	28000	8.2	C35-60C	SLP99UH090XV60C	205548853
XP25-048-230	46000	19	12	46000	28000	8.2	C35-60C	SLP99UH110XV60C	205548854
XP25-048-230	46500	19.5	12.5	46500	31600	9.6	CBA38MV-048-230		201924837
XP25-048-230	46500	20	13	47000	30000	10.2	CBA38MV-060-230		202073556
XP25-048-230	47000	20.5	13	47000	30000	10.2	CBX40UHV-060		5947729
XP25-048-230	48000	20.5	12.5	46500	30400	9.5	CH33-49	EL296UH090XV48C	5947782
XP25-048-230	48000	20	12.5	46500	30400	9.2	CH33-49	EL296UH090XV60C	5947783
XP25-048-230	48000	20	12.5	46500	30400	9.2	CH33-49	EL296UH110XV48C	5947784
XP25-048-230	48000	20	12.5	46500	30400	9.2	CH33-49	EL296UH110XV60C	5947785
XP25-048-230	48000	20	13	46000	30200	9.5	CH33-49	SL280UH090V60C	5947786
XP25-048-230	48000	20	12.5	46500	30400	9.2	CH33-49	SL280UH110V60C	5947787
XP25-048-230	48000	20.5	12.5	46500	30400	9.5	CH33-49	SLP98UH090XV48C	5947788
XP25-048-230	48000	20	12.5	46500	30400	9.2	CH33-49	SLP98UH090XV60C	5947789
XP25-048-230	48000	20	12.5	46500	30400	9.2	CH33-49	SLP98UH110XV60C	5947790
XP25-048-230	47500	20	12.5	46500	30400	9.2	CH33-50/60C	EL296UH090XV48C	5947791
XP25-048-230	47500	19.5	12.5	46500	30400	9.2	CH33-50/60C	EL296UH090XV60C	5947792
XP25-048-230	47500	20	12.5	46500	30400	9.2	CH33-50/60C	EL296UH110XV48C	5947793
XP25-048-230	47500	19.5	12.5	46500	30400	9.2	CH33-50/60C	EL296UH110XV60C	5947794
XP25-048-230	47500	19.5	12.5	46000	30200	9.2	CH33-50/60C	SL280UH090V60C	5947795
XP25-048-230	47500	19.5	12.5	46500	30400	9.2	CH33-50/60C	SL280UH110V60C	5947796
XP25-048-230	47500	20	12.5	46500	30400	9.2	CH33-50/60C	SLP98UH090XV48C	5947797
XP25-048-230	47500	19.5	12.5	46500	30400	9.2	CH33-50/60C	SLP98UH090XV60C	5947798
XP25-048-230	47500	19.5	12.5	46500	30400	9.2	CH33-50/60C	SLP98UH110XV60C	5947799
XP25-048-230	47500	19.5	13	46000	30200	9.5	CH33-62D	SL280UH135V60D	5947801
XP25-048-230	47500	19.5	12.5	46000	30200	9.5	CH33-62D	SLP98UH135XV60D	5947802

AHRI SYSTEM MATCHES

NOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP25-048-230	47000	18.5	12.5	46000	30200	9	CH35-60D	EL296UH135XV60D	10092255
XP25-048-230	47000	19	12.5	46000	30200	9	CH35-60D	SL280UH135V60D	10092254
XP25-048-230	47000	18.5	12.5	46000	30200	9	CH35-60D	SLP98UH135XV60D	10092256
XP25-048-230	47000	18.5	12.5	46000	30200	9	CH35-60D	SLP99UH135XV60D	205544277
XP25-048-230	47000	18.5	12.5	46000	30200	9	CHX35-60D	EL296UH135XV60D	202192167
XP25-048-230	47000	19	12.5	46000	30200	9	CHX35-60D	SL280UH135V60D	202192166
XP25-048-230	47000	18.5	12.5	46000	30200	9	CHX35-60D	SLP98UH135XV60D	202192168
XP25-048-230	47000	18.5	12.5	46000	30200	9	CHX35-60D	SLP99UH135XV60D	205544732
XP25-048-230	46500	19.5	12.5	46000	30400	9	CR33-50/60	EL296DF090XV60C	5947775
XP25-048-230	46500	19.5	12.5	46000	30400	9	CR33-50/60	EL296DF110XV60C	5947776
XP25-048-230	46500	19.5	12.5	45500	30000	9	CR33-50/60	SL280DF090V60C	5947777
XP25-048-230	47000	20	12.5	45500	30000	9	CR33-50/60	SL280DF110V60C	5947778
XP25-048-230	46500	20	12	46000	30400	9	CR33-50/60	SLP98DF090XV48C	5947779
XP25-048-230	46500	19.5	12.5	46000	30400	9	CR33-50/60	SLP98DF090XV60C	5947780
XP25-048-230	46500	19.5	12.5	46000	30400	9	CR33-50/60	SLP98DF110XV60C	5947781
XP25-048-230	46500	20	12	46000	30400	9	CR33-50/60	SLP99DF090XV48C	205544179
XP25-048-230	46500	19.5	12.5	46000	30400	9	CR33-50/60	SLP99DF090XV60C	205544181
XP25-048-230	46500	19.5	12.5	46000	30400	9	CR33-50/60	SLP99DF110XV60C	205544182
XP25-048-230	46500	19.5	12.5	46000	30400	9	CR33-60	EL296DF090XV60C	5947849
XP25-048-230	46500	19.5	12.5	46000	30400	9	CR33-60	EL296DF110XV60C	5947850
XP25-048-230	46500	19.5	12.5	45500	30000	9	CR33-60	SL280DF090V60C	5947851
XP25-048-230	47000	20	12.5	45500	30000	9	CR33-60	SL280DF110V60C	5947852
XP25-048-230	46500	20	12	46000	30400	9	CR33-60	SLP98DF090XV48C	5947853
XP25-048-230	46500	19.5	12.5	46000	30400	9	CR33-60	SLP98DF110XV60C	5947854
XP25-048-230	46500	20	12	46000	30400	9	CR33-60	SLP99DF090XV48C	205544184
XP25-048-230	46500	19.5	12.5	46000	30400	9	CR33-60	SLP99DF110XV60C	205544185
XP25-048-230	48000	19	12.5	46000	30000	9	CX35-49C	SLP98UH090XV60C	203996897
XP25-048-230	48000	19	12.5	46000	30000	9	CX35-49C	SLP98UH110XV60C	202327813
XP25-048-230	48000	19	12.5	46000	30000	9	CX35-49C	SLP99UH090XV60C	205545875
XP25-048-230	48000	19	12.5	46000	30000	9	CX35-49C	SLP99UH110XV60C	205544735
XP25-048-230	46000	19	12	46000	28000	8.2	CX35-60C	EL296UH090XV48C	10092261
XP25-048-230	46000	19	12	46000	28000	8.2	CX35-60C	EL296UH090XV60C	10092262
XP25-048-230	46000	19	12	46000	28000	8.2	CX35-60C	EL296UH110XV48C	10092263
XP25-048-230	46000	19	12	46000	28000	8.2	CX35-60C	EL296UH110XV60C	10092264
XP25-048-230	46500	19.5	12.5	46000	27600	8.2	CX35-60C	SL280UH080NV60C-	10581355
XP25-048-230	46500	19	12.5	46000	27800	8.2	CX35-60C	SL280UH090V60C	10092257
XP25-048-230	46500	19	12.5	46000	27800	8.2	CX35-60C	SL280UH090XV60C	10092258
XP25-048-230	46500	19	12.5	46500	27600	8.2	CX35-60C	SL280UH100NV60C-	10581358
XP25-048-230	46000	19	12	46000	28000	8.2	CX35-60C	SL280UH110V60C	10092259
XP25-048-230	46000	19	12	46000	28000	8.2	CX35-60C	SL280UH110XV60C	10092260
XP25-048-230	46000	19	12	46000	28000	8.2	CX35-60C	SLP98UH090XV48C	10092265
XP25-048-230	46000	19	12	46000	28000	8.2	CX35-60C	SLP98UH090XV60C	10092266
XP25-048-230	46000	19	12	46000	28000	8.2	CX35-60C	SLP98UH110XV60C	10092267
XP25-048-230	46000	19	12	46000	28000	8.2	CX35-60C	SLP99UH090XV48C	205548836
XP25-048-230	46000	19	12	46000	28000	8.2	CX35-60C	SLP99UH090XV60C	205548838
XP25-048-230	46000	19	12	46000	28000	8.2	CX35-60C	SLP99UH110XV60C	205548840
XP25-060-230	59500	19	12	54000	32000	9	C35-60C	EL296UH110XV60C	10092299
XP25-060-230	60000	19	12.5	53500	32000	9.6	C35-60C	SL280UH080NV60C-	10581356
XP25-060-230	60000	19	12.5	54000	32000	9	C35-60C	SL280UH090V60C	10092295
XP25-060-230	60000	19	12.5	54000	32000	9	C35-60C	SL280UH090XV60C	10092296
XP25-060-230	60000	19	12	54000	32000	9	C35-60C	SL280UH110V60C	10092297
XP25-060-230	60000	19	12	54000	32000	9	C35-60C	SL280UH110XV60C	10092298
XP25-060-230	59500	19	12	54000	32000	9	C35-60C	SLP98UH090XV60C	10092300
XP25-060-230	59500	19	12	54000	32000	9	C35-60C	SLP98UH110XV60C	10092301
XP25-060-230	59500	19	12	54000	32000	9	C35-60C	SLP99UH090XV60C	205548856
XP25-060-230	59500	19	12	54000	32000	9	C35-60C	SLP99UH110XV60C	205548858

AHRI SYSTEM MATCHESNOTE - For the latest up-to-date system matches please visit www.LennoxPros.com or the AHRI web site at <http://www.ahridirectory.org>

Model No.	Cooling Capacity	SEER	EER	High Heat Capacity	Low Heat Capacity	HSPF (IV)	Coil or Air Handler	Furnace	AHRI Reference
XP25-060-230	58500	18.5	12	51500	29400	8.5	C35-60D	EL296UH135XV60D	10092306
XP25-060-230	58500	18.5	12	51500	29400	8.5	C35-60D	SL280UH135V60D	10092305
XP25-060-230	58500	18.5	12	51500	29400	8.5	C35-60D	SLP98UH135XV60D	10092307
XP25-060-230	58500	18.5	12	51500	29400	8.5	C35-60D	SLP99UH135XV60D	205548861
XP25-060-230	58000	19.5	12.5	54500	36000	10	CBA38MV-060-230		201930689
XP25-060-230	58000	19.5	12.5	54500	35600	10.2	CBX40UHV-060		5947855
XP25-060-230	58000	19	12	54000	33800	9.2	CH33-49	EL296UH090XV60C	5947834
XP25-060-230	58000	19	12	54000	33600	9.2	CH33-49	EL296UH110XV60C	5947835
XP25-060-230	58000	19	12	54000	33400	9.2	CH33-49	SL280UH090V60C	5947836
XP25-060-230	58000	19	12	54000	33400	9.2	CH33-49	SL280UH090XV60C	8177629
XP25-060-230	58000	19	12	54000	33600	9.2	CH33-49	SL280UH110V60C	5947837
XP25-060-230	58000	19	12	54000	33600	9.2	CH33-49	SL280UH110XV60C	8177630
XP25-060-230	58000	19	12	54000	33800	9.2	CH33-49	SLP98UH090XV60C	5947838
XP25-060-230	58000	19	12	54000	33600	9.2	CH33-49	SLP98UH110XV60C	5947839
XP25-060-230	57500	18.5	11.5	54000	33800	9.2	CH33-50/60C	EL296UH090XV60C	5947840
XP25-060-230	57500	18.5	11.5	54000	33600	9.2	CH33-50/60C	EL296UH110XV60C	5947841
XP25-060-230	58000	19	12	54000	33400	9.2	CH33-50/60C	SL280UH090V60C	5947842
XP25-060-230	58000	19	12	54000	33400	9.2	CH33-50/60C	SL280UH090XV60C	8177631
XP25-060-230	57500	18.5	12	54000	33600	9.2	CH33-50/60C	SL280UH110V60C	5947843
XP25-060-230	57500	18.5	12	54000	33600	9.2	CH33-50/60C	SL280UH110XV60C	8177632
XP25-060-230	57500	18.5	11.5	54000	33800	9.2	CH33-50/60C	SLP98UH090XV60C	5947844
XP25-060-230	57500	18.5	11.5	54000	33600	9.2	CH33-50/60C	SLP98UH110XV60C	5947845
XP25-060-230	59000	19	12	55500	35600	8.7	CH33-62D	EL296UH135XV60D	5947846
XP25-060-230	59000	19	12	55000	35400	8.7	CH33-62D	SL280UH135V60D	5947847
XP25-060-230	59000	19	12	55500	35600	8.7	CH33-62D	SLP98UH135XV60D	5947848
XP25-060-230	59000	19	12	54000	35000	8.7	CH35-60D	EL296UH135XV60D	10092269
XP25-060-230	59000	19	12	54000	35000	8.7	CH35-60D	SL280UH135V60D	10092268
XP25-060-230	59000	19	12	54000	35000	8.7	CH35-60D	SLP98UH135XV60D	10092270
XP25-060-230	59000	19	12	54000	35000	8.7	CH35-60D	SLP99UH135XV60D	205548841
XP25-060-230	59000	19	12	54000	35000	8.7	CHX35-60D	EL296UH135XV60D	202192170
XP25-060-230	59000	19	12	54000	35000	8.7	CHX35-60D	SL280UH135V60D	202192169
XP25-060-230	59000	19	12	54000	35000	8.7	CHX35-60D	SLP98UH135XV60D	202192171
XP25-060-230	59000	19	12	54000	35000	8.7	CHX35-60D	SLP99UH135XV60D	205544734
XP25-060-230	57500	18.5	11.5	53500	35600	9.7	CR33-60	EL296DF090XV60C	5947856
XP25-060-230	58000	18.5	12	53500	35600	9.7	CR33-60	EL296DF110XV60C	5947857
XP25-060-230	58000	19	12	53000	35200	10	CR33-60	SL280DF090V60C	5947858
XP25-060-230	58000	19	12	53000	35200	10	CR33-60	SL280DF110V60C	5947859
XP25-060-230	57500	18.5	11.5	53500	35600	9.7	CR33-60	SLP98DF090XV60C	7979864
XP25-060-230	58000	18.5	12	53500	35600	9.7	CR33-60	SLP98DF110XV60C	5947861
XP25-060-230	57500	18.5	11.5	53500	35600	9.7	CR33-60	SLP99DF090XV60C	205544201
XP25-060-230	58000	18.5	12	53500	35600	9.7	CR33-60	SLP99DF110XV60C	205544187
XP25-060-230	59500	19	12	54000	32000	9	CX35-60C	EL296UH110XV60C	10092275
XP25-060-230	60000	19	12.5	53500	32000	9.6	CX35-60C	SL280UH080NV60C-	10581357
XP25-060-230	60000	19	12.5	54000	32000	9	CX35-60C	SL280UH090V60C	10092271
XP25-060-230	60000	19	12.5	54000	32000	9	CX35-60C	SL280UH090XV60C	10092272
XP25-060-230	60000	19	12	54000	32000	9	CX35-60C	SL280UH110V60C	10092273
XP25-060-230	60000	19	12	54000	32000	9	CX35-60C	SL280UH110XV60C	10092274
XP25-060-230	59500	19	12	54000	32000	9	CX35-60C	SLP98UH090XV60C	10092276
XP25-060-230	59500	19	12	54000	32000	9	CX35-60C	SLP98UH110XV60C	10092277
XP25-060-230	59500	19	12	54000	32000	9	CX35-60C	SLP99UH090XV60C	205548843
XP25-060-230	59500	19	12	54000	32000	9	CX35-60C	SLP99UH110XV60C	205548846
XP25-060-230	58500	18.5	12	51500	29400	8.5	CX35-60D	EL296UH135XV60D	10092303
XP25-060-230	58500	18.5	12	51500	29400	8.5	CX35-60D	SL280UH135V60D	10092302
XP25-060-230	58500	18.5	12	51500	29400	8.5	CX35-60D	SLP98UH135XV60D	10092304
XP25-060-230	58500	18.5	12	51500	29400	8.5	CX35-60D	SLP99UH135XV60D	205548860