



COIL SUBSTITUTION GUIDE

RESIDENTIAL PRODUCT SPECIFICATIONS

Bulletin No. 210958
April 2021

Use this as a guide for coil substitution if a certain coil model is not available.

CX35 UPFLOW CASED COIL SUBSTITUTION

Existing Coils			Substituted By	Coil Substitutions			
Model Number	Catalog Number	Dimensions (H x W x D)		Model Number	Catalog Number	Dimensions (H x W x D)	Height Change
CX35-18/24A-6F	10C41	16.5 x 14.5 x 21	→	CX35-24A-6F	10C43	18.5 x 14.5 x 21	+2 in.
CX35-18/24B-6F	10C42	16.5 x 17.5 x 21	→	CX35-24B-6F	10C44	18.5 x 17.5 x 21	+2 in.
CX35-30/36A-6F	10C49	24.5 x 14.5x21	→	CX35-36A-6F	10C52	24.5 x 14.5 x 21	Same
CX35-30/36B-6F	10C50	24.5x17.5x21	→	CX35-36B-6F	10C53	24.5 x 17.5 x 21	Same
CX35-50/60C-6F	10C57	27.5x21x21	→	CX35-49C-6F	10C56	29.5 x 21 x 22	+2 in.

NOTE - If a coil is not listed, no substitution is required.

C35 UPFLOW CASED COIL SUBSTITUTION

Existing Coils			Substituted By	¹ Coil Substitutions			
Model Number	Catalog Number	Dimensions (H x W x D)		Model Number	Catalog Number	Dimensions (H x W x D)	Height Change
C35-18/24A-6F	10C61	16.5 x 14.5 x 21	→	CX35-24A-6F+TXV	10C43	18.5 x 14.5 x 21	+2 in.
C35-18/24B-6F	10C62	16.5 x 17.5 x 21	→	CX35-24B-6F+TXV	10C44	18.5 x 17.5 x 21	+2 in.
C35-24A-6F	10C63	18.5 x 14.5 x 21	→	CX35-24A-6F+TXV	10C43	18.5 x 14.5 x 21	Same
C35-24B-6F	10C64	18.5 x 17.5 x 21	→	CX35-24B-6F+TXV	10C44	18.5 x 17.5 x 21	Same
C35-30A-6F	10C67	22.5 x 14.5 x 21	→	CX35-30A-6F+TXV	10C47	22.5 x 14.5 x 21	Same
C35-30B-6F	10C68	22.5 x 17.5 x 21	→	CX35-30B-6F+TXV	10C48	22.5 x 17.5 x 21	Same
C35-30/36A-6F	10C69	24.5 x 14.5 x 21	→	CX35-36A-6F+TXV	10C52	24.5 x 14.5 x 21	Same
C35-30/36B-6F	10C70	24.5 x 17.5 x 21	→	CX35-36B-6F+TXV	10C53	24.5 x 17.5 x 21	Same
C35-30/36C-6F	10C71	24.5 x 21 x 21	→	CX35-30/36C-6F+TXV	10C51	24.5 x 21 x 21	Same
C35-36A-6F	10C72	24.5 x 14.5 x 21	→	CX35-36A-6F+TXV	10C52	24.5 x 14.5 x 21	Same
C35-36B-6F	10C73	24.5 x 17.5 x 21	→	CX35-36B-6F+TXV	10C53	24.5 x 17.5 x 21	Same
C35-48B-6F	10C74	27.5 x 17.5 x 21	→	CX35-48B-6F+TXV	10C54	27.5 x 17.5 x 21	Same
C35-48C-6F	10C75	27.5 x 21 x 21	→	CX35-48C-6F+TXV	10C55	27.5 x 21 x 21	Same
C35-49C-6F	10C77	29.5 x 21 x 22	→	CX35-49C-6F+TXV	10C56	29.5 x 21 x 22	Same
C35-50/60C-6F	10C78	27.5 x 21 x 21	→	CX35-49C-6F+TXV	10C56	29.5 x 21 x 22	+2 in.
C35-60C-6F	10C79	31.5 x 21 x 22	→	CX35-60C-6F+TXV	10C58	31.5 x 21 x 22	Same
C35-60D-6F	10C80	29.5 x 24.5 x 21	→	CX35-60D-6F+TXV	10C59	29.5 x 24.5 x 21	Same

NOTE - If a coil is not listed, no substitution is required.

¹ CX35 includes factory installed TXV.

C35 UPFLOW UNCASED COIL SUBSTITUTION

Existing Coils			Substituted By	Coil Substitutions			
Model Number	Catalog Number	Dimensions (H x W x D)		Model Number	Catalog Number	Dimensions (H x W x D)	Height Change
C35-18/24A-2	16F27	14.125 x 13 x 19.5	→	C35-24A-2	16F29	16.375 x 13 x 19.5	+2-1/4 in.
C35-18/24B-2	16F28	14.125 x 15.5 x 19.5	→	C35-24B-2	16F30	16.375 x 15.5 x 19.5	+2-1/4 in.
C35-30/36A-2	16F33	22.25 x 13 x 19.5	→	C35-36A-2	16F37	16.375 x 13 x 19.5	+ 1/8 in.
C35-30/36B-2	16F35	22.25 x 15.5 x 19.5	→	C35-36B-2	16F39	16.375 x 15.5 x 19.5	+ 1/8 in.
C35-50/60C-2	16F45	25.875 x 20 x 19.5	→	C35-49C-2	16F44	20.75 x 13 x 19.5	+2-5/8 in.

NOTE - If a coil is not listed, no substitution is required.

CHX35 HORIZONTAL CASED COIL SUBSTITUTION

Existing Coils			Substituted By	Coil Substitutions			
Model Number	Catalog Number	Dimensions (H x W x D)		Model Number	Catalog Number	Dimensions (H x W x D)	Width Change
CHX35-18A-6F	16Y02	14.5 x 26.5 x 21.5	→	CHX35-24A-6F	16Y03	14.5 x 26.5 x 21.5	Same
CHX35-36A-6F	16Y07	14.5 x 26.5 x 21.5	→	CHX35-30A-6F	16Y05	14.5 x 31.5 x 21.5	+5 in.
CHX35-36B-6F	16Y08	17.5 x 26.5 x 21.5	→	CHX35-30B-6F	16Y06	17.5 x 26.5 x 21.5	Same
CHX35-48B-6F	16Y13	17.5 x 31.5 x 21.5	→	CHX35-42B-6F	16Y11	17.5 x 31.5 x 21.5	Same
CHX35-48C-6F	16Y14	21 x 26.5 x 21.5	→	CHX35-42C-6F	16Y12	21 x 26.5 x 21.5	Same

NOTE - If a coil is not listed, no substitution is required.

CH35 HORIZONTAL CASED COIL SUBSTITUTION

Existing Coils			Substituted By	¹ Coil Substitutions			
Model Number	Catalog Number	Dimensions (H x W x D)		Model Number	Catalog Number	Dimensions (H x W x D)	Height Change
CH35-18A-2F	10C26	14.5 x 26.5 x 21.5	→	CHX35-24A-6F+TXV	16Y03	14.5 x 26.5 x 21.5	Same
CH35-24A-2F	10C27	14.5 x 26.5 x 21.5	→	CHX35-24A-6F+TXV	16Y03	14.5 x 26.5 x 21.5	Same
CH35-24B-2F	10C28	17.5 x 26.5 x 21.5	→	CHX35-24B-6F+TXV	16Y04	17.5 x 26.5 x 21.5	Same
CH35-30A-2F	10C29	14.5 x 31.5 x 21.5	→	CHX35-30A-6F+TXV	16Y05	14.5 x 31.5 x 21.5	Same
CH35-30B-2F	10C30	17.5 x 26.5 x 21.5	→	CHX35-30B-6F+TXV	16Y06	17.5 x 26.5 x 21.5	Same
CH35-36A-2F	10C31	14.5 x 26.5 x 21.5	→	CHX35-30A-6F+TXV	16Y05	14.5 x 31.5 x 21.5	+5 in.
CH35-36B-2F	10C32	17.5 x 26.5 x 21.5	→	CHX35-30B-6F+TXV	16Y06	17.5 x 26.5 x 21.5	Same
CH35-36C-2F	10C33	21 x 26.5 x 21.5	→	CHX35-36C-6F+TXV	16Y09	21 x 26.5 x 21.5	Same
CH35-42B-2F	10C34	17.5 x 31.5 x 21.5	→	CHX35-42B-6F+TXV	16Y11	17.5 x 31.5 x 21.5	Same
CH35-42C-2F	10C35	21 x 26.5 x 21.5	→	CHX35-42C-6F+TXV	16Y12	21 x 26.5 x 21.5	Same
CH35-48B-2F	10C36	17.5 x 31.5 x 21.5	→	CHX35-42B-6F+TXV	16Y11	17.5 x 31.5 x 21.5	Same
CH35-48C-2F	10C37	21 x 26.5 x 21.5	→	CHX35-42C-6F+TXV	16Y12	21 x 26.5 x 21.5	Same
CH35-51C-2F	10C38	21 x 31.5 x 21.5	→	CHX35-51/61C-6F+TXV	16Y15	21 x 31.5 x 21.5	Same
CH35-60D-2F	10C39	24.5 x 31.5 x 21.5	→	CHX35-60D-6F+TXV	16Y16	24.5 x 31.5 x 21.5	Same

NOTE - If a coil is not listed, no substitution is required.

¹ CHX35 includes factory installed TXV.

CR33 DOWNFLOW CASED COIL SUBSTITUTION

Existing Coils			Substituted By	Coil Substitutions			
Model Number	Catalog Number	Dimensions (H x W x D)		Model Number	Catalog Number	Dimensions (H x W x D)	Width Change
CR33-18A-F	92M30	14.125 x 17.5 x 26.125	→	CR33-30/36A-F	92M33	16.125 x 17.5 x 26.125	+2 in.
CR33-24A-F	92M31	14.125 x 17.5 x 26.125	→	CR33-30/36A-F	92M33	16.125 x 17.5 x 26.125	+2 in.
CR33-24B-F	92M32	14.125 x 17.5 x 26.125	→	CR33-30/36B-F	92M34	16.125 x 17.5 x 26.125	+2 in.
CR33-30/36C-F	92M35	16.125 x 21 x 26.125	→	CR33-48C-F	92M37	20 x 21 x 26.125	+3-7/8 in.
CR33-60D-F	92M36	23.625 x 24.5 x 26.125	→	CR33-50/60C-F	92M38	23.625 x 24.5 x 26.125	Same

NOTE - If a coil is not listed, no substitution is required.



Visit us at www.Lennox.com

For the latest technical information, www.LennoxPros.com

Contact us at 1-800-4-LENNOX

NOTE - Due to Lennox' ongoing commitment to quality, Specifications, Ratings and Dimensions subject to change without notice and without incurring liability.
Improper installation, adjustment, alteration, service or maintenance can cause property damage or personal injury.
Installation and service must be performed by a qualified installer and servicing agency.

©2021 Lennox Industries, Inc.